

# The CTAN Bibliography

Herbert Voß\*

September 1, 2023

## Contents

<b>1 Bibliography data</b>	<b>1</b>
<b>2 Bibliography list by package name</b>	<b>2</b>
<b>References</b>	<b>127</b>

## 1 Bibliography data

The data entries are saved as `@manual`, which can easily be changed by any editor via the replace function. If you are still using the old bibtex program instead of biber, you have to define your own bibliography style file (`.bst.`).

For biber/biblatex there exists an own `ctan.bbx` file which uses all the entry types listed in the following example:

```
@manual{ctan-a@poster,
  title      = {The \texttt{a@poster} package},
  subtitle   = {Support for designing posters on large paper},
  author      = {Gerlinde Kettl and Matthias Weiser},
  date       = {2016-06-24},
  version    = {1.22b},
  license     = {lppl},
  mirror     = {https://mirror.ctan.org/macros/latex/contrib/a@poster},
  url        = {https://ctan.org/pkg/a@poster},
  annotation = {Provides fonts in sizes of 12pt up to 107pt and also makes sure
    that in math formulas the symbols appear in the right size. Can
    also create a PostScript header file for
    which ensures that the poster will be
    printed in the right size. Supported sizes are DIN A0, DIN A1,
    DIN A2 and DIN A3.},
}
```

`ctan.bbx` is based on `authortitle` which can be changed easily in the file.

Currently there are 6467 bibliography data entries. The file `ctan.bib` will be created new every day.

---

\*hvoss@tug.org

## Bibliography list by package name

A	2	B	8	C	18	D	29	E	34	F	40	G	46	H	50	I	54	J	57
K	58	L	60	M	69	N	78	O	81	P	83	Q	93	R	94	S	97	T	107
U	117	V	120	W	122	X	124	Y	126	Z	127								

Package	Caption	Author	Page
<b>AAAAA</b>			
a0poster	Support for designing posters on large paper	Kettl, Weiser	280
a2ac	AFM to AFM plus Composites	Olšák	377
a2ping	Advanced PS, PDF, EPS converter	Szabó	470
a4	Support for A4 paper sizes	Poppelier, Braams	395
a4wide	"Wide" a4 layout	Holt, Lamy	260
a5comb	Support for a5 paper sizes	Wolczko	539
aaai-named	BibTeX style for AAAI	Patel-Schneider	386
aaai	AAAI style	Patel-Schneider	386
Aalok	L <sup>A</sup> T <sub>E</sub> X class file for the Marathi journal 'Aalok'	Unknown	501
aastex	Macros for Manuscript Preparation for AAS Journals	AAS	131
abbr	Simple macros supporting abbreviations for Plain and L <sup>A</sup> T <sub>E</sub> X	Thành	484
abbrevs	Text abbreviations in L <sup>A</sup> T <sub>E</sub> X	Swift	466
abc	Support ABC music notation in L <sup>A</sup> T <sub>E</sub> X	Gregorio	237
abc2mtex	Notate tunes stored in ABC notation	Walshaw	529
abnt	Typesetting academic works according to ABNT rules	Cherem	177
abntex2	Typeset technical and scientific Brazilian documents based on ABNT rules	Araujo	133
abntexto	L <sup>A</sup> T <sub>E</sub> X class for formatting academic papers in ABNT standards	Abreu	128
Aboensis	A late medieval OpenType cursive font	Syrjänen	468
abraces	Asymmetric over-/underbraces in maths	Grundlingh	240
abspos	Absolute placement with coffins	Hetland	255
abstbook	Books of abstracts	Havlik	249
abstr-collect	Print a collection of abstracts	Balemi	139
abstract	Control the typesetting of the abstract environment	Robertson, Wilson	411
abstyles-babel	Adaptable styles for use with Babel	Bautista	143
abstyles-orig	Adaptable BibTeX styles	Bode	154
academicons	Font containing high quality icons of online academic profiles	Fernandes	211
accanthis	Accanthis fonts, with L <sup>A</sup> T <sub>E</sub> X support	Tennent	479
accenti	Extra accented character macros, designed for Italian	Bosisio	157
accents-cs	Create a VF for the accents used in Czech/Slovak	Zlatuska	553
accents	Multiple mathematical accents	Bezos López	320
accessibility	Create tagged and structured PDF files	Clifton	182
accfonts	Utilities to derive new fonts from existing ones	Smith	451
accsupp	Better accessibility support for PDF files	Oberdiek	368
achemso	Support for American Chemical Society journal submissions	Wright, Dahlgren	542
achicago-bst	Chicago Manual BibTeX style	Swift	467
achicago	Chicago Manual citations in L <sup>A</sup> T <sub>E</sub> X	Swift	466
acm	ACM document style	Leichter	314
acmart	Class for typesetting publications of ACM	Veytsman	515
acmconf	Class for ACM conference proceedings	Vollmer	520
acmproc	Style option for ACM proceedings	Lamport	308
acmtrans	Class and BibTeX style for ACM Transactions	Lamport, Appel, Boyland	308
acro	Typeset acronyms	Niederberger	362
acroflex	Create a graphing widget in a PDF file	Story	461
acromake	Make commands for acronyms	Thompson	492
AcroMemory	Memory games in L <sup>A</sup> T <sub>E</sub> X	Story	461
acronym	Expand acronyms at least once	Oetiker, Oberdiek	375

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
acronym209	An algorithm package developed for L <sup>A</sup> T <sub>E</sub> X 2.09	Kewley	280
acoreloadpdf	Reload-the-current-PDF utility for Adobe Reader on Unix systems	Grahn	233
AcroSort	Sort sliced image into order	Story	461
acroterm	Manage and index acronyms and terms	Voß	526
acrotex-js	JavaScript files used by acrotex and other packages	Story	461
acrotex-web	Establish a page layout for an on-screen (PDF) document	Story	461
acrotex	The AcroTeX education bundle	Story	461
acroweb	Scripts to create interactive tests from a database	Mařík	335
acs	L <sup>A</sup> T <sub>E</sub> X 2.09 support for Advances in Control Systems	Unknown	501
active-conf	Class for typesetting ACTIVE conference papers	Robertson	410
actuarialangle	Angle symbol denoting a duration in actuarial and financial notation	Goulet	233
actuarialsymbol	Actuarial symbols of life contingencies and financial mathematics	Goulet, Beauchemin	233
adami	A DOS system for working with Tamil	Srinivasan	456
add-wes	A "book" style for Addison-Wesley house style	Barton-Davis, Mansfield	142
addfont	Easier use of fonts without L <sup>A</sup> T <sub>E</sub> X support	Jørgensen	273
addindex	Add index entries to L <sup>A</sup> T <sub>E</sub> X document	Gil	227
addliga	Access basic ligatures in legacy TrueType fonts	Miller	346
addlines	A user-friendly wrapper around \enlargethispage	Robertson	410
address	Generate form letters and address labels	Wester, Damrau	533
AddTeX2Eps	Use L <sup>A</sup> T <sub>E</sub> X syntax on EPS figures, within Mathematica	Slavič	450
addtoluatexpath	Add paths to Lua packages and input T <sub>E</sub> X files	Ewasiuk	206
adfathesis	Australian Defence Force Academy thesis format	Harker	248
adfor	OrnamentsADF font with T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X support	Rees	404
adfsymbols	SymbolsADF with T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X support	Rees	404
adhocfilelist	'\listfiles' entries from the command line	Lück	326
adigraph	Augmenting directed graphs	Cappelletti	169
adjmulticol	Adjusting margins for multicolumn and single column output	Veytsman	515
adjustbox	Graphics package-alike macros for "general" boxes	Scharrer	427
adobe-euro	Metric and map files for the Adobe Euro fonts	Unknown	501
adobecasl	Adobe Caslon font in L <sup>A</sup> T <sub>E</sub> X	Veytsman	515
adobe	Adobe cmap and pdfmapping files	Adobe	128
adobeornaments	Using ornaments in Adobe Fonts with LuaL <sup>A</sup> T <sub>E</sub> X or XeL <sup>A</sup> T <sub>E</sub> X	Granet	234
adrconv	BibTeX styles to implement an address database	Kielhorn	282
adrlist	Using address lists in L <sup>A</sup> T <sub>E</sub> X	Spribille	456
adrtrees	Macros for drawing adpositional trees	Benini, Gobbo	149
advdate	Print a date relative to "today"	Wagner	527
ae	Virtual fonts for T1 encoded CMR-fonts	Engelbrechtsen	205
aeb-minitoc	Create mini-tocs	Story	461
aeb-mlink	Multi-line links with hyperref	Story	461
aeb-mobile	Format PDF files for use on a smartphone	Story	461
AeB Pro	Items from the AeB Pro Family of Software	Story	461
aeb-tilebg	AeB Tiling Backgrounds	Story	461
aeb_dad	A drag-and-drop matching game with PDF files	Story	461
aebenvelope	The AeB Pro eEnvelope System	Story	461
AeB slicing	An image slicer	Story	461
aebXMP	Add advanced metadata to PDF files	Story	461
aecc	Almost European Concrete Roman virtual fonts	Rivera	409
aeguill	Add several kinds of guillemets to the ae fonts	Roegel	414
aesupp	Special support for the æ character	Jørgensen	273
AFMtoPL (Clark)	Convert AFM files to PLs for use with dvitops	Clark	181
AFMtoPL (Elwell)	An early converter from AFM to PL	Elwell	204
AFMtopl (Wolczko)	Unix utilities for translating AFM files to PL	Wolczko	539
afparticle	Typesetting articles for Archives of Forensic Psychology	Veytsman	515
afterpackage	Add commands to package after it's loaded	Rozhenko	422
afterpage	Execute command after the next page break	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
afthesis	Air Force Institute of Technology thesis class	Young	548
aguplus	Styles for American Geophysical Union	Daly	188
aiaa	Typeset AIAA conference papers	Kleb	286
aichej	Bibliography style file for the AIChE Journal	Schaber	427
aifont	Remap Computer Modern fonts	Collins	183
ajl	BibTeX style for AJL	Nash	359
AkkTeX	A collection of packages and classes	Akkerman	129
akletter	Comprehensive letter support	Kielhorn	282
akshar	Support for syllables in the Devanagari script	Vũ	527
alatex	Abstract L <sup>A</sup> T <sub>E</sub> X	Swift	467
albatross	Find fonts that contain a given glyph	Island of TeX	266
alchemist	Typeset alchemist and astrological symbols	Buxbaum	167
alegreya	Alegreya fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	479
aleph	Extended T <sub>E</sub> X	Bilotta, T <sub>E</sub> XLive	152
alertmessage	Alert messages for L <sup>A</sup> T <sub>E</sub> X	Dupuis	199
AlfaSlabOne	The Alfa Slab One font face with support for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Ebinger	200
alg	L <sup>A</sup> T <sub>E</sub> X environments for typesetting algorithms	Ulfberg	500
algobox	Typeset Algobox programs	Rivaud	408
algotrevived	A revival of Frutiger's Algol alphabet	Sharpe	442
algorithm2e	Floating algorithm environment with algorithmic keywords	Fiorio, Kokan	214
algorithmicx	The algorithmic style you always wanted	János	269
algorithms	A suite of tools for typesetting algorithms in pseudo-code	Brito, Williams	161
algpseudocodex	Package for typesetting pseudocode	Matt	338
algxpar	Support multiple lines of pseudocode	Moreira	352
aliascnt	Alias counters	Oberdiek	368
aligned-overset	Fix alignment at \overset or \underset	Krüger	302
alkalami	A font for Arabic-based writing systems in Nigeria and Niger	Tennent	479
allegno	Automatic numbering of all equations	Thornburg	492
allrunes	Fonts and L <sup>A</sup> T <sub>E</sub> X package for almost all runes	Werner	533
alltt	Everything in tt font, but obey commands and line endings	Lamport, Braams, L <sup>A</sup> T <sub>E</sub> X Team	308
alltt2	Indented version of alltt	Wolczko, Lamport	539
almendra	Almendra fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	479
almfixed	Arabic-Latin Modern Fixed extends T <sub>E</sub> X-Gyre Latin Modern Mono 10 Regular to full Arabic Unicode support	Hamid	244
alnumsec	Alphanumeric section numbering	Küster	306
alpha-persian	Persian version of alpha.bst	Shapour	442
alpha	Editor for the Macintosh with good T <sub>E</sub> X support	Keleher	279
alphabib	Add alphabetical headers into citations	Hilléreau	256
alphalph	Convert numbers to letters	Oberdiek	368
alphanum-bst	Modified alpha BibTeX style	Thomas	492
alphanum	Sectioning commands for jura	Braun	160
alphanumb	A modification of alpha.bst	Thomas	492
alterqcm	Multiple choice questionnaires in two column tables	Matthes, Syropoulos, Dimou	339
altfont	Alternative font handling in L <sup>A</sup> T <sub>E</sub> X	Kirsch	285
altnline	Line numbering in L <sup>A</sup> T <sub>E</sub> X 2.09	Fortune	218
altsubsup	Subscripts and superscripts with square brackets	Labbé	307
altverse	Typesetting verse	Shipunov	446
ama	AMA manual of style citations	Kort, Trickey	299
ametsoc	Official American Meteorological Society L <sup>A</sup> T <sub>E</sub> X Template	Papa, AMeteoS	384
amiri	A classical Arabic typeface, Naskh style	Hosny	262
amiweb2c-guide	How to install AmiWeb2c	Finnberg	213
amiweb2c	An Amiga port of web2C	Scherer	430
ams-cd	AMSTeX Commutative Diagrams for L <sup>A</sup> T <sub>E</sub> X	Hankerson	244

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
ams2bib	Convert AMS-TeX style bibliography entries to BibTeX	Werschulz	533
amsaddr	Alter the position of affiliations in amsart	Lelong	315
amsart	L <sup>A</sup> T <sub>E</sub> X document class for AMS math journal articles	The AMS	485
amsbook	L <sup>A</sup> T <sub>E</sub> X document class for AMS books	The AMS	485
amsbsy	Produce bold math symbols (AMS-LaTeX)	L <sup>A</sup> T <sub>E</sub> X Team	487
amscd	AMS-L <sup>A</sup> T <sub>E</sub> X commutative diagrams	L <sup>A</sup> T <sub>E</sub> X Team	487
amscdx	Enhanced commutative diagrams	Vermeer	514
amscls-doc	User documentation for AMS document classes	The AMS	485
amscls	AMS document classes for L <sup>A</sup> T <sub>E</sub> X	The AMS	485
amsfonts	TeX fonts from the American Mathematical Society	The AMS	485
amslatex-primer	Getting up and running with AMS-LaTeX	Hirschhorn	256
amslatex	Mathematical enhancements for L <sup>A</sup> T <sub>E</sub> X	The AMS	485
amslatexdoc-vie...	Vietnamese translation of AMSL <sup>A</sup> T <sub>E</sub> X documentation	Huynh	264
amsltx11	AMS-LaTeX, original version (obsolete)	The AMS	485
amsmath-it	Italian translations of some old amsmath documents	Ferrante, de Bari	211
amsmath	AMS mathematical facilities for L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team	487
amsidx	Support for multiple indexes in AMS Classes	The AMS	485
amsopn	Typeset mathematical operator names	L <sup>A</sup> T <sub>E</sub> X Team	487
amspell	ASCII and L <sup>A</sup> T <sub>E</sub> X spell checker	Merckens, Frambach	344
amsppt	AMS-TeX article preprint document style	The AMS	485
amsppt1	AMS-TeX v.2 compatibility for amsppt.sty v.1	The AMS	485
amsproc	L <sup>A</sup> T <sub>E</sub> X document class for AMS conference proceedings	The AMS	485
amsrefs	A L <sup>A</sup> T <sub>E</sub> X-based replacement for BibTeX	The AMS, Downes, Jones	486
amstex	American Mathematical Society plain T <sub>E</sub> X macros	The AMS	485
amstext	Typeset text fragments in mathematics	L <sup>A</sup> T <sub>E</sub> X Team	487
amsthm	Typesetting theorems (AMS style)	The AMS	485
analogclock	An analog ticking clock package for PDF output	Randez	403
andika	andika fonts with support for all L <sup>A</sup> T <sub>E</sub> X engines	Tennent	479
animate	Create PDF and SVG animations from graphics files and inline graphics	Grahn	233
anleitung	Using L <sup>A</sup> T <sub>E</sub> X with MikTeX, including TrueType fonts	Weissenburger	532
annee-scolaire	Automatically typeset the academic year (French way)	Henel	253
annot-pro	Create text, stamp and file attachment annotations	Story	461
annotate-equations	Easily annotate math equations using TikZ	John	272
annotate	A bibliography style with annotations	Unknown	501
annotation-pkg	Suppress or permit annotations to a document	Hofmann	258
annotation	A BibTeX style that processes annotations	Unknown	501
anonchap	Make chapters be typeset like sections	Robertson, Wilson	411
anonymous-acm	Typeset anonymous versions for ACM articles	Becker	146
AnonymousPro	Use AnonymousPro fonts with L <sup>A</sup> T <sub>E</sub> X	Esbaty	206
ans	Answers and solutions, for L <sup>A</sup> T <sub>E</sub> X 2.09	Wells	532
answers	Setting questions (or exercises) and answers	Wright, Piff	542
ant-worker-tasks	Apache ANT Tasks for T <sub>E</sub> X and PDF	Niedermair	364
ant	A typesetting system inspired by T <sub>E</sub> X	Blumensath	153
antanilipsum	Generate sentences in the style of “Amici miei”	Coleman	183
anti	Typeset an anti-particle in maths mode	Holmes	260
antique-spanish...	A short document about antique spanish units	Merino Hernández	255
antomega	Alternative language support for Omega/Lambda	Kryukov	303
antp	Antykwa Półtawskiego: a Type 1 family of Polish traditional type	Nowacki	367
antt	Antykwa Toruńska: a Type 1 family of a Polish traditional type	Nowacki	367
antttvf	Virtual fonts for PostScript Antykwa Toruńska font	Wierzbicki	534
ANUfinalexam	L <sup>A</sup> T <sub>E</sub> X document shell for ANU final exam	Kam	276
anyfontsize	Select any font size in L <sup>A</sup> T <sub>E</sub> X	Szabó	470
ansize	A simple package to set up document margins	Esser	206
aobs-tikz	TikZ styles for creating overlaid pictures in beamer	Fiandrino	211

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
aomart	Typeset articles for the Annals of Mathematics	Veytsman	515
apa	American Psychological Association format	Protopapas	398
apa6	Format documents in APA style (6th edition)	Beitzel	148
apa6e	Format manuscripts to APA 6th edition guidelines	Smith	452
apa7	Format documents in APA style (7th edition)	Weiss	532
apabst	Early APA BibTeX style	Rogers	416
apacite	Citation style following the rules of the APA	Meijer	343
apalike-ejor	A BibTeX style file for the European Journal of Operational Research	Rumpf	424
apalike-german	A copy of apalike.bst with German localization	Braun	160
apalike2	Bibliography style that approaches APA requirements	Reiser, Ho	406
apasoft	An APA-like style for BibTeX	Porr	395
apeqnum	Number equations by appendix	Hosek	261
apl	Fonts for typesetting APL programs	Hohti, Kanerva	260
aplweb	Literate programming in APL	Schweigert	439
apnum	Arbitrary precision numbers implemented by T <sub>E</sub> X macros	Olšák	377
appelt-chess	Chess board macros using standard fonts	Unknown	501
appendix	Extra control of appendices	Robertson, Wilson	412
appendixnumberb...	Manage frame numbering in appendixes in beamer	Lelong	315
appendre-a-pro...	The book “Apprendre à programmer en T <sub>E</sub> X”	Tellechea	478
appends-latex	Appends L <sup>A</sup> T <sub>E</sub> X!	Baudoin	142
apptools	Tools for customising appendices	Kuhnert	304
apxproof	Proofs in appendix	Senellart	441
ar	Capital A and capital R ligature for Aspect Ratio	Beccari	144
arabi-add	Using hyperref and bookmark packages with arabic and farsi languages	Lakhdar	307
arabi	(La)TeX support for Arabic and Farsi, compliant with Babel	Jabri	267
arabic-book	An Arabic book class	Alziyadi	131
arabic	Read a lower-case roman number	Selberg	441
arabicfront	Frontmatter with arabic page numbers	Bezos López	320
arabluatex	ArabTeX for LuaLaTeX	Alessi	129
arabtex	Macros and fonts for typesetting Arabic	Lagally	307
arabxetex	An ArabTeX-like interface for X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X	Charette, Khalighi, bidi-tex GitHub Organisation	175
aramaic-serto	Fonts and L <sup>A</sup> T <sub>E</sub> X for Syriac written in Serto	Heinecke	250
aramaic	Fonts for Aramaic script	Wilson	535
arara	Automation of L <sup>A</sup> T <sub>E</sub> X compilation	Cereda	174
arbeit	Typeset classwork exercises	Burkhardt	165
archaeologie	A citation-style which covers rules of the German Archaeological Institute	Bossert	157
archaic	A collection of archaic fonts	Wilson, Zimmermann, Syropoulos	539
Archivo	The Archivo font face with support for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Ebinger	200
arcs	Draw arcs over and under text	Boggio-Togna	154
arev	Fonts and L <sup>A</sup> T <sub>E</sub> X support files for Arev Sans	Hartke	249
arimo	Arimo sans serif fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	479
arlatex	A L <sup>A</sup> T <sub>E</sub> X-based archiver	Pakin	380
armtex	A system for writing in Armenian with T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Dachian, Dalalyan, Akopian	187
armymemo	A document class for Army memorandums in accordance with AR 25-50	Sharpsten	445
aro-bend	Exercises in T <sub>E</sub> X, with answers	Downes	195
arosg	Support for the Bengali language	Ali	131
around-the-bend	Typeset exercises in T <sub>E</sub> X, with answers	Downes, Wilson	196
arphic-ttf	TrueType version of Chinese Arphic fonts	Yamashita	544
arphic	Arphic (Chinese) font packages	Lemberg	315
array	Extending the array and tabular environments	Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	349



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
arraycols	New column types for array and tabular environments	Missier	348
arrayjob	Array data structures for (La)TeX	Sharpe, Jiang	445
arrayjobx	Array data structures for (La)TeX	Sharpe, Jiang	445
Array Maker	A program for making L <sup>A</sup> T <sub>E</sub> X and xypic arrays	Arapura	133
arraysort	Sort arrays (or portions of them)	Lee	312
arrow	Eplain macros for commutative diagrams	Smith	452
ArsClassica	A different view of the ClassicThesis package	Pantieri	384
artex	Make filecontents environments of non-standard files or packages	Efford	201
article	Default class for composing an article	L <sup>A</sup> T <sub>E</sub> X Team	487
articleingud	L <sup>A</sup> T <sub>E</sub> X class for articles published in INGENIERIA review	Morales	351
artthreads	Support for article threads	Story	462
Arvo	The Arvo font face with support for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Ebinger	201
arXivBib	Get bibliography entries from arXiv.org	Forkosh	217
arydshln	Draw dash-lines in array/tabular	Nakashima	359
asaetr	Transactions of the ASAE	Pearson	386
asana-math	A font to typeset maths in Xe(La)TeX and Lua(La)TeX	Syropoulos	468
asapsym	Using the free ASAP Symbol font with L <sup>A</sup> T <sub>E</sub> X and Plain T <sub>E</sub> X	Gessler	225
asc2tex	Retrieve text from screenshots	Götz	233
ascelike	Bibliography style for the ASCE	Kuhn	304
ascii-chart	An ASCII wall chart	Eijkhout	202
ascii-cyrillic	A Latin alphabet representation of Cyrillic	Siebenmann	447
ascii-font	Use the ASCII “font” in L <sup>A</sup> T <sub>E</sub> X	Syropoulos, Nickalls	470
asciilist	Environments AsciiList and AsciiDocList for prototyping nested lists in L <sup>A</sup> T <sub>E</sub> X	Grewé	238
ascmac	Boxes and picture macros with Japanese vertical writing support	Japanese T <sub>E</sub> X Team	269
askinclude	Interactive use of \includeonly	Straub, Oberdiek	464
askmaps	Typeset American style Karnaugh maps	op den Brouw	162
asmeconf	A L <sup>A</sup> T <sub>E</sub> X template for ASME conference papers	Lienhard	317
asmejour	A template for ASME journal papers	Lienhard	317
aspectratio	Capital A and capital R ligature for Aspect Ratio	Beccari	144
aspell	Spell checker	Atkinson	137
assignment	A class file for typesetting homework and lab assignments	Singh	449
assoccnt	Associate counters, making them step when a master steps	Hupfer	264
association-matrix	L <sup>A</sup> T <sub>E</sub> X support for creating association matrices	Unknown	501
asternote	Annotation symbols enclosed in square brackets and marked with an asterisk	Kusakabe	305
astro	Astronomical (planetary) symbols	Schmitt	433
astron	BibTeX style for astronomical journals	Hogeveen	259
astyped	Verbatim environment, with rather few escapes	Unknown	501
asyfig	Commands for using Asymptote figures	Robertson	410
asymptote-by-ex...	Asymptote by example	Unknown	501
asymptote-faq-z...	Asymptote FAQ (Chinese translation)	Unknown	501
asymptote-manua...	A Chinese translation of the asymptote manual	Unknown	501
asymptote	2D and 3D T <sub>E</sub> X-Aware Vector Graphics Language	Bowman, Hammerlindl	158
asypictureB	User-friendly integration of Asymptote into L <sup>A</sup> T <sub>E</sub> X	Staats III	265
at	Short commands starting '@'	Wooding	540
atari-cstex	TeX for Atari machines	Brandt	159
atbegshi	Execute stuff at \shipout time	Oberdiek	368
atenddvi	Provides the \AtEndDvi command	Oberdiek	368
atendofenv	Add a custom symbol at the end of an environment	Zhou	552
atkinson	Support for the Atkinson Hyperlegible family of fonts	Tennent	479
attachfile	Attach arbitrary files to a PDF document	Pakin	380
attachfile2	Attach files into PDF	Oberdiek	368
attrib	Attribution of block quotations in L <sup>A</sup> T <sub>E</sub> X	Swift	467
atveryend	Hooks at the very end of a document	Oberdiek	369

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
aucklandthesis	Memoir-based class for formatting University of Auckland masters' and doctors' theses	Kwan	306
auctex	Emacs support files for T <sub>E</sub> X	The AUCTeX Team, Thorup, Abrahamsen	486
augie	Calligraphic font for typesetting handwriting	Schmidt, Harcombe	431
auncial-new	Artificial Uncial font and L <sup>A</sup> T <sub>E</sub> X support macros	Wilson	536
auncial	Artificial Uncial manuscript book-hand font	Wilson	536
aurical	Calligraphic fonts for use with L <sup>A</sup> T <sub>E</sub> X in T1 encoding	Gollwitzer	230
aurl	Extends the hyperref package with a mechanism for hyperlinked URLs abbreviated with prefixes	Höfner	258
aurora	Header files for dvips to make colour separations	Freeman	220
authblk	Support for footnote style author/affiliation	Daly	188
authoraftertitle	Make author, etc., available after \maketitle	Bilger	152
authorarchive	Adds self-archiving information to scientific papers	Brucker	162
authordate	Author/date style citation styles	Rhead	408
authorindex	Index citations by author names	Wettstein	533
auto-pst-pdf-lua	Using LuaL <sup>A</sup> T <sub>E</sub> X together with PostScript code	Voß	521
auto-pst-pdf	Wrapper for pst-pdf (with some psfrag features)	Robertson	410
auto1	L <sup>A</sup> T <sub>E</sub> X support for Underware Auto 1 fonts	Schlömer	430
autoalign	Align terms and members in math expressions	Tellechea	478
autobreak	Simple line breaking of long formulae	Ueda	499
autoconf	Autoconf macros to test for the presence of L <sup>A</sup> T <sub>E</sub> X	Mathieu	338
autofancyhdr	Automatically compute headlength for fancyhdr package	Baghban	138
AutoLaTeX	Automate compilation of large scale L <sup>A</sup> T <sub>E</sub> X projects	Galland	223
autolist	More lists	Shipunov	446
automagic	Automagic numbering in Plain T <sub>E</sub> X	Unknown	501
automata	Finite state machines, graphs and trees in MetaPost	Puppis	398
automatica	A harvard-family BibTeX style	Balemi	139
autonum	Automatic equation references	Häcker	242
autopdf	Conversion of graphics to pdfLaTeX-compatible formats	Wette	533
autopict	The L <sup>A</sup> T <sub>E</sub> X picture mode, for use with Plain T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team, Carlisle	490
autopuncitems	Automatically punctuate lists	Ewasiuk	206
autosp	A Preprocessor that generates note-spacing commands for MusiXTeX scores	Tennent	479
autotab	Generating tabulars from input data	Kruljac	302
autotoc	Table of contents in Plain T <sub>E</sub> X	Unknown	501
autoview	Maintain a Ghostscript view of emacs buffer	Goel	230
auxhook	Hooks for auxiliary files	Oberdiek	369
avremu	An 8-Bit Microcontroller Simulator written in L <sup>A</sup> T <sub>E</sub> X	Dietrich	193
aweb	Web system for programs written in Ada	Schweigert	439
awesomebox	Draw admonition blocks in your documents, illustrated with FontAwesome icons	Deparis	192
axessibility	Access to formulas in PDF files by assistive technologies	Coriasco, Murru	184
axodraw	Feynman diagrams in a L <sup>A</sup> T <sub>E</sub> X document	Vermaseren	514
axodraw2	Feynman diagrams in a L <sup>A</sup> T <sub>E</sub> X document	Collins, Vermaseren	183
<b>BBBBB</b>			
blencoding	L <sup>A</sup> T <sub>E</sub> X encoding tools for Bookhands fonts	Wilson	536
babel-albanian	Support for Albanian within babel	Bezos López, Braams	322
babel-azerbaijani	Support for Azerbaijani within babel	Bezos López	320
babel-bahasa	Support for Bahasa within babel	Knappen, Mart, Braams	291
babel-basque	Babel contributed support for Basque	Aguirregabiria, Zubia Gareia	129
babel-belarusian	Babel support for Belarusian	Novodvorsky, Shadura	367
babel-bosnian	Babel contrib support for Bosnian	Halilčević	244
babel-breton	Babel contributed support for Breton	Rolland	416



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
babel-bulgarian	Babel contributed support for Bulgarian	Boshnakov, Bezos López, Braams	157
babel-catalan	Babel contributed support for Catalan	Badenes Guia, Ortega, Mas Casals	240
babel-contrib	Contributed language-support files for Babel	various authors	512
babel-croatian	Babel contributed support for Croatian	Paić, Kokan	380
babel-czech	Babel support for Czech	Bezos López, Braams	322
babel-danish	Babel contributed support for Danish	Bezos López, Braams	322
babel-dutch	Babel contributed support for Dutch	Bezos López, Braams	322
babel-english	Babel support for English	Bezos López, Braams	322
babel-esperanto	Babel support for Esperanto	Bezos López, Braams, Martí	323
babel-estonian	Babel support for Estonian	Vajakas, Saar	511
babel-finnish	Babel support for Finnish	Bezos López, Braams	322
babel-french	Babel contributed support for French	Flipo	215
babel-friulan	Babel/Polyglossia support for Friulan(Furlan)	Beccari	144
babel-galician	Babel/Polyglossia support for Galician	Música de Rivera	409
babel-georgian	Babel support for Georgian	Shoshiashvili, Lemberg	446
babel-german	Babel support for documents written in German	Raichle, Braams, Spitzmüller	402
babel-greek	Babel support for the Greek language and script	Syropoulos, Bezos López, Braams, Milde	470
babel-hebrew	Babel support for Hebrew	Bezos López, Braams, Lavva, Rosendahl, Fogiel	323
babel-hungarian	Babel support for Hungarian (Magyar)	Szabó	470
babel-icelandic	Babel support for Icelandic	Árnason, Braams, Bezos López	133
babel-indonesian	Support for Indonesian within babel	Knappen, Mart, Braams, Bezos López	291
babel-interlingua	Babel support for Interlingua	Bezos López, Braams	322
babel-irish	Babel support for Irish	Bezos López, Braams	322
babel-italian	Babel support for Italian text	Bezos López, Braams, Beccari, Codogno	323
babel-japanese	Babel support for Japanese	Ing, Japanese T <sub>E</sub> X Team	265
babel-kurmanji	Babel support for Kurmanji	Bezos López, Braams	322
babel-latin	Babel support for Latin	Wehr, Bezos López, Braams, Beccari	532
babel-latvian	Babel support for Latvian	Lasis, Bezos López	310
babel-lithuanian	Babel support for documents written in Lithuanian	Tolušis	494
babel-macedonian	Babel module to support Macedonian Cyrillic	Trajanovski	496
babel-malay	Support for Malay within babel	Knappen, Mart, Braams, Bezos López	291
babel-norsk	Babel support for Norwegian	Bezos López, Braams	323
babel-occitan	Babel support for Occitan	Valmary	511
babel-piedmontese	Babel support for Piedmontese	Beccari	144
babel-polish	Babel support for Polish	Bezos López, Braams, Schalück, Janich, Woliński	323
babel-portuges	Babel support for Portuges	Bezos López, Braams	323
babel-romanian	Babel support for Romanian	Bezos López, Braams, Horst, Juhasz	323
babel-romansh	Babel/Polyglossia support for the Romansh language	Beccari	144
babel-russian	Russian language module for Babel	Kotelnikov	299
babel-samin	Babel support for Samin	Bezos López, Braams, Jernsletten	323
babel-scottish	Babel support for Scottish Gaelic	Bezos López, Braams	323

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
babel-serbian	Babel/Polyglossia support for Serbian	Bezós López, Braams, Stefanović	324
babel-serbianc	Babel module to support Serbian Cyrillic	Brčić, Stefanović	160
babel-slovak	Babel support for typesetting Slovak	Bezós López, Braams, Chlebíková, Tesařík	323
babel-slovenian	Babel support for typesetting Slovenian	Bezós López, Braams	323
babel-sorbian	Babel support for Upper and Lower Sorbian	Bezós López, Braams, Werner	324
babel-spanglish	Simplified Spanish support for Babel	Rivera	409
babel-spanish	Babel support for Spanish	Bezós López, Sanchez	324
babel-swedish	Babel support for typesetting Swedish	Bezós López, Braams, Hellman	323
babel-thai	Support for Thai within babel	Karoonboonyanan	277
babel-turkish	Babel support for Turkish documents	MacKay, Burc, Bezós López	332
babel-ukrainian	Babel support for Ukrainian	Braams, Ponomarenko	159
babel-vietnamese	Babel support for typesetting Vietnamese	Lemberg, Kotucha, Bezós López	316
babel-welsh	Babel support for Welsh	Braams, Bezós López	159
babel	Multilingual support for L <sup>A</sup> T <sub>E</sub> X, LuaL <sup>A</sup> T <sub>E</sub> X, XeL <sup>A</sup> T <sub>E</sub> X, and Plain T <sub>E</sub> X	Bezós López, Braams	322
babelbib	Multilingual bibliographies	Harders, Preining	248
babeltools	Tools for dealing with Babel annoyances	Bezós López	320
babylonianum	Typeset Babylonian numerals with XeT <sub>E</sub> X	Pinson	393
backgrnd	Mark text with grey background or change bar	Schmitt	433
background	Placement of background material on pages of a document	Medina Arellano	133
backnaur	Typeset Backus Naur Form definitions	Robson	414
backref	Make hyper-references back from bibliography to citation	Oberdiek	369
backrefx	Bibliographical back referencing	Els	204
badge	Print badge labels	van Oostrum	378
baekmuk	Baekmuk Korean TrueType fonts	Kim, Lemberg	284
bagpipe	Support for typesetting bagpipe music	Innis	265
bahyph	Hyphenation for Basque	Aguirregabiria	129
bakoma-fonts	Computer Modern and AMS fonts in outline form	Malyshev	335
bakoma-games	BaKoMa modules for music and games	Malyshev	335
bakoma-mac	A BaKoMa system for the Macintosh	Malyshev	335
bakoma	A T <sub>E</sub> X distribution for MS-Windows VISTA/XP/2000	Malyshev	335
balance	Balanced two-column mode	Daly	188
balanced	Balance double-column sections in L <sup>A</sup> T <sub>E</sub> X	Unknown	501
balancedquotes	Code balanced quotes according to document language	Selberg	441
bangla	A comprehensive Bangla L <sup>A</sup> T <sub>E</sub> X package	Hossain	262
bangorcsthesis	Typeset a thesis at Bangor University	Gray	235
bangorexam	Typeset an examination at Bangor University	Gray	235
bangtex	Writing Bangla and Assamese with L <sup>A</sup> T <sub>E</sub> X	Pal	383
bankstatement	A L <sup>A</sup> T <sub>E</sub> X class for bank statements based on csv data	Kleber	286
bar	A patched version of bar.sty	Bleser, Lang	153
barcodes-vulis	A font for making barcodes	Vulis	527
barcodes	Fonts for making barcodes	Willadt	535
bard	Celtic bardic runes font	Lüddecke	328
bardi	Hyphenation and babel support for Bardi	Bowern	158
bardiag	L <sup>A</sup> T <sub>E</sub> X package for drawing bar diagrams	Stepanyan	459
bargraph-js	Create bar graphs using form fields and JavaScript	Story	462
barkom	A package for bar charts in L <sup>A</sup> T <sub>E</sub> X	Bleser, Lang	153
barracuda	Draw barcodes with Lua	Giacomelli	226
bartel-chess-fonts	A set of fonts supporting chess diagrams	Bartel, Preining	141
base	Definitive source of Plain T <sub>E</sub> X on CTAN	Knuth	291
bashful	Invoke bash commands from within L <sup>A</sup> T <sub>E</sub> X	Gil	227

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
bashkirian	Bashkirian extension to OT2 fonts	Knappen	290
basicarith	Macros for typesetting basic arithmetic	Goodman	231
BasicLaTeX-ru	An introduction to L <sup>A</sup> T <sub>E</sub> X, in Russian	Kuznetsov	306
basix	A BASIC interpreter written in T <sub>E</sub> X	Greene	237
baskervaldadf	Baskervald ADF fonts collection with T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X support	Rees	404
baskervaldx	Extension and modification of BaskervaldADF with L <sup>A</sup> T <sub>E</sub> X support	Sharpe	442
baskervillef	Fry's Baskerville look-alike, with math support	Sharpe	442
basque-book	Class for book-type documents written in Basque	Ibarra	265
basque-date	Print the date in Basque	Ibarra	265
bath-bst	Harvard referencing style as recommended by the University of Bath Library	Ball	139
battleship	A L <sup>A</sup> T <sub>E</sub> X style file for typesetting Battleship logic puzzles	Kleber	286
baum	Trees, using PicTeX	Unknown	501
bbcard	Bullshit bingo, calendar and baseball-score cards	McPhee	342
bbding	A symbol (dingbat) font and L <sup>A</sup> T <sub>E</sub> X macros for its use	Neergaard, Horák	360
bbfig	Calculate and print bounding box	Batchelder, Cosell	142
bb12html	Convert a L <sup>A</sup> T <sub>E</sub> X .bbl file to formatted html code	Blok	153
bbm-macros	L <sup>A</sup> T <sub>E</sub> X support for "blackboard-style" cm fonts	Hilbrich	256
bbm	"Blackboard-style" cm fonts	Robert	410
bbold-type1	An Adobe Type 1 format version of the bbold font	Horn, Hosny	261
bbold	Sans serif blackboard bold	Jeffrey	270
bboldx	Extension of the bbold package with a Blackboard Bold alphabet	Sharpe	442
bbs	Bibliography style for Behavioral and Brain Sciences	Rogers	416
bchart	Draw simple bar charts in L <sup>A</sup> T <sub>E</sub> X	Kuhn	304
bclogo	Creating colourful boxes with logos	Chupin	180
bdfchess	Typeset correspondence chess games	Hassel	249
beamer-fuberlin	Beamer, using the style of FU Berlin	Voß	521
beamer-rl	Right to left presentation with beamer and babel	Bou	158
beamer-tut-pt	An introduction to the Beamer class, in Portuguese	Campani	168
beamer-verona	A theme for the beamer class	Valbusa	511
beamer	A L <sup>A</sup> T <sub>E</sub> X class for producing presentations and slides	Miletić, Wright, Unknown, Stuart, Tantau	346
beamer2thesis	Thesis presentations using beamer	Fiandrino	211
beamerappendixnote	Create notes on appendix frames in beamer	Semken	441
beameraudience	Assembling beamer frames according to audience	Marschall	336
beamerauxtheme	Supplementary outer and inner themes for beamer	Stuart	465
beamercolorthem...	A flexible beamer color theme to maximize visibility	Churchley	181
beamerdarkthemes	Dark color themes for beamer	Thiriet	492
beamerposter	Extend beamer and a0poster for custom sized posters	Dreuw, Deselaers	196
beamerframe	Reorder frames in the PDF file	Kaufmann	278
beamerswitch	Convenient mode selection in Beamer documents	Ball	139
beamertheme-arg...	Simple, typographic beamer theme	Piazzai	390
beamertheme-cuerna	A beamer theme with 4 colour palettes	Ochoa	375
beamertheme-det...	A beamer theme designed for use in the University of Leeds	Mielczarek	345
beamertheme-epyt	A simple and clean theme for L <sup>A</sup> T <sub>E</sub> X beamer class	Hu	263
beamertheme-focus	A minimalist presentation theme for L <sup>A</sup> T <sub>E</sub> X Beamer	Africa	129
beamertheme-light	A minimal beamer style	Vergnet, Goepp	513
beamertheme-met...	A modern L <sup>A</sup> T <sub>E</sub> X beamer theme	Vogelgesang	520
beamertheme-npbt	A collection of L <sup>A</sup> T <sub>E</sub> X beamer themes	Markgraf	336
beamertheme-phn...	A simple beamer theme	Ol	376
beamertheme-pur...	A minimalistic presentation theme for L <sup>A</sup> T <sub>E</sub> X Beamer	Clasen	181
beamertheme-rai...	A beamer colour theme which alternates theme colours on every frame	Unknown	502
beamertheme-sai...	A beamer theme that incorporates colours and fonts of Saint Petersburg State University	Gankevich	223

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
Beamertheme-Sim...	Template for a simple presentation	Huang	263
beamertheme-Sim...	A simple and clean theme for L <sup>A</sup> T <sub>E</sub> X beamer	Huang	263
beamertheme-tco...	A beamer inner theme which reproduces standard beamer blocks using tcolorboxes	Unknown	502
beamertheme-trigon	A modern, elegant, and versatile theme for Beamer	Lambert	308
beamertheme-upe...	Beamer themes for Boston College and the University of Pennsylvania	Strasser	464
beamerthemeAmur...	A new modern beamer theme	Chupin	180
beamerthemeJLTree	Contributed beamer theme	Lelong	315
beamerthemelalic	A beamer theme for LALIC	Moreira	352
beamerthemenirma	A Beamer theme for academic presentations	Revar	407
beamerthemeNord	A simple beamer theme using the “Nord” color theme	Wang	529
beamerthemetamu	A beamer theme for Texas A&M University	Zhao	552
bearwear	Shirts to dress TikZbears	Fischer	214
beaulivre	Write your books in a colorful way	XU	543
beautybook	A beautiful book template for maths and science	Lu	325
Beebe-DVI	A modular collection of DVI processors	Beebe	146
begingreek	Greek environment to be used with pdfL <sup>A</sup> T <sub>E</sub> X only	Beccari	144
beginlatex	A beginner’s guide to L <sup>A</sup> T <sub>E</sub> X	Flynn	216
begriff	Typeset Begriffschrift	Parsons	385
beilstein	Support for submissions to the “Beilstein Journal of Nanotechnology”	Sievers, Beilstein-Institut	448
beletter	Typeset Belgian letters	Kilfiger, Lenaerts	283
belleek	Free replacement for basic MathTime fonts	Kinch	285
bellmac	Outline scheme for form letter production	Bell	148
Bengali Omega	Bengali in Velthuis transliteration or in UTF-8	Raut	404
bengali-pandey	Support for the Bengali language	Pandey, Das	383
bera	Bera fonts	Rosenau, Dirr, Schmidt	418
berenisadf	Berenis ADF fonts and T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X support	Rees, Harendal	405
besjournals-bst	Bibliographies suitable for British Ecological Society journals	DeSouza	192
bestpapers	A BibTeX package to produce lists of authors’ best papers	Veytsman	515
betababel	Insert ancient greek text coded in Beta Code	Berkemeier	150
beton	Use Concrete fonts	Jensen	271
beuron	The script of the Beuronese art school	Wehr	531
bewerbung	Typesetting job applications	Hilbig	256
bez123	Support for Bezier curves	Robertson, Wilson	412
bezierplot	Approximate smooth function graphs with cubic bezier splines for use with TikZ or MetaPost	Romer	417
bfh-ci	Corporate Design for Bern University of Applied Sciences	Peischl	388
bfsymb	Generate bold symbols in Plain T <sub>E</sub> X mathematics	Münch	355
bg	Annotate backgammon matches and positions	Richter	408
bghyphen	Hyphenation patterns for Bulgarian	Boshnakov	156
bgreek	Using Beccari’s fonts in betacode for classical Greek	Rivera	409
bgteubner	Class for producing books for the publisher “Teubner Verlag”	Harders	246
bguq	Improved quantifier stroke for Begriffschrift packages	Green	236
BHCexam	An exam class for mathematics teachers in China	Bao	140
bib-fr	French translation of classical BibTeX styles	Markey	336
bib-greek	A BibTeX style for Greek documents	Syropoulos	468
bib2dvi	Generate a DVI file from a Bibliography file	Frederiks	219
bib2gls	Command line application to convert .bib files to glossaries-extra.sty resource files	Talbot	471
bib2ml	BibTeX to HTML/SQL/XML translator	Galland	223
bib2xhtml	Convert BibTeX Files into XHTML	Spinellis, Hull	455
BibArts	“Arts”-style bibliographical information	Baumann	143
bibbuild	A bibliography builder for FileMaker Pro 7	Harrod	248
bibcard	An XView based interface for BibTeX databases	Grossniklaus, Ogden	239
bibcheck	Check on references to items in thebibliography	Radhakrishnan, Rajagopal	400

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
bibclean	A BibTeX prettyprinter, verifier, etc	Beebe	146
bibcop	Style checker for .bib files	Bugayenko	164
bibdb	BibTeX bibliography manager for MS-Windows and MS-DOS	Doron	195
bibentry	Full bibliography entries in the main text of a document	Daly	188
biber-cygwin	Biber binaries for Cygwin on Windows	Brown, Kime	162
biber-freebsd	Biber binaries for FreeBSD	Kime, Lečić	285
biber-linux-musl	Biber binaries for Linux-MUSL	Kime, Krumeich	285
biber-linux	Biber binaries for Linux	Kime	284
biber-macos	Biber binaries for MacOS	Kime	284
biber-ms-linux	Biber (multiscript) binaries for Linux	Kime	284
biber-ms-macos	Biber (multiscript) binaries for MacOS	Kime	284
biber-ms-windows	Biber (multiscript) binaries for Windows	Kime	284
biber-ms	A BibTeX replacement for users of BibLaTeX (multiscript version)	Kime, Charette	285
biber-solaris	Biber binaries for Solaris	Syropoulos, Kime	470
biber-windows	Biber binaries for Windows	Kime	284
biber	A BibTeX replacement for users of BibLaTeX	Kime, Charette	285
Bibex	Automatic extraction of references from BibTeX databases	Guéhéneuc	240
bibexport	Extract a BibTeX file based on a .aux file	Markey	336
bibextract	Utilities to extract BibTeX data	Beebe	146
bibfile-reforma...	Puts .bib file page ranges into uniform format	Pearlmutter	386
bibfilex	A free bibliographic manager for BibLaTeX	Nardello	359
bibfind	Prints entries in your bib file that match search string	Breivik	160
bibhtml	BibTeX support for HTML files	Gray	236
bibindex	Index BibTeX files for fast searching	Erickson, Beebe	205
biblatex-abnt	BibLaTeX style for Brazil's ABNT rules	Marques	336
biblatex-ajc202...	BibLaTeX style for the Australasian Journal of Combinatorics	Avdeev	137
biblatex-anonymous	A tool to manage anonymous work with BibLaTeX	Rouquette	419
biblatex-apa	BibLaTeX citation and reference style for APA	Kime	284
biblatex-apa6	BibLaTeX citation and reference style for APA 6th Edition	Kime	285
biblatex-archae...	A collection of BibLaTeX styles for German prehistory	Braun	160
biblatex-arthis...	BibLaTeX citation style covers the citation and bibliography guidelines for art historians	Bossert, Kemper	158
biblatex-author...	Author-year style with compact multiple-reference-citations and ibidem mechanism for BibLaTeX	Titz	493
biblatex-bath	Harvard referencing style as recommended by the University of Bath Library	Ball	139
biblatex-bookin...	Manage book edited in article	Rouquette	419
biblatex-bookin...	Manage book edited in other entry type	Rouquette	419
biblatex-bwl	BibLaTeX citations for FU Berlin	Voß	521
biblatex-casper...	A simple citation style for Chinese users	Vector	513
biblatex-cheats...	BibLaTeX/Biber 'cheat sheet'	Rees	404
biblatex-chem	A set of BibLaTeX implementations of chemistry-related bibliography styles	Wright	541
biblatex-chicago	Chicago style files for BibLaTeX	Fussner	222
biblatex-claves	A tool to manage claves of old literature with BibLaTeX	Rouquette	419
biblatex-cv	Create a CV from BibTeX files	Shub	447
biblatex-dw	Humanities styles for BibLaTeX	Waßenhoven	530
biblatex-enc	BibLaTeX style for the École nationale des chartes (Paris)	Camps	169
biblatex-ext	Extended BibLaTeX standard styles	Wemheuer	532
biblatex-fiwi	BibLaTeX styles for use in German humanities	Spiegel	454
biblatex-gb7714...	A BibLaTeX implementation of the GBT7714-2015 bibliography style for Chinese users	Zhenzhen	552
biblatex-german...	Comprehensive citation style for German legal texts	Brodowski	161
biblatex-gost	BibLaTeX support for GOST standard bibliographies	Domanov	194
biblatex-historian	A BibLaTeX style	Gliboff	229



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
biblatex-ieee	IEEE style files for BibLaTeX	Wright	541
biblatex-ijrsra	BibLaTeX style for the International Journal of Student Research in Archaeology	Bossert	157
biblatex-iso690	BibLaTeX style for ISO 690 standard	Hoftich	259
biblatex-jura	BibLaTeX stylefiles for German legal literature	Hard	246
biblatex-jura2	Citation style for the German legal profession	Christoph	180
biblatex-juradiss	BibLaTeX stylefiles for German law theses	Schwan, Voß	438
biblatex-license	Add license data to the bibliography	Wagner	527
biblatex-lncs	BibLaTeX style for Springer Lecture Notes in Computer Science	Göttlinger	233
biblatex-lni	LNI style for BibLaTeX	Kopp	299
biblatex-luh-ipw	BibLaTeX styles for social sciences	Heins	250
biblatex-manusc...	Manage classical manuscripts with BibLaTeX	Rouquette	419
biblatex-mla	MLA style files for BibLaTeX	Clawson	181
biblatex-morenames	New names for standard BibLaTeX entry type	Rouquette	419
biblatex-ms	Sophisticated Bibliographies in L <sup>A</sup> T <sub>E</sub> X (multiscript version)	Kime	285
biblatex-multip...	Load multiple datamodels in BibLaTeX	Rouquette	419
biblatex-musuos	A BibLaTeX style for citations in musuos.cls	Weh	531
biblatex-nature	BibLaTeX support for Nature	Wright	541
biblatex-nejm	BibLaTeX style for the New England Journal of Medicine (NEJM)	Aluthge, Daniel	131
biblatex-nottsc...	Citation style for the University of Nottingham	Bossert	157
biblatex-opcit...	Use op. cit. for the booktitle of a subentry	Rouquette	419
biblatex-oxref	BibLaTeX styles inspired by the Oxford Guide to Style	Ball	139
biblatex-philos...	Styles for using BibLaTeX for work in philosophy	Valbusa	511
biblatex-phys	A BibLaTeX implementation of the AIP and APS bibliography style	Wright	541
biblatex-publist	BibLaTeX bibliography support for publication lists	Spitzmüller	455
biblatex-readbbl	Read a .bbl file created by biber	Voß	521
biblatex-realau...	Indicate the real author of a work	Rouquette	419
biblatex-sbl	Society of Biblical Literature (SBL) style files for BibLaTeX	Purton	398
biblatex-science	BibLaTeX implementation of the Science bibliography style	Wright	541
biblatex-shortf...	Use short forms of fields with BibLaTeX	Rouquette	419
biblatex-social...	BibLaTeX-style for the social sciences at HU Berlin	Bossert	157
biblatex-software	BibLaTeX stylefiles for software products	Di Cosmo	185
biblatex-source...	References by “division” in classical sources	Rouquette	420
biblatex-spbasic	A BibLaTeX style emulating Springer’s old spbasic.bst	Voß	521
biblatex-subseries	Manages subseries with BibLaTeX	Rouquette	420
biblatex-swiss...	Bibliography and citation styles following Swiss legal practice	Vion, Mörtl	519
biblatex-trad	“Traditional” BibTeX styles with BibLaTeX	Wemheuer	532
biblatex-true-c...	Correction of some limitation of the citepages=omit option of BibLaTeX styles	Rouquette	420
biblatex-unified	BibLaTeX implementation of the unified stylesheet for linguistics journals	von Fintel	214
biblatex-vancouver	Vancouver style for BibLaTeX	Mondal	351
BibLaTeX	Sophisticated Bibliographies in L <sup>A</sup> T <sub>E</sub> X	Lehman, Kime	313
biblatex2bibitem	Convert BibLaTeX-generated bibliography to bibitems	Avdeev	137
BiBLE	A BibTeX library editor	Schreiber	435
bibleref-french	French translations for bibleref	Rouquette, Pinson	420
bibleref-german	German adaptation of bibleref	Waßenhoven	530
bibleref-lds	Bible references, including those to the scriptures of the Church of Jesus Christ of Latter Day Saints	Parry	385
bibleref-mouth	Consistent formatting of Bible references	Parry	385
bibleref-parse	Specify Bible passages in human-readable format	Kuhnert	304
bibleref	Format bible citations	Talbot, Rouquette	476
bibletext	Insert Bible passages by their reference	Staps	458
biblio-perl	System for maintaining and presenting bibliographies	Stepanyan	459
biblio	A collection of bibliographies	Beebe	146



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
biblist	Print a BibTeX database	Schrod	435
biblook	Fast searching of BibTeX files	Erickson, Beebe	205
biblos	CGI interface to BibTeX files	Moller	350
bibmods	Tighter tolerances for bibliographies	Beebe	146
bibplain	Simple macros for using BibTeX with Plain T <sub>E</sub> X	Ferro	211
bibsort	Sort a BibTeX bibliography file	Beebe	146
BibTeX-examples	Examples of BibTeX usage	Beebe	146
BibTeX Database...	A simple interactive script to generate BibTeX Files	Gupta	241
BibTeX-help	VMS help file for BibTeX	Greenwade	237
bibtex-test	BibTeX testing files	Beebe	146
bibtex	Process bibliographies (bib files) for L <sup>A</sup> T <sub>E</sub> X or other formats	Patashnik	386
bibtex8	A fully 8-bit adaptation of BibTeX 0.99	Kempson, T <sub>E</sub> XLive	279
BibTexMng	Manipulate BibTeX database files	VNP Comp	520
bibtexperllibs	BibTeX Perl Libraries	Gossen, Veytsman	233
bibtexu	An adaptation of BibTeX 0.99 that supports Unicode via ICU	Haralambous, Japanese T <sub>E</sub> X Team, T <sub>E</sub> XLive	245
BibTool	A tool for manipulating BibTeX files	Neugebauer	360
bibttools	Bib management tools	Kotz, Gildea	300
bibtopic	Include multiple bibliographies in a document	Basso, Ulrich	142
bibtopicprefix	Prefix references to bibliographies produced by bibtopic	Schröder	436
bibunits	Multiple bibliographies in one document	Fernández, Hansen	211
bibutils	A collection of bibliography format convertors	Putnam	398
bibview-x	A visual manager for BibTeX files	Liebl, Martin, Urban	317
bibview	View BibTeX files	Jacobsen	268
bibweb	Automatically retrieve bibliography from MathSciNet	Palmieri	383
bicaption	Support for bilingual captions	Sommerfeldt	453
bickham	Virtual fonts for Adobe Bickham Script Pro	Sharpe	442
bidi-atbegshi	Bidi-aware shipout macros	Khalighi, bidi-tex GitHub Organisation	280
bidi	Bidirectional typesetting in plain T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X, using XeTeX	Khalighi, bidi-tex GitHub Organisation	280
bidicontour	Bidi-aware coloured contour around text	Khalighi, bidi-tex GitHub Organisation	280
bidihl	Experimental bidi-aware text highlighting	Khalighi, bidi-tex GitHub Organisation	280
bidipagegrid	Bidi-aware page grid in background	Khalighi, bidi-tex GitHub Organisation	280
bidipresentation	Experimental bidi presentation	Khalighi, bidi-tex GitHub Organisation	281
bidishadowtext	Bidi-aware shadow text	Khalighi, bidi-tex GitHub Organisation	281
bidstobibtex	Convert BIDS returns to BibTeX	Stone	460
bigdelim	Big delimiters in tabular or array	van Oostrum	378
bigfoot	Footnotes for critical editions	Kastrup	277
bigintcalc	Integer calculations on very large numbers	Oberdiek	369
bigints	Writing big integrals	Merciadri	344
bigsign	Making "big signs" (mini-posters)	Lingnau	318
bigstrut	Struts for opening up tabular spacing	van Oostrum	378
bigtable	Multi-page tables in Plain T <sub>E</sub> X	Mathas, Howlett	338
bigtabular	Tabulars that can split at page boundaries	Duchier	198
biihead	Underlined page headings	Shapin	442
bilingualpages	Typeset two columns in parallel	Coles	183
binarytree	Drawing binary trees using TikZ	Nikolova	366
binhex	Convert numbers into binary, octal and hexadecimal	Kastrup	278
binomexp	Calculate Pascal's triangle	Roderick	414

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
biochemistry-co...	Colors used to display amino acids, nucleotides, sugars or atoms in biochemistry	Buxbaum	167
biocon	Typesetting biological species names	Edelman	201
biokey	Flexible identification key tables in L <sup>A</sup> T <sub>E</sub> X	Shipunov	446
biolett-bst	A BibT <sub>E</sub> X style for the journal “Biology Letters”	DeSouza	192
biolinum-type1	(pdf)L <sup>A</sup> T <sub>E</sub> X support for the Biolinum family of fonts	Tennent	479
biolist	List observed species	Shipunov	446
Birkhaeuser	Style for Birkhaeuser books, conference proceedings, etc	Balemi	139
bit2spr	Convert bitmaps to “sprites”	Rovner	421
bitelist	Split list, in T <sub>E</sub> X’s mouth	Lück	326
bitfield	Draw bit field data structure diagrams (obsolete)	Thomas	492
bithesis	Templates for the Beijing Institute of Technology	Kaiyu	275
bitpattern	Typeset bit pattern diagrams	Bourguet	158
bits	Sub-document environments in L <sup>A</sup> T <sub>E</sub> X	Swift	467
bitset	Handle bit-vector datatype	Oberdiek	369
bitstrea	Support for use of Bitstream fonts	Unknown	502
bitter	The Bitter family of fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	479
bizcard	Typeset business cards	Kirsch	285
bjfuthesis	A thesis class for Beijing Forestry University	Liu	319
blackboard	Comparison of blackboard bold fonts	Kummer	305
blackletter	A blackletter font	Unknown	502
blacklettert1	T1-encoded versions of Haralambous old German fonts	Bronger	162
blanks	Macros for “fill in the blanks” forms	Varian	512
blindtext	Producing ‘blind’ text for testing	Lickert	317
blkarray	Extended array and tabular	Carlisle	169
blkcntrl	Block-element hooks in L <sup>A</sup> T <sub>E</sub> X	Swift	467
blochsphere	Draw pseudo-3D diagrams of Bloch spheres	Wardrop	530
block	A block letter style for the letter class	Huang	263
blockdraw_mp	Block diagrams and bond graphs, with MetaPost	Tidefelt	493
BLOpenType	A basic LuaT <sub>E</sub> X OpenType handler	Rivera	409
bloques	Generate control diagrams	Ruiz	424
blowup	Upscale or downscale all pages of a document	Niepraschk	364
blox	Draw block diagrams, using TikZ	Reish	406
blue	A document preparation system	van der Laan	306
bm	Access bold symbols in maths mode	Carlisle, Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	172
bm2font	Convert bitmaps to PK fonts	Sowa, Gillespie	454
bm2ltx	Convert a bitmap image to L <sup>A</sup> T <sub>E</sub> X code	Bontus	155
bmeps	Converter from PNG/JPEG/Tgb81AIFF/NetPBM to EPS	Krause	300
bmpp	Convert bitmap files to PS/EPS/PDF	Krause	300
bmppsize	Extract size and resolution data from bitmap files	Oberdiek	369
bmstu-iu8	A class for IU8 reports	Unknown	502
bmstu	A L <sup>A</sup> T <sub>E</sub> X class for Bauman Moscow State Technical University	Novikov	367
bnf-plain	Plain T <sub>E</sub> X macros for BNF grammars	Quanstrom	399
bnumexpr	Extends eT <sub>E</sub> X’s \numexpr...relax construct to big integers	Burnol	165
bodegraph	Draw Bode, Nyquist and Black plots with gnuplot and TikZ	Papanicola	384
bodeplot	Draw Bode, Nyquist and Nichols plots with gnuplot or pgfplots	Kamalapurkar	276
bohr	Simple atom representation according to the Bohr model	Niederberger	362
boisik	A font inspired by Baskerville design	Mitek	348
boites	Boxes that may break across pages	Zoonekynd, Malaquias	554
bold-extra	Use bold small caps and typewriter fonts	Fairbairns, Carlisle	207
boldline	Heavier lines in tables	Shipunov	446
boldtensors	Bold latin and greek characters through simple prefix characters	Fink, Bachteler	213
bondgraph	Create bond graph figures in L <sup>A</sup> T <sub>E</sub> X documents	Dupuis	199
bondgraphs	Draws bond graphs in L <sup>A</sup> T <sub>E</sub> X, using PGF/TikZ	Folkertsma	217

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
book-examples	A collection of examples from published T <sub>E</sub> X-related books	Unknown	502
book-of-common-...	Typeset in the style of “Book of Common Prayer”	Coles	183
book	A class for typesetting books	L <sup>A</sup> T <sub>E</sub> X Team	487
bookcover	A class for book covers and dust jackets	Tómacs	495
bookdb	A BibTeX style file for cataloguing a home library	Wilson	536
bookest	Extended book class	Bresciani	161
bookform	L <sup>A</sup> T <sub>E</sub> X 2.08 style for MIL STD 490 documents	McPherson	342
bookhands	A collection of book-hand fonts	Wilson	536
booklet	Aids for printing simple booklets	Robertson, Wilson	412
bookmark	A new bookmark (outline) organization for hyperref	Oberdiek	369
bookshelf	Create a nice image from a BibTeX file	Flynn	216
booktabs-de	German version of booktabs	Römer, Manderla	417
booktabs-fr	French translation of booktabs documentation	Drucbert, Goutelle	197
booktabs	Publication quality tables in L <sup>A</sup> T <sub>E</sub> X	Els, Fear	204
boolexpr	A boolean expression evaluator and a switch command	Chervet	177
boondox	Mathematical alphabets derived from the STIX fonts	Sharpe	442
bophook	Provides an At-Begin-Page hook	Tinnefeld	493
borceux	Diagram macros by François Borceux	Borceux	155
border	Draw a black border around a Plain T <sub>E</sub> X page	Briser	161
bosisio	A collection of packages by Francesco Bosisio	Bosisio	157
boxedart4mac	Import graphics into Macintosh T <sub>E</sub> X	Siebenmann	447
boxedeps	Incorporate EPS files into T <sub>E</sub> X documents	Siebenmann	447
boxedminipage	Framed minipages of a specified total width (text and frame combined)	Pakin	380
boxhandler	Flexible Captioning and Deferred Box/List Printing	Segletes	440
boxit-ltx	An environment for boxing things	van der Goot	232
boxit	Draw a box around a text	Unknown	502
bpchem	Typeset chemical names, formulae, etc	Pedersen	387
bpolynomial	Drawing polynomial functions of up to order 3	Hennig	254
br-lex	A Class for Typesetting Brazilian legal texts	Cherem	177
bracketkey	Produce bracketed identification keys	Heibl	250
braids	Draw braid diagrams with PGF/TikZ	Stacey	456
braille	Support for braille	Park, Unruh	385
braket	Dirac bra-ket and set notations	Arseneau	133
brandeis-disser...	Class for Brandeis University dissertations	Burt, Peck	167
brandeis-proble...	Document class for COSI Problem sets at Brandeis University (Waltham, MA)	Turner	499
brandeis-thesis	A class for Brandeis University M.A. theses	Burt	166
brcllc	Support 16-bit (double) calculations in L <sup>A</sup> T <sub>E</sub> X	Radgen	399
breakcites	Ensure that multiple citations may break at line end	Hosek, Broska, Hosek	261
breakurl	Line-breakable \url-like links in hyperref when compiling via dvips/ps2pdf	Neto	168
bredzenie	A Polish version of “lorem ipsum...” in the form of a L <sup>A</sup> T <sub>E</sub> X package	Woliński	540
breqn	Automatic line breaking of displayed equations	Downes, Høgholm, Madsen, Robertson, Wright	196
bridge-pln	Plain T <sub>E</sub> X macros for writing about bridge	van der Laan	306
bridge	Typesetting bridge diagrams	van der Laan	306
brief-t	L <sup>A</sup> T <sub>E</sub> X support for the brief editor	Hedne	249
bropd	Simplified brackets and differentials in L <sup>A</sup> T <sub>E</sub> X	Tatlock	477
brushscr	A handwriting script font	Loreti	324
bsf	Access bold computer modern sans in L <sup>A</sup> T <sub>E</sub> X 2.09	Leichter	314
bsheaders	Double-ruled chapter heading style	Loreti	324
bsl	Access bold computer modern slanted in L <sup>A</sup> T <sub>E</sub> X 2.09	Greenwade	237
BSR2dvi	Convert a T <sub>E</sub> Xtures working file to DVI	Siebenmann	447
btable	Bordered tables	van der Laan	306
bt00L	Perl library for parsing and processing BibTeX files	Ward	530

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
bubblesort	Bubble sorts a list	Taylor	477
BUCTthesis	Beijing University of Chemical Technology Thesis Template	Unknown, Changcheng Student Network	509
bullcntr	Display list item counter as regular pattern of bullets	Mezzetti	344
bundledoc	Bundle together all the files needed to build a L <sup>A</sup> T <sub>E</sub> X document	Pakin	380
burmese	Basic Support for Writing Burmese	Reese, Lepper	405
buscard	A document style for business cards	Roth	419
business-research	Markup for the journal Business Research	Löffler, Schanz	319
businesscard-qr...	Business cards with QR-Code	Wäckerlin	527
bussproofs-extra	Extra commands for bussproofs.sty	Zach	548
bussproofs	Proof trees in the style of the sequent calculus	Buss	167
BXbase	BX bundle base components	Yato	545
bxcalc	Extend the functionality of the calc package	Yato	545
bxCJKatype	Typeset Japanese with pdfL <sup>A</sup> T <sub>E</sub> X and CJK	Yato	546
bxdpx-beamer	Dvipdfmx extras for use with beamer	Yato	546
bxdrvdriver	Enables specifying a driver option effective only in DVI output	Yato	546
bxeepic	Eepic facilities using pict2e	Yato	546
bxenclose	Enclose the document body with some pieces of code	Yato	546
BXghost	Ghost insertion for proper xkanjiskip	Asakura	136
BXjoholiday	Support for Japanese holidays	Asakura	136
BXjalipsum	Dummy text in Japanese	Yato	546
BXjaprnind	Adjust the position of parentheses at paragraph head	Yato	546
bxjatoucs	Convert Japanese character code to Unicode	Yato	546
BXjscls	Japanese document class collection for all major engines	Yato	546
bxnewfont	Enhanced \newfont command	Yato	546
bxorigcapt	To retain the original caption names when using Babel	Yato	546
bxpapersize	Synchronize output paper size with layout paper size	Yato	546
bxpdfver	Specify version and compression level of output PDF files	Yato	546
bxtexlogo	Additional T <sub>E</sub> X-family logos	Yato	546
bxwareki	Convert dates from Gregorian to Japanese calender	Yato	546
byo-twemojis	“Build Your Own Twemojis” with TikZ	Rossel	418
byrne	This package provides a set of tools to typeset geometric proofs in the style of Oliver Byrne’s 1847 ed. of Euclid’s “Elements”	Slyusarev	450
bytefield	Create illustrations for network protocol specifications	Pakin	381
byzantinemusic	Facilitates writing byzantinemusic	Cornaros	185
byzfonts	Byzantine Music Font	Vamvakas, Kotopoulos	511
<b>CCCCC</b>			
c-pascal	Typeset Python, C and Pascal programs	Šegan, Gulczynski	440
c2cweb	C language prettyprinter	Lemberg	315
c2latex	Simple conversion of C programs to L <sup>A</sup> T <sub>E</sub> X	Ramsdell	402
cabin	A humanist Sans Serif font, with L <sup>A</sup> T <sub>E</sub> X support	Tennent	480
cachepic	Convert document fragments into graphics	Trzeciak	497
caesarcm	Hyphenation of inflected languages, using CM fonts	Siebenmann	447
cahierprof	Schedule and grade books for French teachers	Giromini	228
cahyph	Hyphenation patterns for the Catalan language	Badenes Guia, Turon	240
caladea	Support for the Caladea family of fonts	Tennent	480
calc	Simple arithmetic in L <sup>A</sup> T <sub>E</sub> X commands	L <sup>A</sup> T <sub>E</sub> X Team, Thorup, Jensen	491
calcage	Calculate the age of something, in years	Schneider	434
calctab	Language for numeric tables	Giacomelli	226
calculation	Typesetting reasoned calculations, also called calculational proofs	Fokkinga	217
calculator	Use L <sup>A</sup> T <sub>E</sub> X as a scientific calculator	Fuster	222
calendar-Barr	A calendar document	Barr	140
calendar	A package for calendars and timetables	Bennett	149
calendarweek	Calculate the week number of a date	Hoekwater	257
calligra-type1	Type 1 version of Calligra	Vanroose, Hosny	512

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
calligra	Calligraphic font	Vanroose, Dachian	511
callouts	Put simple annotations and notes inside a picture	Stuetz	465
calorie	Calorie checking for dieters	Aonuma	132
calrsfs	Copperplate calligraphic letters in L <sup>A</sup> T <sub>E</sub> X	Zhytnikov	552
cals	Multipage tables with wide range of features	Parashchenko	384
calxxxx-yyyy	Print a calendar for a group of years	Münch	354
calxxxx	Prints a card-size calendar for any year	Jankovic	269
camel	Prototype work on future citation engine	Bennett	149
cancel	Place lines through maths formulae	Arseneau	134
canoniclayout	Create canonical page layouts with memoir	Beccari	144
cantarell	L <sup>A</sup> T <sub>E</sub> X support for the Cantarell font family	El Morabity	351
capbas	Capital baseball "matrix printer" font collection	Bloemen	153
capparmode	Dropped capitals for Plain T <sub>E</sub> X	Braunegg	160
capt-of	Captions on more than floats	Fairbairns, Carlisle	207
captcont	Retain float number across several floats	Cochran	182
captdef	Declare free-standing \caption commands	Fairbairns, Carlisle	207
caption	Customising captions in floating environments	Sommerfeldt	453
caption2	Superseded version of the caption package	Sommerfeldt	453
carbohydrates	Carbohydrate molecules with chemfig	Niederberger	362
card-set	Typeset text for cardfile cards	Potuček Jr.	275
card	Print visiting cards	Balemi	139
carlisle	David Carlisle's small packages	Carlisle	169
carlito	Support for Carlito sans-serif fonts	Tennent	480
carolmin-t1	Adobe Type 1 format of Carolingian Minuscule fonts	Jørgensen	273
carolmin	Carolingian Miniscule manuscript book-hand font	Wilson	536
cartonaugh	A LuaL <sup>A</sup> T <sub>E</sub> X package for drawing karnaugh maps with up to 6 variables	Bouajjaj	158
cascade	Constructions with braces to present mathematical demonstrations	Pantigny	384
CascadiaCode	The Cascadia Code font with support for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Ebinger	201
cascadilla	Typeset papers conforming to the stylesheet of the Cascadilla Proceedings Project	Bane	139
cascover	Make cassette covers	Raaijmakers	399
cases	Numbered cases environment	Arseneau	134
casiofont	Support for the Casio ClassWiz font	Munn	355
cassette-shipunov	Print labels for audio cassettes	Shipunov	446
cassette	Typeset cassette box inserts	Strip	465
cassette209	A L <sup>A</sup> T <sub>E</sub> X 209 document style for cassette inserts	Steuer	460
casslbl	Typeset cassette labels	Besson	151
casyl	Typeset Cree/Inuktitut in Canadian Aboriginal Syllabics	Derzhanski	192
catalan	Catalan hyphenation patterns	Wierda	534
catalanbib	Bibliographic styles for use in Catalan	Fuster	222
Catalogue	A catalogue of what's available on CTAN	Williams, The CTAN Team	535
catchfile	Catch an external file into a macro	Oberdiek	369
catchfilebetwee...	Catch text delimited by docstrip tags	Chervet	177
catcodes	Generic handling of T <sub>E</sub> X category codes	Lück	326
catdoc	Text extractor for word files	Wagner	527
catdvi	A DVI to plain text translator	Kaijanaho, Brill	275
catechis	Macros for typesetting catechisms	Goodman	231
catoptions	Preserving and recalling standard catcodes	Musa	357
causets	Draw causal set (Hasse) diagrams	Minz	347
cbcoptic	Coptic fonts and L <sup>A</sup> T <sub>E</sub> X macros for general usage and for philology	Beccari, Rosmorduc	145
cbe	Bibliography style for Council of Biology Editors format	Rogers	416
cbfonts-fd	L <sup>A</sup> T <sub>E</sub> X font description files for the CB Greek fonts	Beccari	144
cbgreek-complete	Complete set of Greek fonts	Beccari, Syropoulos	145
cc-pl	Polish extension of Computer Concrete fonts	Jackowski, Ryćko, Bzyl	268
ccaption	Continuation headings and legends for floats	Robertson, Wilson	412



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
ccfonts	Support for Concrete text and math fonts in L <sup>A</sup> T <sub>E</sub> X	Schmidt, Harcombe	431
cchess	Chinese chess	Richer, Mittelbach	408
ccicons	L <sup>A</sup> T <sub>E</sub> X support for Creative Commons icons	Ummels	500
CClicenses	Typeset Creative Commons licence logos	Pignalberi	393
ccool	A key-value document command parser	Rogard	415
cd	Typeset CD covers	Vigna, Lemberg	518
cdcmd	Expandable conditional commands for L <sup>A</sup> T <sub>E</sub> X	Unknown	502
cdcover	Typeset CD covers	Holm Christensen	180
cdlabeler	Take user text and typeset it to fit a CD label	Eijkhout	202
C.D.P. Bundle	Business letters in the Italian style	Mezzetti	344
cea	Produce papers for Computers and Electronics in Agriculture	McCauley	340
cell	Bibliography style for Cell	Schneider	434
cellprops	Accept CSS-like selectors in tabular, array, ...	Rivaud	409
cellspace	Ensure minimal spacing of table cells	Noirel	366
cellular	Cellular table construction	Pittman	394
cellwise	Building tables one cell at a time	Borck-Elsner	156
celtic	A TikZ library for drawing celtic knots	Stacey	456
censor	Tools for producing redacted documents	Segletes	440
centeredline	A macro for centering lines	Burnol	165
centerlastline	Paragraphs with last line centered, known as “Spanish” paragraphs	Frasson	219
centernot	Centred \not command	Oberdiek	369
cep	Compression tools for PostScript	Jackowski, Pianowski, Strzelczyk	267
cesenaexam	A class file to typeset exams	Pacini	380
cfgguide	Documentation of L <sup>A</sup> T <sub>E</sub> X configuration options	L <sup>A</sup> T <sub>E</sub> X Team	487
cfr-initials	L <sup>A</sup> T <sub>E</sub> X packages for use of initials	Rees	404
cfr-lm	Enhanced support for the Latin Modern fonts	Rees	405
changebar	Generate changebars in L <sup>A</sup> T <sub>E</sub> X documents	Braams, Fine	159
changelayout	Change the layout of individual pages and their text	Musa	357
changelog	Typesetting keepachangelog.com style changelogs	Turner	499
changepage	Margin adjustment and detection of odd/even pages	Robertson, Wilson	412
changes	Manual change markup	Kleinod	288
chappg	Page numbering by chapter	Fairbairns, Hailperin, Carlisle	208
chapref	Bibliography details per chapter	Knaggs	290
chapterbib	Multiple bibliographies in a document	Arseneau	134
chapterfolder	Package for working with complicated folder structures	Mathieu	338
CharisSIL	CharisSIL fonts with support for all L <sup>A</sup> T <sub>E</sub> X engines	Tennent	480
charter	Charter fonts	Bitstream	152
chbar	Change bar marks in Plain T <sub>E</sub> X	Schrod	435
chbibref	Change the Bibliography/References title	Wilson	536
cheatsheet	A simple cheatsheet class	Hinrichs	256
check-parens	Check parentheses in L <sup>A</sup> T <sub>E</sub> X	Eldering	203
check	A syntax checker and tidier	Grothmann	239
checkcites	Check citation commands in a document	Cereda, Island of TeX, Gregorio	174
checkend	Extend “improperly closed environment” messages	Bezos López	320
checklab	A patch for the label-checking code	Fairbairns, Carlisle	207
checklistings	Pass verbatim contents through a compiler and reincorporate the resulting output	Bourke	158
chem-journal	Various BibTeX formats for journals in Chemistry	Hill	256
chemarr	Arrows for chemists	Oberdiek	369
chemarrow	Arrows for use in chemistry	Schroeder	437
chembst	A collection of BibTeX files for chemistry journals	Schenk	429
chemcompounds	Simple consecutive numbering of chemical compounds	Schenk	429



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
chemcono	Support for compound numbers in chemistry documents	Schulz	437
chemexec	Creating (chemical) exercise sheets	Niederberger	363
chemfig	Draw molecules with easy syntax	Tellechea	478
chemformula	Command for typesetting chemical formulas and reactions	Niederberger	363
chemgreek	Upright Greek letters in chemistry	Niederberger	363
chemmacros	A collection of macros to support typesetting chemistry documents	Niederberger	363
chemnum	A method for numbering chemical compounds	Niederberger	363
chemobabel	Convert chemical structures from ChemDraw, MDL molfile or SMILES using Open Babel	Yamashita	544
chemplants	Symbology to draw chemical plants with TikZ	Arnese Feffin	210
chemscheme	Support for chemical schemes	Wright	541
chemschemeX	Typeset and cross-reference chemical schemes based on TikZ code	Siegel	448
chemsec	Automated creation of numeric entity labels	Finnerty	213
chemstruct	Structural organic chemistry	Ramek	402
chemstyle	Writing chemistry with style	Wright	541
chemsym	Macros for typing chemical symbols	Dahlgren	187
chemtex	Structural chemistry	Haas	242
cheq	Adobe chess font	Renner	407
cherokee	A font for the Cherokee script	Stanier	457
chess-problem-d...	A package for typesetting chess problem diagrams	Hoening	258
chess	Fonts for typesetting chess boards	Tutelaers	499
chessboard	Print chess boards	Fischer	214
chessfss	A package to handle chess fonts	Fischer	214
chessmin	Minimal chess diagrams	Blair	153
chet	L <sup>A</sup> T <sub>E</sub> X layout inspired by harvmac	Stergiou	460
chextras	A companion package for the Swiss typesetter	Oriet	378
chgbar	Draw change bars in the margin	Johnson	272
chhaya	Linguistic glossing in Marathi language	Unknown	502
chicago-annotate	Chicago-based annotated BibTeX style	Laakso	306
chicago	A "Chicago" bibliography style	Glenn	229
chicagoa	"Chicago" bibliography style with annotations	Glenn	229
chickenize	Use lua callbacks for "interesting" textual effects	Trautmann	496
chifoot	Chicago-style footnote formatting	Miller	347
childdoc	Directly compile \include'd child documents	Beisert	147
china2e	Font and macros for Chinese calendar	Heyl	255
ChineseJFM	Luatexja-jfm files for Chinese typesetting	Unknown	502
chinesechess	Typeset Chinese chess with l3draw	Geng	224
chitex	A Chinese T <sub>E</sub> X system	Chen	176
Chivo	Using the free Chivo fonts with L <sup>A</sup> T <sub>E</sub> X	Esbati	206
chkfloat	Warn whenever a float is placed "to far away"	Hejda	251
chkhref	Check for problems with labels in L <sup>A</sup> T <sub>E</sub> X	Lelong	315
chktx	Check for errors in L <sup>A</sup> T <sub>E</sub> X documents	Thielemann, Andrus	492
chletter	Class for typesetting letters to Swiss rules	Oriet	378
chngcntr	Change the resetting of counters	Robertson, Wilson	412
chngpage	Change the page layout in the middle of a document	Robertson, Wilson	412
chomsky	Macros to typeset parsing trees	Barr	140
chordbars	Print chord grids for pop/jazz tunes	Kramm	300
chordbox	Draw chord diagrams	Franzen	219
chroma	Chroma: a reference book of L <sup>A</sup> T <sub>E</sub> X colours	Kern	280
chronology	Provides a horizontal timeline	Wiseman, Armacost	539
chronosys	Drawing time-line diagrams	Long	320
chs-physics-report	Physics lab reports for Carmel High School	Zhang	551
chscite	Bibliography style for Chalmers University of Technology	Sigurdhsson	448
churchslavonic	Typeset documents in Church Slavonic language using Unicode	Kroutikov	302
cinzel	L <sup>A</sup> T <sub>E</sub> X support for Cinzel and Cinzel Decorative fonts	Tennent	480

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
circ	Macros for typesetting circuit diagrams	Law, Tille, Tannert	311
circle	Maths mode circles for temporal logic	Barthelmann	141
circledsteps	Typeset circled numbers	Giannetti	226
circledtext	Create circled text	Geng	224
circuit-macros	M4 macros for electric circuit diagrams	Aplevich	132
CircuitikZ	Draw electrical networks with TikZ	Redaelli, Lindner, Erhardt, Giannetti	404
cirth	Fonts for Cirth	Habets, Grant	242
citation-style-...	Bibliography formatting with Citation Style Language	Lee	313
cite-bundle	Citation management bundle	Arseneau	134
cite	Improved citation handling in L <sup>A</sup> T <sub>E</sub> X	Arseneau	134
citeall	Cite all entries of a bbl created with BibLaTeX	Fischer	214
citeref	Add reference-page-list to bibliography-items	Briel	161
citesidx	Produce a citation list for the bibliography	Buchholz	163
CJ	BibTeX style for Computer Journal	Gärtner	224
cje	L <sup>A</sup> T <sub>E</sub> X document class for CJE articles	Nesbitt	360
CJHebrew	Typeset Hebrew with L <sup>A</sup> T <sub>E</sub> X	Justen	275
cjk-fonts	Chinese/Japanese/Korean bitmap fonts	Lemberg	315
cjk-gs-integrate	Tools to integrate CJK fonts into Ghostscript	Preining	396
cjk-ko	Extension of the CJK package for Korean typesetting	Kim	284
cjk	CJK language support	Lemberg	315
cjkpunct	Adjust locations and kerning of CJK punctuation marks	Zhang, Sun, Lee	551
cjw	A bundle of packages and classes	Wynne	542
clara	A serif font family	Miller	347
classes	The source of L <sup>A</sup> T <sub>E</sub> X's standard classes	L <sup>A</sup> T <sub>E</sub> X Team	487
classico	URW Classico fonts	Tennent	480
classics	Cite classic works	Lourenço de Lima	318
ClassicThesis	A “classically styled” thesis package	Miede	345
classif2	Biological classification tables	Shipunov	446
classlist	Record classes used in a document	Oberdiek	369
classpack	XML mastering for L <sup>A</sup> T <sub>E</sub> X classes and packages	Flynn	216
cleantesis	A clean L <sup>A</sup> T <sub>E</sub> X style for thesis documents	Langner	309
clearsans	Clear Sans fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	480
clefval	Key/value support with a hash	Henel	253
cleveref-usedon	Adds forward-referencing functionality to the cleveref package	Pistre	394
cleveref	Intelligent cross-referencing	Cubitt	186
clicks	Slide Deck Animation	Bugayenko	164
clip	A language-independent literate programming tool	Van Ammers, Kramer	132
clipboard	Copy and paste into and across documents	Lourenço de Lima	318
clistmap	Map and iterate over L <sup>A</sup> T <sub>E</sub> X3 clists	Rogard	415
clock	Graphical and textual clocks for T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Corff	184
clojure-pamphlet	A simple literate programming tool based on clojure's pamphlet system	Lanchares	309
closefrm	Tidy up after reading a MetaPost file	Vieth	518
cloze	A LuaL <sup>A</sup> T <sub>E</sub> X package for creating cloze texts	Friedrich	220
clrdblpg	Control pagestyle of pages left blank by \cleardoublepage	Goodman	231
clrscode	Typesets pseudocode as in Introduction to Algorithms	Cormen	185
clrscode3e	Typesets pseudocode as in Introduction to Algorithms	Cormen	185
clrstrip	Place contents into a full width colour strip	Spratte	455
clsguide	Documentation of L <sup>A</sup> T <sub>E</sub> X class and package writing	L <sup>A</sup> T <sub>E</sub> X Team	487
cluttex	An automation tool for running L <sup>A</sup> T <sub>E</sub> X	Arata	133
cm-afm	Adobe Font Metrics for the CM fonts	MacKay	332
cm-gf	Generate GF format for CM	Ramsdell	403
cm-lgc	Type 1 CM-based fonts for Latin, Greek and Cyrillic	Kryukov	303
cm-mf-extra-bold	Extra Metafont files for CM	Kaspar, Sozuer	277

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
cm-mf-opt-kern	Improve the kerning of CM fonts	Pilzecker	393
cm-mf	Sources of the Computer Modern fonts	Knuth	291
cm-pk	PK bitmaps of the Computer Modern fonts	Knuth	292
cm-super	CM-Super family of fonts	Volovich	520
cm-tfm	Metric files for the Computer Modern fonts	Knuth	292
cm-unicode	Computer Modern Unicode font family	Panov, Lečić	383
cm	Computer Modern fonts	Knuth	291
cmactex	TeX for the Macintosh	Kiffe	283
cmap	Make PDF files searchable and copyable	Volovich, Krüger	521
cmarrows	MetaPost arrows and braces in the Computer Modern style	Ekola	203
cmastro	Font for planetary symbols	Unknown	502
cmathbb	Computer modern mathematical blackboard bold font	Chao	175
cmbright	Computer Modern Bright fonts	Schmidt, Harcombe	431
cmcyr-patch	A set of Type 1 Cyrillic fonts	Peregoudov	389
cmcyr	Computer Modern fonts with cyrillic extensions	Glonti, Samarin, Malyshev	229
cmcyralt-fonts	Russian fonts in "alternative" encoding	Harin	248
cmcyralt-ltx	L <sup>A</sup> T <sub>E</sub> X support for the cmcyralt fonts	Harin, Zhytnikov	248
cmdstring	Get command name reliably	Noirel	366
cmdtrack	Check used commands	Downes	196
cmextra-latex	Install macros for "standard" fonts not used by L <sup>A</sup> T <sub>E</sub> X itself	L <sup>A</sup> T <sub>E</sub> X Team	487
cmfrak	Reencoded versions of Haralambous fraktur fonts	Taupin	477
cmll	Symbols for linear logic	Beffara	147
cmoeofont	Old English glyphs to go with Computer Modern	Bradfield	159
cmolddig	Virtual fount setup for using old style digits	McDonnell	341
cmoutlines	Outline versions of the Computer Modern fonts	Henderson, Hosek	252
cmpica	A Computer Modern Pica variant	Hosek	261
cmpj	Style for the journal Condensed Matter Physics	Shvaika	447
cms4talks	Content Management System for Talks	Nebendahl	360
cmsd	Interfaces to the CM Sans Serif Bold fonts	Schmidt, Harcombe	431
cmslup	Upright punctuation with CM slanted	Znamenskii, Veytsman	553
cmsrb	Computer Modern for Serbian and Macedonian	Stefanović	458
cmtest	CM fonts test sources	Knuth	292
cmtiup	Upright punctuation with CM italic	Znamenskii, Veytsman	553
cmtt	A package for handling the cmtt font better	Wooding	540
CM Type3	Type 3 outline versions of the CM fonts	Toal	494
cmupint	Upright integral symbols for Computer Modern	Stefanović	458
cmyk-hax	A T <sub>E</sub> X macro package for colour manipulation (using PostScript)	BOP	155
cnbwp	Typeset working papers of the Czech National Bank	Wagner	527
cnltx	L <sup>A</sup> T <sub>E</sub> X tools and documenting facilities	Niederberger	363
cnoweb	Simple "quality" printing of C sources	Fox	218
cntdwn	Support for countdowns, and for clocks in any timezone	Story	462
cntformats	A different way to read counters	Niederberger	363
cntperchap	Store counter values per chapter	Hupfer	264
cochineal	Cochineal fonts with L <sup>A</sup> T <sub>E</sub> X support	Sharpe	442
code	Typeset "code" in verbatim	Ferguson	210
code128	Barcode macros for the Code 128 standard	Olšák	377
codeanatomy	Typeset code with annotations	Bùi	165
codebox	Highlighted source code in a fancy box	Geng	224
codedescribe	A minimalist set of commands (expl3 based) to describe Document and Class level commands/functions	Frigeri	221
codedoc	L <sup>A</sup> T <sub>E</sub> X code and documentation in L <sup>A</sup> T <sub>E</sub> X-format file	Isambert, Robbers	266
codehigh	Highlight code and demos with l3regex and lpeg	Lyu	331
codepage	Support for variant code pages	Aubord	137
codesection	Provides an environment that may be conditionally included	Pospiech	396
codicefiscaleit...	Test the consistency of the Italian personal Fiscal Code	Beccari	144

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
coelacanth	Coelacanth fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	480
coffeestains	Add coffee stains to documents	Bideault	151
colcell	Collect contents of a tabular cell as argument to a macro	Scharrer	427
collect	Collect text for later re-use	Sauer	426
collectbox	Collect and process macro arguments as boxes	Scharrer	427
collref	Collect blocks of references into a single reference	Beisert	147
colonequals	Colon equals symbols	Oberdiek	369
colophon	Provides commands for producing a colophon	Goodman	231
color-edits	Colorful edits for multiple authors of a shared document	Kempe	279
color	Colour control for L <sup>A</sup> T <sub>E</sub> X documents	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172
colordoc	Coloured syntax highlights in documentation	Garcia-De Castro	173
colordvi	Simple colour use in Plain T <sub>E</sub> X	Hafner, Rokicki	242
coloremoji	Style package for directly including color emojis in L <sup>A</sup> T <sub>E</sub> X documents	Jacobson	268
colorframed	Fix color problems with the package “framed”	Burnol	165
colorinfo	Retrieve colour model and values for defined colours	Niepraschk	364
coloring	Define missing colors by their names	Hu	263
colorist	Write your articles or books in a colorful way	XU	543
colorprofiles	Collection of free ICC profiles	Preining	396
colors	Simple colour-selection commands	Knight	291
colorsep	Color separation	Rahtz	400
colospace	Provides PDF color spaces	Bezos López	320
colortab	Shade cells of tables and halign	Van Zandt, Voß	549
colortbl	Add colour to L <sup>A</sup> T <sub>E</sub> X tables	Carlisle	169
colortex	Colour facilities for use with T <sub>E</sub> X	Cérin	174
colorwav	Colours by wavelength of visible light	Setzer	441
colorweb	Extend the color package colour space	Beach	143
colourchange	Colourchange	Bradley	159
combelow	Typeset “comma-below” letters, as in Romanian	Pignalberi	393
combine	Bundle individual documents into a single document	Robertson, Wilson	412
combinedgraphics	Include graphic (EPS or PDF)/L <sup>A</sup> T <sub>E</sub> X combinations	Schneider	433
combofont	Add NFSS-declarations of combo fonts to LuaL <sup>A</sup> T <sub>E</sub> X documents	Fischer	214
comfortaa	Sans serif font, with L <sup>A</sup> T <sub>E</sub> X support	El Morabity, Aakerlund	351
comicneue	Use Comic Neue with T <sub>E</sub> X(-alike) systems	Hofstra	258
comicsans	Use Microsoft Comic Sans font	Pakin	381
comma	Formats a number by inserting commas	Carlisle	169
commado	Expandable iteration on comma-separated and filename lists	Lück	326
commath	Mathematics typesetting support	Putschögl	398
commentedit	Commented editions with L <sup>A</sup> T <sub>E</sub> X	Veytsman	515
comment-pln	Comment macros for use in Plain T <sub>E</sub> X	Alexander	130
comment	Selectively include/exclude portions of text	Eijkhout	202
comment_io	A Python script to comment and uncomment lines	Larsson	310
committee-font	A font designed by a committee	Unknown	502
commonunicode	Convert common unicode symbols to L <sup>A</sup> T <sub>E</sub> X code	Pizarro R.	399
commutative-dia...	CoDi: Commutative Diagrams for T <sub>E</sub> X	Brasolin	159
comp-fonts-FAQ	Frequently Asked Questions from comp.fonts	Walsh	528
compact-symbols	Compact lists of symbols	Sermutlu	441
compactbib	Multiple thebibliography environments	Lejay	314
compare	Compare two strings	McManus	342
competences	Track skills of classroom checks	Bares	140
complexity	Computational complexity class names	Bourke	158
components	Components of T <sub>E</sub> X	Schrod	435
The Comprehensi...	Symbols accessible from L <sup>A</sup> T <sub>E</sub> X	Pakin	382
compsci	Document (LaTeX) programming with L <sup>A</sup> T <sub>E</sub> X	Swift	467
computational-c...	Class for the journal Computational Complexity	Nüsken	368
computer-typese...	Content of the book Computer Typesetting Using L <sup>A</sup> T <sub>E</sub> X	Baldin	138

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
concepts	Keeping track of formal ‘concepts’ for a particular field	Helvensteijn	252
concmath-fonts	Concrete mathematics fonts	Vieth	518
concmath-otf	Concrete based OpenType Math font	Flipo	215
concmath	Concrete Math fonts	Vieth	518
concprog	Concert programmes	Brodnik	161
concrete-macros	Consistent text and maths using concrete fonts	Hefferon	249
concrete	Concrete Roman fonts	Knuth	292
ConDiTeXt	Define and manage conditional content	Brabant	159
confproc	A set of tools for generating conference proceedings	Verfaille	513
consdiag	A utility for OO programming documentation	Algaba	130
constants	Automatic numbering of constants	Lejay	314
conseq	Typeset multiline continued equalities	Breitner	160
context-account	A simple accounting package	Schuster	437
context-algorit...	Algorithm handling in ConTeXt	Schuster	438
context-animation	Generate fieldstack based animation with ConTeXt	Schuster	438
context-annotation	Annotate text blocks	Schuster	438
context-bnf	A BNF module for ConTeXt	Weibull	532
context-calenda...	Collection of calendars based on the PocketDiary-module	Egger	202
context-chromato	ConTeXt macros for chromatograms	Münster	356
context-cmscbf	Use Computer Modern bold Caps and Small-caps in ConTeXt	Münster	356
ConTeXt-cmttbf	Use Computer Modern Typewriter bold font in ConTeXt	Münster	356
context-collati...	Environment to place collating marks on the spine of a section	Egger	202
context-constru...	Construction plans in ConTeXt	Münster	356
context-cyrilli...	Write numbers as cyrillic glyphs	Gesang	225
context-degrade	Degrading JPEG images in ConTeXt	Münster	356
context-fancybreak	Overfull pages with ConTeXt	Schuster	438
context-filter	Run external programs on the contents of a start-stop environment	Mahajan	334
context-fixme	Make editorial marks on a document	Schuster	438
context-french	Support for writing French in ConTeXt	Münster	356
context-fullpage	Overfull pages with ConTeXt	Schuster	438
context-gantt	GANTT module for ConTeXt	Reviczky, Mahajan	407
ConTeXt-gnuplot	Inclusion of Gnuplot graphs in ConTeXt	Miklavec, Hagen, Hoekwater	345
context-handlecsv	Data merging for automatic document creation	Hajtmár, Rodríguez	244
context-inifile	An ini-file pretty-printer, using ConTeXt	Münster	356
context-interva...	Date driven lists or lists driven by date-intervals	Egger	202
context-layout	Show ConTeXt layouts	Gundlach	240
context-letter	ConTeXt package for writing letters	Schuster	438
context-lettrine	A ConTeXt implementation of letrines	Hoekwater, Flipo	257
context-lilypond	Lilypond code in ConTeXt	Creutzig	186
context-mathsets	Set notation in ConTeXt	Mahajan	334
context-notes-z...	Notes on using ConTeXt MkIV	Li	317
context-pocketd...	A personal organiser	Egger	202
context-rst	Process reStructuredText with ConTeXt	Gesang	225
context-ruby	Ruby annotations in ConTeXt	Schuster	438
context-sgf	A Go system in ConTeXt	Chen, Schuster	177
context-simplef...	Simplified font usage for ConTeXt	Schuster	438
context-simples...	A module for preparing presentations	Mahajan, Schmitz, Ramm	334
context-sudoku	Sudokus for ConTeXt	del Rio	408
context-taspresent	Simple presentations using ConTeXt	Schmitz	433
context-title	Place document titles	Schuster	438
context-top-ten	The “top ten” ConTeXt commands	Corsair	185
context-transli...	Transliterate text from ‘other’ alphabets	Gesang	225
context-typearea	Something like Koma-Script typearea	Münster	357
context-typescr...	Small modules to load various fonts for use in ConTeXt	Schuster	438



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
context-URWGara...	ConTeXt support for URW Garamond font	Münster	357
context-URWGothic	ConTeXt support for URW Gothic	Hoekwater	257
context-vim	Generate ConTeXt syntax highlighting code from vim	Mahajan, Miklavec	334
context-visualc...	Visual display of ConTeXt counters	Mahajan	334
context	The ConTeXt macro package	Hagen	242
continue	Prints ‘continuation’ marks on pages of multipage documents	Wilson, Robertson	539
contour	Print a coloured contour around text	Harders, Høgholm	247
contracard	Generate calling cards for dances	Whited	534
conv-xkv	Create new key-value syntax	Story	462
convbkmk	Correct platex/uplatex bookmarks in PDF created with hyperref	Tanaka	476
convert	Generate Knuthian encoding for text files	Raichle	401
cooking-units	Typeset and convert units for cookery books and recipes	Vitecek	519
cooking	Typeset recipes	Reichert	405
cookingsymbols	Symbols for recipes	Harder	246
cookybooky	A L <sup>A</sup> T <sub>E</sub> X based package to easily typeset some professional looking cooking recipes	Gilg	227
cool	COnTent-Oriented L <sup>A</sup> T <sub>E</sub> X	Setzer	441
coolfn	Typeset long legal footnotes	Granet	234
coollist	Manipulate COnTent Oriented L <sup>A</sup> T <sub>E</sub> X Lists	Setzer	441
coolstr	String manipulation in L <sup>A</sup> T <sub>E</sub> X	Setzer	442
coolthms	Reference items in a theorem environment	Fütterer, Zachhuber	222
cooltooltips	Associate a pop-up window and tooltip with PDF hyperlinks	Pakin	381
coop-writing	Support for Cooperative Writing and editorial comments	Xexéo	543
cooperhewitt	LaTeX, pdfLaTeX, Xe <sub>La</sub> TeX and Lua <sup>L</sup> A <sub>T</sub> E <sub>X</sub> support for the Cooper Hewitt family of sans serif fonts	Tennent	480
coordsys	Draw cartesian coordinate systems	Hansen	244
copac-clean	Automatic editing of Copac/BibTeX records	Milanese	346
coptic	Coptic Fonts	Rosmorduc	418
copyedit	Copyediting support for L <sup>A</sup> T <sub>E</sub> X documents	Radhakrishnan, Rajagopal, Venkatesan	400
copypaste	Copy and paste into and across documents	Lourenço de Lima	318
copyrightbox	Provide copyright notices for images in a document	van der Flaas	215
corelfonts	An installation script for Corel Ventura fonts	McClelland	341
corelpak-contrib	Manage Corel-distributed fonts	Tinnefeld	493
corelpak	Metrics, etc., for fonts distributed with Corel products	Woch	539
CormorantGaramond	Cormorant Garamond family of fonts	Tennent	480
correctmathalign	Correct spacing of the alignment in expressions	Kieda	282
corrects	Macros for marking correction sheets	Piff, Fairbairns, Carlisle	392
corridx-latex	Correct index entries for chemical compounds	Fink	213
corridx-obsolete	Add index entries to L <sup>A</sup> T <sub>E</sub> X document	Fink	213
coseoul	Context sensitive outline elements	Teubner	484
couleurs-fr	French version of colour definitions from xcolor	Pierquet	390
countito	Make use of count1 to count9	Schröder, Peischl	436
counterz	Additional tools for counters	McClain	340
countriesofeuropa	A font with the images of the countries of Europe	Zimmermann, Voß, Niepraschk	553
counttexruns	Count compilations of a document	Schneider	434
courier scaled	Provides a scaled Courier font	Schulz	437
Courier	Adobe Type 1 “free” copies of Courier	IBM Corporation	265
couriertn	Courier 10 Pitch BT with L <sup>A</sup> T <sub>E</sub> X support	Miller	347
courseoutline	Prepare university course outlines	Gall	223
coursepaper	Prepare university course papers	Gall	223
coverpage	Automatic cover page creation for scientific papers	Kopp, Mühlich	299
covfonts	Make Apostrophic Laboratories’s Covington fonts available to T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Pakin	381



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
covington	L <sup>A</sup> T <sub>E</sub> X macros for Linguistics	Spitzmüller, Covington, Fairbairns	455
cprog	Typeset C programs	McManus	342
cprotect	Allow verbatim, etc., in macro arguments	Le Floch	216
cprotectinside	Use cprotect arbitrarily nested	user202729	510
cpssp	Draw protein secondary structures	Skala	450
cptex	Use different code pages for T <sub>E</sub> X input	Krämer	300
CQUBeamer	L <sup>A</sup> T <sub>E</sub> X Beamer Template for Chongqing University	Wan	529
CQUThesis	L <sup>A</sup> T <sub>E</sub> X Thesis Template for Chongqing University	Zhennan	552
crbox	Boxes with crossed corners	Khalighi, bidi-tex GitHub Organisation	281
create-struktex	Create struktex code	Lenser	316
create-theorem	Initializing and configuring theorem-like environments, with multi-lingual support	XU	543
creationboites	Macros to create simple tcolorbox with some customizations	Pierquet	390
crefthe	Cross referencing with proper definite articles	XU	543
crimson	Crimson fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	480
CrimsonPro	CrimsonPro fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	480
croatian	Fonts for Croatian Glagolitic and other Croatian scripts	Žubrinić	554
crop	Support for cropmarks	Franz, Thomas	219
cropmark-pu	Cropmark macros for Plain T <sub>E</sub> X	Ungar	500
cropmark	Crop marks on \shipout	Eijkhout	202
cropmarks-pt	Philip Taylor's cropmarks macros	Taylor	478
cropmrks	Add crop marks to a Plain T <sub>E</sub> X document	Taylor	478
crossrefenum	Smart typesetting of enumerated cross-references for various T <sub>E</sub> X formats	Dumont	199
crossreference	Crossreferences within documents	Filby	212
crossreftools	Expandable extraction of cleveref data	Hupfer	264
crossrefware	Scripts for working with crossref.org	Veytsman	515
crosstex	Bibliography management tool	Burgess, Sirer	165
crossword	Typeset crossword puzzles	Neugebauer	360
crosswrđ	Macros for typesetting crossword puzzles	Hamilton Kelly, Mittelbach	279
crudetype	Line printer output from DVI files	Damerell	189
crumbs	Add a Navigation Path to the page header	Bugayenko	164
crw	Crossword macros for Plain T <sub>E</sub> X	van der Laan	306
cryptocode	Typesetting pseudocode, protocols, game-based proofs and black-box reductions in cryptography	Mittelbach	348
cryst	Font for graphical symbols used in crystallography	Müller	354
csassignments	A wrapper for article with macros and customizations for computer science assignments	Bartolomey	141
csbulletin	L <sup>A</sup> T <sub>E</sub> X class for articles submitted to the CSTUG Bulletin (Zpravodaj)	Novotný, Wagner	367
csfonts-t1	Czech/Slovak tuned CM fonts in Type 1 format	Olšák	377
csfonts	Czech/Slovak-tuned Computer Modern fonts	Novak, Horák, Lhotka, Olšák	367
csindex	Czech/Slovak version of MakeIndex	Plášil, Salvat, Wagner	394
cslatex	L <sup>A</sup> T <sub>E</sub> X support for Czech/Slovak typesetting	Zlatuška, Wagner, Snajdr	553
csname-doc	A list of plain.tex cs names	Unknown	502
csplain	Plain T <sub>E</sub> X multilanguage support	Olšák	377
cspsfonts	Czech/Slovakian PostScript font support	Olšák, Wagner	377
csquotes-de	German translation of csquotes documentation	Conrad, Faßbender, Römer	184
csquotes	Context sensitive quotation facilities	Lehman, Wright	313
css-colors	Named colors for web-safe design	Buxbaum	167
CSTeX	Support for Czech/Slovak languages	Olšák	377
cstypo	Czech typography rules enforced through LuaT <sub>E</sub> X hooks	Haisman	243
csv2latex	Convert spreadsheet table cells into L <sup>A</sup> T <sub>E</sub> X source	Munn, Counsell	356

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
csvmerge	Merge $\TeX$ code with csv data	Taylor	477
csvsimple	Simple CSV file processing	Sturm	465
csvtolatex	Link spread sheets to $\LaTeX$	Pietsch	392
csvtools	Reading data from CSV files	Talbot	471
csx	Computer Sanskrit/(Extended) coding support on MS-DOS	Wujastyk, Friedlander	542
ctable	Flexible typesetting of table and figure floats using key/value directives	Dekker	190
ctablestack	Catcode table stable support	$\LaTeX$ Team	487
ctan-bibdata	Bibliography data for all CTAN packages	Voß	521
ctan-o-mat	Upload or validate a package for CTAN	Neugebauer	360
ctan_chk	CTAN guidelines verifier and corrector for uploading projects	Bone	155
ctanbib	Export CTAN entries to bib format	Hoftich	259
ctanify	Prepare a package for upload to CTAN	Pakin	381
CTAN tools	A jiffy to search CTAN file list	Huynh	264
ctanupload	Support for users uploading to CTAN	Scharrer	427
ctex-faq	$\LaTeX$ FAQ by the Chinese $\TeX$ Society (ctex.org)	Wu	542
ctex	$\LaTeX$ classes and packages for Chinese typesetting	Lee, Liu, Huang, Zeng, Lee, Chou, Zhang, Wu, Jiang, Wang, Li, Chen	312
ctib4tex	Tibetan for $\TeX$ and $\LaTeX$ 2e	Corff	184
ctie	C version of tie (merging Web change files)	Gilbey	227
cuisine	Typeset recipes	Cohen	182
culmus	Hebrew fonts from the Culmus project	Fogiel	217
cun	A cuneiform font	Grant	235
cuprum	Cuprum font family support for $\LaTeX$	Roncaglia	418
currency	Format currencies in a consistent way	Lejay	314
currfile	Provide file name and path of input files	Scharrer	427
currvita	Typeset a curriculum vitae	Reichert	405
curlatex	A $\LaTeX$ tutorial	Campani	168
cursor	Draw a cursor in an equation	Spit	455
CurVe	A class for making curriculum vitae	Verna	514
curve2e	Extensions for package pict2e	Beccari	144
curves	Curves for $\LaTeX$ picture environment	Maclaine-Cross	332
custom-bib	Customised BibTeX styles	Daly	188
customdice	Simple commands for drawing customisable dice	Rowlett	421
cuted	Mixing onecolumn and twocolumn modes	Tolušis	494
cutwin	Cut a window in a paragraph, typeset material in it	Wilson, Hoenig, Carlisle	538
cv	A package for creating a curriculum vitae	Maier	334
cv4tw	$\LaTeX$ CV class, with extended details	Gouez	233
cvss	Compute and display CVSS base scores	Vivegnis	519
CVsty	Yet another style for easy CV pagination	Pereira	389
cweb-latex	A $\LaTeX$ version of CWEB	Schrod	435
cweb	A Web system in C	Knuth, Scherer, Levy	294
cwebbin	CWEB for ANSI-C/C++ compilers	Scherer	430
cweb-hy	Insert hyperlinks for included files	Melendez	344
cwebx	A system for Structured Software Documentation in C	van Leeuwen	313
cyber	Annotate compliance with cybersecurity requirements	Jennings	271
cybercic	“Controls in Contents” for the cyber package	Jennings	271
cyklop	The Cyclop typeface	Nowacki	367
cyriot	A script which was used on Cyprus for writing Greek	Wilson	536
cyriote	A font for ancient Cypriot Greek inscriptions	Stanier	457
cyrguide	Documentation of $\LaTeX$ Cyrillic-alphabet features	Volovich, Lemberg, $\LaTeX$ Team	521
cyrillic209	Provides basic $\LaTeX$ 2.09 font access to the Washington cyrillic fonts	Karney	277
cyrmemo	Details of using the AMS Cyrillic fonts	Beeton	147

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
cyrtug	EmTeX as distributed by CyrTUG	Goossens	232
czhyph	Hyphenation patterns for Czech	Unknown	502
czhyph2e	Convert Czech hyphenation patterns to standard encoding	Lemberg	315
<b>DDDDD</b>			
dad	Simple typesetting system for mixed Arabic/Latin documents	Haralambous	245
dancers	Font for Conan Doyle's "The Dancing Men"	Stanier	457
dante-book-reviews	Book reviews published in DANTE's journal	Faulhammer	210
dantelogo	A font for DANTE's logo	Voß, Höppner	525
darkmode	General Dark Mode Support for L <sup>A</sup> T <sub>E</sub> X-Documents	Deisenroth	190
dashbox	Draw dashed boxes	Thomas	492
dashrule	Draw dashed rules	Pakin	381
dashundergaps	Produce gaps that are underlined, dotted or dashed	Mittelbach, Merciadri	349
dateref	Manage references to experimental data	Dietrich	193
datatool	Tools to load and manipulate data	Talbot	471
datatooltk	A Java GUI for preparing datatool input	Talbot	471
datax	Import individual data from script files	Gustavsson	241
dateiliste	Extensions of the \listfiles concept	Ebermann	200
datenumbr	Convert a date into a number and vice versa	Schröder	436
datepicker-pro	Create a popup datepicker using SWF	Story	462
dates	Macros for parsing date strings	Bennett	149
dates209	Flexible date macros	Clark	181
datestamp	Fixed date-stamps with LuaLaTeX	Unknown	502
datetime	Change format of \today with commands for current time	Talbot	471
datetime2-bahasai	Bahasai language module for the datetime2 package	Talbot	471
datetime2-basque	Basque language module for the datetime2 package	Talbot, Izaola	476
datetime2-breton	Breton language module for the datetime2 package	Talbot	471
datetime2-bulga...	Bulgarian language module for the datetime2 package	Talbot	471
datetime2-catalan	Catalan language module for the datetime2 package	Talbot	471
datetime2-croatian	Croatian language module for the datetime2 package	Talbot, Kokan	476
datetime2-czech	Czech language module for the datetime2 package	Talbot	471
datetime2-danish	Danish language module for the datetime2 package	Talbot	472
datetime2-dutch	Dutch language module for the datetime2 package	Talbot	472
datetime2-en-fu...	English Full Text styles for the datetime2 package	Talbot	472
datetime2-english	English language module for the datetime2 package	Talbot	472
datetime2-esper...	Esperanto language module for the datetime2 package	Talbot	472
datetime2-estonian	Estonian language module for the datetime2 package	Talbot	472
datetime2-finnish	Finnish language module for the datetime2 package	Välimäki, Talbot	511
datetime2-french	French language module for the datetime2 package	Talbot, Patience	476
datetime2-galician	Galician language module for the datetime2 package	Talbot	472
datetime2-german	German language module for the datetime2 package	Talbot, Friedl	476
datetime2-greek	Greek language module for the datetime2 package	Talbot	472
datetime2-hebrew	Hebrew language module for the datetime2 package	Talbot	472
datetime2-icela...	Icelandic language module for the datetime2 package	Talbot	472
datetime2-irish	Irish Gaelic Language Module for the datetime2 Package	Talbot	472
datetime2-it-fu...	Italian full text styles for the datetime2 package	Duchi	198
datetime2-italian	Italian language module for the datetime2 package	Talbot, Duchi	476
datetime2-latin	Latin language module for the datetime2 package	Talbot	472
datetime2-lsorbian	Lower Sorbian language module for the datetime2 package	Talbot	472
datetime2-magyar	Magyar language module for the datetime2 package	Talbot	472
datetime2-norsk	Norsk language module for the datetime2 package	Talbot	472
datetime2-polish	Polish language module for the datetime2 package	Talbot	472
datetime2-portuges	Portuguese language module for the datetime2 package	Talbot	472
datetime2-romanian	Romanian language module for the datetime2 package	Talbot, Patience	476
datetime2-russian	Russian language module for the datetime2 package	Talbot	473
datetime2-samin	Northern Sami language module for the datetime2 package	Talbot	473

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
datetime2-scottish	Scottish Gaelic Language Module for the datetime2 Package	Talbot	473
datetime2-serbian	Serbian language module for the datetime2 package	Talbot, Radović	476
datetime2-slovak	Slovak language module for the datetime2 package	Talbot	473
datetime2-slovene	Slovene language module for the datetime2 package	Talbot	473
datetime2-spanish	Spanish language module for the datetime2 package	Talbot	473
datetime2-swedish	Swedish language module for the datetime2 package	Talbot	473
datetime2-turkish	Turkish language module for the datetime2 package	Talbot	473
datetime2-ukrai...	Ukrainian language module for the datetime2 package	Talbot, Ponomarenko	476
datetime2-usorbian	Upper Sorbian language module for the datetime2 package	Talbot	473
datetime2-welsh	Welsh language module for the datetime2 package	Talbot	473
datetime2	Formats for dates, times and time zones	Talbot	471
dayofweek	Calculate day of week, phase of moon	Minow	347
DayRoman	The Day Roman typeface	Schmidt, Harcombe	431
daytime	Print time of day	Orlandini, Greenwade	378
db	Process simple databases inside L <sup>A</sup> T <sub>E</sub> X	Panagopoulos	383
dblfloatfix	Fixes for twocolumn floats	Høgholm	259
dblfnote	Double-column footnotes	Nakashima	359
dblfont	Blackboard bold font package	Bosisio	157
DB_process	Process database output	Eijkhout	202
dbshow	A package to store and display data with custom filters, orders, and styles	Li	316
dccpaper	Typeset papers for the International Journal of Digital Curation	Ball	139
dco	Use the DC fonts with old-style numerals	Kirsch	285
dcolumn	Align on the decimal point of numbers in tabular columns	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172
dcounter	Support dynamic counters	Rozhenko	422
DCpic	Commutative diagrams in a L <sup>A</sup> T <sub>E</sub> X and T <sub>E</sub> X documents	Quaresma	399
ddphonism	Dodecaphonic diagrams: twelve-tone matrices, clock diagrams, etc.	Rubio Madrigal	332
de-macro	Expand private macros in a document	Gács	222
debate	Debates between reviewers	Bugayenko	164
decimal	L <sup>A</sup> T <sub>E</sub> X package for the English raised decimal point	Syropoulos, Nickalls	470
decision-table	An easy way to create Decision Model and Notation decision tables	Vandeveld, Pantigny	511
declare	Declare register names locally	Pittman, Burleson	394
decorule	Decorative swelled rule using font character	Flynn	216
decsci	BibTeX style for the journal Decision Sciences	Rubin	423
dectab	Align columns on a decimal point	Franklin	219
default	Provide default parameters for T <sub>E</sub> X macros	Jiang	272
deflist	A variation on the description environment	Unknown	502
defoldfonts	Define old font commands	Kohm	295
defstring	Define macros as verbatim macros	Unknown	503
degrade	Degrade JPEG images on the fly, prior to inclusion	Münster	357
dehyph-exptl	Experimental hyphenation patterns for the German language	Lemberg, Hennig, Milde, Wehr	316
dehyph	German hyphenation patterns for traditional orthography	Lemberg, Raichle	316
dejavu-otf	Support for the ttf and otf DejaVu fonts	Voß	521
dejavu	L <sup>A</sup> T <sub>E</sub> X support for the DejaVu fonts	Farar	209
delarray	Delimiters for arrays	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172
deleq	Flexible numbering of equations	Dahlgren	187
delig	Disable misplaced ligatures in L <sup>A</sup> T <sub>E</sub> X documents	Warner	530
delim	Simplify typesetting mathematical delimiters	Majewsky	334
delimseasy	Delimiter commands that are easy to use and resize	Graham	233
delimset	Typeset and declare sets of delimiters with convenient size control	Beisert	148
delimtxt	Read and parse text tables	Pedersen	387
democodetools	Package for L <sup>A</sup> T <sub>E</sub> X code documentation	Frigeri	221
denisdoc	A personal dirty package for documenting packages	Bitouzé	152
deproc	Macros for DECUS proceedings articles	Beeton	147

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
derivative	Nice and easy derivatives	Jensen	271
desclist	Extended “description” lists	Rozhenko	422
designcon	Develop DesignCon papers	Pupalaikis	398
detex	Strip T <sub>E</sub> X from a source file	Trinkle	496
detexfaq	German T <sub>E</sub> X FAQ	Gundlach	240
devanagari-omega	Typeset Devanagari with Omega	Unknown	503
devanagari	Typeset Devanagari	Wagner, Pandey, Velthuis, Smith, Wujastyk, Patte	528
development	BibTeX style file for the journal Development	Eglen	202
dfgproposal	Support for writing proposals to the DFG	Kohlhase	295
dhua	German abbreviations using thin space	Lück	326
diabetes-logbook	A logbook for people with type one diabetes	Grigorov	239
diadia	Package to keep a diabetes diary	Kleber	286
diagbox	Table heads with diagonal lines	Liu	319
diagmac	A diagram drawing package	Reynolds	407
diagmac2	Diagram macros, using pict2e	Tennent, Reynolds	483
diagnose	A diagnostic tool for a T <sub>E</sub> X installation	Corff	184
diagramf	Labelled diagrams in Metafont	Gibbons, Jeffrey	226
diagrams	A CTAN collection of diagram macro packages	The CTAN Team	486
diagxy	Diagram macros by Michael Barr	Barr	140
dialogl	Macros for constructing interactive L <sup>A</sup> T <sub>E</sub> X scripts	Downes	196
dialogue	Quote short scripted dialogue in L <sup>A</sup> T <sub>E</sub> X	Swift	467
dice	A font for die faces	Heim	250
dichokey	Construct dichotomous identification keys	Dam	188
dickimaw	Books and tutorials from the “Dickimaw L <sup>A</sup> T <sub>E</sub> X Series”	Talbot	473
dictsym	DictSym font and macro package	Schmidt, Harcombe	431
diffcoeff	Write differential coefficients easily and consistently	Parsloe	385
digestif	Editor plugin for L <sup>A</sup> T <sub>E</sub> X, ConTeXt etc.	Stoffel	460
digicap-pro	Creates captions to digital photos	Story	462
digiconfigs	Writing “configurations”	Madsen	333
dijkstra	Dijkstra algorithm for L <sup>A</sup> T <sub>E</sub> X	Tellechea	478
dimnum	Commands for dimensionless numbers	Clemente	182
din1505	Bibliography styles for German texts	Lorenzen, Baumann	324
dinat	Bibliography style for German texts	Baumann	143
dinbrief-gui	GUI for L <sup>A</sup> T <sub>E</sub> X package dinbrief	Busch	167
dinbrief	German letter DIN style	Braune, Gussmann	160
dingbat	Two dingbat symbol fonts	Henderson, Pakin	252
directory	An address book using BibTeX	Geuzaine	225
directtex	TeX for the Macintosh	Ricken	408
dirtree	Display trees in the style of windows explorer	Charpentier	175
dirtytalk	A package to typeset quotations easier	Klammler	286
disser	Class and templates for typesetting dissertations in Russian	Kruchinin	302
ditaa	Use ditaa diagrams within L <sup>A</sup> T <sub>E</sub> X documents	Ukai	499
dithesis	A class for undergraduate theses at the University of Athens	Mantzouratos	335
divine	L <sup>A</sup> T <sub>E</sub> X support for the divine font	Veytsman	515
djgpp	DJGPP-based version of T <sub>E</sub> X for MS-DOS	Zaretskii	550
dk-bib	Danish variants of standard BibTeX styles	Jørgensen	273
dkhyphen	Danish hyphenation patterns	Jensen	271
dktools	Tools and libraries by Dirk Krause	Krause	300
dlfltxb	Macros related to “Introduktion til L <sup>A</sup> T <sub>E</sub> X”	Madsen	333
dmfonts	Virtual fonts to provide T1 encoding	Sullivan, Kunert	466
dmhgener	Equation, figure (etc.) numbering and referencing	Unknown	503
dnaseq	Format DNA base sequences	Pedersen	387
do-it-yourself-tex	Back to Plain XeTeX	Herz-Fischler	255
doafter	Do things after a group	Wooding	540



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
doc-pictex	A summary list of PicTeX documentation	Lück	326
doc	Format L <sup>A</sup> T <sub>E</sub> X documentation	Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	350
docarc	Multi-user distributed bibliographic database system	Kieling	283
docassembly	Use the Acrobat JavaScript API	Story	462
docbytex	Creating documentation from source code	Olšák	377
doclicense	Support for putting documents under a license	Schneider	434
docmfp	Document non-L <sup>A</sup> T <sub>E</sub> X code	Robertson, Wilson	412
docmute	Input files ignoring L <sup>A</sup> T <sub>E</sub> X preamble, etc	Trzeciak	497
docshots	TeX samples next to their PDF Snapshots	Bugayenko	164
docstrip	Remove comments from file	Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	350
docsurvey	A survey of L <sup>A</sup> T <sub>E</sub> X documentation	Dunn	199
doctools	Tools for the documentation of L <sup>A</sup> T <sub>E</sub> X code	Pospiech	396
documentation	Documentation support for C, Java and assembler code	Morales	351
docutils	Helper commands and element definitions for Docutils L <sup>A</sup> T <sub>E</sub> X output	Milde	346
dogma	Metrics and L <sup>A</sup> T <sub>E</sub> X support for Dogma Font From Emigre Graphics	Veytsman	515
doi	Create correct hyperlinks for DOI numbers	Sneep, Oberdiek	452
doipubmed	Special commands for use in bibliographies	Talbot	473
domitian	Drop-in replacement for Palatino	Miller	347
dos-dc	A distribution of the DC fonts for emTeX	Schleicher, Schwarz	430
dosepsbin	Deal with DOS binary EPS files	Oberdiek	369
dot2tex	Convert graphs generated by Graphviz to L <sup>A</sup> T <sub>E</sub> X friendly formats	Fauske	210
dot2texi	Create graphs within L <sup>A</sup> T <sub>E</sub> X using the dot2tex tool	Fauske	210
dotarrow	Extendable dotted arrows	Schneider	434
dotlessi	Provides dotless i's and j's for use in any math font	Bezos López	321
dotlessj	Generates a dot-less j	Carlisle	169
dotseqn	Flush left equations with dotted leaders to the numbers	Arseneau	134
dottex	Use dot code in L <sup>A</sup> T <sub>E</sub> X	Kotthoff	299
doublecol	Double-column page macros for Plain T <sub>E</sub> X	Unknown	503
doublepace	Double space environment	Page	380
doublestroke	Typeset mathematical double stroke symbols	Kummer	305
doulossil	A font for typesetting the International Phonetic Alphabet (IPA)	Unknown	503
dow	Calculate day of week from a numeric date	Unknown	503
dowith	Apply a command to a list of items	Lück	326
download	Allow L <sup>A</sup> T <sub>E</sub> X to download files using an external process	Sigurdhsson	448
dox	Extend the doc package	Verna	514
dozenal	Typeset documents using base twelve numbering (also called "dozenal")	Goodman	231
DPcircling	Decorated text boxes using TikZ	Mitsuaki	348
dpfloat	Support for double-page floats	Fox	218
dprogress	LaTeX-relevant log information for debugging	Amberg	131
dps	Create a "matching" game with a hidden message	Story	462
drac	Declare active character substitution, robustly	Henel, Noirel	253
draft	A L <sup>A</sup> T <sub>E</sub> X 2.09 style for supporting work on drafts	Baker	138
draftcopy	Identify draft copies	Vollmer	520
draftfigure	Replace figures with a white box and additional features	Bossert	157
drafthead	Mark "DRAFT" in page headers	Page	380
draftmark	Put draft marks on selected pages	Musa	357
draftwatermark	Put a grey textual watermark on document pages	Callegari	168
drama	Production-style stage script in L <sup>A</sup> T <sub>E</sub> X	Swift	467
dramatist	Typeset dramas, both in verse and in prose	Dominici	194
dratex	General drawing macros	Gurari	241
Drawing-with-Me...	How to draw technical diagrams with MetaPost	Thurston	493
drawing	Simple drawings with Metafont	Wagner	527
drawmatrix	Draw visual representations of matrices in L <sup>A</sup> T <sub>E</sub> X	Peise	388
drawstack	Draw execution stacks	Moy	353



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
drcaps	Simple dropped capitals	Shipunov	446
drftcite	Print the bibliography in "draft" mode	Arseneau	134
drm	A complete family of fonts written in Metafont	Goodman	231
droid	L <sup>A</sup> T <sub>E</sub> X support for the Droid font families	El Morabity, Matteson	351
droit-fr	Document class and bibliographic style for French law	de Saint-Pern	424
drop	Dropped capitals at the start of a paragraph (L <sup>A</sup> T <sub>E</sub> X 2.09)	Cantor, Wujastyk	169
dropcaps	Use dropped capitals to start a paragraph	Lauwers	311
dropping	Drop first letter of paragraphs	Dahlgren	187
drs	Typeset Discourse Representation Structures (DRS)	Dimitriadis	193
drv	Derivation trees with MetaPost	Méhats	343
dspticks	Macros for Digital Signal Processing plots	Prandoni	396
DSSerif	A double-struck serif font for mathematical use	Sharpe	442
dtk-1.32	Document class for the journal of DANTE	Neugebauer, Voß	361
dtk-bibliography	Bibliography of "Die T <sub>E</sub> Xnische Komödie"	Ziegenhagen	553
dtk	Document class for the journal of DANTE	Voß, Niepraschk	526
dtl	Tools to dis-assemble and re-assemble DVI files	Tobin	494
dtxdescribe	Describe additional object types in dtx source files	Dunn	199
DTX gallery	A small collection of minimal DTX examples	Robertson	410
dtxgen	Creates a template for a self-extracting .dtx file	Dekker	190
dtxtut	Tutorial on writing .dtx and .ins files	Pakin	381
ducksay	Draw ASCII art of animals saying a specified message	Spratte	455
duckuments	Create duckified dummy content	Spratte	455
duerer-LaTeX	L <sup>A</sup> T <sub>E</sub> X support for the Duerer fonts	Jørgensen	273
duerer	Computer Duerer fonts	Hoening	257
duotenzor	Drawing package for circuit and duotensor diagrams	Hardy	248
duplicat	Make duplicate page numbers distinct	Piff, Fairbairns, Carlisle	392
dutchcal	A reworking of ESSTIX13, adding a bold version	Sharpe	443
dvdcoll	A class for typesetting DVD archives	Kleber	286
dvgloss	Facilities for setting interlinear glossed text	Velleman	513
dvgt	Previewer for use on graphic and character-cell terminals	Tobin	494
dvgtk	Tektronix 401x DVI previewer	Cholewo	180
dvi-economic	Save paper while printing	Verhoeven	514
dvi2bitmap	Utility to convert T <sub>E</sub> X DVI files directly to bitmaps	Gray	236
dvi2ln3	LN03 driver based on DVItyp	Rose	418
dvi2tty	Produce ASCII from DVI	Lindahl, Mol, Tanaka	318
dvi2xx	A general-purpose DVI output for Hewlett-Packard printers	Neumann	362
DVIasm	A utility for editing DVI files	Cho, Hosny, Yamashita	179
dvibit	DVI driver for BBN bitgraph terminal	Senn, Schaad	441
dvibook	Utilities for manipulating DVI files	Duggan	198
dvichk	List the page numbers in a DVI file	Esken	206
dviconcat	Concatenates DVI files	Unknown	503
dvicopy	Copy DVI files, flattening VFs	Breitenlohner	160
dvidvi	Convert one DVI file into another	Rokicki, Zimanyi, T <sub>E</sub> XLive	416
dvii	Extract information from a DVI file	Lewenberg	316
dviincl	Include a DVI page into MetaPost output	BOP	155
dviinfox	Perl script to print DVI meta information	Yamashita, Langmyhr	545
dviljk	DVI to Laserjet output	Berry, Schrod, T <sub>E</sub> XLive	151
dvimerge	Merge two DVI files together	Rahtz	400
dviout	TeX previewer and printer driver for MS-Windows	Toshio, Ootobe, Asayama, Tanaka	496
dvipaste	DVI manipulation	MacKay, Spivak	332
dvipdfm	A DVI driver to produce PDF directly	Wicks	534
dvipdfmx-def	Configuration file for dvipdfmx graphics	Cho, Hirata, L <sup>A</sup> T <sub>E</sub> X Team	179

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
dvipdfmx	An extended version of dvipdfm	Cho, Franz, Hirata, Wicks, Hosny, Breitenlohner, T <sub>E</sub> XLive	179
dvipng	A fast DVI to PNG/GIF converter	Larsson	310
dvips-os2	OS/2 dvips	Kim	284
dvips-shell	A dvips Shell for MS-Windows32	Unknown	503
dvips	A DVI to PostScript driver	Rokicki, T <sub>E</sub> XLive	416
dvipscol	Alter the usage of the dvips colour stack	Oberdiek	369
dvipsconfig	Collection of dvips PostScript headers	Kuhlmann	303
dvipsk	Convert DVI to PostScript	Rokicki, Berry	416
dvisirule	Superimpose the covered hline and vline in a L <sup>A</sup> T <sub>E</sub> X tabular/colortbl environment	Senju	441
dvistd	A standard for DVI drivers	TUG DVI Standards Working Group	498
dvisun	DVI viewer for Sun2 systems	Hutchinson	264
dvisvgm-def	Colour and Graphics support for dvisvgm	L <sup>A</sup> T <sub>E</sub> X Team	487
dvisvgm	Convert DVI, EPS, and PDF files to Scalable Vector Graphics format (SVG)	Giesecking	227
DVItoLN03	DVI output to Digital LN03 printer	Hamilton Kelly	279
dvitops	A DVI driver for PostScript output	Clark	181
dvitty	A plain-text output DVI driver	Lindahl	318
dvitype	Type out the content of a DVI file	Knuth	292
DVIVue	A DVI/PDF viewer for Windows	Frane Jr	274
dviwin	MS-Windows DVI screen and printer driver	Sendoukas	441
dynamicnumber	Dynamically typeset numbers and values in L <sup>A</sup> T <sub>E</sub> X through “symbolic links”	Pieters	391
dynblocks	A simple way to create dynamic blocks for Beamer	Fiandrino	211
dynbrackets	Commands to simplify the syntax of dynamic math brackets	Clemente	182
dynkin-diagrams	Draw Dynkin, Coxeter, and Satake diagrams using TikZ	McKay	341
dyntrree	Construct Dynkin tree diagrams	Setzer	442
<b>EEEE</b>			
e-french	Comprehensive L <sup>A</sup> T <sub>E</sub> X support for French-language typesetting	Gaulle, Juillerat	224
ean	Macros for making EAN barcodes	Olšák	377
ean13isbn	Print EAN13 for ISBN	Wagner	528
easing	easing functions for pgfmath	Loh	320
easy-todo	To-do notes in a document	Rada-Vilela	399
easy	A collection of easy-to-use macros	Bertolazzi	151
easybib	Simple syntax for custom bibliographies	Bertolazzi	151
easybmat	Block matrices	Bertolazzi	151
easybook	Easily typesetting Chinese theses or books	Yi	548
easyeqn	A simple package for writing equations	Bertolazzi	151
easyfig	Simplifying the use of common figures	Scharrer	427
easyfloats	An easier interface to insert figures, tables and other objects in L <sup>A</sup> T <sub>E</sub> X	Zöllner	554
easyformat	Easily add boldface, italics and smallcaps	Provoost	398
easyLaTeX	Faster and simpler writing of L <sup>A</sup> T <sub>E</sub> X documents	Shanks	442
easylist	Lists using a single active character	Isambert, Robbers	266
easyamat	A simple package for writing matrices	Bertolazzi	151
easyReview	Package to provide a way to review (or perform editorial process) in L <sup>A</sup> T <sub>E</sub> X	Matos	338
easytable	A simple package for writing tables	Bertolazzi	151
easyvector	Write vectors in a C-like fashion	Bertolazzi	151
ebezier	Device independent picture environment enhancement	Bachmaier	138
ebgaramond-maths	L <sup>A</sup> T <sub>E</sub> X support for EBGaramond fonts in mathematics	Rees	405
ebgaramond	L <sup>A</sup> T <sub>E</sub> X support for EBGaramond fonts	Tennent	480
ebib	BibTeX database manager for GNU Emacs	Kremers	301

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
ebnf	Simple package for EBNF productions	Cugley	186
EBONG	Utility for writing Bengali in Rapid Roman Format	Banerjee	140
ebook	Helps creating an ebook by providing an ebook class	Steensgaard	458
ebproof	Formal proofs in the style of sequent calculus	Beffara	147
ebsthesis	Typesetting theses for economics	Baecker	138
ec-plain	Use EC fonts in Plain T <sub>E</sub> X	Taupin	477
ec	Computer modern fonts in T1 and TS1 encodings	Knappen, Schwarz	291
ecards	Electronic flash cards	Story	462
ecc	Sources for the European Concrete fonts	Schmidt, Harcombe	431
ecclesiastic	Typesetting Ecclesiastic Latin	Beccari	144
ecgdraw	Draws electrocardiograms (ECG)	Scavino, Aimé	426
ec1tree	Trees using epic and eepic macros	Isozaki	266
eco	Oldstyle numerals using EC fonts	Kirsch	285
ecobiblatex	Global Ecology and Biogeography BibL <sup>A</sup> T <sub>E</sub> X styles for the Biber back-end	Balak	138
econ-bst	BibT <sub>E</sub> X style for economics papers	Takeda	471
econlipsum	Generate sentences from economic articles	Coleman	183
Econometrica	BibT <sub>E</sub> X support for Econometrica	Border, Horny	156
econometrics	Defines some commands that simplify mathematic notation in economic and econometric writing	Kole	298
economic	BibT <sub>E</sub> X support for submitting to Economics journals	Henningsen, Wigle	254
ecothesis	L <sup>A</sup> T <sub>E</sub> X thesis template for the Universidade Federal de Viçosa (UFV), Brazil	Rodrigues	414
ecta	Bibliography style for submission to Econometrica	Perez-Duarte	389
ECV	A fancy Curriculum Vitae class	Haberstumpf, Neumann	242
eczar	A font family supporting Devanagari and Latin script	Unknown	503
ed	Editorial Notes for L <sup>A</sup> T <sub>E</sub> X documents	Kohlhase	295
eddi4tex	Editor and shell for DOS and OS/2	Jahnz	269
edfnotes	Critical annotations to footnotes with ednotes	Lück	326
edichokey	Typeset dichotomous identification keys	Yang	545
editbar	Change bars for L <sup>A</sup> T <sub>E</sub> X 2.09	Van Geest	224
edmac	Typeset critical editions	Lavagnino, Wujastyk	311
edmargin	Multiple series of endnotes for critical editions	Burt	166
ednotes	Typeset scholarly editions	Lück	326
eehyph	Hyphenation patterns for the Estonian language	Saar	424
eemeir	Adjust the gender of words in a document	Hansen	244
eepic	Extensions to epic and the L <sup>A</sup> T <sub>E</sub> X drawing tools	Kwok, van Oostrum	306
efbox	Extension of \fbox, with controllable frames and colours	Malaquias	334
eforms	eForm support for the AcroT <sub>E</sub> X bundle	Story	462
ega2mf	Generate Metafont code for EGA screen fonts	Ridgeway	408
egameps	L <sup>A</sup> T <sub>E</sub> X package for typesetting extensive games	Osborne	379
egothic	Early Gothic manuscript book-hand font	Wilson	536
egpeirce	Draw existential graphs invented by Charles S. Peirce	Nikulainen	366
egplot	Encapsulate Gnuplot sources in L <sup>A</sup> T <sub>E</sub> X documents	Probst	397
ehhline	Extend the \hhline command	Paciorek	380
eiad-ltx	L <sup>A</sup> T <sub>E</sub> X support for the eiad font	Münch	355
eiad	Traditional style Irish fonts	Derzhanski	192
eijkhout	Victor Eijkhout's packages	Eijkhout	202
einfart	Write your articles in a simple and clear way	XU	543
einfuehrung	Examples from the book Einführung in L <sup>A</sup> T <sub>E</sub> X	Voß	521
einfuehrung2	Examples from the book Einführung in L <sup>A</sup> T <sub>E</sub> X	Voß	521
eitl	Easy install of T <sub>E</sub> X Live	Niepraschk, Voß	365
ejpecp	Class for EJP and ECP	Šakuras, Gumbakis, Chafai	425
ekaia	Article format for publishing the Basque Country Science and Technology Journal "Ekaia"	Ibarra	265

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
ekdosis	Typesetting TEI-xml compliant Critical Editions	Alessi	130
EkType-Tanka	Devanagari fonts by EkType	Unknown	503
elbioimp	A L <sup>A</sup> T <sub>E</sub> X document class for the Journal of Electrical Bioimpedance	Langmyhr	309
electrumadf	Electrum ADF fonts collection	Rees	405
eledform	Define textual variants	Rouquette	420
eledmac	Typeset scholarly editions	Rouquette	420
eledpar	Typeset scholarly editions in parallel texts	Rouquette	420
ElegantBook	An Elegant L <sup>A</sup> T <sub>E</sub> X Template for Books	Deng, Huang	191
ElegantNote	Elegant L <sup>A</sup> T <sub>E</sub> X Template for Notes	Deng	191
ElegantPaper	An Elegant L <sup>A</sup> T <sub>E</sub> X Template for Working Papers	Deng	191
elements	Provides properties of chemical elements	Niederberger	363
elhyphen	Hyphenation for Greek text	Filippou	213
ellipse	Draw ellipses and elliptical arcs using the standard L <sup>A</sup> T <sub>E</sub> X2e picture environment	Leijen	314
ellipsis	Fix uneven spacing around ellipses in L <sup>A</sup> T <sub>E</sub> X text mode	Heslin	255
elmath	Mathematics in Greek texts	Syropoulos, Potamianos	470
elocalloc	Local allocation macros for L <sup>A</sup> T <sub>E</sub> X 2015	Carlisle	169
elpres	A simple class for electronic presentations	Kiefel	282
els-cas-templates	Elsevier updated L <sup>A</sup> T <sub>E</sub> X templates	Radhakrishnan, T. Nair	400
elsarticle	Class for articles for submission to Elsevier journals	Radhakrishnan, Pepping, Ruck	400
elteiktdk	TDK-thesis template for Hungarian TDK conferences, Section of Computer Science	Cserép	186
elteikthesis	Thesis template for Eötvös Loránd University (Informatics)	Cserép	186
eltex	Simple circuit diagrams in L <sup>A</sup> T <sub>E</sub> X picture mode	Gajdosik	223
elvish	Fonts for typesetting Tolkien Elvish scripts	Bradfield	159
elzcards	Typeset business cards, index cards and flash cards easily	Lazo Zaia	549
emarks	Named mark registers with e-TeX	Chervet	177
embedall	Embed source files into the generated PDF	Sartori, Lichti	425
embedfile	Embed files into PDF	Oberdiek	369
embrac	Upright brackets in emphasised text	Niederberger	363
emerald	Support for the free emerald city fontwerks fonts	Rodríguez	414
emf	Support for the EMF symbol	Jørgensen	273
emisa	A L <sup>A</sup> T <sub>E</sub> X package for preparing manuscripts for the journal EMISA	Sievers, Strecker	448
emo	Emoji for all (L <sup>A</sup> T <sub>E</sub> X engines)	Grimm	239
emoji	Emoji support in (Lua)LaTeX	Zeng	550
emojicite	Add emojis to citations	Sixt	450
emp	"Encapsulate" MetaPost figures in a document	Ohl	376
empheq	EMPHasizing EQuations	Høgholm, Madsen, L <sup>A</sup> T <sub>E</sub> X Team, Robertson, Wright	260
emptypage	Make empty pages really empty	Wette	533
emtex	A T <sub>E</sub> X system for MS-DOS and OS/2	Mattes	338
emtexgi	A MS-Windows shell for emTeX	Cottrell	185
emtrees	Draw labelled trees, using emTeX \specials	Boegeholz	154
emulateapj	Produce output similar to that of APJ	Vikhlinin, Markevitch	519
encguide	Documentation of L <sup>A</sup> T <sub>E</sub> X font encodings	L <sup>A</sup> T <sub>E</sub> X Team, Lemberg	490
encTeX	A T <sub>E</sub> X extension that translates input on its way into T <sub>E</sub> X	Olšák	377
encxvlna	Insert nonbreakable spaces, using encTeX	Wagner, Olšák	528
endfloat	Move floats to the end, leaving markers where they belong	Goldberg, Sommerfeldt	230
endheads	Running headers of the form "Notes to pp.xx-yy"	Burt	167
endiagram	Easy creation of potential energy curve diagrams	Niederberger	363
endnote	Generic "endnotes" code	Unknown	503
EndNote2bib	Convert EndNote files to BibTeX	Mathar	337
endnotes-hy	Patches the endnotes package to create hypertext links to the correct anchors	Story	462

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
endnotes	Place footnotes at the end	Gaulle, Lavagnino, Fairbairns, Carlisle	224
endnotesj	Japanese-style endnotes	Yamashita	544
endofproofwd	An “end of proof” sign	Jensen	271
engord	Converts numbers to English ordinal numbers	Oberdiek	370
engpron	Helps to type the pronunciation of English words	Henel	253
engrec	Enumerate with lower- or uppercase Greek letters	Henel	253
engtlc	Support for users in Telecommunications Engineering	Fiandrino	212
engwar	Font for typesetting Tolkien Engwar script	Urban	509
enigma	Encrypt documents with a three rotor Enigma	Gesang	225
enotez	Support for end-notes	Niederberger	363
enparen	Consistent nested brackets	Oberdiek	370
enpassant	Enpassant chess font support	Fischer	214
enumerate	Enumerate with redefinable labels	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172
enumitem-zref	Extended references to items for enumitem package	Chervet	177
enumitem	Control layout of itemize, enumerate, description	Bezos López	321
enumspec	Enumerate with extra leading character for labels	Greenwade	237
enbig	Printing addresses on envelopes	Manda, Sherman	335
envelope	Print envelopes	Sherman	445
environ	A new interface for environments in L <sup>A</sup> T <sub>E</sub> X	Robertson	410
enlab	Addresses on envelopes or mailing labels	Veytsman	515
enmath	Maths commands and environments	Bosio	157
eolang	Formulas and graphs for the EO programming language	Bugayenko	164
eolgrab	Catch arguments delimited by end of line	Oberdiek	370
epic	Enhance L <sup>A</sup> T <sub>E</sub> X picture mode	Podar	394
Epigrafica	A Greek and Latin font	Tsolomitis	497
epigram	Display short quotations	Hosek	261
epigraph-keys	Epigraphs using key values	McKay	341
epigraph	A package for typesetting epigraphs	Robertson, Wilson	412
epiolmec	Typesetting the Epi-Olmec Language	Syropoulos	468
ePiX	Utility for mathematically accurate, camera quality plots and line figures	Hwang	265
eplain	Extended plain T <sub>E</sub> X macros	Berry, Katsitadze, Sitaram	150
epmtfe	TeX environment for OS/2	Schmidt	431
epstein-trees	Macros for producing trees	Eppstein	205
eps2pdf	A Win32 GUI EPS to PDF convertor	Jakšić	269
epsdice	A scalable dice “font”	Heim	250
epsf-dvipdfmx	Plain T <sub>E</sub> X file for using epsf.tex with (x)dvipdfmx	Kakuto, Berry	276
epsf	Simple macros for EPS inclusion	Rokicki, Beebe	416
epsfig	Include Encapsulated PostScript in L <sup>A</sup> T <sub>E</sub> X documents	Rahtz, Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	401
epsfig209	Obsolete graphics inclusion macros	Whaite	533
epsfview	Mac AppleScript tool for viewing figures generated with MetaPost	Bezos López	321
epsfx	A T <sub>E</sub> X macro package for including EPS graphics	BOP	155
epsincl	Include EPS in MetaPost figures	BOP	155
epslatex	Guide to using Encapsulated PostScript in L <sup>A</sup> T <sub>E</sub> X	Reckdahl	404
epspdf-extra	Platform-specific extras for epspdf	Kroonenberg	301
epspdf-setup	epspdf with GUI installer	Kroonenberg	301
epspdf	Converter for PostScript, EPS and PDF	Kroonenberg	301
epspdfconversion	On-the-fly conversion of EPS to PDF	Becker	146
epstool	Manipulate Encapsulated PostScript (EPS)	Lang	309
epstopdf-pkg	Call epstopdf “on the fly”	Oberdiek	370
epstopdf	Convert EPS to PDF using Ghostscript	Wierda, Rahtz, Esser, Oberdiek, Berry	534
eq-fetchbbl	Match Biblical passages with verse references in a quiz	Story	462
eq-pin2corr	Add PIN security to the “Correct” button of a quiz created by exerquiz	Story	462



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
eq-save	Save exerquiz quizzes and resume	Story	462
eq2db	Convert a quiz to one submitted to a server-side script	Story	462
eqell	Sympathetically spaced ellipsis after punctuation	Filipović	212
eqexam	A stand-alone exam package	Story	462
eqexpl	Align explanations for formulas	Morenko	352
eqlist	Description lists with equal indentation	Väth	512
eqmark	Generalise facilities for marking equation arrays	Nitschke	366
Eqmlite/Free	TeX system and PDF support for Linux and OS/2	MicroPress	345
eqnalign	Make eqnarray behave like align	Hejda	251
eqname	Name tags for equations	Neugebauer	360
eqnarray	More generalised equation arrays with numbering	Winkler	539
eqnarray209	A fix for L <sup>A</sup> T <sub>E</sub> X 2.09 eqnarray	Jones	272
eqnnumwarn	Modifies the amsmath equation environments to warn for a displaced equation number	Gleason	229
eqparbox	Create equal-widthed parboxes	Pakin	381
equationauthor	Visual equation editor	Manhiça	335
erdc	Style for Reports by US Army Corps of Engineers	Veytsman	515
erewhon-math	Utopia based OpenType Math font	Flipo	215
erewhon	Font package derived from Heuristica and Utopia	Sharpe	443
errata	Error markup for L <sup>A</sup> T <sub>E</sub> X documents	Kohlhase	295
erw-13	Utilities based on L <sup>A</sup> T <sub>E</sub> X3	Rogard	415
esami	Typeset exams with scrambled questions and answers	Messineo, Vassallo	344
escapeTeXt	Make plain text safe for use in L <sup>A</sup> T <sub>E</sub> X	Hefferon	249
esdiff	Simplify typesetting of derivatives	Saudrais	426
esieecv	Curriculum vitae for French use	Bayart	143
esindex	Typset index entries in Spanish documents	Bezos López	321
esint-type1	Font esint10 in Type 1 format	Nikunen	366
esint	Extended set of integrals for Computer Modern	Saudrais	426
esk	Package to encapsulate Sketch files in L <sup>A</sup> T <sub>E</sub> X sources	Kazimiers	278
eskd	Modern Russian typesetting	Fyodorov	222
eskdX	Modern Russian typesetting	Korikov	299
eslides	An option for article style to make slides	Denk	191
eso-pic	Add picture commands (or backgrounds) to every page	Niepraschk	365
esperant	Style option for writing Esperanto texts	Knappen	290
espo	Customisation for Esperanto	Unknown	503
esrelation	Provides a symbol set for describing relations between ordered pairs	Reinfurt	406
esstix	PostScript versions of the ESSTIX, with macro support	Sharpe	443
estcpmm	Style for Munitions Management Project Reports	Veytsman	516
esvect	Vector arrows	Saudrais	426
et	TeX-compatible editor	Collins	183
etaremun	Reverse-counting enumerate environment	Adriaens	128
ETbb	An expansion of Edward Tufte's ET-Bembo family	Sharpe	443
etdipa	Simple, lightweight template for scientific documents	Laube	310
etex-pkg	E-TeX support package	Carlisle, Breitenlohner, L <sup>A</sup> T <sub>E</sub> X Team	171
e-TeX	An extended version of T <sub>E</sub> X, from the NTS project	Breitenlohner, T <sub>E</sub> XLive	160
etexcnds	Avoid name clashes with e-TeX commands	Oberdiek	370
etextools	e-TeX tools for L <sup>A</sup> T <sub>E</sub> X users and package writers	Chervet	177
ethiop-t1	Type 1 versions of Amharic fonts	Rosenau	418
ethiop	L <sup>A</sup> T <sub>E</sub> X macros and fonts for typesetting Amharic	Beyene, Kudlec, Kummer, Metzinger	151
ethtex	Fonts and L <sup>A</sup> T <sub>E</sub> X support for typesetting Amharic	Alamnehe	129
etl	Expandable token list operations	Spratte	455
etoc	Completely customisable TOCs	Burnol	165
etoolbox-de	German translation of documentation of etoolbox	Enderling	205

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
etoolbox	e-TeX tools for L <sup>A</sup> T <sub>E</sub> X	Lehman, Wright	313
etruscan	Fonts for the Etruscan script	Wilson	536
etsvthor	Some useful abbreviations for members of e.t.s.v. Thor	Debets	190
euclideangeometry	Draw geometrical constructions	Beccari	144
EUenc	Unicode font encoding definitions for XeTeX	Robertson, Roux, Hosny	411
euflag	A command to reproduce the flag of the European Union	Flynn	216
eukdate	UK format dates, with weekday	Moschou	352
eukleides	A geometry drawing system	Obrecht	375
euler-math	OpenType version of Hermann Zapf's Euler maths font	Flipo	215
euler	Use AMS Euler fonts for math	Jensen	271
eulerpx	A modern interface for the Euler math fonts	Ouassou, Tijssen	379
eulervm	Euler virtual math fonts	Schmidt, Harcombe	431
euproposal	A class for preparing FP7 proposals	Kohlhase	295
euro-ce	Euro and CE sign font	de Wijn	535
euro	Provide Euro values for national currency amounts	Franz	219
eurofont	Provides a command that prints a euro symbol	McDonnell	341
euroitc	L <sup>A</sup> T <sub>E</sub> X interface for the ITC euro font symbols	Schlicht	430
europasscv	Unofficial class for the new version of the Europass curriculum vitae	Mazzamuto	340
EuropeCV	Unofficial class for European curricula vitae	Vitacolonna, Silano	519
europs	Access to Adobe's Euro currency symbol fonts	Clausen	181
eurosans	Interface to Adobe's sans-serif Euro font	Schmidt, Harcombe	431
eurosym	Metafont and macros for Euro sign	Theiling	491
eurotex	Multilingual macros for Plain T <sub>E</sub> X	Aavatsmark	128
euxunicode	Generate Unicode characters from accented glyphs	Robertson	410
Evangelion-JFM	A Japanese font metric supporting many advanced features	Huang	263
evautofl	Pages with cut lines and punch marks	Vicentini	517
evenpage	Ensure that the total number of pages is even	Bosisio	157
everyhook	Hooks for standard T <sub>E</sub> X token lists	Checkoway	176
everypage	Provide hooks to be run on every page of a document	Callegari	168
everysel	Provides hooks into \selectfont	Schröder, Peischl	436
everyshi	Take action at every \shipout	Schröder, Peischl	436
evweek	Weekly calendar	Vicentini	518
exam-lite	Quicker preparation of exams in L <sup>A</sup> T <sub>E</sub> X	Kukovec	304
exam-n	Exam class, focused on collaborative authoring	Gray	236
exam-randomizec...	Randomize mc choices using the exam class	op den Brouw	162
exam-zh	L <sup>A</sup> T <sub>E</sub> X template for Chinese exams	Guo, Xia	241
exam	Package for typesetting exam scripts	Hirschhorn	257
exam209	Process exam questions and answers (L <sup>A</sup> T <sub>E</sub> X 2.09)	Greenwade	237
Exam design	L <sup>A</sup> T <sub>E</sub> X class for typesetting exams	Alexander	130
example	Typeset examples for T <sub>E</sub> X courses	Schrod	435
examplep	Verbatim phrases and listings in L <sup>A</sup> T <sub>E</sub> X	Szabó	470
exams	Typeset exam questions	van der Meer	343
examz	Randomized exams with multiple versions	McClain	341
excalibur	Macintosh spell checker	Zacccone	548
Excel2LaTeX	Convert Excel spreadsheets to L <sup>A</sup> T <sub>E</sub> X tables	Marder, Müller, Pearson, Hawryluk, Hughes, Kokan	335
Excltex	Get data from Excel files into L <sup>A</sup> T <sub>E</sub> X	Doerr	194
excludeonly	Prevent files being \include-ed	Luecking, Arseneau	329
exercise	Typeset exercises, problems, etc. and their answers	Pichaureau	390
exercisebank	Creating and managing exercises, and reusing them as composed sets	Storvik Strauman	465
exercisepoints	A L <sup>A</sup> T <sub>E</sub> X package to count exercises and points	Kerstan	280
exercises	Typeset exercises and solutions with automatic addition of points	Jud	275
exerquiz	Environments for defining exercises and quizzes	Story	462
exesheet	Typesetting exercise or exam sheets	Missier	348
exframe	Framework for exercise problems	Beisert	148

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
exp-testopt	Expandable \@testopt (and related) macros	Ebermann	200
expdlist	Expanded description environments	Hülse, Kaspar	263
expex-acro	Wrapper for the expex package	Matter	338
expex-glossonly	Help gb4e and linguex users use the ExPex glossing macros	Munn	355
expex	Linguistic examples and glosses, with reference capabilities	Frampton	218
expkv-bundle	An expandable key=val implementation and friends	Spratte	456
expkv-cs	Define expandable key=val macros using expkv	Spratte	456
expkv-def	A key-defining frontend for expkv	Spratte	456
expkv-opt	Parse class and package options with expkv	Spratte	456
expkv	An expandable key=val implementation	Spratte	456
expl3	Wrapper package for experimental L <sup>A</sup> T <sub>E</sub> X3	L <sup>A</sup> T <sub>E</sub> X Team	488
export	Import and export values of L <sup>A</sup> T <sub>E</sub> X registers	Drucbert	197
expose-expl3-du...	Using expl3 to implement some numerical algorithms	Henel	253
expressg	Diagrams consisting of boxes, lines, and annotations	Wilson	536
exscale	Implements scaling of the 'cmex' fonts	Mittelbach, Schöpf, L <sup>A</sup> T <sub>E</sub> X Team	349
exsheets	Create exercise sheets and exams	Niederberger	363
exsol	Exercises and solutions from the same source, into a book	Daems	187
extrarrows	Extra Arrows beyond those provided in amsmath	Huynh	264
extdash	A range of dash commands for compound words	Rozhenko	422
exteps	Include EPS figures in MetaPost	Jørgensen	273
extpfeil	Extensible arrows in mathematics	Ebermann	200
extract	Extract parts of a document and write to another document	Adriaens	128
extractpdfmark	Extract page mode and named destinations as PDFmark from PDF	Hosoda	262
extradefs	A miscellany of support macros	McPherson	342
extsizes	Extend the standard classes' size options	Kilfiger, May	283
<b>FFFF</b>			
fac	Macros for FAC journal	Woollatt, Reed, Notarmarco	541
facsimile	Document class for preparing faxes	Bronger	162
factura	Typeset and calculate invoices according to Venezuelan law	Lazo Zaia	549
facture-belge-s...	Simple Belgian invoice without VAT	Sebille	439
facture	Generate an invoice	Rouquette, Gombin, Deparis	420
fahyph	Hyphenation patterns for Persian (in Unicode)	Khalighi, bidi-tex GitHub Organisation	281
fail-fast	Turn warnings into errors	Bugayenko	164
fakebold	A simple macro for faking bold fonts	Unknown	503
faktor	Typeset quotient structures with L <sup>A</sup> T <sub>E</sub> X	Ebermann	200
faltblat	Making Leaflets	Klöckl	289
familytree	Draw family trees	Senju	441
famt	Project Reports and Notices in FAMT institute	Chavan, Desai, Kalyani, Mahadik	176
fancybox	Variants of \fbox and other games with boxes	Van Zandt	549
fancy chapters	Chapters with quotations	Heitkoetter	251
fancyfolien	Fancyhdr outline for German readers	Steffani	459
fancyhandout	A L <sup>A</sup> T <sub>E</sub> X class for producing nice-looking handouts	Friedl	220
fancyhdr-it	Italian translation of fancyhdr documentation	Agostini, Rigido	129
fancyhdr	Extensive control of page headers and footers in L <sup>A</sup> T <sub>E</sub> X2e	van Oostrum	378
fancyhdrboxed	Elaborate page headers, specified in a non-L <sup>A</sup> T <sub>E</sub> X language	Algaba	130
fancyheadings	Legacy headings package	van Oostrum	378
fancylabel	Complex labelling with L <sup>A</sup> T <sub>E</sub> X	Siegel	448
fancynum	Typeset numbers	Green	236
fancypar	Decoration of individual paragraphs	Medina Arellano	133
fancyqr	Fancy QR-Codes with TikZ	Sihler	449
fancyref	A L <sup>A</sup> T <sub>E</sub> X package for fancy cross-referencing	Reichert	405
fancyslides	Custom presentation class built upon L <sup>A</sup> T <sub>E</sub> X Beamer	Łupkowski	330

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
fancytabs	Fancy page border tabs	Pinson	393
fancytooltips	Include a wide range of material in PDF tooltips	Mařík	336
fancyvrb	Sophisticated verbatim text	Van Zandt, Voß, Girou, Rahtz, Mansfield	550
fandol	Four basic fonts for Chinese typesetting	Ma	332
faq-de	The DANTE T <sub>E</sub> X Users Group Frequently Asked Questions	Raichle, Niepraschk, Hafner	402
faq-es	CervanTeX (Spanish T <sub>E</sub> X Group) FAQ	Martín	337
faq-fr	French FAQ of the GUTenberg T <sub>E</sub> X user group	Kluth, Just, Tanguy	289
fascicules	Create mathematical manuals for schools	Moritz	352
fast-diagram	Easy generation of FAST diagrams	Allais	131
fastpictex	Simple specification of PicTeX diagrams	Stauss	458
fax	Document class for preparing faxes	Rhebergen, de Jonge	408
fbf	A free Bembo-like font	Sharpe	443
fbthesis	Computer Science thesis class for University of Dortmund	Dierker	193
fbox	Extended \fbox macro from standard L <sup>A</sup> T <sub>E</sub> X	Voß	522
fbs	BibTeX style for Frontiers in Bioscience	Suckale	466
fc-arith	Create an arithmetic flash card	Story	463
fc	Fonts for African languages	Knappen	290
fcavtex	A thesis class for the FCAV/UNESP (Brazil)	Maldonado Jr	275
fchart	Flow diagrams in L <sup>A</sup> T <sub>E</sub> X 2.09	Schollmeyer	434
fcltxdoc	Macros for use in the author's documentation	Chervet	177
fcolum	Typesetting financial tables	Olthof	377
fdsymbol	A maths symbol font	Ummels	500
fduthesis	L <sup>A</sup> T <sub>E</sub> X thesis template for Fudan University	Zeng	550
featpost	MetaPost macros for 3D	Gonçalves	230
fei	Class for academic works at FEI University Center — Brazil	De Rizzo Meneghetti	344
FenetreCas	Commands for CAS-like windows (Xcas or Geogebra) in TikZ	Pierquet	390
fenixpar	One-shot changes to token registers such as \everypar	Música de Rivera	409
fepslatex	French version of "graphics in L <sup>A</sup> T <sub>E</sub> X"	Drucbert	197
fetamont	Extended version of Knuth's logo typeface	Romer	417
fetchbibpes	Creates a DB of Bible verses from e-Sword, then fetches them on command	Story	463
fetchcls	Fetch the current class name	Giannotti	226
feupphdtheses	Typeset Engineering PhD theses at the University of Porto	Espinoza	206
fewerfloatpages	Reduce the number of unnecessary float pages	Mittelbach	348
feyn	A font for in-text Feynman diagrams	Gray	236
feynman	Feynman diagrams in L <sup>A</sup> T <sub>E</sub> X 2.09	Levine	316
feynmf	Macros and fonts for creating Feynman (and other) diagrams	Ohl	376
feynmp-auto	Automatic processing of feynmp graphics	Gregorio	237
ffcode	Fixed-font code blocks formatted nicely	Bugayenko	164
ffslides	Freeform slides based on the article class	Wolters	540
fge	A font for Frege's Grundgesetze der Arithmetik	Green	236
fgruler	Draw rulers on the foreground or in the text	Tómacs	495
fi2t1	Tools for installing Type 1 fonts in MiKTeX	Kapune	276
fibeamer	Beamer theme for thesis defense presentations at Masaryk University (Brno, Czech Republic)	Novotný	367
fibnum	Generate Fibonacci numbers	Oberdiek	370
fifinddo-info	German HTML beamer presentation on nicetext and morehype	Lück	326
fifinddo	Filtering files using T <sub>E</sub> X	Lück	326
fifo-stack	FIFO and stack implementation for package writers	Gaito	223
fig2eng	Convert fig files to English	Tobin	494
fig2lat	Convert .fig files to vector graphics	Krause	300
fig2mf	Convert fig output to Metafont	Starks	458
fig2mfpic	Convert fig output to mfpic	Tobin	494
fig2sty	Use fig as layout designer for L <sup>A</sup> T <sub>E</sub> X	Rohner	416

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
fig2vect	Yet another Fig to vector converter	Krause	300
fig4latex	Management of figures for large L <sup>A</sup> T <sub>E</sub> X documents	Fields	212
figbas	Mini-fonts for figured-bass notation in music	Tennent	480
FigBib	Organize figure databases with BibT <sub>E</sub> X	Poland	395
figcaps	Collect figure captions for later printing	Daly	188
figchild	Pictures for creating children's activities	de Souza Bastos	454
figflow	Flow text around a figure	Hutchinson	264
figfrag	Convert xfig figures with embedded L <sup>A</sup> T <sub>E</sub> X commands to EPS	Ditzel	194
figplace	Floating figures in Plain T <sub>E</sub> X	Zalmstra	549
figput	Create interactive figures in L <sup>A</sup> T <sub>E</sub> X	Fairman	208
figsintx	A tutorial on figures in L <sup>A</sup> T <sub>E</sub> X 2.09	Goel	229
FigSize	Auto-size graphics	Tanbakuchi	477
fihyph	Hyphenation patterns for Finnish language	Hellgren	251
filecontents	Create an external file from within a L <sup>A</sup> T <sub>E</sub> X document	Pakin	381
filecontentsdef	filecontents + macro + verbatim	Burnol	165
filedate	Access and compare info and modification dates	Lück	326
fileerr	LaTeX's mechanisms for dealing with file errors	Mittelbach	348
filehdr	Self-descriptions in file headers	Beebe	146
filehook	Hooks for input files	Scharrer	427
fileinfo	Enhanced display of L <sup>A</sup> T <sub>E</sub> X File Information	Lück	326
filemod	Provide file modification times, and compare them	Scharrer	428
fillform	Typeset answers to overprint on printed forms	Wagner	528
findbib	Find bibliographic details from SPIRES	Nesti, Goldstein	360
findhyph	Find hyphenated words in a document	Budaj	163
FiNK	The L <sup>A</sup> T <sub>E</sub> X2e File Name Keeper	Verna	514
Finomaton	Comfortably draw and typeset finite state machines	Triska	496
finplain	A Finnish version of plain.bst	Kaijanaho	275
finstrut	Adjust behaviour of the ends of footnotes	Lück	326
fira	Fira fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	480
firemath-otf	Use OpenType math font Fira Math	Voß	522
firemath	Fira sans serif font with Unicode math support	Zeng	551
firefox-ctan-pl...	Firefox search proformas for CTAN	Engler	205
first-latex-doc	A document for absolute L <sup>A</sup> T <sub>E</sub> X beginners	Hefferon, Pégourié-Gonnard, Berry	250
first-packages	A short list of go-to L <sup>A</sup> T <sub>E</sub> X packages, aimed at a beginner	Hefferon	250
firstline	Print the first line of a paragraph in a different font	Fox	218
firststeps-xampl	Examples from "First steps in L <sup>A</sup> T <sub>E</sub> X"	Grätzer	235
fistrum	Access to 150 paragraphs of Lorem Fistrum very dummy text	Davó	190
fitbox	Fit graphics on a page	Veytsman	516
fithesis	Thesis class and template for Masaryk University (Brno, Czech Republic)	Novotný	367
FitR	Set a rectangular destination and jump to it	Story	463
fix-cm	Permit Computer Modern fonts at arbitrary sizes	Schmidt, L <sup>A</sup> T <sub>E</sub> X Team	433
fix2col	Fix miscellaneous two column mode features	Carlisle	169
fixbbl	Patch bibliographies inappropriately broken by BibT <sub>E</sub> X	Stajano	457
fixcmex	Fully scalable version of Computer Modern Math Extension font	Gregorio	237
fixdif	Macros for typesetting differential operators	Zhang	551
fixfoot	Multiple use of the same footnote text	Fairbairns, Carlisle	207
fixjfm	Fix JFM (for *pT <sub>E</sub> X)	Zhang	551
fixlatvian	Improve Latvian language support in X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X	Vihrov	519
fixltx2e	Patches for L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team	488
fixltxhyph	Allow hyphenation of partially-emphasised substrings	Beccari	144
fixmath	Make maths comply with ISO 31-0:1992 to ISO 31-13:1992	Schmidt, Harcombe	432
FixMe	Collaborative annotation tool for L <sup>A</sup> T <sub>E</sub> X	Verna	514
fixmetodonotes	Add notes on document development	Barabucci	140



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
fixocgx	Add support for dvips+ps2pdf, Xe <sub>La</sub> TeX, dvipdfmx to the ocgx package	Grahn	234
fixpdfmag	Fix magnification in pdfTeX	Bezoz López	321
fiziko	A MetaPost library for physics textbook illustrations	Slyusarev	451
fjodor	A selection of layout styles	Filipović	212
flabels	Labels for files and folders	Börchers	155
flacards	Generate flashcards for printing	Stuhrmann	465
flagderiv	Flag style derivation package	van Tilburg	493
flags	Setting and clearing of flags in bit fields	Oberdiek	370
flashcard	Typeset flash cards	Kilfiger	283
flashcards	A class for typesetting flashcards	Budge, Vernon	164
flashmovie	Directly embed flash movies into PDF files	Hartmann	249
flatex	Flatten \input, etc., in a L <sup>A</sup> T <sub>E</sub> X file	Har-Peled	245
flatten	Flatten \input, etc., in a L <sup>A</sup> T <sub>E</sub> X file	Wilson	536
fldigial	Create a Flash slide show of digital photos	Story	463
flexipage	Flexible page geometry with marginalia	Vrba	527
flexisym	Symbol manipulation for breqn	Høgholm, Madsen, Robertson, Wright, Downes	260
flipbook	Typeset flipbook animations, in the corners of documents	Buffet	164
flippdf	Horizontal flipping of pages with pdfLaTeX	Callegari	168
float	Improved interface for floating objects	Lingnau	319
floatbytocbasic	An enhancement to package float using package tocbasic	Kohm	295
floatfig	Deprecated: Allows text to be wrapped around figures	Kneser	291
floatflt	Wrap text around floats	Dahlgren	187
floatnohead	Suppress page headings on float-only pages	Rahtz, Hosek	401
floatpag	Different pagestyles on float pages	Statulevičius	458
floatrow	Modifying the layout of floats	Lapko	309
floatrowbytocbasic	An enhancement to package floatrow using package tocbasic	Kohm	295
flow	Draw flow diagrams in picture mode	Brown	162
flowchart	Shapes for drawing flowcharts, using TikZ	Robson	414
flowfram	Create text frames for posters, brochures or magazines	Talbot	473
FlowframTk	Vector graphics application with support for flowfram.sty	Talbot	473
fltpage	Place caption on an adjacent page	Gross	239
fltpoint	Simple floating point arithmetic	Guthöhrlein	241
flushend	Balancing columns at last page	Tolušis	495
fmp	Include Functional MetaPost in L <sup>A</sup> T <sub>E</sub> X	Kuhlmann	303
fmtcount	Display the value of a L <sup>A</sup> T <sub>E</sub> X counter in a variety of formats	Talbot, Belaïche	475
fn2end	Convert footnotes to endnotes	Border	156
fnbreak	Warn for split footnotes	Harders	246
fnchchap	Seven predefined chapter heading styles	Lindgren	318
fnclab	Alter the format of \label references	Fairbairns, Carlisle	207
fnlineno	Number the lines of footnotes	Lück, Wette	328
fnote	Auto-numbered footnotes in Plain T <sub>E</sub> X	Unknown	503
fnpara-pln	Footnotes in paragraphs	Wujastyk	542
fnpara	Footnotes in paragraphs	Rowley, Wujastyk, Smith	421
fnpct	Manage footnote marks' interaction with punctuation	Niederberger	363
fnpos	Control the position of footnotes on the page	Nakashima	359
fnspe	Macros for supporting mainly students of FNSPE CTU in Prague	Zeman	550
fontguide	Documentation of L <sup>A</sup> T <sub>E</sub> X font commands	L <sup>A</sup> T <sub>E</sub> X Team	488
fontproof	A programmable font test pattern generator	Luecking	328
fnumprint	Print a number in 'appropriate' format	Schneider	434
foekfont	The title font of the Mads Føk magazine	Jørgensen	273
foihhtml	Interface between foiltex and L <sup>A</sup> T <sub>E</sub> X2HTML	Veytsman	516
foiltex	A L <sup>A</sup> T <sub>E</sub> X2e class for overhead transparencies	Hafner	242
foliono	Use folio numbers to replace page numbers	Syrjänen	468
fonetika	Support for the Danish "Dania" phonetic system	Jørgensen	273

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
font-change-xetex	Macros to change text and mathematics fonts in plain XeTeX	Dhawan	193
font-change	Macros to change text and mathematics fonts in plain T <sub>E</sub> X	Dhawan	192
font_selection	Font selection for plain T <sub>E</sub> X	de Wijn	535
fontawesome	Font containing web-related icons	Danaux, Gandy	189
fontawesome5	Font Awesome 5 with L <sup>A</sup> T <sub>E</sub> X support	Krüger	302
fontaxes	Additional font axes for L <sup>A</sup> T <sub>E</sub> X	Bühmann, Ummels	165
fontbl	A font sampler	Beeman, MacKay	147
fontbook	Generate a font book	Pinson	393
fontch	Changing fonts, sizes and encodings in Plain T <sub>E</sub> X	Medina	343
fontchart	A font sampler	Lemberg	315
fontinf	An introduction to font usage in L <sup>A</sup> T <sub>E</sub> X (German)	Bezos López, Ruedas	324
fontenc	Standard package for selecting font encodings	L <sup>A</sup> T <sub>E</sub> X Team	488
fontinst	Help with installing fonts for T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Hellström, Jeffrey, Rahtz, Vieth	252
fontinstallatio...	Font installation guide	Lehman	313
fontload	A partial font downloading utility	Malyshev	335
fontloader-lua...	Alternative fontloaders for luaotfload	Fischer	214
fontmizz	Font Mfizz icons for use in L <sup>A</sup> T <sub>E</sub> X	Dungs	199
fontname	Scheme for naming fonts in T <sub>E</sub> X	Berry	150
fontools	Tools to simplify using fonts (especially TT/OTF ones)	Penninga	388
fonts-arundina	DejaVu-compatible Thai fonts	Karoonboonyanan	277
fonts-churchsla...	Fonts for typesetting in Church Slavonic language	Kroutikov, Andreev	302
fonts-tlwg	Thai fonts for L <sup>A</sup> T <sub>E</sub> X from TLWG	Karoonboonyanan	277
font sampler	Samples of fonts that come with T <sub>E</sub> X Live	Flynn	217
fontsetup-nonfree	A front-end to fontspec, for selected non-free fonts	Tsolomitis	497
fontsetup	A front-end to fontspec, for selected fonts with math support	Tsolomitis	497
fontsize	A small package to set arbitrary sizes for the main font of the document	Valbusa	511
fontsmpl	Print a sample of a font	Jeffrey	270
fontspec	Advanced font selection in X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X and LuaLaTeX	Robertson, L <sup>A</sup> T <sub>E</sub> X Team	411
fonttable	Print font tables from a L <sup>A</sup> T <sub>E</sub> X document	Robertson, Wilson	412
fontwrap	Bind fonts to specific unicode blocks	Kamermans	276
footbib	Bibliographic references as footnotes	Domenjoud	194
footmisc	A range of footnote options	Fairbairns, Mittelbach	208
footmix	A range of footnote options	Roucariès	419
footnote	Improve on L <sup>A</sup> T <sub>E</sub> X's footnote handling	Wooding	540
footnotebackref	Back-references from footnotes	Lange	309
footnotehyper	hyperref aware footnote.sty	Burnol	165
footnoterange	References to ranges of footnotes	Münch	354
footnpag	Per-page numbering of footnotes	Schrod	435
forarray	Using array structures in L <sup>A</sup> T <sub>E</sub> X	Schröppel	437
foreign	Systematic treatment of ‘foreign’ words in documents	Ratcliffe	403
forest-quickstart	Quickstart Guide for Linguists package “forest”	Vanden Wyngaerd	542
forest	Drawing (linguistic) trees	Živanović	553
forindex	Manipulate \index commands in a L <sup>A</sup> T <sub>E</sub> X file	Milanese	346
forloop	Iteration in L <sup>A</sup> T <sub>E</sub> X	Setzer	442
formal-grammar	Typeset formal grammars	Vassor	512
format	Format a counter as a fixed-point number	Karney	277
formation-latex-ul	Introductory L <sup>A</sup> T <sub>E</sub> X course in French	Goulet	233
formlett	Letters to multiple recipients	Jiang	272
forms16be	Initialize form properties using big-endian encoding	Story	463
formula	Typesetting physical units	Tille	493
formular	Create forms containing field for manual entry	Wirth	539
fortran	Print Fortran programs	Toby	494
forum	Forum fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	480

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
fotex	Process XSL-FO	Rahtz	400
fouridx	Left sub- and superscripts in maths mode	Karrmann	277
fourier	Using Utopia fonts in L <sup>A</sup> T <sub>E</sub> X documents	Bovani	158
FourierNC	Use New Century Schoolbook text with Fourier maths fonts	Zedler, Sharpe	550
fourproject	Analyse and display the structure of a T <sub>E</sub> X document	Frambach	218
fourspell	Windows32 spell checker for T <sub>E</sub> X, RTF, HTML, and BibT <sub>E</sub> X	Frambach	218
fp	Fixed point arithmetic	Mehlich	343
fpl	SC and OsF fonts for URW Palladio L	Stubner	465
fpT <sub>E</sub> X	A web2C-based T <sub>E</sub> X system for MS-Windows32	Popineau	395
fragmaster	Using psfrag with pdfL <sup>A</sup> T <sub>E</sub> X	Domingo, Vogel	194
fragments	Fragments of L <sup>A</sup> T <sub>E</sub> X code	Carlisle	169
frame	Framed boxes for Plain T <sub>E</sub> X	Van Zandt, Voß	549
framed	Framed or shaded regions that can break across pages	Arseneau	134
francais-bst	Bibliographies conforming to French typographic standards	Goulet	233
frankenbundle	Develop and distribute L <sup>A</sup> T <sub>E</sub> X packages and classes and BibT <sub>E</sub> X styles	Swift	467
frankenstein-un...	Unsupported packages from the Frankenstein bundle	Swift	467
frankenstein	A collection of L <sup>A</sup> T <sub>E</sub> X packages	Swift	467
frcursive	French cursive hand fonts	Beffara	147
frederika2016	An OpenType Greek calligraphy font	Syropoulos	468
free-math-font-...	The survey of available free Mathematics fonts, translated to Vietnamese	Hòa	257
free-math-font-...	A survey of available free Mathematics fonts	Hartke	249
freetype	A full-featured font rasterizer library	Lemberg	315
frege	Typeset fregean Begriffsschrift	Pamp	383
frege-translation...	French translation project	Bayart	143
frenchle	French macros, usable stand-alone or with Babel	Gaulle, Juillerat	224
frenchmath	Typesetting mathematics according to French rules	Missier	348
frenchpunct	Implement French-style spacing at punctuation	Roy	421
frenchpro	Professional typesetting of French documents	Gaulle	224
frenchquote	Make something like guillemets	Unknown	503
frhyph	French hyphenation patterns	Flipo	215
FriBidiXeT <sub>E</sub> X	A pre-processor for XeT <sub>E</sub> X files to support unicode bidirectional algorithm	Khalighi, bidi-tex GitHub Organisation	281
fribrief	Two L <sup>A</sup> T <sub>E</sub> X classes for writing letters in German	Fries	221
frimurer	Access to the 'frimurer' cipher for use with L <sup>A</sup> T <sub>E</sub> X	Jørgensen	273
frletter	Typeset letters in the French style	Andronic	132
frontespizio	Create a frontispiece for Italian theses	Gregorio	237
froufrou	Fancy section separators	Lago	307
frpseudocode	French translation for the algorithmicx package	Irwin	265
ftc-notebook	Typeset FIRST Tech Challenge (FTC) notebooks	Team Robocracy	478
ftcap	Allows \caption at the beginning of a table-environment	Steffani	459
ftetx	T <sub>E</sub> X support in FTE text editor	Zydowitz	554
ftn	L <sup>A</sup> T <sub>E</sub> X footnotes anywhere	Thorup	493
ftnright	Footnotes in two column documents in one column only	Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	350
ftnextra	Extend the applicability of the \footnote command	Khalighi, bidi-tex GitHub Organisation	281
fullblk	Left-blocking for letter class	Cloos Jr.	275
fullminipage	Minipage spanning a complete page	Schneider	433
fullpage	Set all page margins to 1.5cm	Daly	188
fullpict	Full page pictures	Shawyer	445
fullwidth	Adjust margins of text block	Daniel	189
functan	Macros for functional analysis and PDE theory	Lejay	314
functional	Provide an intuitive functional programming interface for L <sup>A</sup> T <sub>E</sub> X2	Lyu	331
fundus-calligra	Support for the calligra font in L <sup>A</sup> T <sub>E</sub> X documents	Neugebauer	360
fundus-cyr	Support for Washington University Cyrillic fonts	Neugebauer	361

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
fundus-la	Support for the la and lla fonts in L <sup>A</sup> T <sub>E</sub> X documents	Neugebauer	361
fundus-outline	L <sup>A</sup> T <sub>E</sub> X support for CM outline fonts	Neugebauer	361
fundus-pvscript	Support for Vanroose handwriting font	Neugebauer	361
fundus-startrek	‘Startrek’ fonts, and macros to support them	Neugebauer	361
fundus-sueterlin	Sütterlin	Neugebauer	361
fundus-twcal	L <sup>A</sup> T <sub>E</sub> X support for the twcal handwriting font	Neugebauer	361
fundus-va	Support for the va fonts in L <sup>A</sup> T <sub>E</sub> X documents	Neugebauer	361
fundus	Providing L <sup>A</sup> T <sub>E</sub> X access to various font families	Neugebauer	360
funnelweb	A flexible, language-independent web system	Coates	182
futhark	Fonts for the Older Futhark script	deyAvemta	192
futhorc	Anglo-Friesic futhorc alphabet font	Pantke	384
futurans	Metrics and L <sup>A</sup> T <sub>E</sub> X support for Futura Fonts From Adobe As Used By No Starch Press	Veytsman	516
fvextra	Extensions and patches for fancyvrb	Poore	395
fweb	A literate programming tool working with L <sup>A</sup> T <sub>E</sub> X	Krommes	301
fwlw	Get first and last words of a page	Arseneau	134
<b>GGGGG</b>			
g-brief	Letter document class	Lenzen	316
gaceta	A class to typeset La Gaceta de la RSME	Varona	512
gahyph	Hyphenation patterns for the Irish language	Scannell	426
galois	Typeset Galois connections	Cousot	185
gamebook	Typeset gamebooks and other interactive novels	Miede	345
Gamebooklib	Macros for setting numbered entries in shuffled order	Lee	312
gammass	Template for the GAMM Archive for Students	GAMM Juniors, Kern, Bartelt, Unger, Hansen-Doerr	223
gandhi	Gandhi Serif and Sans fonts, with L <sup>A</sup> T <sub>E</sub> X support	Tennent	481
gapfill	Generate L <sup>A</sup> T <sub>E</sub> X picture environments from PostScript output of drawing programs	Möller	350
garamond-libre	The Garamond Libre font face	Miller, Tennent	347
garamond-math	An OTF math font matching EB Garamond	Zhao, Zeng	552
garamondx	‘Expert’-like extensions to URW Garamond, and maths italic	Sharpe	443
garrigues	MetaPost macros for the reproduction of Garrigues’ Easter nomogram	Roegel	415
GasTeX	Graphs and Automata Simplified in T <sub>E</sub> X	Gastin	224
gatech-thesis	Georgia Institute of Technology thesis class	Keller, Wilson	279
gates	Support for writing modular and customisable code	Isambert, Robbers	266
gatherenum	A crossover of align* and enumerate	Rivaud	409
gauss	A package for Gaussian operations	Kauers	278
gb4e	Linguistic tools	Kolb, Thiersch, Dimitriadis	298
gbrief-creator	A front end for the gbrieff package	Schinke	430
gbt7714	BibTeX implementation of China’s bibliography style standard GB/T 7714-2015	Lee	313
gcard	Arrange text on a sheet to fold into a greeting card	McBane	340
gchords	Typeset guitar chords	Peeters	387
gcite	Citations in a reader-friendly style	Atkinson, Phillips	137
gckanbun	Kanbun typesetting for (u)pL <sup>A</sup> T <sub>E</sub> X and LuaLaTeX	Yamamoto	544
gelasio	L <sup>A</sup> T <sub>E</sub> X support for the Gelasio family of fonts	Tennent	481
GELLMU	LaTeX-like markup for writing XML documents	Hammond	244
gen	Genealogy symbols	Knuth	292
gender	Gender neutrality for languages with grammatical gender	Banhardt	140
gene-logic	Typeset logic formulae, etc	Neugebauer	361
genealogy	A compilation genealogy font	Roegel	415
genealogytree	Pedigree and genealogical tree diagrams	Sturm	465
genfam	Run Metafont to produce the bitmap fonts	Schrod	435
genindex	Alternative index series	Smith	451

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
genmpage	Generalization of L <sup>A</sup> T <sub>E</sub> X's minipages	Lotze	325
gensymb	Generic symbols for both text and math mode	Schmidt, Harcombe	432
gentabtex	Python helper for creating tables	Algaba	130
gentium-original	Gentium font and support files	Schmitz, Miklavec	433
gentium-tug	Gentium fonts (in two formats) and support files	Berry, Miklavec, Farar, Schmitz	150
gentl-gr	Modern Greek translation of the Gentle Introduction to T <sub>E</sub> X	Filippou	213
gentle	A Gentle Introduction to T <sub>E</sub> X	Doob	195
gentombow	Generate Japanese-style crop marks	Yamashita	544
geometry-de	German documentation for the geometry package	Umeki	500
geometry	Flexible and complete interface to document dimensions	Umeki, Carlisle	500
geomsty	Macros used in typesetting a geometry book	Levy	316
geophysics	Articles for the journal Geophysics	Gildea	227
georgian-stanier	A Georgian font	Stanier	457
georgian	Support for typesetting in Georgian	Shoshiashvili	446
geradwp	Document class for the Cahiers du GERAD series	Hamel	244
german	Support for German typography	Raichle	402
germbib	German variants of standard BibT <sub>E</sub> X styles	Harders	246
germdoc	A collection of documentation available in German	Unknown	503
germkorr	Change kerning for German quotation marks	Baumann	143
geschichtsfinkl	BibL <sup>A</sup> T <sub>E</sub> X style for historians	Zachhuber	548
getargs	A flexible list-parsing macro with configurable parsing character	Segletes	440
getfiledate	Find the date of last modification of a file	Musa	358
getitems	Gathering items from a list-like environment	Hendrickson	252
getmap	Download OpenStreetMap maps for use in documents	Kleber	286
getoptk	Define macros with sophisticated options	Le Barbier Grünewald	240
getrefs	BibT <sub>E</sub> X style to sort by "journal" entries of references	Deutscher	192
getttitlestring	Clean up title references	Oberdiek	370
gfdl	Support for using GFDL in L <sup>A</sup> T <sub>E</sub> X	Unknown	503
gfnotation	Typeset Gottlob Frege's notation in plain T <sub>E</sub> X	Wermuth	532
GFS	The GFS font collection	Tsolomitis, Matthiopoulos, The Greek Font Society	498
GFS Artemisia	A modern Greek font design	Tsolomitis, Matthiopoulos, The Greek Font Society	498
GFS Baskerville	A Greek font, from one such by Baskerville	Tsolomitis, The Greek Font Society	498
GFS Bodoni	A Greek and Latin font based on Bodoni	Tsolomitis, The Greek Font Society	498
GFS Complutum	A Greek font with a long history	Tsolomitis, Matthiopoulos	498
GFSDidot	A Greek font based on Didot's work	Tsolomitis, Aubord, Matthiopoulos, The Greek Font Society	497
GFSDidotClassic	The classic version of GFSDidot	Tsolomitis	497
GFS NeoHellenic	A font in the Neo-Hellenic style	Tsolomitis, The Greek Font Society	498
GFSNeoHellenicMath	A math font in the Neo-Hellenic style	Tsolomitis	497
GFS Porson	A Greek font, originally from Porson	Tsolomitis, The Greek Font Society	498
GFS Solomos	A Greek-alphabet font	Tsolomitis	497
ghab	Typeset ghab boxes in L <sup>A</sup> T <sub>E</sub> X	Khalighi, bidi-tex GitHub Organisation	281
ghostscript	Freely available PostScript interpreter	Deutsch	192
ghsystem	Globally harmonised system of chemical (etc) naming	Niederberger	363
gillcm	Alternative unslanted italic Computer Modern fonts	Veytsman	516
gillius	Gillius fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	481



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
ginc1tex	Include T <sub>E</sub> X files as graphics (.tex support for \includegraphics)	Scharrer	428
gindex	Formatting indexes	Bezoz López	321
ginpenc	Modification of inputenc for German	Harders	246
git-latexdiff	Call latexdiff on two Git revisions of a file	Moy	353
gitfile-info	Get git metadata for a specific file	Hilbig	256
gitinfo	Access metadata from the git distributed version control system	Longborough, L <sup>A</sup> T <sub>E</sub> X Team	320
gitinfo2	Access metadata from the git distributed version control system	Longborough, L <sup>A</sup> T <sub>E</sub> X Team	320
gitlog	Typesetting git changelogs	Longborough, L <sup>A</sup> T <sub>E</sub> X Team	320
gitstatus	Include Git information in the document as watermark or via variables	Gruber	239
gitver	Get the current git hash of a project and typeset it in the document	Baynham	143
gkpmac	The macros used in "Concrete Mathematics"	Knuth	292
gl-tree	Linguistic trees with a preprocessor	Lee	311
GladTeX	L <sup>A</sup> T <sub>E</sub> X equations in HTML	Gulbrandsen, Humenda	240
gleitobjekte	Tutorial from a DANTE meeting in November 1997	Reichert	406
glhyph	Hyphenation patterns for Galician	Múgica de Rivera	409
globalvals	Declare global variables	Baynham	143
glonti	Virtual fonts for T2A-encoded fonts	Glonti	229
glosmathtools	Mathematical nomenclature tools based on the glossaries package	Gagnon	222
gloss-occitan	Polyglossia support for Occitan	Valmary	511
gloss	Create glossaries using BibTeX	de Arriba, Bezoz López	133
glossaries-accsupp	Accessibility support for glossaries	Talbot	473
glossaries-danish	Danish language module for glossaries package	Talbot	473
glossaries-dutch	Dutch language module for glossaries package	Talbot	474
glossaries-english	English language module for glossaries package	Talbot	474
glossaries-esto...	Estonian language module for glossaries package	Kankainen	276
glossaries-extra	An extension to the glossaries package	Talbot	474
glossaries-finnish	Finnish language module for glossaries package	Välimäki	511
glossaries-french	French language module for glossaries package	Talbot, Bitouzé, Belaïche	475
glossaries-german	German language module for glossaries package	Talbot	474
glossaries-irish	Irish language module for glossaries package	Talbot	474
glossaries-italian	Italian language module for glossaries package	Talbot	474
glossaries-magyar	Magyar language module for glossaries package	Talbot	474
glossaries-norsk	Norsk Bokmål language module for the glossaries Package	Stendahl	459
glossaries-nynorsk	Nynorsk language module for the glossaries package	Haustrveit	249
glossaries-polish	Polish language module for glossaries package	Talbot	474
glossaries-port...	Portugues language module for glossaries package	Talbot	474
glossaries-serbian	Serbian language module for glossaries package	Talbot	474
glossaries-slovene	Slovene language module for glossaries package	Bačić	138
glossaries-spanish	Spanish language module for glossaries package	Talbot	474
glossaries-swedish	Swedish language module for glossaries package	Nyqvist	368
glossaries	Create glossaries and lists of acronyms	Talbot	473
glossary	Create a glossary	Talbot	474
glosstex	Prepare glossaries in L <sup>A</sup> T <sub>E</sub> X	Yavuz	547
glotex	A glossary processor	Aurbach, Hantelmann, Iani- gro	137
gmdoc-enhance	Some enhancements to the gmdoc package	Ebermann	200
gmdoc	Documentation of L <sup>A</sup> T <sub>E</sub> X packages	Murzynowski	357
gmeometric	Change page size wherever it's safe	Murzynowski	357
gmiflink	Simplify usage of \hypertarget and \hyperlink	Murzynowski	357
gmp	Enable integration between MetaPost pictures and L <sup>A</sup> T <sub>E</sub> X	Gregorio	237
gmutils	Support macros for other packages	Murzynowski	357
gmverb	A variant of L <sup>A</sup> T <sub>E</sub> X \verb, verbatim and shortvrb	Murzynowski	357
gmverse	A package for typesetting (short) poems	Murzynowski	357
gnu-freefont	A Unicode font, with rather wide coverage	White	534
gnuplot	General purpose plotting program	Hecking, Williams, Kelley	249

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
gnuplottex	Embed Gnuplot commands in L <sup>A</sup> T <sub>E</sub> X documents	Kotthoff	300
go-make	A make variant for L <sup>A</sup> T <sub>E</sub> X documents	Musliner	358
go	Fonts and macros for typesetting go games	Kołodziejska	298
gobble	More gobble macros for PlainT <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Scharrer	428
goblin	Tolkien's goblin alphabet	Stanier	457
gofonts	GoSans and GoMono fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	481
gost	BibT <sub>E</sub> X styles to format according to GOST	Polyakov, Kotelnikov	395
gothic	A collection of old German-style fonts	Haralambous, Schrell, Ludewig, Bronger, Taupin	246
gotoh	An implementation of the Gotoh sequence alignment algorithm	Asakura	136
gpdata	Cause MetaPost graph package to ignore '#'-comments	Vieth	518
gplot	CGM-based graphics support	Andrews	132
grabbox	Read an argument into a box and execute the code afterwards	Spratte	456
gradback	Gradient backgrounds for dvips output	Pedersen	387
gradient-text	Decorate text with linear gradient colors	Du	198
gradientframe	Simple gradient frames around objects	Raue	403
grading-scheme	Typeset grading schemes in tabular format	Keßler	280
gradstudentresume	A generic template for graduate student resumes	Kumar	305
grafcet	Draw Grafcet/SFC with TikZ	Papanicola	384
grafik	EPS graphics under Windows	Dübendorfer	198
grant	Classes for formatting federal grant proposals	Karr	277
graph35	Draw keys and screen items of several Casio calculators	Paternault	386
GraphBase	A platform for combinatorial algorithms	Knuth	292
graphbox	Extend graphicx to improve placement of graphics	Beisert	148
GraphConv	Convert graph files to PSTricks	Chicoine	179
grapher	Create graphs, state machine and data flow diagrams	Algaba	131
graphfig	Simpler graphic, subfigure and float	Bosisio	157
graphicp	An enhanced version of graphics	Szabó	471
graphics-cfg	Sample configuration files for L <sup>A</sup> T <sub>E</sub> X color and graphics	L <sup>A</sup> T <sub>E</sub> X Team	488
graphics-def	Colour and graphics option files	L <sup>A</sup> T <sub>E</sub> X Team, Wright	491
graphics-pln	LaT <sub>E</sub> X-style graphics for Plain T <sub>E</sub> X users	Carlisle	170
graphics	Standard L <sup>A</sup> T <sub>E</sub> X graphics	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172
graphicscache	Cache includegraphics calls	Schwarz	438
graphicx-psmin	Reduce size of PostScript files by not repeating images	Adriaens	128
graphicx	Enhanced support for graphics	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172
graphicxbox	Insert a graphical image as a background	Story	463
graphicxpsd	Adobe Photoshop Data format (PSD) support for graphicx package	Yamamoto	544
GraphicxSP	An extension of the graphicx package	Story	463
graphpap	For producing graph paper	Lamport, L <sup>A</sup> T <sub>E</sub> X Team	308
graphpaper	A L <sup>A</sup> T <sub>E</sub> X class to generate several types of graph papers	Biccari, Beccari	151
GraphT <sub>E</sub> X	Graphs theory and related diagrams in a T <sub>E</sub> X document	Pliam	394
graphviz	Write graphviz (dot+neato) inline in L <sup>A</sup> T <sub>E</sub> X documents	Rayside	404
gray	Fonts for gray-scales	Knuth	292
grayhints	Produce 'gray hints' to a variable text field	Story	463
grchyp	Hyphenation for classical Greek, under XeT <sub>E</sub> X	Codet	182
greek-fontenc	LICR macros and encoding definition files for Greek	Milde	346
greek-inputenc	Greek encoding support for inputenc	Syropoulos, Filippou, Milde	470
greek-makeindex	Makeindex working with Greek	Syropoulos	468
greek4cbc	A Greek font from 394BC	Wilson	536
greek6cbc	A Greek font from the sixth century BC	Wilson	536
greekctr	Represent counters by letters of the Greek alphabet	Knappen	290
greekdates	Provides ancient Greek day and month names, dates, etc	Tsolomititis	497
greekinfo3	Overview of systems, packages, and fonts for Greek T <sub>E</sub> X	Dimakos, Filippou	193
grektex-fd	L <sup>A</sup> T <sub>E</sub> X font definition files for GreekT <sub>E</sub> X	Brodnik	161
grektex	Fonts for typesetting Greek/English documents	Moschovakis, Sfyrakis	353

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
greektonoi	Facilitates writing/editing of multiaccented greek	Cornaros	185
greenpoint	The Green Point logo	Triska	496
gregoriotex	Engraving Gregorian Chant scores	Roux, So, Springuel	421
grfext	Manipulate the graphics package's list of extensions	Oberdiek	370
grffile	Extended file name support for graphics (legacy package)	Oberdiek	370
grfguide	L <sup>A</sup> T <sub>E</sub> X standard graphics and color packages documentation	Carlisle	170
grfpaste	Include fragments of a dvi file	Carlisle	170
grid-system	Page organisation, modelled on CSS facilities	Bitzl	152
grid	Grid typesetting in L <sup>A</sup> T <sub>E</sub> X	River Valley Technologies	409
gridpapers	Graph paper backgrounds and color schemes	McNees, Stein	342
gridset	Grid, a.k.a. in-register, setting	Kohm	295
gridslides	Free form slides with blocks placed on a grid	Mendler	344
grkfst	Install Greek Type 1 fonts	Kryukov	303
grnumalt	Ancient Greek (Athenian) numbers	Syropoulos	468
grtimes	Typeset Greek text with Times New Roman Greek	Syropoulos	469
grundgesetze	Typeset Frege's Grundgesetze der Arithmetik	Rosberg	418
grverb	Typesetting Greek verbatim	Syropoulos	469
GS1	Typeset EAN barcodes using T <sub>E</sub> X rules, only	Kohm	295
gsemthesis	Geneva School of Economics and Management PhD thesis format	Rousseaux	421
gsftopk	Convert "Ghostscript fonts" to PK files	Vojta	520
gsview	View PostScript under MS-Windows or OS/2	Lang	309
gtex-letter	A Gnome assistant to ease the writing of L <sup>A</sup> T <sub>E</sub> X letters	Folini	217
gtl	Manipulating generalized token lists	Le Floch	216
gtrcrd	Add chords to lyrics	Bresciani	161
gtrlib.largetrees	Library for genealogytree aiming at large trees	Grewe	238
gu	Typeset crystallographic group-subgroup-schemes	Lange	309
guarani	Guarani support	Bezós López	321
gudea	The Gudea font face with support for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Ebinger	201
guia-bibtex	Guia casi completa de BibTeX	López	324
guide-latex-fr	A french guide on L <sup>A</sup> T <sub>E</sub> X – for beginners or advanced users	Bouzigues	158
GuIT-corso	Introduzione al mondo di L <sup>A</sup> T <sub>E</sub> X	Himmelman, Vavassori, Busdraghi	256
guitar	Guitar chords and song texts	Väth	512
guitarchordschemes	Guitar Chord and Scale Tablatures	Niederberger	363
guitartabs	A class for drawing guitar tablatures easily	Babushkin	138
GuITbeamer	Beamer-based class for GuIT presentations	Vavassori	513
GuITlogo	Macros for typesetting the GuIT logo	Vicentini	518
gurmukhi-singh	Support for Gurmukhi in T <sub>E</sub> X	Singh	449
gurmukhi	Support for Gurmukhi	Pandey	383
gurps	Typeset Generic Universal Role Playing System (GURPS) materials	Farley	209
GUtenberg	French T <sub>E</sub> X Users Group information	Just	275
gv-savepos	A patch to gv to save positions	Thành	484
gv	An X front end for Ghostscript	Marchesi	335
gzt	Bundle of classes for "La Gazette des Mathématiciens"	Bitouzé	152
<b>HHHHH</b>			
h2020proposal	L <sup>A</sup> T <sub>E</sub> X class and template for EU H2020 RIA proposal	Indiveri	265
ha-prosper	Patches and improvements for prosper	Adriaens	128
hackalloc	Make allocations local	Unknown	504
hackthefootline	Footline selection and configuration for L <sup>A</sup> T <sub>E</sub> X beamer's standard themes	Friedl	220
hacm	Font support for the Arka language	Miyatani	350
hagenberg-thesis	Collection of L <sup>A</sup> T <sub>E</sub> X classes, style files and example documents for academic manuscripts	Burger, Hochleitner	165
halftone	Knuth's halftone font and its uses	Clark, Knuth	181
halloweenmath	Scary and creepy math symbols with AMS-L <sup>A</sup> T <sub>E</sub> X integration	Mezzetti	345

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
hamnosys	A font for sign languages	Schulder, Hanke	437
handin	Light weight template for creating school submissions using L <sup>A</sup> T <sub>E</sub> X	Storvik Strauman	465
handout	Create handout for auditors of a talk	Rouquette	420
handoutWithNotes	Create Handouts with notes from your L <sup>A</sup> T <sub>E</sub> X beamer presentation	Diepen, Peischl	193
hands	Pointing hand font	Tobin, Powroz	494
hang	Environments for hanging paragraphs and list items	Nolda	366
hangcaption	Hanging layout for captions	Jones	272
hanging	Hanging paragraphs	Robertson, Wilson	412
hanoi	Tower of Hanoi in T <sub>E</sub> X	Blackmore	152
hanzibox	Boxed Chinese characters with Pinyin above and translation below	Geng	224
happy4th	A firework display in obfuscated T <sub>E</sub> X	Blackmore	153
har2nat	Replace the harvard package with natbib	Straathof	464
haranoaji-extra	Harano Aji Fonts	Hosoda	262
haranoaji	Harano Aji Fonts	Hosoda	262
hardwrap	Hard wrap text to a certain character length	Robertson, Godby	411
harmony	Typeset harmony symbols, etc., for musicology	Wegner, Wegner	531
harnon-cv	A CV document class with a vertical timeline for experience	Hart	248
harpoon	Extra harpoons, using the graphics package	Kuipers	304
harvard-obsolete	The Harvard bibliography style family	Williams	535
harvard	Harvard citation package for use with L <sup>A</sup> T <sub>E</sub> X 2e	Williams, Schnier	535
harveyballs	Create Harvey Balls using TikZ	Roth	419
harvmac	Macros for scientific articles	Ginsparg	228
hatching	MetaPost macros for hatching interior of closed paths	Jackowski	267
hausarbeit-jura	Class for writing “juristische Hausarbeiten” at German Universities	Sievers	448
havannah	Diagrams of board positions in the games of Havannah and Hex	Ciura	181
hcbundle	Replacement for the L <sup>A</sup> T <sub>E</sub> X classes	Siefkes	448
he-le-na	Support for Serbian typesetting	Filipović	212
he-she	Alternating pronouns to aid gender-neutral writing	Munn	356
headerfooter	Define the layouts of page headers and footers	Gildea	227
hebrew-fonts	Input encodings, font encodings and font definition files for Hebrew	Fogiel	217
hebtex	Support for Hebrew and other right-to-left languages	Porrat	396
hecthes	A class for dissertations and theses at HEC Montréal	Hamel	244
hellas	Typeset bibliographies which include Greek	Syropoulos	469
helmholtz-ellis...	Beautiful in-line microtonal just intonation accidentals	Nicholson	362
helvet	Load Helvetica, scaled	Schmidt, L <sup>A</sup> T <sub>E</sub> X Team	433
hep-acronym	An acronym extension for glossaries	Hajer	243
hep-bibliography	An acronym extension for glossaries	Hajer	243
hep-float	Convenience package for float placement	Hajer	243
hep-font	Latin modern extended by computer modern	Hajer	243
hep-gen	Generic macros for quantum physics	Unknown	504
hep-graphic	Extensions for graphics, plots and feynman graphs in high energy physics	Hajer	243
hep-math-font	Extended Greek and sans-serif math	Hajer	243
hep-math	Extended math macros	Hajer	243
hep-paper	Publications in High Energy Physics	Hajer	243
hep-reference	Adjustments for publications in High Energy Physics	Hajer	243
hep-text	List and text extensions	Hajer	243
hep-title	Extensions for the title page	Hajer	243
hep	A “convenience wrapper” for High Energy Physics packages	Buckley	163
hepnames	Pre-defined high energy particle names	Buckley	163
HEPparticles	Macros for typesetting high energy physics particle names	Buckley	163
hepthesis	A class for academic reports, especially PhD theses	Buckley	163
Hepunits	A set of units useful in high energy physics applications	Buckley	163
here	Emulation of obsolete package for “here” floats	Berry	150

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
hereapplies	A L <sup>A</sup> T <sub>E</sub> X package for referencing groups of pages that share something in common	Unknown	504
heros-otf	Using the OpenType fonts T <sub>E</sub> X Gyre Heros>	Voß	522
hershey-mp	MetaPost support for the Hershey font file format	Renkema	407
hershey	Experiments with the Hershey fonts	Yap	545
heuristica	Fonts extending Utopia, with L <sup>A</sup> T <sub>E</sub> X support files	Sharpe	443
hex	Print a counter in hexadecimal	Domenjoud	194
hexboard	For drawing Hex boards and games	Rowlett, Sangwin	421
hexdump	Read and typeset ASCII hexdump files	Hillebrand	256
hexgame	Provide an environment to draw a hexgame-board	Brouwer	162
hf-tikz	A simple way to highlight formulas and formula parts	Fiandrino	212
hfbright	The hfbright fonts	Harders	246
hfoldsty	Old style numerals with EC fonts	Harders	246
HFUTExam	Exam class for Hefei University of Technology (China)	Zhang	551
hfutthesis	L <sup>A</sup> T <sub>E</sub> X Thesis Template for Hefei University of Technology	Yin	548
hge	An “Old English” font	Unknown	504
hhline	Better horizontal lines in tabulars and arrays	Carlisle	170
hhtensor	Print vectors, matrices, and tensors	Harders	246
hideanswer	Generate documents with and without answers by toggling a switch	Kusakabe	305
hieroglf	The “poor man’s” Egyptian Hieroglyphic font	Wilson	536
hieroglyph	Hieroglyph fonts and other support	Rosmorduc	418
highlight	Converts source code to syntax highlighted T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Simon	449
highlightlatex	Syntax highlighting for L <sup>A</sup> T <sub>E</sub> X	Kuhlmann	303
highlightx	Highlight formulas or paragraphs, with handwriting effect	Pierquet	??
hilowres	Support high and low resolution versions of same picture	Gerell	225
hindawi-latex-t...	A L <sup>A</sup> T <sub>E</sub> X template for authors of the Hindawi journals	Kumar	305
hindmadurai	The HindMadurai font face with support for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Ebinger	201
histogr	Draw histograms with the L <sup>A</sup> T <sub>E</sub> X picture environment	Schöpf	434
historische-zei...	BibL <sup>A</sup> T <sub>E</sub> X style for the journal ‘Historische Zeitschrift’	Waßenhoven	530
histyle	A “HighStyle” environment for T <sub>E</sub> X	Unknown	504
hitec	Class for documentation	Billauer	152
hitex-def	Support files for HiTeX	Ruckert	423
hitex	A T <sub>E</sub> X extension writing HINT output for on-screen reading	Ruckert	423
hithesis	Harbin Institute of Technology Thesis Template	Yanshuo	545
hitreport	Harbin Institute of Technology Report L <sup>A</sup> T <sub>E</sub> X Template	Sun	466
hitszbeamer	A beamer theme for Harbin Institute of Technology, ShenZhen	Yang	545
HITSZThesis	A dissertation template for Harbin Institute of Technology, ShenZhen	Yang	545
hktex	A T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X equivalent for Android	Tse	497
HLaTeX fonts	A collection of Korean (Hangul) fonts	Un	500
hlatex	Support for the Korean language	Un	500
hletter	Flexible letter typesetting with flexible page headings	Housley	262
hlist	Horizontal and columned lists	Tellechea	478
hmtrump	Describe card games	Hitomi	257
hobby	An implementation of Hobby’s algorithm for PGF/TikZ	Stacey	457
hobete	Unofficial beamer theme for the University of Hohenheim	Görlach	232
hobsub	Construct package bundles	Oberdiek	370
hoffset-voffset	Calculate values for \hoffset and \voffset	Zabelin	548
hologo	A collection of logos with bookmark support	Oberdiek	370
holtpolt	Typeset Maxwell’s non-commutative division	Knappen	290
holtxdoc	Documentation macros for oberdiek bundle, etc	Oberdiek	370
hook-pre-commit...	Pre-commit git hook for L <sup>A</sup> T <sub>E</sub> X package developpers	Rouquette	420
hopatch	Load patches for packages	Oberdiek	370
horoscop	Generate astrological charts in L <sup>A</sup> T <sub>E</sub> X	Skala	450
HPtfm2pl	Create T <sub>E</sub> X PL files from HP AutoFont Support	Walsh	529
hp2xx	HP GL converter	Unknown	504



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
hpgl2ps	Translate HPGL to PostScript	McCormick	341
hpsdiss	A dissertation class	Schmid	430
href-ul	Underscored L <sup>A</sup> T <sub>E</sub> X hyperlinks	Bugayenko	164
hrefhide	Suppress hyper links when printing	Münch	354
hrhyph	Croatian hyphenation	Marinović	336
hrlatex	L <sup>A</sup> T <sub>E</sub> X support for Croatian documents	Maretić	335
hsindex	An alternative index processor to imakeidx written with Haskell	Joulin	274
html2latex	Convert HTML to L <sup>A</sup> T <sub>E</sub> X	Thatcher, Seibert, Torkington, Reimers	484
htmlhelp	HTML translation of VMS help files	Walsh, Greenwade	529
hu-berlin-bundle	L <sup>A</sup> T <sub>E</sub> X classes for the Humboldt-Universität zu Berlin	Bossert	157
huawei	Template for Huawei documents	Bugayenko	164
huaz	Automatic Hungarian definite articles	Tómacs	495
huffman	Drawing binary Huffman trees with MetaPost and METAOBJ	Chupin	180
huhyp	Hyphenation patterns for the Hungarian language	Mayer	340
hulipsum	Hungarian dummy text (Lórum ipse)	Tómacs	495
humanbio	Bibliography style for "Human Biology"	Rogers	416
humanist	Humanist manuscript book-hand font	Wilson	536
humannat	Bibliography style for "Human Nature" and "American Anthropologist"	Rogers	416
huncial	Fonts based on the half Uncial manuscript book-hand	Wilson	537
hungarian	New Hungarian hyphenation patterns	Nagy	359
husthesis	Unofficial thesis template for Huazhong University	Cheng	177
hvarabic	Macros for RTL typesetting	Voß	522
hvdashln	Horizontal and vertical dashed lines in arrays and tabulars	Nakashima	359
hvextern	Write and execute external code, and insert the output	Voß	522
hvfloat	Controlling captions, fullpage and doublepage floats	Voß	522
hvinde	Support for indexing	Voß	522
hvmath	Print T <sub>E</sub> X-related names as logo	Voß	522
hvmath-fonts	Bitmap versions of the Micropress HV-Math fonts (Helvetica Maths)	MicroPress	345
hvmath	Support for using the Micropress HV-Math fonts (Helvetica Maths)	Schmidt, Harcombe	432
hvpymntex	Syntax-Highlighting of program code	Voß	522
hvqrurl	Insert a QR code in the margin	Voß	522
hwemoji	Unicode emoji support for pdfL <sup>A</sup> T <sub>E</sub> X with sequences	Unknown	504
hwkatakana	Half-width katakana fonts	Hassenpflug	249
hyacc-cm	Hyphenation using 7-bit fonts	Flipo, Siebenmann	216
hybrid-latex	Allow active Python code in L <sup>A</sup> T <sub>E</sub> X documents	Brewin	161
hycolor	Implements colour for packages hyperref and bookmark	Oberdiek	370
hybmsec	Hypertext bookmarks in sectioning commands	Oberdiek	371
hycap	Adjusting the anchors of captions	Oberdiek	371
hypdestopt	Hyperref destination optimizer	Oberdiek	371
hypdoc	Hyper extensions for doc.sty	Oberdiek	371
hypdvips	Hyperref extensions for use with dvips	Niedrist	364
hyper	Hypertext cross referencing	Mehlich	343
hyperbar	Add interactive Barcode fields to PDF forms	Krüger	302
hyperlatex	A restricted L <sup>A</sup> T <sub>E</sub> X system that also produces HTML	Cheong, Sgouros	177
hypernat	Allow hyperref and natbib to work together	Berger	150
hyperref	Extensive support for hypertext in L <sup>A</sup> T <sub>E</sub> X	Oberdiek, Rahtz, Oberdiek Package Support Group, L <sup>A</sup> T <sub>E</sub> X Team	375
hyperxmp	Embed XMP metadata within a L <sup>A</sup> T <sub>E</sub> X document	Pakin	381
hypgotoe	Links to embedded files	Oberdiek	371
hyph-utf8	Hyphenation patterns expressed in UTF-8	Miklavec, Rosendahl, Pégourié-Gonnard, Roux, Hosny	346

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
hyphen-accent	L <sup>A</sup> T <sub>E</sub> X 2.09 code for using DC fonts	Taupin	477
hyphen-spanish	Standard hyphenation rules for Spanish	Bezos López, Carmona	324
hyphenat	Disable/enable hyphenation	Robertson, Wilson	412
hyphenation-greek	Hyphenation patterns for ancient and modern Greek	Filippou	213
hyphenex	US English hyphenation exceptions file	Lemberg, Beeton, Berry	315
hyphsubst	Substitute hyphenation patterns	Oberdiek	371
hyphth1	Additional hyphenation patterns	Raichle	402
HyPlain	Basic support for multiple languages in Plain T <sub>E</sub> X	Gregorio	238
<b>III</b>			
i-ching	An i-ching package	Bzyl	168
iagproc	Class for two column IAG Proceedings articles	Vermeer	514
iahypen	Hyphenation patterns for Interlingua	Kleiweg	288
ibarra	L <sup>A</sup> T <sub>E</sub> X support for the Ibarra Real Nova family of fonts	Tennent	481
ibm	Metrics for IBM fonts	Rahtz	400
ibmres-tex	A semi-automated approach to the production of resumes	Leeman	313
ibrackets	Intelligent brackets	Missier	348
ibycus-babel	Use the Ibycus 4 Greek font with Babel	Heslin	255
ibyrk	Fonts and macros to typeset ancient Greek	Schmidt, Harcombe, MacKay	432
icehyph	Icelandic hyphenation patterns	Pind, Sverrisson	393
icelandic	Icelandic Fonts	Pind	393
iching	A font for I Ching divinations	Stanier	458
icite	Indices locorum citatorum	Alessi	130
icomma	Intelligent commas for decimal numbers	Schmidt	431
icon-appr	Creates icon appearances for form buttons	Story	463
icons	T <sub>E</sub> X icons	Carriba, Sendoukas	173
icsv	Class for typesetting articles for the ICSV conference	Robertson	410
idealfonts	Font and L <sup>A</sup> T <sub>E</sub> X support for Textures users	Gaulle	224
identkey	Typesetting bracketed dichotomous identification keys	White	533
idverb	Inline verbatim identifiers	Schrod	435
idxcmds	Semantic commands for adding formatted index entries	Niederberger	363
idxlayout	Configurable index layout, responsive to KOMA-Script and memoir	Titz	494
idxtex	An index processor	Aurbach, Hantelmann, Iani-gro	137
IEEEannot	A sorting version of IEEEtran.bst	Barik, Shell	140
IEEEconf	Macros for IEEE conference proceedings	Pakin	381
ieeepes	IEEE Power Engineering Society Transactions	Kuhlmann	303
IEEEtran	Document class for IEEE Transactions journals and conferences	Shell	445
ieeetrantools	Functionality from IEEEtran for use with other classes	Shell	445
IEEEjtran	Unofficial bibliography style file for the Institute of Electrical Engineers of Japan	Ejiri	203
ietfbibs	Generate BibT <sub>E</sub> X entries for various IETF index files	Mortier	352
iexec	Execute shell commands and input their output	Bugayenko	164
ifacmtg	Elsevier Science preprint style for IFAC meetings	Pepping	388
ifallfalse	Compare a string against a set of other strings	Chen	176
ifdraft	Detect “draft” and “final” class options	Oberdiek	371
ifetex	Provides \ifetex switch	L <sup>A</sup> T <sub>E</sub> X Team, Scharrer	491
iffont	Conditionally load fonts with fontspec	Weiss	532
iflang	Expandable checks for the current language	Oberdiek	371
ifluatex	Provides the \ifluatex switch	L <sup>A</sup> T <sub>E</sub> X Team, Oberdiek	491
ifmslide	Presentation slides for screen and printouts	Emmel	204
ifmtarg	If-then-else command for processing potentially empty arguments	Robertson, Wilson	412
ifnextok	Utility macro: peek ahead without ignoring spaces	Lück	326
ifoddpag	Determine if the current page is odd or even	Scharrer	428
ifpdf	Provides the \ifpdf conditional	L <sup>A</sup> T <sub>E</sub> X Team, Oberdiek	491

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
ifplatform	Conditionals to test which platform is being used	Robertson, Große	411
ifptex	Check if the engine is pTeX or one of its derivatives	Yato	547
ifsym	A collection of symbols	Klöckl	289
iftex	Am I running under pdfTeX, XeTeX or LuaTeX?	L <sup>A</sup> T <sub>E</sub> X Team, Khalighi	490
ifthen	Conditional commands in L <sup>A</sup> T <sub>E</sub> X documents	Lamport, Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	308
ifthenx	Extra tests for \ifthenelse	Jones	273
ifvtex	Detects use of VTeX and its facilities	L <sup>A</sup> T <sub>E</sub> X Team, Oberdiek	491
ifxetex	Am I running under XeTeX?	L <sup>A</sup> T <sub>E</sub> X Team, Robertson	491
ifxptex	Detect pTeX and its derivatives	Zhang	552
igo	Fonts and macro to typeset Go diagrams	Dupuis	199
iitem	Multiple level of lists in one list-like environment	Vitecek	519
ijc	International Journal of Control style	Balemi	139
ijcai89	Format papers for IJCAI 1989	Patel-Schneider	386
ijmart	L <sup>A</sup> T <sub>E</sub> X Class for the Israel Journal of Mathematics	Veytsman	516
ijqc	BibTeX style file for the Intl. J. Quantum Chem	Mathar	337
ijsra	L <sup>A</sup> T <sub>E</sub> X document class for the International Journal of Student Research in Archaeology	Bossert	158
imac	International Modal Analysis Conference format	Slater	450
image-gallery	Create an overview of pictures from a digital camera or from other sources	Niepraschk	365
imakeidx	A package for producing multiple indexes	Beccari, Gregorio	145
Imake-TeX	An Imake system for T <sub>E</sub> X	Klute	289
imfellEnglish	IM Fell English fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	481
imfellflowers	IM Fell Flower OpenType fonts	Tennent	481
impatient	Free edition of the book "TeX for the Impatient"	Abrahams, Hargreaves, Berry	128
imprnatypo	Support typography of l'Imprimerie Nationale Française	Pinson	393
import	Establish input relative to a directory	Arseneau	134
impose	PostScript imposition and support utilities	Grobgeld	239
imprintmtshadow	Support files for the Monotype Imprint Shadow fonts	Veytsman	516
imsproc	Typeset IMS conference proceedings	Khalighi, bidi-tex GitHub Organisation	281
IMTEKda	IMTEK thesis class	Dreher	196
incgraph	Sophisticated graphics inclusion in a PDF document	Sturm	465
includeRnw	Include .Rnw inside .tex	Storvik Strauman	465
includex	Extended \include	Swift	467
inconsolata	A monospaced font, with support files for use with T <sub>E</sub> X	Levien, Berry, Sharpe	316
indent	Environments that change margins	Unknown	504
indentfirst	Indent first paragraph after section header	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172
index	Extended index for L <sup>A</sup> T <sub>E</sub> X including multiple indexes	Jones	273
indextools	Producing multiple indices	Rouquette	420
indic-type1	Indic Type 1 fonts converted from public Metafont sources	Piška	394
induni-om	Omega fonts for characters used in study of Sanskrit	Smith	452
indxcite	Generate author index based on citations	Ashton	137
infpic	Macros to insert pictures in paragraphs	Ulrych	500
infwarrerr	Complete set of information/warning/error message macros	Oberdiek	371
inhyp	Hyphenation patterns for Bahasa Indonesia	Knappen, Mart	291
initials	Adobe Type 1 decorative initial fonts	Steffmann, Loreti	459
inkpaper	A mathematical paper template	Liang	317
inline-images	Inline images in base64 encoding	Wäckerlin	527
inlinebib	Citations in footnotes	Seindal	441
inlinedef	Inline expansions within definitions	Hicks	256
inlinelabel	Assign equation numbers to inline equations	Kusakabe	305
innerscript	Modifies automatic mathematics spacing	Kosowsky	299

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
inputenc	Accept different input encodings	Jeffrey, Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	270
inputenx	Enhanced input encoding handling	Oberdiek	371
inputfile	Input L <sup>A</sup> T <sub>E</sub> X files, remembering the file name	Tucci	498
inputnormalization	Wrapper for XeTeX's and LuaTeX's input normalization	Krüger	302
inputtrc	Trace which file loads which	Lück	327
inriafonts	Inria fonts with L <sup>A</sup> T <sub>E</sub> X support	Markey	336
inrstex	Extended Plain T <sub>E</sub> X for use with MLTeX	Ferguson	211
insbox	Insert pictures/boxes into paragraphs	Gulczynski	240
inscrutable	A response to Perl hackers' silliness	Greene	237
insdljs	Insert document-level JavaScript in L <sup>A</sup> T <sub>E</sub> X documents	Story	463
inslrmaj	Fonts based on the Insular Majuscule manuscript book-hand	Wilson	537
inslrmin	Fonts based on the Insular Minuscule manuscript book-hand	Wilson	537
Install-LaTeX-G...	A short introduction to L <sup>A</sup> T <sub>E</sub> X installation written in Chinese	Wang	529
installfont	A bash script for installing a L <sup>A</sup> T <sub>E</sub> X font family	Kleber	286
intcalc	Expandable arithmetic operations with integers	Oberdiek	371
inter	The inter font face with support for L <sup>A</sup> T <sub>E</sub> X, X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X, and LuaLaTeX	Ebinger	201
interactiveanim...	Create PDF files with branching animations	González, Toro, Linares	231
interactiveplot	Provides an interface to create interactive 2D/3D functions inside a PDF file	Bock, Linares, Toro	154
interactivework...	LaTeX-based interactive PDF on the Web	Kuhn	304
interchar	Managing character class schemes in XeTeX	Hu	263
interfaces	Set parameters for other packages, conveniently	Chervet	177
interpol	Add interpolation to MetaPost graph package	Vieth	518
interpreter	Translate input files on the fly	Isambert, Robbers	266
interval	Format mathematical intervals, ensuring proper spacing	Madsen	333
intex	Support typesetting and indexing words and phrases	Ranange	403
intopdf	Embed non-PDF files into PDF with hyperlink	Krüger	302
intro-scientific	Introducing scientific/mathematical documents using L <sup>A</sup> T <sub>E</sub> X	Bennieston	149
inversepath	Calculate inverse file paths	Robertson	410
invertedparagraphs	Indented text with negative paragraph indentation	Unknown	504
invoice-class	Produces a standard US invoice from a CSV file	Munn	356
invoice	Generate invoices	Corff	184
invoice2	Intelligent invoices with L <sup>A</sup> T <sub>E</sub> X3	Dierl	193
iodhbw	Unofficial template of the DHBW Mannheim	Faltin	209
ionumbers	Restyle numbers in maths mode	Schneider	434
iopart-num	Numeric citation style for IOP journals	Caprio	169
ipa	L <sup>A</sup> T <sub>E</sub> X macros for using WSUIPA fonts	Roegel, Brodnik	415
ipaex-type1	IPAex fonts converted to Type-1 format Unicode subfonts	Yato	547
ipaex	IPA (Japanese) fonts	Information-technology Promotion Agency, Japan, Kitagawa, Preining	265
is-bst	Extended versions of standard BibTeX styles	Beebe	146
iscram	A L <sup>A</sup> T <sub>E</sub> X class to publish article to ISCRAM conferences	Gaborit	222
isf	Access italic computer modern sans in L <sup>A</sup> T <sub>E</sub> X 2.09	Greenwade	237
ishyph	Hyphenation patterns for Icelandic	Pind	393
isi2bib-vim	Vim script to convert bib database from ISI to BibTeX format	Thakkar	484
isi2bibtex	Converter for ISI to BibTeX	Lee	312
ISO-TeX	Display (La)TeX accented letters in GNU Emacs	Neugebauer	361
iso	Generic ISO standards typesetting macros	Wilson	537
iso10303	Typesetting the STEP standards	Wilson	537
iso209	A document style for ISO standards	North	367
isodate	Tune the output format of dates according to language	Harders	247
isodoc	A L <sup>A</sup> T <sub>E</sub> X class for typesetting letters and invoices	Dekker	190
isolatin1	An obsolete means to use ISO 8859-1 with T <sub>E</sub> X	Unknown	504

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
isomath	Mathematics style for science and technology	Milde	346
isonums	Display numbers in maths mode according to ISO 31-0	Väth, Rivera	513
isopt	Writing a $\TeX$ length with a space between number and unit	Voß	522
isorot	Rotation of document elements	Wilson	537
isotope	A package for typesetting isotopes	Bauke	143
ispell	Multi-platform spell checker	Atkinson	137
issuulinks	Produce external links instead of internal ones	Veytsman	516
ist21	Title page for the old BSI IST/21 committee	Unknown	504
istgame	Draw Game Trees with TikZ	Cho	179
ital	Automatic italic correction	Bernstein	150
italic	Automatic italic correction for italic and slanted text	Goatley	229
iTe	Interactive $\TeX$ editor	Kühn	304
ithyph	Hyphenation patterns for the Italian language	Beccari	144
itnumpar	Spell numbers in words (Italian)	Gregorio	238
itrans-processor	Transliteration of Indian Languages	Chopde	180
ivd2dvi	Convert IVD-DVI files to DVI	Denenberg	191
iwhdp	Halle Institute for Economic Research (IWH) Discussion Papers	Ehrenfeld	202
iwona	A two-element sans-serif font	Nowacki	368
izhitsa	Support for the old Russian font "Izhitsa"	Motygin	353
<b>JJJJ</b>			
jablantile	Metafont version of tiles in the style of Slavik Jablan	Knuth	292
jabref	Graphical frontend to manage BibTeX databases	The JabRef Project, Kopp, Alver, Batada	486
jacow	A class for submissions to the proceedings of conferences on JA-CoW.org	Schaa	427
jadetex	Macros supporting Jade DSSSL output	Rahtz, Castle	401
jamtimes	Expanded Times Roman fonts	Veytsman	516
japanese-mathfo...	Compiling basic math formulas in Japanese using LuaLaTeX	Unknown	504
japanese-otf-uptex	Support for Japanese OTF files in upLaTeX	Tanaka, Preining, Japanese $\TeX$ Team	476
japanese-otf	Advanced font selection for platex and its friends	Preining, Japanese $\TeX$ Team, Tanaka	397
jas99	BibTeX style for American Meteorological Society (AMS)	Moran, Flatau	352
jas99_m	BibTeX style for American Meteorological Society (AMS)	Furue	222
jasthesis	A 'standard' thesis class	Shepherd	445
JavaBib	A BibTeX file manager written in Java	Unknown	504
javadoc	Documenting source code	Kiesel	283
javaDVI	DVI viewer and printer coded in Java	Hurt	264
javascript_TeXed	Small MikTeX-editor for Win32 Intel platform	Yasko	545
JavascriptHTTP	Add buttons to a PDF to easily get and post web content	Zwahlen	554
javatex	A Java implementation of $\TeX$	Murphy	357
jbact	BibTeX style for biology journals	Schneider	434
JBibtexManager	Managing citations in BibTeX format	Batada	142
jcc	BibTeX style file for J. Comp. Chem	Hill, Cervellino	256
jeep	Modified L <sup>A</sup> T <sub>E</sub> X2.09 article and report styles	Stewart	460
jeopardy	Build a jeopardy game in L <sup>A</sup> T <sub>E</sub> X	Mařík	336
JeuxCartes	Macros to insert playing cards	Pierquet	390
jflap2tikz	Convert JFlap file into a L <sup>A</sup> T <sub>E</sub> X file depicting the automaton using TikZ	Mertz	344
jfmutil	Utility to process pTeX-extended TFM and VF	Yato	547
jfontmaps	Font maps and configuration tools for Japanese fonts	Preining	396
jhep	Class for JHEP	Nesti	360
jIEEEtran	Unofficial BibTeX style for citing Japanese articles in IEEE format	Ejiri	203
jigsaw	Draw jigsaw pieces with TikZ	Unknown	504
jj-game	A L <sup>A</sup> T <sub>E</sub> X class to construct Jeopardy-like games	Story	463
jkmath	Macros for mathematics that make the code more readable	Kaerts	275



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
jknappen	Miscellaneous packages by Joerg Knappen	Knappen	290
jkthesis	Document class for formatting a thesis	Küpper	305
jlables	Make letter-sized pages of labels	Tartir	477
jlm	Jörg's L <sup>A</sup> T <sub>E</sub> X Mode - an advanced L <sup>A</sup> T <sub>E</sub> X mode for Jed	Sommer	453
jlreq-deluxe	Multi-weight Japanese font support for the jlreq class	Morimi	352
jlreq	Japanese document class based on requirements for Japanese text layout	Abe	128
jmakedfx	A Java interface to Ghostscript to convert PDF to PDF/X	Talbot	474
jmb	BibTeX style for the Journal of Theoretical Biology	Schneider	434
jmlr	Class files for the Journal of Machine Learning Research	Talbot	474
jmsdelim	A package for compositional delimiter sizing	Sterling	460
jneurosci	BibTeX style for the Journal of Neuroscience	Hennig	254
jnuexam	Exam class for Jinan University	Lyu	331
jobname-suffix	Compile differently based on the filename	Siefken	447
joinbox	Join boxes vertically or horizontally	Geng	225
josefin	Josefin fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	481
jourcl	Cover letter for journal submissions	Kukovec	304
jourrr	A L <sup>A</sup> T <sub>E</sub> X template for journal rebuttal letters	Kukovec	304
joy-of-tex	User documentation for the AMS-TeX macro collection	The AMS	485
jpeg2ps-os2	JPEG to PostScript converter for OS/2	Niepraschk, Deutscher	365
jpeg2ps	Convert JPEG files to PostScript Level 2 or 3 EPS	Merz	344
jphysiol	BibTeX style for the Journal of Physiology	Hennig	254
JPicEdt	A graphical editor generating L <sup>A</sup> T <sub>E</sub> X commands	Reynal, Belaïche	407
jpnduenumerate	Enumerative expressions in Japanese education	Kusakabe	305
jpndumathsymbols	Mathematical equation representation in Japanese education	Kusakabe	305
jpsj	Document Class for Journal of the Physical Society of Japan	Kuwabara	306
jqt1999	Journal of Quality Technology BibTeX format	Forrest	218
js-misc	Miscellaneous macros from Joachim Schrod	Schrod	436
jsclasses	Classes tailored for use with Japanese	Okumura, Japanese T <sub>E</sub> X Team	376
jslectureplanner	Creation and management of university course material	Spitzmüller	455
jspell	An ASCII file spelling checker	Jeong	271
jtb	BibTeX style for Journal of Theoretical Biology	Rogers	416
jtbnew	BibTeX style for Journal of Theoretical Biology	Robbers	410
jumplines	Articles with teasers and continuation later on	Hupfer	264
unicode	A TrueType font for mediaevalists	Baker	138
jupynotex	Include whole or partial Jupyter notebooks in L <sup>A</sup> T <sub>E</sub> X documents	Batista	142
jura	A document class for German legal texts	Braun	160
juraabbrev	Abbreviations for typesetting (German) juridical documents	Wartenburger	530
jurabib	Extended BibTeX citation support for the humanities and legal texts	Berger	150
juramisc	Typesetting German juridical documents	Sodtalbers	452
jurarsp	Citations of judgements and official documents in (German) juridical documents	Wartenburger	530
JustFontItTE	JustFontIt T <sub>E</sub> X Edition	Kostin	299
jvlisting	A replacement for L <sup>A</sup> T <sub>E</sub> X's verbatim package	Voss	526
jwjournal	A personal class for writing journals	XU	543
<b>KKKKK</b>			
kalendarium	Print dates according to the classical Latin calendar	Smith	451
kalender-209	Produce page-per-day calendars	Schrell	435
kalender	Create a calendar, in German	Söhner	452
kanaparser	Kana parser for LuaTeX	Zahumensky	549
kanbun	Typeset kanbun-kundoku with support for kanbun annotation	Chen	176
kantlipsum	Generate sentences in Kant's style	Gregorio	238
karnaugh-map	L <sup>A</sup> T <sub>E</sub> X package for drawing karnaugh maps with up to 6 variables	Jacobsson	269
karnaugh	Typeset Karnaugh-Veitch-maps	Wieland	534

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
karnaughmap	Typeset Karnaugh maps	Michael	345
karta	Cartographic signs	Unknown	504
kaytannollista-...	Practical manual for L <sup>A</sup> T <sub>E</sub> X (Finnish)	Likonen	318
kblocks	Easily typeset Control Block Diagrams and Signal Flow Graphs	Somefun	453
kbordermatrix	L <sup>A</sup> T <sub>E</sub> X version of \bordermatrix	Border	156
kdgdocs	Document classes for Karel de Grote University College	Levrie, Daems	316
kdgreek	Greek fonts and macros	Dryllerakis	198
kdpcover	Covers for books published by Kindle Direct Publishing	Bugayenko	164
kelly-greek-font	Simple fonts for Greek	Hamilton Kelly	279
kerkis	Kerkis (Greek) font family	Tsolomitis	497
kerntest	Print tables and generate control files to adjust kernings	Harders	247
ketcindy	Creating graphics for T <sub>E</sub> X using Cinderella	Takato	471
keycommand	Simple creation of commands with key-value arguments	Chervet	178
keyfloat	Provides a key/value interface for generating floats	Dunn	199
keyindex	Index entries by key lookup	Zach	548
keyparse	Key based parser	Rogard	415
keyreader	A robust interface to xkeyval	Musa	358
keystroke	Graphical representation of keys on keyboard	Niepraschk	365
keyval	Process 'key=value' schemes	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172
keyval2e	A lightweight and robust key-value parser	Musa	358
keyvaltable	Re-usable table layouts separating content and presentation	Grewe	238
kfupm-math-exam	A L <sup>A</sup> T <sub>E</sub> X document style to produce homework, quiz and exam papers	Alshahrani	131
kile	A user friendly T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X editor for KDE	Wijnhout, Brachet	535
kinematikz	Design kinematic chains and mechanisms	Santos	425
kix	Typeset KIX codes	Stoks	460
KIXfont	A font for KIX codes	van Rein	406
klinz	A Klingon font	Wünsch	542
kmrhyph	Hyphenation patterns for Kurmanji, T1 encoded	Knappen	290
knit	Tangle and weave with multiple change files	Appelt	133
knitting	Produce knitting charts, in Plain T <sub>E</sub> X or L <sup>A</sup> T <sub>E</sub> X	Barton	141
knittingpattern	Create knitting patterns	Griffiths	239
knot	A Celtic knotwork font	Jaquina	270
knowledge	Displaying, hyperlinking, and indexing notions in a document	Colcombet	182
knst	Multiple-guess tests	Saludes	425
knuth-base	The current state of Knuth's contributions	Knuth	292
knuth-dist	The current state of Knuth's contributions	Knuth	292
knuth-errata	Knuth's published errata	Knuth	292
knuth-hint	HINT collection of typeset C/WEB sources in T <sub>E</sub> X Live	Scherer	430
knuth-letter	Knuth's example letter macros	Knuth	292
knuth-lib	Core T <sub>E</sub> X and Metafont sources from Knuth	Knuth	292
knuth-local	Knuth's local information	Knuth	293
knuth-pdf	PDF collection of typeset C/WEB sources in T <sub>E</sub> X Live	Scherer	430
koi8	KOI-8 input support	Blumenthal	154
koma-moderncvcl...	Makes the style and command of moderncv (style classic) available for koma-classes and thus compatible with BibLaTeX	Södergran	452
koma-script-exa...	Examples from the 3rd edition of the KOMA-Script book	Kohm	296
koma-script-exa...	Examples from the 4th edition of the KOMA-Script book	Kohm	296
koma-script-exa...	Examples from the 5th edition of the KOMA-Script book	Kohm	296
koma-script-exa...	Examples from the KOMA-Script book	Kohm	296
koma-script-obs...	Deprecated packages from koma-script	Kohm	296
koma-script-sfs	Koma-script letter class option for Finnish	Väisänen	510
koma-script	A bundle of versatile classes and packages	Kohm	296
komacv-rg	L <sup>A</sup> T <sub>E</sub> X packages that aid in creating CVs based on the komacv class and creating related documents	Grewe	238
komacv	Typesetting a beautiful CV with various style options	Södergran	452

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
konwerter	A program for automatic numbering of compounds in chemical publications	Wawrzyniak	531
KorigamiK	Typeset articles using KorigamiK's document class	Lakhwani	308
kotex-oblivoir	A L <sup>A</sup> T <sub>E</sub> X document class for typesetting Korean documents	Lee, Kim	312
kotex-plain	Macros for typesetting Korean under Plain T <sub>E</sub> X	Lee	312
kotex-utf	Typeset Hangul, coded in UTF-8	Lee	312
kotex-utils	Utility scripts and support files for typesetting Korean	Lee	312
kpathsea	Path searching library for T <sub>E</sub> X-related files	T <sub>E</sub> XLive, Weber	486
kpfonts-otf	OTF version of the Kp-fonts	Flipo	215
kpfonts	A complete set of fonts for text and mathematics	Caignaert	168
ksfh-nat	BibT <sub>E</sub> X style for KSFH Munich	Bilger	152
ksp-thesis	A L <sup>A</sup> T <sub>E</sub> X class for theses published with KIT Scientific Publishing	Heinze	251
KTeXShell	Graphical frontend to T <sub>E</sub> X	Fischer	214
ktv-texdata	Extract subsets of documents	Huynh	264
ku-template	Copenhagen University or faculty logo for front page	Pedersen	387
kurdishlipsum	A 'lipsum' package for the Kurdish language	Jund	275
kurier	A two-element sans-serif typeface	Nowacki	368
kuvio	Drawing macros and fonts for diagrams	Svensson	466
kvdefinekeys	Define keys for use in the kvsetkeys package	Oberdiek	371
kvmap	Create Karnaugh maps with L <sup>A</sup> T <sub>E</sub> X	Frank	219
kvoptions	Key value format for package options	Oberdiek	371
kvsetkeys	Key value parser with default handler support	Oberdiek	371
<b>LLLL</b>			
l2a	L <sup>A</sup> T <sub>E</sub> X to ASCII	Hannemyr	244
l2picfaq	L <sup>A</sup> T <sub>E</sub> X pictures "how-to" (German)	Bischoff	152
l2tabu-english	English translation of "Obsolete packages and commands"	Trettin, Fenn	496
l2tabu-french	French translation of l2tabu	Alfonsi, Henel	130
l2tabu-italian	Italian Translation of Obsolete packages and commands	Zannarini, Sacchetto	550
l2tabu-spanish	Spanish translation of "Obsolete packages and commands"	Trettin, Medina Arellano	496
l2tabu	Obsolete packages and commands	Ensenbach, Trettin	205
l2x	L <sup>A</sup> T <sub>E</sub> X to ASCII	Schulzrinne	437
l3backend	LaTeX3 backend drivers	L <sup>A</sup> T <sub>E</sub> X Team	488
l3build	A testing and building system for (La)TeX	L <sup>A</sup> T <sub>E</sub> X Team	488
l3docstrip	Strip documentation in L <sup>A</sup> T <sub>E</sub> X3 source	L <sup>A</sup> T <sub>E</sub> X Team	488
l3experimental	Experimental L <sup>A</sup> T <sub>E</sub> X3 concepts	L <sup>A</sup> T <sub>E</sub> X Team	488
l3kernel	LaTeX3 programming conventions	L <sup>A</sup> T <sub>E</sub> X Team	488
l3keys2e	LaTeX2e option processing using L <sup>A</sup> T <sub>E</sub> X3 keys	L <sup>A</sup> T <sub>E</sub> X Team	488
l3packages	High-level L <sup>A</sup> T <sub>E</sub> X3 concepts	L <sup>A</sup> T <sub>E</sub> X Team	488
l3regex	Regular expression facilities for L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team	488
la	School handwriting fonts	Heuer	255
laansort	Sorting within T <sub>E</sub> X	van der Laan	306
labbook	Typeset laboratory journals	Küster	306
label-pln	Print address labels in three columns	Unknown	504
labelcas	Check the existence of labels, and fork accordingly	Diez	193
labelfig	Label L <sup>A</sup> T <sub>E</sub> X 2.09 figures included in documents	Siebenmann	447
labelmac3	Print Avery 5160 labels for laser printers	Rao	403
labelmag	Manage a collection of labels	Willadt	535
labels	Print sheets of sticky labels	Gilbey, Rahtz, Gustafson	227
labels4easylist	Add reference labels to easylist items	Paciorek	380
labelschanged	Identify labels which cause endless "may have changed" warnings	Dunn	199
lablst-pkg	List names of labels in a document	Karney	277
labtex	Label diagrams produced in Metafont	Hoening	257
labyrinth	Draw labyrinths and solution paths	Zigliotto	553
lacheck	L <sup>A</sup> T <sub>E</sub> X checker	Thorup, Abrahamsen, T <sub>E</sub> XLive	493

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
ladder	Draw simple ladder diagrams using TikZ	Cadiou	168
lahyph	Hyphenation patterns for the Latin language	Beccari	145
laletter	Los Alamos letter style	Sydoriak	468
lambda-lists	Lists in T <sub>E</sub> X's mouth	Jeffrey	270
lambdax	Use Lambda expression within L <sup>A</sup> T <sub>E</sub> X	Rogard	415
lamemo	Memo style as used at Los Alamos	Sydoriak	468
lametex	A PostScript translator for a subset of L <sup>A</sup> T <sub>E</sub> X	Monsarrat	351
lamstex-index	Index processor for LamsTeX	Spivak	455
LamsTeX	A merge of the best in AMS-TeX and L <sup>A</sup> T <sub>E</sub> X	Spivak	455
landscape	Set up for typesetting in landscape	Hosek	261
langcode	Simple language-dependent settings based on language codes	Lück	327
langnames	Name languages and their genetic affiliations consistently	García Matarredona, Un-known	337
langsci-affilia...	Collect and order authors and affiliations	Kopecky	298
langsci-avm	Feature structures and attribute-value matrices (AVM)	Kopecky	299
langsci	Typeset books for publication with Language Science Press	Nordhoff	367
lapdf	PDF drawing directly in T <sub>E</sub> X documents	Reimers	406
laps	Zero-width boxes for annotations, etc	Unknown	504
lastbib	Record the number of citations in a document	Tuleuov	499
lastpackage	Indicates the last loaded package	Pospiech	396
lastpage	Reference last page for Page N of M type footers	Münch, Goldberg	355
LaTable	A near-WYSIWYG editor for L <sup>A</sup> T <sub>E</sub> X tables	Denisov	191
lated	Graphical L <sup>A</sup> T <sub>E</sub> X picture editor	Ressler	407
latex-amsmath-dev	Development pre-release of the L <sup>A</sup> T <sub>E</sub> X amsmath bundle	L <sup>A</sup> T <sub>E</sub> X Team	488
latex-amsmath	AMS mathematical facilities for L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team	488
latex-base-dev	Development pre-release of the L <sup>A</sup> T <sub>E</sub> X kernel	L <sup>A</sup> T <sub>E</sub> X Team	488
latex-base	Base sources of L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team, Mittelbach	491
latex-bib-ex	Examples for the book Bibliografien mit L <sup>A</sup> T <sub>E</sub> X	Voß	522
latex-bib2-ex	Examples for the book Bibliografien mit L <sup>A</sup> T <sub>E</sub> X	Voß	522
latex-bnf	L <sup>A</sup> T <sub>E</sub> X macros for typing BNF specifications	Osborne	379
LaTeX-brochure	A publicity flyer for L <sup>A</sup> T <sub>E</sub> X	Flynn	217
latex-context-p...	Legacy stub to allow loading pictex as m-pictex	Carlisle	170
latex-course	A L <sup>A</sup> T <sub>E</sub> X course as a projected presentation	Buxbaum	167
cyrillic	Support for Cyrillic fonts in L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team	487
latex-doc-ptr	A direction-finder for L <sup>A</sup> T <sub>E</sub> X resources available online	Hefferon, Pégourié-Gonnard, Berry	250
latex-doc	Documentation supplied as part of the L <sup>A</sup> T <sub>E</sub> X distribution	L <sup>A</sup> T <sub>E</sub> X Team	489
latex-errata	Errata for the L <sup>A</sup> T <sub>E</sub> X Manual	Lamport	308
latex-essential	Essential information for writing L <sup>A</sup> T <sub>E</sub> X documents	Warbrick, Rivera	530
latex-firstaid-dev	Development pre-release of the L <sup>A</sup> T <sub>E</sub> X firstaid package	L <sup>A</sup> T <sub>E</sub> X Team	489
latex-firstaid	First aid for external L <sup>A</sup> T <sub>E</sub> X files and packages that need updating	L <sup>A</sup> T <sub>E</sub> X Team	489
latex-fonts	A collection of fonts used in L <sup>A</sup> T <sub>E</sub> X distributions	Knuth, Lamport, MacKay, Schwartz, Melliar-Smith	294
latex-for-under...	A tutorial aimed at introducing undergraduate students to L <sup>A</sup> T <sub>E</sub> X	Lounsbury	325
latex-git-log	Typeset git log information	Schneider	434
latex-graphics-dev	Development pre-release of the L <sup>A</sup> T <sub>E</sub> X graphics bundle	L <sup>A</sup> T <sub>E</sub> X Team	489
latex-graphics	The L <sup>A</sup> T <sub>E</sub> X standard graphics bundle	L <sup>A</sup> T <sub>E</sub> X Team	489
latex-hlp	A VMS help file for L <sup>A</sup> T <sub>E</sub> X 2.09	Greenwade	237
latex-info	Unofficial reference manual for L <sup>A</sup> T <sub>E</sub> X	Steffens, Greenwade	459
latex-lab-dev	L <sup>A</sup> T <sub>E</sub> X laboratory: Development pre-release	L <sup>A</sup> T <sub>E</sub> X Team	489
latex-lab	L <sup>A</sup> T <sub>E</sub> X laboratory	L <sup>A</sup> T <sub>E</sub> X Team	489
latex-make	Easy compiling of complex (and simple) L <sup>A</sup> T <sub>E</sub> X documents	Danjan	189
latex-mr	A practical guide to L <sup>A</sup> T <sub>E</sub> X and Polyglossia for Marathi and other Indian languages	Holkar	260
latex-notes-zh-cn	Chinese Introduction to T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Huang	263

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
latex-papersize	Calculate L <sup>A</sup> T <sub>E</sub> X settings for any font and paper size	Brown	162
latex-pro-pragm...	L <sup>A</sup> T <sub>E</sub> X for pragmatists	Satrapa	426
LaTeX-Referenz	Examples from the book "L <sup>A</sup> T <sub>E</sub> X Referenz"	Voß	522
latex-refsheet	L <sup>A</sup> T <sub>E</sub> X Reference Sheet for a thesis with KOMA-Script	Lammarsch, Schubert	308
latex-sciences-...	(Xe)L <sup>A</sup> T <sub>E</sub> X Appliqué aux sciences humaines	Rouquette	420
latex-tabellen	L <sup>A</sup> T <sub>E</sub> X Tabellen	Voß	522
LaTeX-tds	A structured copy of the L <sup>A</sup> T <sub>E</sub> X distribution	Oberdiek	371
latex-tools-dev	Development pre-release of the L <sup>A</sup> T <sub>E</sub> X tools bundle	L <sup>A</sup> T <sub>E</sub> X Team	489
latex-tools	The L <sup>A</sup> T <sub>E</sub> X standard tools bundle	L <sup>A</sup> T <sub>E</sub> X Team	489
latex-uni8	Universal inputenc, fontenc, and babel for pdfL <sup>A</sup> T <sub>E</sub> X and LuaLaTeX	Szabó	471
LaTeX-veryshort...	The Very Short Guide to L <sup>A</sup> T <sub>E</sub> X	Flynn	217
latex-via-exemplos	A L <sup>A</sup> T <sub>E</sub> X course written in brazilian portuguese language	Massago	337
latex	A T <sub>E</sub> X macro package that defines L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team, Lamport	490
latex209	Old, unsupported, L <sup>A</sup> T <sub>E</sub> X	Lamport	308
latex2e-help-te...	A French translation of "latex2e-help-texinfo"	Belaïche	148
latex2e-help-te...	Unofficial reference manual covering L <sup>A</sup> T <sub>E</sub> X2e	Berry, Martinsen, Greenwade, Gilmore, Hefferon	150
latex2e-reference	A reference for L <sup>A</sup> T <sub>E</sub> X in HTML	Dietze	193
latex2html	Convert L <sup>A</sup> T <sub>E</sub> X into HTML documents	Drakos, Moore, Gildea, de Souza, Stigge	196
latex2man	Translate L <sup>A</sup> T <sub>E</sub> X-based manual pages into Unix man format	Vollmer	520
Latex2Nemeth	Convert L <sup>A</sup> T <sub>E</sub> X source to Braille with math in Nemeth	Papasalouros, Tsolomitis	384
latex2rtf	Convert L <sup>A</sup> T <sub>E</sub> X into Rich Text Format	Hennings, Dorner, Granzer	254
latex4jed	A much enhanced L <sup>A</sup> T <sub>E</sub> X mode for the Jed editor	Gonzato	231
LaTeX4Musicians	A guide for combining L <sup>A</sup> T <sub>E</sub> X and music	Gonzato	231
latex4wp-it	L <sup>A</sup> T <sub>E</sub> X guide for word processor users, in Italian	Gonzato	231
LaTeX4WP	A L <sup>A</sup> T <sub>E</sub> X guide specifically designed for word processor users	Gonzato	231
latexalpha2	Embed Mathematica code and plots into L <sup>A</sup> T <sub>E</sub> X	Liu	319
latexbangla	Enhanced L <sup>A</sup> T <sub>E</sub> X integration for Bangla	Hasan	249
latexbug	Bug-classification for L <sup>A</sup> T <sub>E</sub> X related bugs	L <sup>A</sup> T <sub>E</sub> X Team	489
latexcad	A CAD drawing package	Leis	314
latexcheat-de	A L <sup>A</sup> T <sub>E</sub> X cheat sheet, in German	Schwindt	439
latexcheat-esmx	A L <sup>A</sup> T <sub>E</sub> X cheat sheet, in Spanish	Rivera, Chang	409
latexcheat-ptbr	A L <sup>A</sup> T <sub>E</sub> X cheat sheet, in Brazilian Portuguese	Granja, Chang	235
latexcheat	A L <sup>A</sup> T <sub>E</sub> X cheat sheet	Chang	175
latexcolors	Use color definitions from latexcolor.com	Plüss	394
latexcount	Perl script to count words of L <sup>A</sup> T <sub>E</sub> X documents	Magnus	333
latexcourse-rug	A L <sup>A</sup> T <sub>E</sub> X course book	Kroonenberg	301
LaTeXDB	Integrates L <sup>A</sup> T <sub>E</sub> X and SQL databases	Eßer	206
latexdemo	Demonstrate L <sup>A</sup> T <sub>E</sub> X code with its resulting output	Pospiech	396
latexdiff	Determine and mark up significant differences between L <sup>A</sup> T <sub>E</sub> X files	Tilman	493
latexdraw	CAD oriented drawing program	Siebert	448
latexfileinfo-pkgs	A comparison of packages showing L <sup>A</sup> T <sub>E</sub> X file information	Lück	327
latexfileversion	Prints the version and date of a L <sup>A</sup> T <sub>E</sub> X class or style file	Harders	247
LaTeXgit	A L <sup>A</sup> T <sub>E</sub> X git wrapper	Staps	458
latexindent	Indent a L <sup>A</sup> T <sub>E</sub> X document, highlighting the programming structure	Hughes	263
latexinfo	Texinfo for L <sup>A</sup> T <sub>E</sub> X 2.09	Clarkson, Stallman	181
latexmake	L <sup>A</sup> T <sub>E</sub> X Makefile	McLean, Musliner, Sun	342
latexmk	Fully automated L <sup>A</sup> T <sub>E</sub> X document generation	Collins, McLean, Musliner	183
LaTeXMng	An integrated development environment for Windows	Vabishchevich	510
latexMP	Interface for L <sup>A</sup> T <sub>E</sub> X-based typesetting in MetaPost	Morawski	352
latexn	Run L <sup>A</sup> T <sub>E</sub> X as many times as needed	Collins	183
latexpand	Expand \input and \include in a L <sup>A</sup> T <sub>E</sub> X document	Moy, Musliner, Lovell	353
LaTeXPiX	L <sup>A</sup> T <sub>E</sub> X picture editor for Windows	van Beurden	151
latexrelease	L <sup>A</sup> T <sub>E</sub> X release emulation	L <sup>A</sup> T <sub>E</sub> X Team	489



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
LatexRender	Use L <sup>A</sup> T <sub>E</sub> X in PHP programs	Mayer, Zeiss	340
LaTeX-WIDE	Multifunctional editor for L <sup>A</sup> T <sub>E</sub> X	Lubenets	325
latexwizard	Create the header of a L <sup>A</sup> T <sub>E</sub> X document	Willadt	535
latin	Latin language definition for Babel	Beccari	145
latin1jk	Inputenc encoding for verbatim ISO 8859-1 use	Knappen	290
latin2jk	Inputenc encoding for verbatim ISO 8859-2 use	Knappen	290
latin3jk	Inputenc encoding for verbatim ISO 8859-3 use	Knappen	290
latino-sine-fle...	L <sup>A</sup> T <sub>E</sub> X support for documents written in Peano's Interlingua	Leve	316
lato	Lato font family and L <sup>A</sup> T <sub>E</sub> X support	El Morabity, Dziedzic	351
Layaureo	A package to improve the A4 page layout	Busdraghi	167
layout	View the layout of a document	McPherson, Braams, Umeki, L <sup>A</sup> T <sub>E</sub> X Team	343
layouts	Display various elements of a document's layout	Robertson, Wilson	412
lazylist	Lists in T <sub>E</sub> X's "mouth"	Jeffrey	270
lb2-examples	Examples from "Der L <sup>A</sup> T <sub>E</sub> X Begleiter"	Mittelbach	348
lccaps	Lowercased (spaced) small capitals	Giannotti	226
lcd	Alphanumeric LCD-style displays	Kaufmann	278
LCDF-typetools	A bundle of outline font manipulation tools	Kohler	294
lcg	Generate random integers	Janka	269
lcircuit	Circuit symbols for use in L <sup>A</sup> T <sub>E</sub> X picture mode	Johnstone	272
lcyw	Make Classic Cyrillic CM fonts accessible in L <sup>A</sup> T <sub>E</sub> X	Lidovski	317
ldiff	A script for marking the differences between two L <sup>A</sup> T <sub>E</sub> X files	Tsur	498
leading	Define leading with a length	Robertson	410
leadsheets	Typesetting leadsheets and songbooks	Niederberger	363
leaflet	Create small handouts (flyers)	Schmidt, Niepraschk, Gäßlein, Schlegelmilch	433
leawood	L <sup>A</sup> T <sub>E</sub> X support for use of ITC Leawood font family	Pakin	381
lebhart	Write your articles in a colorful way	XU	543
lecturer	On-screen presentations for (almost) all formats	Isambert	266
lectures	A document class for quickly drafting nice looking lecture notes	Cappelletti	169
lectureslides	Combine single PDF files into one file	Zhang	551
LEd	An environment for L <sup>A</sup> T <sub>E</sub> X document development	Deorowicz, Skorczynski	191
ledarab	Typeset scholarly editions in arabic	Wilson, Khalighi, Rouquette, bidi-tex GitHub Organisation	538
ledmac	Typeset scholarly editions	Wilson, Khalighi, Rouquette, bidi-tex GitHub Organisation	538
ledpar	Typeset scholarly editions in parallel texts	Wilson, Khalighi, Rouquette, bidi-tex GitHub Organisation	538
leftidx	Left and right subscripts and superscripts in math mode	Harders	247
leftindex	Left indices with better spacing	Ørsted	379
LEIletter	A letter class for Leiden University	Kreutzer	301
leipzig	Typeset and index linguistic gloss abbreviations	Weber	531
lengthconvert	Express lengths in arbitrary units	Daniel	189
letgut	Class for the newsletter "La Lettre GUTenberg" of the French T <sub>E</sub> X User Group GUTenberg	Association GUTenberg	137
letltxmacro	Let assignment for L <sup>A</sup> T <sub>E</sub> X macros	Oberdiek	372
letter-plain	Letter macros for Plain T <sub>E</sub> X	Unknown	505
letter	The standard L <sup>A</sup> T <sub>E</sub> X2e letter document class	Lamport, Mittelbach, Schöpf, L <sup>A</sup> T <sub>E</sub> X Team	308
letter1	Letter formatting macros	Unknown	505
lettergothic	The Adobe Type 1 font family Letter GothicType	URW GmbH, Schmidt, Harcombe	510

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
lettermac	Simple macros for writing letters (Plain T <sub>E</sub> X)	Smith	451
letterspacing	Letter spacing	Taylor	478
letterswitharrows	Draw arrows over math letters	Teegen	478
lettre	Letters and faxes in French	Mégevand, Belaïche	343
lettrine	Typeset dropped capitals	Flipo	215
levy-font	Fonts for typesetting classical greek	Levy, Wujastyk, Wonneberger	316
levy-latex	Macros for using Silvio Levy's Greek fonts	Dafferner	187
lewis	Draw Lewis structures	Horvath	261
lexend	The Lexend fonts for X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X and LuaL <sup>A</sup> T <sub>E</sub> X through fontspec	Schinko	430
lexikon	Macros for a two language dictionary	Kielhorn	282
lexitex	Footnote-style citations for law journals	Bennett	149
lexref	Convenient and uniform references to legal provisions	Vion	519
lertext	Typesetting legal documents using plain T <sub>E</sub> X	Horne	261
lfb	A Greek font with normal and bold variants	Field	212
lfonts-ams	Use AMS fonts as standard L <sup>A</sup> T <sub>E</sub> X 2.09 fonts	Fuchs	221
lgc-examples	Examples from The L <sup>A</sup> T <sub>E</sub> X Graphics Companion	Rahtz	400
lgc2-examples	Examples from The L <sup>A</sup> T <sub>E</sub> X Graphics Companion, second edition	Mittelbach, Rahtz	349
lgraph	A program to generate graphs	Podar	395
lgreek	L <sup>A</sup> T <sub>E</sub> X macros for using Silvio Levy's Greek fonts	Murphy	357
lgrind	Produce beautiful listings of source code with L <sup>A</sup> T <sub>E</sub> X	Piefel	390
lgrmath	Use LGR-encoded fonts in math mode	Burnol	166
lgrx	Obsolete package for Greek in text	Milde	346
lh	Cyrillic fonts that support L <sup>A</sup> T <sub>E</sub> X standard encodings	Khodulev, Lapko, Berdnikov, Volovich	282
lhcyr	A non-standard Cyrillic input scheme	Zhytnikov	553
lhelp	Miscellaneous helper packages	Kuhlmann	303
libertine-legacy	Linux Libertine fonts for (La)T <sub>E</sub> X and pdf(La)T <sub>E</sub> X users	Tennent, Niedermair	483
libertine-type1	(pdf)L <sup>A</sup> T <sub>E</sub> X support for the Libertine family of fonts	Tennent	481
libertine	Use of Linux Libertine and Biolinum fonts with L <sup>A</sup> T <sub>E</sub> X	Tennent	481
libertinegc	Libertine add-on to support Greek and Cyrillic	Sharpe	443
libertineotf	Linux Libertine fonts for use with Lua(La)T <sub>E</sub> X and Xe(La)T <sub>E</sub> X	Gundlach, Niedermair	241
libertinus-fonts	The Libertinus font family	Hosny, MacIennan	262
libertinus-otf	Support for Libertinus OpenType	Voß	523
libertinus-type1	Support for using Libertinus fonts with L <sup>A</sup> T <sub>E</sub> X/pdfLaT <sub>E</sub> X	Tennent	481
libertinus	Wrapper to use the correct libertine package according to the used T <sub>E</sub> X engine	Voß	523
LibertinusT1Math	A Type 1 font and L <sup>A</sup> T <sub>E</sub> X support for Libertinus Math	Sharpe	443
libgreek	Greek letters in math mode from Libertinus or Linux Libertine/Biolinum	Burnol	166
librarian	Tools to create bibliographies in T <sub>E</sub> X	Isambert	266
librebaskerville	The Libre Baskerville family of fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	481
librebodoni	Libre Bodoni fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	481
librecaslon	Libre Caslon fonts, with L <sup>A</sup> T <sub>E</sub> X support	Tennent	481
librefranklin	L <sup>A</sup> T <sub>E</sub> X support for the Libre-Franklin family of fonts	Tennent	481
libris	Libris ADF fonts, with L <sup>A</sup> T <sub>E</sub> X support	Harendal, Rees	248
lie-hasse	Draw Hasse diagrams	McKay	341
lifia-th	A thesis class for LIFIA, Grenoble	Pfister	389
liftarm	Draw liftarms	Floré	216
LigaT <sub>E</sub> X	Remove unnecessary ligatures	Killesreiter	283
Light L <sup>A</sup> T <sub>E</sub> X Make	l <sup>l</sup> mk: A build tool for L <sup>A</sup> T <sub>E</sub> X documents	Asakura	136
ligtype	Comprehensive ligature suppression functionalities	Kelkel	279
lilyglyphs	Access lilypond fragments and glyphs, in L <sup>A</sup> T <sub>E</sub> X	Liska	319
limap	Typeset maps and blocks according to the Information Mapping® method	Neugebauer	361

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
limecv	A (Xe/Lua)LaTeX document class for curriculum vitæ	Pieters	392
linearA	Linear A script fonts	Syropoulos	469
linearb	Linear B script used in the Bronze Age for Mycenaean Greek	Wilson	537
linebreaker	Prevent overflow boxes with LuaLaTeX	Hoftich	259
linegoal	A “dimen” that returns the space left on the line	Chervet	178
lineno	Line numbers on paragraphs	Böttcher, Lück, Wette	158
linenoamsmath	Use the lineno package together with amsmath	Wette	533
ling-macros	Macros for typesetting formal linguistics	McKenzie	342
lingtrees	Linguistics trees preprocessor and macros	Andrews	132
linguex	Format linguists’ examples	Sternefeld	460
linguisticspro	LinguisticsPro fonts with LaTeX support	Tennent	481
linop	Typeset linear operators as they appear in quantum theory or linear algebra	Weytjens	533
linsys	Typeset systems of linear equations	Kehowski	278
lintex	Tidy up after a TeX run	Loreti, Kavanagh	325
lion-msc	LaTeX class for B.Sc. and M.Sc. reports at Leiden Institute of Physics (LION)	de Dood	195
lips	Text ellipses in LaTeX	Swift	467
lipsum	Easy access to the Lorem Ipsum and other dummy texts	Happel, Oleinik	245
lisp-on-tex	Execute LISP code in a LaTeX document	Shizuya	446
list	List ASCII text files	Knuth	293
listbib	Lists contents of BibTeX files	Kuhlmann	303
listing-pln	Almost-verbatim list programs	Toby	494
listing	Produce formatted program listings	Kuhlmann, Hebley	304
listings-ext	Automated input of source	Hoffman	258
listings	Typeset source code listings using LaTeX	Hoffmann, Moses, Heinz	258
listingsutf8	Allow UTF-8 in listings input	Oberdiek	372
listlbls	Creates a list of all labels used throughout a document	Melzer	344
listliketab	Typeset lists as tables	Pakin	381
listofanswers	Provide a list of answers to mathematical problems	Ipanaque	265
listofitems	Grab items in lists using user-specified sep char	Tellechea, Segletes	479
listofsymbols	Create and manipulate lists of symbols	Spreng	456
literate	A literate programming system, not tied to any language	Schrod	436
literaturnaya	The Literaturnaya family of fonts	ParaGraph International, Volovich, Malyarenko	384
lithuanian	Lithuanian language support	Tolušis	495
liturg	Support for typesetting Catholic liturgical texts	Goodman	231
ljmetrics	Metrics for Laserjet built-in fonts	Walsh	529
lkort	A short introduction to LaTeX, in Dutch	van Oostrum	378
LKproof	LK Proof figure macros	Tatsuta	477
l1list	List ASCII text files in landscape	Knuth	293
llncs	Document class and bibliography style for Lecture Notes in Computer Science (LNCS)	Richter	408
llncs209	Macros for Springer books	Unknown	505
llncsconf	LaTeX package extending Springer’s llncs class	Brucker	163
lm-math	OpenType maths fonts for Latin Modern	Jackowski, Pianowski, Strzelczyk	267
lm	Latin modern fonts in outline formats	Jackowski, Nowacki	267
lmacs	A simple package for including support files	Story	463
lmake	Process lists to do repetitive actions	Pan	383
lms	LaTeX 2.09 style for LMS journals	Garling, Mulvey, Woollatt	224
ln03dvi	DVI to LN03 driver	Thomas	492
lni	Official class for the “Lecture Notes in Informatics”	Sievers	448
lobster2	Lobster Two fonts, with support for all LaTeX engines	Tennent	481
locality	Various macros for keeping things local	Gross	239

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
localloc	Macros for localizing T <sub>E</sub> X register allocations	Raichle	402
logbox	e-TeX showbox facilities for exploration purposes	Chervet	178
logfilter	Choose what you want to see of a (La)TeX log	Graversen	235
loggates	A small font for logic gates, and L <sup>A</sup> T <sub>E</sub> X support	Verwer	514
logic	A font for electronic logic design	Simpson	449
logical-markup-...	Packages for language-dependent inline quotes and dashes	Masłowski	337
logicproof	Box proofs for propositional and predicate logic	Davidson	189
logicpuzzle	Typeset (grid-based) logic puzzles	Kleber	286
logix	Supplement to the Unicode math symbols	Finney	213
logoetalab	Insert Licence Etalab 2.0 logo	Pierquet	390
logpap	Generate logarithmic graph paper with L <sup>A</sup> T <sub>E</sub> X	Kaufmann	278
logreq	Support for automation of the L <sup>A</sup> T <sub>E</sub> X workflow	Lehman	313
logsys	Draw logarithmic coordinate systems	Hansen	245
lollipop	TeX made easy	Eijkhout, Khalighi, bidi-tex GitHub Organisation	203
longdiv	Long division arithmetic problems	Arseneau	134
longdivision	Typesets long division	Chatham	176
longfbox	Draw framed boxes with standard CSS attributes that can break over multiple pages	Leijen	314
longfigure	Provides a figure-like environment that break over pages	Arnold	133
longnamefilelist	Tidy \listfiles with long file names	Lück	327
longtable	Allow tables to flow over page boundaries	Carlisle, Kastrup, L <sup>A</sup> T <sub>E</sub> X Team	172
longtocline	Macros to produce a table of contents	Unknown	505
lookbibtex	Tools for examining BibTeX files	Heidemann	250
loops	General looping macros for use with L <sup>A</sup> T <sub>E</sub> X	Musa	358
losymbol	Defines a mechanism for producing a list of symbols	van Dooren	195
lout	An alternative typesetting system	Kingston	285
loval	Round-cornered framed boxes	Schalück	427
lparse	A Lua module for parsing key-value options	Friedrich	220
lpform	Typesetting linear programming formulations and sets of equations	Waltman	529
lpic	Put L <sup>A</sup> T <sub>E</sub> X material over included graphics	Matveev	339
lplfitch	Fitch-style natural deduction proofs	Zach	548
lps	Class for "Logic and Philosophy of Science"	Cevolani	174
lpw	A literate programming environment for Macs	Lindenberg	318
lroundrect	L <sup>A</sup> T <sub>E</sub> X macros for utilizing the roundrect MetaPost routines	Goodman	231
lsabon	Support files for the Linotype Sabon fonts	Veytsman	516
lsc	Typesetting Live Sequence Charts	Westphal	533
lscope	Place selected parts of a document in landscape	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172
lshort-bulgarian	Bulgarian translation of the "Short Introduction to L <sup>A</sup> T <sub>E</sub> X2e"	Karakoleva	276
lshort-czech	Czech translation of the "Short Introduction to L <sup>A</sup> T <sub>E</sub> X2e"	Madr, Stríž, Oetiker	332
lshort-dutch	Introduction to L <sup>A</sup> T <sub>E</sub> X in Dutch	Becuwe, Windels, Oetiker	146
lshort-english	A (Not So) Short Introduction to L <sup>A</sup> T <sub>E</sub> X2e	Oetiker	375
lshort-estonian	Estonian introduction to L <sup>A</sup> T <sub>E</sub> X	Palm	383
lshort-finnish	Finnish introduction to L <sup>A</sup> T <sub>E</sub> X	Hellgren	251
lshort-french	Short introduction to L <sup>A</sup> T <sub>E</sub> X, French translation	Colin, Pégourié-Gonnard, Oetiker	183
lshort-german	German version of A Short Introduction to L <sup>A</sup> T <sub>E</sub> X2e: L <sup>A</sup> T <sub>E</sub> X2e-Kurzbeschreibung	Schmidt, Gundlach, Daniel	431
lshort-italian	Introduction to L <sup>A</sup> T <sub>E</sub> X in Italian	GuIT (Gruppo Utilizzatori Italiani di TeX), Beccari, Bilotta	240
lshort-japanese	Japanese version of A Short Introduction to L <sup>A</sup> T <sub>E</sub> X2e	Masataka	337
lshort-korean	Korean introduction to L <sup>A</sup> T <sub>E</sub> X	Kim, Cho	284
lshort-mongol	Short introduction to L <sup>A</sup> T <sub>E</sub> X, in Mongolian	Batumongke	142

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
lshort-mongolian	Short introduction to L <sup>A</sup> T <sub>E</sub> X 2.09, Mongolian translation	Dorj, Corff	195
lshort-persian	Persian (Farsi) introduction to L <sup>A</sup> T <sub>E</sub> X	Omidali, Oetiker	378
lshort-polish	Introduction to L <sup>A</sup> T <sub>E</sub> X in Polish	Goldasz, Kubiak, Przechlewski, Serwin	230
lshort-portugue...	Introduction to L <sup>A</sup> T <sub>E</sub> X in Portuguese (Brazil)	Polli	395
lshort-portuguese	Introduction to L <sup>A</sup> T <sub>E</sub> X in Portuguese	Simões	449
lshort-russian	Russian introduction to L <sup>A</sup> T <sub>E</sub> X	Tobotras	494
lshort-slovak	Slovak introduction to L <sup>A</sup> T <sub>E</sub> X	Busa, Oetiker	167
lshort-slovenian	Slovenian translation of lshort	Plestenjak	394
lshort-spanish	Short introduction to L <sup>A</sup> T <sub>E</sub> X, Spanish translation	Carleos Artime, Rivera, Vela	136
lshort-thai	Introduction to L <sup>A</sup> T <sub>E</sub> X in Thai	Visavakul, Oetiker	519
lshort-turkish	Turkish introduction to L <sup>A</sup> T <sub>E</sub> X	Karaoglu, Oetiker	276
lshort-ukr	Ukrainian version of the L <sup>A</sup> T <sub>E</sub> X introduction	Polyakov	395
lshort-vietnamese	Vietnamese version of the L <sup>A</sup> T <sub>E</sub> X introduction	Nguyen	362
lshort-zh-cn	Introduction to L <sup>A</sup> T <sub>E</sub> X, in Chinese	Xing, Stuart, Zeng	543
lshort	A short introduction to L <sup>A</sup> T <sub>E</sub> X 2e	Oetiker	375
lstaddons	Add-on packages for listings: autogobble and line background	Scharrer	428
lstbayes	Listings language driver for Bayesian modeling languages	Arnold	133
lstfiracode	Use Fira Code font for listings	Zhang	551
lt3graph	Provide a graph datastructure for experimental L <sup>A</sup> T <sub>E</sub> X3	Helvensteijn	252
lt3luabridge	Execute Lua code in any T <sub>E</sub> X engine that exposes the shell	Novotný	367
lt3rawobjects	Objects and proxies in L <sup>A</sup> T <sub>E</sub> X3	De Donato	195
ltablex	Table package extensions	Goel	230
ltabptch	Bug fix for longtable	Lück	327
lbt2bib	Converts amsrefs' .ltb bibliographical databases to BibT <sub>E</sub> X format	Bartholdi	141
lcaption	Fix some caption problems in longtables	Sommerfeldt	453
ltnews	The latest L <sup>A</sup> T <sub>E</sub> X news	Mittelbach, Rowley, L <sup>A</sup> T <sub>E</sub> X Team	349
ltoh	A converter from L <sup>A</sup> T <sub>E</sub> X to HTML	Quong	399
litt	Example code for "L <sup>A</sup> T <sub>E</sub> X Tipps und Tricks" book	Klöckl	289
ltx2mathml	Convert L <sup>A</sup> T <sub>E</sub> X math to MathML	Frane Jr	274
ltx2rtf	A conversion program from L <sup>A</sup> T <sub>E</sub> X to Rich Text Format	Dorner, Granzer, Taupin	195
ltx2x	Replace L <sup>A</sup> T <sub>E</sub> X commands in a document by user-defined strings	Wilson	537
ltx3pub	Early publications of the L <sup>A</sup> T <sub>E</sub> X project	Mittelbach, Rowley	349
ltx4yt	Play YouTube videos in the default browser	Story	463
ltxcmds	Some L <sup>A</sup> T <sub>E</sub> X kernel commands for general use	Oberdiek	372
ltxdiff	A Win32 program that compares tokens in two .tex files	Becker	146
ltxdoc	Class for documented L <sup>A</sup> T <sub>E</sub> X macro files	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	172
ltxdockit	Documentation support	Lehman	313
ltxfileinfo	Print version information for a L <sup>A</sup> T <sub>E</sub> X file	Dekker	190
ltxgrid	Control of the page grid	Ogawa	376
ltxguidex	An extended ltxguide class	Turner	499
ltximg	Extract L <sup>A</sup> T <sub>E</sub> X environments into separate image files	González Luengo	329
ltxindex	A L <sup>A</sup> T <sub>E</sub> X package to typeset indices with GNU's Texindex	Rivera	409
ltxinput	Find files input by a document	Green	236
ltxkeys	A robust key parser for L <sup>A</sup> T <sub>E</sub> X	Musa	358
ltxmisc	Miscellaneous L <sup>A</sup> T <sub>E</sub> X packages, etc	Unknown	505
ltxnew	A simple means of creating commands	Chervet	178
ltxtable	Longtable and tabularx merge	Carlisle	170
ltxtools	A collection of L <sup>A</sup> T <sub>E</sub> X API macros	Musa	358
ltxutil	L <sup>A</sup> T <sub>E</sub> X utility macros	Ogawa	376
lua-alt-getopt	Process application arguments the same way as getopt_long	Cheusov, Hosny	179
lua-check-hyphen	Mark hyphenations in a document, for checking	Gundlach	241
lua-physical	Functions and objects for the computation of physical quantities	Jenni	271
lua-tinyyaml	A tiny YAML (subset) parser for pure Lua	Lee	313



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
lua-typo	Highlighting typographical flaws with LuaLaTeX	Flipo	215
Lua-UCA	Unicode Collation Algorithm library for Lua	Hoftich	259
LuauL	Underlining for LuaLaTeX	Krüger	302
lua-uni-algos	Unicode algorithms for LuaTeX	Krüger	302
lua-visual-debug	Visual debugging with LuaLaTeX	Gundlach	241
lua-widow-control	Automatically remove widows and orphans from any document	Chernoff	177
lua2dtx	Auto-documentation of lua code	Dales	188
luaaddplot	An extension to pgfplots' \addplot macro	Kotucha	300
luabibentry	Repeat BibTeX entries in a LuaLaTeX document body	Kopp	299
luabidi	Bidi functions for LuaTeX	Khalighi, Rosendahl, bidi-tex GitHub Organisation	282
luacas	A computer algebra system for users of LuaLaTeX	All, Cochrane	131
luacensor	Securely redact sensitive information using Lua	Granet	234
luacode	Helper for executing lua code from within TeX	Pégourié-Gonnard	387
luacolor	Color support based on LuaTeX's node attributes	Oberdiek	372
luacomplex	Operations on complex numbers inside L <sup>A</sup> T <sub>E</sub> X documents using Lua	Chetan Shirore and Ajit Kumar	178
luafindfont	Search fonts in the LuaTeX font database	Voß	523
luagcd	Computation of gcd of integers inside L <sup>A</sup> T <sub>E</sub> X using Lua	Chetan Shirore and Ajit Kumar	178
luahttp	Compile-time internet-interactive PDF-documents using Lua and LuaTeX	Casaburi	173
luahyphenrules	Loading patterns in LuaL <sup>A</sup> T <sub>E</sub> X with language.dat	Bezoz López	321
luaimageembed	Embed images as base64-encoded strings	Sachs	424
luaindex	Create index using LuaLaTeX	Kohm	296
luainputenc	Replacing inputenc for use in LuaTeX	Roux, Pégourié-Gonnard	421
luaintro	Examples from the book "Einführung in LuaTeX und LuaLaTeX"	Voß	523
luakeys	A Lua module for parsing key-value options	Friedrich	221
lualatex-doc-de	Guide to LuaL <sup>A</sup> T <sub>E</sub> X (German translation)	Pégourié-Gonnard, Römer	388
lualatex-doc	A guide to use of L <sup>A</sup> T <sub>E</sub> X with LuaTeX	Pégourié-Gonnard	387
lualatex-math	Fixes for mathematics-related LuaL <sup>A</sup> T <sub>E</sub> X issues	Stephani	460
luaLaTeX-platform	Load platform-specific code into LuaTeX	Stephani	460
lualatex-truncate	A wrapper for using the truncate package with LuaLaTeX	Friedl	220
lualibs	Additional Lua functions for LuaTeX macro programmers	Roux, Gesang, L <sup>A</sup> T <sub>E</sub> X Team	421
lualinalg	A linear algebra package for LuaLaTeX	Chetan Shirore and Ajit Kumar	178
luamathalign	More flexible alignment in amsmath environments	Krüger	302
luamaths	Provide standard mathematical operations inside L <sup>A</sup> T <sub>E</sub> X documents using Lua	Chetan Shirore and Ajit Kumar	178
luamesh	Computes and draws 2D Delaunay triangulation	Chupin	180
luamodulartables	Generate modular addition and multiplication tables	Chetan Shirore and Ajit Kumar	178
luamplib	Use LuaTeX's built-in MetaPost interpreter	Hagen, Hoekwater, Roux, Pégourié-Gonnard, Gesang, Kim	242
luanumint	Numerical integration using Lua inside L <sup>A</sup> T <sub>E</sub> X documents	Chetan Shirore and Ajit Kumar	178
luaoptions	Option handling for LuaL <sup>A</sup> T <sub>E</sub> X packages	Peron	389
luaotfload	OpenType 'loader' for Plain TeX and L <sup>A</sup> T <sub>E</sub> X	Roux, Hosny, Pégourié-Gonnard, Robertson, Gesang, L <sup>A</sup> T <sub>E</sub> X Team, Fischer, Krüger	421
luapackageloader	Allow LuaTeX to load external Lua packages	Jois	272
luaplot	Plotting graphs using Lua	Chetan Shirore and Ajit Kumar	178

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
luaprohtable	Programmable table interface for LuaLaTeX	Xiang	543
luapstricks	A PSTricks backend for LuaLaTeX	Krüger	302
luaquotes	Smart setting of quotation marks	Granet	234
luarandom	Create lists of random numbers	Voß	523
luaset	Set Operations inside L <sup>A</sup> T <sub>E</sub> X documents using Lua	Chetan Shirore and Ajit Kumar	179
luaseq	Drawing spectral sequences in LuaLaTeX	Bauer	142
luatex-def	LuaTeX option file for color and graphics	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	173
luatex-pkg	Basic definitions for LuaTeX	Oberdiek	372
luatex	The LuaTeX engine	The LuaTeX Team	486
luatex85	pdfTeX aliases for LuaTeX	Carlisle, Wright, L <sup>A</sup> T <sub>E</sub> X Team	173
luatexbase	Basic resource management for LuaTeX code	Pégourié-Gonnard, Gesang, Roux, Carlisle, Wright	388
luatexja	Typeset Japanese with Lua(La)TeX	Kitagawa	285
luatexko	Typeset Korean with Lua(La)TeX	Kim, Nam	284
luatextra	Additional macros for Plain T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X in LuaTeX	Roux, Pégourié-Gonnard	421
luatodonotes	Add editing annotations in a LuaL <sup>A</sup> T <sub>E</sub> X document	Lipp	319
luatruthtable	Generate truth tables of boolean values in LuaLaTeX	Chetan Shirore and Ajit Kumar	179
luavlna	Prevent line breaks after single letter words, units, or academic titles	Hoftich	259
luaxml	Lua library for reading and serialising XML files	Hoftich	259
lucida-otf	Support for the Lucida Bright fonts (OpenType)	Voß	523
lucida	Metrics, etc., for Lucida Bright and Lucida Math	Schmidt, Harcombe	432
lucidabr	PSNFSS support for Lucida Type 1 fonts	TUG Lucida Support Group	498
lucold	Use old-style digits with Lucida fonts	Loreti	324
lug	Create and edit T <sub>E</sub> X Local User Group web pages	Dekker	190
lutabulartools	Some useful LuaLaTeX-based tabular tools	Ewasiuk	206
LuxiMono	Free monospace fonts	Schmidt, Harcombe, Bigelow, Holmes	432
lwarp	Converts L <sup>A</sup> T <sub>E</sub> X to HTML	Dunn	199
lwc-examples	Examples from The L <sup>A</sup> T <sub>E</sub> X Web Companion	Rahtz	401
LXfonts	Set of slide fonts based on CM	Beccari	145
lxmail	A letter-generator that produces L <sup>A</sup> T <sub>E</sub> X output	Fasada	210
ly1	Support for LY1 L <sup>A</sup> T <sub>E</sub> X encoding	Carlisle, Schmidt, Berry	172
lyluatex	Commands to include lilypond scores within a (Lua)L <sup>A</sup> T <sub>E</sub> X document	Peron, The Gregorio Project	389
lyx	Document processor based on L <sup>A</sup> T <sub>E</sub> X	Ettrich	206
<b>MMMMM</b>			
m-pictex	Enable PicTeX to run with L <sup>A</sup> T <sub>E</sub> X	Burnus	166
M-Tx	A preprocessor for pmx	Tennent, Laurie	483
m3D	Extension of plain MetaPost for 3D graphics	Phan	389
maad	Mathematical Approximations and Documentation	Watson, Jr	248
mab2bib	Converter tools: MAB to BibTeX and UTF-8 to L <sup>A</sup> T <sub>E</sub> X ASCII	Ramm	402
macbibtex	BibTeX for the Macintosh	Darley	189
macfont	Convert Apple type 1 fonts for use under Windows	Walsh	529
macrolist	List operations for L <sup>A</sup> T <sub>E</sub> X2e	Chen	176
macros2e	A list of internal L <sup>A</sup> T <sub>E</sub> X2e macros	Scharrer	428
macroswap	Swap the definitions of two L <sup>A</sup> T <sub>E</sub> X macros	Lee	312
mactex-basic	A basic T <sub>E</sub> X distribution for the Macintosh	TUG TWG-MacTeX	498
mactex	The T <sub>E</sub> X Live Mac distribution	TUG TWG-MacTeX	498
mactextras	Extras for the MacTeX distribution	TUG TWG-MacTeX	498
mactotex	Convert "Macintosh PostScript" for use with T <sub>E</sub> X	Fedor	210
mafr	Mathematics in accord with French usage	Obrecht	375
magaz	Magazine layout	Arseneau	134
magic	A font to go with the Magic(TM) game	Dörntge	195

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
maginnum	Access T <sub>E</sub> X systems’ “magic numbers”	Oberdiek	372
magicwatermark	An easy and flexible way to set watermarks	Guo	241
magra	The Magra font face with support for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Ebinger	201
mahjong	Typeset Mahjong Tiles using MPSZ Notation	Schmitz	433
mailing	Macros for mail merging	Braams	159
mailmerge	Repeating text field substitution	Frasson	219
make-env	Print USPS standard envelopes	Smith	451
make_latex	L <sup>A</sup> T <sub>E</sub> X Makefile	Beasley	143
make4ht	A build system for tex4ht	Hoftich	259
makebarcode	Print various kinds 2/5 and Code 39 bar codes	Wagner	528
makebase	Typeset counters in a different base	Flynn	217
makebox	Defines a \makebox* command	Harders	247
makecell	Tabular column heads and multilined cells	Lapko	309
MakeCirc	A MetaPost library for drawing electrical circuit diagrams	Bustamante Argañaraz	133
makecmds	The new \makecommand command always (re)defines a command	Robertson, Wilson	413
makecookbook	Make a Cookbook	Murphy, D’Amico	357
makedoc	Preprocessing documentation with T <sub>E</sub> X	Lück	327
makedtx	Perl script to help generate dtx and ins files	Talbot, Belaïche	475
makefonts	Shell scripts to generate bitmaps from Metafont sources	Kuhlmann	303
makeglos	Include a glossary into a document	Henlich	254
MakeGlossariesGUI	Java GUI alternative to makeglossaries script	Talbot	475
makeidx	Standard L <sup>A</sup> T <sub>E</sub> X package for creating indexes	L <sup>A</sup> T <sub>E</sub> X Team	489
makeindex	Process index output to produce typesettable code	Chen, Beebe	176
makeindexx	Makeindex development sources	Chen, T <sub>E</sub> XLive	176
makelabels	Add a ‘makelabels’ feature to KOMA-Script letter classes and package	Kohm	296
makeplot	Easy plots from Matlab in L <sup>A</sup> T <sub>E</sub> X	Vila-Forcén	519
makeprog	A literate system for T <sub>E</sub> X programming	Schrod	436
maker	Include Arduino or Processing code in L <sup>A</sup> T <sub>E</sub> X documents	Lagos Suárez	466
makerobust	Making a macro robust (legacy package)	Oberdiek	372
makerobust209	Make an existing L <sup>A</sup> T <sub>E</sub> X command robust	Carlisle	170
makeshape	Declare new PGF shapes	Robson	414
maketable	Convert Word or Excel tables to T <sub>E</sub> X tabular structures	Maier	334
Makor 2	Typeset pointed Hebrew using Omega	Hoenig	257
malayalam-latex	L <sup>A</sup> T <sub>E</sub> X for Malayalam	Alex	130
malayalam-obsolete	Fonts for typesetting Malayalam, with a pre-processor	Hellingman	251
malayalam-omega	Typesetting Malayalam using Omega	Alex	130
maltese	Support input in Maltese	Farrugia	210
malvern	A sans-serif font family	Cugley	186
mandel	Compute the Mandelbrot set	Unknown	505
mandi	Macros for introductory physics and astronomy	Heafner	249
manfnt	L <sup>A</sup> T <sub>E</sub> X support for the T <sub>E</sub> X book symbols	Kielhorn	283
manjutex	Manju language support	Corff	184
manpage	Man pages in L <sup>A</sup> T <sub>E</sub> X	Chen	176
manual	Knuth’s “manual” fonts	Knuth, Hoekwater	294
manual209	A document style for manuals	Nieland	364
Manuscript	Emulate look of a document typed on a typewriter	Cepl	174
manyfoot	Adds footnote levels to standard L <sup>A</sup> T <sub>E</sub> X’s footnote mechanism	Rozhenko	422
manyind	Provides support for many indexes	van der Kallen	276
mapcodes	Support for multiple character sets and encodings	Piotrowski	394
maple	Styles and examples for the MAPLE newsletter	Unknown	505
marathi	Typeset Marathi language using X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X or LuaLaTeX	Unknown	505
Marcellus	Marcellus fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	482
margbib	Display bibitem tags in the margins	Tinnefeld	493
marginal	Extensions to \marginpar handling	Tolušis	495
marginfit	Improved margin notes	Leclaire	311

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
marginfix	Patch <code>\marginpar</code> to avoid overfull margins	Hicks	256
marginnote	Notes in the margin, even where <code>\marginpar</code> fails	Kohm	296
marginnote	Make numbered notes in the margin	Greenwade	237
markdown	Converting and rendering markdown documents inside $\TeX$	Novotný	367
marnote	Place text in the margin of a document	McCauley	340
marvosym	Martin Vogel's Symbols (marvosym) font	Henlich, Vogel, Miklavec	254
matapli	Class for the french journal "MATAPLI"	Chupin	180
matc3	Commands for MatematicaC3 textbooks	Vrettos	527
matc3mem	Class for MatematicaC3 textbooks	Vrettos	527
match_parens	Find mismatches of parentheses, braces, (angle) brackets, in texts	Dekker	190
math-e	Examples from the book Typesetting Mathematics with $\LaTeX$	Voß	523
math-into-latex-4	Samples from Math into $\LaTeX$ , 4th Edition	Grätzer	235
mathabx-type1	Outline version of the mathabx fonts	Hotta	262
mathabx	Three series of mathematical symbols	Phan	389
mathalpha	General package for loading maths alphabets in $\LaTeX$	Sharpe	443
mathalphabets	Chinese introduction to mathematical alphabets	Chao	175
mathastext	Use the text font in maths mode	Burnol	166
mathbbol	Use the <code>bbold</code> fonts in mathematics	Knappen	290
mathcmd	Mathematics support commands	Bosisio	157
mathcommand	<code>\newcommand</code> -like commands for defining math macros	Colcombet	183
mathcomp	Text symbols in maths mode	Böß	157
mathdesign	Mathematical fonts to fit with particular text fonts	Pichaureau	390
mathdots	Commands to produce dots in math that respect font size	Luecking	328
mathematica	Support for fonts distributed with Mathematica	Kuska	305
mathesatz-examples	Examples from the book "Mathematiksatz mit $\LaTeX$ "	Voß	523
mathexam	Package for typesetting exams	Hlavacek	257
mathfam256	Extend math family up to 256 for pLaTeX/upLaTeX/Lamed	Yamashita	544
mathfixs	Fix various layout issues in math mode	Beisert	148
mathfont	Use TrueType and OpenType fonts in math mode	Kosowsky	299
mathgfig	Support for Microsoft Georgia and ITC Franklin Gothic	Veytsman	516
mathinst	Merge font families to create mathematical font sets	Hoenig	257
mathkit	Generate maths fonts to match outline fonts	Hoenig	257
mathlig	Define maths "ligatures"	Bean	143
mathpartir	Typesetting sequences of math formulas, e.g. type inference rules	Remy	406
mathpazo	Fonts to typeset mathematics to match Palatino	Puga	398
mathpple	Use PostScript Palatino for typesetting maths	Schmidt	431
mathptm	Adobe Times Roman (or equivalent) for text and maths	Jeffrey, Rahtz, Vieth	270
mathptmx	Use Times as default text font, and provide maths support	Schmidt, Jeffrey, Rahtz, Vieth, $\LaTeX$ Team	432
mathpunctspace	Control the space after punctuation in math expressions	Kieda	282
mathrsfs	Support for using RSFS fonts in maths	Knappen	290
maths-symbols	Summary of mathematical symbols available in $\LaTeX$	Carlisle, Fairbairns	171
mathsci2bibtex	Convert Mathsci database information to BibTeX	Zakharevich	549
mathscinet	Retrieve references from MathSciNet in BibTeX format	Tweedale	499
mathsemantics	Semantic math commands in $\LaTeX$	Bergmann	150
MathSpad	A mathematics-capable word processor with $\LaTeX$ output	Verhoeven	514
mathspec	Specify arbitrary fonts for mathematics in XeTeX	Moschou	352
mathspic	A Perl filter program for use with PiCTeX	Syropoulos, Nickalls	470
mathstone	Use Adobe Stone Serif and Stone Sans for typesetting maths	Adrián	129
mathstyle	Manage mathematics typesetting style	Downes, Høgholm, Madsen, Robertson, Wright	196
mathtex	A CGI program to use $\LaTeX$ to put mathematics on the web	Forkosh	217
mathtime-ltx	$\LaTeX$ macros for using MathTime and MathTime Plus	Mittelbach, Carlisle	349
mathtime-metrics	MathTime AFM files	Unknown	505
mathtime-pln	Plain $\TeX$ macros for using MathTime and MathTime Plus	Lewenberg	316

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
mathtools	Mathematical tools to use with amsmath	Høgholm, Madsen, L <sup>A</sup> T <sub>E</sub> X Team, Robertson, Wright	260
MathTrip	A trip to the wonderful world of mathematics	Aubord	137
MathType	Evaluation version of a commercial equation editor	Virga, Mathews	519
matlab-prettyfier	Pretty-print Matlab source code	Cretel	186
matlabweb	Literate programming system for Matlab	Potse	396
matrix-skeleton	A PGF/TikZ library that simplifies working with multiple matrix nodes	Dudebout	198
mattens	Matrices/tensor typesetting	Els	204
mattex	Import Matlab values to L <sup>A</sup> T <sub>E</sub> X documents	Van Snick	452
maybeload	Prevent reloading of files	Unknown	505
maybemath	Make math bold or italic according to context	Buckley	163
maze	Generate random mazes	Du	198
mbboard	Comprehensive blackboard bold fonts	Phan	389
mbenotes	Notes in tables or images	Borck-Elsner	156
mboxfill	Fill free space with a pattern	Rozhenko	422
mcaption	Put captions in the margin	Hennig	254
mceinleger	Creating covers for music cassettes	Benischke	149
mcexam	Create randomized Multiple Choice questions	Vannieuwenhuyze	511
mcf2graph	Draw chemical structure diagrams with MetaPost	Yamaji	544
mcite	Multiple items in a single citation	Ohl	376
mciteplus	Enhanced multiple citations	Shell	445
mcmthesis	Template designed for MCM/ICM	Huang, Unknown, Wang	263
mctex	Convert VAXIMA output to (La)TeX code	Leangsuksun	311
mdframed	Framed environments that can split at page boundaries	Daniel, Schubert	189
mdputu	Upright digits in Adobe Utopia Italic	Veytsman	516
mdsymbol	Symbol fonts to match Adobe Myriad Pro	Schubert	437
mdvi	A DVI previewer	Atria	137
mdwfonts	A model for font manipulation	Wooding	540
mdwlist	Miscellaneous list-related commands	Wooding	540
mdwmath	Some maths extensions	Wooding	540
mdwtab	A reimplementation of tabular and array environments	Wooding	540
mdwtools	Miscellaneous tools by Mark Wooding	Wooding	540
mecaso	Formulas frequently used in rigid body mechanics	Derrazi	192
media4svg	Multimedia inclusion for the dvisvgm backend	Grahn	234
media9	Multimedia inclusion package with Adobe Reader-9/X compatibility	Grahn	234
medstarbeamer	Beamer document class for MedStar Health Research Institute	Kumar	305
meetingmins	Format written minutes of meetings	Beitzel	148
megatape	Make cassette tape labels	Nickel	362
mem	A multilingual system for Lamed	Bezos López	321
membranecomputing	Membrane Computing notation	Orellana Martín	337
memdesign	Notes on book design	Wilson, Madsen	538
memexsupp	Experimental memoir support	Madsen	333
memhfixc	Adjustment for using hyperref in memoir documents	Wilson, Madsen	538
memo-pln	Plain T <sub>E</sub> X macros for memoranda	Unknown	505
memo2	A memo document style	McPherson	342
memo209	A memo document style	Roth	419
memoir	Typeset fiction, non-fiction and mathematical books	Wilson, Madsen	538
MemoirChapterSt...	Chapter styles in memoir class	Madsen	333
memory	Containers for data in L <sup>A</sup> T <sub>E</sub> X	Zhiwei	552
memorygraphs	TikZ styles to typeset graphs of program memory	Staps	458
mendex-doc	Documentation for Mendex index processor	Japanese T <sub>E</sub> X Team	269
mensa-tex	Typeset simple school cafeteria menus	Friedl	220
mentis	A basis for books to be published by Mentis publishers	Verweyen	515
menu	Typesetting menus	Lickert	317



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
menucard	Typesetting menu cards with L <sup>A</sup> T <sub>E</sub> X	Frank	219
menukeys	Format menu sequences, paths and keystrokes from lists	Weh, Spratte	531
MEP article	Class for Mechanical Engineering Publications	Balemi	139
meper	MetaPost editor and previewer	Pan	383
mercatormap	Spherical Mercator coordinate systems and Web Mercator tile integration	Sturm	466
merge	Perform mail merges in L <sup>A</sup> T <sub>E</sub> X	McKinstry	342
merriweather	Merriweather and MerriweatherSans fonts, with L <sup>A</sup> T <sub>E</sub> X support	Tennent	482
messagebubbles	Display message bubbles as a conversation	Harrer	248
messagepassing	Draw diagrams to represent communication protocols	Vassor	512
meta-mode	Emacs mode for Metafont/post	Vieth	518
metafont-beginners	An introductory tutorial for Metafont	Tobin	494
Metafont	A system for specifying fonts	Knuth	293
metafp	Some Experiences in Running Metafont and MetaPost	Wilson	537
metago	MetaPost output of Go positions	Zheng	552
metainfo	Typeset document outline with metainfo	Sauer	426
metalogo	Extended T <sub>E</sub> X logo macros	Moschou	352
metalogox	Adjust T <sub>E</sub> X logos, with font detection	Dunn	199
metanorma	Write Metanorma standardization documents using LaTe	Brasolin	159
metaobj	MetaPost package providing high-level objects	Roegel	415
MetaPlot	Plot-manipulation macros for use in MetaPost	Moses	353
metapost-colorb...	An implementation of the colorbrewer2.org colours for MetaPost	Thurston	493
MetaPost examples	Example drawings using MetaPost	Zoonekynd	554
metapost-matlab	MetaPost data plotting in Matlab style	Yang	545
metapost	A development of Metafont for creating graphics	The MetaPost Team, Hobby	486
metastr	Store and compose strings	Beisert	148
METATeX	Incorporate Metafont pictures in T <sub>E</sub> X source	Casares	173
metatype1	Generate Type 1 fonts from MetaPost	JNS team	272
metauml	MetaPost library for typesetting UML diagrams	Gheorghies	226
method	Typeset method and variable declarations	Leineweber, Drucbert	314
metre	Support for the work of classicists	Boggio-Togna	154
metrix	Typeset metric marks for Latin text	Weh	531
metsymb	The package provides dedicated T <sub>E</sub> X commands to generate (vectorial) meteorological symbols	Vogt	520
mewltx	MicroEmacs for Windows L <sup>A</sup> T <sub>E</sub> X interface	Reid	406
mex	Polish formats for T <sub>E</sub> X	Jackowski, Ryćko	268
mf-ps	Metafont-PostScript conversions	Jackowski	267
mf2ps	Modification of Metafont to produce PostScript output	Yanai, Berry	545
mf2pt1	Convert stylized Metafont to PostScript Type 1	Pakin	382
mf2pt3	Create Adobe Type 3 fonts	Syropoulos	469
mf2tex	Add labels into drawings created with Metafont	Spalek	454
mfbook	The source of The Metafontbook	Knuth	293
mff-util	Metafont management	Cugley	186
mff	Multiple font formats	Berdnikov, Turtia	150
mfirstuc	Uppercase the first letter of a word	Talbot	475
mflogo-font	Metafont logo font	Knuth, Hoekwater	294
mflogo	L <sup>A</sup> T <sub>E</sub> X support for Metafont logo fonts	Vieth	518
mflogo209	Typeset the Metafont logo under L <sup>A</sup> T <sub>E</sub> X 2.09	Hosek	261
mfnfss	Packages to typeset oldgerman and pandora fonts in L <sup>A</sup> T <sub>E</sub> X	Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	350
mfpic	Draw Metafont/post pictures from (La)TeX commands	Luecking, Tobin	329
mfpic4ode	Macros to draw direction fields and solutions of ODEs	Mařík	336
mftinc	Pretty-print Metafont source	Pakin	382
mftrace	Convert Metafont fonts to Adobe Type 1	Nienhuys	364
mfware	Supporting tools for use with Metafont	Knuth, Rokicki, Fuchs	294
MFWL	Making friends with L <sup>A</sup> T <sub>E</sub> X	Kumar	305

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
mg1TeX	High-quality graphics from MGL scripts embedded in L <sup>A</sup> T <sub>E</sub> X documents	Sejas Viscarra, Balakin	519
mh	Stub for the (old) ‘mh’ bundle	Høgholm, Madsen, Robertson, Wright	260
mhack	Macros for marginal notes, in Plain T <sub>E</sub> X	Walsh	529
mhchem	Typeset chemical formulae/equations and H and P statements	Hensel	254
mhequ	Multicolumn equations, tags, labels, sub-numbering	Hairer	243
mhs	Historical mathematics	Brix	161
mhsetup	The mathtools “setup” function	Madsen, L <sup>A</sup> T <sub>E</sub> X Team, Robertson, Wright, Høgholm	333
mi-solns	Extract solutions from exercises and quizzes	Story	463
miam	The Miama Nueva handwriting font with L <sup>A</sup> T <sub>E</sub> X support	Romer	417
MicroIMP	A T <sub>E</sub> X-based word processor	MicroPress	345
microtype-de	Translation into German of the documentation of microtype	Schröder, Schwerdtfeger	436
microtype	Subliminal refinements towards typographical perfection	Schlicht	430
Mid2TeX/Free	Convert MIDI to MusicTeX input	Köhler	295
midfloat	Mixing onecolumn and twocolumn modes at any place of page	Tolušis	495
Midi2TeX/Free	Convert MIDI to MusicTeX input	Kuykens, Verbruggen	306
midnight	A set of useful macro tools	van der Goot	232
midpage	Environment for vertical centring	Robertson, Wilson	413
mif2xfig	Conversion between Frame Maker and Xfig	Lundqvist	330
miktex-portable	A version of MikTeX to carry around	Schenk	429
miktex	A free T <sub>E</sub> X distribution for MS-Windows	Schenk	429
miktex_update	A cygwin bash script for automatic updating and installing new packages of MikTeX	Kleber	286
mil	Samples from Math into L <sup>A</sup> T <sub>E</sub> X	Grätzer	235
mil3	Samples from Math into L <sup>A</sup> T <sub>E</sub> X, third edition	Grätzer	235
miller	Typeset miller indices	Harders, Pedersen	248
milog	A L <sup>A</sup> T <sub>E</sub> X class for fulfilling the documentation duties according to the German minimum wage law MiLoG	Kleber	286
milstd	Generate documents according to MIL STD 490	McPherson	342
MilSymb	L <sup>A</sup> T <sub>E</sub> X package for TikZ based drawing of military symbols as per NATO APP-6(C)	Crosby	186
mimetex	Parse L <sup>A</sup> T <sub>E</sub> X math expressions and emit gif or xbitmaps	Forkosh	217
mindflow	Write your ideas in a clear way	XU	543
minibox	A simple type of box for L <sup>A</sup> T <sub>E</sub> X	Robertson	410
minidocument	Creates miniature documents inside other L <sup>A</sup> T <sub>E</sub> X documents	Leclaire	311
minifp	Fixed-point real computations to 8 decimals	Luecking	328
miniltx	An abstract of L <sup>A</sup> T <sub>E</sub> X facilities for use with Plain T <sub>E</sub> X	Carlisle, Berry	171
minim-hatching	Create tiling patterns with the minim-mp MetaPost processor	Renkema	407
minim-math	Extensive maths for LuaTeX	Renkema	407
minim-mp	Low-level mplib integration for LuaTeX	Renkema	407
minim-pdf	Low-level PDF integration for LuaTeX	Renkema	407
minim-xmp	Embed XMP metadata in PDF with LuaTeX	Renkema	407
minim	A modern plain format for the LuaTeX engine	Renkema	407
minimal	A trivial class, for use when testing	L <sup>A</sup> T <sub>E</sub> X Team	489
minimalist	Write your articles or books in a simple and clear way	XU	543
minion2newtx	Enable use of Minion Pro with newtx	Sharpe	443
minionpro	L <sup>A</sup> T <sub>E</sub> X support for Adobe MinionPro fonts	Blumensath	154
minipage-marginpar	Minipages with marginal notes	Ebermann	200
MiniPlot	A package for easy figure arrangement	Wahl	528
minitoc	Produce a table of contents for each chapter, part or section	Drucbert	197
minorrevision	Quote and refer to a manuscript for minor revisions	Guillaumin	240
minted	Highlighted source code for L <sup>A</sup> T <sub>E</sub> X	Poore, Rudolph	395

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
<code>mintspirit</code>	L <sup>A</sup> T <sub>E</sub> X support for MintSpirit font families	Tennent	482
<code>minutes</code>	Typeset the minutes of meetings	Lickert	317
<code>mirr</code>	PostScript mirror header (for dvips)	BOP	155
<code>mismath</code>	Miscellaneous mathematical macros	Missier	348
<code>missaali</code>	A late medieval OpenType textura font	Syrjänen	468
<code>mitpress</code>	Typeset documents for MIT Press	Unknown	505
<code>mitthesis</code>	A L <sup>A</sup> T <sub>E</sub> X template for MIT theses	Lienhard	318
<code>mk</code>	A T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X maker	Dekker	190
<code>mkbangtex</code>	A preprocessor for BangTeX	Ray	404
<code>mkbib</code>	BibTeX file creator	Banerjee	139
<code>mkjobtexmf</code>	Generate a texmf tree for a particular job	Oberdiek	372
<code>mkpattern</code>	A utility for making hyphenation patterns	Múgica de Rivera	409
<code>mkpic</code>	Perl interface to mfpic	Dekker	190
<code>mkpkfontdir</code>	Manipulate TDS directories for PK fonts	Arrouye	133
<code>mkstmp</code>	Provides a simple workflow for creating custom stamps	Story	463
<code>mla-paper</code>	Proper MLA formatting	Aycock, Wheelwright	138
<code>mla</code>	MLA BibTeX styles	Weissert, Shaw	532
<code>mlacsl</code>	L <sup>A</sup> T <sub>E</sub> X class for MLA papers	Price	397
<code>mlawriter</code>	Write MLA style documents in Plain T <sub>E</sub> X	Wang	529
<code>mlbib</code>	Support for multilingual bibliographies	Matiaske	338
<code>mleftright</code>	Variants of delimiters that act as maths open/close	Oberdiek	372
<code>mlist</code>	Logical markup for lists	Robertson	410
<code>MLMath</code>	Mathematical notation for Machine Learning	Ma	332
<code>MLModern</code>	A blacker Type 1 version of Computer Modern, with multilingual support	Miller	347
<code>mltex-ltx</code>	L <sup>A</sup> T <sub>E</sub> X support for MLTeX	Raichle	402
<code>mltex</code>	The MLTeX system	Raichle, Ferguson	402
<code>mluexercise</code>	Exercises/homework at the Martin Luther University Halle-Wittenberg	Fachschafsrat Mathematik/Informatik Uni Halle	207
<code>mm</code>	A jiffy Multiple Master tool	Goossens, Rahtz	232
<code>mma2ltx</code>	Use Mathematica graphics in a L <sup>A</sup> T <sub>E</sub> X document	Ghibo	226
<code>mmafm</code>	Font metrics for multiple-master font	Kohler	294
<code>mmap</code>	Include CMap resources in PDF files from pdfTeX	Moore	351
<code>mmpfb</code>	Create instance of multiple-master font	Kohler	295
<code>mmtools</code>	Multiple master fonts tools	Kohler	295
<code>mnhyphn</code>	Hyphenation patterns for Mongolian	Batumongke	142
<code>mnotes</code>	Margin annotation for collaborative writing	Luz	331
<code>mnras-plain</code>	Plain T <sub>E</sub> X macros for MNRAS	Woollatt	540
<code>mnras</code>	Monthly Notices of the Royal Astronomical Society	Royal Astronomical Society, Thompson, Clube	421
<code>MnSymbol</code>	Mathematical symbol font for Adobe MinionPro	Blumensath	154
<code>mnttex</code>	Tools for the "The Secret History of the Mongols"	Corff	184
<code>modeles-facture...</code>	Generate invoices for Belgian non-profit organizations	Sebille, Cassart	440
<code>moderncv</code>	A modern curriculum vitae class	Danaux, Lachnit	189
<code>modernposter</code>	A modern L <sup>A</sup> T <sub>E</sub> X poster theme	Derler	192
<code>moderntimeline</code>	Timelines for use with moderncv	Pinson	393
<code>modes</code>	A collection of Metafont mode_def's	Berry	150
<code>modguide</code>	The rules about modifying L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team	489
<code>modiagram</code>	Drawing molecular orbital diagrams	Niederberger	363
<code>modref</code>	Customisation of cross-references in L <sup>A</sup> T <sub>E</sub> X	de Beaudrap	143
<code>modroman</code>	Write numbers in lower case roman numerals	Henel	253
<code>modular</code>	Relative section headings for modular documents	Sank	425
<code>modulus</code>	A non-destructive modulus and integer quotient operator for T <sub>E</sub> X	Goodman	231
<code>mol2chemfig</code>	Convert chemical structures from MDL molfile format to chemfig source code	Palmer	383

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
mongolian-babel	A language definition file for Mongolian in Babel	Batumongke	142
monofill	Alignment of plain text	Lück	327
monster	Obsolete name for Frankenstein	Swift	467
montex	Mongolian L <sup>A</sup> T <sub>E</sub> X	Corff	184
montserrat	Montserrat sans serif, otf and pfb, with L <sup>A</sup> T <sub>E</sub> X support files	Sharpe	443
moodle	Generating Moodle quizzes via L <sup>A</sup> T <sub>E</sub> X	Hendrickson, Guerin-Kern	253
moonphase	Font for representing the phases of the moon	Brabec	159
moredefs	L <sup>A</sup> T <sub>E</sub> X defining, expansion, and debugging commands	Swift	467
moreenum	More enumeration options	Bradley	159
morefloats	Increase the number of simultaneous L <sup>A</sup> T <sub>E</sub> X floats	Hosek, Münch	261
morehelp	Improve L <sup>A</sup> T <sub>E</sub> X error messages	Kummer	305
morehype	Hypertext tools for use with L <sup>A</sup> T <sub>E</sub> X	Lück	327
moresize	Allows font sizes up to 35.83pt	Cornelissen	185
moreverb	Extended verbatim	Fairbairns, Duggan, Schöpf, Eijkhout, Carlisle	208
morewrites	Always room for a new write stream	Le Floch	216
morisawa	Enables selection of 5 standard Japanese fonts for pL <sup>A</sup> T <sub>E</sub> X + dvips	Japanese T <sub>E</sub> X Team	269
morse	Support for printing Morse code signs	Heyl	255
movement-arrows	Drawing movement arrows on linguistic example sentences	Munn	356
movie15	Multimedia inclusion package	Grahn	234
threed	3D animations	Roegel	415
mparhack	Work around a L <sup>A</sup> T <sub>E</sub> X bug in marginpars	Ulrich, Fischer	500
mparrows	MetaPost module with different types of arrow heads	Jørgensen	273
mpattern	Patterns in MetaPost	Bolek	155
MPchess	Drawing chess boards and positions with MetaPost	Chupin	181
mpcolornames	Extend list of predefined colour names for MetaPost	Hennig	254
mpdinbrief	An enhanced version of dinbrief	Pilzecker	393
MPedit	MetaPost text editor for Win32	Vabishchevich	510
mpfonts	Computer Modern Type 3 fonts converted using MetaPost	Miller	347
mpgraphics	Process and display MetaPost figures inline	Khalighi, bidi-tex GitHub Organisation	281
mpman-ru	A Russian translation of the MetaPost manual	Hobby, Lidovski	257
mpostinl	Embed MetaPost figures within L <sup>A</sup> T <sub>E</sub> X documents	Beisert	148
MPStoEPS	A convertor from MetaPost output to Encapsulated PostScript	Henderson	252
mptrees	Probability trees with MetaPost	Péault	387
mrcheckbib	A BibT <sub>E</sub> X file verification tool	Cagnol	168
mrrecog	Recognise un-escaped command names in maths	Wentworth	532
ms	Various L <sup>A</sup> T <sub>E</sub> X packages by Martin Schröder	Schröder, Peischl	436
msc	Draw MSC diagrams	van Deursen, Bos, Mauw, Gil Pons	192
msg	A package for L <sup>A</sup> T <sub>E</sub> X localisation	Gaulle	224
mslapa	Michael Landy's APA citation style	Landy	309
msu-thesis	Class for Michigan State University Master's and PhD theses	Munn	356
msx2msa	Simulate msxm and msym fonts using msam and msbm	Unknown	505
msym	A partial implementation of the old msym10 font	Horn	260
mt11p	Use MathTime complete under L <sup>A</sup> T <sub>E</sub> X	Lím	318
mtbe	Macros for "Mathematical T <sub>E</sub> X by Example"	Borde	156
mtex	The pioneering music-in-TeX macros	Steinbach, Schofer	459
mtgreek	Use italic and upright greek letters with mathtime	Tinnefeld	493
mtp2lite	Subset of MathTime Pro 2 font set	Spivak	455
mucproc	Conference proceedings for the German MuC-conference	Peischl	388
mugstheiss	Thesis class complying with Marquette University Graduate School requirements	Gessler	225

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
muling	MA Thesis class for the Department of Linguistics, University of Mumbai	Unknown	505
multenum	Multi-column enumerated lists	Kletzing	289
multiaudience	Several versions of output from the same source	Veytsman	516
multibbl	Multiple bibliographies	Syropoulos	469
multibib	Multiple bibliographies within one document	Hansen	245
multibibliography	Multiple versions of a bibliography, with different sort orders	Cohen, Haralambous, Veytsman	182
multibox	Multiple boxes and frames for the picture environment	Hamilton Kelly	279
multicap	Format captions inside multicols	Vassilogiorgakis	512
multicol	Intermix single and multiple columns	Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	350
multicolpar	Put successive paragraphs in different columns	Orlandini, Hailperin	378
multicolrule	Decorative rules between columns	Hagen	242
multidef	Quickly define several similar macros	Markey	336
multido	A loop facility for Generic T <sub>E</sub> X	Van Zandt, Niepraschk, Voß	549
multienv	Multiple environments using a “key=value” syntax	Scharrer	428
multiexpand	Variations on the primitive command \expandafter	Le Floch	216
multifootnote	Multiple numbers for the same footnote	XU	543
multilang	A L <sup>A</sup> T <sub>E</sub> X package for maintaining multiple translations of a document	Grewe	238
multind	Multiple indexes in L <sup>A</sup> T <sub>E</sub> X documents	Long	320
multiobjective	Symbols for multiobjective optimisation etc	Martí	336
multiple-choice	L <sup>A</sup> T <sub>E</sub> X package for multiple-choice questions	Razavian	404
multirow	Create tabular cells spanning multiple rows	van Oostrum, Leichter	378
multitoc	Set table of contents in multiple columns	Schröder, Peischl	436
munich	An alternative authordate bibliography style	Brixner	161
musical	Typeset (musical) theatre scripts	Howell	262
musicography	Accessing symbols for music writing with pdfLaTeX	Cashner	173
musictex	Typesetting music with T <sub>E</sub> X	Taupin	477
musikui	Easy creation of “arithmetical restoration” puzzles	Kaneko	276
musixguit	Easy notation for guitar music, in MusiXTeX	Niederberger	364
musixtex-egler	Multi-pass music typesetting	Egler, Taupin	202
musixtex-fonts	Fonts used by MusiXTeX	Tennent, Uchiyama, Taupin	484
musixtex-t1fonts	Adobe Type 1 versions of MusiXTeX fonts	Uchiyama	499
MusiXTeX	Sophisticated music typesetting	Tennent, Simons, Coulon, Morimoto, Vogel, Taupin, Egler, Mitchell	483
musixtnt	A MusiXTeX extension library that enables transformations of the effect of notes commands	Tennent	482
musuos	Typeset papers for the department of music, Osnabrück	Weh	531
muthesis	Classes for University of Manchester Dept of Computer Science	Gough	233
mversion	Keeping track of document versions	Schmeing	430
mwcls	Polish-oriented document classes	Woliński	540
mwe	Packages and image files for MWEs	Scharrer	428
mweights	Support for multiple-weight font packages	Tennent	482
mwrite	Write information to files	Creutzig	186
mxd	Support for Mongolian “horizontal” (Xewtee Dorwoljin) script	Corff	184
mxedruli	A pair of fonts for different Georgian alphabets	Heinecke	250
mychemistry	Create reaction schemes with L <sup>A</sup> T <sub>E</sub> X and chemfig	Niederberger	364
mycv	A list-driven CV class, allowing TikZ decorations	Gheri	226
myfilist	Configuring the output of the \listfiles command	Lück	327
mylatex	Make a format containing a document’s preamble	Carlisle	170
mylatexformat	Build a format based on the preamble of a L <sup>A</sup> T <sub>E</sub> X file	Chervet	178
myletter	An old letter class	Kielhorn	283
mynsfc	XeL <sup>A</sup> T <sub>E</sub> X template for writing the main body of NSFC proposals	Qi	398



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
<b>NNNNN</b>			
na-border	Decorative borders for texts in Arabic and French	Mohamed, Laouidji	350
na-box	Arabic-aware version of pas-cours package	Mohamed	350
na-position	Tables of relative positions of curves and asymptotes or tangents in Arabic documents	Mohamed, Laouidji	350
nabatean	Font for Nabatean script	Wilson	537
nag	Detecting and warning about obsolete L <sup>A</sup> T <sub>E</sub> X commands	Schwarz	439
nahuatl	Render nahuatl glyphs	Alvarez Zavala	550
naive-ebnf	EBNF in plain text	Bugayenko	164
nameauth	Name authority mechanism for consistency in body text and index	Schaum	429
named	"Named" bibliography style	Patel-Schneider	386
namedef	TeX definitions with named parameters	Oleinik	376
namedtensor	Macros for named tensor notation	Chiang	179
nameref	Make reference to section names, etc	Oberdiek, Oberdiek Package Support Group, Rahtz	375
namespc	Rudimentary C++-like namespaces in L <sup>A</sup> T <sub>E</sub> X	Dreyer	197
namunsrt	An unsorted BibTeX style with labels provided in the database	Unknown	505
nanicolle	Typesetting herbarium specimen labels	Yang	545
nanumtype1	Type1 subfonts of Nanum Korean fonts	Kim	284
nar	BibTeX style for Nucleic Acid Research	Schneider	434
nassflow	Drawing Nassi-Shneiderman diagrams and flowcharts	Lindhout, van Geest, Braams	318
natbib	Flexible bibliography support	Daly, Ogawa	188
natded	Typeset natural deduction proofs	Ajalloeian	129
Nath	Natural mathematics notation	Marvan	337
natmove	Move punctuation following a citation	Wright, Arseneau	542
nature	Prepare papers for the journal Nature	Czoschke	187
navigator	PDF features across formats and engines	Isambert	266
navydocs	Support for Technical Reports by US Navy Organizations	Rochford	414
nb4latex	Convert NotaBene4 to L <sup>A</sup> T <sub>E</sub> X	Milanese	346
nbaseprt	Print numbers in non-decimal bases	Harders	247
nbaskerv	Metrics and L <sup>A</sup> T <sub>E</sub> X support for ITC New Baskerville Font From Adobe	Veytsman	516
nccbbb	"Poor man's" blackboard bold	Rozhenko	422
nccboxes	Elaborate box commands	Rozhenko	422
ncccomma	Use comma as decimal separator in mathematics	Rozhenko	422
ncccropbox	Crop-marked boxes	Rozhenko	422
ncccropmark	Draw cropmarks on the output page	Rozhenko	422
nccfancyhdr	Extensive control of page headers and footers	Rozhenko	422
nccfloats	Extensions of the L <sup>A</sup> T <sub>E</sub> X float mechanisms	Rozhenko	422
nccfoots	User-generated footnote marks	Rozhenko	422
NCC-LaTeX	An extended general-purpose class	Rozhenko	422
nccmath	Extended mathematics capabilities	Rozhenko	422
nccparskip	Modify skips between paragraphs	Rozhenko	422
nccpic	Extend the graphicx package for more formats	Rozhenko	423
nccrules	Compose dashed lines	Rozhenko	423
nccsect	A re-implementation of sections, captions and tocs	Rozhenko	423
nccstretch	Insert a stretch between each token of a string	Rozhenko	423
nccthm	Another theorem environment	Rozhenko	423
ncctools	A collection of general packages for L <sup>A</sup> T <sub>E</sub> X	Rozhenko	423
nChairX	Maths macros from chair X of Würzburg University	Dippell	194
nddiss	Notre Dame Dissertation format class	Vijay, Brower	519
nds-u-thesis-2022	North Dakota State University disquisition class 2022	Cannayen	169
nds-u-thesis	North Dakota State University disquisition class	Thorne, Feickert, Totushek	492
NEdit-LaTeX-Ext...	The L <sup>A</sup> T <sub>E</sub> X-Mode is a set of macros for the NEdit text editor	Fischer	214
needspace	Insert pagebreak if not enough space	Robertson, Wilson	413

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
NL hyphenation	Hyphenation patterns for Dutch	Tutelaers	499
nemocal	Calendar maker	Jeong	271
nestquot	Alternate quotes between double and single with nesting	Hars	248
neufont	New font installation	Lorenz	324
neuralnetwork	Graph-drawing for neural networks	Cowan	185
neuron	BibTeX style for the journal Neuron	Rizzuto	410
nevelok	L <sup>A</sup> T <sub>E</sub> X package for automatic definite articles for Hungarian	Bodo	154
newalg	Format algorithms like Cormen, Leiserson and Rivest	Farnbach, Furnanz	210
newapa	Another APA citation mechanism	Spencer, Ryu	454
newcastle-bst	A BibTeX style to format reference lists in the Harvard at Newcastle style	Briggs	161
newclude	Reimplemented \include system for L <sup>A</sup> T <sub>E</sub> X	Swift	467
newcommand	Generate new L <sup>A</sup> T <sub>E</sub> X command definitions	Pakin	382
NewComputerModern	Computer Modern fonts including matching non-latin alphabets	Tsolomitis	497
newenviron	Processing an environment's body	Musa	358
newfile	User level management of L <sup>A</sup> T <sub>E</sub> X input and output	Robertson, Wilson	413
newfloat	Define new floating environments	Sommerfeldt	453
newinsert	Reworking Plain T <sub>E</sub> X's insert macros	Neumann	362
newl <sub>fm</sub>	Write letters, facsimiles, and memos	Thompson	492
newpax	Experimental package to extract and reinsert PDF annotations	Fischer	214
newproof	Make commands to define proofs	Piff, Fairbairns, Carlisle	392
newpx	Alternative uses of the PX fonts, with improved metrics	Sharpe	443
newsletr	Macros for making newsletters with Plain T <sub>E</sub> X	Goatley	229
newspaper	Typeset newsletters to resemble newspapers	Allen, Griffith	131
newthm	Obsolete version of ntheorem	Schlechte	430
newtx	Alternative uses of the TX fonts, with improved metrics	Sharpe	443
newtxsf	Sans-math fonts for use with newtx	Sharpe	443
newtxtt	Enhancement of typewriter fonts from newtx	Sharpe	444
newunicodechar	Definitions of the meaning of Unicode characters	Gregorio	238
newvbtm	Define your own verbatim-like environment	Nakashima	359
newverbs	Define new versions of \verb, including short verb versions	Scharrer	428
nextpage	Generalisations of the page advance commands	Robertson, Wilson	413
nexus-otf	Supporting for the Nexus OpenType or True Type Fonts	Voß	523
nfssext-cfr	Extensions to the L <sup>A</sup> T <sub>E</sub> X NFSS	Rees, Lehman	405
nfssfont	Typesetting font tables using L <sup>A</sup> T <sub>E</sub> X's NFSS notation	Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	350
ngerman	Support for new German typography	Raichle	402
nicefilelist	Provide \listfiles alignment	Lück	327
nicefrac	Typeset in-line fractions in a "nice" way	Reichert	406
niceframe-type1	Type 1 versions of the fonts not recommended in niceframe	Niepraschk	365
niceframe	Support for fancy frames	Ohlhaut	376
nicematrix	Improve the typesetting of mathematical matrices with PGF	Pantigny	384
nicetext	Minimal markup for simple text (Wikipedia style) and documentation	Lück	327
niceverb	Minimising markup for documenting L <sup>A</sup> T <sub>E</sub> X packages	Lück	327
nidanfloat	Bottom placement option for double float in two column mode (nidan-kumi)	Japanese T <sub>E</sub> X Team	269
nih	A class for NIH grant applications	Donald	195
nihbiosketch	A class for NIH biosketches based on the 2015 updated format	Magwene	334
nimbus15	Support files for Nimbus 2015 Core fonts	Sharpe	444
nimsticks	Draws sticks for games of multi-pile Nim	Rowlett	421
ninecolors	Select colors with proper WCAG color contrast	Lyu	331
NJUrepo	Reports for Nanjing University	Zheng	552
njusthesis	Thesis template for the Nanjing University of Science and Technology	Zhenyu	552
njuthesis	L <sup>A</sup> T <sub>E</sub> X thesis template for Nanjing University	Zhao, Xiong	552
njuvisual	Display logos related to Nanjing University	Xiong	543
nkarta	A "new" version of the karta cartographic fonts	Luecking	329

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
nl-interval	Represent intervals on the number line	Neves	362
nlatexdb	Database reports using L <sup>A</sup> T <sub>E</sub> X and .Net (or Mono)	Höns	260
nlctdoc	Package documentation class	Talbot	475
nmbib	Multiple versions of a bibliography, with different sort orders	Veytsman	517
nndraw	Draw neural networks	Dias	193
nnext	Extension for the gb4e package	LaCara	307
nnfootnote	"No number" footnotes	Ellison	204
noconflict	Resolve macro name conflict between packages	Hossain	262
nodetree	Visualize node lists in a tree view	Friedrich	221
nofill	Preserve spaces and line breaks when setting text	Unknown	505
nohyph	Norwegian hyphenation	Kleveland, Selberg,	289
		Hufthammer	
nohyphbx	General hyphenation patterns for Norwegian	Kleveland, Selberg	289
noindentafter	Prevent paragraph indentation after environments or macros	Helvensteijn, Hanisch	252
noitcrul	Improved underlines in mathematics	Ebermann	200
nolbreaks	No line breaks in text	Arseneau	134
nomencl	Produce lists of symbols as in nomenclature	Veytsman, Radhakrishnan,	517
		Netherton, Schandl	
nomentbl	Nomenclature typeset in a longtable	Elmegaard	204
nonfloat	Non-floating table and figure captions	Rascher	403
nonumonpart	Prevent page numbers on part pages	Henel	253
nopageno	No page numbers in L <sup>A</sup> T <sub>E</sub> X documents	Carlisle	170
noprot	Avoid the need for protection	Sozuer	454
norbib	Norwegian bibliography styles	Langmyhr	309
normalcolor	Changing \normalcolor	Kohm	296
nostarch	L <sup>A</sup> T <sub>E</sub> X class for No Starch Press	Veytsman	517
notes	Mark sections of a document	Webb	531
notes2bib	Integrating notes into the bibliography	Wright	541
NotesPages	Filling documents with notes pages and notes areas	Kaufmann	278
NotesTeX	An all-in-one L <sup>A</sup> T <sub>E</sub> X notes package for students	Dhumuntarao	193
noTeX-bst	A BibTeX style that outputs HTML	Vigna	518
noto-emoji	Noto Emoji fonts	Zeng	551
noto	Support for Noto fonts	Tennent	482
notoccite	Prevent trouble from citations in table of contents, etc	Arseneau	134
notoCJKsc	This package provides Noto CJK fonts	Zhou	552
notocondensed	Support for the condensed variants of the Noto fonts	Tennent	482
notomath	Math support for Noto fonts	Sharpe	444
novel	Class for printing fiction, such as novels	Allgeyer	131
noweb	A simple extensible literate programming tool	Ramsey	403
nowidow	Avoid widows	Pinson	393
nox	Adaptable tables	Borck-Elsner, Schöpf	156
npp-for-context	ConTeXt plugin for Notepad++	Scarso, Hamid	426
nrc	Class for the NRC technical journals	Fairbairns, Thiele	208
ntabbing	Simple tabbing extension for automatic line numbering	Stupp	465
ntg-maps	The NTG's journal MAPS	Nederlandstalige TeX Ge- bruikersgroep	360
ntg	Dutch T <sub>E</sub> X Users Group information	Unknown	505
ntgclass	"European" versions of standard classes	Eijkhout, Braams	203
nth	Generate English ordinal numbers	Arseneau	134
ntheorem-vn	Vietnamese translation of documentation of ntheorem	Huynh	264
ntheorem	Enhanced theorem environment	May, Schedler	340
NTS-L	NTS mailing list digests	Unknown	506
NTS	New Typesetting System	The NTS Project	486
ntsfaq	Frequently answered questions about T <sub>E</sub> X extension	Knappen	290
nuc	Notation for nuclear isotopes	Davis	190

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
nucleardata	Provides data about atomic nuclides for documents	Nettles	360
numalg	BibTeX style for Kluwer's Numerical Algorithms	Mathar	337
numberedblock	Print a block of code, with unique index number	Segletes	440
numberpt	Counters spelled out in Portuguese	Frasson	219
numending	Generates morphological end of units	Kirillova	285
numERICA-plus	Iteration and recurrence relations: finding fixed points, zeros and extrema of functions	Parsloe	385
numERICA-tables	Create multi-column tables of mathematical functions	Parsloe	385
numERICA	Numerically evaluate mathematical expressions in L <sup>A</sup> T <sub>E</sub> X form	Parsloe	385
numericplots	Plot numeric data (including Matlab export) using PSTricks	König, Michel	298
numline	L <sup>A</sup> T <sub>E</sub> X macros for numbering lines	Jaegermann, Fortune	269
numname	Convert a number to its English expression	Swamidass	466
numNERU	Converts a number to the russian spelled out name	Vit	519
numprint	Print numbers with separators and exponent if necessary	Harders	247
numspell	Spelling cardinal and ordinal numbers	Tómacs	495
Nunito	The Nunito font face with support for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Ebinger	201
nwafuthesis	A thesis template package for Northwest A&F University, China	Geng	225
nwejm	Support for the journal "North-Western European Journal of Mathematics"	Bitouzé	152
<b>OOOOO</b>			
oands	Glyphs used when transliterating ancient scripts	Wilson	537
obas	Web based interface to a bibliographical database	van Heerden	249
oberdiek	A bundle of packages submitted by Heiko Oberdiek	Oberdiek	372
objectz	Macros for typesetting Object Z	Rahtz, Leadbetter	401
obnov	Obyknovennaya Novaya fonts	Solomykov	453
obsolete	A tree holding obsolete software	Unknown	506
oca	OCR A font	Wales	528
occam	Strip unnecessary macros from a file	Siebenmann	447
ocg-p	PDF OCG support in L <sup>A</sup> T <sub>E</sub> X	Werner	533
ocgtools	Manipulate OCG layers in PDF presentations	Mařík	336
ocgx	Use OCGs within a PDF document without JavaScript	Gaborit	222
ocgx2	Drop-in replacement for 'ocgx' and 'ocg-p'	Grahn	234
ochem	Typeset chemical formulae with L <sup>A</sup> T <sub>E</sub> X	Klöckl	289
ocherokee	L <sup>A</sup> T <sub>E</sub> X Support for the Cherokee language	Syropoulos	469
ocr-a	Fonts for OCR-A	Wales, Lillqvist	528
ocr-b-outline	OCR-B fonts in Type 1 and OpenType	Wagner	528
ocr-b	Fonts for OCR-B	Schwarz	438
ocr-latex	L <sup>A</sup> T <sub>E</sub> X support for ocr fonts	Jørgensen	273
octave	Typeset musical pitches with octave designations	Cashner	173
octavo	Typeset books following classical design and layout	Revets	407
odsfile	Read OpenDocument Spreadsheet documents as L <sup>A</sup> T <sub>E</sub> X tables	Hoftich	259
oesch	Font to provide the Österreichische Schulschrift	Bachmaier	138
ofntinst	Install Type 1 for use with Omega	Kryukov	303
ofs	Macros for managing large font collections	Olšák	377
ogham	Fonts for typesetting Ogham script	Stanier, Fairbairns, Carlisle	458
ogonek	Support for Polish typography and the ogonek	Bień	152
oinuit	L <sup>A</sup> T <sub>E</sub> X Support for the Inuktitut Language	Syropoulos	469
okuda	Fonts for Klingon	Kummer, Shoulson	305
old-arrows	Computer Modern old-style arrows with smaller arrowheads	Dossena	195
old-faq-en	An early FAQ in English	Bodenheimer	154
old-fontch	Changing fonts, sizes and encodings in Plain T <sub>E</sub> X (obsolete version)	Medina	343
oldlatin	Compute Modern-like font with long s	Terashita	484
oldprsn	Fonts old Persian cuneiform script	Wilson	537
oldstandard	OldStandard fonts with L <sup>A</sup> T <sub>E</sub> X support	Kryukov, Lečić, Alessi, Tennent	303

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
OldStandardT1	Type 1 versions of Old Standard fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	482
oldstyle	Old style numbers in OT1 encoding	Fairbairns, Carlisle	207
oletex	OLE - L <sup>A</sup> T <sub>E</sub> X interface	Trifonov	496
olsak-misc	Collection of plain T <sub>E</sub> X macros written by Petr Olšák	Olšák	377
omega	A wide-character-set extension of T <sub>E</sub> X	Haralambous, Plaice	246
12many	Generalising mathematical index sets	Schwarz	439
OneDown	Typeset Bridge Diagrams	Wiersma	534
onepagem	If the document has only one page, omit page number	Piff, Fairbairns, Carlisle	392
onlyamsmath	Inhibit use of non-amsmath mathematics markup when using ams-math	Harders	247
onrannual	Class for Office of Naval Research Ocean Battlespace Sensing annual report	Maxwell	339
oops	A framework for making definitions, typically mathematical, inline	Rogard	415
opacity-pro	Set transparency and blend mode	Story	463
opcit	Footnote-style bibliographical references	Garcia-De Castro	173
opencolor	Definitions from the Open Color library	Piazzai	390
opensans	The Open Sans font family, and L <sup>A</sup> T <sub>E</sub> X support	El Morabity	351
oPlotSymb1	Some symbols which are not easily available	Döhring	194
opteng	SPIE Optical Engineering and OE Letters manuscript template	Egan	201
OpTeX	LuaTeX format based on Plain T <sub>E</sub> X and OPmac	Olšák	377
OpTeXcount	Python script for counting words in OpTeX documents	Hartmann	249
optidef	Environments for writing optimization problems	Lago Garcia	223
optional	Facilitate optional printing of parts of a document	Arseneau	135
options	Provides convenient key-value options for L <sup>A</sup> T <sub>E</sub> X package writers	Leijen	314
optparams	Macros with multiple optional parameters	Sauer	426
orcidlink	Insert hyperlinked ORCID logo	Stein	459
Orderer	Order references in a T <sub>E</sub> X file	Siddikov	447
orderrefs	Sort bibliography in L <sup>A</sup> T <sub>E</sub> X document by order of citation	Collins	183
ordinalpt	Counters as ordinal numbers in Portuguese	Frasson	219
oriental	A version of T <sub>E</sub> X for which Oriental languages are native	Prosoft International	397
orientation	Set page orientation with dvips/Ghostscript (ps2pdf)	Miller	347
oriya	Typesetting the Oriya script using T <sub>E</sub> X	Hellingman, Pandey	251
orkhun	A font for orkhun script	Rakhimov	402
os2tex	A distribution of T <sub>E</sub> X for OS/2 Warp	Kleinböhl	288
osa	Macros for Optical Society of America Journals, etc	Optical Society of America	378
oscola	BibL <sup>A</sup> T <sub>E</sub> X style for the Oxford Standard for the Citation of Legal Authorities	Stanley	458
OSDA	Commands for Proceedings of the Workshop on Open-Source Design Automation	Krieg	301
osmanian	Osmanian font for writing Somali	Stanier	458
oststud	Templates for the student organization at OST FH, Switzerland	Pross	397
Oswald	The Oswald family of fonts with support for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Ebinger	201
ot-tableau	Optimality Theory tableaux in L <sup>A</sup> T <sub>E</sub> X	Baker	138
ot2cyr	Macros, metrics, etc., to use the OT2 Cyrillic encoding	Rahtz	401
OT2Woff	OpenType to Woff converter	Frane Jr	274
otfinst	Install OpenType fonts for use in T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X systems	Owens	380
otftofd	Generate control files for OpenType fonts	Washburn	530
othello	Modification of a Go package to create othello boards	le Comte	184
othelloboard	Typeset Othello (Reversi) diagrams of any size, with annotations	Hall	244
oubraces	Braces over and under a formula	Arseneau	135
oup-authoring-t...	A general template for journals published by Oxford University Press (OUP)	Jones	273
outerhbox	Collect horizontal material for contributing to a paragraph	Fine	213
OutilsGeomTikZ	Some geometric tools, with TikZ	Pierquet	391
outline	List environment for making outlines	Halvorson, Flaxman	244



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
outliner	Change section levels easily	Eijkhout	202
outlines	Produce "outline" lists	Pecheur	387
outlining	Create outlines for scientific documents	Block	153
oval	Round-cornered framed boxes	Schalück	427
ovalfbox	Boxes with frames whose corners are rounded	Unknown	506
overarrows	Custom extensible arrows over math expressions	Labbé	307
overcite	Compressed lists of superscript numerical citations	Arseneau	135
overlays	Incremental slides	Nolda	366
overlock	Overlock sans fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	482
overpic	Combine L <sup>A</sup> T <sub>E</sub> X commands over included graphics	Niepraschk	365
overrightarrow	Doubled "over" arrow	Kilfiger	283
overword	Parse text	Bennett	149
oxford	A BibTeX style geared for use in the humanities	Antman	132
oztex-fonts	Fonts packaged for use in OzTeX	López-Valencia, de Bogotá	324
OzTeX-german	German packaging of OzTeX	Meyer-Lerbs	344
oztex	TeX for the Macintosh	Trevorrow	496
<b>PPPPP</b>			
pacioli	Fonts designed by Fra Luca de Pacioli in 1497	Wilson	537
padauk	A high-quality TrueType font that supports the many diverse languages that use the Myanmar script	Tennent	482
padcount	Pad numbers with arbitrary characters	Goodman	231
pagecolor	Interrogate page color	Münch	354
pagecont	Page numbering that continues between documents	Frasson	219
pagedraw	Drawing program with EPS output	Karunakaran	277
pagefoots	Footnote numbering per page	Schellenberger, Hankerson	429
pageframe	Page frames, grids, etc., for L <sup>A</sup> T <sub>E</sub> X 2.09	Smith	451
pagegrid	Print page grid in background	Oberdiek	372
pagelayout	Layout graphic rich documents	Bartels	141
pagella-otf	Using the OpenType fonts T <sub>E</sub> X Gyre Pagella	Voß	523
pageno	Page number-only page styles	McDonnell	341
pagenote	Notes at end of document	Robertson, Wilson	413
pagerange	Flexible and configurable page range typesetting	Musa	358
pagereference	Labels and references in Plain T <sub>E</sub> X	Ungar	500
pagesel	Select pages of a document for output	Oberdiek	372
pageslts	Variants of last page labels	Münch	355
palatino-nfss	Select Adobe Palatino as default text font	Rahtz	401
palette	Create palettes for colors and symbols that can be swapped in	Chen	176
palladam	A Tamil font for Macintosh users	Govindaraj	233
pandora-latex	L <sup>A</sup> T <sub>E</sub> X support for the Pandora fonts	Jørgensen	274
pandora-type1	The Pandora font family	McPhee, Billawalla	342
pandora	The Pandora font family	Billawalla	152
pangram	A L <sup>A</sup> T <sub>E</sub> X package for testing fonts	Zhang	551
panneauxroute	Commands to display French road signs (vector graphics)	Pierquet	391
paper	Versions of article class, tuned for scholarly publications	Matiaske	338
papercdcase	Origami-style folding paper CD case	Dussa	199
papermas	Compute the mass of a printed version of a document	Münch	355
papertex	Class for newspapers, etc	Llopis	319
paracol	Multiple columns with texts "in parallel"	Nakashima	359
parades	Tabulators and space between paragraphs in galley approach	Parashchenko	384
paragraphs	Paragraph "tricks" macros	Unknown	506
paralist	Enumerate and itemize within paragraphs	Schandl	427
parallel	Typeset parallel texts	Eckermann	201
paratype	L <sup>A</sup> T <sub>E</sub> X support for free fonts by ParaType	Farar	209
parboxx	Two extra alignment options for \parbox	Knappen	290
parcolumns	Multiple column parallel typesetting	Sauer	426

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
parese	Define simple macros for greek letters	Henel	253
parisa	Parisa family of fonts	Khalighi, bidi-tex GitHub Organisation	281
parnotes	Notes after every paragraph (or elsewhere)	Hughes	263
parrun	Typesets (two) streams of text running parallel	Dominici	194
parsa	A Xe <sub>La</sub> TeX package for theses and dissertations at Iranian Universities	Rasuli	403
parselines	Apply a macro to each line of an environment	Chervet	178
parsianfonts	Some of the most used fonts among Persian language users	Kazemi	278
parsitex	A localized Persian and bidirectional extension of T <sub>E</sub> X	Khalighi, bidi-tex GitHub Organisation	281
parskip	Layout with zero \parindent, non-zero \parskip	Fairbairns, Partl, Mittelbach	208
pas-cours	Macros useful in preparing teaching material	Pasquet	385
pas-crosswords	Creating crossword grids, using TikZ	Pasquet	385
pas-cv	Flexible typesetting of Curricula Vitae	Pasquet	385
pas-tableur	Create a spreadsheet layout	Pasquet	386
pascaltriangle	Draw beautiful Pascal (Yanghui) triangles	Geng	225
passivetex	Support package for XML/SGML typesetting	Rahtz	401
patch	Patch loaded packages, etc.	Kastrup	278
patchcmd	Change the definition of an existing command	Downes	196
patgen	Generate hyphenation patterns	Liang, Breitenlohner, T <sub>E</sub> XLive, Rokicki	317
patgen2-tutorial	A tutorial on the use of Patgen 2	Haralambous	245
path	Typeset paths, making them breakable	Taylor	478
pauldoc	German L <sup>A</sup> T <sub>E</sub> X package documentation	Ebermann	200
pawpict	Using graphics from PAW	Holm Christensen	180
pax	Extract and reinsert PDF annotations with pdfTeX	Oberdiek, Roucariès	375
pb-diagram	A commutative diagram package using LAMSTeX or Xy-pic fonts	Burchard	165
pbalance	Balance last page in two-column mode	Lago	307
pbibtex-base	Bibliography styles and miscellaneous files for pBibTeX	Maeda, Japanese T <sub>E</sub> X Team	333
pbibtex-manual	Documentation files for (u)pBibTeX	Japanese T <sub>E</sub> X Team	270
pbm2tex	Translate PBM format to L <sup>A</sup> T <sub>E</sub> X	Barth	141
pbmtogf	Convert PBM images to GF font files	Wong	540
PBMtoPK	Conversion between PBM and PK formats	Duggan	198
pbox	A variable-width \parbox command	Law	311
pbsheet	Problem sheet class	Chafaï	174
pcarl	L <sup>A</sup> T <sub>E</sub> X Support for Adobe Caslon Open Face	Veytsman	517
pcfonts	Hebrew fonts for use on DOS PCs	Porrat	396
pcinfss	Font support for current PCL printers	Harcke	246
pdbf-toolkit	A Toolkit for Creating Janiform Data Documents	Bender	149
pdcmac	Damian Cugley's document tools	Cugley	187
pdf-forms-tutorial	Tutorial on creating PDF forms using pdfLaTeX	Krause	301
pdf-mps-supp	PDF MetaPost graphics support bundle	Hagen	242
pdf-trans	A set of macros for various transformations of T <sub>E</sub> X boxes	Jackowski	268
pdf14	Restore PDF 1.4 to a T <sub>E</sub> X live 2010 format	Pégourié-Gonnard	387
pdfarticle	Class for pdf publications	Paciorek	380
pdfbook	Rearrange pages of a PDF file for booklet printing	Eldering, Buchert, Aivazian	203
pdfbook2	Create booklets from PDF files	Neumann	361
pdfcol	Macros for maintaining colour stacks under pdfTeX	Oberdiek	372
pdfcolfoot	Separate color stack for footnotes with pdfTeX	Oberdiek	372
pdfcolmk	Improved colour support under pdfTeX (legacy stub)	Oberdiek	372
pdfcolparallel	Fix colour problems in package 'parallel'	Oberdiek	372
pdfcolparcolumns	Fix colour problems in package 'parcolumns'	Oberdiek	372
pdfcomment	A user-friendly interface to pdf annotations	Kleber	286
pdfcprot	Activating and setting of character protruding using pdfLaTeX	Schurig, Schlemmer, Hughes	437

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
pdfcrop	Crop PDF graphics	Oberdiek	373
pdfcrypt	Allows the setting of pdf encryption	Oberdiek	373
pdfescape	Implements pdfTeX's escape features using T <sub>E</sub> X or e-TeX	Oberdiek	373
pdfextra	Extra PDF features for (Op)TeX	Vlasák	519
pdfjam	Shell scripts interfacing to pdfpages	Firth, Thomas	214
pdflatexpickscale	Support software for downscaling graphics to be included by pdfLaTeX	Willadt	535
pdfscape	Make landscape pages display as landscape	Oberdiek	373
pdfmanagement-t...	L <sup>A</sup> T <sub>E</sub> X PDF management testphase bundle	L <sup>A</sup> T <sub>E</sub> X Team	489
pdfmarginpar	Generate marginpar-equivalent PDF annotations	Feuersänger	211
pdfmsym	PDF Math Symbols — various drawn mathematical symbols	Unknown	506
pdfoverlay	A L <sup>A</sup> T <sub>E</sub> X style for overlaying text on a PDF	Purton	398
pdfpagediff	Find difference between two PDF's	Radhakrishnan	399
pdfpages	Include PDF documents in L <sup>A</sup> T <sub>E</sub> X	Matthias	339
pdfpc-movie	Pdftp viewer-compatible hyperlinks to movies	Friedl	220
pdfpc	Define data for the pdfpc presentation viewer	Stambulchik	457
pdfprivacy	A L <sup>A</sup> T <sub>E</sub> X package to remove or suppress pdf meta-data	Sion	449
PDFrack	Use psfrag with pdfLaTeX	Boyer	158
pdfrender	Control rendering parameters	Oberdiek	373
pdfreview	Annotate PDF files with margin notes	Palmer	383
pdfscreen	Support screen-based document design	Radhakrishnan	399
pdfslide	Presentation slides using pdfTeX	Radhakrishnan	400
pdfsync	Provide links between source and PDF	Laurens	310
pdftex-def	Colour and Graphics support for pdfTeX	Carlisle, Rahtz, Hagen, Schröder, Oberdiek	172
pdftex-djgpp	An msdos-djgpp binary of the pdfTeX engine	Rivera	409
pdftex-oztex	pdfTeX designed to run with OzTeX	Kiffe	283
pdftex-quiet	A bash wrapper for pdfTeX limiting its output to relevant errors	Kozlovský	300
pdftex	A T <sub>E</sub> X extension for direct creation of PDF	Thành, The pdfTeX Team, T <sub>E</sub> XLive	484
pdftexcmds	LuaTeX support for pdfTeX utility functions	Oberdiek	373
pdftricks	Support for PSTricks in pdfTeX	Radhakrishnan, Rajagopal	400
pdftricks2	Use PSTricks in pdfTeX	Reibiger	405
pdfx	PDF/X and PDF/A support for pdfTeX, LuaTeX and XeTeX	Radhakrishnan, Thành, Selinger, Moore	400
pdfxup	Create n-up PDF pages with minimal margins	Markey	336
Pecha	Print Tibetan text in the classic pecha layout style	Jäger	269
pedigree-perl	Generate T <sub>E</sub> X pedigree files from CSV files	Veytsman, Akhmadeeva	517
penlight	Penlight Lua libraries made available to LuaL <sup>A</sup> T <sub>E</sub> X users	Ewasiuk	206
penlightplus	Additions to the Penlight Lua libraries	Ewasiuk	206
penrose	A TikZ library for producing Penrose tilings	Stacey	457
perception	BibTeX style for the journal Perception	Singer	449
perfectcut	Nested delimiters that consistently grow regardless of the contents	Munch-Maccagnoni	355
perltex	Define L <sup>A</sup> T <sub>E</sub> X macros in terms of Perl code	Pakin	382
permute	Support for symmetric groups	Heinz	250
perpage	Make a counter reset at every page boundary	Kastrup	278
persian-bib	Persian translations of classic BibTeX styles	Amintoosi	132
petiteannonce	A class for small advertisements	Belaïche	148
Petri-nets	A set T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X packages for drawing Petri nets	Pommereau	395
pf2afm	AFM generator for Adobe Type 1 fonts	BOP	155
pfarrei	L <sup>A</sup> T <sub>E</sub> X support of pastors' and priests' work	Kohm	296
pficons	Draw process flow diagrams in chemical engineering	Drews	197
pfm2afm	Convert PFM files to AFM, and vice versa	Lang	309
pfnote	Number footnotes per page	Nakashima	359
pgf-blur	PGF/TikZ package for "blurred" shadows	Preining, Giese, Stacey	397

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
pgf-cmykshadings	Support for CMYK and grayscale shadings in PGF/TikZ	Purton	398
pgf-interference	Drawing interference patterns with PGF/TikZ	Wehr	531
pgf-PeriodicTable	Create custom periodic tables of elements	Gomes	230
pgf-pie	Draw pie charts, using PGF	The PGF/TikZ Team, Yuan	486
pgf-soroban	Create images of the soroban using TikZ/PGF	Delmotte	191
pgf-spectra	Draw continuous or discrete spectra using PGF/TikZ	Gomes	230
pgf-umlcd	Some L <sup>A</sup> T <sub>E</sub> X macros for UML Class Diagrams	Yuan, The PGF/TikZ Team	548
pgf-umlsd	Draw UML Sequence Diagrams	The PGF/TikZ Team, Yuan	487
pgf	Create PostScript and PDF graphics in T <sub>E</sub> X	The PGF/TikZ Team, Tantau, Feuersänger, Menke	486
pgfgantt	Draw Gantt charts with TikZ	Skala	450
pgfkeys	Key value control for PGF	Tantau	477
pgfkeyx	Extended and more robust version of pgfkeys	Musa	358
pgfmath-xfp	Define pgfmath functions using xfp	Spratte	456
pgfmolbio	Draw graphs typically found in molecular biology texts	Skala	450
pgfmorepages	Assemble multiple logical pages onto a physical page	Stacey	457
pgfopts	L <sup>A</sup> T <sub>E</sub> X package options with pgfkeys	Wright	541
pgfornament-han	pgfornament library for Chinese traditional motifs and patterns	Lim	318
pgfornament	Drawing of Vectorian ornaments with PGF/TikZ	Matthes	338
pgfplots	Create normal/logarithmic plots in two and three dimensions	Feuersänger	211
pgfplotstable	Loads, rounds, formats and postprocesses numerical tables	Feuersänger	211
pgothic	Fonts based on the Gothic Textura Presciscus manuscript book-hand	Wilson	537
phaistos	Disk of Phaistos font	Syropoulos	469
phfcc	Convenient inline commenting in collaborative documents	Faist	208
phfextendedabst...	Typeset extended abstracts for conferences, such as often encountered in quantum information theory	Faist	208
phffullpagefigure	Figures which fill up a whole page	Faist	208
phfnote	Basic formatting for short documents	Faist	209
phfparen	Parenthetic math expressions made simpler and less redundant	Faist	209
phfquit	Macros for typesetting Quantum Information Theory	Faist	209
phquotetext	Quote verbatim text without white space formatting	Faist	209
phfsvnwatermark	Watermarks with version control information from SVN	Faist	209
phfthm	Goodies for theorems and proofs	Faist	209
philex	Cross references for named and numbered environments	Pagin	380
philokaliala	A font to typeset the Philokaliala Books	Syropoulos, Gamvetas	470
philosophersimp...	Typesetting articles for "Philosophers' Imprint"	Veytsman	517
phoenician	Fonts for the Phoenician script in use from about 1600 BC	Wilson	537
phoncard	Format telephone number lists	Greening	237
phonenumber	Typesetting telephone numbers with L <sup>A</sup> T <sub>E</sub> X	Wehr	532
phonetic	Metafont Phonetic fonts, based on Computer Modern	Pease	386
phonrule	Typeset linear phonological rules	Coretta	184
photo	A float environment for photographs	Kuhlmann	303
photobook	A document class for typesetting photo books	Naanou	359
phy-bstyles	A collection of BibTeX styles for physics journals	Karney, Bode	277
physconst	Macros for commonly used physical constants	Mulligan	354
physe	The PHYSE format	Breitenlohner	160
physics	Macros supporting the Mathematics of Physics	de la Barrera	140
physics2	Macros for typesetting maths faster and more simply	Zhang	551
physunits	Macros for commonly used physical units	Mulligan	354
physymb	Assorted macros for Physicists	Zaslavsky	550
physzzx	A T <sub>E</sub> X format for physicists	Kaplunovsky	276
pi	Calculate pi	Roegel	415
piano	Typeset a basic 2-octave piano diagram	Daneault	189
picinpar	Insert pictures into paragraphs	Sowa, Blochwitz	454
picins	Insert pictures into paragraphs	Bleser	153

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
picmac	A picture mode in Plain T <sub>E</sub> X	Knuth	293
pict2e	New implementation of picture commands	Gäßlein, Niepraschk, Tkadlec	224
pictex-autoarea	Automatic computation of bounding boxes with PiCTeX	Lück	327
PicTeX	Picture drawing macros for T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Wichura	534
pictex2	Adds relative coordinates and improves the \plot command	Park	384
PicTeXsum	A summary of PicTeX commands	Duggan	198
pictexwd	A patched version of PicTeX using fewer registers	Schrell	435
picture	Dimens for picture macros	Oberdiek	373
piechart	Simple pie-charts with PSTricks	Girou	228
piechartmp	Draw pie-charts using MetaPost	Morawski	352
piff-ams	Early macros for using AMS fonts	Piff	392
piff	Macro tools by Mike Piff	Piff, Carlisle	392
pifont	Access to PostScript standard Symbol and Dingbats fonts	Schmidt, L <sup>A</sup> T <sub>E</sub> X Team, Rahtz	433
pigpen	A font for the pigpen (or masonic) cipher	Corff	184
pinlabel	A T <sub>E</sub> X labelling package	Rourke	420
pinouTikZ	Draw chip pinouts with TikZ	Blazek	153
pitex	Documentation macros	Isambert, Robbers	266
piton	Typeset Python listings with LPEG	Pantigny	384
pittetd	Electronic Theses and Dissertations at Pitt	Garcia-De Castro, Fudrow	174
pitthesis	Document class for University of Pittsburgh theses	Kim	284
pixelart	Draw pixel-art pictures	Paternault	386
PixelArtTikz	Work with PixelArts, with TikZ	Pierquet	391
pkbbox	Derive glyph bounding boxes by building PK file	Walsh	529
pkfind	A ‘find’ command which understands pk files	Vojta	520
pkfix-helper	Make PostScript files accessible to pkfix	Pakin	382
pkfix	Replace pk fonts in PostScript with Type 1 fonts	Oberdiek	373
pkgcheck	CTAN package checker	Lotz	325
pkgloader	Manage the options and loading order of other packages	Helvensteijn	252
pkuthss	L <sup>A</sup> T <sub>E</sub> X template for dissertations in Peking University	Vector	513
pkware	Utility programs for use with PK bitmap fonts	Rokicki, T <sub>E</sub> XLive	416
pl-mf	Polish extension of Computer Modern fonts	Jackowski, Ryćko	268
pl	Literate Programming for Prolog with L <sup>A</sup> T <sub>E</sub> X	Neugebauer	361
placeat	Absolute content positioning	Trautmann	496
placeins-plain	Insertions that keep their place	Arseneau	135
placeins	Control float placement	Arseneau	135
plain-cm	Variable sized fonts in Plain T <sub>E</sub> X	Brotsky, Horn	162
plain-ltx	Make plain T <sub>E</sub> X files L <sup>A</sup> T <sub>E</sub> Xable	Carlisle	170
plain	The Plain T <sub>E</sub> X format	Knuth	293
plainmisc	Miscellaneous contributed macros for plain T <sub>E</sub> X	Unknown	506
plainpkg	A minimal method for making generic packages	Lück	327
plainyr	Plain bibliography style, sorted by year first	Perrone	389
plantslabels	Write labels for plants	Merciadri	344
plantuml	Support for rendering UML diagrams using PlantUML	Kopp	299
plari	Typesetting stageplay scripts	Kaijanaho	275
plates	Arrange for “plates” sections of documents	Tanbakuchi	477
platex-tools	pL <sup>A</sup> T <sub>E</sub> X standard tools bundle	Yamashita	544
platex	pLaTeX2e and miscellaneous macros for pTeX	Maeda, Japanese T <sub>E</sub> X Team	333
platexcheat	A L <sup>A</sup> T <sub>E</sub> X cheat sheet, in Japanese	Asakura	136
plautopatch	Automated patches for pLaTeX/upLaTeX	Yamashita	544
play-font	The Play font face with support for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Ebinger	201
play	Typeset drama using L <sup>A</sup> T <sub>E</sub> X	Kilfiger	283
playcards	A simple template for drawing playcards	Pages	380
playfair	Playfair Display fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	482
plcalendar	Plain macros for making nice calendars	Unknown	506



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
plex-otf	Support for the OpenType font IBM Plex	Voß	523
plex	Support for IBM Plex fonts	Tennent	482
plfonts	Polish extension to Computer Modern fonts	Unknown	506
plhyph	Hyphenation for Polish	Kołodziejska, Jackowski, Ryćko	298
plimsoll	Fonts with the Plimsoll symbol and L <sup>A</sup> T <sub>E</sub> X support	Jørgensen	274
plipsum	'Lorem ipsum' for Plain T <sub>E</sub> X developers	Spina	454
plnfss	Font selection for Plain T <sub>E</sub> X	Thành, Konecny, Kotucha	484
plpsfont	Polish extension of CM fonts in Type 1 format	Nowacki	368
plstmary	St. Mary's Road font support for plain T <sub>E</sub> X	Luecking	329
pm-isomath	Poor man ISO math for pdfL <sup>A</sup> T <sub>E</sub> X users	Beccari	145
pmat	Typeset partitioned matrices	Oliveira e Silva	449
pmboxdraw	Poor man's box drawing characters	Oberdiek	373
pmcstex	L <sup>A</sup> T <sub>E</sub> X in emTeX IDE/FrontEnd for EPM	Mikulik	346
pmdb	Create a DB (PDF) document for selecting content for inclusion in another documents	Story	463
pmdpl	Examples from "Praca magisterska i dyplomowa"	Przechlewski	398
pmgraph	"Poor man's" graphics	Berdnikov, Grineva	149
pmhanguljamo	Poor man's Hangul Jamo input method	Kim	284
pmtex	Preprocessor for MusicT <sub>E</sub> X	Simons	449
pmx	Preprocessor for MusiX <sub>T</sub> E <sub>X</sub>	Simons, Tennent	449
pmxchords	Produce chord information to go with pmx output	Fafejta	207
PNAS	BibT <sub>E</sub> X style for PNAS (old version)	Rogers	416
PNAS 2009	BibT <sub>E</sub> X style for PNAS (newer version)	Rogers	416
png2pdf	PNG to PDF converter	Krause	301
poemscol	Typesetting Critical Editions of Poetry	Burt	167
poetica	Support for Adobe Poetica fonts in Type 1 format	Hoenig	257
poetry	Facilities for typesetting poetry and poetical structure	Goodman	232
poetrytex	Typeset anthologies of poetry	Whited	534
pointruler	12" Ruler containing Points and Inches	Henderson	252
poiretone	PoiretOne family of fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	482
polexpr	A parser for polynomial expressions	Burnol	166
poligraf	A T <sub>E</sub> X macro package for prepress	Nowacki	368
poliski	Typeset Polish documents with L <sup>A</sup> T <sub>E</sub> X and Polish fonts	Olko, Woliński	377
poltawski	Antykwa Półtawskiego Family of Fonts	Jackowski, Nowacki	267
polyglossia	An alternative to babel for X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X and LuaLaT <sub>E</sub> X	Charette, Rosendahl, Spitzmüller	175
polynom	Macros for manipulating polynomials	Heinz, Adriaens	250
polynomial	Typeset (univariate) polynomials	Höst	262
polytable	Tabular-like environments with named columns	Löh	320
poorman	Raster Chinese and Japanese fonts	Ridgeway	408
poormanlog	Logarithms and powers with (almost) 9 digits	Burnol	166
popupmenu	Create popup menus in PDF files	Story	463
Portable MikT <sub>E</sub> X	Instructions for setting up MikT <sub>E</sub> X on a portable device	Grahn	234
portland	Simple portrait/landscape switching	Partl	385
pos-at	Position things at absolute positions on the page	Hogben, Gaulle	259
postage	Stamp letters with »Deutsche Post«'s service »Internetmarke«	Reimer	406
postcards	Facilitates mass-mailing of postcards (junkmail)	Kleb	286
poster-mac	Make posters and banners with T <sub>E</sub> X	Van Zandt	549
poster	Scale PostScript images for larger media or tiling	van Eijndhoven	203
postit	A L <sup>A</sup> T <sub>E</sub> X package for displaying Post-it notes	Pierquet	391
postnotes	Endnotes for L <sup>A</sup> T <sub>E</sub> X	Barros	140
powerdot-fuberlin	Powerdot, using the style of FU Berlin	Voß	523
powerdot-tuliplab	A style package for Powerdot to provide the design of TULIP Lab	Li	317
powerdot	A presentation class	Adriaens, Ellison	129

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
ppchtex	Typeset chemical formula diagrams	Hagen	242
pphilp	Generate VMS help files from L <sup>A</sup> T <sub>E</sub> X 2.09 source	Gray	236
ppower4	A postprocessor for PDF presentations	Guntermann	241
ppr-prv	Prosper preview	Goutelle	233
ppt-slides	Good-looking slide decks à la PowerPoint (PPT)	Bugayenko	165
pracjourn	Typeset articles for PracTeX	Robertson	410
practical-latex	Example files for “Practical L <sup>A</sup> T <sub>E</sub> X”	Grätzer	235
practicalreports	Some macros for writing practical reports	Cawood	174
precattl	Prepare special catcodes from token list	user202729	510
prelim	Mark preliminary copies with a line of information	Tolksdorf	494
prelim2e	Allows the marking of preliminary versions of a document	Schröder, Peischl	436
prepr	Preprint macros	Calvani	168
preprint	A bundle of packages provided “as is”	Daly	188
prerex	Interactive editor and macro support for prerequisite charts	Tennent	482
present	Presentations with Plain T <sub>E</sub> X	Meister	343
presentations-en	Examples from the book Presentations with L <sup>A</sup> T <sub>E</sub> X	Voß	523
presentations	Examples from the book Presentationen mit L <sup>A</sup> T <sub>E</sub> X	Voß	523
pressrelease	A class for typesetting press releases	Talbot	475
prettyref	Make label references “self-identify”	Ruland	424
prettytok	Pretty-print token lists	user202729	510
preview-latex	Preview equations in Emacs	Kastrup	278
preview	Extract bits of a L <sup>A</sup> T <sub>E</sub> X source for output	Kastrup, The AUCTeX Team	278
prftree	Macros for building proof trees	Benini	149
principia	Notations for typesetting the “Principia Mathematica”	Elkind	203
printbib	Print the contents of a bibliography	Unknown	506
printlen	Print lengths using specified units	Robertson, Wilson, Harders	414
proba	Shortcuts commands to symbols used in probability texts	Nguyen-Ngoc	362
probsoln	Generate problem sheets and their solution sheets	Talbot	475
proc	Class for producing “proceedings”	L <sup>A</sup> T <sub>E</sub> X Team	490
processkv	Process key-value pairs	Sauer	426
procIAGssymp	Macros for IAG symposium papers	Benciolini	148
prodint	A font that provides the product integral symbol	Gill, Loredó-Osti	228
productbox	Typeset a three-dimensional product box	Neugebauer	361
ProfCollege	A L <sup>A</sup> T <sub>E</sub> X package for French maths teachers in college	Poulain	396
proflabo	Draw laboratory equipment	Mounier	353
ProfLycee	A L <sup>A</sup> T <sub>E</sub> X package for French maths teachers in high school	Pierquet	391
profmaquette	Use exercises in different types of documents	Poulain	396
profsio	Commands (with TikZ) to work with French “BTS SIO” maths themes	Pierquet	391
progkeys	Typeset programs, recognising keywords	Alabau	129
program	Typesetting programs and algorithms	Ward	530
progress	Creates an overview of a document’s state	Graversen	235
progressbar	Visualize shares of total amounts in the form of a (progress-)bar	Jira	272
ProjLib	A series of tools to simplify your workflow	XU	544
proof-at-the-end	A package to move proofs to appendix	Colisson	183
proof	Shell based proofing for T <sub>E</sub> X-related files	Bosau	156
proofread	Commands for inserting annotations	Dekker	190
proofs	Macros for building proof trees	Taylor	477
prooftrees	Forest-based proof trees (symbolic logic)	Rees	405
properties	Load properties from a file	Niedermair	364
proposal	A set of L <sup>A</sup> T <sub>E</sub> X classes for preparing proposals for collaborative projects	Kohlhase	295
prosper	L <sup>A</sup> T <sub>E</sub> X class for high quality slides	Goualard	233
protecteddef	Define protected commands	Oberdiek	373
protex	Literate programming package	The TeX4ht Team, Gurari	484
protext	A MikTeX-based T <sub>E</sub> X installation for MS-Windows	Feuerstack	211

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
protocol	A class for minutes of meetings	Leineweber	314
protosem	Fonts for proto-Semitic cuneiform script	Wilson	537
prtec	A template for PRTEC conference papers	Lienhard	318
prv	Compile, preview, and print L <sup>A</sup> T <sub>E</sub> X documents	Dekker	190
przechlewski-book	Examples from Przechlewski's L <sup>A</sup> T <sub>E</sub> X book	Przechlewski	398
ps2eps	Produce Encapsulated PostScript from PostScript	Bless	153
ps2mf	Make Metafont files from Adobe Type 1 files	Vens	513
ps2pk	Generate a PK font from an Adobe Type 1 font	Tutelaers, MacKay, T <sub>E</sub> XLive	499
ps4mf-dos	Convert Adobe Type 1 fonts to Metafont, MS-DOS version	Neteler	360
ps4mf	Convert Adobe Type 1 fonts to Metafont	Neteler	360
ps4pdf	Use PostScript commands inside a pdfL <sup>A</sup> T <sub>E</sub> X document	Niepraschk	365
ps_conv	A converter from PostScript to Encapsulated PostScript	BOP	155
ps_view	A PostScript previewer of PostScript files	BOP	155
psbao	Draw Bao diagrams	Vessella	515
psbox	PostScript box macros, etc	Orloff	378
psboxit	Enables one to put a PostScript drawing behind a T <sub>E</sub> X box	Maillot	334
pseudo	Straightforward pseudocode	Hetland	255
pseudocode	L <sup>A</sup> T <sub>E</sub> X environment for specifying algorithms in a natural way	Kreher	301
psfig	A graphics inclusion package	Darrell	189
psfixbb	Correct the bounding box of a PostScript file	Dominik, Karl	194
psfont	Alternative font handling in L <sup>A</sup> T <sub>E</sub> X	Kirsch	285
psfonts-tools	Tools for creating a distribution of font metrics	Rahtz, Tutelaers	401
psfonts	PostScript fonts for use with T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Unknown	506
Il sistema PSfrag	PSfrag documentation in Italian	Chiesa	179
psfrag	Replace strings in encapsulated PostScript figures	Grant, Carlisle, Barratt	235
psfragger	Use psfrag and L <sup>A</sup> T <sub>E</sub> X to label an eps file	Cermelj	174
psfragx	A psfrag eXtension	Kockaert	294
psgo	Typeset go diagrams with PSTricks	Bos	156
psgreek	L <sup>A</sup> T <sub>E</sub> X support for Greek Type 1 fonts	Kryukov, Justen	303
psizzl	A T <sub>E</sub> X format for physics papers	Ogawa	376
pslatex	Use PostScript fonts by default	Carlisle	170
psmerge	Concatenate PostScript files	Duggan	198
psnfss-source	Sources of the metrics used in PSNFSS	Schmidt, Harcombe	432
psnfss	Font support for common PostScript fonts	Schmidt, Harcombe, L <sup>A</sup> T <sub>E</sub> X Team, Rahtz	432
psnfssx-8r	Raw Type 1 fonts with L <sup>A</sup> T <sub>E</sub> X	Unknown	506
psnfssx-adobe	Packages to use a selection of Adobe Type 1 fonts	Rahtz	401
psnfssx-em	Support for the em family of fonts	Horn, Carlisle	261
psnfssx	Extra styles and encodings for PostScript fonts	Schmidt, Harcombe, Rahtz	432
pspic	Drawing pictures using PostScript specials	Thorup	493
pspicture	PostScript picture support	Carlisle	170
psrip	Extract images from PostScript files	Lackas	307
psplit	Select pages from PostScript files	Kleiweg	289
pst-2dplot	A PSTricks package for drawing 2D curves	Delgosha	191
pst-3d	A PSTricks package for tilting and other pseudo-3D tricks	Van Zandt, Voß	550
pst-3dplot	Draw 3D objects in parallel projection, using PSTricks	Voß	523
pst-abspos	Put objects at an absolute position	Voß	523
pst-am	Simulation of modulation and demodulation	Luque, Voß	330
pst-antiprism	A PSTricks related package which draws an antiprism	Voß, Luque	526
pst-arrow	Special arrows for PSTricks	Voß	523
pst-asr	Typeset autosegmental representations for linguists	Frampton	218
pst-bar	Produces bar charts using PSTricks	Ristow, Voß	408
pst-barcode	Print barcodes using PostScript	Burton, Voß	167
pst-bezier	Draw Bezier curves	Nähring, Voß	359
pst-blur	PSTricks package for "blurred" shadows	Giese, Voß	226

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
pst-bspline	Draw cubic Bspline curves and interpolations	Sharpe	444
pst-calculate	Support for floating point operations at L <sup>A</sup> T <sub>E</sub> X level	Voß	524
pst-calendar	Plot calendars in "fancy" ways	Luque, Voß	330
pst-cie	CIE color space	Luque, Voß	330
pst-circ	PSTricks package for drawing electric circuits	Voß, Jorssen	526
pst-coil	A PSTricks package for coils, etc	Voß, Van Zandt	526
pst-contourplot	Draw implicit functions using the "marching squares" algorithm	Luque	330
pst-cox	Drawing regular complex polytopes with PSTricks	Luque	330
pst-dart	Plotting dart boards	Voß	524
pst-dbicons	Support for drawing ER diagrams	May	340
pst-diffraction	Print diffraction patterns from various apertures	Luque, Voß	330
pst-electricfield	Draw electric field and equipotential lines with PSTricks	Gilg, Luque, Megrét, Voß	227
pst-eps	Create EPS files from PSTricks figures	Voß, Van Zandt	526
pst-eucl-transl...	Bulgarian translation of the pst-eucl documentation	Karakoleva	276
pst-eucl	Euclidian geometry with PSTricks	Rodriguez, Voß	414
pst-exa	Typeset PSTricks examples, with code	Voß	524
pst-feyn	Draw graphical elements for Feynman diagrams	Voß	524
pst-fill	Fill or tile areas with PSTricks	Girou, Voß	228
pst-fit	Macros for curve fitting	Ledger, Voß	311
PST-Flags	Draw flags of countries using PSTricks	Manthanwar	335
pst-fp	Fixed-point arithmetic in PSTricks	Voß	524
pst-fr3d	Draw 3-dimensional framed boxes using PSTricks	Girou	228
pst-fractal	Draw fractal sets using PSTricks	Voß	524
pst-fun	Draw "funny" objects with PSTricks	Luque, Voß	330
pst-func	PSTricks package for plotting mathematical functions	Voß	524
pst-gantt	Draw GANTT charts with PSTricks	Girou, Voß	228
pst-geo	Geographical Projections	Luque, Matarazzo, Voß	330
pst-geometrictools	A PSTricks package to draw geometric tools	Söll, Voß	453
pst-gr3d	Three dimensional grids with PSTricks	Girou, Voß	228
pst-grad	Filling with colour gradients, using PSTricks	Voß, Van Zandt	526
pst-graphicx	A PSTricks-compatible graphicx for use with Plain T <sub>E</sub> X	Voß	524
pst-hsb	Curves with continuous colours	Voß	524
pst-infixplot	Using PSTricks plotting capacities with infix expressions rather than RPN	Jorssen, Charpentier	274
pst-intersect	Compute intersections of arbitrary curves	Bersch	151
pst-Jtree	Typeset complex trees for linguists	Frampton	219
pst-knot	PSTricks package for displaying knots	Voß	524
pst-labo	Draw objects for Chemistry laboratories	Girou, Jorssen, Luque, Voß	228
pst-layout	Page layout macros based on PSTricks packages	Sharpe	444
pst-lens	Lenses with PSTricks	Luque, Girou, Voß	330
pst-light3d	Three dimensional lighting effects (PSTricks)	Girou, Kleiweg	228
pst-lsystem	Create images based on a L-system	Voß	524
pst-magneticfield	Plotting a magnetic field with PSTricks	Gilg, Luque, Voß	227
pst-marble	A PSTricks package to draw marble-like patterns	Gilg, Luque, Jaffer	227
pst-math	Enhancement of PostScript math operators to use with PSTricks	Jorssen, Voß	274
pst-mirror	Images on a spherical mirror	Luque, Voß	330
pst-moire	A PSTricks package to draw moiré patterns	Gilg, Luque, Sarlat	227
pst-node	Nodes and node connections in PSTricks	Van Zandt, Sharpe, Voß	549
pst-ob3d	Three dimensional objects using PSTricks	Girou, Voß	228
pst-ode	Solving initial value problems for sets of Ordinary Differential Equations	Grahn	234
pst-optexp	Drawing optical experimental setups	Bersch	151
pst-optic	Drawing optics diagrams	Luque, Voß	331
pst-osci	Oscgons with PSTricks	Luque, Jorssen	330
pst-ovl	Create and manage graphical overlays	Van Zandt, Voß	550

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
pst-pad	Draw simple attachment systems with PSTricks	Drechsler	196
pst-pdf	Make PDF versions of graphics by processing between runs	Niepraschk, Gäßlein	365
pst-pdgr	Draw medical pedigrees using PSTricks	Veytsman, Akhmadeeva	517
pst-perspective	Draw perspective views using PSTricks	Söll	452
pst-platon	Platonic solids in PSTricks	Luque, Voß	331
pst-plot	Plot data using PSTricks	Van Zandt, Voß	550
pst-poker	Drawing poker cards	Voß	524
pst-poly	Polygons with PSTricks	Girou, Voß	228
pst-pulley	Plot pulleys, using PSTricks	Söll	452
pst-qtree	Simple syntax for trees	Chiang, Gildea	179
pst-rputover	Place text over objects without obscuring background colors	Söll, Osborne	453
pst-rubans	Draw three-dimensional ribbons	Luque, Voß	331
pst-shell	Plotting sea shells	Voß, Luque	526
pst-sigsys	Support of signal processing-related disciplines	Delgosha	191
pst-sipe	Sophisticated colour gradients	Giese, Voß	226
pst-solarsystem	Plot the solar system for a specific date	Luque, Voß	331
pst-solides3d	Draw perspective views of 3D solids	Vignault, Luque, Schmittbuhl, Voß	518
pst-soroban	Draw a Soroban using PSTricks	Delmotte	191
pst-spectra	Draw continuum, emission and absorption spectra with PSTricks	Schmittbuhl	433
pst-spinner	Drawing a fidget spinner	Voß, Luque	526
pst-spirograph	Drawing hypotrochoids as with a spirograph	Luque, Voß	331
pst-stru	Civil engineering diagrams, using PSTricks	Matarazzo, Luque, Voß	337
pst-support	Assorted support files for use with PSTricks	Voß	524
pst-text	Text and character manipulation in PSTricks	Voß, Van Zandt	526
pst-thick	Drawing very thick lines and curves	Luque, Voß	331
pst-tools	PSTricks support functions	Voß	524
pst-tree	Trees, using PSTricks	Voß, Girou, Van Zandt	525
pst-turtle	Commands for “turtle operations”	Voß	524
pst-tvz	Draw trees with more than one root node, using PSTricks	Van Zandt, Voß	550
pst-uml	UML diagrams with PSTricks	Diamantini	193
pst-vectorian	Printing ornaments	Fradin	218
pst-vehicle	A PSTricks package for rolling vehicles on graphs of mathematical functions	Söll, Voß	453
pst-venn	A PSTricks package for drawing Venn sets	Voß	524
pst-vowel	Enable arrows showing diphthongs on vowel charts	Munn	356
pst-vue3d	Draw perspective views of three dimensional objects	Luque, Voß	331
pst-xkey	Key-value syntax for PSTricks packages	Adriaens	128
pst2pdf	A script to compile PSTricks documents via pdfTeX	Voß, González Luengo	526
pstdoc	A tool for PSTricks documentation	Sharpe	444
pstex	Processor for including figures in L <sup>A</sup> T <sub>E</sub> X	Hunt	264
pstoedit	Translate PostScript and PDF to other formats	Glunz	229
pstool	Support for psfrag within pdfLaTeX	Robertson, Prime	411
pstotext	Extract ASCII from PostScript and PDF	Birrell, McJones	152
pstrees	Construct linguistics trees using a preprocessor	Sternefeld	460
pstricks-add	A collection of add-ons and bugfixes for PSTricks	Voß, Rodriguez	526
pstricks-base	PostScript macros for T <sub>E</sub> X	Voß, Girou, Van Zandt	525
pstricks-calcnates	Use of PSTricks in calculus lecture notes	Quan	399
pstricks-exampl...	PSTricks examples files of the 7th edition of the book PSTricks	Voß	525
pstricks-exampl...	Examples from PSTricks book (English edition)	Voß	525
pstricks-examples	PSTricks examples	Voß	524
pstring	Typeset sequences with justification pointers	Blum	153
psu-thesis	Package for writing a thesis at Penn State University	Floros	216
psutils	PostScript utilities	Duggan	198
ptex-base	Plain T <sub>E</sub> X format for pTeX and e-pTeX	Japanese T <sub>E</sub> X Team, Maeda	270



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
ptex-fontmaps	Font maps and configuration tools for Japanese/Chinese/Korean fonts with (u)ptex	Japanese T <sub>E</sub> X Team	270
ptex-fonts	Fonts for use with pT <sub>E</sub> X	Japanese T <sub>E</sub> X Team, Maeda	270
ptex-manual	Japanese pT <sub>E</sub> X manual	Japanese T <sub>E</sub> X Team	270
ptex-texmf	Macro and other extensions for use with P <sub>T</sub> E <sub>X</sub>	Japanese T <sub>E</sub> X Team	270
ptex	A T <sub>E</sub> X system for publishing in Japanese	Japanese T <sub>E</sub> X Team	270
ptex2pdf	Convert Japanese T <sub>E</sub> X documents to PDF	Japanese T <sub>E</sub> X Team	270
ptext	A ‘lipsum’ for Persian	Damanafshan	188
pthyphs	Hyphenation Patterns for Portuguese	de Rezende	407
ptl <sub>at</sub> excommands	L <sup>A</sup> T <sub>E</sub> X to commands in Portuguese	Pereira de Moraes Junior	351
ptmsc	Addon to the newtx package	Sharpe	444
ptolemaicastronomy	Diagrams of sphere models for variably strict conditionals (Lewis counterfactuals)	Zach	548
ptptex	Macros for ‘Progress of Theoretical Physics’	Tomonaga, Yukawa	495
ptsans	PT Sans font and L <sup>A</sup> T <sub>E</sub> X support	Farar	209
ptserif	PT Serif font and L <sup>A</sup> T <sub>E</sub> X support	Farar	209
Punk-L <sub>A</sub> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X support for punk fonts	Jørgensen	274
punk	Donald Knuth’s punk font	Knuth, Grover	294
punknova	OpenType version of Knuth’s Punk font	Hosny, Knuth	262
purifyeps	Make EPS work with both L <sup>A</sup> T <sub>E</sub> X/dvips and pdfL <sub>A</sub> T <sub>E</sub> X	Pakin	382
PuyoTikZ	Quickly typeset board states of Puyo Puyo games	Osborne	379
pwebmac	Consolidated WEB macros for DVI and PDF output	Scherer	430
PWT	An outline of publishing with T <sub>E</sub> X	van der Laan	307
pxbase	Tools for use with (u)pL <sub>A</sub> T <sub>E</sub> X	Yato	547
pxchfon	Japanese font setup for pL <sup>A</sup> T <sub>E</sub> X and upL <sub>A</sub> T <sub>E</sub> X	Yato	547
pxcjkcat	L <sup>A</sup> T <sub>E</sub> X interface for the CJK category codes of upT <sub>E</sub> X	Yato	547
pxfonts	Palatino-like fonts in support of mathematics	Ryu	424
pxgreek	Shape selection for PX fonts Greek letters	Burnol	166
pxjahyper	Hyperref support for pL <sub>A</sub> T <sub>E</sub> X	Yato	547
pxjodel	Help change metrics of fonts from japanese-otf	Yato	547
pxpgfmark	e-pT <sub>E</sub> X driver for PGF inter-picture connections	Yato	547
pxpic	Draw pixel pictures	Spratte	456
pxrubrica	Ruby annotations according to JIS X 4051	Yato	547
pxtatescale	Patch to graphics driver for scaling in vertical direction of pT <sub>E</sub> X	Yamashita	544
pxtxalfa	Virtual maths alphabets based on pxfonts and txfonts	Sharpe	444
pxufont	Emulate non-Unicode Japanese fonts using Unicode fonts	Yato	547
pybib	Command line utilities to check, sort, merge BibT <sub>E</sub> X files	Corke	184
pybliographer	A tool for managing bibliographic databases	Gobry	229
pydocstrip	Scripted version of L <sup>A</sup> T <sub>E</sub> X docstrip	Huynh	265
pygmentex	Use Pygments to format code listings in documents	Malaquias	334
PyLuaT <sub>E</sub> X	Execute Python code on the fly in your L <sup>A</sup> T <sub>E</sub> X documents	Enderle	204
python	Embed Python code in L <sup>A</sup> T <sub>E</sub> X	Ehmsen	202
pythonhighlight	Highlighting of Python code, based on the listings package	Verdier	513
pythonimmediate	Library to run Python code	user202729	510
pythontex	Run Python from within a document, typesetting the results	Poore	395
pzc <sub>cal</sub>	Zapf Chancery as calligraphic math alphabet	Milde	346
<b>QQQQQ</b>			
qbibman	Graphical frontend to BibTool	Goertz	230
qcircuit	Macros to generate quantum circuits	Eastin, Flammia, Scholten	200
QCM	A L <sup>A</sup> T <sub>E</sub> X2 <sub>ε</sub> class for making multiple choice questionnaires	Verna	514
qdtexvpl	Quick and dirty virtual font creation	Mattes	338
qed	Produce an “end-of-proof” mark	Taylor	478
qfig	DOS graphics program	Ofosu-Amaah	375
qfonts	PostScript (Adobe Type 1) fonts in QX layout	JNS team, Jackowski, Nowacki, Strzelczyk	272

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
qm	Commands for bras and kets and the like	Christlieb	180
qms	VMS tools for controlling QMS printers	Unknown	506
qobitree	L <sup>A</sup> T <sub>E</sub> X macros for typesetting trees	Siskind	450
qrbill	Create QR bills using L <sup>A</sup> T <sub>E</sub> X	Peischl, Antener	388
qrcode	Generate QR codes in L <sup>A</sup> T <sub>E</sub> X	Hendrickson	252
qrcstamps	Create QR codes using stamps	Story	464
qsharp	Syntax highlighting for the Q# language	Granade	234
qstest	Bundle for unit tests and pattern matching	Kastrup	278
qsymbols	Maths symbol abbreviations	Rose	418
qtree	Draw tree structures	Dimitriadis, Siskind	193
qualitytype	The QualiType font collection	Miller	347
quantikz	Draw quantum circuit diagrams	Kay	278
quantumarticle	Document class for submissions to the Quantum journal	Quantum – the open journal for quantum science, Meyer, Gogolin	399
quattrocento	Quattrocento and Quattrocento Sans fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	482
quickreaction	A simple and fast way to typeset chemical reactions	Lambertini	308
quicktype	L <sup>A</sup> T <sub>E</sub> X package for quick typesetting	Mifsud	345
quiver	Draw commutative diagrams exported from <a href="https://q.uiver.app">https://q.uiver.app</a>	Unknown	506
quiz2socrative	Prepare questions for socrative quizzes	Lella	315
quizztex	Create quizzes like in TV shows	Pierquet	391
quotation	Typeset an attributed quotation	Unknown	506
quotchap	Decorative chapter headings	Klever, Tinnefeld	289
quote	Match pairs of double-quote characters	Goatley	229
quotes	Smart double quotes in L <sup>A</sup> T <sub>E</sub> X input	Bosisio	157
quoting	Consolidated environment for displayed text	Titz	494
quotmark	Consistent quote marks	Talbot	475
quran-bn	Bengali translations to the quran package	Razavian	404
quran-de	German translations to the quran package	Razavian	404
quran-ur	Urdu translations to the quran package	Razavian	404
quran	An easy way to typeset any part of The Holy Quran	Razavian	404
qyxf-book	Book Template for Qian Yuan Xue Fu	You	548
<b>RRRRR</b>			
r_und_s	Chemical hazard codes	Nordenholz	367
r2bib	Convert refer and EndNote files to BibTeX	Mathar	337
ragged	Generic ragged left and ragged right options	Siebenmann	447
ragged2e	Alternative versions of “ragged”-type commands	Schröder, Peischl	436
raggedr	Set an entire document raggedright	Kilfiger	283
rail	Syntax specification in EBNF	Rooijakkers, Barthelmann	418
rake4latex	A rake-based tool to compile L <sup>A</sup> T <sub>E</sub> X projects	Lickert	317
raleyway	Use Raleyway with T <sub>E</sub> X(-alike) systems	Hofstra	258
ran_toks	Randomise token strings	Story	464
randbild	Marginal pictures	Ebermann	200
random	Generating “random” numbers in T <sub>E</sub> X	Arseneau	135
randomlist	Deal with database, loop, and random in order to build personalized exercises	Charpentier, Tellechea	175
randomwalk	Random walks using TikZ	Le Floch	216
randtext	Randomise the order of characters in strings	Duan	198
rangecite	Will turn a range of citations into something like [1..3]	Dershowitz, Reingold	192
rangen	Generate random integers, rational and decimal numbers	Story	464
rank-2-roots	Draw (mathematical) rank 2 root systems	McKay	341
ransom	A “very bad typewriter” font	Knuth	293
ratex	A package for German lawyers	Vosberg	521
ratexdb	Database reports using L <sup>A</sup> T <sub>E</sub> X and Ruby	Höns	260
rawfonts	Low level font compatibility mode for L <sup>A</sup> T <sub>E</sub> X	Jeffrey, L <sup>A</sup> T <sub>E</sub> X Team	271

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
rawprint	Print raw Russian text	Veytsman	517
rbt-mathnotes	Rebecca Turner's personal macros and styles for typesetting mathematics notes	Turner	499
rccol	Decimal-centered optionally rounded numbers in tabular	Guthöhrlein	241
rct-multi	Typeset RCS version control in multiple-file documents	Scharrer	428
rct-pln	RCS data in Plain $\TeX$ documents	Rose	418
rct	Use RCS (revision control system) tags in $\LaTeX$ documents	Schrod, Gilbey	436
rctinfo	Support for the revision control system	Vollmer	520
ReadableCV	A highly readable and good looking CV and letter class	Stone	460
readarray	Read, store and recall array-formatted data	Segletes	440
readprov	Provides GetFileInfo without the need to load the file	Lück	327
realboxes	Variants of common box-commands that read their content as real box and not as macro argument	Scharrer	428
realcalc	Macros for real arithmetic calculations	Buchholz	163
realhats	Put real hats on symbols instead of $\wedge$	Scroggs, Townsend	439
realscripts	Access OpenType subscript and superscript glyphs	Robertson	411
realtranspose	The "real" way to transpose a Matrix	Quentin	399
rec-thy	Commands to typeset recursion theory papers	Gerdes	225
recipe	A $\LaTeX$ class to typeset recipes	Loreti	325
recipebook	Typeset 5.5" x 8" recipes for browsing or printing	Granger	235
recipecard	Typeset recipes in note-card-sized boxes	Reish	406
recorder-fingering	Package to display recorder fingering diagrams	Munn	356
rectopma	Recycle top matter	Benciolini	149
recycle	A font providing the "recyclable" logo	Green, Pakin	236
redefine	Conditional macro, etc., definitions	Unknown	506
redis	A Hebrew font	Goldberg	230
REdit	Menu-based editor	Rogalla	415
refcheck	Check references (in figures, table, equations, etc)	Motygin	353
refcount	Counter operations with label references	Oberdiek	373
refenums	Define named items and provide back-references with that name	Kopp	299
refer-tools	Convert between refer format and BibTeX format	Mareschal, Fastenrath, McHale, Jacobsen, Roth, Palm, Kautz, Fritzke	335
refer	Convert a BibTeX bibliography to refer format	McHale	341
references	Bibliographic software supporting $\LaTeX$ /BibTeX	Kiefel	282
reflectgraphics	Techniques for reflecting graphics	Reiche	405
refman	Format technical reference manuals	Kielhorn, Partl	283
refreshpdf	Refresh PDF files "remotely"	Gerhardt	225
refstyle	Advanced formatting of cross references	Els	204
regcount	Display the allocation status of the $\TeX$ registers	Drucbert	197
regexpatch	High level patching of commands	Gregorio	238
register	Typeset programmable elements in digital hardware (registers)	Lovell	325
regstats	Information about register use	Münch	355
reledmac	Typeset scholarly editions	Rouquette	420
reledpar	Typeset scholarly editions in parallel texts	Rouquette	420
relenc	A "relaxed" font encoding	Hellström	251
relsize	Set the font size relative to the current font size	Swift, Arseneau	468
removefr	Remove from counter-reset lists	Arseneau	135
remreset	Remove counters from reset list	Carlisle	170
renditions	Multiple versions from the same content	Story	464
reotex	Draw Reo Channels and Circuits	Oliveira	376
repeat	Repeat execution of macros	Eijkhout	203
repeatindex	Repeat items in an index after a page or column break	Harders	247
repere	MetaPost macros for secondary school mathematics teachers	Péault	387
repltext	Control how text gets copied from a PDF file	Pakin	382

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
report	Typeset a multi-chapter report	L <sup>A</sup> T <sub>E</sub> X Team	490
required	Packages "required" of a L <sup>A</sup> T <sub>E</sub> X distribution	L <sup>A</sup> T <sub>E</sub> X Team, Rahtz, Schmidt, Volovich	491
rerunfilecheck	Checksum based rerun checks on auxiliary files	Oberdiek	373
res	A résumé class	Krishnamurthy, DeCorte	301
rescansync	Re-scan tokens with synctex information	user202729	510
resizegather	Automatically resize overly large equations	Oberdiek	373
resmes	Measure restriction symbol in L <sup>A</sup> T <sub>E</sub> X	De Donato	195
ResolSysteme	Work on linear systems using xint or pyluatex	Pierquet	391
resphilosophica	Typeset articles for the journal Res Philosophica	Veytsman	517
rest-api	Describing a rest api	Klein	288
resumecls	Typeset a resume both in English and Chinese	Hu	262
resumemac	Plain T <sub>E</sub> X macros for resumés	Hosek	261
returntogrid	Semi-automatic grid typesetting	Fischer	215
reverxii	Playing Reversi in T <sub>E</sub> X	Le Floch	216
revnum	Reverse enumerate	Wilms	535
revquantum	Hacks to make writing quantum papers for revtex4-1 less painful	Granade	234
revtex	Styles for various Physics Journals	Ogawa, Doyle, Oleinik, Mittelbach	376
revtex4-0	Styles for various Physics Journals (old version)	Ogawa, Doyle, Oleinik, Mittelbach	376
revtex4-1	Styles for various Physics Journals	Ogawa, Doyle, Oleinik, Mittelbach	376
rftc2bib	Generate BibT <sub>E</sub> X entries for IETF RFCs	Mortier	352
rfl	Ruby font installer library	Gundlach	241
RGB	Tables of RGB colour parameters	Loreti	325
rgltxdoc	Common code for documentation of the author's packages	Grewe	238
ribbonproofs	Drawing ribbon proofs	Wickerson	534
richtext	Create rich text strings	Story	464
rit-fonts	Malayalam fonts by Rachana Institute of Typography (RIT)	Radhakrishnan	400
rjparshap	Support for use of \parshape in L <sup>A</sup> T <sub>E</sub> X	Lee	312
rlepf	Rewrite labels in EPS graphics	Rourke	420
rmannot	Create rich media annotations in a PDF file	Story	464
rmathbr	Repeating of math operator at the broken line and the new line in inline equations	Ryabov	424
rmligs	Remove incorrect ligatures in German documents	Jacke	267
rmpage	A package to help change page layout parameters in L <sup>A</sup> T <sub>E</sub> X	McDonnell	341
rmthm	Use a roman font for theorem statements	Verwer	514
rnototex	Convert from Runoff to L <sup>A</sup> T <sub>E</sub> X	Vanroose	511
Robot Man	A fun demo of AcroT <sub>E</sub> X eDucation Bundle facilities	Story	464
robotarm	TikZ powered L <sup>A</sup> T <sub>E</sub> X package to draw parameterized 2D robot arms	Snippe	452
roboto	Support for the Roboto family of fonts	Tennent	482
robustcommand	Declare robust command, with \newcommand checks	Ebermann	200
robustindex	Create index with pagerefs	van der Kallen	276
rojud	A font with the images of the counties of Romania	Bazon	143
romanbar	Write roman number with "bars"	Münch	355
romanbarpagenumber	Typesetting roman page numbers	Schneider	434
romadeadf	Romande ADF fonts and L <sup>A</sup> T <sub>E</sub> X support	Rees	405
romaniantex	L <sup>A</sup> T <sub>E</sub> X support for Romanian	Rezus	408
romanneg	Roman page numbers negative	Wolczko	539
romannum	Generate roman numerals instead of arabic digits	Robertson, Wilson	413
rorlink	Create ROR symbols which links to the given ROR-IDs	Lukas	329
rosario	Using the free Rosario fonts with L <sup>A</sup> T <sub>E</sub> X	Esbat	206
rotate-textures	Box rotation macros for Textures	Karney	277
rotate	Rotate T <sub>E</sub> X boxes	Unknown	506

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
rotating	Rotation tools, including rotated full-page floats	Fairbairns, Rahtz, L <sup>A</sup> T <sub>E</sub> X Team	208
rotchiffre	Perform simple rotation cyphers	Oberdiek	373
rotfloat	Rotate floats	Sommerfeldt	453
rotpages	Typeset sets of pages upside-down and backwards	Callegari	168
rotunda	Rotunda manuscript book-hand font	Wilson	537
RoueQuestions	Draw a “question wheel” (roue de questions)	Vignal Danilet	189
roundbox	Round boxes in L <sup>A</sup> T <sub>E</sub> X	Khalighi, bidi-tex GitHub Organisation	281
roundrect	MetaPost macros for highly configurable rounded rectangles (optionally with text)	Goodman	232
rpg-module	Typesetting old-school Dungeons and Dragons modules	Davis	190
rplain	Redefines the plain pagestyle	Sommerfeldt	453
rputover	Place text over PSTricks objects without obscuring background colors	Osborne	379
RRGtrees	Linguistic tree diagrams for Role and Reference Grammar (RRG) with L <sup>A</sup> T <sub>E</sub> X	Gardner	223
rsc	BibT <sub>E</sub> X style for use with RSC journals	Wright	541
rsfs	Ralph Smith’s Formal Script font	Smith, Hoekwater	452
rsfso	A mathematical calligraphic font based on rsfs	Sharpe	444
RST	Drawing rhetorical structure analysis diagrams in L <sup>A</sup> T <sub>E</sub> X	Reitter	406
rterface	Access to R analysis from within a document	Bogue	154
rtf2latex2e	Convert Rich Text Format (RTF) files to L <sup>A</sup> T <sub>E</sub> X2e	Sathyam, Prah	426
rtf2tex	Convert RTF to T <sub>E</sub> X	Lupton	330
rtkinenc	Input encoding with fallback procedures	Hellström	251
rtklage	Make suit details for German courts	Vosberg	521
rtsched	Draw Real-Time scheduling (GANTT) charts	Lipari	319
rubik	Document Rubik cube configurations and rotation sequences	Nickalls, Syropoulos	362
rubikcube	Typeset Rubik cubes and move notation	Nickalls, Syropoulos	362
rubikrotation	Processes a sequence of Rubik rotations	Nickalls, Syropoulos	362
rubiktwoCube	Typeset Rubik TwoCubes and move notation	Nickalls, Syropoulos	362
ruhyphen	Russian hyphenation	Volovich	521
rule-d	Provide L <sup>A</sup> T <sub>E</sub> X3 commands for typesetting rules	Kohm	296
ruled-tables	Plain T <sub>E</sub> X table macros, with ruled capability	Myers	358
ruler	A typographic ruler for T <sub>E</sub> X	Eijkhout	203
rulerbox	Draw rulers around a box	Yang	545
rulercompass	A TikZ library for straight-edge and compass diagrams	Stacey	457
runcode	Execute foreign source code and embed the result in the pdf file	Bar, Wang	140
rune	Two rune fonts	Grant, Lüddecke	235
runic	Fonts for Anglo-Saxon futhorc script	Wilson	538
runtex	Windows program to run T <sub>E</sub> X variant and various utils as needed	Becker	146
russ	L <sup>A</sup> T <sub>E</sub> X in Russian, without babel	Shashkov	445
russian-help	L <sup>A</sup> T <sub>E</sub> X help in Russian	Lubenets	325
rustic	Roman Rustic manuscript book-hand font	Wilson	538
rutitlepage	Radboud University Titlepage Package	Lubbers	325
rvviewport	Relative Viewport for Graphics Inclusion	Veytsman	517
rvwrite	Increase the number of available output streams in L <sup>A</sup> T <sub>E</sub> X	Radhakrishnan	400
ryersonSGSThesis	Ryerson School of Graduate Studies thesis template	Shoaib	446
ryethesis	Class for Ryerson University Graduate School requirements	Lassaline	310
<b>SSSS</b>			
s2latex	A scribe to L <sup>A</sup> T <sub>E</sub> X converter	Jacobson, James	269
sa-tikz	TikZ library to draw switching architectures	Fiandrino	212
sacsymb	“Sacred Symbols” prepared with TikZ	Nyaupane	368
sae	Typeset an SAE technical paper	Franke	219
saferef	Safer references through strong typing of references	Ashton	137
sageep	Format papers for the annual meeting of EEGS	Veytsman	517



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
SageTeX	Embed Sage code and plots into L <sup>A</sup> T <sub>E</sub> X	Pasechnik, Drake	385
sam2p	Convert bitmap formats to compact PS/PDF	Szabó	471
samples	Samples of Plain T <sub>E</sub> X coding	Unknown	507
sanhyph	Sanskrit hyphenation patterns	Codet	182
sanitize-umlaut	Sanitize umlauts for MakeIndex and pdfLaTeX	Sturm	466
sankey	Draw Sankey diagrams with TikZ	Gaborit	222
sans	Exchange Roman and Sans faces in a document	Knappen	290
sanskrit-t1	Type 1 version of ‘skt’ fonts for Sanskrit	Korop	299
sanskrit	Sanskrit support	Haisman, Wikner	243
sansmath	Maths in a sans font	Arseneau	135
sansmathaccent	Correct placement of accents in sans-serif maths	Barton	141
sansmathfonts	Extended Computer Modern sans serif fonts	Barton	141
sapthesis	Typeset theses for Sapienza-University, Rome	Biccari	151
sarabian	Archaic South Arabian script font	Wilson, Stanier	539
SASnRdisplay	Typeset SAS or R code or output	Madsen	333
sauerj	A bundle of utilities by Jonathan Sauer	Sauer	426
sauter	Wide range of design sizes for CM fonts	Sauter, Nijhof	426
sauterfonts	Use Sauter’s fonts in L <sup>A</sup> T <sub>E</sub> X	Barthelmann	141
saveenv	Save environment content verbatim	user202729	510
savefnmark	Save name of the footnote mark for reuse	Kuhlmann	303
savesym	Redefine symbols where names conflict	Göbel	229
savetrees	Optimise the use of each page of a L <sup>A</sup> T <sub>E</sub> X document	Pakin	382
sbtex	A compact T <sub>E</sub> X distribution for MS-DOS	Sullivan	466
sc21-wg1	Title page for the old ISO TC97/SC21/WG1 working group	Unknown	507
sc21	Title page for the old ISO TC97/SC21 committee	Unknown	507
scale	Scale document by sqrt(2) or magstep(2)	Sandmann	425
scalebar	Create scalebars for maps, diagrams or photos	Lake	307
scalefnt	Rescale fonts to arbitrary sizes	Carlisle	170
scalereel	Constrained scaling and stretching of objects	Segletes	440
scanpages	Support importing and embellishing scanned documents	Sharpe	444
schedule	Weekly schedules	Alexander, Deneault	130
schedule209	Typeset schedules	Pfennig	389
schemabloc	Draw block diagrams, using TikZ	Papanicola	384
schemata	Print topical diagrams	Schaum	429
schemeTeX	Typesetting Scheme programs with L <sup>A</sup> T <sub>E</sub> X	Ramsdell	403
schemeweb	Simple support for literate programming in Lisp	Ramsdell	403
schola-otf	Using the OpenType fonts T <sub>E</sub> X Gyre schola	Voß	525
ScholaX	Extension of T <sub>E</sub> XGyreSchola (New Century Schoolbook) with math support	Sharpe	444
schooldocs	Various layout styles for school documents	Missier	348
schule	Support for teachers at German schools	Pieper, Kuhaupt, Hilbig	390
schulmathematik	Commands and document classes for German-speaking teachers of mathematics and physics	Wehr	532
schulschriften	German “school scripts” from Suetterlin to the present day	Entenmann	205
schwalbe-chess	Typeset the German chess magazine “Die Schwalbe”	Hoening	258
schwell	Calligraphic font for typesetting handwriting in Schwell style	Ludewig	328
scientific-thes...	Provides cover page and affirmation at the end of a thesis	Kopp	299
scientificauthor	Visual L <sup>A</sup> T <sub>E</sub> X editor	Manhiça	335
scientificpaper	Format a scientific paper for journal publication	Aycock	138
scientificviewer	MacKichan software viewer	Pearson	386
SciKGTeX	Mark research contributions in scientific documents and embed them in PDF metadata	Bless	153
sciposter	Make posters of ISO A3 size and larger	Wilkinson	535
SciWordConv	Use Scientific Word/WorkPlace files with another T <sub>E</sub> X	Tuleuov	499
sclang-prettyfier	Prettyprinting SuperCollider source code	Cretel	186

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
scmac	Typeset scripts with Plain $\text{\TeX}$	Piaw	389
scontents	Stores $\text{\LaTeX}$ contents in memory or files	González Luengo	329
scorecard	Format a Baseball scorecard	Wall	528
Scrabble	Commands for Scrabble boards	Pierquet	391
scraddr	Provide data from scr1ttr2's address files	Kohm	296
scrambledenvs	Create and print scrambled environments	Chen	176
scrartcl	Koma-Script 'article' class	Kohm	296
scratch	Draw programs like "scratch"	Tellechea	479
scratch3	Draw programs like "scratch"	Tellechea	479
ScratchX	Include Scratch programs in $\text{\LaTeX}$ documents	Ralet	402
scrbase	Provide basic features for KOMA-Script	Kohm	296
scrbook	Koma-Script 'book' class	Kohm	297
scrdate	Calendar date operations	Kohm	297
screen	Prepare a document for a simple previewer	Unknown	507
screenplay-pkg	Package version of the screenplay document class	Munn	356
screenplay	A class file to typeset screenplays	Pate	386
scrextend	Use of components of KOMA-Script by other packages	Kohm	297
scrindex	Make index package work with Koma-script classes	Oberdiek	373
script-font	Handwriting font	Vanroose	511
script	Variant report and book styles	Neukam, Lichti	361
scriptfonts	A summary of mathematical script fonts for $\text{\LaTeX}$ users	Fairbairns	207
ScriptTeX	Macros for scripts and screenplays	McCarthy	340
scripture	A $\text{\LaTeX}$ style for typesetting Bible quotations	Purton	398
scrjrn1	Typeset diaries or journals	Pinson	394
scrjura	Koma-Script support for lawyers, etc	Kohm	297
scrlayer-fancyhdr	Combining package fancyhdr with KOMA-Script's scrlayer	Kohm	297
scrlayer-noteco...	Control note columns parallel to the main text	Kohm	297
scrlayer-scrpage	Define and manage page styles	Kohm	297
scrlayer	Manage text 'layers' within Koma-Script	Kohm	297
scrletter	Letter extension to KOMA-Script classes	Kohm	297
scr1file	Installation control for koma-script packages	Kohm	297
scr1ttr2	Koma-Script 'letter' class	Kohm	297
scr1ttr2copy	A letter class option file for the automatic creation of copies	Niepraschk	365
scrpage2	Control of page headers and footers in $\text{\LaTeX}$	Kohm	297
scrreprt	Koma-Script 'report' class	Kohm	297
scrtime	Show the time of a $\text{\LaTeX}$ run	Kohm	297
scrwfile	Use $\text{\LaTeX}$ .aux file in place of \newwrite files	Kohm	297
scsnowman	Snowman variants using TikZ	Yamashita	545
scyrillic	A family of cyrillic fonts	Samarin, Glonti	425
sdaps	$\text{\LaTeX}$ support files for SDAPS	Berg	150
sdr1	Macros for Segmented Discourse Representation Theory	Isambert, Robbers	266
sduthesis	Thesis Template of Shandong University	Huang	263
se2thesis	A Thesis Class for the Chair of Software Engineering II at the University of Passau, Germany	Lukasczyk	329
secdot	Section numbers with trailing dots	Fairbairns, Carlisle	207
seceqn	Number theorems by section	Leichter	314
secnum	A macro to format section numbering intuitively	Gau	224
secret	Put security classification marks in a document	Duchier	198
section	Modifying section commands in $\text{\LaTeX}$	Pretzel	397
sectionbox	Create fancy boxed ((sub)sub)sections	Wilkinson	535
sectionbreak	$\text{\LaTeX}$ support for section breaks	Hoftich	259
sectsty	Control sectional headers	McDonnell	341
seealso	Improve the performance of \see macros with makeindex	Liu	319
sehyph	Hyphenation patterns for Swedish	Rynning	424
selectp	Select pages to be output	Arseneau	135

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
selectpage	Select pages to be output from a document	Knuth	293
selinput	Semi-automatic detection of input encoding	Oberdiek	374
selnolig	Selectively disable typographic ligatures	Loretan	324
SemanTeX	Semantic, keyval-based mathematics	Ørsted	379
semantic-markup	Meaningful semantic markup in the spirit of the Text Encoding Initiative	Cashner	173
semantic	Help for writing programming language semantics	Neergaard, Glenstrup	360
semaphor	Semaphore alphabet font	Zýka	554
semesterplanner	Create beautiful semester timetables and more	Schneider	434
seminar	Make overhead slides	Van Zandt, Rahtz, Girou, Voß	549
semioneside	Put only special contents on left-hand pages in two sided layout	Hennig	254
semproc	Seminar proceedings	Columbus	183
SemTeX	Deals with stripped SemanTeX documents	Ørsted	379
semtrans	Transliteration of semitic languages	Knappen	290
sentences	Numbered lists for sentences	Unknown	507
sepfootnotes	Support footnotes and endnotes from separate files	Lourenço de Lima	318
sepnun	Print numbers in a "friendly" format	Raichle	402
seqsplit	Split long sequences of characters in a neutral way	Veytsman	517
serbian-apostrophe	Commands for Serbian words with apostrophes	Filipović	212
serbian-book	Support for use of memoir in Serbian	Filipović	212
serbian-date-lat	Updated date typesetting for Serbian	Filipović	212
serbian-def-cyr	Serbian cyrillic localization	Filipović	212
serbian-lig	Control ligatures in Serbian	Filipović	212
serbianpart	Redefines \thepart to be used in Roman lettered Serbian	Filipović	212
serial	Generate serial letters	Pedersen	387
sesmanuel	Class and package for sesamath books or paper	Charpentier	175
sesstime	Session and timing information in lecture notes	Beisert	148
setdeck	Typeset cards for Set	Whieldon	533
setouterhbox	Set hbox in outer horizontal mode	Oberdiek	374
setspace	Set space between lines	Harris, Tobin, Fairbairns, Carlisle	248
setspaceenhanced	An enhancement of the setspace package	Kohm	298
setstrut	Automatic strut computation	von Bechtolsheim	145
settobox	Assigning dimensions of a box to a length register	Oberdiek	374
settosize-ltx	Scale text to make it fit a given width	Rahtz	401
settosize	Scale text to given width	Taylor	478
seu-ml-assign	Southeast University Machine Learning Assignment template	van Jerry	272
seuthesis	L <sup>A</sup> T <sub>E</sub> X template for theses at Southeastern University	Yuan	548
seuthesisx	L <sup>A</sup> T <sub>E</sub> X class for theses at Southeast University, Nanjing, China	Fan	209
sexam	Package for typesetting arabic exam scripts	Laouidji	309
sf298	Standard form 298	Cochran, Rochford	182
sfarticle	A L <sup>A</sup> T <sub>E</sub> X 2.09 article style with an sf switch	Partl, Simon	385
sffms	Typesetting science fiction/fantasy manuscripts	DeMarco	191
sfg	Draw signal flow graphs	Schmid	430
sfheaders	Sans headers	Loreti	325
sfmath	Sans-serif mathematics	Dietrich	193
sfwmac	A set of definitions for Unix system documentation	Unknown	507
sgame	L <sup>A</sup> T <sub>E</sub> X style for typesetting strategic games	Osborne	379
sgmlcmpt	Support for L <sup>A</sup> T <sub>E</sub> X formulae as SGML PCDATA	Knappen	291
shadbox	Shade the background of any box	Glazkov	228
shade	Shade pieces of text	Schmitt	433
shadebox	Shade boxes using PostScript specials	Brewin, Šegan	161
Shaded theorems	Theorem environments that are shaded	Hefferon	250
shading	L <sup>A</sup> T <sub>E</sub> X package for putting text on a shaded background	Mulder	354

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
shadow	Shadow boxes	Orlandini	378
shadowtext	Produce text with a shadow behind it	Zwols	554
shalom	A simple Hebrew typesetting bundle	Böttcher	158
shapepar	A macro to typeset paragraphs in specific shapes	Arseneau	135
shapepatch	Transfig patch supporting shapepar	Gollwitzer	230
shapes	Draw polygons, reentrant stars, and fractions in circles with MetaPost	Goodman	232
shavian	A Shavian spelling alphabet font	Stanier	458
shdoc	Float environment to document the shell commands of a terminal session	Laube	310
shellesc	Unified shell escape interface for L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team	490
shhyphl	Serbo-Croatian hyphenation (Latin alphabet)	Muhamedagić	354
shipunov	A collection of L <sup>A</sup> T <sub>E</sub> X packages and classes	Shipunov	446
shlatex	L <sup>A</sup> T <sub>E</sub> X compilation script for Linux (written in Bash)	Hilléreau	256
shobhika	An OpenType Devanāgarī font designed for scholars	Kolachana	298
short-math-guide	Guide to using amsmath and related packages to typeset mathematical notation with L <sup>A</sup> T <sub>E</sub> X	The AMS	485
shortcuttool	Enables shortcut file import to the input tool Shortcut	Mehl	343
shortlst	Compact lists by running several items per line	Hansen	245
shortmathj	Automatically shortify titles of mathematical journals	Avdeev	137
shorttoc	Table of contents with different depths	Drucbert	197
shortvrb	Abbreviated verbatim commands	L <sup>A</sup> T <sub>E</sub> X Team	490
show2e	Variants of \show for L <sup>A</sup> T <sub>E</sub> X2e	Pégourié-Gonnard	388
showcharinbox	Show characters inside a box	Khalighi, bidi-tex GitHub Organisation	281
showdim	Variants on printing dimensions	Downes	196
showexpl	Typesetting L <sup>A</sup> T <sub>E</sub> X source code	Niepraschk	365
showframe	Draw a page-layout diagram	Niepraschk	365
showhyphenation	Marking of hyphenation points	Kelkel	279
showhyphens	Show all possible hyphenations in LuaLaTeX	Gundlach	241
showkerning	Showing kerns in a document	Kelkel	279
showkeys	Show label, ref, cite and bib keys	Carlisle	170
showlabels	Show label commands in the margin	Gray	236
showtags	Print the tags of bibliography entries	Beebe	146
shsulet	A letter document style for use at SHSU	Greenwade	237
ShtThesis	An unofficial L <sup>A</sup> T <sub>E</sub> X thesis template for ShanghaiTech University	Li	317
shuffle	A symbol for the shuffle product	Lejay, Gilbey	314
si	A comprehensive (SI) units package	Wright	541
siam	Styles for SIAM publications	Gray, Cipolone	236
side	Rotated floats for L <sup>A</sup> T <sub>E</sub> X 2.09	Knight, Ryba	291
sidecap	Typeset captions sideways	Niepraschk, Gäßlein	365
sidenotes	Typeset notes containing rich content, in the margin	Thomas	492
sidenotesplus	Place referenced notes, alerts, figures and tables into the document margin	Vrba	527
sides	A L <sup>A</sup> T <sub>E</sub> X class for typesetting stage plays	Mui	354
siggraph	SIGGRAPH conference class	Kartch	277
signchart	Create beautifully typeset sign charts	Mottaz	353
Sikumuna	Lyx template for Hebrew article format	Rutenberg	424
silence	Selective filtering of error messages and warnings	Pock, Isambert	394
sillypage	John Cleese’s Silly Walk as page numbering style	Cereda	174
simple-resume-cv	Template for a simple resume or curriculum vitae (CV), in X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X	Scrivena	439
simple-thesis-d...	Template for a simple thesis or dissertation (Ph.D. or master’s degree) or technical report, in X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X	Scrivena	439
simplebnf	A simple package to format Backus-Naur form (BNF)	Lee	311
simplecd	Simple CD, DVD covers for printing	Majoros	334
simplecv	A simple class for writing curricula vitae	Lasgouttes	310

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
simpleicons	Simple Icons for L <sup>A</sup> T <sub>E</sub> X	Bose	156
simpleinvoice	Easy typesetting of invoices	Lohne	320
simplekv	A simple key/value system for T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Tellechea	479
simplenodes	Simple nodes in four colors written in TikZ for L <sup>A</sup> T <sub>E</sub> X	Vergauwen	513
simpleoptics	Drawing lenses and mirrors for optical diagrams	Cawood	174
simpler-wick	Simpler Wick contractions	Ellis	203
simples-matrices	Define matrices by given list of values	Henel	253
simplewick	Simple Wick contractions	Kolorenc	298
simplified-latex	A Simplified Introduction to L <sup>A</sup> T <sub>E</sub> X	Greenberg, Luecking	236
simplivre	Write your books in a simple and clear way	XU	544
simpsons	Metafont source for Simpsons characters	Chen	176
simurgh	Typeset Parsi in LuaLaTeX	Khalighi, bidi-tex GitHub Organisation	281
sines	Calculate sin function values	Walker	528
sinhala	Support for the Sinhala language	Saparamadu	425
sirlin	Fonts and macros for typesetting Tibetan	Sirlin	450
SIstyle	Package to typeset SI units, numbers and angles	Els, Wright	204
sitem	Save the optional argument of \item	Majkrzak	334
siunits	International System of Units	Wright, Heldoorn	542
siunitx	A comprehensive (SI) units package	Wright	541
skak	Fonts and macros for typesetting chess games	Hoffmann	258
SkakNew	The skak chess fonts redone in Adobe Type 1	Dirr	194
skb	Tools for a repository of long-living documents	van der Meer	343
skdoc	Documentation and extraction for packages and document classes	Sigurdhsson	448
skeldoc	Placeholders for unfinished documents	Hetland	255
sketch	A 3d sketch language translator	Ressler	407
skeycommand	Create commands using parameters and keyval in parallel	Musa	358
skeyval	Key-value parsing combining features of xkeyval and pgfkeys	Musa	358
skills	Create proficiency tests	Giraud	228
skmath	Extensions to the maths command repertoire	Sigurdhsson	448
skrapport	‘Simple’ class for reports, etc.	Sigurdhsson	448
skull	A font to draw a skull	Grove	239
slantsc	Access different-shaped small-caps fonts	Harders	247
slashbox	Both column and row headings in a tabular cell	Yasuoka, Sato	545
slashed	Put a slash through characters	Carlisle	170
slatex-scheme	A pretty-printer for Scheme code in T <sub>E</sub> X documents	Sitaram	450
slatex	L <sup>A</sup> T <sub>E</sub> X support for writing Swedish	Mattison	339
slem	Slanted emphasis in L <sup>A</sup> T <sub>E</sub> X 2.09	Furuta	222
slemph	Slanted emphasis in L <sup>A</sup> T <sub>E</sub> X	Swift	467
slhyph	Slovenian hyphenation patterns	Vrečko, Žlajpah	527
slidenotes	Typeset slides accompanied by notes	van der Meer	343
slides	Class for creating slides	Mittelbach, Schöpf, L <sup>A</sup> T <sub>E</sub> X Team	349
slideshow	Generate slideshow with MetaPost	McPhee	342
sltables	Simplified tables for L <sup>A</sup> T <sub>E</sub> X	Shipunov	446
smallcap	Promote small caps to a font family, so NFSS can deal with different shapes	Taupin	477
smaller	Choose an “adjacent” size in L <sup>A</sup> T <sub>E</sub> X	Cosell, Hosek	185
smalltableof	Create listoffigures etc. in a single chapter	Mathieu	338
smalltalk	Typeset Smalltalk program fragments	Wolczko	539
smart-eqn	Automatic math symbol styling for L <sup>A</sup> T <sub>E</sub> X documents	Xiang	543
smartdiagram	Generate diagrams from lists	Fiandrino	212
smartmn	Make hyphens print as minus signs where appropriate	Knappen	291
smartref	Extend L <sup>A</sup> T <sub>E</sub> X’s \ref capability	Bilotta	152
smartunits	Converting between common metric and Imperial units	Mathas	337



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
smflatex	Classes for Société mathématique de France publications	Chambert-Loir	175
SmileTeX	Create L <sup>A</sup> T <sub>E</sub> X documents and more from simple texts	Schüler	437
snapshot	List the external dependencies of a L <sup>A</sup> T <sub>E</sub> X document	The AMS, Downes	486
snaptodo	A todo that snaps to the closer side	Wang	529
snote	Shaped notes for MusicTeX	Colburn	182
snotez	Typeset notes, in the margin	Niederberger	364
sober	Makes appearance of standard styles more "sober"	Poppelier	395
sobolev	Commands for dealing with Sobolev spaces (and relatives)	Bosisio	157
softfonts	Manage the "soft fonts" in a LaserWriter printer	Small Planet Software	451
softmaker-altes...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Alte Schwabacher font	Kleber	287
softmaker-artistic	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Artistic font	Kleber	287
softmaker-baske...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Baskerville Nova fonts	Kleber	287
softmaker-bonita	L <sup>A</sup> T <sub>E</sub> X Support files for SoftMaker Bonita	Kleber	287
softmaker-broadway	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Broadway fonts	Kleber	287
softmaker-canossa	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Canossa fonts	Kleber	287
softmaker-congress	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Congress fonts	Kleber	287
softmaker-delan...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Delano Caps font	Kleber	287
softmaker-digital	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Digital fonts	Kleber	287
softmaker-egypt...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker EgyptienneStd fonts	Kleber	287
softmaker-flags...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Flagstaff font	Kleber	287
softmaker-grenoble	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Grenoble fonts	Kleber	287
softmaker-helium	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Helium fonts	Kleber	287
softmaker-heliu...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Helium fonts	Kleber	287
softmaker-hende...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Henderson font	Kleber	287
softmaker-iceberg	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Iceberg font	Kleber	287
softmaker-inver...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Inverserif font	Kleber	287
softmaker-jugen...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Jugendstil font	Kleber	287
softmaker-marse...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Marseille fonts	Kleber	288
softmaker-moab	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Moab font	Kleber	288
softmaker-nevada	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Nevada fonts	Kleber	288
softmaker-newca...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Newcastle fonts	Kleber	288
softmaker-oldbl...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Old Blackletter font	Kleber	288
softmaker-quadrat	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Quadrat fonts	Kleber	288
softmaker-stone...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Stone Handwriting font	Kleber	288
softmaker-sunset	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Sunset fonts	Kleber	288
softmaker-tampa	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Congress fonts	Kleber	288
softmaker-vagro...	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker VAGRounded font	Kleber	288
softmaker-velo	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Velo font	Kleber	288
softmaker-veracruz	L <sup>A</sup> T <sub>E</sub> X Support files for the SoftMaker Veracruz fonts	Kleber	288
softmakerfreefont	Support files for SoftMaker free fonts	Kleber	288
somedefs	Save loading all of another package	Jeffrey, L <sup>A</sup> T <sub>E</sub> X Team	271
songbook	Package for typesetting song lyrics and chord books	Rath	403
songproj	Generate Beamer slideshows with song lyrics	Ortolo	379
songs	Produce song books for church or fellowship	Hamlen	244
sorhyph	Upper Sorbian hyphenation patterns	Werner	533
sort-by-letters	Bibliography styles for alphabetic sorting	van Oudenhove	379
soton	University of Southampton-compliant slides	Blanco	153
soul	Hyphenation for letterspacing, underlining, and more	Oberdiek	374
soulpos	A fancy means of underlining	Bezoz López	321
soup	Generate alphabet soup puzzles	Simers	449
source2e	LaTeX2e kernel documentation for the entire system as one document	L <sup>A</sup> T <sub>E</sub> X Team	490
sourcecodepro	Use SourceCodePro with T <sub>E</sub> X(-alike) systems	Hofstra	258
SourceSansPro	Use SourceSansPro with T <sub>E</sub> X(-alike) systems	Hofstra	258
sourceserifpro	Use SourceSerifPro with T <sub>E</sub> X(-alike) systems	Hofstra	258
SouthArabian	A font for an archaic South Arabia script	Stanier	458

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
soyombo	Fonts and a macro for Soyombo under L <sup>A</sup> T <sub>E</sub> X	Corff	184
spacekern	Kerning between words and against space	Kelkel	279
spacingtricks	Addressing various spacing issues	Missier	348
spain	Bibliography style for Spanish documents	Fernandez	211
spalign	Typeset matrices and arrays with spaces and semicolons as delimiters	Rabinoff	399
spanish-mx	Typeset Spanish as in Mexico	Rivera	409
spark-otf	Support OpenType Spark fonts	Voß	525
sparklines	Drawing sparklines: intense, simple, wordlike graphics	Löffler, Luecking, van Mil- tenburg	319
spath3	Manipulate “soft paths” in PGF	Stacey	457
spbmark	Customize superscripts and subscripts	Yi	548
spectral	Spectral fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	483
spectralsequences	Print spectral sequence diagrams using PGF/TikZ	Chatham	176
spelling	Support for spell-checking of LuaTeX documents	Hennig	254
sphack	Patch L <sup>A</sup> T <sub>E</sub> X kernel spacing macros	Pretzel	397
sphdthesis	L <sup>A</sup> T <sub>E</sub> X template for writing PhD Thesis	Garg	223
sphyphb	Experimental Spanish hyphenation patterns	Medina	343
spiderweb	A tool for building WEB systems	Ramsey	403
spie	Support for formatting SPIE Proceedings manuscripts	Hanson, SPIE Support	245
SpiX	Yet another T <sub>E</sub> X compilation tool: simple, human readable, no option, no magic	Paternault	386
splines	MetaPost macros for drawing cubic spline interpolants	Luecking	329
splint	Write LALR(1) parsers in T <sub>E</sub> X using bison and flex	Shibakov	446
split	Box two chunks of text side-by side	Skinner	450
splitbib	Split and reorder your bibliography	Markey	336
splitindex	Unlimited number of indexes	Kohm	298
spot	Spotlight highlighting for Beamer	Hendrickson	253
spotcolor	Spot colours for pdfLaTeX	Elstner	204
spreadtab	Spreadsheet features for L <sup>A</sup> T <sub>E</sub> X tabular environments	Tellechea	479
springer	Macros for Springer journals	Springer Verlag	456
sprite	Macros to typeset simple bitmaps with L <sup>A</sup> T <sub>E</sub> X	Costabel	185
sperbatim	Allow line breaks within \verb and verbatim output	Pakin	382
SQLTeX	An SQL Preprocessor for L <sup>A</sup> T <sub>E</sub> X	van Eijk	202
sqrcaps	Square Capitals manuscript book-hand font	Wilson	538
sr-half-compound	Hyphenation of Serbian half-compound words in cyrillic scripts	Filipović	213
sr-hyphen-spec	Hyphenation of special cases in Serbian	Filipović	213
sr-vorl	Class for Springer books	Dabelow	187
srbtiks	Font STIX2 for Serbian and Macedonian	Stefanović	459
srcmtx	Jump between DVI and T <sub>E</sub> X files	Ulrich	500
srcdact	A tool for redacting sources	Veytsman	517
srdp-mathematik	Typeset Austrian SRDP in mathematics	Weberndorfer	531
srhyphc	Hyphenation patterns for Serbian Cyrillic	Jelenak	271
srune	Saxon rune font	Lüddecke	328
sseq	Typesetting spectral sequence charts	Bauer	142
ssbdbk10	Sans headers in book style	Unknown	507
sslides	Slides with headers and footers	Salimi	425
ssquote	Use the cmssq fonts	Vieth, Goossens	518
stables	Simplified Plain T <sub>E</sub> X tables	Nilsson	366
stabular	Multipage tabular	Tolušis	495
stack	Tools to define and use stacks	Bayart	143
stackengine	Highly customised stacking of objects, insets, baseline changes, etc	Segletes	440
stackrel	Enhancement to the \stackrel command	Oberdiek	374
stage	A L <sup>A</sup> T <sub>E</sub> X class for stage plays	Thomas, Jahrling	492
stampinclude	Inclusion based on .aux file date stamps	Oberdiek	374
standalone	Compile T <sub>E</sub> X pictures stand-alone or as part of a document	Scharrer	428

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
stanli	TikZ Library for Structural Analysis	Hackl	242
starfont	The StarFont Sans astrological font	Skala	450
starray	A structured array (of properties) based on expl3	Frigeri	221
startex	An XML-inspired format for student use	Langmyhr	309
statex	Statistics style	Sparapani	454
statex2	Statistics style	Sparapani	454
statistics	Compute and typeset statistics tables and graphics	Rivaud	409
statistik	Store statistics of a document	Niedermair	364
statmath	A L <sup>A</sup> T <sub>E</sub> X package for simple use of statistical notation	Ankargren	132
statrep	Displays SAS code and results of running the code	Arnold	133
staves	Typeset Icelandic staves and runic letters	Syropoulos	469
stdclsdv	Provide sectioning information for package writers	Robertson, Wilson	413
stdpage	Standard pages with n lines of at most m characters each	Verweyen	515
stealcaps	“Steal” small capitals	Giannotti	226
steinmetz	Print Steinmetz notation	Gregorio	238
stellenbosch-2	Stellenbosch University thesis bundle	Els	204
stellenbosch	Stellenbosch thesis bundle (legacy version)	Els	204
step	A free Times-like font	Miller	347
stepgreek	A free Times/Elsevier-style Greek font	Miller	347
sTeX	An Infrastructure for Semantic Preloading of L <sup>A</sup> T <sub>E</sub> X Documents	Kohlhase, Müller	295
stfloats	Commands to control the presentation of floats	Tolušis	495
SticksToo	A reworking of STIX2	Sharpe	444
stix	OpenType Unicode maths fonts	The STI Pub Companies, Doyle, Hosny, Robertson, Jones	491
stix2-otf	OpenType Unicode text and maths fonts	The STI Pub Companies, Jones	491
stix2-type1	Type1 versions of the STIX Two OpenType fonts	The STI Pub Companies, Jones	491
stmaryrd	St Mary Road symbols for theoretical computer science	Jeffrey, Gibbons, Hoekwater	270
stoneipa	Support for the Stone Sans Phonetic font	Velleman	513
storebox	Storing information for reuse	Scharrer	428
storecmd	Store the name of a defined command in a container	Musa	358
strands	Draw objects constructed from strands	Arcis	133
streetex	Structural organic chemistry	Strokov	465
stricttex	Strictly balanced brackets and numbers in command names	Ørsted	379
string-diagrams	Create string diagrams with L <sup>A</sup> T <sub>E</sub> X and TikZ	Brasolin	160
stringenc	Converting a string between different encodings	Oberdiek	374
stringstrings	String manipulation for cosmetic and programming application	Segletes	440
structmech	A TikZ command set for structural mechanics drawings	Chang	175
struktex	Draw Nassi-Shneiderman charts	Hoffmann	258
sttools	Various macros	Tolušis, Statulevičius	495
stubs	Create tear-off stubs at the bottom of a page	Stuhrmann	465
Student Handouts	Management and styling of student handout projects	Fennell	210
studies-lm	An interactive L <sup>A</sup> T <sub>E</sub> X course for students	Römer	417
sty2dtx	Create a .dtx file from a .sty file	Scharrer	428
style-showcase	Make a web page to compare styles	Hefferon	250
styledcmd	Handling multiple versions of user-defined macros	De Donato	195
suanpan	MetaPost macros for drawing Chinese and Japanese abaci	Roegel	415
subcaption	Support for sub-captions	Sommerfeldt	454
subdepth	Unify maths subscript height	Robertson	411
subdocs	Multifile documents	Bezos López	321
subeqn	Package for subequation numbering	Arseneau, Braams	136
subeqnarray	Equation array with sub numbering	Braams	159

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
subfig	Figures broken into subfigures	Cochran, Khalighi, bidi-tex GitHub Organisation	182
subfigmat	Automates layout when using the subfigure package	Kleb	286
subfigure	Deprecated: Figures divided into subfigures	Cochran	182
subfiles	Individual typesetting of subfiles of a “main” document	Salzer, Garcia-De Castro	425
subfloat	Sub-numbering for figures and tables	Harders	247
sublabel	Sub-number counters	Daly	188
subscript	Provides the \textsubscript command	Fairbairns, Carlisle	207
substances	A database of chemicals	Niederberger	364
substitutefont	Obsolete package to combine font families for different font encodings	Milde	346
substr	Deal with substrings in strings	Harders	247
subsupscripts	A range of sub- and superscript commands	Bresciani	161
subtext	Easy text-style subscripts in math mode	Jørgensen	274
sudoku	Create sudoku grids	Abraham	128
sudokubundle	A set of sudoku-related packages	Wilson	538
sueterlin	Calligraphic font for typesetting handwriting in Sütterlin style	Ludewig	328
suffix	Define commands with suffixes	Kastrup	278
suftesi	A document class for typesetting theses, books and articles	Valbusa	511
sugconf	SAS(R) user group conference proceedings document class	Fehd	210
superiors	Attach superior figures to a font family	Sharpe	444
supertabular	A multi-page tables package	Braams	159
suppose	Abbreviate the word “Suppose”	Lounsbury	325
susy	Macros for SuperSymmetry-related work	Turlay	499
suthesis	Typeset a Stanford University thesis	Pallas	383
sverb	A set of verbatim text manipulations	Wooding	540
svg-inkscape	How to include an SVG image in L <sup>A</sup> T <sub>E</sub> X using Inkscape	Engelen	205
svg	Include and extract SVG pictures in L <sup>A</sup> T <sub>E</sub> X documents	Hanisch, Ilten	244
svgcolor	Define SVG named colours	Caprio	169
svn-multi	Subversion keywords in multi-file L <sup>A</sup> T <sub>E</sub> X documents	Scharrer	429
svn-prov	Subversion variants of \Provides... macros	Scharrer	429
svn	Typeset Subversion keywords	Lewis	316
svninfo	Typeset Subversion keywords	Brucker	163
svrsymbols	A font with symbols for use in physics texts	Syropoulos	469
swebib	Swedish bibliography styles	Engelbrechtsen	205
swetex	Plain T <sub>E</sub> X support for writing Swedish	Engdahl	205
swfigure	Insert large images that do not fit into a single page	Beccari	145
swiftex	Edit doc.sty and normal L <sup>A</sup> T <sub>E</sub> X files with GNU Emacs	Swift	468
Swimgraf	Graphical/textual representations of swimming performances	Osborne	379
switcheml	Obfuscate email addresses (now obsolete)	Duan	198
swrule	Lines thicker in the middle than at the ends	Dussa	200
swungdash	Typeset a swung dash in L <sup>A</sup> T <sub>E</sub> X	Granet	234
syllogism	Typeset syllogisms in L <sup>A</sup> T <sub>E</sub> X	Vaughan	513
symbats3	Macros to use the Symbats3 dingbats fonts	Flynn	217
symbolindex	Generate a list of symbols with different subgroups	Holzmann	260
SympyCalc	Work with SymPy and PyLuaTeX	Pierquet	391
sympytex	Include symbolic computation (using sympy) in documents	Molteno	350
Synapsen	Reference management tool for BibTeX	Krajewski	300
synctex-parser	SyncTeX output file parser	Laurens	310
syngen	A tool for generating syntax diagrams from BNF	Klöcker	289
synproof	Easy drawing of syntactic proofs	Isambert, Robbers	266
syntax-mdw	Typeset syntax descriptions	Wooding	540
syntax2	Creation of syntax diagrams	Worsch	541
syntaxdi	Create “railroad” syntax diagrams	Pieper, Kuhaupt, Hilbig	390
syntonly	Run a document through L <sup>A</sup> T <sub>E</sub> X for syntax checking	Mittelbach, Schöpf, L <sup>A</sup> T <sub>E</sub> X Team	349

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
syntrace	Labels for tracing in a syntax tree	Mathieu	338
synttree	Typeset syntactic trees	van Zuijlen	554
syriac	A font for Syriac written in Estrangelo	Stanier	458
syscontrolletters	Support for Systems and Control Letters	Balemi, Truöl	139
systeme	Format systems of equations	Tellechea	479
<b>TTTTT</b>			
t-angles	Draw tangles, trees, Hopf algebra operations and other pictures	Lyubashenko, Bespalov	332
t1-fraktur	A pair of fraktur font families in T1 encoding	Kurz, Taupin	305
t1enc	Standard package for activating ec fonts	L <sup>A</sup> T <sub>E</sub> X Team	490
t1infos	Utilities for PostScript fonts	Baruchel	142
T1Subset	A C++ library for subsetting PostScript Type 1 fonts	Frane Jr	274
t1tools	Facilities for handling Adobe Type 1 fonts	Wolff	539
t1utils	Simple Type 1 font manipulation programs	Hetherington, Kohler	255
t2	Support for using T2 encoding	Volovich, Lemberg	521
tab4tex	Preprocessor for L <sup>A</sup> T <sub>E</sub> X tabular environments	Milanese	346
tabbing	Tabbing with accented letters	Drucbert	197
tabbingbox	Save a tabbing environment in a box	Unknown	507
tabfigures	Maintain vertical alignment of figures	Ummels	500
table-fct	Draw a variations table of functions and a convexity table of its graph	Lakhdar	307
tableauVariations	Variation tables in MetaPost	Mazoit	340
tableaux	Construct tables of signs and variations	Kisselhoff	285
tablefootnote	Permit footnotes in tables	Münch	355
tableof	Tagging tables of contents	Burnol	166
tables	Tables without the need for a preamble	Cowan, Taylor	185
tablestyles	Styles for tables with new commands	Pospiech	396
tablists	Tabulated lists of short items	Lapko	310
tablor	Create tables of signs and of variations	Connan	184
tabls	Better vertical spacing in tables and arrays	Arseneau	135
tablvar	Typesetting pretty tables of signs and variations according to French usage	Missier	348
tabriz-thesis	A template for the University of Tabriz	Damanafshan	188
tabsatz	How to use tables in L <sup>A</sup> T <sub>E</sub> X	Reichert	406
tabstackengine	“Tabbing” front-end to stackengine	Segletes	440
tabto-generic	“Tab” to a measured position in the line	Arseneau	135
tabto-ltx	“Tab” to a measured position in the line	Arseneau	135
tabu	Flexible L <sup>A</sup> T <sub>E</sub> X tabulars	Chervet	178
tabularborder	Remove excess space at left and right of tabular	Fink	213
tabularcalc	Calculate formulas in a tabular environment	Tellechea	479
tabularew	A variation on the tabular environment	Saba	424
tabularht	Tabular environments with height specified	Oberdiek	374
tabularkv	Tabular environments with key-value interface	Oberdiek	374
tabularray	Typeset tabulars and arrays with L <sup>A</sup> T <sub>E</sub> X3	Lyu	331
tabulars-e	Examples from the book “Typesetting tables with L <sup>A</sup> T <sub>E</sub> X”	Voß	525
tabularx	Tabulars with adjustable-width columns	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	173
tabulary	Tabular with variable width columns balanced	Carlisle	171
tabvar	Typesetting tables showing variations of functions	Flipo	215
tabverb	Verbatim text respecting TAB characters	Fine	213
tagging	Document configuration with tags	Longborough, L <sup>A</sup> T <sub>E</sub> X Team	320
tagpair	Word-by-word glosses, translations, and bibliographic attributions	Nolda	366
tagpdf	Tools for experimenting with tagging using pdfL <sup>A</sup> T <sub>E</sub> X and LuaLaTeX	Fischer	215
talk	A L <sup>A</sup> T <sub>E</sub> X class for presentations	Wiebusch	534
talos	A Greek cult font from the eighties	Tsolomitis	497
tamefloats	Experimentally use \holdinginserts with L <sup>A</sup> T <sub>E</sub> X floats	Lück	328
TameTheBeast	A manual about bibliographies and especially BibTeX	Markey	336
tamil-omega	Tamil support for Omega/Aleph	Alex	130



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
tangle	Generate compilable source from web	Knuth	293
tango-weevil	A simple Web system	Minyard	347
tangocolors	Use colors from the Tango color palette	Preuße	397
TangramTikZ	Tangram puzzles, with TikZ	Pierquet	391
tap	TeX macros for typesetting complex tables	Jackowski, Pianowski, Strzelczyk	268
tape	Generate cassette labels from a simple database	Podar	395
tapir	A simple geometrical font	Mitek	348
tasks	Horizontally columned lists	Niederberger	364
taylor	Macros for category-theoretic diagrams	Taylor	478
tbe	Extracts from "TeX by Example"	Borde	156
tccompat	Provide compatibility names for textcomp.sty	Knappen	291
tclldoc	Doc/docstrip for tcl	Hellström	252
tcltexed	L <sup>A</sup> T <sub>E</sub> X editor written in TCL	Strauß	465
tcobrowser	Local browsing of the Catalogue on Mac OS X	Maxwell	339
tcolorbox	Coloured boxes, for L <sup>A</sup> T <sub>E</sub> X examples and theorems, etc	Sturm	466
tcvn	Vietnamese Windows support	Quy	399
tdclock	A ticking digital clock package for PDF output	Randez	403
tds	The T <sub>E</sub> X Directory Structure standard	TUG TWG-TDS	498
tdsfrmath	Macros for French teachers of mathematics	Henel	253
techexplorer	Browser plugin for viewing T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X sources	IBM Corporation	265
Technica	Typesetting for the humanities	Boggio-Togna	154
technics	A package to format technical documents	Nilsson	366
technion-thesis...	Template for theses on the Technion graduate school	Shuval	447
techreport	Generate Technical Reports using USC thesis style	Cochran	182
ted	A (primitive) token list editor	Pégourié-Gonnard	388
TeEncontreX	Help for users of T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Algaba	131
telprint	Format German phone numbers	Oberdiek	374
telugu	(La)TeX Support for writing the Telugu Language	Mukkavilli	354
templates-fenn	Templates for T <sub>E</sub> X usage	Fenn	210
templates-sommer	Templates for T <sub>E</sub> X usage	Sommer	453
templatetools	Commands useful in L <sup>A</sup> T <sub>E</sub> X templates	Pospiech	396
tempora	Greek and Cyrillic to accompany Times	Sharpe	444
tengtex	Typesetting in Tolkien's Tengwar script	Derzhanski	192
tengwar	Font to set Tolkien's Tengwar script	Urban	509
TengwarScript	L <sup>A</sup> T <sub>E</sub> X support for using Tengwar fonts	Fernández Galván	223
tensind	Typeset tensors	Bezos López	321
tensor	Typeset tensors	Piff, Ratcliffe	392
termcal-de	German localization for termcal	Friedl	220
termcal	Print a class calendar	Mitchell	348
termes-otf	Using the OpenType fonts T <sub>E</sub> X Gyre Termes	Voß	525
termlist	Label any kind of term with a continuous counter	Rellermeyer	406
termmenu	The package provides support for terminal-based menus using expl3	Allred	131
termsim	Simulate Win10, Ubuntu, and Mac terminals	Geng	225
tesla	A special-purpose language for knowledge base rules	Baragar, Harris	140
testeq	An equality test for use in MetaPost	Vieth	518
testflow	A tool to validate PS/PDF output from L <sup>A</sup> T <sub>E</sub> X	Shell	445
testfont	A testbed for font evaluation	Knuth	293
testhyphens	Testing hyphenation patterns	Beccari	145
testidx	Dummy text for testing index styles and indexing applications	Talbot	475
testmath	Examples of the AMS-L <sup>A</sup> T <sub>E</sub> X package	The AMS	485
tetex	Obsolete T <sub>E</sub> X distribution for Unix/Linux	Esser	206
tetragonos	Four-Corner codes of Chinese characters	Yang	545
teubner	Philological typesetting of classical Greek	Beccari	145

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
tex--xet	Bidirectional extension of T <sub>E</sub> X	Breitenlohner, Knuth, MacKay	160
TeX Converter	Windows front-end to various L <sup>A</sup> T <sub>E</sub> X to HTML converters	Mayer	340
tex-ewd	Macros to typeset calculational proofs and programs in Dijkstra's style	Helbig	251
tex-extensions	Proposals for extensions to T <sub>E</sub> X	Clasen	181
tex-font-errors...	Cheat sheet outlining the most common T <sub>E</sub> X font errors	Schlömer	430
TeX-FPC	A collection of change files for a T <sub>E</sub> X system based on Free Pascal	Helbig	251
TeX-GPC	A collection of change files for a T <sub>E</sub> X system based on GNU Pascal	Helbig	251
tex-gyre-adventor	A font family that extends URW Gothic L	Jackowski, Nowacki	267
tex-gyre-bonum	A font family that extends URW Bookman L	Jackowski, Nowacki	267
tex-gyre-chorus	A font that extends URW Chancery L	Jackowski, Nowacki	267
tex-gyre-cursor	A font that extends URW Nimbus Mono L	Jackowski, Nowacki	267
tex-gyre-heros	A font family that extends URW Nimbus Sans L	Jackowski, Nowacki	267
tex-gyre-math-b...	Maths fonts to match T <sub>E</sub> X Gyre Bonum	Jackowski, Strzelczyk, Pi- anowski	268
tex-gyre-math-d...	Maths fonts to match T <sub>E</sub> X Gyre DejaVu	Jackowski, Pianowski, Strzelczyk	268
tex-gyre-math-p...	Maths fonts to match the tex-gyre-pagella text font	Jackowski, Pianowski, Strzelczyk	268
tex-gyre-math-s...	Maths fonts to match T <sub>E</sub> X Gyre Schola	Jackowski, Pianowski, Strzelczyk	268
tex-gyre-math-t...	Maths fonts to match T <sub>E</sub> X Gyre Termes	Jackowski, Pianowski, Strzelczyk	268
tex-gyre-math	Maths fonts to match tex-gyre text fonts	Jackowski, Pianowski, Strzelczyk	268
tex-gyre-pagella	A font family that extends URW Palladio L	Jackowski, Nowacki	267
tex-gyre-schola	A font that extends URW Century Schoolbook L	Jackowski, Nowacki	267
tex-gyre-termes	A font family that extends URW Nimbus Roman	Jackowski, Nowacki	267
tex-gyre	TeX Fonts extending freely available URW fonts	Jackowski, Nowacki	267
tex-implementors	Entries from the tex-implementors mailing list	Beeton, Berry	147
tex-ini-files	Model T <sub>E</sub> X format creation files	Wright	541
tex-it	Controller for T <sub>E</sub> X processing	Walsh	529
tex-kurs	A L <sup>A</sup> T <sub>E</sub> X (2.09) course in German	Rupprecht	424
tex-label	Place a classification on each page of a document	Komarath	298
tex-locale	Localisation support for T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X documents	Talbot	475
TeX-mag	An on-line T <sub>E</sub> X magazine	Hosek	261
tex-math	Maths mode documentation for OS/2 users	Hahn	242
TeX-nutshell	A short document about T <sub>E</sub> X principles	Olśák	377
tex-overview	An overview of the development of T <sub>E</sub> X	Trautmann	496
tex-ps	TeX to PostScript generic macros and add-ons	BOP, Nowacki	155
tex-references	References for T <sub>E</sub> X and Friends	Wiedmann	534
tex-virtual-aca...	TeX usage web pages, in Polish	Wawrykiewicz, Przech- lewski	530
tex-vpat	TeX Accessibility Conformance Report	Veytsman	517
TeX	A sophisticated typesetting engine	Knuth	293
tex2bib	Extract a BibTeX database from a document source	Friendly	221
tex2ltx	AMS-TeX to AMS-L <sup>A</sup> T <sub>E</sub> X converter	Fortuny	218
tex2mail	Converts T <sub>E</sub> X to mailable "ASCII art"	Zakharevich	549
tex2page	Produce HTML from T <sub>E</sub> X/LaTeX	Sitaram	450
tex2rtf	TeX translator, output formats include RTF	Smart	451
tex2tok	Convert a T <sub>E</sub> X source file into tokens	Fine	213
tex2word	Convert T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X to MSWord	Chikrii	179
tex4ebook	Converter from L <sup>A</sup> T <sub>E</sub> X to ebook formats	Hoftich	259
TeX4ht	Convert (La)TeX to HTML/XML	The TeX4ht Team, Gurari	484

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
texaccents	Convert composite accented characters to Unicode	Milanese	346
texapi	Macros to write format-independent packages	Isambert, Robbers	266
texas	32-bit T <sub>E</sub> X 3.14 compiled for MS-DOS 386/486 computers	Chan	175
texbook	The source of The T <sub>E</sub> Xbook	Knuth	293
texbuch	”The little T <sub>E</sub> XBook”	Cremer	186
TeXbyTopic	Freed version of the book T <sub>E</sub> X by Topic	Eijkhout	203
texcad32	Win32 drawing package for mathematical diagrams	Unknown	507
texchord	Typeset guitar-chord diagrams	Hoffman	258
TeXcount	Count words in a L <sup>A</sup> T <sub>E</sub> X document	Rødland	414
texdate	Date printing, formatting, and manipulation in T <sub>E</sub> X	Goodman	232
texdef	Display the definitions of T <sub>E</sub> X commands	Scharrer	429
texdepend	Find dependencies in a L <sup>A</sup> T <sub>E</sub> X file	Friendly	221
texdeps	Find the dependencies of a (La)T <sub>E</sub> X file	Cozens	186
texdiff	Compare documents and produce tagged merge	Doll, Günay	194
texdimens	Conversion of T <sub>E</sub> X dimensions to decimals	Burnol	166
texdirflatten	Collect files related to a L <sup>A</sup> T <sub>E</sub> X job in a single directory	Günay	240
texdoc	Documentation access for T <sub>E</sub> X Live	Asakura, Esser, Pégourié-Gonnard, T <sub>E</sub> XLive	137
texdoctk	Easy access to package documentation	Ruedas, Harcombe	423
texdraw	Graphical macros, using embedded PostScript	Kabal	275
texed	A T <sub>E</sub> X shell for OS/2	Stippich	460
texemplar	A class for the journal of CervanTeX	Bezós López	321
texfaq	A compilation of Frequently Asked Questions with answers	Fairbairns	207
texfilt	A (La)T <sub>E</sub> X log filter	Baker	138
TeXFindPkg	Query or install T <sub>E</sub> X packages and their dependencies	Lyu	332
texfot	Filter clutter from the output of a T <sub>E</sub> X run	Berry	150
TeXhax	Digests of a general T <sub>E</sub> X mailing list	Unknown	507
texi2dvi-latest	Process Texinfo or (La)T <sub>E</sub> X source to DVI	Friedman	220
texi2html	Converts T <sub>E</sub> Xinfo to HTML	Price, Dumas, Berry, Cons	397
texi2roff	Translate texinfo to troff	Erlebacher	205
texi2www	Converts texinfo to display on the Web	Singletary	449
texilikechaps	Format chapters with a texi-like format	Rivera	409
texi-like cover	A cover-page package, like T <sub>E</sub> Xinfo	Simões	449
texindex	Simple indexing using standard Unix commands	Unknown	507
texinfo-latest	Current releases of texinfo.tex and texi2dvi	Free Software Foundation	220
texinfo	Texinfo documentation system	Free Software Foundation	220
TeXLab	L <sup>A</sup> T <sub>E</sub> X Language Server	Förster	218
TeXline	A T <sub>E</sub> X-based magazine	Clark	181
texlipse	L <sup>A</sup> T <sub>E</sub> X plugin for Eclipse	von Loesch, Hupponen, Karlsson, Laitinen, Ojala, Pirinen, Seuranen, Takkinen	319
texlist	Typeset program listings	Forkosh	217
texlive-dummy-e...	Dummy T <sub>E</sub> X Live RPM for use with RHEL 6 and derived distributions	Tennent	483
texlive-dummy-e...	Dummy T <sub>E</sub> X Live RPM for use with RHEL 7 and derived distributions	Tennent	483
texlive-dummy-e...	Dummy T <sub>E</sub> X Live RPM for use with RHEL 8 and derived distributions	Tennent	483
texlive-dummy-e...	Dummy T <sub>E</sub> X Live RPM for use with RHEL 6 and derived distributions	Tennent	483
texlive-dummy-f...	Dummy T <sub>E</sub> X Live RPM for use with Fedora and similar distributions	Seliger	441
texlive-dummy-o...	Dummy T <sub>E</sub> X Live RPM for use with Open SUSE	Niepraschk	365
texlive-repo	A mirror of the T <sub>E</sub> X Live repository	T <sub>E</sub> XLive	486
TeX Live source...	Sources of the T <sub>E</sub> X Live distribution	T <sub>E</sub> XLive	486
texlive	A comprehensive distribution of T <sub>E</sub> X and friends	T <sub>E</sub> XLive	486
texliveonfly	On-the-fly download of missing T <sub>E</sub> X live packages	Naranong	359
texlog-extract	Extract errors and warnings from T <sub>E</sub> X logs	Dekker	191
texloganalyser	Analyse T <sub>E</sub> X logs	van Oudenhove	379
texlogfilter	Filter L <sup>A</sup> T <sub>E</sub> X engines output or log file	Labbé	307

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
texlogos	Ready-to-use L <sup>A</sup> T <sub>E</sub> X logos	Ruzyczka	424
texlogsieve	Filter and summarize L <sup>A</sup> T <sub>E</sub> X log files	Lago	307
TeXmacs	Structured text editor for T <sub>E</sub> X	van der Hoeven	258
texmalli	A quick Finnish introduction to using L <sup>A</sup> T <sub>E</sub> X	Kaijanaho	275
TeXmate	Comprehensive chess annotation in L <sup>A</sup> T <sub>E</sub> X	Garcia-De Castro	173
texments	Using the Pygments highlighter in L <sup>A</sup> T <sub>E</sub> X	Kubica	303
TeXmuse	Music typesetting system using T <sub>E</sub> X and Metafont	Garcia-De Castro	173
texnegar	Kashida justification in X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X and LuaLaTeX	Movahhedian	353
TeXnicCenter	An IDE for L <sup>A</sup> T <sub>E</sub> X on MSWindows	Wiegand	534
texonly	A sample document in Plain T <sub>E</sub> X	Borck-Elsner	156
texosquery	Cross-platform Java application to query OS information	Talbot	475
texpack	Create documented L <sup>A</sup> T <sub>E</sub> X classes, packages and docs in a Unix environment	Lulli	329
texperf	A WordPerfect to L <sup>A</sup> T <sub>E</sub> X translator	Forkosh	218
texpict	Create drawings for L <sup>A</sup> T <sub>E</sub> X	Ribo	408
texpictex	Use tpic special commands in PiCTeX	Grunwald	240
texplate	A tool for creating document structures based on templates	Cereda	174
texpower	Create dynamic online presentations with L <sup>A</sup> T <sub>E</sub> X	Lehmke, Nordhaug	314
TeXProject	A package for project management	Bressan, Gurari	161
TeXProposal	A proposal prototype for L <sup>A</sup> T <sub>E</sub> X promotion in Chinese universities	Zhennan	552
texref	Find cross-references in a L <sup>A</sup> T <sub>E</sub> X file	Friendly	221
texshade	Package for setting nucleotide and peptide alignments	Beitz	148
TeXshell	X-Window Shell for T <sub>E</sub> X	Mittelbach	350
texshell32	A free T <sub>E</sub> XShell for MS-Windows 95 and NT	Struve	465
texshop	TeX front end for use on MacOS X	Koch	294
TeXsis	Plain T <sub>E</sub> X macros for Physicists	Myers, Paige	359
texsketch	A drawing package for OS/2	Bahnes	138
texsort	Sort/compress numerical lists	Tolušis	495
texspell	A L <sup>A</sup> T <sub>E</sub> X spelling checker	Eckl	201
texsurgery	A L <sup>A</sup> T <sub>E</sub> X companion to the “texsurgery” python project	Angulo	132
TeX T1	TeX format from Washington State University	Guenther	240
text2bib	A PHP script to convert references to BibTeX	Osborne	379
textarea	Control the text area dynamically	Rozhenko	423
textcase	Case conversion ignoring mathematics, etc	Carlisle	171
textcomp	L <sup>A</sup> T <sub>E</sub> X support for the Text Companion fonts	Rahtz	401
textcsc	Simple commands for caps-to-small-caps text	Granet	235
textfit	Fit text to a desired size	Rahtz, Taylor	401
textglos	Typeset and index linguistic gloss abbreviations	Weber	531
textgreek	Upright greek letters in text	Michlmayr	345
textmerg	Merge text in T <sub>E</sub> X and L <sup>A</sup> T <sub>E</sub> X	Piff, Fairbairns, Carlisle	392
textool	A SunOS DVI viewer	Ilieve	265
texttoolspro	Tools for documentation written in L <sup>A</sup> T <sub>E</sub> X	Algaba	131
textopo	Annotated membrane protein topology plots	Beitz	148
textpath	Setting text along a path with MetaPost	Hennig	254
textpos	Place boxes at arbitrary positions on the L <sup>A</sup> T <sub>E</sub> X page	Gray	236
textualicomma	Use the textual comma character as decimal separator in math mode	Friedl	220
textures-metrics	Adobe font metrics, converted for use with Textures	Kahn	275
texvc	Use MediaWiki L <sup>A</sup> T <sub>E</sub> X commands	Schubotz	437
texware	Utility programs for use with T <sub>E</sub> X	Knuth	293
tfmprk	A viewer for tfm and pk font files	Medini	343
TFMPKtest	Check and correct checksums of TFM and PK files	Larchey, Roegel, Rossi	310
tfrupree	A font offering the new (Indian) Rupee symbol	Jørgensen	274
tgothic	Gothic Textura Quadrata manuscript book-hand font	Wilson	538
tgrind	Produce beautiful program listings using plain T <sub>E</sub> X	Jacobson	268
tgrind209	Support tgrind in L <sup>A</sup> T <sub>E</sub> X 2.09	Unknown	507

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
thai-rmit	A font for Thai script	Kent	279
thai-usl	A font for Thai script	Kent	280
thaienum	Thai labels in enumerate environments	Janthong	269
thaifonts-arundina	DejaVu-compatible Thai fonts	Karoonboonyanan	277
ThaiLaTeX	Typeset Thai texts with standard L <sup>A</sup> T <sub>E</sub> X classes	Karoonboonyanan	277
thaispec	Thai Language Typesetting in X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X	Promkam	397
thalie	Typeset drama plays	Paternault	386
theanodidot	TheanoDidot fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	483
theanomodern	Theano Modern fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	483
theanooldstyle	Theano OldStyle fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	483
theapa	APA (American Psychology Association) Reference Citation for L <sup>A</sup> T <sub>E</sub> X	Ryu	424
theatre	A sophisticated package for typesetting stage plays	Hinque	256
theorem	Manipulate theorem environments	Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	350
theoremref	References with automatic theorem names	Jeřábek	271
thepdfnumber	Print PDF numbers with minimal digits	Oberdiek	374
thermodynamics	Macros for multicomponent thermodynamics documents	Hammond	244
these	Bibliography style for French theses	Herrb	255
thesis-ekf	Thesis class for Eszterházy Károly Catholic University	Tómacs	495
thesis-gwu	Thesis class for George Washington University School of Engineering and Applied Science	Kulumani	305
thesis-qom	Thesis style of the University of Qom, Iran	Razavian	404
thesis-titlepag...	Little style to create a standard titlepage for diploma thesis	Lamers	308
thesis	Typeset thesis	Matiaske	338
thinsp	A stretchable \thinspace for L <sup>A</sup> T <sub>E</sub> X	Jørgensen	274
thirteen	Print dates of Friday 13th days	Unknown	507
thmbox	Decorate theorem statements	Beffara	147
thmtools	Extensions to theorem environments	Schwarz, Chou	439
thorshammer	Assessment based on AcroTeX quizzes	Story	464
threadcol	Organize document columns into PDF “article thread”	Pakin	382
threecol	Three-column newsletter output	Unknown	507
threecolumn	L <sup>A</sup> T <sub>E</sub> X output in three columns	Greenwade	237
threeddice	Create images of dice with one, two, or three faces showing, using MetaPost	Luecking	329
3DLDF	Three-dimensional drawing with MetaPost output	Finston	214
threeparttable	Tables with captions and notes all the same width	Arseneau	135
threeparttablex	Notes in longtables	Madsen	333
thrmappendix	Theorems, lemmas, etc., in appendix	Klemens	289
thsmc	Metrics and L <sup>A</sup> T <sub>E</sub> X support for Sans Mono Condensed Font	Veytsman	517
thuaslogos	Logos for The Hague University of Applied Sciences (THUAS)	op den Brouw	162
thubeamer	A beamer theme for Tsinghua University	Yang	545
thucoursework	Coursework template for Tsinghua University	Zhao	552
thumb	Thumb marks in documents	Holm Christensen	180
thumbpdf	Thumbnails for pdfTeX and dvips/ps2pdf	Oberdiek	374
thumbs	Create thumb indexes	Münch	355
thumby	Create thumb indexes for printed books	Goldgaber	230
thuthesis	Thesis template for Tsinghua University	Xue, Tsinghua University	544
tib	A bibliographic preprocessor	TUNA Association	
tibetan	A bibliographic preprocessor	Alexander, Kremer, Kolb	130
ticket	An early L <sup>A</sup> T <sub>E</sub> X Tibetan package	Schwartz, Knight, Wujastyk	438
ticollege	Make labels, visiting-cards, pins with L <sup>A</sup> T <sub>E</sub> X	Emmel	204
tidyres	Graphical representation of keys on a standard scientific calculator	De Sousa	454
tidyres	Create formal resumes easily	Liang	317
tie	Allow multiple web change files	Guntermann	241
tif2eps	A PostScript program for converting TIFF files to EPS	Jackowski, Pianowski, Strzelczyk	268



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
tiff	The tiff graphics package	Leffler	313
tikz-3dplot	Coordinate transformation styles for 3d plotting in TikZ	Hein	250
tikz-among-us	Create some AmongUs characters in TikZ environments	Zucatelli	554
TikZ-Bagua	Draw Bagua symbols in Yijing	WANG	530
tikz-bayesnet	Draw Bayesian networks, graphical models and directed factor graphs	Luttinen	331
tikz-bbox	Precise determination of bounding boxes in TikZ	Unknown	507
tikz-cd	Create commutative diagrams with TikZ	Stoffel	460
tikz-dependency	A library for drawing dependency graphs	Pighin	393
tikz-dimline	Technical dimension lines using PGF/TikZ	Gross	239
tikz-ext	A collection of libraries for PGF/TikZ	Unknown	507
TikZ-FeynHand	Feynman diagrams with TikZ	Dohse	194
tikz-feynman	Feynman diagrams with TikZ	Ellis	203
tikz-image-labels	Put labels on images using TikZ	Plüss	394
tikz-inet	Draw interaction nets with TikZ	de Falco	209
tikz-kalender	A L <sup>A</sup> T <sub>E</sub> X based calendar using TikZ	Niepraschk	365
tikz-karnaugh	Typeset Karnaugh maps using TikZ	Laus	310
tikz-ladder	Draw ladder diagrams using TikZ	Laus	311
tikz-lake-fig	Schematic diagrams of lakes	Stachelek	457
tikz-layers	TikZ provides graphical layers on TikZ: "behind", "above" and "glass"	Moutinho	353
tikz-mirror-lens	Spherical mirrors and lenses in TikZ	Zucatelli	554
tikz-nef	Create diagrams for neural networks constructed with the methods of the Neural Engineering Framework (NEF)	Gosmann	232
tikz-network	Draw networks with TikZ	Hackl	242
tikz-nfold	Triple, quadruple, and n-fold paths with TikZ	Schulz	437
tikz-opm	Typeset OPM diagrams	Hoffmann	258
tikz-optics	A library for drawing optical setups with TikZ	Fruchart	221
tikz-page	Small macro to help building nice and complex layout materials	Gross	239
tikz-palattice	Draw particle accelerator lattices with TikZ	Schmidt	431
TikZ-planets	Illustrate celestial mechanics and the solar system	Santos	425
tikz-qtree	Use existing qtree syntax for trees in TikZ	Chiang	179
tikz-relay	TikZ library for typesetting electrical diagrams	Laus	311
tikz-sfc	Symbols collection for typesetting Sequential Function Chart (SFC) diagrams (PLC programs)	Laus	311
tikz-swigs	Horizontally and vertically split elliptical nodes	Richardson	408
tikz-timing	Easy generation of timing diagrams as TikZ pictures	Scharrer	429
tikz-track-schem...	A TikZ library for creating track diagrams in railways	Scheidt	429
tikz-truchet	Draw Truchet tiles	Scroggs	439
tikz2d-fr	Work with some 2D TikZ commands (French)	Pierquet	391
tikz3d-fr	Work with some 3D figures	Pierquet	391
TikZbricks	Drawing bricks with TikZ	Unknown	507
tikzcodeblocks	Helps to draw codeblocks like scratch, NEPO and PXT in TikZ	Salamon	425
TikZducks	A little fun package for using rubber ducks in TikZ	Unknown	508
tikzfill	TikZ libraries for filling with images and patterns	Sturm	466
tikzinclude	Import TikZ images from collections	Schwenk, Berg	439
TikZlings	A collection of cute little animals and similar creatures	Unknown	508
tikzmark	Use TikZ's method of remembering a position on a page	Stacey	457
TikZmarmots	Drawing little marmots in TikZ	Unknown	508
tikzorbital	Atomic and molecular orbitals using TikZ	Salvato-Vallverdu	425
tikzpackets	Display network packets	Paciorek	380
tikzpagenodes	A single TikZ node for the whole page	Scharrer	429
tikzpeople	Draw people-shaped nodes in TikZ	Fleischhacker	215
tikzpfeile	Draw arrows using PGF/TikZ	Fütterer, Zachhuber	222
Tikzpingus	Penguins with TikZ	Sihler	449
tikzposter	Create scientific posters using TikZ	Richter, Barnard, Botoeva, Surmann	408

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
tikzscale	Resize pictures while respecting text size	Häcker	242
tikzsymbols	Some symbols created using TikZ	Vitecek	519
tikztosvg	A utility for rendering TikZ diagrams to SVG	Unknown	508
tikzviolinplots	Draws violin plots from data	Callil-Soares	168
tile-graphic	Create tiles of a graphical file	Story	464
tilings	A TikZ library for drawing tiles and tilings	Stacey	457
timbreicmc	Typeset documents with ICMC/USP watermarks	Frasson	219
time-gen	Print the time (12-hour clock)	Sen	441
time	Defines a macro \now to print the current time	Piff, Fairbairns, Carlisle	392
timeline	Typeset time-lines, for planning, etc	Unknown	508
times	Select Adobe Times Roman (or equivalent) as default font	Rahtz	401
timetab	Typeset timetables	Oetiker	375
timetable	Generate timetables	Verunek	514
timing-diagrams	Draw timing diagrams	Moy	353
timing	Fonts and macro package for drawing timing diagrams	May, Leilich	340
tinot	Tinos fonts with L <sup>A</sup> T <sub>E</sub> X support	Tennent	483
tinyc2l	Pretty print C/C++/Java source code using L <sup>A</sup> T <sub>E</sub> X	Plugge	394
tip	Macro examples from “TeX in Practice”	von Bechtolsheim	145
tipa-de	German translation of tipa documentation	Leistner	314
tipa	Fonts and macros for IPA phonetics characters	Rei	405
tipauni	Producing Unicode characters with TIPA commands	Unknown	508
tipfr	Produces calculator’s keys with the help of TikZ	De Sousa	454
tipos	Description of fonts for T <sub>E</sub> X, in Spanish	Bezos López	322
tiscreen	Mimic the screen of older Texas Instruments calculators	Ibrahim	265
titlecaps	Setting rich-text input into Titling Caps	Segletes	440
titlefoot	Add special material to footer of title page	Presnell	397
titlepage-uni-d...	Titlepage for University of Dortmund (Germany)	Sebastiani	439
titlepages	Sample titlepages, and how to code them	Wilson	538
titlepic	Add picture to title page of a document	ten Cate	174
titles	Page style control	Bezos López	322
titleref	A “\titleref” command to cross-reference section titles	Arseneau	136
titles	Titles of books, articles, etc. in L <sup>A</sup> T <sub>E</sub> X	Swift	468
titlesec	Select alternative section titles	Bezos López	322
titletoc	Alternative headings for toc/lof/lot	Bezos López	322
titling	Control over the typesetting of the \maketitle command	Robertson, Wilson	413
tkbibtex	A portable editor and browser for BibTeX files	Corke	184
tkdvi	DVI previewer built with the Tcl/Tk toolkit	Lingnau	319
tkhyph	Hyphenation patterns for Turkish	MacKay	332
tktexcad	Generate L <sup>A</sup> T <sub>E</sub> X picture environments	Straube	464
tkz-base	Tools for drawing with a cartesian coordinate system	Matthes	338
tkz-berge	Macros for drawing graphs of graph theory	Matthes	338
tkz-doc	Documentation macros for the TKZ series of packages	Matthes	339
tkz-euclide	Tools for drawing Euclidean geometry	Matthes	339
tkz-fct	Tools for drawing graphs of functions	Matthes	339
tkz-graph	Draw graph-theory graphs	Matthes	339
tkz-kiviat	Draw Kiviat graphs	Matthes	339
tkz-linknodes	Link nodes in mathematical environments	Matthes	339
tkz-orm	Create Object-Role Model (ORM) diagrams	Voß, Staps	526
tkz-tab	Tables of signs and variations using PGF/TikZ	Matthes	339
tkzexample	Package for the documentation of all tkz-* packages	Matthes	339
tlaunch	A Windows GUI to run a networked T <sub>E</sub> X Live as if installed locally	Kroonenberg	301
tlc-article	A L <sup>A</sup> T <sub>E</sub> X document class for formal documents	Howard	262
tlc2-errata	Errata list for The L <sup>A</sup> T <sub>E</sub> X Companion, Second Edition	Mittelbach, Goossens	349
tlc2-examples	Examples from “The L <sup>A</sup> T <sub>E</sub> X Companion”, second edition	Mittelbach	349
tlc3-examples	All examples from “The L <sup>A</sup> T <sub>E</sub> X Companion”, third edition	Mittelbach	349

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
TLCKockpit	A GUI frontend to T <sub>E</sub> X Live Manager (tlmgr)	Preining	397
tlg2latex	Prepare L <sup>A</sup> T <sub>E</sub> X from the Thesaurus Linguae Graecae	Rouquette	420
tlmgr-intro-zh-cn	A short tutorial on using tlmgr in Chinese	Sun	466
tlmgrBasics	A simplified documentation for tlmgr	Tennent	483
tmmath-fonts	Bitmap versions of the Micropress TM-Math fonts (Times Maths)	MicroPress	345
tmmath	Support for using the Micropress TM-Math fonts	Schmidt, Harcombe	432
tmview	A DVI previewer for SVGA displays	Moor	351
to-be-determined	Highlight text passages that need further work	Bugayenko	165
toc-zar	Plain T <sub>E</sub> X table of contents macros	Zirin	553
toc	Table of contents macros for Plain T <sub>E</sub> X	Unknown	508
tocbasic	Management of tables/lists of contents (and the like)	Kohm	298
tocbibind	Add bibliography/index/contents to Table of Contents	Robertson, Wilson	413
tocdata	Adds names to chapters, sections, figures in the TOC and LOF	Dunn	199
tocenter	Centring (and other) Page Layout	Rozhenko	423
tocloft	Control table of contents, figures, etc	Robertson, Wilson	413
toctstyle	Define style of Table of contents (etc) files	Kohm	298
toctvsec2	Section numbering and table of contents control	Robertson, Wilson	413
todo	Make a to-do list for a document	Garcia-De Castro	173
todonotes	Marking things to do in a L <sup>A</sup> T <sub>E</sub> X document	Midtiby	345
toil	An installer of PostScript fonts for T <sub>E</sub> X	Jackowski, Pianowski, Strzelczyk	268
tokcycle	Build tools to process tokens from an input stream	Segletes	440
tokenizer	A tokenizer	Herpers	255
tolkienfonts	Use TTF "Tolkien" fonts from the WWW with pdfTeX	Barton	141
toneval	Tool for linguists and phoneticians to visualize tone value patterns	Chen	177
toolbox	Tool macros	Väth	512
topcapt	Place captions above figures or tables	Fairbairns, Carlisle	208
topfloat	Move floats to the top of the page	Macchia	332
topiclongtable	Extend longtable with cells that merge hierarchically	Brasolin	160
TOPletter	Letter class for the Politecnico di Torino	Torchiano	495
topsection	An un-numbered top level section	Rozhenko	423
TOPtesi	Bundle for typesetting multilanguage theses	Beccari	145
totalcount	Commands for typesetting total values of counters	Sommerfeldt	454
totcount	Find the last value of a counter	Koutavas	300
totpages	Count pages in a document, and report last page number	Müller	354
tpcmfont	Computer modern fonts in "true point sizes"	Knuutila	294
tpic2pdfTeX	Use tpic commands in pdfTeX	Henkel, T <sub>E</sub> XLive	254
tpslifonts	A L <sup>A</sup> T <sub>E</sub> X package for configuring presentation fonts	Lehmke	313
TpX	A drawing tool for Windows	Tsyplakov	498
tqft	Drawing TQFT diagrams with TikZ/PGF	Stacey	457
tr2latex	Translate troff source to L <sup>A</sup> T <sub>E</sub> X	Engel, Jagdman, Al-Yahya	205
trace	Make sensible use of T <sub>E</sub> X tracing in L <sup>A</sup> T <sub>E</sub> X	Mittelbach, L <sup>A</sup> T <sub>E</sub> X Team	350
tracking	Adjust tracking of strings	Glazkov	229
tracklang	Language and dialect tracker	Talbot	475
trademarks	A collection of trademarks and the like	Unknown	508
trajan	Fonts from the Trajan column in Rome	Wilson	538
tram	Typeset tram boxes in L <sup>A</sup> T <sub>E</sub> X	Khalighi, bidi-tex GitHub Organisation	281
tramlines	A package for creating tramlines (lines above and below a title used by lawyers in the UK)	Granet	235
trans	A simple T <sub>E</sub> X macro package for PostScript transformations	BOP	155
transfig	Transform xfig pictures into many other formats	Smith	451
translation-arr...	French translation of the documentation of array	Drucbert	197
translation-ars...	German version of arsclassica	Römer, Gessinger	417
translation-bib...	German translation of the User Guide for BibLaTeX	Römer	417

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
translation-boo...	French translation of the documentation of booktabs	Drucbert	197
translation-che...	German version of chemsym	Römer, Heuke	417
translation-dco...	French translation of the documentation of dcolumn	Drucbert	197
translation-ecv-de	Ecv documentation, in German	Römer, Vogel	417
translation-enu...	Enumitem documentation, in German	Ludwig, Römer	328
translation-eur...	German version of europecv	Römer, Fischer	417
translation-fil...	German version of filecontents	Römer, Berndt	417
translation-foo...	A German translation of the documentation of footmisc	Römer	417
translation-mor...	German version of moreverb	Römer, Biniok	417
translation-nat...	French translation of the documentation of natbib	Drucbert, Daly	197
translation-pst...	A German translation of the documentation of pst-jtree	Römer	417
translation-tab...	French translation of the documentation of Tabbing	Drucbert	197
translations	Internationalisation of L <sup>A</sup> T <sub>E</sub> X2e packages	Niederberger	364
translator	Easy translation of strings in L <sup>A</sup> T <sub>E</sub> X	Wright	542
Transparent-IO	Show for approval the filenames used in \input, \openin, or \openout	Wermuth	533
transparent	Using a color stack for transparency with pdfTeX	Oberdiek	374
tree-dvips	Trees and other linguists' macros	Pease	387
treedef	Macros to typeset trees in Plain T <sub>E</sub> X	Eppstein	205
treesvr	Tree macros	Vanroose	511
treetex-ltx209	Draw horizontally- or vertically-oriented trees	Bloesch	153
treetex-plain	Draw trees	Brueggemann-Klein, Wood	163
trfsigns	Typeset transform signs	Rascher	403
trig	Simple trigonometric functions	Carlisle, L <sup>A</sup> T <sub>E</sub> X Team	173
trigonometry	Demonstration code for cos and sin in T <sub>E</sub> X macros	Taylor	478
trimspaces	Trim spaces around an argument or within a macro	Robertson	411
trivfloat	Quick float definitions in L <sup>A</sup> T <sub>E</sub> X	Wright	542
trsym	Symbols for transformations	Holfert	260
truchet	Truchet tiling in MetaPost	Roegel	415
truecols	Colour facilities for SliTeX	Love	325
truypemetrics	Metrics for some TrueType font families	Penninga	388
TrueTypeToType42	Generate a Type 42 font from a TrueType font	Barton	142
truncate	Truncate text to a specified width	Arseneau	136
truthtable	Automatically generate truth tables for given variables and statements	Flück	216
TrY	Automation of T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X compilation	Tex	484
tsconfig	Setup support for T <sub>E</sub> Xshell	Nitschke	366
tsemelines	Support for the ancient \emline macro	Schlemmer	430
tsipa	Macros and fonts to produce IPA typesetting	Hajime, Rei, Shun	243
tsvtemplate	Apply a template to a tsv file	Renkema	407
tt2001	Type 1 EC fonts generated by T <sub>E</sub> Xtrace	Szabó	471
ttf-howto	Using TrueType fonts with T <sub>E</sub> X systems	Harders	247
ttf2mf	Convert True Type fonts to Metafont	Motygin	353
ttf2pfb	Make an Adobe Type 1 version of a TrueType font	Lemberg	315
ttf2pt1	Convert TrueType fonts to Adobe Type 1 format	Weeks, Siebert, Henlich	531
ttf2tex	Use TrueType fonts with TeTeX	Lehman	313
ttftogf	Convert True Type fonts to GF format	Vasil'ev	512
tth	A T <sub>E</sub> X to HTML translator	Hutchinson	264
ttn	TeX and TUG news archive	Thiele	491
ttt	A Tibetan Transcript Transliterator for L <sup>A</sup> T <sub>E</sub> X	Steiner	459
tucv	Support for typesetting a CV or résumé	Louthan	325
tuda-ci	L <sup>A</sup> T <sub>E</sub> X templates of Technische Universität Darmstadt	Peischl	388
tudscr	Corporate Design of Technische Universität Dresden	Hanisch	244
tufte-latex	Document classes inspired by the work of Edward Tufte	Godby	229
tugboat-plain	Plain T <sub>E</sub> X macros for TUGboat	Beeton, Berry	147
tugboat-toc	An accumulation of TUGboat tables of contents	Beeton	147
tugboat	L <sup>A</sup> T <sub>E</sub> X macros for TUGboat articles	Fairbairns, Berry	207

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
tui	Thesis style for the University of the Andes, Colombia	Vaughan	513
turabian-format...	Formatting based on Turabian's Manual	Abdool	128
turabian	Create Turabian-formatted material using L <sup>A</sup> T <sub>E</sub> X	Surber	466
turkish	L <sup>A</sup> T <sub>E</sub> X Support for Typesetting Turkish	MacKay	332
turkishintro	An introduction to L <sup>A</sup> T <sub>E</sub> X, in Turkish	Rakhimov	402
turkmen	Babel support for Turkmen	Annagurban	132
turnstile	Typeset the (logic) turnstile notation	Buchsbaum, Reinaldo	163
turnthepage	Provide "turn page" instructions	Merciadri	344
TVS	TeX Versioning System	Antos	132
twcal	Calligraphic font for typesetting handwriting	Weinmann	532
tweb	A web system for T <sub>E</sub> X macro sources	Bzyl	168
twemoji-colr	Twemoji font in COLR/CPAL layered format	Zeng	551
twemojis	Use Twitter's open source emojis through L <sup>A</sup> T <sub>E</sub> X commands	Rossel	419
twocolumns	Knuth's two-column output macros	Knuth	293
2in1	Print two pages on a single page	Saxena	426
twoopt	Definitions with two optional arguments	Oberdiek	374
twoside	Two-side typesetting in Plain T <sub>E</sub> X	Unknown	508
twoup-gen	Macros to print two-up	Van Zandt, Voß	550
twoup1tx	Print two virtual pages on each physical page	Hansen	245
txfonts	Times-like fonts in support of mathematics	Ryu	424
txfontsb	Extensions to txfonts, using GNU Freefont	Tsolomitis	497
txgreek	Shape selection for TX fonts Greek letters	Burnol	166
txp	Draw text along a path	Muelas	354
txt	Output documents via terminals, line printers, etc	Droms	197
txt2latex	Convert text by fixing special chars and quote marks	Miller	347
txt2tex	Add L <sup>A</sup> T <sub>E</sub> X markup to plain text	Jansons	269
TXUprCal	Upright calligraphic font based on TX calligraphic	Sharpe	445
type1cm	Arbitrary size font selection in L <sup>A</sup> T <sub>E</sub> X	Carlisle	171
type1ec	Permit EC, TC and LH fonts at arbitrary sizes	Volovich	521
typearea	Set page margins	Kohm, Neukam	298
typed-checklist	Typesetting tasks, goals, milestones, artifacts, and more in L <sup>A</sup> T <sub>E</sub> X	Grewe	239
typedref	Eliminate errors by enforcing the types of labels	Seidman, Ashton	440
typeface	Select a balanced set of fonts	Jones	273
typehtml	Typeset HTML directly from L <sup>A</sup> T <sub>E</sub> X	Carlisle	171
typeoutfileinfo	Display class/package/file information	Lück	328
typespec	Create font samplers	Moye	353
typewriter	Typeset with a randomly variable monospace font	Carlisle	171
typicons	Font containing a set of web-related icons	Vigil	518
typoaid	Macros for font diagnostics	Ratti	403
typografie	A tutorial on typography	Reichert	406
typogrid	Print a typographic grid	Harders	247
tzplot	Plot graphs with TikZ abbreviations	Cho	180
<b>UUUUU</b>			
u8tex	Input Unicode characters in T <sub>E</sub> X notation, in emacs	Pokrovsky	395
uaclasses	University of Arizona thesis and dissertation format	Oliver	376
uafthesis	Document class for theses at University of Alaska Fairbanks	Holbrook	260
uantwerpendocs	Course texts, master theses, and exams in University of Antwerp style	Daems	187
uassign	Environments and options for typesetting university assignments	Esau	206
ucalgmthesis	L <sup>A</sup> T <sub>E</sub> X thesis class for University of Calgary Faculty of Graduate Studies	Zach	548
ucbthesis	Thesis and dissertation class supporting UCB requirements	Vojta, Gildea	520
ucdavisthesis	A thesis/dissertation class for University of California at Davis	Scott	439
ucharcat	Implementation of the (new in 2015) XeTeX \Ucharcat command in lua, for LuaTeX	Carlisle	171
ucharclasses	Font actions in XeTeX according to what is being processed	Kamermans	276
ucs	Extended UTF-8 input encoding support for L <sup>A</sup> T <sub>E</sub> X	Jeltsch, Unruh, Carlisle	271



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
ucsmonograph	Typesetting academic documents from the University of Caxias do Sul	Baron	140
ucthesis	University of California thesis format	Gildea	227
ucthesis209	L <sup>A</sup> T <sub>E</sub> X 2.09 document style for UC Theses	Munson	356
udes-genie-these	A thesis class file for the Faculté de génie at the Université de Sherbrooke	Brunet	163
udesoftec	Thesis class for the University of Duisburg-Essen	Schuler	437
uebungsblatt	A L <sup>A</sup> T <sub>E</sub> X class for writing exercise sheets	Akkerman	129
uestcthesis	Thesis class for UESTC	Fujun	222
ufrgscca	A bundle for undergraduate students final work/report (tcc) at UFRGS/EE	Frigeri	221
ugarite	Fonts for Ugaritic cuneiform script	Wilson	538
ugaritic	A font for Ugaritic	Stanier	458
uhc	Fonts for the Korean language	Un	500
uhasignment	A document class for typesetting homework assignments	Wittenburg	539
uhrzeit	Time printing, in German	Meltzer	344
uhthesis	University of Houston thesis document style	Georgakopoulos	225
uiucredborder	Class for UIUC thesis red-bordered forms	Pakin	382
uiucthesis	UIUC thesis class	Czoschke, Hull	187
ukbill	A class for typesetting UK legislation	Granet	235
ukdate	Typeset date in a UK-ish form	Clark	181
ukhyph	Hyphenation patterns for British English	Wujastyk, Taylor	542
ukrhyph	Hyphenation Patterns for Ukrainian	Shvaika, Polyakov, Vulis	447
UK-TeX	The UK T <sub>E</sub> X digest	Unknown	508
uktug-bask	Old copies and sources of Baskerville	UK TeX Users Group	499
ulem	Package for underlining	Arseneau	136
ulqda	Support of Qualitative Data Analysis	Griffin	239
ulsy-ps	Extra mathematical characters in Adobe Type 1 format	Goldschmitt, Henel	230
ulsy	Extra mathematical characters	Goldschmitt	230
ulthese	Thesis class and templates for Université Laval	Lasou, Goulet	310
Ultra-TeX	An emacs T <sub>E</sub> X mode with "lightning completion"	Palmieri	383
umclegislation	A L <sup>A</sup> T <sub>E</sub> X class for building legislation files for UMBC Student Government Association Bills	DasSarma	189
umich-thesis	University of Michigan Thesis L <sup>A</sup> T <sub>E</sub> X class	Kleb	286
UML	UML diagrams in L <sup>A</sup> T <sub>E</sub> X	Gjelstad	228
umlaute	German input encodings in L <sup>A</sup> T <sub>E</sub> X	Sommerfeldt	454
umoline	Underline text allowing line breaking	Nakashima	359
umrand	Package for fancy box frames	Schrell, Hörstmeier	435
umthesis	Dissertations at the University of Michigan	Felty	210
umtypewriter	Fonts to typeset with the xgreek package	Syropoulos	469
unam-thesis	Create documents according to the UNAM guidelines	Camacho Bolaños	154
unamth-template	UNAM Thesis L <sup>A</sup> T <sub>E</sub> X Template	Velázquez	513
unamthesis	Style for Universidad Nacional Autonoma de Mexico theses	Freyre-Gonzalez	220
UnBTeX	A class for theses at University of Brasilia (UnB)	Ferreira	211
uncial	Uncial manuscript book-hand font	Wilson	538
undergradmath	L <sup>A</sup> T <sub>E</sub> X Math for Undergraduates cheat sheet	Hefferon	250
underlin-generic	Multi-word underlining	Gildea	227
underlin	Underlined running heads	Schöpf	434
underoverlap	Position decorations over and under expressions	Helvensteijn	252
underscore	Control the behaviour of " _ " in text	Arseneau	136
undertilde-gen	A simple macro for placing a tilde under a character	Unknown	508
undertilde	Typeset a tilde under one (or many) maths symbols	Bayart	143
undolabl	Override existing labels	Münch	355
undump	Make a new executable with format loaded	Thomas	492
unfinished	Mark unfinished parts of a document	Unknown	508

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
unfonts-core	TrueType version of Un-fonts	Un	500
unfonts-extra	TrueType version of Un-fonts	Un	500
uni-titlepage	Universal titlepages with configuration options and predefined styles	Kohm	298
uni-wtal-ger	Citation style for literary studies at the University of Wuppertal	Dahlmann	187
uni-wtal-lin	Citation style for linguistic studies at the University of Wuppertal	Dahlmann	188
unicode-alphabets	Macros for using characters from Unicode's Private Use Area	Eriksen	205
unicode-bidi	Experimental unicode bidi package for XeTeX	Khalighi, bidi-tex GitHub	281
unicode-data	Unicode data and loaders for T <sub>E</sub> X	Organisation Wright, L <sup>A</sup> T <sub>E</sub> X Team	542
unicode-math-input	Allow entering Unicode symbols in math formulas	user202729	510
unicode-math	Unicode mathematics support for XeTeX and LuaTeX	Robertson, Hosny	411
unicode	Extended UTF-8 input encoding for L <sup>A</sup> T <sub>E</sub> X	Jeltsch, Unruh	271
unicodefonttable	A Unicode font table generator	Mittelbach	349
UniFiTh	Typeset theses for University of Florence (Italy)	Biccari	151
unifront	Give notes a unique front page for every chapter and section	Wei	532
unigrazpub	L <sup>A</sup> T <sub>E</sub> X templates for University of Graz Library Publishing Services	Peischl	388
unimath-plain-x...	OpenType math support in (plain) XeTeX	Zhang	551
uninormalize	Unicode normalization support	Hoftich	259
uniquecounter	Provides unlimited unique counter	Oberdiek	375
unisc	Unicode small caps with Lua/XeLaTeX	Unknown	508
unisugar	Define syntactic sugar for Unicode L <sup>A</sup> T <sub>E</sub> X	Gil	227
unitconv	Convert a length into one with another unit	Voß	525
unitipa	TIPA typefaces with Unicode characters as input	Unknown	508
unitn-bimrep	A bimonthly report class for the PhD School of Materials, Mechatronics and System Engineering	Ragni	400
units	Typeset units	Reichert	406
unitsdef	Typesetting units in L <sup>A</sup> T <sub>E</sub> X	Happel	245
universa	Herbert Bayer's 'universal' font	Holm Christensen	180
universalis	Universalis font, with support	Tennent	483
univie-ling	Papers, theses and research proposals in (Applied) Linguistics at Vienna University	Spitzmüller	455
unixman	Typeset to look like Unix man output	Barton-Davis	142
unizgklasa	A L <sup>A</sup> T <sub>E</sub> X class for theses at the Faculty Of Graphic Arts in Zagreb	Milin	346
unouter	Suppress \outer flags in Plain T <sub>E</sub> X	McManus	342
unpacked	Unpacked copy of the L <sup>A</sup> T <sub>E</sub> X sources	L <sup>A</sup> T <sub>E</sub> X Team, Mittelbach, L <sup>A</sup> mpport	491
unravel	Watching T <sub>E</sub> X digest tokens	Le Floch	216
unswcover	Typeset a dissertation cover page following UNSW guidelines	Mehani	343
unswthesis	UNSW theses	Zaitseff	549
untex	Strip (La)TeX commands from source file	Staats, Endisch	456
uol-physics-report	A L <sup>A</sup> T <sub>E</sub> X document class for writing lab reports	Suchard	466
uothesis	Class for dissertations and theses at the University of Oregon	Anderson	132
uowthesis	Document class for dissertations at the University of Wollongong	Ye	547
uowthesisistitlepage	Title page for dissertations at the University of Wollongong	Griffiths	239
upca	Print UPC-A barcodes	Mrkus	354
upgreek	Upright Greek letters	Schmidt, Harcombe	432
uplatex	pLaTeX2e and miscellaneous macros for upTeX	Maeda, Japanese T <sub>E</sub> X Team	333
upmendex	Multilingual index processor	Tanaka	476
UPmethodology	Writing specifications such as for UP-based methodologies	Galland	223
uppunctlm	Always keep upright shape for some punctuation marks and Arabic numerals	Kieda	282
upquote	Show "realistic" quotes in verbatim	Covington, Mittelbach, Kuhn	185
upref	Ensure references are upright	The AMS	485

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
uptex-base	Plain T <sub>E</sub> X formats and documents for upT <sub>E</sub> X	Maeda, Tanaka, Japanese T <sub>E</sub> X Team	333
uptex-fonts	Fonts for use with upT <sub>E</sub> X	Maeda, Japanese T <sub>E</sub> X Team, Tanaka	333
uptex	Unicode version of pT <sub>E</sub> X	Tanaka	476
upzhkinsoku	Supplementary Chinese kinsoku for Unicode *pT <sub>E</sub> X	Zhang	552
urcls	Beamer and scrlltr2 classes and styles for the University of Regensburg	Peischl	388
uri	Hyperlinks for a wide range of URIs	Münch	355
url	Verbatim with URL-sensitive line breaks	Arseneau	136
urlbst	Web support for BibT <sub>E</sub> X	Gray	236
urw-antiqua	URW Antiqua condensed font, for use with T <sub>E</sub> X	URW GmbH, Schmidt, Harcombe	510
urw-arial	URW Arial font pack for use with L <sup>A</sup> T <sub>E</sub> X	URW GmbH, Schmidt, Harcombe	510
URW-base35	URW ‘Base 35’ font pack for L <sup>A</sup> T <sub>E</sub> X	URW GmbH, Peterlin, Schmidt	509
urw-garamond	URW Garamond No8 Adobe Type 1 fonts	Schmidt, Harcombe	432
URW-Grotesq	URW Grotesq font pack for L <sup>A</sup> T <sub>E</sub> X	URW GmbH, Schmidt, Harcombe	510
urw	URW free font support	URW GmbH	509
urwchancal	Use URW’s clone of Zapf Chancery as a maths alphabet	Sharpe	445
urwvf	Support for use of free URW fonts	Wierzbicki	534
uscthis	USC thesis style for L <sup>A</sup> T <sub>E</sub> X 2.09	Cochran	182
usebib	A simple bibliography processor	Gregorio	238
usenix	Style option to do Usenix conference proceedings	Steiner	459
ushort	Shorter (and longer) underlines and underbars	Väth	512
ushyph	US hyphenation patterns	Kuiken	304
uspace	Giving meaning to various Unicode space characters	Haisman	243
uspatent	U.S. Patent Application Tools for L <sup>A</sup> T <sub>E</sub> X and LyX	Pupalaikis	398
usrguide	User-mode documentation for L <sup>A</sup> T <sub>E</sub> X	L <sup>A</sup> T <sub>E</sub> X Team	490
ut-backref	Modified backref	Utcke	510
ut-thesis	University of Toronto thesis style	Pitt, Knight	394
utexasthesis	University of Texas at Austin graduate thesis style	Brown	162
utf2any	Converting Unicoded text to L <sup>A</sup> T <sub>E</sub> X, HTML, etc	Kleiweg	289
utf8add	Additional support for UTF-8 encoded L <sup>A</sup> T <sub>E</sub> X input	Jørgensen	274
utf8mex	Tools to produce formats that read Polish language input	Bzyl, Wawrykiewicz	168
utfsym	Provides various Unicode symbols	Spittank	455
util-half	A half-tone font	Unknown	508
utopia	Adobe Utopia fonts	Adobe	128
utorontothesis	A thesis class definition for University of Toronto	Bernecky	150
utthesis	Thesis package for the University of Texas at Austin	Das	189
uvaletter	Unofficial letterhead template for the University of Amsterdam	Piazzai	390
uwa-colours	The colour palette of The University of Western Australia	Di Pietro	392
uwa-letterhead	The letterhead of the University of Western Australia	Di Pietro	392
uwa-pcf	A Participant Consent Form (PCF) for a human research protocol at the University of Western Australia	Di Pietro	392
uwa-pif	A Participant Information Form (PIF) for a human research protocol at the University of Western Australia	Di Pietro	392
uwmslide	Slides with a simple Power Point like appearance	Benedict	149
uwthesis	University of Washington thesis class	Fox	218
uwthesis209	L <sup>A</sup> T <sub>E</sub> X 2.09 style for University of Washington theses	Fox	218
<b>VVVVV</b>			
va	Handwriting fonts	Ludewig	328
vak	BibT <sub>E</sub> X style for Russian Theses, books, etc	Melnikov	344
Vancouver	Bibliographic style file for Biomedical Journals	van der Beek	147

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
variablelm	Font definitions for the variable Latin Modern fonts	Kieda	282
variations	Typeset tables of variations of functions	Obrecht	375
varindent	Make paragraph indentation match the length of the line above	Arseneau	136
varindex	Luxury frontend to the \index command	Väth	512
varioref	Intelligent page references	Mittelbach	349
varisize	Change font size in Plain T <sub>E</sub> X	Hosek	261
varsects	A simple package for controlling headings	Taupin	477
varsfromjobname	Extract variables from the name of the L <sup>A</sup> T <sub>E</sub> X file	Ziegenhagen	553
varwidth	A variable-width minipage	Arseneau	136
vaucanson-g	PSTricks macros for drawing automata	Lombardy, Sakarovitch	320
vc	The vc (version control) bundle	Hennig, Hieber	254
vcell	Vertical alignment of content inside table cells	Dionne	194
vdm	Typesetting VDM schemas	Wolczko	539
vdmlisting	Typesetting VDM in ASCII syntax	Lausdahl	311
vector	L <sup>A</sup> T <sub>E</sub> X macros for vectors	Efford	201
venn	Creating Venn diagrams with MetaPost	Hefferon	250
venndiagram	Creating Venn diagrams with TikZ	Talbot	475
venturisADF	Venturis ADF fonts collection	Harendal, Rees	248
verbasef	VERBatim Automatic Splitting of External Files	Thompson	492
verbatim-gen	Generic macros for setting text verbatim	Taylor	478
verbatim-pln	Define new verbatim "environments" in Plain T <sub>E</sub> X	Unknown	509
verbatim-tub	Plain T <sub>E</sub> X macros for verbatim	Beeton	147
verbatim	Reimplementation of and extensions to L <sup>A</sup> T <sub>E</sub> X verbatim	Schöpf, L <sup>A</sup> T <sub>E</sub> X Team	435
verbatimbox	Deposit verbatim text in a box	Segletes	440
verbatimcopy	Make copies of text documents from within L <sup>A</sup> T <sub>E</sub> X	Madsen, Diez	333
verbdef	Define commands which expand to verbatim text	Fairbairns, Carlisle	208
verbinp	"8-bit" verbatim	Perske	389
verbments	Syntax highlighting of source code in L <sup>A</sup> T <sub>E</sub> X documents	Zivković	553
verbtex	Verbatim, interpreting non-ascii text	Perske	389
verbtim2	Verbatim listings in Plain T <sub>E</sub> X	Morgan	352
verdana	Macros and metrics for using Verdana with L <sup>A</sup> T <sub>E</sub> X	Daems	187
verifica	Typeset (Italian high school) exercises	Dossena	195
verifiche	A L <sup>A</sup> T <sub>E</sub> X package to typeset (Italian) high school tests	Raccanello	399
verse	Aids for typesetting simple verse	Robertson, Wilson	413
version	Conditionally include text	Bellantoni, Arseneau	148
versions	Optionally omit pieces of text	Lück	328
versionotes	Display brief notes on verso pages	Gray	236
vertbars	Mark vertical rules in margin of text	Robertson, Wilson	413
vertex	Styles for economics working papers and journals	Varian	512
vf-howto	Tutorial on creating virtual fonts	Schmitz	433
vf-knuth	Knuth on virtual fonts	Knuth	293
vfcomb	VF author support	Berdnikov	149
vfinst	Virtual font installation support	Hoenig	257
vfware	Tools for virtual font metrics	Knuth	293
vgrid	Overlay a grid on the printed page	Lawrence	311
vhistory	Support for creating a change log	Wertenauer	533
vicentino	Vicentino fonts	Kraml, Kilfiger	300
vietnet	Preprocessor and macros for Vietnamese	Tran	496
viipart	7pt-article class	Zadka	549
viking	Scandinavian runic alphabet as used by the Vikings	Zimmermann	553
vispeech	Using Bell's Visible Speech alphabet	Shoulson	447
visualFAQ-fr	FAQ L <sup>A</sup> T <sub>E</sub> X visuelle francophone	Just	275
visualFAQ	A Visual L <sup>A</sup> T <sub>E</sub> X FAQ	Pakin	382
VisualPSTricks	Visual help for PSTricks based on images with minimum text	Casteleyn	173
visualtex	A T <sub>E</sub> X-oriented visual editor for Windows platforms	Romanenko	416

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
VisualTikZ	Visual help for TikZ based on images with minimum text	Casteleyn	173
vita	Configurable class for curricula vitarum	Brodnik	161
vita209	A Curriculum Vitae style	Border	156
vmargin	Set various page dimensions	Kuhlmann	304
vmspell	A spell-checker for VMS systems	Fairbairns, Carlisle	208
vmmps	Metrics for using Type 1 fonts available in VMS	Knappen	291
vnutex-nonfree	URW Classico and URW Garamond extended for Vietnamese	Kotucha	300
vnutex	Support for Vietnamese	Thành, Lemberg, Kotucha	484
vocaltract	Visualise the vocal tract using L <sup>A</sup> T <sub>E</sub> X and PSTricks	Ververidis	514
volumes	Typeset only parts of a document, with complete indexes etc	Küster	306
voss-mathcol	Typesetting mathematics in colour, in (La)T <sub>E</sub> X	Voß	525
voss-mathmode	A comprehensive review of mathematics in (La)T <sub>E</sub> X	Voß	525
vowel	Draw vowel charts for phonetic research	Rei	405
vpage	Set page sizes	Kuhlmann	304
vpe	Source specials for PDF output	Oberdiek	375
vputils	Manipulate (virtual) property lists	Duggan	199
vpp	View and (selectively) Print PDF and PostScript	Dekker	191
vrbl	Verbatim macros in plain T <sub>E</sub> X	van der Laan	307
vrblxin	Verbatim input support	Thompson	492
vrbln	Add version number to a DVI file	Dahlgren	187
vruler	Numbering text	Jiang	272
VSLiTeX	Virtual invisible fonts for use with L <sup>A</sup> T <sub>E</sub> X Slides class	Koellner	294
vtable	Vertical alignment of table cells	Paciorek	380
VTeX/Free	T <sub>E</sub> X system and PDF support for Linux and OS/2	MicroPress	345
vutex	View T <sub>E</sub> X output on an ASCII-only terminal	Wolfe	539
vvcode	Reliable encoder for binary files via email	Kempson	279
vwcol	Variable-width multiple text columns	Robertson	411
vxu	Document classes for Vaxjo University	Nyqvist	368
<b>WWW</b>			
w-a-schmidt	A collection of metrics for commercial fonts	Schmidt, Harcombe	432
w32tex	A comprehensive T <sub>E</sub> X system for Windows	Kakuto	276
wadalab	Wadalab (Japanese) font packages	Lemberg	315
wallcalendar	A wall calendar class with custom layouts	Bhikkhu	151
wallpaper	Easy addition of wallpapers (background images) to L <sup>A</sup> T <sub>E</sub> X documents, including tiling	Wilkinson	535
wargame	A L <sup>A</sup> T <sub>E</sub> X package to prepare hex'n'counter wargames	Holm Christensen	180
warning	Global warnings at the end of the logfile	Harders	247
warpcol	Relative alignment of rows in numeric columns in tabulars	Rochester	414
was	A collection of small packages by Walter Schmidt	Schmidt, Harcombe	432
wasy-type1	Type 1 versions of wasy fonts	Hoekwater, Sharpe	257
wasy	The wasy fonts (Waldi symbol fonts)	Waldi	528
wasysym	L <sup>A</sup> T <sub>E</sub> X support for the wasy fonts	Kielhorn	283
watermark	Draw "watermarks" on the output page	Rozhenko	423
weave	Generate T <sub>E</sub> X source from web	Knuth	294
web	The original literate programming system	Knuth	294
Web2C	Conversion programs and supporting code to compile T <sub>E</sub> X in C	Weber, T <sub>E</sub> XLive	531
web2w	Converting T <sub>E</sub> X from WEB to cweb	Ruckert	423
web9pt	Nine-point web listings	Unknown	509
webcomp-errata	Errata list for The L <sup>A</sup> T <sub>E</sub> X Web Companion	Goossens, Rahtz	232
webfiles	Include CWEB and/or Spidery WEB L <sup>A</sup> T <sub>E</sub> X	Potse	396
webguide	Brief Guide to L <sup>A</sup> T <sub>E</sub> X Tools for Web publishing	Wilson	538
webmacss	Use sans serif font in Web listings	Unknown	509
webomints	Webomints font support	Loreti	325
WebQuiz	Write interactive web based quizzes	Mathas	337
weekday	Generate "day of week"	Vulis	527



<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
wheelchart	Draw wheelcharts with TikZ	Floré	216
wheretotrim	Assist in reducing L <sup>A</sup> T <sub>E</sub> X document page counts	Pakin	382
wichura-table	Table macros for plain T <sub>E</sub> X (and L <sup>A</sup> T <sub>E</sub> X)	Wichura, Carlisle	534
widetable	An environment for typesetting tables of specified width	Beccari	145
widows-and-orphans	Identify (typographic) widows and orphans	Mittelbach	349
wiggly	Draw wiggly lines under text	Garavelli	223
wiki	Use Wiki-style markup in a L <sup>A</sup> T <sub>E</sub> X document	Lück	328
williams	Miscellaneous macros by Peter Williams	Williams	535
willowtreebook	Easy basic book class, built on memoir	McKay	342
win32-emacs-auctex	Ready-to-use Emacs and AucTeX for Windows	Kotucha	300
window	Create windows in paragraphs	Schalück	427
windvi	MS-Windows DVI viewer	Popineau	395
windycity	A Chicago style for BibLaTeX	Chase	176
WinEdt	MS-Windows shell and editor for T <sub>E</sub> X	Simonc	449
winemtex	EmTeX for windows	Unknown	509
Winfonts	Use fonts distributed with Windows XP	Pichaureau	390
winlatex	FrontEnd for T <sub>E</sub> X, Win98/NT, needs Microsoft VisualBasic-DLLs	Reinhardt	406
winshell	A MS-Windows32 user interface for T <sub>E</sub> X	de Boer	154
WinTeX XP	A Win32 T <sub>E</sub> X Editor with the MS Office look and feel	Muecke	354
withargs	In-place argument substitution	Helvensteijn	252
witharrows	“Aligned” math environments with arrows for comments	Pantigny	384
withesis	University of Wisconsin-Madison Thesis L <sup>A</sup> T <sub>E</sub> X Class	Benedict	149
wmaainf	BibTeX style for Abteilung für Angewandte Informatik	Müller	354
wmf2eps	Windows metafile conversion	Schulter	437
wmf2epsc	Windows metafile conversion	Schulter	437
wncyr	University of Washington cyrillic fonts	The AMS	486
wnri-latex	L <sup>A</sup> T <sub>E</sub> X support for wnri fonts	Pandey	383
wnri	Ridgeway’s fonts	Ridgeway, Pandey	408
wntamil	Tamil to T <sub>E</sub> X converter	Unknown	509
wochtag	Generate the German weekday name for a date	Schrell	435
Woff2OT	Woff to OpenType converter	Frane Jr	274
word2latex	A translator from MS Word to L <sup>A</sup> T <sub>E</sub> X documents	de Boer	154
word2tex	Convert T <sub>E</sub> X/MSWord to L <sup>A</sup> T <sub>E</sub> X	Chikrii	179
word2x	Word 6 format converter	Simpson	449
wordcloud	Drawing wordclouds with MetaPost and Lua	Chupin	181
wordcount	Estimate the number of words in a L <sup>A</sup> T <sub>E</sub> X document	Downes	196
wordle	Create wordle grids	Pierquet	391
wordlike	Simulating word processor layout	Fenn	210
WordML2LaTeX	XSLT to transform a WordML file to a L <sup>A</sup> T <sub>E</sub> X2e source	Dambra	189
wordweb	Literate programming using Microsoft Word	Wittenberg, Mc Kearney	539
worksheet	Easy creation of worksheets	Zöllner	553
worldflags	Drawing flags with TikZ	Haager	242
wotree	Draw Warnier/Orr diagrams	Gurari	241
WP2LaTeX	Convert WordPerfect documents to L <sup>A</sup> T <sub>E</sub> X	Fojtik	217
wrapfig	Produces figures which text can flow around	Arseneau	136
wrapfig2	Wrap text around figures	Beccari	145
wrapstuff	Wrapping text around stuff	Lee	312
wright	Define commands with optional arguments	Unknown	509
WriteOnGrid	Write on grid lines	Pierquet	391
wrtfile	Write T <sub>E</sub> X files from a T <sub>E</sub> X document	Smith	451
wsemclassic	L <sup>A</sup> T <sub>E</sub> X class for Bavarian school w-seminar papers	Rosenberger	418
wsuipa	International Phonetic Alphabet fonts	Guenther	240
wsuipa2tipa	Translate wsuipa font commands into tipa font commands	Kleiweg	289
WTRef	Extend L <sup>A</sup> T <sub>E</sub> X’s cross-reference system	Asakura	136

Package	Caption	Author	Page
<b>XXXXX</b>			
xargs	Define commands with many optional arguments	Pégourié-Gonnard	388
xarticle	A L <sup>A</sup> T <sub>E</sub> X 2.09 document style with 7pt, 8pt and 9pt options	Unknown	509
xassocnt	Associated counters stepping simultaneously	Hupfer	264
xbibfile	Create and search BibTeX databases	Maloney	334
xbibtex	An X-Windows utility for adding to a BibTeX database	Kelly, Bischof	279
xbmks	Create a cross-document bookmark tree	Story	464
xcharter-math	XCharter-based OpenType Math font for LuaTeX and XeTeX	Flipo	215
XCharter	Extension of Bitstream Charter fonts	Sharpe	445
xcite	Use citation keys from a different document	Gregorio	238
xcjk2uni	Convert CJK characters to Unicode, in pdfTeX	Lee	312
xcmr	A crossed-out version of Computer Modern	Unknown	509
xcntperchap	Track the number of subsections etc. that occur in a specified track-level	Hupfer	264
xcoffins	Rich boxed material for L <sup>A</sup> T <sub>E</sub> X 3	L <sup>A</sup> T <sub>E</sub> X Team	490
xcolor-material	Defines the 256 colors from Google Material Color Palette	Órdenes	378
xcolor-solarized	Defines the 16 colors from Ethan Schoonover's Solarized palette	Cretel	186
xcolor	Driver-independent color extensions for L <sup>A</sup> T <sub>E</sub> X and pdfLaTeX	Kern, L <sup>A</sup> T <sub>E</sub> X Team	280
xcomment	Allows selected environments to be included/excluded	Van Zandt, Voß	550
xcookybooky	Typeset (potentially long) recipes	Harder	246
xcpdftips	Natbib citations with PDF tooltips	Kocic	294
xdoc	Extending the L <sup>A</sup> T <sub>E</sub> X doc system	Hellström	252
xduthesis	XeL <sup>A</sup> T <sub>E</sub> X template for writing Xidian University Thesis	Qi	398
xduts	Xidian University T <sub>E</sub> X Suite	Unknown	509
xdvi	A DVI previewer for the X Window System	Vojta	520
xebaposter	Create beautiful scientific Persian/Latin posters using TikZ	Razavian	404
xexchangebar	An extension of package changebar that can be used with X <sub>3</sub> L <sup>A</sup> T <sub>E</sub> X	Syropoulos	469
xecjk	Support for CJK documents in X <sub>3</sub> L <sup>A</sup> T <sub>E</sub> X	Lee, Liu, Sun, Jiang	312
xecolor	Support for color in X <sub>3</sub> L <sup>A</sup> T <sub>E</sub> X	Khalighi, bidi-tex GitHub Organisation	282
xecolour	Support for colour in X <sub>3</sub> L <sup>A</sup> T <sub>E</sub> X	Khalighi, bidi-tex GitHub Organisation	282
xecyr	Using Cyrillic languages in XeTeX	Shipunov	446
xecyrmongolian	Basic support for the typesetting of Cyrillic Mongolian documents using (Xe Lua)LaTeX	Syropoulos	469
xeindex	Automatic index generation for X <sub>3</sub> L <sup>A</sup> T <sub>E</sub> X	Isambert, Robbers	266
xellipsis	Extremely configurable ellipses with formats for various style manuals	Goodman	232
xepersian-hm	Fixes kashida feature in xepersian package	Movahhedian	353
XePersian	Persian for L <sup>A</sup> T <sub>E</sub> X, using XeTeX	Khalighi, bidi-tex GitHub Organisation	282
xesearch	A string finder for XeTeX	Isambert, Robbers	266
xesoul	Use the soul package with X <sub>3</sub> L <sup>A</sup> T <sub>E</sub> X	Syropoulos	469
xespotcolor	Spot colours support for X <sub>3</sub> L <sup>A</sup> T <sub>E</sub> X	Syropoulos, Elstner	470
XeT-TeX	A bi-directional version of T <sub>E</sub> X	MacKay	332
xetal	Strip T <sub>E</sub> X constructs from a file	Cerf	174
xetex-def	Colour and graphics support for XeTeX	Moore, Kew, L <sup>A</sup> T <sub>E</sub> X Team	351
xetex-devanagari	XeTeX input map for Unicode Devanagari	Stender	459
xetex-greek	Hyphenation for different variants of Greek, under XeTeX	Syropoulos	470
xetex-itrans	Itrans input maps for use with X <sub>3</sub> L <sup>A</sup> T <sub>E</sub> X	Abhinandan, Rao	128
xetex-pstricks	Running PSTricks under XeTeX	Shigeru	446
xetex-tibetan	XeTeX input maps for Unicode Tibetan	Stender	459
xetex	An extended variant of T <sub>E</sub> X for use with Unicode sources	Kew, Rosendahl, Hosny, T <sub>E</sub> XLive	280
xetexfontinfo	Report font features in XeTeX	Kew	280
xetexko	Typeset Korean with Xe(La)TeX	Kim	284

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
XeTeXref	Reference documentation of XeTeX	Robertson, Berry	411
xevlua	Insert non-breakable spaces using XeTeX	Wagner	528
xfakebold	Fake a regular font for bold characters	Voß	525
xfig	XWindows vector drawing program	Smith	451
xfor	A reimplementaion of the L <sup>A</sup> T <sub>E</sub> X for-loop macro	Talbot	475
xfp	Interface to the L <sup>A</sup> T <sub>E</sub> X3 floating point unit	L <sup>A</sup> T <sub>E</sub> X Team	490
xfrac	Split-level fractions in L <sup>A</sup> T <sub>E</sub> X2 <sub>ε</sub> *	Høgholm, Madsen, Robert- son, Wright	260
xgalley	Control text feeding onto the page	L <sup>A</sup> T <sub>E</sub> X Team	490
xgreek	Greek Language Support for X <sub>Y</sub> L <sup>A</sup> T <sub>E</sub> X and LuaLaTeX	Syropoulos	470
xhfill	Extending \hrulefill	Voß	525
xifthen	Extended conditional commands	Noirel	366
xii-lat	Christmas silliness (Latin)	Carlisle	171
xii	Christmas silliness (English)	Carlisle	171
xindex	Unicode-compatible index generation	Voß	525
xindy-persian	Support for the Persian language in xindy	Khalighi, bidi-tex GitHub Organisation	282
xindy	A general-purpose index processor	Kehr, Schrod	278
xint	Expandable operations on long numbers	Burnol	166
xintsession	Interactive computing sessions (fractions, floating points, polynomi- als)	Burnol	166
xistercian	Cistercian numerals in L <sup>A</sup> T <sub>E</sub> X	Spratte	456
xits	A Scientific Times-like font with support for mathematical typesetting	Hosny	262
xkcdcolors	xkcd names of colors	Giannetti	226
xkeyval	Extension of the keyval package	Adriaens	128
xkvltxp	Provision for expandable macros in package options	Adriaens	129
xkvview	Xkeyval viewer	Adriaens	129
xl2latex	Convert Excel (97 and above) tables to L <sup>A</sup> T <sub>E</sub> X tabulars	Buchmann	163
xlatex	A T <sub>E</sub> X/L <sup>A</sup> T <sub>E</sub> X shell for X-windows	Dragone	196
xlop	Calculates and displays arithmetic operations	Charpentier	175
xltablear	Longtable support with possible X-column specifier	Voß, Niepraschk	526
xltxtra	“Extras” for L <sup>A</sup> T <sub>E</sub> X users of XeTeX	Robertson	411
xml2pmx	Convert MusicXML to PMX and MusiXTeX	Spivey, Glötzel, Tennent	455
xmlplay	Typeset Shakespeare’s plays as marked up by Bosak	Kilfiger	283
xmltex	Support for parsing XML documents	Carlisle	171
xmpincl	Include eXtensible Metadata Platform data in pdfLaTeX	Sneep	452
xmthesis	XMU thesis style	Cao	169
xnewcommand	Define \global and \protected commands with \newcommand	Noirel	366
xoptarg	Expandable macros that take an optional argument	Noirel	366
xparse	A generic document command parser	L <sup>A</sup> T <sub>E</sub> X Team	490
xpatch	Extending etoolbox patching commands	Gregorio	238
xpdf	Viewing and manipulating PDF files	Noonburg	367
xpdfopen	Commands to control PDF readers, under X11	Diamond, Hoekwater, Popineau	193
xpeek	Define commands that peek ahead in the input stream	Salomon	425
xpiano	An extension of the piano package	Gregorio	238
xpicture	Extensions of L <sup>A</sup> T <sub>E</sub> X picture drawing	Fuster	222
xpinyin	Automatically add pinyin to Chinese characters	Lee	312
xprintlen	Print T <sub>E</sub> X lengths in a variety of units	Huang	263
xpunctuate	Process trailing punctuation which may be redundant	Ratcliffe	403
xq	Support for writing about xiangqi	Weinhold, Pipping	532
xr-hyper	Inter-document hyper-references	Carlisle, Oberdiek Package Support Group	172
xr	References to other L <sup>A</sup> T <sub>E</sub> X documents	Carlisle, Drucbert, L <sup>A</sup> T <sub>E</sub> X Team	171

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
xrefwarn	Only one warning for an undefined citation	Verwer	514
xsavbox	Saveboxes for repeating content without code replication, based on PDF Form XObjects	Grahn	234
xsim	eXercise Sheets IMproved	Niederberger	364
xskak	An extension to the skak package for chess typesetting	Fischer	215
xspace	Define commands that appear not to eat spaces	Carlisle, Høgholm, L <sup>A</sup> T <sub>E</sub> X Team	171
xstring	String manipulation for (La)TeX	Tellechea	479
xtab	Break tables across pages	Robertson, Wilson	414
xtcpts	Defining language-dependent text macros	Fricke	220
xtem	An X11 T <sub>E</sub> X menu built on Tcl/Tk	Lamprecht, Lotz, Weibezahn	308
xtemplate	A high-level interface for declaring document commands	L <sup>A</sup> T <sub>E</sub> X Team	490
xtexcad	Simple drawing program for L <sup>A</sup> T <sub>E</sub> X use	Sixt, Zitzmann	450
XteXShell	A shell/editor	Hofmann	258
xtrcode	Extract contents of L <sup>A</sup> T <sub>E</sub> X environments	Ruedas	423
xtuthesis	XTU thesis template	Dongdong	195
xunicode	Generate Unicode characters from accented glyphs	Moore	351
xurl	Allow URL breaks at any alphanumeric character	Voß	525
xwatermark	Graphics and text watermarks on selected pages	Musa	358
xwpick	Pick an image from an X display	Chernyaev	177
xyling	Draw syntactic trees, etc., for linguistics literature, using xy-pic	Vogel	520
xymatrix	Commutative diagrams using XY-pic	Rose, Moore	418
xymtex	Typesetting chemical structures	Fujita	221
xypic-tut-pt	A tutorial for XY-pic, in Portuguese	Campani	168
xypic	Flexible diagramming macros	Rose, Moore	418
xytree	Tree macros using XY-Pic	Un	500
<b>YYYYY</b>			
yacco2	Multi-threaded LR(1) compiler/compiler that emits literate grammar documents	Bone	155
yafoot	A bundle of miscellaneous footnote packages	Nakashima	359
yagusylo	A symbol loader	Henel	253
yaletter	Extremely flexible macros for letters, envelopes, and label sheets	Goodman	232
YAMLvars	A YAML parser and tool for easy L <sup>A</sup> T <sub>E</sub> X definition creation	Ewasiuk	207
yandy	TUG release of Y and Y's T <sub>E</sub> X distribution	Ma, Horn	332
yannisgr	Greek fonts by Yannis Haralambous	Haralambous, Thull	246
yathesis	A L <sup>A</sup> T <sub>E</sub> X class for writing a thesis following French rules	Bitouzé	152
yax	Yet Another Key System	Isambert, Robbers	266
yazd-thesis	A template for the Yazd University	Damanafshan	188
ybook	Template for YB Branded Books	Bugayenko	165
ycbook	A versatile book class	Cherem	177
ydoc	Macros for documentation of L <sup>A</sup> T <sub>E</sub> X classes and packages	Scharrer	429
Yet-Another-Gui...	A short guide to using L <sup>A</sup> T <sub>E</sub> X2e to typeset high quality documents	Morris	352
yfonts-otf	OpenType version of the Old German fonts designed by Yannis Haralambous	Flipo	215
yfonts-t1	Old German-style fonts, in Adobe type 1 format	Bronger, Haralambous	162
yfonts	Support for old German fonts	Schmidt, Preining	433
yfrak	Old German Fraktur font	Haralambous	245
ygoth	Old German Gothic font	Haralambous	245
ymath	Extended maths fonts for L <sup>A</sup> T <sub>E</sub> X	Haralambous, Preining	246
yi4latex	Yi (Southern Chinese) support	Corff	184
yinit-as	Additions to Yannis Haralambous' Old German decorative initials	Schrell	435
yinit-otf	OTF conversion of Yannis Haralambous' Old German decorative initials	Haralambous	245
yinit	Old German decorative initials	Haralambous	245

<i>Package</i>	<i>Caption</i>	<i>Author</i>	<i>Page</i>
york-thesis	A thesis class file for York University, Toronto	Gall	223
young	Young tableaux	Knappen, Wormer	291
youngtab	Typeset Young-Tableaux	Börchers	156
yplan	Daily planner type calendar	Nickalls, Harders	362
yquant	Typesetting quantum circuits in a human-readable language	Desef	192
yswab	Old German Schwabacher font	Haralambous	245
yt4pdf	Play YouTube videos in a PDF	Story	464
ytableau	Many-featured Young tableaux and Young diagrams	Reich	405
ytex	Macro package developed at MIT	Brotsky	162
<b>ZZZZZ</b>			
zaccone	Different configuration for different captions	Unknown	509
zahl2string	Format numbers as German words	Sauer	426
zblbuild	Help with the choice of a Bib $\LaTeX$ style and options	Milanese	346
zbmath-review-t...	Template for a zbMATH Open review	Beckenbach	146
zebra-goodies	A collection of handy macros for paper writing	Xue	544
zed-csp	Typesetting Z and CSP format specifications	Davies, Spivey	189
zed	Typeset Z specifications	Spivey	455
zefonts	Virtual fonts to provide T1 encoding from existing fonts	Fuster, Kahn	222
zennote	Streamline your note-taking process!	Liang	317
zero	Start list (etc.) numbering at zero	Verhoeff	513
zhlineskip	Line spacing for CJK documents	Zhang	551
zhlipsum	Chinese dummy text	Zeng	551
zhmakeindex	Makeindex replacement for Chinese users	Liu	319
zhmCJK	Simplify configuration of CJK installations for Chinese	Liu	319
zhmetrics-uptex	Chinese font metrics for up $\TeX$	Liu	319
zhmetrics	TFM subfont files for using Chinese fonts in 8-bit $\TeX$	Wang, Wu	530
zhnumber	Typeset Chinese representations of numbers	Lee	312
zhspacing	Spacing for mixed CJK-English documents in Xe $\TeX$	Dian, Lee	193
ziffer	Conversion of punctuation in maths mode	Väth	512
zigaretten	Propaganda and mind-numbing for cigarette addicts	Lachaume	307
zip	Barcodes for USA ZIP code	Smith	451
zitie	Create CJK character calligraphy practicing sheets	Unknown	509
zlmitt	Use Latin Modern Typewriter fonts	Sharpe	445
zootaxa-bst	A Bib $\TeX$ style for the journal Zootaxa	Ballen	139
zref-check	Flexible cross-references with contextual checks based on zref	Barros	141
zref-clever	Clever $\LaTeX$ cross-references based on zref	Barros	141
zref-vario	Extended $\LaTeX$ page cross-references with varioref and zref-clever	Barros	141
zref	A new reference scheme for $\LaTeX$	Oberdiek	375
zwgetfdate	Get package or file date	Wagner	528
zwpagelayout	Page layout and crop-marks	Wagner	528
zx-calculus	A library to typeset ZX Calculus diagrams	Colisson	183
zxjafbfont	Fallback CJK font support for xeCJK	Yato	547
ZXjafont	Set up Japanese font families for Xe $\LaTeX$	Yato	547
ZXjatype	Standard conforming typesetting of Japanese, for Xe $\LaTeX$	Yato	547
ZzTeX	A full-featured $\TeX$ macro package for producing books, journals, and manuals	Anagnostopoulos	132

## References

Aavatsmark, Ivar. *The eurotex package. Multilingual macros for Plain  $\TeX$* . 2016-06-24. Version 1.1. LICENSE: noinfo. A package for using the (now obsolete) DC fonts to provide a version of Plain  $\TeX$  that accepts ISO Latin 1 input, and provides hyphenation in Danish, English, Finnish, French, German, Icelandic, Italian, Norwegian, Polish and Swedish (it could be extended, but it would also need adapting for the fonts, or similar, now).



- URL: <https://ctan.org/pkg/eurotex>  
MIRROR: <https://mirror.ctan.org/language/multilingual/eurotex>
- Abdool, Omar. *The turabian-formatting package. Formatting based on Turabian's Manual*. 2021-03-20. LICENSE: lppl1.3. The package provides Chicago-style formatting based on Kate L. Turabian's "A Manual for Writers of Research Papers, Theses, and Dissertations: Chicago Style for Students and Researchers" (9th edition).  
URL: <https://ctan.org/pkg/turabian-formatting>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/turabian-formatting>
- Abe, Noriyuki. *The jlreq package. Japanese document class based on requirements for Japanese text layout*. 2023-06-18. LICENSE: bsd2  
URL: <https://ctan.org/pkg/jlreq>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/jlreq>
- Abhinandan, S. P. and Shrisha Rao. *The xetex-itrans package. Itrans input maps for use with Xe<sub>La</sub>TeX*. 2020-06-07. Version 4.2. LICENSE: lppl1.3. The package provides maps for use with Xe<sub>La</sub>TeX with coding done using . maps are provided for Devanagari (Sanskrit), for Sanskrit in Kannada and for Kannada itself.  
URL: <https://ctan.org/pkg/xetex-itrans>  
MIRROR: <https://mirror.ctan.org/macros/xetex/generic/itrans>
- Abraham, Paul. *The sudoku package. Create sudoku grids*. 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/sudoku>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sudoku>
- Abrahams, Paul W., Kathryn A. Hargreaves, and Karl Berry. *The impatient package. Free edition of the book "TeX for the Impatient"*. 2020-01-07. Version 2020. LICENSE: fdl  
URL: <https://ctan.org/pkg/impatient>  
MIRROR: <https://mirror.ctan.org/info/impatient>
- Abreu, Elayson. *The abntexto package. L<sup>A</sup>T<sub>E</sub>X class for formatting academic papers in ABNT standards*. 2023-07-27. Version 3.0.0-alpha. LICENSE: pd  
URL: <https://ctan.org/pkg/abntexto>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/abntexto>
- Adobe Systems Incorporated. *The adobemapping package. Adobe cmap and pdfmapping files*. 2023-03-11. LICENSE: bsd  
URL: <https://ctan.org/pkg/adobemapping>  
MIRROR: <https://mirror.ctan.org/support/adobemapping>
- *The utopia package. Adobe Utopia fonts*. 2018-01-06. LICENSE: other-free  
URL: <https://ctan.org/pkg/utopia>  
MIRROR: <https://mirror.ctan.org/fonts/utopia>
- Adriaens, Hendri. *The etaremmune package. Reverse-counting enumerate environment*. 2016-06-24. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/etaremmune>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/etaremmune>
- *The extract package. Extract parts of a document and write to another document*. 2019-09-18. Version 1.9a. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/extract>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/extract>
- *The graphicx-psmin package. Reduce size of PostScript files by not repeating images*. 2020-11-14. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/graphicx-psmin>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphicx-psmin>
- *The ha-prosper package. Patches and improvements for prosper*. 2021-06-21. Version 4.21. LICENSE: lppl. HA-prosper is a patch for prosper that adds new functionality to based presentations. Among the new features you will find automatic generation of a table of contents on each slide, support for notes and portrait slides. The available styles demonstrate how to expand the functionality of prosper even further.  
URL: <https://ctan.org/pkg/ha-prosper>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ha-prosper>
- *The pst-xkey package. Key-value syntax for PSTricks packages*. 2018-09-15. Version 1.6. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-xkey>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xkeyval>
- *The xkeyval package. Extension of the keyval package*. 2022-06-16. Version 2.9. LICENSE: lppl1.3. This package is an extension of the package and offers additional macros for setting keys and declaring and setting class or package options. The package allows the programmer to specify a prefix to the name of the macros it defines for keys, and to define families of key definitions; these all help use in documents where several packages define their own sets of keys.  
URL: <https://ctan.org/pkg/xkeyval>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xkeyval>

- Adriaens, Hendri. *The xkv1txp package. Provision for expandable macros in package options*. 2016-06-24. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xkv1txp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xkeyval>
- *The xkvview package. Xkeyval viewer*. 2016-06-24. Version 1.4a. LICENSE: lppl. If xkvview is loaded, all keys defined in a document using the parent package are stored in an internal database. The command (which takes an argument of options) can be used to print the keys.  
 URL: <https://ctan.org/pkg/xkvview>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xkeyval>
- Adriaens, Hendri and Chris Ellison. *The powerdot package. A presentation class*. 2021-05-19. Version 1.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/powerdot>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/powerdot>
- Adrián, Luis Marco. *The mathstone package. Use Adobe Stone Serif and Stone Sans for typesetting maths*. 2021-09-11. Version 2.0. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/mathstone>  
 MIRROR: <https://mirror.ctan.org/fonts/mathstone>
- Africa, Pasquale Claudio. *The beamertheme-focus package. A minimalist presentation theme for L<sup>A</sup>T<sub>E</sub>X Beamer*. 2022-03-09. Version 3.3.0. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/beamertheme-focus>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-focus>
- Agostini, Giulio and Mileto Rigido. *The fancyhdr-it package. Italian translation of fancyhdr documentation*. 2016-06-24. LICENSE: lppl. The translation is of documentation provided with the package.  
 URL: <https://ctan.org/pkg/fancyhdr-it>  
 MIRROR: <https://mirror.ctan.org/info/translations/fancyhdr/it>
- Aguirregabiria, Juan M. *The bahyph package. Hyphenation for Basque*. 2016-11-05. LICENSE: other-free  
 URL: <https://ctan.org/pkg/bahyph>  
 MIRROR: <https://mirror.ctan.org/language/basque>
- Aguirregabiria, Juan M. and Gorka Zubia Garea. *The babel-basque package. Babel contributed support for Basque*. 2020-04-29. Version 1.0f. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-basque>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/basque>
- Ajalloeian, Mohammad M. *The natded package. Typeset natural deduction proofs*. 2016-06-24. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/natded>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/natded>
- Akkerman, Igor. *The AkkTeX package. A collection of packages and classes*. 2016-06-24. Version 0.3.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/akktex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/akktex>
- *The uebungsblatt package. A L<sup>A</sup>T<sub>E</sub>X class for writing exercise sheets*. 2016-06-24. Version 1.5.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/uebungsblatt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uebungsblatt>
- Alabau, Miguel. *The progkeys package. Typeset programs, recognising keywords*. 2018-01-06. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/progkeys>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/progkeys>
- Alamnehe, Abass B. *The ethtex package. Fonts and L<sup>A</sup>T<sub>E</sub>X support for typesetting Amharic*. 2020-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ethtex>  
 MIRROR: <https://mirror.ctan.org/language/ethiopia/ethtex>
- Alessi, Robert. *The arabluatex package. ArabTeX for LuaLaTeX*. 2023-05-17. Version 1.20. LICENSE: gpl3+,cc-by-sa-4. This package provides for LuaLaTeX an -like interface to generate Arabic writing from an ascii transliteration. It is particularly well-suited for complex documents such as technical documents or critical editions where a lot of left-to-right commands intertwine with Arabic writing. is able to process any ArabTeX input notation. Its output can be set in the same modes of vocalization as ArabTeX, or in different roman transliterations. It further allows many typographical refinements. It will eventually interact with some other packages yet to come to produce from source files, in addition to printed books, TEI xml compliant critical editions and/or lexicons that can be searched, analyzed and correlated in various ways.  
 URL: <https://ctan.org/pkg/arabluatex>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/arabluatex>
- *The ekdosis package. Typesetting TEI-xml compliant Critical Editions*. 2021-11-21. Version 1.4. LICENSE: gpl3+,fdl. is a LuaL<sup>A</sup>T<sub>E</sub>X package designed for multilingual critical editions. It can be used to typeset texts and different layers of critical notes in any

direction accepted by LuaTeX. Texts can be arranged in running paragraphs or on facing pages, in any number of columns which in turn can be synchronized or not. In addition to printed texts, ekdosis can convert source files so as to produce TEI xml-compliant critical editions. Database-driven encoding under L<sup>A</sup>T<sub>E</sub>X then allows extraction of texts entered segment by segment according to various criteria: main edited text, variant readings, translations or annotated borrowings between texts.

URL: <https://ctan.org/pkg/ekdosis>

MIRROR: <https://mirror.ctan.org/macros/luatex/latex/ekdosis>

Alessi, Robert. *The icite package. Indices locorum citatorum*. 2023-05-17. Version 1.3a. LICENSE: gpl3+,cc-by-sa-4. The package is designed to produce from BibTeX or BibL<sup>A</sup>T<sub>E</sub>X bibliographical databases the different indices of authors and works cited which are called indices locorum citatorum. It relies on a specific command and can operate with either BibTeX or BibLaTeX.

URL: <https://ctan.org/pkg/icite>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/icite>

Alex, A. J. *The malayalam-latex package. L<sup>A</sup>T<sub>E</sub>X for Malayalam*. 2018-01-06. Version 0.9.7. LICENSE: lppl1.2

URL: <https://ctan.org/pkg/malayalam-latex>

MIRROR: <https://mirror.ctan.org/language/malayalam>

— *The malayalam-omega package. Typesetting Malayalam using Omega*. 2016-06-24. Version 1.0.2. LICENSE: lppl

URL: <https://ctan.org/pkg/malayalam-omega>

MIRROR: <https://mirror.ctan.org/macros/omega/latex/contrib/malayalam-omega>

— *The tamil-omega package. Tamil support for Omega/Aleph*. 2018-01-06. LICENSE: lppl

URL: <https://ctan.org/pkg/tamil-omega>

MIRROR: <https://mirror.ctan.org/macros/omega/latex/contrib/tamil-omega>

Alexander, James, Sebastian Kremer, and Hans-Peter Kolb. *The tib package. A bibliographic preprocessor*. 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/tib>

MIRROR: <https://mirror.ctan.org/biblio/tib>

Alexander, Jason. *The comment-pln package. Comment macros for use in Plain T<sub>E</sub>X*. 2016-06-24. LICENSE: noinfo. Defines macros and such that everything between the two is ignored.

URL: <https://ctan.org/pkg/comment-pln>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/comment.tex>

— *The Exam design package. L<sup>A</sup>T<sub>E</sub>X class for typesetting exams*. 2016-06-24. Version 1.101. LICENSE: gpl

URL: <https://ctan.org/pkg/examdesign>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/examdesign>

Alexander, Jason and Ethan Deneault. *The schedule package. Weekly schedules*. 2019-08-01. Version 1.20. LICENSE: lppl1.3c. Automatically format weekly schedules using L<sup>A</sup>T<sub>E</sub>X's picture environment. It requires the packages and . Its main feature is the accuracy with which appointments are represented: boxes drawn to represent a particular appointment are accurate to the minute — i.e., a 31-minute appointment will have a box 1/30th longer than a 30-minute appointment. A number of features are included to allow the user to customize the output.

URL: <https://ctan.org/pkg/schedule>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/schedule>

Alfonsi, Bernard and Yvon Henel. *The l2tabu-french package. French translation of l2tabu*. 2016-06-24. Version 2.3. LICENSE: gpl. French translation of .

URL: <https://ctan.org/pkg/l2tabu-french>

MIRROR: <https://mirror.ctan.org/info/l2tabu/french>

Algaba, Manuel Gutierrez. *The consdiag package. A utility for OO programming documentation*. 2016-06-24. Version 1.1. LICENSE: other-free

URL: <https://ctan.org/pkg/consdiag>

MIRROR: <https://mirror.ctan.org/support/consdiag>

— *The fancyhdrboxed package. Elaborate page headers, specified in a non-L<sup>A</sup>T<sub>E</sub>X language*. 2018-09-15. Version 1.0. LICENSE: gpl. Easy and fast creation of page headers for the documentation of Software Engineering Projects, using a mini language implemented in python that generates code that is then embedded in headers specified in the usual way, using .

URL: <https://ctan.org/pkg/fancyhdrboxed>

MIRROR: <https://mirror.ctan.org/support/fancyhdrBoxed>

— *The gentabtex package. Python helper for creating tables*. 2021-03-24. LICENSE: gpl

URL: <https://ctan.org/pkg/gentabtex>

MIRROR: <https://mirror.ctan.org/support/gentabtex>

— *The grapher package. Create graphs, state machine and data flow diagrams*. 2016-06-24. LICENSE: other-free. Grapher is a python script; you provide it with a specification (in python) of a diagram, and grapher emits code that can be translated to L<sup>A</sup>T<sub>E</sub>X and used to typeset the diagram in your document.

- URL: <https://ctan.org/pkg/grapher>  
MIRROR: <https://mirror.ctan.org/support/grapher>
- Algaba, Manuel Gutierrez. *The TeEncontreX package. Help for users of T<sub>E</sub>X and L<sub>A</sub>T<sub>E</sub>X*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/teencontrex>  
MIRROR: <https://mirror.ctan.org/info/spanish/TeEncontreX>
- *The texttoolspro package. Tools for documentation written in L<sub>A</sub>T<sub>E</sub>X*. 2019-11-14. Version 1.1. LICENSE: other-free. A small set of utilities for doing documentation in L<sub>A</sub>T<sub>E</sub>X intended mainly for programmers. Includes: for creating structured boxes, one inside another so the structure of data and functions can be easily shown; , a front-end filter of L<sub>A</sub>T<sub>E</sub>X-modified code, so you can write sections in a relative way; and , a L<sub>A</sub>T<sub>E</sub>X class that allows up to 14 levels of nesting, needed for doing documentation.  
URL: <https://ctan.org/pkg/texttoolspro>  
MIRROR: <https://mirror.ctan.org/support/texttoolspro>
- Ali, Muhammad Masroor. *The arosgn package. Support for the Bengali language*. 2020-06-07. Version 2.1. LICENSE: nosell  
URL: <https://ctan.org/pkg/arosgn>  
MIRROR: <https://mirror.ctan.org/language/bengali/arosgn>
- All, Timothy and Evan Cochrane. *The luacas package. A computer algebra system for users of LuaLaTeX*. 2023-05-30. Version 1.0.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/luacas>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luacas>
- Allais, Raphaël. *The fast-diagram package. Easy generation of FAST diagrams*. 2016-06-24. Version 1.1. LICENSE: lppl1.3. The package provides simple means of producing FAST diagrams, using . FAST diagrams are useful for functional analysis techniques in design methods.  
URL: <https://ctan.org/pkg/fast-diagram>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/fast-diagram>
- Allen, Matthew and David Griffith. *The newspaper package. Typeset newsletters to resemble newspapers*. 2018-12-30. Version 1.0. LICENSE: lppl. The newspaper package redefines the page style and command to produce a typeset page similar to that of a newspaper. It also provides several commands that (when used with other packages) simplify the writing of articles in a newspaper-style column format.  
URL: <https://ctan.org/pkg/newspaper>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/newspaper>
- Allgeyer, Robert. *The novel package. Class for printing fiction, such as novels*. 2023-08-26. Version 1.82. LICENSE: lppl1.3c,ofl  
URL: <https://ctan.org/pkg/novel>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/novel>
- Allred, Sean. *The termmenu package. The package provides support for terminal-based menus using expl3*. 2017-11-12. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/termmenu>  
MIRROR: <https://mirror.ctan.org/macros/generic/termmenu>
- Alshahrani, Mohammed. *The kfupm-math-exam package. A L<sub>A</sub>T<sub>E</sub>X document style to produce homework, quiz and exam papers*. 2022-07-31. Version 0.1.0. LICENSE: mit  
URL: <https://ctan.org/pkg/kfupm-math-exam>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kfupm-math-exam>
- Aluthge, Dilum and Marco Daniel. *The biblatex-nejm package. BibL<sub>A</sub>T<sub>E</sub>X style for the New England Journal of Medicine (NEJM)*. 2019-01-22. Version 0.5.0. LICENSE: lppl1.3. This is a numeric style based on the design of the New England Journal of Medicine (NEJM).  
URL: <https://ctan.org/pkg/biblatex-nejm>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-nejm>
- Alziyadi, Mohammed Obaid. *The arabic-book package. An Arabic book class*. 2021-06-16. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/arabic-book>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/arabic-book>
- Amberg, Brian. *The dprogress package. LaTeX-relevant log information for debugging*. 2016-06-24. Version 0.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/dprogress>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dprogress>
- American Astronomical Society. *The aastex package. Macros for Manuscript Preparation for AAS Journals*. 2021-03-01. Version 6.3.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/aastex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/aastex>



- Amintoosi, Mahmood. *The persian-bib package. Persian translations of classic BibTeX styles.* 2016-06-24. Version 0.9. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/persian-bib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/persian-bib>
- Ammers, Eric W. Van and Mark R. Kramer. *The clip package. A language-independent literate programming tool.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/clip>  
 MIRROR: <https://mirror.ctan.org/web/clip>
- Anagnostopoulos, Paul C. *The ZzTeX package. A full-featured T<sub>E</sub>X macro package for producing books, journals, and manuals.* 2020-07-20. Version 17.7. LICENSE: mit  
 URL: <https://ctan.org/pkg/zztex>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/zztex>
- Anderson, Michael. *The uothesis package. Class for dissertations and theses at the University of Oregon.* 2016-06-24. Version 2.5.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/uothesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uothesis>
- Andrews, Avery D. *The lingtrees package. Linguistics trees preprocessor and macros.* 2018-09-15. LICENSE: lppl. LingTrees is a package for formatting linguistics trees, consisting of a preprocessor that converts an indented list format into L<sup>A</sup>T<sub>E</sub>X macros, and some macros for doing the layout and line drawing. The line drawing may be done either by or by (PSTricks gives the user more functionality).  
 URL: <https://ctan.org/pkg/lingtrees>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/LingTrees>
- Andrews, Phil. *The gplot package. CGM-based graphics support.* 2019-02-03. Version 4.3b2. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/gplot>  
 MIRROR: <https://mirror.ctan.org/support/gplot>
- Andronic, Liviu. *The frletter package. Typeset letters in the French style.* 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/frletter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frletter>
- Angulo, Pablo. *The textsurgery package. A L<sup>A</sup>T<sub>E</sub>X companion to the “textsurgery” python project.* 2021-07-13. Version 0.6.0. LICENSE: bsd3. This L<sup>A</sup>T<sub>E</sub>X library is a companion to the . It will make sure that “” will work, with reasonable defaults, for a document that is intended to work with , and also has other uses, always in tandem with the package.  
 URL: <https://ctan.org/pkg/textsurgery>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/textsurgery>
- Ankargren, Sebastian. *The statmath package. A L<sup>A</sup>T<sub>E</sub>X package for simple use of statistical notation.* 2018-04-29. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/statmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/statmath>
- Annagurban, Nazar. *The turkmen package. Babel support for Turkmen.* 2016-06-24. Version 0.2. LICENSE: lppl. The package provides support for Turkmen in , but integration with babel is not available.  
 URL: <https://ctan.org/pkg/turkmen>  
 MIRROR: <https://mirror.ctan.org/language/turkmen>
- Antman, Peter. *The oxford package. A BibTeX style geared for use in the humanities.* 2016-06-24. LICENSE: nosell. The style implements the Oxford style interpreted through the eye of a Swede working in the field of the history of ideas. It is based on and a heavily hacked bst-file generated with custom-bib. It currently only supports and and only in abbreviation mode.  
 URL: <https://ctan.org/pkg/oxford>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/oxford>
- Antos, David. *The TVS package. TeX Versioning System.* 2016-06-24. Version 1.28. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tvs>  
 MIRROR: <https://mirror.ctan.org/support/TVS>
- Aonuma, Shuji. *The calorie package. Calorie checking for dieters.* 2016-06-24. Version 1.3. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/calorie>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/calorie.sty>
- Aplevich, Dwight. *The circuit-macros package. M4 macros for electric circuit diagrams.* 2023-05-31. Version 10.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/circuit-macros>  
 MIRROR: [https://mirror.ctan.org/graphics/circuit\\_macros](https://mirror.ctan.org/graphics/circuit_macros)
- Appelt, Wolfgang. *The knit package. Tangle and weave with multiple change files.* 2016-06-24. Version 2.7. LICENSE: noinfo. Knit and twist are represented as change files from and (respectively). In each case, they act in the same way as the parent program, but



- can process more than one change file at the same time.  
 URL: <https://ctan.org/pkg/knit>  
 MIRROR: <https://mirror.ctan.org/web/knit>
- Arapura, Donu. *The Array Maker package. A program for making L<sup>A</sup>T<sub>E</sub>X and xypic arrays*. 2016-06-24. LICENSE: other-free. This program is designed to take some of the tedium out of constructing arrays, diagrams and tables. L<sup>A</sup>T<sub>E</sub>X code is entered into boxes and the program outputs an array that can be pasted into a L<sup>A</sup>T<sub>E</sub>X file. This is written in ( $\geq 8.0$ ) (most Unix/Linux systems have ).  
 URL: <https://ctan.org/pkg/arraymaker>  
 MIRROR: <https://mirror.ctan.org/support/arraymaker>
- Arata, Mizuki. *The cluttex package. An automation tool for running L<sup>A</sup>T<sub>E</sub>X*. 2021-11-05. Version 0.5.1. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/cluttex>  
 MIRROR: <https://mirror.ctan.org/support/cluttex>
- Araujo, Lauro César. *The abntex2 package. Typeset technical and scientific Brazilian documents based on ABNT rules*. 2018-11-25. Version 1.9.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/abntex2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/abntex2>
- Arcis, Diego. *The strands package. Draw objects constructed from strands*. 2021-07-12. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/strands>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/strands>
- Arellano, Gonzalo Medina. *The background package. Placement of background material on pages of a document*. 2018-01-06. Version 2.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/background>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/background>
- *The fancypar package. Decoration of individual paragraphs*. 2021-04-17. Version 1.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fancypar>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancypar>
- Argañaraz, Gustavo Sebastián Bustamante. *The MakeCirc package. A MetaPost library for drawing electrical circuit diagrams*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/makecirc>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/makecirc>
- Árnason, Einar, Johannes L. Braams, and Javier Bezos López. *The babel-icelandic package. Babel support for Icelandic*. 2019-07-04. Version 1.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-icelandic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/icelandic>
- Arnold, Jeffrey B. *The lstbayes package. Listings language driver for Bayesian modeling languages*. 2018-07-07. LICENSE: lppl1.3. The package provides language drivers for the package for several languages not included in that package: BUGS, JAGS, and Stan.  
 URL: <https://ctan.org/pkg/lstbayes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lstbayes>
- Arnold, Tim. *The longfigure package. Provides a figure-like environment that break over pages*. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/longfigure>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/longfigure>
- *The statrep package. Displays SAS code and results of running the code*. 2017-04-18. Version 1.07. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/statrep>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/statrep>
- Arriba, Jose Luis Diaz de and Javier Bezos López. *The gloss package. Create glossaries using BibT<sub>E</sub>X*. 2016-06-24. Version 1.5.2. LICENSE: lppl. A glossary package using BibT<sub>E</sub>X with replaced by .  
 URL: <https://ctan.org/pkg/gloss>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gloss>
- Arrouye, Yves. *The mkpkfontdir package. Manipulate TDS directories for PK fonts*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mkpkfontdir>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/mkpkfontdir>
- Arseneau, Donald. *The braket package. Dirac bra-ket and set notations*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/braket>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/braket>

- Arseneau, Donald. *The cancel package. Place lines through maths formulae*. 2016-06-24. Version 2.2. LICENSE: pd  
 URL: <https://ctan.org/pkg/cancel>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cancel>
- *The cases package. Numbered cases environment*. 2020-04-03. Version 3.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/cases>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cases>
  - *The chapterbib package. Multiple bibliographies in a document*. 2016-06-24. Version 1.17. LICENSE: other-free  
 URL: <https://ctan.org/pkg/chapterbib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cite>
  - *The cite package. Improved citation handling in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 5.5. LICENSE: other-free  
 URL: <https://ctan.org/pkg/cite>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cite>
  - *The cite-bundle package. Citation management bundle*. 2016-06-24. LICENSE: other-free. A collection of packages related to managing citations:  
 URL: <https://ctan.org/pkg/cite-bundle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cite>
  - *The dotseqn package. Flush left equations with dotted leaders to the numbers*. 2016-06-24. Version 1.1. LICENSE: other-free  
 URL: <https://ctan.org/pkg/dotseqn>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dotseqn>
  - *The drftcite package. Print the bibliography in "draft" mode*. 2018-01-06. Version 3.91. LICENSE: other-free  
 URL: <https://ctan.org/pkg/drftcite>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cite/drftcite.sty>
  - *The framed package. Framed or shaded regions that can break across pages*. 2016-06-24. Version 0.96. LICENSE: other-free  
 URL: <https://ctan.org/pkg/framed>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/framed>
  - *The fwlw package. Get first and last words of a page*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/fwlw>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fwlw>
  - *The import package. Establish input relative to a directory*. 2020-04-03. Version 6.2. LICENSE: pd  
 URL: <https://ctan.org/pkg/import>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/import>
  - *The longdiv package. Long division arithmetic problems*. 2020-04-11. Version 1. LICENSE: pd. Work out and print integer long division problems. Use: . The numerator and denominator (divisor and dividend) must be integers, and the quotient is an integer too. leaves the remainder from the division at the bottom of its diagram of the problem.  
 URL: <https://ctan.org/pkg/longdiv>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/longdiv.tex>
  - *The magaz package. Magazine layout*. 2016-06-24. Version 0.4. LICENSE: other-free  
 URL: <https://ctan.org/pkg/magaz>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/magaz>
  - *The nolbreaks package. No line breaks in text*. 2016-06-24. Version 1.2. LICENSE: pd. Use to prevent line breaks in "some text". This has the advantage over that glue (rubber space) remains flexible. Most common cases are handled here ( is disabled, for example) but spaces hidden in macros or can still create break-points.  
 URL: <https://ctan.org/pkg/nolbreaks>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nolbreaks>
  - *The notoccite package. Prevent trouble from citations in table of contents, etc*. 2016-06-24. LICENSE: pd. If you have commands in -like commands, or in , the citation will also appear in the table of contents, or list of whatever. If you are also using an unsrt-like bibliography style, these citations will come at the very start of the bibliography, which is confusing. This package suppresses the effect.  
 URL: <https://ctan.org/pkg/notoccite>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/notoccite>
  - *The nth package. Generate English ordinal numbers*. 2020-04-11. LICENSE: pd. The command generates English ordinal numbers of the form 1st, 2nd, 3rd, 4th, etc. L<sup>A</sup>T<sub>E</sub>X package options may specify that the ordinal mark be superscripted, and that negative numbers may be treated; Plain T<sub>E</sub>X users have no access to package options, so need to redefine macros for these changes.  
 URL: <https://ctan.org/pkg/nth>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/nth.sty>

- Arseneau, Donald. *The optional package. Facilitate optional printing of parts of a document*. 2016-06-24. Version 2.2b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/optional>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/optional>
- *The oubraces package. Braces over and under a formula*. 2016-06-24. LICENSE: other-free. Provides a means to interleave and in the same formula.  
 URL: <https://ctan.org/pkg/oubraces>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oubraces>
  - *The overcite package. Compressed lists of superscript numerical citations*. 2016-06-24. Version 4.01. LICENSE: other-free. The package is actually a wrapper for one of the functions of the packages; it is distributed as part of the bundle of packages.  
 URL: <https://ctan.org/pkg/overcite>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cite>
  - *The placeins package. Control float placement*. 2016-06-24. Version 2.2. LICENSE: pd. Defines a command, beyond which floats may not pass; useful, for example, to ensure all floats for a section appear before the next command.  
 URL: <https://ctan.org/pkg/placeins>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/placeins>
  - *The placeins-plain package. Insertions that keep their place*. 2016-06-24. Version 2.0. LICENSE: pd. This  $\TeX$  file provides various mechanisms (for plain  $\TeX$  and close relatives) to let insertions (footnotes, topins, pageins, etc.) float within their appropriate section, but to prevent them from intruding into the following section, even when sections do not normally begin a new page. (If your sections normally begin a new page, just use to flush out insertions.)  
 URL: <https://ctan.org/pkg/placeins-plain>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/placeins.tex>
  - *The random package. Generating “random” numbers in  $\TeX$* . 2020-04-15. Version 0.2. LICENSE: pd  
 URL: <https://ctan.org/pkg/random>  
 MIRROR: <https://mirror.ctan.org/macros/generic/random>
  - *The removefr package. Remove from counter-reset lists*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/removefr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fragments/removefr.tex>
  - *The sansmath package. Maths in a sans font*. 2016-06-24. Version 1.1. LICENSE: pd. The package defines a new math version , and a command that behaves somewhat like  
 URL: <https://ctan.org/pkg/sansmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sansmath>
  - *The selectp package. Select pages to be output*. 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/selectp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/selectp>
  - *The shapepar package. A macro to typeset paragraphs in specific shapes*. 2018-01-06. Version 2.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/shapepar>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shapepar>
  - *The tabs package. Better vertical spacing in tables and arrays*. 2016-06-24. Version 3.5. LICENSE: other-free  
 URL: <https://ctan.org/pkg/tabs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabs>
  - *The tabto-generic package. “Tab” to a measured position in the line*. 2016-06-24. LICENSE: pd. moves the typesetting position to from the left margin of the paragraph. If the typesetting position is already further along, starts a new line.  
 URL: <https://ctan.org/pkg/tabto-generic>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/tabto.tex>
  - *The tabto-ltx package. “Tab” to a measured position in the line*. 2019-03-05. Version 1.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tabto-ltx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabto>
  - *The threeparttable package. Tables with captions and notes all the same width*. 2016-06-24. LICENSE: other-free. Provides a scheme for tables that have a structured note section, after the caption. This scheme provides an answer to the old problem of putting footnotes in tables — by making footnotes entirely unnecessary. Note that a is not a float of itself; but you can place it in a or a environment, if necessary.  
 URL: <https://ctan.org/pkg/threeparttable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/threeparttable>
  - *The titleref package. A “titleref” command to cross-reference section titles*. 2016-06-24. Version 3.1. LICENSE: pd. Defines a command that allows you to cross-reference section (and chapter, etc) titles and captions just like and . The package does not interwork with ; if you need hypertext capabilities, use instead.

- URL: <https://ctan.org/pkg/titleref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/titleref>
- Arseneau, Donald. *The truncate package. Truncate text to a specified width.* 2016-06-24. Version 3.6. LICENSE: pd  
URL: <https://ctan.org/pkg/truncate>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/truncate>
- *The ulem package. Package for underlining.* 2020-01-10. LICENSE: other-free  
URL: <https://ctan.org/pkg/ulem>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ulem>
  - *The underscore package. Control the behaviour of “\_” in text.* 2018-01-06. LICENSE: lppl  
URL: <https://ctan.org/pkg/underscore>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/underscore>
  - *The url package. Verbatim with URL-sensitive line breaks.* 2016-06-24. Version 3.4. LICENSE: lppl. The command is a form of verbatim command that allows linebreaks at certain characters or combinations of characters, accepts reconfiguration, and can usually be used in the argument to another command. (The command provides robust commands that serve in cases when doesn’t work in an argument.) The command is intended for email addresses, hypertext links, directories/paths, etc., which normally have no spaces, so by default the package ignores spaces in its argument. However, a package option “allows spaces”, which is useful for operating systems where spaces are a common part of file names.  
URL: <https://ctan.org/pkg/url>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/url>
  - *The varindent package. Make paragraph indentation match the length of the line above.* 2016-06-24. LICENSE: noinfo. The package will cause paragraphs to indent to the same position as the end of the last line of the previous paragraph, unless the resulting position would take you to within of the end of the line.  
URL: <https://ctan.org/pkg/varindent>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/varindent.tex>
  - *The varwidth package. A variable-width minipage.* 2018-01-06. Version 0.92. LICENSE: lppl  
URL: <https://ctan.org/pkg/varwidth>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/varwidth>
  - *The wrapfig package. Produces figures which text can flow around.* 2021-12-30. Version 3.6. LICENSE: lppl  
URL: <https://ctan.org/pkg/wrapfig>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wrapfig>
- Arseneau, Donald and Johannes L. Braams. *The subeqn package. Package for subequation numbering.* 2016-06-24. Version 2.0b. LICENSE: lppl  
URL: <https://ctan.org/pkg/subeqn>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/subeqn>
- Artime, Carlos Enrique Carleos, Luis Rivera, and Daniel Vela. *The lshort-spanish package. Short introduction to L<sup>A</sup>T<sub>E</sub>X, Spanish translation.* 2016-06-24. Version 0.5. LICENSE: other-free. A Spanish translation of the , version 20.  
URL: <https://ctan.org/pkg/lshort-spanish>  
MIRROR: <https://mirror.ctan.org/info/lshort/spanish>
- Asakura, Takuto. *The BXghost package. Ghost insertion for proper xkanjiskip.* 2023-02-25. Version 0.5.1. LICENSE: mit  
URL: <https://ctan.org/pkg/bxghost>  
MIRROR: <https://mirror.ctan.org/language/japanese/BX/bxghost>
- *The BXjoholiday package. Support for Japanese holidays.* 2021-09-28. Version 1.1.1. LICENSE: mit  
URL: <https://ctan.org/pkg/bxjoholiday>  
MIRROR: <https://mirror.ctan.org/language/japanese/BX/bxjoholiday>
  - *The gotoh package. An implementation of the Gotoh sequence alignment algorithm.* 2017-07-07. Version 1.1. LICENSE: mit  
URL: <https://ctan.org/pkg/gotoh>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gotoh>
  - *The Light L<sup>A</sup>T<sub>E</sub>X Make package. lmk: A build tool for L<sup>A</sup>T<sub>E</sub>X documents.* 2023-03-08. Version 1.2.0. LICENSE: mit  
URL: <https://ctan.org/pkg/light-latex-make>  
MIRROR: <https://mirror.ctan.org/support/light-latex-make>
  - *The platexcheat package. A L<sup>A</sup>T<sub>E</sub>X cheat sheet, in Japanese.* 2019-01-04. Version 3.1. LICENSE: mit  
URL: <https://ctan.org/pkg/platexcheat>  
MIRROR: <https://mirror.ctan.org/info/latexcheat/platexcheat>
  - *The WTRef package. Extend L<sup>A</sup>T<sub>E</sub>X’s cross-reference system.* 2020-06-15. Version 0.4.0. LICENSE: mit. Prerequisite packages: and .  
URL: <https://ctan.org/pkg/wtref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wtref>

- Asakura, Takuto, Thomas Esser, Manuel Pégourié-Gonnard, and The T<sub>E</sub>X Live Team. *The texdoc package. Documentation access for T<sub>E</sub>X Live*. 2023-02-27. Version 4.0.1. LICENSE: gpl. is a Lua script providing easy access to the documentation in T<sub>E</sub>X Live: PDF, DVI, plain text files, and more. Viewing and other configuration can be extensively customized. It is distributed with ; provides a program by the same name to do the same job, but its implementation is unrelated.  
URL: <https://ctan.org/pkg/texdoc>  
MIRROR: <https://mirror.ctan.org/support/texdoc>
- Ashton, James. *The indxcite package. Generate author index based on citations*. 2016-06-24. Version 1.1. LICENSE: other-nonfree. A package to automatically generate an Author Index based on citations made using BibT<sub>E</sub>X. It requires the use of the and packages and L<sup>A</sup>T<sub>E</sub>X2e.  
URL: <https://ctan.org/pkg/indxcite>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/indxcite>
- *The saferef package. Safer references through strong typing of references*. 2016-06-24. Version 1.0. LICENSE: other-free  
URL: <https://ctan.org/pkg/saferef>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/saferef>
- Association GUTenberg. *The letgut package. Class for the newsletter “La Lettre GUTenberg” of the French T<sub>E</sub>X User Group GUTenberg*. 2023-05-21. Version 0.9.7. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/letgut>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/letgut>
- Atkinson, Kevin. *The aspell package. Spell checker*. 2019-10-31. Version 0.60.8. LICENSE: gpl2  
URL: <https://ctan.org/pkg/aspell>  
MIRROR: <https://mirror.ctan.org/support/aspell>
- *The ispell package. Multi-platform spell checker*. 2020-09-09. Version 3.3.02. LICENSE: other-free  
URL: <https://ctan.org/pkg/ispell>  
MIRROR: <https://mirror.ctan.org/support/ispell>
- Atkinson, Matthew Tylee and Iain Phillips. *The gcite package. Citations in a reader-friendly style*. 2016-06-24. Version 1.0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/gcite>  
MIRROR: <https://mirror.ctan.org/macros/latex/exptl/gcite>
- Atria, Matias. *The mdvi package. A DVI previewer*. 2017-04-18. LICENSE: gpl  
URL: <https://ctan.org/pkg/mdvi>  
MIRROR: <https://mirror.ctan.org/dviware/mdvi>
- Aubord, Alain. *The codepage package. Support for variant code pages*. 2016-06-24. LICENSE: other-free. The package provides a mechanism for inputting non-ASCII text. Nowadays, the job is mostly done by the package in the L<sup>A</sup>T<sub>E</sub>X distribution.  
URL: <https://ctan.org/pkg/codepage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/codepage>
- *The MathTrip package. A trip to the wonderful world of mathematics*. 2022-10-02. Version 2.8. LICENSE: nocommercial,lppl,bsd  
URL: <https://ctan.org/pkg/mathtrip>  
MIRROR: <https://mirror.ctan.org/info/mathtrip>
- Aurbach, R L, Fred Hantelmann, and Stefano Ianigro. *The glotex package. A glossary processor*. 2016-06-24. Version 2.1. LICENSE: nosell  
URL: <https://ctan.org/pkg/glotex>  
MIRROR: <https://mirror.ctan.org/indexing/glo+idxtex>
- *The idxtex package. An index processor*. 2016-06-24. Version 3.1. LICENSE: nosell  
URL: <https://ctan.org/pkg/idxtex>  
MIRROR: <https://mirror.ctan.org/indexing/glo+idxtex>
- Avdeev, Nikolai. *The biblatex-ajc2020unofficial package. BibL<sup>A</sup>T<sub>E</sub>X style for the Australasian Journal of Combinatorics*. 2020-04-11. Version 0.2.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/biblatex-ajc2020unofficial>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-ajc2020unofficial>
- *The biblatex2bibitem package. Convert BibL<sup>A</sup>T<sub>E</sub>X-generated bibliography to bibitems*. 2023-05-17. Version 0.2.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/biblatex2bibitem>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex2bibitem>
  - *The shortmathj package. Automatically shortify titles of mathematical journals*. 2023-05-17. Version 0.5.0. LICENSE: lppl1.3c. This small dummy package just contains a simple list of full and short journal names aswritten in AMS standard:  
URL: <https://ctan.org/pkg/shortmathj>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shortmathj>



- Aycock, Ryan. *The scientificpaper package. Format a scientific paper for journal publication.* 2016-06-18. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/scientificpaper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scientificpaper>
- Aycock, Ryan and Steven Wheelwright. *The mla-paper package. Proper MLA formatting.* 2019-05-04. LICENSE: lppl. The package formats articles using the style (“MLA” = “Modern Language Association”). The aim is that students and other academics in the humanities should be able to typeset their materials, properly, with minimal effort on their part.  
 URL: <https://ctan.org/pkg/mla-paper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mla-paper>
- Babushkin, Andrey. *The guitartabs package. A class for drawing guitar tablatures easily.* 2018-06-30. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/guitartabs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/guitartabs>
- Bachmaier, Gerhard A. *The ebezier package. Device independent picture environment enhancement.* 2016-06-24. Version 4. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ebezier>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ebezier>
- *The oesch package. Font to provide the Österreichische Schulschrift.* 2017-05-30. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/oesch>  
 MIRROR: <https://mirror.ctan.org/fonts/oesch>
- Bačić, Deni. *The glossaries-slovene package. Slovene language module for glossaries package.* 2019-05-26. Version 1.0. LICENSE: lppl1.3.  
 URL: <https://ctan.org/pkg/glossaries-slovene>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-slovene>
- Baecker, Philipp N. *The ebsthesis package. Typesetting theses for economics.* 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ebsthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ebsthesis>
- Baghban, Mojtaba. *The autofancyhdr package. Automatically compute headlength for fancyhdr package.* 2020-04-11. Version 0.1. LICENSE: lppl1.3c. The package automatically computes headlength for the package  
 URL: <https://ctan.org/pkg/autofancyhdr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/autofancyhdr>
- Bahnes, Tim. *The texsketch package. A drawing package for OS/2.* 2016-06-24. Version 1.03. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/texsketch>  
 MIRROR: <https://mirror.ctan.org/graphics/texsketch>
- Baker, Adam. *The ot-tableau package. Optimality Theory tableaux in L<sup>A</sup>T<sub>E</sub>X.* 2023-08-04. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ot-tableau>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ot-tableau>
- Baker, Edward. *The texfilt package. A (La)TeX log filter.* 2016-06-24. LICENSE: noinfo. Works under DOS, OS/2 and Linux. Code written in , so documented source available.  
 URL: <https://ctan.org/pkg/texfilt>  
 MIRROR: <https://mirror.ctan.org/support/texfilt>
- Baker, Joe. *The draft package. A L<sup>A</sup>T<sub>E</sub>X 2.09 style for supporting work on drafts.* 2016-06-24. LICENSE: noinfo. The package marks , , , and commands with a small mark in the text and with a marginal note of the label, citation or whatever itself.  
 URL: <https://ctan.org/pkg/draft>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/draft.sty>
- Baker, Peter S. *The junicode package. A TrueType font for mediaevalists.* 2021-12-10. Version 1.0.2. LICENSE: ofl  
 URL: <https://ctan.org/pkg/junicode>  
 MIRROR: <https://mirror.ctan.org/fonts/junicode>
- Balak, Norbert. *The ecobiblatex package. Global Ecology and Biogeography BibL<sup>A</sup>T<sub>E</sub>X styles for the Biber backend.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. This bundle provides a set of styles for creating bibliographies using in the style of the Global Ecology and Biogeography journal. It comprises styles based on the conventions of John Wiley & Sons Ltd and Global Ecology and Biogeography Conventions ©.  
 URL: <https://ctan.org/pkg/ecobiblatex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/ecobiblatex>
- Baldin, Evgeny. *The computer-typesetting-using-latex package. Content of the book Computer Typesetting Using L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 1.1. LICENSE: other-free  
 URL: <https://ctan.org/pkg/computer-typesetting-using-latex>  
 MIRROR: [https://mirror.ctan.org/info/russian/Computer\\_Typesetting\\_Using\\_LaTeX](https://mirror.ctan.org/info/russian/Computer_Typesetting_Using_LaTeX)

- Balemi, Silvano. *The abstr-collect package. Print a collection of abstracts*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/abstr-collect>  
 MIRROR: [https://mirror.ctan.org/macros/latex209/contrib/abstr\\_collect](https://mirror.ctan.org/macros/latex209/contrib/abstr_collect)
- *The automatica package. A harvard-family BibTeX style*. 2016-06-24. LICENSE: other-free. A modified version of from the bundle, which is itself derived from the standard .  
 URL: <https://ctan.org/pkg/automatica>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/automatica.bst>
  - *The Birkhaeuser package. Style for Birkhaeuser books, conference proceedings, etc.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/birkhaeuser>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/birkhaeuser>
  - *The card package. Print visiting cards*. 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/card>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/card.sty>
  - *The ijc package. International Journal of Control style*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ijc>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/ijc>
  - *The MEP article package. Class for Mechanical Engineering Publications*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/meparticle>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/meparticle.sty>
- Balemi, Silvano and Werner Truöl. *The systcontrolletters package. Support for Systems and Control Letters*. 2016-06-24. Version 1.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/systcontrolletters>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/systcontrolletters>
- Ball, Alex. *The bath-bst package. Harvard referencing style as recommended by the University of Bath Library*. 2022-05-25. Version 6.0. LICENSE: lpl1.3c. This package provides a BibTeX style to format reference lists in the recommended by the University of Bath Library. It should be used in conjunction with for citations.  
 URL: <https://ctan.org/pkg/bath-bst>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/bath-bst>
- *The beamerswitch package. Convenient mode selection in Beamer documents*. 2022-08-23. Version 1.9. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/beamerswitch>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/beamerswitch>
  - *The biblatex-bath package. Harvard referencing style as recommended by the University of Bath Library*. 2022-05-25. Version 6.0. LICENSE: lpl1.3c. This package provides a BibLaTeX style to format reference lists in the recommended by the University of Bath Library.  
 URL: <https://ctan.org/pkg/biblatex-bath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-bath>
  - *The biblatex-oxref package. BibLaTeX styles inspired by the Oxford Guide to Style*. 2023-06-22. Version 3.1. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/biblatex-oxref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-oxref>
  - *The dccpaper package. Typeset papers for the International Journal of Digital Curation*. 2023-08-11. Version 2.4. LICENSE: lpl1.3c,cc-by-4  
 URL: <https://ctan.org/pkg/dccpaper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dccpaper>
- Ballen, Gustavo A. *The zootaxa-bst package. A BibTeX style for the journal Zootaxa*. 2019-05-01. Version 1.0. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/zootaxa-bst>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/zootaxa-bst>
- Bane, Max. *The cascadilla package. Typeset papers conforming to the stylesheet of the Cascadilla Proceedings Project*. 2016-06-24. Version 1.8.2. LICENSE: lpl1. The class provides an extension of the standard L<sup>A</sup>T<sub>E</sub>X class that may be used to typeset papers conforming to the stylesheet of the , which is used by a number of linguistics conference proceedings (e.g., WCCFL).  
 URL: <https://ctan.org/pkg/cascadilla>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cascadilla>
- Banerjee, Rudra. *The mkbib package. BibTeX file creator*. 2016-06-24. Version 2.1. LICENSE: gpl3. Mkbib is a generator of BibTeX files; it is interactive, using ; the user may search from within mkbib.  
 URL: <https://ctan.org/pkg/mkbib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/mkbib>

- Banerjee, Shibaji. *The EBONG package. Utility for writing Bengali in Rapid Roman Format*. 2020-06-07. LICENSE: pd. A tool (preprocessor) for writing your pRaa-ne-r ka-thaa in the bengali language. It allows one to write the text in Rapid Roman Bangla and convert it to the format by a python program. All L<sup>A</sup>T<sub>E</sub>X markups are preserved in the target file.  
URL: <https://ctan.org/pkg/ebong>  
MIRROR: <https://mirror.ctan.org/language/ebong>
- Banhardt, Steffen. *The gender package. Gender neutrality for languages with grammatical gender*. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/gender>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gender>
- Bao, Hongchang. *The BHCexam package. An exam class for mathematics teachers in China*. 2022-08-10. Version 1.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/bhcxam>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/bhcxam>
- Bar, Haim and HaiYing Wang. *The runcode package. Execute foreign source code and embed the result in the pdf file*. 2023-07-01. Version 2.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/runcode>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/runcode>
- Barabucci, Gioele. *The fixmetodonotes package. Add notes on document development*. 2016-06-24. Version 0.2.2. LICENSE: pd  
URL: <https://ctan.org/pkg/fixmetodonotes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fixmetodonotes>
- Baragar, Henry and Gail E. Harris. *The tesla package. A special-purpose language for knowledge base rules*. 2021-08-26. LICENSE: noinfo  
URL: <https://ctan.org/pkg/tesla>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/tesla>
- Bares, Christophe. *The competences package. Track skills of classroom checks*. 2018-05-05. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/competences>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/competences>
- Barik, Titus and Michael Shell. *The IEEEannot package. A sorting version of IEEEtran.bst*. 2017-04-18. Version 1.11. LICENSE: artistic  
URL: <https://ctan.org/pkg/ieeeannot>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/IEEEannot.bst>
- Baron, Henrique. *The ucsmonograph package. Typesetting academic documents from the University of Caxias do Sul*. 2019-11-08. Version 1.3.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/ucsmonograph>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ucsmonograph>
- Barr, Michael. *The calendar-Barr package. A calendar document*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/calendar-barr>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/calendar\\_barr](https://mirror.ctan.org/macros/latex/contrib/calendar_barr)
- *The chomsky package. Macros to typeset parsing trees*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/chomsky>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/chomsky.sty>
  - *The diagxy package. Diagram macros by Michael Barr*. 2016-06-24. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/diagxy>  
MIRROR: <https://mirror.ctan.org/macros/generic/diagrams/diagxy>
- Barrera, Sergio C. de la. *The physics package. Macros supporting the Mathematics of Physics*. 2016-06-24. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/physics>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/physics>
- Barros, Gustavo. *The postnotes package. Endnotes for L<sup>A</sup>T<sub>E</sub>X*. 2023-08-21. Version 0.2.6. LICENSE: lppl1.3c. This is an endnotes package for L<sup>A</sup>T<sub>E</sub>X. Its user interface provides means to print multiple sections of notes along the document, and to subdivide them either automatically — by chapter, by section — or at manually specified places, thus being able to easily handle both numbered and unnumbered headings. The package also provides infrastructure for setting up contextual running headers for printed notes. The default is a simple but useful one, in the form “Notes to pages N-M”, but more elaborate ones can be built. When is loaded, provides hyperlinked notes, including back links.  
URL: <https://ctan.org/pkg/postnotes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/postnotes>
- *The zref-check package. Flexible cross-references with contextual checks based on zref*. 2023-08-14. Version 0.3.4. LICENSE: lppl1.3c. This package provides an user interface for making L<sup>A</sup>T<sub>E</sub>X cross-references flexibly, while allowing to have them checked for consistency with the document structure as typeset. Statements such as “above”, “on the next page”, “previously”, “as will be

discussed”, “on the previous chapter” and so on can be given to in free-form, and a set of “checks” can be specified to be run against a given “label”, which will result in a warning at compilation time if any of these checks fail. and the environment are also defined as a means to easily set label targets to arbitrary places in the text which can be referred to by .

URL: <https://ctan.org/pkg/zref-check>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zref-check>

Barros, Gustavo. *The zref-clever package. Clever L<sup>A</sup>T<sub>E</sub>X cross-references based on zref*. 2023-08-14. Version 0.4.2. LICENSE: lppl1.3c. This package provides a user interface for making L<sup>A</sup>T<sub>E</sub>X cross-references which automates some of their typical features, thus easing their input in the document and improving the consistency of typeset results. A reference made with includes a “name” according to its “type”, and lists of multiple labels can be automatically sorted and compressed into ranges when due. The reference format is highly and easily customizable, both globally and locally. The package is based on ’s extensible referencing system.

URL: <https://ctan.org/pkg/zref-clever>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zref-clever>

— *The zref-vario package. Extended L<sup>A</sup>T<sub>E</sub>X page cross-references with varioref and zref-clever*. 2023-08-15. Version 0.1.9. LICENSE: lppl1.3c. This package offers a compatibility layer for to be used alongside . It provides counterparts to ’s main reference commands, each of which essentially does some (scoped) setup for , then calls the original one.

URL: <https://ctan.org/pkg/zref-vario>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zref-vario>

Bartel, Elmar and Norbert Preining. *The bartel-chess-fonts package. A set of fonts supporting chess diagrams*. 2016-06-24. LICENSE: gpl

URL: <https://ctan.org/pkg/bartel-chess-fonts>

MIRROR: <https://mirror.ctan.org/fonts/bartel-chess-fonts>

Bartels, Friedemann. *The pagelayout package. Layout graphic rich documents*. 2023-03-06. Version 1.0.4. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/pagelayout>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pagelayout>

Barth, Andreas. *The pbm2tex package. Translate PBM format to L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.0. LICENSE: other-free

URL: <https://ctan.org/pkg/pbm2tex>

MIRROR: <https://mirror.ctan.org/support/pbm2tex>

Barthelmann, Klaus Georg. *The circle package. Maths mode circles for temporal logic*. 2016-06-24. LICENSE: noinfo. Provides circles in math mode that can be used for the nextstep operator of temporal logic, in conjunction with and (latexsym) or and (amssymb). L<sup>A</sup>T<sub>E</sub>X circles and are not of the right size. The circles are taken from the font . The package contains some hacks to approximate the right size and this solution is definitely not sufficient to give a high quality output.

URL: <https://ctan.org/pkg/circle>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/circle>

— *The sauterfonts package. Use Sauter’s fonts in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: gpl

URL: <https://ctan.org/pkg/sauterfonts>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sauterfonts>

Bartholdi, Laurent. *The ltb2bib package. Converts amsrefs’ .ltb bibliographical databases to BibT<sub>E</sub>X format*. 2018-01-07. Version 0.01. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/lbt2bib>

MIRROR: <https://mirror.ctan.org/biblio/bibtex/utlis/lbt2bib>

Bartolomey, Alexander. *The csassignments package. A wrapper for article with macros and customizations for computer science assignments*. 2022-07-28. Version 1.0.2. LICENSE: mit

URL: <https://ctan.org/pkg/csassignments>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/csassignments>

Barton, Ariel. *The knitting package. Produce knitting charts, in Plain T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X*. 2019-04-06. Version 3.0. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/knitting>

MIRROR: <https://mirror.ctan.org/fonts/knitting>

— *The sansmathaccent package. Correct placement of accents in sans-serif maths*. 2020-02-01. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/sansmathaccent>

MIRROR: <https://mirror.ctan.org/fonts/sansmathaccent>

— *The sansmathfonts package. Extended Computer Modern sans serif fonts*. 2022-10-09. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/sansmathfonts>

MIRROR: <https://mirror.ctan.org/fonts/sansmathfonts>

— *The tolkienfonts package. Use TTF ”Tolkien” fonts from the WWW with pdfT<sub>E</sub>X*. 2016-06-24. Version 2.0. LICENSE: lppl

URL: <https://ctan.org/pkg/tolkienfonts>

MIRROR: <https://mirror.ctan.org/fonts/tolkienfonts>



- Barton, Thomas H. *The TrueTypeToType42 package. Generate a Type 42 font from a TrueType font.* 2016-06-24. LICENSE: noinfo. The package provides a PostScript program, to run under `ps`, that will read a TrueType font and produce an Adobe Type 42 (PFA) font as output.  
 URL: <https://ctan.org/pkg/truetypeTOTYPE42>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/TrueTypeToType42>
- Barton-Davis, Paul. *The unixman package. Typeset to look like Unix man output.* 2016-06-24. Version 1.2. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/unixman>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/unixman>
- Barton-Davis, Paul and Niall Mansfield. *The add-wes package. A "book" style for Addison-Wesley house style.* 2020-08-29. Version 1.05. LICENSE: other-free  
 URL: <https://ctan.org/pkg/add-wes>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/add-wes.sty>
- Baruchel, Thomas. *The t1infos package. Utilities for PostScript fonts.* 2016-06-24. Version 1.0. LICENSE: bsd  
 URL: <https://ctan.org/pkg/t1infos>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/t1infos>
- Basso, Pierre and Stefan Ulrich. *The bibtopic package. Include multiple bibliographies in a document.* 2016-06-24. Version 1.1a. LICENSE: gpl  
 URL: <https://ctan.org/pkg/bibtopic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibtopic>
- Batada, Nizar. *The JbibtexManager package. Managing citations in BibTeX format.* 2017-04-18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/jbibtexmanager>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utls/jbibtexmanager>
- Batchelder, Ned and Bernie Cosell. *The bbfig package. Calculate and print bounding box.* 2016-06-24. LICENSE: noinfo. Bbfig wraps a set of PostScript routines around a PostScript file; when the resulting file is printed, the bounding box appears on the page, and the requisite directive is also printed.  
 URL: <https://ctan.org/pkg/bbfig>  
 MIRROR: <https://mirror.ctan.org/support/bbfig>
- Batista, Facundo. *The jupyterotex package. Include whole or partial Jupyter notebooks in L<sup>A</sup>T<sub>E</sub>X documents.* 2020-10-28. Version 0.1. LICENSE: apache2  
 URL: <https://ctan.org/pkg/jupyterotex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jupyterotex>
- Batumongke, Dorjgotov. *The lshort-mongol package. Short introduction to L<sup>A</sup>T<sub>E</sub>X, in Mongolian.* 2016-06-24. Version 4.26. LICENSE: lppl. A translation of Oetiker's .  
 URL: <https://ctan.org/pkg/lshort-mongol>  
 MIRROR: <https://mirror.ctan.org/info/lshort/mongolian/lshort-mongol>
- *The mnhyphn package. Hyphenation patterns for Mongolian.* 2018-01-06. Version 1.1. LICENSE: lppl. Serves Mongolian written using Cyrillic letters, using T2A-encoded output. (Note that the bundle provides hyphenation patterns for its own encoding setup.)  
 URL: <https://ctan.org/pkg/mnhyphn>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/mnhyphn.tex>
- *The mongolian-babel package. A language definition file for Mongolian in Babel.* 2016-06-24. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mongolian-babel>  
 MIRROR: <https://mirror.ctan.org/language/mongolian/babel>
- Baudoin, Marc. *The apprends-latex package. Apprends L<sup>A</sup>T<sub>E</sub>X!* 2017-04-18. Version 4.02. LICENSE: lppl  
 URL: <https://ctan.org/pkg/apprends-latex>  
 MIRROR: <https://mirror.ctan.org/info/apprends-latex>
- Bauer, Tilman. *The lwasseq package. Drawing spectral sequences in LuaL<sup>A</sup>T<sub>E</sub>X.* 2023-01-10. LICENSE: lppl1.3. The package is an update of the author's package, for use with LuaL<sup>A</sup>T<sub>E</sub>X. This version uses less memory, and operates faster than the original; it also offers several enhancements.  
 URL: <https://ctan.org/pkg/lwasseq>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/lwasseq>
- *The sseq package. Typesetting spectral sequence charts.* 2016-06-24. Version 2.01. LICENSE: lppl. The package provides commands to draw spectral sequence diagrams, providing facilities for clipping and arranging multiple symbols so that they do not overlap. The package is built using `lua`, and shares that systems large demands for T<sub>E</sub>X system memory. Its geometric commands are based on a turtle graphics model, and control structures such as loops and conditionals are available.  
 URL: <https://ctan.org/pkg/sseq>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sseq>



- Bauke, Heiko. *The isotope package. A package for typesetting isotopes*. 2016-06-24. Version 0.3. LICENSE: lppl. The package provides a command for setting the atomic weight and atomic number indications of isotopes. (The naive way of doing the job with (La)TeX mathematics commands produces an unsatisfactory result.)  
 URL: <https://ctan.org/pkg/isotope>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/isotope>
- Baumann, Helge. *The dinat package. Bibliography style for German texts*. 2016-06-24. Version 2.5. LICENSE: pd  
 URL: <https://ctan.org/pkg/dinat>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/german/dinat>
- Baumann, Timo. *The BibArts package. "Arts"-style bibliographical information*. 2023-06-18. Version 2.6. LICENSE: gpl  
 URL: <https://ctan.org/pkg/bibarts>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibarts>
- *The germkorr package. Change kerning for German quotation marks*. 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/germkorr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/germkorr>
- Bautista, Tomás. *The abstyles-babel package. Adaptable styles for use with Babel*. 2016-06-24. LICENSE: other-free. This set of BibTeX styles is a version of the , modified so that the styles react to operations.  
 URL: <https://ctan.org/pkg/abstyles-babel>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/abstyles-babel>
- Bayart, Benjamin. *The esieecv package. Curriculum vitae for French use*. 2021-06-20. LICENSE: lppl  
 URL: <https://ctan.org/pkg/esieecv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ESIEEcV>
- *The french-translations package. French translation project*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/french-translations>  
 MIRROR: <https://mirror.ctan.org/info/french-translations>
- *The stack package. Tools to define and use stacks*. 2016-06-24. Version 1.00. LICENSE: lppl. The package provides a small set of commands to implement stacks independently of T<sub>E</sub>X's own stack. As an example of how the stacks might be used, the documentation offers a small "reinput" package that implements the backbone of the package.  
 URL: <https://ctan.org/pkg/stack>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stack>
- *The undertilde package. Typeset a tilde under one (or many) maths symbols*. 2016-06-24. Version 1.0. LICENSE: noinfo. The implementation is probably less than totally robust, though undoubtedly better than that in the macros also available on CTAN.  
 URL: <https://ctan.org/pkg/undertilde>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/undertilde>
- Baynham, Charles. *The gitver package. Get the current git hash of a project and typeset it in the document*. 2022-07-17. Version 1.4. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/gitver>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gitver>
- *The globalvals package. Declare global variables*. 2019-02-06. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/globalvals>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/globalvals>
- Bazon, Vlad. *The rojud package. A font with the images of the counties of Romania*. 2020-11-25. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/rojud>  
 MIRROR: <https://mirror.ctan.org/fonts/rojud>
- Beach, John E. *The colorweb package. Extend the color package colour space*. 2016-06-24. Version 1.3. LICENSE: lppl1.3. The package makes the available to the standard package.  
 URL: <https://ctan.org/pkg/colorweb>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/colorweb>
- Bean, Jules. *The mathlig package. Define maths "ligatures"*. 2020-04-11. Version 1.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/mathlig>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/mathlig.tex>
- Beasley, David. *The make\_latex package. L<sup>A</sup>T<sub>E</sub>X Makefile*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/make-latex>  
 MIRROR: [https://mirror.ctan.org/support/make\\_latex](https://mirror.ctan.org/support/make_latex)
- Beaudrap, Niel de. *The modref package. Customisation of cross-references in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/modref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/modref>

- Beccari, Claudio. *The ar package. Capital A and capital R ligature for Aspect Ratio*. 2018-01-06. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/ar>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/ar>
- *The aspectratio package. Capital A and capital R ligature for Aspect Ratio*. 2016-06-24. Version 2.0. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/aspectratio>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/aspectratio>
  - *The babel-friulan package. Babel/Polyglossia support for Friulan(Furlan)*. 2016-06-24. Version 1.3. LICENSE: lpp1.3. The package provides a language description file that enables support of Friulan either with or with .  
 URL: <https://ctan.org/pkg/babel-friulan>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/friulan>
  - *The babel-piedmontese package. Babel support for Piedmontese*. 2016-06-24. Version 1.0. LICENSE: lpp1.3. The package provides the language definition file for support of Piedmontese in . Some shortcuts are defined, as well as translations to Piedmontese of standard “LaTeX names”.  
 URL: <https://ctan.org/pkg/babel-piedmontese>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/piedmontese>
  - *The babel-romansh package. Babel/Polyglossia support for the Romansh language*. 2016-06-24. LICENSE: lpp1.3. The package provides a language description file that enables support of Romansh either with or with .  
 URL: <https://ctan.org/pkg/babel-romansh>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/romansh>
  - *The begingreek package. Greek environment to be used with pdfLaTeX only*. 2022-05-16. Version 1.7. LICENSE: lpp1.3c. This simple package defines a greek environment to be used with pdfLaTeX only, that accepts an optional Greek font family name to type its contents with. A similar command does a similar action for shorter texts.  
 URL: <https://ctan.org/pkg/begingreek>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/begingreek>
  - *The canoniclayout package. Create canonical page layouts with memoir*. 2022-11-01. Version 1.0. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/canoniclayout>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/canoniclayout>
  - *The cbfonts-fd package. LaTeX font description files for the CB Greek fonts*. 2019-07-18. Version 1.2. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/cbfonts-fd>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/cbfonts-fd>
  - *The codicifiscaleitaliano package. Test the consistency of the Italian personal Fiscal Code*. 2016-06-24. Version 1.2. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/codicifiscaleitaliano>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/codicifiscaleitaliano>
  - *The curve2e package. Extensions for package pict2e*. 2023-07-10. Version 2.3.1. LICENSE: lpp1.3c. The package extends the drawing capacities of the that serves as a LaTeX2e replacement for picture mode. In particular, curve2e introduces new macros for lines and vectors, new specifications for line terminations and joins, arcs with any angular aperture, arcs with arrows at one or both ends, generic curves specified with their nodes and the tangent direction at these nodes.  
 URL: <https://ctan.org/pkg/curve2e>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/curve2e>
  - *The ecclesiastic package. Typesetting Ecclesiastic Latin*. 2016-06-24. Version 0.3. LICENSE: lpp1.3. The package modifies the way the option to operates when typesetting Latin. The style is somewhat ‘frenchified’ in respect of punctuation spacings and footnote style; shortcuts are available in order to set accents on all vowels, including y and the diphthongs ae and oe.  
 URL: <https://ctan.org/pkg/ecclesiastic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ecclesiastic>
  - *The euclideangeometry package. Draw geometrical constructions*. 2023-07-11. Version 0.2.2. LICENSE: lpp1.3c  
 URL: <https://ctan.org/pkg/euclideangeometry>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/euclideangeometry>
  - *The fixltxhyph package. Allow hyphenation of partially-emphasised substrings*. 2016-06-24. Version 0.4. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/fixltxhyph>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fixltxhyph>
  - *The ithyph package. Hyphenation patterns for the Italian language*. 2018-10-09. Version 4.8g. LICENSE: lgpl  
 URL: <https://ctan.org/pkg/ithyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/ithyph.tex>

- Beccari, Claudio. *The lahyph package. Hyphenation patterns for the Latin language*. 2016-11-05. Version 3.1. LICENSE: lpl  
 URL: <https://ctan.org/pkg/lahyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/lahyph.tex>
- *The latin package. Latin language definition for Babel*. 2016-06-24. Version 2/0f. LICENSE: lpl  
 URL: <https://ctan.org/pkg/latin>  
 MIRROR: <https://mirror.ctan.org/language/latin>
  - *The Lxfonts package. Set of slide fonts based on CM*. 2016-06-24. Version 2.0b. LICENSE: lpl  
 URL: <https://ctan.org/pkg/lxfonts>  
 MIRROR: <https://mirror.ctan.org/fonts/lxfonts>
  - *The pm-isomath package. Poor man ISO math for pdfL<sup>A</sup>T<sub>E</sub>X users*. 2021-08-26. Version 1.2.00. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/pm-isomath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pm-isomath>
  - *The swfigure package. Insert large images that do not fit into a single page*. 2022-05-07. Version 0.9.20. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/swfigure>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/swfigure>
  - *The testhyphens package. Testing hyphenation patterns*. 2016-06-24. Version 0.7. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/testhyphens>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/testhyphens>
  - *The teubner package. Philological typesetting of classical Greek*. 2023-08-26. Version 5.8.3. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/teubner>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/teubner>
  - *The TOPtesi package. Bundle for typesetting multilanguage theses*. 2020-09-06. Version 6.4.06. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/toptesi>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/toptesi>
  - *The widetable package. An environment for typesetting tables of specified width*. 2020-01-15. Version 2.1. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/widetable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/widetable>
  - *The wrapfig2 package. Wrap text around figures*. 2023-02-23. Version 6.1.1. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/wrapfig2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wrapfig2>
- Beccari, Claudio and Enrico Gregorio. *The imakeidx package. A package for producing multiple indexes*. 2016-10-15. Version 1.3e. LICENSE: lpl1.3. The package enables the user to produce and typeset one or more indexes simultaneously with a document. The package is known to work in L<sup>A</sup>T<sub>E</sub>X documents processed with pdfLaTeX, X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X and LuaLaTeX. If is used for processing the index entries, no particular setting up is needed when T<sub>E</sub>X Live is used. Using or other programs it is necessary to enable shell escape; shell escape is also needed if is used.  
 URL: <https://ctan.org/pkg/imakeidx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/imakeidx>
- Beccari, Claudio and Serge Rosmorduc. *The cbcoptic package. Coptic fonts and L<sup>A</sup>T<sub>E</sub>X macros for general usage and for philology*. 2017-10-29. Version 0.2. LICENSE: lpl. CBcoptic is a bundle of files for typesetting Coptic philological text with the proper fonts and hyphenation. The fonts are based on, but much extend, the fonts of the original bundle. The CBcoptic bundle includes font description files, Metafont sources and equivalent Adobe Type 1 fonts in pfb format. The bundle also includes a package that provides some macros of philological interest.  
 URL: <https://ctan.org/pkg/cbcoptic>  
 MIRROR: <https://mirror.ctan.org/language/coptic/cbcoptic>
- Beccari, Claudio and Apostolos Syropoulos. *The cbgreek-complete package. Complete set of Greek fonts*. 2019-07-18. LICENSE: lpl  
 URL: <https://ctan.org/pkg/cbgreek-complete>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/cbfonts>
- Bechtolsheim, Stephan von. *The setstrut package. Automatic strut computation*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/setstrut>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/setstrut.tex>
- *The tip package. Macro examples from “TeX in Practice”*. 2016-06-24. Version 1.0. LICENSE: nosell  
 URL: <https://ctan.org/pkg/tip>  
 MIRROR: <https://mirror.ctan.org/info/examples/tip>
- Beckenbach, Isabel. *The zbmath-review-template package. Template for a zbMATH Open review*. 2021-06-24. Version 2.1. LICENSE: gpl3,cc-by-sa-4

- URL: <https://ctan.org/pkg/zbmth-review-template>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/zbmth-review-template>
- Becker, Bernd. *The ltxdiff package. A Win32 program that compares tokens in two .tex files.* 2016-06-24. Version 0.9.0. LICENSE: nosource  
URL: <https://ctan.org/pkg/ltxdiff>  
MIRROR: <https://mirror.ctan.org/support/ltxdiff>
- *The runtex package. Windows program to run T<sub>E</sub>X variant and various utils as needed.* 2016-06-24. Version 0.1.0. LICENSE: pd  
URL: <https://ctan.org/pkg/runtex>  
MIRROR: <https://mirror.ctan.org/support/runtex>
- Becker, Brett A. *The anonymous-acm package. Typeset anonymous versions for ACM articles.* 2020-05-15. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/anonymous-acm>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/anonymous-acm>
- Becker, Daniel. *The epspdfconversion package. On-the-fly conversion of EPS to PDF.* 2016-06-24. Version 0.61. LICENSE: lppl. The package calls the package to convert EPS graphics to PDF, on the fly. It serves as a vehicle for passing conversion options (such as , or ) to the converter.  
URL: <https://ctan.org/pkg/epspdfconversion>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/epspdfconversion>
- Becuwe, Stefan, Bart Windels, and Tobias Oetiker. *The lshort-dutch package. Introduction to L<sup>A</sup>T<sub>E</sub>X in Dutch.* 2016-06-24. Version 1.3. LICENSE: gpl. This is the Dutch (Netherlands) translation of the .  
URL: <https://ctan.org/pkg/lshort-dutch>  
MIRROR: <https://mirror.ctan.org/info/lshort/dutch>
- Beebe, Nelson H. F. *The Beebe-DVI package. A modular collection of DVI processors.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/beebe-dvi>  
MIRROR: <https://mirror.ctan.org/dviware/beebe>
- *The bibclean package. A BibTeX prettyprinter, verifier, etc.* 2016-06-24. Version 2.11.3. LICENSE: noinfo. Bibclean is a portable program (written in C) that will pretty-print, syntax check, and generally sort out a BibTeX database file. The standardised format of bibclean’s output improves the chances of simple filters such as , , , (and so on) operating correctly.  
URL: <https://ctan.org/pkg/bibclean>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibclean>
- *The bibextract package. Utilities to extract BibTeX data.* 2016-06-24. Version 1.09. LICENSE: gpl  
URL: <https://ctan.org/pkg/bibextract>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibextract>
- *The biblio package. A collection of bibliographies.* 2019-10-21. LICENSE: pd  
URL: <https://ctan.org/pkg/biblio>  
MIRROR: <https://mirror.ctan.org/info/biblio>
- *The bibmods package. Tighter tolerances for bibliographies.* 2019-06-21. LICENSE: noinfo  
URL: <https://ctan.org/pkg/bibmods>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/bibmods.sty>
- *The bibsort package. Sort a BibTeX bibliography file.* 2017-04-18. Version 0.11. LICENSE: noinfo  
URL: <https://ctan.org/pkg/bibsort>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibsort>
- *The BibTeX-examples package. Examples of BibTeX usage.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/bibtex-examples>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/examples>
- *The bibtex-test package. BibTeX testing files.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/bibtex-test>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/test>
- *The filehdr package. Self-descriptions in file headers.* 2016-06-24. Version 1.31. LICENSE: gpl  
URL: <https://ctan.org/pkg/filehdr>  
MIRROR: <https://mirror.ctan.org/support/filehdr>
- *The is-bst package. Extended versions of standard BibTeX styles.* 2019-11-05. Version 2.03. LICENSE: other-free  
URL: <https://ctan.org/pkg/is-bst>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/is-bst>
- *The showtags package. Print the tags of bibliography entries.* 2016-06-24. Version 1.05. LICENSE: pd  
URL: <https://ctan.org/pkg/showtags>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/showtags>



- Beek, Folkert van der. *The Vancouver package. Bibliographic style file for Biomedical Journals*. 2021-05-13. Version 1.0. LICENSE: lppl1.3. This BibTeX style file is generated with the docstrip utility and modified manually to meet the as published in N Engl J Med 1997;336:309-315 (also known as the Vancouver style). The complete set of requirements may be viewed on the web site.  
URL: <https://ctan.org/pkg/vancouver>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/vancouver>
- Beeman, Roger L. and Pierre A. MacKay. *The fontbl package. A font sampler*. 2016-06-24. LICENSE: noinfo. An interactive program, that asks for font name and magnification, and then sets a table, a lower- and an upper-case alphabet listing, and a short text sample. This sample reflects a combination of the options available in testfont (in the distribution).  
URL: <https://ctan.org/pkg/fontbl>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/fontbl.tex>
- Beeton, Barbara. *The cyrmemo package. Details of using the AMS Cyrillic fonts*. 2016-06-24. LICENSE: noinfo. A Plain T<sub>E</sub>X document, and support macros, describing the use of the AMS Cyrillic fonts (the family) in Plain T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X 2.09. (The fonts embody the OT2 encoding, in L<sup>A</sup>T<sub>E</sub>X 2e.)  
URL: <https://ctan.org/pkg/cyrmemo>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/cyrmemo>
- *The deproc package. Macros for DECUS proceedings articles*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/deproc>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/deproc>
  - *The tugboat-toc package. An accumulation of TUGboat tables of contents*. 2021-08-26. LICENSE: other-free  
URL: <https://ctan.org/pkg/tugboat-toc>  
MIRROR: <https://mirror.ctan.org/info/digests/tugboat/t-of-c>
  - *The verbatim-tub package. Plain T<sub>E</sub>X macros for verbatim*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/verbatim-tub>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/verbatim.mac>
- Beeton, Barbara and Karl Berry. *The tex-implementors package. Entries from the tex-implementors mailing list*. 2021-05-26. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/tex-implementors>  
MIRROR: <https://mirror.ctan.org/info/digests/tex-implementors>
- *The tugboat-plain package. Plain T<sub>E</sub>X macros for TUGboat*. 2023-06-12. Version 1.28. LICENSE: other-free. The macros defined in this directory (in files and ) are used in papers written in Plain T<sub>E</sub>X for publication in TUGboat.  
URL: <https://ctan.org/pkg/tugboat-plain>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/tugboat>
- Beffara, Emmanuel. *The cmll package. Symbols for linear logic*. 2016-06-24. LICENSE: lppl
- URL: <https://ctan.org/pkg/cmll>  
MIRROR: <https://mirror.ctan.org/fonts/cmll>
- *The ebproof package. Formal proofs in the style of sequent calculus*. 2021-01-28. Version 2.1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ebproof>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ebproof>
  - *The frcursive package. French cursive hand fonts*. 2018-05-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/frcursive>  
MIRROR: <https://mirror.ctan.org/fonts/frcursive>
  - *The thmbox package. Decorate theorem statements*. 2016-06-24. LICENSE: lppl. The package defines an environment that presents theorems, definitions and similar objects in boxes decorated with frames and various aesthetic features. The standard macro may be redefined to use the environment.  
URL: <https://ctan.org/pkg/thmbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thmbox>
- Beisert, Niklas. *The chlldoc package. Directly compile \include'd child documents*. 2018-12-30. Version 2.0. LICENSE: lppl1.3. This L<sup>A</sup>T<sub>E</sub>X2e package enables the direct compilation of document sections included by to individual files.  
URL: <https://ctan.org/pkg/chlldoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chlldoc>
- *The collref package. Collect blocks of references into a single reference*. 2018-01-17. Version 2.0c. LICENSE: lppl1.3. The package automatically collects multiple references, which always appear in the same sequence in , into a single block.  
URL: <https://ctan.org/pkg/collref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/collref>
  - *The delimset package. Typeset and declare sets of delimiters with convenient size control*. 2018-12-30. Version 1.1. LICENSE: lppl1.3. is a L<sup>A</sup>T<sub>E</sub>X2e package to typeset and declare sets of delimiters in math mode whose size can be adjusted conveniently.



- URL: <https://ctan.org/pkg/delimset>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/delimset>
- Beisert, Niklas. *The exframe package. Framework for exercise problems*. 2020-02-24. Version 3.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/exframe>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exframe>
- *The graphbox package. Extend graphicx to improve placement of graphics*. 2018-01-17. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/graphbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphbox>
  - *The mathfixs package. Fix various layout issues in math mode*. 2018-12-30. Version 1.01. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/mathfixs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathfixs>
  - *The metastr package. Store and compose strings*. 2020-09-02. Version 1.1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/metastr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/metastr>
  - *The mpostinl package. Embed MetaPost figures within L<sup>A</sup>T<sub>E</sub>X documents*. 2018-12-31. Version 1.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/mpostinl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mpostinl>
  - *The sesstime package. Session and timing information in lecture notes*. 2019-01-18. Version 1.12. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/sesstime>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sesstime>
- Beitz, Eric. *The texshade package. Package for setting nucleotide and peptide alignments*. 2023-06-06. Version 1.26c. LICENSE: gpl2.  
 TeXshade is alignment shading software completely written in T<sub>E</sub>X/LaT<sub>E</sub>X; it can process multiple sequence alignments in the and the file formats. In addition to common shading algorithms, it provides special shading modes showing functional aspects, e.g. charge or hydrophathy, and a wide range of commands for handling shading colours, text styles, labels, legends; it even allows the user to define completely new shading modes. T<sub>E</sub>Xshade combines highest flexibility with T<sub>E</sub>X output quality — all in a bundle that does not demand excessive development time of the user.  
 URL: <https://ctan.org/pkg/texshade>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/texshade>
- *The textopo package. Annotated membrane protein topology plots*. 2016-06-24. Version 1.5. LICENSE: gpl  
 URL: <https://ctan.org/pkg/textopo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/textopo>
- Beitzel, Brian. *The apa6 package. Format documents in APA style (6th edition)*. 2023-08-08. Version 2.35. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/apa6>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/apa6>
- *The meetingmins package. Format written minutes of meetings*. 2016-06-24. Version 1.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/meetingmins>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/meetingmins>
- Belâiche, Vincent. *The latex2e-help-texinfo-fr package. A French translation of “latex2e-help-texinfo”*. 2022-08-29. LICENSE: pd. This package provides a complete French translation of .  
 URL: <https://ctan.org/pkg/latex2e-help-texinfo-fr>  
 MIRROR: <https://mirror.ctan.org/info/latex2e-help-texinfo-fr>
- *The petiteannonce package. A class for small advertisements*. 2016-06-24. Version 1.0001. LICENSE: lppl  
 URL: <https://ctan.org/pkg/petiteannonce>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/petiteannonce>
- Bell, Edwin. *The bellmac package. Outline scheme for form letter production*. 2016-06-24. Version 1.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/bellmac>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/bellmac.tex>
- Bellantoni, Stephen and Donald Arseneau. *The version package. Conditionally include text*. 2016-06-24. Version 2.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/version>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/version>
- Benciolini, Battista. *The procIAGssymp package. Macros for IAG symposium papers*. 2022-05-06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/prociagssymp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/prociagssymp>
- *The rectopma package. Recycle top matter*. 2016-06-24. LICENSE: lppl. Saves the arguments of and for reference (after ) in a document. ( simply disposes of the information, in the standard classes and some others.)

- URL: <https://ctan.org/pkg/rectopma>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rectopma>
- Bender, Patrick. *The pdbf-toolkit package. A Toolkit for Creating Janiform Data Documents*. 2017-04-18. Version 1.2.5. LICENSE: mit  
 URL: <https://ctan.org/pkg/pdbf-toolkit>  
 MIRROR: <https://mirror.ctan.org/support/pdbf-toolkit>
- Benedict, Eric. *The uwmslide package. Slides with a simple Power Point like appearance*. 2018-01-06. LICENSE: artistic  
 URL: <https://ctan.org/pkg/uwmslide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uwmslide>
- *The withesis package. University of Wisconsin-Madison Thesis L<sup>A</sup>T<sub>E</sub>X Class*. 2018-01-06. Version 2.0. LICENSE: artistic  
 URL: <https://ctan.org/pkg/withesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/withesis>
- Benini, Marco. *The prftree package. Macros for building proof trees*. 2019-06-19. Version 1.6. LICENSE: gpl  
 URL: <https://ctan.org/pkg/prftree>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/prftree>
- Benini, Marco and Federico Gobbo. *The adtrees package. Macros for drawing adpositional trees*. 2019-07-11. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/adtrees>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/adtrees>
- Benischke, Florian. *The mceinleger package. Creating covers for music cassettes*. 2016-06-24. LICENSE: gpl. A package for creating MC-covers on your own. It allows the creation of simple covers as well as covers with an additional page for more information about the cassette (table of contents e.g.). The package is required.  
 URL: <https://ctan.org/pkg/mceinleger>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mceinleger>
- Bennett, Frank. *The calendar package. A package for calendars and timetables*. 2016-06-24. Version 3.1. LICENSE: nosell. Includes, for example, a package which organizes date items in a format suitable for conference schedules, itineraries, academic teaching timetables and the like. Developments of the bundle appear as and .  
 URL: <https://ctan.org/pkg/calendar>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calendar>
- *The camel package. Prototype work on future citation engine*. 2016-06-24. Version 1.0t. LICENSE: nosell  
 URL: <https://ctan.org/pkg/camel>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/camel>
- *The dates package. Macros for parsing date strings*. 2016-06-24. Version 1.3. LICENSE: nosell. This package provides a macro, , that can be used to parse date strings, either individually or recursively. The macro expects a human-readable syntax, which it converts into an integer (a “long date”) that can be more easily used for some types of computation. A set of companion macros and token registers is also provided for converting long dates into human-readable form.  
 URL: <https://ctan.org/pkg/dates>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dates>
- *The lexitex package. Footnote-style citations for law journals*. 2016-06-24. Version 2.0j. LICENSE: pd. A predecessor of the system.  
 URL: <https://ctan.org/pkg/lexitex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lexitex>
- *The overword package. Parse text*. 2018-01-06. Version 3.1.1.1. LICENSE: nosell. Provides two macros which can be used as building blocks for the parsing of text. For an example of their use, see the package. The package is distributed as part of the bundle.  
 URL: <https://ctan.org/pkg/overword>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calendar>
- Bennieston, Andrew J. *The intro-scientific package. Introducing scientific/mathematical documents using L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 5th edition. LICENSE: lppl  
 URL: <https://ctan.org/pkg/intro-scientific>  
 MIRROR: <https://mirror.ctan.org/info/intro-scientific>
- Berdnikov, Alexander. *The vfcomb package. VF author support*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/vfcomb>  
 MIRROR: <https://mirror.ctan.org/systems/msdos/utilities/vfcomb>
- Berdnikov, Alexander and Olga Grineva. *The pmgraph package. “Poor man’s” graphics*. 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/pmgraph>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pmgraph>
- Berdnikov, Alexander and S. B. Turtia. *The mff package. Multiple font formats*. 2016-06-24. Version 1.21. LICENSE: noinfo. A package to provide something similar to Adobe Type 1 ‘multiple master’ fonts, but using Metafont; you specify a font by a set of Metafont parameters, and T<sub>E</sub>X makes up an mf file to generate the required font. This package is not integrated with NFSS (or

- MakeTeXTFM) but it is ...  
 URL: <https://ctan.org/pkg/mff>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mff>
- Berg, Benjamin. *The sdaps package. L<sup>A</sup>T<sub>E</sub>X support files for SDAPS*. 2021-11-10. Version 1.9.10. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/sdaps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sdaps>
- Berger, Jens. *The hypernat package. Allow hyperref and natbib to work together*. 2020-01-04. Version 1.0b. LICENSE: gpl. Allows package and the package with options 'numbers' and 'sort&compress' to work together. This means that multiple sequential citations (e.g [3,2,1]) will be compressed to [1-3], where the '1' and the '3' are (color-)linked to the bibliography.  
 URL: <https://ctan.org/pkg/hypernat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hypernat>
- *The jurabib package. Extended BibTeX citation support for the humanities and legal texts*. 2017-04-18. Version 0.6. LICENSE: gpl  
 URL: <https://ctan.org/pkg/jurabib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jurabib>
- Bergmann, Ronny. *The mathsemantics package. Semantic math commands in L<sup>A</sup>T<sub>E</sub>X*. 2022-05-16. Version 1.0.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/mathsemantics>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathsemantics>
- Berkemeier, Felix. *The betababel package. Insert ancient greek text coded in Beta Code*. 2017-04-18. Version 0.5. LICENSE: lppl. The betababel package extends the polutonikogreek option to provide a simple way to insert ancient Greek texts with diacritical characters into your document using the commonly used . You can directly insert Beta Code texts — as they can be found at the Perseus project, for example — without modification.  
 URL: <https://ctan.org/pkg/betababel>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/betababel>
- Bernecky, Robert. *The utorontothesis package. A thesis class definition for University of Toronto*. 2016-06-24. LICENSE: noinfo. Probably superseded by .  
 URL: <https://ctan.org/pkg/utorontothesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/utorontothesis>
- Bernstein, Dan. *The ital package. Automatic italic correction*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ital>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/ital.sty>
- Berry, Karl. *The fontname package. Scheme for naming fonts in T<sub>E</sub>X*. 2016-11-04. LICENSE: gpl  
 URL: <https://ctan.org/pkg/fontname>  
 MIRROR: <https://mirror.ctan.org/info/fontname>
- *The here package. Emulation of obsolete package for "here" floats*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/here>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/here>
- *The modes package. A collection of Metafont mode\_def's*. 2022-01-16. Version 4.2. LICENSE: pd  
 URL: <https://ctan.org/pkg/modes>  
 MIRROR: <https://mirror.ctan.org/fonts/modes>
- *The texfot package. Filter clutter from the output of a T<sub>E</sub>X run*. 2023-08-29. Version 1.50. LICENSE: pd  
 URL: <https://ctan.org/pkg/texfot>  
 MIRROR: <https://mirror.ctan.org/support/texfot>
- Berry, Karl, Oleg Katsitadze, and Dorai Sitaram. *The eplain package. Extended plain T<sub>E</sub>X macros*. 2022-10-16. Version 3.13. LICENSE: gpl2+  
 URL: <https://ctan.org/pkg/eplain>  
 MIRROR: <https://mirror.ctan.org/macros/eplain>
- Berry, Karl, Torsten Martinsen, George Greenwade, Stephen Gilmore, and Jim Hefferon. *The latex2e-help-texinfo package. Unofficial reference manual covering L<sup>A</sup>T<sub>E</sub>X2<sub>ε</sub>*. 2023-01-15. LICENSE: other-free  
 URL: <https://ctan.org/pkg/latex2e-help-texinfo>  
 MIRROR: <https://mirror.ctan.org/info/latex2e-help-texinfo>
- Berry, Karl, Mojca Miklavc, Pavel Farar, and Thomas A. Schmitz. *The gentium-tug package. Gentium fonts (in two formats) and support files*. 2022-06-01. Version 1.102. LICENSE: ofl,other-free  
 URL: <https://ctan.org/pkg/gentium-tug>  
 MIRROR: <https://mirror.ctan.org/fonts/gentium-tug>

- Berry, Karl, Joachim Schrod, and The T<sub>E</sub>X Live Team. *The dviljk package. DVI to Laserjet output*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/dviljk>  
 MIRROR: <https://mirror.ctan.org/dviware/dviljk>
- Bersch, Christoph. *The pst-intersect package. Compute intersections of arbitrary curves*. 2017-04-18. Version 0.4. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pst-intersect>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-intersect>
- *The pst-optexp package. Drawing optical experimental setups*. 2022-04-06. Version 6.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pst-optexp>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-optexp>
- Bertolazzi, Enrico. *The easy package. A collection of easy-to-use macros*. 2016-06-24. Version 0.99. LICENSE: lppl  
 URL: <https://ctan.org/pkg/easy>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easy>
- *The easybib package. Simple syntax for custom bibliographies*. 2016-06-24. Version 0.7. LICENSE: lppl  
 URL: <https://ctan.org/pkg/easybib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easy>
- *The easybmat package. Block matrices*. 2016-06-24. Version 0.8. LICENSE: lppl  
 URL: <https://ctan.org/pkg/easybmat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easy>
- *The easyeqn package. A simple package for writing equations*. 2016-06-24. Version 1.4. LICENSE: lppl  
 URL: <https://ctan.org/pkg/easyeqn>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easy>
- *The easymat package. A simple package for writing matrices*. 2016-06-24. Version 0.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/easymat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easy>
- *The easytable package. A simple package for writing tables*. 2017-08-05. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/easytable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easy>
- *The easyvector package. Write vectors in a C-like fashion*. 2016-06-24. Version 0.9. LICENSE: lppl  
 URL: <https://ctan.org/pkg/easyvector>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easy>
- Besson, Morgan. *The casslbl package. Typeset cassette labels*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/casslbl>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/casslbl>
- Beurden, N. J. H. M. van. *The LaTeXPiX package. L<sup>A</sup>T<sub>E</sub>X picture editor for Windows*. 2016-06-24. LICENSE: nosource  
 URL: <https://ctan.org/pkg/latexpix>  
 MIRROR: <https://mirror.ctan.org/systems/win32/latexpix>
- Beyene, Berhanu, Manfred Kudlec, Olaf Kummer, and Jochen Metzinger. *The ethiop package. L<sup>A</sup>T<sub>E</sub>X macros and fonts for typesetting Amharic*. 2017-04-18. Version 0.7. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ethiop>  
 MIRROR: <https://mirror.ctan.org/language/ethiopia/ethiop>
- Bhikkhu, Gambhiro. *The wallcalendar package. A wall calendar class with custom layouts*. 2017-10-22. Version 1.3.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/wallcalendar>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/wallcalendar>
- Biccari, Francesco. *The sapthesis package. Typeset theses for Sapienza-University, Rome*. 2022-07-04. Version 5.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/sapthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sapthesis>
- *The UniFiTh package. Typeset theses for University of Florence (Italy)*. 2021-10-04. Version 1.6. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/unifith>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unifith>
- Biccari, Francesco and Claudio Beccari. *The graphpaper package. A L<sup>A</sup>T<sub>E</sub>X class to generate several types of graph papers*. 2022-04-23. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/graphpaper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphpaper>
- Bideault, Patrick. *The coffeestains package. Add coffee stains to documents*. 2021-06-25. Version 0.5.1. LICENSE: pd  
 URL: <https://ctan.org/pkg/coffeestains>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/coffeestains>

- Bień, Janusz Stanisław. *The ogonek package. Support for Polish typography and the ogonek*. 2019-06-21. Version 0.51. LICENSE: other-nonfree. Defines a accent command that, even in the absence of T1- or Polish-encoded fonts, permits an ogonek diacritic.  
URL: <https://ctan.org/pkg/ogonek>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ogonek>
- Bilger, Matthias. *The authoraftertitle package. Make author, etc., available after \maketitle*. 2020-07-20. Version 1.0. LICENSE: cc0. This jiffy package makes the author, title and date of the package available to the user (as , etc) after the command has been executed.  
URL: <https://ctan.org/pkg/authoraftertitle>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/authoraftertitle>
- *The ksfh-nat package. BibTeX style for KSFH Munich*. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ksfh-nat>  
MIRROR: [https://mirror.ctan.org/biblio/bibtex/contrib/ksfh\\_nat](https://mirror.ctan.org/biblio/bibtex/contrib/ksfh_nat)
- Billauer, Eli. *The hitec package. Class for documentation*. 2016-06-24. Version 0.0(beta). LICENSE: lppl  
URL: <https://ctan.org/pkg/hitec>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hitec>
- Billawalla, Nazeen N. (Neenie). *The pandora package. The Pandora font family*. 2019-06-21. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/pandora>  
MIRROR: <https://mirror.ctan.org/fonts/pandora>
- Bilotta, Giuseppe. *The smartref package. Extend L<sup>A</sup>T<sub>E</sub>X's \ref capability*. 2016-06-24. Version 1.9. LICENSE: lppl  
URL: <https://ctan.org/pkg/smartref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/smartref>
- Bilotta, Giuseppe and The T<sub>E</sub>X Live Team. *The aleph package. Extended T<sub>E</sub>X*. 2020-08-30. LICENSE: gpl. An development of , using most of the extensions of T<sub>E</sub>X itself developed for .  
URL: <https://ctan.org/pkg/aleph>
- Birrell, Andrew and Paul McJones. *The pstotext package. Extract ASCII from PostScript and PDF*. 2016-06-24. Version 1.9. LICENSE: other-free  
URL: <https://ctan.org/pkg/pstotext>
- Bischoff, Dominik. *The l2picfaq package. L<sup>A</sup>T<sub>E</sub>X pictures "how-to" (German)*. 2016-06-24. Version 1.50. LICENSE: fdl  
URL: <https://ctan.org/pkg/l2picfaq>  
MIRROR: <https://mirror.ctan.org/info/l2picfaq/german>
- Bitouzé, Denis. *The denisbdoc package. A personal dirty package for documenting packages*. 2022-06-13. Version 0.9.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/denisbdoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/denisbdoc>
- *The gzt package. Bundle of classes for "La Gazette des Mathématiciens"*. 2022-06-13. Version 1.1.3. LICENSE: lppl1.3c. This bundle provides two classes and BibL<sup>A</sup>T<sub>E</sub>X styles for the French journal :  
URL: <https://ctan.org/pkg/gzt>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gzt>
- *The nwejm package. Support for the journal "North-Western European Journal of Mathematics"*. 2022-09-21. Version 1.0.5. LICENSE: lppl1.3c. The bundle includes L<sup>A</sup>T<sub>E</sub>X classes and BibL<sup>A</sup>T<sub>E</sub>X styles files dedicated to the new journal :  
URL: <https://ctan.org/pkg/nwejm>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nwejm>
- *The yathesis package. A L<sup>A</sup>T<sub>E</sub>X class for writing a thesis following French rules*. 2023-02-24. Version 1.0.11. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/yathesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/yathesis>
- Bitstream. *The charter package. Charter fonts*. 2016-06-24. LICENSE: other-free. A commercial text font donated for the common good. Support for use with L<sup>A</sup>T<sub>E</sub>X is available in , part of .  
URL: <https://ctan.org/pkg/charter>  
MIRROR: <https://mirror.ctan.org/fonts/charter>
- Bitzl, Marcus. *The grid-system package. Page organisation, modelled on CSS facilities*. 2017-04-18. Version 0.3.0. LICENSE: apache2  
URL: <https://ctan.org/pkg/grid-system>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grid-system>
- Blackmore, Brian. *The hanoi package. Tower of Hanoi in T<sub>E</sub>X*. 2016-06-24. Version 20120101. LICENSE: pd  
URL: <https://ctan.org/pkg/hanoi>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/hanoi>



- Blackmore, Brian. *The happy4th package. A firework display in obfuscated T<sub>E</sub>X*. 2016-06-24. Version 20120102. LICENSE: pd  
 URL: <https://ctan.org/pkg/happy4th>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/happy4th>
- Blair, Charles. *The chessmin package. Minimal chess diagrams*. 2020-04-11. LICENSE: nosell. Defines a macro that takes a delimited string to define a board layout. The board is drawn using chess symbols crudely assembled using blocks; the author remarks that the job is done better with Tutelaers' package, with its associated fonts; modern users have a wide range to choose from.  
 URL: <https://ctan.org/pkg/chessmin>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/chessmin.tex>
- Blanco, Max. *The soton package. University of Southampton-compliant slides*. 2016-06-24. Version 0.1. LICENSE: lppl. The bundle contains two packages: which defines colour-ways, and , which uses the colours to produce compliant presentations.  
 URL: <https://ctan.org/pkg/soton>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/soton>
- Blazek, Robert. *The pinouTikZ package. Draw chip pinouts with TikZ*. 2020-07-27. Version 1.1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pinoutikz>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pinoutikz>
- Bleser, Joachim. *The picins package. Insert pictures into paragraphs*. 2019-06-21. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/picins>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/picins>
- Bleser, Joachim and Edmund Lang. *The bar package. A patched version of bar.sty*. 2019-06-21. Version 1.0. LICENSE: other-nonfree. This version of bar.sty mends one of the known bugs in the version in the bundle. Unfortunately, barkom's documentation doesn't compile correctly with this version, so further work is presumably needed.  
 URL: <https://ctan.org/pkg/bar>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/bar.sty>
- *The barkom package. A package for bar charts in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.0. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/barkom>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/barkom>
- Bless, Christof. *The ScikGTeX package. Mark research contributions in scientific documents and embed them in PDF metadata*. 2023-04-03. Version 2.2.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/scikgtex>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/scikgtex>
- Bless, Roland. *The ps2eps package. Produce Encapsulated PostScript from PostScript*. 2022-03-08. Version 1.70. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ps2eps>  
 MIRROR: <https://mirror.ctan.org/support/ps2eps>
- Block, Dimitri. *The outlining package. Create outlines for scientific documents*. 2017-10-27. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/outlining>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/outlining>
- Bloemen, Phons. *The capbas package. Capital baseball "matrix printer" font collection*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/capbas>  
 MIRROR: <https://mirror.ctan.org/fonts/capbas>
- Bloesch, Anthony. *The treetex-1tx209 package. Draw horizontally- or vertically-oriented trees*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/treetex-1tx209>  
 MIRROR: [https://mirror.ctan.org/macros/latex209/contrib/trees/tree\\_tex](https://mirror.ctan.org/macros/latex209/contrib/trees/tree_tex)
- Blok, Rik. *The bb12html package. Convert a L<sup>A</sup>T<sub>E</sub>X .bbl file to formatted html code*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/bb12html>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/misc/bb12html.awk>
- Blum, William. *The pstring package. Typeset sequences with justification pointers*. 2018-09-15. LICENSE: pd. This package lets you typeset justified sequences, also called pointing strings. It's used for instance, in research papers about Game Semantics to represent sequence of game moves with their associated justification pointers. Depending on whether using L<sup>A</sup>T<sub>E</sub>X or pdfLaTeX, the package uses and respectively .  
 URL: <https://ctan.org/pkg/pstring>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pstring>
- Blumensath, Achim. *The ant package. A typesetting system inspired by T<sub>E</sub>X*. 2016-06-24. Version 0.8. LICENSE: pd  
 URL: <https://ctan.org/pkg/ant>  
 MIRROR: <https://mirror.ctan.org/systems/ant>

- Blumensath, Achim. *The minionpro package. L<sup>A</sup>T<sub>E</sub>X support for Adobe MinionPro fonts*. 2016-06-24. Version 2.1. LICENSE: pd  
 URL: <https://ctan.org/pkg/minionpro>  
 MIRROR: <https://mirror.ctan.org/fonts/minionpro>
- *The MnSymbol package. Mathematical symbol font for Adobe MinionPro*. 2019-06-09. Version 1.4. LICENSE: pd  
 URL: <https://ctan.org/pkg/mnsymbol>  
 MIRROR: <https://mirror.ctan.org/fonts/mnsymbol>
- Blumenthal, Uri. *The koi8 package. KOI-8 input support*. 2016-06-24. LICENSE: lppl. A package to perform internal translation from the KOI-8 encoding (de-facto standard of the Russian Unix world) to the “alternative encoding” used by most (pre-UTF-8) Cyrillic packages. You still need one of these packages for the actual Russian typesetting. The style works with all major Cyrillic packages, including cmcyr, , .  
 URL: <https://ctan.org/pkg/koi8>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koi8>
- Bock, Roberto, Pedro Linares, and Javier Toro. *The interactiveplot package. Provides an interface to create interactive 2D/3D functions inside a PDF file*. 2016-06-24. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/interactiveplot>  
 MIRROR: <https://mirror.ctan.org/graphics/interactiveplot>
- Bode, Hans-Hermann. *The abstyles-orig package. Adaptable BibTeX styles*. 2018-01-06. LICENSE: other-free  
 URL: <https://ctan.org/pkg/abstyles-orig>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/abstyles>
- Bodenheimer, Bobby. *The old-faq-en package. An early FAQ in English*. 2019-09-27. Version 1.53. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/old-faq-en>  
 MIRROR: [https://mirror.ctan.org/obsolete/help/TeX,\\_LaTeX,\\_etc.:\\_Frequently\\_Asked\\_Questions\\_with\\_Answers](https://mirror.ctan.org/obsolete/help/TeX,_LaTeX,_etc.:_Frequently_Asked_Questions_with_Answers)
- Bodo, Zalan. *The nevelok package. L<sup>A</sup>T<sub>E</sub>X package for automatic definite articles for Hungarian*. 2016-06-24. Version 1.03. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/nevelok>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nevelok>
- Boegeholz, Harald. *The emtrees package. Draw labelled trees, using emTeX \specials*. 2020-04-11. LICENSE: noinfo. A small set of macros for drawing trees. The macros depend on the availability of s; most installations of dvips have these, but the output of the macros is unlikely to be usable otherwise, unless you’re using emTeX itself.  
 URL: <https://ctan.org/pkg/emtrees>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/emtrees.tex>
- Boer, Ingo H. de. *The winshell package. A MS-Windows32 user interface for T<sub>E</sub>X*. 2021-11-06. Version 4.0.0.2. LICENSE: nosource  
 URL: <https://ctan.org/pkg/winshell>  
 MIRROR: <https://mirror.ctan.org/systems/win32/winshell>
- *The word2latex package. A translator from MS Word to L<sup>A</sup>T<sub>E</sub>X documents*. 2016-06-24. Version 1.1.0.0. LICENSE: nosource  
 URL: <https://ctan.org/pkg/word2latex>  
 MIRROR: <https://mirror.ctan.org/support/word2latex>
- Boggio-Togna, Gianfranco. *The arcs package. Draw arcs over and under text*. 2016-06-24. Version 1. LICENSE: lppl. The package provides two commands for placing an arc over () or under () a piece of text. (The text may be up to three letters long.) The commands generate an , and may be used both in text and in maths formulae.  
 URL: <https://ctan.org/pkg/arcs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/arcs>
- *The metre package. Support for the work of classicists*. 2018-01-06. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/metre>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/metre>
- *The Technica package. Typesetting for the humanities*. 2016-06-24. Version 0.99. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/technica>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/technica>
- Bogue, Thomas. *The rterface package. Access to R analysis from within a document*. 2018-04-22. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/rterface>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rterface>
- Bolaños, Juan Alberto Camacho. *The unam-thesis package. Create documents according to the UNAM guidelines*. 2019-05-25. Version 0.5. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/unam-thesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unam-thesis>

- Bolek, Piotr. *The mpattern package. Patterns in MetaPost*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/mpattern>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/mpattern>
- Bone, David. *The ctan\_chk package. CTAN guidelines verifier and corrector for uploading projects*. 2017-02-11. Version 1.0. LICENSE: gpl3  
 URL: [https://ctan.org/pkg/ctan\\_chk](https://ctan.org/pkg/ctan_chk)  
 MIRROR: [https://mirror.ctan.org/support/ctan\\_chk](https://mirror.ctan.org/support/ctan_chk)
- *The yacco2 package. Multi-threaded LR(1) compiler/compiler that emits literate grammar documents*. 2016-06-24. Version 1.1. LICENSE: other-free  
 URL: <https://ctan.org/pkg/yacco2>  
 MIRROR: <https://mirror.ctan.org/web/yacco2>
- Bontus, Claas. *The bm2ltx package. Convert a bitmap image to L<sup>A</sup>T<sub>E</sub>X code*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/bm2ltx>  
 MIRROR: <https://mirror.ctan.org/support/bm2ltx>
- BOP. *The cmyk-hax package. A T<sub>E</sub>X macro package for colour manipulation (using PostScript)*. 2016-06-24. Version 0.75. LICENSE: pd. A set of T<sub>E</sub>X macros supporting colour separation and substitution using the T<sub>E</sub>X/PostScript environment. Requires and colordvi.tex/sty from the standard dvips distribution. The current version enables processing of CMYK bitmaps.  
 URL: <https://ctan.org/pkg/cmyk-hax>  
 MIRROR: <https://mirror.ctan.org/macros/generic/TeX-PS/cmyk-hax>
- *The dviincl package. Include a DVI page into MetaPost output*. 2016-06-24. Version 1.00. LICENSE: pd  
 URL: <https://ctan.org/pkg/dviincl>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/dviincl>
  - *The epsfx package. A T<sub>E</sub>X macro package for including EPS graphics*. 2016-06-24. Version 0.62. LICENSE: pd. An alternative for the macros for using graphics in . The package enables, e.g., draft printing of bounding boxes, safe inputting of EPS files generated by ; moreover, the limit on an EPS size is no longer ten times smaller than the T<sub>E</sub>X one.  
 URL: <https://ctan.org/pkg/epsfx>  
 MIRROR: <https://mirror.ctan.org/macros/generic/TeX-PS/epsfx.tex>
  - *The epsincl package. Include EPS in MetaPost figures*. 2016-06-24. Version 0.2. LICENSE: pd  
 URL: <https://ctan.org/pkg/epsincl>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/epsincl>
  - *The mirr package. PostScript mirror header (for dvips)*. 2016-11-04. LICENSE: pd. A small header for making a mirror of output files.  
 URL: <https://ctan.org/pkg/mirr>  
 MIRROR: <https://mirror.ctan.org/macros/generic/TeX-PS/mirr.hd>
  - *The pf2afm package. AFM generator for Adobe Type 1 fonts*. 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/pf2afm>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/pf2afm>
  - *The ps\_conv package. A converter from PostScript to Encapsulated PostScript*. 2016-06-24. Version 0.54. LICENSE: pd  
 URL: [https://ctan.org/pkg/ps\\_conv](https://ctan.org/pkg/ps_conv)  
 MIRROR: [https://mirror.ctan.org/support/pstools/ps\\_conv](https://mirror.ctan.org/support/pstools/ps_conv)
  - *The ps\_view package. A PostScript previewer of PostScript files*. 2016-06-24. Version 2.01. LICENSE: pd. A PostScript preamble providing an interactive environment for fast previewing of PostScript documents with , enabling scaling rotation, grids, printing specified pages, on-line help etc.  
 URL: [https://ctan.org/pkg/ps\\_view](https://ctan.org/pkg/ps_view)  
 MIRROR: [https://mirror.ctan.org/support/ps\\_view](https://mirror.ctan.org/support/ps_view)
  - *The trans package. A simple T<sub>E</sub>X macro package for PostScript transformations*. 2016-06-24. Version 0.55. LICENSE: pd  
 URL: <https://ctan.org/pkg/trans>  
 MIRROR: <https://mirror.ctan.org/macros/generic/TeX-PS/trans.tex>
- BOP and Janusz Marian Nowacki. *The tex-ps package. TeX to PostScript generic macros and add-ons*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/tex-ps>  
 MIRROR: <https://mirror.ctan.org/macros/generic/TeX-PS>
- Borceux, François. *The borceux package. Diagram macros by François Borceux*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/borceux>  
 MIRROR: <https://mirror.ctan.org/macros/generic/diagrams/borceux>
- Börchers, Volker. *The flabels package. Labels for files and folders*. 2018-01-06. Version 1.0. LICENSE: lpl  
 URL: <https://ctan.org/pkg/flabels>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/flabels>

- Börchers, Volker. *The youngtab package. Typeset Young-Tableaux*. 2020-09-30. Version 1.1. LICENSE: lppl1. A package for typesetting Young-Tableaux, mathematical symbols for the representations of groups, providing two macros, and to generate the whole Young-Tableau.  
 URL: <https://ctan.org/pkg/youngtab>  
 MIRROR: <https://mirror.ctan.org/macros/generic/youngtab>
- Borck-Elsner, Matthias. *The cellwise package. Building tables one cell at a time*. 2019-04-03. Version 0.2. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cellwise>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/cellwise>
- *The mbenotes package. Notes in tables or images*. 2019-05-01. Version 2. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/mbenotes>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/mbenotes>
  - *The texonly package. A sample document in Plain T<sub>E</sub>X*. 2019-05-06. Version 2. LICENSE: lppl1.3c. A file written with T<sub>E</sub>X, not using any packages or sty-files, to be compiled with T<sub>E</sub>X or pdfT<sub>E</sub>X only, with L<sup>A</sup>T<sub>E</sub>X et al.  
 URL: <https://ctan.org/pkg/texonly>  
 MIRROR: <https://mirror.ctan.org/info/texonly>
- Borck-Elsner, Matthias and Rainer Schöpf. *The nox package. Adaptable tables*. 2019-04-03. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/nox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nox>
- Borde, Arvind. *The mtbe package. Macros for "Mathematical T<sub>E</sub>X by Example"*. 2016-06-24. LICENSE: other-free. Various groups of macros for typesetting the book. In particular, macros for dealing with the fonts that replace Knuth's own ().  
 URL: <https://ctan.org/pkg/mtbe>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/mtbe>
- *The tbe package. Extracts from "T<sub>E</sub>X by Example"*. 2019-06-21. Version 1.0. LICENSE: nosell. Some macros () and their usage () from the book.  
 URL: <https://ctan.org/pkg/tbe>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/tbe>
- Border, Kim C. *The fn2end package. Convert footnotes to endnotes*. 2016-06-24. Version 1.1. LICENSE: pd. Defines macros , which converts to produce endnotes; and which prints them out.  
 URL: <https://ctan.org/pkg/fn2end>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fn2end>
- *The kbordermatrix package. L<sup>A</sup>T<sub>E</sub>X version of \bordermatrix*. 2016-06-24. LICENSE: noinfo. The package defines along the lines of Plain T<sub>E</sub>X's .  
 URL: <https://ctan.org/pkg/kbordermatrix>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/kbordermatrix.sty>
  - *The vita209 package. A Curriculum Vitae style*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/vita209>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/vita.sty>
- Border, Kim C and Guillaume Horny. *The Econometrica package. BibT<sub>E</sub>X support for Econometrica*. 2016-06-24. LICENSE: nosell. BibT<sub>E</sub>X styles (derived from ) for Econometrica (both in English and French).  
 URL: <https://ctan.org/pkg/econometrica>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/economic>
- Bos, Victor. *The psgo package. Typeset go diagrams with PSTricks*. 2018-01-06. Version 0.17. LICENSE: lppl  
 URL: <https://ctan.org/pkg/psgo>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/psgo>
- Bosau, Klaus. *The proof package. Shell based proofing for T<sub>E</sub>X-related files*. 2008-04-20. Version 1.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/proof>  
 MIRROR: <https://mirror.ctan.org/support/proof>
- Bose, Inesh. *The simpleicons package. Simple Icons for L<sup>A</sup>T<sub>E</sub>X*. 2023-08-21. Version 9.10.1. LICENSE: cc-by-1. Similar to FontAwesome icons being provided on L<sup>A</sup>T<sub>E</sub>X by the package, this package aims to do the same with Simple Icons. For reference, visit their website: .  
 URL: <https://ctan.org/pkg/simpleicons>  
 MIRROR: <https://mirror.ctan.org/fonts/simpleicons>
- Boshnakov, Georgi. *The bghyphen package. Hyphenation patterns for Bulgarian*. 2016-11-05. Version 1.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bghyphen>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/bghyphen>

- Boshnakov, Georgi, Javier Bezos López, and Johannes L. Braams. *The babel-bulgarian package. Babel contributed support for Bulgarian.* 2018-01-13. Version 1.2g. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-bulgarian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/bulgarian>
- Bosisio, Francesco. *The accenti package. Extra accented character macros, designed for Italian.* 2016-06-24. Version 2.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/accenti>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bosisio/accenti.dtx>
- *The bosio package. A collection of packages by Francesco Bosisio.* 2016-06-24. LICENSE: lppl. A collection of packages containing: ; ; ; ; ; and .  
 URL: <https://ctan.org/pkg/bosio>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bosisio>
  - *The dblfont package. Blackboard bold font package.* 2016-06-24. Version 2.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/dblfont>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bosisio>
  - *The envmath package. Maths commands and environments.* 2016-06-24. Version 2.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/envmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bosisio>
  - *The evenpage package. Ensure that the total number of pages is even.* 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/evenpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bosisio>
  - *The graphfig package. Simpler graphic, subfigure and float.* 2016-06-24. Version 2.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/graphfig>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bosisio>
  - *The mathcmd package. Mathematics support commands.* 2016-06-24. Version 2.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mathcmd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bosisio>
  - *The quotes package. Smart double quotes in L<sup>A</sup>T<sub>E</sub>X input.* 2019-09-28. Version 2.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/quotes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bosisio/quotes.dtx>
  - *The sobolev package. Commands for dealing with Sobolev spaces (and relatives).* 2016-06-24. Version 2.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sobolev>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bosisio>
- Böß, Tilmann. *The mathcomp package. Text symbols in maths mode.* 2016-06-24. Version 0.1f. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mathcomp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathcomp>
- Bossert, Lukas C. *The archaeologie package. A citation-style which covers rules of the German Archaeological Institute.* 2020-11-25. Version 2.4.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/archaeologie>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/archaeologie>
- *The biblatex-ijrsra package. BibL<sup>A</sup>T<sub>E</sub>X style for the International Journal of Student Research in Archaeology.* 2016-07-07. Version 0.1. LICENSE: lppl1.3. BibL<sup>A</sup>T<sub>E</sub>X style used for the journal .  
 URL: <https://ctan.org/pkg/biblatex-ijrsra>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-ijrsra>
  - *The biblatex-nottsclassic package. Citation style for the University of Nottingham.* 2016-07-07. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-nottsclassic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-nottsclassic>
  - *The biblatex-socialscienceshuberlin package. BibLaTeX-style for the social sciences at HU Berlin.* 2018-05-28. Version 0.0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-socialscienceshuberlin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-socialscienceshuberlin>
  - *The draftfigure package. Replace figures with a white box and additional features.* 2018-01-07. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/draftfigure>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/draftfigure>
  - *The hu-berlin-bundle package. L<sup>A</sup>T<sub>E</sub>X classes for the Humboldt-Universität zu Berlin.* 2023-05-14. Version 1.1.2. LICENSE: lppl1.3c,gpl2,bsd3  
 URL: <https://ctan.org/pkg/hu-berlin-bundle>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/hu-berlin-bundle>



- Bossert, Lukas C. *The ijsra package. L<sup>A</sup>T<sub>E</sub>X document class for the International Journal of Student Research in Archaeology*. 2017-07-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ijrsra>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ijrsra>
- Bossert, Lukas C. and Thorsten Kemper. *The bibl<sub>at</sub>ex-arthistory-bonn package. BibL<sup>A</sup>T<sub>E</sub>X citation style covers the citation and bibliography guidelines for art historians*. 2018-02-13. Version 1.2. LICENSE: lppl1.3. This citation style covers the citation and bibliography guidelines of the Kunsthistorisches Institut der Universität Bonn for undergraduates. It introduces bibliography entry types for catalogs and features a tabular bibliography, among other things. Various options are available to change and adjust the outcome according to one's own preferences. The style is compatible with English and German.  
 URL: <https://ctan.org/pkg/bibl<sub>at</sub>ex-arthistory-bonn>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibl<sub>at</sub>ex-contrib/bibl<sub>at</sub>ex-arthistory-bonn>
- Böttcher, Stephan. *The shalom package. A simple Hebrew typesetting bundle*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/shalom>
- Böttcher, Stephan, Uwe Lück, and Karl Wette. *The lineno package. Line numbers on paragraphs*. 2023-05-20. Version 5.3. LICENSE: lppl1.3a  
 URL: <https://ctan.org/pkg/lineno>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lineno>
- Bou, Salim. *The beamer-r1 package. Right to left presentation with beamer and babel*. 2023-02-03. Version 1.8. LICENSE: lppl1.3c. This class provides patches of some templates and commands for presentation from right to left. It requires with the engine.  
 URL: <https://ctan.org/pkg/beamer-r1>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/beamer-r1>
- Bouajaj, Jamal. *The cartonaugh package. A LuaL<sup>A</sup>T<sub>E</sub>X package for drawing karnaugh maps with up to 6 variables*. 2021-07-17. Version 1.0. LICENSE: cc-by-sa-3  
 URL: <https://ctan.org/pkg/cartonaugh>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/cartonaugh>
- Bourguet, Jean-Marc. *The bitpattern package. Typeset bit pattern diagrams*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bitpattern>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bitpattern>
- Bourke, Chris. *The complexity package. Computational complexity class names*. 2017-09-16. Version 0.81a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/complexity>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/complexity>
- Bourke, Timothy. *The checklistings package. Pass verbatim contents through a compiler and reincorporate the resulting output*. 2017-04-18. Version 1.0. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/checklistings>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/checklistings>
- Bouzigues, Adrien. *The guide-latex-fr package. A french guide on L<sup>A</sup>T<sub>E</sub>X – for beginners or advanced users*. 2022-12-29. Version 3.8. LICENSE: cc-by-nc-nd-4  
 URL: <https://ctan.org/pkg/guide-latex-fr>  
 MIRROR: <https://mirror.ctan.org/info/guide-latex-fr>
- Bovani, Michel. *The fourier package. Using Utopia fonts in L<sup>A</sup>T<sub>E</sub>X documents*. 2022-02-07. Version 2.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fourier>  
 MIRROR: <https://mirror.ctan.org/fonts/fourier-GUT>
- Bowern, Claire. *The bardi package. Hyphenation and babel support for Bardi*. 2016-06-24. Version 1. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/bardi>  
 MIRROR: <https://mirror.ctan.org/language/bardi>
- Bowman, John and Andy Hammerlindl. *The asymptote package. 2D and 3D T<sub>E</sub>X-Aware Vector Graphics Language*. 2023-06-07. Version 2.86. LICENSE: lgpl3  
 URL: <https://ctan.org/pkg/asymptote>  
 MIRROR: <https://mirror.ctan.org/graphics/asymptote>
- Boyer, Marc. *The PDFrack package. Use psfrag with pdfLaTeX*. 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/pdfrack>  
 MIRROR: <https://mirror.ctan.org/support/pdfrack>
- Braams, Johannes L. *The mailing package. Macros for mail merging*. 2016-06-24. LICENSE: lppl. This package is for use when sending a large number of letters, all with the same body text. The package's command is used to specify who the letter is to be sent to; the body of the command specifies the text of the letters, possibly using macros defined in the .

- URL: <https://ctan.org/pkg/mailling>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mailling>
- Braams, Johannes L. *The subeqnarray package. Equation array with sub numbering*. 2016-06-24. Version 2.1c. LICENSE: lppl  
URL: <https://ctan.org/pkg/subeqnarray>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/subeqnarray>
- *The supertabular package. A multi-page tables package*. 2020-02-02. Version 4.1g. LICENSE: lppl1.3c. The package was a predecessor of ; the newer package (designed on quite different principles) is easier to use and more flexible, in many cases, but supertabular retains its usefulness in a few situations where has problems.  
URL: <https://ctan.org/pkg/supertabular>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/supertabular>
- Braams, Johannes L. and Michael Fine. *The changebar package. Generate changebars in L<sup>A</sup>T<sub>E</sub>X documents*. 2022-05-08. Version 3.6d. LICENSE: lppl1.3. Identify areas of text to be marked with changebars with the `and` commands; the bars may be coloured. The package uses ‘drivers’ to place the bars; the available drivers can work with dvitooln03, dvitops, dvips, the emTeX and T<sub>E</sub>Xtures DVI drivers, and VTeX and pdfTeX.  
URL: <https://ctan.org/pkg/changebar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/changebar>
- Braams, Johannes L. and Javier Bezoz López. *The babel-welsh package. Babel support for Welsh*. 2016-06-24. Version 1.1a. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/babel-welsh>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/welsh>
- Braams, Johannes L. and Sergiy M. Ponomarenko. *The babel-ukrainian package. Babel support for Ukrainian*. 2020-10-14. Version 1.4e. LICENSE: lppl1.3c. The package provides support for use of in documents written in Ukrainian. The support is adapted for use under legacy T<sub>E</sub>X engines as well as XeTeX and LuaTeX.  
URL: <https://ctan.org/pkg/babel-ukrainian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/ukrainian>
- Brabant, Jean-Louis. *The CondiTeXt package. Define and manage conditional content*. 2020-06-06. Version 1.5. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/conditext>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/conditext>
- Brabec, Stanislav. *The moonphase package. Font for representing the phases of the moon*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/moonphase>  
MIRROR: <https://mirror.ctan.org/fonts/moonphase>
- Bradfield, Julian. *The cmoe font package. Old English glyphs to go with Computer Modern*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/cmoe font>  
MIRROR: <https://mirror.ctan.org/fonts/cmoe font>
- *The elvish package. Fonts for typesetting Tolkien Elvish scripts*. 2016-06-24. LICENSE: other-free. The bundle provides fonts for Cirth (cirth.mf, etc.) and for Tengwar (teng10.mf). The Tengwar fonts are supported by macros in teng.tex, or by the (better documented) package.  
URL: <https://ctan.org/pkg/elvish>  
MIRROR: <https://mirror.ctan.org/fonts/elvish>
- Bradley, Seamus. *The colourchange package. Colourchange*. 2018-01-07. Version 1.22. LICENSE: gpl3  
URL: <https://ctan.org/pkg/colourchange>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/colourchange>
- *The moreenum package. More enumeration options*. 2016-06-24. Version 1.03. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/moreenum>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/moreenum>
- Brandt, Volker A. *The atari-cstex package. TeX for Atari machines*. 2016-06-24. Version 4.0. LICENSE: nosell  
URL: <https://ctan.org/pkg/atari-cstex>  
MIRROR: <https://mirror.ctan.org/systems/atari/cs-tex>
- Brasolin, Paolo. *The commutative-diagrams package. CoDi: Commutative Diagrams for T<sub>E</sub>X*. 2023-08-24. Version 1.1.0. LICENSE: mit. This package provides a library for making commutative diagrams easy to design, parse and tweak.  
URL: <https://ctan.org/pkg/commutative-diagrams>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/commutative-diagrams>
- *The metanorma package. Write Metanorma standardization documents using LaTe*. 2020-05-05. Version 0.5.0. LICENSE: mit  
URL: <https://ctan.org/pkg/metanorma>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/metanorma>

- Brasolin, Paolo. *The string-diagrams package. Create string diagrams with L<sup>A</sup>T<sub>E</sub>X and TikZ*. 2023-06-17. Version 0.2.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/string-diagrams>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/string-diagrams>
- *The topiclongtable package. Extend longtable with cells that merge hierarchically*. 2020-04-12. Version 1.3.2. LICENSE: mit  
 URL: <https://ctan.org/pkg/topiclongtable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/topiclongtable>
- Braun, Felix. *The alphanum package. Sectioning commands for jura*. 2016-06-24. Version 4.3. LICENSE: gpl  
 URL: <https://ctan.org/pkg/alphanum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jura>
- *The jura package. A document class for German legal texts*. 2016-06-24. Version 4.3. LICENSE: gpl. Implements the standard layout for German term papers in law (one-and-half linespacing, 7 cm margins, etc.). Includes that permits alphanumeric section numbering (e.g., A. Introduction; III. International Law).  
 URL: <https://ctan.org/pkg/jura>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jura>
- Braun, Ingram. *The apalike-german package. A copy of apalike.bst with German localization*. 2022-12-30. LICENSE: lppl1.3c. A copy of (which is part of the base distribution) with German localization.  
 URL: <https://ctan.org/pkg/apalike-german>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/apalike-german>
- *The biblatex-archaeology package. A collection of BibL<sup>A</sup>T<sub>E</sub>X styles for German prehistory*. 2019-12-31. Version 2.2. LICENSE: lppl1.3c. This package provides additional styles for German humanities. Its core purpose is to enable the referencing rules of the Romano-Germanic Commission (), the department of prehistory of the German Archaeological Institute (), since these are referenced by most guidelines in German prehistory and medieval archaeology and serve as a kind of template. provides verbose, numeric and author date styles as well and adaptions to specific document types like exhibition and auction catalogues.  
 URL: <https://ctan.org/pkg/biblatex-archaeology>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-archaeology>
- Braune, Klaus Dieter and Richard Gussmann. *The dinbrief package. German letter DIN style*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dinbrief>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dinbrief>
- Braunegg, David. *The capparmode package. Dropped capitals for Plain T<sub>E</sub>X*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/capparmode>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/capparmode.tex>
- Brčić, Filip and Uroš Stefanović. *The babel-serbianc package. Babel module to support Serbian Cyrillic*. 2022-10-07. Version 3.2a. LICENSE: lppl1.3. The package provides support for Serbian documents written in Cyrillic, in .  
 URL: <https://ctan.org/pkg/babel-serbianc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/serbianc>
- Breitenlohner, Peter. *The dvicopy package. Copy DVI files, flattening VFs*. 2021-08-26. Version 1.5. LICENSE: gpl  
 URL: <https://ctan.org/pkg/dvicopy>  
 MIRROR: <https://mirror.ctan.org/obsolete/dviware/dvicopy>
- *The physe package. The PHYSE format*. 2016-06-24. Version 1.3.0. LICENSE: noinfo. PHYSE is a format for writing physics papers, based on Knuth's .  
 URL: <https://ctan.org/pkg/physe>  
 MIRROR: <https://mirror.ctan.org/macros/physe>
- Breitenlohner, Peter, Donald E. Knuth, and Pierre A. MacKay. *The tex--xet package. Bidirectional extension of T<sub>E</sub>X*. 2016-06-24. Version 3.141. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tex--xet>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/knuth/tex--xet>
- Breitenlohner, Peter and The T<sub>E</sub>X Live Team. *The e-TeX package. An extended version of T<sub>E</sub>X, from the NTS project*. 2020-08-30. LICENSE: knuth  
 URL: <https://ctan.org/pkg/etex>
- Breitner, Joachim. *The conteq package. Typeset multiline continued equalities*. 2017-04-18. Version 0.1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/conteq>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/conteq>
- Breivik, Oyvind. *The bibfind package. Prints entries in your bib file that match search string*. 2016-06-24. LICENSE: artistic  
 URL: <https://ctan.org/pkg/bibfind>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/misc/bibfind>

- Bresciani, Riccardo. *The bookest package. Extended book class*. 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bookest>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bookest>
- *The gtrcrd package. Add chords to lyrics*. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/gtrcrd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gtrcrd>
  - *The subscripts package. A range of sub- and superscript commands*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/subscripts>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/subscripts>
- Bressan, Stéphane and Eitan M. Gurari. *The TeXProject package. A package for project management*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/texproject>  
 MIRROR: <https://mirror.ctan.org/graphics/dratex/TeXProject.sty>
- Brewin, Leo Christopher. *The hybrid-latex package. Allow active Python code in L<sup>A</sup>T<sub>E</sub>X documents*. 2018-10-04. Version 0.1. LICENSE: mit  
 URL: <https://ctan.org/pkg/hybrid-latex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hybrid-latex>
- Brewin, Leo Christopher and Danilo Šegan. *The shadebox package. Shade boxes using PostScript specials*. 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/shadebox>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/shadebox.tex>
- Briel, Björn. *The citeref package. Add reference-page-list to bibliography-items*. 2018-04-29. Version 1.1. LICENSE: bsd4. The package does its job without using the indexing facilities, and needs no special -replacement package.  
 URL: <https://ctan.org/pkg/citeref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/citeref>
- Briggs, Luke. *The newcastle-bst package. A BibTeX style to format reference lists in the Harvard at Newcastle style*. 2022-03-10. Version 1.1. LICENSE: lppl1.3c. This package provides a style to format reference lists in the style recommended by Newcastle University. It should be used alongside for citations.  
 URL: <https://ctan.org/pkg/newcastle-bst>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/newcastle-bst>
- Brister, James. *The border package. Draw a black border around a Plain T<sub>E</sub>X page*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/border>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/border.tex>
- Brito, Rogério and Peter Williams. *The algorithms package. A suite of tools for typesetting algorithms in pseudo-code*. 2018-10-09. Version 0.1. LICENSE: lgpl2.1  
 URL: <https://ctan.org/pkg/algorithms>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/algorithms>
- Brix, K. *The mhs package. Historical mathematics*. 2017-05-30. Version 1.05i. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/mhs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mhs>
- Brixner, Martin. *The munich package. An alternative author-date bibliography style*. 2016-06-24. LICENSE: lppl. The Munich BibTeX style is produced with , as a German (and, more generally, Continental European) alternative to such author-date styles as and .  
 URL: <https://ctan.org/pkg/munich>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/munich>
- Brodnik, Andrej. *The concprog package. Concert programmes*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/concprog>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/concprog>
- *The grektex-fd package. L<sup>A</sup>T<sub>E</sub>X font definition files for GreekTeX*. 2016-06-24. LICENSE: lppl. FD files for the three families of fonts of the bundle, in a U encoding (for the roman, sans and teletype families), and again as an OML encoding for the roman family.  
 URL: <https://ctan.org/pkg/grektex-fd>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/grektex-fd>
  - *The vita package. Configurable class for curricula vitarum*. 2019-06-21. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/vita>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vita>
- Brodowski, Dominik. *The biblatex-german-legal package. Comprehensive citation style for German legal texts*. 2023-03-01. Version 003. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/biblatex-german-legal>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-german-legal>



- Bronger, Torsten. *The blacklettert1 package. T1-encoded versions of Haralambous old German fonts*. 2016-06-24. LICENSE: other-free. This package contains virtual fonts that offer T1-alike encoded variants of Yannis Haralambous's old German fonts , and (which are also available in ). The package includes L<sup>A</sup>T<sub>E</sub>X macros to embed the fonts into the L<sup>A</sup>T<sub>E</sub>X font selection scheme.  
URL: <https://ctan.org/pkg/blacklettert1>  
MIRROR: <https://mirror.ctan.org/fonts/gothic/blacklettert1>
- *The facsimile package. Document class for preparing faxes*. 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/facsimile>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/facsimile>
- Bronger, Torsten and Yannis Haralambous. *The yfonts-t1 package. Old German-style fonts, in Adobe type 1 format*. 2017-11-24. Version 1.0. LICENSE: other-free. This package comprises type 1 versions of the , and fonts of Yannis Haralambous' set of old German fonts.  
URL: <https://ctan.org/pkg/yfonts-t1>  
MIRROR: <https://mirror.ctan.org/fonts/ps-type1/yfonts>
- Brotsky, Daniel C. *The ytex package. Macro package developed at MIT*. 2018-01-06. LICENSE: noinfo  
URL: <https://ctan.org/pkg/ytex>  
MIRROR: <https://mirror.ctan.org/macros/ytex>
- Brotsky, Daniel C. and Berthold K. P. Horn. *The plain-cm package. Variable sized fonts in Plain T<sub>E</sub>X*. 2016-06-24. LICENSE: noinfo. A font-selection system for Plain T<sub>E</sub>X, that allows users to choose sizes other than 10pt as the base size of their document, and to use 'relative' sizes like , (and so on) as commands taking an argument to be set in a larger-than-base size.  
URL: <https://ctan.org/pkg/plain-cm>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/plain-cm.tex>
- Brouw, Jesse op den. *The askmaps package. Typeset American style Karnaugh maps*. 2020-10-22. Version 0.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/askmaps>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/askmaps>
- *The exam-randomizechoices package. Randomize mc choices using the exam class*. 2021-08-01. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/exam-randomizechoices>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exam-randomizechoices>
  - *The thuaslogos package. Logos for The Hague University of Applied Sciences (THUAS)*. 2019-06-11. Version 1.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/thuaslogos>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thuaslogos>
- Brouwer, Meron. *The hexgame package. Provide an environment to draw a hexgame-board*. 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/hexgame>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hexgame>
- Brown, Christopher. *The utexasthesis package. University of Texas at Austin graduate thesis style*. 2018-09-14. Version 1.0. LICENSE: cc0. This class file complies with the for Masters and Ph.D. thesis submissions of the University of Texas at Austin.  
URL: <https://ctan.org/pkg/utexasthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/utexasthesis>
- Brown, Ken and Philip Kime. *The biber-cygwin package. Biber binaries for Cygwin on Windows*. 2023-03-06. Version 2.19. LICENSE: artistic2  
URL: <https://ctan.org/pkg/biber-cygwin>  
MIRROR: <https://mirror.ctan.org/biblio/biber/biber-cygwin>
- Brown, Silas. *The latex-papersize package. Calculate L<sup>A</sup>T<sub>E</sub>X settings for any font and paper size*. 2019-12-14. Version 1.63. LICENSE: apache2  
URL: <https://ctan.org/pkg/latex-papersize>  
MIRROR: <https://mirror.ctan.org/support/latex-papersize>
- Brown, Terry. *The flow package. Draw flow diagrams in picture mode*. 2016-06-24. Version 0.99g. LICENSE: gpl2  
URL: <https://ctan.org/pkg/flow>  
MIRROR: <https://mirror.ctan.org/support/flow>
- Brucker, Achim D. *The authorarchive package. Adds self-archiving information to scientific papers*. 2023-02-10. Version 1.3.0. LICENSE: lppl1.3c,bsd2  
URL: <https://ctan.org/pkg/authorarchive>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/authorarchive>
- *The llnsconf package. L<sup>A</sup>T<sub>E</sub>X package extending Springer's llns class*. 2022-04-25. Version 1.2.0. LICENSE: lppl1.3c. The package extends Springer's class for adding additional notes describing the status of the paper (submitted, accepted) as well as for creating author-archived versions that include the references to the official version hosted by Springer (as requested by the copyright transfer agreement for Springer's LNCS series).



- URL: <https://ctan.org/pkg/llncsconf>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/llncsconf>
- Brucker, Achim D. *The svninfo package. Typeset Subversion keywords*. 2022-02-09. Version 0.7.4. LICENSE: lppl1. A package for incorporating the values of Subversion keywords into typeset documents. Information about Subversion (a replacement for CVS) is available from .  
URL: <https://ctan.org/pkg/svninfo>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/svninfo>
- Brueggemann-Klein, Anne and Derick Wood. *The treetex-plain package. Draw trees*. 2016-07-19. LICENSE: pd  
URL: <https://ctan.org/pkg/treetex-plain>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/treetex>
- Brunet, Charles-Antoine. *The udes-genie-theses package. A thesis class file for the Faculté de génie at the Université de Sherbrooke*. 2022-11-17. Version 3.0.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/udes-genie-theses>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/udes-genie-theses>
- Buchholz, Frank. *The citesidx package. Produce a citation list for the bibliography*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/citesidx>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/citesidx>
- *The realcalc package. Macros for real arithmetic calculations*. 2016-06-24. LICENSE: nosell. There are known problems with this package; an alternative is (a L<sup>A</sup>T<sub>E</sub>X package, only).  
URL: <https://ctan.org/pkg/realcalc>  
MIRROR: <https://mirror.ctan.org/macros/generic/realcalc>
- Buchmann, Ronny. *The x12latex package. Convert Excel (97 and above) tables to L<sup>A</sup>T<sub>E</sub>X tabulars*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/x12latex>  
MIRROR: <https://mirror.ctan.org/support/x12latex>
- Buchsbaum, Arthur and Francisco Reinaldo. *The turnstile package. Typeset the (logic) turnstile notation*. 2022-11-02. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/turnstile>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/turnstile>
- Buckley, Andy. *The hep package. A "convenience wrapper" for High Energy Physics packages*. 2016-06-24. Version 1.0. LICENSE: lppl. Loads the author's and packages, and a selection of others that are useful in High Energy Physics papers, etc.  
URL: <https://ctan.org/pkg/hep>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hep>
- *The hepnames package. Pre-defined high energy particle names*. 2016-06-24. Version 2.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/hepnames>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hepnames>
- *The HEPparticles package. Macros for typesetting high energy physics particle names*. 2020-03-09. Version 2.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/hepparticles>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hepparticles>
- *The hepthesis package. A class for academic reports, especially PhD theses*. 2017-12-12. Version 1.5.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/hepthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hepthesis>
- *The Hepunits package. A set of units useful in high energy physics applications*. 2020-04-10. Version 2.0.0. LICENSE: lppl. Hepunits is a L<sup>A</sup>T<sub>E</sub>X package built on the package which adds a collection of useful HEP units to the existing SIunits set. These include the energy units , , and the derived momentum and mass units , and so on.  
URL: <https://ctan.org/pkg/hepunits>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hepunits>
- *The maybemath package. Make math bold or italic according to context*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/maybemath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/maybemath>
- Budaj, Martin. *The findhyph package. Find hyphenated words in a document*. 2016-06-24. Version 3.4. LICENSE: gpl2. Findhyph is a Perl script that will analyse the log file from running your document with set. The output contains enough context to enable you to find the hyphenated word that's being referenced.  
URL: <https://ctan.org/pkg/findhyph>  
MIRROR: <https://mirror.ctan.org/support/findhyph>
- Budge, Alexander M. and Matthew Vernon. *The flashcards package. A class for typesetting flashcards*. 2022-02-20. Version 1.0.2. LICENSE: gpl2+

- URL: <https://ctan.org/pkg/flashcards>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/flashcards>
- Buffet, Olivier. *The flipbook package*. Typeset flipbook animations, in the corners of documents. 2016-06-24. Version 0.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/flipbook>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/flipbook>
- Bugayenko, Yegor. *The bibcop package*. Style checker for .bib files. 2023-06-30. Version 0.0.14. LICENSE: mit  
URL: <https://ctan.org/pkg/bibcop>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibcop>
- *The clicks package*. Slide Deck Animation. 2022-10-03. Version 0.4.1. LICENSE: mit  
URL: <https://ctan.org/pkg/clicks>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/clicks>
  - *The crumbs package*. Add a Navigation Path to the page header. 2022-10-03. Version 0.4.1. LICENSE: mit. This package adds a navigation path () at the header of a presentation, just like some websites do in order to simplify navigation.  
URL: <https://ctan.org/pkg/crumbs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/crumbs>
  - *The debate package*. Debates between reviewers. 2022-10-29. Version 0.2.1. LICENSE: mit  
URL: <https://ctan.org/pkg/debate>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/debate>
  - *The docshots package*. TeX samples next to their PDF Snapshots. 2022-11-29. Version 0.4.0. LICENSE: mit. This L<sup>A</sup>T<sub>E</sub>X package helps you show T<sub>E</sub>X code next to the corresponding PDF snapshots, in two-column formatting. You can use it either in documentation or in files.  
URL: <https://ctan.org/pkg/docshots>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/docshots>
  - *The eolang package*. Formulas and graphs for the EO programming language. 2023-08-10. Version 0.15.0. LICENSE: mit. This L<sup>A</sup>T<sub>E</sub>X package helps you write  $\lambda$ -calculus formulas and graphs for the programming language.  
URL: <https://ctan.org/pkg/eolang>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eolang>
  - *The fail-fast package*. Turn warnings into errors. 2023-07-05. Version 0.0.2. LICENSE: mit  
URL: <https://ctan.org/pkg/fail-fast>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fail-fast>
  - *The ffcodes package*. Fixed-font code blocks formatted nicely. 2022-12-02. Version 0.8.0. LICENSE: mit. This L<sup>A</sup>T<sub>E</sub>X package helps you write source code in your academic papers and make it look neat. It uses and , configuring them the right way, to ensure that code fragments and code blocks look nicer.  
URL: <https://ctan.org/pkg/ffcode>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ffcode>
  - *The href-ul package*. Underscored L<sup>A</sup>T<sub>E</sub>X hyperlinks. 2022-10-31. Version 0.3.0. LICENSE: mit. This L<sup>A</sup>T<sub>E</sub>X package makes hyperlinks underscored, just like on the web. The package uses and .  
URL: <https://ctan.org/pkg/href-ul>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/href-ul>
  - *The huawei package*. Template for Huawei documents. 2023-08-31. Version 0.18.1. LICENSE: mit  
URL: <https://ctan.org/pkg/huawei>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/huawei>
  - *The iexec package*. Execute shell commands and input their output. 2022-11-01. Version 0.11.4. LICENSE: mit. With the help of the command, you can execute a shell command and then input its output into your document. This package also lets you use any special symbols inside your command.  
URL: <https://ctan.org/pkg/iexec>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/iexec>
  - *The kdpcover package*. Covers for books published by Kindle Direct Publishing. 2022-11-30. Version 0.5.1. LICENSE: mit. The problem this class solves is to change the size of the cover PDF according to the number of pages in the book — the bigger the book, the larger the spine of the book must be. The provided class makes the necessary calculations on-the-fly, using the tool. Obviously, you need to have it installed. Also, you must run with the option, in order to allow L<sup>A</sup>T<sub>E</sub>X to run .  
URL: <https://ctan.org/pkg/kdpcover>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kdpcover>
  - *The naive-ebnf package*. EBNF in plain text. 2023-08-11. Version 0.0.15. LICENSE: mit  
URL: <https://ctan.org/pkg/naive-ebnf>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/naive-ebnf>

- Bugayenko, Yegor. *The ppt-slides package. Good-looking slide decks à la PowerPoint (PPT)*. 2023-08-29. Version 0.2.2. LICENSE: mit. This L<sup>A</sup>T<sub>E</sub>X package helps you create slide decks as good-looking as with , but more precise, uniform, and visually strict. Check fully designed with the use of this package.  
URL: <https://ctan.org/pkg/ppt-slides>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ppt-slides>
- *The to-be-determined package. Highlight text passages that need further work*. 2022-10-31. Version 0.3.0. LICENSE: mit. This package provides a single command which highlights the pieces of text that need to be rewritten later. You can hide them all with a single package option , or just make them disappear entirely with the option .  
URL: <https://ctan.org/pkg/to-be-determined>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/to-be-determined>
  - *The yb-book package. Template for YB Branded Books*. 2023-05-22. Version 0.3.0. LICENSE: mit  
URL: <https://ctan.org/pkg/yb-book>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/yb-book>
- Bühmann, Andreas and Michael Ummels. *The fontaxes package. Additional font axes for L<sup>A</sup>T<sub>E</sub>X*. 2020-07-22. Version 1.0e. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/fontaxes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fontaxes>
- Bùi, Hồng-Phúc. *The codeanatomy package. Typeset code with annotations*. 2023-01-26. Version 0.4-Beta. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/codeanatomy>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/codeanatomy>
- Burchard, Paul. *The pb-diagram package. A commutative diagram package using LAMSTeX or Xy-pic fonts*. 2016-06-18. Version 5.0. LICENSE: other-free  
URL: <https://ctan.org/pkg/pb-diagram>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pb-diagram>
- Burger, Wilhelm and Wolfgang Hochleitner. *The hagenberg-thesis package. Collection of L<sup>A</sup>T<sub>E</sub>X classes, style files and example documents for academic manuscripts*. 2023-02-13. LICENSE: cc-by-4  
URL: <https://ctan.org/pkg/hagenberg-thesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hagenberg-thesis>
- Burgess, Robert and Emin Gün Sirer. *The crosstex package. Bibliography management tool*. 2020-09-09. Version 0.6. LICENSE: gpl2  
URL: <https://ctan.org/pkg/crosstex>  
MIRROR: <https://mirror.ctan.org/obsolete/biblio/crosstex>
- Burkhardt, Werner. *The arbeit package. Typeset classwork exercises*. 2016-06-24. Version 1.0. LICENSE: noinfo  
URL: <https://ctan.org/pkg/arbeit>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/arbeit>
- Burnol, Jean-François. *The bnumexpr package. Extends eTeX's \numexpr... \relax construct to big integers*. 2021-05-17. Version 1.5. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/bnumexpr>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bnumexpr>
- *The centeredline package. A macro for centering lines*. 2022-10-10. Version 1.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/centeredline>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/centeredline>
  - *The colorframed package. Fix color problems with the package “framed”*. 2022-10-07. Version 0.9b. LICENSE: lppl1.3c. This package fixes problems with colour loss that occurs in the environments of the package.  
URL: <https://ctan.org/pkg/colorframed>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/colorframed>
  - *The etoc package. Completely customisable TOCs*. 2023-07-05. Version 1.2b. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/etoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/etoc>
  - *The filecontentsdef package. filecontents + macro + verbatim*. 2019-09-29. Version 1.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/filecontentsdef>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/filecontentsdef>
  - *The footnotehyper package. hyperref aware footnote.sty*. 2021-08-30. Version 1.1e. LICENSE: lppl1.3c. The package by Mark Wooding dates back to 1997 and has not been made compatible. The aim of the present package is to do that.  
URL: <https://ctan.org/pkg/footnotehyper>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/footnotehyper>

- Burnol, Jean-François. *The lgrmath package. Use LGR-encoded fonts in math mode.* 2022-11-26. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/lgrmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lgrmath>
- *The libgreek package. Greek letters in math mode from Libertinus or Linux Libertine/Biolinum.* 2022-11-14. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/libgreek>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/libgreek>
  - *The mathastext package. Use the text font in maths mode.* 2023-08-30. Version 1.3z. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/mathastext>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathastext>
  - *The polexpr package. A parser for polynomial expressions.* 2022-05-19. Version 0.8.7a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/polexpr>  
 MIRROR: <https://mirror.ctan.org/macros/generic/polexpr>
  - *The poormanlog package. Logarithms and powers with (almost) 9 digits.* 2022-05-25. Version 0.07. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/poormanlog>  
 MIRROR: <https://mirror.ctan.org/macros/generic/poormanlog>
  - *The pxgreek package. Shape selection for PX fonts Greek letters.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. The package allows L<sup>A</sup>T<sub>E</sub>X maths users of the to select the shapes (italic or upright) for the Greek lowercase and uppercase letters. Once the shapes for lowercase and uppercase have been selected via a package option, the prefix (e.g., `\pxgreek`) allows using the alternate glyph (as in the fourier package). The pxgreek package does not constrain the text font that may be used in the document.  
 URL: <https://ctan.org/pkg/pxgreek>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pxgreek>
  - *The tableof package. Tagging tables of contents.* 2021-07-05. Version 1.4c. LICENSE: lppl1.3. The package provides the commands to flag chapters or sections (or anything else destined to become a TOC line). The command specifies which tags are to be required and which ones are to be excluded by the next (or equivalent) command. In a document that uses a class where may only be used once, the command may be used to provide several tables.  
 URL: <https://ctan.org/pkg/tableof>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tableof>
  - *The texdimens package. Conversion of T<sub>E</sub>X dimensions to decimals.* 2021-11-16. Version 1.1. LICENSE: lppl1.3c. Utilities and documentation related to T<sub>E</sub>X dimensional units, usable both with Plain () and with L<sup>A</sup>T<sub>E</sub>X ().  
 URL: <https://ctan.org/pkg/texdimens>  
 MIRROR: <https://mirror.ctan.org/macros/generic/texdimens>
  - *The txgreek package. Shape selection for TX fonts Greek letters.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. The package allows L<sup>A</sup>T<sub>E</sub>X users who use the to select the shapes (italic or upright) for the Greek lowercase and uppercase letters. Once the shapes for lowercase and uppercase have been selected via a package option, the prefix (e.g., `\txgreek`) allows using the alternate glyph (as in the fourier package). The txgreek package does not constrain the text font that may be used in the document.  
 URL: <https://ctan.org/pkg/txgreek>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/txgreek>
  - *The xint package. Expandable operations on long numbers.* 2022-06-11. Version 1.4m. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xint>  
 MIRROR: <https://mirror.ctan.org/macros/generic/xint>
  - *The xintsession package. Interactive computing sessions (fractions, floating points, polynomials).* 2021-11-01. Version 0.4alpha. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xintsession>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/xintsession>
- Burnus, Tobias. *The m-pictex package. Enable PicTeX to run with L<sup>A</sup>T<sub>E</sub>X.* 2023-03-28. LICENSE: other-free  
 URL: <https://ctan.org/pkg/m-pictex>
- Burt, John. *The brandeis-thesis package. A class for Brandeis University M.A. theses.* 2023-08-15. Version 3.3. LICENSE: lppl1.3c. provides the structures and formatting information for an M.A. thesis for the Brandeis University Graduate School of Arts and Sciences.  
 URL: <https://ctan.org/pkg/brandeis-thesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/brandeis-thesis>
- *The edmargin package. Multiple series of endnotes for critical editions.* 2016-06-24. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/edmargin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/edmargin>

- Burt, John. *The endheads package. Running headers of the form "Notes to pp.xx-yy"*. 2017-04-08. Version 1.6. LICENSE: lppl. Endheads provides running headers of the form "Notes to pp. xx-yy" for endnotes sections. It also enables one to reset the endnotes counter, and put a line marking the chapter change in the endnotes, at the beginning of every chapter. Endheads requires the , , , and packages.  
 URL: <https://ctan.org/pkg/endheads>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/endheads>
- *The poemscol package. Typesetting Critical Editions of Poetry*. 2020-08-09. Version 3.1415926. LICENSE: lppl1.3c. The package offers L<sup>A</sup>T<sub>E</sub>X macros for typesetting critical editions of poetry. Its features include automatic linenumbering, generation of separate endnotes sections for emendations, textual collations, and explanatory notes, special marking for cases in which page breaks occur during stanza breaks, running headers of the form 'Notes to pp. –' for the notes sections, index of titles and first lines, and automatic generation of a table of contents.  
 URL: <https://ctan.org/pkg/poemscol>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/poemscol>
- Burt, John and Meghan Peck. *The brandeis-dissertation package. Class for Brandeis University dissertations*. 2023-08-15. Version 3.14. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/brandeis-dissertation>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/brandeis-dissertation>
- Burton, Terry and Herbert Voß. *The pst-barcode package. Print barcodes using PostScript*. 2022-08-23. Version 0.19. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pst-barcode>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-barcode>
- Busa, Jan and Tobias Oetiker. *The lshort-slovak package. Slovak introduction to L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lppl. A Slovak translation of Oetiker's .  
 URL: <https://ctan.org/pkg/lshort-slovak>  
 MIRROR: <https://mirror.ctan.org/info/lshort/slovak>
- Busch, Wolf-Dieter. *The dinbrief-gui package. GUI for L<sup>A</sup>T<sub>E</sub>X package dinbrief*. 2016-06-24. LICENSE: lppl. Graphical user interface for the L<sup>A</sup>T<sub>E</sub>X package . The GUI is available as a Windows executable, as a Tcl/Tk script, and as Tclkit. It's small, fast, and for just writing letters, it's better-featured than any word processor!  
 URL: <https://ctan.org/pkg/dinbrief-gui>  
 MIRROR: <https://mirror.ctan.org/support/dinbrief-gui>
- Busdraghi, Fabiano. *The Layaureo package. A package to improve the A4 page layout*. 2016-06-24. Version 0.2. LICENSE: lppl. This package produces a wide page layout for documents that use A4 paper size. Moreover, LayAureo provides both a simple hook for leaving an empty space which is required if pages are bundled by a press binding (use option ), and an option called big which it forces typearea to become maximum.  
 URL: <https://ctan.org/pkg/layaureo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/layaureo>
- Buss, Sam. *The bussproofs package. Proof trees in the style of the sequent calculus*. 2019-04-04. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bussproofs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bussproofs>
- Buxbaum, Engelbert. *The alchemist package. Typeset alchemist and astrological symbols*. 2023-04-10. Version 1.00. LICENSE: gpl,lppl  
 URL: <https://ctan.org/pkg/alchemist>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/alchemist>
- *The biochemistry-colors package. Colors used to display amino acids, nucleotides, sugars or atoms in biochemistry*. 2017-06-05. Version 1.00. LICENSE: lppl,gpl  
 URL: <https://ctan.org/pkg/biochemistry-colors>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biochemistry-colors>
  - *The css-colors package. Named colors for web-safe design*. 2018-01-06. Version 1.02. LICENSE: lppl,gpl. This package defines web-safe colors for use with D.P. Carlisle's package. It is intended for both authors and package writers (e.g. to create color themes).  
 URL: <https://ctan.org/pkg/css-colors>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/css-colors>
  - *The latex-course package. A L<sup>A</sup>T<sub>E</sub>X course as a projected presentation*. 2016-06-24. Version 2. LICENSE: gpl. A brief Beamer-based slide presentation on L<sup>A</sup>T<sub>E</sub>X, based on , which the author has translated to English and taken to L<sup>A</sup>T<sub>E</sub>X2e/Beamer. Additional material was taken from the .  
 URL: <https://ctan.org/pkg/latex-course>  
 MIRROR: <https://mirror.ctan.org/info/latex-course>



- Bzyl, Włodek. *The i-ching package. An i-ching package*. 2016-06-24. LICENSE: gpl. A complete Plain T<sub>E</sub>X-based i-ching divination system, including an Adobe Type 1 font for the characters. Translations are derived from Alan Stanier’s work in his package.  
URL: <https://ctan.org/pkg/i-ching>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/i-ching>
- *The tweb package. A web system for T<sub>E</sub>X macro sources*. 2016-06-24. LICENSE: noinfo. Tweb uses to provide a better means of printing T<sub>E</sub>X macro sources.  
URL: <https://ctan.org/pkg/tweb>  
MIRROR: <https://mirror.ctan.org/web/tweb>
- Bzyl, Włodek and Staszek Wawrykiewicz. *The utf8mex package. Tools to produce formats that read Polish language input*. 2016-06-24. LICENSE: pd  
URL: <https://ctan.org/pkg/utf8mex>  
MIRROR: <https://mirror.ctan.org/language/polish/utf8mex>
- Cadiou, Aurélien. *The ladder package. Draw simple ladder diagrams using TikZ*. 2017-10-09. LICENSE: mit  
URL: <https://ctan.org/pkg/ladder>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/ladder>
- Cagnol, John. *The mrcheckbib package. A BibTeX file verification tool*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/mrcheckbib>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utlis/mrcheckbib>
- Caignaert, Christophe. *The kpfonts package. A complete set of fonts for text and mathematics*. 2023-01-19. Version 3.35. LICENSE: lppl,gpl  
URL: <https://ctan.org/pkg/kpfonts>  
MIRROR: <https://mirror.ctan.org/fonts/kpfonts>
- Callegari, Sergio. *The draftwatermark package. Put a grey textual watermark on document pages*. 2020-12-08. Version 3.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/draftwatermark>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/draftwatermark>
- *The everypage package. Provide hooks to be run on every page of a document*. 2020-10-18. Version 2.0b. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/everypage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/everypage>
  - *The flippdf package. Horizontal flipping of pages with pdfLaTeX*. 2020-10-27. Version 2.0b. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/flippdf>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/flippdf>
  - *The rotpages package. Typeset sets of pages upside-down and backwards*. 2016-06-24. Version 3.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/rotpages>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rotpages>
- Callil-Soares, Pedro. *The tikzviolinplots package. Draws violin plots from data*. 2023-03-23. Version 0.7.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tikzviolinplots>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzviolinplots>
- Calvani, Massimo. *The prepr package. Preprint macros*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/prepr>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/prepr>
- Camara Neto, Vilar da. *The breakurl package. Line-breakable \url-like links in hyperref when compiling via dvips/ps2pdf*. 2016-06-24. Version 1.40. LICENSE: lppl. This package provides a command much like hyperref’s that typesets a URL using a typewriter-like font. However, if the dvips driver is being used, the original doesn’t allow line breaks in the middle of the created link: the link comes in one atomic piece. This package allows such line breaks in the generated links.  
URL: <https://ctan.org/pkg/breakurl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/breakurl>
- Campani, Carlos. *The beamer-tut-pt package. An introduction to the Beamer class, in Portuguese*. 2016-06-18. LICENSE: gpl  
URL: <https://ctan.org/pkg/beamer-tut-pt>  
MIRROR: <https://mirror.ctan.org/info/portuguese/beamer>
- *The cursolatex package. A L<sup>A</sup>T<sub>E</sub>X tutorial*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/cursolatex>  
MIRROR: <https://mirror.ctan.org/info/portuguese/cursolatex>
  - *The xypic-tut-pt package. A tutorial for XY-pic, in Portuguese*. 2016-06-18. LICENSE: gpl  
URL: <https://ctan.org/pkg/xypic-tut-pt>  
MIRROR: <https://mirror.ctan.org/info/portuguese/xypic-tutorial>

- Camps, Jean-Baptiste. *The biblatex-enc package. BibL<sup>A</sup>T<sub>E</sub>X style for the École nationale des chartes (Paris)*. 2017-06-19. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-enc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-enc>
- Cannayen, Igathinathane. *The ndsu-thesis-2022 package. North Dakota State University disquisition class 2022*. 2022-07-15. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/ndsu-thesis-2022>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ndsu-thesis-2022>
- Cantor, David G. and Dominik Wujastyk. *The drop package. Dropped capitals at the start of a paragraph (L<sup>A</sup>T<sub>E</sub>X 2.09)*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/drop>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/drop.sty>
- Cao, Camuse. *The xmuthesis package. XMU thesis style*. 2020-10-12. Version 0.4.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xmuthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xmuthesis>
- Cappelletti, Luca. *The adigraph package. Augmenting directed graphs*. 2019-01-29. Version 1.7.1. LICENSE: mit  
 URL: <https://ctan.org/pkg/adigraph>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/adigraph>
- *The lectures package. A document class for quickly drafting nice looking lecture notes*. 2020-02-02. Version 1.0.5. LICENSE: mit. This L<sup>A</sup>T<sub>E</sub>X documentclass provides a number of gimmicks to draft nice looking lecture notes, such as a number of theorem environments, automatic spacing and alignment of figures and much more. More information is available in the .  
 URL: <https://ctan.org/pkg/lectures>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lectures>
- Caprio, Mark. *The iopart-num package. Numeric citation style for IOP journals*. 2016-06-24. Version 2.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/iopart-num>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/iopart-num>
- *The svgcolor package. Define SVG named colours*. 2018-09-15. Version 1.0. LICENSE: lppl. The package defines the W3C Scalable Vector Graphics (SVG) colour names for use with both the and packages.  
 URL: <https://ctan.org/pkg/svgcolor>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/svgcolor>
- Carlisle, David. *The blkarray package. Extended array and tabular*. 2018-01-06. Version 0.07. LICENSE: lppl  
 URL: <https://ctan.org/pkg/blkarray>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/blkarray>
- *The carlisle package. David Carlisle's small packages*. 2021-06-13. LICENSE: lppl. Many of David Carlisle's more substantial packages stand on their own, or as part of the L<sup>A</sup>T<sub>E</sub>X set; this set contains:  
 URL: <https://ctan.org/pkg/carlisle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/carlisle>
  - *The colortbl package. Add colour to L<sup>A</sup>T<sub>E</sub>X tables*. 2022-07-31. Version 1.0f. LICENSE: lppl  
 URL: <https://ctan.org/pkg/colortbl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/colortbl>
  - *The comma package. Formats a number by inserting commas*. 2016-06-24. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/comma>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/comma>
  - *The dotlessj package. Generates a dot-less j*. 2022-03-14. Version 0.03. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dotlessj>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/carlisle/dotlessj.sty>
  - *The ealloc package. Local allocation macros for L<sup>A</sup>T<sub>E</sub>X 2015*. 2016-12-15. Version 0.03. LICENSE: lppl. Local allocation macros, with names taken from but with implementation based on the L<sup>A</sup>T<sub>E</sub>X 2015 allocation macros.  
 URL: <https://ctan.org/pkg/ealloc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ealloc>
  - *The fix2col package. Fix miscellaneous two column mode features*. 2016-06-24. Version 0.04. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fix2col>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fix2col>
  - *The fragments package. Fragments of L<sup>A</sup>T<sub>E</sub>X code*. 2018-09-13. LICENSE: collection  
 URL: <https://ctan.org/pkg/fragments>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fragments>

- Carlisle, David. *The graphics-pln package. LaTeX-style graphics for Plain T<sub>E</sub>X users*. 2022-12-02. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/graphics-pln>  
 MIRROR: <https://mirror.ctan.org/macros/plain/graphics>
- *The grfguide package. L<sup>A</sup>T<sub>E</sub>X standard graphics and color packages documentation*. 2021-06-01. LICENSE: lppl1.3c. Documentation of the bundle. The guide discusses using graphics in L<sup>A</sup>T<sub>E</sub>X, including documentation on the use of colour (the package).  
 URL: <https://ctan.org/pkg/grfguide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/graphics>
  - *The grfpaste package. Include fragments of a dvi file*. 2016-06-24. Version 0.2. LICENSE: lppl. Provides a mechanism to include fragments of dvi files with the package, so that you can use to include dvi files. The package requires the program.  
 URL: <https://ctan.org/pkg/grfpaste>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grfpaste>
  - *The hline package. Better horizontal lines in tabulars and arrays*. 2023-06-09. Version 2.04. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hline>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The latex-context-ppchtex package. Legacy stub to allow loading pictex as m-pictex*. 2023-03-28. LICENSE: lppl  
 URL: <https://ctan.org/pkg/latex-context-ppchtex>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/latex-context-ppchtex>
  - *The ltxtable package. Longtable and tabularx merge*. 2022-03-14. Version 0.4. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ltxtable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/carlisle/ltxtable.tex>
  - *The makerobust209 package. Make an existing L<sup>A</sup>T<sub>E</sub>X command robust*. 2016-06-24. Version 1.01. LICENSE: noinfo. The package provides a command that converts the definition of a command to a robust one.  
 URL: <https://ctan.org/pkg/makerobust209>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/makerobust.sty>
  - *The mylatex package. Make a format containing a document's preamble*. 2020-10-28. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mylatex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mylatex>
  - *The nopageno package. No page numbers in L<sup>A</sup>T<sub>E</sub>X documents*. 2016-06-24. LICENSE: lppl. L<sup>A</sup>T<sub>E</sub>X's standard styles use two page styles, one on normal pages and one on 'opening' pages with or , etc. Unfortunately there is only easy access to changing one of these two so if you want something other than 'plain' on the opening pages you must use on each such page. The package does provide a more flexible interface, but if you just want an empty page style on all pages then this package will do the job.  
 URL: <https://ctan.org/pkg/nopageno>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nopageno>
  - *The plain-ltx package. Make plain T<sub>E</sub>X files L<sup>A</sup>T<sub>E</sub>Xable*. 2022-03-14. LICENSE: lppl  
 URL: <https://ctan.org/pkg/plain-ltx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/carlisle/plain.sty>
  - *The pslatex package. Use PostScript fonts by default*. 2023-06-25. Version 1.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pslatex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pslatex>
  - *The pspicture package. PostScript picture support*. 2016-06-24. LICENSE: lppl. A replacement for L<sup>A</sup>T<sub>E</sub>X's picture macros, that uses PostScript commands. The package is now largely superseded by .  
 URL: <https://ctan.org/pkg/pspicture>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pspicture>
  - *The remreset package. Remove counters from reset list*. 2022-03-14. LICENSE: lppl  
 URL: <https://ctan.org/pkg/remreset>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/carlisle/remreset.sty>
  - *The scalefnt package. Rescale fonts to arbitrary sizes*. 2022-03-14. LICENSE: lppl  
 URL: <https://ctan.org/pkg/scalefnt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/carlisle/scalefnt.sty>
  - *The showkeys package. Show label, ref, cite and bib keys*. 2023-06-09. Version 3.19. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/showkeys>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The slashed package. Put a slash through characters*. 2022-03-14. LICENSE: lppl  
 URL: <https://ctan.org/pkg/slashed>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/carlisle/slashed.sty>

- Carlisle, David. *The tabulary package. Tabular with variable width columns balanced*. 2018-01-06. Version 0.10. LICENSE: lppl. The package defines a `-like` environment, `\tabulary`, taking a ‘total width’ argument as well as the column specifications. The environment uses column types `t`, `c`, and `r` for variable width columns (`t`, `c`, `r`, and normally justified). In contrast to `\X` columns, the width of each column is weighted according to the natural width of the widest cell in the column.  
URL: <https://ctan.org/pkg/tabulary>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabulary>
- *The textcase package. Case conversion ignoring mathematics, etc.* 2023-07-27. Version 1.04. LICENSE: lppl  
URL: <https://ctan.org/pkg/textcase>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/textcase>
  - *The type1cm package. Arbitrary size font selection in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/type1cm>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/type1cm>
  - *The typehtml package. Typeset HTML directly from L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/typehtml>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/typehtml>
  - *The typewriter package. Typeset with a randomly variable monospace font*. 2021-08-26. Version 1.1. LICENSE: lppl. The package uses the `\ttfamily`, together with a LuaTeX virtual font setup that introduces random variability in grey level and angle of each character. It was originally an `\ttfamily`.  
URL: <https://ctan.org/pkg/typewriter>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/typewriter>
  - *The ucharcat package. Implementation of the (new in 2015) XeTeX \Ucharcat command in lua, for LuaTeX*. 2016-06-24. Version 0.03. LICENSE: lppl. The package implements the `\Ucharcat` command for LuaLaTeX. is a new primitive in XeTeX, an extension of the existing command, that allows the specification of the catcode as well as character code of the character token being constructed.  
URL: <https://ctan.org/pkg/ucharcat>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ucharcat>
  - *The xii package. Christmas silliness (English)*. 2017-11-14. LICENSE: lppl  
URL: <https://ctan.org/pkg/xii>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/xii>
  - *The xii-lat package. Christmas silliness (Latin)*. 2017-11-20. LICENSE: lppl  
URL: <https://ctan.org/pkg/xii-lat>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/xii-lat>
  - *The xmltex package. Support for parsing XML documents*. 2018-04-05. Version 0.8. LICENSE: lppl  
URL: <https://ctan.org/pkg/xmltex>  
MIRROR: <https://mirror.ctan.org/macros/xmltex/base>
- Carlisle, David and Karl Berry. *The miniltx package. An abstract of L<sup>A</sup>T<sub>E</sub>X facilities for use with Plain T<sub>E</sub>X*. 2022-09-29. LICENSE: lppl. Part of the collection which allows the use of L<sup>A</sup>T<sub>E</sub>X’s graphics, colour, and picture mode commands in plain T<sub>E</sub>X based formats.  
URL: <https://ctan.org/pkg/miniltx>  
MIRROR: <https://mirror.ctan.org/macros/plain/graphics/miniltx.tex>
- Carlisle, David, Peter Breitenlohner, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The etex-pkg package. E-TeX support package*. 2017-04-18. Version 2.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/etex-pkg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/etex-pkg>
- Carlisle, David, Jean-Pierre Drucbert, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The xr package. References to other L<sup>A</sup>T<sub>E</sub>X documents*. 2023-06-09. Version 5.06. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/xr>  
MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- Carlisle, David and Robin Fairbairns. *The maths-symbols package. Summary of mathematical symbols available in L<sup>A</sup>T<sub>E</sub>X*. 2017-04-18. Version 3.4. LICENSE: lppl1.2. A predecessor of the `\usepackage{amsmath}`, covering mathematical symbols available in standard L<sup>A</sup>T<sub>E</sub>X (including the AMS symbols, if available at compile time).  
URL: <https://ctan.org/pkg/maths-symbols>  
MIRROR: <https://mirror.ctan.org/info/symbols/math>
- Carlisle, David, Morten Høgholm, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The xspace package. Define commands that appear not to eat spaces*. 2023-06-09. Version 1.13. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/xspace>  
MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>

- Carlisle, David, David Kastrup, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The longtable package. Allow tables to flow over page boundaries.* 2023-06-09. Version 4.17. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/longtable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- Carlisle, David, Frank Mittelbach, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The bm package. Access bold symbols in maths mode.* 2023-06-09. Version 1.2f. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/bm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- Carlisle, David and Oberdiek Package Support Group. *The xr-hyper package. Inter-document hyper-references.* 2023-07-08. Version 7.01b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xr-hyper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hyperref/xr-hyper.sty>
- Carlisle, David, Sebastian Rahtz, Hans Hagen, Martin Schröder, and Heiko Oberdiek. *The pdftex-def package. Colour and Graphics support for pdfTeX.* 2022-09-23. Version 1.2b. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pdftex-def>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphics-def>
- Carlisle, David, Walter A. Schmidt, and Karl Berry. *The ly1 package. Support for LY1 L<sup>A</sup>T<sub>E</sub>X encoding.* 2022-06-11. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ly1>  
 MIRROR: <https://mirror.ctan.org/fonts/psfonts/ly1>
- Carlisle, David and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The afterpage package. Execute command after the next page break.* 2023-06-09. Version 1.08. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/afterpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- *The color package. Colour control for L<sup>A</sup>T<sub>E</sub>X documents.* 2022-06-08. Version 1.3d. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/color>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/graphics>
  - *The dcolumn package. Align on the decimal point of numbers in tabular columns.* 2023-06-09. Version 1.06. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/dcolumn>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The delarray package. Delimiters for arrays.* 2021-01-03. Version 1.01. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/delarray>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The enumerate package. Enumerate with redefinable labels.* 2023-06-09. Version 3.00. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/enumerate>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The graphics package. Standard L<sup>A</sup>T<sub>E</sub>X graphics.* 2022-06-08. Version 1.4e. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/graphics>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/graphics>
  - *The graphicx package. Enhanced support for graphics.* 2021-11-12. Version 1.2d. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/graphicx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/graphics>
  - *The indentfirst package. Indent first paragraph after section header.* 2023-06-09. Version 1.03. LICENSE: lppl1.3c. This minimalist package is part of the bundle in the L<sup>A</sup>T<sub>E</sub>X distribution.  
 URL: <https://ctan.org/pkg/indentfirst>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The keyval package. Process 'key=value' schemes.* 2022-06-08. Version 1.15. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/keyval>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/graphics>
  - *The lscape package. Place selected parts of a document in landscape.* 2021-06-01. Version 3.02. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/lscape>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/graphics>
  - *The ltxdoc package. Class for documented L<sup>A</sup>T<sub>E</sub>X macro files.* 2023-06-09. Version 2.1j. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/ltxdoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>



- *The luatex-def package. LuaTeX option file for color and graphics.* 2022-09-23. Version 1.2d. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/luatex-def>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphics-def>
- Carlisle, David and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The tabularx package. Tabulars with adjustable-width columns.* 2023-06-09. Version 2.11c.  
 LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tabularx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- *The trig package. Simple trigonometric functions.* 2021-11-12. Version 1.11. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/trig>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/graphics>
- Carlisle, David, Joseph Wright, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The luatex85 package. pdfTeX aliases for LuaTeX.* 2016-06-24. Version 1.4.  
 LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/luatex85>  
 MIRROR: <https://mirror.ctan.org/macros/generic/luatex85>
- Carriba, Manuel and Hippocrates Sendoukas. *The icons package. TeX icons.* 2016-06-24. LICENSE: knuth  
 URL: <https://ctan.org/pkg/icons>  
 MIRROR: <https://mirror.ctan.org/support/icons>
- Casaburi, Johannes. *The luahttp package. Compile-time internet-interactive PDF-documents using Lua and LuaTeX.* 2023-06-17.  
 Version 1.0.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/luahttp>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luahttp>
- Casares, Ramón. *The METATeX package. Incorporate Metafont pictures in T<sub>E</sub>X source.* 2018-01-06. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/metatex>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/metatex>
- Cashner, Andrew A. *The musicography package. Accessing symbols for music writing with pdfLaTeX.* 2023-02-15. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/musicography>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/musicography>
- *The octave package. Typeset musical pitches with octave designations.* 2023-02-15. LICENSE: lppl1.3. This package package typesets musical pitch names with designation for the octave in either the Helmholtz system (with octave numbers), or the traditional system (with prime symbols). Authors can just write and the pitches will be rendered correctly depending on which package option was selected. The system can also be changed mid-document.  
 URL: <https://ctan.org/pkg/octave>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/octave>
- *The semantic-markup package. Meaningful semantic markup in the spirit of the Text Encoding Initiative.* 2020-01-29. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/semantic-markup>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/semantic-markup>
- Casteleyn, Jean Pierre. *The VisualPSTricks package. Visual help for PSTricks based on images with minimum text.* 2016-10-27. Version 2.3.  
 LICENSE: gpl  
 URL: <https://ctan.org/pkg/visualpstricks>  
 MIRROR: <https://mirror.ctan.org/info/visualpstricks>
- *The VisualTikZ package. Visual help for TikZ based on images with minimum text.* 2019-05-31. Version 0.65. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/visualtikz>  
 MIRROR: <https://mirror.ctan.org/info/visualtikz>
- Castro, Federico Garcia-De. *The colordoc package. Coloured syntax highlights in documentation.* 2016-06-24. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/colordoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/colordoc>
- *The opcit package. Footnote-style bibliographical references.* 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/opcit>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/opcit>
- *The TeXmate package. Comprehensive chess annotation in L<sup>A</sup>T<sub>E</sub>X.* 2018-01-06. Version 2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/texmate>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/texmate>
- *The TeXmuse package. Music typesetting system using T<sub>E</sub>X and Metafont.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/texmuse>  
 MIRROR: <https://mirror.ctan.org/macros/texmuse>

- *The todo package. Make a to-do list for a document.* 2016-06-24. Version 2.142. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/todo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/todo>
- Castro, Federico Garcia-De and John Fudrow. *The pittetd package. Electronic Theses and Dissertations at Pitt.* 2019-07-10. Version 1.618. LICENSE: lppl. A document class for theses and dissertations. Provides patch files that enable pittetd to use files prepared for use with the pittdiss or classes. The manual provides a detailed guide for users who wish to use the class to prepare their thesis or dissertation.  
 URL: <https://ctan.org/pkg/pittetd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pittetd>
- Cate, Thomas ten. *The titlepic package. Add picture to title page of a document.* 2017-03-14. Version 1.2. LICENSE: pd  
 URL: <https://ctan.org/pkg/titlepic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/titlepic>
- Cawood, Justin. *The practicalreports package. Some macros for writing practical reports.* 2019-10-07. Version 2.0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/practicalreports>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/practicalreports>
- *The simpleoptics package. Drawing lenses and mirrors for optical diagrams.* 2022-04-06. Version 1.1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/simpleoptics>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/simpleoptics>
- Cepl, Matej. *The Manuscript package. Emulate look of a document typed on a typewriter.* 2017-04-18. Version 1.7. LICENSE: lppl  
 URL: <https://ctan.org/pkg/manuscript>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/manuscript>
- Cereda, Paulo Roberto Massa. *The arara package. Automation of L<sup>A</sup>T<sub>E</sub>X compilation.* 2023-05-17. Version 7.1.0. LICENSE: bsd  
 URL: <https://ctan.org/pkg/arara>  
 MIRROR: <https://mirror.ctan.org/support/arara>
- *The sillypage package. John Cleese’s Silly Walk as page numbering style.* 2023-03-04. Version 1.6. LICENSE: cc-by-sa-4,lppl1.3c  
 URL: <https://ctan.org/pkg/sillypage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sillypage>
- *The texplate package. A tool for creating document structures based on templates.* 2023-05-17. Version 1.0.4. LICENSE: bsd3. TeXplate is a tool for creating document structures based on templates. The application name is a word play on and , so the purpose seems quite obvious: we want to provide an easy and straightforward framework for reducing the typical code boilerplate when writing T<sub>E</sub>X documents. Also note that one can easily extrapolate the use beyond articles and theses: the application is powerful enough to generate text-based structure, given that a corresponding template exists.  
 URL: <https://ctan.org/pkg/texplate>  
 MIRROR: <https://mirror.ctan.org/support/texplate>
- Cereda, Paulo Roberto Massa, Island of T<sub>E</sub>X, and Enrico Gregorio. *The checkcites package. Check citation commands in a document.* 2023-05-17. Version 2.6. LICENSE: lppl1.3. The package provides a script written for the sole purpose of detecting undefined and unused references from L<sup>A</sup>T<sub>E</sub>X auxiliary or bibliography files.  
 URL: <https://ctan.org/pkg/checkcites>  
 MIRROR: <https://mirror.ctan.org/support/checkcites>
- Cerf, Raphael. *The xetal package. Strip T<sub>E</sub>X constructs from a file.* 2016-06-24. Version 1.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/xetal>  
 MIRROR: <https://mirror.ctan.org/support/xetal>
- Cérin, Christophe. *The colortex package. Colour facilities for use with T<sub>E</sub>X.* 2016-06-24. Version 3.3. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/colortex>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/colortex>
- Cermelj, Primož. *The psfragger package. Use psfrag and L<sup>A</sup>T<sub>E</sub>X to label an eps file.* 2016-06-24. Version 1.3b. LICENSE: nocommercial. PSFragger is a Win32 application with which one can perform replacements and even transform resulting EPS files into PDF files (useful if pdfL<sup>A</sup>T<sub>E</sub>X is to be used). PSFragger can also act as a simple EPS bounding box correction tool and as an EPS to PDF conversion utility.  
 URL: <https://ctan.org/pkg/psfragger>  
 MIRROR: <https://mirror.ctan.org/support/psfragger>
- Cevolani, Gustavo. *The lps package. Class for “Logic and Philosophy of Science”.* 2016-06-24. Version 0.7. LICENSE: lppl. The journal is an online publication of the University of Trieste (Italy). The class builds on the standard article class to offer a format that L<sup>A</sup>T<sub>E</sub>X authors may use when submitting to the journal.  
 URL: <https://ctan.org/pkg/lps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lps>

- Chafaï, Djalil. *The pbsheet package. Problem sheet class*. 2016-06-24. Version 0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pbsheet>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pbsheet>
- Chambert-Loir, Antoine. *The smflatex package. Classes for Société mathématique de France publications*. 2021-04-20. Version 1.6. LICENSE: lppl1.3c. The Société mathématique de France provides a set of classes, packages and BibTeX styles that are used in its publications. They are based on AMS classes (whose code is sometimes recopied) and mainly ‘upward-compatible’. Their main features are: quite different design; new environments for typesetting some information in two languages (altabstract, alttitle, altkeywords); if necessary, use of babel (option frenchb) and deactivation of some features of frenchb. Includes , , , amongst others.  
 URL: <https://ctan.org/pkg/smflatex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/smflatex>
- Chan, Shih-Ping. *The texas package. 32-bit T<sub>E</sub>X 3.14 compiled for MS-DOS 386/486 computers*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/texas>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/msdos/texas.zip>
- Chang, Theodore. *The structmech package. A TikZ command set for structural mechanics drawings*. 2023-03-31. Version 1.2. LICENSE: gpl3+. This package provides a collection of commands that allow users to draw basic elements in material/structural mechanics. It is thus possible to draw member forces, nodal forces/displacements, various boundary conditions, internal force distributions, etc.  
 URL: <https://ctan.org/pkg/structmech>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/structmech>
- Chang, Winston. *The latexcheat package. A L<sup>A</sup>T<sub>E</sub>X cheat sheet*. 2016-06-24. Version 1.13. LICENSE: lppl  
 URL: <https://ctan.org/pkg/latexcheat>  
 MIRROR: <https://mirror.ctan.org/info/latexcheat/latexcheat>
- Chao, Conden. *The cmathbb package. Computer modern mathematical blackboard bold font*. 2020-10-04. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/cmathbb>  
 MIRROR: <https://mirror.ctan.org/fonts/cmathbb>
- *The mathalphabets package. Chinese introduction to mathematical alphabets*. 2022-06-24. Version 4.0. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/mathalphabets>  
 MIRROR: <https://mirror.ctan.org/info/mathalphabets>
- Charette, François, Vafa Khalighi, and bidi-tex GitHub Organisation. *The arabxetex package. An ArabTeX-like interface for X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X*. 2019-09-08. Version 1.2.1. LICENSE: lppl. ArabXeTeX provides a convenient -like user-interface for typesetting languages using the Arabic script in X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X, with flexible access to font features. Input in ArabTeX notation can be set in three different vocalization modes or in roman transliteration. Direct UTF-8 input is also supported. The parsing and converting of ArabTeX input to Unicode is done by means of TECKit mappings. Version 1.0 provides support for Arabic, Maghribi Arabic, Farsi (Persian), Urdu, Sindhi, Kashmiri, Ottoman Turkish, Kurdish, Jawi (Malay) and Uighur. The documentation covers topics such as typesetting the Holy Quran and typesetting bidirectional critical editions with the package ednotes.  
 URL: <https://ctan.org/pkg/arabxetex>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/arabxetex>
- Charette, François, Arthur Rosendahl, and Jürgen Spitzmüller. *The polyglossia package. An alternative to babel for X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X and LuaLaTeX*. 2023-07-21. Version 1.64. LICENSE: mit,lppl1.3,cc0. This package provides a complete replacement for users of LuaL<sup>A</sup>T<sub>E</sub>X and X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X; it relies on the package, version 2.0 at least.  
 URL: <https://ctan.org/pkg/polyglossia>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/polyglossia>
- Charpentier, Jean-Côme. *The dirtree package. Display trees in the style of windows explorer*. 2016-06-24. Version 0.32. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dirtree>  
 MIRROR: <https://mirror.ctan.org/macros/generic/dirtree>
- *The sesamaneu1 package. Class and package for sesamath books or paper*. 2016-06-24. Version 0.6. LICENSE: lppl1.3. The package contains a class which could be used to compose a student’s classroom book with L<sup>A</sup>T<sub>E</sub>X, and also a style to be used for TikZ pictures in the sesamath book.  
 URL: <https://ctan.org/pkg/sesamaneu1>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sesamaneu1>
- *The xlop package. Calculates and displays arithmetic operations*. 2020-11-11. Version 0.28. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/xlop>  
 MIRROR: <https://mirror.ctan.org/macros/generic/xlop>
- Charpentier, Jean-Côme and Christian Tellechea. *The randomlist package. Deal with database, loop, and random in order to build personalized exercises*. 2018-01-07. Version 1.3. LICENSE: lppl1.3

- URL: <https://ctan.org/pkg/randomlist>  
 MIRROR: <https://mirror.ctan.org/macros/generic/randomlist>
- Chase, Brian. *The windycity package. A Chicago style for BibLaTeX*. 2023-05-04. LICENSE: lpl1.3. Windy City is a style for BibLaTeX that formats notes, bibliographies, parenthetical citations, and reference lists according to the 17th edition of .  
 URL: <https://ctan.org/pkg/windycity>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/windycity>
- Chatham, Hood. *The longdivision package. Typesets long division*. 2021-07-17. Version 1.2.1. LICENSE: lpl  
 URL: <https://ctan.org/pkg/longdivision>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/longdivision>
- *The spectralsequences package. Print spectral sequence diagrams using PGF/TikZ*. 2023-01-29. Version 1.3.3. LICENSE: lpl  
 URL: <https://ctan.org/pkg/spectralsequences>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/spectralsequences>
- Chavan, Bhagyashree, Sadaf Desai, Sayali Kalyani, and Shilpa Mahadik. *The famt package. Project Reports and Notices in FAMT institute*. 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/famt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/famt>
- Checkoway, Stephen. *The everyhook package. Hooks for standard TeX token lists*. 2018-01-06. Version 1.2. LICENSE: lpl1.3. The package takes control of the six TeX token registers , , , and . Real hooks for each of the registers may be installed using a stack like interface. For backwards compatibility, each of the token lists can be set without interfering with the hooks.  
 URL: <https://ctan.org/pkg/everyhook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/everyhook>
- Chen, Dennis. *The ifallfalse package. Compare a string against a set of other strings*. 2021-07-23. Version 2.0.0. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/ifallfalse>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ifallfalse>
- *The macrolist package. List operations for LaTeX2e*. 2021-07-31. Version 2.1.0. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/macrolist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/macrolist>
- *The palette package. Create palettes for colors and symbols that can be swapped in*. 2021-07-30. Version 1.1.0. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/palette>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/palette>
- *The scrambledenvs package. Create and print scrambled environments*. 2021-09-26. Version 1.1.0. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/scrambledenvs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scrambledenvs>
- Chen, Hung-Yih. *The chitex package. A Chinese TeX system*. 2016-06-24. LICENSE: nosell  
 URL: <https://ctan.org/pkg/chitex>  
 MIRROR: <https://mirror.ctan.org/systems/chitex>
- Chen, Pehong and Nelson H. F. Beebe. *The makeindex package. Process index output to produce typesettable code*. 2022-02-05. Version 2.12. LICENSE: other-free. A general purpose hierarchical index generator; it accepts one or more input files (often produced by a text formatter such as TeX or troff), sorts the entries, and produces an output file which can be formatted. The formats of the input and output files are specified in a style file; by default, input is assumed to be an file, as generated by LaTeX.  
 URL: <https://ctan.org/pkg/makeindex>  
 MIRROR: <https://mirror.ctan.org/indexing/makeindex>
- Chen, Pehong and The TeX Live Team. *The makeindexk package. Makeindex development sources*. 2016-06-24. LICENSE: other-free. The package contains the development sources of , as derived from the subversion repository.  
 URL: <https://ctan.org/pkg/makeindexk>  
 MIRROR: <https://mirror.ctan.org/indexing/makeindexk>
- Chen, Raymond. *The simpsons package. Metafont source for Simpsons characters*. 2016-06-18. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/simpsons>  
 MIRROR: [https://mirror.ctan.org/usergrps/uktug/baskervi/4\\_4](https://mirror.ctan.org/usergrps/uktug/baskervi/4_4)
- Chen, Rong. *The manpage package. Man pages in LaTeX*. 2016-06-24. LICENSE: nosell  
 URL: <https://ctan.org/pkg/manpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/manpage>
- Chen, Yuanhao. *The kanbun package. Typeset kanbun-kundoku with support for kanbun annotation*. 2022-02-14. Version 1.2. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/kanbun>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kanbun>



- *The toneval package*. Tool for linguists and phoneticians to visualize tone value patterns. 2019-01-29. Version 1.0. LICENSE: apache2  
 URL: <https://ctan.org/pkg/tonevalue>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tonevalue>
- Chen, Zhichu and Wolfgang Schuster. *The context-sgf package*. A Go system in ConTeXt. 2016-10-20. LICENSE: pd  
 URL: <https://ctan.org/pkg/context-sgf>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/context/contrib/context-sgf>
- Cheng, Xu. *The hustthesis package*. Unofficial thesis template for Huazhong University. 2017-04-18. Version 1.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/hustthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hustthesis>
- Cheong, Otfried and Tom Sgouros. *The hyperlatex package*. A restricted L<sup>A</sup>T<sub>E</sub>X system that also produces HTML. 2017-04-18. Version 2.9.  
 LICENSE: gpl  
 URL: <https://ctan.org/pkg/hyperlatex>  
 MIRROR: <https://mirror.ctan.org/support/hyperlatex>
- Cherem, Youssef. *The abnt package*. Typesetting academic works according to ABNT rules. 2021-03-09. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/abnt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/abnt>
- *The br-lex package*. A Class for Typesetting Brazilian legal texts. 2021-03-09. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/br-lex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/br-lex>
- *The ycbook package*. A versatile book class. 2021-03-09. LICENSE: lppl1.3c. This class is intended to be an interpretation of the class which is a part of the package. The classes are simple, yet powerful and customizable classes that allow the end-user to customize the layout of headers, headings etc. They also have the benefit of being more economic in space than the most common L<sup>A</sup>T<sub>E</sub>X classes, while keeping a clear appearance and a smooth flow.  
 URL: <https://ctan.org/pkg/ycbook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ycbook>
- Chernoff, Max. *The lua-widow-control package*. Automatically remove widows and orphans from any document. 2022-11-22. Version 3.0.0. LICENSE: other-free,cc-by-sa-4  
 URL: <https://ctan.org/pkg/lua-widow-control>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/lua-widow-control>
- Chernyaev, Evgeni. *The xwpick package*. Pick an image from an X display. 2018-01-06. Version 2.10. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/xwpick>  
 MIRROR: <https://mirror.ctan.org/support/xwpick>
- Chervet, Florent. *The boolexpr package*. A boolean expression evaluator and a switch command. 2019-10-01. Version 3.14. LICENSE: lppl  
 URL: <https://ctan.org/pkg/boolexpr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/boolexpr>
- *The catchfilebetweentags package*. Catch text delimited by docstrip tags. 2016-06-24. Version 1.1. LICENSE: lppl1.3. This package (built using the facilities of ) provides a macro acts like the original but only extracts a portion of the file instead of the complete file. The extracted portion can be delimited by strings or by docstrip tags: (comments in the caught region may be included or dropped).  
 URL: <https://ctan.org/pkg/catchfilebetweentags>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/catchfilebetweentags>
- *The emarks package*. Named mark registers with e-TeX. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/emarks>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/emarks>
- *The enumitem-zref package*. Extended references to items for enumitem package. 2022-11-12. Version 1.8. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/enumitem-zref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/enumitem-zref>
- *The etextools package*. e-TeX tools for L<sup>A</sup>T<sub>E</sub>X users and package writers. 2016-06-24. Version 3.1415926. LICENSE: lppl  
 URL: <https://ctan.org/pkg/etextools>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/etextools>
- *The fcltxdoc package*. Macros for use in the author's documentation. 2016-06-24. Version 1.0. LICENSE: lppl1.3. The package is not advertised for public use, but is necessary for the support of others of the author's packages (which are compiled under the class).  
 URL: <https://ctan.org/pkg/fcltxdoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fcltxdoc>



- *The interfaces package*. Set parameters for other packages, conveniently. 2016-06-24. Version 3.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/interfaces>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/interfaces>
- Chervet, Florent. *The keycommand package*. Simple creation of commands with key-value arguments. 2016-06-24. Version 3.1415. LICENSE: lppl  
 URL: <https://ctan.org/pkg/keycommand>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/keycommand>
- *The linegoal package*. A “dimen” that returns the space left on the line. 2020-03-09. Version 2.9. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/linegoal>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/linegoal>
- *The logbox package*. e-TeX showbox facilities for exploration purposes. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/logbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/logbox>
- *The ltxnew package*. A simple means of creating commands. 2016-06-24. Version 1.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ltxnew>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ltxnew>
- *The mylatexformat package*. Build a format based on the preamble of a L<sup>A</sup>T<sub>E</sub>X file. 2016-06-24. Version 3.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/mylatexformat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mylatexformat>
- *The parselines package*. Apply a macro to each line of an environment. 2016-06-24. Version 1.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/parselines>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/parselines>
- *The tabu package*. Flexible L<sup>A</sup>T<sub>E</sub>X tabulars. 2021-11-08. Version 2.9. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tabu>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabu>
- Chetan Shirore and Ajit Kumar. *The luacomplex package*. Operations on complex numbers inside L<sup>A</sup>T<sub>E</sub>X documents using Lua. 2023-08-08. Version 1.3. LICENSE: lppl1.3c. The luacomplex package is developed to define complex numbers and perform basic arithmetic on complex numbers in L<sup>A</sup>T<sub>E</sub>X. It also loads the package. It provides an easy way to define complex numbers and perform operations on complex numbers. There is no particular environment for performing operations on complex numbers. The package commands can be used in any environment (including the mathematics environment). It is written in Lua, and the file is to be compiled with the LuaL<sup>A</sup>T<sub>E</sub>X engine.  
 URL: <https://ctan.org/pkg/luacomplex>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luacomplex>
- *The luagcd package*. Computation of gcd of integers inside L<sup>A</sup>T<sub>E</sub>X using Lua. 2023-01-01. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/luagcd>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luagcd>
- *The lualinalg package*. A linear algebra package for LuaLaTeX. 2023-08-23. Version 1.8. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/lualinalg>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/lualinalg>
- *The luamaths package*. Provide standard mathematical operations inside L<sup>A</sup>T<sub>E</sub>X documents using Lua. 2023-08-23. Version 1.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/luamaths>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luamaths>
- *The luamodulartables package*. Generate modular addition and multiplication tables. 2023-01-07. Version 1.0. LICENSE: lppl1.3c. This package is developed to generate modular addition and multiplication tables for positive integers. It provides an easy way to generate modular addition and modular multiplication tables for positive integers in L<sup>A</sup>T<sub>E</sub>X documents. The commands in the package have optional arguments for the formatting of tables. These commands can be used in an environment similar to a or environment. The commands can also be used with the package, which provides nice formatting of tables in L<sup>A</sup>T<sub>E</sub>X. It is written in Lua, and T<sub>E</sub>X file is to be compiled with LuaL<sup>A</sup>T<sub>E</sub>X engine.  
 URL: <https://ctan.org/pkg/luamodulartables>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luamodulartables>
- *The luanumint package*. Numerical integration using Lua inside L<sup>A</sup>T<sub>E</sub>X documents. 2023-07-29. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/luanumint>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luanumint>

- *The luaplot package. Plotting graphs using Lua.* 2023-07-20. Version 1.4. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/luaplot>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luaplot>
- *The luaset package. Set Operations inside L<sup>A</sup>T<sub>E</sub>X documents using Lua.* 2022-12-29. Version 1.0. LICENSE: lppl1.3c. The luaset package is developed to define finite sets and perform operations on them inside L<sup>A</sup>T<sub>E</sub>X documents. There is no particular environment in the package for performing set operations. The package commands can be used in any environment (including the mathematics environment). It is written in Lua, and the file is to be compiled with the LuaL<sup>A</sup>T<sub>E</sub>X engine. The time required for operations on sets is not an issue while compiling with the LuaL<sup>A</sup>T<sub>E</sub>X engine. There is no need to install Lua on the users system as T<sub>E</sub>X distributions (T<sub>E</sub>X Live or MikT<sub>E</sub>X) come bundled with LuaLaT<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/luaset>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luaset>
- Chetan Shirore and Ajit Kumar. *The luatruhtable package. Generate truth tables of boolean values in LuaLaTeX.* 2023-08-15. Version 1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/luatruhtable>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luatruhtable>
- Cheusov, Aleksey and Khaled Hosny. *The lua-alt-getopt package. Process application arguments the same way as getopt\_long.* 2020-09-17. Version 0.7.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/lua-alt-getopt>  
 MIRROR: <https://mirror.ctan.org/support/lualibs/lua-alt-getopt>
- Chiang, David. *The namedtensor package. Macros for named tensor notation.* 2022-12-21. Version 0.4. LICENSE: mit. This style file provides macros for named tensor notation. Please see the paper ” for background on this notation.  
 URL: <https://ctan.org/pkg/namedtensor>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/namedtensor>
- *The tikz-qtree package. Use existing qtree syntax for trees in TikZ.* 2018-01-06. Version 1.2. LICENSE: gpl. The package provides a macro for drawing trees with using the easy syntax of Alexis Dimitriadis’ . It improves on TikZ’s standard tree-drawing facility by laying out tree nodes without collisions; it improves on Qtree by adding lots of features from TikZ (for example, edge labels, arrows between nodes); and it improves on in being usable with pdfT<sub>E</sub>X and XeT<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/tikz-qtree>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-qtree>
- Chiang, David and Daniel Gildea. *The pst-qtree package. Simple syntax for trees.* 2018-09-15. LICENSE: gpl. The package provides a -like front end for .  
 URL: <https://ctan.org/pkg/pst-qtree>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-qtree>
- Chicoine, Martin. *The GraphConv package. Convert graph files to PStricks.* 2018-09-15. Version 1.01. LICENSE: nosource. is a very easy to use program to create simple graphs. GraphConv is a small Windows program to convert Graph files to code.  
 URL: <https://ctan.org/pkg/graphconv>  
 MIRROR: <https://mirror.ctan.org/support/graphconv>
- Chiesa, Flavio Casadei Della. *The l1 sistema PSfrag package. PSfrag documentation in Italian.* 2016-06-24. LICENSE: gpl. This is a translation of the documentation that comes with the documentation.  
 URL: <https://ctan.org/pkg/psfrag-italian>  
 MIRROR: <https://mirror.ctan.org/info/italian/psfrag>
- Chikrii, Kirill A. *The tex2word package. Convert T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X to MSWord.* 2017-04-18. Version 2.0. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/tex2word>
- *The word2tex package. Convert T<sub>E</sub>X/MSWord to L<sup>A</sup>T<sub>E</sub>X.* 2017-04-18. Version 4.0. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/word2tex>
- Cho, Jin-Hwan, Matthias Franz, Shunsaku Hirata, Mark A. Wicks, Khaled Hosny, Peter Breitenlohner, and The T<sub>E</sub>X Live Team. *The dvipdfmx package. An extended version of dvipdfm.* 2022-01-27. LICENSE: gpl  
 URL: <https://ctan.org/pkg/dvipdfmx>
- Cho, Jin-Hwan, Shunsaku Hirata, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The dvipdfmx-def package. Configuration file for dvipdfmx graphics.* 2022-09-23. Version 5.0m. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/dvipdfmx-def>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphics-def>

- Cho, Jin-Hwan, Khaled Hosny, and Hironobu Yamashita. *The DViasm package. A utility for editing DVI files*. 2023-08-23. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/dviasm>  
 MIRROR: <https://mirror.ctan.org/dviware/dviasm>
- Cho, In-Sung. *The istgame package. Draw Game Trees with TikZ*. 2022-03-23. Version 2.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/istgame>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/istgame>
- Cho, In-Sung. *The tzplot package. Plot graphs with TikZ abbreviations*. 2022-09-28. Version 2.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tzplot>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tzplot>
- Cholewo, Tomasz J. *The dvgtk package. Tektronix 401x DVI previewer*. 2016-06-24. Version 0.2. LICENSE: pd. A DVI file previewer for Tektronix 401x terminal emulators like Kermit, CONEX, or NCSA Telnet. The package is a development of Trevorrow (et al.)'s using the Kpathsea library.  
 URL: <https://ctan.org/pkg/dvgtk>  
 MIRROR: <https://mirror.ctan.org/dviware/dvgtk>
- Chopde, Avinash. *The itrans-processor package. Transliteration of Indian Languages*. 2017-04-18. Version 5.32. LICENSE: other-free  
 URL: <https://ctan.org/pkg/itrans-processor>  
 MIRROR: <https://mirror.ctan.org/language/indian/itrans>
- Christensen, Christian Holm. *The cdcover package. Typeset CD covers*. 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/cdcover>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cd-cover>
- *The pawpict package. Using graphics from PAW*. 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/pawpict>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pawpict>
  - *The thumb package. Thumb marks in documents*. 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/thumb>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thumb>
  - *The universa package. Herbert Bayer's 'universal' font*. 2019-08-29. Version 2.1. LICENSE: gpl. An implementation of the “universal” font by Herbert Bayer of the Bauhaus school. The Metafont sources of the fonts, and their L<sup>A</sup>T<sub>E</sub>X support, are all supplied in a L<sup>A</sup>T<sub>E</sub>X documented source () file.  
 URL: <https://ctan.org/pkg/universa>  
 MIRROR: <https://mirror.ctan.org/fonts/universa>
  - *The wargame package. A L<sup>A</sup>T<sub>E</sub>X package to prepare hex'n'counter wargames*. 2023-03-29. Version 0.5. LICENSE: cc-by-sa-4  
 URL: <https://ctan.org/pkg/wargame>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wargame>
- Christlieb, Norbert. *The qm package. Commands for bras and kets and the like*. 2016-06-24. Version 1.1. LICENSE: noinfo. The commands ( and , etc.) operate both in text and maths mode (the arguments are set as maths).  
 URL: <https://ctan.org/pkg/qm>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/qm.sty>
- Christoph. *The biblatex-jura2 package. Citation style for the German legal profession*. 2022-10-20. Version 0.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/biblatex-jura2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-jura2>
- Chupin, Maxime. *The bclogo package. Creating colourful boxes with logos*. 2018-09-15. Version 3.1. LICENSE: lppl1.3. The package facilitates the creation of colorful boxes with a title and logo. It may use either or as graphics engine.  
 URL: <https://ctan.org/pkg/bclogo>  
 MIRROR: <https://mirror.ctan.org/graphics/bclogo>
- *The beamerthemeAmurmaple package. A new modern beamer theme*. 2023-01-31. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/beamerthemeamurmaple>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamerthemeamurmaple>
  - *The huffman package. Drawing binary Huffman trees with MetaPost and METAObf*. 2023-05-13. Version 0.1. LICENSE: lppl1.3c. This MetaPost package allows to draw binary Huffman trees from two arrays : an array of strings, and an array of weights (numeric). It is based on the package which provides many tools for building trees in general.  
 URL: <https://ctan.org/pkg/huffman>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/huffman>

- *The luamesh package. Computes and draws 2D Delaunay triangulation.* 2022-07-11. Version 0.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/luamesh>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luamesh>
- *The matapli package. Class for the french journal “MATAPLI”.* 2022-03-11. Version 1.2.0. LICENSE: lppl1.3c. This is a class for the french journal “MATAPLI” of the (SMAI).  
 URL: <https://ctan.org/pkg/matapli>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/matapli>
- Chupin, Maxime. *The MPchess package. Drawing chess boards and positions with MetaPost.* 2023-07-22. Version 0.7. LICENSE: lppl1.3c,gpl2+  
 URL: <https://ctan.org/pkg/mpchess>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/mpchess>
- *The wordcloud package. Drawing wordclouds with MetaPost and Lua.* 2023-08-20. Version 0.1. LICENSE: lppl1.3c,fdl. This MetaPost and Lua<sup>L</sup>A<sup>T</sup>E<sup>X</sup> package allows drawing wordclouds from a list of words and weights. The algorithm is implemented with MetaPost whereas Lua is used to parse L<sup>A</sup>T<sub>E</sub>X commands, to build the list of words and weights from a text file and to generate MetaPost code interpreted by .  
 URL: <https://ctan.org/pkg/wordcloud>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/wordcloud>
- Churchley, Ross. *The beamercolorthemeowl package. A flexible beamer color theme to maximize visibility.* 2017-04-18. Version 0.1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/beamercolorthemeowl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamercolorthemeowl>
- Ciura, Marcin. *The havannah package. Diagrams of board positions in the games of Havannah and Hex.* 2016-06-24. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/havannah>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/havannah>
- Clark, Adrian. *The dates209 package. Flexible date macros.* 2016-06-24. Version 1.00-1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/dates209>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/dates.sty>
- *The ukdate package. Typeset date in a UK-ish form.* 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ukdate>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/ukdate.sty>
- Clark, Adrian and Donald E. Knuth. *The halftone package. Knuth’s halftone font and its uses.* 2021-08-26. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/halftone>  
 MIRROR: <https://mirror.ctan.org/fonts/halftone>
- Clark, James. *The AFMtoPL (Clark) package. Convert AFM files to PLs for use with dvitops.* 2016-06-24. LICENSE: noinfo. A converter that does not (as a modern application would) provide for use of virtual fonts. The conversion is tailored to work with the author’s .  
 URL: <https://ctan.org/pkg/afmtoPL-clark>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/afmtoPL/clark>
- *The dvitops package. A DVI driver for PostScript output.* 2016-06-24. Version 1.2. LICENSE: noinfo. This driver, though good in its day, was never updated to use virtual fonts, and has therefore lost out to in terms of market share.  
 URL: <https://ctan.org/pkg/dvitops>  
 MIRROR: <https://mirror.ctan.org/dviware/dvitops>
- Clark, Malcolm. *The TeXline package. A T<sub>E</sub>X-based magazine.* 2016-06-24. LICENSE: digest  
 URL: <https://ctan.org/pkg/TeXline>  
 MIRROR: <https://mirror.ctan.org/info/digests/TeXline>
- Clarkson, Michael E. and Richard M. Stallman. *The latexinfo package. Texinfo for L<sup>A</sup>T<sub>E</sub>X 2.09.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/latexinfo>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/latexinfo>
- Clasen, Kai Norman. *The beamertheme-pure-minimalistic package. A minimalistic presentation theme for L<sup>A</sup>T<sub>E</sub>X Beamer.* 2020-11-14. Version 2.0.0. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/beamertheme-pure-minimalistic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-pure-minimalistic>
- Clasen, Matthias. *The tex-extensions package. Proposals for extensions to T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/tex-extensions>  
 MIRROR: <https://mirror.ctan.org/systems/tex-extensions/Clasen>

- Clausen, Jörn. *The europs package*. Access to Adobe's Euro currency symbol fonts. 2018-06-03. Version 1.2. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/europs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/europs>
- Clawson, James. *The biblatex-mla package*. MLA style files for BibLaTeX. 2022-02-22. Version 2.1a. LICENSE: lpl1.3. The package provides support for citations in the format specified by the MLA handbook.  
 URL: <https://ctan.org/pkg/biblatex-mla>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-mla>
- Clemente, Miguel R. *The dimnum package*. Commands for dimensionless numbers. 2021-04-08. Version 1.0.1. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/dimnum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dimnum>
- *The dynbrackets package*. Commands to simplify the syntax of dynamic math brackets. 2021-04-08. Version 1.0.0. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/dynbrackets>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dynbrackets>
- Clifton, Andrew. *The accessibility package*. Create tagged and structured PDF files. 2021-03-04. Version 2.0.3. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/accessibility>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/accessibility>
- Coates, Tony. *The funnelweb package*. A flexible, language-independent web system. 2019-11-17. LICENSE: lpl  
 URL: <https://ctan.org/pkg/funnelweb>  
 MIRROR: <https://mirror.ctan.org/web/funnelAC>
- Cochran, Steven Douglas. *The captcont package*. Retain float number across several floats. 2016-06-24. Version 2.0. LICENSE: lpl  
 URL: <https://ctan.org/pkg/captcont>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/captcont>
- *The subfigure package*. Deprecated: Figures divided into subfigures. 2016-06-24. Version 2.1.5. LICENSE: lpl  
 URL: <https://ctan.org/pkg/subfigure>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/subfigure>
- *The techreport package*. Generate Technical Reports using USC thesis style. 2016-06-24. Version 1.7. LICENSE: noinfo. The package acts as a style option for the , allowing the user to typeset technical reports.  
 URL: <https://ctan.org/pkg/techreport>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/techreport.sty>
- *The uscthis package*. USC thesis style for L<sup>A</sup>T<sub>E</sub>X 2.09. 2016-06-24. Version 2.3. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/uscthis>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/uscthis.sty>
- Cochran, Steven Douglas, Vafa Khalighi, and bidi-tex GitHub Organisation. *The subfig package*. Figures broken into subfigures. 2019-09-08. Version 1.3. LICENSE: lpl  
 URL: <https://ctan.org/pkg/subfig>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/subfig>
- Cochran, Steven Douglas and Peter A. Rochford. *The sf298 package*. Standard form 298. 2018-01-06. Version 1.3. LICENSE: lpl1.2  
 URL: <https://ctan.org/pkg/sf298>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sf298>
- Codet, Yves. *The grchyp package*. Hyphenation for classical Greek, under XeTeX. 2016-06-24. Version 0.1. LICENSE: lpl. These patterns are written “in Unicode” to work with ; they will not work with a standard T<sub>E</sub>X installation.  
 URL: <https://ctan.org/pkg/grchyp>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/hyphenation/grchyp>
- *The sanhyph package*. Sanskrit hyphenation patterns. 2020-06-07. Version 0.1. LICENSE: lpl  
 URL: <https://ctan.org/pkg/sanhyph>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/hyphenation/sanhyph>
- Cohen, Ben. *The cuisine package*. Typeset recipes. 2016-06-24. Version 0.7. LICENSE: lpl. Typeset recipes with the ingredients lined up with their method step (somewhat similarly to the layout used in ).  
 URL: <https://ctan.org/pkg/cuisine>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cuisine>
- Cohen, Michael, Yannis Haralambous, and Boris Veytsman. *The multibibliography package*. Multiple versions of a bibliography, with different sort orders. 2019-03-02. Version 1.03. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/multibibliography>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multibibliography>
- Colburn, Jerome. *The snote package*. Shaped notes for MusicTeX. 2016-06-24. Version 1.01. LICENSE: noinfo. Shaped note schemes have different-shaped note-heads for different position on the scale, or for a selection of positions. Snote implements two such



- schemes: a four-note scheme () and the Funk seven-note system ().
- URL: <https://ctan.org/pkg/snote>
- MIRROR: <https://mirror.ctan.org/support/snote>
- Colcombet, Thomas. *The knowledge package. Displaying, hyperlinking, and indexing notions in a document.* 2022-02-12. Version 1.28. LICENSE: lppl1.2
- URL: <https://ctan.org/pkg/knowledge>
- MIRROR: <https://mirror.ctan.org/macros/latex/contrib/knowledge>
- Colcombet, Thomas. *The mathcommand package. \newcommand-like commands for defining math macros.* 2021-06-07. Version 1.04. LICENSE: lppl1.3
- URL: <https://ctan.org/pkg/mathcommand>
- MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathcommand>
- Coleman, Jack. *The antanilipsum package. Generate sentences in the style of “Amici miei”.* 2020-05-23. Version 0.8.1. LICENSE: lppl1.3c. This package is an italian blind text generator that outputs , mocking nonsense phrases from the movie series Amici Miei (“My friends”), directed by Mario Monicelli.
- URL: <https://ctan.org/pkg/antanilipsum>
- MIRROR: <https://mirror.ctan.org/macros/latex/contrib/antanilipsum>
- *The econlipsum package. Generate sentences from economic articles.* 2021-03-18. Version 0.8.2. LICENSE: lppl1.3c
- URL: <https://ctan.org/pkg/econlipsum>
- MIRROR: <https://mirror.ctan.org/macros/latex/contrib/econlipsum>
- Coles, Arlie. *The bilingualpages package. Typeset two columns in parallel.* 2021-06-21. Version 1.0.0. LICENSE: lppl1.3c. This is a simple wrapper for the package for setting two-column parallel text.
- URL: <https://ctan.org/pkg/bilingualpages>
- MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bilingualpages>
- *The book-of-common-prayer package. Typeset in the style of “Book of Common Prayer”.* 2022-02-27. Version 1.1.0. LICENSE: lppl1.3c
- URL: <https://ctan.org/pkg/book-of-common-prayer>
- MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/book-of-common-prayer>
- Colin, Samuel, Manuel Pégourié-Gonnard, and Tobias Oetiker. *The lshort-french package. Short introduction to L<sup>A</sup>T<sub>E</sub>X, French translation.* 2016-06-24. Version 5.01fr-0. LICENSE: gpl. French version of .
- URL: <https://ctan.org/pkg/lshort-french>
- MIRROR: <https://mirror.ctan.org/info/lshort/french>
- Colisson, Léo. *The proof-at-the-end package. A package to move proofs to appendix.* 2022-08-24. LICENSE: lppl1.3
- URL: <https://ctan.org/pkg/proof-at-the-end>
- MIRROR: <https://mirror.ctan.org/macros/latex/contrib/proof-at-the-end>
- *The zx-calculus package. A library to typeset ZX Calculus diagrams.* 2021-10-22. LICENSE: mit. This library (based on the great and packages) allows you to typeset ZX-calculus directly in L<sup>A</sup>T<sub>E</sub>X. It comes with many pre-built wire shapes, a highly customizable node style (with multiple flavours for putting labels inside or outside nodes), and a “debugging” mode to avoid getting lost in big diagrams.
- URL: <https://ctan.org/pkg/zx-calculus>
- MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/zx-calculus>
- Collins, John. *The et package. TeX-compatible editor.* 2016-06-24. LICENSE: other-nonfree
- URL: <https://ctan.org/pkg/et>
- MIRROR: <https://mirror.ctan.org/support/et>
- *The latexn package. Run L<sup>A</sup>T<sub>E</sub>X as many times as needed.* 2016-06-24. LICENSE: noinfo
- URL: <https://ctan.org/pkg/latexn>
- MIRROR: <https://mirror.ctan.org/support/latexn>
- *The orderrefs package. Sort bibliography in L<sup>A</sup>T<sub>E</sub>X document by order of citation.* 2016-06-24. LICENSE: gpl
- URL: <https://ctan.org/pkg/orderrefs>
- MIRROR: <https://mirror.ctan.org/support/orderrefs>
- Collins, John, Evan McLean, and David J. Musliner. *The latexmk package. Fully automated L<sup>A</sup>T<sub>E</sub>X document generation.* 2023-04-04. Version 4.80. LICENSE: gpl2
- URL: <https://ctan.org/pkg/latexmk>
- MIRROR: <https://mirror.ctan.org/support/latexmk>
- Collins, John and Jos Vermaseren. *The axodraw2 package. Feynman diagrams in a L<sup>A</sup>T<sub>E</sub>X document.* 2021-03-05. Version 2.1.1c. LICENSE: gpl3+
- URL: <https://ctan.org/pkg/axodraw2>
- MIRROR: <https://mirror.ctan.org/graphics/axodraw2>

- Collins, Skip. *The ai font package. Remap Computer Modern fonts*. 2016-06-24. LICENSE: lpppl  
 URL: <https://ctan.org/pkg/ai font>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/cm/ai>
- Columbus, Tobias. *The semproc package. Seminar proceedings*. 2017-11-12. Version 0.1. LICENSE: lpppl1.3  
 URL: <https://ctan.org/pkg/semproc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/semproc>
- Comte, Michiel le. *The othello package. Modification of a Go package to create othello boards*. 2016-06-24. LICENSE: gpl. A package (based on Kolodziejska's ), and fonts (as Metafont source) are provided.  
 URL: <https://ctan.org/pkg/othello>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/othello>
- Connan, Guillaume. *The tablor package. Create tables of signs and of variations*. 2016-06-24. Version 4.07-g. LICENSE: lpppl  
 URL: <https://ctan.org/pkg/tabor>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabor>
- Conrad, Theresia, Patrik Faßbender, and Christine Römer. *The csquotes-de package. German translation of csquotes documentation*. 2016-06-24. Version 1.01. LICENSE: lpppl. This is a translation of the documentation of version 5.1.  
 URL: <https://ctan.org/pkg/csquotes-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/csquotes/de>
- Coretta, Stefano. *The phonrule package. Typeset linear phonological rules*. 2017-04-21. Version 1.3.2. LICENSE: lpppl1  
 URL: <https://ctan.org/pkg/phonrule>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phonrule>
- Corff, Oliver. *The clock package. Graphical and textual clocks for T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/clock>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/clock>
- *The ctib4tex package. Tibetan for T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X2e*. 2016-06-24. LICENSE: gpl. A package using a modified version of . An advantage of this Tibetan implementation is that all consonant clusters are formed by T<sub>E</sub>X and Metafont. No external preprocessor is needed.  
 URL: <https://ctan.org/pkg/ctib4tex>  
 MIRROR: <https://mirror.ctan.org/language/tibetan/ctib>
- *The diagnose package. A diagnostic tool for a T<sub>E</sub>X installation*. 2016-06-24. Version 0.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/diagnose>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/diagnose>
- *The invoice package. Generate invoices*. 2018-08-07. LICENSE: lpppl1.3c  
 URL: <https://ctan.org/pkg/invoice>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/invoice>
- *The manjutex package. Manju language support*. 2019-06-21. LICENSE: gpl  
 URL: <https://ctan.org/pkg/manjutex>  
 MIRROR: <https://mirror.ctan.org/obsolete/language/manju/manjutex>
- *The mnttex package. Tools for the "The Secret History of the Mongols"*. 2016-06-24. Version 0.3. LICENSE: lpppl  
 URL: <https://ctan.org/pkg/mnttex>  
 MIRROR: <https://mirror.ctan.org/language/mongolian/MNT>
- *The montex package. Mongolian L<sup>A</sup>T<sub>E</sub>X*. 2017-10-29. Version IVu.04.092. LICENSE: gpl  
 URL: <https://ctan.org/pkg/montex>  
 MIRROR: <https://mirror.ctan.org/language/mongolian/montex>
- *The mxd package. Support for Mongolian "horizontal" (Xewtee Dorwoljin) script*. 2020-06-07. Version 0.4 alpha. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mxd>  
 MIRROR: <https://mirror.ctan.org/language/mongolian/mxd>
- *The pigpen package. A font for the pigpen (or masonic) cipher*. 2016-06-24. Version 0.2. LICENSE: lpppl  
 URL: <https://ctan.org/pkg/pigpen>  
 MIRROR: <https://mirror.ctan.org/fonts/pigpen>
- *The soyombo package. Fonts and a macro for Soyombo under L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 0.9. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/soyombo>  
 MIRROR: <https://mirror.ctan.org/language/mongolian/soyombo>
- *The yi4latex package. Yi (Southern Chinese) support*. 2019-06-21. Version 0.1. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/yi4latex>  
 MIRROR: <https://mirror.ctan.org/language/yi4latex>
- Coriasco, Sandro and Nadir Murru. *The axessibility package. Access to formulas in PDF files by assistive technologies*. 2020-05-10. Version 3.0. LICENSE: lpppl1.3

- URL: <https://ctan.org/pkg/axessibility>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/axessibility>
- Corke, Peter. *The pybib package. Command line utilities to check, sort, merge BibTeX files.* 2020-04-05. LICENSE: nosell  
 URL: <https://ctan.org/pkg/pybib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/pybib>
- *The tkbibtex package. A portable editor and browser for BibTeX files.* 2020-04-05. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tkbibtex>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/tkbibtex>
- Cormen, Thomas H. *The clrscode package. Typesets pseudocode as in Introduction to Algorithms.* 2019-05-15. Version 1.7. LICENSE: lppl  
 URL: <https://ctan.org/pkg/clrscode>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/clrscode>
- *The clrscode3e package. Typesets pseudocode as in Introduction to Algorithms.* 2019-05-15. LICENSE: lppl  
 URL: <https://ctan.org/pkg/clrscode3e>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/clrscode3e>
- Cornaros, Charalampos. *The byzantinemusic package. Facilitates writing byzantinemusic.* 2016-06-24. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/byzantinemusic>  
 MIRROR: <https://mirror.ctan.org/support/byzantinemusic>
- *The greektonoi package. Facilitates writing/editing of multiaccented greek.* 2017-04-18. LICENSE: lgpl3. The greektonoi mapping extends the package or the polutonikogreek option to provide a simple way to insert ancient Greek texts with diacritical characters into your document using a similar method to the commonly used Beta Code transliteration, but with much more freedom. It is designed especially for the XeTeX engine and it could also be used for fast and easy modification of monotonic greek texts to polytonic. The output text is natively encoded in Unicode, so it can be reused in any possible way. The package provides, in addition to inserting greek accents and breathings, many other symbols used in greek numbers and arithmetic or in the greek archaic period. It could be used with greektonoi mapping or independently.  
 URL: <https://ctan.org/pkg/greektonoi>  
 MIRROR: <https://mirror.ctan.org/language/greek/greektonoi>
- Cornelssen, Christian. *The moresize package. Allows font sizes up to 35.83pt.* 2016-06-24. Version 1.9. LICENSE: lppl. A package for using font sizes up to 35.88pt, for example with the EC fonts. New commands and for selecting font sizes are provided together with some options working around current L<sup>A</sup>T<sub>E</sub>X<sub>2</sub>ε shortcomings in using big font sizes. The package also provides options for improving the typesetting of paragraphs (or headlines) with embedded math expressions at font sizes above 17.28pt.  
 URL: <https://ctan.org/pkg/moresize>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/moresize>
- Corsair, Chris. *The context-top-ten package. The "top ten" ConTeXt commands.* 2016-06-24. Version 32. LICENSE: fdl. This is an introductory document on ConTeXt. In the beginning of the , Hans Hagen lists the ten most frequently used groups of commands. This short document explains these commands in some detail; it is structured as a presentation.  
 URL: <https://ctan.org/pkg/context-top-ten>  
 MIRROR: <https://mirror.ctan.org/info/context-top-ten>
- Cosell, Bernie and Don Hosek. *The smaller package. Choose an "adjacent" size in L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/smaller>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/smaller.sty>
- Cosmo, Roberto Di. *The biblatex-software package. BibL<sup>A</sup>T<sub>E</sub>X stylefiles for software products.* 2022-08-02. Version 1.2-5. LICENSE: lppl1.3. This package implements software entry types for BibLaTeX in the form of a bibliography style extension. It requires the backend.  
 URL: <https://ctan.org/pkg/biblatex-software>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-software>
- Costabel, Martin. *The sprite package. Macros to typeset simple bitmaps with L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/sprite>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sprite>
- Cottrell, Allin. *The emtexgi package. A MS-Windows shell for emTeX.* 2017-04-18. Version 2.01 beta. LICENSE: other-free  
 URL: <https://ctan.org/pkg/emtexgi>  
 MIRROR: <https://mirror.ctan.org/systems/msdos/emtex-contrib/emtexgi>
- Cousot, Patrick. *The galois package. Typeset Galois connections.* 2016-06-24. Version 1.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/galois>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/galois>
- Covington, Michael, Frank Mittelbach, and Markus Kuhn. *The upquote package. Show "realistic" quotes in verbatim.* 2016-06-24. Version 1.3. LICENSE: lppl1.2

- URL: <https://ctan.org/pkg/upquote>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/upquote>
- Cowan, Mark K. *The neuralnetwork package. Graph-drawing for neural networks*. 2017-04-18. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/neuralnetwork>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/neuralnetwork>
- Cowan, Ray F. and Bob Taylor. *The tables package. Tables without the need for a preamble*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/tables>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/tables>
- Cozens, Simon. *The texdeps package. Find the dependencies of a (La)TeX file*. 2020-05-05. LICENSE: lpl  
 URL: <https://ctan.org/pkg/texdeps>  
 MIRROR: <https://mirror.ctan.org/support/texdeps>
- Cremer, Fritz. *The texbuch package. "The little T<sub>E</sub>XBook"*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/texbuch>  
 MIRROR: <https://mirror.ctan.org/info/german/texbuch>
- Cretel, Julien. *The matlab-prettyfier package. Pretty-print Matlab source code*. 2016-06-24. Version 0.3. LICENSE: lpl1.3. The package extends the facilities of the package, to pretty-print Matlab and Octave source code. (Note that support of Octave syntax is not complete.)  
 URL: <https://ctan.org/pkg/matlab-prettyfier>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/matlab-prettyfier>
- *The slang-prettyfier package. Prettyprinting SuperCollider source code*. 2016-06-24. Version 0.1. LICENSE: lpl1.3. Built on top of the package, the package allows effortless prettyprinting of SuperCollider source code in documents typeset with L<sup>A</sup>T<sub>E</sub>X & friends.  
 URL: <https://ctan.org/pkg/slang-prettyfier>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/slang-prettyfier>
- *The xcolor-solarized package. Defines the 16 colors from Ethan Schoonover's Solarized palette*. 2021-11-13. Version 0.4. LICENSE: lpl1.3. Built on top of the package, this package defines the sixteen colors of Ethan Schoonover's popular color palette, Solarized, for use in documents typeset with L<sup>A</sup>T<sub>E</sub>X and Friends.  
 URL: <https://ctan.org/pkg/xcolor-solarized>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xcolor-solarized>
- Creutzig, Christopher. *The context-lilypond package. Lilypond code in ConT<sub>E</sub>Xt*. 2016-10-22. LICENSE: gpl  
 URL: <https://ctan.org/pkg/context-lilypond>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/context/contrib/context-lilypond>
- *The mwrite package. Write information to files*. 2016-06-24. Version 2.2. LICENSE: other-free. The package enables a job to write information to arbitrarily many files with names . The package itself writes to a file ; the user should not ask for output to that, or to any of the other standard L<sup>A</sup>T<sub>E</sub>X extensions.  
 URL: <https://ctan.org/pkg/mwrite>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mwrite>
- Crosby, Damian. *The milSymb package. L<sup>A</sup>T<sub>E</sub>X package for TikZ based drawing of military symbols as per NATO APP-6(C)*. 2023-03-27. Version 1.03. LICENSE: cc-by-sa-4. The package offers commands to draw military symbols as per . It has a set of commands for drawing all symbols found in the document up to the control measures, as well as support for custom non-standard symbols. Control measures are planned to be included in a future release.  
 URL: <https://ctan.org/pkg/milsymb>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/milsymb>
- Cserép, Máté. *The elteiktdk package. TDK-thesis template for Hungarian TDK conferences, Section of Computer Science*. 2023-04-16. Version 2.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/elteiktdk>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/elteiktdk>
- *The elteikthesis package. Thesis template for Eötvös Loránd University (Informatics)*. 2023-04-10. Version 2.3.1. LICENSE: mit  
 URL: <https://ctan.org/pkg/elteikthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/elteikthesis>
- Cubitt, Toby. *The cleveref package. Intelligent cross-referencing*. 2021-11-05. Version 0.21.4. LICENSE: lpl1.2  
 URL: <https://ctan.org/pkg/cleveref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cleveref>
- Cugley, Damian. *The ebnf package. Simple package for EBNF productions*. 2016-06-24. LICENSE: noinfo. The package defines a list environment, in which produces output ; macros are also provided for the right-hand side of productions.

- URL: <https://ctan.org/pkg/ebnf>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/ebnf.sty>
- *The malvern package. A sans-serif font family.* 2016-06-24. Version 1.2. LICENSE: other-free  
URL: <https://ctan.org/pkg/malvern>  
MIRROR: <https://mirror.ctan.org/fonts/malvern>
  - *The mff-util package. Metafont management.* 2018-01-06. Version 2.9.0. LICENSE: other-free  
URL: <https://ctan.org/pkg/mff-util>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/mff-29>
- Cugley, Damian. *The pdcmac package. Damian Cugley's document tools.* 2017-05-30. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/pdcmac>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/pdcmac>
- Czoschke, Peter. *The nature package. Prepare papers for the journal Nature.* 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/nature>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nature>
- Czoschke, Peter and David Hull. *The uiuthesis package. UIUC thesis class.* 2016-06-24. Version 2.25. LICENSE: lppl. The class produces a document that conforms to the format described in the University's .  
URL: <https://ctan.org/pkg/uiuthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uiuthesis>
- Dabelow, Jonas L. *The sr-vorl package. Class for Springer books.* 2021-05-24. Version 1.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/sr-vorl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/springer/sr-vorl>
- Dachian, Serguei, Arnak Dalalyan, and Vardan Akopian. *The armtex package. A system for writing in Armenian with T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X.* 2022-08-15. Version 3.0-beta4. LICENSE: lppl  
URL: <https://ctan.org/pkg/armtex>  
MIRROR: <https://mirror.ctan.org/language/armenian/armtex>
- Daems, Walter. *The exsol package. Exercises and solutions from the same source, into a book.* 2018-10-23. Version 1.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/exsol>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exsol>
- *The uantwerpendocs package. Course texts, master theses, and exams in University of Antwerp style.* 2023-04-09. Version 4.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/uantwerpendocs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uantwerpendocs>
  - *The verdana package. Macros and metrics for using Verdana with L<sup>A</sup>T<sub>E</sub>X.* 2021-09-11. Version 1.2b. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/verdana>  
MIRROR: <https://mirror.ctan.org/fonts/verdana>
- Dafferner, Andreas. *The levy-latex package. Macros for using Silvio Levy's Greek fonts.* 2016-06-18. Version 1.0a. LICENSE: nosell  
URL: <https://ctan.org/pkg/levy-latex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/levy>
- Dahlgren, Mats. *The chemsym package. Macros for typing chemical symbols.* 2021-09-11. LICENSE: nosell  
URL: <https://ctan.org/pkg/chemsym>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemsym>
- *The deleq package. Flexible numbering of equations.* 2016-06-24. LICENSE: nosell  
URL: <https://ctan.org/pkg/deleq>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/deleq>
  - *The dropping package. Drop first letter of paragraphs.* 2016-06-24. Version 0.12a. LICENSE: nosell. The package provides A L<sup>A</sup>T<sub>E</sub>X2e macro for dropping the first character(s) (or word(s)) of a paragraph, extending the L<sup>A</sup>T<sub>E</sub>X 2.09 package and automatically taking care of finding the font name. Now largely superseded by .  
URL: <https://ctan.org/pkg/dropping>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dropping>
  - *The floatflt package. Wrap text around floats.* 2016-06-24. Version 1.31. LICENSE: lppl1.3. The package can float text around figures and tables which do not span the full width of a page; it improves upon , and allows tables/figures to be set left/right or alternating on even/odd pages.  
URL: <https://ctan.org/pkg/floatflt>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/floatflt>



- *The vrsion package. Add version number to a DVI file.* 2019-06-21. Version 1.5.a. LICENSE: nosell  
 URL: <https://ctan.org/pkg/vrsion>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vrsion>
- Dahlmann, Carsten Ace. *The uni-wtal-ger package. Citation style for literary studies at the University of Wuppertal.* 2016-06-24. Version 0.2. LICENSE: lppl1.3. The package defines a citation style based on the author-title style of . The citations are optimised for literary studies in faculty of humanities at the Bergische Universität Wuppertal.  
 URL: <https://ctan.org/pkg/uni-wtal-ger>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/uni-wtal-ger>
- *The uni-wtal-lin package. Citation style for linguistic studies at the University of Wuppertal.* 2016-06-24. Version 0.2. LICENSE: lppl1.3. The package defines a citation style based on the standard author-year style. The citations are optimised for linguistic studies at the Institute of Linguistics at the Bergische Universität Wuppertal.  
 URL: <https://ctan.org/pkg/uni-wtal-lin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/uni-wtal-lin>
- Dales, Simon. *The lua2dox package. Auto-documentation of lua code.* 2020-04-11. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/lua2dox>  
 MIRROR: <https://mirror.ctan.org/web/lua2dox>
- Daly, Patrick W. *The aguplus package. Styles for American Geophysical Union.* 2016-06-24. Version 1.6b. LICENSE: lppl. This bundle started as an extension to the AGU’s own published styles, providing extra facilities and improved usability. The AGU now publishes satisfactory L<sup>A</sup>T<sub>E</sub>X materials of its own; the author of aguplus recommends that users switch to using the .  
 URL: <https://ctan.org/pkg/aguplus>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/aguplus>
- *The authblk package. Support for footnote style author/affiliation.* 2017-09-02. Version 1.3. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/authblk>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/preprint>
- *The balance package. Balanced two-column mode.* 2016-06-24. Version 4.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/balance>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/preprint>
- *The bibentry package. Full bibliography entries in the main text of a document.* 2016-06-24. Version 1.5. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/bibentry>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/natbib>
- *The custom-bib package. Customised BibTeX styles.* 2016-06-24. Version 4.33. LICENSE: lppl  
 URL: <https://ctan.org/pkg/custom-bib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/custom-bib>
- *The figcaps package. Collect figure captions for later printing.* 2016-06-24. Version 4.7. LICENSE: lppl  
 URL: <https://ctan.org/pkg/figcaps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/preprint>
- *The fullpage package. Set all page margins to 1.5cm.* 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fullpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/preprint>
- *The preprint package. A bundle of packages provided “as is”.* 2016-06-24. Version 2011. LICENSE: collection  
 URL: <https://ctan.org/pkg/preprint>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/preprint>
- *The sublabel package. Sub-number counters.* 2016-06-24. Version 4.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sublabel>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/preprint>
- Daly, Patrick W. and Arthur Ogawa. *The natbib package. Flexible bibliography support.* 2016-06-24. Version 8.31b. LICENSE: lppl. The bundle provides a package that implements both author-year and numbered references, as well as much detailed of support for other bibliography use. Also Provided are versions of the standard BibTeX styles that are compatible with –, , . The bibliography styles produced by are designed from the start to be compatible with .  
 URL: <https://ctan.org/pkg/natbib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/natbib>
- Dam, Nico. *The dichoke package. Construct dichotomous identification keys.* 2020-07-11. LICENSE: pd  
 URL: <https://ctan.org/pkg/dichoke>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dichoke>

- Damanafshan, Vahid. *The ptext package. A ‘lipsum’ for Persian*. 2016-06-24. Version 1.1. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/ptext>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/ptext>
- *The tabriz-thesis package. A template for the University of Tabriz*. 2019-07-25. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tabriz-thesis>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/tabriz-thesis>
  - *The yazd-thesis package. A template for the Yazd University*. 2021-09-15. Version 0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/yazd-thesis>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/yazd-thesis>
- Dambra, Ruggero. *The WordML2LaTeX package. XSLT to transform a WordML file to a L<sup>A</sup>T<sub>E</sub>X2e source*. 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/wordml2latex>  
 MIRROR: <https://mirror.ctan.org/support/WordML2LaTeX>
- Damerell, R M. *The crudetype package. Line printer output from DVI files*. 2016-06-24. Version 3. LICENSE: nosell  
 URL: <https://ctan.org/pkg/crudetype>  
 MIRROR: <https://mirror.ctan.org/dviware/crudetype>
- Danaux, Xavier and Dave Gandy. *The fontawesome package. Font containing web-related icons*. 2023-06-29. Version 4.6.3.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fontawesome>  
 MIRROR: <https://mirror.ctan.org/fonts/fontawesome>
- Danaux, Xavier and Stephan Lachnit. *The moderncv package. A modern curriculum vitae class*. 2022-02-21. Version 2.3.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/moderncv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/moderncv>
- Daneault, Émile. *The piano package. Typeset a basic 2-octave piano diagram*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/piano>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/piano>
- Daniel, Marco. *The fullwidth package. Adjust margins of text block*. 2016-06-24. Version 0.1. LICENSE: lppl. The package provides the environment , which sets the left and right margins in a simple way. There is no constraint about page breaks; if you are using the twoside mode, you can set the inner and outer margins to avoid the effects of the different margins.  
 URL: <https://ctan.org/pkg/fullwidth>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fullwidth>
- *The lengthconvert package. Express lengths in arbitrary units*. 2020-05-07. Version 1.0a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/lengthconvert>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lengthconvert>
- Daniel, Marco and Elke Schubert. *The mdframed package. Framed environments that can split at page boundaries*. 2018-09-15. Version 1.9b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mdframed>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdframed>
- Danilet, Maryline Vignal. *The RoueQuestions package. Draw a “question wheel” (roue de questions)*. 2023-07-19. Version 0.0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/roueququestions>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/roueququestions>
- Danjean, Vincent. *The latex-make package. Easy compiling of complex (and simple) L<sup>A</sup>T<sub>E</sub>X documents*. 2021-10-26. Version 2.4.3. LICENSE: gpl  
 URL: <https://ctan.org/pkg/latex-make>  
 MIRROR: <https://mirror.ctan.org/support/latex-make>
- Darley, Vince. *The macbibtex package. BibT<sub>E</sub>X for the Macintosh*. 2016-06-24. Version 1.1.7. LICENSE: lppl. A port of which is distributed with for the Macintosh OS.  
 URL: <https://ctan.org/pkg/macbibtex>
- Darrell, Trevor. *The psfig package. A graphics inclusion package*. 2016-06-24. Version 1.10. LICENSE: nosell  
 URL: <https://ctan.org/pkg/psfig>  
 MIRROR: <https://mirror.ctan.org/graphics/psfig>

- Das, Dinesh. *The utthesis package. Thesis package for the University of Texas at Austin*. 2016-06-24. Version 2.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/utthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/utthesis>
- DasSarma, Lin. *The umbclegislation package. A L<sup>A</sup>T<sub>E</sub>X class for building legislation files for UMBC Student Government Association Bills*. 2018-01-07. Version 2016-6-8. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/umbclegislation>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/umbclegislation>
- Davidson, Alan. *The logicproof package. Box proofs for propositional and predicate logic*. 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/logicproof>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/logicproof>
- Davies, Jim and Mike Spivey. *The zed-csp package. Typesetting Z and CSP format specifications*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/zed-csp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zed-csp>
- Davis, Michael C. *The rpg-module package. Typesetting old-school Dungeons and Dragons modules*. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/rpg-module>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rpg-module>
- Davis, Neal. *The nuc package. Notation for nuclear isotopes*. 2016-06-24. Version 0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/nuc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nuc>
- Davó, David. *The fistrum package. Access to 150 paragraphs of Lorem Fistrum very dummy text*. 2023-03-18. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fistrum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fistrum>
- Debets, Renate. *The etsvthor package. Some useful abbreviations for members of e.t.s.v. Thor*. 2018-07-13. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/etsvthor>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/etsvthor>
- Deisenroth, Ruben. *The darkmode package. General Dark Mode Support for L<sup>A</sup>T<sub>E</sub>X-Documents*. 2022-09-08. Version 1.0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/darkmode>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/darkmode>
- Dekker, Wybo H. *The ctable package. Flexible typesetting of table and figure floats using key/value directives*. 2016-06-24. Version 1.31. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ctable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ctable>
- *The dtxgen package. Creates a template for a self-extracting .dtx file*. 2019-07-21. Version 1.08. LICENSE: gpl. The script creates a template for a self-extracting file. It is useful for those who plan to create a new Documented L<sup>A</sup>T<sub>E</sub>X Source () file.  
 URL: <https://ctan.org/pkg/dtxgen>  
 MIRROR: <https://mirror.ctan.org/support/dtxgen>
  - *The isodoc package. A L<sup>A</sup>T<sub>E</sub>X class for typesetting letters and invoices*. 2021-06-25. Version 1.14. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/isodoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/isodoc>
  - *The ltxfileinfo package. Print version information for a L<sup>A</sup>T<sub>E</sub>X file*. 2016-06-24. Version 2.04. LICENSE: gpl. displays version information for L<sup>A</sup>T<sub>E</sub>X files. If no path information is given, the file is searched using . As an extra, for developers, the script will (use the or options) check the validity of the statements in the files. The script uses code from Uwe Lück's .  
 URL: <https://ctan.org/pkg/ltxfileinfo>  
 MIRROR: <https://mirror.ctan.org/support/ltxfileinfo>
  - *The lug package. Create and edit T<sub>E</sub>X Local User Group web pages*. 2022-03-28. Version 3.00. LICENSE: gpl  
 URL: <https://ctan.org/pkg/lug>  
 MIRROR: <https://mirror.ctan.org/support/lug>
  - *The match\_parens package. Find mismatches of parentheses, braces, (angle) brackets, in texts*. 2023-03-23. Version 1.44. LICENSE: gpl  
 URL: [https://ctan.org/pkg/match\\_parens](https://ctan.org/pkg/match_parens)  
 MIRROR: [https://mirror.ctan.org/support/match\\_parens](https://mirror.ctan.org/support/match_parens)
  - *The mk package. A T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X maker*. 2018-04-12. Version 3.07. LICENSE: gpl. mk is a Bash script that, in close collaboration with (short for View and Print PDF/PostScript), is helpful in the cyclic process of editing, compiling, viewing, and printing a L<sup>A</sup>T<sub>E</sub>X, X<sub>L</sub><sup>A</sup>T<sub>E</sub>X, or plain T<sub>E</sub>X document. Essentially, mk uses for compilation, for viewing and printing.

- URL: <https://ctan.org/pkg/mk>  
MIRROR: [https://mirror.ctan.org/support/latex\\_maker](https://mirror.ctan.org/support/latex_maker)
- *The mkipic package. Perl interface to mfpic.* 2016-06-24. Version 1.02. LICENSE: gpl. mkipic provides an easy interface for making small pictures with . To this end you create an input file consisting of commands, one per line, with space separated parameters (or you modify the DATA section of the mkipic script, which is used if you run it without an input file). For an extensive description see the file , which is part of the distribution.  
URL: <https://ctan.org/pkg/mkipic>  
MIRROR: <https://mirror.ctan.org/support/mkipic>
  - *The proofread package. Commands for inserting annotations.* 2021-08-26. Version 1.04. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/proofread>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/proofread>
  - *The prv package. Compile, preview, and print L<sup>A</sup>T<sub>E</sub>X documents.* 2016-06-24. Version 0.7. LICENSE: noinfo  
URL: <https://ctan.org/pkg/prv>  
MIRROR: <https://mirror.ctan.org/obsolete/support/prv>
- Dekker, Wybo H. *The texlog-extract package. Extract errors and warnings from T<sub>E</sub>X logs.* 2019-02-05. Version 3.04. LICENSE: gpl  
URL: <https://ctan.org/pkg/texlog-extract>  
MIRROR: <https://mirror.ctan.org/support/texlog-extract>
- *The vpp package. View and (selectively) Print PDF and PostScript.* 2018-04-04. Version 3.07. LICENSE: gpl. is a Bash script that displays a PDF or PostScript document (after conversion to PDF). The user can use the viewer to print the document or, alternatively, leave the viewer and use 's facilities to print selected pages to a one- or two-sided hardcopy or an A5-booklet: see the section /Page selection and other commands/ for the details. Instead of printing your selections, you can also save them into PDF files.  
URL: <https://ctan.org/pkg/vpp>  
MIRROR: [https://mirror.ctan.org/support/view\\_print\\_ps\\_pdf](https://mirror.ctan.org/support/view_print_ps_pdf)
- Delgosha, Farshid. *The pst-2dplot package. A PSTricks package for drawing 2D curves.* 2016-06-24. Version 1.5. LICENSE: lppl. Pst-2dplot is a package that offers an easy-to-use and intuitive tool for plotting 2-d curves. It defines an environment with commands similar to MATLAB for plotting.  
URL: <https://ctan.org/pkg/pst-2dplot>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-2dplot>
- *The pst-sigsys package. Support of signal processing-related disciplines.* 2016-06-24. Version 1.4. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-sigsys>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-sigsys>
- Delmotte, Alain. *The pgf-soroban package. Create images of the soroban using TikZ/PGF.* 2016-06-24. Version 1.1. LICENSE: lppl. The package makes it possible to create pictures of the soroban (Japanese abacus) using  
URL: <https://ctan.org/pkg/pgf-soroban>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgf-soroban>
- *The pst-soroban package. Draw a Soroban using PSTricks.* 2018-09-15. Version 1.0. LICENSE: lppl. The package uses to draw a Japanese abacus, or soroban. The soroban is still used in Japan today.  
URL: <https://ctan.org/pkg/pst-soroban>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-soroban>
- DeMarco, M.C. *The sffms package. Typesetting science fiction/fantasy manuscripts.* 2016-06-24. Version 2.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/sffms>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sffms>
- Denenberg, Larry. *The ivd2dvi package. Convert IVD-DVI files to DVI.* 2016-06-24. LICENSE: other-free. The T<sub>E</sub>X extension T<sub>E</sub>X-XeT (single hyphen: not to be confused with ) produces 'IVD-DVI' files which extend DVI files with 'reflection' commands for horizontal reversal of text. In general, IVD-DVI files cannot be processed by an ordinary DVI processor; will convert such a file to DVI so that it can be processed by a normal DVI driver.  
URL: <https://ctan.org/pkg/ivd2dvi>  
MIRROR: <https://mirror.ctan.org/dviware/ivd2dvi>
- Deng, Dongsheng. *The ElegantNote package. Elegant L<sup>A</sup>T<sub>E</sub>X Template for Notes.* 2023-01-02. Version 2.50. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/elegantnote>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/elegantnote>
- *The ElegantPaper package. An Elegant L<sup>A</sup>T<sub>E</sub>X Template for Working Papers.* 2023-01-02. Version 0.11. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/elegantpaper>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/elegantpaper>
- Deng, Dongsheng and Liam Huang. *The ElegantBook package. An Elegant L<sup>A</sup>T<sub>E</sub>X Template for Books.* 2023-01-02. Version 4.5. LICENSE: lppl1.3c

- URL: <https://ctan.org/pkg/elegantbook>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/elegantbook>
- Denisov, Alex A. *The LaTable package. A near-WYSIWYG editor for L<sup>A</sup>T<sub>E</sub>X tables.* 2016-06-24. Version 0.7. LICENSE: nosell  
URL: <https://ctan.org/pkg/latable>  
MIRROR: <https://mirror.ctan.org/support/latable>
- Denk, Georg. *The eslides package. An option for article style to make slides.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/eslides>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/eslides>
- Deorowicz, Sebastian and Adam Skorzynski. *The LEd package. An environment for L<sup>A</sup>T<sub>E</sub>X document development.* 2017-04-18. Version 0.46 beta. LICENSE: nosource  
URL: <https://ctan.org/pkg/led>  
MIRROR: <https://mirror.ctan.org/support/LEd>
- Deparis, Étienne. *The awesomebox package. Draw admonition blocks in your documents, illustrated with FontAwesome icons.* 2020-12-30. Version 0.6. LICENSE: other-free  
URL: <https://ctan.org/pkg/awesomebox>  
MIRROR: <https://mirror.ctan.org/graphics/awesomebox>
- Derler, David. *The modernposter package. A modern L<sup>A</sup>T<sub>E</sub>X poster theme.* 2018-04-03. Version 1.03.1. LICENSE: cc-by-sa-4. This class extends the class in that it adds support to easily create posters without the need for taking care of the layout at all. It allows to use to generate a fancy header containing the title information and also provides macros to position various different types of text boxes in a two-column layout. The color scheme is inspired by the theme.  
URL: <https://ctan.org/pkg/modernposter>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/modernposter>
- Derrazi, Youssef. *The mecaso package. Formulas frequently used in rigid body mechanics.* 2021-09-07. Version 1.0. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/mecaso>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mecaso>
- Dershowitz, Nachum and Edward M. Reingold. *The rangecite package. Will turn a range of citations into something like [1..3].* 2016-06-24. LICENSE: pd  
URL: <https://ctan.org/pkg/rangecite>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/rangecite.sty>
- Derzhanski, Ivan A. *The casyl package. Typeset Cree/Inuktitut in Canadian Aboriginal Syllabics.* 2017-10-29. Version 2.0. LICENSE: pd  
URL: <https://ctan.org/pkg/casyl>  
MIRROR: <https://mirror.ctan.org/language/casyl>
- *The eiad package. Traditional style Irish fonts.* 2017-10-29. LICENSE: pd  
URL: <https://ctan.org/pkg/eiad>  
MIRROR: <https://mirror.ctan.org/fonts/eiad>
- *The tengtex package. Typesetting in Tolkien's Tengwar script.* 2020-03-09. Version 1.00. LICENSE: other-free. Typesets Eldarin language texts in Fëanorian Tengwar, using either the or the fonts. Versions of the macros for both L<sup>A</sup>T<sub>E</sub>X (2.09) and Plain T<sub>E</sub>X are provided.  
URL: <https://ctan.org/pkg/tengtex>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/tengtex>
- Desef, Benjamin. *The yquant package. Typesetting quantum circuits in a human-readable language.* 2023-04-07. Version 0.7.4. LICENSE: l<sup>a</sup>TeX  
URL: <https://ctan.org/pkg/yquant>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/yquant>
- DeSouza, Og. *The besjournals-bst package. Bibliographies suitable for British Ecological Society journals.* 2016-06-24. LICENSE: l<sup>a</sup>TeX  
URL: <https://ctan.org/pkg/besjournals-bst>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/besjournals>
- *The biolett-bst package. A BibTeX style for the journal "Biology Letters".* 2023-02-15. LICENSE: l<sup>a</sup>TeX  
URL: <https://ctan.org/pkg/biolett-bst>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/biolett-bst>
- Deursen, Ton van, Victor Bos, Sjouke Mauw, and Reynaldo Gil Pons. *The msc package. Draw MSC diagrams.* 2023-07-12. Version 2.00. LICENSE: l<sup>a</sup>TeX  
URL: <https://ctan.org/pkg/msc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/msc>



- Deutsch, L. Peter. *The ghostscript package. Freely available PostScript interpreter.* 2017-04-18. LICENSE: collection  
URL: <https://ctan.org/pkg/ghostscript>
- Deutscher, Stefan A. *The getrefs package. BibTeX style to sort by "journal" entries of references.* 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/getrefs>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/getrefs>
- deyAvemta, Stayka. *The futhark package. Fonts for the Older Futhark script.* 2019-06-21. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/futhark>  
MIRROR: <https://mirror.ctan.org/fonts/futhark>
- Dhawan, Amit Raj. *The font-change package. Macros to change text and mathematics fonts in plain T<sub>E</sub>X.* 2016-06-24. Version 2015.2. LICENSE: other-free  
URL: <https://ctan.org/pkg/font-change>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/font-change>
- *The font-change-xetex package. Macros to change text and mathematics fonts in plain XeT<sub>E</sub>X.* 2022-07-17. Version 2016.1. LICENSE: other-free  
URL: <https://ctan.org/pkg/font-change-xetex>  
MIRROR: <https://mirror.ctan.org/macros/xetex/plain/font-change-xetex>
- Dhumuntarao, Aditya. *The NotesT<sub>E</sub>X package. An all-in-one L<sup>A</sup>T<sub>E</sub>X notes package for students.* 2017-09-26. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/notestex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/notestex>
- Diamantini, Maurice. *The pst-uml package. UML diagrams with PSTricks.* 2018-09-15. Version 0.83. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-uml>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-uml>
- Diamond, Jim, Taco Hoekwater, and Fabrice Popineau. *The xpdfopen package. Commands to control PDF readers, under X11.* 2019-11-28. Version 0.86. LICENSE: pd  
URL: <https://ctan.org/pkg/xpdfopen>  
MIRROR: <https://mirror.ctan.org/support/xpdfopen>
- Dian, Yin and Qing Lee. *The zhspacing package. Spacing for mixed CJK-English documents in XeT<sub>E</sub>X.* 2017-04-18. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/zhspacing>  
MIRROR: <https://mirror.ctan.org/macros/xetex/generic/zhspacing>
- Dias, Carlos Cardoso. *The nn draw package. Draw neural networks.* 2021-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/nn draw>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/nn draw>
- Diepen, Guido and Marei Peischl. *The handoutWithNotes package. Create Handouts with notes from your L<sup>A</sup>T<sub>E</sub>X beamer presentation.* 2021-09-11. Version 1.3. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/handoutwithnotes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/handoutwithnotes>
- Dierker, Andre. *The fbthesis package. Computer Science thesis class for University of Dortmund.* 2018-01-06. Version 1.2m. LICENSE: other-free. At the department of computer science at the University of Dortmund there are cardboard cover pages for research or internal reports like master/phd-theses. The main function of this L<sup>A</sup>T<sub>E</sub>X2e document-class is a replacement for the command to typeset a title page that is adjusted to these cover pages.  
URL: <https://ctan.org/pkg/fbthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fbthesis>
- Dierl, Simon. *The invoice2 package. Intelligent invoices with L<sup>A</sup>T<sub>E</sub>X3.* 2018-01-17. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/invoice2>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/invoice2>
- Dietrich, Christian. *The avremu package. An 8-Bit Microcontroller Simulator written in L<sup>A</sup>T<sub>E</sub>X.* 2017-04-18. Version 0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/avremu>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/avremu>
- *The dataref package. Manage references to experimental data.* 2022-03-25. Version 0.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/dataref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dataref>
- Dietrich, Olaf. *The sfmath package. Sans-serif mathematics.* 2016-06-24. Version 0.8. LICENSE: lppl  
URL: <https://ctan.org/pkg/sfmath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sfmath/sfmath.sty>

- Dietze, Martin “Herbert”. *The latex2e-reference package. A reference for L<sup>A</sup>T<sub>E</sub>X in HTML*. 2018-07-23. Version 1.6. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/latex2e-reference>  
 MIRROR: <https://mirror.ctan.org/obsolete/info/latex2e-reference>
- Diez, Ulrich. *The labelcas package. Check the existence of labels, and fork accordingly*. 2016-06-24. Version 1.12. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/labelcas>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/labelcas>
- Dimakos, Ioannis and Dimitrios Filippou. *The greekinfo3 package. Overview of systems, packages, and fonts for Greek T<sub>E</sub>X*. 2016-06-24.  
 LICENSE: noinfo  
 URL: <https://ctan.org/pkg/greekinfo3>  
 MIRROR: <https://mirror.ctan.org/info/greek/greekinfo3>
- Dimitriadis, Alexis. *The drs package. Typeset Discourse Representation Structures (DRS)*. 2016-06-24. Version 1.1b. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/drs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/drs>
- Dimitriadis, Alexis and Jeffrey Siskind. *The qtree package. Draw tree structures*. 2016-06-24. Version 3.1b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/qtree>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/qtree>
- Dionne, Xavier. *The vcell package. Vertical alignment of content inside table cells*. 2021-05-01. Version 1.0.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/vcell>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vcell>
- Dippell, Marvin. *The nChairX package. Maths macros from chair X of Würzburg University*. 2021-08-12. Version 1.0.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/nchairx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nchairx>
- Dirr, Ulrich. *The SkakNew package. The skak chess fonts redone in Adobe Type 1*. 2017-04-18. LICENSE: lppl. This package offers Adobe Type 1 versions of the fonts provided as Metafont source by the bundle.  
 URL: <https://ctan.org/pkg/skaknew>  
 MIRROR: <https://mirror.ctan.org/fonts/chess/skaknew>
- Ditzel, Maarten. *The figfrag package. Convert xfig figures with embedded L<sup>A</sup>T<sub>E</sub>X commands to EPS*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/figfrag>  
 MIRROR: <https://mirror.ctan.org/graphics/figfrag>
- Doerr, Hans-Peter. *The Exceltex package. Get data from Excel files into L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 0.5.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/exceltex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exceltex>
- Döhring, B. Michel. *The oPlotSymb1 package. Some symbols which are not easily available*. 2017-08-04. Version 1.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/oplotsymb1>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oplotsymb1>
- Dohse, Max. *The TikZ-FeynHand package. Feynman diagrams with TikZ*. 2019-08-19. Version 1.1.0. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/tikz-feynhand>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-feynhand>
- Doll, Mark and Cengiz Günay. *The texdiff package. Compare documents and produce tagged merge*. 2017-04-18. Version 0.4. LICENSE: artistic. Two files are compared and a new T<sub>E</sub>X file is output. When the output file is processed with (La)T<sub>E</sub>X it marks new changes with blue and old text with red with a strike-through line. Furthermore, passages with changes are marked at the margin with grey bars by the L<sup>A</sup>T<sub>E</sub>X package.  
 URL: <https://ctan.org/pkg/texdiff>  
 MIRROR: <https://mirror.ctan.org/support/texdiff>
- Domanov, Oleg. *The biblatex-gost package. BibL<sup>A</sup>T<sub>E</sub>X support for GOST standard bibliographies*. 2023-04-25. Version 1.24. LICENSE: lppl1.3c. The package provides support for Russian bibliography style GOST 7.0.5-2008  
 URL: <https://ctan.org/pkg/biblatex-gost>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-gost>
- Domenjoud, Eric. *The footbib package. Bibliographic references as footnotes*. 2016-06-24. Version 2.0.7. LICENSE: lppl  
 URL: <https://ctan.org/pkg/footbib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/footbib>
- *The hex package. Print a counter in hexadecimal*. 2016-06-24. LICENSE: noinfo. Defines a macro that takes a counter name as argument.  
 URL: <https://ctan.org/pkg/hex>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/hex.sty>

- Domingo, Augustin Martin and Tilman Vogel. *The fragmaster package. Using psfrag with pdfLaTeX*. 2016-06-24. Version 1.6. LICENSE: gpl. Fragmaster enables you to use with pdfLaTeX. It takes EPS files and psfrag substitution definition files, and produces PDF and EPS files with the substitutions included.  
URL: <https://ctan.org/pkg/fragmaster>  
MIRROR: <https://mirror.ctan.org/support/fragmaster>
- Dominici, Massimiliano. *The dramatist package. Typeset dramas, both in verse and in prose*. 2016-06-24. Version 1.2e. LICENSE: gpl  
URL: <https://ctan.org/pkg/dramatist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dramatist>
- *The parrun package. Typesets (two) streams of text running parallel*. 2016-06-24. LICENSE: lpppl  
URL: <https://ctan.org/pkg/parrun>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/parrun>
- Dominik, Carsten and Holger Karl. *The psfixbb package. Correct the bounding box of a PostScript file*. 2016-06-24. Version 3.0. LICENSE: gpl. Computes the BoundingBox of a PostScript file, using , and ; then produces a new version of the file with the correct BoundingBox.  
URL: <https://ctan.org/pkg/psfixbb>  
MIRROR: <https://mirror.ctan.org/support/psfixbb>
- Donald, Bruce. *The nih package. A class for NIH grant applications*. 2018-01-06. LICENSE: lpppl  
URL: <https://ctan.org/pkg/nih>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nih>
- Donato, Paolo De. *The lt3rawobjects package. Objects and proxies in L<sup>A</sup>T<sub>E</sub>X3*. 2023-03-17. Version 2.3. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/lt3rawobjects>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lt3rawobjects>
- *The resmes package. Measure restriction symbol in L<sup>A</sup>T<sub>E</sub>X*. 2022-12-29. Version 1.0. LICENSE: mit. This package provides a simple macro that prints the measure restriction symbol.  
URL: <https://ctan.org/pkg/resmes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/resmes>
  - *The styledcmd package. Handling multiple versions of user-defined macros*. 2022-12-13. Version 2.0. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/styledcmd>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/styledcmd>
- Dongdong, Lin. *The xtuthesis package. XTU thesis template*. 2018-04-29. Version 1.0. LICENSE: lpppl1.3  
URL: <https://ctan.org/pkg/xtuthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xtuthesis>
- Doob, Michael. *The gentle package. A Gentle Introduction to T<sub>E</sub>X*. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/gentle>  
MIRROR: <https://mirror.ctan.org/info/gentle>
- Dood, Michiel de. *The lion-msc package. L<sup>A</sup>T<sub>E</sub>X class for B.Sc. and M.Sc. reports at Leiden Institute of Physics (LION)*. 2020-06-04. Version 0.30. LICENSE: lpppl1.3  
URL: <https://ctan.org/pkg/lion-msc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lion-msc>
- Dooren, Gerry van. *The losymbol package. Defines a mechanism for producing a list of symbols*. 2016-06-18. LICENSE: noinfo  
URL: <https://ctan.org/pkg/losymbol>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/losymbol.sty>
- Dorj, Dorjpalam and Oliver Corff. *The lshort-mongolian package. Short introduction to L<sup>A</sup>T<sub>E</sub>X 2.09, Mongolian translation*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/lshort-mongolian>  
MIRROR: <https://mirror.ctan.org/info/lshort/mongolian/lshort-mongolian>
- Dorner, Fernando, Andreas Granzer, and Daniel Taupin. *The ltx2rtf package. A conversion program from L<sup>A</sup>T<sub>E</sub>X to Rich Text Format*. 2016-06-18. LICENSE: other-free  
URL: <https://ctan.org/pkg/ltx2rtf>  
MIRROR: <https://mirror.ctan.org/support/ltx2rtf>
- Dörntge, Rainer. *The magic package. A font to go with the Magic(TM) game*. 2016-06-24. LICENSE: other-free. A small set of symbols appropriate to the game. The font is expressed in Metafont; unusually, the size-specific file is input by , rather than the other way around.  
URL: <https://ctan.org/pkg/magic>  
MIRROR: <https://mirror.ctan.org/fonts/magic>

- Doron, Eyal. *The bibdb package. BibTeX bibliography manager for MS-Windows and MS-DOS*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/bibdb>  
 MIRROR: <https://mirror.ctan.org/support/bibdb>
- Dossena, Riccardo. *The old-arrows package. Computer Modern old-style arrows with smaller arrowheads*. 2017-01-05. Version 2.0. LICENSE: lpl1.3. This package provides Computer Modern old-style arrows with smaller arrowheads, associated with the usual L<sup>A</sup>T<sub>E</sub>X commands. It can be used in documents that contain other arrow characters that also have small arrowheads. It is also possible to use the usual new-style Computer Modern arrows together with the old-style ones.  
 URL: <https://ctan.org/pkg/old-arrows>  
 MIRROR: <https://mirror.ctan.org/fonts/old-arrows>
- *The verifica package. Typeset (Italian high school) exercises*. 2020-10-10. Version 1.3. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/verifica>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/verifica>
- Downes, Michael J. *The aro-bend package. Exercises in T<sub>E</sub>X, with answers*. 2016-06-24. LICENSE: lpl  
 URL: <https://ctan.org/pkg/aro-bend>  
 MIRROR: <https://mirror.ctan.org/info/challenges/aro-bend>
- *The cmdtrack package. Check used commands*. 2016-06-24. LICENSE: lpl1. The package keeps track of whether a command defined in a document preamble is actually used somewhere in the document. After the package is loaded in the preamble of a document, all (and similar command definitions) between that point and the beginning of the document will be marked for logging. At the end of the document a report of command usage will be printed in the T<sub>E</sub>X log, for example:  
 URL: <https://ctan.org/pkg/cmdtrack>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cmdtrack>
- Downes, Michael J. *The dialogl package. Macros for constructing interactive L<sup>A</sup>T<sub>E</sub>X scripts*. 2016-06-24. LICENSE: lpl  
 URL: <https://ctan.org/pkg/dialogl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dialogl>
- *The patchcmd package. Change the definition of an existing command*. 2016-06-24. Version 1.05. LICENSE: lpl. The package provides a command that can be used to add material at the beginning and/or the end of the replacement text of an existing macro. It works for macros with any number of normal arguments, including those that were defined with .  
 URL: <https://ctan.org/pkg/patchcmd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/patchcmd>
  - *The showdim package. Variants on printing dimensions*. 2016-06-24. Version 1.2. LICENSE: lpl. A package for L<sup>A</sup>T<sub>E</sub>X providing a number of commands for printing the value of a T<sub>E</sub>X dimension. For example, yields the current value of rounded to the nearest tenth of a point.  
 URL: <https://ctan.org/pkg/showdim>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/showdim/showdim.sty>
  - *The wordcount package. Estimate the number of words in a L<sup>A</sup>T<sub>E</sub>X document*. 2016-06-24. Version 1.7. LICENSE: lpl. The package provides a relatively easy way of estimating the number of words in a L<sup>A</sup>T<sub>E</sub>X document that does not require or other DVI converters. It does however require something like Unix that can search a file for a particular string and report the number of matching lines. An accompanying shell script contains more information in its comments.  
 URL: <https://ctan.org/pkg/wordcount>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wordcount>
- Downes, Michael J., Morten Høgholm, Lars Madsen, Will Robertson, and Joseph Wright. *The breqn package. Automatic line breaking of displayed equations*. 2021-10-28. Version 0.98l. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/breqn>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/breqn>
- *The mathstyle package. Manage mathematics typesetting style*. 2021-10-28. Version 0.98l. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/mathstyle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/breqn>
- Downes, Michael J. and Peter R. Wilson. *The around-the-bend package. Typeset exercises in T<sub>E</sub>X, with answers*. 2016-06-24. LICENSE: lpl. This is a typeset version of the files of the , plus three extra questions (with their answers) that Michael Downes didn't manage to get onto CTAN.  
 URL: <https://ctan.org/pkg/around-the-bend>  
 MIRROR: <https://mirror.ctan.org/info/challenges/AroBend>
- Dragone, Mario. *The xlatex package. A T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X shell for X-windows*. 2016-06-24. Version 3.3c. LICENSE: other-free  
 URL: <https://ctan.org/pkg/xlatex>  
 MIRROR: <https://mirror.ctan.org/support/xlatex>

- Drakos, Nikos, Ross Moore, Daniel Gildea, Paulo Ney de Souza, and Roland Stigge. *The latex2html package. Convert L<sup>A</sup>T<sub>E</sub>X into HTML documents*. 2019-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/latex2html>
- Drechsler, Patrick. *The pst-pad package. Draw simple attachment systems with PSTricks*. 2018-09-15. Version 0.3b. LICENSE: lppl. The package collects a set of graphical elements based on that can be used to facilitate display of attachment systems such as two differently shaped surfaces with or without a fluid wedged in between. These macros ease the display of wet adhesion models and common friction systems such as boundary lubrication, elastohydrodynamic lubrication and hydrodynamic lubrication.  
URL: <https://ctan.org/pkg/pst-pad>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-pad>
- Dreher, Simon. *The IMTEKda package. IMTEK thesis class*. 2016-06-24. Version 1.7. LICENSE: lppl  
URL: <https://ctan.org/pkg/imtekda>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/imtekda>
- Dreuw, Philippe and Thomas Deselaers. *The beamerposter package. Extend beamer and a0poster for custom sized posters*. 2018-04-23. Version 1.13. LICENSE: lppl,gpl  
URL: <https://ctan.org/pkg/beamerposter>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamerposter>
- Drews, Aaron. *The pfdicons package. Draw process flow diagrams in chemical engineering*. 2021-07-28. Version 1.0a. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pfdicons>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pfdicons>
- Dreyer, Alexander. *The namespc package. Rudimentary C++-like namespaces in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/namespc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/namespc>
- Droms, Ralph. *The txt package. Output documents via terminals, line printers, etc.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/txt>  
MIRROR: <https://mirror.ctan.org/support/txt>
- Drucbert, Jean-Pierre. *The export package. Import and export values of L<sup>A</sup>T<sub>E</sub>X registers*. 2016-06-24. Version 1.8. LICENSE: lppl  
URL: <https://ctan.org/pkg/export>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/export>
- *The fepslatex package. French version of "graphics in L<sup>A</sup>T<sub>E</sub>X"*. 2016-06-24. LICENSE: gpl. This is the French translation of , and describes how to use imported graphics in L<sup>A</sup>T<sub>E</sub>X(2e) documents.  
URL: <https://ctan.org/pkg/fepslatex>  
MIRROR: <https://mirror.ctan.org/info/epslatex/french>
  - *The minitoc package. Produce a table of contents for each chapter, part or section*. 2021-10-31. Version 62. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/minitoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/minitoc>
  - *The regcount package. Display the allocation status of the T<sub>E</sub>X registers*. 2016-06-24. Version 1.0. LICENSE: lppl. Adds a macro which displays the allocation status of the T<sub>E</sub>X registers. The display is written into the .log file as it is a bit verbose. An automatic call to is done at and .  
URL: <https://ctan.org/pkg/regcount>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/regcount>
  - *The shorttoc package. Table of contents with different depths*. 2016-06-24. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/shorttoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shorttoc>
  - *The tabbing package. Tabbing with accented letters*. 2021-06-28. LICENSE: lppl1. By default, some of the tabbing environment's commands clash with default accent commands; L<sup>A</sup>T<sub>E</sub>X provides the odd commands , etc., to deal with the clash. The package offers a variant of the tabbing environment which does not create this difficulty, so that users need not learn two sets of accent commands.  
URL: <https://ctan.org/pkg/tabbing>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/Tabbing>
  - *The translation-array-fr package. French translation of the documentation of array*. 2016-06-24. LICENSE: lppl. A French translation of the documentation of .  
URL: <https://ctan.org/pkg/translation-array-fr>  
MIRROR: <https://mirror.ctan.org/info/translations/array/fr>
  - *The translation-booktabs-fr package. French translation of the documentation of booktabs*. 2016-06-24. LICENSE: lppl. A french translation of the documentation of .



- URL: <https://ctan.org/pkg/translation-booktabs-fr>  
MIRROR: <https://mirror.ctan.org/info/translations/booktabs/fr>
- *The translation-dcolumn-fr package. French translation of the documentation of dcolumn.* 2016-06-24. LICENSE: lppl. A French translation of the documentation of .  
URL: <https://ctan.org/pkg/translation-dcolumn-fr>  
MIRROR: <https://mirror.ctan.org/info/translations/dcolumn/fr>
  - *The translation-tabbing-fr package. French translation of the documentation of Tabbg.* 2016-06-24. LICENSE: lppl1  
URL: <https://ctan.org/pkg/translation-tabbing-fr>  
MIRROR: <https://mirror.ctan.org/info/translations/Tabbing/fr>
- Drucbert, Jean-Pierre and Patrick W. Daly. *The translation-natbib-fr package. French translation of the documentation of natbib.* 2016-06-24. LICENSE: lppl. A French translation of the documentation of .  
URL: <https://ctan.org/pkg/translation-natbib-fr>  
MIRROR: <https://mirror.ctan.org/info/translations/natbib/fr>
- Drucbert, Jean-Pierre and Mathieu Goutelle. *The booktabs-fr package. French translation of booktabs documentation.* 2016-06-24. Version 1.00. LICENSE: lppl  
URL: <https://ctan.org/pkg/booktabs-fr>  
MIRROR: <https://mirror.ctan.org/info/translations/booktabs/fr>
- Dryllerakis, K J. *The kdgreek package. Greek fonts and macros.* 2016-06-24. Version 3.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/kdgreek>  
MIRROR: <https://mirror.ctan.org/fonts/greek/kd>
- Du, Sicheng. *The gradient-text package. Decorate text with linear gradient colors.* 2023-01-24. Version 1.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/gradient-text>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gradient-text>
- *The maze package. Generate random mazes.* 2023-01-10. Version 1.2. LICENSE: lppl1.3c. This package can generate random square mazes of a specified size. The mazes generated by this package are natural and their solution is not too obvious. The output it based on the environment.  
URL: <https://ctan.org/pkg/maze>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/maze>
- Duan, Charles. *The randtext package. Randomise the order of characters in strings.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/randtext>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/randtext>
- *The switcheml package. Obfuscate email addresses (now obsolete).* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/switcheml>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/switcheml>
- Dübendorfer, Marco. *The grafik package. EPS graphics under Windows.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/grafik>  
MIRROR: [https://mirror.ctan.org/info/german/grafik/eps\\_anleitung.html](https://mirror.ctan.org/info/german/grafik/eps_anleitung.html)
- Duchi, Claudio. *The datetime2-it-fulltext package. Italian full text styles for the datetime2 package.* 2016-06-24. Version 1.6. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-it-fulltext>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-it-fulltext>
- Duchier, Denys. *The bigtabular package. Tabulars that can split at page boundaries.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/bigtabular>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/bigtabular.sty>
- *The secret package. Put security classification marks in a document.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/secret>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/secret.sty>
- Dudebout, Nicolas. *The matrix-skeleton package. A PGF/TikZ library that simplifies working with multiple matrix nodes.* 2022-11-14. Version 1.1. LICENSE: isc. The package provides a PGF/TikZ library that simplifies working with multiple matrix nodes. To do so, it correctly aligns groups of nodes with the content of the whole matrix. Furthermore, provides rows and columns for easy styling.  
URL: <https://ctan.org/pkg/matrix-skeleton>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/matrix-skeleton>
- Duggan, Angus. *The dvibook package. Utilities for manipulating DVI files.* 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/dvibook>  
MIRROR: <https://mirror.ctan.org/dviware/dvibook>

- *The PBMtoPK package. Conversion between PBM and PK formats.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/pbmtopk>  
 MIRROR: <https://mirror.ctan.org/graphics/pbmtopk>
- *The PicTeXsum package. A summary of PicTeX commands.* 2016-06-24. LICENSE: other-free. The document summarises the commands of PicTeX. While it is no substitute for the PicTeX manual itself (available from <https://ctan.org/pkg/pictexsum>), the document is a useful aide-memoire for those who have read the manual.  
 URL: <https://ctan.org/pkg/pictexsum>  
 MIRROR: <https://mirror.ctan.org/info/pictex/summary>
- *The psmerge package. Concatenate PostScript files.* 2016-06-24. Version p17. LICENSE: other-free  
 URL: <https://ctan.org/pkg/psmerge>
- *The psutils package. PostScript utilities.* 2021-08-26. Version p17. LICENSE: other-free  
 URL: <https://ctan.org/pkg/psutils>
- *The vplutils package. Manipulate (virtual) property lists.* 2016-06-24. LICENSE: other-free. The first two of a planned suite of tools, these are Perl scripts: – makevpl, which merges PL and VPL files, creating a VPL file, and – spacevpl, which alters the spacing in a PL or VPL file.  
 URL: <https://ctan.org/pkg/vplutils>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/vplutils>
- Dumont, Bastien. *The crossrefenum package. Smart typesetting of enumerated cross-references for various T<sub>E</sub>X formats.* 2023-02-20. Version 1.0.2. LICENSE: gpl3+,fdl  
 URL: <https://ctan.org/pkg/crossrefenum>  
 MIRROR: <https://mirror.ctan.org/macros/generic/crossrefenum>
- Dungs, Kevin. *The fontmfizz package. Font Mfizz icons for use in L<sup>A</sup>T<sub>E</sub>X.* 2017-04-18. LICENSE: mit  
 URL: <https://ctan.org/pkg/fontmfizz>  
 MIRROR: <https://mirror.ctan.org/fonts/fontmfizz>
- Dunn, Brian. *The docsurvey package. A survey of L<sup>A</sup>T<sub>E</sub>X documentation.* 2021-12-30. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/docsurvey>  
 MIRROR: <https://mirror.ctan.org/info/docsurvey>
- *The dtxdescribe package. Describe additional object types in dtx source files.* 2023-01-03. Version 1.07. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/dtxdescribe>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dtxdescribe>
- *The keyfloat package. Provides a key/value interface for generating floats.* 2023-01-03. Version 2.08. LICENSE: lppl1.3. The keyfloat package provides a key/value user interface for quickly creating figures with a single image each, figures with arbitrary contents, tables, subfloats, rows of floats, floats located [H]ere, floats in the [M]argin, and floats with text [W]rapped around them. Key/value combinations may specify a caption and label, a width proportional to \linewidth, a fixed width and/or height, rotation, scaling, a tight or loose frame, an \arraystretch, a continued float, additional supplemental text, and an artist/author’s name with automatic index entry. When used with the tocdata package, the name also appears in the List of Figures. Floats may be placed into a row environment, and are typeset to fit within the given number of columns, continuing to the next row if necessary. Nested sub-rows may be used to generate layouts such as two small figures placed vertically next to one larger figure. Subfloats are supported by two environments.  
 URL: <https://ctan.org/pkg/keyfloat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/keyfloat>
- *The labelschanged package. Identify labels which cause endless “may have changed” warnings.* 2017-12-13. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/labelschanged>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/labelschanged>
- *The lwarp package. Converts L<sup>A</sup>T<sub>E</sub>X to HTML.* 2023-08-28. Version 0.912. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/lwarp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lwarp>
- *The metalogox package. Adjust T<sub>E</sub>X logos, with font detection.* 2023-06-29. Version 1.01. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/metalogox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/metalogox>
- *The tocdata package. Adds names to chapters, sections, figures in the TOC and LOF.* 2023-01-03. Version 2.05. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tocdata>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tocdata>

- Dupuis, Étienne. *The igo package. Fonts and macro to typeset Go diagrams*. 2016-06-24. Version 0.62. LICENSE: lppl1.3. This package is based on the package written in 1991 by Hanna Kołodziejska which provides typesetting facilities for Go games and positions. Although igo contains roughly the same commands as the original package and uses the fonts created by Kołodziejska, it has been improved in a number of ways. It uses command names less likely to conflict with standard AMS packages. It allows different board sizes to be used. It understands a standardized notation for board coordinates. And it provides a facility to work on more than one board. Moreover, a few commands were reworked to define positions or game sequences more conveniently.  
URL: <https://ctan.org/pkg/igo>  
MIRROR: <https://mirror.ctan.org/fonts/igo>
- Dupuis, Jean-François. *The bondgraph package. Create bond graph figures in L<sup>A</sup>T<sub>E</sub>X documents*. 2016-06-24. Version 1.0. LICENSE: lppl1.3. The package draws bond graphs using .  
URL: <https://ctan.org/pkg/bondgraph>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bondgraph>
- Dupuis, Pierre. *The alertmessage package. Alert messages for L<sup>A</sup>T<sub>E</sub>X*. 2017-04-18. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/alertmessage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/alertmessage>
- Dussa, Tobias. *The papercdcase package. Origami-style folding paper CD case*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/papercdcase>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/papercdcase>
- Dussa, Tobias. *The swrule package. Lines thicker in the middle than at the ends*. 2020-04-11. LICENSE: other-free  
URL: <https://ctan.org/pkg/swrule>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/swrule.sty>
- Eastin, Bryan, Steven Flammia, and Travis L. Scholten. *The qcircuit package. Macros to generate quantum circuits*. 2018-08-14. Version 2.6.0. LICENSE: gpl2. The package supports those within the quantum information community who typeset quantum circuits, using package, offering macros designed to help users generate circuits.  
URL: <https://ctan.org/pkg/qcircuit>  
MIRROR: <https://mirror.ctan.org/graphics/qcircuit>
- Ebermann, Paul. *The dateiliste package. Extensions of the \listfiles concept*. 2016-06-24. Version 0.6. LICENSE: lppl. The package provides a file list (similar to that offered by ), neatly laid out as a table. The main document can be included in the list, and a command is available for providing RCS-maintained data for printing in the file list.  
URL: <https://ctan.org/pkg/dateiliste>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dateiliste>
- *The exp-testopt package. Expandable \@testopt (and related) macros*. 2016-06-24. Version 0.3. LICENSE: lppl. The package provides an expandable variant of the L<sup>A</sup>T<sub>E</sub>X kernel command , named , and a more general , both intended for package writers. Also we have a variant of which uses these macros to check for optional arguments.  
URL: <https://ctan.org/pkg/exp-testopt>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exp-testopt>
  - *The extpfeil package. Extensible arrows in mathematics*. 2016-06-24. Version 0.4. LICENSE: lppl1.3. The package provides some more extensible arrows (usable in the same way as from amsmath), and a simple command to create new ones.  
URL: <https://ctan.org/pkg/extpfeil>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/extpfeil>
  - *The faktor package. Typeset quotient structures with L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 0.1b. LICENSE: lppl  
URL: <https://ctan.org/pkg/faktor>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/faktor>
  - *The gmdoc-enhance package. Some enhancements to the gmdoc package*. 2016-06-24. Version 0.2. LICENSE: lppl. This package provides some enhancements for the package: nicer formatting for multiple line inline comments, an ability to “comment out” some code, and a macro to input other files in “normal” L<sup>A</sup>T<sub>E</sub>X mode.  
URL: <https://ctan.org/pkg/gmdoc-enhance>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gmdoc-enhance>
  - *The minipage-marginpar package. Minipages with marginal notes*. 2016-06-24. Version 0.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/minipage-marginpar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/minipage-marginpar>
  - *The noitcrul package. Improved underlines in mathematics*. 2020-03-09. Version 0.2. LICENSE: lppl. The package provides a (maths mode) variant which doesn’t impose italics correction at the end.  
URL: <https://ctan.org/pkg/noitcrul>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/noitcrul>

- *The pauldoc package*. German L<sup>A</sup>T<sub>E</sub>X package documentation. 2016-06-24. Version 0.5. LICENSE: lppl  
URL: <https://ctan.org/pkg/pauldoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pauldoc>
- *The randbild package*. Marginal pictures. 2018-09-15. Version 0.2. LICENSE: lppl. Provides environments to draw small marginal plots (using the packages `and` and `and`), and (the same, only without the automatically drawn coordinate system).  
URL: <https://ctan.org/pkg/randbild>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/randbild>
- *The robustcommand package*. Declare robust command, with `\newcommand` checks. 2016-06-24. Version 0.1. LICENSE: lppl. The package merely provides a variation of `\newcommand`, which checks for the existence of a command before declaring it robust.  
URL: <https://ctan.org/pkg/robustcommand>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/robustcommand>
- Ebinger, Carl-Clemens. *The AlfaSlabOne package*. The Alfa Slab One font face with support for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX. 2021-01-18. Version 0.0.1. LICENSE: ofl  
URL: <https://ctan.org/pkg/alfaslabone>  
MIRROR: <https://mirror.ctan.org/fonts/alfaslabone>
- *The Archivo package*. The Archivo font face with support for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX. 2021-01-03. Version 0.0.2. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/archivo>  
MIRROR: <https://mirror.ctan.org/fonts/archivo>
- Ebinger, Carl-Clemens. *The Arvo package*. The Arvo font face with support for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX. 2020-12-24. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/arvo>  
MIRROR: <https://mirror.ctan.org/fonts/arvo>
- *The CascadiaCode package*. The Cascadia Code font with support for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX. 2021-01-20. Version 0.0.1. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/cascadia-code>  
MIRROR: <https://mirror.ctan.org/fonts/cascadia-code>
- *The gudea package*. The Gudea font face with support for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX. 2021-01-13. Version 0.0.1. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/gudea>  
MIRROR: <https://mirror.ctan.org/fonts/gudea>
- *The hindmadurai package*. The HindMadurai font face with support for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX. 2021-01-13. Version 0.0.1. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/hindmadurai>  
MIRROR: <https://mirror.ctan.org/fonts/hindmadurai>
- *The inter package*. The inter font face with support for L<sup>A</sup>T<sub>E</sub>X, X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X, and LuaLaTeX. 2023-07-21. LICENSE: ofl,lppl. This package provides L<sup>A</sup>T<sub>E</sub>X, pdfLaTeX, X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X and LuaL<sup>A</sup>T<sub>E</sub>X support for the Inter Sans family of fonts (version 3.015), designed by Rasmus Andersson. Inter is a typeface specially designed for user interfaces with focus on high legibility of small-to-medium sized text on computer screens. The family features a tall x-height to aid in readability of mixed-case and lower-case text.  
URL: <https://ctan.org/pkg/inter>  
MIRROR: <https://mirror.ctan.org/fonts/inter>
- *The magra package*. The Magra font face with support for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX. 2021-01-13. Version 0.0.1. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/magra>  
MIRROR: <https://mirror.ctan.org/fonts/magra>
- *The Nunito package*. The Nunito font face with support for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX. 2021-01-18. Version 0.0.1. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/nunito>  
MIRROR: <https://mirror.ctan.org/fonts/nunito>
- *The Oswald package*. The Oswald family of fonts with support for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX. 2021-10-17. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/oswald>  
MIRROR: <https://mirror.ctan.org/fonts/oswald>
- *The play-font package*. The Play font face with support for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX. 2021-03-05. Version 0.0.1. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/play-font>  
MIRROR: <https://mirror.ctan.org/fonts/play-font>
- Eckermann, Matthias. *The parallel package*. Typeset parallel texts. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/parallel>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/parallel>
- Eckl, Martin. *The texspell package*. A L<sup>A</sup>T<sub>E</sub>X spelling checker. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/texspell>  
MIRROR: <https://mirror.ctan.org/support/texspell>

- Edelman, Pieter. *The biocon package. Typesetting biological species names*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/biocon>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biocon>
- Efford, Nick. *The artex package. Make filecontents environments of non-standard files or packages*. 2016-06-24. Version 1.00b. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/artex>  
 MIRROR: <https://mirror.ctan.org/support/artex>
- *The vector package. L<sup>A</sup>T<sub>E</sub>X macros for vectors*. 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/vector>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vector>
- Egan. *The opteng package. SPIE Optical Engineering and OE Letters manuscript template*. 2016-06-24. Version 1.0. LICENSE: lppl. With this template, and associated style and L<sup>A</sup>T<sub>E</sub>X packages, it is possible to estimate the page length of manuscripts for submission to the journals ‘Optical Engineering’ and ‘Optical Engineering Letters’. With a strict three-page limit, this is particularly important for the latter. The template gives simple instructions on how to prepare the manuscript.  
 URL: <https://ctan.org/pkg/opteng>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/opteng>
- Egger, Willi. *The context-calendar-examples package. Collection of calendars based on the PocketDiary-module*. 2023-04-27. LICENSE: pd. The module contains examples for creating calendars based on the -module in various page sizes. In this collection there are the following examples:  
 URL: <https://ctan.org/pkg/context-calendar-examples>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-calendar-examples>
- Egger, Willi. *The context-collatingmarks package. Environment to place collating marks on the spine of a section*. 2023-04-27. LICENSE: pd  
 URL: <https://ctan.org/pkg/context-collatingmarks>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-collatingmarks>
- *The context-interval-calendar package. Date driven lists or lists driven by date-intervals*. 2023-04-19. LICENSE: pd  
 URL: <https://ctan.org/pkg/context-interval-calendar>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-interval-calendar>
  - *The context-pocketdiary package. A personal organiser*. 2023-04-27. LICENSE: pd  
 URL: <https://ctan.org/pkg/context-pocketdiary>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-pocketdiary>
- Eglen, Stephen. *The development package. BibTeX style file for the journal Development*. 2016-06-24. LICENSE: gpl. Here is a BibTeX style file for biologists interested in submitting an article to the .  
 URL: <https://ctan.org/pkg/development>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/development.bst>
- Egler, Andreas and Daniel Taupin. *The musixtex-egler package. Multi-pass music typesetting*. 2016-06-24. Version 0.51. LICENSE: nosell. The original development of Taupin’s original , using an auxiliary program to produce slurs. Revised and developed versions have subsequently been released as ””; Andreas Egler has moved on to another (as yet un-released) package.  
 URL: <https://ctan.org/pkg/musixtex-egler>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/musixtex/egler>
- EHmsen, Martin R. *The python package. Embed Python code in L<sup>A</sup>T<sub>E</sub>X*. 2021-08-04. Version 0.22. LICENSE: gpl  
 URL: <https://ctan.org/pkg/python>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/python>
- Ehrenfeld, Wilfried. *The iwhdp package. Halle Institute for Economic Research (IWH) Discussion Papers*. 2016-06-24. Version 0.50. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/iwhdp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/iwhdp>
- Eijk, Oscar van. *The SQLTeX package. An SQL Preprocessor for L<sup>A</sup>T<sub>E</sub>X*. 2022-02-04. Version 2.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sqltex>  
 MIRROR: <https://mirror.ctan.org/support/SQLTeX>
- Eijkhout, Victor. *The ascii-chart package. An ASCII wall chart*. 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ascii-chart>  
 MIRROR: <https://mirror.ctan.org/info/ascii-chart>
- *The cdlabeler package. Take user text and typeset it to fit a CD label*. 2016-06-24. Version 0.93. LICENSE: gpl  
 URL: <https://ctan.org/pkg/cdlabeler>  
 MIRROR: <https://mirror.ctan.org/macros/generic/eijkhout>



- *The comment package*. Selectively include/exclude portions of text. 2022-09-26. Version 3.8. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/comment>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/comment>
- *The cropmark package*. Crop marks on `\shipout`. 2016-06-24. Version 1.0. LICENSE: noinfo. The package subverts and has it recognise the circumstances in which it is being called. A short test program, which detects whether it is being run under Plain  $\TeX$  or  $\LaTeX$ , is provided.  
 URL: <https://ctan.org/pkg/cropmark>  
 MIRROR: <https://mirror.ctan.org/macros/generic/cropmark>
- *The DB\_process package*. Process database output. 2016-06-24. Version 0.91. LICENSE: gpl  
 URL: <https://ctan.org/pkg/dbprocess>  
 MIRROR: [https://mirror.ctan.org/macros/generic/eijkhout/DB\\_process.tex](https://mirror.ctan.org/macros/generic/eijkhout/DB_process.tex)
- *The eijkhout package*. Victor Eijkhout’s packages. 2016-06-24. LICENSE: collection  
 URL: <https://ctan.org/pkg/eijkhout>  
 MIRROR: <https://mirror.ctan.org/macros/generic/eijkhout>
- *The outliner package*. Change section levels easily. 2016-06-24. Version 0.94. LICENSE: gpl. Allows you to write “” instead of the usual stuff; the definitions of the levels can then easily be changed. There is a mechanism for shifting all levels. This makes it easy to bundle existing articles into a compilation.  
 URL: <https://ctan.org/pkg/outliner>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/outliner>
- Eijkhout, Victor. *The repeat package*. Repeat execution of macros. 2016-06-24. Version 0.93a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/repeat>  
 MIRROR: <https://mirror.ctan.org/macros/generic/eijkhout/repeat.tex>
- *The ruler package*. A typographic ruler for  $\TeX$ . 2020-04-11. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ruler>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/ruler.tex>
- *The TeXbyTopic package*. Freed version of the book  $\TeX$  by Topic. 2017-04-18. LICENSE: fdl  
 URL: <https://ctan.org/pkg/texbytopic>  
 MIRROR: <https://mirror.ctan.org/info/texbytopic>
- Eijkhout, Victor and Johannes L. Braams. *The ntgclass package*. “European” versions of standard classes. 2023-01-10. Version 2.1f. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ntgclass>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ntgclass>
- Eijkhout, Victor, Vafa Khalighi, and bidi-tex GitHub Organisation. *The lollipop package*.  $\TeX$  made easy. 2019-09-08. Version 1.07. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/lollipop>  
 MIRROR: <https://mirror.ctan.org/macros/lollipop>
- Eijndhoven, Jos van. *The poster package*. Scale PostScript images for larger media or tiling. 2016-06-24. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/poster>  
 MIRROR: <https://mirror.ctan.org/support/poster>
- Ejiri, Haruki. *The IEEJtran package*. Unofficial bibliography style file for the Institute of Electrical Engineers of Japan. 2023-01-27. Version 0.19. LICENSE: mit. This package provides an BibTeX style for authors of the Institute of Electrical Engineers of Japan (IEEJ) transactions journals and conferences.  
 URL: <https://ctan.org/pkg/ieejtran>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/ieejtran>
- *The jIEEEtran package*. Unofficial BibTeX style for citing Japanese articles in IEEE format. 2023-01-27. Version 0.19. LICENSE: mit. This package provides a BibTeX style for authors trying to cite Japanese articles in the Institute of Electrical and Electronics Engineers (IEEE) format.  
 URL: <https://ctan.org/pkg/jieeetran>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/jieeetran>
- Ekola, Tommy. *The cmarrows package*. MetaPost arrows and braces in the Computer Modern style. 2016-06-24. Version 0.9. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cmarrows>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/cmarrows>
- Eldering, Jaap. *The check-parens package*. Check parentheses in  $\LaTeX$ . 2016-06-24. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/check-parens>  
 MIRROR: <https://mirror.ctan.org/support/check-parens>

- Eldering, Jaap, Roman Buchert, and Tigran Aivazian. *The pdfbook package. Rearrange pages of a PDF file for booklet printing*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/pdfbook>  
 MIRROR: <https://mirror.ctan.org/support/pdfbook>
- Elkind, Landon D. C. *The principia package. Notations for typesetting the "Principia Mathematica"*. 2023-03-13. Version 2.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/principia>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/principia>
- Ellis, Joshua. *The simpler-wick package. Simpler Wick contractions*. 2017-04-18. Version 1.0.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/simpler-wick>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/simpler-wick>
- *The tikz-feynman package. Feynman diagrams with TikZ*. 2018-01-31. Version 1.1.0. LICENSE: lppl1.3. This is a L<sup>A</sup>T<sub>E</sub>X package allowing Feynman diagrams to be easily generated within L<sup>A</sup>T<sub>E</sub>X with minimal user instructions and without the need of external programs. It builds upon the package and leverages the graph placement algorithms from in order to automate the placement of many vertices. allows fine-tuned placement of vertices so that even complex diagrams can still be generated with ease.  
 URL: <https://ctan.org/pkg/tikz-feynman>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-feynman>
- Ellison, T Mark. *The nnfootnote package. "No number" footnotes*. 2016-06-24. LICENSE: noinfo. Defines a command which leaves no mark, but adds its argument (and nothing else) to the footnote list for the page.  
 URL: <https://ctan.org/pkg/nnfootnote>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/nnfootnote.sty>
- Elmegaard, Brian. *The nomentbl package. Nomenclature typeset in a longtable*. 2016-06-24. Version 0.4. LICENSE: lppl. Nomentbl typeset nomenclatures in a longtable instead of the makeindex style of . A nomenclature entry may have three arguments: Symbol, description and physical unit.  
 URL: <https://ctan.org/pkg/nomentbl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nomentbl>
- Els, Daniel. *The backrefx package. Bibliographical back referencing*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/backrefx>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/backrefx>
- *The mattens package. Matrices/tensor typesetting*. 2022-03-02. Version 1.3b. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/mattens>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mattens>
  - *The refstyle package. Advanced formatting of cross references*. 2016-06-24. Version 0.5. LICENSE: lppl. The package provides a consistent way of producing references throughout a project. Enough flexibility is provided to make local changes to a single reference. The user can configure their own setup. The package offers a direct interface to (for use, for example, in large projects such as a series of books, or a multivolume thesis written as a series of documents), and name references from the package may be incorporated with ease. For large projects such as a series of books or a multi volume thesis, written as freestanding documents, a facility is provided to interface to the package for external document references.  
 URL: <https://ctan.org/pkg/refstyle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/refstyle>
  - *The stellenbosch package. Stellenbosch thesis bundle (legacy version)*. 2023-08-11. Version 11a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/stellenbosch>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stellenbosch>
  - *The stellenbosch-2 package. Stellenbosch University thesis bundle*. 2023-08-20. Version 1.0. LICENSE: cc-by-4  
 URL: <https://ctan.org/pkg/stellenbosch-2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stellenbosch-2>
- Els, Daniel and Simon Fear. *The booktabs package. Publication quality tables in L<sup>A</sup>T<sub>E</sub>X*. 2020-01-14. Version 1.61803398. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/booktabs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/booktabs>
- Els, Daniel and Joseph Wright. *The SIstyle package. Package to typeset SI units, numbers and angles*. 2021-06-24. Version 2.3a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sistyle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sistyle>
- Elstner, Jens. *The spotcolor package. Spot colours for pdfLaTeX*. 2016-06-24. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/spotcolor>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/spotcolor>

- Elwell, Clayton M. *The AFMtoPL (Elwell) package. An early converter from AFM to PL*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/afmto-pl-elwell>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/afmto-pl/elwell>
- Emmel, Thomas. *The ifmslide package. Presentation slides for screen and printouts*. 2016-06-24. Version 0.47. LICENSE: lppl1.2. This package is used to produce printed slides with L<sup>A</sup>T<sub>E</sub>X and online presentations with pdfLaTeX. It is provided by the ‘Institute of Mechanics’ (ifm) Univ. of Technology Darmstadt, Germany. It is based on ideas of , but completely rewritten for compatibility with texpower and . The manual describes all functions and provides a sample.  
 URL: <https://ctan.org/pkg/ifmslide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ifmslide>
- *The ticket package. Make labels, visiting-cards, pins with L<sup>A</sup>T<sub>E</sub>X*. 2016-10-11. Version 0.4d. LICENSE: lppl1.3. Provides an easy to handle interface to produce visiting cards, labels for your files, stickers, pins and other stuff for your office, conferences etc. All you need is a definition of your ‘ticket’ included in a ticket definition file and the two commands and .  
 URL: <https://ctan.org/pkg/ticket>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ticket>
- Enderle, Tobias. *The PyLuaTeX package. Execute Python code on the fly in your L<sup>A</sup>T<sub>E</sub>X documents*. 2023-02-15. Version 0.6.1. LICENSE: mit,lppl1.3c  
 URL: <https://ctan.org/pkg/pyluatex>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/pyluatex>
- Enderling, Tim. *The etoolbox-de package. German translation of documentation of etoolbox*. 2016-06-24. Version 1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/etoolbox-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/etoolbox/de>
- Engdahl, Erik. *The swetex package. Plain T<sub>E</sub>X support for writing Swedish*. 2016-06-24. LICENSE: lppl. Subverts several characters for Swedish non-ascii letters, and uses for delimiters.  
 URL: <https://ctan.org/pkg/swetex>  
 MIRROR: <https://mirror.ctan.org/language/swedish/swetex>
- Engelbrechtsen, Lars. *The ae package. Virtual fonts for T1 encoded CMR-fonts*. 2016-06-24. Version 1.4. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ae>  
 MIRROR: <https://mirror.ctan.org/fonts/ae>
- *The swebib package. Swedish bibliography styles*. 2016-06-24. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/swebib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/swebib>
- Engel, Christian, Dirk Jagdman, and Kamal Al-Yahya. *The tr2latex package. Translate troff source to L<sup>A</sup>T<sub>E</sub>X*. 2018-08-01. Version 2.6. LICENSE: nosell. A development of Al-Yahya’s original troff-to-LaTeX. The translator recognises most and macros, plus some and preprocessor commands; output is in L<sup>A</sup>T<sub>E</sub>X 2.09 format.  
 URL: <https://ctan.org/pkg/tr2latex>  
 MIRROR: <https://mirror.ctan.org/support/tr2latex>
- Engelen, Johan B. C. *The svg-inkscape package. How to include an SVG image in L<sup>A</sup>T<sub>E</sub>X using Inkscape*. 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/svg-inkscape>  
 MIRROR: <https://mirror.ctan.org/info/svg-inkscape>
- Engler, Martin. *The firefox-ctan-plugins package. Firefox search proformas for CTAN*. 2023-06-29. LICENSE: pd  
 URL: <https://ctan.org/pkg/firefox-ctan-plugins>  
 MIRROR: <https://mirror.ctan.org/support/firefox-ctan-plugins>
- Ensenbach, Marc and Mark Trettin. *The l2tabu package. Obsolete packages and commands*. 2022-06-12. Version 2.4. LICENSE: other-free  
 URL: <https://ctan.org/pkg/l2tabu>  
 MIRROR: <https://mirror.ctan.org/info/l2tabu/german>
- Entenmann, Walter. *The schulschriften package. German “school scripts” from Suetterlin to the present day*. 2021-05-29. Version 5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/schulschriften>  
 MIRROR: <https://mirror.ctan.org/fonts/schulschriften>
- Eppstein, David. *The eppstein-trees package. Macros for producing trees*. 2021-08-26. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/eppstein-trees>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/trees/eppstein>
- *The treedef package. Macros to typeset trees in Plain T<sub>E</sub>X*. 2021-08-26. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/treedef>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/treedef>

- Erickson, Jeff and Nelson H. F. Beebe. *The bibindex package. Index BibTeX files for fast searching*. 2017-04-18. Version 2.0. LICENSE: pd. A stand-alone tool for indexing BibTeX databases to be searched using the corresponding tool.  
 URL: <https://ctan.org/pkg/bibindex>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibindex>
- *The biblook package. Fast searching of BibTeX files*. 2017-04-18. Version 2.8. LICENSE: pd. A stand-alone tool for searching BibTeX documents which have been indexed by .  
 URL: <https://ctan.org/pkg/biblook>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibindex>
- Eriksen, Mikkel Eide. *The unicode-alphabets package. Macros for using characters from Unicode's Private Use Area*. 2023-02-27. LICENSE: cc-by-sa-4  
 URL: <https://ctan.org/pkg/unicode-alphabets>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unicode-alphabets>
- Erlebacher, Beverly. *The texi2roff package. Translate texinfo to troff*. 2016-06-24. Version 2.0. LICENSE: other-free. Texi2roff translates documents to nroff/troff (it does deal with Plain T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X sources). While the conversion is not complete, it provides a solid basis for translating most texinfo documentation.  
 URL: <https://ctan.org/pkg/texi2roff>  
 MIRROR: <https://mirror.ctan.org/support/texi2roff>
- Esau, Nathan. *The uassign package. Environments and options for typesetting university assignments*. 2016-06-24. Version 1.01. LICENSE: lppl  
 URL: <https://ctan.org/pkg/uassign>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uassign>
- Esbati, Arash. *The AnonymousPro package. Use AnonymousPro fonts with L<sup>A</sup>T<sub>E</sub>X*. 2019-07-12. Version 2.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/anonymouspro>  
 MIRROR: <https://mirror.ctan.org/fonts/anonymouspro>
- *The Chivo package. Using the free Chivo fonts with L<sup>A</sup>T<sub>E</sub>X*. 2022-11-16. Version 2.2. LICENSE: ofl,lppl1.3c. This work provides the necessary files to use the Chivo fonts with L<sup>A</sup>T<sub>E</sub>X. Chivo is a set of eight fonts provided by Héctor Gatti & Omnibus Team under the , version 1.1. The fonts are copyright (c) 2011-2019, Omnibus-Type.  
 URL: <https://ctan.org/pkg/chivo>  
 MIRROR: <https://mirror.ctan.org/fonts/chivo>
  - *The rosario package. Using the free Rosario fonts with L<sup>A</sup>T<sub>E</sub>X*. 2019-07-20. Version 2.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/rosario>  
 MIRROR: <https://mirror.ctan.org/fonts/rosario>
- Esken, Thomas. *The dvichk package. List the page numbers in a DVI file*. 2018-01-06. Version 1.91. LICENSE: gpl  
 URL: <https://ctan.org/pkg/dvichk>  
 MIRROR: <https://mirror.ctan.org/dviware/dvichk>
- Espinoza, Mario Saenz. *The feupphdteses package. Typeset Engineering PhD theses at the University of Porto*. 2016-06-24. Version 4.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/feupphdteses>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/feupphdteses>
- Eßer, Hans-Georg. *The LaTeXDB package. Integrates L<sup>A</sup>T<sub>E</sub>X and SQL databases*. 2021-04-21. Version 0.3. LICENSE: gpl  
 URL: <https://ctan.org/pkg/latexdb>  
 MIRROR: <https://mirror.ctan.org/support/latexdb>
- Esser, Thomas. *The anysize package. A simple package to set up document margins*. 2016-06-24. LICENSE: pd. This package is considered obsolete; alternatives are the package from the bundle, or the package.  
 URL: <https://ctan.org/pkg/anysize>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/anysize>
- *The tetex package. Obsolete T<sub>E</sub>X distribution for Unix/Linux*. 2021-08-26. Version 3.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/tetex>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/unix/teTeX>
- Ettrich, Matthias. *The lyx package. Document processor based on L<sup>A</sup>T<sub>E</sub>X*. 2017-04-18. Version 1.3.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/lyx>
- Ewasiuk, Kale. *The addtoluatexpath package. Add paths to Lua packages and input T<sub>E</sub>X files*. 2023-08-20. LICENSE: mit. This package provides a convenient way to add input and Lua package paths in your document. You may want this package, for example, if a or file is located on a network or cloud storage drive.



- URL: <https://ctan.org/pkg/addtoluatexpath>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/addtoluatexpath>
- *The autopuncitems package. Automatically punctuate lists.* 2022-04-16. LICENSE: mit. This package provides the option in the environments `list`, `listgroup`, and `listgroup*` to automatically punctuate the items. It uses lua pattern matching to modify the environment's contents.  
URL: <https://ctan.org/pkg/autopuncitems>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/autopuncitems>
  - *The lutabulartools package. Some useful LuaLaTeX-based tabular tools.* 2021-09-11. LICENSE: mit. This package provides some useful commands for tabular matter. It uses LuaLaTeX and offers the ability to combine the facilities of `tblr` and `tblars` with an easy to use syntax. It also adds some enhanced rules for the package.  
URL: <https://ctan.org/pkg/lutabulartools>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/lutabulartools>
  - *The penlight package. Penlight Lua libraries made available to LuaLaTeX users.* 2023-07-23. LICENSE: mit. This LuaLaTeX package provides a wrapper to use the Lua libraries with LuaLaTeX, with some extra functionality added.  
URL: <https://ctan.org/pkg/penlight>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/penlight>
  - *The penlightplus package. Additions to the Penlight Lua libraries.* 2023-08-28. LICENSE: mit. This package extends the package by adding useful functions for interfacing with LaTeX.  
URL: <https://ctan.org/pkg/penlightplus>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/penlightplus>
- Ewasiuk, Kale. *The YAMLvars package. A YAML parser and tool for easy LaTeX definition creation.* 2023-07-23. LICENSE: mit  
URL: <https://ctan.org/pkg/yamlvars>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/yamlvars>
- Fachschaftsrat Mathematik/Informatik Uni Halle. *The mluxercise package. Exercises/homework at the Martin Luther University Halle-Wittenberg.* 2020-11-25. Version 2.0. LICENSE: mit  
URL: <https://ctan.org/pkg/mluxercise>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mluxercise>
- Fafejta, Ondřej. *The pmxchords package. Produce chord information to go with pmx output.* 2016-06-24. Version 2.0.2. LICENSE: gpl2  
URL: <https://ctan.org/pkg/pmxchords>  
MIRROR: <https://mirror.ctan.org/support/pmxchords>
- Fairbairns, Robin. *The scriptfonts package. A summary of mathematical script fonts for LaTeX users.* 2019-09-27. LICENSE: lppl  
URL: <https://ctan.org/pkg/scriptfonts>  
MIRROR: <https://mirror.ctan.org/info/symbols/math>
- *The texfaq package. A compilation of Frequently Asked Questions with answers.* 2021-12-29. Version 3.28. LICENSE: pd. The FAQ that has in the past been published in the UK TeX Users Group journal Baskerville. This is the last version released on CTAN in 2014. The actual TeX FAQ can be found on <https://www.ctan.org/faq>. Some are also available.  
URL: <https://ctan.org/pkg/texfaq>
- Fairbairns, Robin and Karl Berry. *The tugboat package. LaTeX macros for TUGboat articles.* 2023-07-04. Version 2.30. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tugboat>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tugboat>
- Fairbairns, Robin and David Carlisle. *The bold-extra package. Use bold small caps and typewriter fonts.* 2018-09-14. Version 0.1. LICENSE: lppl. Allows access to 'extra' bold fonts for Computer Modern OT1 encoding (the fonts are available in `cm-bx`). Since there is more than one bold tt-family font set, the version required is selected by a package option.  
URL: <https://ctan.org/pkg/bold-extra>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bold-extra>
- *The capt-of package. Captions on more than floats.* 2018-09-14. LICENSE: lppl  
URL: <https://ctan.org/pkg/capt-of>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/capt-of>
  - *The captdef package. Declare free-standing \caption commands.* 2018-09-15. LICENSE: lppl. The command defines a class of caption command associated with the counter specified to the command. These commands are free-standing (i.e., don't need to be inside a float environment). The package uses to define `\captionof` and `\captiondef`, which can be used outside figure or table environments.  
URL: <https://ctan.org/pkg/captdef>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/captdef>
  - *The checklab package. A patch for the label-checking code.* 2018-09-13. LICENSE: pd  
URL: <https://ctan.org/pkg/checklab>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fragments/checklab.tex>



- *The fixfoot package. Multiple use of the same footnote text.* 2018-09-15. Version 0.3a. LICENSE: lppl. Provides a command to provide a single command for a frequently-used footnote. The package ensures that only one instance of the footnote text appears on each page (L<sup>A</sup>T<sub>E</sub>X needs to be run several times to achieve this).  
URL: <https://ctan.org/pkg/fixfoot>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fixfoot>
- *The fncylab package. Alter the format of \label references.* 2019-09-13. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/fncylab>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fncylab>
- *The oldstyle package. Old style numbers in OT1 encoding.* 2018-09-15. Version 0.2. LICENSE: lppl. Font information needed to load the and fonts for use to produce oldstyle numbers.  
URL: <https://ctan.org/pkg/oldstyle>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oldstyle>
- *The secdot package. Section numbers with trailing dots.* 2018-09-15. Version 1.0. LICENSE: lppl. Makes the numbers of commands come out with a trailing dot. Includes a command whereby the same can be made to happen with other sectioning commands.  
URL: <https://ctan.org/pkg/secdot>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/secdot>
- *The subscript package. Provides the \textsubscript command.* 2018-09-13. LICENSE: lppl  
URL: <https://ctan.org/pkg/subscript>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fragments>
- Fairbairns, Robin and David Carlisle. *The topcapt package. Place captions above figures or tables.* 2018-09-15. Version 1.2. LICENSE: lppl. Defines a command which does the same as , except that it places itself correctly when put above the figure/table that it's a caption of.  
URL: <https://ctan.org/pkg/topcapt>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/topcapt.sty>
- *The verbatim package. Define commands which expand to verbatim text.* 2018-09-15. Version 0.2. LICENSE: lppl. The package defines a single command (which has a \*-form, like ). will define a robust command whose body expands to verbatim text. By using commands defined by , one can put verbatim text into the arguments of commands; since the defined command is robust, it doesn't matter if the argument is moving. (Full details of syntax and caveats about use are in comments in the file itself.)  
URL: <https://ctan.org/pkg/verbatim>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/verbatim>
- *The vmspell package. A spell-checker for VMS systems.* 2018-09-15. LICENSE: pd  
URL: <https://ctan.org/pkg/vmspell>  
MIRROR: <https://mirror.ctan.org/support/vmspell>
- Fairbairns, Robin, Angus Duggan, Rainer Schöpf, Victor Eijkhout, and David Carlisle. *The moreverb package. Extended verbatim.* 2018-09-14. Version 2.3a. LICENSE: lppl  
URL: <https://ctan.org/pkg/moreverb>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/moreverb>
- Fairbairns, Robin, Max Hailperin, and David Carlisle. *The chappg package. Page numbering by chapter.* 2018-09-15. Version 2.1b. LICENSE: lppl  
URL: <https://ctan.org/pkg/chappg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chappg>
- Fairbairns, Robin and Frank Mittelbach. *The footmisc package. A range of footnote options.* 2023-07-05. Version 6.0f. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/footmisc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/footmisc>
- Fairbairns, Robin, Hubert Partl, and Frank Mittelbach. *The parskip package. Layout with zero \parindent, non-zero \parskip.* 2021-03-14. Version 2.0h. LICENSE: lppl1.3c. Simply changing and leaves a layout that is untidy; this package (though it is no substitute for a properly-designed class) helps alleviate this untidiness.  
URL: <https://ctan.org/pkg/parskip>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/parskip>
- Fairbairns, Robin, Sebastian Rahtz, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The rotating package. Rotation tools, including rotated full-page floats.* 2021-06-01. Version 2.16d. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/rotating>  
MIRROR: <https://mirror.ctan.org/macros/latex/required/graphics>
- Fairbairns, Robin and Christina Thiele. *The nrc package. Class for the NRC technical journals.* 2016-06-24. Version 2.01a. LICENSE: lppl. Macros, and some documentation, for typesetting papers for submission to journals published by the National Research Council Research Press. At present, only (for two-column layout) should be used.

- URL: <https://ctan.org/pkg/nrc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nrc>
- Fairman, Randall. *The figput package. Create interactive figures in L<sup>A</sup>T<sub>E</sub>X*. 2022-07-26. Version 0.90. LICENSE: cc-by-sa-4  
URL: <https://ctan.org/pkg/figput>  
MIRROR: <https://mirror.ctan.org/graphics/figput>
- Faist, Philippe. *The phfcc package. Convenient inline commenting in collaborative documents*. 2021-10-15. Version 2.0. LICENSE: lppl1.3. Easily define helper macros to insert comments in a L<sup>A</sup>T<sub>E</sub>X document. A convenient syntax enables you to mark text additions (e.g., “” or “”), an in-line comment (e.g., “”), and text removals (e.g., “”). New colors are assigned automatically to each commenter by default, and the appearance of all comments is highly customizable.  
URL: <https://ctan.org/pkg/phfcc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phfcc>
- *The phfextendedabstract package. Typeset extended abstracts for conferences, such as often encountered in quantum information theory*. 2021-09-11. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/phfextendedabstract>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phfextendedabstract>
  - *The phffullpagefigure package. Figures which fill up a whole page*. 2017-04-18. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/phffullpagefigure>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phffullpagefigure>
- Faist, Philippe. *The phfnote package. Basic formatting for short documents*. 2021-10-11. Version 4.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/phfnote>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phfnote>
- *The phfparen package. Parenthetic math expressions made simpler and less redundant*. 2017-04-18. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/phfparen>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phfparen>
  - *The phfqit package. Macros for typesetting Quantum Information Theory*. 2021-10-11. Version 4.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/phfqit>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phfqit>
  - *The phfquotetext package. Quote verbatim text without white space formatting*. 2017-04-18. Version 1.0. LICENSE: lppl1.3. This package provides an environment for displaying block text with special characters, such as verbatim quotes from a referee report which may contain pseudo-(La)T<sub>E</sub>X code. This behaves like a environment, except that it displays its content as normal paragraph content, ignoring any white space preformatting.  
URL: <https://ctan.org/pkg/phfquotetext>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phfquotetext>
  - *The phfsvnwatermark package. Watermarks with version control information from SVN*. 2017-04-18. Version 1.0. LICENSE: lppl1.3. This package allows you to add version control information as a gray watermark on each page of your document. The SVN info is read from keyword tags such as , , and via the or packages.  
URL: <https://ctan.org/pkg/phfsvnwatermark>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phfsvnwatermark>
  - *The phfthm package. Goodies for theorems and proofs*. 2021-10-11. Version 1.2. LICENSE: lppl1.3. This package provides enhanced theorem and proof environments based on the original versions. It allows for hooks to be placed, adds some default goodies and is highly customizable. In particular, it can connect theorems to proofs, automatically producing text such as “See proof on page XYZ” and “Proof of Theorem 4: ...”.  
URL: <https://ctan.org/pkg/phfthm>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phfthm>
- Falco, Marc de. *The tikz-inet package. Draw interaction nets with TikZ*. 2016-06-24. Version 0.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/tikz-inet>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-inet>
- Faltin, Felix. *The iodhbwm package. Unofficial template of the DHBW Mannheim*. 2021-02-17. Version 1.2.2. LICENSE: lppl1.3. This package provides an template of the for the creation of bachelor thesis, studies or project work with L<sup>A</sup>T<sub>E</sub>X. The aim of the package is the quick creation of a basic framework without much effort.  
URL: <https://ctan.org/pkg/iodhbwm>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/iodhbwm>
- Fan, James. *The seuthesix package. L<sup>A</sup>T<sub>E</sub>X class for theses at Southeast University, Nanjing, China*. 2017-04-18. Version 1.0.1. LICENSE: gpl3  
URL: <https://ctan.org/pkg/seuthesix>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/seuthesix>

- Farar, Pavel. *The dejavu package. L<sup>A</sup>T<sub>E</sub>X support for the DejaVu fonts*. 2017-10-02. Version 2.34. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dejavu>  
 MIRROR: <https://mirror.ctan.org/fonts/dejavu>
- *The paratype package. L<sup>A</sup>T<sub>E</sub>X support for free fonts by ParaType*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/paratype>  
 MIRROR: <https://mirror.ctan.org/fonts/paratype>
  - *The ptsans package. PT Sans font and L<sup>A</sup>T<sub>E</sub>X support*. 2016-06-24. Version 2.003. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ptsans>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/ptsans>
  - *The ptserif package. PT Serif font and L<sup>A</sup>T<sub>E</sub>X support*. 2016-06-24. Version 1.000. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ptserif>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/ptserif>
- Farley, Nathanael. *The gurps package. Typeset Generic Universal Role Playing System (GURPS) materials*. 2019-06-21. Version 0.1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/gurps>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/gurps>
- Farnbach, Rick and Paul Furnanz. *The newalg package. Format algorithms like Cormen, Leiserson and Rivest*. 2016-06-24. LICENSE: noinfo. For comparison, see Cormen’s own .  
 URL: <https://ctan.org/pkg/newalg>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/newalg>
- Farrugia, Paulseph-John. *The maltese package. Support input in Maltese*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/maltese>  
 MIRROR: <https://mirror.ctan.org/language/maltese>
- Fasada. *The lxmial package. A letter-generator that produces L<sup>A</sup>T<sub>E</sub>X output*. 2016-06-24. LICENSE: nosell  
 URL: <https://ctan.org/pkg/lxmial>  
 MIRROR: <https://mirror.ctan.org/support/lxmial>
- Faulhammer, Christian. *The dante-book-reviews package. Book reviews published in DANTE’s journal*. 2016-06-24. LICENSE: nocommercial. A series of book reviews published in DANTE’s journal “ ” from 2004, by a number of authors. The project was initiated by Christian Faulhammer.  
 URL: <https://ctan.org/pkg/dante-book-reviews>  
 MIRROR: [https://mirror.ctan.org/info/digests/dtk/book\\_reviews](https://mirror.ctan.org/info/digests/dtk/book_reviews)
- Fauske, Kjell Magne. *The dot2tex package. Convert graphs generated by Graphviz to L<sup>A</sup>T<sub>E</sub>X friendly formats*. 2018-09-15. Version 2.7.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/dot2tex>  
 MIRROR: <https://mirror.ctan.org/graphics/dot2tex>
- *The dot2texi package. Create graphs within L<sup>A</sup>T<sub>E</sub>X using the dot2tex tool*. 2018-09-15. Version 3.0. LICENSE: gpl. The dot2texi package allows you to embed graphs in the DOT graph description language in your L<sup>A</sup>T<sub>E</sub>X documents. The tool is used to invoke for graph layout, and to transform the output from Graphviz to L<sup>A</sup>T<sub>E</sub>X code. The generated code relies on the package or the package. The process is automated if shell escape is enabled.  
 URL: <https://ctan.org/pkg/dot2texi>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dot2texi>
- Fedor, Adam. *The mactotex package. Convert “Macintosh PostScript” for use with T<sub>E</sub>X*. 2016-06-24. LICENSE: noinfo. The program cleans out all the irrelevant things that the MACOS applications used to add, and restructures so that the files can be “used with T<sub>E</sub>X”. The documentation talks about using , but it doesn’t seem likely that this is actually necessary, 15 years after the program was written.  
 URL: <https://ctan.org/pkg/mactotex>  
 MIRROR: <https://mirror.ctan.org/graphics/mactotex>
- Feffin, Elia Arnese. *The chemplants package. Symbology to draw chemical plants with TikZ*. 2021-09-25. Version 0.9.9. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/chemplants>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/chemplants>
- Fehd, Ronald J. *The sugconf package. SAS(R) user group conference proceedings document class*. 2021-04-03. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sugconf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/conferences/sugconf>
- Felty, Robert. *The umthesis package. Dissertations at the University of Michigan*. 2016-06-24. Version 0.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/umthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/umthesis>

- Fenn, Jürgen. *The templates-fenn package. Templates for T<sub>E</sub>X usage*. 2017-04-18. LICENSE: lppl. A set of templates for using L<sup>A</sup>T<sub>E</sub>X packages that the author uses, comprising: – `scrlltr2.tex`: a letter, written with `scrlltr2.cls` from the ; – `dinbrief.tex`: a letter according to the German (DIN) standards, written with ; – `kbrief.tex`: a brief memo (‘Kurzbrief’) to accompany enclosures, as used in German offices, again based on ; – `vermerk.tex`: a general form for taking down notes on events in the office; and – `diabetes.tex`: a diary for the basis-bolus insulin therapy of diabetes mellitus, using `scartcl.cls` from the .  
URL: <https://ctan.org/pkg/templates-fenn>  
MIRROR: <https://mirror.ctan.org/info/templates/fenn>
- *The wordlike package. Simulating word processor layout*. 2016-06-24. Version 1.2b. LICENSE: lppl  
URL: <https://ctan.org/pkg/wordlike>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wordlike>
- Fennell, James. *The Student Handouts package. Management and styling of student handout projects*. 2019-06-21. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/studenthandouts>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/studenthandouts>
- Ferguson, George. *The code package. Typeset “code” in verbatim*. 2016-06-24. LICENSE: noinfo. Uses the package to typeset code, and offers alignment and positioning options, as well as the possibility of framing the code sample.  
URL: <https://ctan.org/pkg/code>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/code>
- Ferguson, Michael J. *The inrstex package. Extended Plain T<sub>E</sub>X for use with M<sup>L</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: noinfo. INRST<sub>E</sub>X supports the preparation of documents in several languages, using ordinary fonts. It is usable with any T<sub>E</sub>X system, but is most useful when using ordinary CM fonts with an system. The macros include support for PostScript graphics.  
URL: <https://ctan.org/pkg/inrstex>  
MIRROR: <https://mirror.ctan.org/macros/inrstex>
- Fernandes, Diogo A. B. *The academicons package. Font containing high quality icons of online academic profiles*. 2022-03-10. Version 1.9.1-2. LICENSE: lppl1.3c,ofl  
URL: <https://ctan.org/pkg/academicons>  
MIRROR: <https://mirror.ctan.org/fonts/academicons>
- Fernandez, Jose Ra Portillo. *The spain package. Bibliography style for Spanish documents*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/spain>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/spain>
- Fernández, José Alberto and Thorsten Hansen. *The bibunits package. Multiple bibliographies in one document*. 2016-06-24. Version 2.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/bibunits>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibunits>
- Ferrante, Luca and Onofrio de Bari. *The amsmath-it package. Italian translations of some old amsmath documents*. 2016-06-24. LICENSE: lppl. The documents are: of December 1999, and of March 2000.  
URL: <https://ctan.org/pkg/amsmath-it>  
MIRROR: <https://mirror.ctan.org/info/translations/amsmath/it>
- Ferreira, Henrique Cezar. *The UnBTeX package. A class for theses at University of Brasilia (UnB)*. 2023-06-16. Version 1.2.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/unbtex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unbtex>
- Ferro, Anthony. *The bibplain package. Simple macros for using BibT<sub>E</sub>X with Plain T<sub>E</sub>X*. 2016-06-18. LICENSE: noinfo  
URL: <https://ctan.org/pkg/bibplain>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/bibplain.tex>
- Feuersänger, Christian. *The pdfmarginpar package. Generate marginpar-equivalent PDF annotations*. 2018-01-06. Version 0.92. LICENSE: gpl. The package provides the command which is similar in spirit to . However, it creates PDF annotations which may be viewed with Adobe Reader in place of marginal texts. Small icons indicate the in-text position where the message originates, popups provide the messages themselves. Thus bugfixes and other such communications are clearly visible together when viewing the document, while the document itself is not obscured.  
URL: <https://ctan.org/pkg/pdfmarginpar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfmarginpar>
- *The pgfplots package. Create normal/logarithmic plots in two and three dimensions*. 2021-10-08. Version 1.18.1. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/pgfplots>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgfplots>



- *The pgfplotstable package. Loads, rounds, formats and postprocesses numerical tables.* 2021-05-08. Version 1.18. LICENSE: gpl  
URL: <https://ctan.org/pkg/pgfplotstable>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgfplots>
- Feuerstack, Thomas. *The protext package. A MikTeX-based T<sub>E</sub>X installation for MS-Windows.* 2022-06-03. Version 3.2-031721. LICENSE: other-free  
URL: <https://ctan.org/pkg/protext>  
MIRROR: <https://mirror.ctan.org/obsolete/systems/windows/protext>
- Fiandrino, Claudio. *The aobs-tikz package. TikZ styles for creating overlaid pictures in beamer.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/aobs-tikz>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/aobs-tikz>
- *The beamer2thesis package. Thesis presentations using beamer.* 2017-04-18. Version 2.2. LICENSE: lppl. The package specifies a theme for presenting a thesis.  
URL: <https://ctan.org/pkg/beamer2thesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamer2thesis>
- *The dynblocks package. A simple way to create dynamic blocks for Beamer.* 2016-06-24. Version 0.2b. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/dynblocks>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/dynblocks>
- Fiandrino, Claudio. *The engtlc package. Support for users in Telecommunications Engineering.* 2016-06-24. Version 3.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/engtlc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/engtlc>
- *The hf-tikz package. A simple way to highlight formulas and formula parts.* 2016-06-24. Version 0.3a. LICENSE: lppl1.3. The package provides a way to highlight formulas and formula parts in both documents and presentations, us .  
URL: <https://ctan.org/pkg/hf-tikz>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/hf-tikz>
- *The sa-tikz package. TikZ library to draw switching architectures.* 2018-01-06. Version 0.7a. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/sa-tikz>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/sa-tikz>
- *The smartdiagram package. Generate diagrams from lists.* 2016-12-23. Version 0.3b. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/smartdiagram>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/smartdiagram>
- Field, Laurie. *The lfb package. A Greek font with normal and bold variants.* 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/lfb>  
MIRROR: <https://mirror.ctan.org/fonts/greek/lfb>
- Fields, Joe. *The fig4latex package. Management of figures for large L<sup>A</sup>T<sub>E</sub>X documents.* 2016-06-24. Version 0.2. LICENSE: gpl3  
URL: <https://ctan.org/pkg/fig4latex>  
MIRROR: <https://mirror.ctan.org/graphics/fig4latex>
- Filby, Vincent. *The crossreference package. Crossreferences within documents.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/crossreference>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/crossreference>
- Filipović, Zoran T. *The eqell package. Sympathetically spaced ellipsis after punctuation.* 2016-06-24. LICENSE: gpl. The package provides commands that give a well-spaced ellipsis after , , or .  
URL: <https://ctan.org/pkg/eqell>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eqell>
- *The fjodor package. A selection of layout styles.* 2019-12-22. LICENSE: gpl  
URL: <https://ctan.org/pkg/fjodor>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fjodor>
- *The he-le-na package. Support for Serbian typesetting.* 2016-06-24. LICENSE: shareware  
URL: <https://ctan.org/pkg/he-le-na>  
MIRROR: <https://mirror.ctan.org/language/serbian/filipovic/he-le-na>
- *The serbian-apostrophe package. Commands for Serbian words with apostrophes.* 2016-06-24. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/serbian-apostrophe>  
MIRROR: <https://mirror.ctan.org/language/serbian/filipovic/serbian-apostrophe>
- *The serbian-book package. Support for use of memoir in Serbian.* 2016-06-24. LICENSE: gpl. The package provides a number of commands for adjusting output to Serbian style.



- URL: <https://ctan.org/pkg/serbian-book>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/srbook-mem>
- *The serbian-date-lat package. Updated date typesetting for Serbian.* 2016-06-24. LICENSE: gpl2. defines dates for Serbian texts, in Latin script. The style it uses does not match current practices. The present package defines a command that solves the problem.  
URL: <https://ctan.org/pkg/serbian-date-lat>  
MIRROR: <https://mirror.ctan.org/language/serbian/filipovic/serbian-date-lat>
  - *The serbian-def-cyr package. Serbian cyrillic localization.* 2016-06-24. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/serbian-def-cyr>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/serbian-def-cyr>
  - *The serbian-lig package. Control ligatures in Serbian.* 2019-12-14. LICENSE: lppl1.3. The package suppresses and (and other ligatures) in Serbian text written using Roman script.  
URL: <https://ctan.org/pkg/serbian-lig>  
MIRROR: <https://mirror.ctan.org/language/serbian/filipovic/serbian-lig>
  - *The serbianpart package. Redefines \thepart to be used in Roman lettered Serbian.* 2018-01-07. LICENSE: gpl. The package redefines , to produce “PART <alphabetical version of the number>”, in Roman lettered Serbian.  
URL: <https://ctan.org/pkg/serbianpart>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/serbianpart>
- Filipović, Zoran T. *The sr-half-compound package. Hyphenation of Serbian half-compound words in cyrillic scripts.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/sr-half-compound>  
MIRROR: <https://mirror.ctan.org/language/serbian/filipovic/sr-half-compound>
- *The sr-hyphen-spec package. Hyphenation of special cases in Serbian.* 2016-06-24. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/sr-hyphen-spec>  
MIRROR: <https://mirror.ctan.org/language/serbian/filipovic/sr-hyphen-spec>
- Filippou, Dimitrios. *The elhyphen package. Hyphenation for Greek text.* 2016-07-20. Version 5. LICENSE: other-free  
URL: <https://ctan.org/pkg/elhyphen>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/elhyphen>
- *The gent1-gr package. Modern Greek translation of the Gentle Introduction to T<sub>E</sub>X.* 2018-01-06. LICENSE: nosell  
URL: <https://ctan.org/pkg/gent1-gr>  
MIRROR: <https://mirror.ctan.org/info/greek/gentle>
  - *The hyphenation-greek package. Hyphenation patterns for ancient and modern Greek.* 2016-06-24. Version 4.0. LICENSE: lppl. Contains the hyphenation patterns for ancient Greek and modern Greek in polytonic (multi-accent) and monotonic (uni-accent) systems. The hyphenation patterns will work perfectly with the babel option or with Dryllerakis’ GreekT<sub>E</sub>X. The patterns can easily be converted for use with the fonts (see the package), or with Omega/Lambda (see the package). For any other Greek package, the patterns will have to be re-coded.  
URL: <https://ctan.org/pkg/hyphenation-greek>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/elhyphen>
- Fine, Jonathan. *The outerhbox package. Collect horizontal material for contributing to a paragraph.* 2020-04-11. Version 1.2. LICENSE: gpl. The package provides the command, which is similar to , except that material is set in outer horizontal mode. This prevents T<sub>E</sub>X from optimising away maths penalties and the like, that are needed when the material is ’ed.  
URL: <https://ctan.org/pkg/outerhbox>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/outerhbox.sty>
- *The tex2tok package. Convert a T<sub>E</sub>X source file into tokens.* 2016-06-24. Version 1.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/tex2tok>  
MIRROR: <https://mirror.ctan.org/support/tex2tok>
- Fine, Michael. *The tabverb package. Verbatim text respecting TAB characters.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/tabverb>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/tabverb.sty>
- Fink, Johannes K. *The corridx-latex package. Correct index entries for chemical compounds.* 2016-06-24. Version 1.0. LICENSE: lppl. The names of chemical compounds often have prefixes that do not contribute to the alphabetic sorting of the corresponding index entry. This drawback can be circumvented by introducing sort keys into the index entry; the corridx package does this automatically. This package replaces the old Pascal program .  
URL: <https://ctan.org/pkg/corridx-latex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/corridx>

- *The corrdx-obsolete package. Add index entries to L<sup>A</sup>T<sub>E</sub>X document.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/corrdx-obsolete>  
 MIRROR: <https://mirror.ctan.org/obsolete/indexing/corrdx>
- *The tabularborder package. Remove excess space at left and right of tabular.* 2016-06-24. Version 1.0a. LICENSE: lppl1.2. The tabular environment is changed so that the outer s are compensated and a has the same length as the text. No is needed.  
 URL: <https://ctan.org/pkg/tabularborder>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabularborder>
- Fink, Werner and Jürgen Bachteler. *The boldtensors package. Bold latin and greek characters through simple prefix characters.* 2016-06-24. LICENSE: gpl. This package provides bold latin and greek characters within , by using and ” as prefix characters.  
 URL: <https://ctan.org/pkg/boldtensors>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/boldtensors>
- Finnberg, Torsten. *The amiweb2c-guide package. How to install AmiWeb2c.* 2020-10-30. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/amiweb2c-guide>  
 MIRROR: <https://mirror.ctan.org/info/amiweb2c-guide>
- Finnerty, Justin. *The chemsec package. Automated creation of numeric entity labels.* 2018-04-29. Version 1.12a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/chemsec>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemsec>
- Finney, Michael Lee. *The logix package. Supplement to the Unicode math symbols.* 2022-06-22. Version 1.13. LICENSE: ofl,lppl1.3c  
 URL: <https://ctan.org/pkg/logix>  
 MIRROR: <https://mirror.ctan.org/fonts/logix>
- Finston, Laurence. *The 3DLDf package. Three-dimensional drawing with MetaPost output.* 2018-01-06. Version 1.1.5.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/threedldf>  
 MIRROR: <https://mirror.ctan.org/graphics/3DLDf>
- Fintel, Kai von. *The biblatex-unified package. BibL<sup>A</sup>T<sub>E</sub>X implementation of the unified stylesheet for linguistics journals.* 2022-11-08. Version 1.20. LICENSE: lppl1.3c. BibLaTeX-unified is an opinionated BibL<sup>A</sup>T<sub>E</sub>X implementation of the  
 URL: <https://ctan.org/pkg/biblatex-unified>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-unified>
- Fiorio, Christophe and Ivan Kokan. *The algorithm2e package. Floating algorithm environment with algorithmic keywords.* 2020-04-06. Version 5.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/algorithm2e>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/algorithm2e>
- Firth, David and Reuben Thomas. *The pdfjam package. Shell scripts interfacing to pdfpages.* 2023-07-30. Version 3.07. LICENSE: gpl2+  
 URL: <https://ctan.org/pkg/pdfjam>  
 MIRROR: <https://mirror.ctan.org/support/pdfjam>
- Fischer, Arnd. *The KTeXShell package. Graphical frontend to T<sub>E</sub>X.* 2018-11-15. Version 0.4.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ktexshell>  
 MIRROR: <https://mirror.ctan.org/obsolete/support/ktexshell>
- Fischer, Jörg. *The NEdit-LaTeX-Extensions package. The L<sup>A</sup>T<sub>E</sub>X-Mode is a set of macros for the NEdit text editor.* 2020-11-25. Version 0.9.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/nedit-latex-extensions>  
 MIRROR: <https://mirror.ctan.org/support/NEdit-LaTeX-Extensions>
- Fischer, Ulrike. *The bearwear package. Shirts to dress TikZbears.* 2023-03-09. Version 0.2. LICENSE: lppl1.3c. The package offers tools to create shirts for TikZbears from the package.  
 URL: <https://ctan.org/pkg/bearwear>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bearwear>
- *The chessboard package. Print chess boards.* 2023-03-09. Version 1.9. LICENSE: lppl  
 URL: <https://ctan.org/pkg/chessboard>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chessboard>
- *The chessfss package. A package to handle chess fonts.* 2023-03-09. Version 1.2a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/chessfss>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chessfss>
- *The citeall package. Cite all entries of a bbl created with BibLaTeX.* 2023-03-09. Version 1.4. LICENSE: lppl1.3. This small package allows to cite all entries of a -file created with (v1.9).  
 URL: <https://ctan.org/pkg/citeall>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/citeall>

- *The combofont package. Add NFSS-declarations of combo fonts to Lua<sup>A</sup>T<sub>E</sub>X documents.* 2023-03-09. Version 0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/combofont>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/combofont>
- *The enpassant package. Enpassant chess font support.* 2023-03-09. Version 1.1. LICENSE: lppl. The package contains the necessary files to use free chess fonts from the (or on CTAN), with (La)T<sub>E</sub>X. For some of the fonts the pfb-file is also part of the package, or is available elsewhere on CTAN. For others the pfb must be made from the original ttf from the enpassant site. Instructions about the conversion and the use of the font can be found in the documentation of chessfss.  
 URL: <https://ctan.org/pkg/enpassant>  
 MIRROR: <https://mirror.ctan.org/fonts/chess/enpassant>
- *The fontloader-luaotfload package. Alternative fontloaders for luaotfload.* 2023-03-09. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fontloader-luaotfload>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/luatex/generic/fontloader-luaotfload>
- *The newpax package. Experimental package to extract and reinsert PDF annotations.* 2023-03-09. Version 0.53. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/newpax>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/newpax>
- *The returntogrid package. Semi-automatic grid typesetting.* 2023-03-09. Version 0.2. LICENSE: lppl1.3c. offers a few commands to get something like an simple, semi-automatic grid typesetting. It does more or less what the existing `grid` package does. The main differences to `grid` are that `returntogrid` works also with Lua<sup>A</sup>T<sub>E</sub>X and that it has also a command to do some horizontal movements to get to “tab” positions.  
 URL: <https://ctan.org/pkg/returntogrid>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/returntogrid>
- Fischer, Ulrike. *The tagpdf package. Tools for experimenting with tagging using pdf<sup>A</sup>T<sub>E</sub>X and LuaLaTeX.* 2023-08-31. Version 0.98L. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tagpdf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tagpdf>
- *The xskak package. An extension to the skak package for chess typesetting.* 2023-03-09. Version 1.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xskak>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xskak>
- Flaas, Ives van der. *The copyrightbox package. Provide copyright notices for images in a document.* 2016-06-24. Version 0.1. LICENSE: lppl. The package command `\copyrightbox`, which places the as a copyright notice relating to the matter created by the .  
 URL: <https://ctan.org/pkg/copyrightbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/copyrightbox>
- Fleischhacker, Nils. *The tikzpeople package. Draw people-shaped nodes in TikZ.* 2023-07-26. Version 0.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tikzpeople>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzpeople>
- Flipo, Daniel. *The babel-french package. Babel contributed support for French.* 2023-03-09. Version 3.5q. LICENSE: lppl1.3. The package, formerly known as `babel-french`, establishes French conventions in a document (or a subset of the conventions, if French is not the main language of the document).  
 URL: <https://ctan.org/pkg/babel-french>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/french>
- *The concmath-otf package. Concrete based OpenType Math font.* 2023-07-20. Version 0.50. LICENSE: ofl,lppl1.3  
 URL: <https://ctan.org/pkg/concmath-otf>  
 MIRROR: <https://mirror.ctan.org/fonts/concmath-otf>
- *The erewhon-math package. Utopia based OpenType Math font.* 2023-07-20. Version 0.63. LICENSE: ofl,lppl1.3. OpenType version of the Type1 fonts designed by Michel Bovani.  
 URL: <https://ctan.org/pkg/erewhon-math>  
 MIRROR: <https://mirror.ctan.org/fonts/erewhon-math>
- *The euler-math package. OpenType version of Hermann Zapf’s Euler maths font.* 2023-07-20. Version 0.50. LICENSE: ofl,lppl1.3  
 URL: <https://ctan.org/pkg/euler-math>  
 MIRROR: <https://mirror.ctan.org/fonts/euler-math>
- *The frhyph package. French hyphenation patterns.* 2016-11-05. Version 2.12. LICENSE: other-free  
 URL: <https://ctan.org/pkg/frhyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/frhyph.tex>
- *The kpfonts-otf package. OTF version of the Kp-fonts.* 2023-08-04. Version 0.56. LICENSE: ofl,lppl1.3  
 URL: <https://ctan.org/pkg/kpfonts-otf>  
 MIRROR: <https://mirror.ctan.org/fonts/kpfonts-otf>

- *The lettrine package*. Typeset dropped capitals. 2023-08-14. Version 2.52. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/lettrine>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lettrine>
- *The lua-typo package*. Highlighting typographical flaws with LuaLaTeX. 2023-04-29. Version 0.80. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/lua-typo>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/lua-typo>
- *The tabvar package*. Typesetting tables showing variations of functions. 2022-07-17. Version 1.8. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tabvar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabvar>
- *The xcharter-math package*. XCharter-based OpenType Math font for LuaTeX and XeTeX. 2023-07-20. Version 0.50. LICENSE: ofl,lppl1.3. This package provides an Unicode Math font meant to be used together with (extension of Bitstream Charter) in Lua<sup>A</sup>TeX or Xe<sup>A</sup>TeX documents.  
URL: <https://ctan.org/pkg/xcharter-math>  
MIRROR: <https://mirror.ctan.org/fonts/xcharter-math>
- *The yfonts-otf package*. OpenType version of the Old German fonts designed by Yannis Haralambous. 2022-11-16. Version 0.43. LICENSE: ofl,lppl1.3  
URL: <https://ctan.org/pkg/yfonts-otf>  
MIRROR: <https://mirror.ctan.org/fonts/yfonts-otf>
- Flipo, Daniel and Laurent Siebenmann. *The hyacc-cm package*. Hyphenation using 7-bit fonts. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/hyacc-cm>  
MIRROR: <https://mirror.ctan.org/macros/generic/hyacc-cm>
- Floch, Bruno Le. *The cprotect package*. Allow verbatim, etc., in macro arguments. 2016-06-24. Version 1.0e. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/cprotect>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cprotect>
- *The gtl package*. Manipulating generalized token lists. 2018-12-29. Version 0.5. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/gtl>  
MIRROR: <https://mirror.ctan.org/macros/generic/gtl>
- *The morewrites package*. Always room for a new write stream. 2018-12-29. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/morewrites>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/morewrites>
- *The multiexpand package*. Variations on the primitive command `\expandafter`. 2020-08-29. Version 1.5. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/multiexpand>  
MIRROR: <https://mirror.ctan.org/macros/generic/multiexpand>
- *The randomwalk package*. Random walks using TikZ. 2018-12-28. Version 0.6. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/randomwalk>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/randomwalk>
- *The reverxii package*. Playing Reversi in T<sub>E</sub>X. 2022-06-28. LICENSE: lppl1.3c. Following the lead of , this little (938 characters) program that plays Reversi. (The program incorporates some primitive AI.)  
URL: <https://ctan.org/pkg/reverxii>  
MIRROR: <https://mirror.ctan.org/macros/generic/reverxii>
- *The unravel package*. Watching T<sub>E</sub>X digest tokens. 2021-05-12. Version 0.3a. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/unravel>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unravel>
- Floré, Matthias. *The liftarm package*. Draw liftarms. 2022-04-07. Version 2.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/liftarm>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/liftarm>
- *The wheelchart package*. Draw wheelcharts with TikZ. 2022-09-14. Version 1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/wheelchart>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/wheelchart>
- Floros, Matt. *The psu-thesis package*. Package for writing a thesis at Penn State University. 2019-02-26. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/psu-thesis>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/psu-thesis>
- Flück, Dominic. *The truthtable package*. Automatically generate truth tables for given variables and statements. 2021-10-09. Version 0.0.2. LICENSE: lppl1.3c. This Lua<sup>A</sup>TeX package permits to automatically generate truth tables given a table header. It supports a number of logical operations which can be combined as needed. It is built upon the package.

- URL: <https://ctan.org/pkg/truthtable>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/truthtable>
- Flynn, Peter. *The beginlatex package. A beginner's guide to L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 3.6. LICENSE: fdl  
URL: <https://ctan.org/pkg/beginlatex>  
MIRROR: <https://mirror.ctan.org/info/beginlatex>
- *The bookshelf package. Create a nice image from a BibT<sub>E</sub>X file*. 2020-05-26. Version 0.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/bookshelf>  
MIRROR: <https://mirror.ctan.org/graphics/bookshelf>
  - *The classpack package. XML mastering for L<sup>A</sup>T<sub>E</sub>X classes and packages*. 2020-05-20. Version 1.19. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/classpack>  
MIRROR: <https://mirror.ctan.org/support/classpack>
  - *The decorule package. Decorative swelled rule using font character*. 2020-05-21. Version 0.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/decorule>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/decorule>
  - *The euflag package. A command to reproduce the flag of the European Union*. 2020-05-24. Version 0.8. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/euflag>  
MIRROR: <https://mirror.ctan.org/graphics/euflag>
- Flynn, Peter. *The fontsampler package. Samples of fonts that come with T<sub>E</sub>X Live*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/fontsampler>  
MIRROR: <https://mirror.ctan.org/info/fontsampler>
- *The L<sup>A</sup>T<sub>E</sub>X-brochure package. A publicity flyer for L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/latex-brochure>  
MIRROR: <https://mirror.ctan.org/info/latex-brochure>
  - *The L<sup>A</sup>T<sub>E</sub>X-veryshortguide package. The Very Short Guide to L<sup>A</sup>T<sub>E</sub>X*. 2020-05-21. Version 0.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/latex-veryshortguide>  
MIRROR: <https://mirror.ctan.org/info/latex-veryshortguide>
  - *The makebase package. Typeset counters in a different base*. 2016-06-24. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/makebase>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/makebase>
  - *The symbats3 package. Macros to use the Symbats3 dingbats fonts*. 2022-06-26. LICENSE: lppl1.3c. This package makes available for L<sup>A</sup>T<sub>E</sub>X the glyphs in .  
URL: <https://ctan.org/pkg/symbats3>  
MIRROR: <https://mirror.ctan.org/fonts/symbats3>
- Fogiel, Udi. *The culmus package. Hebrew fonts from the Culmus project*. 2023-08-20. Version 1.1. LICENSE: lppl1.3,gpl2. Hebrew fonts from the . Both Type1 and Open/TrueType versions of the fonts are provided, as well as font definition files. It is recommended to use these fonts with the NHE8 font encoding, from the package.  
URL: <https://ctan.org/pkg/culmus>  
MIRROR: <https://mirror.ctan.org/fonts/culmus>
- *The hebrew-fonts package. Input encodings, font encodings and font definition files for Hebrew*. 2023-08-21. Version 1.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/hebrew-fonts>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hebrew-fonts>
- Fojtík, Jaroslav. *The WP2L<sup>A</sup>T<sub>E</sub>X package. Convert WordPerfect documents to L<sup>A</sup>T<sub>E</sub>X*. 2023-08-10. Version 3.100. LICENSE: other-free. This is a long established, supported, converter. A patch is available to use its code as an HTML to L<sup>A</sup>T<sub>E</sub>X convertor (see documentation link, below; this code is unrelated to the purpose-built , also on CTAN).  
URL: <https://ctan.org/pkg/wp2latex>  
MIRROR: <https://mirror.ctan.org/support/wp2latex>
- Fokkinga, Maarten. *The calculation package. Typesetting reasoned calculations, also called calculational proofs*. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/calculation>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calculation>
- Folini, Christian. *The gtex-letter package. A Gnome assistant to ease the writing of L<sup>A</sup>T<sub>E</sub>X letters*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/gtex-letter>  
MIRROR: <https://mirror.ctan.org/support/gtex-letter>



- Folkertsma, Geert. *The bondgraphs package. Draws bond graphs in L<sup>A</sup>T<sub>E</sub>X, using PGF/TikZ*. 2016-06-24. Version 1.0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bondgraphs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bondgraphs>
- Forkosh, John. *The arXivBib package. Get bibliography entries from arXiv.org*. 2021-08-06. Version 1.00. LICENSE: gpl  
 URL: <https://ctan.org/pkg/arxivbib>  
 MIRROR: <https://mirror.ctan.org/support/arxivbib>
- *The mathtex package. A CGI program to use L<sup>A</sup>T<sub>E</sub>X to put mathematics on the web*. 2021-06-12. Version 1.05. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mathtex>  
 MIRROR: <https://mirror.ctan.org/support/mathtex>
  - *The mimetex package. Parse L<sup>A</sup>T<sub>E</sub>X math expressions and emit gif or xbitmaps*. 2021-09-15. Version 1.74. LICENSE: gpl. MimeTeX parses L<sup>A</sup>T<sub>E</sub>X mathematics expressions, emitting either gif images or mime xbitmaps of them, rather than the usual T<sub>E</sub>X DVI files. MimeTeX images are therefore easily inserted directly into html documents using a standard html img tag without intermediate dvi-to-gif conversion, and without storing lots of little gif image files, one file for each converted expression. This makes your web site and html documents more easily maintained. See for many examples demonstrating mimeTeX's features and usage.  
 URL: <https://ctan.org/pkg/mimetex>  
 MIRROR: <https://mirror.ctan.org/support/mimetex>
  - *The texlist package. Typeset program listings*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/texlist>  
 MIRROR: <https://mirror.ctan.org/support/texlist>
- Forkosh, John. *The texperf package. A WordPerfect to L<sup>A</sup>T<sub>E</sub>X translator*. 2016-06-24. LICENSE: lppl. TeXPerfect was written to interpret files formatted by WordPerfect 5.1 for DOS; is probably a better bet for current WordPerfect.  
 URL: <https://ctan.org/pkg/texperf>  
 MIRROR: <https://mirror.ctan.org/support/texperf>
- Forrest, David. *The jqt1999 package. Journal of Quality Technology BibTeX format*. 2016-06-24. LICENSE: lppl. This is a derivative work of Oren Patashnik's apalike BibTeX style. It is a BibTeX file for the Journal of Quality Technology that can be used with . It puts semicolons between authors, quotes around titles, and 'pp.' before page numbers.  
 URL: <https://ctan.org/pkg/jqt1999>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/jqt1999.bst>
- Förster, Eric. *The TeXLab package. L<sup>A</sup>T<sub>E</sub>X Language Server*. 2023-08-15. Version 5.9.2. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/texlab>  
 MIRROR: <https://mirror.ctan.org/support/texlab>
- Fortune, James. *The altnline package. Line numbering in L<sup>A</sup>T<sub>E</sub>X 2.09*. 2016-06-24. Version 1.1. LICENSE: noinfo. Line numbering in L<sup>A</sup>T<sub>E</sub>X. Note that the code here works with the L<sup>A</sup>T<sub>E</sub>X 2.09 output routine, and cannot therefore be used with current L<sup>A</sup>T<sub>E</sub>X.— its replacement was , but that has itself been declared obsolete, in favour of .  
 URL: <https://ctan.org/pkg/altnline>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/altnline.sty>
- Fortuny, Pedro. *The tex2ltx package. AMS-TeX to AMS-L<sup>A</sup>T<sub>E</sub>X converter*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tex2ltx>  
 MIRROR: <https://mirror.ctan.org/support/tex2ltx>
- Fox, Jim. *The cnoweb package. Simple "quality" printing of C sources*. 2016-06-24. Version 1.6. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cnoweb>  
 MIRROR: [https://mirror.ctan.org/web/c\\_cpp/cnoweb](https://mirror.ctan.org/web/c_cpp/cnoweb)
- *The dpfloat package. Support for double-page floats*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dpfloat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dpfloat>
  - *The firstline package. Print the first line of a paragraph in a different font*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/firstline>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/samples/firstline.tex>
  - *The uwthesis package. University of Washington thesis class*. 2016-06-18. Version 6.13. LICENSE: apache2  
 URL: <https://ctan.org/pkg/uwthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uwthesis>
  - *The uwthesis209 package. L<sup>A</sup>T<sub>E</sub>X 2.09 style for University of Washington theses*. 2016-06-24. Version 1.5. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/uwthesis209>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/uw-thesis>

- Fradin, Patrick. *The pst-vectorian package. Printing ornaments*. 2021-09-06. Version 0.41. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pst-vectorian>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-vectorian>
- Frambach, Erik. *The fourproject package. Analyse and display the structure of a T<sub>E</sub>X document*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/fourproject>  
 MIRROR: <https://mirror.ctan.org/support/4project>
- *The fourspell package. Windows32 spell checker for T<sub>E</sub>X, RTF, HTML, and BibT<sub>E</sub>X*. 2016-06-24. LICENSE: gpl. A Windows32 spell-checker for (La)T<sub>E</sub>X, RTF, HTML, BibT<sub>E</sub>X documents, or any other ASCII format, with or without tags. Highly configurable. Supports multiple codepages (can spell-check e.g. Russian), uses colors to display document and tag structures. Dictionaries are compatible with .  
 URL: <https://ctan.org/pkg/fourspell>  
 MIRROR: <https://mirror.ctan.org/support/4spell>
- Frampton, John. *The expex package. Linguistic examples and glosses, with reference capabilities*. 2017-05-26. Version 5.1b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/expex>  
 MIRROR: <https://mirror.ctan.org/macros/generic/expex>
- *The pst-asr package. Typeset autosegmental representations for linguists*. 2016-06-24. Version 1.3. LICENSE: lppl. The package allows the user to typeset autosegmental representations. It uses the , and packages.  
 URL: <https://ctan.org/pkg/pst-asr>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-asr>
- Frampton, John. *The pst-jtree package. Typeset complex trees for linguists*. 2018-09-15. Version 2.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pst-jtree>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-jtree>
- Frank, Ben. *The kvmap package. Create Karnaugh maps with L<sup>A</sup>T<sub>E</sub>X*. 2023-05-17. Version 0.3.5. LICENSE: lppl1.3c. This L<sup>A</sup>T<sub>E</sub>X package allows the creation of (even large) Karnaugh maps. It provides a tabular-like input syntax and support for drawing bundles (implicants) around adjacent values. It is based on an .  
 URL: <https://ctan.org/pkg/kvmap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kvmap>
- Frank, Sascha. *The menucard package. Typesetting menu cards with L<sup>A</sup>T<sub>E</sub>X*. 2020-06-23. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/menucard>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/menucard>
- Franke, Axel. *The sae package. Typeset an SAE technical paper*. 2018-01-06. LICENSE: nosell  
 URL: <https://ctan.org/pkg/sae>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sae>
- Franklin, Charles. *The dectab package. Align columns on a decimal point*. 2016-06-24. LICENSE: noinfo. The package defines the command , which allows a construct such as in a tabular column; the column will then be centred on the decimal point in the number.  
 URL: <https://ctan.org/pkg/dectab>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/dectab.sty>
- Franz, Melchior. *The euro package. Provide Euro values for national currency amounts*. 2020-08-29. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/euro>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/euro>
- Franz, Melchior and Reuben Thomas. *The crop package. Support for cropmarks*. 2020-06-13. Version 1.10.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/crop>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/crop>
- Franzen, Steven. *The chordbox package. Draw chord diagrams*. 2019-05-07. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/chordbox>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/chordbox>
- Frasson, Miguel Vinícius Santini. *The centerlastline package. Paragraphs with last line centered, known as “Spanish” paragraphs*. 2020-10-14. Version 1.0. LICENSE: lppl1.2. This L<sup>A</sup>T<sub>E</sub>X package provides a and an that typeset “Spanish” paragraphs, that is paragraphs without indentation, and last line centered, useful to finish a large paragraph of text at the end of chapters, prologues, etc.  
 URL: <https://ctan.org/pkg/centerlastline>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/centerlastline>
- *The mailmerge package. Repeating text field substitution*. 2016-06-24. Version 1.0. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/mailmerge>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mailmerge>

- *The numberpt package. Counters spelled out in Portuguese.* 2019-07-21. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/numberpt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numberpt>
- *The ordinalpt package. Counters as ordinal numbers in Portuguese.* 2016-06-24. Version 2.1. LICENSE: lppl. The package provides a counter style (like , and others) which produces as output strings like “primeiro” (“first” in Portuguese), “segundo” (second), and so on up to 1999th. Separate counter commands are provided for different letter case variants, and for masculine and feminine gender inflections.  
 URL: <https://ctan.org/pkg/ordinalpt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ordinalpt>
- *The pagecont package. Page numbering that continues between documents.* 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pagecont>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pagecont>
- *The timbreicmc package. Typeset documents with ICMC/USP watermarks.* 2019-01-17. Version 2.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/timbreicmc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/timbreicmc>
- Frederiks, L. L. *The bib2dvi package. Generate a DVI file from a Bibliography file.* 2016-06-24. Version 0.13. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/bib2dvi>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/bib2dvi>
- Free Software Foundation. *The texinfo package. Texinfo documentation system.* 2021-07-13. Version 6.8. LICENSE: gpl  
 URL: <https://ctan.org/pkg/texinfo>  
 MIRROR: <https://mirror.ctan.org/macros/texinfo/texinfo>
- *The texinfo-latest package. Current releases of texinfo.tex and texi2dvi.* 2021-07-13. LICENSE: gpl. The bundle offers the latest official releases of the macro file, the scripts, and support file, as posted on . These files are often updated between full releases of the full package. See the the full package for documentation.  
 URL: <https://ctan.org/pkg/texinfo-latest>  
 MIRROR: <https://mirror.ctan.org/macros/texinfo/latest>
- Freeman, T. Graham. *The aurora package. Header files for dvips to make colour separations.* 2019-06-21. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/aurora>  
 MIRROR: <https://mirror.ctan.org/support/aurora>
- Freyre-Gonzalez, Julio A. *The unamthesis package. Style for Universidad Nacional Autonoma de Mexico theses.* 2017-03-29. Version 2.1. LICENSE: lppl1.3. The package provides a customisable format to typeset Theses according to the Universidad Nacional Autonoma de Mexico guidelines. Support for use in Scientific Workplace (SWP) 3.x is also provided. The bundle also includes an appropriate bibliographic style which enables the use of author-year schemes using the package.  
 URL: <https://ctan.org/pkg/unamthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unamthesis>
- Fricke, Olaf. *The xtcaps package. Defining language-dependent text macros.* 2016-06-24. Version 1.1d. LICENSE: noinfo. The package provides macros which generate text which switches according to what language has been selected in . The documentation includes an example of the use of the package.  
 URL: <https://ctan.org/pkg/xtcaps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xtcaps>
- Friedl, Sebastian. *The fancyhandout package. A L<sup>A</sup>T<sub>E</sub>X class for producing nice-looking handouts.* 2018-01-23. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fancyhandout>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancyhandout>
- *The hackthefootline package. Footline selection and configuration for L<sup>A</sup>T<sub>E</sub>X beamer’s standard themes.* 2018-01-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hackthefootline>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/hackthefootline>
- *The lualatex-truncate package. A wrapper for using the truncate package with LuaLaTeX.* 2023-05-17. Version 1.1. LICENSE: lppl1.3c. This package provides a wrapper for the package, thus fixing issues related to LuaTeX’s hyphenation algorithm.  
 URL: <https://ctan.org/pkg/lualatex-truncate>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/lualatex-truncate>
- *The mensa-tex package. Typeset simple school cafeteria menus.* 2017-12-05. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/mensa-tex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mensa-tex>
- *The pdfpc-movie package. Pdfpc viewer-compatible hyperlinks to movies.* 2023-05-17. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pdfpc-movie>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfpc-movie>

- *The termcal-de package. German localization for termcal.* 2018-03-24. Version 2.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/termcal-de>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/termcal-de>
- *The textualcomma package. Use the textual comma character as decimal separator in math mode.* 2023-05-17. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/textualcomma>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/textualcomma>
- Friedman, Noah. *The texi2dvi-latest package. Process Texinfo or (La)TeX source to DVI.* 2016-08-14. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/texi2dvi-latest>  
 MIRROR: <https://mirror.ctan.org/macros/texinfo/latest>
- Friedrich, Josef. *The cloze package. A Lua<sup>A</sup>TeX package for creating cloze texts.* 2020-06-30. Version 1.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cloze>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/cloze>
- *The lparse package. A Lua module for parsing key-value options.* 2023-02-06. Version 0.1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/lparse>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/lparse>
- *The luakeys package. A Lua module for parsing key-value options.* 2023-01-13. Version 0.13.0. LICENSE: lppl1.3c. This package provides a Lua module that can parse key-value options like the  $\TeX$  packages `,, ,`, etc. `,`, however, accomplishes this task entirely by using the Lua language and does not rely on  $\TeX$ . Therefore this package can only be used with the  $\TeX$  engine `.` Since luakeys uses `,` the parsing mechanism should be pretty robust.  
 URL: <https://ctan.org/pkg/luakeys>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/luakeys>
- Friedrich, Josef. *The nodetree package. Visualize node lists in a tree view.* 2022-12-17. Version 2.2.1. LICENSE: lppl1.3. is a development package that visualizes the structure of node lists. shows its debug informations in the console output when you compile a LuaTeX file. It uses a similar visual representation for node lists as the UNIX command for a folder structure.  
 URL: <https://ctan.org/pkg/nodetree>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/nodetree>
- Friendly, Michael. *The tex2bib package. Extract a BibTeX database from a document source.* 2016-06-24. LICENSE: bsd. Tex2bib is a Perl script that extracts bibliographic data from a document whose author wrote out the entries. The entire document is scanned for entries, ending when `is` is encountered.  
 URL: <https://ctan.org/pkg/tex2bib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/tex2bib>
- *The texdepend package. Find dependencies in a L<sup>A</sup>TeX file.* 2020-05-05. Version 0.92. LICENSE: lppl. A Perl script for finding dependencies in a L<sup>A</sup>TeX file. The script reads a file, and (recursively) all and files referenced therein to build dependencies from the source files scanned, packages (as in `,`), and figures (loaded using `,`).  
 URL: <https://ctan.org/pkg/texdepend>  
 MIRROR: <https://mirror.ctan.org/support/texdepend>
- *The texref package. Find cross-references in a L<sup>A</sup>TeX file.* 2016-06-24. LICENSE: lppl. Texref reads a file, and (recursively) all and files referenced therein, collecting the names of all `s`, `s` and `s` as it goes. It then prints the list of labels together with information about where those labels are referenced in the file.  
 URL: <https://ctan.org/pkg/texref>  
 MIRROR: <https://mirror.ctan.org/support/texref>
- Fries, Alexander. *The fribrief package. Two L<sup>A</sup>TeX classes for writing letters in German.* 2019-06-21. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/fribrief>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fribrief>
- Frigeri, Alceu. *The codedescribe package. A minimalist set of commands (expl3 based) to describe Document and Class level commands/functions.* 2023-05-16. Version 1.1. LICENSE: lppl1.3c,gpl. This package aims to document both Document level (i.e. final user) commands, as well Package/Class level commands. It is fully implemented using syntax and structures, in particular `,` and `.` Besides those the `and` packages are used to typeset code snippets.  
 URL: <https://ctan.org/pkg/codedescribe>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/codedescribe>
- *The democodetools package. Package for L<sup>A</sup>TeX code documentation.* 2022-09-08. Version 1.0.1beta. LICENSE: lppl1.3c,gpl  
 URL: <https://ctan.org/pkg/democodetools>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/democodetools>



- *The starray package. A structured array (of properties) based on expl3.* 2023-06-04. Version 1.3. LICENSE: lppl1.3c,gpl  
 URL: <https://ctan.org/pkg/starray>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/starray>
- *The ufrgscca package. A bundle for undergraduate students final work/report (tcc) at UFRGS/EE.* 2023-05-29. Version 1.11. LICENSE: lppl1.3c,gpl. This bundle is aimed at producing undergraduate students' final work/report at UFRGS/EE (Engineering School at the Federal University of Rio Grande do Sul), closely following ABNT rules (Brazilian Association for Technical Norms). It is composed of a main class, , and a set of auxiliary packages, some of which can be used independently.  
 URL: <https://ctan.org/pkg/ufrgscca>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ufrgscca>
- Fruchart, Michel. *The tikz-optics package. A library for drawing optical setups with TikZ.* 2022-04-06. Version 0.2.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tikz-optics>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-optics>
- Fuchs, David R. *The lfonts-ams package. Use AMS fonts as standard L<sup>A</sup>T<sub>E</sub>X 2.09 fonts.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/lfonts-ams>  
 MIRROR: [https://mirror.ctan.org/macros/latex209/contrib/lfonts\\_ams/lfonts\\_ams.tex](https://mirror.ctan.org/macros/latex209/contrib/lfonts_ams/lfonts_ams.tex)
- Fujita, Shinsaku. *The xymtex package. Typesetting chemical structures.* 2021-08-26. Version 5.06. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/xymtex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xymtex>
- Fujun, Shi. *The uestcthesi package. Thesis class for UESTC.* 2017-04-18. Version 1.1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/uestcthesi>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uestcthesi>
- Furue, Ryo. *The jas99\_m package. BibTeX style for American Meteorological Society (AMS).* 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/jas99m>  
 MIRROR: [https://mirror.ctan.org/obsolete/biblio/bibtex/contrib/misc/jas99\\_m.bst](https://mirror.ctan.org/obsolete/biblio/bibtex/contrib/misc/jas99_m.bst)
- Furuta, Richard. *The slem package. Slanted emphasis in L<sup>A</sup>T<sub>E</sub>X 2.09.* 2016-06-24. LICENSE: noinfo. A jiffy package to cause in L<sup>A</sup>T<sub>E</sub>X 2.09 to use in place of the standard . Note that the package will not work in L<sup>A</sup>T<sub>E</sub>X 2e.  
 URL: <https://ctan.org/pkg/slem>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/slem.sty>
- Fussner, David. *The biblatex-chicago package. Chicago style files for BibLaTeX.* 2022-11-17. Version 2.3a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-chicago>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-chicago>
- Fuster, Robert. *The calculator package. Use L<sup>A</sup>T<sub>E</sub>X as a scientific calculator.* 2022-09-17. Version 2.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/calculator>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calculator>
- *The catalanbib package. Bibliographic styles for use in Catalan.* 2016-06-24. LICENSE: nosell  
 URL: <https://ctan.org/pkg/catalanbib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/catalan>
- *The xpicture package. Extensions of L<sup>A</sup>T<sub>E</sub>X picture drawing.* 2018-01-06. Version 1.2a. LICENSE: lppl1.3. The package extends the facilities of the and the packages, providing extra reference frames, conic section curves, graphs of elementary functions and other parametric curves.  
 URL: <https://ctan.org/pkg/xpicture>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xpicture>
- Fuster, Robert and Constantin Kahn. *The zefonts package. Virtual fonts to provide T1 encoding from existing fonts.* 2016-06-24. Version 2.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/zefonts>  
 MIRROR: <https://mirror.ctan.org/fonts/zefonts>
- Fütterer, Michael and Jonathan Zachhuber. *The coolthms package. Reference items in a theorem environment.* 2016-06-24. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/coolthms>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coolthms>
- *The tikzpf package. Draw arrows using PGF/TikZ.* 2016-06-24. Version 1.0. LICENSE: lppl. In a document with a lot of diagrams created with PGF/TikZ, there is a possibility of the reader being distracted by different sorts of arrowheads in the diagrams and in the text (as, e.g., in ). The package defines macros to create all arrows using PGF/TikZ, so as to avoid the problem.  
 URL: <https://ctan.org/pkg/tikzpf>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzpf>



- Fyodorov, Vyacheslav. *The eskd package. Modern Russian typesetting*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/eskd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eskd>
- Gaborit, Paul. *The iscramp package. A L<sup>A</sup>T<sub>E</sub>X class to publish article to ISCRAM conferences*. 2018-01-07. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/iscram>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/iscram>
- *The ocgx package. Use OCGs within a PDF document without JavaScript*. 2016-12-28. Version 0.5. LICENSE: lppl,lppl  
 URL: <https://ctan.org/pkg/ocgx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ocgx>
  - *The sankey package. Draw Sankey diagrams with TikZ*. 2022-02-04. Version 3.0.1. LICENSE: lppl1.3,gpl  
 URL: <https://ctan.org/pkg/sankey>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/sankey>
- Gács, Péter. *The de-macro package. Expand private macros in a document*. 2021-04-09. Version 1.4.1. LICENSE: other-free  
 URL: <https://ctan.org/pkg/de-macro>  
 MIRROR: <https://mirror.ctan.org/support/de-macro>
- Gagnon, Francis. *The glosmathtools package. Mathematical nomenclature tools based on the glossaries package*. 2020-07-19. Version 1.0.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/glosmathtools>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glosmathtools>
- Gaito, Stephen. *The fifo-stack package. FIFO and stack implementation for package writers*. 2017-04-18. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fifo-stack>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fifo-stack>
- Gajdosik, Libor. *The eltex package. Simple circuit diagrams in L<sup>A</sup>T<sub>E</sub>X picture mode*. 2016-06-24. Version 2.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/eltex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eltex>
- Gall, Diane. *The courseoutline package. Prepare university course outlines*. 2016-06-24. Version 1.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/courseoutline>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/courseoutline>
- *The coursepaper package. Prepare university course papers*. 2016-06-24. Version 2.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/coursepaper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coursepaper>
  - *The york-thesis package. A thesis class file for York University, Toronto*. 2016-06-24. Version 3.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/york-thesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/york-thesis>
- Galland, Stéphane. *The AutoLaTeX package. Automate compilation of large scale L<sup>A</sup>T<sub>E</sub>X projects*. 2022-02-10. Version 41.1. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/autolatex>  
 MIRROR: <https://mirror.ctan.org/support/autolatex>
- *The bib2ml package. BibTeX to HTML/SQL/XML translator*. 2017-04-18. Version 6.7. LICENSE: gpl  
 URL: <https://ctan.org/pkg/bib2ml>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/bib2ml>
  - *The UPmethodology package. Writing specifications such as for UP-based methodologies*. 2022-10-04. Version 20221004. LICENSE: lgpl3  
 URL: <https://ctan.org/pkg/upmethodology>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/upmethodology>
- Galván, Ignacio Fernández. *The TengwarScript package. L<sup>A</sup>T<sub>E</sub>X support for using Tengwar fonts*. 2016-06-24. Version 1.3.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tengwarscript>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tengwarscript>
- GAMM Juniors, Dominik Kern, Matthias Bartelt, Benjamin Unger, and Arne Claus Hansen-Doerr. *The gammas package. Template for the GAMM Archive for Students*. 2023-06-29. Version 1.1. LICENSE: lppl1.3c. This is the official document class for typesetting journal articles for (GAMMAS), the open-access online journal run by the GAMM Juniors (GAMM = Gesellschaft für angewandte Mathematik und Mechanik).  
 URL: <https://ctan.org/pkg/gammas>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gammas>
- Gankevich, Ivan. *The beamertheme-saintpetersburg package. A beamer theme that incorporates colours and fonts of Saint Petersburg State University*. 2017-11-23. LICENSE: lppl1.3c. This minimalistic beamer theme incorporates colours and fonts. It is suitable for both presentations and posters.

URL: <https://ctan.org/pkg/beamertheme-saintpetersburg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-saintpetersburg>

Garavelli, John. *The wiggly package*. Draw wiggly lines under text. 2021-08-26. LICENSE: noinfo  
URL: <https://ctan.org/pkg/wiggly>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/wiggly.tex>

Garcia, Jesus Lago. *The optidef package*. Environments for writing optimization problems. 2019-04-23. Version 3.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/optidef>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/optidef>

Gardner, David. *The RRGtrees package*. Linguistic tree diagrams for Role and Reference Grammar (RRG) with L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/rrgtrees>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rrgtrees>

Garg, Saurabh. *The sphdthesis package*. L<sup>A</sup>T<sub>E</sub>X template for writing PhD Thesis. 2017-04-18. Version 1.0. LICENSE: pd  
URL: <https://ctan.org/pkg/sphdthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sphdthesis>

Garling, Ben, Rod Mulvey, and Alison Woollatt. *The lms package*. L<sup>A</sup>T<sub>E</sub>X 2.09 style for LMS journals. 2016-06-24. Version 0.6. LICENSE: other-nonfree. The document style is a development of the standard L<sup>A</sup>T<sub>E</sub>X 2.09 style. Source of a guide and of a usage sample are provided.  
URL: <https://ctan.org/pkg/lms>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/lms>

Gärtner, Felix. *The CJ package*. BibT<sub>E</sub>X style for Computer Journal. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/cj>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/cj.bst>

Gäßlein, Hubert, Rolf Niepraschk, and Josef Tkadlec. *The pict2e package*. New implementation of picture commands. 2020-10-01. Version 0.4b. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pict2e>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pict2e>

Gastin, Paul. *The GasT<sub>E</sub>X package*. Graphs and Automata Simplified in T<sub>E</sub>X. 2021-03-18. Version 3.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/gastex>  
MIRROR: <https://mirror.ctan.org/graphics/gastex>

Gau, Syu. *The secnum package*. A macro to format section numbering intuitively. 2022-01-30. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/secnum>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/secnum>

Gaulle, Bernard. *The frenchpro package*. Professional typesetting of French documents. 2016-06-24. Version 5.9994. LICENSE: shareware  
URL: <https://ctan.org/pkg/frenchpro>  
MIRROR: <https://mirror.ctan.org/obsolete/language/french/frenchpro>

— *The idealfonts package*. Font and L<sup>A</sup>T<sub>E</sub>X support for Textures users. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/idealfonts>  
MIRROR: <https://mirror.ctan.org/systems/mac/textures/contrib/IdealFonts>

— *The msg package*. A package for L<sup>A</sup>T<sub>E</sub>X localisation. 2019-01-02. Version 0.51. LICENSE: lppl  
URL: <https://ctan.org/pkg/msg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/msg>

Gaulle, Bernard and Raymond Juillerat. *The e-french package*. Comprehensive L<sup>A</sup>T<sub>E</sub>X support for French-language typesetting. 2019-09-04. Version 6.11. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/e-french>  
MIRROR: <https://mirror.ctan.org/language/french/e-french>

— *The frenchle package*. French macros, usable stand-alone or with Babel. 2017-07-17. Version 5.9995. LICENSE: lppl  
URL: <https://ctan.org/pkg/frenchle>  
MIRROR: <https://mirror.ctan.org/obsolete/language/french/frenchle>

Gaulle, Bernard, John Lavagnino, Robin Fairbairns, and David Carlisle. *The endnotes package*. Place footnotes at the end. 2020-01-04. LICENSE: lppl1.2. Accumulates notes (using the command, which can be used as a replacement for ), and places them at the end of the section, chapter or document.  
URL: <https://ctan.org/pkg/endnotes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/endnotes>

- Geest, Michael R. Van. *The editbar package. Change bars for L<sup>A</sup>T<sub>E</sub>X 2.09*. 2016-06-24. Version 2.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/editbar>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/editbar.sty>
- Geng, Nan. *The chinesechess package. Typeset Chinese chess with l3draw*. 2022-05-16. Version 1.2.0. LICENSE: lppl1.3c. This L<sup>A</sup>T<sub>E</sub>X3 package based on provides macros and an environment for Chinese chess manual writing.  
 URL: <https://ctan.org/pkg/chinesechess>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chinesechess>
- *The circledtext package. Create circled text*. 2022-05-05. Version 1.1.0. LICENSE: lppl1.3c. This L<sup>A</sup>T<sub>E</sub>X package provides a macro to typeset circled text. Its starred version can produce an inverted version.  
 URL: <https://ctan.org/pkg/circledtext>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/circledtext>
  - *The codebox package. Highlighted source code in a fancy box*. 2022-01-28. Version 1.0.4. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/codebox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/codebox>
  - *The hanzibox package. Boxed Chinese characters with Pinyin above and translation below*. 2022-04-17. Version 2.3.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hanzibox>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/hanzibox>
- Geng, Nan. *The joinbox package. Join boxes vertically or horizontally*. 2023-08-21. Version 1.0.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/joinbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/joinbox>
- *The nwafuthesis package. A thesis template package for Northwest A&F University, China*. 2023-04-19. Version 1.25. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/nwafuthesis>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/nwafuthesis>
  - *The pascaltriangle package. Draw beautiful Pascal (Yanghui) triangles*. 2022-01-28. Version 1.0.1. LICENSE: lppl1.3c. This L<sup>A</sup>T<sub>E</sub>X3 package based on helps to generate beautiful Pascal (Yanghui) triangles. It provides a unique drawing macro which can generate isosceles or right-angle triangles customized by means of different macro options or the macro.  
 URL: <https://ctan.org/pkg/pascaltriangle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pascaltriangle>
  - *The termsim package. Simulate Win10, Ubuntu, and Mac terminals*. 2022-01-03. Version 1.1.1. LICENSE: lppl1.3c. This L<sup>A</sup>T<sub>E</sub>X3 package provides environments and , and macros and to simulate Win10, Ubuntu and Mac terminals. It is based on , and .  
 URL: <https://ctan.org/pkg/termsim>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/termsim>
- Georgakopoulos, Dimitrios. *The uhthesis package. University of Houston thesis document style*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/uhthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/uhthesis.sty>
- Gerdes, Peter M. *The rec-thy package. Commands to typeset recursion theory papers*. 2022-07-26. Version 3.8.2. LICENSE: pd  
 URL: <https://ctan.org/pkg/rec-thy>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rec-thy>
- Gerell, Johann. *The hilowres package. Support high and low resolution versions of same picture*. 2019-06-21. Version 1.0. LICENSE: other-nonfree. A package to simplify the inclusion of low resolution versions of high resolution images, if each pair of files have the same basename (e.g., and ). The package is a simple wrapper around the command of the package.  
 URL: <https://ctan.org/pkg/hilowres>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hilowres>
- Gerhardt, Claus. *The refreshpdf package. Refresh PDF files "remotely"*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/refreshpdf>  
 MIRROR: <https://mirror.ctan.org/support/refreshpdf>
- Gesang, Philipp. *The context-cyrillicnumbers package. Write numbers as cyrillic glyphs*. 2016-06-24. LICENSE: bsd  
 URL: <https://ctan.org/pkg/context-cyrillicnumbers>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-cyrillicnumbers>
- *The context-rst package. Process reStructuredText with ConTeXt*. 2018-08-11. LICENSE: other-free  
 URL: <https://ctan.org/pkg/context-rst>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-rst>

- *The context-transliterato package*. Transliterate text from ‘other’ alphabets. 2016-06-24. LICENSE: bsd  
 URL: <https://ctan.org/pkg/context-transliterato>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-transliterato>
- *The enigma package*. Encrypt documents with a three rotor Enigma. 2016-06-24. Version 0.1. LICENSE: bsd  
 URL: <https://ctan.org/pkg/enigma>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/enigma>
- Gessler, Paul D. *The asapsym package*. Using the free ASAP Symbol font with L<sup>A</sup>T<sub>E</sub>X and Plain T<sub>E</sub>X. 2022-02-09. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/asapsym>  
 MIRROR: <https://mirror.ctan.org/fonts/asapsym>
- *The mugsthesi package*. Thesis class complying with Marquette University Graduate School requirements. 2022-09-01. Version 1.1. LICENSE: lppl1.3. The bundle offers a thesis class, based on , that complies with Marquette University Graduate School requirements.  
 URL: <https://ctan.org/pkg/mugsthesi>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mugsthesi>
- Geuzaine, Christophe. *The directory package*. An address book using BibT<sub>E</sub>X. 2017-04-18. Version 1.20. LICENSE: lppl  
 URL: <https://ctan.org/pkg/directory>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/directory>
- Gheorghies, Ovidiu. *The metauml package*. MetaPost library for typesetting UML diagrams. 2019-02-04. Version 0.2.6. LICENSE: gpl  
 URL: <https://ctan.org/pkg/metauml>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/metauml>
- Gheri, Andrea. *The mycv package*. A list-driven CV class, allowing TikZ decorations. 2016-06-24. Version 1.5.6. LICENSE: lppl1.3. The class provides a set of functionality for writing “curriculum vitae” with different layouts. The idea is that a user can write some custom configuration directives, by means of which is possible both to produce different c.v. layouts and quickly switch among them. In order to process such directives, the class uses a set of lists, provided by the package . Basic support for using decorations is also provided.  
 URL: <https://ctan.org/pkg/mycv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mycv>
- Ghibo, Giuseppe. *The mma2ltx package*. Use Mathematica graphics in a L<sup>A</sup>T<sub>E</sub>X document. 2018-01-06. Version 1.23. LICENSE: shareware  
 URL: <https://ctan.org/pkg/mma2ltx>  
 MIRROR: <https://mirror.ctan.org/graphics/mma2ltx>
- Giacomelli, Roberto. *The barracuda package*. Draw barcodes with Lua. 2022-06-23. Version 0.0.12. LICENSE: gpl2. The library is a modular Lua package for drawing barcode symbols. It provides modules for writing barcodes from a LuaT<sub>E</sub>X document. It is also possible to use Barracuda with a standalone Lua interpreter to draw barcodes in different graphic formats like SVG.  
 URL: <https://ctan.org/pkg/barracuda>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/barracuda>
- *The calctab package*. Language for numeric tables. 2016-06-24. Version 0.6.1. LICENSE: lppl. The calctab package helps the user to typeset a kind of economic table such as invoices, expense notes and liquidation, or other tabular material with a values column. The code computes sum and percentage with floating point numeric methods (using the package) and builds the render table task.  
 URL: <https://ctan.org/pkg/calctab>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calctab>
- Giannetti, Romano. *The circledsteps package*. Typeset circled numbers. 2023-08-11. Version 1.3.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/circledsteps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/circledsteps>
- *The xkcdcolors package*. xkcd names of colors. 2023-08-11. Version 1.0.2. LICENSE: lppl1.3c,cc0  
 URL: <https://ctan.org/pkg/xkcdcolors>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xkcdcolors>
- Giannotti, Ruben. *The fetchcls package*. Fetch the current class name. 2017-09-10. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fetchcls>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fetchcls>
- *The lccaps package*. Lowercased (spaced) small capitals. 2018-01-26. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/lccaps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lccaps>

- *The stealcaps package*. “Steal” small capitals. 2022-11-07. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/stealcaps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stealcaps>
- Gibbons, Jeremy and Alan Jeffrey. *The diagramf package*. Labelled diagrams in Metafont. 2016-06-24. Version 1.1. LICENSE: noinfo.  
 The package provides a means of labelling diagrams each produced as a Metafont character in a ‘font’ which is produced using the Metafont package. L<sup>A</sup>T<sub>E</sub>X passes data to Metafont (by ordinary L<sup>A</sup>T<sub>E</sub>X file-writing mechanisms), and Metafont writes stuff into its log-file, which must then be extracted into a different file so that L<sup>A</sup>T<sub>E</sub>X can see it.  
 URL: <https://ctan.org/pkg/diagramf>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/diagramf>
- Giese, Martin and Herbert Voß. *The pst-blur package*. PSTricks package for “blurred” shadows. 2016-06-24. Version 2.0. LICENSE: lppl.  
 Pst-blur is a package built for use with . It provides macros that apply blurring to the normal shadow function of PSTricks.  
 URL: <https://ctan.org/pkg/pst-blur>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-blur>
- *The pst-slpe package*. Sophisticated colour gradients. 2018-09-15. Version 1.31. LICENSE: lppl. This package covers all the colour gradient functionality of pst-grad (part of the base PSTricks distribution), and provides the following facilities:  
 URL: <https://ctan.org/pkg/pst-slpe>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-slpe>
- Giesekeing, Martin. *The dvisvgm package*. Convert DVI, EPS, and PDF files to Scalable Vector Graphics format (SVG). 2023-07-07. Version 3.1. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/dvisvgm>  
 MIRROR: <https://mirror.ctan.org/dviware/dvisvgm>
- Gil, Yossi. *The addindex package*. Add index entries to L<sup>A</sup>T<sub>E</sub>X document. 2016-06-24. LICENSE: noinfo. Addindex is C/Lex program to add index entries to a L<sup>A</sup>T<sub>E</sub>X document. You start with a ‘names database’, which looks like the section of a BibTeX database; addindex scans your L<sup>A</sup>T<sub>E</sub>X file for strings in the database, and adds commands for each match.  
 URL: <https://ctan.org/pkg/addindex>  
 MIRROR: <https://mirror.ctan.org/indexing/addindex>
- *The bashful package*. Invoke bash commands from within L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 0.93. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bashful>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bashful>
- *The unisugar package*. Define syntactic sugar for Unicode L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 0.92. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/unisugar>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/unisugar>
- Gilbey, Julian. *The ctie package*. C version of tie (merging Web change files). 2018-01-06. Version 1.1. LICENSE: gpl. This is a version of converted for use with .  
 URL: <https://ctan.org/pkg/ctie>  
 MIRROR: [https://mirror.ctan.org/web/c\\_cpp/ctie](https://mirror.ctan.org/web/c_cpp/ctie)
- Gilbey, Julian, Sebastian Rahtz, and Grant Gustafson. *The labels package*. Print sheets of sticky labels. 2016-06-24. Version .13. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/labels>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/labels>
- Gildea, Daniel. *The uthesis package*. University of California thesis format. 2016-06-24. Version 3.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/uthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uthesis>
- Gildea, Stephen. *The geophysics package*. Articles for the journal Geophysics. 2021-12-29. LICENSE: nosell  
 URL: <https://ctan.org/pkg/geophysics>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/geophysics.sty>
- *The headerfooter package*. Define the layouts of page headers and footers. 2016-06-24. LICENSE: nosell  
 URL: <https://ctan.org/pkg/headerfooter>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/headerfooter.sty>
- *The underlin-generic package*. Multi-word underlining. 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/underlin-gen>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/underlin.tex>
- Gilg, Jürgen. *The cookybooky package*. A L<sup>A</sup>T<sub>E</sub>X based package to easily typeset some professional looking cooking recipes. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cookybooky>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cookybooky>



- Gilg, Jürgen, Manuel Luque, and Aubrey Jaffer. *The pst-marble package. A PSTricks package to draw marble-like patterns.* 2019-05-01. Version 1.6. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pst-marble>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-marble>
- Gilg, Jürgen, Manuel Luque, Patrice Megrét, and Herbert Voß. *The pst-electricfield package. Draw electric field and equipotential lines with PSTricks.* 2016-06-24. Version 0.14. LICENSE: lppl. The package provides macros to plot electric field and equipotential lines using . There may be any number of charges which can be placed in a cartesian coordinate system by (x,y) values.  
 URL: <https://ctan.org/pkg/pst-electricfield>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-electricfield>
- Gilg, Jürgen, Manuel Luque, and Jean-Michel Sarlat. *The pst-moire package. A PSTricks package to draw moiré patterns.* 2021-09-03. Version 2.2. LICENSE: lppl1.3c. This is a package to draw moiré patterns.  
 URL: <https://ctan.org/pkg/pst-moire>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-moire>
- Gilg, Jürgen, Manuel Luque, and Herbert Voß. *The pst-magneticfield package. Plotting a magnetic field with PSTricks.* 2022-07-06. Version 1.17. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pst-magneticfield>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-magneticfield>
- Gill, Richard and J C Loredó-Osti. *The prodint package. A font that provides the product integral symbol.* 2016-06-24. LICENSE: ofl  
 URL: <https://ctan.org/pkg/prodint>  
 MIRROR: <https://mirror.ctan.org/fonts/prodint>
- Ginsparg, Paul. *The harvmac package. Macros for scientific articles.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/harvmac>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/harvmac>
- Giraud, Pierre-Amiel. *The skills package. Create proficiency tests.* 2020-10-28. Version 1.0.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/skills>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/skills>
- Giromini, Raphaël. *The cahierprof package. Schedule and grade books for French teachers.* 2023-08-20. Version 0.92. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/cahierprof>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cahierprof>
- Girou, Denis. *The piechart package. Simple pie-charts with PSTricks.* 2016-06-24. LICENSE: noinfo. A pair of shell+AWK scripts that uses small parameter files to generate pie-charts (expressed as (La)TeX code using ).  
 URL: <https://ctan.org/pkg/piechart>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/piechart>
- *The pst-fr3d package. Draw 3-dimensional framed boxes using PSTricks.* 2016-06-24. Version 1.10. LICENSE: lppl. A package using to draw three dimensional framed boxes using a macro . The macro is especially useful for drawing 3d-seeming buttons.  
 URL: <https://ctan.org/pkg/pst-fr3d>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-fr3d>
- Girou, Denis, Christophe Jorssen, Manuel Luque, and Herbert Voß. *The pst-labo package. Draw objects for Chemistry laboratories.* 2023-05-17. Version 2.06. LICENSE: lppl. Pst-labo is a related package for drawing basic and complex chemical objects. The documentation of the package is illuminated with plenty of illustrations together with their source code, making it an easy read.  
 URL: <https://ctan.org/pkg/pst-labo>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-labo>
- Girou, Denis and Peter Kleiweg. *The pst-light3d package. Three dimensional lighting effects (PSTricks).* 2018-09-15. Version 0.12. LICENSE: lppl. A package for three dimensional lighting effects on characters and PSTricks graphics, like lines, curves, plots, ...  
 URL: <https://ctan.org/pkg/pst-light3d>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-light3d>
- Girou, Denis and Herbert Voß. *The pst-fill package. Fill or tile areas with PSTricks.* 2021-10-01. Version 1.02. LICENSE: lppl. Pst-fill is a -based package for filling and tiling areas or characters.  
 URL: <https://ctan.org/pkg/pst-fill>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-fill>
- *The pst-gantt package. Draw GANTT charts with PSTricks.* 2018-09-15. Version 0.22a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pst-gantt>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-gantt>
- *The pst-gr3d package. Three dimensional grids with PSTricks.* 2016-06-24. Version 1.34. LICENSE: lppl. This package provides a command that will draw a three dimensional grid, offering a number of options for its appearance.

- URL: <https://ctan.org/pkg/pst-gr3d>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-gr3d>
- *The pst-ob3d package. Three dimensional objects using PSTricks.* 2020-03-24. Version 0.22. LICENSE: lppl. The package uses to provide basic three-dimensional objects. As yet, only cubes (which can be deformed to rectangular parallelipeds) and dies (which are only a special kind of cubes) are defined.  
URL: <https://ctan.org/pkg/pst-ob3d>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-ob3d>
  - *The pst-poly package. Polygons with PSTricks.* 2018-09-15. Version 1.63. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-poly>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-poly>
- Gjelstad, Ellef. *The UML package. UML diagrams in L<sup>A</sup>T<sub>E</sub>X.* 2018-09-15. Version 0.11. LICENSE: lppl  
URL: <https://ctan.org/pkg/uml>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/uml>
- Glazkov, Dmitry A. *The shadbox package. Shade the background of any box.* 2019-06-21. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/shadbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shadbox>
- Glazkov, Dmitry A. *The tracking package. Adjust tracking of strings.* 2019-06-21. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/tracking>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tracking/tracking.sty>
- Gleason, Jonathan. *The eqnnumwarn package. Modifies the amsmath equation environments to warn for a displaced equation number.* 2018-01-07. Version 1.0. LICENSE: lppl1.3. Sometimes an equation is too long that an equation number will be typeset below the equation itself, but yet not long enough to yield an “overfull \hbox” warning. The package modifies the standard amsmath numbered equation environments to throw a warning whenever this occurs.  
URL: <https://ctan.org/pkg/eqnnumwarn>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eqnnumwarn>
- Glenn, Paulley. *The chicago package. A “Chicago” bibliography style.* 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/chicago>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/chicago>
- *The chicagoo package. “Chicago” bibliography style with annotations.* 2016-06-24. LICENSE: other-free. This is a modification of the author’s style, to support an ‘annotation’ field in bibliographies.  
URL: <https://ctan.org/pkg/chicagoo>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/chicagoo.bst>
- Gliboff, Sander. *The biblatex-historian package. A BibL<sup>A</sup>T<sub>E</sub>X style.* 2016-06-24. Version 0.4. LICENSE: lppl  
URL: <https://ctan.org/pkg/biblatex-historian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-historian>
- Glonti, Nana. *The glonti package. Virtual fonts for T2A-encoded fonts.* 2016-06-24. Version 1.0. LICENSE: noinfo. The package ‘makes’ a T2A-encoded font family from the and the fonts, by means of a set of virtual fonts.  
URL: <https://ctan.org/pkg/glonti>  
MIRROR: <https://mirror.ctan.org/fonts/cyrillic/glonti>
- Glonti, Nana, Alexander Samarin, and Basil Malyshev. *The cmcyr package. Computer Modern fonts with cyrillic extensions.* 2016-06-24. LICENSE: pd  
URL: <https://ctan.org/pkg/cmcyr>  
MIRROR: <https://mirror.ctan.org/fonts/cyrillic/cmcyr>
- Glunz, Dr. Wolfgang. *The pstoeedit package. Translate PostScript and PDF to other formats.* 2017-04-18. Version 3.50. LICENSE: gpl  
URL: <https://ctan.org/pkg/pstoeedit>  
MIRROR: <https://mirror.ctan.org/support/pstoeedit>
- Goatley, Hunter. *The italic package. Automatic italic correction for italic and slanted text.* 2016-06-24. LICENSE: noinfo. The package defines commands and , somewhat simpler than those in , which package has wider coverage.  
URL: <https://ctan.org/pkg/italic>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/italic.sty>
- *The newslatr package. Macros for making newsletters with Plain T<sub>E</sub>X.* 2016-06-18. LICENSE: other-free  
URL: <https://ctan.org/pkg/newslatr>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/newslatr>
  - *The quote package. Match pairs of double-quote characters.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/quote>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/quote.sty>

- Göbel, Jürgen. *The savesym package. Redefine symbols where names conflict*. 2016-06-24. Version 1.2. LICENSE: lppl. There are a number of symbols (e.g., ) that are defined by several packages. In order to typeset all the variants in a document, we have to give the glyph a unique name. To do that, we define , which renames a symbol from to , and , which renames back to and defines a new command, , which corresponds to the most recently loaded version of .  
 URL: <https://ctan.org/pkg/savesym>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/savesym/savesym.sty>
- Gobry, Frédéric. *The pybliographer package. A tool for managing bibliographic databases*. 2017-04-18. Version 0.6. LICENSE: gpl  
 URL: <https://ctan.org/pkg/pybliographer>
- Godby, Kevin. *The tufte-latex package. Document classes inspired by the work of Edward Tufte*. 2018-04-05. Version 3.5.2. LICENSE: apache2  
 URL: <https://ctan.org/pkg/tufte-latex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tufte-latex>
- Goel, Anil. *The figsinltx package. A tutorial on figures in L<sup>A</sup>T<sub>E</sub>X 2.09*. 2018-01-06. Version 1.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/figsinltx>  
 MIRROR: <https://mirror.ctan.org/obsolete/info/figsinltx.ps>
- Goel, Anil. *The ltablex package. Table package extensions*. 2017-09-28. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ltablex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ltablex>
- Goel, Deepak. *The autoview package. Maintain a Ghostscript view of emacs buffer*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/autoview>  
 MIRROR: <https://mirror.ctan.org/support/autoview>
- Goertz, Ralf. *The qbibman package. Graphical frontend to BibTool*. 2016-06-18. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/qbibman>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/qbibman>
- Goldasz, Janusz, Ryszard Kubiak, Tomasz Przechlewski, and Marcin Serwin. *The lshort-polish package. Introduction to L<sup>A</sup>T<sub>E</sub>X in Polish*. 2022-05-13. Version 6.4PL1. LICENSE: gpl2+. This is the Polish translation of .  
 URL: <https://ctan.org/pkg/lshort-polish>  
 MIRROR: <https://mirror.ctan.org/info/lshort/polish>
- Goldberg, Jacques. *The redis package. A Hebrew font*. 2016-06-24. LICENSE: noinfo. The font is in Metafont format; a version of it seems to appear in the distribution.  
 URL: <https://ctan.org/pkg/redis>  
 MIRROR: <https://mirror.ctan.org/fonts/redis>
- Goldberg, Jeffrey and Axel Sommerfeldt. *The endfloat package. Move floats to the end, leaving markers where they belong*. 2020-11-25. Version 2.7. LICENSE: gpl. Place all floats on pages by themselves at the end of the document, optionally leaving markers like “[Figure 3 about here]” in the text near to where the figure (or table) would normally have occurred. Float types and are recognised by the package, unmodified. Since several packages define other types of float, it is possible to register these float types with endfloat.  
 URL: <https://ctan.org/pkg/endfloat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/endfloat>
- Goldgaber, Sergey. *The thumby package. Create thumb indexes for printed books*. 2016-06-24. Version 0.1. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/thumby>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thumby>
- Goldschmitt, Ulrich. *The ulsy package. Extra mathematical characters*. 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ulsy>  
 MIRROR: <https://mirror.ctan.org/fonts/ulsy>
- Goldschmitt, Ulrich and Yvon Henel. *The ulsy-ps package. Extra mathematical characters in Adobe Type 1 format*. 2016-06-24. LICENSE: noinfo. These are autotraced versions of the fonts.  
 URL: <https://ctan.org/pkg/ulsy-ps>  
 MIRROR: <https://mirror.ctan.org/fonts/ps-type1/ulsy>
- Gollwitzer, Christian. *The aurical package. Calligraphic fonts for use with L<sup>A</sup>T<sub>E</sub>X in T1 encoding*. 2016-06-24. Version 1.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/aurical>  
 MIRROR: <https://mirror.ctan.org/fonts/aurical>
- *The shapepatch package. Transfig patch supporting shapepar*. 2016-06-24. Version 1.1. LICENSE: bsd. ShapePatch is a patch against , which adds the capability to export figures to shape definitions for . Shapepar itself will form a paragraph into a specified shape, and the size of the shape is automatically adjusted so that the given paragraph completely fills the shape. ShapePatch effort:

- one simply draws the required shape with XFig and then convert it to a shape definition for shapepar, either by calling fig2dev manually or by choosing “Export/Shape” in XFig (if you install the additional XFig patch).
- URL: <https://ctan.org/pkg/shapepatch>  
MIRROR: <https://mirror.ctan.org/graphics/transfig-shapepatch/shape-patch.3.2.4-shape-1.1.tar.gz>
- Gomes, Hugo. *The pgf-PeriodicTable package. Create custom periodic tables of elements.* 2023-05-31. Version 2.0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pgf-periodictable>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgf-periodictable>
- *The pgf-spectra package. Draw continuous or discrete spectra using PGF/TikZ.* 2023-04-27. Version 3.0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pgf-spectra>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgf-spectra>
- Gonçalves, Luís Nobre. *The featpost package. MetaPost macros for 3D.* 2018-01-06. Version 0.8.8. LICENSE: gpl  
URL: <https://ctan.org/pkg/featpost>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/featpost>
- González, Luis, Javier Toro, and Pedro Linares. *The interactiveanimation package. Create PDF files with branching animations.* 2016-06-24. Version 0.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/interactiveanimation>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/interactiveanimation>
- Gonzato, Guido. *The latex4jed package. A much enhanced L<sup>A</sup>T<sub>E</sub>X mode for the jed editor.* 2016-06-24. LICENSE: gpl. This S-Lang file for the editor provides a much enhanced L<sup>A</sup>T<sub>E</sub>X mode in the fashion of AUC T<sub>E</sub>X: menus, shortcuts, templates, syntax highlighting, document outline, integrated debugging, symbol completion, full integration with external programs, and more. It was designed with both the beginner and the advanced L<sup>A</sup>T<sub>E</sub>X user in mind.  
URL: <https://ctan.org/pkg/latex4jed>  
MIRROR: <https://mirror.ctan.org/support/jed/latex4jed>
- *The LaTeX4Musicians package. A guide for combining L<sup>A</sup>T<sub>E</sub>X and music.* 2019-01-19. Version 1.0.1. LICENSE: fdl  
URL: <https://ctan.org/pkg/latex4musicians>  
MIRROR: <https://mirror.ctan.org/info/latex4musicians>
- *The LaTeX4WP package. A L<sup>A</sup>T<sub>E</sub>X guide specifically designed for word processor users.* 2023-08-28. Version 1.2. LICENSE: fdl  
URL: <https://ctan.org/pkg/latex4wp>  
MIRROR: <https://mirror.ctan.org/info/latex4wp>
- *The latex4wp-it package. L<sup>A</sup>T<sub>E</sub>X guide for word processor users, in Italian.* 2016-06-24. Version 1.0.10. LICENSE: fdl. The package provides a version of the in Italian  
URL: <https://ctan.org/pkg/latex4wp-it>  
MIRROR: <https://mirror.ctan.org/info/latex4wp-it>
- Goodman, Donald P. *The basicarith package. Macros for typesetting basic arithmetic.* 2016-06-24. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/basicarith>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/basicarith>
- *The catechis package. Macros for typesetting catechisms.* 2021-07-20. Version 2.6. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/catechis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/catechis>
- *The clrdblpg package. Control pagestyle of pages left blank by \cleardoublepage.* 2018-05-07. Version 1.0. LICENSE: lppl1.3. This tiny package allows easy manipulation of the headers and footers on pages left blank by . By default, L<sup>A</sup>T<sub>E</sub>X has no easy facilities for this. This package uses more or less the algorithm listed in the package documentation, with some better indentation and added flexibility.  
URL: <https://ctan.org/pkg/clrdblpg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/clrdblpg>
- *The colophon package. Provides commands for producing a colophon.* 2018-06-03. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/colophon>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/colophon>
- *The dozenal package. Typeset documents using base twelve numbering (also called “dozenal”).* 2018-05-11. Version 7.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/dozenal>  
MIRROR: <https://mirror.ctan.org/fonts/dozenal>
- *The drm package. A complete family of fonts written in Metafont.* 2016-06-24. Version 4.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/drm>  
MIRROR: <https://mirror.ctan.org/fonts/drm>



- *The liturg package. Support for typesetting Catholic liturgical texts.* 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/liturg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/liturg>
- *The lroundrect package. L<sup>A</sup>T<sub>E</sub>X macros for utilizing the roundrect MetaPost routines.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. This L<sup>A</sup>T<sub>E</sub>X package provides ways to use the extremely configurable rounded rectangles of the MetaPost package with L<sup>A</sup>T<sub>E</sub>X. It is chiefly useful for examples, but also has macros for particular types of boxes which are useful on their own.  
URL: <https://ctan.org/pkg/lroundrect>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lroundrect>
- *The modulus package. A non-destructive modulus and integer quotient operator for T<sub>E</sub>X.* 2018-05-05. Version 1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/modulus>  
MIRROR: <https://mirror.ctan.org/macros/generic/modulus>
- *The padcount package. Pad numbers with arbitrary characters.* 2018-05-07. Version 1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/padcount>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/padcount>
- *The poetry package. Facilities for typesetting poetry and poetical structure.* 2019-12-14. Version 2.2. LICENSE: lppl1.3c. This package provides some macros and general doodads for typesetting poetry. There is, of course, already the excellent package, and the package provides some extra functionality on top of it. But provides much of the same functionality in a bit of a different way, and with a few additional abilities, such as facilities for a list of poems, an index of first lines, and some structural commands.  
URL: <https://ctan.org/pkg/poetry>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/poetry>
- Goodman, Donald P. *The roundrect package. MetaPost macros for highly configurable rounded rectangles (optionally with text).* 2016-06-24. Version 2.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/roundrect>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/roundrect>
- *The shapes package. Draw polygons, reentrant stars, and fractions in circles with MetaPost.* 2016-06-24. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/shapes>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/shapes>
- *The texdate package. Date printing, formatting, and manipulation in T<sub>E</sub>X.* 2018-12-09. Version 2.0. LICENSE: lppl1.3c. T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X provide few facilities for dates by default, though many packages have filled this gap. This package fills it, as well, with a pure T<sub>E</sub>X-primitive implementation. It can print dates, advance them by numbers of days, weeks, or months, determine the weekday automatically (with an algorithm cribbed from the file written by Martin Minow), and print them in (mostly) arbitrary format. It can also print calendars (monthly and yearly) automatically, and can be easily localized for non-English languages.  
URL: <https://ctan.org/pkg/texdate>  
MIRROR: <https://mirror.ctan.org/macros/generic/texdate>
- *The xellipsis package. Extremely configurable ellipses with formats for various style manuals.* 2018-04-16. Version 2.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/xellipsis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xellipsis>
- *The yaletter package. Extremely flexible macros for letters, envelopes, and label sheets.* 2017-01-03. Version 1.1. LICENSE: lppl1.3. The class provides extremely configurable macros for typesetting letters in any conceivable style. It provides facilities for maintaining easily-accessible databases of letterheads and addresses for repeat use. It further provides easy macros for envelopes and for label sheets. Finally, it provides some nice defaults for a few of the more common styles and sizes.  
URL: <https://ctan.org/pkg/yaletter>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/yaletter>
- Goossens, Michel. *The cyrtug package. EmT<sub>E</sub>X as distributed by CyrTUG.* 2016-06-24. LICENSE: noinfo. The CyrTUG distribution of files for use with . (CyrTUG is the Cyrillic-alphabet T<sub>E</sub>X users' group; apart from the fonts, there are several other files to support Cyrillic users.)  
URL: <https://ctan.org/pkg/cyrtug>  
MIRROR: <https://mirror.ctan.org/systems/msdos/emtex-contrib/cyrtug>
- Goossens, Michel and Sebastian Rahtz. *The mm package. A jiffy Multiple Master tool.* 2016-06-24. LICENSE: noinfo. A set of simple scripts and programs for deriving instances from Adobe Multiple Master fonts for use with . The scripts use to derive metrics, etc.  
URL: <https://ctan.org/pkg/mm>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/mm>
- *The webcomp-errata package. Errata list for The L<sup>A</sup>T<sub>E</sub>X Web Companion.* 2016-10-18. LICENSE: lppl  
URL: <https://ctan.org/pkg/webcomp-errata>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>



- Goot, Marcel van der. *The boxit-ltx package. An environment for boxing things*. 2016-06-24. LICENSE: noinfo. The package defines a boxit environment that draws lines around its contents. The environment can box things like verbatim text, unlike the that originally appeared in the  $\TeX$ book.  
URL: <https://ctan.org/pkg/boxit-ltx>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/boxit.sty>
- *The midnight package. A set of useful macro tools*. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/midnight>  
MIRROR: <https://mirror.ctan.org/macros/generic/midnight>
- Görlach, Tobias. *The hobete package. Unofficial beamer theme for the University of Hohenheim*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/hobete>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/hobete>
- Gosmann, Jan. *The tikz-nef package. Create diagrams for neural networks constructed with the methods of the Neural Engineering Framework (NEF)*. 2020-07-08. Version 0.1. LICENSE: mit  
URL: <https://ctan.org/pkg/tikz-nef>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-nef>
- Gossen, Gerhard and Boris Veytsman. *The bibtexperl1ibs package. BibTeX Perl Libraries*. 2023-08-22. Version 1.8. LICENSE: gpl1,artistic,pd  
URL: <https://ctan.org/pkg/bibtexperl1ibs>  
MIRROR: <https://mirror.ctan.org/support/bibtexperl1ibs>
- Göttlinger, Merlin. *The biblatex-lncs package. Bib $\LaTeX$  style for Springer Lecture Notes in Computer Science*. 2023-05-08. Version 0.7. LICENSE: lppl1.3c. This is a Bib $\LaTeX$  style for Springer Lecture Notes in Computer Science (LNCS). It extends the standard model by an entry.  
URL: <https://ctan.org/pkg/biblatex-lncs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-lncs>
- Götz, Thomas. *The asc2tex package. Retrieve text from screenshots*. 2016-06-24. LICENSE: nosell  
URL: <https://ctan.org/pkg/asc2tex>  
MIRROR: <https://mirror.ctan.org/systems/msdos/asc2tex>
- Goulard, Frederic. *The prosper package.  $\LaTeX$  class for high quality slides*. 2017-04-18. Version 1.0h. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/prosper>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/prosper>
- Gouez, Geoffrey. *The cv4tw package.  $\LaTeX$  CV class, with extended details*. 2017-04-18. Version 0.2. LICENSE: other-free  
URL: <https://ctan.org/pkg/cv4tw>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cv4tw>
- Gough, Graham. *The muthesis package. Classes for University of Manchester Dept of Computer Science*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/muthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/muthesis>
- Goulet, Vincent. *The actuarialangle package. Angle symbol denoting a duration in actuarial and financial notation*. 2023-05-17. Version 2.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/actuarialangle>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/actuarialangle>
- *The formation-latex-ul package. Introductory  $\LaTeX$  course in French*. 2020-10-20. Version 2020.10. LICENSE: cc-by-4  
URL: <https://ctan.org/pkg/formation-latex-ul>  
MIRROR: <https://mirror.ctan.org/info/formation-latex-ul>
  - *The francais-bst package. Bibliographies conforming to French typographic standards*. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/francais-bst>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/francais-bst>
- Goulet, Vincent and David Beauchemin. *The actuarialsymbol package. Actuarial symbols of life contingencies and financial mathematics*. 2023-05-17. Version 1.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/actuarialsymbol>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/actuarialsymbol>
- Goutelle, Mathieu. *The ppr-prv package. Prosper preview*. 2016-06-24. Version 0.13c. LICENSE: lppl. This class is used with  $\LaTeX$  presentations using the prosper class. ppr-prv stands for ‘Prosper Preview’. The aim of this class is to produce a printable version of the slides written with , with two slides per page.  
URL: <https://ctan.org/pkg/ppr-prv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ppr-prv>

- Govindaraj, T. *The palladam package. A Tamil font for Macintosh users.* 2016-06-24. Version 2.1. LICENSE: nosell  
 URL: <https://ctan.org/pkg/palladam>  
 MIRROR: <https://mirror.ctan.org/language/tamil/palladam>
- Graham, Colin C. *The delimseasy package. Delimiter commands that are easy to use and resize.* 2016-06-24. Version 2.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/delimseasy>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/delimseasy>
- Grahn, Alexander. *The acroreadpdf package. Reload-the-current-PDF utility for Adobe Reader on Unix systems.* 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/acroreadpdf>  
 MIRROR: <https://mirror.ctan.org/support/acroreadpdf>
- *The animate package. Create PDF and SVG animations from graphics files and inline graphics.* 2023-06-18. LICENSE: lppl. The package provides an interface to create portable, JavaScript driven PDF and SVG animations from sets of graphics files or from inline graphics, such as L<sup>A</sup>T<sub>E</sub>X picture environment, or generated pictures, or just from typeset text.  
 URL: <https://ctan.org/pkg/animate>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/animate>
- Grahn, Alexander. *The fixocgx package. Add support for dvips+ps2pdf, X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X, dvipdfmx to the ocgx package.* 2023-06-19. Version 0.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fixocgx>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/fixocgx>
- *The media4svg package. Multimedia inclusion for the dvisvgm backend.* 2022-10-12. Version 0.13. LICENSE: lppl  
 URL: <https://ctan.org/pkg/media4svg>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/media4svg>
  - *The media9 package. Multimedia inclusion package with Adobe Reader-9/X compatibility.* 2022-08-04. Version 1.25. LICENSE: lppl  
 URL: <https://ctan.org/pkg/media9>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/media9>
  - *The movie15 package. Multimedia inclusion package.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/movie15>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/movie15>
  - *The ocgx2 package. Drop-in replacement for ‘ocgx’ and ‘ocg-p’.* 2022-12-16. Version 0.56. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ocgx2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ocgx2>
  - *The Portable MikTeX package. Instructions for setting up MikTeX on a portable device.* 2016-06-24. Version 1.05. LICENSE: fdl  
 URL: <https://ctan.org/pkg/portable-miktex>  
 MIRROR: <https://mirror.ctan.org/obsolete/info/MiKTeX+Ghostscript+GSview+USB-drive-HOWTO.txt>
  - *The pst-ode package. Solving initial value problems for sets of Ordinary Differential Equations.* 2022-11-24. Version 0.18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pst-ode>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-ode>
  - *The xsavebox package. Saveboxes for repeating content without code replication, based on PDF Form XObjects.* 2022-08-04. Version 0.18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xsavebox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xsavebox>
- Granade, Christopher. *The qsharp package. Syntax highlighting for the Q# language.* 2019-01-20. Version 0.3.1901.1401. LICENSE: lppl1.3c. The package provides syntax highlighting for the language, a domain-specific language for quantum programming.  
 URL: <https://ctan.org/pkg/qsharp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/qsharp>
- *The revquantum package. Hacks to make writing quantum papers for revtex4-1 less painful.* 2018-01-06. Version 0.11. LICENSE: lppl1.3. This package provides a number of useful hacks to solve common annoyances with the package, and to define notation in common use within quantum information. In doing so, it imports and configures a number of commonly-available and used packages, and where reasonable, provides fallbacks. It also warns when users try to load packages which are known to be incompatible with .  
 URL: <https://ctan.org/pkg/revquantum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/revquantum>
- Granet, Elijah Z. *The adobeornaments package. Using ornaments in Adobe Fonts with LuaL<sup>A</sup>T<sub>E</sub>X or X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X.* 2023-05-19. Version 1.0.1. LICENSE: lppl1.3c,cc-by-sa-3

- URL: <https://ctan.org/pkg/adobeornaments>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/adobeornaments>
- *The coolfn package*. Typeset long legal footnotes. 2023-02-27. Version 1.1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/coolfn>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coolfn>
  - *The luacensor package*. Securely redact sensitive information using Lua. 2022-02-23. Version 1.1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/luacensor>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luacensor>
  - *The luaquotes package*. Smart setting of quotation marks. 2023-01-25. Version 1.4.0. LICENSE: lppl1.3c,cc-by-sa-3  
URL: <https://ctan.org/pkg/luaquotes>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luaquotes>
  - *The swungdash package*. Typeset a swung dash in L<sup>A</sup>T<sub>E</sub>X. 2022-08-29. Version 1.0.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/swungdash>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/swungdash>
  - *The textcsc package*. Simple commands for caps-to-small-caps text. 2023-05-16. Version 1.2.0. LICENSE: lppl1.3,cc-by-sa-3. This package provides a simple command ( and ) for caps-to-small-caps text, to allow for small caps acronyms to be presented as uppercase in text (useful for things like copying and pasting from a PDF).  
URL: <https://ctan.org/pkg/textcsc>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/textcsc>
- Granet, Elijah Z. *The tramlines package*. A package for creating tramlines (lines above and below a title used by lawyers in the UK). 2023-01-30. Version 1.1.0. LICENSE: lppl1.3c,cc-by-sa-3  
URL: <https://ctan.org/pkg/tramlines>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tramlines>
- *The ukbill package*. A class for typesetting UK legislation. 2023-01-01. Version 1.0.2. LICENSE: lppl1.3c. This package provides formatting to easily typeset draft UK legislation. The libre font is required to use this package.  
URL: <https://ctan.org/pkg/ukbill>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ukbill>
- Granger, Brad. *The recipebook package*. Typeset 5.5" x 8" recipes for browsing or printing. 2016-06-24. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/recipebook>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/recipebook>
- Granja, Silvio Cesar Garcia and Winston Chang. *The latexcheat-ptbr package*. A L<sup>A</sup>T<sub>E</sub>X cheat sheet, in Brazilian Portuguese. 2016-06-24. Version 1.13. LICENSE: lppl. This is a translation to Brazilian Portuguese of Winston Chang's  
URL: <https://ctan.org/pkg/latexcheat-ptbr>  
MIRROR: <https://mirror.ctan.org/info/latexcheat/latexcheat-ptbr>
- Grant, Jo. *The cun package*. A cuneiform font. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/cun>  
MIRROR: <https://mirror.ctan.org/fonts/cun>
- Grant, Jo and Jobst-Hartmut Lüddecke. *The rune package*. Two rune fonts. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/rune>  
MIRROR: <https://mirror.ctan.org/fonts/rune>
- Grant, Michael, David Carlisle, and Craig Barratt. *The psfrag package*. Replace strings in encapsulated PostScript figures. 2016-06-24. Version 3.04. LICENSE: other-free  
URL: <https://ctan.org/pkg/psfrag>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psfrag>
- Grätzer, George. *The firststeps-xamp1 package*. Examples from "First steps in L<sup>A</sup>T<sub>E</sub>X". 2019-06-21. LICENSE: noinfo  
URL: <https://ctan.org/pkg/firststeps-xamp1>  
MIRROR: <https://mirror.ctan.org/info/examples/FirstSteps>
- *The math-into-latex-4 package*. Samples from Math into L<sup>A</sup>T<sub>E</sub>X, 4th Edition. 2017-01-13. LICENSE: other-free  
URL: <https://ctan.org/pkg/math-into-latex-4>  
MIRROR: [https://mirror.ctan.org/info/examples/Math\\_into\\_LaTeX-4](https://mirror.ctan.org/info/examples/Math_into_LaTeX-4)
  - *The mil package*. Samples from Math into L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/mil>  
MIRROR: <https://mirror.ctan.org/info/examples/mil>
  - *The mil3 package*. Samples from Math into L<sup>A</sup>T<sub>E</sub>X, third edition. 2017-01-13. LICENSE: other-free  
URL: <https://ctan.org/pkg/mil3>  
MIRROR: <https://mirror.ctan.org/info/examples/mil3>

- *The practical-latex package. Example files for “Practical L<sup>A</sup>T<sub>E</sub>X”.* 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/practical-latex>  
 MIRROR: [https://mirror.ctan.org/info/examples/Practical\\_LaTeX](https://mirror.ctan.org/info/examples/Practical_LaTeX)
- Graversen, Kasper B. *The logfilter package. Choose what you want to see of a (La)TeX log.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/logfilter>  
 MIRROR: <https://mirror.ctan.org/support/logfilter>
- *The progress package. Creates an overview of a document’s state.* 2016-06-24. Version 1.10. LICENSE: lppl. Progress is a package which, when compiling T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X documents, generates a HTML file showing an overview of a document’s state (of how finished it is). The report is sent to file , which is by default the with the date appended (but is user-modifiable).  
 URL: <https://ctan.org/pkg/progress>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/progress>
- Gray, Cameron. *The bangorcsthesis package. Typeset a thesis at Bangor University.* 2022-01-28. Version 1.5.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bangorcsthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bangorcsthesis>
- *The bangorexam package. Typeset an examination at Bangor University.* 2022-11-29. Version 1.5.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bangorexam>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bangorexam>
- Gray, Corey and Stephen Cipolone. *The siam package. Styles for SIAM publications.* 2022-11-02. Version 1.1. LICENSE: nosell  
 URL: <https://ctan.org/pkg/siam>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/siam>
- Gray, Norman. *The bibhtml package. BibTeX support for HTML files.* 2016-06-24. Version 2.0.2. LICENSE: gpl. Bibhtml consists of a Perl script and a set of style files, which together allow you to output a bibliography as a collection of HTML files. The references in the text are linked directly to the corresponding bibliography entry, and if a URL is defined in the entry within the BibTeX database file, then the generated bibliography entry is linked to this. The package provides three different style files derived from each of the standard plain.bst and alpha.bst, as well as two style files derived from abbrev.bst and unsrt.bst (i.e., eight in total).  
 URL: <https://ctan.org/pkg/bibhtml>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/bibhtml>
- *The dvi2bitmap package. Utility to convert T<sub>E</sub>X DVI files directly to bitmaps.* 2017-04-18. Version 1.0. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/dvi2bitmap>  
 MIRROR: <https://mirror.ctan.org/dviware/dvi2bitmap>
- *The exam-n package. Exam class, focused on collaborative authoring.* 2022-10-10. Version 1.4.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/exam-n>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exam-n>
- *The feyn package. A font for in-text Feynman diagrams.* 2022-07-20. Version 0.4.3. LICENSE: bsd2  
 URL: <https://ctan.org/pkg/feyn>  
 MIRROR: <https://mirror.ctan.org/fonts/feyn>
- *The pphlp package. Generate VMS help files from L<sup>A</sup>T<sub>E</sub>X 2.09 source.* 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/pphlp>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/pphlp>
- *The showlabels package. Show label commands in the margin.* 2022-07-19. Version 1.9.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/showlabels>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/showlabels>
- *The textpos package. Place boxes at arbitrary positions on the L<sup>A</sup>T<sub>E</sub>X page.* 2022-07-23. Version 1.10.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/textpos>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/textpos>
- *The urlbst package. Web support for BibTeX.* 2023-01-30. Version 0.9.1. LICENSE: gpl2,lppl. Supports a new BibTeX ‘webpage’ entry type and ‘url’, ‘lastchecked’, and ‘eprint’ and ‘DOI’ fields. The Perl script urlbst can be used to add this support to an arbitrary file which has a reasonably conventional structure. The result is meant to be robust rather than pretty.  
 URL: <https://ctan.org/pkg/urlbst>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/urlbst>
- *The versonotes package. Display brief notes on verso pages.* 2020-07-01. Version 0.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/versonotes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/versonotes>
- Green, Ian and Scott Pakin. *The recycle package. A font providing the “recyclable” logo.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/recycle>  
 MIRROR: <https://mirror.ctan.org/fonts/recycle>



- Green, J.J. *The bguq package. Improved quantifier stroke for Begriffsschrift packages*. 2017-10-29. Version 0.4. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bguq>  
 MIRROR: <https://mirror.ctan.org/fonts/bguq>
- *The fancynum package. Typeset numbers*. 2016-06-24. Version 0.92. LICENSE: other-free  
 URL: <https://ctan.org/pkg/fancynum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancynum>
  - *The fge package. A font for Frege's Grundgesetze der Arithmetik*. 2018-01-06. Version 1.25. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fge>  
 MIRROR: <https://mirror.ctan.org/fonts/fge>
  - *The ltxinput package. Find files input by a document*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ltxinput>  
 MIRROR: <https://mirror.ctan.org/support/ltxinput>
- Greenberg, Harvey and Daniel H. Luecking. *The simplified-latex package. A Simplified Introduction to L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/simplified-latex>  
 MIRROR: <https://mirror.ctan.org/info/simplified-latex>
- Greene, Andrew. *The basix package. A BASIC interpreter written in T<sub>E</sub>X*. 2021-08-26. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/basix>  
 MIRROR: <https://mirror.ctan.org/macros/generic/basix>
- *The inscrutable package. A response to Perl hackers' silliness*. 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/inscrutable>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/inscrutable.tex>
- Greening, Daniel R. *The phoncard package. Format telephone number lists*. 2016-06-24. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/phoncard>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/phoncard.tex>
- Greenwade, George. *The BibTeX-help package. VMS help file for BibTeX*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/bibtex-help>  
 MIRROR: <https://mirror.ctan.org/info/bibtex/bibtex.hlp>
- *The bs1 package. Access bold computer modern slanted in L<sup>A</sup>T<sub>E</sub>X 2.09*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/bs1>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/bs1.sty>
  - *The enumspec package. Enumerate with extra leading character for labels*. 2016-06-24. LICENSE: noinfo. The package allows for a leading character on the enumerate label(s). The default character to be used () is by default , but may be redefined.  
 URL: <https://ctan.org/pkg/enumspec>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/enumspec.sty>
  - *The exam209 package. Process exam questions and answers (L<sup>A</sup>T<sub>E</sub>X 2.09)*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/exam209>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/exam.sty>
  - *The isf package. Access italic computer modern sans in L<sup>A</sup>T<sub>E</sub>X 2.09*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/isf>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/isf.sty>
  - *The latex-hlp package. A VMS help file for L<sup>A</sup>T<sub>E</sub>X 2.09*. 2016-06-24. Version 1.0a. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/latex-hlp>  
 MIRROR: <https://mirror.ctan.org/info/latex.hlp>
  - *The marginote package. Make numbered notes in the margin*. 2016-06-24. Version 2.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/marginote>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/marginote.sty>
  - *The shsulet package. A letter document style for use at SHSU*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/shsulet>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/shsulet.sty>
  - *The threecolumn package. L<sup>A</sup>T<sub>E</sub>X output in three columns*. 2016-06-24. LICENSE: nosell  
 URL: <https://ctan.org/pkg/threecolumn>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/threecolumn.sty>
- Gregorio, Enrico. *The abc package. Support ABC music notation in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 2.0b. LICENSE: lppl1.2. The abc package lets you include lines of music written in the language. The package will then employ the facility to convert your notation to PostScript (using the established utility abcm2ps) and hence to the format needed for inclusion in your document.



- URL: <https://ctan.org/pkg/abc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/abc>
- *The feynmp-auto package. Automatic processing of feynmp graphics.* 2016-06-24. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/feynmp-auto>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/feynmp-auto>
  - *The fixcmex package. Fully scalable version of Computer Modern Math Extension font.* 2021-09-16. Version 1.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/fixcmex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fixcmex>
  - *The frontespizio package. Create a frontispiece for Italian theses.* 2016-06-24. Version 1.4a. LICENSE: lppl  
URL: <https://ctan.org/pkg/frontespizio>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frontespizio>
  - *The gmp package. Enable integration between MetaPost pictures and L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. The package allows integration between MetaPost pictures and L<sup>A</sup>T<sub>E</sub>X. The main feature is that passing parameters to the MetaPost pictures is possible and the picture code can be put inside arguments to commands, including .  
URL: <https://ctan.org/pkg/gmp>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gmp>
  - Gregorio, Enrico. *The HyPlain package. Basic support for multiple languages in Plain T<sub>E</sub>X.* 2016-06-24. Version 1.0. LICENSE: pd  
URL: <https://ctan.org/pkg/hyplain>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/hyplain>
  - *The itnumpar package. Spell numbers in words (Italian).* 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/itnumpar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/itnumpar>
  - *The kantlipsum package. Generate sentences in Kant’s style.* 2019-07-25. Version 0.8a. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/kantlipsum>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kantlipsum>
  - *The newunicodechar package. Definitions of the meaning of Unicode characters.* 2018-04-08. Version 1.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/newunicodechar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/newunicodechar>
  - *The regexpatch package. High level patching of commands.* 2021-03-22. Version 0.2f. LICENSE: lppl1.3c. The package generalises the macro patching commands provided by P. Lehmann’s . The difference between this package and its sibling is that this package sports a very powerful based on the module of the L<sup>A</sup>T<sub>E</sub>X3 experimental packages.  
URL: <https://ctan.org/pkg/regexpatch>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/regexpatch>
  - *The steinmetz package. Print Steinmetz notation.* 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/steinmetz>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/steinmetz>
  - *The usebib package. A simple bibliography processor.* 2016-06-24. Version 1.0a. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/usebib>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/usebib>
  - *The xcite package. Use citation keys from a different document.* 2020-01-21. Version 16383.99998. LICENSE: lppl1.3c. The package is no longer necessary, because its functionality has been taken over by , so this final version is just a stub that loads .  
URL: <https://ctan.org/pkg/xcite>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xcite>
  - *The xpatch package. Extending etoolbox patching commands.* 2020-03-25. Version 0.3. LICENSE: lppl1.3. The package generalises the macro patching commands provided by Philipp Lehmann’s .  
URL: <https://ctan.org/pkg/xpatch>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xpatch>
  - *The xpiano package. An extension of the piano package.* 2021-08-26. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/xpiano>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xpiano>
  - Grewe, Richard. *The asciilist package. Environments AsciiList and AsciiDocList for prototyping nested lists in L<sup>A</sup>T<sub>E</sub>X.* 2018-11-03. Version 2.2b. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/asciilist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/asciilist>

- *The gtrlib.largetrees package*. Library for genealogytree aiming at large trees. 2019-06-21. Version 1.2b. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/gtrlib-largetrees>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gtrlib-largetrees>
- *The keyvaltable package*. Re-usable table layouts separating content and presentation. 2022-12-31. Version 2.3. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/keyvaltable>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/keyvaltable>
- *The komacv-rg package*. L<sup>A</sup>T<sub>E</sub>X packages that aid in creating CVs based on the komacv class and creating related documents. 2018-11-03. Version 0.9.2. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/komacv-rg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/komacv-rg>
- *The multilang package*. A L<sup>A</sup>T<sub>E</sub>X package for maintaining multiple translations of a document. 2018-11-03. Version 0.9b. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/multilang>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multilang>
- *The rgltxdoc package*. Common code for documentation of the author’s packages. 2020-02-19. Version 1.3. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/rgltxdoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rgltxdoc>
- Grewé, Richard. *The typed-checklist package*. Typesetting tasks, goals, milestones, artifacts, and more in L<sup>A</sup>T<sub>E</sub>X. 2022-05-29. Version 2.1. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/typed-checklist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/typed-checklist>
- Griffin, Ivan. *The ulqda package*. Support of Qualitative Data Analysis. 2016-06-24. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/ulqda>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ulqda>
- Griffiths, Hugh. *The knittingpattern package*. Create knitting patterns. 2016-06-24. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/knittingpattern>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/knittingpattern>
- Griffiths, Thomas M. *The uowthesistitlepage package*. Title page for dissertations at the University of Wollongong. 2017-08-11. Version 3.0.1. LICENSE: lppl1.3c,cc-by-sa-4  
URL: <https://ctan.org/pkg/uowthesistitlepage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uowthesistitlepage>
- Grigorov, Viktor. *The diabetes-logbook package*. A logbook for people with type one diabetes. 2020-04-22. LICENSE: other-free  
URL: <https://ctan.org/pkg/diabetes-logbook>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/diabetes-logbook>
- Grimm, Robert. *The emo package*. Emoji for all (L<sup>A</sup>T<sub>E</sub>X engines). 2023-04-26. Version 0.4. LICENSE: lppl1.3c,apache2,other-free,ofl  
URL: <https://ctan.org/pkg/emo>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/emo>
- Grobgele, Dov. *The impose package*. PostScript imposition and support utilities. 2016-06-24. Version 0.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/impose>  
MIRROR: <https://mirror.ctan.org/support/impose>
- Gross, Jason. *The locality package*. Various macros for keeping things local. 2016-06-24. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/locality>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/locality>
- Gross, Sebastian. *The fltpage package*. Place caption on an adjacent page. 2019-06-21. Version 0.3. LICENSE: other-nonfree. Defines environments and , analogous to and . In twoside mode, the caption for one of the ‘new’ environments, will be set on the opposite page of a figure/table which needs a whole page. In oneside mode the caption will be set on the preceding or following page.  
URL: <https://ctan.org/pkg/fltpage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fltpage>
- Gross, Sébastien. *The tikz-dimline package*. Technical dimension lines using PGF/TikZ. 2021-08-26. Version 1.0. LICENSE: other-free  
URL: <https://ctan.org/pkg/tikz-dimline>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-dimline>
- *The tikz-page package*. Small macro to help building nice and complex layout materials. 2017-04-18. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tikz-page>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-page>
- Grossniklaus, Bruno and William C. Ogden. *The bibcard package*. An XView based interface for BibT<sub>E</sub>X databases. 2016-06-24. Version 1.11. LICENSE: nocommercial

URL: <https://ctan.org/pkg/bibcard>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibcard>

Grothmann, Rene. *The check package. A syntax checker and tidier.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/check>  
 MIRROR: <https://mirror.ctan.org/support/check>

Grove, Henrik Christian. *The skull package. A font to draw a skull.* 2016-06-24. Version 0.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/skull>  
 MIRROR: <https://mirror.ctan.org/fonts/skull>

Gruber, Maximilian. *The gitstatus package. Include Git information in the document as watermark or via variables.* 2022-10-16. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/gitstatus>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gitstatus>

Grundlingh, Werner. *The abracas package. Asymmetric over-/underbraces in maths.* 2022-11-06. Version 2.1. LICENSE: lppl1.3. The package provides a character key-driven interface to supplement new constructions of the traditional and pairs in an asymmetric or arbitrary way.  
 URL: <https://ctan.org/pkg/abracas>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/abracas>

Grünewald, Michael Le Barbier. *The getoptk package. Define macros with sophisticated options.* 2016-06-24. Version 1.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/getoptk>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/getoptk>

Grunwald, Dirk. *The texpictex package. Use tpic special commands in PiCTeX.* 2016-06-24. LICENSE: noinfo. Macros to override straight-line drawing routines in ; also provides clipping to the picture bounding box.  
 URL: <https://ctan.org/pkg/texpictex>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/texpictex.tex>

Guéhéneuc, Yann-Gaël. *The Bibex package. Automatic extraction of references from BibTeX databases.* 2016-06-24. LICENSE: gpl. Bibex, BibTeX Extractor, is a 100%-pure Java program that automates the extraction of bibliographic references from BibTeX databases using regular expressions. Using the Bibex user interface, it is possible to define, to save, and to perform BibTeX references extraction tasks easily and automatically. Bibex is very useful when using or similar packages.  
 URL: <https://ctan.org/pkg/bibex>  
 MIRROR: <https://mirror.ctan.org/support/bibex>

Guenther, Dean. *The TeX T1 package. TeX format from Washington State University.* 2016-06-18. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/text1>  
 MIRROR: <https://mirror.ctan.org/macros/text1>

— *The wsuipa package. International Phonetic Alphabet fonts.* 2017-10-29. LICENSE: other-free  
 URL: <https://ctan.org/pkg/wsuipa>  
 MIRROR: <https://mirror.ctan.org/fonts/wsuipa>

Guia, Gonçal Badenes, Miquel Ortega, and Orestes Mas Casals. *The babel-catalan package. Babel contributed support for Catalan.* 2021-04-20. Version 2.2p. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-catalan>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/catalan>

Guia, Gonçal Badenes and Francina Turon. *The cahyph package. Hyphenation patterns for the Catalan language.* 2018-09-01. Version 1.11. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cahyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/cahyph.tex>

Guillaumin, Matthieu. *The minorrevision package. Quote and refer to a manuscript for minor revisions.* 2016-06-24. Version 1.1. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/minorrevision>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/minorrevision>

GuIT (Gruppo Utilizzatori Italiani di T<sub>E</sub>X), Claudio Beccari, and Giuseppe Bilotta. *The lshort-italian package. Introduction to L<sup>A</sup>T<sub>E</sub>X in Italian.* 2020-11-30. Version 6.2. LICENSE: gpl. This is the Italian translation of the .  
 URL: <https://ctan.org/pkg/lshort-italian>  
 MIRROR: <https://mirror.ctan.org/info/lshort/italian>

Gulbrandsen, Martin G. and Sebastian Humenda. *The GladTeX package. L<sup>A</sup>T<sub>E</sub>X equations in HTML.* 2018-09-19. Version 3.0.0. LICENSE: lgpl3

- URL: <https://ctan.org/pkg/gladtex>  
MIRROR: <https://mirror.ctan.org/support/gladtex>
- Gulczynski, Michal. *The insbox package. Insert pictures/boxes into paragraphs*. 2016-06-24. Version 2.2. LICENSE: pd  
URL: <https://ctan.org/pkg/insbox>  
MIRROR: <https://mirror.ctan.org/macros/generic/insbox>
- Günay, Cengiz. *The texdirflatten package. Collect files related to a L<sup>A</sup>T<sub>E</sub>X job in a single directory*. 2020-05-05. Version 1.3. LICENSE: artistic  
URL: <https://ctan.org/pkg/texdirflatten>  
MIRROR: <https://mirror.ctan.org/support/texdirflatten>
- Gundlach, Patrick. *The context-layout package. Show ConTeXt layouts*. 2018-01-07. LICENSE: gpl  
URL: <https://ctan.org/pkg/context-layout>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-layout>
- *The detexfaq package. German T<sub>E</sub>X FAQ*. 2017-04-18. LICENSE: nosource  
URL: <https://ctan.org/pkg/detexfaq>  
MIRROR: <https://mirror.ctan.org/info/german/detexfaq/detexfaq.pdf>
- Gundlach, Patrick. *The lua-check-hyphen package. Mark hyphenations in a document, for checking*. 2018-04-19. Version 0.7a. LICENSE: mit  
URL: <https://ctan.org/pkg/lua-check-hyphen>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/lua-check-hyphen>
- *The lua-visual-debug package. Visual debugging with LuaLaTeX*. 2023-01-04. Version 0.9. LICENSE: mit  
URL: <https://ctan.org/pkg/lua-visual-debug>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/lua-visual-debug>
- *The rfil package. Ruby font installer library*. 2016-06-24. Version 0.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/rfil>  
MIRROR: <https://mirror.ctan.org/support/rfil>
- *The showhyphens package. Show all possible hyphenations in LuaLaTeX*. 2022-06-22. Version 0.5c. LICENSE: mit  
URL: <https://ctan.org/pkg/showhyphens>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/luatex/latex/showhyphens>
- Gundlach, Patrick and Michael Niedermair. *The libertineotf package. Linux Libertine fonts for use with Lua(La)TeX and Xe(La)TeX*. 2016-06-24. Version 5.13-8. LICENSE: gpl2  
URL: <https://ctan.org/pkg/libertineotf>  
MIRROR: <https://mirror.ctan.org/obsolete/fonts/libertineotf>
- Guntermann, Klaus. *The ppower4 package. A postprocessor for PDF presentations*. 2017-04-18. Version 0.4. LICENSE: gpl  
URL: <https://ctan.org/pkg/ppower4>  
MIRROR: <https://mirror.ctan.org/support/ppower4>
- *The tie package. Allow multiple web change files*. 2016-06-24. Version 2.4. LICENSE: other-free. Tie was originally developed to allow programmers to apply more than one change file to their source. The program may also be used to create a new version of a file that incorporates existing changes.  
URL: <https://ctan.org/pkg/tie>  
MIRROR: <https://mirror.ctan.org/web/tie>
- Guo, Lijun. *The magicwatermark package. An easy and flexible way to set watermarks*. 2022-06-27. Version 1.0.1. LICENSE: lppl1.3c. This package can flexibly set and clear watermarks. It is based on and , encapsulated by L<sup>A</sup>T<sub>E</sub>X3. All watermark content is placed inside a TikZ node in the center of the page.  
URL: <https://ctan.org/pkg/magicwatermark>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/magicwatermark>
- Guo, Lijun and Kangwei Xia. *The exam-zh package. L<sup>A</sup>T<sub>E</sub>X template for Chinese exams*. 2023-06-28. Version 0.1.27. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/exam-zh>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/exam-zh>
- Gupta, Pallav. *The BibTeX Database Generator package. A simple interactive script to generate BibTeX Files*. 2016-06-24. LICENSE: pd  
URL: <https://ctan.org/pkg/bibtex-gen>  
MIRROR: <https://mirror.ctan.org/support/bibtex-gen>
- Gurari, Eitan M. *The dratex package. General drawing macros*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/dratex>  
MIRROR: <https://mirror.ctan.org/graphics/dratex>

- *The wotree package. Draw Warnier/Orr diagrams.* 2019-03-02. LICENSE: lppl. Draws the diagrams using .  
 URL: <https://ctan.org/pkg/wotree>  
 MIRROR: <https://mirror.ctan.org/graphics/dratex/wotree.sty>
- Gustavsson, David. *The datax package. Import individual data from script files.* 2022-01-28. Version 1.2.0. LICENSE: lppl1.3. This L<sup>A</sup>T<sub>E</sub>X package uses to retrieve individual data points generated in some script. Analogous to how one might generate graphics in a script and import those graphics into a L<sup>A</sup>T<sub>E</sub>X document.  
 URL: <https://ctan.org/pkg/datax>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datax>
- Guthöhrlein, Eckhart. *The fltpoint package. Simple floating point arithmetic.* 2020-09-30. Version 1.1b. LICENSE: other-free. The package provides simple floating point operations (addition, subtraction, multiplication, division and rounding). Used, for example, by .  
 URL: <https://ctan.org/pkg/fltpoint>  
 MIRROR: <https://mirror.ctan.org/macros/generic/fltpoint>
- *The rccol package. Decimal-centered optionally rounded numbers in tabular.* 2016-06-24. Version 1.2c. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/rccol>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rccol>
- Haager, Wilhelm. *The worldflags package. Drawing flags with TikZ.* 2021-05-12. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/worldflags>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/worldflags>
- Haas, Roswitha. *The chemtex package. Structural chemistry.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/chemtex>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/chemtex>
- Haberstumpf, Bernd and Christoph Neumann. *The ECV package. A fancy Curriculum Vitae class.* 2016-06-24. Version 0.3. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ecv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ecv>
- Habets, Martin and Jo Grant. *The cirth package. Fonts for Cirth.* 2016-06-24. LICENSE: nosell  
 URL: <https://ctan.org/pkg/cirth>  
 MIRROR: <https://mirror.ctan.org/fonts/cirth>
- Häcker, Patrick. *The autonum package. Automatic equation references.* 2016-06-24. Version 0.3.11. LICENSE: lppl1.3. The package arranges that equation numbers are applied only to those equations that are referenced. This operation is similar to the option of the package .  
 URL: <https://ctan.org/pkg/autonum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/autonum>
- *The tikzscale package. Resize pictures while respecting text size.* 2016-06-24. Version 0.2.6. LICENSE: lppl1.3. The package extends the command to support tikzpictures. It allows scaling of TikZ images and PGFPlots to a given width or height without changing the text size.  
 URL: <https://ctan.org/pkg/tikzscale>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzscale>
- Hackl, Jürgen. *The stanli package. TikZ Library for Structural Analysis.* 2016-12-29. Version 3.0. LICENSE: gpl,lppl1.3  
 URL: <https://ctan.org/pkg/stanli>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/stanli>
- *The tikz-network package. Draw networks with TikZ.* 2019-08-15. Version 1.1. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/tikz-network>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-network>
- Hafner, James. *The foiltex package. A L<sup>A</sup>T<sub>E</sub>X2e class for overhead transparencies.* 2018-01-06. Version 2.1.4b. LICENSE: nosell  
 URL: <https://ctan.org/pkg/foiltex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/foiltex>
- Hafner, Thomas and Tom Rokicki. *The colordvi package. Simple colour use in Plain T<sub>E</sub>X.* 2016-11-04. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/colordvi>  
 MIRROR: <https://mirror.ctan.org/systems/knuth/local/lib/colordvi.tex>
- Hagen, Hans. *The context package. The ConTeXt macro package.* 2020-05-23. LICENSE: other-free. A full featured, parameter driven macro package, which fully supports advanced interactive documents. See the for a wealth of support information.  
 URL: <https://ctan.org/pkg/context>  
 MIRROR: <https://mirror.ctan.org/macros/context/latest>



- *The pdf-mps-supp package. PDF MetaPost graphics support bundle.* 2017-04-18. LICENSE: gpl  
 URL: <https://ctan.org/pkg/pdf-mps-supp>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/tools/mptopdf>
  - *The ppchtex package. Typeset chemical formula diagrams.* 2020-05-24. LICENSE: noinfo. ppchTeX is a separate module of the macro package for T<sub>E</sub>X. It seems to be in its final state (having not changed for more than 10 years).  
 URL: <https://ctan.org/pkg/ppchtex>
- Hagen, Hans, Taco Hoekwater, Élie Roux, Manuel Pégourié-Gonnard, Philipp Gesang, and Dohyun Kim. *The luamplib package. Use LuaTeX's built-in MetaPost interpreter.* 2023-08-21. Version 2.25.1. LICENSE: lppl2  
 URL: <https://ctan.org/pkg/luamplib>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/luamplib>
- Hagen, Karl. *The multicolrule package. Decorative rules between columns.* 2020-09-16. Version 1.3a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/multicolrule>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multicolrule>
- Hahn, Marco. *The tex-math package. Maths mode documentation for OS/2 users.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/tex-math>  
 MIRROR: <https://mirror.ctan.org/systems/os2/doc/TeX-Math>
- Hairer, Martin. *The mhequ package. Multicolumn equations, tags, labels, sub-numbering.* 2022-11-09. Version 1.72. LICENSE: pd  
 URL: <https://ctan.org/pkg/mhequ>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mhequ>
- Haisman, Václav. *The cstylo package. Czech typography rules enforced through LuaTeX hooks.* 2017-04-18. Version 0.03. LICENSE: mit  
 URL: <https://ctan.org/pkg/cstylo>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/cstylo>
- *The uspace package. Giving meaning to various Unicode space characters.* 2022-04-24. Version 0.05. LICENSE: mit  
 URL: <https://ctan.org/pkg/uspace>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uspace>
- Haisman, Václav and Charles Wikner. *The sanskrit package. Sanskrit support.* 2022-09-24. Version 2.2.4. LICENSE: lppl. A font and pre-processor suitable for the production of documents written in Sanskrit. are available.  
 URL: <https://ctan.org/pkg/sanskrit>  
 MIRROR: <https://mirror.ctan.org/language/sanskrit>
- Hajer, Jan. *The hep-acronym package. An acronym extension for glossaries.* 2023-07-14. Version 1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hep-acronym>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hep-acronym>
- *The hep-bibliography package. An acronym extension for glossaries.* 2023-07-14. Version 1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hep-bibliography>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/hep-bibliography>
  - *The hep-float package. Convenience package for float placement.* 2021-11-26. Version 1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hep-float>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hep-float>
  - *The hep-font package. Latin modern extended by computer modern.* 2023-07-14. Version 1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hep-font>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/hep-font>
  - *The hep-graphic package. Extensions for graphics, plots and feynman graphs in high energy physics.* 2023-07-18. Version 1.2. LICENSE: lppl1.3c. The hep-graphic package collects convenience macros that modify the behaviour of the , , and packages and ensure that the generated graphics look consistent.  
 URL: <https://ctan.org/pkg/hep-graphic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hep-graphic>
  - *The hep-math package. Extended math macros.* 2021-11-26. Version 1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hep-math>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hep-math>
  - *The hep-math-font package. Extended Greek and sans-serif math.* 2023-07-14. Version 1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hep-math-font>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/hep-math-font>
  - *The hep-paper package. Publications in High Energy Physics.* 2023-07-14. Version 2.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hep-paper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hep-paper>

- *The hep-reference package. Adjustments for publications in High Energy Physics.* 2023-07-14. Version 1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hep-reference>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hep-reference>
- *The hep-text package. List and text extensions.* 2021-11-26. Version 1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hep-text>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hep-text>
- *The hep-title package. Extensions for the title page.* 2023-07-14. Version 1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hep-title>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hep-title>
- Hajime, Kobayashi, Fukui Rei, and Shirakawa Shun. *The tsipa package. Macros and fonts to produce IPA typesetting.* 2016-06-24. Version 1.0. LICENSE: noinfo. The tsipa set has been superseded by ; see the documentation of that package for an outline of the shortcomings of tsipa, that tipa overcomes.  
 URL: <https://ctan.org/pkg/tsipa>  
 MIRROR: <https://mirror.ctan.org/fonts/tsipa>
- Hajtmar, Jaroslav and Pablo Rodríguez. *The context-handlecsv package. Data merging for automatic document creation.* 2023-07-26. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/context-handlecsv>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-handlecsv>
- Halilčević, Samir. *The babel-bosnian package. Babel contrib support for Bosnian.* 2016-06-24. Version 1.1. LICENSE: lppl1.3. The package provides a language definition file that enables support of Bosnian with .  
 URL: <https://ctan.org/pkg/babel-bosnian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/bosnian>
- Hall, Steven. *The othelloboard package. Typeset Othello (Reversi) diagrams of any size, with annotations.* 2016-06-24. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/othelloboard>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/othelloboard>
- Halvorson, Peter and Seth Flaxman. *The outline package. List environment for making outlines.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/outline>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/outline>
- Hamel, Benoît. *The geradwp package. Document class for the Cahiers du GERAD series.* 2022-04-25. Version 1.1. LICENSE: lppl1.3c. This package provides the class, a class based on and compatible with L<sup>A</sup>T<sub>E</sub>X. With this class, researchers at will be able to write their working paper while complying to all the presentation standards required by the series.  
 URL: <https://ctan.org/pkg/geradwp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/geradwp>
- *The hecthesse package. A class for dissertations and theses at HEC Montréal.* 2021-09-07. Version 1.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hecthesse>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hecthesse>
- Hamid, Idris Samawi. *The almfixed package. Arabic-Latin Modern Fixed extends T<sub>E</sub>X-Gyre Latin Modern Mono 10 Regular to full Arabic Unicode support.* 2016-06-24. Version 0.92. LICENSE: gfl  
 URL: <https://ctan.org/pkg/almfixed>  
 MIRROR: <https://mirror.ctan.org/fonts/almfixed>
- Hamlen, Kevin W. *The songs package. Produce song books for church or fellowship.* 2019-06-26. Version 3.1. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/songs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/songs>
- Hammond, Karl D. *The thermodynamics package. Macros for multicomponent thermodynamics documents.* 2022-05-01. Version 1.00. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/thermodynamics>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thermodynamics>
- Hammond, William F. *The GELLMU package. LaTeX-like markup for writing XML documents.* 2017-04-18. Version 0.8.4.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/gellmu>  
 MIRROR: <https://mirror.ctan.org/support/gellmu>
- Hanisch, Falk. *The tudscr package. Corporate Design of Technische Universität Dresden.* 2022-08-09. Version 2.06o. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tudscr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tudscr>
- Hanisch, Falk and Philip Ilten. *The svg package. Include and extract SVG pictures in L<sup>A</sup>T<sub>E</sub>X documents.* 2020-11-26. Version 2.02k. LICENSE: lppl1.3c

- URL: <https://ctan.org/pkg/svg>  
MIRROR: <https://mirror.ctan.org/graphics/svg>
- Hankerson, Darrel. *The ams-cd package. AMSTeX Commutative Diagrams for L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/ams-cd>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/ams-cd>
- Hannemyr, Gisle. *The l2a package. L<sup>A</sup>T<sub>E</sub>X to ASCII*. 2018-01-06. Version 1.0. LICENSE: other-free  
URL: <https://ctan.org/pkg/l2a>  
MIRROR: <https://mirror.ctan.org/support/l2a>
- Hansen, Mogens Lemvig. *The coordsys package. Draw cartesian coordinate systems*. 2016-06-24. Version 1.4. LICENSE: lppl  
URL: <https://ctan.org/pkg/coordsys>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coordsys>
- *The eemeir package. Adjust the gender of words in a document*. 2016-06-24. Version 1.1b. LICENSE: lppl  
URL: <https://ctan.org/pkg/eemeir>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eemeir>
  - *The logsys package. Draw logarithmic coordinate systems*. 2016-06-24. Version 1.4. LICENSE: lppl. The package (part of the distribution) extends the package to provide logarithmic and double-logarithmic coordinate systems and grids.  
URL: <https://ctan.org/pkg/logsys>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coordsys>
- Hansen, Mogens Lemvig. *The shortlst package. Compact lists by running several items per line*. 2016-06-24. Version 1.1. LICENSE: nosell  
URL: <https://ctan.org/pkg/shortlst>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shortlst>
- *The twoup1tx package. Print two virtual pages on each physical page*. 2016-06-24. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/twoup1tx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/twoup>
- Hansen, Thorsten. *The multibib package. Multiple bibliographies within one document*. 2016-06-24. Version 1.4. LICENSE: lppl  
URL: <https://ctan.org/pkg/multibib>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multibib>
- Hanson, Kenneth M and SPIE Support. *The spie package. Support for formatting SPIE Proceedings manuscripts*. 2023-06-14. Version 3.25. LICENSE: lppl  
URL: <https://ctan.org/pkg/spie>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/spie>
- Happel, Patrick. *The unitsdef package. Typesetting units in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 0.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/unitsdef>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unitsdef>
- Happel, Patrick and Phelype Oleinik. *The lipsum package. Easy access to the Lorem Ipsum and other dummy texts*. 2021-09-20. Version 2.7. LICENSE: lppl1.3. This package gives you easy access to 150 paragraphs of the Lorem Ipsum dummy text provided by , plus a growing list of other dummy texts in different languages.  
URL: <https://ctan.org/pkg/lipsum>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lipsum>
- Har-Peled, Sarel. *The flatex package. Flatten \input, etc., in a L<sup>A</sup>T<sub>E</sub>X file*. 2016-06-24. Version 1.21. LICENSE: noinfo. A C program to flatten a L<sup>A</sup>T<sub>E</sub>X file into a single file, by explicitly including the files included by and commands. Also, if BibT<sub>E</sub>X is being used, then includes the bbl file into the resulting file. The result is therefore a stand-alone L<sup>A</sup>T<sub>E</sub>X file that can be emailed to a collaborator.  
URL: <https://ctan.org/pkg/flatex>  
MIRROR: <https://mirror.ctan.org/support/flatex>
- Haralambous, Yannis. *The dad package. Simple typesetting system for mixed Arabic/Latin documents*. 2018-03-19. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/dad>  
MIRROR: <https://mirror.ctan.org/language/arabic/dad>
- *The patgen2-tutorial package. A tutorial on the use of Patgen 2*. 2021-03-29. Version 1.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/patgen2-tutorial>  
MIRROR: <https://mirror.ctan.org/info/patgen2-tutorial>
  - *The yfrak package. Old German Fraktur font*. 2017-01-21. LICENSE: pd  
URL: <https://ctan.org/pkg/yfrak>  
MIRROR: <https://mirror.ctan.org/fonts/gothic/yfrak>

- *The ygoth package. Old German Gothic font.* 2017-01-21. LICENSE: pd  
 URL: <https://ctan.org/pkg/ygoth>  
 MIRROR: <https://mirror.ctan.org/fonts/gothic/ygoth>
- *The yinit package. Old German decorative initials.* 2019-01-29. Version 20190124. LICENSE: pd  
 URL: <https://ctan.org/pkg/yinit>  
 MIRROR: <https://mirror.ctan.org/fonts/gothic/yinit>
- *The yinit-otf package. OTF conversion of Yannis Haralambous’ Old German decorative initials.* 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/yinit-otf>  
 MIRROR: <https://mirror.ctan.org/fonts/gothic/yinit-otf>
- *The yswab package. Old German Schwabacher font.* 2017-01-21. LICENSE: pd  
 URL: <https://ctan.org/pkg/yswab>  
 MIRROR: <https://mirror.ctan.org/fonts/gothic/yswab>
- Haralambous, Yannis, Japanese T<sub>E</sub>X Development Community, and The T<sub>E</sub>X Live Team. *The bibtexu package. An adaptation of BibT<sub>E</sub>X 0.99 that supports Unicode via ICU.* 2022-10-08. Version 3.72. LICENSE: gpl  
 URL: <https://ctan.org/pkg/bibtexu>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/bibtex-x>
- Haralambous, Yannis and John Plaice. *The omega package. A wide-character-set extension of T<sub>E</sub>X.* 2017-04-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/omega>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/omega>
- Haralambous, Yannis and Norbert Preining. *The yhmth package. Extended maths fonts for L<sup>A</sup>T<sub>E</sub>X.* 2020-03-17. Version 1.6. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/yhmth>  
 MIRROR: <https://mirror.ctan.org/fonts/yhmth>
- Haralambous, Yannis, Andreas Schrell, Berthold Ludewig, Torsten Bronger, and Daniel Taupin. *The gothic package. A collection of old German-style fonts.* 2020-12-15. LICENSE: collection  
 URL: <https://ctan.org/pkg/gothic>  
 MIRROR: <https://mirror.ctan.org/fonts/gothic>
- Haralambous, Yannis and Klaus Thull. *The yannisgr package. Greek fonts by Yannis Haralambous.* 2016-06-24. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/yannisgr>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/yannis>
- Harcke, Leif. *The pclnffss package. Font support for current PCL printers.* 2016-06-24. Version 0.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/pclnffss>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pclnffss>
- Hard, Ben E. *The biblatex-jura package. BibL<sup>A</sup>T<sub>E</sub>X stylefiles for German legal literature.* 2016-06-24. Version 0.1.1. LICENSE: lppl. The package provides support for citations in the format specified by the Nomos-Verlag for German legal citations.  
 URL: <https://ctan.org/pkg/biblatex-jura>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-jura>
- Harder, Sven. *The cookingsymbols package. Symbols for recipes.* 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cookingsymbols>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cookingsymbols>
- *The xcookybooky package. Typeset (potentially long) recipes.* 2018-04-05. Version 1.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/xcookybooky>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xcookybooky>
- Harders, Harald. *The bgteubner package. Class for producing books for the publisher “Teubner Verlag”.* 2019-03-12. Version 2.11. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bgteubner>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bgteubner>
- *The fnbreak package. Warn for split footnotes.* 2023-03-18. Version 1.40. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fnbreak>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fnbreak>
- *The germbib package. German variants of standard BibT<sub>E</sub>X styles.* 2019-03-12. LICENSE: other-free  
 URL: <https://ctan.org/pkg/germbib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/germbib>
- *The ginpenc package. Modification of inputenc for German.* 2019-03-12. Version 1.0. LICENSE: lppl. If the is used and German umlauts are input directly, they are converted to the LICR representation (etc.). This breaks the sort algorithm of , for instance.

Ginpen converts umlauts and the sharp-s to the short forms defined by , e.g., instead, if the text is typeset in German.

URL: <https://ctan.org/pkg/ginpen>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ginpen>

- *The hfbright package. The hfbright fonts.* 2019-03-12. LICENSE: lppl. These are Adobe Type 1 versions of the OT1-encoded and maths parts of the fonts.

URL: <https://ctan.org/pkg/hfbright>

MIRROR: <https://mirror.ctan.org/fonts/ps-type1/hfbright>

- *The hfoldsty package. Old style numerals with EC fonts.* 2019-03-12. Version 1.15. LICENSE: gpl. The hfoldsty package provides virtual fonts for using oldstyle (0123456789) figures with the European Computer Modern fonts. It does a similar job as the package by Sebastian Kirsch but includes a couple of improvements, i.e., better kerning with guillemets, and support for character protruding using the package.

URL: <https://ctan.org/pkg/hfoldsty>

MIRROR: <https://mirror.ctan.org/fonts/hfoldsty>

- *The hhtensor package. Print vectors, matrices, and tensors.* 2019-03-12. Version 0.61. LICENSE: lppl

URL: <https://ctan.org/pkg/hhtensor>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hhtensor>

Harders, Harald. *The isodate package. Tune the output format of dates according to language.* 2019-03-12. Version 2.28. LICENSE: lppl

URL: <https://ctan.org/pkg/isodate>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/isodate>

- *The kerntest package. Print tables and generate control files to adjust kernings.* 2019-03-12. Version 1.32. LICENSE: lppl

URL: <https://ctan.org/pkg/kerntest>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kerntest>

- *The latexfileversion package. Prints the version and date of a L<sup>A</sup>T<sub>E</sub>X class or style file.* 2019-03-12. Version 0.3. LICENSE: lppl

URL: <https://ctan.org/pkg/latexfileversion>

MIRROR: <https://mirror.ctan.org/support/latexfileversion>

- *The leftidx package. Left and right subscripts and superscripts in math mode.* 2019-03-12. LICENSE: lppl

URL: <https://ctan.org/pkg/leftidx>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/leftidx>

- *The makebox package. Defines a \makebox\* command.* 2019-03-12. Version 0.1. LICENSE: lppl. Define a command that does the same as a command, except that the width is given by a sample text instead of an explicit length measure.

URL: <https://ctan.org/pkg/makebox>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/makebox>

- *The nbaseprt package. Print numbers in non-decimal bases.* 2019-03-12. Version 0.11. LICENSE: lppl

URL: <https://ctan.org/pkg/nbaseprt>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numprint>

- *The numprint package. Print numbers with separators and exponent if necessary.* 2019-03-12. Version 1.39. LICENSE: lppl

URL: <https://ctan.org/pkg/numprint>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numprint>

- *The onlyamsmath package. Inhibit use of non-amsmath mathematics markup when using amsmath.* 2019-03-12. Version 0.20. LICENSE: lppl. This package inhibits the usage of plain T<sub>E</sub>X and (on demand) of standard L<sup>A</sup>T<sub>E</sub>X mathematics environments. This is useful for class writers who want to encourage their users to use the environments provided by the package.

URL: <https://ctan.org/pkg/onlyamsmath>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/onlyamsmath>

- *The repeatindex package. Repeat items in an index after a page or column break.* 2019-03-12. Version 0.01. LICENSE: lppl

URL: <https://ctan.org/pkg/repeatindex>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/repeatindex>

- *The slantsc package. Access different-shaped small-caps fonts.* 2019-03-12. Version 2.11. LICENSE: lppl. This package enables the use of small capitals in different font shapes, e.g., slanted or bold slanted for all fonts that provide appropriate font shapes. (Note that a separate file is needed to define font shapes such as ‘scsl’ or ‘scit’.)

URL: <https://ctan.org/pkg/slantsc>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/slantsc>

- *The subfloat package. Sub-numbering for figures and tables.* 2019-03-12. Version 2.14. LICENSE: lppl

URL: <https://ctan.org/pkg/subfloat>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/subfloat>



- *The substr package. Deal with substrings in strings.* 2019-03-12. Version 1.2. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/substr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/substr>
- *The ttf-howto package. Using TrueType fonts with T<sub>E</sub>X systems.* 2019-03-12. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ttf-howto>  
 MIRROR: <https://mirror.ctan.org/info/TrueType>
- *The typogrid package. Print a typographic grid.* 2019-03-12. Version 0.21. LICENSE: lppl  
 URL: <https://ctan.org/pkg/typogrid>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/typogrid>
- *The warning package. Global warnings at the end of the logfile.* 2023-03-18. Version 0.10. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/warning>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/warning>
- Harders, Harald and Morten Høgholm. *The contour package. Print a coloured contour around text.* 2019-03-12. Version 2.14. LICENSE: lppl  
 URL: <https://ctan.org/pkg/contour>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/contour>
- Harders, Harald and Bjørn Pedersen. *The miller package. Typeset miller indices.* 2019-03-12. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/miller>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/miller>
- Harders, Harald and Norbert Preining. *The babelbib package. Multilingual bibliographies.* 2021-01-07. Version 1.34. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/babelbib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/babelbib>
- Hardy, Lucien. *The duotensor package. Drawing package for circuit and duotensor diagrams.* 2016-06-24. Version 1.00. LICENSE: lppl1.3.  
 This is a drawing package for circuit and duotensor diagrams within L<sup>A</sup>T<sub>E</sub>X documents. It consists of about eighty commands, calling on for support.  
 URL: <https://ctan.org/pkg/duotensor>  
 MIRROR: <https://mirror.ctan.org/graphics/duotensor>
- Harendal, Hirwen and Clea F. Rees. *The libris package. Libris ADF fonts, with L<sup>A</sup>T<sub>E</sub>X support.* 2017-04-18. Version 1.007. LICENSE: gpl  
 URL: <https://ctan.org/pkg/libris>  
 MIRROR: <https://mirror.ctan.org/fonts/libris>
- *The venturisADF package. Venturis ADF fonts collection.* 2017-04-18. Version 1.005. LICENSE: other-free. Serif and sans serif complete text font families, in both Adobe Type 1 and OpenType formats for publication. The family is based on Utopia family, and has been modified and developed by the Arkandis Digital foundry. Support for using the fonts, in L<sup>A</sup>T<sub>E</sub>X, is also provided (and makes use of the package).  
 URL: <https://ctan.org/pkg/venturisadf>  
 MIRROR: <https://mirror.ctan.org/fonts/venturisadf>
- Harin, Alexander. *The cmcyralt-fonts package. Russian fonts in "alternative" encoding.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cmcyralt-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/cyrillic/cmcyralt>
- Harin, Alexander and Vadim V. Zhytnikov. *The cmcyralt-ltx package. L<sup>A</sup>T<sub>E</sub>X support for the cmcyralt fonts.* 2016-06-24. Version 1.0. LICENSE: noinfo. Macros and fd files to use the . Designed for use with an alternative-coded keyboard.  
 URL: <https://ctan.org/pkg/cmcyralt-ltx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cmcyralt>
- Harker, Stephen. *The adfathesis package. Australian Defence Force Academy thesis format.* 2016-06-24. Version 2.42. LICENSE: pd  
 URL: <https://ctan.org/pkg/adfathesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/adfathesis>
- Harrer, Simon. *The messagebubbles package. Display message bubbles as a conversation.* 2016-06-24. Version 0.0.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/messagebubbles>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/messagebubbles>
- Harris, Erica, Geoffrey Tobin, Robin Fairbairns, and David Carlisle. *The setspace package. Set space between lines.* 2022-12-05. Version 6.7b. LICENSE: lppl1.3. Provides support for setting the spacing between lines in a document. Package options include singlespacing, onehalfspacing, and doublespacing. Alternatively the spacing can be changed as required with the , , and commands. Other size spacings also available.  
 URL: <https://ctan.org/pkg/setspace>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/setspace>

- Harrod, Steven. *The bibbuild package. A bibliography builder for FileMaker Pro 7*. 2020-08-29. Version 1.0. LICENSE: nosell  
 URL: <https://ctan.org/pkg/bibbuild>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/BibBuild>
- Harry A. Watson, Jr. *The maad package. Mathematical Approximations and Documentation*. 2016-06-24. LICENSE: pd. A document describing the parameterisation of least-squares curve fitting, and showing how (using ) to display error bars.  
 URL: <https://ctan.org/pkg/maad>  
 MIRROR: <https://mirror.ctan.org/info/maad>
- Hars, Florian. *The nestquot package. Alternate quotes between double and single with nesting*. 2016-06-24. LICENSE: other-free. Provides two new commands: and for nesting left and right quotes that properly change between double and single quotes according to their nesting level. For example, the input will be typeset as if it had been entered as “Foo ‘bar’ blech”.  
 URL: <https://ctan.org/pkg/nestquot>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nestquot>
- Hart, William. *The harnon-cv package. A CV document class with a vertical timeline for experience*. 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/harnon-cv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/harnon-cv>
- Hartke, Stephen. *The arev package. Fonts and L<sup>A</sup>T<sub>E</sub>X support files for Arev Sans*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/arev>  
 MIRROR: <https://mirror.ctan.org/fonts/arev>
- *The free-math-font-survey package. A survey of available free Mathematics fonts*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/free-math-font-survey>  
 MIRROR: [https://mirror.ctan.org/info/Free\\_Math\\_Font\\_Survey/en](https://mirror.ctan.org/info/Free_Math_Font_Survey/en)
- Hartmann, Richard. *The OpTeXcount package. Python script for counting words in OpTeX documents*. 2019-01-01. Version 1.1. LICENSE: mit  
 URL: <https://ctan.org/pkg/optexcount>  
 MIRROR: <https://mirror.ctan.org/support/optexcount>
- Hartmann, Timo. *The flashmovie package. Directly embed flash movies into PDF files*. 2016-06-24. Version 0.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/flashmovie>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/flashmovie>
- Hasan, Adib. *The latexbangla package. Enhanced L<sup>A</sup>T<sub>E</sub>X integration for Bangla*. 2020-06-07. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/latexbangla>  
 MIRROR: <https://mirror.ctan.org/language/bengali/latexbangla>
- Hassel, Frank. *The bdfchess package. Typeset correspondence chess games*. 2016-06-24. Version 1.2. LICENSE: nosell. A L<sup>A</sup>T<sub>E</sub>X (2.09) package for managing rules and considertimes of chess games, according to the rules of the International Correspondence Chess Federation. In addition the package will typeset games in progress, and the correspondence postcards, using the fonts, etc., of the package.  
 URL: <https://ctan.org/pkg/bdfchess>  
 MIRROR: <https://mirror.ctan.org/fonts/chess/bdfchess>
- Hassenpflug, Gernot. *The hwkatakana package. Half-width katakana fonts*. 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/hwkatakana>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/hwkatakana>
- Haustveit, Eirik. *The glossaries-nynorsk package. Nynorsk language module for the glossaries package*. 2023-05-17. Version 1.0. LICENSE: lppl1.3. Norwegian Nynorsk language module for the package.  
 URL: <https://ctan.org/pkg/glossaries-nynorsk>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-nynorsk>
- Havlik, Denis. *The abstbook package. Books of abstracts*. 2016-06-24. LICENSE: noinfo. A L<sup>A</sup>T<sub>E</sub>X class file for making ‘books of abstracts’, commonly used for conferences. It is based on report class, however has been redefined and shouldn’t be used.  
 URL: <https://ctan.org/pkg/abstbook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/abstbook.cls>
- Heafner, Paul J. *The mandi package. Macros for introductory physics and astronomy*. 2023-08-02. Version 3.2.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/mandi>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mandi>
- Hecking, Lars, Thomas Williams, and Colin Kelley. *The gnuplot package. General purpose plotting program*. 2019-02-09. Version 5.2.6. LICENSE: other-free  
 URL: <https://ctan.org/pkg/gnuplot>  
 MIRROR: <https://mirror.ctan.org/graphics/gnuplot/5.2.6>

- Hedne, PL. *The brief-t package. L<sup>A</sup>T<sub>E</sub>X support for the brief editor*. 2019-02-03. LICENSE: noinfo. The package comprises a set of macros to create key assignments for common (La)TeX functions.  
 URL: <https://ctan.org/pkg/brief-t>  
 MIRROR: <https://mirror.ctan.org/support/brief-t>
- Heerden, Derick van. *The obas package. Web based interface to a bibliographical database*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/obas>
- Hefferon, Jim. *The concrete-macros package. Consistent text and maths using concrete fonts*. 2016-06-24. LICENSE: noinfo. Aspiring users of Knuth's concrete fonts are often recommended to use the and packages for consistent text and mathematics setting. This package loads both.  
 URL: <https://ctan.org/pkg/concrete-macros>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/concrete.sty>
- *The escapeTeX package. Make plain text safe for use in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/escapetext>  
 MIRROR: <https://mirror.ctan.org/support/escapeTeX>
- Hefferon, Jim. *The first-packages package. A short list of go-to L<sup>A</sup>T<sub>E</sub>X packages, aimed at a beginner*. 2021-01-02. LICENSE: cc0  
 URL: <https://ctan.org/pkg/first-packages>
- *The Shaded theorems package. Theorem environments that are shaded*. 2020-01-08. LICENSE: lppl  
 URL: <https://ctan.org/pkg/shadethm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shadethm>
  - *The style-showcase package. Make a web page to compare styles*. 2016-06-24. Version 1.0.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/style-showcase>  
 MIRROR: [https://mirror.ctan.org/support/style\\_showcase](https://mirror.ctan.org/support/style_showcase)
  - *The undergradmath package. L<sup>A</sup>T<sub>E</sub>X Math for Undergraduates cheat sheet*. 2021-01-03. LICENSE: cc-by-sa-4  
 URL: <https://ctan.org/pkg/undergradmath>  
 MIRROR: <https://mirror.ctan.org/info/undergradmath>
  - *The venn package. Creating Venn diagrams with MetaPost*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/venn>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/venn>
- Hefferon, Jim, Manuel Pégourié-Gonnard, and Karl Berry. *The first-latex-doc package. A document for absolute L<sup>A</sup>T<sub>E</sub>X beginners*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/first-latex-doc>  
 MIRROR: <https://mirror.ctan.org/info/first-latex-doc>
- *The latex-doc-ptr package. A direction-finder for L<sup>A</sup>T<sub>E</sub>X resources available online*. 2021-01-02. LICENSE: pd  
 URL: <https://ctan.org/pkg/latex-doc-ptr>  
 MIRROR: <https://mirror.ctan.org/info/latex-doc-ptr>
- Heibl, Christoph. *The bracketkey package. Produce bracketed identification keys*. 2016-06-24. Version 1.0. LICENSE: lppl1.3. The package provides an environment for use when producing lists of species.  
 URL: <https://ctan.org/pkg/bracketkey>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bracketkey>
- Heidemann, John. *The lookbibtex package. Tools for examining BibTeX files*. 2016-06-24. Version 1.22. LICENSE: gpl  
 URL: <https://ctan.org/pkg/lookbibtex>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/lookbibtex>
- Heim, Thomas. *The dice package. A font for die faces*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dice>  
 MIRROR: <https://mirror.ctan.org/fonts/dice>
- *The epsdice package. A scalable dice "font"*. 2016-06-24. Version 2.1. LICENSE: lppl. The epsdice package defines a single command that takes a numeric argument (in the range 1-6), and selects a face image from a file that contains each of the 6 possible die faces. The graphic file is provided in both Encapsulated PostScript and PDF formats.  
 URL: <https://ctan.org/pkg/epsdice>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/epsdice>
- Hein, Jeffrey. *The tikz-3dplot package. Coordinate transformation styles for 3d plotting in TikZ*. 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tikz-3dplot>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-3dplot>

- Heinecke, Johannes. *The aramaic-serto package. Fonts and L<sup>A</sup>T<sub>E</sub>X for Syriac written in Serto*. 2017-04-18. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/aramaic-serto>  
 MIRROR: <https://mirror.ctan.org/language/aramaic/serto>
- *The mxedruli package. A pair of fonts for different Georgian alphabets*. 2017-04-18. Version 3.3c. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mxedruli>  
 MIRROR: <https://mirror.ctan.org/fonts/georgian/mxedruli>
- Heins, Oliver. *The biblatex-luh-ipw package. BibL<sup>A</sup>T<sub>E</sub>X styles for social sciences*. 2016-06-24. Version 0.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-luh-ipw>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-luh-ipw>
- Heinz, Carsten. *The permute package. Support for symmetric groups*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/permute>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/permute>
- Heinz, Carsten and Hendri Adriaens. *The polynom package. Macros for manipulating polynomials*. 2017-07-17. Version 0.19. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/polynom>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/polynom>
- Heinze, David. *The ksp-thesis package. A L<sup>A</sup>T<sub>E</sub>X class for theses published with KIT Scientific Publishing*. 2017-04-18. Version 1.0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ksp-thesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ksp-thesis>
- Heitkoetter, Joerg. *The fancychapters package. Chapters with quotations*. 2016-06-24. Version 1.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/fancychapters>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/fancychapters.sty>
- Hejda, Tomas. *The chkfloat package. Warn whenever a float is placed “to far away”*. 2021-08-26. Version 0.1. LICENSE: lppl1.3. The package checks for floats that are placed too far from their origin. It was motivated by a question on the page.  
 URL: <https://ctan.org/pkg/chkfloat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chkfloat>
- *The eqnalign package. Make eqnarray behave like align*. 2017-02-22. Version 1.0a. LICENSE: lppl1.3. The package makes environment behave like from . It is intended for quick-fixing documents that use . In cases where it fails, manual conversion to is required, but these cases should be seldom.  
 URL: <https://ctan.org/pkg/eqnalign>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eqnalign>
- Helbig, Wolfgang. *The tex-ewd package. Macros to typeset calculational proofs and programs in Dijkstra’s style*. 2016-06-24. LICENSE: BSD. Edsger W. Dijkstra and others suggest a and to construct programs. This package provides macros that support calculational proofs and Dijkstra’s “guarded command language”.  
 URL: <https://ctan.org/pkg/tex-ewd>  
 MIRROR: <https://mirror.ctan.org/macros/generic/tex-ewd>
- *The TeX-FPC package. A collection of change files for a T<sub>E</sub>X system based on Free Pascal*. 2021-04-08. Version 4th ed. LICENSE: BSD2. This is the followup to , which is based on the GNU Pascal Compiler. GPC is not installable any more, so I switched to FPC, not because it is the best but because it is the only pascal compiler nowadays.  
 URL: <https://ctan.org/pkg/tex-fpc>  
 MIRROR: <https://mirror.ctan.org/systems/unix/tex-fpc>
- *The TeX-GPC package. A collection of change files for a T<sub>E</sub>X system based on GNU Pascal*. 2019-02-22. Version 3rd edition. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/tex-gpc>  
 MIRROR: <https://mirror.ctan.org/systems/unix/tex-gpc>
- Hellgren, Timo. *The fihyph package. Hyphenation patterns for Finnish language*. 2019-06-21. LICENSE: pd  
 URL: <https://ctan.org/pkg/fihyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/fihyph>
- *The lshort-finnish package. Finnish introduction to L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: pd. This is the Finnish translation of , with added coverage of Finnish typesetting rules.  
 URL: <https://ctan.org/pkg/lshort-finnish>  
 MIRROR: <https://mirror.ctan.org/info/lshort/finnish>
- Hellingman, Jeroen. *The malayalam-obsolete package. Fonts for typesetting Malayalam, with a pre-processor*. 2016-06-18. Version 1.6. LICENSE: gpl

- URL: <https://ctan.org/pkg/malayalam-obsolete>  
 MIRROR: <https://mirror.ctan.org/obsolete/language/malayalam>
- Hellingman, Jeroen and Anshuman Pandey. *The oriya package. Typesetting the Oriya script using T<sub>E</sub>X*. 2016-06-24. Version 0.99. LICENSE: other-free  
 URL: <https://ctan.org/pkg/oriya>  
 MIRROR: <https://mirror.ctan.org/language/oriya>
- Hellström, Lars. *The relenc package. A "relaxed" font encoding*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/relenc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/relenc>
- *The rtkinenc package. Input encoding with fallback procedures*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/rtkinenc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rtkinenc>
  - *The tcldoc package. Doc/docstrip for tcl*. 2016-07-19. Version 2.40. LICENSE: lppl. The tcldoc package and class simplify the application of the / style of literate programming with Dr. John Ousterhout's Tool Command Language (Tcl, pronounced "tickle", a.k.a. The Cool Language). The tcldoc package is a bit like the doc package is for L<sup>A</sup>T<sub>E</sub>X, whereas the tcldoc class more parallels the ltxdoc class.  
 URL: <https://ctan.org/pkg/tcldoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tcldoc>
- Hellström, Lars. *The xdoc package. Extending the L<sup>A</sup>T<sub>E</sub>X doc system*. 2016-06-24. Version prot2.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xdoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xdoc>
- Hellström, Lars, Alan Jeffrey, Sebastian Rahtz, and Ulrik Vieth. *The fontinst package. Help with installing fonts for T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X*. 2021-03-31. Version 1.933. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fontinst>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/fontinst>
- Helvensteijn, Michiel. *The concepts package. Keeping track of formal 'concepts' for a particular field*. 2021-03-01. Version 0.0.5-r1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/concepts>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/concepts>
- *The lt3graph package. Provide a graph datastructure for experimental L<sup>A</sup>T<sub>E</sub>X3*. 2021-03-01. Version 0.1.9. LICENSE: lppl1.3. The package defines a 'graph' data structure, for use in documents that are using the .  
 URL: <https://ctan.org/pkg/lt3graph>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lt3graph>
  - *The pkgloader package. Manage the options and loading order of other packages*. 2021-03-01. Version 0.7.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pkgloader>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pkgloader>
  - *The underoverlap package. Position decorations over and under expressions*. 2021-03-01. Version 0.0.1-r1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/underoverlap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/underoverlap>
  - *The withargs package. In-place argument substitution*. 2021-03-01. Version 0.3.1. LICENSE: lppl1.3. The command provides a clean way to populate a template (containing , , etc.) using L<sup>A</sup>T<sub>E</sub>X argument substitution. It also allows you to carefully control argument expansion using a L<sup>A</sup>T<sub>E</sub>X3-style argument specification. Uses range from creating readable string templates (akin to C's function) to performing otherwise complex token-list manipulation.  
 URL: <https://ctan.org/pkg/withargs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/withargs>
- Helvensteijn, Michiel and Falk Hanisch. *The noindentafter package. Prevent paragraph indentation after environments or macros*. 2021-05-14. Version 1.00. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/noindentafter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/noindentafter>
- Henderson, Doug and Don Hosek. *The cmoutlines package. Outline versions of the Computer Modern fonts*. 2016-06-24. LICENSE: noinfo. Metafont code which uses the original definitions of the CM fonts to produce an outline set. L<sup>A</sup>T<sub>E</sub>X support is available from the package.  
 URL: <https://ctan.org/pkg/cmoutlines>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/cmoutlines>



- Henderson, Doug and Scott Pakin. *The dingbat package. Two dingbat symbol fonts*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dingbat>  
 MIRROR: <https://mirror.ctan.org/fonts/dingbat>
- Henderson, Troy L. *The MPStoEPS package. A convertor from MetaPost output to Encapsulated PostScript*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mpstoeps>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/tools/mpstoeps>
- *The pointruler package. 12" Ruler containing Points and Inches*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pointruler>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pointRuler>
- Hendrickson, Anders O. F. *The getitems package. Gathering items from a list-like environment*. 2016-06-24. Version 1.0. LICENSE: lppl1.3. This package provides a command to parse a list of data separated by tokens. This makes it easier to define custom environments which structure their data in the same way that or do.  
 URL: <https://ctan.org/pkg/getitems>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/getitems>
- *The qrcode package. Generate QR codes in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.51. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/qrcode>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/qrcode>
- Hendrickson, Anders O. F. *The spot package. Spotlight highlighting for Beamer*. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/spot>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/spot>
- Hendrickson, Anders O. F. and Matthieu Guerin-Kern. *The moodle package. Generating Moodle quizzes via L<sup>A</sup>T<sub>E</sub>X*. 2023-01-28. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/moodle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/moodle>
- Henel, Yvon. *The annee-scolaire package. Automatically typeset the academic year (French way)*. 2020-07-29. Version 1.6. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/annee-scolaire>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/annee-scolaire>
- *The clefval package. Key/value support with a hash*. 2020-07-29. Version 0.1. LICENSE: lppl1.3c. This package provides only two macros viz. and to define then use pairs of key/value and gives a semblance of a hash. Syntax: to define the value associated to the key, does not produce text; to return the value linked to the key. Both arguments of are ‘moving’ as L<sup>A</sup>T<sub>E</sub>X defines the term and we have sometimes to protect them.  
 URL: <https://ctan.org/pkg/clefval>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/clefval>
- *The engpron package. Helps to type the pronunciation of English words*. 2016-06-24. Version 2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/engpron>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/engpron>
- *The engrec package. Enumerate with lower- or uppercase Greek letters*. 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/engrec>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/engrec>
- *The expose-expl3-dunkerque-2019 package. Using expl3 to implement some numerical algorithms*. 2020-04-11. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/expose-expl3-dunkerque-2019>  
 MIRROR: <https://mirror.ctan.org/info/expose-expl3-dunkerque-2019>
- *The modroman package. Write numbers in lower case roman numerals*. 2016-06-24. Version 1. LICENSE: lppl. This package provides only two macros viz. which writes the number given as argument in lower case roman numeral with a ‘j’ instead of a ‘i’ as the final letter of numbers greater than 1 and which writes the value of a counter in the same way. You use the first in the same way as the T<sub>E</sub>X primitive and the second as L<sup>A</sup>T<sub>E</sub>X command . The default option is ‘vpourv’ with which 5 is ‘translated’ as ‘v’ and option ‘upourv’ with which the same 5 is given as ‘u’.  
 URL: <https://ctan.org/pkg/modroman>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/modroman>
- *The nonumonpart package. Prevent page numbers on part pages*. 2016-06-24. Version 1. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/nonumonpart>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nonumonpart>
- *The paresse package. Define simple macros for greek letters*. 2021-05-16. Version 5.0.2. LICENSE: lppl1.3c. The package defines macros using to type greek letters so that the user may (for example) type to get the effect of . However, it takes care only of

- letters which have a macro name like or .
- URL: <https://ctan.org/pkg/paresse>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/paresse>
- *The simples-matrices package*. Define matrices by given list of values. 2022-07-03. Version 1.0.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/simples-matrices>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/simples-matrices>
  - *The tdsfrmath package*. Macros for French teachers of mathematics. 2016-06-24. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/tdsfrmath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tdsfrmath>
  - *The yagusylo package*. A symbol loader. 2016-06-24. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/yagusylo>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/yagusylo>
- Henel, Yvon and Josselin Noirel. *The drac package*. Declare active character substitution, robustly. 2018-01-06. Version 1. LICENSE: lppl  
URL: <https://ctan.org/pkg/drac>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/drac>
- Henkel, Hartmut and The T<sub>E</sub>X Live Team. *The tpic2pdf<sub>tex</sub> package*. Use *tpic* commands in *pdf<sub>TeX</sub>*. 2017-06-27. LICENSE: gpl. The AWK script converts pic language, embedded inline (delimited by and markers), to commands.  
URL: <https://ctan.org/pkg/tpic2pdf<sub>tex</sub>>  
MIRROR: <https://mirror.ctan.org/graphics/tpic2pdf<sub>tex</sub>>
- Henlich, Thomas. *The makeglos package*. Include a glossary into a document. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/makeglos>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/makeglos>
- Henlich, Thomas, Martin Vogel, and Mojca Miklavac. *The marvosym package*. Martin Vogel's Symbols (*marvosym*) font. 2017-04-18. Version 2.2a. LICENSE: ofl  
URL: <https://ctan.org/pkg/marvosym>  
MIRROR: <https://mirror.ctan.org/fonts/marvosym>
- Hennig, Matthias. *The jneurosci package*. Bib<sub>TeX</sub> style for the *Journal of Neuroscience*. 2016-06-24. Version 1.00. LICENSE: lppl  
URL: <https://ctan.org/pkg/jneurosci>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/jneurosci>
- *The jphysiol package*. Bib<sub>TeX</sub> style for the *Journal of Physiology*. 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/jphysiol>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/jphysiol>
- Hennig, Stephan. *The bpolynomial package*. Drawing polynomial functions of up to order 3. 2016-06-24. Version 0.5. LICENSE: lppl  
URL: <https://ctan.org/pkg/bpolynomial>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/bpolynomial>
- *The mcaption package*. Put captions in the margin. 2016-06-24. Version 3.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/mcaption>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mcaption>
  - *The mpcolornames package*. Extend list of predefined colour names for MetaPost. 2018-01-06. Version 0.20. LICENSE: lppl. The format provides only five built-in colour names (variables), all of which are defined in the RGB model: red, green and blue for the primary colours and black and white. The package makes more than 500 colour names from different colour sets in different colour models available to MetaPost. Colour sets include X11, SVG, DVIPS and specifications.  
URL: <https://ctan.org/pkg/mpcolornames>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/mpcolornames>
  - *The semionese package*. Put only special contents on left-hand pages in two sided layout. 2016-06-24. Version 0.41. LICENSE: lppl  
URL: <https://ctan.org/pkg/semionese>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/semionese>
  - *The spelling package*. Support for spell-checking of Lua<sub>TeX</sub> documents. 2016-06-24. Version 0.41. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/spelling>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/spelling>
  - *The textpath package*. Setting text along a path with MetaPost. 2016-06-24. Version 1.6. LICENSE: lppl  
URL: <https://ctan.org/pkg/textpath>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/textpath>
- Hennig, Stephan and Roland Hieber. *The vc package*. The *vc* (version control) bundle. 2018-06-11. Version 0.6. LICENSE: pd  
URL: <https://ctan.org/pkg/vc>  
MIRROR: <https://mirror.ctan.org/support/vc>

- Hennings, Wilfried, Fernando Dorner, and Andreas Granzer. *The latex2rtf package. Convert L<sup>A</sup>T<sub>E</sub>X into Rich Text Format*. 2017-04-18. Version 2.3.8. LICENSE: lppl. Translates L<sup>A</sup>T<sub>E</sub>X text into RTF (Rich Text Format as used by Microsoft Word and the like). Graphics and tables are converted as are cross references and the bibliography; many packages are supported (in whole or as implementation of a subset of their commands) — for example, the whole of is implemented.  
URL: <https://ctan.org/pkg/latex2rtf>  
MIRROR: <https://mirror.ctan.org/support/latex2rtf>
- Henningsen, Arne and Randall Wigle. *The economic package. BibTeX support for submitting to Economics journals*. 2017-04-18. LICENSE: lppl. The bundle offers macros and BibTeX styles for the American Economic Review (AER), the American Journal of Agricultural Economics (AJAE), the Canadian Journal of Economics (CJE), the European Review of Agricultural Economics (ERA), the International Economic Review (IER) and Economica. The macro sets are based on (and require) the package, and all provide variations of author-date styles of presentation.  
URL: <https://ctan.org/pkg/economic>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/economic>
- Hensel, Martin. *The mhchem package. Typeset chemical formulae/equations and H and P statements*. 2021-12-31. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/mhchem>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mhchem>
- Hernández, Noel Merino. *The antique-spanish-units package. A short document about antique spanish units*. 2023-08-25. Version 1.3. LICENSE: cc-by-4  
URL: <https://ctan.org/pkg/antique-spanish-units>  
MIRROR: <https://mirror.ctan.org/info/spanish/antique-spanish-units>
- Herpers, Sascha. *The tokenizer package. A tokenizer*. 2016-06-24. Version 1.1.0. LICENSE: lppl. A tokenizer for L<sup>A</sup>T<sub>E</sub>X. splits source into two tokens at the first encounter of a comma. The first token is saved in a newly created command with the name passed as and the second token likewise. A package option “ causes leading and trailing space to be removed from each token; with this option, the command is defined, which removes leading and trailing spaces from its argument.  
URL: <https://ctan.org/pkg/tokenizer>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tokenizer>
- Herrb, Mathieu. *The these package. Bibliography style for French theses*. 2016-06-24. LICENSE: other-free. The style is derived from the standard , with keywords translated and styles converted to French conventions.  
URL: <https://ctan.org/pkg/these>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/these.bst>
- Herz-Fischler, Roger. *The do-it-yourself-tex package. Back to Plain XeTeX*. 2019-03-19. Version 1.3. LICENSE: pd  
URL: <https://ctan.org/pkg/do-it-yourself-tex>  
MIRROR: <https://mirror.ctan.org/macros/xetex/plain/do-it-yourself-tex>
- Heslin, Peter J. *The ellipsis package. Fix uneven spacing around ellipses in L<sup>A</sup>T<sub>E</sub>X text mode*. 2020-06-04. Version 1.8. LICENSE: lppl1.3c. This is a simple package that fixes a problem in the way L<sup>A</sup>T<sub>E</sub>X handles ellipses: it always puts a tiny bit more space after in text mode than before it, which results in the ellipsis being off-center when used between two words.  
URL: <https://ctan.org/pkg/ellipsis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ellipsis>
- *The ibycus-babel package. Use the Ibycus 4 Greek font with Babel*. 2016-06-24. Version 3.0. LICENSE: lppl. The package allows you to use the Ibycus 4 font for ancient Greek with Babel. It uses a Perl script to generate hyphenation patterns for Ibycus from those for the ordinary Babel encoding, . It sets up as a pseudo-language you can specify in the normal Babel manner. For proper hyphenation of Greek quoted in mid-paragraph, you should use it with (all current distributions of L<sup>A</sup>T<sub>E</sub>X are built with , so the constraint should not be onerous).  
URL: <https://ctan.org/pkg/ibycus-babel>  
MIRROR: <https://mirror.ctan.org/language/greek/ibycus-babel>
- Hetherington, Lee and Eddie Kohler. *The t1utils package. Simple Type 1 font manipulation programs*. 2017-04-18. LICENSE: pd. A collection of simple programs for manipulating Adobe Type 1 fonts, comprising: — : convert PFB (binary) to PFA (ascii) fonts; — : convert PFA to PFB fonts; — : convert PFA or PFB fonts to human-readable and -editable format; — : reassemble such editable formats to a font; — : extract font resources from a Macintosh font file; and — : generate a Macintosh font from a Type 1 font.  
URL: <https://ctan.org/pkg/t1utils>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/t1utils>
- Hetland, Magnus Lie. *The abspos package. Absolute placement with coffins*. 2022-09-24. Version 0.1. LICENSE: mit  
URL: <https://ctan.org/pkg/abspos>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/abspos>

- *The pseudo package. Straightforward pseudocode.* 2023-03-21. Version 1.2.3. LICENSE: mit  
 URL: <https://ctan.org/pkg/pseudo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pseudo>
- *The skeldoc package. Placeholders for unfinished documents.* 2021-02-25. Version 0.1.2. LICENSE: mit  
 URL: <https://ctan.org/pkg/skeldoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/skeldoc>
- Heuer, Johannes. *The la package. School handwriting fonts.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/la>  
 MIRROR: <https://mirror.ctan.org/fonts/la>
- Heyl, Udo. *The china2e package. Font and macros for Chinese calendar.* 2019-06-21. LICENSE: nosell  
 URL: <https://ctan.org/pkg/china2e>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/china2e>
- *The morse package. Support for printing Morse code signs.* 2016-06-24. Version 1.0. LICENSE: nosell  
 URL: <https://ctan.org/pkg/morse>  
 MIRROR: <https://mirror.ctan.org/fonts/morse>
- Hicks, Stephen. *The inlinedef package. Inline expansions within definitions.* 2016-06-24. Version 1.0. LICENSE: lppl. The package provides a macro that precedes a or . Within the definition text of an inlined definition, keywords such as may be used to selectively inline certain expansions at definition-time. This eases the process of redefining macros in terms of the original definition, as well as definitions in which the token that must be expanded is deep within, where would be difficult and is not suitable. Another application is as an easier version of , by defining a macro in terms of expanded local variables, then ending the group with .  
 URL: <https://ctan.org/pkg/inlinedef>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/inlinedef>
- Hicks, Stephen. *The marginfix package. Patch \marginpar to avoid overfull margins.* 2020-05-07. Version 1.2. LICENSE: lppl. Authors using L<sup>A</sup>T<sub>E</sub>X to typeset books with significant margin material often run into the problem of long notes running off the bottom of the page. A typical workaround is to insert commands by hand, but this is a tedious process that is invalidated when pagination changes. Another workaround is 's function, but this can be unsatisfying for short textual notes, and standard marginpars cannot be mixed with sidebars. This package implements a solution to make marginpars “just work” by keeping a list of floating inserts and arranging them intelligently in the output routine.  
 URL: <https://ctan.org/pkg/marginfix>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/marginfix>
- Hilbig, André. *The bewerbung package. Typesetting job applications.* 2022-01-17. Version 1.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bewerbung>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bewerbung>
- *The gitfile-info package. Get git metadata for a specific file.* 2019-08-21. Version 0.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/gitfile-info>  
 MIRROR: <https://mirror.ctan.org/support/gitfile-info>
- Hilbrich, Torsten. *The bbm-macros package. L<sup>A</sup>T<sub>E</sub>X support for “blackboard-style” cm fonts.* 2016-06-24. LICENSE: lppl. Provides L<sup>A</sup>T<sub>E</sub>X support for . Declares a font family bbm so you can in principle write running text in blackboard bold, and lots of math alphabets for using the fonts within maths.  
 URL: <https://ctan.org/pkg/bbm-macros>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bbm>
- Hill, Jörg-Rüdiger. *The chem-journal package. Various BibTeX formats for journals in Chemistry.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/chem-journal>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/chem-journal>
- Hill, Jörg-Rüdiger and Antonio Cervellino. *The jcc package. BibTeX style file for J. Comp. Chem.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/jcc>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/chem-journal/jcc.bst>
- Hillebrand, Thomas. *The hexdump package. Read and typeset ASCII hexdump files.* 2016-06-24. Version 0.1. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/hexdump>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/hexdump.sty>
- Hilléreau, Mael. *The alphabib package. Add alphabetical headers into citations.* 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/alphabib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utlis/alphabib>



- *The shlatex package. L<sup>A</sup>T<sub>E</sub>X compilation script for Linux (written in Bash).* 2016-06-24. Version 1.2b. LICENSE: gpl  
 URL: <https://ctan.org/pkg/shlatex>  
 MIRROR: <https://mirror.ctan.org/support/shlatex>
- Himmelman, Maurizio W., Emiliano Giovanni Vavassori, and Fabiano Busdraghi. *The GuIT-corso package. Introduzione al mondo di L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 1.0. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/guit-corso>  
 MIRROR: [https://mirror.ctan.org/info/italian/GuIT/corso\\_guit](https://mirror.ctan.org/info/italian/GuIT/corso_guit)
- Hinque, Christian. *The theatre package. A sophisticated package for typesetting stage plays.* 2017-09-22. Version 0.1. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/theatre>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/theatre>
- Hinrichs, Adrian C. *The cheatsheet package. A simple cheatsheet class.* 2017-08-20. Version 0.8. LICENSE: mit. The package provides a clean, multi-column design intended for cheat sheets. It imports the most useful packages and encloses the document in a environment.  
 URL: <https://ctan.org/pkg/cheatsheet>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cheatsheet>
- Hirschhorn, Philip S. *The amslatex-primer package. Getting up and running with AMS-LaTeX.* 2018-01-06. Version 2.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/amslatex-primer>  
 MIRROR: <https://mirror.ctan.org/info/amslatex/primer>
- Hirschhorn, Philip S. *The exam package. Package for typesetting exam scripts.* 2023-07-10. Version 2.704. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/exam>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exam>
- Hitomi, Shoma. *The hmtrump package. Describe card games.* 2019-08-06. Version 1.2a. LICENSE: cc-by-sa-4,other-free  
 URL: <https://ctan.org/pkg/hmtrump>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/hmtrump>
- Hlavacek, Jan. *The mathexam package. Package for typesetting exams.* 2016-06-24. Version 1.00. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mathexam>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathexam>
- Hòa, Thái Phú Khánh. *The free-math-font-survey-vn package. The survey of available free Mathematics fonts, translated to Vietnamese.* 2016-06-24. LICENSE: lppl. This is a translation to Vietnamese of Stephen Hartke's .  
 URL: <https://ctan.org/pkg/free-math-font-survey-vn>  
 MIRROR: [https://mirror.ctan.org/info/Free\\_Math\\_Font\\_Survey/vn](https://mirror.ctan.org/info/Free_Math_Font_Survey/vn)
- Hobby, John and Vladimir Lidovski. *The mpman-ru package. A Russian translation of the MetaPost manual.* 2016-06-24. Version 1.004. LICENSE: other-free. A translation of the user manual, as distributed with itself.  
 URL: <https://ctan.org/pkg/mpman-ru>  
 MIRROR: <https://mirror.ctan.org/info/metapost/doc/russian/mpman-ru>
- Hoekwater, Taco. *The calendarweek package. Calculate the week number of a date.* 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/calendarweek>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/calendarweek.tex>
- *The context-URWGothic package. ConTeXt support for URW Gothic.* 2023-06-19. LICENSE: pd  
 URL: <https://ctan.org/pkg/context-urwgothic>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/context/contrib/context-urwgothic>
- Hoekwater, Taco and Daniel Flipo. *The context-lettrine package. A ConTeXt implementation of lettrines.* 2023-06-20. LICENSE: pd. This is a re-implementation of the L<sup>A</sup>T<sub>E</sub>X package .  
 URL: <https://ctan.org/pkg/context-lettrine>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/context/contrib/context-lettrine>
- Hoekwater, Taco and Michael Sharpe. *The wasy-type1 package. Type 1 versions of wasy fonts.* 2020-01-24. Version 001.002. LICENSE: pd. Converted (Adobe Type 1) outlines of the fonts.  
 URL: <https://ctan.org/pkg/wasy-type1>  
 MIRROR: <https://mirror.ctan.org/fonts/wasy-type1>
- Hoenig, Alan. *The duerer package. Computer Duerer fonts.* 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/duerer>  
 MIRROR: <https://mirror.ctan.org/fonts/duerer>
- *The labtex package. Label diagrams produced in Metafont.* 2016-06-24. Version 0.9. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/labtex>  
 MIRROR: <https://mirror.ctan.org/macros/generic/labtex>



- *The Makor 2 package. Typeset pointed Hebrew using Omega.* 2021-08-26. LICENSE: lppl  
 URL: <https://ctan.org/pkg/makor2>  
 MIRROR: <https://mirror.ctan.org/language/hebrew/makor>
- *The mathinst package. Merge font families to create mathematical font sets.* 2016-06-24. LICENSE: gpl. A set of Perl and scripts to integrate mathematical fonts for use by (La)TeX using a family of Roman types and a set of raw math fonts (such as Euler, or the commercial MathTime or Lucida New Math fonts). All fonts are properly scaled for compatibility with the Roman fonts.  
 URL: <https://ctan.org/pkg/mathinst>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/mathinst>
- *The mathkit package. Generate maths fonts to match outline fonts.* 2016-06-24. Version 0.7. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mathkit>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/mathkit>
- *The poetica package. Support for Adobe Poetica fonts in Type 1 format.* 2021-08-26. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/poetica>  
 MIRROR: <https://mirror.ctan.org/fonts/poetica>
- *The vfinst package. Virtual font installation support.* 2016-06-24. Version 0.8. LICENSE: gpl. A set of scripts and Perl files which aim to make the installation of families of PostScript fonts and creation of necessary virtual fonts and outline fonts ‘virtually’ automatic. The scripts use .  
 URL: <https://ctan.org/pkg/vfinst>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/vfinst>
- Hoening, Stefan. *The chess-problem-diagrams package. A package for typesetting chess problem diagrams.* 2022-06-23. Version 1.21. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/chess-problem-diagrams>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chess-problem-diagrams>
- *The schwalbe-chess package. Typeset the German chess magazine “Die Schwalbe”.* 2022-06-23. Version 2.12. LICENSE: lppl1.2. The package is based on , which in its turn has a dependency on the .  
 URL: <https://ctan.org/pkg/schwalbe-chess>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/schwalbe-chess>
- Hoeven, Joris van der. *The TeXmacs package. Structured text editor for T<sub>E</sub>X.* 2017-04-18. Version 1.0.7.20. LICENSE: gpl  
 URL: <https://ctan.org/pkg/texmacs>  
 MIRROR: <https://mirror.ctan.org/support/TeXmacs>
- Hoffman, Joel M. *The listings-ext package. Automated input of source.* 2016-06-24. Version 67. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/listings-ext>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/listings-ext>
- *The texchord package. Typeset guitar-chord diagrams.* 2016-06-24. Version 0.8. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/texchord>  
 MIRROR: <https://mirror.ctan.org/macros/generic/texchord>
- Hoffmann, Jobst. *The struktex package. Draw Nassi-Shneiderman charts.* 2018-06-04. Version 2.3c-0-g7d3fc5b. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/struktex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/struktex>
- Hoffmann, Jobst, Brooks Moses, and Carsten Heinz. *The listings package. Typeset source code listings using L<sup>A</sup>T<sub>E</sub>X.* 2023-02-27. Version 1.9. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/listings>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/listings>
- Hoffmann, Torben. *The skak package. Fonts and macros for typesetting chess games.* 2021-12-10. Version 1.5.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/skak>  
 MIRROR: <https://mirror.ctan.org/fonts/chess/skak>
- *The tikz-opm package. Typeset OPM diagrams.* 2016-06-24. Version 0.1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tikz-opm>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-opm>
- Höffner, Konrad. *The aurl package. Extends the hyperref package with a mechanism for hyperlinked URLs abbreviated with prefixes.* 2019-06-21. LICENSE: pd  
 URL: <https://ctan.org/pkg/aurl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/aurl>
- Hofmann, Michael T. *The XteXShell package. A shell/editor.* 2016-06-24. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/xtexshell>  
 MIRROR: <https://mirror.ctan.org/support/xtexshell>

- Hofmann, Tom. *The annotation-pkg package. Suppress or permit annotations to a document.* 2016-06-24. LICENSE: noinfo. The package defines a environment, whose contents may be controlled by (to print the content, the default) or (to suppress the content).  
 URL: <https://ctan.org/pkg/annotation-pkg>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/annotation.sty>
- Hofstra, Silke. *The comicneue package. Use Comic Neue with T<sub>E</sub>X(-alike) systems.* 2020-04-26. Version 1.2. LICENSE: ofl  
 URL: <https://ctan.org/pkg/comicneue>  
 MIRROR: <https://mirror.ctan.org/fonts/comicneue>
- *The raleway package. Use Raleway with T<sub>E</sub>X(-alike) systems.* 2016-12-03. Version 1.4. LICENSE: ofl  
 URL: <https://ctan.org/pkg/raleway>  
 MIRROR: <https://mirror.ctan.org/fonts/raleway>
  - *The sourcecodepro package. Use SourceCodePro with T<sub>E</sub>X(-alike) systems.* 2019-05-19. Version 2.7. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/sourcecodepro>  
 MIRROR: <https://mirror.ctan.org/fonts/sourcecodepro>
  - *The SourceSansPro package. Use SourceSansPro with T<sub>E</sub>X(-alike) systems.* 2020-04-26. Version 2.8. LICENSE: ofl,lppl1.3  
 URL: <https://ctan.org/pkg/sourcesanspro>  
 MIRROR: <https://mirror.ctan.org/fonts/sourcesanspro>
  - *The sourceserifpro package. Use SourceSerifPro with T<sub>E</sub>X(-alike) systems.* 2018-11-10. Version 1.4. LICENSE: ofl,lppl1.3  
 URL: <https://ctan.org/pkg/sourceserifpro>  
 MIRROR: <https://mirror.ctan.org/fonts/sourceserifpro>
- Hoftich, Michal. *The biblatex-iso690 package. BibL<sup>A</sup>T<sub>E</sub>X style for ISO 690 standard.* 2022-03-21. Version 0.4.1. LICENSE: lppl1.3. The package provides a bibliography and citation style which conforms to the latest revision of the international standard ISO 690:2010. The implementation follows BibL<sup>A</sup>T<sub>E</sub>X conventions and requires  $\geq 3.4$  and  $\geq 2.5$ .  
 URL: <https://ctan.org/pkg/biblatex-iso690>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-iso690>
- *The ctanbib package. Export CTAN entries to bib format.* 2023-02-21. Version 0.2b. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ctanbib>  
 MIRROR: <https://mirror.ctan.org/support/ctanbib>
  - *The linebreaker package. Prevent overflow boxes with LuaLaTeX.* 2023-03-21. Version 0.1c. LICENSE: lppl1.3. This package tries to prevent overflow lines in paragraphs or boxes. It changes LuaTeX's callback and re-typesets the paragraph with increased values of and until the overflow no longer happens. If that doesn't help, it chooses the solution with the lowest badness.  
 URL: <https://ctan.org/pkg/linebreaker>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/linebreaker>
  - *The Lua-UCA package. Unicode Collation Algorithm library for Lua.* 2021-11-10. Version 0.1b. LICENSE: mit  
 URL: <https://ctan.org/pkg/lua-uca>  
 MIRROR: <https://mirror.ctan.org/support/lualibs/lua-uca>
  - *The luavlna package. Prevent line breaks after single letter words, units, or academic titles.* 2023-06-21. Version 0.1l. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/luavlna>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/luavlna>
  - *The luaxml package. Lua library for reading and serialising XML files.* 2021-10-07. Version 0.1q. LICENSE: other-free. LuaXML is a pure Lua library for reading and serializing XML files. The current release is aimed mainly at support for the package. The documentation was created by automatic conversion of original documentation in the source code.  
 URL: <https://ctan.org/pkg/luaxml>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/luaxml>
  - *The make4ht package. A build system for tex4ht.* 2023-02-24. Version 0.3m. LICENSE: lppl1.3. is a simple build system for , a T<sub>E</sub>X to XML converter. It provides a command line tool that drives the conversion process. It also provides a library which can be used to create customized conversion tools.  
 URL: <https://ctan.org/pkg/make4ht>  
 MIRROR: <https://mirror.ctan.org/support/make4ht>
  - *The odsfile package. Read OpenDocument Spreadsheet documents as L<sup>A</sup>T<sub>E</sub>X tables.* 2022-12-13. Version 0.7. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/odsfile>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/odsfile>
  - *The sectionbreak package. L<sup>A</sup>T<sub>E</sub>X support for section breaks.* 2019-03-11. Version 0.1d. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/sectionbreak>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sectionbreak>
  - *The tex4ebook package. Converter from L<sup>A</sup>T<sub>E</sub>X to ebook formats.* 2023-03-17. Version 0.3j. LICENSE: lppl1.3. This is a bundle of Lua scripts and L<sup>A</sup>T<sub>E</sub>X packages for conversion of L<sup>A</sup>T<sub>E</sub>X files to ebook formats such as epub, mobi and epub3. is used as the conversion

- engine.  
 URL: <https://ctan.org/pkg/tex4ebook>  
 MIRROR: <https://mirror.ctan.org/support/tex4ebook>
- *The uninormalize package. Unicode normalization support.* 2021-01-03. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/uninormalize>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/uninormalize>
  - Hogben, Colin and Bernard Gaulle. *The pos-at package. Position things at absolute positions on the page.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/pos-at>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/at.sty>
  - Hogeveen, Sake J. *The astron package. BibTeX style for astronomical journals.* 2016-06-24. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/astron>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/astron>
  - Høgholm, Morten. *The dblfloatfix package. Fixes for twocolumn floats.* 2016-06-24. Version 1.0a. LICENSE: lppl1.3. The package solves two problems: floats in a twocolumn document come out in the right order and allowed float positions are now . The package actually merges facilities from and .  
 URL: <https://ctan.org/pkg/dblfloatfix>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dblfloatfix>
  - Høgholm, Morten, Lars Madsen, Will Robertson, and Joseph Wright. *The mh package. Stub for the (old) ‘mh’ bundle.* 2016-06-24. LICENSE: lppl1.3. The mh bundle was a series of packages to enhance the appearance of documents containing a lot of maths; the package were designed to support and extend the L<sup>A</sup>T<sub>E</sub>X The packages (no longer distributed as a bundle) comprise:  
 URL: <https://ctan.org/pkg/mh>
  - Høgholm, Morten, Lars Madsen, Will Robertson, and Joseph Wright. *The xfrac package. Split-level fractions in L<sup>A</sup>T<sub>E</sub>X2<sub>ε</sub>.\*.* 2023-08-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xfrac>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3packages>
  - Høgholm, Morten, Lars Madsen, Will Robertson, Joseph Wright, and Michael J. Downes. *The flexisym package. Symbol manipulation for breqn.* 2021-10-28. Version 0.98l. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/flexisym>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/breqn>
  - Høgholm, Morten, Lars Madsen, The L<sup>A</sup>T<sub>E</sub>X Project Team, Will Robertson, and Joseph Wright. *The empheq package. EMPHasizing EQuations.* 2020-03-24. Version 2.16. LICENSE: lppl1.3. This package is part of the bundle. it provides a visual markup extension to . The user-friendly interface allows the user to put a set of equations inside a box thus enhancing the feature of amsmath. As a side effect it is also possible to add material on both sides of the equations thus providing (and surpassing) the functionality of the package. Users of will probably want to have a look at it as well, since the problem with end-of-theorem marks in and other environments can be circumvented using .  
 URL: <https://ctan.org/pkg/empheq>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathtools>
  - *The mathtools package. Mathematical tools to use with amsmath.* 2022-06-30. Version 1.29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/mathtools>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathtools>
  - Hohti, Aarno and Okko Kanerva. *The apl package. Fonts for typesetting APL programs.* 2021-08-26. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/apl>  
 MIRROR: <https://mirror.ctan.org/fonts/apl>
  - Holbrook, Joshua. *The uafthesis package. Document class for theses at University of Alaska Fairbanks.* 2020-12-30. Version 12.12. LICENSE: lppl  
 URL: <https://ctan.org/pkg/uafthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uafthesis>
  - Holfert, Jan. *The trsym package. Symbols for transformations.* 2016-06-24. Version 1.0. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/trsym>  
 MIRROR: <https://mirror.ctan.org/fonts/trsym>
  - Holkar, Rohit Dilip. *The latex-mr package. A practical guide to L<sup>A</sup>T<sub>E</sub>X and Polyglossia for Marathi and other Indian languages.* 2020-06-07. Version 1.0. LICENSE: lppl1.3. The package provides a short guide to L<sup>A</sup>T<sub>E</sub>X and specifically to the package. This document aims to introduce L<sup>A</sup>T<sub>E</sub>X and polyglossia for Indian languages. Though the document often discusses the language Marathi, the discussion applies to other India languages also, with some minute changes which are described in Section 1.2. We assume that the user of this document knows basic (La)TeX or has, at least, tried her hand on it. This document is not very suitable for first time users.

- URL: <https://ctan.org/pkg/latex-mr>  
 MIRROR: <https://mirror.ctan.org/info/latex-mr>
- Holmes, Rich. *The anti package*. Typeset an anti-particle in maths mode. 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/anti>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/anti.tex>
- Holt, Alexander and Jean-François Lamy. *The a4wide package*. "Wide" a4 layout. 2016-06-24. LICENSE: lpl1  
 URL: <https://ctan.org/pkg/a4wide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/a4wide>
- Holzmann, Frédéric. *The symbolindex package*. Generate a list of symbols with different subgroups. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/symbolindex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/symbolindex>
- Höns, Robin. *The nlatexdb package*. Database reports using L<sup>A</sup>T<sub>E</sub>X and .Net (or Mono). 2016-06-24. Version 0.03. LICENSE: gpl  
 URL: <https://ctan.org/pkg/nlatexdb>  
 MIRROR: <https://mirror.ctan.org/support/nlatexdb>
- *The ratexdb package*. Database reports using L<sup>A</sup>T<sub>E</sub>X and Ruby. 2016-06-24. Version 0.13. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ratexdb>  
 MIRROR: <https://mirror.ctan.org/support/ratexdb>
- Horn, Berthold K. P. *The msym package*. A partial implementation of the old msym10 font. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/msym>  
 MIRROR: <https://mirror.ctan.org/fonts/msym>
- Horn, Berthold K. P. and David Carlisle. *The psnfssx-em package*. Support for the em family of fonts. 2016-06-24. LICENSE: noinfo. The fonts were a commercial product of Y&Y, Inc, providing a set in Adobe Type 1 format that extended the Computer Modern set with accented glyphs suitable for arranging in L<sup>A</sup>T<sub>E</sub>X T1 encoding. This bundle provides a standard set of interfaces for using the fonts.  
 URL: <https://ctan.org/pkg/psnfssx-em>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psnfssx/em>
- Horn, Berthold K. P. and Khaled Hosny. *The bbold-type1 package*. An Adobe Type 1 format version of the bbold font. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/bbold-type1>  
 MIRROR: <https://mirror.ctan.org/fonts/bbold-type1>
- Horne, Roger. *The lextex package*. Typesetting legal documents using plain T<sub>E</sub>X. 2016-06-24. Version 1.005. LICENSE: noinfo. L<sup>A</sup>T<sub>E</sub>X is a collection of macros intended to enable English lawyers, and in particular Barristers, to format their work using Plain T<sub>E</sub>X. The bundle incorporates the ruled table macros from .  
 URL: <https://ctan.org/pkg/lextex>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/lextex>
- Horvath, Kent. *The lewis package*. Draw Lewis structures. 2016-06-24. Version 0.1. LICENSE: pd  
 URL: <https://ctan.org/pkg/lewis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lewis>
- Hosek, Don. *The apeqnum package*. Number equations by appendix. 2016-06-24. LICENSE: noinfo. A package (originally written for L<sup>A</sup>T<sub>E</sub>X 2.09, but will work in L<sup>A</sup>T<sub>E</sub>X 2e) to cause equation numbers in class (style), as A1, A2, A3, ..., B1, etc.  
 URL: <https://ctan.org/pkg/apeqnum>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/apeqnum.sty>
- *The cmpica package*. A Computer Modern Pica variant. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/cmpica>  
 MIRROR: <https://mirror.ctan.org/fonts/cmpica>
- *The epigram package*. Display short quotations. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/epigram>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/epigram.tex>
- *The landscape package*. Set up for typesetting in landscape. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/landscape>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/landscape.sty>
- *The mflogo209 package*. Typeset the Metafont logo under L<sup>A</sup>T<sub>E</sub>X 2.09. 2016-06-24. LICENSE: noinfo. This package uses the L<sup>A</sup>T<sub>E</sub>X 2.09 font selection system; current L<sup>A</sup>T<sub>E</sub>X users need the package.  
 URL: <https://ctan.org/pkg/mflogo209>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/mf.sty>

- *The resumemac package. Plain T<sub>E</sub>X macros for resumé.* 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/resumemac>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/resumemac>
- *The TeX-mag package. An on-line T<sub>E</sub>X magazine.* 2016-06-24. LICENSE: digest  
 URL: <https://ctan.org/pkg/tex-mag>  
 MIRROR: <https://mirror.ctan.org/info/digests/tex-mag>
- *The varisize package. Change font size in Plain T<sub>E</sub>X.* 2016-06-24. LICENSE: pd. A series of files, each of which defines a size-change macro. Note that is by convention called by one of the other files, so that there’s always a “way back”.  
 URL: <https://ctan.org/pkg/varisize>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/varisize>
- Hosek, Don, Leo Broska, and Don Hosek. *The breakcites package. Ensure that multiple citations may break at line end.* 2016-06-24. LICENSE: other-free. Makes a very minor change to the operation of the command. Note that the change is necessary in unmodified L<sup>A</sup>T<sub>E</sub>X; however, there remain packages that restore the undesirable behaviour of the command as provided in L<sup>A</sup>T<sub>E</sub>X 2.09. (Note that neither nor make this mistake.)  
 URL: <https://ctan.org/pkg/breakcites>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/breakcites>
- Hosek, Don and Hans-Martin Münch. *The morefloats package. Increase the number of simultaneous L<sup>A</sup>T<sub>E</sub>X floats.* 2016-06-24. Version 1.0h. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/morefloats>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/morefloats>
- Hosny, Khaled. *The amiri package. A classical Arabic typeface, Naskh style.* 2022-12-04. Version 1.000. LICENSE: ofl  
 URL: <https://ctan.org/pkg/amiri>  
 MIRROR: <https://mirror.ctan.org/fonts/amiri>
- *The xits package. A Scientific Times-like font with support for mathematical typesetting.* 2020-07-02. Version 1.302. LICENSE: ofl  
 URL: <https://ctan.org/pkg/xits>  
 MIRROR: <https://mirror.ctan.org/fonts/xits>
- Hosny, Khaled and Donald E. Knuth. *The punknova package. OpenType version of Knuth’s Punk font.* 2016-06-24. Version 1.003. LICENSE: other-free  
 URL: <https://ctan.org/pkg/punknova>  
 MIRROR: <https://mirror.ctan.org/fonts/punknova>
- Hosny, Khaled and Caleb Maclennan. *The libertinus-fonts package. The Libertinus font family.* 2021-02-26. Version 7.040. LICENSE: ofl  
 URL: <https://ctan.org/pkg/libertinus-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/libertinus-fonts>
- Hosoda, Masamichi. *The extractpdfmark package. Extract page mode and named destinations as PDFmark from PDF.* 2022-10-02. Version 1.1.1. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/extractpdfmark>  
 MIRROR: <https://mirror.ctan.org/support/extractpdfmark>
- *The haranoaji package. Harano Aji Fonts.* 2023-06-11. Version 20230610. LICENSE: ofl  
 URL: <https://ctan.org/pkg/haranoaji>  
 MIRROR: <https://mirror.ctan.org/fonts/haranoaji>
- *The haranoaji-extra package. Harano Aji Fonts.* 2023-06-11. Version 20230610. LICENSE: ofl  
 URL: <https://ctan.org/pkg/haranoaji-extra>  
 MIRROR: <https://mirror.ctan.org/fonts/haranoaji-extra>
- Hossain, M. Zahid. *The noconflict package. Resolve macro name conflict between packages.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/noconflict>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/noconflict>
- Hossain, Nahid. *The bangla package. A comprehensive Bangla L<sup>A</sup>T<sub>E</sub>X package.* 2023-02-11. Version 2.1. LICENSE: lppl1.3c,ofl  
 URL: <https://ctan.org/pkg/bangla>  
 MIRROR: <https://mirror.ctan.org/language/bengali/bangla>
- Höst, Stefan. *The polynomial package. Typeset (univariate) polynomials.* 2016-06-24. Version 1.0. LICENSE: lppl. The package offers an easy way to write (univariate) polynomials and rational functions. It defines two commands, one for polynomials and one for rational functions. Both commands take lists of coefficients as arguments, and offer limited optional behaviour.  
 URL: <https://ctan.org/pkg/polynomial>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/polynomial>



- Hotta, Kohsaku. *The mathabx-type1 package. Outline version of the mathabx fonts*. 2016-06-24. LICENSE: lppl. This is an Adobe Type 1 outline version of the fonts.  
 URL: <https://ctan.org/pkg/mathabx-type1>  
 MIRROR: <https://mirror.ctan.org/fonts/ps-type1/mathabx>
- Housley, Brian. *The hletter package. Flexible letter typesetting with flexible page headings*. 2016-06-24. Version 4.2. LICENSE: lppl1.2. The package permits the user to specify easily, with the aid of self defined key-words, letters (with a logo and private) and headings. The heading may include a footer and the letter provides commands to include a scanned signature and two signees. The package works with the package.  
 URL: <https://ctan.org/pkg/hletter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hletter>
- Howard, Gary A. *The tlc-article package. A L<sup>A</sup>T<sub>E</sub>X document class for formal documents*. 2019-06-23. Version 1.0.17. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/tlc-article>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tlc-article>
- Howell, Dave. *The musical package. Typeset (musical) theatre scripts*. 2020-04-16. Version 3.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/musical>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/musical>
- Hu, Xuan. *The resumec1s package. Typeset a resume both in English and Chinese*. 2020-04-20. Version 0.4.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/resumec1s>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/resumec1s>
- Hu, Zou. *The beamertheme-epyt package. A simple and clean theme for L<sup>A</sup>T<sub>E</sub>X beamer class*. 2017-04-18. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/beamertheme-epyt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-epyt>
- *The coloring package. Define missing colors by their names*. 2017-04-18. Version 0.2. LICENSE: lppl1.3. This package makes it possible to define colors automatically by their names. This can be useful in drawing TikZ pictures and designing beamer themes. Using the package, you don't need to write before using a color.  
 URL: <https://ctan.org/pkg/coloring>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coloring>
  - *The interchar package. Managing character class schemes in XeTeX*. 2017-04-18. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/interchar>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/interchar>
- Huang, Alpha. *The latex-notes-zh-cn package. Chinese Introduction to T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X*. 2021-12-29. Version 1.20. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/latex-notes-zh-cn>  
 MIRROR: <https://mirror.ctan.org/info/latex-notes-zh-cn>
- Huang, Chua Eng. *The block package. A block letter style for the letter class*. 2016-06-24. LICENSE: pd. A style file for use with the letter class that overwrites the and macros so that letters can be styled with the block letter style instead of the default style. Thus, the return address, the closing, and the signature appear flushed on the left margin.  
 URL: <https://ctan.org/pkg/block>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/block>
- Huang, Jing. *The Evangelion-JFM package. A Japanese font metric supporting many advanced features*. 2023-08-25. Version 1.0.5 (b). LICENSE: mit. This package provides a Japanese Font Metric supporting vertical and horizontal typesetting, 'linegap punctuations', 'extended fonts', and more interesting and helpful features using traditional (") and simplified (") Chinese or Japanese fonts under LuaTeX-ja. It also makes full use of the 'priority' feature, meeting the standards, and allows easy customisation.  
 URL: <https://ctan.org/pkg/evangelion-jfm>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/evangelion-jfm>
- Huang, Liam. *The sduthesis package. Thesis Template of Shandong University*. 2017-04-18. Version 1.2.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/sduthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sduthesis>
- *The xprintlen package. Print T<sub>E</sub>X lengths in a variety of units*. 2017-04-18. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/xprintlen>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xprintlen>
- Huang, Liam, Unknown, and Zhaoli Wang. *The mcmthesis package. Template designed for MCM/ICM*. 2021-01-05. Version 6.3.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/mcmthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mcmthesis>

- Huang, Pin-Yen. *The Beamertheme-SimpleDarkBlue package. Template for a simple presentation.* 2021-07-28. LICENSE: pd  
 URL: <https://ctan.org/pkg/beamertheme-simpledarkblue>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-simpledarkblue>
- *The beamertheme-SimplePlus package. A simple and clean theme for L<sup>A</sup>T<sub>E</sub>X beamer.* 2022-11-02. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/beamertheme-simpleplus>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-simpleplus>
- Hughes, Chelsea. *The parnotes package. Notes after every paragraph (or elsewhere).* 2019-07-23. Version 3b. LICENSE: lppl1.3. The package provides the command. The notes are set as (normal) running paragraphs; placement is at the end of each paragraph, or manually, using the command.  
 URL: <https://ctan.org/pkg/parnotes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/parnotes>
- Hughes, Chris. *The latexindent package. Indent a L<sup>A</sup>T<sub>E</sub>X document, highlighting the programming structure.* 2023-07-14. Version 3.22.2. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/latexindent>  
 MIRROR: <https://mirror.ctan.org/support/latexindent>
- Hülse, Rainer and Wolfgang Kaspar. *The expdlist package. Expanded description environments.* 2016-06-24. Version 2.4. LICENSE: lppl  
 URL: <https://ctan.org/pkg/expdlist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/expdlist>
- Hunt, Neil. *The pstex package. Processor for including figures in L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 1.8. LICENSE: nosell. The bundle provides a package whose macros write details of required figures to the file; a separate processor then calculates precise details of the graphic inclusion.  
 URL: <https://ctan.org/pkg/pstex>  
 MIRROR: <https://mirror.ctan.org/graphics/pstex>
- Hupfer, Christian. *The assoccnt package. Associate counters, making them step when a master steps.* 2016-06-24. Version 0.8. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/assoccnt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/assoccnt>
- *The cntperchap package. Store counter values per chapter.* 2016-06-24. Version 0.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cntperchap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cntperchap>
  - *The crossreftools package. Expandable extraction of cleveref data.* 2020-07-19. Version 1.0. LICENSE: lppl1.3. This package extracts information from cross-referencing labels, especially those from , in an expandable manner.  
 URL: <https://ctan.org/pkg/crossreftools>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/crossreftools>
  - *The jumplines package. Articles with teasers and continuation later on.* 2016-06-24. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/jumplines>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jumplines>
  - *The xassoccnt package. Associated counters stepping simultaneously.* 2021-11-21. Version 2.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/xassoccnt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xassoccnt>
  - *The xcntperchap package. Track the number of subsections etc. that occur in a specified tracklevel.* 2020-01-16. Version 0.5. LICENSE: lppl1.3. This package is the successor of and allows to provide more tracklevels than just only one.  
 URL: <https://ctan.org/pkg/xcntperchap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xcntperchap>
- Hurt, James. *The javaDVI package. DVI viewer and printer coded in Java.* 2016-06-24. LICENSE: lppl. javaDVI is a DVI viewer and printer coded in Java, and running under the Java RTE 1.3 using the . The fonts are included as a file, a format suitable for use with javaDVI.  
 URL: <https://ctan.org/pkg/javadvi>  
 MIRROR: <https://mirror.ctan.org/dviware/javadvi>
- Hutchinson, Ian. *The figflow package. Flow text around a figure.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/figflow>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/figflow>
- *The tth package. A T<sub>E</sub>X to HTML translator.* 2023-05-18. Version 3.85. LICENSE: other-free  
 URL: <https://ctan.org/pkg/tth>  
 MIRROR: <https://mirror.ctan.org/support/tth/dist>

- Hutchinson, Norm. *The dvisun package. DVI viewer for Sun2 systems.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/dvisun>  
 MIRROR: <https://mirror.ctan.org/dviware/dvisun>
- Huynh, Ky-Anh. *The amslatexdoc-vietnamese package. Vietnamese translation of AMS $\LaTeX$  documentation.* 2020-03-19. Version 2.0. LICENSE: lppl1.3. This is a Vietnamese translation of , the users' guide to .  
 URL: <https://ctan.org/pkg/amslatexdoc-vietnamese>  
 MIRROR: <https://mirror.ctan.org/info/amslatex/vietnamese>
- *The CTAN tools package. A jiffy to search CTAN file list.* 2020-03-19. Version 1.5.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ctantools>  
 MIRROR: <https://mirror.ctan.org/support/ctantools>
  - *The extarrows package. Extra Arrows beyond those provided in amsmath.* 2020-03-19. Version 1.2.0. LICENSE: lgpl. Arrows are provided to supplement and of the amsath package: , , , , , and .  
 URL: <https://ctan.org/pkg/extarrows>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/extarrows>
  - *The ktv-texdata package. Extract subsets of documents.* 2020-03-19. Version 05.34. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ktv-texdata>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ktv-texdata>
  - *The nththeorem-vn package. Vietnamese translation of documentation of nththeorem.* 2020-03-19. Version 1.203. LICENSE: lppl. This is a translation of the documentation provided with .  
 URL: <https://ctan.org/pkg/nththeorem-vn>  
 MIRROR: <https://mirror.ctan.org/info/translations/nththeorem/vn>
- Huynh, Ky-Anh. *The pydocstrip package. Scripted version of  $\LaTeX$  docstrip.* 2020-03-19. LICENSE: gpl. Pydocstrip is a Python script that provides several facilities not available via the  $\LaTeX$  standard .  
 URL: <https://ctan.org/pkg/pydocstrip>  
 MIRROR: <https://mirror.ctan.org/support/pydocstrip>
- Hwang, Andrew D. *The ePiX package. Utility for mathematically accurate, camera quality plots and line figures.* 2023-08-23. LICENSE: gpl  
 URL: <https://ctan.org/pkg/epix>
- Ibarra, Edorta. *The basque-book package. Class for book-type documents written in Basque.* 2016-06-24. Version 1.20. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/basque-book>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/basque-book>
- *The basque-date package. Print the date in Basque.* 2016-06-24. Version 1.05. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/basque-date>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/basque-date>
  - *The ekaia package. Article format for publishing the Basque Country Science and Technology Journal "Ekaia".* 2019-01-06. Version 1.06. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/ekaia>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ekaia>
- IBM Corporation. *The Courier package. Adobe Type 1 "free" copies of Courier.* 2020-06-06. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/courier>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/psfonts/ibm/courier>
- *The techexplorer package. Browser plugin for viewing  $\TeX$  and  $\LaTeX$  sources.* 2020-03-20. Version 2.0. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/techexplorer>
- Ibrahim, Mustafa. *The tiscreeen package. Mimic the screen of older Texas Instruments calculators.* 2022-03-10. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tiscreeen>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tiscreeen>
- III, Charles Staats. *The asypictureB package. User-friendly integration of Asymptote into  $\LaTeX$ .* 2016-06-24. Version 0.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/asypictureb>  
 MIRROR: <https://mirror.ctan.org/graphics/asypictureb>
- Iliev, Iliev. *The textool package. A SunOS DVI viewer.* 2016-06-24. LICENSE: noinfo. Display a DVI file in a SunView window; works with both PXL and PK fonts. (The program is a development of .)  
 URL: <https://ctan.org/pkg/textool>  
 MIRROR: <https://mirror.ctan.org/dviware/textool>

- Indiveri, Giacomo. *The h2020proposal package. L<sup>A</sup>T<sub>E</sub>X class and template for EU H2020 RIA proposal*. 2018-01-06. Version 1.0. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/h2020proposal>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/h2020proposal>
- Information-technology Promotion Agency, Japan, Hironori Kitagawa, and Norbert Preining. *The ipaex package. IPA (Japanese) fonts*. 2021-05-26. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ipaex>  
 MIRROR: <https://mirror.ctan.org/fonts/ipaex>
- Ing and Japanese T<sub>E</sub>X Development Community. *The babel-japanese package. Babel support for Japanese*. 2021-02-13. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-japanese>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/japanese>
- Innis, Walt. *The bagpipe package. Support for typesetting bagpipe music*. 2016-06-24. Version 3.02. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bagpipe>  
 MIRROR: <https://mirror.ctan.org/macros/generic/bagpipe>
- Ipanaqué, Robert. *The listofanswers package. Provide a list of answers to mathematical problems*. 2016-06-24. Version 1.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/listofanswers>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/listofanswers>
- Irwin, Oliver. *The frpseudocode package. French translation for the algorithmicx package*. 2020-08-10. Version 0.3.0. LICENSE: lppl1.3c.  
 This package is intended for use alongside Szász János' package. Its aim is to provide a French translation of terms and words used in algorithms to make it integrate seamlessly in a French written document.  
 URL: <https://ctan.org/pkg/frpseudocode>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frpseudocode>
- Isambert, Paul. *The lecturer package. On-screen presentations for (almost) all formats*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/lecturer>  
 MIRROR: <https://mirror.ctan.org/macros/generic/lecturer>
- *The librarian package. Tools to create bibliographies in T<sub>E</sub>X*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/librarian>  
 MIRROR: <https://mirror.ctan.org/macros/generic/librarian>
  - *The navigator package. PDF features across formats and engines*. 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/navigator>  
 MIRROR: <https://mirror.ctan.org/macros/generic/navigator>
- Isambert, Paul and Yuri Robbers. *The codedoc package. L<sup>A</sup>T<sub>E</sub>X code and documentation in L<sup>A</sup>T<sub>E</sub>X-format file*. 2019-07-25. Version 0.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/codedoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/codedoc>
- *The easylst package. Lists using a single active character*. 2019-07-25. Version 1.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/easylst>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easylst>
  - *The gates package. Support for writing modular and customisable code*. 2019-07-25. Version 0.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/gates>  
 MIRROR: <https://mirror.ctan.org/macros/generic/gates>
  - *The interpreter package. Translate input files on the fly*. 2019-07-25. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/interpreter>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/interpreter>
  - *The pitex package. Documentation macros*. 2019-07-25. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pitex>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/pitex>
  - *The sdr̄t package. Macros for Segmented Discourse Representation Theory*. 2019-07-25. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sdr̄t>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sdr̄t>
  - *The synproof package. Easy drawing of syntactic proofs*. 2019-07-25. Version 1.0. LICENSE: lppl. The package provides a set of macros based on that will enable you to draw syntactic proofs easily (inspired by the Gamut books). Very few commands are needed, however fine tuning of the various parameters (dimensions) can still be achieved through “” pairs.  
 URL: <https://ctan.org/pkg/synproof>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/synproof>

- *The texapi package. Macros to write format-independent packages.* 2019-07-25. Version 1.04. LICENSE: lppl  
 URL: <https://ctan.org/pkg/texapi>  
 MIRROR: <https://mirror.ctan.org/macros/generic/texapi>
- *The xeindex package. Automatic index generation for Xe<sub>La</sub>TeX.* 2019-07-25. Version 0.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xeindex>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xeindex>
- *The xesearch package. A string finder for XeTeX.* 2019-08-17. Version 0.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xesearch>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/generic/xesearch>
- *The yax package. Yet Another Key System.* 2019-07-25. Version 1.03. LICENSE: lppl  
 URL: <https://ctan.org/pkg/yax>  
 MIRROR: <https://mirror.ctan.org/macros/generic/yax>
- Island of T<sub>E</sub>X. *The albatross package. Find fonts that contain a given glyph.* 2023-01-27. Version 0.5.0. LICENSE: bsd3. This is a command line tool for finding fonts that contain a given (Unicode) glyph. It relies on .  
 URL: <https://ctan.org/pkg/albatross>  
 MIRROR: <https://mirror.ctan.org/support/albatross>
- Isozaki, Hideki. *The ecltree package. Trees using epic and eepic macros.* 2016-06-24. Version 1.1a. LICENSE: lppl. The package recursively draws trees: each subtree is defined in a ‘bundle’ environment, with a set of leaves described by macros. A chunk may have a bundle environment inside it.  
 URL: <https://ctan.org/pkg/ecltree>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eclbip>
- Jabri, Youssef. *The arabi package. (La)TeX support for Arabic and Farsi, compliant with Babel.* 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/arabi>  
 MIRROR: <https://mirror.ctan.org/language/arabic/arabi>
- Jacke, Björn. *The rmligs package. Remove incorrect ligatures in German documents.* 2016-06-24. Version 0.84. LICENSE: gpl  
 URL: <https://ctan.org/pkg/rmligs>  
 MIRROR: <https://mirror.ctan.org/support/rmligs>
- Jackowski, Bogusław. *The hatching package. MetaPost macros for hatching interior of closed paths.* 2016-06-24. Version 0.11. LICENSE: pd  
 URL: <https://ctan.org/pkg/hatching>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/hatching>
- *The mf-ps package. Metafont-PostScript conversions.* 2019-06-21. LICENSE: pd  
 URL: <https://ctan.org/pkg/mf-ps>  
 MIRROR: <https://mirror.ctan.org/graphics/MF-PS>
- Jackowski, Bogusław and Janusz Marian Nowacki. *The lm package. Latin modern fonts in outline formats.* 2023-07-12. Version 2.005. LICENSE: gfl  
 URL: <https://ctan.org/pkg/lm>  
 MIRROR: <https://mirror.ctan.org/fonts/lm>
- *The poltawski package. Antykwa Półtawskiego Family of Fonts.* 2023-07-12. Version 1.101. LICENSE: gfl  
 URL: <https://ctan.org/pkg/poltawski>  
 MIRROR: <https://mirror.ctan.org/fonts/poltawski>
- *The tex-gyre package. TeX Fonts extending freely available URW fonts.* 2023-07-12. Version 2.501. LICENSE: gfl  
 URL: <https://ctan.org/pkg/tex-gyre>  
 MIRROR: <https://mirror.ctan.org/fonts/tex-gyre>
- *The tex-gyre-adventor package. A font family that extends URW Gothic L.* 2023-07-12. Version 2.501. LICENSE: gfl  
 URL: <https://ctan.org/pkg/tex-gyre-adventor>  
 MIRROR: <https://mirror.ctan.org/fonts/tex-gyre>
- *The tex-gyre-bonum package. A font family that extends URW Bookman L.* 2023-07-12. Version 2.004. LICENSE: gfl  
 URL: <https://ctan.org/pkg/tex-gyre-bonum>  
 MIRROR: <https://mirror.ctan.org/fonts/tex-gyre>
- *The tex-gyre-chorus package. A font that extends URW Chancery L.* 2023-07-12. Version 2.003. LICENSE: gfl  
 URL: <https://ctan.org/pkg/tex-gyre-chorus>  
 MIRROR: <https://mirror.ctan.org/fonts/tex-gyre>
- *The tex-gyre-cursor package. A font that extends URW Nimbus Mono L.* 2023-07-12. Version 2.004. LICENSE: gfl  
 URL: <https://ctan.org/pkg/tex-gyre-cursor>  
 MIRROR: <https://mirror.ctan.org/fonts/tex-gyre>



- *The tex-gyre-heros package. A font family that extends URW Nimbus Sans L.* 2023-07-12. Version 2.004. LICENSE: gfl  
URL: <https://ctan.org/pkg/tex-gyre-heros>  
MIRROR: <https://mirror.ctan.org/fonts/tex-gyre>
  - *The tex-gyre-pagella package. A font family that extends URW Palladio L.* 2023-07-12. Version 2.501. LICENSE: gfl  
URL: <https://ctan.org/pkg/tex-gyre-pagella>  
MIRROR: <https://mirror.ctan.org/fonts/tex-gyre>
  - *The tex-gyre-schola package. A font that extends URW Century Schoolbook L.* 2023-07-12. Version 2.005. LICENSE: gfl  
URL: <https://ctan.org/pkg/tex-gyre-schola>  
MIRROR: <https://mirror.ctan.org/fonts/tex-gyre>
  - *The tex-gyre-termes package. A font family that extends URW Nimbus Roman.* 2023-07-12. Version 2.004. LICENSE: gfl  
URL: <https://ctan.org/pkg/tex-gyre-termes>  
MIRROR: <https://mirror.ctan.org/fonts/tex-gyre>
- Jackowski, Bogusław, Piotr Pianowski, and Piotr Strzelczyk. *The cep package. Compression tools for PostScript.* 2021-08-26. Version 1.03. LICENSE: pd. Compression utilities for PostScript files, written in AWK and PostScript (to be processed by gawk and ) to compress bitmap EPS files down to 10 percent of the original size.  
URL: <https://ctan.org/pkg/cep>  
MIRROR: <https://mirror.ctan.org/support/pstools/cep>
- *The lm-math package. OpenType maths fonts for Latin Modern.* 2023-07-12. Version 1.959. LICENSE: gfl  
URL: <https://ctan.org/pkg/lm-math>  
MIRROR: <https://mirror.ctan.org/fonts/lm-math>
- Jackowski, Bogusław, Piotr Pianowski, and Piotr Strzelczyk. *The tap package. TeX macros for typesetting complex tables.* 2021-08-26. Version 0.77. LICENSE: pd  
URL: <https://ctan.org/pkg/tap>  
MIRROR: <https://mirror.ctan.org/macros/generic/tables/tap077.zip>
- *The tex-gyre-math package. Maths fonts to match tex-gyre text fonts.* 2021-08-26. LICENSE: gfl  
URL: <https://ctan.org/pkg/tex-gyre-math>  
MIRROR: <https://mirror.ctan.org/fonts/tex-gyre-math>
  - *The tex-gyre-math-dejavu package. Maths fonts to match T<sub>E</sub>X Gyre Dejavu.* 2021-08-26. Version 1.106. LICENSE: gfl  
URL: <https://ctan.org/pkg/tex-gyre-math-dejavu>  
MIRROR: <https://mirror.ctan.org/fonts/tex-gyre-math>
  - *The tex-gyre-math-pagella package. Maths fonts to match the tex-gyre-pagella text font.* 2021-08-26. Version 1.632. LICENSE: gfl  
URL: <https://ctan.org/pkg/tex-gyre-math-pagella>  
MIRROR: <https://mirror.ctan.org/fonts/tex-gyre-math>
  - *The tex-gyre-math-schola package. Maths fonts to match T<sub>E</sub>X Gyre Schola.* 2021-08-26. Version 1.533. LICENSE: gfl  
URL: <https://ctan.org/pkg/tex-gyre-math-schola>  
MIRROR: <https://mirror.ctan.org/fonts/tex-gyre-math>
  - *The tex-gyre-math-termes package. Maths fonts to match T<sub>E</sub>X Gyre Termes.* 2021-08-26. Version 1.543. LICENSE: gfl  
URL: <https://ctan.org/pkg/tex-gyre-math-termes>  
MIRROR: <https://mirror.ctan.org/fonts/tex-gyre-math>
  - *The tif2eps package. A PostScript program for converting TIFF files to EPS.* 2021-08-26. Version 0.79. LICENSE: gpl  
URL: <https://ctan.org/pkg/tif2eps>  
MIRROR: <https://mirror.ctan.org/support/pstools/tif2eps>
  - *The toil package. An installer of PostScript fonts for T<sub>E</sub>X.* 2021-08-26. Version 1.07. LICENSE: pd  
URL: <https://ctan.org/pkg/toil>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/tlinstall/toil>
- Jackowski, Bogusław and Marek Ryćko. *The mex package. Polish formats for T<sub>E</sub>X.* 2021-03-22. Version 1.05a. LICENSE: knuth  
URL: <https://ctan.org/pkg/mex>  
MIRROR: <https://mirror.ctan.org/language/polish/mex105a.zip>
- *The pl-mf package. Polish extension of Computer Modern fonts.* 2021-03-20. Version 1.09a. LICENSE: pd. The Polish extension of the Computer Modern fonts (compatible with CM itself) for use with Polish T<sub>E</sub>X formats. The fonts were originally a part of the distribution (and they are still available that way).  
URL: <https://ctan.org/pkg/pl-mf>  
MIRROR: <https://mirror.ctan.org/language/polish/pl-mf.zip>
- Jackowski, Bogusław, Marek Ryćko, and Włodek Bzyl. *The cc-pl package. Polish extension of Computer Concrete fonts.* 2021-03-20. Version 1.02.3. LICENSE: pd

URL: <https://ctan.org/pkg/cc-pl>  
MIRROR: <https://mirror.ctan.org/fonts/cc-pl>

Jackowski, Bogusław, Piotr Strzelczyk, and Piotr Pianowski. *The tex-gyre-math-bonum package. Maths fonts to match T<sub>E</sub>X Gyre Bonum*. 2021-08-26. Version 1.005. LICENSE: gfl  
URL: <https://ctan.org/pkg/tex-gyre-math-bonum>  
MIRROR: <https://mirror.ctan.org/fonts/tex-gyre-math>

Jackowski, Paweł. *The pdf-trans package. A set of macros for various transformations of T<sub>E</sub>X boxes*. 2016-06-24. Version 2.4. LICENSE: pd  
URL: <https://ctan.org/pkg/pdf-trans>  
MIRROR: <https://mirror.ctan.org/macros/generic/pdf-trans>

Jacobsen, Dana. *The bibview package. View BibTeX files*. 2016-06-24. Version 0.2.2. LICENSE: noinfo  
URL: <https://ctan.org/pkg/bibview>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibview>

Jacobson, Alec. *The coloremoji package. Style package for directly including color emojis in L<sup>A</sup>T<sub>E</sub>X documents*. 2018-09-26. Version 1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/coloremoji>  
MIRROR: <https://mirror.ctan.org/graphics/coloremoji>

Jacobson, Van. *The tgrind package. Produce beautiful program listings using plain T<sub>E</sub>X*. 2016-06-24. LICENSE: nosell  
URL: <https://ctan.org/pkg/tgrind>  
MIRROR: <https://mirror.ctan.org/support/tgrind>

Jacobson, Van and Mark James. *The s2latex package. A scribe to L<sup>A</sup>T<sub>E</sub>X converter*. 2016-06-24. LICENSE: nosell  
URL: <https://ctan.org/pkg/s2latex>  
MIRROR: <https://mirror.ctan.org/support/s2latex>

Jacobsson, Mattias. *The karnaugh-map package. L<sup>A</sup>T<sub>E</sub>X package for drawing karnaugh maps with up to 6 variables*. 2022-01-15. Version 2.0. LICENSE: cc-by-sa-3  
URL: <https://ctan.org/pkg/karnaugh-map>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/karnaugh-map>

Jaegermann, Michal and James Fortune. *The numline package. L<sup>A</sup>T<sub>E</sub>X macros for numbering lines*. 2019-06-21. Version 1.3. LICENSE: noinfo  
URL: <https://ctan.org/pkg/numline>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/numline>

Jäger, Dieter. *The Pecha package. Print Tibetan text in the classic pecha layout style*. 2016-06-24. Version 0.1. LICENSE: gpl. The pecha class provides an environment for writing Tibetan on L<sup>A</sup>T<sub>E</sub>X2e in the traditional Tibetan Pecha layout used for spiritual or philosophical texts, using the package by Oliver Corff. It provides features like headers in different languages, page numbering in Tibetan and more.  
URL: <https://ctan.org/pkg/pecha>  
MIRROR: <https://mirror.ctan.org/language/tibetan/pecha>

Jahnz, Ulrich. *The eddi4tex package. Editor and shell for DOS and OS/2*. 2016-06-18. Version 2.01. LICENSE: shareware  
URL: <https://ctan.org/pkg/eddi4tex>  
MIRROR: <https://mirror.ctan.org/systems/msdos/e4t>

Jakšić, Nikola. *The eps2pdf package. A Win32 GUI EPS to PDF convertor*. 2016-07-05. LICENSE: pd. Another front end for this task. Note that is the application of choice for conversion, where scripted use, or use in a T<sub>E</sub>X callout via , is needed.  
URL: <https://ctan.org/pkg/eps2pdf>  
MIRROR: <https://mirror.ctan.org/support/eps2pdf>

Janka, Erich. *The lcg package. Generate random integers*. 2018-01-06. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/lcg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lcg>

Jankovic, Slobodan. *The calxxxx package. Prints a card-size calendar for any year*. 2019-06-21. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/calxxxx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calxxxx>

János, Szász. *The algorithmicx package. The algorithmic style you always wanted*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/algorithmicx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/algorithmicx>

Jansons, Kalvis M. *The txt2tex package. Add L<sup>A</sup>T<sub>E</sub>X markup to plain text*. 2020-03-01. Version 4.0. LICENSE: gpl  
URL: <https://ctan.org/pkg/txt2tex>  
MIRROR: <https://mirror.ctan.org/support/txt2tex>

- Janthong, Abhabongse. *The thaienum package. Thai labels in enumerate environments*. 2017-06-06. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/thaienum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thaienum>
- Japanese T<sub>E</sub>X Development Community. *The ascmac package. Boxes and picture macros with Japanese vertical writing support*. 2020-01-15. Version 2.1. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/ascmac>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ascmac>
- *The mendex-doc package. Documentation for Mendex index processor*. 2022-04-05. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/mendex-doc>  
 MIRROR: <https://mirror.ctan.org/info/mendex-doc>
  - *The morisawa package. Enables selection of 5 standard Japanese fonts for pL<sup>A</sup>T<sub>E</sub>X + dvips*. 2021-11-15. LICENSE: bsd. The package enables selection of 5 standard Japanese fonts for pL<sup>A</sup>T<sub>E</sub>X + dvips. It was originally written by Haruhiko Okumura as part of bundle, and the TFM/VF files were previously distributed as part of the package.  
 URL: <https://ctan.org/pkg/morisawa>  
 MIRROR: <https://mirror.ctan.org/fonts/morisawa>
  - *The nidanfloat package. Bottom placement option for double float in two column mode (nidan-kumi)*. 2018-07-28. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/nidanfloat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nidanfloat>
  - *The pbibtex-manual package. Documentation files for (u)pBibT<sub>E</sub>X*. 2023-02-25. LICENSE: bsd3. The bundle contains documentation files for Japanese and upBibT<sub>E</sub>X. For historical reasons, this also contains old documentation files for JBibT<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/pbibtex-manual>  
 MIRROR: <https://mirror.ctan.org/biblio/pbibtex/pbibtex-manual>
- Japanese T<sub>E</sub>X Development Community. *The ptex package. A T<sub>E</sub>X system for publishing in Japanese*. 2022-02-05. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/ptex>
- *The ptex-fontmaps package. Font maps and configuration tools for Japanese/Chinese/Korean fonts with (u)ptex*. 2021-10-22. Version 20210625.0. LICENSE: pd,gpl3  
 URL: <https://ctan.org/pkg/ptex-fontmaps>  
 MIRROR: <https://mirror.ctan.org/fonts/ptex-fontmaps>
  - *The ptex-manual package. Japanese pT<sub>E</sub>X manual*. 2023-02-25. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/ptex-manual>  
 MIRROR: <https://mirror.ctan.org/info/ptex-manual>
  - *The ptex-texmf package. Macro and other extensions for use with P<sub>T</sub>E<sub>X</sub>*. 2020-03-01. LICENSE: bsd3. This bundle has been split into four different packages: , , , and .  
 URL: <https://ctan.org/pkg/ptex-texmf>
  - *The ptex2pdf package. Convert Japanese T<sub>E</sub>X documents to PDF*. 2022-07-31. Version 20200520.0. LICENSE: gpl2. The Lua script provides system-independent support of Japanese typesetting engines in T<sub>E</sub>Xworks. As T<sub>E</sub>Xworks typesetting setup does not allow for multistep processing, this script runs one of the -based programs ( , , eptex , ) followed by .  
 URL: <https://ctan.org/pkg/ptex2pdf>  
 MIRROR: <https://mirror.ctan.org/macros/jptex/generic/ptex2pdf>
- Japanese T<sub>E</sub>X Development Community and Kazuki Maeda. *The ptex-base package. Plain T<sub>E</sub>X format for pT<sub>E</sub>X and e-pT<sub>E</sub>X*. 2022-07-31. LICENSE: bsd3. The bundle contains the plain T<sub>E</sub>X format for and e-pT<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/ptex-base>  
 MIRROR: <https://mirror.ctan.org/macros/jptex/generic/ptex-base>
- *The ptex-fonts package. Fonts for use with pT<sub>E</sub>X*. 2022-09-10. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/ptex-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/ptex-fonts>
- Jaquina, Jo. *The knot package. A Celtic knotwork font*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/knot>  
 MIRROR: <https://mirror.ctan.org/fonts/knot>
- Jeffrey, Alan. *The bbold package. Sans serif blackboard bold*. 2016-06-24. Version 1.01. LICENSE: bsd  
 URL: <https://ctan.org/pkg/bbold>  
 MIRROR: <https://mirror.ctan.org/fonts/bbold>

- *The fontsmpl package. Print a sample of a font.* 2021-01-03. Version 0.11. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fontsmpl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- *The lambda-lists package. Lists in T<sub>E</sub>X's mouth.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/lambda-lists>  
 MIRROR: <https://mirror.ctan.org/macros/generic/lambda-lists>
- *The lazylist package. Lists in T<sub>E</sub>X's "mouth".* 2016-06-24. Version 1.0a. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/lazylist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lazylist>
- Jeffrey, Alan, Jeremy Gibbons, and Taco Hoekwater. *The stmaryrd package. St Mary Road symbols for theoretical computer science.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/stmaryrd>  
 MIRROR: <https://mirror.ctan.org/fonts/stmaryrd>
- Jeffrey, Alan, Frank Mittelbach, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The inputenc package. Accept different input encodings.* 2021-06-01. Version 1.3d. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/inputenc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- Jeffrey, Alan, Sebastian Rahtz, and Ulrik Vieth. *The mathptm package. Adobe Times Roman (or equivalent) for text and maths.* 2016-06-24. LICENSE: lppl. The mathptm package is now obsolete, replaced by the package, which does the same job, better.  
 URL: <https://ctan.org/pkg/mathptm>
  
- Jeffrey, Alan and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The rawfonts package. Low level font compatibility mode for L<sup>A</sup>T<sub>E</sub>X.* 2020-10-02. Version 0.01. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/rawfonts>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- *The somedefs package. Save loading all of another package.* 2020-10-02. Version 0.03. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/somedefs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- Jelenak, Aleksandar. *The srhyphc package. Hyphenation patterns for Serbian Cyrillic.* 2016-11-05. Version 1.0a. LICENSE: gpl  
 URL: <https://ctan.org/pkg/srhyphc>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/srhyphc.tex>
- Jeltsch, Wolfgang and Dominique Unruh. *The unicode package. Extended UTF-8 input encoding for L<sup>A</sup>T<sub>E</sub>X.* 2016-10-08. LICENSE: lppl. This bundle has been renamed to , to which users should switch (note that the package name has not changed, merely that of the enclosing bundle).  
 URL: <https://ctan.org/pkg/unicode>
  
- Jeltsch, Wolfgang, Dominique Unruh, and David Carlisle. *The ucs package. Extended UTF-8 input encoding support for L<sup>A</sup>T<sub>E</sub>X.* 2022-08-13. Version 2.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ucs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ucs>
- Jenni, Thomas. *The lua-physical package. Functions and objects for the computation of physical quantities.* 2021-05-08. Version 1.0.5. LICENSE: mit  
 URL: <https://ctan.org/pkg/lua-physical>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/lua-physical>
- Jennings, Jared. *The cyber package. Annotate compliance with cybersecurity requirements.* 2018-03-01. Version 2.2. LICENSE: mit  
 URL: <https://ctan.org/pkg/cyber>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cyber>
- *The cybercic package. "Controls in Contents" for the cyber package.* 2016-12-18. Version 2.1. LICENSE: mit  
 URL: <https://ctan.org/pkg/cybercic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cybercic>
- Jensen, Frank. *The beton package. Use Concrete fonts.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/beton>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beton>
- *The dkhyphen package. Danish hyphenation patterns.* 2016-11-05. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dkhyphen>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/dkhyphen>

- *The euler package. Use AMS Euler fonts for math.* 2016-06-24. Version 2.5. LICENSE: lppl. Provides a setup for using the AMS Euler family of fonts for mathematics in L<sup>A</sup>T<sub>E</sub>X documents. “The underlying philosophy of Zapf’s Euler design was to capture the flavour of mathematics as it might be written by a mathematician with excellent handwriting.” The euler package is based on Knuth’s macros for the book ‘Concrete Mathematics’. The text fonts for the Concrete book are supported by the package.  
URL: <https://ctan.org/pkg/euler>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/euler>
- Jensen, S. *The endofproofwd package. An “end of proof” sign.* 2020-06-24. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/endofproofwd>  
MIRROR: <https://mirror.ctan.org/graphics/endofproofwd>
- Jensen, Simon. *The derivative package. Nice and easy derivatives.* 2023-07-26. Version 1.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/derivative>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/derivative>
- Jeong, Joohee. *The jspell package. An ASCII file spelling checker.* 2016-06-24. Version 2.11. LICENSE: nosource  
URL: <https://ctan.org/pkg/jspell>  
MIRROR: <https://mirror.ctan.org/support/jspell>
- *The nemocal package. Calendar maker.* 2016-06-24. LICENSE: pd  
URL: <https://ctan.org/pkg/nemocal>  
MIRROR: <https://mirror.ctan.org/support/nemocal>
- Jeřábek, Emil. *The theoremref package. References with automatic theorem names.* 2018-01-06. LICENSE: lppl,gpl2  
URL: <https://ctan.org/pkg/theoremref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/theoremref>
- Jerry, Teddy van. *The seu-ml-assign package. Southeast University Machine Learning Assignment template.* 2022-03-30. Version 1.1. LICENSE: mit. This is a template for the Machine Learning Assignment that can be easily adapted to other usages. This template features a colorful theme that makes it look elegant and attractive. You can also find the template available on .  
URL: <https://ctan.org/pkg/seu-ml-assign>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/seu-ml-assign>
- Jiang, Zhuhan. *The default package. Provide default parameters for T<sub>E</sub>X macros.* 2020-04-11. Version 1.3. LICENSE: noinfo. The command defines default values for the arguments of an existing macro; the macro, thus adjusted, is called with square brackets around arguments which are overriding the default. (This is the same scheme as is used in L<sup>A</sup>T<sub>E</sub>X.)  
URL: <https://ctan.org/pkg/default>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/default.sty>
- *The formlett package. Letters to multiple recipients.* 2016-06-24. Version 2.3. LICENSE: gpl  
URL: <https://ctan.org/pkg/formlett>  
MIRROR: <https://mirror.ctan.org/macros/generic/formlett>
- *The vruler package. Numbering text.* 2016-06-24. Version 2.3. LICENSE: lppl1  
URL: <https://ctan.org/pkg/vruler>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vruler>
- Jira, Marcel. *The progressbar package. Visualize shares of total amounts in the form of a (progress-)bar.* 2016-06-24. Version 1.0b 4. LICENSE: lppl  
URL: <https://ctan.org/pkg/progressbar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/progressbar>
- JNS team. *The metatype1 package. Generate Type 1 fonts from MetaPost.* 2021-08-26. Version 0.56. LICENSE: pd  
URL: <https://ctan.org/pkg/metatype1>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/metatype1>
- JNS team, Bogusław Jackowski, Janusz Marian Nowacki, and Piotr Strzelczyk. *The qfonts package. PostScript (Adobe Type 1) fonts in QX layout.* 2021-08-26. Version 1.07. LICENSE: gpl  
URL: <https://ctan.org/pkg/qfonts>  
MIRROR: <https://mirror.ctan.org/obsolete/fonts/psfonts/polish/qfonts>
- John, ST. *The annotate-equations package. Easily annotate math equations using TikZ.* 2023-05-06. Version 0.2.2. LICENSE: mit. This package provides commands that make it easy to highlight terms in equations and add annotation labels using . It should work with pdfL<sup>A</sup>T<sub>E</sub>X as well as LuaL<sup>A</sup>T<sub>E</sub>X.  
URL: <https://ctan.org/pkg/annotate-equations>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/annotate-equations>
- Johnson, Dave. *The chgbar package. Draw change bars in the margin.* 2016-06-24. LICENSE: noinfo. Defines macros and to mark the extent of changes to the document. The change bar is drawn continuously between the lines containing the two macros, but there are issues due to the timing of glue set in the vertical stretchability of the page.



- URL: <https://ctan.org/pkg/chgbar>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/chgbar.sty>
- Johnstone, Adrian. *The lccircuit package*. Circuit symbols for use in L<sup>A</sup>T<sub>E</sub>X picture mode. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/lccircuit>  
MIRROR: <https://mirror.ctan.org/graphics/lccircuit>
- Jois, Deepak. *The luapackageloader package*. Allow LuaTeX to load external Lua packages. 2019-12-22. Version 0.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/luapackageloader>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/luapackageloader>
- Jones, David M. *The eqnarray209 package*. A fix for L<sup>A</sup>T<sub>E</sub>X 2.09 eqnarray. 2016-06-24. Version 1.0. LICENSE: noinfo  
URL: <https://ctan.org/pkg/eqnarray209>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/eqnarray.sty>
- *The hangcaption package*. Hanging layout for captions. 2019-06-21. Version 2.0. LICENSE: noinfo. The hangcaption package redefines the caption command to produce captions with hanging indentation. While this package will work with current L<sup>A</sup>T<sub>E</sub>X, its effects are better achieved by one of the many functions of the package.  
URL: <https://ctan.org/pkg/hangcaption>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/hangcaption.sty>
  - *The index package*. Extended index for L<sup>A</sup>T<sub>E</sub>X including multiple indexes. 2016-06-24. Version 4.1beta. LICENSE: other-free. This is a reimplementaion of L<sup>A</sup>T<sub>E</sub>X's indexing macros to provide better support for indexing. For example, it supports multiple indexes in a single document and provides a more robust command. It supplies short hand notations for the command () and a \* variation of (abbreviated) that prints the word being indexed, as well as creating an index entry for it.  
URL: <https://ctan.org/pkg/index>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/index>
- Jones, Geoffrey. *The ifthenx package*. Extra tests for \ifthenelse. 2016-06-24. Version 0.1a. LICENSE: lppl  
URL: <https://ctan.org/pkg/ifthenx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ifthenx>
- *The typeface package*. Select a balanced set of fonts. 2016-06-24. Version 0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/typeface>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/typeface>
- Jones, Peter. *The oup-authoring-template package*. A general template for journals published by Oxford University Press (OUP). 2022-03-25. Version 1.1. LICENSE: lppl1.2. This package provides a general L<sup>A</sup>T<sub>E</sub>X template for journals published by Oxford University Press (OUP). The template outputs to the three official page designs (traditional, contemporary, modern) used by many journals published by OUP, with large, medium and small page options. For more information see .  
URL: <https://ctan.org/pkg/oup-authoring-template>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oup-authoring-template>
- Jørgensen, Arne. *The dk-bib package*. Danish variants of standard BibTeX styles. 2016-06-24. Version 0.6. LICENSE: other-free  
URL: <https://ctan.org/pkg/dk-bib>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/dk-bib>
- Jørgensen, Palle. *The addfont package*. Easier use of fonts without L<sup>A</sup>T<sub>E</sub>X support. 2021-03-20. Version 1.1. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/addfont>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/addfont>
- *The aessupp package*. Special support for the æ character. 2021-03-18. Version 1. LICENSE: gpl,gpl3+  
URL: <https://ctan.org/pkg/aessupp>  
MIRROR: <https://mirror.ctan.org/fonts/aessupp>
  - *The carolmin-t1 package*. Adobe Type 1 format of Carolingian Minuscule fonts. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/carolmin-t1>  
MIRROR: <https://mirror.ctan.org/fonts/carolmin-ps>
  - *The duerer-LaTeX package*. L<sup>A</sup>T<sub>E</sub>X support for the Duerer fonts. 2016-06-24. Version 1.1. LICENSE: gpl. L<sup>A</sup>T<sub>E</sub>X support for Hoenig's fonts, using their standard names.  
URL: <https://ctan.org/pkg/duerer-latex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/duerer-latex>
  - *The emf package*. Support for the EMF symbol. 2019-06-21. Version 1. LICENSE: gpl3  
URL: <https://ctan.org/pkg/emf>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/emf>
  - *The exteps package*. Include EPS figures in MetaPost. 2018-01-06. Version 0.41. LICENSE: gpl  
URL: <https://ctan.org/pkg/exteps>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/exteps>

- *The foekfont package*. The title font of the Mads Føk magazine. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/foekfont>  
MIRROR: <https://mirror.ctan.org/fonts/foekfont>
- *The fonetika package*. Support for the Danish "Dania" phonetic system. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/fonetika>  
MIRROR: <https://mirror.ctan.org/fonts/fonetika>
- *The frimurer package*. Access to the 'frimurer' cipher for use with L<sup>A</sup>T<sub>E</sub>X. 2020-10-21. Version 1. LICENSE: gpl3  
URL: <https://ctan.org/pkg/frimurer>  
MIRROR: <https://mirror.ctan.org/fonts/frimurer>
- *The mparrows package*. MetaPost module with different types of arrow heads. 2016-06-24. Version 0.1. LICENSE: pd. A package to provide different types of arrow heads to be used with MetaPost commands and commands.  
URL: <https://ctan.org/pkg/mparrows>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/mparrows>
- *The ocr-latex package*. L<sup>A</sup>T<sub>E</sub>X support for ocr fonts. 2016-06-24. LICENSE: gpl. The package supports use of both and fonts in L<sup>A</sup>T<sub>E</sub>X documents.  
URL: <https://ctan.org/pkg/ocr-latex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ocr-latex>
- *The pandora-latex package*. L<sup>A</sup>T<sub>E</sub>X support for the Pandora fonts. 2016-06-24. Version 1.1. LICENSE: gpl. Support for Neena Billawala's fonts, in L<sup>A</sup>T<sub>E</sub>X. Note that the bundle already offers support, but the present package uses the "correct" () abbreviations for the font's names.  
URL: <https://ctan.org/pkg/pandora-latex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pandora-latex>
- Jørgensen, Palle. *The plimsoll package*. Fonts with the Plimsoll symbol and L<sup>A</sup>T<sub>E</sub>X support. 2020-10-12. Version 1. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/plimsoll>  
MIRROR: <https://mirror.ctan.org/fonts/plimsoll>
- *The Punk-LaTeX package*. L<sup>A</sup>T<sub>E</sub>X support for punk fonts. 2016-06-24. Version 1.1. LICENSE: gpl. The package and .fd file provide support for Knuth's fonts. That bundle also offers support within L<sup>A</sup>T<sub>E</sub>X; the present package is to be preferred.  
URL: <https://ctan.org/pkg/punk-latex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/punk-latex>
- *The subtext package*. Easy text-style subscripts in math mode. 2019-05-30. Version 1.1. LICENSE: gpl3. This L<sup>A</sup>T<sub>E</sub>X package gives easy access to text-style subscripts in math mode by providing an optional argument to . This is implemented by using the command from the package.  
URL: <https://ctan.org/pkg/subtext>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/subtext>
- *The tfrupee package*. A font offering the new (Indian) Rupee symbol. 2016-06-24. Version 1.02. LICENSE: gpl3  
URL: <https://ctan.org/pkg/tfruppee>  
MIRROR: <https://mirror.ctan.org/fonts/tfruppee>
- *The thinsp package*. A stretchable \thinspace for L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 0.2. LICENSE: gpl. The package redefines to have a stretch component.  
URL: <https://ctan.org/pkg/thinsp>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thinsp>
- *The utf8add package*. Additional support for UTF-8 encoded L<sup>A</sup>T<sub>E</sub>X input. 2021-11-16. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/utf8add>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/utf8add>
- Jorssen, Christophe and Jean-Côme Charpentier. *The pst-infixplot package*. Using PSTricks plotting capacities with infix expressions rather than RPN. 2016-06-24. Version 0.11. LICENSE: lpl. Plotting functions with is very powerful but sometimes difficult to learn since the syntax of and requires some PostScript knowledge. The and styles simplify the usage of for the beginner, providing macro commands that convert natural mathematical expressions to PostScript syntax.  
URL: <https://ctan.org/pkg/pst-infixplot>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-infixplot>
- Jorssen, Christophe and Herbert Voß. *The pst-math package*. Enhancement of PostScript math operators to use with PSTricks. 2023-07-03. Version 0.67. LICENSE: lpl  
URL: <https://ctan.org/pkg/pst-math>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-math>
- Joulin, Jean-Luc. *The hsindex package*. An alternative index processor to imakeidx written with Haskell. 2022-04-05. Version 0.12.0. LICENSE: gpl

MIRROR: <https://mirror.ctan.org/indexing/hsindex>

URL: <https://ctan.org/pkg/dvivue>

MIRROR: <https://mirror.ctan.org/dviware/dvivue>

URL: <https://ctan.org/pkg/ltx2mathml>

MIRROR: <https://mirror.ctan.org/support/ltx2mathml>

URL: <https://ctan.org/pkg/ot2woff>

MIRROR: <https://mirror.ctan.org/fonts/utilities/ot2woff>

URL: <https://ctan.org/pkg/t1subset>

MIRROR: <https://mirror.ctan.org/fonts/utilities/t1subset>

URL: <https://ctan.org/pkg/woff2ot>

MIRROR: <https://mirror.ctan.org/fonts/utilities/woff2ot>

URL: <https://ctan.org/pkg/fcavtex>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fcaytex>

URL: <https://ctan.org/pkg/fullblck>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fullblck>

URL: <https://ctan.org/pkg/card-set>

MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/card-set.sty>

URL: <https://ctan.org/pkg/exercises>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exercises>

URL: <https://ctan.org/pkg/kurdishlipsum>

MIRROR: <https://mirror.ctan.org/macros/xetex/latex/kurdishlipsum>

URL: <https://ctan.org/pkg/gutenberg>

MIRROR: <https://mirror.ctan.org/usergrps/gutenberg>

URL: <https://ctan.org/pkg/visualfaq-fr>

MIRROR: <https://mirror.ctan.org/info/visualfaq-fr>

URL: <https://ctan.org/pkg/c.jhebrew>

MIRROR: <https://mirror.ctan.org/language/hebrew/cjhebrew>

URL: <https://ctan.org/pkg/texdraw>

MIRROR: <https://mirror.ctan.org/graphics/texdraw>

URL: <https://ctan.org/pkg/jkmath>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jkmath>

URL: <https://ctan.org/pkg/textures-metrics>

MIRROR: <https://mirror.ctan.org/fonts/psfonts/textures>

- Kaijanaho, Antti-Juhani. *The finplain package. A Finnish version of plain.bst*. 2016-06-18. LICENSE: other-free  
 URL: <https://ctan.org/pkg/finplain>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/finplain.bst>
- *The plari package. Typesetting stageplay scripts*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/plari>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/plari>
  - *The texmalli package. A quick Finnish introduction to using L<sup>A</sup>T<sub>E</sub>X*. 2016-06-18. Version 2.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/texmalli>  
 MIRROR: <https://mirror.ctan.org/info/finnish/texmalli>
- Kaijanaho, Antti-Juhani and Björn Brill. *The catdvi package. A DVI to plain text translator*. 2017-04-18. Version 0.14. LICENSE: gpl.  
 A DVI to plain text translator capable of generating ASCII, Latin-1, Latin-9 and UTF-8 (Unicode) output, and recognising T1 and other L<sup>A</sup>T<sub>E</sub>X encodings (as well as Knuth’s original encodings and those of AMS and other fonts). Catdvi aims to become a superior replacement for the utility; the present version outperforms dvi2tty in some areas and is inferior to it in other areas.  
 URL: <https://ctan.org/pkg/catdvi>  
 MIRROR: <https://mirror.ctan.org/dviware/catdvi>
- Kaiyu, Feng. *The bithesis package. Templates for the Beijing Institute of Technology*. 2023-05-01. Version 3.5.4. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/bithesis>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/bithesis>
- Kakuto, Akira. *The w32tex package. A comprehensive T<sub>E</sub>X system for Windows*. 2021-09-15. LICENSE: other-free. A Japanese-oriented (full) T<sub>E</sub>X distribution, which provides the basis of the Windows T<sub>E</sub>X offered by .  
 URL: <https://ctan.org/pkg/w32tex>
- Kakuto, Akira and Karl Berry. *The epsf-dvipdfmx package. Plain T<sub>E</sub>X file for using epsf.tex with (x)dvipdfmx*. 2021-06-26. Version 2014.  
 LICENSE: pd  
 URL: <https://ctan.org/pkg/epsf-dvipdfmx>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/epsf-dvipdfmx>
- Kallen, Wilberd van der. *The manyind package. Provides support for many indexes*. 2019-01-30. LICENSE: lpl1.2  
 URL: <https://ctan.org/pkg/manyind>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/manyind>
- *The robustindex package. Create index with pagerefs*. 2019-01-30. LICENSE: lpl1.2  
 URL: <https://ctan.org/pkg/robustindex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/robustindex>
- Kam, Timothy. *The ANUfinalexam package. L<sup>A</sup>T<sub>E</sub>X document shell for ANU final exam*. 2018-01-06. LICENSE: gpl  
 URL: <https://ctan.org/pkg/anufinalexam>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/anufinalexam>
- Kamalapurkar, Rushikesh. *The bodeplot package. Draw Bode, Nyquist and Nichols plots with gnuplot or pgfplots*. 2021-09-11. Version 1.1.3. LICENSE: lpl1.3c. This is a L<sup>A</sup>T<sub>E</sub>X package to plot Bode, Nichols, and Nyquist diagrams. It provides added functionality over the similar package:  
 URL: <https://ctan.org/pkg/bodeplot>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/bodeplot>
- Kamermans, Mike. *The fontwrap package. Bind fonts to specific unicode blocks*. 2016-10-08. LICENSE: gpl  
 URL: <https://ctan.org/pkg/fontwrap>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/fontwrap>
- *The ucharclasses package. Font actions in XeT<sub>E</sub>X according to what is being processed*. 2022-10-21. Version 2.6. LICENSE: pd  
 URL: <https://ctan.org/pkg/ucharclasses>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/ucharclasses>
- Kaneko, Naoki. *The musikui package. Easy creation of “arithmetical restoration” puzzles*. 2018-05-03. Version 1. LICENSE: lpl1  
 URL: <https://ctan.org/pkg/musikui>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/musikui>
- Kankainen, Kristian. *The glossaries-estonian package. Estonian language module for glossaries package*. 2019-02-05. Version 1.0. LICENSE: lpl1.3. This package provides the Estonian language module for the package.  
 URL: <https://ctan.org/pkg/glossaries-estonian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-estonian>
- Kaplunovsky, Vadim. *The phyzzx package. A T<sub>E</sub>X format for physicists*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/phyzzx>  
 MIRROR: <https://mirror.ctan.org/macros/phyzzx>



- Kapune, Albert. *The fi2t1 package. Tools for installing Type 1 fonts in MiKTeX*. 2016-06-24. LICENSE: other-free. Preparing Type1 fonts for is a tedious work. This package contains a small guideline for the font installation and a binary (and its BASIC source) that performs the necessary .pfb conversions. The tool requires the package. It is specific to MiKTeX 2.3.  
URL: <https://ctan.org/pkg/fi2t1>  
MIRROR: <https://mirror.ctan.org/support/miktex-contrib/fi2t1>
- Karakoleva, Stefka. *The lshort-bulgarian package. Bulgarian translation of the "Short Introduction to L<sup>A</sup>T<sub>E</sub>X2<sub>ε</sub>"*. 2016-06-24. LICENSE: pd. The source files, PostScript and PDF files of the Bulgarian translation of the “”.  
URL: <https://ctan.org/pkg/lshort-bulgarian>  
MIRROR: <https://mirror.ctan.org/info/lshort/bulgarian>
- *The pst-eucl-translation-bg package. Bulgarian translation of the pst-eucl documentation*. 2016-06-24. Version 1.3.2. LICENSE: lpl  
URL: <https://ctan.org/pkg/pst-eucl-translation-bg>  
MIRROR: <https://mirror.ctan.org/info/translations/pst-eucl/bulgarian>
- Karaoglu, Bekir and Tobias Oetiker. *The lshort-turkish package. Turkish introduction to L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 4.20. LICENSE: pd. A Turkish translation of Oetiker’s .  
URL: <https://ctan.org/pkg/lshort-turkish>  
MIRROR: <https://mirror.ctan.org/info/lshort/turkish>
- Karney, Charles. *The cyrillic209 package. Provides basic L<sup>A</sup>T<sub>E</sub>X 2.09 font access to the Washington cyrillic fonts*. 2018-01-07. LICENSE: noinfo. A small package providing basic L<sup>A</sup>T<sub>E</sub>X 2.09 font-system access to the Washington cyrillic fonts. Note that this package cannot possibly work under L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub>, and has nothing to do with the L<sup>A</sup>T<sub>E</sub>X2<sub>ε</sub> bundle.  
URL: <https://ctan.org/pkg/cyrillic209>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/cyrillic.sty>
- Karney, Charles. *The format package. Format a counter as a fixed-point number*. 2016-06-24. LICENSE: noinfo. The package defines a macro that takes an optional integer power argument, and a counter. The output is then the decimal representation of (the absolute value of may not exceed 6).  
URL: <https://ctan.org/pkg/format>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/format.sty>
- *The lablst-pkg package. List names of labels in a document*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/lablst-pkg>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/lablst.sty>
  - *The rotate-textures package. Box rotation macros for Textures*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/rotate-textures>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/rotate-textures.sty>
- Karney, Charles and Hans-Hermann Bode. *The phy-bstyles package. A collection of BibT<sub>E</sub>X styles for physics journals*. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/phy-bstyles>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/phy-bstyles>
- Karoonboonyanan, Theppitak. *The babel-thai package. Support for Thai within babel*. 2016-06-24. Version 1.0.0. LICENSE: lpl1.3. The package provides support for typesetting Thai text. within the system.  
URL: <https://ctan.org/pkg/babel-thai>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/thai>
- *The fonts-arundina package. DejaVu-compatible Thai fonts*. 2020-05-02. Version 0.3.2. LICENSE: other-free,lpl1.3  
URL: <https://ctan.org/pkg/fonts-arundina>  
MIRROR: <https://mirror.ctan.org/fonts/thai/fonts-arundina>
  - *The fonts-tlwg package. Thai fonts for L<sup>A</sup>T<sub>E</sub>X from TLWG*. 2021-10-19. Version 0.7.3. LICENSE: gpl2+,lpl1.3,other-free. A collection of free Thai fonts, supplied as FontForge sources, and with L<sup>A</sup>T<sub>E</sub>X files.  
URL: <https://ctan.org/pkg/fonts-tlwg>  
MIRROR: <https://mirror.ctan.org/fonts/thai/fonts-tlwg>
  - *The thai fonts-arundina package. DejaVu-compatible Thai fonts*. 2017-10-21. Version 0.2. LICENSE: other-free  
URL: <https://ctan.org/pkg/thai fonts-arundina>  
MIRROR: <https://mirror.ctan.org/fonts/thai/thai fonts-arundina>
  - *The ThaiLaTeX package. Typeset Thai texts with standard L<sup>A</sup>T<sub>E</sub>X classes*. 2023-06-19. Version 0.5.1. LICENSE: lpl  
URL: <https://ctan.org/pkg/thailatex>  
MIRROR: <https://mirror.ctan.org/obsolete/language/thai/thailatex>
- Karr, Jonathan. *The grant package. Classes for formatting federal grant proposals*. 2020-11-04. Version 0.0.5. LICENSE: mit  
URL: <https://ctan.org/pkg/grant>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grant>



- Karrmann, Stefan. *The fouridx package. Left sub- and superscripts in maths mode*. 2018-01-06. Version 2.00. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fouridx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fouridx>
- Kartch, Daniel. *The siggraph package. SIGGRAPH conference class*. 2019-06-21. Version 1.1.1. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/siggraph>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/siggraph>
- Karunakaran, V Karunakaran. *The pagedraw package. Drawing program with EPS output*. 2016-06-24. LICENSE: nosource  
 URL: <https://ctan.org/pkg/pagedraw>  
 MIRROR: <https://mirror.ctan.org/graphics/pagedraw/pgdraw20.zip>
- Kaspar, Wolfgang and Sami Sozuer. *The cm-mf-extra-bold package. Extra Metafont files for CM*. 2017-11-12. LICENSE: gpl,pd. The bundle provides bold versions of cmcsc, cmex, cmtex and cmtt fonts (all parts of the standard font distribution), as Metafont base files.  
 URL: <https://ctan.org/pkg/cm-mf-extra-bold>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/mf-extra/bold>
- Kastrup, David. *The bigfoot package. Footnotes for critical editions*. 2016-06-24. Version 2.1. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/bigfoot>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bigfoot>
- Kastrup, David. *The binhex package. Convert numbers into binary, octal and hexadecimal*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/binhex>  
 MIRROR: <https://mirror.ctan.org/macros/generic/kastrup>
- *The patch package. Patch loaded packages, etc*. 2019-06-21. LICENSE: lppl  
 URL: <https://ctan.org/pkg/patch>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/patch.doc>
  - *The perpage package. Make a counter reset at every page boundary*. 2016-06-24. Version 1.12. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/perpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bigfoot>
  - *The preview-latex package. Preview equations in Emacs*. 2020-10-19. Version 12.3. LICENSE: gpl  
 URL: <https://ctan.org/pkg/preview-latex>  
 MIRROR: <https://mirror.ctan.org/support/auctex>
  - *The qstest package. Bundle for unit tests and pattern matching*. 2018-01-06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/qstest>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/qstest>
  - *The suffix package. Define commands with suffixes*. 2016-06-24. Version 1.5. LICENSE: gpl. The command enables you to define and maintain command variants like and even ; the package requires version 2.  
 URL: <https://ctan.org/pkg/suffix>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bigfoot>
- Kastrup, David and The AUCTeX Team. *The preview package. Extract bits of a L<sup>A</sup>T<sub>E</sub>X source for output*. 2023-04-23. Version 13.2. LICENSE: gpl3. The package is a free-standing part of the bundle. The package provides the support needs, when it chooses the matter it will preview. The output may reasonably be expected to have other uses, as in html translators, etc.  
 URL: <https://ctan.org/pkg/preview>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/preview>
- Kauers, Manuel. *The gauss package. A package for Gaussian operations*. 2018-01-06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/gauss>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gauss>
- Kaufmann, Mike. *The beamersubframe package. Reorder frames in the PDF file*. 2016-06-24. Version 0.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/beamersubframe>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/beamersubframe>
- *The lcd package. Alphanumerical LCD-style displays*. 2016-06-24. Version 0.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/lcd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lcd>
  - *The logpap package. Generate logarithmic graph paper with L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 0.6. LICENSE: lppl  
 URL: <https://ctan.org/pkg/logpap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/logpap>
  - *The NotesPages package. Filling documents with notes pages and notes areas*. 2016-08-21. Version 0.8.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/notespages>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/notespages>

- Kay, Alastair. *The quantikz package. Draw quantum circuit diagrams*. 2023-05-24. Version 1.0.1. LICENSE: cc-by-4  
 URL: <https://ctan.org/pkg/quantikz>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/quantikz>
- Kazemi, Sajad. *The parsianfonts package. Some of the most used fonts among Persian language users*. 2023-08-30. Version 1.0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/parsianfonts>  
 MIRROR: <https://mirror.ctan.org/fonts/parsianfonts>
- Kazimiers, Tom. *The esk package. Package to encapsulate Sketch files in L<sup>A</sup>T<sub>E</sub>X sources*. 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/esk>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/esk>
- Kehowski, Walter A. *The linsys package. Typeset systems of linear equations*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/linsys>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/linsys.sty>
- Kehr, Roger and Joachim Schrod. *The xindy package. A general-purpose index processor*. 2017-04-18. Version 2.5.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/xindy>  
 MIRROR: <https://mirror.ctan.org/indexing/xindy/base>
- Keleher, Pete. *The alpha package. Editor for the Macintosh with good T<sub>E</sub>X support*. 2019-05-04. Version 8.0.2. LICENSE: shareware  
 URL: <https://ctan.org/pkg/alpha>  
 MIRROR: <https://mirror.ctan.org/systems/mac/support/alpha>
- Kelkel, Thomas. *The ligtype package. Comprehensive ligature suppression functionalities*. 2023-07-10. Version 0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/ligtype>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/ligtype>
- *The showhyphenation package. Marking of hyphenation points*. 2023-07-10. Version 0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/showhyphenation>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/showhyphenation>
  - *The showkerning package. Showing kerns in a document*. 2023-07-10. Version 0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/showkerning>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/showkerning>
  - *The spacekern package. Kerning between words and against space*. 2023-07-10. Version 0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/spacekern>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/spacekern>
- Keller, Mitchell T. and Charles Wilson. *The gatech-thesis package. Georgia Institute of Technology thesis class*. 2021-08-04. Version 1.8.  
 LICENSE: gpl  
 URL: <https://ctan.org/pkg/gatech-thesis>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/gatech-thesis>
- Kelly, Brian Hamilton. *The DVItolN03 package. DVI output to Digital LN03 printer*. 2016-06-24. Version 4.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/dvitoln03>  
 MIRROR: <https://mirror.ctan.org/dviware/ln03/rmcs>
- *The kelly-greek-font package. Simple fonts for Greek*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/kelly-greek-font>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/kelly>
  - *The multibox package. Multiple boxes and frames for the picture environment*. 2016-06-24. LICENSE: noinfo. The package defines commands and , that take a sequence of texts to be placed in boxes; the arguments correspond to those of .  
 URL: <https://ctan.org/pkg/multibox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multibox>
- Kelly, Brian Hamilton and Frank Mittelbach. *The crosswrd package. Macros for typesetting crossword puzzles*. 2016-06-24. Version 3.0.  
 LICENSE: lppl  
 URL: <https://ctan.org/pkg/crosswrd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/crosswrd>
- Kelly, Nickolas J. and Christian H. Bischof. *The xbibtex package. An X-Windows utility for adding to a BibTeX database*. 2016-06-24. Version 0.0.a. LICENSE: noinfo. The utility provides an X-Windows interface for inserting entries into a bibliography database in BibTeX format. Xbibtex provides a template listing the required and optional fields for each entry type. A further utility is provided to merge the content of ‘keyword’ and ‘annotate’ entries into a file before final recompilation.  
 URL: <https://ctan.org/pkg/xbibtex>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/xbibtex>

- Kempe, David. *The color-edits package. Colorful edits for multiple authors of a shared document*. 2020-10-21. Version 1.1. LICENSE: lpl1.3. This package provides a fairly light-weight solution for annotating L<sup>A</sup>T<sub>E</sub>X source code with color to show additions/changes, replacements, deletions, and comments. This is particularly useful when a document is being edited by multiple authors. Two package options allow the quick suppression of all colorful edits and comments, and showing text whose deletion was proposed.  
URL: <https://ctan.org/pkg/color-edits>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/color-edits>
- Kempson, Niel. *The vrcode package. Reliable encoder for binary files via email*. 2016-06-24. Version 1.00. LICENSE: gpl  
URL: <https://ctan.org/pkg/vrcode>  
MIRROR: <https://mirror.ctan.org/support/vrcode>
- Kempson, Niel and The T<sub>E</sub>X Live Team. *The bibtex8 package. A fully 8-bit adaptation of BibTeX 0.99*. 2022-09-20. Version 3.72. LICENSE: gpl  
URL: <https://ctan.org/pkg/bibtex8>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/bibtex-x>
- Kent, Alan. *The thai-rmit package. A font for Thai script*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/thai-rmit>  
MIRROR: <https://mirror.ctan.org/fonts/thai/rmit>
- Kent, Alan. *The thai-us1 package. A font for Thai script*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/thai-us1>  
MIRROR: <https://mirror.ctan.org/fonts/thai/us1>
- Kern, Uwe. *The chroma package. Chroma: a reference book of L<sup>A</sup>T<sub>E</sub>X colours*. 2017-04-18. Version 1.00. LICENSE: nosource  
URL: <https://ctan.org/pkg/chroma>  
MIRROR: <https://mirror.ctan.org/info/colour/chroma>
- Kern, Uwe and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The xcolor package. Driver-independent color extensions for L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX*. 2022-06-12. Version 2.14. LICENSE: lpl1.3c. The package starts from the basic facilities of the package, and provides easy driver-independent access to several kinds of color tints, shades, tones, and mixes of arbitrary colors. It allows a user to select a document-wide target color model and offers complete tools for conversion between eight color models. Additionally, there is a command for alternating row colors plus repeated non-aligned material (like horizontal lines) in tables. Colors can be mixed like `\colorred!30!green!40!blue`.  
URL: <https://ctan.org/pkg/xcolor>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xcolor>
- Kerstan, Henning. *The exercisepoints package. A L<sup>A</sup>T<sub>E</sub>X package to count exercises and points*. 2019-01-05. Version 1.2.3. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/exercisepoints>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exercisepoints>
- Keßler, Maximilian. *The grading-scheme package. Typeset grading schemes in tabular format*. 2022-03-08. Version 0.1.1. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/grading-scheme>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grading-scheme>
- Kettl, Gerlinde and Matthias Weiser. *The a0poster package. Support for designing posters on large paper*. 2016-06-24. Version 1.22b. LICENSE: lpl. Provides fonts in sizes of 12pt up to 107pt and also makes sure that in math formulas the symbols appear in the right size. Can also create a PostScript header file for which ensures that the poster will be printed in the right size. Supported sizes are DIN A0, DIN A1, DIN A2 and DIN A3.  
URL: <https://ctan.org/pkg/a0poster>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/a0poster>
- Kew, Jonathan. *The xetexfontinfo package. Report font features in XeTeX*. 2016-06-24. LICENSE: apache2  
URL: <https://ctan.org/pkg/xetexfontinfo>  
MIRROR: <https://mirror.ctan.org/macros/xetex/plain/xetexfontinfo>
- Kew, Jonathan, Arthur Rosendahl, Khaled Hosny, and The T<sub>E</sub>X Live Team. *The xetex package. An extended variant of T<sub>E</sub>X for use with Unicode sources*. 2022-01-25. LICENSE: x11  
URL: <https://ctan.org/pkg/xetex>
- Kewley, John. *The acronym209 package. An algorithm package developed for L<sup>A</sup>T<sub>E</sub>X 2.09*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/acronym209>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/acronym.sty>
- Khalighi, Vafa and bidi-tex GitHub Organisation. *The bidi package. Bidirectional typesetting in plain T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X, using XeTeX*. 2023-08-02. Version 39.8. LICENSE: lpl1.3c

- URL: <https://ctan.org/pkg/bidi>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/bidi>
- *The bidi-atbegshi package. Bidi-aware shipout macros.* 2022-02-19. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/bidi-atbegshi>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/bidi-atbegshi>
  - *The bidicontour package. Bidi-aware coloured contour around text.* 2019-09-08. Version 0.2. LICENSE: lppl1.3. The package is a re-implementation of the package, making it bidi-aware, and adding support of the (when the option of the package is used).  
URL: <https://ctan.org/pkg/bidicontour>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/bidicontour>
  - *The bidihl package. Experimental bidi-aware text highlighting.* 2019-09-08. Version 0.1c. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/bidihl>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/bidihl>
  - *The bidipagegrid package. Bidi-aware page grid in background.* 2019-09-08. Version 0.2. LICENSE: lppl1.3. The package is based on .  
URL: <https://ctan.org/pkg/bidipagegrid>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/bidipagegrid>
  - *The bidipresentation package. Experimental bidi presentation.* 2019-09-08. Version 0.3. LICENSE: lppl1.3. A great portion of the code is borrowed from the bundle, with modifications to get things working properly in both right to left and left to right modes.  
URL: <https://ctan.org/pkg/bidipresentation>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/bidipresentation>
- Khalighi, Vafa and bidi-tex GitHub Organisation. *The bidishadowtext package. Bidi-aware shadow text.* 2019-09-08. Version 0.1. LICENSE: lppl1.3. This package allows you to typeset bidi-aware shadow text. It is a re-implementation of the package adding bidi support.  
URL: <https://ctan.org/pkg/bidishadowtext>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/bidishadowtext>
- *The crbox package. Boxes with crossed corners.* 2019-09-08. Version 0.1. LICENSE: lppl. The package implements a command which produces boxes with crossing lines at the corners.  
URL: <https://ctan.org/pkg/crbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/crbox>
  - *The fahyph package. Hyphenation patterns for Persian (in Unicode).* 2019-09-08. Version 0.002. LICENSE: lppl  
URL: <https://ctan.org/pkg/fahyph>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/fahyph>
  - *The FriBidiXeTeX package. A pre-processor for XeTeX files to support unicode bidirectional algorithm.* 2020-02-20. Version 0.0.2. LICENSE: gpl2  
URL: <https://ctan.org/pkg/fribidixetex>  
MIRROR: <https://mirror.ctan.org/support/fribidixetex>
  - *The ftnxtra package. Extend the applicability of the \footnote command.* 2019-09-08. Version 0.1. LICENSE: lppl. The package treats footnotes in , the environment, and and other -like commands.  
URL: <https://ctan.org/pkg/ftnxtra>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ftnxtra>
  - *The ghab package. Typeset ghab boxes in L<sup>A</sup>T<sub>E</sub>X.* 2019-09-08. Version 0.5. LICENSE: lppl. The package defines a command that will typeset its argument in a box with a decorated frame. The width of the box may be set using an optional argument.  
URL: <https://ctan.org/pkg/ghab>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ghab>
  - *The imsproc package. Typeset IMS conference proceedings.* 2019-09-08. Version 0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/imsproc>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/imsproc>
  - *The mpgraphics package. Process and display MetaPost figures inline.* 2019-09-08. Version 0.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/mpgraphics>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mpgraphics>
  - *The parisa package. Parisa family of fonts.* 2019-09-08. Version 0.1. LICENSE: gpl3  
URL: <https://ctan.org/pkg/parisa>  
MIRROR: <https://mirror.ctan.org/fonts/parisa>
  - *The parsitex package. A localized Persian and bidirectional extension of T<sub>E</sub>X.* 2019-09-08. Version 3.10. LICENSE: pd  
URL: <https://ctan.org/pkg/parsitex>  
MIRROR: <https://mirror.ctan.org/systems/parsitex>

- *The roundbox package*. Round boxes in L<sup>A</sup>T<sub>E</sub>X. 2019-09-08. Version 0.2. LICENSE: lppl1.3. This package implements a command that can be used, in L<sup>A</sup>T<sub>E</sub>X, for producing boxes, framed with rounded corners.  
URL: <https://ctan.org/pkg/roundbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/roundbox>
- *The showcharinbox package*. Show characters inside a box. 2019-09-08. Version 0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/showcharinbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/showcharinbox>
- *The simurgh package*. Typeset Parsi in LuaL<sup>A</sup>T<sub>E</sub>X. 2019-09-08. Version 0.01b. LICENSE: gpl2  
URL: <https://ctan.org/pkg/simurgh>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/simurgh>
- *The tram package*. Typeset tram boxes in L<sup>A</sup>T<sub>E</sub>X. 2019-09-08. Version 0.2. LICENSE: lppl. Tram boxes are highlighted with patterns of dots; the package defines an environment that typesets its content into a tram box. The pattern used may be selected in an optional argument to the environment.  
URL: <https://ctan.org/pkg/tram>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tram>
- *The unicode-bidi package*. Experimental unicode bidi package for XeT<sub>E</sub>X. 2019-09-08. Version 0.01. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/unicode-bidi>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/unicode-bidi>
- Khalighi, Vafa and bidi-tex GitHub Organisation. *The xecolor package*. Support for color in X<sub>E</sub>L<sup>A</sup>T<sub>E</sub>X. 2019-09-08. Version 0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/xecolor>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xecolor>
- *The xecolour package*. Support for colour in X<sub>E</sub>L<sup>A</sup>T<sub>E</sub>X. 2019-09-08. Version 0.1. LICENSE: lppl. This package is a predecessor of the newer package; but it was decided that it should remain available for the benefit of users wishing to run their old T<sub>E</sub>X files using .  
URL: <https://ctan.org/pkg/xecolour>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/xetex/latex/xecolour>
- *The XePersian package*. Persian for L<sup>A</sup>T<sub>E</sub>X, using XeT<sub>E</sub>X. 2023-08-30. Version 25.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/xepersian>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xepersian>
- *The xindy-persian package*. Support for the Persian language in xindy. 2021-04-30. Version 0.8. LICENSE: lppl1.3. The package offers Persian language support for indexing using .  
URL: <https://ctan.org/pkg/xindy-persian>  
MIRROR: <https://mirror.ctan.org/indexing/xindy/contrib/xindy-persian>
- Khalighi, Vafa, Arthur Rosendahl, and bidi-tex GitHub Organisation. *The luabidi package*. Bidi functions for LuaT<sub>E</sub>X. 2019-10-28. Version 0.5. LICENSE: lppl1.3c,mit. The package attempts to emulate the XeT<sub>E</sub>X package, in the context of LuaT<sub>E</sub>X.  
URL: <https://ctan.org/pkg/luabidi>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luabidi>
- Rhodolev, Andrey, Olga Lapko, Alexander Berdnikov, and Vladimir Volovich. *The lh package*. Cyrillic fonts that support L<sup>A</sup>T<sub>E</sub>X standard encodings. 2016-06-24. Version 3.5g. LICENSE: lppl  
URL: <https://ctan.org/pkg/lh>  
MIRROR: <https://mirror.ctan.org/fonts/cyrillic/lh>
- Kieda, Yuwsuke. *The correctmathalign package*. Correct spacing of the alignment in expressions. 2018-01-07. Version 1.1. LICENSE: bsd  
URL: <https://ctan.org/pkg/correctmathalign>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/correctmathalign>
- *The mathpunctspace package*. Control the space after punctuation in math expressions. 2018-02-27. Version 1.1. LICENSE: bsd2  
URL: <https://ctan.org/pkg/mathpunctspace>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathpunctspace>
- *The uppunctlm package*. Always keep upright shape for some punctuation marks and Arabic numerals. 2017-04-03. Version 0.1. LICENSE: gfsf  
URL: <https://ctan.org/pkg/uppunctlm>  
MIRROR: <https://mirror.ctan.org/fonts/uppunctlm>
- *The variablelm package*. Font definitions for the variable Latin Modern fonts. 2021-07-22. Version 1.2. LICENSE: gfl  
URL: <https://ctan.org/pkg/variablelm>  
MIRROR: <https://mirror.ctan.org/fonts/variablelm>



- Kiefel, Volker. *The elpres package. A simple class for electronic presentations*. 2021-08-10. Version 1.0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/elpres>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/elpres>
- *The references package. Bibliographic software supporting L<sup>A</sup>T<sub>E</sub>X/BibTeX*. 2016-06-24. Version 4.3d. LICENSE: gpl  
 URL: <https://ctan.org/pkg/references>  
 MIRROR: <https://mirror.ctan.org/support/references>
- Kielhorn, Axel. *The adrconv package. BibTeX styles to implement an address database*. 2018-03-04. Version 1.4. LICENSE: lppl1.3. The bundle provides a collection of BibTeX style files to turn an address database stored in the format into files suitable for printing as address books or included into letter classes like or . The data may be sorted either by name or birthday and output provides files in various formats for address books or time planners.  
 URL: <https://ctan.org/pkg/adrconv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/adrconv>
- *The akletter package. Comprehensive letter support*. 2016-06-24. Version 1.5i. LICENSE: lppl  
 URL: <https://ctan.org/pkg/akletter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/akletter>
  - *The lexikon package. Macros for a two language dictionary*. 2016-06-18. Version 1.0c. LICENSE: lppl  
 URL: <https://ctan.org/pkg/lexikon>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lexikon>
  - *The manfnt package. L<sup>A</sup>T<sub>E</sub>X support for the T<sub>E</sub>X book symbols*. 2020-04-03. LICENSE: lppl. A L<sup>A</sup>T<sub>E</sub>X package for easy access to the symbols of the Knuth's , such as the Dangerous Bend and Manual-errata Arrow.  
 URL: <https://ctan.org/pkg/manfnt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/manfnt>
- Kielhorn, Axel. *The myletter package. An old letter class*. 2016-06-24. LICENSE: lppl. The class is superseded by the author's .  
 URL: <https://ctan.org/pkg/myletter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/akletter>
- *The wasysym package. L<sup>A</sup>T<sub>E</sub>X support for the wasy fonts*. 2020-02-02. Version 2.4. LICENSE: lppl1.3c. The (Waldi Symbol) font by Roland Waldi provides many glyphs like male and female symbols and astronomical symbols, as well as the complete lasy font set and other odds and ends. This package implements an easy to use interface for these symbols.  
 URL: <https://ctan.org/pkg/wasysym>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wasysym>
- Kielhorn, Axel and Hubert Partl. *The refman package. Format technical reference manuals*. 2016-06-24. Version 2.0e. LICENSE: lppl  
 URL: <https://ctan.org/pkg/refman>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/refman>
- Kieling, Konrad. *The docarc package. Multi-user distributed bibliographic database system*. 2017-04-18. Version 0.9.4. LICENSE: other-free  
 URL: <https://ctan.org/pkg/docarc>
- Kiesel, Matthias Jolle. *The javadoc package. Documenting source code*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/javadoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/javadoc>
- Kiffe, Tom. *The cmactex package. TeX for the Macintosh*. 2023-01-11. Version 4.5. LICENSE: shareware  
 URL: <https://ctan.org/pkg/cmactex>  
 MIRROR: <https://mirror.ctan.org/systems/mac/cmactex>
- *The pdftex-oztex package. pdfTeX designed to run with OzTeX*. 2019-02-03. Version 14c. LICENSE: shareware  
 URL: <https://ctan.org/pkg/pdftex-oztex>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/mac/pdftex>
- Kilfiger, James. *The flashcard package. Typeset flash cards*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/flashcard>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/flashcard.cls>
- *The overrightarrow package. Doubled "over" arrow*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/overrightarrow>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fragments>
  - *The play package. Typeset drama using L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/play>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/play>

- *The raggedr package. Set an entire document raggedright.* 2016-06-24. LICENSE: lppl. This package has been incorporated into .  
 URL: <https://ctan.org/pkg/raggedr>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/misc/raggedr.sty>
- *The xmlplay package. Typeset Shakespeare's plays as marked up by Bosak.* 2019-06-21. LICENSE: pd. This is an package for typesetting the .  
 URL: <https://ctan.org/pkg/xmlplay>
  
- Kilfiger, James and Frank Lenaerts. *The beletter package. Typeset Belgian letters.* 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/beletter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/beletter.cls>
- Kilfiger, James and Wolfgang May. *The extsizes package. Extend the standard classes' size options.* 2018-03-02. Version 1.4a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/extsizes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/extsizes>
- Killesreiter, Gerhard. *The LigaTeX package. Remove unnecessary ligatures.* 2016-06-24. LICENSE: gpl. LigaTeX removes unnecessary ligatures (accented characters written out as more than one letter) from T<sub>E</sub>X files (for example, it translates “” to “”). The program currently only works with texts written in German. However, the author welcomes additions to LigaTeX in order to make it usable with any language.  
 URL: <https://ctan.org/pkg/ligatex>  
 MIRROR: <https://mirror.ctan.org/support/ligatex>
- Kim, Dohyun. *The cjk-ko package. Extension of the CJK package for Korean typesetting.* 2023-05-31. Version 2.4. LICENSE: gpl,lppl,pd  
 URL: <https://ctan.org/pkg/cjk-ko>  
 MIRROR: <https://mirror.ctan.org/language/korean/cjk-ko>
- *The nanumtype1 package. Type1 subfonts of Nanum Korean fonts.* 2016-06-24. Version 3.0. LICENSE: ofl  
 URL: <https://ctan.org/pkg/nanumtype1>  
 MIRROR: <https://mirror.ctan.org/fonts/nanumtype1>
- *The xetexko package. Typeset Korean with Xe(La)TeX.* 2022-11-01. Version 4.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xetexko>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/generic/xetexko>
- Kim, Dohyun and Soojin Nam. *The luatexko package. Typeset Korean with Lua(La)TeX.* 2022-11-01. Version 3.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/luatexko>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/luatexko>
- Kim, Jeong-Hwan and Werner Lemberg. *The baekmuk package. Baekmuk Korean TrueType fonts.* 2020-11-12. Version 2.2.1. LICENSE: other-free  
 URL: <https://ctan.org/pkg/baekmuk>  
 MIRROR: <https://mirror.ctan.org/fonts/baekmuk>
- Kim, Kangsoo. *The pmhanguljamo package. Poor man's Hangul Jamo input method.* 2023-03-05. Version 1.0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pmhanguljamo>  
 MIRROR: <https://mirror.ctan.org/language/korean/pmhanguljamo>
- Kim, Kangsoo and In-Sung Cho. *The lshort-korean package. Korean introduction to L<sup>A</sup>T<sub>E</sub>X.* 2021-03-17. LICENSE: fdl. A translation of Oetiker's original .  
 URL: <https://ctan.org/pkg/lshort-korean>  
 MIRROR: <https://mirror.ctan.org/info/lshort/korean>
- Kim, Wonkoo. *The dvips-os2 package. OS/2 dvips.* 2016-06-24. Version 5.83. LICENSE: gpl. OS/2 (and hence MS-DOS, MS-Windows3.1, MS-Windows32) executable for .  
 URL: <https://ctan.org/pkg/dvips-os2>  
 MIRROR: <https://mirror.ctan.org/systems/os2/dviware/dvips/dvips583.zip>
- *The pitthesis package. Document class for University of Pittsburgh theses.* 2016-06-24. Version 1.2. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/pitthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pitthesis>
- Kime, Philip. *The biber-linux package. Biber binaries for Linux.* 2023-03-06. Version 2.19. LICENSE: artistic2  
 URL: <https://ctan.org/pkg/biber-linux>  
 MIRROR: <https://mirror.ctan.org/biblio/biber/biber-linux>
- *The biber-macos package. Biber binaries for MacOS.* 2023-03-06. Version 2.19. LICENSE: artistic2  
 URL: <https://ctan.org/pkg/biber-macos>  
 MIRROR: <https://mirror.ctan.org/biblio/biber/biber-macos>

- *The biber-ms-linux package. Biber (multiscript) binaries for Linux.* 2023-03-08. Version 4.0-1. LICENSE: artistic2. This package offers multiscript Biber binaries for the Linux platform. These are to be used with the package.  
URL: <https://ctan.org/pkg/biber-ms-linux>  
MIRROR: <https://mirror.ctan.org/biblio/biber-ms/biber-ms-linux>
- *The biber-ms-macos package. Biber (multiscript) binaries for MacOS.* 2023-03-08. Version 4.0-1. LICENSE: artistic2. This package offers multiscript Biber binaries for the MacOS platform. These are to be used with the package.  
URL: <https://ctan.org/pkg/biber-ms-macos>  
MIRROR: <https://mirror.ctan.org/biblio/biber-ms/biber-ms-macos>
- *The biber-ms-windows package. Biber (multiscript) binaries for Windows.* 2023-03-08. Version 4.0-1. LICENSE: artistic2. This package offers multiscript Biber binaries for the Windows platform. These are to be used with the package.  
URL: <https://ctan.org/pkg/biber-ms-windows>  
MIRROR: <https://mirror.ctan.org/biblio/biber-ms/biber-ms-windows>
- *The biber-windows package. Biber binaries for Windows.* 2023-03-06. Version 2.19. LICENSE: artistic2  
URL: <https://ctan.org/pkg/biber-windows>  
MIRROR: <https://mirror.ctan.org/biblio/biber/biber-windows>
- *The biblatex-apa package. Bib<sub>La</sub>T<sub>E</sub>X citation and reference style for APA.* 2023-03-20. Version 9.17. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/biblatex-apa>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-apa>
- Kime, Philip. *The biblatex-apa6 package. Bib<sub>La</sub>T<sub>E</sub>X citation and reference style for APA 6th Edition.* 2020-08-29. Version 8.5. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/biblatex-apa6>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-apa6>
- *The biblatex-ms package. Sophisticated Bibliographies in L<sub>A</sub>T<sub>E</sub>X (multiscript version).* 2023-03-08. Version 4.0-1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/biblatex-ms>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-ms>
- Kime, Philip and François Charette. *The biber package. A Bib<sub>La</sub>T<sub>E</sub>X replacement for users of Bib<sub>La</sub>T<sub>E</sub>X.* 2023-03-06. Version 2.19. LICENSE: artistic2  
URL: <https://ctan.org/pkg/biber>  
MIRROR: <https://mirror.ctan.org/biblio/biber/base>
- *The biber-ms package. A Bib<sub>La</sub>T<sub>E</sub>X replacement for users of Bib<sub>La</sub>T<sub>E</sub>X (multiscript version).* 2023-03-08. Version 4.0-1. LICENSE: artistic2. This is the multiscript version of biber (biber-ms) and must be used with the multiscript version of  
URL: <https://ctan.org/pkg/biber-ms>  
MIRROR: <https://mirror.ctan.org/biblio/biber-ms/base>
- Kime, Philip and Alexander Krumeich. *The biber-linux-musl package. Biber binaries for Linux-MUSL.* 2023-04-16. Version 2.19-1. LICENSE: artistic2  
URL: <https://ctan.org/pkg/biber-linux-musl>  
MIRROR: <https://mirror.ctan.org/biblio/biber/biber-linux-musl>
- Kime, Philip and Nikola Lečić. *The biber-freebsd package. Biber binaries for FreeBSD.* 2023-03-13. Version 2.19. LICENSE: artistic2  
URL: <https://ctan.org/pkg/biber-freebsd>  
MIRROR: <https://mirror.ctan.org/biblio/biber/biber-freebsd>
- Kinch, Richard. *The belleek package. Free replacement for basic MathTime fonts.* 2023-02-22. LICENSE: pd  
URL: <https://ctan.org/pkg/belleek>  
MIRROR: <https://mirror.ctan.org/fonts/belleek>
- Kingston, Jeff. *The lout package. An alternative typesetting system.* 2017-04-18. Version 3.40. LICENSE: gpl  
URL: <https://ctan.org/pkg/lout>  
MIRROR: <https://mirror.ctan.org/support/lout>
- Kirillova, Dariya. *The numending package. Generates morphological end of units.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/numending>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numending>
- Kirsch, Sebastian Marius. *The altfont package. Alternative font handling in L<sub>A</sub>T<sub>E</sub>X.* 2016-06-24. Version 1.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/altfont>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/altfont>
- *The bizcard package. Typeset business cards.* 2016-06-24. Version 1.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/bizcard>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bizcard>

- *The dco package*. Use the DC fonts with old-style numerals. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/dco>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/dco>
- *The eco package*. Oldstyle numerals using EC fonts. 2016-06-24. Version 1.3. LICENSE: gpl. A set of font metric files and virtual fonts for using the fonts with oldstyle numerals. These files can only be used together with the standard ec fonts. The style file eco.sty is sufficient to use the eco fonts but if you intend to use other font families as well, e.g., PostScript fonts, try .  
 URL: <https://ctan.org/pkg/eco>  
 MIRROR: <https://mirror.ctan.org/fonts/eco>
- *The psfont package*. Alternative font handling in L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/psfont>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/altfont>
- Kisselhoff, Nicolas. *The tableaux package*. Construct tables of signs and variations. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tableaux>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tableaux>
- Kitagawa, Hironori. *The luatexja package*. Typeset Japanese with Lua(La)T<sub>E</sub>X. 2023-05-03. Version 20230503.0. LICENSE: bsd  
 URL: <https://ctan.org/pkg/luatexja>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/luatexja>
- Klammler, Moritz. *The dirtytalk package*. A package to typeset quotations easier. 2023-03-06. Version 1.0. LICENSE: pd. The package provides a macro to typeset quotations, using the command . The quotation mark glyphs are inserted by the macro; nested quotations are detected.  
 URL: <https://ctan.org/pkg/dirtytalk>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dirtytalk>
- Kleb, Bil. *The aiaa package*. Typeset AIAA conference papers. 2016-06-24. Version 3.6. LICENSE: lppl  
 URL: <https://ctan.org/pkg/aiaa>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/aiaa>
- *The postcards package*. Facilitates mass-mailing of postcards (junkmail). 2016-06-24. LICENSE: lppl. A modification of the standard L<sup>A</sup>T<sub>E</sub>X letter class which prints multiple, pre-stamped, 5.5” by 3.5” postcards (a US standard size) via the and packages. An address database is employed to address the front side of each postcard and a message is printed on the back side of all. An illustrative example is provided.  
 URL: <https://ctan.org/pkg/postcards>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/postcards>
- *The subfigmat package*. Automates layout when using the subfigure package. 2016-06-24. Version 1.0. LICENSE: lppl. Defines an array/matrix-type environment that is used with the package to automate the placement of subfigures (or tables or text). The subfigures are placed left-to-right, top-to-bottom.  
 URL: <https://ctan.org/pkg/subfigmat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/subfigmat>
- *The umich-thesis package*. University of Michigan Thesis L<sup>A</sup>T<sub>E</sub>X class. 2018-01-06. Version 1.20. LICENSE: lppl  
 URL: <https://ctan.org/pkg/umich-thesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/umich-thesis>
- Kleber, Josef. *The bankstatement package*. A L<sup>A</sup>T<sub>E</sub>X class for bank statements based on csv data. 2017-04-18. Version 0.9.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bankstatement>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bankstatement>
- *The battleship package*. A L<sup>A</sup>T<sub>E</sub>X style file for typesetting Battleship logic puzzles. 2020-09-17. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/battleship>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/battleship>
- *The diadia package*. Package to keep a diabetes diary. 2017-04-18. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/diadia>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/diadia>
- *The dvdcol1 package*. A class for typesetting DVD archives. 2016-08-23. Version 1.1a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dvdcol1>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dvdcol1>
- *The getmap package*. Download OpenStreetMap maps for use in documents. 2019-03-25. Version 1.11. LICENSE: lppl  
 URL: <https://ctan.org/pkg/getmap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/getmap>

- *The installfont package*. A bash script for installing a L<sup>A</sup>T<sub>E</sub>X font family. 2018-01-06. Version 1.7. LICENSE: lppl  
URL: <https://ctan.org/pkg/installfont>  
MIRROR: <https://mirror.ctan.org/support/installfont>
- *The logicpuzzle package*. Typeset (grid-based) logic puzzles. 2017-04-18. Version 2.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/logicpuzzle>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/logicpuzzle>
- *The miktex\_update package*. A cygwin bash script for automatic updating and installing new packages of MiKTeX. 2016-08-23. Version 1.4. LICENSE: lppl. The miktex\_update script offers automatic updating and installing of new packages of an existing installation. It supports direct connection with online repositories of the MiKTeX server network, as well as synchronizing a local repository (CTAN) with following update. In the end you should have an up-to-date and complete installation.  
URL: [https://ctan.org/pkg/miktex\\_update](https://ctan.org/pkg/miktex_update)  
MIRROR: [https://mirror.ctan.org/support/miktex\\_update](https://mirror.ctan.org/support/miktex_update)
- *The milog package*. A L<sup>A</sup>T<sub>E</sub>X class for fulfilling the documentation duties according to the German minimum wage law MiLoG. 2017-04-18. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/milog>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/milog>
- *The pdfcomment package*. A user-friendly interface to pdf annotations. 2018-11-01. Version 2.4a. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pdfcomment>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfcomment>
- *The softmaker-alteschwabacher package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Alte Schwabacher font. 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-alteschwabacher>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/alteschwabacher>
- Kleber, Josef. *The softmaker-artistic package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Artistic font. 2016-08-23. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-artistic>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/artistic>
- *The softmaker-baskervillenova package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Baskerville Nova fonts. 2016-08-23. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-baskervillenova>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/baskervillenova>
- *The softmaker-bonita package*. L<sup>A</sup>T<sub>E</sub>X Support files for SoftMaker Bonita. 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-bonita>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/bonita>
- *The softmaker-broadway package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Broadway fonts. 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-broadway>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/broadway>
- *The softmaker-canossa package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Canossa fonts. 2016-08-23. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-canossa>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/canossa>
- *The softmaker-congress package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Congress fonts. 2016-08-23. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-congress>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/congress>
- *The softmaker-delanocaps package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Delano Caps font. 2016-08-23. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-delanocaps>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/delanocaps>
- *The softmaker-digital package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Digital fonts. 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-digital>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/digital>
- *The softmaker-egyptiennestd package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker EgyptienneStd fonts. 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-egyptiennestd>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/egyptiennestd>
- *The softmaker-flagstaff package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Flagstaff font. 2016-08-23. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-flagstaff>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/flagstaff>



- *The softmaker-grenoble package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Grenoble fonts.* 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-grenoble>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/grenoble>
- *The softmaker-helium package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Helium fonts.* 2016-08-23. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-helium>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/helium>
- *The softmaker-heliumtwo package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Helium fonts.* 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-heliumtwo>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/heliumtwo>
- *The softmaker-henderson package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Henderson font.* 2016-08-23. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-henderson>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/henderson>
- *The softmaker-iceberg package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Iceberg font.* 2016-08-23. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-iceberg>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/iceberg>
- *The softmaker-inverserif package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Inverserif font.* 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-inverserif>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/inverserif>
- *The softmaker-jugendstil package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Jugendstil font.* 2016-08-23. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-jugendstil>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/jugendstil>
- Kleber, Josef. *The softmaker-marseille package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Marseille fonts.* 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-marseille>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/marseille>
- *The softmaker-moab package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Moab font.* 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-moab>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/moab>
- *The softmaker-nevada package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Nevada fonts.* 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-nevada>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/nevada>
- *The softmaker-newcastle package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Newcastle fonts.* 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-newcastle>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/newcastle>
- *The softmaker-oldblackletter package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Old Blackletter font.* 2016-08-23. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-oldblackletter>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/oldblackletter>
- *The softmaker-quadrat package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Quadrat fonts.* 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-quadrat>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/quadrat>
- *The softmaker-stonehand package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Stone Handwriting font.* 2016-08-23. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-stonehand>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/stonehand>
- *The softmaker-sunset package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Sunset fonts.* 2016-08-23. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-sunset>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/sunset>
- *The softmaker-tampa package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Congress fonts.* 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-tampa>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/tampa>
- *The softmaker-vagrounded package. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker VAGRounded font.* 2016-08-23. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-vagrounded>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/vagrounded>

- *The softmaker-velo package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Velo font. 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-velo>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/velo>
- *The softmaker-veracruz package*. L<sup>A</sup>T<sub>E</sub>X Support files for the SoftMaker Veracruz fonts. 2016-08-23. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmaker-veracruz>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/veracruz>
- *The softmakerfreefont package*. Support files for SoftMaker free fonts. 2020-12-18. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/softmakerfreefont>  
MIRROR: <https://mirror.ctan.org/fonts/softmakerfreefont/softmakerfreefont>
- Klein, Dennis. *The rest-api package*. Describing a rest api. 2020-12-04. Version 1.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/rest-api>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rest-api>
- Kleinbühl, Jürgen. *The os2tex package*. A distribution of T<sub>E</sub>X for OS/2 Warp. 2016-06-18. LICENSE: shareware  
URL: <https://ctan.org/pkg/os2tex>  
MIRROR: <https://mirror.ctan.org/systems/os2/os2tex>
- Kleinod, Ekkart. *The changes package*. Manual change markup. 2023-05-17. Version 4.2.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/changes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/changes>
- Kleiweg, Peter. *The iahyphen package*. Hyphenation patterns for Interlingua. 2016-06-24. Version 0.2c. LICENSE: lppl. is an “international auxiliary language”.  
URL: <https://ctan.org/pkg/iahyphen>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/iahyphen.tex>
- Kleiweg, Peter. *The pssplit package*. Select pages from PostScript files. 2017-04-18. LICENSE: gpl  
URL: <https://ctan.org/pkg/pssplit>  
MIRROR: <https://mirror.ctan.org/support/pssplit>
- *The utf2any package*. Converting Unicoded text to L<sup>A</sup>T<sub>E</sub>X, HTML, etc. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/utf2any>  
MIRROR: <https://mirror.ctan.org/support/utf2any>
- *The wsuipa2tipa package*. Translate wsuipa font commands into tipa font commands. 2016-06-24. LICENSE: gpl. Old fonts don’t compile well on newer T<sub>E</sub>X distributions, and may be unavailable on your local installation. The fonts are superseded by the newer fonts. The program wsu2tipa works as a filter that translates an old L<sup>A</sup>T<sub>E</sub>X document, replacing all wsuipa font commands with tipa font commands.  
URL: <https://ctan.org/pkg/wsuipa2tipa>  
MIRROR: <https://mirror.ctan.org/support/wsuipa2tipa>
- Klemens, Ben. *The thrmappendix package*. Theorems, lemmas, etc., in appendix. 2016-06-24. LICENSE: gpl2  
URL: <https://ctan.org/pkg/thrmappendix>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/thrmappendix.sty>
- Kletzing, Dennis. *The multenum package*. Multi-column enumerated lists. 2016-06-24. LICENSE: lppl1  
URL: <https://ctan.org/pkg/multenum>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multenum>
- Kleveland, Rune and Ole Michael Selberg. *The nohyphbx package*. General hyphenation patterns for Norwegian. 2018-01-06. LICENSE: lppl  
URL: <https://ctan.org/pkg/nohyphbx>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/nohyph/nohyphbx.tex>
- Kleveland, Rune, Ole Michael Selberg, and Karl Ove Hufthammer. *The nohyph package*. Norwegian hyphenation. 2016-11-05. LICENSE: other-free. The directory holds the , together with a couple of exception files, one for Norwegian Bokmål (nbhyph.tex) and one for Norwegian Nynorsk (nnhyph.tex). Each exception file may be used as a hyphenation file in its own right, since each also loads the main patterns.  
URL: <https://ctan.org/pkg/nohyph>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/nohyph>
- Klever, Jan and Karsten Tinnfeld. *The quotchap package*. Decorative chapter headings. 2020-11-13. Version 1.3. LICENSE: gpl2. A package for creating decorative chapter headings with quotations. Uses graphical and coloured output and by default needs the “Adobe standard font set” (as supported by ).  
URL: <https://ctan.org/pkg/quotchap>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/quotchap>

- Klöcker, Jens. *The syngen package. A tool for generating syntax diagrams from BNF*. 2016-06-24. Version 0.4. LICENSE: gpl  
 URL: <https://ctan.org/pkg/syngen>  
 MIRROR: <https://mirror.ctan.org/support/syngen>
- Klöckl, Ingo. *The faltblat package. Making Leaflets*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/faltblat>  
 MIRROR: <https://mirror.ctan.org/info/examples/ltt>
- *The ifsym package. A collection of symbols*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ifsym>  
 MIRROR: <https://mirror.ctan.org/fonts/ifsym>
  - *The ltt package. Example code for "L<sup>A</sup>T<sub>E</sub>X Tipps und Tricks" book*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ltt>  
 MIRROR: <https://mirror.ctan.org/info/examples/ltt>
  - *The ochem package. Typeset chemical formulae with L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lpl  
 URL: <https://ctan.org/pkg/ochem>  
 MIRROR: <https://mirror.ctan.org/support/ochem>
- Klute, Rainer. *The Imake-TeX package. An Imake system for T<sub>E</sub>X*. 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/imaketex>  
 MIRROR: <https://mirror.ctan.org/support/imaketex>
- Kluth, Marie-Paule, Jérémy Just, and Yannick Tanguy. *The faq-fr package. French FAQ of the GUTenberg T<sub>E</sub>X user group*. 2023-07-12.  
 LICENSE: cc-by-sa-4  
 URL: <https://ctan.org/pkg/faq-fr>  
 MIRROR: <https://mirror.ctan.org/help/LaTeX-FAQ-francaise>
- Knaggs, Peter J. *The chapref package. Bibliography details per chapter*. 2016-06-24. LICENSE: noinfo. The package provides for a separate bibliography section in each chapter. (It is assumed that each chapter is in its own d file.)  
 URL: <https://ctan.org/pkg/chapref>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/chapref.sty>
- Knappen, Jörg. *The bashkirian package. Bashkirian extension to OT2 fonts*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/bashkirian>  
 MIRROR: <https://mirror.ctan.org/fonts/cyrillic/bashkirian>
- *The esperant package. Style option for writing Esperanto texts*. 2016-06-24. Version 1.1.a. LICENSE: nosell. A L<sup>A</sup>T<sub>E</sub>X 2.09 style option for typesetting documents in Esperanto; it seems to be a precursor of the esperanto option of current .  
 URL: <https://ctan.org/pkg/esperant>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/esperant.sty>
  - *The fc package. Fonts for African languages*. 2016-06-24. Version 1.4. LICENSE: gpl2. The fonts are provided as Metafont source, in the familiar arrangement of lots of (autogenerated) preamble files and a modest set of glyph specifications. (A similar arrangement appears in the and font bundles.)  
 URL: <https://ctan.org/pkg/fc>  
 MIRROR: <https://mirror.ctan.org/fonts/jknappen/fc>
  - *The greekctr package. Represent counters by letters of the Greek alphabet*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/greekctr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen>
  - *The holtpolt package. Typeset Maxwell's non-commutative division*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/holtpolt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen/holtpolt.sty>
  - *The jknappen package. Miscellaneous packages by Joerg Knappen*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/jknappen>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen>
  - *The kmrhyph package. Hyphenation patterns for Kurmanji, T1 encoded*. 2018-04-25. Version 1.0. LICENSE: lpl  
 URL: <https://ctan.org/pkg/kmrhyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/kmrhyph.tex>
  - *The latin1jk package. Inputenc encoding for verbatim ISO 8859-1 use*. 2018-01-06. Version 1.3. LICENSE: gpl  
 URL: <https://ctan.org/pkg/latin1jk>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen/latin1jk.def>
  - *The latin2jk package. Inputenc encoding for verbatim ISO 8859-2 use*. 2018-01-06. Version 1.3. LICENSE: gpl  
 URL: <https://ctan.org/pkg/latin2jk>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen/latin2jk.def>

- *The latin3jk package. Inputenc encoding for verbatim ISO 8859-3 use.* 2018-01-06. Version 1.3. LICENSE: gpl  
 URL: <https://ctan.org/pkg/latin3jk>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen/latin3jk.def>
- *The mathbbol package. Use the bbold fonts in mathematics.* 2018-01-06. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mathbbol>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen>
- *The mathrsfs package. Support for using RSFS fonts in maths.* 2018-01-06. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mathrsfs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen>
- *The ntsfaq package. Frequently answered questions about T<sub>E</sub>X extension.* 2016-06-24. Version 5. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ntsfaq>  
 MIRROR: <https://mirror.ctan.org/info/NTS-FAQ>
- *The parboxx package. Two extra alignment options for \parbox.* 2016-06-24. LICENSE: gpl. The package provides alignment options (really at the top of the box) and (really at the bottom of the box), for the standard L<sup>A</sup>T<sub>E</sub>X macro.  
 URL: <https://ctan.org/pkg/parboxx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen/parboxx.sty>
- *The sans package. Exchange Roman and Sans faces in a document.* 2018-01-06. LICENSE: gpl  
 URL: <https://ctan.org/pkg/sans>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen/sans.sty>
- *The semtrans package. Transliteration of semitic languages.* 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/semtrans>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen/semtrans.sty>
- Knappen, Jörg. *The sgmlcmpt package. Support for L<sup>A</sup>T<sub>E</sub>X formulae as SGML PCDATA.* 2016-06-24. LICENSE: gpl. Replacement control sequences for the characters , , and (as column separator) and for the command . The replacements make it possible to enter L<sup>A</sup>T<sub>E</sub>X formulae as SGML PCDATA.  
 URL: <https://ctan.org/pkg/sgmlcmpt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen>
- *The smartmn package. Make hyphens print as minus signs where appropriate.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/smartmn>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen/smartmn.sty>
- *The tccomp package. Provide compatibility names for textcomp.sty.* 2016-06-24. Version 1.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tccomp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen/tccomp.sty>
- *The vmmps package. Metrics for using Type 1 fonts available in VMS.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/vmmps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psnfss-addons/vmmps>
- Knappen, Jörg and Terry Mart. *The inhyph package. Hyphenation patterns for Bahasa Indonesia.* 2018-01-06. Version 1.3. LICENSE: gpl  
 URL: <https://ctan.org/pkg/inhyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/inhyph.tex>
- Knappen, Jörg, Terry Mart, and Johannes L. Braams. *The babel-bahasa package. Support for Bahasa within babel.* 2017-02-17. Version 1.0l. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-bahasa>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/babel-contrib/bahasa>
- Knappen, Jörg, Terry Mart, Johannes L. Braams, and Javier Bezos López. *The babel-indonesian package. Support for Indonesian within babel.* 2018-01-13. Version 1.0m. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-indonesian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/indonesian>
- *The babel-malay package. Support for Malay within babel.* 2018-01-13. Version 1.0m. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-malay>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/malay>
- Knappen, Jörg and Norbert Schwarz. *The ec package. Computer modern fonts in T1 and TS1 encodings.* 2016-06-24. Version 1.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ec>  
 MIRROR: <https://mirror.ctan.org/fonts/ec>

- Knappen, Jörg and Paul E. S. Wormer. *The young package. Young tableaux*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/young>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jknappen/young.sty>
- Kneser, Thomas. *The floatfig package. Deprecated: Allows text to be wrapped around figures*. 2016-06-24. LICENSE: nosell  
 URL: <https://ctan.org/pkg/floatfig>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex209/contrib/floatfig.zip>
- Knight, Fred. *The colors package. Simple colour-selection commands*. 2016-06-24. LICENSE: noinfo. This is another very simple package for supporting colour in L<sup>A</sup>T<sub>E</sub>X 2.09, for PostScript output via ; it has even less ‘infrastructure’ than does the package, and like that package is nowadays superseded by the L<sup>A</sup>T<sub>E</sub>X standard package.  
 URL: <https://ctan.org/pkg/colors>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/colors.sty>
- Knight, Fred and M. F. Ryba. *The side package. Rotated floats for L<sup>A</sup>T<sub>E</sub>X 2.09*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/side>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/side.sty>
- Knuth, Donald E. *The base package. Definitive source of Plain T<sub>E</sub>X on CTAN*. 2020-06-21. LICENSE: knuth  
 URL: <https://ctan.org/pkg/base>  
 MIRROR: <https://mirror.ctan.org/macros/plain/base>
- *The cm package. Computer Modern fonts*. 2016-06-24. LICENSE: knuth  
 URL: <https://ctan.org/pkg/cm>  
 MIRROR: <https://mirror.ctan.org/fonts/cm>
  - *The cm-mf package. Sources of the Computer Modern fonts*. 2021-02-09. LICENSE: knuth  
 URL: <https://ctan.org/pkg/cm-mf>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/mf>
  - Knuth, Donald E. *The cm-pk package. PK bitmaps of the Computer Modern fonts*. 2016-06-24. LICENSE: knuth  
 URL: <https://ctan.org/pkg/cm-pk>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/pk>
  - *The cm-tfm package. Metric files for the Computer Modern fonts*. 2022-12-22. LICENSE: knuth. These are the 75 metric (TFM) files for the by Donald Knuth. While they are not strictly necessary for current T<sub>E</sub>X systems (which can generate TFM files, as needed, on the fly), distributions do nevertheless carry them.  
 URL: <https://ctan.org/pkg/cm-tfm>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/tfm>
  - *The cmtest package. CM fonts test sources*. 2016-06-24. LICENSE: knuth  
 URL: <https://ctan.org/pkg/cmtest>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/cmtest>
  - *The concrete package. Concrete Roman fonts*. 2022-02-01. LICENSE: knuth  
 URL: <https://ctan.org/pkg/concrete>  
 MIRROR: <https://mirror.ctan.org/fonts/concrete>
  - *The dvitype package. Type out the content of a DVI file*. 2016-06-24. Version 3.6. LICENSE: pd  
 URL: <https://ctan.org/pkg/dvitype>  
 MIRROR: <https://mirror.ctan.org/systems/knuth/dist/texware/dvitype.web>
  - *The gen package. Genealogy symbols*. 2016-06-24. LICENSE: knuth. A (Metafont) font developed for Jill Knuth’s genealogy project. Available in three optical sizes: files ,  
 URL: <https://ctan.org/pkg/gen>  
 MIRROR: <https://mirror.ctan.org/systems/knuth/local/cm>
  - *The gkpmac package. The macros used in “Concrete Mathematics”*. 2016-11-06. LICENSE: knuth  
 URL: <https://ctan.org/pkg/gkpmac>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/gkpmac.tex>
  - *The GraphBase package. A platform for combinatorial algorithms*. 2016-06-24. LICENSE: knuth. A program developed (presumably) in pursuit of work on “  
 URL: <https://ctan.org/pkg/graphbase>  
 MIRROR: <https://mirror.ctan.org/support/graphbase>
  - *The gray package. Fonts for gray-scales*. 2016-06-24. LICENSE: knuth  
 URL: <https://ctan.org/pkg/gray>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/utilityfonts/gray>
  - *The jablantile package. Metafont version of tiles in the style of Slavik Jablan*. 2016-06-24. LICENSE: pd. This is a small Metafont font to implement the modular tiles described by Slavik Jablan. For an outline of the theoretical structure of the tiles, see (for



example).

URL: <https://ctan.org/pkg/jablantile>

MIRROR: <https://mirror.ctan.org/fonts/jablantile>

- *The knuth-base package. The current state of Knuth’s contributions.* 2016-06-24. LICENSE: knuth. This directory tree holds copies of material on Knuth’s mirror site. The material is divided into two main parts: – the , and – .

URL: <https://ctan.org/pkg/knuth-base>

MIRROR: <https://mirror.ctan.org/systems/knuth>

- *The knuth-dist package. The current state of Knuth’s contributions.* 2021-02-10. LICENSE: knuth,pd

URL: <https://ctan.org/pkg/knuth-dist>

MIRROR: <https://mirror.ctan.org/systems/knuth/dist>

- *The knuth-errata package. Knuth’s published errata.* 2021-04-03. LICENSE: knuth

URL: <https://ctan.org/pkg/knuth-errata>

MIRROR: <https://mirror.ctan.org/systems/knuth/dist/errata>

- *The knuth-letter package. Knuth’s example letter macros.* 2021-03-09. LICENSE: knuth. These are Knuth’s own letter macros. Documentation is entirely missing from the archive, but the macros are discussed in some detail in the  $\TeX$ book (which says it is describing ).

URL: <https://ctan.org/pkg/knuth-letter>

MIRROR: <https://mirror.ctan.org/systems/knuth/local/lib/letterformat.tex>

- *The knuth-lib package. Core  $\TeX$  and Metafont sources from Knuth.* 2021-02-27. LICENSE: knuth

URL: <https://ctan.org/pkg/knuth-lib>

MIRROR: <https://mirror.ctan.org/systems/knuth/dist/lib>

- *The knuth-local package. Knuth’s local information.* 2021-03-09. LICENSE: pd. A collection of experimental programs and developments based on, or complementary to, the matter in his .

URL: <https://ctan.org/pkg/knuth-local>

MIRROR: <https://mirror.ctan.org/systems/knuth/local>

- Knuth, Donald E. *The list package. List ASCII text files.* 2016-06-24. LICENSE: knuth

URL: <https://ctan.org/pkg/list>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/list.tex>

- *The llist package. List ASCII text files in landscape.* 2016-06-24. LICENSE: knuth

URL: <https://ctan.org/pkg/llist>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/llist.tex>

- *The Metafont package. A system for specifying fonts.* 2022-02-01. Version 2.71828182. LICENSE: knuth

URL: <https://ctan.org/pkg/metafont>

MIRROR: <https://mirror.ctan.org/systems/knuth/dist/mf>

- *The mfbook package. The source of The Metafontbook.* 2021-02-09. LICENSE: other-nonfree

URL: <https://ctan.org/pkg/mfbook>

MIRROR: <https://mirror.ctan.org/systems/knuth/dist/mf/mfbook.tex>

- *The picmac package. A picture mode in Plain  $\TeX$ .* 2016-11-06. LICENSE: knuth

URL: <https://ctan.org/pkg/picmac>

MIRROR: <https://mirror.ctan.org/systems/knuth/local/lib/picmac.tex>

- *The plain package. The Plain  $\TeX$  format.* 2016-11-06. Version 3.141592653. LICENSE: knuth

URL: <https://ctan.org/pkg/plain>

MIRROR: <https://mirror.ctan.org/macros/plain/base>

- *The ransom package. A “very bad typewriter” font.* 2016-06-24. LICENSE: knuth

URL: <https://ctan.org/pkg/ransom>

MIRROR: <https://mirror.ctan.org/fonts/ransom>

- *The selectpage package. Select pages to be output from a document.* 2020-04-11. LICENSE: knuth

URL: <https://ctan.org/pkg/selectpage>

MIRROR: <https://mirror.ctan.org/macros/generic/misc/selectpage.tex>

- *The tangle package. Generate compilable source from web.* 2021-02-09. Version 4.6. LICENSE: knuth. This is the component of Knuth’s that produces a compilable source from the web representation of a program.

URL: <https://ctan.org/pkg/tangle>

MIRROR: <https://mirror.ctan.org/systems/knuth/dist/web/tangle.web>

- *The testfont package. A testbed for font evaluation.* 2016-06-24. LICENSE: knuth. This file (part of the distribution) allows the user to select fonts and to perform a number of evaluation tests, from simple font tables through to elaborate pattern samples.

- URL: <https://ctan.org/pkg/testfont>  
 MIRROR: <https://mirror.ctan.org/macros/plain/base/testfont.tex>
- *The TeX package. A sophisticated typesetting engine.* 2022-02-01. Version 3.141592653. LICENSE: knuth  
 URL: <https://ctan.org/pkg/tex>  
 MIRROR: <https://mirror.ctan.org/systems/knuth/dist/tex>
  - *The texbook package. The source of The T<sub>E</sub>Xbook.* 2021-02-09. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/texbook>  
 MIRROR: <https://mirror.ctan.org/systems/knuth/dist/tex/texbook.tex>
  - *The texware package. Utility programs for use with T<sub>E</sub>X.* 2021-08-26. LICENSE: pd  
 URL: <https://ctan.org/pkg/texware>  
 MIRROR: <https://mirror.ctan.org/systems/knuth/dist/texware>
  - *The twocolumns package. Knuth’s two-column output macros.* 2016-06-24. LICENSE: knuth  
 URL: <https://ctan.org/pkg/twocolumns>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/2columns.mac>
  - *The vf-knuth package. Knuth on virtual fonts.* 2021-08-26. LICENSE: knuth  
 URL: <https://ctan.org/pkg/vf-knuth>  
 MIRROR: <https://mirror.ctan.org/info/knuth/virtual-fonts>
  - *The vfware package. Tools for virtual font metrics.* 2021-08-26. LICENSE: knuth  
 URL: <https://ctan.org/pkg/vfware>  
 MIRROR: <https://mirror.ctan.org/systems/knuth/dist/etc>
  - *The weave package. Generate T<sub>E</sub>X source from web.* 2021-02-09. Version 4.5. LICENSE: knuth. This is the component of Knuth’s that produces T<sub>E</sub>X input from the web representation of a program, ready for typesetting.  
 URL: <https://ctan.org/pkg/weave>  
 MIRROR: <https://mirror.ctan.org/systems/knuth/dist/web/weave.web>
- Knuth, Donald E. *The web package. The original literate programming system.* 2016-06-24. Version 4.5. LICENSE: knuth. The system processes ‘web’ files in two ways: firstly to rearrange them to produce compilable code (using the program ), and secondly to produce a T<sub>E</sub>X source (using the program ) that may be typeset for comfortable reading.  
 URL: <https://ctan.org/pkg/web>  
 MIRROR: <https://mirror.ctan.org/systems/knuth/dist/web>
- Knuth, Donald E. and Rohit Grover. *The punk package. Donald Knuth’s punk font.* 2021-08-26. LICENSE: knuth  
 URL: <https://ctan.org/pkg/punk>  
 MIRROR: <https://mirror.ctan.org/fonts/punk>
- Knuth, Donald E. and Taco Hoekwater. *The manual package. Knuth’s “manual” fonts.* 2016-11-05. LICENSE: knuth. Metafont (by Donald Knuth) and Adobe Type 1 (by Taco Hoekwater) versions of the font containing the odd symbols Knuth uses in his books. L<sup>A</sup>T<sub>E</sub>X support is available using the package  
 URL: <https://ctan.org/pkg/manual>  
 MIRROR: <https://mirror.ctan.org/fonts/manual>
- *The mflogo-font package. Metafont logo font.* 2022-02-01. Version 1.002. LICENSE: knuth  
 URL: <https://ctan.org/pkg/mflogo-font>  
 MIRROR: <https://mirror.ctan.org/fonts/mflogo>
- Knuth, Donald E., Leslie Lamport, Pierre A. MacKay, Richard Schwartz, and Michael Melliard-Smith. *The latex-fonts package. A collection of fonts used in L<sup>A</sup>T<sub>E</sub>X distributions.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/latex-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/latex>
- Knuth, Donald E., Tom Rokicki, and David R. Fuchs. *The mfware package. Supporting tools for use with Metafont.* 2021-08-26. LICENSE: pd. A collection of programs (as web source) for processing the output of .  
 URL: <https://ctan.org/pkg/mfware>  
 MIRROR: <https://mirror.ctan.org/systems/knuth/dist/mfware>
- Knuth, Donald E., Andreas Scherer, and Silvio Levy. *The cweb package. A Web system in C.* 2023-08-19. Version 4.10. LICENSE: knuth  
 URL: <https://ctan.org/pkg/cweb>  
 MIRROR: [https://mirror.ctan.org/web/c\\_cpp/cweb](https://mirror.ctan.org/web/c_cpp/cweb)
- Knuutila, Timo. *The tpcmfnt package. Computer modern fonts in “true point sizes”.* 2016-06-24. Version 1.1. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/tpcmfont>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tpcmfont>
- Koch, Dick. *The texshop package. TeX front end for use on MacOS X.* 2023-08-24. Version 5.16. LICENSE: gpl. TeXShop is a T<sub>E</sub>X previewer for Mac OS X, written in Cocoa. T<sub>E</sub>XShop uses and in its default configuration, to conform with Mac OS X’s predilection for PDF.

- URL: <https://ctan.org/pkg/texshop>  
 MIRROR: <https://mirror.ctan.org/support/texshop>
- Kocic, Mikica. *The xcpdftips package. Natbib citations with PDF tooltips*. 2019-05-01. Version 1.1. LICENSE: gpl3+. This L<sup>A</sup>T<sub>E</sub>X package uses and to surround citations with PDF tooltips.  
 URL: <https://ctan.org/pkg/xcpdftips>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xcpdftips>
- Kockaert, Pascal. *The psfrag package. A psfrag eXtension*. 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/psfrag>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psfrag>
- Koellner, Armin. *The VSlit<sub>E</sub>X package. Virtual invisible fonts for use with L<sup>A</sup>T<sub>E</sub>X Slides class*. 2016-06-24. Version 0.4. LICENSE: noinfo. The L<sup>A</sup>T<sub>E</sub>X 2.09-based program Slit<sub>E</sub>X, and the corresponding L<sup>A</sup>T<sub>E</sub>X class, use invisible fonts when producing multi-coloured overlays on foils. Slit<sub>E</sub>X distributions included a set of invisible versions of the Metafont sources of the Computer Modern fonts (an odd concept, but it worked). The present bundle provides a (somewhat more intellectually satisfying) set of virtual fonts that provide the same information (i.e., effectively metrics only) without the need to compile a Metafont source to get it.  
 URL: <https://ctan.org/pkg/vslitex>  
 MIRROR: <https://mirror.ctan.org/fonts/vf-files/vslitex>
- Kohler, Eddie. *The LCD<sub>F</sub>-typetools package. A bundle of outline font manipulation tools*. 2020-02-20. LICENSE: gpl  
 URL: <https://ctan.org/pkg/lcdf-typetools>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/lcdf-typetools>
- *The mma<sub>f</sub>m package. Font metrics for multiple-master font*. 2017-04-18. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mmafm>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/lcdf-typetools>
- Kohler, Eddie. *The mmp<sub>f</sub>b package. Create instance of multiple-master font*. 2017-04-18. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mmpfb>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/lcdf-typetools>
- *The mmt<sub>o</sub>ols package. Multiple master fonts tools*. 2017-04-18. Version 1.13. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mmttools>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/utilities/mmttools>
- Köhler, Andreas. *The Mid2T<sub>E</sub>X/Free package. Convert MIDI to MusicT<sub>E</sub>X input*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mid2tex>  
 MIRROR: <https://mirror.ctan.org/support/mid2tex>
- Kohlhase, Michael. *The dfgproposal package. Support for writing proposals to the DFG*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dfgproposal>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/proposal>
- *The ed package. Editorial Notes for L<sup>A</sup>T<sub>E</sub>X documents*. 2017-04-18. Version 1.8. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/ed>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ed>
- *The errata package. Error markup for L<sup>A</sup>T<sub>E</sub>X documents*. 2016-06-24. Version 0.3. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/errata>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/errata>
- *The eup<sub>o</sub>posal package. A class for preparing FP7 proposals*. 2016-06-24. Version 0.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/euproposal>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/proposal>
- *The proposal package. A set of L<sup>A</sup>T<sub>E</sub>X classes for preparing proposals for collaborative projects*. 2017-04-18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/proposal>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/proposal>
- Kohlhase, Michael and Dennis Müller. *The sT<sub>E</sub>X package. An Infrastructure for Semantic Preloading of L<sup>A</sup>T<sub>E</sub>X Documents*. 2023-03-21. Version 3.3.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/stex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stex>
- Kohm, Markus. *The defold<sub>f</sub>onts package. Define old font commands*. 2023-08-20. Version 1.0. LICENSE: lppl1.3c. In 1994, with L<sup>A</sup>T<sub>E</sub>X2<sub>ε</sub>, the old font commands , , , , , and became obsolete. This package defines them, and also the deprecated KOMA-Script command .  
 URL: <https://ctan.org/pkg/defoldfonts>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/defoldfonts>
- *The floatby<sub>t</sub>oc<sub>b</sub>asic package. An enhancement to package float using package tocbasic*. 2023-08-20. Version 1.0. LICENSE: lppl1.3c. This package adds usage of package to package . This not only improves compatibility with but also adds several new features to

- like optional automatic entries to the table of contents for the lists of new floats, optional numbering of the lists of new floats etc.  
URL: <https://ctan.org/pkg/floatbytocbasic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/floatbytocbasic>
- *The floatrowbytocbasic package. An enhancement to package floatrow using package tocbasic.* 2023-08-20. Version 1.0. LICENSE: lpl1.3c. This package adds usage of package to package . This not only improves compatibility with but also adds several new features to like optional automatic entries to the table of contents for the lists of new floats, optional numbering of the lists of new floats etc.  
URL: <https://ctan.org/pkg/floatrowbytocbasic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/floatrowbytocbasic>
  - *The gridset package. Grid, a.k.a. in-register, setting.* 2020-02-12. Version 0.3. LICENSE: lpl1.3c. Grid setting — also known as strict in-register setting — is something, that should be done for a lot of documents but is not easy using L<sup>A</sup>T<sub>E</sub>X. The package helps to get the information needed for grid setting. It does not implement auto grid setting, but there is a command , that moves to the next grid position. This may be enough under some circumstances, but in other circumstances it may fail. Thus gridset is only one more step for grid setting, not a complete solution.  
URL: <https://ctan.org/pkg/gridset>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gridset>
  - *The GS1 package. Typeset EAN barcodes using T<sub>E</sub>X rules, only.* 2021-06-18. Version 23. LICENSE: lpl1.3c. The (LaTeX3) package typesets EAN-8 and EAN-13 barcodes, using the facilities of the package.  
URL: <https://ctan.org/pkg/gsl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gsl>
- Kohm, Markus. *The koma-script package. A bundle of versatile classes and packages.* 2023-07-07. Version 3.41. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/koma-script>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>
- *The koma-script-examples package. Examples from the KOMA-Script book.* 2022-07-04. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/koma-script-examples>  
MIRROR: <https://mirror.ctan.org/info/examples/KOMA-Script-6>
  - *The koma-script-examples-3 package. Examples from the 3rd edition of the KOMA-Script book.* 2022-07-04. LICENSE: lpl1  
URL: <https://ctan.org/pkg/koma-script-examples-3>  
MIRROR: <https://mirror.ctan.org/info/examples/KOMA-Script-3>
  - *The koma-script-examples-4 package. Examples from the 4th edition of the KOMA-Script book.* 2022-07-04. LICENSE: lpl1  
URL: <https://ctan.org/pkg/koma-script-examples-4>  
MIRROR: <https://mirror.ctan.org/info/examples/KOMA-Script-4>
  - *The koma-script-examples-5 package. Examples from the 5th edition of the KOMA-Script book.* 2022-07-04. LICENSE: lpl1  
URL: <https://ctan.org/pkg/koma-script-examples-5>  
MIRROR: <https://mirror.ctan.org/info/examples/KOMA-Script-5>
  - *The koma-script-obsolete package. Deprecated packages from koma-script.* 2022-07-04. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/koma-script-obsolete>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/koma-script-obsolete>
  - *The luaindex package. Create index using LuaLaTeX.* 2016-06-24. Version 0.1b. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/luaindex>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luaindex>
  - *The makelabels package. Add a ‘\makelabels’ feature to KOMA-Script letter classes and package.* 2021-08-21. Version 1.0. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/makelabels>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/makelabels>
  - *The marginnote package. Notes in the margin, even where \marginpar fails.* 2018-08-09. Version 1.4b. LICENSE: lpl1.3c. This package provides the command that may be used instead of at almost every place where cannot be used, e.g., inside floats, footnotes, or in frames made with the package.  
URL: <https://ctan.org/pkg/marginnote>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/marginnote>
  - *The normalcolor package. Changing \normalcolor.* 2016-11-16. Version r11. LICENSE: lpl1.3. This package provides a command with the same syntax as the command either of package or of package . However, will not change the colour but the / color.  
URL: <https://ctan.org/pkg/normalcolor>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/normalcolor>
  - *The pfarrei package. L<sup>A</sup>T<sub>E</sub>X support of pastors’ and priests’ work.* 2016-06-24. Version r36. LICENSE: lpl1.3. In “Die T<sub>E</sub>Xnische Komödie” (issue 1/2013) Christian Justen described his use of L<sup>A</sup>T<sub>E</sub>X in his work as priest (similar requirements may be encountered

in the work of pastors and other ministers of religion). One point was to arrange A5 pages onto A4 landscape paper, either side-by-side or as a booklet. Justen made two bash scripts for this job; the package provides one texlua script for both requirements. (Note that file should have execute permissions in any installation.)

URL: <https://ctan.org/pkg/pfarrei>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pfarrei>

- *The rule-d package*. Provide L<sup>A</sup>T<sub>E</sub>X3 commands for typesetting rules. 2021-06-18. Version 23. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/rule-d>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gsl>

- *The scraddr package*. Provide data from scr<sub>l</sub>tr2’s address files. 2022-07-04. Version 1.1d. LICENSE: lppl1.3c. The package is a part of the suite. The package uses adr-files to generate circular letters. The package provides commands to read the adr-files and to use the data of the address entries, not only with class and not only for circular letters.

URL: <https://ctan.org/pkg/scraddr>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- *The scrartcl package*. Koma-Script ‘article’ class. 2023-07-07. Version 3.41. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/scrartcl>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- *The scrbase package*. Provide basic features for KOMA-Script. 2023-04-24. Version 3.40. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/scrbase>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- Kohm, Markus. *The scrbook package*. Koma-Script ‘book’ class. 2023-07-07. Version 3.41. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/scrbook>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- *The scrdate package*. Calendar date operations. 2023-07-07. Version 3.41. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/scrdate>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- *The scrextend package*. Use of components of KOMA-Script by other packages. 2023-07-07. Version 3.41. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/scrextend>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- *The scrjura package*. Koma-Script support for lawyers, etc. 2023-07-07. Version 3.41. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/scrjura>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- *The sclayer package*. Manage text ‘layers’ within Koma-Script. 2023-07-07. Version 3.41. LICENSE: lppl1.3c. The package is part of the , and provides control of ‘background’ and ‘foreground’ layers for a page style description.

URL: <https://ctan.org/pkg/sclayer>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- *The sclayer-fancyhdr package*. Combining package fancyhdr with KOMA-Script’s sclayer. 2022-07-08. Version 0.2.2. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/sclayer-fancyhdr>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sclayer-fancyhdr>

- *The sclayer-notecolumn package*. Control note columns parallel to the main text. 2022-07-04. Version 0.3.3915. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/sclayer-notecolumn>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- *The sclayer-scrpage package*. Define and manage page styles. 2023-07-07. Version 3.41. LICENSE: lppl1.3c. This package is the part of the bundle that provides an end user interface to , allowing the user to define and manage page styles by controlling page headers and footers. The end user interface is compatible enough to that of the earlier package, so that users should easily be able to switch from the older package to the newer, more powerful, one.

URL: <https://ctan.org/pkg/sclayer-scrpage>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- *The scrletter package*. Letter extension to KOMA-Script classes. 2023-07-07. Version 3.41. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/scrletter>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>

- *The scrfile package*. Installation control for koma-script packages. 2023-07-07. Version 3.41. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/scrfile>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>



- *The scr1ttr2 package. Koma-Script ‘letter’ class.* 2023-04-24. Version 3.40. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/scr1ttr2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>
- *The scrpage2 package. Control of page headers and footers in L<sup>A</sup>T<sub>E</sub>X.* 2022-07-04. Version 3.30. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/scrpage2>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/koma-script-obsolete>
- *The scrreprt package. Koma-Script ‘report’ class.* 2023-07-07. Version 3.41. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/scrreprt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>
- *The scrtime package. Show the time of a L<sup>A</sup>T<sub>E</sub>X run.* 2023-07-07. Version 3.41. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/scrtime>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>
- *The scrwfile package. Use L<sup>A</sup>T<sub>E</sub>X .aux file in place of \newwrite files.* 2023-04-28. Version 0.1.99. LICENSE: lppl1.3c. The package provides a means of sending all L<sup>A</sup>T<sub>E</sub>X , table of contents, and other miscellaneous output via the L<sup>A</sup>T<sub>E</sub>X file. The mechanism subverts the mechanism of , and means there will never be a “No room for new ” message.  
 URL: <https://ctan.org/pkg/scrwfile>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scrwfile>
- *The setspaceenhanced package. An enhancement of the setspace package.* 2023-08-20. Version 1.0. LICENSE: lppl1.3c. This package adds support for all font sizes, even non-integer resp. non-pt sizes to package . This not only improves compatibility with KOMA-Script but also corrects the stretch value of the usual font sizes.  
 URL: <https://ctan.org/pkg/setspaceenhanced>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/setspaceenhanced>
- Kohm, Markus. *The splitindex package. Unlimited number of indexes.* 2020-03-09. Version 1.2c. LICENSE: lppl. SplitIndex consists of a L<sup>A</sup>T<sub>E</sub>X package, , and a small program, . The package may be used to produce one index or several indexes. Without splitindex (for example, using the package), the number of indexes is limited by the number of T<sub>E</sub>X’s output streams. But using the program you may use even more than 16 indexes: splitidx outputs only a single file and the program splits that file into several raw index files and calls your favorite index processor for each of the files.  
 URL: <https://ctan.org/pkg/splitindex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/splitindex>
- *The tocbasic package. Management of tables/lists of contents (and the like).* 2023-07-07. Version 3.41. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tocbasic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>
- *The tocstyle package. Define style of Table of contents (etc) files.* 2020-07-22. Version 0.2k-alpha. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tocstyle>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/koma-script-obsolete>
- *The uni-titlepage package. Universal titlepages with configuration options and predefined styles.* 2022-09-06. Version 1.1a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/uni-titlepage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uni-titlepage>
- Kohm, Markus and Frank Neukam. *The typearea package. Set page margins.* 2023-07-07. Version 3.41. LICENSE: lppl1.3c. Typearea is a part of the bundle, and is well integrated with the requirements of classes in the bundle, but it is also convenient for use as a package in its own right.  
 URL: <https://ctan.org/pkg/typearea>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script>
- Kolachana, Aditya. *The shobhika package. An OpenType Devanāgarī font designed for scholars.* 2019-03-23. Version 1.05. LICENSE: ofl  
 URL: <https://ctan.org/pkg/shobhika>  
 MIRROR: <https://mirror.ctan.org/fonts/shobhika>
- Kolb, Hans-Peter, Craig Thiersch, and Alexis Dimitriadis. *The gb4e package. Linguistic tools.* 2016-06-24. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/gb4e>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gb4e>
- Kole, Erik. *The econometrics package. Defines some commands that simplify mathematic notation in economic and econometric writing.* 2018-01-07. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/econometrics>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/econometrics>

- Kołodziejska, Hanna. *The go package. Fonts and macros for typesetting go games*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/go>  
 MIRROR: <https://mirror.ctan.org/fonts/go>
- Kołodziejska, Hanna, Bogusław Jackowski, and Marek Ryćko. *The plhyph package. Hyphenation for Polish*. 2021-03-21. Version 3.0b. LICENSE: knuth  
 URL: <https://ctan.org/pkg/plhyph>  
 MIRROR: <https://mirror.ctan.org/language/polish/plhyph.tex>
- Kolorenc, Jindrich. *The simplewick package. Simple Wick contractions*. 2016-06-24. Version 1.2a. LICENSE: gpl  
 URL: <https://ctan.org/pkg/simplewick>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/simplewick>
- Komarath, Balagopal. *The tex-label package. Place a classification on each page of a document*. 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tex-label>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tex-label>
- König, Thomas and Alexander Michel. *The numericplots package. Plot numeric data (including Matlab export) using PSTricks*. 2016-06-24. Version 2.0.2. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/numericplots>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/numericplots>
- Kopecky, Felix. *The langsci-affiliations package. Collect and order authors and affiliations*. 2021-03-26. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/langsci-affiliations>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/langsci/langsci-affiliations.sty>
- Kopecky, Felix. *The langsci-avm package. Feature structures and attribute-value matrices (AVM)*. 2023-02-21. Version 0.3.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/langsci-avm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/langsci-avm>
- Kopp, Oliver. *The biblatex-lni package. LNI style for BibLaTeX*. 2021-05-17. Version 0.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-lni>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-lni>
- *The luabibentry package. Repeat BibTeX entries in a Lua<sup>A</sup>T<sub>E</sub>X document body*. 2020-06-28. Version 0.1a. LICENSE: lppl1.3. The package reimplements , for use in LuaLaTeX.  
 URL: <https://ctan.org/pkg/luabibentry>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luabibentry>
- *The plantuml package. Support for rendering UML diagrams using PlantUML*. 2023-05-13. Version 0.3.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/plantuml>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/plantuml>
- *The refenums package. Define named items and provide back-references with that name*. 2018-03-10. Version 1.1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/refenums>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/refenums>
- *The scientific-thesis-cover package. Provides cover page and affirmation at the end of a thesis*. 2018-06-03. Version 4.0.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/scientific-thesis-cover>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scientific-thesis-cover>
- Kopp, Oliver and Matthias Mühlich. *The coverpage package. Automatic cover page creation for scientific papers*. 2022-05-31. Version 1.01. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/coverpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coverpage>
- Korikov, Konstantin. *The eskdx package. Modern Russian typesetting*. 2016-06-24. Version 0.98. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/eskdx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eskdx>
- Korop, Sergey. *The sanskrit-t1 package. Type 1 version of 'skt' fonts for Sanskrit*. 2020-06-07. LICENSE: lppl. The sanskrit-t1 font package provides Type 1 version of Charles Wikner's for the Sanskrit language.  
 URL: <https://ctan.org/pkg/sanskrit-t1>  
 MIRROR: <https://mirror.ctan.org/fonts/ps-type1/sanskrit>
- Kort, Eric and Howard Trickey. *The ama package. AMA manual of style citations*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ama>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/ama.bst>

- Kosowsky, Conrad. *The innerscript package. Modifies automatic mathematics spacing*. 2021-02-11. Version 1.1. LICENSE: lppl1.3c. This package modifies two aspects of  $\TeX$ 's automatic interatom mathematics spacing. It uses Lua $\TeX$ 's primitives to make superscripts and subscripts more closely resemble and math and to treat subformulas as , effectively eliminating this class.  
URL: <https://ctan.org/pkg/innerscript>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/innerscript>
- *The mathfont package. Use TrueType and OpenType fonts in math mode*. 2023-08-21. Version 2.2b. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/mathfont>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathfont>
- Kostin, Alexei. *The JustFontIt $\TeX$  package. JustFontIt $\TeX$  Edition*. 2016-06-24. Version 1.1. LICENSE: nosell  
URL: <https://ctan.org/pkg/justfontit>  
MIRROR: [https://mirror.ctan.org/fonts/utilities/JustFontIt \$\TeX\$](https://mirror.ctan.org/fonts/utilities/JustFontIt<math>\TeX</math>)
- Kotelnikov, Igor A. *The babel-russian package. Russian language module for Babel*. 2021-01-10. Version 1.3m. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/babel-russian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/russian>
- Kotthoff, Lars. *The dottex package. Use dot code in L $\TeX$* . 2016-06-24. Version 0.6. LICENSE: gpl. The dottex package allows you to encapsulate ‘dot’ and ‘neato’ files in your document (dot and neato are both part of ; dot creates directed graphs, neato undirected graphs). If you have shell-escape enabled, the package will arrange for your files to be processed at L $\TeX$  time; otherwise, the conversion must be done manually as an intermediate process before a second L $\TeX$  run.  
URL: <https://ctan.org/pkg/dottex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dottex>
- Kotthoff, Lars. *The gnuplottex package. Embed Gnuplot commands in L $\TeX$  documents*. 2020-04-06. Version 0.9.5. LICENSE: gpl2  
URL: <https://ctan.org/pkg/gnuplottex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gnuplottex>
- Kotucha, Reinhard. *The luaaddplot package. An extension to pgfplots’ \addplot macro*. 2022-03-30. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/luaaddplot>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/luaaddplot>
- *The vntex-nonfree package. URW Classico and URW Garamond extended for Vietnamese*. 2022-03-12. Version 3.2.2. LICENSE: nosell. This package contains URW Classico and URW Garamond No.8 fonts extended for Vietnamese. It can be installed with .  
URL: <https://ctan.org/pkg/vntex-nonfree>  
MIRROR: <https://mirror.ctan.org/fonts/vntex-nonfree>
  - *The win32-emacs-auctex package. Ready-to-use Emacs and Auc $\TeX$  for Windows*. 2020-06-21. Version Emacs 24.5 and AUC $\TeX$  11.89. LICENSE: other-free  
URL: <https://ctan.org/pkg/win32-emacs-auctex>  
MIRROR: <https://mirror.ctan.org/obsolete/support/win32-emacs-auctex>
- Kotz, David and Daniel Gildea. *The bibtools package. Bib management tools*. 2023-06-17. LICENSE: lppl  
URL: <https://ctan.org/pkg/bibtools>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/bibtools>
- Koutavas, Vasileios. *The totcount package. Find the last value of a counter*. 2016-06-24. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/totcount>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/totcount>
- Kozlovský, Jiří. *The pdftex-quiet package. A bash wrapper for pdf $\TeX$  limiting its output to relevant errors*. 2018-11-15. Version 1.1.0. LICENSE: gpl3  
URL: <https://ctan.org/pkg/pdftex-quiet>  
MIRROR: <https://mirror.ctan.org/support/pdftex-quiet>
- Krajewski, Markus. *The Synapsen package. Reference management tool for Bib $\TeX$* . 2019-06-12. Version 3.0. LICENSE: shareware  
URL: <https://ctan.org/pkg/synapsen>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/Synapsen>
- Krämer, Martin. *The cptex package. Use different code pages for  $\TeX$  input*. 2016-06-24. Version 1.1. LICENSE: shareware  
URL: <https://ctan.org/pkg/cptex>  
MIRROR: <https://mirror.ctan.org/macros/generic/cptex>
- Kraml, Willibald and James Kilfiger. *The vicentino package. Vicentino fonts*. 2016-06-24. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/vicentino>  
MIRROR: <https://mirror.ctan.org/fonts/vicentino>
- Kramm, Sebastien. *The chordbars package. Print chord grids for pop/jazz tunes*. 2018-12-31. Version 1.1. LICENSE: lppl1.3. This -based music-related package is targeted at pop/jazz guitar/bass/piano musicians. They usually need only the chords and the song structure. This package produces rectangular song patterns with “one square per bar”, with the chord shown inside the square. It

also handles the song structure by showing the bar count and the repetitions of the patterns.

URL: <https://ctan.org/pkg/chordbars>

MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/chordbars>

Krause, Dirk. *The bmeps package. Converter from PNG/JPEG/Tg81AIFF/NetPBM to EPS*. 2020-10-11. LICENSE: other-free. This package has been superseded by , but is still distributed as part of the bundle, which is however no longer hosted on CTAN.

URL: <https://ctan.org/pkg/bmeps>

— *The bmpp package. Convert bitmap files to PS/EPS/PDF*. 2020-10-11. LICENSE: bsd

URL: <https://ctan.org/pkg/bmpp>

— *The dktools package. Tools and libraries by Dirk Krause*. 2020-10-11. LICENSE: bsd3

URL: <https://ctan.org/pkg/dktools>

— *The fig2lat package. Convert .fig files to vector graphics*. 2020-10-11. LICENSE: bsd

URL: <https://ctan.org/pkg/fig2lat>

— *The fig2vect package. Yet another Fig to vector converter*. 2020-10-11. LICENSE: other-free

URL: <https://ctan.org/pkg/fig2vect>

Krause, Dirk. *The pdf-forms-tutorial package. Tutorial on creating PDF forms using pdfLaTeX*. 2016-06-24. Version 0.9.5. LICENSE: fdl. This package contains a tutorial and examples showing how to create PDF forms using with the and packages.

URL: <https://ctan.org/pkg/pdf-forms-tutorial>

MIRROR: <https://mirror.ctan.org/info/pdf-forms-tutorial>

— *The png2pdf package. PNG to PDF converter*. 2020-10-11. LICENSE: bsd

URL: <https://ctan.org/pkg/png2pdf>

Kreher, Donald L. *The pseudocode package. L<sup>A</sup>T<sub>E</sub>X environment for specifying algorithms in a natural way*. 2019-06-25. LICENSE: lppl

URL: <https://ctan.org/pkg/pseudocode>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pseudocode>

Kremers, Joost. *The ebib package. BibTeX database manager for GNU Emacs*. 2018-01-06. Version 1.8.0. LICENSE: other-free

URL: <https://ctan.org/pkg/ebib>

MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/ebib>

Kreutzer, Michiel. *The LEIletter package. A letter class for Leiden University*. 2020-10-07. Version 1.3. LICENSE: lppl1.3c,cc-by-sa-3

URL: <https://ctan.org/pkg/leiletter>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/leiletter>

Krieg, Christian. *The OSDA package. Commands for Proceedings of the Workshop on Open-Source Design Automation*. 2023-04-08. Version 1.2.0. LICENSE: lppl1.3,other-nonfree. This package automatically places a copyright notice as an un-numbered footnote on the title page of a document that calls , indicating the information on the workshop where the paper was presented, along with additional information on the host conference, the license under which the document is published, and a link to the corresponding web page of the paper. The generated copyright notice contains a logo of the workshop, and a QR code that points to the paper's web page (to lead to further material). For cases when the copyright notice is not automatically set in the title page's footnote, the copyright notice can be set manually as well.

URL: <https://ctan.org/pkg/osda>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/osda>

Krishnamurthy, Venkat and Michael DeCorte. *The res package. A resumé class*. 2018-01-06. LICENSE: nosell

URL: <https://ctan.org/pkg/res>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/resume/res.cls>

Krommes, John A. *The fweb package. A literate programming tool working with L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.62. LICENSE: gpl. FWEB is based on an early version (0.5) of Silvio Levy's . The 'F' stands for Fortran (which motivated the initial development), but FWEB now supports multiple-language programming in C, C++, Fortran, Ratfor, and T<sub>E</sub>X.

URL: <https://ctan.org/pkg/fweb>

MIRROR: <https://mirror.ctan.org/web/fweb>

Kroonenberg, Siep. *The epspdf package. Converter for PostScript, EPS and PDF*. 2023-02-13. Version 0.6.5.1. LICENSE: gpl2. is a GUI ps/eps/pdf converter. , its command-line backend, can be used by itself. Options include grayscaling, cropping margins and single-page selection. Some conversion options are made possible by converting in multiple steps.

- URL: <https://ctan.org/pkg/epspdf>  
MIRROR: <https://mirror.ctan.org/support/epspdf>
- *The epspdf-extra package. Platform-specific extras for epspdf.* 2016-06-24. Version 0.6.0. LICENSE: gpl. The bundle provides support for on Windows platforms.  
URL: <https://ctan.org/pkg/epspdf-extra>  
MIRROR: <https://mirror.ctan.org/obsolete/support/epspdf-extra>
  - *The epspdf-setup package. epspdf with GUI installer.* 2023-02-14. Version 0.6.5. LICENSE: other-free. epspdf-setup is a Windows installer for and . It replaces the epspdf from the plain package with a version which runs out of the box on Windows, as long as there is a  $\TeX$  installation. On other platforms, the plain epspdf package should suffice.  
URL: <https://ctan.org/pkg/epspdf-setup>  
MIRROR: <https://mirror.ctan.org/obsolete/support/epspdf-setup>
  - *The latexcourse-rug package. A  $\LaTeX$  course book.* 2018-01-06. Version 1.1. LICENSE: other-free  
URL: <https://ctan.org/pkg/latexcourse-rug>  
MIRROR: <https://mirror.ctan.org/info/latexcourse-rug>
  - *The tlaunch package. A Windows GUI to run a networked  $\TeX$  Live as if installed locally.* 2023-03-09. Version 0.5.3. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/tlaunch>  
MIRROR: <https://mirror.ctan.org/obsolete/support/tlaunch>
- Kroutikov, Mike. *The churchslavonic package. Typeset documents in Church Slavonic language using Unicode.* 2023-06-24. Version 0.2.4. LICENSE: mit  
URL: <https://ctan.org/pkg/churchslavonic>  
MIRROR: <https://mirror.ctan.org/language/churchslavonic>
- Kroutikov, Mike and Aleksandr Andreev. *The fonts-churchslavonic package. Fonts for typesetting in Church Slavonic language.* 2023-06-24. Version 2.3. LICENSE: ofl  
URL: <https://ctan.org/pkg/fonts-churchslavonic>  
MIRROR: <https://mirror.ctan.org/fonts/fonts-churchslavonic>
- Kruchinin, Stanislav. *The disser package. Class and templates for typesetting dissertations in Russian.* 2017-03-06. Version 1.5.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/disser>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/disser>
- Krüger, Marcel. *The aligned-overset package. Fix alignment at \overset or \underset.* 2018-04-04. Version 0.1.0. LICENSE: lppl1.3c. This package allows the base character of or to be used as the alignment position for the aligned math environments.  
URL: <https://ctan.org/pkg/aligned-overset>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/aligned-overset>
- *The fontawesome5 package. Font Awesome 5 with  $\LaTeX$  support.* 2022-05-02. Version 5.15.4. LICENSE: ofl,lppl1.3c. This package provides  $\LaTeX$  support for the included “Font Awesome 5 Free” icon set. These icons were designed by and released under the SIL OFL 1.1 license. The commercial “Pro” version is also supported, if it is installed and  $\XeTeX$  or  $\LuaTeX$  is used.  
URL: <https://ctan.org/pkg/fontawesome5>  
MIRROR: <https://mirror.ctan.org/fonts/fontawesome5>
  - *The hyperbar package. Add interactive Barcode fields to PDF forms.* 2018-07-07. Version 0.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/hyperbar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hyperbar>
  - *The inputnormalization package. Wrapper for  $\XeTeX$ ’s and  $\LuaTeX$ ’s input normalization.* 2021-07-07. Version 0.2. LICENSE: lppl1.3. This package provides a cross engine interface to normalizing input before it’s read by  $\TeX$ . It is based on  $\XeTeX$ ’s primitive and for  $\LuaTeX$ .  
URL: <https://ctan.org/pkg/inputnormalization>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/generic/inputnormalization>
  - *The intopdf package. Embed non-PDF files into PDF with hyperlink.* 2022-07-26. Version 0.4.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/intopdf>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/intopdf>
  - *The lua-uni-algos package. Unicode algorithms for  $\LuaTeX$ .* 2022-02-26. Version 0.4.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/lua-uni-algos>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/lua-uni-algos>
  - *The luamathalign package. More flexible alignment in  $\amsmath$  environments.* 2022-05-04. Version 0.3. LICENSE: lppl1.3c. Allow aligning mathematical expressions on points where directly using is not possible, especially in nested macros or environments.



- URL: <https://ctan.org/pkg/luamathalign>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luamathalign>
- *The luapstricks package*. A PSTricks backend for LuaLaTeX. 2023-05-23. Version 0.10. LICENSE: lppl1.3. This package enables the use of directly in LuaLaTeX documents, without invoking external programmes, by implementing a PostScript interpreter in Lua. Therefore it does not require shell escape to be enabled or special environments, and instead allows PSTricks to be used exactly like in based documents.  
URL: <https://ctan.org/pkg/luapstricks>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/luapstricks>
  - *The Luaul package*. Underlining for LuaLaTeX. 2022-06-01. Version 0.2.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/lua-ul>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/lua-ul>
- Kruljac, Gabriele. *The autotab package*. Generating tabulars from input data. 2019-06-21. Version 1.0. LICENSE: noinfo. The package defines a command which prompts the user for the name of a file of data. The commands one numeric argument < > specifies the number of fields to appear in the table being generated; the package reads < > lines at a time from the data file, and creates one tabular line from each such set.  
URL: <https://ctan.org/pkg/autotab>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/autotab>
- Kryukov, Alexey. *The antomega package*. Alternative language support for Omega/Lambda. 2016-06-24. Version 0.8. LICENSE: lppl. A language support package for /Lambda. This replaces the original package for use with Lambda, and provides extra facilities (including -like language switching, which eases porting of L<sup>A</sup>T<sub>E</sub>X documents to Lambda).  
URL: <https://ctan.org/pkg/antomega>  
MIRROR: <https://mirror.ctan.org/obsolete/systems/omega/contrib/antomega>
- Kryukov, Alexey. *The cm-lgc package*. Type 1 CM-based fonts for Latin, Greek and Cyrillic. 2016-06-24. Version 0.5. LICENSE: gpl  
URL: <https://ctan.org/pkg/cm-lgc>  
MIRROR: <https://mirror.ctan.org/fonts/ps-type1/cm-lgc>
- *The grkfinst package*. Install Greek Type 1 fonts. 2016-06-24. Version 0.3.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/grkfinst>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/fontinst-contrib/grkfinst>
  - *The ofntinst package*. Install Type 1 for use with Omega. 2016-06-24. Version 0.2.2. LICENSE: lppl. This is a plug-in for , which takes several Type 1 fonts and merges them into one large (Unicode) virtual font for use with Omega.  
URL: <https://ctan.org/pkg/ofntinst>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/fontinst-contrib/ofntinst>
- Kryukov, Alexey and Christian Justen. *The psgreek package*. L<sup>A</sup>T<sub>E</sub>X support for Greek Type 1 fonts. 2016-06-24. Version 0.6. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/psgreek>  
MIRROR: <https://mirror.ctan.org/fonts/greek/psgreek>
- Kryukov, Alexey, Nikola Lečić, Robert Alessi, and Bob Tennent. *The oldstandard package*. OldStandard fonts with L<sup>A</sup>T<sub>E</sub>X support. 2023-05-17. Version 2.6. LICENSE: ofl,lppl,gpl  
URL: <https://ctan.org/pkg/oldstandard>  
MIRROR: <https://mirror.ctan.org/fonts/oldstandard>
- Kubica, Marek. *The texments package*. Using the Pygments highlighter in L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 0.2.0. LICENSE: lppl. A package which allows to use the Pygments highlighter inside L<sup>A</sup>T<sub>E</sub>X documents. supports syntax colouring of over 50 types of files, and ships with multiple colour schemes.  
URL: <https://ctan.org/pkg/texments>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/texments>
- Kuhlmann, Marco. *The fmp package*. Include Functional MetaPost in L<sup>A</sup>T<sub>E</sub>X. 2016-06-18. LICENSE: lppl  
URL: <https://ctan.org/pkg/fmp>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fmp>
- Kuhlmann, Vincent. *The highlightlatex package*. Syntax highlighting for L<sup>A</sup>T<sub>E</sub>X. 2021-03-18. LICENSE: mit. This package provides extensive colored syntax highlighting for L<sup>A</sup>T<sub>E</sub>X. For this purpose it builds on the generic package.  
URL: <https://ctan.org/pkg/highlightlatex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/highlightlatex>
- Kuhlmann, Volker. *The dvipsconfig package*. Collection of dvips PostScript headers. 2016-06-24. Version 1.6. LICENSE: gpl  
URL: <https://ctan.org/pkg/dvipsconfig>  
MIRROR: <https://mirror.ctan.org/dviware/dvipsconfig>

- *The ieeepes package*. IEEE Power Engineering Society Transactions. 2016-06-24. Version 4.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/ieeepes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ieeepes>
- *The lhelp package*. Miscellaneous helper packages. 2016-06-24. Version 2.0. LICENSE: gpl  
URL: <https://ctan.org/pkg/lhelp>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lhelp>
- *The listbib package*. Lists contents of BibTeX files. 2016-06-24. Version 2.2. LICENSE: gpl. Generates listings of bibliographic data bases in format — for example for archival purposes. Included is a listbib.bst which is better suited for this purpose than the standard styles.  
URL: <https://ctan.org/pkg/listbib>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/listbib>
- *The makefonts package*. Shell scripts to generate bitmaps from Metafont sources. 2016-06-24. Version 2.0. LICENSE: pd  
URL: <https://ctan.org/pkg/makefonts>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/makefonts>
- *The photo package*. A float environment for photographs. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/photo>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/photo>
- *The savefnmark package*. Save name of the footnote mark for reuse. 2016-06-24. Version 1.0. LICENSE: gpl  
URL: <https://ctan.org/pkg/savefnmark>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/savefnmark>
- Kuhlmann, Volker. *The vmargin package*. Set various page dimensions. 2018-01-06. Version 2.5. LICENSE: lppl. Provides a macro to set various margins as well as dimensions for header/footer and page dimensions. Most common paper sizes, paper orientation, disabling of headers and footers, and two sided printing are supported. The vmargin package does not rely on other packages and was designed with speed and size in mind. Its user interface might not be very fancy, but it's fast, small, and gets the job done. If you are looking for something more elaborate try the package.  
URL: <https://ctan.org/pkg/vmargin>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vmargin>
- *The vpage package*. Set page sizes. 2016-06-24. LICENSE: lppl. Set page sizes for many different pages. This package is now superseded by .  
URL: <https://ctan.org/pkg/vpage>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/misc/vpage.sty>
- Kuhlmann, Volker and Matthew Hebley. *The listing package*. Produce formatted program listings. 2018-01-06. Version 1.2. LICENSE: lppl. The listing environment is provided and is similar to figure and table, although it is not a floating environment. Includes support for , , , and introduces , , . It produces a file. It does not change (unless the option is used), so packages that change the layout of still work.  
URL: <https://ctan.org/pkg/listing>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/listing>
- Kuhn, Jonathan. *The interactiveworkbook package*. LaTeX-based interactive PDF on the Web. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/interactiveworkbook>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/interactiveworkbook>
- Kuhn, Matthew R. *The ascelike package*. Bibliography style for the ASCE. 2016-06-24. Version 2.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/ascelike>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ascelike>
- Kuhn, Tobias. *The bchart package*. Draw simple bar charts in L<sup>A</sup>T<sub>E</sub>X. 2017-04-18. Version 0.1.3. LICENSE: mit  
URL: <https://ctan.org/pkg/bchart>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bchart>
- Kühn, Wolfgang. *The ite package*. Interactive T<sub>E</sub>X editor. 2016-06-24. LICENSE: gpl2  
URL: <https://ctan.org/pkg/ite>  
MIRROR: <https://mirror.ctan.org/support/ite>
- Kuhnert, Sebastian. *The apptools package*. Tools for customising appendices. 2016-06-24. Version 1.0. LICENSE: lppl1.3. The package provides an command to add code to a hook that is executed when is called by the user. Additionally, a T<sub>E</sub>X conditional and a L<sup>A</sup>T<sub>E</sub>X-style conditional are provided to check if has already been called.  
URL: <https://ctan.org/pkg/apptools>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/apptools>
- *The bibleref-parse package*. Specify Bible passages in human-readable format. 2016-06-24. Version 1.1. LICENSE: lppl1.3. The package parses Bible passages that are given in human readable format. It accepts a wide variety of formats. This allows for a

- simpler and more convenient interface to the functionality of the package.  
 URL: <https://ctan.org/pkg/bibleref-parse>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibleref-parse>
- Kuiken, Gerard. *The ushyph package. US hyphenation patterns*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ushyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/ushyph>
- Kuipers, Tobias. *The harpoon package. Extra harpoons, using the graphics package*. 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/harpoon>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/harpoon>
- Kukovec, Rok. *The exam-lite package. Quicker preparation of exams in L<sup>A</sup>T<sub>E</sub>X*. 2023-02-08. LICENSE: cc-by-sa-4  
 URL: <https://ctan.org/pkg/exam-lite>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exam-lite>
- *The jourcl package. Cover letter for journal submissions*. 2022-12-16. LICENSE: cc-by-sa-4  
 URL: <https://ctan.org/pkg/jourcl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jourcl>
- *The jourrr package. A L<sup>A</sup>T<sub>E</sub>X template for journal rebuttal letters*. 2023-06-17. LICENSE: cc-by-sa-4  
 URL: <https://ctan.org/pkg/jourrr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jourrr>
- Kulumani, Shankar. *The thesis-gwu package. Thesis class for George Washington University School of Engineering and Applied Science*. 2020-03-13. Version 1.7.0. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/thesis-gwu>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thesis-gwu>
- Kumar, Anagha. *The gradstudentresume package. A generic template for graduate student resumes*. 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/gradstudentresume>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gradstudentresume>
- *The medstarbeamer package. Beamer document class for MedStar Health Research Institute*. 2018-04-22. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/medstarbeamer>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/medstarbeamer>
- Kumar, Rohit Vishal. *The MFwL package. Making friends with L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 2.00. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mfwl>  
 MIRROR: <https://mirror.ctan.org/info/MFwL>
- Kumar, Shanu. *The hindawi-latex-template package. A L<sup>A</sup>T<sub>E</sub>X template for authors of the Hindawi journals*. 2021-02-21. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/hindawi-latex-template>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hindawi-latex-template>
- Kummer, Olaf. *The blackboard package. Comparison of blackboard bold fonts*. 2016-06-24. LICENSE: pd. A demonstration of various blackboard bold typefaces available for T<sub>E</sub>X ( , , and ), including a PostScript file to preview them.  
 URL: <https://ctan.org/pkg/blackboard>  
 MIRROR: <https://mirror.ctan.org/info/symbols/blackboard>
- *The doublestroke package. Typeset mathematical double stroke symbols*. 2016-07-29. Version 1.111. LICENSE: other-free  
 URL: <https://ctan.org/pkg/doublestroke>  
 MIRROR: <https://mirror.ctan.org/fonts/doublestroke>
- *The morehelp package. Improve L<sup>A</sup>T<sub>E</sub>X error messages*. 2019-06-21. Version 0.1alpha. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/morehelp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/morehelp>
- Kummer, Olaf and Mark Shoulson. *The okuda package. Fonts for Klingon*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/okuda>  
 MIRROR: <https://mirror.ctan.org/fonts/okuda>
- Küpper, Jochen. *The jkthesis package. Document class for formatting a thesis*. 2019-06-21. Version 1.1. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/jkthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jkthesis>
- Kurz, Vladislav and Daniel Taupin. *The t1-fraktur package. A pair of fraktur font families in T1 encoding*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/t1-fraktur>  
 MIRROR: <https://mirror.ctan.org/fonts/t1-fraktur>
- Kusakabe, Yukoh. *The asternote package. Annotation symbols enclosed in square brackets and marked with an asterisk*. 2022-07-15. Version 1.1. LICENSE: mit

- URL: <https://ctan.org/pkg/asternote>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/asternote>
- *The hideanswer package*. Generate documents with and without answers by toggling a switch. 2022-07-15. Version 1.1. LICENSE: mit  
URL: <https://ctan.org/pkg/hideanswer>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hideanswer>
  - *The inlinelabel package*. Assign equation numbers to inline equations. 2022-07-15. Version 1.2.1. LICENSE: mit  
URL: <https://ctan.org/pkg/inlinelabel>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/inlinelabel>
  - *The jpneduenumerate package*. Enumerative expressions in Japanese education. 2022-07-15. Version 1.2. LICENSE: mit  
URL: <https://ctan.org/pkg/jpneduenumerate>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jpneduenumerate>
  - *The jpnedumathsymbols package*. Mathematical equation representation in Japanese education. 2022-07-15. Version 1.1. LICENSE: mit  
URL: <https://ctan.org/pkg/jpnedumathsymbols>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jpnedumathsymbols>
- Kuska, Jens-Peer. *The mathematica package*. Support for fonts distributed with Mathematica. 2016-06-24. LICENSE: lppl. Virtual T<sub>E</sub>X fonts that can be used with the PostScript fonts distributed with Mathematica 3.0. The archives use a conforming directory structure. A style file for L<sup>A</sup>T<sub>E</sub>X2e is included, that enables use of the fonts and the new symbols from L<sup>A</sup>T<sub>E</sub>X2e.  
URL: <https://ctan.org/pkg/mathematica>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/Mathematica3.0>
- Küster, Frank. *The alnumsec package*. Alphanumeric section numbering. 2016-06-24. Version 0.03. LICENSE: lppl. This package allows you to use alphanumeric section numbering, for instance “A. Introduction ... III. International Law”. Its output is similar to , but you can use the standard L<sup>A</sup>T<sub>E</sub>X sectioning commands, so that it is possible to switch numbering schemes easily. Greek letters, double letters (bb) and different delimiters around them are supported.  
URL: <https://ctan.org/pkg/alnumsec>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/alnumsec>
- *The labbook package*. Typeset laboratory journals. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/labbook>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/labbook>
  - *The volumes package*. Typeset only parts of a document, with complete indexes etc. 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/volumes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/volumes>
- Kuwabara, Makoto. *The jpsj package*. Document Class for Journal of the Physical Society of Japan. 2023-02-22. Version 1.2.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/jpsj>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jpsj>
- Kuykens, Hans and Ad Verbruggen. *The Midi2TeX/Free package*. Convert MIDI to MusicTeX input. 2016-06-24. Version 1.3. LICENSE: noinfo  
URL: <https://ctan.org/pkg/midi2tex>  
MIRROR: <https://mirror.ctan.org/support/midi2tex>
- Kuznetsov, Alexey. *The BasicLaTeX-ru package*. An introduction to L<sup>A</sup>T<sub>E</sub>X, in Russian. 2021-07-07. Version 1.0. LICENSE: cc-by-nc-sa4  
URL: <https://ctan.org/pkg/basiclatex-ru>  
MIRROR: <https://mirror.ctan.org/info/russian/basiclatex-ru>
- Kwan, Alistair. *The aucklandthesis package*. Memoir-based class for formatting University of Auckland masters’ and doctors’ theses. 2018-01-07. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/aucklandthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/aucklandthesis>
- Kwok, Conrad and Pieter van Oostrum. *The eepic package*. Extensions to epic and the L<sup>A</sup>T<sub>E</sub>X drawing tools. 2016-06-24. Version 1.1e. LICENSE: pd  
URL: <https://ctan.org/pkg/eepic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eepic>
- Laakso, Aarre. *The chicago-annotate package*. Chicago-based annotated BibTeX style. 2016-06-24. LICENSE: lppl. This is a revision of , using the commonly-used field in place of the original’s .  
URL: <https://ctan.org/pkg/chicago-annotate>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/chicago-annotate>
- Laan, Kees van der. *The blue package*. A document preparation system. 2016-06-24. LICENSE: shareware. The BLUE format is a concise but expressive document preparation system modelled on Knuth’s manmac; the format is used in the author’s “”, which serves

as a user manual for the format. (The acronym is based on Knuth’s “Ben Lee User”, who tends to get surprised by things in examples in the  $\TeX$ book.)

URL: <https://ctan.org/pkg/blue>

MIRROR: <https://mirror.ctan.org/macros/blu>

- *The bridge package*. Typesetting bridge diagrams. 2019-06-21. LICENSE: noinfo

URL: <https://ctan.org/pkg/bridge>

MIRROR: <https://mirror.ctan.org/info/laan/bridge>

- *The bridge-pln package*. Plain  $\TeX$  macros for writing about bridge. 2021-08-26. LICENSE: noinfo

URL: <https://ctan.org/pkg/bridge-pln>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/bridge>

- *The btable package*. Bordered tables. 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/btable>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/btable>

- *The crw package*. Crossword macros for Plain  $\TeX$ . 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/crw>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/crw>

- *The laansort package*. Sorting within  $\TeX$ . 2021-08-26. Version 1.0. LICENSE: noinfo

URL: <https://ctan.org/pkg/laansort>

MIRROR: <https://mirror.ctan.org/macros/generic/laansort>

Laan, Kees van der. *The PWT package*. An outline of publishing with  $\TeX$ . 2016-06-24. LICENSE: nosell

URL: <https://ctan.org/pkg/pwt>

MIRROR: <https://mirror.ctan.org/info/laan/pwt>

- *The vrb package*. Verbatim macros in plain  $\TeX$ . 2016-06-24. Version 1.1. LICENSE: noinfo. A self-contained set of verbatim macros, providing both block () and in-line () verbatim constructs. Can also support line-numbering of verbatim blocks and verbatim file inclusion.

URL: <https://ctan.org/pkg/vrb>

MIRROR: <https://mirror.ctan.org/macros/generic/vrb>

Labbé, Julien. *The altsup package*. Subscripts and superscripts with square brackets. 2022-03-16. Version 1.1. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/altsup>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/altsup>

- *The overarrows package*. Custom extensible arrows over math expressions. 2023-02-15. Version 1.1. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/overarrows>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/overarrows>

- *The texlogfilter package*. Filter  $\LaTeX$  engines output or log file. 2022-03-30. Version 1.1. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/texlogfilter>

MIRROR: <https://mirror.ctan.org/support/texlogfilter>

LaCara, Nicholas. *The nnext package*. Extension for the *gb4e* package. 2020-10-08. Version 0.0. LICENSE: lppl1.3. This is an add-on for the package used in linguistics. It implements the , , , and commands from the package or the , , , and commands from the package.

URL: <https://ctan.org/pkg/nnext>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nnext>

Lachaume, Régis. *The zigaretten package*. Propaganda and mind-numbing for cigarette addicts. 2016-06-24. LICENSE: pd

URL: <https://ctan.org/pkg/zigaretten>

MIRROR: <https://mirror.ctan.org/graphics/zigaretten>

Lackas, Christian. *The psrip package*. Extract images from PostScript files. 2016-06-24. Version 1.3. LICENSE: gpl

URL: <https://ctan.org/pkg/psrip>

MIRROR: <https://mirror.ctan.org/support/psrip>

LAGALLY, Klaus. *The arabtex package*. Macros and fonts for typesetting Arabic. 2022-09-01. Version 3.17. LICENSE: lppl

URL: <https://ctan.org/pkg/arabtex>

MIRROR: <https://mirror.ctan.org/language/arabic/arabtex>

Lago, Nelson. *The froufrou package*. Fancy section separators. 2023-05-17. Version 1.4.0. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/froufrou>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/froufrou>

- *The pbalance package*. Balance last page in two-column mode. 2023-05-17. Version 1.4.0. LICENSE: lppl1.3c. This package balances the columns on the last page of a two-column document. If the page is “simple” (no footnotes, floats, or marginpars), it uses the package; otherwise, it uses to make the left column shorter, balancing the columns.



- URL: <https://ctan.org/pkg/pbalance>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pbalance>
- *The texlogsieve package*. Filter and summarize L<sup>A</sup>T<sub>E</sub>X log files. 2022-09-05. Version 1.3.1. LICENSE: gpl3+. reads a L<sup>A</sup>T<sub>E</sub>X log file (or the standard input if no file is specified), filters out less relevant messages, and displays a summary report. It is a script, similar in spirit to tools such as `,, , ,`, and others. Highlights:  
URL: <https://ctan.org/pkg/texlogsieve>  
MIRROR: <https://mirror.ctan.org/support/texlogsieve>
  - Lake, Michael. *The scalebar package*. Create scalebars for maps, diagrams or photos. 2016-06-24. Version 1.0. LICENSE: lpl  
URL: <https://ctan.org/pkg/scalebar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scalebar>
  - Lakhdar, Sidi Mohamed. *The arabi-add package*. Using hyperref and bookmark packages with arabic and farsi languages. 2023-06-24. Version 1.0. LICENSE: lpl1.3. This package takes advantage of some of the possibilities that and packages offer when you create a table of contents for Arabic texts created by the package.  
URL: <https://ctan.org/pkg/arabi-add>  
MIRROR: <https://mirror.ctan.org/language/arabic/arabi-add>
  - *The table-fct package*. Draw a variations table of functions and a convexity table of its graph. 2018-01-07. Version 1.1. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/table-fct>  
MIRROR: <https://mirror.ctan.org/graphics/table-fct>
  - Lakhwani, Kushagra. *The KorigamiK package*. Typeset articles using KorigamiK's document class. 2023-08-24. Version 1.0. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/korigamik>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/korigamik>
  - Lambert, Thomas. *The beamertheme-trigon package*. A modern, elegant, and versatile theme for Beamer. 2023-02-20. Version 0.7.0. LICENSE: cc-by-sa-4  
URL: <https://ctan.org/pkg/beamertheme-trigon>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-trigon>
  - Lambertini, Francesco. *The quickreaction package*. A simple and fast way to typeset chemical reactions. 2023-04-28. Version 1.02.01. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/quickreaction>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/quickreaction>
  - Lamers, Jürgen A. *The thesis-titlepage-fhac package*. Little style to create a standard titlepage for diploma thesis. 2016-06-24. Version 0.1. LICENSE: lpl  
URL: <https://ctan.org/pkg/thesis-titlepage-fhac>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thesis-titlepage-fhac>
  - Lammarsch, Marion and Elke Schubert. *The latex-refsheet package*. L<sup>A</sup>T<sub>E</sub>X Reference Sheet for a thesis with KOMA-Script. 2017-08-21. Version 1.2. LICENSE: lpl1.3c. This L<sup>A</sup>T<sub>E</sub>X Reference Sheet is for writing a thesis using the document classes `( , )` and all the packages needed for a thesis in natural sciences.  
URL: <https://ctan.org/pkg/latex-refsheet>  
MIRROR: <https://mirror.ctan.org/info/latex-refsheet>
  - Lamport, Leslie. *The acmproc package*. Style option for ACM proceedings. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/acmproc>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/acmproc.sty>
  - *The latex-errata package*. Errata for the L<sup>A</sup>T<sub>E</sub>X Manual. 2021-11-13. LICENSE: noinfo. These are all the errors and omissions to the manual, , second edition, published by Addison-Wesley, reported as of 18 Jan 2006.  
URL: <https://ctan.org/pkg/latex-errata>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>
  - *The latex209 package*. Old, unsupported, L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. LICENSE: lpl  
URL: <https://ctan.org/pkg/latex209>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex209/distrib>
  - Lamport, Leslie, Andrew W. Appel, and John Tang Boyland. *The acmtrans package*. Class and BibT<sub>E</sub>X style for ACM Transactions. 2021-09-11. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/acmtrans>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/acmtrans>
  - Lamport, Leslie, Johannes L. Braams, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The alltt package*. Everything in tt font, but obey commands and line endings. 2023-06-09. Version 2.0g. LICENSE: lpl1.3c

- URL: <https://ctan.org/pkg/alltt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- Lamport, Leslie, David Carlisle, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The ifthen package. Conditional commands in L<sup>A</sup>T<sub>E</sub>X documents.* 2023-06-09. Version 1.1d. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/ifthen>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- Lamport, Leslie, Frank Mittelbach, Rainer Schöpf, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The letter package. The standard L<sup>A</sup>T<sub>E</sub>X2e letter document class.* 2022-06-08. Version 1.3c. LICENSE: lppl1.3c. This is the Standard Letter Document Class for .  
 URL: <https://ctan.org/pkg/letter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- Lamport, Leslie and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The graphpap package. For producing graph paper.* 2023-06-09. Version 1.0c. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/graphpap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- Lamprecht, Guenther, Wolfhard Lotz, and Roland Weibezahn. *The xtem package. An X11 T<sub>E</sub>X menu built on Tcl/Tk.* 2016-06-24. Version 7.03. LICENSE: gpl  
 URL: <https://ctan.org/pkg/xtem>  
 MIRROR: [https://mirror.ctan.org/support/xtem\\_texmenu](https://mirror.ctan.org/support/xtem_texmenu)
- Lanchares, Ernesto. *The clojure-pamphlet package. A simple literate programming tool based on clojure's pamphlet system.* 2023-05-18. Version 1.3. LICENSE: gpl3+. The Clojure pamphlet system is a system based on the Clojure literate system. In the Clojure's pamphlet system you have your main L<sup>A</sup>T<sub>E</sub>X file, which can be compiled regularly. This file contains documentation and source code (just like in other forms of literate programming). These code snippets are wrapped in the environment, hence they can be recognized by the in order to extract them. Chunks can be included inside each other by the command (which will be typesetted accordingly). Finally, the L<sup>A</sup>T<sub>E</sub>X file will be run through the to get the desired chunk of code.  
 URL: <https://ctan.org/pkg/clojure-pamphlet>  
 MIRROR: <https://mirror.ctan.org/web/clojure-pamphlet>
- Landy, Michael S. *The mslapa package. Michael Landy's APA citation style.* 2019-12-27. LICENSE: other-free  
 URL: <https://ctan.org/pkg/mslapa>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mslapa>
- Lang, Russell. *The epstool package. Manipulate Encapsulated PostScript (EPS).* 2017-04-18. Version 5.0. LICENSE: nosell  
 URL: <https://ctan.org/pkg/epstool>
- *The gsview package. View PostScript under MS-Windows or OS/2.* 2016-06-24. Version 5.0. LICENSE: nosell  
 URL: <https://ctan.org/pkg/gsview>
- *The pfm2afm package. Convert PFM files to AFM, and vice versa.* 2016-06-24. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/pfm2afm>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/pfm2afm>
- Lange, Holger. *The footnotebackref package. Back-references from footnotes.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/footnotebackref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/footnotebackref>
- Lange, Stefan. *The gu package. Typeset crystallographic group-subgroup-schemes.* 2016-06-24. LICENSE: lppl. The package simplifies typesetting of simple crystallographic group-subgroup-schemes in the Bärnighausen formalism. It defines a new environment , wherein all elements of the scheme are defined. Afterwards all necessary dimensions are calculated and the scheme is drawn. Currently two steps of symmetry reduction are supported.  
 URL: <https://ctan.org/pkg/gu>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gu>
- Langmyhr, Dag. *The elbioimp package. A L<sup>A</sup>T<sub>E</sub>X document class for the Journal of Electrical Bioimpedance.* 2016-06-24. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/elbioimp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/elbioimp>
- *The norbib package. Norwegian bibliography styles.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/norbib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/norbib>

- *The startex package. An XML-inspired format for student use.* 2016-06-24. Version 1.04. LICENSE: pd  
 URL: <https://ctan.org/pkg/startex>  
 MIRROR: <https://mirror.ctan.org/macros/startex>
- Langner, Ricardo. *The cleantesis package. A clean L<sup>A</sup>T<sub>E</sub>X style for thesis documents.* 2019-06-25. Version 0.4.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cleantesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cleantesis>
- Laouidji, Walid. *The sexam package. Package for typesetting arabic exam scripts.* 2018-02-15. Version 1. LICENSE: lppl1.3. The package provides a modified version of the package made compatible with X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X/polyglossia to typesetting arabic exams.  
 URL: <https://ctan.org/pkg/sexam>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/sexam>
- Lapko, Olga. *The floatrow package. Modifying the layout of floats.* 2016-06-24. Version 0.3b. LICENSE: lppl. The floatrow package provides many ways to customize layouts of floating environments and has code to cooperate with the 3.x package. The package offers mechanisms to put floats side by side, and to put the caption beside its float. The floatrow settings could be expanded to the floats created by packages , , (in the case of rows of subfloats), and .  
 URL: <https://ctan.org/pkg/floatrow>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/floatrow>
- *The makecell package. Tabular column heads and multilined cells.* 2019-08-14. Version 0.1e. LICENSE: lppl  
 URL: <https://ctan.org/pkg/makecell>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/makecell>
- Lapko, Olga. *The tablists package. Tabulated lists of short items.* 2016-06-24. Version 0.0e. LICENSE: lppl. This package offers environments and commands for one-level and two-level lists of short items (e.g., exercises in textbooks). The environments support optional arguments of item numbering similar to the or packages.  
 URL: <https://ctan.org/pkg/tablists>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tablists>
- Larchey, Dominique, Denis B. Roegel, and Christian Rossi. *The TFMpktest package. Check and correct checksums of TFM and PK files.* 2016-06-24. Version 0.1. LICENSE: lppl. TFMpktest checks font checksums. It can delete a PK font whose checksum does not match that of the corresponding TFM, then regenerate using ; similarly it can delete and recreate TFM files.  
 URL: <https://ctan.org/pkg/tfmpktest>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/tfmpktest>
- Larsson, Carl Martin Henrik. *The comment\_io package. A Python script to comment and uncomment lines.* 2016-06-24. Version 1.1. LICENSE: gpl3  
 URL: [https://ctan.org/pkg/comment\\_io](https://ctan.org/pkg/comment_io)  
 MIRROR: [https://mirror.ctan.org/support/comment\\_io](https://mirror.ctan.org/support/comment_io)
- Larsson, Jan-Åke. *The dvipng package. A fast DVI to PNG/GIF converter.* 2020-01-05. Version 1.17. LICENSE: lgpl3  
 URL: <https://ctan.org/pkg/dvipng>  
 MIRROR: <https://mirror.ctan.org/dviware/dvipng>
- Lasgouttes, Jean-Marc. *The simplecv package. A simple class for writing curricula vitae.* 2016-06-24. Version 1.6a. LICENSE: lppl. A derivative of the class available to users (renamed to avoid the existing package).  
 URL: <https://ctan.org/pkg/simplecv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/simplecv>
- Lasis, Andris and Javier Bezoz López. *The babel-latvian package. Babel support for Latvian.* 2018-02-19. Version 2.0b. LICENSE: lppl1.3. The package provides the language definition file for support of Latvian in .  
 URL: <https://ctan.org/pkg/babel-latvian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/latvian>
- Lasou, Pierre and Vincent Goulet. *The ulthese package. Thesis class and templates for Université Laval.* 2021-08-10. Version 5.3a. LICENSE: lppl1.3c. The package provides a class based on to prepare theses and memoirs compliant with the presentation rules set forth by the Faculty of Graduate Studies of Université Laval, Québec, Canada. The class also comes with an extensive set of templates for the various types of theses and memoirs offered at Laval. Please note that the documentation for the class and the comments in the templates are all written in French, the language of the target audience.  
 URL: <https://ctan.org/pkg/ulthese>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ulthese>
- Lassaline, Jason V. *The ryethesis package. Class for Ryerson University Graduate School requirements.* 2019-02-24. Version 1.36. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ryethesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ryethesis>

- Laube, Simon Michael. *The etdipa package. Simple, lightweight template for scientific documents*. 2016-06-24. Version 2.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/etdipa>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/etdipa>
- *The shdoc package. Float environment to document the shell commands of a terminal session*. 2016-09-04. Version 2.1b. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/shdoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shdoc>
- Laurens, Jérôme. *The pdfsync package. Provide links between source and PDF*. 2017-04-18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pdfsync>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfsync>
- *The syntex-parser package. SyncTeX output file parser*. 2017-11-20. Version 1.21. LICENSE: other-free  
 URL: <https://ctan.org/pkg/syntex-parser>  
 MIRROR: <https://mirror.ctan.org/support/syntex-parser>
- Laus, Luís Paulo. *The tikz-karnaugh package. Typeset Karnaugh maps using TikZ*. 2022-02-16. Version 1.5. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/tikz-karnaugh>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-karnaugh>
- *The tikz-ladder package. Draw ladder diagrams using TikZ*. 2022-04-10. Version 1.3. LICENSE: lppl1. The package contains a collection of symbols for typesetting ladder diagrams (PLC program) in agreement with the international standard IEC-61131-3/2013. It includes blocks (for representing functions and function blocks) besides contacts and coils. It extends the circuit library of and allows you to draw a ladder diagram in the same way as you would draw any other circuit.  
 URL: <https://ctan.org/pkg/tikz-ladder>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-ladder>
- Laus, Luís Paulo. *The tikz-relay package. TikZ library for typesetting electrical diagrams*. 2022-08-07. Version 1.3. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/tikz-relay>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-relay>
- *The tikz-sfc package. Symbols collection for typesetting Sequential Function Chart (SFC) diagrams (PLC programs)*. 2018-12-15. Version 1.0.1. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/tikz-sfc>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-sfc>
- Lausdahl, Kenneth. *The vdmlisting package. Typesetting VDM in ASCII syntax*. 2020-11-10. Version 1.1. LICENSE: lppl1.3. The package is an extension for the package that provides a source code printer for L<sup>A</sup>T<sub>E</sub>X. This package defines new language definitions and listing environments for the three language dialects of the Vienna Development Method: VDM-SL, VDM-PP and VDM-RT. If one wants to typeset VDM with a mathematical syntax instead of the ASCII syntax used here one should use the package instead  
 URL: <https://ctan.org/pkg/vdmlisting>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vdmlisting>
- Lauwers, Fred. *The dropcaps package. Use dropped capitals to start a paragraph*. 2016-06-24. Version 0.30. LICENSE: nosell. While this package still works as originally intended (as far as it goes), the more sophisticated package is recommended for the job, nowadays.  
 URL: <https://ctan.org/pkg/dropcaps>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/dropcaps>
- Lavagnino, John and Dominik Wujastyk. *The edmac package. Typeset critical editions*. 2021-08-26. Version 3.17. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/edmac>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/edmac>
- Law, Simon. *The pbox package. A variable-width \parbox command*. 2016-06-24. Version 1.2. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/pbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pbox>
- Law, Simon, Andreas Tille, and Sebastian Tannert. *The circ package. Macros for typesetting circuit diagrams*. 2022-04-06. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/circ>  
 MIRROR: <https://mirror.ctan.org/macros/generic/diagrams/circ>
- Lawrence, Scott. *The vgrid package. Overlay a grid on the printed page*. 2016-06-24. Version 0.1. LICENSE: lppl1.3. The package overlays a grid (whose spacing is , which offers guidelines for considering the “rhythm” of the document on the page.  
 URL: <https://ctan.org/pkg/vgrid>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vgrid>

- Leangsuksun, Chokchai. *The mctex package. Convert VAXIMA output to (La)TeX code*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mctex>  
 MIRROR: <https://mirror.ctan.org/support/mctex>
- Leclaire, Maurice. *The marginfit package. Improved margin notes*. 2018-07-26. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/marginfit>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/marginfit>
- *The minidocument package. Creates miniature documents inside other L<sup>A</sup>T<sub>E</sub>X documents*. 2018-01-07. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/minidocument>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/minidocument>
- Ledger, Buddy and Herbert Voß. *The pst-fit package. Macros for curve fitting*. 2018-01-06. Version 0.02. LICENSE: lppl. The package uses to fit curves to:  
 URL: <https://ctan.org/pkg/pst-fit>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-fit>
- Lee, Greg. *The gl-tree package. Linguistic trees with a preprocessor*. 2016-06-24. Version 1.1. LICENSE: pd  
 URL: <https://ctan.org/pkg/gl-tree>  
 MIRROR: <https://mirror.ctan.org/graphics/tree>
- Lee, Jay. *The simplebnf package. A simple package to format Backus-Naur form (BNF)*. 2023-01-07. Version 0.3.2. LICENSE: mit  
 URL: <https://ctan.org/pkg/simplebnf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/simplebnf>
- Lee, John J. *The isi2bibtex package. Converter for ISI to BibTeX*. 2016-10-27. Version 0.33. LICENSE: gpl  
 URL: <https://ctan.org/pkg/isi2bibtex>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/isi2bibtex>
- Lee, Kihwang. *The kotex-plain package. Macros for typesetting Korean under Plain T<sub>E</sub>X*. 2022-06-22. Version 3.0.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/kotex-plain>  
 MIRROR: <https://mirror.ctan.org/language/korean/kotex-plain>
- *The kotex-utf package. Typeset Hangul, coded in UTF-8*. 2022-06-22. Version 3.0.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/kotex-utf>  
 MIRROR: <https://mirror.ctan.org/language/korean/kotex-utf>
- *The kotex-utils package. Utility scripts and support files for typesetting Korean*. 2016-06-24. Version 2.1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/kotex-utils>  
 MIRROR: <https://mirror.ctan.org/language/korean/kotex-utils>
- Lee, Kihwang and Kangsoo Kim. *The kotex-oblivoir package. A L<sup>A</sup>T<sub>E</sub>X document class for typesetting Korean documents*. 2023-03-09. Version 3.2.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/kotex-oblivoir>  
 MIRROR: <https://mirror.ctan.org/language/korean/kotex-oblivoir>
- Lee, Qing. *The wrapstuff package. Wrapping text around stuff*. 2022-08-07. Version 0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/wrapstuff>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wrapstuff>
- *The xcjk2uni package. Convert CJK characters to Unicode, in pdfTeX*. 2020-05-01. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xcjk2uni>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xcjk2uni>
- *The xpinyin package. Automatically add pinyin to Chinese characters*. 2023-02-15. Version 3.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xpinyin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xpinyin>
- *The zhnumber package. Typeset Chinese representations of numbers*. 2023-02-15. Version 3.0. LICENSE: lppl1.3c. The package provides commands to typeset Chinese representations of numbers. The main difference between this package and is that the commands provided are expandable in the ‘proper’ way.  
 URL: <https://ctan.org/pkg/zhnumber>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zhnumber>
- Lee, Qing, Leo Liu, Liam Huang, Xiangdong Zeng, Zeping Lee, Yukai Chou, Ruixi Zhang, LingYun Wu, Jiang Jiang, Yue Wang, Yanrui Li, and Zhichu Chen. *The ctex package. L<sup>A</sup>T<sub>E</sub>X classes and packages for Chinese typesetting*. 2023-02-15. Version 2.5.10. LICENSE: lppl1.3c. is a collection of macro packages and document classes for L<sup>A</sup>T<sub>E</sub>X Chinese typesetting.  
 URL: <https://ctan.org/pkg/ctex>  
 MIRROR: <https://mirror.ctan.org/language/chinese/ctex>
- Lee, Qing, Leo Liu, Wenchang Sun, and Jiang Jiang. *The xecjk package. Support for CJK documents in X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X*. 2022-08-05. Version 3.9.1. LICENSE: lppl1.3c



- URL: <https://ctan.org/pkg/xecjk>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xecjk>
- Lee, Robert J. *The arraysort package. Sort arrays (or portions of them)*. 2016-06-24. Version 1.0. LICENSE: lppl1.2. The package provides a mechanism for sorting arrays (or portions of them); the arrays should have been created using the package.  
 URL: <https://ctan.org/pkg/arraysort>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/arraysort>
- *The Gamebooklib package. Macros for setting numbered entries in shuffled order*. 2023-07-30. Version 1.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/gamebooklib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gamebooklib>
  - *The macroswap package. Swap the definitions of two L<sup>A</sup>T<sub>E</sub>X macros*. 2016-06-24. Version 1.1. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/macroswap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/macroswap>
  - *The rjlparschap package. Support for use of \parschap in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.0. LICENSE: lppl1.2. The package provides macros and environments that relieve the programmer of some of the difficulties of using in L<sup>A</sup>T<sub>E</sub>X macros. It does actually calculate shapes in the way that the package does.  
 URL: <https://ctan.org/pkg/rjlparschap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rjlparschap>
- Lee, Zeping. *The citation-style-language package. Bibliography formatting with Citation Style Language*. 2023-07-04. Version 0.4.2. LICENSE: mit,cc-by-sa-3. The (CSL) is an XML-based language that defines the formats of citations and bibliography. There are currently thousands of styles in CSL including the most widely used APA, Chicago, Vancouver, etc. The citation-style-language package is aimed to provide another reference formatting method for L<sup>A</sup>T<sub>E</sub>X that utilizes the CSL styles. It contains a citation processor implemented in pure Lua () which reads bibliographic metadata and performs sorting and formatting on both citations and bibliography according to the selected CSL style. A L<sup>A</sup>T<sub>E</sub>X package () is provided to communicate with the processor.  
 URL: <https://ctan.org/pkg/citation-style-language>  
 MIRROR: <https://mirror.ctan.org/biblio/citation-style-language>
- Lee, Zeping. *The gbt7714 package. BibTeX implementation of China's bibliography style standard GB/T 7714-2015*. 2022-10-03. Version 2.1.5. LICENSE: lppl1.3c. The package provides a BibTeX implementation for the Chinese national bibliography style standard GB/T 7714-2015. It consists of two files for numerical and author-year styles as well as a L<sup>A</sup>T<sub>E</sub>X package which provides the citation style defined in the standard. The package is compatible with and supports language detection (Chinese and English) for each bibliography entry.  
 URL: <https://ctan.org/pkg/gbt7714>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/gbt7714>
- *The lua-tinyyaml package. A tiny YAML (subset) parser for pure Lua*. 2023-07-18. Version 0.4.3. LICENSE: mit. The lua-tinyyaml package is a YAML (subset) parser written in pure Lua. It is required by several other LuaTeX packages like and .  
 URL: <https://ctan.org/pkg/lua-tinyyaml>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/lua-tinyyaml>
- Leeman, George B. *The ibmres-tex package. A semi-automated approach to the production of resumes*. 2016-06-24. Version 1.01. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ibmres-tex>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/ibmres-tex>
- Leeuwen, Marc van. *The cwebx package. A system for Structured Software Documentation in C*. 2017-04-18. Version 3.04. LICENSE: knuth. The CWEBx system is a system for Structured Software Documentation (also known as Literate Programming) in the programming language C. It is a derivative of the system by Sylvio Levy and Donald E. Knuth, who originally conceived the idea of Literate Programming; CWEBx is a compatible extension of CWEB.  
 URL: <https://ctan.org/pkg/cwebx>  
 MIRROR: [https://mirror.ctan.org/web/c\\_cpp/cwebx](https://mirror.ctan.org/web/c_cpp/cwebx)
- Leffler, Sam. *The tiff package. The tiff graphics package*. 2018-10-03. Version 3.4. LICENSE: other-free  
 URL: <https://ctan.org/pkg/tiff>  
 MIRROR: <https://mirror.ctan.org/graphics/tiff>
- Lehman, Philipp. *The fontinstallationguide package. Font installation guide*. 2021-06-30. Version 2.14. LICENSE: fdl  
 URL: <https://ctan.org/pkg/fontinstallationguide>  
 MIRROR: <https://mirror.ctan.org/info/Type1fonts/fontinstallationguide>
- *The logreq package. Support for automation of the L<sup>A</sup>T<sub>E</sub>X workflow*. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/logreq>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/logreq>

- *The ltxdockit package. Documentation support.* 2016-06-24. Version 1.2d. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ltxdockit>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ltxdockit>
- *The ttf2tex package. Use TrueType fonts with TeX.* 2018-01-06. Version 0.7. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ttf2tex>  
 MIRROR: <https://mirror.ctan.org/obsolete/support/ttf2tex>
- Lehman, Philipp and Philip Kime. *The BibLaTeX package. Sophisticated Bibliographies in L<sup>A</sup>T<sub>E</sub>X.* 2023-03-06. Version 3.19. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex>
- Lehman, Philipp and Joseph Wright. *The csquotes package. Context sensitive quotation facilities.* 2022-09-14. Version 5.2n. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/csquotes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/csquotes>
- *The etoolbox package. e-TeX tools for L<sup>A</sup>T<sub>E</sub>X.* 2020-10-05. Version 2.5k. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/etoolbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/etoolbox>
- Lehmke, Stephan. *The tpslfonts package. A L<sup>A</sup>T<sub>E</sub>X package for configuring presentation fonts.* 2016-06-24. Version 0.6. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tpslfonts>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/texpower/tpslfonts>
- Lehmke, Stephan and Hans Fredrik Nordhaug. *The texpower package. Create dynamic online presentations with L<sup>A</sup>T<sub>E</sub>X.* 2017-04-18. Version 0.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/texpower>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/texpower>
- Leichter, Jerry. *The acm package. ACM document style.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/acm>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/acm>
- *The bsf package. Access bold computer modern sans in L<sup>A</sup>T<sub>E</sub>X 2.09.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/bsf>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/bsf.sty>
- *The seceqn package. Number theorems by section.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/seceqn>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/seceqn.sty>
- Leijen, Daan. *The ellipse package. Draw ellipses and elliptical arcs using the standard L<sup>A</sup>T<sub>E</sub>X2e picture environment.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ellipse>  
 MIRROR: <https://mirror.ctan.org/graphics/ellipse>
- *The longfbox package. Draw framed boxes with standard CSS attributes that can break over multiple pages.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/longfbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/longfbox>
- *The options package. Provides convenient key-value options for L<sup>A</sup>T<sub>E</sub>X package writers.* 2016-06-24. Version 1.0. LICENSE: lppl1.3.  
 The options package provides easy to use key-value options for L<sup>A</sup>T<sub>E</sub>X package writers. It has a similar interface as with path options but comes with more built-in data types and more convenient support for families and searching.  
 URL: <https://ctan.org/pkg/options>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/options>
- Leineweber, Thomas. *The protocol package. A class for minutes of meetings.* 2018-01-06. Version 1.13. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/protocol>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/protocol>
- Leineweber, Thomas and Jean-Pierre Drucbert. *The method package. Typeset method and variable declarations.* 2016-06-24. Version 2.0b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/method>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/method>
- Leis, John. *The latexcad package. A CAD drawing package.* 2016-06-18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/latexcad>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/msdos/latexcad.zip>

- Leistner, Carolin. *The tipa-de package. German translation of tipa documentation*. 2016-06-24. Version 1.3. LICENSE: lppl. This is a translation of Fukui Rei's from the bundle.  
 URL: <https://ctan.org/pkg/tipa-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/tipa/de>
- Lejay, Antoine. *The compactbib package. Multiple thebibliography environments*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/compactbib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/compactbib>
- *The constants package. Automatic numbering of constants*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/constants>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/constants>
  - *The currency package. Format currencies in a consistent way*. 2018-10-24. Version 0.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/currency>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/currency>
  - *The functan package. Macros for functional analysis and PDE theory*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/functan>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/functan>
- Lejay, Antoine and Julian Gilbey. *The shuffle package. A symbol for the shuffle product*. 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/shuffle>  
 MIRROR: <https://mirror.ctan.org/fonts/shuffle>
- Lella, Paolo. *The quiz2socratic package. Prepare questions for socratic quizzes*. 2019-10-05. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/quiz2socratic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/quiz2socratic>
- Lelong, Jérôme. *The amsaddr package. Alter the position of affiliations in amsart*. 2022-09-12. Version 1.2. LICENSE: lppl. The package is to be used with the documentclass. It lets you move the authors' affiliations either just below the authors' names on the front page or as footnotes on the first page. The email addresses are always listed as a footnote on the front page.  
 URL: <https://ctan.org/pkg/amsaddr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/amsaddr>
- *The appendixnumberbeamer package. Manage frame numbering in appendixes in beamer*. 2018-01-15. Version 1.2. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/appendixnumberbeamer>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/appendixnumberbeamer>
  - *The beamerthemeJLTree package. Contributed beamer theme*. 2016-06-24. Version 1.1. LICENSE: gpl. A theme for presentations.  
 URL: <https://ctan.org/pkg/beamerthemejltree>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamerthemeJLTree.sty>
  - *The chk1ref package. Check for problems with labels in L<sup>A</sup>T<sub>E</sub>X*. 2019-11-05. Version 3.1.2. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/chk1ref>  
 MIRROR: <https://mirror.ctan.org/support/chk1ref>
- Lemberg, Werner. *The arphic package. Arphic (Chinese) font packages*. 2016-12-11. LICENSE: other-free  
 URL: <https://ctan.org/pkg/arphic>  
 MIRROR: <https://mirror.ctan.org/fonts/arphic>
- *The c2cweb package. C language prettyprinter*. 2016-06-24. Version 1.5. LICENSE: other-free. A utility to prettyprint C and C++ source files using .  
 URL: <https://ctan.org/pkg/c2cweb>  
 MIRROR: [https://mirror.ctan.org/web/c\\_cpp/c2cweb](https://mirror.ctan.org/web/c_cpp/c2cweb)
  - *The cjk package. CJK language support*. 2021-10-18. Version 4.8.5. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/cjk>  
 MIRROR: <https://mirror.ctan.org/language/chinese/CJK>
  - *The cjk-fonts package. Chinese/Japanese/Korean bitmap fonts*. 2017-11-27. Version 4.2.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/cjk-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/CJK>
  - *The czhyph2e package. Convert Czech hyphenation patterns to standard encoding*. 2016-06-24. LICENSE: lppl. This Perl script converts the as distributed on CTAN from its PC encoding into a form using T1 font encoding.  
 URL: <https://ctan.org/pkg/czhyph2e>  
 MIRROR: <https://mirror.ctan.org/language/czech/czhyph2e.pl>
  - *The fontchart package. A font sampler*. 2016-11-06. LICENSE: noinfo. Produces a font sample that is in some ways simpler than that produced by testfont (in the distribution), but which shows strikingly large glyph images, and avoids some difficulties with boundary characters, such as are often used in Greek fonts (and fonts for similar writing systems).

- URL: <https://ctan.org/pkg/fontchart>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/fontchart.tex>
- *The freetype package. A full-featured font rasterizer library.* 2018-11-15. Version 2.3.5. LICENSE: gpl  
URL: <https://ctan.org/pkg/freetype>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/freetype>
  - *The ttf2pfb package. Make an Adobe Type 1 version of a TrueType font.* 2016-06-24. LICENSE: nosource. Ttf2pfb translates the format of a TrueType font into an Adobe Type 1 font, using the facilities of the library. The package is distributed as a DOS/OS/2 executable.  
URL: <https://ctan.org/pkg/ttf2pfb>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/ttf2pfb>
  - *The wadalab package. Wadalab (Japanese) font packages.* 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/wadalab>  
MIRROR: <https://mirror.ctan.org/fonts/wadalab>
- Lemberg, Werner, Barbara Beeton, and Karl Berry. *The hyphenex package. US English hyphenation exceptions file.* 2023-07-29. LICENSE: other-free  
URL: <https://ctan.org/pkg/hyphenex>  
MIRROR: <https://mirror.ctan.org/info/digests/tugboat/hyphenex>
- Lemberg, Werner, Stephan Hennig, Günter Milde, and Keno Wehr. *The dehyph-expt1 package. Experimental hyphenation patterns for the German language.* 2023-03-06. Version 0.9. LICENSE: mit,lppl  
URL: <https://ctan.org/pkg/dehyph-expt1>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/dehyph-expt1>
- Lemberg, Werner, Reinhard Kotucha, and Javier Bezoz López. *The babel-vietnamese package. Babel support for typesetting Vietnamese.* 2016-06-24. Version 1.4. LICENSE: lppl1.3. The package provides the language definition file for support of Vietnamese in .  
URL: <https://ctan.org/pkg/babel-vietnamese>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/vietnamese>
- Lemberg, Werner and Bernd Raichle. *The dehyph package. German hyphenation patterns for traditional orthography.* 2020-04-04. LICENSE: lppl1  
URL: <https://ctan.org/pkg/dehyph>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/dehyph>
- Lenser, Peter. *The create-struktex package. Create struktex code.* 2017-09-23. LICENSE: lppl. The package provides a Java program to support generation of Nassi Shneiderman diagrams, using L<sup>A</sup>T<sub>E</sub>X with the package.  
URL: <https://ctan.org/pkg/create-struktex>  
MIRROR: <https://mirror.ctan.org/support/create-struktex>
- Lenzen, Michael. *The g-brief package. Letter document class.* 2019-03-16. Version 4.0.3. LICENSE: lppl1  
URL: <https://ctan.org/pkg/g-brief>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/g-brief>
- Leve, Victore. *The latino-sine-flexione package. L<sup>A</sup>T<sub>E</sub>X support for documents written in Peano’s Interlingua.* 2020-01-21. Version 1.2. LICENSE: pd  
URL: <https://ctan.org/pkg/latino-sine-flexione>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/latino-sine-flexione>
- Levien, Raph, Karl Berry, and Michael Sharpe. *The inconsolata package. A monospaced font, with support files for use with T<sub>E</sub>X.* 2019-06-23. Version 1.121. LICENSE: ofl,apache2,lppl1.3  
URL: <https://ctan.org/pkg/inconsolata>  
MIRROR: <https://mirror.ctan.org/fonts/inconsolata>
- Levine, Michael. *The feynman package. Feynman diagrams in L<sup>A</sup>T<sub>E</sub>X 2.09.* 2016-06-24. Version 1.0. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/feynman>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/feynman>
- Levie, Paul and Walter Daems. *The kdgdocs package. Document classes for Karel de Grote University College.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/kdgdocs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kdgdocs>
- Levy, Silvio. *The geomsty package. Macros used in typesetting a geometry book.* 2019-06-21. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/geomsty>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/geomsty>
- Levy, Silvio, Dominik Wujastyk, and Reinhard Wonneberger. *The levy-font package. Fonts for typesetting classical greek.* 2016-06-24. LICENSE: gpl2. These fonts are derivatives of Kunth’s CM fonts. Macros for use with Plain T<sub>E</sub>X are included in the package; for

- use with L<sup>A</sup>T<sub>E</sub>X, see (with English documentation) or (with German documentation).  
 URL: <https://ctan.org/pkg/levy-font>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/levy>
- Lewenberg, Adam. *The dvii package. Extract information from a DVI file.* 2017-04-18. Version 0.44. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dvii>  
 MIRROR: <https://mirror.ctan.org/dviware/dvii>
- *The mathtime-pln package. Plain T<sub>E</sub>X macros for using MathTime and MathTime Plus.* 2018-01-06. Version 1.30. LICENSE: other-free  
 URL: <https://ctan.org/pkg/mathtime-pln>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/mathtime>
- Lewis, Richard. *The svn package. Typeset Subversion keywords.* 2022-02-09. Version 43. LICENSE: lppl1.3. The svn package lets you typeset (in L<sup>A</sup>T<sub>E</sub>X) the value of Subversion keywords. It is approximately an equivalent to the package, but for Subversion rather than CVS. Details of Subversion (a replacement for CVS) is available from .  
 URL: <https://ctan.org/pkg/svn>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/svn>
- Li, Changkai. *The dbshow package. A package to store and display data with custom filters, orders, and styles.* 2022-01-31. Version 1.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/dbshow>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dbshow>
- Li, Gang. *The powerdot-tuliplab package. A style package for Powerdot to provide the design of TULIP Lab.* 2018-06-10. Version 1.0.0. LICENSE: lppl1.3. is the L<sup>A</sup>T<sub>E</sub>X package used in TULIP Lab for presentation drafting. It comes with several sample files so that you can quickly start working with it.  
 URL: <https://ctan.org/pkg/powerdot-tuliplab>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/powerdot-tuliplab>
- Li, Rundong. *The ShtThesis package. An unofficial L<sup>A</sup>T<sub>E</sub>X thesis template for ShanghaiTech University.* 2022-03-04. Version 0.3.3. LICENSE: gpl3. This package, forked from , is an L<sup>A</sup>T<sub>E</sub>X thesis template for ShanghaiTech University and satisfies all format requirements of the school. The user just needs to set and to set up mandatory information via , then his or her thesis document will be typeset properly.  
 URL: <https://ctan.org/pkg/shtthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shtthesis>
- Li, Yanrui. *The context-notes-zh-cn package. Notes on using ConTeXt MkIV.* 2023-03-31. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/context-notes-zh-cn>  
 MIRROR: <https://mirror.ctan.org/info/context-notes-zh-cn>
- Liang, Franklin M., Peter Breitenlohner, The T<sub>E</sub>X Live Team, and Tom Rokicki. *The patgen package. Generate hyphenation patterns.* 2020-04-24. Version 2.4. LICENSE: pd  
 URL: <https://ctan.org/pkg/patgen>  
 MIRROR: <https://mirror.ctan.org/systems/stanford/patgen>
- Liang, Moyan. *The inkpaper package. A mathematical paper template.* 2019-07-06. Version 1.0. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/inkpaper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/inkpaper>
- Liang, Yifan. *The tidyres package. Create formal resumes easily.* 2023-07-26. Version 2.0.0. LICENSE: cc-by-4  
 URL: <https://ctan.org/pkg/tidyres>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tidyres>
- *The zennote package. Streamline your note-taking process!* 2023-01-18. Version 1.0.0. LICENSE: cc-by-4  
 URL: <https://ctan.org/pkg/zennote>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zennote>
- Lickert, Knut. *The blindtext package. Producing 'blind' text for testing.* 2016-06-24. Version 2.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/blindtext>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/blindtext>
- *The menu package. Typesetting menus.* 2016-06-24. Version 0.994. LICENSE: other-free. The package defines command which assists typesetting of a path through a program's menu.  
 URL: <https://ctan.org/pkg/menu>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/menu>
- *The minutes package. Typeset the minutes of meetings.* 2016-09-30. Version 1.8f. LICENSE: lppl  
 URL: <https://ctan.org/pkg/minutes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/minutes>



- *The rake4latex package. A rake-based tool to compile L<sup>A</sup>T<sub>E</sub>X projects.* 2022-05-08. Version 0.1.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/rake4latex>  
 MIRROR: <https://mirror.ctan.org/support/rake4latex>
- Lidovski, Vladimir. *The lcyw package. Make Classic Cyrillic CM fonts accessible in L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 1.1. LICENSE: lppl1.3. The package makes the accessible for use with L<sup>A</sup>T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/lcyw>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lcyw>
- Liebl, Armin, Holger Martin, and Michael Urban. *The bibview-x package. A visual manager for BibTeX files.* 2016-06-24. Version 2.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/bibview-x>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibview-2.0>
- Lienhard, John H. *The asmeconf package. A L<sup>A</sup>T<sub>E</sub>X template for ASME conference papers.* 2022-12-31. Version 1.34. LICENSE: mit  
 URL: <https://ctan.org/pkg/asmeconf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/asmeconf>
- *The asmejour package. A template for ASME journal papers.* 2022-12-30. Version 1.20. LICENSE: mit  
 URL: <https://ctan.org/pkg/asmejour>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/asmejour>
- Lienhard, John H. *The mitthesis package. A L<sup>A</sup>T<sub>E</sub>X template for MIT theses.* 2023-08-30. Version 1.06. LICENSE: mit  
 URL: <https://ctan.org/pkg/mitthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mitthesis>
- *The prtec package. A template for PRTEC conference papers.* 2019-08-20. Version 1.06. LICENSE: mit  
 URL: <https://ctan.org/pkg/prtec>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/prtec>
- Likonen, Teemu. *The kaytannollista-latexia package. Practical manual for L<sup>A</sup>T<sub>E</sub>X (Finnish).* 2023-07-09. Version 2023.7. LICENSE: cc-by-sa-4  
 URL: <https://ctan.org/pkg/kaytannollista-latexia>  
 MIRROR: <https://mirror.ctan.org/info/kaytannollista-latexia>
- Lim, LianTze. *The pgfornament-han package. pgfornament library for Chinese traditional motifs and patterns.* 2023-04-23. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pgfornament-han>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgfornament-han>
- Lím, Drahoslav. *The mt11p package. Use MathTime complete under L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mt11p>  
 MIRROR: <https://mirror.ctan.org/fonts/mt11p>
- Lima, Eduardo C. Lourenço de. *The classics package. Cite classic works.* 2020-02-04. Version 0.1a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/classics>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/classics>
- *The clipboard package. Copy and paste into and across documents.* 2018-05-18. Version 0.3. LICENSE: lppl1.3. The clipboard package provides a basic framework for copying and pasting text and commands into and across multiple documents. It replaces the package.  
 URL: <https://ctan.org/pkg/clipboard>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/clipboard>
- *The copypaste package. Copy and paste into and across documents.* 2016-06-24. Version 0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/copypaste>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/copypaste>
- *The sepfootnotes package. Support footnotes and endnotes from separate files.* 2016-07-19. Version 0.3c. LICENSE: lppl1.3. The package supports footnotes and endnotes from separate files. This is achieved with commands and ; the former defines the content of a note, while the latter typesets that note.  
 URL: <https://ctan.org/pkg/sepfootnotes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sepfootnotes>
- Lindahl, Svante. *The dvitty package. A plain-text output DVI driver.* 2018-01-06. LICENSE: nocommercial. This is the original (Pascal) version of what was later translated into C and distributed as .  
 URL: <https://ctan.org/pkg/dvitty>  
 MIRROR: <https://mirror.ctan.org/dviware/dvitty>
- Lindahl, Svante, Marcel J. E. Mol, and Takuji Tanaka. *The dvi2tty package. Produce ASCII from DVI.* 2017-04-18. Version 6.0.0. LICENSE: gpl2

- URL: <https://ctan.org/pkg/dvi2tty>  
MIRROR: <https://mirror.ctan.org/dviware/dvi2tty>
- Lindenberg, Norbert. *The lpw package. A literate programming environment for Macs*. 2016-06-24. Version 1.1. LICENSE: shareware  
URL: <https://ctan.org/pkg/lpw>  
MIRROR: <https://mirror.ctan.org/web/lpw>
- Lindgren, Ulf. *The fncychap package. Seven predefined chapter heading styles*. 2016-06-24. Version 1.34. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/fncychap>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fncychap>
- Lindhout, C. M., Marion van Geest, and Johannes L. Braams. *The nassflow package. Drawing Nassi-Shneiderman diagrams and flowcharts*. 2017-09-23. LICENSE: nosell  
URL: <https://ctan.org/pkg/nassflow>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nassflow>
- Lingnau, Anselm. *The bigsign package. Making "big signs" (mini-posters)*. 2016-06-24. Version 1.0a. LICENSE: nosell. A simple document style to provide direction signs for use at an 'open day'; requires .  
URL: <https://ctan.org/pkg/bigsign>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/bigsign>
- Lingnau, Anselm. *The float package. Improved interface for floating objects*. 2016-06-24. Version 1.3d. LICENSE: lppl  
URL: <https://ctan.org/pkg/float>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/float>
- *The tkdvi package. DVI previewer built with the Tcl/Tk toolkit*. 2016-06-24. Version 0.4. LICENSE: other-free. The previewer is built around a Tk extension , and supports multiple windows displaying multiple pages from multiple DVI files simultaneously.  
URL: <https://ctan.org/pkg/tkdvi>  
MIRROR: <https://mirror.ctan.org/obsolete/dviware/tkdvi>
- Lipari, Giuseppe. *The rtsched package. Draw Real-Time scheduling (GANTT) charts*. 2018-09-15. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/rtsched>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rtsched>
- Lipp, Fabian. *The luatodonotes package. Add editing annotations in a LuaL<sup>A</sup>T<sub>E</sub>X document*. 2020-02-17. Version 0.5. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/luatodonotes>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luatodonotes>
- Liska, Urs. *The lilyglyphs package. Access lilypond fragments and glyphs, in L<sup>A</sup>T<sub>E</sub>X*. 2020-10-04. Version 0.2.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/lilyglyphs>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/lilyglyphs>
- Liu, Changxin. *The bjfuthesis package. A thesis class for Beijing Forestry University*. 2021-07-02. Version 1.2.1. LICENSE: gpl3  
URL: <https://ctan.org/pkg/bjfuthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bjfuthesis>
- Liu, Leo. *The diagbox package. Table heads with diagonal lines*. 2020-02-29. Version 2.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/diagbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/diagbox>
- *The seealso package. Improve the performance of \see macros with makeindex*. 2018-01-06. Version 1.2. LICENSE: lppl1.3. The package amends the and macros that are used in building indexes with , to deal with repetitions, and to ensure page numbers are present in the actual index entries. on these indirectly  
URL: <https://ctan.org/pkg/seealso>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/seealso>
- *The zhmakeindex package. Makeindex replacement for Chinese users*. 2018-04-11. Version 1.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/zhmakeindex>  
MIRROR: <https://mirror.ctan.org/indexing/zhmakeindex>
- *The zhmcjk package. Simplify configuration of CJK installations for Chinese*. 2016-11-29. Version 0.9c. LICENSE: lppl  
URL: <https://ctan.org/pkg/zhmcjk>  
MIRROR: <https://mirror.ctan.org/language/chinese/zhmcjk>
- *The zhmetrics-uptex package. Chinese font metrics for upT<sub>E</sub>X*. 2021-10-22. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/zhmetrics-uptex>  
MIRROR: <https://mirror.ctan.org/fonts/zhmetrics-uptex>
- Liu, Yi. *The latexalpha2 package. Embed Mathematica code and plots into L<sup>A</sup>T<sub>E</sub>X*. 2019-03-05. Version 1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/latexalpha2>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/latexalpha2>

- Llopis, Ignacio. *The papertex package. Class for newspapers, etc.* 2016-06-24. Version 1.2b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/papertex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/papertex>
- Loesch, Boris von, Taavi Hupponen, Kimmo Karlsson, Jani Laitinen, Oskar Ojala, Antti Pirinen, Esa Seuranen, and Laura Takkinen. *The texlipse package. L<sup>A</sup>T<sub>E</sub>X plugin for Eclipse.* 2017-04-18. Version 1.5.0. LICENSE: other-free. The T<sub>E</sub>Xlipse plugin for the provides support for L<sup>A</sup>T<sub>E</sub>X projects. It is primarily aimed at users who already know the basics about L<sup>A</sup>T<sub>E</sub>X, but new users will surely find it useful despite the steeper learning curve.  
 URL: <https://ctan.org/pkg/texlipse>  
 MIRROR: <https://mirror.ctan.org/support/texlipse>
- Löffler, Andreas, Daniel H. Luecking, and Emil van Miltenburg. *The sparklines package. Drawing sparklines: intense, simple, wordlike graphics.* 2016-12-31. Version 1.7. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sparklines>  
 MIRROR: <https://mirror.ctan.org/graphics/sparklines>
- Löffler, Andreas and Sebastian Schanz. *The business-research package. Markup for the journal Business Research.* 2017-04-18. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/business-research>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/business-research>
- Loh, Ka-tsun. *The easing package. easing functions for pgfmath.* 2021-07-19. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/easing>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/easing>
- Löh, Andres. *The polytable package. Tabular-like environments with named columns.* 2020-07-14. Version 0.8.6. LICENSE: lppl  
 URL: <https://ctan.org/pkg/polytable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/polytable>
- Lohne, Mathias. *The simpleinvoice package. Easy typesetting of invoices.* 2017-11-04. LICENSE: gpl3. This package lets you easily typeset professional-looking invoices. The user specifies the content of the invoice by different commands, and an invoice is generated automatically with the command.  
 URL: <https://ctan.org/pkg/simpleinvoice>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/simpleinvoice>
- Lombardy, Sylvain and Jacques Sakarovich. *The vaucaanson-g package. PSTricks macros for drawing automata.* 2018-09-15. Version 0.4. LICENSE: lppl. VauCanSon-G is a package that enables the user to draw automata within texts written using L<sup>A</sup>T<sub>E</sub>X. The package macros make use of commands of .  
 URL: <https://ctan.org/pkg/vaucaanson-g>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/vaucaanson-g>
- Long, F.W. *The multind package. Multiple indexes in L<sup>A</sup>T<sub>E</sub>X documents.* 2019-06-21. Version 1.1b. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/multind>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/multind.sty>
- Long, Mathieu. *The chronosys package. Drawing time-line diagrams.* 2016-06-24. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/chronosys>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chronosys>
- Longborough, Brent and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The gitinfo package. Access metadata from the git distributed version control system.* 2021-12-20. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/gitinfo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gitinfo>
- *The gitinfo2 package. Access metadata from the git distributed version control system.* 2021-12-20. Version 2.0.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/gitinfo2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gitinfo2>
- *The gitlog package. Typesetting git changelogs.* 2021-12-20. Version 0.0.beta. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/gitlog>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gitlog>
- *The tagging package. Document configuration with tags.* 2021-12-20. Version 1.1.0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tagging>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tagging>
- López, Javier Bezos. *The accents package. Multiple mathematical accents.* 2019-07-06. Version 1.4. LICENSE: mit  
 URL: <https://ctan.org/pkg/accents>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/accents>

- *The arabicfront package. Frontmatter with arabic page numbers.* 2019-07-06. Version 1.1. LICENSE: mit. This package modifies the definitions of and so that page numbering starts in arabic style from the front matter while preserving the rest of the original definitions. For it to work, has to be inside these macros—most of classes do that, but there are exceptions like .  
URL: <https://ctan.org/pkg/arabicfront>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/arabicfront>
- *The babel-azerbaijani package. Support for Azerbaijani within babel.* 2017-06-05. Version 1.0a. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/babel-azerbaijani>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/azerbaijani>
- *The babeltools package. Tools for dealing with Babel annoyances.* 2019-06-27. Version 1.1. LICENSE: mit  
URL: <https://ctan.org/pkg/babeltools>
- *The checkend package. Extend “improperly closed environment” messages.* 2019-09-28. Version 1.0. LICENSE: mit  
URL: <https://ctan.org/pkg/checkend>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/checkend>
- *The colorspace package. Provides PDF color spaces.* 2019-03-25. Version 1.3. LICENSE: mit  
URL: <https://ctan.org/pkg/colorspace>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/colorspace>
- López, Javier Bezos. *The dotlessi package. Provides dotless i’s and j’s for use in any math font.* 2019-07-06. Version 1.1. LICENSE: mit. The package provides two commands: `and` and `,` which give access to dotless i’s and j’s in math mode. They are intended for symbols in non English languages.  
URL: <https://ctan.org/pkg/dotlessi>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dotlessi>
- *The enumitem package. Control layout of itemize, enumerate, description.* 2019-06-22. Version 3.9. LICENSE: mit. This package provides user control over the layout of the three basic list environments: `enumerate`, `itemize` and `description`. It supersedes both `and` (providing well-structured replacements for all their functionality), and in addition provides functions to compute the layout of labels, and to ‘clone’ the standard environments, to create new environments with counters of their own.  
URL: <https://ctan.org/pkg/enumitem>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/enumitem>
- *The epsfview package. Mac AppleScript tool for viewing figures generated with MetaPost.* 2016-06-18. LICENSE: pd  
URL: <https://ctan.org/pkg/epsfview>  
MIRROR: <https://mirror.ctan.org/systems/mac/epsfview.sea.hqx>
- *The esindex package. Typset index entries in Spanish documents.* 2019-10-11. Version 1.7. LICENSE: mit. This package helps you to create indexes in Spanish. With `esindex` you can write, say, `\esindexcañón` and the entry will be correctly alphabetized in the index. This release of `esindex` works with accented characters in any encoding, and without .  
URL: <https://ctan.org/pkg/esindex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/esindex>
- *The fixpdfmag package. Fix magnification in pdfTeX.* 2016-06-24. LICENSE: pd. A recent change to pdfTeX has caused magnification to apply to page dimensions. This small package changes the values set in the page dimension variables from `to` , thus evading the effects of .  
URL: <https://ctan.org/pkg/fixpdfmag>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/fixpdfmag.tex>
- *The gindex package. Formatting indexes.* 2019-10-07. Version 0.2. LICENSE: mit  
URL: <https://ctan.org/pkg/gindex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gindex>
- *The guarani package. Guarani support.* 2016-06-24. LICENSE: lppl. This is an (unfinished) package for support of Guarani, which is the main language spoken in Paraguay. The bundle provides support for writing in Guarani, together with an definition file for a windows Guarani code page.  
URL: <https://ctan.org/pkg/guarani>  
MIRROR: <https://mirror.ctan.org/language/guarani>
- *The luahyphenrules package. Loading patterns in Lua<sup>La</sup>T<sub>E</sub>X with language.dat.* 2020-08-28. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/luahyphenrules>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luahyphenrules>
- *The mem package. A multilingual system for Lamed.* 2017-04-18. Version 0.0004. LICENSE: lppl. This package consists of experimental code for a multilingual system for Lamed (i.e.,  $\text{La}^{\text{La}}\text{T}_{\text{E}}\text{X}$  running over ). This distribution has pre-alpha status, and is offered for experimentation and to attract contributions.

- URL: <https://ctan.org/pkg/mem>  
MIRROR: <https://mirror.ctan.org/macros/latex/exptl/mem>
- *The soulpos package*. A fancy means of underlining. 2021-10-15. Version 1.2. LICENSE: mit. The package combines the use of with the mechanism of current pdfTeX so that the user can create (almost) arbitrary underlining and similar “decorations”, including rules, leaders and even pictures (, , etc.). Unlike underlines, which are built by repeating small elements, here each chunk of text to be underlined is a single element.  
URL: <https://ctan.org/pkg/soulpos>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/soulpos>
  - *The subdocs package*. Multifile documents. 2019-07-06. Version 0.1. LICENSE: mit  
URL: <https://ctan.org/pkg/subdocs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/subdocs>
  - *The tensind package*. Typeset tensors. 2019-07-06. Version 1.1. LICENSE: mit  
URL: <https://ctan.org/pkg/tensind>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tensind>
  - *The texemplar package*. A class for the journal of CervanTeX. 2016-06-24. Version 0.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/texemplar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/TeXemplar>
- López, Javier Bezos. *The tipos package*. Description of fonts for T<sub>E</sub>X, in Spanish. 2023-06-10. LICENSE: nosource. The document describes (in Spanish) the large amount of types of files for fonts (‘tipo’ means ‘font’ in Spanish). has been by Thomas Ruedas.  
URL: <https://ctan.org/pkg/tipos>  
MIRROR: <https://mirror.ctan.org/obsolete/info/spanish/tipos>
- *The titleps package*. Page style control. 2019-10-16. Version 2.13. LICENSE: mit  
URL: <https://ctan.org/pkg/titleps>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/titlesec>
  - *The titlesec package*. Select alternative section titles. 2021-07-05. Version 2.14. LICENSE: mit  
URL: <https://ctan.org/pkg/titlesec>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/titlesec>
  - *The titletoc package*. Alternative headings for toc/lof/lot. 2019-10-16. Version 2.13. LICENSE: mit. A companion for handling toc/lof/lot entries.  
URL: <https://ctan.org/pkg/titletoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/titlesec>
- López, Javier Bezos and Johannes L. Braams. *The babel package*. Multilingual support for L<sup>A</sup>T<sub>E</sub>X, LuaLaTeX, X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X, and Plain T<sub>E</sub>X. 2023-08-29. Version 3.93. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/babel>  
MIRROR: <https://mirror.ctan.org/macros/latex/required/babel/base>
- *The babel-albanian package*. Support for Albanian within babel. 2020-11-25. Version 1.0d. LICENSE: lppl1.3. The package provides support for typesetting Albanian (as part of the system).  
URL: <https://ctan.org/pkg/babel-albanian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/albanian>
  - *The babel-czech package*. Babel support for Czech. 2018-01-13. Version 3.1a. LICENSE: lppl1.3. The package provides the language definition file for support of Czech in . Some shortcuts are defined, as well as translations to Czech of standard “LaTeX names”.  
URL: <https://ctan.org/pkg/babel-czech>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/czech>
  - *The babel-danish package*. Babel contributed support for Danish. 2021-02-06. Version 1.3s. LICENSE: lppl1.3. The package provides a language definition, file for use with , which establishes Danish conventions in a document (or a subset of the conventions, if Danish is not the main language of the document).  
URL: <https://ctan.org/pkg/babel-danish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/danish>
  - *The babel-dutch package*. Babel contributed support for Dutch. 2021-08-29. Version 3.8l. LICENSE: lppl1.3. The package provides a language definition, file for use with , which establishes Dutch conventions in a document (or a subset of the conventions, if Dutch is not the main language of the document).  
URL: <https://ctan.org/pkg/babel-dutch>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/dutch>
  - *The babel-english package*. Babel support for English. 2017-06-07. Version 3.3r. LICENSE: lppl1.3. The package provides the language definition file for support of English in . Care is taken to select hyphenation patterns for British English and Australian text, and default (“”) patterns for Canadian and USA text.



- URL: <https://ctan.org/pkg/babel-english>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/english>
- *The babel-finnish package. Babel support for Finnish.* 2021-02-06. Version 1.3s. LICENSE: lppl1.3. The package provides a language description file that enables support of Finnish with .  
URL: <https://ctan.org/pkg/babel-finnish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/finnish>
  - *The babel-interlingua package. Babel support for Interlingua.* 2018-01-13. Version 1.6. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/babel-interlingua>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/interlingua>
  - *The babel-irish package. Babel support for Irish.* 2018-01-13. Version 1.0h. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/babel-irish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/irish>
  - *The babel-kurmanji package. Babel support for Kurmanji.* 2018-04-25. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/babel-kurmanji>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/kurmanji>
  - *The babel-norsk package. Babel support for Norwegian.* 2022-11-17. Version 2.0i. LICENSE: lppl1.3. The package provides the language definition file for support of Norwegian in . Some shortcuts are defined, as well as translations to Norsk of standard “LaTeX names”.  
URL: <https://ctan.org/pkg/babel-norsk>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/norsk>
  - López, Javier Bezos and Johannes L. Braams. *The babel-portuges package. Babel support for Portuges.* 2021-07-09. Version 1.2t. LICENSE: lppl1.3. The package provides the language definition file for support of Portuguese and Brazilian Portuguese in . Some shortcuts are defined, as well as translations to Portuguese of standard “LaTeX names”.  
URL: <https://ctan.org/pkg/babel-portuges>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/portuges>
  - *The babel-scottish package. Babel support for Scottish Gaelic.* 2018-01-13. Version 1.0g. LICENSE: lppl1.3. The package provides the language definition file for support of Gaidhlig (Scottish Gaelic) in . Some shortcuts are defined, as well as translations of standard “LaTeX names”.  
URL: <https://ctan.org/pkg/babel-scottish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/scottish>
  - *The babel-slovenian package. Babel support for typesetting Slovenian.* 2021-02-06. Version 1.2n. LICENSE: lppl1.3. The package provides the language definition file for support of Slovenian in . Several shortcuts are defined, as well as translations to Slovenian of standard “LaTeX names”.  
URL: <https://ctan.org/pkg/babel-slovenian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/slovenian>
  - López, Javier Bezos, Johannes L. Braams, Claudio Beccari, and Maurizio Codogno. *The babel-italian package. Babel support for Italian text.* 2022-04-03. Version 1.4.07. LICENSE: lppl1.3c. The package provides language definitions for use in .  
URL: <https://ctan.org/pkg/babel-italian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/italian>
  - López, Javier Bezos, Johannes L. Braams, Jana Chlebíková, and Petr Tesařík. *The babel-slovak package. Babel support for typesetting Slovak.* 2018-01-13. Version 3.1a. LICENSE: lppl1.3. The package provides the language definition file for support of Slovak in , including Slovak variants of LaTeX built-in-names. Shortcuts are also defined.  
URL: <https://ctan.org/pkg/babel-slovak>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/slovak>
  - López, Javier Bezos, Johannes L. Braams, and Sten Hellman. *The babel-swedish package. Babel support for typesetting Swedish.* 2021-02-06. Version 2.3e. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/babel-swedish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/swedish>
  - López, Javier Bezos, Johannes L. Braams, Umstatter Horst, and Robert Juhasz. *The babel-romanian package. Babel support for Romanian.* 2021-04-05. Version 1.2m. LICENSE: lppl1.3. The package provides the language definition file for support of Romanian in . Translations to Romanian of standard “LaTeX names” are provided.  
URL: <https://ctan.org/pkg/babel-romanian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/romanian>
  - López, Javier Bezos, Johannes L. Braams, and Regnor Jernsletten. *The babel-samin package. Babel support for Samin.* 2018-01-13. Version 1.0c. LICENSE: lppl1.3

- URL: <https://ctan.org/pkg/babel-samin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/samin>
- López, Javier Bezos, Johannes L. Braams, Boris Lavva, Arthur Rosendahl, and Udi Fogiel. *The babel-hebrew package. Babel support for Hebrew*. 2023-08-22. Version 2.4a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-hebrew>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/hebrew>
- López, Javier Bezos, Johannes L. Braams, and Luis Martí. *The babel-esperanto package. Babel support for Esperanto*. 2018-01-13. Version 1.4t. LICENSE: lppl1.3. The package provides the language definition file for support of Esperanto in . Some shortcuts are defined, as well as translations to Esperanto of standard “LaTeX names”.  
 URL: <https://ctan.org/pkg/babel-esperanto>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/esperanto>
- López, Javier Bezos, Johannes L. Braams, Elmar Schallück, Michael Janich, and Marcin Woliński. *The babel-polish package. Babel support for Polish*. 2022-03-12. Version 1.3. LICENSE: lppl1.3. The package provides the language definition file for support of Polish in . Some shortcuts are defined, as well as translations to Polish of standard “LaTeX names”.  
 URL: <https://ctan.org/pkg/babel-polish>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/polish>
- López, Javier Bezos, Johannes L. Braams, and Uroš Stefanović. *The babel-serbian package. Babel/Polyglossia support for Serbian*. 2022-09-30. Version 2.2a. LICENSE: lppl1.3. The package provides support for Serbian documents written in Latin, in .  
 URL: <https://ctan.org/pkg/babel-serbian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/serbian>
- López, Javier Bezos, Johannes L. Braams, and Eduard Werner. *The babel-sorbian package. Babel support for Upper and Lower Sorbian*. 2021-11-06. Version 1.0j. LICENSE: lppl1.3. The package provides language definitions file for support of both Upper and Lower Sorbian, in . Some shortcuts are defined, as well as translations to the relevant language of standard “LaTeX names”.  
 URL: <https://ctan.org/pkg/babel-sorbian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/sorbian>
- López, Javier Bezos and Francesc Carmona. *The hyphen-spanish package. Standard hyphenation rules for Spanish*. 2020-04-20. Version 5.0. LICENSE: mit. This directory is a permanent place for the latest official release of the hyphenation patterns for the Spanish language, valid for , , and , with the tools used to generate them.  
 URL: <https://ctan.org/pkg/hyphen-spanish>  
 MIRROR: <https://mirror.ctan.org/language/spanish/hyphen-spanish>
- López, Javier Bezos and Thomas Ruedas. *The fonteinf package. An introduction to font usage in L<sup>A</sup>T<sub>E</sub>X (German)*. 2023-06-10. LICENSE: nosource. A German translation of a on how to use fonts in L<sup>A</sup>T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/fonteinf>  
 MIRROR: <https://mirror.ctan.org/obsolete/info/german/fonteinf.pdf>
- López, Javier Bezos and Julio Sanchez. *The babel-spanish package. Babel support for Spanish*. 2021-05-27. Version 5.0q. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-spanish>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/spanish>
- López, Joaquín Ataz. *The guia-bibtex package. Guia casi completa de BibTeX*. 2016-06-24. LICENSE: fdl  
 URL: <https://ctan.org/pkg/guia-bibtex>  
 MIRROR: <https://mirror.ctan.org/info/spanish/guia-bibtex>
- López-Valencia, Alejandro and Santafé de Bogotá. *The oztex-fonts package. Fonts packaged for use in OzTeX*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/oztex-fonts>  
 MIRROR: <https://mirror.ctan.org/systems/mac/fonts/oztex>
- Lorenz, Björn. *The neufont package. New font installation*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/neufont>  
 MIRROR: <https://mirror.ctan.org/info/german/neufont.tex>
- Lorenzen, Klaus F. and Helge Baumann. *The din1505 package. Bibliography styles for German texts*. 2016-06-24. LICENSE: other-free. A set of bibliography styles that conform to DIN 1505, and match the original BibTeX standard set ( , , and ), together with a style to work with .  
 URL: <https://ctan.org/pkg/din1505>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/german/din1505>
- Loretan, Mico. *The selnolig package. Selectively disable typographic ligatures*. 2018-03-07. Version 0.302. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/selnolig>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/selnolig>

- Loreti, Maurizio. *The brushscr package. A handwriting script font*. 2019-07-06. LICENSE: pd. The BrushScript font simulates hand-written characters; it is distributed in Adobe Type 1 format (but is available in italic shape only). The package includes the files needed by L<sup>A</sup>T<sub>E</sub>X in order to use that font. The file fully describes the package and illustrates its use.  
URL: <https://ctan.org/pkg/brushscr>  
MIRROR: <https://mirror.ctan.org/fonts/brushscr>
- *The bsheaders package. Double-ruled chapter heading style*. 2019-07-06. LICENSE: gpl. The style, inspired by those in a book by Bjarne Stroustrup, implements chapter headers in sans-serif and bounded by lines wide, both above and below the header itself.  
URL: <https://ctan.org/pkg/bsheaders>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bsheaders>
  - *The lucold package. Use old-style digits with Lucida fonts*. 2021-09-11. LICENSE: gpl. The package provides the means to switch the rendering of all the digits of a document from ‘lining’ to ‘old-style’ numbers, when using Lucida fonts. The switch affects all digits in text mode, or all digits in text and math mode. It works both for normal weight and boldface text and math; since the boldface old-style digits are in the Lucida Expert font set, you need it for the boldface digits. Includes a set of AWK programs used to automatically build , , and files from the existing Lucida PSNFSS distribution, and that may easily be changed for the generation of different virtual files for whatever font.  
URL: <https://ctan.org/pkg/lucold>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lucold>
- Loreti, Maurizio. *The recipe package. A L<sup>A</sup>T<sub>E</sub>X class to typeset recipes*. 2019-07-06. Version 0.9. LICENSE: pd. The layout design is relatively straightforward (and traditional: see ‘sample output’ under ‘documentation’); the class uses the Bookman and the fonts.  
URL: <https://ctan.org/pkg/recipe>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/recipe>
- *The RGB package. Tables of RGB colour parameters*. 2019-07-06. Version 1.2. LICENSE: other-free. The Linux (distributed as part of X11 distributions) is mechanically converted to a L<sup>A</sup>T<sub>E</sub>X file, which has been compiled to make the distribution. For details of the procedure, and sources, see the package’s home page.  
URL: <https://ctan.org/pkg/rgb>  
MIRROR: <https://mirror.ctan.org/info/colour/rgb>
  - *The sfheaders package. Sans headers*. 2019-07-06. LICENSE: noinfo  
URL: <https://ctan.org/pkg/sfheaders>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sfheaders>
  - *The webomints package. Webomints font support*. 2021-09-11. Version 1.1c. LICENSE: other-nonfree. A set of files for using the Galapagos Design Group’s with (La)TeX. The original announcement of the font said “Created by George Ryan, Web-O-Mints contains a rich assortment of typographic decorations inspired by historical sources”. A copy of the type 1 font file is included with the distribution, as are test (demonstration) files.  
URL: <https://ctan.org/pkg/webomints>  
MIRROR: <https://mirror.ctan.org/fonts/webomints>
- Loreti, Maurizio and Ryan Kavanagh. *The lintex package. Tidy up after a T<sub>E</sub>X run*. 2016-06-24. Version 1.13. LICENSE: gpl  
URL: <https://ctan.org/pkg/lintex>  
MIRROR: <https://mirror.ctan.org/support/lintex>
- Lotz, Manfred. *The pkgcheck package. CTAN package checker*. 2023-05-17. Version 3.1.0. LICENSE: apache2,mit  
URL: <https://ctan.org/pkg/pkgcheck>  
MIRROR: <https://mirror.ctan.org/support/pkgcheck>
- Lotze, Thomas. *The genmpage package. Generalization of L<sup>A</sup>T<sub>E</sub>X’s minipages*. 2016-06-24. Version 0.3.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/genmpage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/genmpage>
- Lounsbury, Andrew. *The latex-for-undergraduates package. A tutorial aimed at introducing undergraduate students to L<sup>A</sup>T<sub>E</sub>X*. 2022-10-07. Version 1.0.2. LICENSE: pd  
URL: <https://ctan.org/pkg/latex-for-undergraduates>  
MIRROR: <https://mirror.ctan.org/info/latex-for-undergraduates>
- *The suppose package. Abbreviate the word “Suppose”*. 2021-05-20. Version 1.2.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/suppose>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/suppose>
- Louthan, George. *The tucv package. Support for typesetting a CV or résumé*. 2016-06-24. Version 1.0. LICENSE: other-free  
URL: <https://ctan.org/pkg/tucv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tucv>

- Love, David. *The truecols package*. Colour facilities for *SliTeX*. 2016-06-24. Version 1.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/truecols>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/truecols.doc>
- Lovell, Matthew. *The register package*. Typeset programmable elements in digital hardware (registers). 2020-03-22. Version 2.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/register>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/register>
- Lu, Shilong. *The beautybook package*. A beautiful book template for maths and science. 2023-06-27. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/beautybook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beautybook>
- Lubbers, Mart. *The rutitlepage package*. Radboud University Titlepage Package. 2022-02-22. Version 3.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/rutitlepage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rutitlepage>
- Lubenets, Yuri. *The LaTeX-WIDE package*. Multifunctional editor for *LaTeX*. 2016-06-24. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/latexwide>  
 MIRROR: [https://mirror.ctan.org/systems/win32/LaTeX\\_WIDE](https://mirror.ctan.org/systems/win32/LaTeX_WIDE)
- *The russian-help package*. *LaTeX help in Russian*. 2016-06-18. LICENSE: pd  
 URL: <https://ctan.org/pkg/russian-help>  
 MIRROR: <https://mirror.ctan.org/info/win-help/latex/russian>
- Lück, Uwe. *The adhocfilelist package*. ‘listfiles’ entries from the command line. 2017-05-05. LICENSE: lppl  
 URL: <https://ctan.org/pkg/adhocfilelist>  
 MIRROR: <https://mirror.ctan.org/support/adhocfilelist>
- *The bitelist package*. Split list, in *TeX’s mouth*. 2017-05-05. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bitelist>  
 MIRROR: <https://mirror.ctan.org/macros/generic/bitelist>
- *The catcodes package*. Generic handling of *TeX* category codes. 2017-05-05. Version r0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/catcodes>  
 MIRROR: <https://mirror.ctan.org/macros/generic/catcodes>
- *The commado package*. Expandable iteration on comma-separated and filename lists. 2017-05-05. Version r0.11a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/commado>  
 MIRROR: <https://mirror.ctan.org/macros/generic/commado>
- *The dhua package*. German abbreviations using thin space. 2017-05-05. Version 0.11. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/dhua>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dhua>
- *The doc-pictex package*. A summary list of *PicTeX* documentation. 2017-05-05. LICENSE: other-free  
 URL: <https://ctan.org/pkg/doc-pictex>  
 MIRROR: <https://mirror.ctan.org/info/pictex/Doc-PiCTeX.txt>
- *The dowith package*. Apply a command to a list of items. 2017-05-05. Version r0.32. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/dowith>  
 MIRROR: <https://mirror.ctan.org/macros/generic/dowith>
- *The edfnotes package*. Critical annotations to footnotes with *ednotes*. 2018-01-06. Version 0.6b. LICENSE: lppl1.3. The package modifies the annotation commands and label-test mechanism of the package so that critical notes appear on the pages and in the order that one would expect.  
 URL: <https://ctan.org/pkg/edfnotes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/edfnotes>
- *The ednotes package*. Typeset scholarly editions. 2022-12-07. Version 1.3a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ednotes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ednotes>
- *The fifinddo package*. Filtering files using *TeX*. 2017-05-06. Version 0.61. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fifinddo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nicetext/use/fifinddo.sty>
- *The fifinddo-info package*. German HTML beamer presentation on *nicetext* and *morehype*. 2017-05-06. Version 1.1b. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fifinddo-info>  
 MIRROR: <https://mirror.ctan.org/info/fifinddo-info>



- *The filedate package. Access and compare info and modification dates.* 2017-05-06. LICENSE: lppl. The package provides basic access to the date of a L<sup>A</sup>T<sub>E</sub>X source file according to its entry (the “info date”) as well as to its modification date according to if the latter is available.  
URL: <https://ctan.org/pkg/filedate>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/filedate>
- *The fileinfo package. Enhanced display of L<sup>A</sup>T<sub>E</sub>X File Information.* 2018-01-06. Version 0.81a. LICENSE: lppl1.3. The bundle provides two packages, and . The package provides a means of reading file information without loading the body of the file. The package uses and controls what will report.  
URL: <https://ctan.org/pkg/fileinfo>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fileinfo>
- *The finstrut package. Adjust behaviour of the ends of footnotes.* 2017-05-06. Version 0.5. LICENSE: lppl1.3. The L<sup>A</sup>T<sub>E</sub>X internal command is used automatically used at the end of footnote texts to insert a strut to avoid mis-spacing of multiple footnotes. Unfortunately the command can cause a blank line at the end of a footnote. The package provides a solution to this problem.  
URL: <https://ctan.org/pkg/finstrut>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/finstrut>
- *The ifnextok package. Utility macro: peek ahead without ignoring spaces.* 2017-05-06. Version 0.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ifnextok>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ifnextok>
- Lück, Uwe. *The inputtrc package. Trace which file loads which.* 2017-05-06. Version 0.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/inputtrc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/inputtrc>
- *The langcode package. Simple language-dependent settings based on language codes.* 2017-05-06. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/langcode>  
MIRROR: <https://mirror.ctan.org/macros/generic/langcode>
- *The latexfileinfo-pkgs package. A comparison of packages showing L<sup>A</sup>T<sub>E</sub>X file information.* 2017-05-06. Version 0.22. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/latexfileinfo-pkgs>  
MIRROR: <https://mirror.ctan.org/info/latexfileinfo-pkgs>
- *The longnamefilelist package. Tidy \listfiles with long file names.* 2017-05-06. Version 0.2. LICENSE: lppl1.3. The package equips L<sup>A</sup>T<sub>E</sub>X’s command with an optional argument for the number of characters in the longest base filename. This way you get a neatly aligned file list even when it contains files whose base names have more than 8 characters. The package can be combined with the package as explained in the documentation.  
URL: <https://ctan.org/pkg/longnamefilelist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/longnamefilelist>
- *The ltabptch package. Bug fix for longtable.* 2017-05-06. Version 1.74d. LICENSE: lppl. A patch for L<sup>A</sup>T<sub>E</sub>X bugs tools/3180 and tools/3480. The patch applies to version 4.11 of .  
URL: <https://ctan.org/pkg/ltabptch>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ltabptch>
- *The makedoc package. Preprocessing documentation with T<sub>E</sub>X.* 2017-05-06. Version 0.52. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/makedoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nicetext>
- *The monofill package. Alignment of plain text.* 2017-05-06. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/monofill>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/monofill>
- *The morehype package. Hypertext tools for use with L<sup>A</sup>T<sub>E</sub>X.* 2017-05-06. Version r0.83. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/morehype>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/morehype>
- *The myfilist package. Configuring the output of the \listfiles command.* 2018-01-06. Version 0.71. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/myfilist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fileinfo>
- *The nicefilelist package. Provide \listfiles alignment.* 2023-02-14. Version 0.9b. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/nicefilelist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nicefilelist>
- *The nicetext package. Minimal markup for simple text (Wikipedia style) and documentation.* 2017-05-06. Version r0.67. LICENSE: lppl1.3



- URL: <https://ctan.org/pkg/nicetext>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nicetext>
- *The niceverb package. Minimising markup for documenting L<sup>A</sup>T<sub>E</sub>X packages.* 2017-05-06. Version 0.51. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/niceverb>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nicetext/use/niceverb.sty>
  - *The pictex-autoarea package. Automatic computation of bounding boxes with P<sub>C</sub>T<sub>E</sub>X.* 2021-06-10. Version 0.3a. LICENSE: lppl  
URL: <https://ctan.org/pkg/pictex-autoarea>  
MIRROR: <https://mirror.ctan.org/graphics/pictex-addons/autoarea>
  - *The plainpkg package. A minimal method for making generic packages.* 2017-05-06. Version 0.4a. LICENSE: lppl1.3. The package provides a minimal method for making generic (i.e., T<sub>E</sub>X-format-independent) packaged, combining functionality, fallback definitions for L<sup>A</sup>T<sub>E</sub>X and functionality, and handling of arbitrary (multiple) “private letters” (analogous L<sup>A</sup>T<sub>E</sub>X packages’ use of “”) in nested package files. The documentation contains a central reference for making and using generic packages based on the package.  
URL: <https://ctan.org/pkg/plainpkg>  
MIRROR: <https://mirror.ctan.org/macros/generic/plainpkg>
  - *The readprov package. Provides GetFileInfo without the need to load the file.* 2017-05-06. Version 0.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/readprov>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fileinfo>
- Lück, Uwe. *The tamefloats package. Experimentally use \holdinginserts with L<sup>A</sup>T<sub>E</sub>X floats.* 2017-05-06. Version 0.42. LICENSE: lppl1.3. L<sup>A</sup>T<sub>E</sub>X’s figures, tables, and s are dangerous for footnotes (and probably also ). Here is a proposal (a ‘patch’ package) to help, by using in a simple way. It replaces the original problem with a new one — it is an experiment to find out whether the new problem is less bad (or it is just a contribution to the discussion, maybe just a summary of previous work). The files provide further information.  
URL: <https://ctan.org/pkg/tamefloats>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tamefloats>
- *The typeoutfileinfo package. Display class/package/file information.* 2023-07-29. Version 0.32. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/typeoutfileinfo>  
MIRROR: <https://mirror.ctan.org/support/typeoutfileinfo>
  - *The versions package. Optionally omit pieces of text.* 2017-05-06. Version 0.55. LICENSE: lppl1.3. Stephan Bellantoni’s has provided preamble commands for selecting environments to be included/excluded. This package does the same, but corrects, improves, and extends it in both implementation and function.  
URL: <https://ctan.org/pkg/versions>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/versions>
  - *The wiki package. Use Wiki-style markup in a L<sup>A</sup>T<sub>E</sub>X document.* 2017-05-06. Version 0.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/wiki>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nicetext>
- Lück, Uwe and Karl Wette. *The fnlineno package. Number the lines of footnotes.* 2022-12-05. Version 0.55. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/fnlineno>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lineno>
- Lüddecke, Jobst-Hartmut. *The bard package. Celtic bardic runes font.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/bard>  
MIRROR: <https://mirror.ctan.org/fonts/bard/bard.mf>
- *The srune package. Saxon rune font.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/srune>  
MIRROR: <https://mirror.ctan.org/fonts/srune>
- Ludewig, Berthold. *The schwel1 package. Calligraphic font for typesetting handwriting in Schwell style.* 2016-07-29. LICENSE: lppl  
URL: <https://ctan.org/pkg/schwell>  
MIRROR: <https://mirror.ctan.org/fonts/gothic/sueterlin>
- *The sueterlin package. Calligraphic font for typesetting handwriting in Sütterlin style.* 2016-07-29. LICENSE: pd  
URL: <https://ctan.org/pkg/sueterlin>  
MIRROR: <https://mirror.ctan.org/fonts/gothic/sueterlin>
  - *The va package. Handwriting fonts.* 2016-06-24. LICENSE: noinfo. Two fonts, va14 and vacal14, provided as Metafont source. The distribution includes a L<sup>A</sup>T<sub>E</sub>X .fd file, and full macro support for use with L<sup>A</sup>T<sub>E</sub>X is available in the bundle.  
URL: <https://ctan.org/pkg/va>  
MIRROR: <https://mirror.ctan.org/fonts/va>

- Ludwig, Matthias and Christine Römer. *The translation-enumitem-de package. Enumitem documentation, in German*. 2016-06-24. LICENSE: lppl. This is a translation of the manual for .  
 URL: <https://ctan.org/pkg/translation-enumitem-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/enumitem/de>
- Luecking, Daniel H. *The fntproof package. A programmable font test pattern generator*. 2016-06-24. LICENSE: pd. The package implements all the font testing commands of Knuth's , but arranges that information necessary for each command is supplied as arguments to that command, rather than prompted for. This makes it possible to type all the tests in one command line, and easy to input the package in a file and to use the commands there. A few additional commands supporting this last purpose are also made available.  
 URL: <https://ctan.org/pkg/fntproof>  
 MIRROR: <https://mirror.ctan.org/macros/generic/fntproof>
- *The mathdots package. Commands to produce dots in math that respect font size*. 2016-06-24. Version 0.9. LICENSE: lppl. Redefines and , and defines . The dots produced by slant in the opposite direction to . All the commands are designed to change size appropriately in scripts, as well as in response to L<sup>A</sup>T<sub>E</sub>X size changing commands. The commands may also be used in plain T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/mathdots>  
 MIRROR: <https://mirror.ctan.org/macros/generic/mathdots>
  - *The minifp package. Fixed-point real computations to 8 decimals*. 2016-06-24. Version 0.96. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/minifp>  
 MIRROR: <https://mirror.ctan.org/macros/generic/minifp>
- Luecking, Daniel H. *The nkarta package. A "new" version of the karta cartographic fonts*. 2016-06-24. Version 0.2. LICENSE: pd. A development of the font, offering more mathematical stability in Metafont. A version that will produce the glyphs as Encapsulated PostScript, using MetaPost, is also provided.  
 URL: <https://ctan.org/pkg/nkarta>  
 MIRROR: <https://mirror.ctan.org/fonts/nkarta>
- *The plstmary package. St. Mary's Road font support for plain T<sub>E</sub>X*. 2016-06-24. Version 0.5c. LICENSE: pd. The package provides commands to produce all the symbols of the fonts, in a Plain T<sub>E</sub>X environment.  
 URL: <https://ctan.org/pkg/plstmary>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/plstmary>
  - *The splines package. MetaPost macros for drawing cubic spline interpolants*. 2016-06-24. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/splines>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/splines>
  - *The threeddice package. Create images of dice with one, two, or three faces showing, using MetaPost*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/threeddice>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/threeddice>
- Luecking, Daniel H. and Donald Arseneau. *The excludeonly package. Prevent files being \include-ed*. 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/excludeonly>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/excludeonly>
- Luecking, Daniel H. and Geoffrey Tobin. *The mfpic package. Draw Metafont/post pictures from (La)T<sub>E</sub>X commands*. 2016-06-24. Version 1.10. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/mfpic>  
 MIRROR: <https://mirror.ctan.org/graphics/mfpic>
- Luengo, Pablo González. *The ltximg package. Extract L<sup>A</sup>T<sub>E</sub>X environments into separate image files*. 2021-05-22. Version 2.1. LICENSE: gpl3+. is a Perl script that automates the process of extracting and converting environments provided by , and other packages from input file to image formats and standalone files using and . It generates a file with only extracted environments and another with all extracted environments converted to .  
 URL: <https://ctan.org/pkg/ltximg>  
 MIRROR: <https://mirror.ctan.org/support/ltximg>
- *The scontents package. Stores L<sup>A</sup>T<sub>E</sub>X contents in memory or files*. 2022-04-04. Version 2.0. LICENSE: lppl1.3c. This package stores valid L<sup>A</sup>T<sub>E</sub>X code in memory (sequences) using the module of . The stored content (including verbatim) can be used as many times as desired in the document, additionally can be written to external files if desired.  
 URL: <https://ctan.org/pkg/scontents>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scontents>
- Lukas, Florian. *The rorlink package. Create ROR symbols which links to the given ROR-IDs*. 2023-06-24. Version 1.1.0. LICENSE: lppl1.3c. This package provides an easy to use command. It takes an URL of the Research Organization Registry (ROR) as argument and

creates a ROR symbol which links to the given URL — very similar to the package from which it is derived. The symbol itself always fits with the chosen font size.

URL: <https://ctan.org/pkg/rorlink>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rorlink>

Lukaszczuk, Stephan. *The se2thesis package. A Thesis Class for the Chair of Software Engineering II at the University of Passau, Germany.* 2023-07-04. Version 3.1.0. LICENSE: lppl1.3c. The se2thesis bundle provides a document class for writing a theses with the at the , Germany. The class is based on Markus Kohm's classes and provides several additions and customizations to these classes. While the class provides some basic settings, mostly regarding the type area, fonts, and the title page, it still provides large degrees of freedom to its users. However, the package's documentation also provides recommendations regarding several aspects, for example, recommending for bibliographies.

URL: <https://ctan.org/pkg/se2thesis>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/se2thesis>

Lulli, Paolo. *The texpack package. Create documented L<sup>A</sup>T<sub>E</sub>X classes, packages and docs in a Unix environment.* 2016-06-24. LICENSE: gpl. Texpack is a little bundle of scripts to create documented L<sup>A</sup>T<sub>E</sub>X style, class files and docs. Texpack provides useful scripts for the automated creation of the skeleton required by documented T<sub>E</sub>X files. It is useful both for creating packages () and new classes (). Texpack also provides a command to automate the creation of commonly needed L<sup>A</sup>T<sub>E</sub>X skeleton files. This feature is mostly useful for the Italian author, but also provides the fast creation of a conditional preamble for handling / compilation.

URL: <https://ctan.org/pkg/texpack>

MIRROR: <https://mirror.ctan.org/support/texpack>

Lundqvist, Mikael. *The mif2xfig package. Conversion between Frame Maker and Xfig.* 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/mif2xfig>

Lupkowski, Paweł. *The fancyslides package. Custom presentation class built upon L<sup>A</sup>T<sub>E</sub>X Beamer.* 2016-06-24. Version 1.0. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/fancyslides>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancyslides>

Lupton, Robert. *The rtf2tex package. Convert RTF to T<sub>E</sub>X.* 2016-06-24. Version 1.02. LICENSE: other-free

URL: <https://ctan.org/pkg/rtf2tex>

MIRROR: <https://mirror.ctan.org/support/rtf2tex>

Luque, Jean-Gabriel. *The pst-cox package. Drawing regular complex polytopes with PSTricks.* 2019-02-03. Version 0.98 Beta. LICENSE: lgpl

URL: <https://ctan.org/pkg/pst-cox>

MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-cox>

Luque, Manuel. *The pst-contourplot package. Draw implicit functions using the “marching squares” algorithm.* 2018-07-23. Version 0.6. LICENSE: lppl. This package allows to draw implicit functions “f(x,y) = 0” with options for coloring the inside of the surfaces, for marking the points and arrowing the curve at points chosen by the user. The package uses the algorithm.

URL: <https://ctan.org/pkg/pst-contourplot>

MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-contourplot>

Luque, Manuel, Denis Girou, and Herbert Voß. *The pst-lens package. Lenses with PSTricks.* 2018-09-15. Version 1.02. LICENSE: lppl. This package provides a really rather simple command that will draw a lens. Command parameters provide a remarkable range of effects.

URL: <https://ctan.org/pkg/pst-lens>

MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-lens>

Luque, Manuel and Christophe Jorssen. *The pst-osci package. Oscillograms with PSTricks.* 2018-09-15. Version 2.82. LICENSE: lppl. This package enables you to produce oscilloscope “screen shots”. Three channels can be used to represent the most common signals (damped or not): namely sinusoidal, rectangular, triangular, dog's tooth (left and right oriented). The third channel allows you to add, to subtract or to multiply the two other signals. Lissajous diagrams (XY-mode) can also be obtained.

URL: <https://ctan.org/pkg/pst-osci>

MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-osci>

Luque, Manuel, Giuseppe Matarazzo, and Herbert Voß. *The pst-geo package. Geographical Projections.* 2021-09-01. Version 0.07. LICENSE: lppl

URL: <https://ctan.org/pkg/pst-geo>

MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-geo>

Luque, Manuel and Herbert Voß. *The pst-am package. Simulation of modulation and demodulation.* 2016-06-24. Version 1.02. LICENSE: lppl

- URL: <https://ctan.org/pkg/pst-am>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-am>
- *The pst-calendar package. Plot calendars in "fancy" ways.* 2021-09-11. Version 0.48. LICENSE: lppl. The package uses and to draw tabular calendars, or calendars on dodecahedra with a month to each face (the package also requires the and packages). The package works for years 2000–2099, and has options for calendars in French German and English, but the documentation is not available in English.  
URL: <https://ctan.org/pkg/pst-calendar>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-calendar>
  - *The pst-cie package. CIE color space.* 2021-11-04. Version 1.06b. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-cie>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-cie>
  - *The pst-diffraction package. Print diffraction patterns from various apertures.* 2022-04-06. Version 2.03. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-diffraction>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-diffraction>
  - *The pst-fun package. Draw "funny" objects with PSTricks.* 2016-06-24. Version 0.04. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-fun>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-fun>
  - *The pst-mirror package. Images on a spherical mirror.* 2021-09-14. Version 1.02. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-mirror>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-mirror>
  - Luque, Manuel and Herbert Voß. *The pst-optic package. Drawing optics diagrams.* 2023-05-07. Version 1.02a. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-optic>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-optic>
  - *The pst-platon package. Platonic solids in PSTricks.* 2018-09-15. Version 0.01. LICENSE: lppl. The package adds to the ability to draw 3-dimensional views of the five Platonic solids.  
URL: <https://ctan.org/pkg/pst-platon>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-platon>
  - *The pst-rubans package. Draw three-dimensional ribbons.* 2018-09-15. Version 1.2. LICENSE: lppl. The package uses and to draw three dimensional ribbons on a cylinder, torus, sphere, cone or paraboloid. The width of the ribbon, the number of turns, the colour of the outer and the inner surface of the ribbon may be set. In the case of circular and conical helices, one may also choose the number of ribbons.  
URL: <https://ctan.org/pkg/pst-rubans>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-rubans>
  - *The pst-solarsystem package. Plot the solar system for a specific date.* 2018-09-15. Version 0.13. LICENSE: lppl. The package uses to produce diagrams of the visible planets, projected on the plane of the ecliptic. It is not possible to represent all the planets in their real proportions, so only Mercury, Venus, Earth and Mars have their orbits in correct proportions and their relative sizes are observed. Saturn and Jupiter are in the right direction, but not in the correct size.  
URL: <https://ctan.org/pkg/pst-solarsystem>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-solarsystem>
  - *The pst-spirograph package. Drawing hypotrochoids as with a spirograph.* 2020-04-11. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-spirograph>
  - *The pst-thick package. Drawing very thick lines and curves.* 2018-09-15. Version 1.0. LICENSE: lppl. The package supports drawing of very thick lines and curves in , with various fillings for the body of the lines.  
URL: <https://ctan.org/pkg/pst-thick>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-thick>
  - *The pst-vue3d package. Draw perspective views of three dimensional objects.* 2020-04-11. Version 1.24. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-vue3d>  
MIRROR: <https://mirror.ctan.org/obsolete/graphics/pstricks/contrib/pst-vue3d>
  - Luttinen, Jaakko. *The tikz-bayesnet package. Draw Bayesian networks, graphical models and directed factor graphs.* 2016-06-24. Version 0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tikz-bayesnet>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-bayesnet>
  - Luz, Saturnino. *The mnotes package. Margin annotation for collaborative writing.* 2022-05-25. Version 0.9. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/mnotes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mnotes>



- Lyu, Jianrui. *The codehigh package. Highlight code and demos with l3regex and lpeg*. 2023-02-11. Version 2023A. LICENSE: lppl1.3c. This package uses the package from the L<sup>A</sup>T<sub>E</sub>X3 Programming Layer to parse and highlight source code and demos. It is more powerful than the package, and more easy to use than . But it is slower than both of them. Therefore in LuaT<sub>E</sub>X the package provides another way to highlight code: using LPeg (Parsing Expression Grammars for Lua). LPeg is much more powerful and faster than .  
URL: <https://ctan.org/pkg/codehigh>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/codehigh>
- *The functional package. Provide an intuitive functional programming interface for L<sup>A</sup>T<sub>E</sub>X2*. 2023-01-07. Version 2023A. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/functional>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/functional>
  - *The jnuexam package. Exam class for Jinan University*. 2020-11-06. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/jnuexam>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jnuexam>
  - *The ninecolors package. Select colors with proper WCAG color contrast*. 2022-02-13. Version 2022D. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ninecolors>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ninecolors>
  - *The tabularray package. Typeset tabulars and arrays with L<sup>A</sup>T<sub>E</sub>X3*. 2023-03-01. Version 2023A. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/tabularray>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabularray>
- Lyu, Jianrui. *The TeXFindPkg package. Query or install T<sub>E</sub>X packages and their dependencies*. 2023-05-13. Version 2023E. LICENSE: gpl3  
URL: <https://ctan.org/pkg/texfindpkg>  
MIRROR: <https://mirror.ctan.org/support/texfindpkg>
- Lyubashenko, Volodymyr and Yurii Beshpalov. *The t-angles package. Draw tangles, trees, Hopf algebra operations and other pictures*. 2017-04-18. LICENSE: gpl. A L<sup>A</sup>T<sub>E</sub>X2e package for drawing tangles, trees, Hopf algebra operations and other pictures. It is based on emT<sub>E</sub>X or TPIC s. Therefore, it can be used with the most popular drivers, including emT<sub>E</sub>X drivers, dviwin, xdvi and dvips, and (using some code from ) it may also be used with pdfLaT<sub>E</sub>X.  
URL: <https://ctan.org/pkg/t-angles>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/t-angles>
- Ma, Clerk. *The fandol package. Four basic fonts for Chinese typesetting*. 2016-06-24. Version 0.3. LICENSE: gpl  
URL: <https://ctan.org/pkg/fandol>  
MIRROR: <https://mirror.ctan.org/fonts/fandol>
- Ma, Clerk and Berthold K. P. Horn. *The yandy package. TUG release of Y and Y's T<sub>E</sub>X distribution*. 2017-04-18. Version 0.5. LICENSE: gpl  
URL: <https://ctan.org/pkg/yandy>  
MIRROR: <https://mirror.ctan.org/systems/win32/yandy>
- Ma, Zheng. *The MLMath package. Mathematical notation for Machine Learning*. 2020-06-23. Version 1.0.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/mlmath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mlmath>
- Macchia, Angelo. *The topfloat package. Move floats to the top of the page*. 2016-06-18. LICENSE: gpl  
URL: <https://ctan.org/pkg/topfloat>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/topfloat>
- MacKay, Pierre A. *The cm-afm package. Adobe Font Metrics for the CM fonts*. 2016-06-24. LICENSE: knuth. A set of AFM files, derived from the ; the purpose of creating the files was to make the fonts available to such applications as .  
URL: <https://ctan.org/pkg/cm-afm>  
MIRROR: <https://mirror.ctan.org/fonts/cm/afm>
- *The tkhyph package. Hyphenation patterns for Turkish*. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/tkhyph>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/tkhyph.tex>
  - *The turkish package. L<sup>A</sup>T<sub>E</sub>X Support for Typesetting Turkish*. 2019-06-09. LICENSE: lppl  
URL: <https://ctan.org/pkg/turkish>  
MIRROR: <https://mirror.ctan.org/language/turkish>
  - *The XeT-TeX package. A bi-directional version of T<sub>E</sub>X*. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/xet-tex>  
MIRROR: <https://mirror.ctan.org/language/xettex>
- MacKay, Pierre A., Mustafa Burc, and Javier Bezoz López. *The babel-turkish package. Babel support for Turkish documents*. 2019-07-05. Version 1.4. LICENSE: lppl1.3. The package provides support, within , of the Turkish language.



- URL: <https://ctan.org/pkg/babel-turkish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/turkish>
- MacKay, Pierre A. and Michael Spivak. *The dvipaste package. DVI manipulation*. 2021-08-26. LICENSE: pd  
URL: <https://ctan.org/pkg/dvipaste>  
MIRROR: <https://mirror.ctan.org/dviware/dvipaste>
- Maclaine-Cross, Ian. *The curves package. Curves for L<sup>A</sup>T<sub>E</sub>X picture environment*. 2017-09-09. Version 1.55. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/curves>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/curves>
- Madr, Míchal, Pavel Stríž, and Tobias Oetiker. *The lshort-czech package. Czech translation of the “Short Introduction to L<sup>A</sup>T<sub>E</sub>X2e”*. 2020-06-17. Version 4.27. LICENSE: gpl. This is the Czech translation of “”.  
URL: <https://ctan.org/pkg/lshort-czech>  
MIRROR: <https://mirror.ctan.org/info/lshort/czech>
- Madrigal, Celia Rubio. *The ddphonism package. Dodecaphonic diagrams: twelve-tone matrices, clock diagrams, etc.* 2019-09-01. Version 0.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/ddphonism>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ddphonism>
- Madsen, Lars. *The digiconfigs package. Writing “configurations”*. 2016-06-24. Version 0.5. LICENSE: lppl. In Stochastic Geometry and Digital Image Analysis some problems can be solved in terms of so-called “configurations”. A configuration is basically a square matrix of and symbols. This package provides a convenient and compact mechanism for displaying these configurations.  
URL: <https://ctan.org/pkg/digiconfigs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/digiconfigs>
- Madsen, Lars. *The dlfltxb package. Macros related to “Introdktion til L<sup>A</sup>T<sub>E</sub>X”*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/dlfltxb>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dlfltxb>
- *The interval package. Format mathematical intervals, ensuring proper spacing*. 2019-03-06. Version 0.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/interval>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/interval>
  - *The memexsupp package. Experimental memoir support*. 2016-06-24. Version 0.1. LICENSE: lppl. A package of code proposed as supporting material for . The package is intended as a test bed for such code, which may in the fullness of time be adopted into the main memoir release.  
URL: <https://ctan.org/pkg/memexsupp>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/memexsupp>
  - *The MemoirChapterStyles package. Chapter styles in memoir class*. 2021-07-01. Version 1.7e. LICENSE: lppl  
URL: <https://ctan.org/pkg/memoirchapterstyles>  
MIRROR: <https://mirror.ctan.org/info/latex-samples/MemoirChapStyles>
  - *The SASnRdisplay package. Typeset SAS or R code or output*. 2022-05-01. Version 0.95. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/sasnrdisplay>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sasnrdisplay>
  - *The threeparttablex package. Notes in longtables*. 2016-06-24. Version 0.3. LICENSE: lppl. The package provides the functionality of the package to tables created using the package.  
URL: <https://ctan.org/pkg/threeparttablex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/threeparttablex>
- Madsen, Lars and Ulrich Diez. *The verbatimcopy package. Make copies of text documents from within L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 0.06. LICENSE: lppl  
URL: <https://ctan.org/pkg/verbatimcopy>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/verbatimcopy>
- Madsen, Lars, The L<sup>A</sup>T<sub>E</sub>X Project Team, Will Robertson, Joseph Wright, and Morten Høgholm. *The mhsetup package. The mathtools “setup” function*. 2021-04-12. Version 1.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/mhsetup>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathtools>
- Maeda, Kazuki and Japanese T<sub>E</sub>X Development Community. *The pbibtex-base package. Bibliography styles and miscellaneous files for pBibT<sub>E</sub>X*. 2023-02-23. LICENSE: bsd3  
URL: <https://ctan.org/pkg/pbibtex-base>  
MIRROR: <https://mirror.ctan.org/biblio/pbibtex/pbibtex-base>

- *The platex package. pLaTeX2e and miscellaneous macros for pTeX.* 2023-02-26. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/platex>  
 MIRROR: <https://mirror.ctan.org/macros/jptex/latex/platex>
- *The uplatex package. pLaTeX2e and miscellaneous macros for upTeX.* 2022-07-31. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/uplatex>  
 MIRROR: <https://mirror.ctan.org/macros/jptex/latex/uplatex>
- Maeda, Kazuki, Japanese T<sub>E</sub>X Development Community, and Takuji Tanaka. *The uptex-fonts package. Fonts for use with upTeX.* 2023-01-28. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/uptex-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/uptex-fonts>
- Maeda, Kazuki, Takuji Tanaka, and Japanese T<sub>E</sub>X Development Community. *The uptex-base package. Plain T<sub>E</sub>X formats and documents for upTeX.* 2023-02-12. LICENSE: bsd3. The bundle contains plain T<sub>E</sub>X format files and documents for and and e-upTeX.  
 URL: <https://ctan.org/pkg/uptex-base>  
 MIRROR: <https://mirror.ctan.org/macros/jptex/generic/uptex-base>
- Magnus, P.D. *The latexcount package. Perl script to count words of L<sup>A</sup>T<sub>E</sub>X documents.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/latexcount>  
 MIRROR: <https://mirror.ctan.org/support/latexcount>
- Magwene, Paul M. *The nihbiosketch package. A class for NIH biosketches based on the 2015 updated format.* 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/nihbiosketch>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nihbiosketch>
- Mahajan, Aditya. *The context-filter package. Run external programs on the contents of a start-stop environment.* 2022-02-18. LICENSE: bsd2  
 URL: <https://ctan.org/pkg/context-filter>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-filter>
- *The context-mathsets package. Set notation in ConTeXt.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/context-mathsets>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-mathsets>
- *The context-visualcounter package. Visual display of ConTeXt counters.* 2018-08-11. LICENSE: bsd2  
 URL: <https://ctan.org/pkg/context-visualcounter>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-visualcounter>
- Mahajan, Aditya and Mojca Miklavec. *The context-vim package. Generate ConTeXt syntax highlighting code from vim.* 2022-02-18. LICENSE: bsd  
 URL: <https://ctan.org/pkg/context-vim>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-vim>
- Mahajan, Aditya, Thomas A. Schmitz, and Henning Hraban Ramm. *The context-simpleslides package. A module for preparing presentations.* 2023-05-11. LICENSE: gpl  
 URL: <https://ctan.org/pkg/context-simpleslides>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-simpleslides>
- Maier, Gunter. *The maketable package. Convert Word or Excel tables to T<sub>E</sub>X tabular structures.* 2019-02-03. LICENSE: other-free  
 URL: <https://ctan.org/pkg/maketable>  
 MIRROR: <https://mirror.ctan.org/support/maketable>
- Maier, Philipp. *The cv package. A package for creating a curriculum vitae.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/cv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cv>
- Maillot, Jérôme. *The psboxit package. Enables one to put a PostScript drawing behind a T<sub>E</sub>X box.* 2019-06-21. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/psboxit>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/psboxit.sty>
- Majewsky, Stefan. *The delim package. Simplify typesetting mathematical delimiters.* 2016-06-24. Version 1.0. LICENSE: lppl1.2. The package permits simpler control of delimiters without excessive use of commands (and the like).  
 URL: <https://ctan.org/pkg/delim>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/delim>
- Majkrzak, Piotr. *The sitem package. Save the optional argument of \item.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. The package modifies commands to save the optional argument in a box.  
 URL: <https://ctan.org/pkg/sitem>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sitem>

- Majoros, Dániel. *The simplecd package. Simple CD, DVD covers for printing*. 2016-06-24. Version 1.4. LICENSE: lppl1.2. The package provides printable cut-outs for various CD, DVD and other disc holders. The name of the package comes from its implementation and ease of use; it was designed just for text content, but since the text is placed in a environment cell, a rather wide range of things may be placed.  
 URL: <https://ctan.org/pkg/simplecd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/simplecd>
- Malaquias, José Romildo. *The efbox package. Extension of \fbox, with controllable frames and colours*. 2016-06-24. Version 1.0. LICENSE: lppl1.3. The package defines the command, which creates a box just wide enough to hold the text created by its argument. The command optionally puts a (possibly partial) frame around the box, and allows setting the box background colour.  
 URL: <https://ctan.org/pkg/efbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/efbox>
- *The pygmentex package. Use Pygments to format code listings in documents*. 2022-08-16. Version 0.11. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pygmentex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pygmentex>
- Maloney, Ross. *The xbibfile package. Create and search BibTeX databases*. 2016-06-24. Version 0.7. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xbibfile>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/xbibfile>
- Malyshev, Basil. *The bakoma package. A T<sub>E</sub>X distribution for MS-Windows VISTA/XP/2000*. 2016-06-24. Version 9.51. LICENSE: shareware  
 URL: <https://ctan.org/pkg/bakoma>  
 MIRROR: <https://mirror.ctan.org/systems/win32/bakoma>
- *The bakoma-fonts package. Computer Modern and AMS fonts in outline form*. 2018-01-06. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/bakoma-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/ps-type1/bakoma>
- *The bakoma-games package. BaKoMa modules for music and games*. 2016-06-24. LICENSE: shareware  
 URL: <https://ctan.org/pkg/bakoma-games>  
 MIRROR: <https://mirror.ctan.org/systems/win32/bakoma/macros/games.bkz>
- *The bakoma-mac package. A BaKoMa system for the Macintosh*. 2016-06-24. LICENSE: shareware  
 URL: <https://ctan.org/pkg/bakoma-mac>  
 MIRROR: <https://mirror.ctan.org/systems/mac/bakoma-mac>
- *The fontload package. A partial font downloading utility*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/fontload>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/fontload>
- Manda, Bhaskar and Heather Sherman. *The envbig package. Printing addresses on envelopes*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/envbig>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/envbig>
- Manhiça, Danilo Stélio. *The equationauthor package. Visual equation editor*. 2016-06-24. LICENSE: nosource  
 URL: <https://ctan.org/pkg/equationauthor>  
 MIRROR: <https://mirror.ctan.org/support/equationauthor>
- *The scientificaauthor package. Visual L<sup>A</sup>T<sub>E</sub>X editor*. 2016-06-24. Version 1.0. LICENSE: shareware  
 URL: <https://ctan.org/pkg/scientificauthor>  
 MIRROR: <https://mirror.ctan.org/support/scientificauthor>
- Manthanwar, Amit M. *The PST-Flags package. Draw flags of countries using PSTricks*. 2023-01-09. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pst-flags>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-flags>
- Mantzouratos, Yannis. *The dithesis package. A class for undergraduate theses at the University of Athens*. 2017-10-06. Version 0.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dithesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dithesis>
- Marchesi, José. *The gv package. An X front end for Ghostscript*. 2017-04-18. Version 3.7.4. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/gv>  
 MIRROR: <https://mirror.ctan.org/support/gv>
- Marder, Joachim, Kirill Müller, George Pearson, Andrew Hawryluk, Chelsea Hughes, and Ivan Kokan. *The Exce12LaTeX package. Convert Excel spreadsheets to L<sup>A</sup>T<sub>E</sub>X tables*. 2021-12-03. Version 3.5.0. LICENSE: lppl1.3. Making tables in L<sup>A</sup>T<sub>E</sub>X can be tedious, especially if some columns are calculated. This converter allows you to write a table in Excel instead, and export the current selection as L<sup>A</sup>T<sub>E</sub>X markup which can be pasted into an existing L<sup>A</sup>T<sub>E</sub>X document, or exported to a file and included via the command.

- URL: <https://ctan.org/pkg/excel2latex>  
MIRROR: <https://mirror.ctan.org/support/excel2latex>
- Mareschal, Pierre, Ulrich Fastenrath, Ciaran McHale, Dana Jacobsen, Frank Roth, Hartmut Palm, Henry Kautz, and Bernd Fritzsche. *The refer-tools package. Convert between refer format and BibTeX format.* 2020-06-21. Version 0.9.4. LICENSE: noinfo  
URL: <https://ctan.org/pkg/refer-tools>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/refer-tools>
- Maretić, Marcel. *The hrlatex package. L<sup>A</sup>T<sub>E</sub>X support for Croatian documents.* 2018-01-06. Version 0.23. LICENSE: lppl. This package simplifies creation of new documents for the (average) Croatian user. As an example, a class file (designed for the graduation thesis at the University of Zagreb) and sample thesis documents are included.  
URL: <https://ctan.org/pkg/hrlatex>  
MIRROR: <https://mirror.ctan.org/language/croatian/hrlatex>
- Mařík, Robert. *The acroweb package. Scripts to create interactive tests from a database.* 2016-06-24. Version 0.79. LICENSE: lppl. The AcroWeb script collection offers a tool for creation of interactive PDF tests on the fly on the Internet, using the and pdfLaTeX; it does not require too much knowledge of L<sup>A</sup>T<sub>E</sub>X. The questions are stored in a plain text database.  
URL: <https://ctan.org/pkg/acroweb>  
MIRROR: <https://mirror.ctan.org/support/acroweb>
- Mařík, Robert. *The fancytooltips package. Include a wide range of material in PDF tooltips.* 2020-09-02. Version 1.8. LICENSE: lppl1.2. The package was inspired by the package. In contrast to cooltooltips, fancytooltips allows inclusion of tooltips which contain arbitrary T<sub>E</sub>X material or a series of T<sub>E</sub>X materials (animated graphics) from an external PDF file. To see the tooltips, you have to open the files in Adobe Reader. The links and JavaScripts are inserted using eforms package from the .  
URL: <https://ctan.org/pkg/fancytooltips>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancytooltips>
- *The jeopardy package. Build a jeopardy game in L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 1.1a. LICENSE: lppl  
URL: <https://ctan.org/pkg/jeopardy>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jeopardy>
- *The mfpic4ode package. Macros to draw direction fields and solutions of ODEs.* 2023-06-29. Version 0.4. LICENSE: lppl  
URL: <https://ctan.org/pkg/mfpic4ode>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mfpic4ode>
- *The ocgtools package. Manipulate OCG layers in PDF presentations.* 2016-06-24. Version 0.95a. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/ocgtools>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ocgtools>
- Marinović, Igor. *The hrhyph package. Croatian hyphenation.* 2018-01-06. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/hrhyph>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/hrhyph.tex>
- Markey, Nicolas. *The bib-fr package. French translation of classical BibTeX styles.* 2016-06-24. Version 1.5. LICENSE: lppl  
URL: <https://ctan.org/pkg/bib-fr>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/bib-fr>
- *The bibexport package. Extract a BibTeX file based on a .aux file.* 2019-04-04. Version 3.03. LICENSE: lppl1.3. A Bourne shell script that uses BibTeX to extract bibliography entries that are 'd in a document. It can also expand a BibTeX file, expanding the abbreviations (other than the built-in ones like month names) and following the cross-references.  
URL: <https://ctan.org/pkg/bibexport>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibexport>
- *The inriafonts package. Inria fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2019-01-28. Version 1.0. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/inriafonts>  
MIRROR: <https://mirror.ctan.org/fonts/inriafonts>
- *The multidef package. Quickly define several similar macros.* 2016-06-24. Version 1.10. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/multidef>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multidef>
- *The pdfxup package. Create n-up PDF pages with minimal margins.* 2021-04-25. Version 2.10. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pdfxup>  
MIRROR: <https://mirror.ctan.org/support/pdfxup>
- *The splitbib package. Split and reorder your bibliography.* 2016-06-24. Version 1.17. LICENSE: lppl  
URL: <https://ctan.org/pkg/splitbib>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/splitbib>



- *The TameTheBeast package. A manual about bibliographies and especially BibTeX.* 2016-06-24. Version 1.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tamethebeast>  
 MIRROR: <https://mirror.ctan.org/info/bibtex/tamethebeast>
- Markgraf, Norman. *The beamertheme-npbt package. A collection of L<sup>A</sup>T<sub>E</sub>X beamer themes.* 2018-08-18. Version 4.1. LICENSE: gpl3,pd  
 URL: <https://ctan.org/pkg/beamertheme-npbt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-npbt>
- Marques, Daniel B. *The biblatex-abnt package. BibL<sup>A</sup>T<sub>E</sub>X style for Brazil's ABNT rules.* 2018-11-17. Version 3.4. LICENSE: lppl1.3c. This package offers a style for Brazil's ABNT (Brazilian Association of Technical Norms) rules.  
 URL: <https://ctan.org/pkg/biblatex-abnt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-abnt>
- Marschall, Holger. *The beameraudience package. Assembling beamer frames according to audience.* 2016-06-24. Version 0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/beameraudience>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/beameraudience>
- Martí, Luis. *The multiobjective package. Symbols for multiobjective optimisation etc.* 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/multiobjective>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multiobjective>
- Martin, Agustín. *The faq-es package. CervanTeX (Spanish T<sub>E</sub>X Group) FAQ.* 2016-06-24. Version 1.97. LICENSE: lppl  
 URL: <https://ctan.org/pkg/faq-es>  
 MIRROR: <https://mirror.ctan.org/help/es-tex-faq>
- Martin, David Orellana. *The membranecomputing package. Membrane Computing notation.* 2022-10-05. Version 0.2.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/membranecomputing>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/membranecomputing>
- Marvan, Michal. *The Nath package. Natural mathematics notation.* 2016-06-24. LICENSE: gpl. Nath is a L<sup>A</sup>T<sub>E</sub>X (both 2e and 2.09) style to separate presentation and content in mathematical typography. The style delivers a particular context-dependent presentation on the basis of a rather coarse context-independent notation. Highlighted features: depending on the context, the command produces either built-up or case or solidus fractions, with parentheses added whenever required for preservation of the mathematical meaning; delimiters adapt their size to the material enclosed, rendering and almost obsolete.  
 URL: <https://ctan.org/pkg/nath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nath>
- Masataka, Nomura. *The lshort-japanese package. Japanese version of A Short Introduction to L<sup>A</sup>T<sub>E</sub>X2e.* 2020-06-17. LICENSE: gpl  
 URL: <https://ctan.org/pkg/lshort-japanese>  
 MIRROR: <https://mirror.ctan.org/info/lshort/japanese>
- Masłowski, Michał. *The logical-markup-utils package. Packages for language-dependent inline quotes and dashes.* 2016-06-24. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/logical-markup-utils>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/logical-markup-utils>
- Massago, Sadao. *The latex-via-exemplos package. A L<sup>A</sup>T<sub>E</sub>X course written in brazilian portuguese language.* 2023-05-02. Version 0.5.9. LICENSE: gpl2+  
 URL: <https://ctan.org/pkg/latex-via-exemplos>  
 MIRROR: <https://mirror.ctan.org/info/latex-via-exemplos>
- Matarazzo, Giuseppe, Manuel Luque, and Herbert Voß. *The pst-stru package. Civil engineering diagrams, using PSTricks.* 2018-09-15. Version 0.13. LICENSE: lppl. This -based package provides facilities to draw structural schemes in civil engineering analysis, for beams, portals, arches and piles.  
 URL: <https://ctan.org/pkg/pst-stru>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-stru>
- Matarredona, Alejandro García and Unknown. *The langnames package. Name languages and their genetic affiliations consistently.* 2023-01-09. Version 2.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/langnames>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/langnames>
- Mathar, Richard J. *The EndNote2bib package. Convert EndNote files to BibTeX.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/endnote2bib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utills/r2bib>
- *The ijqc package. BibTeX style file for the Intl. J. Quantum Chem.* 2016-06-24. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ijqc>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/ijqc>



- *The numalg package. BibTeX style for Kluwer’s Numerical Algorithms.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/numalg>  
 MIRROR: <https://mirror.ctan.org/obsolete/biblio/bibtex/contrib/misc/numalg.bst>
- *The r2bib package. Convert refer and EndNote files to BibTeX.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/r2bib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/r2bib>
- Mathas, Andrew. *The smartunits package. Converting between common metric and Imperial units.* 2016-06-24. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/smartunits>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/smartunits>
- *The WebQuiz package. Write interactive web based quizzes.* 2019-05-01. Version 5.2. LICENSE: gpl3+. WebQuiz makes it possible to use L<sup>A</sup>T<sub>E</sub>X to write interactive web based quizzes. The quizzes are first written in L<sup>A</sup>T<sub>E</sub>X and then converted into HTML files using WebQuiz, which is written in Python3. The conversion from L<sup>A</sup>T<sub>E</sub>X to HTML is done behind the scenes using .  
 URL: <https://ctan.org/pkg/webquiz>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/webquiz>
- Mathas, Andrew and Bob Howlett. *The bigtable package. Multi-page tables in Plain T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/bigtable>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/btable.sty>
- Mathieu, Boretti. *The autoconf package. Autoconf macros to test for the presence of L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/autoconf>  
 MIRROR: <https://mirror.ctan.org/support/autoconf>
- *The chapterfolder package. Package for working with complicated folder structures.* 2016-06-24. Version 2.0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/chapterfolder>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chapterfolder>
- *The smalltableof package. Create listoffigures etc. in a single chapter.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/smalltableof>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/smalltableof>
- *The syntrace package. Labels for tracing in a syntax tree.* 2016-06-24. Version 1.1. LICENSE: lppl. This package adds support for traces in trees created using either the or the package. The package provides two commands ( and ) to set and use a trace.  
 URL: <https://ctan.org/pkg/syntrace>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/syntrace>
- Matiaske, Wenzel. *The mlbib package. Support for multilingual bibliographies.* 2018-01-06. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mlbib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mlbib>
- *The paper package. Versions of article class, tuned for scholarly publications.* 2018-01-06. Version 1.0l. LICENSE: gpl  
 URL: <https://ctan.org/pkg/paper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/paper>
- *The thesis package. Typeset thesis.* 2018-01-06. Version 1f. LICENSE: gpl  
 URL: <https://ctan.org/pkg/thesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thesis>
- Matos, Jody. *The easyReview package. Package to provide a way to review (or perform editorial process) in L<sup>A</sup>T<sub>E</sub>X.* 2017-04-18. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/easyreview>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easyreview>
- Matt, Christian. *The algpseudocodex package. Package for typesetting pseudocode.* 2023-04-19. Version 1.1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/algpseudocodex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/algpseudocodex>
- Matter, Florian. *The expex-acro package. Wrapper for the expex package.* 2023-08-23. Version 0.0.3. LICENSE: lppl1.3. This is a small wrapper for the package, adding ways to define, use, and summarize glossing abbreviations. It also provides commands to refer to examples, as well as some inline formatting commands commonly used in linguistics.  
 URL: <https://ctan.org/pkg/expex-acro>  
 MIRROR: <https://mirror.ctan.org/macros/generic/expex-acro>
- Mattes, Eberhard. *The emtex package. A T<sub>E</sub>X system for MS-DOS and OS/2.* 2016-06-24. LICENSE: nosell  
 URL: <https://ctan.org/pkg/emtex>  
 MIRROR: <https://mirror.ctan.org/systems/msdos/emtex>

- *The qdtevp1 package. Quick and dirty virtual font creation.* 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/qdtevp1>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/qdtevp1>
- Matthes, Alain. *The pgfornament package. Drawing of Vectorian ornaments with PGF/TikZ.* 2020-05-28. Version 1.2. LICENSE: lppl1.3. This package allows the drawing of Vectorian ornaments (196) with . The documentation presents the syntax and parameters of the macro “pgfornament”.  
 URL: <https://ctan.org/pkg/pgfornament>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tkz/pgfornament>
- *The tkz-base package. Tools for drawing with a cartesian coordinate system.* 2023-02-15. Version 4.2c. LICENSE: lppl1.3. The bundle is a set of packages, designed to give mathematics teachers (and students) easy access to programming of drawings with .  
 URL: <https://ctan.org/pkg/tkz-base>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tkz/tkz-base>
- *The tkz-berge package. Macros for drawing graphs of graph theory.* 2021-01-22. Version 2.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tkz-berge>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tkz/tkz-berge>
- Matthes, Alain. *The tkz-doc package. Documentation macros for the TKZ series of packages.* 2023-02-15. Version 1.45c. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tkz-doc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tkz-doc>
- *The tkz-euclide package. Tools for drawing Euclidean geometry.* 2023-02-03. Version 5.02c. LICENSE: lppl1.3. The tkz-euclide package is a set of files designed to give math teachers and students easy access to the programming of Euclidean geometry with .  
 URL: <https://ctan.org/pkg/tkz-euclide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tkz/tkz-euclide>
- *The tkz-fct package. Tools for drawing graphs of functions.* 2022-02-08. Version 1.7c. LICENSE: lppl1.3. The tkz-fct package is designed to give math teachers (and students) easy access to programming graphs of functions with and .  
 URL: <https://ctan.org/pkg/tkz-fct>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tkz/tkz-fct>
- *The tkz-graph package. Draw graph-theory graphs.* 2021-01-22. Version 2.0. LICENSE: lppl1.3. The package is designed to create graph diagrams as simply as possible, using .  
 URL: <https://ctan.org/pkg/tkz-graph>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tkz/tkz-graph>
- *The tkz-kiviat package. Draw Kiviat graphs.* 2023-02-15. Version 0.1b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tkz-kiviat>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/tkz/tkz-kiviat>
- *The tkz-linknodes package. Link nodes in mathematical environments.* 2023-02-15. Version 1.1d. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tkz-linknodes>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/tkz/tkz-linknodes>
- *The tkz-tab package. Tables of signs and variations using PGF/TikZ.* 2023-02-15. Version 2.12c. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tkz-tab>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tkz/tkz-tab>
- *The tkzexample package. Package for the documentation of all tkz-\* packages.* 2022-07-16. Version 1.45c. LICENSE: lppl1.3. This package is needed to compile the documentation of all tkz-\* packages (like ).  
 URL: <https://ctan.org/pkg/tkzexample>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tkz/tkzexample>
- Matthes, Alain, Apostolos Syropoulos, and Anastasios Dimou. *The alterqcm package. Multiple choice questionnaires in two column tables.* 2021-05-21. Version 4.42c. LICENSE: lppl1.3. The package is a L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> package, for making multiple choices questionnaires in a table with two columns. The aim is to provide some useful macros to build QCM in tables. These macros may be used by only L<sup>A</sup>T<sub>E</sub>X T<sub>E</sub>X users. The package works with utf8, pdfL<sup>A</sup>T<sub>E</sub>X, LuaL<sup>A</sup>T<sub>E</sub>X and X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X (with some languages). The documentation is in English.  
 URL: <https://ctan.org/pkg/alterqcm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/alterqcm>
- Matthias, Andreas. *The pdfpages package. Include PDF documents in L<sup>A</sup>T<sub>E</sub>X.* 2022-12-19. Version 0.5x. LICENSE: lppl1.3c. This package simplifies the inclusion of external multi-page PDF documents in L<sup>A</sup>T<sub>E</sub>X documents. Pages may be freely selected and similar to it is possible to put several logical pages onto each sheet of paper. Furthermore a lot of hypertext features like hyperlinks and article threads are provided. The package supports pdfT<sub>E</sub>X (pdfL<sup>A</sup>T<sub>E</sub>X) and V<sub>T</sub>E<sub>X</sub>. With V<sub>T</sub>E<sub>X</sub> it is even possible to use this package to insert PostScript files, in addition to PDF files.

- URL: <https://ctan.org/pkg/pdfpages>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfpages>
- Mattison, Sven. *The slatex package. L<sup>A</sup>T<sub>E</sub>X support for writing Swedish*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/slatex>  
 MIRROR: <https://mirror.ctan.org/language/swedish/slatex>
- Matveev, Rostislav. *The lpic package. Put L<sup>A</sup>T<sub>E</sub>X material over included graphics*. 2016-06-24. Version 0.8. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/lpic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lpic>
- Maxwell, Adam R. *The onrannual package. Class for Office of Naval Research Ocean Battlespace Sensing annual report*. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/onrannual>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/onrannual>
- *The tcobrowser package. Local browsing of the Catalogue on Mac OS X*. 2017-04-18. LICENSE: bsd  
 URL: <https://ctan.org/pkg/tcobrowser>
- May, Ludwig and Jens Leilich. *The timing package. Fonts and macro package for drawing timing diagrams*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/timing>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/timing>
- May, Wolfgang. *The pst-dbicons package. Support for drawing ER diagrams*. 2016-06-24. Version 0.16. LICENSE: lppl. The package provides some useful macros in the database area. The package focusses on typesetting ER-Diagrams in a declarative style, i.e., by positioning some nodes and defining the position of all other nodes relative to them by using the standard database terminology. The package is required for using pst-dbicons, but no deep knowledge of PSTricks commands is required (although such knowledge is useful for exploiting the full functionality of the package).  
 URL: <https://ctan.org/pkg/pst-dbicons>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-dbicons>
- May, Wolfgang and Andreas Schedler. *The ntheorem package. Enhanced theorem environment*. 2017-04-18. Version 1.33. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ntheorem>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ntheorem>
- Mayer, Gyula. *The huhyp package. Hyphenation patterns for the Hungarian language*. 2016-06-24. LICENSE: other-free. This set of patterns is now superseded by those in the .  
 URL: <https://ctan.org/pkg/huhyp>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/huhyp.tex>
- Mayer, Steve. *The TeX Converter package. Windows front-end to various L<sup>A</sup>T<sub>E</sub>X to HTML converters*. 2019-02-03. Version 2.6. LICENSE: other-free  
 URL: <https://ctan.org/pkg/tex-converter>  
 MIRROR: <https://mirror.ctan.org/support/tex-converter>
- Mayer, Steve and Benjamin Zeiss. *The LatexRender package. Use L<sup>A</sup>T<sub>E</sub>X in PHP programs*. 2018-01-06. Version 0.8. LICENSE: gpl. LatexRender is a set of scripts that allows one to call L<sup>A</sup>T<sub>E</sub>X from PHP programs; in particular, this allows users to enter L<sup>A</sup>T<sub>E</sub>X commands in a forum and, on posting, have it replaced by a suitable gif or png. LatexRender requires L<sup>A</sup>T<sub>E</sub>X and ImageMagick to be installed. The open source PHP code was originally designed for use with phpBB, but it can be adapted for use with other PHP programs. Details and example installations may be found in the maintainer's .  
 URL: <https://ctan.org/pkg/latexrender>  
 MIRROR: <https://mirror.ctan.org/support/latexrender>
- Mazoit, Frédéric. *The tableauVariations package. Variation tables in MetaPost*. 2016-06-24. LICENSE: gpl. Utility macros for creating tables of signs and of variations. The L<sup>A</sup>T<sub>E</sub>X package provides an interface to this package.  
 URL: <https://ctan.org/pkg/tableauvariations>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/tableauvariations>
- Mazzamuto, Giacomo. *The europasscv package. Unofficial class for the new version of the Europass curriculum vitae*. 2020-11-01. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/europasscv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/europasscv>
- McBane, George. *The gcard package. Arrange text on a sheet to fold into a greeting card*. 2016-06-24. LICENSE: lppl. The package provides a simple means of producing greeting cards. It arranges four panels onto a single sheet so that when the sheet is folded twice the four panels are arranged as front cover, inside left and right pages, and back cover. It uses the package for placement on the sheet and the package for the necessary rotation. The four panels are set in minipages for formatting by the user.

- URL: <https://ctan.org/pkg/gcard>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gcard>
- McCarthy, Adrian. *The ScriptTeX package. Macros for scripts and screenplays*. 2016-06-24. Version 1.04. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/scripttex>  
MIRROR: <https://mirror.ctan.org/macros/scripttex>
- McCauley, James Darrell. *The cea package. Produce papers for Computers and Electronics in Agriculture*. 2016-06-24. Version 0.1a.  
LICENSE: noinfo  
URL: <https://ctan.org/pkg/cea>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/misc/cea.sty>
- *The marnote package. Place text in the margin of a document*. 2016-06-24. Version 0.1. LICENSE: noinfo  
URL: <https://ctan.org/pkg/marnote>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/marnote.sty>
- McClain, Christopher. *The counterz package. Additional tools for counters*. 2023-06-06. Version 1.1.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/counterz>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/counterz>
- McClain, Christopher. *The examz package. Randomized exams with multiple versions*. 2023-06-17. Version 1.0.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/examz>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/examz>
- McClelland, Tony. *The corelfonts package. An installation script for Corel Ventura fonts*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/corelfonts>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/corelfonts>
- McCormick, Doc. *The hpgl2ps package. Translate HPGL to PostScript*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/hpgl2ps>  
MIRROR: <https://mirror.ctan.org/graphics/hpgl2ps>
- McDonnell, Rowland. *The cmolddig package. Virtual fount setup for using old style digits*. 2016-06-24. Version 1.6. LICENSE: lppl. This package is a virtual font setup for using old style digits by default with the OT1 encoded Computer Modern Roman upright fonts. The package does the same job for the T1 encoded EC fonts and is generally much better because the EC fonts are like that; but then again, OT1 encoded cmr is available for free in TrueType and PS Type 1 formats and has its uses in pdf files as a result.  
URL: <https://ctan.org/pkg/cmolddig>  
MIRROR: <https://mirror.ctan.org/fonts/cmolddig>
- *The eurofont package. Provides a command that prints a euro symbol*. 2016-06-24. Version 1.1.3. LICENSE: other-free. The particular symbol printed by will in general change depending on the font family, weight, and shape in use at the time. This symbol can come from any source, and the package user has complete control over which euro symbol is used in any given situation. The package is pre-configured to behave sensibly with many common text fonts and available euro symbols. The command can print ‘faked’ euro symbols from a C with two lines across it when no suitable real euro symbol is available; the package also includes code for printing fake bold euro symbols for use when no real bold symbol exists, as well as pre-configured support for a faked italic version of the font. Eurofont comes set up to use euro symbols from Adobe’s Eurofonts, the font, the font, and any available Text Companion fonts. The selection between these can be done using options passed to the package. The eurofont package also ‘knows’ about the font’s euro symbol, and can be configured to use it.  
URL: <https://ctan.org/pkg/eurofont>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eurofont>
- *The pageno package. Page number-only page styles*. 2017-05-30. LICENSE: nosell  
URL: <https://ctan.org/pkg/pageno>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pageno>
- *The rmpage package. A package to help change page layout parameters in L<sup>A</sup>T<sub>E</sub>X*. 2019-06-09. Version 0.92. LICENSE: gpl. The package lets you change page layout parameters in small steps over a range of values using options. It can set appropriately for the main fount, and ensure that the text fits inside the printable area of a printer. An rmpage-formatted document can be typeset identically without rmpage after a single cut and paste operation. Local configuration can set defaults: for all documents; and by class, by printer, and by paper size. The package is better if you want to set page layout parameters to particular measurements.  
URL: <https://ctan.org/pkg/rmpage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rmpage>
- *The sectsty package. Control sectional headers*. 2016-06-24. Version 2.0.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/sectsty>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sectsty>



- McHale, Ciaran. *The refer package. Convert a BibTeX bibliography to refer format.* 2016-06-18. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/refer>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/refer.bst>
- McKay, Benjamin. *The dynkin-diagrams package. Draw Dynkin, Coxeter, and Satake diagrams using TikZ.* 2023-06-02. Version 3.14159265358979.  
 LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/dynkin-diagrams>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/dynkin-diagrams>
- *The epigraph-keys package. Epigraphs using key values.* 2021-03-24. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/epigraph-keys>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/epigraph-keys>
  - *The lie-hasse package. Draw Hasse diagrams.* 2021-03-24. Version 1.0. LICENSE: lppl1.3c. This package draws Hasse diagrams of the partially ordered sets of the simple roots of any complex simple Lie algebra. It uses the Dynkin diagrams package .  
 URL: <https://ctan.org/pkg/lie-hasse>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/lie-hasse>
  - *The rank-2-roots package. Draw (mathematical) rank 2 root systems.* 2023-08-31. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/rank-2-roots>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/rank-2-roots>
- McKay, Benjamin. *The willowtreebook package. Easy basic book class, built on memoir.* 2021-09-28. Version 1.03. LICENSE: lppl1.3c.  
 The class is a simple book class, which the author uses for his lecture notes to be found on his web page . It actually just selects options for the more sophisticated memoir class.  
 URL: <https://ctan.org/pkg/willowtreebook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/willowtreebook>
- McKenzie, Andrew. *The ling-macros package. Macros for typesetting formal linguistics.* 2016-10-17. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ling-macros>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ling-macros>
- McKinstry, Graeme. *The merge package. Perform mail merges in L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/merge>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/merge.sty>
- McLean, Evan, David J. Musliner, and Tong Sun. *The latexmake package. L<sup>A</sup>T<sub>E</sub>X Makefile.* 2016-06-24. Version 2.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/latexmake>  
 MIRROR: <https://mirror.ctan.org/support/latexmake>
- McManus, Éamonn. *The compare package. Compare two strings.* 2020-04-11. LICENSE: pd. The file defines a macro , which takes two arguments; the macro expands to -1, 0, 1, according as the first argument is less than, equal to, or greater than the second argument. Sorting is alphabetic, using ASCII collating order.  
 URL: <https://ctan.org/pkg/compare>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/compare.tex>
- *The cprog package. Typeset C programs.* 2016-06-24. Version 1.4. LICENSE: pd  
 URL: <https://ctan.org/pkg/cprog>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/cprog.sty>
  - *The unouter package. Suppress \outer flags in Plain T<sub>E</sub>X.* 2016-06-24. LICENSE: other-free. The package suppresses all the flags on macros in Plain T<sub>E</sub>X; it also suppresses the command.  
 URL: <https://ctan.org/pkg/unouter>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/unouter.tex>
- McNees, Robert and Leo Stein. *The gridpapers package. Graph paper backgrounds and color schemes.* 2021-03-28. Version 1.0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/gridpapers>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gridpapers>
- McPhee, Patrick T J. *The bbcard package. Bullshit bingo, calendar and baseball-score cards.* 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/bbcard>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/bbcard>
- *The slideshow package. Generate slideshow with MetaPost.* 2016-06-24. Version 1.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/slideshow>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/slideshow>
- McPhee, Patrick T J and Nazeen N. (Neenie) Billawalla. *The pandora-type1 package. The Pandora font family.* 2016-06-24. LICENSE: nocommercial. The fonts offer drop-in replacements for the PK files, for use with dvips, dvi<sub>pdf</sub>m, pdf<sub>TeX</sub>, etc. You should use the TFM files generated by Metafont (the package contains AFM files, but they have not been tested). The encoding is exactly the



same as the PK files, and the package does not contain any additional characters. The fonts have been successfully used, but no warranty is offered.

URL: <https://ctan.org/pkg/pandora-type1>

MIRROR: <https://mirror.ctan.org/fonts/ps-type1/pandora>

McPherson, Kent. *The bookform package. L<sup>A</sup>T<sub>E</sub>X 2.08 style for MIL STD 490 documents*. 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/bookform>

MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/bookform>

— *The extradefs package. A miscellany of support macros*. 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/extradefs>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/samples/extradefs.tex>

— *The memo2 package. A memo document style*. 2016-06-24. LICENSE: noinfo. A small document style (L<sup>A</sup>T<sub>E</sub>X 2.09) which produces a presentable memorandum layout. The style will work under L<sup>A</sup>T<sub>E</sub>X 2e (subject to the usual complaints), but requires the package.

URL: <https://ctan.org/pkg/memo2>

MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/memo2>

— *The milstd package. Generate documents according to MIL STD 490*. 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/milstd>

MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/milstd>

McPherson, Kent, Johannes L. Braams, Hideo Umekei, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The layout package. View the layout of a document*.

2021-06-01. Version 1.2e. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/layout>

MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>

Medina, Rodrigo. *The fontch package. Changing fonts, sizes and encodings in Plain T<sub>E</sub>X*. 2016-06-24. Version 2.2. LICENSE: lppl

URL: <https://ctan.org/pkg/fontch>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/fontch>

— *The old-fontch package. Changing fonts, sizes and encodings in Plain T<sub>E</sub>X (obsolete version)*. 2016-06-24. Version 2. LICENSE: lppl

URL: <https://ctan.org/pkg/old-fontch>

MIRROR: <https://mirror.ctan.org/obsolete/macros/plain/contrib/fontch20>

— *The sphyphb package. Experimental Spanish hyphenation patterns*. 2020-03-04. Version 2.04. LICENSE: lppl

URL: <https://ctan.org/pkg/sphyphb>

MIRROR: <https://mirror.ctan.org/language/spanish/sphyphb>

Medini, Yotam. *The tfmpk package. A viewer for tfm and pk font files*. 2016-06-24. Version 0.72. LICENSE: gpl

URL: <https://ctan.org/pkg/tfmpk>

MIRROR: <https://mirror.ctan.org/fonts/utilities/tfmpk>

Meer, Hans van der. *The exams package. Typeset exam questions*. 2016-06-24. LICENSE: other-nonfree

URL: <https://ctan.org/pkg/exams>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exams>

— *The slidenotes package. Typeset slides accompanied by notes*. 2019-06-21. Version 3.27. LICENSE: other-nonfree

URL: <https://ctan.org/pkg/slidenotes>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/slidenotes>

Meer, Sven van der. *The skb package. Tools for a repository of long-living documents*. 2017-04-18. Version 0.52. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/skb>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/skb>

Mégevand, Denis and Vincent Belaïche. *The lettre package. Letters and faxes in French*. 2020-04-13. Version 3.002. LICENSE: lppl1.3.

Developed from the ancestor of the standard class, at the Observatoire de Genève.

URL: <https://ctan.org/pkg/lettre>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lettre>

Mehani, Olivier. *The unswcover package. Typeset a dissertation cover page following UNSW guidelines*. 2023-02-22. Version 1.0. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/unswcover>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unswcover>

Méhats, Laurent. *The drv package. Derivation trees with MetaPost*. 2016-06-24. Version 0.97. LICENSE: lppl

URL: <https://ctan.org/pkg/drv>

MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/drv>

Mehl, Albrecht. *The shortcuttool package. Enables shortcut file import to the input tool Shortcut*. 2016-06-24. LICENSE: other-free

URL: <https://ctan.org/pkg/shortcuttool>

MIRROR: <https://mirror.ctan.org/support/shortcuttool>

- Mehlich, Michael. *The fp package. Fixed point arithmetic*. 2019-01-14. Version 2.1d. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fp>
- *The hyper package. Hypertext cross referencing*. 2016-06-24. Version 4.2d. LICENSE: lppl  
 URL: <https://ctan.org/pkg/hyper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hyper>
- Meijer, Erik. *The apacite package. Citation style following the rules of the APA*. 2019-12-27. Version 6.03. LICENSE: lppl. Apacite provides a BibTeX style and a L<sup>A</sup>T<sub>E</sub>X package which are designed to match the requirements of the American Psychological Association’s style for citations. The package follows the 6th edition of the APA manual, and is designed to work with the class. A test document is provided. The package is compatible with and (to some extent) with (for limits of compatibility, see the documentation). The package also includes a means of generating an author index for a document.  
 URL: <https://ctan.org/pkg/apacite>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/apacite>
- Meister, Matthias. *The present package. Presentations with Plain T<sub>E</sub>X*. 2019-02-17. Version 2.2.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/present>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/present>
- Melendez, Enrique. *The cweb-hy package. Insert hyperlinks for included files*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cwebhy>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cweb/contrib/cweb-hy>
- Melnikov, Vitaly G. *The vak package. BibTeX style for Russian Theses, books, etc.* 2022-09-15. LICENSE: lppl  
 URL: <https://ctan.org/pkg/vak>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/vak>
- Meltzer, Olaf. *The uhrzeit package. Time printing, in German*. 2016-06-24. Version 0.2c. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/uhrzeit>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uhrzeit>
- Melzer, Norbert. *The listlbls package. Creates a list of all labels used throughout a document*. 2023-05-25. Version 1.04. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/listlbls>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/listlbls>
- Mendler, Daniel. *The gridslides package. Free form slides with blocks placed on a grid*. 2017-11-28. Version 0.1.1. LICENSE: lppl1.3,gpl2  
 URL: <https://ctan.org/pkg/gridslides>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gridslides>
- Meneghetti, Douglas De Rizzo. *The fei package. Class for academic works at FEI University Center — Brazil*. 2022-12-24. Version 4.10.4. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fei>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fei>
- Merciadri, Luca. *The bigints package. Writing big integrals*. 2019-02-04. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bigints>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bigints>
- *The plantslabels package. Write labels for plants*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/plantslabels>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/plantslabels>
- *The turnthepage package. Provide “turn page” instructions*. 2016-06-24. Version 1.3a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/turnthepage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/turnthepage>
- Merckens, A. and Erik Frambach. *The amspell package. ASCII and L<sup>A</sup>T<sub>E</sub>X spell checker*. 2016-06-24. LICENSE: nosource  
 URL: <https://ctan.org/pkg/amspell>  
 MIRROR: <https://mirror.ctan.org/support/amspell>
- Mertz, Andrew. *The jflap2tikz package. Convert JFlap file into a L<sup>A</sup>T<sub>E</sub>X file depicting the automaton using TikZ*. 2016-06-24. Version 1.2. LICENSE: other-free. JFlap is an excellent piece of software for experimenting with finite state machines, Turing machines and for exploring many aspects of the theory of computation. JFLAP2TikZ is a script that converts a JFlap “ file representing a finite automaton, push down automaton, or Turing machine to L<sup>A</sup>T<sub>E</sub>X file depicting the automaton graphically using TikZ.  
 URL: <https://ctan.org/pkg/jflap2tikz>  
 MIRROR: <https://mirror.ctan.org/graphics/jflap2tikz>

- Merz, Thomas. *The jpeg2ps package. Convert JPEG files to PostScript Level 2 or 3 EPS*. 2016-06-24. Version 1.8. LICENSE: nosell  
 URL: <https://ctan.org/pkg/jpeg2ps>  
 MIRROR: <https://mirror.ctan.org/support/jpeg2ps>
- Messineo, Grazia and Salvatore Vassallo. *The esami package. Typeset exams with scrambled questions and answers*. 2023-07-22. Version 2.8. LICENSE: lppl  
 URL: <https://ctan.org/pkg/esami>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/esami>
- Meyer-Lerbs, Lothar. *The OzTeX-german package. German packaging of OzTeX*. 2016-06-18. LICENSE: pd  
 URL: <https://ctan.org/pkg/oztex-german>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/mac/oztex-german>
- Mezzetti, Gustavo. *The bullcntr package. Display list item counter as regular pattern of bullets*. 2016-06-24. Version 0.04. LICENSE: lppl1.3. The bullcntr package defines the command `\bullet`, which may be thought of as an analogue of the command `\textbullet`: like the latter, it displays the value of a counter lying between 1 and 9, but uses, for the purpose, a regular pattern of bullets.  
 URL: <https://ctan.org/pkg/bullcntr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bullcntr>
- *The C.D.P. Bundle package. Business letters in the Italian style*. 2022-01-13. Version 0.36d. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cdpbundl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cdpbundl>
- Mezzetti, Gustavo. *The halloweenmath package. Scary and creepy math symbols with AMS-L<sup>A</sup>T<sub>E</sub>X integration*. 2019-11-01. Version 0.11. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/halloweenmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/halloweenmath>
- Michael, Vonbun. *The karnaughmap package. Typeset Karnaugh maps*. 2016-11-25. Version 2.0. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/karnaughmap>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/karnaughmap>
- Michlmayr, Leonard. *The textgreek package. Upright greek letters in text*. 2018-01-06. Version 0.7. LICENSE: lppl. Use upright greek letters as text symbols, e.g. `\text{alpha}`.  
 URL: <https://ctan.org/pkg/textgreek>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/textgreek>
- MicroPress. *The Eqmlite/Free package. TeX system and PDF support for Linux and OS/2*. 2022-01-28. Version 2.31. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/eqmlite>  
 MIRROR: <https://mirror.ctan.org/systems/win32/micropress/eqmlite>
- *The hvmath-fonts package. Bitmap versions of the Micropress HV-Math fonts (Helvetica Maths)*. 2023-07-10. LICENSE: nocommercial. This is the ‘public’ part of the HV-Math font distribution: metrics, and a set of bitmap files. Actually to use the fonts, you probably also need the by Walter Schmidt.  
 URL: <https://ctan.org/pkg/hvmath-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/micropress/hvmath>
- *The MicroIMP package. A T<sub>E</sub>X-based word processor*. 2016-06-24. Version 0.18. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/microimp>  
 MIRROR: <https://mirror.ctan.org/systems/win32/microimp>
- *The tmmath-fonts package. Bitmap versions of the Micropress TM-Math fonts (Times Maths)*. 2023-07-10. Version 1.2. LICENSE: nocommercial. This is the ‘public’ part of the TM-Math font distribution: metrics, and a set of bitmap files (in .pk format). Actually to use the fonts, you are advised to use the by Walter Schmidt.  
 URL: <https://ctan.org/pkg/tmmath-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/micropress/tmmath>
- *The VTeX/Free package. TeX system and PDF support for Linux and OS/2*. 2022-01-28. Version 8.46. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/vtex-free>  
 MIRROR: <https://mirror.ctan.org/systems/vtex>
- Midtiby, Henrik Skov. *The todonotes package. Marking things to do in a L<sup>A</sup>T<sub>E</sub>X document*. 2023-01-31. Version 1.1.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/todonotes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/todonotes>
- Miede, André. *The ClassicThesis package. A “classically styled” thesis package*. 2018-06-17. Version 4.6. LICENSE: gpl2+  
 URL: <https://ctan.org/pkg/classicthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/classicthesis>

- *The gamebook package*. Typeset gamebooks and other interactive novels. 2016-06-24. Version 1.0. LICENSE: lppl1.3. This package provides the means in order to lay-out with L<sup>A</sup>T<sub>E</sub>X. A simple gamebook example is included with the package, and acts as a tutorial.  
URL: <https://ctan.org/pkg/gamebook>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gamebook>
- Mielczarek, Detlev Conrad. *The beamertheme-detlevcm package*. A beamer theme designed for use in the University of Leeds. 2018-01-06. Version 1.02. LICENSE: gpl  
URL: <https://ctan.org/pkg/beamertheme-detlevcm>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/detlevcm>
- Mifsud, Xandru. *The quicktype package*. L<sup>A</sup>T<sub>E</sub>X package for quick typesetting. 2016-10-08. Version 0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/quicktype>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/quicktype>
- Miklavac, Mojca, Hans Hagen, and Taco Hoekwater. *The ConTeXt-gnuplot package*. Inclusion of Gnuplot graphs in ConTeXt. 2017-04-18. LICENSE: gpl. Enables simple creation and inclusion of graphs with . The package writes a script into temporary file, runs Gnuplot and includes the resulting graphic directly into the document. See the ConTeXt Garden for further details.  
URL: <https://ctan.org/pkg/context-gnuplot>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-gnuplot>
- Miklavac, Mojca, Arthur Rosendahl, Manuel Pégourié-Gonnard, Élie Roux, and Khaled Hosny. *The hyph-utf8 package*. Hyphenation patterns expressed in UTF-8. 2021-08-26. LICENSE: mit  
URL: <https://ctan.org/pkg/hyph-utf8>  
MIRROR: <https://mirror.ctan.org/language/hyph-utf8>
- Mikulik, Petr. *The pmcstex package*. L<sup>A</sup>T<sub>E</sub>X in emTeX IDE/FrontEnd for EPM. 2017-04-18. LICENSE: lppl  
URL: <https://ctan.org/pkg/pmcstex>  
MIRROR: <https://mirror.ctan.org/systems/os2/pmcstex>
- Milanese, Guido. *The copac-clean package*. Automatic editing of Copac/BibTeX records. 2018-01-06. Version 0.8. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/copac-clean>  
MIRROR: <https://mirror.ctan.org/support/copac-clean>
- *The forindex package*. Manipulate \index commands in a L<sup>A</sup>T<sub>E</sub>X file. 2016-06-24. Version 0.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/forindex>  
MIRROR: <https://mirror.ctan.org/indexing/forindex>
- *The nb4latex package*. Convert NotaBene4 to L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. LICENSE: pd  
URL: <https://ctan.org/pkg/nb4latex>  
MIRROR: <https://mirror.ctan.org/systems/msdos/nb4latex>
- *The tab4tex package*. Preprocessor for L<sup>A</sup>T<sub>E</sub>X tabular environments. 2016-06-24. Version 0.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/tab4tex>  
MIRROR: <https://mirror.ctan.org/support/tab4tex>
- *The texaccents package*. Convert composite accented characters to Unicode. 2022-09-21. Version 1.0.1. LICENSE: mit. This small utility, written in SNOBOL, converts the composition of special characters to Unicode, e. g. → , → , ...  
URL: <https://ctan.org/pkg/texaccents>  
MIRROR: <https://mirror.ctan.org/support/texaccents>
- *The zblbuild package*. Help with the choice of a BibL<sup>A</sup>T<sub>E</sub>X style and options. 2019-08-28. Version 0.1c. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/zblbuild>  
MIRROR: <https://mirror.ctan.org/support/zblbuild>
- Milde, Günter. *The docutils package*. Helper commands and element definitions for Docutils L<sup>A</sup>T<sub>E</sub>X output. 2020-09-26. LICENSE: bsd  
URL: <https://ctan.org/pkg/docutils>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/docutils>
- *The greek-fontenc package*. LICR macros and encoding definition files for Greek. 2023-08-17. Version 2.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/greek-fontenc>  
MIRROR: <https://mirror.ctan.org/language/greek/greek-fontenc>
- *The isomath package*. Mathematics style for science and technology. 2018-01-06. Version 0.6.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/isomath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/isomath>
- *The lgrx package*. Obsolete package for Greek in text. 2023-06-19. Version 0.9. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/lgrx>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/lgrx>

- *The pzccal package. Zapf Chancery as calligraphic math alphabet.* 2018-01-06. Version 0.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/pzccal>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/pzccal>
- *The substitute font package. Obsolete package to combine font families for different font encodings.* 2023-08-17. Version 0.1.6. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/substitute font>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/substitute font>
- Miletić, Vedran, Joseph Wright, Unknown, Louis Stuart, and Till Tantau. *The beamer package. A L<sup>A</sup>T<sub>E</sub>X class for producing presentations and slides.* 2023-05-15. Version 3.70. LICENSE: lppl1.3c,gpl2+,fdl  
URL: <https://ctan.org/pkg/beamer>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer>
- Milin, Matea. *The unizgklasa package. A L<sup>A</sup>T<sub>E</sub>X class for theses at the Faculty Of Graphic Arts in Zagreb.* 2019-07-21. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/unizgklasa>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unizgklasa>
- Miller, Daniel Benjamin. *The addliga package. Access basic ligatures in legacy TrueType fonts.* 2019-05-03. Version 1.0. LICENSE: pd  
URL: <https://ctan.org/pkg/addliga>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/addliga>
- Miller, Daniel Benjamin. *The chi foot package. Chicago-style footnote formatting.* 2021-01-08. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/chi foot>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chi foot>
- *The clara package. A serif font family.* 2020-01-20. LICENSE: ofl,gpl2+  
URL: <https://ctan.org/pkg/clara>  
MIRROR: <https://mirror.ctan.org/fonts/clara>
- *The courierten package. Courier 10 Pitch BT with L<sup>A</sup>T<sub>E</sub>X support.* 2020-06-10. LICENSE: other-free  
URL: <https://ctan.org/pkg/courierten>  
MIRROR: <https://mirror.ctan.org/fonts/courierten>
- *The domitian package. Drop-in replacement for Palatino.* 2020-05-26. Version 1.0.1. LICENSE: lppl1.3c,ofl,other-free  
URL: <https://ctan.org/pkg/domitian>  
MIRROR: <https://mirror.ctan.org/fonts/domitian>
- *The MLModern package. A blacker Type 1 version of Computer Modern, with multilingual support.* 2021-01-18. Version 1.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/mlmodern>  
MIRROR: <https://mirror.ctan.org/fonts/mlmodern>
- *The mpfonts package. Computer Modern Type 3 fonts converted using MetaPost.* 2020-02-04. LICENSE: knuth,lppl1.3c,ofl,other-free,pd  
URL: <https://ctan.org/pkg/mpfonts>  
MIRROR: <https://mirror.ctan.org/fonts/mpfonts>
- *The orientation package. Set page orientation with dvips/Ghostscript (ps2pdf).* 2021-01-14. Version 1.0. LICENSE: cc0  
URL: <https://ctan.org/pkg/orientation>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/orientation>
- *The quality type package. The QualiType font collection.* 2020-01-01. LICENSE: ofl,gpl2+  
URL: <https://ctan.org/pkg/quality type>  
MIRROR: <https://mirror.ctan.org/fonts/quality type>
- *The step package. A free Times-like font.* 2021-01-02. Version 2.0.5. LICENSE: ofl  
URL: <https://ctan.org/pkg/step>  
MIRROR: <https://mirror.ctan.org/fonts/step>
- *The stepgreek package. A free Times/Elsevier-style Greek font.* 2020-12-13. Version 3.0b1. LICENSE: ofl. This is a beta version of the STEP Greek font. Only a regular face is available at present, though there are plans to add italic, bold and bold italic in the future. The font only supports LGR in T<sub>E</sub>X and is meant to serve as a Greek complement to a Times-like font such as . The font supports polytonic Greek.  
URL: <https://ctan.org/pkg/stepgreek>  
MIRROR: <https://mirror.ctan.org/fonts/stepgreek>
- Miller, Daniel Benjamin and Bob Tennent. *The garamond-libre package. The Garamond Libre font face.* 2022-09-16. Version 1.4. LICENSE: mit,lppl  
URL: <https://ctan.org/pkg/garamond-libre>  
MIRROR: <https://mirror.ctan.org/fonts/garamond-libre>



- Miller, Tristan. *The txt2latex package. Convert text by fixing special chars and quote marks*. 2016-06-24. LICENSE: pd. This is a small Perl script intended to facilitate batch conversion of largely unformatted ASCII text for use with L<sup>A</sup>T<sub>E</sub>X. In contrast to , it does not assume the document has any underlying structure. Its sole purpose is to escape special L<sup>A</sup>T<sub>E</sub>X characters and to fix single and double quotation marks.  
 URL: <https://ctan.org/pkg/txt2latex>  
 MIRROR: <https://mirror.ctan.org/support/txt2latex>
- Minow, Martin. *The dayofweek package. Calculate day of week, phase of moon*. 2020-04-11. LICENSE: noinfo. Defines as the (English) weekday name, and as the moon’s phase, from “new” to “full” and back again.  
 URL: <https://ctan.org/pkg/dayofweek>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/dayofweek.tex>
- Minyard, Corey. *The tango-weevil package. A simple Web system*. 2019-03-02. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tango-weevil>  
 MIRROR: <https://mirror.ctan.org/web/tango-weevil>
- Minz, Christoph. *The causets package. Draw causal set (Hasse) diagrams*. 2023-03-05. Version 1.4. LICENSE: lppl1.3. This L<sup>A</sup>T<sub>E</sub>X package uses to generate (Hasse) diagrams for causal sets (causets) to be used inline with text or in mathematical expressions. The macros can also be used in the environment to annotate or modify a diagram, as shown with some examples in the documentation.  
 URL: <https://ctan.org/pkg/causets>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/causets>
- Missier, Antoine. *The arraycols package. New column types for array and tabular environments*. 2023-08-09. Version 1.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/arraycols>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/arraycols>
- *The exesheet package. Typesetting exercise or exam sheets*. 2023-08-26. Version 2.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/exesheet>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exesheet>
  - *The frenchmath package. Typesetting mathematics according to French rules*. 2023-03-08. Version 2.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/frenchmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frenchmath>
  - *The ibrackets package. Intelligent brackets*. 2023-07-26. Version 1.2. LICENSE: lppl1.3. This small package provides a new definition of brackets and as active characters to get correct blank spaces in mathematical mode when using for open intervals. Instead of parenthesis: is equivalent to .  
 URL: <https://ctan.org/pkg/ibrackets>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ibrackets>
  - *The mismath package. Miscellaneous mathematical macros*. 2023-07-27. Version 2.8. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/mismath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mismath>
  - *The schooldocs package. Various layout styles for school documents*. 2023-08-29. Version 1.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/schooldocs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/schooldocs>
  - *The spacingtricks package. Addressing various spacing issues*. 2023-07-28. Version 1.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/spacingtricks>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/spacingtricks>
  - *The tablvar package. Typesetting pretty tables of signs and variations according to French usage*. 2019-07-02. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tablvar>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tablvar>
- Mitchell, Bill. *The termcal package. Print a class calendar*. 2016-06-24. Version 1.8. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/termcal>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/termcal>
- Mitek. *The boisik package. A font inspired by Baskerville design*. 2016-06-24. Version 0.5. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/boisik>  
 MIRROR: <https://mirror.ctan.org/fonts/boisik>
- *The tapir package. A simple geometrical font*. 2017-04-18. Version 0.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tapir>  
 MIRROR: <https://mirror.ctan.org/fonts/tapir>

- Mitsuaki, Oura. *The DPCircling package. Decorated text boxes using TikZ*. 2020-04-26. Version 1.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/dpcircling>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/dpcircling>
- Mittelbach, Arno. *The cryptocode package. Typesetting pseudocode, protocols, game-based proofs and black-box reductions in cryptography*. 2021-08-15. Version 0.44. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/cryptocode>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cryptocode>
- Mittelbach, Frank. *The fewerfloatpages package. Reduce the number of unnecessary float pages*. 2021-03-02. Version 1.0b. LICENSE: lpp1.3c  
 URL: <https://ctan.org/pkg/fewerfloatpages>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fewerfloatpages>
- *The fileerr package. LaTeX's mechanisms for dealing with file errors*. 2023-06-09. Version 1.1a. LICENSE: lpp1.3c  
 URL: <https://ctan.org/pkg/fileerr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The lb2-examples package. Examples from "Der L<sup>A</sup>T<sub>E</sub>X Begleiter"*. 2016-06-24. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/lb2-examples>  
 MIRROR: <https://mirror.ctan.org/info/examples/lb2>
- Mittelbach, Frank. *The tlc2-examples package. Examples from "The L<sup>A</sup>T<sub>E</sub>X Companion", second edition*. 2016-06-24. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/tlc2-examples>  
 MIRROR: <https://mirror.ctan.org/info/examples/tlc2>
- *The tlc3-examples package. All examples from "The L<sup>A</sup>T<sub>E</sub>X Companion", third edition*. 2023-01-10. LICENSE: lpp1.3c  
 URL: <https://ctan.org/pkg/tlc3-examples>  
 MIRROR: <https://mirror.ctan.org/info/examples/tlc3>
  - *The unicodefonttable package. A Unicode font table generator*. 2023-05-10. Version 1.0h. LICENSE: lpp1.3c  
 URL: <https://ctan.org/pkg/unicodefonttable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unicodefonttable>
  - *The varioref package. Intelligent page references*. 2023-06-09. Version 1.6f. LICENSE: lpp1.3c  
 URL: <https://ctan.org/pkg/varioref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The widows-and-orphans package. Identify (typographic) widows and orphans*. 2023-04-03. Version 1.0f. LICENSE: lpp1.3c  
 URL: <https://ctan.org/pkg/widows-and-orphans>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/widows-and-orphans>
- Mittelbach, Frank and David Carlisle. *The mathtime-ltx package. L<sup>A</sup>T<sub>E</sub>X macros for using MathTime and MathTime Plus*. 2022-05-13. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/mathtime-ltx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psnfssx/mathtime>
- Mittelbach, Frank and Michel Goossens. *The tlc2-errata package. Errata list for The L<sup>A</sup>T<sub>E</sub>X Companion, Second Edition*. 2016-10-18. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/tlc2-errata>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- Mittelbach, Frank and Luca Merciadri. *The dashundergaps package. Produce gaps that are underlined, dotted or dashed*. 2021-03-05. Version 2.0h. LICENSE: lpp1.3c. The package provides commands (, and ) each of which underlines its argument with one of the styles the package is capable of. A phantom mode is provided, where the underline (of whatever form) can serve for a 'fill-in block' for student evaluation sheets.  
 URL: <https://ctan.org/pkg/dashundergaps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dashundergaps>
- Mittelbach, Frank and Sebastian Rahtz. *The lgc2-examples package. Examples from The L<sup>A</sup>T<sub>E</sub>X Graphics Companion, second edition*. 2016-06-24. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/lgc2-examples>  
 MIRROR: <https://mirror.ctan.org/info/examples/lgc2>
- Mittelbach, Frank and Chris Rowley. *The ltx3pub package. Early publications of the L<sup>A</sup>T<sub>E</sub>X project*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ltx3pub>  
 MIRROR: <https://mirror.ctan.org/info/ltx3pub>
- Mittelbach, Frank, Chris Rowley, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The ltnews package. The latest L<sup>A</sup>T<sub>E</sub>X news*. 2023-06-09. Version 1.08. LICENSE: lpp1.3c

- URL: <https://ctan.org/pkg/ltnews>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>
- Mittelbach, Frank, Rainer Schöpf, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The exscale package. Implements scaling of the 'cmex' fonts.* 2023-06-09. Version 2.1i. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/exscale>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>
- *The slides package. Class for creating slides.* 2023-06-09. Version 2.4b. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/slides>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>
  - *The syntonly package. Run a document through L<sup>A</sup>T<sub>E</sub>X for syntax checking.* 2019-10-04. Version 2.1e. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/syntonly>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>
- Mittelbach, Frank and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The array package. Extending the array and tabular environments.* 2023-06-09. Version 2.5g. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/array>  
MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- Mittelbach, Frank and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The doc package. Format L<sup>A</sup>T<sub>E</sub>X documentation.* 2023-06-09. Version 3.0m. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/doc>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>
- *The docstrip package. Remove comments from file.* 2023-06-09. Version 2.6b. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/docstrip>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>
  - *The ftnright package. Footnotes in two column documents in one column only.* 2023-06-09. Version 1.1f. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/ftnright>  
MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The mfnfss package. Packages to typeset oldgerman and pandora fonts in L<sup>A</sup>T<sub>E</sub>X.* 2020-01-19. LICENSE: lppl  
URL: <https://ctan.org/pkg/mfnfss>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mfnfss>
  - *The multicol package. Intermix single and multiple columns.* 2023-06-09. Version 1.9f. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/multicol>  
MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The nfssfont package. Typesetting font tables using L<sup>A</sup>T<sub>E</sub>X's NFSS notation.* 2023-06-09. Version 2.2e. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/nfssfont>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>
  - *The theorem package. Manipulate theorem environments.* 2023-06-09. Version 2.2c. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/theorem>  
MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
  - *The trace package. Make sensible use of T<sub>E</sub>X tracing in L<sup>A</sup>T<sub>E</sub>X.* 2023-06-09. Version 1.1f. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/trace>  
MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- Mittelbach, Marc. *The TeXshell package. X-Window Shell for T<sub>E</sub>X.* 2023-02-10. Version 2.8. LICENSE: gpl  
URL: <https://ctan.org/pkg/texshell>  
MIRROR: <https://mirror.ctan.org/obsolete/support/TeXshell>
- Miyatani, Kazuaki. *The hacm package. Font support for the Arka language.* 2016-06-24. Version 0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/hacm>  
MIRROR: <https://mirror.ctan.org/fonts/hacm>
- Mohamed, Naam. *The na-box package. Arabic-aware version of pas-cours package.* 2017-08-28. Version 1.0. LICENSE: lppl. This is a modified version of the package made compatible with X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X/ to write arabic documents with fancy boxed theorem-alike environments.  
URL: <https://ctan.org/pkg/na-box>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/na-box>
- Mohamed, Naam and Walid Laouidji. *The na-border package. Decorative borders for texts in Arabic and French.* 2019-06-21. Version 0.1. LICENSE: lppl,other-free  
URL: <https://ctan.org/pkg/na-border>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/na-border>

- *The na-position package. Tables of relative positions of curves and asymptotes or tangents in Arabic documents.* 2020-06-15. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/na-position>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/na-position>
- Moller, Anders. *The biblos package. CGI interface to BibTeX files.* 2016-06-24. LICENSE: nosource  
 URL: <https://ctan.org/pkg/biblos>  
 MIRROR: <https://mirror.ctan.org/systems/msdos/biblos075.zip>
- Möller, Herbert. *The gapfill package. Generate L<sup>A</sup>T<sub>E</sub>X picture environments from PostScript output of drawing programs.* 2016-06-24. Version 1.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/gapfill>  
 MIRROR: <https://mirror.ctan.org/graphics/gapfill>
- Molteno, Tim. *The sympytex package. Include symbolic computation (using sympy) in documents.* 2020-11-25. Version 0.3. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/sympytex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sympytexpackage>
- Mondal, Agnibho. *The biblatex-vancouver package. Vancouver style for BibLaTeX.* 2020-05-31. Version 0.1. LICENSE: gpl3+. This package provides the Vancouver reference style for BibLaTeX. It is based on the numeric style and requires .  
 URL: <https://ctan.org/pkg/biblatex-vancouver>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-vancouver>
- Monsarrat, Jonathan. *The lametex package. A PostScript translator for a subset of L<sup>A</sup>T<sub>E</sub>X.* 2018-09-15. Version 1.1. LICENSE: nosell  
 URL: <https://ctan.org/pkg/lametex>  
 MIRROR: <https://mirror.ctan.org/support/lametex>
- Moor, Thomas. *The tmview package. A DVI previewer for SVGA displays.* 2016-07-05. Version 01.03. LICENSE: pd. An SVGA-lib based DVI-previewer offering -like anti-aliasing, text-string searching, arbitrary-zooming, bookmarks, some hypertext features, and rendering of eps-graphics by invoking . It supports The GNU/Linux framebuffer device and double-page viewing.  
 URL: <https://ctan.org/pkg/tmview>  
 MIRROR: <https://mirror.ctan.org/dviware/tmview>
- Moore, Ross. *The mmap package. Include CMap resources in PDF files from pdfTeX.* 2016-06-24. Version 1.03. LICENSE: lppl. The package is an extension of with improved flexibility and coverage, including the ability to re-encode Knuth's basic mathematics fonts.  
 URL: <https://ctan.org/pkg/mmap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mmap>
- *The xunicode package. Generate Unicode characters from accented glyphs.* 2016-10-08. Version 0.981. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/xunicode>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xunicode>
- Moore, Ross, Jonathan Kew, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The xetex-def package. Colour and graphics support for XeTeX.* 2022-09-23. Version 5.0n. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xetex-def>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphics-def>
- Morabity, Mohamed El. *The cantarell package. L<sup>A</sup>T<sub>E</sub>X support for the Cantarell font family.* 2019-06-24. Version 3.2. LICENSE: ofl,lppl1.3c  
 URL: <https://ctan.org/pkg/cantarell>  
 MIRROR: <https://mirror.ctan.org/fonts/cantarell>
- *The opensans package. The Open Sans font family, and L<sup>A</sup>T<sub>E</sub>X support.* 2019-06-24. Version 2.2. LICENSE: apache2,lppl1.3c. Open Sans is a humanist sans serif typeface designed by Steve Matteson; the font is available from the Google Font Directory as TrueType files licensed under the Apache License version 2.0. The package provides support for this font family in L<sup>A</sup>T<sub>E</sub>X. It includes the original TrueType fonts, as well as Type 1 versions, converted for this package using FontForge for full support with  
 URL: <https://ctan.org/pkg/opensans>  
 MIRROR: <https://mirror.ctan.org/fonts/opensans>
- Morabity, Mohamed El and Johan Aakerlund. *The comfortaa package. Sans serif font, with L<sup>A</sup>T<sub>E</sub>X support.* 2019-06-24. Version 3.2. LICENSE: ofl,lppl1.3c  
 URL: <https://ctan.org/pkg/comfortaa>  
 MIRROR: <https://mirror.ctan.org/fonts/comfortaa>
- Morabity, Mohamed El and Łukasz Dziędzic. *The lato package. Lato font family and L<sup>A</sup>T<sub>E</sub>X support.* 2019-06-24. Version 3.3. LICENSE: ofl,lppl1.3c  
 URL: <https://ctan.org/pkg/lato>  
 MIRROR: <https://mirror.ctan.org/fonts/lato>
- Morabity, Mohamed El and Steve Matteson. *The droid package. L<sup>A</sup>T<sub>E</sub>X support for the Droid font families.* 2020-02-08. Version 3.2. LICENSE: lppl1.3c,apache2

- URL: <https://ctan.org/pkg/droid>  
MIRROR: <https://mirror.ctan.org/fonts/droid>
- Morais Junior, Geraldo Pereira de. *The ptlatexcommands package. L<sup>A</sup>T<sub>E</sub>X to commands in Portuguese*. 2023-05-19. Version 0.1. LICENSE: mit  
URL: <https://ctan.org/pkg/ptlatexcommands>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ptlatexcommands>
- Morales, Omar Salazar. *The articleingud package. L<sup>A</sup>T<sub>E</sub>X class for articles published in INGENIERIA review*. 2016-06-24. Version 0.3. LICENSE: lppl1.2. The class is for articles published in . It is derived from the standard L<sup>A</sup>T<sub>E</sub>X class .  
URL: <https://ctan.org/pkg/articleingud>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/articleingud>
- *The documentation package. Documentation support for C, Java and assembler code*. 2020-08-29. Version 0.1. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/documentation>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/documentation>
- Moran, Mike and Piotr J. Flatau. *The jas99 package. BibTeX style for American Meteorological Society (AMS)*. 2016-06-24. LICENSE: other-free. This style is a development of , and is in its turn superseded by .  
URL: <https://ctan.org/pkg/jas99>  
MIRROR: <https://mirror.ctan.org/obsolete/biblio/bibtex/contrib/misc/jas99.bst>
- Morawski, Jens-Uwe. *The latexMP package. Interface for L<sup>A</sup>T<sub>E</sub>X-based typesetting in MetaPost*. 2020-06-21. Version 1.2.1. LICENSE: pd. The MetaPost package latexMP implements a user-friendly interface to access L<sup>A</sup>T<sub>E</sub>X-based typesetting capabilities in MetaPost. The text to be typeset is given as string. This allows even dynamic text elements, for example counters, to be used in labels. Compared to other implementations it is much more flexible, since it can be used as direct replacement for , and much faster, compared for example to the solution provided by .  
URL: <https://ctan.org/pkg/latexmp>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/latexmp>
- *The piechartmp package. Draw pie-charts using MetaPost*. 2016-06-24. Version 0.3.0. LICENSE: lppl. The piechartmp package is an easy way to draw pie-charts with . The package implements an interface that enables users with little MetaPost experience to draw charts. A highlight of the package is the possibility of suppressing some segments of the chart, thus creating the possibility of several charts from the same data.  
URL: <https://ctan.org/pkg/piechartmp>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/piechartmp>
- Moreira, Jander. *The algxpar package. Support multiple lines of pseudocode*. 2023-06-27. Version 0.99. LICENSE: lppl1.3. This package extends the package to support long text which spans over multiple lines.  
URL: <https://ctan.org/pkg/algxpar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/algxpar>
- *The beamerthemelalic package. A beamer theme for LALIC*. 2021-04-08. Version 1.0. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/beamerthemelalic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamerthemelalic>
- Morenko, Konstantin. *The eqexpl package. Align explanations for formulas*. 2022-06-17. Version 1.1.1. LICENSE: cc-by-sa-4  
URL: <https://ctan.org/pkg/eqexpl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eqexpl>
- Morgan, Tim. *The verbtim2 package. Verbatim listings in Plain T<sub>E</sub>X*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/verbtim2>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/verbtim2.tex>
- Morimi, Yukimasa. *The jlreq-deluxe package. Multi-weight Japanese font support for the jlreq class*. 2023-02-23. Version 0.4.1. LICENSE: mit. This package provides multi-weight Japanese font support for the class.  
URL: <https://ctan.org/pkg/jlreq-deluxe>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/jlreq-deluxe>
- Moritz, Martin. *The fascicules package. Create mathematical manuals for schools*. 2019-04-10. Version 1. LICENSE: lppl  
URL: <https://ctan.org/pkg/fascicules>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fascicules>
- Morris, Michael P. *The Yet-Another-Guide-LaTeX2e package. A short guide to using L<sup>A</sup>T<sub>E</sub>X2e to typeset high quality documents*. 2023-02-02. Version 1.1. LICENSE: fdl  
URL: <https://ctan.org/pkg/yet-another-guide-latex2e>  
MIRROR: <https://mirror.ctan.org/info/yet-another-guide-latex2e>



- Mortier, Richard. *The ietfbibs package. Generate BibTeX entries for various IETF index files.* 2017-04-18. Version 1.0.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/ietfbibs>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/ietfbibs>
- *The rfc2bib package. Generate BibTeX entries for IETF RFCs.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/rfc2bib>  
 MIRROR: <https://mirror.ctan.org/obsolete/biblio/bibtex/utils/misc/rfc2bib.awk>
- Moschou, Andrew Gilbert. *The eukdate package. UK format dates, with weekday.* 2016-06-24. Version 1.04. LICENSE: lppl. The package is used to change the format of 's date, including the weekday, e.g., "Saturday, 26 June 2008", the 'UK format', which is preferred in many parts of the world, as distinct from that which is used in of the article class, "June 26, 2008", the 'US format'.  
 URL: <https://ctan.org/pkg/eukdate>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eukdate>
- *The mathspec package. Specify arbitrary fonts for mathematics in XeTeX.* 2018-01-06. Version 0.2b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mathspec>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/mathspec>
  - *The metalogo package. Extended T<sub>E</sub>X logo macros.* 2019-01-20. Version 0.12. LICENSE: lppl  
 URL: <https://ctan.org/pkg/metalogo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/metalogo>
- Moschovakis, Yiannis and Chrysovalantis Sfyraakis. *The greektex package. Fonts for typesetting Greek/English documents.* 2016-06-24. LICENSE: pd. The fonts are based on Silvio Levy's ; macros and Greek hyphenation patterns for the fonts' encoding are also provided.  
 URL: <https://ctan.org/pkg/greektex>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/greektex>
- Moses, Brooks. *The MetaPlot package. Plot-manipulation macros for use in MetaPost.* 2016-06-24. Version 0.91. LICENSE: lppl. MetaPlot is a set of MetaPost macros for manipulating  
 URL: <https://ctan.org/pkg/metaplot>  
 MIRROR: <https://mirror.ctan.org/graphics/metaplot>
- Mottaz, Anthony. *The signchart package. Create beautifully typeset sign charts.* 2016-06-24. Version 1.01. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/signchart>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/signchart>
- Motygin, Oleg V. *The izhitsa package. Support for the old Russian font "Izhitsa".* 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/izhitsa>  
 MIRROR: [https://mirror.ctan.org/fonts/cyrillic/old\\_slavonic/izhitsa](https://mirror.ctan.org/fonts/cyrillic/old_slavonic/izhitsa)
- *The refcheck package. Check references (in figures, table, equations, etc).* 2016-06-24. Version 1.9.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/refcheck>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/refcheck>
  - *The ttf2mf package. Convert True Type fonts to Metafont.* 2016-06-24. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/ttf2mf>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/ttf2mf>
- Mounier, Thomas. *The proflabo package. Draw laboratory equipment.* 2022-05-05. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/proflabo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/proflabo>
- Moutinho, Rui. *The tikz-layers package. TikZ provides graphical layers on TikZ: "behind", "above" and "glass".* 2019-03-02. Version 0.9. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tikz-layers>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-layers>
- Movahhedian, Hossein. *The texnegar package. Kashida justification in X<sub>Y</sub>TeX and LuaLaTeX.* 2021-02-09. Version 0.1e. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/texnegar>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/texnegar>
- *The xepersian-hm package. Fixes kashida feature in xepersian package.* 2020-09-04. Version 1.1a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xepersian-hm>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xepersian-hm>
- Moy, Matthieu. *The drawstack package. Draw execution stacks.* 2016-06-24. LICENSE: lppl1.3. This simple L<sup>A</sup>T<sub>E</sub>X package provides support for drawing execution stack (typically to illustrate assembly language notions). The code is written on top of .  
 URL: <https://ctan.org/pkg/drawstack>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/drawstack>

- *The git-latexdiff package. Call latexdiff on two Git revisions of a file.* 2020-04-15. Version 1.6.0. LICENSE: bsd2. git-latexdiff is a tool to graphically visualize differences between different versions of a L<sup>A</sup>T<sub>E</sub>X file. Technically, it is a wrapper around git and .  
URL: <https://ctan.org/pkg/git-latexdiff>  
MIRROR: <https://mirror.ctan.org/support/git-latexdiff>
- *The timing-diagrams package. Draw timing diagrams.* 2017-04-18. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/timing-diagrams>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/timing-diagrams>
- Moy, Matthieu, David J. Musliner, and Matthew Lovell. *The latexexpand package. Expand \input and \include in a L<sup>A</sup>T<sub>E</sub>X document.* 2023-02-27. Version 1.7.2. LICENSE: bsd3. Latexpand is a Perl script that simply replaces and commands with the content of the input or included file. The script does not deal with commands.  
URL: <https://ctan.org/pkg/latexexpand>  
MIRROR: <https://mirror.ctan.org/support/latexexpand>
- Moye, Stephen. *The typespec package. Create font samplers.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/typespec>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/TypeSpec>
- Mrkus, Jiří. *The upca package. Print UPC-A barcodes.* 2016-06-24. LICENSE: lppl. The package defines a single macro , to print UPC-A barcodes.  
URL: <https://ctan.org/pkg/upca>  
MIRROR: <https://mirror.ctan.org/macros/generic/upca>
- Muecke, Michael. *The WinTeX XP package. A Win32 T<sub>E</sub>X Editor with the MS Office look and feel.* 2017-05-21. LICENSE: shareware  
URL: <https://ctan.org/pkg/wintex2000>  
MIRROR: <https://mirror.ctan.org/systems/win32/wintex2000>
- Muelas, Santiago. *The txp package. Draw text along a path.* 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/txp>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/txp>
- Muhamedagić, Dejan. *The shhyph1 package. Serbo-Croatian hyphenation (Latin alphabet).* 2018-01-06. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/shhyph1>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/shhyph1.tex>
- Mui, Wing L. *The sides package. A L<sup>A</sup>T<sub>E</sub>X class for typesetting stage plays.* 2016-06-24. LICENSE: gpl. This is a L<sup>A</sup>T<sub>E</sub>X class for typesetting stage plays, based on the class written by Antti-Juhani Kaijanaho in 1998. It has been updated and several formatting changes have been made to it—most noticeably there are no longer orphans.  
URL: <https://ctan.org/pkg/sides>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sides>
- Mukkavilli, Lakshmankumar. *The telugu package. (La)TeX Support for writing the Telugu Language.* 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/telugu>  
MIRROR: <https://mirror.ctan.org/language/telugu>
- Mulder, Art. *The shading package. L<sup>A</sup>T<sub>E</sub>X package for putting text on a shaded background.* 2016-06-24. Version 1.3. LICENSE: noinfo. Works by specifying the background with PostScript commands, suitable for use with  
URL: <https://ctan.org/pkg/shading>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/shading>
- Müller, Ulrich. *The cryst package. Font for graphical symbols used in crystallography.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/cryst>  
MIRROR: <https://mirror.ctan.org/fonts/cryst>
- Müller, Walter. *The wmaainf package. BibTeX style for Abteilung für Angewandte Informatik.* 2016-06-24. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/wmaainf>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/wmaainf.bst>
- Müller, Wilhelm. *The totpages package. Count pages in a document, and report last page number.* 2016-06-24. Version 2.00. LICENSE: lppl. The package counts the actual pages in the document (as opposed to reporting the number of the last page, as does ). The counter itself may be shipped out to the DVI file. The package uses the package for its task.  
URL: <https://ctan.org/pkg/totpages>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/totpages>
- Mulligan, Brian W. *The physconst package. Macros for commonly used physical constants.* 2021-03-27. Version 1.1.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/physconst>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/physconst>

- *The physunits package*. Macros for commonly used physical units. 2021-03-27. Version 1.2.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/physunits>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/physunits>
- Münch, Hans-Martin. *The calxxxx-yyyy package*. Print a calendar for a group of years. 2023-01-01. Version 20.23a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/calxxxx-yyyy>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calxxxx-yyyy>
- *The footnoterange package*. References to ranges of footnotes. 2023-02-25. Version 1.1a. LICENSE: lppl1.3c. The package provides the environments and . Multiple footnotes inside these environments are not referenced as (e.g.) “1 2 3” but as “1-3”, i.e., the range (from first to last referred footnote at that place) is given. If the package is loaded with enabled -option, then the references are hyperlinked. (References to footnotes in environments are never hyperlinked.)  
 URL: <https://ctan.org/pkg/footnoterange>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/footnoterange>
- *The hrefhide package*. Suppress hyper links when printing. 2023-02-26. Version 1.1a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/hrefhide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hrefhide>
- *The pagecolor package*. Interrogate page color. 2023-04-18. Version 1.2c. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pagecolor>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pagecolor>
- Münch, Hans-Martin. *The pageslts package*. Variants of last page labels. 2016-06-24. Version 1.2f. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pageslts>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pageslts>
- *The papermas package*. Compute the mass of a printed version of a document. 2023-04-12. Version 1.1a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/papermas>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/papermas>
- *The regstats package*. Information about register use. 2023-04-06. Version 1.1a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/regstats>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/regstats>
- *The romanbar package*. Write roman number with “bars”. 2016-06-24. Version 1.0f. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/romanbar>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/romanbar>
- *The tablefootnote package*. Permit footnotes in tables. 2016-06-24. Version 1.1c. LICENSE: lppl1.3. The package provides the command to be used in a or environment, where will not work (and when using and , and adjusting the counter as necessary, is too much work).  
 URL: <https://ctan.org/pkg/tablefootnote>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tablefootnote>
- *The thumbs package*. Create thumb indexes. 2016-06-24. Version 1.0q. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/thumbs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thumbs>
- *The undolabl package*. Override existing labels. 2023-02-14. Version 1.0m. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/undolabl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/undolabl>
- *The uri package*. Hyperlinks for a wide range of URIs. 2018-09-06. Version 2.0b. LICENSE: lppl1.3c. The package provides automatic hyperlinks for URIs of type arXiv, ASIN, DOI, HDL, NBN, OCLC, OID, PubMed, TINY, TINY with preview, and WebCite and provides commands , , , and .  
 URL: <https://ctan.org/pkg/uri>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uri>
- Münch, Hans-Martin and Jeffrey Goldberg. *The lastpage package*. Reference last page for Page N of M type footers. 2023-07-24. Version 2.0c. LICENSE: lppl1.3c. Reference the number of pages in your L<sup>A</sup>T<sub>E</sub>X document through the introduction of a new label which can be referenced like to give a reference to the last page of a document. It is particularly useful in the page footer that says: Page N of M.  
 URL: <https://ctan.org/pkg/lastpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lastpage>
- Münch, Uwe. *The bfsymb package*. Generate bold symbols in Plain T<sub>E</sub>X mathematics. 2016-06-24. LICENSE: noinfo. Defines a command that represents its argument using the cmmib10 rather than the font currently in use. This technique has its limitations (the command of the same name in the bundle is much cleverer), but a simple does the job exactly.

- URL: <https://ctan.org/pkg/bfsymb>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/bfsymb.tex>
- *The eiad-ltx package. L<sup>A</sup>T<sub>E</sub>X support for the eiad font.* 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/eiad-ltx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eiad>
  - Munch-Maccagnoni, Guillaume. *The perfectcut package. Nested delimiters that consistently grow regardless of the contents.* 2023-05-17. Version 2.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/perfectcut>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/perfectcut>
  - Munn, Alan. *The casiofont package. Support for the Casio ClassWiz font.* 2018-10-22. Version 1.1. LICENSE: lppl1.3. This package provides support for the Casio ClassWiz font, available from the . The font itself is included in the distribution. The package requires compilation with X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X or LuaL<sup>A</sup>T<sub>E</sub>X.  
URL: <https://ctan.org/pkg/casiofont>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/casiofont>
  - *The expex-glossonly package. Help gb4e and linguex users use the ExPex glossing macros.* 2023-08-20. Version 0.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/expex-glossonly>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/expex-glossonly>
  - Munn, Alan. *The he-she package. Alternating pronouns to aid gender-neutral writing.* 2018-01-06. Version 1.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/he-she>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/he-she>
  - *The invoice-class package. Produces a standard US invoice from a CSV file.* 2019-01-20. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/invoice-class>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/invoice-class>
  - *The movement-arrows package. Drawing movement arrows on linguistic example sentences.* 2023-06-17. Version 2.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/movement-arrows>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/movement-arrows>
  - *The msu-thesis package. Class for Michigan State University Master’s and PhD theses.* 2023-08-12. Version 4.1g. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/msu-thesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/msu-thesis>
  - *The pst-vowel package. Enable arrows showing diphthongs on vowel charts.* 2018-09-15. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-vowel>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pst-vowel>
  - *The recorder-fingering package. Package to display recorder fingering diagrams.* 2023-07-18. Version 1.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/recorder-fingering>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/recorder-fingering>
  - *The screenplay-pkg package. Package version of the screenplay document class.* 2017-08-06. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/screenplay-pkg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/screenplay-pkg>
  - Munn, Alan and Tom Counsell. *The csv2latex package. Convert spreadsheet table cells into L<sup>A</sup>T<sub>E</sub>X source.* 2016-06-24. Version 1.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/csv2latex>  
MIRROR: <https://mirror.ctan.org/support/csv2latex>
  - Munson, Ethan V. *The ucthesis209 package. L<sup>A</sup>T<sub>E</sub>X 2.09 document style for UC Theses.* 2016-06-24. Version 2.7. LICENSE: noinfo. An obsolescent L<sup>A</sup>T<sub>E</sub>X 2.09 predecessor of the current ; the latest version of the package seems to have been released as the current one was being developed.  
URL: <https://ctan.org/pkg/ucthesis209>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/ucthesis>
  - Münster, Peter. *The context-chromato package. ConT<sub>E</sub>Xt macros for chromatograms.* 2018-08-11. LICENSE: gpl  
URL: <https://ctan.org/pkg/context-chromato>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-chromato>
  - *The context-cmscbf package. Use Computer Modern bold Caps and Small-caps in ConT<sub>E</sub>Xt.* 2017-11-12. LICENSE: gpl. The module makes provision for bold caps and small caps CM fonts, in ConT<sub>E</sub>Xt. Such a font may be found in the Computer Modern .  
URL: <https://ctan.org/pkg/context-cmscbf>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-cmscbf>
  - *The ConT<sub>E</sub>Xt-cmttbf package. Use Computer Modern Typewriter bold font in ConT<sub>E</sub>Xt.* 2017-11-12. LICENSE: gpl. The module makes provision for bold typewriter CM fonts, in ConT<sub>E</sub>Xt. Such a font may be found in the Computer Modern .



- URL: <https://ctan.org/pkg/context-cmttbf>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-cmttbf>
- *The context-construction-plan package. Construction plans in ConTeXt.* 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/context-construction-plan>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-construction-plan>
  - *The context-degrade package. Degrading JPEG images in ConTeXt.* 2016-06-18. LICENSE: gpl  
URL: <https://ctan.org/pkg/context-degrade>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-degrade>
  - *The context-french package. Support for writing French in ConTeXt.* 2020-03-09. LICENSE: gpl  
URL: <https://ctan.org/pkg/context-french>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-french>
  - *The context-inifile package. An ini-file pretty-printer, using ConTeXt.* 2023-03-20. LICENSE: gpl  
URL: <https://ctan.org/pkg/context-inifile>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-inifile>
  - *The context-typearea package. Something like Koma-Script typearea.* 2018-08-11. LICENSE: gpl. The module provides a command that calculates the page layout as the L<sup>A</sup>T<sub>E</sub>X package does.  
URL: <https://ctan.org/pkg/context-typearea>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-typearea>
- Münster, Peter. *The context-URWGaramond package. ConTeXt support for URW Garamond font.* 2018-08-11. LICENSE: pd. The required may also be found on CTAN.  
URL: <https://ctan.org/pkg/context-urwgaramond>  
MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-urwgaramond>
- *The degrade package. Degrade JPEG images on the fly, prior to inclusion.* 2016-06-24. LICENSE: lppl. Degrade is a L<sup>A</sup>T<sub>E</sub>X package that degrades JPEG images on the fly to decrease the size of the resulting PostScript or PDF file. It uses the convert utility from the ImageMagick bundle as well as (if you're producing PostScript output).  
URL: <https://ctan.org/pkg/degrade>  
MIRROR: <https://mirror.ctan.org/graphics/degrade>
- Murphy, Terrence and Rosalie D'Amico. *The makecookbook package. Make a Cookbook.* 2018-12-06. Version 0.85. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/makecookbook>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/makecookbook>
- Murphy, Timothy. *The javatex package. A Java implementation of T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/javatex>  
MIRROR: <https://mirror.ctan.org/systems/javatex>
- *The lgreek package. L<sup>A</sup>T<sub>E</sub>X macros for using Silvio Levy's Greek fonts.* 2016-06-24. LICENSE: gpl2  
URL: <https://ctan.org/pkg/lgreek>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lgreek>
- Murzynowski, Grzegorz. *The gmdoc package. Documentation of L<sup>A</sup>T<sub>E</sub>X packages.* 2018-01-06. Version 0.993. LICENSE: lppl  
URL: <https://ctan.org/pkg/gmdoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gmdoc>
- *The gmeometric package. Change page size wherever it's safe.* 2016-06-24. Version 0.73. LICENSE: lppl  
URL: <https://ctan.org/pkg/gmeometric>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/gmeometric>
  - *The gmiflink package. Simplify usage of \hypertarget and \hyperlink.* 2018-01-06. Version 0.97. LICENSE: lppl. Three -based macros that simplify usage of and : one argument instead of the same one twice. Also and which typeset plain text instead of generating an error or printing '??' if there is no respective hypertarget or label.  
URL: <https://ctan.org/pkg/gmiflink>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gmiflink>
  - *The gmutils package. Support macros for other packages.* 2016-06-24. Version 0.996. LICENSE: lppl  
URL: <https://ctan.org/pkg/gmutils>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gmutils>
  - *The gmverb package. A variant of L<sup>A</sup>T<sub>E</sub>X \verb, verbatim and shortverb.* 2016-06-24. Version 0.98. LICENSE: lppl  
URL: <https://ctan.org/pkg/gmverb>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gmverb>
  - *The gmverse package. A package for typesetting (short) poems.* 2018-01-06. Version 0.73. LICENSE: lppl. A redefinition of the environment to make the command optional for line ends and to give it a possibility of optical centering and 'right-hanging' alignment of lines broken because of length.



- URL: <https://ctan.org/pkg/gmverse>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gmverse>
- Musa, Ahmed. *The catoptions package. Preserving and recalling standard catcodes*. 2016-06-24. Version 0.2.7h. LICENSE: lppl1.3. The package changes package loading internals so that all subsequently loaded packages can rely on normal/standard catcodes of all ASCII characters. The package defines canonical control sequences to represent all the visible ASCII characters. It also provides robust option parsing mechanisms (, and , which will be used by if the package has already been loaded). The package also provides a range of other T<sub>E</sub>X programming tools.  
URL: <https://ctan.org/pkg/catoptions>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/catoptions>
- *The changelayout package. Change the layout of individual pages and their text*. 2016-06-24. Version 1.0. LICENSE: lppl. The package is an extension of the package to permit the user to change the layout of individual pages and their texts.  
URL: <https://ctan.org/pkg/changelayout>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/changelayout>
  - *The draftmark package. Put draft marks on selected pages*. 2016-06-24. Version 1.2. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/draftmark>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/draftmark>
  - Musa, Ahmed. *The getfiledate package. Find the date of last modification of a file*. 2016-06-24. Version 1.2. LICENSE: lppl. The package fetches from the system the date of last modification or opening of an existing file, using the function (present in recent versions of pdfT<sub>E</sub>X); the user may specify how the date is to be presented.  
URL: <https://ctan.org/pkg/getfiledate>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/getfiledate>
  - *The keyreader package. A robust interface to xkeyval*. 2016-06-24. Version 0.5b. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/keyreader>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/keyreader>
  - *The keyval2e package. A lightweight and robust key-value parser*. 2016-06-24. Version 0.0.2. LICENSE: lppl1.3. The package provides lightweight and robust facilities for creating and managing keys. Its machinery isn't as extensive as that of, e.g., the package, but it is equally robust; ease of use and speed of processing are the design aims of the package.  
URL: <https://ctan.org/pkg/keyval2e>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/keyval2e>
  - *The loops package. General looping macros for use with L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/loops>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/loops>
  - *The ltxkeys package. A robust key parser for L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 0.0.3c. LICENSE: lppl  
URL: <https://ctan.org/pkg/ltxkeys>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ltxkeys>
  - *The ltxtools package. A collection of L<sup>A</sup>T<sub>E</sub>X API macros*. 2016-06-24. Version 0.0.1a. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ltxtools>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ltxtools>
  - *The newenviron package. Processing an environment's body*. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/newenviron>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/newenviron>
  - *The pagerange package. Flexible and configurable page range typesetting*. 2016-06-24. Version 0.5. LICENSE: lppl. The package defines a command that typesets ranges of page numbers, expanding them (e.g., adding first or last page numbers) and standardising them.  
URL: <https://ctan.org/pkg/pagerange>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pagerange>
  - *The pgfkeyx package. Extended and more robust version of pgfkeys*. 2016-06-24. Version 0.0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pgfkeyx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pgfkeyx>
  - *The skeycommand package. Create commands using parameters and keyval in parallel*. 2016-06-24. Version 0.4. LICENSE: lppl1.3. The package provides tools for defining L<sup>A</sup>T<sub>E</sub>X commands and environments using combinations of parameters and keys. All the facilities of the and packages are available to the user of skeycommand.  
URL: <https://ctan.org/pkg/skeycommand>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/skeycommand>
  - *The skeyval package. Key-value parsing combining features of xkeyval and pgfkeys*. 2016-06-24. Version 1.3. LICENSE: lppl1.3. The package integrates the features of and of by introducing a new type of handlers. Style keys, links, changing key callbacks and

- values on the fly, and other features of pgfkeys are introduced in a new context.  
 URL: <https://ctan.org/pkg/skeyval>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/skeyval>
- *The storecmd package*. Store the name of a defined command in a container. 2016-06-24. Version 0.0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/storecmd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/storecmd>
  - *The xwatermark package*. Graphics and text watermarks on selected pages. 2021-06-17. Version 1.5.2d. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/xwatermark>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xwatermark>
- Musliner, David J. *The go-make package*. A make variant for L<sup>A</sup>T<sub>E</sub>X documents. 2016-06-24. Version 3.6. LICENSE: other-free  
 URL: <https://ctan.org/pkg/go-make>  
 MIRROR: <https://mirror.ctan.org/support/go>
- Myers, Eric. *The ruled-tables package*. Plain T<sub>E</sub>X table macros, with ruled capability. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ruled-tables>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/ruled-tables>
- Myers, Eric and Frank Paige. *The TeXsis package*. Plain T<sub>E</sub>X macros for Physicists. 2019-06-21. Version 2.18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/texsis>  
 MIRROR: <https://mirror.ctan.org/macros/texsis>
- Naanou, Alex A. *The photobook package*. A document class for typesetting photo books. 2023-08-24. Version 0.1.25. LICENSE: bsd3.  
 The L<sup>A</sup>T<sub>E</sub>X document class extends the book class defining a set of parameters, meta-macros, macros and environments with reasonable defaults to help typeset, build and print books mainly based on visual/image content.  
 URL: <https://ctan.org/pkg/photobook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/photobook>
- Nagy, Bence. *The hungarian package*. New Hungarian hyphenation patterns. 2016-11-05. LICENSE: gpl. These patterns are a modern substitute for those in the package.  
 URL: <https://ctan.org/pkg/hungarian>  
 MIRROR: <https://mirror.ctan.org/language/hungarian/hyphenation>
- Nähring, Tobias and Herbert Voß. *The pst-bezier package*. Draw Bezier curves. 2016-09-03. Version 0.03. LICENSE: lppl. The package provides a macro for drawing a Bézier curve. Provision is made for full control of over all the control points of the curve.  
 URL: <https://ctan.org/pkg/pst-bezier>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-bezier>
- Nakashima, Hiroshi. *The arydshln package*. Draw dash-lines in array/tabular. 2019-02-22. Version 1.76. LICENSE: lppl  
 URL: <https://ctan.org/pkg/arydshln>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/arydshln>
- *The dblfnote package*. Double-column footnotes. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dblfnote>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/yafoot>
  - *The fnpos package*. Control the position of footnotes on the page. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fnpos>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/yafoot>
  - *The hvdashln package*. Horizontal and vertical dashed lines in arrays and tabulars. 2018-01-06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/hvdashln>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/hvdashln.sty>
  - *The newvbtm package*. Define your own verbatim-like environment. 2016-06-24. Version 1.1. LICENSE: lppl. Defines general purpose macro named to define your own verbatim-like environment. It also has a supplementary style file varvbtm.sty to provide set of macros for variants of verbatim, such as tab emulation.  
 URL: <https://ctan.org/pkg/newvbtm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/newvbtm>
  - *The paracol package*. Multiple columns with texts “in parallel”. 2018-12-31. Version 1.35. LICENSE: lppl  
 URL: <https://ctan.org/pkg/paracol>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/paracol>
  - *The pfnote package*. Number footnotes per page. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pfnote>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/yafoot>
  - *The umoline package*. Underline text allowing line breaking. 2018-01-06. LICENSE: lppl. Provides commands , and for underlining, striking out, and overlining their text arguments.

- URL: <https://ctan.org/pkg/umoline>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/umoline>
- *The yafoot package. A bundle of miscellaneous footnote packages.* 2018-09-03. Version 1.1. LICENSE: lppl. Contains three packages:
    - to number footnotes per page; – to control the position of footnotes; and – to make footnotes double-columned.
URL: <https://ctan.org/pkg/yafoot>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/yafoot>
- Naranong, Saitulaa. *The texliveonfly package. On-the-fly download of missing T<sub>E</sub>X live packages.* 2020-06-24. LICENSE: gpl3  
URL: <https://ctan.org/pkg/texliveonfly>  
MIRROR: <https://mirror.ctan.org/support/texliveonfly>
- Nardello, Massimo. *The bibfilex package. A free bibliographic manager for BibLaTeX.* 2017-04-18. Version 1.2.8. LICENSE: gpl3  
URL: <https://ctan.org/pkg/bibfilex>  
MIRROR: <https://mirror.ctan.org/biblio/bibfilex>
- Nash, David. *The ajl package. BibTeX style for AJL.* 2019-03-02. LICENSE: lppl  
URL: <https://ctan.org/pkg/ajl>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/ajl.bst>
- Nebendahl, Olle. *The cms4talks package. Content Management System for Talks.* 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/cms4talks>  
MIRROR: <https://mirror.ctan.org/support/cms4talks>
- Nederlandstalige T<sub>E</sub>X Gebruikersgroep. *The ntg-maps package. The NTG's journal MAPS.* 2016-06-24. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/ntg-maps>  
MIRROR: <https://mirror.ctan.org/usergrps/ntg/maps>
- Neergaard, Peter Møller and Arne John Glenstrup. *The semantic package. Help for writing programming language semantics.* 2016-06-24. Version 2.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/semantic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/semantic>
- Neergaard, Peter Møller and Karel Horák. *The bbding package. A symbol (dingbat) font and L<sup>A</sup>T<sub>E</sub>X macros for its use.* 2016-06-24. Version 1.01. LICENSE: lppl  
URL: <https://ctan.org/pkg/bbding>  
MIRROR: <https://mirror.ctan.org/fonts/bbding>
- Nesbitt, Kim. *The cje package. L<sup>A</sup>T<sub>E</sub>X document class for CJE articles.* 2018-02-23. Version 1.06. LICENSE: lppl1.3c. The article class allows authors to format their papers to Canadian Journal of Economics style with minimum effort. The class includes options for two other formats: "review" (double spaced, for use at the submission stage) and "proof" (used by the typesetters to prepare the proof authors will receive for approval).  
URL: <https://ctan.org/pkg/cje>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cje>
- Nesti, Fabrizio. *The jhep package. Class for JHEP.* 2016-06-24. Version 3.1.2. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/jhep>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jhep>
- Nesti, Fabrizio and Kevin Goldstein. *The findbib package. Find bibliographic details from SPIRES.* 2016-06-24. Version 2.3. LICENSE: gpl  
URL: <https://ctan.org/pkg/findbib>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utills/findbib>
- Neteler, Markus. *The ps4mf package. Convert Adobe Type 1 fonts to Metafont.* 2016-06-24. Version 1.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/ps4mf>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/ps4mf>
- *The ps4mf-dos package. Convert Adobe Type 1 fonts to Metafont, MS-DOS version.* 2018-01-06. Version 2.8. LICENSE: gpl  
URL: <https://ctan.org/pkg/ps4mf-dos>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/ps4mf-dos>
- Nettles, William G. *The nucleardata package. Provides data about atomic nuclides for documents.* 2018-04-05. Version 1.1. LICENSE: lppl1.3. The package provides data and commands for including nuclear and atomic mass and energy data in L<sup>A</sup>T<sub>E</sub>X documents. It uses the package and requires to be called with the T<sub>E</sub>X file as the argument.  
URL: <https://ctan.org/pkg/nucleardata>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nucleardata>
- Neugebauer, Gerd. *The BibTool package. A tool for manipulating BibTeX files.* 2020-04-14. Version 2.68. LICENSE: gpl2,cc-by-sa-3,mit,pd  
URL: <https://ctan.org/pkg/bibttool>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utills/bibttool>

- *The crossword package*. Typeset crossword puzzles. 2022-09-13. Version 1.11. LICENSE: other-free  
URL: <https://ctan.org/pkg/crossword>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gene/crossword>
- *The ctan-o-mat package*. Upload or validate a package for CTAN. 2017-11-25. Version 1.2. LICENSE: bsd3  
URL: <https://ctan.org/pkg/ctan-o-mat>  
MIRROR: <https://mirror.ctan.org/support/ctan-o-mat>
- *The eqname package*. Name tags for equations. 2016-06-24. LICENSE: other-free. The command provides a name tag for the current equation, in place of an equation number. The name tag will be picked up by a subsequent command.  
URL: <https://ctan.org/pkg/eqname>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gene/eqname>
- *The fundus package*. Providing L<sup>A</sup>T<sub>E</sub>X access to various font families. 2016-09-27. LICENSE: collection  
URL: <https://ctan.org/pkg/fundus>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fundus>
- *The fundus-calligra package*. Support for the calligra font in L<sup>A</sup>T<sub>E</sub>X documents. 2016-06-24. Version 1.2. LICENSE: other-free  
URL: <https://ctan.org/pkg/fundus-calligra>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fundus/calligra>
- Neugebauer, Gerd. *The fundus-cyr package*. Support for Washington University Cyrillic fonts. 2016-06-24. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/fundus-cyr>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fundus/cyr/cyr.sty>
- *The fundus-la package*. Support for the la and lla fonts in L<sup>A</sup>T<sub>E</sub>X documents. 2016-06-24. Version 1.2. LICENSE: other-free  
URL: <https://ctan.org/pkg/fundus-la>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fundus/la>
- *The fundus-outline package*. L<sup>A</sup>T<sub>E</sub>X support for CM outline fonts. 2016-06-24. Version 1.1. LICENSE: other-free  
URL: <https://ctan.org/pkg/fundus-outline>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fundus/outline>
- *The fundus-pvscript package*. Support for Vanroose handwriting font. 2016-06-24. Version 1.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/fundus-pvscript>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fundus/pvscript>
- *The fundus-startrek package*. ‘Startrek’ fonts, and macros to support them. 2017-05-30. Version 1.1. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/fundus-startrek>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fundus/startrek>
- *The fundus-sueterlin package*. Sütterlin. 2016-06-24. Version 1.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/fundus-sueterlin>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fundus/sueterlin>
- *The fundus-twcal package*. L<sup>A</sup>T<sub>E</sub>X support for the twcal handwriting font. 2016-06-24. Version 1.2. LICENSE: other-free  
URL: <https://ctan.org/pkg/fundus-twcal>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fundus/twcal>
- *The fundus-va package*. Support for the va fonts in L<sup>A</sup>T<sub>E</sub>X documents. 2016-06-24. Version 1.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/fundus-va>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fundus/va>
- *The gene-logic package*. Typeset logic formulae, etc. 2016-07-17. Version 1.4. LICENSE: other-free. The package provides a facility to typeset certain logic formulae. It provides an environment like `logic`, a `logic`-like environment `logic()`, and several macros.  
URL: <https://ctan.org/pkg/gene-logic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gene/logic>
- *The ISO-TeX package*. Display (La)TeX accented letters in GNU Emacs. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/iso-tex>  
MIRROR: <https://mirror.ctan.org/support/iso-tex>
- *The lmap package*. Typeset maps and blocks according to the Information Mapping<sup>®</sup> method. 2017-07-21. Version 2.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/lmap>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gene/lmap>
- *The pl package*. Literate Programming for Prolog with L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 3.0. LICENSE: other-free  
URL: <https://ctan.org/pkg/pl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gene/pl>



- *The productbox package. Typeset a three-dimensional product box.* 2016-06-24. Version 1.1. LICENSE: other-free  
 URL: <https://ctan.org/pkg/productbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gene/productbox>
- Neugebauer, Gerd and Herbert Voß. *The dtk-1.32 package. Document class for the journal of DANTE.* 2019-06-09. Version 1.32. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/dtk-1.32>  
 MIRROR: <https://mirror.ctan.org/obsolete/usergrps/dante/dtk-1.32>
- Neukam, Frank and Roland Lichti. *The script package. Variant report and book styles.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/script>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/script>
- Neumann, Johannes. *The pdfbook2 package. Create booklets from PDF files.* 2020-01-23. Version 1.4. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/pdfbook2>  
 MIRROR: <https://mirror.ctan.org/support/pdfbook2>
- Neumann, Walter D. *The dvi2xx package. A general-purpose DVI output for Hewlett-Packard printers.* 2016-06-24. Version 0.51alpha9. LICENSE: noinfo. This is one of the many DVI processors that reflected the popularity of low-cost Hewlett-Packard printers; it could also create output for the IBM 3812 page printer. It has now been superseded by (there seems to be no update that covers the IBM printer).  
 URL: <https://ctan.org/pkg/dvi2xx>  
 MIRROR: <https://mirror.ctan.org/obsolete/dviware/dvi2xx>
- Neumann, Walter D. *The newinsert package. Reworking Plain T<sub>E</sub>X's insert macros.* 2016-06-24. Version 1.2. LICENSE: noinfo. Fixes various problems with and .  
 URL: <https://ctan.org/pkg/newinsert>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/newinsert.tex>
- Neves, Antero. *The nl-interval package. Represent intervals on the number line.* 2021-03-18. Version 1.0. LICENSE: lppl1.3c. This package provides macros to simplify the process of representing intervals on the number line. It depends on , , and .  
 URL: <https://ctan.org/pkg/nl-interval>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/nl-interval>
- Nguyen, Tan Khoa. *The lshort-vietnamese package. Vietnamese version of the L<sup>A</sup>T<sub>E</sub>X introduction.* 2020-06-17. Version 4.00. LICENSE: lppl. Vietnamese version of  
 URL: <https://ctan.org/pkg/lshort-vietnamese>  
 MIRROR: <https://mirror.ctan.org/info/lshort/vietnamese>
- Nguyen-Ngoc, Laurent. *The proba package. Shortcuts commands to symbols used in probability texts.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/proba>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/proba>
- Nicholson, Thomas. *The helmholtz-ellis-ji-notation package. Beautiful in-line microtonal just intonation accidentals.* 2020-05-21. Version 1.1. LICENSE: cc-by-4  
 URL: <https://ctan.org/pkg/helmholtz-ellis-ji-notation>  
 MIRROR: <https://mirror.ctan.org/fonts/helmholtz-ellis-ji-notation>
- Nickalls, Dick and Harald Harders. *The yplan package. Daily planner type calendar.* 2019-03-12. LICENSE: lppl  
 URL: <https://ctan.org/pkg/yplan>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/yplan>
- Nickalls, Dick and Apostolos Syropoulos. *The rubik package. Document Rubik cube configurations and rotation sequences.* 2018-03-02. Version 5.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/rubik>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rubik>
- *The rubikcube package. Typeset Rubik cubes and move notation.* 2018-02-28. Version 5.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/rubikcube>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rubik>
- *The rubikrotation package. Processes a sequence of Rubik rotations.* 2018-02-28. Version 5.0. LICENSE: lppl1.3. The package is part of the bundle, serving as an extension of the package, providing the command to process a sequence of Rubik rotation moves on-the-fly (using the external Perl script ), and to return the new Rubik cube state.  
 URL: <https://ctan.org/pkg/rubikrotation>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rubik>
- *The rubiktwocube package. Typeset Rubik TwoCubes and move notation.* 2018-02-28. Version 5.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/rubiktwocube>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rubik>



- Nickel, Martin. *The megatape package. Make cassette tape labels.* 2016-06-24. LICENSE: other-free. The package is an extension of the package.  
 URL: <https://ctan.org/pkg/megatape>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/megatape>
- Niederberger, Clemens. *The acro package. Typeset acronyms.* 2022-04-01. Version 3.8. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/acro>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acro>
- *The bohr package. Simple atom representation according to the Bohr model.* 2022-04-06. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bohr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bohr>
  - *The carbohydrates package. Carbohydrate molecules with chemfig.* 2017-04-18. Version 0.1. LICENSE: lppl1.3. This package offers macros that make the preparation of exercise sheets for teaching carbohydrate chemistry a lot less tedious. It uses for drawing the formulas. Different representation models (Fischer, Haworth, chair...) are supported as well as alpha, beta, and chain isomers.  
 URL: <https://ctan.org/pkg/carbohydrates>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/carbohydrates>
- Niederberger, Clemens. *The chemexec package. Creating (chemical) exercise sheets.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/chemexec>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemexec>
- *The chemformula package. Command for typesetting chemical formulas and reactions.* 2022-01-23. Version 4.17. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/chemformula>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemformula>
  - *The chemgreek package. Upright Greek letters in chemistry.* 2020-01-16. Version 1.1a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/chemgreek>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemgreek>
  - *The chemmacros package. A collection of macros to support typesetting chemistry documents.* 2022-03-12. Version 6.2a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/chemmacros>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemmacros>
  - *The chemnum package. A method for numbering chemical compounds.* 2021-01-21. Version 1.3a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/chemnum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemnum>
  - *The cnltx package. L<sup>A</sup>T<sub>E</sub>X tools and documenting facilities.* 2020-05-09. Version 0.15. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cnltx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cnltx>
  - *The cntformats package. A different way to read counters.* 2017-04-18. Version 0.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cntformats>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cntformats>
  - *The elements package. Provides properties of chemical elements.* 2022-01-29. Version 0.4. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/elements>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/elements>
  - *The embrac package. Upright brackets in emphasised text.* 2021-02-20. Version 0.9a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/embrac>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/embrac>
  - *The endiagram package. Easy creation of potential energy curve diagrams.* 2016-06-24. Version 0.1d. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/endiagram>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/endiagram>
  - *The enotez package. Support for end-notes.* 2022-01-04. Version 0.10d. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/enotez>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/enotez>
  - *The exsheets package. Create exercise sheets and exams.* 2023-06-02. Version 0.21k. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/exsheets>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exsheets>
  - *The fnpct package. Manage footnote marks' interaction with punctuation.* 2022-02-27. Version 1.1a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fnpct>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fnpct>

- *The ghsystem package*. Globally harmonised system of chemical (etc) naming. 2020-02-17. Version 4.8c. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ghsystem>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ghsystem>
- *The guitarchordschemes package*. Guitar Chord and Scale Tablatures. 2020-03-18. Version 0.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/guitarchordschemes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/guitarchordschemes>
- *The idxcmds package*. Semantic commands for adding formatted index entries. 2020-03-25. Version 0.2c. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/idxcmds>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/idxcmds>
- *The leadsheets package*. Typesetting leadsheets and songbooks. 2022-01-05. Version 0.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/leadsheets>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/leadsheets>
- *The modigram package*. Drawing molecular orbital diagrams. 2020-11-08. Version 0.3a. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/modigram>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/modigram>
- Niederberger, Clemens. *The musixquit package*. Easy notation for guitar music, in *MusixTeX*. 2016-06-24. Version 1.2.2. LICENSE: lppl1.3. The package provides commands for typesetting notes for guitar, especially for simplifying guitar notation with .  
URL: <https://ctan.org/pkg/musixquit>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/musixquit>
- *The mychemistry package*. Create reaction schemes with *L<sup>A</sup>T<sub>E</sub>X* and *chemfig*. 2020-04-11. Version 1.99b. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/mychemistry>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/mychemistry>
- *The snotez package*. Typeset notes, in the margin. 2022-02-12. Version 0.7. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/snotez>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/snotez>
- *The substances package*. A database of chemicals. 2016-06-24. Version 0.2a. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/substances>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/substances>
- *The tasks package*. Horizontally columned lists. 2022-01-08. Version 1.4a. LICENSE: lppl1.3c. The reason for the creation of the environment was an unwritten agreement in German maths textbooks (especially (junior) high school textbooks) to organize exercises in columns counting horizontally rather than vertically. This is what the package helps to achieve.  
URL: <https://ctan.org/pkg/tasks>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tasks>
- *The translations package*. Internationalisation of *L<sup>A</sup>T<sub>E</sub>X*2<sub>ε</sub> packages. 2022-02-05. Version 1.12. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/translations>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/translations>
- *The xsim package*. eXercise Sheets IMproved. 2022-02-12. Version 0.21. LICENSE: lppl1.3c. This package helps in creating exercises and the corresponding solutions. It is the official successor of the package and fixes/improves various long-standing issues.  
URL: <https://ctan.org/pkg/xsim>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xsim>
- Nidermair, Michael. *The ant-worker-tasks package*. Apache ANT Tasks for *T<sub>E</sub>X* and PDF. 2016-06-24. Version 268. LICENSE: nosource  
URL: <https://ctan.org/pkg/ant-worker-tasks>  
MIRROR: <https://mirror.ctan.org/support/ant-worker-tasks>
- *The properties package*. Load properties from a file. 2016-06-24. Version 0.2. LICENSE: lppl. The package loads properties (key, value) from a properties file, e.g. .  
URL: <https://ctan.org/pkg/properties>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/properties>
- *The statistik package*. Store statistics of a document. 2016-06-24. Version 0.03. LICENSE: gpl  
URL: <https://ctan.org/pkg/statistik>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/statistik>
- Niedrist, Raimund. *The hypdvips package*. Hyperref extensions for use with dvips. 2019-08-01. Version 3.03. LICENSE: lppl1.3. The hypdvips package fixes some problems when using with dvips. It also adds support for breaking links, file attachments, embedded documents and different types of GoTo-links. The cooperation of hyperref with is improved, which in addition allows an enhanced back-referencing system.  
URL: <https://ctan.org/pkg/hypdvips>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hypdvips>

- Nieland, Ted. *The manual209 package. A document style for manuals.* 2016-06-24. LICENSE: nosell. A L<sup>A</sup>T<sub>E</sub>X 2.09 document style, based on , with modifications for manual generation and maintenance (including per-chapter page numbering, as in the package).  
URL: <https://ctan.org/pkg/manual209>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/manual>
- Nienhuys, Han-Wen. *The mfttrace package. Convert Metafont fonts to Adobe Type 1.* 2023-07-12. LICENSE: gpl  
URL: <https://ctan.org/pkg/mfttrace>
- Niepraschk, Rolf. *The blowup package. Upscale or downscale all pages of a document.* 2023-07-15. Version 2.2.0. LICENSE: lppl1.3. The package blowup only defines the user-level macro , which can be used to upscale or downscale all pages of a document. It is similar to the T<sub>E</sub>X primitive but more accurate and user-friendly.  
URL: <https://ctan.org/pkg/blowup>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/blowup>
- *The colorinfo package. Retrieve colour model and values for defined colours.* 2016-06-18. Version 0.3c. LICENSE: lppl  
URL: <https://ctan.org/pkg/colorinfo>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/colorinfo>
- Niepraschk, Rolf. *The eso-pic package. Add picture commands (or backgrounds) to every page.* 2023-05-03. Version 3.0c. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/eso-pic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eso-pic>
- *The image-gallery package. Create an overview of pictures from a digital camera or from other sources.* 2016-06-24. Version 1.0j. LICENSE: lppl  
URL: <https://ctan.org/pkg/image-gallery>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/image-gallery>
  - *The keystroke package. Graphical representation of keys on keyboard.* 2016-06-24. Version 1.6. LICENSE: gpl  
URL: <https://ctan.org/pkg/keystroke>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/keystroke>
  - *The niceframe-type1 package. Type 1 versions of the fonts recommended in niceframe.* 2023-08-17. LICENSE: lppl. The bundle provides Adobe Type 1 versions of the fonts , , , .  
URL: <https://ctan.org/pkg/niceframe-type1>  
MIRROR: <https://mirror.ctan.org/fonts/niceframe>
  - *The overpic package. Combine L<sup>A</sup>T<sub>E</sub>X commands over included graphics.* 2020-02-22. Version 1.3. LICENSE: lppl1.3. The overpic environment is a cross between the L<sup>A</sup>T<sub>E</sub>X picture environment and the command of . The resulting picture environment has the same dimensions as the included graphic. L<sup>A</sup>T<sub>E</sub>X commands can be placed on the graphic at defined positions; a grid for orientation is available.  
URL: <https://ctan.org/pkg/overpic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/overpic>
  - *The ps4pdf package. Use PostScript commands inside a pdfL<sup>A</sup>T<sub>E</sub>X document.* 2021-08-26. Version 0.6i. LICENSE: lppl  
URL: <https://ctan.org/pkg/ps4pdf>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/ps4pdf>
  - *The scr1ttr2copy package. A letter class option file for the automatic creation of copies.* 2020-10-22. Version 0.3a. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/scr1ttr2copy>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scr1ttr2copy>
  - *The showexpl package. Typesetting L<sup>A</sup>T<sub>E</sub>X source code.* 2021-01-13. Version 0.3s. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/showexpl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/showexpl>
  - *The showframe package. Draw a page-layout diagram.* 2020-10-14. Version 0.1j. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/showframe>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eso-pic/showframe.sty>
  - *The texlive-dummy-opensuse package. Dummy T<sub>E</sub>X Live RPM for use with Open SUSE.* 2023-03-17. Version 2023.9999-2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/texlive-dummy-opensuse>  
MIRROR: <https://mirror.ctan.org/support/texlive/texlive-dummy/opensuse>
  - *The tikz-kalender package. A L<sup>A</sup>T<sub>E</sub>X based calendar using TikZ.* 2019-11-22. Version 0.4f. LICENSE: cc-by-sa-1  
URL: <https://ctan.org/pkg/tikz-kalender>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-kalender>

- Niepraschk, Rolf and Stefan A. Deutscher. *The jpeg2ps-os2 package. JPEG to PostScript converter for OS/2*. 2016-06-24. LICENSE: nosell. OS/2 port of .  
 URL: <https://ctan.org/pkg/jpeg2ps-os2>  
 MIRROR: <https://mirror.ctan.org/support/jpeg2ps/os2>
- Niepraschk, Rolf and Hubert Gäßlein. *The pst-pdf package. Make PDF versions of graphics by processing between runs*. 2020-10-10. Version 1.2f. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/pst-pdf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pst-pdf>
- *The sidecap package. Typeset captions sideways*. 2023-01-24. Version 1.7a. LICENSE: lppl1.3. Defines environments called and (analogous to figure and table) to typeset captions sideways. Options include , , and .  
 URL: <https://ctan.org/pkg/sidecap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sidecap>
- Niepraschk, Rolf and Herbert Voß. *The eitl package. Easy install of T<sub>E</sub>X Live*. 2020-06-24. Version 0.04. LICENSE: lppl  
 URL: <https://ctan.org/pkg/eitl>  
 MIRROR: <https://mirror.ctan.org/support/texlive/eitl>
- Nikolova, Aleksandrina. *The binarytree package. Drawing binary trees using TikZ*. 2016-09-17. Version 1.01. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/binarytree>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/binarytree>
- Nikulainen, Jukka. *The egpeirce package. Draw existential graphs invented by Charles S. Peirce*. 2023-04-10. Version 1.0.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/egpeirce>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/egpeirce>
- Nikunen, Martti. *The esint-type1 package. Font esint10 in Type 1 format*. 2016-06-24. LICENSE: pd. This is Eddie Soudrais's in Adobe Type 1 format. The Adobe Type 1 implementation was generated from the original Metafont using . This distribution does not contain the TFM files that are necessary to use the fonts with T<sub>E</sub>X; the TFM files can be generated from the Metafont sources obtained by following the instructions in the normal way.  
 URL: <https://ctan.org/pkg/esint-type1>  
 MIRROR: <https://mirror.ctan.org/fonts/ps-type1/esint>
- Nilsson, Joachim. *The technics package. A package to format technical documents*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/technics>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/technics>
- Nilsson, Robert. *The stables package. Simplified Plain T<sub>E</sub>X tables*. 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/stables>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/stables>
- Nitschke, Dirk. *The eqmark package. Generalise facilities for marking equation arrays*. 2016-06-24. Version 2.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/eqmark>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/eqmark>
- *The tsconfig package. Setup support for T<sub>E</sub>Xshell*. 2016-06-24. LICENSE: nocommercial. The tsconfig program tries to make the configuration of the by J. Schlegelmilch easier, especially if you have a lot of computers with different processors.  
 URL: <https://ctan.org/pkg/tsconfig>  
 MIRROR: <https://mirror.ctan.org/systems/win32/tsconfig>
- Noirel, Josselin. *The cellspace package. Ensure minimal spacing of table cells*. 2022-01-05. Version 1.9.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cellspace>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cellspace>
- *The cmdstring package. Get command name reliably*. 2016-06-24. Version 1.1. LICENSE: lppl. Extracts the letters of a command's name (e.g., for command ), in a reliable way.  
 URL: <https://ctan.org/pkg/cmdstring>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cmdstring>
- *The xifthen package. Extended conditional commands*. 2016-06-24. Version 1.4.0. LICENSE: lppl. This package extends the package by implementing new commands to go within the first argument of : to test whether a string is void or not, if a command is defined or equivalent to another. The package also enables use of complex expressions as introduced by the package , together with the ability of defining new commands to handle complex tests.  
 URL: <https://ctan.org/pkg/xifthen>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xifthen>
- *The xnewcommand package. Define \global and \protected commands with \newcommand*. 2016-06-24. Version 1.2. LICENSE: lppl. The package provides the means of defining and (e-TeX) commands, within the framework of L<sup>A</sup>T<sub>E</sub>X's standard .

- URL: <https://ctan.org/pkg/xnewcommand>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xnewcommand>
- *The xoptarg package*. Expandable macros that take an optional argument. 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/xoptarg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xoptarg>
  - Nolda, Andreas. *The hang package*. Environments for hanging paragraphs and list items. 2017-02-19. Version 2.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/hang>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hang>
  - *The overlays package*. Incremental slides. 2021-02-23. Version 2.12. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/overlays>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/overlays>
  - *The tagpair package*. Word-by-word glosses, translations, and bibliographic attributions. 2016-09-23. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tagpair>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tagpair>
  - Noonburg, Derek B. *The xpdf package*. Viewing and manipulating PDF files. 2019-01-02. Version 3.04. LICENSE: gpl  
URL: <https://ctan.org/pkg/xpdf>
  - Nordenholz, Thiemo. *The r\_und\_s package*. Chemical hazard codes. 2016-06-24. Version 1.3i. LICENSE: other-free  
URL: <https://ctan.org/pkg/r-und-s>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/r\\_und\\_s](https://mirror.ctan.org/macros/latex/contrib/r_und_s)
  - Nordhoff, Sebastian. *The langsci package*. Typeset books for publication with Language Science Press. 2023-02-11. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/langsci>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/langsci>
  - North, Nicolas. *The iso209 package*. A document style for ISO standards. 2016-06-24. Version 2.6. LICENSE: noinfo. An early predecessor of Wilson’s .  
URL: <https://ctan.org/pkg/iso209>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/iso>
  - Novak, Petr, Karel Horák, Lada Lhotka, and Petr Olšák. *The csfonts package*. Czech/Slovak-tuned Computer Modern fonts. 2017-04-18. LICENSE: gpl. The fonts are provided as Metafont source; Type 1 format versions () are also available.  
URL: <https://ctan.org/pkg/csfonts>  
MIRROR: <https://mirror.ctan.org/macros/cstex/base/csfonts.tar.gz>
  - Novikov, Mikael. *The bmstu package*. A L<sup>A</sup>T<sub>E</sub>X class for Bauman Moscow State Technical University. 2023-01-28. Version 2.0.0. LICENSE: lppl1.3,other-free  
URL: <https://ctan.org/pkg/bmstu>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bmstu>
  - Novodvorsky, Aleksey and Andrej Shadura. *The babel-belarusian package*. Babel support for Belarusian. 2018-10-09. Version 1.5. LICENSE: lppl1.3c. The package provides support for use of in documents written in Belarusian.  
URL: <https://ctan.org/pkg/babel-belarusian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/belarusian>
  - Novotný, Vít. *The fibeamer package*. Beamer theme for thesis defense presentations at Masaryk University (Brno, Czech Republic). 2021-09-27. Version 1.2.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/fibeamer>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/beamer-contrib/themes/fibeamer>
  - *The fithesis package*. Thesis class and template for Masaryk University (Brno, Czech Republic). 2022-08-17. Version 1.1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/fithesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fithesis>
  - *The lt3luabridge package*. Execute Lua code in any T<sub>E</sub>X engine that exposes the shell. 2022-10-24. Version 2.0.2. LICENSE: lppl1.3c. This is an (-generic) package for plain T<sub>E</sub>X, L<sup>A</sup>T<sub>E</sub>X, and ConT<sub>E</sub>Xt that allows you to execute Lua code in LuaT<sub>E</sub>X or any other T<sub>E</sub>X engine that exposes the shell.  
URL: <https://ctan.org/pkg/lt3luabridge>  
MIRROR: <https://mirror.ctan.org/macros/generic/lt3luabridge>
  - *The markdown package*. Converting and rendering markdown documents inside T<sub>E</sub>X. 2023-04-27. Version 2.23.0-0-g0b22f91. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/markdown>  
MIRROR: <https://mirror.ctan.org/macros/generic/markdown>



- Novotný, Vít and Zdeněk Wagner. *The csbulletin package. L<sup>A</sup>T<sub>E</sub>X class for articles submitted to the CSTUG Bulletin (Zpravodaj)*. 2022-12-12. LICENSE: l<sup>h</sup>ppl1.3c  
 URL: <https://ctan.org/pkg/csbulletin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/csbulletin>
- Nowacki, Janusz Marian. *The antp package. Antykwa Półtawskiego: a Type 1 family of Polish traditional type*. 2019-06-21. Version 0.50. LICENSE: pd  
 URL: <https://ctan.org/pkg/antp>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/psfonts/polish/antp>
- *The antt package. Antykwa Toruńska: a Type 1 family of a Polish traditional type*. 2016-06-24. Version 2.08. LICENSE: g<sup>h</sup>sl  
 URL: <https://ctan.org/pkg/antt>  
 MIRROR: <https://mirror.ctan.org/fonts/antt>
  - *The cyklop package. The Cyclop typeface*. 2016-06-24. Version 0.915. LICENSE: g<sup>h</sup>fl  
 URL: <https://ctan.org/pkg/cyklop>  
 MIRROR: <https://mirror.ctan.org/fonts/cyklop>
- Nowacki, Janusz Marian. *The iwona package. A two-element sans-serif font*. 2018-06-16. Version 0.995b. LICENSE: g<sup>h</sup>fl  
 URL: <https://ctan.org/pkg/iwona>  
 MIRROR: <https://mirror.ctan.org/fonts/iwona>
- *The kurier package. A two-element sans-serif typeface*. 2018-06-16. Version 0.995b. LICENSE: g<sup>h</sup>fl  
 URL: <https://ctan.org/pkg/kurier>  
 MIRROR: <https://mirror.ctan.org/fonts/kurier>
  - *The plpsfont package. Polish extension of CM fonts in Type 1 format*. 2016-06-24. Version 1.15. LICENSE: pd. This package is the Polish extension of the Computer Modern fonts (known as PL fonts), in Adobe Type 1 (PostScript) format. The fonts use the same .tfm files as for the . This release of fonts was adapted to the (mostly guessed) demands of the Windows environment, while keeping the fonts usable with T<sub>E</sub>X; however, encoding files are now added, as Windows and T<sub>E</sub>X use different encoding schemes.  
 URL: <https://ctan.org/pkg/plpsfont>  
 MIRROR: <https://mirror.ctan.org/language/polish/plpsfont>
  - *The poligraf package. A T<sub>E</sub>X macro package for prepress*. 2016-06-24. Version 2.0. LICENSE: pd. A set of macros (employing PostScript) supporting professional page preparation for prepress; includes color separation (it needs package), crop-marks, colour and grey scale bars, etc.  
 URL: <https://ctan.org/pkg/poligraf>  
 MIRROR: <https://mirror.ctan.org/macros/generic/TeX-PS/poligraf>
- Nüsken, Michael. *The computational-complexity package. Class for the journal Computational Complexity*. 2016-06-24. Version 2.25f. LICENSE: l<sup>h</sup>ppl1.2  
 URL: <https://ctan.org/pkg/computational-complexity>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/computational-complexity>
- Nyaupane, Hari. *The sacsymb package. “Sacred Symbols” prepared with TikZ*. 2023-02-24. LICENSE: l<sup>h</sup>ppl1  
 URL: <https://ctan.org/pkg/sacsymb>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/sacsymb>
- Nyqvist, Robert. *The glossaries-swedish package. Swedish language module for glossaries package*. 2016-06-24. Version 1.0. LICENSE: l<sup>h</sup>ppl1.3. Swedish language module for the package.  
 URL: <https://ctan.org/pkg/glossaries-swedish>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-swedish>
- *The vxu package. Document classes for Vaxjo University*. 2016-06-24. Version 3.2. LICENSE: l<sup>h</sup>ppl1.3  
 URL: <https://ctan.org/pkg/vxu>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/vxu>
- Oberdiek, Heiko. *The accsupp package. Better accessibility support for PDF files*. 2019-12-07. Version 0.6. LICENSE: l<sup>h</sup>ppl1.3c  
 URL: <https://ctan.org/pkg/accsupp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/accsupp>
- *The aliascnt package. Alias counters*. 2018-09-08. Version 1.5. LICENSE: l<sup>h</sup>ppl1.3  
 URL: <https://ctan.org/pkg/aliascnt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/aliascnt.dtx>
  - *The alphalph package. Convert numbers to letters*. 2019-12-14. Version 2.6. LICENSE: l<sup>h</sup>ppl1.3. Provides commands and They are like but the expansion consists of lowercase and uppercase letters respectively (1 to a, 26 to z, 27 to aa, 52 to zz, 53 to ba, 702 to zz, 703 to aaa, etc.). Can be used as a replacement for L<sup>A</sup>T<sub>E</sub>X’s and macros.  
 URL: <https://ctan.org/pkg/alphalph>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/alphalph>

- *The atbegshi package. Execute stuff at \shipout time.* 2019-12-07. Version 1.19. LICENSE: lppl1.3. This package is a modern reimplementa-tion of package , providing various commands to be executed before a command. It makes use of e-TeX’s facilities if they are available. The package may be used either with L<sup>A</sup>T<sub>E</sub>X or with plain T<sub>E</sub>X.  
URL: <https://ctan.org/pkg/atbegshi>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/atbegshi>
- *The atenddvi package. Provides the \AtEndDvi command.* 2020-11-12. Version 1.5. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/atenddvi>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/atenddvi>
- *The attachfile2 package. Attach files into PDF.* 2019-11-27. Version 2.11. LICENSE: lppl1.3c. This package can be used to attach files to a PDF document. It is a further development of Scott Pakin’s package for . Apart from bug fixes, this package adds support for dvips, some new options, and gets and writes meta information data about the attached files.  
URL: <https://ctan.org/pkg/attachfile2>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/attachfile2>
- Oberdiek, Heiko. *The atveryend package. Hooks at the very end of a document.* 2019-12-12. Version 1.11. LICENSE: lppl1.3. This L<sup>A</sup>T<sub>E</sub>X packages provides two hooks for that are executed after the hook of : can be used for code that is to be executed right after the last before the “ file is closed. is used for code after closing and final reading of the “ file.  
URL: <https://ctan.org/pkg/atveryend>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/atveryend>
- *The auxhook package. Hooks for auxiliary files.* 2019-12-22. Version 1.6. LICENSE: lppl1.3. This package auxhook provides hooks for adding stuff at the begin of files.  
URL: <https://ctan.org/pkg/auxhook>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/auxhook>
- *The backref package. Make hyper-references back from bibliography to citation.* 2023-04-20. Version 1.42. LICENSE: lppl1.3. This package is part of the bundle, and only works when loaded with hyperref.  
URL: <https://ctan.org/pkg/backref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hyperref>
- *The bigintcalc package. Integer calculations on very large numbers.* 2019-12-21. Version 1.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/bigintcalc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bigintcalc>
- *The bitset package. Handle bit-vector datatype.* 2019-12-14. Version 1.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/bitset>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bitset>
- *The bmpsize package. Extract size and resolution data from bitmap files.* 2019-12-31. Version 1.8. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/bmpsize>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/bmpsize.dtx>
- *The bookmark package. A new bookmark (outline) organization for hyperref.* 2020-11-08. Version 1.29. LICENSE: lppl1.3c. This package implements a new bookmark (outline) organization for package . Bookmark properties such as style and color can now be set. Other action types are available (URI, GoToR, Named). The bookmarks are generated in the first compile run. Package uses two runs.  
URL: <https://ctan.org/pkg/bookmark>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bookmark>
- *The catchfile package. Catch an external file into a macro.* 2019-12-14. Version 1.8. LICENSE: lppl1.3. This package catches the contents of a file and puts it in a macro. It requires . Both and are supported.  
URL: <https://ctan.org/pkg/catchfile>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/catchfile>
- *The centernot package. Centred \not command.* 2018-01-06. Version 1.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/centernot>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/centernot.dtx>
- *The chemarr package. Arrows for chemists.* 2018-01-06. Version 1.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/chemarr>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/chemarr.dtx>
- *The classlist package. Record classes used in a document.* 2019-09-28. Version 1.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/classlist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/classlist.dtx>

- *The colonequals package*. Colon equals symbols. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/colonequals>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/colonequals.dtx>
- *The dosepsbin package*. Deal with DOS binary EPS files. 2016-07-05. Version 1.2. LICENSE: artistic  
 URL: <https://ctan.org/pkg/dosepsbin>  
 MIRROR: <https://mirror.ctan.org/support/dosepsbin>
- *The dvipscol package*. Alter the usage of the dvips colour stack. 2018-01-06. Version 1.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/dvipscol>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/dvipscol.dtx>
- *The embedfile package*. Embed files into PDF. 2023-01-12. Version 2.12. LICENSE: lppl1.3c. This package embeds files in a PDF document, using the PDF format's embedding operation (note the contrast with the attach operation used by the and packages). Currently only >=1.30, in PDF mode, is supported.  
 URL: <https://ctan.org/pkg/embedfile>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/embedfile>
- Oberdiek, Heiko. *The engord package*. Converts numbers to English ordinal numbers. 2018-01-06. Version 1.9. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/engord>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/engord.dtx>
- *The enparen package*. Consistent nested brackets. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/enparen>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/enparen.dtx>
- *The eolgrab package*. Catch arguments delimited by end of line. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/eolgrab>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/eolgrab.dtx>
- *The epstopdf-pkg package*. Call epstopdf "on the fly". 2020-01-24. Version 2.11. LICENSE: lppl1.3. The package adds support for EPS files in the package when running under pdfTeX. If an EPS graphic is detected, the package spawns a process to convert the EPS to PDF, using the script . This of course requires that shell escape is enabled for the pdfTeX run.  
 URL: <https://ctan.org/pkg/epstopdf-pkg>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/epstopdf-pkg>
- *The etexcmds package*. Avoid name clashes with e-TeX commands. 2019-12-31. Version 1.7. LICENSE: lppl1.3. New primitive commands are introduced in e-TeX; sometimes the names collide with existing macros. This package solves the name clashes by adding a prefix to e-TeX's commands. For example, eTeX's is provided as .  
 URL: <https://ctan.org/pkg/etexcmds>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/etexcmds>
- *The fibnum package*. Generate Fibonacci numbers. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fibnum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/fibnum.dtx>
- *The flags package*. Setting and clearing of flags in bit fields. 2016-06-24. Version 0.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/flags>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/flags.dtx>
- *The gettitlestring package*. Clean up title references. 2019-12-21. Version 1.6. LICENSE: lppl1.3. Cleans up the title string (removing commands) for packages (such as ) that typeset such strings.  
 URL: <https://ctan.org/pkg/gettitlestring>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gettitlestring>
- *The grfext package*. Manipulate the graphics package's list of extensions. 2019-12-06. Version 1.3. LICENSE: lppl1.3. This package provides macros for adding to, and reordering the list of graphics file extensions recognised by package .  
 URL: <https://ctan.org/pkg/grfext>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grfext>
- *The grffile package*. Extended file name support for graphics (legacy package). 2019-11-11. Version 2.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/grffile>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grffile>
- *The hobsub package*. Construct package bundles. 2019-11-17. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hobsub>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hobsub>
- *The hologo package*. A collection of logos with bookmark support. 2021-11-17. Version 1.15. LICENSE: lppl1.3c. The package defines a single command , whose argument is the usual case-confused ASCII version of the logo. The command is bookmark-enabled, so that every logo becomes available in bookmarks without further work.

- URL: <https://ctan.org/pkg/hologo>  
MIRROR: <https://mirror.ctan.org/macros/generic/hologo>
- *The holtxdoc package. Documentation macros for oberdiek bundle, etc.* 2019-11-15. Version 0.29. LICENSE: lppl1.3c. These are personal macros, which are not necessarily useful to other authors (they are provided as part of the source of others of the author's packages). Macros that may be of use to other authors are available separately, in package .  
URL: <https://ctan.org/pkg/holtxdoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/holtxdoc.dtx>
  - *The hopatch package. Load patches for packages.* 2023-01-07. Version 1.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/hopatch>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hopatch>
  - *The hycolor package. Implements colour for packages hyperref and bookmark.* 2020-01-28. Version 1.10. LICENSE: lppl1.3. This package provides the code for the option that is used by packages and . It is not intended as package for the user.  
URL: <https://ctan.org/pkg/hycolor>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hycolor>
- Oberdiek, Heiko. *The hypbmsec package. Hypertext bookmarks in sectioning commands.* 2018-01-06. Version 2.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/hypbmsec>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/hypbmsec.dtx>
- *The hypcap package. Adjusting the anchors of captions.* 2018-01-06. Version 1.12. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/hypcap>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/hypcap.dtx>
  - *The hypdestopt package. Hyperref destination optimizer.* 2020-09-07. Version 2.7. LICENSE: lppl1.3. This package supports 's pdfTeX driver. It removes unnecessary destinations and shortens the destination names or uses numbered destinations to get smaller PDF files.  
URL: <https://ctan.org/pkg/hypdestopt>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hypdestopt>
  - *The hypdoc package. Hyper extensions for doc.sty.* 2023-01-23. Version 1.18. LICENSE: lppl1.3c. This package adds hypertext features to the package that is used in the documentation system of . Bookmarks are added and references are linked as far as possible.  
URL: <https://ctan.org/pkg/hypdoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hypdoc>
  - *The hypgotoe package. Links to embedded files.* 2019-12-31. Version 0.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/hypgotoe>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/hypgotoe.dtx>
  - *The hyphsubst package. Substitute hyphenation patterns.* 2016-06-24. Version 0.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/hyphsubst>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/hyphsubst.dtx>
  - *The ifdraft package. Detect "draft" and "final" class options.* 2018-01-06. Version 1.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ifoldraft>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/ifoldraft.dtx>
  - *The iflang package. Expandable checks for the current language.* 2018-09-08. Version 1.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/iflang>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/iflang.dtx>
  - *The infwarerr package. Complete set of information/warning/error message macros.* 2019-12-06. Version 1.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/infwarerr>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/infwarerr>
  - *The inputenx package. Enhanced input encoding handling.* 2019-12-01. Version 1.12. LICENSE: lppl1.3. This package deals with input encodings. It provides a wider range of input encodings using standard mappings, than does ; it also covers nearly all slots. In this way, it serves as more up-to-date replacement for package .  
URL: <https://ctan.org/pkg/inputenx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/inputenx>
  - *The intcalc package. Expandable arithmetic operations with integers.* 2019-12-21. Version 1.3. LICENSE: lppl1.3. This package provides expandable arithmetic operations with integers, using the e-TeX extension if it is available.  
URL: <https://ctan.org/pkg/intcalc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/intcalc>
  - *The kvdefinekeys package. Define keys for use in the kvsetkeys package.* 2019-12-21. Version 1.6. LICENSE: lppl1.3c. The package provides a macro (analogous to , to define keys for use by .



- URL: <https://ctan.org/pkg/kvdefinekeys>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kvdefinekeys>
- *The kvoptions package*. Key value format for package options. 2022-06-16. Version 3.15. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/kvoptions>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kvoptions>
  - *The kvsetkeys package*. Key value parser with default handler support. 2022-10-05. Version 1.19. LICENSE: lppl1.3. This package provides `\kvsetkeys`, a variant of package `kvoptions`. It allows the user to specify a handler that deals with unknown options. Active commas and equal signs may be used (e.g. see `'s` shorthands) and only one level of curly braces are removed from the values.  
URL: <https://ctan.org/pkg/kvsetkeys>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kvsetkeys>
  - *The LaTeX-tds package*. A structured copy of the  $\text{\LaTeX}$  distribution. 2021-03-14. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/latex-tds>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/latex-tds>
  - *The letltxmacro package*. Let assignment for  $\text{\LaTeX}$  macros. 2019-12-06. Version 1.6. LICENSE: lppl1.3.  $\text{\TeX}$ 's assignment does not work for  $\text{\LaTeX}$  macros with optional arguments or for macros that are defined as robust macros by `\let`. This package defines that also takes care of the involved internal macros.  
URL: <https://ctan.org/pkg/letltxmacro>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/letltxmacro>
  - Oberdiek, Heiko. *The listingsutf8 package*. Allow UTF-8 in listings input. 2019-12-14. Version 1.5. LICENSE: lppl1.3. Package does not support files with multi-byte encodings such as UTF-8. In the case of `utf8`, a simple workaround is possible if a one-byte encoding exists that the file can be converted to. The package requires the e- $\text{\TeX}$  extensions under pdf $\text{\TeX}$  (in either PDF or DVI output mode).  
URL: <https://ctan.org/pkg/listingsutf8>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/listingsutf8>
  - *The ltxcmds package*. Some  $\text{\LaTeX}$  kernel commands for general use. 2020-09-24. Version 1.25. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ltxcmds>  
MIRROR: <https://mirror.ctan.org/macros/generic/ltxcmds>
  - *The luacolor package*. Color support based on Lua $\text{\TeX}$ 's node attributes. 2023-08-18. Version 1.18. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/luacolor>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/luacolor>
  - *The luatex-pkg package*. Basic definitions for Lua $\text{\TeX}$ . 2019-11-15. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/luatex-pkg>
  - *The magicnum package*. Access  $\text{\TeX}$  systems' "magic numbers". 2019-12-01. Version 1.7. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/magicnum>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/magicnum>
  - *The makerobust package*. Making a macro robust (legacy package). 2019-11-17. Version 2.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/makerobust>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/makerobust>
  - *The mkjobtexmf package*. Generate a `texmf` tree for a particular job. 2016-06-24. Version 0.8. LICENSE: artistic  
URL: <https://ctan.org/pkg/mkjobtexmf>  
MIRROR: <https://mirror.ctan.org/support/mkjobtexmf>
  - *The mleftright package*. Variants of delimiters that act as maths open/close. 2019-12-06. Version 1.2. LICENSE: lppl1.3. The package defines variants of `and` and `or`, that make the delimiters act as `and` and `or`. These commands address spacing difficulties in subformulas.  
URL: <https://ctan.org/pkg/mleftright>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mleftright>
  - *The oberdiek package*. A bundle of packages submitted by Heiko Oberdiek. 2023-01-10. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/oberdiek>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek>
  - *The pagegrid package*. Print page grid in background. 2022-09-24. Version 1.6. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pagegrid>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pagegrid>
  - *The pagesel package*. Select pages of a document for output. 2023-01-11. Version 1.10. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pagesel>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pagesel>



- *The pdfcol package. Macros for maintaining colour stacks under pdfTeX.* 2022-09-24. Version 1.7. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pdfcol>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfcol>
- *The pdfcolfoot package. Separate color stack for footnotes with pdfTeX.* 2023-01-14. Version 1.4. LICENSE: lppl1.3. Since version 1.40 supports several colour stacks. This package uses a separate colour stack for footnotes that can break across pages.  
URL: <https://ctan.org/pkg/pdfcolfoot>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfcolfoot>
- *The pdfcolmk package. Improved colour support under pdfTeX (legacy stub).* 2019-11-27. Version 2.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pdfcolmk>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfcolmk>
- *The pdfcolparallel package. Fix colour problems in package 'parallel'.* 2019-12-31. Version 1.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pdfcolparallel>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/pdfcolparallel.dtx>
- *The pdfcolparcolumns package. Fix colour problems in package 'parcolumns'.* 2019-12-31. Version 1.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pdfcolparcolumns>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/pdfcolparcolumns.dtx>
- Oberdiek, Heiko. *The pdfcrop package. Crop PDF graphics.* 2023-04-16. Version 1.42. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pdfcrop>  
MIRROR: <https://mirror.ctan.org/support/pdfcrop>
- *The pdfcrypt package. Allows the setting of pdf encryption.* 2018-01-06. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pdfcrypt>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/pdfcrypt.dtx>
- *The pdfescape package. Implements pdfTeX's escape features using T<sub>E</sub>X or e-TeX.* 2019-12-14. Version 1.15. LICENSE: lppl1.3. This package implements 's escape features ( , , ) using T<sub>E</sub>X or e-TeX.  
URL: <https://ctan.org/pkg/pdfescape>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfescape>
- *The pdfscape package. Make landscape pages display as landscape.* 2022-10-29. Version 0.13. LICENSE: lppl1.3c. The package adds PDF support to the landscape environment of package , by setting the PDF page attribute. Pages with this attribute will be displayed in landscape orientation by conforming PDF viewers.  
URL: <https://ctan.org/pkg/pdflscape>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdflscape>
- *The pdfrender package. Control rendering parameters.* 2019-12-31. Version 1.6. LICENSE: lppl1.3. The package provides interfaces for the user to control PDF parameters, such as line width or text rendering mode. The control operations work in a manner very similar to that of the package.  
URL: <https://ctan.org/pkg/pdfrender>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/pdfrender.dtx>
- *The pdftexcmds package. LuaTeX support for pdfTeX utility functions.* 2020-06-29. Version 0.33. LICENSE: lppl1.3c. LuaTeX provides most of the commands of 1.40. However, a number of utility functions are not available. This package tries to fill the gap and implements some of the missing primitives using Lua.  
URL: <https://ctan.org/pkg/pdftexcmds>  
MIRROR: <https://mirror.ctan.org/macros/generic/pdftexcmds>
- *The picture package. Dimens for picture macros.* 2020-04-23. Version 1.6. LICENSE: lppl1.3. There are macro and environment arguments that expect numbers that will internally be multiplied by . This package extends the syntax of these arguments, so that dimensions with calculation support may be used for these arguments.  
URL: <https://ctan.org/pkg/picture>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/picture>
- *The pkfix package. Replace pk fonts in PostScript with Type 1 fonts.* 2018-01-06. Version 1.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pkfix>  
MIRROR: <https://mirror.ctan.org/support/pkfix>
- *The pmboxdraw package. Poor man's box drawing characters.* 2019-12-10. Version 1.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pmboxdraw>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pmboxdraw>
- *The protecteddef package. Define protected commands.* 2016-06-24. Version 1.1. LICENSE: lppl1.3. The package defines a command that will create L<sup>A</sup>T<sub>E</sub>X 'robust' command or an e-TeX 'protected' command as appropriate to its environment.  
URL: <https://ctan.org/pkg/protecteddef>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/protecteddef.dtx>

- *The refcount package*. Counter operations with label references. 2019-12-21. Version 3.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/refcount>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/refcount>
- *The rerunfilecheck package*. Checksum based rerun checks on auxiliary files. 2022-07-10. Version 1.10. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/rerunfilecheck>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rerunfilecheck>
- *The resizgather package*. Automatically resize overly large equations. 2018-01-06. Version 1.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/resizgather>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/resizgather.dtx>
- *The rotchiffre package*. Perform simple rotation cyphers. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/rotchiffre>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/rotchiffre.dtx>
- *The scrindex package*. Make index package work with Koma-script classes. 2016-06-24. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/scrindex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/scrindex.dtx>
- Oberdiek, Heiko. *The selinput package*. Semi-automatic detection of input encoding. 2019-12-14. Version 1.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/selinput>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/selinput>
- *The setouterhbox package*. Set hbox in outer horizontal mode. 2016-06-24. Version 1.8. LICENSE: lppl1.3. If math stuff is set in an , then  $\TeX$  performs some optimization and omits the implicit penalties and . This packages tries to put stuff into an without losing those penalties.  
 URL: <https://ctan.org/pkg/setouterhbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/setouterhbox.dtx>
- *The settobox package*. Assigning dimensions of a box to a length register. 2018-01-06. Version 1.5. LICENSE: lppl1.3. Commands to assist the reuse of boxes (set up by or by the environment); the commands behave similarly to the (etc.) commands. For example:  
 URL: <https://ctan.org/pkg/settobox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/settobox.dtx>
- *The soul package*. Hyphenation for letterspacing, underlining, and more. 2023-06-14. Version 3.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/soul>  
 MIRROR: <https://mirror.ctan.org/macros/generic/soul>
- *The stackrel package*. Enhancement to the `\stackrel` command. 2018-01-06. Version 1.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/stackrel>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/stackrel.dtx>
- *The stampinclude package*. Inclusion based on .aux file date stamps. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/stampinclude>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/stampinclude.dtx>
- *The stringenc package*. Converting a string between different encodings. 2019-12-02. Version 1.12. LICENSE: lppl1.3. This package provides for converting a string between different encodings. Both and are supported.  
 URL: <https://ctan.org/pkg/stringenc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stringenc>
- *The tabularht package*. Tabular environments with height specified. 2019-12-31. Version 2.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tabularht>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/tabularht.dtx>
- *The tabularkv package*. Tabular environments with key-value interface. 2018-01-06. Version 1.2. LICENSE: lppl1.3. The tabularkv package creates an environment , whose arguments are specified in key-value form. The arguments chosen determine which other type of tabular is to be used (whether standard  $\LaTeX$  ones, or environments from the or the package).  
 URL: <https://ctan.org/pkg/tabularkv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/tabularkv.dtx>
- *The telprint package*. Format German phone numbers. 2018-01-06. Version 1.11. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/telprint>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/telprint.dtx>
- *The thepdfnumber package*. Print PDF numbers with minimal digits. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/thepdfnumber>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/thepdfnumber.dtx>
- *The thumbpdf package*. Thumbnails for pdfTeX and dvips/ps2pdf. 2018-09-08. Version 3.17. LICENSE: lppl1.3. A Perl script that provides support for thumbnails in and /ps2pdf. The script uses to generate the thumbnails which get represented in a  $\TeX$

readable file that is read by the package to automatically include the thumbnails. This arrangement works with both plain  $\text{\TeX}$  and  $\text{\LaTeX}$ .

URL: <https://ctan.org/pkg/thumbpdf>

MIRROR: <https://mirror.ctan.org/support/thumbpdf>

- *The transparent package. Using a color stack for transparency with pdfTeX.* 2022-10-29. Version 1.5. LICENSE: lppl1.3c. and support several color stacks. This package shows how a separate color stack can be used for transparency, a property besides color that works across page breaks. If the PDF management is used it can also be used with other engines, but without support for page breaks.

URL: <https://ctan.org/pkg/transparent>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/transparent>

- *The twoopt package. Definitions with two optional arguments.* 2018-01-06. Version 1.6. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/twoopt>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oberdiek/twoopt.dtx>

Oberdiek, Heiko. *The uniquecounter package. Provides unlimited unique counter.* 2019-12-21. Version 1.4. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/uniquecounter>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uniquecounter>

- *The vpe package. Source specials for PDF output.* 2016-06-24. Version 0.2. LICENSE: lppl

URL: <https://ctan.org/pkg/vpe>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vpe>

- *The zref package. A new reference scheme for L<sup>A</sup>T<sub>E</sub>X.* 2022-04-07. Version 2.34. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/zref>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zref>

Oberdiek, Heiko, Oberdiek Package Support Group, and Sebastian Rahtz. *The nameref package. Make reference to section names, etc.* 2023-07-08. Version 2.53. LICENSE: lpl1.3. Defines a command, that makes reference to an object by its name (e.g., the title of a section or chapter). The package is part of the bundle, and works well with hyperref.

URL: <https://ctan.org/pkg/nameref>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hyperref>

Oberdiek, Heiko, Sebastian Rahtz, Oberdiek Package Support Group, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The hyperref package. Extensive support for hypertext in L<sup>A</sup>T<sub>E</sub>X*. 2023-07-08. Version 7.01b. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/hyperref>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hyperref>

Oberdiek, Heiko and Bastien Roucariès. *The pax package. Extract and reinsert PDF annotations with pdfTeX*. 2022-06-07. LICENSE: lppl,gpl

URL: <https://ctan.org/pkg/pax>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pax>

Obrecht, Christian. *The eukleides package. A geometry drawing system*. 2018-09-15. Version 1.5.3. LICENSE: gpl

URL: <https://ctan.org/pkg/eukleides>

MIRROR: <https://mirror.ctan.org/support/eukleides>

- *The mafr package. Mathematics in accord with French usage.* 2016-06-24. Version 1.0. LICENSE: gpl

URL: <https://ctan.org/pkg/mafr>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mafr>

- *The variations package. Typeset tables of variations of functions.* 2016-06-24. Version 0.3. LICENSE: gpl

URL: <https://ctan.org/pkg/variations>

MIRROR: <https://mirror.ctan.org/macros/generic/variations>

Ochoa, Geri. *The beamertheme-cuerna package. A beamer theme with 4 colour palettes*. 2018-01-07. LICENSE: lppl1.3

URL: <https://ctan.org/pkg/beamertheme-cuerna>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-cuerna>

[illegible]

URL: <https://ctan.org/pkg/lshort>

MIRROR: <https://mirror.ctan.org/info/lshort>

- *The lshort-english package. A (Not So) Short Introduction to L<sup>A</sup>T<sub>E</sub>X2<sub>ε</sub>*. 2021-03-09. Version 6.4. LICENSE: gpl2

URL: <https://ctan.org/pkg/lshort-english>

MIRROR: <https://mirror.ctan.org/info/lshort/english>

- *The timetab package. Typeset timetables.* 2016-06-24. Version 0.1. LICENSE: noinfo. Defines an environment that prints a table, in the way one might when doing the job by hand. (The basic entry is , from German Lektur.)  
 URL: <https://ctan.org/pkg/timetab>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/timetab.sty>
- Oetiker, Tobias and Heiko Oberdiek. *The acronym package. Expand acronyms at least once.* 2020-04-11. Version 1.47. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/acronym>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acronym>
- Oofu-Amaah, William. *The qfig package. DOS graphics program.* 2016-06-24. Version 1.1. LICENSE: other-free. Qfig is a DOS graphics program to generate output for and .  
 URL: <https://ctan.org/pkg/qfig>  
 MIRROR: <https://mirror.ctan.org/support/qfig>
- Ogawa, Arthur. *The ltxgrid package. Control of the page grid.* 2023-06-02. Version 4.2f. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ltxgrid>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/revtex>
- *The ltxutil package. L<sup>A</sup>T<sub>E</sub>X utility macros.* 2023-06-02. Version 4.2f. LICENSE: lppl1.3. A collection of L<sup>A</sup>T<sub>E</sub>X utilities; the package is distributed as part of the bundle.  
 URL: <https://ctan.org/pkg/ltxutil>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/revtex>
- *The psizzl package. A T<sub>E</sub>X format for physics papers.* 2016-06-24. Version 0.35. LICENSE: lppl  
 URL: <https://ctan.org/pkg/psizzl>  
 MIRROR: <https://mirror.ctan.org/macros/psizzl>
- Ogawa, Arthur, Mark Doyle, Phelype Oleinik, and Frank Mittelbach. *The revtex package. Styles for various Physics Journals.* 2023-05-31. Version 4.2f. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/revtex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/revtex>
- *The revtex4-0 package. Styles for various Physics Journals (old version).* 2020-10-02. Version 4.0a. LICENSE: lppl. This is an old version of , and is kept as a courtesy to users having difficulty with the incompatibility of that latest version.  
 URL: <https://ctan.org/pkg/revtex4-0>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/revtex4-0>
- *The revtex4-1 package. Styles for various Physics Journals.* 2020-10-16. Version 4.1s. LICENSE: lppl1.3. This is an old version of , and is kept as a courtesy to users having difficulty with the incompatibility of that latest version.  
 URL: <https://ctan.org/pkg/revtex4-1>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/revtex4-1>
- Ohl, Thorsten. *The emp package. "Encapsulate" MetaPost figures in a document.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/emp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/emp>
- *The feynmf package. Macros and fonts for creating Feynman (and other) diagrams.* 2018-01-06. Version 1.08. LICENSE: gpl  
 URL: <https://ctan.org/pkg/feynmf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/feynmf>
- *The mcite package. Multiple items in a single citation.* 2016-06-24. Version 1.6. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mcite>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mcite>
- Oehlhaut, Marcus. *The niceframe package. Support for fancy frames.* 2017-10-29. Version 1.1c. LICENSE: lppl. The package defines means of drawing frames around boxes, using dingbat fonts. Some (Metafont) font sources are included; the fonts are available separately in .  
 URL: <https://ctan.org/pkg/niceframe>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/niceframe>
- Okumura, Haruhiko and Japanese T<sub>E</sub>X Development Community. *The jsclasses package. Classes tailored for use with Japanese.* 2023-02-23. LICENSE: bsd  
 URL: <https://ctan.org/pkg/jsclasses>  
 MIRROR: <https://mirror.ctan.org/macros/jptex/latex/jsclasses>
- Ol, Say. *The beamertheme-phnompenh package. A simple beamer theme.* 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/beamertheme-phnompenh>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/phnompenh>



- Oleinik, Phelype. *The namedef package. TeX definitions with named parameters*. 2020-06-23. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/namedef>  
 MIRROR: <https://mirror.ctan.org/macros/generic/namedef>
- Oliveira, Nuno. *The reotex package. Draw Reo Channels and Circuits*. 2016-06-24. Version 1.1. LICENSE: lppl. The package defines macros and other utilities to design Reo Circuits. The package requires support.  
 URL: <https://ctan.org/pkg/reotex>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/reotex>
- Oliver, Marcel. *The uaclasses package. University of Arizona thesis and dissertation format*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/uaclasses>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uaclasses>
- Olko, Mariusz and Marcin Woliński. *The polski package. Typeset Polish documents with L<sup>A</sup>T<sub>E</sub>X and Polish fonts*. 2021-08-25. Version 1.3.6. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/polski>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/polski>
- Olšák, Petr. *The a2ac package. AFM to AFM plus Composites*. 2016-06-24. Version 2. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/a2ac>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/a2ac>
- *The apnum package. Arbitrary precision numbers implemented by T<sub>E</sub>X macros*. 2018-04-22. Version 1.7. LICENSE: pd  
 URL: <https://ctan.org/pkg/apnum>  
 MIRROR: <https://mirror.ctan.org/macros/generic/apnum>
  - *The code128 package. Barcode macros for the Code 128 standard*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/code128>  
 MIRROR: <https://mirror.ctan.org/macros/generic/code128>
  - *The csfonts-t1 package. Czech/Slovak tuned CM fonts in Type 1 format*. 2017-04-18. LICENSE: gpl. These are Adobe Type 1 versions of the fonts.  
 URL: <https://ctan.org/pkg/csfonts-t1>  
 MIRROR: <https://mirror.ctan.org/macros/cstex/base/csfonts-t1.tar.gz>
  - *The csplain package. Plain T<sub>E</sub>X multilanguage support*. 2022-03-17. Version Mar. 2022. LICENSE: other-free  
 URL: <https://ctan.org/pkg/csplain>  
 MIRROR: <https://mirror.ctan.org/macros/cstex/base/csplain.tar.gz>
  - *The C<sub>S</sub>TeX package. Support for Czech/Slovak languages*. 2022-08-19. LICENSE: other-free  
 URL: <https://ctan.org/pkg/cstex>  
 MIRROR: <https://mirror.ctan.org/macros/cstex>
  - *The docbytex package. Creating documentation from source code*. 2017-04-18. LICENSE: other-free  
 URL: <https://ctan.org/pkg/docbytex>  
 MIRROR: <https://mirror.ctan.org/macros/generic/docbytex>
  - *The ean package. Macros for making EAN barcodes*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ean>  
 MIRROR: <https://mirror.ctan.org/macros/generic/ean>
  - *The encTeX package. A T<sub>E</sub>X extension that translates input on its way into T<sub>E</sub>X*. 2018-01-06. LICENSE: gpl  
 URL: <https://ctan.org/pkg/encTex>  
 MIRROR: <https://mirror.ctan.org/systems/encTex>
  - *The ofs package. Macros for managing large font collections*. 2017-04-18. LICENSE: knuth. OFS (Olsak’s Font System) is a set of Plain T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X macros for managing large font collections; it has been used by Czech/Slovak users for many years. Main features include:  
 URL: <https://ctan.org/pkg/ofs>  
 MIRROR: <https://mirror.ctan.org/macros/generic/ofs>
  - *The olsak-misc package. Collection of plain T<sub>E</sub>X macros written by Petr Olšák*. 2022-08-04. Version Aug. 2022. LICENSE: pd  
 URL: <https://ctan.org/pkg/olsak-misc>  
 MIRROR: <https://mirror.ctan.org/macros/generic/olsak-misc>
  - *The OpTeX package. LuaTeX format based on Plain T<sub>E</sub>X and OPmac*. 2023-05-24. Version 1.12. LICENSE: pd  
 URL: <https://ctan.org/pkg/optex>  
 MIRROR: <https://mirror.ctan.org/macros/optex>
  - *The TeX-nutshell package. A short document about T<sub>E</sub>X principles*. 2023-05-25. Version 0.9. LICENSE: pd  
 URL: <https://ctan.org/pkg/tex-nutshell>  
 MIRROR: <https://mirror.ctan.org/info/tex-nutshell>



- Olšák, Petr and Zdeněk Wagner. *The cspsfonts package. Czech/Slovakian PostScript font support*. 2017-04-18. LICENSE: gpl  
 URL: <https://ctan.org/pkg/cspsfonts>  
 MIRROR: <https://mirror.ctan.org/macros/cstex/base/cspsfonts.tar.gz>
- Olthof, Edgar. *The fcolumn package. Typesetting financial tables*. 2023-07-25. Version 1.4.2. LICENSE: lppl1.3. In financial reports, text and currency amounts are regularly put in one table, e.g., a year balance or a profit-and-loss overview. This package provides the settings for automatically typesetting such columns, including the sum line (preceded by a rule of the correct width) using the specifier “”.  
 URL: <https://ctan.org/pkg/fcolumn>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fcolumn>
- Omidali, Mehdi and Tobias Oetiker. *The lshort-persian package. Persian (Farsi) introduction to L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 5.01. LICENSE: pd. A Persian (Farsi) translation of Oetiker’s .  
 URL: <https://ctan.org/pkg/lshort-persian>  
 MIRROR: <https://mirror.ctan.org/info/lshort/persian>
- Oostrum, Pieter van. *The badge package. Print badge labels*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/badge>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/badge>
- *The bigdelim package. Big delimiters in tabular or array*. 2021-03-15. Version 2.8. LICENSE: lppl1.3. The commands and may be used to place multi-row delimiters inside a tabular or array, in cooperation with the package.  
 URL: <https://ctan.org/pkg/bigdelim>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multirow>
  - *The bigstrut package. Struts for opening up tabular spacing*. 2021-03-15. Version 2.8. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bigstrut>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multirow>
  - *The fancyhdr package. Extensive control of page headers and footers in L<sup>A</sup>T<sub>E</sub>X<sub>2</sub>ε*. 2022-11-09. Version 4.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fancyhdr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancyhdr>
  - *The fancyheadings package. Legacy headings package*. 2022-11-09. Version 4.1. LICENSE: lppl1.3. This package is now a stub for .  
 URL: <https://ctan.org/pkg/fancyheadings>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancyhdr>
  - *The lkort package. A short introduction to L<sup>A</sup>T<sub>E</sub>X, in Dutch*. 2019-06-21. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/lkort>
- Oostrum, Pieter van and Jerry Leichter. *The multirow package. Create tabular cells spanning multiple rows*. 2021-03-15. Version 2.8. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/multirow>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multirow>
- Optical Society of America. *The osa package. Macros for Optical Society of America Journals, etc*. 2017-04-18. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/osa>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/osa>
- Órdenes, Jerick. *The xcolor-material package. Defines the 256 colors from Google Material Color Palette*. 2016-11-16. Version 0.1. LICENSE: lppl1.3. The package is built on top of the great package. It provides a useful definition of the beautiful Google Material Color Palette, available at , for its use in document writing with L<sup>A</sup>T<sub>E</sub>X and Friends.  
 URL: <https://ctan.org/pkg/xcolor-material>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xcolor-material>
- Oriet, Boris. *The chextrás package. A companion package for the Swiss typesetter*. 2016-06-24. Version 1.01. LICENSE: lppl1.3. The package simplifies the preparation of Swiss documents and letters by setting up linguistic and common packages. While it is a useful addition to the document class, it is not tied to it and may be used as a general purpose package.  
 URL: <https://ctan.org/pkg/chextrás>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chextrás>
- *The chletter package. Class for typesetting letters to Swiss rules*. 2016-06-24. Version 2.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/chletter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chletter>
- Orlandini, Mauro. *The shadow package. Shadow boxes*. 2018-04-18. LICENSE: lppl. Defines a command (analogous to ), and supporting mechanisms.  
 URL: <https://ctan.org/pkg/shadow>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shadow>

- Orlandini, Mauro and George Greenwade. *The daytime package. Print time of day.* 2020-04-11. LICENSE: noinfo. A jiffy to provide macros and to print times, in 12-hour am/pm form (with, and without leading zeros).  
 URL: <https://ctan.org/pkg/daytime>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/daytime.sty>
- Orlandini, Mauro and Max Hailperin. *The multicolar package. Put successive paragraphs in different columns.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/multicolar>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/multicolar.sty>
- Orloff, Jean. *The psbox package. PostScript box macros, etc.* 2016-06-24. Version 1.34. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/psbox>  
 MIRROR: <https://mirror.ctan.org/macros/generic/psbox>
- Ørsted, Sebastian. *The leftindex package. Left indices with better spacing.* 2020-08-31. Version 0.1beta. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/leftindex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/leftindex>
- *The SemanTeX package. Semantic, keyval-based mathematics.* 2023-01-23. Version 0.525. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/semantex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/semantex>
- *The SemTeX package. Deals with stripped SemanTeX documents.* 2020-10-04. Version 0.45. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/semtex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/semtex>
- *The stricttex package. Strictly balanced brackets and numbers in command names.* 2020-09-08. Version 0.2beta. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/stricttex>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/stricttex>
- Ortolo, Tanguy. *The songproj package. Generate Beamer slideshows with song lyrics.* 2023-03-29. Version 1.2.0. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/songproj>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/songproj>
- Osborne, Alexander. *The PuyoTikZ package. Quickly typeset board states of Puyo Puyo games.* 2021-01-03. Version 1.0.1. LICENSE: mit  
 URL: <https://ctan.org/pkg/puyotikz>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/puyotikz>
- Osborne, Martin J. *The egameps package. L<sup>A</sup>T<sub>E</sub>X package for typesetting extensive games.* 2018-09-15. Version 1.1. LICENSE: lppl. The style is intended to have enough features to draw any extensive game with relative ease. The facilities of are used for graphics. (An older version of the package, which uses the L<sup>A</sup>T<sub>E</sub>X picture environment rather than PSTricks and consequently has many fewer features is available on the package home page.)  
 URL: <https://ctan.org/pkg/egameps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/egameps>
- *The latex-bnf package. L<sup>A</sup>T<sub>E</sub>X macros for typing BNF specifications.* 2016-06-24. Version 1.1a. LICENSE: noinfo. The package defines an environment . The contents of the environment is a context-free grammar, and the environment will pretty-print it.  
 URL: <https://ctan.org/pkg/latex-bnf>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/tex-bnf>
- *The rputover package. Place text over PSTricks objects without obscuring background colors.* 2017-07-02. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/rputover>  
 MIRROR: <https://mirror.ctan.org/obsolete/graphics/pstricks/contrib/rputover>
- *The sgame package. L<sup>A</sup>T<sub>E</sub>X style for typesetting strategic games.* 2017-04-18. Version 2.15. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sgame>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sgame>
- *The Swimgraf package. Graphical/textual representations of swimming performances.* 2018-09-15. LICENSE: lppl  
 URL: <https://ctan.org/pkg/swimgraf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/swimgraf>
- *The text2bib package. A PHP script to convert references to BibTeX.* 2016-06-24. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/text2bib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/text2bib>
- Ouassou, Jabir Ali and Luuk Tijssen. *The eulerpx package. A modern interface for the Euler math fonts.* 2022-07-15. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/eulerpx>  
 MIRROR: <https://mirror.ctan.org/fonts/eulerpx>

- Oudenhove, Thomas van. *The sort-by-letters package. Bibliography styles for alphabetic sorting*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/sort-by-letters>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/sort-by-letters>
- *The texloganalyser package. Analyse T<sub>E</sub>X logs*. 2020-03-26. Version 0.11. LICENSE: bsd  
 URL: <https://ctan.org/pkg/texloganalyser>  
 MIRROR: <https://mirror.ctan.org/support/texloganalyser>
- Owens, John. *The otfinst package. Install OpenType fonts for use in T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X systems*. 2018-01-06. Version 1.0.3. LICENSE: bsd. Otfinst takes a list of OpenType font files as input, uses Eddie Kohler's to install them into a T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X system, and builds and installs the necessary font description and style files. Otfinst was formerly known as otfex\_install and is written in Python. It has similar capabilities to Marc Penninga's .  
 URL: <https://ctan.org/pkg/otfinst>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/otfinst>
- Pacini, Alex. *The cesenaexam package. A class file to typeset exams*. 2017-08-07. Version 0.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/cesenaexam>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cesenaexam>
- Paciorek, Robert. *The ehline package. Extend the \hhline command*. 2020-04-04. Version 1.1. LICENSE: mit. This package extends the command with a token, which allows to create lines with arbitrary L<sup>A</sup>T<sub>E</sub>X commands.  
 URL: <https://ctan.org/pkg/ehline>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ehline>
- *The labels4easylist package. Add reference labels to easylist items*. 2019-05-16. Version 1.0. LICENSE: mit. This package provides the macro for adding configurable reference labels to items.  
 URL: <https://ctan.org/pkg/labels4easylist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/labels4easylist>
  - *The pdfarticle package. Class for pdf publications*. 2019-05-15. Version 1.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/pdfarticle>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/pdfarticle>
  - *The tikzpackets package. Display network packets*. 2020-07-20. Version 1.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/tikzpackets>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzpackets>
  - *The vtable package. Vertical alignment of table cells*. 2019-05-16. Version 1.0. LICENSE: mit. The package allows vertical alignment of table cell by providing:  
 URL: <https://ctan.org/pkg/vtable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vtable>
- Page, Stephen. *The doublespace package. Double space environment*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/doublespace>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex209/contrib/misc/doublespace.sty>
- *The drafthead package. Mark "DRAFT" in page headers*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/drafthead>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/drafthead.sty>
- Page, Clément. *The playcards package. A simple template for drawing playcards*. 2023-06-11. Version 0.2.1. LICENSE: lgpl3  
 URL: <https://ctan.org/pkg/playcards>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/playcards>
- Pagin, Peter. *The philex package. Cross references for named and numbered environments*. 2016-06-24. Version 1.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/philex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/philex>
- Paić, Alan and Ivan Kokan. *The babel-croatian package. Babel contributed support for Croatian*. 2016-06-24. Version 1.3l. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-croatian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/croatian>
- Pakin, Scott. *The arlatex package. A L<sup>A</sup>T<sub>E</sub>X-based archiver*. 2022-10-04. Version 1.1. LICENSE: lppl1.3c. Arlatex is an archiving program like shar, tar, zip, etc. Its output is specifically designed for use with L<sup>A</sup>T<sub>E</sub>X. Arlatex takes the name of a master file and the ancillary files it uses (such as , , and files). From these files, arlatex creates a single file that will recreate all the ancillary files when it's run through L<sup>A</sup>T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/arlatex>  
 MIRROR: <https://mirror.ctan.org/support/bundledoc>

- *The attachfile package*. Attach arbitrary files to a PDF document. 2018-01-06. Version 1.9. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/attachfile>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/attachfile>
- *The boxedminipage package*. Framed minipages of a specified total width (text and frame combined). 2020-04-21. Version 1.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/boxedminipage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/boxedminipage>
- *The bundledoc package*. Bundle together all the files needed to build a L<sup>A</sup>T<sub>E</sub>X document. 2022-10-04. Version 3.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/bundledoc>  
MIRROR: <https://mirror.ctan.org/support/bundledoc>
- Pakin, Scott. *The bytefield package*. Create illustrations for network protocol specifications. 2021-08-18. Version 2.7. LICENSE: lppl1.3a  
URL: <https://ctan.org/pkg/bytefield>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bytefield>
- *The comicsans package*. Use Microsoft Comic Sans font. 2021-09-11. Version 1.0g. LICENSE: lppl  
URL: <https://ctan.org/pkg/comicsans>  
MIRROR: <https://mirror.ctan.org/fonts/comicsans>
- *The cooltooltips package*. Associate a pop-up window and tooltip with PDF hyperlinks. 2021-08-09. Version 1.1. LICENSE: lppl. The cooltooltips package enables a document to contain hyperlinks that pop up a brief tooltip when the mouse moves over them and also open a small window containing additional text. cooltooltips provides the mechanism used by the to indicate the question that each hyperlink answers.  
URL: <https://ctan.org/pkg/cooltooltips>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cooltooltips>
- *The covfonts package*. Make Apostrophic Laboratories’s Covington fonts available to T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X. 2022-04-24. Version 1.0a. LICENSE: lppl. The covfonts package provides all of the font metrics, virtual fonts, font-description files, and font-mapping files needed to use Apostrophic Laboratories’s freely downloadable with T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X.  
URL: <https://ctan.org/pkg/covfonts>  
MIRROR: <https://mirror.ctan.org/fonts/covfonts>
- *The ctanify package*. Prepare a package for upload to CTAN. 2017-04-23. Version 1.9.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/ctanify>  
MIRROR: <https://mirror.ctan.org/support/ctanify>
- *The dashrule package*. Draw dashed rules. 2016-06-24. Version 1.3. LICENSE: lppl. The dashrule package makes it easy to draw a huge variety of dashed rules (i.e., lines) in L<sup>A</sup>T<sub>E</sub>X. dashrule provides a command, `\dashrule`, which is a cross between L<sup>A</sup>T<sub>E</sub>X’s `\rule` and PostScript’s `setdash` command. `\dashrule` draws horizontally dashed rules using the same syntax as `\rule`, but with an additional, `setdash`-like parameter that specifies the pattern of dash segments and the space between those segments. Because dashrule’s rules are constructed internally using (as opposed to, e.g., PostScript `s`) they are fully compatible with every L<sup>A</sup>T<sub>E</sub>X back-end processor.  
URL: <https://ctan.org/pkg/dashrule>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dashrule>
- *The dtxut package*. Tutorial on writing .dtx and .ins files. 2016-06-24. Version 2.1. LICENSE: lppl1.3. This tutorial is intended for advanced L<sup>A</sup>T<sub>E</sub>X2e users who want to learn how to create and files for distributing their homebrewed classes and package files.  
URL: <https://ctan.org/pkg/dtxut>  
MIRROR: <https://mirror.ctan.org/info/dtxut>
- *The eqparbox package*. Create equal-widthed parboxes. 2017-09-04. Version 4.1. LICENSE: lppl1.3c. L<sup>A</sup>T<sub>E</sub>X users sometimes need to ensure that two or more blocks of text occupy the same amount of horizontal space on the page. To that end, the eqparbox package defines a new command, `\eqparbox`, which works just like `\parbox`, except that instead of specifying a width, one specifies a tag. All eqparboxes with the same tag—regardless of where they are in the document—will stretch to fit the widest eqparbox with that tag. This simple, equal-width mechanism can be used for a variety of alignment purposes, as is evidenced by the examples in eqparbox’s documentation. Various derivatives of `\eqparbox` are also provided.  
URL: <https://ctan.org/pkg/eqparbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eqparbox>
- *The filecontents package*. Create an external file from within a L<sup>A</sup>T<sub>E</sub>X document. 2023-04-02. Version 1.5a. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/filecontents>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/filecontents>
- *The hyperxmp package*. Embed XMP metadata within a L<sup>A</sup>T<sub>E</sub>X document. 2023-02-20. Version 5.11. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/hyperxmp>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hyperxmp>



- *The IEEEconf package. Macros for IEEE conference proceedings.* 2021-06-23. Version 1.4. LICENSE: lppl. The IEEEconf class implements the dictated by the IEEE Computer Society Press for conference proceedings.  
URL: <https://ctan.org/pkg/ieeeconf>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/IEEEconf>
- *The leawood package. L<sup>A</sup>T<sub>E</sub>X support for use of ITC Leawood font family.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/leawood>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/leawood>
- *The listliketab package. Typeset lists as tables.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/listliketab>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/listliketab>
- Pakin, Scott. *The mf2pt1 package. Convert stylized Metafont to PostScript Type 1.* 2021-12-04. Version 2.7. LICENSE: lppl1.3c. mf2pt1 is a Perl script that facilitates producing PostScript Type 1 fonts from a Metafont source file. It is not, as the name may imply, an automatic converter of arbitrary Metafont fonts to Type 1 format. mf2pt1 imposes a number of restrictions on the Metafont input. If these restrictions are met, mf2pt1 will produce valid Type 1 output with more accurate control points than can be reverse-engineered by T<sub>E</sub>Xtrace, , and other programs which convert bitmaps to outline fonts.  
URL: <https://ctan.org/pkg/mf2pt1>  
MIRROR: <https://mirror.ctan.org/support/mf2pt1>
- *The mftinc package. Pretty-print Metafont source.* 2016-06-24. Version 1.0a. LICENSE: lppl  
URL: <https://ctan.org/pkg/mftinc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mftinc>
- *The newcommand package. Generate new L<sup>A</sup>T<sub>E</sub>X command definitions.* 2016-06-24. Version 2.0. LICENSE: lppl. Generating any other than the simple -style commands, in L<sup>A</sup>T<sub>E</sub>X, is tedious (in the least). This script allows the specification of commands in a ‘natural’ style; the script then generates macros to define the command.  
URL: <https://ctan.org/pkg/newcommand>  
MIRROR: <https://mirror.ctan.org/support/newcommand>
- *The perltx package. Define L<sup>A</sup>T<sub>E</sub>X macros in terms of Perl code.* 2019-09-23. Version 2.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/perltx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/perltx>
- *The pkfix-helper package. Make PostScript files accessible to pkfix.* 2020-08-06. Version 1.6. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pkfix-helper>  
MIRROR: <https://mirror.ctan.org/support/pkfix-helper>
- *The purifyeps package. Make EPS work with both L<sup>A</sup>T<sub>E</sub>X/dvips and pdfLaTeX.* 2016-06-24. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/purifyeps>  
MIRROR: <https://mirror.ctan.org/support/purifyeps>
- *The repltext package. Control how text gets copied from a PDF file.* 2020-09-25. Version 1.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/repltext>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/repltext>
- *The savetrees package. Optimise the use of each page of a L<sup>A</sup>T<sub>E</sub>X document.* 2016-06-24. Version 2.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/savetrees>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/savetrees>
- *The spverbatim package. Allow line breaks within \verb and verbatim output.* 2016-06-24. Version 1.0. LICENSE: lppl. LaTeX’s macro treats its argument as an unbreakable unit of text. This can lead to poor typesetting, especially when the argument is long. The spverbatim package provides an macro that is analogous to and an environment that is analogous to with the difference being that and allow L<sup>A</sup>T<sub>E</sub>X to break lines at space characters.  
URL: <https://ctan.org/pkg/spverbatim>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/spverbatim>
- *The Comprehensive L<sup>A</sup>T<sub>E</sub>X Symbol List package. Symbols accessible from L<sup>A</sup>T<sub>E</sub>X.* 2021-05-06. Version 14.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/comprehensive>  
MIRROR: <https://mirror.ctan.org/info/symbols/comprehensive>
- *The threadcol package. Organize document columns into PDF “article thread”.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/threadcol>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/threadcol>
- *The uiucrborder package. Class for UIUC thesis red-bordered forms.* 2016-06-24. Version 1.00. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/uiucrborder>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uiucrborder>



- *The visualFAQ package. A Visual L<sup>A</sup>T<sub>E</sub>X FAQ.* 2021-08-19. LICENSE: lppl. Having trouble finding the answer to a L<sup>A</sup>T<sub>E</sub>X question? The Visual L<sup>A</sup>T<sub>E</sub>X FAQ is an innovative new search interface that presents over a hundred typeset samples of frequently requested document formatting. Simply click on a hyperlinked piece of text and the Visual L<sup>A</sup>T<sub>E</sub>X FAQ will send your Web browser to the appropriate page in the .  
 URL: <https://ctan.org/pkg/visualfaq>  
 MIRROR: <https://mirror.ctan.org/info/visualfaq>
- *The wheretotrim package. Assist in reducing L<sup>A</sup>T<sub>E</sub>X document page counts.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/wheretotrim>  
 MIRROR: <https://mirror.ctan.org/support/wheretotrim>
- Pal, Palash Baran. *The bangtex package. Writing Bangla and Assamese with L<sup>A</sup>T<sub>E</sub>X.* 2020-06-07. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bangtex>  
 MIRROR: <https://mirror.ctan.org/language/bengali/bangtex>
- Pallas, Joseph. *The suthesis package. Typeset a Stanford University thesis.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/suthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/suthesis.sty>
- Palm, Reimo. *The lshort-estonian package. Estonian introduction to L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 5.05. LICENSE: gpl2. This is the Estonian translation of .  
 URL: <https://ctan.org/pkg/lshort-estonian>  
 MIRROR: <https://mirror.ctan.org/info/lshort/estonian>
- Palmer, Michael. *The mol2chemfig package. Convert chemical structures from MDL molfile format to chemfig source code.* 2023-01-17. Version 1.5. LICENSE: lppl. The package contains , the Lua web client version of mol2chemfig. It is used from the command line but calls the mol2chemfig server for every request, to convert chemical structures from MDL molfile format or SMILES format to T<sub>E</sub>X format for processing using .  
 URL: <https://ctan.org/pkg/mol2chemfig>  
 MIRROR: <https://mirror.ctan.org/graphics/mol2chemfig>
- *The pdfpreview package. Annotate PDF files with margin notes.* 2019-02-22. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pdfpreview>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfpreview>
- Palmieri, John H. *The bibweb package. Automatically retrieve bibliography from MathSciNet.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/bibweb>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utlis/bibweb>
- *The Ultra-TeX package. An emacs T<sub>E</sub>X mode with "lightning completion".* 2016-06-24. LICENSE: gpl. Ultra-TeX is an Emacs mode, a distant relation of , with several enhancements (relative to the version it started from) and with a "lightning completion" mode that doesn't wait for a request for completion (the request is typically expressed by pressing the tab key).  
 URL: <https://ctan.org/pkg/ultratex>  
 MIRROR: <https://mirror.ctan.org/support/ultratex>
- Pamp, Quirin. *The frege package. Typeset fregean Begriffsschrift.* 2016-06-24. Version 1.3. LICENSE: gpl  
 URL: <https://ctan.org/pkg/frege>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frege>
- Pan, Shengjun. *The lmake package. Process lists to do repetitive actions.* 2016-06-24. Version 1.0. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/lmake>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lmake>
- *The meper package. MetaPost editor and previewer.* 2017-04-18. LICENSE: gpl  
 URL: <https://ctan.org/pkg/meper>  
 MIRROR: <https://mirror.ctan.org/support/meper>
- Panagopoulos, George. *The db package. Process simple databases inside L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 2.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/db>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/db.sty>
- Pandey, Anshuman. *The gurmukhi package. Support for Gurmukhi.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/gurmukhi>  
 MIRROR: <https://mirror.ctan.org/language/gurmukhi/pandey>
- *The wnri-latex package. L<sup>A</sup>T<sub>E</sub>X support for wnri fonts.* 2018-01-06. Version 1.0b. LICENSE: gpl2. L<sup>A</sup>T<sub>E</sub>X support for the fonts.  
 URL: <https://ctan.org/pkg/wnri-latex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wnri-latex>

- Pandey, Anshuman and Abhijit Das. *The bengali-pandey package. Support for the Bengali language*. 2020-06-07. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bengali-pandey>  
 MIRROR: <https://mirror.ctan.org/language/bengali/pandey>
- Panov, Andrey and Nikola Lečić. *The cm-unicode package. Computer Modern Unicode font family*. 2021-03-10. Version 0.7.0. LICENSE: ofl  
 URL: <https://ctan.org/pkg/cm-unicode>  
 MIRROR: <https://mirror.ctan.org/fonts/cm-unicode>
- Pantieri, Lorenzo. *The ArsClassica package. A different view of the ClassicThesis package*. 2017-10-31. LICENSE: lppl. The package changes some typographical points of the ClassicThesis style, by André Miede. It enables the user to reproduce the look of the guide (the web page is in Italian).  
 URL: <https://ctan.org/pkg/arsclassica>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/arsclassica>
- Pantigny, François. *The cascade package. Constructions with braces to present mathematical demonstrations*. 2023-02-08. Version 1.2a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cascade>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cascade>
- *The nicematrix package. Improve the typesetting of mathematical matrices with PGF*. 2023-08-14. Version 6.22. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/nicematrix>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nicematrix>
- *The piton package. Typeset Python listings with LPEG*. 2023-08-26. Version 2.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/piton>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/piton>
- *The witharrows package. “Aligned” math environments with arrows for comments*. 2023-08-24. Version 2.8b. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/witharrows>  
 MIRROR: <https://mirror.ctan.org/macros/generic/witharrows>
- Pantke, Micaela. *The futhorc package. Anglo-Friesic futhorc alphabet font*. 2016-06-24. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/futhorc>  
 MIRROR: <https://mirror.ctan.org/fonts/futhorc>
- Papa, Brian and American Meteorological Society. *The ametsoc package. Official American Meteorological Society L<sup>A</sup>T<sub>E</sub>X Template*. 2022-04-06. Version 4.3.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ametsoc>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/ametsoc>
- Papanicola, Robert. *The bodegraph package. Draw Bode, Nyquist and Black plots with gnuplot and TikZ*. 2021-10-30. Version 1.4. LICENSE: lppl. The package provides facilities to draw Bode, Nyquist and Black plots using and . Elementary Transfer Functions and basic correctors are preprogrammed for use.  
 URL: <https://ctan.org/pkg/bodegraph>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/bodegraph>
- *The grafcet package. Draw Grafcet/SFC with TikZ*. 2018-01-17. Version 1.3.5. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/grafcet>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/grafcet>
- *The schemabloc package. Draw block diagrams, using TikZ*. 2021-02-26. Version 1.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/schemabloc>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/schemabloc>
- Papasalouros, Andreas and Antonis Tsolomitis. *The Latex2Nemeth package. Convert L<sup>A</sup>T<sub>E</sub>X source to Braille with math in Nemeth*. 2022-12-13. Version 1.1.3. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/latex2nemeth>  
 MIRROR: <https://mirror.ctan.org/support/latex2nemeth>
- ParaGraph International, Vladimir Volovich, and Anatoliy A. Malyarenko. *The literaturnaya package. The Literaturnaya family of fonts*. 2021-09-11. Version 0.2. LICENSE: nosell  
 URL: <https://ctan.org/pkg/literaturnaya>  
 MIRROR: <https://mirror.ctan.org/fonts/cyrillic/literat>
- Parashchenko, Oleg. *The cals package. Multipage tables with wide range of features*. 2017-01-20. Version 2.4.2. LICENSE: lppl1.3. The package is a set of macros to typeset multipage tables with repeatable headers and footers, with cells spanned over rows and columns. Decorations are supported: padding, background color, width of separation rules. The code is compatible with and .  
 URL: <https://ctan.org/pkg/cals>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cals>

- *The parades package. Tabulators and space between paragraphs in galley approach.* 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/parades>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/parades>
- Park, William. *The pictex2 package. Adds relative coordinates and improves the \plot command.* 2016-06-24. LICENSE: lppl. Adds two user commands to standard. One command uses relative coordinates, thus eliminating the need to calculate the coordinate of every point manually as in standard PiTeX. The other command modifies to use a rule instead of dots if the line segment is horizontal or vertical.  
 URL: <https://ctan.org/pkg/pictex2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pictex2/pictex2.sty>
- Park, William and Dominique Unruh. *The braille package. Support for braille.* 2016-06-24. LICENSE: lppl1.3. This package allows the user to produce Braille documents on paper for the blind without knowing Braille (which can take years to learn). Python scripts and convert ordinary text to grade 1 and 2 Braille tags; then, the L<sup>A</sup>T<sub>E</sub>X package takes the tags and prints out corresponding Braille symbols.  
 URL: <https://ctan.org/pkg/braille>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/braille>
- Parry, Chad. *The bibleref-lds package. Bible references, including those to the scriptures of the Church of Jesus Christ of Latter Day Saints.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bibleref-lds>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibleref-lds>
- *The bibleref-mouth package. Consistent formatting of Bible references.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. The package allows Bible references to be formatted in a consistent way. It is similar to the bibleref package, except that the formatting macros are all purely expandable — that is, they are all implemented in T<sub>E</sub>X’s mouth. This means that they can be used in any expandable context, such as an argument to a command.  
 URL: <https://ctan.org/pkg/bibleref-mouth>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibleref-mouth>
- Parsloe, Andrew. *The diffcoeff package. Write differential coefficients easily and consistently.* 2023-04-12. Version 5.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/diffcoeff>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/diffcoeff>
- *The numerica package. Numerically evaluate mathematical expressions in L<sup>A</sup>T<sub>E</sub>X form.* 2023-08-22. Version 3.0.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/numerica>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numerica>
- *The numerica-plus package. Iteration and recurrence relations: finding fixed points, zeros and extrema of functions.* 2023-08-22. Version 3.0.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/numerica-plus>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numerica-plus>
- *The numerica-tables package. Create multi-column tables of mathematical functions.* 2023-08-22. Version 3.0.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/numerica-tables>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numerica-tables>
- Parsons, Josh. *The begriff package. Typeset Begriffschrift.* 2016-06-24. Version 1.6. LICENSE: gpl  
 URL: <https://ctan.org/pkg/begriff>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/begriff>
- Partl, Hubert. *The portland package. Simple portrait/landscape switching.* 2019-06-21. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/portland>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/portland.sty>
- Partl, Hubert and B. Simon. *The sfarticle package. A L<sup>A</sup>T<sub>E</sub>X 2.09 article style with an sf switch.* 2016-06-24. LICENSE: noinfo. The package is a variant of standard that has an option (for sans typesetting) and various of the ‘fixed names’ (such as ‘Contents’) defined in macros (and thus variable).  
 URL: <https://ctan.org/pkg/sfarticle>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/sfarticle>
- Pasechnik, Dima and Dan Drake. *The SageTeX package. Embed Sage code and plots into L<sup>A</sup>T<sub>E</sub>X.* 2023-01-11. Version 3.6.1. LICENSE: gpl2+. SageTeX allows you to embed code, the results of computations, plots, and graphics from the into L<sup>A</sup>T<sub>E</sub>X documents. It is similar in spirit to Literate Haskell and lhs2TeX.  
 URL: <https://ctan.org/pkg/sagetex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sagetex>

- Pasquet, Stéphane. *The pas-cours package. Macros useful in preparing teaching material.* 2020-07-16. Version 1.9. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pas-cours>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pas-cours>
- *The pas-crosswords package. Creating crossword grids, using TikZ.* 2016-06-24. Version 1.03. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pas-crosswords>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pas-crosswords>
  - *The pas-cv package. Flexible typesetting of Curricula Vitae.* 2016-06-24. Version 2.01. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pas-cv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pas-cv>
- Pasquet, Stéphane. *The pas-tableur package. Create a spreadsheet layout.* 2023-04-16. Version 2.05. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pas-tableur>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pas-tableur>
- Patashnik, Oren. *The bibtex package. Process bibliographies (bib files) for L<sup>A</sup>T<sub>E</sub>X or other formats.* 2022-09-15. Version 0.99d. LICENSE: knuth  
 URL: <https://ctan.org/pkg/bibtex>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/base>
- Pate, John. *The screenplay package. A class file to typeset screenplays.* 2016-06-24. Version 1.6. LICENSE: gpl  
 URL: <https://ctan.org/pkg/screenplay>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/screenplay>
- Patel-Schneider, Peter. *The aaai package. AAAI style.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/aaai>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex209/contrib/aaai>
- *The aaai-named package. BibTeX style for AAAI.* 2019-10-23. LICENSE: other-free. A BibTeX style derived from the standard master, presumably for use with the package.  
 URL: <https://ctan.org/pkg/aaai-named>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/aaai-named.bst>
  - *The ijcai89 package. Format papers for IJCAI 1989.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ijcai89>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/ijcai89>
  - *The named package. "Named" bibliography style.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/named>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/named>
- Paternault, Louis. *The graph35 package. Draw keys and screen items of several Casio calculators.* 2023-04-04. Version 0.1.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/graph35>  
 MIRROR: <https://mirror.ctan.org/graphics/graph35>
- *The pixelart package. Draw pixel-art pictures.* 2023-02-20. Version 1.0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pixelart>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pixelart>
  - *The SpiX package. Yet another T<sub>E</sub>X compilation tool: simple, human readable, no option, no magic.* 2022-11-18. Version 1.3.0. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/spix>  
 MIRROR: <https://mirror.ctan.org/support/spix>
  - *The thalie package. Typeset drama plays.* 2022-12-11. Version 0.13a. LICENSE: lppl1.3. The package provides tools to typeset drama plays. It defines commands to introduce characters' lines, to render stage directions, to divide a play into acts and scenes and to build the automatically.  
 URL: <https://ctan.org/pkg/thalie>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thalie>
- Pearlmutter, Barak A. *The bibfile-reformat-pages package. Puts .bib file page ranges into uniform format.* 2016-06-24. LICENSE: gpl.  
 This is a small gawk script to put all the page ranges in a file into a uniform format, either 1234-1256 or upon request 1234-56; null ranges such as 1234-1234 are always scrunched to just 1234. The script squeezes out spaces around the separator; can make all separators one- or two-hyphens upon request. The script is very conservative: it is probably impossible for it actually to mess up a file.  
 URL: <https://ctan.org/pkg/bibfile-reformat-pages>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bibfile-reformat-pages/bibfile-reformat-pages>

- Pearson, George. *The asaetr package*. *Transactions of the ASAE*. 2016-06-24. Version 1.0a. LICENSE: pd  
 URL: <https://ctan.org/pkg/asaetr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/asaetr>
- *The scientificviewer package*. *MacKichan software viewer*. 2016-06-24. LICENSE: nosource  
 URL: <https://ctan.org/pkg/scientificviewer>  
 MIRROR: <https://mirror.ctan.org/systems/win32/scientificviewer>
- Pease, Emma. *The phonetic package*. *Metafont Phonetic fonts, based on Computer Modern*. 2020-09-26. LICENSE: lppl  
 URL: <https://ctan.org/pkg/phonetic>  
 MIRROR: <https://mirror.ctan.org/fonts/phonetic>
- Pease, Emma. *The tree-dvips package*. *Trees and other linguists' macros*. 2016-06-24. Version .91. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/tree-dvips>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/trees/tree-dvips>
- Péault, Olivier. *The mptrees package*. *Probability trees with MetaPost*. 2023-04-27. Version 23.04. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/mptrees>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/mptrees>
- *The repere package*. *MetaPost macros for secondary school mathematics teachers*. 2023-05-03. Version 23.05.b. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/repere>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/repere>
- Pecheur, Charles. *The outlines package*. *Produce "outline" lists*. 2016-06-24. Version 1.1. LICENSE: lppl. Defines an outline environment, which allows outline-style indented lists with freely mixed levels up to four levels deep. It replaces the nested / pairs by different item tags to for each nesting level. This is very convenient in cases where nested lists are used a lot, such as for to-do lists or presentation slides.  
 URL: <https://ctan.org/pkg/outlines>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/outlines>
- Pedersen, Bjørn. *The bpchem package*. *Typeset chemical names, formulae, etc*. 2017-08-23. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bpchem>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bpchem>
- *The delimtxt package*. *Read and parse text tables*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/delimtxt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/exptl/delimtxt>
  - *The dnaseq package*. *Format DNA base sequences*. 2016-06-24. Version 0.01. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dnaseq>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dnaseq>
  - *The gradback package*. *Gradient backgrounds for dvips output*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/gradback>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gradback>
  - *The serial package*. *Generate serial letters*. 2016-06-24. LICENSE: lppl. The serial package provides a wrapper to the letter class for the generation of serial letters. It contains different interfaces to data base generated adress files. Additionally, a configuration file allows easy customization of the letterheads etc. Requires from and the following are recommended: , , .  
 URL: <https://ctan.org/pkg/serial>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/serial>
- Pedersen, Lucas Alexander V. *The ku-template package*. *Copenhagen University or faculty logo for front page*. 2017-11-28. Version 0.02. LICENSE: mit  
 URL: <https://ctan.org/pkg/ku-template>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ku-template>
- Peeters, Kasper. *The gchords package*. *Typeset guitar chords*. 2017-04-18. Version 1.20. LICENSE: gpl  
 URL: <https://ctan.org/pkg/gchords>  
 MIRROR: <https://mirror.ctan.org/graphics/gchords>
- Pégourié-Gonnard, Manuel. *The luacode package*. *Helper for executing lua code from within T<sub>E</sub>X*. 2016-06-24. Version 1.2a. LICENSE: lppl1.3. Executing Lua code from within T<sub>E</sub>X with can sometimes be tricky: there is no easy way to use the percent character, counting backslashes may be hard, and Lua comments don't work the way you expect. The package provides the command and the () environments to help with these problems.  
 URL: <https://ctan.org/pkg/luacode>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luacode>



- *The lualatex-doc package. A guide to use of L<sup>A</sup>T<sub>E</sub>X with LuaTeX.* 2016-06-24. LICENSE: fdl  
 URL: <https://ctan.org/pkg/lualatex-doc>  
 MIRROR: <https://mirror.ctan.org/info/luatex/lualatex-doc>
- *The pdf14 package. Restore PDF 1.4 to a T<sub>E</sub>X live 2010 format.* 2016-06-24. Version 0.1. LICENSE: lppl1.3. Starting with T<sub>E</sub>X Live 2010, the various formats, that directly generate PDF, default to generating PDF 1.5. This is generally a , but it can lead to compatibility issues with some older PDF viewers. This package changes the version of PDF generated with formats (based on pdfTeX or LuaTeX in PDF mode), back to 1.4 for documents that need to achieve maximal compatibility with old viewers.  
 URL: <https://ctan.org/pkg/pdf14>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdf14>
- *The show2e package. Variants of \show for L<sup>A</sup>T<sub>E</sub>X2e.* 2016-06-24. Version 1.0. LICENSE: lppl. This small package aims at making debugging (especially in an interactive way) easier, by providing variants suited to L<sup>A</sup>T<sub>E</sub>X2e commands (whether with optional arguments or robust) and environments. The variant commands also display the internal macros used by such commands, if any. The variant helps with macros with exotic names.  
 URL: <https://ctan.org/pkg/show2e>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/show2e>
- Pégourié-Gonnard, Manuel. *The ted package. A (primitive) token list editor.* 2016-06-24. Version 1.06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ted>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ted>
- *The xargs package. Define commands with many optional arguments.* 2016-06-24. Version 1.1. LICENSE: lppl. The package provides extended versions of and related L<sup>A</sup>T<sub>E</sub>X commands, which allow easy and robust definition of macros with many optional arguments, using a clear and simple -style syntax.  
 URL: <https://ctan.org/pkg/xargs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xargs>
- Pégourié-Gonnard, Manuel, Philipp Gesang, Élie Roux, David Carlisle, and Joseph Wright. *The luatexbase package. Basic resource management for LuaTeX code.* 2016-06-24. Version 1.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/luatexbase>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/luatexbase>
- Pégourié-Gonnard, Manuel and Christine Römer. *The lualatex-doc-de package. Guide to LuaL<sup>A</sup>T<sub>E</sub>X (German translation).* 2016-06-24. Version 1.0. LICENSE: fdl. The document is a German translation of the . Coverage supports both new users and package developers. Apart from the introductory material, the document gathers information from several sources, and offers links to others.  
 URL: <https://ctan.org/pkg/lualatex-doc-de>  
 MIRROR: <https://mirror.ctan.org/info/luatex/lualatex-doc-de>
- Peischl, Marei. *The bfh-ci package. Corporate Design for Bern University of Applied Sciences.* 2023-03-07. Version 2.1.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/bfh-ci>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bfh-ci>
- *The mucproc package. Conference proceedings for the German MuC-conference.* 2017-04-18. Version 1.02. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/mucproc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mucproc>
- *The tuda-ci package. L<sup>A</sup>T<sub>E</sub>X templates of Technische Universität Darmstadt.* 2023-07-13. Version 3.34. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tuda-ci>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tuda-ci>
- *The unigrazpub package. L<sup>A</sup>T<sub>E</sub>X templates for University of Graz Library Publishing Services.* 2022-10-16. Version 1.00. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/unigrazpub>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unigrazpub>
- *The urcls package. Beamer and scrlltr2 classes and styles for the University of Regensburg.* 2019-02-01. Version 2.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/urcls>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/urcls>
- Peischl, Marei and Alex Antener. *The qrbill package. Create QR bills using L<sup>A</sup>T<sub>E</sub>X.* 2023-07-24. Version 2.01. LICENSE: lppl1.3c,bsd3  
 URL: <https://ctan.org/pkg/qrbill>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/qrbill>
- Peise, Elmar. *The drawmatrix package. Draw visual representations of matrices in L<sup>A</sup>T<sub>E</sub>X.* 2017-06-05. Version 1.5.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/drawmatrix>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/drawmatrix>

- Penninga, Marc. *The fontools package. Tools to simplify using fonts (especially TT/OTF ones)*. 2023-02-01. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/fontools>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/fontools>
- *The truetypemetrics package. Metrics for some TrueType font families*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/truetypemetrics>  
 MIRROR: <https://mirror.ctan.org/fonts/truetypemetrics>
- Pepping, Simon. *The ifacmtg package. Elsevier Science preprint style for IFAC meetings*. 2016-06-24. LICENSE: other-nonfree. To prepare a paper for an IFAC meeting, using L<sup>A</sup>T<sub>E</sub>X, the author needs a bibliography style such as .  
 URL: <https://ctan.org/pkg/ifacmtg>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ifacmtg>
- Peregoudov, Iliya. *The cmcyr-patch package. A set of Type 1 Cyrillic fonts*. 2016-06-24. LICENSE: noinfo. This is a set of fonts, derived from a set within the ; the originals had encoding problems, and the package offers modified (working) versions.  
 URL: <https://ctan.org/pkg/cmcyr-patch>  
 MIRROR: <https://mirror.ctan.org/fonts/cyrillic/cmcyr-encoding-patch>
- Pereira, Gilles. *The CVsty package. Yet another style for easy CV pagination*. 2019-02-03. LICENSE: pd  
 URL: <https://ctan.org/pkg/cvsty>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cvsty>
- Perez-Duarte, Sebastien. *The ecta package. Bibliography style for submission to Econometrica*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ecta>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/economic/ecta.bst>
- Peron, Jacques. *The luaoptions package. Option handling for LuaL<sup>A</sup>T<sub>E</sub>X packages*. 2022-11-02. Version 0.8. LICENSE: mit. This LuaL<sup>A</sup>T<sub>E</sub>X package provides extensive support for handling , on package level and locally. It allows the declaration of sets of options, along with defaults, expected/allowed values and limited type checking. These options can be enforced as package options, changed at any point during a document, or overwritten locally by optional macro arguments. It is also possible to instantiate an Options object as an independent Lua object, without linking it to a package. can be used to enforce and prepopulate options, or it can be used to simply handle the parsing of optional arguments into proper Lua tables.  
 URL: <https://ctan.org/pkg/luaoptions>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luaoptions>
- Peron, Jacques and The Gregorio Project. *The lyluatex package. Commands to include lilypond scores within a (Lua)L<sup>A</sup>T<sub>E</sub>X document*. 2023-04-18. Version 1.1.5. LICENSE: mit  
 URL: <https://ctan.org/pkg/lyluatex>  
 MIRROR: <https://mirror.ctan.org/support/lyluatex>
- Perrone, Michael P. *The plainyr package. Plain bibliography style, sorted by year first*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/plainyr>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/plainyr.bst>
- Perske, Rainer. *The verbinp package. "8-bit" verbatim*. 2016-06-24. LICENSE: noinfo. In the days before the advent of L<sup>A</sup>T<sub>E</sub>X 2e, and of the package, this package enabled the use of ISO 8859-1 coded verbatim input through a command.  
 URL: <https://ctan.org/pkg/verbinp>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/verbinp.sty>
- *The verbtex package. Verbatim, interpreting non-ascii text*. 2016-06-24. LICENSE: gpl. The package provides common verbatim facilities (inline text and text input from a file), and is set up to interpret other than plain ASCII text (specifically ISO 8859-1 and Microsoft code pages 437 and 850); nothing more than the font family is needed.  
 URL: <https://ctan.org/pkg/verbtex>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/verbtex>
- Pfenning, Frank. *The schedule209 package. Typeset schedules*. 2016-09-25. LICENSE: noinfo. The package implements a document style which enables the user to construct diagrams showing the planned progress of projects, etc. This package seems unrelated to the package written for use with L<sup>A</sup>T<sub>E</sub>X 2e. The two packages provide very similar facilities, but the present package's use of PostScript features (for shading schedule entry backgrounds) is entirely ad hoc.  
 URL: <https://ctan.org/pkg/schedule209>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/schedule.sty>
- Pfister, Wilfried. *The lifia-th package. A thesis class for LIFA, Grenoble*. 2016-06-24. Version 2.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/lifia-th>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lifia-th>
- Phan, Anthony. *The m3D package. Extension of plain MetaPost for 3D graphics*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/m3d>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/m3D>

- *The mathabx package. Three series of mathematical symbols.* 2017-04-18. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/mathabx>  
 MIRROR: <https://mirror.ctan.org/fonts/mathabx>
- *The mbboard package. Comprehensive blackboard bold fonts.* 2016-06-24. Version 0.4. LICENSE: knuth  
 URL: <https://ctan.org/pkg/mbboard>  
 MIRROR: <https://mirror.ctan.org/fonts/mbboard>
- Piaw, Na Choon. *The scmac package. Typeset scripts with Plain T<sub>E</sub>X.* 2016-06-18. Version 2.02. LICENSE: other-free  
 URL: <https://ctan.org/pkg/scmac>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/scmac202.tex>
- Piazzai, Michele. *The beamertheme-arguelles package. Simple, typographic beamer theme.* 2023-03-22. Version 2.2.0. LICENSE: mit.  
 Argüelles is a beamer theme that helps you create beautiful presentations. It aims for simplicity and readability by following best practices of graphic design. The layout is elegant but subtle, so as to keep the audience's attention on your content. This is brought to life by , one of the 53 Fonts of the Decade selected by the Association Typographique Internationale (2011).  
 URL: <https://ctan.org/pkg/beamertheme-arguelles>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-arguelles>
- Piazzai, Michele. *The opencolor package. Definitions from the Open Color library.* 2023-03-05. Version 1.0.1. LICENSE: mit. This package provides hexadecimal color definitions of the 130 colors included in the library.  
 URL: <https://ctan.org/pkg/opencolor>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/opencolor>
- *The uvaletter package. Unofficial letterhead template for the University of Amsterdam.* 2023-03-30. Version 1.1.1. LICENSE: mit  
 URL: <https://ctan.org/pkg/uvaletter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uvaletter>
- Pichaureau, Paul. *The exercise package. Typeset exercises, problems, etc. and their answers.* 2016-06-24. Version 1.6. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/exercise>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exercise>
- *The mathdesign package. Mathematical fonts to fit with particular text fonts.* 2016-06-24. Version 2.31. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mathdesign>  
 MIRROR: <https://mirror.ctan.org/fonts/mathdesign>
- *The Winfonts package. Use fonts distributed with Windows XP.* 2016-06-24. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/winfonts>  
 MIRROR: <https://mirror.ctan.org/fonts/winfonts>
- Piefel, Michael. *The lgrind package. Produce beautiful listings of source code with L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 3.67. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/lgrind>  
 MIRROR: <https://mirror.ctan.org/support/lgrind>
- Pieper, Johannes, Johannes Kuhaupt, and André Hilbig. *The schule package. Support for teachers at German schools.* 2023-05-17. Version 0.8.4. LICENSE: lpp1.3. The 'schule' bundle was built to provide packages and commands that could be useful for documents in German schools. At the moment its main focus lies on documents for informatics as a school subject. An extension for physics is currently in progress. Extensions for other subjects are welcome. For the time being, the whole package splits up into individual packages for informatics (including syntax diagrams, Nassi-Shneiderman diagrams, sequence diagrams, object diagrams, and class diagrams) as well as classes for written exams (tests, quizzes, teaching observations, information sheets, worksheets, and answer keys).  
 URL: <https://ctan.org/pkg/schule>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/schule>
- *The syntaxdi package. Create "railroad" syntax diagrams.* 2020-10-19. Version 0.8.2. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/syntaxdi>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/syntaxdi>
- Pierquet, Cédric. *The couleurs-fr package. French version of colour definitions from xcolor.* 2023-08-21. Version 0.1.2. LICENSE: lpp1.3c. This package provides provides colours with French names, based on (svgnames, dvipsnames) and .  
 URL: <https://ctan.org/pkg/couleurs-fr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/couleurs-fr>
- *The creationboites package. Macros to create simple tcolorbox with some customizations.* 2023-08-28. Version 0.1.0. LICENSE: lpp1.3c. This package provides provides some macros to create sampleboxes with :  
 URL: <https://ctan.org/pkg/creationboites>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/creationboites>

- *The FenetreCas package. Commands for CAS-like windows (Xcas or Geogebra) in TikZ.* 2023-06-14. Version 0.1.3. LICENSE: lppl1.3c. This package provides some commands (in French) to display, with TiZ, windows like Xcas or Geogebra :  
URL: <https://ctan.org/pkg/fenetrecas>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/fenetrecas>
- *The highlightx package. Highlight formulas or paragraphs, with handwriting effect.* 2023-08-31. Version 0.1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/highlightx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/highlightx>
- *The JeuxCartes package. Macros to insert playing cards.* 2023-08-08. Version 0.2.7. LICENSE: lppl1.3c,lgpl2.1,pd,cc-by-sa-4,pd,mit. This package provides macros to insert playing cards, single, or hand, or random-hand, Poker or French Tarot or Uno, from files.  
URL: <https://ctan.org/pkg/jeuxcartes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jeuxcartes>
- *The logoetalab package. Insert Licence Etalab 2.0 logo.* 2023-08-20. Version 0.1.0. LICENSE: lppl1.3c,cc-by-2  
URL: <https://ctan.org/pkg/logoetalab>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/logoetalab>
- Pierquet, Cédric. *The OutilsGeomTikZ package. Some geometric tools, with TikZ.* 2023-05-22. Version 0.1.2. LICENSE: lppl1.3c. This package provides some commands, with French keys, to display geometric tools using , for example a pen, a compass, a rule, a square, a protractor, ...  
URL: <https://ctan.org/pkg/outilsgeomtikz>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/outilsgeomtikz>
- *The panneauxroute package. Commands to display French road signs (vector graphics).* 2023-08-21. Version 0.1.0. LICENSE: lppl1.3c,cc-by-sa-3  
URL: <https://ctan.org/pkg/panneauxroute>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/panneauxroute>
- *The PixelArtTikz package. Work with PixelArts, with TikZ.* 2023-04-19. Version 0.1.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pixelarttikz>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pixelarttikz>
- *The postit package. A L<sup>A</sup>T<sub>E</sub>X package for displaying Post-it notes.* 2023-06-17. Version 0.1.3. LICENSE: lppl1.3c. This package provides some commands and options for creating Post-it-like boxes with :  
URL: <https://ctan.org/pkg/postit>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/postit>
- *The Proflycee package. A L<sup>A</sup>T<sub>E</sub>X package for French maths teachers in high school.* 2023-08-27. Version 2.7.3. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/proflycee>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/proflycee>
- *The profsio package. Commands (with TikZ) to work with French “BTS SIO” maths themes.* 2023-08-23. Version 0.1.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/profsio>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/profsio>
- *The quizztex package. Create quizzes like in TV shows.* 2023-06-17. Version 0.1.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/quizztex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/quizztex>
- *The ResolSysteme package. Work on linear systems using xint or pyluatex.* 2023-02-26. Version 0.1.5. LICENSE: lppl1.3c. This package provides some commands (in French) to perform calculations on small (2x2 or 3x3 or 4x4) linear systems, with or :  
URL: <https://ctan.org/pkg/resolsysteme>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/resolsysteme>
- *The Scrabble package. Commands for Scrabble boards.* 2023-01-10. Version 0.1.3. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/scrabble>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/scrabble>
- *The SympyCalc package. Work with SymPy and PyLuaTeX.* 2023-05-11. Version 0.1.1. LICENSE: lppl1.3c. This package provides some commands (mostly for French users) to perform commands and format the result with some adjustments in formatting:  
URL: <https://ctan.org/pkg/sympycalc>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/sympycalc>
- *The TangramTikZ package. Tangram puzzles, with TikZ.* 2023-02-26. Version 0.1.5. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/tangramtikz>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tangramtikz>
- *The tikz2d-fr package. Work with some 2D TikZ commands (French).* 2023-06-17. Version 0.1.1. LICENSE: lppl1.3c. This is a small package to work with some () 2D commands for TiZ:



- URL: <https://ctan.org/pkg/tikz2d-fr>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz2d-fr>
- *The tikz3d-fr package. Work with some 3D figures.* 2023-07-22. Version 0.1.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/tikz3d-fr>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz3d-fr>
  - *The wordle package. Create wordle grids.* 2023-07-18. Version 0.1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/wordle>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/wordle>
  - *The WriteOnGrid package. Write on grid lines.* 2023-08-09. Version 0.1.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/writeongrid>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/writeongrid>
- Pieters, Olivier. *The dynamicnumber package. Dynamically typeset numbers and values in L<sup>A</sup>T<sub>E</sub>X through “symbolic links”.* 2017-04-18. Version 0.1.3. LICENSE: mit  
URL: <https://ctan.org/pkg/dynamicnumber>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dynamicnumber>
- *The limecv package. A (Xe/Lua)L<sup>A</sup>T<sub>E</sub>X document class for curriculum vitæ.* 2021-12-01. Version 0.1.12. LICENSE: lppl1.3c. is a (Xe/Lua)L<sup>A</sup>T<sub>E</sub>X document class to write curriculum vitæ. It is designed with the following design rules: simple, elegant and clean. To this end, it offers several environments and macros for convenience.  
URL: <https://ctan.org/pkg/limecv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/limecv>
- Pietro, Anthony Di. *The uwa-colours package. The colour palette of The University of Western Australia.* 2021-09-14. Version 1.0.0. LICENSE: lppl1.3. This package uses the package to define macros for the colour palette of The University of Western Australia.  
URL: <https://ctan.org/pkg/uwa-colours>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uwa-colours>
- *The uwa-letterhead package. The letterhead of the University of Western Australia.* 2021-09-28. Version 1.0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/uwa-letterhead>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/uwa-letterhead>
  - *The uwa-pcf package. A Participant Consent Form (PCF) for a human research protocol at the University of Western Australia.* 2021-09-29. Version 1.0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/uwa-pcf>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/uwa-pcf>
  - *The uwa-pif package. A Participant Information Form (PIF) for a human research protocol at the University of Western Australia.* 2021-09-29. Version 1.0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/uwa-pif>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/uwa-pif>
- Pietsch, Hannes. *The csvtolatex package. Link spread sheets to L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 1.3. LICENSE: gpl3  
URL: <https://ctan.org/pkg/csvtolatex>  
MIRROR: <https://mirror.ctan.org/support/csvtolatex>
- Piff, Mike. *The piff-ams package. Early macros for using AMS fonts.* 2018-01-06. Version 3.16. LICENSE: other-nonfree. This package was created (in its present form) after the advent of L<sup>A</sup>T<sub>E</sub>X 2e, but before the corresponding macros from the AMS itself had arrived. Those macros are now part of the standard L<sup>A</sup>T<sub>E</sub>X distribution as part of .  
URL: <https://ctan.org/pkg/piff-ams>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/piff-ams>
- Piff, Mike and David Carlisle. *The piff package. Macro tools by Mike Piff.* 2018-09-13. LICENSE: pd  
URL: <https://ctan.org/pkg/piff>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/piff>
- Piff, Mike, Robin Fairbairns, and David Carlisle. *The corrects package. Macros for marking correction sheets.* 2018-09-15. LICENSE: noinfo  
URL: <https://ctan.org/pkg/corrects>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/corrects>
- *The duplicat package. Make duplicate page numbers distinct.* 2018-09-13. LICENSE: pd  
URL: <https://ctan.org/pkg/duplicat>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/piff/duplicat.sty>
  - *The newproof package. Make commands to define proofs.* 2018-09-13. LICENSE: pd  
URL: <https://ctan.org/pkg/newproof>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/piff/newproof.sty>



- *The onepagem package*. If the document has only one page, omit page number. 2018-09-13. Version 1.01a. LICENSE: pd  
 URL: <https://ctan.org/pkg/onepagem>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/piff/onepagem.sty>
- *The textmerg package*. Merge text in  $\TeX$  and  $\LaTeX$ . 2018-09-15. Version 2.01. LICENSE: pd  
 URL: <https://ctan.org/pkg/textmerg>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/textmerg>
- *The time package*. Defines a macro `\now` to print the current time. 2018-09-13. Version 1.0a. LICENSE: pd  
 URL: <https://ctan.org/pkg/time>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/piff/time.sty>
- Piff, Mike and Philip G. Ratcliffe. *The tensor package*. Typeset tensors. 2023-07-18. Version 2.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tensor>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tensor>
- Pighin, Daniele. *The tikz-dependency package*. A library for drawing dependency graphs. 2018-02-07. Version 1.2. LICENSE: lppl,gpl2  
 URL: <https://ctan.org/pkg/tikz-dependency>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-dependency>
- Pignalberi, Gianluca. *The CCLicenses package*. Typeset Creative Commons licence logos. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ccllicenses>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ccllicenses>
- *The combelow package*. Typeset “comma-below” letters, as in Romanian. 2016-06-24. Version 0.99f. LICENSE: lppl1.3. The package defines a command that positions a comma below a letter, as required (for example) in Romanian typesetting. The command is robust, but interferes with hyphenation.  
 URL: <https://ctan.org/pkg/combelow>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/combelow>
- Pilzecker, Markus. *The cm-mf-opt-kern package*. Improve the kerning of CM fonts. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cm-mf-opt-kern>  
 MIRROR: [https://mirror.ctan.org/fonts/cm/mf\\_optimized\\_kerning](https://mirror.ctan.org/fonts/cm/mf_optimized_kerning)
- *The mpdinbrief package*. An enhanced version of *dinbrief*. 2016-06-24. Version 1.66. LICENSE: nosell. A minor enhancement of , implementing (as its parent package does) the letter layout rules of DIN (Deutsches Institut für Normung, German standardisation institute).  
 URL: <https://ctan.org/pkg/mpdinbrief>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mpdinbrief>
- Pind, Jörgen. *The icelandic package*. Icelandic Fonts. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/icelandic>  
 MIRROR: <https://mirror.ctan.org/fonts/icelandic>
- *The ishyph package*. Hyphenation patterns for Icelandic. 2016-11-05. LICENSE: other-free. These patterns are supposedly based on the encoding of the ‘Icelandic Roman’ fonts, so are probably of little use nowadays without some translation process; the is probably a better bet, nowadays.  
 URL: <https://ctan.org/pkg/ishyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/ishyph.tex>
- Pind, Jörgen and Marteinn Sverrisson. *The icehyph package*. Icelandic hyphenation patterns. 2016-11-05. LICENSE: lppl. Hyphenation patterns for Icelandic; apparently designed for a modern encoding (by contrast with , whose encoding is not apparently published).  
 URL: <https://ctan.org/pkg/icehyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/icehyph.tex>
- Pinson, Raphaël. *The babylonianum package*. Typeset Babylonian numerals with XeTeX. 2016-06-24. Version 0.5. LICENSE: lppl1.3. The package typesets Babylonian numerals, using XeTeX or LuaTeX. It makes use of the Santakku Paleo-Babylonian font, which may be downloaded at .  
 URL: <https://ctan.org/pkg/babylonianum>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/babylonianum>
- *The fancytabs package*. Fancy page border tabs. 2016-06-27. Version 1.9. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fancytabs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancytabs>
- *The fontbook package*. Generate a font book. 2016-06-24. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fontbook>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/fontbook>

- *The impnattygo package. Support typography of l’Imprimerie Nationale Française.* 2019-03-04. Version 1.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/impnattygo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/impnattygo>
- *The moderntimeline package. Timelines for use with moderncv.* 2020-06-11. Version 0.11. LICENSE: lppl1.3. The package provides commands to configure and to draw time line diagrams; such diagrams are designed to fit into documents written using the class.  
 URL: <https://ctan.org/pkg/moderntimeline>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/moderntimeline>
- *The nowidow package. Avoid widows.* 2018-01-31. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/nowidow>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nowidow>
- Pinson, Raphaël. *The scrjrn1 package. Typeset diaries or journals.* 2016-06-24. Version 0.1. LICENSE: lppl1.3. A class, based on , designed for typesetting diaries, journals or devotionals.  
 URL: <https://ctan.org/pkg/scrjrn1>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scrjrn1>
- Piotrowski, Michael. *The mapcodes package. Support for multiple character sets and encodings.* 2019-06-21. Version 1.04. LICENSE: other-nonfree. Mapcodes is an early package covering the same ground as the standard L<sup>A</sup>T<sub>E</sub>X . It provides for input in ISO Latin-1 and -2, IBM codepages 850 and 852, and HP, Macintosh and Atari encodings.  
 URL: <https://ctan.org/pkg/mapcodes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mapcodes>
- Piška, Karel. *The indic-type1 package. Indic Type 1 fonts converted from public Metafont sources.* 2020-06-07. Version 2.05a. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/indic-type1>  
 MIRROR: <https://mirror.ctan.org/fonts/ps-type1/indic>
- Pistre, Sven. *The cleveref-usedon package. Adds forward-referencing functionality to the cleveref package.* 2023-04-21. Version 0.4.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cleveref-usedon>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cleveref-usedon>
- Pitt, François and Jesse Knight. *The ut-thesis package. University of Toronto thesis style.* 2023-02-09. Version 3.1.7. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/ut-thesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ut-thesis>
- Pittman, John E. *The cellular package. Cellular table construction.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cellular>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/cellular>
- Pittman, John E. and Neil Bursleson. *The declare package. Declare register names locally.* 2019-09-28. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/declare>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/declare.tex>
- Plášil, Roman, Zdeněk Salvét, and Zdeněk Wagner. *The csindex package. Czech/Slovak version of MakeIndex.* 2018-01-06. LICENSE: bsd  
 URL: <https://ctan.org/pkg/csindex>  
 MIRROR: <https://mirror.ctan.org/macros/cstex/base/csindex-19980713.tar.gz>
- Plestenjak, Bor. *The lshort-slovenian package. Slovenian translation of lshort.* 2023-08-23. Version 4.20. LICENSE: gpl. A Slovenian translation of the .  
 URL: <https://ctan.org/pkg/lshort-slovenian>  
 MIRROR: <https://mirror.ctan.org/info/lshort/slovenian>
- Pliam, John. *The GraphTeX package. Graphs theory and related diagrams in a T<sub>E</sub>X document.* 2016-06-24. Version 1.0.1beta. LICENSE: gpl. GraphTeX is a Perl library (graphtex.pl) along with a preprocessor (gt) which can be used to generate commands producing graphs and related diagrams inside a T<sub>E</sub>X document. A graph can be “typeset” by writing a .gt source file which resembles a matrix environment.  
 URL: <https://ctan.org/pkg/graphtex>  
 MIRROR: <https://mirror.ctan.org/graphics/graphtex>
- Plugge, Michael. *The tinyc21 package. Pretty print C/C++/Java source code using L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 1.4.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tinyc21>  
 MIRROR: [https://mirror.ctan.org/support/tiny\\_c21](https://mirror.ctan.org/support/tiny_c21)
- Plüss, Tobias. *The latexcolors package. Use color definitions from latexcolor.com.* 2019-01-30. Version 0.1a. LICENSE: lppl1.3. Built on top of the package, the package defines the set of colors shown on for use in documents typeset with L<sup>A</sup>T<sub>E</sub>X & friends.  
 URL: <https://ctan.org/pkg/latexcolors>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/latexcolors>

- *The tikz-imagelabels package. Put labels on images using TikZ.* 2019-06-27. Version 0.2. LICENSE: lppl1.3. This package allows to add label texts to an existing image with the aid of `\tikzimagelabels`. This may be used to label certain features in an image.  
 URL: <https://ctan.org/pkg/tikz-imagelabels>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-imagelabels>
- Pock, Michael and Paul Isambert. *The silence package. Selective filtering of error messages and warnings.* 2016-06-24. Version 1.5b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/silence>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/silence>
- Podar, Sunil. *The epic package. Enhance L<sup>A</sup>T<sub>E</sub>X picture mode.* 2016-06-24. LICENSE: other-free. The package extends picture mode in the context of existing picture mode commands. The (later) ‘extended epic’ package requires tpic commands for full functionality.  
 URL: <https://ctan.org/pkg/epic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/epic>
- *The lgraph package. A program to generate graphs.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/lgraph>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex209/contrib/lgraph>
- *The tape package. Generate cassette labels from a simple database.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/tape>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/tape>
- Pokrovsky, Sergei. *The u8tex package. Input Unicode characters in T<sub>E</sub>X notation, in emacs.* 2016-06-24. LICENSE: gpl. A file to provide an alternative, T<sub>E</sub>X-style, input method for UTF-8 characters in Otfried Cheong’s `u8tex`.  
 URL: <https://ctan.org/pkg/u8tex>  
 MIRROR: <https://mirror.ctan.org/support/emacs-modes/u8tex.el>
- Poland, Jan. *The FigBib package. Organize figure databases with BibT<sub>E</sub>X.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/figbib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/figbib>
- Polli, Demerson Andre. *The lshort-portuguese-br package. Introduction to L<sup>A</sup>T<sub>E</sub>X in Portuguese (Brazil).* 2016-06-24. Version 3.20. LICENSE: pd. This is the Brazilian Portuguese translation of `lshort`.  
 URL: <https://ctan.org/pkg/lshort-portuguese-br>  
 MIRROR: <https://mirror.ctan.org/info/lshort/portuguese-BR>
- Polyakov, Maksym. *The lshort-ukr package. Ukrainian version of the L<sup>A</sup>T<sub>E</sub>X introduction.* 2020-06-17. Version 4.00. LICENSE: other-free. Ukrainian version of `lshort`.  
 URL: <https://ctan.org/pkg/lshort-ukr>  
 MIRROR: <https://mirror.ctan.org/info/lshort/ukrainian>
- Polyakov, Maksym and Igor A. Kotelnikov. *The gost package. BibT<sub>E</sub>X styles to format according to GOST.* 2021-02-11. Version 1.2l. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/gost>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/gost>
- Pommereau, Franck. *The Petri-nets package. A set T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X packages for drawing Petri nets.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/petri-nets>  
 MIRROR: <https://mirror.ctan.org/macros/generic/petri-nets>
- Poore, Geoffrey. *The fvextra package. Extensions and patches for fancyvrb.* 2022-12-01. Version 1.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fvextra>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fvextra>
- *The pythontex package. Run Python from within a document, typesetting the results.* 2021-06-07. Version 0.18. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pythontex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pythontex>
- Poore, Geoffrey and Konrad Rudolph. *The minted package. Highlighted source code for L<sup>A</sup>T<sub>E</sub>X.* 2022-12-12. Version 2.7. LICENSE: lppl1.3. The package that facilitates expressive syntax highlighting in L<sup>A</sup>T<sub>E</sub>X using the powerful Pygments library. The package also provides options to customize the highlighted source code output using `\minted`.  
 URL: <https://ctan.org/pkg/minted>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/minted>
- Popineau, Fabrice. *The fptex package. A web2C-based T<sub>E</sub>X system for MS-Windows32.* 2016-06-24. Version 0.7. LICENSE: gpl  
 URL: <https://ctan.org/pkg/fptex>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/win32/fptex>

- *The windvi package*. MS-Windows DVI viewer. 2016-06-24. Version 0.56. LICENSE: gpl  
 URL: <https://ctan.org/pkg/windvi>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/win32/ftex>
- Poppelier, Nico. *The sober package*. Makes appearance of standard styles more "sober". 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/sober>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/sober.sty>
- Poppelier, Nico and Johannes L. Braams. *The a4 package*. Support for A4 paper sizes. 2020-02-23. Version 1.2g. LICENSE: lppl  
 URL: <https://ctan.org/pkg/a4>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ntgclass>
- Porr, Bernd. *The apasoft package*. An APA-like style for BibTeX. 2019-12-27. LICENSE: noinfo. Derived (in several steps) from the original BibTeX alpha style. Should be used with the L<sup>A</sup>T<sub>E</sub>X package provided with the distribution bundle.  
 URL: <https://ctan.org/pkg/apasoft>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/apasoft.bst>
- Porrat, Rama. *The hebtex package*. Support for Hebrew and other right-to-left languages. 2016-06-24. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/hebtex>  
 MIRROR: <https://mirror.ctan.org/language/hebrew/hebtex>
- *The pcfonts package*. Hebrew fonts for use on DOS PCs. 2016-06-24. LICENSE: nocommercial. This bundle contains a set of the fonts arranged for use under .  
 URL: <https://ctan.org/pkg/pcfonts>  
 MIRROR: <https://mirror.ctan.org/language/hebrew/hebtex/fonts/pccode>
- Pospiech, Matthias. *The codesection package*. Provides an environment that may be conditionally included. 2016-06-24. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/codesection>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/codesection>
- *The doctools package*. Tools for the documentation of L<sup>A</sup>T<sub>E</sub>X code. 2016-06-24. Version 0.1. LICENSE: lppl1.3. The package provides a collection of tools for use either in an "ordinary" L<sup>A</sup>T<sub>E</sub>X document, or within a file.  
 URL: <https://ctan.org/pkg/doctools>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/doctools>
- *The lastpackage package*. Indicates the last loaded package. 2016-06-24. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/lastpackage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lastpackage>
- *The latexdemo package*. Demonstrate L<sup>A</sup>T<sub>E</sub>X code with its resulting output. 2023-05-22. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/latexdemo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/latexdemo>
- *The tablestyles package*. Styles for tables with new commands. 2023-03-20. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tablestyles>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/tablestyles>
- *The templatetools package*. Commands useful in L<sup>A</sup>T<sub>E</sub>X templates. 2023-05-22. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/templatetools>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/templatetools>
- Potse, Mark. *The matlabweb package*. Literate programming system for Matlab. 2016-06-24. Version 2.10. LICENSE: gpl. Matlabweb is a literate programming system for the Matlab language. Similar to CWEB, it is created with a slightly modified version of the system. Matlabweb can be used with plain T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X, the latter with help from the package.  
 URL: <https://ctan.org/pkg/matlabweb>  
 MIRROR: <https://mirror.ctan.org/web/matlabweb>
- *The webfiles package*. Include CWEB and/or Spidery WEB L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 1.0.1. LICENSE: gpl. The package allows the user to plug the documentation of or programs into a L<sup>A</sup>T<sub>E</sub>X document.  
 URL: <https://ctan.org/pkg/webfiles>  
 MIRROR: <https://mirror.ctan.org/web/webfiles>
- Poulain, Christophe. *The ProfCollege package*. A L<sup>A</sup>T<sub>E</sub>X package for French maths teachers in college. 2023-08-15. Version 0.99-z-s. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/profcollege>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/profcollege>
- *The profmaquette package*. Use exercises in different types of documents. 2023-08-16. Version 0.4. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/profmaquette>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/profmaquette>

- Prandoni, Paolo. *The dspticks package. Macros for Digital Signal Processing plots*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dspticks>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/dspticks>
- Preining, Norbert. *The cjk-gs-integrate package. Tools to integrate CJK fonts into Ghostscript*. 2021-06-25. Version 20210625.0. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/cjk-gs-integrate>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/cjk-gs-integrate>
- *The colorprofiles package. Collection of free ICC profiles*. 2018-11-12. Version 20181105. LICENSE: other-free  
 URL: <https://ctan.org/pkg/colorprofiles>  
 MIRROR: <https://mirror.ctan.org/support/colorprofiles>
- Preining, Norbert. *The jfontmaps package. Font maps and configuration tools for Japanese fonts*. 2017-01-16. Version 20161108.0. LICENSE: pd,gpl3  
 URL: <https://ctan.org/pkg/jfontmaps>  
 MIRROR: <https://mirror.ctan.org/obsolete/language/japanese/jfontmaps>
- *The TL Cockpit package. A GUI frontend to T<sub>E</sub>X Live Manager (tlmgr)*. 2020-04-22. Version 1.2. LICENSE: gpl3+. This package aims at being a GUI for , the Manager, with a modern look and feel. We take inspiration from the excellent for MacOS.  
 URL: <https://ctan.org/pkg/tlcockpit>  
 MIRROR: <https://mirror.ctan.org/support/tlcockpit>
- Preining, Norbert, Martin Giese, and Andrew Stacey. *The pgf-blur package. PGF/TikZ package for "blurred" shadows*. 2018-08-21. Version 1.02. LICENSE: lppl,pd  
 URL: <https://ctan.org/pkg/pgf-blur>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgf-blur>
- Preining, Norbert, Japanese T<sub>E</sub>X Development Community, and Takuji Tanaka. *The japanese-otf package. Advanced font selection for platex and its friends*. 2023-06-25. LICENSE: bsd3. The package contains pL<sup>A</sup>T<sub>E</sub>X support files and virtual fonts for supporting a wide variety of fonts in L<sup>A</sup>T<sub>E</sub>X using the .  
 URL: <https://ctan.org/pkg/japanese-otf>  
 MIRROR: <https://mirror.ctan.org/macros/jptex/latex/japanese-otf>
- Presnell, Brett. *The titlefoot package. Add special material to footer of title page*. 2016-06-24. LICENSE: lppl. Provides the capability of adding keywords (with a command), a running title (), AMS subject classifications (), and an ‘author’s footnote’ as footnotes to the title or first page of a document. Works with any class for which the macro works (e.g., article).  
 URL: <https://ctan.org/pkg/titlefoot>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/titlefoot>
- Pretzel, Oliver. *The section package. Modifying section commands in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/section>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/section>
- *The sphack package. Patch L<sup>A</sup>T<sub>E</sub>X kernel spacing macros*. 2016-06-24. LICENSE: other-free. Change the kernel internal / so that it is also invisible in vertical mode.  
 URL: <https://ctan.org/pkg/sphack>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sphack>
- Preuß, Hilmar. *The tangocolors package. Use colors from the Tango color palette*. 2023-04-01. Version 0.3. LICENSE: lppl1.3,gpl. The defines some color names and their RGB codes. This L<sup>A</sup>T<sub>E</sub>X macro package implements these color names, so one can easily access these colors by their names. The package relies on the package, so please refer to the documentation to that package to learn how to access the defined colors.  
 URL: <https://ctan.org/pkg/tangocolors>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tangocolors>
- Price, Derek, Patrice Dumas, Karl Berry, and Lionel Cons. *The texi2html package. Converts T<sub>E</sub>Xinfo to HTML*. 2017-04-18. Version 1.76. LICENSE: gpl  
 URL: <https://ctan.org/pkg/texi2html>  
 MIRROR: <https://mirror.ctan.org/support/texi2html>
- Price, Seth. *The mlacls package. L<sup>A</sup>T<sub>E</sub>X class for MLA papers*. 2023-05-17. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/mlacls>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mlacls>
- Probst, Axel. *The egplot package. Encapsulate Gnuplot sources in L<sup>A</sup>T<sub>E</sub>X documents*. 2016-06-24. Version 1.02a. LICENSE: gpl. A package to encapsulate commands in a L<sup>A</sup>T<sub>E</sub>X source file, so that a document’s figures are maintained in parallel with the document source itself.



URL: <https://ctan.org/pkg/egplot>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/egplot>

Promkam, Ratthaprom. *The thaispec package. Thai Language Typesetting in X<sub>Y</sub>TeX*. 2021-03-01. Version 2021.03.01. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/thaispec>  
MIRROR: <https://mirror.ctan.org/language/thai/thaispec>

Prosoft International. *The oriental package. A version of T<sub>E</sub>X for which Oriental languages are native*. 2016-06-24. Version 2.1. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/oriental>  
MIRROR: <https://mirror.ctan.org/language/oriental>

Pross, Naoki. *The oststud package. Templates for the student organization at OST FH, Switzerland*. 2023-05-25. Version 0.4. LICENSE: cc-by-sa-4  
URL: <https://ctan.org/pkg/oststud>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/oststud>

Protopapas, Athanassios. *The apa package. American Psychological Association format*. 2019-12-29. Version 1.3.4. LICENSE: lppl  
URL: <https://ctan.org/pkg/apa>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/apa>

Provoost, Evert. *The easyformat package. Easily add boldface, italics and smallcaps*. 2017-06-10. Version 1.4.0. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/easyformat>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easyformat>

Przechlewski, Tomasz. *The pmdpl package. Examples from "Praca magisterska i dyplomowa"*. 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/pmdpl>  
MIRROR: <https://mirror.ctan.org/info/examples/przechlewski-book-examples>

— *The przechlewski-book package. Examples from Przechlewski's L<sup>A</sup>T<sub>E</sub>X book*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/przechlewski-book>  
MIRROR: <https://mirror.ctan.org/info/examples/przechlewski-book-examples>

Puga, Diego. *The mathpazo package. Fonts to typeset mathematics to match Palatino*. 2018-01-06. Version 1.003. LICENSE: gpl  
URL: <https://ctan.org/pkg/mathpazo>  
MIRROR: <https://mirror.ctan.org/fonts/mathpazo>

Pupalaikis, Peter J. *The designcon package. Develop DesignCon papers*. 2016-06-24. Version 0.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/designcon>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/designcon>

— *The uspatent package. U.S. Patent Application Tools for L<sup>A</sup>T<sub>E</sub>X and LyX*. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/uspateent>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uspateent>

Puppis, Gabriele. *The automata package. Finite state machines, graphs and trees in MetaPost*. 2016-06-24. Version 0.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/automata>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/automata>

Purton, David. *The biblatex-sbl package. Society of Biblical Literature (SBL) style files for BibLaTeX*. 2022-06-18. Version 0.14. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/biblatex-sbl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-sbl>

— *The pdfoverlay package. A L<sup>A</sup>T<sub>E</sub>X style for overlaying text on a PDF*. 2022-08-27. Version 1.3. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pdfoverlay>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfoverlay>

— *The pgf-cmykshadings package. Support for CMYK and grayscale shadings in PGF/TikZ*. 2023-01-03. Version 1.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pgf-cmykshadings>  
MIRROR: <https://mirror.ctan.org/obsolete/graphics/pgf/contrib/pgf-cmykshadings>

— *The scripture package. A L<sup>A</sup>T<sub>E</sub>X style for typesetting Bible quotations*. 2023-01-08. Version 1.3. LICENSE: lppl1.3c. The package provides a set of macros for typesetting quotations from the Bible. It provides many features commonly seen in Bibles such as dropped text for chapter numbers, superscripts for verse numbers, indented lines for poetry sections, narrow sections and hanging paragraphs. A reference for the quotation can optionally be added.  
URL: <https://ctan.org/pkg/scripture>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scripture>

Putnam, Chris. *The bibutils package. A collection of bibliography format convertors*. 2019-01-16. Version 6.6. LICENSE: gpl  
URL: <https://ctan.org/pkg/bibutils>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utlils/bibutlils>

- Putschögl, Wolfgang. *The commath package. Mathematics typesetting support*. 2016-06-24. Version 0.3. LICENSE: lppl. Provides a range of differential, partial differential and delimiter commands, together with a (function, with both domain and range, and function operation) and various reference commands.  
URL: <https://ctan.org/pkg/commath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/commath>
- Qi, Fei. *The mynsfc package. Xe<sub>La</sub>T<sub>E</sub>X template for writing the main body of NSFC proposals*. 2021-08-19. Version 1.30. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/mynsfc>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/mynsfc>
- Qi, Fei. *The xduthesis package. Xe<sub>La</sub>T<sub>E</sub>X template for writing Xidian University Thesis*. 2023-01-24. Version 1.00. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/xduthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xduthesis>
- Quan, Le Phuong. *The pstricks-calcnotes package. Use of PSTricks in calculus lecture notes*. 2018-09-16. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/pstricks-calcnotes>  
MIRROR: [https://mirror.ctan.org/info/pstricks\\_calcnotes](https://mirror.ctan.org/info/pstricks_calcnotes)
- Quanstrom, Erik. *The bnf-plain package. Plain T<sub>E</sub>X macros for BNF grammars*. 2016-06-24. LICENSE: noinfo. The file shows the macros in use.  
URL: <https://ctan.org/pkg/bnf-plain>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/bnf>
- Quantum — the open journal for quantum science, Johannes Jakob Meyer, and Christian Gogolin. *The quantumarticle package. Document class for submissions to the Quantum journal*. 2022-12-11. Version 6.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/quantumarticle>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/quantumarticle>
- Quaresma, Pedro. *The DCpic package. Commutative diagrams in a L<sup>A</sup>T<sub>E</sub>X and T<sub>E</sub>X documents*. 2016-06-24. Version 5.0.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/dcpic>  
MIRROR: <https://mirror.ctan.org/macros/generic/diagrams/dcpic>
- Quentin, Lars. *The realtranspose package. The “real” way to transpose a Matrix*. 2020-10-12. Version 1.1. LICENSE: mit. With you can notate the transposition of a matrix by rotating the symbols 90 degrees. This is a homage to the package.  
URL: <https://ctan.org/pkg/realtranspose>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/realtranspose>
- Quong, Russell. *The ltoh package. A converter from L<sup>A</sup>T<sub>E</sub>X to HTML*. 2018-01-06. Version 98a. LICENSE: other-free  
URL: <https://ctan.org/pkg/ltoh>  
MIRROR: <https://mirror.ctan.org/support/ltoh>
- Quy, Nguyen-Dai. *The tcvn package. Vietnamese Windows support*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/tcvn>  
MIRROR: <https://mirror.ctan.org/language/vietnamese/vietnet/tcvn>
- R., Pablo Pizarro. *The commonunicode package. Convert common unicode symbols to L<sup>A</sup>T<sub>E</sub>X code*. 2022-04-06. Version 1.0.0. LICENSE: mit  
URL: <https://ctan.org/pkg/commonunicode>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/commonunicode>
- Raaijmakers, Stijn. *The cascover package. Make cassette covers*. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/cascover>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/cascover>
- Rabinoff, Joseph. *The spalign package. Typeset matrices and arrays with spaces and semicolons as delimiters*. 2018-01-07. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/spalign>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/spalign>
- Raccanello, Francesco. *The verifiche package. A L<sup>A</sup>T<sub>E</sub>X package to typeset (Italian) high school tests*. 2023-08-22. Version 7.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/verifiche>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/verifiche>
- Rada-Vilela, Juan. *The easy-todo package. To-do notes in a document*. 2016-06-24. LICENSE: apache2  
URL: <https://ctan.org/pkg/easy-todo>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easy-todo>
- Radgen, Bernd. *The brc1c package. Support 16-bit (double) calculations in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 0.1.3. LICENSE: gpl. The package provides a preprocessor (written in C; a DOS executable is available), and a package, which processes a L<sup>A</sup>T<sub>E</sub>X file that’s been run through the preprocessor (the output of the preprocessor tells L<sup>A</sup>T<sub>E</sub>X how to process the commands in the in the L<sup>A</sup>T<sub>E</sub>X file. The script (available as a shell script or a DOS batch file) shows a typical processing run.

- URL: <https://ctan.org/pkg/brc1c>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/brc1c>
- Radhakrishnan, C. V. *The pdfpagediff package. Find difference between two PDF's.* 2016-06-24. Version 1.4. LICENSE: lppl1  
URL: <https://ctan.org/pkg/pdfpagediff>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfpagediff>
- Radhakrishnan, C. V. *The pdfscreen package. Support screen-based document design.* 2016-06-24. Version 1.5. LICENSE: lppl. An extension of the package to provide a screen-based document design. This package helps to generate pdf documents that are readable on screen and will fit the screen's aspect ratio. Also it can be used with various options to produce regular print versions of the same document without any extra effort.  
URL: <https://ctan.org/pkg/pdfscreen>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfscreen>
- *The pdfslide package. Presentation slides using pdfTeX.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/pdfslide>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfslide>
- *The rit-fonts package. Malayalam fonts by Rachana Institute of Typography (RIT).* 2023-07-29. Version 0.9. LICENSE: ofl,lppl1.3  
URL: <https://ctan.org/pkg/rit-fonts>  
MIRROR: <https://mirror.ctan.org/fonts/rit-fonts>
- *The rvwrite package. Increase the number of available output streams in L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/rvwrite>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rvwrite>
- Radhakrishnan, C. V. and Rishikesan T. Nair. *The els-cas-templates package. Elsevier updated L<sup>A</sup>T<sub>E</sub>X templates.* 2021-05-12. Version 2.3. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/els-cas-templates>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/els-cas-templates>
- Radhakrishnan, C. V., Simon Pepping, and Martin Ruck. *The elsarticle package. Class for articles for submission to Elsevier journals.* 2020-11-24. Version 3.3. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/elsarticle>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/elsarticle>
- Radhakrishnan, C. V. and C. V. Rajagopal. *The bibcheck package. Check on references to items in the bibliography.* 2016-06-24. LICENSE: gpl. A thebibliography environment that's been built by hand may well contain citations of things for which there is no reference in the document. This package produces a warning for each such thing. (Note that the package is of no use for users of , since BibTeX doesn't create citations unless there is a reference.)  
URL: <https://ctan.org/pkg/bibcheck>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/bibcheck.sty>
- *The pdftricks package. Support for PSTricks in pdfTeX.* 2021-08-26. Version 1.16. LICENSE: gpl  
URL: <https://ctan.org/pkg/pdftricks>  
MIRROR: <https://mirror.ctan.org/graphics/pdftricks>
- Radhakrishnan, C. V., C. V. Rajagopal, and SK Venkatesan. *The copyedit package. Copyediting support for L<sup>A</sup>T<sub>E</sub>X documents.* 2016-06-24. Version 1.6. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/copyedit>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/copyedit>
- Radhakrishnan, C. V., Hàn Thế Thành, Peter Selinger, and Ross Moore. *The pdfx package. PDF/X and PDF/A support for pdfTeX, LuaTeX and XeTeX.* 2019-03-10. Version 1.6.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/pdfx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfx>
- Ragni, Matteo. *The unitn-bimrep package. A bimonthly report class for the PhD School of Materials, Mechatronics and System Engineering.* 2018-01-07. LICENSE: mit  
URL: <https://ctan.org/pkg/unitn-bimrep>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unitn-bimrep>
- Rahtz, Sebastian. *The colorsep package. Color separation.* 2016-06-24. LICENSE: pd. Support for colour separation when using .  
URL: <https://ctan.org/pkg/colorsep>  
MIRROR: <https://mirror.ctan.org/graphics/colorsep>
- *The dvimerge package. Merge two DVI files together.* 2016-06-24. Version 1. LICENSE: noinfo. A Bourne shell script that takes pages from two DVI files and produces a merged output. Thus produces a file which contains page 1 of , then page 1 of , then page 2 ... up to page 10 of each file.

- URL: <https://ctan.org/pkg/dvimerge>
- MIRROR: <https://mirror.ctan.org/dviware/dvimerge>
- *The fotex package. Process XSL-FO.* 2016-06-18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fotex>  
 MIRROR: <https://mirror.ctan.org/macros/fotex>
- *The ibm package. Metrics for IBM fonts.* 2019-06-21. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ibm>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/psfonts/ibm>
- Rahtz, Sebastian. *The lgc-examples package. Examples from The L<sup>A</sup>T<sub>E</sub>X Graphics Companion.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/lgc-examples>  
 MIRROR: <https://mirror.ctan.org/info/examples/lgc>
- *The lwc-examples package. Examples from The L<sup>A</sup>T<sub>E</sub>X Web Companion.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/lwc-examples>  
 MIRROR: <https://mirror.ctan.org/info/examples/lwc>
- *The ot2cyr package. Macros, metrics, etc., to use the OT2 Cyrillic encoding.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ot2cyr>  
 MIRROR: <https://mirror.ctan.org/fonts/cyrillic/ot2cyr>
- *The palatino-nfss package. Select Adobe Palatino as default text font.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/palatino-nfss>
- *The passivetex package. Support package for XML/SGML typesetting.* 2021-08-26. LICENSE: other-free. Packages providing XML parsing, UTF-8 parsing, Unicode entities, and common formatting object definitions for .  
 URL: <https://ctan.org/pkg/passivetex>  
 MIRROR: <https://mirror.ctan.org/macros/xmltex/contrib/passivetex>
- *The psnfssx-adobe package. Packages to use a selection of Adobe Type 1 fonts.* 2016-06-24. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/psnfssx-adobe>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psnfssx/adobe>
- *The settosize-ltx package. Scale text to make it fit a given width.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/settosize-ltx>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/settosize.sty>
- *The textcomp package. L<sup>A</sup>T<sub>E</sub>X support for the Text Companion fonts.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/textcomp>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/psfonts/ts1>
- *The times package. Select Adobe Times Roman (or equivalent) as default font.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/times>
- Rahtz, Sebastian, David Carlisle, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The epsfig package. Include Encapsulated PostScript in L<sup>A</sup>T<sub>E</sub>X documents.* 2021-06-01. Version 1.7b. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/epsfig>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/graphics>
- Rahtz, Sebastian and Ian Castle. *The jadetex package. Macros supporting Jade DSSSL output.* 2017-04-18. Version 3.13. LICENSE: other-free  
 URL: <https://ctan.org/pkg/jadetex>  
 MIRROR: <https://mirror.ctan.org/macros/jadetex>
- Rahtz, Sebastian and Don Hosek. *The floatnohead package. Suppress page headings on float-only pages.* 2016-06-24. LICENSE: noinfo. The package suppresses page headers on float-only pages. Although the package was written for L<sup>A</sup>T<sub>E</sub>X 2.09, the technique will work with L<sup>A</sup>T<sub>E</sub>X 2e, though the effect is better achieved using command in the package.  
 URL: <https://ctan.org/pkg/floatnohead>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/floatnohead.sty>
- Rahtz, Sebastian and David Leadbetter. *The objectz package. Macros for typesetting Object Z.* 2021-05-26. LICENSE: lppl. The package will typeset both Z and Object-Z specifications; it develops the original package  
 URL: <https://ctan.org/pkg/objectz>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/objectz>
- Rahtz, Sebastian and Philip Taylor. *The textfit package. Fit text to a desired size.* 2016-06-24. Version 5. LICENSE: lppl1.3. Package to fit text to a given width or height by scaling the font. For example: . (The job is done by calculating a and applying it to the current font; thus “This” will be very tall, as well as very wide; to scale in just one dimension, use the facilities of the package.)



- URL: <https://ctan.org/pkg/textfit>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/textfit>
- Rahtz, Sebastian and Piet Tutelaers. *The psfonts-tools package. Tools for creating a distribution of font metrics*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/psfonts-tools>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/tools>
- Raichle, Bernd. *The convert package. Generate Knuthian encoding for text files*. 2016-06-24. LICENSE: lppl. Convert a file in an 8-bit character set to one that uses Knuth's notation for non-ASCII characters.  
URL: <https://ctan.org/pkg/convert>  
MIRROR: <https://mirror.ctan.org/support/convert>
- *The german package. Support for German typography*. 2016-06-24. Version 2.5e. LICENSE: lppl  
URL: <https://ctan.org/pkg/german>  
MIRROR: <https://mirror.ctan.org/language/german>
  - *The hypht1 package. Additional hyphenation patterns*. 2016-06-24. Version 0.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/hypht1>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/hypht1.tex>
  - *The lalloc package. Macros for localizing T<sub>E</sub>X register allocations*. 2020-09-30. LICENSE: other-free  
URL: <https://ctan.org/pkg/lalloc>  
MIRROR: <https://mirror.ctan.org/macros/generic/lalloc>
  - *The mltx-ltx package. L<sup>A</sup>T<sub>E</sub>X support for ML<sub>T</sub>E<sub>X</sub>*. 2016-06-24. LICENSE: lppl. Support for , the multilingual T<sub>E</sub>X extension from Michael J. Ferguson.  
URL: <https://ctan.org/pkg/mltx-ltx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mltx>
  - *The ngerman package. Support for new German typography*. 2016-06-24. Version 2.5e. LICENSE: lppl  
URL: <https://ctan.org/pkg/ngerman>  
MIRROR: <https://mirror.ctan.org/language/german/ngerman.sty>
  - *The sepnum package. Print numbers in a "friendly" format*. 2018-01-06. Version 2.0. LICENSE: lppl. Provides a command to print a number with (potentially different) separators every three digits in the parts either side of the decimal point (the point itself is also configurable). The macro is fully expandable and not fragile (unless one of the separators is). There is also a command , that may be used when defining macros.  
URL: <https://ctan.org/pkg/sepnum>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sepnum>
- Raichle, Bernd, Johannes L. Braams, and Jürgen Spitzmüller. *The babel-german package. Babel support for documents written in German*. 2021-02-27. Version 2.13. LICENSE: lppl1.3. This bundle is an extension to the package for multilingual typesetting. It provides all the necessary macros, definitions and settings to typeset German documents. The bundle includes support for the traditional and reformed German orthography as well as for the Austrian and Swiss varieties of German.  
URL: <https://ctan.org/pkg/babel-german>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/german>
- Raichle, Bernd and Michael J. Ferguson. *The mltx package. The ML<sub>T</sub>E<sub>X</sub> system*. 2016-06-24. Version 2.2. LICENSE: knuth  
URL: <https://ctan.org/pkg/mltx>  
MIRROR: <https://mirror.ctan.org/systems/generic/mltx>
- Raichle, Bernd, Rolf Niepraschk, and Thomas Hafner. *The faq-de package. The DANTE T<sub>E</sub>X Users Group Frequently Asked Questions*. 2016-06-24. LICENSE: other-free. Stored copy of the FAQ posted to . Error reports to .  
URL: <https://ctan.org/pkg/faq-de>  
MIRROR: <https://mirror.ctan.org/help/de-tex-faq>
- Rakhimov, Abdugafur. *The orkhun package. A font for orkhun script*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/orkhun>  
MIRROR: <https://mirror.ctan.org/fonts/orkhun>
- *The turkishintro package. An introduction to L<sup>A</sup>T<sub>E</sub>X, in Turkish*. 2016-06-24. LICENSE: nosource  
URL: <https://ctan.org/pkg/turkishintro>  
MIRROR: <https://mirror.ctan.org/info/turkishintro>
- Ralet, Thibault. *The ScratchX package. Include Scratch programs in L<sup>A</sup>T<sub>E</sub>X documents*. 2017-07-30. Version 1.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/scratchx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scratchx>
- Ramek, Michael. *The chemstruct package. Structural organic chemistry*. 2016-06-24. LICENSE: noinfo. An ingenious package that will also work with Plain T<sub>E</sub>X. There are signs that it may have been (in part) inspiration for .



- URL: <https://ctan.org/pkg/chemstruct>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/chemstruct>
- Ramm, Henning Hraban. *The mab2bib package. Converter tools: MAB to BibTeX and UTF-8 to L<sup>A</sup>T<sub>E</sub>X ASCII*. 2016-06-24. Version 0.2a. LICENSE: other-free  
 URL: <https://ctan.org/pkg/mab2bib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/mab2bib>
- Ramsdell, John D. *The c2latex package. Simple conversion of C programs to L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.1. LICENSE: other-free  
 URL: <https://ctan.org/pkg/c2latex>  
 MIRROR: <https://mirror.ctan.org/support/c2latex>
- *The cm-gf package. Generate GF format for CM*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cm-gf>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/gf/Makefile>
  - *The schemeTeX package. Typesetting Scheme programs with L<sup>A</sup>T<sub>E</sub>X*. 2018-11-11. LICENSE: other-free  
 URL: <https://ctan.org/pkg/schemetex>  
 MIRROR: <https://mirror.ctan.org/support/schemetex>
  - *The schemeweb package. Simple support for literate programming in Lisp*. 2016-06-24. Version 2.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/schemeweb>  
 MIRROR: <https://mirror.ctan.org/web/schemeweb>
- Ramsey, Norman. *The noweb package. A simple extensible literate programming tool*. 2018-06-29. Version 2.12. LICENSE: other-free,bsd2  
 URL: <https://ctan.org/pkg/noweb>  
 MIRROR: <https://mirror.ctan.org/web/noweb>
- *The spiderweb package. A tool for building WEB systems*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/spiderweb>  
 MIRROR: <https://mirror.ctan.org/web/spiderweb>
- Ranage, Martin Thorsen. *The intex package. Support typesetting and indexing words and phrases*. 2016-06-24. Version 1.8.0. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/intex>  
 MIRROR: <https://mirror.ctan.org/support/intex>
- Randez, Luis. *The analogclock package. An analog ticking clock package for PDF output*. 2016-06-24. Version 1.0. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/analogclock>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/analogclock>
- *The tdclock package. A ticking digital clock package for PDF output*. 2016-06-24. Version 2.5. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/tdclock>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tdclock>
- Rao, R. Bharat. *The labelmac3 package. Print Avery 5160 labels for laser printers*. 2016-06-24. LICENSE: noinfo. Accepts commands, whose arguments are printed 30 to a page, in boxes of dimension 2.625" x 1".  
 URL: <https://ctan.org/pkg/labelmac3>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/labelmac3.tex>
- Rascher, Kai. *The nonfloat package. Non-floating table and figure captions*. 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/nonfloat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nonfloat>
- *The trfsigns package. Typeset transform signs*. 2016-06-24. Version 1.01. LICENSE: gpl  
 URL: <https://ctan.org/pkg/trfsigns>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/trfsigns>
- Rasuli, Farshad. *The parsa package. A X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X package for theses and dissertations at Iranian Universities*. 2020-04-22. Version 1.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/parsa>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/parsa>
- Ratcliffe, Philip G. *The foreign package. Systematic treatment of 'foreign' words in documents*. 2016-06-24. Version 2.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/foreign>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/foreign>
- *The xpunctuate package. Process trailing punctuation which may be redundant*. 2023-08-13. Version 2.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xpunctuate>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xpunctuate>

- Rath, Christopher. *The songbook package. Package for typesetting song lyrics and chord books*. 2017-04-18. Version 4.5. LICENSE: lgpl2.1  
 URL: <https://ctan.org/pkg/songbook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/songbook>
- Ratti, Daniele. *The typoid package. Macros for font diagnostics*. 2017-06-06. Version 0.4.7. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/typoid>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/typoid>
- Raue, Christian. *The gradientframe package. Simple gradient frames around objects*. 2016-06-24. Version 0.2. LICENSE: lppl1.3. The package provides a means of drawing graded frames around objects. The gradients of the frames are drawn using the package.  
 URL: <https://ctan.org/pkg/gradientframe>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gradientframe>
- Raut, Lakshmi K. *The Bengali Omega package. Bengali in Velthuis transliteration or in UTF-8*. 2020-06-07. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bengali-omega>  
 MIRROR: <https://mirror.ctan.org/macros/omega/latex/contrib/bengali-omega>
- Ray, Koushik. *The mkbangtex package. A preprocessor for BangTeX*. 2020-06-07. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mkbangtex>  
 MIRROR: <https://mirror.ctan.org/language/bengali/mkbangtex>
- Rayside, Derek. *The graphviz package. Write graphviz (dot+neato) inline in L<sup>A</sup>T<sub>E</sub>X documents*. 2017-04-18. Version 0.94. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/graphviz>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphviz>
- Razavian, Seiiid-Mohammad-Javad. *The multiple-choice package. L<sup>A</sup>T<sub>E</sub>X package for multiple-choice questions*. 2022-06-27. Version 0.2. LICENSE: lppl1.3c. This package adjusts the choices of the multiple-choice question automatically. It has been wholly inspired by the work of Enrico Gregorio and improved by Vafa Khalighi and I've just packed and redistributed it under the name of the package.  
 URL: <https://ctan.org/pkg/multiple-choice>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multiple-choice>
- *The quran package. An easy way to typeset any part of The Holy Quran*. 2023-08-01. Version 2.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/quran>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/quran>
- *The quran-bn package. Bengali translations to the quran package*. 2021-02-03. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/quran-bn>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/quran-bn>
- *The quran-de package. German translations to the quran package*. 2020-03-08. Version 0.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/quran-de>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/quran-de>
- *The quran-ur package. Urdu translations to the quran package*. 2021-02-02. Version 0.21. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/quran-ur>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/quran-ur>
- *The thesis-qom package. Thesis style of the University of Qom, Iran*. 2022-06-09. Version 0.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/thesis-qom>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/thesis-qom>
- *The xebaposter package. Create beautiful scientific Persian/Latin posters using TikZ*. 2022-06-08. Version 2.53. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/xeaposter>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/xeaposter>
- Reckdahl, Keith. *The epslatex package. Guide to using Encapsulated PostScript in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 3.0.1. LICENSE: nosource  
 URL: <https://ctan.org/pkg/epslatex>  
 MIRROR: <https://mirror.ctan.org/info/epslatex/english>
- Redaelli, Massimo, Stefan Lindner, Stefan Erhardt, and Romano Giannetti. *The CircuiTikZ package. Draw electrical networks with TikZ*. 2023-06-23. Version 1.6.3. LICENSE: lppl,gpl  
 URL: <https://ctan.org/pkg/circuitikz>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/circuitikz>
- Rees, Clea F. *The adorn package. OrnamentsADF font with T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X support*. 2020-08-29. Version 1.1b. LICENSE: lppl,gpl2  
 URL: <https://ctan.org/pkg/adorn>  
 MIRROR: <https://mirror.ctan.org/fonts/adorn>
- *The adfsymbols package. SymbolsADF with T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X support*. 2020-08-29. Version 1.2b. LICENSE: lppl,gpl2  
 URL: <https://ctan.org/pkg/adfsymbols>  
 MIRROR: <https://mirror.ctan.org/fonts/adfsymbols>

- *The baskervaldadf package. Baskervald ADF fonts collection with T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X support.* 2017-04-18. Version 1.016. LICENSE: lppl  
URL: <https://ctan.org/pkg/baskervaldadf>  
MIRROR: <https://mirror.ctan.org/fonts/baskervaldadf>
- *The biblatex-cheatsheet package. BibLaTeX/Biber ‘cheat sheet’.* 2017-06-24. LICENSE: lppl1.3. A / ‘cheat sheet’ which I wrote because I wanted one to distribute to students, but couldn’t find an existing one.  
URL: <https://ctan.org/pkg/biblatex-cheatsheet>  
MIRROR: <https://mirror.ctan.org/info/biblatex-cheatsheet>
- Rees, Clea F. *The cfr-initials package. L<sup>A</sup>T<sub>E</sub>X packages for use of initials.* 2021-08-26. Version 1.01. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/cfr-initials>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cfr-initials>
- *The cfr-lm package. Enhanced support for the Latin Modern fonts.* 2016-06-24. Version 1.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/cfr-lm>  
MIRROR: <https://mirror.ctan.org/fonts/cfr-lm>
- *The ebgarmond-maths package. L<sup>A</sup>T<sub>E</sub>X support for EBGarmond fonts in mathematics.* 2021-08-26. Version 1.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ebgarmond-maths>  
MIRROR: <https://mirror.ctan.org/fonts/ebgarmond-maths>
- *The electrumadf package. Electrum ADF fonts collection.* 2017-04-18. Version 1.005-b. LICENSE: other-free  
URL: <https://ctan.org/pkg/electrumadf>  
MIRROR: <https://mirror.ctan.org/fonts/electrumadf>
- *The prooftrees package. Forest-based proof trees (symbolic logic).* 2023-06-18. Version 0.8 svn 9582. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/prooftrees>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/prooftrees>
- *The romandeadf package. Romande ADF fonts and L<sup>A</sup>T<sub>E</sub>X support.* 2017-04-18. Version 1.008-v7-sc. LICENSE: lppl  
URL: <https://ctan.org/pkg/romandeadf>  
MIRROR: <https://mirror.ctan.org/fonts/romandeadf>
- Rees, Clea F. and Hirwen Harendal. *The berenisadf package. Berenis ADF fonts and T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X support.* 2016-06-24. Version 1.004. LICENSE: other-free  
URL: <https://ctan.org/pkg/berenisadf>  
MIRROR: <https://mirror.ctan.org/fonts/berenisadf>
- Rees, Clea F. and Philipp Lehman. *The nfssect-cfr package. Extensions to the L<sup>A</sup>T<sub>E</sub>X NFSS.* 2017-03-29. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/nfssect-cfr>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nfssect-cfr>
- Reese, Johannes and Ingo Lepper. *The burmese package. Basic Support for Writing Burmese.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/burmese>  
MIRROR: <https://mirror.ctan.org/language/burmese>
- Rei, Fukui. *The tipa package. Fonts and macros for IPA phonetics characters.* 2016-06-24. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/tipa>  
MIRROR: <https://mirror.ctan.org/fonts/tipa/tipa>
- *The vowel package. Draw vowel charts for phonetic research.* 2016-06-24. Version 1.1. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/vowel>  
MIRROR: <https://mirror.ctan.org/fonts/tipa/tipa-1.3/sty/vowel.sty>
- Reibiger, Christian. *The pdftricks2 package. Use PSTricks in pdfTeX.* 2018-09-15. Version 1.01. LICENSE: gpl2. The package provides the means of processing documents (that contain graphics specifications). The package is inspired by  
URL: <https://ctan.org/pkg/pdftricks2>  
MIRROR: <https://mirror.ctan.org/graphics/pdftricks2>
- Reich, Ryan. *The ytableau package. Many-featured Young tableaux and Young diagrams.* 2021-06-13. Version 1.4. LICENSE: lppl1.2. The package provides several functions for drawing Young tableaux and Young diagrams, extending the and packages but providing lots more features. Skew and coloured tableaux are easy, and pgfkeys-enabled options are provided both at package load and configurably.  
URL: <https://ctan.org/pkg/ytableau>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ytableau>
- Reiche, Oliver. *The reflectgraphics package. Techniques for reflecting graphics.* 2017-04-18. Version 0.2c. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/reflectgraphics>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/reflectgraphics>

- Reichert, Axel. *The cooking package. Typeset recipes*. 2016-06-24. Version 0.9b. LICENSE: gpl  
 URL: <https://ctan.org/pkg/cooking>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cooking>
- *The currvita package. Typeset a curriculum vitae*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/currvita>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/currvita>
- Reichert, Axel. *The fancyref package. A L<sup>A</sup>T<sub>E</sub>X package for fancy cross-referencing*. 2016-06-24. Version 0.9c. LICENSE: gpl. Provides fancy cross-referencing support, based on the package’s reference commands ( and ) that recognise what sort of object is being referenced. So, for example, the label for a would be expected to be of the form ‘sec:foo’: the package would recognise the ‘sec:’ part.  
 URL: <https://ctan.org/pkg/fancyref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancyref>
- *The gleitobjekte package. Tutorial from a DANTE meeting in November 1997*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/gleitobjekte>  
 MIRROR: <https://mirror.ctan.org/info/german/gleitobjekte>
  - *The nicefrac package. Typeset in-line fractions in a “nice” way*. 2016-06-24. Version 0.9b. LICENSE: gpl  
 URL: <https://ctan.org/pkg/nicefrac>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/units>
  - *The tabsatz package. How to use tables in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/tabsatz>  
 MIRROR: <https://mirror.ctan.org/info/german/tabsatz>
  - *The typografie package. A tutorial on typography*. 2016-06-24. LICENSE: nosource  
 URL: <https://ctan.org/pkg/typografie>  
 MIRROR: <https://mirror.ctan.org/info/german/typografie>
  - *The units package. Typeset units*. 2016-06-24. Version 0.9b. LICENSE: gpl  
 URL: <https://ctan.org/pkg/units>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/units>
- Reid, Michael F. *The mewltx package. MicroEmacs for Windows L<sup>A</sup>T<sub>E</sub>X interface*. 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mewltx>  
 MIRROR: <https://mirror.ctan.org/support/mewltx>
- Reimer, Jan Heinrich. *The postage package. Stamp letters with »Deutsche Post«’s service »Internetmarke«*. 2020-07-08. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/postage>  
 MIRROR: <https://mirror.ctan.org/graphics/postage>
- Reimers, Detlef. *The lapdf package. PDF drawing directly in T<sub>E</sub>X documents*. 2016-06-24. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/lapdf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lapdf>
- Rein, Rick van. *The KIXfont package. A font for KIX codes*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/kixfont>  
 MIRROR: <https://mirror.ctan.org/fonts/kixfont>
- Reinfurt, David. *The esrelation package. Provides a symbol set for describing relations between ordered pairs*. 2017-10-29. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/esrelation>  
 MIRROR: <https://mirror.ctan.org/fonts/esrelation>
- Reinhardt, Thomas. *The winlatex package. FrontEnd for T<sub>E</sub>X, Win98/NT, needs Microsoft VisualBasic-DLLs*. 2016-06-18. Version 0.8. LICENSE: pd  
 URL: <https://ctan.org/pkg/winlatex>  
 MIRROR: <https://mirror.ctan.org/systems/win32/winlatex>
- Reiser, Brian and Eric Ho. *The apalike2 package. Bibliography style that approaches APA requirements*. 2019-12-27. LICENSE: knuth. Described as a “local adaptation” of (which is part of the base distribution).  
 URL: <https://ctan.org/pkg/apalike2>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/apalike2>
- Reish, Ben. *The blox package. Draw block diagrams, using TikZ*. 2021-02-26. Version 2.51. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/blox>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/blox>

- *The recipecard package*. Typeset recipes in note-card-sized boxes. 2016-06-24. Version 2.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/recipecard>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/recipecard>
- Reitter, David. *The RST package*. Drawing rhetorical structure analysis diagrams in  $\text{\LaTeX}$ . 2017-04-18. Version 1.3. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/rst>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rst>
- Rellermeyer, Bernd. *The termlist package*. Label any kind of term with a continuous counter. 2018-01-06. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/termlist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/termlist>
- Remy, Didier. *The mathpartir package*. Typesetting sequences of math formulas, e.g. type inference rules. 2018-01-06. Version 1.3.2. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/mathpartir>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathpartir>
- Renkema, Esger. *The hershey-mp package*. MetaPost support for the Hershey font file format. 2022-11-02. Version 2022/1.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/hershey-mp>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/hershey-mp>
- *The minim package*. A modern plain format for the LuaTeX engine. 2023-03-06. Version 2023/1.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/minim>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/minim>
- *The minim-hatching package*. Create tiling patterns with the minim-mp MetaPost processor. 2022-03-03. Version 2022/1.1. LICENSE: other-free. This is a small proof-of-concept library of tiling patterns for use with the MetaPost processor.  
 URL: <https://ctan.org/pkg/minim-hatching>  
 MIRROR: <https://mirror.ctan.org/graphics/minim-hatching>
- *The minim-math package*. Extensive maths for LuaTeX. 2023-03-06. Version 2023/1.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/minim-math>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/minim-math>
- *The minim-mp package*. Low-level mplib integration for LuaTeX. 2023-03-06. Version 2023/1.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/minim-mp>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/minim-mp>
- *The minim-pdf package*. Low-level PDF integration for LuaTeX. 2023-03-06. Version 2023/1.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/minim-pdf>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/minim-pdf>
- *The minim-xmp package*. Embed XMP metadata in PDF with LuaTeX. 2023-03-06. Version 2023/1.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/minim-xmp>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/minim-xmp>
- *The tsvtemplate package*. Apply a template to a tsv file. 2022-12-24. Version 2022/1.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/tsvtemplate>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/tsvtemplate>
- Renner, John. *The cheq package*. Adobe chess font. 2016-06-24. LICENSE: nosell. The font itself is presented as Macintosh stuffit (both in ‘printer’ and ‘screen’ formats), and (for some reason) as a file, which from the documentation sounds as if it ought to be a file. Metrics (both AFM and  $\text{\TeX}$  files), and a simple package for generating images of pieces, are provided.  
 URL: <https://ctan.org/pkg/cheq>  
 MIRROR: <https://mirror.ctan.org/fonts/chess/cheq>
- Ressler, Eugene K. *The lated package*. Graphical  $\text{\LaTeX}$  picture editor. 2018-01-06. Version 1.1. LICENSE: nosell  
 URL: <https://ctan.org/pkg/lated>  
 MIRROR: <https://mirror.ctan.org/systems/msdos/lated>
- *The sketch package*. A 3d sketch language translator. 2018-09-15. Version 0.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/sketch>  
 MIRROR: <https://mirror.ctan.org/graphics/sketch>
- Revar, Ashish. *The beamerthemenirma package*. A Beamer theme for academic presentations. 2016-06-24. Version 0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/beamerthemenirma>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/nirma>
- Revets, Stefan A. *The octavo package*. Typeset books following classical design and layout. 2018-01-06. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/octavo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/octavo>



- Reviczky, Adam and Aditya Mahajan. *The context-gantt package. GANTT module for ConTeXt*. 2018-08-11. LICENSE: pd  
 URL: <https://ctan.org/pkg/context-gantt>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-gantt>
- Reynal, Sylvain and Vincent Belâiche. *The JPicEdt package. A graphical editor generating L<sup>A</sup>T<sub>E</sub>X commands*. 2019-06-09. Version 1.3.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/jpicedt>  
 MIRROR: <https://mirror.ctan.org/graphics/jpicedt>
- Reynolds, John. *The diagmac package. A diagram drawing package*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/diagmac>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/diagmac>
- Rezende, Pedro J. de. *The pthyphs package. Hyphenation Patterns for Portuguese*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ptyphs>  
 MIRROR: <https://mirror.ctan.org/language/portuguese/pt8hyph.tex>
- Rezus, Adrian. *The romaniantex package. L<sup>A</sup>T<sub>E</sub>X support for Romanian*. 2016-06-24. Version 1.3R. LICENSE: lppl. A L<sup>A</sup>T<sub>E</sub>X2e package for typesetting Romanian in a plain T<sub>E</sub>X environment. For L<sup>A</sup>T<sub>E</sub>X use, the package has been superseded by the Romanian option of .  
 URL: <https://ctan.org/pkg/romaniantex>  
 MIRROR: <https://mirror.ctan.org/language/romanian/RomanianTeX>
- Rhead, David. *The authordate package. Author/date style citation styles*. 2019-10-30. LICENSE: knuth  
 URL: <https://ctan.org/pkg/authordate>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/authordate>
- Rhebergen, J. B. and J. H. M. de Jonge. *The fax package. Document class for preparing faxes*. 2019-06-21. Version 1.0. LICENSE: nosell  
 URL: <https://ctan.org/pkg/fax>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fax>
- Ribo, Ramon. *The texpict package. Create drawings for L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/texpict>  
 MIRROR: <https://mirror.ctan.org/graphics/texpict>
- Richardson, Thomas S. *The tikz-swigs package. Horizontally and vertically split elliptical nodes*. 2021-07-13. LICENSE: lppl1.3c,gpl  
 URL: <https://ctan.org/pkg/tikz-swigs>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-swigs>
- Richer, Jacques and Frank Mittelbach. *The cchess package. Chinese chess*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cchess>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cchess>
- Richter, Jörg. *The bg package. Annotate backgammon matches and positions*. 2019-06-21. Version 1.0. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/bg>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bg>
- Richter, Markus. *The llncs package. Document class and bibliography style for Lecture Notes in Computer Science (LNCS)*. 2022-09-05. Version 2.22. LICENSE: cc-by-4  
 URL: <https://ctan.org/pkg/llncs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/llncs>
- Richter, Pascal, Richard Barnard, Elena Botoeva, and Dirk Surmann. *The tikzposter package. Create scientific posters using TikZ*. 2016-06-24. Version 2.0. LICENSE: lppl1.2. A document class provides a simple way of using for generating posters. Several formatting options are available, and spacing and layout of the poster is to a large extent automated.  
 URL: <https://ctan.org/pkg/tikzposter>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzposter>
- Ricken, Wilfried. *The directtex package. TeX for the Macintosh*. 2016-06-24. Version 2.1.2. LICENSE: shareware  
 URL: <https://ctan.org/pkg/directtex>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/mac/directtex>
- Ridgeway, Thomas. *The ega2mf package. Generate Metafont code for EGA screen fonts*. 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ega2mf>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/ega2mf>
- *The poorman package. Raster Chinese and Japanese fonts*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/poorman>  
 MIRROR: <https://mirror.ctan.org/fonts/poorman>
- Ridgeway, Thomas and Anshuman Pandey. *The wnri package. Ridgeway's fonts*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/wnri>  
 MIRROR: <https://mirror.ctan.org/fonts/wnri>

- Rio, Jairo A. del. *The context-sudoku package. Sudokus for ConTeXt*. 2023-06-04. LICENSE: mit  
 URL: <https://ctan.org/pkg/context-sudoku>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-sudoku>
- Ristow, Alan and Herbert Voß. *The pst-bar package. Produces bar charts using PSTricks*. 2022-09-10. Version 0.93. LICENSE: lppl. The package uses to draw bar charts from data stored in a comma-delimited file. Several types of bar charts may be drawn, and the drawing parameters are highly customizable. No external packages are required except those that are part of the standard PSTricks distribution.  
 URL: <https://ctan.org/pkg/pst-bar>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-bar>
- Rivaud, Julien. *The algobox package. Typeset Algobox programs*. 2023-05-17. Version 1.3. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/algobox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/algobox>
- *The cellprops package. Accept CSS-like selectors in tabular, array, ...* 2023-05-17. Version 2.0. LICENSE: gpl3+. This package reworks the internals of tabular, array, and similar constructs, and adds a command accepting CSS-like selectors and properties. It depends on , , , and .  
 URL: <https://ctan.org/pkg/cellprops>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cellprops>
  - *The gatherenum package. A crossover of align\* and enumerate*. 2023-05-17. Version 1.8. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/gatherenum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gatherenum>
  - *The statistics package. Compute and typeset statistics tables and graphics*. 2023-05-17. Version 2.2. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/statistics>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/statistics>
- River Valley Technologies. *The grid package. Grid typesetting in L<sup>A</sup>T<sub>E</sub>X*. 2021-07-12. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/grid>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grid>
- Rivera, Javier Múgica de. *The babel-galician package. Babel/Polyglossia support for Galician*. 2016-06-24. Version 4.3c. LICENSE: lppl1.3. The package provides a language description file that enables support of Galician either with or with .  
 URL: <https://ctan.org/pkg/babel-galician>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/galician>
- *The fenixpar package. One-shot changes to token registers such as \everypar*. 2016-06-24. Version 0.92. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fenixpar>  
 MIRROR: <https://mirror.ctan.org/macros/generic/fenixpar>
  - *The glhyph package. Hyphenation patterns for Galician*. 2016-11-05. Version 2.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/glhyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/glhyph>
  - *The mkpattern package. A utility for making hyphenation patterns*. 2019-03-02. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mkpattern>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/utls/mkpattern>
- Rivera, Luis. *The aecc package. Almost European Concrete Roman virtual fonts*. 2020-04-11. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/aecc>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/aecc>
- *The babel-spanglish package. Simplified Spanish support for Babel*. 2020-04-11. Version 0.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-spanglish>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/babel-contrib/spanglish>
  - *The bgreek package. Using Beccari's fonts in betacode for classical Greek*. 2020-04-11. Version 0.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/bgreek>  
 MIRROR: <https://mirror.ctan.org/obsolete/language/greek/bgreek>
  - *The BLOpenType package. A basic LuaTeX OpenType handler*. 2023-06-30. Version 0.0.2. LICENSE: lppl1.3c,mit  
 URL: <https://ctan.org/pkg/blopendtype>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/blopendtype>
  - *The ltxindex package. A L<sup>A</sup>T<sub>E</sub>X package to typeset indices with GNU's Texindex*. 2020-04-11. Version 0.1c. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ltxindex>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/ltxindex>
  - *The pdftex-djgpp package. An msdos-djgpp binary of the pdfTeX engine*. 2019-10-05. LICENSE: gpl2+. This package provides a binary of the engine for the distribution.

- URL: <https://ctan.org/pkg/pdftex-djgpp>  
MIRROR: <https://mirror.ctan.org/systems/msdos/djgpp-contrib/pdftex-djgpp>
- *The spanish-mx package*. Typeset Spanish as in Mexico. 2020-04-11. Version 1.1a. LICENSE: lppl  
URL: <https://ctan.org/pkg/spanish-mx>  
MIRROR: <https://mirror.ctan.org/obsolete/language/spanish/babel-contrib/spanish-mx>
  - *The texilikechaps package*. Format chapters with a texi-like format. 2016-06-24. Version 1.0a. LICENSE: lppl  
URL: <https://ctan.org/pkg/texilikechaps>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/texilikechaps.sty>
- Rivera, Luis and Winston Chang. *The latexcheat-esmx package*. A L<sup>A</sup>T<sub>E</sub>X cheat sheet, in Spanish. 2016-06-24. Version 2.00. LICENSE: lppl. This is a translation to Spanish (Castellano) of Winston Chang's (a reference sheet for writing scientific papers).  
URL: <https://ctan.org/pkg/latexcheat-esmx>  
MIRROR: <https://mirror.ctan.org/info/latexcheat/latexcheat-esmx>
- Rizzuto, Dan. *The neuron package*. BibTeX style for the journal Neuron. 2016-06-24. LICENSE: nosell. Generated by use of .  
URL: <https://ctan.org/pkg/neuron>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/neuron.bst>
- Robbers, Yuri. *The jtbnew package*. BibTeX style for Journal of Theoretical Biology. 2016-06-24. LICENSE: lppl. Developed using ; apparently intended to supersede .  
URL: <https://ctan.org/pkg/jtbnew>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/jtbnew.bst>
- Robert, Gilles. *The bbm package*. "Blackboard-style" cm fonts. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/bbm>  
MIRROR: <https://mirror.ctan.org/fonts/cm/bbm>
- Robertson, Will. *The active-conf package*. Class for typesetting ACTIVE conference papers. 2016-06-24. Version 0.3a. LICENSE: lppl  
URL: <https://ctan.org/pkg/active-conf>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/conferences/active-conf>
- *The addlines package*. A user-friendly wrapper around \enlargethispage. 2018-12-05. Version 0.3. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/addlines>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/addlines>
  - *The asyfig package*. Commands for using Asymptote figures. 2016-06-24. Version 0.1c. LICENSE: lppl. The package provides a means of reading figures from separate files, rather than within the document, as is standard in the package, which is provided as part of the Asymptote bundle. The way can prove cumbersome in a large document; the present package allows the user to process one picture at a time, in simple test documents, and then to migrate (with no fuss) to their use in the target document.  
URL: <https://ctan.org/pkg/asyfig>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/asyfig>
  - *The auto-pst-pdf package*. Wrapper for pst-pdf (with some psfrag features). 2020-10-08. Version 0.7. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/auto-pst-pdf>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/auto-pst-pdf>
  - *The DTX gallery package*. A small collection of minimal DTX examples. 2016-06-24. Version 1. LICENSE: lppl  
URL: <https://ctan.org/pkg/dtxgallery>  
MIRROR: <https://mirror.ctan.org/info/dtxgallery>
  - *The environ package*. A new interface for environments in L<sup>A</sup>T<sub>E</sub>X. 2019-09-28. Version 0.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/environ>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/environ>
  - *The euxunicode package*. Generate Unicode characters from accented glyphs. 2016-10-08. Version 0.1g. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/euxunicode>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/euenc>
  - *The icsv package*. Class for typesetting articles for the ICSV conference. 2016-06-24. Version 0.2. LICENSE: lppl. This is an ad-hoc class for typesetting articles for the ICSV conference, based on the earlier by the same author.  
URL: <https://ctan.org/pkg/icsv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/conferences/icsv>
  - *The inversepath package*. Calculate inverse file paths. 2018-01-06. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/inversepath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/inversepath>
  - *The leading package*. Define leading with a length. 2018-01-06. Version 0.3. LICENSE: lppl. The package defines a command , whose argument is a that specifies the nominal distance between consecutive baselines of typeset text. The command replaces the rather more difficult L<sup>A</sup>T<sub>E</sub>X command , where the leading is specified by reference to the font size.

- URL: <https://ctan.org/pkg/leading>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/leading>
- *The minibox package*. A simple type of box for L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 0.2a. LICENSE: l<sup>p</sup>l  
URL: <https://ctan.org/pkg/minibox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/minibox>
  - *The mlist package*. Logical markup for lists. 2016-06-24. Version 0.6a. LICENSE: l<sup>p</sup>l  
URL: <https://ctan.org/pkg/mlist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mlist>
- Robertson, Will. *The pracjourn package*. Typeset articles for PracT<sub>E</sub>X. 2021-08-26. Version 0.4n. LICENSE: g<sup>l</sup>  
URL: <https://ctan.org/pkg/pracjourn>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pracjourn>
- *The realscripts package*. Access OpenType subscript and superscript glyphs. 2020-09-26. Version 0.3d. LICENSE: l<sup>p</sup>l1.3  
URL: <https://ctan.org/pkg/realscripts>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/realscripts>
  - *The subdepth package*. Unify maths subscript height. 2016-06-24. Version 0.1. LICENSE: l<sup>p</sup>l  
URL: <https://ctan.org/pkg/subdepth>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/subdepth>
  - *The trimspaces package*. Trim spaces around an argument or within a macro. 2016-06-24. Version 1.1. LICENSE: l<sup>p</sup>l  
URL: <https://ctan.org/pkg/trimspaces>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/trimspaces>
  - *The vwc1 package*. Variable-width multiple text columns. 2018-01-06. Version 0.2. LICENSE: l<sup>p</sup>l1.3. The package provides a crude environment () for typesetting multicolumn paragraph text of various column widths on a single page.  
URL: <https://ctan.org/pkg/vwc1>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vwc1>
  - *The xltextra package*. “Extras” for L<sup>A</sup>T<sub>E</sub>X users of X<sub>E</sub>T<sub>E</sub>X. 2020-09-26. Version 0.7. LICENSE: l<sup>p</sup>l1.3c. This package was previously used to provide a number of features that were useful for typesetting documents with X<sub>E</sub>L<sup>A</sup>T<sub>E</sub>X. Many of those features have now been incorporated into the package and other packages, but the package persists for backwards compatibility. Nowadays, loading will: load the , , and packages; redefine so it works correctly; and define two extra commands: and .  
URL: <https://ctan.org/pkg/xltextra>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/xltextra>
- Robertson, Will and Karl Berry. *The XeTeXref package*. Reference documentation of X<sub>E</sub>T<sub>E</sub>X. 2023-08-26. LICENSE: l<sup>p</sup>l1.3c  
URL: <https://ctan.org/pkg/xetexref>  
MIRROR: <https://mirror.ctan.org/info/xetexref>
- Robertson, Will and Kevin Godby. *The hardwrap package*. Hard wrap text to a certain character length. 2018-01-06. Version 0.2. LICENSE: l<sup>p</sup>l1.3  
URL: <https://ctan.org/pkg/hardwrap>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hardwrap>
- Robertson, Will and Johannes Große. *The ifplatform package*. Conditionals to test which platform is being used. 2017-12-07. Version 0.4a. LICENSE: l<sup>p</sup>l1.3c  
URL: <https://ctan.org/pkg/ifplatform>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ifplatform>
- Robertson, Will and Khaled Hosny. *The unicode-math package*. Unicode mathematics support for X<sub>E</sub>T<sub>E</sub>X and LuaT<sub>E</sub>X. 2023-08-13. Version 0.8r. LICENSE: l<sup>p</sup>l1.3c  
URL: <https://ctan.org/pkg/unicode-math>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/unicode-math>
- Robertson, Will and Zebb Prime. *The pstool package*. Support for psfrag within pdfL<sup>A</sup>T<sub>E</sub>X. 2018-01-20. Version 1.5e. LICENSE: l<sup>p</sup>l1.3c  
URL: <https://ctan.org/pkg/pstool>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pstool>
- Robertson, Will, Élie Roux, and Khaled Hosny. *The EUenc package*. Unicode font encoding definitions for X<sub>E</sub>T<sub>E</sub>X. 2016-10-08. Version 0.1h. LICENSE: l<sup>p</sup>l1.3  
URL: <https://ctan.org/pkg/euenc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/euenc>
- Robertson, Will and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The fontspec package*. Advanced font selection in X<sub>E</sub>L<sup>A</sup>T<sub>E</sub>X and LuaL<sup>A</sup>T<sub>E</sub>X. 2022-05-18. Version 2.8a. LICENSE: l<sup>p</sup>l1.3c  
URL: <https://ctan.org/pkg/fontspec>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/fontspec>



- Robertson, Will and Peter R. Wilson. *The abstract package. Control the typesetting of the abstract environment*. 2016-06-24. Version 1.2a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/abstract>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/abstract>
- *The anonchap package. Make chapters be typeset like sections*. 2016-06-24. Version 1.1a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/anonchap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/anonchap>
- Robertson, Will and Peter R. Wilson. *The appendix package. Extra control of appendices*. 2020-02-08. Version 1.2c. LICENSE: lppl1.3c.  
 The appendix package provides various ways of formatting the titles of appendices. Also (sub)appendices environments are provided that can be used, for example, for per chapter/section appendices. The word ‘Appendix’ or similar can be prepended to the appendix number for article class documents. The word ‘Appendices’ or similar can be added to the table of contents before the appendices are listed. The word ‘Appendices’ or similar can be typeset as a -like heading (page) in the body. An environment is provided which can be used instead of the command.  
 URL: <https://ctan.org/pkg/appendix>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/appendix>
- *The bez123 package. Support for Bezier curves*. 2016-06-24. Version 1.1b. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bez123>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bez123>
  - *The booklet package. Aids for printing simple booklets*. 2016-06-24. Version 0.7b. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/booklet>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/booklet>
  - *The ccaption package. Continuation headings and legends for floats*. 2016-06-24. Version 3.2c. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ccaption>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ccaption>
  - *The changepage package. Margin adjustment and detection of odd/even pages*. 2016-06-24. Version 1.0c. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/changepage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/changepage>
  - *The chngcntr package. Change the resetting of counters*. 2018-04-10. Version 1.1a. LICENSE: lppl. Defines commands (which sets up a counter to be reset when another is incremented) and (which unsets such a relationship).  
 URL: <https://ctan.org/pkg/chngcntr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chngcntr>
  - *The chngpage package. Change the page layout in the middle of a document*. 2016-06-24. Version 1.2b. LICENSE: lppl1.3. The package provides broadly similar functionality to , with which it is distributed. It is, however, considered obsolete, and should not be used in new documents.  
 URL: <https://ctan.org/pkg/chngpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/changepage>
  - *The combine package. Bundle individual documents into a single document*. 2016-06-24. Version 0.7a. LICENSE: lppl1.3. The combine class lets you bundle individual documents into a single document, such as when preparing a conference proceedings. The auxiliary combinat package puts the titles and authors from commands into the main document’s Table of Contents. The package cooperates with the and packages.  
 URL: <https://ctan.org/pkg/combine>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/combine>
  - *The docmfp package. Document non-L<sup>A</sup>T<sub>E</sub>X code*. 2016-06-24. Version 1.2d. LICENSE: lppl. Extends the package to cater for documenting non-L<sup>A</sup>T<sub>E</sub>X code, such as Metafont or MetaPost, or other programming languages.  
 URL: <https://ctan.org/pkg/docmfp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/docmfp>
  - *The epigraph package. A package for typesetting epigraphs*. 2020-04-23. Version 1.5e. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/epigraph>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/epigraph>
  - *The fonttable package. Print font tables from a L<sup>A</sup>T<sub>E</sub>X document*. 2017-07-14. Version 1.6c. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fonttable>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fonttable>
  - *The hanging package. Hanging paragraphs*. 2016-06-24. Version 1.2b. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/hanging>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hanging>



- *The hyphenat package. Disable/enable hyphenation.* 2016-06-24. Version 2.3c. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/hyphenat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hyphenat>
- *The ifmtarg package. If-then-else command for processing potentially empty arguments.* 2018-04-16. Version 1.2b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ifmtarg>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ifmtarg>
- *The layouts package. Display various elements of a document's layout.* 2016-06-24. Version 2.6d. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/layouts>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/layouts>
- Robertson, Will and Peter R. Wilson. *The makecmds package. The new \makecommand command always (re)defines a command.* 2016-06-24. LICENSE: lppl. The package provides a command, which is like `\except` it always (re)defines a command. There is also `\makeenvironment` and `\makeenvironment` for environments.  
 URL: <https://ctan.org/pkg/makecmds>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/makecmds>
- *The midpage package. Environment for vertical centring.* 2016-06-24. Version 1.1a. LICENSE: lppl. The environment will centre text, if immediately preceded and followed by `\midpage`.  
 URL: <https://ctan.org/pkg/midpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/midpage>
- *The needspace package. Insert pagebreak if not enough space.* 2016-06-24. Version 1.3d. LICENSE: lppl  
 URL: <https://ctan.org/pkg/needspace>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/needspace>
- *The newfile package. User level management of L<sup>A</sup>T<sub>E</sub>X input and output.* 2016-06-24. Version 1.0c. LICENSE: lppl. Commands are defined to manage the limited pool of input and output handles provided by T<sub>E</sub>X. The so provided are mapped to various of the L<sup>A</sup>T<sub>E</sub>X input and output mechanisms. Some facilities of the package are also mapped.  
 URL: <https://ctan.org/pkg/newfile>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/newfile>
- *The nextpage package. Generalisations of the page advance commands.* 2016-07-17. Version 1.1a. LICENSE: lppl. Provides and variants that guarantee to end up on even/odd numbered pages; these 4 commands all have an optional argument whose content will be placed on any “empty” page generated.  
 URL: <https://ctan.org/pkg/nextpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/nextpage.sty>
- *The pagenote package. Notes at end of document.* 2022-06-09. Version 1.1a. LICENSE: lppl1.3. The pagenote package provides tagged notes on a separate page (also known as ‘end notes’). Unless the class is used, the package requires the package.  
 URL: <https://ctan.org/pkg/pagenote>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pagenote>
- *The romannum package. Generate roman numerals instead of arabic digits.* 2016-06-24. Version 1.0b. LICENSE: lppl. The romannum package changes L<sup>A</sup>T<sub>E</sub>X generated numbers to be printed with roman numerals instead of arabic digits. It requires the package. Users of the fonts may find this package useful.  
 URL: <https://ctan.org/pkg/romannum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/romannum>
- *The stdclsdv package. Provide sectioning information for package writers.* 2016-06-24. Version 1.1a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/stdclsdv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stdclsdv>
- *The titling package. Control over the typesetting of the \maketitle command.* 2016-06-24. Version 2.1d. LICENSE: lppl. The titling package provides control over the typesetting of the command and commands, and makes the `\title`, `\author` and `\date` information permanently available. Multiple titles are allowed in a single document. New titling elements can be added and a titlepage title can be centered on a physical page.  
 URL: <https://ctan.org/pkg/titling>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/titling>
- *The tocbibind package. Add bibliography/index/contents to Table of Contents.* 2016-06-24. Version 1.5k. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tocbibind>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tocbibind>
- *The tocloft package. Control table of contents, figures, etc.* 2020-01-10. Version 2.3j. LICENSE: lppl1.3c. Provides control over the typography of the Table of Contents, List of Figures and List of Tables, and the ability to create new ‘List of ...’. The ToC may be changed.

- URL: <https://ctan.org/pkg/tocloft>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tocloft>
- *The tocvsec2 package. Section numbering and table of contents control.* 2016-06-24. Version 1.3a. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tocvsec2>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tocvsec2>
  - *The verse package. Aids for typesetting simple verse.* 2016-06-24. Version 2.4b. LICENSE: lppl  
URL: <https://ctan.org/pkg/verse>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/verse>
- Robertson, Will and Peter R. Wilson. *The vertbars package. Mark vertical rules in margin of text.* 2018-12-16. Version 1.0c. LICENSE: lppl1.3c. This package is an extension to , replacing that package’s line numbers with bars to the left or right of the text.  
URL: <https://ctan.org/pkg/vertbars>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vertbars>
- *The xtab package. Break tables across pages.* 2016-06-24. Version 2.3f. LICENSE: lppl. Xtab is an extended and somewhat improved version of ; its environment provides tables that break across pages.  
URL: <https://ctan.org/pkg/xtab>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xtab>
- Robertson, Will, Peter R. Wilson, and Harald Harders. *The printlen package. Print lengths using specified units.* 2019-03-12. Version 1.1a. LICENSE: lppl. prints the value of a L<sup>A</sup>T<sub>E</sub>X length in the units specified by (‘unit’ may be any T<sub>E</sub>X length unit except for scaled point, viz., any of , , , , , or ). When the unit is , the printed length value will include any stretch or shrink; otherwise these are not printed. The ‘unit’ argument may also be , in which case length values will be printed in point units but without any stretch or shrink values.  
URL: <https://ctan.org/pkg/printlen>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/printlen>
- Robson, Adrian P. *The backnaur package. Typeset Backus Naur Form definitions.* 2020-01-11. Version 3.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/backnaur>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/backnaur>
- *The flowchart package. Shapes for drawing flowcharts, using TikZ.* 2016-06-24. Version 3.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/flowchart>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/flowchart>
  - *The makeshape package. Declare new PGF shapes.* 2016-06-24. Version 2.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/makeshape>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/makeshape>
- Rochester, Wayne A. *The warpcol package. Relative alignment of rows in numeric columns in tabulars.* 2016-06-24. Version 1.0c. LICENSE: lppl. Defines a tabular column type for formatting numerical columns in L<sup>A</sup>T<sub>E</sub>X. The column type enables numerical items to be right justified relative to each other, while centred beneath the column label. In addition, macros are provided to enable variations on this column type to be defined. Usage of the package is superficially similar to that of ; however, the alignment scheme is different, and the packages have different, though overlapping, applications.  
URL: <https://ctan.org/pkg/warpcol>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/warpcol>
- Rochford, Peter A. *The navydocs package. Support for Technical Reports by US Navy Organizations.* 2016-07-13. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/navydocs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/navydocs>
- Roderick, David. *The binomexp package. Calculate Pascal’s triangle.* 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/binomexp>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/binomexp>
- Rødland, Einar Andreas. *The Texcount package. Count words in a L<sup>A</sup>T<sub>E</sub>X document.* 2018-10-28. Version 3.1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/texcount>  
MIRROR: <https://mirror.ctan.org/support/texcount>
- Rodrigues, Vinícius Barros. *The ecothesis package. L<sup>A</sup>T<sub>E</sub>X thesis template for the Universidade Federal de Viçosa (UFV), Brazil.* 2018-06-20. Version 1.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/ecothesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ecothesis>
- Rodriguez, Dominique and Herbert Voß. *The pst-eucl package. Euclidian geometry with PSTricks.* 2023-04-19. Version 1.77. LICENSE: lppl. The package allows the drawing of Euclidean geometric figures using T<sub>E</sub>X macros for specifying mathematical constraints. It is thus possible to build point using common transformations or intersections. The use of coordinates is limited to points

which controlled the figure.

URL: <https://ctan.org/pkg/pst-eucl>

MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-eucl>

Rodriguez, M. César. *The emerald package. Support for the free emerald city fontwerks fonts.* 2016-06-24. LICENSE: other-nonfree

URL: <https://ctan.org/pkg/emerald>

MIRROR: <https://mirror.ctan.org/fonts/emerald>

Roegel, Denis B. *The aeguill package. Add several kinds of guillemets to the ae fonts.* 2016-06-24. LICENSE: lppl. The package enables the user to add guillemets from several source (Polish cmr, Cyrillic cmr, lasy and ec) to the fonts. This was useful when the ae fonts were used to produce PDF files, since the additional guillemets exist in fonts available in Adobe Type 1 format.

URL: <https://ctan.org/pkg/aeguill>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/aeguill>

— *The garrigues package. MetaPost macros for the reproduction of Garrigues’ Easter nomogram.* 2021-08-26. LICENSE: lppl

URL: <https://ctan.org/pkg/garrigues>

MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/garrigues>

— *The genealogy package. A compilation genealogy font.* 2017-02-19. LICENSE: lppl

URL: <https://ctan.org/pkg/genealogy>

MIRROR: <https://mirror.ctan.org/fonts/genealogy>

— *The metaobj package. MetaPost package providing high-level objects.* 2016-06-24. Version 0.93. LICENSE: lppl

URL: <https://ctan.org/pkg/metaobj>

MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/metaobj>

— *The pi package. Calculate pi.* 2019-10-01. Version 0.993. LICENSE: noinfo

URL: <https://ctan.org/pkg/pi>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/pi.tex>

— *The suanpan package. MetaPost macros for drawing Chinese and Japanese abaci.* 2016-06-24. LICENSE: lppl

URL: <https://ctan.org/pkg/suanpan>

MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/suanpan>

— *The threed package. 3D animations.* 2016-06-24. Version 1.34. LICENSE: lppl. Create animations of 3-dimensional objects (such as polyhedra) in .

URL: <https://ctan.org/pkg/mp3d>

MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/mp3d>

— *The truchet package. Truchet tiling in MetaPost.* 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/truchet>

MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/truchet>

Roegel, Denis B. and Andrej Brodnik. *The ipa package. L<sup>A</sup>T<sub>E</sub>X macros for using WSUIPA fonts.* 2019-06-21. Version 1.0. LICENSE: noinfo. The package comprises alternative L<sup>A</sup>T<sub>E</sub>X support of the fonts. On CTAN (and in the T<sub>E</sub>X Live distribution), these macros are to be found with the fonts themselves.

URL: <https://ctan.org/pkg/ipa>

MIRROR: <https://mirror.ctan.org/fonts/wsuiipa>

Rogalla, Michael. *The REdit package. Menu-based editor.* 2016-06-24. Version 2.10. LICENSE: nocommercial

URL: <https://ctan.org/pkg/redit>

MIRROR: <https://mirror.ctan.org/support/redit>

Rogard, Erwann. *The ccool package. A key-value document command parser.* 2021-09-24. Version 3.2. LICENSE: lppl1.3c. This package provides a key-value interface, , on top of xparse’s document command parser. Global options control input processing and its expansion. By default, they are set to meet likely requirements, depending on context: the selected language, and which of text and math mode is active. These options can be overridden inline. This versatility could find its use, for example, to encode notational conventions (such as  $\rightarrow$ ) at the point where they are introduced in the document (“Let R denote real numbers”). Polymorphic commands can be generated by parameterizing the keys (for instance, one parameter value for style, another for a property). User input to can be optionally be serialized. This can useful for typesetting documents sharing the same notation.

URL: <https://ctan.org/pkg/ccool>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ccool>

— *The clistmap package. Map and iterate over L<sup>A</sup>T<sub>E</sub>X3 clists.* 2022-02-08. Version 1.2. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/clistmap>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/clistmap>

— *The erw-13 package. Utilities based on L<sup>A</sup>T<sub>E</sub>X3.* 2022-01-29. Version 4.2. LICENSE: lppl1.3c. Utilities based on L<sup>A</sup>T<sub>E</sub>X3. Highlight: .

URL: <https://ctan.org/pkg/erw-13>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/erw-13>

- *The keyparse package. Key based parser.* 2021-08-20. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/keyparse>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/keyparse>
- *The lambdax package. Use Lambda expression within L<sup>A</sup>T<sub>E</sub>X.* 2021-08-20. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/lambdax>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lambdax>
- Rogard, Erwann. *The oops package. A framework for making definitions, typically mathematical, inline.* 2020-04-16. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/oops>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/oops>
- Rogers, Alan. *The apabst package. Early APA BibTeX style.* 2019-12-27. Version 1.1. LICENSE: other-free. This style has been developed elsewhere, notably as part of a comprehensive supporting typesetting to APA standards.  
 URL: <https://ctan.org/pkg/apabst>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/apa.bst>
- *The bbs package. Bibliography style for Behavioral and Brain Sciences.* 2016-06-24. Version 1.1. LICENSE: nocommercial. The style is derived from in the , adopting further features from ; use with the L<sup>A</sup>T<sub>E</sub>X package that comes with astron.  
 URL: <https://ctan.org/pkg/bbs>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/bbs.bst>
- *The cbe package. Bibliography style for Council of Biology Editors format.* 2016-06-24. Version 1.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cbe>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/cbe.bst>
- *The humanbio package. Bibliography style for "Human Biology".* 2016-06-24. Version 1.1. LICENSE: nocommercial. A style derived from in the bundle, adopting further features from ; use with the L<sup>A</sup>T<sub>E</sub>X package that comes with astron.  
 URL: <https://ctan.org/pkg/humanbio>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/humanbio.bst>
- *The humannat package. Bibliography style for "Human Nature" and "American Anthropologist".* 2016-06-24. Version 1.03. LICENSE: nocommercial. A style derived from in the distribution, adopting further features from ; use with the L<sup>A</sup>T<sub>E</sub>X package that comes with astron.  
 URL: <https://ctan.org/pkg/humannat>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/humannat.bst>
- *The jtb package. BibTeX style for Journal of Theoretical Biology.* 2016-06-24. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/jtb>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/jtb.bst>
- *The PNAS 2009 package. BibTeX style for PNAS (newer version).* 2016-06-24. Version 1.0. LICENSE: other-free. This style produces bibliographies in the format of "Proceedings of the National Academy of Sciences, USA". The style was derived from the standard and adapted to the new (2009) formatting rules.  
 URL: <https://ctan.org/pkg/pnas2009>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/pnas2009.bst>
- *The PNAS package. BibTeX style for PNAS (old version).* 2016-06-24. Version 1.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/pnas>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/pnas.bst>
- Rohner, M. *The fig2sty package. Use fig as layout designer for L<sup>A</sup>T<sub>E</sub>X.* 2023-08-23. Version 0.1. LICENSE: other-free  
 URL: <https://ctan.org/pkg/fig2sty>
- Rokicki, Tom and Nelson H. F. Beebe. *The epsf package. Simple macros for EPS inclusion.* 2016-06-24. Version 2.7.4. LICENSE: pd  
 URL: <https://ctan.org/pkg/epsf>  
 MIRROR: <https://mirror.ctan.org/macros/generic/epsf>
- Rokicki, Tom and Karl Berry. *The dvipsk package. Convert DVI to PostScript.* 2021-08-26. LICENSE: other-free  
 URL: <https://ctan.org/pkg/dvipsk>
- Rokicki, Tom and The T<sub>E</sub>X Live Team. *The dvips package. A DVI to PostScript driver.* 2021-08-26. LICENSE: other-free  
 URL: <https://ctan.org/pkg/dvips>
- *The pkware package. Utility programs for use with PK bitmap fonts.* 2020-04-26. LICENSE: pd  
 URL: <https://ctan.org/pkg/pkware>  
 MIRROR: <https://mirror.ctan.org/systems/stanford/pkware>

- Rokicki, Tom, Esteban Zimanyi, and The T<sub>E</sub>X Live Team. *The dvi<sub>dv</sub>i package. Convert one DVI file into another.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/dvi<sub>dv</sub>i>  
 MIRROR: <https://mirror.ctan.org/dviware/dvi<sub>dv</sub>i>
- Rolland, Christian. *The babel-breton package. Babel contributed support for Breton.* 2016-06-24. Version 1.0h. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-breton>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/breton>
- Romanenko, Alex. *The visualtex package. A T<sub>E</sub>X-oriented visual editor for Windows platforms.* 2017-04-18. Version 3.99. LICENSE: gpl  
 URL: <https://ctan.org/pkg/visualtex>  
 MIRROR: <https://mirror.ctan.org/systems/win32/visualtex>
- Romer, Linus. *The bezierplot package. Approximate smooth function graphs with cubic bezier splines for use with TikZ or MetaPost.* 2019-06-18. Version 1.4. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/bezierplot>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/bezierplot>
- *The fetamont package. Extended version of Knuth’s logo typeface.* 2017-04-15. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fetamont>  
 MIRROR: <https://mirror.ctan.org/fonts/fetamont>
  - *The miama package. The Miama Nueva handwriting font with L<sup>A</sup>T<sub>E</sub>X support.* 2019-06-18. Version 1.1. LICENSE: ofl,lppl1.3  
 URL: <https://ctan.org/pkg/miama>  
 MIRROR: <https://mirror.ctan.org/fonts/miama>
- Römer, Christine. *The studies-lm package. An interactive L<sup>A</sup>T<sub>E</sub>X course for students.* 2019-06-21. LICENSE: nosource  
 URL: <https://ctan.org/pkg/studies-lm>  
 MIRROR: <https://mirror.ctan.org/info/german/studies-lm>
- *The translation-biblatex-de package. German translation of the User Guide for BibLaTeX.* 2021-05-28. Version 3.15b. LICENSE: lppl. A German translation of the User Guide for .  
 URL: <https://ctan.org/pkg/translation-biblatex-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/biblatex/de>
  - *The translation-footmisc-de package. A German translation of the documentation of footmisc.* 2016-06-24. Version 1. LICENSE: lppl. A German translation of the documentation of .  
 URL: <https://ctan.org/pkg/translation-footmisc-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/footmisc/de>
  - *The translation-pst-jtree-de package. A German translation of the documentation of pst-jtree.* 2016-06-24. Version 1. LICENSE: lppl. The package provides a German translation of the documentation of  
 URL: <https://ctan.org/pkg/translation-pst-jtree-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/pst-jtree/de>
- Römer, Christine and Ronny Berndt. *The translation-filecontents-de package. German version of filecontents.* 2016-06-24. LICENSE: lppl. This is a “translation” of the documentation.  
 URL: <https://ctan.org/pkg/translation-filecontents-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/filecontents/de>
- Römer, Christine and Matthias Biniok. *The translation-moreverb-de package. German version of moreverb.* 2016-06-24. LICENSE: lppl. This is a “translation” of the documentation.  
 URL: <https://ctan.org/pkg/translation-moreverb-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/moreverb/de>
- Römer, Christine and Susanne Fischer. *The translation-europecv-de package. German version of europecv.* 2016-06-24. LICENSE: lppl. This is a “translation” of the documentation.  
 URL: <https://ctan.org/pkg/translation-europecv-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/europecv/de>
- Römer, Christine and Ilona Gessinger. *The translation-arsclassica-de package. German version of arsclassica.* 2016-06-24. LICENSE: lppl. This is a “translation” of the documentation.  
 URL: <https://ctan.org/pkg/translation-arsclassica-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/arsclassica/de>
- Römer, Christine and Sandro Heuke. *The translation-chemsym-de package. German version of chemsym.* 2016-06-24. LICENSE: lppl. This is a “translation” of the documentation.  
 URL: <https://ctan.org/pkg/translation-chemsym-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/chemsym/de>



- Römer, Christine and Thomas Manderla. *The booktabs-de package. German version of booktabs*. 2020-08-29. Version 1.61803. LICENSE: gpl. This is a “translation” of the .  
 URL: <https://ctan.org/pkg/booktabs-de>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/booktabs-de>
- Römer, Christine and Katrin Vogel. *The translation-ecv-de package. Ecv documentation, in German*. 2016-06-24. LICENSE: lppl. This is a “translation” of the documentation.  
 URL: <https://ctan.org/pkg/translation-ecv-de>  
 MIRROR: <https://mirror.ctan.org/info/translations/ecv/de>
- Roncaglia, Federico. *The cuprum package. Cuprum font family support for L<sup>A</sup>T<sub>E</sub>X*. 2019-02-05. LICENSE: ofl. This package provides support for the Cuprum font family (see ).  
 URL: <https://ctan.org/pkg/cuprum>  
 MIRROR: <https://mirror.ctan.org/fonts/cuprum>
- Rooijackers, Luc and Klaus Georg Barthelmann. *The rail package. Syntax specification in EBNF*. 2016-06-24. Version 1.2. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/rail>  
 MIRROR: <https://mirror.ctan.org/support/rail>
- Rose, Flavio. *The dvi2ln3 package. LN03 driver based on DVItyp*e. 2018-01-06. Version 9. LICENSE: noinfo. A development of , in VAX C, for VMS or Ultrix DVI output to LN03 printers.  
 URL: <https://ctan.org/pkg/dvi2ln3>  
 MIRROR: <https://mirror.ctan.org/dviware/ln03/rose>
- Rose, Kristoffer H. *The qsymbols package. Maths symbol abbreviations*. 2016-06-24. LICENSE: gpl. Provides macros for defining systematic mnemonic abbreviations, starting with for math symbols and for arrows, using standard symbols as well as those from the bundle and the package.  
 URL: <https://ctan.org/pkg/qsymbols>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/qsymbols>
- *The rcs-pln package. RCS data in Plain T<sub>E</sub>X documents*. 2016-06-24. LICENSE: noinfo. Provides commands and which take -delimited RCS entries; these set up commands and for use in the document. Also provides a command.  
 URL: <https://ctan.org/pkg/rcs-pln>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/rcs.tex>
- Rose, Kristoffer H. and Ross Moore. *The xymatrix package. Commutative diagrams using XY-pic*. 2016-06-24. Version 3.4. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/xymatrix>  
 MIRROR: <https://mirror.ctan.org/macros/generic/diagrams/xypic/texinputs/xymatrix.tex>
- *The xypic package. Flexible diagramming macros*. 2021-08-26. Version 3.8.9. LICENSE: gpl  
 URL: <https://ctan.org/pkg/xypic>  
 MIRROR: <https://mirror.ctan.org/macros/generic/diagrams/xypic>
- Rosenau, Malte. *The ethiop-t1 package. Type 1 versions of Amharic fonts*. 2016-06-24. LICENSE: gpl. These fonts are drop-in Adobe type 1 replacements for the fonts of the package.  
 URL: <https://ctan.org/pkg/ethiop-t1>  
 MIRROR: <https://mirror.ctan.org/fonts/ps-type1/ethiop>
- Rosenau, Malte, Ulrich Dirr, and Walter A. Schmidt. *The bera package. Bera fonts*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/bera>  
 MIRROR: <https://mirror.ctan.org/fonts/bera>
- Rosenberger, Johannes. *The wsemclassic package. L<sup>A</sup>T<sub>E</sub>X class for Bavarian school w-seminar papers*. 2017-04-18. Version 1.0.1. LICENSE: BSD  
 URL: <https://ctan.org/pkg/wsemclassic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wsemclassic>
- Rosmorduc, Serge. *The coptic package. Coptic Fonts*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/coptic>  
 MIRROR: <https://mirror.ctan.org/language/coptic/rosmorduc>
- *The hieroglyph package. Hieroglyph fonts and other support*. 2018-01-06. Version 3.5. LICENSE: gpl. HieroTeX is a system for typesetting ancient Egyptian hieroglyphs. It contains a hieroglyphic font, a number of style files, and a helper program in C called which allows one to type hieroglyphic texts using the ‘manuel de codage’, which is the current standard for encoding ancient Egyptian. The fonts in the base system are distributed as Metafont source, but Adobe type 1 versions are also provided.  
 URL: <https://ctan.org/pkg/hieroglyph>  
 MIRROR: <https://mirror.ctan.org/fonts/hieroglyph>

- Rossberg, Marcus. *The grundgesetze package. Typeset Frege's Grundgesetze der Arithmetik*. 2021-04-26. Version 1.03. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/grundgesetze>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grundgesetze>
- Rossel, Jost. *The byo-twemojis package. "Build Your Own Twemojis" with TikZ*. 2021-04-24. Version 1.0. LICENSE: cc-by-4,lppl1.3. This package provides the means to create your own emojis (the simple, round, and mostly yellow ones) from elements of existing emojis. The provided command creates a picture from the stated elements with multiple possibilities to modify the result in color and position.  
 URL: <https://ctan.org/pkg/byo-twemojis>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/byo-twemojis>
- *The twemojis package. Use Twitter's open source emojis through L<sup>A</sup>T<sub>E</sub>X commands*. 2022-04-06. Version 1.3.1 (twemoji v14.0.1). LICENSE: lppl1.3,cc-by-4. This package provides a simple wrapper which allows to use Twitter's open source emojis through L<sup>A</sup>T<sub>E</sub>X commands. This relies on images, so no fancy unicode-font stuff is needed and it work on every installation.  
 URL: <https://ctan.org/pkg/twemojis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/twemojis>
- Roth, Mark. *The buscard package. A document style for business cards*. 2016-06-24. Version 1.5. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/buscard>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/buscard.sty>
- *The memo209 package. A memo document style*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/memo209>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/memo>
- Roth, Sascha. *The harveyballs package. Create Harvey Balls using TikZ*. 2016-06-24. Version 1.1. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/harveyballs>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/harveyballs>
- Roucariès, Bastien. *The footmisx package. A range of footnote options*. 2016-12-06. Version 20161201. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/footmisx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/footmisx>
- Rouquette, Maïeul. *The biblatex-anonymous package. A tool to manage anonymous work with BibLaTeX*. 2018-09-02. Version 2.6.2. LICENSE: lppl1.3. The package provides tools to help manage anonymous work with . It will be useful, for example, in history or classical philology.  
 URL: <https://ctan.org/pkg/biblatex-anonymous>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-anonymous>
- *The biblatex-bookinarticle package. Manage book edited in article*. 2017-04-18. Version 1.3.1a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-bookinarticle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-bookinarticle>
  - *The biblatex-bookinother package. Manage book edited in other entry type*. 2020-03-02. Version 2.3.3. LICENSE: lppl1.3. This package provides new BibL<sup>A</sup>T<sub>E</sub>X entry types and fields for book edited in other types, like for instance . It offers more types than the older package which it superseeds.  
 URL: <https://ctan.org/pkg/biblatex-bookinother>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-bookinother>
  - *The biblatex-claves package. A tool to manage claves of old litterature with BibLaTeX*. 2017-11-19. Version 1.2.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-claves>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-claves>
  - *The biblatex-manuscripts-philology package. Manage classical manuscripts with BibLaTeX*. 2023-05-01. Version 2.1.4. LICENSE: lppl1.3. The package adds a new entry type: to manage manuscript in classical philology, for example to prepare a critical edition.  
 URL: <https://ctan.org/pkg/biblatex-manuscripts-philology>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-manuscripts-philology>
  - *The biblatex-morenames package. New names for standard BibL<sup>A</sup>T<sub>E</sub>X entry type*. 2017-04-18. Version 1.3.1. LICENSE: lppl1.3. This package adds new fields of "name" type to the standard entry types of BibLaTeX. For example:  
 URL: <https://ctan.org/pkg/biblatex-morenames>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-morenames>
  - *The biblatex-multiple-dm package. Load multiple datamodels in BibLaTeX*. 2016-06-24. Version 1.0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-multiple-dm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-multiple-dm>
  - *The biblatex-opcit-booktitle package. Use op. cit. for the booktitle of a subentry*. 2018-10-24. Version 1.9.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-opcit-booktitle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-opcit-booktitle>

- *The biblatex-reauthor package*. Indicate the real author of a work. 2017-11-20. Version 2.7.1a. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/biblatex-reauthor>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-reauthor>
- *The biblatex-shortfields package*. Use short forms of fields with BibLaTeX. 2017-11-19. Version 1.0.1. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/biblatex-shortfields>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-shortfields>
- Rouquette, Maïeul. *The biblatex-source-division package*. References by “division” in classical sources. 2017-09-21. Version 2.4.2. LICENSE: lpl1.3. The package enables the user to make reference to “division marks” (such as , , ), in the document being referenced, in addition to the page-based references that BibTeX-based citations have always had. The citation is made in the same way as the L<sup>A</sup>T<sub>E</sub>X standard, but what’s inside the square brackets may include the “division” specification, as in  
URL: <https://ctan.org/pkg/biblatex-source-division>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-source-division>
- *The biblatex-subseries package*. Manages subseries with BibLaTeX. 2017-04-18. Version 1.2.0. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/biblatex-subseries>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-subseries>
- *The biblatex-true-citepages-omit package*. Correction of some limitation of the citepages=omit option of BibL<sup>A</sup>T<sub>E</sub>X styles. 2017-06-20. Version 2.0.0. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/biblatex-true-citepages-omit>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-true-citepages-omit>
- *The eledform package*. Define textual variants. 2017-04-18. Version 1.1a. LICENSE: lpl1.3. The package provides commands to formalize textual variants in critical editions typeset using .  
URL: <https://ctan.org/pkg/eledform>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eledform>
- *The eledmac package*. Typeset scholarly editions. 2017-09-25. Version 1.24.12. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/eledmac>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eledmac>
- *The eledpar package*. Typeset scholarly editions in parallel texts. 2016-06-24. Version 1.17.1. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/eledpar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eledmac>
- *The handout package*. Create handout for auditors of a talk. 2017-04-21. Version 1.6.0. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/handout>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/handout>
- *The hook-pre-commit-pkg package*. Pre-commit git hook for L<sup>A</sup>T<sub>E</sub>X package developpers. 2017-04-18. Version 1.1.2. LICENSE: gpl3  
URL: <https://ctan.org/pkg/hook-pre-commit-pkg>  
MIRROR: <https://mirror.ctan.org/support/hook-pre-commit-pkg>
- *The indextools package*. Producing multiple indices. 2016-06-24. Version 1.5.1. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/indextools>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/indextools>
- *The latex-sciences-humaines package*. (Xe)L<sup>A</sup>T<sub>E</sub>X Appliqué aux sciences humaines. 2016-06-24. LICENSE: nosource  
URL: <https://ctan.org/pkg/latex-sciences-humaines>  
MIRROR: <https://mirror.ctan.org/info/latex-sciences-humaines.pdf>
- *The reledmac package*. Typeset scholarly editions. 2023-08-21. Version 2.39.7. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/reledmac>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/reledmac>
- *The reledpar package*. Typeset scholarly editions in parallel texts. 2023-07-20. Version 2.25.5. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/reledpar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/reledmac>
- *The tlg2latex package*. Prepare L<sup>A</sup>T<sub>E</sub>X from the Thesaurus Linguae Graecae. 2016-06-24. Version 2.6.0. LICENSE: gpl3  
URL: <https://ctan.org/pkg/tlg2latex>  
MIRROR: <https://mirror.ctan.org/support/tlg2latex>
- Rouquette, Maïeul, Joël Gombin, and Étienne Deparis. *The facture package*. Generate an invoice. 2023-07-03. Version 1.3. LICENSE: cc-by-sa-2  
URL: <https://ctan.org/pkg/facture>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/facture>
- Rouquette, Maïeul and Raphaël Pinson. *The bibleref-french package*. French translations for bibleref. 2019-12-14. Version 2.3.3. LICENSE: lpl1.3. The package provides translations and alternative typesetting conventions for use of in French.

- URL: <https://ctan.org/pkg/bibleref-french>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibleref-french>
- Rourke, Colin. *The pinlabel package. A T<sub>E</sub>X labelling package*. 2016-06-24. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/pinlabel>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pinlabel>
- Rourke, Colin. *The rlepsz package. Rewrite labels in EPS graphics*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/rlepsz>  
MIRROR: <https://mirror.ctan.org/macros/generic/rlepsz>
- Rousseaux, Emmanuel. *The gsemthesis package. Geneva School of Economics and Management PhD thesis format*. 2020-09-01. Version 0.9.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/gsemthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gsemthesis>
- Roux, Élie, Philipp Gesang, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The lualibs package. Additional Lua functions for LuaT<sub>E</sub>X macro programmers*. 2023-08-20. Version 2.76. LICENSE: gpl2  
URL: <https://ctan.org/pkg/lualibs>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/lualibs>
- Roux, Élie, Khaled Hosny, Manuel Pégourié-Gonnard, Will Robertson, Philipp Gesang, The L<sup>A</sup>T<sub>E</sub>X Project Team, Ulrike Fischer, and Marcel Krüger. *The luaotfload package. OpenType ‘loader’ for Plain T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X*. 2023-08-31. Version 3.26. LICENSE: gpl2  
URL: <https://ctan.org/pkg/luaotfload>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/luaotfload>
- Roux, Élie and Manuel Pégourié-Gonnard. *The luainputenc package. Replacing inputenc for use in LuaT<sub>E</sub>X*. 2017-04-18. Version 0.973. LICENSE: pd  
URL: <https://ctan.org/pkg/luainputenc>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luainputenc>
- *The luatextra package. Additional macros for Plain T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X in LuaT<sub>E</sub>X*. 2017-04-18. Version 1.0.1. LICENSE: pd  
URL: <https://ctan.org/pkg/luatextra>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luatextra>
- Roux, Élie, Henry So, and Fr. Samuel Springuel. *The gregoriotex package. Engraving Gregorian Chant scores*. 2021-03-13. Version 6.0.0. LICENSE: gpl3  
URL: <https://ctan.org/pkg/gregoriotex>  
MIRROR: <https://mirror.ctan.org/support/gregoriotex>
- Rovner, Marc David. *The bit2spr package. Convert bitmaps to “sprites”*. 2016-06-24. LICENSE: noinfo. This simple program converts bitmaps in X-bitmap format to the format used by the package.  
URL: <https://ctan.org/pkg/bit2spr>  
MIRROR: <https://mirror.ctan.org/graphics/bit2spr>
- Rowlett, Peter. *The customdice package. Simple commands for drawing customisable dice*. 2022-08-12. Version 1.1. LICENSE: cc-by-sa-4. The package for L<sup>A</sup>T<sub>E</sub>X, LuaL<sup>A</sup>T<sub>E</sub>X and XeT<sub>E</sub>X that provides functionality for drawing dice. The aim is to provide highly-customisable but simple-to-use commands, allowing:  
URL: <https://ctan.org/pkg/customdice>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/customdice>
- *The nimsticks package. Draws sticks for games of multi-pile Nim*. 2022-08-14. Version 2.0.1. LICENSE: mit. This L<sup>A</sup>T<sub>E</sub>X package provides commands to draw a single nim stick and which represents games of multi-pile Nim. Nim sticks are drawn with a little random wobble so they look ‘thrown together’ and not too regular. The package also provides options to customise the size and colour of the sticks, and flexibility to draw heaps of different objects.  
URL: <https://ctan.org/pkg/nimsticks>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/nimsticks>
- Rowlett, Peter and Chris Sangwin. *The hexboard package. For drawing Hex boards and games*. 2022-02-23. Version 1.0. LICENSE: cc-by-sa-4  
URL: <https://ctan.org/pkg/hexboard>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/hexboard>
- Rowley, Chris, Dominik Wujastyk, and Bradley Smith. *The fnpara package. Footnotes in paragraphs*. 2016-06-24. LICENSE: lppl1.3. Typeset footnotes in run-on paragraphs, instead of one above another; this is a re-seating, for the L<sup>A</sup>T<sub>E</sub>X environment, of an example in the T<sub>E</sub>Xbook. The same basic code, improved for use in -based L<sup>A</sup>T<sub>E</sub>X, appears in the comprehensive footnote package , and superior versions are also available in the and packages.  
URL: <https://ctan.org/pkg/fnpara>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fnpara>



- Roy, Y. *The frenchponct package. Implement French-style spacing at punctuation*. 2016-06-24. LICENSE: noinfo. The package represents an early instance of the (now common) active-character technique of inserting space in front of the punctuation characters.  
 URL: <https://ctan.org/pkg/frenchponct>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/frenchponct.sty>
- Royal Astronomical Society, Nadine Thompson, and Kim Clube. *The mnras package. Monthly Notices of the Royal Astronomical Society*. 2020-07-02. Version 3.1. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/mnras>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mnras>
- Rozhenko, Alexander I. *The afterpackage package. Add commands to package after it's loaded*. 2018-07-03. Version 1.1. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/afterpackage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
- *The dcounter package. Support dynamic counters*. 2018-07-03. Version 1.2. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/dcounter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The desclist package. Extended “description” lists*. 2018-07-03. Version 1.1. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/desclist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The extdash package. A range of dash commands for compound words*. 2018-07-03. Version 1.3. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/extdash>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The manyfoot package. Adds footnote levels to standard L<sup>A</sup>T<sub>E</sub>X’s footnote mechanism*. 2019-08-03. Version 1.11. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/manyfoot>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The mboxfill package. Fill free space with a pattern*. 2018-07-03. Version 1.0. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/mboxfill>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The NCC-LaTeX package. An extended general-purpose class*. 2016-06-24. Version 1.5. LICENSE: lpp1. The ncc class provides a framework for a common class to replace the standard article, book and report classes, and providing a “preprint” class. The class’s extensions are provided in a number of small packages, some of which may also be used with the standard classes. The ncclatex package also loads many of the packages of, and requires the latest version of the bundle.  
 URL: <https://ctan.org/pkg/ncclatex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncclatex>
  - *The nccbbb package. “Poor man’s” blackboard bold*. 2018-07-03. Version 1.1. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/nccbbb>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The nccboxes package. Elaborate box commands*. 2018-07-03. Version 1.2. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/nccboxes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The ncccomma package. Use comma as decimal separator in mathematics*. 2018-07-03. Version 1.0. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/ncccomma>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The ncccropbox package. Crop-marked boxes*. 2018-07-03. Version 1.1. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/ncccropbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The ncccropmark package. Draw cropmarks on the output page*. 2018-07-03. Version 1.1. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/ncccropmark>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The nccfancyhdr package. Extensive control of page headers and footers*. 2018-07-03. Version 1.1. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/nccfancyhdr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The nccfloats package. Extensions of the L<sup>A</sup>T<sub>E</sub>X float mechanisms*. 2018-07-03. Version 1.2. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/nccfloats>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>
  - *The nccfoots package. User-generated footnote marks*. 2018-07-03. Version 1.2. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/nccfoots>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ncctools>



- *The nccmath package. Extended mathematics capabilities.* 2018-07-03. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/nccmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- Rozhenko, Alexander I. *The nccparskip package. Modify skips between paragraphs.* 2018-07-03. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/nccparskip>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- *The nccpic package. Extend the graphicx package for more formats.* 2018-09-15. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/nccpic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- *The nccrules package. Compose dashed lines.* 2018-07-03. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/nccrules>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- *The nccsect package. A re-implementation of sections, captions and tocs.* 2018-07-03. Version 1.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/nccsect>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- *The nccstretch package. Insert a stretch between each token of a string.* 2018-07-03. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/nccstretch>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- *The nccthm package. Another theorem environment.* 2018-07-03. Version 1.1. LICENSE: lppl. This package’s theorems have two distinguishing characteristics. First, theorem numbering uses dynamic counters (specified by using the package, which gives the user considerable flexibility in counting styles. Second, the environment isn’t defined as a trivlist (as L<sup>A</sup>T<sub>E</sub>X theorems are), which gives extra flexibility in using the environment. In addition, parameter definition is explicit and well-organised, and there is a QED-symbol-placing command.  
 URL: <https://ctan.org/pkg/nccthm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- *The ncctools package. A collection of general packages for L<sup>A</sup>T<sub>E</sub>X.* 2019-08-03. Version 3.5.3. LICENSE: lppl. The NCCtools bundle contains many packages for general use under L<sup>A</sup>T<sub>E</sub>X; many are also used by . The bundle includes tools for:  
 URL: <https://ctan.org/pkg/ncctools>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- *The textarea package. Control the text area dynamically.* 2018-07-03. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/textarea>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- *The tocenter package. Centring (and other) Page Layout.* 2018-07-03. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tocenter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- *The topsection package. An un-numbered top level section.* 2018-07-03. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/topsection>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- *The watermark package. Draw “watermarks” on the output page.* 2018-07-03. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/watermark>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nccmath>
- Rubin, Paul A. *The decsci package. BibTeX style for the journal Decision Sciences.* 2016-06-24. LICENSE: lppl. Generated by .  
 URL: <https://ctan.org/pkg/decsci>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/decsci.bst>
- Ruckert, Martin. *The hitex package. A T<sub>E</sub>X extension writing HINT output for on-screen reading.* 2023-04-20. LICENSE: x11  
 URL: <https://ctan.org/pkg/hitex>
- *The hitex-def package. Support files for HiTeX.* 2023-04-28. LICENSE: lppl1.3,x11  
 URL: <https://ctan.org/pkg/hitex-def>  
 MIRROR: <https://mirror.ctan.org/macros/generic/hitex-def>
- *The web2w package. Converting T<sub>E</sub>X from WEB to cweb.* 2019-06-21. Version 0.4. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/web2w>  
 MIRROR: <https://mirror.ctan.org/web/web2w>
- Ruedas, Thomas. *The xtrcode package. Extract contents of L<sup>A</sup>T<sub>E</sub>X environments.* 2016-06-18. Version 0.02. LICENSE: gpl  
 URL: <https://ctan.org/pkg/xtrcode>  
 MIRROR: <https://mirror.ctan.org/support/xtrcode>

- Ruedas, Thomas and Keiran Harcombe. *The texdoctk package. Easy access to package documentation*. 2021-06-10. Version 0.6.0. LICENSE: gpl  
URL: <https://ctan.org/pkg/texdoctk>
- Ruiz, Alejandro Garces. *The bloques package. Generate control diagrams*. 2016-06-24. Version 1.0. LICENSE: lpl1.3. The package uses to provide commands for generating control diagrams (specially in power electronics).  
URL: <https://ctan.org/pkg/bloques>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/bloques>
- Ruland, Kevin. *The prettyref package. Make label references "self-identify"*. 2018-01-06. Version 3.0. LICENSE: pd. Prettyref provides a command , which specifies the way in which a reference is typeset, according to a label "identification". The identification is set in the command, by using prefixed label names; so instead of , one uses , and prettyref interprets the "" part. The package is compatible with and with other packages.  
URL: <https://ctan.org/pkg/prettyref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/prettyref>
- Rumpf, Adam. *The apalike-ejor package. A BibTeX style file for the European Journal of Operational Research*. 2021-06-21. Version 1.2.0. LICENSE: lpl1.3c. This package contains a BibTeX style file, , made to follow the European Journal of Operational Research reference style guidelines. It is a fork of version 0.99a, by Oren Patashnik, and consists of minor modifications of standard APA style. Among other changes it adds support for hyperlinked URL and DOI fields (which requires ).  
URL: <https://ctan.org/pkg/apalike-ejor>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/apalike-ejor>
- Rupprecht, Rainer. *The tex-kurs package. A L<sup>A</sup>T<sub>E</sub>X (2.09) course in German*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/tex-kurs>  
MIRROR: <https://mirror.ctan.org/info/german/tex-kurs>
- Rutenberg, Guy. *The Sikumuna package. Lyx template for Hebrew article format*. 2016-06-24. Version 1.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/sikumuna>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lyx/sikumuna>
- Ruzyczka, Jacek. *The texlogos package. Ready-to-use L<sup>A</sup>T<sub>E</sub>X logos*. 2016-06-24. Version 1.3.1. LICENSE: lpl  
URL: <https://ctan.org/pkg/texlogos>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/texlogos/texlogos.sty>
- Ryabov, Denis. *The rmathbr package. Repeating of math operator at the broken line and the new line in inline equations*. 2020-12-18. Version 1.1.1. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/rmathbr>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rmathbr>
- Rynning, Jan Michael. *The sehyph package. Hyphenation patterns for Swedish*. 2016-06-18. Version 1.0. LICENSE: lpl  
URL: <https://ctan.org/pkg/sehyph>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/sehyph.tex>
- Ryu, Young. *The pxfonts package. Palatino-like fonts in support of mathematics*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/pxfonts>  
MIRROR: <https://mirror.ctan.org/fonts/pxfonts>
- *The theapa package. APA (American Psychology Association) Reference Citation for L<sup>A</sup>T<sub>E</sub>X*. 2019-12-27. Version 2.5.1. LICENSE: noinfo. Certainly related to the same author's citation package, but the actual relationship isn't entirely clear.  
URL: <https://ctan.org/pkg/theapa>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/theapa>
- *The txfonts package. Times-like fonts in support of mathematics*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/txfonts>  
MIRROR: <https://mirror.ctan.org/fonts/txfonts>
- Saar, Enn. *The eehyph package. Hyphenation patterns for the Estonian language*. 2016-12-28. LICENSE: lpl,mit  
URL: <https://ctan.org/pkg/eehyph>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/eehyph.tex>
- Saba, Diego. *The tabularew package. A variation on the tabular environment*. 2016-06-24. Version 0.1. LICENSE: lpl  
URL: <https://ctan.org/pkg/tabularew>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabularew>
- Sachs, Christian. *The luaimageembed package. Embed images as base64-encoded strings*. 2019-05-01. Version 0.1. LICENSE: mit  
URL: <https://ctan.org/pkg/luaimageembed>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luaimageembed>

Saint-Pern, Yves de. *The droit-fr package. Document class and bibliographic style for French law*. 2016-07-05. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/droit-fr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/droit-fr>

Šakuras, Edgaras, Eimantas Gumbakis, and Djalil Chafai. *The ejpecp package. Class for EJP and ECP*. 2021-11-04. Version 1.11.3. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/ejpecp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ejpecp>

Salamon, Adrian. *The tikzcodeblocks package. Helps to draw codeblocks like scratch, NEPO and PXT in TikZ*. 2020-04-06. Version 0.13. LICENSE: lppl1.3c. is a L<sup>A</sup>T<sub>E</sub>X package for typesetting blockwise graphic programming languages like scratch, nepo or pxt.  
 URL: <https://ctan.org/pkg/tikzcodeblocks>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzcodeblocks>

Salimi, behzad. *The sslides package. Slides with headers and footers*. 2016-06-24. LICENSE: lppl1.3. The class provides a variant of the L<sup>A</sup>T<sub>E</sub>X standard class, in which the user may add headers and footers to the slide.  
 URL: <https://ctan.org/pkg/sslides>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sslides>

Salomon, Joel C. *The xpeek package. Define commands that peek ahead in the input stream*. 2021-08-26. Version 0.2. LICENSE: lppl1.3. The package provides tools to help define commands that, like and the L<sup>A</sup>T<sub>E</sub>X command , peek at what follows them in the command stream and choose appropriate behaviour.  
 URL: <https://ctan.org/pkg/xpeek>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xpeek>

Saludes, Jordi. *The knst package. Multiple-guess tests*. 2021-08-26. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/knst>  
 MIRROR: <https://mirror.ctan.org/macros/generic/knst>

Salvato-Vallverdu, Germain. *The tikzorbital package. Atomic and molecular orbitals using TikZ*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tikzorbital>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzorbital>

Salzer, Gernot and Federico Garcia-De Castro. *The subfiles package. Individual typesetting of subfiles of a “main” document*. 2020-11-15. Version 2.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/subfiles>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/subfiles>

Samarin, Alexander and Nana Glonti. *The scyrillic package. A family of cyrillic fonts*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/scyrillic>  
 MIRROR: <https://mirror.ctan.org/fonts/cyrillic/scyrillic>

Sandmann, Søren. *The scale package. Scale document by sqrt(2) or magstep(2)*. 2016-06-24. Version 1.1.2. LICENSE: gpl. A package to scale a document by sqrt(2) (or by ). This is useful if you are preparing a document on, for example, A5 paper and want to print on A4 paper to achieve a better resolution.  
 URL: <https://ctan.org/pkg/scale>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scale>

Sank, Daniel Thomas. *The modular package. Relative section headings for modular documents*. 2017-06-05. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/modular>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/modular>

Santos, Isabelle M. *The TikZ-planets package. Illustrate celestial mechanics and the solar system*. 2020-04-19. Version 1.0.2. LICENSE: cc-by-sa-4  
 URL: <https://ctan.org/pkg/tikz-planets>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-planets>

Santos, Vitor. *The kinematikz package. Design kinematic chains and mechanisms*. 2021-09-11. Version 1.0. LICENSE: lppl1.3,gpl  
 URL: <https://ctan.org/pkg/kinematikz>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/kinematikz>

Saparamadu, Vasantha. *The sinhala package. Support for the Sinhala language*. 2020-03-09. Version 2.1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/sinhala>  
 MIRROR: <https://mirror.ctan.org/language/sinhala>

Sartori, Alberto and David Lichti. *The embedall package. Embed source files into the generated PDF*. 2019-05-20. Version 2.0. LICENSE: lppl1.2. The package provides a means of storing a project, without losing anything. It uses the package to attach to the generated PDF all files used in creating your project. In particular, it can embed images, external T<sub>E</sub>X files, external codes and

URL: <https://ctan.org/pkg/embedall>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/embedall>

Sathyam, Ujwal and Scott A. Prahl. *The rtf2latex2e package. Convert Rich Text Format (RTF) files to L<sup>A</sup>T<sub>E</sub>X2e*. 2016-06-24. Version 2.0.1. LICENSE: gpl. The package converts Rich Text Format (RTF) files to L<sup>A</sup>T<sub>E</sub>X2e, saving any image files it finds. Visual formatting, such as ruler positions, tabs, paragraph indentations, etc., is ignored. Users should expect the L<sup>A</sup>T<sub>E</sub>X output to need some manual editing; the result is a reproduction of what you see on the WYSIWYG screen.  
URL: <https://ctan.org/pkg/rtf2latex2e>  
MIRROR: <https://mirror.ctan.org/support/rtf2latex2e>

Satrapa, Pavel. *The latex-pro-pragmatiky package. L<sup>A</sup>T<sub>E</sub>X for pragmatists*. 2016-06-24. Version 1.1. LICENSE: other-free  
URL: <https://ctan.org/pkg/latex-pro-pragmatiky>  
MIRROR: <https://mirror.ctan.org/info/czech/latex-pro-pragmatiky>

Saudrais, Eddie. *The esdiff package. Simplify typesetting of derivatives*. 2020-02-11. Version 1.2. LICENSE: lppl1  
URL: <https://ctan.org/pkg/esdiff>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/esdiff>

— *The esint package. Extended set of integrals for Computer Modern*. 2019-08-28. Version 1.2d. LICENSE: lppl  
URL: <https://ctan.org/pkg/esint>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/esint>

— *The esvect package. Vector arrows*. 2016-06-24. Version 1.3. LICENSE: gpl  
URL: <https://ctan.org/pkg/esvect>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/esvect>

Sauer, Jonathan. *The collect package. Collect text for later re-use*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/collect>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sauerj>

— *The metainfo package. Typeset document outline with metainfo*. 2016-06-24. Version 0.9.1. LICENSE: lppl. The package picks up T<sub>E</sub>X comments in document that are structured according to its rules, and typesets them. Operation is (typically in a separate document).  
URL: <https://ctan.org/pkg/metainfo>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sauerj>

— *The optparams package. Macros with multiple optional parameters*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/optparams>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sauerj>

— *The parcolumns package. Multiple column parallel typesetting*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/parcolumns>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sauerj>

— *The processkv package. Process key-value pairs*. 2016-06-24. Version 1.0.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/processkv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sauerj>

— *The sauerj package. A bundle of utilities by Jonathan Sauer*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/sauerj>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sauerj>

— *The zahl2string package. Format numbers as German words*. 2016-06-24. Version 1.2.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/zahl2string>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sauerj>

Sauter, John and Jeroen Nijhof. *The sauter package. Wide range of design sizes for CM fonts*. 2016-06-24. Version 2.4. LICENSE: gpl  
URL: <https://ctan.org/pkg/sauter>  
MIRROR: <https://mirror.ctan.org/fonts/cm/sauter>

Saxena, Sanjeev. *The 2in1 package. Print two pages on a single page*. 2016-06-24. LICENSE: pd  
URL: <https://ctan.org/pkg/twainone>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/twainone>

Scannell, Kevin P. *The gahyph package. Hyphenation patterns for the Irish language*. 2018-10-24. Version 1.0. LICENSE: gpl  
URL: <https://ctan.org/pkg/gahyph>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/gahyph.tex>

Scarso, Luigi and Idris Samawi Hamid. *The npp-for-context package. ConTeXt plugin for Notepad++*. 2023-03-20. Version 0.98. LICENSE: noinfo  
URL: <https://ctan.org/pkg/npp-for-context>  
MIRROR: <https://mirror.ctan.org/support/npp-for-context>

- Scavino, Marco and Ezio Aimé. *The ecgdraw package. Draws electrocardiograms (ECG)*. 2018-01-07. Version 0.1. LICENSE: lppl1.3. This package provides the command which draws electrocardiograms (ECG). The `<code>` represents a series of abbreviations which allow to draw different types of wave.  
 URL: <https://ctan.org/pkg/ecgdraw>  
 MIRROR: <https://mirror.ctan.org/graphics/ecgdraw>
- Schaa, Volker RW. *The jacow package. A class for submissions to the proceedings of conferences on JACoW.org*. 2022-04-17. Version 2.7. LICENSE: lppl1.3c. The class is used for submissions to the proceedings of conferences on , an international collaboration that publishes the proceedings of accelerator conferences held around the world.  
 URL: <https://ctan.org/pkg/jacow>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jacow>
- Schaber, Spencer D. *The aichej package. Bibliography style file for the AIChE Journal*. 2016-06-24. LICENSE: lppl. The style was generated using , and implements the style of the American Institute of Chemical Engineers Journal (or AIChE Journal or AIChE J or AIChEJ).  
 URL: <https://ctan.org/pkg/aichej>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/aichej.bst>
- Schalück, Elmar. *The loval package. Round-cornered framed boxes*. 2016-06-24. Version 1.1. LICENSE: noinfo. This appears to be an upgrade of the author's package. It certainly performs better than that package; however, it is prone to tedious (and information-free) warning messages.  
 URL: <https://ctan.org/pkg/loval>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/loval>
- *The oval package. Round-cornered framed boxes*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/oval>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/oval>
  - *The window package. Create windows in paragraphs*. 2016-06-24. LICENSE: noinfo. The package defines a command that will insert boxed material at a given position within a paragraph.  
 URL: <https://ctan.org/pkg/window>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/window>
- Schandl, Bernd. *The paralist package. Enumerate and itemize within paragraphs*. 2017-01-22. Version 2.7. LICENSE: lppl  
 URL: <https://ctan.org/pkg/paralist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/paralist>
- Scharrer, Martin. *The adjustbox package. Graphics package-alike macros for "general" boxes*. 2022-10-26. Version 1.3a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/adjustbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/adjustbox>
- *The collcell package. Collect contents of a tabular cell as argument to a macro*. 2022-10-26. Version 0.5. LICENSE: lppl1.3. The package provides macros that collect the content of a cell, and offer them as an argument to a macro. Special care is taken to remove all aligning macros inserted by from the cell content. The macros also work in the last column of a table, but do not support verbatim material inside the cells.  
 URL: <https://ctan.org/pkg/collcell>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/collcell>
  - *The collectbox package. Collect and process macro arguments as boxes*. 2022-10-26. Version 0.4c. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/collectbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/collectbox>
  - *The ctanupload package. Support for users uploading to CTAN*. 2016-06-24. Version 1.2c. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/ctanupload>  
 MIRROR: <https://mirror.ctan.org/support/ctanupload>
  - *The currfile package. Provide file name and path of input files*. 2022-10-10. Version 0.8. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/currfile>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/currfile>
  - *The easyfig package. Simplifying the use of common figures*. 2022-10-26. Version 1.2a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/easyfig>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easyfig>
  - *The filehook package. Hooks for input files*. 2022-10-26. Version 0.8b. LICENSE: lppl1.3c. The package provides several file hooks (, , ...) for files read by , and . General hooks for all such files (e.g. all d ones) and file specific hooks only used for named files are provided; two hooks are provided for the end of d files — one before, and one after the final .  
 URL: <https://ctan.org/pkg/filehook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/filehook>



- Scharrer, Martin. *The filemod package. Provide file modification times, and compare them.* 2022-10-26. Version 1.2. LICENSE: lppl1.3. The package provides macros to read and compare the modification dates of files. The files may be files, images or other files (as long as they can be found by L<sup>A</sup>T<sub>E</sub>X). It uses the primitive of pdfL<sup>A</sup>T<sub>E</sub>X to find the file modification date as PDF date string, parses the string and returns the value to the user. The package will also work for output with recent versions of the L<sup>A</sup>T<sub>E</sub>X compiler which uses pdfL<sup>A</sup>T<sub>E</sub>X in mode. The functionality is provided by purely expandable macros or by faster but non-expandable ones.  
URL: <https://ctan.org/pkg/filemod>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/filemod>
- *The ginc1tex package. Include T<sub>E</sub>X files as graphics (.tex support for \includegraphics).* 2022-10-26. Version 0.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ginc1tex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ginc1tex>
  - *The gobble package. More gobble macros for PlainT<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X.* 2022-10-26. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/gobble>  
MIRROR: <https://mirror.ctan.org/macros/generic/gobble>
  - *The ifoddpage package. Determine if the current page is odd or even.* 2022-10-26. Version 1.2. LICENSE: lppl1.3. The package provides an conditional to determine if the current page is odd or even. The macro must be used direct before to check the page number using a label. Two compiler runs are therefore required to achieve correct results. In addition, the conditional is provided which is also true in onside mode where all pages use the odd page layout.  
URL: <https://ctan.org/pkg/ifoddpage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ifoddpage>
  - *The lstaddons package. Add-on packages for listings: autogobble and line background.* 2022-10-26. Version 0.1. LICENSE: lppl1.3. The bundle contains a small collection of add-on packages for the package. Current packages are:  
URL: <https://ctan.org/pkg/lstaddons>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lstaddons>
  - *The macros2e package. A list of internal L<sup>A</sup>T<sub>E</sub>X2e macros.* 2022-10-26. Version 0.4a. LICENSE: lppl1.3c. This document lists the internal macros defined by the L<sup>A</sup>T<sub>E</sub>X2e base files which can also be useful to package authors. The macros are hyper-linked to their description in . For this to work both PDFs must be inside the same directory. This document is not yet complete in content and format and may miss some macros.  
URL: <https://ctan.org/pkg/macros2e>  
MIRROR: <https://mirror.ctan.org/info/macros2e>
  - *The multienv package. Multiple environments using a “key=value” syntax.* 2022-10-26. Version 1.0. LICENSE: lppl1.3. The package provides a environment which permits easy addition of multiple environments using a syntax. Macros to define environments using this syntax are also provided.  
URL: <https://ctan.org/pkg/multienv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multienv>
  - *The mwe package. Packages and image files for MWEs.* 2022-10-26. Version 0.5. LICENSE: lppl1.3. The bundle provides several files useful when creating a minimal working example (MWE). The package itself loads a small set of packages often used when creating MWEs. In addition, a range of images are provided, which will be installed in the tree, so that they may be used in any (La)T<sub>E</sub>X document. This allows different users to share MWEs which include image commands, without the need to share image files or to use replacement code.  
URL: <https://ctan.org/pkg/mwe>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mwe>
  - *The newverbs package. Define new versions of \verb, including short verb versions.* 2022-10-26. Version 1.6a. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/newverbs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/newverbs>
  - *The rcs-multi package. Typeset RCS version control in multiple-file documents.* 2022-10-26. Version 0.1a. LICENSE: lppl  
URL: <https://ctan.org/pkg/rcs-multi>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rcs-multi>
  - *The realboxes package. Variants of common box-commands that read their content as real box and not as macro argument.* 2022-10-26. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/realboxes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/realboxes>
  - *The standalone package. Compile T<sub>E</sub>X pictures stand-alone or as part of a document.* 2022-10-11. Version 1.3b. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/standalone>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/standalone>

- *The storebox package. Storing information for reuse.* 2022-10-26. Version 1.3a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/storebox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/storebox>
- Scharrer, Martin. *The sty2dtx package. Create a .dtx file from a .sty file.* 2022-10-26. Version 2.4. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/sty2dtx>  
 MIRROR: <https://mirror.ctan.org/support/sty2dtx>
- *The svn-multi package. Subversion keywords in multi-file L<sup>A</sup>T<sub>E</sub>X documents.* 2022-10-26. Version 2.4d. LICENSE: lppl  
 URL: <https://ctan.org/pkg/svn-multi>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/svn-multi>
- *The svn-prov package. Subversion variants of \Provides... macros.* 2022-10-26. Version 3.1862. LICENSE: lppl. The package introduces Subversion variants of the standard L<sup>A</sup>T<sub>E</sub>X macros , and where the file name and date is extracted from Subversion Id keywords. The file name may also be given explicitly as an optional argument.  
 URL: <https://ctan.org/pkg/svn-prov>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/svn-prov>
- *The texdef package. Display the definitions of T<sub>E</sub>X commands.* 2022-10-26. Version 1.9. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/texdef>  
 MIRROR: <https://mirror.ctan.org/support/texdef>
- *The tikz-timing package. Easy generation of timing diagrams as TikZ pictures.* 2022-10-26. Version 0.7f. LICENSE: lppl. This package provides macros and an environment to generate timing diagrams (digital waveforms) without much effort. The package is used to produce the graphics. The diagrams may be inserted into text (paragraphs, , etc.) and into tikzpictures. A tabular-like environment is provided to produce larger timing diagrams.  
 URL: <https://ctan.org/pkg/tikz-timing>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-timing>
- *The tikzpagenodes package. A single TikZ node for the whole page.* 2022-10-26. Version 1.1. LICENSE: lppl. The package provides special PGF/TikZ nodes for the text, marginpar, footer and header area of the current page. They are inspired by the ‘current page’ node defined by itself.  
 URL: <https://ctan.org/pkg/tikzpagenodes>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzpagenodes>
- *The ydoc package. Macros for documentation of L<sup>A</sup>T<sub>E</sub>X classes and packages.* 2022-11-01. Version 0.7alpha. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/ydoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ydoc>
- Schaum, Charles P. *The nameauth package. Name authority mechanism for consistency in body text and index.* 2023-02-04. Version 3.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/nameauth>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nameauth>
- *The schemata package. Print topical diagrams.* 2021-02-27. Version 1.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/schemata>  
 MIRROR: <https://mirror.ctan.org/macros/generic/schemata>
- Scheidt, Martin. *The tikz-tracksschematic package. A TikZ library for creating track diagrams in railways.* 2022-06-02. Version 0.7.1. LICENSE: isc  
 URL: <https://ctan.org/pkg/tikz-tracksschematic>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-tracksschematic>
- Schellenberger, Brian T. and Darrel Hankerson. *The pagefoots package. Footnote numbering per page.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/pagefoots>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/pagefoots.sty>
- Schenk, Christian. *The miktex package. A free T<sub>E</sub>X distribution for MS-Windows.* 2022-08-04. Version 22.7. LICENSE: other-free  
 URL: <https://ctan.org/pkg/miktex>  
 MIRROR: <https://mirror.ctan.org/systems/win32/miktex>
- *The miktex-portable package. A version of MikTeX to carry around.* 2022-10-29. Version 22.10. LICENSE: other-free. The portable edition allows you to run MiKTeX from a portable storage device. Please note that there is no separate installer. Just download the standard installer and rename it to .  
 URL: <https://ctan.org/pkg/miktex-portable>  
 MIRROR: <https://mirror.ctan.org/systems/win32/miktex/setup/windows-x64/basic-miktex-22.10-x64.exe>
- Schenk, Stephan. *The chembst package. A collection of BibT<sub>E</sub>X files for chemistry journals.* 2016-06-24. Version 0.2.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/chembst>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/chembst>

- Schenk, Stephan. *The chemcompounds package. Simple consecutive numbering of chemical compounds*. 2016-06-24. LICENSE: lppl. The chemcompounds package allows for a simple consecutive numbering of chemical compounds. Optionally, it is possible to supply a custom name for each compound. The package differs from the package by not generating an odd-looking list of compounds inside the text.  
 URL: <https://ctan.org/pkg/chemcompounds>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemcompounds>
- Scherer, Andreas. *The amiweb2c package. An Amiga port of web2C*. 2020-10-29. Version 2.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/amiweb2c>  
 MIRROR: <https://mirror.ctan.org/systems/amiga/amiweb2c>
- *The cwebbin package. CWEB for ANSI-C/C++ compilers*. 2022-01-26. LICENSE: knuth  
 URL: <https://ctan.org/pkg/cwebbin>
  - *The knuth-hint package. HINT collection of typeset C/WEB sources in T<sub>E</sub>X Live*. 2023-06-16. Version 2.1. LICENSE: pd,knuth  
 URL: <https://ctan.org/pkg/knuth-hint>  
 MIRROR: <https://mirror.ctan.org/info/knuth-hint>
  - *The knuth-pdf package. PDF collection of typeset C/WEB sources in T<sub>E</sub>X Live*. 2023-06-11. Version 2.1. LICENSE: pd  
 URL: <https://ctan.org/pkg/knuth-pdf>  
 MIRROR: <https://mirror.ctan.org/info/knuth-pdf>
  - *The pwebmac package. Consolidated WEB macros for DVI and PDF output*. 2022-06-26. Version 4.8.1. LICENSE: pd  
 URL: <https://ctan.org/pkg/pwebmac>  
 MIRROR: <https://mirror.ctan.org/web/pwebmac>
- Schinke, Carsten. *The gbrieff-creator package. A front end for the gbrieff package*. 2016-06-24. Version 1.000 beta. LICENSE: nosource. A small Windows front end, that creates files for use with the German letter macros.  
 URL: <https://ctan.org/pkg/gbrieff-creator>  
 MIRROR: <https://mirror.ctan.org/support/gbrieff-creator>
- Schinko, Yannick. *The lexend package. The Lexend fonts for X<sub>Y</sub>-T<sub>E</sub>X and LuaT<sub>E</sub>X through fontspec*. 2021-01-30. Version 1.1.0.70. LICENSE: lppl1.3c,ofl  
 URL: <https://ctan.org/pkg/lexend>  
 MIRROR: <https://mirror.ctan.org/fonts/lexend>
- Schlechte, Wolfgang Andreas. *The newthm package. Obsolete version of ntheorem*. 2019-06-21. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/newthm>
- Schleicher, Ralph and Norbert Schwarz. *The dos-dc package. A distribution of the DC fonts for emTeX*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/dos-dc>  
 MIRROR: <https://mirror.ctan.org/systems/msdos/dos-dc>
- Schlemmer, Tobias. *The tsem1ines package. Support for the ancient \emline macro*. 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/tsem1ines>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tsem1ines>
- Schlicht, Robert. *The euroitc package. L<sup>A</sup>T<sub>E</sub>X interface for the ITC euro font symbols*. 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/euroitc>  
 MIRROR: <https://mirror.ctan.org/fonts/euroitc>
- *The microtype package. Subliminal refinements towards typographical perfection*. 2023-03-13. Version 3.1a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/microtype>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/microtype>
- Schlömer, Nico. *The auto1 package. L<sup>A</sup>T<sub>E</sub>X support for Underware Auto 1 fonts*. 2018-01-06. Version 0.2. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/auto1>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/auto1>
- *The tex-font-errors-cheatsheet package. Cheat sheet outlining the most common T<sub>E</sub>X font errors*. 2019-02-13. Version 0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tex-font-errors-cheatsheet>  
 MIRROR: <https://mirror.ctan.org/info/tex-font-errors-cheatsheet>
- Schmeing, Michael. *The mversion package. Keeping track of document versions*. 2016-06-24. Version 1.0.1. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/mversion>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mversion>

- Schmidt, Hanspeter. *The hpsdiss package. A dissertation class*. 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/hpsdiss>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hpsdiss>
- Schmidt, Hanspeter. *The sfg package. Draw signal flow graphs*. 2018-09-15. Version 0.91. LICENSE: lppl. Defines some commands to draw signal flow graphs as used by electrical and electronics engineers and graph theorists. Requires and packages (and a relatively fast machine).  
 URL: <https://ctan.org/pkg/sfg>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sfg>
- Schmidt, Jan. *The tikz-palattice package. Draw particle accelerator lattices with TikZ*. 2017-03-09. Version 2.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tikz-palattice>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-palattice>
- Schmidt, Walter A. *The epmtfe package. TeX environment for OS/2*. 2016-06-24. Version 5.4. LICENSE: other-free. The EPM T<sub>E</sub>X Front End is an additional module for the OS/2 ‘Enhanced Editor’ (EPM), v6.03, turning the editor into a powerful integrated T<sub>E</sub>X environment that can be used in conjunction with , or another OS/2 T<sub>E</sub>X system.  
 URL: <https://ctan.org/pkg/epmtfe>  
 MIRROR: <https://mirror.ctan.org/systems/os2/epmtfe>
- *The icomma package. Intelligent commas for decimal numbers*. 2021-12-07. LICENSE: lppl  
 URL: <https://ctan.org/pkg/icomma>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/was>
  - *The mathpple package. Use PostScript Palatino for typesetting maths*. 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mathpple>
- Schmidt, Walter A., Patrick Gundlach, and Marco Daniel. *The lshort-german package. German version of A Short Introduction to L<sup>A</sup>T<sub>E</sub>X2<sub>ε</sub>: L<sup>A</sup>T<sub>E</sub>X2<sub>ε</sub>-Kurzbeschreibung*. 2020-06-17. Version 3.0c. LICENSE: opl  
 URL: <https://ctan.org/pkg/lshort-german>  
 MIRROR: <https://mirror.ctan.org/info/lshort/german>
- Schmidt, Walter A. and Keiran Harcombe. *The augie package. Calligraphic font for typesetting handwriting*. 2021-12-28. LICENSE: lppl  
 URL: <https://ctan.org/pkg/augie>  
 MIRROR: <https://mirror.ctan.org/fonts/augie>
- *The ccfonts package. Support for Concrete text and math fonts in L<sup>A</sup>T<sub>E</sub>X*. 2022-01-26. LICENSE: lppl. L<sup>A</sup>T<sub>E</sub>X font definition files for the Concrete fonts and a L<sup>A</sup>T<sub>E</sub>X package for typesetting documents using Concrete as the default font family. The files support OT1, T1, TS1, and Concrete mathematics including AMS fonts (Ulrik Vieth’s ).  
 URL: <https://ctan.org/pkg/ccfonts>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ccfonts>
  - *The cmbright package. Computer Modern Bright fonts*. 2023-07-10. Version 8.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cmbright>  
 MIRROR: <https://mirror.ctan.org/fonts/cmbright>
  - *The cmsd package. Interfaces to the CM Sans Serif Bold fonts*. 2021-12-07. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cmsd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cmsd>
  - *The DayRoman package. The Day Roman typeface*. 2021-12-07. LICENSE: other-free  
 URL: <https://ctan.org/pkg/dayroman>  
 MIRROR: <https://mirror.ctan.org/fonts/DayRoman>
  - *The dictsym package. DictSym font and macro package*. 2021-12-07. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dictsym>  
 MIRROR: <https://mirror.ctan.org/fonts/dictsym>
  - *The ecc package. Sources for the European Concrete fonts*. 2021-12-07. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ecc>  
 MIRROR: <https://mirror.ctan.org/fonts/ecc>
  - *The eulervm package. Euler virtual math fonts*. 2021-12-07. Version 4.0. LICENSE: lppl. The well-known Euler fonts are suitable for typesetting mathematics in conjunction with a variety of text fonts which do not provide mathematical character sets of their own. Euler-VM is a set of mathematics fonts based on Euler and CM. This approach has several advantages over immediately using the Euler fonts: Most noticeably, less T<sub>E</sub>X resources are consumed, the quality of various math symbols is improved and a usable symbol can be provided. The virtual fonts are accompanied by a L<sup>A</sup>T<sub>E</sub>X package which makes them easy to use, particularly in conjunction with Type1 PostScript text fonts. They are compatible with . A package option allows the fonts to be loaded at 95% of their nominal size, thus blending better with certain text fonts, e.g., Minion.

- URL: <https://ctan.org/pkg/eulervm>  
MIRROR: <https://mirror.ctan.org/fonts/eulervm>
- Schmidt, Walter A. and Keiran Harcombe. *The eurosans package. Interface to Adobe's sans-serif Euro font*. 2021-12-07. Version 2.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/eurosans>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eurosans>
- *The fixmath package. Make maths comply with ISO 31-0:1992 to ISO 31-13:1992*. 2022-10-16. Version 0.9.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/fixmath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fixmath>
  - *The gensymb package. Generic symbols for both text and math mode*. 2022-10-17. Version 1.0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/gensymb>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gensymb>
  - *The hvmath package. Support for using the Micropress HV-Math fonts (Helvetica Maths)*. 2021-12-07. Version 1.5. LICENSE: lppl. Typeset math in a style that suits the Adobe Helvetica text fonts. Commercial (Adobe type 1) versions of the HV-Math fonts are available from Micropress; free bitmap versions of the fonts from the directories.  
URL: <https://ctan.org/pkg/hvmath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psnfssx/hvmath>
  - *The lucida package. Metrics, etc., for Lucida Bright and Lucida Math*. 2021-12-07. LICENSE: lppl  
URL: <https://ctan.org/pkg/lucida>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/bh/lucida>
  - *The psnfss-source package. Sources of the metrics used in PSNFSS*. 2021-12-07. Version 9.2. LICENSE: lppl. The package comprises the makefiles, fontinst scripts and AFM files used to build the .  
URL: <https://ctan.org/pkg/psnfss-source>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/psnfss-source>
  - *The tmmath package. Support for using the Micropress TM-Math fonts*. 2021-12-07. Version 2.4. LICENSE: lppl. Support for typesetting math in a style that suits the Adobe Times text fonts. Commercial (Adobe type 1) versions of the HV-Math fonts are available from Micropress; free bitmap versions of the fonts from the directories.  
URL: <https://ctan.org/pkg/tmmath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psnfssx/tmmath>
  - *The upgreek package. Upright Greek letters*. 2021-12-07. Version 2.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/upgreek>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/was>
  - *The urw-garamond package. URW Garamond No8 Adobe Type 1 fonts*. 2021-12-07. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/urw-garamond>  
MIRROR: <https://mirror.ctan.org/fonts/urw/garamond>
  - *The w-a-schmidt package. A collection of metrics for commercial fonts*. 2021-12-07. LICENSE: lppl  
URL: <https://ctan.org/pkg/w-a-schmidt>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/w-a-schmidt>
  - *The was package. A collection of small packages by Walter Schmidt*. 2022-10-12. LICENSE: collection  
URL: <https://ctan.org/pkg/was>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/was>
- Schmidt, Walter A., Keiran Harcombe, Charles Bigelow, and Kris Holmes. *The LuxiMono package. Free monospace fonts*. 2021-12-07. LICENSE: other-nonfree. LuxiMono is a family of general-purpose monospaced (typewriter) fonts. This distribution contains the fonts in Adobe Type 1 format, and , and L<sup>A</sup>T<sub>E</sub>X-related files are also provided.  
URL: <https://ctan.org/pkg/luximono>  
MIRROR: <https://mirror.ctan.org/fonts/LuxiMono>
- Schmidt, Walter A., Keiran Harcombe, and Pierre A. MacKay. *The ibygrk package. Fonts and macros to typeset ancient Greek*. 2021-12-07. Version 4.5. LICENSE: gpl  
URL: <https://ctan.org/pkg/ibygrk>  
MIRROR: <https://mirror.ctan.org/fonts/greek/ibygrk>
- Schmidt, Walter A., Keiran Harcombe, and Sebastian Rahtz. *The psnfssx package. Extra styles and encodings for PostScript fonts*. 2021-12-07. LICENSE: lppl  
URL: <https://ctan.org/pkg/psnfssx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psnfssx>
- Schmidt, Walter A., Keiran Harcombe, The L<sup>A</sup>T<sub>E</sub>X Project Team, and Sebastian Rahtz. *The psnfss package. Font support for common PostScript fonts*. 2021-12-08. Version 9.3. LICENSE: lppl



- URL: <https://ctan.org/pkg/psnfss>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/psnfss>
- Schmidt, Walter A., Alan Jeffrey, Sebastian Rahtz, Ulrik Vieth, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The mathptmx package. Use Times as default text font, and provide maths support.* 2021-12-07. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mathptmx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/psnfss>
- Schmidt, Walter A., Rolf Niepraschk, Hubert Gäßlein, and Jürgen Schlegelmilch. *The leaflet package. Create small handouts (flyers).* 2020-11-07. Version 2.1a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/leaflet>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/leaflet>
- Schmidt, Walter A. and Norbert Preining. *The yfonts package. Support for old German fonts.* 2019-04-04. Version 1.4. LICENSE: lppl. A L<sup>A</sup>T<sub>E</sub>X interface to the old-german fonts designed by Yannis Haralambous: , , and the .  
 URL: <https://ctan.org/pkg/yfonts>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/yfonts>
- Schmidt, Walter A. and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The fix-cm package. Permit Computer Modern fonts at arbitrary sizes.* 2023-06-09. Version 1.1t. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fix-cm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- *The helvet package. Load Helvetica, scaled.* 2021-12-07. Version 9.2a. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/helvet>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/psnfss>
- Schmidt, Walter A., The L<sup>A</sup>T<sub>E</sub>X Project Team, and Sebastian Rahtz. *The pi font package. Access to PostScript standard Symbol and Dingbats fonts.* 2021-12-07. Version 9.2a. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/pifont>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/psnfss>
- Schmitt, Peter. *The astro package. Astronomical (planetary) symbols.* 2017-10-29. Version 2.20. LICENSE: lppl  
 URL: <https://ctan.org/pkg/astro>  
 MIRROR: <https://mirror.ctan.org/fonts/astro>
- *The backgrnd package. Mark text with grey background or change bar.* 2020-04-11. Version 2.0. LICENSE: noinfo. Marks text, using T<sub>E</sub>X’s resources only (without resorting to commands). Grey background uses a shade font provided as Metafont source. Works under plain T<sub>E</sub>X and in simple L<sup>A</sup>T<sub>E</sub>X 2.09 documents, but probably not in L<sup>A</sup>T<sub>E</sub>X 2e.  
 URL: <https://ctan.org/pkg/backgrnd>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/backgrnd.tex>
- *The shade package. Shade pieces of text.* 2018-01-06. Version 1. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/shade>  
 MIRROR: <https://mirror.ctan.org/macros/generic/shade>
- Schmittbuhl, Arnaud. *The pst-spectra package. Draw continuum, emission and absorption spectra with PSTricks.* 2018-09-15. Version 0.91. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pst-spectra>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-spectra>
- Schmitz, Daniel. *The mahjong package. Typeset Mahjong Tiles using MPSZ Notation.* 2021-04-24. Version 1.0.1. LICENSE: mit,cc-by-1  
 URL: <https://ctan.org/pkg/mahjong>  
 MIRROR: <https://mirror.ctan.org/graphics/mahjong>
- Schmitz, Thomas A. *The context-taspresent package. Simple presentations using ConTeXt.* 2016-06-24. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/context-taspresent>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/context/contrib/context-taspresent>
- *The vf-howto package. Tutorial on creating virtual fonts.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/vf-howto>  
 MIRROR: <https://mirror.ctan.org/info/virtualfontshowto>
- Schmitz, Thomas A. and Mojca Miklavc. *The gentium-original package. Gentium font and support files.* 2022-05-26. LICENSE: ofl  
 URL: <https://ctan.org/pkg/gentium-original>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/gentium>
- Schneider, Christian. *The combinedgraphics package. Include graphic (EPS or PDF)/L<sup>A</sup>T<sub>E</sub>X combinations.* 2016-06-24. Version 0.2.2. LICENSE: gpl. This package provides a macro () for the inclusion of combined EPS/L<sup>A</sup>T<sub>E</sub>X and PDF/L<sup>A</sup>T<sub>E</sub>X graphics (an export format of , , and maybe other programs). Instead of including the graphics with a simple , the macro has some comforts:

- URL: <https://ctan.org/pkg/combinedgraphics>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/combinedgraphics>
- Schneider, Christian. *The fullminipage package. Minipage spanning a complete page.* 2016-06-24. Version 0.1.1. LICENSE: gpl3  
URL: <https://ctan.org/pkg/fullminipage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fullminipage>
- *The ionumbers package. Restyle numbers in maths mode.* 2018-01-06. Version 0.3.3. LICENSE: gpl  
URL: <https://ctan.org/pkg/ionumbers>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ionumbers>
- Schneider, Niklas. *The semesterplanner package. Create beautiful semester timetables and more.* 2020-11-04. Version 1.0. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/semesterplanner>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/semesterplanner>
- Schneider, Robin. *The calcage package. Calculate the age of something, in years.* 2017-04-18. Version 0.90. LICENSE: lpl1.3. The package calculates the age of someone or something in years. Internally it uses the package to calculate the age in days; conversion from days to years is then performed, taking care of leap years and such odd things.  
URL: <https://ctan.org/pkg/calcage>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calcage>
- *The counttexruns package. Count compilations of a document.* 2016-06-24. Version 1.00a. LICENSE: lpl1.3. The package counts how often a L<sup>A</sup>T<sub>E</sub>X document is compiled, keeping the data in an external file. To print the count, can use the macro .  
URL: <https://ctan.org/pkg/counttexruns>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/counttexruns>
  - *The doclicense package. Support for putting documents under a license.* 2022-05-18. Version 3.2.0. LICENSE: cc0,lpl1.3c  
URL: <https://ctan.org/pkg/doclicense>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/doclicense>
  - *The fnumprint package. Print a number in ‘appropriate’ format.* 2017-04-18. Version 1.1a. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/fnumprint>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fnumprint>
  - *The latex-git-log package. Typeset git log information.* 2020-02-27. Version 1.0.0. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/latex-git-log>  
MIRROR: <https://mirror.ctan.org/support/latex-git-log>
  - *The romanbarpagenumber package. Typesetting roman page numbers.* 2017-04-18. Version 1.0. LICENSE: lpl1.3. The package allows to typeset roman numbers with bars. This package allows you to use those roman numbers as page number.  
URL: <https://ctan.org/pkg/romanbarpagenumber>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/romanbarpagenumber>
- Schneider, Sven. *The dotarrow package. Extendable dotted arrows.* 2016-06-24. Version 0.01a. LICENSE: lpl1. The package can draw dotted arrows that are extendable, in the same way as .  
URL: <https://ctan.org/pkg/dotarrow>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dotarrow>
- Schneider, Thomas. *The cell package. Bibliography style for Cell.* 2016-06-24. LICENSE: pd. This is an “apa-like” style (cf. in the distribution), developed from the same author’s style. A supporting L<sup>A</sup>T<sub>E</sub>X package is also provided.  
URL: <https://ctan.org/pkg/cell>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cell>
- *The jbact package. BibTeX style for biology journals.* 2019-11-12. Version 1.30. LICENSE: other-free  
URL: <https://ctan.org/pkg/jbact>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/jbact.bst>
  - *The jmb package. BibTeX style for the Journal of Theoretical Biology.* 2019-11-12. Version 1.21. LICENSE: other-free  
URL: <https://ctan.org/pkg/jmb>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/jmb>
  - *The nar package. BibTeX style for Nucleic Acid Research.* 2016-06-24. Version 3.19. LICENSE: other-free  
URL: <https://ctan.org/pkg/nar>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/nar.bst>
- Schollmeyer, Michael. *The fchart package. Flow diagrams in L<sup>A</sup>T<sub>E</sub>X 2.09.* 2016-06-24. Version 2.0. LICENSE: noinfo. This is not a package, rather a set of macros to be read using , offering a means of drawing structures without the use of the environment.  
URL: <https://ctan.org/pkg/fchart>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/fchart>

- Schöpf, Rainer. *The histogr package. Draw histograms with the L<sup>A</sup>T<sub>E</sub>X picture environment*. 2016-06-24. Version 1.01. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/histogr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/histogr>
- Schöpf, Rainer. *The underlin package. Underlined running heads*. 2016-06-24. Version 1.01. LICENSE: lppl  
 URL: <https://ctan.org/pkg/underlin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/underlin>
- Schöpf, Rainer and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The verbatim package. Reimplementation of and extensions to L<sup>A</sup>T<sub>E</sub>X verbatim*. 2023-06-09. Version 1.5u. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/verbatim>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- Schreiber, Kai. *The BiBLE package. A BibTeX library editor*. 2016-06-24. Version 0.99. LICENSE: other-free  
 URL: <https://ctan.org/pkg/bible>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bible>
- Schrell, Andreas. *The kalender-209 package. Produce page-per-day calendars*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/kalender-209>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/kalender.tex>
- *The pictexwd package. A patched version of PicTeX using fewer registers*. 2016-06-24. Version 1.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/pictexwd>
  - *The wochtag package. Generate the German weekday name for a date*. 2016-06-24. Version 1.0. LICENSE: noinfo. Defines a macro that produces a day name, in German.  
 URL: <https://ctan.org/pkg/wochtag>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/wochtag.tex>
  - *The yinit-as package. Additions to Yannis Haralambous' Old German decorative initials*. 2019-02-01. LICENSE: noinfo. This package contains a modified driver file, , as well as a L<sup>A</sup>T<sub>E</sub>X file .  
 URL: <https://ctan.org/pkg/yinit-as>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/gothic/yinit-as>
- Schrell, Andreas and Andreas Hörstmeier. *The umrand package. Package for fancy box frames*. 2019-06-21. Version 1.2. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/umrand>  
 MIRROR: <https://mirror.ctan.org/macros/generic/umrand>
- Schrod, Joachim. *The biblist package. Print a BibTeX database*. 2016-06-24. LICENSE: gpl. The package provides the means of listing an entire BibTeX database, avoiding the potentially large (macro) impact associated with .  
 URL: <https://ctan.org/pkg/biblist>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/biblist>
- *The chbar package. Change bar marks in Plain T<sub>E</sub>X*. 2016-06-24. LICENSE: gpl. This package creates change bars without the use of \special commands (unlike the L<sup>A</sup>T<sub>E</sub>X package ).  
 URL: <https://ctan.org/pkg/chbar>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/chbar>
  - *The components package. Components of T<sub>E</sub>X*. 2022-05-01. LICENSE: gpl  
 URL: <https://ctan.org/pkg/components>  
 MIRROR: <https://mirror.ctan.org/info/components-of-TeX>
  - *The cweb-latex package. A L<sup>A</sup>T<sub>E</sub>X version of CWEB*. 2019-11-30. LICENSE: gpl. This bundle allows marking-up of code in L<sup>A</sup>T<sub>E</sub>X. The distribution includes the “Counting Words” program distributed with CWEB, edited to run with L<sup>A</sup>T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/cweb-latex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cweb>
  - *The example package. Typeset examples for T<sub>E</sub>X courses*. 2019-06-21. LICENSE: gpl. The package makes it easier to produce examples for T<sub>E</sub>X course. It provides an environment, which typesets its contents on the left of the page, and prints it verbatim on the right.  
 URL: <https://ctan.org/pkg/example>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/example.sty>
  - *The footnpag package. Per-page numbering of footnotes*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/footnpag>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/footnpag>
  - *The genfam package. Run Metafont to produce the bitmap fonts*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/genfam>  
 MIRROR: <https://mirror.ctan.org/support/genfam>

- Schrod, Joachim. *The idverb package. Inline verbatim identifiers*. 2016-06-24. Version 1.1. LICENSE: gpl. Typeset identifiers (and other short things) verbatim, using the notation. This package is part of the bundle.  
URL: <https://ctan.org/pkg/idverb>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/js-misc>
- *The js-misc package. Miscellaneous macros from Joachim Schrod*. 2016-07-17. LICENSE: pd  
URL: <https://ctan.org/pkg/js-misc>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/js-misc>
  - *The literate package. A literate programming system, not tied to any language*. 2016-06-24. LICENSE: pd. The system consists of two parts: a processor, `literate`, which extracts program code from a literate source file, and a set of macros that will typeset the source file (possibly after application, by `literate`, of a change file). is distributed as a web source file.  
URL: <https://ctan.org/pkg/literate>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/literate>
  - *The makeprog package. A literate system for T<sub>E</sub>X programming*. 2016-06-24. Version 1.0.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/makeprog>  
MIRROR: <https://mirror.ctan.org/support/makeprog>
- Schrod, Joachim and Julian Gilbey. *The rcs package. Use RCS (revision control system) tags in L<sup>A</sup>T<sub>E</sub>X documents*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/rcs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rcs>
- Schröder, Jenny and Sebastian Schwerdtfeger. *The microtype-de package. Translation into German of the documentation of microtype*. 2019-11-19. Version 2.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/microtype-de>  
MIRROR: <https://mirror.ctan.org/obsolete/info/translations/microtype/de>
- Schröder, Jörg-Michael. *The datenumber package. Convert a date into a number and vice versa*. 2022-01-27. Version 0.03. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/datenumber>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datenumber>
- Schröder, Martin. *The bibtopicprefix package. Prefix references to bibliographies produced by bibtopic*. 2019-07-30. Version 1.10. LICENSE: lppl. The package permits users to apply prefixes (fixed strings) to references to entries in bibliographies produced by the package.  
URL: <https://ctan.org/pkg/bibtopicprefix>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibtopicprefix>
- Schröder, Martin and Marei Peischl. *The count1to package. Make use of count1 to count9*. 2020-11-24. Version 2.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/count1to>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ms>
- *The everysel package. Provides hooks into \selectfont*. 2021-01-23. Version 2.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/everysel>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/everysel>
  - *The everyshi package. Take action at every \shipout*. 2020-12-06. Version 4.00. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/everyshi>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/everyshi>
  - *The ms package. Various L<sup>A</sup>T<sub>E</sub>X packages by Martin Schröder*. 2021-01-19. LICENSE: lppl  
URL: <https://ctan.org/pkg/ms>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ms>
  - *The multitoc package. Set table of contents in multiple columns*. 2020-11-24. Version 2.01. LICENSE: lppl  
URL: <https://ctan.org/pkg/multitoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ms>
  - *The prelim2e package. Allows the marking of preliminary versions of a document*. 2020-12-06. Version 2.00. LICENSE: lppl1.3c. Puts text below the normal page content (the default text marks the document as draft and puts a timestamp on it). Can be used together with e.g. the `draft`, and `timestamp` packages. Uses the package and can use the `scrttime` package from the bundle.  
URL: <https://ctan.org/pkg/prelim2e>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/prelim2e>
- Schröder, Martin and Marei Peischl. *The ragged2e package. Alternative versions of “ragged”-type commands*. 2023-06-22. Version 3.6. LICENSE: lppl1.3c. The package defines new commands `raggedleft`, `raggedright`, and `raggedcenter` and new environments `raggedleft*`, `raggedright*`, and `raggedcenter*`, which set ragged text and are easily configurable to allow hyphenation (the corresponding commands in L<sup>A</sup>T<sub>E</sub>X, all of whose names are lower-case, prevent hyphenation altogether).



- URL: <https://ctan.org/pkg/ragged2e>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ragged2e>
- Schroeder, Thomas. *The chemarrow package. Arrows for use in chemistry*. 2016-06-24. Version 0.9. LICENSE: pd  
 URL: <https://ctan.org/pkg/chemarrow>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemarrow>
- Schröppel, Christian. *The forarray package. Using array structures in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.01. LICENSE: lppl. The package provides functionality for processing lists and array structures in . Arrays can contain characters as well as T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X commands, nesting of arrays is possible, and arrays are processed within the same brace level as their surrounding environment. Array levels can be delimited by characters or control sequences defined by the user. Practical uses of this package include data management, construction of lists and tables, and calculations based on the contents of lists and arrays.  
 URL: <https://ctan.org/pkg/forarray>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/forarray>
- Schubert, Sebastian. *The mdsymbol package. Symbol fonts to match Adobe Myriad Pro*. 2016-06-24. Version 0.5. LICENSE: ofl  
 URL: <https://ctan.org/pkg/mdsymbol>  
 MIRROR: <https://mirror.ctan.org/fonts/mdsymbol>
- Schubotz, Moritz. *The texvc package. Use MediaWiki L<sup>A</sup>T<sub>E</sub>X commands*. 2018-03-05. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/texvc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/texvc>
- Schulder, Marc and Thomas Hanke. *The hamnosys package. A font for sign languages*. 2022-02-08. Version 1.0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hamnosys>  
 MIRROR: <https://mirror.ctan.org/fonts/hamnosys>
- Schuler, J. Peter M. *The udesoftec package. Thesis class for the University of Duisburg-Essen*. 2021-02-23. Version 1.7.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/udesoftec>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/udesoftec>
- Schüler, Christian. *The SmileTeX package. Create L<sup>A</sup>T<sub>E</sub>X documents and more from simple texts*. 2016-06-24. LICENSE: nosource  
 URL: <https://ctan.org/pkg/smiletex>  
 MIRROR: <https://mirror.ctan.org/support/smiletex>
- Schulter, Wolfgang. *The wmf2eps package. Windows metafile conversion*. 2023-08-07. Version 1.32. LICENSE: shareware  
 URL: <https://ctan.org/pkg/wmf2eps>  
 MIRROR: <https://mirror.ctan.org/support/wmf2eps>
- *The wmf2epsc package. Windows metafile conversion*. 2023-08-04. Version 2.2. LICENSE: nosource  
 URL: <https://ctan.org/pkg/wmf2epsc>  
 MIRROR: <https://mirror.ctan.org/support/wmf2epsc>
- Schulz, Herbert. *The courier scaled package. Provides a scaled Courier font*. 2016-06-24. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/courier-scaled>  
 MIRROR: <https://mirror.ctan.org/fonts/psfonts/courier-scaled>
- Schulz, Jonathan. *The tikz-nfold package. Triple, quadruple, and n-fold paths with TikZ*. 2023-07-22. Version 1.0.0. LICENSE: lppl1.3c. This library adds higher-order paths to and also fixes some graphical issues with TikZ' paths, used e.g. in arrows with an tip. It is also compatible with , adding support for triple and higher arrows. Macros to offset arbitrary paths are included as well.  
 URL: <https://ctan.org/pkg/tikz-nfold>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-nfold>
- Schulz, Stefan. *The chemcono package. Support for compound numbers in chemistry documents*. 2016-06-24. Version 1.3. LICENSE: lppl. A L<sup>A</sup>T<sub>E</sub>X package for using compound numbers in chemistry documents. It works like and the , using and instead. It allows compound names in documents to be numbered and does not affect the normal citation routines.  
 URL: <https://ctan.org/pkg/chemcono>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemcono>
- Schulzrinne, Henning. *The 12x package. L<sup>A</sup>T<sub>E</sub>X to ASCII*. 2016-06-24. Version 1.4. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/12x>  
 MIRROR: <https://mirror.ctan.org/support/12x>
- Schurig, Carsten, Tobias Schlemmer, and Baden Hughes. *The pdfcpot package. Activating and setting of character protruding using pdfLaTeX*. 2016-06-24. Version 1.7a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pdfcpot>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfcpot>
- Schuster, Wolfgang. *The context-account package. A simple accounting package*. 2018-01-06. LICENSE: pd  
 URL: <https://ctan.org/pkg/context-account>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-account>



- Schuster, Wolfgang. *The context-algorithmic package. Algorithm handling in ConTeXt*. 2016-06-24. LICENSE: gpl. Support for typesetting algorithms (a port of the L<sup>A</sup>T<sub>E</sub>X package , which was a predecessor of ).  
 URL: <https://ctan.org/pkg/context-algorithmic>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-algorithmic>
- *The context-animation package. Generate fieldstack based animation with ConTeXt*. 2018-08-11. LICENSE: gpl3. The package is a port, to (mkvi), of the corresponding  
 URL: <https://ctan.org/pkg/context-animation>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-animation>
  - *The context-annotation package. Annotate text blocks*. 2018-08-11. LICENSE: gpl. The module lets you create your own commands and environments to mark text blocks.  
 URL: <https://ctan.org/pkg/context-annotation>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-annotation>
  - *The context-fancybreak package. Overfull pages with ConTeXt*. 2018-08-11. LICENSE: gpl  
 URL: <https://ctan.org/pkg/context-fancybreak>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-fancybreak>
  - *The context-fixme package. Make editorial marks on a document*. 2016-10-22. LICENSE: pd  
 URL: <https://ctan.org/pkg/context-fixme>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/context/contrib/context-fixme>
  - *The context-fullpage package. Overfull pages with ConTeXt*. 2018-08-11. LICENSE: gpl. The (ConTeXt) module copies the functionality of the , and adds a styling parameter, given in the command  
 URL: <https://ctan.org/pkg/context-fullpage>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-fullpage>
  - *The context-letter package. ConTeXt package for writing letters*. 2021-10-17. LICENSE: gpl  
 URL: <https://ctan.org/pkg/context-letter>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-letter>
  - *The context-ruby package. Ruby annotations in ConTeXt*. 2018-08-11. LICENSE: pd. Ruby markup (aka furigana in Japan) are inline annotations above or below a word to indicate the reading of ideographic characters. The module implements the in ConTeXt. The position and layout of the base text and the ruby text can becontrolled by parameters.  
 URL: <https://ctan.org/pkg/context-ruby>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-ruby>
  - *The context-simplefonts package. Simplified font usage for ConTeXt*. 2018-08-11. LICENSE: gpl  
 URL: <https://ctan.org/pkg/context-simplefonts>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-simplefonts>
  - *The context-title package. Place document titles*. 2018-08-11. LICENSE: gpl. The module provides the command to put a title block into your document. With the command values can be set for and change the formatting of the content.  
 URL: <https://ctan.org/pkg/context-title>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-title>
  - *The context-typescripts package. Small modules to load various fonts for use in ConTeXt*. 2021-09-03. LICENSE: gpl2. The package provides files offering interfaces to 33 publicly available fonts (or collections of fonts from the same foundry); each is available in a and a version.  
 URL: <https://ctan.org/pkg/context-typescripts>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-typescripts>
- Schwan, Tobias and Herbert Voß. *The biblatex-juradiss package. BibL<sup>A</sup>T<sub>E</sub>X stylefiles for German law theses*. 2020-10-01. Version 0.23. LICENSE: lpl. The package provides a custom citation-style for typesetting a German law thesis with L<sup>A</sup>T<sub>E</sub>X. The package (using ) is based on and uses .  
 URL: <https://ctan.org/pkg/biblatex-juradiss>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-juradiss>
- Schwartz, Ronald, Robert Knight, and Dominik Wujastyk. *The tibetan package. An early L<sup>A</sup>T<sub>E</sub>X Tibetan package*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tibetan>  
 MIRROR: <https://mirror.ctan.org/language/tibetan/original>
- Schwarz, Max. *The graphicscache package. Cache includegraphics calls*. 2022-12-20. Version 0.4. LICENSE: bsd3  
 URL: <https://ctan.org/pkg/graphicscache>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphicscache>

- Schwarz, Norbert. *The ocr-b package. Fonts for OCR-B*. 2018-01-06. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ocr-b>  
 MIRROR: <https://mirror.ctan.org/fonts/ocr-b>
- Schwarz, Ulrich M. *The 12many package. Generalising mathematical index sets*. 2016-06-24. Version 0.3. LICENSE: lppl. In the discrete branches of mathematics and the computer sciences, it will only take some seconds before you're faced with a set like 1,...,m. Some people write , others , and the journal you're submitting to might want something else entirely. The 12many package provides an interface that makes changing from one to another a one-line change.  
 URL: <https://ctan.org/pkg/one2many>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/12many>
- *The nag package. Detecting and warning about obsolete L<sup>A</sup>T<sub>E</sub>X commands*. 2016-06-24. Version 0.7. LICENSE: lppl. Old habits die hard. All the same, there are commands, classes and packages which are outdated and superseded. The nag package provides routines to warn the user about the use of such obsolete things. As an example, we provide an extension that detects many of the “sins” described in .  
 URL: <https://ctan.org/pkg/nag>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nag>
- Schwarz, Ulrich M. and Yukai Chou. *The thmtools package. Extensions to theorem environments*. 2023-05-04. Version 76. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/thmtools>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thmtools>
- Schweigert, U. *The aplweb package. Literate programming in APL*. 2016-06-24. Version 1.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/aplweb>  
 MIRROR: <https://mirror.ctan.org/web/aplweb>
- *The aweb package. Web system for programs written in Ada*. 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/aweb>  
 MIRROR: <https://mirror.ctan.org/web/aweb>
- Schwenk, Ferdinand and Benjamin Berg. *The tikzinclude package. Import TikZ images from collections*. 2019-02-21. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tikzinclude>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzinclude>
- Schwindt, Tammo. *The latexcheat-de package. A L<sup>A</sup>T<sub>E</sub>X cheat sheet, in German*. 2017-04-18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/latexcheat-de>  
 MIRROR: <https://mirror.ctan.org/info/latexcheat/latexcheat-de>
- Scott, Ryan. *The ucdavisthesis package. A thesis/dissertation class for University of California at Davis*. 2018-01-06. Version 1.3. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/ucdavisthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ucdavisthesis>
- Scrivena, Zach. *The simple-resume-cv package. Template for a simple resume or curriculum vitae (CV), in X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X*. 2017-01-28. LICENSE: pd  
 URL: <https://ctan.org/pkg/simple-resume-cv>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/simple-resume-cv>
- *The simple-thesis-dissertation package. Template for a simple thesis or dissertation (Ph.D. or master's degree) or technical report, in X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X*. 2017-01-28. LICENSE: pd  
 URL: <https://ctan.org/pkg/simple-thesis-dissertation>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/simple-thesis-dissertation>
- Scroggs, Matthew. *The tikz-truchet package. Draw Truchet tiles*. 2019-02-17. LICENSE: mit. This is a package for L<sup>A</sup>T<sub>E</sub>X that draws Truchet tiles, as used in Colin Beveridge's article in issue 08 of Chalkdust.  
 URL: <https://ctan.org/pkg/tikz-truchet>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-truchet>
- Scroggs, Matthew and Adam Townsend. *The realhats package. Put real hats on symbols instead of ^*. 2023-04-14. Version 7.1. LICENSE: mit  
 URL: <https://ctan.org/pkg/realhats>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/realhats>
- Sebastiani, Gerd. *The titlepage-uni-dortmund package. Titlepage for University of Dortmund (Germany)*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/titlepage-uni-dortmund>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/titlepage-uni-dortmund>

- Sebillé, Robert. *The facture-belge-simple-sans-tva package. Simple Belgian invoice without VAT*. 2023-07-06. Version 2.1. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/facture-belge-simple-sans-tva>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/facture-belge-simple-sans-tva>
- Sebillé, Robert and Rudy Cassart. *The modeles-factures-belges-assocs package. Generate invoices for Belgian non-profit organizations*. 2023-08-02. Version 1.0.1. LICENSE: lpl1.3c. This package provides templates and a file for generating invoices for Belgian non-profit organizations.  
 URL: <https://ctan.org/pkg/modeles-factures-belges-assocs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/modeles-factures-belges-assocs>
- Šegan, Danilo and Michal Gulczynski. *The c-pascal package. Typeset Python, C and Pascal programs*. 2016-06-24. Version 1.2. LICENSE: pd  
 URL: <https://ctan.org/pkg/c-pascal>  
 MIRROR: [https://mirror.ctan.org/macros/generic/c\\_pascal](https://mirror.ctan.org/macros/generic/c_pascal)
- Segletes, Steven B. *The boxhandler package. Flexible Captioning and Deferred Box/List Printing*. 2016-06-24. Version 1.30. LICENSE: lpl1  
 URL: <https://ctan.org/pkg/boxhandler>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/boxhandler>
- *The censor package. Tools for producing redacted documents*. 2023-06-06. Version 4.3. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/censor>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/censor>
  - *The getargs package. A flexible list-parsing macro with configurable parsing character*. 2016-07-10. Version 1.01. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/getargs>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/getargs>
  - *The numberedblock package. Print a block of code, with unique index number*. 2016-06-24. Version 1.10. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/numberedblock>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numberedblock>
  - *The readarray package. Read, store and recall array-formatted data*. 2021-09-18. Version 3.1. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/readarray>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/readarray>
  - *The scalerel package. Constrained scaling and stretching of objects*. 2016-12-29. Version 1.8. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/scalerel>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scalerel>
  - *The stackengine package. Highly customised stacking of objects, insets, baseline changes, etc*. 2021-07-22. Version 4.11. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/stackengine>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stackengine>
  - *The stringstrings package. String manipulation for cosmetic and programming application*. 2020-12-08. Version 1.24. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/stringstrings>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stringstrings>
  - *The tabstackengine package. “Tabbing” front-end to stackengine*. 2018-03-05. Version 2.10. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/tabstackengine>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabstackengine>
  - *The titlecaps package. Setting rich-text input into Titling Caps*. 2022-04-13. Version 1.3. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/titlecaps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/titlecaps>
  - *The tokcycle package. Build tools to process tokens from an input stream*. 2021-08-25. Version 1.42. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/tokcycle>  
 MIRROR: <https://mirror.ctan.org/macros/generic/tokcycle>
  - *The verbatimbox package. Deposit verbatim text in a box*. 2023-08-09. Version 3.2. LICENSE: lpl1  
 URL: <https://ctan.org/pkg/verbatimbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/verbatimbox>
- Seidman, Gregory and James Ashton. *The typedref package. Eliminate errors by enforcing the types of labels*. 2016-06-24. Version 1.1. LICENSE: other-nonfree. The package is provided to help users avoid cross-reference errors; it replaces with , , etc., so that you’re forced to specify the kind of label you’re referencing. Each reference command also generates appropriate text automatically, so that instead of typing , all you need is . The command is redefined to record the type with the label defined, so that each type of label has its own namespace.

URL: <https://ctan.org/pkg/typedref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/typedref>

Seindal, René. *The inlinebib package. Citations in footnotes*. 2018-01-06. LICENSE: lpl  
URL: <https://ctan.org/pkg/inlinebib>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/inlinebib>

Selberg, Ole Michael. *The arabic package. Read a lower-case roman number*. 2020-04-11. LICENSE: noinfo. Usage is: <count> = <roman number> (note, trailing space after <roman number> required).  
URL: <https://ctan.org/pkg/arabic>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/arabic.tex>

— *The balancedquotes package. Code balanced quotes according to document language*. 2020-04-11. LICENSE: noinfo. Provides simplified markup for balanced quotes: will appear as balanced double quotes around a text which embeds a text surrounded by balanced single quotes. The actual representation of the quotes is selectable, according to the language in use.  
URL: <https://ctan.org/pkg/balancedquotes>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/balancedquotes.sty>

Seliger, Hendrik G. *The texlive-dummy-fedora package. Dummy T<sub>E</sub>X Live RPM for use with Fedora and similar distributions*. 2022-07-14. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/texlive-dummy-fedora>  
MIRROR: <https://mirror.ctan.org/support/texlive/texlive-dummy/Fedora>

Semken, Christoph. *The beamerappendixnote package. Create notes on appendix frames in beamer*. 2020-07-02. Version 1.2.0. LICENSE: lpl1.3c. This package introduces the command, which puts the note's content on a separate beamer frame shown by the command . It also creates interactive buttons to move back and forth between the two frames.  
URL: <https://ctan.org/pkg/beamerappendixnote>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/beamerappendixnote>

Sen, Sunando. *The time-gen package. Print the time (12-hour clock)*. 2020-04-11. LICENSE: noinfo. A generic version of the functionality; uses registers without allocating them — a sin of which the L<sup>A</sup>T<sub>E</sub>X-based is not guilty.  
URL: <https://ctan.org/pkg/time-gen>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/time.sty>

Sendoukas, Hippocrates. *The dviwin package. MS-Windows DVI screen and printer driver*. 2016-06-24. Version 2.9. LICENSE: pd  
URL: <https://ctan.org/pkg/dviwin>  
MIRROR: <https://mirror.ctan.org/dviware/dviwin>

Senellart, Pierre. *The apxproof package. Proofs in appendix*. 2022-10-14. Version 1.2.4. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/apxproof>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/apxproof>

Senju, Jiro. *The dvisirule package. Superimpose the covered hline and vline in a L<sup>A</sup>T<sub>E</sub>X tabular/colortbl environment*. 2022-09-30. Version 2.1. LICENSE: gpl2+. Superimpose the covered hline and vline in a L<sup>A</sup>T<sub>E</sub>X / environment.  
URL: <https://ctan.org/pkg/dvisirule>  
MIRROR: <https://mirror.ctan.org/dviware/dvisirule>

— *The familytree package. Draw family trees*. 2022-07-15. Version 3.1. LICENSE: gpl2+  
URL: <https://ctan.org/pkg/familytree>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/familytree>

Senn, Mark and James L. Schaad. *The dvibit package. DVI driver for BBN bitgraph terminal*. 2016-06-24. LICENSE: noinfo. Old enough that it uses files — possibly interesting for historical reasons.  
URL: <https://ctan.org/pkg/dvibit>  
MIRROR: <https://mirror.ctan.org/dviware/dvibit>

Sermutlu, Emre. *The compact-symbols package. Compact lists of symbols*. 2016-06-24. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/compact-symbols>  
MIRROR: <https://mirror.ctan.org/info/symbols/compact>

Setzer, Nick. *The colorwav package. Colours by wavelength of visible light*. 2023-05-05. Version 1.0. LICENSE: lgpl  
URL: <https://ctan.org/pkg/colorwav>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/colorwav>

— *The cool package. C<sub>o</sub>n<sub>t</sub>e<sub>n</sub>t O<sub>r</sub>i<sub>e</sub>n<sub>t</sub>e<sub>d</sub> L<sup>A</sup>T<sub>E</sub>X*. 2023-05-05. Version 1.35. LICENSE: lgpl  
URL: <https://ctan.org/pkg/cool>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cool>

Setzer, Nick. *The coollist package. Manipulate C<sub>o</sub>n<sub>t</sub>e<sub>n</sub>t O<sub>r</sub>i<sub>e</sub>n<sub>t</sub>e<sub>d</sub> L<sup>A</sup>T<sub>E</sub>X Lists*. 2023-05-05. Version 1.4. LICENSE: lgpl  
URL: <https://ctan.org/pkg/coollist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coollist>

- *The coolstr package. String manipulation in L<sup>A</sup>T<sub>E</sub>X.* 2023-05-05. Version 2.2. LICENSE: lgpl  
 URL: <https://ctan.org/pkg/coolstr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coolstr>
- *The dyntree package. Construct Dynkin tree diagrams.* 2023-05-05. Version 1.0. LICENSE: lgpl  
 URL: <https://ctan.org/pkg/dyntree>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dyntree>
- *The forloop package. Iteration in L<sup>A</sup>T<sub>E</sub>X.* 2023-05-05. Version 3.0. LICENSE: lgpl. The package provides a command for doing iteration in L<sup>A</sup>T<sub>E</sub>X macro programming.  
 URL: <https://ctan.org/pkg/forloop>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/forloop>
- Shanks, Bayle. *The easyLaTeX package. Faster and simpler writing of L<sup>A</sup>T<sub>E</sub>X documents.* 2016-06-24. Version 0.062. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/easylatex>  
 MIRROR: <https://mirror.ctan.org/support/easylatex>
- Shapin, Ted. *The biihead package. Underlined page headings.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/biihead>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/biihead.sty>
- Shapour, Madadpour. *The alpha-persian package. Persian version of alpha.bst.* 2023-02-15. Version 1.3. LICENSE: lppl1.3c. The package provides a Persian version of the BibTeX style and offers several enhancements. It is compatible with the , , and packages.  
 URL: <https://ctan.org/pkg/alpha-persian>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/alpha-persian>
- Sharpe, Michael. *The algolrevived package. A revival of Frutiger's Algol alphabet.* 2020-11-05. Version 1.052. LICENSE: ofl,lppl1.3c  
 URL: <https://ctan.org/pkg/algolrevived>  
 MIRROR: <https://mirror.ctan.org/fonts/algolrevived>
- *The baskervaldx package. Extension and modification of BaskervaldADF with L<sup>A</sup>T<sub>E</sub>X support.* 2020-12-06. Version 1.076. LICENSE: gpl2+,lppl1.3. Extends and modifies the font (a Baskerville substitute) with more accented glyphs, with small caps and oldstyle figures in all shapes. Includes OpenType and PostScript fonts, as well as L<sup>A</sup>T<sub>E</sub>X support files.  
 URL: <https://ctan.org/pkg/baskervaldx>  
 MIRROR: <https://mirror.ctan.org/fonts/baskervaldx>
- *Thebaskervillef package. Fry's Baskerville look-alike, with math support.* 2020-06-07. Version 1.051. LICENSE: ofl,lppl1.3. BaskervilleF is a fork from the (Roman, Italic, Bold only) released under the OFL by Paolo Impallari and Rodrigo Fuenzalida. Their fonts are optimized for web usage, while BaskervilleF is optimized for traditional T<sub>E</sub>X usage, normally destined for production of pdf files. A bold italic style was added and mathematical support is offered as an option to .  
 URL: <https://ctan.org/pkg/baskervillef>  
 MIRROR: <https://mirror.ctan.org/fonts/baskervillef>
- *The bboldx package. Extension of the bbold package with a Blackboard Bold alphabet.* 2022-12-31. Version 1.032. LICENSE: other-free. Extension of to a package with three weights, of which the original is considered as light and the additions as regular and bold.  
 URL: <https://ctan.org/pkg/bboldx>  
 MIRROR: <https://mirror.ctan.org/fonts/bboldx>
- *The bickham package. Virtual fonts for Adobe Bickham Script Pro.* 2019-05-21. Version 1.1. LICENSE: lppl. The bundle provides virtual fonts and L<sup>A</sup>T<sub>E</sub>X support files for Adobe Bickham Script Pro as a math calligraphic font in regular and bold weights. The most recent version of offers support for these virtual fonts.  
 URL: <https://ctan.org/pkg/bickham>  
 MIRROR: <https://mirror.ctan.org/fonts/bickham>
- *The boondox package. Mathematical alphabets derived from the STIX fonts.* 2017-02-26. Version 1.02d. LICENSE: ofl,lppl. The package contains a number of PostScript fonts derived from the OpenType fonts that may be used in maths mode in regular and bold weights for calligraphic, fraktur and double-struck alphabets. Virtual fonts with metrics suitable for maths mode are provided, as are L<sup>A</sup>T<sub>E</sub>X support files.  
 URL: <https://ctan.org/pkg/boondox>  
 MIRROR: <https://mirror.ctan.org/fonts/boondox>
- *The cochineal package. Cochineal fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-02-16. Version 1.077. LICENSE: ofl,lppl1.3  
 URL: <https://ctan.org/pkg/cochineal>  
 MIRROR: <https://mirror.ctan.org/fonts/cochineal>
- Sharpe, Michael. *The DSSerif package. A double-struck serifed font for mathematical use.* 2021-10-30. Version 1.031. LICENSE: ofl,lppl1.3  
 URL: <https://ctan.org/pkg/dsserif>  
 MIRROR: <https://mirror.ctan.org/fonts/dsserif>



- *The dutchcal package*. A reworking of ESSTIX13, adding a bold version. 2019-05-21. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/dutchcal>  
MIRROR: <https://mirror.ctan.org/fonts/dutchcal>
- *The erewhon package*. Font package derived from Heuristica and Utopia. 2022-05-16. Version 1.12. LICENSE: ofl,lppl1.3. Erewhon is based on the package, which is based in turn on . Erewhon adds a number of new features — small caps in all styles rather than just regular, added figure styles (proportional, inferior, numerator, denominator) and superior letters. The size is 6% smaller than Heuristica, matching that of UtopiaStd.  
URL: <https://ctan.org/pkg/erewhon>  
MIRROR: <https://mirror.ctan.org/fonts/erewhon>
- *The esstix package*. PostScript versions of the ESSTIX, with macro support. 2016-06-24. Version 1.0. LICENSE: ofl  
URL: <https://ctan.org/pkg/esstix>  
MIRROR: <https://mirror.ctan.org/fonts/esstix>
- *The ETbb package*. An expansion of Edward Tufte’s ET-Bembo family. 2022-02-04. Version 1.056. LICENSE: mit,lppl1.3  
URL: <https://ctan.org/pkg/etbb>  
MIRROR: <https://mirror.ctan.org/fonts/etbb>
- *The fbb package*. A free Bembo-like font. 2020-07-02. Version 1.16. LICENSE: ofl,lppl1.3  
URL: <https://ctan.org/pkg/fbb>  
MIRROR: <https://mirror.ctan.org/fonts/fbb>
- *The garamondx package*. ‘Expert’-like extensions to URW Garamond, and maths italic. 2021-09-11. Version 1.21. LICENSE: nosell  
URL: <https://ctan.org/pkg/garamondx>  
MIRROR: <https://mirror.ctan.org/fonts/garamondx>
- *The heuristica package*. Fonts extending Utopia, with L<sup>A</sup>T<sub>E</sub>X support files. 2019-06-11. Version 1.092. LICENSE: ofl  
URL: <https://ctan.org/pkg/heuristica>  
MIRROR: <https://mirror.ctan.org/fonts/heuristica>
- *The libertinec package*. Libertine add-on to support Greek and Cyrillic. 2017-06-16. Version 1.01. LICENSE: lppl1.3. The package provides L<sup>A</sup>T<sub>E</sub>X support files to access the Greek and Cyrillic glyphs in LinuxLibertine. It functions as an add-on to the package, using filenames and macro names that are compatible with that package. Supported encodings: LGR, T2A, T2B, T2C, OT2.  
URL: <https://ctan.org/pkg/libertinec>  
MIRROR: <https://mirror.ctan.org/fonts/libertinec>
- *The LibertinusT1Math package*. A Type 1 font and L<sup>A</sup>T<sub>E</sub>X support for Libertinus Math. 2022-01-26. Version 2.0.2. LICENSE: ofl,lppl  
URL: <https://ctan.org/pkg/libertinust1math>  
MIRROR: <https://mirror.ctan.org/fonts/libertinust1math>
- *The mathalpha package*. General package for loading maths alphabets in L<sup>A</sup>T<sub>E</sub>X. 2021-11-18. Version 1.143. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/mathalpha>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathalpha>
- *The minion2newtx package*. Enable use of Minion Pro with newtx. 2020-05-03. Version 2.0. LICENSE: lppl1.3. The package is an add-on to the newtxmath package, providing metric files that allow use of the Roman and Greek letters from MinionPro Version 2 within using the ‘minion’ option.  
URL: <https://ctan.org/pkg/minion2newtx>  
MIRROR: <https://mirror.ctan.org/fonts/minion2newtx>
- *The montserrat package*. Montserrat sans serif, otf and pfb, with L<sup>A</sup>T<sub>E</sub>X support files. 2019-11-08. Version 1.03. LICENSE: ofl,lppl1.3  
URL: <https://ctan.org/pkg/montserrat>  
MIRROR: <https://mirror.ctan.org/fonts/montserrat>
- *The newpx package*. Alternative uses of the PX fonts, with improved metrics. 2023-08-26. Version 1.511. LICENSE: lppl,ofl  
URL: <https://ctan.org/pkg/newpx>  
MIRROR: <https://mirror.ctan.org/fonts/newpx>
- *The newtx package*. Alternative uses of the TX fonts, with improved metrics. 2023-08-26. Version 1.726. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/newtx>  
MIRROR: <https://mirror.ctan.org/fonts/newtx>
- Sharpe, Michael. *The newtxsf package*. Sans-math fonts for use with newtx. 2023-05-08. Version 1.055. LICENSE: ofl,lppl1.3. The package provides a maths support that amounts to modifications of the sans serif Roman and Greek letters with most symbols taken from (which must of course be installed and its map file enabled).  
URL: <https://ctan.org/pkg/newtxsf>  
MIRROR: <https://mirror.ctan.org/fonts/newtxsf>

- *The newtxtt package. Enhancement of typewriter fonts from newtx.* 2020-02-16. Version 1.056. LICENSE: gpl3,lppl  
 URL: <https://ctan.org/pkg/newtxtt>  
 MIRROR: <https://mirror.ctan.org/fonts/newtxtt>
  - *The nimbus15 package. Support files for Nimbus 2015 Core fonts.* 2021-04-07. Version 1.014. LICENSE: other-free,lppl1.3  
 URL: <https://ctan.org/pkg/nimbus15>  
 MIRROR: <https://mirror.ctan.org/fonts/nimbus15>
  - *The notomath package. Math support for Noto fonts.* 2023-08-22. Version 1.03. LICENSE: ofl,lppl1.3. Math support via for Google's .  
 (Regular and Bold weights only.)  
 URL: <https://ctan.org/pkg/notomath>  
 MIRROR: <https://mirror.ctan.org/fonts/notomath>
  - *The pst-bspline package. Draw cubic Bspline curves and interpolations.* 2016-06-24. Version 1.62. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pst-bspline>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-bspline>
  - *The pst-layout package. Page layout macros based on PSTricks packages.* 2018-09-15. Version .95. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pst-layout>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-layout>
  - *The pstdoc package. A tool for PSTricks documentation.* 2018-09-15. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pstdoc>  
 MIRROR: <https://mirror.ctan.org/info/pstdoc>
  - *The ptmsc package. Addon to the newtx package.* 2021-09-11. Version 1.1. LICENSE: lppl1.3. This is an addon to the package that allows the substitution of the commercial Adobe TimesSC fonts for the default upright small caps in .  
 URL: <https://ctan.org/pkg/ptmsc>  
 MIRROR: <https://mirror.ctan.org/fonts/ptmsc>
  - *The ptxalfa package. Virtual maths alphabets based on pxfonts and txfonts.* 2021-10-22. Version 2. LICENSE: lppl. The package provides virtual math alphabets based on and , with L<sup>A</sup>T<sub>E</sub>X support files and adjusted metrics. The package offers support for this collection.  
 URL: <https://ctan.org/pkg/ptxalfa>  
 MIRROR: <https://mirror.ctan.org/fonts/ptxalfa>
  - *The rsfso package. A mathematical calligraphic font based on rsfs.* 2021-10-22. Version 1.03. LICENSE: lppl. The package provides virtual fonts and L<sup>A</sup>T<sub>E</sub>X support files for mathematical calligraphic fonts based on the (which must also be present for successful installation, with the slant substantially reduced. The output is quite similar to that from the Adobe Mathematical Pi script font.  
 URL: <https://ctan.org/pkg/rsfso>  
 MIRROR: <https://mirror.ctan.org/fonts/rsfso>
  - *The scanpages package. Support importing and embellishing scanned documents.* 2016-12-02. Version 1.05a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/scanpages>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scanpages>
  - *The ScholaX package. Extension of T<sub>E</sub>X Gyre Schola (New Century Schoolbook) with math support.* 2022-02-01. Version 1.033. LICENSE: lppl  
 URL: <https://ctan.org/pkg/scholax>  
 MIRROR: <https://mirror.ctan.org/fonts/scholax>
  - *The SticksToo package. A reworking of STIX2.* 2021-10-18. Version 1.035. LICENSE: ofl,lppl1.3. SticksToo is a reworking of the STIX2 fonts with support files focussing on enhancements of support for L<sup>A</sup>T<sub>E</sub>X users wishing to be able to access more of its features. A companion addition to the package (version 1.55) provides a matching math package using STIX2 letters (Roman and Greek) with symbols.  
 URL: <https://ctan.org/pkg/stickstoo>  
 MIRROR: <https://mirror.ctan.org/fonts/stickstoo>
  - *The superiors package. Attach superior figures to a font family.* 2019-08-19. Version 1.06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/superiors>  
 MIRROR: <https://mirror.ctan.org/fonts/superiors>
  - *The tempora package. Greek and Cyrillic to accompany Times.* 2016-06-24. Version 1.05. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/tempora>  
 MIRROR: <https://mirror.ctan.org/fonts/tempora>
- Sharpe, Michael. *The TXUprCa1 package. Upright calligraphic font based on TX calligraphic.* 2017-03-09. Version 1.00. LICENSE: gpl3. This small package provides a means of loading as an uprighted version of the calligraphic fonts from the TX font package. A scaled option to provided to allow arbitrary scaling.

- URL: <https://ctan.org/pkg/txuprcal>  
MIRROR: <https://mirror.ctan.org/fonts/txuprcal>
- *The urwchancal package.* Use URW’s clone of Zapf Chancery as a maths alphabet. 2016-06-24. Version 1. LICENSE: lppl  
URL: <https://ctan.org/pkg/urwchancal>  
MIRROR: <https://mirror.ctan.org/fonts/urwchancal>
  - *The XCharter package.* Extension of Bitstream Charter fonts. 2023-07-27. Version 1.25. LICENSE: other-free,lppl1.3  
URL: <https://ctan.org/pkg/xcharter>  
MIRROR: <https://mirror.ctan.org/fonts/xcharter>
  - *The zlmtt package.* Use Latin Modern Typewriter fonts. 2022-08-08. Version 1.032. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/zlmtt>  
MIRROR: <https://mirror.ctan.org/fonts/zlmtt>
- Sharpe, Michael and Zhuhan Jiang. *The arrayjob package.* Array data structures for (La)TeX. 2016-06-24. Version 1.04. LICENSE: lppl  
URL: <https://ctan.org/pkg/arrayjob>  
MIRROR: <https://mirror.ctan.org/macros/generic/arrayjobx>
- *The arrayjobx package.* Array data structures for (La)TeX. 2016-06-24. Version 1.04. LICENSE: lppl  
URL: <https://ctan.org/pkg/arrayjobx>  
MIRROR: <https://mirror.ctan.org/macros/generic/arrayjobx>
- Sharpsten, Christian. *The armymemo package.* A document class for Army memorandums in accordance with AR 25-50. 2019-01-28. Version 1.0.0. LICENSE: gpl2  
URL: <https://ctan.org/pkg/armymemo>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/armymemo>
- Shashkov, Sergey. *The russ package.* L<sup>A</sup>T<sub>E</sub>X in Russian, without babel. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/russ>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/russ>
- Shawyer, Bruce. *The fullpict package.* Full page pictures. 2016-06-24. LICENSE: noinfo. The package provides picture-mode environments whose size is related to the size of the page. The fullpict environment takes arguments to specify the dimension of the picture in picture mode ‘unit lengths’; the value for is defined by the fact that the picture is to be 90% of . Similar environments halfpict (half the width of fullpict), and scalepict (a given percentage of the width of fullpict), are also defined.  
URL: <https://ctan.org/pkg/fullpict>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fullpict>
- Shell, Michael. *The IEEEtran package.* Document class for IEEE Transactions journals and conferences. 2021-06-24. Version 1.8b. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ieeetran>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/IEEEtran>
- *The ieeetrantools package.* Functionality from IEEEtran for use with other classes. 2021-06-24. Version 1.4. LICENSE: lppl1.3. The package provides several commands from the so that they can be used under other L<sup>A</sup>T<sub>E</sub>X classes; the package should not be used in a document that uses that parent class. The user guide only covers the ways in which usage differs from that in the parent class; thus the documentation of that class should be regarded as part of the documentation for the package.  
URL: <https://ctan.org/pkg/ieeetrantools>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/IEEEtran/tools>
  - *The mciteplus package.* Enhanced multiple citations. 2017-04-18. Version 1.2. LICENSE: lppl. The mciteplus L<sup>A</sup>T<sub>E</sub>X package is an enhanced reimplementaion of Thorsten Ohl’s package which provides support for the grouping of multiple citations together as is often done in physics journals. An extensive set of features provide for other applications such as reference sublisting.  
URL: <https://ctan.org/pkg/mciteplus>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mciteplus>
  - *The testflow package.* A tool to validate PS/PDF output from L<sup>A</sup>T<sub>E</sub>X. 2021-06-24. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/testflow>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/IEEEtran/testflow>
- Shepherd, James. *The jasthesis package.* A ‘standard’ thesis class. 2016-06-24. Version 0.5. LICENSE: noinfo  
URL: <https://ctan.org/pkg/jasthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jasthesis>
- Sherman, Heather. *The envelope package.* Print envelopes. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/envelope>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/envelope>
- Shibakov, Alexander. *The splint package.* Write LALR(1) parsers in T<sub>E</sub>X using bison and flex. 2020-10-11. Version 1.1.0. LICENSE: gpl3+.  
The bundle provides the means of building parsers and scanners in T<sub>E</sub>X. and are used to create the tables that drive the automata

- programmed as  $\TeX$  macros.  
 URL: <https://ctan.org/pkg/splint>  
 MIRROR: <https://mirror.ctan.org/support/splint>
- Shigeru, Miyata. *The xetex-pstricks package. Running PSTricks under XeTeX*. 2018-09-15. LICENSE: pd  
 URL: <https://ctan.org/pkg/xetex-pstricks>  
 MIRROR: <https://mirror.ctan.org/graphics/xetex/pstricks>
- Shipunov, Alexey. *The altverse package. Typesetting verse*. 2019-10-07. Version 0.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/altverse>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shipunov/tex/altverse.sty>
- *The autolist package. More lists*. 2019-10-07. Version 0.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/autolist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shipunov/tex/autolist.sty>
  - *The biokey package. Flexible identification key tables in L<sup>A</sup>T<sub>E</sub>X*. 2019-10-07. Version 3.11. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biokey>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shipunov>
  - *The biolist package. List observed species*. 2019-10-07. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biolist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shipunov/tex/biolist.sty>
  - *The boldline package. Heavier lines in tables*. 2019-10-07. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/boldline>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shipunov/tex/boldline.sty>
  - *The cassette-shipunov package. Print labels for audio cassettes*. 2019-10-07. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cassette-shipunov>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shipunov/tex/cassete.cls>
  - *The classif2 package. Biological classification tables*. 2019-10-09. Version 2.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/classif2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shipunov/tex/classif2.sty>
  - *The drcaps package. Simple dropped capitals*. 2019-10-07. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/drcaps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shipunov/tex/drcaps.sty>
  - *The shipunov package. A collection of L<sup>A</sup>T<sub>E</sub>X packages and classes*. 2019-10-08. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/shipunov>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shipunov>
  - *The sltables package. Simplified tables for L<sup>A</sup>T<sub>E</sub>X*. 2019-10-07. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/sltables>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shipunov>
  - *The xecyr package. Using Cyrillic languages in XeTeX*. 2019-10-07. Version 1.2. LICENSE: lppl1.3. Helper tools for using Cyrillic languages with X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X and .  
 URL: <https://ctan.org/pkg/xecyr>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xecyr>
- Shizuya, Hakuta. *The lisp-on-tex package. Execute LISP code in a L<sup>A</sup>T<sub>E</sub>X document*. 2016-06-24. Version 2.0. LICENSE: bsd  
 URL: <https://ctan.org/pkg/lisp-on-tex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lisp-on-tex>
- Shoaib, Yasir. *The ryersonSGSThesis package. Ryerson School of Graduate Studies thesis template*. 2019-02-26. Version 1.0.3. LICENSE: apache2  
 URL: <https://ctan.org/pkg/ryersonsgstheis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ryersonsgstheis>
- Shoshiashvili, Levan. *The georgian package. Support for typesetting in Georgian*. 2016-06-24. Version 0.9.5. LICENSE: lppl1.3. The bundle provides fonts, and L<sup>A</sup>T<sub>E</sub>X NFSS support, for typesetting text written in Georgian.  
 URL: <https://ctan.org/pkg/georgian>  
 MIRROR: <https://mirror.ctan.org/language/georgian>
- Shoshiashvili, Levan and Werner Lemberg. *The babel-georgian package. Babel support for Georgian*. 2017-11-21. Version 2.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/babel-georgian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/georgian>

- Shoulson, Mark. *The vispeech package. Using Bell's Visible Speech alphabet*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/vispeech>  
 MIRROR: <https://mirror.ctan.org/language/vispeech>
- Shub, Daniel E. *The biblatex-cv package. Create a CV from BibTeX files*. 2021-06-04. Version 0.01. LICENSE: lppl1.3. This package creates an academic curriculum vitae (CV) from a BibTeX file. The package makes use of BibLaTeX/biber to automatically format, group, and sort the entries on a CV.  
 URL: <https://ctan.org/pkg/biblatex-cv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-cv>
- Shuval, Boaz. *The technion-thesis-template package. Template for theses on the Technion graduate school*. 2019-02-04. Version 1.0. LICENSE: cc-by-4  
 URL: <https://ctan.org/pkg/technion-thesis-template>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/technion-thesis-template>
- Shvaika, Andriy. *The cmpj package. Style for the journal Condensed Matter Physics*. 2021-03-18. Version 3.03. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cmpj>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cmpj>
- Shvaika, Andriy, Maksym Polyakov, and Dimitri Vulis. *The ukrhyph package. Hyphenation Patterns for Ukrainian*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ukrhyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/ukrhyph>
- Siddikov, M. *The Orderer package. Order references in a TeX file*. 2016-06-24. LICENSE: lppl. Orderer is a small Perl script that will take a TeX document and re-order the references in it. This saves the user from building a database.  
 URL: <https://ctan.org/pkg/orderer>  
 MIRROR: <https://mirror.ctan.org/support/orderer>
- Siebenmann, Laurent. *The ascii-cyrillic package. A Latin alphabet representation of Cyrillic*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ascii-cyrillic>  
 MIRROR: <https://mirror.ctan.org/language/ascii-cyrillic>
- *The boxedart4mac package. Import graphics into Macintosh TeX*. 2016-06-24. LICENSE: noinfo. The package is an (accelerated) alternative to the author's package, for the and Textures distributions only.  
 URL: <https://ctan.org/pkg/boxedart4mac>  
 MIRROR: <https://mirror.ctan.org/macros/generic/boxedart4mac>
  - *The boxedeps package. Incorporate EPS files into TeX documents*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/boxedeps>  
 MIRROR: <https://mirror.ctan.org/macros/generic/boxedeps>
  - *The BSR2dvi package. Convert a TeXtures working file to DVI*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/bsr2dvi>  
 MIRROR: <https://mirror.ctan.org/dviware/BSR2dvi>
  - *The caesarcm package. Hyphenation of inflected languages, using CM fonts*. 2016-06-24. Version 2. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/caesarcm>  
 MIRROR: <https://mirror.ctan.org/macros/generic/caesarcm>
  - *The labelfig package. Label LaTeX 2.09 figures included in documents*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/labelfig>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/labelfig>
  - *The occam package. Strip unnecessary macros from a file*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/occam>  
 MIRROR: <https://mirror.ctan.org/macros/generic/occam>
  - *The ragged package. Generic ragged left and ragged right options*. 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ragged>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/ragged.sty>
- Siefken, Jason. *The jobname-suffix package. Compile differently based on the filename*. 2021-09-11. Version 1.0. LICENSE: lppl1.3. This package allows to compile a document differently depending on the portion of the document's file name (internally, the ) that comes after the first "-" character. This allows one to have one source file and multiple links to this source file that each compile differently.  
 URL: <https://ctan.org/pkg/jobname-suffix>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jobname-suffix>
- Siefkes, Christian. *The hcbundle package. Replacement for the LaTeX classes*. 2016-06-24. LICENSE: other-free. A set of replacements for the default LaTeX classes, based upon the bundle and the seminar class. Includes , , and .



- URL: <https://ctan.org/pkg/hc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hc>
- Siegel, Dominik. *The chemschemex package. Typeset and cross-reference chemical schemes based on TikZ code*. 2018-02-23. Version 1.2. LICENSE: lpl1.2  
 URL: <https://ctan.org/pkg/chemschemex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemschemex>
- *The fancylabel package. Complex labelling with L<sup>A</sup>T<sub>E</sub>X*. 2018-02-23. Version 1.1. LICENSE: lpl1.2. The package provides a complex labelling scheme. It is designed to support the needs of the author's package  
 URL: <https://ctan.org/pkg/fancylabel>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancylabel>
- Siebert, Hans-Jürgen. *The latexdraw package. CAD oriented drawing program*. 2018-09-15. Version 15.29. LICENSE: nocommercial. An X-Windows based CAD orientated drawing program which generates L<sup>A</sup>T<sub>E</sub>X output using latexdraw.sty, based on . The picture may be generated as complete L<sup>A</sup>T<sub>E</sub>X-source or as a picture-environment to be included in other documents. You must translate the dvi-file generated by L<sup>A</sup>T<sub>E</sub>X to a PostScript-file using dvips before you can view or print the document.  
 URL: <https://ctan.org/pkg/latexdraw>  
 MIRROR: <https://mirror.ctan.org/support/latexdraw>
- Sievers, Martin. *The hausarbeit-jura package. Class for writing "juristische Hausarbeiten" at German Universities*. 2020-08-06. Version 2.1.0. LICENSE: lpl1.3. The class was developed for use by students writing legal essays ("juristische Hausarbeit") at German Universities. It is based on and makes it easy for L<sup>A</sup>T<sub>E</sub>X beginners to get a correct and nicely formatted paper.  
 URL: <https://ctan.org/pkg/hausarbeit-jura>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hausarbeit-jura>
- *The lni package. Official class for the "Lecture Notes in Informatics"*. 2023-06-29. Version 1.7. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/lni>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lni>
- Sievers, Martin and Beilstein-Institut. *The beilstein package. Support for submissions to the "Beilstein Journal of Nanotechnology"*. 2020-08-26. Version 2.1. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/beilstein>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beilstein>
- Sievers, Martin and Stefan Strecker. *The emisa package. A L<sup>A</sup>T<sub>E</sub>X package for preparing manuscripts for the journal EMISA*. 2020-11-26. Version 2.3.0. LICENSE: lpl1.3c. The EMISA L<sup>A</sup>T<sub>E</sub>X package is provided for preparing manuscripts for submission to EMISA (Enterprise Modelling and Information Systems Architectures), and for preparing accepted submissions for publication as well as for typesetting the final document by the editorial office. Articles in EMISA are published online at in the Portable Document Format (PDF).  
 URL: <https://ctan.org/pkg/emisa>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/emisa>
- Sigurdhsson, Simon. *The chscite package. Bibliography style for Chalmers University of Technology*. 2018-01-06. Version 2.9999. LICENSE: lpl1.2. The package, heavily based on the package for Harvard-style citations, provides a citation suite for students at Chalmers University of Technology that follows given recommendations.  
 URL: <https://ctan.org/pkg/chscite>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chscite>
- *The download package. Allow L<sup>A</sup>T<sub>E</sub>X to download files using an external process*. 2019-10-02. Version 1.2. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/download>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/download>
  - *The skdoc package. Documentation and extraction for packages and document classes*. 2020-11-16. Version 1.5d. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/skdoc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/skdoc>
  - *The skmath package. Extensions to the maths command repertoire*. 2019-10-16. Version 0.5a. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/skmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/skmath>
  - *The skrapport package. 'Simple' class for reports, etc*. 2019-10-16. Version 0.12k. LICENSE: lpl1.3. The class is intended for simple documents (e.g., reports handed in as coursework and the like). The class is small and straightforward; its design was inspired by that of the .  
 URL: <https://ctan.org/pkg/skrappport>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/skrappport>
- Sihler, Florian. *The fancyqr package. Fancy QR-Codes with TikZ*. 2022-08-25. Version 1.1. LICENSE: gpl3. A simple package to create fancy QR-codes with the help of the package.

- URL: <https://ctan.org/pkg/fancyqr>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/fancyqr>
- *The Tikzpingus package. Penguins with TikZ.* 2022-08-29. Version 1.0. LICENSE: gpl3. tikzpingus is a package similar to but with penguins and a vast set of gadgets and extras (capable of changing the wing-positions, body-types, and more).  
URL: <https://ctan.org/pkg/tikzpingus>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzpingus>
- Silva, Tomàs Oliveira e. *The pmat package. Typeset partitioned matrices.* 2016-06-18. Version 0.1. LICENSE: nosell  
URL: <https://ctan.org/pkg/pmat>  
MIRROR: <https://mirror.ctan.org/macros/generic/pmat>
- Simers, Thomas. *The soup package. Generate alphabet soup puzzles.* 2019-04-06. Version 1.0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/soup>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/soup>
- Simões, Alberto Manuel Brandão. *The lshort-portuguese package. Introduction to L<sup>A</sup>T<sub>E</sub>X in Portuguese.* 2020-06-17. Version 5.01.0. LICENSE: pd. This is the Portuguese translation of .  
URL: <https://ctan.org/pkg/lshort-portuguese>  
MIRROR: <https://mirror.ctan.org/info/lshort/portuguese>
- *The texi-like cover package. A cover-page package, like T<sub>E</sub>Xinfo.* 2016-06-24. Version 0.1. LICENSE: lppl. The package creates document cover pages, like those that produces.  
URL: <https://ctan.org/pkg/texilikecover>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/texilikecover.sty>
- Simon, André. *The highlight package. Converts source code to syntax highlighted T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 2.16. LICENSE: gpl3  
URL: <https://ctan.org/pkg/highlight>  
MIRROR: <https://mirror.ctan.org/support/highlight>
- Simonic, Aleksander. *The WinEdt package. MS-Windows shell and editor for T<sub>E</sub>X.* 2017-04-18. Version 6.0. LICENSE: shareware  
URL: <https://ctan.org/pkg/winedt>  
MIRROR: <https://mirror.ctan.org/systems/win32/winedt>
- Simons, Don. *The pmtex package. Preprocessor for MusicT<sub>E</sub>X.* 2016-06-24. Version 1.0. LICENSE: other-free. PMT<sub>E</sub>X is the predecessor of (by the same author).  
URL: <https://ctan.org/pkg/pmtex>  
MIRROR: <https://mirror.ctan.org/support/pmtex>
- Simons, Don and Bob Tennent. *The pmx package. Preprocessor for MusiX<sub>T</sub>E<sub>X</sub>.* 2023-02-12. Version 3.00. LICENSE: gpl2  
URL: <https://ctan.org/pkg/pmx>  
MIRROR: <https://mirror.ctan.org/support/pmx>
- Simpson, Duncan. *The word2x package. Word 6 format converter.* 2016-06-24. Version 0.001. LICENSE: gpl  
URL: <https://ctan.org/pkg/word2x>  
MIRROR: <https://mirror.ctan.org/support/word2x>
- Simpson, Rick. *The logic package. A font for electronic logic design.* 2019-02-03. LICENSE: noinfo  
URL: <https://ctan.org/pkg/logic>  
MIRROR: <https://mirror.ctan.org/fonts/logic>
- Singer, Jed. *The perception package. BibT<sub>E</sub>X style for the journal Perception.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/perception>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/perception>
- Singh, Amarjit. *The gurmukhi-singh package. Support for Gurmukhi in T<sub>E</sub>X.* 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/gurmukhi-singh>  
MIRROR: <https://mirror.ctan.org/language/gurmukhi/singh>
- Singh, Madhusudan. *The assignment package. A class file for typesetting homework and lab assignments.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/assignment>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/assignment>
- Singletary, Tim. *The texi2www package. Converts texinfo to display on the Web.* 2018-01-06. LICENSE: gpl  
URL: <https://ctan.org/pkg/texi2www>
- Sion, Laurens. *The pdfprivacy package. A L<sup>A</sup>T<sub>E</sub>X package to remove or suppress pdf meta-data.* 2017-12-05. Version 1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pdfprivacy>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfprivacy>

- Sirlin, Sam. *The sirlin package. Fonts and macros for typesetting Tibetan*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/sirlin>  
 MIRROR: <https://mirror.ctan.org/language/tibetan/sirlin>
- Siskind, Jeffrey. *The qobitree package. L<sup>A</sup>T<sub>E</sub>X macros for typesetting trees*. 2016-06-24. LICENSE: lppl. Provides commands and for specifying the elements of the tree; you build up your tree with those commands, and then issue the command to typeset the whole.  
 URL: <https://ctan.org/pkg/qobitree>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/qobitree>
- Sitaram, Dorai. *The slatex-scheme package. A pretty-printer for Scheme code in T<sub>E</sub>X documents*. 2020-09-03. Version 2.4z2a. LICENSE: apache2  
 URL: <https://ctan.org/pkg/slatex-scheme>  
 MIRROR: <https://mirror.ctan.org/support/slatex>
- *The tex2page package. Produce HTML from T<sub>E</sub>X/LaTeX*. 2020-06-10. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tex2page>
- Sixt, Johannes and Klaus Zitzmann. *The xtexcad package. Simple drawing program for L<sup>A</sup>T<sub>E</sub>X use*. 2016-06-24. Version 2.4.1. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/xtexcad>  
 MIRROR: <https://mirror.ctan.org/graphics/xtexcad>
- Sixt, Leon. *The emojicite package. Add emojis to citations*. 2020-05-13. Version 0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/emojicite>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/emojicite>
- Skala, Matthew. *The horoscop package. Generate astrological charts in L<sup>A</sup>T<sub>E</sub>X*. 2020-07-31. Version 1.01. LICENSE: pd. The horoscop package provides a unified interface for astrological font packages; typesetting with of standard wheel charts and some variations, in PostScript- and PDF-generating T<sub>E</sub>X engines; and access to external calculation software (Astrolog and Swiss Ephemeris) for computing object positions.  
 URL: <https://ctan.org/pkg/horoscop>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/horoscop>
- *The starfont package. The StarFont Sans astrological font*. 2016-06-24. Version 1.2. LICENSE: pd  
 URL: <https://ctan.org/pkg/starfont>  
 MIRROR: <https://mirror.ctan.org/fonts/ps-type1/starfont>
- Skala, Wolfgang. *The cpssp package. Draw protein secondary structures*. 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cpssp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cpssp>
- *The pgfgantt package. Draw Gantt charts with TikZ*. 2018-01-10. Version 5.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pgfgantt>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgfgantt>
- *The pgfmolbio package. Draw graphs typically found in molecular biology texts*. 2016-06-24. Version 0.21. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pgfmolbio>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/pgfmolbio>
- Skinner, Eric. *The split package. Box two chunks of text side-by side*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/split>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/split.tex>
- Slater, Joseph. *The imac package. International Modal Analysis Conference format*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/imac>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/imac>
- Slavič, Janko. *The AddTeX2Eps package. Use L<sup>A</sup>T<sub>E</sub>X syntax on EPS figures, within Mathematica*. 2016-06-24. Version 1.15. LICENSE: lppl. This Mathematica script permits the user to write commands at the same place as the fragments for replacement are defined.  
 URL: <https://ctan.org/pkg/addtex2eps>  
 MIRROR: <https://mirror.ctan.org/graphics/AddTeX2Eps>
- Slyusarev, Sergey. *The byrne package. This package provides a set of tools to typeset geometric proofs in the style of Oliver Byrne's 1847 ed. of Euclid's "Elements"*. 2022-02-09. Version 0.2.2. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/byrne>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/byrne>
- Slyusarev, Sergey. *The fiziko package. A MetaPost library for physics textbook illustrations*. 2022-02-07. Version 0.2.0. LICENSE: gpl3+,cc-by-sa-4. This library was initially written to automate some elements of black and white illustrations for a physics

textbook. It provides functions to draw things like lines of variable width, shaded spheres, and tubes of different kinds, which can be used to produce images of a variety of objects. The library also contains functions to draw some objects constructed from these primitives.

URL: <https://ctan.org/pkg/fiziko>

MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/fiziko>

Small Planet Software. *The softfonts package. Manage the "soft fonts" in a LaserWriter printer.* 2016-06-24. Version 1.5. LICENSE: pd

URL: <https://ctan.org/pkg/softfonts>

MIRROR: <https://mirror.ctan.org/fonts/softfonts>

Smart, Julian. *The tex2rtf package. TeX translator, output formats include RTF.* 2016-06-24. LICENSE: other-free

URL: <https://ctan.org/pkg/tex2rtf>

MIRROR: <https://mirror.ctan.org/support/tex2rtf>

Smith, Andrew. *The kalendarium package. Print dates according to the classical Latin calendar.* 2018-09-26. Version 1.0. LICENSE: lpl1.3c. is a L<sup>A</sup>T<sub>E</sub>X3 package that provides several macros with which to print dates in classical Latin given days on the Julian or Gregorian calendars, using the same syntax used by ancient Roman authors. The format of these dates may be customised either in the package options or on a per-command basis; these options also allow for the generation of date strings according to different eras of the Classical period.

URL: <https://ctan.org/pkg/kalendarium>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kalendarium>

Smith, Brian. *The transfig package. Transform xfig pictures into many other formats.* 2016-06-24. Version 3.2.4. LICENSE: bsd. Translates figures generated by to a large variety of formats.

URL: <https://ctan.org/pkg/transfig>

MIRROR: <https://mirror.ctan.org/graphics/transfig>

— *The xfig package. XWindows vector drawing program.* 2017-04-18. Version 3.2.4. LICENSE: bsd

URL: <https://ctan.org/pkg/xfig>

MIRROR: <https://mirror.ctan.org/graphics/xfig>

Smith, Cameron. *The genindex package. Alternative index series.* 2016-06-24. Version 1.0. LICENSE: noinfo

URL: <https://ctan.org/pkg/genindex>

MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/genindex>

— *The pageframe package. Page frames, grids, etc., for L<sup>A</sup>T<sub>E</sub>X 2.09.* 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/pageframe>

MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/pageframe>

— *The wrtfile package. Write T<sub>E</sub>X files from a T<sub>E</sub>X document.* 2016-06-24. LICENSE: other-free. Wrtfile is a means of creating self-extracting distributions in T<sub>E</sub>X files; it is similar in conception to the L<sup>A</sup>T<sub>E</sub>X mechanism, but is somewhat more efficient. Wrtfile is (of course) distributed using its own mechanisms.

URL: <https://ctan.org/pkg/wrtfile>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/wrtfile>

Smith, J. Daniel. *The lettermac package. Simple macros for writing letters (Plain T<sub>E</sub>X).* 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/lettermac>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/lettermac.tex>

— *The make-env package. Print USPS standard envelopes.* 2016-06-24. LICENSE: noinfo. The package prints USPS standard envelopes, using the author's and packages.

URL: <https://ctan.org/pkg/make-env>

MIRROR: <https://mirror.ctan.org/macros/plain/contrib/make-env>

— *The zip package. Barcodes for USA ZIP code.* 2020-04-11. LICENSE: noinfo

URL: <https://ctan.org/pkg/zip>

MIRROR: <https://mirror.ctan.org/macros/generic/misc/zip.tex>

Smith, John. *The accfonts package. Utilities to derive new fonts from existing ones.* 2018-01-06. Version 0.25. LICENSE: gpl. The accfonts package contains three utilities to permit easy manipulation of fonts, in particular the creation of unusual accented characters. Mkt1font works on Adobe Type 1 fonts, vpl2vpl works on T<sub>E</sub>X virtual fonts and vpl2ovp transforms a T<sub>E</sub>X font to an Omega one. All three programs read in a font (either the font itself or a property list), together with a simple definition file containing lines such as "; they then write out a new version of the font with the requested new characters in the numerical slots specified. Great care is taken over the positioning of accents, and over the provision of kerning information for new characters; mkt1font also generates suitable "hints" to enhance quality at small sizes or poor resolutions. The programs are written in Perl.

URL: <https://ctan.org/pkg/accfonts>

MIRROR: <https://mirror.ctan.org/fonts/utilities/accfonts>



- Smith, John. *The induni-om package. Omega fonts for characters used in study of Sanskrit*. 2020-06-07. LICENSE: gpl. The files are a comprehensive set of virtual fonts for the Latin glyphs used in the study of Sanskrit and similar languages. The virtual fonts are built for use with , and use the as base fonts.  
URL: <https://ctan.org/pkg/induni-om>  
MIRROR: <https://mirror.ctan.org/fonts/induni-om>
- Smith, Nathaniel J. *The apa6e package. Format manuscripts to APA 6th edition guidelines*. 2016-06-24. Version 0.3. LICENSE: bsd. This is a minimalist class file for formatting manuscripts in the style described in the American Psychological Association (APA) 6th edition guidelines. The class provides better coverage of the requirements.  
URL: <https://ctan.org/pkg/apa6e>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/apa6e>
- Smith, Ralph and Taco Hoekwater. *The rsfs package. Ralph Smith's Formal Script font*. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/rsfs>  
MIRROR: <https://mirror.ctan.org/fonts/rsfs>
- Smith, Steven T. *The arrow package. Eplain macros for commutative diagrams*. 2018-01-06. Version 1.0. LICENSE: gpl. While this package is distributed as part of , it takes special precautions in support of its aim of working within L<sup>A</sup>T<sub>E</sub>X documents.  
URL: <https://ctan.org/pkg/arrow>  
MIRROR: <https://mirror.ctan.org/macros/eplain/tex/arrow.tex>
- Sneep, Maarten. *The xmpinc1 package. Include eXtensible Metadata Platform data in pdfLaTeX*. 2021-09-23. Version 2.4. LICENSE: gpl  
URL: <https://ctan.org/pkg/xmpinc1>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xmpinc1>
- Sneep, Maarten and Heiko Oberdiek. *The doi package. Create correct hyperlinks for DOI numbers*. 2018-09-09. LICENSE: lppl. You can hyperlink DOI numbers to . However, some publishers have elected to use nasty characters in their DOI numbering scheme ('<', '>', '\_' and ';' have all been spotted). This will either upset (La)TeX, or your PDF reader. This package contains a single user-level command , which takes a DOI number, and creates a correct hyperlink to the target of the DOI.  
URL: <https://ctan.org/pkg/doi>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/doi>
- Snick, Romeo Van. *The mattex package. Import Matlab values to L<sup>A</sup>T<sub>E</sub>X documents*. 2016-06-24. Version 0.1. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/mattex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mattex>
- Snippe, Max J.W. *The robotarm package. TikZ powered L<sup>A</sup>T<sub>E</sub>X package to draw parameterized 2D robot arms*. 2022-04-08. Version 0.1. LICENSE: lppl1.3. This L<sup>A</sup>T<sub>E</sub>X package uses to draw parameterized 2D robot arms, for example to be used in educational material.  
URL: <https://ctan.org/pkg/robotarm>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/robotarm>
- Södergran, Salome. *The koma-moderncvclassic package. Makes the style and command of moderncv (style classic) available for koma-classes and thus compatible with BibLaTeX*. 2016-06-24. Version 0.5. LICENSE: lppl1.3. This package provides an imitation of the class with the classic style (by Xavier Danaux), to be used in conjunction with the . Thus it is possible to configure pagelayout, headings etc. the way it is done in koma-classes. Moreover, it is possible to use BibLaTeX, while the original moderncv-class is incompatible with BibLaTeX.  
URL: <https://ctan.org/pkg/koma-moderncvclassic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-moderncvclassic>
- *The komacv package. Typesetting a beautiful CV with various style options*. 2021-02-12. Version 1.1.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/komacv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/komacv>
- Sodtalbers, Axel. *The juramisc package. Typesetting German juridical documents*. 2018-01-06. Version 0.91. LICENSE: lppl. A collection of classes for typesetting court sentences, legal opinions, books and dissertations for German lawyers. A class is also provided, which may not yet be complete.  
URL: <https://ctan.org/pkg/juramisc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/juramisc>
- Söhner, Jörg. *The kalender package. Create a calendar, in German*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/kalender>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kalender>
- Söll, Thomas. *The pst-perspective package. Draw perspective views using PSTricks*. 2016-06-24. Version 1.05. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pst-perspective>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-perspective>



- Söll, Thomas. *The pst-pulley package. Plot pulleys, using PSTricks*. 2022-04-06. Version 0.02. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pst-pulley>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-pulley>
- Söll, Thomas and Martin J. Osborne. *The pst-rputover package. Place text over objects without obscuring background colors*. 2017-07-01. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pst-rputover>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-rputover>
- Söll, Thomas and Herbert Voß. *The pst-geometrictools package. A PSTricks package to draw geometric tools*. 2021-12-28. Version 1.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pst-geometrictools>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-geometrictools>
- *The pst-vehicle package. A PSTricks package for rolling vehicles on graphs of mathematical functions*. 2021-12-29. Version 1.3. LICENSE: lppl1.3c. This package permits to represent vehicles rolling without slipping on mathematical curves. Different types of vehicles are proposed, the shape of the curve is to be defined by its equation “ $=()$ ” in algebraic notation.  
 URL: <https://ctan.org/pkg/pst-vehicle>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-vehicle>
- Solomykov, Basil. *The obnov package. Obyknovennaya Novaya fonts*. 2016-06-24. Version 0.11. LICENSE: lppl  
 URL: <https://ctan.org/pkg/obnov>  
 MIRROR: <https://mirror.ctan.org/fonts/obnov>
- Somefun, Oluwasegun. *The kblocks package. Easily typeset Control Block Diagrams and Signal Flow Graphs*. 2021-02-04. Version 2.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/kblocks>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/kblocks>
- Sommer, Jörg. *The jlm package. Jörg’s L<sup>A</sup>T<sub>E</sub>X Mode - an advanced L<sup>A</sup>T<sub>E</sub>X mode for Jed*. 2016-06-24. Version 188. LICENSE: gpl  
 URL: <https://ctan.org/pkg/jlm>  
 MIRROR: <https://mirror.ctan.org/support/jed/jlm>
- *The templates-sommer package. Templates for T<sub>E</sub>X usage*. 2016-06-24. LICENSE: lppl. A set of templates for using L<sup>A</sup>T<sub>E</sub>X packages that the author uses, comprising: – Hausarbeit.tex: for students of the Lehrstuhl Volkskunde an der Friedrich-Schiller-Universität Jena; – Psycho-Dipl.tex: for diploma theses in psychology.  
 URL: <https://ctan.org/pkg/templates-sommer>  
 MIRROR: <https://mirror.ctan.org/info/templates/sommer>
- Sommerfeldt, Axel. *The bicaption package. Support for bilingual captions*. 2023-03-12. Version 1.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bicaption>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/caption>
- *The caption package. Customising captions in floating environments*. 2023-07-31. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/caption>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/caption>
  - *The caption2 package. Superseded version of the caption package*. 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/caption2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/caption>
  - *The ltcaption package. Fix some caption problems in longtables*. 2016-06-24. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ltcaption>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/caption>
  - *The newfloat package. Define new floating environments*. 2023-05-17. Version 1.11. LICENSE: lppl1.3. The package offers the command `\newfloat`, which the user may use to define new floating environments which behave like the L<sup>A</sup>T<sub>E</sub>X standard floating environments and `\float`.  
 URL: <https://ctan.org/pkg/newfloat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/newfloat>
  - *The rotfloat package. Rotate floats*. 2016-06-24. Version 1.2. LICENSE: lppl. The package provides commands to define new floats of various styles (plain, boxed, ruled, and userdefined ones); the package provides new environments (sidewaysfigure and sidewaystable) which are rotated by 90 or 270 degrees. But what about new rotated floats, e.g. a rotated ruled one? This package makes this possible; it builds a bridge between the two packages and extends the commands from the float package to define rotated versions of the new floats, too.  
 URL: <https://ctan.org/pkg/rotfloat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rotfloat>
- Sommerfeldt, Axel. *The rplain package. Redefines the plain pagestyle*. 2019-06-21. Version 1.0b. LICENSE: lppl. The package redefines the L<sup>A</sup>T<sub>E</sub>X pagestyle so the page numbers appear on the lower corners. The package was superseded by the package and is no

- longer supported.  
 URL: <https://ctan.org/pkg/rplain>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/rplain>
- *The subcaption package. Support for sub-captions.* 2023-07-28. Version 1.6b. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/subcaption>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/caption>
  - *The totalcount package. Commands for typesetting total values of counters.* 2023-05-17. Version 1.0a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/totalcount>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/totalcount>
  - *The umlaute package. German input encodings in L<sup>A</sup>T<sub>E</sub>X.* 2018-01-06. Version 2.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/umlaute>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/umlaute>
- Sousa, Philippe De. *The ticollege package. Graphical representation of keys on a standard scientific calculator.* 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ticollege>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/ticollege>
- *The tipfr package. Produces calculator's keys with the help of TikZ.* 2016-06-24. Version 1.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tipfr>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tipfr>
- Souza Bastos, Fernando de. *The figchild package. Pictures for creating children's activities.* 2022-03-23. Version 2.1.1. LICENSE: lppl1.3c.  
 This package was created with the aim of facilitating the work of Elementary School teachers who need to create colorful and attractive activities for their students. It is a product of the Computational Mathematics discipline offered at the Federal University of Viçosa — Campus UFV — Florestal by professor Fernando de Souza Bastos. It makes use of the and packages.  
 URL: <https://ctan.org/pkg/figchild>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/figchild>
- Sowa, Friedhelm and Stefan Blochwitz. *The picinpar package. Insert pictures into paragraphs.* 2022-11-24. Version 1.3. LICENSE: gpl  
 URL: <https://ctan.org/pkg/picinpar>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/picinpar>
- Sowa, Friedhelm and Dave Gillespie. *The bm2font package. Convert bitmaps to PK fonts.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/bm2font>  
 MIRROR: <https://mirror.ctan.org/graphics/bm2font>
- Sozuer, Sami. *The noprot package. Avoid the need for protection.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/noprot>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/noprot.sty>
- Spalek, Robert. *The mf2tex package. Add labels into drawings created with Metafont.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/mf2tex>  
 MIRROR: <https://mirror.ctan.org/graphics/mf2tex>
- Sparapani, Rodney. *The statex package. Statistics style.* 2016-06-24. Version 1.6. LICENSE: lppl. A package defining many macros for items of significance in statistical presentations. An updated, but incompatible, version of the package is available: .  
 URL: <https://ctan.org/pkg/statex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/statex>
- *The statex2 package. Statistics style.* 2016-06-24. Version 2.1. LICENSE: lppl. The package defines many macros for items of significance in statistical presentations. It represents a syntax-incompatible upgrade of .  
 URL: <https://ctan.org/pkg/statex2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/statex2>
- Spencer, Stephen N. and Young Ryu. *The newapa package. Another APA citation mechanism.* 2019-12-27. Version 2.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/newapa>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/newapa>
- Spiegel, Simon. *The biblatex-fiwi package. BibL<sup>A</sup>T<sub>E</sub>X styles for use in German humanities.* 2017-11-21. Version 1.7. LICENSE: lppl1.3.  
 The package provides a collection of styles for (version 3.5 is required, currently). It was designed for citations in German Humanities, especially film studies, and offers some features that are not provided by the standard BibL<sup>A</sup>T<sub>E</sub>X styles. The style is highly optimized for documents written in German, and the main documentation is only available in German.  
 URL: <https://ctan.org/pkg/biblatex-fiwi>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-fiwi>
- Spina, Sergio. *The plipsum package. 'Lorem ipsum' for Plain T<sub>E</sub>X developers.* 2016-06-24. Version 4.3. LICENSE: lppl. The package provides a paragraph generator designed for use in Plain T<sub>E</sub>X documents. The paragraphs generated contain many 'f-groups' (,

- etc.) so the text can act as a test of the ligatures of the font in use.  
 URL: <https://ctan.org/pkg/plipsum>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/plipsum>
- Spinellis, Diomidis and David Hull. *The bib2xhtml package. Convert BibTeX Files into XHTML*. 2016-06-24. Version 2.35. LICENSE: gpl  
 URL: <https://ctan.org/pkg/bib2xhtml>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bib2xhtml>
- Spit, Werenfried. *The cursor package. Draw a cursor in an equation*. 2016-06-24. Version 1.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cursor>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cursor>
- Spittank, Daniel. *The utfsym package. Provides various Unicode symbols*. 2022-04-19. Version 0.9.0. LICENSE: cc0  
 URL: <https://ctan.org/pkg/utfsym>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/utfsym>
- Spitzmüller, Jürgen. *The biblatex-publist package. Bib<sub>La</sub>T<sub>E</sub>X bibliography support for publication lists*. 2023-07-01. Version 2.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-publist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-publist>
- *The jslectureplanner package. Creation and management of university course material*. 2020-12-08. Version 1.12. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/jslectureplanner>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jslectureplanner>
- *The univie-ling package. Papers, theses and research proposals in (Applied) Linguistics at Vienna University*. 2023-03-31. Version 2.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/univie-ling>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/univie-ling>
- Spitzmüller, Jürgen, Michael Covington, and Robin Fairbairns. *The covington package. L<sub>A</sub>T<sub>E</sub>X macros for Linguistics*. 2023-06-25. Version 2.12. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/covington>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/covington>
- Spivak, Michael. *The LamsTeX package. A merge of the best in AMS-TeX and L<sub>A</sub>T<sub>E</sub>X*. 2018-01-06. Version 2.01. LICENSE: pd  
 URL: <https://ctan.org/pkg/lamstex>  
 MIRROR: <https://mirror.ctan.org/macros/lamstex>
- *The lamstex-index package. Index processor for LamsTeX*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/lamstex-index>  
 MIRROR: <https://mirror.ctan.org/indexing/lamstex-index>
- *The mtp2lite package. Subset of MathTime Pro 2 font set*. 2017-04-18. Version 2 lite. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/mtp2lite>  
 MIRROR: <https://mirror.ctan.org/fonts/mtp2lite>
- Spivey, Mike. *The zed package. Typeset Z specifications*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/zed>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/zed>
- Spivey, Mike, Dieter Glözel, and Bob Tennent. *The xml2pmx package. Convert MusicXML to PMX and MusiXTeX*. 2021-04-03. LICENSE: gpl3+. This program translates MusicXML files to input suitable for and processing. This package supports Windows, MacOS and Linux systems.  
 URL: <https://ctan.org/pkg/xml2pmx>  
 MIRROR: <https://mirror.ctan.org/support/xml2pmx>
- Spratte, Jonathan P. *The clrstrip package. Place contents into a full width colour strip*. 2021-08-29. LICENSE: lppl1.3c. This lightweight package provides the environment, that places its contents into a full page width colour strip.  
 URL: <https://ctan.org/pkg/clrstrip>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/clrstrip>
- *The ducksay package. Draw ASCII art of animals saying a specified message*. 2022-10-08. Version 2.6. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/ducksay>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ducksay>
- *The duckuments package. Create duckified dummy content*. 2019-10-03. Version 0.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/duckuments>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/duckuments>

- *The etl package. Expandable token list operations.* 2021-11-07. Version 0.3. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/etl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/etl>
- Spratte, Jonathan P. *The expkv package. An expandable key=val implementation.* 2023-01-28. LICENSE: lppl1.3c. As of January 2023, this package has been merged into the .  
 URL: <https://ctan.org/pkg/expkv>  
 MIRROR: <https://mirror.ctan.org/macros/generic/expkv-bundle>
- *The expkv-bundle package. An expandable key=val implementation and friends.* 2023-01-28. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/expkv-bundle>  
 MIRROR: <https://mirror.ctan.org/macros/generic/expkv-bundle>
- *The expkv-cs package. Define expandable key=val macros using expkv.* 2023-01-28. LICENSE: lppl1.3c. As of January 2023, this package has been merged into the .  
 URL: <https://ctan.org/pkg/expkv-cs>  
 MIRROR: <https://mirror.ctan.org/macros/generic/expkv-bundle>
- *The expkv-def package. A key-defining frontend for expkv.* 2023-01-28. LICENSE: lppl1.3c. As of January 2023, this package has been merged into the .  
 URL: <https://ctan.org/pkg/expkv-def>  
 MIRROR: <https://mirror.ctan.org/macros/generic/expkv-bundle>
- *The expkv-opt package. Parse class and package options with expkv.* 2023-01-28. LICENSE: lppl1.3c. As of January 2023, this package has been merged into the .  
 URL: <https://ctan.org/pkg/expkv-opt>  
 MIRROR: <https://mirror.ctan.org/macros/generic/expkv-bundle>
- *The grabbox package. Read an argument into a box and execute the code afterwards.* 2022-12-07. Version 1.4. LICENSE: lppl1.3c. The package provides the command `\grabbox`, which grabs an argument into a box and executes the code afterwards.  
 URL: <https://ctan.org/pkg/grabbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grabbox>
- *The pgfmath-xfp package. Define pgfmath functions using xfp.* 2021-05-21. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pgfmath-xfp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pgfmath-xfp>
- *The pxpic package. Draw pixel pictures.* 2023-08-17. Version 1.5. LICENSE: lppl1.3c. With you draw pictures pixel by pixel. It was inspired by a by Paulo Cereda, among other things (most notably a beautiful duck) showcasing the use of characters from the Mario video games by Nintendo in L<sup>A</sup>T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/pxpic>  
 MIRROR: <https://mirror.ctan.org/graphics/pxpic>
- *The xistercian package. Cistercian numerals in L<sup>A</sup>T<sub>E</sub>X.* 2021-12-20. Version 1.2. LICENSE: lppl1.3c. allows you to use Cistercian numerals in L<sup>A</sup>T<sub>E</sub>X. The glyphs are created using PGF and to a certain degree configurable. You can use Cistercian numerals as page numbers using `\pageC`. The two main macros are: `\Cnumeral` and `\Croman`.  
 URL: <https://ctan.org/pkg/xistercian>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/xistercian>
- Spreng, Stefan. *The listofsymbols package. Create and manipulate lists of symbols.* 2016-06-24. Version 0.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/listofsymbols>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/listofsymbols>
- Sprille, Tobias. *The adrlist package. Using address lists in L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo. The package provides a read-file command `\readadrlist` and a set of commands for unpicking the address data in the file.  
 URL: <https://ctan.org/pkg/adrlist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/adrlist>
- Springer Verlag. *The springer package. Macros for Springer journals.* 2016-06-24. Version 1.8. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/springer>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/springer/svjour>
- Srinivasan, K. *The adami package. A DOS system for working with Tamil.* 2016-06-18. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/adami>  
 MIRROR: <https://mirror.ctan.org/language/indian/adami90.zip>
- Staats, Michale and Denis Endisch. *The untex package. Strip (La)TeX commands from source file.* 2016-06-24. Version 1.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/untex>  
 MIRROR: <https://mirror.ctan.org/support/untex>



- Stacey, Andrew. *The braids package*. Draw braid diagrams with PGF/TikZ. 2022-10-26. Version 2.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/braids>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/braids>
- Stacey, Andrew. *The celtic package*. A TikZ library for drawing celtic knots. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/celtic>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/celtic>
- *The hobby package*. An implementation of Hobby’s algorithm for PGF/TikZ. 2023-08-31. Version 1.10. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/hobby>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/hobby>
  - *The penrose package*. A TikZ library for producing Penrose tilings. 2023-06-07. Version 1.4. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/penrose>  
 MIRROR: <https://mirror.ctan.org/obsolete/graphics/pgf/contrib/penrose>
  - *The pgfmorepages package*. Assemble multiple logical pages onto a physical page. 2020-04-16. Version 1.20. LICENSE: lppl1.3c. This package replaces and extends the pgfpages sub-package of the . It provides the capability to arrange multiple “logical” pages on multiple “physical” pages, for example as for arranging pages to make booklets.  
 URL: <https://ctan.org/pkg/pgfmorepages>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgfmorepages>
  - *The rulercompass package*. A TikZ library for straight-edge and compass diagrams. 2016-06-24. Version 1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/rulercompass>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/rulercompass>
  - *The spath3 package*. Manipulate “soft paths” in PGF. 2022-10-26. Version 2.7. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/spath3>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/spath3>
  - *The tikzmark package*. Use TikZ’s method of remembering a position on a page. 2022-10-26. Version 1.15. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tikzmark>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzmark>
  - *The tilings package*. A TikZ library for drawing tiles and tilings. 2023-06-17. Version 2.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tilings>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tilings>
  - *The tqft package*. Drawing TQFT diagrams with TikZ/PGF. 2017-06-01. Version 2.1. LICENSE: lppl1.3. The package defines some node shapes useful for drawing TQFT diagrams with . That is, it defines highly customisable shapes that look like cobordisms between circles, such as those used in TQFT and other mathematical diagrams.  
 URL: <https://ctan.org/pkg/tqft>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tqft>
- Stachelek, Joseph. *The tikz-lake-fig package*. Schematic diagrams of lakes. 2020-05-31. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tikz-lake-fig>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-lake-fig>
- Stajano, Frank. *The fixbbl package*. Patch bibliographies inappropriately broken by BibTeX. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/fixbbl>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/fixbbl>
- Stambulchik, Evgeny. *The pdfpc package*. Define data for the pdfpc presentation viewer. 2022-07-10. Version 0.7.0. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/pdfpc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfpc>
- Stanier, Alan. *The cherokee package*. A font for the Cherokee script. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/cherokee>  
 MIRROR: <https://mirror.ctan.org/fonts/cherokee>
- *The cypriote package*. A font for ancient Cypriot Greek inscriptions. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cypriote>  
 MIRROR: <https://mirror.ctan.org/fonts/cypriote>
  - *The dancers package*. Font for Conan Doyle’s “The Dancing Men”. 2016-06-30. LICENSE: other-free  
 URL: <https://ctan.org/pkg/dancers>  
 MIRROR: <https://mirror.ctan.org/fonts/dancers>
  - *The georgian-stanier package*. A Georgian font. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/georgian-stanier>  
 MIRROR: <https://mirror.ctan.org/fonts/georgian/stanier>



- *The goblin package*. Tolkien’s goblin alphabet. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/goblin>  
 MIRROR: <https://mirror.ctan.org/fonts/goblin>
- Stanier, Alan. *The iching package*. A font for I Ching divinations. 2016-06-24. LICENSE: noinfo. A L<sup>A</sup>T<sub>E</sub>X file is provided to print out divinations, using the font (supplied as Metafont source). The macro in the L<sup>A</sup>T<sub>E</sub>X file is a simplified beast, in which significance is only accorded to one line in the hexagram.  
 URL: <https://ctan.org/pkg/iching>  
 MIRROR: <https://mirror.ctan.org/fonts/iching>
- *The osmanian package*. Osmanian font for writing Somali. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/osmanian>  
 MIRROR: <https://mirror.ctan.org/fonts/osmanian>
- *The shavian package*. A Shavian spelling alphabet font. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/shavian>  
 MIRROR: <https://mirror.ctan.org/fonts/shavian>
- *The SouthArabian package*. A font for an archaic South Arabia script. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/southarabian>  
 MIRROR: <https://mirror.ctan.org/fonts/southarabian>
- *The syriac package*. A font for Syriac written in Estrangelo. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/syriac>  
 MIRROR: <https://mirror.ctan.org/fonts/syriac>
- *The ugaritic package*. A font for Ugaritic. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ugaritic>  
 MIRROR: <https://mirror.ctan.org/fonts/ugaritic>
- Stanier, Alan, Robin Fairbairns, and David Carlisle. *The ogham package*. Fonts for typesetting Ogham script. 2018-09-15. LICENSE: pd  
 URL: <https://ctan.org/pkg/ogham>  
 MIRROR: <https://mirror.ctan.org/fonts/ogham>
- Stanley, Paul. *The oscola package*. BibL<sup>A</sup>T<sub>E</sub>X style for the Oxford Standard for the Citation of Legal Authorities. 2020-03-15. Version 1.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/oscola>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/oscola>
- Staps, Camil. *The bibletext package*. Insert Bible passages by their reference. 2017-09-02. Version 0.1.2. LICENSE: mit  
 URL: <https://ctan.org/pkg/bibletext>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibletext>
- *The LaTeXgit package*. A L<sup>A</sup>T<sub>E</sub>X git wrapper. 2020-04-20. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/latexgit>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/latexgit>
- *The memorygraphs package*. TikZ styles to typeset graphs of program memory. 2019-01-07. Version 0.1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/memorygraphs>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/memorygraphs>
- Starks, Anthony. *The fig2mf package*. Convert fig output to Metafont. 2016-06-24. Version 0.04. LICENSE: nosell. The generated Metafont code uses the macros.  
 URL: <https://ctan.org/pkg/fig2mf>  
 MIRROR: <https://mirror.ctan.org/graphics/fig2mf>
- Statulevičius, Vytas. *The floatpag package*. Different pagestyles on float pages. 2021-10-11. Version 2.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/floatpag>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sttools>
- Stauss, Harald M. *The fastpictex package*. Simple specification of PicTeX diagrams. 2016-06-24. Version 0.9. LICENSE: gpl. FastPicTeX is a preprocessor for . It reads macros (in a language that is very easy to write) and converts them to PicTeX code that can be included in L<sup>A</sup>T<sub>E</sub>X documents. FastPicTeX is specifically designed for diagrams of numbered data material, such as line graphs, bar graphs, or xy graphs.  
 URL: <https://ctan.org/pkg/fastpictex>  
 MIRROR: <https://mirror.ctan.org/support/fastpictex>
- Steensgaard, Jørgen. *The ebook package*. Helps creating an ebook by providing an ebook class. 2018-01-07. LICENSE: pd  
 URL: <https://ctan.org/pkg/ebook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ebook>

- Stefanović, Uroš. *The cmsrb package. Computer Modern for Serbian and Macedonian*. 2020-03-30. Version 4.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/cmsrb>  
 MIRROR: <https://mirror.ctan.org/fonts/cmsrb>
- Stefanović, Uroš. *The cmupint package. Upright integral symbols for Computer Modern*. 2020-04-13. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cmupint>  
 MIRROR: <https://mirror.ctan.org/fonts/cmupint>
- *The srbtiks package. Font STIX2 for Serbian and Macedonian*. 2022-05-26. Version 1.0. LICENSE: ofl,lppl1.3. The package is the extension of the package that enables usage of the STIX2 font in L<sup>A</sup>T<sub>E</sub>X for the Serbian and Macedonian languages (therefore, it is required to have the package installed).  
 URL: <https://ctan.org/pkg/srbtiks>  
 MIRROR: <https://mirror.ctan.org/fonts/srbtiks>
- Steffani, Hans Friedrich. *The fancyfolien package. Fancyhdr outline for German readers*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/fancyfolien>  
 MIRROR: <https://mirror.ctan.org/info/german/fancyhdr>
- *The ftcap package. Allows \caption at the beginning of a table-environment*. 2016-06-24. Version 1.4. LICENSE: gpl. For several reasons a may be desirable at the top of a environment. This package changes the environment such that and are swapped. The package should also work with a non-standard table environment.  
 URL: <https://ctan.org/pkg/ftcap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ftcap>
- Steffens, Stefan and George Greenwade. *The latex-info package. Unofficial reference manual for L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 2.0. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/latex-info>  
 MIRROR: <https://mirror.ctan.org/obsolete/info/latex-info>
- Steffmann, Dieter and Maurizio Loreti. *The initials package. Adobe Type 1 decorative initial fonts*. 2019-07-06. LICENSE: lppl. For each font, at least a and a file is provided, with an file for use with L<sup>A</sup>T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/initials>  
 MIRROR: <https://mirror.ctan.org/fonts/initials>
- Stein, Leo. *The orcidlink package. Insert hyperlinked ORCiD logo*. 2023-06-16. Version 1.0.4. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/orcidlink>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/orcidlink>
- Steinbach, Andrea and Angelika Schofer. *The mtex package. The pioneering music-in-TeX macros*. 2018-01-06. Version 0.92. LICENSE: noinfo. This package, MuTeX (as it was originally known) the humble base by which both and (indirectly) were inspired.  
 URL: <https://ctan.org/pkg/mtex>  
 MIRROR: <https://mirror.ctan.org/macros/mtex>
- Steiner, Beat. *The ttt package. A Tibetan Transcript Transliterator for L<sup>A</sup>T<sub>E</sub>X*. 2018-01-06. Version 0.1. LICENSE: gpl. The transcriptions work with Sirlin's , but the transcriber manages better support (particularly of ligatures) than other approaches to Tibetan.  
 URL: <https://ctan.org/pkg/ttt>  
 MIRROR: <https://mirror.ctan.org/language/tibetan/steiner>
- Steiner, Dave. *The usenix package. Style option to do Usenix conference proceedings*. 2016-06-24. LICENSE: nosell. This is an option, conforming to rules derived from "Instructions for Usenix Authors and Speakers". Unfortunately the package author considered some of the details unclear, and was unable to clear up the problems for lack of communication with Usenix admin.  
 URL: <https://ctan.org/pkg/usenix>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/usenix.sty>
- Stendahl, Jakob. *The glossaries-norsk package. Norsk Bokmål language module for the glossaries Package*. 2023-05-18. Version 1.0. LICENSE: lppl1.3. This package adds Norwegian Bokmål translations for the package. These will be loaded automatically when the package is loaded with the option .  
 URL: <https://ctan.org/pkg/glossaries-norsk>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-norsk>
- Stender, Daniel. *The xetex-devanagari package. XeTeX input map for Unicode Devanagari*. 2016-06-24. Version 0.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xetex-devanagari>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/generic/devanagari>
- *The xetex-tibetan package. XeTeX input maps for Unicode Tibetan*. 2016-06-24. Version 0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xetex-tibetan>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/generic/tibetan>
- Stepanyan, R. *The barddiag package. L<sup>A</sup>T<sub>E</sub>X package for drawing bar diagrams*. 2018-09-15. Version 0.4a. LICENSE: lppl. The main purpose of the package is to make the drawing of bar diagrams possible and easy in L<sup>A</sup>T<sub>E</sub>X. The BarDiag package is inspired by and based

- on .  
 URL: <https://ctan.org/pkg/bardiag>  
 MIRROR: <https://mirror.ctan.org/graphics/bardiag>
- Stepanyan, R. *The biblio-perl package. System for maintaining and presenting bibliographies.* 2016-06-24. Version 1.0. LICENSE: nosell  
 URL: <https://ctan.org/pkg/biblio-perl>  
 MIRROR: <https://mirror.ctan.org/support/biblio>
- Stephani, Philipp. *The lualatex-math package. Fixes for mathematics-related LuaL<sup>A</sup>T<sub>E</sub>X issues.* 2022-01-01. Version 1.12. LICENSE: lpl1.3c. The package patches a few commands of the L<sup>A</sup>T<sub>E</sub>X2e kernel and the and packages to be more compatible with the LuaTeX engine. It is only meaningful for LuaL<sup>A</sup>T<sub>E</sub>X documents containing mathematical formulas, and does not exhibit any new functionality. The fixes are mostly moved from the package to this package since they are not directly related to Unicode mathematics typesetting.  
 URL: <https://ctan.org/pkg/lualatex-math>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/lualatex-math>
- *The luaLaTeX-platform package. Load platform-specific code into LuaTeX.* 2016-06-24. Version 0.1. LICENSE: other-free  
 URL: <https://ctan.org/pkg/lualatex-platform>  
 MIRROR: <https://mirror.ctan.org/obsolete/systems/luatex/contrib/lualatex-platform>
- Stergiou, Andreas. *The chet package. L<sup>A</sup>T<sub>E</sub>X layout inspired by harvmac.* 2017-08-19. Version 2.2. LICENSE: lpl1.3. The package aims to streamline the work of typesetting, and to provide the look and feel of for readers.  
 URL: <https://ctan.org/pkg/chet>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chet>
- Sterling, Jonathan. *The jmsdelim package. A package for compositional delimiter sizing.* 2022-03-12. Version 0.2.0. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/jmsdelim>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jmsdelim>
- Sternefeld, Wolfgang. *The linguex package. Format linguists' examples.* 2016-06-24. Version 4.3. LICENSE: lpl  
 URL: <https://ctan.org/pkg/linguex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/linguex>
- *The pstrees package. Construct linguistics trees using a preprocessor.* 2016-06-24. Version 2. LICENSE: lpl. The preprocessor (written in C) prepares tree sources; the macros make use of Emma Pease's package.  
 URL: <https://ctan.org/pkg/pstrees>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/trees/pstrees>
- Steuer, Arne W. *The cassette209 package. A L<sup>A</sup>T<sub>E</sub>X 209 document style for cassette inserts.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cassette209>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/cassette>
- Stewart, G. W. *The jeep package. Modified L<sup>A</sup>T<sub>E</sub>X2.09 article and report styles.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/jeep>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/jeep>
- Stippich, Frank. *The texed package. A T<sub>E</sub>X shell for OS/2.* 2016-06-24. Version 1.50. LICENSE: shareware. A T<sub>E</sub>X shell for OS/2, FSS-TeXEdit provides an easy interface for L<sup>A</sup>T<sub>E</sub>X2e, , and .  
 URL: <https://ctan.org/pkg/texed>  
 MIRROR: <https://mirror.ctan.org/systems/os2/texed>
- Stoffel, Augusto. *The digestif package. Editor plugin for L<sup>A</sup>T<sub>E</sub>X, ConTeXt etc.* 2022-12-08. Version 0.5.1. LICENSE: gpl3+,lpl1.3,fdl  
 URL: <https://ctan.org/pkg/digestif>  
 MIRROR: <https://mirror.ctan.org/support/digestif>
- *The tikz-cd package. Create commutative diagrams with TikZ.* 2021-05-08. Version 1.0. LICENSE: lpl1.3. The general-purpose drawing package can be used to typeset commutative diagrams and other kinds of mathematical pictures, generating high-quality results. The purpose of this package is to make the process of creation of such diagrams easier by providing a convenient set of macros and reasonable default settings. This package also includes an arrow tip library that match closely the arrows present in the Computer Modern typeface.  
 URL: <https://ctan.org/pkg/tikz-cd>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-cd>
- Stoks, Sander. *The kix package. Typeset KIX codes.* 2016-06-24. LICENSE: lpl1  
 URL: <https://ctan.org/pkg/kix>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/kix>
- Stone, Anthony. *The bidstobibtex package. Convert BIDS returns to BibTeX.* 2016-06-24. LICENSE: noinfo. A Perl script that takes input from a email message (generated by BIDS in its downloading format) to BibTeX.

- URL: <https://ctan.org/pkg/bidstobibtex>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/bids/bids.to.bibtex>
- Stone, Philip. *The ReadableCV package. A highly readable and good looking CV and letter class.* 2023-08-19. Version 4.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/readablecv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/readablecv>
- Story, Donald P. *The acroflex package. Create a graphing widget in a PDF file.* 2021-09-11. Version 1.7. LICENSE: lppl1  
URL: <https://ctan.org/pkg/acroflex>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/acroflex>
- *The AcroMemory package. Memory games in L<sup>A</sup>T<sub>E</sub>X.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/acromemory>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/aeb\\_pro/acromemory](https://mirror.ctan.org/macros/latex/contrib/aeb_pro/acromemory)
  - *The AcroSort package. Sort sliced image into order.* 2021-09-11. Version 1.6.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/acrosort>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/aeb\\_pro/acrosort](https://mirror.ctan.org/macros/latex/contrib/aeb_pro/acrosort)
  - *The acrotex package. The AcroTeX education bundle.* 2022-12-13. LICENSE: lppl  
URL: <https://ctan.org/pkg/acrotex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acrotex>
  - *The acrotex-js package. JavaScript files used by acrotex and other packages.* 2021-11-07. LICENSE: lppl. In the distribution of this package are two critical JavaScript files ( and ) used by the packages , , and . Previously these JS files where distributed with the individual packages, now they are distributed by this package and must be installed according to the instructions in the folder.  
URL: <https://ctan.org/pkg/acrotex-js>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acrotex-js>
  - *The acrotex-web package. Establish a page layout for an on-screen (PDF) document.* 2021-05-12. Version 6.1.7. LICENSE: lppl1  
URL: <https://ctan.org/pkg/acrotex-web>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acrotex>
  - *The AeB Pro package. Items from the AeB Pro Family of Software.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/aeb-pro>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/aeb\\_pro/aeb\\_pro](https://mirror.ctan.org/macros/latex/contrib/aeb_pro/aeb_pro)
  - *The AeB slicing package. An image slicer.* 2021-09-11. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/aeb-slicing>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/aeb\\_pro/aeb-slicing](https://mirror.ctan.org/macros/latex/contrib/aeb_pro/aeb-slicing)
  - *The aeb-minitoc package. Create mini-tocs.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/aeb-minitoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/aeb-minitoc>
  - *The aeb-mlink package. Multi-line links with hyperref.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/aeb-mlink>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/aeb\\_mlink](https://mirror.ctan.org/macros/latex/contrib/aeb_mlink)
  - *The aeb-mobile package. Format PDF files for use on a smartphone.* 2021-09-11. Version 1.4. LICENSE: lppl  
URL: <https://ctan.org/pkg/aeb-mobile>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/aeb\\_mobile](https://mirror.ctan.org/macros/latex/contrib/aeb_mobile)
  - *The aeb-tilebg package. AeB Tiling Backgrounds.* 2021-09-11. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/aeb-tilebg>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/aeb\\_tilebg](https://mirror.ctan.org/macros/latex/contrib/aeb_tilebg)
  - *The aeb\_dad package. A drag-and-drop matching game with PDF files.* 2016-12-14. Version 1.2b. LICENSE: lppl. The package is used to create a DAD (Drag and Drop) Matching Game that uses stamps and push buttons. DAD Matching works in any version of Acrobat, and in Adobe Reader XI; it can use the stamps created by the .  
URL: [https://ctan.org/pkg/aeb\\_dad](https://ctan.org/pkg/aeb_dad)  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mkstmpdad>
  - *The aebenvelope package. The AeB Pro eEnvelope System.* 2021-09-11. Version 1.0. LICENSE: lppl. The package uses the concept of an ‘eEnvelope’ to direct the user’s attention to attached files. The system may use any one of four provided eEnvelope templates, or can use a custom designed template. The package is required to attach documents to the eEnvelope. AeB Pro, and hence also eEnvelope, requires Acrobat Pro, version 7.0 or later, and requires the document author to create PDF using distiller.  
URL: <https://ctan.org/pkg/aebenvelope>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/aeb\\_pro/aebenvelope](https://mirror.ctan.org/macros/latex/contrib/aeb_pro/aebenvelope)

- *The aebXMP package. Add advanced metadata to PDF files.* 2021-09-11. LICENSE: lppl1.2,lppl1.2  
 URL: <https://ctan.org/pkg/aebxmp>  
 MIRROR: [https://mirror.ctan.org/macros/latex/contrib/aeb\\_pro/aebxmp](https://mirror.ctan.org/macros/latex/contrib/aeb_pro/aebxmp)
- Story, Donald P. *The annot-pro package. Create text, stamp and file attachment annotations.* 2021-09-11. LICENSE: lppl  
 URL: <https://ctan.org/pkg/annot-pro>  
 MIRROR: [https://mirror.ctan.org/macros/latex/contrib/annot\\_pro](https://mirror.ctan.org/macros/latex/contrib/annot_pro)
- *The artthreads package. Support for article threads.* 2021-09-11. Version 1.3.1. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/artthreads>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/artthreads>
- *The bargraph-js package. Create bar graphs using form fields and JavaScript.* 2021-09-11. Version 0.8. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/bargraph-js>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bargraph-js>
- *The cntdown package. Support for countdowns, and for clocks in any timezone.* 2021-09-11. Version 0.6. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/cntdown>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cntdown>
- *The conv-xkv package. Create new key-value syntax.* 2017-03-20. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/conv-xkv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/conv-xkv>
- *The datepicker-pro package. Create a popup datepicker using SWF.* 2021-09-11. Version 1.4. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/datepicker-pro>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/datepicker-pro>
- *The digicap-pro package. Creates captions to digital photos.* 2021-09-11. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/digicap-pro>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/digicap-pro>
- *The docassembly package. Use the Acrobat JavaScript API.* 2021-09-11. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/docassembly>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/docassembly>
- *The dps package. Create a "matching" game with a hidden message.* 2021-09-11. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dps>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dps>
- *The ecards package. Electronic flash cards.* 2021-09-11. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/ecards>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ecards>
- *The eforms package. eForm support for the AcroTeX bundle.* 2021-05-12. Version 2.4.3. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/eforms>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acrotex>
- *The endnotes-hy package. Patches the endnotes package to create hypertext links to the correct anchors.* 2020-04-16. LICENSE: lppl1.2.  
 The package supports the creation of hypertext links in support of the package. The package modifies the syntax of the command: When the -option is used, no endnote mark is created, but the endnote itself is written. The command appears at the end of the and its arguments, rather than within the argument of the argument.  
 URL: <https://ctan.org/pkg/endnotes-hy>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/endnotes-hy>
- *The eq-fetchbb1 package. Match Biblical passages with verse references in a quiz.* 2021-09-11. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/eq-fetchbb1>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eq-fetchbb1>
- *The eq-pin2corr package. Add PIN security to the "Correct" button of a quiz created by exerquiz.* 2021-06-05. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/eq-pin2corr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eq-pin2corr>
- *The eq-save package. Save exerquiz quizzes and resume.* 2021-09-11. LICENSE: lppl1.2. The package has a scheme for saving data from documents so the student can return later to continue with quiz results restored.  
 URL: <https://ctan.org/pkg/eq-save>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eq-save>
- *The eq2db package. Convert a quiz to one submitted to a server-side script.* 2021-09-11. Version 2.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/eq2db>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eq2db>



- *The eqexam package. A stand-alone exam package.* 2021-09-11. LICENSE: lppl1.2. eqExam is a L<sup>A</sup>T<sub>E</sub>X package for writing exams, tests, quizzes, homework assignments, etc. It is a stand alone package, yet is tightly integrated with the .  
URL: <https://ctan.org/pkg/eqexam>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eqexam>
- Story, Donald P. *The exerquiz package. Environments for defining exercises and quizzes.* 2021-10-13. Version 8.8.5. LICENSE: lppl1  
URL: <https://ctan.org/pkg/exerquiz>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acrotex>
- *The fc-arith package. Create an arithmetic flash card.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/fc-arith>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/fc\\_arith](https://mirror.ctan.org/macros/latex/contrib/fc_arith)
- *The fetchbibpes package. Creates a DB of Bible verses from e-Sword, then fetches them on command.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/fetchbibpes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fetchbibpes>
- *The FitR package. Set a rectangular destination and jump to it.* 2021-09-11. Version 1.3.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/fitr>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fitr>
- *The fldigial package. Create a Flash slide show of digital photos.* 2021-09-11. Version 0.6. LICENSE: lppl  
URL: <https://ctan.org/pkg/fldigial>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/fldigial>
- *The forms16be package. Initialize form properties using big-endian encoding.* 2019-06-03. Version 1.3. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/forms16be>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/forms16be>
- *The graphicxbox package. Insert a graphical image as a background.* 2016-06-24. Version 1.0. LICENSE: lppl. The package defines two new commands and , which are companions to and of the . The command inserts a graphical image as a background rather than a background color, while does the same thing, but also draws a colored frame around the box.  
URL: <https://ctan.org/pkg/graphicxbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphicxbox>
- *The GraphicxSP package. An extension of the graphicx package.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/graphicxsp>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphicxsp>
- *The grayhints package. Produce ‘gray hints’ to a variable text field.* 2018-11-03. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/grayhints>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grayhints>
- *The icon-appr package. Creates icon appearances for form buttons.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/icon-appr>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/icon-appr>
- *The insdljs package. Insert document-level JavaScript in L<sup>A</sup>T<sub>E</sub>X documents.* 2021-06-19. Version 2.5.5. LICENSE: lppl1  
URL: <https://ctan.org/pkg/insdljs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acrotex>
- *The jj-game package. A L<sup>A</sup>T<sub>E</sub>X class to construct Jeopardy-like games.* 2021-09-11. Version 3.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/jj-game>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/jj\\_game](https://mirror.ctan.org/macros/latex/contrib/jj_game)
- *The lmacs package. A simple package for including support files.* 2021-09-11. Version 1.1. LICENSE: noinfo  
URL: <https://ctan.org/pkg/lmacs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lmacs>
- *The ltx4yt package. Play YouTube videos in the default browser.* 2021-09-11. LICENSE: lppl  
URL: <https://ctan.org/pkg/ltx4yt>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ltx4yt>
- *The mi-solns package. Extract solutions from exercises and quizzes.* 2019-01-12. Version 0.6. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/mi-solns>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mi-solns>
- *The mkstmp package. Provides a simple workflow for creating custom stamps.* 2018-06-12. Version 1.1. LICENSE: lppl  
URL: [https://ctan.org/pkg/mkstmp\\_pro](https://ctan.org/pkg/mkstmp_pro)  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mkstmpdad>

- *The opacity-pro package. Set transparency and blend mode.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/opacity-pro>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/opacity-pro>
- *The pmdb package. Create a DB (PDF) document for selecting content for inclusion in another documents.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/pmdb>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pmdb>
- Story, Donald P. *The popupmenu package. Create popup menus in PDF files.* 2021-09-11. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/popupmenu>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/popupmenu>
- *The qrcstamps package. Create QR codes using stamps.* 2021-09-11. Version 1.0. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/qrcstamps>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/qrcstamps>
- *The ran\_toks package. Randomise token strings.* 2021-06-06. LICENSE: lppl1  
URL: [https://ctan.org/pkg/ran\\_toks](https://ctan.org/pkg/ran_toks)  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/ran\\_toks](https://mirror.ctan.org/macros/latex/contrib/ran_toks)
- *The rangen package. Generate random integers, rational and decimal numbers.* 2021-09-11. Version 1.4. LICENSE: lppl1.2. The package generates random integers, rational numbers, and decimal numbers. The package uses the package to generate random integers, and then builds rational numbers and decimal numbers from the generated integers.  
URL: <https://ctan.org/pkg/rangen>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rangen>
- *The renditions package. Multiple versions from the same content.* 2021-09-11. Version 0.1. LICENSE: lppl. The package sets up ‘comment’ environments, called ; each rendition is thought of as a version of the basic content of the document that includes it.  
URL: <https://ctan.org/pkg/renditions>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/renditions>
- *The richtext package. Create rich text strings.* 2021-09-11. LICENSE: lppl1.2. The richtext package is used to create rich text strings that can, in turn, be inserted into the RV (and V) keys of text field. Currently, only the eforms package supports the RV key.  
URL: <https://ctan.org/pkg/richtext>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/richtext>
- *The rmannot package. Create rich media annotations in a PDF file.* 2021-09-11. LICENSE: lppl  
URL: <https://ctan.org/pkg/rmannot>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rmannot>
- *The Robot Man package. A fun demo of AcroTeX eEducation Bundle facilities.* 2017-04-18. LICENSE: lppl. Robot man is distributed as part of the bundle (just for fun); the source is attached to the PDF file.  
URL: <https://ctan.org/pkg/robot-man>  
MIRROR: [https://mirror.ctan.org/macros/latex/contrib/aeb\\_pro/robot\\_man](https://mirror.ctan.org/macros/latex/contrib/aeb_pro/robot_man)
- *The thorshammer package. Assessment based on AcroTeX quizzes.* 2021-09-11. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/thorshammer>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thorshammer>
- *The tile-graphic package. Create tiles of a graphical file.* 2020-05-31. LICENSE: lppl1.2. This package breaks a given graphical file into rows and columns of subgraphics, which are called tiles. The tiles can be written separately to individual PDF files, or packaged into a single PDF file.  
URL: <https://ctan.org/pkg/tile-graphic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tile-graphic>
- *The xbmks package. Create a cross-document bookmark tree.* 2020-01-18. LICENSE: lppl1.2  
URL: <https://ctan.org/pkg/xbmks>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xbmks>
- *The yt4pdf package. Play YouTube videos in a PDF.* 2020-07-30. LICENSE: lppl1  
URL: <https://ctan.org/pkg/yt4pdf>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/yt4pdf>
- Straathof, Bas. *The har2nat package. Replace the harvard package with natbib.* 2019-09-28. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/har2nat>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/har2nat>
- Strasser, Georg. *The beamertheme-upenn-bc package. Beamer themes for Boston College and the University of Pennsylvania.* 2017-11-20. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/beamertheme-upenn-bc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/upenn-bc>

- Straub, Pablo A. and Heiko Oberdiek. *The askinclude package. Interactive use of \includeonly*. 2020-04-13. Version 2.7. LICENSE: lppl1.3. The package asks the user which files to put in a command. There is provision for answering “same as last time” or “all files”.  
URL: <https://ctan.org/pkg/askinclude>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/askinclude>
- Straube, Hilmar. *The tktexcad package. Generate L<sup>A</sup>T<sub>E</sub>X picture environments*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/tktexcad>  
MIRROR: <https://mirror.ctan.org/graphics/tktexcad>
- Strauman, Andreas Storvik. *The exercisebank package. Creating and managing exercises, and reusing them as composed sets*. 2019-03-18. Version 0.3.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/exercisebank>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/exercisebank>
- *The handin package. Light weight template for creating school submissions using L<sup>A</sup>T<sub>E</sub>X*. 2018-07-22. Version 0.1.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/handin>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/handin>
  - *The includeRnw package. Include .Rnw inside .tex*. 2018-05-01. Version 0.1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/includernw>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/includernw>
- Strauß, Martin. *The tcltexed package. L<sup>A</sup>T<sub>E</sub>X editor written in TCL*. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/tcltexed>  
MIRROR: <https://mirror.ctan.org/support/tcltexed>
- Strip, David. *The cassette package. Typeset cassette box inserts*. 2016-06-24. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/cassette>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/cassette.tex>
- Strokov, Igor. *The streetex package. Structural organic chemistry*. 2016-06-24. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/streetex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/streetex>
- Struve, Dirk. *The texshell32 package. A free T<sub>E</sub>XShell for MS-Windows 95 and NT*. 2016-06-24. Version 0.71. LICENSE: gpl  
URL: <https://ctan.org/pkg/texshell32>  
MIRROR: <https://mirror.ctan.org/systems/win32/texshell32>
- Stuart, Louis. *The beamerauxtheme package. Supplementary outer and inner themes for beamer*. 2020-08-10. Version 1.02a. LICENSE: lppl1.3c. This bundle provides a collection of inner and outer themes as supplements to the default themes in the distribution. These themes can be used in combination with existing inner, outer, and color themes.  
URL: <https://ctan.org/pkg/beamerauxtheme>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamerauxtheme>
- Stubner, Ralf. *The fpl package. SC and OsF fonts for URW Palladio L*. 2019-01-04. Version 1.003. LICENSE: gpl2,lppl  
URL: <https://ctan.org/pkg/fpl>  
MIRROR: <https://mirror.ctan.org/fonts/fpl>
- Stuetz, Markus. *The callouts package. Put simple annotations and notes inside a picture*. 2017-07-27. LICENSE: lppl. The package defines the environment in which callouts, notes, arrows, and the like can be placed to describe certain parts of a picture.  
URL: <https://ctan.org/pkg/callouts>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/callouts>
- Stuhrmann, Norbert. *The flacards package. Generate flashcards for printing*. 2016-06-24. Version 0.1.1b. LICENSE: gpl  
URL: <https://ctan.org/pkg/flacards>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/flacards>
- *The stubs package. Create tear-off stubs at the bottom of a page*. 2016-06-24. Version 0.1.1. LICENSE: gpl. The command creates as many repetitions as possible of its argument, at the bottom of the page; these stubs may be used (for example) for contact information.  
URL: <https://ctan.org/pkg/stubs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stubs>
- Stupp, Gideon. *The ntabbing package. Simple tabbing extension for automatic line numbering*. 2016-06-24. LICENSE: noinfo. An extension of the tabbing environment that supports automatic line numbering. The lines can be referenced using the standard and mechanism.  
URL: <https://ctan.org/pkg/ntabbing>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ntabbing>

- Sturm, Thomas F. *The csvsimple package. Simple CSV file processing*. 2023-05-09. Version 2.4.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/csvsimple>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/csvsimple>
- *The genealogytree package. Pedigree and genealogical tree diagrams*. 2023-03-09. Version 2.3.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/genealogytree>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/genealogytree>
- Sturm, Thomas F. *The incgraph package. Sophisticated graphics inclusion in a PDF document*. 2021-10-20. Version 1.2.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/incgraph>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/incgraph>
- *The mercatormap package. Spherical Mercator coordinate systems and Web Mercator tile integration*. 2020-08-06. Version 1.02. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/mercatormap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mercatormap>
  - *The sanitize-umlaut package. Sanitize umlauts for MakeIndex and pdfLaTeX*. 2023-05-15. Version 1.3.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/sanitize-umlaut>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sanitize-umlaut>
  - *The tcolorbox package. Coloured boxes, for L<sup>A</sup>T<sub>E</sub>X examples and theorems, etc.* 2023-06-19. Version 6.0.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/tcolorbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tcolorbox>
  - *The tikzfill package. TikZ libraries for filling with images and patterns*. 2023-08-08. Version 1.0.1. LICENSE: lppl1.3. This is a collection of libraries which add further options to fill paths with images and patterns. The libraries comprise fillings with images from files and from pictures. Also, patterns of hexagons and of rhombi are provided.  
 URL: <https://ctan.org/pkg/tikzfill>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzfill>
- Suárez, Fausto Mauricio Lagos. *The maker package. Include Arduino or Processing code in L<sup>A</sup>T<sub>E</sub>X documents*. 2017-07-19. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/maker>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/maker>
- Suchard, Jan Eike. *The uol-physics-report package. A L<sup>A</sup>T<sub>E</sub>X document class for writing lab reports*. 2023-02-08. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/uol-physics-report>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uol-physics-report>
- Suckale, Jakob. *The fbs package. BibTeX style for Frontiers in Bioscience*. 2016-06-24. LICENSE: lppl. A BibTeX style file made with to fit Frontiers in Bioscience requirements:  
 URL: <https://ctan.org/pkg/fbs>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/fbs.bst>
- Sullivan, Wayne. *The sbtex package. A compact T<sub>E</sub>X distribution for MS-DOS*. 2016-06-24. LICENSE: noinfo. The distribution includes a small editor (), but no auxiliary files.  
 URL: <https://ctan.org/pkg/sbtex>  
 MIRROR: <https://mirror.ctan.org/systems/msdos/sbtex>
- Sullivan, Wayne and Volker Kunert. *The dmfonts package. Virtual fonts to provide T1 encoding*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/dmfonts>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/dmfonts>
- Sun, Xiao. *The hitreport package. Harbin Institute of Technology Report L<sup>A</sup>T<sub>E</sub>X Template*. 2021-03-18. Version 1.0.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hitreport>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hitreport>
- Sun, Zhonghao. *The tlmgr-intro-zh-cn package. A short tutorial on using tlmgr in Chinese*. 2021-05-06. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/tlmgr-intro-zh-cn>  
 MIRROR: <https://mirror.ctan.org/info/tlmgr-intro-zh-cn>
- Surber, Wesley. *The turabian package. Create Turabian-formatted material using L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 0.1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/turabian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/turabian>
- Svensson, Anders. *The kuvio package. Drawing macros and fonts for diagrams*. 2017-05-30. LICENSE: other-nonfree. Commutative diagrams using PostScript specials (uses definitions for , but the macros are designed for flexibility in this respect).  
 URL: <https://ctan.org/pkg/kuvio>  
 MIRROR: <https://mirror.ctan.org/macros/generic/diagrams/kuvio>

- Swamidass, S Joshua. *The numname package*. Convert a number to its English expression. 2016-06-24. LICENSE: lpppl  
URL: <https://ctan.org/pkg/numname>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numname>
- Swift, Matt. *The abbrevs package*. Text abbreviations in L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 1.4. LICENSE: lpppl  
URL: <https://ctan.org/pkg/abbrevs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- Swift, Matt. *The achicago package*. Chicago Manual citations in L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 1.2. LICENSE: gpl  
URL: <https://ctan.org/pkg/achicago>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- *The achicago–bst package*. Chicago Manual BibT<sub>E</sub>X style. 2016-06-24. Version 1. LICENSE: lpppl  
URL: <https://ctan.org/pkg/achicago–bst>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- *The al latex package*. Abstract L<sup>A</sup>T<sub>E</sub>X. 2019-06-21. Version 1.0. LICENSE: gpl  
URL: <https://ctan.org/pkg/alatex>  
MIRROR: <https://mirror.ctan.org/macros/alatex/alatex-1.0>
- *The attrib package*. Attribution of block quotations in L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 1.3. LICENSE: gpl  
URL: <https://ctan.org/pkg/attrib>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- *The bits package*. Sub-document environments in L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 1.2. LICENSE: gpl  
URL: <https://ctan.org/pkg/bits>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein/unsupported>
- *The blkcntrl package*. Block-element hooks in L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 1.2. LICENSE: gpl  
URL: <https://ctan.org/pkg/blkcntrl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- *The compsci package*. Document (LaT<sub>E</sub>X) programming with L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 1.2. LICENSE: gpl  
URL: <https://ctan.org/pkg/compsci>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- *The dialogue package*. Quote short scripted dialogue in L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 1.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/dialogue>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- *The drama package*. Production-style stage script in L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 0.2. LICENSE: gpl  
URL: <https://ctan.org/pkg/drama>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein/unsupported>
- *The frankenbundle package*. Develop and distribute L<sup>A</sup>T<sub>E</sub>X packages and classes and BibT<sub>E</sub>X styles. 2016-06-24. Version 1.10. LICENSE:  
pd  
URL: <https://ctan.org/pkg/frankenbundle>  
MIRROR: <https://mirror.ctan.org/support/frankenbundle>
- *The frankenstein package*. A collection of L<sup>A</sup>T<sub>E</sub>X packages. 2016-06-24. LICENSE: collection. Frankenstein is a bundle of L<sup>A</sup>T<sub>E</sub>X  
packages serving various purposes and a BibT<sub>E</sub>X bibliography style. Descriptions are given under the individual packages: , , , , , , , , , , ,  
URL: <https://ctan.org/pkg/frankenstein>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- *The frankenstein–unsupported package*. Unsupported packages from the Frankenstein bundle. 2020-03-09. LICENSE: collection.  
These packages were part of the original release of the bundle (under the name “monster”). The collection comprises:  
URL: <https://ctan.org/pkg/frankenstein–unsupported>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein/unsupported>
- *The includex package*. Extended \include. 2016-06-24. Version 0.6. LICENSE: gpl  
URL: <https://ctan.org/pkg/includex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein/unsupported>
- *The lips package*. Text ellipses in L<sup>A</sup>T<sub>E</sub>X. 2016-06-24. Version 2.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/lips>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- *The monster package*. Obsolete name for Frankenstein. 2016-06-24. LICENSE: gpl. This is an (obsolete) 8+3-compliant name for the  
bundle.  
URL: <https://ctan.org/pkg/monster>



- *The moredefs package*. *L<sup>A</sup>T<sub>E</sub>X* defining, expansion, and debugging commands. 2016-06-24. Version 1.8. LICENSE: gpl  
URL: <https://ctan.org/pkg/moredefs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- *The newclude package*. Reimplemented `\include` system for *L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 2. LICENSE: gpl  
URL: <https://ctan.org/pkg/newclude>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- Swift, Matt. *The slemph package*. *Slanted emphasis in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.2. LICENSE: gpl  
URL: <https://ctan.org/pkg/slemph>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- *The swiftex package*. Edit `doc.sty` and normal *L<sup>A</sup>T<sub>E</sub>X* files with *GNU Emacs*. 2016-06-24. Version 1.35. LICENSE: gpl. DocTeX mode is for editing buffers containing self-documenting *L<sup>A</sup>T<sub>E</sub>X* code that uses the package, including the document class. DocTeX mode was designed to be significantly more useful than the alternatives provided by standard Emacs and (AUC *T<sub>E</sub>X* has since caught up in this regard). SwiftTeX mode is for editing buffers containing normal *L<sup>A</sup>T<sub>E</sub>X* files and provides an alternative to the *L<sup>A</sup>T<sub>E</sub>X* modes in the standard Emacs distribution and in .  
URL: <https://ctan.org/pkg/swiftex>  
MIRROR: <https://mirror.ctan.org/support/emacs-modes/swiftex>
- *The titles package*. Titles of books, articles, etc. in *L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.2. LICENSE: gpl. A *L<sup>A</sup>T<sub>E</sub>X* package defining macros that typeset the titles of books, journals, etc. and handle following spacing and punctuation intelligently, based on context. Useful for bibliographic databases and any document. Also includes other markup like , , , etc.  
URL: <https://ctan.org/pkg/titles>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/frankenstein>
- Swift, Matt and Donald Arseneau. *The relsize package*. Set the font size relative to the current font size. 2016-06-24. Version 4.1. LICENSE: pd. The basic command of the package is `\relsize{s}`, whose argument is a number of `s` to change size; from this are defined commands `\small`, `\large`, etc.  
URL: <https://ctan.org/pkg/relsize>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/relsize>
- Sydoriak, Steve. *The laletter package*. Los Alamos letter style. 2016-06-24. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/laletter>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/laletter>
- *The lamemo package*. Memo style as used at Los Alamos. 2021-08-26. LICENSE: other-free  
URL: <https://ctan.org/pkg/lamemo>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/lamemo>
- Syrjänen, Tommi. *The Aboensis package*. A late medieval OpenType cursive font. 2022-04-06. LICENSE: ofl,lppl1.3c,cc-by-4,pd  
URL: <https://ctan.org/pkg/aboensis>  
MIRROR: <https://mirror.ctan.org/fonts/aboensis>
- *The foliono package*. Use folio numbers to replace page numbers. 2021-04-15. Version 1.000. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/foliono>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/foliono>
- *The missaali package*. A late medieval OpenType textura font. 2021-12-10. Version 2.0. LICENSE: ofl,lppl1.3  
URL: <https://ctan.org/pkg/missaali>  
MIRROR: <https://mirror.ctan.org/fonts/missaali>
- Syropoulos, Apostolos. *The asana-math package*. A font to typeset maths in *Xe(La)TeX* and *Lua(La)TeX*. 2021-06-19. Version 000.958. LICENSE: ofl  
URL: <https://ctan.org/pkg/asana-math>  
MIRROR: <https://mirror.ctan.org/fonts/Asana-Math>
- *The bib-greek package*. A *BibTeX* style for Greek documents. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/bib-greek>  
MIRROR: <https://mirror.ctan.org/language/greek/BibTeX>
- *The epiolmec package*. Typesetting the Epi-Olmec Language. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/epiolmec>  
MIRROR: <https://mirror.ctan.org/language/epiolmec>
- *The frederika2016 package*. An OpenType Greek calligraphy font. 2016-09-28. Version 1.000 2016 initial release. LICENSE: ofl  
URL: <https://ctan.org/pkg/frederika2016>  
MIRROR: <https://mirror.ctan.org/fonts/frederika2016>
- *The greek-makeindex package*. Makeindex working with Greek. 2016-06-24. Version 2.0. LICENSE: other-free. is resolutely stuck with Latin-based alphabets, so will not deal with Greek indexes, unaided. This package provides a Perl script that will transmute

the index of a Greek document in such a way that `makeindex` will sort the entries according to the rules of the Greek alphabet.

URL: <https://ctan.org/pkg/greek-makeindex>

MIRROR: <https://mirror.ctan.org/language/greek/mkgrkindex>

Syropoulos, Apostolos. *The `grnumalt` package. Ancient Greek (Athenian) numbers*. 2019-06-21. Version 1.1. LICENSE: other-nonfree. The package implements a numbering system that was used in ancient Athens, producing the ‘Athenian’ numeral for any positive number. The package’s command can (in principle) be used to provide alternative typeset display of the value of counters.

URL: <https://ctan.org/pkg/grnumalt>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/grnumalt>

— *The `grtimes` package. Typeset Greek text with Times New Roman Greek*. 2019-06-21. Version 1.0. LICENSE: other-nonfree

URL: <https://ctan.org/pkg/grtimes>

MIRROR: <https://mirror.ctan.org/fonts/greek/grtimes>

— *The `grverb` package. Typesetting Greek verbatim*. 2019-06-21. Version 1.0. LICENSE: other-nonfree. The package provides verbatim typesetting, in the context of the Greek option in . The package uses the public domain font, and the font itself (in Type 1 format), metrics and a font map entry for its use are provided.

URL: <https://ctan.org/pkg/grverb>

MIRROR: <https://mirror.ctan.org/language/greek/grverb>

— *The `hellas` package. Typeset bibliographies which include Greek*. 2016-06-24. LICENSE: other-free. Hellas is a BibTeX style, based on the standard plain style, for typesetting databases that containing both Greek and non-Greek bibliographic records. For most bibliographic record types there is an equivalent record type whose name begins with the prefix . These records may have fields and in addition to the fields one might expect in a standard BibTeX record.

URL: <https://ctan.org/pkg/hellas>

MIRROR: <https://mirror.ctan.org/language/greek/BibTeX>

— *The `linearA` package. Linear A script fonts*. 2022-04-29. LICENSE: lppl

URL: <https://ctan.org/pkg/linearA>

MIRROR: <https://mirror.ctan.org/fonts/archaic/linearA>

— *The `mf2pt3` package. Create Adobe Type 3 fonts*. 2016-06-24. LICENSE: noinfo

URL: <https://ctan.org/pkg/mf2pt3>

MIRROR: <https://mirror.ctan.org/fonts/utilities/mf2pt3>

— *The `multibbl` package. Multiple bibliographies*. 2016-06-24. Version 1.1. LICENSE: lppl

URL: <https://ctan.org/pkg/multibbl>

MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multibbl>

— *The `ocherokee` package. L<sup>A</sup>T<sub>E</sub>X Support for the Cherokee language*. 2016-06-24. LICENSE: lppl

URL: <https://ctan.org/pkg/ocherokee>

MIRROR: <https://mirror.ctan.org/language/ Cherokee/ocherokee>

— *The `oinuit` package. L<sup>A</sup>T<sub>E</sub>X Support for the Inuktitut Language*. 2016-06-24. LICENSE: lppl

URL: <https://ctan.org/pkg/oinuit>

MIRROR: <https://mirror.ctan.org/language/inuktitut/oinuit>

— *The `phaistos` package. Disk of Phaistos font*. 2022-12-14. Version 1.0. LICENSE: lppl

URL: <https://ctan.org/pkg/phaistos>

MIRROR: <https://mirror.ctan.org/fonts/archaic/phaistos>

— *The `staves` package. Typeset Icelandic staves and runic letters*. 2016-06-24. LICENSE: lppl

URL: <https://ctan.org/pkg/staves>

MIRROR: <https://mirror.ctan.org/language/staves>

— *The `svrsymbols` package. A font with symbols for use in physics texts*. 2019-02-12. Version 2.0b. LICENSE: lppl1.3c

URL: <https://ctan.org/pkg/svrsymbols>

MIRROR: <https://mirror.ctan.org/fonts/svrsymbols>

— *The `umtypewriter` package. Fonts to typeset with the `xgreek` package*. 2022-09-18. Version 1.1. LICENSE: ofl

URL: <https://ctan.org/pkg/umtypewriter>

MIRROR: <https://mirror.ctan.org/fonts/umtypewriter>

— *The `xexchangebar` package. An extension of package `changebar` that can be used with X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X*. 2019-11-14. Version 1.0. LICENSE: lppl1.3. The package extends package so it can be used with X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X. It introduces the new option for use with X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X. Everything else remains the same and users should consult the original documentation for usage information.

URL: <https://ctan.org/pkg/xexchangebar>

MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xexchangebar>

— *The `xecyrmongolian` package. Basic support for the typesetting of Cyrillic Mongolian documents using (Xe)Lua<sup>A</sup>TeX*. 2019-12-21. Version 1.0. LICENSE: lppl1.3c

- URL: <https://ctan.org/pkg/xecyrmongolian>  
MIRROR: <https://mirror.ctan.org/language/mongolian/xecyrmongolian>
- Syropoulos, Apostolos. *The xesoul package. Use the soul package with Xe<sub>La</sub>TeX*. 2021-04-08. Version 1.0. LICENSE: lppl1.3c. This package allows the use of the package (hyphenation within letterspacing, unlderlining and others) with Xe<sub>La</sub>TeX.  
URL: <https://ctan.org/pkg/xesoul>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xesoul>
- *The xetex-greek package. Hyphenation for different variants of Greek, under XeTeX*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/xetex-greek>  
MIRROR: <https://mirror.ctan.org/macros/xetex/hyphenation/greek>
  - *The xgreek package. Greek Language Support for Xe<sub>La</sub>TeX and LuaLaTeX*. 2022-09-05. Version 3.2.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/xgreek>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/xgreek>
- Syropoulos, Apostolos and Jens Elstner. *The xespotcolor package. Spot colours support for Xe<sub>La</sub>TeX*. 2021-03-06. Version 2.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/xespotcolor>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xespotcolor>
- Syropoulos, Apostolos, Dimitrios Filippou, and Günter Milde. *The greek-inputenc package. Greek encoding support for inputenc*. 2023-03-21. Version 1.9. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/greek-inputenc>  
MIRROR: <https://mirror.ctan.org/language/greek/greek-inputenc>
- Syropoulos, Apostolos and Ioannis Gamvetas. *The philokalia package. A font to typeset the Philokalia Books*. 2018-01-06. Version 1.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/philokalia>  
MIRROR: <https://mirror.ctan.org/fonts/philokalia>
- Syropoulos, Apostolos and Philip Kime. *The biber-solaris package. Biber binaries for Solaris*. 2022-07-08. Version 2.18. LICENSE: artistic2  
URL: <https://ctan.org/pkg/biber-solaris>  
MIRROR: <https://mirror.ctan.org/biblio/biber/biber-solaris>
- Syropoulos, Apostolos, Javier Bezos López, Johannes L. Braams, and Günter Milde. *The babel-greek package. Babel support for the Greek language and script*. 2023-08-19. Version 1.14. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/babel-greek>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/greek>
- Syropoulos, Apostolos and Dick Nickalls. *The ascii-font package. Use the ASCII “font” in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 2.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/ascii-font>  
MIRROR: <https://mirror.ctan.org/fonts/ascii>
- *The decimal package. L<sup>A</sup>T<sub>E</sub>X package for the English raised decimal point*. 2016-06-24. LICENSE: lppl1  
URL: <https://ctan.org/pkg/decimal>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/decimal>
  - *The mathspic package. A Perl filter program for use with PiCTeX*. 2016-06-24. Version 1.13. LICENSE: lppl  
URL: <https://ctan.org/pkg/mathspic>  
MIRROR: <https://mirror.ctan.org/graphics/mathspic>
- Syropoulos, Apostolos and Yannis Potamianos. *The elmath package. Mathematics in Greek texts*. 2016-06-24. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/elmath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/elmath>
- Szabó, Péter. *The a2ping package. Advanced PS, PDF, EPS converter*. 2019-11-28. Version 2.84p. LICENSE: gpl. a2ping is a Perl script command line utility written for Unix that converts many raster image and vector graphics formats to EPS or PDF and other page description formats. Accepted input file formats are: PS (PostScript), EPS, PDF, PNG, JPEG, TIFF, PNM, BMP, GIF, LBM, XPM, PCX, TGA. Accepted output formats are: EPS, PCL5, PDF, PDF1, PBM, PGM, PPM, PS, markedEPS, markedPS, PNG, XWD, BMP, TIFF, JPEG, GIF, XPM. a2ping delegates the low-level work to Ghostscript (GS), pdftops and . a2ping fixes many glitches during the EPS to EPS conversion, so its output is often more compatible and better embeddable than its input.  
URL: <https://ctan.org/pkg/a2ping>  
MIRROR: <https://mirror.ctan.org/graphics/a2ping>
- *The anyfontsize package. Select any font size in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/anyfontsize>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/anyfontsize>

- *Thebabel-hungarian package. Babel support for Hungarian (Magyar).* 2019-01-14. Version 1.5c. LICENSE: lppl. The package provides a language definition file that enables support of Magyar (Hungarian) with .  
 URL: <https://ctan.org/pkg/babel-hungarian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/hungarian>
- Szabó, Péter. *The examplep package. Verbatim phrases and listings in L<sup>A</sup>T<sub>E</sub>X.* 2020-05-09. Version 0.04. LICENSE: gpl  
 URL: <https://ctan.org/pkg/examplep>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/examplep>
- *The graphicp package. An enhanced version of graphics.* 2016-06-24. Version 0.12. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/graphicp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/exptl/graphicp>
- *The latex-uni8 package. Universal inputenc, fontenc, and babel for pdfL<sup>A</sup>T<sub>E</sub>X and LuaL<sup>A</sup>TeX.* 2019-01-20. Version 0.03. LICENSE: lppl. This package provides a L<sup>A</sup>T<sub>E</sub>X style file which makes it easy to use input encoding (UTF-8 by default, can be changed), (optional), (T1 if is not used), (English language by default), hyphenation, underline (with ), default text and math fonts (Computer Modern or Times), and paper sizes correctly with both pdfL<sup>A</sup>T<sub>E</sub>X and LuaL<sup>A</sup>TeX.  
 URL: <https://ctan.org/pkg/latex-uni8>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/latex-uni8>
- *The sam2p package. Convert bitmap formats to compact PS/PDF.* 2021-09-15. Version 0.49.4. LICENSE: gpl  
 URL: <https://ctan.org/pkg/sam2p>  
 MIRROR: <https://mirror.ctan.org/graphics/sam2p>
- *The tt2001 package. Type 1 EC fonts generated by T<sub>E</sub>Xtrace.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tt2001>  
 MIRROR: <https://mirror.ctan.org/fonts/ps-type1/tt2001>
- Takato, Setsuo. *The ketcindy package. Creating graphics for T<sub>E</sub>X using Cinderella.* 2021-03-10. Version 20191225.0. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/ketcindy>  
 MIRROR: <https://mirror.ctan.org/graphics/ketcindy>
- Takeda, Shiro. *The econ-bst package. BibT<sub>E</sub>X style for economics papers.* 2023-06-29. Version 3.1.1. LICENSE: lppl1.3. This is a BibT<sub>E</sub>X style file for papers in economics. It provides the following features:  
 URL: <https://ctan.org/pkg/econ-bst>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/econ-bst>
- Talbot, Nicola. *The bib2gls package. Command line application to convert .bib files to glossaries-extra.sty resource files.* 2023-08-25. Version 3.5. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/bib2gls>  
 MIRROR: <https://mirror.ctan.org/support/bib2gls>
- *The csvtools package. Reading data from CSV files.* 2016-06-24. Version 1.24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/csvtools>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/csvtools>
- *The datatool package. Tools to load and manipulate data.* 2019-09-27. Version 2.32. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/datatool>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datatool>
- *The datatooltk package. A Java GUI for preparing datatool input.* 2018-07-06. Version 1.9. LICENSE: gpl3+  
 URL: <https://ctan.org/pkg/datatooltk>  
 MIRROR: <https://mirror.ctan.org/support/datatooltk>
- *The datetime package. Change format of \today with commands for current time.* 2016-06-24. Version 2.60. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/datetime>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/datetime>
- *The datetime2 package. Formats for dates, times and time zones.* 2021-03-21. Version 1.5.7. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/datetime2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2>
- *The datetime2-bahasai package. Bahasai language module for the datetime2 package.* 2018-01-10. Version 1.01. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/datetime2-bahasai>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-bahasai>
- *The datetime2-breton package. Breton language module for the datetime2 package.* 2019-11-05. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/datetime2-breton>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-breton>



- *The datetime2-bulgarian package. Bulgarian language module for the datetime2 package.* 2018-03-19. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-bulgarian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-bulgarian>
- *The datetime2-catalan package. Catalan language module for the datetime2 package.* 2018-03-19. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-catalan>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-catalan>
- Talbot, Nicola. *The datetime2-czech package. Czech language module for the datetime2 package.* 2018-03-19. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-czech>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-czech>
- *The datetime2-danish package. Danish language module for the datetime2 package.* 2018-03-19. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-danish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-danish>
- *The datetime2-dutch package. Dutch language module for the datetime2 package.* 2018-04-07. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-dutch>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-dutch>
- *The datetime2-en-fulltext package. English Full Text styles for the datetime2 package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-en-fulltext>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-en-fulltext>
- *The datetime2-english package. English language module for the datetime2 package.* 2019-10-21. Version 1.05. LICENSE: lppl1.3.  
This module provides the following styles that can be set using provided by . The region not only determines the date/time format but also the time zone abbreviations if the zone mapping setting is on.  
URL: <https://ctan.org/pkg/datetime2-english>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-english>
- *The datetime2-esperanto package. Esperanto language module for the datetime2 package.* 2018-04-07. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-esperanto>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-esperanto>
- *The datetime2-estonian package. Estonian language module for the datetime2 package.* 2018-04-13. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-estonian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-estonian>
- *The datetime2-galician package. Galician language module for the datetime2 package.* 2018-01-07. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-galician>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-galician>
- *The datetime2-greek package. Greek language module for the datetime2 package.* 2018-04-18. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-greek>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-greek>
- *The datetime2-hebrew package. Hebrew language module for the datetime2 package.* 2018-04-18. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-hebrew>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-hebrew>
- *The datetime2-icelandic package. Icelandic language module for the datetime2 package.* 2022-12-06. Version 1.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-icelandic>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-icelandic>
- *The datetime2-irish package. Irish Gaelic Language Module for the datetime2 Package.* 2018-04-24. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-irish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-irish>
- *The datetime2-latin package. Latin language module for the datetime2 package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-latin>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-latin>
- *The datetime2-lsorbian package. Lower Sorbian language module for the datetime2 package.* 2018-05-18. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-lsorbian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-lsorbian>
- *The datetime2-magyar package. Magyar language module for the datetime2 package.* 2018-07-24. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-magyar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-magyar>



- *The datetime2-norsk package*. Norsk language module for the datetime2 package. 2018-07-24. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-norsk>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-norsk>
- *The datetime2-polish package*. Polish language module for the datetime2 package. 2018-08-21. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-polish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-polish>
- Talbot, Nicola. *The datetime2-portuges package*. Portuguese language module for the datetime2 package. 2018-08-21. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-portuges>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-portuges>
- *The datetime2-russian package*. Russian language module for the datetime2 package. 2018-12-07. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-russian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-russian>
- *The datetime2-samin package*. Northern Sami language module for the datetime2 package. 2018-12-07. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-samin>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-samin>
- *The datetime2-scottish package*. Scottish Gaelic Language Module for the datetime2 Package. 2019-09-14. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-scottish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-scottish>
- *The datetime2-slovak package*. Slovak language module for the datetime2 package. 2019-10-04. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-slovak>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-slovak>
- *The datetime2-slovene package*. Slovene language module for the datetime2 package. 2019-10-04. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-slovene>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-slovene>
- *The datetime2-spanish package*. Spanish language module for the datetime2 package. 2017-11-13. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-spanish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-spanish>
- *The datetime2-swedish package*. Swedish language module for the datetime2 package. 2018-01-07. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-swedish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-swedish>
- *The datetime2-turkish package*. Turkish language module for the datetime2 package. 2019-10-10. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-turkish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-turkish>
- *The datetime2-usorbian package*. Upper Sorbian language module for the datetime2 package. 2019-10-10. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-usorbian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-usorbian>
- *The datetime2-welsh package*. Welsh language module for the datetime2 package. 2019-10-28. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/datetime2-welsh>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-welsh>
- *The dickimaw package*. Books and tutorials from the “Dickimaw L<sup>A</sup>T<sub>E</sub>X Series”. 2017-04-18. LICENSE: fdl  
URL: <https://ctan.org/pkg/dickimaw>  
MIRROR: <https://mirror.ctan.org/info/dickimaw>
- *The doipubmed package*. Special commands for use in bibliographies. 2016-06-24. Version 1.01. LICENSE: lppl. The package provides the commands `doipubmed` and `doipubmed`. These commands are primarily designed for use in bibliographies. A L<sup>A</sup>T<sub>E</sub>X2HTML style file is also provided.  
URL: <https://ctan.org/pkg/doipubmed>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/doipubmed>
- *The flowfram package*. Create text frames for posters, brochures or magazines. 2016-06-24. Version 1.17. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/flowfram>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/flowfram>
- *The FlowframTk package*. Vector graphics application with support for flowfram.sty. 2019-07-18. Version 0.8.4. LICENSE: gpl  
URL: <https://ctan.org/pkg/flowframtk>  
MIRROR: <https://mirror.ctan.org/graphics/flowframtk>

- *The glossaries package. Create glossaries and lists of acronyms.* 2022-11-03. Version 4.52. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/glossaries>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries>
- *The glossaries-accsupp package. Accessibility support for glossaries.* 2020-02-15. Version 0.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/glossaries-accsupp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries>
- Talbot, Nicola. *The glossaries-danish package. Danish language module for glossaries package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. Danish language module for package.  
 URL: <https://ctan.org/pkg/glossaries-danish>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-danish>
- *The glossaries-dutch package. Dutch language module for glossaries package.* 2016-06-24. Version 1.1. LICENSE: lppl1.3. Dutch language module for package.  
 URL: <https://ctan.org/pkg/glossaries-dutch>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-dutch>
- *The glossaries-english package. English language module for glossaries package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. English language module for package.  
 URL: <https://ctan.org/pkg/glossaries-english>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-english>
- *The glossaries-extra package. An extension to the glossaries package.* 2023-06-28. Version 1.52. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/glossaries-extra>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-extra>
- *The glossaries-german package. German language module for glossaries package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. German language module for the package.  
 URL: <https://ctan.org/pkg/glossaries-german>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-german>
- *The glossaries-irish package. Irish language module for glossaries package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. Irish language module for package.  
 URL: <https://ctan.org/pkg/glossaries-irish>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-irish>
- *The glossaries-italian package. Italian language module for glossaries package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. Italian language module for package.  
 URL: <https://ctan.org/pkg/glossaries-italian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-italian>
- *The glossaries-magyar package. Magyar language module for glossaries package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. Magyar language module for package.  
 URL: <https://ctan.org/pkg/glossaries-magyar>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-magyar>
- *The glossaries-polish package. Polish language module for glossaries package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. Polish language module for the package.  
 URL: <https://ctan.org/pkg/glossaries-polish>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-polish>
- *The glossaries-portuges package. Portuges language module for glossaries package.* 2016-06-24. Version 1.1. LICENSE: lppl1.3. Portuges language module for package.  
 URL: <https://ctan.org/pkg/glossaries-portuges>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-portuges>
- *The glossaries-serbian package. Serbian language module for glossaries package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. Serbian language module for package.  
 URL: <https://ctan.org/pkg/glossaries-serbian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-serbian>
- *The glossaries-spanish package. Spanish language module for glossaries package.* 2016-06-24. Version 1.0. LICENSE: lppl1.3. Spanish language module for package.  
 URL: <https://ctan.org/pkg/glossaries-spanish>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-spanish>
- *The glossary package. Create a glossary.* 2016-06-24. Version 2.4. LICENSE: lppl  
 URL: <https://ctan.org/pkg/glossary>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/glossary>

- *The jmakepdfx package. A Java interface to Ghostscript to convert PDF to PDF/X.* 2017-04-18. Version 0.3b. LICENSE: gpl. The package provides Java GUI application that uses Ghostscript to convert PDF files to PDF/X. There is a choice of CMYK or greyscale profile. This uses Ghostscript’s setting, which is analogous to Acrobat Distiller’s “Prepress Optimized” setting.  
URL: <https://ctan.org/pkg/jmakepdfx>  
MIRROR: <https://mirror.ctan.org/support/jmakepdfx>
- *The jmlr package. Class files for the Journal of Machine Learning Research.* 2022-02-09. Version 1.30. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/jmlr>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jmlr>
- Talbot, Nicola. *The MakeGlossariesGUI package. Java GUI alternative to makeglossaries script.* 2020-03-10. Version 2.2. LICENSE: gpl3. The package provides a Java GUI alternative to the makeglossaries Perl script (supplied by the package). The package was designed for people who don’t want to use the command prompt but can’t get their editor to run makeglossaries. It can also be used as a diagnostic tool when there are problems with the document glossaries.  
URL: <https://ctan.org/pkg/makeglossariesgui>  
MIRROR: <https://mirror.ctan.org/support/makeglossariesgui>
- *The mfirstuc package. Uppercase the first letter of a word.* 2022-10-18. Version 2.08. LICENSE: lppl1.3. The package provides commands that uppercases the first letter in its argument (with a check for a semantic markup command at the start of the argument), and `\xmakefirstuc` which expands the argument before uppercasing. It also provides `\whichapplies` which applies to each word in the , where the words are separated by regular spaces. (Exceptions can be made for words that shouldn’t be converted.)  
URL: <https://ctan.org/pkg/mfirstuc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mfirstuc>
- *The nlctdoc package. Package documentation class.* 2023-06-28. Version 1.09. LICENSE: lppl  
URL: <https://ctan.org/pkg/nlctdoc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nlctdoc>
- *The pressrelease package. A class for typesetting press releases.* 2016-06-24. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pressrelease>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pressrelease>
- *The probsoln package. Generate problem sheets and their solution sheets.* 2017-07-10. Version 3.05. LICENSE: lppl  
URL: <https://ctan.org/pkg/probsoln>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/probsoln>
- *The quotmark package. Consistent quote marks.* 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/quotmark>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/quotmark>
- *The testidx package. Dummy text for testing index styles and indexing applications.* 2019-09-29. Version 1.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/testidx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/testidx>
- *The tex-locale package. Localisation support for T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X documents.* 2018-08-28. Version 1.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tex-locale>  
MIRROR: <https://mirror.ctan.org/macros/generic/tex-locale>
- *The texosquery package. Cross-platform Java application to query OS information.* 2020-02-04. Version 1.7. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/texosquery>  
MIRROR: <https://mirror.ctan.org/support/texosquery>
- *The tracklang package. Language and dialect tracker.* 2022-12-13. Version 1.6.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tracklang>  
MIRROR: <https://mirror.ctan.org/macros/generic/tracklang>
- *The venndiagram package. Creating Venn diagrams with TikZ.* 2018-06-07. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/venndiagram>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/venndiagram>
- *The xfor package. A reimplement of the L<sup>A</sup>T<sub>E</sub>X for-loop macro.* 2016-06-24. Version 1.05. LICENSE: lppl. The package redefines the L<sup>A</sup>T<sub>E</sub>X internal macro so that the loop may be prematurely terminated. The action is akin to the C/Java statement, except that the loop does not terminate until the end of the current iteration  
URL: <https://ctan.org/pkg/xfor>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xfor>
- Talbot, Nicola and Vincent Belaïche. *The fmtcount package. Display the value of a L<sup>A</sup>T<sub>E</sub>X counter in a variety of formats.* 2020-07-05. Version 3.07. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/fmtcount>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fmtcount>

- *The makedtx package. Perl script to help generate dtx and ins files.* 2018-02-21. Version 1.2. LICENSE: lppl. The makedtx bundle is provided to help L<sup>A</sup>T<sub>E</sub>X2<sub>ε</sub> developers to write the code and documentation in separate files, and then combine them into a single file for distribution. It automatically generates the character table, and also writes the associated installation () script.  
URL: <https://ctan.org/pkg/makedtx>  
MIRROR: <https://mirror.ctan.org/support/makedtx>
- Talbot, Nicola, Denis Bitouzé, and Vincent Belaïche. *The glossaries-french package. French language module for glossaries package.* 2017-01-04. Version 1.1. LICENSE: lppl1.3. French language module for package.  
URL: <https://ctan.org/pkg/glossaries-french>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-french>
- Talbot, Nicola and Claudio Duchi. *The datetime2-italian package. Italian language module for the datetime2 package.* 2016-06-24. Version 1.3. LICENSE: lppl1.3. This module provides the “italian” style that can be set using provided by .  
URL: <https://ctan.org/pkg/datetime2-italian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-italian>
- Talbot, Nicola and Sebastian Friedl. *The datetime2-german package. German language module for the datetime2 package.* 2023-05-17. Version 3.0. LICENSE: lppl1.3c. This module provides the “german” style that can be set using provided by .  
URL: <https://ctan.org/pkg/datetime2-german>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-german>
- Talbot, Nicola and Zunbeltz Izaola. *The datetime2-basque package. Basque language module for the datetime2 package.* 2018-03-21. Version 1.2a. LICENSE: lppl1.3. This module provides the “basque” style that can be set using provided by .  
URL: <https://ctan.org/pkg/datetime2-basque>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-basque>
- Talbot, Nicola and Ivan Kokan. *The datetime2-croatian package. Croatian language module for the datetime2 package.* 2018-01-07. Version 1.0. LICENSE: lppl1.3. This module provides the “croatian” style that can be set using provided by .  
URL: <https://ctan.org/pkg/datetime2-croatian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-croatian>
- Talbot, Nicola and Paul A. Patience. *The datetime2-french package. French language module for the datetime2 package.* 2020-09-21. Version 1.03. LICENSE: lppl1.3. This module provides the “french” style that can be set using provided by .  
URL: <https://ctan.org/pkg/datetime2-french>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-french>
- *The datetime2-romanian package. Romanian language module for the datetime2 package.* 2020-09-21. Version 1.02. LICENSE: lppl1.3. This module provides the “romanian” style that can be set using provided by .  
URL: <https://ctan.org/pkg/datetime2-romanian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-romanian>
- Talbot, Nicola and Sergiy M. Ponomarenko. *The datetime2-ukrainian package. Ukrainian language module for the datetime2 package.* 2018-04-15. Version 1.2a. LICENSE: lppl1.3. This module provides the “ukrainian” style that can be set using provided by .  
URL: <https://ctan.org/pkg/datetime2-ukrainian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-ukrainian>
- Talbot, Nicola and Andrej Radović. *The datetime2-serbian package. Serbian language module for the datetime2 package.* 2023-05-17. Version 2.1.0. LICENSE: lppl1.3. This module provides the “serbian” style that can be set using provided by . It provides both Cyrillic and Latin, Ekavian and Ijekavian variants of Serbian date formats, regionalized and non-regionalized.  
URL: <https://ctan.org/pkg/datetime2-serbian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-serbian>
- Talbot, Nicola and Maïeul Rouquette. *The bibleref package. Format bible citations.* 2020-06-22. Version 1.25. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/bibleref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibleref>
- Tanaka, Takuji. *The convbkmk package. Correct platex/uplatex bookmarks in PDF created with hyperref.* 2018-11-25. Version 0.30. LICENSE: mit. The package provides a small script that corrects bookmarks in PDF files created by /, using .  
URL: <https://ctan.org/pkg/convbkmk>  
MIRROR: <https://mirror.ctan.org/support/convbkmk>
- *The upmendex package. Multilingual index processor.* 2023-03-20. Version 1.07. LICENSE: bsd3  
URL: <https://ctan.org/pkg/upmendex>  
MIRROR: <https://mirror.ctan.org/indexing/upmendex>
- *The uptex package. Unicode version of pTeX.* 2020-08-30. LICENSE: other-free  
URL: <https://ctan.org/pkg/uptex>



- Tanaka, Takuji, Norbert Preining, and Japanese T<sub>E</sub>X Development Community. *The japanese-otf-uptex package. Support for Japanese OTF files in upLaTeX*. 2023-06-25. LICENSE: bsd3. This bundle has been merged into .  
 URL: <https://ctan.org/pkg/japanese-otf-uptex>  
 MIRROR: <https://mirror.ctan.org/macros/jptex/latex/japanese-otf>
- Tanbakuchi, Anthony A. *The FigSize package. Auto-size graphics*. 2016-06-24. Version 0.1. LICENSE: lppl. The FigSize package enables automatic sizing of graphics, especially when including graphics with the package. The user only has to specify the number of graphics that should fit to a page or fraction thereof and the package will dynamically calculate the correct graphics sizes relative to the page size. Thus, graphics can be auto-sized to fill a whole page or fraction and manual changes of graphic sizes are never needed when changing document layouts. Finally, the package's dynamic lengths can be used to allow other document element sizes to be dynamic.  
 URL: <https://ctan.org/pkg/figsize>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/figsize>
- *The plates package. Arrange for "plates" sections of documents*. 2016-06-24. Version 0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/plates>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/plates>
- Tantau, Till. *The pgfkeys package. Key value control for PGF*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pgfkeys>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/base>
- Tartir, Jamal K. *The jlabels package. Make letter-sized pages of labels*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/jlabels>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jlabels>
- Tatlock, Benjamin. *The bropd package. Simplified brackets and differentials in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/bropd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bropd>
- Tatsuta, Makoto. *The LKproof package. LK Proof figure macros*. 2018-02-03. Version 3.1. LICENSE: gpl. The package defines a pair of commands and , that are used in constructing LK proof diagrams.  
 URL: <https://ctan.org/pkg/lkproof>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lkproof>
- Taupin, Daniel. *The cmfrak package. Reencoded versions of Haralambous fraktur fonts*. 2016-07-29. Version 1.0. LICENSE: noinfo. Metafont sources to enable Haralambous's font to be built in a CM-like encoding () or a "DC-like" encoding (effectively, L<sup>A</sup>T<sub>E</sub>X T1: ).  
 URL: <https://ctan.org/pkg/cmfrak>  
 MIRROR: <https://mirror.ctan.org/fonts/gothic/cmfrak>
- *The ec-plain package. Use EC fonts in Plain T<sub>E</sub>X*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/ec-plain>  
 MIRROR: <https://mirror.ctan.org/macros/ec-plain>
- *The hyphen-accent package. L<sup>A</sup>T<sub>E</sub>X 2.09 code for using DC fonts*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/hyphen-accent>  
 MIRROR: <https://mirror.ctan.org/language/hyphen-accent>
- *The musictex package. Typesetting music with T<sub>E</sub>X*. 2019-06-21. Version 5.20. LICENSE: noinfo. MusicTeX is a set of macros, that first demonstrated the technique of simultaneous two-dimensional typesetting as applied to music. MusicTeX has its shortcomings (notably in the area of slurs), and is now largely superseded by .  
 URL: <https://ctan.org/pkg/musictex>  
 MIRROR: <https://mirror.ctan.org/macros/musictex>
- *The smallcap package. Promote small caps to a font family, so NFSS can deal with different shapes*. 2016-06-24. LICENSE: noinfo. A set of files that uses the fonts available in version 1.3 of the DC fonts to provide support for all 4 shapes of small caps. SC becomes a family, rather than a shape ( is replaced by ). Thus you can write to get small caps bold slanted.  
 URL: <https://ctan.org/pkg/smallcap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/smallcap>
- *The varsects package. A simple package for controlling headings*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/varsects>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/taupin/varsects.sty>
- Taylor, Laurence R. *The bubblesort package. Bubble sorts a list*. 2020-07-29. Version 1.0. LICENSE: lppl1.3c. This package sorts a list of T<sub>E</sub>X items in "increasing" order where "increasing" is determined by a comparator macro. By default it sorts real numbers with the usual meaning of "increasing" but some other examples are discussed in the documentation. A second macro is included which sorts one list and applies the same permutation to a second list.



- URL: <https://ctan.org/pkg/bubblesort>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bubblesort>
- *The csvmerge package*. Merge  $\TeX$  code with csv data. 2019-08-14. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/csvmerge>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/csvmerge>
  - Taylor, Paul. *The proofs package*. Macros for building proof trees. 2019-06-21. LICENSE: nosell  
 URL: <https://ctan.org/pkg/proofs>  
 MIRROR: <https://mirror.ctan.org/macros/generic/proofs/taylor>
  - *The qed package*. Produce an “end-of-proof” mark. 2016-06-24. LICENSE: nosell  
 URL: <https://ctan.org/pkg/qed>  
 MIRROR: <https://mirror.ctan.org/macros/generic/proofs/taylor/QED.sty>
  - *The taylor package*. Macros for category-theoretic diagrams. 2016-06-24. Version 3.93. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/taylor>  
 MIRROR: <https://mirror.ctan.org/macros/generic/diagrams/taylor>
  - Taylor, Philip. *The cropmarks-pt package*. Philip Taylor’s cropmarks macros. 2016-06-24. Version 1.4. LICENSE: other-free. The package permits the user to specify cropmarks in terms of a number of dimension variables. The marks themselves are applied in a subverted command.  
 URL: <https://ctan.org/pkg/cropmarks-pt>  
 MIRROR: [https://mirror.ctan.org/macros/generic/misc/CropMarks\\_pt.tex](https://mirror.ctan.org/macros/generic/misc/CropMarks_pt.tex)
  - *The cropmrks package*. Add crop marks to a Plain  $\TeX$  document. 2016-06-24. Version 1.5. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cropmrks>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/cropmrks.tex>
  - *The letterspacing package*. Letter spacing. 2020-04-11. LICENSE: knuth  
 URL: <https://ctan.org/pkg/letterspacing>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/letterspacing.tex>
  - *The path package*. Typeset paths, making them breakable. 2016-06-24. Version 3.05. LICENSE: other-free. Defines a macro , similar to the  $\LaTeX$  , that sets the text in typewriter font and allows hyphen-less breaks at punctuation characters. The set of characters to be regarded as punctuation may be changed from the package’s default.  
 URL: <https://ctan.org/pkg/path>  
 MIRROR: <https://mirror.ctan.org/macros/generic/path>
  - *The settosize package*. Scale text to given width. 2019-10-03. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/settosize>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/settosize.tex>
  - *The trigonometry package*. Demonstration code for cos and sin in  $\TeX$  macros. 2017-01-24. LICENSE: knuth  
 URL: <https://ctan.org/pkg/trigonometry>  
 MIRROR: <https://mirror.ctan.org/macros/generic/trigonometry>
  - *The verbatim-gen package*. Generic macros for setting text verbatim. 2020-04-11. LICENSE: noinfo. Defines a verbatim ‘environment’ — one types . “Short-form” versions used as or are provided for small chunks of text.  
 URL: <https://ctan.org/pkg/verbatim-gen>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/verbatim.tex>
  - Team Robocracy. *The ftc-notebook package*. Typeset FIRST Tech Challenge (FTC) notebooks. 2019-02-17. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ftc-notebook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ftc-notebook>
  - Teegen, Maximilian. *The letterswitharrows package*. Draw arrows over math letters. 2021-07-19. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/letterswitharrows>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/letterswitharrows>
  - Tellechea, Christian. *The apprendre-a-programmer-en-tex package*. The book “Apprendre à programmer en  $\TeX$ ”. 2020-12-20. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/apprendre-a-programmer-en-tex>  
 MIRROR: <https://mirror.ctan.org/info/apprendre-a-programmer-en-tex>
  - *The autoaligne package*. Align terms and members in math expressions. 2023-03-23. Version 1.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/autoaligne>  
 MIRROR: <https://mirror.ctan.org/macros/generic/autoaligne>
  - *The chemfig package*. Draw molecules with easy syntax. 2023-06-30. Version 1.6e. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/chemfig>  
 MIRROR: <https://mirror.ctan.org/macros/generic/chemfig>

- *The dijkstra package*. Dijkstra algorithm for L<sup>A</sup>T<sub>E</sub>X. 2022-10-01. Version 0.13. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/dijkstra>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dijkstra>
- Tellechea, Christian. *The hlist package*. Horizontal and columned lists. 2017-08-08. Version 0.11. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hlist>  
 MIRROR: <https://mirror.ctan.org/macros/generic/hlist>
- *The scratch package*. Draw programs like “scratch”. 2023-03-23. Version 0.41. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/scratch>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/scratch>
- *The scratch3 package*. Draw programs like “scratch”. 2022-02-06. Version 0.19. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/scratch3>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/scratch3>
- *The simplekv package*. A simple key/value system for T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X. 2023-03-23. Version 0.2a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/simplekv>  
 MIRROR: <https://mirror.ctan.org/macros/generic/simplekv>
- *The spreadtab package*. Spreadsheet features for L<sup>A</sup>T<sub>E</sub>X tabular environments. 2023-03-23. Version 0.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/spreadtab>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/spreadtab>
- *The systeme package*. Format systems of equations. 2023-03-23. Version 0.34. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/systeme>  
 MIRROR: <https://mirror.ctan.org/macros/generic/systeme>
- *The tabularcalc package*. Calculate formulas in a tabular environment. 2016-06-24. Version 0.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tabularcalc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabularcalc>
- *The xstring package*. String manipulation for (La)T<sub>E</sub>X. 2023-08-22. Version 1.86. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xstring>  
 MIRROR: <https://mirror.ctan.org/macros/generic/xstring>
- Tellechea, Christian and Steven B. Segletes. *The listofitems package*. Grab items in lists using user-specified sep char. 2023-03-23. Version 1.63. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/listofitems>  
 MIRROR: <https://mirror.ctan.org/macros/generic/listofitems>
- Tennent, Bob. *The accanthis package*. Accanthis fonts, with L<sup>A</sup>T<sub>E</sub>X support. 2022-10-28. LICENSE: gpl2+,lppl  
 URL: <https://ctan.org/pkg/acanthis>  
 MIRROR: <https://mirror.ctan.org/fonts/acanthis>
- *The alegreya package*. Alegreya fonts with L<sup>A</sup>T<sub>E</sub>X support. 2022-09-14. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/alegreya>  
 MIRROR: <https://mirror.ctan.org/fonts/alegreya>
- *The alkalami package*. A font for Arabic-based writing systems in Nigeria and Niger. 2017-06-07. Version 1.000. LICENSE: ofl  
 URL: <https://ctan.org/pkg/alkalami>  
 MIRROR: <https://mirror.ctan.org/fonts/alkalami>
- *The almendra package*. Almendra fonts with L<sup>A</sup>T<sub>E</sub>X support. 2022-09-28. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/almendra>  
 MIRROR: <https://mirror.ctan.org/fonts/almendra>
- *The andika package*. andika fonts with support for all L<sup>A</sup>T<sub>E</sub>X engines. 2022-09-28. Version 6.101. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/andika>  
 MIRROR: <https://mirror.ctan.org/fonts/andika>
- *The arimo package*. Arimo sans serif fonts with L<sup>A</sup>T<sub>E</sub>X support. 2022-09-28. LICENSE: apache2  
 URL: <https://ctan.org/pkg/arimo>  
 MIRROR: <https://mirror.ctan.org/fonts/arimo>
- *The atkinson package*. Support for the Atkinson Hyperlegible family of fonts. 2022-09-14. LICENSE: lppl,other-free  
 URL: <https://ctan.org/pkg/atkinson>  
 MIRROR: <https://mirror.ctan.org/fonts/atkinson>
- *The autosp package*. A Preprocessor that generates note-spacing commands for MusiX<sub>T</sub>E<sub>X</sub> scores. 2021-01-07. LICENSE: gpl2+  
 URL: <https://ctan.org/pkg/autosp>  
 MIRROR: <https://mirror.ctan.org/support/autosp>

- *The biolinum-type1 package. (pdf)LaTeX support for the Biolinum family of fonts.* 2016-06-24. Version 5.3.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/biolinum-type1>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/biolinum-type1>
- Tennent, Bob. *The bitter package. The Bitter family of fonts with LaTeX support.* 2023-07-10. LICENSE: lppl,ofl  
 URL: <https://ctan.org/pkg/bitter>  
 MIRROR: <https://mirror.ctan.org/fonts/bitter>
- *The cabin package. A humanist Sans Serif font, with LaTeX support.* 2022-12-25. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/cabin>  
 MIRROR: <https://mirror.ctan.org/fonts/cabin>
- *The caladea package. Support for the Caladea family of fonts.* 2022-09-29. LICENSE: apache2,lppl  
 URL: <https://ctan.org/pkg/caladea>  
 MIRROR: <https://mirror.ctan.org/fonts/caladea>
- *The carlito package. Support for Carlito sans-serif fonts.* 2022-10-05. LICENSE: ofl  
 URL: <https://ctan.org/pkg/carlito>  
 MIRROR: <https://mirror.ctan.org/fonts/carlito>
- *The CharisSIL package. CharisSIL fonts with support for all LaTeX engines.* 2022-11-12. Version 6.101. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/charissil>  
 MIRROR: <https://mirror.ctan.org/fonts/charissil>
- *The cinzel package. LaTeX support for Cinzel and Cinzel Decorative fonts.* 2022-09-29. LICENSE: ofl,lppl. Cinzel and Cinzel Decorative fonts, designed by Natanael Gama ), find their inspiration in first century roman inscriptions, and are based on classical proportions. Cinzel is all-caps (similar to and Michelangelo), but is available in three weights (Regular, Bold, Black). There are no italic fonts, but there are Decorative variants, which can be selected by the usual italic-selection commands in the package's LaTeX support.  
 URL: <https://ctan.org/pkg/cinzel>  
 MIRROR: <https://mirror.ctan.org/fonts/cinzel>
- *The classico package. URW Classico fonts.* 2022-09-30. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/classico>  
 MIRROR: <https://mirror.ctan.org/fonts/urw/classico>
- *The clearsans package. Clear Sans fonts with LaTeX support.* 2022-09-15. LICENSE: apache2,lppl  
 URL: <https://ctan.org/pkg/clearsans>  
 MIRROR: <https://mirror.ctan.org/fonts/clearsans>
- *The coelacanth package. Coelacanth fonts with LaTeX support.* 2022-09-30. Version 0.005. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/coelacanth>  
 MIRROR: <https://mirror.ctan.org/fonts/coelacanth>
- *The cooperhewitt package. LaTeX, pdfLaTeX, XeLaTeX and LuaLaTeX support for the Cooper Hewitt family of sans serif fonts.* 2022-11-03. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/cooperhewitt>  
 MIRROR: <https://mirror.ctan.org/fonts/cooperhewitt>
- *The CormorantGaramond package. Cormorant Garamond family of fonts.* 2022-09-16. Version 3.601. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/cormorantgaramond>  
 MIRROR: <https://mirror.ctan.org/fonts/cormorantgaramond>
- *The crimson package. Crimson fonts with LaTeX support.* 2022-09-30. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/crimson>  
 MIRROR: <https://mirror.ctan.org/fonts/crimson>
- *The CrimsonPro package. CrimsonPro fonts with LaTeX support.* 2022-09-30. LICENSE: ofl,lppl. The CrimsonPro fonts are designed by Jacques Le Bailly and derived from the designed by Sebastian Kosch. The family includes eight weights and italics for each weight.  
 URL: <https://ctan.org/pkg/crimsonpro>  
 MIRROR: <https://mirror.ctan.org/fonts/crimsonpro>
- *The ebaramond package. LaTeX support for EBaramond fonts.* 2023-03-19. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/ebaramond>  
 MIRROR: <https://mirror.ctan.org/fonts/ebaramond>
- *The figbas package. Mini-fonts for figured-bass notation in music.* 2016-06-24. Version 1.0.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/figbas>  
 MIRROR: <https://mirror.ctan.org/fonts/figbas>

- *The fira package. Fira fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-17. Version 4.3. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/fira>  
 MIRROR: <https://mirror.ctan.org/fonts/fira>
- Tennent, Bob. *The forum package. Forum fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-30. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/forum>  
 MIRROR: <https://mirror.ctan.org/fonts/forum>
- *The gandhi package. Gandhi Serif and Sans fonts, with L<sup>A</sup>T<sub>E</sub>X support.* 2022-10-01. LICENSE: nosell,lppl  
 URL: <https://ctan.org/pkg/gandhi>  
 MIRROR: <https://mirror.ctan.org/fonts/gandhi>
- *The gelasio package. L<sup>A</sup>T<sub>E</sub>X support for the Gelasio family of fonts.* 2023-04-10. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/gelasio>  
 MIRROR: <https://mirror.ctan.org/fonts/gelasio>
- *The gillius package. Gillius fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-10-30. LICENSE: gpl2+,lppl  
 URL: <https://ctan.org/pkg/gillius>  
 MIRROR: <https://mirror.ctan.org/fonts/gillius>
- *The gofonts package. GoSans and GoMono fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-12. LICENSE: other-free,lppl  
 URL: <https://ctan.org/pkg/gofonts>  
 MIRROR: <https://mirror.ctan.org/fonts/gofonts>
- *The ibarra package. L<sup>A</sup>T<sub>E</sub>X support for the Ibarra Real Nova family of fonts.* 2023-04-18. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/ibarra>  
 MIRROR: <https://mirror.ctan.org/fonts/ibarra>
- *The imfellEnglish package. IM Fell English fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-10-01. LICENSE: ofl  
 URL: <https://ctan.org/pkg/imfellenglish>  
 MIRROR: <https://mirror.ctan.org/fonts/imfellenglish>
- *The imfellflowers package. IM Fell Flower OpenType fonts.* 2023-08-15. LICENSE: nosell  
 URL: <https://ctan.org/pkg/imfellflowers>  
 MIRROR: <https://mirror.ctan.org/fonts/imfellflowers>
- *The josefin package. Josefin fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-10-01. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/josefin>  
 MIRROR: <https://mirror.ctan.org/fonts/josefin>
- *The libertine package. Use of Linux Libertine and Biolinum fonts with L<sup>A</sup>T<sub>E</sub>X.* 2022-09-12. Version 5.3.0. LICENSE: gpl,ofl,lppl  
 URL: <https://ctan.org/pkg/libertine>  
 MIRROR: <https://mirror.ctan.org/fonts/libertine>
- *The libertine-type1 package. (pdf)L<sup>A</sup>T<sub>E</sub>X support for the Libertine family of fonts.* 2016-06-24. Version 5.3.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/libertine-type1>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/libertine-type1>
- *The libertinus-type1 package. Support for using Libertinus fonts with L<sup>A</sup>T<sub>E</sub>X/pdfLaTeX.* 2023-06-23. LICENSE: gpl2,ofl,lppl  
 URL: <https://ctan.org/pkg/libertinus-type1>  
 MIRROR: <https://mirror.ctan.org/fonts/libertinus-type1>
- *The librebaskerville package. The Libre Baskerville family of fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-17. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/librebaskerville>  
 MIRROR: <https://mirror.ctan.org/fonts/librebaskerville>
- *The librebodoni package. Libre Bodoni fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-18. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/librebodoni>  
 MIRROR: <https://mirror.ctan.org/fonts/librebodoni>
- *The librecaslon package. Libre Caslon fonts, with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-18. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/librecaslon>  
 MIRROR: <https://mirror.ctan.org/fonts/librecaslon>
- *The librefranklin package. L<sup>A</sup>T<sub>E</sub>X support for the Libre-Franklin family of fonts.* 2022-09-19. LICENSE: lppl,ofl  
 URL: <https://ctan.org/pkg/librefranklin>  
 MIRROR: <https://mirror.ctan.org/fonts/librefranklin>
- *The linguisticspro package. LinguisticsPro fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-10-28. LICENSE: lppl,ofl  
 URL: <https://ctan.org/pkg/linguisticspro>  
 MIRROR: <https://mirror.ctan.org/fonts/linguisticspro>

- *The lobster2 package. Lobster Two fonts, with support for all L<sup>A</sup>T<sub>E</sub>X engines.* 2022-09-19. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/lobster2>  
 MIRROR: <https://mirror.ctan.org/fonts/lobster2>
- Tennent, Bob. *The Marcellus package. Marcellus fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-20. LICENSE: ofl,lppl. This package provides L<sup>A</sup>T<sub>E</sub>X, pdfL<sup>A</sup>T<sub>E</sub>X, X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X and LuaL<sup>A</sup>T<sub>E</sub>X support for the Marcellus family of fonts, designed by Brian J. Bonislowsky. Marcellus is a flared-serif family, inspired by classic Roman inscription letterforms. There is currently just a regular weight and small-caps. The regular weight will be silently substituted for bold.  
 URL: <https://ctan.org/pkg/marcellus>  
 MIRROR: <https://mirror.ctan.org/fonts/marcellus>
- *The merriweather package. Merriweather and MerriweatherSans fonts, with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-20. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/merriweather>  
 MIRROR: <https://mirror.ctan.org/fonts/merriweather>
- *The mints spirit package. L<sup>A</sup>T<sub>E</sub>X support for MintSpirit font families.* 2022-09-22. LICENSE: ofl,lppl. The package provides , , and support for the MintSpirit and MintSpiritNo2 families of fonts, designed by Hirwen Harendal. MintSpirit was originally designed for use as a system font on a Linux Mint system. The No. 2 variant provides more conventional shapes for some glyphs.  
 URL: <https://ctan.org/pkg/mintspirit>  
 MIRROR: <https://mirror.ctan.org/fonts/mintspirit>
- *The musixtnt package. A MusiXTeX extension library that enables transformations of the effect of notes commands.* 2016-06-24. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/musixtnt>  
 MIRROR: <https://mirror.ctan.org/macros/musixtnt>
- *The mweights package. Support for multiple-weight font packages.* 2020-01-23. LICENSE: lppl  
 URL: <https://ctan.org/pkg/mweights>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mweights>
- *The noto package. Support for Noto fonts.* 2022-09-11. LICENSE: lppl,ofl  
 URL: <https://ctan.org/pkg/noto>  
 MIRROR: <https://mirror.ctan.org/fonts/noto>
- *The notocondensed package. Support for the condensed variants of the Noto fonts.* 2022-09-11. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/notocondensed>  
 MIRROR: <https://mirror.ctan.org/fonts/notocondensed>
- *The OldStandardT1 package. Type 1 versions of Old Standard fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2018-01-07. LICENSE: ofl  
 URL: <https://ctan.org/pkg/oldstandardt1>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/oldstandardt1>
- *The overlock package. Overlock sans fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-23. LICENSE: ofl. The package provides the Overlock and OverlockSC families of fonts, designed by Dario Manuel Muhafara of the (<http://www.tipo.net.ar>), “rounded” sans-serif fonts in three weights (Regular, Bold, Black) with italic variants for each of them. There are also small-caps and old-style figures in the Regular weight.  
 URL: <https://ctan.org/pkg/overlock>  
 MIRROR: <https://mirror.ctan.org/fonts/overlock>
- *The padauk package. A high-quality TrueType font that supports the many diverse languages that use the Myanmar script.* 2018-01-07. Version 3.002. LICENSE: ofl  
 URL: <https://ctan.org/pkg/padauk>  
 MIRROR: <https://mirror.ctan.org/fonts/padauk>
- *The playfair package. Playfair Display fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-10-28. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/playfair>  
 MIRROR: <https://mirror.ctan.org/fonts/playfair>
- *The plex package. Support for IBM Plex fonts.* 2022-09-23. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/plex>  
 MIRROR: <https://mirror.ctan.org/fonts/plex>
- *The poiretone package. PoirerOne family of fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-10-28. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/poiretone>  
 MIRROR: <https://mirror.ctan.org/fonts/poiretone>
- *The prerex package. Interactive editor and macro support for prerequisite charts.* 2021-11-20. LICENSE: gpl2,lppl  
 URL: <https://ctan.org/pkg/prerex>  
 MIRROR: <https://mirror.ctan.org/graphics/prerex>



- *The quattrocento package. Quattrocento and Quattrocento Sans fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-13. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/quattrocento>  
 MIRROR: <https://mirror.ctan.org/fonts/quattrocento>
- Tennent, Bob. *The roboto package. Support for the Roboto family of fonts.* 2022-09-11. LICENSE: apache2,ofl,lppl  
 URL: <https://ctan.org/pkg/roboto>  
 MIRROR: <https://mirror.ctan.org/fonts/roboto>
- *The spectral package. Spectral fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-27. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/spectral>  
 MIRROR: <https://mirror.ctan.org/fonts/spectral>
- *The texlive-dummy-enterprise-linux package. Dummy T<sub>E</sub>X Live RPM for use with RHEL 6 and derived distributions.* 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/texlive-dummy-enterprise-linux>  
 MIRROR: <https://mirror.ctan.org/support/texlive/texlive-dummy/EnterpriseLinux-6>
- *The texlive-dummy-enterprise-linux-6 package. Dummy T<sub>E</sub>X Live RPM for use with RHEL 6 and derived distributions.* 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/texlive-dummy-enterprise-linux-6>  
 MIRROR: <https://mirror.ctan.org/support/texlive/texlive-dummy/EnterpriseLinux-6>
- *The texlive-dummy-enterprise-linux-7 package. Dummy T<sub>E</sub>X Live RPM for use with RHEL 7 and derived distributions.* 2016-06-24. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/texlive-dummy-enterprise-linux-7>  
 MIRROR: <https://mirror.ctan.org/support/texlive/texlive-dummy/EnterpriseLinux-7>
- *The texlive-dummy-enterprise-linux-8 package. Dummy T<sub>E</sub>X Live RPM for use with RHEL 8 and derived distributions.* 2020-02-15. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/texlive-dummy-enterprise-linux-8>  
 MIRROR: <https://mirror.ctan.org/support/texlive/texlive-dummy/EnterpriseLinux-8>
- *The theanodidot package. TheanoDidot fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-26. LICENSE: lppl,ofl  
 URL: <https://ctan.org/pkg/theanodidot>  
 MIRROR: <https://mirror.ctan.org/fonts/theanodidot>
- *The theanomodern package. Theano Modern fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-26. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/theanomodern>  
 MIRROR: <https://mirror.ctan.org/fonts/theanomodern>
- *The theanooldstyle package. Theano OldStyle fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-26. LICENSE: ofl,lppl  
 URL: <https://ctan.org/pkg/theanooldstyle>  
 MIRROR: <https://mirror.ctan.org/fonts/theanooldstyle>
- *The tinos package. Tinos fonts with L<sup>A</sup>T<sub>E</sub>X support.* 2022-09-25. LICENSE: apache2,lppl  
 URL: <https://ctan.org/pkg/tinos>  
 MIRROR: <https://mirror.ctan.org/fonts/tinos>
- *The tlmgrBasics package. A simplified documentation for tlmgr.* 2023-06-24. LICENSE: gpl2+. This package provides simplified documentation for , the Manager. It describes the most commonly-used actions and options in a convenient format.  
 URL: <https://ctan.org/pkg/tlmgrbasics>  
 MIRROR: <https://mirror.ctan.org/info/tlmgrbasics>
- *The universalis package. Universalis font, with support.* 2022-09-25. LICENSE: gpl2+,lppl  
 URL: <https://ctan.org/pkg/universalis>  
 MIRROR: <https://mirror.ctan.org/fonts/universalis>
- Tennent, Bob and Dirk Laurie. *The M-Tx package. A preprocessor for pmx.* 2022-08-19. Version 0.63d. LICENSE: mit. M-Tx is a preprocessor to , which is itself a preprocessor to , a music typesetting system. The prime motivation to the development of M-Tx was to provide lyrics for music to be typeset. In fact, pmx now provides a lyrics interface, but M-Tx continues in use by those who prefer its language.  
 URL: <https://ctan.org/pkg/m-tx>  
 MIRROR: <https://mirror.ctan.org/support/m-tx>
- Tennent, Bob and Michael Niedermair. *The libertine-legacy package. Linux Libertine fonts for (La)T<sub>E</sub>X and pdf(La)T<sub>E</sub>X users.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/libertine-legacy>  
 MIRROR: <https://mirror.ctan.org/obsolete/fonts/libertine-legacy>
- Tennent, Bob and John Reynolds. *The diagmac2 package. Diagram macros, using pict2e.* 2016-06-24. Version 2.1. LICENSE: lppl. This is a development of the long-established package, using so that the restrictions on line direction are removed.

- URL: <https://ctan.org/pkg/diagmac2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/diagmac2>
- Tennent, Bob, Don Simons, Jean-Pierre Coulon, Hiroaki Morimoto, Olivier Vogel, Daniel Taupin, Andreas Egler, and Ross Mitchell. *The MusiXTeX package. Sophisticated music typesetting*. 2023-01-11. Version 1.36. LICENSE: gpl2+  
 URL: <https://ctan.org/pkg/musixtex>  
 MIRROR: <https://mirror.ctan.org/macros/musixtex>
- Tennent, Bob, Takanori Uchiyama, and Daniel Taupin. *The musixtex-fonts package. Fonts used by MusixTeX*. 2023-01-11. LICENSE: gpl  
 URL: <https://ctan.org/pkg/musixtex-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/musixtex-fonts>
- Terashita, Tera. *The oldlatin package. Compute Modern-like font with long s*. 2016-06-24. Version 1.00. LICENSE: lppl  
 URL: <https://ctan.org/pkg/oldlatin>  
 MIRROR: <https://mirror.ctan.org/fonts/gothic/oldlatin>
- Teubner, Michael. *The coseoul package. Context sensitive outline elements*. 2017-05-01. Version 1.1. LICENSE: lppl1.3. The package provides “relative” commands that may be used in place of , , etc. The documentation shows a number of document-management scenarios in which such commands are valuable.  
 URL: <https://ctan.org/pkg/coseoul>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coseoul>
- Tex, Ajabu. *The TrY package. Automation of T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X compilation*. 2016-06-24. Version 4.0. LICENSE: lppl1.3. The package offers a script that automates the compilation of T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X documents. TrY reads commands from the comment lines of the document and executes them automatically. TrY may be compared to , but is simpler. TrY has been written for Linux and works on Linux.  
 URL: <https://ctan.org/pkg/try>  
 MIRROR: <https://mirror.ctan.org/support/try>
- Thakkar, Ajit. *The isi2bib-vim package. Vim script to convert bib database from ISI to BibTeX format*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/isi2bib>  
 MIRROR: <https://mirror.ctan.org/support/vim/isi2bib.vim>
- Thành, Hàn Thế. *The abbr package. Simple macros supporting abbreviations for Plain and L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: pd. The package provides some simple macros to support abbreviations in Plain T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X. It allows writing (e.g.) instead of , hence frees users from having to escape space after parameterless macros.  
 URL: <https://ctan.org/pkg/abbr>  
 MIRROR: <https://mirror.ctan.org/macros/generic/abbr>
- *The gv-savepos package. A patch to gv to save positions*. 2016-06-24. LICENSE: pd  
 URL: <https://ctan.org/pkg/gv-savepos>  
 MIRROR: <https://mirror.ctan.org/support/gv-savepos>
- Thành, Hàn Thế, Michal Konecny, and Reinhard Kotucha. *The plnfss package. Font selection for Plain T<sub>E</sub>X*. 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/plnfss>  
 MIRROR: <https://mirror.ctan.org/macros/plain/plnfss>
- Thành, Hàn Thế, Werner Lemberg, and Reinhard Kotucha. *The vntex package. Support for Vietnamese*. 2022-03-14. Version 3.2.2. LICENSE: other-free  
 URL: <https://ctan.org/pkg/vntex>  
 MIRROR: <https://mirror.ctan.org/language/vietnamese/vntex>
- Thành, Hàn Thế, The pdfTeX Team, and The T<sub>E</sub>X Live Team. *The pdftex package. A T<sub>E</sub>X extension for direct creation of PDF*. 2022-01-31. LICENSE: gpl. An extension of T<sub>E</sub>X which can directly generate PDF documents as well as DVI output. All current free T<sub>E</sub>X distributions including , and include pdfTeX (Plain T<sub>E</sub>X) and pdfL<sup>A</sup>T<sub>E</sub>X (LaTeX), among many other formats based on the pdfTeX engine.  
 URL: <https://ctan.org/pkg/pdftex>
- Thatcher, Peter, Stan Seibert, Nathan Torkington, and Roland Reimers. *The htm12latex package. Convert HTML to L<sup>A</sup>T<sub>E</sub>X*. 2017-04-18. Version 1.1. LICENSE: gpl2  
 URL: <https://ctan.org/pkg/htm12latex>  
 MIRROR: <https://mirror.ctan.org/support/htm12latex>
- The T<sub>E</sub>X4ht Team and Eitan M. Gurari. *The protex package. Literate programming package*. 2018-01-06. LICENSE: lppl. ProTeX is a simple but powerful literate programming tool, which is designed to generate useful hypertext output (either PDF, or HTML using ).  
 URL: <https://ctan.org/pkg/protex>  
 MIRROR: <https://mirror.ctan.org/web/protex>

- *The TeX4ht package*. Convert (La)TeX to HTML/XML. 2021-10-11. LICENSE: lpl  
 URL: <https://ctan.org/pkg/tex4ht>  
 MIRROR: <https://mirror.ctan.org/support/TeX4ht>
- The American Mathematical Society. *The amsart package*. L<sup>A</sup>T<sub>E</sub>X document class for AMS math journal articles. 2020-06-01. Version 2.20.6. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/amsart>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amscls>
- *The amsbook package*. L<sup>A</sup>T<sub>E</sub>X document class for AMS books. 2020-06-01. Version 2.20.6. LICENSE: lpl1.3c. A L<sup>A</sup>T<sub>E</sub>X document class for books that is tailored to the design of American Mathematical Society publications. If you have a standard installation of L<sup>A</sup>T<sub>E</sub>X, you should find that is already present, since it is part of the (“required”) distribution. For publication-specific AMS document classes (, , , , etc.), see the AMS .  
 URL: <https://ctan.org/pkg/amsbook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amscls>
- *The amscls package*. AMS document classes for L<sup>A</sup>T<sub>E</sub>X. 2020-06-01. Version 2.20.6. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/amscls>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amscls>
- *The amscls-doc package*. User documentation for AMS document classes. 2019-01-24. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/amscls-doc>  
 MIRROR: <https://mirror.ctan.org/info/amscls-doc>
- *The amsfonts package*. TeX fonts from the American Mathematical Society. 2022-01-28. Version 3.04. LICENSE: ofl  
 URL: <https://ctan.org/pkg/amsfonts>  
 MIRROR: <https://mirror.ctan.org/fonts/amsfonts>
- *The amslatex package*. Mathematical enhancements for L<sup>A</sup>T<sub>E</sub>X. 2017-09-08. LICENSE: lpl  
 URL: <https://ctan.org/pkg/amslatex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amsmath>
- *The amsltx11 package*. AMS-LaTeX, original version (obsolete). 2016-06-24. Version 1.1. LICENSE: lpl  
 URL: <https://ctan.org/pkg/amsltx11>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex209/contrib/amslatex.zip>
- *The amsidx package*. Support for multiple indexes in AMS Classes. 2020-06-01. Version 2.02. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/amsidx>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amscls>
- *The amsppt package*. AMS-TeX article preprint document style. 2019-01-26. Version 2.1a. LICENSE: lpl  
 URL: <https://ctan.org/pkg/amsppt>  
 MIRROR: <https://mirror.ctan.org/macros/amstex>
- *The amsppt1 package*. AMS-TeX v.2 compatibility for amsppt.sty v.1. 2019-01-26. Version 2.2. LICENSE: knuth  
 URL: <https://ctan.org/pkg/amsppt1>  
 MIRROR: <https://mirror.ctan.org/macros/amstex>
- *The amsproc package*. L<sup>A</sup>T<sub>E</sub>X document class for AMS conference proceedings. 2020-06-01. Version 2.20.6. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/amsproc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amscls>
- *The amstex package*. American Mathematical Society plain T<sub>E</sub>X macros. 2022-06-08. Version 2.01. LICENSE: lpl  
 URL: <https://ctan.org/pkg/amstex>  
 MIRROR: <https://mirror.ctan.org/macros/amstex>
- *The amsthm package*. Typesetting theorems (AMS style). 2020-06-01. Version 2.20.6. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/amsthm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amscls>
- *The joy-of-tex package*. User documentation for the AMS-TeX macro collection. 2021-09-11. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/joy-of-tex>  
 MIRROR: <https://mirror.ctan.org/info/joy-of-tex>
- *The short-math-guide package*. Guide to using amsmath and related packages to typeset mathematical notation with L<sup>A</sup>T<sub>E</sub>X. 2017-12-24. Version 2.0. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/short-math-guide>  
 MIRROR: <https://mirror.ctan.org/info/short-math-guide>
- *The testmath package*. Examples of the AMS-L<sup>A</sup>T<sub>E</sub>X package. 2017-09-08. Version 2.0. LICENSE: lpl  
 URL: <https://ctan.org/pkg/testmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amsmath>

- The American Mathematical Society. *The upref package. Ensure references are upright.* 2020-06-01. Version 2.04. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/upref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amscs>
- *The wncyr package. University of Washington cyrillic fonts.* 2017-11-17. Version 2.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/wncyr>
- The American Mathematical Society and Michael J. Downes. *The snapshot package. List the external dependencies of a L<sup>A</sup>T<sub>E</sub>X document.* 2020-10-22. Version 2.14. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/snapshot>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/snapshot>
- The American Mathematical Society, Michael J. Downes, and David M. Jones. *The amsrefs package. A L<sup>A</sup>T<sub>E</sub>X-based replacement for BibTeX.* 2022-01-28. Version 2.14. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/amsrefs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/amsrefs>
- The AUCTeX Team, Kresten Krab Thorup, and Per Abrahamsen. *The auctex package. Emacs support files for T<sub>E</sub>X.* 2023-04-23. Version 13.2. LICENSE: gpl  
 URL: <https://ctan.org/pkg/auctex>  
 MIRROR: <https://mirror.ctan.org/support/auctex>
- The CTAN Team. *The diagrams package. A CTAN collection of diagram macro packages.* 2021-08-26. LICENSE: collection  
 URL: <https://ctan.org/pkg/diagrams>
- The JabRef Project, Oliver Kopp, Morten Alver, and Nizar Batada. *The jabref package. Graphical frontend to manage BibTeX databases.* 2023-01-17. Version 5.9. LICENSE: mit  
 URL: <https://ctan.org/pkg/jabref>
- The T<sub>E</sub>X Live Team. *The TeX Live source tree package. Sources of the T<sub>E</sub>X Live distribution.* 2021-08-26. LICENSE: other-free  
 URL: <https://ctan.org/pkg/texlive-source>  
 MIRROR: <https://mirror.ctan.org/systems/texlive/Source>
- *The texlive package. A comprehensive distribution of T<sub>E</sub>X and friends.* 2023-03-20. Version 2023. LICENSE: other-free  
 URL: <https://ctan.org/pkg/texlive>  
 MIRROR: <https://mirror.ctan.org/systems/texlive/Images>
- *The texlive-repo package. A mirror of the T<sub>E</sub>X Live repository.* 2021-08-26. Version 2016. LICENSE: other-free  
 URL: <https://ctan.org/pkg/texlive-repo>  
 MIRROR: <https://mirror.ctan.org/systems/texlive/tlnet>
- The T<sub>E</sub>X Live Team and Olaf Weber. *The kpathsea package. Path searching library for T<sub>E</sub>X-related files.* 2022-01-28. LICENSE: lgpl2.1.  
 Kpathsea is a library and utility programs which provide path searching facilities for T<sub>E</sub>X file types, including the self-locating feature required for movable installations, layered on top of a general search mechanism. It is not distributed separately, but rather is released and maintained as part of the .  
 URL: <https://ctan.org/pkg/kpathsea>
- The LuaTeX Team. *The luatex package. The LuaTeX engine.* 2021-12-09. LICENSE: gpl2+  
 URL: <https://ctan.org/pkg/luatex>
- The MetaPost Team and John Hobby. *The metapost package. A development of Metafont for creating graphics.* 2021-08-26. LICENSE: lgpl.  
 MetaPost uses a language based on that of to produce precise technical illustrations. Its output is scalable PostScript or SVG, rather than the bitmaps Metafont creates.  
 URL: <https://ctan.org/pkg/metapost>
- The NTS Project. *The NTS package. New Typesetting System.* 2016-06-24. Version 1.00-beta. LICENSE: other-free  
 URL: <https://ctan.org/pkg/nts>  
 MIRROR: <https://mirror.ctan.org/systems/nts>
- The PGF/TikZ Team, Till Tantau, Christian Feuersänger, and Henri Menke. *The pgf package. Create PostScript and PDF graphics in T<sub>E</sub>X.* 2023-01-15. Version 3.1.10. LICENSE: lppl1.3c,gpl2,fdl  
 URL: <https://ctan.org/pkg/pgf>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/base>

- The PGF/TikZ Team and Xu Yuan. *The pgf-pie package. Draw pie charts, using PGF*. 2022-06-15. Version 0.7. LICENSE: gpl2,lppl1.3c. The package provides the means to draw pie (and variant) charts, using .  
 URL: <https://ctan.org/pkg/pgf-pie>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgf-pie>
- *The pgf-umlsd package. Draw UML Sequence Diagrams*. 2020-05-27. Version 0.7. LICENSE: gpl. L<sup>A</sup>T<sub>E</sub>X macros to draw UML diagrams using  
 URL: <https://ctan.org/pkg/pgf-umlsd>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgf-umlsd>
- The L<sup>A</sup>T<sub>E</sub>X Project Team. *The amsbsy package. Produce bold math symbols (AMS-LaTeX)*. 2021-06-01. Version 1.2d. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/amsbsy>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amsmath>
- *The amscd package. AMS-L<sup>A</sup>T<sub>E</sub>X commutative diagrams*. 2023-06-09. Version 2.1. LICENSE: lppl1.3c. Part of the distribution, this package adapts the commutative diagram macros of AMS-TeX for use in L<sup>A</sup>T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/amscd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amsmath>
  - *The amsmath package. AMS mathematical facilities for L<sup>A</sup>T<sub>E</sub>X*. 2023-06-09. Version 2.17o. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/amsmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amsmath>
  - *The amsopn package. Typeset mathematical operator names*. 2023-06-09. Version 2.04. LICENSE: lppl1.3c. Part of the distribution, this package defines a command that may be used to define commands like the L<sup>A</sup>T<sub>E</sub>X built-in commands and ; the command allows ad-hoc operator names in the body of a document.  
 URL: <https://ctan.org/pkg/amsopn>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amsmath>
  - *The amstext package. Typeset text fragments in mathematics*. 2023-06-09. Version 2.01. LICENSE: lppl1.3c. Part of the distribution, this package defines a macro, which makes it easy to incorporate fragments of text inside a displayed equation or a sub or superscript. The font used is the “surrounding text font” and sizes are automatically scaled in sub/superscripts.  
 URL: <https://ctan.org/pkg/amstext>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amsmath>
  - *The article package. Default class for composing an article*. 2023-06-09. Version 1.4n. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/article>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
  - *The book package. A class for typesetting books*. 2023-06-09. Version 1.4n. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/book>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
  - *The cfgguide package. Documentation of L<sup>A</sup>T<sub>E</sub>X configuration options*. 2019-10-04. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cfgguide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
  - *The classes package. The source of L<sup>A</sup>T<sub>E</sub>X’s standard classes*. 2023-06-09. Version 1.4n. LICENSE: lppl1.3c. The , , and classes of (and their class option files) all derive from a single source file, ; its contents are extracted to the class files themselves in the course of installing L<sup>A</sup>T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/classes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
  - *The clsguide package. Documentation of L<sup>A</sup>T<sub>E</sub>X class and package writing*. 2019-10-04. LICENSE: lppl  
 URL: <https://ctan.org/pkg/clsguide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
  - *The cmextra-latex package. Install macros for “standard” fonts not used by L<sup>A</sup>T<sub>E</sub>X itself*. 2023-06-09. LICENSE: lppl1.3c. This file extracts font definition files for extra Computer-Modern-based fonts: the fonts by Knuth (and their ), and the Cyrillic fonts from the University of Washington (in their variant. (The sources of these font definition files are present in the L<sup>A</sup>T<sub>E</sub>X distribution, but they are not extracted by default.)  
 URL: <https://ctan.org/pkg/cmextra-latex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base/cmextra.ins>
  - *The ctablestack package. Catcode table stable support*. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ctablestack>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/generic/ctablestack>



- *The cyrillic package. Support for Cyrillic fonts in L<sup>A</sup>T<sub>E</sub>X.* 2022-06-16. Version 2022-06-01-PL1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/latex-cyrillic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/cyrillic>
- The L<sup>A</sup>T<sub>E</sub>X Project Team. *The dvism-gm-def package. Colour and Graphics support for dvism-gm.* 2022-09-23. Version 1.6. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/dvism-gm-def>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphics-def>
- *The expl3 package. Wrapper package for experimental L<sup>A</sup>T<sub>E</sub>X3.* 2023-08-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/expl3>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3kernel>
- *The fixltx2e package. Patches for L<sup>A</sup>T<sub>E</sub>X.* 2023-06-09. Version 2.1a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fixltx2e>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- *The fntguide package. Documentation of L<sup>A</sup>T<sub>E</sub>X font commands.* 2021-08-26. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fntguide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- *The fontenc package. Standard package for selecting font encodings.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fontenc>
- *The graphics-cfg package. Sample configuration files for L<sup>A</sup>T<sub>E</sub>X color and graphics.* 2017-04-18. LICENSE: pd  
 URL: <https://ctan.org/pkg/graphics-cfg>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphics-cfg>
- *The l3backend package. LaTeX3 backend drivers.* 2023-04-19. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/l3backend>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3backend>
- *The l3build package. A testing and building system for (La)TeX.* 2023-07-20. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/l3build>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3build>
- *The l3docstrip package. Strip documentation in L<sup>A</sup>T<sub>E</sub>X3 source.* 2023-08-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/l3docstrip>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3kernel>
- *The l3experimental package. Experimental L<sup>A</sup>T<sub>E</sub>X3 concepts.* 2023-05-11. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/l3experimental>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3experimental>
- *The l3kernel package. LaTeX3 programming conventions.* 2023-08-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/l3kernel>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3kernel>
- *The l3keys2e package. LaTeX2e option processing using L<sup>A</sup>T<sub>E</sub>X3 keys.* 2023-08-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/l3keys2e>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3packages>
- *The l3packages package. High-level L<sup>A</sup>T<sub>E</sub>X3 concepts.* 2023-08-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/l3packages>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3packages>
- *The l3regex package. Regular expression facilities for L<sup>A</sup>T<sub>E</sub>X.* 2023-08-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/l3regex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3kernel/l3regex.dtx>
- *The latex-amsmath package. AMS mathematical facilities for L<sup>A</sup>T<sub>E</sub>X.* 2023-06-09. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/latex-amsmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/amsmath>
- *The latex-amsmath-dev package. Development pre-release of the L<sup>A</sup>T<sub>E</sub>X amsmath bundle.* 2023-06-11. Version 2023-11-01 pre-release 0. LICENSE: lppl1.3c. This is a pre-release version of the standard . It accompanies the pre-testing kernel code (), and is intended for testing by knowledgeable users.  
 URL: <https://ctan.org/pkg/latex-amsmath-dev>  
 MIRROR: <https://mirror.ctan.org/macros/latex-dev/required/amsmath>
- *The latex-base-dev package. Development pre-release of the L<sup>A</sup>T<sub>E</sub>X kernel.* 2023-06-11. Version 2023-11-01 pre-release 0. LICENSE: lppl1.3c. This package provides a testing release for upcoming L<sup>A</sup>T<sub>E</sub>X2e kernel changes. Testing by the L<sup>A</sup>T<sub>E</sub>X team itself suggests that the code is stable and usable, but wider use by knowledgeable users is required by adding these changes to the release L<sup>A</sup>T<sub>E</sub>X

kernel. Typically, the code here will be used by a  $\text{\TeX}$  system to create dedicated formats, for example `kernel.tex`, which can then be used explicitly for testing.

MIRROR: <https://mirror.ctan.org/macros/latex-dev/base>

The L<sup>A</sup>T<sub>E</sub>X Project Team. *The latex-doc package. Documentation supplied as part of the L<sup>A</sup>T<sub>E</sub>X distribution.* 2023-06-19. Version 2023-06-01 PL1. LICENSE: lpp1.3c. A collection of documentation that is provided with L<sup>A</sup>T<sub>E</sub>X itself, listed in the package. Note that (apart from notices of releases) the documentation mostly covers changes and details of adaptations; there are no complete tutorials, such as you might find in the or the .

MIRROR: <https://mirror.ctan.org/macros/latex/base>

URL: <https://ctan.org/pkg/latex-firstaid>

- *The latex-firstaid-dev package. Development pre-release of the L<sup>A</sup>T<sub>E</sub>X firstaid package.* 2023-05-25. Version 1.0z. LICENSE: lpp1.3c. This is a pre-release version of the standard . It accompanies the pre-testing kernel code (), and is intended for testing by knowledgeable users.

MIRROR: <https://mirror.ctan.org/macros/latex-dev/required/firstaid>

URL: <https://ctan.org/pkg/latex-graphics>

- *The latex-graphics-dev package. Development pre-release of the L<sup>A</sup>T<sub>E</sub>X graphics bundle.* 2023-06-11. Version 2023-11-01 pre-release 0. LICENSE: lpp1.3c. This is a pre-release version of the standard . It accompanies the pre-testing kernel code (), and is intended for testing by knowledgeable users.

MIRROR: <https://mirror.ctan.org/macros/latex-dev/required/graphics>

URL: <https://ctan.org/pkg/latex-lab>

- *The latex-lab-dev package*. L<sup>A</sup>T<sub>E</sub>X laboratory: Development pre-release. 2023-06-11. Version 2023-11-01 pre-release 0. LICENSE: lpp1.3c. This package provides a testing release for upcoming changes to the bundle, which provides a route for additions to the L<sup>A</sup>T<sub>E</sub>X kernel to be stabilised. It accompanies the pre-testing kernel code (), and is intended for testing by knowledgeable users.

MIRROR: <https://mirror.ctan.org/macros/latex-dev/required/latex-lab>

URL: <https://ctan.org/pkg/latex-tools>

- *The latex-tools-dev package. Development pre-release of the L<sup>A</sup>T<sub>E</sub>X tools bundle.* 2023-06-11. Version 2023-11-01 pre-release 0. LICENSE: lpl1.3c. This is a pre-release version of the standard . It accompanies the pre-testing kernel code (), and is intended for testing by knowledgeable users.

MIRROR: <https://mirror.ctan.org/macros/latex-dev/required/tools>

URL: <https://ctan.org/pkg/latexbug>

— *The latexrelease package. L<sup>A</sup>T<sub>E</sub>X release emulation*. 2023-06-09. Version 1.0p. LICENSE: lppl1.3c

MIRROR: <https://mirror.ctan.org/macros/latex/base>

URL: <https://ctan.org/pkg/makeidx>

- *The minimal package.* A trivial class, for use when testing. 2023-06-09. LICENSE: lppl1.3c

**MIRROR:** <https://mirror.ctan.org/macros/latex/base>

- *The modguide package. The rules about modifying L<sup>A</sup>T<sub>E</sub>X.* 2019-10-04. LICENSE: lppl  
 URL: <https://ctan.org/pkg/modguide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- The L<sup>A</sup>T<sub>E</sub>X Project Team. *The pdfmanagement-testphase package. L<sup>A</sup>T<sub>E</sub>X PDF management testphase bundle.* 2023-08-29. Version 0.95z. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pdfmanagement-testphase>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pdfmanagement-testphase>
- *The proc package. Class for producing “proceedings”.* 2023-06-09. Version 1.3m. LICENSE: lppl1.3c. The class provides basic facilities for typesetting the proceedings of an event; it is an extension of the standard .  
 URL: <https://ctan.org/pkg/proc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- *The report package. Typeset a multi-chapter report.* 2023-06-09. Version 1.4n. LICENSE: lppl1.3c. The class provides typesetting rather similar to that of the , omitting some features relevant only when professional book-publishing is to be used.  
 URL: <https://ctan.org/pkg/report>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- *The shellesc package. Unified shell escape interface for L<sup>A</sup>T<sub>E</sub>X.* 2023-06-09. Version 1.0d. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/shellesc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- *The shortvrb package. Abbreviated verbatim commands.* 2023-06-09. Version 3.0m. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/shortvrb>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- *The source2e package. LaTeX2e kernel documentation for the entire system as one document.* 2017-04-18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/source2e>
- *The t1enc package. Standard package for activating ec fonts.* 2016-06-24. LICENSE: lppl. Obsolete package for activating T1 font encoding. The replacement package with (optional) argument does this task more satisfactorily.  
 URL: <https://ctan.org/pkg/t1enc>
- *The usrguide package. User-mode documentation for L<sup>A</sup>T<sub>E</sub>X.* 2019-10-04. LICENSE: lppl  
 URL: <https://ctan.org/pkg/usrguide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- *The xcoeffs package. Rich boxed material for L<sup>A</sup>T<sub>E</sub>X 3.* 2023-05-11. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xcoeffs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3experimental>
- *The xfp package. Interface to the L<sup>A</sup>T<sub>E</sub>X3 floating point unit.* 2023-08-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xfp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3packages>
- *The xgalley package. Control text feeding onto the page.* 2023-05-11. LICENSE: lppl1.3c. The package, currently distributed as part of the bundle, provides control over the boxes that accept material as a page is filled.  
 URL: <https://ctan.org/pkg/xgalley>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3experimental/xgalley.dtx>
- *The xparse package. A generic document command parser.* 2023-08-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xparse>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3packages>
- *The xtemplate package. A high-level interface for declaring document commands.* 2023-08-29. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/xtemplate>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/l3packages>
- The L<sup>A</sup>T<sub>E</sub>X Project Team and David Carlisle. *The autopict package. The L<sup>A</sup>T<sub>E</sub>X picture mode, for use with Plain T<sub>E</sub>X.* 2021-11-15. Version 1.1k. LICENSE: lppl. The installer for this package is distributed with the bundle; the source for the installer is part of the .  
 URL: <https://ctan.org/pkg/autopict>  
 MIRROR: <https://mirror.ctan.org/macros/plain/graphics/autopict.sty>
- The L<sup>A</sup>T<sub>E</sub>X Project Team and Vafa Khalighi. *The iftex package. Am I running under pdfTeX, XeTeX or LuaTeX?* 2022-02-05. Version 1.0f. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/iftex>  
 MIRROR: <https://mirror.ctan.org/macros/generic/iftex>

- The L<sup>A</sup>T<sub>E</sub>X Project Team and Leslie Lamport. *The latex package. A T<sub>E</sub>X macro package that defines L<sup>A</sup>T<sub>E</sub>X*. 2023-06-19. Version 2023-06-01 PL1. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/latex>
- The L<sup>A</sup>T<sub>E</sub>X Project Team and Werner Lemberg. *The encguide package. Documentation of L<sup>A</sup>T<sub>E</sub>X font encodings*. 2019-10-04. LICENSE: lpl  
URL: <https://ctan.org/pkg/encguide>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>
- The L<sup>A</sup>T<sub>E</sub>X Project Team and Frank Mittelbach. *The latex-base package. Base sources of L<sup>A</sup>T<sub>E</sub>X*. 2023-06-19. Version 2023-06-01 PL1. LICENSE: lpl1.3c. This bundle comprises the source of L<sup>A</sup>T<sub>E</sub>X itself, together with several packages which are considered ‘part of the kernel’. This bundle, together with the packages, constitutes what every L<sup>A</sup>T<sub>E</sub>X distribution should contain.  
URL: <https://ctan.org/pkg/latex-base>  
MIRROR: <https://mirror.ctan.org/macros/latex/base>
- The L<sup>A</sup>T<sub>E</sub>X Project Team, Frank Mittelbach, and Leslie Lamport. *The unpacked package. Unpacked copy of the L<sup>A</sup>T<sub>E</sub>X sources*. 2017-04-18. LICENSE: lpl  
URL: <https://ctan.org/pkg/unpacked>
- The L<sup>A</sup>T<sub>E</sub>X Project Team and Heiko Oberdiek. *The ifluatex package. Provides the \ifluatex switch*. 2022-02-05. Version 1.5. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/ifluatex>  
MIRROR: <https://mirror.ctan.org/macros/generic/iftex>
- *The ifpdf package. Provides the \ifpdf conditional*. 2022-02-05. Version 3.4. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/ifpdf>  
MIRROR: <https://mirror.ctan.org/macros/generic/iftex>
  - *The ifvtex package. Detects use of VTeX and its facilities*. 2022-02-05. Version 1.7. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/ifvtex>  
MIRROR: <https://mirror.ctan.org/macros/generic/iftex>
- The L<sup>A</sup>T<sub>E</sub>X Project Team, Sebastian Rahtz, Walter A. Schmidt, and Vladimir Volovich. *The required package. Packages “required” of a L<sup>A</sup>T<sub>E</sub>X distribution*. 2016-06-24. LICENSE: lpl  
URL: <https://ctan.org/pkg/required>  
MIRROR: <https://mirror.ctan.org/macros/latex/required>
- The L<sup>A</sup>T<sub>E</sub>X Project Team and Will Robertson. *The ifxetex package. Am I running under XeTeX?* 2022-02-05. Version 0.7. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/ifxetex>  
MIRROR: <https://mirror.ctan.org/macros/generic/iftex>
- The L<sup>A</sup>T<sub>E</sub>X Project Team and Martin Scharrer. *The ifetex package. Provides \ifetex switch*. 2022-10-26. Version 1.3. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/ifetex>  
MIRROR: <https://mirror.ctan.org/macros/generic/iftex>
- The L<sup>A</sup>T<sub>E</sub>X Project Team, Kresten Krab Thorup, and Frank Jensen. *The calc package. Simple arithmetic in L<sup>A</sup>T<sub>E</sub>X commands*. 2023-06-09. Version 4.3. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/calc>  
MIRROR: <https://mirror.ctan.org/macros/latex/required/tools>
- The L<sup>A</sup>T<sub>E</sub>X Project Team and Joseph Wright. *The graphics-def package. Colour and graphics option files*. 2022-09-23. LICENSE: lpl1.3c  
URL: <https://ctan.org/pkg/graphics-def>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphics-def>
- The STI Pub Companies, Mark Doyle, Khaled Hosny, Will Robertson, and David M. Jones. *The stix package. OpenType Unicode maths fonts*. 2018-04-18. Version 1.1.3. LICENSE: ofl,lpl1.3  
URL: <https://ctan.org/pkg/stix>  
MIRROR: <https://mirror.ctan.org/fonts/stix>
- The STI Pub Companies and David M. Jones. *The stix2-otf package. OpenType Unicode text and maths fonts*. 2021-04-02. Version 2.12. LICENSE: ofl  
URL: <https://ctan.org/pkg/stix2-otf>  
MIRROR: <https://mirror.ctan.org/fonts/stix2-otf>
- *The stix2-type1 package. Type1 versions of the STIX Two OpenType fonts*. 2021-01-16. Version 2.0.2. LICENSE: ofl,lpl1.3  
URL: <https://ctan.org/pkg/stix2-type1>  
MIRROR: <https://mirror.ctan.org/fonts/stix2-type1>

- Theiling, Henrik. *The eurosym package. Metafont and macros for Euro sign*. 2017-04-18. Version 1.4-subrfix. LICENSE: other-free  
 URL: <https://ctan.org/pkg/eurosym>  
 MIRROR: <https://mirror.ctan.org/fonts/eurosym>
- Thiele, Christina. *The ttn package. TeX and TUG news archive*. 2016-06-24. LICENSE: digest  
 URL: <https://ctan.org/pkg/ttn>  
 MIRROR: <https://mirror.ctan.org/info/digests/ttn>
- Thielemann, Jens T. Berger and Ivan Andrus. *The chktex package. Check for errors in L<sup>A</sup>T<sub>E</sub>X documents*. 2022-10-18. Version 1.7.8. LICENSE: gpl2+. The program reports typographic and other errors in L<sup>A</sup>T<sub>E</sub>X documents. Filters are also provided for checking the L<sup>A</sup>T<sub>E</sub>X parts of documents.  
 URL: <https://ctan.org/pkg/chktex>  
 MIRROR: <https://mirror.ctan.org/support/chktex>
- Thiriet, Damien. *The beamerdarkthemes package. Dark color themes for beamer*. 2020-05-10. Version 0.5.1. LICENSE: lppl1.3,cc-by-4  
 URL: <https://ctan.org/pkg/beamerdarkthemes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamerdarkthemes>
- Thomas, Andy. *The sidenotes package. Typeset notes containing rich content, in the margin*. 2020-03-24. Version 1.00a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/sidenotes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sidenotes>
- Thomas, Matt. *The ln03dvi package. DVI to LN03 driver*. 2016-06-24. Version 1.2-013. LICENSE: noinfo. A development of , written in VAX C, but with conscious efforts to avoid VAX and VMS dependencies (though some dependencies do remain).  
 URL: <https://ctan.org/pkg/ln03dvi>  
 MIRROR: <https://mirror.ctan.org/dviware/ln03/thomas>
- Thomas, Reuben. *The alphanum-bst package. Modified alpha BibTeX style*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/alphanum-bst>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/alphanum.bst>
- *The alphanumb package. A modification of alpha.bst*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/alphanumb>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/alphanum.bst>
  - *The bitfield package. Draw bit field data structure diagrams (obsolete)*. 2016-07-21. LICENSE: lppl. Use of this package is no longer recommended, since all its facilities are now better provided by the package.  
 URL: <https://ctan.org/pkg/bitfield>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/bitfield>
  - *The dashbox package. Draw dashed boxes*. 2016-06-24. Version 1.14. LICENSE: lppl  
 URL: <https://ctan.org/pkg/dashbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dashbox>
- Thomas, Reuben and Robert Jahrling. *The stage package. A L<sup>A</sup>T<sub>E</sub>X class for stage plays*. 2022-03-30. Version 1.03. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/stage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stage>
- Thomas, Spencer W. *The undump package. Make a new executable with format loaded*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/undump>  
 MIRROR: <https://mirror.ctan.org/obsolete/support/undump>
- Thompson, Paul A. *The acromake package. Make commands for acronyms*. 2016-06-24. LICENSE: other-nonfree. The command defines a command that will expand to an acronym and its definition (on first use) and just the acronym thereafter.  
 URL: <https://ctan.org/pkg/acromake>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acromake>
- *The newlfm package. Write letters, facsimiles, and memos*. 2019-07-04. Version 9.4. LICENSE: gpl  
 URL: <https://ctan.org/pkg/newlfm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/newlfm>
  - *The verbasef package. VERBatim Automatic Splitting of External Files*. 2020-03-09. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/verbasef>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/verbasef>
  - *The vrbexin package. Verbatim input support*. 2016-06-24. Version 1.0b. LICENSE: nosell. The package provides interface functions for to access the facilities of the package.  
 URL: <https://ctan.org/pkg/vrbexin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/vrbexin.sty>
- Thornburg, Jonathan. *The alleqno package. Automatic numbering of all equations*. 2016-06-24. LICENSE: noinfo. Redefines to behave as a environment, and defines to behave as an environment.



- URL: <https://ctan.org/pkg/allegno>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/allegno.sty>
- Thorne, James, Aaron Feickert, and Jonathan Totushek. *The ndsu-thesis package*. North Dakota State University disquisition class. 2018-02-14. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/ndsu-thesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ndsu-thesis>
- Thorup, Kresten Krab. *The ftn package*. *L<sup>A</sup>T<sub>E</sub>X footnotes anywhere*. 2016-06-24. LICENSE: noinfo. Defines a command to modify any environment (except floats) to preserve footnotes. The package, by default, applies the command to , , and (!) environments.  
URL: <https://ctan.org/pkg/ftn>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/ftn.sty>
- *The pspic package*. *Drawing pictures using PostScript specials*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/pspic>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/pspic.sty>
- Thorup, Kresten Krab, Per Abrahamsen, and The T<sub>E</sub>X Live Team. *The lacheck package*. *L<sup>A</sup>T<sub>E</sub>X checker*. 2017-06-27. LICENSE: gpl  
URL: <https://ctan.org/pkg/lacheck>  
MIRROR: <https://mirror.ctan.org/support/lacheck>
- Thurston, Toby. *The Drawing-with-Metapost package*. *How to draw technical diagrams with MetaPost*. 2023-04-16. LICENSE: opl  
URL: <https://ctan.org/pkg/drawing-with-metapost>  
MIRROR: <https://mirror.ctan.org/info/drawing-with-metapost>
- *The metapost-colorbrewer package*. *An implementation of the colorbrewer2.org colours for MetaPost*. 2018-09-25. LICENSE: gpl3+  
URL: <https://ctan.org/pkg/metapost-colorbrewer>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/metapost-colorbrewer>
- Tidefelt, Henrik. *The blockdraw\_mp package*. *Block diagrams and bond graphs, with MetaPost*. 2016-06-24. LICENSE: lpl  
URL: [https://ctan.org/pkg/blockdraw\\_mp](https://ctan.org/pkg/blockdraw_mp)  
MIRROR: [https://mirror.ctan.org/graphics/metapost/contrib/macros/blockdraw\\_mp](https://mirror.ctan.org/graphics/metapost/contrib/macros/blockdraw_mp)
- Tilburg, Paul van. *The flagderiv package*. *Flag style derivation package*. 2016-06-24. Version 0.10. LICENSE: gpl  
URL: <https://ctan.org/pkg/flagderiv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/flagderiv>
- Tille, Andreas. *The formula package*. *Typesetting physical units*. 2016-06-24. Version 0.2. LICENSE: gpl  
URL: <https://ctan.org/pkg/formula>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/formula>
- Tilman, Frederik. *The latexdiff package*. *Determine and mark up significant differences between L<sup>A</sup>T<sub>E</sub>X files*. 2022-11-09. Version 1.3.3. LICENSE: gpl3. Latexdiff is a Perl script for visual mark up and revision of significant differences between two L<sup>A</sup>T<sub>E</sub>X files. Various options are available for visual markup using standard L<sup>A</sup>T<sub>E</sub>X packages such as . Changes not directly affecting visible text, for example in formatting commands, are still marked in the L<sup>A</sup>T<sub>E</sub>X source. A rudimentary revision facility is provided by another Perl script, latexrevise, which accepts or rejects all changes. Manual editing of the difference file can be used to override this default behaviour and accept or reject selected changes only.  
URL: <https://ctan.org/pkg/latexdiff>  
MIRROR: <https://mirror.ctan.org/support/latexdiff>
- Tinnefeld, Karsten. *The bophook package*. *Provides an At-Begin-Page hook*. 2016-06-24. Version 0.02. LICENSE: lpl. Using the hook, you can add material in the background of a page. can be used to give page makeup commands to be executed on every page (e.g., depending on the page style).  
URL: <https://ctan.org/pkg/bophook>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bophook>
- *The corelpak-contrib package*. *Manage Corel-distributed fonts*. 2020-12-17. LICENSE: noinfo  
URL: <https://ctan.org/pkg/corelpak-contrib>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/corelpak-contrib>
- *The margbib package*. *Display bibitem tags in the margins*. 2018-09-14. Version 1.0c. LICENSE: gpl  
URL: <https://ctan.org/pkg/margbib>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/margbib>
- *The mtgreek package*. *Use italic and upright greek letters with mathtime*. 2016-06-24. Version 1.1+. LICENSE: lpl. This package is an add-on to the a style to provide T<sub>E</sub>X support for the use of the MathTime(tm) fonts (formerly distributed by YandY, Inc.). The MathTime package has uppercase Greek letters hardwired to be upright and only upright; this package provides a switch to choose between the two kinds of Greek uppercase letters.  
URL: <https://ctan.org/pkg/mtgreek>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mtgreek>

- Titz, Thomas. *The biblatex-authoryear-icomp-tt package. Author-year style with compact multiple-reference-citations and ibidem mechanism for BibLaTeX*. 2016-06-24. Version 0.1. LICENSE: lpl. This is a style that combines the features of the styles authoryear-comp (omission of recurring author/year in multiple-reference-citations) and authoryear-ibid (replacement of repeated citations by the abbreviation ibidem). The implementation relies heavily on unmodified BibLaTeX macros, and no attempt has been made to add further features not present in core BibLaTeX.
- URL: <https://ctan.org/pkg/biblatex-authoryear-icomp-tt>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/authoryear-icomp-tt>
- *The idxlayout package. Configurable index layout, responsive to KOMA-Script and memoir*. 2016-06-24. Version 0.4d. LICENSE: lpl. The idxlayout package offers a key-value interface to configure index layout parameters, e.g. allowing for three-column indexes or for “parent” items and their affiliated subitems being typeset as a single paragraph. The package is responsive to the index-related options and commands of the and classes.

URL: <https://ctan.org/pkg/idxlayout>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/idxlayout>

  - *The quoting package. Consolidated environment for displayed text*. 2016-06-24. Version 0.1c. LICENSE: lpl1.3. As an alternative to the L<sup>A</sup>T<sub>E</sub>X standard environments and , the package provides a consolidated environment for displayed text. First-line indentation may be activated by adding a blank line before the quoting environment. A key-value interface (using ) allows the user to configure font properties and spacing and to control orphans within and after the environment.

URL: <https://ctan.org/pkg/quoting>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/quoting>
- Toal, Graham. *The CM Type3 package. Type 3 outline versions of the CM fonts*. 2020-02-04. LICENSE: noinfo
- URL: <https://ctan.org/pkg/cmtype3>  
MIRROR: <https://mirror.ctan.org/fonts/cm/ps-type3>
- Tobin, Geoffrey. *The dtl package. Tools to dis-assemble and re-assemble DVI files*. 2016-06-24. Version 0.6.1. LICENSE: pd
- URL: <https://ctan.org/pkg/dtl>  
MIRROR: <https://mirror.ctan.org/dviware/dtl>
- *The dvgt package. Previewer for use on graphic and character-cell terminals*. 2016-06-24. Version 3.51. LICENSE: pd

URL: <https://ctan.org/pkg/dvgt>  
MIRROR: <https://mirror.ctan.org/dviware/dvgt>

  - *The fig2eng package. Convert fig files to English*. 2016-06-24. Version 0.4. LICENSE: noinfo

URL: <https://ctan.org/pkg/fig2eng>  
MIRROR: <https://mirror.ctan.org/graphics/fig2eng>

  - *The fig2mfpic package. Convert fig output to mfpic*. 2016-06-24. Version 0.024. LICENSE: noinfo. This package is based on , and is firmly targeted at .

URL: <https://ctan.org/pkg/fig2mfpic>  
MIRROR: <https://mirror.ctan.org/graphics/fig2mfpic>

  - *The metafont-beginners package. An introductory tutorial for Metafont*. 2016-06-24. LICENSE: pd

URL: <https://ctan.org/pkg/metafont-beginners>  
MIRROR: <https://mirror.ctan.org/info/metafont/beginners>
- Tobin, Georgia K. M. and Norman Powroz. *The hands package. Pointing hand font*. 2019-02-03. LICENSE: pd
- URL: <https://ctan.org/pkg/hands>  
MIRROR: <https://mirror.ctan.org/fonts/hands>
- Tobotras, Boris. *The lshort-russian package. Russian introduction to L<sup>A</sup>T<sub>E</sub>X*. 2020-06-17. LICENSE: gpl. Russian version of
- URL: <https://ctan.org/pkg/lshort-russian>  
MIRROR: <https://mirror.ctan.org/info/lshort/russian>
- Toby, B. H. *The fortran package. Print Fortran programs*. 2016-06-24. LICENSE: noinfo
- URL: <https://ctan.org/pkg/fortran>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/fortran.tex>
- *The listing-pln package. Almost-verbatim list programs*. 2016-06-24. LICENSE: noinfo. This is a development (using the facilities of the bundle) of the author’s package.

URL: <https://ctan.org/pkg/listing-pln>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/listing.mac>
- Tolksdorf, Robert. *The prelim package. Mark preliminary copies with a line of information*. 2016-06-24. LICENSE: gpl
- URL: <https://ctan.org/pkg/prelim>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/prelim>
- Tolušis, Sigitas. *The babel-lithuanian package. Babel support for documents written in Lithuanian*. 2023-03-18. Version 1.0. LICENSE: lpl1.3. support material for documents written in Lithuanian moved from the package into a new package to match babel

- support for other languages.  
 URL: <https://ctan.org/pkg/babel-lithuanian>  
 MIRROR: <https://mirror.ctan.org/macros/latex/required/babel/contrib/lithuanian>
- Tolušis, Sigitas. *The cuted package. Mixing onecolumn and twocolumn modes*. 2021-10-11. Version 2.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cuted>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sttools/cuted.dtx>
- *The flushend package. Balancing columns at last page*. 2021-10-11. Version 4.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/flushend>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sttools>
  - *The lithuanian package. Lithuanian language support*. 2023-03-07. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/lithuanian>  
 MIRROR: <https://mirror.ctan.org/language/lithuanian>
  - *The marginal package. Extensions to \marginpar handling*. 2016-06-29. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/marginal>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/marginal>
  - *The midfloat package. Mixing onecolumn and twocolumn modes at any place of page*. 2021-10-11. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/midfloat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sttools>
  - *The stabular package. Multipage tabular*. 2021-10-11. Version 2.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/stabular>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sttools>
  - *The stfloats package. Commands to control the presentation of floats*. 2021-10-11. Version 3.3. LICENSE: lppl  
 URL: <https://ctan.org/pkg/stfloats>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sttools>
  - *The texsort package. Sort/compress numerical lists*. 2021-10-11. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/texsort>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sttools>
- Tolušis, Sigitas and Vytas Statulevičius. *The sttools package. Various macros*. 2021-10-11. Version 3.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/sttools>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sttools>
- Tómacs, Tibor. *The bookcover package. A class for book covers and dust jackets*. 2022-12-29. Version 3.5. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/bookcover>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bookcover>
- *The fgruler package. Draw rulers on the foreground or in the text*. 2022-06-25. Version 1.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/fgruler>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fgruler>
  - *The huaz package. Automatic Hungarian definite articles*. 2022-11-05. Version 1.0. LICENSE: lppl1.3. In Hungarian there are two definite articles, “a” and “az”, which are determined by the pronunciation of the subsequent word. The definite article is “az”, if the first phoneme of the pronounced word is a vowel, otherwise it is “a”. The package helps the user to insert automatically the correct definite article for cross-references and other commands containing text.  
 URL: <https://ctan.org/pkg/huaz>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/huaz>
  - *The hulipsum package. Hungarian dummy text (Lórum ipse)*. 2020-11-03. Version 1.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/hulipsum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hulipsum>
  - *The numspell package. Spelling cardinal and ordinal numbers*. 2021-11-23. Version 1.5. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/numspell>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numspell>
  - *The thesis-ekf package. Thesis class for Eszterházy Károly Catholic University*. 2021-08-12. Version 4.2. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/thesis-ekf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thesis-ekf>
- Tomonaga, Shin-Ichiro and Hideki Yukawa. *The ptptex package. Macros for ‘Progress of Theoretical Physics’*. 2016-06-24. Version 0.91. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ptptex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ptptex>

- Torchiano, Marco. *The TOPletter package. Letter class for the Politecnico di Torino*. 2018-07-12. Version 0.3.0. LICENSE: apache2. This package provides a L<sup>A</sup>T<sub>E</sub>X class for typesetting letters conforming to the official . The class can be used for letters written in Italian and in English.  
URL: <https://ctan.org/pkg/topletter>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/topletter>
- Toshio, Oshima, Yoshiki Otake, Kazunori Asayama, and Takuji Tanaka. *The dviout package. TeX previewer and printer driver for MS-Windows*. 2023-03-20. Version 3.19.0. LICENSE: other-free. The program supports a variety of printing mechanisms (including PDF output via ), and can use most extant font formats (including the long-outdated T<sub>E</sub>X PXL format). The program will use output from Omega as well as from T<sub>E</sub>X, and understands a wide variety of commands.  
URL: <https://ctan.org/pkg/dviout>  
MIRROR: <https://mirror.ctan.org/dviware/dviout>
- Trajanovski, Stojan. *The babel-macedonian package. Babel module to support Macedonian Cyrillic*. 2016-06-24. LICENSE: lppl1.3. The package provides support for Macedonian documents written in Cyrillic, in .  
URL: <https://ctan.org/pkg/babel-macedonian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/macedonian>
- Tran, Tony. *The vietnet package. Preprocessor and macros for Vietnamese*. 2016-06-24. LICENSE: noinfo. VN<sub>T</sub>TeX is a preprocessor (written in C) that translates Vietnamese text, written according to a specific set of rules, into T<sub>E</sub>X. VN<sub>T</sub>TeX takes an file and creates a corresponding file, together with a file of supporting macros.  
URL: <https://ctan.org/pkg/vietnet>  
MIRROR: <https://mirror.ctan.org/language/vietnamese/vietnet>
- Trautmann, Arno L. *The chickenize package. Use lua callbacks for “interesting” textual effects*. 2021-01-03. Version 0.3. LICENSE: lppl1.3. The package allows manipulations of any Lua<sub>T</sub>EX document (it is known to work with Plain Lua<sub>T</sub>EX and Lua<sub>L</sub>TeX). Most of the package’s functions are merely for fun or educational use, but some functions (for example, for visualising the badness and font expansion of each line, and doing what its name says) could be useful in a “normal” Lua<sub>T</sub>EX document.  
URL: <https://ctan.org/pkg/chickenize>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/chickenize>
- *The placeat package. Absolute content positioning*. 2017-08-26. Version 0.1d1. LICENSE: lppl1.3. The package provides commands so that the user of Lua<sub>L</sub>TeX may position arbitrary content at any position specified by absolute coordinates on the page. The package draws a grid on each page of the document, to aid positioning (the grid may be disabled, for ‘final copy’ using the command ).  
URL: <https://ctan.org/pkg/placeat>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/placeat>
  - *The tex-overview package. An overview of the development of T<sub>E</sub>X*. 2016-06-24. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tex-overview>  
MIRROR: <https://mirror.ctan.org/info/tex-overview>
- Trettin, Mark and Gonzalo Medina Arellano. *The 12tabu-spanish package. Spanish translation of “Obsolete packages and commands”*. 2016-06-24. Version 1.1. LICENSE: pd. A Spanish translation of the practical guide to L<sup>A</sup>T<sub>E</sub>X<sub>2</sub>ε by Mark Trettin. A list of obsolete packages, commands and usages.  
URL: <https://ctan.org/pkg/12tabu-spanish>  
MIRROR: <https://mirror.ctan.org/info/12tabu/spanish>
- Trettin, Mark and Jürgen Fenn. *The 12tabu-english package. English translation of “Obsolete packages and commands”*. 2016-06-24. Version 1.8.5.7. LICENSE: gpl. English translation of the practical guide to L<sup>A</sup>T<sub>E</sub>X<sub>2</sub>ε by Mark Trettin. A list of obsolete packages and commands.  
URL: <https://ctan.org/pkg/12tabu-english>  
MIRROR: <https://mirror.ctan.org/info/12tabu/english>
- Trevorrow, Andrew. *The oztex package. TeX for the Macintosh*. 2017-04-18. Version 5.1. LICENSE: shareware. Oz<sub>T</sub>EX still works under Mac OS/X, but it is no longer being maintained or updated. Users in need of the latest and greatest are recommended to consider .  
URL: <https://ctan.org/pkg/oztex>  
MIRROR: <https://mirror.ctan.org/systems/mac/oztex>
- Trifonov, Peter. *The oletex package. OLE - L<sup>A</sup>T<sub>E</sub>X interface*. 2017-04-18. Version 1.0 b4. LICENSE: gpl  
URL: <https://ctan.org/pkg/oletex>  
MIRROR: <https://mirror.ctan.org/systems/win32/oletex>
- Trinkle, Daniel. *The detex package. Strip T<sub>E</sub>X from a source file*. 2020-03-15. LICENSE: other-free  
URL: <https://ctan.org/pkg/detex>



- Triska, Markus. *The Finomaton package. Comfortably draw and typeset finite state machines*. 2018-01-06. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/finomaton>  
 MIRROR: <https://mirror.ctan.org/graphics/finomaton>
- Triska, Markus. *The greenpoint package. The Green Point logo*. 2018-01-06. LICENSE: gpl. A Metafont-implementation of the logo commonly known as ‘Der Grüne Punkt’ (‘The Green Point’). In Austria, it can be found on nearly every bottle. It should not be confused with the , implemented by Ian Green.  
 URL: <https://ctan.org/pkg/greenpoint>  
 MIRROR: <https://mirror.ctan.org/fonts/greenpoint>
- Trzeciak, Tomasz M. *The cachepic package. Convert document fragments into graphics*. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cachepic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cachepic>
- *The docmute package. Input files ignoring L<sup>A</sup>T<sub>E</sub>X preamble, etc*. 2016-06-24. Version 1.4. LICENSE: lppl1.3. Input or include stand-alone L<sup>A</sup>T<sub>E</sub>X documents, ignoring everything but the material between and .  
 URL: <https://ctan.org/pkg/docmute>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/docmute>
- Tse, Kwanleung. *The hktex package. A T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X equivalent for Android*. 2016-06-24. Version 2.04. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/hktex>  
 MIRROR: <https://mirror.ctan.org/systems/android/hktex>
- Tsolomitis, Antonis. *The Epigrafica package. A Greek and Latin font*. 2017-04-18. Version 1.01. LICENSE: gpl  
 URL: <https://ctan.org/pkg/epigrafica>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/epigrafica>
- *The fontsetup package. A front-end to fontspec, for selected fonts with math support*. 2023-08-02. Version 1.6. LICENSE: gpl3. This package facilitates the use of for users who do not wish to bother with details, with a special focus on quality fonts supporting Mathematics.  
 URL: <https://ctan.org/pkg/fontsetup>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/fontsetup>
- *The fontsetup-nonfree package. A front-end to fontspec, for selected non-free fonts*. 2021-09-11. Version 1.02. LICENSE: gpl3. This package accompanies and includes support for nonfree fonts.  
 URL: <https://ctan.org/pkg/fontsetup-nonfree>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/fontsetup-nonfree>
- *The GFS Solomos package. A Greek-alphabet font*. 2017-04-18. Version 1.0. LICENSE: ofl  
 URL: <https://ctan.org/pkg/gfssolomos>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/gfs/gfssolomos>
- *The GFSDidotClassic package. The classic version of GFSDidot*. 2019-11-15. Version 001.001. LICENSE: ofl  
 URL: <https://ctan.org/pkg/gfsdidotclassic>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/gfs/gfsdidotclassic>
- *The GFSNeoHellenicMath package. A math font in the Neo-Hellenic style*. 2022-07-18. Version 1.02. LICENSE: ofl  
 URL: <https://ctan.org/pkg/gfsneohellenicmath>  
 MIRROR: <https://mirror.ctan.org/fonts/gfsneohellenicmath>
- *The greekdates package. Provides ancient Greek day and month names, dates, etc*. 2016-06-24. Version 1.0. LICENSE: lppl. The package provides easy access to ancient Greek names of days and months of various regions of Greece. In case the historical information about a region is not complete, we use the Athenian name of the month. Moreover commands and options are provided, in order to completely switch to the “ancient way”, commands such as .  
 URL: <https://ctan.org/pkg/greekdates>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/greekdates>
- *The kerkis package. Kerkis (Greek) font family*. 2021-08-26. Version 1.11. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/kerkis>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/kerkis>
- *The NewComputerModern package. Computer Modern fonts including matching non-latin alphabets*. 2023-06-26. Version 4.6. LICENSE: gfl  
 URL: <https://ctan.org/pkg/newcomputermodern>  
 MIRROR: <https://mirror.ctan.org/fonts/newcomputermodern>
- *The talos package. A Greek cult font from the eighties*. 2022-02-08. Version 1.0. LICENSE: gfl  
 URL: <https://ctan.org/pkg/talos>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/talos>



- *The txfontsb package. Extensions to txfonts, using GNU Freefont.* 2019-11-12. Version 1.1.1. LICENSE: gpl,lppl1. A set of fonts that extend the bundle with small caps and old style numbers, together with Greek support. The extensions are made with modifications of the .  
 URL: <https://ctan.org/pkg/txfontsb>  
 MIRROR: <https://mirror.ctan.org/fonts/txfontsb>
- Tsolomitis, Antonis, Alain Aubord, George D. Matthiopoulos, and The Greek Font Society. *The GFS Didot package. A Greek font based on Didot's work.* 2023-08-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/gfsdidot>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/gfs/gfsdidot>
- Tsolomitis, Antonis and George D. Matthiopoulos. *The GFS Complutum package. A Greek font with a long history.* 2017-04-18. Version 1.0. LICENSE: ofl  
 URL: <https://ctan.org/pkg/gfscmplutum>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/gfs/gfscmplutum>
- Tsolomitis, Antonis, George D. Matthiopoulos, and The Greek Font Society. *The GFS Artemisia package. A modern Greek font design.* 2023-08-24. Version 1.0. LICENSE: other-free  
 URL: <https://ctan.org/pkg/gfsartemisia>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/gfs/gfsartemisia>
- *The GFS package. The GFS font collection.* 2019-06-09. LICENSE: other-free  
 URL: <https://ctan.org/pkg/gfs>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/gfs>
- Tsolomitis, Antonis and The Greek Font Society. *The GFS Baskerville package. A Greek font, from one such by Baskerville.* 2023-08-24. Version 1.0. LICENSE: other-free. The font is a digital implementation of Baskerville's classic Greek font, provided by the . The font covers Greek only, and L<sup>A</sup>T<sub>E</sub>X support provides for the use of LGR encoding.  
 URL: <https://ctan.org/pkg/gfsbaskerville>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/gfs/gfsbaskerville>
- *The GFS Bodoni package. A Greek and Latin font based on Bodoni.* 2017-04-18. Version 1.01. LICENSE: ofl  
 URL: <https://ctan.org/pkg/gfsbodoni>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/gfs/gfsbodoni>
- *The GFS NeoHellenic package. A font in the Neo-Hellenic style.* 2023-08-24. Version 1.02. LICENSE: other-free  
 URL: <https://ctan.org/pkg/gfsneohellenic>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/gfs/gfsneohellenic>
- *The GFS Porson package. A Greek font, originally from Porson.* 2023-08-24. Version 1.01. LICENSE: other-free  
 URL: <https://ctan.org/pkg/gfsporson>  
 MIRROR: <https://mirror.ctan.org/fonts/greek/gfs/gfsporson>
- Tsur, Dekel. *The ldiff package. A script for marking the differences between two L<sup>A</sup>T<sub>E</sub>X files.* 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ldiff>  
 MIRROR: <https://mirror.ctan.org/support/ldiff>
- Tsyplakov, Alexander. *The T<sub>P</sub>X package. A drawing tool for Windows.* 2017-04-18. Version 1.5. LICENSE: gpl  
 URL: <https://ctan.org/pkg/tpx>  
 MIRROR: <https://mirror.ctan.org/graphics/tpx>
- Tucci, R. *The inputfile package. Input L<sup>A</sup>T<sub>E</sub>X files, remembering the file name.* 2016-06-24. LICENSE: noinfo. The package keeps the file name as the file is input; the name of the current file may be retrieved using the command .  
 URL: <https://ctan.org/pkg/inputfile>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/inputfile.sty>
- TUG DVI Standards Working Group. *The dvistd package. A standard for DVI drivers.* 2016-06-24. Version 0.05. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/dvistd>  
 MIRROR: <https://mirror.ctan.org/dviware/driv-standard>
- TUG Lucida Support Group. *The lucidabr package. PSNFSS support for Lucida Type 1 fonts.* 2021-09-11. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/lucidabr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psnfsx/lucidabr>
- TUG TWG-MacTeX. *The mactex package. The T<sub>E</sub>X Live Mac distribution.* 2023-03-20. LICENSE: other-free  
 URL: <https://ctan.org/pkg/mactex>  
 MIRROR: <https://mirror.ctan.org/systems/mac/mactex>
- *The mactex-basic package. A basic T<sub>E</sub>X distribution for the Macintosh.* 2021-08-26. LICENSE: other-free  
 URL: <https://ctan.org/pkg/mactex-basic>  
 MIRROR: <https://mirror.ctan.org/systems/mac/mactex/BasicTeX.pkg>

- *The mactextras package. Extras for the MacTeX distribution.* 2023-03-20. LICENSE: other-free. MacTeXtras is a collection of auxiliary material for Macintosh machines, beyond what provides; it is distributed as a file, that contains extra programs, demos and documentation for MacTeX users.  
URL: <https://ctan.org/pkg/mactextras>  
MIRROR: <https://mirror.ctan.org/systems/mac/mactex/MacTeXtras.zip>
- TUG TWG-TDS. *The tds package. The T<sub>E</sub>X Directory Structure standard.* 2022-09-22. Version 1.1. LICENSE: other-free  
URL: <https://ctan.org/pkg/tds>  
MIRROR: <https://mirror.ctan.org/info/tds>
- Tuleuov, Berik I. *The lastbib package. Record the number of citations in a document.* 2017-05-30. Version 2.0. LICENSE: nosell. The package records the number of citations in a document, and provides a command () to print the number.  
URL: <https://ctan.org/pkg/lastbib>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lastbib>
- *The SciWordConv package. Use Scientific Word/WorkPlace files with another T<sub>E</sub>X.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/sciwordconv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sciwordconv>
- Turlay, Emmanuel. *The susy package. Macros for SuperSymmetry-related work.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/susy>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/susy>
- Turner, Rebecca. *The brandeis-problemset package. Document class for COSI Problem sets at Brandeis University (Waltham, MA).* 2019-04-15. Version 0.5.5. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/brandeis-problemset>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/brandeis-problemset>
- *The changelog package. Typesetting keepachangelog.com style changelogs.* 2023-02-17. Version 2.5.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/changelog>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/changelog>
- *The ltxguidex package. An extended ltxguide class.* 2019-04-15. Version 0.2.0. LICENSE: lppl1.3c. The document class extends with a set of environments and commands that make writing beautiful L<sup>A</sup>T<sub>E</sub>X documentation easier and more natural.  
URL: <https://ctan.org/pkg/ltxguidex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ltxguidex>
- *The rbt-mathnotes package. Rebecca Turner's personal macros and styles for typesetting mathematics notes.* 2021-12-02. Version 1.0.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/rbt-mathnotes>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rbt-mathnotes>
- Tutelaers, Piet. *The chess package. Fonts for typesetting chess boards.* 2016-06-24. Version 1.2. LICENSE: pd  
URL: <https://ctan.org/pkg/chess>  
MIRROR: <https://mirror.ctan.org/fonts/chess/chess>
- *The NL hyphenation package. Hyphenation patterns for Dutch.* 2019-06-21. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/nehyp>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/nehyp.tex>
- Tutelaers, Piet, Pierre A. MacKay, and The T<sub>E</sub>X Live Team. *The ps2pk package. Generate a PK font from an Adobe Type 1 font.* 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/ps2pk>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/ps2pk>
- Tweedale, Michael. *The mathscinet package. Retrieve references from MathSciNet in BibT<sub>E</sub>X format.* 2016-06-24. Version 0.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/mathscinet>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utl/mathscinet>
- Uchiyama, Takanori. *The musixtex-t1fonts package. Adobe Type 1 versions of MusiX<sub>T</sub>E<sub>X</sub> fonts.* 2016-06-24. Version 1.13. LICENSE: lppl  
URL: <https://ctan.org/pkg/musixtex-t1fonts>  
MIRROR: <https://mirror.ctan.org/obsolete/fonts/musixtex/ps-type1/musixps-unix.tar.gz>
- Ueda, Takahiro. *The autobreak package. Simple line breaking of long formulae.* 2017-02-25. Version 0.3. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/autobreak>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/autobreak>
- UK T<sub>E</sub>X Users Group. *The uktug-bask package. Old copies and sources of Baskerville.* 2017-04-18. LICENSE: noinfo. The source and PDF files of the UK TUG journal, from volume 3 to volume 8.

- URL: <https://ctan.org/pkg/uktug-bask>  
MIRROR: <https://mirror.ctan.org/usergrps/uktug/baskervi>
- Ukai, Hiroshi. *The ditaa package. Use ditaa diagrams within L<sup>A</sup>T<sub>E</sub>X documents*. 2018-10-20. Version 0.9. LICENSE: lppl. With this package ditaa () diagrams can be embedded directly into L<sup>A</sup>T<sub>E</sub>X files.  
URL: <https://ctan.org/pkg/ditaa>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ditaa>
- Ulfberg, Staffan. *The alg package. L<sup>A</sup>T<sub>E</sub>X environments for typesetting algorithms*. 2016-06-24. LICENSE: lppl. Defines two environments for typesetting algorithms in L<sup>A</sup>T<sub>E</sub>X2e. The algtab environment is used to typeset an algorithm with automatically numbered lines. The environment can be used to encapsulate the environment algorithm in a floating body together with a header, a caption, etc. \listofalgorithms is defined.  
URL: <https://ctan.org/pkg/alg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/alg>
- Ulrich, Stefan. *The srcltx package. Jump between DVI and T<sub>E</sub>X files*. 2016-06-24. Version 1.6. LICENSE: pd. Provides a insertion into generated .dvi files allowing one to jump from the .dvi file to the .tex source and back again (given a .dvi viewer that supports this, such as Yap or xdvi version 22.38 or later). This was originally written by Aleksander Simoncic, the author of the shell.  
URL: <https://ctan.org/pkg/srcltx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/srcltx>
- Ulrich, Stefan and Ulrike Fischer. *The mparhack package. Work around a L<sup>A</sup>T<sub>E</sub>X bug in marginpars*. 2023-03-09. Version 1.5. LICENSE: gpl2+. Works around the L<sup>A</sup>T<sub>E</sub>X bug that s will sometimes come out at the wrong margin.  
URL: <https://ctan.org/pkg/mparhack>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mparhack>
- Ulrych, Oldrich. *The infpic package. Macros to insert pictures in paragraphs*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/infpic>  
MIRROR: <https://mirror.ctan.org/macros/generic/infpic>
- Umeki, Hideo. *The geometry-de package. German documentation for the geometry package*. 2020-01-04. Version 5.9. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/geometry-de>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/geometry>
- Umeki, Hideo and David Carlisle. *The geometry package. Flexible and complete interface to document dimensions*. 2021-10-31. Version 5.9. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/geometry>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/geometry>
- Ummels, Michael. *The ccicons package. L<sup>A</sup>T<sub>E</sub>X support for Creative Commons icons*. 2018-01-06. Version 1.6. LICENSE: lppl1.3c,ofl  
URL: <https://ctan.org/pkg/ccicons>  
MIRROR: <https://mirror.ctan.org/fonts/ccicons>
- *The fdsymbol package. A maths symbol font*. 2021-08-26. Version 0.8. LICENSE: ofl  
URL: <https://ctan.org/pkg/fdsymbol>  
MIRROR: <https://mirror.ctan.org/fonts/fdsymbol>
- *The tabfigures package. Maintain vertical alignment of figures*. 2016-06-24. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/tabfigures>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tabfigures>
- Un, Koaunghi. *The H<sup>L</sup>A<sub>T</sub>E<sub>X</sub> fonts package. A collection of Korean (Hangul) fonts*. 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/hlatex-fonts>  
MIRROR: <https://mirror.ctan.org/fonts/korean/H<sup>L</sup>A<sub>T</sub>E<sub>X</sub>>
- *The hlatex package. Support for the Korean language*. 2016-06-24. Version 1.0.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/hlatex>  
MIRROR: <https://mirror.ctan.org/language/korean/H<sup>L</sup>A<sub>T</sub>E<sub>X</sub>>
- *The uhc package. Fonts for the Korean language*. 2017-06-19. LICENSE: lppl  
URL: <https://ctan.org/pkg/uhc>  
MIRROR: <https://mirror.ctan.org/fonts/korean/H<sup>L</sup>A<sub>T</sub>E<sub>X</sub>>
- *The unfonts-core package. TrueType version of Un-fonts*. 2020-09-03. LICENSE: gpl2  
URL: <https://ctan.org/pkg/unfonts-core>  
MIRROR: <https://mirror.ctan.org/fonts/unfonts-core>
- *The unfonts-extra package. TrueType version of Un-fonts*. 2020-09-03. LICENSE: gpl2  
URL: <https://ctan.org/pkg/unfonts-extra>  
MIRROR: <https://mirror.ctan.org/fonts/unfonts-extra>

- *The xytree package*. Tree macros using XY-Pic. 2016-06-24. Version 1.5. LICENSE: lppl  
 URL: <https://ctan.org/pkg/xytree>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xytree>
- Ungar, Peter. *The cropmark-pu package*. Cropmark macros for Plain  $\TeX$ . 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/cropmark-pu>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/cropmark.tex>
- Ungar, Peter. *The pagereference package*. Labels and references in Plain  $\TeX$ . 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/pagereference>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/pagereference.tex>
- Unknown. *The Aalok package*.  $\LaTeX$  class file for the Marathi journal ‘Aalok’. 2022-01-21. Version 0.6. LICENSE: gpl3+,other-free,fdl  
 URL: <https://ctan.org/pkg/aalok>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/aalok>
- *The acs package*.  $\LaTeX$  2.09 support for Advances in Control Systems. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/acs>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/acs>
- *The adobe-euro package*. Metric and map files for the Adobe Euro fonts. 2018-06-05. LICENSE: other-free  
 URL: <https://ctan.org/pkg/adobe-euro>  
 MIRROR: <https://mirror.ctan.org/fonts/adobe-euro>
- *The annotate package*. A bibliography style with annotations. 2016-06-24. LICENSE: other-free. The style is a derivative of the standard style, which processes an entry’s field as part of the printed output.  
 URL: <https://ctan.org/pkg/annotate>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/annotate.bst>
- *The annotation package*. A BibTeX style that processes annotations. 2016-06-24. LICENSE: other-free. The style is a derivative of the standard style, which prints each entry’s label, and processes any field as part of the printed output.  
 URL: <https://ctan.org/pkg/annotation>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/annotation.bst>
- *The appelt-chess package*. Chess board macros using standard fonts. 2016-06-24. LICENSE: noinfo. The package provides the means of printing chess boards with a more-or-less appropriate selection of glyphs from the computer modern fonts; the macros and allow the progress of a game to be notated and printed.  
 URL: <https://ctan.org/pkg/appelt-chess>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/appelt-chess.tex>
- *The association-matrix package*.  $\LaTeX$  support for creating association matrices. 2022-10-29. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/association-matrix>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/association-matrix>
- *The astyped package*. Verbatim environment, with rather few escapes. 2016-06-24. Version 1.3. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/astyped>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/astyped.sty>
- *The asymptote-by-example-zh-cn package*. Asymptote by example. 2021-12-29. LICENSE: gpl  
 URL: <https://ctan.org/pkg/asymptote-by-example-zh-cn>  
 MIRROR: <https://mirror.ctan.org/info/asymptote-by-example-zh-cn>
- *The asymptote-faq-zh-cn package*. Asymptote FAQ (Chinese translation). 2021-12-29. LICENSE: lppl. This is a Chinese translation of the  
 URL: <https://ctan.org/pkg/asymptote-faq-zh-cn>  
 MIRROR: <https://mirror.ctan.org/info/asymptote-faq-zh-cn>
- *The asymptote-manual-zh-cn package*. A Chinese translation of the asymptote manual. 2018-10-09. LICENSE: lgpl. This is an (incomplete, simplified) Chinese translation of the manual.  
 URL: <https://ctan.org/pkg/asymptote-manual-zh-cn>  
 MIRROR: <https://mirror.ctan.org/info/asymptote-manual-zh-cn>
- *The automagic package*. Automagic numbering in Plain  $\TeX$ . 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/automagic>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/automagic.tex>
- *The autotoc package*. Table of contents in Plain  $\TeX$ . 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/autotoc>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/autotoc.tex>
- *The balanced package*. Balance double-column sections in  $\LaTeX$ . 2016-06-24. LICENSE: noinfo. Defines a twocolumns environment that can be used anywhere in a one-column document. The environment may start and finish mid-page, and columns are always

- balanced. Inserts are not supported (so no or floats).  
URL: <https://ctan.org/pkg/balanced>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/balanced.sty>
- *The baum package*. Trees, using PicTeX. 2016-06-24. LICENSE: noinfo. The package draws trees, using . There is no documentation, but the distribution contains an example file that makes usage fairly clear.  
URL: <https://ctan.org/pkg/baum>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/baum>
  - Unknown. *The beamertheme-rainbow package*. A beamer colour theme which alternates theme colours on every frame. 2023-07-18. Version 0.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/beamertheme-rainbow>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-rainbow>
  - *The beamertheme-tcolorbox package*. A beamer inner theme which reproduces standard beamer blocks using tcolorboxes. 2023-05-03. Version 0.6. LICENSE: lppl1.3c. This package provides an inner theme for beamer which reproduces standard beamer blocks using es. The look and feel (rounded/sharp corners, shadows and colours) will automatically adapt to which other themes are loaded.  
URL: <https://ctan.org/pkg/beamertheme-tcolorbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-tcolorbox>
  - *The bitstrea package*. Support for use of Bitstream fonts. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/bitstrea>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/bitstrea>
  - *The blackletter package*. A blackletter font. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/blackletter>  
MIRROR: <https://mirror.ctan.org/fonts/blackletter>
  - *The bmstu-iu8 package*. A class for IU8 reports. 2022-01-25. Version 1.2. LICENSE: mit  
URL: <https://ctan.org/pkg/bmstu-iu8>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bmstu-iu8>
  - *The book-examples package*. A collection of examples from published T<sub>E</sub>X-related books. 2016-06-24. LICENSE: collection  
URL: <https://ctan.org/pkg/book-examples>
  - *The boxit package*. Draw a box around a text. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/boxit>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/boxit.tex>
  - *The cdcmd package*. Expandable conditional commands for L<sup>A</sup>T<sub>E</sub>X. 2021-10-15. Version 1.0. LICENSE: lppl1.3c. This package provides some conditional commands, just like the package. The difference is that can define conditional commands.  
URL: <https://ctan.org/pkg/cdcmd>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cdcmd>
  - *The chhaya package*. Linguistic glossing in Marathi language. 2022-01-21. Version 0.4. LICENSE: gpl3+,other-free,fdl  
URL: <https://ctan.org/pkg/chhaya>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/chhaya>
  - *The ChineseJFM package*. Luatexja-jfm files for Chinese typesetting. 2021-02-15. Version 1.1.1. LICENSE: mit. ChineseJFM is a series of luatexja-jfm files for better Chinese typesetting, providing , , and three styles and other fancy features. It can be used for both horizontal and vertical writing mode in Simplified/Traditional Chinese or Japanese fonts.  
URL: <https://ctan.org/pkg/chinese-jfm>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/chinese-jfm>
  - *The cmastro package*. Font for planetary symbols. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/cmastro>  
MIRROR: <https://mirror.ctan.org/fonts/cmastro>
  - *The committee-font package*. A font designed by a committee. 2016-07-19. LICENSE: noinfo  
URL: <https://ctan.org/pkg/committee-font>  
MIRROR: <https://mirror.ctan.org/fonts/unsupported/committee>
  - *The csname-doc package*. A list of plain.tex cs names. 2016-06-24. LICENSE: pd  
URL: <https://ctan.org/pkg/csname-doc>  
MIRROR: <https://mirror.ctan.org/info/plain-doc/csname.txt>
  - *The czhyph package*. Hyphenation patterns for Czech. 2019-06-21. LICENSE: noinfo  
URL: <https://ctan.org/pkg/czhyph>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/czhyph.tex>



- *The datestamp package. Fixed date-stamps with LuaLaTeX.* 2021-12-15. Version 0.3. LICENSE: gpl3+,fdl  
 URL: <https://ctan.org/pkg/datestamp>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/datestamp>
- Unknown. *The deflist package. A variation on the description environment.* 2016-06-24. LICENSE: noinfo. The command `enviroment` takes an argument, whose width is taken as the maximum width of labels in a `-like` environment  
 URL: <https://ctan.org/pkg/deflist>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/deflist.sty>
- *The defstring package. Define macros as verbatim macros.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/defstring>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/defstring.tex>
- *The devanagari-omega package. Typeset Devanagari with Omega.* 2016-06-18. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/devanagari-omega>  
 MIRROR: <https://mirror.ctan.org/language/devanagari/omega>
- *The dmhgener package. Equation, figure (etc.) numbering and referencing.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/dmhgener>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/dmhgener.tex>
- *The doublecol package. Double-column page macros for Plain T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo. These macros are derived from Knuth’s macros (separately), by an unknown hand.  
 URL: <https://ctan.org/pkg/doublecol>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/doublecol.tex>
- *The doulossil package. A font for typesetting the International Phonetic Alphabet (IPA).* 2022-05-06. Version 0.1. LICENSE: ofl  
 URL: <https://ctan.org/pkg/doulossil>  
 MIRROR: <https://mirror.ctan.org/fonts/doulossil>
- *The dow package. Calculate day of week from a numeric date.* 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/dow>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/dow.tex>
- *The dviconcat package. Concatenates DVI files.* 2016-06-18. LICENSE: other-free  
 URL: <https://ctan.org/pkg/dviconcat>  
 MIRROR: <https://mirror.ctan.org/dviware/dvibook/Dviconcat>
- *The dvips-shell package. A dvips Shell for MS-Windows32.* 2016-06-24. LICENSE: nosource. The shell apparently helps you remember what you have forgotten about features.  
 URL: <https://ctan.org/pkg/dvips-shell>  
 MIRROR: <https://mirror.ctan.org/systems/win32/util/dvpsh103.exe>
- *The eczar package. A font family supporting Devanagari and Latin script.* 2021-04-28. Version 0.1. LICENSE: ofl  
 URL: <https://ctan.org/pkg/eczar>  
 MIRROR: <https://mirror.ctan.org/fonts/eczar>
- *The EkType-Tanka package. Devanagari fonts by EkType.* 2022-05-06. Version 0.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/ektype-tanka>  
 MIRROR: <https://mirror.ctan.org/fonts/ektype-tanka>
- *The endnote package. Generic “endnotes” code.* 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/endnote>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/endnote.tex>
- *The espo package. Customisation for Esperanto.* 2016-06-24. LICENSE: noinfo. The package provides a modest set of macros for use in Esperanto documents. The package provides a wider set of macros.  
 URL: <https://ctan.org/pkg/espo>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/espo.sty>
- *The fakebold package. A simple macro for faking bold fonts.* 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/fakebold>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/fakebold.tex>
- *The fnote package. Auto-numbered footnotes in Plain T<sub>E</sub>X.* 2016-06-18. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/fnote>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/fnote.tex>
- *The frenchquote package. Make something like guillemets.* 2016-06-24. LICENSE: noinfo. The package defines and which construct objects vaguely like the french quote marks “guillemets”, from small versions of the maths symbols and .  
 URL: <https://ctan.org/pkg/frenchquote>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/frenchquote.sty>

- *The germdoc package*. A collection of documentation available in German. 2019-06-21. LICENSE: collection  
URL: <https://ctan.org/pkg/germdoc>
  
- Unknown. *The gfdl package*. Support for using GFDL in L<sup>A</sup>T<sub>E</sub>X. 2023-01-07. Version 0.1. LICENSE: gpl3+,fdl  
URL: <https://ctan.org/pkg/gfdl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gfdl>
- *The hackalloc package*. Make allocations local. 2016-06-24. LICENSE: noinfo. The package makes allocation (, , etc.) local.  
URL: <https://ctan.org/pkg/hackalloc>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/hackalloc.sty>
- *The hep-gen package*. Generic macros for quantum physics. 2020-04-11. LICENSE: noinfo  
URL: <https://ctan.org/pkg/hep-gen>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/hep.tex>
- *The hereapplies package*. A L<sup>A</sup>T<sub>E</sub>X package for referencing groups of pages that share something in common. 2022-12-11. Version 1.0.1. LICENSE: gpl3+. is a L<sup>A</sup>T<sub>E</sub>X package that allows to collect groups of labels and reference them altogether. It can be used for creating informal glossaries that cross-link concepts to their applications, or simply mentioning multiple pages that share something in common.  
URL: <https://ctan.org/pkg/hereapplies>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hereapplies>
- *The hge package*. An “Old English” font. 2022-04-06. LICENSE: noinfo  
URL: <https://ctan.org/pkg/hge>  
MIRROR: <https://mirror.ctan.org/fonts/hge>
- *The histyle package*. A “HighStyle” environment for T<sub>E</sub>X. 2016-06-24. Version 1.2. LICENSE: noinfo  
URL: <https://ctan.org/pkg/histyle>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/histyle>
- *The hp2xx package*. HP GL converter. 2017-04-18. Version 3.4.4. LICENSE: gpl  
URL: <https://ctan.org/pkg/hp2xx>  
MIRROR: <https://mirror.ctan.org/support/hp2xx>
- *The hwemoji package*. Unicode emoji support for pdfL<sup>A</sup>T<sub>E</sub>X with sequences. 2022-11-16. Version 1.0. LICENSE: lppl1.3c,cc-by-4  
URL: <https://ctan.org/pkg/hwemoji>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hwemoji>
- *The indent package*. Environments that change margins. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/indent>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/indent.sty>
- *The invertedparagraphs package*. Indented text with negative paragraph indentation. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/invertedparagraphs>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/invertedparagraphs.tex>
- *The isolatin1 package*. An obsolete means to use ISO 8859-1 with T<sub>E</sub>X. 2016-06-24. Version 0.9. LICENSE: noinfo  
URL: <https://ctan.org/pkg/isolatin1>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/isolatin1.sty>
- *The ist21 package*. Title page for the old BSI IST/21 committee. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/ist21>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/ist21.sty>
- *The japanese-mathformulas package*. Compiling basic math formulas in Japanese using LuaL<sup>A</sup>T<sub>E</sub>X. 2022-10-10. Version 1.0.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/japanese-mathformulas>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/japanese-mathformulas>
- *The JavaBib package*. A BibT<sub>E</sub>X file manager written in Java. 2016-06-24. Version III. LICENSE: noinfo  
URL: <https://ctan.org/pkg/javabib>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utlis/JavaBib>
- *The jigsaw package*. Draw jigsaw pieces with TikZ. 2023-02-21. Version 0.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/jigsaw>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/jigsaw>
- *The karta package*. Cartographic signs. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/karta>  
MIRROR: <https://mirror.ctan.org/fonts/karta>

- *The label-pln package*. Print address labels in three columns. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/label-pln>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/label.tex>
- Unknown. *The laps package*. Zero-width boxes for annotations, etc. 2020-04-11. LICENSE: noinfo. Provides macros extends the / set in Plain  $\TeX$ :  
 URL: <https://ctan.org/pkg/laps>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/laps.tex>
- *The letter-plain package*. Letter macros for Plain  $\TeX$ . 2021-03-09. LICENSE: noinfo. These macros would seem to be used by Knuth himself (a with a slightly different default address may be found in the CTAN copy of of macros).  
 URL: <https://ctan.org/pkg/letter-plain>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/letter.tex>
- *The letter1 package*. Letter formatting macros. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/letter1>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/letter1>
- *The llncs209 package*. Macros for Springer books. 2016-06-24. Version 1.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/llncs209>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex209/contrib/springer/llncs>
- *The longtocline package*. Macros to produce a table of contents. 2016-06-24. LICENSE: noinfo. Defines a macro (3 arguments) that produces a table of contents line rather similar to that provided as standard in  $\LaTeX$ .  
 URL: <https://ctan.org/pkg/longtocline>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/longtocline.tex>
- *The ltxmisc package*. Miscellaneous  $\LaTeX$  packages, etc. 2016-06-18. LICENSE: collection  
 URL: <https://ctan.org/pkg/ltxmisc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc>
- *The mandel package*. Compute the Mandelbrot set. 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mandel>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/mandel.tex>
- *The maple package*. Styles and examples for the MAPLE newsletter. 2016-06-18. Version 1.8. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/maple>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/maple>
- *The marathi package*. Typeset Marathi language using  $X_{\text{E}}\LaTeX$  or Lua $\LaTeX$ . 2022-01-21. Version 1.7. LICENSE: gpl3+,other-free,fdl  
 URL: <https://ctan.org/pkg/marathi>  
 MIRROR: <https://mirror.ctan.org/language/marathi>
- *The mathtime-metrics package*. MathTime AFM files. 2016-06-18. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mathtime-metrics>  
 MIRROR: <https://mirror.ctan.org/fonts/mathtime>
- *The maybeload package*. Prevent reloading of files. 2016-06-24. LICENSE: noinfo. Defines a command , which will become if it's called for a second or subsequent time with a particular file name.  
 URL: <https://ctan.org/pkg/maybeload>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/maybeload.tex>
- *The memo-pln package*. Plain  $\TeX$  macros for memoranda. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/memo-pln>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/memo.tex>
- *The mitpress package*. Typeset documents for MIT Press. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mitpress>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/mitpress.sty>
- *The msx2msa package*. Simulate msxm and msym fonts using msam and msbm. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/msx2msa>  
 MIRROR: <https://mirror.ctan.org/fonts/vf-files/msx2msa>
- *The muling package*. MA Thesis class for the Department of Linguistics, University of Mumbai. 2023-04-02. Version 0.5. LICENSE: gpl3+,fdl  
 URL: <https://ctan.org/pkg/muling>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/muling>
- *The namunsrt package*. An unsorted Bib $\TeX$  style with labels provided in the database. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/namunsrt>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/misc/namunsrt.bst>

- *The nofill package*. Preserve spaces and line breaks when setting text. 2016-06-24. LICENSE: noinfo. The commands and bracket text in which multiple spaces are not collapsed into a single space, and spaces at the start of line are preserved.  
URL: <https://ctan.org/pkg/nofill>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/nofill.tex>
- Unknown. *The ntg package*. Dutch  $\TeX$  Users Group information. 2016-06-18. LICENSE: other-free  
URL: <https://ctan.org/pkg/ntg>  
MIRROR: <https://mirror.ctan.org/usergrps/ntg>
- *The NTS-L package*. NTS mailing list digests. 2016-06-24. LICENSE: digest. This bundle holds postings from the mailing list , from 1992-05 to 1995-01.  
URL: <https://ctan.org/pkg/nts-l>  
MIRROR: <https://mirror.ctan.org/info/digests/nts-l>
- *The obsolete package*. A tree holding obsolete software. 2016-06-24. LICENSE: collection  
URL: <https://ctan.org/pkg/obsolete>  
MIRROR: <https://mirror.ctan.org/obsolete>
- *The ovalfbox package*. Boxes with frames whose corners are rounded. 2016-06-24. LICENSE: noinfo. The package defines a command which seems more stable to the similar command in the package ; however, this package retains the problems with the positioning of multiline text in boxes.  
URL: <https://ctan.org/pkg/ovalfbox>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/ovalfbox.sty>
- *The paragraphs package*. Paragraph "tricks" macros. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/paragraphs>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/paragraphs.tex>
- *The pdfmsym package*. PDF Math Symbols — various drawn mathematical symbols. 2023-03-16. Version 1.1.1. LICENSE: mit  
URL: <https://ctan.org/pkg/pdfmsym>  
MIRROR: <https://mirror.ctan.org/macros/generic/pdfmsym>
- *The plainmisc package*. Miscellaneous contributed macros for plain  $\TeX$ . 2016-06-18. LICENSE: collection  
URL: <https://ctan.org/pkg/plainmisc>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc>
- *The plcalendar package*. Plain macros for making nice calendars. 2016-06-18. LICENSE: noinfo  
URL: <https://ctan.org/pkg/plcalendar>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/calendar>
- *The plfonts package*. Polish extension to Computer Modern fonts. 2016-06-24. LICENSE: pd. Polish extension of Computer Modern fonts. These fonts are compatible with CM fonts; only Polish characters (as in EC/Cork encoding) and quotes are added. The fonts are distributed as or in .  
URL: <https://ctan.org/pkg/plfonts>
- *The printbib package*. Print the contents of a bibliography. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/printbib>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utlis/printbib>
- *The psfonts package*. PostScript fonts for use with  $\TeX$  and  $\LaTeX$ . 2016-06-24. LICENSE: collection  
URL: <https://ctan.org/pkg/psfonts>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts>
- *The psnfssx-8r package*. Raw Type 1 fonts with  $\LaTeX$ . 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/psnfssx-8r>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/psnfssx/8r/8r.sty>
- *The qms package*. VMS tools for controlling QMS printers. 2016-06-18. LICENSE: noinfo  
URL: <https://ctan.org/pkg/qms>  
MIRROR: <https://mirror.ctan.org/dviware/qms>
- *The quiver package*. Draw commutative diagrams exported from <https://q.uiver.app>. 2023-08-01. Version 1.3.0. LICENSE: mit  
URL: <https://ctan.org/pkg/quiver>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/quiver>
- *The quotation package*. Typeset an attributed quotation. 2016-06-24. LICENSE: noinfo. takes two arguments, the quotation itself, and the attribution. The quotation is set as a page-wide , so placement of commands may be useful for best appearance.  
URL: <https://ctan.org/pkg/quotation>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/quotation.tex>

- *The redefine package. Conditional macro, etc., definitions.* 2016-06-24. LICENSE: noinfo. Defines commands , and that warn the user if a command is redefined using them (if operating under L<sup>A</sup>T<sub>E</sub>X, is similarly modified). In addition , , , are modified to detect an error if a conditional or register name is reused.  
URL: <https://ctan.org/pkg/redefine>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/redefine.tex>
- Unknown. *The rotate package. Rotate T<sub>E</sub>X boxes.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/rotate>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/rotate.tex>
- *The samples package. Samples of Plain T<sub>E</sub>X coding.* 2016-06-24. LICENSE: collection  
URL: <https://ctan.org/pkg/samples>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/samples>
- *The sc21 package. Title page for the old ISO TC97/SC21 committee.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/sc21>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/sc21.sty>
- *The sc21-wg1 package. Title page for the old ISO TC97/SC21/WG1 working group.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/sc21-wg1>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/sc21-wg1.sty>
- *The screen package. Prepare a document for a simple previewer.* 2016-06-24. LICENSE: noinfo. A small package designed to set geometry to prepare a (L<sup>A</sup>T<sub>E</sub>X 2.09) document for viewing with something like .  
URL: <https://ctan.org/pkg/screen>  
MIRROR: <https://mirror.ctan.org/dviware/screenview/vms/screen.sty>
- *The sentences package. Numbered lists for sentences.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/sentences>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/sentences.tex>
- *The sfwmac package. A set of definitions for Unix system documentation.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/sfwmac>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/sfwmac.sty>
- *The sshdbk10 package. Sans headers in book style.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/sshdbk10>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/sshdbk10.sty>
- *The tabbingbox package. Save a tabbing environment in a box.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/tabbingbox>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/tabbingbox.tex>
- *The texcad32 package. Win32 drawing package for mathematical diagrams.* 2020-01-19. Version 4.4.1.6. LICENSE: lppl. Texcad32 is one of a number of clones/developments of the DOS program Texcad. Texcad32 can output either to a file of special commands, or to PostScript.  
URL: <https://ctan.org/pkg/texcad32>  
MIRROR: <https://mirror.ctan.org/graphics/texcad32>
- *The Texhax package. Digests of a general T<sub>E</sub>X mailing list.* 2021-08-26. LICENSE: pd  
URL: <https://ctan.org/pkg/texhax>  
MIRROR: <https://mirror.ctan.org/info/digests/texhax>
- *The texindex package. Simple indexing using standard Unix commands.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/texindex>  
MIRROR: <https://mirror.ctan.org/indexing/texindex>
- *The tgrind209 package. Support tgrind in L<sup>A</sup>T<sub>E</sub>X 2.09.* 2016-06-24. LICENSE: noinfo. A development of the file (in the distribution), for use with L<sup>A</sup>T<sub>E</sub>X 2.09.  
URL: <https://ctan.org/pkg/tgrind209>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/tgrind.sty>
- *The thirteen package. Print dates of Friday 13th days.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/thirteen>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/thirteen.tex>
- *The threecol package. Three-column newsletter output.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/threecol>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/threecol.tex>



- *The tikz-bbox package. Precise determination of bounding boxes in TikZ.* 2021-01-18. Version 0.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/tikz-bbox>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-bbox>
- *The tikz-ext package. A collection of libraries for PGF/TikZ.* 2023-04-02. Version 0.5.1. LICENSE: fdl,lppl  
URL: <https://ctan.org/pkg/tikz-ext>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-ext>
- Unknown. *The TikZbricks package. Drawing bricks with TikZ.* 2019-09-02. Version 0.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/tikzbricks>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzbricks>
- *The TikZducks package. A little fun package for using rubber ducks in TikZ.* 2023-04-05. Version 1.6. LICENSE: lppl1.3c. The package is a L<sup>A</sup>T<sub>E</sub>X package for ducks to be used in TikZ pictures. This project is a continuation of an answer at StackExchange  
URL: <https://ctan.org/pkg/tikzducks>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzducks>
- *The TikZlings package. A collection of cute little animals and similar creatures.* 2022-06-17. Version 1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/tikzlings>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzlings>
- *The TikZmarmots package. Drawing little marmots in TikZ.* 2019-09-02. Version 1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/tikzmarmots>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzmarmots>
- *The tikztosvg package. A utility for rendering TikZ diagrams to SVG.* 2021-08-20. Version 0.3.0. LICENSE: gpl3. This package provides a shell script that calls and to convert environments to SVG files.  
URL: <https://ctan.org/pkg/tikztosvg>  
MIRROR: <https://mirror.ctan.org/support/tikztosvg>
- *The timeline package. Typeset time-lines, for planning, etc.* 2016-06-24. LICENSE: noinfo. Defines a environment, in which one places a bunch of s. A small sample of use is provided.  
URL: <https://ctan.org/pkg/timeline>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/timeline>
- *The tipauni package. Producing Unicode characters with TIPA commands.* 2023-02-13. Version 0.7a. LICENSE: gpl3+,fdl  
URL: <https://ctan.org/pkg/tipauni>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/tipauni>
- *The toc package. Table of contents macros for Plain T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/toc>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/samples/toc.tex>
- *The trademarks package. A collection of trademarks and the like.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/trademarks>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/trademarks.sty>
- *The twoside package. Two-side typesetting in Plain T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/twoside>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/2side.tex>
- *The UK-TeX package. The UK T<sub>E</sub>X digest.* 2016-06-24. LICENSE: pd  
URL: <https://ctan.org/pkg/uktex>  
MIRROR: <https://mirror.ctan.org/info/digests/uktex>
- *The undertilde-gen package. A simple macro for placing a tilde under a character.* 2020-04-11. LICENSE: noinfo  
URL: <https://ctan.org/pkg/undertilde-gen>  
MIRROR: <https://mirror.ctan.org/macros/generic/misc/undertilde.tex>
- *The unfinished package. Mark unfinished parts of a document.* 2016-06-24. LICENSE: noinfo. The package provides an environment convenient for marking unfinished sections of a document. The environment complains if it thinks the document is not marked as a draft (in the sense of having non-zero.  
URL: <https://ctan.org/pkg/unfinished>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/unfinished.tex>
- *The unisc package. Unicode small caps with Lua/XeLaTeX.* 2022-04-29. Version 0.2. LICENSE: gpl3+,fdl. L<sup>A</sup>T<sub>E</sub>X produces small caps with or . Neither of these commands produce small caps in Unicode. If the output text is copied and pasted somewhere it shows the same characters as used in the input. This package aims to internally convert all the characters provided to the commands mentioned above. It assumes that the file using this package is compiled with Lua/XeL<sup>A</sup>T<sub>E</sub>X and a good Unicode font which has the small caps characters, e.g., .

- URL: <https://ctan.org/pkg/unisc>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/unisc>
- *The unitipa package. TIPA typefaces with Unicode characters as input.* 2021-10-22. Version 0.4. LICENSE: gpl3+,fdl. A(n obsolete) package which used to provide a LuaLaTeX based code for converting Unicode IPA input to T3 encoded TIPA typefaces, but it is recommended to use with Xe/LuaLaTeX instead for a better output.  
URL: <https://ctan.org/pkg/unitipa>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/luatex/latex/unitipa>
  - Unknown. *The util-half package. A half-tone font.* 2016-07-19. LICENSE: noinfo  
URL: <https://ctan.org/pkg/util-half>  
MIRROR: <https://mirror.ctan.org/fonts/cm/utilityfonts/half>
  - *The verbatim-pln package. Define new verbatim "environments" in Plain TeX.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/verbatim-pln>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/verbatim.tex>
  - *The web9pt package. Nine-point web listings.* 2016-06-24. Version 1.0. LICENSE: noinfo. A small patch to web listing macros that uses the 9pt file from the to make the body text of a web listing appear in 9pt.  
URL: <https://ctan.org/pkg/web9pt>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/web9pt.tex>
  - *The webmacss package. Use sans serif font in Web listings.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/webmacss>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/webmacss.tex>
  - *The winemtex package. EmTeX for windows.* 2016-06-24. LICENSE: noinfo. A full distribution for MS-Windows98 including Ghostscript and WinEdit and preconfigured to work with TeX.  
URL: <https://ctan.org/pkg/winemtex>
  - *The wntamil package. Tamil to TeX converter.* 2019-06-21. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/wntamil>  
MIRROR: <https://mirror.ctan.org/language/tamil/wntamil>
  - *The wright package. Define commands with optional arguments.* 2016-06-24. LICENSE: noinfo. Version of and that can define commands with optional arguments. (Preceding the public availability of such commands, in LaTeX 2e, and with a slightly different syntax.)  
URL: <https://ctan.org/pkg/wright>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/wright>
  - *The xarticle package. A LaTeX 2.09 document style with 7pt, 8pt and 9pt options.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/xarticle>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/xarticle>
  - *The xcmr package. A crossed-out version of Computer Modern.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/xcmr>  
MIRROR: <https://mirror.ctan.org/fonts/cm/xcmr/xcmr12.mf>
  - *The xduts package. Xidian University TeX Suite.* 2023-03-24. Version 6.1.4.2. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/xduts>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/xduts>
  - *The zaccone package. Different configuration for different captions.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/zaccone>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/zaccone>
  - *The zitie package. Create CJK character calligraphy practicing sheets.* 2021-10-04. Version 1.4.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/zitie>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/zitie>
  - Unknown and Changcheng Student Network. *The BUCTthesis package. Beijing University of Chemical Technology Thesis Template.* 2023-08-04. Version 2.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/buctthesis>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/buctthesis>
  - Urban, Michael. *The engwar package. Font for typesetting Tolkien Engwar script.* 2019-06-21. LICENSE: nosell  
URL: <https://ctan.org/pkg/engwar>  
MIRROR: <https://mirror.ctan.org/fonts/engwar>
  - *The tengwar package. Font to set Tolkien's Tengwar script.* 2019-06-21. LICENSE: nosell. Font for typesetting Tolkien Tengwar script, written in Metafont. The macros support the use of this font.

URL: <https://ctan.org/pkg/tengwar>  
MIRROR: <https://mirror.ctan.org/fonts/tengwar>

URW GmbH. *The urw package. URW free font support.* 2016-06-24. LICENSE: collection. Fonts, font metrics, and macro support in L<sup>A</sup>T<sub>E</sub>X2e, for available URW fonts. Fonts provided are: - ; - ; - ; - ; - ; and - .  
URL: <https://ctan.org/pkg/urw>  
MIRROR: <https://mirror.ctan.org/fonts/urw>

URW GmbH, Primoz Peterlin, and Walter A. Schmidt. *The URW-base35 package. URW ‘Base 35’ font pack for L<sup>A</sup>T<sub>E</sub>X.* 2022-10-22. LICENSE: gpl  
URL: <https://ctan.org/pkg/urw-base35>  
MIRROR: <https://mirror.ctan.org/fonts/urw/base35>

URW GmbH, Walter A. Schmidt, and Keiran Harcombe. *The lettergothic package. The Adobe Type 1 font family Letter GothicType.* 2021-12-07. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/lettergothic>  
MIRROR: <https://mirror.ctan.org/fonts/urw/lettergothic>

- *The urw-antiqua package. URW Antiqua condensed font, for use with T<sub>E</sub>X.* 2021-12-07. Version 001.003. LICENSE: gpl  
URL: <https://ctan.org/pkg/urw-antiqua>  
MIRROR: <https://mirror.ctan.org/fonts/urw/antiqua>
- *The urw-arial package. URW Arial font pack for use with L<sup>A</sup>T<sub>E</sub>X.* 2021-12-07. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/urw-arial>  
MIRROR: <https://mirror.ctan.org/fonts/urw/arial>
- *The URW-Grotesq package. URW Grotesq font pack for L<sup>A</sup>T<sub>E</sub>X.* 2021-12-07. LICENSE: gpl  
URL: <https://ctan.org/pkg/urw-grotesq>  
MIRROR: <https://mirror.ctan.org/fonts/urw/grotesq>

user202729. *The cprotectinside package. Use cprotect arbitrarily nested.* 2022-06-27. Version 0.0.0. LICENSE: lppl1.3c. This package extends the package to allow users to use verbatim-like commands inside arbitrary parameters.  
URL: <https://ctan.org/pkg/cprotectinside>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cprotectinside>

- *The precattl package. Prepare special catcodes from token list.* 2022-07-15. Version 0.0.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/precattl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/precattl>
- *The prettytok package. Pretty-print token lists.* 2023-04-18. Version 0.2.0. LICENSE: lppl1.3c. Pretty-print token lists to HTML file for debugging purposes. Open the file in any browser to view the result. Can be used to replace .  
URL: <https://ctan.org/pkg/prettytok>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/prettytok>
- *The pythonimmediate package. Library to run Python code.* 2023-03-07. Version 0.4.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/pythonimmediate>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pythonimmediate>
- *The rescansync package. Re-scan tokens with syntex information.* 2022-07-15. Version 0.0.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/rescansync>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rescansync>
- *The saveenv package. Save environment content verbatim.* 2022-12-23. Version 0.0.1. LICENSE: lppl1.3c. This package provides tools to create your own verbatim environments, and works for all values of .  
URL: <https://ctan.org/pkg/saveenv>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/saveenv>
- *The unicode-math-input package. Allow entering Unicode symbols in math formulas.* 2023-05-19. Version 0.0.0. LICENSE: lppl1.3c. This package allows entering Unicode symbols in math formulas. Unlike the package, this does not change the math output encoding.  
URL: <https://ctan.org/pkg/unicode-math-input>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unicode-math-input>

Utcke, Sven. *The ut-backref package. Modified backref.* 2016-06-24. Version 1.2. LICENSE: noinfo. A patched version of which adds a list of where the reference was cited, to each bibliography entry.  
URL: <https://ctan.org/pkg/ut-backref>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/ut-backref.sty>

Vabishchevich, Petr. *The LaTeXMng package. An integrated development environment for Windows.* 2016-06-24. Version 2.0. LICENSE: shareware

- URL: <https://ctan.org/pkg/latexmng>  
MIRROR: <https://mirror.ctan.org/systems/win32/latexmng>
- *The MPEdit package. MetaPost text editor for Win32.* 2016-06-24. LICENSE: other-free  
URL: <https://ctan.org/pkg/mpedit>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/tools/MPEdit>
  - Väisänen, Hannu. *The koma-script-sfs package. Koma-script letter class option for Finnish.* 2016-06-24. Version 1.0. LICENSE: lppl. A parameter set for letters on A4 paper, complying with Finnish standards SFS 2486, 2487 and 2488; suitable for window envelopes with window on the left side in the sizes C5, C65, E5 and E65 (although, because the address window is smaller, for sizes E5 and E65 the address may not fit within the window, but ordinary 3-line address should fit).  
URL: <https://ctan.org/pkg/koma-script-sfs>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koma-script-SFS>
  - Vajakas, Jaan and Enn Saar. *The babel-estonian package. Babel support for Estonian.* 2016-06-24. Version 1.1a. LICENSE: lppl1.3. The package provides the language definition file for support of Estonian in . Some shortcuts are defined, as well as translations to Estonian of standard “LaTeX names”.  
URL: <https://ctan.org/pkg/babel-estonian>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/estonian>
  - Valbusa, Ivan. *The beamer-verona package. A theme for the beamer class.* 2016-06-24. Version 0.2. LICENSE: lppl1.3. This package provides the ‘Verona’ theme for the class by Till Tantau.  
URL: <https://ctan.org/pkg/beamer-verona>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamer-verona>
  - *The biblatex-philosophy package. Styles for using BibLaTeX for work in philosophy.* 2022-09-16. Version 1.9.8g. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/biblatex-philosophy>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-philosophy>
  - *The fontsize package. A small package to set arbitrary sizes for the main font of the document.* 2021-08-04. Version 0.8.5. LICENSE: lppl1.3. The package allows you to set arbitrary sizes for the main font of the document, through the option.  
URL: <https://ctan.org/pkg/fontsize>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fontsize>
  - *The suftesi package. A document class for typesetting theses, books and articles.* 2021-11-01. Version 3.2.0. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/suftesi>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/suftesi>
  - Välimäki, Tuomas. *The glossaries-finnish package. Finnish language module for glossaries package.* 2019-05-24. Version 1.0. LICENSE: lppl1.3. Finnish language module for package.  
URL: <https://ctan.org/pkg/glossaries-finnish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/glossaries-finnish>
  - Välimäki, Tuomas and Nicola Talbot. *The datetime2-finnish package. Finnish language module for the datetime2 package.* 2018-03-21. Version 1.2. LICENSE: lppl1.3. This module provides the “finnish” style that can be set using provided by .  
URL: <https://ctan.org/pkg/datetime2-finnish>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/datetime2-contrib/datetime2-finnish>
  - Valmary, Cédric. *The babel-occitan package. Babel support for Occitan.* 2016-06-24. Version 0.2. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/babel-occitan>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/occitan>
  - *The gloss-occitan package. Polyglossia support for Occitan.* 2023-06-19. Version 0.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/gloss-occitan>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gloss-occitan>
  - Vamvakas, Ioannis A. and Panagiotis Kotopoulos. *The byzfonts package. Byzantine Music Font.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/byzfonts>  
MIRROR: <https://mirror.ctan.org/fonts/byzfonts>
  - Vandeveldt, Simon and François Pantigny. *The decision-table package. An easy way to create Decision Model and Notation decision tables.* 2021-10-01. Version 0.0.4. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/decision-table>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/decision-table>
  - Vannieuwenhuyze, Jorre. *The mcexam package. Create randomized Multiple Choice questions.* 2021-09-12. Version 0.5. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/mcexam>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mcexam>

- Vanroose, Peter. *The rnototex package. Convert from Runoff to L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/rnototex>  
 MIRROR: <https://mirror.ctan.org/support/rnototex>
- *The script-font package. Handwriting font*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/script-font>  
 MIRROR: <https://mirror.ctan.org/fonts/script>
  - *The treesvr package. Tree macros*. 2016-06-24. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/treesvr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/treesvr>
- Vanroose, Peter and Serguei Dachian. *The calligra package. Calligraphic font*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/calligra>  
 MIRROR: <https://mirror.ctan.org/fonts/calligra>
- Vanroose, Peter and Khaled Hosny. *The calligra-type1 package. Type 1 version of Calligra*. 2016-06-24. Version 001.000. LICENSE: other-free. This is a conversion (using ) of Peter Vanroose's .  
 URL: <https://ctan.org/pkg/calligra-type1>  
 MIRROR: <https://mirror.ctan.org/fonts/calligra-type1>
- Varian, Hal. *The blanks package. Macros for "fill in the blanks" forms*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/blanks>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/blanks>
- *The vertex package. Styles for economics working papers and journals*. 2019-06-21. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/vertex>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/vertex>
- various authors. *The babel-contrib package. Contributed language-support files for Babel*. 2016-06-24. LICENSE: collection  
 URL: <https://ctan.org/pkg/babel-contrib>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib>
- Varona, Juan Luis. *The gaceta package. A class to typeset La Gaceta de la RSME*. 2016-06-24. Version 1.06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/gaceta>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gaceta>
- Vasil'ev, Konstantin. *The ttftogf package. Convert True Type fonts to GF format*. 2016-06-24. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/ttftogf>  
 MIRROR: <https://mirror.ctan.org/support/ttftogf>
- Vassilogiorgakis, John. *The multicap package. Format captions inside multicol*s. 2016-06-24. LICENSE: lppl. This is a package for formatting captions of column figures and column tabular material, which cannot be standard floats in a environment. The package also provides a convenient way to customise your captions, whether they be in multicol or not.  
 URL: <https://ctan.org/pkg/multicap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multicap>
- Vassor, Martin. *The formal-grammar package. Typeset formal grammars*. 2022-02-09. Version 1.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/formal-grammar>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/formal-grammar>
- *The messagepassing package. Draw diagrams to represent communication protocols*. 2022-04-08. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/messagepassing>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/messagepassing>
- Väth, Martin. *The eqlist package. Description lists with equal indentation*. 2016-06-24. Version 2.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/eqlist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eqlist>
- *The guitar package. Guitar chords and song texts*. 2018-01-06. Version 1.6. LICENSE: lppl1.3. (La)T<sub>E</sub>X macros for typesetting guitar chords over song texts. The package is required. Note that this package only places arbitrary T<sub>E</sub>X code over the lyrics. To typeset the chords graphically (and not only by name), the author recommends use of an additional package such as by K. Peeters.  
 URL: <https://ctan.org/pkg/guitar>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/guitar>
  - *The toolbox package. Tool macros*. 2016-06-24. Version 5.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/toolbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/toolbox>
  - *The ushort package. Shorter (and longer) underlines and underbars*. 2016-06-24. Version 2.2. LICENSE: lppl. Some engineers need underlined or twice underlined variables for which the usual is too long. This package provides a generic command for creating underlines of various sizes and types.



- URL: <https://ctan.org/pkg/ushort>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ushort>
- *The varindex package. Luxury frontend to the \index command.* 2016-06-24. Version 2.3. LICENSE: lppl. Provides a convenient front-end for the command. For example, with it you can generate multiple index entries in almost any form by a single command. The package is highly customizable, and works with all versions of L<sup>A</sup>T<sub>E</sub>X and probably most other T<sub>E</sub>X formats.  
URL: <https://ctan.org/pkg/varindex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/varindex>
  - *The ziffer package. Conversion of punctuation in maths mode.* 2016-06-24. Version 2.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/ziffer>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ziffer>
- Väth, Martin and Luis Rivera. *The isonums package. Display numbers in maths mode according to ISO 31-0.* 2016-06-24. Version 1.0. LICENSE: lppl. The package makes a quick hack to display numbers in maths mode according to ISO 31-0, regardless of input format (European \$1,235,7\$ or Anglo-American \$1,235.7\$). The options [euro, anglo] control the global input format. Default input format is anglo. Documentation is included as comments to the text source.  
URL: <https://ctan.org/pkg/isonums>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/isonums>
- Vaughan, Nicolas. *The syllogism package. Typeset syllogisms in L<sup>A</sup>T<sub>E</sub>X.* 2020-08-29. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/syllogism>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/syllogism>
- *The tui package. Thesis style for the University of the Andes, Colombia.* 2016-06-24. Version 1.9. LICENSE: lppl  
URL: <https://ctan.org/pkg/tui>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/tui>
- Vavassori, Emiliano Giovanni. *The GuITbeamer package. Beamer-based class for GuIT presentations.* 2016-06-24. Version 0.4. LICENSE: nocommercial. The guitbeamer class is written to simplify the preparation of presentations on L<sup>A</sup>T<sub>E</sub>X to members of GuIT. The class is based on .  
URL: <https://ctan.org/pkg/guitbeamer>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/GuIT/guitbeamer>
- Vector, Casper Ti. *The biblatex-caspervector package. A simple citation style for Chinese users.* 2022-10-30. Version 0.3.6. LICENSE: lppl1.3. The package provides a simple and easily extensible bibliography/citation style for Chinese L<sup>A</sup>T<sub>E</sub>X users, using .  
URL: <https://ctan.org/pkg/biblatex-caspervector>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-caspervector>
- *The pkuthss package. L<sup>A</sup>T<sub>E</sub>X template for dissertations in Peking University.* 2022-10-30. Version 1.9.3. LICENSE: lppl1.3,bsd,pd  
URL: <https://ctan.org/pkg/pkuthss>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pkuthss>
- Velázquez, Jesús. *The unamth-template package. UNAM Thesis L<sup>A</sup>T<sub>E</sub>X Template.* 2016-06-24. Version 2.0. LICENSE: gpl3  
URL: <https://ctan.org/pkg/unamth-template>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unamth-template>
- Velleman, Dan Bridges. *The dv gloss package. Facilities for setting interlinear glossed text.* 2016-06-24. Version 0.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/dvgloss>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dvgloss>
- Velleman, Leah. *The stoneipa package. Support for the Stone Sans Phonetic font.* 2019-06-21. LICENSE: lppl  
URL: <https://ctan.org/pkg/stoneipa>  
MIRROR: <https://mirror.ctan.org/fonts/stoneipa>
- Vens, Erik-Jan. *The ps2mf package. Make Metafont files from Adobe Type 1 files.* 2016-06-24. Version 1.1 beta. LICENSE: gpl  
URL: <https://ctan.org/pkg/ps2mf>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/ps2mf>
- Verdier, Olivier. *The pythonhighlight package. Highlighting of Python code, based on the listings package.* 2017-02-11. LICENSE: other-free  
URL: <https://ctan.org/pkg/pythonhighlight>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pythonhighlight>
- Verfaillie, Vincent. *The confproc package. A set of tools for generating conference proceedings.* 2018-01-06. Version 0.8. LICENSE: lppl. The confproc collection comprises a class, a BibT<sub>E</sub>X style, and some scripts for generating conference proceedings. It derives from L<sup>A</sup>T<sub>E</sub>X scripts written for the DAFx-06 conference proceedings, largely based on the package for including the proceedings papers and the package for creating a proper table of contents, bookmarks and general bibliography back-references. Confproc also uses many other packages for fine tuning of the table of contents, bibliography and index of authors. The added value of the class resides in its time-saving aspects when designing conference proceedings.

- URL: <https://ctan.org/pkg/confproc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/conferences/confproc>
- Vergauwen, Bob. *The simplenodes package. Simple nodes in four colors written in TikZ for L<sup>A</sup>T<sub>E</sub>X*. 2022-04-06. LICENSE: mit  
URL: <https://ctan.org/pkg/simplenodes>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/simplenodes>
- Vergnet, Fabien and Vivien Goepp. *The beamertheme-light package. A minimal beamer style*. 2019-01-31. Version 1.0. LICENSE: gpl3.  
The L<sup>A</sup>T<sub>E</sub>X package provides an aesthetic and minimal beamer style by redefining colors and fonts.  
URL: <https://ctan.org/pkg/beamertheme-light>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamertheme-light>
- Verhoeff, Tom. *The zero package. Start list (etc.) numbering at zero*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/zero>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/zero>
- Verhoeven, Richard. *The MathSpad package. A mathematics-capable word processor with L<sup>A</sup>T<sub>E</sub>X output*. 2016-06-24. Version 0.60. LICENSE: other-free  
URL: <https://ctan.org/pkg/mathspad>  
MIRROR: <https://mirror.ctan.org/support/mathspad>
- Verhoeven, Yves. *The dvi-economic package. Save paper while printing*. 2016-06-24. LICENSE: nosource  
URL: <https://ctan.org/pkg/dvi-economic>  
MIRROR: [https://mirror.ctan.org/dviware/dvi\\_economic](https://mirror.ctan.org/dviware/dvi_economic)
- Vermaseren, Jos. *The axodraw package. Feynman diagrams in a L<sup>A</sup>T<sub>E</sub>X document*. 2016-06-24. LICENSE: nocommercial  
URL: <https://ctan.org/pkg/axodraw>  
MIRROR: <https://mirror.ctan.org/graphics/axodraw>
- Vermeer, Martin. *The amscdx package. Enhanced commutative diagrams*. 2019-07-02. Version 2.2x. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/amscdx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/amscdx>
- *The iagproc package. Class for two column IAG Proceedings articles*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/iagproc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/misc/iagproc.cls>
- Verna, Didier. *The CurVe package. A class for making curriculum vitae*. 2016-06-24. Version 1.16. LICENSE: lppl  
URL: <https://ctan.org/pkg/curve>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/curve>
- *The dox package. Extend the doc package*. 2018-01-06. Version 2.4. LICENSE: lppl1.3. The package provides L<sup>A</sup>T<sub>E</sub>X developers with means to describe the usage and the definition of new macros and environments. However, there is no simple way to extend this functionality to other items (options or counters, for instance). The DoX package is designed to circumvent this limitation.  
URL: <https://ctan.org/pkg/dox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/dox>
- *The FiNK package. The L<sup>A</sup>T<sub>E</sub>X2e File Name Keeper*. 2018-01-06. Version 2.2.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/fink>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fink>
- *The FiXme package. Collaborative annotation tool for L<sup>A</sup>T<sub>E</sub>X*. 2022-06-08. Version 4.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/fixme>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fixme>
- *The QCM package. A L<sup>A</sup>T<sub>E</sub>X2e class for making multiple choice questionnaires*. 2022-06-25. Version 2.1. LICENSE: lppl. QCM is a package for making multiple choices questionnaires under L<sup>A</sup>T<sub>E</sub>X2e (“QCM” is the French acronym for this style of test). A special environment allows you to define questions and possible answers. You can specify which answers are correct and which are not. QCM not only formats the questions for you, but also generates a ‘form’ (a grid that your students will have to fill in), and a ‘mask’ (the same grid, only with correct answers properly checked in). You can then print the mask on a slide and correct the questionnaires more easily by superimposing the mask on top of students’ forms. QCM can also typeset exam corrections automatically, and comes with support for .  
URL: <https://ctan.org/pkg/qcm>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/qcm>
- Verunek, Jiří. *The timetable package. Generate timetables*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/timetable>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/timetable>

- Ververidis, Dimitrios. *The vocaltract package. Visualise the vocal tract using L<sup>A</sup>T<sub>E</sub>X and PSTricks*. 2018-09-15. Version 1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/vocaltract>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/vocaltract>
- Verwer, Nico. *The loggates package. A small font for logic gates, and L<sup>A</sup>T<sub>E</sub>X support*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/loggates>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/loggates>
- *The rmthm package. Use a roman font for theorem statements*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/rmthm>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/rmthm.sty>
  - *The xrefwarn package. Only one warning for an undefined citation*. 2016-06-24. Version 1.2. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/xrefwarn>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/xrefwarn.sty>
- Verwey, Georg Michael. *The mentis package. A basis for books to be published by Mentis publishers*. 2016-06-24. Version 1.5. LICENSE: lppl. This L<sup>A</sup>T<sub>E</sub>X class loads and provides changes necessary for publishing at Mentis publishers in Paderborn, Germany. It is not an official Mentis class, merely one developed by an author in close co-operation with Mentis.  
 URL: <https://ctan.org/pkg/mentis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mentis>
- *The stdpage package. Standard pages with n lines of at most m characters each*. 2016-06-24. Version 0.6. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/stdpage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/stdpage>
- Vessella, Nino. *The psbao package. Draw Bao diagrams*. 2020-05-02. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/psbao>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/psbao>
- Veytsman, Boris. *The acmart package. Class for typesetting publications of ACM*. 2023-06-12. Version 1.90a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/acmart>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acmart>
- *The adjmulticol package. Adjusting margins for multicolumn and single column output*. 2022-05-17. Version 1.5. LICENSE: lppl1.3. The package adds, to the package, the option to change the margins for multicolumn and uncolumn layout. The package understands the difference between the even and odd margins for two side printing.  
 URL: <https://ctan.org/pkg/adjmulticol>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/adjmulticol>
  - *The adobecaslone package. Adobe Caslon font in L<sup>A</sup>T<sub>E</sub>X*. 2021-09-11. Version 2.2. LICENSE: bsd  
 URL: <https://ctan.org/pkg/adobecaslone>  
 MIRROR: <https://mirror.ctan.org/fonts/psfonts/adobe/adobecaslone>
  - *The afparticle package. Typesetting articles for Archives of Forensic Psychology*. 2016-06-24. Version 1.3. LICENSE: lppl1.3. This package provides a class for typesetting articles for the open access journal .  
 URL: <https://ctan.org/pkg/afparticle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/afparticle>
  - *The aomart package. Typeset articles for the Annals of Mathematics*. 2022-05-30. Version 1.27. LICENSE: lppl1.3. The package provides a class for typesetting articles for .  
 URL: <https://ctan.org/pkg/aomart>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/aomart>
  - *The bestpapers package. A BibTeX package to produce lists of authors' best papers*. 2016-06-24. Version 1.0. LICENSE: pd  
 URL: <https://ctan.org/pkg/bestpapers>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/bestpapers>
  - *The commedit package. Commented editions with L<sup>A</sup>T<sub>E</sub>X*. 2019-02-26. Version 1.02. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/commedit>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/commedit>
  - *The crossrefware package. Scripts for working with crossref.org*. 2022-10-19. LICENSE: gpl  
 URL: <https://ctan.org/pkg/crossrefware>  
 MIRROR: <https://mirror.ctan.org/support/crossrefware>
  - *The divine package. L<sup>A</sup>T<sub>E</sub>X support for the divine font*. 2020-08-29. Version 1.0. LICENSE: other-free. The package provides support files for the from the .  
 URL: <https://ctan.org/pkg/divine>  
 MIRROR: <https://mirror.ctan.org/fonts/divine>

- *The dogma package. Metrics and L<sup>A</sup>T<sub>E</sub>X support for Dogma Font From Emigre Graphics.* 2016-06-24. Version 1.3. LICENSE: bsd. This package provides metric files and L<sup>A</sup>T<sub>E</sub>X support for the , designed by Zuzana Licko in 1994. It has everything you need to typeset in this font — except, of course, the font itself.  
URL: <https://ctan.org/pkg/dogma>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/emigre/dogma>
- *The envlab package. Addresses on envelopes or mailing labels.* 2022-02-03. Version 1.2. LICENSE: lppl. A L<sup>A</sup>T<sub>E</sub>X package for producing mailing envelopes and labels, including barcodes and address formatting according to the US Postal Service rules. Redefines the standard command of the L<sup>A</sup>T<sub>E</sub>X letter documentclass.  
URL: <https://ctan.org/pkg/envlab>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/envlab>
- Veytsman, Boris. *The erdc package. Style for Reports by US Army Corps of Engineers.* 2016-06-24. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/erdc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/erdc>
- *The estcpmm package. Style for Munitions Management Project Reports.* 2016-06-24. Version 0.4. LICENSE: lppl  
URL: <https://ctan.org/pkg/estcpmm>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/estcpmm>
- *The fitbox package. Fit graphics on a page.* 2019-02-21. Version 1.02. LICENSE: lppl1.3. The package allows a box (usually an box) to fit on the page. It scales the box to the maximal allowed size within the user-set limits. If there is not enough space on the page, the box is moved to the next one.  
URL: <https://ctan.org/pkg/fitbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fitbox>
- *The foilhtml package. Interface between foiltex and L<sup>A</sup>T<sub>E</sub>X2HTML.* 2022-02-03. Version 1.2. LICENSE: lppl. Provides integration between and , adding sectioning commands and elements of logical formatting to FoilTeX and providing support for FoilTeX commands in L<sup>A</sup>T<sub>E</sub>X2HTML.  
URL: <https://ctan.org/pkg/foilhtml>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/foilhtml>
- *The futurans package. Metrics and L<sup>A</sup>T<sub>E</sub>X support for Futura Fonts From Adobe As Used By No Starch Press.* 2021-09-11. Version 1.0b. LICENSE: bsd  
URL: <https://ctan.org/pkg/futurans>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/adobe/futurans>
- *The gillcm package. Alternative unslanted italic Computer Modern fonts.* 2016-06-24. Version 1.1. LICENSE: bsd  
URL: <https://ctan.org/pkg/gillcm>  
MIRROR: <https://mirror.ctan.org/fonts/gillcm>
- *The ijmart package. L<sup>A</sup>T<sub>E</sub>X Class for the Israel Journal of Mathematics.* 2016-06-24. Version 1.7. LICENSE: lppl. The Israel Journal of Mathematics is published by The Hebrew University Magnes Press. This class provides L<sup>A</sup>T<sub>E</sub>X support for its authors and editors. It strives to achieve the distinct “look and feel” of the journal, while having the interface similar to that of the document class. This will help authors already familiar with amsart to easily submit manuscripts for The Israel Journal of Mathematics or to put the preprints in with minimal changes in the L<sup>A</sup>T<sub>E</sub>X source.  
URL: <https://ctan.org/pkg/ijmart>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ijmart>
- *The imprinttshadow package. Support files for the Monotype Imprint Shadow fonts.* 2021-09-11. Version 1.0. LICENSE: other-free  
URL: <https://ctan.org/pkg/imprinttshadow>  
MIRROR: <https://mirror.ctan.org/fonts/imprinttshadow>
- *The issuulinks package. Produce external links instead of internal ones.* 2016-06-24. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/issuulinks>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/issuulinks>
- *The jamtimes package. Expanded Times Roman fonts.* 2009-11-07. Version 1.12. LICENSE: other-free  
URL: <https://ctan.org/pkg/jamtimes>  
MIRROR: <https://mirror.ctan.org/fonts/jamtimes>
- *The lsabon package. Support files for the Linotype Sabon fonts.* 2021-09-11. Version 1.1. LICENSE: other-free  
URL: <https://ctan.org/pkg/lsabon>  
MIRROR: <https://mirror.ctan.org/fonts/lsabon>
- *The mathgifg package. Support for Microsoft Georgia and ITC Franklin Gothic.* 2016-06-24. Version 0.4. LICENSE: other-free  
URL: <https://ctan.org/pkg/mathgifg>  
MIRROR: <https://mirror.ctan.org/fonts/mathgifg>



- *The mdputu package. Upright digits in Adobe Utopia Italic.* 2016-06-24. Version 1.2. LICENSE: other-free. The Annals of Mathematics uses italics for theorems. However, slanted digits and parentheses look disturbing when surrounded by (upright) mathematics. This package provides virtual fonts with italics and upright digits and punctuation, as an extension to .  
URL: <https://ctan.org/pkg/mdputu>  
MIRROR: <https://mirror.ctan.org/fonts/mdputu>
- *The multiaudience package. Several versions of output from the same source.* 2021-10-03. Version 1.04. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/multiaudience>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multiaudience>
- *The nbaskerv package. Metrics and L<sup>A</sup>T<sub>E</sub>X support for ITC New Baskerville Font From Adobe.* 2016-06-24. Version 1.0c. LICENSE: bsd  
URL: <https://ctan.org/pkg/nbaskerv>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/adobe/nbaskerv>
- Veytsman, Boris. *The nmbib package. Multiple versions of a bibliography, with different sort orders.* 2016-06-24. Version 1.04. LICENSE: lppl1.3. This package is a rewrite of the package providing multiple bibliographies with different sorting. The new version offers a number of citation commands, streamlines the creation of bibliographies, ensures compatibility with the package, and provides other improvements.  
URL: <https://ctan.org/pkg/nmbib>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nmbib>
- *The nostarch package. L<sup>A</sup>T<sub>E</sub>X class for No Starch Press.* 2023-07-19. Version 2.4. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/nostarch>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nostarch>
- *The pcarl package. L<sup>A</sup>T<sub>E</sub>X Support for Adobe Caslon Open Face.* 2021-09-11. Version 1.0a. LICENSE: other-free  
URL: <https://ctan.org/pkg/pcarl>  
MIRROR: <https://mirror.ctan.org/fonts/pcarl>
- *The philosophersimprint package. Typesetting articles for "Philosophers' Imprint".* 2020-11-16. Version 1.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/philosophersimprint>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/philosophersimprint>
- *The rawprint package. Print raw Russian text.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/rawprint>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/koi8>
- *The resphilosophica package. Typeset articles for the journal Res Philosophica.* 2019-04-25. Version 1.35. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/resphilosophica>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/resphilosophica>
- *The rviewport package. Relative Viewport for Graphics Inclusion.* 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/rviewport>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rviewport>
- *The sageep package. Format papers for the annual meeting of EEGS.* 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/sageep>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sageep>
- *The seqsplit package. Split long sequences of characters in a neutral way.* 2016-06-24. Version 0.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/seqsplit>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/seqsplit>
- *The srcredact package. A tool for redacting sources.* 2016-06-24. Version 1.0. LICENSE: gpl2  
URL: <https://ctan.org/pkg/srcredact>  
MIRROR: <https://mirror.ctan.org/support/srcredact>
- *The tex-vpat package. TeX Accessibility Conformance Report.* 2023-04-03. Version 2.3. LICENSE: cc-by-3  
URL: <https://ctan.org/pkg/tex-vpat>  
MIRROR: <https://mirror.ctan.org/info/tex-vpat>
- *The thsmc package. Metrics and L<sup>A</sup>T<sub>E</sub>X support for Sans Mono Condensed Font.* 2021-09-11. Version 1.0d. LICENSE: bsd  
URL: <https://ctan.org/pkg/thsmc>  
MIRROR: <https://mirror.ctan.org/fonts/psfonts/fontfabrik/thsmc>
- Veytsman, Boris and Leila Akhmadeeva. *The pedigree-perl package. Generate T<sub>E</sub>X pedigree files from CSV files.* 2022-08-29. Version 2.1. LICENSE: gpl2. This program generates T<sub>E</sub>X commands to typeset pedigrees — either T<sub>E</sub>X fragments or full L<sup>A</sup>T<sub>E</sub>X files, to be processed by the authors' package. The program has support for multilanguage pedigrees (at the present moment the English and Russian languages are supported).  
URL: <https://ctan.org/pkg/pedigree-perl>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pedigree/pedigree-perl>



- *The pst-pdgr package. Draw medical pedigrees using PSTricks.* 2017-11-20. Version 0.4. LICENSE: lpl  
 URL: <https://ctan.org/pkg/pst-pdgr>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pedigree/pst-pdgr>
- Veytsman, Boris, C. V. Radhakrishnan, Lee Netherton, and Bernd Schandl. *The nomenc1 package. Produce lists of symbols as in nomenclature.* 2021-11-11. Version 5.6. LICENSE: lpl. Produces lists of symbols using the capabilities of the program.  
 URL: <https://ctan.org/pkg/nomenc1>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nomenc1>
- Vicentini, Emanuele. *The evautof1 package. Pages with cut lines and punch marks.* 2018-01-06. LICENSE: lpl  
 URL: <https://ctan.org/pkg/evautof1>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calendar/contrib/evautof1>
- Vicentini, Emanuele. *The evweek package. Weekly calendar.* 2016-06-24. LICENSE: lpl. The evweek class is distributed as part of the bundle, and is a development of the weekly class in the bundle. It provides extra options for font control, and offers a number of bug fixes over the original.  
 URL: <https://ctan.org/pkg/evweek>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calendar/contrib/evweek>
- *The GuITlogo package. Macros for typesetting the GuIT logo.* 2020-07-03. Version 1.0.0-alpha.4. LICENSE: lpl1.3a  
 URL: <https://ctan.org/pkg/guitlogo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/GuIT/GuITlogo>
- Vieth, Ulrik. *The closefrm package. Tidy up after reading a MetaPost file.* 2016-06-24. Version 1.04. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/closefrm>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/misc/closefrm.mp>
- *The concmath package. Concrete Math fonts.* 2016-06-24. LICENSE: lpl. A L<sup>A</sup>T<sub>E</sub>X package and font definition files to access the fonts, which were derived from Computer Modern math fonts using parameters from Concrete Roman text fonts.  
 URL: <https://ctan.org/pkg/concmath>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/concmath>
- *The concmath-fonts package. Concrete mathematics fonts.* 2016-06-24. LICENSE: lpl. The fonts are derived from the computer modern mathematics fonts and from Knuth’s fonts; they are distributed as Metafont source. L<sup>A</sup>T<sub>E</sub>X support is offered by the package.  
 URL: <https://ctan.org/pkg/concmath-fonts>  
 MIRROR: <https://mirror.ctan.org/fonts/concmath>
- *The gpdata package. Cause MetaPost graph package to ignore ‘#’-comments.* 2016-06-24. Version 1.04. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/gpdata>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/misc/gpdata.mp>
- *The interpol package. Add interpolation to MetaPost graph package.* 2016-06-24. Version 1.04. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/interpol>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/misc/interpol.mp>
- *The meta-mode package. Emacs mode for Metafont/post.* 2016-06-24. Version 1.0. LICENSE: gpl. A GNU Emacs Lisp package that implements a major mode for editing or sources. It provides many features commonly found in Emacs editing modes for programming languages, such as automatic indenting of source code, syntactic highlighting (a.k.a. fontification), symbol completion, as well as miscellaneous other basic editing functions adapted to the mode-specific semantics such as motion commands or commands to mark, reindent, or comment-out environments or regions.  
 URL: <https://ctan.org/pkg/meta-mode>  
 MIRROR: <https://mirror.ctan.org/support/emacs-modes/meta-mode.el>
- *The mflogo package. L<sup>A</sup>T<sub>E</sub>X support for Metafont logo fonts.* 2016-06-24. Version 2.0. LICENSE: lpl. L<sup>A</sup>T<sub>E</sub>X package and font definition file to access the Knuthian fonts described in ‘The Metafontbook’ and to typeset Metafont logos in L<sup>A</sup>T<sub>E</sub>X documents.  
 URL: <https://ctan.org/pkg/mflogo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mflogo>
- *The testeq package. An equality test for use in MetaPost.* 2016-06-24. Version 1.05. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/testeq>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/misc/testeq.mp>
- Vieth, Ulrik and Michel Goossens. *The ssquote package. Use the cmssq fonts.* 2016-06-24. Version 1.3. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ssquote>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ssquote>
- Vigil, Arthur. *The typicons package. Font containing a set of web-related icons.* 2016-06-24. Version 2.0.7. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/typicons>  
 MIRROR: <https://mirror.ctan.org/fonts/typicons>

- Vigna, Sebastiano. *The noTeX-bst package. A BibTeX style that outputs HTML*. 2016-10-28. LICENSE: pd  
 URL: <https://ctan.org/pkg/notex-bst>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/misc/noTeX.bst>
- Vigna, Sebastiano and Werner Lemberg. *The cd package. Typeset CD covers*. 2016-06-24. Version 1.4. LICENSE: gpl  
 URL: <https://ctan.org/pkg/cd>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cd>
- Vignault, Jean-Paul, Manuel Luque, Arnaud Schmittbuhl, and Herbert Voß. *The pst-solides3d package. Draw perspective views of 3D solids*. 2021-08-26. Version 4.34a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/pst-solides3d>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-solides3d>
- Vihrov, Andrey. *The fixlatvian package. Improve Latvian language support in Xe<sub>La</sub>TeX*. 2016-06-24. Version 1a. LICENSE: lppl1.3. The package offers improvement of the Latvian language support in , in particular in the area of the standard classes.  
 URL: <https://ctan.org/pkg/fixlatvian>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/fixlatvian>
- Vijay, Sameer and Donald Brower. *The nddiss package. Notre Dame Dissertation format class*. 2018-01-06. Version 3.2017.2. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/nddiss>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nddiss>
- Vikhlinin, Alexey and Maxim Markevitch. *The emulateapj package. Produce output similar to that of APJ*. 2017-04-18. LICENSE: lppl. A L<sup>A</sup>T<sub>E</sub>X class (based on current ) to produce preprints with the page layout similar to that of the Astrophysical Journal.  
 URL: <https://ctan.org/pkg/emulateapj>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/emulateapj>
- Vila-Forcén, José-Emilio. *The makeplot package. Easy plots from Matlab in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 1.0.6. LICENSE: lppl  
 URL: <https://ctan.org/pkg/makeplot>  
 MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/makeplot>
- Vion, Adrien. *The lexref package. Convenient and uniform references to legal provisions*. 2016-06-24. Version 1.1a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/lexref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lexref>
- Vion, Adrien and Fabian Mörtl. *The biblatex-swiss-legal package. Bibliography and citation styles following Swiss legal practice*. 2020-06-19. Version 1.1.2a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/biblatex-swiss-legal>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-swiss-legal>
- Virga, Bruce and Bob Mathews. *The MathType package. Evaluation version of a commercial equation editor*. 2019-02-13. Version 7. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/mathtype>  
 MIRROR: <https://mirror.ctan.org/support/mathtype>
- Visavakul, Chakkapas and Tobias Oetiker. *The lshort-thai package. Introduction to L<sup>A</sup>T<sub>E</sub>X in Thai*. 2020-06-17. Version 1.32. LICENSE: pd. This is the Thai translation of the .  
 URL: <https://ctan.org/pkg/lshort-thai>  
 MIRROR: <https://mirror.ctan.org/info/lshort/thai>
- Viscarra, Diego Sejas and Alexey Balakin. *The mglTeX package. High-quality graphics from MGL scripts embedded in L<sup>A</sup>T<sub>E</sub>X documents*. 2022-05-03. Version 4.2. LICENSE: gpl3,cc-by-sa-3  
 URL: <https://ctan.org/pkg/mgltex>  
 MIRROR: <https://mirror.ctan.org/graphics/mgltex>
- Vit. *The numneru package. Converts a number to the russian spelled out name*. 2018-01-07. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/numneru>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/numneru>
- Vitacolonna, Nicola and Giuseppe Silano. *The EuropeCV package. Unofficial class for European curricula vitae*. 2022-08-03. LICENSE: lppl  
 URL: <https://ctan.org/pkg/europecv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/europecv>
- Vitecek, Ben. *The cooking-units package. Typeset and convert units for cookery books and recipes*. 2022-12-11. Version 3.00. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/cooking-units>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cooking-units>
- *The iitem package. Multiple level of lists in one list-like environment*. 2016-06-24. Version 1.0. LICENSE: lppl. The package defines multiple level lists within one list-like environment. instead of writing this package allows you to write

- URL: <https://ctan.org/pkg/iitem>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/iitem>
- *The tikzsymbols package. Some symbols created using TikZ.* 2021-12-14. Version 4.12a. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/tikzsymbols>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikzsymbols>
  - Vivegnis, Pierre. *The cvss package. Compute and display CVSS base scores.* 2022-12-02. Version 1.1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/cvss>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cvss>
  - Vlasák, Michal. *The pdfextra package. Extra PDF features for (Op)TeX.* 2022-12-04. Version 0.3. LICENSE: other-free  
URL: <https://ctan.org/pkg/pdfextra>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/pdfextra>
  - VNP Comp. *The BibTexMng package. Manipulate BibTeX database files.* 2016-06-24. Version 6.0. LICENSE: shareware  
URL: <https://ctan.org/pkg/bibtexmng>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/BibTexMng>
  - Vogel, Ralf. *The xyling package. Draw syntactic trees, etc., for linguistics literature, using xy-pic.* 2016-06-24. Version 1.1. LICENSE: lppl.  
The macros in this package model the construction of linguistic tree structures as a genuinely graphical problem: they contain two types of objects, and , and these are positioned relative to a . It is essential that each of these three elements is constructed independent of the other two, and hence they can be modified without unwanted side effects. The macros are based on the package.  
URL: <https://ctan.org/pkg/xyling>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xyling>
  - Vogelgesang, Matthias. *The beamertheme-metropolis package. A modern L<sup>A</sup>T<sub>E</sub>X beamer theme.* 2017-04-18. Version 1.2. LICENSE: other-free  
URL: <https://ctan.org/pkg/beamertheme-metropolis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/metropolis>
  - Vogt, Frédéric P.A. *The metsymb package. The package provides dedicated T<sub>E</sub>X commands to generate (vectorial) meteorological symbols.* 2023-08-31. Version 1.2.0. LICENSE: bsd3  
URL: <https://ctan.org/pkg/metsymb>  
MIRROR: <https://mirror.ctan.org/fonts/metsymb>
  - Vojta, Paul. *The gsftopk package. Convert "Ghostscript fonts" to PK files.* 2017-04-18. Version 1.19.2. LICENSE: gpl. Designed for use with and this utility converts Adobe Type 1 fonts to PK bitmap format. It should not ordinarily be much used nowadays, since both its target applications are now capable of dealing with Type 1 fonts, direct.  
URL: <https://ctan.org/pkg/gsftopk>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/gsftopk>
  - *The pkfind package. A 'find' command which understands pk files.* 2018-11-15. Version 1.0. LICENSE: other-free. The standard specifies that and files contain strings to identify the contents of the files. Pkfind is a variant of the GNU find utility modified to understand those specials, and to act on them in some cases. For example, it can be used to delete all files created by from a subdirectory tree.  
URL: <https://ctan.org/pkg/pkfind>  
MIRROR: <https://mirror.ctan.org/obsolete/support/pkfind>
  - *The xdvi package. A DVI previewer for the X Window System.* 2020-03-02. LICENSE: other-free. The canonical previewer for use on Unix and other X-windows based systems. The distribution has been integrated with that of xdvik (no longer separately available), so that it will build with "out of the box". It is included in .  
URL: <https://ctan.org/pkg/xdvi>
- Vojta, Paul and Daniel Gidea. *The ucbthesis package. Thesis and dissertation class supporting UCB requirements.* 2019-07-20. Version 3.6. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ucbthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ucbthesis>
- Vollmer, Jürgen. *The acmconf package. Class for ACM conference proceedings.* 2016-06-24. Version 1.3. LICENSE: lppl  
URL: <https://ctan.org/pkg/acmconf>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acmconf>
- *The draftcopy package. Identify draft copies.* 2016-06-24. Version 2.16. LICENSE: lppl  
URL: <https://ctan.org/pkg/draftcopy>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/draftcopy>

- *The latex2man package*. Translate L<sup>A</sup>T<sub>E</sub>X-based manual pages into Unix man format. 2018-11-25. Version 1.29. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/latex2man>  
 MIRROR: <https://mirror.ctan.org/support/latex2man>
- *The rcinfo package*. Support for the revision control system. 2016-06-24. Version 1.11. LICENSE: lppl  
 URL: <https://ctan.org/pkg/rcinfo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rcinfo>
- Volovich, Vladimir. *The cm-super package*. CM-Super family of fonts. 2016-06-24. LICENSE: gpl. The CM-Super family provides Adobe Type 1 fonts that replace the , , and Cyrillic fonts (thus supporting all European languages except Greek), and bringing many ameliorations in typesetting quality. The fonts exhibit the same metrics as the Metafont-encoded originals.  
 URL: <https://ctan.org/pkg/cm-super>  
 MIRROR: <https://mirror.ctan.org/fonts/ps-type1/cm-super>
- *The ruhyphen package*. Russian hyphenation. 2016-06-24. Version 1.6. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ruhyphen>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/ruhyphen>
- *The type1ec package*. Permit EC, TC and LH fonts at arbitrary sizes. 2016-06-24. Version 1.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/type1ec>  
 MIRROR: <https://mirror.ctan.org/fonts/ps-type1/cm-super/type1ec.sty>
- Volovich, Vladimir and Marcel Krüger. *The cmap package*. Make PDF files searchable and copyable. 2021-02-06. Version 1.0j. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cmap>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cmap>
- Volovich, Vladimir and Werner Lemberg. *The t2 package*. Support for using T2 encoding. 2018-05-08. LICENSE: lppl  
 URL: <https://ctan.org/pkg/t2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/t2>
- Volovich, Vladimir, Werner Lemberg, and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The cyrguide package*. Documentation of L<sup>A</sup>T<sub>E</sub>X Cyrillic-alphabet features. 2019-10-04. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cyrguide>  
 MIRROR: <https://mirror.ctan.org/macros/latex/base>
- Vosberg, Friedrich. *The ratex package*. A package for German lawyers. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ratex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rtklage>
- *The rtklage package*. Make suit details for German courts. 2016-06-24. Version 0.1. LICENSE: noinfo. Provides support for lawsuits in German courts, based on classes.  
 URL: <https://ctan.org/pkg/rtklage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rtklage>
- Voß, Herbert. *The auto-pst-pdf-lua package*. Using LuaL<sup>A</sup>T<sub>E</sub>X together with PostScript code. 2023-03-21. Version 0.03a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/auto-pst-pdf-lua>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/auto-pst-pdf-lua>
- *The beamer-fuberlin package*. Beamer, using the style of FU Berlin. 2022-04-28. Version 0.02b. LICENSE: lppl  
 URL: <https://ctan.org/pkg/beamer-fuberlin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-FUBerlin>
- *The biblatex-bwl package*. BibL<sup>A</sup>T<sub>E</sub>X citations for FU Berlin. 2016-06-24. Version 0.02. LICENSE: lppl1.3. The bundle provides a set of implementations of bibliography and citation styles for the Business Administration Department of the Free University of Berlin.  
 URL: <https://ctan.org/pkg/biblatex-bwl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-bwl>
- *The biblatex-readbbl package*. Read a .bbl file created by biber. 2022-01-25. Version 0.01. LICENSE: lppl  
 URL: <https://ctan.org/pkg/biblatex-readbbl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-readbbl>
- *The biblatex-spbasic package*. A BibL<sup>A</sup>T<sub>E</sub>X style emulating Springer’s old *spbasic.bst*. 2021-12-29. Version 0.04. LICENSE: lppl. This package provides a bibliography and citation style for / for typesetting articles for Springer’s journals. It is the same as the old BibT<sub>E</sub>X style .  
 URL: <https://ctan.org/pkg/biblatex-spbasic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-spbasic>
- *The ctan-bibdata package*. Bibliography data for all CTAN packages. 2022-11-02. Version 0.01. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ctan-bibdata>  
 MIRROR: <https://mirror.ctan.org/biblio/ctan-bibdata>



- *The dejavu-otf package. Support for the ttf and otf DejaVu fonts.* 2019-06-09. Version 0.04. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/dejavu-otf>  
 MIRROR: <https://mirror.ctan.org/fonts/dejavu-otf>
- *The einfuehrung package. Examples from the book Einführung in L<sup>A</sup>T<sub>E</sub>X.* 2020-06-07. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/einfuehrung>  
 MIRROR: <https://mirror.ctan.org/info/examples/Einfuehrung>
- Voß, Herbert. *The einfuehrung2 package. Examples from the book Einführung in L<sup>A</sup>T<sub>E</sub>X.* 2020-06-07. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/einfuehrung2>  
 MIRROR: <https://mirror.ctan.org/info/examples/Einfuehrung2>
- *The fbox package. Extended \fbox macro from standard L<sup>A</sup>T<sub>E</sub>X.* 2022-02-20. Version 0.06. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fbox>
- *The firamath-otf package. Use OpenType math font Fira Math.* 2023-01-16. Version 0.03a. LICENSE: lppl1.3. The package offers XeTeX/LuaTeX support for the .  
 URL: <https://ctan.org/pkg/firamath-otf>  
 MIRROR: <https://mirror.ctan.org/fonts/firamath-otf>
- *The heros-otf package. Using the OpenType fonts T<sub>E</sub>X Gyre Heros>.* 2022-10-14. Version 0.01. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/heros-otf>  
 MIRROR: <https://mirror.ctan.org/fonts/heros-otf>
- *The hvarabic package. Macros for RTL typesetting.* 2021-06-01. Version 0.02. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hvarabic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hvarabic>
- *The hvextern package. Write and execute external code, and insert the output.* 2023-08-29. Version 0.37. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hvextern>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hvextern>
- *The hvfloat package. Controlling captions, fullpage and doublepage floats.* 2023-05-17. Version 2.46. LICENSE: lppl. This package defines a macro to place objects (tables and figures) and their captions in different positions with different rotating angles within a float. All objects and captions can be framed. The main command is `hvf`; a simple example is `hvf`. Options are provided to place captions to the right or left, and rotated. Setting `nonFloat=true` results in placing the float here.  
 URL: <https://ctan.org/pkg/hvfloat>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hvfloat>
- *The hvindex package. Support for indexing.* 2022-01-25. Version 0.04. LICENSE: lppl. The package simplifies the indexing of words using the command `hvindex`. With the package, to index a word in a text, you only have to type it once; the package makes sure it is both typeset and indexed.  
 URL: <https://ctan.org/pkg/hvindex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hvindex>
- *The hvlogos package. Print T<sub>E</sub>X-related names as logo.* 2022-05-08. Version 0.09. LICENSE: lppl  
 URL: <https://ctan.org/pkg/hvlogos>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hvlogos>
- *The hvpygmentex package. Syntax-Highlighting of program code.* 2022-03-08. Version 0.01. LICENSE: lppl1.3c. The package is based on `pygment` but provides an automatic run from within the document itself, with the option `hvpygmentex`. It does not need the additional action by the user to run the external program to create the code snippets.  
 URL: <https://ctan.org/pkg/hvpygmentex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hvpygmentex>
- *The hvqrurl package. Insert a QR code in the margin.* 2021-05-18. Version 0.02. LICENSE: lppl1.3. This package allows to draw an URL as a QR code into the margin of a one- or twosided document. The following packages are loaded by default: `qr`, `l3qr`, and `l3qrurl`.  
 URL: <https://ctan.org/pkg/hvqrurl>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hvqrurl>
- *The isopt package. Writing a T<sub>E</sub>X length with a space between number and unit.* 2018-01-07. Version 0.01. LICENSE: lppl. Writing a T<sub>E</sub>X length with `\isopt` writes the value and the unit without a space. Package `isopt` provides a macro which inserts a user defined space between number and unit.  
 URL: <https://ctan.org/pkg/isopt>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/isopt>
- *The latex-bib-ex package. Examples for the book Bibliografien mit L<sup>A</sup>T<sub>E</sub>X.* 2020-06-07. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/latex-bib-ex>  
 MIRROR: <https://mirror.ctan.org/info/examples/LaTeX-Bib>



- *The latex-bib2-ex package. Examples for the book Bibliografien mit L<sup>A</sup>T<sub>E</sub>X.* 2020-06-07. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/latex-bib2-ex>  
 MIRROR: <https://mirror.ctan.org/info/examples/LaTeX-Bib2>
- *The LaTeX-Referenz package. Examples from the book "L<sup>A</sup>T<sub>E</sub>X Referenz".* 2020-06-07. Version 2. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/latex-referenz>  
 MIRROR: <https://mirror.ctan.org/info/examples/LaTeX-Referenz>
- Voß, Herbert. *The latex-tabellen package. L<sup>A</sup>T<sub>E</sub>X Tabellen.* 2020-06-07. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/latex-tabellen>  
 MIRROR: <https://mirror.ctan.org/info/examples/Tabellen2>
- *The libertinus package. Wrapper to use the correct libertinus package according to the used T<sub>E</sub>X engine.* 2021-06-16. Version 0.02. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/libertinus>  
 MIRROR: <https://mirror.ctan.org/fonts/libertinus>
- *The libertinus-otf package. Support for Libertinus OpenType.* 2023-05-17. Version 0.31. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/libertinus-otf>  
 MIRROR: <https://mirror.ctan.org/fonts/libertinus-otf>
- *The luafindfont package. Search fonts in the LuaTeX font database.* 2023-06-24. Version 0.13. LICENSE: lpp1.3c  
 URL: <https://ctan.org/pkg/luafindfont>  
 MIRROR: <https://mirror.ctan.org/support/luafindfont>
- *The luaintro package. Examples from the book "Einführung in LuaTeX und LuaLaTeX".* 2023-08-26. Version 0.03. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/luaintro>  
 MIRROR: <https://mirror.ctan.org/info/examples/luaintro>
- *The luarandom package. Create lists of random numbers.* 2019-06-09. Version 0.01. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/luarandom>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luarandom>
- *The lucida-otf package. Support for the Lucida Bright fonts (OpenType).* 2023-06-16. Version 0.09. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/lucida-otf>  
 MIRROR: <https://mirror.ctan.org/fonts/lucida-otf>
- *The math-e package. Examples from the book Typesetting Mathematics with L<sup>A</sup>T<sub>E</sub>X.* 2020-06-07. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/math-e>  
 MIRROR: <https://mirror.ctan.org/info/examples/Math-E>
- *The mathesatz-examples package. Examples from the book "Mathematiksatz mit L<sup>A</sup>T<sub>E</sub>X".* 2023-08-03. Version 3. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/mathesatz-examples>  
 MIRROR: <https://mirror.ctan.org/info/examples/Math>
- *The nexus-otf package. Supporting for the Nexus OpenType or True Type Fonts.* 2019-06-21. Version 0.02. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/nexus-otf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/nexus-otf>
- *The pagella-otf package. Using the OpenType fonts T<sub>E</sub>X Gyre Pagella.* 2022-10-16. Version 0.02. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/pagella-otf>  
 MIRROR: <https://mirror.ctan.org/fonts/pagella-otf>
- *The plex-otf package. Support for the OpenType font IBM Plex.* 2018-04-13. Version 0.07a. LICENSE: lpp1.3  
 URL: <https://ctan.org/pkg/plex-otf>  
 MIRROR: <https://mirror.ctan.org/fonts/plex-otf>
- *The powerdot-fuberlin package. Powerdot, using the style of FU Berlin.* 2019-11-26. Version 0.02a. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/powerdot-fuberlin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/powerdot-FUBerlin>
- *The presentations package. Examples from the book Presentationen mit L<sup>A</sup>T<sub>E</sub>X.* 2020-06-07. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/presentations>  
 MIRROR: [https://mirror.ctan.org/info/examples/Presentations\\_de](https://mirror.ctan.org/info/examples/Presentations_de)
- *The presentations-en package. Examples from the book Presentations with L<sup>A</sup>T<sub>E</sub>X.* 2020-06-07. LICENSE: lpp1  
 URL: <https://ctan.org/pkg/presentations-en>  
 MIRROR: [https://mirror.ctan.org/info/examples/Presentations\\_en](https://mirror.ctan.org/info/examples/Presentations_en)
- *The pst-3dplot package. Draw 3D objects in parallel projection, using PSTricks.* 2022-01-14. Version 2.07a. LICENSE: lpp1. A package using to draw a large variety of graphs and plots, including 3D maths functions. Data can be read from external data files, making this package a generic tool for graphing within T<sub>E</sub>X/LaTeX, without the need for external tools.

- URL: <https://ctan.org/pkg/pst-3dplot>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-3dplot>
- *The pst-abspos package. Put objects at an absolute position.* 2016-06-24. Version 0.2. LICENSE: lppl. The (PSTricks-related) package provides a command to put an object at an arbitrary absolute (or even a relative) position on the page.  
URL: <https://ctan.org/pkg/pst-abspos>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-abspos>
  - Voß, Herbert. *The pst-arrow package. Special arrows for PSTricks.* 2021-11-16. Version 0.05. LICENSE: lppl. This package has all the code from the package which was related to arrows, like multiple arrows and so on.  
URL: <https://ctan.org/pkg/pst-arrow>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-arrow>
  - *The pst-calculate package. Support for floating point operations at L<sup>A</sup>T<sub>E</sub>X level.* 2019-06-09. Version 0.02. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pst-calculate>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pst-calculate>
  - *The pst-dart package. Plotting dart boards.* 2021-09-11. Version 0.03. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-dart>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-dart>
  - *The pst-exa package. Typeset PSTricks examples, with code.* 2017-09-12. Version 0.06. LICENSE: lppl. The (-related) package provides an environment PSTexample to put code and output side by side or one above the other.  
URL: <https://ctan.org/pkg/pst-exa>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-exa>
  - *The pst-feyn package. Draw graphical elements for Feynman diagrams.* 2018-09-29. Version 0.01. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-feyn>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-feyn>
  - *The pst-fp package. Fixed-point arithmetic in PSTricks.* 2016-06-24. Version 0.05. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-fp>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/base/generic/pst-fp.tex>
  - *The pst-fractal package. Draw fractal sets using PSTricks.* 2022-10-13. Version 0.12. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-fractal>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-fractal>
  - *The pst-func package. PSTricks package for plotting mathematical functions.* 2023-04-14. Version 1.02. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-func>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-func>
  - *The pst-graphics package. A PSTricks-compatible graphics for use with Plain T<sub>E</sub>X.* 2016-06-24. Version 0.02. LICENSE: lppl. The package provides a version of that avoids loading the graphics bundle's (original) package, which clashes with ' use of .  
URL: <https://ctan.org/pkg/pst-graphics>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-graphics>
  - *The pst-hsb package. Curves with continuous colours.* 2023-04-02. Version 0.03. LICENSE: lppl. This is a -related package. It can plot lines and/or curves with continuous colours. Only colours defined in the hsb model are supported.  
URL: <https://ctan.org/pkg/pst-hsb>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-hsb>
  - *The pst-knot package. PSTricks package for displaying knots.* 2016-06-24. Version 0.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-knot>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-knot>
  - *The pst-lsystem package. Create images based on a L-system.* 2018-12-31. Version 0.02. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-lsystem>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-lsystem>
  - *The pst-poker package. Drawing poker cards.* 2023-02-13. Version 0.03b. LICENSE: lgpl3. This related package can create poker cards in various manners.  
URL: <https://ctan.org/pkg/pst-poker>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-poker>
  - *The pst-support package. Assorted support files for use with PSTricks.* 2016-06-24. LICENSE: lppl. An appropriate set of job options, together with process scripts for use with /  
URL: <https://ctan.org/pkg/pst-support>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/pst-support>

- *The pst-tools package*. PSTricks support functions. 2021-09-24. Version 0.12. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-tools>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-tools>
- *The pst-turtle package*. Commands for “turtle operations”. 2019-10-05. Version 0.02. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-turtle>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-turtle>
- *The pst-venn package*. A PSTricks package for drawing Venn sets. 2018-12-06. Version 0.01. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-venn>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-venn>
- Voß, Herbert. *The pstricks-examples package*. PSTricks examples. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/pstricks-examples>  
MIRROR: [https://mirror.ctan.org/info/examples/PSTricks\\_6\\_de](https://mirror.ctan.org/info/examples/PSTricks_6_de)
- *The pstricks-examples-7 package*. PSTricks examples files of the 7th edition of the book PSTricks. 2016-06-24. Version 0.01. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pstricks-examples-7>  
MIRROR: [https://mirror.ctan.org/info/examples/PSTricks\\_7\\_de](https://mirror.ctan.org/info/examples/PSTricks_7_de)
- *The pstricks-examples-en package*. Examples from PSTricks book (English edition). 2016-06-24. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pstricks-examples-en>  
MIRROR: [https://mirror.ctan.org/info/examples/PSTricks\\_en](https://mirror.ctan.org/info/examples/PSTricks_en)
- *The schola-otf package*. Using the OpenType fonts T<sub>E</sub>X Gyre schola. 2022-11-02. Version 0.01. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/schola-otf>  
MIRROR: <https://mirror.ctan.org/fonts/schola-otf>
- *The spark-otf package*. Support OpenType Spark fonts. 2022-03-04. Version 0.05a. LICENSE: ofl,lppl1.3  
URL: <https://ctan.org/pkg/spark-otf>  
MIRROR: <https://mirror.ctan.org/fonts/spark-otf>
- *The tabulars-e package*. Examples from the book “Typesetting tables with L<sup>A</sup>T<sub>E</sub>X”. 2020-06-07. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/tabulars-e>  
MIRROR: <https://mirror.ctan.org/info/examples/tabulars-e>
- *The termes-otf package*. Using the OpenType fonts T<sub>E</sub>X Gyre Termes. 2022-10-17. Version 0.02. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/termes-otf>  
MIRROR: <https://mirror.ctan.org/fonts/termes-otf>
- *The unitconv package*. Convert a length into one with another unit. 2020-05-13. Version 0.01. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/unitconv>  
MIRROR: <https://mirror.ctan.org/macros/luatex/latex/unitconv>
- *The voss-mathcol package*. Typesetting mathematics in colour, in (La)T<sub>E</sub>X. 2016-06-24. Version 0.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/voss-mathcol>  
MIRROR: <https://mirror.ctan.org/info/math/voss/mathCol>
- *The voss-mathmode package*. A comprehensive review of mathematics in (La)T<sub>E</sub>X. 2018-01-06. Version 2.47. LICENSE: lppl  
URL: <https://ctan.org/pkg/voss-mathmode>  
MIRROR: <https://mirror.ctan.org/obsolete/info/math/voss/mathmode>
- *The xfakebold package*. Fake a regular font for bold characters. 2020-06-24. Version 0.08. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/xfakebold>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xfakebold>
- *The xhfill package*. Extending \hrulefill. 2016-06-24. Version 1.01. LICENSE: lppl. The package provides extended macros for the default command. It allows modification of the width and the colour of the line.  
URL: <https://ctan.org/pkg/xhfill>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xhfill>
- *The xindex package*. Unicode-compatible index generation. 2023-07-30. Version 0.55. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/xindex>  
MIRROR: <https://mirror.ctan.org/indexing/xindex>
- *The xurl package*. Allow URL breaks at any alphanumerical character. 2022-01-09. Version 0.10. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/xurl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xurl>
- Voß, Herbert, Denis Girou, and Timothy Van Zandt. *The pst-tree package*. Trees, using PSTricks. 2021-09-04. Version 1.14. LICENSE: lppl. pst-tree is a package that defines a macro which offers a structured way of joining nodes created using in order to draw trees.

- URL: <https://ctan.org/pkg/pst-tree>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-tree>
- *The pstricks-base package. PostScript macros for  $\TeX$ .* 2023-04-30. Version 3.19. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/pstricks-base>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/base>
  - Voß, Herbert and Klaus Höppner. *The dantelogo package. A font for DANTE's logo.* 2016-06-24. Version 0.03. LICENSE: lppl  
URL: <https://ctan.org/pkg/dantelogo>  
MIRROR: <https://mirror.ctan.org/fonts/dantelogo>
  - Voß, Herbert and Christophe Jorssen. *The pst-circ package. PSTricks package for drawing electric circuits.* 2021-09-10. Version 2.19. LICENSE: lppl. The package is built using and in particular . It can easily draw current 2-terminal devices and some 3- and 4-terminal devices used in electronic or electric theory. The package's macros are designed with a view to 'logical' representation of circuits, as far as possible, so as to relieve the user of purely graphical considerations when expressing a circuit.  
URL: <https://ctan.org/pkg/pst-circ>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-circ>
  - Voß, Herbert and Pablo González Luengo. *The pst2pdf package. A script to compile PSTricks documents via pdfTeX.* 2020-08-26. Version 0.20. LICENSE: gpl2  
URL: <https://ctan.org/pkg/pst2pdf>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/scripts/pst2pdf>
  - Voß, Herbert and Manuel Luque. *The pst-antiprism package. A PSTricks related package which draws an antiprism.* 2018-02-15. Version 0.02. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-antiprism>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-antiprism>
  - *The pst-shell package. Plotting sea shells.* 2020-07-29. Version 0.03. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-shell>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-shell>
  - *The pst-spinner package. Drawing a fidget spinner.* 2023-02-22. Version 1.02. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-spinner>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-spinner>
  - Voß, Herbert and Rolf Niepraschk. *The dtk package. Document class for the journal of DANTE.* 2023-07-31. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/dtk>  
MIRROR: <https://mirror.ctan.org/usergrps/dante/dtk>
  - *The xltabular package. Longtable support with possible X-column specifier.* 2020-11-04. Version 0.2e. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/xltabular>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/xltabular>
  - Voß, Herbert and Dominique Rodriguez. *The pstricks-add package. A collection of add-ons and bugfixes for PSTricks.* 2023-04-17. Version 3.94. LICENSE: lppl  
URL: <https://ctan.org/pkg/pstricks-add>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pstricks-add>
  - Voß, Herbert and Timothy Van Zandt. *The pst-coil package. A PSTricks package for coils, etc.* 2022-04-06. Version 1.07. LICENSE: lppl. Pst-coil is a based package for coils and zigzags and for coil and zigzag node connections.  
URL: <https://ctan.org/pkg/pst-coil>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-coil>
  - *The pst-eps package. Create EPS files from PSTricks figures.* 2016-06-24. Version 1.0. LICENSE: lppl. Pst-eps is a -based package for exporting PSTricks images 'on the fly' to encapsulated PostScript (EPS) image files, which can then be read into a document in the usual way.  
URL: <https://ctan.org/pkg/pst-eps>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-eps>
  - *The pst-grad package. Filling with colour gradients, using PSTricks.* 2016-06-24. Version 1.06. LICENSE: lppl  
URL: <https://ctan.org/pkg/pst-grad>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-grad>
  - *The pst-text package. Text and character manipulation in PSTricks.* 2018-12-29. Version 1.02. LICENSE: lppl. Pst-text is a based package for plotting text along a different path and manipulating characters. It includes the functionality of the old package pst-char.  
URL: <https://ctan.org/pkg/pst-text>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-text>

- Voß, Jakob. *The acroterm package. Manage and index acronyms and terms*. 2021-08-26. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/acroterm>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/acroterm>
- Voß, Jakob and Camil Staps. *The tkz-orm package. Create Object-Role Model (ORM) diagrams*. 2021-08-26. Version 0.1.4. LICENSE: gpl2,lppl1.3  
 URL: <https://ctan.org/pkg/tkz-orm>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tkz-orm>
- Voss, Jochen. *The jvlisting package. A replacement for L<sup>A</sup>T<sub>E</sub>X's verbatim package*. 2016-06-24. Version 0.7. LICENSE: lppl  
 URL: <https://ctan.org/pkg/jvlisting>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jvlisting>
- Vrba, Anton. *The flexipage package. Flexible page geometry with marginalia*. 2023-03-18. Version 1.02. LICENSE: lppl1.3c. This package allows easy page layout if marginalia is required. Mid document changes are possible such as: new marginal width, full width text, and landscape text without marginal. Partners well with the package . The package also aids the layout for book printing, allowing for binding corrections and adding page bleed, if required.  
 URL: <https://ctan.org/pkg/flexipage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/flexipage>
- *The sidenotesplus package. Place referenced notes, alerts, figures and tables into the document margin*. 2022-07-09. Version 1.02. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/sidenotesplus>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sidenotesplus>
- Vrečko, Matjaž and Leon Žlajpah. *The slhyph package. Slovenian hyphenation patterns*. 2016-11-05. LICENSE: lppl. The function of this package is encompassed in that of the package, for future applications.  
 URL: <https://ctan.org/pkg/slhyph>  
 MIRROR: <https://mirror.ctan.org/language/slovenian/slhyph.tex>
- Vrettos, Dimitrios. *The matc3 package. Commands for MatematicaC3 textbooks*. 2016-06-24. Version 1.0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/matc3>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/matc3>
- *The matc3mem package. Class for MatematicaC3 textbooks*. 2016-06-24. Version 1.1. LICENSE: lppl1.3. The class is a development of , with additions (specifically, mathematical extensions) that provide support for writing the books for the Matematica C3 project to produce free mathematical textbooks for use in Italian high schools.  
 URL: <https://ctan.org/pkg/matc3mem>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/matc3mem>
- Vũ, Dũng. *The akshar package. Support for syllables in the Devanagari script*. 2020-09-06. Version 0.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/akshar>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/akshar>
- Vulis, Dimitri. *The barcodes-vulis package. A font for making barcodes*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/barcodes-vulis>  
 MIRROR: <https://mirror.ctan.org/fonts/barcodes/vulis/barcodes.mf>
- *The weekday package. Generate "day of week"*. 2020-04-11. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/weekday>  
 MIRROR: <https://mirror.ctan.org/macros/generic/misc/weekday.sty>
- Wäckerlin, Marc. *The businesscard-qrcode package. Business cards with QR-Code*. 2021-09-16. Version 1.2. LICENSE: lgpl  
 URL: <https://ctan.org/pkg/businesscard-qrcode>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/businesscard-qrcode>
- *The inline-images package. Inline images in base64 encoding*. 2021-09-16. Version 1.0. LICENSE: lgpl3  
 URL: <https://ctan.org/pkg/inline-images>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/inline-images>
- Wagner, Anselm. *The biblatex-license package. Add license data to the bibliography*. 2021-03-18. Version 0.1. LICENSE: lppl1.3c. This package is for adding license data to bibliography entries via BibLaTeX's built-in related mechanism. It provides a new relatedtype and some bibmacros for typesetting these related entries.  
 URL: <https://ctan.org/pkg/biblatex-license>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-license>
- Wagner, Victor. *The catdoc package. Text extractor for word files*. 2016-06-24. Version 0.90. LICENSE: gpl  
 URL: <https://ctan.org/pkg/catdoc>  
 MIRROR: <https://mirror.ctan.org/support/catdoc>



- Wagner, Zdeněk. *The advdate package. Print a date relative to "today"*. 2016-06-24. LICENSE: lppl1.3. Provides macros which can add a specified number of days to the current date (as specified in ), to save, set and restore the 'current date' and to print it. Intended use is, for example, in invoices "payable within 14 days from today", etc. The package has only been tested with Czech dates.  
URL: <https://ctan.org/pkg/advdate>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/advdate>
- *The cnbwp package. Typeset working papers of the Czech National Bank*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/cnbwp>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cnbwp>
  - *The drawing package. Simple drawings with Metafont*. 2018-01-06. Version 1.0a. LICENSE: noinfo. A system for producing drawings using Metafont glyphs (or sequences of glyphs, tiled together using the package).  
URL: <https://ctan.org/pkg/drawing>  
MIRROR: <https://mirror.ctan.org/graphics/drawing>
- Wagner, Zdeněk. *The ean13isbn package. Print EAN13 for ISBN*. 2021-01-24. LICENSE: lppl1.3. The package provides the means to typeset ISBN codes with EAN-13; it uses the (generic) package to typeset the actual barcode.  
URL: <https://ctan.org/pkg/ean13isbn>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ean13isbn>
- *The fillform package. Typeset answers to overprint on printed forms*. 2016-06-24. LICENSE: nosell  
URL: <https://ctan.org/pkg/fillform>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/fillform>
  - *The makebarcode package. Print various kinds 2/5 and Code 39 bar codes*. 2016-06-24. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/makebarcode>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/makebarcode>
  - *The ocr-b-outline package. OCR-B fonts in Type 1 and OpenType*. 2016-06-24. LICENSE: other-free. The package contains OCR-B fonts in Type1 and OpenType formats. They were generated from the Metafont sources of the . The metric files are not included here, so that original ocr-b package should also be installed.  
URL: <https://ctan.org/pkg/ocr-b-outline>  
MIRROR: <https://mirror.ctan.org/fonts/ocr-b-outline>
  - *The xevlna package. Insert non-breakable spaces using XeTeX*. 2018-05-30. Version 1.1. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/xevlna>  
MIRROR: <https://mirror.ctan.org/macros/xetex/generic/xevlna>
  - *The zwgetfdate package. Get package or file date*. 2017-04-18. LICENSE: lppl1.3. The package can fetch the date declaration of packages and files used by a document, and then provide the information in macros. The facilities provide a means of obtaining the date of a package being documented; this is mainly of use when /.  
URL: <https://ctan.org/pkg/zwgetfdate>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zwgetfdate>
  - *The zwpagelayout package. Page layout and crop-marks*. 2022-04-18. Version 1.4e. LICENSE: lppl  
URL: <https://ctan.org/pkg/zwpagelayout>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zwpagelayout>
- Wagner, Zdeněk and Petr Olšák. *The encxvlna package. Insert nonbreakable spaces, using encTeX*. 2018-05-30. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/encxvlna>  
MIRROR: <https://mirror.ctan.org/macros/generic/encxvlna>
- Wagner, Zdeněk, Anshuman Pandey, Frans Velthuis, Steven T. Smith, Dominik Wujastyk, and François Patte. *The devanagari package. Typeset Devanagari*. 2020-06-07. Version 2.17.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/devanagari>  
MIRROR: <https://mirror.ctan.org/language/devanagari/velthuis>
- Wahl, Tobias. *The MiniPlot package. A package for easy figure arrangement*. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/miniplot>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/miniplot>
- Waldi, Roland. *The wasy package. The wasy fonts (Waldi symbol fonts)*. 2020-01-24. Version 2.5. LICENSE: pd  
URL: <https://ctan.org/pkg/wasy>  
MIRROR: <https://mirror.ctan.org/fonts/wasy>
- Wales, Richard B. *The oca package. OCR A font*. 2019-06-21. LICENSE: nosell  
URL: <https://ctan.org/pkg/oca>  
MIRROR: <https://mirror.ctan.org/fonts/oca>

- Wales, Richard B. and Tor Lillqvist. *The ocr-a package. Fonts for OCR-A*. 2018-01-06. LICENSE: nosell  
 URL: <https://ctan.org/pkg/ocr-a>  
 MIRROR: <https://mirror.ctan.org/fonts/ocr-a>
- Walker, Jim. *The sines package. Calculate sin function values*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/sines>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/sines.tex>
- Wall, Matthew. *The scorecard package. Format a Baseball scorecard*. 2016-06-24. Version 1.1. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/scorecard>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/scorecard.tex>
- Walsh, Norman. *The comp-fonts-FAQ package. Frequently Asked Questions from comp.fonts*. 2016-06-24. Version 2.1.5. LICENSE: other-free  
 URL: <https://ctan.org/pkg/comp-fonts-faq>  
 MIRROR: <https://mirror.ctan.org/help/comp-fonts-FAQ>
- *The HPTfm2pl package. Create T<sub>E</sub>X PL files from HP AutoFont Support*. 2018-01-06. Version 1.0b beta. LICENSE: pd  
 URL: <https://ctan.org/pkg/hp2pl>  
 MIRROR: <https://mirror.ctan.org/support/hp2pl>
  - *The ljmetrics package. Metrics for Laserjet built-in fonts*. 2016-06-24. Version 0.9. LICENSE: noinfo. The distribution offers TFM (and PL) files derived from Hewlett-Packard's LaserJet IV Developers kit. No outlines are provided; the metrics are only usable with drivers adapted for output to the relevant printers (e.g., ).  
 URL: <https://ctan.org/pkg/ljmetrics>  
 MIRROR: <https://mirror.ctan.org/fonts/ljmetrics>
  - *The macfont package. Convert Apple type 1 fonts for use under Windows*. 2016-06-24. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/macfont>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/macfont>
  - *The mhack package. Macros for marginal notes, in Plain T<sub>E</sub>X*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mhack>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/mhack.tex>
  - *The pkbbox package. Derive glyph bounding boxes by building PK file*. 2016-06-24. LICENSE: noinfo. The author found that AFM files generated by lacked glyph bounding box information, so that they are not much use for generating TFM files. This package proceeds by generating a PK file from the Type 1 font by use of , and then using information from that to generate a more nearly valid AFM file from the original.  
 URL: <https://ctan.org/pkg/pkbbox>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/pkbbox>
  - *The tex-it package. Controller for T<sub>E</sub>X processing*. 2019-02-03. LICENSE: gpl. is a perl script for running T<sub>E</sub>X. It examines the log file of the T<sub>E</sub>X run and determines whether T<sub>E</sub>X needs to be run again; it runs BibT<sub>E</sub>X if necessary, and can be told to run Makeindex. Its "end-document" action may be selected from a menu, and includes a "tidy up" to delete all those scribble files.  
 URL: <https://ctan.org/pkg/tex-it>  
 MIRROR: <https://mirror.ctan.org/support/tex-it>
- Walsh, Norman and George Greenwade. *The htmlhelp package. HTML translation of VMS help files*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/htmlhelp>  
 MIRROR: <https://mirror.ctan.org/info/htmlhelp>
- Walshaw, Chris. *The abc2mtex package. Notate tunes stored in ABC notation*. 2020-09-10. Version 1.6.1. LICENSE: nosell. A package to notate tunes stored in an ascii format (abc notation, commonly used to notate traditional music). One of the most important aims of ABC notation, and perhaps one that distinguishes it from most, if not all, computer-readable musical languages is that it can be easily read by humans. The package produces files that can be processed with .  
 URL: <https://ctan.org/pkg/abc2mtex>  
 MIRROR: <https://mirror.ctan.org/support/abc2mtex>
- Waltman, Marijn. *The lpform package. Typesetting linear programming formulations and sets of equations*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/lpform>  
 MIRROR: <https://mirror.ctan.org/macros/generic/lpform>
- Wan, Zhen. *The CQUBeamer package. L<sup>A</sup>T<sub>E</sub>X Beamer Template for Chongqing University*. 2018-05-12. Version 1.0. LICENSE: mit,cc-by-4  
 URL: <https://ctan.org/pkg/cqubeamer>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/cqubeamer>
- Wang, Hsin-Po. *The snaptodo package. A todo that snaps to the closer side*. 2021-11-26. LICENSE: lppl1.3c. This package is an alternative to , from which it differs in the following ways:

- URL: <https://ctan.org/pkg/snaptodo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/snaptodo>
- Wang, Junwei. *The beamerthemeNord package. A simple beamer theme using the “Nord” color theme*. 2020-08-24. Version 0.2.0. LICENSE: lpl1.3c. This package provides a simple beamer theme using the color theme.  
 URL: <https://ctan.org/pkg/beamerthemenord>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamerthemenord>
- Wang, Qifan. *The mlawriter package. Write MLA style documents in Plain T<sub>E</sub>X*. 2023-07-05. Version 1.1.0. LICENSE: cc0  
 URL: <https://ctan.org/pkg/mlawriter>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/mlawriter>
- Wang, Ran. *The Install-L<sup>A</sup>T<sub>E</sub>X-Guide-zh-cn package. A short introduction to L<sup>A</sup>T<sub>E</sub>X installation written in Chinese*. 2023-08-31. Version 2023.9.1. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/install-latex-guide-zh-cn>  
 MIRROR: <https://mirror.ctan.org/info/install-latex-guide-zh-cn>
- WANG, Xu. *The TikZ-Bagua package. Draw Bagua symbols in Yijing*. 2022-08-12. Version 1.01. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/tikz-bagua>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-bagua>
- Wang, Yue and LingYun Wu. *The zhmetrics package. TFM subfont files for using Chinese fonts in 8-bit T<sub>E</sub>X*. 2016-06-24. Version r206. LICENSE: lpl  
 URL: <https://ctan.org/pkg/zhmetrics>  
 MIRROR: <https://mirror.ctan.org/fonts/psfonts/zhmetrics>
- Warbrick, Jon and Luis Rivera. *The latex-essential package. Essential information for writing L<sup>A</sup>T<sub>E</sub>X documents*. 2016-06-24. Version 03. LICENSE: other-free  
 URL: <https://ctan.org/pkg/latex-essential>  
 MIRROR: <https://mirror.ctan.org/info/latex-essential>
- Ward, Greg. *The bt00L package. Perl library for parsing and processing BibT<sub>E</sub>X files*. 2016-06-24. Version 0.32. LICENSE: gpl  
 URL: <https://ctan.org/pkg/btool>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/bt00L>
- Ward, Martin. *The program package. Typesetting programs and algorithms*. 2018-01-06. Version 3.3.14. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/program>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/program>
- Wardrop, Matthew. *The blochsphere package. Draw pseudo-3D diagrams of Bloch spheres*. 2016-06-24. Version 1.1. LICENSE: lpl1.3. This package is used to draw pseudo-3D Blochsphere diagrams. It supports various annotations, such as great and small circles, axes, rotation markings and state vectors. It can be used in a standalone fashion, or nested within a environment by setting the environment option to .  
 URL: <https://ctan.org/pkg/blochsphere>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/blochsphere>
- Warner, Daniel. *The delig package. Disable misplaced ligatures in L<sup>A</sup>T<sub>E</sub>X documents*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/delig>  
 MIRROR: <https://mirror.ctan.org/support/delig>
- Wartenburger, Lucas. *The juraabbrev package. Abbreviations for typesetting (German) juridical documents*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/juraabbrev>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/juraabbrev>
- *The jurarsp package. Citations of judgements and official documents in (German) juridical documents*. 2016-06-24. Version 0.52. LICENSE: gpl  
 URL: <https://ctan.org/pkg/jurarsp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jurarsp>
- Washburn, Geoffrey. *The otftofd package. Generate control files for OpenType fonts*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/otftofd>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/otftofd>
- Waßenhoven, Dominik. *The biblatex-dw package. Humanities styles for BibLaT<sub>E</sub>X*. 2023-03-12. Version 1.7b. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/biblatex-dw>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-dw>
- *The bibleref-german package. German adaptation of bibleref*. 2016-06-24. Version 1.0a. LICENSE: lpl1.3. The package provides translations and various formats for the use of in German documents. The German naming of the bible books complies with the ‘Loccumer Richtlinien’ (Locum guidelines). In addition, the Vulgate (Latin bible) is supported.

- URL: <https://ctan.org/pkg/bibleref-german>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bibleref-german>
- *The historische-zeitschrift package*. Bib $\LaTeX$  style for the journal 'Historische Zeitschrift'. 2016-12-02. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/historische-zeitschrift>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/historische-zeitschrift>
- Wawrykiewicz, Staszek and Tomasz Przechlewski. *The tex-virtual-academy-pl package*. TeX usage web pages, in Polish. 2023-07-12. LICENSE: fdl  
 URL: <https://ctan.org/pkg/tex-virtual-academy-pl>  
 MIRROR: <https://mirror.ctan.org/info/tex-virtual-academy-pl>
- Wawrzyniak, Piotr. *The konwerter package*. A program for automatic numbering of compounds in chemical publications. 2017-04-18. Version 0.2.4. LICENSE: gpl2. Konwerter automatically numbers compounds in chemical publications created by . It is written in C++ and works both in Unix and Windows operating systems. It works similar to  $\LaTeX$  and commands. Instead of giving number to every compound you give them labels and then refer to the structure in the text using the same label. The konwerter is able to resolve labels to numbers both in the eps files and in the text.  
 URL: <https://ctan.org/pkg/konwerter>  
 MIRROR: <https://mirror.ctan.org/support/konwerter>
- Webb, Duncan. *The notes package*. Mark sections of a document. 2016-06-24. Version 1.0.1. LICENSE: lppl. The package provides environments to highlight significant portions of text within a document, by putting the text in a box and adding an icon in the margin. (The icons are provided as 'fig' sources, processable by .)  
 URL: <https://ctan.org/pkg/notes>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/notes>
- Weber, Natalie. *The leipzig package*. Typeset and index linguistic gloss abbreviations. 2019-10-18. Version 2.3. LICENSE: lppl1.3. The leipzig package provides a set of macros for standard glossing abbreviations, with options to create new ones. They are mnemonic (e.g. for accusative, abbreviated ). These abbre can be used alone or on top of the package for easy indexing and glossary printing.  
 URL: <https://ctan.org/pkg/leipzig>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/leipzig>
- *The textglos package*. Typeset and index linguistic gloss abbreviations. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/textglos>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/textglos>
- Weber, Olaf and The  $\TeX$  Live Team. *The Web2C package*. Conversion programs and supporting code to compile  $\TeX$  in C. 2022-01-17. LICENSE: gpl  
 URL: <https://ctan.org/pkg/web2c>
- Weberndorfer, Christoph. *The srdp-mathematik package*. Typeset Austrian SRDP in mathematics. 2023-05-06. Version 1.12.1. LICENSE: lppl1.3c. This package provides basic commands for the defined formats of the Austrian sRDP (Standardisierte Reife- und Diplomprüfung) in mathematics. Furthermore, it includes ways to implement answers in the file which can optionally be displayed in the file, and it offers a way to vary the answers in order to create different groups (e. g. for tests) easily.  
 URL: <https://ctan.org/pkg/srdp-mathematik>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/srdp-mathematik>
- Weeks, Andrew, Frank M. Siegert, and Thomas Henlich. *The ttf2pt1 package*. Convert TrueType fonts to Adobe Type 1 format. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/ttf2pt1>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/ttf2pt1>
- Wegner, Dagny and Arnim Wegner. *The harmony package*. Typeset harmony symbols, etc., for musicology. 2016-06-24. LICENSE: lppl. The package harmony.sty uses the packages and from the bundle, together with the  $\LaTeX$  font and the font from .  
 URL: <https://ctan.org/pkg/harmony>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/harmony>
- Weh, Tobias. *The biblatex-musuos package*. A Bib $\LaTeX$  style for citations in musuos.cls. 2016-06-24. Version 1.0. LICENSE: lppl. The style is designed for use with the class, but it should be usable with other classes, too.  
 URL: <https://ctan.org/pkg/biblatex-musuos>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-musuos>
- *The metrix package*. Typeset metric marks for Latin text. 2019-10-09. Version 1.5. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/metrix>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/metrix>

- *The musuos package*. Typeset papers for the department of music, Osnabrück. 2016-06-24. Version 1.1d. LICENSE: lpl  
 URL: <https://ctan.org/pkg/musuos>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/musuos>
- Weh, Tobias and Jonathan P. Spratte. *The menukeys package*. Format menu sequences, paths and keystrokes from lists. 2022-09-07. Version 1.6.2. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/menukeys>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/menukeys>
- Wehr, Keno. *The beuron package*. The script of the Beuronese art school. 2018-01-18. Version 1.3. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/beuron>  
 MIRROR: <https://mirror.ctan.org/fonts/beuron>
- Wehr, Keno. *The pgf-interference package*. Drawing interference patterns with PGF/TikZ. 2022-01-25. Version 0.1. LICENSE: lpl1.3.  
 This L<sup>A</sup>T<sub>E</sub>X package makes it possible to simulate interference patterns occurring on a screen if monochromatic light is diffracted at regular structures of slits. It makes use of the graphics package.  
 URL: <https://ctan.org/pkg/pgf-interference>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgf-interference>
- *The phonenumbers package*. Typesetting telephone numbers with L<sup>A</sup>T<sub>E</sub>X. 2022-07-01. Version 2.5. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/phonenumbers>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/phonenumbers>
- *The schulmathematik package*. Commands and document classes for German-speaking teachers of mathematics and physics. 2023-06-21. Version 1.5. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/schulmathematik>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/schulmathematik>
- Wehr, Keno, Javier Bezos López, Johannes L. Braams, and Claudio Beccari. *The babel-latin package*. Babel support for Latin. 2021-06-28. Version 4.0. LICENSE: lpl1.3. The babel-latin package provides the languages , , and . It also defines several useful shorthands as well as some modifiers for typographical fine-tuning.  
 URL: <https://ctan.org/pkg/babel-latin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/babel-contrib/latin>
- Wei, Weifan. *The unifront package*. Give notes a unique front page for every chapter and section. 2023-05-11. Version 1.0. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/unifront>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unifront>
- Weibull, Nikolai. *The context-bnf package*. A BNF module for ConTeXt. 2018-08-11. LICENSE: gpl  
 URL: <https://ctan.org/pkg/context-bnf>  
 MIRROR: <https://mirror.ctan.org/macros/context/contrib/context-bnf>
- Weinhold, Stephan and Sebastian Pipping. *The xq package*. Support for writing about xiangqi. 2016-06-24. Version 0.4. LICENSE: lpl  
 URL: <https://ctan.org/pkg/xq>  
 MIRROR: <https://mirror.ctan.org/fonts/xq>
- Weinmann, Thomas. *The twcal package*. Calligraphic font for typesetting handwriting. 2016-06-24. Version 1.1. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/twcal>  
 MIRROR: <https://mirror.ctan.org/fonts/twcal>
- Weiss, Benjamin. *The iffont package*. Conditionally load fonts with fontspec. 2017-04-18. Version 1.0.0. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/iffont>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/iffont>
- Weiss, Daniel A. *The apa7 package*. Format documents in APA style (7th edition). 2022-07-25. Version 2.16. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/apa7>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/apa7>
- Weissenburger, Jens. *The anleitung package*. Using L<sup>A</sup>T<sub>E</sub>X with MikTeX, including TrueType fonts. 2016-06-24. LICENSE: noinfo. A German introduction to using L<sup>A</sup>T<sub>E</sub>X on a MikTeX system with WinEdT. The document includes a translation of by Damir Rakityansky.  
 URL: <https://ctan.org/pkg/anleitung>  
 MIRROR: <https://mirror.ctan.org/info/german/MikTeX-WinEdt-TrueType-Anleitung>
- Weissert, Thomas and Caitlin Shaw. *The mla package*. MLA BibTeX styles. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mla>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/mla>



- Wells, Charles. *The ans package. Answers and solutions, for L<sup>A</sup>T<sub>E</sub>X 2.09*. 2016-06-24. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/ans>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/ans>
- Wemheuer, Moritz. *The biblatex-ext package. Extended BibL<sup>A</sup>T<sub>E</sub>X standard styles*. 2023-03-18. Version 0.17. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/biblatex-ext>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-ext>
- *The biblatex-trad package. “Traditional” BibT<sub>E</sub>X styles with BibL<sup>A</sup>T<sub>E</sub>X*. 2021-03-06. Version 0.5. LICENSE: lppl1.3c. The bundle provides implementations of the “traditional” BibT<sub>E</sub>X styles ( , , and ) with BibL<sup>A</sup>T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/biblatex-trad>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-trad>
- Wentworth, Robert H. *The mrecog package. Recognise un-escaped command names in maths*. 2016-06-24. Version 0.1. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/mrecog>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/mrecog.tex>
- Wermuth, Udo. *The gfnotation package. Typeset Gottlob Frege’s notation in plain T<sub>E</sub>X*. 2016-06-24. Version 2.9. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/gfnotation>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/gfnotation>
- *The Transparent-IO package. Show for approval the filenames used in \input, \openin, or \openout*. 2022-08-14. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/transparent-io>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/transparent-io>
- Werner, Carl-Gustav. *The allrunes package. Fonts and L<sup>A</sup>T<sub>E</sub>X package for almost all runes*. 2017-10-29. Version 2.1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/allrunes>  
 MIRROR: <https://mirror.ctan.org/fonts/allrunes>
- Werner, Eduard. *The sorhyph package. Upper Sorbian hyphenation patterns*. 2016-11-05. LICENSE: nocommercial. The package is superseded by the Upper Sorbian patterns available in the bundle.  
 URL: <https://ctan.org/pkg/sorhyph>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/sorhyph.tex>
- Werner, Moshhammer. *The ocg-p package. PDF OCG support in L<sup>A</sup>T<sub>E</sub>X*. 2016-06-24. Version 0.4. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ocg-p>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ocg-p>
- Werschulz, Arthur G. *The ams2bib package. Convert AMS-TeX style bibliography entries to BibT<sub>E</sub>X*. 2016-06-24. Version 1.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/ams2bib>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/utils/ams2bib>
- Wertenauer, Jochen. *The vhistory package. Support for creating a change log*. 2021-08-02. Version 1.8.0. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/vhistory>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vhistory>
- Wester, Michael and Jackie Damrau. *The address package. Generate form letters and address labels*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/address>  
 MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/address>
- Westphal, Bernd. *The lsc package. Typesetting Live Sequence Charts*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/lsc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lsc>
- Wette, Karl. *The autopdf package. Conversion of graphics to pdfL<sup>A</sup>T<sub>E</sub>X-compatible formats*. 2018-01-06. Version 1.1. LICENSE: lppl1.2.  
 The package facilitates the on-the-fly conversion of various graphics formats to formats supported by pdfL<sup>A</sup>T<sub>E</sub>X (e.g. PDF). It uses a range of external programs, and therefore requires that the L<sup>A</sup>T<sub>E</sub>X run starts with enabled.  
 URL: <https://ctan.org/pkg/autopdf>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/autopdf>
- *The emptypage package. Make empty pages really empty*. 2016-06-24. Version 1.2. LICENSE: lppl1.2  
 URL: <https://ctan.org/pkg/emptypage>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/emptypage>
- *The linenoamsmath package. Use the lineno package together with amsmath*. 2022-12-06. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/linenoamsmath>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/linenoamsmath>
- Wettstein, Andreas. *The authorindex package. Index citations by author names*. 2019-07-27. LICENSE: lppl  
 URL: <https://ctan.org/pkg/authorindex>  
 MIRROR: <https://mirror.ctan.org/indexing/authorindex>

- Weytjens, Johannes. *The linop package. Typeset linear operators as they appear in quantum theory or linear algebra*. 2016-06-24. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/linop>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/linop>
- Whaite, Peter. *The epsfig209 package. Obsolete graphics inclusion macros*. 2016-06-24. Version 1.20. LICENSE: noinfo. The package is a predecessor of the L<sup>A</sup>T<sub>E</sub>X2e, and has some undesirable properties, in current (LaTeX2e) use.  
 URL: <https://ctan.org/pkg/epsfig209>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex209/contrib/epsfig>
- Whieldon, Gwyneth. *The setdeck package. Typeset cards for Set*. 2016-06-24. Version 0.1. LICENSE: gpl3. The package will typeset cards for use in a game of .  
 URL: <https://ctan.org/pkg/setdeck>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/setdeck>
- White, Robert. *The identkey package. Typesetting bracketed dichotomous identification keys*. 2021-03-31. Version 0.1.0. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/identkey>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/identkey>
- White, Steve. *The gnu-freefont package. A Unicode font, with rather wide coverage*. 2017-04-18. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/gnu-freefont>  
 MIRROR: <https://mirror.ctan.org/fonts/gnu-freefont>
- Whited, Sam. *The contracard package. Generate calling cards for dances*. 2023-05-18. Version 2.0.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/contracard>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/contracard>
- *The poetrytex package. Typeset anthologies of poetry*. 2017-04-18. Version 3.0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/poetrytex>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/poetrytex>
- Wichura, Michael. *The PicTeX package. Picture drawing macros for T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X*. 2021-06-11. Version 1.1b. LICENSE: lppl1. PicTeX is an early and very comprehensive drawing package that mostly draws by placing myriads of small dots to make up pictures. It has a tendency to run out of space; packages and deal with the problems in different ways.  
 URL: <https://ctan.org/pkg/pictex>  
 MIRROR: <https://mirror.ctan.org/graphics/pictex>
- Wichura, Michael and David Carlisle. *The wichura-table package. Table macros for plain T<sub>E</sub>X (and L<sup>A</sup>T<sub>E</sub>X)*. 2021-06-09. Version 1.0. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/wichura-table>  
 MIRROR: <https://mirror.ctan.org/macros/generic/wichura-table>
- Wickerson, John. *The ribbonproofs package. Drawing ribbon proofs*. 2016-06-24. Version 1.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ribbonproofs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ribbonproofs>
- Wicks, Mark A. *The dvipdfm package. A DVI driver to produce PDF directly*. 2017-11-19. Version 0.13.2d. LICENSE: gpl2. The driver offers a wide range of commands (including a colour stack), and supports compression of data streams, etc. Note that the extended version will operate “as dvipdfm” if necessary.  
 URL: <https://ctan.org/pkg/dvipdfm>  
 MIRROR: <https://mirror.ctan.org/dviware/dvipdfm>
- Wiebusch, Martin. *The talk package. A L<sup>A</sup>T<sub>E</sub>X class for presentations*. 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/talk>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/talk>
- Wiedmann, Michael. *The tex-references package. References for T<sub>E</sub>X and Friends*. 2020-12-30. Version 0.4.8. LICENSE: other-free  
 URL: <https://ctan.org/pkg/tex-references>  
 MIRROR: <https://mirror.ctan.org/info/tex-references>
- Wiegand, Sven. *The TeXnicCenter package. An IDE for L<sup>A</sup>T<sub>E</sub>X on MSWindows*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/texniccenter>  
 MIRROR: <https://mirror.ctan.org/systems/win32/TeXnicCenter>
- Wieland, Andreas W. *The karnaugh package. Typeset Karnaugh-Veitch-maps*. 2016-11-25. LICENSE: lppl1  
 URL: <https://ctan.org/pkg/karnaugh>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/karnaugh>
- Wierda, Gerben. *The catalan package. Catalan hyphenation patterns*. 2016-11-05. LICENSE: lppl  
 URL: <https://ctan.org/pkg/catalan>  
 MIRROR: <https://mirror.ctan.org/language/hyphenation/cahyph.tex>

- Wierda, Gerben, Sebastian Rahtz, Thomas Esser, Heiko Oberdiek, and Karl Berry. *The epstopdf package. Convert EPS to PDF using Ghostscript*. 2023-07-09. Version 2.32. LICENSE: other-free  
 URL: <https://ctan.org/pkg/epstopdf>  
 MIRROR: <https://mirror.ctan.org/support/epstopdf>
- Wiersma, Jacob. *The OneDown package. Typeset Bridge Diagrams*. 2021-04-27. Version 1.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/onedown>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/onedown>
- Wierzbicki, Tomasz. *The anttvf package. Virtual fonts for PostScript Antykwa Toruńska font*. 2016-06-24. LICENSE: pd. A collection of virtual fonts generated with 1.6, that provide a PostScript font ‘Antykwa Toruńska’ () in OT1, T1, TS1 and OT4 encodings, to be used with L<sup>A</sup>T<sub>E</sub>X2e.  
 URL: <https://ctan.org/pkg/anttvf>  
 MIRROR: <https://mirror.ctan.org/fonts/psfonts/anttvf>
- Wierzbicki, Tomasz. *The urwvf package. Support for use of free URW fonts*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/urwvf>  
 MIRROR: <https://mirror.ctan.org/fonts/psfonts/urwvf>
- Wijn, Harold de. *The euro-ce package. Euro and CE sign font*. 2016-06-24. Version 3.0b. LICENSE: bsd  
 URL: <https://ctan.org/pkg/euro-ce>  
 MIRROR: <https://mirror.ctan.org/fonts/euro-ce>
- *The font\_selection package. Font selection for plain T<sub>E</sub>X*. 2016-06-24. LICENSE: gpl  
 URL: <https://ctan.org/pkg/font-selection>  
 MIRROR: [https://mirror.ctan.org/macros/plain/contrib/font\\_selection](https://mirror.ctan.org/macros/plain/contrib/font_selection)
- Wijnhout, Jeroen and Pascal Brachet. *The kile package. A user friendly T<sub>E</sub>X/L<sup>A</sup>T<sub>E</sub>X editor for KDE*. 2017-04-18. Version 2.0. LICENSE: gpl  
 URL: <https://ctan.org/pkg/kile>
- Wilkinson, Michael. *The sciposter package. Make posters of ISO A3 size and larger*. 2016-06-24. Version 1.18. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sciposter>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sciposter>
- *The sectionbox package. Create fancy boxed ((sub)sub)sections*. 2016-06-24. Version 1.01. LICENSE: lppl. Sectionbox is a L<sup>A</sup>T<sub>E</sub>X package for putting fancy colored boxes around sections, subsections, and subsubsections, especially for use in posters, etc. It was designed with the class in mind, and certainly works with that class and with derived classes.  
 URL: <https://ctan.org/pkg/sectionbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sectionbox>
- *The wallpaper package. Easy addition of wallpapers (background images) to L<sup>A</sup>T<sub>E</sub>X documents, including tiling*. 2016-06-24. Version 1.10. LICENSE: lppl. This collection contains files to add wallpapers (background images) to L<sup>A</sup>T<sub>E</sub>X documents. It uses the package, but provides simple commands to include effects such as tiling. An example is provided, which works under both L<sup>A</sup>T<sub>E</sub>X and pdfLaTeX.  
 URL: <https://ctan.org/pkg/wallpaper>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/wallpaper>
- Willadt, Peter. *The barcodes package. Fonts for making barcodes*. 2016-07-15. LICENSE: lppl  
 URL: <https://ctan.org/pkg/barcodes>  
 MIRROR: <https://mirror.ctan.org/fonts/barcodes/willadt>
- *The labelmag package. Manage a collection of labels*. 2016-06-24. LICENSE: nosource  
 URL: <https://ctan.org/pkg/labelmag>  
 MIRROR: <https://mirror.ctan.org/systems/win32/texhelpers/labelmag>
- *The latexwizard package. Create the header of a L<sup>A</sup>T<sub>E</sub>X document*. 2016-06-24. Version 1.0 beta 4. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/latexwizard>  
 MIRROR: <https://mirror.ctan.org/systems/win32/texhelpers/latexwizard>
- *The pdflatexpicscale package. Support software for downscaling graphics to be included by pdfLaTeX*. 2018-02-12. Version 0.32. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pdflatexpicscale>  
 MIRROR: <https://mirror.ctan.org/support/pdflatexpicscale>
- Williams, Graham and The CTAN Team. *The Catalogue package. A catalogue of what’s available on CTAN*. 2017-02-08. LICENSE: lppl  
 URL: <https://ctan.org/pkg/catalogue>

- Williams, Peter. *The harvard-obsolete package. The Harvard bibliography style family*. 2018-12-22. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/harvard-obsolete>  
 MIRROR: <https://mirror.ctan.org/obsolete/biblio/bibtex/contrib/harvard>
- *The williams package. Miscellaneous macros by Peter Williams*. 2018-12-23. LICENSE: lpl  
 URL: <https://ctan.org/pkg/williams>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/williams>
- Williams, Peter and Thorsten Schnier. *The harvard package. Harvard citation package for use with L<sup>A</sup>T<sub>E</sub>X 2e*. 2018-12-22. Version 2.0.5. LICENSE: lpl  
 URL: <https://ctan.org/pkg/harvard>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/harvard>
- Wilms, Jörn. *The revnum package. Reverse enumerate*. 2016-06-24. Version 1.0. LICENSE: noinfo. Provides a reverse-enumerate environment () in which items are numbered in reverse order.  
 URL: <https://ctan.org/pkg/revnum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/revnum>
- Wilson, Peter R. *The aramaic package. Fonts for Aramaic script*. 2016-06-24. Version 1.2. LICENSE: lpl  
 URL: <https://ctan.org/pkg/aramaic>  
 MIRROR: <https://mirror.ctan.org/fonts/archaic/aramaic>
- *The auncial package. Artificial Uncial manuscript book-hand font*. 2022-04-06. LICENSE: lpl  
 URL: <https://ctan.org/pkg/auncial>  
 MIRROR: <https://mirror.ctan.org/fonts/bookhands/auncial>
  - *The auncial-new package. Artificial Uncial font and L<sup>A</sup>T<sub>E</sub>X support macros*. 2022-04-06. Version 2.0. LICENSE: lpl  
 URL: <https://ctan.org/pkg/auncial-new>  
 MIRROR: <https://mirror.ctan.org/fonts/auncial-new>
  - *The b1encoding package. L<sup>A</sup>T<sub>E</sub>X encoding tools for Bookhands fonts*. 2016-06-24. Version 1.0. LICENSE: lpl1.3. The package characterises and defines the author’s B1 encoding for use with L<sup>A</sup>T<sub>E</sub>X when typesetting things using his fonts.  
 URL: <https://ctan.org/pkg/b1encoding>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/b1encoding>
  - *The bookdb package. A BibTeX style file for cataloguing a home library*. 2016-06-24. Version 0.2. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/bookdb>  
 MIRROR: <https://mirror.ctan.org/biblio/bibtex/contrib/bookdb>
  - *The bookhands package. A collection of book-hand fonts*. 2017-10-29. LICENSE: lpl  
 URL: <https://ctan.org/pkg/bookhands>  
 MIRROR: <https://mirror.ctan.org/fonts/bookhands>
  - *The carolmin package. Carolingian Miniscule manuscript book-hand font*. 2022-04-06. LICENSE: lpl  
 URL: <https://ctan.org/pkg/carolmin>  
 MIRROR: <https://mirror.ctan.org/fonts/bookhands/carolmin>
  - *The chbibref package. Change the Bibliography/References title*. 2016-06-24. Version 1.0. LICENSE: lpl. Defines a single command, , which sets whichever of and is in use. ( is used in book.cls and report.cls, and is used in article.cls.)  
 URL: <https://ctan.org/pkg/chbibref>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chbibref>
  - *The cypriot package. A script which was used on Cyprus for writing Greek*. 2016-06-24. Version 1.2. LICENSE: lpl  
 URL: <https://ctan.org/pkg/cypriot>  
 MIRROR: <https://mirror.ctan.org/fonts/archaic/cypriot>
  - *The egothic package. Early Gothic manuscript book-hand font*. 2022-04-06. LICENSE: lpl  
 URL: <https://ctan.org/pkg/egothic>  
 MIRROR: <https://mirror.ctan.org/fonts/bookhands/egothic>
  - *The etruscan package. Fonts for the Etruscan script*. 2016-06-24. Version 2.1. LICENSE: lpl. The Etruscan script was in use between approximately 1000 BC and 100 AD. The font comes in mirrored forms suitable for writing either left-to-right or right-to-left (as the Etruscans did), and is provided in Adobe Type 1 format. This is one of a series of fonts.  
 URL: <https://ctan.org/pkg/etruscan>  
 MIRROR: <https://mirror.ctan.org/fonts/archaic/etruscan>
  - *The expressg package. Diagrams consisting of boxes, lines, and annotations*. 2016-06-24. Version 1.5. LICENSE: lpl  
 URL: <https://ctan.org/pkg/expressg>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/expressg>
  - *The flatten package. Flatten \input, etc., in a L<sup>A</sup>T<sub>E</sub>X file*. 2016-06-24. LICENSE: other-free. A program to flatten a L<sup>A</sup>T<sub>E</sub>X root file by copying and ed files into the root file.

- URL: <https://ctan.org/pkg/flatten>  
MIRROR: <https://mirror.ctan.org/support/flatten>
- *The greek4cbc package*. A Greek font from 394BC. 2016-06-24. Version 2.1. LICENSE: lppl. Provides a Greek monumental font as used on a stele in Athens in 394BC. The font consists of majuscules only and is in Adobe Type 1 format. This is one of a series of fonts.  
URL: <https://ctan.org/pkg/greek4cbc>  
MIRROR: <https://mirror.ctan.org/fonts/archaic/greek4cbc>
  - *The greek6cbc package*. A Greek font from the sixth century BC. 2016-06-24. Version 2.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/greek6cbc>  
MIRROR: <https://mirror.ctan.org/fonts/archaic/greek6cbc>
  - *The hieroglf package*. The "poor man's" Egyptian Hieroglyphic font. 2016-06-24. Version 1.5. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/hieroglf>  
MIRROR: <https://mirror.ctan.org/fonts/archaic/hieroglf>
- Wilson, Peter R. *The humanist package*. Humanist manuscript book-hand font. 2018-01-06. LICENSE: lppl  
URL: <https://ctan.org/pkg/humanist>  
MIRROR: <https://mirror.ctan.org/fonts/bookhands/humanist>
- *The huncial package*. Fonts based on the half Uncial manuscript book-hand. 2016-07-29. Version 1.0. LICENSE: lppl  
URL: <https://ctan.org/pkg/huncial>  
MIRROR: <https://mirror.ctan.org/fonts/bookhands/huncial>
  - *The inslrmaj package*. Fonts based on the Insular Majuscule manuscript book-hand. 2022-04-06. LICENSE: lppl  
URL: <https://ctan.org/pkg/inslrmaj>  
MIRROR: <https://mirror.ctan.org/fonts/bookhands/inslrmaj>
  - *The inslrmin package*. Fonts based on the Insular Minuscule manuscript book-hand. 2022-04-06. LICENSE: lppl  
URL: <https://ctan.org/pkg/inslrmin>  
MIRROR: <https://mirror.ctan.org/fonts/bookhands/inslrmin>
  - *The iso package*. Generic ISO standards typesetting macros. 2016-06-24. Version 2.4. LICENSE: lppl  
URL: <https://ctan.org/pkg/iso>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/isostds/iso>
  - *The iso10303 package*. Typesetting the STEP standards. 2016-06-24. Version 1.5. LICENSE: lppl. Class and package files building on for typesetting the ISO 10303 (STEP) standards. Standard documents prepared using these packages have been published by ISO.  
URL: <https://ctan.org/pkg/iso10303>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/isostds/iso10303>
  - *The isorot package*. Rotation of document elements. 2016-06-24. LICENSE: lppl. The package is for rotation of document elements. It is a combination of the package and an extension of the package. The package is designed for use with the but may be used with any normal class.  
URL: <https://ctan.org/pkg/isorot>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/isorot>
  - *The linearb package*. Linear B script used in the Bronze Age for Mycenaean Greek. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/linearb>  
MIRROR: <https://mirror.ctan.org/fonts/archaic/linearb>
  - *The ltx2x package*. Replace L<sup>A</sup>T<sub>E</sub>X commands in a document by user-defined strings. 2016-06-24. Version 0.92. LICENSE: lppl  
URL: <https://ctan.org/pkg/ltx2x>  
MIRROR: <https://mirror.ctan.org/support/ltx2x>
  - *The metafp package*. Some Experiences in Running Metafont and MetaPost. 2016-06-18. LICENSE: nosource  
URL: <https://ctan.org/pkg/metafp>  
MIRROR: <https://mirror.ctan.org/info/metafont/metafp>
  - *The nabatean package*. Font for Nabatean script. 2016-06-24. Version 1.2. LICENSE: lppl  
URL: <https://ctan.org/pkg/nabatean>  
MIRROR: <https://mirror.ctan.org/fonts/archaic/nabatean>
  - *The oands package*. Glyphs used when transliterating ancient scripts. 2016-06-18. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/oands>  
MIRROR: <https://mirror.ctan.org/fonts/archaic/oands>
  - *The oldprsn package*. Fonts old Persian cuneiform script. 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/oldprsn>  
MIRROR: <https://mirror.ctan.org/fonts/archaic/oldprsn>



- *The pacioli package. Fonts designed by Fra Luca de Pacioli in 1497.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pacioli>  
 MIRROR: <https://mirror.ctan.org/fonts/pacioli>
- *The pgothic package. Fonts based on the Gothic Textura Presciscus manuscript book-hand.* 2022-04-06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/pgothic>  
 MIRROR: <https://mirror.ctan.org/fonts/bookhands/pgothic>
- *The phoenician package. Fonts for the Phoenician script in use from about 1600 BC.* 2016-06-24. Version 2.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/phoenician>  
 MIRROR: <https://mirror.ctan.org/fonts/archaic/phoenician>
- *The protosem package. Fonts for proto-Semitic cuneiform script.* 2016-06-24. Version 1.2. LICENSE: lppl. A font (in Type 1 format) and macros for proto-Semitic writing. This script was in use about 1600 BCE, and seems to be the oldest ancestor of most of the world's alphabets. This is one of a series of fonts.  
 URL: <https://ctan.org/pkg/protosem>  
 MIRROR: <https://mirror.ctan.org/fonts/archaic/protosem>
- Wilson, Peter R. *The rotunda package. Rotunda manuscript book-hand font.* 2022-04-06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/rotunda>  
 MIRROR: <https://mirror.ctan.org/fonts/bookhands/rotunda>
- *The runic package. Fonts for Anglo-Saxon futhorc script.* 2016-06-24. Version 1.1. LICENSE: lppl. Fonts and macros for runic writing. The futhorc script remained in use in England until just after printing was established. This is one of a series of fonts.  
 URL: <https://ctan.org/pkg/runic>  
 MIRROR: <https://mirror.ctan.org/fonts/archaic/runic>
- *The rustic package. Roman Rustic manuscript book-hand font.* 2016-07-29. LICENSE: lppl  
 URL: <https://ctan.org/pkg/rustic>  
 MIRROR: <https://mirror.ctan.org/fonts/bookhands/rustic>
- *The sqrcaps package. Square Capitals manuscript book-hand font.* 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sqrcaps>  
 MIRROR: <https://mirror.ctan.org/fonts/bookhands/sqrcaps>
- *The sudokubundle package. A set of sudoku-related packages.* 2016-06-24. Version 1.0a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sudokubundle>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/sudokubundle>
- *The tgothic package. Gothic Textura Quadrata manuscript book-hand font.* 2022-04-06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/tgothic>  
 MIRROR: <https://mirror.ctan.org/fonts/bookhands/tgothic>
- *The titlepages package. Sample titlepages, and how to code them.* 2018-01-06. LICENSE: lppl  
 URL: <https://ctan.org/pkg/titlepages>  
 MIRROR: <https://mirror.ctan.org/info/latex-samples/TitlePages>
- *The trajan package. Fonts from the Trajan column in Rome.* 2016-06-24. Version 1.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/trajan>  
 MIRROR: <https://mirror.ctan.org/fonts/trajan>
- *The ugarite package. Fonts for Ugaritic cuneiform script.* 2016-06-24. Version 1.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ugarite>  
 MIRROR: <https://mirror.ctan.org/fonts/archaic/ugarite>
- *The uncial package. Uncial manuscript book-hand font.* 2016-07-29. LICENSE: lppl  
 URL: <https://ctan.org/pkg/uncial>  
 MIRROR: <https://mirror.ctan.org/fonts/bookhands/uncial>
- *The webguide package. Brief Guide to L<sup>A</sup>T<sub>E</sub>X Tools for Web publishing.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/webguide>  
 MIRROR: <https://mirror.ctan.org/info/webguide>
- Wilson, Peter R., Alan Hoenig, and David Carlisle. *The cutwin package. Cut a window in a paragraph, typeset material in it.* 2021-10-30. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cutwin>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cutwin>
- Wilson, Peter R., Vafa Khalighi, Maieul Rouquette, and bidi-tex GitHub Organisation. *The ledarab package. Typeset scholarly editions in arabic.* 2019-09-08. Version 0.1. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ledarab>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ledmac>

- *The ledmac package. Typeset scholarly editions.* 2018-11-28. Version 0.19.4. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/ledmac>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ledmac>
- *The ledpar package. Typeset scholarly editions in parallel texts.* 2018-11-28. Version 0.14a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/ledpar>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ledmac>
- Wilson, Peter R. and Lars Madsen. *The memdesign package. Notes on book design.* 2018-09-16. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/memdesign>  
 MIRROR: <https://mirror.ctan.org/info/memdesign>
- *The memfixc package. Adjustment for using hyperref in memoir documents.* 2023-08-08. Version 1.21. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/memfixc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/memoir>
- Wilson, Peter R. and Lars Madsen. *The memoir package. Typeset fiction, non-fiction and mathematical books.* 2023-08-21. Version 3.8.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/memoir>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/memoir>
- Wilson, Peter R. and Will Robertson. *The continue package. Prints ‘continuation’ marks on pages of multipage documents.* 2019-01-11. Version 0.2. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/continue>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/continue>
- Wilson, Peter R. and Alan Stanier. *The sarabian package. Archaic South Arabian script font.* 2016-06-24. Version 1.0. LICENSE: lppl  
 URL: <https://ctan.org/pkg/sarabian>  
 MIRROR: <https://mirror.ctan.org/fonts/archaic/sarabian>
- Wilson, Peter R., Uwe Zimmermann, and Apostolos Syropoulos. *The archaic package. A collection of archaic fonts.* 2017-10-29. LICENSE: lppl  
 URL: <https://ctan.org/pkg/archaic>  
 MIRROR: <https://mirror.ctan.org/fonts/archaic>
- Winkler, Roland. *The eqnarray package. More generalised equation arrays with numbering.* 2016-06-24. Version 1.3. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/eqnarray>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/eqnarray>
- Wirth, Hans-Christoph. *The formular package. Create forms containing field for manual entry.* 2016-06-24. Version 1.0a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/formular>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/formular>
- Wiseman, Levi and Ben Armacost. *The chronology package. Provides a horizontal timeline.* 2023-08-17. Version 2.0. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/chronology>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chronology>
- Wittenberg, Lee and Stephen Mc Kearney. *The wordweb package. Literate programming using Microsoft Word.* 2016-06-24. LICENSE: noinfo. An experimental mechanism for use with Word; a Word file is provided.  
 URL: <https://ctan.org/pkg/wordweb>  
 MIRROR: <https://mirror.ctan.org/web/wordweb>
- Wittenburg, Kim. *The uhhassignment package. A document class for typesetting homework assignments.* 2018-01-07. Version 1.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/uhhassignment>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uhhassignment>
- Woch, J. *The corelpak package. Metrics, etc., for fonts distributed with Corel products.* 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/corelpak>  
 MIRROR: <https://mirror.ctan.org/fonts/psfonts/corelpak>
- Wolczko, Mario. *The a5comb package. Support for a5 paper sizes.* 2016-06-24. Version 4. LICENSE: pd. Superseded by .  
 URL: <https://ctan.org/pkg/a5comb>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/a5comb>
- *The AFMtop1 (Wolczko) package. Unix utilities for translating AFM files to PL.* 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/afmtop1-wolczko>  
 MIRROR: <https://mirror.ctan.org/fonts/utilities/afmtop1/wolczko>
- *The romanneg package. Roman page numbers negative.* 2016-06-24. LICENSE: pd. Causes the page numbers in the DVI file (as defined by ) to be negative when roman pagenumbers is in effect.

- URL: <https://ctan.org/pkg/romaneg>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/romaneg>
- *The smalltalk package*. Typeset Smalltalk program fragments. 2016-06-24. Version 3. LICENSE: noinfo  
URL: <https://ctan.org/pkg/smalltalk>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/smalltalk.sty>
  - *The vdm package*. Typesetting VDM schemas. 2016-06-24. Version 4.00. LICENSE: noinfo  
URL: <https://ctan.org/pkg/vdm>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/vdm>
- Wolczko, Mario and Leslie Lamport. *The alltt2 package*. Indented version of *alltt*. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/alltt2>  
MIRROR: <https://mirror.ctan.org/macros/latex209/contrib/misc/alltt2.sty>
- Wolfe, Warren. *The vutex package*. View  $\TeX$  output on an ASCII-only terminal. 2016-06-24. Version 1.02. LICENSE: other-nonfree  
URL: <https://ctan.org/pkg/vutex>  
MIRROR: <https://mirror.ctan.org/dviware/vutex>
- Wolff, Thomas. *The t1tools package*. Facilities for handling Adobe Type 1 fonts. 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/t1tools>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/t1tools>
- Woliński, Marcin. *The bredzenie package*. A Polish version of “*lorem ipsum...*” in the form of a  $\LaTeX$  package. 2018-05-01. Version 1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/bredzenie>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bredzenie>
- *The mwcls package*. Polish-oriented document classes. 2018-01-06. Version 0.75. LICENSE: lppl1.2. mwcls is a set of document classes for  $\LaTeX$  2e designed with Polish typographical tradition in mind. Classes include: “ (which is a replacement for “), “ (replacing “), and “ (replacing “). Most features present in standard classes work with mwcls classes. Some extensions/exceptions include: sectioning commands allow for second optional argument (it is possible to state different texts for running head and for TOC), new environments “ and “ for lists with long items, page styles have variants for normal, opening, closing, and blank pages.  
URL: <https://ctan.org/pkg/mwcls>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mwcls>
- Wolters, Mark A. *The ffslices package*. Freeform slides based on the article class. 2016-06-24. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/ffslides>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ffslides>
- Wong, Wai. *The pbmtogf package*. Convert PBM images to GF font files. 2018-01-06. Version 1.0. LICENSE: gpl  
URL: <https://ctan.org/pkg/pbmtogf>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/pbmtogf>
- Wooding, Mark. *The at package*. Short commands starting ‘@’. 2016-06-24. Version 1.3. LICENSE: gpl  
URL: <https://ctan.org/pkg/at>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwtools>
- *The cmtt package*. A package for handling the cmtt font better. 2016-06-24. Version 1.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/cmtt>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwtools>
  - *The doafter package*. Do things after a group. 2016-06-24. Version 1.2. LICENSE: gpl  
URL: <https://ctan.org/pkg/dafter>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwtools>
  - *The footnote package*. Improve on  $\LaTeX$ ’s footnote handling. 2016-06-24. Version 1.13. LICENSE: gpl  
URL: <https://ctan.org/pkg/footnote>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwtools>
  - *The mdwfonts package*. A model for font manipulation. 2016-06-24. Version 1.2. LICENSE: gpl  
URL: <https://ctan.org/pkg/mdwfonts>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwfonts>
  - *The mdwlist package*. Miscellaneous list-related commands. 2016-06-24. LICENSE: gpl  
URL: <https://ctan.org/pkg/mdwlist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwtools>
  - *The mdwmath package*. Some maths extensions. 2016-06-24. Version 1.1. LICENSE: gpl  
URL: <https://ctan.org/pkg/mdwmath>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwtools>

- *The mdwtab package*. A reimplementaion of tabular and array environments. 2016-06-24. Version 1.9. LICENSE: gpl  
URL: <https://ctan.org/pkg/mdwtab>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwtools>
- *The mdwtools package*. Miscellaneous tools by Mark Wooding. 2016-06-24. Version 1.05.4. LICENSE: gpl  
URL: <https://ctan.org/pkg/mdwtools>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwtools>
- *The sverb package*. A set of verbatim text manipulations. 2020-05-09. Version 1.3. LICENSE: gpl  
URL: <https://ctan.org/pkg/sverb>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwtools>
- *The syntax-mdw package*. Typeset syntax descriptions. 2016-06-24. Version 1.07. LICENSE: gpl  
URL: <https://ctan.org/pkg/syntax-mdw>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mdwtools>
- Woollatt, Alison. *The mnras-plain package*. Plain  $\TeX$  macros for MNRAS. 2016-06-24. Version 1.6. LICENSE: noinfo  
URL: <https://ctan.org/pkg/mnras-plain>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/mnras>
- Woollatt, Alison, Mark Reed, and Christiane Notarmarco. *The fac package*. Macros for FAC journal. 2016-06-24. Version 2.00. LICENSE: noinfo  
URL: <https://ctan.org/pkg/fac>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fac>
- Worsch, Bernd. *The syntax2 package*. Creation of syntax diagrams. 2016-07-19. LICENSE: gpl  
URL: <https://ctan.org/pkg/syntax2>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/syntax>
- Wright, Joseph. *The biblatex-chem package*. A set of Bib $\LaTeX$  implementations of chemistry-related bibliography styles. 2021-02-24. Version 1.1z. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/biblatex-chem>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-chem>
- *The biblatex-ieee package*. IEEE style files for Bib $\LaTeX$ . 2021-12-07. Version 1.3f. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/biblatex-ieee>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-ieee>
- *The biblatex-nature package*. Bib $\LaTeX$  support for Nature. 2020-12-30. Version 1.3d. LICENSE: lppl1.3c. The bundle offers styles that allow authors to use when preparing papers for submission to the journal Nature.  
URL: <https://ctan.org/pkg/biblatex-nature>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-nature>
- *The biblatex-phys package*. A Bib $\LaTeX$  implementation of the AIP and APS bibliography style. 2020-06-21. Version 1.1b. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/biblatex-phys>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-phys>
- *The biblatex-science package*. Bib $\LaTeX$  implementation of the Science bibliography style. 2018-10-19. Version 1.2. LICENSE: lppl1.3. The bundle offers styles that allow authors to use when preparing papers for submission to the journal Science.  
URL: <https://ctan.org/pkg/biblatex-science>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-science>
- *The chemscheme package*. Support for chemical schemes. 2016-06-24. Version 2.0c. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/chemscheme>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemstyle>
- *The chemstyle package*. Writing chemistry with style. 2018-01-06. Version 2.0m. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/chemstyle>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chemstyle>
- *The notes2bib package*. Integrating notes into the bibliography. 2019-09-30. Version 2.0m. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/notes2bib>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/notes2bib>
- *The pgfopts package*.  $\LaTeX$  package options with pgfkeys. 2016-06-24. Version 2.1a. LICENSE: lppl1.3. The pgfkeys package (part of the distribution) is a well-designed way of defining and using large numbers of keys for key-value syntaxes. However, pgfkeys itself does not offer means of handling  $\LaTeX$  class and package options. This package adds such option handling to pgfkeys, in the same way that adds the same facility to the  $\LaTeX$  standard package.  
URL: <https://ctan.org/pkg/pgfopts>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pgfopts>

- *The rsc package. BibTeX style for use with RSC journals.* 2016-08-22. Version 3.1f. LICENSE: lppl1.3. The rsc package provides a BibTeX style in accordance with the requirements of the Royal Society of Chemistry. It was originally based on the file , but also implements a number of styles from the package. The package is now a stub for the package, which the author developed to unify the writing of articles with a chemistry content.  
URL: <https://ctan.org/pkg/rsc>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rsc>
- *The si package. A comprehensive (SI) units package.* 2016-06-24. Version 0.6a. LICENSE: lppl  
URL: <https://ctan.org/pkg/si>  
MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/exptl/si>
- *The siunitx package. A comprehensive (SI) units package.* 2023-08-31. Version 3.3.5. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/siunitx>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/siunitx>
- Wright, Joseph. *The tex-ini-files package. Model T<sub>E</sub>X format creation files.* 2019-03-02. LICENSE: pd  
URL: <https://ctan.org/pkg/tex-ini-files>  
MIRROR: <https://mirror.ctan.org/macros/generic/tex-ini-files>
- *The translator package. Easy translation of strings in L<sup>A</sup>T<sub>E</sub>X.* 2021-05-31. Version 1.12d. LICENSE: lppl,gpl  
URL: <https://ctan.org/pkg/translator>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/translator>
- *The trivfloat package. Quick float definitions in L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. Version 1.3b. LICENSE: lppl  
URL: <https://ctan.org/pkg/trivfloat>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/trivfloat>
- Wright, Joseph and Donald Arseneau. *The natmove package. Move punctuation following a citation.* 2018-07-12. Version 1.1a. LICENSE: lppl  
URL: <https://ctan.org/pkg/natmove>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/achemso>
- Wright, Joseph and Mats Dahlgren. *The achemso package. Support for American Chemical Society journal submissions.* 2022-11-25. Version 3.13f. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/achemso>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/achemso>
- Wright, Joseph and Marcel Heldoorn. *The siunits package. International System of Units.* 2021-06-26. Version 1.36. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/siunits>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/SIunits>
- Wright, Joseph and Mike Piff. *The answers package. Setting questions (or exercises) and answers.* 2018-01-06. Version 2.16. LICENSE: lppl  
URL: <https://ctan.org/pkg/answers>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/answers>
- Wright, Joseph and The L<sup>A</sup>T<sub>E</sub>X Project Team. *The unicode-data package. Unicode data and loaders for T<sub>E</sub>X.* 2022-09-17. Version 1.16. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/unicode-data>  
MIRROR: <https://mirror.ctan.org/macros/generic/unicode-data>
- Wu, LingYun. *The ctex-faq package. L<sup>A</sup>T<sub>E</sub>X FAQ by the Chinese T<sub>E</sub>X Society (ctex.org).* 2022-02-09. LICENSE: fdl. Most questions were collected on the forum, and were answered in detail by the author.  
URL: <https://ctan.org/pkg/ctex-faq>  
MIRROR: <https://mirror.ctan.org/info/ctex-faq>
- Wujastyk, Dominik. *The fnpara-pln package. Footnotes in paragraphs.* 2016-06-24. LICENSE: other-free. Typeset footnotes in run-on paragraphs, instead of one above another, as in the ‘Dirty Tricks’ on pp 398–400 of the T<sub>E</sub>Xbook. This code formed the basis of a , and has been further adapted and made more robust for use in , appears in the comprehensive footnote package .  
URL: <https://ctan.org/pkg/fnpara-pln>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/fnpara.tex>
- Wujastyk, Dominik and Peter Friedlander. *The csx package. Computer Sanskrit(Extended) coding support on MS-DOS.* 2020-06-07. LICENSE: noinfo  
URL: <https://ctan.org/pkg/csx>  
MIRROR: <https://mirror.ctan.org/fonts/csx>
- Wujastyk, Dominik and Philip Taylor. *The ukhyph package. Hyphenation patterns for British English.* 2016-11-05. Version 2.0. LICENSE: knuth  
URL: <https://ctan.org/pkg/ukhyph>  
MIRROR: <https://mirror.ctan.org/language/hyphenation/ukhyphen.tex>



- Wünsch, Karl Günter. *The klinz package. A Klingon font*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/klinz>  
 MIRROR: <https://mirror.ctan.org/fonts/klinz>
- Wyngaerd, Guido Vanden. *The forest-quickstart package. Quickstart Guide for Linguists package “forest”*. 2020-06-30. LICENSE: fdl. is a PGF/TikZ-based package for drawing linguistic (and other kinds of) trees. This manual provides a quickstart guide for linguists with just the essential things that you need to get started.  
 URL: <https://ctan.org/pkg/forest-quickstart>  
 MIRROR: <https://mirror.ctan.org/info/forest-quickstart>
- Wynne, Colin J. *The cju package. A bundle of packages and classes*. 2018-01-06. LICENSE: nosell. The bundle contains: – a collection of support macros, offering general support, support for various areas of maths, and for typesetting of units, – a letter and envelope class, – an outlining package, and – a package that enables all of Plain TeX usage under L<sup>A</sup>T<sub>E</sub>X.  
 URL: <https://ctan.org/pkg/cju>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cju>
- Xexéo, Geraldo. *The coop-writing package. Support for Cooperative Writing and editorial comments*. 2022-01-25. Version 1.2.4. LICENSE: mit  
 URL: <https://ctan.org/pkg/coop-writing>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/coop-writing>
- Xiang, Ziyue. *The luaprohtable package. Programmable table interface for LuaLaTeX*. 2020-08-18. Version 1.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/luaprohtable>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/luaprohtable>
- *The smart-eqn package. Automatic math symbol styling for L<sup>A</sup>T<sub>E</sub>X documents*. 2021-08-12. Version 1.0. LICENSE: lpl1.3c. In L<sup>A</sup>T<sub>E</sub>X typesetting, one usually needs to use different variants of a math symbol to clarify the meanings. For example, in linear algebra literature, it is common to use boldfaced symbols to represent vectors, and normal symbols to represent scalars. However, applying these variants by typing , commands manually can be daunting. This package aims to provide an automatic and customizable approach for math symbol styling which eliminates the need to enter style commands repeatedly.  
 URL: <https://ctan.org/pkg/smart-eqn>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/smart-eqn>
- Xing, Zhaopeng, Louis Stuart, and Xiangdong Zeng. *The lshort-zh-cn package. Introduction to L<sup>A</sup>T<sub>E</sub>X, in Chinese*. 2023-05-05. Version 6.04. LICENSE: fdl. A Chinese edition of the , with additional information of typesetting Chinese language.  
 URL: <https://ctan.org/pkg/lshort-zh-cn>  
 MIRROR: <https://mirror.ctan.org/info/lshort/chinese>
- Xiong, Yu. *The njuvisual package. Display logos related to Nanjing University*. 2022-12-13. Version 0.3.0. LICENSE: lpl1.3c. The package collects standard colors and logos related to Nanjing University, saves the vector logos as pictures and provides a user-friendly interface to display them in documents and beamers.  
 URL: <https://ctan.org/pkg/njuvisual>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/njuvisual>
- XU, Jinwen. *The beaulivre package. Write your books in a colorful way*. 2023-07-14. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/beaulivre>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/beaulivre>
- *The colorist package. Write your articles or books in a colorful way*. 2023-07-14. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/colorist>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/colorist>
- *The create-theorem package. Initializing and configuring theorem-like environments, with multilingual support*. 2023-07-23. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/create-theorem>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/create-theorem>
- *The crefthe package. Cross referencing with proper definite articles*. 2023-07-24. Version 2023-07-23a. LICENSE: lpl1.3c. By default, when using cleveref’s to reference theorem-like environments, the names do not contain definite articles. In languages such as French, Italian, Portuguese, Spanish, etc. this results in incorrect grammar. For this purpose, the current package offers , which handles the definite articles properly (especially for the article contractions in many European languages).  
 URL: <https://ctan.org/pkg/crefthe>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/crefthe>
- *The einfart package. Write your articles in a simple and clear way*. 2023-07-14. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/einfart>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/einfart>

- *The jwjournal package*. A personal class for writing journals. 2023-08-31. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/jwjournal>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/jwjournal>
- *The lebhart package*. Write your articles in a colorful way. 2023-07-14. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/lebhart>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/lebhart>
- *The mindflow package*. Write your ideas in a clear way. 2022-12-10. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/mindflow>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mindflow>
- *The minimalist package*. Write your articles or books in a simple and clear way. 2023-07-14. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/minimalist>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/minimalist>
- XU, Jinwen. *The multi footnote package*. Multiple numbers for the same footnote. 2022-06-13. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/multi footnote>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/multi footnote>
- *The ProjLib package*. A series of tools to simplify your workflow. 2019-01-01. LICENSE: lppl1.3c. ProjLib is a collection of tools to help you write L<sup>A</sup>T<sub>E</sub>X documents. With the main package loaded, you no longer need to set up the theorem-like environments, nor to manually configure the appropriate multilingual settings. In addition, a series of auxiliary functionalities are introduced.  
URL: <https://ctan.org/pkg/projlib>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/projlib>
- *The simplivre package*. Write your books in a simple and clear way. 2023-07-14. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/simplivre>  
MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/simplivre>
- Xue, Ruini. *The zebra-goodies package*. A collection of handy macros for paper writing. 2023-03-15. Version 0.8.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/zebra-goodies>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zebra-goodies>
- Xue, Ruini and Tsinghua University TUNA Association. *The thuthesis package*. Thesis template for Tsinghua University. 2023-05-15. Version 7.4.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/thuthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thuthesis>
- Yamaji, Akira. *The mcf2graph package*. Draw chemical structure diagrams with MetaPost. 2023-05-28. Version 5.02. LICENSE: mit  
URL: <https://ctan.org/pkg/mcf2graph>  
MIRROR: <https://mirror.ctan.org/graphics/mcf2graph>
- Yamamoto, Munehiro. *The gckanbun package*. Kanbun typesetting for (u)pL<sup>A</sup>T<sub>E</sub>X and LuaL<sup>A</sup>T<sub>E</sub>X. 2022-01-17. Version 1.2. LICENSE: mit  
URL: <https://ctan.org/pkg/gckanbun>  
MIRROR: <https://mirror.ctan.org/language/japanese/gckanbun>
- *The graphicxpsd package*. Adobe Photoshop Data format (PSD) support for graphicx package. 2021-01-06. Version 1.2. LICENSE: mit. This package provides Adobe Photoshop Data format (PSD) support for the package with the (Darwin/macOS) or (ImageMagick) command.  
URL: <https://ctan.org/pkg/graphicxpsd>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/graphicxpsd>
- Yamashita, Hironobu. *The arphic-ttf package*. TrueType version of Chinese Arphic fonts. 2016-12-17. LICENSE: other-free  
URL: <https://ctan.org/pkg/arphic-ttf>  
MIRROR: <https://mirror.ctan.org/fonts/arphic-ttf>
- *The chemobabel package*. Convert chemical structures from ChemDraw, MDL molfile or SMILES using Open Babel. 2022-10-22. Version 0.9l. LICENSE: bsd2  
URL: <https://ctan.org/pkg/chemobabel>  
MIRROR: <https://mirror.ctan.org/graphics/chemobabel>
- *The endnotesj package*. Japanese-style endnotes. 2018-05-15. Version 3.0. LICENSE: bsd3. This package provides customized styles for endnotes to be used with Japanese documents. It can be used on , , and LuaL<sup>A</sup>T<sub>E</sub>X ().  
URL: <https://ctan.org/pkg/endnotesj>  
MIRROR: <https://mirror.ctan.org/language/japanese/endnotesj>
- *The gentombow package*. Generate Japanese-style crop marks. 2022-09-10. LICENSE: bsd3  
URL: <https://ctan.org/pkg/gentombow>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/gentombow>

- *The mathfam256 package. Extend math family up to 256 for pLaTeX/upLaTeX/Lamed.* 2020-01-23. Version 0.5. LICENSE: bsd3. This package increases the upper limit of math symbols up to 256, using primitives. These primitives were originally introduced in Omega and are currently available in the following formats:  
URL: <https://ctan.org/pkg/mathfam256>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/mathfam256>
- *The platex-tools package. pLaTeX standard tools bundle.* 2023-02-26. LICENSE: bsd3. This bundle is an extended version of the bundle developed by the L<sup>A</sup>T<sub>E</sub>X team, mainly intended to support and . Currently patches for the bundle and Martin Schröder's bundle are included.  
URL: <https://ctan.org/pkg/platex-tools>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/platex-tools>
- *The plautopatch package. Automated patches for pLaTeX/upLaTeX.* 2022-07-31. Version 0.9q. LICENSE: bsd3  
URL: <https://ctan.org/pkg/plautopatch>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/plautopatch>
- Yamashita, Hironobu. *The pxtatescale package. Patch to graphics driver for scaling in vertical direction of pTeX.* 2022-07-20. Version 0.4. LICENSE: mit  
URL: <https://ctan.org/pkg/pxtatescale>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/pxtatescale>
- *The scsnowman package. Snowman variants using TikZ.* 2023-02-23. Version 1.3c. LICENSE: bsd2  
URL: <https://ctan.org/pkg/scsnowman>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/scsnowman>
- Yamashita, Hironobu and Dag Langmyhr. *The dviinfox package. Perl script to print DVI meta information.* 2021-05-15. Version 1.06. LICENSE: mit  
URL: <https://ctan.org/pkg/dviinfox>  
MIRROR: <https://mirror.ctan.org/dviware/dviinfox>
- Yanai, Shimon and Daniel Berry. *The mf2ps package. Modification of Metafont to produce PostScript output.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/mf2ps>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/mf2ps>
- Yang, Jingxuan. *The hitszbeamer package. A beamer theme for Harbin Institute of Technology, ShenZhen.* 2020-04-11. Version 1.0.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/hitszbeamer>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/hitszbeamer>
- *The HITSZThesis package. A dissertation template for Harbin Institute of Technology, ShenZhen.* 2021-11-16. Version 3.2.1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/hitszthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hitszthesis>
- *The thubeamer package. A beamer theme for Tsinghua University.* 2021-11-16. Version 1.1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/thubeamer>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/thubeamer>
- Yang, Yang. *The metapost-matlab package. MetaPost data plotting in Matlab style.* 2016-06-24. LICENSE: lppl  
URL: <https://ctan.org/pkg/metapost-matlab>  
MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/matlab>
- Yang, Yuchang. *The edichokey package. Typeset dichotomous identification keys.* 2020-08-31. Version 2.01y. LICENSE: lppl1.3c. This is a L<sup>A</sup>T<sub>E</sub>X package for typesetting dichotomous identification key in indented style. It can be considered as an extended version of package , as edichokey is more capable of dealing with complex keys.  
URL: <https://ctan.org/pkg/edichokey>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/edichokey>
- *The nanicolle package. Typesetting herbarium specimen labels.* 2020-08-31. Version 2.03y. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/nanicolle>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/nanicolle>
- *The rulerbox package. Draw rulers around a box.* 2019-05-06. Version 1.01. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/rulerbox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/rulerbox>
- *The tetragonos package. Four-Corner codes of Chinese characters.* 2019-01-17. Version 1. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/tetragonos>  
MIRROR: <https://mirror.ctan.org/macros/xetex/latex/tetragonos>

- Yanshuo, Chu. *The hithesis package. Harbin Institute of Technology Thesis Template*. 2022-07-29. Version 2.0.11. LICENSE: lppl1.3a  
 URL: <https://ctan.org/pkg/hithesis>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/hithesis>
- Yap, Ken. *The hershey package. Experiments with the Hershey fonts*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/hershey>  
 MIRROR: <https://mirror.ctan.org/fonts/hershey>
- Yasko, Nick. *The javascript\_TeXed package. Small MikTeX-editor for Win32 Intel platform*. 2016-06-24. LICENSE: nocommercial  
 URL: <https://ctan.org/pkg/javascript-texed>  
 MIRROR: [https://mirror.ctan.org/support/javascript\\_TeXed](https://mirror.ctan.org/support/javascript_TeXed)
- Yasuoka, Koichi and Toru Sato. *The slashbox package. Both column and row headings in a tabular cell*. 2016-06-24. LICENSE: noinfo  
 URL: <https://ctan.org/pkg/slashbox>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/slashbox>
- Yato, Takayuki. *The BXbase package. BX bundle base components*. 2023-02-23. Version 1.2a. LICENSE: mit  
 URL: <https://ctan.org/pkg/bxbase>  
 MIRROR: <https://mirror.ctan.org/language/japanese/BX/bxbase>
- Yato, Takayuki. *The bxcalc package. Extend the functionality of the calc package*. 2022-07-31. Version 1.1. LICENSE: mit  
 URL: <https://ctan.org/pkg/bxcalc>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bxcalc>
- *The bxcjkatype package. Typeset Japanese with pdfL<sup>A</sup>T<sub>E</sub>X and CJK*. 2023-07-22. Version 0.5. LICENSE: mit  
 URL: <https://ctan.org/pkg/bxcjkatype>  
 MIRROR: <https://mirror.ctan.org/language/japanese/BX/bxcjkatype>
  - *The bxdpx-beamer package. Dvipdfmx extras for use with beamer*. 2016-12-18. Version 0.3. LICENSE: mit  
 URL: <https://ctan.org/pkg/bxdpx-beamer>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/bxdpx-beamer>
  - *The bxdvidriver package. Enables specifying a driver option effective only in DVI output*. 2022-07-31. Version 0.2a. LICENSE: mit  
 URL: <https://ctan.org/pkg/bxdvidriver>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bxdvidriver>
  - *The bxepic package. Epic facilities using pict2e*. 2022-07-31. Version 0.2. LICENSE: other-free. The package provides an driver to use facilities.  
 URL: <https://ctan.org/pkg/bxepic>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bxepic>
  - *The bxenclose package. Enclose the document body with some pieces of code*. 2022-07-31. Version 0.2. LICENSE: mit  
 URL: <https://ctan.org/pkg/bxenclose>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bxenclose>
  - *The BXjalipsum package. Dummy text in Japanese*. 2023-07-13. Version 1.0a. LICENSE: mit  
 URL: <https://ctan.org/pkg/bxjalipsum>  
 MIRROR: <https://mirror.ctan.org/language/japanese/BX/bxjalipsum>
  - *The BXjaprnind package. Adjust the position of parentheses at paragraph head*. 2021-06-19. Version 0.4a. LICENSE: mit  
 URL: <https://ctan.org/pkg/bxjaprnind>  
 MIRROR: <https://mirror.ctan.org/language/japanese/BX/bxjaprnind>
  - *The bxjatoucs package. Convert Japanese character code to Unicode*. 2019-10-24. Version 0.2. LICENSE: mit  
 URL: <https://ctan.org/pkg/bxjatoucs>  
 MIRROR: <https://mirror.ctan.org/language/japanese/BX/bxjatoucs>
  - *The BXjsc1s package. Japanese document class collection for all major engines*. 2023-07-17. Version 2.9. LICENSE: bsd2. This package provides an extended version of the Japanese document class collection provided by . While the original version supports only pL<sup>A</sup>T<sub>E</sub>X and upL<sup>A</sup>T<sub>E</sub>X, the extended version also supports pdfL<sup>A</sup>T<sub>E</sub>X, X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X and LuaL<sup>A</sup>T<sub>E</sub>X, with the aid of suitable packages that provide capability of Japanese typesetting.  
 URL: <https://ctan.org/pkg/bxjsc1s>  
 MIRROR: <https://mirror.ctan.org/language/japanese/BX/bxjsc1s>
  - *The bxnewfont package. Enhanced \newfont command*. 2022-07-31. Version 0.2b. LICENSE: mit. This package provides a new command . It is similar to the old (and deprecated) command in function, but is more compatible with NFSS. In particular, one can safely change font size after invoking a font command defined by . The new command will be useful to users who know much of the old command, but are unfamiliar with the details of NFSS.  
 URL: <https://ctan.org/pkg/bxnewfont>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bxnewfont>

- *The bxorigcapt package*. To retain the original caption names when using Babel. 2022-07-31. Version 1.0. LICENSE: mit. This package forces the caption names (, , etc) declared by the document class in use to be used as the caption names for a specific language introduced by the Babel package.  
URL: <https://ctan.org/pkg/bxorigcapt>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bxorigcapt>
- *The bxpapersize package*. Synchronize output paper size with layout paper size. 2022-04-29. Version 0.6. LICENSE: mit  
URL: <https://ctan.org/pkg/bxpapersize>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bxpapersize>
- *The bxpdfver package*. Specify version and compression level of output PDF files. 2022-04-30. Version 0.6. LICENSE: mit  
URL: <https://ctan.org/pkg/bxpdfver>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bxpdfver>
- *The bxtexlogo package*. Additional  $\TeX$ -family logos. 2022-05-05. Version 0.6. LICENSE: mit  
URL: <https://ctan.org/pkg/bxtexlogo>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bxtexlogo>
- *The bxwareki package*. Convert dates from Gregorian to Japanese calendar. 2023-07-08. Version 0.7. LICENSE: mit  
URL: <https://ctan.org/pkg/bxwareki>  
MIRROR: <https://mirror.ctan.org/language/japanese/BX/bxwareki>
- Yato, Takayuki. *The ifptex package*. Check if the engine is pTeX or one of its derivatives. 2023-04-08. Version 2.2c. LICENSE: mit. The package is a counterpart of , , etc. for the engine. The package is an alias to provided for backward compatibility.  
URL: <https://ctan.org/pkg/ifptex>  
MIRROR: <https://mirror.ctan.org/macros/generic/ifptex>
- *The ipaex-type1 package*. IPAex fonts converted to Type-1 format Unicode subfonts. 2018-05-13. Version 0.5. LICENSE: other-free  
URL: <https://ctan.org/pkg/ipaex-type1>  
MIRROR: <https://mirror.ctan.org/fonts/ipaex-type1>
- *The jfmutil package*. Utility to process pTeX-extended TFM and VF. 2021-11-07. Version 1.3.3. LICENSE: mit. This program provides functionality to process data files (JFM and VF) that form logical fonts used in . The functions currently available include:  
URL: <https://ctan.org/pkg/jfmutil>  
MIRROR: <https://mirror.ctan.org/fonts/utilities/jfmutil>
- *The pxbase package*. Tools for use with (u)pLaTeX. 2023-02-26. Version 1.4. LICENSE: mit. The main purpose of this package is to provide auxiliary functions which are utilized by other packages created by the same author. It also provides a few user commands to assist in creating Japanese documents using .  
URL: <https://ctan.org/pkg/pxbase>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/pxbase>
- *The pxchfon package*. Japanese font setup for pLaTeX and upLaTeX. 2023-08-29. Version 2.0. LICENSE: mit  
URL: <https://ctan.org/pkg/pxchfon>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/pxchfon>
- *The pxcjkcat package*. L<sup>A</sup>T<sub>E</sub>X interface for the CJK category codes of upTeX. 2022-07-20. Version 1.4. LICENSE: mit  
URL: <https://ctan.org/pkg/pxcjkcat>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/pxcjkcat>
- *The pxjahyper package*. Hyperref support for pLaTeX. 2023-02-28. Version 1.3. LICENSE: mit  
URL: <https://ctan.org/pkg/pxjahyper>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/pxjahyper>
- *The pxjodel package*. Help change metrics of fonts from japanese-otf. 2022-07-31. Version 0.3. LICENSE: mit  
URL: <https://ctan.org/pkg/pxjodel>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/pxjodel>
- *The pxpgfmark package*. e-pTeX driver for PGF inter-picture connections. 2016-12-18. Version 0.2. LICENSE: mit  
URL: <https://ctan.org/pkg/pxpgfmark>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pxpgfmark>
- *The pxrubrica package*. Ruby annotations according to JIS X 4051. 2023-03-02. Version 1.3e. LICENSE: mit  
URL: <https://ctan.org/pkg/pxrubrica>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/pxrubrica>
- *The pxufont package*. Emulate non-Unicode Japanese fonts using Unicode fonts. 2023-07-07. Version 0.7. LICENSE: mit  
URL: <https://ctan.org/pkg/pxufont>  
MIRROR: <https://mirror.ctan.org/macros/jptex/latex/pxufont>



- *The zxjafont package. Fallback CJK font support for xeCJK.* 2016-12-18. Version 0.2. LICENSE: mit  
 URL: <https://ctan.org/pkg/zxjafont>  
 MIRROR: <https://mirror.ctan.org/language/japanese/zxjafont>
- *The ZXjafont package. Set up Japanese font families for Xe<sub>La</sub>TeX.* 2022-03-21. Version 1.3. LICENSE: mit  
 URL: <https://ctan.org/pkg/zxjafont>  
 MIRROR: <https://mirror.ctan.org/language/japanese/zxjafont>
- *The ZXjatype package. Standard conforming typesetting of Japanese, for Xe<sub>La</sub>TeX.* 2020-01-21. Version 0.7. LICENSE: mit  
 URL: <https://ctan.org/pkg/zxjatype>  
 MIRROR: <https://mirror.ctan.org/language/japanese/zxjatype>
- Yavuz, Volkan. *The glosstex package. Prepare glossaries in L<sup>A</sup>T<sub>E</sub>X.* 2016-06-24. LICENSE: gpl. GlossTeX is a tool for the automatic preparation of glossaries, lists of acronyms and sorted lists in general for use with L<sup>A</sup>T<sub>E</sub>X and MakeIndex. GlossTeX combines the functionality of and and provides some new features. Various binaries are available in the bin subdirectory.  
 URL: <https://ctan.org/pkg/glosstex>  
 MIRROR: <https://mirror.ctan.org/support/glosstex>
- Ye, Lei. *The uowthesis package. Document class for dissertations at the University of Wollongong.* 2016-06-24. Version 1.0a. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/uowthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/uowthesis>
- Yi, Qu. *The easybook package. Easily typesetting Chinese theses or books.* 2022-11-08. Version 1.71D. LICENSE: lppl1.3c. is a pure academic template created based on the book document class. It also has the functions of and document class. Combined with the general framework design of the dissertation of many universities in China, providing multiple commands and interfaces allows users to easily customize the thesis template. Its basic macro package easybase can also be used with CTeX and standard document classes.  
 URL: <https://ctan.org/pkg/easybook>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easybook>
- *The spbmark package. Customize superscripts and subscripts.* 2022-10-15. Version 1.42. LICENSE: cc-by-4. This package provides three commands , and to improve the layout of superscripts and subscripts which can be adjusted with respect to relative position and format, and can be used in text and math mode.  
 URL: <https://ctan.org/pkg/spbmark>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/spbmark>
- Yin, Zhenhao. *The hfutthesis package. L<sup>A</sup>T<sub>E</sub>X Thesis Template for Hefei University of Technology.* 2022-08-02. Version 1.0.4. LICENSE: lppl1.3c. This project is based on the L<sup>A</sup>T<sub>E</sub>X template of Hefei University of Technology compiled on the basis of , in accordance with the latest version of and .  
 URL: <https://ctan.org/pkg/hfutthesis>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/latex/hfutthesis>
- You, Jiarui. *The qyxf-book package. Book Template for Qian Yuan Xue Fu.* 2020-09-11. Version 3.1.0. LICENSE: mit  
 URL: <https://ctan.org/pkg/qyxf-book>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/qyxf-book>
- Young, Joel D. *The afthesis package. Air Force Institute of Technology thesis class.* 2016-06-24. Version 2.7. LICENSE: pd  
 URL: <https://ctan.org/pkg/afthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/afthesis>
- Yuan, Xu. *The seuthesis package. L<sup>A</sup>T<sub>E</sub>X template for theses at Southeastern University.* 2018-04-05. Version 2.1.2. LICENSE: gpl3  
 URL: <https://ctan.org/pkg/seuthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/seuthesis>
- Yuan, Xu and The PGF/TikZ Team. *The pgf-umlcd package. Some L<sup>A</sup>T<sub>E</sub>X macros for UML Class Diagrams.* 2022-05-22. Version 0.3. LICENSE: gpl2,lppl1.3c  
 URL: <https://ctan.org/pkg/pgf-umlcd>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/pgf-umlcd>
- Zabelin, Anatoly A. *The hoffset-voffset package. Calculate values for \hoffset and \voffset.* 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/hoffset-voffset>  
 MIRROR: <https://mirror.ctan.org/support/hoffset-voffset>
- Zaccone, Rick. *The excalibur package. Macintosh spell checker.* 2017-04-18. Version 4.0.6. LICENSE: gpl  
 URL: <https://ctan.org/pkg/excalibur>  
 MIRROR: <https://mirror.ctan.org/systems/mac/support/excalibur>
- Zach, Richard. *The bussproofs-extra package. Extra commands for bussproofs.sty.* 2019-06-02. Version 0.4. LICENSE: lppl1.3c. This package provides additional functionality for ; specifically, it allows for typesetting of entire (sub)deductions.

- URL: <https://ctan.org/pkg/bussproofs-extra>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/bussproofs-extra>
- *The keyindex package. Index entries by key lookup.* 2019-05-01. Version 1.0. LICENSE: lppl1.3c. The package provides functionality for producing an index without directly entering index entries into the text using the command, but instead by looking up short keys and printing a predefined string in the main text and adding a corresponding index entry. The standard use case is the production of an index of names.  
URL: <https://ctan.org/pkg/keyindex>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/keyindex>
  - *The lplfitch package. Fitch-style natural deduction proofs.* 2017-04-18. Version 0.9. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/lplfitch>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lplfitch>
  - *The ptolemaicastronomy package. Diagrams of sphere models for variably strict conditionals (Lewis counterfactuals).* 2019-05-01. Version 1.0. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/ptolemaicastronomy>  
MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/ptolemaicastronomy>
  - *The ucalgmthesis package. L<sup>A</sup>T<sub>E</sub>X thesis class for University of Calgary Faculty of Graduate Studies.* 2023-03-19. LICENSE: mit  
URL: <https://ctan.org/pkg/ucalgmthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/ucalgmthesis>
- Zachhuber, Jonathan. *The geschichtsfkrl package. BibL<sup>A</sup>T<sub>E</sub>X style for historians.* 2016-09-21. Version 1.4. LICENSE: lppl  
URL: <https://ctan.org/pkg/geschichtsfkrl>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/geschichtsfkrl>
- Zadka, Moshe. *The viiptart package. 7pt-article class.* 2016-06-24. Version 0.1. LICENSE: other-free. An article-like document class whose is 7pt rather than 10pt.  
URL: <https://ctan.org/pkg/viiptart>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/viiptart>
- Zahumensky, Adam. *The kanaparser package. Kana parser for LuaT<sub>E</sub>X.* 2018-06-24. Version 1.0. LICENSE: bsd  
URL: <https://ctan.org/pkg/kanaparser>  
MIRROR: <https://mirror.ctan.org/macros/luatex/generic/kanaparser>
- Zaia, Emilio Augusto Lazo. *The elzcards package. Typeset business cards, index cards and flash cards easily.* 2019-08-17. Version 1.60. LICENSE: lppl1.3  
URL: <https://ctan.org/pkg/elzcards>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/elzcards>
- *The factura package. Typeset and calculate invoices according to Venezuelan law.* 2022-01-22. Version 4.32. LICENSE: lppl1.3c  
URL: <https://ctan.org/pkg/factura>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/factura>
- Zaitseff, John. *The unswthesis package. UNSW theses.* 2016-06-24. Version 1.6a. LICENSE: noinfo  
URL: <https://ctan.org/pkg/unswthesis>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/unswthesis>
- Zakharevich, Ilya. *The mathsci2bibtex package. Convert Mathsci database information to BibT<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/mathsci2bibtex>  
MIRROR: <https://mirror.ctan.org/biblio/bibtex/utis/mathsci2bibtex>
- *The tex2mail package. Converts T<sub>E</sub>X to mailable "ASCII art".* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/tex2mail>  
MIRROR: <https://mirror.ctan.org/support/tex2mail>
- Zalmstra, Joost. *The figplace package. Floating figures in Plain T<sub>E</sub>X.* 2016-06-24. LICENSE: noinfo  
URL: <https://ctan.org/pkg/figplace>  
MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/figplace.tex>
- Zandt, Timothy Van. *The fancybox package. Variants of \fbox and other games with boxes.* 2016-06-24. Version 1.4. LICENSE: lppl1.2. Provides variants of : , , , with helpful tools for using box macros and flexible verbatim macros. You can box mathematics, floats, center, flushleft, and flushright, lists, and pages.  
URL: <https://ctan.org/pkg/fancybox>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancybox>
- *The poster-mac package. Make posters and banners with T<sub>E</sub>X.* 2016-06-24. Version 1.1. LICENSE: lppl  
URL: <https://ctan.org/pkg/poster-mac>  
MIRROR: <https://mirror.ctan.org/macros/generic/poster>

- Zandt, Timothy Van, Rolf Niepraschk, and Herbert Voß. *The multido package. A loop facility for Generic T<sub>E</sub>X*. 2018-09-15. Version 1.42. LICENSE: lpl. The package provides the command, which was originally designed for use with . Fixed-point arithmetic is used when working on the loop variable, so that the package is equally applicable in graphics applications like PSTricks as it is with the more common integer loops.  
URL: <https://ctan.org/pkg/multido>  
MIRROR: <https://mirror.ctan.org/macros/generic/multido>
- Zandt, Timothy Van, Sebastian Rahtz, Denis Girou, and Herbert Voß. *The seminar package. Make overhead slides*. 2021-07-01. Version 1.63a. LICENSE: lpl1.2  
URL: <https://ctan.org/pkg/seminar>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/seminar>
- Zandt, Timothy Van, Michael Sharpe, and Herbert Voß. *The pst-node package. Nodes and node connections in PSTricks*. 2022-01-31. Version 1.43. LICENSE: lpl  
URL: <https://ctan.org/pkg/pst-node>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-node>
- Zandt, Timothy Van and Herbert Voß. *The colortab package. Shade cells of tables and halign*. 2018-01-06. Version 1.0. LICENSE: lpl  
URL: <https://ctan.org/pkg/colortab>  
MIRROR: <https://mirror.ctan.org/macros/generic/colortab>
- Zandt, Timothy Van and Herbert Voß. *The frame package. Framed boxes for Plain T<sub>E</sub>X*. 2016-06-24. Version 1.0. LICENSE: lpl. A jiffy file (taken from ) for placing a frame around a box of text. The macros also provide for typesetting an empty box of given dimensions.  
URL: <https://ctan.org/pkg/frame>  
MIRROR: <https://mirror.ctan.org/macros/generic/frame>
- *The pst-3d package. A PSTricks package for tilting and other pseudo-3D tricks*. 2016-06-24. Version 1.10. LICENSE: lpl. The package provides basic macros that use for shadows, tilting and three dimensional representations of text or graphical objects.  
URL: <https://ctan.org/pkg/pst-3d>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-3d>
  - *The pst-ovl package. Create and manage graphical overlays*. 2020-05-01. Version 0.07b. LICENSE: lpl  
URL: <https://ctan.org/pkg/pst-ovl>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-ovl>
  - *The pst-plot package. Plot data using PSTricks*. 2022-12-14. Version 1.94. LICENSE: lpl. The package provides plotting of data (typically from external files), using . Plots may be configured using a wide variety of parameters.  
URL: <https://ctan.org/pkg/pst-plot>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-plot>
  - *The pst-tvz package. Draw trees with more than one root node, using PSTricks*. 2016-06-24. Version 1.01. LICENSE: lpl1.3. The package uses PSTricks to draw trees with more than one root node. It is similar to , though it uses a different placement algorithm.  
URL: <https://ctan.org/pkg/pst-tvz>  
MIRROR: <https://mirror.ctan.org/graphics/pstricks/contrib/pst-tvz>
  - *The twoup-gen package. Macros to print two-up*. 2020-05-09. Version 1.3a. LICENSE: lpl  
URL: <https://ctan.org/pkg/twoup-gen>  
MIRROR: <https://mirror.ctan.org/macros/generic/2up>
  - *The xcomment package. Allows selected environments to be included/excluded*. 2019-06-09. Version 1.3. LICENSE: lpl  
URL: <https://ctan.org/pkg/xcomment>  
MIRROR: <https://mirror.ctan.org/macros/generic/xcomment>
- Zandt, Timothy Van, Herbert Voß, Denis Girou, Sebastian Rahtz, and Niall Mansfield. *The fancyvrb package. Sophisticated verbatim text*. 2023-01-19. Version 4.5a. LICENSE: lpl1.3  
URL: <https://ctan.org/pkg/fancyvrb>  
MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fancyvrb>
- Zannarini, Emanuele and Mauro Sacchetto. *The l2tabu-italian package. Italian Translation of Obsolete packages and commands*. 2016-06-24. Version 2.3. LICENSE: other-free. Italian translation of the practical guide to L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> (a list of obsolete packages and commands).  
URL: <https://ctan.org/pkg/l2tabu-italian>  
MIRROR: <https://mirror.ctan.org/info/l2tabu/italian>
- Zaretskii, Eli. *The djgpp package. DJGPP-based version of T<sub>E</sub>X for MS-DOS*. 2019-09-12. LICENSE: noinfo  
URL: <https://ctan.org/pkg/djgpp>  
MIRROR: <https://mirror.ctan.org/systems/msdos/djgpp>

- Zaslavsky, David. *The physymb package. Assorted macros for Physicists*. 2016-06-24. Version 0.3. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/physymb>  
 MIRROR: <https://mirror.ctan.org/obsolete/macros/latex/contrib/physymb>
- Zavala, Roberto Alvarez. *The nahuatl package. Render nahuatl glyphs*. 2021-10-15. Version 0.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/nahuatl>  
 MIRROR: <https://mirror.ctan.org/fonts/nahuatl>
- Zedler, Michael and Michael Sharpe. *The FourierNC package. Use New Century Schoolbook text with Fourier maths fonts*. 2016-06-24. LICENSE: lppl. This package provides a L<sup>A</sup>T<sub>E</sub>X mathematics font setup for use with New Century Schoolbook text. In order to use it you need to have the fonts installed.  
 URL: <https://ctan.org/pkg/fouriernc>  
 MIRROR: <https://mirror.ctan.org/fonts/fouriernc>
- Zeman, Michal. *The fnspe package. Macros for supporting mainly students of FNSPE CTU in Prague*. 2017-09-20. Version 1.2a. LICENSE: lppl  
 URL: <https://ctan.org/pkg/fnspe>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fnspe>
- Zeng, Xiangdong. *The emoji package. Emoji support in (Lua)LaTeX*. 2021-07-17. Version 0.2.2. LICENSE: lppl1.3c. This package allows users to typeset emojis in L<sup>A</sup>T<sub>E</sub>X documents. It requires the LuaHBTeX engine, which can be called by since T<sub>E</sub>X Live 2020, or in T<sub>E</sub>X Live 2019.  
 URL: <https://ctan.org/pkg/emoji>  
 MIRROR: <https://mirror.ctan.org/macros/luatex/latex/emoji>
- Zeng, Xiangdong. *The fduthesis package. L<sup>A</sup>T<sub>E</sub>X thesis template for Fudan University*. 2023-05-27. Version 0.9a. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fduthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fduthesis>
- *The firamath package. Fira sans serif font with Unicode math support*. 2020-10-15. Version 0.3.4. LICENSE: ofl. Fira Math is a sans-serif font with Unicode math support. The design of this font is based on and . Fira Math is distributed in OpenType format and can be used with the package under X<sub>Y</sub>L<sup>A</sup>T<sub>E</sub>X or LuaLaTeX. More support is offered by the package.  
 URL: <https://ctan.org/pkg/firamath>  
 MIRROR: <https://mirror.ctan.org/fonts/firamath>
  - *The noto-emoji package. Noto Emoji fonts*. 2022-03-22. Version 2.034. LICENSE: ofl  
 URL: <https://ctan.org/pkg/noto-emoji>  
 MIRROR: <https://mirror.ctan.org/fonts/noto-emoji>
  - *The twemoji-colr package. Twemoji font in COLR/CPAL layered format*. 2022-10-28. Version 0.7.0. LICENSE: cc-by-sa-4,apache2. This is a COLR/CPAL-based color OpenType font from the collection of emoji images.  
 URL: <https://ctan.org/pkg/twemoji-colr>  
 MIRROR: <https://mirror.ctan.org/fonts/twemoji-colr>
  - *The zhlipsum package. Chinese dummy text*. 2020-04-26. Version 1.2.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/zhlipsum>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/zhlipsum>
- Zhang, Gary. *The chs-physics-report package. Physics lab reports for Carmel High School*. 2018-09-06. LICENSE: pd,cc-by-sa-3  
 URL: <https://ctan.org/pkg/chs-physics-report>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/chs-physics-report>
- Zhang, Linbo, Wenchang Sun, and Qing Lee. *The cjkpunct package. Adjust locations and kerning of CJK punctuation marks*. 2019-03-02. Version 4.8.4. LICENSE: lppl1.3. The package serves as a companion package for .  
 URL: <https://ctan.org/pkg/cjkpunct>  
 MIRROR: <https://mirror.ctan.org/language/chinese/cjkpunct>
- Zhang, Ruixi. *The lstfiracode package. Use Fira Code font for listings*. 2018-12-24. Version 0.1c. LICENSE: lppl1.3c. The package defines for the use with the package. This style contains almost all ligatures in Nikita Prokopov's family of fonts.  
 URL: <https://ctan.org/pkg/lstfiracode>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lstfiracode>
- *The zhlineskip package. Line spacing for CJK documents*. 2019-05-16. Version 1.0e. LICENSE: lppl1.3c. This package supports typesetting CJK documents. It allows users to specify the two ratios between the leading and the font size of the body text and the footnote text. For CJK typesetting, these ratios usually range from 1.5 to 1.67. This package is also capable of restoring the math leading to that of the Latin text (usually 1.2 times the font size). Finally, it is possible to achieve the style using .  
 URL: <https://ctan.org/pkg/zhlineskip>  
 MIRROR: <https://mirror.ctan.org/language/chinese/zhlineskip>



- Zhang, Shenxing. *The HFUTExam package. Exam class for Hefei University of Technology (China)*. 2023-03-22. Version 1.8. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/hfutexam>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/hfutexam>
- Zhang, Taihao. *The lectureslides package. Combine single PDF files into one file*. 2022-03-08. Version 1.0. LICENSE: cc-by-4  
 URL: <https://ctan.org/pkg/lectureslides>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lectureslides>
- Zhang, Tingxuan. *The fixdif package. Macros for typesetting differential operators*. 2023-03-20. Version 2.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/fixdif>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/fixdif>
- *The pangram package. A L<sup>A</sup>T<sub>E</sub>X package for testing fonts*. 2023-03-02. Version 0.0c. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/pangram>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/pangram>
  - *The physics2 package. Macros for typesetting maths faster and more simply*. 2023-04-02. Version 0.2.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/physics2>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/physics2>
  - *The unimath-plain-xetex package. OpenType math support in (plain) XeTeX*. 2023-03-06. Version 0.2b. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/unimath-plain-xetex>  
 MIRROR: <https://mirror.ctan.org/macros/xetex/plain/unimath-plain-xetex>
- Zhang, Yue. *The fixjfm package. Fix JFM (for \*pTeX)*. 2022-07-20. Version 0.8. LICENSE: knuth  
 URL: <https://ctan.org/pkg/fixjfm>  
 MIRROR: <https://mirror.ctan.org/macros/jptex/generic/fixjfm>
- *The ifxptex package. Detect pTeX and its derivatives*. 2017-12-27. Version 0.2. LICENSE: knuth  
 URL: <https://ctan.org/pkg/ifxptex>  
 MIRROR: <https://mirror.ctan.org/macros/generic/ifxptex>
  - *The upzhkinsoku package. Supplementary Chinese kinsoku for Unicode \*pTeX*. 2018-04-07. Version 0.5. LICENSE: knuth  
 URL: <https://ctan.org/pkg/upzhkinsoku>  
 MIRROR: <https://mirror.ctan.org/macros/generic/upzhkinsoku>
- Zhao, Alick. *The beamerthemetamu package. A beamer theme for Texas A&M University*. 2023-06-29. Version 1.1. LICENSE: lppl1.3c,gpl2+  
 URL: <https://ctan.org/pkg/beamerthemetamu>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/beamer-contrib/themes/beamerthemetamu>
- Zhao, Feng. *The thucoursework package. Coursework template for Tsinghua University*. 2020-09-25. Version 2.6. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/thucoursework>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/thucoursework>
- Zhao, Yichen and Yu Xiong. *The njuthesis package. L<sup>A</sup>T<sub>E</sub>X thesis template for Nanjing University*. 2019-01-01. Version 1.3.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/njuthesis>  
 MIRROR: <https://mirror.ctan.org/macros/unicodetex/latex/njuthesis>
- Zhao, Yuansheng and Xiangdong Zeng. *The garamond-math package. An OTF math font matching EB Garamond*. 2022-01-03. LICENSE: ofl. Garamond-Math is an open type math font matching and . Many mathematical symbols are derived from other fonts, others are made from scratch. The metric is generated with a Python script. Issues, bug reports and other contributions are welcome.  
 URL: <https://ctan.org/pkg/garamond-math>  
 MIRROR: <https://mirror.ctan.org/fonts/garamond-math>
- Zheng, Wentao. *The metago package. MetaPost output of Go positions*. 2021-08-26. Version 0.9. LICENSE: lppl  
 URL: <https://ctan.org/pkg/metago>  
 MIRROR: <https://mirror.ctan.org/graphics/metapost/contrib/macros/metago>
- Zheng, Zangwei. *The NJUrepo package. Reports for Nanjing University*. 2019-03-20. Version 1.1.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/njurepo>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/njurepo>
- Zhennan, Li. *The CQUThesis package. L<sup>A</sup>T<sub>E</sub>X Thesis Template for Chongqing University*. 2020-06-23. Version 1.50. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cquthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/cquthesis>
- *The TeXProposal package. A proposal prototype for L<sup>A</sup>T<sub>E</sub>X promotion in Chinese universities*. 2018-01-06. Version 1.4. LICENSE: other-free  
 URL: <https://ctan.org/pkg/texproposal>  
 MIRROR: <https://mirror.ctan.org/info/texproposal>



- Zhenyu, Wu. *The njstthesis package*. Thesis template for the Nanjing University of Science and Technology. 2022-03-08. Version 0.0.1. LICENSE: gpl3+. This is a thesis template for the .  
 URL: <https://ctan.org/pkg/njustthesis>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/njustthesis>
- Zhenzhen, Hu. *The biblatex-gb7714-2015 package*. A Bib $\LaTeX$  implementation of the GBT7714-2015 bibliography style for Chinese users. 2023-05-25. Version 1.1n. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/biblatex-gb7714-2015>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/biblatex-contrib/biblatex-gb7714-2015>
- Zhiwei, Song. *The memory package*. Containers for data in  $\LaTeX$ . 2016-06-24. Version 1.2. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/memory>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/memory>
- Zhou, Fangyi. *The atendofenv package*. Add a custom symbol at the end of an environment. 2022-03-08. Version 0.2. LICENSE: pd  
 URL: <https://ctan.org/pkg/atendofenv>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/atendofenv>
- Zhou, Harry. *The notoCJKsc package*. This package provides Noto CJK fonts. 2021-09-11. Version 1.004. LICENSE: ofl  
 URL: <https://ctan.org/pkg/notocjksc>  
 MIRROR: <https://mirror.ctan.org/fonts/notocjksc>
- Zhytnikov, Vadim V. *The calrsfs package*. Copperplate calligraphic letters in  $\LaTeX$ . 2016-06-24. LICENSE: pd. Provides a maths interface to the fonts.  
 URL: <https://ctan.org/pkg/calrsfs>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/calrsfs>
- *The lhcyr package*. A non-standard Cyrillic input scheme. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/lhcyr>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/lhcyr>
- Ziegenhagen, Uwe. *The dtk-bibliography package*. Bibliography of “Die  $\TeX$ nische Komödie”. 2023-06-22. Version 2023-02. LICENSE: lpl1.3c  
 URL: <https://ctan.org/pkg/dtk-bibliography>  
 MIRROR: <https://mirror.ctan.org/info/dtk-bibliography>
- *The varsfromjobname package*. Extract variables from the name of the  $\LaTeX$  file. 2017-05-01. Version 1.0. LICENSE: lpl  
 URL: <https://ctan.org/pkg/varsfromjobname>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/varsfromjobname>
- Zigliotto, Francesco. *The labyrinth package*. Draw labyrinths and solution paths. 2016-06-24. Version 1.0. LICENSE: lpl  
 URL: <https://ctan.org/pkg/labyrinth>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/labyrinth>
- Zimmermann, Ingo, Herbert Voß, and Rolf Niepraschk. *The countriesofeuropa package*. A font with the images of the countries of Europe. 2019-10-03. Version 0.23. LICENSE: ofl,lpl  
 URL: <https://ctan.org/pkg/countriesofeuropa>  
 MIRROR: <https://mirror.ctan.org/fonts/countriesofeuropa>
- Zimmermann, Uwe. *The viking package*. Scandinavian runic alphabet as used by the Vikings. 2016-06-24. LICENSE: lpl  
 URL: <https://ctan.org/pkg/viking>  
 MIRROR: <https://mirror.ctan.org/fonts/archaic/viking>
- Zirin, Dan. *The toc-zar package*. Plain  $\TeX$  table of contents macros. 2020-08-29. LICENSE: noinfo. Stores table of contents information in a , and ships pages out of that as it fills up (producing pages with no page number).  
 URL: <https://ctan.org/pkg/toc-zar>  
 MIRROR: <https://mirror.ctan.org/macros/plain/contrib/misc/toc.tex>
- Živanović, Sašo. *The forest package*. Drawing (linguistic) trees. 2017-07-14. Version 2.1.5. LICENSE: lpl1.3  
 URL: <https://ctan.org/pkg/forest>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/forest>
- Zivković, Dejan. *The verbmnts package*. Syntax highlighting of source code in  $\LaTeX$  documents. 2016-06-24. Version 1.2. LICENSE: lpl1.2  
 URL: <https://ctan.org/pkg/verbments>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/verbments>
- Zlatuška, Jiří. *The accents-cs package*. Create a VF for the accents used in Czech/Slovak. 2016-06-24. Version 1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/accents-cs>  
 MIRROR: <https://mirror.ctan.org/support/accents>

- Zlatuška, Jiří, Zdeněk Wagner, and Jaroslav Snajdr. *The cslatex package. L<sup>A</sup>T<sub>E</sub>X support for Czech/Slovak typesetting*. 2017-04-18. LICENSE: gpl  
 URL: <https://ctan.org/pkg/cslatex>  
 MIRROR: <https://mirror.ctan.org/macros/cstex/base/cslatex.tar.gz>
- Znamenskii, Sergei V. and Boris Veytsman. *The cmslup package. Upright punctuation with CM slanted*. 2016-06-24. LICENSE: lppl  
 URL: <https://ctan.org/pkg/cmslup>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/cmslup>
- *The cmtiup package. Upright punctuation with CM italic*. 2017-10-29. Version 2.1. LICENSE: lppl1.3  
 URL: <https://ctan.org/pkg/cmtiup>  
 MIRROR: <https://mirror.ctan.org/fonts/cm/cmtiup>
- Zöllner, Benjamin. *The worksheet package. Easy creation of worksheets*. 2018-08-18. Version 1.1. LICENSE: lppl1.3c. This package provides macros and an environment for easy worksheet creation: Use the environment for formatting exercises in a simple, efficient design; typeset customized and automatically numbered worksheet titles in the same way as standard L<sup>A</sup>T<sub>E</sub>X titles (using ); provide course and author information with a based automated header; conforming to different languages. (Currently English, French, and German are supported.)  
 URL: <https://ctan.org/pkg/worksheet>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/worksheet>
- Zöllner, Erik. *The easyfloats package. An easier interface to insert figures, tables and other objects in L<sup>A</sup>T<sub>E</sub>X*. 2023-05-18. Version 1.0.0. LICENSE: lppl1.3. In standard L<sup>A</sup>T<sub>E</sub>X inserting objects like figures or tables requires too much knowledge for beginners and too much typing effort and hardcoding for people like me. This package aims to make insertion of figures and tables easier for both beginners and experts. Despite the term floats in it's name it also allows to disable floating of such objects.  
 URL: <https://ctan.org/pkg/easyfloats>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/easyfloats>
- Zoonekynd, Vincent. *The MetaPost examples package. Example drawings using MetaPost*. 2016-06-24. LICENSE: other-free  
 URL: <https://ctan.org/pkg/metapost-examples>  
 MIRROR: <https://mirror.ctan.org/info/metapost/examples>
- Zoonekynd, Vincent and José Romildo Malaquias. *The boites package. Boxes that may break across pages*. 2016-06-24. Version 1.1. LICENSE: gpl  
 URL: <https://ctan.org/pkg/boites>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/boites>
- Žubričić, Darko. *The croatian package. Fonts for Croatian Glagolitic and other Croatian scripts*. 2021-08-26. LICENSE: other-nonfree  
 URL: <https://ctan.org/pkg/croatian>  
 MIRROR: <https://mirror.ctan.org/language/croatian/fonts>
- Zucatelli, Fernando H. G. *The tikz-among-us package. Create some AmongUs characters in TikZ environments*. 2021-10-27. Version 1.2.0. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tikz-among-us>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-among-us>
- *The tikz-mirror-lens package. Spherical mirrors and lenses in TikZ*. 2023-01-09. Version 1.0.2. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/tikz-mirror-lens>  
 MIRROR: <https://mirror.ctan.org/graphics/pgf/contrib/tikz-mirror-lens>
- Zuijlen, Matijs van. *The synttree package. Typeset syntactic trees*. 2018-01-06. Version 1.4.2. LICENSE: lppl  
 URL: <https://ctan.org/pkg/synttree>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/synttree>
- Zwahlen, Cedric V. *The JavascriptHTTP package. Add buttons to a PDF to easily get and post web content*. 2023-06-24. Version 1.1. LICENSE: lppl1.3c  
 URL: <https://ctan.org/pkg/javascripthttp>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/javascripthttp>
- Zwols, Yori. *The shadowtext package. Produce text with a shadow behind it*. 2016-06-24. Version 0.3. LICENSE: lppl. The package introduces a command , which adds a drop shadow to the text that is given as its argument. The colour and positioning of the shadow are customisable.  
 URL: <https://ctan.org/pkg/shadowtext>  
 MIRROR: <https://mirror.ctan.org/macros/latex/contrib/shadowtext>
- Zydowitz, O. *The ftetx package. TeX support in FTE text editor*. 2016-06-24. Version 0.04. LICENSE: artistic. A T<sub>E</sub>X package for FTE (FTE = Folding Text Editor by Marko Macek) Adds a T<sub>E</sub>X menu system for FTE. Changes syntax highlighting for FTE's T<sub>E</sub>X-Mode. Runs T<sub>E</sub>X, dvi-drivers, ispell, etc., from FTE. Calls L<sup>A</sup>T<sub>E</sub>X help files from FTE. It is preconfigured for .

URL: <https://ctan.org/pkg/ftetx>

MIRROR: <https://mirror.ctan.org/systems/os2/ftetx/ftetx004.zip>

Zýka, Vít. *The semaphor package. Semaphore alphabet font*. 2016-06-24. LICENSE: gpl

URL: <https://ctan.org/pkg/semaphor>

MIRROR: <https://mirror.ctan.org/fonts/semaphor>