

The `academicons` package

High quality icons of online academic profiles

Diogo A. B. Fernandes* (L^AT_EX code)
James Walsh (font and icons design)

v1.9.0, released on 14 August 2020

Abstract

The `academicons` package provides specific (L^AT_EX) bindings with the free *Academicons* font, allowing access to 122 high quality icons of online academic profiles.

1 Description

The `academicons` package provides access in (L^AT_EX) to 122 high quality icons of online academic profiles included in the free *Academicons* font. This package requires either the X_E(L^AT_EX or Lua(L^AT_EX engine to load the *Academicons* font from the system, which requires installing the bundled `academicons.ttf` font file. As new releases come out, it is recommended to install the bundled font version as there may be differences between the package and previous font versions or newest font versions not yet contemplated in the package.

The *Academicons* font was designed by James Walsh and released¹ under the open SIL Open Font License². This package is a redistribution of the free *Academicons* font with specific bindings for (L^AT_EX). It is inspired and based on the `fontawesome`³ package.

2 Usage

`\aiicon` The `academicons` package provides the generic `\aiicon` command to access icons, which takes as mandatory argument the `<name>` of the desired icon. It also provides individual direct commands for each specific icon. The full list of icons and their respective names and direct commands can be found below. For example, `\aiicon{googlescholar}` yields the same result as `\aiGoogleScholar`.

* Email: diogoabfernandes@gmail.com

¹ See <http://jpswalsh.github.io/academicons/>.

² Available at <http://scripts.sil.org/OFL>.

³ Available at <http://www.ctan.org/pkg/fontawesome>.

2.1 Academicons Icons

Icon	Name (<code>(name)</code>)	Direct Command
	<code>academia</code>	<code>\aiAcademia</code>
	<code>academia-square</code>	<code>\aiAcademiaSquare</code>
	<code>acclaim</code>	<code>\aiAcclaim</code>
	<code>acclaim-square</code>	<code>\aiAcclaimSquare</code>
	<code>acm</code>	<code>\aiACM</code>
	<code>acm-square</code>	<code>\aiACMSquare</code>
	<code>acmdl</code>	<code>\aiACMDL</code>
	<code>acmdl-square</code>	<code>\aiACMDLSquare</code>
	<code>ads</code>	<code>\aiADS</code>
	<code>ads-square</code>	<code>\aiADSSquare</code>
	<code>africarxiv</code>	<code>\aiAfricArXiv</code>
	<code>africarxiv-square</code>	<code>\aiAfricArXivSquare</code>
	<code>arxiv</code>	<code>\aiarXiv</code>
	<code>arxiv-square</code>	<code>\aiarXivSquare</code>
	<code>biorxiv</code>	<code>\aiBioRxiv</code>
	<code>biorxiv-square</code>	<code>\aiBioRxivSquare</code>
	<code>ceur</code>	<code>\aiCEUR</code>
	<code>ceur-square</code>	<code>\aiCEURSquare</code>
	<code>ciencia-vitae</code>	<code>\aiCIENCIAVITAE</code>
	<code>ciencia-vitae-square</code>	<code>\aiCIENCIAVITAESquare</code>
	<code>conversation</code>	<code>\aiConversation</code>
	<code>conversation-square</code>	<code>\aiConversationSquare</code>
	<code>coursera</code>	<code>\aiCoursera</code>
	<code>coursera-square</code>	<code>\aiCourseraSquare</code>
	<code>crossref</code>	<code>\aiCrossref</code>
	<code>crossref-square</code>	<code>\aiCrossrefSquare</code>
	<code>cv</code>	<code>\aiCV</code>
	<code>cv-square</code>	<code>\aiCVSquare</code>
	<code>datacite</code>	<code>\aiDataCite</code>
	<code>datacite-square</code>	<code>\aiDataCiteSquare</code>
	<code>dataverse</code>	<code>\aiDataverse</code>
	<code>dataverse-square</code>	<code>\aiDataverseSquare</code>
	<code>dblp</code>	<code>\aidblp</code>
	<code>dblp-square</code>	<code>\aidblpSquare</code>
	<code>depsy</code>	<code>\aiDepsy</code>
	<code>depsy-square</code>	<code>\aiDepsySquare</code>
	<code>doi</code>	<code>\aiDoi</code>
	<code>doi-square</code>	<code>\aiDoiSquare</code>
	<code>dryad</code>	<code>\aiDryad</code>
	<code>dryad-square</code>	<code>\aiDryadSquare</code>
	<code>elsevier</code>	<code>\aiElsevier</code>
	<code>elsevier-square</code>	<code>\aiElsevierSquare</code>

Icon	Name (<i>(name)</i>)	Direct Command
ⓘ	<i>ideas-repec</i>	\aiIDEASRePEC
ⓘ	<i>ideas-repec-square</i>	\aiIDEASRePEcSquare
ⓘ	<i>figshare</i>	\aiFigshare
ⓘ	<i>figshare-square</i>	\aiFigshareSquare
ⓘ	<i>googlescholar</i>	\aiGoogleScholar
ⓘ	<i>googlescholar-square</i>	\aiGoogleScholarSquare
ⓘ	<i>hal</i>	\aiHAL
ⓘ	<i>hal-square</i>	\aiHALSquare
ⓘ	<i>ieee</i>	\aiIEEE
ⓘ	<i>ieee-square</i>	\aiIEEESquare
ⓘ	<i>impactstory</i>	\aiImpactstory
ⓘ	<i>impactstory-square</i>	\aiImpactstorySquare
ⓘ	<i>inaturalist</i>	\aiiNaturalist
ⓘ	<i>inaturalist-square</i>	\aiiNaturalistSquare
ⓘ	<i>inpn</i>	\aiINPN
ⓘ	<i>inpn-square</i>	\aiINPNSquare
ⓘ	<i>inspire</i>	\aiInspire
ⓘ	<i>inspire-square</i>	\aiInspireSquare
ⓘ	<i>isidore</i>	\aiISIDORE
ⓘ	<i>isidore-square</i>	\aiISIDORESquare
ⓘ	<i>jstor</i>	\aiJSTOR
ⓘ	<i>jstor-square</i>	\aiJSTORSquare
ⓘ	<i>lattes</i>	\aiLattes
ⓘ	<i>lattes-square</i>	\aiLattesSquare
ⓘ	<i>mathoverflow</i>	\aiMathOverflow
ⓘ	<i>mathoverflow-square</i>	\aiMathOverflowSquare
ⓘ	<i>mendeley</i>	\aiMendeley
ⓘ	<i>mendeley-square</i>	\aiMendeleySquare
ⓘ	<i>moodle</i>	\aiMoodle
ⓘ	<i>moodle-square</i>	\aiMoodleSquare
ⓘ	<i>nakala</i>	\aiNAKALA
ⓘ	<i>nakala-square</i>	\aiNAKALASquare
ⓘ	<i>closed-access</i>	\aiClosedAccess
ⓘ	<i>closed-access-square</i>	\aiClosedAccessSquare
ⓘ	<i>open-access</i>	\aiOpenAccess
ⓘ	<i>open-access-square</i>	\aiOpenAccessSquare
ⓘ	<i>open-data</i>	\aiOpenData
ⓘ	<i>open-data-square</i>	\aiOpenDataSquare
ⓘ	<i>open-materials</i>	\aiOpenMaterials
ⓘ	<i>open-materials-square</i>	\aiOpenMaterialsSquare
ⓘ	<i>openedition</i>	\aiOpenEdition
ⓘ	<i>openedition-square</i>	\aiOpenEditionSquare
ⓘ	<i>orcid</i>	\aiOrcid
ⓘ	<i>orcid-square</i>	\aiOrcidSquare

Icon	Name (<i>(name)</i>)	Direct Command
❖	<i>osf</i>	\aiOSF
❖	<i>osf-square</i>	\aiOSFSquare
❖	<i>overleaf</i>	\aiOverleaf
❖	<i>overleaf-square</i>	\aiOverleafSquare
❖	<i>philpapers</i>	\aiPhilPapers
❖	<i>philpapers-square</i>	\aiPhilPapersSquare
❖	<i>piazza</i>	\aiPiazza
❖	<i>piazza-square</i>	\aiPiazzaSquare
✓	<i>preregistered</i>	\aiPreregistered
✓	<i>preregistered-square</i>	\aiPreregisteredSquare
❖	<i>protocols</i>	\aiProtocols
❖	<i>protocols-square</i>	\aiProtocolsSquare
❖	<i>psyarxiv</i>	\aiPsyArXiv
❖	<i>psyarxiv-square</i>	\aiPsyArXivSquare
❖	<i>publons</i>	\aiPublons
❖	<i>publons-square</i>	\aiPublonsSquare
❖	<i>pubmed</i>	\aiPubMed
❖	<i>pubmed-square</i>	\aiPubMedSquare
❖	<i>pubpeer</i>	\aiPubPeer
❖	<i>pubpeer-square</i>	\aiPubPeerSquare
R	<i>researcherid</i>	\aiResearcherID
R	<i>researcherid-square</i>	\aiResearcherIDSquare
R ^g	<i>researchgate</i>	\aiResearchGate
R ^g	<i>researchgate-square</i>	\aiResearchGateSquare
Ψ	<i>scirate</i>	\aiSciRate
Ψ	<i>scirate-square</i>	\aiSciRateSquare
❖	<i>semantic-scholar</i>	\aiSemanticScholar
❖	<i>semantic-scholar-square</i>	\aiSemanticScholarSquare
❖	<i>springer</i>	\aiSpringer
❖	<i>springer-square</i>	\aiSpringerSquare
SSRN	<i>ssrn</i>	\aiSSRN
SSRN	<i>ssrn-square</i>	\aiSSRNSquare
❖	<i>stackoverflow</i>	\aiStackOverflow
❖	<i>stackoverflow-square</i>	\aiStackOverflowSquare
Z	<i>zotero</i>	\aiZotero
Z	<i>zotero-square</i>	\aiZoteroSquare

3 Change History

v1.4.0

General: First public release
(version number set to match

the included `academicons.ttf`
font version). 1

v1.4.0-1		v1.8.0-1	
General: Fix release: corrected a few typos and errors in the manual.	1	General: Enhancement release: adjusted \newfontfamily to account for the font installed via tlmgr.	1
v1.6.0		v1.8.3	
General: Major release of v1.6.0. . .	1	General: Release of v1.8.3.	1
v1.6.0-1		v1.8.6	
General: Better documentation. . .	1	General: Release of v1.8.6.	1
v1.7.0		v1.8.6-1	
General: Major release of v1.7.0. . .	1	General: Removed fontspec dependency.	1
v1.7.1		v1.8.6-2	
General: Fix release: corrected a bug in the style file.	1	General: Fixed bugs in a few icon commands.	1
v1.7.2		v1.9.0	
General: Fix release: corrected a bug in the style file.	1	General: Release of v1.9.0.	1
v1.8.0			
General: Major release of v1.8.0. . .	1		