

arsenal— \LaTeX support of Arsenal fonts by Andrij Shevchenko

Boris Veytsman*

v0.1, 2023-09-03

Abstract

Arsenal is the font created by Andrij Shevchenko. It won Ukrainian Type Design Competition ‘Mystetsky Arsenal’ in 2011. This package provides \LaTeX support for it and matching math fonts.

Contents

1	User manual	1
1.1	Introduction	1
1.2	Package options	2
1.3	Font features	2
1.4	Special symbols in text	2
2	Implementation	3
2.1	Setting up	3
2.2	Options	3
2.3	Setting up font	4
2.4	Math	5

1 User manual

1.1 Introduction

In 2011 the Ukrainian Type Design Competition “Mystetsky Arsenal” (<http://www.ukrainian-type.com/about/>) was won by the font by Andrij Shevchenko. The competition was aimed at the creation of a modern practical font based on Ukrainian traditions. The winner is remarkable for its clarity and clean shapes.

Later the font was extended by Alexei Vanyashin & cyreal.org, Nhung Nguyen, and Marc Foley (see <https://github.com/alexeiva/Arsenal>). The font now supports a large number of languages with Latin and Cyrillic alphabet, it has real small caps, historic forms, swash capitals and many other features.

This package provides \LaTeX interface for the font and optionally math support.

Since the font is in OTF format, you do need a Unicode engine like $\text{Xe}\text{\TeX}$ or $\text{Lua}\text{\TeX}$ to use it.

*borisv@lk.net, boris@varphi.com

1.2 Package options

<code>default</code>	The options for the package use the key-value interface. The part <code>=true</code> for the boolean options can be dropped.
<code>sfdefault</code>	
<code>math</code>	The following options are recognized:
<code>scale</code>	
<code>Scale</code>	<code>default</code> whether to make Arsenal the main font of the document, either <code>true</code> (the default) or <code>false</code> .
<code>sfdefault</code>	<code>whether to make Arsenal the sans serif font of your document, either <code>true</code> or <code>false</code> (the default).</code>
<code>math</code>	<code>whether to enable math support. The currently recognized options are <code>none</code>, <code>kpsans</code>, and <code>iwona</code>. The default depends on whether Arsenal is your main font: it is <code>iwona</code> if yes, and <code>none</code> otherwise. If <code>iwona</code> is selected, we use <code>iwonamath</code> [Veytsman, 2023]. If <code>kpsans</code> is selected, we use OTF version of KpSans fonts [Flipo, 2023].</code>
<code>scale</code>	<code>the scale for the font, by default 0.89. The option <code>Scale</code> is a synonym.</code>

1.3 Font features

<code>\arsenalfamily</code>	<code>\arsenalfamily {text}</code>
<code>\textarsenal</code>	<code>\textarsenal{<text>}</code>

The font provides the commands `\arsenalfamily` and `\textarsenal` for selecting the font. Alternatively, the NFSS commands `\fontfamily{arsenal}\selectfont` can be used to select Arsenal family.

The font has normal and *italic* shapes, as well as bolded **bold** and **bold italic**. It has **SMALL CAPS**, **ITALIC**, **SMALL CAPS**, **BOLD SMALL CAPS** and **BOLD ITALIC SMALL CAPS**. They are selected by the standard \TeX commands.

<code>\swshape</code>	The font has Swash shape, selected by the commands <code>\swshape</code> and <code>\textsw</code> . There are both normal and bold versions: S^{WASH} , Bold S^{WASH} . Moreover, there is an italic version S^{WASH} , Bold S^{WASH} , and even a small caps version S^{WASH} , BOLD S^{WASH} .
-----------------------	--

The font has other features, such are two alternate forms and historic style. They can be selected by the `fontspec` [Robertson and The \TeX Project Team, 2022] commands like `\addfontfeatures{Style=Historic}` or `\addfontfeatures{Alternate=1}`.

1.4 Special symbols in text

<code>\texthrvnia</code>	The font has common currency characters, like <code>\textdollar</code> (\$), <code>\textyen</code> (¥), <code>\textsterling</code>
<code>\texttugrik</code>	<code>\texteuro</code> (€). It also defines several less common currency characters: <code>\texthrvnia</code> (đ),
<code>\texttengen</code>	<code>\texttugrik</code> (฿), <code>\texttengen</code> (₺), <code>\texttruble</code> (₽).
<code>\texttruble</code>	

<code>\textaldine</code>	The font has <code>\textnumero</code> sign: Nº. It also defines some less common characters: <code>\textaldine</code> (֍),
<code>\textsmilewhite</code>	<code>\textsmilewhite</code> (֍) <code>\textsmileblack</code> (֍).
<code>\textsmileblack</code>	

2 Implementation

2.1 Setting up

First, we declare who we are:

```
1 <@@=arsenal>
2 <*package>
3 \ProvidesExplPackage {arsenal}
4 {2023-09-03} {0.1}
5 {Arsenal font by Andrij Shevchenko}
```

2.2 Options

```
default
sfdefault 6 \tl_new:N \l__arsenal_math_tl
math      7 \keys_define:nn {arsenal}
scale     8 {
  Scale   9   default .bool_set:N = \l__arsenal_default_bool,
10   default .default:n = true,
11   sfdefault .bool_set:N = \l__arsenal_sfdefault_bool,
12   sfdefault .default:n = true,
\l__arsenal_default_bool
13   math .choices:nn = {none, kpsans, iwona}
14   {\tl_set_eq:NN \l__arsenal_math_tl \l_keys_choice_tl },
15   scale .tl_set:N = \l__arsenal_scale_tl,
16   Scale .tl_set:N = \l__arsenal_scale_tl,
17 }
18 \keys_set:nn { arsenal }
19 {
20   default=true,
21   sfdefault = false,
22   scale = 0.89,
23 }
24 \tl_clear:N \l__arsenal_math_tl
```

(End of definition for `default` and others. These variables are documented on page 2.)

Processing options

```
25 \IfFormatAtLeastTF { 2022-06-01 }
26   { \ProcessKeyOptions [ arsenal ] }
27   {
28     \RequirePackage { l3keys2e }
29     \ProcessKeysOptions { arsenal }
30 }
```

And setting up math

```
31 \tl_if_empty:NT \l__arsenal_math_tl
32 {
33   \bool_if:NTF \l__arsenal_default_bool
34   {
35     \tl_set:Nn \l__arsenal_math_tl {iwona}
36   }
37   {
38     \tl_set:Nn \l__arsenal_math_tl {none}
39   }
40 }
```

2.3 Setting up font

```
41 \RequirePackage{fontspec}
42 \newfontfamily\arsenalfamily{Arsenal-Regular.otf}
43 [
44   NFSSFamily=arsenal,
45   Ligatures=TeX,
46   Scale=\l_arsenal_scale_t1,
47   ItalicFont = Arsenal-Italic.otf,
48   BoldFont = Arsenal-Bold.otf,
49   BoldItalicFont = Arsenal-BoldItalic.otf,
50   SwashFont = Arsenal-Regular.otf,
51   SwashFeatures={Style=Swash},
52   BoldSwashFont = Arsenal-Bold.otf,
53   BoldSwashFeatures={Style=Swash},
54   FontFace = {m}{itsw}{Font = Arsenal-Italic.otf, Style=Swash},
55   FontFace = {b}{itsw}{Font = Arsenal-BoldItalic.otf, Style=Swash},
56 ]
      Checking whether we want the font to be default
57 \bool_if:NT \l_arsenal_default_bool
58 {
59   \renewcommand\rmdefault{arsenal}
60 }
61
62 \bool_if:NT \l_arsenal_sfdefault_bool
63 {
64   \renewcommand\sfdefault{arsenal}
65 }

\textrarsenal
66 \DeclareTextFontCommand{\textrarsenal}{\arsenalfamily}
(End of definition for \textrarsenal. This function is documented on page 2.)
      Swash changing rules
67 \DeclareFontShapeChangeRule {sw}{it} {itsw} {it}
68 \DeclareFontShapeChangeRule {it}{sw} {itsw} {sw}
      Special characters, absent in the default

\textrhryvnia Currency symbols
\textrtugrik 69 \DeclareUnicodeSymbol{\textrhryvnia} {"20B4}
\textrtengue 70 \DeclareUnicodeSymbol{\textrtugrik} {"20AE}
\textrtruble 71 \DeclareUnicodeSymbol{\textrtengue} {"20B8}
72 \DeclareUnicodeSymbol{\textrtruble} {"20BD}
(End of definition for \textrhryvnia and others. These functions are documented on page 2.)

\textraldine Other symbols
\textrsmilewhite 73 \DeclareUnicodeSymbol{\textraldine} {"2767}
\textrsmileblack 74 \DeclareUnicodeSymbol{\textrsmilewhite} {"263A}
75 \DeclareUnicodeSymbol{\textrsmileblack} {"263B}
(End of definition for \textraldine, \textrsmilewhite, and \textrsmileblack. These functions are documented on page 2.)
```

2.4 Math

Iwona is simple...

```
76 \tl_new:N \l__arsenal_tmp_tl
77 \tl_if_eq:NnT \l__arsenal_math_tl {iwona}
78 {
79   \tl_set:Nn \l__arsenal_tmp_tl {\fp_to_tl:n {\l__arsenal_scale_tl * 1.1}}
80   \RequirePackage[Scale=\l__arsenal_tmp_tl, condensed, light]{iwonamath}
81 }
```

Now kpsans. Mostly from [Flipo, 2023].

```
82 \tl_if_eq:NnT \l__arsenal_math_tl {kpsans}
83 {
84   \tl_set:Ne \l__arsenal_tmp_tl {\fp_to_tl:n {\l__arsenal_scale_tl * 1.1}}
85   \RequirePackage[symbols]{kpfonts-otf}
86   \setmathfont{KpMath-Sans.otf}[
87     Scale=\l__arsenal_tmp_tl,
88     BoldFont=KpMath-SansBold.otf]
89
90   \setmathfont{KpMath-Sans.otf}[
91     range={cal,bfcal},
92     RawFeature=+ss01,
93     Scale=\l__arsenal_tmp_tl,
94     BoldFont=KpMath-SansBold.otf]
95
96 }
97 </package>
```

References

Daniel Flipo. *The kpfonts-otf package*, 2023. URL <https://ctan.org/pkg/kpfonts-otf>.

Will Robertson and The L^AT_EX Project Team. *The fontspec package*, 2022. URL <https://ctan.org/pkg/fontspec>.

Boris Veytsman. *The iwonamath package*, 2023. URL <https://ctan.org/pkg/iwonamath>.

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A	B
arsenal internal commands:	bool commands:
\l__arsenal_default_bool <u>6</u> , <u>33</u> , <u>57</u>	\bool_if:NTF <u>33</u> , <u>57</u> , <u>62</u>
\l__arsenal_math_tl <u>6</u> , <u>31</u> , <u>35</u> , <u>38</u> , <u>77</u> , <u>82</u>	
\l__arsenal_scale_tl <u>6</u> , <u>46</u> , <u>79</u> , <u>84</u>	\DeclareFontShapeChangeRule <u>67</u> , <u>68</u>
\l__arsenal_sfdefault_bool <u>6</u> , <u>62</u>	\DeclareTextFontCommand <u>66</u>
\l__arsenal_tmp_tl <u>76</u> , <u>79</u> , <u>80</u> , <u>84</u> , <u>87</u> , <u>93</u>	\DeclareUnicodeSymbol <u>69</u> , <u>70</u> , <u>71</u> , <u>72</u> , <u>73</u> , <u>74</u> , <u>75</u>
\arsenalfamily <u>2</u> , <u>42</u> , <u>66</u>	default <u>2</u> , <u>6</u>

F <code>\fontfamily</code> 2 fp commands: <code>\fp_to_tl:n</code> 79, 84 I <code>\IfFormatAtLeastTF</code> 25	T <code>scale</code> 2, 6 <code>\selectfont</code> 2 <code>\setmathfont</code> 86, 90 <code>\sfdefault</code> 64 <code>\sfdefault</code> 2, 6 <code>\swshape</code> 2	
K keys commands: <code>\l_keys_choice_tl</code> 14 <code>\keys_define:nn</code> 7 <code>\keys_set:nn</code> 18 M <code>math</code> 2, 6	T <code>\textaldine</code> 2, 73 <code>\textarsenal</code> 2, 66 <code>\textdollar</code> 2 <code>\texteuro</code> 2 <code>\texthryvnia</code> 2, 69 <code>\textnumero</code> 2 <code>\textruble</code> 2, 69 <code>\textsmileblack</code> 2, 73 <code>\textsmilewhite</code> 2, 73 <code>\textsterling</code> 2 <code>\textsw</code> 2 <code>\texttengen</code> 2, 69 <code>\texttugrik</code> 2, 69 <code>\textyen</code> 2	
N <code>\newfontfamily</code> 42 P <code>\ProcessKeyOptions</code> 26 <code>\ProcessKeysOptions</code> 29 <code>\ProvidesExplPackage</code> 3	R <code>\renewcommand</code> 59, 64 <code>\RequirePackage</code> 28, 41, 80, 85 <code>\rmdefault</code> 59 S <code>Scale</code> 2, 6	Tl commands: <code>\tl_clear:N</code> 24 <code>\tl_if_empty:NTF</code> 31 <code>\tl_if_eq:NnTF</code> 77, 82 <code>\tl_new:N</code> 6, 76 <code>\tl_set:Nn</code> 35, 38, 79, 84 <code>\tl_set_eq:NN</code> 14