

# 1 Introduction: logix 2021-07-28 v1.10

The logix package provides the logix Unicode font and must be used either with `Lua $\text{\TeX}$`  or `X $\text{\TeX}$` . There are no available options. The Logix font contains supplemental symbols for logic and mathematics, most of which are not found in Unicode. All of the symbols, with the exception of those in the Latin-1 code space, are in Unicode's Private Use Area. This package does not replace either the text font or the math font but may be used to replace the monospace font.

The logix package includes, in turn, the iftex, mathtools, unicode-math and arydshln packages. The unicode-math package is passed the “bold-style=ISO” parameter and includes the fontspec package. The arydshln package conflicts with several packages. Known conflicts are the array, longtable, colortab and colortbl packages, all of which must be loaded before the logix package when they are used. The *AMS* STIX2 fonts may be included prior to the logix package, provided that the unicode-math package is loaded first. This package does not require the use of other Unicode fonts. Typical use of the logix package in a  $\text{\TeX}$  source file is:

```
\usepackage{array} % Optional, only if otherwise required.  
  
\usepackage{logix}  
\setmainfont{STIX Two Text}  
\setmathfont{STIX Two Math}
```

The metrics for the Logix font are identical to the STIX2 mathematical font and the symbols in the Logix font are designed to be compatible with the STIX2 mathematical font, but may be used with any other mathematical font. More than 3,000 symbols are exported from the font (of which around 1,000 are for “stretchy” delimiters), but the font contains over 4,000 symbols. Those not exported are usually variants or are experimental symbols. For example, when the triple turnstiles were added, 32 new symbols were added to the font, but only 4 were exported. The Logix font may also be used for monospace listings limited to the Latin-1 codepage (with a smattering of additional symbols).

Should you wish to use a non-exported symbol, please contact the author with a quick explanation of your use (so a reasonable name can be assigned) and, as the author's time permits, the requested symbol can be exported (once a name has been assigned, the requestor can then make a quick patch to their logix.sty file for immediate usage). Symbol names in the font file are the same as the  $\text{\TeX}$  macro for the symbol with the exception of the Basic Latin code page since those names potentially conflict with existing  $\text{\TeX}$  names. Otherwise, if a symbol does not have a name, then it is not exported.

Should you want an entirely new symbol, that is also possible — but may take more time depending on difficulty and available time. Of course, petitioning the gatekeepers of Unicode to add any of the symbols here which are not in Unicode and have been used in publication is possible, but time-consuming. No assurances are made about the Unicode codepoint (or even font file) for any symbol in the font. Those may change with updates to this package. Use the provided macro names and not the Unicode codepoints.

The international organizations that maintain Unicode and ISO 10646 live in time frames more appropriate to watching trees grow than users' time frames. This font allows a more rapid response, permitting new symbols to be added simply because someone wants to try one out. That is entirely how this font came into existence, the author found that Unicode simply did not have enough arrows for use in logic and what was there was poorly designed for the purpose and inconsistent to boot. Many non-exported symbols are variants on arrows or ordering operators.

Formal logic expressions differ from mathematical expressions in several ways. First, layout is typically linear rather than the more complex two-dimensional layout more often found in mathematical expressions. Next, most logical operators tend to occur between lower case alphabetic symbols, so many operators for mathematics are too large or their center is too high. Finally, delimiters used for mathematical expressions are typically neither tall enough or deep enough for good readability. Thus, many operators which have a good appearance in mathematical expressions are not as appropriate for logical expressions.

Symbols that are also in Unicode are typically glyph variants designed to better accommodate formal logic expressions. These may occur in the same document as the mathematical variants, and so are not assigned the Unicode codepoints of the mathematical variants.

This package provides 35 stretchy delimiters, each of which has a left and right variant. There is also a stretchy binding bar, commonly used with set notation. Of those 35 delimiters, 4 are only stretchy up to a point (5 times original height). All of the remaining delimiters may be of arbitrary size. At this time, there are no horizontal stretchy operators. However, the function arrow and the logic arrows have four available lengths. If `\Delim` is a stretchy symbol, then `\DelimX` (where X is A–L or A–P) are explicit larger sizes of `\Delim`. Additionally, `\DelimS` is automatically stretchy, so the use of `\left`, `\middle` or `\right` is not necessary. In the case of `\middle`, a `\left` and `\right` are still required in the expression as long as "Opn" delimiters are on the left, "Cls" delimiters are on the right and the binding bar is in the middle.

A large set of arrows is provided for potential function variants. Arrows are provided to distinguish between 8 types of logic. The distinctions are largely for naming purposes, since there is no real consensus for their use — although some are most frequently associated with classical logic. Various flavors of turnstiles (and their negations) are also provided. There is more of a consensus for their usage although the author has only seen a few publications with the very useful sequent (`\Seq`) symbol. Additional arrows are provided as an alternative to the slash typically used for replacement in quantification and arrows are provided for shift operators.

Many basic logic symbols are provided (including some experimental) along with a small collection of punctuation symbols. Operators for choice, least and greatest fixed points are provided. A number of modal operators are provided, but are by no means comprehensive. As with arrows, modal operators are frequently reused so names are merely suggestive and convenient. There are many other geometric symbols which are suitable for, and often have been used for, other modal operators. Explicit names for some of those could be provided. For the basic geometric shapes: circle, square, diamond and triangles and for both black and white variants, explicitly sized symbols are provided ranging from 0.2 em to 1.0em in 0.1 em increments. Operators are provided to work with "bunches" which are like lists or sets but without the packaging. Ordering operators (and their negations) are provided — however there are additional ordering operators not exported.

## 2 Scripts

Often in logic, it is desirable to distinguish different types using script variants. Unicode is lacking in this area — it does not always provide either all symbols for a script (e.g. missing digits) or all variants for a script (e.g. normal, oblique, bold and bold oblique). Slab serif scripts are not provided by Unicode at all. To alleviate this, 21 supplemental scripts are provided. None of these scripts are intended to replace the scripts used in normal mathematical practice. These scripts contain only digits and letters. Since these are largely used as single letters, for numbers or for very short words, kerning is not implemented at this time (with a very minor exception for a few delimiters and lower case letters).

Each script is identified by three letters. The first two letters provide the major classification of the font and the case of the first letter combined with the last letter provides the script variation. If the first letter is lower case, then the script has a normal weight and if the first letter is upper case then the script has a heavier weight (bold). If the last letter is 'u' then the script is upright and if it is 'i' then the script is oblique.

sa	Sans serif	sau, sai, Sau, Sai	bl	Blackboard	blu
sl	Slab serif	slu, sli, Slu, Sli	fr	Fraktur	fru, Fru
sr	Normal serif	sru, sri, Sru, Sri	mn	Monospace	mnu, mni
cl	Calligraphic	cli, Cli	gr	Greek	gru, gri

There is a macro defined for each script and each digit or letter, where the name of the macro is the 3-character identifier of the script, as defined above, followed by the name of the digit (zero, one, two, three, four, five, six, seven, eight or nine) or by the name of the letter (a–z or A–Z). Greek scripts do not have digits, and the name of the letter is used instead (e.g. alpha, beta, ...). For example, `\SluX` is a slab serif, bold upper case ‘**X**’.

There is a special script variant “Knt” which is the same as the “mni” script, except that it is raised above the normal baseline. It is intended for use with the Knt symbols.

Each of the scripts has a `\symXxx` and a `\mathXxx` macro with the exception of the special Knt script. Some scripts have a synonym for the `\symXxx` macro (and for the individual macros whose prefixes have title case to avoid conflicts) to accommodate expected use in logic. For example, `\symsau{p}` could also be written as `\saup`, as `\prop{p}` or as `\Prop{p}`. The scripts provided, and their macros, are:

Sans serif font	<code>sau</code>	<code>\symsau</code>	<code>\mathsau</code>	<code>\prop</code>
Sans serif, oblique font	<code>sai</code>	<code>\symsai</code>	<code>\mathsai</code>	<code>\propi</code>
Sans serif, bold font	<code>Sau</code>	<code>\symSau</code>	<code>\mathSau</code>	<code>\meta</code>
Sans serif, bold, oblique font	<code>Sai</code>	<code>\symSai</code>	<code>\mathSai</code>	<code>\metai</code>
Slab serif font	<code>slu</code>	<code>\symslu</code>	<code>\mathslu</code>	<code>\bnch</code>
Slab serif, oblique font	<code>sli</code>	<code>\symsli</code>	<code>\mathsli</code>	<code>\bnchi</code>
Slab serif, bold font	<code>Slu</code>	<code>\symSlu</code>	<code>\mathSlu</code>	<code>\bnchb</code>
Slab serif, bold, oblique font	<code>Sli</code>	<code>\symSli</code>	<code>\mathSli</code>	<code>\bnchbi</code>
Normal serif font	<code>sru</code>	<code>\symsru</code>	<code>\mathsru</code>	<code>\vrbl</code>
Normal serif, italic font	<code>sri</code>	<code>\symsri</code>	<code>\mathsri</code>	<code>\vrbli</code>
Normal serif, bold font	<code>Sru</code>	<code>\symSru</code>	<code>\mathSru</code>	<code>\vrblb</code>
Normal serif, bold, italic font	<code>Sri</code>	<code>\symSri</code>	<code>\mathSri</code>	<code>\vrbli</code>
Calligraphic font	<code>cli</code>	<code>\symcli</code>	<code>\mathcli</code>	<code>\vrbcl</code>
Calligraphic bold font	<code>Cli</code>	<code>\symCli</code>	<code>\mathCli</code>	<code>\vrbclC</code>
Fraktur font	<code>fru</code>	<code>\symfru</code>	<code>\mathfru</code>	<code>\vrblf</code>
Fraktur bold font	<code>Fru</code>	<code>\symFru</code>	<code>\mathFru</code>	<code>\vrbLF</code>
Monospace font	<code>mnu</code>	<code>\symmnu</code>	<code>\mathmnu</code>	<code>\mono</code>
Monospace italic, serif font	<code>mni</code>	<code>\symmni</code>	<code>\mathmni</code>	
Blackboard font	<code>blu</code>	<code>\symblu</code>	<code>\mathblu</code>	<code>\vrbld</code>
Greek font	<code>gru</code>	<code>\symgru</code>	<code>\mathgru</code>	
Greek, italic font	<code>gri</code>	<code>\symgri</code>	<code>\mathgri</code>	

### 3 Knot Symbols


An extensive set of drawing symbols is provided for drawing knots (as found in Knot Theory). The `\KnotGrid` environment is provided for this purpose. KnotGrid provides a grid (based on tabular, but the use of ampersand (&) separators is not required between grid cells). Each knot symbol has an exact width and height — most are  $1\text{em} \times 1\text{em}$ , but a few are half or quarter height or width. Every symbol (or symbols) in a grid cell must have the same height as all other knot symbols in the same row and same width as all other knot symbols in the same column. The KnotGrid environment has no options and is used as follows (this example has three rows and five columns):

```
\begin{KnotGrid}
  \KntLFC \KntTSN \KntHXSOSU \KntTSFN \KntTRSC \\
  \KntNF \KntHXSUSO \KntNN \KntRQC \KntNQ \KntRSN \\
  \KntLFC \KntBSN \KntHXSOSU \KntBSFN \KntRBSC \\
\end{KnotGrid}
```

which produces the following knot diagram for the Trefoil knot. Note that the second row, fourth column contains two symbols whose combined width satisfies the width constraints.



This example is the Square Knot using the Knt script for line labeling.





This example is a braid (typeset vertically) for a double of the left-handed Trefoil. The left and right columns are half width and the top and bottom rows are half height to achieve a slightly better appearance.

```
\begin{KnotGrid}
\KntBSFNF \KntBSNF \KntBSNF \KntBSNF \KntBSNF \KntBSFNF \\
\KntRSFNF \KntRSFN \KntRSFN \KntRSFN \KntRSFN \KntFF \\
\KntNF \KntVXSUS0 \KntNN \KntVXS0SU \KntRSN \KntNF \\
\KntRSNF \KntNN \KntVXS0SU \KntRSN \KntRSN \KntNF \\
\KntRSNF \KntNN \KntVXS0SU \KntRSN \KntRSN \KntNF \\
\KntNF \KntVXS0SU \KntNN \KntVXSUS0 \KntRSN \KntNF \\
\KntRSNF \KntNN \KntVXSUS0 \KntNN \KntVXS0SU \KntNF \\
\KntRSNF \KntRSN \KntNN \KntVXS0SU \KntRSN \KntNF \\
\KntRSNF \KntNN \KntVXS0SU \KntNN \KntVXSUS0 \KntNF \\
\KntNF \KntVXS0SU \KntRSN \KntNN \KntVXSUS0 \KntNF \\
\KntRSNF \KntNN \KntVXSUS0 \KntRSN \KntRSN \KntNF \\
\KntRSNF \KntNN \KntVXS0SU \KntRSN \KntRSN \KntNF \\
\KntNF \KntVXS0SU \KntRSN \KntRSN \KntRSN \KntNF \\
\KntRSNF \KntNN \KntVXSUS0 \KntRSN \KntRSN \KntNF \\
\KntRSNF \KntRSN \KntNN \KntVXS0SU \KntRSN \KntNF \\
\KntRSNF \KntRSN \KntNN \KntVXS0SU \KntRSN \KntNF \\
\KntRSNF \KntRSN \KntRSN \KntVXS0SU \KntRSN \KntFF \\
\KntTSFNF \KntTSNF \KntTSNF \KntTSNF \KntTSNF \KntTSFNF \\
\end{KnotGrid}
```

Which is typeset below.


A horizontal version is shown below.




This example is the  $9_6(L)$  knot.

```
\begin{KnotGrid}
\KntNN \KntNN \KntLTSC \KntTSN \KntTRSC \KntNN \KntNN \\
\KntNN \KntRSN \KntNN \KntTCS \KntNN \KntLSN \KntNN \\
\KntNN \KntNN \KntVXSUSO \KntNN \KntVXSUSO \KntNN \KntNN \\
\KntNN \KntRBSC \KntNN \KntVXSOSU \KntNN \KntBLSC \KntNN \\
\KntLTSC \KntNN \KntNN \KntVXSOSU \KntNN \KntNN \KntTRSC \\
\KntLSN \KntNN \KntRBSC \KntNN \KntBLSC \KntNN \KntRSN \\
\KntLSN \KntLTSC \KntNN \KntNN \KntNN \KntTRSC \KntRSN \\
\KntVXSUSO \KntNN \KntNN \KntNN \KntNN \KntNN \KntVXSUSO \\
\KntLSN \KntBLSC \KntNN \KntNN \KntNN \KntRBSC \KntRSN \\
\KntBLSC \KntBSN \KntHXSUSO \KntHXSUSO \KntHXSUSO \KntBSN \KntRBSC \\
\end{KnotGrid}
```


Which is typeset as below.



The final example is the rational link corresponding to the rational number  $4117 / 17426$ .



With its Seifert circle decomposition.



Where a grid cell would otherwise be empty or where padding is required to satisfy the size requirements for a cell, 25 KntXY (X is height, Y width, both are one of: N, E, F, Q, Z) space or strut symbols are provided which are exactly sized both horizontally and vertically to assist. The knot symbols are typeset in math mode so that spaces are ignored. This allows the grid structure to be explicit, making readability and maintenance easier. In the first example above (the Trefoil knot), the fourth grid column is 0.5 em wide, but in the second row an 0.25 em width symbol is used, which must then be padded with an 0.25 em space.

In order to keep names shortish, the following abbreviations are used for Knt symbols

A – Arrow	N – liNe / Normal
B – Bottom	O – Over
C – Cap / Corner	Q – Fourth / Quarter
D – Dashed / Down	R – Right
E – Three quarter	S – Solid
F – halfF	T – Top
H – Horizontal	U – Under / Up
J – Join	V – Vertical
L – Left	X – Cross
M – sMoothed	Z – Zero

## 4 Logic Definitions, Axioms and Proofs

$\text{\LaTeX}$  has more than adequate support for traditional mathematical proofs. Conversely, in logic, object proofs are written either as a linear sequence (usually Hilbert style proofs) or as a tree (usually Natural Deduction or Gentzen systems), but linear proofs can be used with most systems of logic. Tree style proofs have support in several other packages. However, Hilbert style proofs do not. This package supplies several environments to support Hilbert style definitions, axioms and proofs to alleviate this deficiency.

Logic definitions typically have a name with an optional number (e.g. “Ax. 3” or “Conjunction”), a left expression, a right expression and, optionally, a brief comment. A definition may stand alone or multiple definitions may be grouped. The LogixDefn environment provides structured formatting for logic definitions, either singly or as a group. The LogixDefn environment does not have required parameters, but does have an optional parameter. That parameter must be a horizontal length. If present, all of the definition expressions must fit within that length and its presence indicates that a comment may optionally follow each expression. The length should be sufficient to allow adequate space between the longest expression and the start of the comments, and to avoid the expressions overlapping the comments.

The LogixDefn environment defines the nested Line macro, which has four parameters if the optional LogixDefn parameter is not present, and otherwise five. The fifth parameter may not be omitted if the length parameter is present and contains a possibly empty comment to be placed at the end of the line following the expression. The basic three parameters for the Line macro are the definition's name, optional number (the empty argument must be present if there is no number), the left side of the definition and the right side of the definition, the latter two of which are typeset in math mode. The left expression is right aligned and the right expression is left aligned. The left and right sides of a definition are separated by the definition symbol ( $::=$ ), which is aligned when grouping expressions. Two examples of its use follow. Expressions in most examples are meaningless and only serve to show the presence of an expression.

```
\begin{LogixDefn}
    \Line{Neg} {1}{\symsau{p}}{\symsau{q}}
    \Line{Conj}{} {\symsau{p}}{\symsau{q}}
\end{LogixDefn}

\begin{LogixDefn}[5em]
    \Line{Df}{1}{\symsau{p}}{\symsau{q}}{Some comment}
    \Line{Df}{2}{\symsau{p}}{\symsau{q}}{Yet another comment}
\end{LogixDefn}
```

These two examples are typeset as shown below.

Neg	1.	$p::=q$	
Conj.		$p::=q$	
Df	1.	$p::=q$	Some comment
	2.	$p::=q$	Yet another comment

Environments defined in this package do not affect the indentation level. In this document, the addmargin environment provided by the scrextend package is used to provide indentation.

The LogixAxiom environment is very similar to the LogixDefn environment, except that there is only one expression, which is left aligned. Two examples of its use are shown below. The first example is two replacement rules with required meta-conditions. One for sequents and one for an equivalence operator. The second example is similar, but without the required meta-conditions.

```
\begin{LogixAxiom}
\Line{Rp} {12} {\symsai{NegationFree}\OpenParn \symsau{p} \WkEquiv \symsau{q}
\Clsparn, \symsau{p} \WkEquiv \symsau{q}, \symsau{e} \Seq
\symsau{e}\OpenBrkt \symsau{q} \RightSlash \symsau{p}
\ClcBrkt }

\Line{Rp} {2} {\symsai{NegationFree}\OpenParn \symsau{p} \WkEquiv \symsau{q}
\Clsparn, \symsau{p} \WkEquiv \symsau{q} \Seq \symsau{e}
\WkEquiv \symsau{e}\OpenBrkt \symsau{q} \RightSlash \symsau{p}
\ClcBrkt }

\end{LogixAxiom}

\begin{LogixAxiom}[10em]
\Line{Ax} {1} {\symsau{p} \Equiv \symsau{q}, \symsau{e} \Seq \symsau{e}
\OpenBrkt \symsau{q} \RightSlash \symsau{p} \ClcBrkt }
{ Sequent replacement rule. }

\Line{Ax} {2} {\symsau{p} \Equiv \symsau{q} \Seq \symsau{e} \Equiv \symsau{e}
\OpenBrkt \symsau{q} \RightSlash \symsau{p} \ClcBrkt }
{ Equivalence replacement rule. }

\end{LogixAxiom}
```

These examples are typeset as shown below.

```
Rp 12. NegationFree(p → q), p → q, e → e[q/p]
Rp 2. NegationFree(p → q), p → q > e → e[q/p]

Ax 1. p ↔ q, e > e[q/p] Sequent replacement rule.
Ax 2. p ↔ q > e ↔ e[q/p] Equivalence replacement rule.
```

A Hilbert style logical theorem typically has a name (including any number), a possibly empty set of postulates and the theorem's expression. The LogixProof environment provides structured formatting for Hilbert style logic theorems. The LogixProof environment has four arguments with the first one optional. The optional argument is a horizontal length, and provides a width for the expression in each proof line which is followed by a comment when the length argument is present. The other three arguments are the name (and any associated number) of the theorem, a possibly empty set of postulates which are assumed only for the purpose of the proof (e.g. assuming the Axiom of Choice (AC) for a specific theorem when working in ZF instead of ZFC).

Postulates are distinguished from axioms (however, formulas, rules and meta-rules are not distinguished for axioms, postulates or theorems). An axiom is assumed to hold for all theorems in a system whereas a postulate is only assumed to hold in the context of a specific proof. The third parameter is the statement (the theorem's expression) of the proof.

The LogixProof environment defines the Blnk, Dash and Line nested macros. These are identical except that the Dash macro is followed by a dashed line separator and the Line macro is followed by a solid line separator. Each line of the proof is represented by an occurrence of one of these macros. The last line of the proof is normally represented by a Dash or Line macro. Each of these macros has four parameters (five when the optional length argument of the LogixProof environment is present). There are two typical styles for each line of a linear logical proof. The first is commonly used in short examples and in introductory texts. It starts with a line number, the expression for the proof line and an optional comment which justifies the proof step in some manner. The second style starts with a line number, then the justifying theorem or axiom name, then a list of previous line numbers of the proof that justify the proof step, followed by the expression for the proof line and finally, an optional comment.

The Blnk, Dash and Line macros accommodate both proof styles. The first parameter for each of these macros is the line number. It is typeset in math mode so that subscripts may be used (sometimes useful in meta proofs). The second parameter is the name of the justifying axiom or previous theorem (including any number). The third parameter is the list of previous lines of the proof used to justify the proof, and the fourth parameter is the expression for the proof line. If the optional length is present for the LogixProof environment, then a parameter for the comment is present as the fifth parameter. A list is used for the previous justifying lines since the same line can be referenced more than once and the order is potentially significant. Both the second and third parameters may be empty, allowing the use of the optional comment for justification. The following examples illustrate the use of the LogixProof environment.

```
\begin{LogixProof} {Th 46} {AC} {\prop{p} \Nd \prop{q}}
\Blnk {1} {Th 41} {} {\prop{p} \Impl \prop{q}}
\Dash {2} {Cn 2} {} {\prop{p} \Impl \prop{q}}
\end{LogixProof}

\begin{LogixProof}[5em] {Th 46} {} {\prop{p} \Nd \prop{q}}
\Line {1} {Th 41} {} {\prop{p} \Impl \prop{q}} {First comment}
\Line {2} {Cn 2} {} {\prop{p} \Impl \prop{q}} {}
\Line {3} {Th 38} {2,1} {\prop{p} \Impl \prop{q}} {Last comment}
\end{LogixProof}

\begin{LogixProof}[5em] {Th 46} {} {\prop{p} \Nd \prop{q}}
\Dash {1} {} {} {\prop{p} \Impl \prop{q}} {Disjunction}
\Line {2} {} {} {\prop{p} \Impl \prop{q}} {Modus Ponens, 1}
\end{LogixProof}
```

These examples are typeset as shown below. The first example assumes that the Axiom of Choice holds within the context of the proof.

Th 46. [AC] $p \wedge q$	
1. Th 41.	$p \rightarrow q$
2. Cn 2.	$p \rightarrow q$

Th 46. $p \wedge q$		
1. Th 41.	$p \rightarrow q$	First comment
2. Cn 2.	$p \rightarrow q$	
3. Th 38. {2,1}	$p \rightarrow q$	Last comment

Th 46. $p \wedge q$		
1.	$p \rightarrow q$	Disjunction
2.	$p \rightarrow q$	Modus Ponens, 1

A more realistic example of using the LogixProof environment is shown below. (Note the use of arrow lengths to indicate depth of expression nesting. This is not automatic.)

Th 43. $(p \rightarrow q) \rightarrow (p \rightarrow (r \rightarrow q))$	
1. Th 14.	$(p \rightarrow q) \rightarrow (p \rightarrow q)$
2. Im 3.	$q \rightarrow (r \rightarrow q)$
3. Im 3. {2}	$(p \rightarrow q) \rightarrow (q \rightarrow (r \rightarrow q))$
4. Cn 2. {1,3}	$(p \rightarrow q) \rightarrow (p \rightarrow q) \wedge (q \rightarrow (r \rightarrow q))$
5. Im 2.	$(p \rightarrow q) \wedge (q \rightarrow (r \rightarrow q)) \rightarrow (p \rightarrow (r \rightarrow q))$
6. Im 2. {4,5}	$(p \rightarrow q) \rightarrow (p \rightarrow (r \rightarrow q))$

In addition to the LogixProof environment, the LogixSeqnt environment is also provided. It is identical to the LogixProof environment with the exception that there are two expressions associated with each proof line instead of one. The first may be empty and contains the premises for a sequent and the second contains its conclusion. The proof expressions are aligned on the sequent operator, which is present in every line. The following examples illustrate the use of the LogixSeqnt environment.

```
\begin{LogixSeqnt} {Th 46} {AC} {\prop{p} \Seq \prop{q}}
  \Dash {1} {Th 41} {} {\prop{p}} {\prop{q}}
  \Line {2} {Cn 2} {} {\prop{p}} {\prop{q}}
\end{LogixSeqnt}

\begin{LogixSeqnt}[3em] {Th 46} {} {\prop{p} \Seq \prop{r}}
  \Blnk {1} {Th 41} {} {\prop{p}} {\prop{r}} {First comment}
  \Blnk {2} {Cn 2} {} {\prop{p}} {\prop{r}} {}
  \Line {3} {Th 38} {2,1} {} {\prop{r}} {Last comment}
\end{LogixSeqnt}

\begin{LogixSeqnt}[3em] {Th 46} {} {\prop{p} \Seq \prop{r}}
  \Dash {1} {} {} {\prop{p}\Comma\prop{q}} {\prop{r}} {Disjunction}
  \Line {2} {} {} {\prop{p}\Comma\prop{q}} {\prop{r}} {Weakening, 1}
\end{LogixSeqnt}
```

These are typeset as shown below.

Th 46. [AC] $p \succ q$	
1. Th 41.	$p \succ q$
2. Cn 2.	$p \succ q$

Th 46. $p \succ r$		
1. Th 41.	$p \succ r$	First comment
2. Cn 2.	$p \succ r$	
3. Th 38. {2,1}	$\succ r$	Last comment

Th 46. $p \succ r$		
1.	$p, q \succ r$	Disjunction
2.	$p, q \succ r$	Weakening, 1

A more realistic example of using the LogixSeqnt environment is shown below.

Th 11. $p \succ q, r \succ s \vdash p \vee r \succ q \vee s$	
1. Th 2. {Ds 3}	$q \succ q \vee s$
2. Ln 1. {As 1}	$p \succ q \vee s$
3. Th 2. {Ds 4}	$s \succ q \vee s$
4. Ln 3. {As 2}	$r \succ q \vee s$
5. Ds 1. {2,4}	$p \vee r \succ q \vee s$

The LogixTable environment provides a consistent environment for semantic maps and tableaux. It replaces the use of the tabular environment, but other than setting local parameters, is identical. The following example illustrates its use for a semantic map.

```
\begin{LogixTable}{c | c c c c c}
  \Nd & \meta{f} & \meta{u} & \meta{o} & \meta{t} \\ \hline
  \meta{f} & \meta{f} & \meta{f} & \meta{f} & \meta{f} \\
  \meta{u} & \meta{f} & \meta{u} & \meta{f} & \meta{u} \\
  \meta{o} & \meta{f} & \meta{f} & \meta{o} & \meta{o} \\
  \meta{t} & \meta{f} & \meta{u} & \meta{o} & \meta{t} \\
\end{LogixTable}
```

This is typeset as shown below.

$\wedge$	f	u	o	t
f	f	f	f	f
u	f	u	f	u
o	f	f	o	o
t	f	u	o	t

## 5 Displaying Monospaced Source Text

In “Fonts for Displaying Program Code in L<sup>A</sup>T<sub>E</sub>X” Adrian P. Robson examined the available options for displaying source code. For fonts which contain a marked zero, Adrian recommended the Bera Mono based on vertical placement of common operators and the ability to easily distinguish similar symbols. The Bera Mono font is derived from the excellent Bitstream Vera font. It is a type 1 font and is not a Unicode font (but can still be used if loaded before fontspec).

In addition to the Logix font, this package provides the Logix Mono font, (also derived from the Bitstream Mono font). Many applications can use the Logix and Logix Mono fonts interchangably. Unfortunately, the additional symbols in the Logix font are not well handled by some applications so that monospaced symbols are not displayed correctly. The Logix Mono font is designed (as is the Logix font) to be compatible with the STIX2 mathematical fonts. It is also slightly heavier and more compact than the Bera Mono font to improve readability. Like the Bera Mono font, it is larger than many other typewriter fonts. The recommendation for the Bera Mono font is thus to load it with a scaling factor of 90%. Here, the preferred approach is to explicitly set the point size and leading with the \fontsize feature.

Including the Logix monospace symbols can be done as follows ...

```
\usepackage{array} % Optional, only if otherwise required.

\usepackage{logix}
\setmainfont{STIX Two Text}
\setmathfont{STIX Two Math}
\setmonofont{Logix Mono}
```

or by ...

```
\usepackage{array} % Optional, only if otherwise required.

\usepackage{logix}
\setmainfont{STIX Two Text}
\setmathfont{STIX Two Math}
\setmonofont{Logix}
```

Additionally, the Logix Mono font is designed to print well at smaller point sizes, which is often desirable when printing listings because of long line lengths and the sheer number of lines to be printed. For 8.5×11 paper and 0.25 inch margins the following line sizes (in characters) can be obtained.

size/leading	Char/Inch	Portrait	Landscape
9/11	15.375	123	162
8/10	17.375	139	182
7/9	19.875	159	208

All of the previous source examples were displayed using the Logic Mono font with a point size of 9 with leading of 11.

## 6 Symbols

The remainder of this document is the list of symbols. Each symbol has a name (not necessarily definitive, but it corresponds to the name of the macro for the symbol), the name of the macro for the symbol and a scaled (by a factor of 1.5) example of the symbol. All symbols can be used in both text and in math mode.

Following the individual symbols, the names for stretchy delimiters (and the stretchy binding bar) are shown with two examples. The first example is small enough that a predefined size variant will be used, and the second example is large enough that no predefined size variant will be used. Delimiters which are too short for the second example are limited in size variations to 5× the normal delimiter size.

That is followed by script examples. First Greek and Greek italic, then the sans-serif scripts, the slab-serif scripts, the normal serif scripts and lastly the miscellaneous scripts (calligraphic, Fraktur, etc.).

The logix.sty package file is heavily commented, and is useful as a quick reference.

Please feel free to contact the author if you have questions or issues. The author will answer or attempt to resolve any issue as quickly as possible — constrained of course, by the author's available time and other constraints. The author can be contacted by email at

[ctan@metachaos.net](mailto:ctan@metachaos.net)

Please allow a few days before emailing a second time. Under normal circumstances, this email account is checked at least daily.

This distribution also contains logix.vfc, which is the master font file used to create the actual font files. It is not needed for  $\text{\LaTeX}$  usage, but is provided should the author become unable to maintain the package, and it is picked up by another maintainer. This is a FontLab source file.

In addition, and also not required for  $\text{\LaTeX}$  usage, the various web font files (.eot, .ttf, .woff and .woff2) are included in the distribution so that users who wish to use the font in a web page do not need to convert font files.

Open Vertical Bar	\OpnBar	
Open Group Brace	\OpnGrp	[
Open Parenthesis	\OpnParn	(
Open Curly Brace	\OpnBrac	{
Open Curly Broken Brace	\OpnBrknBrac	{
Open Curly Circle Brace	\OpnCircBrac	{
Open Arrow Brace	\OpnArrwBrac	{
Open Square Bracket	\OpnBrkt	[
Open Square Broken Bracket	\OpnBrknBrkt	{
Open Square Circle Bracket	\OpnCircBrkt	{
Open Square Curly Bracket	\OpnCrlyBrkt	{
Open Tortoise Shell	\OpnTortoise	{
Open Angle Bracket	\OpnAngl	{
Open Curved Angle Bracket	\OpnCurvAngl	{
Open Ceiling	\OpnCeil	[
Open Floor	\OpnFloor	]
Open Turn	\OpnTurn	-
Open Double Vertical Bar	\OpnDblBar	
Open Triple Vertical Bar	\OpnTrpBar	
Open Double Group Brace	\OpnDblGrp	
Open Double Parenthesis	\OpnDblParn	((
Open Double Curly Brace	\OpnDblBrac	{}
Open Double Angle Bracket	\OpnDblAngl	<>
Open Square Parenthesis	\OpnSqrParn	[]
Open Parenthesis with Bar	\OpnParnBar	(
Open Brace with Bar	\OpnBracBar	{}
Open Broken Brace with Bar	\OpnBrknBracBar	{}
Open Circle Brace with Bar	\OpnCircBracBar	{}
Open Bracket with Bar	\OpnBrktBar	[]
Open Broken Bracket with Bar	\OpnBrknBrktBar	[]
Open Circle Bracket with Bar	\OpnCircBrktBar	{}
Open Curly Bracket with Bar	\OpnCrlyBrktBar	{}
Open Tortoise Shell with Bar	\OpnTortoiseBar	(
Open Angle Bracket with Bar	\OpnAnglBar	{}
Open Context Quote	\OpnCntx	'

Close Vertical Bar	\ClsBar	
Close Group Brace	\ClsGrp	]
Close Parenthesis	\ClsParn	)
Close Curly Brace	\ClsBrac	}
Close Curly Broken Brace	\ClsBrknBrac	{}
Close Curly Circle Brace	\ClsCircBrac	{}
Close Arrow Brace	\ClsArrwBrac	{}
Close Square Bracket	\ClsBrkt	[
Close Square Broken Bracket	\ClsBrknBrkt	{}
Close Square Circle Bracket	\ClsCircBrkt	{}
Close Square Curly Bracket	\ClsCrlyBrkt	}
Close Tortoise Shell	\ClsTortoise	)
Close Angle Bracket	\ClsAngl	>
Close Curved Angle Bracket	\ClsCurvAngl	>
Close Ceiling	\ClsCeil	[
Close Floor	\ClsFloor	[
Close Turn	\ClsTurn	-
Close Double Vertical Bar	\ClsDblBar	
Close Triple Vertical Bar	\ClsTrpBar	
Close Double Group Brace	\ClsDblGrp	
Close Double Parenthesis	\ClsDblParn	
Close Double Curly Brace	\ClsDblBrac	
Close Double Angle Bracket	\ClsDblAngl	
Close Square Parenthesis	\ClsSqrParn	
Close Parenthesis with Bar	\ClsParnBar	
Close Brace with Bar	\ClsBracBar	
Close Broken Brace with Bar	\ClsBrknBracBar	
Close Circle Brace with Bar	\ClsCircBracBar	
Close Bracket with Bar	\ClsBrktBar	
Close Broken Bracket with Bar	\ClsBrknBrktBar	
Close Circle Bracket with Bar	\ClsCircBrktBar	
Close Curly Bracket with Bar	\ClsCrlyBrktBar	
Close Tortoise Shell with Bar	\ClsTortoiseBar	
Close Angle Bracket with Bar	\ClsAnglBar	
Close Context Quote	\ClsCntx	'

Continuous, Partial, Into Multi-Map	\MapParInMul	$\rightarrow^+$
Continuous, Partial, Into, Singleton Map	\MapParInSng	$\rightarrow$
Continuous, Partial, Into, One-To-One Map	\MapParInOne	$\dot{\rightarrow}$
Continuous, Partial, Onto Multi-Map	\MapParOnMul	$\rightarrow^+$
Continuous, Partial, Onto, Singleton Map	\MapParOnSng	$\rightarrow$
Continuous, Partial, Onto, One-To-One Map	\MapParOnOne	$\dot{\rightarrow}$
Continuous, Partial, Into, Grounded Multi-Map	\MapParInGndMul	$\rightarrow_v^+$
Continuous, Partial, Into, Grounded, Singleton Map	\MapParInGndSng	$\rightarrow_v$
Continuous, Partial, Into, Grounded, One-To-One Map	\MapParInGndOne	$\dot{\rightarrow}_v$
Continuous, Partial, Onto, Grounded Multi-Map	\MapParOnGndMul	$\rightarrow_v^+$
Continuous, Partial, Onto, Grounded, Singleton Map	\MapParOnGndSng	$\rightarrow_v$
Continuous, Partial, Onto, Grounded, One-To-One Map	\MapParOnGndOne	$\dot{\rightarrow}_v$

Continuous, Total, Into Multi-Map	\MapTotInMul	$\rightarrow^+$
Continuous, Total, Into, Singleton Map	\MapTotInSng	$\rightarrow$
Continuous, Total, Into, One-To-One Map	\MapTotInOne	$\dot{\rightarrow}$
Continuous, Total, Onto Multi-Map	\MapTotOnMul	$\rightarrow^+$
Continuous, Total, Onto, Singleton Map	\MapTotOnSng	$\rightarrow$
Continuous, Total, Onto, One-To-One Map	\MapTotOnOne	$\dot{\rightarrow}$
Continuous, Total, Into, Grounded Multi-Map	\MapTotInGndMul	$\rightarrow_v^+$
Continuous, Total, Into, Grounded, Singleton Map	\MapTotInGndSng	$\rightarrow_v$
Continuous, Total, Into, Grounded, One-To-One Map	\MapTotInGndOne	$\dot{\rightarrow}_v$
Continuous, Total, Onto, Grounded Multi-Map	\MapTotOnGndMul	$\rightarrow_v^+$
Continuous, Total, Onto, Grounded, Singleton Map	\MapTotOnGndSng	$\rightarrow_v$
Continuous, Total, Onto, Grounded, One-To-One Map	\MapTotOnGndOne	$\dot{\rightarrow}_v$

Short Maps To	\SMapTo	$\rightarrow$
Maps To	\MapTo	$\rightarrow\rightarrow$
Long Maps To	\LMapTo	$\rightarrow\rightarrow$
Extra LongMaps To	\XMapTo	$\rightarrow\rightarrow$

Continuous, Partial, Into Multi-Function	\FunParInMul	$\overset{+}{\rightarrow}$
Continuous, Partial, Into, Singleton Function	\FunParInSng	$\overrightarrow{\text{I}}$
Continuous, Partial, Into, One-To-One Function	\FunParInOne	$\overrightarrow{\cdot}$
Continuous, Partial, Onto Multi-Function	\FunParOnMul	$\overset{+}{\rightarrow}$
Continuous, Partial, Onto, Singleton Function	\FunParOnSng	$\overrightarrow{\text{I}}$
Continuous, Partial, Onto, One-To-One Function	\FunParOnOne	$\overrightarrow{\cdot}$
Continuous, Partial, Into, Grounded Multi-Function	\FunParInGndMul	$\overset{+}{\overleftarrow{\text{I}}}$
Continuous, Partial, Into, Grounded, Singleton Function	\FunParInGndSng	$\overleftarrow{\text{I}}$
Continuous, Partial, Into, Grounded, One-To-One Function	\FunParInGndOne	$\overleftarrow{\cdot}$
Continuous, Partial, Onto, Grounded Multi-Function	\FunParOnGndMul	$\overset{+}{\overleftarrow{\text{I}}}$
Continuous, Partial, Onto, Grounded, Singleton Function	\FunParOnGndSng	$\overleftarrow{\text{I}}$
Continuous, Partial, Onto, Grounded, One-To-One Function	\FunParOnGndOne	$\overleftarrow{\cdot}$

Continuous, Total, Into Multi-Function	\FunTotInMul	$\overset{+}{\rightarrow}$
Continuous, Total, Into, Singleton Function	\FunTotInSng	$\overrightarrow{\text{I}}$
Continuous, Total, Into, One-To-One Function	\FunTotInOne	$\overrightarrow{\cdot}$
Continuous, Total, Onto Multi-Function	\FunTotOnMul	$\overset{+}{\rightarrow}$
Continuous, Total, Onto, Singleton Function	\FunTotOnSng	$\overrightarrow{\text{I}}$
Continuous, Total, Onto, One-To-One Function	\FunTotOnOne	$\overrightarrow{\cdot}$
Continuous, Total, Into, Grounded Multi-Function	\FunTotInGndMul	$\overset{+}{\overleftarrow{\text{I}}}$
Continuous, Total, Into, Grounded, Singleton Function	\FunTotInGndSng	$\overleftarrow{\text{I}}$
Continuous, Total, Into, Grounded, One-To-One Function	\FunTotInGndOne	$\overleftarrow{\cdot}$
Continuous, Total, Onto, Grounded Multi-Function	\FunTotOnGndMul	$\overset{+}{\overleftarrow{\text{I}}}$
Continuous, Total, Onto, Grounded, Singleton Function	\FunTotOnGndSng	$\overleftarrow{\text{I}}$
Continuous, Total, Onto, Grounded, One-To-One Function	\FunTotOnGndOne	$\overleftarrow{\cdot}$

Short Function	\SFunc	$\rightarrow$
Function	\Func	$\rightarrow$
Long Function	\LFunc	$\rightarrow$
Extra LongFunction	\XFunc	$\rightarrow$

Map Composition	\MapComp	$\square$
Function Composition	\FncComp	$\circ$
Function Converse	\FncCntrs	$\otimes$

Classical Implication	\ClsImpl	$\supset$
Not Classical Implication	\NotClsImpl	$\not\supset$
Classical Equivalence	\ClsEquv	$\equiv$
Not Classical Equivalence	\NotClsEquv	$\not\equiv$

Weak Material Implication	\SWkMtImpl	$\Rightarrow$
Weak Material Implication	\WkMtImpl	$\Rightarrow$
Weak Material Implication	\LWkMtImpl	$\Rightarrow$
Weak Material Implication	\XWkMtImpl	$\Rightarrow$

Material Implication	\SMtImpl	$\Rightarrow$
Material Implication	\MtImpl	$\Rightarrow$
Material Implication	\LMtImpl	$\Rightarrow$
Material Implication	\XMtImpl	$\Rightarrow$

Intuitionistic Implication	\SInImpl	$\rightarrow$
Intuitionistic Implication	\InImpl	$\rightarrow$
Intuitionistic Implication	\LInImpl	$\rightarrow$
Intuitionistic Implication	\XInImpl	$\rightarrow$

Weak Implication	\SWkImpl	$\rightarrow$
Weak Implication	\WkImpl	$\rightarrow$
Weak Implication	\LWkImpl	$\rightarrow$
Weak Implication	\XWkImpl	$\rightarrow$

Implication	\SImpl	$\rightarrow$
Implication	\Impl	$\rightarrow$
Implication	\LImpl	$\rightarrow$
Implication	\XImpl	$\rightarrow$

Weak Entailment	\SWkEntail	$\rightarrow$
Weak Entailment	\WkEntail	$\rightarrow$
Weak Entailment	\LWkEntail	$\rightarrow$
Weak Entailment	\XWkEntail	$\rightarrow$

Entailment	\SEntail	$\rightarrow$
Entailment	\Entail	$\rightarrow$
Entailment	\LEntail	$\rightarrow$
Entailment	\XEntail	$\rightarrow$

Not Weak Material Implication	\NotSWkMtImpl	$\not\Rightarrow$
Not Weak Material Implication	\NotWkMtImpl	$\not\Rightarrow$
Not Weak Material Implication	\NotLWkMtImpl	$\not\Rightarrow$
Not Weak Material Implication	\NotXWkMtImpl	$\not\Rightarrow$

Not Material Implication	\NotSMtImpl	$\not\Rightarrow$
Not Material Implication	\NotMtImpl	$\not\Rightarrow$
Not Material Implication	\NotLMtImpl	$\not\Rightarrow$
Not Material Implication	\NotXMtImpl	$\not\Rightarrow$

Not Intuitionistic Implication	\NotSInImpl	$\not\exists$
Not Intuitionistic Implication	\NotInImpl	$\not\exists$
Not Intuitionistic Implication	\NotLInImpl	$\not\exists$
Not Intuitionistic Implication	\NotXInImpl	$\not\exists$

Not Weak Implication	\NotSWkImpl	$\not\rightarrow$
Not Weak Implication	\NotWkImpl	$\not\rightarrow$
Not Weak Implication	\NotLWkImpl	$\not\rightarrow$
Not Weak Implication	\NotXWkImpl	$\not\rightarrow$

Not Implication	\NotSImpl	$\not\rightarrow$
Not Implication	\NotImpl	$\not\rightarrow$
Not Implication	\NotLImpl	$\not\rightarrow$
Not Implication	\NotXImpl	$\not\rightarrow$

Not Weak Entailment	\NotSWkEntail	$\not\rightarrow$
Not Weak Entailment	\NotWkEntail	$\not\rightarrow$
Not Weak Entailment	\NotLWkEntail	$\not\rightarrow$
Not Weak Entailment	\NotXWkEntail	$\not\rightarrow$

Not Entailment	\NotSEntail	$\not\rightarrow$
Not Entailment	\NotEntail	$\not\rightarrow$
Not Entailment	\NotLEntail	$\not\rightarrow$
Not Entailment	\NotXEntail	$\not\rightarrow$

Weak Material Equivalence	\SWkMtEquiv	$\Leftrightarrow$
Weak Material Equivalence	\WkMtEquiv	$\Leftrightarrow$
Weak Material Equivalence	\LWkMtEquiv	$\Leftrightarrow$
Weak Material Equivalence	\XWkMtEquiv	$\Leftrightarrow$

Material Equivalence	\SMtEquiv	$\Leftrightarrow$
Material Equivalence	\MtEquiv	$\Leftrightarrow$
Material Equivalence	\LMtEquiv	$\Leftrightarrow$
Material Equivalence	\XMtEquiv	$\Leftrightarrow$

Intuitionistic Equivalence	\SInEquiv	$\Leftrightarrow$
Intuitionistic Equivalence	\InEquiv	$\Leftrightarrow$
Intuitionistic Equivalence	\LInEquiv	$\Leftrightarrow$
Intuitionistic Equivalence	\XInEquiv	$\Leftrightarrow$

Weak Implication Equivalence	\SWkEquiv	$\Leftrightarrow$
Weak Implication Equivalence	\WkEquiv	$\Leftrightarrow$
Weak Implication Equivalence	\LWkEquiv	$\Leftrightarrow$
Weak Implication Equivalence	\XWkEquiv	$\Leftrightarrow$

Implication Equivalence	\SEquiv	$\Leftrightarrow$
Implication Equivalence	\Equiv	$\Leftrightarrow$
Implication Equivalence	\LEquiv	$\Leftrightarrow$
Implication Equivalence	\XEquiv	$\Leftrightarrow$

Weak Entailment Equivalence	\SWkEntailEquiv	$\Leftrightarrow$
Weak Entailment Equivalence	\WkEntailEquiv	$\Leftrightarrow$
Weak Entailment Equivalence	\LWkEntailEquiv	$\Leftrightarrow$
Weak Entailment Equivalence	\XWkEntailEquiv	$\Leftrightarrow$

Entailment Equivalence	\SEntailEquiv	$\Leftrightarrow$
Entailment Equivalence	\EntailEquiv	$\Leftrightarrow$
Entailment Equivalence	\LEntailEquiv	$\Leftrightarrow$
Entailment Equivalence	\XEntailEquiv	$\Leftrightarrow$

Not Weak Material Equivalence	\NotSWkMtEquiv	$\not\equiv$
Not Weak Material Equivalence	\NotWkMtEquiv	$\not\equiv$
Not Weak Material Equivalence	\NotLWkMtEquiv	$\not\equiv$
Not Weak Material Equivalence	\NotXWkMtEquiv	$\not\equiv$

Not Material Equivalence	\NotSMtEquiv	$\not\leftrightarrow$
Not Material Equivalence	\NotMtEquiv	$\not\leftrightarrow$
Not Material Equivalence	\NotLMtEquiv	$\not\leftrightarrow$
Not Material Equivalence	\NotXMtEquiv	$\not\leftrightarrow$

Not Intuitionistic Equivalence	\NotSInEquiv	$\not\equiv$
Not Intuitionistic Equivalence	\NotInEquiv	$\not\equiv$
Not Intuitionistic Equivalence	\NotLInEquiv	$\not\equiv$
Not Intuitionistic Equivalence	\NotXInEquiv	$\not\equiv$

Not Weak Implication Equivalence	\NotSWkEquiv	$\not\equiv$
Not Weak Implication Equivalence	\NotWkEquiv	$\not\rightarrow$
Not Weak Implication Equivalence	\NotLWkEquiv	$\not\rightarrow$
Not Weak Implication Equivalence	\NotXWkEquiv	$\leftarrow\not\rightarrow$

Not Implication Equivalence	\NotSEquiv	$\not\leftrightarrow$
Not Implication Equivalence	\NotEquiv	$\not\leftrightarrow$
Not Implication Equivalence	\NotLEquiv	$\not\leftrightarrow$
Not Implication Equivalence	\NotXEquiv	$\not\leftrightarrow$

Not Weak Entailment Equivalence	\NotSWkEntailEquiv	$\not\leftrightarrow$
Not Weak Entailment Equivalence	\NotWkEntailEquiv	$\not\leftrightarrow$
Not Weak Entailment Equivalence	\NotLWkEntailEquiv	$\not\leftrightarrow$
Not Weak Entailment Equivalence	\NotXWkEntailEquiv	$\not\leftrightarrow$

Not Entailment Equivalence	\NotSEntailEquiv	$\not\leftrightarrow$
Not Entailment Equivalence	\NotEntailEquiv	$\not\leftrightarrow$
Not Entailment Equivalence	\NotLEntailEquiv	$\not\leftrightarrow$
Not Entailment Equivalence	\NotXEntailEquiv	$\not\leftrightarrow$

Sequent	\Seq	$\succ$
Assertion (Rule)	\Rule	$\vdash$
Triple Turnstile	\TrpTurn	$\equiv$
Model	\Model	$\models$
Turnstile	\Turn	$\Vdash$
Consequence Relation	\Conseq	$\Vdash\models$
Double Bar Triple Turnstile	\DTrpTurn	$\Vdash\equiv$

Sequent Denied	\NotSeq	$\not\succ$
Assertion (Rule) Denied	\NotRule	$\not\vdash$
Triple Turnstile Denied	\NotTrpTurn	$\not\equiv$
Model Denied	\NotModel	$\not\models$
Turnstile Denied	\NotTurn	$\not\Vdash$
Consequence Relation Denied	\NotConseq	$\not\Vdash\models$
Double Bar Triple Turnstile Denied	\NotDTrpTurn	$\not\Vdash\equiv$

Bitwise AND operator / Logical Conjunction	\Nd	$\wedge$
Bitwise OR operator / Logical Disjunction	\Or	$\vee$
Bitwise NOT operator / Logical Negation	\Nt	$\neg$
Inverted Negation	\InvNt	$\lnot$
Classical Logical Negation	\Ngt	$\sim$
Logical NAND	\Lnand	$\uparrow$
Logical NOR	\Lnor	$\downarrow$
Logical XOR	\Mnd	$\oplus$
Sheffer's Stroke (Logical NAND)	\Shfr	$\mid$
Bitwise NAND operator	\Nand	$\overline{\wedge}$
Bitwise NOR operator	\Nor	$\overline{\vee}$
Bitwise XOR operator	\Xor	$\overline{\oplus}$

Dotted Conjunction	\Dnd	$\dot{\wedge}$
Dotted Disjunction	\Dor	$\dot{\vee}$
Dotted Negation	\Dnt	$\dot{\neg}$
Dotted Asterisk	\DAsterisk	$\dot{*}$
Dotted Times	\DTimes	$\dot{\times}$
Dotted Plus	\DPlus	$\dot{+}$
Dotted Minus	\DMinus	$\dot{-}$

Slanted Bar And	\SbNd	$\wedge$
Slanted Bar Or	\SbOr	$\vee$
Slanted Bar Nand	\SbNand	$\overline{\wedge}$
Slanted Bar Nor	\SbNor	$\overline{\vee}$
Slanted Bar Xor	\SbXor	$\overline{\vee}$

Defines	\Defn	$::=$
Q.E.D.	\Qed	■

True	\True	$T$
False	\False	$F$
Not True	\NTrue	$\perp$
Not False	\NFalse	$\top$
Lattice top	\Top	$T$
Neither true nor false	\TFNone	$\perp$
Both true and false	\TFBoth	$F$
Lattice bottom	\Bot	$\perp$

Logical Bistability	\LcgBistab	$\Omega$
Bunch Bistability	\BncBistab	$\bullet$

Quantified Conjunction	\QuantCon	$\wedge$
Quantified Disjunction	\QuantDis	$\vee$
Universal Individual Quantifier	\ForAll	$\forall$
Existential Individual Quantifier	\Exists	$\exists$
Unique Existential Individual Quantifier	\Unique	$\exists!$
Existential Individual Quantifier Negation	\NtExists	$\nexists$
Hidden Existential Individual Quantifier	\HdnExists	$\tilde{\exists}$
Hidden Universal Individual Quantifier	\HdnForAll	$\tilde{\forall}$
Universal Bunch Quantifier	\BnchForAll	$\forall$
Existential Bunch Quantifier	\BnchExists	$\exists$
Unique Existential Bunch Quantifier	\BnchUnique	$\exists!$
Existential Bunch Quantifier Negation	\BnchNtExists	$\nexists$
Hidden Existential Bunch Quantifier	\BnchHdnExists	$\tilde{\exists}$
Hidden Universal Bunch Quantifier	\BnchHdnForAll	$\tilde{\forall}$
Map Abstraction	\BndMap	$\lambda$

Zero width space	\NoSpace	
Dot	\Dt	.
Comma	\Coma	,
Semicolon	\Semicln	;
Colon	\Cln	:
Thus	\Thus	..
Since	\Since	::
Vertical Dots (vertical ellipsis)	\VDots	⋮
Centered Horizontal Dots (horizontal ellipsis)	\CDots	…
Baseline Horizontal Dots (horizontal ellipsis)	\LDots	…
Binding Dot	\BndDot	•
Binding Bar	\BndBar	
Long Vertical Bar	\LngVrtBar	
Question mark	\Queston	?
Exclamation point	\Exclaim	!
Percent sign	\Percnt	%
Ampersand	\Ampersand	&
Dollar sign	\Dollar	\$
At sign	\At	@
ASCII Circumflex	\Circumflex	^
Number sign	\Numbr	#
Underscore	\Underscore	_
Tilde	\Tild	~
Left (back) slash	\LeftSlash	\
Right (forward) slash	\RightSlash	/

Single dagger	\Dagger	†
Double horizontal dagger	\Ddagger	††
Double vertical dagger	\Daggerr	‡
Double horizontal and vertical dagger	\Ddaggerr	‡‡

Single quote	\SingleQuote	'
Double quote	\DoubleQuote	"
Triple quote	\TripleQuote	'''
Back quote (grave)	\BackQuote	`

Shift for superscripts	\ShftSuper	$\uparrow$
Shift for subscripts	\ShftSubscr	$\downarrow$
Shift for accents	\ShftAccent	$\hat{\phantom{x}}$

Replace All Bound Variables (left / right)	\RplcAllBnd	$\leftrightarrow$
Replace All Bound Variables (right)	\RplcAllBndRight	$\rightarrow$
Replace All Bound Variables (left)	\RplcAllBndLeft	$\leftarrow$

Replace All (left / right)	\RplcAll	$\leftrightarrow$
Replace All (right)	\RplcAllRight	$\rightarrow$
Replace All (left)	\RplcAllLeft	$\leftarrow$

Replace Any Free Variables (left / right)	\RplcFree	$\leftrightarrow$
Replace Any Free Variables (right)	\RplcFreeRight	$\rightarrow$
Replace Any Free Variables (left)	\RplcFreeLeft	$\leftarrow$

Replace Any (left / right)	\RplcAny	$\leftrightarrow$
Replace Any (right)	\RplcAnyRight	$\rightarrow$
Replace Any (left)	\RplcAnyLeft	$\leftarrow$

Replace Equivalent Expressions (left / right)	\RplcEquiv	$\leftrightarrow$
Replace Equivalent Expressions (right)	\RplcEquivRight	$\rightarrow$
Replace Equivalent Expressions (left)	\RplcEquivLeft	$\leftarrow$

Least Fixed Point	\LstFix	$\mu$
Greatest Fixed Point	\GrtFix	$\nu$
Choice	\Choice	$\tau$
Extended Least Fixed Point	\ExLstFix	$\vec{\mu}$
Extended Greatest Fixed Point	\ExGrtFix	$\vec{\nu}$
First Ordinal (omega)	\FrstOrd	$\omega$
Infinity	\Infin	$\infty$

Bunch Inclusion	\Of	:
Set Membership	\In	$\in$
Set Membership Negated	\NotIn	$\notin$
Set Owns Element	\Owns	$\ni$
Set Owns Element Negated	\NotOwned	$\nexists$

Absent / Void Bunch	\VoidBunch	$\emptyset$
Null Set	\NullSet	$\emptyset$

Necessity	\Nec	■
Possibility	\Pos	◆
Next	\Next	●
Future	\Futr	►
Past	\Past	◀
Contingency	\Cont	▼
Non-contingency	\NonCont	▲

Factual Necessity	\FacNec	□
Factual Possibility	\FacPos	◊
Factual Next	\FacNext	○
Factual Future	\FacFutr	▷
Factual Past	\FacPast	◀
Factual Contingency	\FacCont	▽
Factual Non-contingency	\FacNonCont	△

Deontic Necessity	\DeoNec	□
Deontic Possibility	\DeoPos	◊
Deontic Next	\DeoNext	○
Deontic Future	\DeoFutr	▷
Deontic Past	\DeoPast	◀
Deontic Contingency	\DeoCont	▽
Deontic Non-contingency	\DeoNonCont	△

Logical Necessity	\LogNec	□
Logical Possibility	\LogPos	◊
Logical Next	\LogNext	○
Logical Future	\LogFutr	▷
Logical Past	\LogPast	◀
Logical Contingency	\LogCont	▽
Logical Non-contingency	\LogNonCont	△

Doxastic Necessity	\DoxNec	□
Doxastic Possibility	\DoxPos	◊
Doxastic Next	\DoxNext	○
Doxastic Future	\DoxFutr	▷
Doxastic Past	\DoxPast	◁
Doxastic Contingency	\DoxCont	▽
Doxastic Non-contingency	\DoxNonCont	△

Temporal Necessity	\TmpNec	□
Temporal Possibility	\TmpPos	◊
Temporal Next	\TmpNext	○
Temporal Future	\TmpFutr	▷
Temporal Past	\TmpPast	◁
Temporal Contingency	\TmpCont	▽
Temporal Non-contingency	\TmpNonCont	△

Bunch Meet	\BnchMeet	Π
Bunch Join	\BnchJoin	□

Strict Subbunch	\StrctSbnch	⊑
Strict Subbunch Negated	\NotStrctSbnch	⊏
Subbunch	\Sbnch	⊒
Subbunch Negated	\NotSbnch	⊐

Strict Weak Subbunch	\StrctWkSbnch	⊑
Strict Weak Subbunch Negated	\NotStrctWkSbnch	⊏
Weak Subbunch	\WkSbnch	⊒
Weak Subbunch Negated	\NotWkSbnch	⊐

Map Meet	\MapMeet	Π
Map Join	\MapJoin	□

Vee Meet	\VeeMeet	⊤
Vee Join	\VeeJoin	⊤

Strict Submap	\StrctSbmap	⊑
Strict Submap Negated	\NotStrctSbmap	⊏
Submap	\Sbmap	⊒
Submap Negated	\NotSbmap	⊐

Set Intersection	\SetMeet	$\cap$
Set Union	\SetJoin	$\cup$
Normal Subgroup	\Normal	$\triangleleft$
Set Symmetric Difference	\SetSymDiff	$\Delta$

Strict Subset	\StrctSbset	$\subset$
Strict Subset Negated	\NotStrctSbset	$\not\subset$
Subset	\Sbset	$\subseteq$
Subset Negated	\NotSbset	$\not\subseteq$
Cover	\Cover	$\prec$

Bunch Meet Quantifier	\QuantBnchMeet	$\prod$
Bunch Join Quantifier	\QuantBnchJoin	$\coprod$
Set Intersection Quantifier	\QuantSetMeet	$\cap$
Set Union Quantifier	\QuantSetJoin	$\cup$

Multimap	\MulMap	$\multimap$
Not Multimap	\NotMulMap	$\not\multimap$
Inverted Multimap	\MulMapInv	$\circ\multimap$
Not Inverted Multimap	\NotMulMapInv	$\not\circ\multimap$
Dual Multimap	\MulMapDual	$\circ\circ\multimap$
Not Dual Multimap	\NotMulMapDual	$\not\circ\circ\multimap$

Less Than	\Ls	$<$
Less Than or Equal	\Lse	$\leq$
Equal	\Eq	$=$
Similar	\Sm	$\approx$
Greater Than	\Gr	$>$
Greater Than or Equal	\Gre	$\geq$

Not Less Than	\NotLs	$\neq$
Not Less Than or Equal	\NotLse	$\not\leq$
Not Equal	\NotEq	$\neq$
Not Similar	\NotSm	$\not\approx$
Not Greater Than	\NotGr	$\neq$
Not Greater Than or Equal	\NotGre	$\not\geq$

Frown	\SCoh	-
Smile	\SInCoh	-
Smile (bottom) and Frown (top)	\Coh	o
Frown (bottom) and Smile (top)	\InCoh	x

Additive AND	\AAnd	&
Multiplicative AND	\Mnd	oplus
Additive OR	\Aor	otimes
Multiplicative OR	\Mor	circ
Of Course	\OfCrse	?
Why Not	\WhyNot	!
Perp	\Perp	perp
Sim Perp	\SimPerp	perp

Quantified Additive And	\QuantAAnd	&
Quantified Multiplicative Or	\QuantMor	circ

Slanted Bar Less Than	\SbLs	<
Slanted Bar Less Than or Equal	\SbLse	leq
Slanted Bar Greater Than	\SbGr	>
Slanted Bar Greater Than or Equal	\SbGre	geq

Slanted Bar Not Less Than	\SbNotLs	not less than
Slanted Bar Not Less Than or Equal	\SbNotLse	not less than or equal
Slanted Bar Not Greater Than	\SbNotGr	not greater than
Slanted Bar Not Greater Than or Equal	\SbNotGre	not greater than or equal

Precedes	\Pre	rhd
Precedes or Equal	\Preq	rhd or equal
Succeeds	\Suc	lhd
Succeeds or Equal	\Sucq	lhd or equal

Not Precedes	\NotPre	not rhd
Not Precedes or Equal	\NotPreq	not rhd or equal
Not Succeeds	\NotSuc	not lhd
Not Succeeds or Equal	\NotSucq	not lhd or equal

Minus	\Minus	-
Plus	\Pls	+
Plus / Minus	\PlusMinus	$\pm$
Minus / Plus	\MinusPlus	$\mp$
Asterick	\Asterick	*
Divide	\Divide	/
Times	\Times	$\times$

Append	\Append	$\succ$
Concatenation	\Concat	$\parallel$

Large Circled Plus	\CircPlus	$\oplus$
Large Circled Times	\CircTimes	$\otimes$
Circled Star	\CircStar	$\circledast$

Full height, full width space	\KntNN	<input type="checkbox"/>
Full height, three quarter width space	\KntNE	<input type="checkbox"/>
Full height, half width space	\KntNF	<input type="checkbox"/>
Full height, quarter width space	\KntNQ	<input type="checkbox"/>
Full height, zero width space	\KntNZ	<input type="checkbox"/>

Three quarter height, full width space	\KntEN	<input type="checkbox"/>
Three quarter height, three quarter width space	\KntEE	<input type="checkbox"/>
Three quarter height, half width space	\KntEF	<input type="checkbox"/>
Three quarter height, quarter width space	\KntEQ	<input type="checkbox"/>
Three quarter height, zero width space	\KntEZ	<input type="checkbox"/>

Half height, full width space	\KntFN	<input type="checkbox"/>
Half height, three quarter width space	\KntFE	<input type="checkbox"/>
Half height, half width space	\KntFF	<input type="checkbox"/>
Half height, quarter width space	\KntFQ	<input type="checkbox"/>
Half height, zero width space	\KntFZ	<input type="checkbox"/>

Quarter height, full width space	\KntQN	<input type="checkbox"/>
Quarter height, three quarter width space	\KntQE	<input type="checkbox"/>
Quarter height, half width space	\KntQF	<input type="checkbox"/>
Quarter height, quarter width space	\KntQQ	<input type="checkbox"/>
Quarter height, zero width space	\KntQZ	<input type="checkbox"/>

Zero height, full width space	\KntZN	<input type="checkbox"/>
Zero height, three quarter width space	\KntZE	<input type="checkbox"/>
Zero height, half width space	\KntZF	<input type="checkbox"/>
Zero height, quarter width space	\KntZQ	<input type="checkbox"/>
Zero height, zero width space	\KntZZ	<input type="checkbox"/>

Horizontal bars with vertical dashes	\KntHDASH	
Vertical bars with horizontal dashes	\KntVDASH	

Horz flow, Cross, solid over, solid under	\KntHXSOSU	
Horz flow, Cross, solid under, solid over	\KntHXSUSO	
Vert flow, Cross, solid over, solid under	\KntVXSOSU	
Vert flow, Cross, solid under, solid over	\KntVXSUSO	
Horz flow, Cross, dashed over, solid under	\KntHXDOSU	
Horz flow, Cross, solid under, dashed over	\KntHXSUDO	
Vert flow, Cross, dashed over, solid under	\KntVXDOSU	
Vert flow, Cross, solid under, dashed over	\KntVXSUDO	
Horz flow, Cross, solid over, dashed under	\KntHXSODU	
Horz flow, Cross, dashed under, solid over	\KntHXDUSO	
Vert flow, Cross, solid over, dashed under	\KntVXSODU	
Vert flow, Cross, dashed under, solid over	\KntVXDUSO	
Horz flow, Cross, dashed over, dashed under	\KntHXDODU	
Horz flow, Cross, dashed under, dashed over	\KntHXDUDO	
Vert flow, Cross, dashed over, dashed under	\KntVXDODU	
Vert flow, Cross, dashed under, dashed over	\KntVXDUDO	

Horz flow, Horizontal smoothing; solid top, solid bottom	\KntHHMSTSB	
Vert flow, Vertical smoothing; solid left, solid right	\KntVVMSLSR	
Horz flow, Horizontal smoothing; dashed top, solid bottom	\KntHHMDTSB	
Vert flow, Vertical smoothing; solid left, dashed right	\KntVVMSLDR	
Horz flow, Horizontal smoothing; solid top, dashed bottom	\KntHHMSTDB	
Vert flow, Vertical smoothing; dashed left, solid right	\KntVVMDSLRSR	
Horz flow, Horizontal smoothing; dashed top, dashed bottom	\KntHHMDTDB	
Vert flow, Vertical smoothing; dashed left, dashed right	\KntVVMDLDR	
Horz flow, Vertical smoothing, solid left, solid right	\KntHVMSLSR	
Vert flow, Horizontal smoothing, solid top, solid bottom	\KntVHMSTSB	
Horz flow, Vertical smoothing, solid left, dashed right	\KntHVMSLDR	
Vert flow, Horizontal smoothing, solid top, dashed bottom	\KntVHMSTDB	
Horz flow, Vertical smoothing, dashed left, solid right	\KntHVMDLSR	
Vert flow, Horizontal smoothing, dashed top, solid bottom	\KntVHMDTSB	
Horz flow, Vertical smoothing, dashed left, dashed right	\KntHVMDLDR	
Vert flow, Horizontal smoothing, dashed top, dashed bottom	\KntVHMDTDB	

Left cap, solid	\KntLCS	U
Top cap, solid	\KntTCS	C
Right cap, solid	\KntRCS	C
Bottom cap, solid	\KntBCS	C
Left cap, dashed	\KntLCD	U
Top cap, dashed	\KntTCD	C
Right cap, dashed	\KntRCD	C
Bottom cap, dashed	\KntBCD	C
Left half width cap	\KntLFC	C
Top half width cap	\KntTFC	C
Right half width cap	\KntRFC	C
Bottom half width cap	\KntBFC	C
Left quarter width cap	\KntLQC	C
Top quarter width cap	\KntTQC	C
Right quarter width cap	\KntRQC	C
Bottom quarter width cap	\KntBQC	C

Solid join, top left to bottom right	\KntSJTLBR	⌇
Solid join, bottom left to top right	\KntSJBLTR	⌈
Solid join, top right to bottom left	\KntSJTRBL	⌉
Solid join, bottom right to top left	\KntSJBRTL	⌊
Dashed join, top left to bottom right	\KntDJTLBR	⌇
Dashed join, bottom left to top right	\KntDJBLTR	⌈
Dashed join, top right to bottom left	\KntDJTRBL	⌉
Dashed join, bottom right to top left	\KntDJBRTL	⌊
Solid half width join, top left to bottom right	\KntSFJTLBR	⌇
Solid half width join, bottom left to top right	\KntSFJBLTR	⌈
Solid half width join, top right to bottom left	\KntSFJTRBL	⌉
Solid half width join, bottom right to top left	\KntSFJBRTL	⌊
Dashed half width join, top left to bottom right	\KntDFJTLBR	⌇
Dashed half width join, bottom left to top right	\KntDFJBLTR	⌈
Dashed half width join, top right to bottom left	\KntDFJTRBL	⌉
Dashed half width join, bottom right to top left	\KntDFJBRTL	⌊

Left, top solid corner	\KntLTSC	
Top, right solid corner	\KntTRSC	
Right, bottom solid corner	\KntRBSC	
Bottom, left solid corner	\KntBLSC	
Left, top dashed corner	\KntLTDC	
Top, right dashed corner	\KntTRDC	
Right, bottom dashed corner	\KntRBDC	
Bottom, left dashed corner	\KntBLDC	
Left, top solid half width corner	\KntLTSFC	
Top, right solid half width corner	\KntTRSFC	
Right, bottom solid half width corner	\KntRBSFC	
Bottom, left solid half width corner	\KntBLSFC	
Left, top dashed half width corner	\KntLTDFC	
Top, right dashed half width corner	\KntTRDFC	
Right, bottom dashed half width corner	\KntRBDFC	
Bottom, left dashed half width corner	\KntBLDFC	

Top solid line	\KntTSN	
Right solid line	\KntRSN	
Bottom solid line	\KntBSN	
Left solid line	\KntLSN	
Top dashed line	\KntTDN	
Right dashed line	\KntRDN	
Bottom dashed line	\KntBDN	
Left dashed line	\KntLDN	
Top solid line, bottom solid line	\KntTSNBSN	
Left solid line, right solid line	\KntLSNRSN	
Top solid line, bottom dashed line	\KntTSNBDN	
Left dashed line, right solid line	\KntLDNRSN	
Top dashed line, bottom solid line	\KntTDNBSN	
Left solid line, right dashed line	\KntLSNRDN	
Top dashed line, bottom dashed line	\KntTDNBDN	
Left dashed line, right dashed line	\KntLDNRDN	

Top solid half line	\KntTSFN	-
Right solid half line	\KntRSFN	
Bottom solid half line	\KntBSFN	-
Left solid half line	\KntLSFN	
Top dashed half line	\KntTSDN	...
Right dashed half line	\KntRSDN	:
Bottom dashed half line	\KntBSDN	...
Left dashed half line	\KntLSDN	:
Top solid half line, bottom solid half line	\KntTSFNBSFN	-
Left solid half line, right solid half line	\KntLSFNRSFN	
Top solid half line, bottom dashed half line	\KntTSFNBDNFN	...
Left dashed half line, right solid half line	\KntLDFNRSFN	:
Top dashed half line, bottom solid half line	\KntTDFNBSFN	-
Left solid half line, right dashed half line	\KntLSFNRDFN	:
Top dashed half line, bottom dashed half line	\KntTDFNBDFN	...
Left dashed half line, right dashed half line	\KntLDFNRDFN	: :









Top solid forth line	\KntTSQN	-
Right solid forth line	\KntRSQN	
Bottom solid forth line	\KntBSQN	-
Left solid forth line	\KntLSQN	
Top dashed forth line	\KntTDQN	..
Right dashed forth line	\KntRDQN	..:
Bottom dashed forth line	\KntBDQN	..
Left dashed forth line	\KntLDQN	:
Top solid forth line, bottom solid forth line	\KntTSQNBSQN	-
Left solid forth line, right solid forth line	\KntLSQNRSQN	
Top solid forth line, bottom dashed forth line	\KntTSQNBDQN	..
Left dashed forth line, right solid forth line	\KntLDQNRSQN	..
Top dashed forth line, bottom solid forth line	\KntBDQNBSQN	..
Left solid forth line, right dashed forth line	\KntLSQNRDQN	.. :
Top dashed forth line, bottom dashed forth line	\KntTDQNBDQN	..
Left dashed forth line, right dashed forth line	\KntLDQNRDQN	: :




Top solid left arrow	\KntTSLA	
Right solid up arrow	\KntRSUA	
Bottom solid right arrow	\KntBSRA	
Left solid down arrow	\KntLSDA	
Top solid right arrow	\KntTSRA	
Right solid down arrow	\KntRSDA	
Bottom solid left arrow	\KntBSLA	
Left solid up arrow	\KntLSUA	
Top dashed left arrow	\KntTDLA	
Right dashed up arrow	\KntRDUA	
Bottom dashed right arrow	\KntBDRA	
Left dashed down arrow	\KntLDDA	
Top dashed right arrow	\KntTDRA	
Right dashed down arrow	\KntRDDA	
Bottom dashed left arrow	\KntBDLA	
Left dashed up arrow	\KntLDUA	

Top solid left arrow, bottom solid left arrow	\KntTSLABSLA	
Left solid up arrow, right solid up arrow	\KntLSUARSUA	
Top solid right arrow, bottom solid right arrow	\KntTSRABSRA	
Left solid down arrow, right solid down arrow	\KntLSDARSDA	
Top solid left arrow, bottom solid right arrow	\KntTSLABSRA	
Left solid down arrow, right solid up arrow	\KntLSDARSUA	
Top solid right arrow, bottom solid left arrow	\KntTSRABSLA	
Left solid up arrow, right solid down arrow	\KntLSUARSDA	
Top solid left arrow, bottom dashed left arrow	\KntTSLABDLA	
Left dashed up arrow, right solid up arrow	\KntLDUARSUA	
Top dashed right arrow, bottom solid right arrow	\KntTDRABSRA	
Left solid down arrow, right dashed down arrow	\KntLSDARDDA	
Top dashed left arrow, bottom solid left arrow	\KntTDLABSLA	
Left solid up arrow, right dashed up arrow	\KntLSUARDUA	
Top solid right arrow, bottom dashed right arrow	\KntTSRABDRA	
Left dashed down arrow, right solid down arrow	\KntLDDARSDA	

Top solid left arrow, bottom dashed right arrow	\KntTSLABDRA	
Left dashed down arrow, right solid up arrow	\KntLDDARSUA	
Top dashed left arrow, bottom solid right arrow	\KntTDLABSRA	
Left solid down arrow, right dashed up arrow	\KntLSDARDUA	
Top dashed right arrow, bottom solid left arrow	\KntTDRABSLA	
Left solid up arrow, right dashed down arrow	\KntLSUARDDA	
Top solid right arrow, bottom dashed left arrow	\KntTSRABDLA	
Left dashed up arrow, right solid down arrow	\KntLDUARSDA	
Top dashed left arrow, bottom dashed left arrow	\KntTDLABDLA	
Left dashed up arrow, right dashed up arrow	\KntLDUARDUA	
Top dashed right arrow, bottom dashed right arrow	\KntTDRABDRA	
Left dashed down arrow, right dashed down arrow	\KntLDDARDDA	
Top dashed left arrow, bottom dashed right arrow	\KntTDLABDRA	
Left dashed down arrow, right dashed up arrow	\KntLDDARDUA	
Top dashed right arrow, bottom dashed left arrow	\KntTDRABDLA	
Left dashed up arrow, right dashed down arrow	\KntLDUARDDA	

Top solid line, bottom solid left arrow	\KntTSNBSLA	
Left solid up arrow, right solid line	\KntLSUARSN	
Top solid right arrow, bottom solid line	\KntTSRABSN	
Left solid line, right solid down arrow	\KntLSNRSDA	
Top solid line, bottom solid right arrow	\KntTSNBSRA	
Left solid down arrow, right solid line	\KntLSDARSN	
Top solid left arrow, bottom solid line	\KntTSLABSN	
Left solid line, right solid up arrow	\KntLSNRSA	
Top dashed line, bottom solid left arrow	\KntTDNBSLA	
Left solid up arrow, right dashed line	\KntLSUARDN	
Top solid right arrow, bottom dashed line	\KntTSRABDN	
Left dashed line, right solid down arrow	\KntLDNRSDA	
Top solid left arrow, bottom dashed line	\KntTSLABDN	
Left dashed line, right solid up arrow	\KntLDNRSA	
Top dashed line, bottom solid right arrow	\KntTDNBSRA	
Left solid down arrow, right dashed line	\KntLSDARDN	

Top solid line, bottom dashed left arrow	\KntTSNBDLA	
Left dashed up arrow, right solid line	\KntLDUARSN	
Top dashed right arrow, bottom solid line	\KntTDRABSN	
Left solid line, right dashed down arrow	\KntLSNRDDA	
Top dashed left arrow, bottom solid line	\KntTDLABSN	
Left solid line, right dashed up arrow	\KntLSNRDUA	
Top solid line, bottom dashed right arrow	\KntTSNBDRA	
Left dashed down arrow, right solid line	\KntLDDARSN	
Top dashed line, bottom dashed left arrow	\KntTDNBDLA	
Left dashed up arrow, right dashed line	\KntLDUARDN	
Top dashed right arrow, bottom dashed line	\KntTDRABDN	
Left dashed line, right dashed down arrow	\KntLDNRDDA	
Top dashed left arrow, bottom dashed line	\KntTDLABDN	
Left dashed line, right dashed up arrow	\KntLDNRDUA	
Top dashed line, bottom dashed right arrow	\KntTDNBDRDA	
Left dashed down arrow, right dashed line	\KntLDDARDN	

Top solid line, half height	\KntTSNF	
Right solid line, half width	\KntRSNF	
Bottom solid line, half height	\KntBSNF	
Left solid line, half width	\KntLSNF	
Top solid half line, half height	\KntTSFNF	
Right solid half line, half width	\KntRSFNF	
Bottom solid half line, half height	\KntBSFNF	
Left solid half line, half width	\KntLSFNF	
Top solid forth line, half height	\KntTSQNF	
Right solid forth line, half width	\KntRSQNF	
Bottom solid forth line, half height	\KntBSQNF	
Left solid forth line, half width	\KntLSQNF	

Black square	\BlackSquare	■
Black square round corners	\BlackSquareRoundCorners	■
Black diamond	\BlackDiamond	◆
Black circle	\BlackCircle	●
Black right triangle	\BlackRightTriangle	▶
Black left triangle	\BlackLeftTriangle	◀
Black down triangle	\BlackDownTriangle	▼
Black up triangle	\BlackUpTriangle	▲
Black small circle	\BlackSmallCircle	●
Black very small circle	\BlackVerySmallCircle	●
Black lozenge	\BlackLozenge	■
Black curved diamond	\BlackCurvedDiamond	◆
Black very small square	\BlackVerySmallSquare	■
Black left arrow head	\BlackLeftArrowHead	◀
Black right arrow head	\BlackRightArrowHead	▶
Black right curved arrow head	\BlackRightCurvedArrowHead	▶

White square	\WhiteSquare	□
White square round corners	\WhiteSquareRoundCorners	□
White diamond	\WhiteDiamond	◇
White circle	\WhiteCircle	○
White right triangle	\WhiteRightTriangle	▷
White left triangle	\WhiteLeftTriangle	◀
White down triangle	\WhiteDownTriangle	▽
White up triangle	\WhiteUpTriangle	△
White small circle	\WhiteSmallCircle	○
White very small circle	\WhiteVerySmallCircle	○
White lozenge	\WhiteLozenge	□
White curved diamond	\WhiteCurvedDiamond	◇
White very small square	\WhiteVerySmallSquare	□
White left arrow head	\WhiteLeftArrowHead	◀
White right arrow head	\WhiteRightArrowHead	▷
White right curved arrow head	\WhiteRightCurvedArrowHead	▷

Outline square	\OutlineSquare	<input type="checkbox"/>
Outline square round corners	\OutlineSquareRoundCorners	<input type="checkbox"/>
Outline diamond	\OutlineDiamond	<input checked="" type="checkbox"/>
Outline circle	\OutlineCircle	<input type="checkbox"/>
Outline right triangle	\OutlineRightTriangle	<input checked="" type="checkbox"/>
Outline left triangle	\OutlineLeftTriangle	<input checked="" type="checkbox"/>
Outline down triangle	\OutlineDownTriangle	<input checked="" type="checkbox"/>
Outline up triangle	\OutlineUpTriangle	<input checked="" type="checkbox"/>
Outline small circle	\OutlineSmallCircle	<input type="checkbox"/>
Outline very small circle	\OutlineVerySmallCircle	<input type="checkbox"/>
Outline lozenge	\OutlineLozenge	<input checked="" type="checkbox"/>
Outline curved diamond	\OutlineCurvedDiamond	<input checked="" type="checkbox"/>
Outline very small square	\OutlineVerySmallSquare	<input type="checkbox"/>
Outline left arrow head	\OutlineLeftArrowHead	<input checked="" type="checkbox"/>
Outline right arrow head	\OutlineRightArrowHead	<input checked="" type="checkbox"/>
Outline right curved arrow head	\OutlineRightCurvedArrowHead	<input checked="" type="checkbox"/>

Dotted square	\DottedSquare	<input type="checkbox"/>
Dotted square round corners	\DottedSquareRoundCorners	<input type="checkbox"/>
Dotted diamond	\DottedDiamond	<input checked="" type="checkbox"/>
Dotted circle	\DottedCircl	<input type="checkbox"/>
Dotted right triangle	\DottedRightTriangle	<input checked="" type="checkbox"/>
Dotted left triangle	\DottedLeftTriangle	<input checked="" type="checkbox"/>
Dotted down triangle	\DottedDownTriangle	<input checked="" type="checkbox"/>
Dotted up triangle	\DottedUpTriangle	<input checked="" type="checkbox"/>
Dotted small circle	\DottedSmallCircle	<input type="checkbox"/>
Dotted very small circle	\DottedVerySmallCircle	<input type="checkbox"/>
Dotted lozenge	\DottedLozenge	<input type="checkbox"/>
Dotted curved diamond	\DottedCurvedDiamond	<input checked="" type="checkbox"/>
Dotted very small square	\DottedVerySmallSquare	<input type="checkbox"/>
Dotted left arrow head	\DottedLeftArrowHead	<input checked="" type="checkbox"/>
Dotted right arrow head	\DottedRightArrowHead	<input checked="" type="checkbox"/>
Dotted right curved arrow head	\DottedRightCurvedArrowHead	<input checked="" type="checkbox"/>

White square containing black square	\WhiteSquareContainingBlackSquare	◻
White square round corners containing black square	\WhiteSquareRoundCornersContainingBlackSquare	◻
White diamond containing black diamond	\WhiteDiamondContainingBlackDiamond	❖
White circle containing black circle	\WhiteCircleContainingBlackCircle	●
White right triangle containing black right triangle	\WhiteRightTriangleContainingBlackRightTriangle	▷
White left triangle containing black left triangle	\WhiteLeftTriangleContainingBlackLeftTriangle	◁
White down triangle containing black down triangle	\WhiteDownTriangleContainingBlackDownTriangle	▽
White up triangle containing black up triangle	\WhiteUpTriangleContainingBlackUpTriangle	△
White small circle containing black circle	\WhiteSmallCircleContainingBlackCircle	○
White very small circle containing black circle	\WhiteVerySmallCircleContainingBlackCircle	◎
White lozenge containing black lozenge	\WhiteLozengeContainingBlackLozenge	▣
White curved diamond containing black diamond	\WhiteCurvedDiamondContainingBlackDiamond	❖
White very small square containing black square	\WhiteVerySmallSquareContainingBlackSquare	◻
White really small circle	\WhiteReallySmallCircle	○
White really small square	\WhiteReallySmallSquare	□
White really small diamond	\WhiteReallySmallDiamond	◆

Horizontally divided square	\HorizontallyDividedSquare	▫
Horizontally divided square round corners	\HorizontallyDividedSquareRoundCorners	▫
Horizontally divided diamond	\HorizontallyDividedDiamond	❖
Horizontally divided circle	\HorizontallyDividedCircle	⊖
Horizontally divided right triangle	\HorizontallyDividedRightTriangle	▷
Horizontally divided left triangle	\HorizontallyDividedLeftTriangle	◁
Horizontally divided down triangle	\HorizontallyDividedDownTriangle	▽
Horizontally divided up triangle	\HorizontallyDividedUpTriangle	△
Horizontally divided small circle	\HorizontallyDividedSmallCircle	⊖
Horizontally divided very small circle	\HorizontallyDividedVerySmallCircle	◎
Horizontally divided lozenge	\HorizontallyDividedLozenge	▣
Horizontally divided curved diamond	\HorizontallyDividedCurvedDiamond	❖
Horizontally divided very small square	\HorizontallyDividedVerySmallSquare	◻
Black really small circle	\BlackReallySmallCircle	●
Black really small square	\BlackReallySmallSquare	■
Black really small diamond	\BlackReallySmallDiamond	◆

Vertically divided square	\VerticallyDividedSquare	□
Vertically divided square round corners	\VerticallyDividedSquareRoundCorners	□
Vertically divided diamond	\VerticallyDividedDiamond	◊
Vertically divided circle	\VerticallyDividedCircle	○
Vertically divided right triangle	\VerticallyDividedRightTriangle	▷
Vertically divided left triangle	\VerticallyDividedLeftTriangle	◁
Vertically divided down triangle	\VerticallyDividedDownTriangle	▽
Vertically divided up triangle	\VerticallyDividedUpTriangle	△
Vertically divided small circle	\VerticallyDividedSmallCircle	○
Vertically divided very small circle	\VerticallyDividedVerySmallCircle	⊕
Vertically divided lozenge	\VerticallyDividedLozenge	▣
Vertically divided curved diamond	\VerticallyDividedCurvedDiamond	◊
Vertically divided very small square	\VerticallyDividedVerySmallSquare	■

Quartered square	\QuarteredSquare	田
Quartered square round corners	\QuarteredSquareRoundCorners	⊕
Quartered diamond	\QuarteredDiamond	◊
Quartered circle	\QuarteredCircle	⊕
Quartered right triangle	\QuarteredRightTriangle	▷
Quartered left triangle	\QuarteredLeftTriangle	◁
Quartered down triangle	\QuarteredDownTriangle	▽
Quartered up triangle	\QuarteredUpTriangle	△
Quartered small circle	\QuarteredSmallCircle	⊕
Quartered very small circle	\QuarteredVerySmallCircle	⊕
Quarted lozenge	\QuartedLozenge	▣
Quartered curved diamond	\QuarteredCurvedDiamond	◊
Quartered very small square	\QuarteredVerySmallSquare	■

Down slashed square	\DownSlashedSquare	<input checked="" type="checkbox"/>
Down slashed square round corners	\DownSlashedSquareRoundCorners	<input checked="" type="checkbox"/>
Down slashed diamond	\DownSlashedDiamond	<input checked="" type="checkbox"/>
Down slashed circle	\DownSlashedCircle	<input checked="" type="checkbox"/>
Down slashed right triangle	\DownSlashedRightTriangle	<input checked="" type="checkbox"/>
Down slashed left triangle	\DownSlashedLeftTriangle	<input checked="" type="checkbox"/>
Down slashed down triangle	\DownSlashedDownTriangle	<input checked="" type="checkbox"/>
Down slashed up triangle	\DownSlashedUpTriangle	<input checked="" type="checkbox"/>
Down slashed small circle	\DownSlashedSmallCircle	<input checked="" type="checkbox"/>
Down slashed very small circle	\DownSlashedVerySmallCircle	<input checked="" type="checkbox"/>
Down slashed lozenge	\DownSlashedLozenge	<input checked="" type="checkbox"/>
Down slashed curved diamond	\DownSlashedCurvedDiamond	<input checked="" type="checkbox"/>
Down slashed very small square	\DownSlashedVerySmallSquare	<input checked="" type="checkbox"/>

Up slashed square	\UpSlashedSquare	<input checked="" type="checkbox"/>
Up slahsed square round corners	\UpSlahsedSquareRoundCorners	<input checked="" type="checkbox"/>
Up slashed diamond	\UpSlashedDiamond	<input checked="" type="checkbox"/>
Up slashed circle	\UpSlashedCircle	<input checked="" type="checkbox"/>
Up slashed right triangle	\UpSlashedRightTriangle	<input checked="" type="checkbox"/>
Up slashed left triangle	\UpSlashedLeftTriangle	<input checked="" type="checkbox"/>
Up slashed down triangle	\UpSlashedDownTriangle	<input checked="" type="checkbox"/>
Up slashed up triangle	\UpSlashedUpTriangle	<input checked="" type="checkbox"/>
Up slashed small circle	\UpSlashedSmallCircle	<input checked="" type="checkbox"/>
Up slashed very small circle	\UpSlashedVerySmallCircle	<input checked="" type="checkbox"/>
Up slashed lozenge	\UpSlashedLozenge	<input checked="" type="checkbox"/>
Up slashed curved diamond	\UpSlashedCurvedDiamond	<input checked="" type="checkbox"/>
Up slashed very small square	\UpSlashedVerySmallSquare	<input checked="" type="checkbox"/>

Crossed square	\CrossedSquare	☒
Crossed square round corners	\CrossedSquareRoundCorners	☒
Crossed diamond	\CrossedDiamond	❖
Crossed circle	\CrossedCircle	⊗
Crossed right triangle	\CrossedRightTriangle	▷
Crossed left triangle	\CrossedLeftTriangle	◁
Crossed down triangle	\CrossedDownTriangle	▽
Crossed up triangle	\CrossedUpTriangle	△
Crossed small circle	\CrossedSmallCircle	⊗
Crossed very small circle	\CrossedVerySmallCircle	⊗
Crossed lozenge	\CrossedLozenge	☒
Crossed curved diamond	\CrossedCurvedDiamond	❖
Crossed very small square	\CrossedVerySmallSquare	☒

0.20 em White Circle	\WhiteCircleA	◦
0.30 em White Circle	\WhiteCircleB	◦
0.40 em White Circle	\WhiteCircleC	◦
0.50 em White Circle	\WhiteCircleD	○
0.60 em White Circle	\WhiteCircleE	○
0.70 em White Circle	\WhiteCircleF	○
0.80 em White Circle	\WhiteCircleG	○
0.90 em White Circle	\WhiteCircleH	○
1.00 em White Circle	\WhiteCircleI	○

0.20 em Black Circle	\BlackCircleA	•
0.30 em Black Circle	\BlackCircleB	•
0.40 em Black Circle	\BlackCircleC	•
0.50 em Black Circle	\BlackCircleD	●
0.60 em Black Circle	\BlackCircleE	●
0.70 em Black Circle	\BlackCircleF	●
0.80 em Black Circle	\BlackCircleG	●
0.90 em Black Circle	\BlackCircleH	●
1.00 em Black Circle	\BlackCircleI	●

0.20 em White Square	\WhiteSquareA	□
0.30 em White Square	\WhiteSquareB	□
0.40 em White Square	\WhiteSquareC	□
0.50 em White Square	\WhiteSquareD	□
0.60 em White Square	\WhiteSquareE	□
0.70 em White Square	\WhiteSquareF	□
0.80 em White Square	\WhiteSquareG	□
0.90 em White Square	\WhiteSquareH	□
1.00 em White Square	\WhiteSquareI	□

0.20 em Black Square	\BlackSquareA	■
0.30 em Black Square	\BlackSquareB	■
0.40 em Black Square	\BlackSquareC	■
0.50 em Black Square	\BlackSquareD	■
0.60 em Black Square	\BlackSquareE	■
0.70 em Black Square	\BlackSquareF	■
0.80 em Black Square	\BlackSquareG	■
0.90 em Black Square	\BlackSquareH	■
1.00 em Black Square	\BlackSquareI	■

0.20 em White Diamond	\WhiteDiamondA	◊
0.30 em White Diamond	\WhiteDiamondB	◊
0.40 em White Diamond	\WhiteDiamondC	◊
0.50 em White Diamond	\WhiteDiamondD	◊
0.60 em White Diamond	\WhiteDiamondE	◊
0.70 em White Diamond	\WhiteDiamondF	◊
0.80 em White Diamond	\WhiteDiamondG	◊
0.90 em White Diamond	\WhiteDiamondH	◊
1.00 em White Diamond	\WhiteDiamondI	◊

0.20 em Black Diamond	\BlackDiamondA	♦
0.30 em Black Diamond	\BlackDiamondB	♦
0.40 em Black Diamond	\BlackDiamondC	♦
0.50 em Black Diamond	\BlackDiamondD	♦
0.60 em Black Diamond	\BlackDiamondE	♦
0.70 em Black Diamond	\BlackDiamondF	♦
0.80 em Black Diamond	\BlackDiamondG	♦
0.90 em Black Diamond	\BlackDiamondH	♦
1.00 em Black Diamond	\BlackDiamondI	♦

0.20 em White Right Triangle	\WhiteRightTriangleA	▷
0.30 em White Right Triangle	\WhiteRightTriangleB	▷
0.40 em White Right Triangle	\WhiteRightTriangleC	▷
0.50 em White Right Triangle	\WhiteRightTriangleD	▷
0.60 em White Right Triangle	\WhiteRightTriangleE	▷
0.70 em White Right Triangle	\WhiteRightTriangleF	▷
0.80 em White Right Triangle	\WhiteRightTriangleG	▷
0.90 em White Right Triangle	\WhiteRightTriangleH	▷
1.00 em White Right Triangle	\WhiteRightTriangleI	▷

0.20 em Black Right Triangle	\BlackRightTriangleA	►
0.30 em Black Right Triangle	\BlackRightTriangleB	►
0.40 em Black Right Triangle	\BlackRightTriangleC	►
0.50 em Black Right Triangle	\BlackRightTriangleD	►
0.60 em Black Right Triangle	\BlackRightTriangleE	►
0.70 em Black Right Triangle	\BlackRightTriangleF	►
0.80 em Black Right Triangle	\BlackRightTriangleG	►
0.90 em Black Right Triangle	\BlackRightTriangleH	►
1.00 em Black Right Triangle	\BlackRightTriangleI	►

0.20 em White Left Triangle	\WhiteLeftTriangleA	▲
0.30 em White Left Triangle	\WhiteLeftTriangleB	▲
0.40 em White Left Triangle	\WhiteLeftTriangleC	▲
0.50 em White Left Triangle	\WhiteLeftTriangleD	▲
0.60 em White Left Triangle	\WhiteLeftTriangleE	▲
0.70 em White Left Triangle	\WhiteLeftTriangleF	▲
0.80 em White Left Triangle	\WhiteLeftTriangleG	▲
0.90 em White Left Triangle	\WhiteLeftTriangleH	▲
1.00 em White Left Triangle	\WhiteLeftTriangleI	▲

0.20 em Black Left Triangle	\BlackLeftTriangleA	▼
0.30 em Black Left Triangle	\BlackLeftTriangleB	▼
0.40 em Black Left Triangle	\BlackLeftTriangleC	▼
0.50 em Black Left Triangle	\BlackLeftTriangleD	▼
0.60 em Black Left Triangle	\BlackLeftTriangleE	▼
0.70 em Black Left Triangle	\BlackLeftTriangleF	▼
0.80 em Black Left Triangle	\BlackLeftTriangleG	▼
0.90 em Black Left Triangle	\BlackLeftTriangleH	▼
1.00 em Black Left Triangle	\BlackLeftTriangleI	▼

0.20 em White Up Triangle	\WhiteUpTriangleA	△
0.30 em White Up Triangle	\WhiteUpTriangleB	△
0.40 em White Up Triangle	\WhiteUpTriangleC	△
0.50 em White Up Triangle	\WhiteUpTriangleD	△
0.60 em White Up Triangle	\WhiteUpTriangleE	△
0.70 em White Up Triangle	\WhiteUpTriangleF	△
0.80 em White Up Triangle	\WhiteUpTriangleG	△
0.90 em White Up Triangle	\WhiteUpTriangleH	△
1.00 em White Up Triangle	\WhiteUpTriangleI	△

0.20 em Black Up TriangleA	\BlackUpTriangleA	▲
0.30 em Black Up TriangleB	\BlackUpTriangleB	▲
0.40 em Black Up TriangleC	\BlackUpTriangleC	▲
0.50 em Black Up TriangleD	\BlackUpTriangleD	▲
0.60 em Black Up TriangleE	\BlackUpTriangleE	▲
0.70 em Black Up TriangleF	\BlackUpTriangleF	▲
0.80 em Black Up TriangleG	\BlackUpTriangleG	▲
0.90 em Black Up TriangleH	\BlackUpTriangleH	▲
1.00 em Black Up TriangleI	\BlackUpTriangleI	▲

0.20 em White Down Triangle	\WhiteDownTriangleA	▼
0.30 em White Down Triangle	\WhiteDownTriangleB	▼
0.40 em White Down Triangle	\WhiteDownTriangleC	▼
0.50 em White Down Triangle	\WhiteDownTriangleD	▼
0.60 em White Down Triangle	\WhiteDownTriangleE	▼
0.70 em White Down Triangle	\WhiteDownTriangleF	▼
0.80 em White Down Triangle	\WhiteDownTriangleG	▼
0.90 em White Down Triangle	\WhiteDownTriangleH	▼
1.00 em White Down Triangle	\WhiteDownTriangleI	▼

0.20 em Black Down Triangle	\BlackDownTriangleA	▼
0.30 em Black Down Triangle	\BlackDownTriangleB	▼
0.40 em Black Down Triangle	\BlackDownTriangleC	▼
0.50 em Black Down Triangle	\BlackDownTriangleD	▼
0.60 em Black Down Triangle	\BlackDownTriangleE	▼
0.70 em Black Down Triangle	\BlackDownTriangleF	▼
0.80 em Black Down Triangle	\BlackDownTriangleG	▼
0.90 em Black Down Triangle	\BlackDownTriangleH	▼
1.00 em Black Down Triangle	\BlackDownTriangleI	▼







\OpnBarS, \OpnBar[A-L]	$\left  \frac{1}{2+\frac{3}{4}} \right $	$\left  \frac{1}{\frac{1}{2+\frac{3}{4}}} \right $	
\ClsBarS, \ClsBar[A-L]	$\left  \frac{1}{2+\frac{3}{4}} \right $	$\left  \frac{1}{\frac{1}{2+\frac{3}{4}}} \right $	
\BndBarS, \BndBar[A-L]	$\left\{ x \left  \frac{1}{2+\frac{3}{4}} \right. \right\}$	$\left\{ x \left  \frac{1}{\frac{1}{2+\frac{3}{4}}} \right. \right\}$	
\OpnGrpS, \OpnGrp[A-L]	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$\left( \frac{1}{\frac{1}{2+\frac{3}{4}}} \right)$	
\ClsGrpS, \ClsGrp[A-L]	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$\left( \frac{1}{\frac{1}{2+\frac{3}{4}}} \right)$	
\OpnParnS, \OpnParn[A-L]	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$\left( \frac{1}{\frac{1}{2+\frac{3}{4}}} \right)$	
\ClsParnS, \ClsParn[A-L]	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$\left( \frac{1}{\frac{1}{2+\frac{3}{4}}} \right)$	
























\OpnAnglS, \OpnAngl[A-P]	$\left\langle \frac{1}{2+\frac{3}{4}} \right\rangle$	$\left\{ \frac{1}{2+\frac{3}{4}} \right\}$	
\ClsAnglS, \ClsAngl[A-P]	$\left\langle \frac{1}{2+\frac{3}{4}} \right\rangle$	$\left\} \frac{1}{2+\frac{3}{4}} \right\}$	
\OpnCurvAnglS, \OpnCurvAngl[A-P]	$\left\langle \frac{1}{2+\frac{3}{4}} \right\rangle$	$\left\{ \frac{1}{2+\frac{3}{4}} \right\}$	
\ClsCurvAnglS, \ClsCurvAngl[A-P]	$\left\langle \frac{1}{2+\frac{3}{4}} \right\rangle$	$\left\} \frac{1}{2+\frac{3}{4}} \right\}$	
\OpnCeilS, \OpnCeil[A-L]	$\left\lceil \frac{1}{2+\frac{3}{4}} \right\rceil$	$\left\  \frac{1}{2+\frac{3}{4}} \right\ $	
\ClsCeilS, \ClsCeil[A-L]	$\left\lceil \frac{1}{2+\frac{3}{4}} \right\rceil$	$\left\  \frac{1}{2+\frac{3}{4}} \right\ $	










\OpnFloorS, \OpnFloor[A-L]	$\left[ \frac{1}{2+\frac{3}{4}} \right]$		
\ClsFloorS, \ClsFloor[A-L]	$\left[ \frac{1}{2+\frac{3}{4}} \right]$		
\OpnTurnS, \OpnTurn[A-L]	$\left[ \frac{1}{2+\frac{3}{4}} \right]$		
\ClsTurnS, \ClsTurn[A-L]	$\left[ \frac{1}{2+\frac{3}{4}} \right]$		
\OpnDblBarS, \OpnDblBar[A-L]	$\left\  \frac{1}{2+\frac{3}{4}} \right\ $		
\ClsDblBarS, \ClsDblBar[A-L]	$\left\  \frac{1}{2+\frac{3}{4}} \right\ $		

\OpnTrpBarS, \OpnTrpBar[A-L]	$\left\  \frac{1}{2+\frac{3}{4}} \right\ $	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )$
\ClsTrpBarS, \ClsTrpBar[A-L]	$\left\  \frac{1}{2+\frac{3}{4}} \right\ $	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )$
\OpnDblGrpS, \OpnDblGrp[A-L]	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$((((((( )))))$
\ClsDblGrpS, \ClsDblGrp[A-L]	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$((((((( ))))))$
\OpnDblParnS, \OpnDblParn[A-L]	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$((((((( ))))))$
\ClsDblParnS, \ClsDblParn[A-L]	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$\left( \frac{1}{2+\frac{3}{4}} \right)$	$((((((( ))))))$

\OpnDblBracS, \OpnDblBrac[A-L]	$\left\{ \frac{1}{2+\frac{3}{4}} \right\}$		{ {{ { { { { { { { { {
\ClsDblBracS, \ClsDblBrac[A-L]	$\left\{ \frac{1}{2+\frac{3}{4}} \right\}$		} } } } } } } } } }
\OpnDblAnglS, \OpnDblAngl[A-P]	$\left\langle \frac{1}{2+\frac{3}{4}} \right\rangle$		<<<<<<<<<
\ClsDblAnglS, \ClsDblAngl[A-P]	$\left\langle \frac{1}{2+\frac{3}{4}} \right\rangle$		>>>>>>>>>
\OpnSqrParnS, \OpnSqrParn[A-L]	$\left[ \frac{1}{2+\frac{3}{4}} \right]$		[ [ [ [ [ [ [ [ [
\ClsSqrParnS, \ClsSqrParn[A-L]	$\left[ \frac{1}{2+\frac{3}{4}} \right]$		] ] ] ] ] ] ] ] ] ]



\OpnCircBracBarS, \OpnCircBracBar[A-L]	$\left\{ \frac{1}{2+\frac{3}{4}} \right\}$		
\ClsCircBracBarS, \ClsCircBracBar[A-L]	$\left\{ \frac{1}{2+\frac{3}{4}} \right\}$		
\OpnBrktBarS, \OpnBrktBar[A-L]	$\left[ \frac{1}{2+\frac{3}{4}} \right]$		
\ClsBrktBarS, \ClsBrktBar[A-L]	$\left[ \frac{1}{2+\frac{3}{4}} \right]$		
\OpnBrknBrktBarS, \OpnBrknBrktBar[A-L]	$\left\{ \frac{1}{2+\frac{3}{4}} \right\}$		
\ClsBrknBrktBarS, \ClsBrknBrktBar[A-L]	$\left\{ \frac{1}{2+\frac{3}{4}} \right\}$		

\OpnCircBrktBarS, \OpnCircBrktBar[A-L]	$\left\langle \frac{1}{2+\frac{3}{4}} \right\rangle$		
\ClsCircBrktBarS, \ClsCircBrktBar[A-L]	$\left\langle \frac{1}{2+\frac{3}{4}} \right\rangle$		
\OpnCrlyBrktBarS, \OpnCrlyBrktBar[A-L]	$\left\{ \frac{1}{2+\frac{3}{4}} \right\}$		
\ClsCrlyBrktBarS, \ClsCrlyBrktBar[A-L]	$\left\{ \frac{1}{2+\frac{3}{4}} \right\}$		
\OpnTortoiseBarS, \OpnTortoiseBar[A-L]	$\left( \frac{1}{2+\frac{3}{4}} \right)$		
\ClsTortoiseBarS, \ClsTortoiseBar[A-L]	$\left( \frac{1}{2+\frac{3}{4}} \right)$		

\OpenAnglBarS, \OpenAnglBar[A-P]	$\left\langle \frac{1}{2+\frac{3}{4}} \right\rangle$		
\ClsAnglBarS, \ClsAnglBar[A-P]	$\left\langle \frac{1}{2+\frac{3}{4}} \right\rangle$		

Greek lower case alpha	$\alpha$	\grualpha	Greek upper case alpha	A	\gruAlpha
Greek lower case beta	$\beta$	\grubeta	Greek upper case beta	B	\gruBeta
Greek lower case gamma	$\gamma$	\grugamma	Greek upper case gamma	$\Gamma$	\gruGamma
Greek lower case delta	$\delta$	\grudelta	Greek upper case delta	$\Delta$	\gruDelta
Greek lower case epsilon	$\epsilon$	\gruepsilon	Greek upper case epsilon	E	\gruEpsilon
Greek lower case epsilon	$\varepsilon$	\gruvarepsilon			
Greek lower case zeta	$\zeta$	\gruzeta	Greek upper case zeta	Z	\gruZeta
Greek lower case eta	$\eta$	\grueta	Greek upper case eta	H	\gruEta
Greek lower case theta	$\theta$	\grutheta	Greek upper case theta	$\Theta$	\gruTheta
Greek lower case theta	$\vartheta$	\gruvartheta			
Greek lower case iota	$\iota$	\gruiota	Greek upper case iota	I	\gruIota
Greek lower case kappa	$\kappa$	\grukappa	Greek upper case kappa	K	\gruKappa
Greek lower case lambda	$\lambda$	\grulambda	Greek upper case lambda	$\Lambda$	\gruLambda
Greek lower case mu	$\mu$	\grumu	Greek upper case mu	M	\gruMu
Greek lower case nu	$\nu$	\grunu	Greek upper case nu	N	\gruNu
Greek lower case xi	$\xi$	\gruxi	Greek upper case xi	$\Xi$	\gruXi
Greek lower case omicron	$\circ$	\gruomicron	Greek upper case omicron	O	\gruOmicron
Greek lower case pi	$\pi$	\grupi	Greek upper case pi	$\Pi$	\gruPi
Greek lower case pi	$\varpi$	\gruvarpi			
Greek lower case rho	$\rho$	\grurho	Greek upper case rho	P	\gruRho
Greek lower case rho	$\varrho$	\gruvarrho			
Greek lower case sigma	$\sigma$	\grusigma	Greek upper case sigma	$\Sigma$	\gruSigma
Greek lower case sigma	$\varsigma$	\gruvarsigma			
Greek lower case tau	$\tau$	\grutau	Greek upper case tau	T	\gruTau
Greek lower case upsilon	$\upsilon$	\grupsilon	Greek upper case upsilon	Y	\gruUpsilon
Greek lower case phi	$\phi$	\gruphi	Greek upper case phi	$\Phi$	\gruPhi
Greek lower case phi	$\varphi$	\gruvarphi			
Greek lower case chi	$\chi$	\gruchi	Greek upper case chi	X	\gruChi
Greek lower case psi	$\psi$	\grupsi	Greek upper case psi	$\Psi$	\gruPsi
Greek lower case omega	$\omega$	\gruomega	Greek upper case omega	$\Omega$	\gruOmega

Greek italic lower case alpha	$\alpha$	\grialpha	Greek italic upper case alpha	$A$	\griAlpha
Greek italic lower case beta	$\beta$	\gribeta	Greek italic upper case beta	$B$	\griBeta
Greek italic lower case gamma	$\gamma$	\grigamma	Greek italic upper case gamma	$\Gamma$	\griGamma
Greek italic lower case delta	$\delta$	\gridelta	Greek italic upper case delta	$\Delta$	\griDelta
Greek italic lower case epsilon	$\epsilon$	\griepsilon	Greek italic upper case epsilon	$E$	\griEpsilon
Greek italic lower case epsilon	$\varepsilon$	\grivarepsilon			
Greek italic lower case zeta	$\zeta$	\grizeta	Greek italic upper case zeta	$Z$	\griZeta
Greek italic lower case eta	$\eta$	\grieta	Greek italic upper case eta	$H$	\griEta
Greek italic lower case theta	$\theta$	\gritheta	Greek italic upper case theta	$\Theta$	\griTheta
Greek italic lower case theta	$\vartheta$	\grivartheta			
Greek italic lower case iota	$\iota$	\griiota	Greek italic upper case iota	$I$	\griIota
Greek italic lower case kappa	$\kappa$	\grikappa	Greek italic upper case kappa	$K$	\griKappa
Greek italic lower case lambda	$\lambda$	\grilambda	Greek italic upper case lambda	$\Lambda$	\griLambda
Greek italic lower case mu	$\mu$	\grimu	Greek italic upper case mu	$M$	\griMu
Greek italic lower case nu	$\nu$	\grinu	Greek italic upper case nu	$N$	\griNu
Greek italic lower case xi	$\xi$	\grixi	Greek italic upper case xi	$\Xi$	\griXi
Greek italic lower case omicron	$\circ$	\griomicron	Greek italic upper case omicron	$O$	\griOmicron
Greek italic lower case pi	$\pi$	\gripi	Greek italic upper case pi	$\Pi$	\griPi
Greek italic lower case pi	$\varpi$	\grivarpi			
Greek italic lower case rho	$\rho$	\girho	Greek italic upper case rho	$P$	\griRho
Greek italic lower case rho	$\varrho$	\grivarrho			
Greek italic lower case sigma	$\sigma$	\grisigma	Greek italic upper case sigma	$\Sigma$	\griSigma
Greek italic lower case sigma	$\varsigma$	\grivarsigma			
Greek italic lower case tau	$\tau$	\gritau	Greek italic upper case tau	$T$	\griTau
Greek italic lower case upsilon	$\upsilon$	\griupsilon	Greek italic upper case upsilon	$Y$	\griUpsilon
Greek italic lower case phi	$\phi$	\griphi	Greek italic upper case phi	$\Phi$	\griPhi
Greek italic lower case phi	$\varphi$	\grivarphi			
Greek italic lower case chi	$\chi$	\grichi	Greek italic upper case chi	$X$	\griChi
Greek italic lower case psi	$\psi$	\gripsi	Greek italic upper case psi	$\Psi$	\griPsi
Greek italic lower case omega	$\omega$	\griomega	Greek italic upper case omega	$\Omega$	\griOmega

Logical Variable: \symSau{<alphanum>} -- sans-serif script

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Logical Variable: \symSai{<alphanum>} -- sans-serif, oblique script

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Logical Variable: \symSau{<alphanum>} -- sans-serif, bold script

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Logical Variable: \symSai{<alphanum>} -- sans-serif, bold, oblique script

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Logical Variable: \symSLU{<alphanum>} -- slab-serif script

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Logical Variable: \symSli{<alphanum>} -- slab-serif, oblique script

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Logical Variable: \symSlU{<alphanum>} -- slab-serif, bold script

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Logical Variable: \symSli{<alphanum>} -- slab-serif, bold, oblique script

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Logical Variable: \symSru{<alphanum>} -- serif script

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ

Logical Variable: \symSri{<alphanum>} -- serif, italic script

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ

Logical Variable: \symSru{<alphanum>} -- serif, bold script

**0 1 2 3 4 5 6 7 8 9**  
**a b c d e f g h i j k l m n o p q r s t u v w x y z**  
**A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**

**0 1 2 3 4 5 6 7 8 9**  
**a b c d e f g h i j k l m n o p q r s t u v w x y z**  
**A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**

**0123456789**  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ

Logical Variable: \symSri{<alphanum>} -- serif, bold, italic script

**0 1 2 3 4 5 6 7 8 9**  
**a b c d e f g h i j k l m n o p q r s t u v w x y z**  
**A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**

**0 1 2 3 4 5 6 7 8 9**  
**a b c d e f g h i j k l m n o p q r s t u v w x y z**  
**A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**

**0123456789**  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ

Map Variable: \symcli{<alphanum>} -- calligraphic bold script

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Map Variable: \symCli{<alphanum>} -- calligraphic bold script

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Map Variable: \symfru{<alphanum>} -- Fraktur script

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Map Variable: \symFru{<alphanum>} -- Fraktur, bold script

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Map Variable: \symmn{<alphanum>} -- Monospace, slab-serif, upright script

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ

Map Variable: \symmri{<alphanum>} -- Monospace serif, italic script

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Logical Variable: \symgru{<alphanum>} -- Greek upright script

Α Β Γ Δ Ε Ζ Η Θ Ι Κ Λ Μ Ν Ξ Ο Π Ρ Σ Τ Υ Φ Χ Ψ Ω  
α β γ δ ε ζ η θ ι κ λ μ ν ξ ο π ρ σ τ υ φ χ ψ ω  
ε θ ω ρ ζ φ

Α Β Γ Δ Ε Ζ Η Θ Ι Κ Λ Μ Ν Ξ Ο Π Ρ Σ Τ Υ Φ Χ Ψ Ω  
α β γ δ ε ζ η θ ι κ λ μ ν ξ ο π ρ σ τ υ φ χ ψ ω  
ε θ ω ρ ζ φ

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεζηθικλμνξοπρστυφχψω  
εθωρζφ

Logical Variable: \symgri{<alphanum>} -- Greek italic script

Α Β Γ Δ Ε Ζ Η Θ Ι Κ Λ Μ Ν Ξ Ο Π Ρ Σ Τ Υ Φ Χ Ψ Ω  
α β γ δ ε ζ η θ ι κ λ μ ν ξ ο π ρ σ τ υ φ χ ψ ω  
ε θ ω ρ ζ φ

Α Β Γ Δ Ε Ζ Η Θ Ι Κ Λ Μ Ν Ξ Ο Π Ρ Σ Τ Υ Φ Χ Ψ Ω  
α β γ δ ε ζ η θ ι κ λ μ ν ξ ο π ρ σ τ υ φ χ ψ ω  
ε θ ω ρ ζ φ

ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩ  
αβγδεζηθικλμνξοπρστυφχψω  
εθωρζφ

Map Variable: \symblu{<alphanum>} -- blackboard / double struck script

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9  
a b c d e f g h i j k l m n o p q r s t u v w x y z  
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0123456789  
abcdefghijklmnopqrstuvwxyz  
ABCDEFGHIJKLMNOPQRSTUVWXYZ