# jlreq

## 1 What is this?

This package provides the class file and JFM (Japanese font metric) files for LuaTeX-ja / pLaTeX / upLaTeX. This aims to implement Requirements for Japanese Text Layout.

## 2 Installation

Run make to generate JFM files. Move the files as follows:

- \*.tfm -> \$TEXMF/fonts/tfm/public/jlreq
- \*.vf -> \$TEXMF/fonts/vf/public/jlreq
- jfm-jlreq.lua, jfm-jlreqv.lua, jfm-jlreq-jidori.lua jfm-jlreqv-jidori.lua -> \$TEXMF/tex/luatex/jlreq
- jlreq.cls, jlreq-helpers.sty -> \$TEXMF/tex/latex/jlreq

The other way to install is just to run make install. It will install all files in \$TEXMFHOME.

## 3 Usage

See jlreq-ja.pdf (in Japanese).

## 4 LICENSE

This package is distributed under the BSD 2-Clause License. See LICENSE.

## 5 CHANGELOG

- 2017-02-08
  - First release.
- 2017-02-17
  - Fixed bugs.
  - $\\ Implement \\ \ abstract \\ \ environment.$
  - Changed/Added some keys to class option/\jlreqsetup
  - -Stopped to load pxrubirica, luatexja-ruby and nidanfloat.
- 2017-03-14
  - Fixed bugs.
  - -\sffamily etc. also change the Japanese font family.
  - Added many options to \DeclareBlockHeading.
  - Some options related to quote environment etc.

#### • 2017-03-20

- Fixed bugs.
- -Insert some spaces around \footnote / \sidenote / \endnote.

#### • 2017-04-04

- Fixed a bug.
- Added options tate and font to \DeclarePageStyle.

#### • 2017-04-29

- Fixed bugs.
- Added jafontsize and jafontscale options and \jafontsize.
- $-\operatorname{Added}$  \tatechuyoko.
- jlreq\_warnings -> jlreq\_notes (class option).
- Moved some class options to \jlreqsetup.
- Added some options to \jlreqsetup.
- paper={<height>,<width>} -> paper={<width>,<height>}.

## • 2017-06-11

- -Stopped to load plext and lltjext.
- Added align to \DeclareBlockHeading and delete indent=center, end indent=center.
- Changed \kcatcode for some characters (upLaTeX).

## • 2017-08-13

- -Added column\_spanning to \DeclareBlockHeading.
- Sidenotes are a part of the main text now.
- Changed the default length of sidenotes to 0.
- jlreq does not define \sidenote if the length for sidenotes is zero.
- Added a command for the full-width ideographic space.

#### • 2017-08-29

- Fixed a bug.

## • 2017-11-23

- Fixed bugs.
- Added \SetBlockHeadingSpaces.
- $-\operatorname{Removed}$  a space from \contentsname and \indexname.

## • 2017-12-02

- Fixed bugs.

#### • 2017-12-22

- Improved JFM.
- -Change the way to detect \label between block headings.
- Added chapter number to \theequation, \thefigure, \thetable.

## • 2018-02-01

- Sidenotes appears only odd pages in tate mode.
- Added \fnfixbottomtrue for LuaLaTeX.
- Added some options related to captions.
- $-\operatorname{Extended}$  itemization\_beforeafter\_space.
- Fixed bugs.

#### • 2018-04-11

- -Sidenotes (\footnote) appears in the second column in tate mode.
- -Added options begin\_widh\_(odd|even)\_page to \DeclareBlockHeading.
- Changed \labelenumi as in jarticle etc.
- Fix a bug on column\_gap class option.
- -Added mark\_format to \DeclarePageStyle.

#### • 2018-05-19

- Made the width of the label in the table of contents longer.
- Moved some macros to jlreq-helpers.sty
- Fixed bugs.

#### • 2018-06-17

- Gothic font is attached to font shape 'b'.
- Fixed bugs.

## • 2018-08-08

- -Added nombre\_ii etc. to \DeclarePageStyle.
- Fixed bugs.
- -Added footnote\_second\_indent and endnote\_second\_indent to \jlreqsetup.

## • 2018-08-15

- Fixed bugs.

#### • 2018-09-01

- jlreq works with unusual \mag.
- Fixed bugs.

#### • 2018-12-10

- -Added number=[true/false] to \New\*\*\*Heading.
- -Added options for \frontmatter etc in \jlreqsetup.
- $-{
  m Made \ \ \ }$  IrreqHeadingLabel etc available in format in  ${
  m \ \ }$  NewTobiraHeading and  ${
  m \ \ \ }$  NewBlockHeading.
- Fixed bugs.

#### • 2019-01-15

- -Added nombre\_font etc to \NewPageStyle. font is deprecated.
- -format without #1 is allowed in \NewBlockHeading.
- -Extended caption label format etc. in \jlreqsetup.

- Fixed bugs.
- 2019-04-01
  - Added use\_reverse\_pagination to the class option.
  - -Stopped to use zref package.
  - New regnal year.
  - Fixed bugs.
- 2019-05-07
  - Added a small length to \textwidth and \textheight.
  - Changed the implementation of running\_head\_ii etc. in \DeclarePageStyle.
  - Fixed bugs.
- 2019-09-24
  - Deleted the (re-)definitions of \@cite and \@biblabel.
  - Added \allowbreak before block headings.
  - Fixed bugs.
- 2020-02-07
  - Changed the default value of itemization\_label\_length to \leftmargini etc.
  - Removed the redefinitions \rmfamily etc and added a code to \@rmfamilyhook.
  - Changed \parskip to Opt.
  - Fixed bugs.
- 2020-05-01
  - -Added theorem\_label\_font and theorem\_font to \jlreqsetup.
  - Fixed bugs.
- 2020-09-27
  - -Added \*-version of \tatechuyoko.
  - Fixed bugs.
- 2020-12-29
  - -fontsize etc. with LuaLaTeX accept H.
  - -Added \jidori.
  - Fixed bugs.
- $\bullet$  2021-03-17
  - Use the pagestyle plain at \maketitle if the current one is not empty
  - -Removed JFM glue after \item.
  - Removed JFM glue after block headings.
  - Fixed bugs.
- 2021-05-28
  - -Extended caption\_align in \jlreqsetup.
  - -Removed some \ifthenelse.

- 2021-07-22
  - -Stopped to use \IfHookExistsTF.
  - $-\operatorname{Added} \$
  - -Stopped to load packages xkeyval and ifthen.
  - It has more compatibility with expl3.
  - $-\operatorname{Added}$  pagestyle to  $\ensuremath{\operatorname{VeclareBlockHeading}}$ .
  - Fixed bugs.
- 2021-07-25
  - -Load ifthen again. (Only for Re:VIEW, will be removed in future.)
  - -Fixed bugs.
- 2021-07-30
  - Fixed a bug.

Noriyuki Abe https://github.com/abenori/jlreq