# jlreq

## 1 What is this?

This package provides the class file and JFM (Japanese font metric) files for LuaTeX-ja / pLaTeX / upLaTeX. This aims to implement Requirements for Japanese Text Layout.

#### 2 Installation

Run make to generate JFM files. Move the files as follows:

- \*.tfm -> \$TEXMF/fonts/tfm/public/jlreq
- \*.vf -> \$TEXMF/fonts/vf/public/jlreq
- jfm-jlreq.lua, jfm-jlreqv.lua, jfm-jlreq-jidori.lua jfm-jlreqv-jidori.lua -> \$TEXMF/tex/luatex/jlreq
- jlreq.cls, jlreq-helpers.sty -> \$TEXMF/tex/latex/jlreq

The other way to install is just to run make install. It will install all files in \$TEXMFHOME.

#### 3 Usage

See jlreq-ja.pdf (in Japanese).

### **4 LICENSE**

This package is distributed under the BSD 2-Clause License. See LICENSE.

## 5 CHANGELOG

- 2017-02-08
  - First release.
- 2017-02-17
  - Fixed bugs.
  - Implement abstract environment.
  - Changed/Added some keys to class option/\jlreqsetup
  - Stopped to load pxrubirica, luatexja-ruby and nidanfloat.
- 2017-03-14
  - Fixed bugs.
  - \sffamily etc. also change the Japanese font family.
  - $-\operatorname{Added}$  many options to **\DeclareBlockHeading**.
  - -Some options related to quote environment etc.

• 2017-03-20

- Fixed bugs.
- -Insert some spaces around \footnote / \sidenote / \endnote.
- 2017-04-04
  - Fixed a bug.
  - Added options tate and font to \DeclarePageStyle.
- $\bullet$  2017-04-29
  - Fixed bugs.
  - -Added jafontsize and jafontscale options and \jafontsize.
  - Added \tatechuyoko.
  - jlreq\_warnings -> jlreq\_notes (class option).
  - Moved some class options to  $\verb+jlreqsetup.$
  - $-\operatorname{Added}$  some options to  $\verb+jlreqsetup.$
  - -paper={<height>,<width>} -> paper={<width>,<height>}.
- $\bullet$  2017-06-11
  - -Stopped to load plext and lltjext.
  - Added align to \DeclareBlockHeading and delete indent=center, end\_indent=center.
  - Changed \kcatcode for some characters (upLaTeX).
- $\bullet$  2017-08-13

  - Sidenotes are a part of the main text now.
  - Changed the default length of sidenotes to 0.
  - -jlreq does not define \sidenote if the length for sidenotes is zero.
  - Added a command for the full-width ideographic space.
- 2017-08-29
  - Fixed a bug.
- 2017-11-23
  - -Fixed bugs.
  - $Added \SetBlockHeadingSpaces.$
  - Removed a space from **\contentsname** and **\indexname**.
- $\bullet$  2017-12-02
  - Fixed bugs.
- 2017-12-22
  - Improved JFM.
  - Change the way to detect \label between block headings.
  - $Added chapter number to \theequation, \thefigure, \thetable.$
- 2018-02-01

- Sidenotes appears only odd pages in tate mode.
- $-\operatorname{Added} \operatorname{fnfixbottomtrue}$  for LuaLaTeX.
- Added some options related to captions.
- Extended itemization\_beforeafter\_space.
- Fixed bugs.
- 2018-04-11
  - -Sidenotes (\footnote) appears in the second column in tate mode.
  - Added options begin\_widh\_(odd|even)\_page to \DeclareBlockHeading.
  - Changed \labelenumi as in jarticle etc.
  - -Fix a bug on column\_gap class option.
  - Added mark\_format to \DeclarePageStyle.
- 2018-05-19
  - Made the width of the label in the table of contents longer.
  - Moved some macros to jlreq-helpers.sty
  - Fixed bugs.
- $\bullet$  2018-06-17
  - Gothic font is attached to font shape 'b'.
  - Fixed bugs.
- 2018-08-08
  - -Added nombre\_ii etc. to \DeclarePageStyle.
  - Fixed bugs.
  - -Added footnote\_second\_indent and endnote\_second\_indent to \jlreqsetup.
- $\bullet$  2018-08-15
  - -Fixed bugs.
- $\bullet$  2018-09-01
  - jlreq works with unusual mag.
  - Fixed bugs.
- 2018-12-10
  - -Added number=[true/false] to \New\*\*\*Heading.
  - $-\operatorname{Added}$  options for **\frontmatter** etc in **\jlreqsetup**.
  - Made \jlreqHeadingLabel etc available in format in \NewTobiraHeading and \NewBlockHeading.
  - Fixed bugs.
- $\bullet$  2019-01-15
  - -Added nombre\_font etc to \NewPageStyle. font is deprecated.
  - format without #1 is allowed in \NewBlockHeading.
  - -Extended caption\_label\_format etc. in jlreqsetup.

- Fixed bugs.
- 2019-04-01
  - $-\operatorname{Added}$  use\_reverse\_pagination to the class option.
  - -Stopped to use **zref** package.
  - New regnal year.
  - Fixed bugs.
- $\bullet$  2019-05-07
  - -Added a small length to \textwidth and \textheight.
  - Changed the implementation of running\_head\_ii etc. in \DeclarePageStyle.
  - Fixed bugs.
- $\bullet$  2019-09-24
  - Deleted the (re-)definitions of \@cite and \@biblabel.
  - Added \allowbreak before block headings.
  - Fixed bugs.
- $\bullet$  2020-02-07
  - Changed the default value of itemization\_label\_length to \leftmargini etc.
  - Removed the redefinitions \rmfamily etc and added a code to \@rmfamilyhook.
  - Changed \parskip to Opt.
  - Fixed bugs.
- $\bullet$  2020-05-01
  - $-\operatorname{Added}$  theorem\_label\_font and theorem\_font to <code>\jlreqsetup</code>.
  - Fixed bugs.
- 2020-09-27
  - Added \*-version of \tatechuyoko.
  - Fixed bugs.
- $\bullet$  2020-12-29
  - -fontsize etc. with LuaLaTeX accept H.
  - Added \jidori.
  - Fixed bugs.
- $\bullet$  2021-03-17
  - Use the pagestyle plain at \maketitle if the current one is not empty
  - Removed JFM glue after \item.
  - Removed JFM glue after block headings.
  - Fixed bugs.
- 2021-05-28
  - -Extended caption\_align in jlreqsetup.
  - $-\operatorname{Removed}$  some ifthenelse.

- $\bullet$  2021-07-22
  - -Stopped to use **\IfHookExistsTF**.
  - $-\operatorname{Added} \operatorname{\sc igumi.}$
  - $-\operatorname{Stopped}$  to load packages  $\mathtt{xkeyval}$  and <code>ifthen</code>.
  - $-\operatorname{It}$  has more compatibility with expl3.
  - $-\operatorname{Added}$  pagestyle to <code>\DeclareBlockHeading</code>.
  - Fixed bugs.
- $\bullet$  2021-07-25
  - -Load ifthen again. (Only for Re:VIEW, will be removed in future.)
  - -Fixed bugs.
- $\bullet$  2021-08-12
  - Removed the direct dependence on etoolbox package.
  - Fixed a bug.
- 2021-10-09
  - Fixed bugs.
- $\bullet$  2021-11-05
  - -paper=b\* is regarded as a ISO series.
  - Removed many codes relating with LaTeX hooks mechanism (because it seems not stable.)
  - $-\operatorname{Removed} \$
  - $-\operatorname{Removed} \$  with upLaTeX.
- $\bullet$  2022-04-05
  - $-\operatorname{Added}$  warichu\_opening and warichu\_closing to <code>\jlreqsetup</code>.
  - Change a little bit penalties around block heading.
  - -Fixed a bug: \selectfont after \DeclareFontShape raised an error.
  - -Fixed a bug: use\_reverse\_pagination did not work.
  - Fixed a bug: A second running head disappeared sometimes.
  - $-\operatorname{Rewrote} \ \$
  - Deleted  $\mbox{Qmakefntext}$ , define  $\mbox{Qmakefntext}$  directly.
  - Fixed other bugs.

Noriyuki Abe https://github.com/abenori/jlreq