jlreq

1 What is this?

This package provides the class file and JFM (Japanese font metric) files for LuaTeX-ja / pLaTeX / upLaTeX. This aims to implement Requirements for Japanese Text Layout.

2 Installation

Run make to generate JFM files. Move the files as follows:

- *.tfm -> \$TEXMF/fonts/tfm/public/jlreq
- *.vf -> \$TEXMF/fonts/vf/public/jlreq
- jfm-jlreq.lua, jfm-jlreqv.lua -> \$TEXMF/tex/luatex/jlreq
- jlreq.cls, jlreq-helpers.sty -> \$TEXMF/tex/latex/jlreq

The other way to install is just to run make install. It will install all files in \$TEXMFHOME.

3 Usage

See jlreq-ja.pdf (in Japanese).

4 LICENSE

This package is distributed under the BSD 2-Clause License. See LICENSE.

5 CHANGELOG

- 2017-02-08
 - First release.
- 2017-02-17
 - Fixed bugs.
 - Implement abstract environment.
 - Changed/Added some keys to class option/\jlreqsetup
 - -Stopped to load pxrubirica, luatexja-ruby and nidanfloat.
- 2017-03-14
 - Fixed bugs.
 - $\backslash {\tt sffamily}$ etc. also change the Japanese font family.
 - Added many options to \DeclareBlockHeading.
 - -Some options related to quote environment etc.
- 2017-03-20

- Fixed bugs.
- -Insert some spaces around \footnote / \sidenote / \endnote.

• 2017-04-04

- Fixed a bug.
- Added options tate and font to \DeclarePageStyle.

• 2017-04-29

- Fixed bugs.
- -Added jafontsize and jafontscale options and \jafontsize.
- Added \tatechuyoko.
- jlreq_warnings -> jlreq_notes (class option).
- Moved some class options to \jlreqsetup.
- Added some options to \jlreqsetup.
- -paper={<height>,<width>} -> paper={<width>,<height>}.

• 2017-06-11

- -Stopped to load plext and lltjext.
- Added align to \DeclareBlockHeading and delete indent=center, end_indent=center.
- Changed \kcatcode for some characters (upLaTeX).

• 2017-08-13

- -Added column spanning to \DeclareBlockHeading.
- Sidenotes are a part of the main text now.
- Changed the default length of sidenotes to 0.
- jlreq does not define \sidenote if the length for sidenotes is zero.
- Added a command for the full-width ideographic space.

• 2017-08-29

- Fixed a bug.

• 2017-11-23

- Fixed bugs.
- $-\operatorname{Added} \$ SetBlockHeadingSpaces.
- Removed a space from \contentsname and \indexname.

• 2017-12-02

- Fixed bugs.

• 2017-12-22

- Improved JFM.
- Change the way to detect \label{label} between block headings.
- Added chapter number to \theequation, \thefigure, \thetable.

• 2018-02-01

- Sidenotes appears only odd pages in tate mode.

- Added \fnfixbottomtrue for LuaLaTeX.
- Added some options related to captions.
- $Extended \ {\tt itemization_beforeafter_space}.$
- Fixed bugs.

• 2018-04-11

- -Sidenotes (\footnote) appears in the second column in tate mode.
- -Added options begin widh (odd|even) page to \DeclareBlockHeading.
- Changed \labelenumi as in jarticle etc.
- Fix a bug on column_gap class option.
- $-\operatorname{Added}$ mark_format to \DeclarePageStyle.

• 2018-05-19

- Made the width of the label in the table of contents longer.
- Moved some macros to jlreq-helpers.sty
- Fixed bugs.

• 2018-06-17

- Gothic font is attached to font shape 'b'.
- Fixed bugs.

• 2018-08-08

- -Added nombre ii etc. to \DeclarePageStyle.
- Fixed bugs.
- -Added footnote_second_indent and endnote_second_indent to \jlreqsetup.

• 2018-08-15

- Fixed bugs.

• 2018-09-01

- jlreq works with unusual \mag.
- Fixed bugs.

• 2018-12-10

- -Added number=[true/false] to \New***Heading.
- Added options for \frontmatter etc in \jlreqsetup.
- $Made \ \ length \ etc$ available in format in $\ \ length \ and \ \ length \ except \ length \ and$
- Fixed bugs.

• 2019-01-15

- $-\operatorname{Added}$ nombre_font etc to $\ensuremath{\operatorname{\mathsf{NewPageStyle}}}.$ font is deprecated.
- -format without #1 is allowed in \NewBlockHeading.
- -Extended caption_label_format etc. in \jlreqsetup.
- Fixed bugs.

• 2019-04-01

- Added use_reverse_pagination to the class option.
- -Stopped to use zref package.
- New regnal year.
- Fixed bugs.

• 2019-05-07

- -Added a small length to \textwidth and \textheight.
- $Changed \ the \ implementation \ of \ {\tt running_head_ii} \ etc. \ in \ {\tt \ LeclarePageStyle}.$
- Fixed bugs.

• 2019-09-24

- Deleted the (re-)definitions of \c ocite and \c obiblabel.
- Added \allowbreak before block headings.
- -Fixed bugs.

Noriyuki Abe https://github.com/abenori/jlreq