

# The shellesc Package\*

L<sup>A</sup>T<sub>E</sub>X project

2019/11/08

## 1 Introduction

For many years web2c based T<sub>E</sub>X implementations have used the syntax of the `\write` command to access system commands by using a special stream 18 (streams above 15 can not be allocated to files in classical T<sub>E</sub>X so stream 18 would otherwise just print to the terminal).

This is a useful extension that did not break the strict rules on extensions in classical T<sub>E</sub>X. This package provides a simple macro level interface hiding the `write18` implementation so a command to remove a file on a unix-like system could be specified using `\ShellEscape{rm file.txt}` (or `del` in windows). Note that by default system access is not allowed and L<sup>A</sup>T<sub>E</sub>X will typically need to be called with the `--shell-escape` command line option.

The package may be used with standard `latex` or `pdflatex` or `xetex`, however it is mostly motivated by `lualatex` as from LuaT<sub>E</sub>X 0.87 onwards LuaT<sub>E</sub>X does *not* support the `\write18` syntax to access system commands: it has 256 write streams and stream 18 can be associated to a file and (without this package) has no special significance. This package defines the same `\ShellEscape` syntax in LuaL<sup>A</sup>T<sub>E</sub>X, but the implementation is via Lua and the `os.execute` function.

`\ShellEscape` in fact corresponds to `\immediate\write18` (or `\directlua`). Very rarely you may need to delay a system command until the current page is output (when page numbers are known) for this classically you could use `\write18` (or `\latelua`). This package provides `\DelayedShellEscape` as a common syntax for this use.

The shell escape status may be queried by checking the integer (chardef) command `\ShellEscapeStatus`, 0 (disabled) 1 (enabled) 2 (restricted).

To aid porting existing documents to LuaT<sub>E</sub>X 0.87 this package does overload the `\write` command so that `\write18{rm file.txt}` will work with LuaT<sub>E</sub>X. Note that the redefinition of `\write` can not detect whether `\immediate` has been used, `\immediate` will work as normal when writing to file streams or the terminal but the special case of stream 18 which is defined to use `os.execute` always uses `\directlua` (so corresponds to `\immediate\write18`). In the rare situations that you need non-immediate `\write18` in a document being ported to current LuaT<sub>E</sub>X, you will need to change to use the `\DelayedShellEscape` command.

## 2 Implementation

---

<sup>1</sup> `\*package`

\*This file has version number v1.0c, last revised 2019/11/08.

```

2 \chardef\shellesc@quotecat\catcode\'\"
3 \chardef\shellesc@underscorecat\catcode\'_
4 \@makeother\"
5 \@makeother\'_

```

## 2.1 Status Check

## 2.2 The shellesc package interface

`\ShellEscapeStatus` Integer value with meanings 0 (shell escape disabled), 1 (shell escape allowed), 2 (Restricted shell escape).

```

6 \chardef\ShellEscapeStatus
7 \ifx\pdfshellescape\@undefined
8 \ifx\shellescape\@undefined
9 \ifx\directlua\@undefined
10 \z@
11 \else
12 \directlua{%
13 tex.sprint((status.shell_escape or os.execute()) .. " ")}
14 \fi
15 \else
16 \shellescape
17 \fi
18 \else
19 \pdfshellescape
20 \fi

21 \ifcase\ShellEscapeStatus
22 \PackageWarning{shellesc}{Shell escape disabled}
23 \or
24 \PackageInfo {shellesc}{Unrestricted shell escape enabled}
25 \else
26 \PackageInfo {shellesc}{Restricted shell escape enabled}
27 \fi

```

`\ShellEscape` Execute the supplied tokens as a system dependent command, assuming such execution is allowed.

```

28 \ifx\lastsavedimageresourcepages\@undefined
29 \protected\def\ShellEscape{\immediate\write18 }
30 \else
31 \protected\def\ShellEscape{\directlua\ShellEscape@Lua}
32 \fi

```

`\DelayedShellEscape` Execute the supplied tokens as a system dependent command, when this node is shipped out with the completed page, assuming such execution is allowed.

```

33 \ifx\lastsavedimageresourcepages\@undefined
34 \protected\def\DelayedShellEscape{\relax\write18 }
35 \else
36 \protected\def\DelayedShellEscape{\latelua\ShellEscape@Lua}
37 \fi

```

`\ShellEscape@Lua` Shared Lua code for `\DelayedShellEscape` and `\ShellEscape`.

```

38 \ifx\directlua\@undefined\else

```

```

39 \protected\def\ShellEscape@Lua#1{%
40 local status, msg = os.execute("\luaescapestring{#1}")%
41 if status == nil then
42     texio.write_nl("log",%
43         "runsystem(" .. "\luaescapestring{#1}"%
44         .. ")...(" .. msg .. ")\string\n")
45 elseif status == 0 then
46     texio.write_nl("log",%
47         "runsystem(" .. "\luaescapestring{#1}"%
48         .. ")...executed\string\n")
49 else
50     texio.write_nl("log",%
51         "runsystem(" .. "\luaescapestring{#1}"%
52         .. ")...failed " .. (msg or "") .. "\string\n")
53 end
54 }}
55 \fi

```

## 2.3 The write18 package interface

In web2c based engines other than Lua<sub>TEX</sub>, `\write18` may be used directly. The same was true in older Lua<sub>TeX</sub>, but from version 0.85 onwards that is not available.

The above `shellesc` package interface is recommended for new code, however for ease of porting existing documents and packages to newer Lua<sub>TEX</sub> releases, a `\write18` interface is provided here via a call to Lua's `os.execute`.

Note that as currently written this always does an *immediate* call to the system.

`\immediate` is supported but ignored, `\immediate\write18` and `\write18` both execute immediately. To use a delayed execution at the next shipout, use the `\DelayedShellEscape` command defined above.

Note that it would be easy to make `\wriete18` defined here use delayed execution, just use `\DelayedShellEscape` instead of `ShellEscape` in the definition below. However detecting `\immediate` is tricky so the choice here is to always use the immediate form, which is overwhelmingly more commonly used with `\write18`.

Stop at this point if not a recent Lua<sub>TEX</sub>.

```

56 \ifx\lastsavedimageresourcepages\@undefined
57 \catcode'\shellesc@quotecat
58 \catcode'\shellesc@underscorecat
59 \expandafter\endinput
60 \fi

61 \directlua{%

62 shellesc = shellesc or {}

```

Lua function to use the token scanner to grab the following <sub>TEX</sub> number, and then test if stream 18 is being used, and then insert an appropriate <sub>TEX</sub> command to handle the following brace group in each case.

```

63 local function write_or_execute()
64     local s = token.scan_int()
65     if (s==18) then
66         tex.sprint(\the\numexpr\catcodetable@atletter\relax,
67             "\string\ShellEscape ")
68     else
69         tex.sprint(\the\numexpr\catcodetable@atletter\relax,

```

```

70             "\string\\shellesc@write " .. s)
71   end
72 end

73 shellesc.write_or_execute=write_or_execute
74 }

75 \let\shellesc@write\write
76 \protected\def\write{\directlua{shellesc.write_or_execute()}}
77 \catcode'\shellesc@quotecat
78 \catcode'\shellesc@underscorecat
79 \end{package}

```