

```

\protected macro:#1->\begingroup \let \verb \blx@bbl@verbadd \def \blx@tempa
{#1}\let \NewValue \@empty
    \protected macro:->\ifcsdef {blx@fih@\blx@tempa } {\csname blx@fih@\blx@tempa
\expandafter \endcsname \expandafter {\NewValue }\ifdefvoid {\NewValue }
{\@secondoftwo } {} {\blx@bbl@addfield {\blx@tempa }{\NewValue }}}\end-
group
    \protected macro:->\begingroup \let \do \@makeother \dospecials \cat-
code \endlinechar =12\relax \blx@bbl@verbadd@i
    \long macro:#1#2->\csxappto \blx@bbl@data {\def \expandafter \noex-
pand \csname abx@field@#1\endcsname {#2}}
[4, 2].
See also [5, 1, 3].

```

References

- [1] Lorenz Halbeisen and Norbert Hungerbühler. ‘A geometric representation of integral solutions of $x^2 + xy + y^2 = m^2$ ’. In: *Quaestiones Mathematicae* (2019), pp. 1–15.
- [2] Donald E. Knuth. *Computers & Typesetting*. Vol. E: *Computer Modern Typefaces*. Reading, Mass.: Addison-Wesley, 1986.
- [3] Axel Kohnert and Sascha Kurz. ‘Integral point sets over \mathbb{Z}_n^m ’. In: *Discrete Applied Mathematics* 157 (2006), pp. 2105–2117.
- [4] Emma Sigfridsson and Ulf Ryde. ‘Comparison of methods for deriving atomic charges from the electrostatic potential and moments’. In: *Journal of Computational Chemistry* 19.4 (1998), pp. 377–395. DOI: 10.1002/(SICI)1096-987X(199803)19:4<377::AID-JCC1>3.0.CO;2-P.
- [5] Jozsef Solymosi and Frank De Zeeuw. ‘On a question of Erdős and Ulam’. In: *Discrete & Computational Geometry* 43.2 (2010), pp. 393–401. arXiv: 0806.3095.

References

```

\begin{thebibliography}{99}
%
\bibitem{halbeisen2019geometric}
Lorenz Halbeisen and Norbert Hungerbühler. ‘A geometric
representation of integral solutions of  $x^2 + xy + y^2 = m^2$ ’. In:
\emph{Quaestiones Mathematicae} (2019), pp. 1–15.

%
\bibitem{knuh:ct:e}
Donald E. Knuth. \emph{Computers & Typesetting}. Vol. E:
\emph{\{Computer Modern\} Typefaces}. Reading, Mass.:
Addison-Wesley, 1986.

```

%
\bibitem{Kohnert2006IntegralPS}
Axel Kohnert and Sascha Kurz. ‘Integral point sets over $\{\mathbb{Z}\}^m$ ’. In: \emph{Discrete Applied Mathematics} 157 (2006), pp. 2105–2117.

%
\bibitem{sigfridsson}
Emma Sigfridsson and Ulf Ryde. ‘Comparison of methods for deriving atomic charges from the electrostatic potential and moments’. In: \emph{Journal of Computational Chemistry} 19.4 (1998), pp. 377–395.
\textsc{doi}: \ttfamily{10.1002/(SICI)1096-987X(199803)19:4<377::AID-JCC1>3.0.CO;2-P}.

%
\bibitem{solymosi2010question}
Jozsef Solymosi and Frank De Zeeuw. ‘On a question\relax \~{} of Erdős and Ulam’. In: \emph{Discrete \& Computational Geometry} 43.2 (2010), pp. 393–401. arXiv: \ttfamily{0806.3095}.

\end{thebibliography}