fail-fast: Lar Package that turns warnings into errors*

Yegor Bugayenko yegor256@gmail.com

2023-07-01, 0.0.1

1 Introduction

This package, when included, turns warnings into errors, thus making the build more fragile. This may be a good practice if you care about the quality of your documents and want to keep the quality high, not losing it between changes:

```
Here goes your content.

| 1 | \documentclass{article} \
| 2 | \usepackage{fail-fast} \
| 3 | \pagestyle{empty} \
| 4 | \begin{document} \
| 5 | \end{document} \
| 6 | \end{document} \
| 7 | \end{document} \
| 8 | \end{document} \
| 9 | \end{document}
```

The development of this package was motivated by this Stack Overflow question.

2 Implementation

```
1\message{fail-fast: Starting from now all warnings
2 are reported as errors^J}%
3\renewcommand{\GenericWarning}[2]{%
4 \GenericError{#1}{#2}{}{This was a warning, now an error}%
5}
```

^{*}The sources are in GitHub at yegor256/fail-fast

Change History

v0.1.0	warnings into errors	1
General: Initial version, which turns		

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

G	M	R
$\label{thm:continuous} $$ \ensuremath{\mbox{\sc GenericError}} \hspace{0.05cm} $$ $$ $$ $$ $$$	\message	1 \renewcommand 3