

# The HEP-ACRONYM package\*

## An acronym extension for glossaries

Jan Hajer<sup>†</sup>

2021/08/01

### Abstract

The HEP-ACRONYM package provides an acronym macro based on the GLOSSARIES package.

Acronyms are implemented using the GLOSSARIES-EXTRA package [1] which is an extension of the GLOSSARIES package [2] and must be loaded after the HYPERREF package [3]. It can be loaded using `\usepackage{hep-acronym}`.

`\acronym` The `\acronym{*}[<typeset abbreviation>]{<abbreviation>}*>{<definition>}[<plural definition>]` macro generates the singular `\<abbreviation>` and plural `\<abbreviation>s` macros.

The first star prevents the addition of an ‘s’ to the abbreviation plural. The second star restores the TeX default of swallowing subsequent white space. The long form is only shown at the first appearance of these macros, later appearances generate the abbreviation with a hyperlink to the long form. Capitalisation at the beginning of paragraphs and sentences is (mostly) ensured. The long form is never used in math mode which can be exploited to enforce the short form. In order to enforce the long form use `\glsdesc*{<abbreviation>}`. As there can be no fixed rule whether to use the long form or the short form in section headers the user is left to their own devices *e.g.* `\glsdesc{<abbreviation>}, \Glsdesc{<abbreviation>}`.

`\shortacronym` The `\shortacronym` and `\longacronym` macros are drop-in replacements of the `\acronym` macro showing only the short or long form of their acronym.

`\resetacronym` The first use form of the acronym can be enforced by resetting the acronym counter with `\resetacronym{<key>}`.

`\dummyacronym`

If the acronym counter equals one at the end of the document the short form of the acronym is not introduced. Placing a `\dummyacronym{<key>}` at the end of the document ensures that the short form is introduced.

In order to reduce the number of potentially conflicting packages the GLOSSARIES package is loaded without any glossary style. In the case that the glossary should be printed additional packages must be loaded via *e.g.* `\usepackage{glossary-list}`.

---

\*This document corresponds to HEP-ACRONYM v1.0.

<sup>†</sup>[jan.hajer@unibas.ch](mailto:jan.hajer@unibas.ch)

## A Implementation

```
<*package>
```

Load the base package [1, 2] and set the abbreviation style.

```
1 \RequirePackage[nostyles]{glossaries-extra}
2 \setabbreviationstyle{long-hyphen-short-hyphen}
```

Use the entry count feature.

```
3 \glsenableentrycount
4 \glssetcategoryattribute{abbreviation}{entrycount}{1}
```

Provide macros for older *glossaries-extra* installations.

```
5 \AtBeginDocument{
6   \@ifpackageloaded{hyperref}{
7     \providecommand{\glsxtrusefield}[2]{\@gls@entry@field{\#1}{\#2}}
8     \providecommand{\glsxtrsetfieldifexists}[3]{\glsdoifexists{\#1}{\#3}}
9     \providecommand{\glsXtrSetField}[3]{%
10       \glsxtrsetfieldifexists{\#1}{\#2}{%
11         \csgdef{glo@\glsdetoklabel{\#1}@#2}{\#3}%
12       }%
13     }
14 }
```

Set hyperlinks from the abbreviation to their definition in the text.

```
14 \glssetcategoryattribute{abbreviation}{nohyperfirst}{true}
15 \renewcommand*{\glsdonohyperlink}[2]{%
16   \glsxtrprotectlinks\edef\fieldvalue{%
17     \glsxtrusefield{\glslabel}{hastarget}%
18   }%
19   \ifdefstring\fieldvalue{true}{%
20     \glsXtrSetField{\glslabel}{hastarget}{true}%
21     \glsdohypertarget{\#1}{\#2}%
22   }%
23 }
24 }{\providecommand{\pdfstringdefDisableCommands}[1]{}}%
25 }
```

\begin@sentence Mark the beginning of a paragraph as if it would follow a full stop using the EVERYHOOK package [4].

```
26 \RequirePackage[excludeor]{everyhook}
27 \newcommand{\begin@sentence}{1001}
28 \PushPostHook{par}{\spacefactor=\begin@sentence}}
```

\frenchspacing Adjust the \frenchspacing macro to be compatibel with this idea.

```
29 \def\frenchspacing{%
```

```

30  \sfcode`\. \begin@sentence \sfcode`\?\begin@sentence
31  \sfcode`\! \begin@sentence \sfcode`\:\begin@sentence
32  \sfcode`\; \cm \sfcode`\,, \cm
33 }

```

\if@begin@of@sentence Provide a macro checking for the beginning of a sentence by examining the length of the preceding space.

```

34 \newcommand{\if@begin@of@sentence}[2]{\leavevmode\protecting{%
35   \ifboolexpr{ test {\ifnumcomp{\spacefactor}{=}{3000}} or%
36           test {\ifnumcomp{\spacefactor}{=}{2000}} or%
37           test {\ifnumcomp{\spacefactor}{=}{\begin@sentence}}%
38 }{#1}{#2}%
39 }}

```

\mathdef Provide a macro that allows to extend a macro definition into math mode using the xPARSE package [5].

```

40 \RequirePackage{xparse}
41 \ProvideDocumentCommand{\mathdef}{m0{0}m}{%
42   \expandafter\let\csname hep@text\string#1\endcsname=#
43   \expandafter\newcommand\csname hep@math\string#1\endcsname[2]{#3}%
44   \DeclareRobustCommand#1{%
45     \ifmmode
46       \expandafter\let\expandafter\next\csname%
47       hep@math\string#1\endcsname%
48     \else
49       \expandafter\let\expandafter\next\csname%
50       hep@text\string#1\endcsname%
51     \fi
52     \next
53   }%
54 }

```

\acronym Define the \acronym<\*>[<typeset abbreviation>]{<abbreviation>}<\*>{<definition>}[<plural definition>] macro using the XSPACE [6] and AMSTEXT [7] packages.

#1 star for omitting the ‘s’ in the short plural  
#2 optional typeset abbreviation  
#3 mandatory abbreviation  
#4 star for restoring the T<sub>E</sub>X default for space after text macros  
#5 mandatory long form  
#6 optional plural long form

```

55 \RequirePackage{xspace}
56 \RequirePackage{amstext}
57 \NewDocumentCommand{\acronym}{somsmo}{%
58   \newabbreviation[
59     type=\acronymtype,
60     sort=#3,

```

```

61     \glsshortpluralkey=\IfBooleanTF{#1}{#3}{\IfNoValueTF{#2}{#3s}{#2s}},  

62     longplural=\IfNoValueTF{#6}{#5s}{#6}  

63 ]{#3}{\IfNoValueTF{#2}{#3}{#2}}{#5}

```

Provide the singular acronym macro.

```

64 \expandafter\newcommand\csname#3\endcsname[1] []{%
65   \if@begin@of@sentence{%
66     \ifglsused{#3}{\cglshash{#3}[\##1]}{\cGls{#3}[\##1]}{%
67       \cglshash{#3}[\##1]}{%
68         \ifnum\glsentrycurrcount{#3}>1\relax
69           \IfBooleanTF{#4}{}{\@xspace}{%
70             \else\@xspace\fi
71           }

```

Expand the singular acronym macro in portable document format (PDF) labels.

```

72 \pdfstringdefDisableCommands{\expandafter\def\csname#3\endcsname{%
73   \IfNoValueTF{#2}{#3}{#2} }%
74 }

```

Provide the singular acronym macro in math mode.

```

75 \expandafter\mathdef\csname#3\endcsname{%
76   \text{\glsxtrshort{#3}}\gls@increment@currcount{#3}%
77 }

```

Provide the plural acronym macro.

```

78 \expandafter\newcommand\csname#3s\endcsname[1] []{%
79   \if@begin@of@sentence{\cGlspl{#3}[\##1]}{\cglspl{#3}[\##1]}{%
80     \IfBooleanTF{#4}{}{\@xspace}{%
81       }

```

Expand the plural acronym macro in PDF labels.

```

82 \pdfstringdefDisableCommands{\expandafter\def\csname#3s\endcsname{%
83   \IfBooleanTF{#1}{#3}{\IfNoValueTF{#2}{#3s}{#2s}} }%
84 }

```

Provide the plural acronym macro in math mode.

```

85 \expandafter\mathdef\csname#3s\endcsname{%
86   \text{\glsxtrshortpl{#3}}\gls@increment@currcount{#3}%
87 }
88 }

```

\shortacronym The \shortacronym never expands into the long form.

```

89 \NewDocumentCommand{\shortacronym}{somsmo}{%

```

Provide the singular acronym macro.

```
90  \expandafter\newcommand\csname#3\endcsname[1] []{%
91    \IfNoValueTF{#2}{#3}{#2}\IfBooleanTF{#4}{}{\@xspace}##1%
92 }
```

Expand the singular acronym macro in PDF labels.

```
93  \pdfstringdefDisableCommands{\expandafter\def\csname#3\endcsname{%
94    \IfNoValueTF{#2}{#3}{#2} }%
95 }
```

Provide the singular acronym macro in math mode.

```
96  \expandafter\mathdef\csname#3\endcsname{%
97    \text{\IfNoValueTF{#2}{#3}{#2}} }%
98 }
```

Provide the plural acronym macro.

```
99  \expandafter\newcommand\csname#3s\endcsname[1] []{%
100   \IfBooleanTF{#1}{#3}{\IfNoValueTF{#2}{#3s}{#2s}}%
101   \IfBooleanTF{#4}{}{\@xspace}##1%
102 }
```

Expand the plural acronym macro in PDF labels.

```
103 \pdfstringdefDisableCommands{\expandafter\def\csname#3s\endcsname{%
104   \IfBooleanTF{#1}{#3}{\IfNoValueTF{#2}{#3s}{#2s}} }%
105 }
```

Provide the plural acronym macro in math mode.

```
106 \expandafter\mathdef\csname#3s\endcsname{%
107   \text{\IfBooleanTF{#1}{#3}{\IfNoValueTF{#2}{#3s}{#2s}}}}%
108 }%
109 }
```

\longacronym The \longacronym never shows the abbreviated form.

```
110 \NewDocumentCommand{\longacronym}{somsmo}{
```

Provide the singular acronym macro.

```
111 \acronyms
112 \expandafter\newcommand\csname#3\endcsname[1] []{%
113   \if@begin@of@sentence{\MakeUppercase#5}{#5}%
114   \IfBooleanTF{#4}{}{\@xspace}##1%
115 }
```

Expand the singular acronym macro in PDF labels.

```
116 \pdfstringdefDisableCommands{\expandafter\def\csname#3\endcsname{#5 }}
```

Provide the plural acronym macro.

```
117 \expandafter\newcommand\csname#3s\endcsname[1] []{%
118   \if@begin@of@sentence{%
119     \IfNoValueTF{#6}{\MakeUppercase#5s}{\MakeUppercase#6}%
120   }{%
121     \IfNoValueTF{#6}{#5s}{#6}\IfBooleanTF{#4}{}{\@xspace}##1%
122   }%
```

Expand the plural acronym macro in PDF labels.

```
123 \pdfstringdefDisableCommands{\expandafter\def\csname#3s\endcsname{%
124   \IfNoValueTF{#6}{#5s}{#6} }%
125 }
126 }
```

Silence warning if no acronyms are defined.

```
127 \renewcommand*{\gls@write@entrycounts}{%
128   \immediate\write\auxout{%
129     \string\providecommand*\string@gls@entry@count}[2]{}
130   }%
131   \count@=0\relax
132   \forallglsentries{\glsentry}{%
133     \glshasattribute{\glsentry}{entrycount}{%
134       \ifglsused{\glsentry}{%
135         \immediate\write\auxout{%
136           \string@gls@entry@count{\glsentry}{%
137             \glsentrycurrcount{\glsentry}}%
138         }%
139       }%
140       }{}\advance\count@ by \one
141     }{}}%
142   }%
143 }
```

\resetacronym Add two macros for acronym management.

\dummyacronym

```
144 \newcommand{\resetacronym}[1]{\protect\glsreset{#1}}
145 \newcommand{\dummyacronym}[1]{\protect\glsunset{#1}}
```

abstract Adjust the abstract environment to reset all acronym counters.

```
146 \@ifundefined{endabstract}{}{%
147   \let\end@hep@abstract\endabstract%
148   \renewcommand\endabstract{\glsresetall\end@hep@abstract}%
149 }
```

\tableofcontents Adjust the \tableofcontents macro to never show the long form of acronyms.

\listoffigures  
\listoftables

```
150 \let\hep@table@of@contents\tableofcontents
```

```

151 \renewcommand\tableofcontents{%
152   \glsunsetall\hep@table@of@contents\glsresetall%
153 }
154 \let\hep@list@of@figures\listoffigures
155 \renewcommand\listoffigures{%
156   \glsunsetall\hep@list@of@figures\glsresetall%
157 }
158 \let\hep@list@of@tables\listoftables
159 \renewcommand\listoftables{%
160   \glsunsetall\hep@list@of@tables\glsresetall%
161 }

```

\acronyms Add a possibility to have different groups of acronyms.

```

162 \NewDocumentCommand{\acronyms}{om}{%
163   \IfNoValueTF{#1}{%
164     \newglossary{#2}{#2.in}{#2.out}{#2}%
165     \renewcommand{\acronymtype}{#2}%
166   }{%
167     \newglossary{#1}{#1.in}{#1.out}{#2}%
168     \renewcommand{\acronymtype}{#1}%
169   }%
170 }

```

</package>

## B Test

<\*test>

```

171 \documentclass{article}
172
173 % \usepackage{hep-paper}
174 \usepackage{hyperref}
175 \usepackage{hep-acronym}
176
177 \acronym{PDF}{portable document format}
178 \acronym{URL}{uniform resource locator}
179 \acronym{CM}{computer modern}
180 \acronym{LM}{latin modern}
181
182 \begin{document}
183
184 \PDF \emph{(Capitalised at beginning of paragraph)}.
185 \PDF \emph{(Second appearance is shortened)}.
186 \URLs \emph{(Capitalised plural form at beginning of sentence)}
187 $ \URL$ \emph{(Second appearance is forced to be always short)}
188 \LM \emph{(Not capitalised in middle of sentence)}
189 \LM \emph{(Second appearance is shorted)}.

```

```

190 $`\CM$ \emph{(Enforce short form)}
191 \CM \emph{(then extend second appearance)}
192 \glsdesc*[CM]{\emph{enforce long form}}
193
194 \end{document}

</test>

```

## C Readme

```

<*readme>

195 # The ‘hep-acronym’ package
196
197 An acronym extension for glossaries
198
199 ## Introduction
200
201 The ‘hep-acronym’ package provides an acronym macro based on the ‘glossaries’ package.
202 It can be loaded using ‘\usepackage{hep-acronym}’.
203
204 ## Author
205
206 Jan Hajer
207
208 ## License
209
210 This file may be distributed and/or modified under the conditions of the ‘LaTeX’ Project
211 The latest version of this license is in ‘http://www.latex-project.org/lppl.txt’ and ver

</readme>

```

## References

- [1] N. T. Dickimaw Books. ‘The `glossaries-extra` package: An extension to the `glossaries` package’ (2015). CTAN: `glossaries-extra`.
- [2] N. Talbot. ‘The `glossaries` package: Create glossaries and lists of acronyms’ (2007). CTAN: `glossaries`.
- [3] *LATEX3 Project*. ‘Hypertext marks in LATEX: a manual for `hyperref`: Extensive support for hypertext in LATEX’ (1995). CTAN: `hyperref`. GitHub: `latex3 / hyperref`.
- [4] S. Checkoway. ‘The `everyhook` package: Hooks for standard TeX token lists’ (2010). CTAN: `everyhook`.
- [5] *LATEX3 Project*. ‘The `xparse` package: A generic document command parser’ (1999). CTAN: `xparse`.
- [6] *LATEX Team*. ‘The `xspace` package: Define commands that appear not to eat spaces’ (1993). CTAN: `xspace`.

- [7] *LATEX Team*. ‘The `amstext` package: Typeset text fragments in mathematics’ (1995). CTAN: `amstext`. URL: [ams.org/tex/amslatex](http://ams.org/tex/amslatex).