Package hvfloat Controlling captions, fullpage and doublepage floats ver 2.36


Herbert Voß*

February 22, 2022

The package hvfloat defines a macro to place objects and captions of floats in different positions with different rotating angles.

All objects and captions are framed on the first pages, which is only for some demonstration here and has no additional sense!

To compare the place of the definition of the floating objects in the source and the output a marginnote float is set into the margin. This is done also only for demonstration!



*hvoss@tug.org

Thanks to Karl Berry, Frank Mittelbach, Rolf Niepraschk

Contents

Contents

1	The package options	7	
2	The Macros and optional arguments		
3	The default use of floating environments	9	
4	Caption width 4.1 Default – natural width	10 10 11 12 12	
5	Caption left or right of the object5.1Caption right with specific length5.2Caption left and rotated	12 12 13	
6	Caption inner or outer	14	
7	Vertical Position of the Caption	16	
8	Caption format	17	
9	Horizontal Position of the Float		
10	0 Wide floats 2		
11	The star version \hvFloat*	22	
12	Full Page Width in Landscape Mode	22	
13	The nonFloat Option	2 4	
14	Tabulars as Objects 20		
15	Text and objects	27	
16	Environment hvFloatEnv	28	
17	Full page objects in onecolumn mode 17.1 Using the textarea 17.1.1 Using the default or capPos=before 17.1.2 Using capPos=after 17.1.3 Using capPos=evenPage — caption on an even page 17.1.4 Using capPos=oddPage — caption on an odd page 17.1.5 Using capPos=inner or capPos=outer — caption on the inner or outer side 17.2 Using the paper size 17.3 Multifloats	 29 29 32 33 34 34 35 37 	
18	Subfloat page	39	

19	Full	page objects in twocolumn mode	41
	19.1	Default setting	41
		19.1.1 Using capPos=after	42
		19.1.2 Using capPos=evenPage — caption on an even page	44
		19.1.3 Using capPos=oddPage — caption on an odd page	45
		19.1.4 Using capPos=inner – caption in the inner column	46
		19.1.5 Using capPos=outer — caption on the outer column	47
	19.2	Using full page in twocolumn mode	48
	19.3	Multifloats	49
20	Subf	float page	50
21	Dou	blepage objects – images and/or tabulars	53
	21.1	doubleFULLPAGE	53
	21.2	doublePAGE	75
	21.3	doublePage	79
	21.4	Tabulars	88
22	Refe	erences to the page	91
23	Defi	ning a style	92
24	Gloł	oal float setting	93
25	The	Package Source	99

List of Tables

1	The Caption without sense	7
2	The optional keywords for the macro \hvFloat	8
3	With the only Option capPos=top to place the caption on top of the table, which	
	is often the default	0
4	Demonstration of the use0Box Parameter 2	27
5	Demonstration of the use0Box Parameter 2	28
6	A caption for a nice table	28
7	A caption for a nice table	29
8	Valid optional arguments for a full page object.	30
9	A doublepage tabular with a caption on the right side of the right part 9	91

List of Figures

1	What a nice Caption :-)
2	Without any keywords (only the fbox package option)
3	Default caption width setting, which is the natural width with respect to the
	current linewidth
4	Caption right beside with a <i>natural</i> width, which is given by the width of the
	object, the separation between object and caption, and the current linewidth 11
5	Caption below with a width of 0.9 of the current line width (column width),
	which is in this special case 376.42744pt. Divide it by 28.82 to get cm 11
6	Caption right beside with a width setting of 0.9\linewidth which is too big for
	this example and therefore corrected by the macro to the maximal width 12
7	Caption below with a width of the given object which may be a problem if it is
	a very small object
8	Caption beside with a width of the given object height which may be a problem
	if it is a very small object
9	Caption beside object and vertically centered
10	Centered Caption beside Object 14
11	Caption vertically centered right beside the float with a caption width of the
	height of the image and a rotation of the caption and the object
12	Centered Caption on the inner side 15
13	Centered Caption on the inner side 15
14	Centered Caption beside Object 15
15	Centered Caption beside Object 16
16	Caption at bottom right beside the float
17	Caption at top left beside the float
18	Caption centered right beside the float 17
19	Hello, here is some text without a meaning. This text should show what a
	printed text will look like at this place. If you read this text, you will get no
	information. Really? Is there no information? Is there a difference between
	this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind
	text like this gives you information about the selected font, how the letters are
	written and an impression of the look. This text should contain all letters of the
	alphabet and it should be written in of the original language. There is no need
	for special content, but the length of words should match the language. 18
20	Caption at top right beside the float and object position left

21	Caption at top right beside the float and object position left	19
22	Caption at top left beside the float and object position right	19
23	Caption at top right beside the float and object position left and the option wide.	20
24	Caption at top left beside the object and object position left and the option wide.	20
25	Caption at top and inner beside the float and object position right and the option	
	wide	21
26	Caption at top inner beside the float and object position right and the option wide.	21
27	Caption at top inner beside the float and object position right and the option wide.	21
28	Output of default1s2c (pages 2 –5)	22
29	Object and Caption in landscape mode	23
30	Rotated Caption in Landscape	25
31	Nonfloat Captions	26
32	Output of fullpage1s2c (pages 1-8)	30
33	Output of default1s1c (pages 2–9)	31
34	Output of after1s1c (pages 2–9)	32
35	Output of even1s1c (pages 2–9)	33
36	Output of odd1s1c (pages 2-9)	34
37	Output of paper-default1s1c (pages 2–9)	35
38	Output of paper-after1s1c (pages 2–9)	36
39	Output of multi-default1s1c (pages 4-11)	38
40	Output of multi-after1s1c (pages 4-11)	38
41	Output of sub-default1s1c (pages 4-11)	40
42	Output of sub-after1s1c (pages 4-11)	40
43	Output of default2s2c (pages 2-9)	41
44	Output of left2s2c (pages 2–9)	42
45	Output of after2s2c (pages 2–9)	43
46	Output of right2s2c (pages 2–9)	43
47	Output of even2s2c (pages 2–9)	44
48	Output of odd2s2c (pages 2–9)	45
49	Output of inner2s2c (pages 2–9)	46
50	Output of outer2s2c (pages 2–9)	47
51	Output of paper-default2s2c (pages 2–9)	48
52	Output of paper-inner2s2c (pages 2–9)	49
53	Output of multi-default2s2c (pages 2-9)	50
54	Output of multi-inner2s2c (pages 2-9)	51
55	Output of sub-default2s2c (pages 2–9)	52
56	Output of sub-after2s2c (pages 2-9)	52
57	A doublepage image with a caption on the image.	55
58	A doublepage image with a caption on the image.	61
59	A caption for a double-sided image that will be placed on the right-hand part of	
	the illustration. The illustration begins on the left edge of the paper. No further	
	text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE	65
60	A caption for a double-sided image that will be placed after the image. The	
	image begins on the left edge of the paper. No further text is placed on the	
	pages. A short form is used for the LOF. The parameter is doubleFULLPAGE	70
61	A caption for a double-sided image that will be placed before the image. The	
	image begins on the left edge of the paper. No further text is placed on the	
	pages. A short form is used for the LOF. The parameter is doubleFULLPAGE	71

62	A doublepage image with a caption below the right part	77
63	A doublepage image with a caption on the right side of the right part	81
64	A doublepage image with a caption on the right side of the right part	85
65	A doublepage image with a caption on the right side of the right part	87
66	Caption at bottom right beside the float with a caption width of 0.5 $columnwidth$.	92
67	A float which needs the complete paper width and height.	94

1 The package options

fbox	The objects and captions are put into a \fbox command, like in this documenta-
	tion. This doesn't make real sense and is only for some demonstration useful or
	for locating problems if images seems to have too much whitespace.
hyperref	Load package hyperref.
nostfloats	do not load package stfloats.

The length \belowcaptionskip is set by LATEX to 0pt and changed in hvfloat to the same value than \abovecaptionskip. This length can be changed to another value in the usual way with \setlength or \addtolength.

The following packages are loaded by hvfloat and the optional argument hypcap is passed to the packages caption and subcaption:

caption, subcaption, atbegshi, stfloats, expl3, multido, graphicx, xkeyval, ifoddpage, and afterpage.

2 The Macros and optional arguments

The syntax for the macros and \hvFloatSetDefaults, \hvFloatSet, and \hvFloat is

```
\hvFloatSet{key=value list}
\hvFloatSetDefaults
\hvFloat* [Options] + {float type}{floating object} [short caption] {long caption}{label}
```

The star version is explained in section 11 on page 22 and 19.2 on page 48 and the optional ∎is explained in section 17.3 on page 37.

\hvFloatSet allows the global setting of keywords and \hvFloatSetDefaults sets all keywords to its default value as shown in Table 2 on the next page.

If \hvFloat has an empty second parameter <float type>, then \hvFloat switches by default to a nonfloat (see table 2) object, which is not important for the user. All other parameters may also be empty and the short caption as second optional parameter missing. This one is as usual the caption for the \listoffigures.

There are some more macros defined, more or less for internally use in hvfloat, but they can be used for own purposes.

```
\figcaption [short caption text] {caption text}
\tabcaption [short caption text] {caption text}
\tabcaptionbelow[short caption text] {caption text}
```

They are used for the nonFloat keyword, where these macros write captions in the same way but outside of a float environment. The default caption cannot be used here. It is no problem to use the \tabcaption command to place a caption anywhere, like here in an inlined mode:

Table 1: A Caption without any sense and any object

A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing table 2 is no problem.

```
[...] It is no problem to use the \verb|\tabcaption|
command to place a caption anywhere,
like here in an inlined mode:
\tabcaption[The Caption without sense ...]%
```

2 The Macros and optional arguments

{A Caption without any sense and any
object}\label{dummy} A label can be put
inside the argument or after the command
in the usual way, so that a reference to
the not existing table~\ref{dummy} is no problem.

With the macro \hvDefFloatStyle one can define a style which can be used instead of the individual setting:

\hvDefFloatStyle{name}{setting}

Internally the style is saved in a macro named

There are the following keywords:

Keyword	Default	Description	
floatPos tbp		This is the same default placement setting as in standard LATEX; maybe not always the best setting.	
rotAngle	0	The value for the angle if both the object and the caption should be rotated together.	
capWidth	n	The width of the caption. Can be n for a natural width given by the current linewidth, w for the width of the object, n for the height of the object, or a scale factor for \columnwidth.	
capAngle	0	The integer value for the angle if the caption should be rotated. Positive is counter-clockwise.	
capPos	bottom	The position of the caption relative to the object. Possible values: before: <i>always</i> before (left) from the object. top: <i>always</i> on top of the object. left: <i>always</i> before (left) from the object, but on the same page in	
		twocolumn mode. after: <i>always</i> after (right) from the object.	
		bottom: <i>always</i> on the bottom of the object. right: <i>always</i> after (right) from the object, but on the same page in	
		<pre>twocolumn mode. inner: in twoside mode always typeset at the inner margin. outer: in twoside mode always typeset at the outer margin. evenPage: in twoside mode with fullpage objects always on an even</pre>	
		page. oddPage: in twoside mode with fullpage objects always on an odd page.	
capVPos	center	Only used when capPos=left right; in these cases, the caption can be verti- cally placed at the bottom, center or top.	
objectPos	center	Horizontal placement of the object relative to the document. Possible values are (l)eft, (c)enter, (r)ight.	
objectAngle	0	Integer value for the angle if the object should be rotated. Positive is counter- clockwise.	
floatCapSep			
use0Box	false	Instead of passing the object as a parameter to \hvFloat, with use0Box= the contents of the predefined box \hv0Box is used.	
onlyText	false	The caption is printed as normal text with no entry in any list of	
nonFloat	false	The object isn't put in a floating environment, but printed as standard te with an additional caption. The float counter is increased as usual and can be referenced.	
wide	false	The float can use \textwidth + \marginparwidth as horizontal width.	

Table 2: The optional keywords for the macro \hvFloat

Keyword Default		Description	
objectFrame	false	Put a frame with no separation around the float object.	
style	none	Use a defined style.	
capFormat	none	Define formatting options for \caption; see documentation of package	
		caption.	
subcapFormat	none	Define formatting options for \subcaption.	
fullpage	false	Use a complete column in twocolumn mode.	
FullPage	false	Use the full text area for the object.	
FULLPAGE	false	Use the full paper width/height for the object.	
doublePage	false	Use the text area on a doublepage with additional text.	
doublePAGE	false	Use the text area on a doublepage without additional text.	
doubleFULLPAGE	false	Use the paperwidth on a doublepage without additional text.	
vFill	false	Put a \vfill between every two objects in a multi- or subfloat.	
sameHeight	false	use the same text height on both pages for a doublePage object.	

3 The default use of floating environments

In this case there is no essential difference to the well known figure or table environment, f.ex.:

```
\begin{figure}
... object ...
\caption{...}% caption below the object
\end{figure}
```




Figure 2: Without any keywords (only the fbox package option)

Code for figure 2:

```
1 \hvFloat{figure}{\includegraphics{images/rose}}{Without any keywords (only the \texttt{fbox}
package option)}{fig:0}
```

Code for table 3:

```
1 \hvFloat[capPos=top]{table}{%
```

```
2 \begin{tabularx}{\textwidth}{>{\ttfamily}l|l|X}
```

```
3 \rmfamily Name & Type & Description\\\hline
```

```
4 \CMD{hvFloat} & command & places object and caption in different ways\\
```

 $_{\rm 5}$ hvFloatEnv & environment & places object and caption exactly Here\\

```
7 \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
```

```
8 \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\
```

```
9 \CMD{hvDefFloatStyle} & command & define a user style
```

```
10 \end{tabularx}}%
```

Tab. 3

4 Caption width

Table 3: With the only Option capPos=top to place the caption on top of the table, which is often the default.

Name	Туре	Description
\hvFloat	command	places object and caption in different ways
hvFloatEnv	environment	places object and caption exactly Here
\figcaption	command	writes a figure caption in a non floating environment
\tabcaption	command	writes a table caption in a non floating environment
\hvFloatSetDefaults	command	sets all options to the defaults
\hvDefFloatStyle	command	define a user style

11 {With the only Option \texttt{capPos=top} to place the caption on top of the table, which is
 often the default.}%

12 {tab:0}

See section 14 for some more informations about tabulars as objects.

4 Caption width

4.1 Default - natural width

The default setting is the natural width of a paragraph with respect to the current linewidth or columnwidth for a caption below or above an object. It behaves in the same way as a caption set by one of the default floating environments like figure or table:

- 1 \hvFloat[floatPos=!htb]{figure}{\includegraphics{images/rose}}%
- 2 {Default caption width setting, which is the natural width with respect to the current linewidth.}{fig:width0}




Figure 3: Default caption width setting, which is the natural width with respect to the current linewidth.

For the following examples the package option fbox is disabled. All frames are now set with the macro \frame or the optional keyword objectFrame.

For a caption beside an object, the *natural* caption width (without the optional argument wide) is given by the current linewidth minus the width of the object and the space between object and caption, which is set by floatCapSep (see Table 2 on page 8).

- 1 \hvFloat[floatPos=!htb,capPos=after,objectFrame]{figure}{\includegraphics[scale=1.5]{images/ rose}}%
- the separation between object and caption, and the current linewidth.}{fig:width1}




Figure 4: Caption right beside with a *natural* width, which is given by the width of the object, the separation between object and caption, and the current linewidth.

4.2 Relative linewidth

With capWidth=<number> the caption width is set to <number>\columnwidth. For captions at the bottom or on top of objects the setting is not checked if <number> is greater than 1.

- 1 \hvFloat[floatPos=!htb,capWidth=0.9]{figure}{\includegraphics{images/rose}}%
- 2 {Caption below with a width of 0.9 of the current line width (column width), which is
- in this special case \the\linewidth. Divide it by 28.82 to get cm.}{fig:width2}

Fig. <mark>5</mark>




Figure 5: Caption below with a width of 0.9 of the current line width (column width), which is in this special case 376.42744pt. Divide it by 28.82 to get cm.

If such a value like 0.9\linewidth is used for a caption beside an object, then the macro does a test if the space beside the object is less equal the defined caption width. If not then the width is set to the possible value between object and margin:

```
1 \hvFloat[floatPos=!htb,
2 capPos=after,
3 capWidth=0.9]{figure}{\includegraphics[scale=1.5]{images/rose}}%
4 {Caption right beside with a width setting of \texttt{0.9\textbackslash linewidth}
5 which is too big for this example and therefore corrected
6 by the macro to the maximal width.}{fig:width3}
```

5 Caption left or right of the object




Figure 6: Caption right beside with a width setting of 0.9\linewidth which is too big for this example and therefore corrected by the macro to the maximal width.

4.3 Identical object and caption width

With capWidth=w the caption width is like the object width which makes only real sense if you have a lot of identical images with respect to its widths.

- 1 \hvFloat[floatPos=!htb,capWidth=w]{figure}{\includegraphics[width=0.5\linewidth]{images/CTAN}}%
- $_2$ {Caption below with a width of the given object which may be a problem
- 3 if it is a very small object.}{fig:width4}




Figure 7: Caption below with a width of the given object which may be a problem if it is a very small object.

4.4 caption width to height of the object

With capWidth=h the caption width is like the object height which makes only real sense if you want to put a rotated caption beside the object.

- 1 \hvFloat[floatPos=!htb,capPos=after,capWidth=h,capAngle=90,objectFrame]{figure}{\
 includegraphics{images/rose}}%
- {Caption beside with a width of the given object height which may be a problem
- if it is a very small object.}{fig:width5}

Fig. 8


2

5 Caption left or right of the object

By default the caption is set on the left side of the object. If the caption and the object are set side by side, then the keyvalue before is identical to the setting left.

5.1 Caption right with specific length

Code for figure 9:



- 1 \hvFloat%
- 2 [floatPos=htb,
- 3 capPos=right,
- 4 objectFrame,
- 5 objectPos=c]{figure}{\includegraphics[scale=0.9]{images/rose}}%
- 6 [Caption beside object and vertically centered]%
- 7 {Caption vertically centered right beside the float with a natural caption width
- 8 (the default). \blindtext}%
- 9 {fig:1}




Figure 9: Caption vertically centered right beside the float with a natural caption width (the default). Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.


5.2 Caption left and rotated

Code for figure 10:

```
\hvFloat%
1
      [floatPos=htb,
2
      capPos=left,
3
      capWidth=h,% of \columnwidth
4
5
      capAngle=90,
6
      objectFrame
     ]{figure}{\includegraphics{images/rose}}%
7
      [Centered Caption beside Object]%
8
     {Caption vertically centered left beside the float with a caption width
9
      of \texttt{capWidth=h}, which is the height of the object.}{fig:2}
10
```

It is no problem to rotate the object, too. But with a different angle value than for the Fig. 10 caption. Do not ask for the sense, it is only a demonstration of what is possible ... The object (image) is rotated by -30 degrees with the macro \rotatebox. Without any definition the caption will be placed vertically centered to the object. Important for the height of the object is the surrounding orthogonal rectangle.

Fig. ¶loat capPos=right



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 11:

1	\hvFloat[%
2	capWidth=h,
3	capPos=after,
4	capAngle=180,
5	objectAngle=90,
6	capVPos=center,
7	objectPos=center]{figure}{\ frame {\includegraphics{images/rose}}}%
8	[Centered Caption beside Object]{%
9	{Caption vertically centered right beside the float with a caption width of the height
10	of the image and a rotation of the caption and the object.}{fig:3}






Figure 11: Caption vertically centered right beside the float with a caption width of the height of the image and a rotation of the caption and the object.

6 Caption inner or outer

Setting the caption position to *inner* or *outer* makes only sense for a document in twoside mode. For a oneside document *inner* is the same as *left* and *outer* is the same as *right*. We show only the code for the first image with the setting capPos=inner, whereas the second one chooses only capPos=outer.

Code for figure 12:

- 1 \hvFloat[capPos=inner]{figure}{\includegraphics{images/rose}}%
- 2 [Centered Caption on the inner side]{%
- 3 Caption set with the parameter setting \texttt{capPos=inner}, which will be
- a caption on the right side for an even page and on the left side for

15

an odd page.}{fig:20}

5

Figure 12: Caption set with the parameter setting capPos=inner, which will be a caption on the right side for an even page and on the left side for an odd page.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Now the same Image with capPos=outer. The current pagenumber is 15, an odd page. We now set a pagebreak at the end of the second image to see if it works with inner/outer.

- \hvFloat[capPos=outer]{figure}{\includegraphics{images/rose}}% 1
- [Centered Caption on the inner side] {% 2
- Caption set with the parameter setting \texttt{capPos=outer}, which will be 3
- a caption on the right side for an even page and on the left side for 4
- an odd page.}{fig:20b} 5

Figure 13: Caption set with the parameter setting capPos=outer, which will be a caption on the right side for an even page and on the left side for an odd page.

> Figure 14: Caption at the bottom right beside the float with a caption width of 0.5\columnwidth and and capPos=outer.







7 Vertical Position of the Caption

We have an even page, the reason why figure 13 has the caption for *inner* on the left side and figure 14 for *outer* on the right side.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 15:

1	\hvFloat[%
2	capWidth=0.5,% <i>of</i> \ <i>columnwidth</i>
3	capPos=inner,% ====> INNER
4	capAngle=θ,
5	capVPos=bottom,
6	objectPos=center]{figure}{\includegraphics{images/rose}}%
7	[Centered Caption beside Object]{%
8	Caption vertically centered right beside the float with a caption
9	width of $texttt{0.5}textbackslash columnwidth} and texttt{capPos=outer} $

Fig. 15



Figure 15: Caption vertically centered right beside the float with a caption width of 0.5\columnwidth and capPos=outer

We have an even page, the reason why figure 12 has the caption for *inner* on the right side and figure 14 for *outer* on the left side.

7 Vertical Position of the Caption

The caption can be placed beside the object in the positions

```
(c)enter|(b)ottom|(t)op
```

The code for figure 16:

```
\hvFloat[%
1
        floatPos=htb,%
2
        capWidth=0.25,%
3
        capPos=right,%
4
        capVPos=bottom,%
5
  ]{figure}{\frame{\includegraphics{images/rose}}}{Caption at bottom right beside the float}{fig
6
        :4}
    The code for figure 17:
   \hvFloat[%
1
        floatPos=htb,
```

```
2 floatPos=htb,
3 capWidth=0.25,
```




Figure 16: Caption at bottom right beside the float

- 4 capPos=right,
- 5 capVPos=top,
- 6]{figure}{\frame{\includegraphics{images/rose}}}{Caption at top left beside the float}{fig:5}

Figure 17: Caption at top left beside the float




Fig. **17**

The code for figure 18:






Figure 18: Caption centered right beside the float

8 Caption format

The caption and subcaption macros are fully under the control of the package caption. The formatting can be set with the macros captionsetup, subcaptionsetup, or via the optional

9 Horizontal Position of the Float

argument setting of \hvFloat with the keywords capFormat and subcapFormat. The argument itself will then be used internally by \captionsetup and/or \subcaptionsetup in a minipage, the reason why it will be local to the current image..

```
1 \hvFloat[%
```

- 2 capPos=right,
- 3 capFormat={labelsep=newline,justification=RaggedRight,font={small,it},labelfont=bf}
- 4]{figure}{\frame{\includegraphics{images/rose}}}{\blindtext}{fig:66}

Fig. 19




Figure 19 Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

9 Horizontal Position of the Float

The caption is always near the object, only divided by the length \floatCapSep which can be set by the keyword of the same name floatCapSep. It accepts only a value with any allowed unit. The keyword objectPos refers always to the complete floating object: caption *and* object. The meaning of objectPos=left is: Put the object as far as possible to the left margin. If capPos=left is also used, then the caption is at the left margin followed by the object (see Figure 21 on the next page).

The code for figure 20:

```
1 \hvFloat[%
2 capWidth=0.25,
3 capPos=right,
4 capVPos=top,
5 objectPos=left,
6 objectFrame,
7 ]{figure}{\includegraphics{images/rose}}{%
```

Caption at top right beside the float and object position left}{fig:7}

Fig. 20




Figure 20: Caption at top right beside the float and object position left

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there

no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The same with capPos=left :

Figure 21: Caption at top right beside the float and object position left




Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 22:

- 1 \hvFloat[%
 2 capWidth=0.25,
 3 capPos=before,
 4 capVPos=top,
 5 objectPos=right,
- objectFrame,
- 7]{figure}{\includegraphics{images/rose}}{%
- 8 Caption at top leftt beside the float and object position right}{fig:8}

Figure 22: Caption at top left beside the float and object position right



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of

Fig. 21

10 Wide floats

the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

10 Wide floats

With the optional argument wide the width of the defined \marginparwidth is added to the allowed horizontal width of the float.

The code for figure 23:

1 \hvFloat[wide,

2

4

6

- capPos=right,
- 3 capVPos=top,
 - objectPos=left,
- 5]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
- Caption at top right beside the float and object position left and
- 7 the option \texttt{wide}.}{fig:70}





Figure 23: Caption at top right beside the float and object position left and the option wide.

The code for figure 24:

- 1 \hvFloat[wide, 2 capPos=left, 3 capVPos=top, 4 objectPos=right, 5]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}% 6 {Caption at top left beside the object and object position left and
- the option \texttt{wide}.}{fig:80}

Figure 24: Caption at top left beside the object and object position left and the option wide.



For a twosided document it will place the object always in the margin.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[wide,
```


```
2 capPos=inner,
```

```
3 capVPos=top,
```

```
4 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
```

- $_{\rm 5}$ Caption at top and inner beside the float and object position right and
- 6 the option \texttt{wide}.}{fig:81}

Figure 25: Caption at top and inner beside the float and object position right and the option wide.




Now we set the same image with the same setting on the next page. The caption will change its side due to the setting capPos=outer .

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

- 1 \hvFloat[wide,
- 2 capPos=inner,
- 3 capVPos=top,
- 4]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
- $_{\rm 5}$ Caption at top inner beside the float and object position right and
- 6 the option \texttt{wide}.}{fig:811}

Figure 26: Caption at top inner beside the float and object position right and the option wide.



The caption can be typeset completely into the margin with:

- 1 \captionsetup{justification=RaggedRight}
- 2 \hvFloat[wide,
- 3 capPos=outer,
- 4 capVPos=top,
- 5 floatCapSep=\marginparsep,
- 6]{figure}{\includegraphics[width=\linewidth]{images/CTAN}}{%
- 7 Caption at top inner beside the float and object position right and
- 8 the option \texttt{wide}.}{fig:812}




Fig. 27 Figure 27: Caption at top inner beside the float and object position right and the option wide.

11 The star version \hvFloat*

In the twocolumn mode the floating environment can be set over both columns with the star version \hvFloat*. The floating environment will not be on the bottom of the page. The code for the following example (Figure 28) is:

```
\hvFloat*[capPos=right]{figure}%
1
     {\includegraphics{images/frose}}%
2
     [A float with the default caption setting]%
3
     {A default caption of a ``'' object with the default setting, which
4
      is a ``left'' caption which means that it always appears before the object.
5
      This can be an even or odd page. And some more text which has no
6
      real meaning because it fills only the space for a long caption.}%
7
     {fig:0}
8
```

The example shows on page 3 the star version and on page 4 the same without using the star.




Figure 28: Output of default1s2c (pages 2 -5)

12 Full Page Width in Landscape Mode

If you do not want to load the package lscape (or pdflscape) you can use the floatPos=p option to put the image on an own page and rotated by 90 degrees (figure 29).


Code for figure 29:

```
\hvFloat[%
1
        floatPos=p,
2
        capPos=bottom,
3
        rotAngle=90,
4
        objectPos=center,
5
   ]{figure}{\includegraphics[width=0.9\textheight]{images/CTAN}}%
6
     [Object and Caption in landscape mode] {%
7
        Caption and object in landscape mode. \blindtext}{fig:9}
8
```

The float can also be put to the left or to the right (above/below in landscape) with the objectPos=l parameter

Fig. 29

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of



will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives look. This text should contain all letters of the alphabet and it should be written in of the This text should show what a printed text will look like at this place. If you read this text, you you information about the selected font, how the letters are written and an impression of the Figure 29: Caption and object in landscape mode. Hello, here is some text without a meaning. original language. There is no need for special content, but the length of words should match the language.

13 The nonFloat Option

the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 30:

1	\hvFloat[%
2	floatPos=p,
3	capWidth=h,
4	capPos=right,
5	objectAngle=90,
6	capAngle=-90,
7	objectPos=left,
8]{figure}{\includegraphics[width=\ textheight]{images/CTAN}}%
9	[Rotated Caption in Landscape]{%
10	Caption right beside the float and object position left. The caption rotated by \$-90\$
11	<pre>degrees.\blindtext}{fig:10}</pre>

Fig. 30

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.


Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

13 The nonFloat Option

Sometimes it is better to put a "float" in a specific position of the page. This is possible with the nonfloat package and the keyword nonFloat.


```
Some nonsense text before the following \emph{non floating} object.
1
2
   \hvFloat[%
3
        nonFloat,
4
        capWidth=0.25,
5
        capPos=right,
6
        capVPos=bottom,
7
        objectPos=center,
8
        objectFrame,
9
   ]{figure}{\includegraphics[scale=1.5]{images/rose}}%
10
11
         [Nonfloat Captions] {%
         Caption of a ``nonfloat'' Object, using the \texttt{nonfloat} Package}{fig:11}
12
13
   Some nonsense text after the preceding \emph{non floating} object.
14
```

Some nonsense text before the following *non floating* object.



text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is

Figure 30: Caption right beside the float and object position left. The caption rotated by -90 degrees. Hello, here is some text without a meaning. This



Some nonsense text after the preceding non floating object.

The image 31 is exactly placed where the command \hvFloat appears. There are only commands for figure and table environments:

```
\newcommand{\figcaption}{\def\@captype{figure}\caption}
\newcommand{\tabcaption}{\def\@captype{table}\caption}
```

But it is no problem, to define more xxxcaption commands to support other with the float package defined new floats.

14 Tabulars as Objects

The object has to be passed as an parameter to the hvFloat macro. This is no problem with images but maybe with tables, so it is easier to use the box hvOBox to save the table in this box and pass it then to hvFloat with the useOBox option. For example see table 4 and 5:

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
\savebox{\hv0Box}{%
1
    \begin{tabular}{>{\small\ttfamily}l|l|l}\hline
2
                                     & Description\\\hline
3
     \rmfamily Name
                      & Type
     \CMD{hvFloat} & command
                                  & places object and caption in different ways\\
4
     hvFloatEnv & environment & places object and caption exactly Here\\
5
     \CMD{figcaption} & command & writes a figure caption in a non floating environment\\
6
     \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
     \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\\hline
8
    \end{tabular}%
9
10
```

The code for table 4 and 5 is:

```
1 \hvFloat[%
```

```
2 floatPos=!hb,
```

3	capPos=top,
4	<pre>useOBox=true]{table}{}{Demonstration of the \texttt{useOBox} Parameter}{table:1}</pre>
5	
6	\hvblindtext
7	
8	<pre>\marginnote{Tab.~\ref{table:2}}</pre>
9	\hvFloat[%
10	floatPos=hb,
11	useOBox=true,
12	objectAngle=90,
13	capPos=right,
14	capVPos=top,
15	<pre>capWidth=0.3]{table}{}{Another demonstration of the \texttt{useOBox} Parameter}{table:2}</pre>

In this case leave the third parameter empty.

 Table 4: Demonstration of the use0Box Parameter

Tab. <mark>4</mark>

Tab. 5

Name	Туре	Description
\hvFloat	command	places object and caption in different ways
hvFloatEnv	environment	places object and caption exactly Here
\figcaption	command	writes a figure caption in a non floating environment
\tabcaption	command	writes a table caption in a non floating environment
\hvFloatSetDefaults	command	sets all options to the defaults


15 Text and objects

With the onlyText keyword it is no problem to put some text beside an image without getting the caption title Figure/Table. The object still can be a floating one or a nonfloating if the nonfloat keyword is used.

The code for figure **15**:

```
\hvFloat[%
1
     onlyText=true,
2
     capAngle=90,
3
     capPos=right,
4
     capVPos=top,
5
     objectFrame,
6
     capWidth=h]{}{\includegraphics{images/rose}}%
7
      [``\texttt{onlyText}'' Caption]{%
8
       Demonstration of the \texttt{onlyText} Parameter, which makes it
9
10
       possible to put some text beside a floating object without getting
11
       a starting \texttt{Figure:} or \texttt{Table:}}{fig:text}
```

Fig. 15




Demonstration of the onlyText Parameter, which makes it possible to put some text beside a floating object without getting a starting Figure: or Table:

Description	places object and caption in different ways	places object and caption exactly Here	writes a figure caption in a non floating environment	writes a table caption in a non floating environment	sets all options to the defaults	Table 5: Demonstration the use0Box Parameter	of
Type	command	environment	command	command	command		
Name	\hvFloat	hvFloatEnv	\figcaption	\tabcaption	\hvFloatSetDefaults		

16 Environment hvFloatEnv

With the environment hvFloatEnv one can place an object exactly on that position where the environment is defined. For captions the use of \captionof is recommended:

```
\begin{hvFloatEnv}
1
   \captionof{table}{A caption for a nice table}
2
   \begin{tabular}{@{} l c r @{}}\hline
3
   left & center & right \setminus
4
       & C
             & R
                         \\\hline
5
  1
   \end{tabular}
6
   \end{hvFloatEnv}
7
```



leftcenterrightLCR

The environment has an optional argument for setting the line width which is preset to \textwidth. The object is always centered.

```
\begin{hvFloatEnv}[0.5\textwidth]
1
   \captionof{table}{A caption for a nice table}
2
   \begin{tabular}{@{} l c r @{}}\hline
3
   left & center & right \setminus
4
        & C
                         \\\hline
5
   L
                 & R
   \end{tabular}
6
   \end{hvFloatEnv}
7
```

Table 7: A caption for a nice table

left center right L C R

17 Full page objects in onecolumn mode

For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceeding or following page. It is possible in oneside and twoside mode, but makes only real sense in the twoside mode. hvfloat defines three additional optional arguments for placing images in a complete column, page or paper:

```
\define@key{Gin}{fullpage}[true]{%
  \define@key{Gin}{FullPage}[true]{%
  \def\Gin@ewidth{\columnwidth}%
  \def\Gin@eheight{\textheight}%
  \def\Gin@eheight{\textheight}%
  \def\Gin@eheight{\textheight}%
  \define@key{false}{iso}%
  }
  \define@key{Gin}{FULLPAGE}[true]{%
  \def\Gin@eheight{\paperwidth}%
  \def\Gin@eheight{\paperheight}%
  \def\Gin@eheight{\paperheight}%
```

Figure 32 on the next page shows the meaning of the optional arguments fullpage, FullPage,

and FULLPAGE for \inclugegraphics [...] {*tiger*}.

17.1 Using the textarea

}

The setting capPos=evenPage (even) or capPos=oddPage (odd) page for a document in twocolumn mode makes no real sense. For a twosided document a setting like capPos=inner for inner or capPos=outer for outer margin makes more sense. For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceeding or following page. It is possible in oneside and twoside mode, but makes only real sense in the twoside mode. Without any additional argument the caption is set first and the object on the follwing page:

17.1.1 Using the default or capPos=before

Without any additional argument the caption is set first (left) at the bottom of the current page and the object on the following page. This is the same setting like capPos=left for a onecolumn document. For the twocolumn option it makes more sense to use the setting capPos=before if the caption and object can appear on different pages.

```
1 \hvFloat[fullpage]%
```

```
2 {figure}%
```

```
3 {\includegraphics[fullpage]{images/frose}}%
```

```
4 [A fullpage float with the default caption setting]%
```

```
_{\rm 5} {A default caption of a ``fullpage'' object with the default setting, which
```




Figure 32: Output of fullpage1s2c (pages 1-8)

6	is a ``left'' caption which means that it always appears ``before'' the object.
7	This can be an even or odd page. And some more text which has no
8	real meaning because it fills only the space for a long caption.}%
9	{fig:fullpage0}

Table 8: Valid optiona	l arguments for a	full page object.
------------------------	-------------------	-------------------

Name	Туре	Description
fullpage	true false	Put the caption on the bottom of the preceding or following page
		and the object alone a page.
FULLPAGE	true false	The same for full papersize objects over one or two columns. The
		pagestyle is set to empty
multiFloat	true false	For multiple objects with captions for every object. See sec-
		tion 17.3 on page 37.
subFloat	true false	For multiple objects with one main and more subcaptions. See
		section 18 on page 39.
separatorLine	true	Put a line with a predefined width of 0.4pt between the text and
		the caption. Only valid for the keyword fullpage.
capPos	value	caption before, after an object or on an evenPage or oddPage.

With this setting the caption is always placed *before* the following object. This maybe sufficient for a oneside document but not the best solution if this document is printed on a duplex machine. In such a case it may make sense to have the captions always on an even (left) page, even though the socument is typeset in a oneside mode. Figure 33 on the facing page

shows the output for a oneside document with a setting capPos=before.

Depending to the used documentclass it can be a problem, if the caption should be placed on the first page. In such a case use one of the other setting. Table 8 on the preceding page shows the valid optional arguments for a full page floating object.




Figure 33: Output of default1s1c (pages 2-9)

17.1.2 Using capPos=after

The caption will be printed always on the right side which is the same as *after* the full page object. The object appers immediately on the next page and the caption of the next following page at the bottom. There is no check for an even or odd page. This behaviour makes only sense for a oneside document.

- 1 \hvFloat[fullpage, capPos=after]%
- 2 {figure}%
- 3 {\includegraphics[fullpage]{images/frose}}%
- 4 [A float which needs the complete page width and height.]%
- $_{\rm 5}$ {A Caption of a ``fullpage'' object, which follows on the next page.
- $_{\rm 6}$ $\,$ This can be an even or odd page. And some more text which has no
- 7 real meaning because it fills only the space for a long caption.}
- 8 {fig:fullpage1}




Figure 34: Output of after1s1c (pages 2–9)

17.1.3 Using capPos=evenPage – caption on an even page

With capPos=evenPage the caption will be printed on an even (left) page, the object will always be on an odd (right) page. This option makes only real sense for The twoside mode!

- \hvFloat[fullpage, capPos=evenPage]% 1
- {figure}% 2
- {\includegraphics[fullpage]{images/frose}}% 3
- 4
- [A float whith a caption on an even page (left)]%
 {A caption on an even (left) page of a ``fullpage'' object.. \blindtext} 5
- 6 {fig:fullpage3}




Figure 35: Output of even1s1c (pages 2-9)

17.1.4 Using capPos=oddPage – caption on an odd page

With capPos=oddPage the caption will be printed on an odd (right) page, the object will always be on an even (left) page, which is before the caption.

- 1 \hvFloat[fullpage, capPos=oddPage]%
- 2 {figure}%
- 3 {\includegraphics[fullpage]{images/frose}}%
- 4 [A float which needs the complete page width and height.]%
- $_{\rm 5}$ = {A Caption on an odd page of a ``fullpage'' object, which follows on the next page.
- $_{\rm 6}$ $\,$ This can be an even or odd page. And some more text which has no
- 7 real meaning because it fills only the space for a long caption.}
- 8 {fig:fullpage2}



Figure 36: Output of odd1s1c (pages 2-9)

17.1.5 Using capPos=inner or capPos=outer - caption on the inner or outer side

These settings make no sense in onecolumn mode.

17.2 Using the paper size

It belongs to the user to create an object which fills the complete page. However, with the keyword FULLPAGE which is valis for \hvfloat and for the macro \includegraphics an image will be scaled to the paper dimensions \paperwidth and \paperheight. It can be used in one- and twocolumn mode!

- \hvFloat[FULLPAGE]% 1
- {figure}% 2
- {\includegraphics[FULLPAGE]{frose.png}}% 3
- [A fullpage float with the default caption setting]% 4
- 5
- {A default caption of a ``fullpage'' object with the default setting, which is a ``left'' caption which means that it always appears before the object. 6
- This can be an even or odd page. And some more text which has no 7
- real meaning because it fills only the space for a long caption.}% 8
- {fig:fullpage0}




Figure 37: Output of paper-default1s1c (pages 2–9)




Figure 38: Output of paper-after1s1c (pages 2-9)

17.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The syntax for multiple floats is


<pre>\hvFloat[Options] +{float type}{floating object}[short</pre>	t caption] { <i>long caption</i> } { <i>label</i> }
+{float type}{floating object} [short	t caption] { <i>long caption</i> } { <i>label</i> }
+	
+{float type}{floating object}[shor	t caption] {long caption}{label}


The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```
\captionsetup{singlelinecheck=false}
1
   \hvFloat[fullpage,capPos=before,multiFloat,vFill]%
2
     +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%
                                                                                     no 1
3
      [Short caption A]%
4
      {A Caption A of a ``fullpage'' object, which follows on the left or
5
       right column. This can be an even or odd page. And some more text which has no
6
       real meaning because it fills only the space for a long caption.}%
7
      {ima:demo0}%
8
     +{table}{\begin{tabular}{lrcp{3cm}}\hline
                                                                                     no 2
9
                                                                       %
               Linksbündig & Rechtsbündig & Zentriert & Parbox\\\hline
10
               1
                                  & C & P\\
                           & R
11
               left
                                          & center & Text with possible linebreaks\\
                           & right
12
               \multicolumn{4}{c}{Multicolumn over all columns}\\\hline
13
              \end{tabular}}%
14
       [Short Caption B]%
15
      {A Caption B of a ``fullpage'' object, which follows on the left or
16
           right column. This can be an even or odd page.}{}%
17
18
     +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%
                                                                                      no 3
       {A Caption C of a ``fullpage'' object, which follows on the left or
19
20
         right column.}%
21
      {img:demol}
     +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%
22
                                                                                      no 4
      {A Caption C of a ``fullpage'' object, which follows on the left or
23
         right column.}%
24
      {img:demo2}
25
```

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to section 18 on page 39. The setting \captionsetup{singlelinecheck=false } is needed if you want the captions always left aligned.

17 Full page objects in onecolumn mode








Figure 40: Output of multi-after1s1c (pages 4-11)

18 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. The syntax is similiar to the one for a multifloat page:


\hvFloat[Options] +{float type}{<empty>}[short caption] {long caption}{label}
 +{<empty>}{floating object}[short caption] {long caption}{label}
 +...
 +{<empty>}{floating object}[short caption] {long caption}{label}


Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All aditional lines will have the same float type, the reason why the float type entry is ignored.

```
\hvFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
1
     +{figure}{}[Short main caption of the objects]% main short lsi entry
2
      {The main caption of a ``fullpage'' object, which follows on the left or
3
            right column. This can be an even or odd page. And some more text which has no
4
            real meaning because it fills only the space for a long caption.}% main caption
5
      {sub:demo0}%
6
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
7
      [Short caption B]%
8
      {A Caption B of a ``fullpage'' sub object.}% subcaption
9
      {}%
10
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
11
      {A Caption C of a ``fullpage'' object, which follows on the left or right column.}%
12
      {sub:demo1}
13
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
14
      {A Caption D of a ``fullpage'' object}{sub:demo2}
15
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
16
      {A Caption E of a ``fullpage'' object}{sub:demo3}
17
```

The keyword subFloat defines the images or tabulars as subfloats. The package subcaption is loaded by default and should be activated with \captionsetup[*sub*][*singlelinecheck*].

18 Subfloat page








Figure 42: Output of sub-after1s1c (pages 4-11)

19 Full page objects in twocolumn mode

The filenames always have a "2c" for two columns in its names, e.g. left2s2c indicates capPos=before and the documentclass setting twoside and twocolumn. Depending to the used documentclass it can be a problem, if the caption should be placed on the first page of the whole document. In such a case use one of the other setting. Table 8 on page 30 shows the valid optional arguments for a full page floating object.

19.1 Default setting

For the twocolumn mode the caption can be in the left (first) or right (second) column. With the default setting (without using the keyword capPos) it is equivalent to the setting capPos=before, the caption is always placed *before* (left of) the object. This can be the first or the second column and both can be on different pages. With capPos=before (uppercase L) it is possible to get the caption and the object in the twocolumn mode always on one page. This is then the left (first) column for the caption (see figure 43).





Figure 43: Output of default2s2c (pages 2-9)

1	\hvFloat[fullpage]{figure}%
2	{\includegraphics[width=\ columnwidth ,height=0.9\ textheight]{images/frose}}%
3	[A float which needs the complete column width and height.]%
4	{A Caption of a ``fullpage'' object, which follows on the next column.
5	This is always the right column on an even or odd page. And some more
6	text which has no real meaning because it fills only the space for a long
7	caption.}%
8	{fig:fullpage0-2}

The example 43 shows that the caption and the object can be on different pages. If you do not like this behaviour, then use the setting capPos=left , which puts the caption before the

19 Full page objects in twocolumn mode



object, but always on the same page (see Figure 44).

Figure 44: Output of left2s2c (pages 2-9)

19.1.1 Using capPos=after

The caption will be printed always right of the object which is the same as *after* the full page object. With capPos=after it is possible to get the caption in the twocolumn mode always in the right (second) column (see figure 46 on the next page)

```
1 \hvFloat[fullpage, capPos=after]{figure}%
```

```
2 {\includegraphics[fullpage]{images/rose}}%
```

```
_3 [A float which needs the complete column width and height.]%
```

```
4 {A Caption of a ``fullpage'' object, which is on the left column.
```

```
5 This is always the right column on an even or odd page. And some more
```

```
6 text which has no real meaning because it fills only the space for a long
```

```
7 caption.}%
```

```
8 {fig:fullpage1-2}
```

The caption and the object can be on different pages (Figure 45 on the facing page). If you do not like this behaviour, then use the setting capPos=right instead of capPos=after . Figure right2s2c shows that caption and object in this case are always on the same page.




Figure 45: Output of after2s2c (pages 2-9)




Figure 46: Output of right2s2c (pages 2–9)

19.1.2 Using capPos=evenPage – caption on an even page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually \clearpage or wait for an update of hvfloat.




Figure 47: Output of even2s2c (pages 2-9)

19.1.3 Using capPos=oddPage - caption on an odd page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually \clearpage or wait for an update of hvfloat.




Figure 48: Output of odd2s2c (pages 2-9)

19.1.4 Using capPos=inner – caption in the inner column

The caption will be printed in the right column for an even page and in the left column for an odd page.

- 1 \hvFloat[fullpage,capPos=inner]{figure}{\includegraphics[fullpage]{images/rose}}%
- 2 [A float which needs the complete column width and height.]%
- $_3$ {A Caption of a ``fullpage'' object, which follows on the left or right column.
- $_{\rm 4}$ $\,$ $\,$ This can be an even or odd page. And some more text which has no
- real meaning because it fills only the space for a long caption.}{fig:fullpage3-2}




Figure 49: Output of inner2s2c (pages 2-9)

19.1.5 Using capPos=outer – caption on the outer column

The caption will be printed on the left column an odd page, the object can appear before or after this caption.

- 1 \hvFloat[fullpage, capPos=outer]{figure}%
- 2 {\includegraphics[fullpage]{images/rose}}%
- 3 [A float which needs the complete page width and height with \texttt{capPos=outer}.]%
- $_4$ $\ \$ {A Caption of a ``fullpage'' object, which has the caption position in the
- $_{\rm 5}$ $\,$ outer page. This can be an even or odd page. And some more text which has no
- 6 real meaning because it fills only the space for a long caption.}{fig:fullpage2-2a}




Figure 50: Output of outer2s2c (pages 2-9)

19.2 Using full page in twocolumn mode

With the star version of \hvfloat The object ist placed over both columns, the whole page. In such a case the only useful caption position is capPos=inner for *inner*.

- 1 \hvFloat*[fullpage, capPos=inner]{figure}%
- 2 {\includegraphics[FullPage]{images/rose}}%
- $_3$ [A float which needs the complete page width and height with $texttt{capPos=outer}.]$ %
- 4 {A caption of a ``fullpage'' object in twocolumn mode: It uses the star version
- of \textbackslash hvFloat. The object goes over both columns.}{fig:two}




Figure 51: Output of paper-default2s2c (pages 2-9)




Figure 52: Output of paper-inner2s2c (pages 2-9)

19.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```
\captionsetup{singlelinecheck=false}
1
   \hvFloat[fullpage,multiFloat,capPos=inner,vFill]%
2
     +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}% no 1
3
4
       [Short caption A]%
       {A Caption A of a ``fullpage'' object, which follows on the left or
5
6
        right column. This can be an even or odd page. And some more text which has no
        real meaning because it fills only the space for a long caption.}%
7
       {multi:demo0}%
8
     +{table}{\begin{tabular}{lr}\hline
                                                          % no 2
9
                Linksbündig & Rechtsbündig\\
10
                L.
                            & R
                                           11
11
                left
                            & right
                                           //
12
                \multicolumn{2}{c}{Multicolumn}\\\hline
13
               \end{tabular}}%
14
       [Short Caption B]%
15
       {A Caption B of a ``fullpage'' object, which follows on the left or
16
            right column. This can be an even or odd page.}%
17
18
       {}%
     +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}% no 3
19
       {A Caption C of a ``fullpage'' object, which follows on the left or
20
          right column.}%
21
       {multi:demo1}
22
```

20 Subfloat page

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to section 18 on page 39. The setting \captionsetup{singlelinecheck=false } is needed if you want the captions always left aligned.




Figure 53: Output of multi-default2s2c (pages 2-9)

20 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All additional lines will have the same float type, the reason why the float type entry is ignored.

```
\captionsetup[sub]{singlelinecheck}
1
   \hvFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
2
     +{figure}{}[Short main caption of the objects]% main short lsi entry
3
      {The main caption of a ``fullpage'' object, which follows on the left or
4
5
           right column. This can be an even or odd page. And some more text which has no
           real meaning because it fills only the space for a long caption.}% main caption
6
      {sub:demo00}%
7
     +{}{\includegraphics[height=0.28\textheight]{images/rose}}%
8
      [Short caption B]%
9
      {A Caption B of a ``fullpage'' sub object.}% subcaption
10
      {}%
11
     +{}{\includegraphics[height=0.28\textheight]{images/rose}}%
12
      {A Caption C of a ``fullpage'' object, which follows on the left or right column.}%
13
      {sub:demo10}
14
15
     +{}{\includegraphics[height=0.28\textheight]{images/rose}}%
      {A Caption D of a ``fullpage'' object}%
16
17
       {sub:demo20}
```




Figure 54: Output of multi-inner2s2c (pages 2-9)

The keyword subFloat defines the images or tabulars as subfloats. The package subcaption is loaded by default. For the subcaptions the singlelinecheck should be true (see listing).




Figure 55: Output of sub-default2s2c (pages 2-9)




Figure 56: Output of sub-after2s2c (pages 2-9)

21 Doublepage objects - images and/or tabulars

If an image or a tabular or any other object is too big for one page, it can be split over two pages (left – right). It is obvious that this makes only sense for twoside documents. There are three optional arguments:

- doublePage A splitted object with or without a caption on top of a double page, beginning in the left top text area. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth-4\margin. The caption can be rotated on the right side of the right object part or under the right part.
- **doublePAGE** A splitted object with or without a caption on top of a double page, beginning at the left side of the paper area and top of the text area. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth. The caption can only be under the right part of the object. The will be *no additional text* on the double page.
- **doubleFULLPAGE** A splitted object with or without a caption on the right or below of a double page. The object can fill the complete double page. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth. A caption will be rotated and written *over* the object, or if possible, at the right. The user has to take care for a correct text color.

21.1 doubleFULLPAGE

The scaling of the image is left to the user. If the proportion of the object doesn't fit 2*paperwidth/paperheight, then there can be a white part on the top or bottom of the object. A pagenumber will not be printed. In this documentation you'll find a marginnote where the following full doublepage image is defined. It appears on the the next following even page and following text will be placed *before* the object.

```
1 \hvFloat[doubleFULLPAGE,capPos=right,capAngle=90]%
```

```
2 {figure}%
```

- 3 {\includegraphics[angle=90,width=2\paperwidth]{images/r+j}}%
- 4 [A doublepage image with a caption on the image.]%
- 5 {A caption for a double-sided image that will be placed below the right-hand
- ₆ part of the illustration. The illustration begins on the left edge of the paper.
- 7 No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doubleFULLPAGE}}%
- 9 {fig:doubleFULLPAGE0}

Hello, here is some text without a meaning. This text should show what a printed text Fig. 57 will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.





Figure 57: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

21 Doublepage objects - images and/or tabulars

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest

gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

It is also possible to take a bind correction into account with e.g. binCorr=5mm, which reserves whitespace of 5mm in the inner margin on both pages.

```
1 \hvFloat[doubleFULLPAGE,capPos=right,bindCorr=5mm]%
```

```
2 {figure}%
```

```
3 {\includegraphics[angle=90,width=2\paperwidth]{images/r+j}}%
```

```
4 [A doublepage image with a caption on the image.]%
```

- 5 {A caption for a double-sided image that will be placed below the right-hand
- ₆ part of the illustration. The illustration begins on the left edge of the paper.
- No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doubleFULLPAGE}}%

```
9 {fig:doubleFULLPAGE0a}
```

Fig. 58

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text

will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should





21 Doublepage objects - images and/or tabulars

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

- 1 \hvFloat[doubleFULLPAGE,capPos=right]%
- 2 {figure}%
- 3 {\includegraphics[height=\paperheight]{images/rheinsberg-1000}}%
- 4 {A caption for a double-sided image that will be placed on the right-hand
- 5 part of the illustration. The illustration begins on the left edge of the paper.
- 6 No further text is placed on the pages. A short form is used for the LOF.
- 7 The parameter is \texttt{doubleFULLPAGE}}%
- 8 {fig:doubleFULLPAGE1}

Fig. 59

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there

no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of





Figure 59: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

21 Doublepage objects – images and/or tabulars

words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Placing the caption on the image itself is not the best solution. With the optional arguments before and after for capPos, the caption can be placed on the bottom of the preceding or follwing page of the doublepage object. A givel label, e.g. foo will always point to the page with the left part of the object. Internally are two additional labels defined: foo-cap points to the caption and foo-2 points to the right part of the doublepage object.

In the follwoing example 60 the caption is on page 70, the left image part on page 68 and the right part on page 69. In the follwoing example 61 the caption is on page 71, the left image part on page 72 and the right part on page 73. All three labels points to the same figure or table number:

```
\label{eq:constraint} $$ \ref{foo} | \ref{foo-cap} | \ref{foo-2} \to 60 | 60 | 60 \\ pageref{foo} | \ref{foo-cap} | \ref{foo-cap} | \ref{foo-2} \to 68 | 70 | 69 \\
```

```
\hvFloat[doubleFULLPAGE,capPos=after]%
1
     {figure}%
2
     {\includegraphics[doubleFULLPAGE,
3
       keepaspectratio=false]{images/rheinsberg-1000}}%
4
     {A caption for a double-sided image that will be placed \textbf{after}
5
      the image. The image begins on the left edge of the paper.
6
      No further text is placed on the pages. A short form is used for the LOF.
7
      The parameter is \texttt{doubleFULLPAGE}}%
8
     {foo}
```

Fig. 60

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of

words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A





21 Doublepage objects – images and/or tabulars

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no

Figure 60: A caption for a double-sided image that will be placed **after** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[doubleFULLPAGE,capPos=before]%
```

```
2 {figure}%
```

```
3 {\includegraphics[height=\paperheight,width=2\paperwidth,
```

```
4 keepaspectratio=false]{images/rheinsberg-1000}}%
```

```
5 {A caption for a double-sided image that will be placed \textbf{before}
```

```
6 the image. The image begins on the left edge of the paper.
```

- 7 No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doubleFULLPAGE}}%

```
9 {bar}
```

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text Fig. 61 without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Figure 61: A caption for a double-sided image that will be placed **before** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE





21 Doublepage objects - images and/or tabulars

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest

gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.2 doublePAGE

With this option the object also starts at the left paper margin but on the top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it.

```
1 \hvFloat[doublePAGE]%
```

```
2 {figure}%
```

```
3 {\includegraphics[width=\dimexpr2\textwidth+2in]{images/seiser}}%
```

- 4 [A doublepage image with a caption below the right part.]%
- 5 {A caption for a double-sided image that will be placed below the right-hand
- 6 part of the illustration. The illustration begins on the left edge of the paper.
- 7 No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doublePAGE}}%

```
9 {fig:doublePAGE0}
```

Hello, here is some text without a meaning. This text should show what a printed text Fig. 62 will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A





Figure 62: A caption for a double-sided image that will be placed below the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doublePAGE

21 Doublepage objects – images and/or tabulars

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.3 doublePage

With this option the object also starts at the left top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it and the rest of the text area is filled with text.

```
\hvFloat[doublePage,sameHeight]%
1
     {figure}%
2
     {\includegraphics[doublefullPage]{images/sonne-meer}}%
3
     [A doublepage image with a caption on the right side of the right part.]%
4
     {A caption for a double-sided image that will be placed on the right side of the
5
      right-hand part of the illustration. The illustration begins on the left edge of
6
      the paper. A short form is used for the LOF.
7
      The parameter is \texttt{doublePage}}%
8
     {fig:doublePage0sH}
```

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text Fig. 63 without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should



be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should




Figure 63: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A

21 Doublepage objects – images and/or tabulars

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

- 1 \hvFloat[doublePage,capPos=right,capVPos=top]%
- 2 {figure}%

6

- 3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
- 4 [A doublepage image with a caption on the right side of the right part.]%
- $_{\rm 5}$ $\,$ {A caption for a double-sided image that will be placed on the right side of the
 - right-hand part of the illustration. The illustration begins on the left edge of
- 7 the paper. A short form is used for the LOF.
- 8 The parameter is \texttt{doublePage}}%

9 {fig:doublePage0}

Fig. 64

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written



and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text




Figure 64: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[doublePage,bindCorr=inner]%
```

```
2 {figure}%
```

- 3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
- 4 [A doublepage image with a caption on the right side of the right part.]%
- $_{\rm 5}$ $\,$ {A caption for a double-sided image that will be placed on the right side of the
- ⁶ right-hand part of the illustration. The illustration begins on the left edge of
- 7 the paper. A short form is used for the LOF.
- 8 The parameter is \texttt{doublePage}}%

```
9 {fig:doublePage0sH2}
```

Hello, here is some text without a meaning. This text should show what a printed text Fig. 65 will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest



gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of




Figure 65: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

21 Doublepage objects - images and/or tabulars

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.4 Tabulars

In General there is no difference in an imgage or tabular or simple text. The object will be saved in a box and then clipped. If the object is a tabular one might modify the tabular if it will be split in the middle of a column. In such a case one can insert some additional horizontal space for this coloumn.

The tabular itself can be saved into the internal box \hvOBox or put directly as parameter into the macro.

```
\global\savebox\hv0Box{%
1
  \begin{tabular}{l*{18}r} \toprule
2
   & \textbf{1972} & \textbf{1973} & \textbf{1974} & \textbf{1975} & \textbf{1976}
3
   & \textbf{1977} & \textbf{1978} & \textbf{1979} & \textbf{1980} & \textbf{1981} & \textbf{1982} & \
4
      textbf{1983} & \textbf{1984} & \textbf{1985}
  & \textbf{1986} & \textbf{1987} & \textbf{1988} & \textbf{1989}
5
  \\\midrule
6
  \addlinespace[3pt]
7
  8
  Zeile 2 & 1 & 1 & 3 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 3 & 4 & 4 & 6 & 4 & 2\\\addlinespace[3pt]
9
11 Zeile 4 & 1 & 0 & 5 & 1 & 2 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 0 & 1 & 0 & 3 & 7 & 2 & 1\\\addlinespace[3pt]
  Zeile 6 & 2 & 1 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 0 & 5 & 2 & 2 & 5 & 4 & 2\\\addlinespace[3pt]
12
  Zeile 5 & 0 & 0 & 4 & 2 & 1 & 2 & 2 & 1 & 0 & 0 & 0 & 0 & 1 & 1 & 0 & 2 & 5 & 4 & 3\\\addlinespace[3pt]
13
  Zeile 8 & 0 & 1 & 1 & 0 & 0 & 0 & 0 & 1 & 1 & 0 & 3 & 2 & 1 & 2 & 1 & 3 & 5 & 3 & 4\\\addlinespace[3pt]
14
15 Zeile 9 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 1 & 0 & 0 & 0 & 0 & 4 & 2 & 1 & 4 & 5 & 2\\\addlinespace[3pt]
  16
  17
  18
  Lärm
      19
20 Zeilel3 & 0 & 1 & 0 & 0 & 1 & 0 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 0 & 1 & 3 & 0 & 2\\addlinespace[3pt]
21
```

```
22
   23
      midrule
   Artikel gesamt & 2 & 6 & 13 & 8 & 4 & 3 & 5 & 4 & 0 & 6 & 3 & 5 &23 &10 & 8 & 15 & 13 &1 \\
24
   \bottomrule
25
   \end{tabular}}
26
27
   \Blindtext
28
29
   \hvFloat[doublePage,capPos=right,capVPos=top,floatCapSep=12pt]%
30
31
    {table}%
    32
    [A doublepage tabular with a caption on the right side of the right part.]%
33
    {A caption for a double-sided tabular that will be placed on the right side of the
34
35
     right-hand part of the illustration. The illustration begins on the left edge of
     the paper. A short form is used for the LOF.
36
     The parameter is \texttt{doublePage}}%
37
```

38 {tab:doublePage3}

Tab. <mark>9</mark>

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	198
Zeile 1	1	3	1	1	1	0	1	1	0	0	0	
Zeile 2	1	1	3	1	0	0	0	0	0	0	2	
Zeile 3	2	1	2	1	0	0	0	0	0	0	0	
Zeile 4	1	0	5	1	2	0	0	0	0	2	1	
Zeile 6	2	1	1	0	0	0	0	0	0	1	2	
Zeile 5	0	0	4	2	1	2	2	1	0	0	0	
Zeile 8	0	1	1	0	0	0	1	1	0	3	2	
Zeile 9	0	0	0	0	0	1	2	1	0	0	0	
Zeile10	0	1	3	0	1	0	1	0	0	1	1	
Zeile11	0	2	2	1	1	0	1	0	0	0	0	
Zeile12	2	0	2	4	1	0	4	0	0	0	0	
Lärm	2	3	0	0	0	0	0	0	0	0	1	
Zeile13	0	1	0	0	1	0	3	0	0	0	0	
Zeile14	0	1	0	0	0	0	0	0	0	0	0	
Zeile15	0	0	0	0	0	0	0	0	0	1	0	
Zeile16	0	0	0	0	0	1	0	0	0	0	0	
Artikel gesamt	2	6	13	8	4	3	5	4	0	6	3	

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text

3	1984	1985	1986	1987	1988	1989
0	20	0	2	2	2	1
1	3	4	4	6	4	2
1	5	3	1	7	7	3
0	1	0	3	7	2	1
0	5	2	2	5	4	2
1	1	0	2	5	4	3
1	2	1	3	5	3	4
0	4	2	1	4	5	2
0	1	1	1	4	4	1
2	6	1	0	2	1	1
0	0	0	0	1	0	3
0	2	0	0	2	2	2
0	2	0	1	3	0	2
0	3	3	2	1	1	0
0	4	0	0	3	1	1
0	0	0	3	5	0	1
5	23	10	8	15	13	1

Table 9: A caption for a double-sided tabular that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

22 References to the page

With the command \pageref one can have a reference to the page number of a caption. For the fullpage option this can be the wrong page if someone wants a refere to the page where the object is set. Let's assume that we use something like

```
\hvFloatSetDefaults
\hvFloat[fullpage,capPos=evenPage]{figure}%
{\IncludeGraphics{images/frose}}%
```

23 Defining a style

[A float which needs the complete paper width and height.]%
{A Caption of a ``fullpage'' object, which follows on the next page.
This can be an even or odd page. The object uses the complete paper dimensions}%
{demo:fullpage}

The label demo:fullpage is used for the *image* and not for the caption! Internally another label called demo:fullpage-cap is set on the caption page which can be before or behind the object (depending to the optional argument of capPos). For example:

The caption of figure~\ref{demo:fullpage-cap} is on page~\pageref{demo:fullpage-cap}, but the image itself is on page~\pageref{demo:fullpage}.

The caption of figure 67 is on page 94, but the image itself is on page 95. With package varioref it is:

Whith the package \Lpack{varioref} (\url{https://ctan.org/pkg/varioref})
one can get something like: see figure~\vref{demo:fullpage}, which uses a
^correct page number of the floatinmg object and not the caption
page number which is~\vpageref{demo:fullpage-cap}.
The figure~\ref{demo:fullpage} is on page~\pageref{demo:fullpage}
and the caption on page~\pageref{demo:fullpage-cap}

Whith the package varioref (https://ctan.org/pkg/varioref) one can get something like: see figure 67 on page 95, which uses a correct page number of the floating object and not the caption pagenumber which is on page 94. The figure 67 is on page 95 and the caption on page 94

23 Defining a style

With \hvDefFloatStyle one can define a special style to get rid of the individual setting:

```
\hvDefFloatStyle{name}{setting}
```

For example:

```
1 \hvDefFloatStyle{RightCaption}{floatPos=htb, capWidth=0.5, capPos=after,
2 capVPos=bottom, objectPos=center}
3
4 \hvFloat[style=RightCaption]{figure}{\includegraphics{images/rose}}%
5 {Caption vertically centered right beside the float with a caption width of
```

```
6 \texttt{0.5\textbackslash columnwidth}.}{fig:style}
```




Figure 66: Caption at bottom right beside the float with a caption width of 0.5\columnwidth.

24 Global float setting

Instead of writing the following sequence into the preamble:

```
\makeatletter
\renewcommand\fps@figure{tb}
\renewcommand\fps@table{t}
\makeatother
```

you can change the global setting of floats by loading the package hvfloat-fps. It allows optional package options to set the global placement:

\usepackage[figure=tb,table=t]{hvfloat-fps}

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Figure 67: A Caption of a "fullpage" object, which follows on the next page. This can be an even or odd page. The object uses the complete paper dimensions



24 Global float setting

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Index

A

\abovecaptionskip (skip), 7
\addtolength, 7
after (value), 8, 30, 32, 42, 66
afterpage (package), 7
atbegshi (package), 7

B

before (value), 8, 12, 29ff, 41, 66
\belowcaptionskip (skip), 7
bottom (value), 8

С

capAngle (keyword), 8 capFormat (keyword), 9, 18 capPos (keyword), 8, 14f, 18f, 21, 29-34, 41f, 44-48, 66, 92 capVPos (keyword), 8 capWidth (keyword), 8, 11f caption (package), 7, 9 \caption, 9 caption (package), 17 \caption, 17 \captionof, 28 \captionsetup, 17f, 37, 39, 50 center (value), 8 $\clearpage, 44f$ \columnwidth (length), 11 $\columnwidth, 8$

D

doubleFULLPAGE (keyword), 9, 53 doublePAGE (keyword), 9, 53, 75 doublePage (keyword), 9, 53, 79

E

evenPage (value), 8, 29f, 33, 44 expl3 (package), 7

F

FULLPAGE (keyword), 9, 29f, 35
false (value), 37, 50
fbox (package option), 7
\fbox, 7
\figcaption, 7, 10, 27f
figure (environment), 9f, 26
float (package), 26
floatCapSep (keyword), 8, 18

\floatCapSep (length), 18
floatCapSep (keyword), 10
floatPos (keyword), 8, 22
\frame, 10
FullPage (keyword), 9, 29
fullpage (keyword), 9, 29f, 91

G

graphicx (package), 7

Η

h (value), 12 \hvDefFloatStyle, 8, 10, 92 \hvFloat, 7f, 10, 18, 26ff, 37, 39 \hvFloat*, 22 hvFloatEnv (environment), 10, 28 \hvFloatSet, 7 \hvFloatSetDefaults, 7, 10, 27f \hvOBox, 26, 88 \hvfloat, 35, 48 hvfloat (package), 7, 29, 44f hvfloat-fps (package), 93 hypcap (package option), 7 hyperref (package), 7

I

ifoddpage (package), 7
\includegraphics, 35
\inclugegraphics, 29
inner (value), 8, 14, 29, 34, 46, 48

K

Keyword - capPos, 14f, 18f, 21, 29, 31-34, 41f, 44-48 - capWidth, 12 - floatPos, 22 - objectPos, 18, 22 - singlelinecheck, 37, 50

L

l (value), 22 left (value), 8, 12, 18f, 29, 41 \linewidth (length), 11 \listoffigures, 7 lscape (package), 22

Μ

\marginparwidth (length), 8, 20

Index

multiFloat (keyword), 30
multido (package), 7

N

nonFloat (keyword), 7f, 24
nonfloat (package), 24
nonfloat (keyword), 27
nostfloats (package option), 7

0

objectAngle (keyword), 8 objectFrame (keyword), 9f objectPos (keyword), 8, 18, 22 oddPage (value), 8, 29f, 34, 45 onecolumn, 34 oneside, 30 onlyText (keyword), 8, 27 outer (value), 8, 14f, 21, 29, 34, 47

Р

p (value), 22
\pageref, 91
\paperheight (length), 35
\paperwidth (length), 35
pdflscape (package), 22

R

right (value), 8, 42
rotAngle (keyword), 8
\rotatebox, 13

S

sameHeight (keyword), 9
separatorLine (keyword), 30
\setlength, 7
singlelinecheck (keyword), 37, 39, 50f
stfloats (package), 7
style (keyword), 9
subFloat (keyword), 30, 39, 51
subcapFormat (keyword), 9, 18
\subcaption, 9, 17
subcaption (package), 7, 39, 51
\subcaptionsetup, 17f

Т

\tabcaption, 7, 10, 27f
\tabcaptionbelow, 7
table (environment), 9f, 26
\textwidth (length), 8, 28
top (value), 8
twocolumn (package option), 29, 41

twocolumn, 22, 29, 41 twoside (package option), 33, 41 twoside, 14

U

use0Box (keyword), 8, 26

V

vFill (keyword), 9 Value -after, 32, 42 -before, 29, 31, 41 - evenPage, 29, 33, 44 - false, 37, 50 -h, 12 -inner, 14, 29, 34, 46, 48 -l, 22 -left, 18f, 29, 41 - oddPage, 29, 34, 45 -outer, 14f, 21, 29, 34, 47 - p, 22 - right, 42 -w, 12 varioref (package), 92 \vfill,9

W

w (value), 12 wide (keyword), 8, 10, 20

Х

xkeyval (package), 7

25 The Package Source

```
%% $Id: hvfloat.sty 392 2022-01-09 10:20:33Z herbert $
1
2
    %%
    3
    %% IMPORTANT NOTICE:
4
    %%
5
    %% This is file `hvfloat.sty',
 6
    %%
7
8
    %% Herbert Voss <hvoss@tug.org>
9
    %%
    %% This program can be redistributed and/or modified under the terms
10
    %% of the LaTeX Project Public License Distributed from CTAN archives
11
    %% in directory macros/latex/base/lppl.txt.
12
13
    20
    %% DESCRIPTION:
14
         `hvfloat' offers rotating of captions and objects for floats
15
    8%
    %%
16
17
    \NeedsTeXFormat{LaTeX2e}
    \def\fileversion{2.36}
18
    \def\filedate{2022/02/22}
19
    %\message{`hvfloat' v\fileversion, \filedate\space (Herbert Voss)}
20
    \ProvidesPackage{hvfloat}[\filedate\space v\fileversion\space special floating objects (hv)]
21
    \let\hvFloatFileVersion\fileversion
22
23
    \newif\ifhv@fbox \hv@fboxfalse
24
    \newif\ifhv@hyperref \hv@hyperreffalse
25
    \newif\ifhv@nostfloats \hv@nostfloatsfalse
26
    \newif\ifhv@tugboat \hv@tugboatfalse
27
28
    \DeclareOption{fbox}{\hv@fboxtrue\setlength{\fboxsep}{1pt}}
29
    \DeclareOption{hyperref}{\hv@hyperreftrue}
30
    \DeclareOption{nostfloats}{\hv@nostfloatstrue}
31
    \DeclareOption{no-stfloats}{\hv@nostfloatstrue}
32
33
34
    \ProcessOptions
35
36
37
    \PassOptionsToPackage{hypcap}{caption}
    \RequirePackage{caption}
38
39
    \RequirePackage{varwidth}
    \DeclareCaptionBox{varwidth}{\varwidth[b]{#1}#2\endvarwidth}
40
41
    \PassOptionsToPackage{hypcap}{subcaption}
42
43
    \RequirePackage{subcaption}
    \RequirePackage{atbegshi}
44
    \RequirePackage{picture,trimclip}
45
46
    \RequirePackage{expl3,multido}
47
    \RequirePackage{graphicx}
48
    \RequirePackage{varwidth}
49
50
    \RequirePackage{xkeyval}
51
    \RequirePackage{ifoddpage}
52
    \RequirePackage{afterpage}
53
54
    \ifhv@hyperref
55
      \RequirePackage{hyperref}
56
    ∖fi
57
    \ifhv@nostfloats\else
58
      \RequirePackage{stfloats}% for bottom floats in a twocolumn mode
59
    \fi
60
61
    \providecommand*\LenToUnit[1]{\strip@pt\dimexpr#1*\p@/\unitlength}
62
63
    \newlength\hv0bjectWidth
64
```

65	\ newlength \hvCapWidth
66	\newlength\hvWideWidth
67	\newlength\hvMultiFloatSkip
68	\newlength\hvMaxCapWidth
69	%%
70	% \setlength\hv@BottomSpace{\dimexpr\paperheight-lin-\topmargin-\headheight-\headsep-\textheight}}
71	
72	\newsavebox\hv0bjectBox
73	\newsavebox\hvCaptionBox
74	\newsavebox\hv0Box
75	\newsavebox\@tempbox
76	\newsavebox\hv@caption@box
77	\newsavebox\hv@leftBox
78	\newsavebox\hv@rightBox
79	
80	\newif\ifhv@capbeside \hv@capbesidefalse
81	\ newif \ifhv@switchType
82	\ def \hv@Top{top}
83	\def\hv@Bottom{bottom}
84 85	\def\hv@After{after}
86	\def\hv@Before{before}
87	\def\hv@Right{right}
88	\def\hv@Left{left}
89	\def\hv@Center{center}
90	\def\hv@Outer{outer}
91	<pre>def hv@Inner{inner}</pre>
92	\def\hv@Even{evenPage}
93	\def\hv@0dd{oddPage}
94	\def\hv@Natural{n}
95	\def\hv@Width{w}
96	\def\hv@Height{h}
97	\def\hv@Zero{0}
98	%
99	\def\hv@figure{figure}
100	8
101	\define@key{hvSet}{floatPos}[tbp]{% LaTeX's position parameters htbp
102	\ def \hvSet@floatPos{#1}%
103	}
104	\define@key{hvSet}{rotAngle}[0]{% rotates caption AND image together
105	\ def \hvSet@rotAngle{#1}%
106	} \define@key{hvSet}{capWidth}[n]{% (n)atural width object (w)idth) object (h)eight <scale \<="" of="" td=""></scale>
107	<pre>\define@key{hvSet}{capWidth}[n]{% (n)atural width object (w)idth) object (h)eight <scale \<="" of="" td=""></scale></pre>
109	\def\hvSet@capWidth{#1}%
108	/ nei/unser@cahurocu/#1%
109 110	} \define@key{hvSet}{capAngle}[0]{% -360+360, only integers
110	\def\hvSet@capAngle{#1}%
112	}
113	,
113	\define@choicekey*+{hvSet}{capPos}[\val\nr]{bottom,top,left,before,right,after,inner,outer,evenPage,
	oddPage}[bottom]{%
115	\def\hvSet@capPos{#1}% it is relativ to the object, (e),(d) only valid for fullpage float
116	\ifcase\nr\relax
117	\hv@capbesidefalse
118	\or
119	\hv@capbesidefalse
120	\else
121	\hv@capbesidetrue
122	\fi
123	<pre>}{\PackageWarning{hvfloat}{erroneous input (#1) for capPos ignored. Using bottom.}%</pre>
124	\def\hvSet@capPos{bottom}% it is relativ to the object, (e),(d) only valid for fullpage float
125	\hv@capbesidefalse
126	}
127	\define@chaicekey*+{hySat}{can}/Pec}[\val\nrl{bettem_center_ten}[center][0
128	<pre>\define@choicekey*+{hvSet}{capVPos}[\val\nr]{bottom,center,top}[center]{% \def\hvSet@capVPos{#1}%</pre>
129	(Wei (Haser@caparos(#TLas Lerarta in the onleri

```
\ifcase\nr\relax
130
         \def\hv@@capVPos{b}%
131
132
       \or
         \def\hv@@capVPos{c}%
133
134
       \else
         \def\hv@@capVPos{t}%
135
       \fi
136
    }{\PackageWarning{hvfloat}{erroneous input (#1) for capVPos ignored. Using center.}%
137
       \def\hvSet@capVPos{center}%
                                         it is relativ to the object
138
     }
139
140
     \define@choicekey*+{hvSet}{capHPos}[\val\nr]{left,center,right}[center]{%
141
       \def\hvSet@capHPos{#1}%
142
       \ifcase\nr\relax
143
         \gdef\hv@@caoHPos{l}%
144
145
       \or
         \gdef\hv@@capHPos{c}%
146
147
       \else
         \gdef\hv@@capHPos{r}%
148
       \fi
149
    }{\PackageWarning{hvfloat}{erroneous input (#1) for capHPos ignored. Using center.}%
150
       \def\hvSet@capHPos{center}%
                                         it is relativ to the object
151
     }
152
153
     \define@choicekey*+{hvSet}{objectPos}[\val\nr]{left,center,right,inner,outer}[center]{%
154
                                         it is relativ to the object
155
       \def\hvSet@objectPos{#1}%
156
    }{\PackageWarning{hvfloat}{erroneous input (#1) for objectPos ignored. Using center.}%
157
      \def\hvSet@capVPos{center}%
                                         it is relativ to the object
158
     \define@key{hvSet}{objectAngle}[0]{%
                                                -360..+360
159
160
        \def\hvSet@objectAngle{#1}%
161
162
     \define@key{hvSet}{floatCapSep}[5pt]{%
                                               a width with the unit pt
        \def\hvSet@floatCapSep{#1}%
163
164
     \define@key{hvSet}{multiFloatSkip}[\normalbaselineskip]{% a width with the unit pt
165
        \setlength\hvMultiFloatSkip{#1}%
166
167
     \define@boolkey{hvSet}[hv@]{useOBox}[true]{}%
                                                         use of the hvOBox contents
168
     \define@boolkey{hvSet}[hv@]{nonFloat}[true]{}%
                                                         Do not use float environment
169
     \define@boolkey{hvSet}[hv@]{onlyText}[true]{}%
                                                         Write the caption only as text
170
                                                     Write the caption only as text
171
     \define@boolkey{hvSet}[hv@]{wide}[true]{}%
     \define@boolkey{hvSet}[hv@]{twoColumnCaption}[true]\global\@nameuse{hv@twoColumnCaption#1}{}% Write the
172
          caption only as text
     \define@boolkey{hvSet}[hv@]{sameHeight}[true]{\@nameuse{hv@sameHeight#1}}% Write the caption only as text
173
     \define@boolkey{hvSet}[hv@]{Debug}[true]{}%
                                                      give more infos in the terminal
174
175
     \newif\ifhv@fullpage
176
     \newif\ifhv@FULLPAGE
177
178
     \newif\ifhv@doubleFULLPAGE
     \newif\ifhv@doublePAGE
179
     \newif\ifhv@doublePage
180
181
     \newif\ifhv@setObjectLabel
     \newif\ifhv@global@sameHeight
182
183
     \newif\ifhv@forceOutput
184
185
     \newlength\hvSet@bindCorrection
     \newlength\hvSet@sepLineskip
186
     \newlength\hv@leftPageObjectWidth% for doublepage images
187
     \newlength\hv@tempWidthA
188
189
     \newlength\hv@tempWidthB
     \newlength\hv@minTextlines
190
     newlength\hv@floatCapSep
191
     \newlength\hvSet@bindCorr
192
193
     \define@key{hvSet}{fullpage}[true]{\global\@nameuse{hv@fullpage#1}}%
194
     \define@key{hvSet}{FULLPAGE}[true]{\global\@nameuse{hv@FULLPAGE#1}}
195
```

25 The Package Source

```
\define@key{hvSet}{doubleFULLPAGE}[true]{\global\@nameuse{hv@doubleFULLPAGE#1}\hv@doublePagefalse\
196
          hv@doublePAGEfalse}
     \define@key{hvSet}{doublePAGE}[true]{\global\@nameuse{hv@doublePAGE#1}\hv@doublePagefalse\
197
          hv@doubleFULLPAGEfalse}
198
     \define@key{hvSet}{doublePage}[true]{\global\@nameuse{hv@doublePage#1}\hv@doublePAGEfalse\
          hv@doubleFULLPAGEfalse}
     \define@key{hvSet}{bindCorr}[0pt]{%
199
       \def\hv@temp{#1}%
200
       \ifx\hv@temp\hv@Inner
201
         \setlength\hvSet@bindCorr{\dimexprlin+\oddsidemargin}%
202
203
       \else
         \setlenath\hvSet@bindCorr{#1}%
204
       \fi
205
206
207
     %\setlength\hvSet@bindCorrection{#1}}% for doublepage objects
208
     \define@boolkey{hvSet}[hv@]{subFloat}[true]{%
                                                          typeset values as subfloats
209
210
        \ifhv@subFloat\setkeys{hvSet}{multiFloat=false}\fi%
211
212
     \define@boolkey{hvSet}[hv@]{multiFloat}[true]{%
                                                          typeset values as continous floats
        \ifhv@multiFloat\setkevs{hvSet}{subFloat=false}\fi
213
     2%
214
                                                    \vfill between multifloat objects
     \define@boolkey{hvSet}[hv@]{vFill}[true]{}%
215
216
     \define@boolkey{hvSet}[hv@]{separatorLine}[true]{}% separator line for caption of a full page float
217
     \define@key{hvSet}{sepLineskip}{\def\hv@sepLineskip{#1}}%
218
219
     \define@key{hvSet}{minTextlines}{\setlength\hv@minTextlines{#1\baselineskip}}%
     \define@boolkey{hvSet}[hv@]{objectFrame}[true]{}% a frame around the object with no separation
220
221
     \define@key{hvSet}{style}{%
       \@ifundefined{hv@#1}%
222
223
         {\errmessage{Custom style `#1' undefined}}%
         {\beaingroup
224
225
          \edef\x{\endgroup\noexpand\setkeys{hvSet}{\@nameuse{hv@#1}}}x}% use a defined style
226
     \define@key{hvSet}{capFormat}{\def\hv@caption@format{#1}}%
227
     \define@key{hvSet}{subcapFormat}{\def\hv@subcaption@format{#1}}%
228
     \define@boolkey{hvSet}[hv@]{forceOutput}[true]{%
229
       \ifhv@forceOutput\hv@nonFloattrue\fi}% immediate output, no floating!
230
231
232
     \def\hv@set#1{\begingroup\edef\x{\endgroup\noexpand\setkeys{hvSet}{#1}}\x}
     \let\hvFloatSet\hv@set
233
234
     \def\defhvstyle#1#2{\@namedef{hv@#1}{#2}}
235
     \let\hvDefFloatStyle\defhvstyle % better name
236
237
     \newcommand\setDefaults{%
238
       \hv@set{%
239
        floatPos=, rotAngle=0, capWidth=n, capAngle=0, objectAngle=0,
240
        capPos=bottom, capVPos=center, objectPos=center, capHPos=center,
241
242
        floatCapSep=5pt, useOBox=false,
        onlyText=false, wide=false, fullpage=false, FULLPAGE=false,
243
        doubleFULLPAGE=false, doublePage=false, doublePAGE=false,
244
245
             multiFloat=false,subFloat=false,
        separatorLine,objectFrame=false,multiFloatSkip=\normalbaselineskip,
246
247
        capFormat={}, subcapFormat={}, twoColumnCaption=false,
        sameHeight=false,
248
249
        bindCorr=\z@,sepLineskip=0pt,
        vFill=false, minTextlines=2,
250
        forceOutput=false, nonFloat=false,
251
     }%
252
253
254
     \let\hvFloatSetDefaults\setDefaults
255
     \hvFloatSetDefaults% onyl for first loading of the package
256
257
     \newcommand\hv@typeout[1]{\ifhy@Debug\typeout{>>>> #1}\fi}
258
259
```

```
\providecommand\@tugclass{\@empty}
260
     \ifx\@tugclass\@empty
261
262
     \else
       \hv@tugboattrue % special page handling
263
      \text{hv@typeout} $$ we are using a TUGboat class} $
264
     \fi
265
266
     \newcommand\reset@special@float{%
267
268
       \hv@set{subFloat=false,%fullpage=false,
              multiFloat=false,%FULLPAGE=false
269
270
    }}
271
     \def\hv@vskip{\vspace{\hvMultiFloatSkip}}
272
273
274
     \newlength\hvAboveCaptionSkip
     \newlength\hvBelowCaptionSkip
275
     \newlength\hv@dblfptop
276
277
     \newlength\hv@fptop
     \newcount\hv@@capPos
278
279
     \newlength\fboxlinewidth
280
     \AtBeginDocument{%
281
      \setlength\fboxlinewidth{\dimexpr\linewidth-2\fboxrule-2\fboxsep}%
282
283
     \setlength\belowcaptionskip{\abovecaptionskip}% it is in latex.ltx = Opt
284
     \newcommand\saveCaptionSkip{%
285
286
        \setlength{\hvAboveCaptionSkip}{\abovecaptionskip}%
        \setlength{\hvBelowCaptionSkip}{\belowcaptionskip}%
287
288
        \setlength{\abovecaptionskip}{0pt}%
        \setlength{\belowcaptionskip}{0pt}%
289
290
    1
     \newcommand\restoreCaptionSkip{%
291
       \setlength\abovecaptionskip{\hvAboveCaptionSkip}%
292
       \setlength\belowcaptionskip{\hvBelowCaptionSkip}%
293
294
    1
295
     296
       \let\hv@dblfptop\@dblfptop
297
298
       \let\hv@fptop\@fptop
       \global\setlength{\@dblfptop}{0\p@}%
299
       \global\setlength{\@fptop}{0\p@}%
300
301
302
303
     \newcommand\hv@reset@noverticalSpace{%
       \global\setlength{\@dblfptop}{\hv@dblfptop}%
304
305
       \global\setlength{\@fptop}{\hv@fptop}%
    1
306
307
     \providecommand\figcaption[2][]{}%
308
309
     \providecommand\tabcaption[2][]{}%
     \providecommand\tabcaptionbelow[2][]{}%
310
311
312
     \renewcommand\figcaption[2][]{%
       \begingroup
313
314
       \def\@captype{figure}%
       \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
315
316
       \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
       \endgroup}
317
     renewcommand\tabcaption[2][]{%
318
       \begingroup
319
320
       \def\@captype{table}%
       \expandafter\captionsetup\expandafter{\hv@caption@format,position=top}%
321
       \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
322
       \endaroup}
323
     \renewcommand\tabcaptionbelow[2][]{%
324
       \beaingroup
325
       \def\@captype{table}%
326
```

25 The Package Source

```
\expandafter\captionsetup\expandafter{\hv@caption@format,position=below}
327
       \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
328
329
       \endgroup}
330
     \newlength\hv@maxImageWidth
331
     \AtBeginDocument{\hv@maxImageWidth=\columnwidth}
332
333
     \define@key{Gin}{columnWidth}[true]{%
334
335
       \def\Gin@ewidth{\columnwidth}%
     % \def\Gin@eheight{lex}%
336
       \Gin@boolkey{true}{iso}%
337
338
     \define@key{Gin}{fullpage}[true]{%
339
       \def\Gin@ewidth{\columnwidth}%
340
       \def\Gin@eheight{\textheight}%
341
       \Gin@boolkey{false}{iso}%
342
343
344
     \define@key{Gin}{FullPage}[true]{%
       \def\Gin@ewidth{\textwidth}%
345
346
       \def\Gin@eheight{\textheight}%
       \Gin@boolkey{false}{iso}%
347
348
     \define@key{Gin}{FULLPAGE}[true]{%
349
350
       \def\Gin@ewidth{\paperwidth}%
       \def\Gin@eheight{\paperheight}%
351
       \Gin@boolkey{false}{iso}%
352
353
     \define@key{Gin}{doubleFULLPAGE}[true]{%
354
       \def\Gin@ewidth{2\paperwidth}%
355
       \def\Gin@eheight{\paperheight}%
356
357
       \Gin@boolkey{false}{iso}%
358
     \define@key{Gin}{doublefullPage}[true]{%
359
       \def\Gin@ewidth{\dimexpr2\paperwidth-2in-2\evensidemargin}%
360
        \def\Gin@eheight{\paperheight}%
361
       \Gin@boolkey{true}{iso}%
362
363
     \define@key{Gin}{doubleFULLPAGEbindCorr}[true]{%
364
       \def\Gin@ewidth{\the\dimexpr2\paperwidth-2\hvSet@bindCorrection\relax}%
365
       \def\Gin@eheight{\paperheight}%
366
       \Gin@boolkey{false}{iso}%
367
368
369
370
     \newcommand\IncludeGraphics[2][]{%
       \vspace*{\the\dimexpr-lin-\voffset+\topskip-\headheight-0.5\baselineskip}%
371
372
       \leavevmode\checkoddpage
       \ifoddpage
373
         \hspace*{\dimexpr-\oddsidemargin-\parindent-lin}%
374
       \else
375
376
         \hspace*{\dimexpr-\evensidemargin-\parindent-lin}%
       \fi\noindent
377
       \includegraphics[#1,width=\paperwidth,height=\paperheight,keepaspectratio=false]{#2}%
378
379
380
     \newcommand\put@CaptionBox[1][0]{%
381
       \ifcase#1
382
383
         \ifhv@fbox
           \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
384
385
         \else
           \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
386
387
         \fi
388
       \or
         \ifhv@fbox
389
           \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
390
391
         \else
           \raisebox{-\height}{\usebox{\hvCaptionBox}}%
392
         \fi
393
```

```
394
       \or
         \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}\else\usebox{\hvCaptionBox}\fi
395
       ∖fi
396
397
     }
398
     \newcommand\put@ObjectBox[1][0]{%
399
       \ifcase#1
400
         \ifhv@fbox
401
402
           \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
         \else
403
           \parbox{\wd\hv0bjectBox}{\ifhv@objectFrame\frame{\usebox{\hv0bjectBox}}\else\usebox{\hv0bjectBox}}fi
404
                }%
         \fi
405
406
       \or
         \ifhv@fbox
407
           \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
408
         \else
409
           \raisebox{-\height}{\ifhv@objectFrame\frame{\usebox{\hvObjectBox}}\else\usebox{\hvObjectBox}\fi}%
410
         \fi
411
412
       \or
         \ifhv@fbox
413
           \fbox{\usebox{\hvObjectBox}}%
414
         \else
415
416
           % rotated object with a depth need to raise up the \depth
           \ifhv@objectFrame\frame{\usebox{\hv0bjectBox}}\else\raisebox{\depth}{\usebox{\hv0bjectBox}}\fi%
417
         ∖fi
418
       \fi
419
420
    }
421
422
     \def\drawSepLine{%
423
       \par\noindent
424
425
       \if@twocolumn
         \ifhv@twoColumnCaption
426
427
           \rule{\linewidth}{0.4pt}\\[-2.5ex]
428
         \else
           \rule{\columnwidth}{0.4pt}\\[-2.5ex]
429
         \fi
430
       \else
431
         \rule{\linewidth}{0.4pt}\\[-2.5ex]
432
       \fi
433
434
       \vspace{\hv@sepLineskip}%
    }
435
436
     \newcounter{hv@tempCNTfigA}%
437
438
     \newcounter{hv@tempCNTfigB}%
     \newcounter{hv@tempCNTtabA}%
439
     \newcounter{hv@tempCNTtabB}%
440
     \newcounter{hv@pfigure}%
441
442
     \newcounter{hv@ptable}%
     \newcounter{subhv@pfigure}%
443
     \newcounter{subhv@ptable}%
444
445
     \newif\ifhv@star
446
447
     \newif\if@hvsubstar
     \setDefaults
448
449
450
451
     %\newcommand*{\hvFloat}[5][]+{%
     % [#1}: keyvalues
452
453
     % #2: type figure | table | ...
    % #3: float contents
454
     % [#4]: short caption
455
     % #5: caption
456
     % #6: label
457
458
     %
459
```

```
460
     \def\hvFloat{\@ifnextchar*%
                                      Main macro
461
       {\global\hv@startrue\hv@maxImageWidth=\textwidth\hvFloat@i}%
462
       {\global\hv@starfalse\hv@maxImageWidth=\columnwidth\hvFloat@i*}%
463
464
     3
465
     \def\hvFloat@i*{\@ifnextchar[{\do@hvFloat}{\do@hvFloat[]}}
466
     \def\do@hvFloat[#1]{%
467
       \begingroup
468
       \setlength\hvWideWidth{\dimexpr\columnwidth+\marginparwidth+\marginparsep}%
469
        \setlength\hvWideWidth{\dimexpr\textwidth+\marginparwidth+\marginparsep}%
470
        \setlength\hvWideWidth{\dimexpr\linewidth+\marginparwidth}%
471
       \hv@maxImageWidth=\textwidth
472
       \reset@special@float
473
474
       \global\setcounter{hv@pfigure}{\value{figure}}%
       \global\setcounter{hv@ptable}{\value{table}}%
475
       \setcounter{hv@tempCNTfigA}{\value{figure}}%
476
477
       \setcounter{hv@tempCNTfigB}{\value{figure}}%
       \setcounter{hv@tempCNTtabA}{\value{table}}%
478
479
       \setcounter{hv@tempCNTtabB}{\value{table}}%
       \gdef\hv@save@setting{#1}% for later use after \endgroup inside figure/table env
480
       \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi
481
       \ifx\hv@caption@format\@empty\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
482
483
       \ifx\hv@subcaption@format\@empty\else
           \expandafter
484
           \captionsetup\expandafter[\expandafter s\expandafter u\expandafter b\expandafter]\expandafter
485
                                   {\hv@subcaption@format}%
486
487
       \fi
       \gdef\hv@floatType{figure}% presetting
488
       \@ifnextchar+{\do@multiFloat}{\hvFloat@ii[#1]}%
489
490
     }
491
     \ExplSyntaxOn
492
493
     \def\do@multiFloat+#1#2{%
494
       \clist_set:Nn\l_clist_Type{{#1}}%
495
       \clist_set:Nn\l_clist_Object{{#2}}%
496
       \@ifnextchar[\do@multiFloat@i{\do@multiFloat@i[]}%
497
498
     \def\do@multiFloat@i[#1]#2#3{% lof-caption, caption, label
499
       \ifx\relax#1\relax
500
         \clist_set:Nn\l_clist_LofCaption{{}}%
501
       \else
502
503
         \clist_set:Nn\l_clist_LofCaption{{#1}}%
       \fi
504
505
       \clist_set:Nn\l_clist_Caption{{#2}}%
       \ifx\relax#3\relax
506
         \clist_set:Nn\l_clist_Label{{}}%
507
       \else
508
509
         \clist_set:Nn\l_clist_Label{{#3}}%
       \fi
510
       \@ifnextchar+{\do@multiFloat@ii}{}%
511
512
     \def\do@multiFloat@ii+#1#2{%
513
       \clist_put_right:Nn\l_clist_Type{{#1}}%
514
       \clist put right:Nn\l clist Object{{#2}}%
515
       \@ifnextchar[\do@multiFloat@iii{\do@multiFloat@iii[]}%
516
517
518
     \def\do@multiFloat@iii[#1]#2#3{% lof-caption, caption, label
519
520
       \ifx\relax#1\relax
         \clist_put_right:Nn\l_clist_LofCaption{{}}%
521
522
       \else
         \clist_put_right:Nn\l_clist_LofCaption{{#1}}%
523
       \fi
524
       \clist_put_right:Nn\l_clist_Caption{{#2}}%
525
       \ifx\relax#3\relax
526
```

```
\clist_put_right:Nn\l_clist_Label{{}}%
527
       \else
528
         \clist_put_right:Nn\l_clist_Label{{#3}}%
529
       \fi
530
       \@ifnextchar+\do@multiFloat@ii%
531
         {\def\hvSet@CapWidth{n}%
532
533
          \do@@@dhvFloat}%
534
535
     \ExplSyntax0ff
536
537
     \newcount\hv@cnta
538
     \newcount\hv@cntb
539
540
     \def\hvFloat@ii[#1]#2#3{%
                                   #1: key/value, #2: floattype, #3: object
541
       \hv@maxImageWidth=\textwidth
542
       \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi
543
544
       \gdef\hv@floatType{#2}%
       \ifx\relax#2\relax
545
         \setkeys{hvSet}{nonFloat,onlyText}%
546
         \xdef\hv@save@setting{\hv@save@setting,nonFloat,onlyText}% for later use after \endgroup inside
547
              figure/table env
       \fi
548
549
        \xdef\hv@floatListOfExt{\@nameuse{ext@\hv@floatType}}%
       \gdef\hv@float0bject{#3}%
550
       \@ifnextchar[{\do@dvFloat}{\do@dvFloat[]}%
551
552
    1
553
                                     #1: listof caption, #2. long caption #3: label
     \def\do@dhvFloat[#1]#2#3{%
554
       \gdef\hv@shortCap{#1}%
555
556
       \gdef\hv@longCap{#2}%
       \gdef\hv@label{#3}%
557
558
       \ifhv@capbeside\def\@@temp{1}\else\def\@@temp{0}\fi
       \ifhv@sameHeight\global\hv@global@sameHeighttrue\else\global\hv@global@sameHeightfalse\fi
559
       \global\setlength\hvSet@bindCorrection{\hvSet@bindCorr}% for doublepage objects
560
       \global\setlength\hv@floatCapSep{\hvSet@floatCapSep}%
561
562
       \ifhv@fullpage
563
564
         \def\hvSet@CapWidth{n}% relative value
         \do@@@@hvFloat% fullpage with caption on other page
565
       \else
566
         \ifhv@FULLPAGE
567
           \def\hvSet@CapWidth{n}% relative value
568
569
           \do@@@dvFloat% fullpage with caption on other page
         \else
570
571
           \ifhv@doubleFULLPAGE
             \setlength\hvCapWidth{\textheight}%
572
             \expandafter\do@hvFloat@doubleFULLPAGE\@@temp% fullpage with caption rotated or under on an odd
573
                  page
574
           \else
             \ifhv@doublePAGE
575
               \expandafter\do@hvFloat@doublePAGE\@@temp% fullpage with caption rotated or under on an odd
576
                    page
             \else
577
               \ifhv@doublePage
578
                 \expandafter\do@hvFloat@doublePage\@@temp% fullpage with caption rotated or under on an odd
579
                      page
               \else
580
                 \do@@@hvFloat
581
               \fi
582
583
             ∖fi
           \fi
584
         \fi
585
       \fi
586
587
    1
588
    \def\do@@hvFloat{% no special float page, caption and image on top of each other or side by side
589
```

```
\def\@tempa{90}%
590
       \ifx\hvSet@rotAngle\@tempa
591
         \setlength\hvMaxCapWidth{\textheight}%
592
593
       \else
         \setlength\hvMaxCapWidth{\hvWideWidth}%
594
       \fi
595
596
     % First we save the object in \hvObjectBox
597
598
       \ifnum\hvSet@objectAngle=0 % rotate the object?
599
         \ifhv@use0Box
600
           \let\hv0bjectBox\hv0Box
601
         \else
602
           \savebox\hvObjectBox{\hv@floatObject}%
603
         \fi
604
605
       \else
         \savebox\hv0bjectBox{%
606
607
           \rotatebox{\hvSet@objectAngle}{%
             \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi
608
609
           }%
         }%
610
       \fi
611
       \setlength\hv0bjectWidth{\wd\hv0bjectBox}%
612
613
     % Now we save the caption with its defined \hvCapWidth
614
615
616
       \ifx\hvSet@capWidth\hv@Width%
                                                       captionwidth=objectwidth
         \setlength\hvCapWidth{\hvObjectWidth}%
617
618
       \else
         \ifx\hvSet@capWidth\hv@Height%
                                                       captionwidth=objectheight
619
           \setlength\hvCapWidth{\ht\hvObjectBox}%
620
         \else
621
           \ifx\hvSet@capWidth\hv@Natural%
622
                                                       captionwidth=\linewidth-\objectwidth-separation
             \ifhv@capbeside
623
624
               \ifhv@wide
                 \setlength\hvCapWidth{\the\dimexpr\hvWideWidth-\hvObjectWidth-\hv@floatCapSep\relax}%
625
               \else
626
                 \ifhv@star
627
628
                    \setlength\hvCapWidth{\the\dimexpr\textwidth-\hvObjectWidth-\hv@floatCapSep\relax}%
                 \else
629
                    \setlength\hvCapWidth{\the\dimexpr\linewidth-\hvObjectWidth-\hv@floatCapSep\relax}%
630
                 \fi
631
               \fi
632
633
             \else
               \setlength\hvCapWidth{\columnwidth}%
634
635
             \fi
           \else
636
             \ifhv@capbeside
637
               \ifhv@wide
638
639
                 \setlength\hvCapWidth{\hvSet@capWidth\hvWideWidth}%
                 \setlength\@tempdima{\the\dimexpr\hvWideWidth-\hvObjectWidth-\hv@floatCapSep\relax}%
640
               \else
641
642
                  \setlength\hvCapWidth{\hvSet@capWidth\columnwidth}%
                  \setlength\@tempdima{\the\dimexpr\columnwidth-\hvObjectWidth-\hv@floatCapSep\relax}%
643
               \fi
644
               \ifdim\hvCapWidth>\@tempdima
645
                 \setlength\hvCapWidth{\@tempdima}%
646
               ∖fi
647
             \else
648
               \ifhv@wide
649
650
                 \setlength\hvCapWidth{\hvSet@capWidth\hvWideWidth}%
               \else
651
                  \setlength\hvCapWidth{\hvSet@capWidth\columnwidth}%
652
               \fi
653
             \fi
654
           \fi
655
         \fi
656
```

657	\fi
658	\saveCaptionSkip% we put this space ourselve
659	\ ifnum \hvSet@capAngle=0 % <i>need rotation</i> ?
660	\savebox% NO rotation
661	\minipage[b]{\hvCapWidth}%% minipage, to get hyphenation
662	<pre>% \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi</pre>
	\ifhv@nonFloat
663	
664	\ifhv@onlyText
665	\hv@longCap
666	\else
667	\ if x\hv@floatType\hv@figure
668	\ ifx\relax \hv@shortCap\ relax
669	\figcaption{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\f i }%
670	\else
671	\figcaption[\hv@shortCap]{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi }%
672	\fi
673	\else
674	\ if x\ relax \hv@shortCap\ relax
675	\tabcaption{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi }%
676	\else
677	\tabcaption[\hv@shortCap]{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\f i }%
678	\fi
679	\fi
680	\fi
	\else
681	\ifhv@onlyText
682	- ,
683	\hv@longCap
684	\else
685	\let\@captype\hv@floatType
686	\ ifx \hv@shortCap\@empty\ caption {\hv@longCap}\ else\caption [\hv@shortCap]{\hv@longCap}\ fi
687	\ ifx \hv@label\@empty\ else\label {\hv@label}\fi
688	\fi
689	\fi
690	\endminipage
691	}%
692	\else
693	\savebox% Rotation
694	\rotatebox{\hvSet@capAngle}{%
695	<pre>\minipage[b]{\hvCapWidth}%% minipage, to get hyphenation</pre>
696	<pre>% \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi</pre>
697	\ifhv@nonFloat
698	\ifnv@onlyText
699	\hv@longCap
700	\else
701	\ ifx \hv@floatType\hv@figure
702	\ ifx \hv@shortCap\@empty \figcaption{\hv@longCap}\ else \figcaption[\hv@shortCap]{\hv@longCap}\ fi
702	\else
703	\ifx\hv@shortCap\@empty \tabcaption{\hv@longCap}\ else \tabcaption[\hv@shortCap]{\hv@longCap}\fi
704	\fi
	\fi
706	
707	\ else \ifhv@onlyText
708	
709	\hv@longCap
710	\else
711	\let\@captype\hv@floatType
712	<pre>\ifx\hv@shortCap\@empty \caption{\hv@longCap}\else\caption[\hv@shortCap]{\hv@longCap}%</pre>
713	\fi
714	\fi
715	\fi
716	\ifx\hv@label\@empty\else\label{\hv@label}\fi
717	\endminipage
718	}% rotatebox
719	}% \sbox
720	\fi
721	8
722	% now we have the object and the caption with the right
723	% rotated angles saved in different boxes

724	**
725	\restoreCaptionSkip% save old values
726	% \def\fps@figure{\hvSet@floatPos}%
727	\ifx\hvSet@floatPos\@empty % use type default
728	\else
729	\@namedef{fps@\hv@floatType}{\hvSet@floatPos}%
730	\fi
731	\ifhv@nonFloat
732	\noindent
733	\begingroup% Start the nonfloat part
734	\else
735	\ifhv@star
736	\ ifx \hvSet@floatPos\hv@floatBottom
737	\@nameuse{\hv@floatType*}[b]% Start the floating environment ************************************
738	\else
739	\@nameuse{\hv@floatType*}%
740	\fi
741	\else
742	\ begin {\hv@floatType}% Start the floating environment
743	\fi
743	\fi
745	\checkoddpage
745	\ ifx \hvSet@objectPos\hv@Right\ raggedleft\fi
746	\irx\hvSet@objectPos\hv@Center
747	\ifhv@nonFloat\hspace*{\fill}\else\centering\fi
740	\fi
	\ ifx \hvSet@objectPos\hv@Outer
750 751	\ifoddpage\raggedleft\fi
751	\fi
753	\ ifx \hvSet@objectPos\hv@Inner
754	\ifoddpage\else\raggedleft\fi
755	\fi
756	%
757	% to rotate object and caption together, we save all in another box
758	% the caption comes first, if its on the left or the top
759	% O caption left, inner and odd page, oneside inner
760	% 1 caption top
761	% 2 caption right, inner and even page, oneside outer
762	% 3 caption bottom
763	8
764	\ ifx \hvSet@capPos\hv@Left
765	\hv@@capPos=0
766	\else
767	\ ifx \hvSet@capPos\hv@Top
768	\hv@@capPos=1
769	\else
770	\ ifx \hvSet@capPos\hv@Right
771	\hv@capPos=2
772	\else
773	\ ifx \hvSet@capPos\hv@Bottom
774	\hv@capPos=3
775	\else
776	\ ifx \hvSet@capPos\hv@Inner
777	\ifoddpageoroneside\hv@capPos=0\ else \hv@capPos=2\ fi
778	\else
779	\ ifx \hvSet@capPos\hv@Outer
780	\ifoddpageoroneside\hv@capPos=2\ else \hv@capPos=0\ fi
781	% even page (left=0) odd page (oneside) (right=2)
782	\else
783	\ ifx \hvSet@capPos\hv@Before
784	<pre>\hv@@capPos=0% same as cappos=right</pre>
785	\else
786	\ ifx \hvSet@capPos\hv@After
787	<pre>\hv@capPos=2% same as capPos=right</pre>
788	\fi
789	\fi
790	\fi

791	\fi
792	\fi
793	\fi
794 795	\fi \fi
796	\1 ↓ \$\$\$\$\$
797	%\typeout{>>>>>Pos: \the\hv@capPos}%
798	\savebox{\@tempboxa}{% ***** @tempbox start
799	\expandafter\ifcase\the\hv@capPos% 0 is LEFT START \ifcase
800	\ if x\hvSet@capVPos\hv@Center
801	\put@CaptionBox
802 803	<pre>\hspace{\hv@floatCapSep}% capfloatsep \put@ObjectBox</pre>
804	\else
805	\ ifx \hvSet@capVPos\hv@Top% caption and object at top aligned
806	\put@CaptionBox[1]%
807	<pre>\hspace{\hv@floatCapSep}% capfloatsep</pre>
808	\put@ObjectBox[1]%
809	<pre>\else% caption on bottom \put@CaptionBox[2]%</pre>
810 811	<pre>\hspace{\hv@floatCapSep}% capfloatsep</pre>
812	\put@ObjectBox[2]%
813	\fi
814	\fi % end caption left
815	\or%1 is top
816	<pre>\ifdim\wd\hvCaptionBox>\wd\hvObjectBox \begin{minipage}{\wd\hvCaptionBox}%</pre>
817 818	\else
819	\ begin {minipage}{\ wd \hv0bjectBox}%
820	\fi
821	\ ifx \hvSet@capHPos\hv@Left% <i>horizontal justification</i>
822	\raggedright
823	\else
824 825	<pre>\ifx\hvSet@capHPos\hv@Center \centering</pre>
826	\else
827	\raggedleft
828	\fi
829	\fi
830	\ifhv@fbox
831 832	<pre>\fbox{\usebox{\hvCaptionBox}}\\[0.5\hvBelowCaptionSkip]% \fbox{\usebox{\hvObjectBox}}%</pre>
833	\else
834	\ usebox {\hvCaptionBox}\\[0.5\hvBelowCaptionSkip]%
835	\ usebox {\hvObjectBox}%
836	\fi
837	\ end {minipage}% \ or% 2 is right
838 839	\ ifx \hvSet@capVPos\hv@Center
840	\put@ObjectBox
841	\ hspace {\hv@floatCapSep}%
842	\put@CaptionBox
843	\else
844 845	<pre>\ifx\hvSet@capVPos\hv@Top \put@ObjectBox[1]%</pre>
845 846	<pre>\hspace{\hv@floatCapSep}% capfloatsep</pre>
847	\put@CaptionBox[1]%
848	\else
849	<pre>\put@ObjectBox[2]%</pre>
850	<pre>\hspace{\hv@floatCapSep}% capfloatsep \autoCaptionEnv[2]</pre>
851	\put@CaptionBox[2]%
852 853	\fi \fi
854	\or%3 bottom
855	\ ifdim \wd\hvCaptionBox>\wd\hvObjectBox
856	\ begin {minipage}{\ wd \hvCaptionBox}%
857	\else

858	\ begin {minipage}{\ wd \hvObjectBox}%
859	\fi
860	\ifx\hvSet@capHPos\hv@Left% horizontal justification
861	\raggedright
862	\else
863 864	\ ifx \hvSet@capHPos\hv@Center \ centering
865	\else
866	\raggedleft
867	\fi
868	\fi
869	\ifhv@fbox
870	\ fbox {\ usebox {\hvObjectBox}}\\[0.5\hvAboveCaptionSkip]%
871	\fbox{\usebox{\hvCaptionBox}}%
872	\else
873	<pre>\ifhv@objectFrame\frame{\usebox{\hv0bjectBox}}\else\usebox{\hv0bjectBox}\fi\\[0.5\</pre>
074	hvAboveCaptionSkip]% \ usebox {\hvCaptionBox}%
874 875	\fi
876	\end{minipage}%
877	\fi% \ifcase\the\hv@capPos
878	}% End savebox Object and caption %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
879	8
880	st now we rotate the object and caption, if needed
881	8
882	\ifhv@wide
883	\ifoddpageoroneside
884 885	\if@twocolumn \if@firstcolumn
886	\noindent
887	<pre>\hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column</pre>
888	\fi
889	\fi
890	\else
891	\ifoddpage
892	\if@twocolumn
893	\if@firstcolumn
894 895	<pre>\noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column</pre>
896	\fi
897	\fi
898	\else% evenpage
899	\if@firstcolumn
900	\noindent
901	<pre>\hspace*{\dimexpr-\marginparwidth-\marginparsep}% <- for wide and left page</pre>
902	\fi
903	\fi
904 905	\fi \fi
905 906	\ ifx \hvSet@rotAngle\hv@Zero
907	\usebox{\@tempboxa}%
908	\else
909	<pre>\rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}%</pre>
910	\fi
911	\ifhv@nonFloat
912	\ifx\hvSet@objectPos\hv@Center
913	% \ifhv@nonFloat
914 915	\hspace{\fill}% % \fi
915 916	$^{\circ}$ $)^{\prime}$
910	\endgroup% End the nonfloat part
918	\else
919	\ifhv@star
920	\@nameuse{end\hv@floatType*}% End the floating environment
921	\else
922	<pre>\end{\hv@floatType}% End the floating environment</pre>
923	\fi

```
\fi
924
       \endgroup% startet at main \hvFloat
925
926
    1
927
     \newenvironment{hvFloatEnv}[1][\textwidth]
928
       {\minipage{#1}}
929
930
       {\endminipage}
931
932
     \ExplSyntaxOn
933
     \let\clist@item@Nn\clist_item:Nn
934
     \let\l@clist@Type\l_clist_Type
935
     \let\l@clist@LofCaption\l_clist_LofCaption
936
     \let\l@clist@Label\l_clist_Label
937
     \let\clist@count@N\clist_count:N
938
939
     \ExplSyntaxOff
940
941
     \def\do@@@hvFloat{% special float page: caption <-> fullpage images
       \ifx\hvSet@capPos\hv@After \global\hv@capPos=1
942
943
       \else
         \ifx\hvSet@capPos\hv@Even \global\hv@@capPos=2
944
         \else
945
           \ifx\hvSet@capPos\hv@Odd \global\hv@@capPos=3
946
947
           \else
             \ifx\hvSet@capPos\hv@Inner \global\hv@capPos=4
948
             \else
949
950
               \ifx\hvSet@capPos\hv@Outer \global\hv@capPos=5
951
               \else
                 \ifx\hvSet@capPos\hv@Right \global\hv@capPos=6% only for twocolumn mode
952
                 \else
953
                   \ifx\hvSet@capPos\hv@Left
                                                \global\hv@capPos=7% only for twocolumn mode
954
                   \else
955
956
                     \global\hv@@capPos=0
                   \fi
957
958
                 \fi
               \fi
959
             ∖fi
960
           \fi
961
         \fi
962
       \fi
963
       \checkoddpage
964
       \set@caption@object{\hv@floatType}% set caption and object into a box
965
       \ifcase\hv@capPos% caption before object 0-> always left
966
967
         \setBottomCaption\setPageObject
                              caption after object 1-> always right
       \or%
968
969
         \setPageObject\setBottomCaption
                              caption on even page 2-> left page
       \or%
970
971
         \ifoddpage
           \afterpage{\setBottomCaption\setPageObject}%
972
973
         \else% we are on an even page
           \setBottomCaption\setPageObject
974
         \fi
975
976
       \or%
                            caption on odd page 3->right page
         \if@twoside
977
978
           \if@twocolumn
             \ifoddpage
979
980
               \if@firstcolumn% on right side
                 \setBottomCaption\setPageObject
981
982
               \else
                 \afterpage{\setPageObject\setBottomCaption}% start next column
983
984
               ∖fi
             \else% left (even) page
985
986
               \if@firstcolumn
                 \afterpage{\setPageObject\setBottomCaption}% start next column
987
               \else
988
                 \setPageObject\setBottomCaption
989
               \fi
990
```

991	\fi
992	\else% onecolumn
993	\ifoddpage
994	\setPageObject\setBottomCaption
995	\else% even page
996	\afterpage{\setPageObject\setBottomCaption}%
997	\fi
998	\fi
999	\else% oneside
1000	\if@twocolumn
1001	\ifoddpage
1002	\if@firstcolumn% on right side
1003	\setBottomCaption\setPageObject
1004	\else
1005	\setPageObject\setBottomCaption
1006	\fi
1007	\else
1008	\if@firstcolumn% on left side
1009	\afterpage{\setPageObject\setBottomCaption}%
1010	\else
1011	\setPageObject\setBottomCaption ∖ fi
1012 1013	\fi
1015	\else % onecolumn
1014	\ifoddpage
1015	\setBottomCaption\setPageObject
1010	\else
1018	<pre>\afterpage{\setBottomCaption\setPageObject}%</pre>
1019	\fi
1020	\fi
1021	\fi
1022	\or% caption on the inner column 4->inner
1023	% \set@caption@object
1024	\if@twocolumn
1025	\ifoddpage
1026	\if@firstcolumn% <i>on right side</i>
1027	\setBottomCaption\setPageObject
1028	\else % right column on right side
1029	\setPageObject\setBottomCaption% start next firstcolumn next page
1030	\fi
1031	\else
1032	\if@firstcolumn% on left side
1033	<pre>\afterpage{\afterpage{\setBottomCaption\setPageObject}}% start next page/first column \alequivelenge laft news (aslumn)</pre>
1034	\else% left page/column
1035	\setBottomCaption\setPageObject% <i>start on same page/column</i> \ fi
1036 1037	\fi
1037	\else% onecolumn
1039	\setBottomCaption\setPageObject
1040	\fi
1041	\ or % caption on the outer column 5->outer
1042	% \set@caption@object
1043	\if@twocolumn
1044	\ifoddpage
1045	\if@firstcolumn
1046	\afterpage{\afterpage{\setBottomCaption\setPageObject}}%
1047	\else
1048	\afterpage{\setBottomCaption\setPageObject}%
1049	
1050	\else% even page (left)
1051	\if@firstcolumn
1052	\setBottomCaption\setPageObject
1053	\else
1054	%%% !!!! to-do: !!!!
1055 1056	\fi \fi
1056	\else% onecolumn
1037	

```
\setBottomCaption\setPageObject
1058
         \fi
1059
                           caption after object on same page 6->right for twocolumn
1060
       \or%
         \if@twocolumn
1061
1062
           \if@firstcolumn
             \afterpage{\setPageObject\setBottomCaption}%
1063
1064
           \else
             \setPageObject\setBottomCaption
1065
           \fi
1066
         \else% always caption _after_ object for onecolumn
1067
           \setPageObject\setBottomCaption
1068
         \fi
1069
                           caption before object on same page 7->left for twocolumn
1070
       \or%
         \if@twocolumn
1071
1072
           \if@firstcolumn
             \setBottomCaption\setPageObject
1073
1074
           \else
1075
             \afterpage{\setBottomCaption\setPageObject}%
           \fi
1076
         \else%
                       onecolumn -> same as before
1077
           \setBottomCaption\setPageObject
1078
         \fi
1079
       \fi
1080
1081
       \endgroup% startet at main \hvFloat
1082
1083
1084
1085
     1086
     %% ||1in+evenside --- |1in+oddside ---||
1087
1088
     \def\do@hvFloat@doublePage#1{% image on left and right page with caption on the right page
1089
1090
        #1-> 0/1 caption under/right
       \global\setlength\hv@leftPageObjectWidth{\dimexpr\paperwidth-lin-\evensidemargin-\hvSet@bindCorrection}%
1091
       \global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}%
1092
       \xdef\hv@caption@format@temp{\hv@caption@format}% it gets lost otherwise for next afterpage
1093
       \setlength\@dblfpbot{0\p@ \@plus 1fil}%
1094
       \global\hv@switchTypefalse
1095
1096
       \setcounter{hv@tempCNTfigA}{\value{figure}}%
       \setcounter{hv@tempCNTfigB}{\value{figure}}%
1097
       \setcounter{hv@tempCNTtabA}{\value{table}}%
1098
1099
       \setcounter{hv@tempCNTtabB}{\value{table}}%
       \savebox\hvCaptionBox{% NO rotation
1100
1101
         \minipage{\textwidth}%% minipage, to get hyphenation
           \let\@captype\hv@floatType
1102
           \caption*{\hv@longCap}%
1103
         \endminipage}%
1104
       \savebox\hv0bjectBox{\ifhv@use0Box\usebox{\hv0Box}\else\hv@float0bject\fi}%
1105
       \ifnum#1=0\relax % no rotation, caption below
1106
1107
         \hv@typeout{Texthöhe: \the\textheight}%
         \hv@typeout{Objekthöhe: \the\ht\hvObjectBox}%
1108
         \hv@typeout{Captionhöhe: \the\ht\hvCaptionBox}%
1109
1110
         \@tempdima=\dimexpr\ht\hvObjectBox+\ht\hvCaptionBox+\abovecaptionskip+\belowcaptionskip +\textfloatsep
              \relax%+\floatsep\relax
1111
         \hv@typeout{Summe: \the\@tempdima}%
         \ifdim\@tempdima > \dimexpr\textheight-\hv@minTextlines\relax
1112
1113
           \hv@typeout{hvfloat: switched to floattype p}%
           \hv@switchTypetrue
1114
         \fi
1115
       \fi
1116
1117
       \hv@typeout{do@hvFloat@doublePage:hv@tempWidthA=\the\hv@tempWidthA}%
       \ifhv@forceOutput
1118
         1119
       \else
1120
       \checkoddpage
1121
       \ifoddpage
1122
1123
         \if@twocolumn
```

1124	\if@firstcolumn
1125	\ifhv@switchType
1126	<pre>\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}% \else</pre>
1127 1128	<pre>\afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%</pre>
1129	\fi
1130	\else
1131	\ifhv@tugboat
1132	\do@hvFloat@doublePageCaptionRight{#1}%
1133 1134	\else \ifhv@switchType
1134	\do@hvFloat@doublePAGECaptionRight{#1}%
1136	\else
1137	\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%
1138	\fi
1139	\fi
1140 1141	\fi \else
1141	\ifhv@switchType
1143	\do@hvFloat@doublePAGECaptionRight{#1}%
1144	\else
1145	\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%
1146	\fi
1147 1148	\fi \else% we have an even page
1140	\if@twocolumn
1150	\if@firstcolumn
1151	\ifhv@switchType
1152	<pre>\afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%</pre>
1153 1154	<pre>\else \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%</pre>
1154	\fi
1156	\else% second column
1157	\ifhv@switchType
1158	<pre>\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%</pre>
1159	<pre>\else \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%</pre>
1160 1161	\aller payet \aller payet \u00010F toat@u000teFayetaptionKightt#i}}}%
1162	\fi
1163	\else% onecolumn
1164	\ifhv@switchType
1165	<pre>\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%</pre>
1166 1167	<pre>\else \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%</pre>
1167	\fi
1169	\fi
1170	\fi
1171	\let\c@fptop\hv@fptop
1172 1173	\fi \endgroup% started at main macro \hvFloat
1173	
1175	\$ \$
1176	\def\do@hvFloat@doublePageCaptionRight#1{% image on left and right page with caption on the right page
1177	\do@hvFloat@doublePageCaptionRightObjectLeft{0pt}% \afterpage{\do@hvFloat@doublePageCaptionRightObjectRight{#1}}%
1178 1179	<pre>} }</pre>
1180	\$ %
1181	<pre>\def\do@hvFloat@doublePageCaptionRightObjectLeft#1{% left part of the object</pre>
1182	\begin{\hv@floatType*}[!t]
1183	\hv@set@noverticalSpace
1184 1185	\ hfuzz=\maxdimen \ let \c@hv@tempCNTfigA\c@figure
1185	\let\c@hv@tempCNTtabA\c@table
1187	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1188	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1189	<pre>\hv@typeout{Floatpositionsparameter: !t}%</pre>

1190	\ global \savebox{\hvObjectBox}{\ifhv@useOBox\ usebox {\hvOBox}\ else \hv@floatObject\fi}%
1191	<pre>\clipbox*{0 - \hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1192	\ if x\hv@label\@empty
1193	\else
1194	\ifx\hv@floatType\hv@figure
1195	\global\refstepcounter{hv@tempCNTfigA}%
1195	\else
1197	\global\refstepcounter{hv@tempCNTtabA}% before caption
1198	
1199	\label{\hv@label}%
1200	\fi
1201	\ifhv@global@sameHeight
1202	\hv@typeout{text should be of same height of both pages}%
1203	<pre>\par\noindent{\caption*{\hv@longCap}}}%</pre>
1204	% \vspace{-2pt}%
1205	\fi
1206	\hv@reset@noverticalSpace
1207	\ end {\hv@floatType*}%
1208	
1209	\ def \do@hvFloat@doublePageCaptionRightObjectRight#1{% <i>right part of the object</i>
1210	<pre>\begin{\hv@floatType*}[!t]</pre>
1211	\hv@set@noverticalSpace
	\hfuzz=\maxdimen
1212	
1213	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1214	\global\savebox\hv0bjectBox{\ifhv@use0Box\usebox{\hv0Box}\else\hv@float0bject\fi}%
1215	\global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}% FÜR DTK
1216	\ hspace *{-\hv@tempWidthA}%
1217	\ global \setlength\hv@leftPageObjectWidth{\ the \dimexpr\ paperwidth -lin-\ evensidemargin -\
	hvSet@bindCorrection}% <i>FÜR FTK</i>
1218	<pre>\savebox\hv@rightBox{\clipbox*{\hv@leftPageObjectWidth{} - }{\usebox\</pre>
	hvObjectBox}}%
1219	\ global \setlength\hv@tempWidthB{\dimexpr\ textwidth -\ wd \hv@rightBox-\hvSet@bindCorrection+lin+\
	<pre>oddsidemargin-\hv@floatCapSep\relax}%</pre>
1220	\hv@typeout{Height of right box: \ the \ht\hv@rightBox}%
1221	\hv@typeout{Depth of right box : \ the\dp \hv@rightBox}%
1222	\ ifdim\dp \hv@rightBox > \z@
1223	\raisebox{\depth}{\usebox\hv@rightBox}%
1223	\else
	\usebox\hv@rightBox
1225	-
1226	\fi \cohucters(NTficD)\currents\coficure 1\celeu
1227	\c@hv@tempCNTfigB=\numexpr\c@figure-1\ relax
1228	\c@hv@tempCNTtabB=\numexpr\c@table-1\ relax
1229	\ifx\hv@label\@empty\else
1230	\ ifx \hv@floatType\hv@figure
1231	\ refstepcounter {hv@tempCNTfigB}%
1232	\else
1233	\ refstepcounter {hv@tempCNTtabB}% before caption
1234	\fi
1235	\label{\hv@label-2}%
1236	\fi
1237	\ ifx \hv@caption@format@temp\@empty\ else
1238	\expandafter\captionsetup\expandafter{\hv@caption@format@temp}%
1239	\fi
1240	\c@figure=\numexpr\c@hv@tempCNTfigB-1\ relax
	\c@table=\numexpr\c@hv@tempCNTtabB-1\retax
1241	
1242	\ ifnum #1>\z@ % caption on the right
1243	<pre>\hv@typeout{doublePage: capAngle=\hvSet@capAngle}%</pre>
1244	\ ifnum \hvSet@capAngle > \z@
1245	\hspace{\hv@floatCapSep}%
1246	\ rlap {\rotatebox{\hvSet@capAngle}{\ parbox [b]{\ the \dimexpr\ ht \hvObjectBox+\ dp \hvObjectBox}{%
1247	\abovecaptionskip=0pt% local inside parbox
1248	\belowcaptionskip=0pt% local inside parbox
1249	\ ifx\relax \hv@shortCap\ relax
1250	\caption{\hv@longCap}%
1251	\else
1252	\caption[\hv@shortCap]{\hv@longCap}%
1253	\fi

1254	}}}%
1255	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\fi
1256	\else
1257	\global\setlength\hv@tempWidthB{\dimexpr\textwidth-\wd\hv@rightBox-\hvSet@bindCorrection+1in+\
1237	
	<pre>oddsidemargin - \hv@floatCapSep\relax}%</pre>
1258	\hspace{\hv@floatCapSep}%
1259	\ rlap {\ parbox [b][\dimexpr\ ht \hv@rightBox+\ dp \hv@rightBox][\hv@capVPos]{\hv@tempWidthB}{%
1260	\abovecaptionskip=0pt% local inside parbox
	\belowcaptionskip=0pt% local inside parbox
1261	
1262	\ ifx \hv@shortCap\@empty
1263	\caption{\hv@longCap}%
1264	\else
1265	\caption[\hv@shortCap]{\hv@longCap}%
1266	\fi
1267	}}%
1268	\ ifx \hv@label\@empty\ else\label {\hv@label.cap}\fi
1269	\fi
1270	\else $\%$ #1 = 0 caption below
1271	\ ifx\relax \hv@shortCap\ relax
1272	\ caption {\hv@longCap}%
1273	\else
1274	\caption[\hv@shortCap]{\hv@longCap}%
1275	\fi
1276	\ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1277	\fi
1278	\vspace{0pt}%
1279	\hv@reset@noverticalSpace
	<pre>\end{\hv@floatType*}</pre>
1280	
1281	}
1282	8
1283	\newsavebox\hv@boxLeftPage
1284	\newsavebox\hv@boxRightPage
1285	%
1286	%% lin+evenside lin+oddside
1287	8
1288	
1289	def do@hvFloat@doublePAGE#1{% image on left and right page with caption on the right
1290	% #1-> 0/1 caption under/right
1291	% \global\setlength\hv@tempWidthA{\the\dimexpr1in+\oddsidemargin-\hvSet@bindCorrection}%
1292	% \global\setlength\hv@leftPageObjectWidth{\the\dimexpr\paperwidth-lin-\evensidemargin-\
	hvSet@bindCorrection}%
1293	<pre>\expandafter\global\expandafter\savebox\expandafter\hv0bjectBox\ifhv@use0Box\usebox{\hv0Box</pre>
1295	
	}\ else \hv@floatObject\ fi }%
1294	<pre>\expandafter\global\expandafter\savebox\expandafter\hv@boxLeftPage\clipbox*{0 - \</pre>
	hv@leftPageObjectWidth{} \ height }{\ usebox \hvObjectBox}}%
1295	\expandafter\global\expandafter\savebox\expandafter\hv@boxRightPage\clipbox*{\
	hv@leftPageObjectWidth{} - \height}{\usebox\hvObjectBox}
1027	
1296	\checkoddpage
1297	\ifoddpage
1298	\if@twocolumn
1299	\if@firstcolumn
1300	\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1301	\else
1302	\do@hvFloat@doublePAGECaptionRight{#1}%
1303	\fi
1304	\else
1305	\do@hvFloat@doublePAGECaptionRight{#1}%
	\fi
1306	
1307	\else
1308	\if@twocolumn
1309	\if@firstcolumn
1310	\afterpage{\afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%
1311	\else
1312	\afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%
1313	\fi
1314	\else

1315	<pre>\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}% onecolumn/left page</pre>
1316	\fi
1317	\fi
1318	\endgroup% startet at main macro
1319	}
1320	8
1321	\def\do@hvFloat@doublePAGECaptionRight#1{% image on left and right page with caption on the right
1322	% #1-> 0/1 caption under/right
1323	%
1324	\hfuzz=\maxdimen
1325	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1326	\ifhv@use0Box
1327	\ glbal\let \hv0bjectBox\hv0Box
1328	\else
1329	\ global \savebox\hv0bjectBox{\hv@float0bject}%
1330	\fi
1331	\noindent
1332	$\global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}$ %
1333	<pre>\global\setlength\hv@leftPageObjectWidth{\the\dimexpr\paperwidth-lin-\evensidemargin-\ hvSet@bindCorrection}%</pre>
1334	<pre>\clipbox*{0 - \hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1335	\null\newpage\if@twocolumn\null\newpage\fi
1336	\expandafter\global\expandafter\savebox\expandafter\hv0bjectBox\ifhv@use0Box\usebox{\
	hv0Box}\ else \hv@float0bject\ fi }%
1337	\noindent
1338	\ hspace *{\dimexpr-\hv@tempWidthA}%
1339	\clipbox*{\ the \hv@leftPageObjectWidth{} -\ depth {} \ width {} \ height {}}{\ usebox \hvObjectBox}%
1340	\begingroup
1341	\ifnum#1>0
1342	\medskip
1343	\ ifdim\dp \hv0bjectBox > \z@
1344	\rotatebox[origin=c]{90}{\ parbox {\ the \dimexpr\ ht \hv0bjectBox+\ dp \hv0bjectBox}{%
1345	\ ifx\relax \hv@shortCap\ relax
1346	\captionof{\hv@floatType}{\hv@longCap}%
1347	\else
1348	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1349	\fi
1350	}}%
1351	\ifx\hv@label\@empty\else\label{\hv@label}\fi
1352	\else
1353	<pre>\rotatebox{90}{\parbox{\the\dimexpr\ht\hvObjectBox+\dp\hvObjectBox}{%</pre>
1354	\ ifx\relax \hv@shortCap\ relax
1355	\captionof{\hv@floatType}{\hv@longCap}%
1356	\else
1357	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}% \ fi
1358	
1359 1360	}}% \ ifx \hv@label\@empty\ else\label {\hv@label}\ fi
1361	\fi
1362	\else% caption not rotated
1363	\par\noindent
1364	\parbox{\textwidth}{%
1365	\ifx\relax\hv@shortCap\relax
1366	\captionof{\hv@floatType}{\hv@longCap}%
1367	\else
1368	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1369	\fi
1370	\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi
1371	}%
1372	\fi
1373	\endgroup
1374	\ newpage \if@twocolumn\ null\newpage\fi
1375	}%
1376	}
1377	8
1378	% lin+evenside lin+oddside

1379	8
1380	\def\do@hvFloat@doubleFULLPAGE#1{% image on left and right page with caption before/below/right/after
1381	% #1-> 0/1 caption under/right
1382 1383	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}% \ ifx \hvSet@capPos\hv@After \ global \hv@capPos=1
1383	\else
1385	\ifx\hvSet@capPos\hv@Before \global\hv@@capPos=0
1386	\else
1387	\ global \hv@dcapPos=2 % other caption type
1388	\fi\fi
1389	\checkoddpage
1390	\ global \savebox{\hvObjectBox}{\ifhv@useOBox\ usebox {\hvOBox}\ else \hv@floatObject\ fi }%
1391	\global\setlength\hv@tempWidthA{\dimexpr-\oddsidemargin-lin-\parindent+\hvSet@bindCorrection}% the
1000	width of the right side offset
1392 1393	<pre>\global\setlength\hv@tempWidthB{\dimexpr\ht\hvCaptionBox+\wd\hvObjectBox+2\hvSet@bindCorrection}% \global\setlength\hv@leftPageObjectWidth{\dimexpr\paperwidth-\hvSet@bindCorrection}%</pre>
1393	<pre>% \savebox\hv@leftBox{\clipbox*{0 0 \the\hv@leftPage0bjectWidth{} \height}{\usebox\hv0bjectBox}}%</pre>
1395	<pre>% \savebox\hv@rightBox{\clipbox*{\the\hv@leftPageObjectWidth{} \height}{\usebox\</pre>
	hv0bjectBox}}%
1396	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1397	\ifoddpage
1398	\ ifcase \hv@@capPos % =0 Caption before
1399	\if@twocolumn
1400	\if@firstcolumn
1401	\ifhv@twoColumnCaption \set@Normal@Bottom@Caption*
1402 1403	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1404	\else
1405	\afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1406	\fi
1407	\ else % \if@firstcolumn
1408	\set@Normal@Bottom@Caption
1409	\do@hvFloat@doubleFULLPAGE@CaptionBefore
1410	\fi \eleo% \if@twocolume
1411 1412	\else% \if@twocolumn \set@Normal@Bottom@Caption
1412	\do@hvFloat@doubleFULLPAGE@CaptionBefore
1414	\fi
1415	\ or % =1 Caption after
1416	\ifhv@twoColumnCaption
1417	\if@firstcolumn
1418	<pre>\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol}%</pre>
1419	\else
1420 1421	\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol \ fi
1421	\else
1423	\if@twocolumn
1424	\if@firstcolumn
1425	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter}%
1426	\else
1427	\do@hvFloat@doubleFULLPAGE@CaptionAfter
1428	\fi \else
1429 1430	\do@hvFloat@doubleFULLPAGE@CaptionAfter
1430	\fi
1431	\fi
1433	\else% \ifcase >1 all other Captions
1434	\if@twocolumn
1435	\if@firstcolumn
1436	<pre>\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}%</pre>
1437	\else
1438	\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}% \ fi
1439 1440	\else % \if@twocolumn
1440	\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}%
1442	\fi
1443	\fi% \ifcase

1444	\else% we have an even page
1445	\ifcase\hv@dcapPos% Before
1446	\if@twocolumn
1447	\if@firstcolumn
1448	\ifhv@twoColumnCaption
1449	\afterpage\set@Normal@Bottom@Caption*\afterpage{\
	do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%
1450	\else
1451	\afterpage{\afterpage{\set@Normal@Bottom@Caption\
	<pre>do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}}%</pre>
1452	\fi
1453	\else
1454	\afterpage{\afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%
1455	\fi
1456	\else% \if@twocolumn
1457	\afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1458	\fi
1459	\or % capPos after
1460	\if@twocolumn
1461	\if@firstcolumn
1462	\ifhv@twoColumnCaption
1463	\afterpage{\afterpage\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{#1}}}%
1464	\else
1465	\afterpage{\afterpage\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter{#1}}}%
1466	\fi
1467	\else
1468	\ifhv@twoColumnCaption
1469	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{#1}}}%
1470	\else
1471	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter{#1}}}%
1472	\fi
1473	\fi
1474	\else% \if@twocolumn
1475	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter}%
1476	\fi
1477	\else % <i>\ifcase Any other caption</i>
1478	\if@twocolumn
1479	\if@firstcolumn
1480	\afterpage{\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}}%
1481	\else
1482	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}}%
1483	\fi
1484	\else
1485	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}%
1486	\fi
1487	\fi% \ifcase
1488	\ fi % main ifoddpage
1489	\ endgroup % started at main macro \hvFloat
1490	}
1491	
1492	\def\set@Normal@Bottom@Caption{\@ifnextchar*\set@Normal@Bottom@CaptionStar\set@Normal@Bottom@Caption@}
1493	\ def \set@Normal@Bottom@Caption@{%
1494	\ begin {\hv@floatType}[!b]
1495	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1496	\ifhv@separatorLine\drawSepLine\fi
1497	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1498	\ifhv@onlyText
1499	\hv@longCap
1500	\else
1501	\ ifx \hv@shortCap\@empty
1502	\captionof{\hv@floatType}{\hv@longCap}%
1503	\else
1504	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1505	\fi
1506	\fi
1507	\ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1508	\ end {\hv@floatType}%

1509	}
1510	\def\set@Normal@Bottom@CaptionStar*{%
1511	\ begin {\hv@floatType*}[!b]
1512	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1513	\ifhv@separatorLine\drawSepLine\fi
1514	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1515	\ifhv@onlyText
1516	\hv@longCap
1517	\else
1518	\ ifx \hv@shortCap\@empty
1519	\captionof{\hv@floatType}{\hv@longCap}%
1520	\else
1521	<pre>\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%</pre>
1522	\fi
1523	\fi \ffi\
1524	\ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1525	\end{\hv@floatType*}%
1526	,
1527	\ def \do@hvFloat@doubleFULLPAGE@CaptionBefore{%
1528 1529	%
1530	\hfuzz=\maxdimen
1530	\ global \savebox{\hv0bjectBox}{\ifhv@use0Box\ usebox {\hv0Box}\ else \hv@float0bject\ fi }%
1532	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
1552	}% no interlineskip
1533	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1534	\thispagestyle{empty}%
1535	\ ifx \hv@floatType\hv@figure
1536	\global\refstepcounter{hv@tempCNTfigB}%
1537	\else
1538	\global\refstepcounter{hv@tempCNTtabB}% before caption
1539	\fi
1540	\expandafter\label\expandafter{\hv@label}%
1541	<pre>\clipbox*{0 0 \the\hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1542	%
1543	\if@twocolumn\ newpage\null\newpage\fi
1544	\ global \savebox{\hv0bjectBox}{\ifhv@use0Box\ usebox {\hv0Box}\ else \hv@float0bject\ fi }%
1545	\thispagestyle{empty}%
1546	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
	<pre>lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox</pre>
1547	\hspace*{\hv@tempWidthA}%
1548	\ global \savebox{\hv0bjectBox}{\ifhv@use0Box\ usebox {\hv0Box} else \hv@float0bject\ fi }%
1549	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox</pre>
1550	\hvObjectBox}% \ ifx \hv@floatType\hv@figure
1550	\global\refstepcounter{hv@tempCNTfigA}%
1551 1552	\else
1552	\global\refstepcounter{hv@tempCNTtabA}% before caption
1554	\fi
1555	\expandafter\label\expandafter{\hv@label-2}%
1556	\newpage\if@twocolumn\null\newpage\fi
1557	}}%
1558	}
1559	
1560	\ newif \ifhv@temp
1561	
1562	\ def \do@hvFloat@doubleFULLPAGE@CaptionAfter{%
1563	%
1564	\hfuzz=\maxdimen
1565	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1566	<pre>\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip }% no interlineskip</pre>
1567	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1568	\ thispagestyle {empty}%
1569	<pre>\clipbox*{0 \the\dp\hv0bjectBox{} \the\hv@leftPage0bjectWidth{} \the\ht\hv0bjectBox}{\usebox\ hv0bjectBox}%</pre>
1570	\ ifx \hv@floatType\hv@figure

1571	\ refstepcounter {hv@tempCNTfigA}%
1572	\else
1573	\refstepcounter{hv@tempCNTtabA}% before caption
1574	\fi
1575	\ if x\hv@label\@empty\ else\label {\hv@label}\fi
1576	\newpage
1577	\if@twocolumn\ null\newpage\fi
1578	\ global \savebox{\hv0bjectBox}{\ifhv@use0Box\ usebox {\hv0Box}\ else \hv@float0bject\ fi }%
1579	\thispagestyle{empty}%
1580	\ vspace *{\ the \dimexpr-lin-\ voffset -\ topmargin -\ headheight -\ headsep -\ baselineskip -\ parskip +1.5\
	<pre>lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox</pre>
1581	\hspace*{\hv@tempWidthA}%
1582	\global\savebox{\hv0bjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv0float0bject\fi}%
1583	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox</pre>
1504	\hvObjectBox}% \ ifx \hv@floatType\hv@figure
1584	\refstepcounter{hv@tempcNTfigB}%
1585 1586	\else
1587	\refstepcounter{hv@tempCNTtabB}% before caption
1588	\fi
1589	\expandafter\label\expandafter{\hv@label-2}%
1590	\newpage\if@twocolumn\null\newpage\fi
1591	\begin{\hv@floatType}[!b]
1592	\ifhv@separatorLine\drawSepLine\fi
1593	% \expandafter\captionsetup\expandafter{\hv@caption@format}%
1594	\ifhv@onlyText
1595	\hv@longCap
1596	\else
1597	\ ifx \hv@shortCap\@empty
1598	<pre>\captionof{\hv@floatType}{\hv@longCap}% \else</pre>
1599	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1600 1601	\fi
1602	\fi
1603	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1604	\end{\hv@floatType}%
1605	}%
1606	}
1607	
1608	\def\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{%
1609	%
1610	<pre>\global\savebox{\hv0bjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@float0bject\fi}% \vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip</pre>
1611	<pre>{vspace*{\the\dimexpf.ine.\voffset.\topmargin.\meddmeight.\meddmeight.\meddsep.\basetimeskip.\parskip+1.5\timeskip }% no interlineskip</pre>
1612	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1612	\thispagestyle{empty}%
1614	\ ifx \hv@floatType\hv@figure
1615	\refstepcounter{hv@tempCNTfigA}%
1616	\else
1617	<pre>\refstepcounter{hv@tempCNTtabA}% before caption</pre>
1618	\fi
1619	\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi
1620	<pre>\clipbox*{0 0 \the\hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1621	\newpage\if@twocolumn\null\newpage\fi
1622	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1623 1624	\thispagestyle{empty}% \vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
1624	lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox
1625	\hspace*{\hv@tempWidthA}%
1626	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1627	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox</pre>
	\hvObjectBox}%
1628	\ ifx \hv@floatType\hv@figure
1629	\refstepcounter{hv@tempCNTfigB}%
1630	\else
1631	\refstepcounter{hv@tempCNTtabB}% before caption
1632	\fi

1633	\ ifx \hv@label\@empty\ else\label {\hv@label-2}\ fi
1634	\newpage
1635	\begin{\hv@floatType*}[!b]
1636	\hv@twoColumnCaptiontrue
1637	\ifhv@separatorLine\drawSepLine\fi
1638	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1639	\ifhv@onlyText
1640	\hv@longCap
1641	\else
1642	\ifx\hv@shortCap\@empty
1643	<pre>\captionof{\hv@floatType}{\hv@longCap}%</pre>
1644	\else
1645	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}% \ fi
1646	\fi \fi
1647	
1648 1649	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi \ end {\hv@floatType*}%
1649	}%
1650	ر ۲۰ ۲
1652	,
1653	\ def \do@hvFloat@doubleFULLPAGE@CaptionOther#1{%
1654	%
1655	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
	}% -0.5\paperheight+0.5\ht\hvObjectBox
1656	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1657	\global\savebox{\hv0bjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@float0bject\fi}%
1658	\thispagestyle{empty}%
1659	\hfuzz=\maxdimen
1660	\ global \savebox{\hvObjectBox}{\ifhv@useOBox\ usebox {\hvOBox}\ else \hv@floatObject\ fi }%
1661	<pre>\clipbox*{0 \hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1662	\ ifx \hv@floatType\hv@figure
1663	\refstepcounter{hv@tempCNTfigA}%
1664	\else
1665	\refstepcounter{hv@tempCNTtabA}% before caption
1666	\fi
1667	\label{\hv@label}%
1668	%
1669	\if@twocolumn\ newpage \if@firstcolumn\ else\null\newpage\fi\fi
1670	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1671	\thispagestyle{empty}%
1672	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
	<pre>lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox</pre>
1673	\hspace*{\hv@tempWidthA}%
1674	<pre>\clipbox*{\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox\</pre>
1/75	hv0bjectBox}%
1675	<pre>\ifx\hv@floatType\hv@figure \refstepcounter{hv@tempCNTfigB}%</pre>
1676 1677	\else
1678	\refstepcounter{hv@tempCNTtabB}% before caption
1679	\fi
1680	\expandafter\label\expandafter{\hv@label-2}%
1681	\savebox\hvCaptionBox{\ parbox {0.9\ ht \hvObjectBox}{\captionof*{\hv@floatType}{\hv@longCap}}}%
1682	\ifnum#1 > 0\relax % rotation with 90°
1683	<pre>% \setlength\hv@tempWidthB{\dimexpr\ht\hvCaptionBox+\wd\hvObjectBox+2\hvSet@bindCorrection}%</pre>
1684	\ ifdim \hv@tempWidthB < 2\ paperwidth
1685	<pre>\rotatebox[origin=lb]{90}{\makebox[\paperheight][c]{\parbox{0.8\ht\hvObjectBox}{%</pre>
1686	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1687	\ifhv@onlyText
1688	\hv@longCap
1689	\else
1690	\ ifx \hv@shortCap\@empty
1691	\captionof{\hv@floatType}{\hv@longCap}%
1692	\else
1693	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1694	\fi \fi
1695	<pre>\TI }}% rotatebox</pre>
1696))) • + • • • • • • • • • • • • • • • •

1697	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\fi
1698	\else % ifdim: no space left on page
1699	<pre>\put(-2\ht\hvCaptionBox,0.5\ht\hvObjectBox){\makebox(0,0){\rotatebox{90}{\minipage{\textwidth}\</pre>
	centering
1700	<pre>\parbox{0.8\textwidth}{%</pre>
1701	\ifhv@onlyText
1702	\hv@longCap
1703	\else
1704	\ ifx \hv@shortCap\@empty \captionof{\hv@floatType}{\hv@longCap}%
1705	\captioni{{nv@itoatiype}{{nv@tongcap}% \else
1706 1707	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1707	\fi
1709	\fi
1710	}%
1711	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1712	\endminipage}}}%
1713	\fi
1714	\ else % ifnum, caption not rotated, under or over the right page
1715	\setlength\hv@tempWidthA{\dimexpr\ paperheight -\ ht \hv0bjectBox}%
1716	\ ifdim \hv@tempWidthA > \ ht \hvCaptionBox
1717	\else
1718	<pre>\put(\the\dimexpr1.5\paperwidth-\wd\hvObjectBox-\hvSet@bindCorrection,\the\dimexpr\ht\</pre>
	hvCaptionBox+\abovecaptionskip+\belowcaptionskip){\makebox[0pt][c]{\parbox{\textwidth}{%
1719	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}% }</pre>
1720	\ifhv@onlyText \hv@longCap
1721 1722	\else
1723	\ ifx \hv@shortCap\@empty
1724	\captionof{\hv@floatType}{\hv@longCap}%
1725	\else
1726	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1727	\fi
1728	\fi
1729	}}}%
1730	\ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1731	\fi
1732	\fi% end \ifnum#1>0 \newpage\if@twocolumn\null\newpage\fi
1733 1734	{hewpage \i (@twoco tamin {hatt {hewpage { i i }}}%
1735	}%
1736	}
1737	
1738	
1739	\ def %
1740	\ begin {\hv@floatType}[!b]%
1741	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1742	\ifhv@separatorLine\drawSepLine\fi
1743	\par
1744	\ usebox \hvCaptionBox \ end {\hv@floatType}%
1745 1746	ferral funder roar i Ahello
1746	
1747	\ def %
1749	\iftv@star
1750	\begin{\hv@floatType*}[p]%
1751	\else
1752	\ begin {\hv@floatType}[p]%
1753	\fi
1754	\hfuzz=\maxdimen
1755	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1756	\ifhv@FULLPAGE
1757	<pre>\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep}%-0.5\baselineskip% \sheckaddnage</pre>
1758	\checkoddpage \if@twoside
1759 1760	
1761	\hspace*{\the\dimexpr-\oddsidemargin-\parindent-lin}%
	· · · · · · · · · · · · · · · · · · ·

```
\else
1762
              \hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1763
            \fi
1764
1765
          \else
            \hspace*{\the\dimexpr-\oddsidemargin-\parindent-lin}%
1766
          \fi
1767
1768
          \AtBeginShipoutNext{\thispagestyle{empty}}%
          \usebox\hv0bjectBox
1769
1770
        \else
          \usebox\hv0bjectBox
1771
        \fi
1772
        \ifhv@star
1773
          \end{\hv@floatType*}%
1774
        \else
1775
1776
          \end{\hv@floatType}%
        \fi
1777
1778
     }
1779
      \ExplSyntaxOn
1780
1781
     \def\getMultiCaptionAndLabel{%
1782
        \global\sbox\hvCaptionBox{\minipage[b]{\linewidth}%
1783
          \captionsetup{aboveskip=\z@,belowskip=\z@,position=below,parbox=none}%,skip=-1ex}%
1784
1785
          \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
          \parskip=-0.5\baselineskip
1786
          \hv@cntb=\clist_count:N\l_clist_Type
1787
1788
          \advance\hv@cntb by \@ne
          \hv@cnta=1
1789
1790
          \loop
            \edef\@captype{\clist item:Nn\l clist Type{\hv@cnta}}%
1791
1792
            \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{\hv@cnta}}%
            \ifx\@tempa\@empty
1793
1794
              \caption{\clist_item:Nn\l_clist_Caption{\hv@cnta}}%
            \else
1795
1796
              \expandafter\caption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{\hv@cnta}}%
            \fi
1797
            \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@cnta}}%
1798
            \ifx\@tempa\@empty
1799
1800
            \else
              \expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{\hv@cnta}-cap}\fi
1801
            \advance\hv@cnta by \@ne
1802
          \ifnum\hv@cnta<\hv@cntb
1803
          \ repeat
1804
1805
          \vspace{-\baselineskip}% no vspace at the end
        \endminipage}%
1806
1807
1808
     \def\getMultiObjectAndLabel{%
1809
        \global\sbox\hv0bjectBox{%
1810
1811
          \ifhv@vFill
            \minipage[b][\textheight][s]{\columnwidth}%
1812
1813
          \else
1814
            \minipage{\columnwidth}%
          \fi
1815
          \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1816
          \ifx\hvSet@objectPos\hv@Right\raggedleft\else
1817
1818
            \ifx\hvSet@objectPos\hv@Left\raggedleft\else
1819
              \ifx\hvSet@objectPos\hv@Center\centering
1820
          \fi\fi\fi
          \hv@cntb=\clist_count:N\l_clist_Type
1821
1822
          \advance\hv@cntb by \@ne
          \hv@cnta=1
1823
1824
          \loop
            \def\@temp{\clist item:Nn\l clist Object{\hv@cnta}}%
1825
            \ifhv@objectFrame\frame{\@temp}\else\@temp\fi
1826
            \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@cnta}}%
1827
            \edef\@tempb{\clist item:Nn\l clist Type{\hv@cnta}}%
1828
```

\edef\@captype{hv@p\@tempb}% 1829 **ifx**\@tempa\@empty 1830 \else 1831 \refstepcounter{\@captype}% 1832 \expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{\hv@cnta}}% 1833 ∖fi 1834 1835 \ifnum\hv@cnta<\clist_count:N\l_clist_Type\par\hv@vskip\fi \advance\hv@cnta by \@ne 1836 1837 \ifnum\hv@cnta<\hv@cntb \ifhv@vFill**vfill**\fi 1838 \repeat 1839 \endminipage}% 1840 1841 \def\getMultiSubCaptionAndLabel{% 1842 \global\sbox\hvCaptionBox{% 1843 1844 \minipage{\linewidth}% \expandafter\hvFloatSet\expandafter{\hv@save@setting}% 1845 1846 \setlength\belowcaptionskip{5pt}% \setlength\abovecaptionskip{0pt}% 1847 \xdef\@captype{\clist_item:Nn\l_clist_Type{1}}% the same for all subfloats 1848 \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{1}}% 1849 **ifx**\@tempa\@empty 1850 \caption{\clist item:Nn\l clist Caption{1}}% 1851 1852 \else \expandafter\caption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{1}}% 1853 ∖fi 1854 1855 \edef\@tempa{\clist_item:Nn\l_clist_Label{1}}% \ifx\@tempa\@empty\else\expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{1}-cap}\fi 1856 1857 \endminipage}% } 1858 1859 \def\getMultiSubObjectAndLabel{% 1860 1861 \global\sbox\hv0bjectBox{% \expandafter\hvFloatSet\expandafter{\hv@save@setting}% 1862 \ifhv@vFill 1863 \minipage[b][\textheight][s]{\columnwidth}% 1864 \captionsetup{belowskip=0pt}% 1865 \else 1866 1867 \minipage{\columnwidth}% \fi 1868 \ifx\hv@subcaption@format\@empty\else 1869 1870 % \expandafter \captionsetup\expandafter[\expandafter s\expandafter u\expandafter b\expandafter]\expandafter 1871 1872 {\hv@subcaption@format}% ١fi 1873 \ifx\hvSet@objectPos\hv@Right\raggedleft\else 1874 \ifx\hvSet@objectPos\hv@Left\raggedleft\else 1875 \ifx\hvSet@objectPos\hv@Center\centering 1876 \fi\fi\fi 1877 1878 \hv@cntb=\clist_count:N\l_clist_Caption \advance\hv@cntb by \@ne 1879 \hv@cnta=2 1880 1881 \edef\@captype{\clist_item:Nn\l_clist_Type{1}}% the same for all subfloats **ifx**\@tempa\@empty 1882 1883 \else \refstepcounter{\@captype}% 1884 1885 \expandafter\label\expandafter{\@tempa}% \fi 1886 \loop 1887 \def\@temp{\clist item:Nn\l clist Object{\hv@cnta}}% 1888 1889 \ifhv@objectFrame\frame{\@temp}\else\@temp\fi \beaingroup 1890 \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{\hv@cnta}}% 1891 \ifx\@tempa\@emptv 1892 \subcaption{\clist_item:Nn\l_clist_Caption{\hv@cnta}}% 1893 \else 1894 \expandafter\subcaption\expandafter[\@tempa]{\clist item:Nn\l clist Caption{\hv@cnta}}% 1895

1896	\fi
1897	\ edef \@tempa{\clist_item:Nn\ l _clist_Label{\hv@cnta}}%
1898	\ ifx \@tempa\@empty
1899	\else
1900	\ expandafter\label\expandafter {\clist_item:Nn\ l _clist_Label{\hv@cnta}}%
1901	\fi
1902	\endgroup
1903	\ ifnum \hv@cnta<\clist_count:N\ l _clist_Type\ par \hv@vskip\fi
1904	\ advance \hv@cnta by \@ne
1905	\ ifnum \hv@cnta<\hv@cntb
1906	\ifhv@vFill\ vfill\fi
1907	\repeat
1908	<pre>\edef\@tempa{\clist_item:Nn\l_clist_Label{1}}% the main label at the end</pre>
1909	\ if x\@tempa\@empty
1910	\else
1911	\edef\@temp{hv@p\@captype}%
1912	\refstepcounter{\@temp}%
1913	\expandafter\label\expandafter{\@tempa}%
1914	\fi
1915	\endminipage}%
	} \FuelCusterOff
	\ExplSyntaxOff
1918	\ def\ astfinal afont i an Andl abol (0.
1919	<pre>\def\getSingleCaptionAndLabel{% \global\sbox\hvCaptionBox{\minipage{\linewidth}%</pre>
1920	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1921 1922	\setlength\belowcaptionskip{5pt}%
1922	\setlength\abovecaptionskip{0pt}%
1923	\ifhv@onlyText
1925	\hv@longCap
1926	\else
1927	\ edef \@captype{\hv@floatType}%
1928	\expandafter\ifx\expandafter\relax\hv@shortCap\relax
1929	\caption{\hv@longCap}%
1930	\else
1931	\ caption [\hv@shortCap]{\hv@longCap}%
1932	\fi
1933	\fi
1934	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\fi
1935	\endminipage}%
1936	}
1937	
1938	\ def \set@caption@object#1{% first caption, then object #1=\hv@floatType
1939	\ifhv@multiFloat
1940	<pre>\setcounter{hv@pfigure}{\value{figure}}%</pre>
1941	<pre>\setcounter{hv@ptable}{\value{table}}%</pre>
1942	\getMultiCaptionAndLabel
1943	\else
1944	\ifhv@subFloat
1945	\setcounter{hv@pfigure}{\value{figure}}%
1946	<pre>\setcounter{hv@ptable}{\value{table}}%</pre>
1947	\getMultiSubCaptionAndLabel \ else
1948	
1949	\getSingleCaptionAndLabel \ fi
1950 1951	\fi
1951	\edef\@captype{hv@p#1}%
1953	\ifhv@multiFloat
1954	\getMultiObjectAndLabel
1954	\else
1956	\ifhv@subFloat
1957	\getMultiSubObjectAndLabel
1958	\else
1959	\global\sbox%
1960	\refstepcounter{\@captype}%
1961	\ifhv@objectFrame\ frame {\hv@floatObject}\ else \hv@floatObject\ fi
1962	\ expandafter\ifx\expandafter\relax \hv@label\ relax

1963	\else
1964	\ expandafter\label\expandafter {\hv@label}%
1965	\fi
1966	}%
1967	\fi
1968	\fi
1969	}
1970	8
1971	\endinput