Package hvfloat Controlling captions, fullpage and doublepage floats ver 2.38


Herbert Voß*

April 2, 2022

The package hvfloat defines a macro to place objects and captions of floats in different positions with different rotating angles.

All objects and captions are framed on the first pages, which is only for some demonstration here and has no additional sense!

To compare the place of the definition of the floating objects in the source and the output a marginnote float is set into the margin. This is done also only for demonstration!



*hvoss@tug.org

Thanks to Karl Berry, Frank Mittelbach, Rolf Niepraschk

Contents

Contents

1	The package options	7
2	The Macros and optional arguments	
3	The default use of floating environments	9
4	Caption width 4.1 Default – natural width	10 10 11 12 12
5	Caption left or right of the object5.1Caption right with specific length5.2Caption left and rotated	12 12 13
6	Caption inner or outer	14
7	Vertical Position of the Caption	16
8	Caption format	17
9	Horizontal Position of the Float	18
10	Wide floats	20
11	The star version \hvFloat*	22
12	2 Full Page Width in Landscape Mode 2	
13	3 The nonFloat Option 2	
14	Tabulars as Objects	27
15	Text and objects	27
16	Environment hvFloatEnv	29
17	Full page objects in onecolumn mode 17.1 Using the textarea 17.1.1 Using the default or capPos=before 17.1.2 Using capPos=after 17.1.3 Using capPos=evenPage — caption on an even page 17.1.4 Using capPos=oddPage — caption on an odd page 17.1.5 Using capPos=inner or capPos=outer — caption on the inner or outer side 17.2 Using the paper size 17.3 Multifloats	 29 30 31 33 34 35 35 36 38
18	Subfloat page	40

19	Full	page objects in twocolumn mode	42
	19.1	Default setting	42
		19.1.1 Using capPos=after	43
		19.1.2 Using capPos=evenPage — caption on an even page	45
		19.1.3 Using capPos=oddPage — caption on an odd page	46
		19.1.4 Using capPos=inner – caption in the inner column	47
		19.1.5 Using capPos=outer — caption on the outer column	48
	19.2	Using full page in twocolumn mode	49
	19.3	Multifloats	50
20	Subf	float page	51
21	Dou	blepage objects – images and/or tabulars	54
	21.1	doubleFULLPAGE	54
	21.2	doublePAGE	76
	21.3	doublePage	80
	21.4	Tabulars	88
22	Refe	erences to the page	91
23	Defi	ning a style	93
24	Gloł	oal float setting	94
25	The	Package Source	100

List of Tables

1	The Caption without sense	7
2	The optional keywords for the macro \hvFloat	8
3	With the only Option capPos=top to place the caption on top of the table, which	
	is often the default.	10
4	Demonstration of the use0Box Parameter	27
5	Demonstration of the use0Box Parameter	28
6	A caption for a nice table	29
7	A caption for a nice table	29
8	Valid optional arguments for a full page object.	31
9	A doublepage tabular with a caption on the right side of the right part	93

List of Figures

1	What a nice Caption :-)
2	Without any keywords (only the fbox package option)
3	Default caption width setting, which is the natural width with respect to the
	current linewidth
4	Caption right beside with a <i>natural</i> width, which is given by the width of the
	object, the separation between object and caption, and the current linewidth 11
5	Caption below with a width of 0.9 of the current line width (column width),
	which is in this special case 376.42744pt. Divide it by 28.82 to get cm 11
6	Caption right beside with a width setting of 0.9\linewidth which is too big for
	this example and therefore corrected by the macro to the maximal width 12
7	Caption below with a width of the given object which may be a problem if it is
	a very small object
8	Caption beside with a width of the given object height which may be a problem
	if it is a very small object
9	Caption beside object and vertically centered
10	Centered Caption beside Object 14
11	Caption vertically centered right beside the float with a caption width of the
	height of the image and a rotation of the caption and the object
12	Centered Caption on the inner side
13	Centered Caption on the inner side 15
14	Centered Caption beside Object 15
15	Centered Caption beside Object 16
16	Caption at bottom right beside the float
17	Caption at top left beside the float
18	Caption centered right beside the float 17
19	Hello, here is some text without a meaning. This text should show what a
	printed text will look like at this place. If you read this text, you will get no
	information. Really? Is there no information? Is there a difference between
	this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind
	text like this gives you information about the selected font, how the letters are
	written and an impression of the look. This text should contain all letters of the
	alphabet and it should be written in of the original language. There is no need
	for special content, but the length of words should match the language. 18
20	Caption at top right beside the float and object position left

21	Caption at top right beside the float and object position left	19
22	Caption at top left beside the float and object position right	19
23	Caption at top right beside the float and object position left and the option wide.	20
24	Caption at top left beside the object and object position left and the option wide.	20
25	Caption at top and inner beside the float and object position right and the option	
	wide	21
26	Caption at top inner beside the float and object position right and the option wide.	21
27	Caption at top inner beside the float and object position right and the option wide.	21
28	Hello, here is some text without a meaning. This text should show what a	
	printed text will look like at this place. If you read this text, you will get no	
	information. Really? Is there no information? Is there a difference between	
	this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind	
	text like this gives you information about the selected font, how the letters are	
	written and an impression of the look. This text should contain all letters of the	
	alphabet and it should be written in of the original language. There is no need	
	for special content, but the length of words should match the language.	22
29	Output of default1s2c (pages 2 -5)	23
30	Object and Caption in landscape mode	24
31	Rotated Caption in Landscape	25
32	Nonfloat Captions	26
33	Output of fullpage1s2c (pages 1-8)	30
34	Output of default1s1c (pages 2–9)	32
35	Output of after1s1c (pages 2–9)	33
36	Output of even1s1c (pages 2-9)	34
37	Output of odd1s1c (pages 2-9)	35
38	Output of paper-default1s1c (pages 2–9)	36
39	Output of paper-after1s1c (pages 2–9)	37
40	Output of multi-default1s1c (pages 4-11)	39
41	Output of multi-after1s1c (pages 4-11)	39
42	Output of sub-default1s1c (pages 4–11)	41
43	Output of sub-after1s1c (pages 4-11)	41
44	Output of default2s2c (pages 2-9)	42
45	Output of left2s2c (pages 2–9)	43
46	Output of after2s2c (pages 2–9)	44
47	Output of right2s2c (pages 2–9)	44
48	Output of even2s2c (pages 2–9)	45
49	Output of odd2s2c (pages 2-9)	46
50	Output of inner2s2c (pages 2–9)	47
51	Output of outer2s2c (pages 2-9)	48
52	Output of paper-default2s2c (pages 2–9)	49
53	Output of paper-inner2s2c (pages 2-9)	50
54	Output of multi-default2s2c (pages 2-9)	51
55	Output of multi-inner2s2c (pages 2-9)	52
56	Output of sub-default2s2c (pages 2-9)	53
57	Output of sub-after2s2c (pages 2-9)	53
58	A doublepage image with a caption on the image.	57
59	A doublepage image with a caption on the image.	61

List of Figures

60	A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is	
	doubleFULLPAGE	65
61	A caption for a double-sided image that will be placed after the image. The	05
	image begins on the left edge of the paper. No further text is placed on the	
	pages. A short form is used for the LOF. The parameter is doubleFULLPAGE	70
62	A caption for a double-sided image that will be placed before the image. The	
	image begins on the left edge of the paper. No further text is placed on the	
	pages. A short form is used for the LOF. The parameter is doubleFULLPAGE	73
63	A doublepage image with a caption below the right part	79
64	A doublepage image with a caption on the right side of the right part	83
65	A doublepage image with a caption on the right side of the right part	85
66	A doublepage image with a caption on the right side of the right part	89
67	Caption at bottom right beside the float with a caption width of 0.5 columnwidth.	93
68	A float which needs the complete paper width and height.	95

1 The package options

fbox	The objects and captions are put into a \fbox command, like in this documenta-
	tion. This doesn't make real sense and is only for some demonstration useful or
	for locating problems if images seems to have too much whitespace.
hyperref	Load package hyperref.
nostfloats	do not load package stfloats.

The length \belowcaptionskip is set by LATEX to 0pt and changed in hvfloat to the same value than \abovecaptionskip. This length can be changed to another value in the usual way with \setlength or \addtolength.

The following packages are loaded by hvfloat and the optional argument hypcap is passed to the packages caption and subcaption:

caption, subcaption, atbegshi, stfloats, expl3, multido, graphicx, xkeyval, ifoddpage, and afterpage.

2 The Macros and optional arguments

The syntax for the macros and \hvFloatSetDefaults, \hvFloatSet, and \hvFloat is

```
\hvFloatSet{key=value list}
\hvFloatSetDefaults
\hvFloat* [Options] + {float type}{floating object} [short caption] {long caption}{label}
```

The star version is explained in section 11 on page 22 and 19.2 on page 49 and the optional **⊞**is explained in section 17.3 on page 38.

\hvFloatSet allows the global setting of keywords and \hvFloatSetDefaults sets all keywords to its default value as shown in Table 2 on the next page.

If \hvFloat has an empty second parameter <float type>, then \hvFloat switches by default to a nonfloat (see table 2) object, which is not important for the user. All other parameters may also be empty and the short caption as second optional parameter missing. This one is as usual the caption for the \listoffigures.

There are some more macros defined, more or less for internally use in hvfloat, but they can be used for own purposes.

```
\figcaption [short caption text] {caption text}
\tabcaption [short caption text] {caption text}
\tabcaptionbelow[short caption text] {caption text}
```

They are used for the nonFloat keyword, where these macros write captions in the same way but outside of a float environment. The default caption cannot be used here. It is no problem to use the \tabcaption command to place a caption anywhere, like here in an inlined mode:

Table 1: A Caption without any sense and any object

A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing table 2 is no problem.

```
[...] It is no problem to use the \verb|\tabcaption|
command to place a caption anywhere,
like here in an inlined mode:
\tabcaption[The Caption without sense ...]%
```

2 The Macros and optional arguments

{A Caption without any sense and any
object}\label{dummy} A label can be put
inside the argument or after the command
in the usual way, so that a reference to
the not existing table~\ref{dummy} is no problem.

With the macro \hvDefFloatStyle one can define a style which can be used instead of the individual setting:

\hvDefFloatStyle{name}{setting}

Internally the style is saved in a macro named

There are the following keywords:

Keyword	Default	Description	
floatPos tbp		This is the same default placement setting as in standard LATEX; maybe not always the best setting.	
rotAngle	0	The value for the angle if both the object and the caption should be rotated together.	
capWidth	n	The width of the caption. Can be n for a natural width given by the current linewidth, w for the width of the object, n for the height of the object, or a scale factor for \columnwidth.	
capAngle	0	The integer value for the angle if the caption should be rotated. Positive is counter-clockwise.	
capPos	bottom	The position of the caption relative to the object. Possible values: before: <i>always</i> before (left) from the object. top: <i>always</i> on top of the object. left: <i>always</i> before (left) from the object, but on the same page in	
		twocolumn mode. after: <i>always</i> after (right) from the object.	
		bottom: <i>always</i> on the bottom of the object. right: <i>always</i> after (right) from the object, but on the same page in	
		<pre>twocolumn mode. inner: in twoside mode always typeset at the inner margin. outer: in twoside mode always typeset at the outer margin. evenPage: in twoside mode with fullpage objects always on an even</pre>	
		page. oddPage: in twoside mode with fullpage objects always on an odd page.	
capVPos	center	Only used when capPos=left right; in these cases, the caption can be verti- cally placed at the bottom, center or top.	
objectPos	center	Horizontal placement of the object relative to the document. Possible values are (l)eft, (c)enter, (r)ight.	
objectAngle	0	Integer value for the angle if the object should be rotated. Positive is counter- clockwise.	
floatCapSep	5pt	Additional space between the object and a left- or right-placed caption.	
use0Box	false	Instead of passing the object as a parameter to \hvFloat, with useOBox=true the contents of the predefined box \hvOBox is used.	
onlyText	false	The caption is printed as normal text with no entry in any list of	
nonFloat	false	The object isn't put in a floating environment, but printed as standard ter with an additional caption. The float counter is increased as usual and can be referenced.	
wide	false	The float can use \textwidth + \marginparwidth as horizontal width.	

Table 2: The optional keywords for the macro \hvFloat

Keyword Default		Description	
objectFrame	false	Put a frame with no separation around the float object.	
style	none	Use a defined style.	
capFormat	none	Define formatting options for \caption; see documentation of package	
		caption.	
subcapFormat	none	Define formatting options for \subcaption.	
fullpage	false	Use a complete column in twocolumn mode.	
FullPage	false	Use the full text area for the object.	
FULLPAGE	false	Use the full paper width/height for the object.	
doublePage	false	Use the text area on a doublepage with additional text.	
doublePAGE	false	Use the text area on a doublepage without additional text.	
doubleFULLPAGE	false	Use the paperwidth on a doublepage without additional text.	
vFill	false	Put a \vfill between every two objects in a multi- or subfloat.	
sameHeight	false	use the same text height on both pages for a doublePage object.	

3 The default use of floating environments

In this case there is no essential difference to the well known figure or table environment, f.ex.:

```
\begin{figure}
... object ...
\caption{...}% caption below the object
\end{figure}
```




Figure 2: Without any keywords (only the fbox package option)

Code for figure 2:

```
1 \hvFloat{figure}{\includegraphics{images/rose}}{Without any keywords (only the \texttt{fbox}
package option)}{fig:0}
```

Code for table 3:

```
1 \hvFloat[capPos=top]{table}{%
```

```
2 \begin{tabularx}{\textwidth}{>{\ttfamily}l|l|X}
```

```
3 \rmfamily Name & Type & Description\\\hline
```

```
4 \CMD{hvFloat} & command & places object and caption in different ways\\
```

 $_{\rm 5}$ hvFloatEnv & environment & places object and caption exactly Here\\

```
7 \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
```

```
8 \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\
```

```
9 \CMD{hvDefFloatStyle} & command & define a user style
```

```
10 \end{tabularx}}%
```

Tab. 3

4 Caption width

Table 3: With the only Option capPos=top to place the caption on top of the table, which is often the default.

Name	Туре	Description
\hvFloat	command	places object and caption in different ways
hvFloatEnv	environment	places object and caption exactly Here
\figcaption	command	writes a figure caption in a non floating environment
\tabcaption	command	writes a table caption in a non floating environment
\hvFloatSetDefaults	command	sets all options to the defaults
\hvDefFloatStyle	command	define a user style

11 {With the only Option \texttt{capPos=top} to place the caption on top of the table, which is
 often the default.}%

12 {tab:0}

See section 14 for some more informations about tabulars as objects.

4 Caption width

4.1 Default - natural width

The default setting is the natural width of a paragraph with respect to the current linewidth or columnwidth for a caption below or above an object. It behaves in the same way as a caption set by one of the default floating environments like figure or table:

- 1 \hvFloat[floatPos=!htb]{figure}{\includegraphics{images/rose}}%
- 2 {Default caption width setting, which is the natural width with respect to the current linewidth.}{fig:width0}




Figure 3: Default caption width setting, which is the natural width with respect to the current linewidth.

For the following examples the package option fbox is disabled. All frames are now set with the macro \frame or the optional keyword objectFrame.

For a caption beside an object, the *natural* caption width (without the optional argument wide) is given by the current linewidth minus the width of the object and the space between object and caption, which is set by floatCapSep (see Table 2 on page 8).

- 1 \hvFloat[floatPos=!htb,capPos=after,objectFrame]{figure}{\includegraphics[scale=1.5]{images/ rose}}%
- the separation between object and caption, and the current linewidth.}{fig:width1}




Figure 4: Caption right beside with a *natural* width, which is given by the width of the object, the separation between object and caption, and the current linewidth.

4.2 Relative linewidth

With capWidth=<number> the caption width is set to <number>\columnwidth. For captions at the bottom or on top of objects the setting is not checked if <number> is greater than 1.

- 1 \hvFloat[floatPos=!htb,capWidth=0.9]{figure}{\includegraphics{images/rose}}%
- 2 {Caption below with a width of 0.9 of the current line width (column width), which is
- in this special case \the\linewidth. Divide it by 28.82 to get cm.}{fig:width2}

Fig. <mark>5</mark>




Figure 5: Caption below with a width of 0.9 of the current line width (column width), which is in this special case 376.42744pt. Divide it by 28.82 to get cm.

If such a value like 0.9\linewidth is used for a caption beside an object, then the macro does a test if the space beside the object is less equal the defined caption width. If not then the width is set to the possible value between object and margin:

```
1 \hvFloat[floatPos=!htb,
2 capPos=after,
3 capWidth=0.9]{figure}{\includegraphics[scale=1.5]{images/rose}}%
4 {Caption right beside with a width setting of \texttt{0.9\textbackslash linewidth}
5 which is too big for this example and therefore corrected
6 by the macro to the maximal width.}{fig:width3}
```

5 Caption left or right of the object




Figure 6: Caption right beside with a width setting of 0.9\linewidth which is too big for this example and therefore corrected by the macro to the maximal width.

4.3 Identical object and caption width

With capWidth=w the caption width is like the object width which makes only real sense if you have a lot of identical images with respect to its widths.

- 1 \hvFloat[floatPos=!htb,capWidth=w]{figure}{\includegraphics[width=0.5\linewidth]{images/CTAN}}%
- $_2$ {Caption below with a width of the given object which may be a problem
- 3 if it is a very small object.}{fig:width4}




Figure 7: Caption below with a width of the given object which may be a problem if it is a very small object.

4.4 caption width to height of the object

With capWidth=h the caption width is like the object height which makes only real sense if you want to put a rotated caption beside the object.

- 1 \hvFloat[floatPos=!htb,capPos=after,capWidth=h,capAngle=90,objectFrame]{figure}{\
 includegraphics{images/rose}}%
- {Caption beside with a width of the given object height which may be a problem
- if it is a very small object.}{fig:width5}

Fig. 8


2

5 Caption left or right of the object

By default the caption is set on the left side of the object. If the caption and the object are set side by side, then the keyvalue before is identical to the setting left.

5.1 Caption right with specific length

Code for figure 9:



- 1 \hvFloat%
- 2 [floatPos=htb,
- 3 capPos=right,
- 4 objectFrame,
- 5 objectPos=c]{figure}{\includegraphics[scale=0.9]{images/rose}}%
- 6 [Caption beside object and vertically centered]%
- 7 {Caption vertically centered right beside the float with a natural caption width
- 8 (the default). \blindtext}%
- 9 {fig:1}




Figure 9: Caption vertically centered right beside the float with a natural caption width (the default). Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.


5.2 Caption left and rotated

Code for figure 10:

```
\hvFloat%
1
      [floatPos=htb,
2
      capPos=left,
3
      capWidth=h,% of \columnwidth
4
5
      capAngle=90,
6
      objectFrame
     ]{figure}{\includegraphics{images/rose}}%
7
      [Centered Caption beside Object]%
8
     {Caption vertically centered left beside the float with a caption width
9
      of \texttt{capWidth=h}, which is the height of the object.}{fig:2}
10
```

It is no problem to rotate the object, too. But with a different angle value than for the Fig. 10 caption. Do not ask for the sense, it is only a demonstration of what is possible ... The object (image) is rotated by -30 degrees with the macro \rotatebox. Without any definition the caption will be placed vertically centered to the object. Important for the height of the object is the surrounding orthogonal rectangle.

Fig. ¶loat capPos=right



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 11:

1	\hvFloat[%
2	capWidth=h,
3	capPos=after,
4	capAngle=180,
5	objectAngle=90,
6	capVPos=center,
7	objectPos=center]{figure}{\ frame {\includegraphics{images/rose}}}%
8	[Centered Caption beside Object]{%
9	{Caption vertically centered right beside the float with a caption width of the height
10	of the image and a rotation of the caption and the object.}{fig:3}






Figure 11: Caption vertically centered right beside the float with a caption width of the height of the image and a rotation of the caption and the object.

6 Caption inner or outer

Setting the caption position to *inner* or *outer* makes only sense for a document in twoside mode. For a oneside document *inner* is the same as *left* and *outer* is the same as *right*. We show only the code for the first image with the setting capPos=inner, whereas the second one chooses only capPos=outer.

Code for figure 12:

- 1 \hvFloat[capPos=inner]{figure}{\includegraphics{images/rose}}%
- 2 [Centered Caption on the inner side]{%
- 3 Caption set with the parameter setting \texttt{capPos=inner}, which will be
- a caption on the right side for an even page and on the left side for

15

an odd page.}{fig:20}

5

Figure 12: Caption set with the parameter setting capPos=inner, which will be a caption on the right side for an even page and on the left side for an odd page.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Now the same Image with capPos=outer. The current pagenumber is 15, an odd page. We now set a pagebreak at the end of the second image to see if it works with inner/outer.

- \hvFloat[capPos=outer]{figure}{\includegraphics{images/rose}}% 1
- [Centered Caption on the inner side] {% 2
- Caption set with the parameter setting \texttt{capPos=outer}, which will be 3
- a caption on the right side for an even page and on the left side for 4
- an odd page.}{fig:20b} 5

Figure 13: Caption set with the parameter setting capPos=outer, which will be a caption on the right side for an even page and on the left side for an odd page.

> Figure 14: Caption at the bottom right beside the float with a caption width of 0.5\columnwidth and and capPos=outer.







7 Vertical Position of the Caption

We have an even page, the reason why figure 13 has the caption for *inner* on the left side and figure 14 for *outer* on the right side.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 15:

1	\hvFloat[%
2	capWidth=0.5,% <i>of</i> \ <i>columnwidth</i>
3	capPos=inner,% ====> INNER
4	capAngle=θ,
5	capVPos=bottom,
6	objectPos=center]{figure}{\includegraphics{images/rose}}%
7	[Centered Caption beside Object]{%
8	Caption vertically centered right beside the float with a caption
9	width of $texttt{0.5}textbackslash columnwidth} and texttt{capPos=outer} $

Fig. 15



Figure 15: Caption vertically centered right beside the float with a caption width of 0.5\columnwidth and capPos=outer

We have an even page, the reason why figure 12 has the caption for *inner* on the right side and figure 14 for *outer* on the left side.

7 Vertical Position of the Caption

The caption can be placed beside the object in the positions

```
(c)enter|(b)ottom|(t)op
```

The code for figure 16:

```
\hvFloat[%
1
        floatPos=htb,%
2
        capWidth=0.25,%
3
        capPos=right,%
4
        capVPos=bottom,%
5
  ]{figure}{\frame{\includegraphics{images/rose}}}{Caption at bottom right beside the float}{fig
6
        :4}
    The code for figure 17:
   \hvFloat[%
1
        floatPos=htb,
```

```
2 floatPos=htb,
3 capWidth=0.25,
```




Figure 16: Caption at bottom right beside the float

- 4 capPos=right,
- 5 capVPos=top,
- 6]{figure}{\frame{\includegraphics{images/rose}}}{Caption at top left beside the float}{fig:5}

Figure 17: Caption at top left beside the float




Fig. **17**

The code for figure 18:






Figure 18: Caption centered right beside the float

8 Caption format

The caption and subcaption macros are fully under the control of the package caption. The formatting can be set with the macros captionsetup, subcaptionsetup, or via the optional

9 Horizontal Position of the Float

argument setting of \hvFloat with the keywords capFormat and subcapFormat. The argument itself will then be used internally by \captionsetup and/or \subcaptionsetup in a minipage, the reason why it will be local to the current image..

```
1 \hvFloat[%
```

- 2 capPos=right,
- 3 capFormat={labelsep=newline,justification=RaggedRight,font={small,it},labelfont=bf}
- 4]{figure}{\frame{\includegraphics{images/rose}}}{\blindtext}{fig:66}

Fig. 19




Figure 19 Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

9 Horizontal Position of the Float

The caption is always near the object, only divided by the length \floatCapSep which can be set by the keyword of the same name floatCapSep. It accepts only a value with any allowed unit. The keyword objectPos refers always to the complete floating object: caption *and* object. The meaning of objectPos=left is: Put the object as far as possible to the left margin. If capPos=left is also used, then the caption is at the left margin followed by the object (see Figure 21 on the next page).

The code for figure 20:

```
1 \hvFloat[%
2 capWidth=0.25,
3 capPos=right,
4 capVPos=top,
5 objectPos=left,
6 objectFrame,
7 ]{figure}{\includegraphics{images/rose}}{%
```

Caption at top right beside the float and object position left}{fig:7}

Fig. 20





Figure 20: Caption at top right beside the float and object position left

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there

no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The same with capPos=left :

Figure 21: Caption at top right beside the float and object position left




Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 22:

- 1 \hvFloat[%
 2 capWidth=0.25,
 3 capPos=before,
 4 capVPos=top,
 5 objectPos=right,
- objectFrame,
- 7]{figure}{\includegraphics{images/rose}}{%
- 8 Caption at top leftt beside the float and object position right}{fig:8}

Figure 22: Caption at top left beside the float and object position right



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of

Fig. 21

10 Wide floats

the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

10 Wide floats

With the optional argument wide the width of the defined \marginparwidth is added to the allowed horizontal width of the float.

The code for figure 23:

1 \hvFloat[wide,

2

4

6

- capPos=right,
- 3 capVPos=top,
 - objectPos=left,
- 5]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
- Caption at top right beside the float and object position left and
- 7 the option \texttt{wide}.}{fig:70}





Figure 23: Caption at top right beside the float and object position left and the option wide.

The code for figure 24:

- 1 \hvFloat[wide, 2 capPos=left, 3 capVPos=top, 4 objectPos=right, 5]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}% 6 {Caption at top left beside the object and object position left and
- the option \texttt{wide}.}{fig:80}

Figure 24: Caption at top left beside the object and object position left and the option wide.



For a twosided document it will place the object always in the margin.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[wide,
```


```
2 capPos=inner,
```

```
3 capVPos=top,
```

```
4 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
```

- $_{\rm 5}$ Caption at top and inner beside the float and object position right and
- 6 the option \texttt{wide}.}{fig:81}

Figure 25: Caption at top and inner beside the float and object position right and the option wide.




Now we set the same image with the same setting on the next page. The caption will change its side due to the setting capPos=outer .

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

- 1 \hvFloat[wide,
- 2 capPos=inner,
- 3 capVPos=top,
- 4]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
- $_{\rm 5}$ Caption at top inner beside the float and object position right and
- 6 the option \texttt{wide}.}{fig:811}

Figure 26: Caption at top inner beside the float and object position right and the option wide.



The caption can be typeset completely into the margin with:

- 1 \captionsetup{justification=RaggedRight}
- 2 \hvFloat[wide,
- 3 capPos=outer,
- 4 capVPos=top,
- 5 floatCapSep=\marginparsep,
- 6]{figure}{\includegraphics[width=\linewidth]{images/CTAN}}{%
- 7 Caption at top inner beside the float and object position right and
- 8 the option \texttt{wide}.}{fig:812}




Figure 27: Caption at top inner beside the float and object position right and the option wide.

With the optional argument capWidth=1 the caption can be terminated to the current line width. With the optional argument capHPos=right one cat set the caption to the left, center, or right of the full width which is linewidth and margin width.

- 1 \hvFloat[capPos=bottom,capWidth=l,wide,capHPos=right]{figure}
 - {\includegraphics[width=0.49\hvWideWidth]{images/CTAN}\quad
 - \includegraphics[width=0.49\hvWideWidth]{images/CTAN}}
- 4 {\hvblindtext}

5 {label}

2

3




Figure 28: Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

11 The star version \hvFloat*

In the twocolumn mode the floating environment can be set over both columns with the star version \hvFloat*. The floating environment will not be on the bottom of the page. The code for the following example (Figure 29 on the facing page) is:

```
1 \hvFloat*[capPos=right]{figure}%
2 {\includegraphics{images/frose}}%
3 [A float with the default caption setting]%
4 {A default caption of a ``'' object with the default setting, which
5 is a ``left'' caption which means that it always appears before the object.
6 This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}%
8 {fig:0}
```

The example shows on page 3 the star version and on page 4 the same without using the star.

12 Full Page Width in Landscape Mode

If you do not want to load the package lscape (or pdflscape) you can use the floatPos=p option to put the image on an own page and rotated by 90 degrees (figure 30).

Code for figure 30:

```
1 \hvFloat[%
2 floatPos=p,
```




Figure 29: Output of default1s2c (pages 2 -5)

```
3 capPos=bottom,
4 rotAngle=90,
5 objectPos=center,
6 ]{figure}{\includegraphics[width=0.9\textheight]{images/CTAN}}%
7 [Object and Caption in landscape mode]{%
8 Caption and object in landscape mode. \blindtext}{fig:9}
```

The float can also be put to the left or to the right (above/below in landscape) with the objectPos=l parameter


Hello, here is some text without a meaning. This text should show what a printed text Fig. 30 will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 31:


1	\hvFloat[%
1	
2	floatPos=p,
3	capWidth=h,
4	capPos=right,
5	objectAngle=90,
6	capAngle=-90,
7	objectPos=left,
8]{figure}{\includegraphics[width=\ textheight]{images/CTAN}}%
9	[Rotated Caption in Landscape]{%
10	Caption right beside the float and object position left. The caption rotated by -90
11	<pre>degrees.\blindtext}{fig:10}</pre>

Hello, here is some text without a meaning. This text should show what a printed text Fig. 31 will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest







text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is

Figure 31: Caption right beside the float and object position left. The caption rotated by -90 degrees. Hello, here is some text without a meaning. This

13 The nonFloat Option


gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

13 The nonFloat Option

Sometimes it is better to put a "float" in a specific position of the page. This is possible with the nonfloat package and the keyword nonFloat.

```
Some nonsense text before the following \emph{non floating} object.
1
2
   \hvFloat[%
3
        nonFloat,
4
        capWidth=0.25,
5
        capPos=right,
6
        capVPos=bottom,
7
        objectPos=center,
8
        objectFrame,
9
   ]{figure}{\includegraphics[scale=1.5]{images/rose}}%
10
11
         [Nonfloat Captions] {%
         Caption of a ``nonfloat'' Object, using the \texttt{nonfloat} Package}{fig:11}
12
13
   Some nonsense text after the preceding \emph{non floating} object.
14
```

Some nonsense text before the following non floating object.



Some nonsense text after the preceding *non floating* object.

The image 32 is exactly placed where the command $\noindent here are only commands for figure and table environments:$

```
\newcommand{\figcaption}{\def\@captype{figure}\caption}
\newcommand{\tabcaption}{\def\@captype{table}\caption}
```

But it is no problem, to define more xxxcaption commands to support other with the float package defined new floats.

14 Tabulars as Objects

The object has to be passed as an parameter to the hvFloat macro. This is no problem with images but maybe with tables, so it is easier to use the box hvOBox to save the table in this box and pass it then to hvFloat with the useOBox option. For example see table 4 and 5:

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
\savebox{\hv0Box}{%
1
2
    \begin{tabular}{>{\small\ttfamily}l|l|l}\hline
3
     \rmfamily Name & Type
                                & Description\\\hline
                               & places object and caption in different ways\\
4
     \CMD{hvFloat} & command
     hvFloatEnv & environment & places object and caption exactly Here\\
5
     \CMD{figcaption} & command & writes a figure caption in a non floating environment\\
6
     \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
7
     \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\\hline
8
    \end{tabular}%
9
10
```

The code for table 4 and 5 is:

```
\hvFloat[%
1
     floatPos=!hb,
2
     capPos=top,
3
     useOBox=true]{table}{}{Demonstration of the \texttt{useOBox} Parameter}{table:1}
4
5
   \hvblindtext
6
   \marginnote{Tab.~\ref{table:2}}
8
   \hvFloat[%
9
     floatPos=hb,
10
     useOBox=true.
11
     objectAngle=90,
12
     capPos=right,
13
     capVPos=top,
14
     capWidth=0.3]{table}{}{Another demonstration of the \texttt{use0Box} Parameter}{table:2}
15
```

In this case leave the third parameter empty.

 Table 4: Demonstration of the use0Box Parameter

Tab. 4

Tab. 5

Name	Туре	Description
\hvFloat	command	places object and caption in different ways
hvFloatEnv	environment	places object and caption exactly Here
\figcaption	command	writes a figure caption in a non floating environment
\tabcaption	command	writes a table caption in a non floating environment
\hvFloatSetDefaults	command	sets all options to the defaults

15 Text and objects

With the onlyText keyword it is no problem to put some text beside an image without getting the caption title Figure/Table. The object still can be a floating one or a nonfloating if the nonfloat

Description	places object and caption in different ways	places object and caption exactly Here	writes a figure caption in a non floating environment	writes a table caption in a non floating environment	sets all options to the defaults	Table 5: Demonstration of the use0Box Parameter
Type	command	environment	command	command	command	
Name	\hvFloat	hvFloatEnv	\figcaption	\tabcaption	<pre>\hvFloatSetDefaults</pre>	


15 Text and objects

keyword is used.

The code for figure 15:

```
1 \hvFloat[%
2 onlyText=true,
3 capAngle=90,
4 capPos=right,
5 capVPos=top,
6 objectFrame,
```

- 7 capWidth=h]{}{\includegraphics{images/rose}}%
- 8 [``\texttt{onlyText}'' Caption]{%
- 9 Demonstration of the \texttt{onlyText} Parameter, which makes it
- 10 possible to put some text beside a floating object without getting
- a starting \texttt{Figure:} or \texttt{Table:}}{fig:text}



16 Environment hvFloatEnv

With the environment hvFloatEnv one can place an object exactly on that position where the environment is defined. For captions the use of \captionof is recommended:

```
\begin{hvFloatEnv}
1
   \captionof{table}{A caption for a nice table}
2
   \begin{tabular}{@{} l c r @{}}\hline
3
   left & center & right \\
4
   L
        & C
                 & R
                         \\\hline
5
   \end{tabular}
6
   \end{hvFloatEnv}
7
```

Table 6: A caption for a nice table

leftcenterrightLCR

The environment has an optional argument for setting the line width which is preset to \textwidth. The object is always centered.

```
\begin{hvFloatEnv}[0.5\textwidth]
1
   \captionof{table}{A caption for a nice table}
2
   \begin{tabular}{@{} l c r @{}}\hline
3
   left & center & right \setminus
4
   L
        & C
                  & R
                          \\\hline
5
   \end{tabular}
6
   \end{hvFloatEnv}
7
```

Table 7: A caption for a nice table

left center right L C R

17 Full page objects in onecolumn mode

For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceeding or following page. It is possible in oneside and twoside mode, but makes only real sense in the twoside mode. hvfloat defines three additional optional arguments for placing images in a complete column, page or paper:

```
\define@key{Gin}{fullpage}[true]{%
  \define@key{Gin}{FullPage}[true]{%
  \def\Gin@ewidth{\columnwidth}%
  \def\Gin@eheight{\textheight}%
  \def\Gin@eheight{\textheight}%
  \def\Gin@eheight{\textheight}%
  \def\Gin@eheight{liso}%
  }
}
\define@key{Gin}{FULLPAGE}[true]{%
  \def\Gin@eheight{\paperwidth}%
  \def\Gin@eheight{\paperheight}%
  \Gin@boolkey{false}{iso}%
}
```

Figure 33 shows the meaning of the optional arguments fullpage, FullPage, and FULLPAGE for \inclugegraphics [...] {*tiger*}.




Figure 33: Output of fullpage1s2c (pages 1-8)

17.1 Using the textarea

The setting capPos=evenPage (even) or capPos=oddPage (odd) page for a document in twocolumn mode makes no real sense. For a twosided document a setting like capPos=inner for inner or capPos=outer for outer margin makes more sense. For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceeding or following page. It is possible in oneside and twoside mode, but makes only real sense in the twoside mode. Without any additional argument the caption is set first and the object on the follwing page:

17.1.1 Using the default or capPos=before

Without any additional argument the caption is set first (left) at the bottom of the current page and the object on the following page. This is the same setting like capPos=left for a onecolumn document. For the twocolumn option it makes more sense to use the setting capPos=before if the caption and object can appear on different pages.

```
\hvFloat[fullpage]%
1
     {figure}%
2
     {\includegraphics[fullpage]{images/frose}}%
3
     [A fullpage float with the default caption setting]%
4
     {A default caption of a ``fullpage'' object with the default setting, which
5
      is a ``left'' caption which means that it always appears ``before'' the object.
6
      This can be an even or odd page. And some more text which has no
7
      real meaning because it fills only the space for a long caption.}%
8
     {fig:fullpage0}
```

Table 8: Valid optiona	l arguments for a	full page object.
------------------------	-------------------	-------------------

Name	Туре	Description
fullpage	true false	Put the caption on the bottom of the preceding or following page
		and the object alone a page.
FULLPAGE	true false	The same for full papersize objects over one or two columns. The
		pagestyle is set to empty
multiFloat	true false	For multiple objects with captions for every object. See sec-
		tion 17.3 on page 38.
subFloat	true false	For multiple objects with one main and more subcaptions. See
		section 18 on page 40.
separatorLine	true	Put a line with a predefined width of 0.4pt between the text and
		the caption. Only valid for the keyword fullpage.
capPos	value	caption before, after an object or on an evenPage or oddPage.

With this setting the caption is always placed *before* the following object. This maybe sufficient for a oneside document but not the best solution if this document is printed on a duplex machine. In such a case it may make sense to have the captions always on an even (left) page, even though the socument is typeset in a oneside mode. Figure 34 on the following page shows the output for a oneside document with a setting capPos=before.

Depending to the used documentclass it can be a problem, if the caption should be placed on the first page. In such a case use one of the other setting. Table 8 shows the valid optional arguments for a full page floating object.



Figure 34: Output of default1s1c (pages 2-9)

17.1.2 Using capPos=after

The caption will be printed always on the right side which is the same as *after* the full page object. The object appers immediately on the next page and the caption of the next following page at the bottom. There is no check for an even or odd page. This behaviour makes only sense for a oneside document.

- 1 \hvFloat[fullpage, capPos=after]%
- 2 {figure}%
- 3 {\includegraphics[fullpage]{images/frose}}%
- 4 [A float which needs the complete page width and height.]%
- 5 {A Caption of a ``fullpage'' object, which follows on the next page.
- ⁶ This can be an even or odd page. And some more text which has no
- 7 real meaning because it fills only the space for a long caption.}
- 8 {fig:fullpage1}




Figure 35: Output of after1s1c (pages 2–9)

17.1.3 Using capPos=evenPage – caption on an even page

With capPos=evenPage the caption will be printed on an even (left) page, the object will always be on an odd (right) page. This option makes only real sense for The twoside mode!

- \hvFloat[fullpage, capPos=evenPage]% 1
- {figure}% 2
- {\includegraphics[fullpage]{images/frose}}% 3
- 4
- [A float whith a caption on an even page (left)]%
 {A caption on an even (left) page of a ``fullpage'' object.. \blindtext} 5
- 6 {fig:fullpage3}




Figure 36: Output of even1s1c (pages 2-9)

17.1.4 Using capPos=oddPage – caption on an odd page

With capPos=oddPage the caption will be printed on an odd (right) page, the object will always be on an even (left) page, which is before the caption.

- 1 \hvFloat[fullpage, capPos=oddPage]%
- 2 {figure}%
- 3 {\includegraphics[fullpage]{images/frose}}%
- 4 [A float which needs the complete page width and height.]%
- $_{\rm 5}$ = {A Caption on an odd page of a ``fullpage'' object, which follows on the next page.
- $_{\rm 6}$ $\,$ $\,$ This can be an even or odd page. And some more text which has no
- 7 real meaning because it fills only the space for a long caption.}
- 8 {fig:fullpage2}



Figure 37: Output of odd1s1c (pages 2–9)

17.1.5 Using capPos=inner or capPos=outer – caption on the inner or outer side

These settings make no sense in onecolumn mode.

17.2 Using the paper size

It belongs to the user to create an object which fills the complete page. However, with the keyword FULLPAGE which is valis for \hvfloat *and* for the macro \includegraphics an image will be scaled to the paper dimensions \paperwidth and \paperheight. It can be used in one- and twocolumn mode!

- 1 \hvFloat[FULLPAGE]%
- 2 {figure}%

7

- 3 {\includegraphics[FULLPAGE]{frose.png}}%
- 4 [A fullpage float with the default caption setting]%
- 5 {A default caption of a ``fullpage'' object with the default setting, which
- is a ``left'' caption which means that it always appears before the object.
 - This can be an even or odd page. And some more text which has no
- 8 real meaning because it fills only the space for a long caption.}%
- 9 {fig:fullpage0}




Figure 38: Output of paper-default1s1c (pages 2-9)




Figure 39: Output of paper-after1s1c (pages 2-9)

17.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The syntax for multiple floats is

<pre>\hvFloat[Options] +{float type}{floating object}[short of the second secon</pre>	<pre>caption] {long caption}{label}</pre>
+{float type}{floating object}[short of	<pre>caption] {long caption}{label}</pre>
+	
+{float type}{floating object}[short of	<pre>caption] {long caption}{label}</pre>

The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```
\captionsetup{singlelinecheck=false}
1
   \hvFloat[fullpage,capPos=before,multiFloat,vFill]%
2
     +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%
                                                                                     no 1
3
      [Short caption A]%
4
      {A Caption A of a ``fullpage'' object, which follows on the left or
5
       right column. This can be an even or odd page. And some more text which has no
6
       real meaning because it fills only the space for a long caption.}%
7
8
      {ima:demo0}%
     +{table}{\begin{tabular}{lrcp{3cm}}\hline
                                                                                     no 2
9
                                                                       %
               Linksbündig & Rechtsbündig & Zentriert & Parbox\\\hline
10
               1
                                          & C & P\\
                          & R
11
               left
                                          & center & Text with possible linebreaks\\
                           & right
12
               \multicolumn{4}{c}{Multicolumn over all columns}\\\hline
13
              \end{tabular}}%
14
      [Short Caption B]%
15
      {A Caption B of a ``fullpage'' object, which follows on the left or
16
            right column. This can be an even or odd page.}{}%
17
18
     +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%
                                                                                      no 3
      {A Caption C of a ``fullpage'' object, which follows on the left or
19
20
         right column.}%
21
      {img:demo1}
     +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%
                                                                                      no 4
22
      {A Caption C of a ``fullpage'' object, which follows on the left or
23
         right column.}%
24
      {img:demo2}
25
```

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to section 18 on page 40. The setting \captionsetup{singlelinecheck=false } is needed if you want the captions always left aligned.

17.3 Multifloats




Figure 40: Output of multi-default1s1c (pages 4-11)




Figure 41: Output of multi-afterlslc (pages 4-11)

18 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. The syntax is similiar to the one for a multifloat page:

```
\hvFloat[Options] +{float type}{<empty>}[short caption] {long caption}{label}
      +{<empty>}{floating object}[short caption] {long caption}{label}
      +...
      +{<empty>}{floating object}[short caption] {long caption}{label}
```

Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All aditional lines will have the same float type, the reason why the float type entry is ignored.

```
\hvFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
1
     +{figure}{}[Short main caption of the objects]% main short lsi entry
2
      {The main caption of a ``fullpage'' object, which follows on the left or
3
            right column. This can be an even or odd page. And some more text which has no
4
            real meaning because it fills only the space for a long caption.}% main caption
5
      {sub:demo0}%
6
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
7
      [Short caption B]%
8
      {A Caption B of a ``fullpage'' sub object.}% subcaption
9
      {}%
10
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
11
      {A Caption C of a ``fullpage'' object, which follows on the left or right column.}%
12
      {sub:demo1}
13
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
14
      {A Caption D of a ``fullpage'' object}{sub:demo2}
15
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
16
      {A Caption E of a ``fullpage'' object}{sub:demo3}
17
```

The keyword subFloat defines the images or tabulars as subfloats. The package subcaption is loaded by default and should be activated with \captionsetup[*sub*][*singlelinecheck*].




Figure 42: Output of sub-default1s1c (pages 4–11)




Figure 43: Output of sub-after1s1c (pages 4-11)

19 Full page objects in twocolumn mode

The filenames always have a "2c" for two columns in its names, e.g. left2s2c indicates capPos=before and the documentclass setting twoside and twocolumn. Depending to the used documentclass it can be a problem, if the caption should be placed on the first page of the whole document. In such a case use one of the other setting. Table 8 on page 31 shows the valid optional arguments for a full page floating object.

19.1 Default setting

For the twocolumn mode the caption can be in the left (first) or right (second) column. With the default setting (without using the keyword capPos) it is equivalent to the setting capPos=before, the caption is always placed *before* (left of) the object. This can be the first or the second column and both can be on different pages. With capPos=before (uppercase L) it is possible to get the caption and the object in the twocolumn mode always on one page. This is then the left (first) column for the caption (see figure 44).




Figure 44: Output of default2s2c (pages 2-9)

```
\hvFloat[fullpage]{figure}%
1
     {\includegraphics[width=\columnwidth,height=0.9\textheight]{images/frose}}%
2
     [A float which needs the complete column width and height.]%
3
     {A Caption of a ``fullpage'' object, which follows on the next column.
4
5
      This is always the right column on an even or odd page. And some more
6
      text which has no real meaning because it fills only the space for a long
7
      caption.}%
     {fig:fullpage0-2}
8
```

The example 44 shows that the caption and the object can be on different pages. If you do not like this behaviour, then use the setting capPos=left , which puts the caption before the

<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text>

object, but always on the same page (see Figure 45).

Figure 45: Output of left2s2c (pages 2-9)


19.1.1 Using capPos=after


The caption will be printed always right of the object which is the same as *after* the full page object. With capPos=after it is possible to get the caption in the twocolumn mode always in the right (second) column (see figure 47 on the next page)

```
\hvFloat[fullpage, capPos=after]{figure}%
1
     {\includegraphics[fullpage]{images/rose}}%
2
     [A float which needs the complete column width and height.]%
3
     {A Caption of a ``fullpage'' object, which is on the left column.
4
5
      This is always the right column on an even or odd page. And some more
      text which has no real meaning because it fills only the space for a long
6
      caption.}%
7
     {fig:fullpage1-2}
8
```

The caption and the object can be on different pages (Figure 46 on the following page). If you do not like this behaviour, then use the setting capPos=right instead of capPos=after . Figure right2s2c shows that caption and object in this case are always on the same page.

19 Full page objects in twocolumn mode








Figure 47: Output of right2s2c (pages 2–9)

19.1.2 Using capPos=evenPage – caption on an even page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually \clearpage or wait for an update of hvfloat.




Figure 48: Output of even2s2c (pages 2-9)

19.1.3 Using capPos=oddPage - caption on an odd page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually \clearpage or wait for an update of hvfloat.




Figure 49: Output of odd2s2c (pages 2-9)

19.1.4 Using capPos=inner – caption in the inner column

The caption will be printed in the right column for an even page and in the left column for an odd page.

- 1 \hvFloat[fullpage,capPos=inner]{figure}{\includegraphics[fullpage]{images/rose}}%
- 2 [A float which needs the complete column width and height.]%
- $_3$ {A Caption of a ``fullpage'' object, which follows on the left or right column.
- $_{\rm 4}$ $\,$ $\,$ This can be an even or odd page. And some more text which has no
- real meaning because it fills only the space for a long caption.}{fig:fullpage3-2}




Figure 50: Output of inner2s2c (pages 2–9)

19.1.5 Using capPos=outer - caption on the outer column

The caption will be printed on the left column an odd page, the object can appear before or after this caption.

- 1 \hvFloat[fullpage, capPos=outer]{figure}%
- 2 {\includegraphics[fullpage]{images/rose}}%
- 3 [A float which needs the complete page width and height with \texttt{capPos=outer}.]%
- 4 {A Caption of a ``fullpage'' object, which has the caption position in the
- $_{\rm 5}$ $\,$ outer page. This can be an even or odd page. And some more text which has no
- 6 real meaning because it fills only the space for a long caption.}{fig:fullpage2-2a}




Figure 51: Output of outer2s2c (pages 2-9)

19.2 Using full page in twocolumn mode

With the star version of \hvfloat The object ist placed over both columns, the whole page. In such a case the only useful caption position is capPos=inner for *inner*.

- 1 \hvFloat*[fullpage, capPos=inner]{figure}%
- 2 {\includegraphics[FullPage]{images/rose}}%
- $_3$ [A float which needs the complete page width and height with **\texttt**{capPos=outer}.]%
- 4 {A caption of a ``fullpage'' object in twocolumn mode: It uses the star version
- 5 of \textbackslash hvFloat. The object goes over both columns.}{fig:two}




Figure 52: Output of paper-default2s2c (pages 2-9)




Figure 53: Output of paper-inner2s2c (pages 2–9)

19.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```
\captionsetup{singlelinecheck=false}
1
    \hvFloat[fullpage,multiFloat,capPos=inner,vFill]%
2
      +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}% no 1
3
4
       [Short caption A]%
       {A Caption A of a ``fullpage'' object, which follows on the left or
5
        right column. This can be an even or odd page. And some more text which has no
6
        real meaning because it fills only the space for a long caption.}%
7
       {multi:demo0}%
8
      +{table}{\begin{tabular}{lr}\hline
                                                             % no 2
9
                 Linksbündig & Rechtsbündig\\
10
                 L
                             & R
                                            \backslash \backslash
11
                 left
                             & right
                                            \backslash \backslash
12
                 \multicolumn{2}{c}{Multicolumn}\\\hline
13
               \end{tabular}}%
14
       [Short Caption B]%
15
       {A Caption B of a ``fullpage'' object, which follows on the left or
16
17
            right column. This can be an even or odd page.}%
18
       {}%
      +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}% no 3
19
       {A Caption C of a ``fullpage'' object, which follows on the left or
20
          right column.}%
21
       {multi:demo1}
22
```

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to section 18 on page 40. The setting \captionsetup{singlelinecheck=false } is needed if you want the captions always left aligned.




Figure 54: Output of multi-default2s2c (pages 2-9)

20 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All additional lines will have the same float type, the reason why the float type entry is ignored.

```
\captionsetup[sub]{singlelinecheck}
1
   \hvFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
2
     +{figure}{}[Short main caption of the objects]% main short lsi entry
3
       {The main caption of a ``fullpage'' object, which follows on the left or
4
            right column. This can be an even or odd page. And some more text which has no
5
            real meaning because it fills only the space for a long caption.}% main caption
6
      {sub:demo00}%
7
     +{}{\includegraphics[height=0.28\textheight]{images/rose}}%
8
       [Short caption B]%
9
       {A Caption B of a ``fullpage'' sub object.}% subcaption
10
      {}%
11
     +{}{\includegraphics[height=0.28\textheight]{images/rose}}%
12
      {A Caption C of a ``fullpage'' object, which follows on the left or right column.}%
13
      {sub:demo10}
14
15
     +{}{\includegraphics[height=0.28\textheight]{images/rose}}%
16
      {A Caption D of a ``fullpage'' object}%
17
       {sub:demo20}
```

20 Subfloat page




Figure 55: Output of multi-inner2s2c (pages 2-9)

The keyword subFloat defines the images or tabulars as subfloats. The package subcaption is loaded by default. For the subcaptions the singlelinecheck should be true (see listing).




Figure 56: Output of sub-default2s2c (pages 2–9)




Figure 57: Output of sub-after2s2c (pages 2–9)

21 Doublepage objects - images and/or tabulars

If an image or a tabular or any other object is too big for one page, it can be split over two pages (left – right). It is obvious that this makes only sense for twoside documents. There are three optional arguments:

- doublePage A splitted object with or without a caption on top of a double page, beginning in the left top text area. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth-4\margin. The caption can be rotated on the right side of the right object part or under the right part.
- **doublePAGE** A splitted object with or without a caption on top of a double page, beginning at the left side of the paper area and top of the text area. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth. The caption can only be under the right part of the object. The will be *no additional text* on the double page.
- **doubleFULLPAGE** A splitted object with or without a caption on the right or below of a double page. The object can fill the complete double page. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth. A caption will be rotated and written *over* the object, or if possible, at the right. The user has to take care for a correct text color.

21.1 doubleFULLPAGE

The scaling of the image is left to the user. If the proportion of the object doesn't fit 2*paperwidth/paperheight, then there can be a white part on the top or bottom of the object. A pagenumber will not be printed. In this documentation you'll find a marginnote where the following full doublepage image is defined. It appears on the the next following even page and following text will be placed *before* the object.

- 1 \hvFloat[doubleFULLPAGE,capPos=right,capAngle=90]%
- 2 {figure}%
- 3 {\includegraphics[width=2\paperwidth]{images/r+j2}}%
- 4 [A doublepage image with a caption on the image.]%
- 5 {A caption for a double-sided image that will be placed below the right-hand
- 6 part of the illustration. The illustration begins on the left edge of the paper.
- $_{7}$ $\,$ No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doubleFULLPAGE}}%
- 9 {fig:doubleFULLPAGE0}

Fig. 58

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest





Figure 58: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

21 Doublepage objects – images and/or tabulars

gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

It is also possible to take a bind correction into account with e.g. binCorr=5mm, which reserves whitespace of 5mm in the inner margin on both pages.

```
1 \hvFloat[doubleFULLPAGE,capPos=right,bindCorr=5mm]%
```

```
2 {figure}%
```

- 3 {\includegraphics[width=2\paperwidth]{images/r+j3}}%
- 4 [A doublepage image with a caption on the image.]%
- 5 {A caption for a double-sided image that will be placed below the right-hand
- ₆ part of the illustration. The illustration begins on the left edge of the paper.
- 7 No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doubleFULLPAGE}}%
- 9 {fig:doubleFULLPAGE0a}

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text Fig. 59 without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text





21 Doublepage objects - images and/or tabulars

will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

- 1 \hvFloat[doubleFULLPAGE,capPos=right]%
- 2 {figure}%
- 3 {\includegraphics[height=\paperheight]{images/rheinsberg-1000}}%
- 4 {A caption for a double-sided image that will be placed on the right-hand
- 5 part of the illustration. The illustration begins on the left edge of the paper.
- ⁶ No further text is placed on the pages. A short form is used for the LOF.
- 7 The parameter is \texttt{doubleFULLPAGE}}%
- 8 {fig:doubleFULLPAGE1}

And after the second paragraph follows the third paragraph. Hello, here is some text Fig. 60 without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there





Figure 60: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

21 Doublepage objects – images and/or tabulars

no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of

words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Placing the caption on the image itself is not the best solution. With the optional arguments before and after for capPos, the caption can be placed on the bottom of the preceding or follwing page of the doublepage object. A givel label, e.g. foo will always point to the page with the left part of the object. Internally are two additional labels defined: foo-cap points to the caption and foo-2 points to the right part of the doublepage object.

In the follwoing example 61 the caption is on page 70, the left image part on page 68 and the right part on page 69. In the follwoing example 62 the caption is on page 73, the left image part on page 74 and the right part on page 75. All three labels points to the same figure or table number:

```
\label{eq:linear} $$ \ref{foo} | \ref{foo-cap} | \ref{foo-2} \rightarrow 61 | 61 | 61 \\ pageref{foo} | \pageref{foo-cap} | \pageref{foo-2} \rightarrow 68 | 70 | 69 \\
```

```
1
    \hvFloat[doubleFULLPAGE,capPos=after]%
2
     {figure}%
     {\includegraphics[doubleFULLPAGE,
3
       keepaspectratio=false]{images/rheinsberg-1000}}%
4
     {A caption for a double-sided image that will be placed \textbf{after}
5
      the image. The image begins on the left edge of the paper.
6
      No further text is placed on the pages. A short form is used for the LOF.
7
      The parameter is \texttt{doubleFULLPAGE}}%
8
     {foo}
```

Hello, here is some text without a meaning. This text should show what a printed text Fig. 61 will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of





21 Doublepage objects – images and/or tabulars

words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

Figure 61: A caption for a double-sided image that will be placed **after** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no

21 Doublepage objects – images and/or tabulars

information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[doubleFULLPAGE,capPos=before]%
```

```
2 {figure}%
```

3

5

```
{\includegraphics[height=\paperheight,width=2\paperwidth,
```

```
4 keepaspectratio=false]{images/rheinsberg-1000}}%
```

- {A caption for a double-sided image that will be placed \textbf{before}
- 6 the image. The image begins on the left edge of the paper.
 - No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doubleFULLPAGE}}%
- 9 {bar}

Fig. 62

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest

Figure 62: A caption for a double-sided image that will be placed **before** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE





21 Doublepage objects – images and/or tabulars

gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.2 doublePAGE

With this option the object also starts at the left paper margin but on the top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it.

- 1 \hvFloat[doublePAGE]%
- 2 {figure}%

6

3 {\includegraphics[width=\dimexpr2\textwidth+2in]{images/seiser}}%

4 [A doublepage image with a caption below the right part.]%

- 5 {A caption for a double-sided image that will be placed below the right-hand
 - part of the illustration. The illustration begins on the left edge of the paper.
- 7 No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doublePAGE}}%
- 9 {fig:doublePAGE0}

Fig. 63

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text





Figure 63: A caption for a double-sided image that will be placed below the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doublePAGE

21 Doublepage objects - images and/or tabulars

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.3 doublePage

With this option the object also starts at the left top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it and the rest of the text area is filled with text.

- 1 \hvFloat[doublePage,sameHeight]%
- 2 {figure}%
- 3 {\includegraphics[doublefullPage]{images/sonne-meer}}%
- $_4$ [A doublepage image with a caption on the right side of the right part.]%
- ${}_{5}$ ${}_{5}$ {A caption for a double-sided image that will be placed on the right side of the
- ⁶ right-hand part of the illustration. The illustration begins on the left edge of
- 7 the paper. A short form is used for the LOF.
- 8 The parameter is \texttt{doublePage}}%
- 9 {fig:doublePage0sH}

Fig. 64

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should

be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there





no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

- 1 \hvFloat[doublePage,capPos=right,capVPos=top]%
- 2 {figure}%
- 3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
- 4 [A doublepage image with a caption on the right side of the right part.]%
- 5 {A caption for a double-sided image that will be placed on the right side of the
- ⁶ right-hand part of the illustration. The illustration begins on the left edge of
- ⁷ the paper. A short form is used for the LOF.
- 8 The parameter is \texttt{doublePage}}%
- 9 {fig:doublePage0}

Fig. 65

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text





should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest



gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of




Figure 65: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a

21 Doublepage objects - images and/or tabulars

difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1 \hvFloat[doublePage,bindCorr=inner]%

2 {figure}%

- 3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
- 4 [A doublepage image with a caption on the right side of the right part.]%
- $_{\rm 5}$ {A caption for a double-sided image that will be placed on the right side of the
- ⁶ right-hand part of the illustration. The illustration begins on the left edge of
- 7 the paper. A short form is used for the LOF.
- 8 The parameter is \texttt{doublePage}}%
- 9 {fig:doublePage0sH2}

Fig. 66

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special

content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a



difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.4 Tabulars

In General there is no difference in an imgage or tabular or simple text. The object will be saved in a box and then clipped. If the object is a tabular one might modify the tabular if it will be split in the middle of a column. In such a case one can insert some additional horizontal space for this coloumn.




Figure 66: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

The tabular itself can be saved into the internal box \hv0Box or put directly as parameter into the macro.

```
\global\savebox\hv0Box{%
1
  \begin{tabular}{l*{18}r} \toprule
2
   & \textbf{1972} & \textbf{1973} & \textbf{1974} & \textbf{1975} & \textbf{1976}
3
   & \textbf{1977} & \textbf{1978} & \textbf{1979} & \textbf{1980} & \textbf{1981} & \textbf{1982} & \
4
      textbf{1983} & \textbf{1984} & \textbf{1985}
   & \textbf{1986} & \textbf{1987} & \textbf{1988} & \textbf{1989}
5
   \\\midrule
  \addlinespace[3pt]
7
  8
  Zeile 2 & 1 & 1 & 3 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 3 & 4 & 4 & 6 & 4 & 2\\\addlinespace[3pt]
9
  10
  Zeile 4 & 1 & 0 & 5 & 1 & 2 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 0 & 1 & 0 & 3 & 7 & 2 & 1\\\addlinespace[3pt]
11
  Zeile 6 & 2 & 1 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 0 & 5 & 2 & 2 & 5 & 4 & 2\\\addlinespace[3pt]
12
  Zeile 5 & 0 & 0 & 4 & 2 & 1 & 2 & 2 & 1 & 0 & 0 & 0 & 0 & 0 & 1 & 1 & 0 & 2 & 5 & 4 & 3\\\addlinespace[3pt]
13
  Zeile 8 & 0 & 1 & 1 & 0 & 0 & 0 & 0 & 1 & 1 & 0 & 3 & 2 & 1 & 2 & 1 & 3 & 5 & 3 & 4\\\addlinespace[3pt]
14
  Zeile 9 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 1 & 0 & 0 & 0 & 0 & 4 & 2 & 1 & 4 & 5 & 2\\\addlinespace[3pt]
15
  16
  Zeilell & 0 & 2 & 2 & 1 & 1 & 0 & 1 & 0 & 0 & 0 & 0 & 0 & 2 & 6 & 1 & 0 & 2 & 1 & 1 \\\addlinespace[3pt]
17
  18
       19
  Lärm
  Zeile13 & 0 & 1 & 0 & 0 & 1 & 0 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 0 & 1 & 3 & 0 & 2\\\addlinespace[3pt]
20
  21
  22
  23
      midrule
  Artikel gesamt & 2 & 6 & 13 & 8 & 4 & 3 & 5 & 4 & 0 & 6 & 3 & 5 & 23 &10 & 8 & 15 & 13 &1 \\
24
```

```
\bottomrule
25
26
    \end{tabular}}
27
28
    \Blindtext
29
    \hvFloat[doublePage,capPos=right,capVPos=top,floatCapSep=12pt]%
30
      {table}%
31
      32
      [A doublepage tabular with a caption on the right side of the right part.]%
33
      {A caption for a double-sided tabular that will be placed on the right side of the
34
       right-hand part of the illustration. The illustration begins on the left edge of
35
       the paper. A short form is used for the LOF.
36
       The parameter is \texttt{doublePage}}%
37
      {tab:doublePage3}
38
```

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

22 References to the page

With the command \pageref one can have a reference to the page number of a caption. For the fullpage option this can be the wrong page if someone wants a referce to the page where the object is set. Let's assume that we use something like

```
\hvFloatSetDefaults
\hvFloat[fullpage,capPos=evenPage]{figure}%
    {\IncludeGraphics{images/frose}}%
    [A float which needs the complete paper width and height.]%
```

22 References to the page

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	198
Zeile 1	1	3	1	1	1	0	1	1	0	0	0	
Zeile 2	1	1	3	1	0	0	0	0	0	0	2	
Zeile 3	2	1	2	1	0	0	0	0	0	0	0	
Zeile 4	1	0	5	1	2	0	0	0	0	2	1	
Zeile 6	2	1	1	0	0	0	0	0	0	1	2	
Zeile 5	0	0	4	2	1	2	2	1	0	0	0	
Zeile 8	0	1	1	0	0	0	1	1	0	3	2	
Zeile 9	0	0	0	0	0	1	2	1	0	0	0	
Zeile10	0	1	3	0	1	0	1	0	0	1	1	
Zeile11	0	2	2	1	1	0	1	0	0	0	0	
Zeile12	2	0	2	4	1	0	4	0	0	0	0	
Lärm	2	3	0	0	0	0	0	0	0	0	1	
Zeile13	0	1	0	0	1	0	3	0	0	0	0	
Zeile14	0	1	0	0	0	0	0	0	0	0	0	
Zeile15	0	0	0	0	0	0	0	0	0	1	0	
Zeile16	0	0	0	0	0	1	0	0	0	0	0	
Artikel gesamt	2	6	13	8	4	3	5	4	0	6	3	

{A Caption of a ``fullpage'' object, which follows on the next page.

This can be an even or odd page. The object uses the complete paper dimensions}%

{demo:fullpage}

The label demo:fullpage is used for the *image* and not for the caption! Internally another label called demo:fullpage-cap is set on the caption page which can be before or behind the object (depending to the optional argument of capPos). For example:

The caption of figure~\ref{demo:fullpage-cap} is on page~\pageref{demo:fullpage-cap}, but the image itself is on page~\pageref{demo:fullpage}.

The caption of figure 68 is on page 95, but the image itself is on page 96. With package varioref it is:

```
Whith the package \Lpack{varioref} (\url{https://ctan.org/pkg/varioref})
one can get something like: see figure~\vref{demo:fullpage}, which uses a
^correct page number of the floatinmg object and not the caption
page number which is~\vpageref{demo:fullpage-cap}.
The figure~\ref{demo:fullpage} is on page~\pageref{demo:fullpage}
and the caption on page~\pageref{demo:fullpage-cap}
```

Whith the package varioref (https://ctan.org/pkg/varioref) one can get something like: see figure 68 on page 96, which uses a correct page number of the floating object and not the caption pagenumber which is on page 95. The figure 68 is on page 96 and the caption on page 95

3	1984	1985	1986	1987	1988	1989
0	20	0	2	2	2	1
1	3	4	4	6	4	2
1	5	3	1	7	7	3
0	1	0	3	7	2	1
0	5	2	2	5	4	2
1	1	0	2	5	4	3
1	2	1	3	5	3	4
0	4	2	1	4	5	2
0	1	1	1	4	4	1
2	6	1	0	2	1	1
0	0	0	0	1	0	3
0	2	0	0	2	2	2
0	2	0	1	3	0	2
0	3	3	2	1	1	0
0	4	0	0	3	1	1
0	0	0	3	5	0	1
5	23	10	8	15	13	1

Table 9: A caption for a double-sided tabular that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

23 Defining a style

With \hvDefFloatStyle one can define a special style to get rid of the individual setting:

```
\hvDefFloatStyle{name}{setting}
```

For example:

```
1 \hvDefFloatStyle{RightCaption}{floatPos=htb, capWidth=0.5, capPos=after,
2 capVPos=bottom, objectPos=center}
3
4 \hvFloat[style=RightCaption]{figure}{\includegraphics{images/rose}}%
5 {Caption vertically centered right beside the float with a caption width of
6 \texttt{0.5\textbackslash columnwidth}.}{fig:style}
```



Figure 67: Caption at bottom right beside the float with a caption width of 0.5\columnwidth.

24 Global float setting

Instead of writing the following sequence into the preamble:

\makeatletter
\renewcommand\fps@figure{tb}
\renewcommand\fps@table{t}
\makeatother

you can change the global setting of floats by loading the package hvfloat-fps. It allows optional package options to set the global placement:

\usepackage[figure=tb,table=t]{hvfloat-fps}

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Figure 68: A Caption of a "fullpage" object, which follows on the next page. This can be an even or odd page. The object uses the complete paper dimensions



After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Index

A

\abovecaptionskip (skip), 7
\addtolength, 7
after (value), 8, 31, 33, 43, 67
afterpage (package), 7
atbegshi (package), 7

B

before (value), 8, 12, 31, 42, 67
\belowcaptionskip (skip), 7
bottom (value), 8

С

capAngle (keyword), 8 capFormat (keyword), 9, 18 capHPos (keyword), 21 capPos (keyword), 8, 14f, 18f, 21, 30f, 33ff, 42f, 45-49, 67, 92 capVPos (keyword), 8 capWidth (keyword), 8, 11f, 21 caption (package), 9 \caption, 9 caption (package), 7 \caption, 17 caption (package), 7, 17 \captionof, 29 \captionsetup, 17f, 38, 40, 51 center (value), 8 $\clearpage, 45f$ $\columnwidth, 8$ \columnwidth (length), 11

D

doubleFULLPAGE (keyword), 9, 54 doublePAGE (keyword), 9, 54, 76 doublePage (keyword), 9, 54, 80

E

evenPage (value), 8, 30f, 34, 45 expl3 (package), 7

F

FULLPAGE (keyword), 9, 30f, 36
false (value), 38, 51
\fbox, 7
fbox (package option), 7
\figcaption, 7, 10, 27f
figure (environment), 9f, 26

float (package), 26
\floatCapSep (length), 18
floatCapSep (keyword), 8, 10, 18
floatPos (keyword), 8, 22
\frame, 10
FullPage (keyword), 9, 30
fullpage (keyword), 9, 30f, 91

G

graphicx (package), 7

Η

h (value), 12 \hvDefFloatStyle, 8, 10, 93 hvFloat, 7f, 10, 18, 26ff, 38, 40\hvFloat*, 22 hvFloatEnv (environment), 10, 29 \hvFloatSet, 7 \hvFloatSetDefaults, 7, 10, 27f \hv0Box, 27, 89 hvfloat (package), 45f hvfloat, 49hvfloat (package), 7, 29 hvfloat, 36hvfloat (package), 7 hvfloat-fps (package), 94 hypcap (package option), 7 hyperref (package option), 7 hyperref (package), 7

I

ifoddpage (package), 7
\includegraphics, 36
\inclugegraphics, 30
inner (value), 8, 14, 30, 35, 47, 49

K

Keyword
 - capHPos, 21
 - capPos, 14f, 18f, 21, 30f, 33ff, 42f, 45-49
 - capWidth, 12, 21
 - floatPos, 22
 - objectPos, 18, 23
 - singlelinecheck, 38, 51

L

l (value), 21, 23 left (value), 8, 12, 18f, 31, 42 \linewidth (length), 11
\listoffigures, 7
lscape (package), 22

M

\marginparwidth (length), 8, 20
multiFloat (keyword), 31
multido (package), 7

N

nonFloat (keyword), 7f, 26 nonfloat (keyword), 27 nonfloat (package), 26 nostfloats (package option), 7

0

objectAngle (keyword), 8 objectFrame (keyword), 9f objectPos (keyword), 8, 18, 23 oddPage (value), 8, 30f, 35, 46 onecolumn, 35 oneside, 31 onlyText (keyword), 8, 27 outer (value), 8, 14f, 21, 30, 35, 48

Р

p (value), 22 \pageref, 91 \paperheight (length), 36 \paperwidth (length), 36 pdflscape (package), 22

R

right (value), 8, 21, 43
rotAngle (keyword), 8
\rotatebox, 13

S

sameHeight (keyword), 9
separatorLine (keyword), 31
\setlength, 7
singlelinecheck (keyword), 38, 40, 51f
stfloats (package), 7
style (keyword), 9
subFloat (keyword), 31, 40, 52
subcapFormat (keyword), 9, 18
\subcaption, 9, 17
subcaption (package), 7, 40, 52
\subcaptionsetup, 17f

Т

 $\verb+tabcaption, 7, 10, 27f$

\tabcaptionbelow, 7
table (environment), 9f, 26
\textwidth (length), 8, 29
top (value), 8
twocolumn (package option), 31, 42
twocolumn, 22, 30, 42
twoside (package option), 34, 42
twoside, 14

U

use0Box (keyword), 8, 27

v

vFill (keyword), 9 Value -after, 33, 43 -before, 31, 42 - evenPage, 30, 34, 45 - false, 38, 51 -h, 12 -inner, 14, 30, 35, 47, 49 -1, 21, 23-left, 18f, 31, 42 - oddPage, 30, 35, 46 -outer, 14f, 21, 30, 35, 48 - p, 22 - right, 21, 43 -w, 12 varioref (package), 92 \vfill, 9

W

w (value), 12 wide (keyword), 8, 10, 20

Х

xkeyval (package), 7

25 The Package Source

```
%% $Id: hvfloat.sty 467 2022-03-06 21:27:05Z herbert $
1
2
    <u>%</u>%
    <u>%</u>%
3
    %% IMPORTANT NOTICE:
 4
    %%
5
    % This is file `hvfloat.sty',
 6
    %
7
 8
    % Herbert Voss <hvoss@tug.org>
 9
    %%
    % This program can be redistributed and/or modified under the terms
10
    % of the LaTeX Project Public License Distributed from CTAN archives
11
    %% in directory macros/latex/base/lppl.txt.
12
13
    20
    % DESCRIPTION:
14
         `hvfloat' offers rotating of captions and objects for floats
15
    <u>~</u>~
    <u>%</u>%
16
17
    \NeedsTeXFormat{LaTeX2e}
    \def\fileversion{2.38}
18
    \def\filedate{2022/04/02}
19
    %\message{`hvfloat' v\fileversion, \filedate\space (Herbert Voss)}
20
    \ProvidesPackage{hvfloat}[\filedate\space v\fileversion\space special floating objects (hv)]
^{21}
    \let\hvFloatFileVersion\fileversion
22
23
    \newif\ifhv@fbox \hv@fboxfalse
24
    \newif\ifhv@hyperref \hv@hyperreffalse
25
    \newif\ifhv@nostfloats \hv@nostfloatsfalse
26
    \newif\ifhv@tugboat \hv@tugboatfalse
27
28
    \DeclareOption{fbox}{\hv@fboxtrue\setlength{\fboxsep}{1pt}}
29
    \DeclareOption{hyperref}{\hv@hyperreftrue}
30
    \DeclareOption{nostfloats}{\hv@nostfloatstrue}
31
    \DeclareOption{no-stfloats}{\hv@nostfloatstrue}
32
33
34
    \ProcessOptions
35
36
37
    \PassOptionsToPackage{hypcap}{caption}
    \RequirePackage{caption}
38
39
    \RequirePackage{varwidth}
    \DeclareCaptionBox{varwidth}{\varwidth[b]{#1}#2\endvarwidth}
40
41
    \PassOptionsToPackage{hypcap}{subcaption}
42
43
    \RequirePackage{subcaption}
    \ReguirePackage{atbegshi}
44
    \RequirePackage{picture,trimclip}
45
46
    \RequirePackage{expl3,multido}
47
    \RequirePackage{graphicx}
48
    \RequirePackage{varwidth}
49
50
    \RequirePackage{xkeyval}
51
    \RequirePackage{ifoddpage}
52
    \RequirePackage{afterpage}
53
54
    \ifhv@hyperref
55
56
      \RequirePackage{hyperref}
    ∖fi
57
    \ifhv@nostfloats\else
58
     \RequirePackage{stfloats}% for bottom floats in a twocolumn mode
59
    ∖fi
60
61
    \providecommand*\LenToUnit[1]{\strip@pt\dimexpr#1*\p@/\unitlength}
62
63
    \newlength\hv0bjectWidth
64
```

65	\ newlength \hvCapWidth	
66	\ newlength \hvWideWidth	
67	\ newlength \hvMultiFloatSkip	
68	\ newlength \hvMaxCapWidth	
69	%%	
70		erheight-lin-\topmargin-\headheight-\headsep-\textheight}}
71	<pre>\newlength\hvFullWidth % only for user put</pre>	rpose
72	\setlength\dimexpr\ textwidth	+\marginparwidth+\marginparsep}
73		
74	\ newsavebox \hv0bjectBox	
75	\ newsavebox \hvCaptionBox	
76	\ newsavebox \hv0Box	
77	\ newsavebox \@tempbox	
78	\newsavebox\hv@caption@box	
79	\ newsavebox \hv@leftBox	
80	\ newsavebox \hv@rightBox	
81		
82	<pre>\newif\ifhv@capbeside \hv@capbesidefalse</pre>	
83	\ newif \ifhv@switchType	
84		
85	\ def \hv@Top{top}	
86	\ def \hv@Bottom{bottom}	
87	\ def \hv@After{after}	
88	\ def \hv@Before{before}	
89	\ def \hv@Right{right}	
90	\def\hv@Left{left}	
91	\ def \hv@Center{center}	
92	\ def \hv@Outer{outer}	
93	\ def \hv@Inner{inner}	
94	\ def \hv@Even{evenPage}	
95	\ def \hv@0dd{oddPage}	
96	\def\hv@Natural{n}	
97	\ def \hv@LineWidth{l}	
98	\ def \hv@Width{w}	
99	\ def \hv@Height{h}	
100	\ def \hv@Zero{0}	
100	%	
101	` \ def \hv@figure{figure}	
102	%	
103		TeX's position parameters htbp
101	\def\hvSet@floatPos{#1}%	
105	}	
107	-	tates caption AND image together
107	\def\hvSet@rotAngle{#1}%	
103	}	
110)inewidth (n)atural width object (w)idth) object (h)eight <scale< td=""></scale<>
	of \columnwidth>	
111	\ def \hvSet@capWidth{#1}%	
112	}	
112	-	50+360, only integers
114	\def\hvSet@capAngle{#1}%	
114	}	
116	,	
117	\define@choicekev*+{hvSet}{canPos}[\val\n	r]{bottom,top,left,before,right,after,inner,outer,evenPage,
117	oddPage}[bottom]{%	
118	-	lativ to the object, (e),(d) only valid for fullpage float
119	\ifcase\nr\relax	
120	\hv@capbesidefalse	
120	\or	
121	\hv@capbesidefalse	
122	\else	
123	\hv@capbesidetrue	
124	\fi	
125		t (#1) for capPos ignored. Using bottom.}%
120		relativ to the object, (e),(d) only valid for fullpage float
127	\hv@capbesidefalse	
120	}	

```
130
     \define@choicekey*+{hvSet}{capVPos}[\val\nr]{bottom,center,top}[center]{%
131
       \def\hvSet@capVPos{#1}%
                                      it is relativ to the object
132
       \ifcase\nr\relax
133
134
         \def\hv@capVPos{b}%
       \or
135
         \def\hv@capVPos{c}%
136
       \else
137
         \def\hv@@capVPos{t}%
138
       \fi
139
     }{\PackageWarning{hvfloat}{erroneous input (#1) for capVPos ignored. Using center.}%
140
      \def\hvSet@capVPos{center}%
                                         it is relativ to the object
141
      }
142
143
     \define@choicekey*+{hvSet}{capHPos}[\val\nr]{left,center,right}[center]{%
144
       \def\hvSet@capHPos{#1}%
145
       \ifcase\nr\relax
146
147
         \gdef\hv@@caoHPos{l}%
       \or
148
149
         \gdef\hv@@capHPos{c}%
       \else
150
         \gdef\hv@@capHPos{r}%
151
      \fi
152
153
     }{\PackageWarning{hvfloat}{erroneous input (#1) for capHPos ignored. Using center.}%
                                     it is relativ to the object
      \def\hvSet@capHPos{center}%
154
155
      }
156
157
     \define@choicekey*+{hvSet}{objectPos}[\val\nr]{left,center,right,inner,outer}[center]{%
                                         it is relativ to the object
158
       \def\hvSet@objectPos{#1}%
     }{\PackageWarning{hvfloat}{erroneous input (#1) for objectPos ignored. Using center.}%
159
160
      \def\hvSet@capVPos{center}%
                                         it is relativ to the object
161
162
     \define@key{hvSet}{objectAngle}[0]{%
                                                - 360...+360
        \def\hvSet@objectAngle{#1}%
163
164
     \define@key{hvSet}{floatCapSep}[5pt]{% a width with the unit pt
165
        \def\hvSet@floatCapSep{#1}%
166
167
     \define@key{hvSet}{multiFloatSkip}[\normalbaselineskip]{% a width with the unit pt
168
        \setlength\hvMultiFloatSkip{#1}%
169
170
     \define@boolkey{hvSet}[hv@]{useOBox}[true]{}%
                                                         use of the hvOBox contents
171
     \define@boolkey{hvSet}[hv@]{nonFloat}[true]{}%
                                                         Do not use float environment
172
     \define@boolkey{hvSet}[hv@]{onlyText}[true]{}%
                                                         Write the caption only as text
173
     \define@boolkey{hvSet}[hv@]{wide}[true]{}%
                                                      Write the caption only as text
174
     \define@boolkey{hvSet}[hv@]{twoColumnCaption}[true]\global\@nameuse{hv@twoColumnCaption#1}{}% Write the
175
          caption only as text
     \define@boolkey{hvSet}[hv@]{sameHeight}[true]{\@nameuse{hv@sameHeight#1}}% Write the caption only as text
176
     \define@boolkey{hvSet}[hv@]{Debug}[true]{}%
                                                      give more infos in the terminal
177
178
     \newif\ifhv@fullpage
179
     \newif\ifhv@FULLPAGE
180
     \newif\ifhv@doubleFULLPAGE
181
     \newif\ifhv@doublePAGE
182
183
     \newif\ifhv@doublePage
     \newif\ifhv@setObjectLabel
184
     \newif\ifhv@global@sameHeight
185
     \newif\ifhv@forceOutput
186
187
     \newlength\hvSet@bindCorrection
188
189
     \newlength\hvSet@sepLineskip
     \newlength\hv@leftPageObjectWidth% for doublepage images
190
     \newlength\hv@tempWidthA
191
     \newlength\hv@tempWidthB
192
     \newlength\hv@minTextlines
193
     \newlength\hv@floatCapSep
194
     \newlength\hvSet@bindCorr
195
```

```
196
     \define@key{hvSet}{fullpage}[true]{\global\@nameuse{hv@fullpage#1}}%
197
     \define@key{hvSet}{FULLPAGE}[true]{\global\@nameuse{hv@FULLPAGE#1}}
198
     \define@key{hvSet}{doubleFULLPAGE}[true]{\global\@nameuse{hv@doubleFULLPAGE#1}\hv@doublePagefalse\
199
          hv@doublePAGEfalse}
     \define@key{hvSet}{doublePAGE}[true]{\global\@nameuse{hv@doublePAGE#1}\hv@doublePagefalse\
200
          hv@doubleFULLPAGEfalse}
     \define@kev{hvSet}{doublePage}[true]{\global\@nameuse{hv@doublePage#1}\hv@doublePAGEfalse\
201
          hv@doubleFULLPAGEfalse}
     \define@key{hvSet}{bindCorr}[0pt]{%
202
       \def\hv@temp{#1}%
203
       \ifx\hv@temp\hv@Inner
204
         \setlength\hvSet@bindCorr{\dimexprlin+\oddsidemargin}%
205
206
       \else
         \setlength\hvSet@bindCorr{#1}%
207
208
       \fi
209
210
    %\setlength\hvSet@bindCorrection{#1}}% for doublepage objects
211
     \define@boolkey{hvSet}[hv@]{subFloat}[true]{%
                                                          typeset values as subfloats
212
        \ifhv@subFloat\setkeys{hvSet}{multiFloat=false}\fi%
213
214
    1%
     \define@boolkey{hvSet}[hv@]{multiFloat}[true]{%
                                                        typeset values as continous floats
215
216
       \ifhv@multiFloat\setkeys{hvSet}{subFloat=false}\fi
    1%
217
     \define@boolkey{hvSet}[hv@]{vFill}[true]{}%
                                                      \vfill between multifloat objects
218
219
     \define@boolkey{hvSet}[hv@]{separatorLine}[true]{}% separator line for caption of a full page float
220
221
     \define@key{hvSet}{sepLineskip}{\def\hv@sepLineskip{#1}}%
     \define@key{hvSet}{minTextlines}{\setlength\hv@minTextlines{#1\baselineskip}}%
222
     \define@boolkey{hvSet}[hv@]{objectFrame}[true]{}% a frame around the object with no separation
223
     \define@kev{hvSet}{stvle}{%
224
225
       \@ifundefined{hv@#1}%
         {\errmessage{Custom style `#1' undefined}}%
226
227
         {\begingroup
          \edef\x{\endgroup\noexpand\setkeys{hvSet}{\@nameuse{hv@#1}}}\x}% use a defined style
228
229
     \define@key{hvSet}{capFormat}{\def\hv@caption@format{#1}}%
230
     \define@key{hvSet}{subcapFormat}{\def\hv@subcaption@format{#1}}%
231
232
     \define@boolkey{hvSet}[hv@]{forceOutput}[true]{%
       \ifhv@forceOutput\hv@nonFloattrue\fi}% immediate output, no floating!
233
234
     \def\hv@set#1{\begingroup\edef\x{\endgroup\noexpand\setkeys{hvSet}{#1}}\x}
235
236
     \let\hvFloatSet\hv@set
237
     \def\defhvstyle#1#2{\@namedef{hv@#1}{#2}}
238
     \let\hvDefFloatStyle\defhvstyle % better name
239
240
     \newcommand\setDefaults{%
241
242
       \hv@set{%
        floatPos=, rotAngle=0, capWidth=n, capAngle=0, objectAngle=0,
243
        capPos=bottom, capVPos=center, objectPos=center, capHPos=center,
244
        floatCapSep=5pt, useOBox=false,
245
        onlyText=false, wide=false, fullpage=false, FULLPAGE=false,
246
247
        doubleFULLPAGE=false, doublePage=false, doublePAGE=false,
             multiFloat=false,subFloat=false,
248
        separatorLine,objectFrame=false,multiFloatSkip=\normalbaselineskip,
249
        capFormat={}, subcapFormat={}, twoColumnCaption=false,
250
        sameHeight=false,
251
        bindCorr=\z@,sepLineskip=0pt,
252
253
        vFill=false, minTextlines=2,
        forceOutput=false. nonFloat=false.
254
255
    }%
256
    3
257
     \let\hvFloatSetDefaults\setDefaults
258
     \hvFloatSetDefaults% onyl for first loading of the package
259
```

25 The Package Source

```
260
            \newcommand\hv@typeout[1]{\ifhv@Debug\typeout{>>>> #1}\fi}
261
262
           \providecommand\@tugclass{\@empty}
263
           \ifx\@tugclass\@empty
264
            \else
265
266
                \hv@tugboattrue % special page handling
               \hv@typeout{>>> we are using a TUGboat class}%
267
            \fi
268
269
             \newcommand\reset@special@float{%
270
                \hv@set{subFloat=false,%fullpage=false,
271
                                   multiFloat=false,%FULLPAGE=false
272
           }}
273
274
           \def\hv@vskip{\vspace{\hvMultiFloatSkip}}
275
276
           \newlength\hvAboveCaptionSkip
277
            \newlength\hvBelowCaptionSkip
278
279
            \newlenath\hv@dblfptop
           \newlength\hv@fptop
280
           \newcount\hv@@capPos
281
282
283
            \newlength\fboxlinewidth
           \AtBeginDocument{%
284
               \setlength\fboxlinewidth{\dimexpr\linewidth-2\fboxrule-2\fboxsep}%
285
286
           \setlength\belowcaptionskip{\abovecaptionskip}% it is in latex.ltx = 0pt
287
            \newcommand\saveCaptionSkip{%
288
                   \setlength{\hvAboveCaptionSkip}{\abovecaptionskip}%
289
                  \setlength{\hvBelowCaptionSkip}{\belowcaptionskip}%
290
                   \setlength{\abovecaptionskip}{0pt}%
291
292
                  \setlength{\belowcaptionskip}{0pt}%
293
            \newcommand\restoreCaptionSkip{%
294
                \setlength\abovecaptionskip{\hvAboveCaptionSkip}%
295
                \setlength\belowcaptionskip{\hvBelowCaptionSkip}%
296
297
298
            299
                \let\hv@dblfptop\@dblfptop
300
                \let\hv@fptop\@fptop
301
                \global\setlength{\@dblfptop}{0\p@}%
302
303
                \global\setlength{\@fptop}{0\p@}%
304
305
           \newcommand\hv@reset@noverticalSpace{%
306
                \global\setlength{\@dblfptop}{\hv@dblfptop}%
307
                \global\setlength{\@fptop}{\hv@fptop}%
308
309
310
           \providecommand\figcaption[2][]{}%
311
            \providecommand\tabcaption[2][]{}%
312
            \providecommand\tabcaptionbelow[2][]{}%
313
314
           \renewcommand\figcaption[2][]{%
315
316
                \begingroup
317
                \def\@captype{figure}%
                \label{eq:linear} $$ $ \frac{1}{r} + \frac
318
                \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
319
320
               \endgroup}
            \renewcommand\tabcaption[2][]{%
321
                \begingroup
322
                \def\@captype{table}%
323
                \expandafter\captionsetup\expandafter{\hv@caption@format,position=top}%
324
                \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
325
                \endgroup}
```

326

```
\renewcommand\tabcaptionbelow[2][]{%
327
       \begingroup
328
       \def\@captype{table}%
329
       \expandafter\captionsetup\expandafter{\hv@caption@format,position=below}
330
       \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
331
       \endgroup}
332
333
     \newlength\hv@maxImageWidth
334
     \AtBeginDocument{\hv@maxImageWidth=\columnwidth}
335
336
     \define@key{Gin}{columnWidth}[true]{%
337
       \def\Gin@ewidth{\columnwidth}%
338
        \def\Gin@eheight{1ex}%
339
       \Gin@boolkey{true}{iso}%
340
341
     \define@key{Gin}{fullpage}[true]{%
342
       \def\Gin@ewidth{\columnwidth}%
343
344
       \def\Gin@eheight{\textheight}%
       \Gin@boolkey{false}{iso}%
345
346
     \define@key{Gin}{FullPage}[true]{%
347
       \def\Gin@ewidth{\textwidth}%
348
       \def\Gin@eheight{\textheight}%
349
350
       \Gin@boolkey{false}{iso}%
351
     \define@key{Gin}{FULLPAGE}[true]{%
352
353
       \def\Gin@ewidth{\paperwidth}%
       \def\Gin@eheight{\paperheight}%
354
       \Gin@boolkey{false}{iso}%
355
356
     \define@key{Gin}{doubleFULLPAGE}[true]{%
357
       \def\Gin@ewidth{2\paperwidth}%
358
359
       \def\Gin@eheight{\paperheight}%
       \Gin@boolkey{false}{iso}%
360
361
     \define@key{Gin}{doublefullPage}[true]{%
362
       \def\Gin@ewidth{\dimexpr2\paperwidth-2in-2\evensidemargin}%
363
       \def\Gin@eheight{\paperheight}%
364
365
       \Gin@boolkey{true}{iso}%
366
     \define@key{Gin}{doubleFULLPAGEbindCorr}[true]{%
367
       \def\Gin@ewidth{\the\dimexpr2\paperwidth-2\hvSet@bindCorrection\relax}%
368
       \def\Gin@eheight{\paperheight}%
369
370
       \Gin@boolkey{false}{iso}%
371
372
     \newcommand\IncludeGraphics[2][]{%
373
       \vspace*{\the\dimexpr-lin-\voffset+\topskip-\headheight-0.5\baselineskip}%
374
       \leavevmode\checkoddpage
375
376
       \ifoddpage
         \hspace*{\dimexpr-\oddsidemargin-\parindent-lin}%
377
       \else
378
379
         \hspace*{\dimexpr-\evensidemargin-\parindent-lin}%
       \fi\noindent
380
       \includegraphics[#1,width=\paperwidth,height=\paperheight,keepaspectratio=false]{#2}%
381
382
     1
383
     \newcommand\put@CaptionBox[1][0]{%
384
385
       \ifcase#1
         \ifhv@fbox
386
387
           \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
         \else
388
           \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
389
         \fi
390
391
       \or
         \ifhv@fbox
392
           \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
393
```

25 The Package Source

```
\else
394
           \raisebox{-\height}{\usebox{\hvCaptionBox}}%
395
         ∖fi
396
397
       \or
         \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}\else\usebox{\hvCaptionBox}\fi
398
       \fi
399
400
     3
401
     \newcommand\put@ObjectBox[1][0]{%
402
       \ifcase#1
403
         \ifhv@fbox
404
           \fbox{\parbox{\wd\hv0bjectBox}{\usebox{\hv0bjectBox}}}%
405
         \else
406
           \parbox{\wd\hv0bjectBox}{\ifhv@objectFrame\frame{\usebox{\hv0bjectBox}}\else\usebox{\hv0bjectBox}}\fi
407
                 }%
         \fi
408
409
       \or
         \ifhv@fbox
410
           \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
411
412
         \else
           \raisebox{-\height}{\ifhv@objectFrame\frame{\usebox{\hv0bjectBox}}\else\usebox{\hv0bjectBox}\fi}%
413
         \fi
414
       \or
415
416
         \ifhv@fbox
           \fbox{\usebox{\hv0bjectBox}}%
417
418
         \else
           % rotated object with a depth need to raise up the \depth
419
           \ifhv@objectFrame\frame{\usebox{\hv0bjectBox}}\else\raisebox{\depth}{\usebox{\hv0bjectBox}}\fi%
420
         \fi
421
       ∖fi
422
423
     3
424
425
     \def\drawSepLine{%
426
427
       \par\noindent
       \if@twocolumn
428
429
         \ifhv@twoColumnCaption
           \rule{\linewidth}{0.4pt}\\[-2.5ex]
430
431
         \else
           \rule{\columnwidth}{0.4pt}\\[-2.5ex]
432
433
         \fi
       \else
434
         \rule{\linewidth}{0.4pt}\\[-2.5ex]
435
       \fi
436
       \vspace{\hv@sepLineskip}%
437
438
     }
439
     \newcounter{hv@tempCNTfigA}%
440
     \newcounter{hv@tempCNTfigB}%
441
442
     \newcounter{hv@tempCNTtabA}%
     \newcounter{hv@tempCNTtabB}%
443
     \newcounter{hv@pfigure}%
444
445
     \newcounter{hv@ptable}%
     \newcounter{subhv@pfigure}%
446
447
     \newcounter{subhv@ptable}%
448
     \newif\ifhv@star
449
     \newif\if@hvsubstar
450
451
     \setDefaults
452
453
     %\newcommand*{\hvFloat}[5][]+{%
454
     % [#1}: keyvalues
455
     % #2: type figure | table | ...
456
     % #3: float contents
457
     % [#4]: short caption
458
459
     % #5: caption
```

```
% #6: label
460
461
462
463
     \def\hvFloat{\@ifnextchar*%
464
                                     Main macro
       {\global\hv@startrue\hv@maxImageWidth=\textwidth\hvFloat@i}%
465
       {\global\hv@starfalse\hv@maxImageWidth=\columnwidth\hvFloat@i*}%
466
467
    1
468
     \def\hvFloat@i*{\@ifnextchar[{\do@hvFloat}{\do@hvFloat[]}}
469
     \def\do@hvFloat[#1]{%
470
       \beaingroup
471
       \setlength\hvWideWidth{\dimexpr\columnwidth+\marginparwidth+\marginparsep}%
472
    % \setlength\hvWideWidth{\dimexpr\textwidth+\marginparwidth+\marginparsep}%
473
        \setlength\hvWideWidth{\dimexpr\linewidth+\marginparwidth}%
474
       \hv@maxImageWidth=\textwidth
475
       \reset@special@float
476
477
       \global\setcounter{hv@pfigure}{\value{figure}}%
       \global\setcounter{hv@ptable}{\value{table}}%
478
479
       \setcounter{hv@tempCNTfigA}{\value{figure}}%
       \setcounter{hv@tempCNTfigB}{\value{figure}}%
480
       \setcounter{hv@tempCNTtabA}{\value{table}}%
481
       \setcounter{hv@tempCNTtabB}{\value{table}}%
482
483
       \gdef\hv@save@setting{#1}% for later use after \endgroup inside figure/table env
       \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi
484
       \ifx\hv@caption@format\@empty\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
485
486
       \ifx\hv@subcaption@format\@empty\else
487
           \expandafter
           \captionsetup\expandafter[\expandafter s\expandafter u\expandafter b\expandafter]\expandafter
488
                                  {\hv@subcaption@format}%
489
490
       \fi
       \gdef\hv@floatType{figure}% presetting
491
492
       \@ifnextchar+{\do@multiFloat}{\hvFloat@ii[#1]}%
    1
493
494
     \ExplSyntaxOn
495
496
     \def\do@multiFloat+#1#2{%
497
       \clist_set:Nn\l_clist_Type{{#1}}%
498
       \clist_set:Nn\l_clist_Object{{#2}}%
499
       \@ifnextchar[\do@multiFloat@i{\do@multiFloat@i[]}%
500
501
     \def\do@multiFloat@i[#1]#2#3{% lof-caption, caption, label
502
503
       \ifx\relax#1\relax
         \clist set:Nn\l clist LofCaption{{}}%
504
       \else
505
         \clist_set:Nn\l_clist_LofCaption{{#1}}%
506
       \fi
507
       \clist_set:Nn\l_clist_Caption{{#2}}%
508
509
       \ifx\relax#3\relax
         \clist_set:Nn\l_clist_Label{{}}%
510
       \else
511
512
         \clist_set:Nn\l_clist_Label{{#3}}%
       \fi
513
       \@ifnextchar+{\do@multiFloat@ii}{}%
514
515
     \def\do@multiFloat@ii+#1#2{%
516
       \clist_put_right:Nn\l_clist_Type{{#1}}%
517
       \clist_put_right:Nn\l_clist_Object{{#2}}%
518
       \@ifnextchar[\do@multiFloat@iii{\do@multiFloat@iii[]}%
519
520
521
     522
       \ifx\relax#1\relax
523
         \clist_put_right:Nn\l_clist_LofCaption{{}}%
524
       \else
525
         \clist put right:Nn\l clist LofCaption{{#1}}%
526
```

```
\fi
527
              \clist put right:Nn\l clist Caption{{#2}}%
528
              \ifx\relax#3\relax
529
                  \clist_put_right:Nn\l_clist_Label{{}}%
530
531
              \else
                  \clist_put_right:Nn\l_clist_Label{{#3}}%
532
533
              \fi
              \@ifnextchar+\do@multiFloat@ii%
534
535
                  {\def\hvSet@CapWidth{n}%
                    \do@@@dhvFloat}%
536
537
          \ExplSyntaxOff
538
539
540
          \newcount\hv@cnta
541
542
          \newcount\hv@cntb
543
544
          \def\hvFloat@ii[#1]#2#3{%
                                                                      #1: key/value, #2: floattype, #3: object
             \hv@maxImageWidth=\textwidth
545
546
               \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi
              \gdef\hv@floatType{#2}%
547
              \ifx\relax#2\relax
548
                  \setkeys{hvSet}{nonFloat,onlyText}%
549
550
                  \xdef\hv@save@setting{\hv@save@setting,nonFloat,onlyText}% for later use after \endgroup inside
                            figure/table env
             ∖fi
551
552
          % \xdef\hv@floatListOfExt{\@nameuse{ext@\hv@floatType}}%
              \gdef\hv@floatObject{#3}%
553
              \@ifnextchar[{\do@dhvFloat}{\do@dhvFloat[]}%
554
         }
555
556
          \def\do@@hvFloat[#1]#2#3{%
                                                                        #1: listof caption, #2. long caption #3: label
557
558
              \gdef\hv@shortCap{#1}%
              \gdef\hv@longCap{#2}%
559
              \gdef\hv@label{#3}%
560
              \ifhv@capbeside\def\@@temp{1}\else\def\@@temp{0}\fi
561
              \label{linear} where the the set of the se
562
              \global\setlength\hvSet@bindCorrection{\hvSet@bindCorr}% for doublepage objects
563
564
              \global\setlength\hv@floatCapSep{\hvSet@floatCapSep}%
565
              \ifhv@fullpage
566
                  \def\hvSet@CapWidth{n}% relative value
567
                  \do@@@@hvFloat% fullpage with caption on other page
568
569
              \else
                  \ifhv@FULLPAGE
570
571
                      \def\hvSet@CapWidth{n}% relative value
                      \do@@@hvFloat% fullpage with caption on other page
572
                  \else
573
                      \ifhv@doubleFULLPAGE
574
575
                          \setlength\hvCapWidth{\textheight}%
                          \expandafter\do@hvFloat@doubleFULLPAGE\@@temp% fullpage with caption rotated or under on an odd
576
                                    page
577
                      \else
                          \ifhv@doublePAGE
578
                              \expandafter\do@hvFloat@doublePAGE\@@temp% fullpage with caption rotated or under on an odd
579
                                         page
580
                          \else
                              \ifhv@doublePage
581
                                  \expandafter\do@hvFloat@doublePage\@@temp% fullpage with caption rotated or under on an odd
582
                                             page
583
                              \else
                                  \do@@@hvFloat
584
                              \fi
585
                          \fi
586
                      \fi
587
                  \fi
588
589
              \fi
```

```
590
     }
591
     \def\do@@@hvFloat{% no special float page, caption and image on top of each other or side by side
592
       \def\@tempa{90}%
593
594
       ifx\hvSet@rotAngle\@tempa
         \setlength\hvMaxCapWidth{\textheight}%
595
596
       \else
         \setlength\hvMaxCapWidth{\hvWideWidth}%
597
598
       \fi
599
       First we save the object in \hvObjectBox
600
     %
601
       \ifnum\hvSet@objectAngle=0 % rotate the object?
602
         \ifhv@use0Box
603
           \let\hv0bjectBox\hv0Box
604
605
         \else
           \savebox\hv0bjectBox{\hv@float0bject}%
606
607
         \fi
       \else
608
609
         \savebox\hv0bjectBox{%
           \rotatebox{\hvSet@objectAngle}{%
610
             \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi
611
           }%
612
613
         }%
       \fi
614
       \setlength\hv0bjectWidth{\wd\hv0bjectBox}%
615
616
     % Now we save the caption with its defined \hvCapWidth
617
618
       \ifx\hvSet@capWidth\hv@Width%
                                                      captionwidth=objectwidth
619
         \setlength\hvCapWidth{\hvObjectWidth}%
620
       \else
621
622
         \ifx\hvSet@capWidth\hv@Height%
                                                      captionwidth=objectheight
           \setlength\hvCapWidth{\ht\hvObjectBox}%
623
         \else
624
           \ifx\hvSet@capWidth\hv@LineWidth%
                                                            captionwidth=objectheight
625
             \setlength\hvCapWidth{\linewidth}%
626
             \typeout{>>>>\the\hvCapWidth}%
627
           \else
628
             \ifx\hvSet@capWidth\hv@Natural%
                                                         captionwidth=\linewidth-\objectwidth-separation
629
               \ifhv@capbeside
630
631
                 \ifhv@wide
                    \setlength\hvCapWidth{\the\dimexpr\hvWideWidth-\hvObjectWidth-\hv@floatCapSep\relax}%
632
633
                 \else
                    \ifhv@star
634
                      \setlength\hvCapWidth{\the\dimexpr\textwidth-\hvObjectWidth-\hv@floatCapSep\relax}%
635
                    \else
636
                      \setlength\hvCapWidth{\the\dimexpr\linewidth-\hvObjectWidth-\hv@floatCapSep\relax}%
637
                    ∖fi
638
639
                 \fi
               \else
640
                  \setlength\hvCapWidth{\columnwidth}%
641
               \fi
642
             \else
643
               \ifhv@capbeside
644
                 \ifhv@wide
645
                    \setlength\hvCapWidth{\hvSet@capWidth\hvWideWidth}%
646
                    \setlength\@tempdima{\the\dimexpr\hvWideWidth-\hvObjectWidth-\hv@floatCapSep\relax}%
647
                  \else
648
                    \setlength\hvCapWidth{\hvSet@capWidth\columnwidth}%
649
650
                    \setlength\@tempdima{\the\dimexpr\columnwidth-\hvObjectWidth-\hv@floatCapSep\relax}%
                  \fi
651
                  \ifdim\hvCapWidth>\@tempdima
652
                   \setlength\hvCapWidth{\@tempdima}%
653
                 \fi
654
               \else
655
                  \ifhv@wide
656
```

657	\setlength\hvCapWidth{\hvSet@capWidth\hvWideWidth}%
658	\else
659	\setlength\hvCapWidth{\hvSet@capWidth\ columnwidth }%
660	\fi
661	\fi
662	\fi
663	\fi \fi
664	\fi
665 666	\saveCaptionSkip% we put this space ourselve
667	\ifnum\hvSet@capAngle=0 % need rotation?
668	\savebox% NO rotation
669	\typeout{>>>>\the\hvCapWidth}%
670	<pre>\minipage[b]{\hvCapWidth}% minipage, to get hyphenation</pre>
671	% \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
672	\ifhv@nonFloat
673	\ifhv@onlyText
674	\hv@longCap
675	\else
676	\ ifx \hv@floatType\hv@figure
677	\ifx\relax\hv@shortCap\relax
678	\figcaption{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi }%
679	\ else \figcaption[\hv@shortCap]{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi }%
680 681	\fi
682	\else
683	\ ifx\relax \hv@shortCap\ relax
684	\tabcaption{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi }%
685	\else
686	\tabcaption[\hv@shortCap]{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi }%
687	\fi
688	\fi
689	\fi
690	\else
691	\ifhv@onlyText
692 693	\hv@longCap \ else
694	\let\@captype\hv@floatType
695	\ ifx \hv@shortCap\@empty\ caption {\hv@longCap}\ else\caption [\hv@shortCap]{\hv@longCap}\ fi
696	\ifx\hv@label\@empty\else\label{\hv@label}\fi
697	\fi
698	\fi
699	\endminipage
700	<pre>}% end CaptionBox without rotation</pre>
701	\else
702	\savebox% with Rotation
703	<pre>\rotatebox{\hvSet@capAngle}{% \minipage[b]{\hvCapWidth}%% minipage, to get hyphenation</pre>
704 705	<pre>\minipage(b){\nvCapwid(n)%% minipage, to get nyphenation % \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi</pre>
706	\iftv@nonFloat
707	\ifhv@onlyText
708	\hv@longCap
709	\else
710	\ ifx \hv@floatType\hv@figure
711	\ ifx \hv@shortCap\@empty \figcaption{\hv@longCap}\ else \figcaption[\hv@shortCap]{\hv@longCap}\ fi
712	\else
713	<pre>\ifx\hv@shortCap\@empty \tabcaption{\hv@longCap}\else\tabcaption[\hv@shortCap]{\hv@longCap}\fi \fi</pre>
714	\fi \fi
715 716	\else
717	\ifhv@onlyText
718	\hv@longCap
719	\else
720	\ let \@captype\hv@floatType
721	\ ifx \hv@shortCap\@empty \ caption {\hv@longCap}\ else\caption [\hv@shortCap]{\hv@longCap}%
722	\fi
723	\fi

```
\fi
724
               \ifx\hv@label\@empty\else\label{\hv@label}\fi
725
            \endminipage
726
          }% rotatebox
727
         }% \sbox
728
      \fi
729
730
    % now we have the object and the caption with the right
731
732
    % rotated angles saved in different boxes
733
    %%
734
      \restoreCaptionSkip% save old values
      \def\fps@figure{\hvSet@floatPos}%
735
       \ifx\hvSet@floatPos\@empty
                                      % use type default
736
737
       \else
738
         \@namedef{fps@\hv@floatType}{\hvSet@floatPos}%
       \fi
739
       \ifhv@nonFloat
740
741
         \noindent
         \begingroup%
                             Start the nonfloat part
742
743
       \else
         \ifhv@star
744
745
           \ifx\hvSet@floatPos\hv@floatBottom
            \@nameuse{\hv@floatType*}[b]%
                                               746
747
           \else
            \@nameuse{\hv@floatType*}%
748
           \fi
749
750
         \else
           \begin{\hv@floatType}%
                                      Start the floating environment
751
         \fi
752
       ∖fi
753
       \checkoddpage
754
       \ifx\hvSet@objectPos\hv@Right\raggedleft\fi
755
756
       \ifx\hvSet@objectPos\hv@Center
         \ifhv@nonFloat\hspace*{\fill}\else\centering\fi
757
758
       \fi
       \ifx\hvSet@objectPos\hv@Outer
759
760
         \ifoddpage\raggedleft\fi
       \fi
761
762
       \ifx\hvSet@objectPos\hv@Inner
         \ifoddpage\else\raggedleft\fi
763
764
      \fi
765
    % to rotate object and caption together, we save all in another box
766
767
    % the caption comes first, if its on the left or the top
    % O caption left, inner and odd page, oneside inner
768
769
       1 caption top
    % 2 caption right, inner and even page, oneside outer
770
771
    % 3 caption bottom
772
773
       \ifx\hvSet@capPos\hv@Left
        \hv@@capPos=0
774
775
       \else
         \ifx\hvSet@capPos\hv@Top
776
           \hv@@capPos=1
777
778
         \else
           \ifx\hvSet@capPos\hv@Right
779
780
            \hv@@capPos=2
781
           \else
782
            \ifx\hvSet@capPos\hv@Bottom
              \hv@@capPos=3
783
784
             \else
               \ifx\hvSet@capPos\hv@Inner
785
                 \ifoddpageoroneside\hv@capPos=0\else\hv@capPos=2\fi
786
               \else
787
                 \ifx\hvSet@capPos\hv@Outer
788
                   \ifoddpage\hv@@capPos=2\else\hv@@capPos=0\fi
789
                    \ifoddpageoroneside\hv@capPos=2\else\hv@capPos=0\fi
790
    %
```

791	<pre>% even page (left=0) odd page (oneside) (right=2)</pre>
792	\else
793	\ ifx \hvSet@capPos\hv@Before
794	<pre>\hv@capPos=0% same as cappos=left</pre>
795	\else
796	\ ifx \hvSet@capPos\hv@After
797	<pre>\hv@capPos=2% same as capPos=right</pre>
798	\fi
799	\fi
800	\fi
801	\fi
802	\fi
803	\fi \fi
804 805	\fi
806	%%%%
807	%\typeout{>>>>>Pos: \the\hv@capPos}%
808	\savebox{\@tempboxa}{% ***** @tempbox start
809	\expandafter%
810	\ifcase\the\hv@@capPos % 0 is LEFT START \ifcase
811	\ ifx \hvSet@capVPos\hv@Center
812	\put@CaptionBox
813	\hspace {\hv@floatCapSep}% capfloatsep
814	\put@ObjectBox
815	\else
816	\ ifx \hvSet@capVPos\hv@Top% caption and object at top aligned
817	<pre>\put@CaptionBox[1]%</pre>
818	<pre>\hspace{\hv@floatCapSep}% capfloatsep \putfloatDay[1]%</pre>
819	\put@ObjectBox[1]% \ else % caption on bottom
820 821	\put@CaptionBox[2]%
822	\hspace{\hv@floatCapSep}% capfloatsep
823	\put@ObjectBox[2]%
824	\fi
825	\fi% end caption left
826	\ or %1 is top
827	\ ifdim\wd \hvCaptionBox>\ wd \hvObjectBox
828	\ begin {minipage}{\ wd \hvCaptionBox}%
829	\else
830	<pre>\begin{minipage}{\wd\hv0bjectBox}% \fi</pre>
831 832	\ifx\hvSet@capHPos\hv@Left% horizontal justification
833	\raggedright
834	\else
835	\ ifx \hvSet@capHPos\hv@Center
836	\centering
837	\else
838	\raggedleft
839	\fi
840	\fi
841	\ifhv@fbox
842	<pre>\fbox{\usebox{\hvCaptionBox}}\\[0.5\hvBelowCaptionSkip]%</pre>
843	<pre>\fbox{\usebox{\hvObjectBox}}%</pre>
844	<pre>\else \usebox{\hvCaptionBox}\\[0.5\hvBelowCaptionSkip]%</pre>
845 846	\usebox{\hv0bjectBox}%
847	\fi
848	\ end {minipage}%
849	\or%2 is right
850	\ ifx \hvSet@capVPos\hv@Center
851	\put@ObjectBox
852	\hspace{\hv@floatCapSep}%
853	\put@CaptionBox
854	\else
855	\ifx\hvSet@capVPos\hv@Top
856	<pre>\put@ObjectBox[1]% \barace()bu%floatCoxCox)% confloatcox</pre>
857	<pre>\hspace{\hv@floatCapSep}% capfloatsep</pre>

0.50	\nut@ContionDov[1]0
858	\put@CaptionBox[1]%
859	\else \put@ObjectBox[2]% bottom
860	\hspace{\hv@floatCapSep}% capfloatsep
861 862	\put@CaptionBox[2]%
863	\fi
864	\fi
865	\ or %3 bottom
866	\ ifdim\wd \hvCaptionBox>\ wd \hvObjectBox
867	\ begin {minipage}{\wd\hvCaptionBox}%
868	\else
869	\ begin {minipage}{\w d \hvObjectBox}%
870	\fi
871	\ ifx \hvSet@capHPos\hv@Left%
872	\raggedright
873	\else
874	\ ifx \hvSet@capHPos\hv@Center
875	\centering
876	\else
877 878	\raggedleft \fi
879	\fi
880	\ifhv@fbox
881	\fbox{\usebox{\hv0bjectBox}}\\[0.5\hvAboveCaptionSkip]%
882	\fbox{\usebox{\hvCaptionBox}}%
883	\else
884	\ifhv@objectFrame\ frame {\ usebox {\hvObjectBox}}\ else\usebox {\hvObjectBox}\ fi \\[0.5\
	hvAboveCaptionSkip]%
885	\ usebox {\hvCaptionBox}%
886	\fi
887	\end{minipage}%
888	\fi% \ifcase\the\hv@@capPos
889	}% End savebox Object and caption %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
890 891	% % now we rotate the object and caption, if needed
892	%
893	\ifhv@wide
894	\ifoddpageoroneside
895	\if@twocolumn
896	\if@firstcolumn
897	\noindent
898	<pre>\hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column</pre>
899	\fi
900	\fi \slas
901	\else \ifoddpage
902 903	\if@twocolumn
903 904	\if@firstcolumn
904	\noindent
906	\hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column
907	\fi
908	\fi
909	\else% evenpage
910	\if@firstcolumn
911	\noindent
912	<pre>\hspace*{\dimexpr-\marginparwidth-\marginparsep}% <- for wide and left page</pre>
913	\fi
914	\fi
915	\fi \fi
916	\fi \ifv\bySat@rotAngle\by@7ero
917 918	\ ifx \hvSet@rotAngle\hv@Zero \ usebox {\@tempboxa}%
918 919	\else
920	<pre>\rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}%</pre>
921	\fi
922	\ifhv@nonFloat
923	\ if x\hvSet@objectPos\hv@Center

```
\ifhv@nonFloat
924
     %
          \hspace{\fill}%
925
926
            \fi
         ∖fi
927
         \endgroup% End the nonfloat part
928
       \else
929
930
         \ifhv@star
           \@nameuse{end\hv@floatType*}% End the floating environment
931
932
         \else
           \end{\hv@floatType}% End the floating environment
933
934
         \fi
       \fi
935
       \endgroup% startet at main \hvFloat
936
937
     }
938
     \newenvironment{hvFloatEnv}[1][\textwidth]
939
       {\minipage{#1}}
940
941
       {\endminipage}
942
943
     \ExplSyntaxOn
944
     \let\clist@item@Nn\clist_item:Nn
945
     \let\l@clist@Type\l_clist_Type
946
947
     \let\l@clist@LofCaption\l_clist_LofCaption
     \let\l@clist@Label\l_clist_Label
948
     \let\clist@count@N\clist_count:N
949
950
     \ExplSyntaxOff
951
     \def\do@@@hvFloat{% special float page: caption <-> fullpage images
952
       \ifx\hvSet@capPos\hv@After \global\hv@capPos=1
953
954
       \else
         \ifx\hvSet@capPos\hv@Even \global\hv@capPos=2
955
956
         \else
           \ifx\hvSet@capPos\hv@Odd \global\hv@capPos=3
957
958
           \else
             \ifx\hvSet@capPos\hv@Inner \global\hv@capPos=4
959
960
             \else
               \ifx\hvSet@capPos\hv@Outer \global\hv@capPos=5
961
               \else
962
                 \ifx\hvSet@capPos\hv@Right
                                               \global\hv@capPos=6% only for twocolumn mode
963
                 \else
964
                   \ifx\hvSet@capPos\hv@Left \global\hv@capPos=7% only for twocolumn mode
965
                   \else
966
967
                      \global\hv@@capPos=0
                   ∖fi
968
969
                 \fi
               \fi
970
971
             \fi
           ∖fi
972
973
         \fi
       \fi
974
       \checkoddpage
975
       \set@caption@object{\hv@floatType}% set caption and object into a box
976
       \ifcase\hv@@capPos% caption before object 0-> always_left
977
         \setBottomCaption\setPageObject
978
       \or%
                              caption after object 1-> _always_ right
979
         \setPageObject\setBottomCaption
980
981
       \or%
                              caption on even page 2-> left page
982
         \ifoddpage
           \afterpage{\setBottomCaption\setPageObject}%
983
984
         \else% we are on an even page
           \setBottomCaption\setPageObject
985
         \fi
986
       \or%
                            caption on odd page 3->right page
987
         \if@twoside
988
           \if@twocolumn
989
             \ifoddpage
990
```

991	\if@firstcolumn%
992	\setBottomCaption\setPageObject
993	\else
994	\afterpage{\setPageObject\setBottomCaption}% start next column
995	\fi
996	\else% left (even) page
997	\if@firstcolumn
998	<pre>\afterpage{\setPageObject\setBottomCaption}% start next column</pre>
999	\else
1000	\setPageObject\setBottomCaption
1001	\fi \fi
1002	\else% onecolumn
1003 1004	\ifoddpage
1004	\setPageObject\setBottomCaption
1005	\else% even page
1007	\afterpage{\setPageObject\setBottomCaption}%
1008	\fi
1009	\fi
1010	\else% oneside
1011	\if@twocolumn
1012	\ifoddpage
1013	\if@firstcolumn% <i>on right side</i>
1014	\setBottomCaption\setPageObject
1015	\else
1016	\setPageObject\setBottomCaption
1017	\fi
1018	\else
1019	\if@firstcolumn% on left side
1020	\afterpage{\setPageObject\setBottomCaption}% \ else
1021 1022	\setPageObject\setBottomCaption
1022	\fi
1023	\fi
1025	\else % onecolumn
1026	\ifoddpage
1027	\setBottomCaption\setPageObject
1028	\else
1029	\afterpage{\setBottomCaption\setPageObject}%
1030	\fi
1031	\fi
1032	\fi
1033	\or% caption on the inner column 4->inner
1034	% \set@caption@object
1035	\if@twocolumn
1036	\ifoddpage \if@firstcolumn%
1037 1038	\setBottomCaption\setPageObject
1030	\else % right column on right side
1039	\setPageObject\setBottomCaption% start next firstcolumn next page
1041	\fi
1042	\else
1043	\if@firstcolumn% on left side
1044	\afterpage{\afterpage{\setBottomCaption\setPageObject}}%
1045	\else% left page/column
1046	<pre>\setBottomCaption\setPageObject% start on same page/column</pre>
1047	\fi
1048	\fi
1049	\else% onecolumn
1050	\setBottomCaption\setPageObject
1051	\fi \or% caption on the outer column 5->outer
1052 1053	% \set@caption@object
1055	\if@twocolumn
1054	\ifoddpage
1056	\if@firstcolumn
1057	\afterpage{\afterpage{\setBottomCaption\setPageObject}}%

```
\else
1058
               \afterpage{\setBottomCaption\setPageObject}%
1059
             \fi
1060
           \else% even page (left)
1061
1062
             \if@firstcolumn
               \setBottomCaption\setPageObject
1063
1064
             \else
     %%%
                       !!!! to-do: !!!!
1065
             \fi
1066
           \fi
1067
         \else% onecolumn
1068
           \setBottomCaption\setPageObject
1069
         \fi
1070
                           caption after object on same page 6->right for twocolumn
1071
       \or%
1072
         \if@twocolumn
1073
           \if@firstcolumn
1074
             \afterpage{\setPageObject\setBottomCaption}%
1075
           \else
             \setPageObject\setBottomCaption
1076
1077
           \fi
         \else% always caption after object for onecolumn
1078
           \setPageObject\setBottomCaption
1079
         \fi
1080
1081
       \or%
                           caption before object on same page 7->left for twocolumn
         \if@twocolumn
1082
1083
           \if@firstcolumn
1084
             \setBottomCaption\setPageObject
1085
           \else
             \afterpage{\setBottomCaption\setPageObject}%
1086
           ∖fi
1087
1088
         \else%
                       onecolumn -> same as before
           \setBottomCaption\setPageObject
1089
1090
         \fi
       \fi
1091
       \endgroup% startet at main \hvFloat
1092
1093
1094
1095
1096
     %% ------ the doublepage obejcts ------
1097
     %% ||1in+evenside --- |1in+oddside ---||
1098
1099
     \def\do@hvFloat@doublePage#1{% image on left and right page with caption on the right page
1100
1101
       % #1-> 0/1 caption under/right
       \global\setlength\hv@leftPageObjectWidth{\dimexpr\paperwidth-lin-\evensidemargin-\hvSet@bindCorrection}%
1102
       \global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}%
1103
       \xdef\hv@caption@format@temp{\hv@caption@format}% it gets lost otherwise for next afterpage
1104
       \setlength\@dblfpbot{0\p@ \@plus 1fil}%
1105
       \global\hv@switchTypefalse
1106
1107
       \setcounter{hv@tempCNTfigA}{\value{figure}}%
       \setcounter{hv@tempCNTfigB}{\value{figure}}%
1108
       \setcounter{hv@tempCNTtabA}{\value{table}}%
1109
       \setcounter{hv@tempCNTtabB}{\value{table}}%
1110
       \savebox\hvCaptionBox{% NO rotation
1111
         \minipage{\textwidth}%% minipage, to get hyphenation
1112
           \let\@captype\hv@floatType
1113
1114
           \caption*{\hv@longCap}%
1115
         \endminipage}%
       \savebox\hvObjectBox{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1116
       \ifnum#1=0\relax
                          % no rotation, caption below
1117
1118
         \hv@typeout{Texthöhe: \the\textheight}%
         \hv@typeout{Objekthöhe: \the\ht\hvObjectBox}%
1119
         \hv@typeout{Captionhöhe: \the\ht\hvCaptionBox}%
1120
         1121
              \relax%+\floatsep\relax
         \hv@typeout{Summe: \the\@tempdima}%
1122
         \ifdim\@tempdima > \dimexpr\textheight-\hv@minTextlines\relax
1123
```

1124	<pre>\hv@typeout{hvfloat: switched to floattype p}%</pre>
1125	\hv@switchTypetrue
1126	\fi
1127	\fi
1128	\hv@typeout{do@hvFloat@doublePage:hv@tempWidthA=\ the \hv@tempWidthA}%
1129	\ifhv@forceOutput
1130	\do@hvFloat@doublePAGECaptionRight{#1}%
1131	\else
1132	\checkoddpage
1133	\ifoddpage
1134	\if@twocolumn
1135	\if@firstcolumn
1136	<pre>\hv@typeout{do@hvFloat@doublePage:oddpage->twocolumn->firstcolumn}%</pre>
1137	\ifhv@switchType
1138	<pre>\hv@typeout{hvfloat: switched to floattype p}% \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%</pre>
1139 1140	\else
1140	<pre>\hv@typeout{calling do@hvFloat@doublePageCaptionRight}%</pre>
1141	%
1142	\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%}%
1144	\fi
1145	\else
1146	<pre>\hv@typeout{do@hvFloat@doublePage:oddpage->twocolumn->secondcolumn}%</pre>
1147	\ifhv@tugboat
1148	\do@hvFloat@doublePageCaptionRight{#1}%
1149	\else
1150	\ifhv@switchType
1151	<pre>\do@hvFloat@doublePAGECaptionRight{#1}%</pre>
1152	\else
1153	<pre>\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%</pre>
1154	\fi
1155	\fi
1156	\fi
1157	\else
1158	\ifhv@switchType
1159	\do@hvFloat@doublePAGECaptionRight{#1}% \ else
1160 1161	<pre>\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%</pre>
1162	\fi
1163	\fi
1164	\else% we have an even page
1165	\if@twocolumn
1166	\if@firstcolumn
1167	\ifhv@switchType
1168	\afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%
1169	\else
1170	\afterpage{\afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%
1171	\fi
1172	\else% second column
1173	\ifhv@switchType
1174	<pre>\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}% }</pre>
1175	<pre>\else \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%</pre>
1176	\fi
1177 1178	\fi
1179	\else% onecolumn
1179	\ifhv@switchType
1181	\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1182	\else
1183	<pre>\afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%</pre>
1184	\fi
1185	\fi
1186	\fi
1187	\ let \c@fptop\hv@fptop
1188	\fi
1189	\endgroup% started at main macro \hvFloat
1190	}

1191 1192	% \ def \do@hvFloat@doublePageCaptionRight#1{% image on left and right page with caption on the right page
1100	<pre>\hv@typeout{do@hvFloat@doublePageCaptionRight->start}%</pre>
1193 1194	\do@hvFloat@doublePageCaptionRightObjectLeft{0pt}%
1194	\afterpage{\do@hvFloat@doublePageCaptionRightObjectRight{#1}}%
1195	l
1190	1 %
1198	、 ∖ def \do@hvFloat@doublePageCaptionRightObjectLeft#1{% <i>left part of the object</i>
1199	<pre>\hv@typeout{do@hvFloat@doublePageCaptionRightObjectLeft: start}%</pre>
1200	\begin{\hv@floatType*}[!t]
1201	\hv@set@noverticalSpace
1202	\hfuzz=\maxdimen
1203	\ let \c@hv@tempCNTfigA\c@figure
1204	\ let \c@hv@tempCNTtabA\c@table
1205	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1206	<pre>\hv@typeout{Float position parameter is for left page: !t}%</pre>
1207	\ global \savebox{\hvObjectBox}{\ifhv@useOBox\ usebox {\hvOBox}\ else \hv@floatObject\ fi }%
1208	<pre>\clipbox*{0 - \hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1209	\ ifx \hv@label\@empty
1210	\else
1211	\ if x\hv@floatType\hv@figure
1212	\global\refstepcounter{hv@tempCNTfigA}%
1213	\else
1214	\ global\refstepcounter {hv@tempCNTtabA}%
1215 1216	\label{\hv@label}%
1210	\fi
1217	\ifhv@global@sameHeight
1219	\hv@typeout{text should be of same height of both pages}%
1220	<pre>\par\noindent{\caption*{\hv@longCap}}}%</pre>
1221	% \vspace{-2pt}%
1222	\fi
1223	\hv@reset@noverticalSpace
1224	\end{\hv@floatType*}%
1225	}
1226	\def\do@hvFloat@doublePageCaptionRightObjectRight#1{% right part of the object
1227	\begin{\hv@floatType*}[!t]
1228	\hv@set@noverticalSpace
1229 1230	\ hfuzz=\maxdimen \ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1230	\global\savebox\hv0bjectBox{\ifhv@use0Box\usebox{\hv0Box}\else\hv@float0bject\fi}%
1231	\global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}% FÜR DTK
1232	\hspace*{-\hv@tempWidthA}%
1234	\global\setlength\hv@leftPageObjectWidth{\the\dimexpr\paperwidth-lin-\evensidemargin-\
	hvSet@bindCorrection}% FÜR FTK
1235	<pre>\savebox\hv@rightBox{\clipbox*{\hv@leftPageObjectWidth{} - }{\usebox\</pre>
	hvObjectBox}}%
1236	\ global \setlength\hv@tempWidthB{\dimexpr\ textwidth -\w d \hv@rightBox-\hvSet@bindCorrection+lin+\
	oddsidemargin-\hv@floatCapSep\relax}%
1237	\hv@typeout{Height of right box: \ the\ht \hv@rightBox}%
1238	<pre>\hv@typeout{Depth of right box : \the\dp\hv@rightBox}%</pre>
1239	\ ifdim\dp \hv@rightBox > \z@
1240	\raisebox{\depth}{\usebox\hv@rightBox}%
1241	\else
1242	\ usebox \hv@rightBox \ fi
1243 1244	\c@hv@tempCNTfigB=\numexpr\c@figure-1\ relax
1244	\c@hv@tempCNTtabB=\numexpr\c@table-1\ retax
1245	\ifx\hv@label\@empty\else
1247	\ ifx \hv@floatType\hv@figure
1248	\refstepcounter{hv@tempCNTfigB}%
1249	\else
1250	\refstepcounter{hv@tempCNTtabB}% before caption
1251	\fi
1252	\label{\hv@label-2}%
1253	\fi

1254	\ ifx \hv@caption@format@temp\@empty\ else
1255	\ expandafter \captionsetup\ expandafter {\hv@caption@format@temp}%
1256	\fi
1257	\c@figure=\numexpr\c@hv@tempCNTfigB-1\ relax
1258	\c@table=\numexpr\c@hv@tempCNTtabB-1\ relax
1259	\ ifnum #l>\z@% caption on the right
1260	\hv@typeout{doublePage: capAngle=\hvSet@capAngle}%
1261	\ ifnum \hvSet@capAngle > \z@
1262	\hspace{\hv@floatCapSep}%
1263	\ rlap {\rotatebox{\hvSet@capAngle}{\ parbox [b]{\ the \dimexpr\ ht \hvObjectBox+\ dp \hvObjectBox}{%
1264	\abovecaptionskip=0pt% local inside parbox
1265	\belowcaptionskip=0pt% local inside parbox
1266	\ ifx\relax \hv@shortCap\ relax
1267	\caption{\hv@longCap}%
1268	\else
1269	\ caption [\hv@shortCap]{\hv@longCap}%
1270	\fi
1271	}}}%
1272	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1273	\else
1274	\ global \setlength\hv@tempWidthB{\dimexpr\ textwidth -\wd\hv@rightBox-\hvSet@bindCorrection+lin+\ oddsidemargin-\hv@floatCapSep\ relax }%
1275	\hspace{\hv@floatCapSep}%
1276	\ rlap {\ parbox [b][\dimexpr\ ht \hv@rightBox+\ dp \hv@rightBox][\hv@capVPos]{\hv@tempWidthB}{%
1277	\abovecaptionskip=0pt% local inside parbox
1278	\belowcaptionskip=0pt% local inside parbox
1279	\ ifx \hv@shortCap\@empty
1280	\caption{\hv@longCap}%
1281	\else
1282	\caption[\hv@shortCap]{\hv@longCap}%
1283	\fi
1284	}}%
1285	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1286	\fi
1287	\ else % #1 = θ caption below
1288	\ ifx\relax \hv@shortCap\ relax
1289	\ caption {\hv@longCap}%
1290	\else
1291	\caption[\hv@shortCap]{\hv@longCap}%
1292	\fi \ife\h_0]_h_l\compt_h_l_h_l\compt_h_l_h_l(h_0]_h_l);fi
1293	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1294	\fi
1295	\vspace{0pt}%
1296	\hv@reset@noverticalSpace
1297	<pre>\end{\hv@floatType*} </pre>
1298	} %
1299	™ \ newsavebox \hv@boxLeftPage
1300 1301	\newsavebox\hv@boxLeitFage
1301	%
1302	% lin+evenside lin+oddside
1303	%
1304	
1305	\def\do@hvFloat@doublePAGE#1{% image on left and right page with caption on the right
1500	
1307	% #1-> 0/1 caption under/right
1308	<pre>% \global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}%</pre>
1309	% \global\setlength\hv@leftPageObjectWidth{\the\dimexpr\paperwidth-lin-\evensidemargin-\
1310	<pre>hvSet@bindCorrection}% \expandafter\global\expandafter\savebox\expandafter\hv0bjectBox\ifhv@use0Box\usebox{\hv0Box</pre>
	}\else\hv@floatObject\fi}%
1311	<pre>\expandafter\global\expandafter\savebox\expandafter\hv@boxLeftPage\expandafter{\clipbox*{0 - \ hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}}%</pre>
1312	\expandafter\global\expandafter\savebox\expandafter\hv@boxRightPage\clipbox*{\
1010	<pre>hv@leftPageObjectWidth{} - \height}{\usebox\hvObjectBox}}% </pre>
1313	\checkoddpage
1314	\ifoddpage

1315	\hv@typeout{do@hvFloat@doublePAGE: oddpage}%
1316	\if@twocolumn
1317	\if@firstcolumn
1318	\hv@typeout{do@hvFloat@doublePAGE: ifoddpage->twocolumn->firstcolumn}%
1319	\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1320	\else
1321	\hv@typeout{do@hvFloat@doublePAGE: ifoddpage->twocolumn->secondcolumn}%
1322	\do@hvFloat@doublePAGECaptionRight{#1}%
1323	\fi
1324	\else
1325	\do@hvFloat@doublePAGECaptionRight{#1}%
1326	\fi
1327	\else
1328	<pre>\hv@typeout{do@hvFloat@doublePAGE: evenpage}%</pre>
1329	\if@twocolumn
1330	\if@firstcolumn
1331	\afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%
1332	
1333	<pre>\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%</pre>
1334	\fi \alag
1335	\else
1336	\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}% <i>onecolumn/left page</i> \ fi
1337	\fi
1338 1339	\endgroup% startet at main macro
1340	
1340	۲ %
1342	、 \ def \do@hvFloat@doublePAGECaptionRight#1{% image on left and right page with caption on the right
1343	% #1-> 0/1 caption under/right
1344	<pre>\hv@typeout{do@hvFloat@doublePAGECaptionRight->start}%</pre>
1345	%
1346	\hfuzz=\maxdimen
1347	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1348	\ifhv@use0Box
1349	\global\let\hv0bjectBox\hv0Box
1350	\else
1351	\ global \savebox\hv0bjectBox{\hv@float0bject}%
1352	\fi
1353	\noindent
1354	\global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}%
1355	\global\setlength\hv@leftPageObjectWidth{\the\dimexpr\paperwidth-lin-\evensidemargin-\
	hvSet@bindCorrection}%
1356	\clipbox*{0 -\ depth {} \hv@leftPageObjectWidth{} \ height }{\ usebox \hvObjectBox}% \ null\newpage \if@twocolumn\ null\newpage\fi
1357	\nutt\newpage\li@twototumm\nutt\newpage\li \expandafter\global\expandafter\savebox\expandafter\hv0bjectBox\ifhv@use0Box\usebox{\
1358	hvOBox}\else\hv@floatObject\fi}%
1359	\noindent
1359	\hspace*{\dimexpr-\hv@tempWidthA}%
1361	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} - }{\usebox\hvObjectBox}%</pre>
1362	\begingroup
1363	\ifnum#1>0
1364	\medskip
1365	\ ifdim\dp \hvObjectBox > \z@
1366	\rotatebox[origin=c]{90}{\ parbox {\ the \dimexpr\ ht \hv0bjectBox+\ dp \hv0bjectBox}{%
1367	\ ifx\relax \hv@shortCap\ relax
1368	<pre>\captionof{\hv@floatType}{\hv@longCap}%</pre>
1369	\else
1370	<pre>\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%</pre>
1371	\fi
1372	}}%
1373	\ifx\hv@label\@empty\else\label{\hv@label}\fi
1374	\else
1375	<pre>\rotatebox{90}{\parbox{\the\dimexpr\ht\hvObjectBox+\dp\hvObjectBox}{%</pre>
1376	\ ifx\relax \hv@shortCap\ relax
1377	<pre>\captionof{\hv@floatType}{\hv@longCap}% \alca</pre>
1378	\else

1379	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1380	\fi
1381	}}%
1382	\ ifx \hv@label\@empty\ else\label {\hv@label}\fi
1383	\fi
1384	\else% caption not rotated
1385	\par\noindent
1386	<pre>\parbox{\textwidth}{% \ifx\relax\hv@shortCap\relax</pre>
1387 1388	\captionof{\hv@floatType}{\hv@longCap}%
1389	\else
1390	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1391	\fi
1392	\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi
1393	}%
1394	\fi
1395	\endgroup
1396	\ newpage \if@twocolumn\ null\newpage\fi
1397	}%
1398	}
1399	% %% lin+evenside lin+oddside
1400 1401	%% lin+evenside lin+oddside %
1401	。 \ def \do@hvFloat@doubleFULLPAGE#1{% image on left and right page with caption before/below/right/after
1402	% #1-> 0/1 caption under/right
1404	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1405	\ifx\hvSet@capPos\hv@After \global\hv@@capPos=1
1406	\else
1407	\ ifx \hvSet@capPos\hv@Before \ global \hv@capPos=0
1408	\else
1409	\global\hv@dcapPos=2 % other caption type
1410	\fi\fi
1411 1412	\checkoddpage \ global \savebox{\hv0bjectBox}{\ifhv@use0Box\ usebox {\hv0Box}\ else \hv@float0bject\ fi }%
1412	\global\satebox{{hv0bjettbox}{{inv0bjettbox}{{inv0box}{etse{hv0}toatobjett{i}}}} the
1415	width of the right side offset
1414	\global\setlength\hv@tempWidthB{\dimexpr\ht\hvCaptionBox+\wd\hvObjectBox+2\hvSet@bindCorrection}%
1415	\global\setlength\hv@leftPageObjectWidth{\dimexpr\paperwidth-\hvSet@bindCorrection}%
1416	% \savebox\hv@leftBox{\clipbox*{0 0 \the\hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}}%
1417	% \savebox\hv@rightBox{\clipbox*{\the\hv@leftPageObjectWidth{} \height}{\usebox\
	hvObjectBox}}%
1418	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1419	\ifoddpage
1420	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE: ifoddpage=true}% \ifcase\hv@capPos % =0 Caption before</pre>
1421 1422	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE: caption before}%</pre>
1422	\if@twocolumn
1424	\hv@typeout{do@hvFloat@doubleFULLPAGE: twocolumn=true}%
1425	\if@firstcolumn
1426	\hv@typeout{do@hvFloat@doubleFULLPAGE: firstcolumn=true}%
1427	\ifhv@twoColumnCaption
1428	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE: twoColumnCaption=true}%</pre>
1429	\set@Normal@Bottom@Caption*
1430	<pre>\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionBefore}%</pre>
1431	\else
1432	\afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore}% \ fi
1433 1434	\else% \if@firstcolumn
1435	\set@Normal@Bottom@Caption
1436	\do@hvFloat@doubleFULLPAGE@CaptionBefore
1437	\fi
1438	\ else % \ <i>if</i> @twocolumn
1439	\set@Normal@Bottom@Caption
1440	\do@hvFloat@doubleFULLPAGE@CaptionBefore
1441	\fi
1442	\or % =1 Caption after
1443	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE: caption after}%</pre>

1444	\ifhv@twoColumnCaption
1445	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE: twoColumnCaption=true}%</pre>
1446	\if@firstcolumn
1447	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE: firstcolumn=true}%</pre>
1448	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol}%
1449	\else
1450	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE: firstcolumn=false}%</pre>
1451	\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol
1452	\fi
1453	\else
1454	\if@twocolumn
1455	\if@firstcolumn
1456	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter}%
1457	\else
1458	\do@hvFloat@doubleFULLPAGE@CaptionAfter
1459	\fi
1460	\else
1461	\do@hvFloat@doubleFULLPAGE@CaptionAfter
1462	\fi
1463	\fi
1464	\else% \ifcase >1 all other Captions
1465	\if@twocolumn
1466	\if@firstcolumn
1467	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}%
1468	\else
1469	\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}%
1470	\fi
1471	\else % \if@twocolumn
1472	\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}%
1473	\fi
1474	\fi% \ifcase
1475	\else% we have an even page
1476	\ ifcase \hv@@capPos% Before
1477	\if@twocolumn
1478	\if@firstcolumn
1479	\ifhv@twoColumnCaption
1480	\afterpage\set@Normal@Bottom@Caption*\afterpage{\
	<pre>do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%</pre>
1481	\else
1482	\afterpage{\afterpage{\set@Normal@Bottom@Caption\
	<pre>do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%</pre>
1483	\fi \alag
1484	\else
1485	<pre>\afterpage{\afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}% \fi</pre>
1486	\fi \else% \if@twocolumn
1487	<pre>\afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore}%</pre>
1488 1489	\fi
1489	\or % capPos after
1490	\if@twocolumn
1491	\if@firstcolumn
1492	\ifhv@twoColumnCaption
1495	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{#1}}}%
1494	\else
1496	<pre>\afterpage{\afterpage\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter{#1}}}%</pre>
1497	\fi
1498	\else
1499	\ifhv@twoColumnCaption
1500	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{#1}}}%
1501	\else
1502	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter{#1}}}%
1503	\fi
1504	\fi
1505	\ else % \if@twocolumn
1506	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter}%
1507	\fi
1508	\else % \ifcase Any other caption

1509	\if@twocolumn
1510	\if@firstcolumn
1511	<pre>\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}}%</pre>
1512	\else
1513	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}}% \ fi
1514 1515	\ii \else
1515	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}%
1517	\fi
1518	\fi% \ifcase
1519	\ fi % main ifoddpage
1520	\endgroup % started at main macro \hvFloat
1521	}
1522	
1523	\def\set@Normal@Bottom@Caption{\@ifnextchar*\set@Normal@Bottom@CaptionStar\set@Normal@Bottom@Caption@}
1524	\def\set@Normal@Bottom@Caption@{%
1525	<pre>\begin{\hv@floatType}[!b] \expandafter\hvFloatSet\expandafter{\hv@save@setting}%</pre>
1526 1527	\ifhv@separatorLine\drawSepLine\fi
1528	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1529	\ifhv@onlyText
1530	\hv@longCap
1531	\else
1532	\ ifx \hv@shortCap\@empty
1533	<pre>\captionof{\hv@floatType}{\hv@longCap}%</pre>
1534	\else
1535	<pre>\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%</pre>
1536 1537	\fi \fi
1537	\ifx\hv@label\@empty\ else\label {\hv@label.cap}\fi
1539	\end{\hv@floatType}%
1540	}
1541	\ def \set@Normal@Bottom@CaptionStar*{%
1542	\ begin {\hv@floatType*}[!b]
1543	\expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1544	\ifhv@separatorLine\drawSepLine\fi
1545	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}% }</pre>
1546	\ifhv@onlyText \hv@longCap
1547 1548	\else
1549	\ ifx \hv@shortCap\@empty
1550	\captionof{\hv@floatType}{\hv@longCap}%
1551	\else
1552	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1553	\fi
1554	\fi \ifu\huQlahal\Qaratu\alac\lahal()huQlahal \aral\fi
1555	\ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1556 1557	<pre>\end{\hv@floatType*}% }</pre>
1558	
1559	\ def \do@hvFloat@doubleFULLPAGE@CaptionBefore{%
1560	%
1561	\hfuzz=\maxdimen
1562	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1563	<pre>\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip</pre>
15/4	}% no interlineskip \hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1564 1565	\thispagestyle{empty}%
1566	\ ifx \hv@floatType\hv@figure
1567	\global\refstepcounter{hv@tempCNTfigB}%
1568	\else
1569	\global\refstepcounter{hv@tempCNTtabB}% before caption
1570	\fi
1571	\expandafter\label\expandafter{\hv@label}%
1572	<pre>\clipbox*{0 0 \the\hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}% >afterpage/%</pre>
1573 1574	% \if@twocolumn\ newpage\null\newpage\fi
13/4	11 genoco comin (newpage (nu c c (newpage (1 ±

1575	\ global \savebox{\hv0bjectBox}{\ifhv@use0Box\ usebox {\hv0Box}\ else \hv@float0bject\fi}%
1576	\thispagestyle{empty}%
1577	$\label{eq:linear} \label{eq:linear} eq:$
	<pre>lineskip}% -0.5\paperheight+0.5\ht\hv0bjectBox</pre>
1578	\hspace*{\hv@tempWidthA}%
1579	\ global \savebox{\hv0bjectBox}{\ifhv@use0Box\ usebox {\hv0Box}\ else \hv@float0bject\f i }%
1580	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox \hvObjectBox}%</pre>
1581	\ ifx \hv@floatType\hv@figure
1582	\global\refstepcounter{hv@tempCNTfigA}%
1583	\else
1584	\global\refstepcounter{hv@tempCNTtabA}% before caption
1585	\fi
1586	\expandafter\label\expandafter{\hv@label-2}%
1587	\ newpage \if@twocolumn\ null\newpage\fi
1588	}}%
1589	}
1590	
1591	\newif\ifhv@temp
1592	
1593	\def\do@hvFloat@doubleFULLPAGE@CaptionAfter{%
1594	%
1595	\hfuzz=\maxdimen
1596	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1597	<pre>\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip</pre>
	}% no interlineskip
1598	<pre>\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%</pre>
1599	\thispagestyle{empty}%
1600	<pre>\clipbox*{0 \the\dp \the\hv@leftPageObjectWidth{} \the\ht\hvObjectBox}{\usebox\</pre>
	hvObjectBox}% \ ifx \hv@floatType\hv@figure
1601	
1602	\refstepcounter{hv@tempCNTfigA}% \else
1603	\refstepcounter{hv@tempCNTtabA}% before caption
1604 1605	\fi
1606	\ifx\hv@label\@empty\ else\label {\hv@label}\fi
1607	\newpage\if@twocolumn\null\newpage\fi
1608	\ global \savebox{\hv0bjectBox}{\ifhv@use0Box\ usebox {\hv0Box}\ else \hv@float0bject\fi}%
1609	\thispagestyle{empty}%
1610	<pre>\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\ lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox</pre>
1611	\hspace*{\hv@tempWidthA}%
1612	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1613	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox \hvObjectBox}%</pre>
1614	\ ifx \hv@floatType\hv@figure
1615	\refstepcounter{hv@tempCNTfigB}%
1616	\else
1617	\refstepcounter{hv@tempCNTtabB}% before caption
1618	\fi
1619	\expandafter\label\expandafter{\hv@label-2}%
1620	\ newpage \if@twocolumn\ null\newpage\fi
1621	\ begin {\hv@floatType}[!b]
1622	\ifhv@separatorLine\drawSepLine\fi
1623	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1624	\ifhv@onlyText
1625	\hv@longCap
1626	\else
1627	\ ifx \hv@shortCap\@empty \captionof{\bv@floatTvpal{\bv@longCap}%
1628	\captionof{\hv@floatType}{\hv@longCap}% \ else
1629 1630	\ecse \captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1630	\fi
1632	\fi
1633	\ifx\hv@label\@empty\ else\label {\hv@label.cap}\fi
1634	\end{\hv@floatType}%
1635	}%

1636	}
1637	\ def \do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{%
1638	\hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: start} %
1639 1640	%
1641	\hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: afterpage start} %
1642	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvObox}\else\hv@floatObject\fi}%
1643	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
1045	}% no interlineskip
1644	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1645	\thispagestyle{empty}%
1646	\ ifx \hv@floatType\hv@figure
1647	\refstepcounter{hv@tempCNTfigA}%
1648	\else
1649	\refstepcounter{hv@tempCNTtabA}% before caption
1650	\fi
1651	\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi
1652	<pre>\clipbox*{0 0 \the\hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1653	\newpage\if@twocolumn\null\newpage\fi
1654	\hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: insert newpage} %
1655	\ global \savebox{\hvObjectBox}{\ifhv@useOBox\ usebox {\hvOBox}\ else \hv@floatObject\fi}%
1656	\thispagestyle{empty}%
1657	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
	<pre>lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox</pre>
1658	\hspace*{\hv@tempWidthA}%
1659	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1660	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox</pre>
	\hvObjectBox}% \ ifx \hv@floatType\hv@figure
1661	\refstepcounter{hv@tempCNTfigB}%
1662 1663	\else
1664	\refstepcounter{hv@tempCNTtabB}% before caption
1665	\fi
1666	\ifx\hv@label\@empty\ else\label {\hv@label-2}\fi
1667	\newpage\if@twocolumn\null\newpage\fi
1668	\begin{\hv@floatType*}[!b]
1669	\hv@twoColumnCaptiontrue
1670	\ifhv@separatorLine\drawSepLine\fi
1671	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1672	\ifhv@onlyText
1673	\hv@longCap
1674	\else
1675	\ifx\hv@shortCap\@empty
1676	<pre>\captionof{\hv@floatType}{\hv@longCap}%</pre>
1677	\else
1678	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}% \ fi
1679 1680	\11 \fi
1680 1681	\ifx\hv@label\@empty\ else\label {\hv@label-cap}\fi
1682	\end{\hv@floatType*}%
1683	}%
1684	<pre>\ hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: afterpage done} %</pre>
1685	}
1686	
1687	\ def \do@hvFloat@doubleFULLPAGE@CaptionOther#1{%
1688	%
1689	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
	<pre>}% -0.5\paperheight+0.5\ht\hvObjectBox</pre>
1690	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1691	\global\savebox{\hv0bjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@float0bject\fi}%
1692	\thispagestyle{empty}%
1693	\hfuzz=\maxdimen
1694	\ global \savebox{\hvObjectBox}{\ifhv@useOBox\ usebox {\hvOBox}\ else \hv@floatObject\fi}% \clipbox*{0 \ depth {} \hv@leftPageObjectWidth{} \ height }{\ usebox \hvObjectBox}%
1695 1696	\ctipbox*{0 \nv@terrageobjectwidth{} \neignt}{\dsebox\nvobjectbox}%
1696 1697	\refstepcounter{hv@tempCNTfigA}%
1698	\else

1699		\refstepcounter{hv@tempCNTtabA}% before caption
1700		\fi Natal Objectation
1701		\label{\hv@label}%
1702 1703		% \if@twocolumn\ newpage \if@firstcolumn\ else\null\newpage\fi\fi
1703		\global\savebox{\hv0bjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@float0bject\fi}%
1701		\thispagestyle{empty}%
1706		\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
		<pre>lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox</pre>
1707		\ hspace *{\hv@tempWidthA}%
1708		<pre>\clipbox*{\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox\</pre>
		hv0bjectBox}%
1709		\ifx\hv@floatType\hv@figure
1710 1711		<pre>\refstepcounter{hv@tempCNTfigB}% \else</pre>
1711		\refstepcounter{hv@tempCNTtabB}% before caption
1713		\fi
1714		\expandafter\label\expandafter{\hv@label-2}%
1715		\savebox\hvCaptionBox{\ parbox {0.9\ ht \hvObjectBox}{\captionof*{\hv@floatType}{\hv@longCap}}}%
1716		\ ifnum#1 > 0\ relax % rotation with 90°
1717	%	\setlength\hv@tempWidthB{\dimexpr\ht\hvCaptionBox+\wd\hvObjectBox+2\hvSet@bindCorrection}%
1718		\ ifdim \hv@tempWidthB < 2\ paperwidth
1719	٥,	<pre>\rotatebox[origin=lb]{90}{\makebox[\paperheight][c]{\parbox{0.8\ht\hvObjectBox}{% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1720 1721	90	\ifhv@onlyText
1721		\hv@longCap
1723		\else
1724		\ ifx \hv@shortCap\@empty
1725		<pre>\captionof{\hv@floatType}{\hv@longCap}%</pre>
1726		\else
1727		<pre>\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%</pre>
1728		\fi \fi
1729 1730		}}% rotatebox
1730		\ifx\hv@label\@empty\ else\label {\hv@label.cap}\fi
1732		\else % ifdim: no space left on page
1733		<pre>\put(-2\ht\hvCaptionBox,0.5\ht\hvObjectBox){\makebox(0,0){\rotatebox{90}{\minipage{\textwidth}\</pre>
		centering
1734		\parbox{0.8\textwidth}{%
1735		\ifhv@onlyText
1736		\hv@longCap \ else
1737 1738		\ifx\hv@shortCap\@empty
1739		\captionof{\hv@floatType}{\hv@longCap}%
1740		\else
1741		\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1742		\fi
1743		\fi
1744		}% \ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1745 1746		<pre>\IIX\nv@label\@empty\else\label{\nv@label-cap}\TI \endminipage}}}%</pre>
1740		\fi
1748		\else% ifnum, caption not rotated, under or over the right page
1749		\setlength\hv@tempWidthA{\dimexpr\ paperheight -\ ht \hvObjectBox}%
1750		\ ifdim \hv@tempWidthA > \ ht \hvCaptionBox
1751		\else
1752		<pre>\put(\the\dimexpr1.5\paperwidth-\wd\hvObjectBox-\hvSet@bindCorrection,\the\dimexpr\ht\ hvCaptionBox+\abovecaptionskip+\belowcaptionskip){\makebox[0pt][c]{\parbox{\textwidth}{%</pre>
1753	%	\expandafter\captionsetup\expandafter{\hv@caption@format}%
1754		\ifhv@onlyText
1755 1756		\hv@longCap \ else
1756		\ ifx \hv@shortCap\@empty
1758		\captionof{\hv@floatType}{\hv@longCap}%
1759		\else
1760		<pre>\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%</pre>
1761		\fi

1762	\fi
1763	}}}%
1705	
1764	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\fi
1765	\fi
1766	\fi% end \ifnum#1>0
1767	\ newpage \if@twocolumn\ null\newpage\fi
1768	}%
1769	}%
1770	}
1771	
1772	
1773	\def%
1774	\ begin {\hv@floatType}[!b]%
1775	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1776	\ifhv@separatorLine\drawSepLine\fi
1777	\par
1778	\usebox\hvCaptionBox
1779	\end{\hv@floatType}%
1780	}
1781	
1782	\def\setPage0bject{%
1783	\ifhv@star
1784	\ begin {\hv@floatType*}[p]%
1785	\else
1786	\ begin {\hv@floatType}[p]%
	\fi
1787	
1788	\hfuzz=\maxdimen
1789	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1790	\ifhv@FULLPAGE
1791	<pre>\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep}%-0.5\baselineskip%</pre>
1792	\checkoddpage
1793	\if@twoside
1794	\ifoddpage
1795	\hspace *{\ the \dimexpr-\ oddsidemargin -\ parindent -lin}%
1796	\else
1797	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1798	\fi
1799	\else
1800	<pre>\hspace*{\the\dimexpr-\oddsidemargin-\parindent-lin}%</pre>
1801	\fi
1802	\AtBeginShipoutNext{\ thispagestyle {empty}}%
1803	\ usebox \hv0bjectBox
1804	\else
1805	\ usebox \hvObjectBox
1806	\fi
1807	\ifhv@star
1808	\ end {\hv@floatType*}%
1809	\else
1810	\end{\hv@floatType}%
1811	\fi
1812	}
1813	
	\ExplSyntaxOn
1814	
1815	
1816	\ def %
1817	\qlobal\sbox\hvCaptionBox{\minipage[b]{\linewidth}%
	<pre>\captionsetup{aboveskip=\z@, belowskip=\z@, position=below, parbox=none}%, skip=-lex}%</pre>
1818	
1819	\expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1820	\parskip=-0.5\baselineskip
1821	\hv@cntb=\clist count:N\l clist Type
1822	\advance\hv@cntb by \@ne
1823	\hv@cnta=1
1824	\loop
1825	\ edef \@captype{\clist item:Nn\l clist Type{\hv@cnta}}%
1826	\edef\@tempa{\clist_item:Nn\l_clist_LofCaption{\hv@cnta}}%
1827	\ ifx \@tempa\@empty
1828	\ caption {\clist item:Nn\ l clist Caption{\hv@cnta}}%

1829	\else
1830	\ expandafter\caption\expandafter [\@tempa]{\clist_item:Nn\l_clist_Caption{\hv@cnta}}%
1831	\fi
1832	\edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@cnta}}%
1833	\ifx\@tempa\@empty
1834 1835	<pre>\else \expandafter\label\expandafter{\clist item:Nn\l clist Label{\hv@cnta}-cap}\fi</pre>
1835	\advance\hv@cnta by \@ne
1837	\ifnum\hv@cnta<\hv@cntb
1838	\repeat
1839	\vspace{-\baselineskip}% no vspace at the end
1840	\endminipage}%
1841	}
1842	
1843	\def%
1844	\global\sbox%
1845	\ifhv@vFill
1846 1847	<pre>\minipage[b][\textheight][s]{\columnwidth}% \else</pre>
1848	\minipage{\columnwidth}%
1849	\fi
1850	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1851	\ ifx \hvSet@objectPos\hv@Right\ raggedleft\else
1852	\ ifx \hvSet@objectPos\hv@Left\ raggedleft\else
1853	\ ifx \hvSet@objectPos\hv@Center\ centering
1854	\fi\fi
1855	<pre>\hv@cntb=\clist_count:N\L_clist_Type }</pre>
1856	\advance\hv@cntb by \@ne \hv@cnta=1
1857 1858	
1859	\ def \@temp{\clist item:Nn\ l clist Object{\hv@cnta}}%
1860	\ifhv@objectFrame\frame{\@temp}\else\@temp\fi
1861	\ edef \@tempa{\clist_item:Nn\l_clist_Label{\hv@cnta}}%
1862	\ edef \@tempb{\clist_item:Nn\ l _clist_Type{\hv@cnta}}%
1863	\edef\@captype{hv@p\@tempb}%
1864	\ifx\@tempa\@empty
1865	\else
1866 1867	\ refstepcounter {\@captype}% \ expandafter\label\expandafter {\clist item:Nn\ l clist Label{\hv@cnta}}%
1868	\fi
1869	\ ifnum \hv@cnta<\clist_count:N\ l clist_Type\ par \hv@vskip\ fi
1870	\advance\hv@cnta by \@ne
1871	\ ifnum \hv@cnta<\hv@cntb
1872	\ifhv@vFill\ vfill\fi
1873	\repeat
1874	\endminipage}%
1875	}
1876 1877	\def% \global\sbox\hvCaptionBox{%
1878	\minipage{\linewidth}%
1879	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1880	\setlength\belowcaptionskip{5pt}%
1881	\setlength\abovecaptionskip{0pt}%
1882	\ xdef \@captype{\clist_item:Nn \l_ clist_Type{1}}% <i>the same for all subfloats</i>
1883	<pre>\edef\@tempa{\clist_item:Nn\l_clist_LofCaption{1}}%</pre>
1884	\ifx\@tempa\@empty
1885 1886	<pre>\caption{\clist_item:Nn\l_clist_Caption{1}}% \else</pre>
1886	\expandafter\caption\expandafter[\@tempa]{\clist item:Nn\l clist Caption{1}}%
1888	\fi
1889	\ edef\@tempa{\clist_item:Nn\l_clist_Label{1}}%
1890	\ifx\@tempa\@empty\else\expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{1}-cap}\fi
1891	\endminipage}%
1892	}
1893	\dof\actMultiCubObjectAndLabel [%
1894	\def% \global\sbox%
1895	(growar/swow /πνυμβειτουχίω

1896	\expandafter \hvFloatSet\ expandafter {\hv@save@setting}%	
1897	\ifhv@vFill	
1898	\minipage[b][\textheight][s]{\columnwidth}%	
1899	\captionsetup{belowskip=0pt}%	
1900	\else	
1901	\minipage{\columnwidth}%	
1902	\fi	
1903	% \ifx\hv@subcaption@format\@empty\else	
1904	% \expandafter	
1905	<pre>% \captionsetup\expandafter[\expandafter s\expandafter u\expandafter b\expandafter]\expandafter</pre>	
1906	% {\hv@subcaption@format}%	
1907	% \fi	
1908	\ifx\hvSet@objectPos\hv@Right\raggedleft\else	
1909	\ifx\hvSet@objectPos\hv@Left\raggedleft\else	
1910	\ifx\hvSet@objectPos\hv@Center\centering	
1911	\fi\fi	
1912	\hv@cntb=\clist_count:N\l_clist_Caption	
1913	\ advance \hv@cntb by \@ne	
1914	\hv@cnta=2	
1915	\edef \@captype{\clist_item:Nn\ l _clist_Type{1}}% <i>the same for all subfloats</i>	
1916	\ ifx \@tempa\@empty	
1917	\else	
1918	% \refstepcounter{\@captype}%	
1919	<pre>% \expandafter\label\expandafter{\@tempa}%</pre>	
1920	\fi	
1921	\loop	
1922	\ def \@temp{\clist_item:Nn l _clist_Object{\hv@cnta}}%	
1923	\ifhv@objectFrame\ frame {\@temp}\ else \@temp\ fi	
1924	\begingroup	
1925	\ edef \@tempa{\clist_item:Nn\ l _clist_LofCaption{\hv@cnta}}%	
1926	\ ifx \@tempa\@empty	
1927	\subcaption{\clist_item:Nn\l_clist_Caption{\hv@cnta}}%	
1928	\else	
1929	\ expandafter \subcaption\ expandafter [\@tempa]{\clist_item:Nn\ l _clist_Caption{\hv@cnta}}%	
1930	\fi	
1931	<pre>\edef\@tempa{\clist item:Nn\l clist Label{\hv@cnta}}%</pre>	
1932	\ifx\@tempa\@empty	
1933	\else	
1934	\ expandafter\label\expandafter {\clist item:Nn\ l clist Label{\hv@cnta}}%	
1935	\fi	
1936	\endgroup	
1937	\ ifnum \hv@cnta<\clist count:N\ l clist Type\ par \hv@vskip\ fi	
1938	\advance\hv@cnta by \@ne	
1939	\ ifnum \hv@cnta<\hv@cntb	
1940	\ifhv@vFill\ vfill\fi	
1941	\repeat	
1942	\ edef \@tempa{\clist item:Nn\ l clist Label{1}}% the main label at the end	
1943	\ifx\@tempa\@empty	
1944	\else	
1945	\ edef \@temp{hv@p\@captype}%	
1946	\refstepcounter{\@temp}%	
1947	\expandafter\label\expandafter{\@tempa}%	
1948	\fi	
1949	\endminipage}%	
1950	}	
1951	- /ExplSyntaxOff	
1952		
1953	\ def %	
1954	\global\sbox\hvCaptionBox{\minipage{\linewidth}%	
1951	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%	
1956	\setlength\belowcaptionskip{5pt}%	
1957	\setlength\abovecaptionskip{Opt}%	
1958	\ifhv@onlyText	
1959	\hv@longCap	
1960	\else	
1961	\ edef \@captype{\hv@floatType}%	
1962	\expandafter\ifx\expandafter\relax\hv@shortCap\relax	

1963	\caption{\hv@longCap}%
1964	\else
1965	\caption[\hv@shortCap]{\hv@longCap}%
1966	\fi
1967	\fi
1968	<pre>\ifx\hv@label\@empty\else\label{\hv@label-cap}\fi</pre>
1969	\endminipage}%
	}
1971) define the object #1 (0) first section they shirt #1 theofilest Term
1972	\def\set@caption@object#1{% first caption, then object #1=\hv@floatType
1973	\ifhv@multiFloat
1974	\setcounter{hv@pfigure}{\value{figure}}%
1975	<pre>\setcounter{hv@ptable}{\value{table}}% \getMultiCaptionAndLabel</pre>
1976	\else
1977	\ifhv@subFloat
1978 1979	\setcounter{hv@pfigure}{\value{figure}}%
	\setcounter{hv@ptable}{\value{tighe}%
1980 1981	\getMultiSubCaptionAndLabel
1981	\else
1982	\getSingleCaptionAndLabel
1984	\fi
1985	\fi
1986	\ edef \@captype{hv@p#1}%
1987	\ifhv@multiFloat
1988	\getMultiObjectAndLabel
1989	\else
1990	\ifhv@subFloat
1991	\getMultiSubObjectAndLabel
1992	\else
1993	\ global\sbox %
1994	\ refstepcounter {\@captype}%
1995	\ifhv@objectFrame\ frame {\hv@floatObject}\ else \hv@floatObject\fi
1996	\ expandafter\ifx\expandafter\relax \hv@label\ relax
1997	\else
1998	\ expandafter\label\expandafter {\hv@label}%
1999	\fi
2000	}%
2001	\fi
2002	\fi
2003	}
	%
2005	\endinput