Package hvfloat Controlling captions, fullpage and doublepage floats ver 2.41


Herbert Voß*

September 1, 2022

The package hvfloat defines a macro to place objects and captions of floats in different positions with different rotating angles.

All objects and captions are framed on the first pages, which is only for some demonstration here and has no additional sense!

To compare the place of the definition of the floating objects in the source and the output a marginnote float is set into the margin. This is done also only for demonstration!



*hvoss@tug.org

Thanks to Karl Berry, Frank Mittelbach, Rolf Niepraschk

Contents

Contents

1	The package options	7
2	The Macros and optional arguments	
3	The default use of floating environments	9
4	Caption width 4.1 Default – natural width	10 10 11 12 12
5	Caption left or right of the object5.1Caption right with specific length5.2Caption left and rotated	12 12 13
6	Caption inner or outer	14
7	Vertical Position of the Caption	16
8	Caption format	17
9	Horizontal Position of the Float	18
10	Wide floats	20
11	The star version \hvFloat*	22
12	2 Full Page Width in Landscape Mode 2	
13	3 The nonFloat Option 2	
14	Tabulars as Objects	27
15	Text and objects	27
16	Environment hvFloatEnv	29
17	Full page objects in onecolumn mode 17.1 Using the textarea 17.1.1 Using the default or capPos=before 17.1.2 Using capPos=after 17.1.3 Using capPos=evenPage — caption on an even page 17.1.4 Using capPos=oddPage — caption on an odd page 17.1.5 Using capPos=inner or capPos=outer — caption on the inner or outer side 17.2 Using the paper size 17.3 Multifloats	 29 30 31 33 34 35 35 36 38
18	Subfloat page	40

19	Full	page objects in twocolumn mode	42
	19.1	Default setting	42
		19.1.1 Using capPos=after	43
		19.1.2 Using capPos=evenPage — caption on an even page	45
		19.1.3 Using capPos=oddPage — caption on an odd page	46
		19.1.4 Using capPos=inner – caption in the inner column	47
		19.1.5 Using capPos=outer — caption on the outer column	48
	19.2	Using full page in twocolumn mode	49
	19.3	Multifloats	50
20	Subf	float page	51
21	Dou	blepage objects – images and/or tabulars	54
	21.1	doubleFULLPAGE	54
	21.2	doublePAGE	76
	21.3	doublePage	80
	21.4	Tabulars	92
22	Refe	erences to the page	95
23	Defi	ning a style	96
24	Gloł	oal float setting	96
25	The	Package Source	103

List of Tables

1	The Caption without sense	7		
2	The optional keywords for the macro \hvFloat	8		
3	With the only Option capPos=top to place the caption on top of the table, which			
	is often the default.	10		
4	Demonstration of the use0Box Parameter	27		
5	Demonstration of the use0Box Parameter	28		
6	A caption for a nice table	29		
7	A caption for a nice table	29		
8	Valid optional arguments for a full page object	31		
9	A doublepage tabular with a caption on the right side of the right part	95		

List of Figures

1	What a nice Caption :-)
2	Without any keywords (only the fbox package option)
3	Default caption width setting, which is the natural width with respect to the
	current linewidth
4	Caption right beside with a <i>natural</i> width, which is given by the width of the
	object, the separation between object and caption, and the current linewidth 11
5	Caption below with a width of 0.9 of the current line width (column width),
	which is in this special case 376.42744pt. Divide it by 28.82 to get cm 11
6	Caption right beside with a width setting of 0.9\linewidth which is too big for
	this example and therefore corrected by the macro to the maximal width 12
7	Caption below with a width of the given object which may be a problem if it is
	a very small object
8	Caption beside with a width of the given object height which may be a problem
	if it is a very small object
9	Caption beside object and vertically centered
10	Centered Caption beside Object 14
11	Caption vertically centered right beside the float with a caption width of the
	height of the image and a rotation of the caption and the object
12	Centered Caption on the inner side 15
13	Centered Caption on the inner side 15
14	Centered Caption beside Object 15
15	Centered Caption beside Object 16
16	Caption at bottom right beside the float
17	Caption at top left beside the float
18	Caption centered right beside the float 17
19	Hello, here is some text without a meaning. This text should show what a
	printed text will look like at this place. If you read this text, you will get no
	information. Really? Is there no information? Is there a difference between
	this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind
	text like this gives you information about the selected font, how the letters are
	written and an impression of the look. This text should contain all letters of the
	alphabet and it should be written in of the original language. There is no need
	for special content, but the length of words should match the language. 18
20	Caption at top right beside the float and object position left

21	Caption at top right beside the float and object position left	19
22	Caption at top left beside the float and object position right	19
23	Caption at top right beside the float and object position left and the option wide.	20
24	Caption at top left beside the object and object position left and the option wide.	20
25	Caption at top and inner beside the float and object position right and the option	
	wide	21
26	Caption at top inner beside the float and object position right and the option wide.	21
27	Caption at top inner beside the float and object position right and the option wide.	21
28	Hello, here is some text without a meaning. This text should show what a	
	printed text will look like at this place. If you read this text, you will get no	
	information. Really? Is there no information? Is there a difference between	
	this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind	
	text like this gives you information about the selected font, how the letters are	
	written and an impression of the look. This text should contain all letters of the	
	alphabet and it should be written in of the original language. There is no need	
	for special content, but the length of words should match the language.	22
29	Output of default1s2c (pages 2 -5)	23
30	Object and Caption in landscape mode	24
31	Rotated Caption in Landscape	25
32	Nonfloat Captions	26
33	Output of fullpage1s2c (pages 1-8)	30
34	Output of default1s1c (pages 2–9)	32
35	Output of after1s1c (pages 2–9)	33
36	Output of even1s1c (pages 2-9)	34
37	Output of odd1s1c (pages 2-9)	35
38	Output of paper-default1s1c (pages 2–9)	36
39	Output of paper-after1s1c (pages 2–9)	37
40	Output of multi-default1s1c (pages 4-11)	39
41	Output of multi-after1s1c (pages 4-11)	39
42	Output of sub-default1s1c (pages 4–11)	41
43	Output of sub-after1s1c (pages 4-11)	41
44	Output of default2s2c (pages 2-9)	42
45	Output of left2s2c (pages 2–9)	43
46	Output of after2s2c (pages 2–9)	44
47	Output of right2s2c (pages 2–9)	44
48	Output of even2s2c (pages 2-9)	45
49	Output of odd2s2c (pages 2-9)	46
50	Output of inner2s2c (pages 2–9)	47
51	Output of outer2s2c (pages 2–9)	48
52	Output of paper-default2s2c (pages 2–9)	49
53	Output of paper-inner2s2c (pages 2–9)	50
54	Output of multi-default2s2c (pages 2-9)	51
55	Output of multi-inner2s2c (pages 2-9)	52
56	Output of sub-default2s2c (pages 2-9)	53
57	Output of sub-after2s2c (pages 2-9)	53
58	A doublepage image with a caption on the image	57
59	A doublepage image with a caption on the image	62

List of Figures

60	A caption for a double-sided image that will be placed on the right-hand part of	
	the illustration. The illustration begins on the left edge of the paper. No further	
	text is placed on the pages. A short form is used for the LOF. The parameter is	
	doubleFULLPAGE	65
61	A caption for a double-sided image that will be placed after the image. The	
	image begins on the left edge of the paper. No further text is placed on the	
	pages. A short form is used for the LOF. The parameter is doubleFULLPAGE	70
62	A caption for a double-sided image that will be placed before the image. The	
	image begins on the left edge of the paper. No further text is placed on the	
	pages. A short form is used for the LOF. The parameter is doubleFULLPAGE	73
63	A doublepage image with a caption below the right part	79
64	A doublepage image with a caption on the right side of the right part	83
65	A doublepage image with a caption on the right side of the right part	87
66	A doublepage image with a caption on the right side of the right part	91
67	Caption at bottom right beside the float with a caption width of 0.5 columnwidth.	96
68	A float which needs the complete paper width and height.	97

1 The package options

fbox	The objects and captions are put into a \fbox command, like in this documenta-
	tion. This doesn't make real sense and is only for some demonstration useful or
	for locating problems if images seems to have too much whitespace.
hyperref	Load package hyperref.
nostfloats	do not load package stfloats.

The length \belowcaptionskip is set by LATEX to 0pt and changed in hvfloat to the same value than \abovecaptionskip. This length can be changed to another value in the usual way with \setlength or \addtolength.

The following packages are loaded by hvfloat and the optional argument hypcap is passed to the packages caption and subcaption:

caption, subcaption, atbegshi, stfloats, floatpag, expl3, multido, graphicx, xkeyval, ifoddpage, and afterpage.

2 The Macros and optional arguments

The syntax for the macros and \hvFloatSetDefaults, \hvFloatSet, and \hvFloat is

```
\hvFloatSet{key=value list}
\hvFloatSetDefaults
\hvFloat* [Options] + {float type}{floating object} [short caption] {long caption}{label}
```

The star version is explained in section 11 on page 22 and 19.2 on page 49 and the optional **⊞**is explained in section 17.3 on page 38.

\hvFloatSet allows the global setting of keywords and \hvFloatSetDefaults sets all keywords to its default value as shown in Table 2 on the next page.

If \hvFloat has an empty second parameter <float type>, then \hvFloat switches by default to a nonfloat (see table 2) object, which is not important for the user. All other parameters may also be empty and the short caption as second optional parameter missing. This one is as usual the caption for the \listoffigures.

There are some more macros defined, more or less for internally use in hvfloat, but they can be used for own purposes.

```
\figcaption [short caption text] {caption text}
\tabcaption [short caption text] {caption text}
\tabcaptionbelow[short caption text] {caption text}
```

They are used for the nonFloat keyword, where these macros write captions in the same way but outside of a float environment. The default caption cannot be used here. It is no problem to use the \tabcaption command to place a caption anywhere, like here in an inlined mode:

Table 1: A Caption without any sense and any object

A label can be put inside the argument or after the command in the usual way, so that a reference to the not existing table 2 is no problem.

```
[...] It is no problem to use the \verb|\tabcaption|
command to place a caption anywhere,
like here in an inlined mode:
\tabcaption[The Caption without sense ...]%
```

2 The Macros and optional arguments

{A Caption without any sense and any
object}\label{dummy} A label can be put
inside the argument or after the command
in the usual way, so that a reference to
the not existing table~\ref{dummy} is no problem.

With the macro \hvDefFloatStyle one can define a style which can be used instead of the individual setting:

\hvDefFloatStyle{name}{setting}

Internally the style is saved in a macro named

There are the following keywords:

Keyword	Default	Description		
floatPos tbp		This is the same default placement setting as in standard LATEX; maybe not always the best setting.		
rotAngle	0	The value for the angle if both the object and the caption should be rotated together.		
capWidth	n	The width of the caption. Can be n for a natural width given by the current linewidth, w for the width of the object, n for the height of the object, or a scale factor for \columnwidth.		
capAngle	0	The integer value for the angle if the caption should be rotated. Positive is counter-clockwise.		
capPos	bottom	The position of the caption relative to the object. Possible values: before: <i>always</i> before (left) from the object. top: <i>always</i> on top of the object. left: <i>always</i> before (left) from the object, but on the same page in		
		twocolumn mode. after: <i>always</i> after (right) from the object.		
		bottom: <i>always</i> on the bottom of the object. right: <i>always</i> after (right) from the object, but on the same page in		
		<pre>twocolumn mode. inner: in twoside mode always typeset at the inner margin. outer: in twoside mode always typeset at the outer margin. evenPage: in twoside mode with fullpage objects always on an even</pre>		
		page. oddPage: in twoside mode with fullpage objects always on an odd page.		
capVPos	center	Only used when capPos=left right; in these cases, the caption can be verti- cally placed at the bottom, center or top.		
objectPos	center	Horizontal placement of the object relative to the document. Possible values are (l)eft, (c)enter, (r)ight.		
objectAngle	0	Integer value for the angle if the object should be rotated. Positive is counter- clockwise.		
floatCapSep	5pt	Additional space between the object and a left- or right-placed caption.		
use0Box	false	Instead of passing the object as a parameter to \hvFloat, with useOBox=true the contents of the predefined box \hvOBox is used.		
onlyText	false	The caption is printed as normal text with no entry in any list of		
nonFloat	false	The object isn't put in a floating environment, but printed as standard ter with an additional caption. The float counter is increased as usual and can be referenced.		
wide	false	The float can use \textwidth + \marginparwidth as horizontal width.		

Table 2: The optional keywords for the macro \hvFloat

Keyword Default		Description	
objectFrame	false	Put a frame with no separation around the float object.	
style	none	Use a defined style.	
capFormat	none	Define formatting options for \caption; see documentation of package	
		caption.	
subcapFormat	none	Define formatting options for \subcaption.	
fullpage	false	Use a complete column in twocolumn mode.	
FullPage	false	Use the full text area for the object.	
FULLPAGE	false	Use the full paper width/height for the object.	
doublePage	false	Use the text area on a doublepage with additional text.	
doublePAGE	false	Use the text area on a doublepage without additional text.	
doubleFULLPAGE	false	Use the paperwidth on a doublepage without additional text.	
vFill	false	Put a \vfill between every two objects in a multi- or subfloat.	
sameHeight	false	use the same text height on both pages for a doublePage object.	

3 The default use of floating environments

In this case there is no essential difference to the well known figure or table environment, f.ex.:

```
\begin{figure}
... object ...
\caption{...}% caption below the object
\end{figure}
```




Figure 2: Without any keywords (only the fbox package option)

Code for figure 2:

```
1 \hvFloat{figure}{\includegraphics{images/rose}}{Without any keywords (only the \texttt{fbox}
package option)}{fig:0}
```

Code for table 3:

```
1 \hvFloat[capPos=top]{table}{%
```

```
2 \begin{tabularx}{\textwidth}{>{\ttfamily}l|l|X}
```

```
3 \rmfamily Name & Type & Description\\\hline
```

```
4 \CMD{hvFloat} & command & places object and caption in different ways\\
```

 $_{\rm 5}$ hvFloatEnv & environment & places object and caption exactly Here\\

```
7 \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
```

```
8 \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\
```

```
9 \CMD{hvDefFloatStyle} & command & define a user style
```

```
10 \end{tabularx}}%
```

Tab. 3

4 Caption width

Table 3: With the only Option capPos=top to place the caption on top of the table, which is often the default.

Name	Туре	Description
\hvFloat	command	places object and caption in different ways
hvFloatEnv	environment	places object and caption exactly Here
\figcaption	command	writes a figure caption in a non floating environment
\tabcaption	command	writes a table caption in a non floating environment
\hvFloatSetDefaults	command	sets all options to the defaults
\hvDefFloatStyle	command	define a user style

11 {With the only Option \texttt{capPos=top} to place the caption on top of the table, which is
 often the default.}%

12 {tab:0}

See section 14 for some more informations about tabulars as objects.

4 Caption width

4.1 Default - natural width

The default setting is the natural width of a paragraph with respect to the current linewidth or columnwidth for a caption below or above an object. It behaves in the same way as a caption set by one of the default floating environments like figure or table:

- 1 \hvFloat[floatPos=!htb]{figure}{\includegraphics{images/rose}}%
- 2 {Default caption width setting, which is the natural width with respect to the current linewidth.}{fig:width0}




Figure 3: Default caption width setting, which is the natural width with respect to the current linewidth.

For the following examples the package option fbox is disabled. All frames are now set with the macro \frame or the optional keyword objectFrame.

For a caption beside an object, the *natural* caption width (without the optional argument wide) is given by the current linewidth minus the width of the object and the space between object and caption, which is set by floatCapSep (see Table 2 on page 8).

- 1 \hvFloat[floatPos=!htb,capPos=after,objectFrame]{figure}{\includegraphics[scale=1.5]{images/ rose}}%
- the separation between object and caption, and the current linewidth.}{fig:width1}




Figure 4: Caption right beside with a *natural* width, which is given by the width of the object, the separation between object and caption, and the current linewidth.

4.2 Relative linewidth

With capWidth=<number> the caption width is set to <number>\columnwidth. For captions at the bottom or on top of objects the setting is not checked if <number> is greater than 1.

- 1 \hvFloat[floatPos=!htb,capWidth=0.9]{figure}{\includegraphics{images/rose}}%
- 2 {Caption below with a width of 0.9 of the current line width (column width), which is
- in this special case \the\linewidth. Divide it by 28.82 to get cm.}{fig:width2}

Fig. <mark>5</mark>




Figure 5: Caption below with a width of 0.9 of the current line width (column width), which is in this special case 376.42744pt. Divide it by 28.82 to get cm.

If such a value like 0.9\linewidth is used for a caption beside an object, then the macro does a test if the space beside the object is less equal the defined caption width. If not then the width is set to the possible value between object and margin:

```
1 \hvFloat[floatPos=!htb,
2 capPos=after,
3 capWidth=0.9]{figure}{\includegraphics[scale=1.5]{images/rose}}%
4 {Caption right beside with a width setting of \texttt{0.9\textbackslash linewidth}
5 which is too big for this example and therefore corrected
6 by the macro to the maximal width.}{fig:width3}
```

5 Caption left or right of the object




Figure 6: Caption right beside with a width setting of 0.9\linewidth w for this example and therefore corrected by the macro to the maxima

4.3 Identical object and caption width

With capWidth=w the caption width is like the object width which makes only real sense if you have a lot of identical images with respect to its widths.

- 1 \hvFloat[floatPos=!htb,capWidth=w]{figure}{\includegraphics[width=0.5\linewidth]{images/CTAN}}%
- $_2$ {Caption below with a width of the given object which may be a problem
- 3 if it is a very small object.}{fig:width4}




Figure 7: Caption below with a width of the given object which may be a problem if it is a very small object.

4.4 caption width to height of the object

With capWidth=h the caption width is like the object height which makes only real sense if you want to put a rotated caption beside the object.

- 1 \hvFloat[floatPos=!htb,capPos=after,capWidth=h,capAngle=90,objectFrame]{figure}{\
 includegraphics{images/rose}}%
- {Caption beside with a width of the given object height which may be a problem
- if it is a very small object.}{fig:width5}

Fig. 8


2

5 Caption left or right of the object

By default the caption is set on the left side of the object. If the caption and the object are set side by side, then the keyvalue before is identical to the setting left.

5.1 Caption right with specific length

Code for figure 9:



- 1 \hvFloat%
- 2 [floatPos=htb,
- 3 capPos=right,
- 4 objectFrame,
- 5 objectPos=c]{figure}{\includegraphics[scale=0.9]{images/rose}}%
- 6 [Caption beside object and vertically centered]%
- 7 {Caption vertically centered right beside the float with a natural caption width
- 8 (the default). \blindtext}%
- 9 {fig:1}




Figure 9: Caption vertically centered right beside the float with a natural caption width (the default). Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.


5.2 Caption left and rotated

Code for figure 10:

```
\hvFloat%
1
      [floatPos=htb,
2
      capPos=left,
3
      capWidth=h,% of \columnwidth
4
5
      capAngle=90,
6
      objectFrame
     ]{figure}{\includegraphics{images/rose}}%
7
      [Centered Caption beside Object]%
8
     {Caption vertically centered left beside the float with a caption width
9
      of \texttt{capWidth=h}, which is the height of the object.}{fig:2}
10
```

It is no problem to rotate the object, too. But with a different angle value than for the Fig. 10 caption. Do not ask for the sense, it is only a demonstration of what is possible ... The object (image) is rotated by -30 degrees with the macro \rotatebox. Without any definition the caption will be placed vertically centered to the object. Important for the height of the object is the surrounding orthogonal rectangle.

Fig. ¶loat capPos=right



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 11:

1	\hvFloat[%
2	capWidth=h,
3	capPos=after,
4	capAngle=180,
5	objectAngle=90,
6	capVPos=center,
7	objectPos=center]{figure}{\ frame {\includegraphics{images/rose}}}%
8	[Centered Caption beside Object]{%
9	{Caption vertically centered right beside the float with a caption width of the height
10	of the image and a rotation of the caption and the object.}{fig:3}






Figure 11: Caption vertically centered right beside the float with a caption width of the height of the image and a rotation of the caption and the object.

6 Caption inner or outer

Setting the caption position to *inner* or *outer* makes only sense for a document in twoside mode. For a oneside document *inner* is the same as *left* and *outer* is the same as *right*. We show only the code for the first image with the setting capPos=inner, whereas the second one chooses only capPos=outer.

Code for figure 12:

- 1 \hvFloat[capPos=inner]{figure}{\includegraphics{images/rose}}%
- 2 [Centered Caption on the inner side]{%
- 3 Caption set with the parameter setting \texttt{capPos=inner}, which will be
- a caption on the right side for an even page and on the left side for

15

an odd page.}{fig:20}

5

Figure 12: Caption set with the parameter setting capPos=inner, which will be a caption on the right side for an even page and on the left side for an odd page.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Now the same Image with capPos=outer. The current pagenumber is 15, an odd page. We now set a pagebreak at the end of the second image to see if it works with inner/outer.

- \hvFloat[capPos=outer]{figure}{\includegraphics{images/rose}}% 1
- [Centered Caption on the inner side] {% 2
- Caption set with the parameter setting \texttt{capPos=outer}, which will be 3
- a caption on the right side for an even page and on the left side for 4
- an odd page.}{fig:20b} 5

Figure 13: Caption set with the parameter setting capPos=outer, which will be a caption on the right side for an even page and on the left side for an odd page.

> Figure 14: Caption at the bottom right beside the float with a caption width of 0.5\columnwidth and and capPos=outer.







7 Vertical Position of the Caption

We have an even page, the reason why figure 13 has the caption for *inner* on the left side and figure 14 for *outer* on the right side.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Code for figure 15:

1	\hvFloat[%
2	capWidth=0.5,% <i>of</i> \ <i>columnwidth</i>
3	capPos=inner,% ====> INNER
4	capAngle=θ,
5	capVPos=bottom,
6	objectPos=center]{figure}{\includegraphics{images/rose}}%
7	[Centered Caption beside Object]{%
8	Caption vertically centered right beside the float with a caption
9	width of $texttt{0.5}textbackslash columnwidth} and texttt{capPos=outer} $

Fig. 15



Figure 15: Caption vertically centered right beside the float with a caption width of 0.5\columnwidth and capPos=outer

We have an even page, the reason why figure 12 has the caption for *inner* on the right side and figure 14 for *outer* on the left side.

7 Vertical Position of the Caption

The caption can be placed beside the object in the positions

```
(c)enter|(b)ottom|(t)op
```

The code for figure 16:

```
\hvFloat[%
1
        floatPos=htb,%
2
        capWidth=0.25,%
3
        capPos=right,%
4
        capVPos=bottom,%
5
  ]{figure}{\frame{\includegraphics{images/rose}}}{Caption at bottom right beside the float}{fig
6
        :4}
    The code for figure 17:
   \hvFloat[%
1
        floatPos=htb,
```

```
2 floatPos=htb,
3 capWidth=0.25,
```




Figure 16: Caption at bottom right beside the float

- 4 capPos=right,
- 5 capVPos=top,
- 6]{figure}{\frame{\includegraphics{images/rose}}}{Caption at top left beside the float}{fig:5}

Figure 17: Caption at top left beside the float




Fig. **17**

The code for figure 18:






Figure 18: Caption centered right beside the float

8 Caption format

The caption and subcaption macros are fully under the control of the package caption. The formatting can be set with the macros captionsetup, subcaptionsetup, or via the optional

9 Horizontal Position of the Float

argument setting of \hvFloat with the keywords capFormat and subcapFormat. The argument itself will then be used internally by \captionsetup and/or \subcaptionsetup in a minipage, the reason why it will be local to the current image..

```
1 \hvFloat[%
```

- 2 capPos=right,
- 3 capFormat={labelsep=newline,justification=RaggedRight,font={small,it},labelfont=bf}
- 4]{figure}{\frame{\includegraphics{images/rose}}}{\blindtext}{fig:66}

Fig. 19




Figure 19 Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

9 Horizontal Position of the Float

The caption is always near the object, only divided by the length \floatCapSep which can be set by the keyword of the same name floatCapSep. It accepts only a value with any allowed unit. The keyword objectPos refers always to the complete floating object: caption *and* object. The meaning of objectPos=left is: Put the object as far as possible to the left margin. If capPos=left is also used, then the caption is at the left margin followed by the object (see Figure 21 on the next page).

The code for figure 20:

```
1 \hvFloat[%
2 capWidth=0.25,
3 capPos=right,
4 capVPos=top,
5 objectPos=left,
6 objectFrame,
7 ]{figure}{\includegraphics{images/rose}}{%
```

Caption at top right beside the float and object position left}{fig:7}

Fig. 20




Figure 20: Caption at top right beside the float and object position left

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there

no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The same with capPos=left :

Figure 21: Caption at top right beside the float and object position left




Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 22:

- 1 \hvFloat[%
 2 capWidth=0.25,
 3 capPos=before,
 4 capVPos=top,
 5 objectPos=right,
- objectFrame,
- 7]{figure}{\includegraphics{images/rose}}{%
- 8 Caption at top leftt beside the float and object position right}{fig:8}

Figure 22: Caption at top left beside the float and object position right



Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of

Fig. 21

10 Wide floats

the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

10 Wide floats

With the optional argument wide the width of the defined \marginparwidth is added to the allowed horizontal width of the float.

The code for figure 23:

1 \hvFloat[wide,

2

4

6

- capPos=right,
- 3 capVPos=top,
 - objectPos=left,
- 5]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
- Caption at top right beside the float and object position left and
- 7 the option \texttt{wide}.}{fig:70}





Figure 23: Caption at top right beside the float and object position left and the option wide.

The code for figure 24:

- 1 \hvFloat[wide, 2 capPos=left, 3 capVPos=top, 4 objectPos=right, 5]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}% 6 {Caption at top left beside the object and object position left and
- the option \texttt{wide}.}{fig:80}

Figure 24: Caption at top left beside the object and object position left and the option wide.



For a twosided document it will place the object always in the margin.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[wide,
```


```
2 capPos=inner,
```

```
3 capVPos=top,
```

```
4 ]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
```

- $_{\rm 5}$ Caption at top and inner beside the float and object position right and
- 6 the option \texttt{wide}.}{fig:81}

Figure 25: Caption at top and inner beside the float and object position right and the option wide.




Now we set the same image with the same setting on the next page. The caption will change its side due to the setting capPos=outer .

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

- 1 \hvFloat[wide,
- 2 capPos=inner,
- 3 capVPos=top,
- 4]{figure}{\includegraphics[width=0.75\linewidth]{images/CTAN}}{%
- $_{\rm 5}$ Caption at top inner beside the float and object position right and
- 6 the option \texttt{wide}.}{fig:811}

Figure 26: Caption at top inner beside the float and object position right and the option wide.



The caption can be typeset completely into the margin with:

- 1 \captionsetup{justification=RaggedRight}
- 2 \hvFloat[wide,
- 3 capPos=outer,
- 4 capVPos=top,
- 5 floatCapSep=\marginparsep,
- 6]{figure}{\includegraphics[width=\linewidth]{images/CTAN}}{%
- 7 Caption at top inner beside the float and object position right and
- 8 the option \texttt{wide}.}{fig:812}




Figure 27: Caption at top inner beside the float and object position right and the option wide.

With the optional argument capWidth=1 the caption can be terminated to the current line width. With the optional argument capHPos=right one cat set the caption to the left, center, or right of the full width which is linewidth and margin width.

- 1 \hvFloat[capPos=bottom,capWidth=l,wide,capHPos=right]{figure}
 - {\includegraphics[width=0.49\hvWideWidth]{images/CTAN}\quad
 - \includegraphics[width=0.49\hvWideWidth]{images/CTAN}}
- 4 {\hvblindtext}

5 {label}

2

3




Figure 28: Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

11 The star version \hvFloat*

In the twocolumn mode the floating environment can be set over both columns with the star version \hvFloat*. The floating environment will not be on the bottom of the page. The code for the following example (Figure 29 on the facing page) is:

```
1 \hvFloat*[capPos=right]{figure}%
2 {\includegraphics{images/frose}}%
3 [A float with the default caption setting]%
4 {A default caption of a ``'' object with the default setting, which
5 is a ``left'' caption which means that it always appears before the object.
6 This can be an even or odd page. And some more text which has no
7 real meaning because it fills only the space for a long caption.}%
8 {fig:0}
```

The example shows on page 3 the star version and on page 4 the same without using the star.

12 Full Page Width in Landscape Mode

If you do not want to load the package lscape (or pdflscape) you can use the floatPos=p option to put the image on an own page and rotated by 90 degrees (figure 30).

Code for figure 30:

```
1 \hvFloat[%
2 floatPos=p,
```




Figure 29: Output of default1s2c (pages 2 -5)

```
3 capPos=bottom,
4 rotAngle=90,
5 objectPos=center,
6 ]{figure}{\includegraphics[width=0.9\textheight]{images/CTAN}}%
7 [Object and Caption in landscape mode]{%
8 Caption and object in landscape mode. \blindtext}{fig:9}
```

The float can also be put to the left or to the right (above/below in landscape) with the objectPos=l parameter


Hello, here is some text without a meaning. This text should show what a printed text Fig. 30 will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

The code for figure 31:


1	\hvFloat[%
1	
2	floatPos=p,
3	capWidth=h,
4	capPos=right,
5	objectAngle=90,
6	capAngle=-90,
7	objectPos=left,
8]{figure}{\includegraphics[width=\ textheight]{images/CTAN}}%
9	[Rotated Caption in Landscape]{%
10	Caption right beside the float and object position left. The caption rotated by -90
11	<pre>degrees.\blindtext}{fig:10}</pre>

Hello, here is some text without a meaning. This text should show what a printed text Fig. 31 will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest







text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is

Figure 31: Caption right beside the float and object position left. The caption rotated by -90 degrees. Hello, here is some text without a meaning. This

13 The nonFloat Option


gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

13 The nonFloat Option

Sometimes it is better to put a "float" in a specific position of the page. This is possible with the nonfloat package and the keyword nonFloat.

```
Some nonsense text before the following \emph{non floating} object.
1
2
   \hvFloat[%
3
        nonFloat,
4
        capWidth=0.25,
5
        capPos=right,
6
        capVPos=bottom,
7
        objectPos=center,
8
        objectFrame,
9
   ]{figure}{\includegraphics[scale=1.5]{images/rose}}%
10
11
         [Nonfloat Captions] {%
         Caption of a ``nonfloat'' Object, using the \texttt{nonfloat} Package}{fig:11}
12
13
   Some nonsense text after the preceding \emph{non floating} object.
14
```

Some nonsense text before the following non floating object.



Some nonsense text after the preceding *non floating* object.

The image 32 is exactly placed where the command $\noindent here are only commands for figure and table environments:$

```
\newcommand{\figcaption}{\def\@captype{figure}\caption}
\newcommand{\tabcaption}{\def\@captype{table}\caption}
```

But it is no problem, to define more xxxcaption commands to support other with the float package defined new floats.

14 Tabulars as Objects

The object has to be passed as an parameter to the hvFloat macro. This is no problem with images but maybe with tables, so it is easier to use the box hvOBox to save the table in this box and pass it then to hvFloat with the useOBox option. For example see table 4 and 5:

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
\savebox{\hv0Box}{%
1
2
    \begin{tabular}{>{\small\ttfamily}l|l|l}\hline
3
     \rmfamily Name & Type
                                & Description\\\hline
                               & places object and caption in different ways\\
4
     \CMD{hvFloat} & command
     hvFloatEnv & environment & places object and caption exactly Here\\
5
     \CMD{figcaption} & command & writes a figure caption in a non floating environment\\
6
     \CMD{tabcaption} & command & writes a table caption in a non floating environment\\
7
     \CMD{hvFloatSetDefaults} & command & sets all options to the defaults\\\hline
8
    \end{tabular}%
9
10
```

The code for table 4 and 5 is:

```
\hvFloat[%
1
     floatPos=!hb,
2
     capPos=top,
3
     useOBox=true]{table}{}{Demonstration of the \texttt{useOBox} Parameter}{table:1}
4
5
   \hvblindtext
6
   \marginnote{Tab.~\ref{table:2}}
8
   \hvFloat[%
9
     floatPos=hb,
10
     useOBox=true.
11
     objectAngle=90,
12
     capPos=right,
13
     capVPos=top,
14
     capWidth=0.3]{table}{}{Another demonstration of the \texttt{use0Box} Parameter}{table:2}
15
```

In this case leave the third parameter empty.

 Table 4: Demonstration of the use0Box Parameter

Tab. 4

Tab. 5

Name	Туре	Description
\hvFloat	command	places object and caption in different ways
hvFloatEnv	environment	places object and caption exactly Here
\figcaption	command	writes a figure caption in a non floating environment
\tabcaption	command	writes a table caption in a non floating environment
\hvFloatSetDefaults	command	sets all options to the defaults

15 Text and objects

With the onlyText keyword it is no problem to put some text beside an image without getting the caption title Figure/Table. The object still can be a floating one or a nonfloating if the nonfloat

Description	places object and caption in different ways	places object and caption exactly Here	writes a figure caption in a non floating environment	writes a table caption in a non floating environment	sets all options to the defaults	Table 5: Demonstration of the use0Box Parameter
Type	command	environment	command	command	command	
Name	\hvFloat	hvFloatEnv	\figcaption	\tabcaption	<pre>\hvFloatSetDefaults</pre>	


15 Text and objects

keyword is used.

The code for figure 15:

```
1 \hvFloat[%
2 onlyText=true,
3 capAngle=90,
4 capPos=right,
5 capVPos=top,
6 objectFrame,
```

- 7 capWidth=h]{}{\includegraphics{images/rose}}%
- 8 [``\texttt{onlyText}'' Caption]{%
- 9 Demonstration of the \texttt{onlyText} Parameter, which makes it
- 10 possible to put some text beside a floating object without getting
- a starting \texttt{Figure:} or \texttt{Table:}}{fig:text}



16 Environment hvFloatEnv

With the environment hvFloatEnv one can place an object exactly on that position where the environment is defined. For captions the use of \captionof is recommended:

```
\begin{hvFloatEnv}
1
   \captionof{table}{A caption for a nice table}
2
   \begin{tabular}{@{} l c r @{}}\hline
3
   left & center & right \\
4
   L
        & C
                 & R
                         \\\hline
5
   \end{tabular}
6
   \end{hvFloatEnv}
7
```

Table 6: A caption for a nice table

leftcenterrightLCR

The environment has an optional argument for setting the line width which is preset to \textwidth. The object is always centered.

```
\begin{hvFloatEnv}[0.5\textwidth]
1
   \captionof{table}{A caption for a nice table}
2
   \begin{tabular}{@{} l c r @{}}\hline
3
   left & center & right \setminus
4
   L
        & C
                  & R
                          \\\hline
5
   \end{tabular}
6
   \end{hvFloatEnv}
7
```

Table 7: A caption for a nice table

left center right L C R

17 Full page objects in onecolumn mode

For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceeding or following page. It is possible in oneside and twoside mode, but makes only real sense in the twoside mode. hvfloat defines three additional optional arguments for placing images in a complete column, page or paper:

```
\define@key{Gin}{fullpage}[true]{%
  \define@key{Gin}{FullPage}[true]{%
  \def\Gin@ewidth{\columnwidth}%
  \def\Gin@eheight{\textheight}%
  \def\Gin@eheight{\textheight}%
  \def\Gin@eheight{\textheight}%
  \def\Gin@eheight{liso}%
  }
}
\define@key{Gin}{FULLPAGE}[true]{%
  \def\Gin@eheight{\paperwidth}%
  \def\Gin@eheight{\paperheight}%
  \Gin@boolkey{false}{iso}%
}
```

Figure 33 shows the meaning of the optional arguments fullpage, FullPage, and FULLPAGE for \inclugegraphics [...] {*tiger*}.




Figure 33: Output of fullpage1s2c (pages 1-8)

17.1 Using the textarea

The setting capPos=evenPage (even) or capPos=oddPage (odd) page for a document in twocolumn mode makes no real sense. For a twosided document a setting like capPos=inner for inner or capPos=outer for outer margin makes more sense. For an image or table which needs the whole space of a page the caption can be printed at the bottom of the preceeding or following page. It is possible in oneside and twoside mode, but makes only real sense in the twoside mode. Without any additional argument the caption is set first and the object on the follwing page:

17.1.1 Using the default or capPos=before

Without any additional argument the caption is set first (left) at the bottom of the current page and the object on the following page. This is the same setting like capPos=left for a onecolumn document. For the twocolumn option it makes more sense to use the setting capPos=before if the caption and object can appear on different pages.

```
\hvFloat[fullpage]%
1
     {figure}%
2
     {\includegraphics[fullpage]{images/frose}}%
3
     [A fullpage float with the default caption setting]%
4
     {A default caption of a ``fullpage'' object with the default setting, which
5
      is a ``left'' caption which means that it always appears ``before'' the object.
6
      This can be an even or odd page. And some more text which has no
7
      real meaning because it fills only the space for a long caption.}%
8
     {fig:fullpage0}
```

Table 8: Valid optiona	l arguments for a	full page object.
------------------------	-------------------	-------------------

Name	Туре	Description
fullpage	true false	Put the caption on the bottom of the preceding or following page
		and the object alone a page.
FULLPAGE	true false	The same for full papersize objects over one or two columns. The
		pagestyle is set to empty
multiFloat	true false	For multiple objects with captions for every object. See sec-
		tion 17.3 on page 38.
subFloat	true false	For multiple objects with one main and more subcaptions. See
		section 18 on page 40.
separatorLine	true	Put a line with a predefined width of 0.4pt between the text and
		the caption. Only valid for the keyword fullpage.
capPos	value	caption before, after an object or on an evenPage or oddPage.

With this setting the caption is always placed *before* the following object. This maybe sufficient for a oneside document but not the best solution if this document is printed on a duplex machine. In such a case it may make sense to have the captions always on an even (left) page, even though the socument is typeset in a oneside mode. Figure 34 on the following page shows the output for a oneside document with a setting capPos=before.

Depending to the used documentclass it can be a problem, if the caption should be placed on the first page. In such a case use one of the other setting. Table 8 shows the valid optional arguments for a full page floating object.




Figure 34: Output of default1s1c (pages 2-9)

17.1.2 Using capPos=after

The caption will be printed always on the right side which is the same as *after* the full page object. The object appers immediately on the next page and the caption of the next following page at the bottom. There is no check for an even or odd page. This behaviour makes only sense for a oneside document.

- 1 \hvFloat[fullpage, capPos=after]%
- 2 {figure}%
- 3 {\includegraphics[fullpage]{images/frose}}%
- 4 [A float which needs the complete page width and height.]%
- 5 {A Caption of a ``fullpage'' object, which follows on the next page.
- $_{\rm 6}$ $\,$ $\,$ This can be an even or odd page. And some more text which has no
- 7 real meaning because it fills only the space for a long caption.}
- 8 {fig:fullpage1}




Figure 35: Output of after1s1c (pages 2–9)

17.1.3 Using capPos=evenPage – caption on an even page

With capPos=evenPage the caption will be printed on an even (left) page, the object will always be on an odd (right) page. This option makes only real sense for The twoside mode!

- \hvFloat[fullpage, capPos=evenPage]% 1
- {figure}% 2
- {\includegraphics[fullpage]{images/frose}}% 3
- 4
- [A float whith a caption on an even page (left)]%
 {A caption on an even (left) page of a ``fullpage'' object.. \blindtext} 5
- 6 {fig:fullpage3}




Figure 36: Output of even1s1c (pages 2-9)

17.1.4 Using capPos=oddPage – caption on an odd page

With capPos=oddPage the caption will be printed on an odd (right) page, the object will always be on an even (left) page, which is before the caption.

- 1 \hvFloat[fullpage, capPos=oddPage]%
- 2 {figure}%
- 3 {\includegraphics[fullpage]{images/frose}}%
- 4 [A float which needs the complete page width and height.]%
- $_{\rm 5}$ = {A Caption on an odd page of a ``fullpage'' object, which follows on the next page.
- ⁶ This can be an even or odd page. And some more text which has no
- 7 real meaning because it fills only the space for a long caption.}
- 8 {fig:fullpage2}



Figure 37: Output of odd1s1c (pages 2–9)

17.1.5 Using capPos=inner or capPos=outer – caption on the inner or outer side

These settings make no sense in onecolumn mode.

17.2 Using the paper size

It belongs to the user to create an object which fills the complete page. However, with the keyword FULLPAGE which is valis for \hvfloat *and* for the macro \includegraphics an image will be scaled to the paper dimensions \paperwidth and \paperheight. It can be used in one- and twocolumn mode!

- 1 \hvFloat[FULLPAGE]%
- 2 {figure}%

7

- 3 {\includegraphics[FULLPAGE]{frose.png}}%
- 4 [A fullpage float with the default caption setting]%
- 5 {A default caption of a ``fullpage'' object with the default setting, which
- is a ``left'' caption which means that it always appears before the object.
 - This can be an even or odd page. And some more text which has no
- 8 real meaning because it fills only the space for a long caption.}%
- 9 {fig:fullpage0}




Figure 38: Output of paper-default1s1c (pages 2-9)




Figure 39: Output of paper-after1s1c (pages 2-9)

17.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The syntax for multiple floats is

<pre>\hvFloat[Options] +{float type}{floating object}[short of the second secon</pre>	<pre>caption] {long caption}{label}</pre>
+{float type}{floating object}[short of	<pre>caption] {long caption}{label}</pre>
+	
+{float type}{floating object}[short of	<pre>caption] {long caption}{label}</pre>

The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```
\captionsetup{singlelinecheck=false}
1
   \hvFloat[fullpage,capPos=before,multiFloat,vFill]%
2
     +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%
                                                                                     no 1
3
      [Short caption A]%
4
      {A Caption A of a ``fullpage'' object, which follows on the left or
5
       right column. This can be an even or odd page. And some more text which has no
6
       real meaning because it fills only the space for a long caption.}%
7
8
      {ima:demo0}%
     +{table}{\begin{tabular}{lrcp{3cm}}\hline
                                                                                     no 2
9
                                                                       %
               Linksbündig & Rechtsbündig & Zentriert & Parbox\\\hline
10
               1
                                          & C & P\\
                          & R
11
               left
                                          & center & Text with possible linebreaks\\
                           & right
12
               \multicolumn{4}{c}{Multicolumn over all columns}\\\hline
13
              \end{tabular}}%
14
      [Short Caption B]%
15
      {A Caption B of a ``fullpage'' object, which follows on the left or
16
           right column. This can be an even or odd page.}{}%
17
18
     +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%
                                                                                      no 3
      {A Caption C of a ``fullpage'' object, which follows on the left or
19
20
         right column.}%
21
      {img:demo1}
     +{figure}{\includegraphics[width=\linewidth]{images/CTAN}}%%
                                                                                      no 4
22
      {A Caption C of a ``fullpage'' object, which follows on the left or
23
         right column.}%
24
      {img:demo2}
25
```

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to section 18 on page 40. The setting \captionsetup{singlelinecheck=false } is needed if you want the captions always left aligned.




Figure 40: Output of multi-default1s1c (pages 4-11)




Figure 41: Output of multi-afterlslc (pages 4-11)

18 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. The syntax is similiar to the one for a multifloat page:

```
\hvFloat[Options] +{float type}{<empty>}[short caption] {long caption}{label}
      +{<empty>}{floating object}[short caption] {long caption}{label}
      +...
      +{<empty>}{floating object}[short caption] {long caption}{label}
```

Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All aditional lines will have the same float type, the reason why the float type entry is ignored.

```
\hvFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
1
     +{figure}{}[Short main caption of the objects]% main short lsi entry
2
      {The main caption of a ``fullpage'' object, which follows on the left or
3
            right column. This can be an even or odd page. And some more text which has no
4
            real meaning because it fills only the space for a long caption.}% main caption
5
      {sub:demo0}%
6
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
7
      [Short caption B]%
8
      {A Caption B of a ``fullpage'' sub object.}% subcaption
9
      {}%
10
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
11
      {A Caption C of a ``fullpage'' object, which follows on the left or right column.}%
12
      {sub:demo1}
13
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
14
      {A Caption D of a ``fullpage'' object}{sub:demo2}
15
     +{}{\includegraphics[width=\linewidth]{images/CTAN}}%
16
      {A Caption E of a ``fullpage'' object}{sub:demo3}
17
```

The keyword subFloat defines the images or tabulars as subfloats. The package subcaption is loaded by default and should be activated with \captionsetup[*sub*][*singlelinecheck*].




Figure 42: Output of sub-default1s1c (pages 4–11)




Figure 43: Output of sub-afterls1c (pages 4-11)

19 Full page objects in twocolumn mode

The filenames always have a "2c" for two columns in its names, e.g. left2s2c indicates capPos=before and the documentclass setting twoside and twocolumn. Depending to the used documentclass it can be a problem, if the caption should be placed on the first page of the whole document. In such a case use one of the other setting. Table 8 on page 31 shows the valid optional arguments for a full page floating object.

19.1 Default setting

For the twocolumn mode the caption can be in the left (first) or right (second) column. With the default setting (without using the keyword capPos) it is equivalent to the setting capPos=before, the caption is always placed *before* (left of) the object. This can be the first or the second column and both can be on different pages. With capPos=before (uppercase L) it is possible to get the caption and the object in the twocolumn mode always on one page. This is then the left (first) column for the caption (see figure 44).




Figure 44: Output of default2s2c (pages 2-9)

```
\hvFloat[fullpage]{figure}%
1
     {\includegraphics[width=\columnwidth,height=0.9\textheight]{images/frose}}%
2
     [A float which needs the complete column width and height.]%
3
     {A Caption of a ``fullpage'' object, which follows on the next column.
4
5
      This is always the right column on an even or odd page. And some more
6
      text which has no real meaning because it fills only the space for a long
7
      caption.}%
     {fig:fullpage0-2}
8
```

The example 44 shows that the caption and the object can be on different pages. If you do not like this behaviour, then use the setting capPos=left , which puts the caption before the

<section-header><section-header><section-header><section-header><section-header><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text><text>

object, but always on the same page (see Figure 45).

Figure 45: Output of left2s2c (pages 2-9)


19.1.1 Using capPos=after


The caption will be printed always right of the object which is the same as *after* the full page object. With capPos=after it is possible to get the caption in the twocolumn mode always in the right (second) column (see figure 47 on the next page)

```
\hvFloat[fullpage, capPos=after]{figure}%
1
     {\includegraphics[fullpage]{images/rose}}%
2
     [A float which needs the complete column width and height.]%
3
     {A Caption of a ``fullpage'' object, which is on the left column.
4
5
      This is always the right column on an even or odd page. And some more
      text which has no real meaning because it fills only the space for a long
6
      caption.}%
7
     {fig:fullpage1-2}
8
```

The caption and the object can be on different pages (Figure 46 on the following page). If you do not like this behaviour, then use the setting capPos=right instead of capPos=after . Figure right2s2c shows that caption and object in this case are always on the same page.

19 Full page objects in twocolumn mode








Figure 47: Output of right2s2c (pages 2–9)

19.1.2 Using capPos=evenPage – caption on an even page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually \clearpage or wait for an update of hvfloat.




Figure 48: Output of even2s2c (pages 2-9)

19.1.3 Using capPos=oddPage - caption on an odd page

There can be a problem if there is not enough space on the bottom of the even page. Then the caption will be on the next page which is an odd one. In such a case use a manually \clearpage or wait for an update of hvfloat.




Figure 49: Output of odd2s2c (pages 2-9)

19.1.4 Using capPos=inner – caption in the inner column

The caption will be printed in the right column for an even page and in the left column for an odd page.

- 1 \hvFloat[fullpage,capPos=inner]{figure}{\includegraphics[fullpage]{images/rose}}%
- 2 [A float which needs the complete column width and height.]%
- $_3$ {A Caption of a ``fullpage'' object, which follows on the left or right column.
- $_{\rm 4}$ $\,$ $\,$ This can be an even or odd page. And some more text which has no
- real meaning because it fills only the space for a long caption.}{fig:fullpage3-2}




Figure 50: Output of inner2s2c (pages 2–9)

19.1.5 Using capPos=outer - caption on the outer column

The caption will be printed on the left column an odd page, the object can appear before or after this caption.

- 1 \hvFloat[fullpage, capPos=outer]{figure}%
- 2 {\includegraphics[fullpage]{images/rose}}%
- 3 [A float which needs the complete page width and height with \texttt{capPos=outer}.]%
- 4 {A Caption of a ``fullpage'' object, which has the caption position in the
- $_{\rm 5}$ $\,$ outer page. This can be an even or odd page. And some more text which has no
- 6 real meaning because it fills only the space for a long caption.}{fig:fullpage2-2a}




Figure 51: Output of outer2s2c (pages 2-9)

19.2 Using full page in twocolumn mode

With the star version of \hvfloat The object ist placed over both columns, the whole page. In such a case the only useful caption position is capPos=inner for *inner*.

- 1 \hvFloat*[fullpage, capPos=inner]{figure}%
- 2 {\includegraphics[FullPage]{images/rose}}%
- $_3$ [A float which needs the complete page width and height with **\texttt**{capPos=outer}.]%
- 4 {A caption of a ``fullpage'' object in twocolumn mode: It uses the star version
- 5 of \textbackslash hvFloat. The object goes over both columns.}{fig:two}




Figure 52: Output of paper-default2s2c (pages 2-9)




Figure 53: Output of paper-inner2s2c (pages 2–9)

19.3 Multifloats

Multifloats is the name for more than one image and/or tabular in *one* floating environment. Every image and/or tabular has its own caption, which is different to a subcaption. The + symbol defines an additional Object which will be part of the same floating environment. It's up too the user to be sure that one page or one column can hold all defined objects. Every object gets its own caption which is the reason why figures and tabulars and ... can be mixed:

```
\captionsetup{singlelinecheck=false}
1
    \hvFloat[fullpage,multiFloat,capPos=inner,vFill]%
2
      +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}% no 1
3
4
       [Short caption A]%
       {A Caption A of a ``fullpage'' object, which follows on the left or
5
        right column. This can be an even or odd page. And some more text which has no
6
        real meaning because it fills only the space for a long caption.}%
7
       {multi:demo0}%
8
      +{table}{\begin{tabular}{lr}\hline
                                                             % no 2
9
                 Linksbündig & Rechtsbündig\\
10
                 L
                             & R
                                            \backslash \backslash
11
                 left
                             & right
                                            \backslash \backslash
12
                 \multicolumn{2}{c}{Multicolumn}\\\hline
13
               \end{tabular}}%
14
       [Short Caption B]%
15
       {A Caption B of a ``fullpage'' object, which follows on the left or
16
17
            right column. This can be an even or odd page.}%
18
       {}%
      +{figure}{\includegraphics[height=0.4\textheight]{images/rose}}% no 3
19
       {A Caption C of a ``fullpage'' object, which follows on the left or
20
          right column.}%
21
       {multi:demo1}
22
```

The page with the objects has no additional informations it holds only the figures and/or tabulars. If you want it like subfigures or subtabulars then go to section 18 on page 40. The setting \captionsetup{singlelinecheck=false } is needed if you want the captions always left aligned.




Figure 54: Output of multi-default2s2c (pages 2-9)

20 Subfloat page

A subfloat page can have only one type of floats which will have one main caption and individual subcaptions. Some arguments are ignored for a subfloat, one can leave them empty. The first line defines only the type and the main caption, the object entry is ignored! All additional lines will have the same float type, the reason why the float type entry is ignored.

```
\captionsetup[sub]{singlelinecheck}
1
   \hvFloat[fullpage,capPos=before,objectFrame,subFloat,vFill]%
2
     +{figure}{}[Short main caption of the objects]% main short lsi entry
3
       {The main caption of a ``fullpage'' object, which follows on the left or
4
            right column. This can be an even or odd page. And some more text which has no
5
            real meaning because it fills only the space for a long caption.}% main caption
6
      {sub:demo00}%
7
     +{}{\includegraphics[height=0.28\textheight]{images/rose}}%
8
       [Short caption B]%
9
       {A Caption B of a ``fullpage'' sub object.}% subcaption
10
      {}%
11
     +{}{\includegraphics[height=0.28\textheight]{images/rose}}%
12
      {A Caption C of a ``fullpage'' object, which follows on the left or right column.}%
13
      {sub:demo10}
14
15
     +{}{\includegraphics[height=0.28\textheight]{images/rose}}%
16
      {A Caption D of a ``fullpage'' object}%
17
       {sub:demo20}
```

20 Subfloat page




Figure 55: Output of multi-inner2s2c (pages 2-9)

The keyword subFloat defines the images or tabulars as subfloats. The package subcaption is loaded by default. For the subcaptions the singlelinecheck should be true (see listing).




Figure 56: Output of sub-default2s2c (pages 2–9)




Figure 57: Output of sub-after2s2c (pages 2-9)

21 Doublepage objects - images and/or tabulars

If an image or a tabular or any other object is too big for one page, it can be split over two pages (left – right). It is obvious that this makes only sense for twoside documents. There are three optional arguments:

- doublePage A splitted object with or without a caption on top of a double page, beginning in the left top text area. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth-4\margin. The caption can be rotated on the right side of the right object part or under the right part.
- **doublePAGE** A splitted object with or without a caption on top of a double page, beginning at the left side of the paper area and top of the text area. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth. The caption can only be under the right part of the object. The will be *no additional text* on the double page.
- **doubleFULLPAGE** A splitted object with or without a caption on the right or below of a double page. The object can fill the complete double page. The user has to scale the image to be sure that the object will not be greater than 2\paperwidth. A caption will be rotated and written *over* the object, or if possible, at the right. The user has to take care for a correct text color.

21.1 doubleFULLPAGE

The scaling of the image is left to the user. If the proportion of the object doesn't fit 2*paperwidth/paperheight, then there can be a white part on the top or bottom of the object. A pagenumber will not be printed. In this documentation you'll find a marginnote where the following full doublepage image is defined. It appears on the the next following even page and following text will be placed *before* the object.

- 1 \hvFloat[doubleFULLPAGE,capPos=right,capAngle=90]%
- 2 {figure}%
- 3 {\includegraphics[width=2\paperwidth]{images/r+j2}}%
- 4 [A doublepage image with a caption on the image.]%
- 5 {A caption for a double-sided image that will be placed below the right-hand
- 6 part of the illustration. The illustration begins on the left edge of the paper.
- $_{7}$ $\,$ No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doubleFULLPAGE}}%
- 9 {fig:doubleFULLPAGE0}

Fig. 58

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest





Figure 58: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

21 Doublepage objects – images and/or tabulars

gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

It is also possible to take a bind correction into account with e.g. binCorr=5mm, which reserves whitespace of 5mm in the inner margin on both pages.

```
1 \hvFloat[doubleFULLPAGE,capPos=after,bindCorr=5mm]%
```

```
2 {figure}%
```

- 3 {\includegraphics[width=2\paperwidth]{images/r+j3}}%
- 4 [A doublepage image with a caption on the image.]%
- 5 {A caption for a double-sided image that will be placed below the right-hand
- ₆ part of the illustration. The illustration begins on the left edge of the paper.
- 7 No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doubleFULLPAGE}}%
- 9 {fig:doubleFULLPAGE0a}

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text Fig. 59 without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text





21 Doublepage objects – images and/or tabulars

will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Figure 59: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
1 \hvFloat[doubleFULLPAGE,capPos=right]%
```

- 2 {figure}%
- 3 {\includegraphics[height=\paperheight]{images/rheinsberg-1000}}%
- 4 {A caption for a double-sided image that will be placed on the right-hand
- 5 part of the illustration. The illustration begins on the left edge of the paper.
- 6 No further text is placed on the pages. A short form is used for the LOF.
- 7 The parameter is \texttt{doubleFULLPAGE}}%
- 8 {fig:doubleFULLPAGE1}

And after the second paragraph follows the third paragraph. Hello, here is some text Fig. 60 without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A





Figure 60: A caption for a double-sided image that will be placed on the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

21 Doublepage objects – images and/or tabulars

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Placing the caption on the image itself is not the best solution. With the optional arguments before and after for capPos, the caption can be placed on the bottom of the preceding or following page of the doublepage object. A givel label, e.g. foo will always point to the page with the left part of the object. Internally are two additional labels defined: foo-cap points to the caption and foo-2 points to the right part of the doublepage object.

In the follwoing example 61 the caption is on page 70, the left image part on page 68 and the right part on page 69. In the follwoing example 62 the caption is on page 73, the left image part on page 74 and the right part on page 75. All three labels points to the same figure or table number:

```
\ref{foo} | \ref{foo-cap} | \ref{foo-2} \rightarrow \frac{61}{61} | \frac{61}{61}
     \rho = \{foo\} \mid \rho = \{foo-cap\} \mid \rho = \{foo-2\} \rightarrow 68 \mid 70 \mid 69\}
    \hvFloat[doubleFULLPAGE,capPos=after]%
1
     {figure}%
2
     {\includegraphics[doubleFULLPAGE,
3
4
        keepaspectratio=false]{images/rheinsberg-1000}}%
     {A caption for a double-sided image that will be placed \textbf{after}
5
      the image. The image begins on the left edge of the paper.
6
      No further text is placed on the pages. A short form is used for the LOF.
7
      The parameter is \texttt{doubleFULLPAGE}}%
8
```

```
9 {foo}
```

Hello, here is some text without a meaning. This text should show what a printed text Fig. 61 will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text





21 Doublepage objects - images and/or tabulars

without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Figure 61: A caption for a double-sided image that will be placed **after** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest

21 Doublepage objects – images and/or tabulars

gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

```
\hvFloat[doubleFULLPAGE,capPos=before]%
1
```

```
{figure}%
2
```

```
{\includegraphics[height=\paperheight,width=2\paperwidth,
3
```

```
keepaspectratio=false]{images/rheinsberg-1000}}%
4
```

```
{A caption for a double-sided image that will be placed \textbf{before}
```

```
the image. The image begins on the left edge of the paper.
6
```

- No further text is placed on the pages. A short form is used for the LOF. 7
- The parameter is \texttt{doubleFULLPAGE}}% 8 {bar}

5

Fig. 62

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written

Figure 62: A caption for a double-sided image that will be placed **before** the image. The image begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doubleFULLPAGE





21 Doublepage objects – images and/or tabulars

and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.2 doublePAGE

With this option the object also starts at the left paper margin but on the top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it.

- 1 \hvFloat[doublePAGE]%
- 2 {figure}%
- 3 {\includegraphics[width=\dimexpr2\textwidth+2in]{images/seiser}}%
- 4 [A doublepage image with a caption below the right part.]%
- 5 {A caption for a double-sided image that will be placed below the right-hand
- 6 part of the illustration. The illustration begins on the left edge of the paper.
- No further text is placed on the pages. A short form is used for the LOF.
- 8 The parameter is \texttt{doublePAGE}}%
- 9 {fig:doublePAGE0}

Fig. 63

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text

should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text





Figure 63: A caption for a double-sided image that will be placed below the right-hand part of the illustration. The illustration begins on the left edge of the paper. No further text is placed on the pages. A short form is used for the LOF. The parameter is doublePAGE

21 Doublepage objects – images and/or tabulars

will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.3 doublePage

With this option the object also starts at the left top of the text area. There will be pagenumbers and a caption can be rotated on the right of the object or under it and the rest of the text area is filled with text.

- 1 \hvFloat[doublePage,sameHeight]%
- 2 {figure}%

5

- 3 {\includegraphics[doublefullPage]{images/sonne-meer}}%
- 4 [A doublepage image with a caption on the right side of the right part.]%
- {A caption for a double-sided image that will be placed on the right side of the
- ⁶ right-hand part of the illustration. The illustration begins on the left edge of
- the paper. A short form is used for the LOF.
- The parameter is \texttt{doublePage}}%
- 9 {fig:doublePage0sH}

Fig. 64

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A



blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.




Figure 64: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a

21 Doublepage objects – images and/or tabulars

difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1 \hvFloat[doublePage,capPos=right,capVPos=top]%

2 {figure}%

6

- 3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
- 4 [A doublepage image with a caption on the right side of the right part.]%
- 5 {A caption for a double-sided image that will be placed on the right side of the
 - right-hand part of the illustration. The illustration begins on the left edge of
- 7 the paper. A short form is used for the LOF.
- 8 The parameter is \texttt{doublePage}}%
- 9 {fig:doublePage1}

Fig. 65

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of

words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.


And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A



blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.




Figure 65: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some

21 Doublepage objects – images and/or tabulars

nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

- 1 \hvFloat[doublePage,bindCorr=inner]%
- 2 {figure}%
- 3 {\includegraphics[width=2\textwidth]{images/sonne-meer}}%
- 4 [A doublepage image with a caption on the right side of the right part.]%
- 5 {A caption for a double-sided image that will be placed on the right side of the
- ⁶ right-hand part of the illustration. The illustration begins on the left edge of
- 7 the paper. A short form is used for the LOF.
- 8 The parameter is \texttt{doublePage}}%
- 9 {fig:doublePage0sH2}

Fig. 66

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of

words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some



nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special




Figure 66: A caption for a double-sided image that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written

21 Doublepage objects - images and/or tabulars

and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

21.4 Tabulars

In General there is no difference in an imgage or tabular or simple text. The object will be saved in a box and then clipped. If the object is a tabular one might modify the tabular if it will be split in the middle of a column. In such a case one can insert some additional horizontal space for this coloumn.

The tabular itself can be saved into the internal box \hv0Box or put directly as parameter into the macro.

```
\global\savebox\hv0Box{%
1
2
   \begin{tabular}{l*{18}r} \toprule
   & \textbf{1972} & \textbf{1973} & \textbf{1974} & \textbf{1975} & \textbf{1976}
3
   & \textbf{1977} & \textbf{1978} & \textbf{1979} & \textbf{1980} & \textbf{1981} & \textbf{1982} & \
4
       textbf{1983} & \textbf{1984} & \textbf{1985}
   & \textbf{1986} & \textbf{1987} & \textbf{1988} & \textbf{1989}
5
   \\\midrule
6
   \addlinespace[3pt]
7
  8
   Zeile 2 & 1 & 1 & 3 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 3 & 4 & 4 & 6 & 4 & 2\\\addlinespace[3pt]
9
10
   Zeile 3 & 2 & 1 & 2 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 5 & 3 & 1 & 7 & 7 & 3\\\addlinespace[3pt]
  Zeile 4 & 1 & 0 & 5 & 1 & 2 & 0 & 0 & 0 & 0 & 0 & 2 & 1 & 0 & 1 & 0 & 3 & 7 & 2 & 1\\\addlinespace[3pt]
11
  Zeile 6 & 2 & 1 & 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 0 & 5 & 2 & 2 & 5 & 4 & 2\\\addlinespace[3pt]
12
  Zeile 5 & 0 & 0 & 4 & 2 & 1 & 2 & 2 & 1 & 0 & 0 & 0 & 0 & 0 & 1 & 1 & 0 & 2 & 5 & 4 & 3\\\addlinespace[3pt]
13
   Zeile 8 & 0 & 1 & 1 & 0 & 0 & 0 & 1 & 1 & 0 & 3 & 2 & 1 & 2 & 1 & 3 & 5 & 3 & 4\\addlinespace[3pt]
14
  Zeile 9 & 0 & 0 & 0 & 0 & 0 & 1 & 2 & 1 & 0 & 0 & 0 & 0 & 0 & 4 & 2 & 1 & 4 & 5 & 2\\addlinespace[3pt]
15
  16
  17
   18
19
   Lärm
       Zeilel3 & 0 & 1 & 0 & 0 & 1 & 0 & 3 & 0 & 0 & 0 & 0 & 0 & 0 & 2 & 0 & 1 & 3 & 0 & 2\\\addlinespace[3pt]
20
  21
   22
   23
      midrule
  Artikel gesamt & 2 & 6 & 13 & 8 & 4 & 3 & 5 & 4 & 0 & 6 & 3 & 5 & 23 &10 & 8 & 15 & 13 &1 \\
24
   \bottomrule
25
   \end{tabular}}
26
27
   \Blindtext
28
29
   \hvFloat[doublePage,capPos=right,capVPos=top,floatCapSep=12pt]%
30
    {table}%
31
    32
    [A doublepage tabular with a caption on the right side of the right part.]%
33
    {A caption for a double-sided tabular that will be placed on the right side of the
34
     right-hand part of the illustration. The illustration begins on the left edge of
35
     the paper. A short form is used for the LOF.
36
37
    The parameter is \texttt{doublePage}}%
    {tab:doublePage3}
```

Tab. 9

38

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A

	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	198
Zeile 1	1	3	1	1	1	0	1	1	0	0	0	
Zeile 2	1	1	3	1	0	0	0	0	0	0	2	
Zeile 3	2	1	2	1	0	0	0	0	0	0	0	
Zeile 4	1	0	5	1	2	0	0	0	0	2	1	
Zeile 6	2	1	1	0	0	0	0	0	0	1	2	
Zeile 5	0	0	4	2	1	2	2	1	0	0	0	
Zeile 8	0	1	1	0	0	0	1	1	0	3	2	
Zeile 9	0	0	0	0	0	1	2	1	0	0	0	
Zeile10	0	1	3	0	1	0	1	0	0	1	1	
Zeile11	0	2	2	1	1	0	1	0	0	0	0	
Zeile12	2	0	2	4	1	0	4	0	0	0	0	
Lärm	2	3	0	0	0	0	0	0	0	0	1	
Zeile13	0	1	0	0	1	0	3	0	0	0	0	
Zeile14	0	1	0	0	0	0	0	0	0	0	0	
Zeile15	0	0	0	0	0	0	0	0	0	1	0	
Zeile16	0	0	0	0	0	1	0	0	0	0	0	
Artikel gesamt	2	6	13	8	4	3	5	4	0	6	3	

21 Doublepage objects - images and/or tabulars

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of

3	1984	1985	1986	1987	1988	1989
0	20	0	2	2	2	1
1	3	4	4	6	4	2
1	5	3	1	7	7	3
0	1	0	3	7	2	1
0	5	2	2	5	4	2
1	1	0	2	5	4	3
1	2	1	3	5	3	4
0	4	2	1	4	5	2
0	1	1	1	4	4	1
2	6	1	0	2	1	1
0	0	0	0	1	0	3
0	2	0	0	2	2	2
0	2	0	1	3	0	2
0	3	3	2	1	1	0
0	4	0	0	3	1	1
0	0	0	3	5	0	1
5	23	10	8	15	13	1

Table 9: A caption for a double-sided tabular that will be placed on the right side of the right-hand part of the illustration. The illustration begins on the left edge of the paper. A short form is used for the LOF. The parameter is doublePage

words should match the language.

22 References to the page

With the command \pageref one can have a reference to the page number of a caption. For the fullpage option this can be the wrong page if someone wants a refere to the page where the object is set. Let's assume that we use something like

```
\hvFloatSetDefaults
\hvFloat[fullpage,capPos=evenPage]{figure}%
{\IncludeGraphics{images/frose}}%
[A float which needs the complete paper width and height.]%
{A Caption of a ``fullpage'' object, which follows on the next page.
This can be an even or odd page. The object uses the complete paper dimensions}%
{demo:fullpage}
```

The label demo:fullpage is used for the *image* and not for the caption! Internally another label called demo:fullpage-cap is set on the caption page which can be before or behind the object (depending to the optional argument of capPos). For example:

```
The caption of figure~\ref{demo:fullpage-cap} is on page~\pageref{demo:fullpage-cap}, but the image itself is on page~\pageref{demo:fullpage}.
```

The caption of figure 68 is on page 97, but the image itself is on page 98. With package varioref it is:

Whith the package \Lpack{varioref} (\url{https://ctan.org/pkg/varioref})
one can get something like: see figure~\vref{demo:fullpage}, which uses a
^correct page number of the floatinmg object and not the caption
page number which is~\vpageref{demo:fullpage-cap}.
The figure~\ref{demo:fullpage} is on page~\pageref{demo:fullpage}
and the caption on page~\pageref{demo:fullpage-cap}

Whith the package varioref (https://ctan.org/pkg/varioref) one can get something like: see figure 68 on page 98, which uses a correct page number of the floating object and not the caption pagenumber which is on the next page. The figure 68 is on page 98 and the caption on page 97

23 Defining a style

With \hvDefFloatStyle one can define a special style to get rid of the individual setting:

```
\hvDefFloatStyle{name}{setting}
```

For example:

```
1 \hvDefFloatStyle{RightCaption}{floatPos=htb, capWidth=0.5, capPos=after,
2 capVPos=bottom, objectPos=center}
3
4 \hvFloat[style=RightCaption]{figure}{\includegraphics{images/rose}}%
5 {Caption vertically centered right beside the float with a caption width of
6 \texttt{0.5\textbackslash columnwidth}.}{fig:style}
```



Figure 67: Caption at bottom right beside the float with a caption width of 0.5\columnwidth.

24 Global float setting

Instead of writing the following sequence into the preamble:

```
\makeatletter
\renewcommand\fps@figure{tb}
\renewcommand\fps@table{t}
\makeatother
```

you can change the global setting of floats by loading the package hvfloat-fps. It allows optional package options to set the global placement:

```
\usepackage[figure=tb,table=t]{hvfloat-fps}
```

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Figure 68: A Caption of a "fullpage" object, which follows on the next page. This can be an even or odd page. The object uses the complete paper dimensions



This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

And after the second paragraph follows the third paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

After this fourth paragraph, we start a new paragraph sequence. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A

24 Global float setting

blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

This is the second paragraph. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Index

A

\abovecaptionskip (skip), 7
\addtolength, 7
after (value), 8, 31, 33, 43, 67
afterpage (package), 7
atbegshi (package), 7

B

before (value), 8, 12, 31, 42, 67
\belowcaptionskip (skip), 7
bottom (value), 8

С

capAngle (keyword), 8 capFormat (keyword), 9, 18 capHPos (keyword), 21 capPos (keyword), 8, 14f, 18f, 21, 30f, 33ff, 42f, 45-49, 67, 95 capVPos (keyword), 8 capWidth (keyword), 8, 11f, 21 caption (package), 7, 9 caption, 9, 17caption (package), 17 \captionof, 29 \captionsetup, 17f, 38, 40, 51 center (value), 8 $\clearpage, 45f$ \columnwidth, 8 \columnwidth (length), 11

D

doubleFULLPAGE (keyword), 9, 54 doublePAGE (keyword), 9, 54, 76 doublePage (keyword), 9, 54, 80

E

evenPage (value), 8, 30f, 34, 45 expl3 (package), 7

F

FULLPAGE (keyword), 9, 30f, 36
false (value), 38, 51
\fbox, 7
fbox (package option), 7
\figcaption, 7, 10, 27f
figure (environment), 9f, 26
float (package), 26
floatCapSep (keyword), 10, 18

\floatCapSep (length), 18
floatCapSep (keyword), 8
floatPos (keyword), 8, 22
floatpag (package), 7
\frame, 10
FullPage (keyword), 9, 30
fullpage (keyword), 9, 30f, 95

G

graphicx (package), 7

Η

h (value), 12 \hvDefFloatStyle, 8, 10, 96 \hvFloat, 7f, 10, 18, 26ff, 38, 40 \hvFloat*, 22 hvFloatEnv (environment), 10, 29 \hvFloatSet, 7 \hvFloatSetDefaults, 7, 10, 27f \hvOBox, 27, 92 hvfloat (package), 7, 29, 45f \hvfloat, 36, 49 hvfloat-fps (package), 96 hypcap (package option), 7 hyperref (package option), 7 hyperref (package), 7

I

ifoddpage (package), 7
\includegraphics, 36
\inclugegraphics, 30
inner (value), 8, 14, 30, 35, 47, 49

K

Keyword
 - capHPos, 21
 - capPos, 14f, 18f, 21, 30f, 33ff, 42f, 45-49
 - capWidth, 12, 21
 - floatPos, 22
 - objectPos, 18, 23
 - singlelinecheck, 38, 51

L

l (value), 21, 23 left (value), 8, 12, 18f, 31, 42 \linewidth (length), 11 \listoffigures, 7 lscape (package), 22 Index

Μ

\marginparwidth (length), 8, 20
multiFloat (keyword), 31
multido (package), 7

N

nonFloat (keyword), 7f, 26
nonfloat (package), 26
nonfloat (keyword), 27
nostfloats (package option), 7

0

objectAngle (keyword), 8 objectFrame (keyword), 9f objectPos (keyword), 8, 18, 23 oddPage (value), 8, 30f, 35, 46 onecolumn, 35 oneside, 31 onlyText (keyword), 8, 27 outer (value), 8, 14f, 21, 30, 35, 48

Р

p (value), 22
\pageref, 95
\paperheight (length), 36
\paperwidth (length), 36
pdflscape (package), 22

R

right (value), 8, 21, 43
rotAngle (keyword), 8
\rotatebox, 13

S

sameHeight (keyword), 9
separatorLine (keyword), 31
\setlength, 7
singlelinecheck (keyword), 38, 40, 51f
stfloats (package), 7
style (keyword), 9
subFloat (keyword), 31, 40, 52
subcapFormat (keyword), 9, 18
subcaption (package), 7, 40, 52
\subcaption, 17
subcaption (package), 7
\subcaption, 9
\subcaptionsetup, 17f

Т

\tabcaption, 7, 10, 27f \tabcaptionbelow, 7 table (environment), 9f, 26
\textwidth (length), 8, 29
top (value), 8
twocolumn (package option), 31, 42
twocolumn, 22, 30, 42
twoside (package option), 34, 42
twoside, 14

U

use0Box (keyword), 8, 27

V

vFill (keyword), 9 Value -after, 33, 43 -before, 31, 42 - evenPage, 30, 34, 45 - false, 38, 51 - h, 12 -inner, 14, 30, 35, 47, 49 -1, 21, 23-left, 18f, 31, 42 - oddPage, 30, 35, 46 -outer, 14f, 21, 30, 35, 48 - p, 22 - right, 21, 43 -w, 12 varioref (package), 95f \vfill, 9

W

w (value), 12 wide (keyword), 8, 10, 20

X

xkeyval (package), 7

25 The Package Source

```
%% $Id: hvfloat.sty 584 2022-07-20 18:29:58Z herbert $
1
2
    %%
    3
    %% IMPORTANT NOTICE:
4
    %%
5
    %% This is file `hvfloat.sty',
6
    %%
7
8
    %% Herbert Voss <hvoss@tug.org>
    %% Copyright (C) 2003-22
9
10
    %%
    %% This program can be redistributed and/or modified under the terms
11
    % of the LaTeX Project Public License Distributed from CTAN archives
12
13
    %% in directory macros/latex/base/lppl.txt.
    %
14
    % DESCRIPTION:
15
    %%
         `hvfloat' offers rotating of captions and objects for floats
16
17
    20
    \NeedsTeXFormat{LaTeX2e}
18
    \def\fileversion{2.41}
19
    \def\filedate{2022/09/01}
20
    \ProvidesPackage{hvfloat}[\filedate\space v\fileversion\space special floating objects (hv)]
21
    \let\hvFloatFileVersion\fileversion
22
23
    \newif\ifhv@fbox \hv@fboxfalse
24
    \newif\ifhv@hyperref \hv@hyperreffalse
25
    \newif\ifhv@nostfloats \hv@nostfloatsfalse
26
    \newif\ifhv@tugboat \hv@tugboatfalse
27
28
    \DeclareOption{fbox}{\hv@fboxtrue\setlength\fboxsep{1pt}}
29
    \DeclareOption{hyperref}{\hv@hyperreftrue}
30
    \DeclareOption{nostfloats}{\hv@nostfloatstrue}
31
    \DeclareOption{no-stfloats}{\hv@nostfloatstrue}
32
33
34
    \ProcessOptions
35
36
37
    \PassOptionsToPackage{hypcap}{caption}
    \RequirePackage{caption}
38
39
    \RequirePackage{varwidth}
    \DeclareCaptionBox{varwidth}{\varwidth[b]{#1}#2\endvarwidth}
40
41
    \PassOptionsToPackage{hypcap}{subcaption}
42
43
    \RequirePackage{subcaption}
    \RequirePackage{atbegshi}
44
    \RequirePackage{picture,trimclip}
45
46
    \RequirePackage{expl3,multido}
47
    \RequirePackage{graphicx}
48
    \RequirePackage{varwidth}
49
50
    \RequirePackage{xkeyval}
51
    \RequirePackage{ifoddpage}
52
    \RequirePackage{afterpage}
53
54
    \ifhv@hyperref
55
56
      \RequirePackage{hyperref}
    ∖fi
57
58
    \ifhv@nostfloats
59
60
    \else
      \RequirePackage{stfloats}% for bottom floats in a twocolumn mode
61
       \RequirePackage{floatpag}% for bottom floats in a twocolumn mode
62
    \fi
63
64
    %
```

25 The Package Source

```
%\def\hv@thisfloatpagestvle#1{%
65
     % \global\@namedef{\number\@currbox @float}{\thispagestyle{#1}}\relax
66
     %}
67
68
     \providecommand*\LenToUnit[1]{\strip@pt\dimexpr#1*\p@/\unitlength}
69
70
71
     \newlength\hv0bjectWidth
     \newlength\hvCapWidth
72
     \newlength\hvWideWidth
73
    \newlength\hvMultiFloatSkip
74
     \newlength\hvMaxCapWidth
75
     \newlength\hvFloatFullWidth % only for user purpose
76
     \AtBeginDocument{\hvFloatFullWidth=\the\dimexpr\textwidth+\marginparwidth+\marginparsep\relax}
77
78
79
     \newsavebox\hv0bjectBox
80
     \newsavebox\hvCaptionBox
81
    \newsavebox\hv0Box
82
     \newsavebox\@tempbox
83
     \newsavebox\hv@caption@box
84
     \newsavebox\hv@leftBox
85
     \newsavebox\hv@rightBox
86
87
88
     \newif\ifhv@capbeside \hv@capbesidefalse
     \newif\ifhv@switchType
89
90
    \def\hv@Top{top}
91
     \def\hv@Bottom{bottom}
92
     \def\hv@After{after}
93
     \def\hv@Before{before}
94
95
     \def\hv@Right{right}
     \def\hv@Left{left}
96
97
     \def\hv@Center{center}
     \def\hv@Outer{outer}
98
     \def\hv@Inner{inner}
99
    \def\hv@Even{evenPage}
100
     \def\hv@Odd{oddPage}
101
     \def\hv@Natural{n}
102
     \def\hv@LineWidth{l}
103
     \def\hv@Width{w}
104
     \def\hv@Height{h}
105
106
     \def\hv@Zero{0}
107
108
     \def\hv@figure{figure}
109
     \define@key{hvSet}{floatPos}[tbp]{% LaTeX's position parameters htbp
110
        \def\hvSet@floatPos{#1}%
111
112
     \define@key{hvSet}{rotAngle}[0]{%
                                             rotates caption AND image together
113
114
        \ensuremath{\mathsf{def}}\
115
     3
     \define@key{hvSet}{capWidth}[n]{%
                                             (l)inewidth|(n)atural width|object (w)idth)|object (h)eight|<scale</pre>
116
          of \columnwidth>
        \def\hvSet@capWidth{#1}%
117
118
     \define@key{hvSet}{capAngle}[0]{%
                                             -360..+360, only integers
119
120
        \def\hvSet@capAngle{#1}%
121
     }
122
     \define@choicekey*+{hvSet}{capPos}[\val\nr]{bottom,top,left,before,right,after,inner,outer,evenPage,
123
          oddPage}[bottom]{%
                                       it is relativ to the object, (e),(d) only valid for fullpage float
       \def\hvSet@capPos{#1}%
124
       \ifcase\nr\relax
125
         \hv@capbesidefalse
126
127
       \or
         \hv@capbesidefalse
128
129
       \else
```

```
\hv@capbesidetrue
130
       \fi
131
    }{\PackageWarning{hvfloat}{erroneous input (#1) for capPos ignored. Using bottom.}%
132
       \def\hvSet@capPos{bottom}%
                                         it is relativ to the object, (e),(d) only valid for fullpage float
133
134
      \hv@capbesidefalse
     }
135
136
     \define@choicekey*+{hvSet}{capVPos}[\val\nr]{bottom,center,top}[center]{%
137
138
       \def\hvSet@capVPos{#1}%
                                      it is relativ to the object
       \ifcase\nr\relax
139
         \def\hv@@capVPos{b}%
140
141
       \or
         \def\hv@@capVPos{c}%
142
       \else
143
         \def\hv@capVPos{t}%
144
       \fi
145
    }{\PackageWarning{hvfloat}{erroneous input (#1) for capVPos ignored. Using center.}%
146
147
      \def\hvSet@capVPos{center}%
                                        it is relativ to the object
     }
148
149
     \define@choicekey*+{hvSet}{capHPos}[\val\nr]{left,center,right}[center]{%
150
       \def\hvSet@capHPos{#1}%
151
       \ifcase\nr\relax
152
153
         \gdef\hv@@caoHPos{l}%
       \or
154
155
         \gdef\hv@@capHPos{c}%
156
       \else
157
         \gdef\hv@@capHPos{r}%
       \fi
158
    }{\PackageWarning{hvfloat}{erroneous input (#1) for capHPos ignored. Using center.}%
159
      \def\hvSet@capHPos{center}%
                                         it is relativ to the object
160
     }
161
162
     \define@choicekey*+{hvSet}{objectPos}[\val\nr]{left,center,right,inner,outer}[center]{%
163
      \def\hvSet@objectPos{#1}%
                                         it is relativ to the object
164
    }{\PackageWarning{hvfloat}{erroneous input (#1) for objectPos ignored. Using center.}%
165
       \def\hvSet@capVPos{center}%
                                         it is relativ to the object
166
167
     \define@key{hvSet}{objectAngle}[0]{%
                                                -360..+360
168
169
        \def\hvSet@objectAngle{#1}%
170
     \define@key{hvSet}{floatCapSep}[5pt]{%
171
                                              a width with the unit pt
        \def\hvSet@floatCapSep{#1}%
172
173
     \define@key{hvSet}{multiFloatSkip}[\normalbaselineskip]{% a width with the unit pt
174
175
        \setlength\hvMultiFloatSkip{#1}%
176
     \define@boolkey{hvSet}[hv@]{useOBox}[true]{}%
                                                         use of the hvOBox contents
177
     \define@boolkey{hvSet}[hv@]{nonFloat}[true]{}%
                                                         Do not use float environment
178
                                                         Write the caption only as text
179
     \define@boolkey{hvSet}[hv@]{onlyText}[true]{}%
                                                     Write the caption only as text
     \define@boolkey{hvSet}[hv@]{wide}[true]{}%
180
     \define@boolkey{hvSet}[hv@]{twoColumnCaption}[true]\global\@nameuse{hv@twoColumnCaption#1}{}% Write the
181
          caption only as text
     \define@boolkey{hvSet}[hv@]{sameHeight}[true]{\@nameuse{hv@sameHeight#1}}% Write the caption only as text
182
183
     \define@boolkey{hvSet}[hv@]{Debug}[true]{}%
                                                      give more infos in the terminal
184
185
     \newif\ifhv@fullpage
     \newif\ifhv@FULLPAGE
186
     \newif\ifhv@doubleFULLPAGE
187
     \newif\ifhv@doublePAGE
188
189
     \newif\ifhv@doublePage
     \newif\ifhv@setObjectLabel
190
     \newif\ifhv@global@sameHeight
191
     \newif\ifhv@forceOutput
192
193
194
195
    \newlength\hvSet@bindCorrection
```

```
\newlength\hvSet@sepLineskip
196
197
     \newlength\hv@leftPageObjectWidth% for doublepage images
     \newlength\hv@tempWidthA
198
     \newlength\hv@tempWidthB
199
     \newlength\hv@minTextlines
200
     \newlength\hv@floatCapSep
201
     \newlength\hvSet@bindCorr
202
203
     \define@key{hvSet}{fullpage}[true]{\global\@nameuse{hv@fullpage#1}}%
204
     \define@key{hvSet}{FULLPAGE}[true]{\global\@nameuse{hv@FULLPAGE#1}}
205
     \define@key{hvSet}{doubleFULLPAGE}[true]{\global\@nameuse{hv@doubleFULLPAGE#1}\hv@doublePagefalse\
206
          hv@doublePAGEfalse}
     \define@key{hvSet}{doublePAGE}[true]{\global\@nameuse{hv@doublePAGE#1}\hv@doublePagefalse\
207
          hv@doubleFULLPAGEfalse}
     \define@key{hvSet}{doublePage}[true]{\global\@nameuse{hv@doublePage#1}\hv@doublePAGEfalse\
208
          hv@doubleFULLPAGEfalse}
209
     \define@key{hvSet}{bindCorr}[0pt]{%
210
       \def\hv@temp{#1}%
       \ifx\hv@temp\hv@Inner
211
         \hvSet@bindCorr=\the\dimexprlin+\oddsidemargin\relax
212
       \else
213
         \setlength\hvSet@bindCorr{#1}%
214
      \fi
215
216
     %\setlength\hvSet@bindCorrection{#1}}% for doublepage objects
217
218
219
     \define@boolkey{hvSet}[hv@]{subFloat}[true]{%
                                                         typeset values as subfloats
220
        \ifhv@subFloat\setkeys{hvSet}{multiFloat=false}\fi%
221
     \define@boolkey{hvSet}[hv@]{multiFloat}[true]{%
                                                         typeset values as continous floats
222
223
        \ifhv@multiFloat\setkeys{hvSet}{subFloat=false}\fi
     1%
224
                                                      \vfill between multifloat objects
225
     \define@boolkey{hvSet}[hv@]{vFill}[true]{}%
226
     \define@boolkey{hvSet}[hv@]{separatorLine}[true]{}% separator line for caption of a full page float
227
     \define@key{hvSet}{sepLineskip}{\def\hv@sepLineskip{#1}}%
228
     \define@key{hvSet}{minTextlines}{\setlength\hv@minTextlines{#1\baselineskip}}%
229
     \define@boolkey{hvSet}[hv@]{objectFrame}[true]{}% a frame around the object with no separation
230
     \define@key{hvSet}{style}{%
231
      \@ifundefined{hv@#1}%
232
         {\errmessage{Custom style `#1' undefined}}%
233
234
         {\begingroup
          \edef\x{\endgroup\noexpand\setkeys{hvSet}{\@nameuse{hv@#1}}}\x}% use a defined style
235
236
     \define@key{hvSet}{capFormat}{\def\hv@caption@format{#1}}%
237
     \define@key{hvSet}{subcapFormat}{\def\hv@subcaption@format{#1}}%
238
     \define@boolkey{hvSet}[hv@]{forceOutput}[true]{%
239
      \timediate output \hv@nonFloattrue \fi \% immediate output, no floating!
240
241
242
     \def\hv@set#1{\begingroup\edef\x{\endgroup\noexpand\setkeys{hvSet}{#1}}\x}
     \let\hvFloatSet\hv@set
243
244
245
     \defhvstvle#1#2{\@namedef{hv@#1}{#2}}
     \let\hvDefFloatStyle\defhvstyle % better name
246
247
     \newcommand\setDefaults{%
248
249
       \hv@set{%
        floatPos=, rotAngle=0, capWidth=n, capAngle=0, objectAngle=0,
250
        capPos=bottom, capVPos=center, objectPos=center, capHPos=center,
251
        floatCapSep=5pt, useOBox=false,
252
253
        onlyText=false, wide=false, fullpage=false, FULLPAGE=false,
        doubleFULLPAGE=false, doublePage=false, doublePAGE=false,
254
             multiFloat=false,subFloat=false,
255
        separatorLine,objectFrame=false,multiFloatSkip=\normalbaselineskip,
256
        capFormat={}, subcapFormat={}, twoColumnCaption=false,
257
        sameHeight=false.
258
259
        bindCorr=\z@,sepLineskip=0pt,
```

```
vFill=false. minTextlines=2.
260
        forceOutput=false, nonFloat=false,
261
    1%
262
    }
263
264
     \let\hvFloatSetDefaults\setDefaults
265
266
     \hvFloatSetDefaults% onyl for first loading of the package
267
     \providecommand\hv@typeout[1]{\ifhv@Debug\typeout{>>>> #1}\fi}
268
269
     \providecommand\@tugclass{\@empty}
270
     \ifx\@tugclass\@empty
271
     \else
272
       \hv@tugboattrue % special page handling
273
274
       \hv@typeout{>>> we are using a TUGboat class}%
     \fi
275
276
277
     \newcommand\reset@special@float{%
       \hv@set{subFloat=false,%fullpage=false,
278
279
              multiFloat=false,%FULLPAGE=false
    }}
280
281
     \def\hv@vskip{\vspace{\hvMultiFloatSkip}}
282
283
     \newlength\hvAboveCaptionSkip
284
     \newlength\hvBelowCaptionSkip
285
286
     \newlength\hv@dblfptop
     \newlength\hv@fptop
287
     \newcount\hv@@capPos
288
289
     \newlength\fboxlinewidth
290
     \AtBeginDocument{%
291
      \fboxlinewidth=\the\dimexpr\linewidth-2\fboxrule-2\fboxsep\relax
292
    1
293
294
     \setlength\belowcaptionskip{\abovecaptionskip}% it is in latex.ltx = Opt
295
     \newcommand\saveCaptionSkip{%
296
        \setlength{\hvAboveCaptionSkip}{\abovecaptionskip}%
297
298
        \setlength{\hvBelowCaptionSkip}{\belowcaptionskip}%
        \setlength{\abovecaptionskip}{0pt}%
299
        \setlength{\belowcaptionskip}{0pt}%
300
301
     \newcommand\restoreCaptionSkip{%
302
303
       \setlength\abovecaptionskip{\hvAboveCaptionSkip}%
       \setlength\belowcaptionskip{\hvBelowCaptionSkip}%
304
305
306
     307
       \let\hv@dblfptop\@dblfptop
308
309
       \let\hv@fptop\@fptop
       \global\@dblfptop=0\p@
310
       \global\@fptop=0\p@
311
312
    1
313
     \newcommand\hv@reset@noverticalSpace{%
314
       \global\@dblfptop=\hv@dblfptop
315
316
       \global\@fptop=\hv@fptop
317
318
     \providecommand\figcaption[2][]{}%
319
320
     \providecommand\tabcaption[2][]{}%
     \providecommand\tabcaptionbelow[2][]{}%
321
322
     \renewcommand\figcaption[2][]{%
323
324
       \beaingroup
       \def\@captype{figure}%
325
       \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
326
```

25 The Package Source

```
\ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
327
328
       \endgroup}
     \renewcommand\tabcaption[2][]{%
329
       \begingroup
330
       \def\@captype{table}%
331
       \expandafter\captionsetup\expandafter{\hv@caption@format,position=top}%
332
333
       \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
       \endaroup}
334
     \renewcommand\tabcaptionbelow[2][]{%
335
       \begingroup
336
       \def\@captype{table}%
337
       \expandafter\captionsetup\expandafter{\hv@caption@format,position=below}
338
       \ifx\relax#1\relax \caption{#2}\else\caption[#1]{#2}\fi
339
       \endgroup}
340
341
342
     \newlength\hv@maxImageWidth
343
     \AtBeginDocument{\setlength\hv@maxImageWidth{\columnwidth}}
344
345
     \define@key{Gin}{columnWidth}[true]{%
346
       \def\Gin@ewidth{\columnwidth}%
347
     % \def\Gin@eheight{lex}%
348
       \Gin@boolkey{true}{iso}%
349
350
     \define@key{Gin}{fullpage}[true]{%
351
       \def\Gin@ewidth{\columnwidth}%
352
       \def\Gin@eheight{\textheight}%
353
       \Gin@boolkey{false}{iso}%
354
355
     \define@key{Gin}{FullPage}[true]{%
356
       \def\Gin@ewidth{\textwidth}%
357
       \def\Gin@eheight{\textheight}%
358
359
       \Gin@boolkey{false}{iso}%
360
     \define@key{Gin}{FULLPAGE}[true]{%
361
       \def\Gin@ewidth{\paperwidth}%
362
       \def\Gin@eheight{\paperheight}%
363
       \Gin@boolkey{false}{iso}%
364
365
     \define@key{Gin}{doubleFULLPAGE}[true]{%
366
367
       \def\Gin@ewidth{2\paperwidth}%
       \def\Gin@eheight{\paperheight}%
368
       \Gin@boolkey{false}{iso}%
369
370
     \define@key{Gin}{doublefullPage}[true]{%
371
       \def\Gin@ewidth{\the\dimexpr2\paperwidth-2in-2\evensidemargin}%
372
     % \def\Gin@eheight{\paperheight}%
373
       \Gin@boolkey{true}{iso}%
374
375
376
     \define@key{Gin}{doubleFULLPAGEbindCorr}[true]{%
       \def\Gin@ewidth{\the\dimexpr2\paperwidth-2\hvSet@bindCorrection\relax}%
377
       \def\Gin@eheight{\paperheight}%
378
       \Gin@boolkey{false}{iso}%
379
380
381
     \newcommand\IncludeGraphics[2][]{%
382
       \vspace*{\the\dimexpr-lin-\voffset+\topskip-\headheight-0.5\baselineskip}%
383
       \leavevmode\checkoddpage
384
385
       \ifoddpage
         \hspace*{\dimexpr-\oddsidemargin-\parindent-lin}%
386
387
       \else
         \hspace*{\dimexpr-\evensidemargin-\parindent-lin}%
388
       \fi\noindent
389
       \includegraphics[#1,width=\paperwidth,height=\paperheight,keepaspectratio=false]{#2}%
390
391
392
393
     \newcommand\put@CaptionBox[1][0]{%
```

```
\ifcase#1
394
         \ifhv@fbox
395
           \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
396
         \else
397
398
           \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
         ∖fi
399
400
       \or
         \ifhv@fbox
401
402
           \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
         \else
403
           \raisebox{-\height}{\usebox{\hvCaptionBox}}%
404
         \fi
405
       \or
406
         \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}\else\usebox{\hvCaptionBox}\fi
407
       \fi
408
409
410
411
     \newcommand\put@ObjectBox[1][0]{%
       \ifcase#1
412
413
         \ifhv@fbox
           \fbox{\parbox{\wd\hv0bjectBox}{\usebox{\hv0bjectBox}}}%
414
         \else
415
           \parbox{\wd\hv0bjectBox}{\ifhv@objectFrame\frame{\usebox{\hv0bjectBox}}\else\usebox{\hv0bjectBox}}\fi
416
                 }%
         ∖fi
417
       \or
418
         \ifhv@fbox
419
           \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
420
         \else
421
           \raisebox{-\height}{\ifhv@objectFrame\frame{\usebox{\hv0bjectBox}}\else\usebox{\hv0bjectBox}\fi}%
422
         \fi
423
       \or
424
425
         \ifhv@fbox
           \fbox{\usebox{\hvObjectBox}}%
426
427
         \else
           % rotated object with a depth need to raise up the \depth
428
           \ifhv@objectFrame\frame{\usebox{\hvObjectBox}}\else\raisebox{\depth}{\usebox{\hvObjectBox}}\fi%
429
         \fi
430
       \fi
431
432
     }
433
     \def\drawSepLine{%
434
       \par\noindent
435
436
       \if@twocolumn
         \ifhv@twoColumnCaption
437
           \rule{\linewidth}{0.4pt}\\[-2.5ex]
438
         \else
439
           \rule{\columnwidth}{0.4pt}\\[-2.5ex]
440
         \fi
441
442
       \else
         \rule{\linewidth}{0.4pt}\\[-2.5ex]
443
       \fi
444
445
       \vspace{\hv@sepLineskip}%
446
     }
447
     \newcounter{hv@tempCNTfigA}%
448
449
     \newcounter{hv@tempCNTfigB}%
     \newcounter{hv@tempCNTtabA}%
450
      newcounter{hv@tempCNTtabB}%
451
     \newcounter{hv@pfigure}%
452
453
     \newcounter{hv@ptable}%
     \newcounter{subhv@pfigure}%
454
     \newcounter{subhv@ptable}%
455
     \newcount\hv@tempcnt
456
457
     \newif\ifhv@star
458
459
     \newif\if@hvsubstar
```

```
\setDefaults
460
461
462
     %\newcommand*{\hvFloat}[5][]+{%
463
     % [#1}: keyvalues
464
     % #2: type figure | table | ...
465
     % #3: float contents
466
     % [#4]: short caption
467
     % #5: caption
468
     % #6: label
469
470
471
472
     \def\hvFloat{\@ifnextchar*%
                                      Main macro
473
474
       {\global\hv@startrue\hv@maxImageWidth=\textwidth\hvFloat@i}%
       {\global\hv@starfalse\hv@maxImageWidth=\columnwidth\hvFloat@i*}%
475
476
477
     \def\hvFloat@i*{\@ifnextchar[{\do@hvFloat}{\do@hvFloat[]}}
478
479
     \def\do@hvFloat[#1]{%
       \begingroup
480
       \hvWideWidth=\the\dimexpr\columnwidth+\marginparwidth+\marginparsep\relax%
481
     % \setlength\hvWideWidth{\dimexpr\textwidth+\marginparwidth+\marginparsep}%
482
483
        \setlength\hvWideWidth{\dimexpr\linewidth+\marginparwidth}%
       \hv@maxImageWidth=\textwidth
484
       \reset@special@float
485
       \global\setcounter{hv@pfigure}{\value{figure}}%
486
       \global\setcounter{hv@ptable}{\value{table}}%
487
       \setcounter{hv@tempCNTfigA}{\value{figure}}%
488
       \setcounter{hv@tempCNTfigB}{\value{figure}}%
489
490
       \setcounter{hv@tempCNTtabA}{\value{table}}%
       \setcounter{hv@tempCNTtabB}{\value{table}}%
491
       \gdef\hv@save@setting{#1}% for later use after \endgroup inside figure/table env
492
       \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi
493
       \ifx\hv@caption@format\@empty\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
494
       \ifx\hv@subcaption@format\@empty\else
495
           \expandafter
496
           \captionsetup\expandafter[\expandafter s\expandafter u\expandafter b\expandafter]\expandafter
497
498
                                   {\hv@subcaption@format}%
       \fi
499
500
       \gdef\hv@floatType{figure}% presetting
       \@ifnextchar+{\do@multiFloat}{\hvFloat@ii[#1]}%
501
     3
502
503
     \ExplSyntaxOn
504
505
     \def\do@multiFloat+#1#2{%
506
       \clist_set:Nn\l_clist_Type{{#1}}%
507
       \clist_set:Nn\l_clist_Object{{#2}}%
508
509
       \@ifnextchar[\do@multiFloat@i{\do@multiFloat@i[]}%
510
     \def\do@multiFloat@i[#1]#2#3{% lof-caption, caption, label
511
       \ifx\relax#1\relax
512
         \clist set:Nn\l clist LofCaption{{}}%
513
       \else
514
         \clist_set:Nn\l_clist_LofCaption{{#1}}%
515
       \fi
516
517
       \clist_set:Nn\l_clist_Caption{{#2}}%
       \ifx\relax#3\relax
518
         \clist_set:Nn\l_clist_Label{{}}%
519
520
       \else
         \clist_set:Nn\l_clist_Label{{#3}}%
521
       \fi
522
       \@ifnextchar+{\do@multiFloat@ii}{}%
523
524
     \def\do@multiFloat@ii+#1#2{%
525
     \clist put right:Nn\l clist Type{{#1}}%
526
```

```
\clist put right:Nn\l clist Object{{#2}}%
527
      \@ifnextchar[\do@multiFloat@iii{\do@multiFloat@iii[]}%
528
529
    3
530
     \def\do@multiFloat@iii[#1]#2#3{% lof-caption, caption, label
531
      \ifx\relax#1\relax
532
533
        \clist_put_right:Nn\l_clist_LofCaption{{}}%
534
      \else
535
        \clist_put_right:Nn\l_clist_LofCaption{{#1}}%
      \fi
536
      \clist_put_right:Nn\l_clist_Caption{{#2}}%
537
      \ifx\relax#3\relax
538
        \clist_put_right:Nn\l_clist_Label{{}%
539
540
      \else
        \clist_put_right:Nn\l_clist_Label{{#3}}%
541
      \fi
542
      \@ifnextchar+\do@multiFloat@ii%
543
544
        {\def\hvSet@CapWidth{n}%
          \do@@@@hvFloat}%
545
546
    \ExplSyntax0ff
547
548
549
550
     \newcount\hv@cnta
    \newcount\hv@cntb
551
552
553
    \def\hvFloat@ii[#1]#2#3{%
                                  #1: key/value, #2: floattype, #3: object
554
      \hv@maxImageWidth=\textwidth
      \ifx\relax#1\relax\else\setkeys{hvSet}{#1}\fi
555
      \gdef\hv@floatType{#2}%
556
557
      \ifx\relax#2\relax
        \setkeys{hvSet}{nonFloat,onlyText}%
558
559
        \xdef\hv@save@setting{\hv@save@setting,nonFloat,onlyText}% for later use after \endgroup inside
              figure/table env
      \fi
560
      \xdef\hv@floatListOfExt{\@nameuse{ext@\hv@floatType}}%
561
      \gdef\hv@float0bject{#3}%
562
      \@ifnextchar[{\do@hvFloat}{\do@hvFloat[]}%
563
    }
564
565
    \def\do@dhvFloat[#1]#2#3{%
                                   #1: listof caption, #2. long caption #3: label
566
567
      \gdef\hv@shortCap{#1}%
      \gdef\hv@longCap{#2}%
568
569
      \gdef\hv@label{#3}%
      \ifhv@capbeside\def\@@temp{1}\else\def\@@temp{0}\fi
570
      \ifhv@sameHeight\global\hv@global@sameHeighttrue\else\global\hv@global@sameHeightfalse\fi
571
      \global\hvSet@bindCorrection=\hvSet@bindCorr% for doublepage objects
572
      \global\hv@floatCapSep=\hvSet@floatCapSep%
573
574
575
      \ifhv@fullpage
        \def\hvSet@CapWidth{n}% relative value
576
        \do@@@dvFloat% fullpage with caption on other page
577
578
      \else
        \ifhv@FULLPAGE
579
           \def\hvSet@CapWidth{n}% relative value
580
          \do@@@hvFloat% fullpage with caption on other page
581
582
        \else
          \ifhv@doubleFULLPAGE
583
             \setlength\hvCapWidth{\textheight}%
584
            585
                 page
          \else
586
             \ifhv@doublePAGE
587
              \expandafter\do@hvFloat@doublePAGE\@@temp% fullpage with caption rotated or under on an odd
588
                    page
            \else
589
              \ifhv@doublePage
590
```

591	\expandafter\do@hvFloat@doublePage\@@temp% fullpage with caption rotated or under on an odd
592	page \else
593	\do@@dhvFloat
594	\fi
595	\fi
596	\fi
597	\fi
598	\fi
599	}
600	8
601	\def\do@@@hvFloat{% no special float page, caption and image on top of each other or side by side
602	\ def \@tempa{90}% \ ifx \hvSet@rotAngle\@tempa
603 604	\setlength\hvMaxCapWidth{\textheight}%
605	\else
606	\setlength\hvMaxCapWidth{\hvWideWidth}%
607	\fi
608	8
609	% First we save the object in \hvObjectBox
610	8
611	\ ifnum \hvSet@objectAngle=0 % rotate the object?
612	\ifty@use0Box
613 614	\let\hvObjectBox\hvOBox \else
615	\savebox\hvObjectBox{\hv@floatObject}%
616	\fi
617	\else
618	\savebox%
619	<pre>\rotatebox{\hvSet@objectAngle}{%</pre>
620	\ifhv@useOBox\ usebox {\hv0Box}\ else \hv@floatObject\fi
621	}%
622	}% \
623 624	\fi \setlength\hv0bjectWidth{\wd\hv0bjectBox}%
625	%
626	% Now we save the caption with its defined \hvCapWidth
627	\$ *
628	\ ifx \hvSet@capWidth\hv@Width% captionwidth=objectwidth
629	\setlength\hvCapWidth{\hvObjectWidth}%
630	\else
631	\ifx\hvSet@capWidth\hv@Height% captionwidth=objectheight
632	\setlength\hvCapWidth{\ ht \hvObjectBox}% \ else
633 634	\ifx\hvSet@capWidth\hv@LineWidth% captionwidth=objectheight
635	\setlength\hvCapWidth{\ linewidth }%
636	\else
637	\ ifx \hvSet@capWidth\hv@Natural% captionwidth=\linewidth-\objectwidth-separation
638	\ifhv@capbeside
639	\ifhv@wide
640	<pre>\hvCapWidth=\the\dimexpr\hvWideWidth-\hvObjectWidth-\hv@floatCapSep\relax</pre>
641	\else
642	\ifhv@star \hvCapWidth=\ the \dimexpr\ textwidth -\hvObjectWidth-\hv@floatCapSep\ relax
643 644	(Incapwine) (Ine (dimert) (rectivine) (Inconjectivine) (Inconjectivine) (Inconjectivity)
645	\hvCapWidth=\ the \dimexpr\ linewidth -\hvObjectWidth-\hv@floatCapSep\ relax
646	\fi
647	\fi
648	\else
649	\setlength\hvCapWidth{\ columnwidth }%
650	\fi
651	\else
652	\ifhv@capbeside \ifhv@cide
653 654	\ifhv@wide \setlength\hvCapWidth{\hvSet@capWidth\hvWideWidth}%
655	\@tempdima=\ the \dimexpr\hvWideWidth-\hvObjectWidth-\hv@floatCapSep\ relax
656	\else

657	\setlength\hvCapWidth{\hvSet@capWidth\ columnwidth }%
658	\@tempdima=\ the \dimexpr\ columnwidth -\hv0bjectWidth-\hv@floatCapSep\ relax
659	\fi
660	\ ifdim \hvCapWidth>\@tempdima
661	\hvCapWidth=\@tempdima
662	\fi
663	\else
664	\ifhv@wide
665	\setlength\hvCapWidth{\hvSet@capWidth\hvWideWidth}%
666	\else
667	\setlength\hvCapWidth{\hvSet@capWidth\ columnwidth }%
668	\fi
669	\fi
670	\fi
671	\fi
672	\fi
673	\fi
674	\saveCaptionSkip% we put this space ourselve
674	\ ifnum \hvSet@capAngle=0 % need rotation?
676	\savebox% NO rotation
677	\minipage[b]{\hvCapWidth}%% minipage, to get hyphenation
	<pre>% \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi</pre>
678 679	\iffv@nonFloat
	\ifhv@onlyText
680	\hv@longCap
681	\else
682	\ ifx \hv@floatType\hv@figure
683	\ifx\relax\hv@shortCap\relax
684	\figcaption{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\fi}%
685	\else
686 687	\figcaption[\hv@shortCap]{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi }%
	\fi
688 689	\else
	\ifx\relax\hv@shortCap\relax
690	\tabcaption{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi }%
691	\else
692 693	\tabcaption[\hv@shortCap]{\hv@longCap\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi }%
694	\fi
695	\fi
696	\fi
697	\else
	\ifhv@onlyText
698 699	\hv@longCap
700	\else
701	\let\@captype\hv@floatType
702	\ ifx \hv@shortCap\@empty\ caption {\hv@longCap}\ else\caption [\hv@shortCap]{\hv@longCap}\ fi
702	\ifx\hv@label\@empty\else\label{\hv@label}\fi
703	
704	\fi
705	\endminipage
707	}% end CaptionBox without rotation
708	\else
709	\savebox% with Rotation
709	\vecaptionbox{*
711	\minipage[b]{\hvCapWidth}%% minipage, to get hyphenation
712	% \ifx\relax\hv@caption@format\relax\else\expandafter\captionsetup\expandafter{\hv@caption@format}\fi
713	\ifhv@nonFloat
714	\ifhv@onlyText
715	\hv@longCap
716	\else
717	\ ifx \hv@floatType\hv@figure
718	\ ifx \hv@shortCap\@empty \figcaption{\hv@longCap}\ else \figcaption[\hv@shortCap]{\hv@longCap}\ fi
719	\else
720	\ ifx \hv@shortCap\@empty \tabcaption{\hv@longCap}\ else \tabcaption[\hv@shortCap]{\hv@longCap}\ fi
721	\fi
722	\fi
723	\else

724	
	\ifhv@onlyText
725	\hv@longCap
726	\else
727	\ let \@captype\hv@floatType
728	\ifx\hv@shortCap\@empty \caption{\hv@longCap}\else\caption[\hv@shortCap]{\hv@longCap}%
729	
730	\fi
731	\fi
732	\ifx\hv@label\@empty\else\label{\hv@label}\fi
733	\endminipage
734	}% rotatebox
735	}% \sbox
736	\fi
737	8
738	% now we have the object and the caption with the right
739	% rotated angles saved in different boxes
740	**
741	\restoreCaptionSkip% save old values
742	% \def\fps@figure{\hvSet@floatPos}%
743	<pre>\ifx\hvSet@floatPos\@empty % use type default</pre>
744	\else
745	\@namedef{fps@\hv@floatType}{\hvSet@floatPos}%
746	\fi
747	\ifhv@nonFloat
748	\noindent
749	\begingroup% Start the nonfloat part
750	\else
751	\ifhv@star
752	\ ifx \hvSet@floatPos\hv@floatBottom
753	\@nameuse{\hv@floatType*}[b]% Start the floating environment ************************************
	\else
754	
755	\@nameuse{\hv@floatType*}%
756	\fi
757	\else
758	\ begin {\hv@floatType}% Start the floating environment
759	\fi
	\fi
759	\fi \checkoddpage
759 760	\fi \checkoddpage \ ifx \hvSet@objectPos\hv@Right\ raggedleft\fi
759 760 761	\fi \checkoddpage
759 760 761 762	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi</pre>
759 760 761 762 763	\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center
759 760 761 762 763 764	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi</pre>
759 760 761 762 763 764 765	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi</pre>
759 760 761 762 763 764 765 766	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer</pre>
759 760 761 762 763 764 765 766 766	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi</pre>
759 760 761 762 763 764 765 766 767 768	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi</pre>
759 760 761 762 763 764 765 766 766 768 769	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \fi \ifx\hvSet@objectPos\hv@Inner</pre>
759 760 761 762 763 764 765 766 766 767 768 769 770	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi</pre>
759 760 761 762 763 764 765 766 766 767 768 769 770 771	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi</pre>
759 760 761 762 763 764 765 766 766 767 768 769 770 771 772	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi </pre>
759 760 761 762 763 764 765 766 766 767 768 769 770 771 772 773	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi % % to rotate object and caption together, we save all in another box</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi % % to rotate object and caption together, we save all in another box % the caption comes first, if its on the left or the top</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi % % to rotate object and caption together, we save all in another box % the caption comes first, if its on the left or the top % 0 caption left, inner and odd page, oneside inner % 1 caption top</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi % % to rotate object and caption together, we save all in another box % the caption comes first, if its on the left or the top % 0 caption left, inner and odd page, oneside inner</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 776 777	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \ffi % % to rotate object and caption together, we save all in another box % the caption comes first, if its on the left or the top % 0 caption left, inner and odd page, oneside inner % 1 caption top % 2 caption right, inner and even page, oneside outer</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifn\@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi % % to rotate object and caption together, we save all in another box % the caption comes first, if its on the left or the top % 0 caption left, inner and odd page, oneside inner % 1 caption top % 2 caption right, inner and even page, oneside outer % 3 caption bottom %</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifnv@nonFloat\hspace*{\fill}else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi % % to rotate object and caption together, we save all in another box % the caption comes first, if its on the left or the top % 0 caption left, inner and odd page, oneside inner % 1 caption top % 2 caption right, inner and even page, oneside outer % 3 caption bottom % </pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifnv@nonFloat\hspace*{\fill}\else\centering\fi \fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \\fi \\fi \\ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi % % to rotate object and caption together, we save all in another box % the caption comes first, if its on the left or the top % 0 caption left, inner and odd page, oneside inner % 1 caption top % 2 caption right, inner and even page, oneside outer % 3 caption bottom % </pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifsdbjectPos\hv@Center \ifsdbjectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi \fi % % to rotate object and caption together, we save all in another box % the caption comes first, if its on the left or the top % 0 caption left, inner and odd page, oneside inner % 1 caption top % 2 caption right, inner and even page, oneside outer % 3 caption bottom % </pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@onFloat\hspace*{\fill}\else\centering\fi \fi \ifi \ifi \ifi \ifi \ifi \ifi \</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}else\centering\fi \fi \ifx\hvSet@objectPos\hv@Outer \ifoddpage\raggedleft\fi \fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\lse\raggedleft\fi \fi % % to rotate object and caption together, we save all in another box % the caption comes first, if its on the left or the top % 0 caption left, inner and odd page, oneside inner % 1 caption top % 0 caption right, inner and even page, oneside outer % 3 caption bottom % \ifx\hvSet@capPos\hv@Left \hv@@capPos=0 \else \ifx\hvSet@capPos\hv@Top \hv@@capPos=1</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785	<pre>\fi \checkoddpage iffx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifn\onFloat\hspace*{\fill}else\centering\fi \fi \ifx\hvSet@objectPos\hv@Uter \ifoddpage\raggedleft\fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi \fi \fi \fi \fi \fi \fi \fi \fi</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786	<pre>\fi \checkoddpage iffx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifnv@nonFloat\hspace*{\fill}else\centering\fi \fi \ifx\hvSet@objectPos\hv@Uter \ifoddpage\raggedleft\fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi \fi \fi % % to rotate object and caption together, we save all in another box % the caption comes first, if its on the left or the top % 0 caption left, inner and odd page, oneside inner % 1 caption top % 2 caption right, inner and even page, oneside outer % 3 caption bottom % \ifx\hvSet@capPos\hv@Left \hv@capPos=0 \else \ifx\hvSet@capPos\hv@Top \hv@capPos=1 \else \ifx\hvSet@capPos\hv@Right</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Uuter \ifoddpage\raggedleft\fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\lese\raggedleft\fi \fi \fi \fi \fi \fi \fi \fi \fi \fi</pre>
759 760 761 762 763 764 765 766 767 768 770 771 773 774 775 777 780 781 782 783 784 785 786 787 788 787	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Duter \ifoddpage\raggedleft\fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\else\raggedleft\fi \fi \fi \fi \fi \fi \fi \fi \fi \fi</pre>
759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787	<pre>\fi \checkoddpage \ifx\hvSet@objectPos\hv@Right\raggedleft\fi \ifx\hvSet@objectPos\hv@Center \ifhv@nonFloat\hspace*{\fill}\else\centering\fi \fi \ifx\hvSet@objectPos\hv@Uuter \ifoddpage\raggedleft\fi \ifx\hvSet@objectPos\hv@Inner \ifoddpage\lese\raggedleft\fi \fi \fi \fi \fi \fi \fi \fi \fi \fi</pre>

791	\else
792	\ ifx \hvSet@capPos\hv@Inner
793	\ifoddpageoroneside\hv@capPos=0\ else \hv@capPos=2\ fi
794	\else
795	\ ifx \hvSet@capPos\hv@Outer
796	\ifoddpage\hv@capPos=2\ else \hv@capPos=0\fi
	<pre>% \ifoddpageoroneside\hv@capPos=2\else\hv@capPos=0\fi </pre>
798	<pre>% even page (left=0) odd page (oneside) (right=2)</pre>
799	\else
800	\ ifx \hvSet@capPos\hv@Before
801	<pre>\hv@@capPos=0% same as cappos=left</pre>
802	\else
803	\ ifx \hvSet@capPos\hv@After
804	<pre>\hv@capPos=2% same as capPos=right</pre>
805	\fi
806	\fi
807	\fi
808	\fi
809	\fi
810	\fi
811	\fi
812	\fi
813	\$0000 \$0000
	%\typeout{>>>>>>Pos: \the\hv@@capPos}%
815	\savebox{\@tempboxa}{% ***** @tempbox start
816	\expandafter%
817	\ ifcase \ the \hv@@capPos % 0 is LEFT START \ifcase
	\ifx\hvSet@capVPos\hv@Center
818	
819	\put@CaptionBox
820	<pre>\hspace{\hv@floatCapSep}% capfloatsep \nut@floatFax</pre>
821	\put@ObjectBox
822	\else
823	\ifx\hvSet@capVPos\hv@Top% caption and object at top aligned
824	\put@CaptionBox[1]%
825	<pre>\hspace{\hv@floatCapSep}% capfloatsep</pre>
826	\put@ObjectBox[1]%
827	\else % caption on bottom
828	<pre>\put@CaptionBox[2]%</pre>
829	<pre>\hspace{\hv@floatCapSep}% capfloatsep</pre>
830	\put@ObjectBox[2]%
831	\fi
832	\fi% end caption left
833	\ or %1 is top
834	\ ifdim\wd \hvCaptionBox>\ wd \hvObjectBox
835	\ begin {minipage}{\ wd \hvCaptionBox}%
836	\else
837	\ begin {minipage}{\ wd \hv0bjectBox}%
838	\fi
839	<pre>\ifx\hvSet@capHPos\hv@Left% horizontal justification</pre>
840	\raggedright
841	\else
842	\ ifx \hvSet@capHPos\hv@Center
843	\centering
844	\else
845	\raggedleft
846	\fi
847	\fi
848	\ifhv@fbox
849	\fbox{\usebox{\hvCaptionBox}}\\[0.5\hvBelowCaptionSkip]%
	<pre>\fbox{\usebox{\nvcaptionbox}}\([0.5\nvbetowcaption5kip]% \fbox{\usebox{\nvcaptionbox}}%</pre>
850	\else
851	
852	\usebox{\hvCaptionBox}\\[0.5\hvBelowCaptionSkip]%
853	\usebox{\hvObjectBox}%
854	\fi }
855	\end{minipage}%
856	\or%2 is right
857	\ ifx \hvSet@capVPos\hv@Center

858	\put@ObjectBox
859	\hspace{\hv@floatCapSep}%
860	\put@CaptionBox
861	\ else \ ifx \hvSet@capVPos\hv@Top
862 863	\put@ObjectBox[1]%
864	\hspace{\hv@floatCapSep}% capfloatsep
865	\put@CaptionBox[1]%
866	\else
867	\put@ObjectBox[2]%
868	<pre>\hspace{\hv@floatCapSep}% capfloatsep</pre>
869	\put@CaptionBox[2]%
870	\fi
871	\fi
872	\ or %3 bottom
873 874	<pre>\ifdim\wd\hvCaptionBox>\wd\hvObjectBox \begin{minipage}{\wd\hvCaptionBox}%</pre>
874	\else
876	\ begin {minipage}{\ wd \hv0bjectBox}%
877	\fi
878	\ ifx \hvSet@capHPos\hv@Left% <i>horizontal justification</i>
879	\raggedright
880	\else
881	\ ifx \hvSet@capHPos\hv@Center
882	\centering
883	\else
884	\raggedleft \fi
885 886	\fi
887	\ifhv@fbox
888	\fbox{\usebox{\hvObjectBox}}\\[0.5\hvAboveCaptionSkip]%
889	\ fbox {\ usebox {\hvCaptionBox}}%
890	\else
891	\ifhv@objectFrame\ frame {\ usebox {\hvObjectBox}}\ else\usebox {\hvObjectBox}\ fi \\[0.5\
	hvAboveCaptionSkip]%
892	\usebox{\hvCaptionBox}%
893	\fi \end{minipage}%
894 895	fi% ifcase the hv@capPos
896	
897	to EIIU Savedux UDTect alla caditali ososososososososososososososososososos
898	}% End savebox Object and caption %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
070	
899	* * *
	% now we rotate the object and caption, if needed % \ifhv@wide
899 900 901	% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside
899 900 901 902	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@twocolumn</pre>
899 900 901 902 903	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@twocolumn \if@firstcolumn</pre>
899 900 901 902 903 904	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@twocolumn \if@firstcolumn \noindent</pre>
899 900 901 902 903	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@twocolumn \if@firstcolumn</pre>
 899 900 901 902 903 904 905 	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifodtpageoroneside \if@twocolumn \if@firstcolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column</pre>
 899 900 901 902 903 904 905 906 	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@twocolumn \if@firstcolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \fi \fi \fi \else } }</pre>
899 900 901 902 903 904 905 906 907	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifodtpageoroneside \if@twocolumn \if@firstcolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \fi \</pre>
899 900 901 902 903 904 905 906 907 908	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@twocolumn \if@firstcolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \fi \else \ifoddpage \ifoddpage \ifoddpage \ifoddpage \ifodvocolumn</pre>
 899 900 901 902 903 904 905 906 907 908 909 910 911 	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@dtwocolumn \if@firstcolumn \fi \fi \fi \else \ifoddpage \ifoddpage \if@twocolumn \if@firstcolumn \if@firstcolumn</pre>
 899 900 901 902 903 904 905 906 907 908 909 910 911 912 	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@dtwocolumn \if@firstcolumn \fi \fi \fi \else \ifoddpage \ifoddpage \if@twocolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \ifodmage \ifodtpage \ifottpage \ifodtpage \ifottpage \</pre>
 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 	<pre>% % now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@dtwocolumn \if@firstcolumn \fi \fi \fi \else \ifoddpage \ifoddpage \ifoddpage \if@twocolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \ifofirstcolumn \ifofirstcolumn \ifomindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column </pre>
 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@dtwocolumn \if@firstcolumn \fi \fi \else \ifoddpage \ifoddpage \if@twocolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \ifoddpage first column \ifoddpage if@twocolumn \if@firstcolumn \if@firstcolumn \ifoddpage first column \ifoddpage if@twocolumn \ifoddpage iffoddpage iff</pre>
 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@dtwocolumn \if@firstcolumn \fi \fi \else \ifoddpage \ifoddpage \if@twocolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \ifoddpage {\ifodmexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \fi</pre>
899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@dtwocolumn \if@firstcolumn \fi \fi \else \ifoddpage \ifoddpage \if@twocolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \if@firstcolumn \ifoddpage first column \ifoddpage if@twocolumn \if@firstcolumn \if@firstcolumn \ifoddpage first column \ifoddpage if@twocolumn \ifoddpage iffoddpage iff</pre>
 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \ifoddpageoroneside \ifodfirstcolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \else \ifoddpage \ifodtpage \ifo</pre>
 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 	<pre>% % now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \ifodipageoroneside \ifodipagetristcolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \fi \fi \fi \ifodipage \ifodipage \ifodipagetristcolumn \fi \fi</pre>
 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 	<pre>% now we rotate the object and caption, if needed \ifhv@wide \ifoddpageoroneside \if@twocolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \fi \else \ifoddpage \ifodtpage \if@twocolumn \if@firstcolumn</pre>
 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 	<pre>% now we rotate the object and caption, if needed % \ifhv@wide \ifoddpageoroneside \if@twocolumn \nif@firstcolumn \fi \fi \else \ifoddpage \if@twocolumn \if@tistcolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \fi \else \if@firstcolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \fi \else\evenpage \if@firstcolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% <- for wide and left page \fi \fi</pre>
 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 	<pre>% now we rotate the object and caption, if needed \ifhv@wide \ifoddpageoroneside \if@twocolumn \noindent \hspace*{\dimexpr-\marginparwidth-\marginparsep}% oddpage first column \fi \fi \else \ifoddpage \ifodtpage \if@twocolumn \if@firstcolumn</pre>

```
\ifx\hvSet@rotAngle\hv@Zero
924
         \usebox{\@tempboxa}%
925
       \else
926
         \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}%
927
       \fi
928
       \ifhv@nonFloat
929
930
         \ifx\hvSet@objectPos\hv@Center
            \ifhv@nonFloat
931
932
          \hspace{\fill}%
            ١fi
933
934
         \fi
         \endgroup% End the nonfloat part
935
936
       \else
         \ifhv@star
937
           \@nameuse{end\hv@floatType*}% End the floating environment
938
939
         \else
           \end{\hv@floatType}% End the floating environment
940
941
         \fi
       \fi
942
943
       \endgroup% startet at main \hvFloat
944
     1
945
     \newenvironment{hvFloatEnv}[1][\textwidth]
946
947
       {\minipage{#1}}
       {\endminipage}
948
949
950
     \ExplSyntaxOn
951
     \let\clist@item@Nn\clist_item:Nn
952
     \let\l@clist@Type\l clist Type
953
     \mathbf{t}_clist@LofCaption \mathbf{l}_clist\_LofCaption
954
     \let\l@clist@Label\l clist Label
955
956
     \let\clist@count@N\clist_count:N
     \ExplSyntax0ff
957
958
     \def\do@@@hvFloat{% special float page: caption <-> fullpage images
959
       \ifx\hvSet@capPos\hv@After \global\hv@capPos=1
960
       \else
961
962
         \ifx\hvSet@capPos\hv@Even \global\hv@capPos=2
         \else
963
           \ifx\hvSet@capPos\hv@Odd \global\hv@@capPos=3
964
965
           \else
             \ifx\hvSet@capPos\hv@Inner \global\hv@capPos=4
966
967
             \else
               \ifx\hvSet@capPos\hv@Outer \global\hv@@capPos=5
968
               \else
969
                 \ifx\hvSet@capPos\hv@Right \global\hv@capPos=6% only for twocolumn mode
970
                 \else
971
                    \ifx\hvSet@capPos\hv@Left
                                                \global\hv@capPos=7% only for twocolumn mode
972
973
                    \else
                      \global\hv@@capPos=0
974
                    \fi
975
                 \fi
976
               \fi
977
             \fi
978
           ∖fi
979
         \fi
980
       ∖fi
981
982
       \checkoddpage
       \set@caption@object{\hv@floatType}% set caption and object into a box
983
984
       \ifcase\hv@capPos% caption before object 0-> _always_ left
         \setBottomCaption\setPageObject
985
                              caption after object 1-> _always_ right
986
       \or%
         \setPageObject\setBottomCaption
987
                              caption on even page 2-> left page
988
       \or%
         \ifoddpage
989
           \afterpage{\setBottomCaption\setPageObject}%
990
```

991	\ else % we are on an even page
992	\setBottomCaption\setPageObject
993	\fi
994	\or% caption on odd page 3->right page
995	\if@twoside
996	\if@twocolumn
997	\ifoddpage
998	\if@firstcolumn% on right side
999	\setBottomCaption\setPageObject
1000	\else
1001	\afterpage{\setPageObject\setBottomCaption}%
1002	\fi
1003	\ else % left (even) page
1004	\if@firstcolumn
1005	\afterpage{\setPageObject\setBottomCaption}%
1006	\else
1007	\setPageObject\setBottomCaption
1008	\fi
1009	\fi
1010	\else% onecolumn
1011	\ifoddpage
1012	\setPageObject\setBottomCaption
1013	\else% even page
1014	\afterpage{\setPageObject\setBottomCaption}%
1015	\fi
1016	\fi
1017	\else% oneside
1018	\if@twocolumn
1019	\ifoddpage
1020	\if@firstcolumn% on right side
1021	\setBottomCaption\setPageObject
1022	\else
1023	\setPageObject\setBottomCaption
1024	\fi \slag
1025	\else
1026	<pre>\if@firstcolumn% on left side \afterpage{\setPageObject\setBottomCaption}%</pre>
1027	\else
1028 1029	\setPageObject\setBottomCaption
1029	\fi
1030	\fi
1031	\else % onecolumn
1032	\ifoddpage
1033	\setBottomCaption\setPageObject
1031	\else
1036	\afterpage{\setBottomCaption\setPageObject}%
1037	\fi
1038	\fi
1039	\fi
1040	\or% caption on the inner column 4->inner
1041	% \set@caption@object
1042	\if@twocolumn
1043	\ifoddpage
1044	\if@firstcolumn% <i>on right side</i>
1045	\setBottomCaption\setPageObject
1046	\else % right column on right side
1047	\setPageObject\setBottomCaption% start next firstcolumn next page
1048	\fi
1049	\else
1050	\if@firstcolumn%
1051	\afterpage{\afterpage{\setBottomCaption\setPageObject}}% start next page/first column
1052	\ else % left page/column
1053	<pre>\setBottomCaption\setPageObject% start on same page/column</pre>
1054	\fi
1055	\fi
1056	\else% onecolumn
1057	\setBottomCaption\setPageObject

1058	\fi
1059	\or% caption on the outer column 5->outer
1060	% \set@caption@object
1061	\if@twocolumn
1062	\ifoddpage
1063	\if@firstcolumn
1064	<pre>\afterpage{\afterpage{\setBottomCaption\setPageObject}}% \else</pre>
1065 1066	\afterpage{\setBottomCaption\setPageObject}%
1067	\fi
1068	\else% even page (left)
1069	\if@firstcolumn
1070	\setBottomCaption\setPageObject
1071	\else
1072	%%% !!!! to-do: !!!!
1073	\fi \fi
1074 1075	\ll \else% onecolumn
1075	\setBottomCaption\setPageObject
1077	\fi
1078	\or% caption after object on same page 6->right for twocolumn
1079	\if@twocolumn
1080	\if@firstcolumn
1081	\afterpage{\setPageObject\setBottomCaption}%
1082	\else
1083	\setPageObject\setBottomCaption \ fi
1084 1085	\else% always caption after object for onecolumn
1085	\setPageObject\setBottomCaption
1087	\fi
1088	\or% caption before object on same page 7->left for twocolumn
1089	\if@twocolumn
1090	\if@firstcolumn
1091	\setBottomCaption\setPageObject
1092	\else
1093 1094	\afterpage{\setBottomCaption\setPageObject}% \ fi
1094	\else% onecolumn -> same as before
1096	\setBottomCaption\setPageObject
1097	\fi
1098	\fi
1099	\ endgroup % startet at main \hvFloat
1100	}
1101	8
1102 1103	
1103	%%
1105	%% lin+evenside lin+oddside
1106	8
1107	$\def\do@hvFloat@doublePage#1{\%} image on left and right page with caption on the right page for the second secon$
1108	% #1-> 0/1 caption under/right
1109	<pre>\hv@typeout{>>>doublePage: start with definitions of \hv@floatObject}%</pre>
1110	<pre>\global\hv@leftPageObjectWidth=\the\dimexpr\paperwidth-lin-\evensidemargin-\hvSet@bindCorrection\relax \global\hv@tempWidthA=\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection\relax</pre>
1111 1112	\xdef\hv@caption@format@temp{\hv@caption@format}% it gets lost otherwise for next afterpage
1112	\@dblfpbot=0\p@ \@plus 1fil%
1114	\global\hv@switchTypefalse
1115	<pre>\setcounter{hv@tempCNTfigA}{\value{figure}}%</pre>
1116	\ setcounter {hv@tempCNTfigB}{\ value {figure}}%
1117	\setcounter{hv@tempCNTtabA}{\value{table}}%
1118	<pre>\setcounter{hv@tempCNTtabB}{\value{table}}% }</pre>
1119	\savebox% NO rotation
1120 1121	<pre>\minipage{\textwidth}%% minipage, to get hyphenation \let\@captype\hv@floatType</pre>
1121	\caption*{\hv@longCap}%
1123	\endminipage}%
1124	<pre>\savebox\hv0bjectBox{\ifhv@use0Box\usebox{\hv0Box}\else\hv0float0bject\fi}%</pre>

25 The Package Source

```
\ifnum#1=0\relax
                            % no rotation, caption below
1125
          \hv@typeout{Texthöhe: \the\textheight}%
1126
          \hv@typeout{Objekthöhe: \the\ht\hvObjectBox}%
1127
1128
          \hv@typeout{Captionhöhe: \the\ht\hvCaptionBox}%
          \@tempdima=\dimexpr\ht\hv0bjectBox+\ht\hvCaptionBox+\abovecaptionskip+\belowcaptionskip +\textfloatsep
1129
               \relax%+\floatsep\relax
1130
          \hv@typeout{Summe: \the\@tempdima}%
          \ifdim\@tempdima > \dimexpr\textheight-\hv@minTextlines\relax
1131
1132
            \hv@typeout{hvfloat: switched to floattype p}%
            \hv@switchTypetrue
1133
          \fi
1134
       \fi
1135
       \hv@typeout{do@hvFloat@doublePage:hv@tempWidthA=\the\hv@tempWidthA}%
1136
       \ifhv@forceOutput
1137
1138
          1139
       \else
       \checkoddpage
1140
1141
       \ifoddpage
          \if@twocolumn
1142
1143
            \if@firstcolumn
              \hv@typeout{do@hvFloat@doublePage:oddpage->twocolumn->firstcolumn}%
1144
              \ifhv@switchType
1145
                \hv@typeout{hvfloat: switched to floattype p}%
1146
1147
                \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
              \else
1148
                \hv@typeout{calling do@hvFloat@doublePageCaptionRight}%
1149
1150
                %\afterpage{
1151
                \afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%}%
              \fi
1152
            \else
1153
              \hv@typeout{do@hvFloat@doublePage:oddpage->twocolumn->secondcolumn}%
1154
              \ifhv@tugboat
1155
1156
                \do@hvFloat@doublePageCaptionRight{#1}%
              \else
1157
1158
                \ifhv@switchType
                  \do@hvFloat@doublePAGECaptionRight{#1}%
1159
                \else
1160
                  \afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%
1161
                \fi
1162
              \fi
1163
            \fi
1164
1165
          \else
            \ifhv@switchType
1166
1167
              \do@hvFloat@doublePAGECaptionRight{#1}%
            \else
1168
              \afterpage{\do@hvFloat@doublePageCaptionRight{#1}}%
1169
            ∖fi
1170
          \fi
1171
       \else% we have an even page
1172
1173
          \if@twocolumn
            \if@firstcolumn
1174
1175
              \ifhv@switchType
                \afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%
1176
              \else
1177
                \afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%
1178
              ∖fi
1179
1180
            \else% second column
1181
              \ifhv@switchType
1182
                \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
              \else
1183
1184
                \afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%
              ∖fi
1185
            \fi
1186
          \else% onecolumn
1187
1188
            \ifhv@switchTvpe
              \afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1189
1190
            \else
```

1191	\afterpage{\afterpage{\do@hvFloat@doublePageCaptionRight{#1}}}%
1192	\fi \fi
1193	\fi \fi
1194	\let\c@fptop\hv@fptop
1195	\fi
1196 1197	\endgroup% started at main macro \hvFloat
1197	
1198	۲ ۶
1200	~ ∖ def \do@hvFloat@doublePageCaptionRight#1{% image on left and right page with caption on the right page
1200	
1201	\hv@typeout{do@hvFloat@doublePageCaptionRight->start}%
1202	\do@hvFloat@doublePageCaptionRightObjectLeft{0pt}%
1203	\afterpage{\do@hvFloat@doublePageCaptionRightObjectRight{#1}}%
1204	}
1205	8
1206	<pre>\def\do@hvFloat@doublePageCaptionRightObjectLeft#1{% left part of the object</pre>
1207	\begin{\hv@floatType*}[!t]
1208	<pre>\hv@typeout{>>>doublePage: start with left side of the object \hv@floatObject}%</pre>
1209	\hv@set@noverticalSpace
1210	\hfuzz=\maxdimen
1211	\let\c@hv@tempCNTfigA\c@figure
1212	\let\c@hv@tempCNTtabA\c@table
1213	<pre>\expandafter\hvFloatSet\expandafter{\hv@save@setting}% \hv@typeout{Float position parameter is for left page: !t}%</pre>
1214 1215	\global\savebox{\hv0bjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@float0bject\fi}%
1215	<pre>\clipbox*{0 - \hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1217	\ifx\hv@label\@empty
1218	\else
1219	\ ifx \hv@floatType\hv@figure
1220	\global\refstepcounter {hv@tempCNTfigA}%
1221	\else
1222	\global\refstepcounter {hv@tempCNTtabA}%
1223	\fi
1224	\label{\hv@label}%
1225	\fi
1226	\ifhv@global@sameHeight
1227	\hv@typeout{text should be of same height of both pages}%
1228 1229	<pre>\par\noindent{\caption*{\hv@longCap}}}% % \vspace{-2pt}%</pre>
1229	\fi
1230	\hv@reset@noverticalSpace
1232	\end{\hv@floatType*}%
1233	}
1234	\ def \do@hvFloat@doublePageCaptionRightObjectRight#1{% right part of the object
1235	\ begin {\hv@floatType*}[!t]
1236	<pre>\hv@typeout{>>>doublePage: start with right side of the object \hv@floatObject}%</pre>
1237	\hv@set@noverticalSpace
1238	\hfuzz=\maxdimen
1239	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1240	\savebox\hvObjectBox{\ifhv@useOBox\ usebox {\hvOBox}\ else \hv@floatObject\fi}%
1241	<pre>\hv@tempWidthA=\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection\relax% FÜR DTK \hearee*(\hv@tempWidthA)%</pre>
1242	\ hspace *{-\hv@tempWidthA}% \hv@leftPageObjectWidth=\ the \dimexpr\ paperwidth -lin-\ evensidemargin -\hvSet@bindCorrection\ relax % <i>FÜR</i>
1243	FTK
1244	<pre>\savebox\hv@rightBox{\clipbox*{\hv@leftPageObjectWidth{} - }{\usebox\</pre>
1211	hv0bjectBox}}%
1245	\hv@tempWidthB=\dimexpr\ textwidth-\wd \hv@rightBox-\hvSet@bindCorrection+lin+\ oddsidemargin -\
	hv@floatCapSep\relax
1246	\hv@typeout{Height of right box: \ the\ht \hv@rightBox}%
1247	\hv@typeout{Depth of right box : \ the\dp \hv@rightBox}%
1248	\ ifdim\dp \hv@rightBox > \z@
1249	\raisebox{\depth}{\usebox\hv@rightBox}%
1250	\else
1251	\ usebox \hv@rightBox
1252	fi
1253	\c@hv@tempCNTfigB=\numexpr\c@figure-1\ relax

25 The Package Source

1254	\c@hv@tempCNTtabB=\numexpr\c@table-1\ relax
1255	\ifx\hv@label\@empty\else
1256	\ ifx \hv@floatType\hv@figure
1257	\refstepcounter{hv@tempCNTfigB}%
1258	\else \refstepcounter{hv@tempCNTtabB}% before caption
1259 1260	\ refstepcounter {hv@tempCNTtabB}%
1260	\label{\hv@label-2}%
1262	\fi
1263	\ ifx\hv@caption@format@temp\@empty\else
1264	\ expandafter \captionsetup\ expandafter {\hv@caption@format@temp}%
1265	\fi
1266	\c@figure=\numexpr\c@hv@tempCNTfigB-1\ relax
1267	\c@table=\numexpr\c@hv@tempCNTtabB-1\ relax
1268	\ ifnum #1>\z@ % caption on the right
1269	\hv@typeout{doublePage: capAngle=\hvSet@capAngle}% \ ifnum \hvSet@capAngle > \z@
1270 1271	\hspace{\hv@floatCapSep}%
1271	\ rlap {\rotatebox{\hvSet@capAngle}{\ parbox [b]{\ the \dimexpr\ ht \hvObjectBox+\ dp \hvObjectBox}{%
1272	\abovecaptionskip=0pt% local inside parbox
1274	\belowcaptionskip=0pt% local inside parbox
1275	\ ifx\relax \hv@shortCap\ relax
1276	\ caption {\hv@longCap}%
1277	\else
1278	\caption[\hv@shortCap]{\hv@longCap}%
1279	\fi
1280	}}% \ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1281 1282	\lix \nv@tabet \@empty \etse \tabet{ \nv@tabet-cab} \11
1283	\hv@tempWidthB=\dimexpr\ textwidth -\wd\hv@rightBox-\hvSet@bindCorrection+lin+\oddsidemargin-\
	hv@floatCapSep\ relax
1284	\hspace{\hv@floatCapSep}%
1285	\ rlap {\ parbox [b][\dimexpr\ ht \hv@rightBox+\ dp \hv@rightBox][\hv@capVPos]{\hv@tempWidthB}{%
1286	\abovecaptionskip=0pt % local inside parbox
1287	\belowcaptionskip=0pt % local inside parbox
1288	\ ifx \hv@shortCap\@empty
1289	\caption{\hv@longCap}%
1290 1291	\else \caption[\hv@shortCap]{\hv@longCap}%
1291	\fi
1292	}}%
1294	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1295	\fi
1296	\else % #1 = 0 caption below
1297	\ ifx\relax \hv@shortCap\ relax
1298	\caption{\hv@longCap}%
1299	\else
1300 1301	\ caption [\hv@shortCap]{\hv@longCap}% \ fi
1301	\ifx\hv@label\@empty\ else\label {\hv@label.cap}\fi
1302	\fi
1304	\vspace{0pt}%
1305	\hv@reset@noverticalSpace
1306	\ end {\hv@floatType*}
1307	}
1308	
1309	\newsavebox\hv@boxLeftPage
1310	\ newsavebox \hv@boxRightPage %
1311 1312	° ‰ lin+evenside lin+oddside
1312	%
1314	
1315	$\ensuremath{def}\do@hvFloat@doublePAGE#1{%} image on left and right page with caption on the right$
1316	% #1-> 0/1 caption under/right
1317	<pre>% \global\setlength\hv@tempWidthA{\the\dimexprlin+\oddsidemargin-\hvSet@bindCorrection}%</pre>
1318	<pre>% \global\setlength\hv@leftPageObjectWidth{\the\dimexpr\paperwidth-lin-\evensidemargin-\</pre>

	hvSet@bindCorrection}%
1319	<pre>\expandafter\global\expandafter\savebox\expandafter\hvObjectBox\ifhv@use0Box\usebox{\hvOBox</pre>
1519	<pre>}\else\hv@float0bject\fi}%</pre>
1320	\expandafter\global\expandafter\savebox\expandafter\hv@boxLeftPage\clipbox*{0 - \
1320	hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}}%
1321	<pre>\expandafter\global\expandafter\savebox\expandafter\hv@boxRightPage\clipbox*{\</pre>
1521	hv@leftPageObjectWidth{} - \height}{\usebox\hvObjectBox}}%
1322	\checkoddpage
1323	\ifoddpage
1324	\hv@typeout{do@hvFloat@doublePAGE: oddpage}%
1325	\if@twocolumn
1326	\if@firstcolumn
1327	\nv@typeout{do@hvFloat@doublePAGE: ifoddpage->twocolumn->firstcolumn}%
1328	\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}%
1329	\else
1330	\hv@typeout{do@hvFloat@doublePAGE: ifoddpage->twocolumn->secondcolumn}%
1331	\do@hvFloat@doublePAGECaptionRight{#1}%
1332	\fi
1333	\else
1334	\do@hvFloat@doublePAGECaptionRight{#1}%
1335	\fi
1336	\else
1337	<pre>\hv@typeout{do@hvFloat@doublePAGE: evenpage}%</pre>
1338	\if@twocolumn \if@firstcolumn
1339	
1340 1341	\afterpage{\afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}% \ else
1341	\afterpage{\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}}%
1342	\fi
1344	\else
1345	<pre>\afterpage{\do@hvFloat@doublePAGECaptionRight{#1}}% onecolumn/left page</pre>
1346	\fi
1347	\fi
1348	\endgroup% startet at main macro
1349	}
1350	%
1351	\def\do@hvFloat@doublePAGECaptionRight#1{% image on left and right page with caption on the right
1352	% #1-> θ/1 caption under/right
1353	<pre>\hv@typeout{do@hvFloat@doublePAGECaptionRight->start}%</pre>
1354	%
1355	\hfuzz=\maxdimen
1356	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1357	\ifhv@use0Box \ global\let \hv0bjectBox\hv0Box
1358 1359	\else
1359	\global\savebox\hvObjectBox{\hv@floatObject}%
1361	\fi
1362	\noindent
1363	\ global \hv@tempWidthA=\ the \dimexprlin+\ oddsidemargin -\hvSet@bindCorrection%
1364	\global\hv@leftPageObjectWidth=\the\dimexpr\paperwidth-lin-\evensidemargin-\hvSet@bindCorrection%
1365	<pre>\clipbox*{0 - \hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1366	\null\newpage\if@twocolumn\null\newpage\fi
1367	\expandafter\global\expandafter\savebox\expandafter\hv0bjectBox\ifhv@use0Box\usebox{\
	hvOBox}\ else \hv@floatObject\ fi }%
1368	\noindent
1369	\hspace*{\dimexpr-\hv@tempWidthA}%
1370	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} - }{\usebox\hvObjectBox}%</pre>
1371	\begingroup
1372	\ifnum#1>0
1373	\ medskip \ ifdim\dp \hvObjectBox > \z@
1374 1375	
	\[OTATEDOX OT1010=C {90}{}\The\01@2x0T\nT\0/UD1eCTB0X+\nn\0/UD1eCTB0X53%
	<pre>\rotatebox[origin=c]{90}{\parbox{\the\dimexpr\ht\hvObjectBox+\dp\hvObjectBox}{% \ifx\relax\hv@shortCap\relax</pre>
1376	\ ifx\relax \hv@shortCap\ relax
1376 1377	<pre>\ifx\relax\hv@shortCap\relax \captionof{\hv@floatType}{\hv@longCap}%</pre>

1380	\fi
1381	}}%
1382	\ ifx \hv@label\@empty\ else\label {\hv@label}\fi
1383	\else
1384	<pre>\rotatebox{90}{\parbox{\the\dimexpr\ht\hv0bjectBox+\dp\hv0bjectBox}{%</pre>
1385	\ ifx\relax \hv@shortCap\ relax
1386	\captionof{\hv@floatType}{\hv@longCap}%
1387	\else
1388	<pre>\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%</pre>
1389	\fi
1390	}%
1391	\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi
1392	\fi
1393	\else% caption not rotated
1394	\par\noindent
1395	\parbox{\textwidth}{%
1395	\ifx\relax\hv@shortCap\relax
	\captionof{\hv@floatType}{\hv@longCap}%
1397	\else
1398	
1399	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}% \ fi
1400	
1401	\ ifx \hv@label\@empty\ else\label {\hv@label}\fi
1402	}%
1403	\fi \enderson
1404	\endgroup
1405	\ newpage \if@twocolumn\ null\newpage\fi
1406	}%
1407	2
1408	
1409	% lin+evenside lin+oddside
1410	8
1411	\def\do@hvFloat@doubleFULLPAGE#1{% image on left and right page with caption before/below/right/after
1412	% #1-> 0/1 caption under/right
1413	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1414	\ ifx \hvSet@capPos\hv@After \ global \hv@capPos=1
1415	\else
1416	\ ifx \hvSet@capPos\hv@Before \ global \hv@capPos=0
1417	\else
1418	\global\hv@@capPos=2 % other caption type
1419	\fi\fi
1420	\checkoddpage
1421	<pre>\global\savebox{\hv0bjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv0float0bject\fi}%</pre>
1422	\ globa l\hv@tempWidthA=\dimexpr-\ oddsidemargin -lin-\ parindent +\hvSet@bindCorrection% the width of the
	right side offset
1423	\ global \hv@tempWidthB=\dimexpr\ ht \hvCaptionBox+\ wd \hvObjectBox+2\hvSet@bindCorrection%
1424	\ global \hv@leftPageObjectWidth=\dimexpr\ paperwidth -\hvSet@bindCorrection%
1425	% \savebox\hv@leftBox{\clipbox*{0 0 \the\hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}}%
1426	% \savebox\hv@rightBox{\clipbox*{\the\hv@leftPageObjectWidth{} \height}{\usebox\
	hvObjectBox}}%
1427	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1428	\ifoddpage
1429	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE: ifoddpage=true}%</pre>
1430	\ ifcase \hv@@capPos % =0 Caption before
1431	\hv@typeout{do@hvFloat@doubleFULLPAGE: caption before}%
1432	\if@twocolumn
1433	\hv@typeout{do@hvFloat@doubleFULLPAGE: twocolumn=true}%
1434	\if@firstcolumn
1435	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE: firstcolumn=true}%</pre>
1436	\ifhv@twoColumnCaption
1437	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE: twoColumnCaption=true}%</pre>
1438	\set@Normal@Bottom@Caption*
1439	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1440	\else
1441	\afterpage{\set@Normal@Bottom@Caption\do@hvFloat@doubleFULLPAGE@CaptionBefore}%
1442	\fi
1443	\ else % \if@firstcolumn
1444	\set@Normal@Bottom@Caption

1445	\do@hvFloat@doubleFULLPAGE@CaptionBefore
1446	\fi
1447	\else% \if@twocolumn
1448	\set@Normal@Bottom@Caption
1449	\do@hvFloat@doubleFULLPAGE@CaptionBefore
1450	\fi
1451	\or % =1 Caption after
1452	\hv@typeout{do@hvFloat@doubleFULLPAGE: caption after}%
1453	\ifhv@twoColumnCaption
1454	\hv@typeout{do@hvFloat@doubleFULLPAGE: twoColumnCaption=true}%
1455	\if@firstcolumn
1455	\hv@typeout{do@hvFloat@doubleFULLPAGE: firstcolumn=true}%
1456	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol}%
1458	\hv@typeout{do@hvFloat@doubleFULLPAGE: firstcolumn=false}%
1459	
1460	\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol \fi
1461	
1462	\else
1463	\if@twocolumn
1464	\if@firstcolumn
1465	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter}%
1466	\else
1467	\do@hvFloat@doubleFULLPAGE@CaptionAfter
1468	\fi
1469	\else
1470	\do@hvFloat@doubleFULLPAGE@CaptionAfter
1471	\fi
1472	\fi
1473	\else% \ifcase >1 all other Captions
1474	\if@twocolumn
1475	\if@firstcolumn
1476	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}%
1477	\else
1478	\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}%
1479	\fi
1480	\else % \if@twocolumn
1481	\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}%
1482	\fi
1483	\fi% \ifcase
1484	\else% we have an even page
1485	\ifcase\hv@@capPos% Before
1486	\if@twocolumn
1487	\if@firstcolumn
1488	\ifhv@twoColumnCaption
1489	\afterpage\set@Normal@Bottom@Caption*\afterpage{\
	<pre>do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%</pre>
1490	\else
1491	\afterpage{\afterpage{\set@Normal@Bottom@Caption\
	<pre>do@hvFloat@doubleFULLPAGE@CaptionBefore{#1}}}%</pre>
1492	\fi
1493	\else
1494	$\ \ \ \ \ \ \ \ \ \ \ \ \ $
1495	\fi
1496	\else% \if@twocolumn
1497	$\label{eq:last_on_star} \label{eq:last_on_star} a fterpage \label{eq:last_on_star} eq:last_on$
1498	\fi
1499	\ or % capPos after
1500	\if@twocolumn
1501	\if@firstcolumn
1502	\ifhv@twoColumnCaption
1503	\afterpage{\afterpage\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{#1}}}%
1504	\else
1505	\afterpage{\afterpage\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter{#1}}}%
1506	\fi
1507	\else
1508	\ifhv@twoColumnCaption
1509	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{#1}}}%

1510	\else
1511	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter{#1}}}%
1512	\fi
1513	\fi
1514	\else% \if@twocolumn
1515	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionAfter}%
1516	\fi
1517	\else % \ifcase Any other caption
1518	\if@twocolumn
1519	\if@firstcolumn
1520	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}}%
1521	\else
1522	\afterpage{\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}}%
	\fi
1523	\else
1524	
1525	\afterpage{\do@hvFloat@doubleFULLPAGE@CaptionOther{#1}}%
1526	\fi
1527	\fi% \ifcase
1528	\fi% main ifoddpage
1529	\endgroup% started at main macro \hvFloat
1530	}
1531	
1532	$\label{eq:linear} \label{eq:linear} eq:$
1533	\def\set@Normal@Bottom@Caption@{%
1534	\ begin {\hv@floatType}[!b]
1535	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1536	\ifhv@separatorLine\drawSepLine\fi
1537	% \expandafter\captionsetup\expandafter{\hv@caption@format}%
1538	\ifhv@onlyText
1539	\hv@longCap
1540	\else
1541	\ if x\hv@shortCap\@empty
1542	\captionof{\hv@floatType}{\hv@longCap}%
1543	\else
1544	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1545	\fi
1546	\fi
1547	\ifx\hv@label\@empty\ else\label {\hv@label-cap}\fi
1548	\end{\hv@floatType}%
1549	J
1550	\def\set@Normal@Bottom@CaptionStar*{%
1551	\begin{\hv@floatType*}[!b]
1552	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1553	\ifhv@separatorLine\drawSepLine\fi
1554	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}% </pre>
1555	\ifhv@onlyText
1556	\hv@longCap
1557	\else
1558	\ifx\hv@shortCap\@empty
1559	<pre>\captionof{\hv@floatType}{\hv@longCap}%</pre>
1560	\else
1561	<pre>\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%</pre>
1562	\fi
1563	\fi
1564	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1565	\ end {\hv@floatType*}%
1566	}
1567	
1568	\ def \do@hvFloat@doubleFULLPAGE@CaptionBefore{%
1569	%
1570	\hfuzz=\maxdimen
1571	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1572	\vspace*{\\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
	}% no interlineskip
1573	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1574	\thispagestyle{empty}%
1575	\ ifx \hv@floatType\hv@figure

1576	\global\refstepcounter {hv@tempCNTfigB}%
1577	\else
1578	\ global \ refstepcounter {hv@tempCNTtabB}% before caption
1579	\fi
1580	\expandafter\label\expandafter{\hv@label}%
1581	<pre>\clipbox*{0 0 \the\hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1582	%
1583	\if@twocolumn\ newpage\null\newpage\fi \ global \savebox{\hv0bjectBox}{\ifhv@use0Box\ usebox {\hv0Box}\ else \hv@float0bject\ fi }%
1584	\grouptelsationse
1585 1586	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
1000	<pre>lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox</pre>
1587	\hspace*{\hv@tempWidthA}%
1588	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1589	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox</pre>
	\hv0bjectBox}%
1590	\ ifx \hv@floatType\hv@figure
1591	\global\refstepcounter{hv@tempCNTfigA}%
1592	\else
1593	\global\refstepcounter{hv@tempCNTtabA}% before caption
1594	\fi \expandafter\label\expandafter{\hv@label-2}%
1595 1596	\newpage\if@twocolumn\null\newpage\fi
1590	}}%
1598	}
1599	
1600	\ newif \ifhv@temp
1601	
1602	\ def \do@hvFloat@doubleFULLPAGE@CaptionAfter{%
1603	%
1604	\hfuzz=\maxdimen
1605	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}% \vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
1606	{vspace { { { { { { { { { { { { { { { { { { {
1607	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1608	\thispagestyle{empty}%
1609	<pre>\clipbox*{0 \the\dp \the\hv@leftPageObjectWidth{} \the\ht\hvObjectBox}{\usebox\</pre>
	hvObjectBox}%
1610	\ ifx \hv@floatType\hv@figure
1611	\refstepcounter{hv@tempCNTfigA}%
1612	\else
1613	\refstepcounter {hv@tempCNTtabA}% before caption \fi
1614 1615	\ifx\hv@label\@empty\ else\label {\hv@label}\fi
1615	\newpage\if@twocolumn\null\newpage\fi
1617	\ global \savebox{\hv0bjectBox}{\ifhv@use0Box\ usebox {\hv0Box}\ else \hv@float0bject\ fi }%
1618	\thispagestyle{empty}%
1619	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
	<pre>lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox</pre>
1620	\hspace*{\hv@tempWidthA}%
1621	\global\savebox{\hv0bjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@float0bject\fi}%
1622	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox \hvObjectBox}e</pre>
1/00	\hvObjectBox}% \ ifx \hv@floatType\hv@figure
1623 1624	\refstepcounter{hv@tempCNTfigB}%
1625	\else
1626	\refstepcounter{hv@tempCNTtabB}% before caption
1627	\fi
1628	\expandafter\label\expandafter{\hv@label-2}%
1629	\newpage\if@twocolumn\null\newpage\fi
1630	\begin{\hv@floatType}[!b]
1631	\ifhv@separatorLine\drawSepLine\fi
1632	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}% \iftw@oplvText</pre>
1633	\ifhv@onlyText
1634 1635	\hv@longCap \ else
1635	\ ifx \hv@shortCap\@empty
1000	(

1637	\captionof{\hv@floatType}{\hv@longCap}%
1638	\else
1639	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1640	\fi
1641	\fi
1642	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1643	\ end {\hv@floatType}%
1644	}%
1645	}
1646	
1647	\def\do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol{%
1648	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: start} %</pre>
1649	%
1650	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: afterpage start} % \alabal>cauchar() hv@biactDav}(i i fhv@uccOPav) ucchar() hv@Pav}) alabhv@floatOhiact) file</pre>
1651	\global\savebox{\hv0bjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv0float0bject\fi}%
1652	<pre>\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip</pre>
1/52	<pre>\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%</pre>
1653 1654	\thispagestyle{empty}%
1655	\ ifx \hv@floatType\hv@figure
1655	\refstepcounter{hv@tempCNTfigA}%
1657	\else
1658	\refstepcounter{hv@tempCNTtabA}% before caption
1659	\fi
1660	\ ifx \hv@label\@empty\ else\label {\hv@label}\ fi
1661	<pre>\clipbox*{0 0 \the\hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1662	\ newpage \if@twocolumn\ null\newpage\fi
1663	\hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: insert newpage} %
1664	\ global \savebox{\hvObjectBox}{\ifhv@useOBox\ usebox {\hvOBox}\ else \hv@floatObject\ fi }%
1665	\thispagestyle{empty}%
1666	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
	<pre>lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox</pre>
1667	\hspace*{\hv@tempWidthA}%
1668	\global\savebox{\hv0bjectBox}{\ifhv@use0Box\usebox{\hv0Box}\else\hv@float0bject\fi}%
1669	<pre>\clipbox*{\the\hv@leftPageObjectWidth{} \dp \wd \ht\hvObjectBox}{\usebox</pre>
1(70	\hvObjectBox}% \ ifx \hv@floatType\hv@figure
1670 1671	\refstepcounter{hv@tempCNTfigB}%
1671	\else
1673	\refstepcounter{hv@tempCNTtabB}% before caption
1674	\fi
1675	\ifx\hv@label\@empty\else\label{\hv@label-2}\fi
1676	\newpage\if@twocolumn\null\newpage\fi
1677	\ begin {\hv@floatType*}[!b]
1678	\hv@twoColumnCaptiontrue
1679	\ifhv@separatorLine\drawSepLine\ fi
1680	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>
1681	\ifhv@onlyText
1682	\hv@longCap
1683	\else
1684	\ if x\hv@shortCap\@empty \captionof{\hv@floatType}{\hv@longCap}%
1685	\Captionot{\nv@tioatiype}{\nv@ionglap}% \ else
1686 1687	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1687	\fi
1689	\fi
1690	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1691	\end{\hv@floatType*}%
1692	}%
1693	<pre>\hv@typeout{do@hvFloat@doubleFULLPAGE@CaptionAfterTwoCol: afterpage done} %</pre>
1694	}
1695	
1696	\def\do@hvFloat@doubleFULLPAGE@CaptionOther#1{%
1697	%
1698	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\lineskip
	}% -0.5\paperheight+0.5\ht\hvObjectBox
1699	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%

1700	\ global \savebox{\hvObjectBox}{\ifhv@useOBox\ usebox {\hvOBox}\ else \hv@floatObject\ fi }%
1700 1701	\thispagestyle{empty}%
1701	\hfuzz=\maxdimen
1702	\ global \savebox{\hvObjectBox}{\ifhv@useOBox\ usebox {\hvOBox}\ else \hv@floatObject\ fi }%
1704	<pre>\clipbox*{0 \hv@leftPageObjectWidth{} \height}{\usebox\hvObjectBox}%</pre>
1705	\ ifx \hv@floatType\hv@figure
1706	\refstepcounter{hv@tempCNTfigA}%
1707	\else
1708	\ refstepcounter {hv@tempCNTtabA}%
1709	\fi
1710	\label{\hv@label}%
1711	%
1712	\if@twocolumn\ newpage \if@firstcolumn\ else\null\newpage\fi \fi
1713	\global\savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}%
1714	\thispagestyle{empty}%
1715	\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep-\baselineskip-\parskip+1.5\
	lineskip}% -0.5\paperheight+0.5\ht\hvObjectBox
1716 1717	\ hspace *{\hv@tempWidthA}% \clipbox*{\hv@leftPageObjectWidth{} \ dp \ wd \ ht \hvObjectBox}{\ usebox \
1/1/	hvObjectBox}%
1718	\ ifx \hv@floatType\hv@figure
1719	\refstepcounter{hv@tempCNTfigB}%
1720	\else
1721	<pre>\refstepcounter{hv@tempCNTtabB}% before caption</pre>
1722	\fi
1723	\expandafter\label\expandafter{\hv@label-2}%
1724	\savebox\hvCaptionBox{\ parbox {0.9\ ht \hvObjectBox}{\captionof*{\hv@floatType}{\hv@longCap}}}%
1725	\ifnum#1 > 0\relax % rotation with 90°
1726	<pre>% \setlength\hv@tempWidthB{\dimexpr\ht\hvCaptionBox+\wd\hvObjectBox+2\hvSet@bindCorrection}%</pre>
1727	\ ifdim \hv@tempWidthB < 2\ paperwidth
1728	<pre>\rotatebox[origin=lb]{90}{\makebox[\paperheight][c]{\parbox{0.8\ht\hvObjectBox}{%}</pre>
1729	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}% \ifhv@onlyText</pre>
1730	\hv@longCap
1731 1732	\else
1733	\ ifx \hv@shortCap\@empty
1734	\captionof{\hv@floatType}{\hv@longCap}%
1735	\else
1736	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1737	\fi
1738	\fi
1739	}}}% rotatebox
1740	\ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1741	\else% ifdim: no space left on page
1742	<pre>\put(-2\ht\hvCaptionBox,0.5\ht\hvObjectBox){\makebox(0,0){\rotatebox{90}{\minipage{\textwidth}\ </pre>
1510	centering \parbox{0.8\textwidth}{%
1743	
1744 1745	\ifhv@onlyText \hv@longCap
1745	\else
1740	\ ifx \hv@shortCap\@empty
1748	\captionof{\hv@floatType}{\hv@longCap}%
1749	\else
1750	<pre>\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%</pre>
1751	\fi
1752	\fi
1753	}%
1754	\ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1755	\endminipage}}%
1756	\fi
1757	\else% ifnum, caption not rotated, under or over the right page
1758	\hv@tempWidthA=\ the \dimexpr\ paperheight -\ ht \hvObjectBox\ relax \ ifdim \hv@tempWidthA > \ ht \hvCaptionBox
1759 1760	\itaim\nv@tempwidthA > \nt\nvcaptionBox \else
1760 1761	<pre>\put(\the\dimexpr1.5\paperwidth-\wd\hvObjectBox-\hvSet@bindCorrection,\the\dimexpr\ht\</pre>
1/01	<pre>hvCaptionBox+\abovecaptionskip+\belowcaptionskip){\makebox[0pt][c]{\parbox{\textwidth}{%}</pre>
1762	<pre>% \expandafter\captionsetup\expandafter{\hv@caption@format}%</pre>

1763	\ifhv@onlyText
1764	\hv@longCap
1765	\else
1766	\ if x\hv@shortCap\@empty
1767	\captionof{\hv@floatType}{\hv@longCap}%
1768	\else
1769	\captionof{\hv@floatType}[\hv@shortCap]{\hv@longCap}%
1770	\fi \fi
1771	
1772 1773	}}}% \ ifx \hv@label\@empty\ else\label {\hv@label-cap}\ fi
1774	\fi
1775	\fi% end \ifnum#1>0
1776	\newpage\if@twocolumn\null\newpage\fi
1777	}%
1778	}%
1779	}
1780	
1781	
1782	\def%
1783	\ begin {\hv@floatType}[!b]%
1784	\expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1785	\ifhv@separatorLine\drawSepLine\fi
1786	\par
1787	\usebox\hvCaptionBox
1788	<pre>\end{\hv@floatType}% }</pre>
1789 1790	<i>s</i>
1791	\ def %
1792	\ifhv@star
1793	\ begin {\hv@floatType*}[p]%
1794	\else
1795	\ begin {\hv@floatType}[p]%
1796	\fi
1797	<pre>\hv@tempcnt=\@floatpenalty% suppress "float too big" message</pre>
1798	\hfuzz=\maxdimen
1799	\ expandafter \hvFloatSet\ expandafter {\hv@save@setting}%
1800	\ifhv@FULLPAGE
1801	\@floatpenalty=\z@% no message that float too large
1802	<pre>\vspace*{\the\dimexpr-lin-\voffset-\topmargin-\headheight-\headsep}%-0.5\baselineskip% \checkoddpage</pre>
1803 1804	\if@twoside
1805	\ifoddpage
1806	<pre>\hspace*{\the\dimexpr-\oddsidemargin-\parindent-lin}%</pre>
1807	\else
1808	\hspace*{\the\dimexpr-\evensidemargin-\parindent-lin}%
1809	\fi
1810	\else
1811	\hspace*{\the\dimexpr-\oddsidemargin-\parindent-lin}%
1812	\fi
1813	\AtBeginShipoutNext{\ thispagestyle {empty}}% to prevent heading/footer
1814	<pre>% \afterpage{\AddToHookNext{shipout/after}{\thispagestyle{empty}}}% </pre>
1815	\usebox\hvObjectBox
1816	\ else \ usebox \hv0bjectBox
1817 1818	\fi
1819	\ifhv@star
1820	\end{\hv@floatType*}%
1821	\else
1822	\ end {\hv@floatType}%
1823	\fi
1824	\@floatpenalty=\hv@tempcnt% restore
1825	}
1826	
1827	\ExplSyntaxOn
1828	
1829	\ def %

```
\global\sbox\hvCaptionBox{\minipage[b]{\linewidth}%
1830
          \captionsetup{aboveskip=\z@,belowskip=\z@,position=below,parbox=none}%,skip=-lex}%
1831
          \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1832
          \parskip=-0.5\baselineskip
1833
1834
          \hv@cntb=\clist_count:N\l_clist_Type
          \advance\hv@cntb by \@ne
1835
1836
          \hv@cnta=1
          \loop
1837
1838
            \edef\@captype{\clist_item:Nn\l_clist_Type{\hv@cnta}}%
            \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{\hv@cnta}}%
1839
1840
            \ifx\@tempa\@empty
              \caption{\clist_item:Nn\l_clist_Caption{\hv@cnta}}%
1841
1842
            \else
              \expandafter\caption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{\hv@cnta}}%
1843
            ∖fi
1844
1845
            \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@cnta}}%
            \ifx\@tempa\@empty
1846
1847
            \else
              \expandafter\label\expandafter{\clist item:Nn\l clist Label{\hv@cnta}-cap}\fi
1848
            \advance\hv@cnta by \@ne
1849
          \ifnum\hv@cnta<\hv@cntb
1850
1851
          \repeat
          \vspace{-\baselineskip}% no vspace at the end
1852
1853
        \endminipage}%
1854
1855
      \def\getMultiObjectAndLabel{%
1856
        \global\sbox\hvObjectBox{%
1857
1858
          \ifhv@vFill
            \minipage[b][\textheight][s]{\columnwidth}%
1859
1860
          \else
            \minipage{\columnwidth}%
1861
1862
          \fi
          \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1863
          \ifx\hvSet@objectPos\hv@Right\raggedleft\else
1864
            \ifx\hvSet@objectPos\hv@Left\raggedleft\else
1865
              \ifx\hvSet@objectPos\hv@Center\centering
1866
          \fi\fi\fi
1867
          \hv@cntb=\clist_count:N\l_clist_Type
1868
1869
          \advance\hv@cntb by \@ne
          \hv@cnta=1
1870
1871
          \loop
            \def\@temp{\clist item:Nn\l clist Object{\hv@cnta}}%
1872
1873
            \ifhv@objectFrame\frame{\@temp}\else\@temp\fi
            \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@cnta}}%
1874
            \edef\@tempb{\clist_item:Nn\l_clist_Type{\hv@cnta}}%
1875
            \edef\@captype{hv@p\@tempb}%
1876
            \ifx\@tempa\@empty
1877
            \else
1878
1879
              \refstepcounter{\@captype}%
              \expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{\hv@cnta}}%
1880
            ∖fi
1881
1882
            \ifnum\hv@cnta<\clist_count:N\l_clist_Type\par\hv@vskip\fi
            \advance\hv@cnta by \@ne
1883
1884
          \ifnum\hv@cnta<\hv@cntb
            \ifhv@vFill\vfill\fi
1885
1886
          \repeat
        \endminipage}%
1887
1888
      \def\getMultiSubCaptionAndLabel{%
1889
1890
        \global\sbox\hvCaptionBox{%
          \minipage{\linewidth}%
1891
          \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1892
          \setlength\belowcaptionskip{5pt}%
1893
1894
          \setlength\abovecaptionskip{0pt}%
          \xdef\@captype{\clist_item:Nn\l_clist_Type{1}}% the same for all subfloats
1895
          \edef\@tempa{\clist item:Nn\l clist LofCaption{1}}%
1896
```

```
\ifx\@tempa\@empty
1897
            \caption{\clist item:Nn\l clist Caption{1}}%
1898
          \else
1899
            \expandafter\caption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{1}}%
1900
          \fi
1901
          \edef\@tempa{\clist item:Nn\l clist Label{1}}%
1902
1903
          \ifx\@tempa\@empty\else\expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{1}-cap}\fi
       \endminipage}%
1904
1905
1906
      \def\getMultiSubObjectAndLabel{%
1907
        \global\sbox\hv0bjectBox{%
1908
          \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1909
          \ifhv@vFill
1910
            \minipage[b][\textheight][s]{\columnwidth}%
1911
1912
            \captionsetup{belowskip=0pt}%
1913
          \else
1914
            \minipage{\columnwidth}%
          \fi
1915
1916
           \ifx\hv@subcaption@format\@empty\else
             \expandafter
1917
             \captionsetup\expandafter[\expandafter s\expandafter u\expandafter b\expandafter]\expandafter
1918
                                     {\hv@subcaption@format}%
1919
1920
           \fi
          \ifx\hvSet@objectPos\hv@Right\raggedleft\else
1921
            \ifx\hvSet@objectPos\hv@Left\raggedleft\else
1922
1923
              \ifx\hvSet@objectPos\hv@Center\centering
          \fi\fi\fi
1924
          \hv@cntb=\clist_count:N\l_clist_Caption
1925
          \advance\hv@cntb by \@ne
1926
1927
          \hv@cnta=2
          \edef\@captype{\clist item:Nn\l clist Type{1}}% the same for all subfloats
1928
1929
          \ifx\@tempa\@empty
          \else
1930
1931
             \refstepcounter{\@captype}%
             \expandafter\label\expandafter{\@tempa}%
1932
          \fi
1933
1934
          \loop
1935
            \def\@temp{\clist_item:Nn\l_clist_Object{\hv@cnta}}%
            \ifhv@objectFrame\frame{\@temp}\else\@temp\fi
1936
            \begingroup
1937
1938
            \edef\@tempa{\clist_item:Nn\l_clist_LofCaption{\hv@cnta}}%
            \ifx\@tempa\@empty
1939
1940
              \subcaption{\clist_item:Nn\l_clist_Caption{\hv@cnta}}%
            \else
1941
              \expandafter\subcaption\expandafter[\@tempa]{\clist_item:Nn\l_clist_Caption{\hv@cnta}}%
1942
            ∖fi
1943
            \edef\@tempa{\clist_item:Nn\l_clist_Label{\hv@cnta}}%
1944
            \ifx\@tempa\@empty
1945
1946
            \else
              \expandafter\label\expandafter{\clist_item:Nn\l_clist_Label{\hv@cnta}}%
1947
            \fi
1948
1949
            \endgroup
            \ifnum\hv@cnta<\clist count:N\l clist Type\par\hv@vskip\fi
1950
1951
            \advance\hv@cnta by \@ne
            \ifnum\hv@cnta<\hv@cntb
1952
1953
            \ifhv@vFill\vfill\fi
          \repeat
1954
          \edef\@tempa{\clist_item:Nn\l_clist_Label{1}}%
                                                             the main label at the end
1955
          \ifx\@tempa\@empty
1956
1957
          \else
            \edef\@temp{hv@p\@captype}%
1958
            \refstepcounter{\@temp}%
1959
            \expandafter\label\expandafter{\@tempa}%
1960
          \fi
1961
       \endminipage}%
1962
1963
     }
```

```
\ExplSyntaxOff
1964
1965
      \def\getSingleCaptionAndLabel{%
1966
        \global\sbox\hvCaptionBox{\minipage{\linewidth}%
1967
          \expandafter\hvFloatSet\expandafter{\hv@save@setting}%
1968
          \setlength\belowcaptionskip{5pt}%
1969
1970
          \setlength\abovecaptionskip{0pt}%
          \ifhv@onlyText
1971
1972
            \hv@longCap
          \else
1973
1974
            \edef\@captype{\hv@floatType}%
            \expandafter\ifx\expandafter\relax\hv@shortCap\relax
1975
1976
                \caption{\hv@longCap}%
            \else
1977
1978
                 \caption[\hv@shortCap]{\hv@longCap}%
            ∖fi
1979
          \fi
1980
        \ifx\hv@label\@empty\else\label{\hv@label-cap}\fi
1981
        \endminipage}%
1982
1983
1984
1985
      \def\set@caption@object#1{%
                                       first caption, then object #1=\hv@floatType
        \ifhv@multiFloat
1986
1987
          \setcounter{hv@pfigure}{\value{figure}}%
          \setcounter{hv@ptable}{\value{table}}%
1988
          \getMultiCaptionAndLabel
1989
1990
        \else
          \ifhv@subFloat
1991
            \setcounter{hv@pfigure}{\value{figure}}%
1992
            \setcounter{hv@ptable}{\value{table}}%
1993
1994
            \getMultiSubCaptionAndLabel
          \else
1995
1996
            \getSingleCaptionAndLabel
          \fi
1997
1998
        \fi
        \edef\@captype{hv@p#1}%
1999
2000
        \ifhv@multiFloat
          \getMultiObjectAndLabel
2001
2002
        \else
          \ifhv@subFloat
2003
2004
            \getMultiSubObjectAndLabel
          \else
2005
            \global\sbox\hv0bjectBox{%
2006
2007
              \refstepcounter{\@captype}%
              \ifhv@objectFrame\frame{\hv@floatObject}\else\hv@floatObject\fi
2008
2009
              \expandafter\ifx\expandafter\relax\hv@label\relax
              \else
2010
2011
                \expandafter\label\expandafter{\hv@label}%
              \fi
2012
2013
            }%
          \fi
2014
        \fi
2015
2016
     }
2017
     \endinput
2018
```