

hvlogos – Print T_EX-related Logos

Herbert Voß*

August 13, 2021

The package `hvlogos` loads by default the packages `fetamont`, `hologo`, `dantelogo`, and `xspace`.

<i>Macro</i>	<i>Alias</i>	<i>Output</i>
<code>\ALEPH</code>		ℵ
<code>\AmS</code>	<code>\AMS</code>	AMS
<code>\AmSLaTeX</code>		AMS-L ^A T _E X
<code>\amsmath</code>		AMSmath
<code>\AmSTeX</code>		AMS-T _E X
<code>\biber</code>		Biber
<code>\Biber</code>		Biber
<code>\BibLaTeX</code>	<code>\biblatex</code>	BibL ^A T _E X
<code>\BibTeX</code>		BIBT _E X
<code>\BibTeX8</code>	<code>\BibTeXacht</code>	BIBT _E X8
<code>\BibTool</code>		BIBTOOL
<code>\ConTeXt</code>	<code>\context</code>	ConT _E Xt
<code>\CTAN</code>		CTAN
<code>\dante</code>		DANTE e.V.
<code>\Dante</code>		DANTE, Deutschsprachige Anwendervereinigung T _E X e.V.
<code>\DANTE</code>		dante
<code>\dtk</code>		Die T _E Xnische Komödie
<code>\DTK¹</code>		“Die T _E Xnische Komödie”
<code>\emTeX</code>		emT _E X
<code>\eTeX</code>		ε-T _E X
<code>\ExTeX</code>		ε _X T _E X
<code>\eV</code>		e.V.
<code>\HanTheThanh</code>	<code>\HTT</code>	Hàn Thê Thành
<code>\iniTeX</code>		iniT _E X
<code>\KOMAScript</code>		KOMA-Script
<code>\LaTeX</code>		L ^A T _E X
<code>\LaTeXe</code>		L ^A T _E X 2 _ε

next page ...

*Thanks to Heiko Oberdiek, Mark Senn

¹Quotes depend on the current language setting.

... previous page

<i>Macro</i>	<i>Alias</i>	<i>Output</i>
\LaTeXIII		$\text{\LaTeX}3$
\LaTeXTeX		\LaTeX
\LaTeXML		$\text{\LaTeX}ML$
\LuaHBTeX	\luahbtex, \LuahbTeX	$\text{\LuaHBT}\text{\TeX}$
\LuaLaTeX	\lualatex	$\text{\LuaLa}\text{\TeX}$
\LuaTeX	\luatex	$\text{\LuaT}\text{\TeX}$
\LyX		\LyX
\macOS		macOS
\mpShort		MP
\mfShort		MF
\METAFONT	\MF	METAFONT
\MetaFun	\MFun	METAFUN
\METAPOST	\MetaPost, \MP	METAPOST
\MiKTeX		$\text{\MiK}\text{\TeX}$
\NTS		$\mathcal{N}\mathcal{T}\mathcal{S}$
\OzMF		OzMF
\OzMP		OzMP
\OzTeX		Oz\TeX
\OzTtH		OzTtH
\PCTeX		PCT\TeX
\pdfTeX	\pdftex	pdf\TeX
\pdfLaTeX	\pdflatex	pdf\LaTeX
\pgf/tikz	\pgftikz	pgf/TikZ
\PiC		PiC
\PiCTeX		PiCT\TeX
\plainTeX		plain \TeX
\PostScript	\PS	PostScript
\PSTricks	\pstricks	PSTricks
\PurdueThesis	\purduethesis	PurdueThesis
\PuTh	\puth	PuTh
\SageTeX		Sage\TeX
\SLiTeX		SLiT\TeX
\teTeX		te\TeX
\TeXivht		\TeX4ht
\TeXLive		\TeXLive
\TikZ	\tikzlogo	TikZ
\TTH		T _T H
\TUG		\TeX Users Group
\TUGboat		<i>TUGboat</i>
\virTeX		vir\TeX
\VTeX		V\TeX

next page ...

[... previous page](#)

<i>Macro</i>	<i>Alias</i>	<i>Output</i>
\WikipediA	\Wikipedia, \wikipedia	WIKIPEDIA
\XeLaTeX		X _E L ^A T _E X
\XeTeX		X _E T _E X

Index

A

\ALEPH, 1

\AMS, 1

\AmS, 1

\AmSLaTeX, 1

\AmSTeX, 1

\amsmath, 1

B

\BibLaTeX, 1

\BibTeX, 1

\BibTeX8, 1

\BibTeXacht, 1

\BibTool, 1

\Biber, 1

\biber, 1

\biblatex, 1

C

\CTAN, 1

\ConTeXt, 1

\context, 1

D

\DANTE, 1

\DTK, 1

\dante, 1

\Dante, 1

dantelogo – package, 1

\dtk, 1

E

\eTeX, 1

\eV, 1

\emTeX, 1

\ExTeX, 1

F

fetamont – package, 1

H

\HTT, 1

\HanTheThanh, 1

hologo – package, 1

hvlogos – package, 1

I

\initTeX, 1

K

\KOMAScript, 1

L

\LaTeX, 1

\LaTeXIII, 2

\LaTeXML, 2

\LaTeXTeX, 2

\LaTeXe, 1

\LuaHBTeX, 2

\LuaLaTeX, 2

\LuaTeX, 2

\LuahbTeX, 2

\luahbtex, 2

\lualatex, 2

\luatex, 2

\LyX, 2

M

\METAFONT, 2

\METAPOST, 2

\MF, 2

\MFun, 2

\MP, 2

\macOS, 2

\MetaFun, 2

\MetaPost, 2

\mfShort, 2

\MiKTeX, 2

\mpShort, 2

N

\NTS, 2

O

\OzMF, 2

\OzMP, 2

\OzTeX, 2

\OzTtH, 2

P

\PCTeX, 2

\PS, 2

\PSTricks, 2

\pdfLaTeX, 2

\pdfTeX, 2

\pdflatex, 2

\pdftex, 2

\pgf/tikz, 2
\pgftikz, 2
\PiC, 2
\PicTeX, 2
\plainTeX, 2
\PostScript, 2
\pstricks, 2
\PuTh, 2
\PurdueThesis, 2
\purduethesis, 2
\puth, 2

S

\SLiTeX, 2
\SageTeX, 2

T

\TTH, 2
\TUG, 2
\TUGboat, 2
\teTeX, 2
\TeXLive, 2
\TeXivht, 2
\TikZ, 2
\tikz, 2

V

\VTeX, 2
\virTeX, 2

W

\WikipediA, 3
\Wikipedia, 3
\ wikipedia, 3

X

\XeLaTeX, 3
\XeTeX, 3
xspace – package, 1