

Documented Code For `mfirstuc` v2.07

Nicola L.C. Talbot

Dickimaw Books

<http://www.dickimaw-books.com/>

2021-10-15

Contents

1	Introduction	1
2	Main Package Code	1
2.1	Mfirstuc Documented Code	1
2.2	Mfirstuc-english Documented Code	14
	Change History	14
	Change History	15
	Index	16

1 Introduction

This is the documented code for the `mfirstuc` package. See `mfirstuc-manual.pdf` for the main user guide.

2 Main Package Code

2.1 Mfirstuc Documented Code

```
1 \NeedsTeXFormat{LaTeX2e}
2 \ProvidesPackage{mfirstuc}[2021/10/15 v2.07 (NLCT)]
```

Requires `etoolbox`:

```
3 \RequirePackage{etoolbox}
```

\makefirstuc Syntax:

```
\makefirstuc{\text{}}
```

Makes the first letter uppercase, but will skip initial control sequences if they are followed by a group and make the first thing in the group uppercase, unless the group is empty. Thus `\makefirstuc{abc}` will produce: `Abc`, `\makefirstuc{\ae bc}` will produce: `Æbc`, but `\makefirstuc{\emph{abc}}` will produce `Abc`. This is required by `\Gls` and `\Glspl`.

```
4 \newif\if@glscs  
5 \newtoks\@glsmfirst  
6 \newtoks\@glsmrest  
7 \newrobustcmd*\{\makefirstuc\}[1]{%
```

Check if argument starts with `\protect` which needs to be skipped.

```
8  \@MFU@p@makefirstuc#1\relax\relax\relax@end@MFU@protected{#1}%
9 }
```

`\@MFU@protect`

```
10 \newcommand*\{\@MFU@protect\}{\protect}
```

`\@MFU@skippunc`

```
11 \newcommand*\{\@MFU@skippunc\}{\MFUskippunc}
```

`\MFUskippunc`

```
12 \newrobustcmd*\{\MFUskippunc\}[1]{#1}
```

`\U@p@makefirstuc` Internal command to do the required action.

```
13 \def\@MFU@p@makefirstuc#1#2#3@end@MFU@protected#4{%
```

Test if the first argument is `\protect`.

```
14 \def\gls@argi{#1}%
15 \ifx\gls@argi\@MFU@protect
16   \@makefirstuc{#2#3}%
17 \else
```

v2.07+ also check for `\MFUskippunc`

```
18   \ifx\gls@argi\@MFU@skippunc
19     #2\@makefirstuc{#3}%
20   \else
21     \@makefirstuc{#4}%
22   \fi
23 \fi
24 }
```

`\@makefirstuc` Internal command to do the required action.

```
25 \newcommand*\{\@makefirstuc\}[1]{%
26   \def\gls@argi{#1}%
27   \ifx\gls@argi\@empty
```

If the argument is empty, do nothing.

```
28 \else
```

```

29  \def\@gls@tmp{\ #1}%
30  \@onelvel@sanitize\@gls@tmp
31  \expandafter\@gls@checkcs\@gls@tmp\relax\relax
32  \if@glscs

```

Check if we have two sequential control sequences.

```

33  \expandafter\def\expandafter\@gls@tmp\expandafter{\expandafter
34    \ \ @gobble #1}%
35  \@onelvel@sanitize\@gls@tmp
36  \expandafter\@gls@checkcs\@gls@tmp\relax\relax
37  \if@glscs\@glscsfalse\else\@glscstrue\fi
38  \fi
39  \if@glscs
40    \@\gls@getbody #1{}\@nil
41    \ifx\@gls@rest\@empty
42      \glsmakefirststuc{#1}%
43    \else
44      \expandafter\@gls@split\@gls@rest\@nil
45      \ifx\@gls@first\@empty
46        \glsmakefirststuc{#1}%
47      \else

```

Does \@gls@first start with a control sequence?

```

48  \edef\@gls@tmp\expandafter{\noexpand\ \expandonce\@gls@first}%
49  \@onelvel@sanitize\@gls@tmp
50  \expandafter\@gls@checkcs\@gls@tmp\relax\relax
51  \if@glscs
52    \edef\@gls@domfirststuc{\expandonce\@gls@body
53      {\noexpand\makefirststuc{\expandonce\@gls@first
54        \expandonce\@gls@rest}}%
55    }%
56    }%
57  \else
58    \expandafter\@gls@first\expandafter{\@gls@first}%
59    \expandafter\@gls@rest\expandafter{\@gls@rest}%
60
61    \edef\@gls@domfirststuc{\noexpand\@gls@body
62      {\noexpand\glsmakefirststuc{\the\@gls@first}}%
63      \the\@gls@rest}%
64    \fi
65    \@\gls@domfirststuc
66    \fi
67  \else
68    \glsmakefirststuc{#1}%
69  \fi
70 \fi
71 }

```

\@gls@split Put first argument in \@gls@first and second argument in \@gls@rest:

```

72 \ifdef\dtl@getfirst@UTFviii
73 {%
74   \def\@gls@split#1#2\@nil{%
75     \ifbool{@dtl@utf8}{%
76       \expandafter\dtl@if@two@octets#1#2\relax\dtl@end@if@two@octets
77     }{%
78       \dtl@getfirst@UTFviii#1#2\@nil\end@dtl@getfirst@UTFviii
79       \let\@gls@first\dtl@first
80       \let\@gls@rest\dtl@rest
81     }%
82   }%
83   \def\@gls@first{#1}\def\@gls@rest{#2}%
84 }%
85 }%
86 }%
87 {%
88   \def\@gls@first{#1}\def\@gls@rest{#2}%
89 }%
90 }%
91 }%
92 {%
93   \def\@gls@split#1#2\@nil{%
94     \def\@gls@first{#1}\def\@gls@rest{#2}%
95   }%
96 }

97 \def\@gls@checkcs#1 #2#3\relax{%
98   \def\@gls@argi{#1}\def\@gls@argii{#2}%
99   \ifx\@gls@argi\@gls@argii
100     \glscstrue
101   \else
102     \glscsfals
103   \fi
104 }

```

Has datatool-base v2.24 (or above) been loaded? If so and we have UTF-8 enabled, we can grab the first octet.

fu@applytofirst

```

105 \ifdef\dtl@getfirst@UTFviii
106 {%
107   \def\@mfu@applytofirst#1#2\@mfu@end@applytofirst#3{%
108     \expandafter\dtl@if@two@octets#1#2\relax\dtl@end@if@two@octets
109   }%
110   \dtl@getfirst@UTFviii#1#2\@nil\end@dtl@getfirst@UTFviii
111   \expandafter#3\expandafter{\dtl@first}\dtl@rest
112 }%
113 {%

```

First argument needs to be grouped in case it consists of more than one token.

```

114      #3{#1}#2%
115    }%
116  }%
117 }%
118 {%

```

First argument needs to be grouped in case it consists of more than one token.

```

119 \def\@mfu@applytofirst#1#2\@mfu@end@applytofirst#3{#3{#1}#2}
120 }

```

`\MFUapplytofirst{<cs>}{<text>}`

Apply `<cs>` to first token of text, or first UTF-8 character if datatool-base v2.24 above has been loaded with the `utf8` support enabled.

```

121 \ifdef\dtl@getfirst@UTFviii
122 {%
123   \newcommand*\MFUapplytofirst}[2]{%
124     \ifbool{@dtl@utf8}{%
125       {%
126         \ifblank{#2}{%
127           {#1{#2}}{%
128             {%
129               \ifblank{#1}{%
130                 {#1#2}{%
131                   {%
132                     \@mfu@applytofirst#2\@mfu@end@applytofirst#1\relax
133                   }{%
134                     }{%
135                   }{%
136                   {%
137                     #1#2{%
138                   }{%
139                 }{%
140               }{%
141               {%
142                 \newcommand*\MFUapplytofirst}[2]{#1#2}
143               }{%

```

`gls@makefirstuc` Make first thing upper case:

```
144 \def\@gls@makefirstuc#1{\MFUapplytofirst\mfirstucMakeUppercase{#1}}
```

`ucMakeUppercase` Allow user to replace `\MakeUppercase` with another case changing command.

```
145 \newcommand*\mfirstucMakeUppercase{\MakeUppercase}
```

`\glsmakefirstuc` Provide a user command to make it easier to customise.

```
146 \newcommand*\glsmakefirstuc}[1]{\@gls@makefirstuc{#1}}
```

Get the first grouped argument and store in `\@gls@body`.

```
147 \def\@gls@getbody#1{\def\@gls@body{#1}\@gls@gobbletonil}
```

Scoup up everything to \@nil and store in \@gls@rest:

```
148 \def\gls@gobbletonil#1\@nil{\def@gls@rest{#1}}
```

\xmakefirstuc Expand argument once before applying \makefirstuc (added v1.01).

```
149 \newcommand*{\xmakefirstuc}[1]{%
150   \expandafter\makefirstuc\expandafter{#1}%
151 }
```

\emakefirstuc Fully expand argument before applying \makefirstuc

```
152 \newrobustcmd*{\emakefirstuc}[1]{%
153   \protected@edef\@MFU@caparg{#1}%
154   \expandafter\makefirstuc\expandafter{\@MFU@caparg}%
155 }
```

capitalisewords Capitalise each word in the argument. Words are considered to be separated by plain spaces (i.e. non-breakable spaces won't be considered a word break).

```
156 \newrobustcmd*{\capitalisewords}[1]{%
157   \let\@mfu@checkword\@gobble
158   \def\gls@add@space{}%
159   \let\@mfu@domakefirstuc\@MFU@dofirst@capword
160   \mfu@capitalisewords#1 \@nil\mfu@endcap
161 }
```

capitalisewords \@mfu@checkword needs to be set before use.

```
162 \newcommand*{\@mfu@mid@capitalisewords}[1]{%
163   \def\gls@add@space{}%
164   \let\@mfu@domakefirstuc\@MFU@do@capword
165   \mfu@capitalisewords#1 \@nil\mfu@endcap
166 }

167 \def\mfu@capitalisewords#1 #2\mfu@endcap{%
168   \def\mfu@cap@first{#1}%
169   \def\mfu@cap@second{#2}%
170   \gls@add@space
171   \@mfu@checkword{#1}%
172   \@mfu@domakefirstuc{#1}%
173   \def\gls@add@space{}%
174   \ifx\mfu@cap@second\@nnil
175     \let\next@\mfu@cap\mfu@noop
176   \else
177     \let\next@\mfu@cap\mfu@capitalisewords
178     \let\@mfu@checkword\mfu@checkword
179   \fi
180   \next@\mfu@cap#2\mfu@endcap
181 }
182 \def\mfu@noop#1\mfu@endcap{}
```

\ifMFUhyphen Split on hyphens.

```
183 \newif\ifMFUhyphen
184 \MFUhyphenfalse
```

```

@MFU@do@capword
185 \newcommand*{\@MFU@do@capword}[1]{%
186   \let\@MFU@cappingword\MFUcapword
187   \@MFUwordbreak#1\MFUwordbreak{}@\nil\@endMFUwordbreak
188 }

dofirst@capword
189 \newcommand*{\@MFU@dofirst@capword}[1]{%
190   \let\@MFU@cappingword\MFUcapword
191   \@MFUfirstwordbreak#1\MFUwordbreak{}@\nil\@endMFUfirstwordbreak
192 }

\MFUcapword
193 \newcommand*{\MFUcapword}[1]{%
194   \ifMFUhyphen
195     \MFUhyphencapword{#1}%
196   \else
197     \MFUcapwordfirstuc{#1}%
198   \fi
199 }

Ucapwordfirstuc
200 \newcommand*{\MFUcapwordfirstuc}[1]{%
201   \makefirstuc{#1}%
202 }

\MFUwordbreak Markup a character (or command) that should be treated as a word break.
203 \newrobustcmd*{\MFUwordbreak}[1]{#1}

FUhyphencapword
204 \newcommand*{\MFUhyphencapword}[1]{%
205   \@MFUcapword#1-\@nil\@endMFUcapword
206 }

\@MFUcapword
207 \def\@MFUcapword#1-#2\@endMFUcapword{%
208   \MFUcapwordfirstuc{#1}%
209   \def\@mfu@argii{#2}%
210   \ifx\@mfu@argii\@nnil
211   \else
212     -\@MFUcapword#2\@endMFUcapword
213   \fi
214 }

\@MFUwordbreak
215 \def\@MFUwordbreak#1\MFUwordbreak#2#3\@endMFUwordbreak{%
216   \def\@mfu@argiii{#3}%
217   \ifx\@mfu@argiii\@nnil

```

```

218     \@MFU@cappingword{#1}%
219 \else
220     \let\@MFU@cappingword\@MFU@wordbreakcapword
221     \@MFU@cappingword{#1}%
222     #2\@MFU@wordbreak#3\@endMFU@wordbreak
223 \fi
224 }

ordbreakcapword
225 \newcommand*{\@MFU@wordbreakcapword}[1]{%
226   \mfp@checkword{#1}%
227   \mfp@domakefirststuc{#1}%
228 }

Ufirstwordbreak
229 \def\@MFU@firstwordbreak#1\@MFU@wordbreak#2#3\@endMFU@firstwordbreak{%
230   \def\mfp@argiii{#3}%
231   \ifx\mfp@argiii\@nnil
232     \@MFU@cappingword{#1}%
233   \else
234     \let\@MFU@cappingword\@MFU@firstwordbreakcapword
235     \@MFU@cappingword{#1}%
236     #2\@MFU@firstwordbreak#3\@endMFU@firstwordbreak
237   \fi
238 }

ordbreakcapword
239 \newcommand*{\@MFU@firstwordbreakcapword}[1]{%
240   \mfp@domakefirststuc{#1}%
241 }

\mfp@checkword Check if word should be capitalised. This originally used etoolbox's \ifinlist command but
this doesn't work if the word contains grouping.
242 \newcommand*\mfp@checkword[1]{%
243   \def\mfp@checkword@arg{#1}%
244   \let\mfp@domakefirststuc\@MFU@do@capword
245   \forlistloop\mfp@checkword@do\mfp@nocaplist
246 }

\mfp@checkword@do Handler for loop used by \mfp@checkword
247 \newcommand*\mfp@checkword@do[1]{%
248   \def\mfp@checkword@argii{#1}%
249   \ifdefequal\mfp@checkword@arg\mfp@checkword@argii
250   {%
251     \let\mfp@domakefirststuc\@firstofone
252     \listbreak
253   }%
254 }

```

Need to check if \@mfu@terminator has been tacked onto the end.

```
255     \def\mfu@checkword@argii{#1{\@mfu@terminator}}%
256     \ifdefequal\mfu@checkword@arg\mfu@checkword@argii
257     {%
258         \let\@mfu@domakefirstuc\@firstofone
259         \listbreak
260     }%
261     {}%
262 }%
263 }
```

\@mfu@nocaplist List of words that shouldn't be capitalised.

```
264 \newcommand*\@mfu@nocaplist{}%
```

\MFUnocap Provide the user with a means to add a word to the list. (No expansion performed on the argument.)

```
265 \newcommand*\MFUnocap[1]{\listadd{\@mfu@nocaplist}{#1}}
```

\gMFUnocap Global version.

```
266 \newcommand*\gMFUnocap[1]{\listgadd{\@mfu@nocaplist}{#1}}
```

\MFUclear Clear the list

```
267 \newcommand*\MFUclear{\renewcommand*\@mfu@nocaplist{}}
```

capitalisewords Short-cut command:

```
268 \newcommand*\xcapitalisewords[1]{%
269     \expandafter\capitalisewords\expandafter{#1}%
270 }
```

capitalisewords Fully expand argument before applying \capitalisewords

```
271 \newrobustcmd*\ecapitalisewords[1]{%
272     \protected@edef\@MFU@caparg{#1}%
273     \expandafter\capitalisewords\expandafter{\@MFU@caparg}%
274 }
```

\@mfu@nil

```
275 \newcommand\@mfu@nil{\unskip}
```

\@mfu@nnil

```
276 \newcommand*\@mfu@nnil{\@mfu@nil}
```

italisefmtwords Like \capitalisewords but assumes that the phrase contains formatting text-block commands.

```
277 \newcommand*\capitalisefmtwords{%
278     \@ifstar@s@capitalisefmtwords@ns@capitalisefmtwords
279 }
```

```

italisefmtwords Starred form.
280 \newcommand*{\@s@capitalisefmtwords}[1]{%
281   \@@s@checkgrp@@capitalisefmtwords#1\@nil
282 }

italisefmtwords
283 \newcommand*{\@@s@checkgrp@@capitalisefmtwords}{%
284   \ifnextchar\bgroup{\@@s@no@cs@capitalisefmtwords}{\@@s@capitalisefmtwords}%
285 }

italisefmtwords Argument starts with a group.
286 \def\@@s@no@cs@capitalisefmtwords#1\@nil{%
287   \capitalise@words{#1}%
288 }

italisefmtwords
289 \newcommand*{\@@s@capitalisefmtwords}[1]{%
290   \def\gls@argi{#1}%
291   \ifx\gls@argi\@MFU@protect
      Skip \protect
292     \let\@mfu@capfmtwordsnext\@@s@capitalisefmtwords
293   \else
294     \ifx\gls@argi\@nnil
          Nothing to do.
295       \let\@mfu@capfmtwordsnext\relax
296     \else
297       \def\@gls@tmp{\ #1}%
298       \onelevel@sanitize\@gls@tmp
299       \expandafter\@gls@checkcs\@gls@tmp\relax\relax
300       \if@gls@cs
301         \def\@mfu@capfmtwordsnext{\@@s@cs@capitalisefmtwords#1}%
302       \else
303         \def\@mfu@capfmtwordsnext{\@@s@no@cs@capitalisefmtwords#1}%
304       \fi
305     \fi
306   \fi
307   \@mfu@capfmtwordsnext
308 }

italisefmtwords
309 \newcommand*{\@@s@cs@capitalisefmtwords}[1]{%
310   \ifnextchar\bgroup
311     {\@@s@cs@g@capitalisefmtwords#1}%
312     {\@@s@cs@ng@capitalisefmtwords#1}%
313 }

```

```

italisefmtwords
314 \def\@s@cs@g@capitalisefmtwords#1#2#3@nil{%
315   #1{\capitalisewords{#2}}%
316   \ifblank{#3}%
317   {}%
318   {}%
319   \def\gls@add@space{}%
320   \let\@mfu@checkword\mfu@checkword
321   \mfu@capitalisewords#3 \@nil\mfu@endcap
322 }%
323 }

```

```

italisefmtwords
324 \def\@s@cs@ng@capitalisefmtwords#1#2@nil{%
325   \capitalisewords{#1#2}%
326 }

```

```

italisefmtwords Unstarred form.
327 \newcommand*{\@ns@capitalisefmtwords}[1]{%
328   \let\@mfu@checkword\@gobble
329   \def\gls@add@space{}%
330   \@capitalisefmtwords#1 \@mfu@nil{} \unskip
331 }

```

italisefmtwords Take care of group at the start of the word.

```

332 \newcommand*{\@capitalisefmtwords}{%
333   \@ifnextchar\bgroup{\@capitalise@g@fmtwords}{\@capitalise@ng@fmtwords}%
334 }
335 \newcommand*{\@capitalise@g@fmtwords}[1]{%
336   \@capitalise@ng@fmtwords{[#1]}%
337 }
338 \def\@mfu@ifnil#1#2\@mfu@end@nil#3#4{%
339   \def\gls@argi{#1}%
340   \ifx\gls@argi\@mfu@nnil
341     #3%
342   \else
343     #4%
344   \fi
345 }
346 \def\@capitalise@ng@fmtwords#1 {%
347   \@mfu@ifnil#1\relax\relax\@mfu@end@nil
348   {}%
349   \def\@mfu@capfmtwordsnext{#1}%
350   {}%
351   {}%
352   \def\@mfu@capfmtwordsnext{%
353     \@capitalise@fmtwords#1\@mfu@nil
354     \def\gls@add@space{}%
355     \let\@mfu@checkword\mfu@checkword

```

```

356      \@@cap@nofmtphrase}%
357  }%
358  \cmfu@capfmtwordsnext
359 }%


talise@fmtwords
360 \def\@capitalise@fmtwords#1{%
361   \cmfu@ifnil#1\relax\relax\cmfu@end@nil
362 {%
  Do nothing.
363   \def\cmfu@capfmtwordsnext{\#1}%
364 }%
365 {%
366   \def\gls@argi{\#1}%
367   \ifx\gls@argi\@MFU@protect
  Skip \protect
368   \def\cmfu@capfmtwordsnext{\@capitalise@fmtwords}%
369   \else
370     \def\gls@tmp{\ #1}%
371     \onelevel@sanitize\gls@tmp
372     \expandafter\gls@checkcs\gls@tmp\relax\relax
373     \if@gls@scs
374       \def\cmfu@capfmtwordsnext{\@capitalisefmtwords#1}%
375     \else
376       \ifx\gls@argi\@empty
377         \def\cmfu@capfmtwordsnext{\@capnofmtphrase{}}
378       \else
379         \def\cmfu@capfmtwordsnext{\@capnofmtphrase#1}%
380       \fi
381     \fi
382   \fi
383 }%
384 \cmfu@capfmtwordsnext
385 }

italisefmtwords Check for a group following argument.
386 \def\@capitalisefmtwords#1{%
387   \ifnextchar\bgroup{\@capfmtsubphrase#1}{\@capnofmtphrase#1}%
388 }

@capnofmtphrase
389 \def\@capnofmtphrase{%
390   \ifnextchar\bgroup{\@cap@g@nofmtphrase}{\@cap@ng@nofmtphrase}%
391 }

@ng@nofmtphrase
392 \def\@cap@ng@nofmtphrase#1\cmfu@nil{%
393   \gls@add@space

```

```

394  \@mfu@mid@capitalisewords{#1}%
395  \def\gls@add@space{ }%
396 }

p@g@nofmtphrase
397 \def\@@cap@g@nofmtphrase#1{%
398   \@@cap@ng@nofmtphrase{{#1}}%
399 }

@mfu@terminator
400 \newcommand*\@mfu@terminator{\hbox{}}

capfmtsubphrase
401 \def\@@capfmtsubphrase#1#2#3{%
  Protect any trailing space at the end of the second argument.
402  #1{@capitalisefmtwords#2{@mfu@terminator} \@mfu@nil{} \unskip}%
403  \def\gls@add@space{ }%
404  \let\@mfu@checkword\mfu@checkword
405  \@mfu@ifnil#1\relax\relax\@mfu@end@nil
406  {\let\@mfu@fmtsubphrasenext\relax}%
407  {\def\@mfu@fmtsubphrasenext{#3}}%
408  \@mfu@fmtsubphrasenext
409 }

cap@nofmtphrase
410 \def\@@cap@nofmtphrase#1 {%
411   \@mfu@ifnil#1\relax\relax\@mfu@end@nil
412   {%
413     \def\@mfu@capnofmtwordsnext{#1 }%
414   }%
415   {%
416     \def\@mfu@capnofmtwordsnext{%
417       @capitalisefmtwords#1 \@mfu@nil{} \unskip
418       \def\gls@add@space{ }%
419       \let\@mfu@checkword\mfu@checkword
420       @capitalisefmtwords
421     }%
422   }%
423   \@mfu@capnofmtwordsnext
424 }

italisefmtwords Short-cut command:
425 \newcommand*\xcapitalisefmtwords{%
426   @ifstar@s\xcapitalisefmtwords@ns\xcapitalisefmtwords
427 }

italisefmtwords Starred version
428 \newcommand*\@s\xcapitalisefmtwords[1]{%

```

```

429 \expandafter\@s@capitalisefmtwords\expandafter{#1}%
430 }

italisefmtwords Unstarred version
431 \newcommand*{\@ns@xcapitalisefmtwords}[1]{%
432   \expandafter\@ns@capitalisefmtwords\expandafter{#1}%
433 }

italisefmtwords
434 \newrobustcmd*{\ecapitalisefmtwords}{%
435   \@ifstar\@s@ecapitalisefmtwords\@ns@ecapitalisefmtwords
436 }

italisefmtwords Starred version
437 \newcommand*{\@s@ecapitalisefmtwords}[1]{%
438   \protected@edef\@MFU@caparg{#1}%
439   \expandafter\@s@capitalisefmtwords\expandafter{\@MFU@caparg}%
440 }

italisefmtwords Unstarred version
441 \newcommand*{\@ns@ecapitalisefmtwords}[1]{%
442   \protected@edef\@MFU@caparg{#1}%
443   \expandafter\@ns@capitalisefmtwords\expandafter{\@MFU@caparg}%
444 }

```

2.2 Mfirstuc-english Documented Code

```

445 \NeedsTeXFormat{LaTeX2e}
446 \ProvidesPackage{mfirstuc-english}[2021/10/15 v2.07 (NLCT)]

```

Load mfirstuc if not already loaded:

```
447 \RequirePackage{mfirstuc}
```

Add no-cap words. This list isn't complete. I don't intend adding disputed words. Additional words can be added to the document in a similar manner.

```

448 \MFUnocap{a}
449 \MFUnocap{an}
450 \MFUnocap{and}
451 \MFUnocap{but}
452 \MFUnocap{for}
453 \MFUnocap{in}
454 \MFUnocap{of}
455 \MFUnocap{or}
456 \MFUnocap{no}
457 \MFUnocap{nor}
458 \MFUnocap{so}
459 \MFUnocap{some}
460 \MFUnocap{the}
461 \MFUnocap{with}
462 \MFUnocap{yet}

```

Change History

1.03 (2008/12/22)	\@makefirststuc: changed \protected@edef to \def	2	\@mfu@mid@capitalisewords: new 6 \capitalisefmtwords: new 9 \ecapitalisefmtwords: new 13 \ifMFUhyphen: new 6 \MFUapplytofirst: new 4 \MFUcapword: new 7 \xcapitalisefmtwords: new 13
1.05 (2011/04/02)	\glsmakefirststuc: new	5	
1.06 (2012/05/21)	General: now requires etoolbox	1	2.04 (2016-07-31)
	\capitalisewords: new	6	\@ccap@g@nofmtphrase: new 12 \@ccap@ng@nofmtphrase: new 12 \@cs@capitalisefmtwords: new 10 \@cs@checkgrp@capitalisefmtwords: new 9
1.08 (2013-11-04)	\capitalisewords: made robust	6	\@cs@cs@capitalisefmtwords: new .. 10 \@cs@cs@g@capitalisefmtwords: new 10 \@cs@cs@ng@capitalisefmtwords: new 11
	\makefirststuc: made robust	1	\@cs@noct@capitalisefmtwords: new 10 \@gls@split: added missing false part .. 4 \@mfu@terminator: new 12 \@ns@capitalisefmtwords: new 11 \@ns@ecapitalisefmtwords: new 14 \@ns@xcapitalisefmtwords: new 13 \@s@capitalisefmtwords: new 9 \@s@ecapitalisefmtwords: new 14 \@s@xcapitalisefmtwords: new 13
1.09 (2017-07-30)	\@mfu@nocaplist: new	9	2.05 (2017-11-10)
	\capitalisewords: added check for words that shouldn't be capitalised ..	6	\@mfu@applytofirst: grouped first argument 4
	\gMFUnocap: new	9	2.06 (2017-11-14)
	\mfu@checkword: new	8	\@makefirststuc: added braces to \glsmakefirststuc argument 3 check for inner control sequence 3
	\MFUclear: new	9	2.07 (2021-10-15)
	\MFUNocap: new	9	\@MFU@do@capword: new 6 \@MFU@dofirst@capword: new 7 \@MFU@firstwordbreakcapword: new .. 8 \@MFU@p@makefirststuc: check for \MFUskipunc 2 \@MFU@skipunc: new 2 \@MFU@wordbreakcapword: new 8 \@MFU@firstwordbreak: new 8 \@MFU@wordbreak: new 7 \MFUcapwordfirststuc: new 7 \MFUhyphen@capword: new 7 \@MFU@skipunc: new 2 \@MFU@wordbreak: new 7
1.10 (2015/05/03)	\ecapitalisewords: new	9	
	\emakefirststuc: new	6	
2.0 (2015/09/09)	\@makefirststuc: added check for two control sequences	2	
	General: package split from glossaries ..	1	
2.01 (2015-12-08)	\makefirststuc: added check for \protect	2	
2.02 (2015-12-17)	\mfu@checkword: modified to use loop instead of \ifinlist	8	
	\mfu@checkword@do: new	8	
2.03 (2016-07-29)	\@ccap@nofmtphrase: new	13	
	\@ccapfmtsubphrase: new	13	
	\@ccapitalisefmtwords: new	12	
	\@ccapnofmtphrase: new	12	
	\@MFU@p@makefirststuc: changed test ..	2	
	\@MFU@protect: new	2	
	\@MFU@capword: new	7	
	\@capitalise@fmtwords: new	11	
	\@capitalisefmtwords: new	11	
	\@gls@split: added check for datatool-base UTF-8 support	3	
	\@mfu@applytofirst: new	4	

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	
\@cap@g@nofmtphrase	<u>12</u> \@gls@makefirststuc 5
\@cap@ng@nofmtphrase	<u>12</u> \@gls@rest 3–5
\@cap@nofmtphrase	<u>11</u> \@gls@split 3
\@capfmtsubphrase	<u>12</u> \@gls@tmp 2, 3, 10, 12
\@capitalisefmtwords	<u>12</u> \@glscsfalse 2, 4
\@capnofmtphrase	<u>12</u> \@glscstrue 2, 4
\@s@capitalisefmtwords	<u>9</u> \@glsmfirst 1, 3
\@s@checkgrp@capitalisefmtwords	<u>9</u> \@glsrest 1, 3
\@s@cs@capitalisefmtwords	<u>10</u> \@gobble 2, 6, 11
\@s@cs@g@capitalisefmtwords	<u>10</u> \@ifnextchar 9–12
\@s@cs@ng@capitalisefmtwords	<u>10</u> \@ifstar 9, 13
\@s@no@capitalisefmtwords	<u>9, 10</u> \@makefirststuc 2
\@MFU@caparg	<u>6, 9, 14</u> \@mfu@applytofirst 5
\@MFU@cappingword	<u>6–8</u> \@mfu@argii 7
\@MFU@do@capword	<u>6, 8</u> \@mfu@capfmtwordsnext 10–12
\@MFU@dofirst@capword	<u>6</u> \@mfu@capnofmtwordsnext 13
\@MFU@firstwordbreakcapword	<u>8</u> \@mfu@checkword 6, 10, 11, 13
\@MFU@p@makefirststuc	<u>2</u> \@mfu@domakefirststuc 6, 8
\@MFU@protect	<u>2, 10, 12</u> \@mfu@end@applytofirst 4, 5
\@MFU@skippunc	<u>2</u> \@mfu@end@nil 11, 13
\@MFU@wordbreakcapword	<u>7</u> \@mfu@fmtsubphrasenext 13
\@MFU@capword	<u>7</u> \@mfu@ifnil 11, 13
\@MFU@firstwordbreak	<u>7</u> \@mfu@mid@capitalisewords 12
\@MFU@wordbreak	<u>6</u> \@mfu@nil 9, 11–13
\@capitalise@fmtwords	<u>11</u> \@mfu@nnil 11
\@capitalise@g@fmtwords	<u>11</u> \@mfu@nocaplist 8, 9
\@capitalise@ng@fmtwords	<u>11</u> \@mfu@terminator 8, 13
\@capitalisefmtwords	<u>11, 13</u> \@nil 3–7, 9–11
\@empty	<u>2, 3, 12</u> \@nnil 6–8, 10
\@end@MFU@protected	<u>2</u> \@ns@capitalisefmtwords 9, 13, 14
\@endMFU@capword	<u>7</u> \@ns@ecapitalisefmtwords 13
\@endMFU@firstwordbreak	<u>7, 8</u> \@ns@xcapitalisefmtwords 13
\@endMFU@wordbreak	<u>6, 7</u> \@onelevel@sanitize 2, 3, 10, 12
\@first@of@one	<u>8</u> \@s@capitalisefmtwords 9, 13, 14
\@gls@argi	<u>4</u> \@s@ecapitalisefmtwords 13
\@gls@argii	<u>4</u> \@s@xcapitalisefmtwords 13
\@gls@body	<u>3, 5</u> \@group 9–12
\@gls@checkcs	<u>2–4, 10, 12</u> _ 2, 3, 10, 12
\@gls@domfirststuc	<u>3</u> _ 2, 3, 10, 12
\@gls@first	<u>3, 4</u> _ 2, 3, 10, 12
\@gls@getbody	<u>3, 5</u> \bgroup 9–12
\@gls@gobbletonil	<u>5</u> \bgroup 9–12

B

C	
\capitalisewords	9–11
D	
datatool-base package	4, 5
\def	2–8, 10–13
\dtl@end@if@two@octets	3, 4
\dtl@first	3, 4
\dtl@getfirst@UTFviii	3–5
\dtl@if@two@octets	3, 4
\dtl@rest	3, 4
E	
\edef	3
\else	2–4, 6–8, 10–12
\end@dtl@getfirst@UTFviii	3, 4
etoolbox package	1, 8
\expandafter	2–6, 9, 10, 12–14
\expandonce	3
F	
\fi	2–4, 6–8, 10–12
\forlistloop	8
G	
\gls@add@space	6, 10–13
\gls@argi	2, 10–12
\glsmakefirsttuc	3
H	
\hbox	12
I	
\if@glscls	1–3, 10, 12
\ifblank	5, 10
\ifbool	3, 5
\ifdef	3–5
\ifdefequal	8
\ifMFUhyphen	7
\ifx	2–4, 6–8, 10–12
L	
\let	3, 6–8, 10, 11, 13
\listadd	9
\listbreak	8
\listgadd	9
M	
\makefirsttuc	3, 5–7
\MakeUppercase	5
mfirstrc package	14
\mfirstrcMakeUppercase	5
\mfu@cap@first	6
\mfu@cap@second	6
\mfu@capitalisewords	6, 10
\mfu@checkword	6, 8, 10, 11, 13
\mfu@checkword@arg	8
\mfu@checkword@argii	8
\mfu@checkword@do	8
\mfu@endcap	6, 10
\mfu@noop	6
\MFUapplytofirst	5
\MFUcapword	6, 7
\MFUcapwordfirstrc	7
\MFUhyphencapword	7
\MFUhyphenfalse	6
\MFUnocap	14
\MFUskippunc	2
\MFUwordbreak	6–8
N	
\NeedsTeXFormat	1, 14
\newcommand	2, 5–14
\newif	1, 6
\newrobustcmd	1, 2, 6, 7, 9, 13
\newtoks	1
\next@mfu@cap	6
\noexpand	3
P	
\protect	2
\protected@edef	6, 9, 14
\ProvidesPackage	1, 14
R	
\relax	2–5, 10–13
\renewcommand	9
\RequirePackage	1, 14
T	
\the	3
U	
\unskip	9, 11, 13