

The `askinclude` package

Pablo A. Straub

Heiko Oberdiek*

2018/11/01 v2.4

Abstract

This package replaces `\includeonly` by an interactive user interface.

Contents

1 Documentation	2
1.1 User interface	2
1.2 Single asking mode	4
1.3 Regular expressions	4
1.3.1 Method <code>makematch</code>	5
1.3.2 Method <code>pdfmatch</code>	5
1.4 History	6
1.5 New features of version 2	6
1.6 Compatibility to version 1	7
2 Implementation	7
2.1 Header and catcodes	7
2.2 Delay action after preamble	8
2.3 Write entry in <code>.aux</code> file	8
2.4 Remember <code>\include</code> files	8
2.5 Redefine <code>\include</code>	10
2.6 Store answer and match method in <code>.aux</code> file	10
2.7 Support for <code>\@includeonly</code>	10
2.8 Stop if <code>\includeonly</code> is active	10
2.9 <code>\includeonly</code>	11
2.10 Options	11
2.11 Strings	12
2.12 Set defaults	12
2.13 Questions	13
2.13.1 Generic question header	13
2.13.2 Display files	14
2.13.3 Previous answer	14
2.13.4 Current regular expression support	15
2.13.5 Main question text	15
2.13.6 Main question	15
2.14 Evaluate answer of main question	16
2.15 Ask for each file	19

*Please report any issues at <https://github.com/ho-tex/oberdiek/issues>

3	Test	21
3.1	Included files	21
3.2	Special test setup	22
3.3	Common start	22
3.4	First run tests	25
3.5	Second run tests	30
3.6	Compatibility for changing from old to new	34
3.7	Regular expressions	36
3.8	Common end	37
4	Installation	37
4.1	Download	37
4.2	Bundle installation	37
4.3	Package installation	37
4.4	Refresh file name databases	38
4.5	Some details for the interested	38
5	Acknowledgement	39
6	History	39
[1991/11/05 v0.95]	39
[1991/11/05 v0.99]	39
[1991/11/07 v1.0]	39
[1991/12/13 v1.1]	39
[1994/11/02 v1.2e]	39
[2007/10/15 v1.0 (askinc)]	40
[2007/10/23 v2.0]	40
[2008/08/11 v2.1]	40
[2011/12/02 v2.2]	40
[2016/05/14 v2.3]	40
[2018/11/01 v2.4]	40

1 Documentation

1.1 User interface

The `\include` feature of L^AT_EX allows the division of the text body in separate compilation units. It is page based and stores counter settings in additional auxiliary files. `\includeonly` limits the actually included files to the ones, listed in its argument.

Example:

```
\documentclass{report}

\usepackage{askinlude}

% Don't use \include in the preamble.
% Instead \input can be used or make a package

\begin{document}
\include{title}
\include{introduction}
\include{summary}
\include{index}
\end{document}
```

Package `askinlude` adds an interactive user interface. The user is asked which files he want to include and sets `\includeonly` accordingly.

The first time the package is used the question looks like:

```
*****
*** Package askinlude Question ***
*****  
  
Previous answer (noregexp):  
[*]  
  
Regular expressions:  
--> [noregexp] disabled  
[makematch] enabled, using package `makematch'  
[pdfmatch] enabled, using pdfTeX's \pdfmatch  
  
Which files do you want to include?  
[foo,bar] comma separated file or pattern list  
[*] all files  
[-] no files  
[?] ask for each file  
[] use the previous answer  
  
\answer=chapter2,summary
```

Square brackets are used as quotation symbols, they are not part of the answer. The answer by the user follows in the last line after `\answer=`.

[foo,bar]: A comma separated file list (also one file only) is passed to macro `\includeonly` directly. If regular expression support is enabled, the entries in the list are interpreted as file name patterns that will be matched against the file names in `\include`, see [section 1.3](#).

[*]: This is a shortcut for specifying *all* files.

[-]: This means *none* of the files is included.

[?]: The switches in single asking mode. The user will be asked at each `\include`. See section [section 1.2](#).

[]: Just pressing return (empty string) uses the default answer, that was stored in the auxiliary file (`.aux`) of the previous L^AT_EXrun with package `askinlude`. Without previous runs the default is [*] for all files.

[noregexp]: Turns regular expression support off.

[makematch]: Enables regular expression support package `makematch` provides.

[pdfmatch]: It is shown, if pdfTeX 1.30 or later is used. It relies on an undocumented feature `\pdfmatch` that may change in future versions of pdfTeX.

Package `askinlude` remembers the files of `\include` in the auxiliary file and the given answer. they are presented at the next run at the start of the question:

```
*****
*** Package askinlude Question ***
*****  
  
Files, found by previous run in \include:  
(-) title
```

```

(-) introduction
(-) chapter1
(+) chapter2
(-) chapter3
(+) summary

Previous answer (noregexp):
[chapter2,summary]
...

```

(+) and (-) marks files that were and were not included in the previous run. The file list and marks are not always correct. For example, if \include statements are added or removed. If the method of regular expression support is different, then the marks only reflects the mode of the previous answer.

1.2 Single asking mode

The special answer ‘?’ trigger single asking mode, at the next \include the user is asked again:

```

*****
*** Package askinclude Question ***
*****

Include `title'? [y]es, [n]o, [A]ll, [N]one, [D]efault (n):

\answer=

```

Use the letter inside the square brackets as answer. An empty string uses the default answer, the letter in parentheses. The answers are:

- [y]: The file is included.
- [n]: The file is excluded.
- [A]: This file and all following files are included.
- [N]: This file and all following files are excluded.
- [D]: Use the default answer for this and all following files.

If the file is known from the previous run, then the default is ‘y’ or ‘n’ corresponding to the mark ‘(+’ or ‘(-’ in the list of previous files. Otherwise ‘y’ is used as default.

1.3 Regular expressions

Three methods are available that can also set by package options:

noregexp: Regular expression support is disabled.

makematch: Use package makematch.

pdfmatch: Use pdfTeX’s \pdfmatch if available.

Without options the value remembered in the auxiliary file is used, otherwise the default is noregexp.

1.3.1 Method **makematch**

Package **makematch** (part of **qstest**), written by David Kastrup provides pattern matching based on wildcards:

[*]: The star matches zero or more characters. Thus a lonely star matches anything.

[!]: The exclamation mark at the begin of a pattern negates it, thus the matching files are excluded.

The pattern list is evaluated for a file name from left to right. Always a file name must match the whole pattern. The file is included if it is matched by a pattern and not excluded afterwards. Examples:

Pattern list	File names	Result
foobar	foobar ,dummy	foobar
foo*	foobar , xfoobar	foobar
foo	xfoobar	xfoobar
f*b*r	foobar	foobar
*	any	any
!foobar	foobar , other	other
!foo*	xfoobar	xfoobar
in*,!*dex	intro , index	intro
!index,in*	intro , index	intro , index
*,!chap2	chap1 , chap2 , chap3	chap1 , chap3

The example in the last line shows, how the behaviour of package **excludeonly** [**excludeonly**] can be simulated.

The documentation of package **makematch** tells the the empty pattern does not match anything. But if you answer the question with an empty string the answer of the previous run is used. Also curly braces are not reliable because the can get stripped during the processing of the answer. Using a pair of empty curly braces or the comma for two empty patterns currently works, but this is specific for the current implementation and may change in future. But the special answer ‘-’ is available.

1.3.2 Method **pdfmatch**

In pdfTeX 1.30 the new primitive `\pdfmatch` was introduced. It is not documented yet, because it was not decided if it remains and which implementation of regular expressions should be used. Thus the situation may change in later versions of pdfTeX. Currently (1.30 until 1.40) it uses a library for POSIX 1003.2 regular expressions, see manual page “`regex(7)`”.

If a pattern in the pattern list is invalid, the package prints a warning and removes the pattern from the list. Actually there are two warnings, the other warning is generated by pdfTeX itself.

In opposite to **makematch** the pattern only needs to match the specified part of the file name. For matching the whole name, the symbols ‘^’ and ‘\$’ for begin and end of string must be included.

Additionally an initial exclamation mark ‘!’ implements the same logic as method **makematch**. The match result is inverted, the matched file excluded.

Examples:

Pattern list	File names	Result
foobar	foobar,dummy	foobar
foo.*	foobar,xfoobar	foobar,xfoobar
^foo.*	foobar,xfoobar	foobar
foo\$	foo,foobar	foo
fo?bar	fbar,fobar,foobar	fbar,fobar
fo+bar	fbar,fobar,foobar	fobar,foobar
fo*bar	fbar,fobar,foobar	fbar,fobar,foobar
chap3	chap3,chap32	chap1,chap3,chap32
chap[13]	chap1,chap2,chap3	chap1,chap3
chap(1 3)\$	chap1,chap3,chap33	chap1,chap3
.*	any	any
!foobar	foobar,other	other
in.*,!dex	intro,index	intro
!index,in.*	intro,index	intro,index
.*,!chap2	chap1,chap2,chap3	chap1,chap3
.*,!bla	foo,bla,blabla	foo
.*,!^bla\$	foo,bla,blabla	foo,blabla

The example in the last line shows, how the behaviour of package `excludeonly` [`excludeonly`] can be simulated. As the third last line shows, that sometimes ‘`^`’ and ‘`$`’ can be omitted, but this will not work always, shown in the second last line.

1.4 History

Package `askinlude` was invented by Pablo A. Straub in 1991 and maintained until 1994.

In October 2007 it was removed from “TeX Live” because of the no-commercial license [`texlive`]. Herbert Voß initiated a search for the author in the newsgroup `comp.text.tex` [`newsthread`] to ask him to change the license.

It seems that the author could not be reached any more. Joseph Wright suggested a reimplementation that I (HO) have done as package `askinc`. Soon it was enhanced by feature requests.

Then Ulrike Fischer found email addresses of the original author and Jim Hefferon succeeded in contacting him. He allowed a change of the license to LPPL and the transfer of the maintainership to someone else.

Thus I merged both packages as `askinlude` in a new major version 2. The license is LPPL.

1.5 New features of version 2

- License is now LPPL.
- A list of `\include` files that are detected by the previous run is printed before the question.
- If the special answer ‘?’ is given, then the user is asked at each `\include`.
- Support for regular expressions.
- The remaining stuff in the `.aux` file does not cause errors, if the package is removed.
- The use of `\includeonly` before the package loading time is detected and respected by taking precedence. After the package is loaded, `\includeonly` is disabled and prints a warning.

1.6 Compatibility to version 1

- The user interface of version 1 with its special answers ‘*’, ‘-’, and ‘’ remain unchanged, but it is extended by version 2 with the special answer ‘?’ and support for regular expressions can be enabled.
- As reimplementations the internal macros have changed of course.
- .aux files that are written by version 1.x will work with version 2.x because \@includeonly is recognized.
- L^AT_EX 2.09: The package works as \documentstyle option in compatibility mode of L^AT_EX 2_ε. It is possible that it will not work in pure L^AT_EX 2.09.

2 Implementation

2.1 Header and catcodes

```
1 {*package}
2 \NeedsTeXFormat{LaTeX2e}
3 \begingroup\catcode61\catcode48\catcode32=10\relax%
4   \catcode13=5 % ^M
5   \endlinechar=13 %
6   \catcode123=1 %
7   \catcode125=2 %
8   \catcode64=11 %
9   \def\x{\endgroup
10   \expandafter\edef\csname AskInc@AtEnd\endcsname{%
11     \endlinechar=\the\endlinechar\relax
12     \catcode13=\the\catcode13\relax
13     \catcode32=\the\catcode32\relax
14     \catcode35=\the\catcode35\relax
15     \catcode61=\the\catcode61\relax
16     \catcode64=\the\catcode64\relax
17     \catcode123=\the\catcode123\relax
18     \catcode125=\the\catcode125\relax
19   }%
20 }%
21 \x\catcode61\catcode48\catcode32=10\relax%
22 \catcode13=5 % ^M
23 \endlinechar=13 %
24 \catcode35=6 %
25 \catcode64=11 %
26 \catcode123=1 %
27 \catcode125=2 %
28 \def\TMP@EnsureCode#1#2{%
29   \edef\AskInc@AtEnd{%
30     \AskInc@AtEnd
31     \catcode#1=\the\catcode#1\relax
32   }%
33   \catcode#1=#2\relax
34 }
35 \TMP@EnsureCode{33}{12}!
36 \TMP@EnsureCode{39}{12}!
37 \TMP@EnsureCode{40}{12}(
38 \TMP@EnsureCode{41}{12})*
39 \TMP@EnsureCode{42}{12}*
40 \TMP@EnsureCode{43}{12}+
```

```

41 \TMP@EnsureCode{44}{12}%
42 \TMP@EnsureCode{45}{12}%
43 \TMP@EnsureCode{46}{12}%
44 \TMP@EnsureCode{47}{12}%
45 \TMP@EnsureCode{58}{12}%
46 \TMP@EnsureCode{62}{12}%
47 \TMP@EnsureCode{63}{12}%
48 \TMP@EnsureCode{91}{12}%
49 \TMP@EnsureCode{93}{12}%
50 \TMP@EnsureCode{96}{12}%
51 \edef\AskInc@AtEnd{\AskInc@AtEnd\noexpand\endinput}
52 \ProvidesPackage{askinlude}%
53 [2018/11/01 v2.4 Interactive asking of included files]%

Luatex compat
54 \ifx\pdfextension\@undefined\else
55   \protected\def\pdflastobj {\numexpr\pdffeedback lastobj\relax}
56   \protected\def\pdfnames {\pdfextension names }
57   \protected\def\pdfobj {\pdfextension obj }
58   \let\pdfoutput \outputmode
59 \fi

```

2.2 Delay action after preamble

`\AskInc@AtBeginDocument` Some actions such as `.aux` file writing cannot be performed in the preamble. `\AtBeginDocument` delays such action until `\begin{document}`. However `\AtBeginDocument` must not be used after that time (`\@onlypreamble`). Thus `\AskInc@AtBeginDocument` uses `\AtBeginDocument` in the preamble and afterwards executes the code immediately.

```

60 \AtBeginDocument{%
61   \let\AskInc@AtBeginDocument\@firstofone
62 }
63 \providecommand*\AskInc@AtBeginDocument{\AtBeginDocument}

```

2.3 Write entry in `.aux` file

`\AskInc@WriteAux` The first argument is written to the main `.aux` file and the second argument is executed if writing was possible. Remember `\nofiles` prevents writing to auxiliary files.

```

64 \def\AskInc@WriteAux#1#2{%
65   \AskInc@AtBeginDocument{%
66     \if@filesw
67       \immediate\write\@mainaux{#1}%
68       #2%
69     \fi
70   }%
71 }

```

2.4 Remember `\include` files

`\AskInc@CharHash`

```

72 \edef\AskInc@CharHash{\string#}

```

`\AskInc@WriteDefAddList`

```

73 \def\AskInc@WriteDefAddList{%
74   \AskInc@WriteAux{%

```

```

\AskInc@AddList
 75   \string\providecommand*\string\AskInc@AddList[2]{%
 76     \string\ifcase\string\ifx\AskInc@CharHash1\string\@undefined
 77       \string\else
 78         \string\ifx\AskInc@CharHash1\string\relax
 79         \string\else
 80           \string\ifx\AskInc@CharHash1\string\@empty
 81           \string\else
 82             1%
 83             \string\fi
 84             \string\fi
 85             \string\fi
 86             0 %
 87           \string\gdef\AskInc@CharHash1{\AskInc@CharHash2}%
 88         \string\else
 89           \string\g@addto@macro\AskInc@CharHash1{,\AskInc@CharHash2}%
 90         \string\fi
 91       }%
 92   }{%
 93     \global\let\AskInc@WriteDefAddList\relax
 94   }%
 95 }

\AskInc@WriteDefAddFile
 96 \def\AskInc@WriteDefAddFile{%
 97   \AskInc@WriteDefAddList
 98   \AskInc@WriteAux{%

\AskInc@AddFile
 99   \string\providecommand\string\AskInc@AddFile{%
100     \string\AskInc@AddList\string\AskInc@Files
101   }%
102 }{%
103   \global\let\AskInc@WriteDefAddFile\relax
104 }%
105 }

\AskInc@AddFile
106 \AtBeginDocument{%
107   \global\let\AskInc@AddFile\@gobble
108 }

\AskInc@WriteAddFile
109 \def\AskInc@WriteAddFile#1{%
110   \AskInc@WriteDefAddFile
111   \AskInc@WriteAux{%
112     \string\AskInc@AddFile{#1}%
113   }{%
114 }

\AskInc@Files
115 \providecommand*\string\AskInc@Files{}}

```

Summary: Now `\AskInc@Files` is always defined and either empty or contains a comma separated list of `\include` files of previous run.

The `\include` files are remembered by using `\AskInc@WriteAddFile` at each `\include`.

2.5 Redefine \include

```
\AskInc@OrgInclude
 116 \newcommand{\AskInc@OrgInclude}{}%
 117 \let\AskInc@OrgInclude\include

\AskInc@AskFile
 118 \let\AskInc@AskFile\@gobble

\AskInc@MatchFile
 119 \let\AskInc@MatchFile\@gobble

\include
 120 \renewcommand*\include[1]{%
 121   \AskInc@WriteAddFile{#1}%
 122   \AskInc@AskFile{#1}%
 123   \AskInc@MatchFile{#1}%
 124   \AskInc@OrgInclude{#1}%
 125 }
```

2.6 Store answer and match method in .aux file

```
126 \AtEndOfPackage{%
127   \AtBeginDocument{%
128     \@ifundefined{AskInc@Answer}{}{%
129       \AskInc@WriteAux{%
130         \string\gdef\string\AskInc@Answer{\AskInc@Answer}%
131       }{}}%
132     }%
133     \@ifundefined{AskInc@MatchMethod}{}{%
134       \AskInc@WriteAux{%
135         \string\gdef\string\AskInc@MatchMethod{\AskInc@MatchMethod}%
136       }{}}%
137     }%
138   }%
139 }
```

2.7 Support for \@includeonly

\@includeonly Macro \@includeonly is defined for compatibility reasons only, if the .aux file was written by versions before 2 of package askinlude.

```
140 \providecommand*\@includeonly[1]{%
141   \gdef\AskInc@Answer{#1}%
142   \ifx\AskInc@Answer\empty
143     \gdef\AskInc@Answer{-}%
144   \fi
145   \global\let\AskInc@MatchMethod\empty
146 }
```

2.8 Stop if \includeonly is active

If \includeonly is used before, the questions are skipped and the data in the main auxiliary file is preserved.

```
147 \if@partsw
148   \PackageWarningNoLine{askinlude}{%
149     Previous \string\includeonly\space detected,\MessageBreak
150     therefore asking for files is suppressed%
151   }%
```

```

Dummy options.

152  \DeclareOption{makematch}{}
153  \DeclareOption{pdfmatch}{}
154  \DeclareOption{noregexp}{}
155  \ProcessOptions*%}

Preserve \AskInc@MatchFiles.

156  \@ifundefined{AskInc@MatchFiles}{%
157  }{%
158    \ifx\AskInc@MatchMethod\empty
159    \else
160      \AskInc@WriteAux{%
161        \string\gdef\string\AskInc@MatchFiles{\AskInc@MatchFiles}%
162      }%
163    \fi
164  }%
165  \expandafter\AskInc@AtEnd
166 \fi%

```

2.9 \includeonly

```

\AskInc@OrgIncludeOnly

167 \newcommand{\AskInc@OrgIncludeOnly}{}
168 \let\AskInc@OrgIncludeOnly\includeonly

\includeonly

169 \renewcommand*\includeonly[1]{%
170   \PackageWarning{askinlude}{%
171     string\includeonly\space is managed by package `askinlude',%
172     \MessageBreak
173     therefore it is ignored%
174   }%
175 }

```

2.10 Options

```

\AskInc@StringNoRegExp

176 \def\AskInc@StringNoRegExp{noregexp}

\AskInc@StringMakeMatch

177 \def\AskInc@StringMakeMatch{makematch}

\AskInc@StringPdfMatch

178 \def\AskInc@StringPdfMatch{pdfmatch}

\ifAskInc@PdfMatchAvailable

179 \newif\ifAskInc@PdfMatchAvailable
180 \begingroup\expandafter\expandafter\expandafter\endgroup
181 \expandafter\ifx\csname pdfmatch\endcsname\relax
182 \else
183   \AskInc@PdfMatchAvailabletrue
184 \fi

185 \DeclareOption{makematch}{%
186   \let\AskInc@MatchOption\AskInc@StringMakeMatch
187 }
188 \ifAskInc@PdfMatchAvailable

```

```

189  \DeclareOption{pdfmatch}{%
190    \let\AskInc@MatchOption\AskInc@StringPdfMatch
191  }%
192 \else
193  \DeclareOption{pdfmatch}{%
194    \PackageWarningNoLine{askininclude}{%
195      Option `pdfmatch' is not available because\MessageBreak
196      your pdfTeX does not provide \string\pdfmatch
197    }%
198  }%
199 \fi
200 \DeclareOption{noregexp}{%
201  \let\AskInc@MatchOption\@empty
202 }
203 \ProcessOptions*

```

2.11 Strings

```

\AskInc@CharAsterisk
204 \def\AskInc@CharAsterisk{*}

\AskInc@CharMinus
205 \def\AskInc@CharMinus{-}

\AskInc@CharPlus
206 \def\AskInc@CharPlus{+}

\AskInc@CharQuestion
207 \def\AskInc@CharQuestion{?}

\AskInc@CharExclam
208 \def\AskInc@CharExclam{!}

\AskInc@CharYes
209 \def\AskInc@CharYes{y}

\AskInc@CharNo
210 \def\AskInc@CharNo{n}

\AskInc@CharAll
211 \def\AskInc@CharAll{A}

\AskInc@CharNone
212 \def\AskInc@CharNone{N}

\AskInc@CharDefault
213 \def\AskInc@CharDefault{D}

```

2.12 Set defaults

```

\AskInc@SanitizeAnswer
214 \def\AskInc@SanitizeAnswer#1#2{%
215   \begingroup
216     \escapechar=``\%
217     \edef\[{\"{#1}}]%
218     \edef\]{\"{#2}}}%

```

```

219  \edef{\{\\string\{}}%
220  \edef{\{\\string\}}%
221  \edef{\*\{\\string\}*}}%
222  \edef{\+{\{\\string\}+}}%
223  \edef{\?{\{\\string\?}}}}%
224  \edef{\|{\{\\string\|}}}}%
225  \edef{\^{\{\\string\^}}}}%
226  \edef{\${\\string\$}}}}%
227  \edef{\{\{\\string\{}}}}%
228  \edef{\}{\\string\}}}}%
229  \edef{\.{\\string\.}}}}%
230  \xdef#1{%
231      \expandafter\expandafter\expandafter\zap@space
232      \expandafter#2\space\@empty
233  }%
234  \endgroup
235 }

236 \AtBeginDocument{%
237  \@ifundefined{AskInc@Answer}{%
238      \global\let\AskInc@Answer\AskInc@CharAsterisk
239  }{%
240      \AskInc@SanitizeAnswer\AskInc@Answer\AskInc@Answer
241  }%
242  \global\let\AskInc@PreviousAnswer\AskInc@Answer
243  \@ifundefined{AskInc@MatchMethod}{%
244      \global\let\AskInc@MatchMethod\@empty
245  }{%
246  \global\let\AskInc@PreviousMatchMethod\AskInc@MatchMethod
247  \@ifundefined{AskInc@MatchOption}{%
248      \let\AskInc@MatchOption\AskInc@MatchMethod
249  }{%
250  \ifx\AskInc@MatchOption\AskInc@StringPdfMatch
251      \ifAskInc@PdfMatchAvailable
252      \else
253          \let\AskInc@MatchOption\@empty
254      \fi
255  \fi
256  \@ifundefined{AskInc@MatchFiles}{%
257      \let\AskInc@MatchFiles\@empty
258  }{%
259  }%

```

2.13 Questions

2.13.1 Generic question header

\AskInc@QuestionHeader

```

260 \def\AskInc@QuestionHeader{%
261  \typeout{%
262  \typeout{*****}
263  \typeout{*** Package askinlude Question ***}
264  \typeout{*****}
265  \typeout{%
266 }

```

2.13.2 Display files

```
\AskInc@TypeoutFiles
267 \def\AskInc@TypeoutFiles{%
268   \global\let\AskInc@PreviousMatches\@empty
269   \ifx\AskInc@Files\@empty
270   \else
271     \typeout{Files, found by previous run in \string\include:}%
272     \for\AskInc@File:=\AskInc@Files\do{%
273       \ifx\AskInc@Answer\AskInc@CharAsterisk
274         \let\AskInc@Mark\AskInc@CharPlus
275       \else
276         \let\AskInc@Mark\AskInc@CharMinus
277         \ifx\AskInc@Answer\AskInc@CharMinus
278         \else
279           \ifx\AskInc@MatchMethod\@empty
280             \expandafter\@firstoftwo
281           \else
282             \expandafter\@secondoftwo
283           \fi
284           { \for\AskInc@Temp:=\AskInc@Answer\%
285             \for\AskInc@Temp:=\AskInc@MatchFiles\%
286             \do{%
287               \ifx\AskInc@File\AskInc@Temp
288                 \let\AskInc@Mark\AskInc@CharPlus
289               \fi
290             }%
291           \fi
292         \fi
293         \typeout{ \spaces(\AskInc@Mark) \AskInc@File}%
294         \ifx\AskInc@Mark\AskInc@CharPlus
295           \ifx\AskInc@PreviousMatches\@empty
296             \global\let\AskInc@PreviousMatches\AskInc@File
297           \else
298             \expandafter\g@addto@macro
299             \expandafter\AskInc@PreviousMatches{%
300               \expandafter,\AskInc@File
301             }%
302           \fi
303         \fi
304       }%
305       \typeout{}%
306     \fi
307 }
```

2.13.3 Previous answer

```
\AskInc@TypeoutPreviousAnswer
308 \def\AskInc@TypeoutPreviousAnswer{%
309   \typeout{%
310     Previous answer (%
311     \ifx\AskInc@MatchMethod\@empty
312       noregexp%
313     \else
314       \AskInc@MatchMethod
315     \fi
316   ):%
317 }
```

```

318  \typeout{ \@spaces[\AskInc@Answer]}%
319  \typeout{}%
320 }

```

2.13.4 Current regular expression support

```

\AskInc@TypeoutMatchMethod
321 \def\AskInc@TypeoutMatchMethod{%
322   \typeout{Regular expressions:}%
323   \AskInc@TypeoutMethod\empty\noregexp{%
324     \space disabled%
325   }%
326   \AskInc@TypeoutMethod\AskInc@StringMakeMatch{makematch}{%
327     enabled, using package `makematch'%
328   }%
329   \ifAskInc@PdfMatchAvailable
330     \AskInc@TypeoutMethod\AskInc@StringPdfMatch{pdfmatch}{%
331       \space enabled, using pdfTeX's \string\pdfmatch
332     }%
333   \fi
334   \typeout{}%
335 }

\AskInc@TypeoutMethod
336 \def\AskInc@TypeoutMethod#1#2#3{%
337   \typeout{%
338     \ifx#1\AskInc@MatchOption \space--> \else\@spaces\space\fi
339     [#2] #3% hash-ok
340   }%
341 }

```

2.13.5 Main question text

```

\AskInc@TypeoutMainQuestion
342 \def\AskInc@TypeoutMainQuestion{%
343   \typeout{Which files do you want to include?}%
344   \typeout{ \@spaces[foo,bar] \space\space
345     comma separated file or pattern list}%
346   \typeout{ \@spaces[*] \@spaces\@spaces all files}%
347   \typeout{ \@spaces[-] \@spaces\@spaces no files}%
348   \typeout{ \@spaces[?] \@spaces\@spaces ask for each file}%
349 }

```

2.13.6 Main question

```

\AskInc@MainQuestion
350 \def\AskInc@MainQuestion{%
351   \AskInc@QuestionHeader
352   \AskInc@TypeoutFiles
353   \AskInc@TypeoutPreviousAnswer
354   \AskInc@TypeoutMatchMethod
355   \AskInc@TypeoutMainQuestion
356   \begingroup
357     \@makeother\*%
358     \@makeother\-%
359     \@makeother\?%
360     \@makeother\,%

```

```

361   \@makeother\!%
362   \@makeother\^%
363   \@makeother\$%
364   \@makeother\(%%
365   \@makeother\)%%
366   \@makeother\+%
367   \@makeother\[%
368   \@makeother\]%
369   \@makeother\\%
370   \@makeother\|%
371   \@makeother\:%%
372   \@makeother\.%%
373   \typein[\answer]%
374   { \@spaces[] \space\@spaces\@spaces use the previous answer}%
375   \typeout{}%
376   \AskInc@SanitizeAnswer\AskInc@@Answer\answer
377 \endgroup
378 \let\AskInc@Next\AskInc@MainQuestion
379 \ifx\AskInc@@Answer\AskInc@StringNoRegExp
380   \let\AskInc@MatchOption\@empty
381 \else
382   \ifx\AskInc@@Answer\AskInc@StringMakeMatch
383     \let\AskInc@MatchOption\AskInc@StringMakeMatch
384   \else
385     \ifx\AskInc@@Answer\AskInc@StringPdfMatch
386       \ifAskInc@PdfMatchAvailable
387         \let\AskInc@MatchOption\AskInc@StringPdfMatch
388       \else
389         \PackageWarning{askincluder}{%
390           Method `pdfmatch' is not available because\MessageBreak
391           your pdfTeX does not provide \string\pdfmatch
392         }%
393         \let\AskInc@MatchOption\@empty
394       \fi
395     \else
396       \ifx\AskInc@@Answer\@empty
397         \global\let\AskInc@@Answer\AskInc@Answer
398       \fi
399       \let\AskInc@Next\AskInc@MainAnswer
400     \fi
401   \fi
402 \fi
403 \AskInc@Next
404 }

```

2.14 Evaluate answer of main question

```

\AskInc@MainAnswer
405 \def\AskInc@MainAnswer{%
406   \ifx\AskInc@@Answer\AskInc@CharQuestion
407     \global\let\AskInc@Answer\@empty
408     \global\let\AskInc@MatchMethod\@empty
409     \global\let\AskInc@AskFile\AskInc@DoAskFile
410     \AskInc@OrgIncludeOnly{}%
411   \else
412     \global\let\AskInc@Answer\AskInc@@Answer
413     \ifx\AskInc@@Answer\AskInc@CharAsterisk
414       \global\let\AskInc@MatchMethod\@empty

```

```

415      \else
416          \ifx\AskInc@@Answer\AskInc@CharMinus
417              \global\let\AskInc@MatchMethod\@empty
418              \AskInc@OrgIncludeOnly{}%
419      \else
420          \global\let\AskInc@MatchMethod\AskInc@MatchOption
421          \ifx\AskInc@MatchOption\@empty
422              \expandafter\AskInc@OrgIncludeOnly\expandafter{%
423                  \AskInc@Answer
424              }%
425      \else
426          \AskInc@MatchInit
427          \AskInc@OrgIncludeOnly{}%
428      \fi
429  \fi
430 \fi
431 \fi
432 \let\AskInc@Include\AskInc@DoInclude
433 }

\AskInc@MatchInit
434 \def\AskInc@MatchInit{%
435     \RequirePackage{kvsetkeys}[2007/09/29]%
436     \expandafter\comma@normalize\expandafter{\AskInc@Answer}%
437     \global\let\AskInc@MatchList\comma@list

\AskInc@MatchFile
438 \def\AskInc@MatchFile##1{%
439     \AskInc@DoMatch{##1}{%
440         \AskInc@WriteAddMatch{##1}%
441         \ifx\@partlist\@empty
442             \gdef\@partlist{##1}%
443         \else
444             \g@addto@macro\@partlist{,##1}%
445         \fi
446     }%
447 }%

448 \ifx\AskInc@MatchMethod\AskInc@StringMakeMatch
449     \AskInc@MakeMatchInit
450 \else
451     \AskInc@PdfMatchInit
452 \fi
453 \let\AskInc@MatchInit\@undefined
454 }

\AskInc@MakeMatchInit
455 \def\AskInc@MakeMatchInit{%
456     \RequirePackage{makematch}%

\AskInc@DoMatch
457 \def\AskInc@DoMatch##1{%
458     \def\AskInc@Temp{%
459         \MakeMatcher[,]\AskInc@Temp
460     }%
461     \expandafter\AskInc@Temp\expandafter{\AskInc@MatchList}%
462     \AskInc@Temp{##1}\@firstofone\@gobble
463 }%

```

```

464   \let\AskInc@MakeMatchInit@\undefined
465 }

\AskInc@PdfMatchInit
466 \def\AskInc@PdfMatchInit{%
\ifAskInc@Found
467   \newif\ifAskInc@Found

\AskInc@DoMatch
468   \def\AskInc@DoMatch##1{%
469     \AskInc@Foundfalse
470     \expandafter\comma@parse@normalized\expandafter
471     {\AskInc@MatchList}{\AskInc@CheckMatch{##1}}%
472     \ifAskInc@Found
473       \expandafter\@firstofone
474     \else
475       \expandafter\@gobble
476     \fi
477   }%

\AskInc@CheckMatch
478   \def\AskInc@CheckMatch##1##2{%
479     \AskInc@@CheckMatch##2\@empty\@nil{##1}%
480   }%

\AskInc@@CheckMatch
481   \def\AskInc@@CheckMatch##1##2\@nil##3{%
482     \def\AskInc@Temp{##1}%
483     \ifx\AskInc@Temp\AskInc@CharExclam
484       \ifcase\pdfmatch{##2}{##3}=1 %
485         \or
486         \AskInc@Foundfalse
487       \else
488         \AskInc@InvalidPattern{##2}{##1##2}%
489       \fi
490     \else
491       \ifcase\pdfmatch{##1##2}{##3} %
492         \or
493         \AskInc@Foundtrue
494       \else
495         \AskInc@InvalidPattern{##1##2}{##1##2}%
496       \fi
497     \fi
498   }%

\AskInc@InvalidPattern Prints a warning with the regular expression and removes it from the list to prevent
further warnings for the same expression.
499   \def\AskInc@InvalidPattern##1##2{%
500     \edef\AskInc@Temp{##1}%
501     \PackageWarningNoLine{askininclude}{%
502       Invalid pattern `\'\AskInc@Temp' for \string\pdfmatch
503     }%
504     \edef\AskInc@Temp{##2}%
505     \global\expandafter\let\expandafter\AskInc@MatchList
506     \expandafter\@empty
507     \expandafter\comma@parse@normalized\expandafter
508     {\AskInc@MatchList}\AskInc@FilterPattern
509   }%

```

```

\AskInc@FilterPattern
510  \def\AskInc@FilterPattern##1{%
511    \edef\AskInc@Pattern{##1}%
512    \ifx\AskInc@Temp\AskInc@Pattern
513    \else
514      \ifx\AskInc@MatchList\empty
515        \global\let\AskInc@MatchList\AskInc@Pattern
516      \else
517        \expandafter\g@addto@macro\expandafter\AskInc@MatchList{%
518          \expandafter,\AskInc@Pattern
519        }%
520      \fi
521    \fi
522  }%
523  \let\AskInc@PdfMatchInit\@undefined
524 }

\AskInc@WriteDefAddMatch
525 \def\AskInc@WriteDefAddMatch{%
526   \AskInc@WriteDefAddList
527   \AskInc@WriteAux{%
528     \string\providecommand\string\AskInc@AddMatch{%
529       \string\AskInc@AddList\string\AskInc@MatchFiles
530     }%
531   }%
532   \global\let\AskInc@WriteDefAddMatch\relax
533 }%
534 }

\AskInc@AddMatch
535 \AtBeginDocument{%
536   \global\let\AskInc@AddMatch\@gobble
537 }

\AskInc@WriteAddMatch
538 \def\AskInc@WriteAddMatch#1{%
539   \AskInc@WriteDefAddMatch
540   \AskInc@WriteAux{%
541     \string\AskInc@AddMatch{#1}%
542   }%
543 }

\AskInc@SaveAnswer
544 \def\AskInc@SaveAnswer{%
545   \AskInc@WriteAux{%
546     \string\gdef\string\AskInc@Answer{\AskInc@Answer}%
547   }%
548 }

2.15 Ask for each file

\AskInc@PreviousAnswer
549 \@ifundefined{\AskInc@PreviousAnswer}{%
550   \let\AskInc@PreviousAnswer\AskInc@CharAsterisk
551 }{%

```

```

\AskInc@PreviousMatchMethod

      552 \Qifundefined{AskInc@PreviousMatchMethod}{%
      553   \let\AskInc@PreviousMatchMethod\empty
      554 }{[]}

\AskInc@DoAskFile

      555 \def\AskInc@DoAskFile#1{%
      556   \edef\AskInc@File{\#1}%
      557   \ifx\AskInc@PreviousAnswer\AskInc@CharAsterisk
      558     \let\AskInc@Default\AskInc@CharYes
      559   \else
      560     \let\AskInc@Default\AskInc@CharNo
      561     \ifx\AskInc@PreviousAnswer\AskInc@CharMinus
      562       \else
      563         \ifx\AskInc@PreviousMatchMethod\empty
      564           \expandafter\@firstoftwo
      565         \else
      566           \expandafter\@secondoftwo
      567         \fi
      568       {\@for\AskInc@Temp:=\AskInc@PreviousAnswer}%
      569       {\@for\AskInc@Temp:=\AskInc@MatchFiles}%
      570       \do{%
      571         \ifx\AskInc@Temp\AskInc@File
      572           \let\AskInc@Default\AskInc@CharYes
      573         \fi
      574       }%
      575     \fi
      576     \ifx\AskInc@Default\AskInc@CharNo
      577       \let\AskInc@Default\AskInc@CharYes
      578       \@for\AskInc@Temp:=\AskInc@Files\do{%
      579         \ifx\AskInc@Temp\AskInc@File
      580           \let\AskInc@Default\AskInc@CharNo
      581         \fi
      582       }%
      583     \fi
      584   \fi
      585   \let\AskInc@@QuestionHeader\AskInc@QuestionHeader
      586   \AskInc@AskQuestion
      587   \ifx\AskInc@AskResult\AskInc@CharYes
      588     \ifx\AskInc@Answer\empty
      589       \gdef\AskInc@Answer{\#1}%
      590     \else
      591       \g@addto@macro\AskInc@Answer{,\#1}%
      592     \fi
      593     \AskInc@SaveAnswer
      594     \let\@partlist\AskInc@Answer
      595   \fi
      596 }

\AskInc@AskQuestion

      597 \def\AskInc@AskQuestion{%
      598   \let\AskInc@Temp\answer
      599   \AskInc@@QuestionHeader
      600   \let\AskInc@@QuestionHeader\relax
      601   \typein[\answer]{%
      602     Include `\'\AskInc@File'? [y]es, [n]o, [A]ll, [N]one, [D]efault %
      603     (\AskInc@Default):%
      604   }%

```

```

605  \typeout{%
606  \let\AskInc@AskResult\answer
607  \let\answer\AskInc@Temp
608  \ifx\AskInc@AskResult\empty
609    \let\AskInc@AskResult\AskInc@Default
610    \let\AskInc@Next\relax
611  \else
612    \ifx\AskInc@AskResult\AskInc@CharYes
613      \let\AskInc@Next\relax
614    \else
615      \ifx\AskInc@AskResult\AskInc@CharNo
616        \let\AskInc@Next\relax
617      \else
618        \ifx\AskInc@AskResult\AskInc@CharAll
619          \gdef\AskInc@AskQuestion{%
620            \let\AskInc@AskResult\AskInc@CharYes
621          }%
622        \else
623          \ifx\AskInc@AskResult\AskInc@CharNone
624            \gdef\AskInc@AskQuestion{%
625              \let\AskInc@AskResult\AskInc@CharNo
626            }%
627          \else
628            \ifx\AskInc@AskResult\AskInc@CharDefault
629              \gdef\AskInc@AskQuestion{%
630                \let\AskInc@AskResult\AskInc@Default
631              }%
632            \else
633              \PackageWarning{askininclude}{%
634                Invalid answer [\AskInc@AskResult].\MessageBreak
635                Answer must be one letter out of [ynAND]%
636              }%
637            \fi
638          \fi
639        \fi
640        \let\AskInc@Next\AskInc@AskQuestion
641      \fi
642    \fi
643  \fi
644 \AskInc@Next
645 }

646 \AtBeginDocument{\AskInc@MainQuestion}
647 \AskInc@AtEnd%
648 
```

3 Test

3.1 Included files

```

649 /*a*/
650 \chapter{Chapter A}
651 \let\filea=Y
652 
```

```
653 /*b*/
654 \chapter{Chapter B}
655 \let\fileb=Y

```

```

656 </b>
657 *<c>
658 \chapter{Chapter C}
659 \let\filec=Y
660 </c>

```

3.2 Special test setup

```

661 /*test18*/
662 \includeonly{askinclud-b}
663 </test18>
664 /*test20.j test21.j test22*/
665 \let\AtBeginDocumentMode=N%
666 </test20.j test21.j test22>

```

3.3 Common start

```

667 /*test0*/
668 \ifx\CompatibilityMode Y%
669   \documentstyle[filecontents,qstest,askinclude,pdftexcmds]{book}%
670 \else
671   \documentclass{book}%
672   \usepackage{filecontents}%
673   \usepackage{qstest}%
674   \usepackage{pdftexcmds}%
675 /*test1*/
676   \makeatletter
677   \def\RestoreCatcodes{}%
678   \count@=0 %
679   \loop
680     \edef\RestoreCatcodes{%
681       \RestoreCatcodes
682       \catcode`\the\count@=\the\catcode\count@\relax
683     }%
684   \ifnum\count@<255 %
685     \advance\count@\@ne
686   \repeat
687   \def\RangeCatcodeInvalid#1#2{%
688     \count@=#1\relax
689     \loop
690       \catcode\count@=15 %
691     \ifnum\count@<#2\relax
692       \advance\count@\@ne
693     \repeat
694   }%
695   \def\Test#1\EndTest{%
696     \RangeCatcodeInvalid{0}{47}%
697     \RangeCatcodeInvalid{58}{64}%
698     \RangeCatcodeInvalid{91}{96}%
699     \RangeCatcodeInvalid{123}{255}%
700     \catcode`@=12 %
701     \catcode`\\=0 %
702     \catcode`{\=1 %
703     \catcode`}=2 %
704     \catcode`#=6 %
705     \catcode`[=12 %
706     \catcode`]=12 %
707     \catcode`%-=14 %
708     \catcode`\ =10 %

```

```

709      \catcode`13=5 %
710      #1\relax
711      \RestoreCatcodes
712      \makeatother
713  }%
714  \Test
715 </test1>
716 {*}!test1}
717   \ifx\AtBeginDocumentMode Y%
718     \AtBeginDocument{%
719       \usepackage{askininclude}[2018/11/01]%
720     }%
721   \else
722 <!/test1>
723   \usepackage{askininclude}[2018/11/01]%
724 {*}!test1}
725   \fi
726 <!/test1>
727 {*}test1}
728   \EndTest
729 </test1>
730 \fi
731 \IncludeTests{*}
732 \LogTests{log}{*}{*}
733 \makeatletter
734 \let\org@typein\typein
735 \def\typein[#1]{#2}%
736   \ifx\@Stack\@StackEmpty
737     \begin{qstest}{StackNonEmpty}{StackNonEmpty}%
738       \Expect{Error: empty stack}{}%
739     \end{qstest}%
740     \org@typein[{#1}]{#2}%
741   \else
742     \edef#1{%
743       \unexpanded\expandafter\expandafter\expandafter{%
744         \expandafter\@car\@Stack\@nil
745       }%
746     }%
747     \xdef\@Stack{%
748       \unexpanded\expandafter\expandafter\expandafter{%
749         \expandafter\@cdr\@Stack\@nil
750       }%
751     }%
752     \typeout{%
753       \typeout{\string#1=#1}%
754     }%
755   }
756 \def\@StackEmpty{\BOTTOM}
757 \let\@Stack\@StackEmpty
758 \newcommand*{\Stack}[1]{%
759   \def\@Stack{#1}\BOTTOM}%
760 }
761 \AtEndDocument{%
762   \begin{qstest}{StackUsed}{StackUsed}%
763     \Expect*{%
764       \ifx\@Stack\@StackEmpty
765       \else
766         Error: Unused stack entries%

```

```

767      \fi
768  }{%
769  \end{qstest}%
770 }
771 \newcommand*{\CheckInclude}[2]{%
772   \include{askininclude-\#1}%
773   \begin{qstest}{\CheckInclude-\#1}{\CheckInclude-\#1}%
774     \Expect*{%
775       \expandafter\ifx\csname file\#1\endcsname Ytrue\else false\fi
776     }{#2}%
777   \end{qstest}%
778 }
779 \def\@EndChecks{%
780 \AtBeginDocument{%
781   \AtEndDocument{%
782     \if@filesw
783       \immediate\write\@mainaux{\string\@EndChecks}%
784     \fi
785   }%
786 }
787 \newcommand*{\CheckAnswer}[1]{%
788   \gdef\AnswerText{\#1}%
789   \g@addto@macro\@EndChecks{\@CheckAnswer}%
790 }
791 \def\@CheckAnswer{%
792   \begin{qstest}{\CheckAnswer}{\CheckAnswer}%
793     \Expect*{%
794       \unexpanded\expandafter{\AskInc@Answer}}{%
795       \unexpanded\expandafter{\AnswerText}}%
796   \end{qstest}%
797 }
798 \newcommand*{\CheckMatchMethod}[1]{%
799   \gdef\MatchMethodText{\#1}%
800   \g@addto@macro\@EndChecks{\@CheckMatchMethod}%
801 }
802 \def\@CheckMatchMethod{%
803   \begin{qstest}{\CheckMatchMethod}{\CheckMatchMethod}%
804     \Expect*{%
805       \unexpanded\expandafter{\AskInc@MatchMethod}}{%
806       \unexpanded\expandafter{\MatchMethodText}}%
807   \end{qstest}%
808 }
809 \def\@CheckAux{%
810   \begin{qstest}{\CheckAux}{\CheckAux}%
811     \def\GetFileContents##1{%
812       \pdf@unescapehex{%
813         \pdf@filedump{0}{\pdf@filesize{##1}{##1}}%
814       }%
815     }%
816     \Expect*{%
817       \GetFileContents{\jobname.aux}}{%
818       \GetFileContents{\jobname-aux.aux}}%
819   \end{qstest}%
820 }
821 \g@addto@macro\@EndChecks{\@CheckAux}
822 \let\org@filec@ntents\filec@ntents
823 \def\filec@ntents{%
824   \catcode`\|=0 %
825   \org@filec@ntents
826 }
827 \begingroup

```

```

825  \endlinechar=-1 %
826  \catcode`\\=0 %
827  \@makeother\#%
828  \@makeother\\%
829  \gdef|AddList{%
830    \providecommand*\AskInc@AddList[2]{%
831      \ifcase\ifx#1\@undefined
832        \else\ifx#1\relax
833          \else\ifx#1\@empty
834            \else1\fi\fi\fi0 %
835            \gdef#1{\#2}%
836        \else
837          \g@addto@macro#1{,\#2}%
838        \fi
839      }%
840    }%
841  \gdef|AddFile{%
842    \providecommand\AskInc@AddFile{%
843      \AskInc@AddList\AskInc@Files
844    }%
845  }%
846  \gdef|AddMatch{%
847    \providecommand\AskInc@AddMatch{%
848      \AskInc@AddList\AskInc@MatchFiles
849    }%
850  }%
851 \endgroup
852 </test0>

```

3.4 First run tests

```

853 (*test1)
854 \Stack{{}}
855 \CheckAnswer{*}
856 \begin{filecontents*}{\jobname.aux}
857 \relax
858 \end{filecontents*}
859 \begin{filecontents*}{\jobname-aux.aux}
860 \relax\space
861 \gdef\AskInc@Answer{*}
862 \gdef\AskInc@MatchMethod{}
863 |AddList
864 |AddFile
865 \AskInc@AddFile{askinlude-a}
866 \Qinput{askinlude-a.aux}
867 \AskInc@AddFile{askinlude-b}
868 \Qinput{askinlude-b.aux}
869 \AskInc@AddFile{askinlude-c}
870 \Qinput{askinlude-c.aux}
871 \QEndChecks
872 \end{filecontents*}
873 \begin{document}
874 \CheckInclude{a}{true}
875 \CheckInclude{b}{true}
876 \CheckInclude{c}{true}
877 </test1>
878 (*test2)
879 \Stack{*}
880 \CheckAnswer{*}

```

```

881 \begin{filecontents*}{\jobname.aux}
882 \relax
883 \end{filecontents*}
884 \begin{filecontents*}{\jobname-aux.aux}
885 \relax\space
886 \gdef\AskInc@Answer{*}
887 \gdef\AskInc@MatchMethod{}
888 |AddList
889 |AddFile
890 \AskInc@AddFile{askinlude-a}
891 @input{askinlude-a.aux}
892 \AskInc@AddFile{askinlude-b}
893 @input{askinlude-b.aux}
894 \AskInc@AddFile{askinlude-c}
895 @input{askinlude-c.aux}
896 \EndChecks
897 \end{filecontents*}
898 \begin{document}
899 \CheckInclude{a}{true}
900 \CheckInclude{b}{true}
901 \CheckInclude{c}{true}
902 
903 (*test3)
904 \Stack{-}%
905 \CheckAnswer{-}
906 \begin{filecontents*}{\jobname.aux}
907 \relax
908 \end{filecontents*}
909 \begin{filecontents*}{\jobname-aux.aux}
910 \relax\space
911 \gdef\AskInc@Answer{-}
912 \gdef\AskInc@MatchMethod{}
913 |AddList
914 |AddFile
915 \AskInc@AddFile{askinlude-a}
916 @input{askinlude-a.aux}
917 \AskInc@AddFile{askinlude-b}
918 @input{askinlude-b.aux}
919 \AskInc@AddFile{askinlude-c}
920 @input{askinlude-c.aux}
921 \EndChecks
922 \end{filecontents*}
923 \begin{document}
924 \CheckInclude{a}{false}
925 \CheckInclude{b}{false}
926 \CheckInclude{c}{false}
927 
928 (*test4)
929 \Stack{askinlude-b}%
930 \CheckAnswer{askinlude-b}
931 \begin{filecontents*}{\jobname.aux}
932 \relax
933 \end{filecontents*}
934 \begin{filecontents*}{\jobname-aux.aux}
935 \relax\space
936 \gdef\AskInc@Answer{askinlude-b}
937 \gdef\AskInc@MatchMethod{}
938 |AddList

```

```

939 |AddFile
940 \AskInc@AddFile{askinclude-a}
941 \@input{askinclude-a.aux}
942 \AskInc@AddFile{askinclude-b}
943 \@input{askinclude-b.aux}
944 \AskInc@AddFile{askinclude-c}
945 \@input{askinclude-c.aux}
946 \@EndChecks
947 \end{filecontents*}
948 \begin{document}
949 \CheckInclude{a}{false}
950 \CheckInclude{b}{true}
951 \CheckInclude{c}{false}
952 
```

$$\langle /test4 \rangle$$

```

953 (*test5)
954 \Stack{{askinclude-a,askinclude-c}}
955 \CheckAnswer{askinclude-a,askinclude-c}{\jobname.aux}
956 \begin{filecontents*}[\jobname.aux]
957 \relax
958 \end{filecontents*}
959 \begin{filecontents*}[\jobname-aux.aux]
960 \relax\space
961 \gdef\AskInc@Answer{askinclude-a,askinclude-c}
962 \gdef\AskInc@MatchMethod{}
963 |AddList
964 |AddFile
965 \AskInc@AddFile{askinclude-a}
966 \@input{askinclude-a.aux}
967 \AskInc@AddFile{askinclude-b}
968 \@input{askinclude-b.aux}
969 \AskInc@AddFile{askinclude-c}
970 \@input{askinclude-c.aux}
971 \@EndChecks
972 \end{filecontents*}
973 \begin{document}
974 \CheckInclude{a}{true}
975 \CheckInclude{b}{false}
976 \CheckInclude{c}{true}
977 
```

$$\langle /test5 \rangle$$

```

978 (*test6)
979 \Stack{?yny}
980 \CheckAnswer{askinclude-a,askinclude-c}{\jobname.aux}
981 \begin{filecontents*}[\jobname.aux]
982 \relax
983 \end{filecontents*}
984 \begin{filecontents*}[\jobname-aux.aux]
985 \relax\space
986 \gdef\AskInc@Answer{}
987 \gdef\AskInc@MatchMethod{}
988 |AddList
989 |AddFile
990 \AskInc@AddFile{askinclude-a}
991 \gdef\AskInc@Answer{askinclude-a}
992 \@input{askinclude-a.aux}
993 \AskInc@AddFile{askinclude-b}
994 \@input{askinclude-b.aux}
995 \AskInc@AddFile{askinclude-c}
996 \gdef\AskInc@Answer{askinclude-a,askinclude-c}
```

```

997 \@input{askinlude-c.aux}
998 \@EndChecks
999 \end{filecontents*}
1000 \begin{document}
1001 \CheckInclude{a}{true}
1002 \CheckInclude{b}{false}
1003 \CheckInclude{c}{true}
1004 
```

 $\langle /test6 \rangle$

```

1005 (*test7)
1006 \Stack{?yA}
1007 \CheckAnswer{askinlude-a,askinlude-b,askinlude-c}
1008 \begin{filecontents*}{\jobname.aux}
1009 \relax
1010 \end{filecontents*}
1011 \begin{filecontents*}{\jobname-aux.aux}
1012 \relax\space
1013 \gdef\AskInc@Answer{}
1014 \gdef\AskInc@MatchMethod{}
1015 |AddList
1016 |AddFile
1017 \AskInc@AddFile{askinlude-a}
1018 \gdef\AskInc@Answer{askinlude-a}
1019 \@input{askinlude-a.aux}
1020 \AskInc@AddFile{askinlude-b}
1021 \gdef\AskInc@Answer{askinlude-a,askinlude-b}
1022 \@input{askinlude-b.aux}
1023 \AskInc@AddFile{askinlude-c}
1024 \gdef\AskInc@Answer{askinlude-a,askinlude-b,askinlude-c}
1025 \@input{askinlude-c.aux}
1026 \@EndChecks
1027 \end{filecontents*}
1028 \begin{document}
1029 \CheckInclude{a}{true}
1030 \CheckInclude{b}{true}
1031 \CheckInclude{c}{true}
1032 
```

 $\langle /test7 \rangle$

```

1033 (*test8)
1034 \Stack{?yD}
1035 \CheckAnswer{askinlude-a,askinlude-b,askinlude-c}
1036 \begin{filecontents*}{\jobname.aux}
1037 \relax
1038 \end{filecontents*}
1039 \begin{filecontents*}{\jobname-aux.aux}
1040 \relax\space
1041 \gdef\AskInc@Answer{}
1042 \gdef\AskInc@MatchMethod{}
1043 |AddList
1044 |AddFile
1045 \AskInc@AddFile{askinlude-a}
1046 \gdef\AskInc@Answer{askinlude-a}
1047 \@input{askinlude-a.aux}
1048 \AskInc@AddFile{askinlude-b}
1049 \gdef\AskInc@Answer{askinlude-a,askinlude-b}
1050 \@input{askinlude-b.aux}
1051 \AskInc@AddFile{askinlude-c}
1052 \gdef\AskInc@Answer{askinlude-a,askinlude-b,askinlude-c}
1053 \@input{askinlude-c.aux}
1054 \@EndChecks

```

```

1055 \end{filecontents*}
1056 \begin{document}
1057 \CheckInclude{a}{true}
1058 \CheckInclude{b}{true}
1059 \CheckInclude{c}{true}
1060 

```

```

1113 (*test11)
1114 \Stack{?xyxxN}
1115 \CheckAnswer{askinclude-a}
1116 \begin{filecontents*}{\jobname.aux}
1117 \relax
1118 \end{filecontents*}
1119 \begin{filecontents*}{\jobname-aux.aux}
1120 \relax|space
1121 \gdef\AskInc@Answer{}
1122 \gdef\AskInc@MatchMethod{}
1123 |AddList
1124 |AddFile
1125 \AskInc@AddFile{askinlude-a}
1126 \gdef\AskInc@Answer{askinlude-a}
1127 \@input{askinlude-a.aux}
1128 \AskInc@AddFile{askinlude-b}
1129 \@input{askinlude-b.aux}
1130 \AskInc@AddFile{askinlude-c}
1131 \@input{askinlude-c.aux}
1132 \@EndChecks
1133 \end{filecontents*}
1134 \begin{document}
1135 \CheckInclude{a}{true}
1136 \CheckInclude{b}{false}
1137 \CheckInclude{c}{false}
1138 
```

3.5 Second run tests

```

1139 (*test12)
1140 \Stack({})
1141 \CheckAnswer{askinlude-b}
1142 \begin{filecontents*}{\jobname.aux}
1143 \gdef\AskInc@Answer{askinlude-b}
1144 \gdef\AskInc@MatchMethod{}
1145 |AddList
1146 |AddFile
1147 \AskInc@AddFile{askinlude-a}
1148 \AskInc@AddFile{askinlude-b}
1149 \AskInc@AddFile{askinlude-c}
1150 \end{filecontents*}
1151 \begin{filecontents*}{\jobname-aux.aux}
1152 \relax|space
1153 \gdef\AskInc@Answer{askinlude-b}
1154 \gdef\AskInc@MatchMethod{}
1155 |AddList
1156 |AddFile
1157 \AskInc@AddFile{askinlude-a}
1158 \@input{askinlude-a.aux}
1159 \AskInc@AddFile{askinlude-b}
1160 \@input{askinlude-b.aux}
1161 \AskInc@AddFile{askinlude-c}
1162 \@input{askinlude-c.aux}
1163 \@EndChecks
1164 \end{filecontents*}
1165 \begin{document}
1166 \CheckInclude{a}{false}
1167 \CheckInclude{b}{true}
1168 \CheckInclude{c}{false}

```

```

1169 </test12>
1170 {*test13}
1171 \Stack{{}}
1172 \CheckAnswer{askinclude-b}
1173 \begin{filecontents*}{\jobname.aux}
1174 \gdef\AskInc@Answer{askinclude-b}
1175 \gdef\AskInc@MatchMethod{}
1176 |AddList
1177 |AddFile
1178 \AskInc@AddFile{askinlude-a}
1179 \AskInc@AddFile{askinlude-b}
1180 \end{filecontents*}
1181 \begin{filecontents*}{\jobname-aux.aux}
1182 \relax\space
1183 \gdef\AskInc@Answer{askinclude-b}
1184 \gdef\AskInc@MatchMethod{}
1185 |AddList
1186 |AddFile
1187 \AskInc@AddFile{askinlude-a}
1188 @input{askinlude-a.aux}
1189 \AskInc@AddFile{askinlude-b}
1190 @input{askinlude-b.aux}
1191 \AskInc@AddFile{askinlude-c}
1192 @input{askinlude-c.aux}
1193 @EndChecks
1194 \end{filecontents*}
1195 \begin{document}
1196 \CheckInclude{a}{false}
1197 \CheckInclude{b}{true}
1198 \CheckInclude{c}{false}
1199 </test13>
1200 {*test14}
1201 \Stack{{}}
1202 \CheckAnswer{*}
1203 \begin{filecontents*}{\jobname.aux}
1204 \gdef\AskInc@Answer{*}
1205 \gdef\AskInc@MatchMethod{}
1206 |AddList
1207 |AddFile
1208 \AskInc@AddFile{askinlude-a}
1209 \AskInc@AddFile{askinlude-b}
1210 \end{filecontents*}
1211 \begin{filecontents*}{\jobname-aux.aux}
1212 \relax\space
1213 \gdef\AskInc@Answer{*}
1214 \gdef\AskInc@MatchMethod{}
1215 |AddList
1216 |AddFile
1217 \AskInc@AddFile{askinlude-a}
1218 @input{askinlude-a.aux}
1219 \AskInc@AddFile{askinlude-b}
1220 @input{askinlude-b.aux}
1221 \AskInc@AddFile{askinlude-c}
1222 @input{askinlude-c.aux}
1223 @EndChecks
1224 \end{filecontents*}
1225 \begin{document}
1226 \CheckInclude{a}{true}

```

```

1227 \CheckInclude{b}{true}
1228 \CheckInclude{c}{true}
1229 
```

$$\langle /test14 \rangle$$

```

1230 (*test15)
1231 \Stack{?D}
1232 \CheckAnswer{askinclude-a,askinclude-c}
1233 \begin{filecontents*}{\jobname.aux}
1234 \gdef\AskInc@Answer{askinclude-a}
1235 \gdef\AskInc@MatchMethod{}
1236 |AddList
1237 |AddFile
1238 \AskInc@AddFile{askinclude-a}
1239 \AskInc@AddFile{askinclude-b}
1240 \end{filecontents*}
1241 \begin{filecontents*}{\jobname-aux.aux}
1242 \relax\space
1243 \gdef\AskInc@Answer{}
1244 \gdef\AskInc@MatchMethod{}
1245 |AddList
1246 |AddFile
1247 \AskInc@AddFile{askinclude-a}
1248 \gdef\AskInc@Answer{askinclude-a}
1249 @input{askinclude-a.aux}
1250 \AskInc@AddFile{askinclude-b}
1251 @input{askinclude-b.aux}
1252 \AskInc@AddFile{askinclude-c}
1253 \gdef\AskInc@Answer{askinclude-a,askinclude-c}
1254 @input{askinclude-c.aux}
1255 @EndChecks
1256 \end{filecontents*}
1257 \begin{document}
1258 \CheckInclude{a}{true}
1259 \CheckInclude{b}{false}
1260 \CheckInclude{c}{true}
1261 
```

$$\langle /test15 \rangle$$

```

1262 (*test16)
1263 \Stack{?A}
1264 \CheckAnswer{askinclude-a,askinclude-b,askinclude-c}
1265 \begin{filecontents*}{\jobname.aux}
1266 \gdef\AskInc@Answer{askinclude-a}
1267 \gdef\AskInc@MatchMethod{}
1268 |AddList
1269 |AddFile
1270 \AskInc@AddFile{askinclude-a}
1271 \AskInc@AddFile{askinclude-b}
1272 \end{filecontents*}
1273 \begin{filecontents*}{\jobname-aux.aux}
1274 \relax\space
1275 \gdef\AskInc@Answer{}
1276 \gdef\AskInc@MatchMethod{}
1277 |AddList
1278 |AddFile
1279 \AskInc@AddFile{askinclude-a}
1280 \gdef\AskInc@Answer{askinclude-a}
1281 @input{askinclude-a.aux}
1282 \AskInc@AddFile{askinclude-b}
1283 \gdef\AskInc@Answer{askinclude-a,askinclude-b}
1284 @input{askinclude-b.aux}
```

```

1285 \AskInc@AddFile{askinclude-c}
1286 \gdef\AskInc@Answer{askinlude-a,askinlude-b,askinlude-c}
1287 \@input{askinlude-c.aux}
1288 \@EndChecks
1289 \end{filecontents*}
1290 \begin{document}
1291 \CheckInclude{a}{true}
1292 \CheckInclude{b}{true}
1293 \CheckInclude{c}{true}
1294 
```

```
1295 /*test17)
```

```
1296 \Stack{?N}
```

```
1297 \CheckAnswer{}
```

```
1298 \begin{filecontents*}{\jobname.aux}
```

```
1299 \gdef\AskInc@Answer{askinlude-a}
```

```
1300 \gdef\AskInc@MatchMethod{}
```

```
1301 |AddList
```

```
1302 |AddFile
```

```
1303 \AskInc@AddFile{askinlude-a}
```

```
1304 \AskInc@AddFile{askinlude-b}
```

```
1305 \end{filecontents*}
```

```
1306 \begin{filecontents*}{\jobname-aux.aux}
```

```
1307 \relax\space
```

```
1308 \gdef\AskInc@Answer{}
```

```
1309 \gdef\AskInc@MatchMethod{}
```

```
1310 |AddList
```

```
1311 |AddFile
```

```
1312 \AskInc@AddFile{askinlude-a}
```

```
1313 \@input{askinlude-a.aux}
```

```
1314 \AskInc@AddFile{askinlude-b}
```

```
1315 \@input{askinlude-b.aux}
```

```
1316 \AskInc@AddFile{askinlude-c}
```

```
1317 \@input{askinlude-c.aux}
```

```
1318 \@EndChecks
```

```
1319 \end{filecontents*}
```

```
1320 \begin{document}
```

```
1321 \CheckInclude{a}{false}
```

```
1322 \CheckInclude{b}{false}
```

```
1323 \CheckInclude{c}{false}
```

```
1324 
```

```
1325 /*test18)
```

```
1326 \Stack{}
```

```
1327 \CheckAnswer{askinlude-a}
```

```
1328 \begin{filecontents*}{\jobname.aux}
```

```
1329 \gdef\AskInc@Answer{askinlude-a}
```

```
1330 \gdef\AskInc@MatchMethod{}
```

```
1331 |AddList
```

```
1332 |AddFile
```

```
1333 \AskInc@AddFile{askinlude-a}
```

```
1334 \AskInc@AddFile{askinlude-b}
```

```
1335 \end{filecontents*}
```

```
1336 \begin{filecontents*}{\jobname-aux.aux}
```

```
1337 \relax\space
```

```
1338 \gdef\AskInc@Answer{askinlude-a}
```

```
1339 \gdef\AskInc@MatchMethod{}
```

```
1340 |AddList
```

```
1341 |AddFile
```

```
1342 \AskInc@AddFile{askinlude-a}
```

```

1343 \@input{askinlude-a.aux}
1344 \AskInc@AddFile{askinlude-b}
1345 \@input{askinlude-b.aux}
1346 \AskInc@AddFile{askinlude-c}
1347 \@input{askinlude-c.aux}
1348 \EndChecks
1349 \end{filecontents*}
1350 \begin{document}
1351 \CheckInclude{a}{false}
1352 \CheckInclude{b}{true}
1353 \CheckInclude{c}{false}
1354 
```

 $\langle /test18 \rangle$

```

1355 (*test19)
1356 \Stack{?N}
1357 \CheckAnswer{}
1358 \begin{filecontents*}{\jobname.aux}
1359 \gdef\AskInc@Answer{askinlude-a}
1360 \gdef\AskInc@MatchMethod{}
1361 |AddList
1362 |AddFile
1363 \AskInc@AddFile{askinlude-a}
1364 \AskInc@AddFile{askinlude-b}
1365 \end{filecontents*}
1366 \begin{filecontents*}{\jobname-aux.aux}
1367 \relax\space
1368 \gdef\AskInc@Answer{}
1369 \gdef\AskInc@MatchMethod{}
1370 |AddList
1371 |AddFile
1372 \AskInc@AddFile{askinlude-a}
1373 \@input{askinlude-a.aux}
1374 \AskInc@AddFile{askinlude-b}
1375 \@input{askinlude-b.aux}
1376 \AskInc@AddFile{askinlude-c}
1377 \@input{askinlude-c.aux}
1378 \EndChecks
1379 \end{filecontents*}
1380 \ifx\AtBeginDocumentMode Y%
1381   \AtBeginDocument{\includeonly{askinlude-b}}%
1382 \else
1383   \includeonly{askinlude-b}%
1384 \fi
1385 \begin{document}
1386 \CheckInclude{a}{false}
1387 \CheckInclude{b}{false}
1388 \CheckInclude{c}{false}
1389 
```

 $\langle /test19 \rangle$

3.6 Compatibility for changing from old to new

```

1390 (*test20)
1391 \Stack{()}
1392 \CheckAnswer{*}
1393 \begin{filecontents*}{\jobname.aux}
1394 \includeonly{*}
1395 \end{filecontents*}
1396 \begin{filecontents*}{\jobname-aux.aux}
1397 \relax\space
1398 \gdef\AskInc@Answer{*}

```

```

1399 \gdef\AskInc@MatchMethod{}
1400 |AddList
1401 |AddFile
1402 \AskInc@AddFile{askinlude-a}
1403 @input{askinlude-a.aux}
1404 \AskInc@AddFile{askinlude-b}
1405 @input{askinlude-b.aux}
1406 \AskInc@AddFile{askinlude-c}
1407 @input{askinlude-c.aux}
1408 @EndChecks
1409 \end{filecontents*}
1410 \begin{document}
1411 \CheckInclude{a}{true}
1412 \CheckInclude{b}{true}
1413 \CheckInclude{c}{true}
1414 
1415 (*test21)
1416 |Stack{{}}
1417 \CheckAnswer{-}
1418 \begin{filecontents*}{\jobname.aux}
1419 @includeonly{}
1420 \end{filecontents*}
1421 \begin{filecontents*}{\jobname-aux.aux}
1422 \relax|space
1423 \gdef\AskInc@Answer{-}
1424 \gdef\AskInc@MatchMethod{}
1425 |AddList
1426 |AddFile
1427 \AskInc@AddFile{askinlude-a}
1428 @input{askinlude-a.aux}
1429 \AskInc@AddFile{askinlude-b}
1430 @input{askinlude-b.aux}
1431 \AskInc@AddFile{askinlude-c}
1432 @input{askinlude-c.aux}
1433 @EndChecks
1434 \end{filecontents*}
1435 \begin{document}
1436 \CheckInclude{a}{false}
1437 \CheckInclude{b}{false}
1438 \CheckInclude{c}{false}
1439 
1440 (*test22)
1441 |Stack{{}}
1442 \CheckAnswer{askinlude-a,askinlude-c}{askinlude-a,askinlude-c}
1443 \begin{filecontents*}{\jobname.aux}
1444 @includeonly{askinlude-a,askinlude-c}
1445 \end{filecontents*}
1446 \begin{filecontents*}{\jobname-aux.aux}
1447 \relax|space
1448 \gdef\AskInc@Answer{askinlude-a,askinlude-c}
1449 \gdef\AskInc@MatchMethod{}
1450 |AddList
1451 |AddFile
1452 \AskInc@AddFile{askinlude-a}
1453 @input{askinlude-a.aux}
1454 \AskInc@AddFile{askinlude-b}
1455 @input{askinlude-b.aux}
1456 \AskInc@AddFile{askinlude-c}

```

```

1457 \@input{askinlude-c.aux}
1458 \@EndChecks
1459 \end{filecontents*}
1460 \begin{document}
1461 \CheckInclude{a}{true}
1462 \CheckInclude{b}{false}
1463 \CheckInclude{c}{true}
1464 
```

3.7 Regular expressions

```

1465 (*test23)
1466 \Stack{{makematch}{*,!askinlude-b}}
1467 \CheckAnswer{*,!askinlude-b}
1468 \CheckMatchMethod{makematch}
1469 \begin{filecontents*}{\jobname.aux}
1470 \relax
1471 \end{filecontents*}
1472 \begin{filecontents*}{\jobname-aux.aux}
1473 \relax\space
1474 \gdef\AskInc@Answer{*,!askinlude-b}
1475 \gdef\AskInc@MatchMethod{makematch}
1476 |AddList
1477 |AddFile
1478 \AskInc@AddFile{askinlude-a}
1479 |AddMatch
1480 \AskInc@AddMatch{askinlude-a}
1481 \@input{askinlude-a.aux}
1482 \AskInc@AddFile{askinlude-b}
1483 \@input{askinlude-b.aux}
1484 \AskInc@AddFile{askinlude-c}
1485 \AskInc@AddMatch{askinlude-c}
1486 \@input{askinlude-c.aux}
1487 \@EndChecks
1488 \end{filecontents*}
1489 \begin{document}
1490 \CheckInclude{a}{true}
1491 \CheckInclude{b}{false}
1492 \CheckInclude{c}{true}
1493 
```

$$\langle /test23 \rangle$$


```

1494 (*test24)
1495 \Stack{{pdfmatch}{.,!askinlude-b}}
1496 \CheckAnswer{.,!askinlude-b}
1497 \CheckMatchMethod{pdfmatch}
1498 \begin{filecontents*}{\jobname.aux}
1499 \relax
1500 \end{filecontents*}
1501 \begin{filecontents*}{\jobname-aux.aux}
1502 \relax\space
1503 \gdef\AskInc@Answer{.,!askinlude-b}
1504 \gdef\AskInc@MatchMethod{pdfmatch}
1505 |AddList
1506 |AddFile
1507 \AskInc@AddFile{askinlude-a}
1508 |AddMatch
1509 \AskInc@AddMatch{askinlude-a}
1510 \@input{askinlude-a.aux}
1511 \AskInc@AddFile{askinlude-b}
1512 \@input{askinlude-b.aux}
```

```

1513 \AskInc@AddFile{askinlude-c}
1514 \AskInc@AddMatch{askinlude-c}
1515 \@input{askinlude-c.aux}
1516 \@EndChecks
1517 \end{filecontents*}
1518 \begin{document}
1519 \CheckInclude{a}{true}
1520 \CheckInclude{b}{false}
1521 \CheckInclude{c}{true}
1522 
```

3.8 Common end

```

1523 (*test0)
1524 \end{document}
1525 
```

4 Installation

4.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/askinlude.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/askinlude.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for *TEX* Files” ([CTAN:tds/tds.pdf](#)). Directories with *texmf* in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the *oberdiek.tds.zip* in the TDS tree (also known as *texmf* tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory *TDS:scripts/oberdiek/* for scripts that need further installation steps.

4.3 Package installation

Unpacking. The *.dtx* file is a self-extracting *docstrip* archive. The files are extracted by running the *.dtx* through plain *TEX*:

```
tex askinlude.dtx
```

¹[CTAN:pkg/askinlude](#)

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```

askinlude.sty           → tex/latex/oberdiek/askinlude.sty
askinlude.pdf          → doc/latex/oberdiek/askinlude.pdf
test/askinlude-a.tex   → doc/latex/oberdiek/test/askinlude-a.tex
test/askinlude-b.tex   → doc/latex/oberdiek/test/askinlude-b.tex
test/askinlude-c.tex   → doc/latex/oberdiek/test/askinlude-c.tex
test/askinlude-test1.tex → doc/latex/oberdiek/test/askinlude-test1.tex
test/askinlude-test2.tex → doc/latex/oberdiek/test/askinlude-test2.tex
test/askinlude-test3.tex → doc/latex/oberdiek/test/askinlude-test3.tex
test/askinlude-test4.tex → doc/latex/oberdiek/test/askinlude-test4.tex
test/askinlude-test5.tex → doc/latex/oberdiek/test/askinlude-test5.tex
test/askinlude-test6.tex → doc/latex/oberdiek/test/askinlude-test6.tex
test/askinlude-test7.tex → doc/latex/oberdiek/test/askinlude-test7.tex
test/askinlude-test8.tex → doc/latex/oberdiek/test/askinlude-test8.tex
test/askinlude-test9.tex → doc/latex/oberdiek/test/askinlude-test9.tex
test/askinlude-test10.tex → doc/latex/oberdiek/test/askinlude-test10.tex
test/askinlude-test11.tex → doc/latex/oberdiek/test/askinlude-test11.tex
test/askinlude-test12.tex → doc/latex/oberdiek/test/askinlude-test12.tex
test/askinlude-test13.tex → doc/latex/oberdiek/test/askinlude-test13.tex
test/askinlude-test14.tex → doc/latex/oberdiek/test/askinlude-test14.tex
test/askinlude-test15.tex → doc/latex/oberdiek/test/askinlude-test15.tex
test/askinlude-test16.tex → doc/latex/oberdiek/test/askinlude-test16.tex
test/askinlude-test17.tex → doc/latex/oberdiek/test/askinlude-test17.tex
test/askinlude-test18.tex → doc/latex/oberdiek/test/askinlude-test18.tex
test/askinlude-test19.tex → doc/latex/oberdiek/test/askinlude-test19.tex
test/askinlude-test20.tex → doc/latex/oberdiek/test/askinlude-test20.tex
test/askinlude-test21.tex → doc/latex/oberdiek/test/askinlude-test21.tex
test/askinlude-test22.tex → doc/latex/oberdiek/test/askinlude-test22.tex
test/askinlude-test23.tex → doc/latex/oberdiek/test/askinlude-test23.tex
test/askinlude-test24.tex → doc/latex/oberdiek/test/askinlude-test24.tex
askinlude.dtx           → source/latex/oberdiek/askinlude.dtx

```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

4.4 Refresh file name databases

If your `TeX` distribution (`teTeX`, `mikTeX`, ...) relies on file name databases, you must refresh these. For example, `teTeX` users run `texhash` or `mktextsr`.

4.5 Some details for the interested

Unpacking with L^AT_EX. The `.dtx` chooses its action depending on the format:

plain TeX: Run `docstrip` and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for `docstrip` (really, `docstrip` does not need L^AT_EX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{askinlude.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex askinlude.dtx
bibtex askinlude.aux
makeindex -s gind.ist askinlude.idx
pdflatex askinlude.dtx
makeindex -s gind.ist askinlude.idx
pdflatex askinlude.dtx
```

5 Acknowledgement

Tom Scavo suggested saving the include file list from the previous run and a simplified user interface.

Joseph Wright suggested questions for each `\include`.

6 History

[1991/11/05 v0.95]

- First beta-test version (asked two questions).

[1991/11/05 v0.99]

- Second beta-test version (asks one question; uses ‘*’ and ‘-’).

[1991/11/07 v1.0]

- Changed prompts (sent to `comp.text.tex`): “Interactive inclusion of files in L^AT_EX”²

[1991/12/13 v1.1]

- *Unknown.*

[1994/11/02 v1.2e]

- Two small changes to run under L^AT_EX2e [RF].
- Additional documentation [TRS].

²Url: <https://groups.google.com/group/comp.text.tex/msg/34b770a7c277e79c>

[2007/10/15 v1.0 (askinc)]

- Reimplementation, published as `askinc` in newsgroup `comp.text.tex`: “Re: `askininclude.sty`”³
- Listing of included files, collected from the previous run before the question.
- No error message by `.aux` file if package is removed.

[2007/10/23 v2.0]

- The next version of `askinc` becomes version 2.0 of `askininclude`.
- ‘?’ added for questioning each file.
- `\includeonly` has precedence until package loading. Then it is disabled by a warning.
- Documentation rewritten/added.
- Tests added.

[2008/08/11 v2.1]

- Code is not changed.
- URLs updated.

[2011/12/02 v2.2]

- Bibliography rewritten for biblatex.

[2016/05/14 v2.3]

- Luatex compatibility

[2018/11/01 v2.4]

- Remove luatex85 package dependency

7 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols		
<code>\,</code>	360
<code>\!</code>	361
<code>\#</code>	704, 827
<code>\\$</code>	226, 363
<code>\%</code>	707
<code>\(</code>	219, 364
<code>\)</code>	220, 365
<code>*</code>	221, 357
<code>\+</code>	222, 366
<code>\-</code>	358
<code>\.</code>	229, 372
<code>\:</code>	371
<code>\?</code>	223, 359
<code>\@</code>	700
<code>\@CheckAnswer</code>	789, 791
<code>\@CheckAux</code>	807, 818
<code>\@CheckMatchMethod</code>	799, 801

³Url: <https://groups.google.com/group/comp.text.tex/msg/2d638b84a858fdc8>

\@EndChecks	779	A
783, 789, 799, 818, 871, 896, 921, 946, 971, 998, 1026, 1054, 1080, 1106, 1132, 1163, 1193, 1223, 1255, 1288, 1318, 1348, 1378, 1408, 1433, 1458, 1487, 1516		\advance 685, 692
\@Stack 736, 744, 747, 749, 757, 759, 764		\answer ... 373, 376, 598, 601, 606, 607
\@StackEmpty 736, 756, 757, 764		\AnswerText 788, 794
\@car 744		\AskInc@@Answer 376, 379, 382,
\@cdr 749		385, 396, 397, 406, 412, 413, 416
\@empty 80, 142, 145, 158, 201, 232, 244, 253, 257, 268, 269, 279, 295, 311, 323, 380, 393, 396, 407, 408, 414, 417, 421, 441, 479, 506, 514, 553, 563, 588, 608, 833		\AskInc@@CheckMatch 479, 481
\@firstofone 61, 462, 473		\AskInc@@QuestionHeader 585, 599, 600
\@firstoftwo 280, 564		\AskInc@@AddFile . 99, 106, 112, 842,
\@for 272, 284, 285, 568, 569, 578		865, 867, 869, 890, 892, 894, 915, 917, 919, 940, 942, 944, 965, 967, 969, 990, 993, 995, 1017, 1020, 1023, 1045, 1048, 1051, 1073, 1076, 1078, 1099, 1102, 1104, 1125, 1128, 1130, 1147, 1148, 1149, 1157, 1159, 1161, 1178, 1179, 1187, 1189, 1191, 1208, 1209, 1217, 1219, 1221, 1238, 1239, 1247, 1250, 1252, 1270, 1271, 1279, 1282, 1285, 1303, 1304, 1312, 1314, 1316, 1333, 1334, 1342, 1344, 1346, 1363, 1364, 1372, 1374, 1376, 1402, 1404, 1406, 1427, 1429, 1431, 1452, 1454, 1456, 1478, 1482, 1484, 1507, 1511, 1513
\@includeonly ... 140, 1394, 1419, 1444		\AskInc@@AddList 75, 100, 529, 830, 843, 848
\@input 866, 868, 870, 891, 893, 895, 916, 918, 920, 941, 943, 945, 966, 968, 970, 992, 994, 997, 1019, 1022, 1025, 1047, 1050, 1053, 1075, 1077, 1079, 1101, 1103, 1105, 1127, 1129, 1131, 1158, 1160, 1162, 1188, 1190, 1192, 1218, 1220, 1222, 1249, 1251, 1254, 1281, 1284, 1287, 1313, 1315, 1317, 1343, 1345, 1347, 1373, 1375, 1377, 1403, 1405, 1407, 1428, 1430, 1432, 1453, 1455, 1457, 1481, 1483, 1486, 1510, 1512, 1515		\AskInc@@AddMatch 528, 535, 541, 847, 1480, 1485, 1509, 1514
\@mainaux 67, 783		\AskInc@@Answer 130, 141, 142, 143, 238, 240, 242, 273, 277, 284, 318, 397, 407, 412, 423, 436, 546, 588, 589, 591, 594, 793, 861, 886, 911, 936, 961, 986, 991, 996, 1013, 1018, 1021, 1024, 1041, 1046, 1049, 1052, 1069, 1074, 1095, 1100, 1121, 1126, 1143, 1153, 1174, 1183, 1204, 1213, 1234, 1243, 1248, 1253, 1266, 1275, 1280, 1283, 1286, 1299, 1308, 1329, 1338, 1359, 1368, 1398, 1423, 1448, 1474, 1503
\@makeother 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 827, 828		\AskInc@@AskFile 118, 122, 409
\@ne 685, 692		\AskInc@@AskQuestion 586, 597
\@nil 479, 481, 744, 749		\AskInc@@AskResult 587, 606, 608, 609, 612, 615, 618, 620, 623, 625, 628, 630, 634
\@partlist 441, 442, 444, 594		\AskInc@@AtBeginDocument 60, 65
\@secondoftwo 282, 566		\AskInc@@AtEnd 29, 30, 51, 165, 647
\@spaces 293, 318, 338, 344, 346, 347, 348, 374		\AskInc@@CharAll 211, 618
\@undefined . 54, 76, 453, 464, 523, 831		\AskInc@@CharAsterisk 204, 238, 273, 413, 550, 557
\[..... 217, 367, 705		\AskInc@@CharDefault 213, 628
\\" 216, 369, 701, 828		\AskInc@@CharExclam 208, 483
\{ 227, 702		\AskInc@@CharHash 72, 76, 78, 80, 87, 89
\} 228, 703		
\] 218, 368, 706		
\^ 225, 362		
\ 224, 370, 821, 826		
_ 708		

\AskInc@CharMinus
 205, 276, 277, 416, 561
 \AskInc@CharNo
 210, 560, 576, 580, 615, 625
 \AskInc@CharNone 212, 623
 \AskInc@CharPlus .. 206, 274, 288, 294
 \AskInc@CharQuestion 207, 406
 \AskInc@CharYes
 . 209, 558, 572, 577, 587, 612, 620
 \AskInc@CheckMatch 471, 478
 \AskInc@Default 558, 560,
 572, 576, 577, 580, 603, 609, 630
 \AskInc@DoAskFile 409, 555
 \AskInc@DoInclude 432
 \AskInc@DoMatch 439, 457, 468
 \AskInc@File 272, 287,
 293, 296, 300, 556, 571, 579, 602
 \AskInc@Files
 100, 115, 269, 272, 578, 843
 \AskInc@FilterPattern 508, 510
 \AskInc@Foundfalse 469, 486
 \AskInc@Foundtrue 493
 \AskInc@Include 432
 \AskInc@InvalidPattern .. 488, 495, 499
 \AskInc@MainAnswer 399, 405
 \AskInc@MainQuestion 350, 646
 \AskInc@MakeMatchInit 449, 455
 \AskInc@Mark .. 274, 276, 288, 293, 294
 \AskInc@MatchFile 119, 123, 438
 \AskInc@MatchFiles
 161, 257, 285, 529, 569, 848
 \AskInc@MatchInit 426, 434
 \AskInc@MatchList 437,
 461, 471, 505, 508, 514, 515, 517
 \AskInc@MatchMethod 135, 145, 158,
 244, 246, 248, 279, 311, 314,
 408, 414, 417, 420, 448, 803,
 862, 887, 912, 937, 962, 987,
 1014, 1042, 1070, 1096, 1122,
 1144, 1154, 1175, 1184, 1205,
 1214, 1235, 1244, 1267, 1276,
 1300, 1309, 1330, 1339, 1360,
 1369, 1399, 1424, 1449, 1475, 1504
 \AskInc@MatchOption
 . 186, 190, 201, 248, 250, 253,
 338, 380, 383, 387, 393, 420, 421
 \AskInc@Next 378,
 399, 403, 610, 613, 616, 640, 644
 \AskInc@OrgInclude 116, 124
 \AskInc@OrgIncludeOnly
 167, 410, 418, 422, 427
 \AskInc@Pattern ... 511, 512, 515, 518
 \AskInc@PdfMatchAvailabletrue .. 183
 \AskInc@PdfMatchInit 451, 466
 \AskInc@PreviousAnswer
 242, 549, 557, 561, 568
 \AskInc@PreviousMatches
 268, 295, 296, 299
 \AskInc@PreviousMatchMethod
 246, 552, 563
 \AskInc@QuestionHeader . 260, 351, 585
 \AskInc@SanitizeAnswer . 214, 240, 376
 \AskInc@SaveAnswer 544, 593
 \AskInc@StringMakeMatch
 . 177, 186, 326, 382, 383, 448
 \AskInc@StringNoRegExp 176, 379
 \AskInc@StringPdfMatch
 178, 190, 250, 330, 385, 387
 \AskInc@Temp 284,
 285, 287, 458, 459, 461, 462,
 482, 483, 500, 502, 504, 512,
 568, 569, 571, 578, 579, 598, 607
 \AskInc@TypeoutFiles 267, 352
 \AskInc@TypeoutMainQuestion 342, 355
 \AskInc@TypeoutMatchMethod . 321, 354
 \AskInc@TypeoutMethod
 323, 326, 330, 336
 \AskInc@TypeoutPreviousAnswer ...
 308, 353
 \AskInc@WriteAddFile 109, 121
 \AskInc@WriteAddMatch 440, 538
 \AskInc@WriteAux 64, 74,
 98, 111, 129, 134, 160, 527, 540, 545
 \AskInc@WriteDefAddFile 96, 110
 \AskInc@WriteDefAddList .. 73, 97, 526
 \AskInc@WriteDefAddMatch ... 525, 539
 \AtBeginDocument 60, 63, 106,
 127, 236, 535, 646, 718, 780, 1381
 \AtBeginDocumentMode . 665, 717, 1380
 \AtEndDocument 761, 781
 \AtEndOfPackage 126

B

\begin{ 737, 762, 773, 792,
 802, 808, 856, 859, 873, 881,
 884, 898, 906, 909, 923, 931,
 934, 948, 956, 959, 973, 981,
 984, 1000, 1008, 1011, 1028,
 1036, 1039, 1056, 1064, 1067,
 1082, 1090, 1093, 1108, 1116,
 1119, 1134, 1142, 1151, 1165,
 1173, 1181, 1195, 1203, 1211,
 1225, 1233, 1241, 1257, 1265,
 1273, 1290, 1298, 1306, 1320,
 1328, 1336, 1350, 1358, 1366,
 1385, 1393, 1396, 1410, 1418,
 1421, 1435, 1443, 1446, 1460,
 1469, 1472, 1489, 1498, 1501, 1518
 \BOTTOM 756, 759

C

\catcode 3, 4, 6, 7,
 8, 12, 13, 14, 15, 16, 17, 18, 21,
 22, 24, 25, 26, 27, 31, 33, 682,
 690, 700, 701, 702, 703, 704,
 705, 706, 707, 708, 709, 821, 826

\chapter	650, 654, 658	G
\CheckAnswer	787, 855, 880, 905, 930, 955, 980, 1007, 1035, 1063, 1089, 1115, 1141, 1172, 1202, 1232, 1264, 1297, 1327, 1357, 1392, 1417, 1442, 1467, 1496	\g@addto@macro 89, 298, 444, 517, 591, 789, 799, 818, 837
\CheckInclude	771, 874, 875, 876, 899, 900, 901, 924, 925, 926, 949, 950, 951, 974, 975, 976, 1001, 1002, 1003, 1029, 1030, 1031, 1057, 1058, 1059, 1083, 1084, 1085, 1109, 1110, 1111, 1135, 1136, 1137, 1166, 1167, 1168, 1196, 1197, 1198, 1226, 1227, 1228, 1258, 1259, 1260, 1291, 1292, 1293, 1321, 1322, 1323, 1351, 1352, 1353, 1386, 1387, 1388, 1411, 1412, 1413, 1436, 1437, 1438, 1461, 1462, 1463, 1490, 1491, 1492, 1519, 1520, 1521	\gdef 87, 130, 135, 141, 143, 161, 442, 546, 589, 619, 624, 629, 788, 798, 835, 861, 862, 886, 887, 911, 912, 936, 937, 961, 962, 986, 987, 991, 996, 1013, 1014, 1018, 1021, 1024, 1041, 1042, 1046, 1049, 1052, 1069, 1070, 1074, 1095, 1096, 1100, 1121, 1122, 1126, 1143, 1144, 1153, 1154, 1174, 1175, 1183, 1184, 1204, 1205, 1213, 1214, 1234, 1235, 1243, 1244, 1248, 1253, 1266, 1267, 1275, 1276, 1280, 1283, 1286, 1299, 1300, 1308, 1309, 1329, 1330, 1338, 1339, 1359, 1360, 1368, 1369, 1398, 1399, 1423, 1424, 1448, 1449, 1474, 1475, 1503, 1504
\CheckMatchMethod	797, 1468, 1497	\GetFileContents 809, 814, 815
\comma@list	437	I
\comma@normalize	436	\if@files w 66, 782
\comma@parse@normalized	470, 507	\if@partsw 147
\CompatibilityMode	668	\ifAskInc@Found 467, 472
\count@	678, 682, 684, 685, 688, 690, 691, 692	\ifAskInc@PdfMatchAvailable 179, 188, 251, 329, 386
\csname	10, 181, 775	\ifcase 76, 484, 491, 831
D		\ifnum 684, 691
\DeclareOption 152, 153, 154, 185, 189, 193, 200	\ifx 54, 76, 78, 80, 142, 158, 181, 250, 269, 273, 277, 279, 287, 294, 295, 311, 338, 379, 382, 385, 396, 406, 413, 416, 421, 441, 448, 483, 512, 514, 557, 561, 563, 571, 576, 579, 587, 588, 608, 612, 615, 618, 623, 628, 668, 717, 736, 764, 775, 831, 832, 833, 1380
\do	272, 286, 570, 578	\immediate 67, 783
\documentclass	671	\include 117, 120, 271, 772
\documentstyle	669	\includeonly 149, 168, 169, 662, 1381, 1383
E		\IncludeTests 731
\end	739, 769, 777, 795, 805, 816, 858, 872, 883, 897, 908, 922, 933, 947, 958, 972, 983, 999, 1010, 1027, 1038, 1055, 1066, 1081, 1092, 1107, 1118, 1133, 1150, 1164, 1180, 1194, 1210, 1224, 1240, 1256, 1272, 1289, 1305, 1319, 1335, 1349, 1365, 1379, 1395, 1409, 1420, 1434, 1445, 1459, 1471, 1488, 1500, 1517, 1524	J
\endcsname	10, 181, 775	\jobname 814, 815, 856, 859, 881, 884, 906, 909, 931, 934, 956, 959, 981, 984, 1008, 1011, 1036, 1039, 1064, 1067, 1090, 1093, 1116, 1119, 1142, 1151, 1173, 1181, 1203, 1211, 1233, 1241, 1265, 1273, 1298, 1306, 1328, 1336, 1358, 1366, 1393, 1396, 1418, 1421, 1443, 1446, 1469, 1472, 1498, 1501
\endinput	51	
\endlinechar	5, 11, 23, 825	
\EndTest	695, 728	
\escapechar	216	
\Expect	738, 763, 774, 793, 803, 814	
F		
\filea	651	
\fileb	655	
\filec	659	
\filec@ntents	819, 820	

L	R
\LogTests	732
\loop	679, 689
M	
\makeatletter	676, 733
\makeatother	712
\MakeMatcher	459
\MatchMethodText	798, 804
\MessageBreak	149, 172, 195, 390, 634
N	
\NeedsTeXFormat	2
\newcommand	116, 167, 758, 771, 787, 797
\newif	179, 467
\numexpr	55
O	
\org@filec@ntents	819, 822
\org@typein	734, 740
\outputmode	58
P	
\PackageWarning	170, 389
\PackageWarningNoLine	
	148, 194, 501, 633
\pdf@filedump	811
\pdf@filesize	811
\pdf@unescapehex	810
\pdfextension	54, 56, 57
\pdffeedback	55
\pdflastobj	55
\pdfmatch	196, 331, 391, 484, 491, 502
\pdfnames	56
\pdfobj	57
\pdfoutput	58
\ProcessOptions	155, 203
\protected	55, 56, 57
\providecommand	63,
	75, 99, 115, 140, 528, 830, 842, 847
\ProvidesPackage	52
R	
\RangeCatcodeInvalid	
	687, 696, 697, 698, 699
\renewcommand	120, 169
\repeat	686, 693
\RequirePackage	435, 456
\RestoreCatcodes	677, 680, 681, 711
S	
\space	149, 171, 232, 324, 331, 338, 344, 374
\Stack	758, 854, 879, 904, 929, 954, 979, 1006, 1034, 1062, 1088, 1114, 1140, 1171, 1201, 1231, 1263, 1296, 1326, 1356, 1391, 1416, 1441, 1466, 1495
T	
\Test	695, 714
\the	11, 12, 13, 14, 15, 16, 17, 18, 31, 682
\TMP@EnsureCode	
	28, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50
\typein	373, 601, 734, 735
\typeout	261, 262, 263, 264, 265, 271, 293, 305, 309, 318, 319, 322, 334, 337, 343, 344, 346, 347, 348, 375, 605, 752, 753
U	
\unexpanded	743, 748, 793, 794, 803, 804
\usepackage	672, 673, 674, 719, 723
W	
\write	67, 783
X	
\x	9, 21
Z	
\zap@space	231