

The `holtxdoc` package

Heiko Oberdiek*

2019/11/12 v0.29

Abstract

The package is used for the documentation of my packages in DTX format. It contains some private macros and setup for my needs. Thus do not use it. I have separated the part that may be useful for others in package `hypdoc`.

Contents

1 No usage	2
2 Implementation	2
2.1 Help macros	2
2.2 Font setup for <code>Lua^ATeX</code>	2
2.3 Date	3
2.4 History	3
2.5 Formatting macros	4
2.6 Names	6
2.7 Setup	6
2.7.1 Package doc	6
2.7.2 Page layout	7
3 Installation	7
3.1 Download	7
3.2 Bundle installation	7
3.3 Package installation	7
3.4 Refresh file name databases	8
3.5 Some details for the interested	8
4 History	8
[1999/06/26 v0.3]	8
[2000/08/14 v0.4]	8
[2001/08/27 v0.5]	8
[2001/09/02 v0.6]	9
[2006/06/02 v0.7]	9
[2007/10/21 v0.8]	9
[2007/11/11 v0.9]	9
[2007/12/12 v0.10]	9
[2008/08/11 v0.11]	9
[2009/08/07 v0.12]	9
[2009/12/02 v0.13]	9

*Please report any issues at <https://github.com/ho-tex/oberdiek/issues>

[2010/02/03 v0.14]	9
[2010/03/10 v0.15]	9
[2010/04/03 v0.16]	9
[2010/04/08 v0.17]	9
[2010/04/18 v0.18]	9
[2010/04/24 v0.19]	10
[2010/12/03 v0.20]	10
[2011/02/04 v0.21]	10
[2011/11/22 v0.22]	10
[2012/03/07 v0.23]	10
[2012/03/21 v0.24]	10
[2016/05/16 v0.25]	10
[2016/05/16 v0.26]	10
[2016/05/17 v0.27]	10
[2019/07/27 v0.28]	10
[2019/11/12 v0.29]	10

5 Index	10
---------	----

1 No usage

Caution: *This package is not intended for public use!*

It contains the macros and settings to generate the documentation of my packages in [CTAN:pkg/oberdiek](#). Thus the package does not know anything about compatibility. Only my current packages' documentation must compile.

Older versions were more interesting, because they contained code to add hyperref's features to L^AT_EX's doc system, e.g. bookmarks and index links. I separated this stuff and made a new package `hypdoc`.

2 Implementation

```
1 <*package>
```

Package identification.

```
2 \NeedsTeXFormat{LaTeX2e}
3 \ProvidesPackage{holtxdoc}%
4 [2019/11/12 v0.29 Private additional ltxdoc support (HO)]
5 \PassOptionsToPackage{pdfencoding=auto}{hyperref}
6 \RequirePackage[numbered]{hypdoc}[2010/03/26]
7 \RequirePackage{hyperref}[2010/03/30]
8 \RequirePackage{pdftexcmds}[2010/04/01]
9 \RequirePackage{ltxcmds}[2010/03/09]
10 \RequirePackage{hologo}[2011/11/22]
11 \RequirePackage{ifluatex}[2010/03/01]
12 \RequirePackage{array}
```

2.1 Help macros

```
13 \def\hld@info#1{%
14   \PackageInfo{holtxdoc}{#1\@gobble}%
15 }
16 \def\hld@warn#1{%
17   \PackageWarningNoLine{holtxdoc}{#1}%
18 }
```

2.2 Font setup for Lua^LA_TE_X

```
19 \ifluatex
20   \RequirePackage{fontspec}[2011/09/18]%
21   \RequirePackage{unicode-math}[2011/09/19]%
22   \setmathfont{latinmodern-math.otf}%
23 \fi
```

2.3 Date

```
24 \ltx@IfUndefined{pdf@filemoddate}{%
25 }{%
26   \edef\hld@temp{\pdf@filemoddate{\jobname.dtx}}%
27   \ifx\hld@temp\ltx@empty
28   \else
29     \begingroup
30       \def\x#1:#2#3#4#5#6#7#8#9{%
31         \year=#2#3#4#5\relax
32         \month=#6#7\relax
33         \day=#8#9\relax
34         \y
35     }%
36     \def\y#1#2#3#4#5@nil{%
37       \time=#1#2\relax
38       \multiply\time by 60\relax
39       \advance\time#3#4\relax
40     }%
41     \expandafter\x\hld@temp@nil
42     \edef\x{\endgroup
43       \year=\the\year\relax
44       \month=\the\month\relax
45       \day=\the\day\relax
46       \time=\the\time\relax
47     }%
48   \x
49   \edef\hld@temp{%
50     \noexpand\hypersetup{%
51       pdfcreationdate=\hld@temp,%
52       pdfmoddate=\hld@temp
53     }%
54   }%
55   \hld@temp
56 \fi
57 }
```

2.4 History

```
\historyname
58 \providecommand*\historyname{History}

59 \newcommand*\StartHistory{%
60   \section{\historyname}%
61 }
62 \@ifpackagelater{hyperref}{2009/11/27}{%
63   \newcommand*\HistVersion[1]{%
64     \subsection*[[#1]]% hash-ok
65     \addcontentsline{toc}{subsection}{[[#1]]}% hash-ok
66     \def\HistLabel##1{%
67       \begingroup
68         \protected@edef\@currentlabel{[#1]}% hash-ok
```

```

69      \label{##1}%
70      \endgroup
71  }%
72 }{%
73 \newcommand*\HistVersion}[1]{%
74   \subsection*{%
75     \phantomsection
76     \addcontentsline{toc}{subsection}{[##1]}% hash-ok
77     [##1]% hash-ok
78   }%
79   \def\HistLabel##1{%
80     \begingroup
81       \protected@edef\@currentlabel{[##1]}% hash-ok
82       \label{##1}%
83     \endgroup
84   }%
85 }%
86 }%
87 }
88 \newenvironment{History}{%
89   \StartHistory
90   \def\Version##1{%
91     \HistVersion{##1}%
92     \@ifnextchar\end{%
93       \let\endVersion\relax
94     }{%
95       \let\endVersion\enditemize
96       \itemize
97     }%
98   }%
99   \raggedright
100 }{}
```

2.5 Formatting macros

```

\UrlFoot
#1: text
#2: url
101 \newcommand{\URL}[2]{%
102   \begingroup
103   \def\link{\href{#2}}%
104   #1%
105   \endgroup
106   \footnote{Url: \url{#2}}%
107 }

\NameEmail
#1: name
#2: email address
108 \newcommand*\NameEmail}[2]{%
109   \expandafter\hld@\NameEmail\expandafter{#2}{#1}%
110 }
111 \def\hld@\NameEmail#1#2{%
112   \expandafter\hld@@\NameEmail\expandafter{#2}{#1}%
113 }
114 \def\hld@@\NameEmail#1#2{%
115   \ifx\\#1#2\\%
116     \hld@warn{%
```

```

117      Command \string\NameEmail\space without name and email%
118      }%
119      \else
120      \ifx\\#1\\%
121      \href{mailto:#2}{\nolinkurl{#2}}%
122      \else
123      #1%
124      \ifx\\#2\\%
125      \else
126      \footnote{%
127          #1's email address: %
128          \href{mailto:#2}{\nolinkurl{#2}}%
129      }%
130      \fi
131      \fi
132      \fi
133 }

134 \newcommand*{\Package}[1]{\texttt{\#1}}
135 \newcommand*{\File}[1]{\texttt{\#1}}
136 \newcommand*{\Verb}[1]{\texttt{\#1}}
137 \newcommand*{\CS}[1]{\texttt{\expandafter@gobble\string\\#1}%
138 \newcommand*{\bibpackage}[4]{%
139     \bibitem{#1}
140     Package \xpackage{#1}, #2, #3.%
141     \ifx\\#4\\ \else\space#4\fi\par
142 }
143 \newcommand*{\CTAN}[1]{%
144     \href{https://ctan.org/tex-archive/#1}{\nolinkurl{CTAN:#1}}%
145 }
146 \newcommand*{\CTANinstall}[1]{%
147     \href{http://mirrors.ctan.org/#1}{\nolinkurl{CTAN:#1}}%
148 }
149 \newcommand*{\CTANpkg}[1]{%
150     \href{http://ctan.org/pkg/#1}{\nolinkurl{CTAN:pkg/#1}}%
151 }
152 \newcommand*{\Newsgroup}[1]{%
153     \href{https://groups.google.com/group/#1/topics}{\nolinkurl{news:#1}}%
154 }
155 \newcommand*{\xpackage}[1]{\textsf{\#1}}
156 \newcommand*{\xmodule}[1]{\textsf{\#1}}
157 \newcommand*{\xclass}[1]{\textsf{\#1}}
158 \newcommand*{\xoption}[1]{\textsf{\#1}}
159 \newcommand*{\xfile}[1]{\texttt{\#1}}
160 \newcommand*{\xext}[1]{\texttt{\#1}.\#1}
161 \newcommand*{\xemail}[1]{%
162     \textless\texttt{\#1}\textgreater%
163 }
164 \newcommand*{\xnewsgroup}[1]{%
165     \href{news:#1}{\nolinkurl{#1}}%
166 }

The following environment declcs is derived from environment decl of ltxguide.cls:
167 \newenvironment{declcs}[1]{%
168     \par
169     \addvspace{4.5ex plus 1ex}%

```

```

170  \vskip -\parskip
171  \noindent
172  \hspace{-\leftmargini}%
173  \def\#1{\texttt{\{}}\meta{\#\#1}\texttt{\}}\}%
174  \def\*{\unskip\,,\texttt{*}}\}%
175  \begin{tabular}{|l|}%
176  \hline
177  \expandafter\SpecialUsageIndex\csname #1\endcsname
178  \cs{\#1}%
179 }\}%
180 \\%
181 \hline
182 \end{tabular}%
183 \nobreak
184 \par
185 \nobreak
186 \vspace{2.3ex}%
187 \vskip -\parskip
188 \noindent
189 \ignorespacesafterend
190 }

```

2.6 Names

```

191 \def\TeX{\holo{\TeX}}
192 \def\pdfTeX{\holo{\pdfTeX}}
193 \def\pdfLaTeX{\holo{\pdfLaTeX}}
194 \def\LuaTeX{\holo{\LuaTeX}}
195 \def\LuaLaTeX{\holo{\LuaLaTeX}}
196 \def\XeTeX{\holo{\XeTeX}}
197 \def\XeLaTeX{\holo{\XeLaTeX}}
198 \def\plainTeX{\holo{\plainTeX}}
199 \providecommand*\tex{\TeX}{\tex}
200 \providecommand*\miktex{\mik\TeX}
201 \providecommand*\MakeIndex{\textsl{MakeIndex}}
202 \providecommand*\docstrip{\textsf{docstrip}}
203 \providecommand*\initex{\mbox{ini-\TeX}}
204 \providecommand*\VTeX{\V\TeX}

```

2.7 Setup

2.7.1 Package doc

```

205 \CodelineIndex
206 \EnableCrossrefs
207 \setcounter{IndexColumns}{2}
208 \DoNotIndex{\begingroup,\endgroup,\bgroup,\egroup}
209 \DoNotIndex{\def,\edef,\xdef,\global,\long,\let}
210 \DoNotIndex{\expandafter,\noexpand,\string}
211 \DoNotIndex{\else,\fi,\or}
212 \DoNotIndex{\relax}
213 \IndexPrologue{%
214   \section*{Index}%
215   \markboth{Index}{Index}%
216   Numbers written in italic refer to the page %
217   where the corresponding entry is described; %
218   numbers underlined refer to the %
219   \ifcodeline@index

```

```

220     code line of the %
221     \fi
222     definition; plain numbers refer to the %
223     \ifcodeline@index
224     code lines %
225     \else
226     pages %
227     \fi
228     where the entry is used.%
```

2.7.2 Page layout

```

230 \addtolength{\textheight}{\headheight}
231 \addtolength{\textheight}{\headsep}
232 \setlength{\headheight}{0pt}
233 \setlength{\headsep}{0pt}
234 \addtolength{\topmargin}{-10mm}
235 \addtolength{\textheight}{20mm}
236 </package>
```

3 Installation

3.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/holtxdoc.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/holtxdoc.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for T_EX Files” ([CTAN:pkg/tds](#)). Directories with `texmf` in their name are usually organized this way.

3.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

3.3 Package installation

Unpacking. The `.dtx` file is a self-extracting `docstrip` archive. The files are extracted by running the `.dtx` through plain T_EX:

```
tex holtxdoc.dtx
```

¹[CTAN:pkg/holtxdoc](#)

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
holtxdoc.sty → tex/latex/oberdiek/holtxdoc.sty  
holtxdoc.pdf → doc/latex/oberdiek/holtxdoc.pdf  
holtxdoc.dtx → source/latex/oberdiek/holtxdoc.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

3.4 Refresh file name databases

If your `TEX` distribution (`TEX Live`, `mikTEX`, ...) relies on file name databases, you must refresh these. For example, `TEX Live` users run `texhash` or `mktexlsr`.

3.5 Some details for the interested

Unpacking with L^AT_EX. The `.dtx` chooses its action depending on the format:

plain T_EX: Run `docstrip` and extract the files.

L^AT_EX: Generate the documentation.

If you insist on using L^AT_EX for `docstrip` (really, `docstrip` does not need L^AT_EX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{holtxdoc.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with pdfL^AT_EX:

```
pdflatex holtxdoc.dtx  
makeindex -s gind.ist holtxdoc.idx  
pdflatex holtxdoc.dtx  
makeindex -s gind.ist holtxdoc.idx  
pdflatex holtxdoc.dtx
```

4 History

[1999/06/26 v0.3]

• ...

[2000/08/14 v0.4]

• ...

[2001/08/27 v0.5]

• ...

[2001/09/02 v0.6]

- ...

[2006/06/02 v0.7]

- Major change: most is put into a new package `hypdoc`.

[2007/10/21 v0.8]

- `\XeTeX` and `\XeLaTeX` added.

[2007/11/11 v0.9]

- `\LuaTeX` added.

[2007/12/12 v0.10]

- `\iniTeX` added.

[2008/08/11 v0.11]

- `\Newsgroup`, `\xnewsgroup`, and `\URL` updated.

[2009/08/07 v0.12]

- `\xmodule` added.

[2009/12/02 v0.13]

- Anchor hack for unnumbered subsections is removed for `hyperref` \geq 2009/11/27 6.79k.

[2010/02/03 v0.14]

- `\XeTeX` and `\XeLaTeX` are made robust.

[2010/03/10 v0.15]

- `\LuaTeX` changed according to Hans Hagen's definition in the luatex mailing list.

[2010/04/03 v0.16]

- Use date and time of `.dtx` file.

[2010/04/08 v0.17]

- Option `pdfencoding=auto` added for package `hyperref`.
- Package `hologo` added.

[2010/04/18 v0.18]

- Standard index prologue replaced by corrected prologue.

[2010/04/24 v0.19]

- Requested date of package `hologo` updated.

[2010/12/03 v0.20]

- History is now set using `\raggedright`.

[2011/02/04 v0.21]

- GL needs `\protected@edef` instead of `\edef` in `\HistLabel`.

[2011/11/22 v0.22]

- Font stuff added for Lua^ATEX.

[2012/03/07 v0.23]

- Accept empty history version.

[2012/03/21 v0.24]

- Section title for history uses `\historyname`.

[2016/05/16 v0.25]

- Documentation updates.

[2016/05/16 v0.26]

- Documentation updates.

[2016/05/17 v0.27]

- New name for lm math font

[2019/07/27 v0.28]

- Use CTAN's preferred URL form for packages Documentation updates.

[2019/11/12 v0.29]

- Add `\bibpackage` (previously defined inline in some of the packages).
Adjust CTAN links.

5 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols	
<code>*</code> 174
<code>\,</code> 174
<code>\@currentlabel</code> 68, 82
<code>\@gobble</code> 14, 137
<code>\@ifnextchar</code> 92
<code>\@ifpackagelater</code> 62
<code>\@nil</code> 36, 41

\`	115, 120, 124, 137, 141, 180	I	\ifcodeline@index	219, 223
\{	173		\ifluatex	19
\}	173		\ifx	27, 115, 120, 124, 141
		A	\ignorespacesafterend	189
\addcontentsline	65, 77		\IndexPrologue	213
\addtolength	230, 231, 234, 235		\iniTeX	203
\addvspace	169		\itemize	96
\advance	39	B	\jobname	26
		C	\label	69, 83
\begin	175		\leftmargini	172
\bibitem	139		\link	103
\bibpackage	138		\ltx@empty	27
		D	\ltx@ifUndefined	24
\CodeLineIndex	205		\LuaLaTeX	195
\CS	137		\LuaTeX	194
\cs	178	E	M	
\csname	177		\M	173
\CTAN	143		\MakeIndex	201
\CTANinstall	146		\markboth	215
\CTANpkg	149	F	\mbox	203
		H	\meta	173
\day	33, 45		\mikTeX	200
\docstrip	202		\month	32, 44
\DoNotIndex	208, 209, 210, 211, 212		\multiply	38
			N	
\EnableCrossrefs	206		\NameEmail	108, 117
\end	92, 182		\NeedsTeXFormat	2
\endcsname	177		\newcommand	59, 63,
\enditemize	95		74, 101, 108, 134, 135, 136, 137,	
\endVersion	93, 95		138, 143, 146, 149, 152, 155,	
\eTeX	191		156, 157, 158, 159, 160, 161, 164	
		F	\newenvironment	88, 167
\File	135		\Newsgroup	152
\footnote	106, 126		\nobreak	183, 185
		H	\noindent	171, 188
\headheight	230, 232		\nolinkurl	121, 128, 144, 147, 150, 153, 165
\headsep	231, 233		P	
\HistLabel	66, 80		\Package	134
\historyname	58, 60		\PackageInfo	14
\HistVersion	63, 74, 91		\PackageWarningNoLine	17
\hld@@NameEmail	112, 114		\par	141, 168, 184
\hld@info	13		\parskip	170, 187
\hld@NameEmail	109, 111		\PassOptionsToPackage	5
\hld@temp	26, 27, 41, 49, 51, 52, 55		\pdf@filemoddate	26
\hld@warn	16, 116		\pdfLaTeX	193
\hline	176, 181		\pdfTeX	192
\hologo	191, 192, 193, 194, 195, 196, 197, 198		\phantomsection	76
\href	103, 121, 128, 144, 147, 150, 153, 165		\plainTeX	198
\hspace	172		\protected@edef	68, 82
\hypersetup	50			

\providecommand	\topmargin	234
..	58, 199, 200, 201, 202, 203, 204			
\ProvidesPackage	3		
			U	
			\unskip 174
			\URL 101
			\url 106
			V	
			\Verb 136
			\Version 90
			\vskip 170, 187
			\vspace 186
			\VTeX 204
			X	
			\x 30, 41, 42, 48
			\xclass 157
			\XeLaTeX 197
			\xemail 161
			\XeTeX 196
			\xext 160
			\xfile 159
			\xmodule 156
			\xnewsgroup 164
			\xoption 158
			\xpackage 140, 155
			Y	
			\y 34, 36
			\year 31, 43