

The `pdfmanagement-firstaid` package – temporary patches and package replacements `LATEX` PDF management testphase bundle

The `LATEX` Project*

Version 0.95i, released 2021-08-28

1 `pdfmanagement-firstaid` documentation

This code is temporary! It tries to patch commands of other packages or even replace package which are incompatible with the `pdfmanagement`, to remove clashes and test if everything works as expected. This code should disappear when packages adapt to the central interfaces.

The package contains an number of sections for various packages. Every section can be disabled in (the first) `\DeclareDocumentMetadata` with `firstaidoff={name1,name2,...}`.

```
1  {*package}
2  \ProvidesExplPackage{pdfmanagement-firstaid}{2021-08-28}{0.95i}
3  {LaTeX PDF management testphase bundle / firstaid-patches}
4
5  (@=pdfmanagement)
6  \clist_map_inline:nn {pgf,transparent,hyperxmp,pdflscape,xcolor,color,beamer,output}
7  {
8      \bool_new:c { g__pdfmanagement_firstaid_#1_bool }
9      \bool_gset_true:c { g__pdfmanagement_firstaid_#1_bool }
10 }
11 \clist_map_inline:Nn \g__pdfmanagement_firstaidoff_clist
12 {
13     \bool_if_exist:cT { g__pdfmanagement_firstaid_#1_bool }
14     {
15         \bool_gset_false:c { g__pdfmanagement_firstaid_#1_bool }
16     }
17 }
18 \msg_new:nnn { pdfmanagement } { firstaid }
19             { loading~pdfmanagement-firstaid~code~for~#1 }
```

1.1 Output routine

This load as few patches for the `LaTeX` output routine commands. They add hooks for the interruption of links and for paragraph tagging.

```
20 \bool_if:NT \g__pdfmanagement_firstaid_output_bool
```

*E-mail: latex-team@latex-project.org

```

21  {
22   \RequirePackage{output-patches-tmp-ltx}
23 }

```

1.2 beamer

beamer makes use of the now unsupported syntax `linkbordercolor={.5 .5 .5}`. To avoid an error we define this color as a name.

```

24 \bool_if:NT \g__pdfmanagement_firstaids_beamer_bool
25 {
26   \color_set:n{.5~.5~.5}{rgb}{0.5,0.5,0.5}
27 }

```

1.3 color

color is not incompatible, but the new hyperref driver makes use of l3color to set the colors. It is therefore necessary to patch some internal color commands, so that colors defined with its `\definecolor` command are known to l3color and so hyperref. This only supports the color models from l3color (which covers all standard model of the color package). The `named` model is mapped to `\color_set:nn`.

This patch serves also as test to check if this change can be safely added to color later.

```

28 \bool_if:NT \g__pdfmanagement_firstaids_color_bool
29 {
30   \declare@file@substitution{color.sty}{color-ltx.sty}
31 }

```

1.4 xcolor

xcolor is not incompatible, but the new hyperref driver makes use of l3color to set the colors. It is therefore necessary to patch xcolor, so that colors defined with its `\definecolor` command are known to l3color and so hyperref. This only supports the color model from l3color. Colors defined with the models cmy and tHsb are silently ignored.

The `named` model is mapped to `\color_set:nn`.

```

32 \bool_if:NT \g__pdfmanagement_firstaids_xcolor_bool
33 {
34   \AddToHook{package/after/xcolor}
35   {\RequirePackage{xcolor-patches-tmp-ltx}\XC@@names}
36 }

```

1.5 pgf

In pgf, resource management is set up in the file `pgfutil-common.tex`. This then provides three functions for adding to the resources, all of which are objects:

- `\pgfutil@addpdfresource@extgs`: Extended graphics state
- `\pgfutil@addpdfresource@colorspaces`: Color spaces
- `\pgfutil@addpdfresource@patterns`: Patterns

These resource dictionaries are used by adding entries in a cumulative sense; the macro layer deals with ensuring that each entry is only given once. Note that the objects themselves must be given only once for each page.

To support these functions, there are a series of set-up macros which install these resources. That has to take place for every page: the exact route therefore depends on the driver.

For the pdfmanagement project we need to avoid that pgf interferes in ExtGState, ColorSpace and Pattern (Shadings are added to the xform resources and so probably unproblematic for now). The actual patch is in a file hook guarded by the boolean, the rest of the code is always defined.

```

37
38 \bool_if:NT \g__pdfmanagement_firstaid_pgf_bool
39 {
40   \msg_info:nnn{pdfmanagement }{firstaid}{pgf}
41   \AddToHook{file/after/pgfrcs.sty}
42   {
43     \cs_set_eq:NN
44       \__pdfmanagement_pgfori_pgfutil@setuppfdresources
45       \pgfutil@setuppfdresources
46     \def\pgfutil@setuppfdresources
47     {
48       \pdfmanagement_if_active:TF
49       {
50         \__pdfmanagement_pgf_sys_setuppfdresources_plain:
51       }
52     {
53       \__pdfmanagement_pgfori_pgfutil@setuppfdresources
54     }
55   }
56 }
57 }
58 \%def\pgfutil@addpdfresource@extgs#1{\pgf@sys@addpdfresource@extgs@plain{#1}}
59 \%def\pgfutil@addpdfresource@colorspaces#1{\pgf@sys@addpdfresource@colorspaces@plain{#1}}
60 \%def\pgfutil@addpdfresource@patterns#1{\pgf@sys@addpdfresource@patterns@plain{#1}}
61 \%def\pgfutil@setuppfdresources{\pgf@sys@setuppfdresources@plain}
62 % \pgf@sys@pdf@possible@resources %used in xform
63 %Trying to patch pgf ..
64 \cs_new_protected:Npn \__pdfmanagement_pgf_sys_setuppfdresources_plain:
65 {
66   %objects are already created ...
67   \def\pgf@sys@pdf@possible@resources
68   {
69     /ColorSpace-\pdf_object_ref:n {\__pdf/Page/Resources/ColorSpace}
70     /Pattern ~\pdf_object_ref:n {\__pdf/Page/Resources/Pattern}
71     /ExtGState ~\pdf_object_ref:n {\__pdf/Page/Resources/ExtGState}
72   }
73   \let\pgf@sys@pdf@check@resources=\relax%
74   %not sure if needed, but perhaps the lists are used somewhere else ...
75   \let\pgf@sys@pgf@resource@list@extgs=\pgfutil@empty%
76   \let\pgf@sys@pgf@resource@list@patterns=\pgfutil@empty%
77   \let\pgf@sys@pgf@resource@list@colorspaces=\pgfutil@empty%
78   % the commands to add page resources
79   \def\pgf@sys@addpdfresource@extgs@plain##1

```

```

80 {
81     \%exp_after:wN %for transparent which passes a command
82         \__pdfmanagement_patch_pgfextgs:w ##1\q_stop
83     }
84 \def\pgf@sys@addpdfresource@patterns@plain##1
85 {
86     \__pdfmanagement_patch_pgfpatterns:w ##1\q_stop
87 }
88 \def\pgf@sys@addpdfresource@colorspaces@plain##1
89 {
90     \__pdfmanagement_patch_pgfcolorspaces:w ##1\q_stop
91 }
92 }
93
94 \%AtEndPreamble{\pgfutil@setuppdfresources}
95 % helper commands as pgf doesn't pass resources as two arguments
96 % code to add to the resources existing stuff in the format "/name value":
97 \cs_new:Npn \__pdfmanagement_split_dict_entry_aux:NNw #1 #2 /#3~#4\q_stop
98 {
99     \tl_set:Nn #1 {#3}
100    \tl_set:Nn #2 {#4}
101 }
102
103 \cs_generate_variant:Nn \tl_trim_spaces:n{V}
104 \cs_generate_variant:Nn \pdfmanagement_add:nnn {nex}
105 \cs_new:Npn \__pdfmanagement_patch_pgfextgs:w #1/#2<<#3>>#4\q_stop
106 {
107     \tl_set:Nx\l_tmpa_tl{#2}
108     \pdfmanagement_add:nex
109         {Page/Resources/ExtGState}{\tl_trim_spaces:V\l_tmpa_tl}{<<#3 #4>>}
110 }
111 \cs_new:Npn \__pdfmanagement_patch_pgfpatterns:w #1/#2\space#3\q_stop
112 {
113     \pdfmanagement_add:nex
114         {Page/Resources/Pattern}{\tl_trim_spaces:n{#2}}{#3}
115 }
116 \cs_new:Npn \__pdfmanagement_patch_pgfcolorspaces:w #1/#2[#3]#4\q_stop
117 {
118     \pdfmanagement_add:nex
119         {Page/Resources/ColorSpace}{\tl_trim_spaces:n{#2}}{[#3]}
120 }
121

```

1.6 transparent

We simply replace by the new version.

```

122 \bool_if:NT \g__pdfmanagement_firstaid_transparent_bool
123 {
124     \declare@file@substitution{transparent.sty}{transparent-ltx.sty}
125 }

```

1.7 pdflscape

We simply replace by the new version.

```
126 \bool_if:NT \g__pdfmanagement_firstaid_pdflscape_bool
127 {
128   \declare@file@substitution{pdflscape.sty}{pdflscape-ltx.sty}
129 }
```

1.8 hyperxmp

We add some code at the end of hyperxmp.sty.

```
130 \bool_if:NT \g__pdfmanagement_firstaid_hyperxmp_bool
131 {
132   \AddToHook
133     {file/after/hyperxmp.sty}
134     {\RequirePackage{hyperxmp-patches-tmp-ltx}}
135 }
136 
```

1.9 colorspace

This is rather difficult as no real places to inject patches at first a try to avoid that its ExtGState is missing: it can not be avoided to recreate the objects (and so to get duplicates) as colorspace uses temporary macros whose contents is lost.

```
137 {*package}
138 (@@=pdf)
139 % this must be earlier, to avoid problems with luatex which has two pageresources
140 % lua/tex
141 \hook_gput_code:nnn {begindocument} {pdf}
142 {
143   \tl_if_exist:NT \spc@op
144   {
145     \def\spc@Pageresources#1{}
146   }
147
148 }
149
150 \hook_gput_code:nnn {begindocument/end} {pdf}
151 {
152   \tl_if_exist:NT \spc@op
153   {
154     \__pdf_backend_object_new:nn {__spc_extgstate_op_false}{dict}
155     \__pdf_backend_object_write:nn
156       {__spc_extgstate_op_false}
157       {/Type /ExtGState~/op~false~/OP~false}
158     \pdfmanagement_add:nn
159       {Page/Resources/ExtGState}
160       {SPCko}
161       {\__pdf_backend_object_ref:n {__spc_extgstate_op_false}}
162     \__pdf_backend_object_new:nn {__spc_extgstate_op_true0}{dict}
163     \__pdf_backend_object_write:nn
164       {__spc_extgstate_op_true0}
165       {/Type /ExtGState~/op~true~/OP~true~/OPM~0}%
```

```

166     \pdfmanagement_add:nnn
167         {Page/Resources/ExtGState}
168         {SPCmz}
169         {\_\_pdf_backend_object_ref:n {\_\_spc_extgstate_op_true0}}
170     \_\_pdf_backend_object_new:nn {\_\_spc_extgstate_op_true1}{dict}
171     \_\_pdf_backend_object_write:nn
172         {\_\_spc_extgstate_op_true1}
173         {/Type /ExtGState~/op+true~/OP+true~/OPM-1}%
174     \pdfmanagement_add:nnn
175         {Page/Resources/ExtGState}
176         {SPCop}
177         {\_\_pdf_backend_object_ref:n {\_\_spc_extgstate_op_true1}}
178     }
179 }
180 
```

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

A	E
\AddToHook	34, 41, 132
\AtEndPreamble	94
	\exp_after:wN
B	H
bool commands:	hook commands:
\bool_gset_false:N	15
\bool_gset_true:N	9
\bool_if:NTF	20, 24, 28, 32, 38, 122, 126, 130
\bool_if_exist:NTF	13
\bool_new:N	8
C	L
clist commands:	\let
\clist_map_inline:Nn	73, 75, 76, 77
\clist_map_inline:nn	
color commands:	M
\color_set:nn	msg commands:
\color_set:nnn	\msg_info:nnn
cs commands:	\msg_new:nnn
\cs_generate_variant:Nn	40
\cs_new:Npn	18
\cs_new_protected:Npn	
\cs_set_eq:NN	
D	P
\DeclareDocumentMetadata	pdf commands:
\def	\pdf_object_ref:n
\definecolor	69, 70, 71
	pdf internal commands:
	__pdf_backend_object_new:nn
	154, 162, 170
	__pdf_backend_object_ref:n
	161, 169, 177
	__pdf_backend_object_write:nn
	155, 163, 171
	pdfmanagement commands:
	\pdfmanagement_add:nnn
	104, 108, 113, 118, 158, 166, 174
	\pdfmanagement_if_active:TF
	48

pdfmanagement internal commands:	S
\g__pdfmanagement_firstaids_- beamer_bool 24	\space 111
\g__pdfmanagement_firstaids_- color_bool 28	
\g__pdfmanagement_firstaids_- hyperxmp_bool 130	
\g__pdfmanagement_firstaids_- output_bool 20	
\g__pdfmanagement_firstaids_- pdflscape_bool 126	
\g__pdfmanagement_firstaids_pgf_- bool 38	
\g__pdfmanagement_firstaids_- transparent_bool 122	
\g__pdfmanagement_firstaids_- xcolor_bool 32	
\g__pdfmanagement_firstaidsoff_- clist 11	
__pdfmanagement_patch_pgfcolorspaces:w 90, 116	
__pdfmanagement_patch_pgfextgs:w 82, 105	
__pdfmanagement_patch_pgfpatterns:w 86, 111	
__pdfmanagement_pgf_sys_- setuppdfresources_plain: ... 50, 64	
__pdfmanagement_pgfori_pgfutil@setuppdfresources 44, 53	
__pdfmanagement_split_dict_- entry_aux:NNw 97	
\ProvidesExplPackage 2	
Q	
quark commands:	
\q_stop .. 82, 86, 90, 97, 105, 111, 116	
R	
\relax 73	
\RequirePackage 22, 35, 134	
T	
TeX and L ^A T _E X 2 _{ϵ} commands:	
\declare@file@substitution 30, 124, 128	
\pgf@sys@addpdfresource@colorspaces@plain 59, 88	
\pgf@sys@addpdfresource@extgs@plain 58, 79	
\pgf@sys@addpdfresource@patterns@plain 60, 84	
\pgf@sys@pdf@check@resources ... 73	
\pgf@sys@pdf@possible@resources 62, 67	
\pgf@sys@pgf@resource@list@colorspaces 77	
\pgf@sys@pgf@resource@list@extgs 75	
\pgf@sys@pgf@resource@list@patterns 76	
\pgf@sys@setuppdfresources@plain 61	
\pgfutil@addpdfresource@colorspaces 2, 59	
\pgfutil@addpdfresource@extgs . 2, 58	
\pgfutil@addpdfresource@patterns 2, 60	
\pgfutil@empty 75, 76, 77	
\pgfutil@setuppdfresources 45, 46, 61, 94	
\spc@op 143, 152	
\spc@Pageresources 145	
\XC@@names 35	
tl commands:	
\tl_if_exist:NTF 143, 152	
\tl_set:Nn 99, 100, 107	
\tl_trim_spaces:n ... 103, 109, 114, 119	
\tl_tmpa_tl 107, 109	