

The **revtex4-2** document class of the American Physical Society ^{*}

Arthur Ogawa and Mark Doyle [†]

Version 4.2e, dated 2020/10/03

This file embodies the implementation of the APS REVTEX 4.2 document class for electronic submissions to journals.

The distribution point for this work is <https://journals.aps.org/revtex/>, which contains fully unpacked, prebuilt runtime files and documentation.

Contents

1 Using REVTEX	5
1.1 Bill of Materials	5
1.1.1 Primary Source	5
1.1.2 Generated by <code>tex revtex4-2.dtx</code>	5
1.1.3 Generated by <code>pdflatex revtex4-2.dtx</code>	5
1.1.4 Auxiliary	6
2 Code common to all modules	6
3 The driver module <code>driver</code>	6
3.0.1 Docstrip and info directives	7
3.1 The Frontmatter File	7
3.2 The Document Body	11
4 Overview	11
5 Writing journal-specific extensions to REVTEX	13
6 The <code>revtex4</code> Document Class	13
6.1 Compatibility Processing	14
7 Extensions to the LATEX Kernel	14
7.1 Hooks	14

^{*}Work under hire to American Physical Society. Version 4.2e © 2019 American Physical Society

[†]First revision of REVTEX4.0 (unreleased) by David Carlisle, all released versions of 4.0 and 4.1 by Art Ogawa, 4.2a (unreleased) by Aptara, 4.2b,c by Mark Doyle

8 Compatability with the <i>geometry</i> package	15
9 Options	16
9.1 Define Booleans Used in Options	16
9.2 Declare Options	16
9.2.1 Checkin: for Editorial Use	16
9.2.2 Preprint Style	16
9.2.3 Showing PACS and keywords	17
9.2.4 Balance the last page when in two-column page grid	17
9.2.5 Showing preprint numbers	18
9.2.6 Hypertext Option	18
9.2.7 Type Size	18
9.2.8 Media Size	19
9.2.9 Bibnotes	19
9.2.10 Footinbib	20
9.2.11 altaffilletter	20
9.2.12 superbib	20
9.2.13 citeautoscript	20
9.2.14 Variants on the Bibliography Style	21
9.2.15 Simplex/Duplex Pages	21
9.2.16 Two-Column Page Grid	21
9.2.17 raggedbottom or flushbottom	23
9.2.18 tightenlines	23
9.2.19 lengthcheck	23
9.2.20 Draft and Final	24
9.2.21 eqsecnum	24
9.2.22 secnumarabic	24
9.2.23 floats/endfloats	25
9.2.24 titlepage/notitlepage	25
9.2.25 Substyle and Sub-substyle	26
9.2.26 Optical Society of America	26
9.2.27 Presenting Authors and Their Affiliations	29
9.2.28 Typeset by REV _T E _X	29
9.3 Attempt to fix float placement failure	29
9.4 Option to relax page height	30
9.5 Selecting procedure for processing abstract	30
9.6 Option to turn on diagnostics in the frontmatter	30
9.7 Default Option, Society, Journal, and pointsize	31
9.8 Class-Asserted Options	34
10 Procedures Dependent Upon Options	34
11 Required Packages	36
12 Incompatible Packages	36

13 Society- and Journal-Specific Code	36
14 Body	37
14.1 counters	37
14.2 float parameters	38
14.3 List Environments	38
14.4 Sectioning Commands	39
14.4.1 Sectioning Commands and Their Productions	39
14.4.2 The Acknowledgments Environment	40
14.4.3 Part Opener	41
14.4.4 Stacked Heads	42
14.4.5 Runin Heads	42
14.5 Math	43
14.6 Type Size-Dependent Settings	43
14.7 All Point Sizes	43
14.8 Figures	44
14.8.1 Deferring <code>figure</code> Floats	45
14.9 Tables	46
14.9.1 Deferring <code>table</code> Floats	47
14.10 Videos	48
14.10.1 Deferring <code>video</code> Floats	49
15 Tabular	50
16 Footnote Text	51
16.1 Citations, Bibliography, Endnotes	51
16.1.1 Bibliography	51
16.1.2 \endnotes and \rtx@bibnotes	61
17 Initial setup	68
18 \appendix	69
19 Changing the page grid	69
19.1 Avoiding Grid Changes	69
19.2 Galley Style: Margin Changes	70
19.3 Grid Changing Via <code>ltxgrid</code>	70
20 Old font commands	72
21 English-Language Texts	72
22 Legacy Commands	74
23 Corrected Indentation for <code>tableofcontents</code>	77
24 Patches for <code>lineno.sty</code>	77

25 Endgame for the Document Class	78
25.1 Job Macro Package	78
25.2 Endgame Processing for the Document Class	79
26 Symbols: the revsymb module	81
27 The 10pt class option: the 10pt module	84
27.1 Defend Against Forseeable Errors	85
28 The 11pt class option: the 11pt module	88
28.1 Defend Against Forseeable Errors	88
29 The 12pt class option: the 12pt module	90
29.1 Defend Against Forseeable Errors	90
30 Page parameters	91
31 The aps class extension: the aps module	93
31.1 Defend Against Forseeable Errors	94
31.2 Abbreviations	94
31.3 APS Setup	95
31.3.1 Title block	96
31.3.2 Stacked Heads	102
31.3.3 Runin Heads	103
31.3.4 Table of Contents	104
31.3.5 Default column bottom	105
31.3.6 Table alignment style	105
31.3.7 Footnote formatting	106
31.3.8 Appendix	106
31.3.9 Bibliography	107
31.3.10 Comparing apsrev bst and apsrmp bst	113
31.3.11 Index	115
31.4 Journal- and Pointsize-Specific Code	116
31.5 Typesize-Specific Code	116
31.5.1 <code>pra</code>	116
31.5.2 <code>prb</code>	116
31.5.3 <code>prc</code>	117
31.5.4 <code>prd</code>	117
31.5.5 <code>pre</code>	117
31.5.6 <code>prl</code>	117
31.5.7 <code>prper</code>	119
31.5.8 <code>prab</code>	119
31.5.9 <code>prx</code>	119
31.5.10 <code>prappplied</code>	119
31.5.11 <code>prmaterials</code>	119
31.5.12 <code>prfluids</code>	119

31.5.13	<code>physrev</code>	120
31.5.14	<code>rmp</code>	120
31.6	Establish APS Defaults	120
31.7	APS Sanity Checking	121
32	The <code>rmp</code> journal substyle: the <code>rmp</code> module	122
32.1	Frontmatter	122
33 :		124
33.1	General Text	124
33.2	Sectioning	125
33.3	Figure and Table Caption Formatting	127
33.4	Citations and Bibliography	127
33.5	Table of Contents	135
Index		146

1 Using REV_TE_X

The file `README` has retrieval and installation information.

User documentation is presented separately in `auguide.tex`.

The file `template.aps` is a boilerplate file.

1.1 Bill of Materials

Following is a list of the files in this distribution arranged according to provenance.

1.1.1 Primary Source

One single file generates all.

```
%revtex4-2.dtx
%
```

1.1.2 Generated by `tex revtex4-2.dtx`

Typesetting ths file under T_EX itself runs the installer, which generates the package files.

```
%revtex4-2.cls, revtex4.ins, revtex4drv, aps4-2.rtx,
%aps10pt4-2.rtx, aps11pt4-2.rtx, aps12pt4-2.rtx, revsymp.sty
%
```

1.1.3 Generated by pdflatex revtex4-2.dtx

Typesetting the source file under L^AT_EX generates the documentation.

```
%revtex4.pdf,  
%
```

1.1.4 Auxiliary

The following are auxiliary files generated in the course of running L^AT_EX:

```
%revtex4.aux revtex4.idx revtex4.ind revtex4.log revtex4.toc  
%
```

2 Code common to all modules

The following may look a bit klootchy, but we want to require only one place in this file where the version number is stated, and we also want to ensure that the version number is embedded into every generated file.

Now we declare that these files can only be used with L^AT_EX 2_E. An appropriate message is displayed if a different T_EX format is used.

```
1 %<*doc|kernel|aps|rmp|revsymb>  
2 \NeedsTeXFormat{LaTeX2e}[1996/12/01]  
3 %</doc|kernel|aps|rmp|revsymb>  
4 %<kernel>\ProvidesClass{revtex4-2}  
5 %<aps>\ProvidesFile{aps4-2}  
6 %<rmp>\ProvidesFile{apsrmp4-2}  
7 %<10pt>\ProvidesFile{aps10pt4-2}  
8 %<11pt>\ProvidesFile{aps11pt4-2}  
9 %<12pt>\ProvidesFile{aps12pt4-2}  
10 %<revsymb>\ProvidesPackage{revsymb4-2}  
11 %<*doc>  
12 \ProvidesFile{revtex4-2.dtx}  
13 %</doc>  
14 %<!*package&!options>  
15 %<version>  
16 [2020/10/03 4.2e (https://journals.aps.org/revtex/ for documentation)]% \fileversion  
17 %<!package&!options>  
18 %<kernel>\let\class@name\@gtempa
```

3 The driver module driver

This module, consisting of the present section, typesets the programmer's documentation, generating the README-REVTEX.txt and sample document as needed.

Because the only uncommented-out lines of code at the beginning of this file constitute the `driver` module itself, we can simply typeset the `.dtx` file directly, and there is thus rarely any need to generate the “driver” `DOCSTRIP` module. Module delimiters are nonetheless required so that this code does not find its way into the other modules.

The `\end{document}` command concludes the typesetting run.

```
19 %<*doc>
```

The driver uses packages `ltxdoc.sty`, `ltxdocext.sty`, `hyperref.sty`, and whatever font package has been selected.

```
20 \documentclass{ltxdoc}
21 \RequirePackage{ltxdocext}%
22 \let\url\undefined
23 \RequirePackage[colorlinks=true,linkcolor=blue]{hyperref}%
```

We ask for the usual indices and glossaries.

```
24 \CodelineIndex\EnableCrossrefs % makeindex -s gind.ist revtex4
25 \RecordChanges % makeindex -s gglo.ist -o revtex4.gls revtex4.glo
```

3.0.1 Docstrip and info directives

We use so many `DOCSTRIP` modules that we set the `StandardModuleDepth` counter to 1.

```
26 \setcounter{StandardModuleDepth}{1}
```

The following command retrieves the date and version information from this file.

```
27 \expandafter\GetFileInfo\expandafter{\jobname.dtx}%
```

3.1 The Frontmatter File

As promised above, here is the contents of the frontmatter file.

```
28 \begin{filecontents*}[README-REVTEX.tex]
29 \title{%
30   The \classname{revtex4-2} document class of the American Physical Society%
31   \protect\thanks{Work under hire to American Physical Society. Version \fileversion\ \copyright}%
32 }%
33 \author{Arthur Ogawa and Mark Doyle%
34   \protect\thanks{First revision of REV\TeX4.0 (unreleased) by David Carlisle, all released vers}%
35 }%
36 \date{Version \fileversion, dated \filedate}%
37 \newcommand\revtex{REV\TeX}%
38
39 \maketitle
40
41 This file embodies the implementation of the APS \revtex\ 4.2 document class
42 for electronic submissions to journals.
43
44 The distribution point for this work is
45 \url{https://journals.aps.org/revtex},
```

```

46 which contains fully unpacked, prebuilt runtime files and documentation.
47
48 \tableofcontents
49
50 \section{Using \protect\revtex}
51
52 The file \file{README} has retrieval and installation information.
53
54 User documentation is presented separately in \file{auguide.tex}.
55
56 The file \file{template.aps} is a boilerplate file.
57
58 \changes{4.0a}{1998/01/16}{Initial version}
59 \changes{4.0a}{1998/01/31}{Move after process options, so \cs{clearpage} not in scope of twocol}
60 \changes{4.0a}{1998/01/31}{Rearrange the ordering so numerical ones come first. AO: David, what}
61 \changes{4.0a}{1998/01/31}{use font-dependent spacing}
62 \changes{4.0a}{1998/01/31}{4.0d had twoside option setting twoside switch to false}
63 \changes{4.0a}{1998/01/31}{Move after process options, so the following test works}
64 \changes{4.0a}{1998/01/31}{print homepage}
65 \changes{4.0a}{1998/01/31}{protect against hyperref revtex kludges which are not needed now}
66 \changes{4.0a}{1998/06/10}{multiple preprint commands}
67 \changes{4.0a}{1998/06/10}{comma not space between email and homepage}
68 \changes{4.0a}{1998/06/10}{single space footnotes}
69 \changes{4.0b}{1999/06/20}{First modifications by Arthur Ogawa (mailto:arthur\_ogawa at sbcglob}
70 \changes{4.0b}{1999/06/20}{Added localization of \cs{figuresname}}
71 \changes{4.0b}{1999/06/20}{Added localization of \cs{tablesname}}
72 \changes{4.0b}{1999/06/20}{AO: all code for \protect\classoption{10pt} is in this module.}
73 \changes{4.0b}{1999/06/20}{AO: all code for \protect\classoption{11pt} is in this module.}
74 \changes{4.0b}{1999/06/20}{AO: all code for \protect\classoption{12pt} is in this module.}
75 \changes{4.0b}{1999/06/20}{AO: made aps.rtx part of revtex4.dtx}
76 \changes{4.0b}{1999/06/20}{AO: remove duplicates}
77 \changes{4.0b}{1999/06/20}{call \cs{print@floats}}
78 \changes{4.0b}{1999/06/20}{Defer assignment until \cs{AtBeginDocument} time.}
79 \changes{4.0b}{1999/06/20}{Defer decision until \cs{AtBeginDocument} time}
80 \changes{4.0b}{1999/06/20}{Define three separate environments, defer assignment to \cs{AtBeginD}
81 \changes{4.0b}{1999/06/20}{Frank Mittelbach, has stated in \protect\classname{multicol}: ‘‘The ‘‘}
82 \changes{4.0b}{1999/06/20}{Move this ‘‘complex’’ option to the front, where it can be overridden}
83 \changes{4.0b}{1999/06/20}{New option}
84 \changes{4.0b}{1999/06/20}{One-line caption sets flush left.}
85 \changes{4.0b}{1999/06/20}{only execute if appropriate}
86 \changes{4.0b}{1999/06/20}{Processing delayed to \cs{AtBeginDocument} time}
87 \changes{4.0b}{1999/06/20}{Removed invocation of nonexistent class option \protect\classoption{ }
88 \changes{4.0b}{1999/06/20}{Restore all media size class option of \protect\file{classes.dtx}}
89 \changes{4.0b}{1999/06/20}{Stack \cs{preprint} args flush right at right margin.}
90 \changes{4.0c}{1999/11/13}{(AO, 115) If three or more preprints specified, set on single line,}
91 \changes{4.0c}{1999/11/13}{(AO, 129) section* within appendix was producing appendixname}
92 \changes{4.0c}{1999/11/13}{*-form mandates pagebreak}
93 \changes{4.0c}{1999/11/13}{also spelled ‘‘acknowledgements’’.}
94 \changes{4.0c}{1999/11/13}{Do not put by REVTeX in every page foot}
95 \changes{4.0c}{1999/11/13}{grid changes via ltxgrid procedures}

```

```

96 \changes{4.0c}{1999/11/13}{grid changes with ltxgrid}
97 \changes{4.0c}{1999/11/13}{Insert procedure \cs{checkindate}}
98 \changes{4.0c}{1999/11/13}{Lose compatibility mode.}
99 \changes{4.0c}{1999/11/13}{New ltxgrid-based code, other bug fixes}
100 \changes{4.0c}{1999/11/13}{New option ``checkin''}
101 \changes{4.0c}{1999/11/13}{Prevent an inner footnote from performing twice}
102 \changes{4.0d}{2000/04/10}{Also alter how lists get indented.}
103 \changes{4.0d}{2000/04/10}{eprint takes an optional argument, syntactical only in this case.}
104 \changes{4.0d}{2000/04/10}{New option}
105 \changes{4.0d}{2000/05/10}{More features and bug fixes: compatibility with longtable and array}
106 \changes{4.0d}{2000/05/17}{make longtable trigger the head, too}
107 \changes{4.0d}{2000/05/18}{But alternative spelling is deprecated.}
108 \changes{4.0e}{2000/09/20}{New option showkeys}
109 \changes{4.0e}{2000/11/14}{Bug fixes and minor new features: title block affiliations can have}
110 \changes{4.0e}{2000/11/21}{adornments above and below.}
111 \changes{4.0f}{2001/02/13}{Last bug fixes before release.}
112 \changes{4.0rc1}{2001/06/17}{Running headers always as if two-sided}
113 \changes{4.0rc1}{2001/06/18}{grid changes with push and pop}
114 \changes{4.0rc1}{2001/06/18}{grid changes with push and pop}
115 \changes{4.0rc4}{2001/07/23}{hyperref is no longer loaded via class option: use a usepackage st}
116 \changes{4.1a}{2008/01/18}{(AO, 457) Endnotes to be sorted in with numerical citations.}%
117 \changes{4.1a}{2008/01/18}{(AO, 451) ``Cannot have more than 256 cites in a document''}%
118 \changes{4.1a}{2008/01/18}{(AO, 457) Endnotes to be sorted in with numerical citations.}%
119 \changes{4.1a}{2008/01/18}{(AO, 460) ``Proper style is "FIG. 1. ..." (no colon)''}%
120 \changes{4.1a}{2008/01/18}{(AO, 478) \cs{ds@letterpaper}, so that ``letterpaper really is the d}
121 \changes{4.1a}{2008/01/18}{(AO, 488) Change processing of options to allow an unused option to}
122 \changes{4.1a}{2008/01/19}{(AO, 461) Change the csname revtex uses from @dotsep to ltxu@dotsep.}
123 \changes{4.1a}{2008/01/19}{(For natbib versions before 8.21, \cs{NAT@sort} was consulted only as}
124 \changes{4.1b}{2008/05/29}{The csname substyle@ext is now defined without a dot (.), to be comp}
125 \changes{4.1b}{2008/06/01}{(AO) Implement bibnotes through \cs{frontmatter@footnote@produce} in}
126 \changes{4.1b}{2008/06/01}{Add option reprint, opposite of preprint, and preferred alternative}
127 \changes{4.1b}{2008/06/29}{(AO, 455) Be nice to a list within the abstract (assign \cs{@totall}
128 \changes{4.1b}{2008/06/30}{(AO) Structure the Abstract using the \texttt{bibliography} environm}
129 \changes{4.1b}{2008/07/01}{(AO) coordinate \cs{if@twoside} with \cs{twoside@sw}}
130 \changes{4.1b}{2008/07/01}{(AO) make settings at class time instead of deferring them to later.}
131 \changes{4.1b}{2008/07/01}{(AO) No longer need to test \cs{chapter} as of \texttt{natbib} versi}
132 \changes{4.1b}{2008/07/01}{(AO) No longer use \cs{secnumarabic@sw}, instead use \cs{setup@secnu}
133 \changes{4.1b}{2008/07/01}{(AO) Provide more diagnostics when \cs{@society} is assigned.}
134 \changes{4.1b}{2008/07/01}{(AO) provide option longbibliography}
135 \changes{4.1b}{2008/07/01}{Add \cs{@hangfroms@section}}
136 \changes{4.1b}{2008/07/01}{Break out \cs{@caption@fignum@sep}}
137 \changes{4.1b}{2008/07/01}{Class option galley sets \cs{preprintsty@sw} to false}
138 \changes{4.1b}{2008/07/01}{Code relating to new syntax for frontmatter has been placed in \file}
139 \changes{4.1b}{2008/07/01}{Package textcase is now simply a required package}
140 \changes{4.1b}{2008/07/01}{Procedures \cs{@parse@class@options@society} and \cs{@parse@class@op}
141 \changes{4.1b}{2008/07/01}{Read in all required packages together}
142 \changes{4.1b}{2008/07/01}{Remove options newabstract and oldabstract}
143 \changes{4.1b}{2008/08/01}{Section numbering via procedures \cs{secnums@rtx} and \cs{secnums@ar}
144 \changes{4.1b}{2008/08/04}{As with author formatting, rag the right more, and assign \cs{@total}
145 \changes{4.1b}{2008/08/04}{Rag the right even more: .8\cs{hsize}. Also, assign \cs{@totallefma}

```

```

146 \changes{4.1b}{2008/08/04}{The \texttt{rmp} journal substyle selects \texttt{groupedaddress} by
147 \changes{4.1b}{2008/08/04}{Use \cs{setup@hook} to initialize all.}
148 \changes{4.1c}{2008/08/15}{Document class option longbibliography via \cs{substyle@post}}
149 \changes{4.1d}{2009/03/27}{Definition of \cs{@fnsymbol} follows fixltx2e.sty}
150 \changes{4.1e}{2008/06/29}{(AO, 455) be nice to a list within the abstract}
151 \changes{4.1f}{2009/07/07}{(AO, 513) Add class option linenumbers: number the lines a la \class
152 \changes{4.1f}{2009/07/07}{(AO, 516) Merged references are separated with a semicolon}
153 \changes{4.1f}{2009/07/10}{(AO, 520) Automatically produce \cs{bibliography} command when needed}
154 \changes{4.1f}{2009/07/11}{(AO, 521) Lonely bibliography head}%
155 \changes{4.1f}{2009/07/11}{(AO, 522) Warn if software is expired}%
156 \changes{4.1f}{2009/07/15}{(AO, 523) Add class option nomerge, to turn off new natbib 8.3 syntax}
157 \changes{4.1f}{2009/07/20}{(AO, 524) Makes no sense if citations are superscript numbers and so on}
158 \changes{4.1f}{2009/10/05}{(AO, 530) \cs{@fnsymbol}: Failed to import fixltx2e.sty technology.}
159 \changes{4.1g}{2009/10/07}{(AO, 525) Remove phantom paragraph above display math that is given}
160 \changes{4.1g}{2009/10/07}{(AO, 538) \cs{MakeTextUppercase} inappropriately expands the double quotes}
161 \changes{4.1h}{2009/10/09}{(AO) Remove expiry code in the release software}%
162 \changes{4.1i}{2009/10/23}{(AO, 541) Defer assignment of \cs{cite} until after natbib loads}
163 \changes{4.1j}{2009/10/24}{(AO, 549) Repairing natbib's \cs{BibitemShut} and \cs{bibAnnote}}
164 \changes{4.1j}{2009/10/25}{(AO, 545) hypertext capabilities off by default; enable with \class
165 \changes{4.1j}{2009/10/25}{(AO, 552) Repair spacing in \cs{onlinecite}}
166 \changes{4.1k}{2009/11/06}{(AO, 554) give the \cs{newlabel} command syntax appropriate to the header}
167 \changes{4.1n}{2009/11/06}{(AO, 565) restore 4.0 behavior: invoking class option preprint implies}
168 \changes{4.1n}{2009/11/30}{(AO, 566) restore 4.0 behavior: flush column bottoms}%
169 \changes{4.1n}{2009/12/05}{(AO, 569) Use of \classname{hyperref} interferes with column balancing}
170 \changes{4.1n}{2009/12/09}{(AO, 569) execute the after-last-shipout procedures from within the footer}
171 \changes{4.1n}{2010/01/02}{(AO, 571) Interface \cs{set@footnotewidth} for determining the set width}
172 \changes{4.1n}{2010/01/02}{(AO, 572) Independent footnote counter for title block. Abstract footnotes}
173 \changes{4.1n}{2009/12/13}{(AO, 573) arrange to load \classname{lineno} after any other package}
174 \changes{4.1n}{2010/01/04}{(AO, 575) the default for journal prstper is longbibliography}%
175 \changes{4.1n}{2010/01/04}{(AO, 576) In .bst files, remove support for the annote field}%
176 \changes{4.1n}{2010/01/02}{(AO) fine-tune spacing above and below widetext}%
177 \changes{4.1n}{2010/01/02}{(AO, 571) class file must set \cs{splittopskip}; fine tune \cs{skip} and \cs{vskip}}
178 \changes{4.1n}{2010/01/02}{(AO, 572) \cs{@makefntext} and \cs{frontmatter@makefntext} must be defined}
179 \changes{4.1o}{2010/02/02}{(AO, 575) Automatically incorporate the (Bib\TeX-generated) .bb1 interface}
180 \changes{4.1o}{2010/02/05}{(AO, 549) Remove patch to natbib, which is now at version 8.31a}
181 \changes{4.1o}{2010/02/07}{(AO, 578) accommodate the possible space character preceding \cs{skip} and \cs{vskip}}
182 \changes{4.1o}{2010/02/05}{(AO, 579) Endnote shall comprise their own Bib\TeX\ entry type: @FOOTNOTE}
183 \changes{4.1o}{2010/02/10}{(AO, 580) Provide a document class option to turn off production of endnotes}%
184 \changes{4.1o}{2010/02/12}{(AO, 580) Control .bst at run time}%
185 \changes{4.1o}{2010/02/09}{(AO, 581) Handle case: merged references, with first ending in a stop}
186 \changes{4.1p}{2010/02/24}{(AO, 583) Provide interface to \classname{ltxgrid} \cs{onecolumn@grid}}
187 \changes{4.1p}{2010/02/24}{(AO, 584) Per MD, remove trailing space character from each journal}
188 \changes{4.1q}{2010/04/01}{(AO, 586) When .bb1 is pasted into the document, prevent automatic breaking}
189 \changes{4.1q}{2010/04/13}{(AO, 588) Only write \revtex-specific BibTeX .bib data if the .bst source file exists}
190 \changes{4.1r}{2010/06/22}{(AO, 595) Provide \cs{lovname} along with other List of Videos definitions}
191 \changes{4.2a}{2014/12/31}{(Aptara, MD) Added initial support for SOR and AAPM journals, additional styles}
192 \changes{4.2a}{2014/12/31}{(Aptara) Make prb style to follow other Phys. Rev. journals.}%
193 \changes{4.2a}{2014/12/31}{(Aptara) Corrected indentation for tableofcontents appearing along with other lists}%
194 \changes{4.2a}{2017/11/21}{(MD) Make long bibliography style the default now.}%
195 \changes{4.2a}{2017/11/28}{(MD) Add call to normalsize to be a good citizen and allow booktabs.}

```

```

196 \changes{4.2b}{2018/12/26}{(MD) Make titles in bibliography default, prb style to follow other}
197 \changes{4.2b}{2017/11/21}{(MD) Update options for new titles without "Special Topics" and make}
198 \changes{4.2b}{2017/11/21}{(MD) Add options for new APS journals and a generic physrev option f}
199 \changes{4.2b}{2017/11/22}{(MD) Change default to not use a title page - it seems antiquated}%
200 \changes{4.2b}{2017/11/22}{(MD) MD - not sure why these parameters were different previously. M}
201 \changes{4.2b}{2017/11/22}{(MD) PACS are obsolete altogether now}%
202 \changes{4.2b}{2018/12/26}{(MD) Improve control over display of e-print ids in bibliography.}%
203
204 \end{filecontents*}

```

3.2 The Document Body

Here is the document body, containing only a `\DocInput` directive—referring to this very file. This very cute self-reference is a common `ltxdoc` idiom.

```

205 \%\\newcommand\\revtex{REV\\TeX}\\% TeXSupport
206 \\begin{document}\\%
207 \\expandafter\\DocInput\\expandafter{\\jobname.dtx}\\%
208 \\PrintChanges
209 \\end{document}

```

And that is the end of the driver for the programmer's documentation.

```
210 %</doc>
```

4 Overview

`REVTeX` is a `LATEX 2&` document class, somewhat like a hybrid of the standard `LATEX` `book` and `article` classes.

Certain packages are (should be) loaded by this class in any case: `amssymb`, `amsmath`, `bm`, `natbib`.

Certain packages are automatically loaded by this class when a corresponding class option has been invoked:

REVTeX option	package
<code>amsfonts</code>	<code>amsfonts</code>
<code>amssymb</code>	<code>amssymb</code>
<code>aps</code>	<code>overcite</code>

Certain other packages are to be loaded by the document through explicit use of `\usepackage`. Some mentioned in the user documentation are `graphicx`, `longtable`, `hyperref`, and `bm`.

Certain commonly used packages are known to be incompatible with `REVTeX`, among them `multicol` and `cite`. If such a package is found to be loaded, `REVTeX` issues an error message and halts the job. Halting might be considered severe punishment for loading an incompatible package, but if we were to proceed, an even weirder error might be encountered further down the road.

This document class implements the `substyle`: a set of mutually exclusive class options that, in this case, allow the document class to address multiple societies. It also implements a `sub-substyle`, giving the journal of the given society. Any society may create a `substyle`; this file generates one for `aps`.

FIXME: should always load the `graphicx` package. No, allow user to load whichever graphics package is desired.

QUERY: since `amsfonts` and `amssymb` extend syntax, why not load them in any case?

Certain processing occurs at the endgame for reading in REV_TE_X, thereby establishing precedence for assignments to L_AT_EX's (and REV_TE_X's) parameters:

1. Figure out which society is operative and read in the indicated `.rtx` file.
2. Figure out which journal option is operative and execute the indicated journal command. This may lead to reading in a journal substyle `.rtx` file.
3. Figure out which pointsize is operative and execute the indicated pointsize command. This may lead to reading in a pointsize `.rtx` file.
4. Execute all of the document's options, in the order declared within the document.
5. Read in all required packages (like `natbib`, `amsfonts`, `amssymb`), that were determined by class, society, and journal.
6. The last required package, if existing, is the document's style file, the `.rty` file. Note that the `.rty` file can override the assignments of REV_TE_X, society, journal, and required packages, and even load its own packages. It can also, via appendations to `\setup@hook`, override the setup code itself.
7. Execute all of the setup code accumulated. Such code can be queued by REV_TE_X itself, by the society, by the journal, or by the pointsize.
8. At this point, REV_TE_X has completed the process of inputting itself, and L_AT_EX will now execute the `\AtEndOfClass` procedures.

REV_TE_X will have enqueued code to execute at `\AtBeginDocument` time, in two different queues. `\document@inithook` executes immediately upon encountering the `\begindocument` statement, `\class@documenthook` at the end of all the code enqueued via `\AtBeginDocument`.

1. Install procedures to execute at the very end of the class's `\AtBeginDocument` processing, such as
 - (a) closing out the page grid
 - (b) putting out the `LastPage` label.
 - (c) issuing a `\bibliographystyle` command, based on the value set by the society substyle.
 - (d) setting default values for parameters used in the document. FIXME: differentiate between class's parameters that can wait until they are used in the document, and parameters that are used at `\AtBeginDocument` time.

2. Install procedures to execute the very last at `\AtEndDocument` time, such as the `\clearpage` processing.

Certain events are optionally scheduled for `\AtBeginDocument` time:

1. Setting default values for the Booleans and for other procedures used in formatting.
2. In response to class options options, adjusting parameters and procedures used in formatting.
3. Implementing the `eqsecnum` option, if required.
4. Setting the state engine for data commands.
5. Memorizing procedures for later use.
6. Setting type size and area, for use by later calculations.

Certain events are scheduled for `\class@enddocumenthook` time:

1. Print out the migrated floats or the end notes, if needed.
2. Close out the page grid.
3. Label the last page of the document
4. (`natbib`) prepare to read in the `.aux` file.

5 Writing journal-specific extensions to REVTEX

With this version of REVTEX, we introduce a somewhat different scheme for adapting REVTEX to the needs of a specific journal.

To create a journal substyle, you create new class options in REVTEX for the society, say `osa`, and any of that society's journals, one of which is, say, `josaa`, using the code for the APS as a guide. In particular, each of your new options should separately define `\@society` and `\@journal`. That for the former will be the same for all options relating to a particular society.

Then, for the society, you create a corresponding `.rtx` file, in our case `osa.rtx`. Within that file, you override procedures and parameter assignments as you see fit. Ideally they will be generally applicable to all of that society's journals (see the file `aps.rtx` for a realization of this scheme). Also within that file, you include a section of code for each journal, that for `josaa` looks like:

```
% \c@ifx{\@journal\journal@josaa}{%
% <code specific to the josaa>
% }{%
%
```

Thus far, the scheme is similar to that used in REVTEX 3.1. However, the new scheme does differ from the old in that the `.rtx` file should define no syntactical extensions to REVTEX.

6 The revtex4 Document Class

Above, we took advantage of 1) the L^AT_EX definition of \ProvidesPackage and 2) that the line of code immediately afterwards follows the \ProvidesClass statement above.

```
211 %<*kernel>
      Print a banner in the log:
212 \GenericInfo{}{\space
213 Copyright (c) 2019 American Physical Society.^^J
214 mailto:revtex@aps.org^^J
215 Licensed under the LPPL:^^Jhttp://www.ctan.org/tex-archive/macros/latex/base/lppl.txt^^J
216 Arthur Ogawa <arthur_ogawa at sbcglobal dot net>^^J
217 Based on work by David Carlisle <david at dcarlisle.demon.co.uk>^^J
218 Version (4.2d,4.2e): Modified by Mark Doyle and Phelype Oleinik^^J
219 \@gobble
220 }%
```

6.1 Compatibility Processing

If the document has \documentstyle{revtex4}, then, instead of attempting to run in compatibility mode, just complain and exit.

```
221 \if@compatibility
222   \edef\reserved@a{\errhelp{%
223     Change your \string\documentstyle\space statement to
224     \string\documentclass\space and rerun.
225   }}\reserved@a
226   \errmessage{You cannot run \class@name\space in compatibility mode}%
227   \expandafter\@end
228 \fi
```

7 Extensions to the L^AT_EX Kernel

```
229 %</kernel>
```

Here, we incorporate the utility, frontmatter, and page grid packages. The ltxutil, ltxfront, and ltxgrid source are distributed with REV^TE_X.

Here begins the options DOCSTRIP module.

```
230 %<*options>
```

7.1 Hooks

\setup@hook The procedure \setup@hook serves as the vehicle for all code that gives values to the class's parameters once all the society, journal, options, and packages have been processed.

Arrange for journal substyles to set their own default values.

```
231 \let\setup@hook\empty
```

After preamble processing is complete, detect whether package `longtable` has been loaded and patch it.

```
232 \appdef\document@inithook{%
233   \switch@longtable
234   \let\LT@makecaption\LT@makecaption@rtx
235 }%
```

`\LT@makecaption` We override the caption processing method of the `longtable` package: space below the caption is created via strut instead of whitespace.

```
236 \def\LT@makecaption@rtx#1#2#3{%
237   \LT@mcol\LT@cols c{%
238     \hbox to\z@{%
239       \hss
240       \parbox[t]{\LTcapwidth}{%
241         \sbox{\tempboxa{#1#2: }#3\unskip\nobreak\vrule\@width\z@\@height\z@\@depth .5\baselineskip
242         \ifdim\wd\@tempboxa>\hsize
243           #1#2: }#3\unskip\nobreak\vrule\@width\z@\@height\z@\@depth .5\baselineskip
244         \else
245           \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
246         \fi
247       \endgraf
248     }%
249     \hss
250   }%
251 }%
252 }%
```

`\robust@boldmath` Robustify the `\boldmath` command. If Team L^AT_EX (or any package) ever gets around to fixing this problem, we will bow out. (This fix relates to bug #394.)

```
253 \def\protectdef@boldmath{%
254   \expandafter\@ifnotrelax\csname boldmath \endcsname{}{%
255     \class@info{Robustifying \string\LaTeX's \string\boldmath\space command}%
256     \expandafter\let\csname boldmath \endcsname\boldmath
257     \expandafter\def\expandafter\boldmath\expandafter{\expandafter\protect\csname boldmath \endcsname
258   }%
259 }%
260 \appdef\document@inithook{%
261   \protectdef@boldmath
262 }%
```

8 Compatability with the geometry package

The `geometry` package of Hideo Umeki provides a way to specify the metrics of the media and page layout. We want to ensure that REV^TE_X does not foreclose on the use of this or any other such package, nor to interfere with explicit assignments of such metric parameters within the document preamble.

The L^AT_EX parameters (resp. T_EX primitives) set by `geometry` are: `\paperwidth`, `\paperheight`, `\textwidth`, `\textheight`, `\topmargin`, `\headheight`, `\headsep`,

```
\footskip, \skip\footins, \marginparwidth, \marginparsep, \oddsidemargin,  
\evensidemargin, \columnsep, \hoffset, \voffset, \mag, \if@twocolumn,  
\if@twoside, \if@mparswitch, \if@reversemargin,
```

REVTEX's assignments can be overridden by any package or other statement in the document preamble, so it should be compatible.

FIXME: one parameter is rendered semantically void (by `ltxgrid.dtx`):
`\if@twocolumn`.

9 Options

9.1 Define Booleans Used in Options

The following Booleans are used within the document class to allow the document or the substyle to make selections of formatting. An explicit document class option overrides an assignment made by a substyle.

9.2 Declare Options

9.2.1 Checkin: for Editorial Use

A document class option declaring that the document is being processed by the editorial staff.

This option should:

- put date in footer along with folio
- Have the effect of selecting the `preprint` class option.
- Have the effect of selecting the `showpacs` class option.
- specify that when a float is placed h or H, it will be allowed to break over pages. (Note: be sure that if the enclosed `tabular` has an optional argument, you change it to [v], or remove it entirely.)

```
263 \DeclareOption{checkin}{%  
264   \@booleantrue\dateinRH@sw  
265   \@booleantrue\preprintsty@sw  
266   \def\@pointsize{12}%"  
267   \@booleantrue\showPACS@sw  
268   \@booleantrue\showKEYS@sw  
269   \def\fp@proc@h{\allow@breaking@tables}%"  
270   \def\fp@proc@H{\allow@breaking@tables}%"  
271 }%"  
272 \@booleanfalse\dateinRH@sw  
273 \def\checkindate{\dateinRH@sw{\tiny(\today)}{}%  
274 \def\allow@breaking@tables{%"  
275   \def\array@default{v}%" tabular can break over pages  
276   \@booleanfalse\floats@sw % table can break over pages  
277 }%"
```

9.2.2 Preprint Style

\preprintsty@sw The boolean \preprintsty@sw signifies that the document is to be formatted in preprint style.

```
278 \DeclareOption{preprint}{%
279   \@booleantrue\preprintsty@sw
280   \ExecuteOptions{12pt}%
281 }%
282 \DeclareOption{reprint}{%
283   \@booleanfalse\preprintsty@sw
284   \@booleantrue\twocolumn@sw
285   \ExecuteOptions{10pt}%
286 }%
287 \DeclareOption{manuscript}{%
288   \class@warn{Document class option manuscript is obsolete; use preprint instead}%
289   \ExecuteOptions{preprint}%
290 }%
291 \@booleanfalse\preprintsty@sw
```

\showPACS@sw If \showPACS@sw is true, print the PACS information in the title block, otherwise \showKEYS@sw not. Similarly for \showKEYS@sw and the keywords.

9.2.3 Showing PACS and keywords

```
292 \DeclareOption{showpacs}{%
293   \@booleantrue\showPACS@sw
294 }%
295 \DeclareOption{noshowpacs}{%
296   \@booleanfalse\showPACS@sw
297 }%
298 \DeclareOption{showkeys}{%
299   \@booleantrue\showKEYS@sw
300 }%
301 \DeclareOption{noshowkeys}{%
302   \@booleanfalse\showKEYS@sw
303 }%
304 \@booleanfalse\showPACS@sw
305 \@booleanfalse\showKEYS@sw
```

9.2.4 Balance the last page when in two-column page grid

\balancelastpage@sw If we are in a two-column page grid, we may wish to balance the columns of the last page. This will be done automatically if the `twocolumn` document class option is chosen. This action will be turned off by the `nobalancelastpage`. A complementary class option, `balancelastpage` is also provided.

```
306 \DeclareOption{balancelastpage}{%
307   \@booleantrue\balancelastpage@sw
308 }%
309 \DeclareOption{nobalancelastpage}{%
310   \@booleanfalse\balancelastpage@sw
```

```

311 }%
312 \@booleantrue\balancelastpage@sw

```

9.2.5 Showing preprint numbers

\preprint@sw The boolean \preprint@sw signifies that the preprints (cf. \preprint) are to be formatted (usually on the title page). The option `preprintnumbers` declares to do so, `nopreprintnumbers` declares not to; the default is to follow \preprintsty@sw.

```

313 \DeclareOption{nopreprintnumbers}{\@booleanfalse\preprint@sw}%
314 \DeclareOption{preprintnumbers}{\@booleantrue\preprint@sw}%
315 \appdef\setup@hook{%
316   \@ifxundefined\preprint@sw{\let\preprint@sw\preprintsty@sw}{}%
317 }%

```

9.2.6 Hypertext Option

```

318 \DeclareOption{hyperref}{%

```

The following code had been commented out, it is now truly a comment:

```

% \AtEndOfClass{%
%   \begingroup
%     \edef\@tempa{%
%       \let
%         \noexpand\@clsextension
%         \noexpand\@empty
%         \noexpand\RequirePackage{hyperref}%
%         \def\noexpand
%           \@clsextension{\@clsextension}%
%     }%
%     \expandafter
%     \endgroup
%     \def\@tempa
%   }%
%   \def\@pointsizes{10}%
%
```

If you have a hyper-foo enabled browser you may prefer this format which does not print the URL for the home page, but just makes the name a link, but by default print it so it works on paper.

```

319 \class@warn{Class option "hyperref" is no longer supported.^^JEmploy \string\usepackage{hyperr
320 }%

```

9.2.7 Type Size

Use \@pointsizes=10 rather than \@ptsize=0 to allow easy extensions to 9pt or whatever. Note: the three alternatives are mutually exclusive.

At this point, the parameter \@pointsizes is set to \undefined: a society *must* give it a definition.

```

321 \DeclareOption{10pt}{\def\@pointsizes{10}}%

```

```

322 \DeclareOption{11pt}{\def\@pointsize{11}}%
323 \DeclareOption{12pt}{\def\@pointsize{12}}%
324 \let\@pointsize\undefined

```

9.2.8 Media Size

```

\paperheight
\paperwidth 325 \DeclareOption{a4paper}{%
326   \setlength\paperheight {297mm}%
327   \setlength\paperwidth {210mm}%
328 }%
329 \DeclareOption{a5paper}{%
330   \setlength\paperheight {210mm}%
331   \setlength\paperwidth {148mm}%
332 }%
333 \DeclareOption{b5paper}{%
334   \setlength\paperheight {250mm}%
335   \setlength\paperwidth {176mm}%
336 }%
337 \DeclareOption{letterpaper}{%
338   \setlength\paperheight {11in}%
339   \setlength\paperwidth {8.5in}%
340 }%
341 \DeclareOption{legalpaper}{%
342   \setlength\paperheight {14in}%
343   \setlength\paperwidth {8.5in}%
344 }%
345 \DeclareOption{executivepaper}{%
346   \setlength\paperheight {10.5in}%
347   \setlength\paperwidth {7.25in}%
348 }%
349 \DeclareOption{landscape}{%
350   \setlength\@tempdima {\paperheight}%
351   \setlength\paperheight {\paperwidth}%
352   \setlength\paperwidth {\@tempdima}%
353 }%

```

Effectively select letterpaper.

```

354 \ds@letterpaper

```

9.2.9 Bibnotes

```
\frontmatter@footnote@produce
```

Frontmatter footnotes result from frontmatter commands like `\email`, `\homepage`, `\altaffiliation`, and `\thanks`. The default for `\frontmatter@footnote@produce` is `\frontmatter@footnote@produce@footnote`, which formats the frontmatter footnotes at the foot of the title page. The `bibnotes` class option defers them to the bibliography.

```

355 \DeclareOption{bibnotes}{\let\frontmatter@footnote@produce\frontmatter@footnote@produce@endnote}
356 \DeclareOption{nobibnotes}{\let\frontmatter@footnote@produce\frontmatter@footnote@produce@footn}

```

```
357 \let\frontmatter@footnote@produce\frontmatter@footnote@produce@footnote
358 \appdef\class@enddocumenthook{\auto@bib}%
```

9.2.10 Footinbib

\footinbib@sw The boolean `\footinbib@sw` signifies that text footnotes are to be set in the bibliography, as endnotes.

The document may set the value one way or the other via the following two class options.

```
359 \DeclareOption{footinbib}{\@booleantrue\footinbib@sw}
360 \DeclareOption{nofootinbib}{\@booleanfalse\footinbib@sw}
```

The default value is `\false@sw`, and the society or journal may override the default.

```
361 \@booleanfalse\footinbib@sw
```

9.2.11 altaffilletter

\altaffilletter@sw Determine the procedure `\thefootnote` used in frontmatter: the footnote symbol used in titlepage footnotes.

```
362 \DeclareOption{altaffilletter}{\@booleantrue\altaffilletter@sw}%
363 \DeclareOption{altaffilsymbol}{\@booleanfalse\altaffilletter@sw}%
364 \@booleanfalse\altaffilletter@sw
```

9.2.12 superbib

\place@bibnumber The procedure `\place@bibnumber` produces the number at the head of the `\bibitem`, in the bibliography. By default, it has the `\bibnumfmt` meaning assigned by the `natbib` package. It may be overridden by society, journal, or by the document options.

```
365 \DeclareOption{superbib}{%
366   \let\place@bibnumber\place@bibnumber@sup
367 }%
368 \def\place@bibnumber{\NATx@\bibnumfmt}%

```

\place@bibnumber@sup For producing the `\bibitem` device, we define two procedures to select from.

\place@bibnumber@inl Note that we could have used `natbib`'s `\ifNAT@super` switch, but it does not allow for altering the meaning of `\bibnumfmt`.

```
369 \def\place@bibnumber@sup#1{\textsuperscript{#1}}%
370 \def\place@bibnumber@inl#1{[#1]}%
```

9.2.13 citeautoscript

\citeautoscript@sw This class option allows you to automatically accomodate a change from non-superscripted, numbered references to superscripted, bumbered references.

Note: you should always mark up your document with the assumption that references are *not* going to be superscripted. Otherwise this option has no hope of working properly.

```

371 \DeclareOption{citeautoscript}{\@booleantrue\citeautoscript@sw}%
372 \@booleanfalse\citeautoscript@sw

```

9.2.14 Variants on the Bibliography Style

REVTeX anticipates that a society or journal will provide two related BibTeX bibliography style variants, designating one as the default. A pair of document class options `longbibliography` and `nolongbibliography` allows the user to explicitly select between them.

`\longbibliography@sw` REVTeX's default for `\longbibliography@sw` is `\true@sw`.

```

373 \DeclareOption{longbibliography}{\@booleantrue\longbibliography@sw}%
374 \DeclareOption{nolongbibliography}{\@booleanfalse\longbibliography@sw}%
375 \@booleantrue\longbibliography@sw

```

`\eprint@enable@sw` The document class options `eprint` and `noeprint` give the user the ability to turn off production of the `eprint` field in the bibliography.

```

376 \DeclareOption{eprint}{\@booleantrue\eprint@enable@sw}%
377 \DeclareOption{noeprint}{\@booleanfalse\eprint@enable@sw}%
378 \@booleantrue\eprint@enable@sw

```

9.2.15 Simplex/Duplex Pages

`\twoside@sw` The flag `\twoside@sw` signifies that the document is to be formatted for duplex printing. After the preamble is processed, we align the value of the kernel `\newif` switch `\if@twoside` to that of `\twoside@sw`. `\if@twoside` itself is used in the kernel's `\cleardoublepage` and `\@outputpage` procedures.

```

379 \@booleanfalse\twoside@sw
380 \appdef{\document}{\inithook}{%
381   \twoside@sw{\@twosidetrue}{\@twosidefalse}%
382 }%

```

The complementary options `twoside` and `oneside` assert formatting for duplex or simplex printing, respectively. At the same time, we arrange for the selection of the page grid with respect to the marginal column: Because `\if@reversemargin` remains default (false), if duplex printing, this column will always be on the (right), if simplex printing, it will always be on the (outside). QUERY: correct choice? FIXME: assign `\if@mparswitch` later (and protect the assignment, too).

```

383 \DeclareOption{twoside}{\@booleantrue \twoside@sw\@mparswitchfalse}%
384 \DeclareOption{oneside}{\@booleanfalse\twoside@sw\@mparswitchtrue}%

```

9.2.16 Two-Column Page Grid

`\twocolumn@sw` The flag `\twocolumn@sw` signifies that the document is to be formatted in the two-column page grid.

If no options relating to page grid are invoked by `\AtBeginDocument` time, we set default values. Up to that point, the class can check if `\twocolumn@sw` is `\undefined` to see if any related options have been invoked.

`onecolumn` specifies one-column page grid. The `twocolumn` class option employs the standard mechanism for changing the column grid: the `ltxgrid` package.

```
385 \DeclareOption{onecolumn}{\@booleanfalse\twocolumn@sw}%
386 \DeclareOption{twocolumn}{\@booleantrue\twocolumn@sw}%
387 \@booleanfalse\twocolumn@sw
```

The column grid is determined by the state of the switch `\twocolumn@sw` and is effected at `\class@documenthook` time. The society or journal file may re-define `\select@column@grid` to accommodate, e.g., more than two choices for the page grid.

Note that `\open@column@two` adds items to the Main Vertical List, so constitutes the true beginning of the document.

Note also that if the selected column grid is a one-column grid, there is nothing to do, because `ltxgrid` has already set that up via `\begindocumenthook`.

```
388 \def\select@column@grid{%
389   \twocolumn@sw{%
390     \twocolumn@grid@setup
391     \open@twocolumn
392   }{%
393     \onecolumn@grid@setup
394   }%
395 }%
396 \appdef\class@documenthook{%
397   \select@column@grid
398 }%
```

`\clear@document` We install into `\class@enddocumenthook` a trap for the procedure `\clearpage` that attempts to end the current page. This procedure needs to be headpatched with `\close@column` to end the current page grid.

This procedure is executed after all typesetting is complete i.e., after items like `\printtables`, as well as all commands queued up by `\AtEndDocument`.

```
399 \appdef\setup@hook{%
400   \let\clearpage@ltx\clearpage
401   \prepdef\clear@document{\let\clearpage\clearpage@ltx\let\clear@document\empty\close@column}%
402   \appdef\class@documenthook{%
403     \appdef\class@enddocumenthook{%
404       \let\clearpage\clear@document
405     }%
406   }%
407 }%
```

`\authoryear@sw` The boolean `\authoryear@sw` signifies that we are to use author-year citations rather than numerical citations.

The `author-year` class option selects “author-year” citations; `numerical` selects “numerical” citations. The former is the default.

```

408 \DeclareOption{author-year}{\@booleantrue\authoryear@sw}%
409 \DeclareOption{numerical}{\@booleanfalse\authoryear@sw}%
410 \@booleanfalse\authoryear@sw

```

\galley@sw The boolean \galley@sw signifies that the document is to be formatted in galley style.

Asserting both \galley@sw and \preprintsty@sw may produce strange formatting results, but it is not illegal. However, it *is* illegal to assert galley and any twocolumn option.

galley emulates setting the galleys of a two-column journal. CHANGED: this option should effectively set \preprintsty@sw false. NOTE: it makes no sense to assert both galley and twocolumn.

```

411 \DeclareOption{galley}{%
412   \ExecuteOptions{onecolumn}%
413   \@booleantrue\galley@sw
414   \@booleanfalse\preprintsty@sw
415   \appdef\setup@hook{%
416     \advance\textwidth-\columnsep
417     \textwidth.5\textwidth
418   }%
419 }%
420 \@booleanfalse\galley@sw

```

9.2.17 raggedbottom or flushbottom

\raggedcolumn@sw The class options `raggedbottom` and `flushbottom` determine whether the columns (page) are ragged bottom or flush bottom. Note that we do not select a default here; that is done by the journal substyle.

```

421 \DeclareOption{raggedbottom}{\@booleantrue\raggedcolumn@sw}
422 \DeclareOption{flushbottom}{\@booleanfalse\raggedcolumn@sw}
423 \@booleanfalse\raggedcolumn@sw
424 \appdef\setup@hook{%
425   \raggedcolumn@sw{\raggedbottom}{\flushbottom}%
426 }%

```

9.2.18 tightenlines

This class option specifies that standard leading is to be used to set the type. If lacking, the leading will be loose.

\tightenlines@sw The boolean \tightenlines@sw signifies that the leading is to be made standard amount. If false, it means that the leading is to be set extra open. Has no effect on 10pt size option.

```

427 \DeclareOption{tightenlines}{\@booleantrue\tightenlines@sw}
428 \@booleanfalse\tightenlines@sw

```

9.2.19 lengthcheck

\lengthcheck@sw The flag \lengthcheck@sw signifies that the length checking is in effect. It is up to the individual journal substyle to alter its formatting accordingly.

429 \@booleanfalse\lengthcheck@sw

This class option specifies that the formatted document should approach as closely as possible the formatting of an actual journal article to facilitate the author's performance of a length check.

FIXME: society or journal may have its own definition of this option.

430 \DeclareOption{lengthcheck}{%
431 \@booleantrue\lengthcheck@sw
432 \ExecuteOptions{reprint}}%
433 }%

In addition, if length checking is in effect, we will enable the tally of text length.

434 \appdef\setup@hook{
435 \lengthcheck@sw{\@booleantrue\tally@box@size@sw}{}%
436 }%

9.2.20 Draft and Final

\draft@sw The flag \draft@sw signifies that the document is to be formatted in draft mode.

437 \appdef\setup@hook{
438 \draft@sw{\overfullrule 5\p@{\overfullrule\z@}}%
439 }%

Certain packages may pay attention to the class option `draft` that sets this Boolean.

440 \DeclareOption{draft}{\@booleantrue\draft@sw}%
441 \DeclareOption{final}{\@booleanfalse\draft@sw}%
442 \@booleanfalse\draft@sw

9.2.21 eqsecnum

\eqsecnum@sw The flag \eqsecnum@sw signifies that equations are to be numbered with the section, e.g., "Eq. (2.13)".

443 \appdef\setup@hook{
444 \eqsecnum@sw{
445 \@addtoreset{equation}{section}}%
446 \def\theequation@prefix{\arabic{section}.}%
447 }{}%
448 }%

The `eqsecnum` class option signifies that equations are to be numbered within sections.

449 \DeclareOption{eqsecnum}{\@booleantrue\eqsecnum@sw}%
450 \@booleanfalse\eqsecnum@sw

9.2.22 secnumarabic

The `secnumarabic` class option signifies that sectioning commands are to be numbered arabic: the procedure `\secnums@arabic` is executed as the default. Otherwise, the procedure `\secnums@rtx` determines things. The society or journal may redefine either procedure, and may change the definition of `\setup@secnums` itself, thereby establishing a different default.

```
451 \appdef\setup@hook{%
452   \setup@secnums
453 }%
454 \DeclareOption{secnumarabic}{%
455   \def\setup@secnums{\secnums@arabic}%
456 }%
457 \def\setup@secnums{\secnums@rtx}%
```

The code that defines `\secnums@rtx` and `\secnums@arabic` appears in Section 14.4.

fleqn FIXME: model fleqn after amsfonts. I no longer understand why I said this. fleqn.clo is not a package, so it can simply be \input.

```
458 \DeclareOption{fleqn}{%
459   \input{fleqn.clo}%
460 }%
```

9.2.23 floats/endfloats

`\floats@sw` The Boolean `\floats@sw` signifies that floats are to be floated; if false, that floats `\floatp@sw` are to be deferred to the end of the document. By default, the former. Note that the state of this Boolean is to be changed by the document class in response to user-selected options.

This boolean and the assignment of its default value is done by the `ltxutil` package.

The Boolean `\floatp@sw` signifies that endfloats are to be set one per page; if false, that endfloats are to be set with multiple floats per page permitted. By default, the latter. Note that the state of this Boolean is to be changed by the document class in response to user-selected options. The default is established here.

These options control, via the Boolean `\floats@sw`, whether floats are to be migrated to the end of the document.

```
461 \DeclareOption{floats}{\@booleantrue\floats@sw\@booleanfalse\floatp@sw}
462 \DeclareOption{endfloats}{\@booleanfalse\floats@sw\@booleanfalse\floatp@sw}
463 \DeclareOption{endfloats*}{\@booleanfalse\floats@sw\@booleantrue\floatp@sw}
464 \@booleantrue\floats@sw
465 \@booleantrue\floatp@sw
```

9.2.24 titlepage/notitlepage

These options control, via `\titlepage@sw`, whether the title block is to be set on a separate page.

\titlepage@sw The flag \titlepage@sw signifies that a forced page break is to follow the title page: the article title appears on a page by itself.

```
466 \DeclareOption{titlepage}{\@booleantrue\titlepage@sw}
467 \DeclareOption{notitlepage}{\@booleanfalse\titlepage@sw}
468 \@booleanfalse\titlepage@sw
```

9.2.25 Substyle and Sub-substyle

\change@society If the society or, resp., journal has already been assigned, notify user whether it \change@journal is being overridden.

```
469 \def\change@society#1{%
470   \def\@tempa{#1}%
471   \ifxundefined\@society{%
472     \class@info{Selecting society \@tempa}%
473     \let\@society\@tempa
474   }{%
475     \ifx{\@tempa\@society}{}{%
476       \class@warn{Conflicting society \@tempa<>\@society; not selected}%
477     }%
478   }%
479 }%
480 \def\change@journal#1{%
481   \def\@tempa{#1}%
482   \ifxundefined\@journal{%
483     \class@info{Selecting journal \@tempa}%
484     \let\@journal\@tempa
485   }{%
486     \ifx{\@tempa\@journal}{}{%
487       \class@warn{Conflicting journal \@tempa<>\@journal; not selected}%
488     }%
489   }%
490 }%
```

Here had been the class options relating to the APS. Now that all societies are on an equal footing, this code is in the respective .rtx file.

9.2.26 Optical Society of America

Here are the class options relating to the Optical Society of America.

Note: as of 2008, the only OSA module being distributed by ctan is osajnl.rtx. The class options declared here are, I think, unused.

```
491 \DeclareOption{osa}{\change@society{osa}\let\@journal\@undefined}%
492 \DeclareOption{osameet}{\change@society{osa}\def\@journal{osameet}}%
493 \DeclareOption{opex}{\change@society{osa}\def\@journal{opex}}%
494 \DeclareOption{tops}{\change@society{osa}\def\@journal{tops}}%
495 \DeclareOption{josa}{\change@society{osa}\def\@journal{josa}}%
```

\rtx@require@packages	The procedure <code>\rtx@require@packages</code> accumulates all <code>\RequirePackage</code> statements in the course of loading the document class. Carrying out these operations at that time is needed: <code>\ProcessOptions</code> must be executed first.
	496 <code>\let\rtx@require@packages\@empty</code>
\MakeUppercase	We load the <code>textcase</code> package of David Carlisle. Now that its bug of long standing has been repaired, we no longer need to doctor it up. And, because its loading has been deferred until <code>\rtx@require@packages</code> time, we no longer override L ^A T _E X here. Instead, the <code>textcase</code> package will be asked to do that.
\MakeLowercase	497 <code>\appdef\rtx@require@packages{%</code> 498 <code>\RequirePackage[overload]{textcase}{%</code> 499 <code>}</code>
	The following code used to let the <code>textcase</code> commands override those of L ^A T _E X:
	<code>%\appdef\setup@hook{%</code> % <code>\expandafter</code> % <code>\let\csname MakeUppercase \expandafter\endcsname</code> % <code>\csname MakeTextUppercase \endcsname</code> % <code>\expandafter</code> % <code>\let\csname MakeLowercase \expandafter\endcsname</code> % <code>\csname MakeTextLowercase \endcsname</code> % <code>}</code> %
amsfonts	The class option <code>amsfonts</code> has the same effect as if the document preamble contained a <code>\usepackage{amsfonts}</code> statement.
	500 <code>\DeclareOption{amsfonts}{%</code> 501 <code>\def\class@amsfonts{\RequirePackage{amsfonts}}{%</code> 502 <code>}</code> 503 <code>\DeclareOption{noamsfonts}{%</code> 504 <code>\let\class@amsfonts\@empty</code> 505 <code>}</code> 506 <code>\appdef\rtx@require@packages{%</code> 507 <code>@ifxundefined\class@amsfonts{}{\class@amsfonts}{%</code> 508 <code>}</code>
amssymb	The class option <code>amssymb</code> has the same effect as if the document preamble contained a <code>\usepackage{amssymb}</code> statement.
	509 <code>\DeclareOption{amssymb}{%</code> 510 <code>\def\class@amssymb{\RequirePackage{amssymb}}{%</code> 511 <code>}</code> 512 <code>\DeclareOption{noamssymb}{%</code> 513 <code>\let\class@amssymb\@empty</code> 514 <code>}</code> 515 <code>\appdef\rtx@require@packages{%</code> 516 <code>@ifxundefined\class@amssymb{}{\class@amssymb}{%</code> 517 <code>}</code>

amsmath The class option `amsmath` has the same effect as if the document preamble contained a `\usepackage{amsmath}` statement.

We require version 1.2 (date stamped 1997/03/20) or later. The `\ver@amsmath.sty`, will

LATEX note: Certain LATEX procedures have an arbitrary and pointless restriction that they may be used only within the preamble. We get around this by preserving the procedures in private `\csnames`.

FIXME note: it is difficult to ensure that an error summary will be printed on the console at the very end, but `ltxgrid` allows accomplishing this via an interrupt, put down at `\AtEndDocument` time.

```
518 \DeclareOption{amsmath}{%
519   \def\class@amsmath{\RequirePackage{amsmath}[\ver@amsmath@prefer]}%
520 }%
521 \DeclareOption{noamsmath}{%
522   \let\class@amsmath@\empty%
523 }%
524 \appdef\rtx@require@packages{%
525   \preserve@LaTeX%
526   @ifxundefined\class@amsmath{}{\class@amsmath}%
527   \appdef\class@enddocumenthook{\test@amsmath@ver}%
528 }%
529 \appdef\preserve@LaTeX{%
530   \let\@ifl@aded@LaTeX\@ifl@aded%
531   \let\@ifpackageloading@LaTeX\@ifpackageloading%
532   \let\@pkgextension@LaTeX\@pkgextension%
533   \let\@ifpackagelater@LaTeX\@ifpackagelater%
534   \let\@ifl@ter@LaTeX\@ifl@ter%
535   \let\@ifl@t@r@LaTeX\@ifl@t@r%
536   \let\@parse@version@LaTeX\@parse@version%
537 }%
538 \appdef\restore@LaTeX{%
539   \let\@ifl@aded\@ifl@aded@LaTeX%
540   \let\@ifpackageloading\@ifpackageloading@LaTeX%
541   \let\@pkgextension\@pkgextension@LaTeX%
542   \let\@ifpackagelater\@ifpackagelater@LaTeX%
543   \let\@ifl@ter\@ifl@ter@LaTeX%
544   \let\@ifl@t@r\@ifl@t@r@LaTeX%
545   \let\@parse@version\@parse@version@LaTeX%
546 }%
547 \def\test@amsmath@ver{%
548   \begingroup%
549   \restore@LaTeX%
550   \@ifpackageloading{amsmath}{%
551     \@ifpackagelater{amsmath}{\ver@amsmath@prefer}{}{%
552       \class@warn{%
553         You have loaded amsmath, version "\csname ver@amsmath.sty\endcsname", \MessageBreak
554         but this class requires version "\ver@amsmath@prefer", or later.\MessageBreak
555         Please update your LaTeX installation.%
556     }%
557   }%
558 }
```

```

557     }%
558   }{%
559   }%
560 \endgroup
561 }%
562 \def\ver@amsmath@prefer{2000/01/15 v2.05 AMS math features}%

```

9.2.27 Presenting Authors and Their Affiliations

Class options for presenting authors and their affiliations are now defined in `ltxfront.dtx`.

9.2.28 Typeset by REVTEX

`\byrevtex@sw` The flag `\byrevtex@sw` signifies that the document should bear an imprint to the effect that it was formatted by this document class.

The class option `byrevtex` signifies that you want the “Typeset by REVTEX” byline to appear on your formatted output. By default, no such byline appears.

```

563 \DeclareOption{byrevtex}{\@booleantrue\byrevtex@sw}%
564 \@booleanfalse\byrevtex@sw

```

9.3 Attempt to fix float placement failure

`\force@deferlist@sw` REVTEX uses the `ltxgrid` package, which provides the ability to attempt repairs when L^AT_EX’s float placement mechanism is about to fail, but that facility is turned off by default. Users should invoke the `floatfix` document class option to enable this L^AT_EX extension. If not, a helpful message is printed in the log, indicating how to work around the difficulty.

```

565 \DeclareOption{floatfix}{\@booleantrue\force@deferlist@sw}%
566 \DeclareOption{nofloatfix}{\@booleanfalse\force@deferlist@sw}%
567 \@booleanfalse\force@deferlist@sw

```

`\@fltovf` The L^AT_EX kernel error message `\@fltovf` may now be a bit more helpful to the `\@fltsk` user; likewise for the `\@fltsk` message of `ltxgrid`.

```

568 \gdef\@fltovf{%
569   \@latex@error{%
570   Too many unprocessed floats%
571   \force@deferlist@sw{}; try class option [floatfix]}%
572 }@\ehb
573 }%
574 \def\@fltsk{%
575   \@latex@warning{%
576   A float is stuck (cannot be placed)%
577   \force@deferlist@sw{}; try class option [floatfix]}%
578 }%
579 }%

```

\ltxgrid@info@sw \outputdebug@sw The two options `ltxgridinfo` and `outputdebug` turn on informative diagnostics within the package `ltxgrid`. Only people who really want to see this output will select these class options. Consult documentation for the `ltxgrid` package to see what output the related switches enable.

```

580 \DeclareOption{ltxgridinfo}{%
581   \@booleantrue\ltxgrid@info@sw
582 }@\booleantrue\ltxgrid@foot@info@sw
583 }%
584 \DeclareOption{outputdebug}{%
585   \@booleantrue\outputdebug@sw
586   \@booleantrue\ltxgrid@info@sw
587   \@booleantrue\ltxgrid@foot@info@sw
588   \traceoutput
589 }%

```

9.4 Option to relax page height

\textheight@sw The `ltxgrid` package can set text pages to their natural height or force them to the full text height; the latter is the default. If setting the pages with a variable length, the running foot will move up or down with the natural length of the text column. While I recommend against doing so, this option will turn that switch to the latter setting.

```

590 \DeclareOption{raggedfooter}{\@booleanfalse\textheight@sw}%
591 \DeclareOption{noraggedfooter}{\@booleantrue\textheight@sw}%

```

9.5 Selecting procedure for processing abstract

Code defining options `newabstract` and `oldabstract` has been removed.

9.6 Option to turn on diagnostics in the frontmatter

\frontmatterverbose@sw A diagnostic option, not for the average enduser, which reveals the workings of the frontmatter. This code interfaces to that of `ltxfront.dtx`.

```

592 \DeclareOption{frontmatterverbose}{\@booleantrue\frontmatterverbose@sw}%
593 \@booleanfalse\frontmatterverbose@sw

```

\linenumbers@sw An option to number the lines of type in the output in the manner of `lineno`. At present, we use that very package to implement this functionality. This means that users may modify the workings of that package per its documentation (which see).

However, compatibility with `amsmath` requires that `lineno` be loaded afterwards. Therefore, we defer loading of this package until after the preamble is completed.

```

594 \DeclareOption{linenumbers}{%
595   \appdef
596   \class@documenthook{%
597     \RequirePackage{lineno}[2005/11/02 v4.41]%

```

```

598   \linenumbersep4pt\relax
599   \linenumbers\relax
600 }%
601 }%

```

By default, line numbering is off.

- \NAT@merge Add class option `nomerge`, to turn off natbib 8.3 syntax for citation key. The default value of REVTeX 4.1 for \NAT@merge is \thr@@, which turns on the new syntax along with its semantics. Legacy documents that would be incompatible with the new syntax can be successfully processed with class option `nomerge`.

```

602 \DeclareOption{nomerge}{%
603   \appdef\setup@hook{%
604     \cifnum{\NAT@merge>\z@}{\let\NAT@merge\z@}{}}%
605 }%
606 }%

```

9.7 Default Option, Society, Journal, and pointsize

This change will not break OSA documents because that society is still built in to revtex4.

- \@parse@class@options@society The procedure \@parse@class@options@society parses the options passed to this document class for the \society. It is like \ProcessOptions* in that it accesses \@optionlist{\@currname.\@currext}. Any undefined option is considered: if there is a corresponding .rtx file, it will change the society accordingly and define a placeholder class option for the society thus found (thus preventing a spurious "option not found" message).

The procedure \@parse@class@options@ parses the document's options for any that set the \csname provided.

```

607 \def\@parse@class@options@society{%
608   \edef\@tempa{\@optionlist{\@currname.\@currext}}%
609   \expandafter\@for\expandafter\CurrentOption\expandafter:\expandafter=\@tempa\do{%
610     \expandafter\@ifnotrelax\csname ds@\CurrentOption\endcsname{}{%
611       \IfFileExists{\CurrentOption\substyle@post.\substyle@ext}{%
612         \expandafter\change@society\expandafter{\CurrentOption}}%
613         \expandafter\let\csname ds@\CurrentOption\endcsname\@empty
614       }{}%
615     }%
616   }%
617 }%
618 \def\@parse@class@options@#1{%
619   \edef\@tempa{\@optionlist{\@currname.\@currext}}%
620   \expandafter\@for\expandafter\CurrentOption\expandafter:\expandafter=\@tempa\do{%
621     \expandafter\@ifnotrelax\csname ds@\CurrentOption\endcsname{}{%
622       \begingroup\csname ds@\CurrentOption\endcsname
623         \cifxundefined#1{%
624           \endgroup
625         }{%

```

```

626      \expandafter\endgroup\expandafter\def\expandafter#1\expandafter{#1}%
627      }%
628  }{ }%
629 }%
630 }%
631 \def\@parse@class@options@journal{%
632   \edef\@tempa{\@optionlist{\currname.\currext}}%
633   \expandafter\@for\expandafter\CurrentOption\expandafter:\expandafter=\@tempa\do{%
634     \expandafter\@ifnotrelax\csname ds@\CurrentOption\endcsname{%
635       \begingroup
636         \csname ds@\CurrentOption\endcsname
637         \@ifxundefined\@journal{%
638           \endgroup
639         }{%
640           \expandafter\endgroup\expandafter\def\expandafter\@journal\expandafter{\@journal}%
641         }%
642     }{ }%
643   }%
644 }%
645 \def\@parse@class@options{%
646   \edef\@tempa{\@optionlist{\currname.\currext}}%
647   \expandafter\@for\expandafter\CurrentOption\expandafter:\expandafter=\@tempa\do{%
648     \expandafter\@ifnotrelax\csname ds@\CurrentOption\endcsname{%
649       \begingroup
650         \csname ds@\CurrentOption\endcsname
651         \@ifxundefined\@pointsize{%
652           \endgroup
653         }{%
654           \expandafter\endgroup\expandafter\def\expandafter\@pointsize\expandafter{\@pointsize}%
655         }%
656     }{ }%
657     \IfFileExists{\CurrentOption\substyle@post.\substyle@ext}{%
658       \expandafter\change@society\expandafter{\CurrentOption}%
659       \expandafter\let\csname ds@\CurrentOption\endcsname\empty
660     }{ }%
661   }{ }%
662 }%
663 }%

```

The class option `hypertext` enables the built-in hypertext capabilities, which coincide with those of `custom-bib`-generated BIBTeX styles using the guard code `hypertext`.

Note that APS has these capabilities turned off by default; Loading the `hyperref` package turns them on.

```

664 \DeclareOption{hypertext}{\hypertext@enable@ltx}%
665 \appdef\document@inithook{\@ifpackageloaded{hyperref}{\hypertext@enable@ltx}{}}

```

The default handling for a document class option depends upon whether the `\@society` is defined.

If not, then hunt for a `.rtx` file with that name. If it exists, then we will take this option as the name of the society, otherwise, declare the option as not used.

(This behavior is similar to the L^AT_EX2.09 handling, where one looked for a `.sty` file, except that in this case, we must provide for journal substyles that may be defined in the society file, or have their own journal substyle file.)

At the point where the class file is finished loading, we then read in the society file. That file can define further class options, such as the journal substyle.

For users, this will mean that they can specify the society and journal simply by specifying first the former and then the latter among their document class options. The society *must* have a corresponding `.rtx`.

```

666 %</options>
667 %<*package>

\@process@society
\@process@journal 668 \def\substyle@post{4-2}%
\@process@pointsize 669 \def\substyle@ext{rtx}%
670 \DeclareOption*{\OptionNotUsed}%

```

A society substyle may define its own options, via `\DeclareOption`.

At the end of this document class, we process the society file, using `aps.rtx` if none has been specified in the document.

```

671 \def\@process@society#1{%
672   \@ifxundefined\@society{%
673     \class@warn{No Society specified, using default society #1}%
674     \def\@society{\let\@journal\@undefined%
675   }{}%
676   \expandafter\input\expandafter{\@society\substyle@post.\substyle@ext}%
677 }%

```

A society substyle can encompass any number of journal substyles; we use the following procedure to invoke the proper one.

```

678 \def\@process@journal#1{%
679   \@ifxundefined\@journal{%
680     \class@warn{No journal specified, using default #1}%
681     \def\@journal{\let\@society\@undefined%
682   }{}%
683   \expandafter\expandafter
684   \expandafter\rtx@do@\substyle
685   \expandafter\expandafter
686   \expandafter{\expandafter\@society\@journal}%
687 }%
688 \def\rtx@do@\substyle#1{%
689   \InputIfFileExists{#1\substyle@post.\substyle@ext}{}{\csname rtx@#1\endcsname}%
690 }%

```

Document class options `10pt`, `11pt`, and `12pt` are implemented by REV_T_EX itself and determine `\@pointsize`. These provide formatting settings appropriate to the society's journals.

If not specified by the document, a value `\@pointsize@default` is used. This default can be set by the journal. Here, the society sets its default.

```

691 \def\@process@pointsize#1{%
692   \ifxundefined\@pointsize{%
693     \def\@pointsize{#1}%
694     \class@warn{No type size specified, using default \@pointsize}%
695   }{%
696     \expandafter\expandafter
697     \expandafter\rtx@do@substyle
698     \expandafter\expandafter
699     \expandafter{\expandafter\@society\@pointsize pt}%
700   }%

```

9.8 Class-Asserted Options

Here we establish the default document class options. Those of the document itself will override these.

10 Procedures Dependent Upon Options

Here we introduce `classes.dtx` definitions for the page styles that people will expect to be able to use.

```

\ps@headings
\ps@myheadings 701 \def\ps@headings{%
702   \let\@oddfoot\@empty\let\@evenfoot\@empty
703   \def\@evenhead{\thepage\hfil\slshape\leftmark}%
704   \def\@oddhead{\slshape\rightmark}\hfil\thepage}%
705   \let\@mkboth\markboth
706   \def\sectionmark##1{%
707     \markboth {\MakeUppercase{%
708       \ifnum \c@secnumdepth >\z@
709         \thesection\quad
710       \fi
711     ##1}}{}}%
712   \def\subsectionmark##1{%
713     \markright {%
714       \ifnum \c@secnumdepth >\@ne
715         \thesubsection\quad
716       \fi
717     ##1}}{}}%
718 \def\ps@myheadings{%
719   \let\@oddfoot\@empty\let\@evenfoot\@empty
720   \def\@evenhead{\thepage\hfil\slshape\leftmark}%
721   \def\@oddhead{\slshape\rightmark}\hfil\thepage}%
722   \let\@mkboth\gobbletwo
723   \let\sectionmark\gobble
724   \let\subsectionmark\gobble

```

```

725      }%
726
727 \ps@article
728 \ps@article@final 726 \def\ps@article{%
729   \def\@evenhead{\let\\heading@cr\the\page\quad\checkindate\hfil{\leftmark}}%
730   \def\@oddhead{\let\\heading@cr{\rightmark}\hfil\checkindate\quad\the\page}%
731   \def\@oddfoot{}%
732   \def\@evenfoot{}%
733   \let\@mkboth\markboth
734   \let\sectionmark@gobble
735   \let\subsectionmark@gobble
736 }%
737 \def\ps@article@final{%
738   \def\@evenhead{\let\\heading@cr\the\page\quad\checkindate\hfil{\leftmark}}%
739   \def\@oddhead{\let\\heading@cr{\rightmark}\hfil\checkindate\quad\the\page}%
740   \def\@oddfoot{}%
741   \def\@evenfoot{}%
742   \let\@mkboth\markboth
743   \def\sectionmark##1{%
744     \markboth{%
745       \MakeTextUppercase{%
746         \@ifnum{\c@secnumdepth >\z@}{\thesection\hspace{1em}\relax}{}%
747         ##1%
748       }%
749     }%
750     \def\subsectionmark##1{%
751       \markright {%
752         \@ifnum{\c@secnumdepth >\@ne}{\thesubsection\hspace{1em}\relax}{}%
753         ##1%
754       }%
755     }%
756   \def\heading@cr{\unskip\space\ignorespaces}%
757 \def\ps@preprint{%
758   \def\@oddfoot{\hfil\the\page\quad\checkindate\hfil}%
759   \def\@evenfoot{\hfil\the\page\quad\checkindate\hfil}%
760   \def\@oddhead{}%
761   \def\@evenhead{}%
762   \let\@mkboth\@gobbletwo
763   \let\sectionmark@gobble
764   \let\subsectionmark@gobble
765 }%
766 \let\@oddhead\@empty
767 \let\@evenhead\@empty
768 \let\@oddfoot\@empty
769 \let\@evenfoot\@empty

```

\lastpage@putlabel Support the default meaning of \endpage. Name of this macro (and the \label key) taken from [CTAN:/macros/latex/contrib/other/lastpage](#) with code optimised slightly.

```

770 \def\lastpage@putlabel{%
771   \if@filesw
772     \begingroup
773       \advance\c@page\m@ne
774       \immediate\write\auxout{\string\newlabel{LastPage}{}{\thepage}{}{}{}}
775     \endgroup
776   \fi
777 }%

```

Install a procedure into document endgame processing that labels the last page of the document. This is done just before the .aux file is closed, and does not require a \shipout, because it writes directly to the .aux file. Note that we assume no further \shipouts will be done past this point.

```

778 \appdef\clear@document{%
779   \do@output@cclv{%
780     \lastpage@putlabel
781     \tally@box@size@sw{\total@text}{}%
782   }%
783 }%
784 \providecommand\write@column@totals{}%

```

11 Required Packages

[CTAN:/macros/latex/contrib/other/misc/url.sty](#)

```

785 \appdef\rtx@require@packages{%
786   \RequirePackage{url}%
787 }%

```

12 Incompatible Packages

We wait until after the preamble is processed, then check for any packages that might have been loaded which we know to be incompatible with REVTEX.

The `multicol` package is incompatible with `ltxgrid`, which replaces it. The `cite` package is incompatible with `natbib`, which replaces its functionality. The functionality of the `mcite` package is provided by `natbib`.

```

788 \appdef\document@inithook{%
789   \incompatible@package{cite}%
790   \incompatible@package{mcite}%
791   \incompatible@package{multicol}%
792 }%

```

13 Society- and Journal-Specific Code

\@journal Journal test helper, used as

```
%\cifx{\@journal\journal@pra}{%
% 〈journal-specific setup〉
%\fi
%
```

Journal code might like to further specify (if as yet undefined) or distinguish on the following Booleans.

Note: the journal substyle code should only alter the value of one of these Booleans if the Boolean is \undefined. This convention is what makes the document's options take precedence over the values set by the journal.

FIXME: make this table an exhaustive listing of all the parameters set by the class options.

\@pointsize	(101112), depending on the type size
\footinbib@sw	true if footnotes are to be formatted in the bibliography
\preprintsty@sw	true for preprint and hyperpreprint
\eqsecnum@sw	true means that equations are numbered within sections
\groupauthors@sw	true means authors listed separately for each address
\preprint@sw	true means to produce the preprint numbers as part of the title block
\showPACS@sw	true means to produce the PACS as part of the title block
\showKEYS@sw	true means to produce the keywords as part of the title block
\affils@sw	true means each affiliation is printed, for each author
\runinaddress@sw	true means author addresses are printed run-in
\draft@sw	true implies that PACS will be printed
\tightenlines@sw	true if preprint single spaced
\lengthcheck@sw	true if length checking is in effect
\byrevtex@sw	true means to announce “typeset by REVTEX”
\titlepage@sw	true for title is to be set on a separate page
\twocolumn@sw	true if two-column page grid
\twocolumn@sw	true if we are to automatically balance the columns of the last page
\twoside@sw	true means to format pages for duplex printing
\floats@sw	false means floats are migrated to end of document
\floatp@sw	true means endfloats are set one to a page
\class@amsfonts	if \@empty, means that amsfonts will <i>not</i> be loaded
\class@amssymb	if \@empty, means that amssymb will <i>not</i> be loaded
\frontmatter@footnote	if \undefined, means that the default (\footnote) will be used
\place@bibnumber	if \undefined, means that the default (inline) will be used

Note: if \twocolumn@sw and \preprintsty@sw are both false, then ‘galley’ style is in effect. The galley option invokes onecolumn, but does not affect the \preprintsty@sw.

Note: \paperwidth and \paperheight are not integrated into this scheme, and should be selected by the document alone.

14 Body

14.1 counters

The following definitions are probably identical to those in `classes.dtx`

```
793 \def\labelenumi{\theenumi.}
794 \def\theenumi{\arabic{enumi}}
795 \def\labelenumii{(\theenumi)}
796 \def\theenumii{\alph{enumii}}
797 \def\p@enumii{\theenumi}
798 \def\labelenumiii{\theenumii.}
799 \def\theenumiii{\roman{enumiii}}
800 \def\p@enumiii{\theenumi(\theenumii)}
801 \def\labelenumiv{\theenumiv.}
802 \def\theenumiv{\Alph{enumiv}}
803 \def\p@enumiv{\p@enumiii\theenumiii}
804 \def\labelitemi{\textbullet}
805 \def\labelitemii{\normalfont\bfseries\textrm{\textendash}}
806 \def\labelitemiii{\textasteriskcentered}
807 \def\labelitemiv{\textperiodcentered}
808 \pagenumbering{arabic}
```

14.2 float parameters

from the old `aps.sty`. (DPC: same as article I think) AO: here, L^AT_EX's standard classes fail very poorly (the price of backward compatibility): the values for `\floatpagefraction` and `\dblfloatpagefraction` need to be raised to avoid creating extremely short float pages.

```
809 \setcounter{topnumber}{2}
810 \def\topfraction{.9}
811 \setcounter{bottomnumber}{1}
812 \def\bottomfraction{.9}
813 \setcounter{totalnumber}{3}
814 \def\textfraction{.1}
815 \def\floatpagefraction{.9}
816 \setcounter{dbltopnumber}{2}
817 \def\dbltopfraction{.9}
818 \def\dblfloatpagefraction{.9}
```

14.3 List Environments

```
819 \newenvironment{verse}{%
820   \let\\=\@centercr
821   \list{}{%
822     \itemsep\z@ \itemindent -1.5em\listparindent \itemindent
823     \rightmargin\leftmargin\advance\leftmargin 1.5em}\item[]%
824 }{%
```

```

825 \endlist
826 }%
827 \newenvironment{quotation}{%
828   \list{}{%
829     \listparindent 1.5em
830     \itemindent\listparindent
831     \rightmargin\leftmargin \parsep \z@ \oplus \p@\item[]%
832 }%
833 \endlist
834 }%
835 \newenvironment{quote}{%
836   \list{}{%
837     \rightmargin\leftmargin}\item[]%
838 }%
839 \endlist
840 }%
841 \def\descriptionlabel#1{%
842   \hspace\labelsep \normalfont\bfseries #1\unskip:%
843 }%
844 \newenvironment{description}{%
845   \list{}{%
846     \labelwidth\z@ \itemindent-\leftmargin
847     \let\makelabel\descriptionlabel
848 }%
849 }%
850 \endlist
851 }%

```

14.4 Sectioning Commands

14.4.1 Sectioning Commands and Their Productions

The following counters are defined by LaTeX's standard document classes. We do likewise, then assign flag values to the productions, awaiting overrides.

```

852 \newcounter{part}%
853 \let\the\part\@undefined
854 \newcounter{section}%
855 \let\the\section\@undefined
856 \newcounter{subsection}[section]%
857 \let\the\subsection\@undefined
858 \newcounter{subsubsection}[subsection]%
859 \let\the\subsubsection\@undefined
860 \newcounter{paragraph}[subsubsection]%
861 \let\the\paragraph\@undefined
862 \newcounter{subparagraph}[paragraph]%
863 \let\the\subparagraph\@undefined

```

The procedure invoked by `\setup@secnums` provides meanings for these productions.

\secnums@rtx These two procedures define the meanings of each of the productions of the counters of the sectioning commands, but only if nothing else has defined it.

```

864 \def\secnums@rtx{%
865   @ifxundefined\thepart{%
866     \def\thepart{\Roman{part}}%
867   }{}%
868   @ifxundefined\thesection{%
869     \def\thesection      {\Roman{section}}%
870     \def\p@section      {}%
871   }{}%
872   @ifxundefined\thesubsection{%
873     \def\thesubsection   {\Alph{subsection}}%
874     \def\p@subsection    {\thesection\,,}%
875   }{}%
876   @ifxundefined\thesubsubsection{%
877     \def\thesubsubsection {\arabic{subsubsection}}%
878     \def\p@subsubsection {\thesection\,,\thesubsection\,,}%
879   }{}%
880   @ifxundefined\theparagraph{%
881     \def\theparagraph    {\alph{paragraph}}%
882     \def\p@paragraph     {\thesection\,,\thesubsection\,,\thesubsubsection\,,}%
883   }{}%
884   @ifxundefined\thesubparagraph{%
885     \def\thesubparagraph  {\arabic{subparagraph}}%
886     \def\p@subparagraph   {\thesection\,,\thesubsection\,,\thesubsubsection\,,\theparagraph\,,}%
887   }{}%
888 }%
889 \def\secnums@arabic{%
890   @ifxundefined\thepart{%
891     \def\thepart          {\Roman{part}}%
892   }{}%
893   @ifxundefined\thesection{%
894     \def\thesection        {\Roman{section}}%
895     \def\p@section        {}%
896   }{}%
897   @ifxundefined\thesubsection{%
898     \def\thesubsection     {\thesection.\arabic{subsection}}%
899     \def\p@subsection      {}%
900   }{}%
901   @ifxundefined\thesubsubsection{%
902     \def\thesubsubsection   {\thesubsection.\arabic{subsubsection}}%
903     \def\p@subsubsection    {}%
904   }{}%
905   @ifxundefined\theparagraph{%
906     \def\theparagraph      {\thesubsubsection.\arabic{paragraph}}%
907     \def\p@paragraph        {}%
908   }{}%
909   @ifxundefined\thesubparagraph{%
910     \def\thesubparagraph    {\theparagraph.\arabic{subparagraph}}%

```

```

911   \def\p@subparagraph  {}%
912 }{}}%
913 }%

```

14.4.2 The Acknowledgments Environment

This user-level markup produces a head introducing the acknowledgments, and acts as a wrapper for the text. In this implementation, it is an unnumbered section, but appears within the toc.

For compatibility's sake, we implement it under the alternative spelling `acknowledgements`.

```

914 \newenvironment{acknowledgments}{%
915   \acknowledgments@sw{%
916     \expandafter\section\expandafter*\expandafter{\acknowledgmentsname}%
917   }{%
918     \par
919     \phantomsection
920     \addcontentsline{toc}{section}{\protect\numberline{}{\acknowledgmentsname}}%
921   }{%
922 }{%
923   \par
924 }{%
925 \booleantrue{acknowledgments@sw}
926 \newenvironment{acknowledgements}{%
927   \replace@environment{acknowledgements}{acknowledgments}%
928 }{%
929   \endacknowledgments
930 }%

```

14.4.3 Part Opener

section setup copied verbatim from revtex3 aps/osa. Does not explicitly depend on pointsize options.

```

931 \def\part{\par
932   \addvspace{4ex}%
933   \cafterindentfalse
934   \secdef\@part\@spart}%
935 \def\@part[#1]#2{%
936   \@ifnum{\c@sectiondepth >\m@ne}{%
937     \refstepcounter{part}%
938     \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
939   }{%
940     \addcontentsline{toc}{part}{#1}%
941   }%
942   \begingroup
943     \parindent \z@ \raggedright
944     \interlinepenalty\@M
945     \ifnum{\c@sectiondepth >\m@ne}{%

```

```

946      \Large \bf \partname{\thepart}%
947      \par\nobreak
948  }{%
949  \huge \bf
950  #2%
951  \markboth{}{}\par
952  \endgroup
953  \nobreak
954  \vskip 3ex
955  \@afterheading
956 }%
957 \def\@spart#1{{\parindent \z@ \raggedright
958   \interlinepenalty\@M
959   \huge \bf
960   #1\par}
961   \nobreak
962   \vskip 3ex
963   \@afterheading}

```

14.4.4 Stacked Heads

Here are the class default definitions for sectioning commands. A society or a journal substyle will likely override these definitions.

In doing so, you can customize the formatting for a particular level by defining, e.g., `\@hangfrom@section` or `\@subsectioncntformat`.

```

964 \def\section{%
965   \@startsection
966   {section}%
967   {1}%
968   {\z@}%
969   {0.8cm \plusoneex \minus .2ex}%
970   {0.5cm}%
971   {\normalfont\small\bfseries}%
972 }%
973 \def\subsection{%
974   \@startsection
975   {subsection}%
976   {2}%
977   {\z@}%
978   {.8cm \plusoneex \minus .2ex}%
979   {.5cm}%
980   {\normalfont\small\bfseries}%
981 }%
982 \def\subsubsection{%
983   \@startsection
984   {subsubsection}%
985   {3}%
986   {\z@}%

```

```

987     { .8cm \@plus1ex \@minus .2ex}%
988     {.5cm}%
989     {\normalfont\small\itshape}%
990 }%

```

14.4.5 Runin Heads

```

991 \def\paragraph{%
992   \startsection
993   {paragraph}%
994   {4}%
995   {\parindent}%
996   {\z@}%
997   {-1em}%
998   {\normalfont\normalsize\itshape}%
999 }%
1000 \def\subparagraph{%
1001   \startsection
1002   {subparagraph}%
1003   {5}%
1004   {\parindent}%
1005   {3.25ex \@plus1ex \@minus .2ex}%
1006   {-1em}%
1007   {\normalfont\normalsize\bfseries}%
1008 }%

```

14.5 Math

`\theequation` We change the production of the equation counter so that we can accomodate the `eqsecnum` option.

```

1009 \def\theequation{%
1010   \theequation@prefix\arabic{equation}%
1011 }%
1012 \def\theequation@prefix{}%

```

14.6 Type Size-Dependent Settings

14.7 All Point Sizes

```

1013 \setcounter{secnumdepth}{4}
1014 \lineskip 1pt
1015 \normallineskip 1pt
1016 \def\baselinestretch{1}%
1017 \lowpenalty 51
1018 \medpenalty 151
1019 \highpenalty 301
1020 \begin{par penalty} -\lowpenalty
1021 \end{par penalty} -\lowpenalty

```

```

1022 \@itempenalty      -\@lowpenalty
1023 \arraycolsep 3pt
1024 \tabcolsep 2pt
1025 \arrayrulewidth .4pt
1026 \doublerulesep 2pt
1027 \skip\@mpfootins = 0pt
1028 \fboxsep  = 3.0pt
1029 \fboxrule = 0.4pt

```

14.8 Figures

figure We define the `figure` environment. Later, we will horse around with its meaning in order to accomodate `\floats@sw`.

```

1030 \newenvironment{figure}
1031             {\@float{figure}}
1032             {\end@float}
1033 \newenvironment{figure*}
1034             {\@dblfloat{figure}}
1035             {\end@dblfloat}

1036 \def\listoffigures{\print@toc{lof}}%
1037 \def\l@figure{\@dottedtocline{1}{1.5em}{2.3em}}%

```

@makecaption If caption is one line long, to be centered; if lines turn, then set justified.

```

1038 \newlength\abovecaptionskip
1039 \newlength\belowcaptionskip
1040 \setlength\abovecaptionskip{10\p@}
1041 \setlength\belowcaptionskip{2\p@}

```

There is a hook `\@caption@fignum@sep` for determining the separator following the float number, e.g., “Fig.1”. Formerly, we had defined it to be “:”, now the colon has been replace by a period (full stop).

```

1042 \long\def\@makecaption#1#2{%
1043   \par
1044 % \nobreak
1045   \vskip\abovecaptionskip
1046   \begingroup
1047     \small\rmfamily
1048     \sbox\@tempboxa{%
1049       \let\\\heading@cr
1050       \@make@capt@title{#1}{#2}%
1051     }%
1052     \@ifdim{\wd\@tempboxa >\hsize}{%
1053       \begingroup
1054         \samepage
1055         \flushing
1056         \let\footnote\@footnotemark@gobble
1057         \@make@capt@title{#1}{#2}\par
1058     \endgroup

```

```

1059 }{%
1060   \global \minipagetrue
1061   \hb@xt@\hsize{\hfil\unhbox\tempboxa\hfil}%
1062 }%
1063 \endgroup
1064 \vskip\belowcaptionskip
1065 }%
1066 \def\@make@capt@title#1#2{%
1067   \ifx@empty\float@link{\firstofone{\expandafter\href\expandafter{\float@link}}}{%
1068     {#1}\@caption@fignum@sep#2%
1069 }%
1070 \def\@footnotemark@gobble{%
1071   \footnotemark
1072   \ifnextchar[\gobble\opt@i]{\gobble}{%
1073 }%
1074 \def\@gobble\opt@i[#1]{%
1075 \def\@mpmakefntext#1{%
1076   \flushing
1077   \parindent=1em
1078   \noindent
1079   \hb@xt@1em{\hss\@makefnmark}%
1080   #1%
1081 }%
1082 \def\@caption@fignum@sep{. }%
1083 \def\setfloatlink{\def\float@link}%
1084 \let\float@link\empty

```

\thefigure The figure counter and float placement defaults.

```

1085 \newcounter{figure}
1086 \renewcommand \thefigure {\arabic{figure}}

```

Note that we give the ‘!’ modifier by default. This is an effort to avoid the syndrome wherein a deferred float finds itself unqualified for placement, thereby getting carried until \clearpage.

```

1087 \def\fps@figure{tbp}
1088 \def\ftype@figure{1}
1089 \def\ext@figure{lof}
1090 \def\fnum@figure{\figurename~\thefigure}

```

We allocate a box register for use in tallying the column inches of floats of this type.

```

1091 \expandafter\newbox\csname fbox@\ftype@figure\endcsname
1092 \expandafter\setbox\csname fbox@\ftype@figure\endcsname\hbox{}%

```

14.8.1 Deferring figure Floats

We determine if figures are to float or be deferred until \printfigures time. If so, we open the stream that will receive the deferred document portions.

```

1093 \appdef\class@documenthook{%
1094 \do@if@floats{figure}{.fgx}%

```

```

1095 }%
1096 \appdef\class@enddocumenthook{%
1097 \printfigures\relax
1098 }%

```

\printfigures The user-level command `\printfigures` determines where the figures are to appear in a document in which `\floats@sw` is false. If the user invokes the `endfloats` class option and fails to insert a `\printfigures` command, the figures will be printed at the end of the document. If the command is given, but floats are not being deferred, it amounts to a no-op.

```

1099 \newcommand\printfigures{%
1100 \@ifstar{\true@sw}{\float@sw{\true@sw}{\false@sw}}{%
1101 }{%
1102 \print@float{figure}{\oneapage}}{%
1103 }{%
1104 \print@float{figure}{}}{%
1105 }{%
1106 }%

```

\@xfloat@prep We patch into the procedure `\@xfloat@prep`. This patch applies to all floats (not `figure` alone) and makes the type center.

```

1107 \appdef\@xfloat@prep{%
1108 \appdef\@parboxrestore{\centering}%
1109 \%let\@makefnmark\@makefnmark@latex
1110 }%

```

14.9 Tables

DPC: More or less taken from `revtex2` `aps.sty`, but using `dcolumn` for decimal alignment.

table We define the `table` environment. Later, we will horse around with its meaning in order to accomodate `\floats@sw`.

```

1111 \newenvironment{table}%
1112 {\@float{table}}%
1113 {\@end@float}%
1114 \newenvironment{table*}%
1115 {\@dblfloat{table}}%
1116 {\@end@dblfloat}%

```

\thetable Table counter and default float placement declarations.

```

1117 \newcounter{table}
1118 \renewcommand\thetable{\@Roman\c@table}

```

Note that we give the ‘!’ modifier by default. This is an effort to avoid the syndrome wherein a deferred float finds itself unqualified for placement, thereby getting carried until `\clearpage`.

```

1119 \def\fps@table{tbp}
1120 \def\fptype@table{2}

```

```

1121 \def\ext@table{lot}
1122 \def\fnum@table{\tablename~\thetable}

    We allocate a box register for use in tallying the column inches of floats of this
    type.

1123 \expandafter\newbox\csname fbox@\f@type@table\endcsname
1124 \expandafter\setbox\csname fbox@\f@type@table\endcsname\hbox{}%

1125 \def\listoftables{\print@toc{lot}}%
1126 \let\l@table\l@figure

\table@hook Assign a meaning to the hook installed into float processing.
\squeezetable By default floats are \small. The \squeezetable declaration makes them
smaller (\scriptsize). In general you can locally redefine \table@hook to be
whatever you like. (DPC: \Huge\color{magenta}...?)

1127 \def\table@hook{\small}%
1128 \def\squeezetable{\def\table@hook{\scriptsize}}%
1129 \appdef\f@floatboxreset{\table@hook}%

```

14.9.1 Deferring table Floats

After all packages are loaded, we decide if tables will float or will be deferred until \printtables time.

We also deal with the possibility of longtable environments.

```

1130 \def\set@table@environments{%
1131   \floats@sw{}{%
1132     \let@environment{longtable@float}{longtable}%
1133     \let@environment{longtable}{longtable@write}%
1134     \let@environment{longtable*@float}{longtable*}%
1135     \let@environment{longtable*}{longtable*@write}%
1136     \let@environment{turnpage@float}{turnpage}%
1137     \let@environment{turnpage}{turnpage@write}%
1138   }%
1139   \do@if@floats{table}{.tbx}%
1140 }%
1141 \appdef\document@init@hook{%
1142   \set@table@environments
1143 }%
1144 \appdef\class@end@document@hook{%
1145   \printtables\relax
1146 }%
1147 \newenvironment{longtable@write}{%
1148   \write@@float{longtable}{table}%
1149 }{%
1150   \endwrite@float
1151 }%
1152 \newenvironment{longtable*@write}{%
1153   \write@@float{longtable*}{table}%
1154 }{%

```

```

1155 \endwrite@float
1156 }%
1157 \newenvironment{turnpage@write}{%
1158 \immediate\write\tablewrite{\string\begin{turnpage}}%
1159 }{%
1160 \immediate\write\tablewrite{\string\end{turnpage}}%
1161 }%

```

\printtables The user-level command `\printtables` determines where the tables are to appear in a document in which `\floats@sw` is false. If the user invokes the `nofloats` and fails to insert a `\printtables` command, the tables will be printed at the end of the document. If the command is given, but floats are not being deferred, it amounts to a no-op.

```

1162 \newcommand\printtables{%
1163 \begingroup
1164 \let@environment{longtable}{longtable@float}%
1165 \let@environment{longtable*}{longtable*@float}%
1166 \let@environment{turnpage}{turnpage@anchored}%
1167 \prepdef\longtable{\trigger@float@par}%
1168 \expandafter\prepdef\csname longtable*\endcsname{\trigger@float@par}%
1169 \expandafter\prepdef\csname table@floats\endcsname{%
1170 \onecolumngrid@push
1171 }%
1172 \expandafter\appdef\csname endtable@floats\endcsname{%
1173 \onecolumngrid@pop
1174 }%
1175 \c@ifstar{\true@sw}{\floatp@sw{\true@sw}{\false@sw}}{%
1176 }%
1177 \print@float{table}{\oneapage}%
1178 }{%
1179 \print@float{table}{}%
1180 }%
1181 \endgroup
1182 }%
1183 \newenvironment{turnpage@anchored}{%
1184 \onecolumngrid@push
1185 \setbox\z@\vbox to\textwidth\bgroup
1186 \columnwidth\textheight
1187 }{%
1188 \vfil
1189 \egroup
1190 \rotatebox{90}{\box\z@}%
1191 \onecolumngrid@pop
1192 }%

```

14.10 Videos

video We define the `video` environment analogously to the `figure` and `table` environments; it is intended to contain a video.

```

1193 \newenvironment{video}
1194  {\@float{video}}
1195  {\end@float}%
1196 \newenvironment{video*}
1197  {\@dblfloat{video}}
1198  {\end@dblfloat}%

\thevideo The video counter, float placement defaults, strings.
1199 \newcounter{video}
1200 \renewcommand \thevideo {\arabic{video}}
    File extension and localizable strings.
1201 \def\ext@video{lov}%
1202 \def\fname@video{Video}%
1203 \def\lovname{List of Videos}%
    Float type and default placement.
1204 \def\fps@video{tbp}%
1205 \def\fptype@video{4}%
1206 \def\fnum@video{\fname@video~\thevideo}%
1207 \appdef\document@inithook{%
1208  \@ifxundefined\c@float@type{}{%
1209   \global\setcounter{float@type}{8}%
1210 }%
1211 }%
We allocate a box register for use in tallying the column inches of floats of this
type.
1212 \expandafter\newbox\csname fbox@\fptype@video\endcsname
1213 \expandafter\setbox\csname fbox@\fptype@video\endcsname\hbox{}%  

The documentation for the hyperref package, hyperref.dtx states: “classes or
package which introduce new elements need to define an equivalent \theH<name>
for every \the<name>” We do accordingly here.
1214 \let\theHvideo\thevideo
But hyperref.dtx goes on to say, “We do make a trap to make \theH<name> be
the same as \arabic{<name>}, if \theH<name> is not defined...” However, it’s
not doing that right now (as of 6.77u), and I cannot find any such code in there
anymore.
1215 \def\listofvideos{\print@toc{lov}}%
1216 \let\l@video\l@figure

```

14.10.1 Deferring video Floats

We determine if videos are to float or be deferred until `\printvideos` time. If so,
we open the stream that will receive the deferred document portions.

```

1217 \appdef\class@documenthook{%
1218  \do@if@floats{video}{.vdx}%
1219 }%

```

```

1220 \appdef@class@enddocumenthook{%
1221   \printvideos\relax
1222 }%

```

\printvideos The user-level command \printvideos determines where the videos are to appear in a document in which \floats@sw is false. If the user invokes the `endfloats` class option and fails to insert a \printvideos command, the videos will be printed at the end of the document. If the command is given, but floats are not being deferred, it amounts to a no-op.

```

1223 \newcommand\printvideos{%
1224   \@ifstar{\true@sw}{\floatp@sw{\true@sw}{\false@sw}}%
1225   {%
1226     \print@float{video}{\oneapage}%
1227   }{%
1228     \print@float{video}{}%
1229   }%
1230 }%

```

15 Tabular

Every APS tabular has a double (Scotch) rule above and below. The column specifier “d” is implemented using the `dcolumn` package, if available. FIXME: always load `dcolumn`!

```

\tabular@hook
\endtabular@hook 1231 \def\endtabular@hook{}%
ruledtabular
  \%\\RequirePackage{dcolumn}%
  %

1232 \appdef\document@inithook{%
1233   \@ifpackageloaded{dcolumn}{%
1234     \expandafter\@ifnotrelax\csname NC@find@d\endcsname{}{%
1235       \newcolumntype{d}{D{.}{.}{-1}}%
1236     }%
1237   }{%
1238 }%
1239 \def\toprule{\hline\hline}%
1240 \def\colrule{\hline}%
1241 \def\botrule{\hline\hline}%
1242 \newenvironment{ruledtabular}{%
1243   \def\array@default{v}%
1244   \appdef\tabular@hook{\def\@halign{to\hspace{}}{%
1245     \let\tableleft@skip@default\tableleft@skip
1246     \let\tableleft@skip\tableleft@skip@float
1247     \let\tabmid@skip@default\tabmid@skip
1248     \let\tabmid@skip\tabmid@skip@float
1249     \let\tabright@skip@default\tabright@skip
1250     \let\tabright@skip\tabright@skip@float

```

```

1251 \let\array@row@pre@default\array@row@pre
1252 \let\array@row@pre\array@row@pre@float
1253 \let\array@row@pst@default\array@row@pst
1254 \let\array@row@pst\array@row@pst@float
1255 \appdef\array@row@rst{%
1256 \let\array@row@pre\array@row@pre@default
1257 \let\array@row@pst\array@row@pst@default
1258 \let\tableft@skip\tableft@skip@default
1259 \let\tabmid@skip\tabmid@skip@default
1260 \let\tabright@skip\tabright@skip@default
1261 \appdef\tabular@hook{\let\@halignto\@empty}%
1262 }%
1263 }{%
1264 }%

```

16 Footnote Text

\@makefntext We customize the presentation of the footnote mark: it will not be italic.

```

\@makefnmark 1265 \def\@makefntext#1{%
1266 \def\baselinestretch{1}%
1267 \parindent1em%
1268 \noindent
1269 \hb@xt@1.8em{%
1270 \hss\@makefnmark
1271 }%
1272 #1%
1273 \par
1274 }%
1275 \def\@makefnmark{%
1276 \hbox{%
1277 \textsuperscript{%
1278 \normalfont\@thefnmark
1279 }%
1280 }%
1281 }%

```

16.1 Citations, Bibliography, Endnotes

16.1.1 Bibliography

Load Patrick Daly's `natbib` package, <ftp://ctan.tug.org/macros/latex/contrib/supported/natbib>

Note that `natbib` assumes that it loads over a document class, such as the `article` class, that has already defined `thebibliography` and `\@listi`.

Note also that `natbib` also installs a command `\NAT@set@cites` into `\AtBeginDocument` which presumes that the proper `\bibpunct` command has been issued.

Note that the macro `\NAT@sort` controls whether citations are left alone (`\NAT@sort=0`), sorted (`\NAT@sort=1`), or sorted and compressed (`\NAT@sort=2`).

Since we give `natbib` the `sort&compress` option, if you prefer `sort`, you need only `\let\NAT@sort` to be `\@ne`. However, if you prefer the effect of having neither `sort` nor `sort&compress`, you must `\let\NAT@sort` to be `\z@` and you must also define `\let\NAT@cmprs` to be `\z@`.

As of version 8.2, `natbib` now no longer binds at the point where it is read in. This means that we can freely change `\NAT@sort`, `\NAT@cmprs`, and the new `\NAT@merge`. Henceforth, we require that this later version be used.

For other `natbib` customizations, you may proceed as if you were going to use the `natbib.cfg` file: anything that you can modify by this means is fair game. Once REVTeX is finished loading, you can assert any definitions for `natbib` that you wish.

`\rev@citet` We define variants on `natbib`'s commands `\citet`, `\citealp`, and `\citealpnum`.
`\rev@citealp` `\rev@citealpnum` uses a numerical citation. `\rev@citealp` and `\rev@citealpnum` are the aliases of `\onlinecite`, `\rev@citet` that of `\textcite`.

In each case, we invoke `\rtx@swap@citea` to effect different productions between multiple arguments to the `\cite` command.

`\rev@citealpnum` provides textual citations where superscript citations are the default. These should be accessible via the `\citet` command.

Therefore we remember how to do a numerical citation even when the superscript citation has been selected.

```

1282 \expandafter\DeclareRobustCommand
1283 \expandafter\rev@citet
1284 \expandafter{%
1285   \expandafter\begingroup
1286   \expandafter\rtx@swap@citea
1287   \expandafter\gobblefirsttoken
1288   \csname citet \endcsname
1289 }%
1290 \expandafter\DeclareRobustCommand
1291 \expandafter\rev@citealp
1292 \expandafter{%
1293   \expandafter\begingroup
1294   \expandafter\rtx@swap@citea
1295   \expandafter\gobblefirsttoken
1296   \csname citealp \endcsname
1297 }%
1298 \expandafter\DeclareRobustCommand
1299 \expandafter\rev@citealpnum
1300 \expandafter{%
1301   \expandafter\begingroup
1302   \expandafter\rtx@swap@citemum
1303   \expandafter\gobblefirsttoken
1304   \csname citealp \endcsname
1305 }%
1306 \def\rtx@swap@citemum{%
1307   \rtx@swap@citea
1308   \let\@cite\NAT@citemum

```

```

1309   \let\NAT@mbox\mbox
1310   \let\citeyear\NAT@citeyear
1311   \let\NAT@space\NAT@spacechar
1312 }%
1313 \def\g@bbefirsttoken{%
1314   \expandafter\true@sw
1315   \expandafter\@empty
1316 }%

```

\rtx@citesuper We prepare to redefine `natbib`'s procedure `\NAT@citesuper`, which is executed when setting a superscript citation. The `\hspace` is removed: in any case, it should really be `\hspace*`, to prevent an unwanted pagebreak.

```

1317 \newcommand\rtx@citesuper[3]{%
1318   \ifNAT@swa
1319     \leavevmode
1320     \unskip
1321   % \hspace{1\p@}%
1322   \textsuperscript{\normalfont#1}%
1323   \if*\#3*\else\ (#3)\fi
1324   \else
1325     #1%
1326   \fi
1327   \endgroup
1328 }%

```

\@makefnmark@cite We define a procedure that will set a footnote mark the same way that a citation is set. If footnotes are put in the bibliography with `\footinbib@sw`, then the corresponding mark should look the same as the result of a `\cite`. This is how we do it.

```
1329 \def\@makefnmark@cite{\begingroup\NAT@swatrue\@cite{{\@thefnmark}}{}{}%
```

\rtx@bibsection Prepare to override `natbib`'s definition of `\bibsection`.

```

1330 \def\rtx@bibsection{%
1331   \@ifx@\empty\refname{%
1332     \par
1333   }{%
1334   % \let\hangfroms@section\hang@froms
1335   \expandafter\section\expandafter*\expandafter{\refname}%
1336   \nobreaktrue
1337 }%
1338 }%

```

\rtx@swap@citea The procedures `\rtx@def@citea`, `\rtx@def@citea@close`, and `\rtx@def@citea@box`
\rtx@def@citea can take over the management of `natbib`'s `\@citea` macro to effect more sophisticated behavior of the punctuation between textual citations. The switch is performed by `\rtx@swap@citea`.

In these procedures, we use `\count@` to count the number of arguments of the `\cite` command, and we use `\c@NAT@ctr` to keep track of which argument we are processing. The latter counter is created by `natbib` and used there solely in

bibliography processing, where it keeps track of the reference number. We take over its use in these macros, but only locally; therefore these procedures should work properly, even within the bibliography. FIXME: check whether this is true!

Because we are using a scratch counter `\count0`, we are vulnerable to other TeX programmers who patch in to `natbib`'s processing and who might use that counter at the same time we are doing so. This is a potential source of trouble for us. FIXME: store the value of `\count0` in a private `\csname`!

Note that `\rtx@def@citea` begins the same as `\NAT@def@citea`, which it replaces, then makes further decisions based on the values of the counters.

Note also that, in `natbib`, the replacement part of `\NAT@def@citea@close` could be rewritten as `\NAT@def@citea\prepdef\@citea{\NAT@close}`, which would then obviate the need for us to override its meaning.

Note, too, the effect of `\rtx@def@citea@box`, which replaces `\NAT@def@citea@box`, is almost the same as the latter, except the entire `\@citea` is given as the argument of `\NAT@mbox`.

Finally, bear in mind that the English (and some American editors) do not place a comma before the “and”; our procedures do (but they could be rewritten with that convention).

```

1339 \def\rtx@swap@citea{%
1340   \let\NAT@def@citea\rtx@def@citea
1341   \let\NAT@def@citea@close\rtx@def@citea@close
1342   \let\NAT@def@citea@box\rtx@def@citea@box
1343 }%
1344 \def\rtx@def@citea{%
1345   \def\@citea{\NAT@separator\NAT@space}%
1346   \advance\c@NAT@ctr\@ne
1347   \@ifnum{\count0>\tw@}{%
1348     \@ifnum{\c@NAT@ctr=\count0}{\appdef\@citea{\NAT@conj\NAT@space}}{}%
1349   }{%
1350     \def\@citea{\NAT@space\NAT@conj\NAT@space}%
1351   }%
1352 }%
1353 \def\rtx@def@citea@close{%
1354   \rtx@def@citea
1355   \prepdef\@citea{\NAT@close}%
1356 }%
1357 \def\rtx@def@citea@box{%
1358   \rtx@def@citea@close
1359   \expandafter\def\expandafter\@citea\expandafter{\expandafter\NAT@mbox\expandafter{\@citea}}%
1360 }%
1361 \def\NAT@conj{and}%

```

`\BibitemShut` We remember a temporary patch to `natbib`'s definition of `\BibitemShut`.

```

\bibAnnote 1362 \def\NAT@BibitemShut#1{%
1363   \def\@bibstop{#1}%
1364   \let\@bibitem@Stop\@bibitemStop
1365   \let\@bibitem@NoStop\@bibitemNoStop
1366   \@ifx{\@bibitemShut\relax}{\let\@bibitemShut\empty}%

```

```

1367   \expandafter\def\expandafter@\bibitemShut\expandafter{\bibitemShut}%
1368 }%
1369 }%

```

The following is a bug fix to `natbib` version 8.31b.

```

1370 \def\BibitemShut@ltx#1{%
1371   \unskip
1372   \def\@bibstop{#1}%
1373   \let\bibitem@Stop\bibitemStop
1374   \let\bibitem@NoStop\bibitemNoStop
1375   \@ifx{\bibitemShut}{\relax}{\let\@bibitemShut\@empty}{%
1376     \expandafter\def\expandafter@\bibitemShut\expandafter{\bibitemShut}%
1377   }%
1378 }%

```

```

% \providecommand{\bibAnnote}[3]{%
%   \BibitemShut{#1}%
%   \def\@tempa{#3}\@ifx{\@tempa\@empty}{\begin{quotation}\noindent
%   \textsc{Key:} \#2\\ \textsc{Annotation:} \@tempa
%   \end{quotation}}%
%   \ignorespaces
% }%
% \def\@bibitemShut{}%
%
```

```

1379 \newenvironment{thebibliography}{}{%
1380   \let\@listi\@empty
1381   \appdef\rtx@require@packages{%
1382     \RequirePackage[sort&compress]{natbib}[2009/11/07 8.31a (PWD, AO)]%
1383     \let@environment{NAT@thebibliography}{thebibliography}%
1384     \let@environment{thebibliography}{rtx@thebibliography}%
1385     \let\bibliographystyle@latex\bibliographystyle
1386     \let\NAT@citesuper\rtx@citesuper

```

`\NAT@bibsetnum` We define the sectioning command to use when starting the bibliography and gently coax `natbib` into using the formatting procedures that *we* want it to use.

`\NAT@bibsetup` This way of setting up `thebibliography` automatically sets the label width based on the largest number used within the bibliography. This scheme will not work properly using the author/year style of bib entry, though.

`\bibpreamble` We define `\bibnumfmt` to be `\place@bibnumber`, which is a macro managed by REV_{TEX}. If the document defines `\bibnumfmt`, then that definition will be used instead, which is what the `natbib` package gives as its programming interface.

We set `\NAT@merge` to `\tw@`, which turns on `natbib`'s `mcite` capabilities. This is the default setting. If numerical citations are not to be used, then `\NAT@merge` should be set to `\one` (syntax is still enabled, but semantics are turned off).

```

1387 \let\bibsection\rtx@bibsection
1388 \let\NATx@bibsetnum\NAT@bibsetnum
1389 \def\NAT@bibsetnum#1{%

```

```

1390 \setlength{\topsep}{\z@}%
1391 \NATx@bibsetnum{\ref{LastBibItem}}%
1392 }%
1393 \let\NATx@bibsetup\NAT@bibsetup
1394 \def\NAT@bibsetup{%
1395 \setlength{\labelwidth}{\z@}%
1396 \setlength{\labelsep}{\z@}%
1397 \setlength{\itemindent}{\z@}%
1398 \setlength{\listparindent}{\z@}%
1399 \setlength{\topsep}{\z@}%
1400 \setlength{\parsep}{\z@}%
1401 \NATx@bibsetup
1402 }%
1403 \let\bibpreamble\empty
1404 \def\newblock{\ }%
1405 \let\NATx@bibnumfmt\bibnumfmt
1406 \def\bibnumfmt{\place@bibnumber}%
1407 \let\NAT@merge\thr@@
1408 \let\NAT@citeyear\citeyear
1409 \let\onlinecite\rev@citealp
1410 \let\textcite\rev@citet

```

The following is needed until `natbib` is at 8.31b.

```

1411 \ifx{\BibitemShut}{\NAT@BibitemShut}{%
1412 \class@info{Repairing natbib's \string\BibitemShut}%
1413 \let\BibitemShut\BibitemShut@ltx
1414 }{}%

```

`\bibliographystyle` We arrange for the selection of bibliography style to occur either due to the document's explicit `\bibliographystyle` statement or via the journal substyle.

Note that `REVTEX` is incompatible with any package that patches `\bibliographystyle`. Since `natbib` does this, we need a fix.

The Boolean `\bibliographystyle@sw` signifies that the document contains explicit `\bibliographystyle` markup. If, on the contrary, the bibliography style is set by the society or the journal, then no explicit `\bibliographystyle` command appears in the document instance. In this case `\bibliographystyle@sw` will be `\false@sw`.

```

1415 \let\bibliographystyle@latex\bibliographystyle
1416 \def\bibliographystyle{\@booleantrue\bibliographystyle@sw\def\@bibstyle}%
1417 \@booleanfalse\bibliographystyle@sw

```

The following had been bug fixes to `natbib` version 8.31a.

```

%\def\bibitemStop{@bibitemShut}%
%\def\NAT@bibitem@cont{%
% \let\bibitem@Stop\bibitemContinue
% \let\bibitem@NoStop\bibitemContinue
%}%
%

```

The following are alterations to `natbib` version 8.31a to accommodate the possible space character preceding `\BibitemShut`, and to handle the case of merged references, where the first ends with a stop character.

```

1418 \def\NAT@bibitem@cont{%
1419   \let\@bibitem@Stop\@bibitemContinue@Stop
1420   \let\@bibitem@NoStop\@bibitemContinue
1421 }%
1422 \def\@bibitemNoStop{%
1423   \ifx\empty\@bibitemShut{.\spacefactor\z@\space}{\@bibitemShut}%
1424 }%
1425 \def\@bibitemContinue{%
1426   \ifx\empty\@bibitemShut{;\spacefactor\z@\space}{\@bibitemShut}%
1427 }%
1428 \def\@bibitemContinue@Stop{%
1429   \ifx\empty\@bibitemShut{\spacefactor\z@\space}{\@bibitemShut}%
1430 }%

```

We used to customize one of the productions of `natbib`, but no longer.

```
%\let\@bibitemContinue\@bibitemContinue@rtx
%
```

Here ends the code to be executed at `\rtx@require@packages` time.

```
1431 }%
```

Redefine a macro of `natbib` so that merged references are separated with a semi-colon.

```
% \def\@bibitemContinue@rtx{;\spacefactor\z@\space}%
%
```

`\onlinecite` We extend `natbib`'s syntax with two commands to set a citation on the baseline
`\textcite` (as opposed to superscripted) and as text (rather than parenthetical), respectively.
A journal substyle that makes citations be superscripted or parenthetical as the case may be, should ensure that the author has continued access to these two styles.

Note that the society or journal substyle override the meanings of `\@onlinecite` or `\@textcite` given here.

```

1432 \DeclareRobustCommand\onlinecite{\@onlinecite}%
1433 \DeclareRobustCommand\textcite{\@textcite}%

```

`\bibliography` Provide a hook for supplying Bib_TEX a bibliographic database that may contain, say, footnotes.

Note that Bib_TEX chokes if the argument of the `\bibdata` command has null fields, hence these tests.

```

1434 \let\bibliography@latex\bibliography
1435 \def\bibliography#1{%
1436   \auto@bib\empty

```

```

1437 \begingroup
1438   \let\auto@bib@innerbib\empty
1439   \@ifx@\empty{\pre@bibdata}{%
1440     \bibliography@latex{#1}%
1441   }{%
1442     \@ifempty{#1}{%
1443       \expandafter\bibliography@latex\expandafter{\pre@bibdata}%
1444     }{%
1445       \expandafter\bibliography@latex\expandafter{\pre@bibdata,#1}%
1446     }%
1447   }%
1448 \endgroup
1449 }%
1450 \let\pre@bibdata\empty

```

`rtx@thebibliography` We put a tail patch into `\thebibliogrphy` and a headpatch into `\endthebibliography`.
`\present@bibnote` Here we provide a default treatment for frontmatter notes deferred to the bibliography; a journal substyle might want to override the definition of `\present@bibnote`.

We make provisions for the case where there are no `\bibitems` for the bibliography: we produce no bibliography head at all.

```

1451 \newenvironment{rtx@thebibliography}[1]{%
1452   \NAT@thebibliography{#1}%
1453   \let\@TBN@opr\present@bibnote
1454   \@FMN@list
1455 }{%

```

The following line was commented out:

```
%\@endnotesinbib
%
```

The `\auto@bib@innerbib` directive has been moved from the begin processing to the end processing. This means that the content of the `thebibliography` environment can itself prevent the automatic reading in of the .bbl file. This would be needed when the user has pasted in the content of the .bbl file into the document itself, something required by APS and AIP editorial direction.

```

1456 \auto@bib@innerbib
1457 \edef\@currentlabel{\arabic{NAT@ctr}}%
1458 \label{LastBibItem}%
1459 \endNAT@thebibliography
1460 \aftergroup\auto@bib@empty
1461 }%
1462 \def\present@bibnote#1#2{%
1463   \item[%
1464     \textsuperscript{%
1465       \normalfont
1466       \Hy@raisedlink{\hyper@anchorstart{frontmatter.#1}\hyper@anchorend}%
1467     }\begingroup

```

```

1468      \csname c@\@mpfn\endcsname#1\relax
1469      \frontmatter@thefootnote
1470      \endgroup
1471  }%
1472 ]#2\par

```

The following line was commented out:

```

% \global\let\NAT@bibitem@first@sw\@secondoftwo
%
1473 }%

```

`write@bibliographystyle` We wish to delay committing the `\bibliographystyle` until as late as possible. The journal substyle will define a default bibliography style, and the document's explicit `\bibliographystyle` command, if any, will override that default.

The `\bibstyle` command is allowed appear quite late in the `.aux` file. We now delay the automatic writing of the `\bibstyle` command to the end of the job.

The procedure `\write@bibliographystyle` tests whether a `\bibliographystyle` command has already been given. If not, it effectively executes the needed `\bibliographystyle` command, then neutralizes itself (we only need to do this once per job).

If the document lacks explicit `\bibliographystyle` markup, we execute `\@bibdataout@rev`, a hook for REV_TE_X-aware processing.

```

1474 \def\write@bibliographystyle{%
1475   \@ifxundefined\@bibstyle{}{%
1476     \expandafter\bibliographystyle@latex\expandafter{\@bibstyle}%
1477     \bibliographystyle@sw{}{\@bibdataout@rev}%
1478   }%
1479   \global\let\write@bibliographystyle\relax
1480 }%
1481 \AtEndDocument{\write@bibliographystyle}%

```

`\rtx@citetp` We wish to extend `natbib` to move spaces and citations around a superscript-style citation, imitating Donald Arseneau's `cite` package with the `super`.

`\super@cite@let` The `\rtx@citetp` procedure is substituted for `\NAT@citetp`; it then calls the `\rtx@citex` procedure and implements the features of the `citeautoscript` class option. In the end, `\@citex` is called with its customary parameters.

The document should be marked up as if citations were *not* superscripted, and then if you select a journal substyle that has superscripted citations, REV_TE_X will do its best to alter the formatting of the `\cites` to accomodate superscript style.

Only citations set as superscript are affected by this procedure, because we check `\@cite` against `\NAT@citesuper`.

Here's a subtle point: when is the argument of `\super@cite@swap` not the same as the token `\@let@token`? Answer: when the latter is `\@sptoken!` This case has to be handled separately.

Note that whether a punctuation is movable is determined by the definition of a particular control sequence name. A society or journal can alter things: to remove a character from the set, do, say, `\expandafter\let\csnamertx@automove;`

`\endcsname\relax`. To add a character to the set, do, say, `\expandafter\let\csnamertx@automove;\endcsname\@empty`.

Implementation note: due to a TEX peculiarity, we have to check for the case where `\@let@token` is a space token *before* we parse forward. At issue is the corner case where an end of file is at hand. If we were to let `\super@cite@swap` parse forward, we would encounter a TEX end-of-file error. Note that the test will be true in many distinct cases: the file ends, the next character is a line terminator, the next character is a space.

```

1482 \def\rtx@citetp[#1]{\@ifnextchar[{\rtx@citex[#1]}{\rtx@citex[] [#1]}}%
1483 \def\rtx@citex[#1][#2]#3{%
1484   \begingroup
1485     \def\@tempa{[#1] [#2] {#3}}%
1486     \cifx{\@cite\NAT@citesuper}{%
1487       \leavevmode
1488       \skip@\lastskip
1489       \unskip
1490       \super@cite@let
1491     }{%
1492       \super@cite@end
1493     }%
1494   }%
1495 \def\super@cite@let{%
1496   \futurelet\@let@token\super@cite@check
1497 }%
1498 \def\super@cite@end{%
1499   \aftergroup\@citex\expandafter\endgroup\@tempa
1500 }%
1501 \def\super@cite@check{%
1502   \cifx{\@let@token\@sptoken}{%
1503     \super@cite@end
1504   }{%
1505     \super@cite@swap
1506   }%
1507 }%
1508 \long\def\super@cite@swap#1{%
1509   \expandafter\cifx\expandafter{\csname rtx@automove#1\endcsname\@empty}{%
1510     #1%
1511     \super@cite@let
1512   }{%
1513     \super@cite@end
1514     #1%
1515   }%
1516 }%
1517 \expandafter\let\csname rtx@automove.\endcsname\@empty
1518 \expandafter\let\csname rtx@automove,\endcsname\@empty
1519 \expandafter\let\csname rtx@automove:\endcsname\@empty
1520 \expandafter\let\csname rtx@automove;\endcsname\@empty

```

The following must execute only after `natbib` is loaded and has set up its

parameters (which it does at `\AtBeginDocument` time). If superscript citations have been selected, and if the `citeautoscript` class option has been selected, we patch into `natbib`'s mechanism to migrate punctuation around the citation, as in class `cite` with the `superscript` option.

```
1521 \appdef\class@documenthook{%
1522   \citeautoscript@sw{%
1523     \@ifx{\@cite\NAT@citesuper}{%
1524       \let\NAT@@citetp\rtx@@citetp
1525     }{}%
1526   }{}%
1527 }
```

Resolve an incompatability between `natbib` and `listings`. The latter package tests `\chapter` (which has now been `\let` to `\relax` as a side effect `natbib`'s use of L^AT_EX's `\@ifundefined`).

We couch our fix in such terms that will not be disruptive if `\chapter` is actually defined at this point.

```
%\@ifx{\chapter\relax}{\let\chapter\@undefined}{}%
```

16.1.2 \endnotes and \rtx@bibnotes

`\mini@note` QUERY: how do footnotes get thrown to the bibliography. `\footinbib@sw` appears to be irrelevant.

```
1528 \def\mini@note{\save@note\mini@notes}%
1529 \def\save@note#1#2{%
1530   \stepcounter\@mpfn
1531   \protected@xdef\@thefnmark{\thempfn}%
1532   \footnotemark
1533   \expandafter\g@addto@macro
1534   \expandafter#1%
1535   \expandafter{%
1536     \expandafter\@footnotetext
1537     \expandafter {\@thefnmark}{#2}%
1538   }%
1539 }
1540 \long\def\@footnotetext#1{\def\@thefnmark{#1}\@footnotetext}%
1541 \let\mini@notes\empty
```

`\endnote` A version of footnote that appears in the bibliography, or where `\printendnotes` appears.

```
%\def\@endnote{%
% \begingroup
% \aftergroup\@footnotemark
% \aftergroup\@endnotetext
% \@ifnextchar[{%
%   \xendnote
% }{}}
```

```

%     \stepcounter{footnote}%
%     \protected@xdef\@tempa{\thefootnote}%
%     \expandafter\@xendnote\expandafter[\the\c@footnote]%
% }%
%}%
%

\@xendnote \%def\unused@xendnote[#1]{%
% \begingroup
% \c@footnote#1\relax
% \end{macrocode}
% New for 4.1
% \begin{macrocode}
% \unrestored@protected@xdef\@endnotelabel{Note\thefootnote}%
% \authoryear@sw{%
% \unrestored@protected@xdef\@thefnmark{\noexpand\ref{\@endnotelabel}}%
% }{%
% \unrestored@protected@xdef\@thefnmark{\@endnotelabel}%
% }%
% \end{macrocode}
% Was:
% \unrestored@protected@xdef\@thefnmark{endnote\thefootnote}%
% End 4.1 changes
% \begin{macrocode}
% \endgroup
% \endgroup
%}%
%\def\@endnotemark{%
% \expandafter\cite\expandafter{\@thefnmark}%
%}%
%
1542 \def\rev@citemark#1{%
1543   \expandafter\cite\expandafter{\@thefnmark}%
1544 }%
1545 \def\rev@endtext#1{%
1546   \let\@endnotelabel\@thefnmark
1547   \@endnotetext
1548 }%

\endnote@ext The macro \endnote@ext is the file extension for the auxiliary file holding footnotes. The \bibdata@app and \bibdata@ext macros are used to form the name \bibdata@ext of a BibTeX database file holding footnotes.
1549 \def\endnote@ext{.end}%
1550 \def\bibdata@app{Notes}%
1551 \def\bibdata@ext{bib}%

\@endnotetext The procedure \@endnotetext writes a BibTeX .bib file for the purpose of inserting a footnote into the (numbered, unsorted) bibliography.
```

We need to define \pre@bibdata to be \jobname\endnote@ext, and we probably should define \endnote@ext to be something like “Notes.bib”.

In each case, the material to be written out requires robustification, provided by `\endnote@relax`. The commands `\label`, `\index`, and `\glossary`, which are robustified for `\markright` and `\addcontentsline`, are likewise robustified here.

Procedure `\@endnotetext@note` is the alias for `\@endnotetext` when the endnotes are to be processed separately from the bibliography (generally true when citations are not sorted).

```
%\long\def\unused@endnotetext@note#1{%
%  \c@ifxundefined\@endnoteout{%
%    \newwrite\@endnoteout
%    \gdef\endnote@stream{\jobname\endnote@ext}%
%    \immediate\openout\@endnoteout\endnote@stream\relax
%  }{}%
%  \begingroup
%    \endnote@relax
%    \immediate\write\@endnoteout{\string\@doendnote{\@endnotelabel}{#1}}%
%  \endgroup
%}%
%
\@doendnote is obsolete.

%\def\@doendnote#1#2{\bibitem{#1}{#2}}%
%
```

Procedure `\@endnotetext` is the operative procedure when the endnotes are to be collated in with the other references, typically true when numerical citations are being used. The technique involves writing a .bib file (`\@bibdataout`) with each endnote typed as a `@FOOTNOTE` entry.

Timing note: doing `\openout` should be deferred until the beginning of the document, as is done here. This allows one to make a format (revtex4-2.dtx.fmt) file out of this class.

```
1552 \long\def\@endnotetext#1{%
1553   \begingroup
1554     \endnote@relax
1555     \immediate\write\@bibdataout{%
1556       @FOOTNOTE{%
1557         \@endnotelabel,%
```

The `key` field is recommended in cases where there is no author (see revtex4-2.dtxbttxdoc).

```
1558       key="\@endnotelabel",%
```

The `note` field is simply the content of the footnote.

```
1559       note="#1"%
1560     }%
1561   }%
1562   \endgroup
1563 }%
1564 \newwrite\@bibdataout
```

```
\endnote@relax At \AtBeginDocument time, we open the job's revtex4-2.dtx.bib file.
```

Procedure `\endnote@relax` robustifies commands that ought not to be expanded when the endnote is written out. Note the similarity between `\endnote@relax` and `\protected@write`.

```
1565 \def\endnote@relax{%
1566   \let\label\relax \let\index\relax \let\glossary\relax
1567   \let\cite\relax \let\ref\relax \let\pageref\relax
1568   \let\(\relax \let\)\relax \let\{\relax \let\}\relax
1569   \let~\relax

% \let\protect\noexpand
%

1570 \let \protect \unexpandable@protect
1571 \newlinechar'`^^M'

% \newlinechar`\
%
1572 \let\begin\relax \let\end\relax
1573 }%
```

```
\@bibdataout@init At \AtBeginDocument time, we open the job's revtex4-2.dtx.bib file. The hook  
\@bibdataout@aps is available for use by a society to place its own @CONTROL record in the  
\@bibdataout stream.
```

```
1574 \appdef\class@documenthook{\@bibdataout@init}{%
1575 \def\@bibdataout@init{%
1576   \immediate\openout\@bibdataout\pre@bibdata.\bibdata@ext\relax
1577 }%
1578 \def\@bibdataout@rev{%
1579   \immediate\write\@bibdataout{%
```

The entry that controls processing of the revtex4-2.dtx bst file has entry type @CONTROL. The citation key (REVTEX42Control) is effectively a version number, which the revtex4-2.dtx bst can use to interpret the bib entry.

```
1580   @CONTROL{%
1581     REVTEX42Control}
```

Say if we want the eprint field disabled. Otherwise accept the default of the revtex4-2.dtx bst.

```
1582   \eprint@enable@sw{}{},eprint="1"}%
1583 }%
1584 }%
```

Place a \citation into the auxiliary file corresponding to this entry.

```
1585 \if@filesw
1586   \immediate\write\@auxout{\string\citation{REVTEX42Control}}%
1587 \fi
1588 }%
```

\printendnotes We have removed the endnotes facility from REVTeX, so the \printendnotes command now does nothing.

Moving footnotes to the bibliography is now accomplished through the automatic generation of a job BiBTeX database (called \pre@bibdata) containing the footnotes.

```
1589 \def\printendnotes{%
1590   \class@warn{The \string\printendnotes\space command no longer serves any function. Please remo%
1591 }%
```

\@endnotesinbib We define a function \@endnotesinbib, and a variant \@endnotesinbibliography.

\@endnotesinbibliography The former is invoked at the start of the end processing for \end{thebibliography}; the latter is a synonym.

The procedure typesets the footnotes that are to appear in the bibliography; the default is to simply arrange for the footnote counter to be reset at the start of the document.

Note that this code make the assumption that the counter used in thebibliography is \c@NAT@ctr.

Here is the sole place where \footinbib@sw has an effect, other code simple assigning its value. If it is false, or \authoryear@sw is true, then footnotes are handled by the default mechanism.

```
1592 \def\make@footnote@endnote{%
1593   \footinbib@sw{%
1594     \authoryear@sw{%
1595       \ltx@footnote@push
1596       \def\thempfn{Note\thefootnote}%
1597       \let\ltx@footmark\rev@citemark
1598       \let\ltx@foottext\rev@endtext
1599     }%
1600   }%
1601 }%
```

The endnotes facility has been removed. Also, there is no need to queue up \auto@bib here, since it is always queued up elsewhere.

```
% \appdef\class@enddocumenthook{\auto@bib}{%
% \let\printendnotes\relax
%
1599 }%
1600 }%
1601 }%
%
1602 \def\ltx@footnote@push{%
1603   \let\ltx@footmark@latex\ltx@footmark
1604   \let\ltx@foottext@latex\ltx@foottext
1605   \let\thempfn@latex\thempfn
1606   \def\ltx@footnote@pop{%
1607     \let\ltx@footmark\ltx@footmark@latex
1608     \let\ltx@foottext\ltx@foottext@latex
1609     \let\thempfn\thempfn@latex
1610   }%
1611 }%
```

The switchover to setting footnotes in the bibliography changes the meaning of `\footnote` and substitutes the synonym for `\@endnotesinbib`.

We arrange for the procedure `\make@footnote@endnote` to be executed at `\class@documenthook` time (we mustn't do this earlier because the meaning of `\@footnotemark` must not be changed before then, for the sake of `ltxutil.dtx`).

```
1612 \appdef\class@documenthook{%
1613   \make@footnote@endnote
1614 }%
```

<code>\auto@bib</code> <code>\auto@bib@empty</code> <code>\test@bb1@sw</code> <code>\bibitem@set</code> <code>\auto@bib@innerbib</code> <code>\thebibliography@nogroup</code>	<p>Under some circumstances, we must typeset the bibliography automatically. If the document requires footnotes to be set in the bibliography (effectively, class option <code>footinbib</code>), or that frontmatter footnotes be set in the bibliography (effectively, class option <code>bibnotes</code>), but contains no explicit <code>\bibliography</code> statement.</p> <p>Note that this facility is not able to work more than once per document. If multiple bibliographies are required (e.g., per article), it will be the responsibility of the journal style to restore <code>\auto@bib</code> to its original meaning so it can be re-invoked.</p>
--	---

In procedure `\auto@bib`, we first test for the presence of frontmatter footnotes deferred to the bibliography. If none, we further test for the presence of `\bibitem` commands in the job's `revtex4-2.dtx.bbl` file. If either condition is met, we ask for a bibliography. We know that the document itself lacks a `\bibliography` statement, so we know the argument of the `\bibliography` that we will issue.

```
1615 \def\auto@bib{%
1616   \@ifx@\empty\@FMN@list{%
1617     \footinbib@sw{%
1618       \@ifnum{\csname c@\@mpfn\endcsname>\z@}{%
1619         \true@sw
1620       }{%
1621         \test@bb1@sw
1622       }%
1623     }%
1624     \test@bb1@sw
1625   }%
1626 }%
1627 \true@sw
1628 }%
1629 }%
1630 \bibliography{}%
1631 }{%
1632 }%
1633 \def\auto@bib@empty{%
1634   \let\auto@bib\empty
1635 }%
```

Testing the `revtex4-2.dtx.bbl` file involves defanging all expected commands and processing that file inside a box register (that will be simply discarded). We provide a new meaning for the `\bibitem` command: it queues a Boolean.

```
1636 \def\test@bb1@sw{%
```

```

1637 \setbox\z@\vbox\bgroup
1638 \let\providetoken\providetoken@j@nk
1639 \let\bibfield@gobbletwo
1640 \let\bibinfo@gobbletwo
1641 \let\translation@gobble
1642 \let\BibitemOpen@\empty
1643 \let\BibitemStop@\empty
1644 \let\BibitemNoStop@\empty
1645 \let\EOS@\empty
1646 \let\BibitemShut@\gobble
1647 \let\bibAnnoteFile@\gobbletwo
1648 \let\bibAnnote@gobblethree
1649 \let\textbf@\gobble
1650 \let\emph@\gobble
1651 \let\booleanfalse\bibitem@sw
1652 \let\bibitem\bibitem@set
1653 \auto@bib@innerbib
1654 \bibitem@sw{\aftergroup\true@sw}{\aftergroup\false@sw}%
1655 \egroup
1656 }%

```

The `\bibitem@set` is an alias for `\bibitem` for the purpose of detecting a non-trivial bibliography.

```

1657 \newcommand\bibitem@set[1][]{%
1658   \bibitem@sw{}{%
1659     \let\booleantrue\bibitem@sw
1660     \aftergroup\let\booleantrue\aftergroup\bibitem@sw
1661   }%
1662 }%

```

The `\auto@bib@innerbib` procedure reads in the `revtex4-2.dtx.bbl` file (if it exists) within a context where its `thebibliography` environment does nothing, not even establishing a group.

```

1663 \def\auto@bib@innerbib{%
1664   \begingroup
1665   \let\environment{thebibliography}{thebibliography@nogroup}%
1666   \bibliography{}%
1667   \endgroup
1668 }%

```

Environment `thebibliography@nogroup` is an alias of the `thebibliography` environment that cancels itself. It assumes that it is called within a `thebibliography` environment.

```

1669 \def\thebibliography@nogroup#1{%
1670   \endgroup
1671   \def\currenvir{thebibliography}%
1672 }%
1673 \def\endthebibliography@nogroup{\begingroup}%

```

The following should be part of `revtex4-2.dtxltxutil`.

```
1674 \long\def\gobblethree #1#2#3{}%
```

```

1675 \def\providetcommand@j@nk#1[#2]{%
1676   \@ifnum{#2=\z@}{\def\j@nk}{%
1677     \@ifnum{#2=\@ne}{\def\j@nk##1}{%
1678       \@ifnum{#2=\tw@}{\def\j@nk##1##2}{%
1679         \@ifnum{#2=\thr@@}{\def\j@nk##1##2##3}{%
1680           }%
1681         }%
1682       }%
1683     }%
1684   }%

```

17 Initial setup

The standard LaTeX document classes execute certain commands that are best deferred until `\class@documenthook` time. Here, we effectively split `\pagenumbering` into two halves, with a default definition for `\thepage` and an initialization of `\c@page` at `\class@documenthook` time.

The meaning of `\thepage` can be overridden by society, journal, or anywhere within the document preamble, and the counter itself will be preset at the beginning of the document.

```
1685 \def\thepage{\arabic{c@page}}%
```

Note that this code is executed at `\setup@hook` time to allow for the possibility of overrides by packages like `geometry`.

```

1686 \appdef\setup@hook{%
1687   \tabbingsep \labelsep
1688   \leftmargin\leftmargini
1689   \labelwidth\leftmargin\advance\labelwidth-\labelsep
1690   \let\@listi\@listI
1691   \@listi
1692 }%
1693 %   \begin{macrocode}
1694 %
1695 % We ensure that the ‘‘environment’’ component mark (implemented by \file{ltxgrid.dtx})
1696 % is initialized properly (via a hook, itself defined via \file{ltxutil.dtx}).
1697 %   \begin{macrocode}
1698 \appdef\class@documenthook{%
1699   \global\c@page\@ne
1700   \def\curr@envir{document}%
1701   \mark@envir{\curr@envir}%
1702 }%

```

- `\open@onecolumn` When setting the column grid, we have to override the procedure for formatting lists. Because `\twocolumngrid` requires rebalancing columns at some points, typesetting must employ only the manipulation of `\leftskip` and `\rightskip`, and must avoid the use of `\moveleft`, `\moveright`, and `\parshape`.
- `\open@column@two`

It is one of the stranger features of TeX that these two separate mechanisms exist. The latter three have the effect of adding things to the Main Vertical List

that cannot be removed and later added back with all their properties intact.

In detail, `\moveleft`, say, adds a box to the MVL with its reference point shifted horizontally by some amount relative to the reference point of the enclosing list. If that box is removed from the MVL (via a `\lastbox` operation in the output routine), and later thrown back to the MVL, the shift of the box will have been “forgotten” by TeX. This is a bug, but not one “acceptable to D. E. Knuth”, so it will never be fixed.

```
1703 \def\open@onecolumn{%
1704   \open@column@one\cne
1705   \set@colht
1706   \afloatplacement
1707   \dblfloatplacement
1708 }%
1709 \def\open@twocolumn{%
1710   \open@column@mlt\tw@
1711   \set@colht
1712   \afloatplacement
1713   \dblfloatplacement
1714   \sloppy
1715   \let\set@listindent\set@listindent@
1716 }%
```

18 \appendix

```
1717 %\newif\ifappendixon
```

Note that, within appendices, equations are numbered within sections (appendices).

```
1718 \def\appendix{%
1719   \par
1720 %\appendixontrue
1721   \setcounter{section}\z@
1722   \setcounter{subsection}\z@
1723   \setcounter{subsubsection}\z@
1724   \def\thesubsection{\arabic{subsection}}%
1725   \def\thesubsubsection{\alph{subsubsection}}%
1726   \@addtoreset{equation}{section}%
1727   \def\theequation@prefix{\thesection}%
1728   \addtocontents{toc}{\protect\appendix}%
1729   \@ifstar{%
1730     \def\thesection{\unskip}%
1731     \def\theequation@prefix{A.}%
1732   }{%
1733     \def\thesection{\Alph{section}}%
1734   }%
1735 }%
```

19 Changing the page grid

19.1 Avoiding Grid Changes

In preprint styles, “wide text” is a no-op, and the title page processing involves no grid change.

`\title@column` Provide default meanings for `\title@column` and `\close@column`, in case they `\close@column` were never defined. Note that the society or journal substyle may define `\title@column` or `\close@column`: this code will not override.

```
1736 \def\title@column#1{%
1737   \minipage{#1\columnwidth}
1738   #1%
1739   \minipage{#1\columnwidth}{%
1740   }%
1741 \def\close@column{%
1742   \newpage
1743 }
```

19.2 Galley Style: Margin Changes

A variant of preprint processing. Emulate journal appearance somewhat.

`widetext@galley` DPC: We’re in galley style so do a lob sided display environment.

QUERY: How can we be sure that we are in galley style? ANSWER: as noted elsewhere, require that both `\twocolumn@sw` and `\preprintsty@sw` be false.

```
1744 \def\galley@outdent{\rightmargin-\columnwidth\advance\rightmargin-\columnsep}%
1745 \let\widetext@outdent\empty
1746 \newenvironment{widetext@galley}{%
1747   \list{}{%
1748     \topsep      \z@skip
1749     \listparindent \parindent
1750     \itemindent   \parindent
1751     \leftmargin   \z@
1752     \parsep       \z@\z@plus\p@
1753     \widetext@outdent
1754   \relax
1755 }%
1756   \item\relax
1757 }{%
1758   \endlist
1759 }
```

19.3 Grid Changing Via ltxgrid

In case `twocolumngrid` has been invoked, switch column grid using the column grid-changing commands. Supply stub definitions of those commands here.

\title@column@grid The title block always starts at the top of a new page.
\close@column@grid Note that, for the procedure \close@column@grid, we balance columns by switching to the one-column page grid.

```

1760 \def\title@column@grid#1{%
1761   \minipage{footnote@init}
1762   \onecolumngrid
1763   \begingroup
1764     \let\@footnotetext\frontmatter@footnotetext
1765 %<ignore> \let\set@footnotewidth\set@footnotewidth@two
1766   \ltx@no@footnote
1767   #1%
1768   \endgroup
1769   \twocolumngrid
1770   \minipage{footnote@foot}
1771 }%
1772 \def\close@column@grid{%
1773   \balancelastpage@swf{%
1774   \onecolumngrid
1775 %<ignore> \twocolumngrid
1776 }{}}%
1777 }%

```

widetext@grid We slip into the one-column page grid within the scope of this environment.

Note that we set adornments above and below the `widetext`. These are set as leaders, so they will disappear at a page break.

```

1778 \newenvironment{widetext@grid}{%
1779   \par\ignorespaces
1780   \setbox{widetext@top}\vbox{%
1781 %<ignore> \vskip15\p@
1782   \hb@xt@\hsize{%
1783     \leaders\hrule\hfil
1784     \vrule\@height6\p@
1785   }%
1786 %<ignore> \vskip6\p@
1787 }%
1788   \setbox{widetext@bot}\hb@xt@\hsize{%
1789     \vrule\@depth6\p@
1790     \leaders\hrule\hfil
1791   }%
1792   \onecolumngrid
1793   \vskip10\p@
1794   \dimen@\ht{widetext@top}\advance\dimen@\dp{widetext@top}
1795   \cleaders\box{widetext@top}\vskip\dimen@
1796 %<ignore> \let\set@footnotewidth\set@footnotewidth@two
1797   \vskip6\p@
1798   \prep@math@patch
1799 }{%
1800   \par
1801   \vskip6\p@

```

```

1802  \setbox\widetext@bot\vbox{%
1803    \hb@xt@\hsize{\hfil\box\widetext@bot}%
1804 }%<ignore> \vskip14\p@
1805 }%
1806 \dimen@\ht\widetext@bot\advance\dimen@\dp\widetext@bot
1807 \cleaders\box\widetext@bot\vskip\dimen@
1808 \vskip8.5\p@
1809 \twocolumngrid\global\@ignorespacestrue
1810 \endgroup
1811 }%
1812 \newbox\widetext@top
1813 \newbox\widetext@bot

```

Decide, finally, how the page grid is to be manipulated.

```

1814 \def\set@page@grid{%
1815   \twocolumn@sw{%

```

The following two assignments determine what procedures are to be executed when the footnote set width is calculated, and how footnotes are to be composed at the bottom of the page. A society or journal wishing to do otherwise will override this code.

```

1816 \let\set@footnotewidth\set@footnotewidth@two
1817 \let\compose@footnotes\compose@footnotes@two
1818 \let@environment{\widetext}{\widetext@grid}%
1819 \let\title@column\title@column@grid
1820 \let\close@column\close@column@grid
1821 }{%
1822 \let@environment{\widetext}{\widetext@galley}%
1823 \preprintsty@sw{%

```

Change the page grid not at all.

```

1824 }{%

```

If we are galley style, change the page margin only.

```

1825 \galley@sw{%
1826   \let\widetext@outdent\galley@outdent
1827 }{}%
1828 }%
1829 }%
1830 }%
1831 \appdef\setup@hook{\set@page@grid}%

```

20 Old font commands

```

1832 \DeclareOldFontCommand{\rm}{\normalfont\rmfamily}{\mathrm}
1833 \DeclareOldFontCommand{\sf}{\normalfont\sffamily}{\mathsf}
1834 \DeclareOldFontCommand{\tt}{\normalfont\ttfamily}{\mathtt}
1835 \DeclareOldFontCommand{\bf}{\normalfont\bfseries}{\mathbf}
1836 \DeclareOldFontCommand{\it}{\normalfont\itshape}{\mathit}
1837 \DeclareOldFontCommand{\sl}{\normalfont\slshape}{\@nomath\sl}

```

```

1838 \DeclareOldFontCommand{\sc}{\normalfont\scshape}{\@nomath\sc}
1839 \DeclareRobustCommand*\cal{\@fontswitch\relax\mathcal}
1840 \DeclareRobustCommand*\mit{\@fontswitch\relax\mathnormal}

```

21 English-Language Texts

As this class is just for English language journals, we could hardwire these texts, but to make it easier to use this as a basis for the code for similar journal styles, separate out all the fixed text strings into babel-style macros of the form `\...name`

Note: for babel compatibility, use version 1999/05/05 v3.6x or later.

Some of these might need changing in the society-specific code.

\today Procedure `\today` is used in the article class, but not in this document class.

```

1841 \def\today{\ifcase\month\or
1842   January\or February\or March\or April\or May\or June\or
1843   July\or August\or September\or October\or November\or December\fi
1844   \space\number\day, \number\year}

```

\notesname Text entity `\notesname` had been used in `\printendnotes`. However, we have removed the endnotes facility from REVTeX.

```
%\def\notesname{Notes}
%
```

\partname Text entity `\partname` is used in `\@part`.

```
1845 \def\partname{Part}
```

\tocname Text entity `\tocname` is used in `\tableofcontents`, as defined in the standard L^AT_EX book class.

```
1846 \def\tocname{Contents}
```

\lofname Text entity `\lofname` is used in `\listoffigures`, as defined in the standard L^AT_EX book class.

```
1847 \def\lofname{List of Figures}
```

\lotname Text entity `\lotname` is used in `\listoftables`, as defined in the standard L^AT_EX book class.

```
1848 \def\lotname{List of Tables}
```

\refname Text entity `\refname` is used in `thebibliography`.

```
1849 \def\refname{References}
```

\indexname Text entity `\indexname` is used in `theindex`, as defined in the standard L^AT_EX book class.

```
1850 \def\indexname{Index}
```

\figurename Text entity `\figurename` is used in `figure`, `\figuresname` in `\printfigures`.

```
1851 \def\figurename{FIG.}
```

```
1852 \def\figuresname{Figures} %
```

```

\tablename Text entity \tablename is used in table, \tablename in \printtables.
1853 \def\tablename{TABLE}
1854 \def\tablesname{Tables}%

\abstractname Text entity \abstractname is used in abstract.
1855 \def\abstractname{Abstract}

\appendicesname Text entity \appendicesname is used in TOC.
\appendixname 1856 \def\appendicesname{Appendices}%
1857 \def\appendixname{Appendix}%

\acknowledgmentsname Text entity \acknowledgmentsname is used in acknowledgments.
1858 \def\acknowledgmentsname{Acknowledgments}

\journalname This should be set by the society journal options, eg ‘pra’.
1859 \def\journalname{??}

\copyrightname Default layout does not assign copyright, but a journal that wants to might use
this.
1860 \def\copyrightname{??}

\andname The text string “and” for use in author lists.
1861 \def\andname{and}

\@pacs@name The text string prepended to PACS numbers, resp. to keywords.
\@keys@name 1862 \def\@pacs@name{PACS numbers: }%
1863 \def\@keys@name{Keywords: }%

\ppname The text string “pp” for use in page ranges.
1864 \def\ppname{pp}

\numbername The text string “number” for use in article reference.
1865 \def\numbername{number}

\volume The text string “volume” for use in article reference.
1866 \def\volume{volume}

\@Dated@name These texts are used in the \date, et al. commands.
\Received@name 1867 \def\@Dated@name{Dated: }%
\Revised@name 1868 \def\@Received@name{Received }%
\Accepted@name 1869 \def\@Revised@name{Revised }%
\Published@name 1870 \def\@Accepted@name{Accepted }%
1871 \def\@Published@name{Published }%

```

22 Legacy Commands

We define some commands left over from version 3.1, or give default meanings. Some definitions can be overridden in the document preamble or in included packages.

Note on the namespace: command names like `\REV@name` are used here, because it is not clear that any of this code is generally useful.

```
1872 \def\address{\replace@command\address\affiliation}%
1873 \def\altaddress{\replace@command\altaddress\altaffiliation}%
1874 \newenvironment{references}{%
1875   \class@warn@end{The references environment is not supported; use thebibliography instead.}%
1876   \gdef\references{\thebibliography{}}
1877 }{%
1878   \endthebibliography
1879 }%
1880 \def\draft{%
1881   \class@warn@end{Command \string\draft\space is obsolete;^^JInvoke option draft instead.}%
1882   \booleantrue\draft@sw
1883 }%
1884 \def\tighten{%
1885   \class@warn@end{Command \string\tighten\space is obsolete;^^JInvoke option tightenlines instead.}%
1886   \booleantrue\tightenlines@sw
1887 }%
1888 \def\tableline{%
1889   \noalign{%
1890     \class@warn@end{Command \string\tableline\space is obsolete;^^JUse \string\colrule\space instead.}%
1891     \global\let\tableline\colrule
1892   }%
1893   \tableline
1894 }%
1895 \def\case{\replace@command\case\frac}%
1896 \def\slantfrac{\replace@command\slantfrac\frac}%
1897 \def\tablenote{\replace@command\tablenote\footnote}%
1898 \def\tablenotemark{\replace@command\tablenotemark\footnotemark}%
1899 \def\tablenotetext{\replace@command\tablenotetext\footnotetext}%
1900 % Lose the following definition:
1901 \DeclareRobustCommand\REV@text[1]{%
1902   \relax
1903   \ifmmode
1904     \mathchoice
1905       {\hbox{{\everymath{\displaystyle}}\#1}}{%
1906         {\hbox{{\everymath{\textstyle}}\#1}}}{%
1907           {\hbox{{\everymath{\scriptstyle}}\#1}}{%
1908             {\hbox{{\everymath{\scriptscriptstyle}}\#1}}{%
1909               \glb@settings
1910             \else
1911               \mbox{\#1}%
1912             \fi
1913           }}}}}%
```

```

1914 % Lose the following definition:
1915 \DeclareRobustCommand\REV@bbox[1]{%
1916   \relax
1917   \ifmmode
1918     \mathchoice
1919       {\hbox{{\everymath{\displaystyle} \boldmath{#1}}}}%
1920       {\hbox{{\everymath{\textstyle} \boldmath{#1}}}}%
1921       {\hbox{{\everymath{\scriptstyle} \boldmath{#1}}}}%
1922       {\hbox{{\everymath{\scriptscriptstyle} \boldmath{#1}}}}%
1923   \glb@settings
1924 }%
1925 \else
1926   \mbox{#1}%
1927 \fi
1928 }%
1929 \DeclareRobustCommand\REV@bm[1]{%
1930   \class@warn@end{To use \string\bm, please load the bm package!}%
1931   \global\let\bm\relax
1932 }%
1933 \def\FL{\obsolete@command\FL}%
1934 \def\FR{\obsolete@command\FR}%
1935 \def\narrowtext{\obsolete@command\narrowtext}%
1936 \def\mediumtext{\obsolete@command\mediumtext}%
1937 \newenvironment{quasitable}{%
1938   \let\environment{tabular}\longtable}%
1939 }%
1940 \text If not otherwise defined, give default meanings to certain commands. FIXME:
1941 \bm \bibinfo{%
1942 \let\text\REV@text
1943 \let\REV@bm
1944 \appdef\setup@hook{%
1945   \providecommand\bibinfo[2]{#2}%
1946   \providecommand\url[2]{#2}%
1947   \providecommand\url[1]{#1}%
1948 }%
1949 \def\bbox{%
1950   \def\bbox#1{%
1951     \newenvironment{mathletters}{%
1952       \class@warn@end{Environment {mathletters} is obsolete;^^Jload the amsmath package and use \sub}
1953       \global\let\mathletters\empty
1954     }%
1955   }%

```

```

\eqnum
1956 \def\eqnum#1{%
1957   \class@warn@end{\string\eqnum}space is obsolete, load the amsmath package and use \string\tag!
1958   \global\let\eqnum\@gobble
1959 }%

```

We read in the symbol definitions.

```

1960 \appdef\rtx@require@packages{%
1961   \RequirePackage{revsymb4-2}%
1962 }%
1963 \appdef\class@documenthook{\revsymb@inithook}%

```

23 Corrected Indentation for `tableofcontents`

Corrected indentation for `tableofcontents`, when appearing with `listoffigure` or `listoftable`.

```

1964 %%
1965 \def\@startfl#1{%
1966   \begingroup
1967   \%toc@pre
1968   \makeatletter
1969   \@input{\jobname.#1}%
1970   \if@filesw
1971     \expandafter\newwrite\csname tf@#1\endcsname
1972     \immediate\openout \csname tf@#1\endcsname \jobname.#1\relax
1973   \fi
1974   \nobreakfalse
1975   \%toc@post
1976   \endgroup
1977 }%
1978 \def\att@TOC{toc}%
1979 \def\print@toc#1{%
1980   \begingroup
1981   \expandafter\section
1982   \expandafter*%
1983   \expandafter{%
1984     \csname#1name\endcsname
1985   }%
1986   \let\appendix\appendix@toc
1987   \def\tempa{#1}%
1988   \ifx\tempa\att@TOC%
1989     \@starttoc{#1}%
1990   \else%
1991     \@startflt{#1}%
1992   \fi%
1993   \endgroup
1994 }%
1995 %%
```

24 Patches for lineno.sty

The `lineno` package detects the case where the package has been loaded and the document invokes `\linelabel`, but the `\linenumbers` command has not been issued: it treats this case as an error.

It is wrong for validity of document syntax to be dependent upon package semantics: we make the condition a warning rather than an error.

```
1996 \def\@LN@Lerror@org{%
1997   \PackageError{lineno}{%
1998     \string\linelabel\space without \string\linenumbers
1999   }{%
2000   Just see documentation. (New feature v4.11)}%
2001 }%
2002 \@gobble
2003 }%
2004 \def\@LN@Lerror@ltx{%
2005   \PackageWarning{lineno}{%
2006   To make the \string\linelabel\space command work, you must issue the \string\linenumbers\ com
2007 }%
2008 \@gobble
2009 }%
```

If appropriate, enable line numbering within the abstract.

This mechanism applies generally: Create the box in a context in which the meaning of `\par` has been patched by `lineno`, then `\unvbox` the box in a context where `\set@linepenalties` has been executed, and follow up with `\@linenumberpar`, which forces a visit to the output routine just there. Note that here, we have to de-fang `\@LN@parpgbrk`, which would otherwise causes the appearance of a box with depth -1000 points. Go figure.

```
2010 \appdef\class@documenthook{%
2011   \@ifx{\@LN@Lerror}{\@LN@Lerror@org}{%
2012     \class@info{Overriding \string\@LN@Lerror}%
2013     \let\@LN@Lerror\@LN@Lerror@ltx
2014   }{%
2015   \@ifpackageloaded{lineno}{%
2016     \@ifxundefined{\set@linepenalties}{}{%
2017       \def\prep@absbox{\set@linepenalties}%
2018       \def\post@absbox{\let\@LN@parpgbrk\empty\@linenumberpar}%
2019     }%
2020   }{%
2021 }}
```

One may well ask: how to obtain line numbering within an alignment in a float? This objective, along with line numbering within footnotes, would require extraordinary measures. The float would have to be thrown onto the MVL in order to acquire its line numbers, but that fragment of MVL would then have to be protected from being shipped out. The question of how to coordinate those lines' numbers with those of lines in the MVL would also require dealing with.

25 Endgame for the Document Class

We provide for a “job macro package” that can override definitions and assignments made by the class or any other packages it loads.

25.1 Job Macro Package

You can create a “job macro package” for your document that will be read in automatically every time your document is processed. Thus, if your job is a file called `myarticle.tex`, then the file `myarticle.rty` will be read in just the same as if you had placed a `\usepackage{myarticle.rty}` statement immediately following your `\documentclass` statement.

Within your `.rty` file, you can define and use control sequence names that use the `@` character and you can override any of the definitions or assignments made by the REVTEX document class or the selected journal substyle. That is, you have the power to really mess things up badly.

If you choose to have a job macro package, you are well advised to read the L^AT_EX guide to document classes, `clsguide.tex` or read up on the subject in a book like the L^AT_EX Companion.

The file `template.rty` contains a template for creating your own job macro package.

```
2022 \appdef\rtx@require@packages{%
2023  \InputIfFileExists{\jobname.rty}{}{}%
2024 }%
```

25.2 Endgame Processing for the Document Class

The remaining steps in processing the document class involve determining the needed society, journal, and pointsize from the document’s class options and inputting the needed files or executing the indicated procedures.

Note that the society file is expected to declare options that will allow us to determine the journal involved, and the society and journal themselves determine the which pointsize options are declared, along with their meanings.

Note also that required packages are read in only after the document options have been processed, because the latter can affect the former.

Finally, the setup code is executed: this is code that depends on the meanings of the switches we define and on the code within the packages we load.

Note that there are other hooks in use: `\document@inithook`, which is executed right at the beginning of the document, and `\class@documenthook`, which serves as a vehicle for any `\AtBeginDocument` code we might wish to execute.

FIXME: use `\class@documenthook` only for things that bear on the MVL; use `\document@inithook` for all patches to procedures defined within the preamble.

Remember that `natbib` changes its state at `\AtBeginDocument` time, so we have to install our own code at a later point in the processing.

We determine the proper `\@society` by examining the document’s class options.

```
2025 \@parse@class@options@society
```

Then, we input the society's substyle (which may in turn lead to loading a journal substyle or a pointsize substyle). The substyle should not assume the value of any class option: instead, it should install code into `\setup@hook`.

```
2026 \@process@society{aps}%
```

Now that the society has defined the class options relating to journals, and has defined `\@journal@default`, we can process the journal substyle. We parse the options for one that sets `\@journal`.

```
2027 \@parse@class@options@\@journal
```

And we process the journal. Note that *it is an error* for a society file to fail to define `\@journal@default`.

```
2028 \expandafter\@process@journal\expandafter{\@journal@default}%
```

Now that the society and journal have finished defining any options relating to point size, we process the class options for any that set `\@pointsize`.

```
2029 \@parse@class@options@\@pointsize
```

And we process the pointsize. Note that it is an error for the society and journal to leave `\@pointsize@default` undefined at this point, however, the journal may have overridden the assignment of the society.

```
2030 \expandafter\@process@pointsize\expandafter{\@pointsize@default}%
```

Next, we process the class options for once and all. Doing so sets values for some of the Booleans that were introduced along with the `\DeclareOption` statements above.

CHANGE: We process the options in the order declared in the document; this gives the document greater control.

```
2031 \@options
```

Now that the class options have been processed, we can load all the packages that we know need loading.

```
2032 \rtx@require@packages
```

At this point, the society substyle, the journal substyle, and the pointsize have all been processed, along with the document class options. Some of these have left things for later; we do these now.

`\setup@hook` This portion of the code for this class file *must* appear at the very end: The procedure `\setup@hook` should be executed at the very end of the class file. Any code that relies on the value of any of the `@sw` switches or will patch the code of one of the required packages should be executed here.

```
2033 \appdef\setup@hook{\normalsize}%
```

```
2034 \setup@hook
```

Warn if past maturation date. This code to be enabled only in beta software.

```
2035 %<*ignore>
```

```
2036 \def\rtx@fin@year{2010}%
```

```

2037 \def\rtx@fin@month{01}%
2038 \def\rtx@fin@day{01}%
2039 \def\rtx@fin@warn{%
2040   \@ifnum{\rtx@fin@year}>\the\year\relax{\true@sw}{%
2041     \@ifnum{\rtx@fin@month}>\the\month\relax{\true@sw}{%
2042       \@ifnum{\rtx@fin@day}>\the\day\relax{\true@sw}{%
2043         \false@sw
2044       }%
2045     }%
2046   }%
2047 }%
2048   \class@info{Beta software expires \rtx@fin@year-\rtx@fin@month-\rtx@fin@day; updates availab
2049 }{%
2050   \class@warn{Outdated software expired \rtx@fin@year-\rtx@fin@month-\rtx@fin@day; please retr
2051 }%
2052 }%
2053 %</ignore>

```

In shipping (non-beta) software, the following line should be commented out.

```
%\appdef\class@enddocumenthook{\rtx@fin@warn}%
%
```

End of the class file.

```
2054 %</package>
```

26 Symbols: the revsymb module

We immediately define a utility command: this module's warning.

```

2055 %<*revsymb>
2056 \def\REVSYMB@warn#1{\PackageWarningNoLine{revsymb}{#1}}%

```

```
\lambdabar
```

```

2057 \DeclareRobustCommand\lambdabar{%
2058   \bgroup
2059     \def\@tempa{%
2060       \hbox{%
2061         \raise.73\ht\z@
2062         \hb@xt@{.73em}{%
2063           \kern.25\wd\z@
2064           \vrule \width.5\wd\z@\height.1\p@\depth.1\p@
2065           \hss
2066         }%
2067         \box\z@
2068       }%
2069     }%
2070     \mathchoice
2071       {\setbox\z@\hbox{$\displaystyle \lambda$}\@tempa}%
2072       {\setbox\z@\hbox{$\textstyle \lambda$}\@tempa}%

```

```

2073      {\setbox\z@\hbox{$\scriptstyle \lambda$}\@tempa}%
2074      {\setbox\z@\hbox{$\scriptscriptstyle \lambda$}\@tempa}%
2075  \egroup
2076 }%

\openone DPC: Really should use a font that includes this glyph. Unfortunately not in AMS
ones, but is in bbold, cmbb. (I think, must check), FIXME: check for bbold.
2077 \DeclareRobustCommand\openone{\leavevmode\hbox{\small\ normalsize\kern-.33em1}}%

\corresponds Jörg Knappen suggests the replacements: replace \corresponds with \triangleq,
\overdots source amssymb; replace \overcirc with \mathring, source latex2e; replace
\overcirc \overdots with \ddot, source amsmath.

Any use of any of these commands will result in a warning message at the end
of the log file. If the corresponding package is not loaded, a definition will quietly
be provided.

2078 \DeclareRobustCommand\corresponds{\replace@command\corresponds\triangleq}%
2079 \DeclareRobustCommand\overcirc{\replace@command\overcirc\mathring}%
2080 \DeclareRobustCommand\overdots{\replace@command\overdots\ddot}%
2081 \DeclareRobustCommand\REV@triangleq{%
2082 {\lower.2ex\hbox{=}}{\kern-.75em^}\triangle}%
2083 }%
2084 \DeclareRobustCommand\REV@ddot[1]{%
2085 @ontopof{#1}{\cdots}{1.0}\mathord{\box2}}%
2086 }%


\succsim These version 3.1 commands are always supplied, but the definitions in amssymb
\precsim are preferred.

\lesssim 2087 \DeclareRobustCommand\altsuccsim{\succ\kern-.9em_\sim\kern.3em}%
\gtrsim 2088 \DeclareRobustCommand\altprecessim{\prec\kern-1em_\sim\kern.3em}%
\alt 2089 \let\REV@succsim\altsuccsim
\agt 2090 \let\REV@precsim\altprecessim
2091 \DeclareRobustCommand\REV@lesssim{\mathrel{\mathpalette\vereq{<}}}%
2092 \DeclareRobustCommand\REV@gtrsim{\mathrel{\mathpalette\vereq{>}}}%
2093 \DeclareRobustCommand\alt{\lesssim}
2094 \DeclareRobustCommand\agt{\gtrsim}
2095 \def\vereq#1#2{%
2096 \lower3\p@\vbox{%
2097 \baselineskip1.5\p@
2098 \lineskip1.5\p@
2099 \ialign{$\m@th#1\hfill##\hfil$\crcr#2\crcr\sim\crcr}%
2100 }%
2101 }%


\tensor
\overstar 2102 \DeclareRobustCommand\tensor[1]{\@ontopof{#1}{\leftrightarrow}{1.15}\mathord{\box2}}%
\loarrow 2103 \DeclareRobustCommand\overstar[1]{\@ontopof{#1}{\ast}{1.15}\mathord{\box2}}%
\roarrow 2104 \DeclareRobustCommand\loarrow[1]{\@ontopof{#1}{\leftarrow}{1.15}\mathord{\box2}}%
2105 \DeclareRobustCommand\roarrow[1]{\@ontopof{#1}{\rightarrow}{1.15}\mathord{\box2}}%

```

```

\@ontopof
2106 \def\@ontopof#1#2#3{%
2107   {%
2108     \mathchoice
2109       {\@ontopof{#1}{#2}{#3}\displaystyle \scriptstyle }%
2110       {\@ontopof{#1}{#2}{#3}\textstyle \scriptstyle }%
2111       {\@ontopof{#1}{#2}{#3}\scriptstyle \scriptscriptstyle}%
2112       {\@ontopof{#1}{#2}{#3}\scriptscriptstyle\scriptscriptstyle}%
2113   }%
2114 }%

```

\@@ontopof Same as REVTEX3, more or less.

```

2115 \def\@@ontopof#1#2#3#4#5{%
2116   \setbox\z@\hbox{$#4#1$}%
2117   \setbox\f@ur\hbox{$#5#2$}%
2118   \setbox\tw@\null\ht\tw@\ht\z@ \dp\tw@\dp\z@
2119   \ifdim{\wd\z@}>\wd\f@ur}{%
2120     \setbox\f@ur\hb@xt@\wd\z@{\hss\box\f@ur\hss}%
2121     \mathord{\rlap{\raise#3\ht\z@\box\f@ur}\box\z@}%
2122 }{%
2123   \setbox\f@ur\hb@xt@.9\wd\f@ur{\hss\box\f@ur\hss}%
2124   \setbox\z@\hb@xt@\wd\f@ur{\hss$#4\relax#1$\hss}%
2125   \mathord{\rlap{\copy\z@}\raise#3\ht\z@\box\f@ur}%
2126 }%
2127 }%

```

\frak Deal with legacy \frak: if amsfonts not loaded, defined in such a way as to ask for that package. Also, says to use \mathfrak instead.

```

2128 \DeclareRobustCommand\frak{%
2129   \REVSYMB@warnf{%
2130     Command \string\frak\space unsupported:^^J%
2131     please use \string\mathfrak\space instead.%%
2132   }%
2133   \global\let\frak\mathfrak
2134   \frak
2135 }%
2136 \DeclareRobustCommand\REV@mathfrak{%
2137   \REVSYMB@warnf{%
2138     Command \string\mathfrak\space undefined:^^J%
2139     please specify the amsfonts or amssymb option!%%
2140   }%
2141   \global\let\mathfrak\@firstofone
2142   \mathfrak
2143 }%

```

\Bbb Deal with legacy \Bbb: if amsfonts not loaded, defined in such a way as to ask for that package. Also, says to use \mathbb instead.

```

2144 \DeclareRobustCommand\Bbb{%
2145   \REVSYMB@warnf{%

```

```

2146 Command \string\Bbb\space unsupported:^^J%
2147 please use \string\mathbb\space instead.%  

2148 }%
2149 \global\let\Bbb\mathbb
2150 \Bbb
2151 }%
2152 \DeclareRobustCommand\REV@mathfrak{%
2153 \REVSYMB@warnf{%
2154 Command \string\mathbb\space undefined:^^J%
2155 please specify the amsfonts or amssymb option!%
2156 }%
2157 \global\let\mathbb\@firstofone
2158 \mathbb
2159 }%

```

\Bigglb Deal with legacy bold delimiters. Each of the following takes an implicit argument consisting of the delimiter to be made big and bold. FIXME: \DeclareBoldMathCommand is not the right tool!

```

2160 \def\Bigglb{\REV@boldopen \Bigg}%
2161 \def\Biglb {\REV@boldopen \Big }%
2162 \def\bigglb{\REV@boldopen \bigg}%
2163 \def\biglb {\REV@boldopen \big }%
2164 \def\Biggrb{\REV@boldclose\Bigg}%
2165 \def\Bigrb {\REV@boldclose\Big }%
2166 \def\biggrb{\REV@boldclose\bigg}%
2167 \def\bigrb {\REV@boldclose\big }%
2168 \def\REV@pmb#1{%
2169 \hbox{%
2170 \setbox\z@=\hbox{#1}%
2171 \kern-.02em\copy\z@\kern-\wd\z@
2172 \kern .04em\copy\z@\kern-\wd\z@
2173 \kern-.02em
2174 \raise.04em\copy\z@
2175 }%
2176 }%
2177 \def\REV@boldopen #1#2{\mathopen {\REV@pmb{##1#2$}}}}%
2178 \def\REV@boldclose#1#2{\mathclose{\REV@pmb{##1#2$}}}}%

```

\revsymb@inithook Package dependencies are taken care of at \setup@hook time.

```

2179 \def\revsymb@inithook{%
2180 \@ifxundefined\dddot{\let\ddot\REV@ddot}{()}%
2181 \@ifxundefined\triangleq{\let\triangleq\REV@triangleq}{()}%
2182 \@ifxundefined\succsim{\let\succsim\altsuccsim}{()}%
2183 \@ifxundefined\precsim{\let\precsim\altprecessim}{()}%
2184 \@ifxundefined\lessim{\let\lessim\REV@lessim}{()}%
2185 \@ifxundefined\gtrsim{\let\gtrsim\REV@gtrsim}{()}%
2186 \@ifxundefined\mathfrak{\let\mathfrak\REV@mathfrak}{()}%
2187 \@ifxundefined\mathbb{\let\mathbb\REV@mathbb}{()}%
2188 }%

```

```
2189 %</revsymb>
```

27 The 10pt class option: the 10pt module

The file `aps10pt.rtx` is read in by the `revtex4` document class if `\@pointsize` has the value 10.

```
2190 %<*10pt>
```

27.1 Defend Against Forseeable Errors

Protect this file from being read in by anything but REVTEX.

```
2191 \ifx\undefined\substyle@ext
2192   \def\@tempa{%
2193     \endinput
2194     \GenericWarning{I must be read in by REVTeX! (Bailing out)}%
2195   }%
2196   \expandafter\else
2197   \def\@tempa{}%
2198   \expandafter\fi\@tempa
2199   \class@info{RevTeX pointsize 10pt selected}%
2200 \def\normalsize{%
2201   \@setfontsize\normalsize@\xpt{11.5}%
2202   \abovedisplayskip 10\p@ \plus2\p@ \minus5\p@
2203   \belowdisplayskip \abovedisplayskip
2204   \abovedisplayshortskip \abovedisplayskip
2205   \belowdisplayshortskip \abovedisplayskip
2206   \let\@listi\@listI
2207 }%
2208 \def\small{%
2209   \@setfontsize\small@\ixpt{10.5}%
2210   \abovedisplayskip 8.5\p@ \plus3\p@ \minus4\p@
2211   \belowdisplayskip \abovedisplayskip
2212   \abovedisplayshortskip \z@ \plus2\p@
2213   \belowdisplayshortskip 4\p@ \plus2\p@ \minus2\p@
2214   \def\@listi{%
2215     \leftmargin\leftmargini
2216     \topsep 4\p@ \plus2\p@ \minus2\p@
2217     \parsep 2\p@ \plus\p@ \minus\p@
2218     \itemsep \parsep
2219   }%
2220 }%
2221 \def\footnotesize{%
2222   \@setfontsize\footnotesize@\viiipt{9.5pt}%
2223   \abovedisplayskip 6\p@ \plus2\p@ \minus4\p@
2224   \belowdisplayskip \abovedisplayskip
2225   \abovedisplayshortskip \z@ \plus\p@
```

```

2226   \belowdisplayshortskip 3\p@ \cplus\p@ \cminus2\p@
2227   \def\@listi{%
2228     \leftmargin\leftmargini
2229     \topsep 3\p@ \cplus\p@ \cminus\p@
2230     \parsep 2\p@ \cplus\p@ \cminus\p@
2231     \itemsep \parsep
2232   }%
2233 }%
2234 \def\scriptsize{%
2235   \setfontsize\scriptsize\@viipt\@viiipt
2236 }%
2237 \def\tiny{%
2238   \setfontsize\tiny\@vpt\@vipt
2239 }%
2240 \def\large{%
2241   \setfontsize\large\@xiipt{14pt}%
2242 }%
2243 \def\Large{%
2244   \setfontsize\Large\@xivpt{18pt}%
2245 }%
2246 \def\LARGE{%
2247   \setfontsize\LARGE\@xviipt{22pt}%
2248 }%
2249 \def\huge{%
2250   \setfontsize\huge\@xxpt{25pt}%
2251 }%
2252 \def\Huge{%
2253   \setfontsize\Huge\@xxvpt{30pt}%
2254 }%

```

The values of these margin parameters are dependent upon `\twoside@sw`; any society or journal that has its own preferences should override these assignments by doing `\appdef\setup@hook`.

```

2255 \appdef\setup@hook{%
2256   \twoside@sw{%
2257 %   \oddsidemargin -.1in
2258 %   \evensidemargin -.4in
2259   \oddsidemargin -20pt
2260   \evensidemargin -20pt
2261   \marginparwidth 107pt
2262 }{%
2263   \oddsidemargin -.25in
2264   \evensidemargin -.25in
2265   \marginparwidth 30pt
2266 }%
2267 }%
2268 \marginparsep 6pt
2269 \topmargin -61pt

```

```

2270 \headheight 25pt
2271 \headsep 16pt

2272 \topskip 10pt
2273 \splittopskip\topskip
2274 \footskip 30pt
2275 \textheight = 56pc
2276 \textwidth42.5pc
2277 \columnsep 1.5pc
2278 \columnseprule 0pt

2279 \footnotesep 1pt
2280 \skip\footins 39pt plus 4pt minus 12pt
2281 \def\footnoterule{%
2282 \dimen@\skip\footins\divide\dimen@\tw@
2283 \kern-\dimen@\hrule width.5in\kern\dimen@
2284 }%
2285 \floatsep 12pt plus 2pt minus 2pt
2286 \textfloatsep 20pt plus 2pt minus 4pt
2287 \intextsep 12pt plus 2pt minus 2pt
2288 \dblfloatsep 12pt plus 2pt minus 2pt
2289 \dbltextfloatsep 20pt plus 2pt minus 4pt

2290 \@fptop 0pt plus 1fil
2291 \@fpsep 8pt plus 2fil
2292 \@fpbot 0pt plus 1fil
2293 \@dblfpptop 0pt plus 1fil
2294 \@dblfpsep 8pt plus 2fil
2295 \@dblfpbot 0pt plus 1fil

2296 \marginparpush 5pt
2297 \parskip 0pt plus 1pt
2298 \parindent 10pt
2299 \emergencystretch8\p@

2300 \partopsep 2pt plus 1pt minus 1pt
2301 \leftmargini 25pt
2302 \leftmarginii 22pt
2303 \leftmarginiii 18.7pt
2304 \leftmarginiv 17pt
2305 \leftmarginv 10pt
2306 \leftmarginvi 10pt

2307 \def\@listI{%
2308 \leftmargin\leftmargini
2309 \parsep 4\p@ plus2\p@ minus\p@
2310 \topsep 8\p@ plus2\p@ minus4\p@
2311 \itemsep 4\p@ plus2\p@ minus\p@
2312 }%

```

```

2313 \labelsep 4pt
2314 \def\@listii{%
2315   \leftmargin\leftmarginii
2316   \labelwidth\leftmarginii
2317   \advance\labelwidth-\labelsep
2318   \topsep 4\p@ plus2\p@ minus\p@
2319   \parsep 2\p@ plus\p@ minus\p@
2320   \itemsep \parsep
2321 }%
2322 \def\@listiii{%
2323   \leftmargin\leftmarginiii
2324   \labelwidth\leftmarginiii
2325   \advance\labelwidth-\labelsep
2326   \topsep 2\p@ plus\p@ minus\p@
2327   \parsep \z@
2328   \partopsep \p@ plus\z@ minus\p@
2329   \itemsep \topsep
2330 }%
2331 \def\@listiv{%
2332   \leftmargin\leftmarginiv
2333   \labelwidth\leftmarginiv
2334   \advance\labelwidth-\labelsep
2335 }%
2336 \def\@listv{%
2337   \leftmargin\leftmarginv
2338   \labelwidth\leftmarginv
2339   \advance\labelwidth-\labelsep
2340 }%
2341 \def\@listvi{%
2342   \leftmargin\leftmarginvi
2343   \labelwidth\leftmarginvi
2344   \advance\labelwidth-\labelsep
2345 }%
2346 %</10pt>

```

28 The 11pt class option: the 11pt module

The file `11pt.rtx` is read in by the `revtex4` document class if `\@pointsizes` has the value 11.

```
2347 %<*11pt>
```

28.1 Defend Against Forseeable Errors

Protect this file from being read in by anything but REVTEX.

```
2348 \ifx\undefined\substyle@ext
```

```

2349 \def\@tempa{%
2350   \endinput
2351   \GenericWarning{I must be read in by REVTeX! (Bailing out)}%
2352 }%
2353 \expandafter\else
2354 \def\@tempa{}%
2355 \expandafter\fi\@tempa
2356 \class@info{RevTeX pointsize 11pt selected}%
2357 \def\normalsize{%
2358   \@setfontsize\normalsize\xipt{13.6}%
2359   \abovedisplayskip 11\p@ \oplus3\p@ \minus6\p@
2360   \belowdisplayskip \abovedisplayskip
2361   \abovedisplayshortskip \abovedisplayskip
2362   \belowdisplayshortskip \abovedisplayskip
2363   \let\@listi\@listI
2364 }%
2365 \def\small{%
2366   \@setfontsize\small\xipt{13.6}%
2367   \abovedisplayskip 10\p@ \oplus2\p@ \minus5\p@
2368   \abovedisplayshortskip \z@ \oplus3\p@
2369   \belowdisplayshortskip 6\p@ \oplus3\p@ \minus3\p@
2370   \def\@listi{\leftmargin\leftmargini
2371     \topsep 6\p@ \oplus2\p@ \minus2\p@
2372     \parsep 3\p@ \oplus2\p@ \minus\p@
2373     \itemsep \parsep
2374   }%
2375   \belowdisplayskip \abovedisplayskip
2376 }%
2377 \def\footnotesize{%
2378   \@setfontsize\footnotesize\xipt{11}%
2379   \abovedisplayskip 8\p@ \oplus2\p@ \minus4\p@
2380   \abovedisplayshortskip \z@ \oplus\p@
2381   \belowdisplayshortskip 4\p@ \oplus2\p@ \minus2\p@
2382   \def\@listi{\leftmargin\leftmargini
2383     \topsep 4\p@ \oplus2\p@ \minus2\p@
2384     \parsep 2\p@ \oplus\p@ \minus\p@
2385     \itemsep \parsep
2386   }%
2387   \belowdisplayskip \abovedisplayskip
2388 }%
2389 \def\scriptsize{%
2390   \@setfontsize\scriptsize\xipt{9.5}%
2391 }%
2392 \def\tiny{%
2393   \@setfontsize\tiny\xipt{9.5}%
2394 }%
2395 \def\large{%
2396   \@setfontsize\large\xipt{14}%

```

```

2397 }%
2398 \def\Large{%
2399   \@setfontsize\Large\@xivpt{18}%
2400 }%
2401 \def\LARGE{%
2402   \@setfontsize\LARGE\@xviipt{22}%
2403 }%
2404 \def\huge{%
2405   \@setfontsize\huge\@xxpt{25pt}%
2406 }%
2407 \def\Huge{%
2408   \@setfontsize\Huge\@xxvpt{30pt}%
2409 }%
2410 %</11pt>

```

29 The 12pt class option: the 12pt module

The file `12pt.rtx` is read in by the `revtex4` document class if `\@pointsize` has the value 12.

```
2411 %<*12pt>
```

29.1 Defend Against Forseeable Errors

Protect this file from being read in by anything but REVTEX.

```

2412 \ifx\undefined\substyle@ext
2413   \def\@tempa{%
2414     \endinput
2415     \GenericWarning{I must be read in by REVTeX! (Bailing out)}%
2416   }%
2417   \expandafter\else
2418   \def\@tempa{}%
2419   \expandafter\fi\@tempa
2420   \class@info{RevTeX pointsize 12pt selected}%

2421 \def\normalsize{%
2422   \@setfontsize\normalsize\@xiipt{14pt}%
2423   \abovedisplayskip 12\p@ \oplus3\p@ \minus7\p@
2424   \belowdisplayskip \abovedisplayskip
2425   \abovedisplayshortskip \z@ plus3\p@
2426   \belowdisplayshortskip 6.5\p@ \oplus3.5\p@ \minus3\p@
2427   \let\@listi\@listI
2428 }%

2429 \def\small{%
2430   \@setfontsize\small\@xipt{14.5pt}%
2431   \abovedisplayskip 8\p@ \oplus3\p@ \minus6\p@
2432   \belowdisplayskip \abovedisplayskip
2433   \abovedisplayshortskip \z@ \oplus3\p@

```

```

2434 \belowdisplayshortskip 6.5\p@ \oplus3.5\p@ \minus3\p@
2435 \def\@listi{%
2436   \leftmargin\leftmargini
2437   \topsep 9\p@ \oplus3\p@ \minus5\p@
2438   \parsep 4.5\p@ \oplus2\p@ \minus\p@
2439   \itemsep \parsep
2440 }%
2441 }%
2442 \def\footnotesize{%
2443   \setfontsize\footnotesize\xpt{14.5pt}%
2444   \abovedisplayskip 10\p@ \oplus2\p@ \minus5\p@
2445   \belowdisplayskip \abovedisplayskip
2446   \abovedisplayshortskip \z@ \oplus3\p@
2447   \belowdisplayshortskip 6\p@ \oplus3\p@ \minus3\p@
2448 \def\@listi{%
2449   \leftmargin\leftmargini
2450   \topsep 6\p@ \oplus2\p@ \minus2\p@
2451   \parsep 3\p@ \oplus2\p@ \minus\p@
2452   \itemsep \parsep
2453 }%
2454 }%
2455 \def\scriptsize{%
2456   \setfontsize\scriptsize\xviipt{9.5pt}%
2457 }%
2458 \def\tiny{%
2459   \setfontsize\tiny\xipt{7pt}%
2460 }%
2461 \def\large{%
2462   \setfontsize\large\xivpt{18pt}%
2463 }%
2464 \def\Large{%
2465   \setfontsize\Large\xviiipt{22pt}%
2466 }%
2467 \def\LARGE{%
2468   \setfontsize\LARGE\xxipt{25pt}%
2469 }%
2470 \def\huge{%
2471   \setfontsize\huge\xxvpt{30pt}%
2472 }%
2473 \let\Huge=\huge
2474 %</12pt>

```

30 Page parameters

This code is common to both 11pt and 12pt.

```
2475 %<*11pt|12pt>
```

```

2476 \appdef\setup@hook{%
2477   \twoside@sw{%
2478     \oddsidemargin Opt
2479     \evensidemargin Opt
2480     \marginparwidth 60pt
2481   }{%
2482     \oddsidemargin Opt
2483     \evensidemargin Opt
2484     \marginparwidth 44pt
2485   }%
2486 }%
2487 \marginparsep 10pt
2488 \topmargin -37pt
2489 \headheight 12pt
2490 \headsep 25pt

2491 \topskip 10pt
2492 \splittopskip\topskip
2493 \footskip 30pt
2494 \textheight=665.5\p@
2495 \appdef\setup@hook{%
2496   \tightenlines@sw{%
2497     \def\baselinestretch{1}%
2498   }{%
2499     \def\baselinestretch{1.5}%
2500   }%
2501 }%
2502 \textwidth 468pt
2503 \columnsep 10pt
2504 \columnseprule Opt

2505 \footnotesep 1pt
2506 \skip\footins 25.25pt plus 4pt minus 12pt
2507 \def\footnoterule{%
2508   \dimen@\skip\footins\divide\dimen@\f@ur
2509   \kern-\dimen@\hrule width.5in\kern\dimen@
2510 }%
2511 \floatsep      14pt plus 2pt minus 4pt
2512 \textfloatsep   20pt plus 2pt minus 4pt
2513 \intextsep    14pt plus 4pt minus 4pt
2514 \dblfloatsep   14pt plus 2pt minus 4pt
2515 \dbltextfloatsep 20pt plus 2pt minus 4pt

2516 \c@fptop Opt plus 1fil
2517 \c@fpsep 10pt plus 2fil
2518 \c@fpbot Opt plus 1fil

```

```

2519 \@dblpfptop Opt plus 1fil
2520 \@dblpfpsep 10pt plus 2fil%
2521 \@dblpfbot Opt plus 1fil
2522 \marginparpush 7pt
2523 \parskip Opt plus 1pt
2524 \parindent 15pt
2525 \emergencystretch8\p@
2526 \partopsep 3pt plus 2pt minus 2pt
2527 \leftmargini 30pt
2528 \leftmarginii 26pt
2529 \leftmarginiii 22pt
2530 \leftmarginiv 20pt
2531 \leftmarginv 12pt
2532 \leftmarginvi 12pt
2533 \def\@listI{\leftmargin\leftmargini \parsep 5\p@ plus2.5\p@ minus\p@
2534   \topsep 10\p@ plus4\p@ minus6\p@
2535   \itemsep 5\p@ plus2.5\p@ minus\p@
2536 }%
2537 \labelsep 6pt
2538 \def\@listII{\leftmargin\leftmarginii
2539   \labelwidth\leftmarginii\advance\labelwidth-\labelsep
2540   \topsep 5\p@ plus2.5\p@ minus\p@
2541   \parsep 2.5\p@ plus\p@ minus\p@
2542   \itemsep \parsep
2543 }%
2544 \def\@listIII{\leftmargin\leftmarginiii
2545   \labelwidth\leftmarginiii\advance\labelwidth-\labelsep
2546   \topsep 2.5\p@ plus\p@ minus\p@
2547   \parsep \z@ \partopsep \p@ plus\z@ minus\p@
2548   \itemsep \topsep
2549 }%
2550 \def\@listIV{\leftmargin\leftmarginiv
2551   \labelwidth\leftmarginiv\advance\labelwidth-\labelsep
2552 }%
2553 \def\@listV{\leftmargin\leftmarginv
2554   \labelwidth\leftmarginv\advance\labelwidth-\labelsep
2555 }%
2556 \def\@listVI{\leftmargin\leftmarginvi
2557   \labelwidth\leftmarginvi\advance\labelwidth-\labelsep
2558 }%
2559 %</11pt|12pt>

```

31 The aps class extension: the aps module

The file `aps.rtx` is read in by the `revtex4` document class if `\@society` has the value `aps`.

Here, code specific to APS journals is separated out from the REVTEX document class. (Other societies can customize REVTEX by supplying their own `.rtx` file.)

This class extension file is a model for a class extension you might write yourself.

First, incorporate a `\ProvidesFile` command with an optional argument giving the version information, e.g.,

```
% \ProvidesFile{foo}[2001/09/11 v1.1 Docinfo]%
%
```

Within the society substyle, there are two things we must do as well: define the default journal,

```
% \def\@journal@default{pra}%
%
```

And do likewise for the point size:

```
% \def\@pointsizes@default{10}%
%
```

We first define some text entities (amounting to journal abbreviations), then some APS-specific initializations, then code for particular APS journals. In the latter case, the choice is keyed off the macro `\@journal`.

2560 %<*aps>

31.1 Defend Against Forseeable Errors

Protect this file from being read in by anything but REVTEX.

```
2561 \ifx\undefined\substyle@ext
2562 \def\@tempa{%
2563 \endinput
2564 \GenericWarning{I must be read in by REVTeX! (Bailing out)}%
2565 }%
2566 \expandafter\else
2567 \def\@tempa{}%
2568 \expandafter\fi\@tempa
2569 \class@info{RevTeX society APS selected}%

```

Here are the class options relating to the APS:

```
2570 \DeclareOption{pra}{\change@journal{pra}}%
2571 \DeclareOption{prb}{\change@journal{prb}}%
2572 \DeclareOption{prc}{\change@journal{prc}}%
2573 \DeclareOption{prd}{\change@journal{prd}}%
2574 \DeclareOption{pre}{\change@journal{pre}}%
2575 \DeclareOption{prl}{\change@journal{prl}}%
2576 \%changes{4.2b}{2017/11/21}{(MD) Update options for new titles without "Special Topics" and mak
2577 \DeclareOption{prab}{\change@journal{prab}}%
```

```

2578 \DeclareOption{prper}{\change@journal{prper}}%
2579 \DeclareOption{rmp}{\change@journal{rmp}}%
2580 \%changes{4.2b}{2017/11/21}{(MD) Add options for new APS journals and a generic physrev option}
2581 \DeclareOption{prx}{\change@journal{prx}}%
2582 \DeclareOption{prapplied}{\change@journal{prapplied}}%
2583 \DeclareOption{prmaterials}{\change@journal{prmaterials}}%
2584 \DeclareOption{prfluids}{\change@journal{prfluids}}%
2585 \DeclareOption{physrev}{\change@journal{physrev}}%

```

31.2 Abbreviations

The following macros constitute typing shortcuts for certain journal names.

```

2586 \def\adv{AIP Advances}%
2587 \def\ao{Appl.\ Opt.}%
2588 \def\ap{Appl.\ Phys.}%
2589 \def\apl{Appl.\ Phys.\ Lett.}%
2590 \def\apm{Appl.\ Phys.\ Lett.\ Mater.}%
2591 \def\apj{Astrophys.\ J.}%
2592 \def\bell{Bell Syst.\ Tech.\ J.}%
2593 \def\bmf{Biomicrofluidics}%
2594 \def\cha{Chaos}%
2595 \def\jqe{IEEE J.\ Quantum Electron.}%
2596 \def\assp{IEEE Trans.\ Acoust.\ Speech Signal Process.}%
2597 \def\aprop{IEEE Trans.\ Antennas Propag.}%
2598 \def\mtt{IEEE Trans.\ Microwave Theory Tech.}%
2599 \def\iovs{Invest.\ Ophthalmol.\ Vis.\ Sci.}%
2600 \def\jcp{J.\ Chem.\ Phys.}%
2601 \def\jap{J.\ Appl.\ Phys.}%
2602 \def\jmp{J.\ Math.\ Phys.}%
2603 \def\jmo{J.\ Mod.\ Opt.}%
2604 \def\josa{J.\ Opt.\ Soc.\ Am.}%
2605 \def\josaa{J.\ Opt.\ Soc.\ Am.\ A}%
2606 \def\josab{J.\ Opt.\ Soc.\ Am.\ B}%
2607 \def\jpp{J.\ Phys.\ (Paris)}%
2608 \def\jpr{J.\ Phys.\ Chem.\ Ref.\ Data}%
2609 \def\ltp{Low.\ Temp.\ Phys.}%
2610 \def\nat{Nature (London)}%
2611 \def\oc{Opt.\ Commun.}%
2612 \def\ol{Opt.\ Lett.}%
2613 \def\pl{Phys.\ Lett.}%
2614 \def\pop{Phys.\ Plasmas}%
2615 \def\pof{Phys.\ Fluids}%
2616 \def\pra{Phys.\ Rev.\ A}%
2617 \def\prb{Phys.\ Rev.\ B}%
2618 \def\prc{Phys.\ Rev.\ C}%
2619 \def\prd{Phys.\ Rev.\ D}%
2620 \def\pre{Phys.\ Rev.\ E}%
2621 \def\prl{Phys.\ Rev.\ Lett.}%
2622 \def\rmp{Rev.\ Mod.\ Phys.}%

```

```

2623 \def\rsi{Rev.\ Sci.\ Instrum.}%
2624 \def\rse{J.\ Renewable Sustainable Energy}%
2625 \def\pspie{Proc.\ Soc.\ Photo-Opt.\ Instrum.\ Eng.}%
2626 \def\sjqe{Sov.\ J.\ Quantum Electron.}%
2627 \def\vr{Vision Res.}%
2628 \def\sd{Structural\ Dynamics}%
2629 \def\jor{J.\ Rheol.}%
2630 \def\cp{AIP\ Conference\ Proceedings}%

```

31.3 APS Setup

Here we define the default procedures for APS journals. Individual APS journals may override these definitions.

31.3.1 Title block

The specifics of the title block. Apply to all APS journals; individual journals may override these settings.

\@fnsymbol The L^AT_EX kernel definition of \@fnsymbol is overridden. The definition in revtex4-2.dtxfixltx2e.sty serves as a guide to the new way to symbol, working in both text- and math modes.

revtex4-2.dtxfixltx2e.sty duplicates some features of revtex4-2.dtxltxgrid and revtex4-2.dtxltxutil, however, so it may be incompatible with REV^TE_X. In case it is not loaded, we must provide a meaning for \TextOrMath, which that package makes robust. I believe that it is \@fnsymbol itself that ought to be robustified. eT_EX further complicates matters; we do not especially accomodate it.

Not! \TextOrMath must be made robust in any case (Bug 530). I return things to follow core L^AT_EX 2_ε (revtex4-2.dtxlateX.ltx).

```

2631 \def\@fnsymbol#1{%
2632   \ensuremath{%
2633     \ifcase#1\or
2634       *\or
2635       \dagger\or
2636       \ddagger\or
2637       \mathsection\or
2638       \mathparagraph\or
2639     \% \!\!\!\mid\!\!\!\or
2640     **\or
2641       \dagger\dagger\or
2642       \ddagger\ddagger\else
2643       \mathsection\mathsection\or
2644       \mathparagraph\mathparagraph\or
2645     ***\or
2646       \dagger\dagger\dagger\or
2647       \ddagger\ddagger\ddagger\else
2648       \mathsection\mathsection\mathsection\or
2649       \mathparagraph\mathparagraph\mathparagraph\or

```

```

2650 %
2651     \ctrerr
2652     \fi
2653 }%
2654 }%
2655 \appdef\document@inithook{%
2656     \@ifxundefined\TextOrMath{%
2657         \ DeclareRobustCommand\TextOrMath{\@ifmmode{\false@sw}{\true@sw}}%
2658     }{}%
2659 }%
2660 \let\thefootnote@latex\thefootnote

```

We assign the default titlepage style for APS; a journal or document instance may override by invoking one of the other `\clo@...` procedures defined in REVTEX.

```
2661 \clo@grouppedaddress
```

```

\titlepage
2662 \renewenvironment{titlepage}{%
2663     \let\wastwocol@sw\twocolumn@sw
2664     \onecolumngrid
2665     \newpage
2666     \thispagestyle{titlepage}%
2667     \c@page\z@
A comment: "article.cls sets this to one not zero?"
2668 }{%
2669     \wastwocol@sw{\twocolumngrid}{\newpage}%
2670 }%

```

`\frontmatter@abstractheading` APS Journals all set the abstract head the same way, with no head. However, if the user has specified the `preprint` class option, then the abstract will have a head.

```

2671 \def\frontmatter@abstractheading{%
2672     \preprintsty@sw{%
2673         \begingroup
2674         \centering\large
2675         \abstractname
2676         \par
2677         \endgroup
2678     }{}%
2679 }%

```

`\frontmatter@abstractwidth` All APS journals set the abstract to the same width.

```
2680 \def\frontmatter@abstractwidth{400\p@}%
```

`\frontmatter@abstractfont` All APS journals set the abstract body the same way.

```

2681 \def\frontmatter@abstractfont{%
2682     \small
2683     \parindent1em\relax

```

```

2684 \adjust@abstractwidth
2685 }%
2686 \def\adjust@abstractwidth{%
2687 \dimen@\textwidth\advance\dimen@-\frontmatter@abstractwidth
2688 \divide\dimen@\tw@
2689 \galley@sw{%
2690 \advance\rightskip\tw@\dimen@
2691 }{%
2692 \advance\leftskip\dimen@
2693 \advance\rightskip\dimen@
2694 }%
2695 \totallmargin\leftskip
2696 }%

```

All APS journal preprints use separate titlepage and full-width abstract.

In effect, we establish a society default value for `\preprintsty@sw`, and for `\titlepage@sw`.

```

2697 \@booleanfalse\preprintsty@sw
2698 \@booleanfalse\titlepage@sw

```

We choose the page style for all APS journals. The journal may override by inserting its own code in `\setup@hook`. Users wishing to customize their documents will be able to invoke a `\pagestyle` command anywhere in the preamble; it will override the assignments here.

Here is the big switch for APS preprints. Note that `\preprintsty@sw` is also consulted in various procedures, but we assume its value does not change after `\setup@hook` time.

```

2699 \appdef\setup@hook{%
2700   \preprintsty@sw{%
2701     \ps@preprint
2702     \def\frontmatter@abstractwidth{\textwidth}%
2703     \def\frontmatter@affiliationfont{\it}%
2704     \let\section\section@preprintsty

```

The following line of code had been commented out at this point.

```

% \let\hangfrom@section\hangfrom@section@preprintsty
%
2705 \let\subsection\subsection@preprintsty
2706 \let\subsubsection\subsubsection@preprintsty
2707 }{%
2708 \ps@article
2709 }%
2710 }%

```

`\frontmatter@authorformat` All APS journals set the author list the same. The leading is 11.5 points, and there is 11.5 points of extra space above the first author line (which amounts to the same thing as 11.5 points extra below the title) for a total of 23 points base-to-base.

```

2711 \def\frontmatter@authorformat{%

```

```

2712 \skip@ \flushglue
2713 \flushglue \z@ plus .3\hsize \relax
2714 \centering
2715 \advance \baselineskip \p@
2716 \parskip 11.5\p@ \relax
2717 \flushglue \skip@

```

The following line of code had been commented out at this point.

```

%\preprintsty@sw{}{%
% \addvspace{0\p@}%
%}{%
%
2718 }%

```

\frontmatter@above@affilgroup The default amount of space above affiliation. APS Journals have 24 points b-b above an affiliation group.

```
2719 \def \frontmatter@above@affilgroup{%

```

The following line of code had been commented out at this point.

```

%\preprintsty@sw{}{%
% \addvspace{11\p@}%
%}{%
%
2720 }%

```

\frontmatter@above@affiliation The default amount of space above affiliation. APS Journals have no extra space
natter@above@affiliation@script between author group down to common affiliation.

```

2721 \def \frontmatter@above@affiliation@script{%
2722 \skip@ \flushglue
2723 \flushglue \z@ plus .3\hsize \relax
2724 \centering
2725 \flushglue \skip@ \relax
2726 \addvspace{3.5\p@}%
2727 }%
2728 \def \frontmatter@above@affiliation{%
2729 \preprintsty@sw{}{%

```

The following line of code had been commented out at this point.

```

% \addvspace{12\p@}%
%
2730 }%
2731 }%

```

\frontmatter@affiliationfont All APS journals set the affiliation the same.

```

2732 \def \frontmatter@affiliationfont{%
2733 \small \it
2734 }%

```

`\frontmatter@collaboration@above` PRL: 1.5 points extra: 13 points base-to-base above.

```

2735 \def\frontmatter@collaboration@above{%
2736   \preprintsty@swi%
2737 }{%
2738   \parskip1.5\p@\relax
2739 }%
2740 }%

```

`\frontmatter@setup` All APS journals set the title page using the same font and size. However, justification varies for the title block elements, so we assert none here.

```

2741 \def\frontmatter@setup{%
2742   \normalfont
2743 }%

```

`\frontmatter@title@above` All APS journals set the article title the same.

`\frontmatter@title@format` Note: Spacing from title to author is 23 points base-to-base.

`\frontmatter@title@below`

```

2744 \def\frontmatter@title@above{\addvspace{6\p@}}%
2745 \def\frontmatter@title@format{\large\bfseries\centering\parskip\z@skip}%
2746 \def\frontmatter@title@below{}%

```

`\frontmatter@makefnmark` All APS journals share this procedure for setting the titlepage footnote text.

```

2747 \def\@author{\parskip{3\p@}}%
2748 \def\frontmatter@makefnmark{%
2749   \textsuperscript{%
2750     \normalfont\@thefnmark
2751 }%
2752 }%
2753 \def\frontmatter@authorbelow{%
2754   \addvspace{3\p@}}%
2755 }%

```

`\frontmatter@RRAP@format` All APS journals use the same format for the “Received, Revised, etc.” block on the title page.

Change note: 11.5 points b-b from author/affiliation down to date.

```

2756 \def\frontmatter@RRAP@format{%
2757   \small
2758   \centering

```

The following line of code had been commented out at this point.

```

% \preprintsty@sw{}{\parskip.5ex\relax}%
%
2759   \everypar{\hbox\bgroup(\@gobble@leavemode@uppercase}%
2760   \def\par{\@ifvmode{}{\unskip}\egroup\@@par}%
2761 }%
2762 \def\punct@RRAP{;\egroup\ \hbox\bgroup}%
2763 \def\@gobble@leavemode@uppercase#1#2{\expandafter\MakeTextUppercase}%

```

```

\frontmatter@PACS@format
2764 \def\frontmatter@PACS@format{%
2765   \addvspace{11\p@}%
2766   \footnotesize
2767   \adjust@abstractwidth
2768   \parindent\z@
2769   \parskip\z@skip
2770   \samepage
2771 }%
2772 \def\frontmatter@keys@format{%
2773   \footnotesize
2774   \adjust@abstractwidth
2775   \parindent\z@
2776   \samepage
2777 }%
\ps@titlepage Title page style. Currently empty except for preprint header, which consists of all
the \preprint arguments, stacked flush right at the right margin.
2778 \def\ps@titlepage{%
2779   \def\@oddhead{%
2780     \hfill
2781     \preprint@sw{%
2782       \expandafter\produce@preprints\expandafter{\@preprint}%
2783     }{}%
2784   }%
2785   \let\@evenhead\@oddhead
2786   \def\@oddfoot{%
2787     \hb@xt@\z@{\byrevtex\hss}%
2788     \hfil
2789     \preprintsty@sw{\thepage}{}%
2790     \quad\checkindate
2791     \hfil
2792   }%
2793   \let\@evenfoot\@oddfoot
2794 }%
2795 \def\byrevtex{\byrevtex@sw{Typeset by REV\TeX}{}}
\produce@preprints
2796 \def\produce@preprints#1{%
2797   \vtop to \z@{%
2798     \def\baselinestretch{1}%
2799     \small
2800     \let\preprint\preprint@count
2801     \count@\z@
2802     #1%
2803     \@ifnum{\count@}>\tw@}{%
2804     \hbox{%

```

```

2805     \let\preprint\preprint@hlist
2806     #1%
2807     \setbox\z@\lastbox
2808   }%
2809 }{%
2810   \let\preprint\preprint@cr
2811   \halign{\hfil##\cr#1\crcr}%
2812   \par
2813   \vss
2814 }%
2815 }%
2816 }%
2817 \def\preprint@cr#1{#1\cr}%
2818 \def\preprint@count#1{\advance\count@\@ne}%
2819 \def\preprint@hlist#1{\#1\hbox{, } }%

```

31.3.2 Stacked Heads

All APS journals put a period (.), followed by quad space, after the section number.
Also, no hanging section number.

```

2820 \def\@secCntFormat#1{\csname the#1\endcsname.\quad}%
2821 \def\@hangfrom#1#2#3{#1#2#3}%

```

Note that in the following, we wish to set the section head uppercase, so we use David Carlisle's `\MakeTextUppercase`. However, because this procedure effectively parses its argument (looking for things to *not* translate), it has to be invoked in such a way that the argument of the `\section` command is passed to it as its own argument.

To accomplish this, we use the `\@hangfrom@` hook, which was developed for this purpose.

```

2822 \def\section{%
2823   \@startSection
2824   {section}%
2825   {1}%
2826   {\z@}%
2827   {0.8cm \plus1ex \minus .2ex}%
2828   {0.5cm}%
2829   {%
2830     \normalfont\small\bfseries
2831     \centering
2832   }%
2833 }%
2834 \def\@hangfrom@section#1#2#3{\@hangfrom{#1#2}\MakeTextUppercase{#3}}%
2835 \def\@hangfroms@section#1#2{#1\MakeTextUppercase{#2}}%

2836 \def\subsection{%
2837   \@startSection
2838   {subsection}%
2839   {2}%
2840   {\z@}%

```

```

2841      {.8cm \@plus1ex \@minus .2ex}%
2842      {.5cm}%
2843      {%
2844          \normalsize\small\bfseries
2845          \centering
2846      }%
2847 }%}

2848 \def\subsubsection{%
2849     \@startsection
2850     {subsubsection}%
2851     {3}%
2852     {\z@}%
2853     {.8cm \@plus1ex \@minus .2ex}%
2854     {.5cm}%
2855     {%
2856         \normalsize\small\itshape
2857         \centering
2858     }%
2859 }%

```

31.3.3 Runin Heads

```

2860 \def\paragraph{%
2861     \@startsection
2862     {paragraph}%
2863     {4}%
2864     {\parindent}%
2865     {\z@}%
2866     {-1em}%
2867     {\normalsize\itshape}%
2868 }%}

2869 \def\ subparagraph{%
2870     \@startsection
2871     {subparagraph}%
2872     {5}%
2873     {\parindent}%
2874     {3.25ex \@plus1ex \@minus .2ex}%
2875     {-1em}%
2876     {\normalsize\bfseries}%
2877 }%

```

`\section@preprintsty` Here are the formatting procedures specific to the preprint style; the only difference
`\subsection@preprintsty` is that the heads are flush left instead of centered.

```

\subsubsection@preprintsty 2878 \def\section@preprintsty{%
2879     \@startsection
2880     {section}%
2881     {1}%
2882     {\z@}%
2883     {0.8cm \@plus1ex \@minus .2ex}%

```

```

2884 {0.5cm}%
2885 {%
2886   \normalfont\small\bfseries
2887 %   \centering
2888 }%
2889 }%
2890 %\def\@hangfrom@section@preprintsty#1#2#3{\@hangfrom{#1#2}\MakeTextUppercase{#3}}%
2891 \def\subsection@preprintsty{%
2892   \@startsection
2893   {subsection}%
2894   {2}%
2895   {\z@}%
2896   {.8cm \oplus1ex \ominus .2ex}%
2897   {.5cm}%
2898   {%
2899     \normalfont\small\bfseries
2900 %   \centering
2901   }%
2902 }%
2903 \def\subsubsection@preprintsty{%
2904   \@startsection
2905   {subsubsection}%
2906   {3}%
2907   {\z@}%
2908   {.8cm \oplus1ex \ominus .2ex}%
2909   {.5cm}%
2910   {%
2911     \normalfont\small\itshape
2912 %   \centering
2913   }%
2914 }%

```

By default, APS journals set titlepage notes as footnotes.

```
\let\frontmatter@footnote@produce\frontmatter@footnote@produce@footnote
%
```

31.3.4 Table of Contents

The toc will itself make an entry in the toc, but we temporarily turn off toc formatting for the duration.

```

2915 \def\@pnumwidth{1.55em}%
2916 \def\@tocrmarg {2.55em}%
2917 \def\@dotsep{2}%
2918 \def\ltxu@dotsep{4.5pt}%
2919 \setcounter{tocdepth}{3}%
2920 \def\tableofcontents{%
2921   \addtocontents{toc}{\string\tocdepth@munge}%

```

```

2922 \print@toc{toc}%
2923 \addtocontents{toc}{\string\tocdepth@restore}%
2924 }%
2925 \def\tocdepth@munge{%
2926 \let\l@section@saved\l@section
2927 \let\l@section\gobble@tw@
2928 }%
2929 \def\gobble@tw@#1#2{}%
2930 \def\tocdepth@restore{%
2931 \let\l@section\l@section@saved
2932 }%

```

The following definition of `\l@part` is a variant on the definition of `\l@sections` in `ltxutil.dtx`.

```

2933 \def\l@part#1#2{\addpenalty{\@secpenalty}%
2934 \begingroup
2935 \set@tocdim@pagenum\@tempboxa{#2}%
2936 % \tempdima 3em %
2937 \parindent \z@
2938 \rightskip\tocleft@pagenum plus 1fil\relax
2939 \skip@\parfillskip\parfillskip\z@
2940 \addvspace{2.25em plus\p@}%
2941 \large \bf %
2942 \leavevmode\ignorespaces#1\unskip\nobreak\hskip\skip@
2943 \hb@xt@\rightskip{\hfil\unhbox\@tempboxa}\hskip-\rightskip\hskip\z@skip
2944 \par
2945 \nobreak %
2946 \endgroup
2947 }%

```

`\l@section` Determine which TOC elements are automatically indented.

We set the TOC to the standard of RMP. If APS has its own specification, we will code it, and RMP must override.

```

2948 \def\tocleft@{\z@}%
2949 \def\tocdim@min{5\p@}%
2950 \def\l@section{%
2951 \l@sections{}{section}%
Implicit #3#4
2952 }%
2953 \def\l@f@section{%
2954 \addpenalty{\@secpenalty}%
2955 \addvspace{1.0em plus\p@}%
2956 \%bf
2957 }%
2958 \def\l@subsection{%
2959 \l@sections{section}{subsection}%
Implicit #3#4
2960 }%
2961 \def\l@subsubsection{%
2962 \l@sections{subsection}{subsubsection}%
Implicit #3#4
2963 }%

```

```
2964 \def\l@paragraph#1#2{}%
2965 \def\l@subparagraph#1#2{}%
```

Activate the auto TOC processing.

```
2966 \let\toc@pre\toc@pre@auto
2967 \let\toc@post\toc@post@auto
```

31.3.5 Default column bottom

All APS journal styles have flush bottoms.

```
2968 \booleanfalse\raggedcolumn@sw
```

31.3.6 Table alignment style

\tableleft@skip@float All APS publications have the same table specification: Scotch rules above and
\tabmid@skip@float below, centered in column.

```
\tabright@skip@float 2969 \def\tableleft@skip@float{\z@ plus\hsize}%
\array@row@pre@float 2970 \def\tabmid@skip@float{\@flushglue}%
\array@row@pst@float 2971 \def\tabright@skip@float{\z@ plus\hsize}%
2972 \def\array@row@pre@float{\hline\hline\noalign{\vskip\doublerulesep}}%
2973 \def\array@row@pst@float{\noalign{\vskip\doublerulesep}\hline\hline}%
```

31.3.7 Footnote formatting

We customize the formatting of footnotes for all APS journals.

```
\@makefntext
2974 \long\def\@makefntext#1{%
2975  \def\baselinestretch{1}%
2976  \leftskip1em%
2977  \parindent1em%
2978  \noindent
2979  \nobreak\hskip-\leftskip
2980  \hb@xt@\leftskip{%
2981   \hss\@makefnmark\ %
2982 }%
2983 #1%
2984 \par
2985 }%
```

\frontmatter@makefntext We ensure that frontmatter footnotes format similarly to body footnotes. But we provide our own hypertext anchor, otherwise not provided.

```
2986 \long\def\frontmatter@makefntext#1{%
2987  \def\baselinestretch{1}%
2988  \leftskip1em%
2989  \parindent1em%
2990  \noindent
2991  \nobreak\hskip-\leftskip
2992  \Hy@raisedlink{\hyper@anchorstart{frontmatter.\expandafter\the\csname c@\@mpfn\endcsname}\hypetarget{frontmatter}{}}%
```

```

2993 \hb@xt@\leftskip{%
2994 \hss\@makefnmark\ %
2995 }%
2996 #1%
2997 \par
2998 }%

```

31.3.8 Appendix

```

\appendix
\@hangfrom@appendix 2999 \prepdef\appendix{%
\@hangfroms@appendix 3000 \par
\@appendixcntformat 3001 \let\@hangfrom@section\@hangfrom@appendix
3002 %\let\@hangfroms@section\@hangfroms@appendix
3003 \let\@sectioncntformat\@appendixcntformat
3004 }%
3005 \def\@hangfrom@appendix#1#2#3{%
3006 #1%
3007 \@if@empty{#2}{%
3008 #3%
3009 }{%
3010 #2\@if@empty{#3}{}{:}\ #3}%
3011 }%
3012 }%
3013 \def\@hangfroms@appendix#1#2{%
3014 #1#2%
3015 }%
3016 \def\@appendixcntformat#1{\appendixname\ \csname the#1\endcsname}%

```

31.3.9 Bibliography

Customize REV_TE_X for the journal substyle; this task requires three components: the BIB_TE_X `apsrev.bst` and `apsrmp.bst` style files, and customizations of the `thebibliography` environment.

`\@bibstyle` Define the argument of the `\bibliographystyle` command (if the document does not do so). The user must have installed a `.bst` file of the corresponding name. This file will then be used by BIB_TE_X when compiling the document's `.bb1` file.

To generate `apsrev.bst`, use `custom-bib` version 4.21 or later. Run the `.bst` generator, `makebst.tex`, and accept all defaults, with the following exceptions:

1. LANGUAGE FIELD: `l: lang`—Use language field to switch hyphenation patterns for title
2. PRESENTATIONS: `b: pres,pres-bf`—Presentation, speaker bold face
3. ORDERING OF REFERENCES: `c: seq-no`—Citation order (unsorted, like `unsrt bst`)

4. ORDER ON VON PART: **x**: `vonx`—Sort without von part (de la Maire after Mahone)
5. AUTHOR NAMES: **i**: `nm-init,ed-au`—Initials + surname (J. F. Smith)
6. POSITION OF JUNIOR: *****: `jnr1st`—Junior comes last as Smith, John, Jr.
7. TYPEFACE FOR AUTHORS IN LIST OF REFERENCES: **u**: `nmft,nmft-def`—User defined author font (`\bibnamefont`)
8. FONT FOR FIRST NAMES: **u**: `fnm-def`—First names in user defined font (`\bibfnamefont`)
9. EDITOR NAMES IN INCOLLECTION ETC: **a**: `nmfted`—Editors incollection like authors font
10. FONT FOR ‘AND’ IN LIST: **r**: `nmand-rm`—‘And’ in normal font (JONES and JAMES)
11. FONT OF CITATION LABELS IN TEXT: **u**: `lab,lab-def`—User defined citation font (`\citenamefont`)
12. FONT FOR ‘AND’ IN CITATIONS: **r**: `and-rm`—Cited ‘and’ in normal font
13. DATE FORMAT: *****: `yr-par`—Date in parentheses as (May 1993)
14. DATE EMPTY: **-**: `date-nil-x`—If date is empty, then do not produce the surrounding punctuation (parens, brackets, colon, comma)
15. TITLE OF ARTICLE: **d**: `tit-qq`—Title and punctuation in double quotes (“Title,” ..)
16. INPROCEEDINGS CHAPTER AND PAGES, LIKE INBOOK: **-**: `inproceedings-chapter`—produce pages after chapter, just as in InBook
17. TITLE PRESENT IN ARTICLE, INCOLLECTION, AND INPROCEEDINGS: **x**: `jtit-x`—Title is ignored
18. INPROCEEDINGS CHAPTER AND PAGES, LIKE INBOOK: **y**: `inproceedings-chapter`—produce pages after chapter, just as in InBook
19. ARTICLE BOOKTITLE PRESENT: **:** `article-booktitle`—format booktitle
20. ARTICLE SERIES PRESENT: **:** `article-series`—article can have series
21. JOURNAL NAME FONT: **r**: `jttl-rm`—Journal name normal font
22. JOURNAL NAME WITH ADDRESS: **y**: `journal-address`—Include address field (in parentheses) along with journal name
23. BOOK TITLE FIELDS: **y**: `book-bt`—Field ‘booktitle’, or if absent field ‘title’, is book title

24. THESIS TITLE OPTIONAL: : `thesis-title-o`—Title is optional: no warning issued if empty
25. TECHNICAL REPORT TITLE: **b:** `trtit-b`—Tech. report title like books
26. TECHNICAL REPORT INSTITUTION: : `techreport-institution-par`—format tech report institution like book publisher
27. JOURNAL VOLUME: **b:** `vol-bf`—Volume bold as `vol(num)`
28. JOURNAL VOL AND NUMBER: **x:** `vnum-x`—Journal vol, without number as 34
29. VOLUME PUNCTUATION: **c:** `volp-com`—Volume with comma as `vol(num)`, ppp
30. PAGE NUMBERS: **f:** `jpg-1`—Only start page number
31. BOOK EDITOR W/O AUTHOR: : `book-editor-booktitle`—Book permits empty author, produces title before editor in this case
32. INBOOK PERMITS TITLE, BOOKTITLE, AUTHOR, EDITOR: **a:** `inbook-editor-booktitle`—Allow using both title/booktitle, both author/editor
33. CONFERENCE ADDRESS FOR BOOK, INBOOK, INCOLLECTION, IN-PROCEEDINGS, PROCEEDINGS: **a:** `bookaddress`—Italic booktitle followed by bookaddress in roman
34. NUMBER AND SERIES FOR BOOK, INBOOK, INCOLLECTION, IN-PROCEEDINGS, PROCEEDINGS: *: `num-xser`—Allows number without series and suppresses word "number"
35. WORD NUMBER CAPITALIZED FOR NUMBER AND SERIES: **c:** `number-cap`—Capitalize word 'number' as: "Number 123"
36. WORD CHAPTER CAPITALIZED: **c:** `chapter-cap`—Capitalize word 'chapter' as: 'Chapter 42'
37. COMBINING NUMBER AND SERIES: **x:** `series-number`—Series number as: 'Springer Lecture Notes No. 125'
38. POSITION OF NUMBER AND SERIES: **b:** `numser-booktitle`—After book title and conference address, and before editors
39. VOLUME AND SERIES FOR BOOKS/COLLECTIONS: **s:** `ser-vol`—Series, vol. 23
40. VOLUME AND SERIES FORMATTING: **y:** `ser-rm`—format series roman , even when used with volume
41. WORD VOLUME CAPITALIZED FOR VOLUME AND SERIES: **y:** `volume-cap`—Capitalize word 'volume', as: 'Volume 7 in Lecture Series'

42. POSITION OF VOLUME AND SERIES FOR INCOLLECTION, INBOOK, AND INPROCEEDINGS: **e**: `ser-ed`—Series and volume after booktitle and before editors
43. JOURNAL NAME PUNCTUATION: **x**: `jnm-x`—Space after journal name
44. PAGES IN BOOK: *****: `pg-bk,book-chapter-pages`—As chapter and page: chapter 42, page 345
45. PUBLISHER IN PARENTHESES: **d**: `pub-date`—Publisher with address and date in parentheses (Oxford, 1994)
46. EMPTY PUBLISHER PARENTHESES: **y**: `ay-empty-pub-parens-x`—eliminate parentheses altogether if nothing inside
47. PUBLISHER POSITION: **:** `pre-pub`—Publisher before volume, chapter, pages
48. **:** `pre-edn`—Edition before publisher
49. **:** `p: pre-pub,pre-edn`—Edition, publisher, volume, chapter, pages
50. ISBN NUMBER: *****: `isbn`—Include ISBN for books, booklets, etc.
51. ISSN NUMBER: *****: `issn`—Include ISSN for periodicals
52. DOI NUMBER: **a**: `doi-link,doi`—Doi forms a link to the publication, anchored to the volume or title
53. EDITOR IN COLLECTIONS: **b**: `edby`—In booktitle, edited by .. (where .. is names)
54. PUNCTUATION BETWEEN SECTIONS (BLOCKS): **c**: `blk-com`—Comma between blocks
55. FINAL PUNCTUATION: **c**: `fin-endbibitem`—Command at end instead of period
56. ABBREVIATE WORD ‘PAGES’: **a**: `pp`—‘Page’ abbreviated as p. or pp.
57. ABBREVIATE WORD ‘EDITORS’: **a**: `ed`—‘Editor’ abbreviated as ed. or eds.
58. OTHER ABBREVIATIONS: **a**: `abr`—Abbreviations of such words
59. ABBREVIATION FOR ‘EDITION’: **a**: `ednx`—‘Edition’ abbreviated as ‘ed’
60. EDITION NUMBERS: **n**: `ord`—Numerical editions as 1st, 2nd, 3rd, etc
61. STORED JOURNAL NAMES: **a**: `jabr`—Abbreviated journal names
62. FONT OF ‘ET AL’: **i**: `etal-it`—Italic et al

63. ADDITIONAL REVTeX DATA FIELDS: **r**: `revdata,eprint,url,url-blk,translation`—Include REVTeX data fields collaboration, eid, eprint, archive, url, translation
64. SLACcitation FIELD: : `SLACcitation`—Produce SLACcitation field
65. NUMPAGES DATA FIELD: *: `numpages-x`—Do not include numpages field
66. URL ADDRESS: *: `url,url-prefix-x`—URL without prefix (default: ‘URL ’)
67. REFERENCE COMPONENT TAGS: **b**: `bibinfo`—Reference component tags like `\bibinfo` in the content of `\bibitem`
68. ELEMENT TAGS: **b**: `bibfield`—Element tags like `\bibfield` in the content of `\bibitem`
69. COMPATIBILITY WITH PLAIN TEX: *: `nfss`—Use LaTeX commands which may not work with Plain TeX

A file `apsrev.dbj` file equivalent to the following should result:

```
%\input docstrip
%\preamble
%-----
%*** REVTeX-compatible Phys Rev 2010-02-12 ***
%\endpreamble
%\postamble
%End of customized bst file
%\endpostamble
%\keepsilent
%\askforoverwritefalse
%\def\MBopts{\from{merlin.mbs}{%
%  head,\MBopta}
%\from{physjour.mbs}{\MBopta}
%\from{geojour.mbs}{\MBopta}
%\from{photjour.mbs}{\MBopta}
%\from{merlin.mbs}{tail,\MBopta}}
%\def\MBopta{%
%  ay,%; Author-year with some non-standard interface
%  nat,%; Natbib for use with natbib v5.3 or later
%  lang,%; Use language field to switch hyphenation patterns for title
%  pres,pres-bf,%; Presentation, speaker bold face
%  seq-no,%; Citation order (unsorted, only meaningful for numericals)
%  vonx,%; Sort without von part (de la Maire after Mahone)
%  nm-init,ed-au,%; Initials + surname (J. F. Smith)
%  jnrlst,%; Junior comes last as Smith, John, Jr.
%  nmft,nmft-def,%; User defined author font (\bibnamefont)
%  fnm-def,%; First names in user defined font (\bibfnamefont)
%  nmfted,%; Editors in collection like authors font
%  nmand-rm,%; ‘And’ in normal font (JONES and JAMES)
```

```

% lab,lab-def,: User defined citation font (\citetnamefont)
% and-rm,: Cited 'and' in normal font
% keyxyr,: Year blank when KEY replaces missing author (for natbib 7.0)
% blkyear,: Missing date left blank
% yr-par,: Year in parentheses as (1993)
% dtrev,: Date as year month
% date-nil-x,: If date is empty, then do not produce the surrounding punctuation (parens, brackets)
% tit-qq,: Title and punctuation in double quotes ("Title," ...)
% inproceedings-chapter,: produce pages after chapter, just as in InBook
% jtit-x,: Title is ignored
% inproceedings-chapter,: produce pages after chapter just as in InBook
% article-booktitle,: format booktitle
% article-series,: article can has series
% jttl-rm,: Journal name normal font
% journal-address,: Include address field (in parentheses) along with journal name
% book-bt,: Field 'booktitle', or if absent field 'title', is book title
% thesis-title-o,: Title is optional: no warning issued if empty
% trtit-b,: Tech. report title like books
% techreport-institution-par,: format tech report institution like book publisher
% vol-bf,: Volume bold as {\bf vol}(num)
% vnum-x,: Journal vol, without number as 34
% volp-com,: Volume with comma as vol(num), ppp
% jpg-1,: Only start page number
% book-editor-booktitle,: Book permits empty author, produces title before editor in this case
% inbook-editor-booktitle,: Allow using both title/booktitle, both author/editor
% bookaddress,: Italic booktitle followed by bookaddress in roman
% num-xser,: Allows number without series and suppresses word "number"
% number-cap,: Capitalize word 'number' as: "Number 123"
% chapter-cap,: Capitalize word 'chapter' as: 'Chapter 42'
% series-number,: Series number as: 'Springer Lecture Notes No. 125'
% numser-booktitle,: After book title and conference address, and before editors
% ser-vol,: Series, vol. 23
% ser-rm,: format series roman , even when used with volume
% volume-cap,: Capitalize word 'volume', as: 'Volume 7 in Lecture Series'
% ser-ed,: Series and volume after booktitle and before editors
% jnm-x,: Space after journal name
% pg-bk,book-chapter-pages,: As chapter and page: chapter 42, page 345
% pub-date,: Publisher with address and date in parentheses (Oxford, 1994)
% ay-empty-pub-parens-x,: eliminate parentheses altogether if nothing inside
% pre-pub,pre-edn,: Edition, publisher, volume, chapter, pages
% isbn,: Include ISBN for books, booklets, etc.
% issn,: Include ISSN for periodicals
% doi-link,doi,: Doi forms a link to the publication, anchored to the volume or title
% edby,: In booktitle, edited by .. (where .. is names)
% blk-com,: Comma between blocks
% fin-endbibitem,: Command at end instead of period
% pp,: 'Page' abbreviated as p. or pp.
% ed,: 'Editor' abbreviated as ed. or eds.
% abr,: Abbreviations of such words
% ednx,: 'Edition' abbreviated as 'ed'

```

```

% ord,: Numerical editions as 1st, 2nd, 3rd, etc
% jabr,: Abbreviated journal names
% etal-it,: Italic et al
% revdata,eprint,url,url-blk,translation,: Include REVTeX data fields collaboration, eid, eprint
% SLACcitation,: Produce SLACcitation field
% numpages-x,: Do not include numpages field
% url,url-prefix-x,: URL without prefix (default: 'URL ')
% bibinfo,: Reference component tags like \bibinfo in the content of \bibitem
% bibfield,: Element tags like \bibfield in the content of \bibitem
% nfss,: Use LaTeX commands which may not work with Plain TeX
%,{%
% }
%{\generate{\file{apsrev4-2.bst}}{\MBopts}}
%{\endbatchfile}
%

```

31.3.10 Comparing `apsrev bst` and `apsrmp bst`

These two bibliographic styles differ as follows: `apsrev.dbj` has the following guard codes, which `apsrmp.dbj` does not:

- `seq-no`— Citation order (unsorted, like `unsrt bst`)
- `nm-init,ed-au`— Initials + surname (J. F. Smith)
- `blkyear`— Missing date left blank
- `date-nil-x`— If date is empty, then do not produce the surrounding punctuation (parens, brackets, colon, comma)
- `inproceedings-chapter`— produce pages after chapter, just as in InBook
- `techreport-institution-par`— format tech report institution like book publisher
- `vnum-x`— Journal vol, without number as ‘34’
- `pub-date`— Publisher with address and date in parentheses (Oxford, 1994)
- `pre-pub`— Edition, publisher, volume, chapter, pages. Note that both use guard code `pre-edn`.

`apsrmp.dbj` has the following guard codes, which `apsrev.dbj` does not:

- `nm-rev1`— Only first name reversed, initials (AGU style: Smith, J. F., H. K. Jones)
- `dt-beg`— Date after authors
- `vnum-sp`— Journal vol (num) as ‘34 (2)’
- `pp-last`— Pages at end, but before any notes

- **pub-par**— Publisher in parentheses
- **school-par**— School/address in parens: ‘(school, address)’
- **bkedcap**— ‘Name Editor,’ as above, editor upper case
- **and-com**— Comma even with 2 authors as ‘Tom, and Harry’

We ensure that the journal substyle has the first word in the matter by installing the (default) APS code later on (see Section 31.6).

\authoryear@sw Numerical citations: default value of \authoryear@sw is false.

3017 \@booleanfalse\authoryear@sw

\bibpunct The following commands effectively establish the style in which \cite commands are formatted. You can think of them as the second needed component for the bibliography.

Set up for APS numerical citations (once the packages are loaded). The journal substyle can override these choices.

Note that, prior to natbib version 8.21, changing \NAT@sort at this late hour would not be totally effective; you would have to give natbib the relevant options at load time. From version 8.21 on, \NAT@sort and \NAT@cmprs are not bound at all.

3018 \appdef\setup@hook{%
 3019 \bibpunct{}{}{}{,}{n}{}{,}%
 3020 }%

\pre@bibdata Set up to write endnotes to a .bib file; its data will be incorporated into the bibliography.

3021 \def\pre@bibdata{\jobname\bibdata@app}%

\bibsection We define the sectioning command to use when starting the bibliography.

3022 \appdef\setup@hook{%
 3023 \def\bibsection{%
 3024 \par
 3025 \onecolumngrid@push
 3026 \begingroup
 3027 \baselineskip26\p@
 3028 \bib@device{\textwidth}{245.5\p@}%
 3029 \endgroup
 3030 \nobreak\nobreaktrue
 3031 \addvspace{19\p@}%
 3032 \par
 3033 \onecolumngrid@pop
 3034 }%
 3035 }%

```

\bib@device We define the sectioning command to use when starting the bibliography.
\bibpreamble 3036 \def\bib@device{\#1\#2{%
  \bibsep 3037 \hb@xt@{z@}{%
    \newblock 3038 \hb@xt@{\#1}{%
      3039 \hfil
      3040 \phantomsection
      3041 \addcontentsline{toc}{section}{\protect\numberline{}\refname}%
      3042 % \hyper@anchorstart {\@currentHref }%
      3043 \hb@xt@{\#2}{%
        3044 \skip@{z@}\oplus-1fil\relax
          \leaders\hrule height.25 \p@ depth.25 \p@ \hskip{z@}\oplus1fil
        3045 \hskip\skip@%
        3046 \hskip{z@}\oplus0.125fil\leaders\hrule height.375\p@ depth.375\p@ \hskip{z@}\oplus0.75fil \hskip
        3047 \hskip\skip@%
        3048 \hskip{z@}\oplus0.25 fil\leaders\hrule height.5 \p@ depth.5 \p@ \hskip{z@}\oplus0.5 fil \hskip
        3049 \hskip\skip@%
        3050 \hskip{z@}\oplus0.375fil\leaders\hrule height.625\p@ depth.625\p@ \hskip{z@}\oplus0.25fil \hskip
        3051 \hskip\skip@%
        3052 % \hskip\skip@%
        3053 % \hfil
        3054 }%
        3055 % \hyper@anchorend
        3056 \hfil
        3057 }%
        3058 \hss
        3059 }%
        3060 }%
  3061 \appdef\setup@hook{%
  3062 \let\bibpreamble\empty
  3063 \bibsep{z@}\relax
  3064 \def\newblock{\ }%
  3065 }%
}

```

\bibfont We define the font switch that applies to the body of the bibliography.

```

3066 \appdef\setup@hook{%
3067 \def\bibfont{%
3068 \small
3069 \@clubpenalty\clubpenalty
3070 }%
3071 }%

```

31.3.11 Index

FIXME: the following call to `\twocolumn` appears wrong if we were in two-column grid.

```

3072 \newenvironment{theindex}{%
3073 \columnseprule{z@}
3074 \columnsep{35\p@}
3075 \c@secnumdepth-\maxdimen
3076 \onecolumngrid@push

```

```

3077 \section{\indexname}%
3078 \thispagestyle{plain}%
3079 \parindent\z@%
3080 \parskip\z@ plus.3\p@\relax%
3081 \let\item\@idxitem%
3082 \onecolumngrid@pop%
3083 }%%
3084 %\onecolumngrid@pop%
3085 }%%
3086 %
3087 \def\@idxitem{\par\hangindent 40\p@}%
3088 %
3089 \def\subitem{\par\hangindent 40\p@ \hspace*{20\p@}}%
3090 %
3091 \def\subsubitem{\par\hangindent 40\p@ \hspace*{30\p@}}%
3092 %
3093 \def\indexspace{\par \vskip 10\p@ plus5\p@ minus3\p@\relax}%

```

31.4 Journal- and Pointsizes-Specific Code

After this substyle is read in, we will execute the code specific to the selected journal: execute the society/journal .rtx file if it exists, or execute the society/journal macro (if the latter is not defined, it will \relax out). Here we define the default journal.

```
3094 \def\@journal@default{pra}%
```

31.5 Typesize-Specific Code

After this society file is read in, we will process the \@pointsizes-specific code. Here we define the default.

```
3095 \def\@pointsizes@default{10}%
```

Note: the convention in REVTEX and its substyles is that the substyle must not override any explicit class options declared by the document. This means that the various Booleans of Section 9 may be assigned here only if they are still undefined at this point.

For the APS, we supply code specific to journals PRA, PRB, PRC, PRD, PRE, PRL, PRX, PRAPPLIED, PRMATERIALS, PRFLUIDS, PRAB (was PRSTAB), PRPER (was PRSTPER), and RMP. At present, they are identical, with the exception of PRL and RMP. We also introduce a new generic physrev style now that all of the Phys. Rev. journals are identical In 4.2, we make the inclusion of titles in the bibliography the default

For most all of the APS journals, the journal-dependent code is relatively meager and is therefore embedded in this file. However, the RMP code is sufficiently extensive that splitting it out into a separate file is more convenient.

31.5.1 pra

There is no code specific to `pra`.

```
3096 \def\rtx@apspra{%
3097   \class@info{APS journal PRA selected}%
3098 }%
```

31.5.2 prb

There is no code specific to `prb`.

```
3099 \def\rtx@apsprb{%
3100   \class@info{APS journal PRB selected}%
3101 }%
```

31.5.3 prc

There is no code specific to `prc`.

```
3102 \def\rtx@apsprc{%
3103   \class@info{APS journal PRC selected}%
3104 }%
```

31.5.4 prd

There is no code specific to `prd`.

```
3105 \def\rtx@apsprd{%
3106   \class@info{APS journal PRD selected}%
3107 }%
```

31.5.5 pre

There is no code specific to `pre`.

```
3108 \def\rtx@apspref{%
3109   \class@info{APS journal PRE selected}%
3110 }%
```

31.5.6 prl

```
3111 \def\rtx@apsprl{%
3112   \class@info{APS journal PRL selected}%
}
```

In PRL, the default is the `bibnotes` option, and the Acknowledgments section has no head.

The References head is a device that may be described as a lozenge centered on the baseline, 71 points wide by 2 points thick, with the ends tapering to a half point in thickness. Space above 26 points base to base, below 31 base to base.
FIXME: this code may confound `geometry`

```
3113 \let\frontmatter@footnote@produce\frontmatter@footnote@produce@endnote
3114 \@booleanfalse\acknowledgments@sw
3115 \appdef\setup@hook{%
```

```

3116 \def\bibsection{%
3117   \par
3118   \begingroup
3119     \baselineskip26\p@
3120     \bib@device{\hsize}{72\p@}%
3121   \endgroup
3122   \nobreak\nobreaktrue
3123   \addvspace{19\p@}%
3124 }%
3125 }%

```

Implement length checking. Use the `times` and `mathtime` packages, plus whatever other processing is required to make the formatted output be true to the metrics of the journal.

```

3126 \appdef\setup@hook{%
3127   \lengthcheck@sw{%
3128     \RequirePackage{times}}%

```

Wait. Do not use `mathtime` after all. APS has their own way of doing math pi, involving Adobe Mathematical Pi and other fonts.

```

% \RequirePackage{mathtime}%
%
```

```

3129 }{}%
3130 }%

```

A PRL does not have numbered sections.

```
3131 \c@secnumdepth=-\maxdimen
```

Note: we defer this code until after type size file is read in.

```

3132 \appdef\setup@hook{%
3133   \@ifnum{@pointsize=10\relax}{%
3134     \lengthcheck@sw{%
3135       \def\large{%
3136         \@setfontsize\large{12.5}{14\p@}%
3137     }%
3138     \def\normalsize{%
3139       \@setfontsize\normalsize{10.5}\@xiipt
3140       \abovedisplayskip 6\p@ \oplus6\p@ \minus5\p@
3141       \belowdisplayskip \abovedisplayskip
3142       \abovedisplayshortskip \abovedisplayskip
3143       \belowdisplayshortskip \abovedisplayskip
3144       \let\@listi\@listI
3145     }%
3146     \def\small{%
3147       \@setfontsize\small{9.5}\@xipt
3148       \abovedisplayskip 5\p@ \oplus5\p@ \minus4\p@
3149       \belowdisplayskip \abovedisplayskip
3150       \abovedisplayshortskip \abovedisplayskip
3151       \belowdisplayshortskip \abovedisplayskip
3152       \let\@listi\@listI

```

```

3153      }%
3154      \DeclareMathSizes{12.5}{12.5}{9}{6}%
3155      \DeclareMathSizes{10.5}{10.5}{7.5}{5}%
3156      \DeclareMathSizes{9.5}{9.5}{7.0}{5}%
3157  }{%
3158      \def\normalsize{%
3159          \@setfontsize\normalsize\@xpt\@xiipt
3160          \abovedisplayskip 10\p@ \oplus2\p@ \minus5\p@
3161          \belowdisplayskip \abovedisplayskip
3162          \abovedisplayshortskip \abovedisplayskip
3163          \belowdisplayshortskip \abovedisplayskip
3164          \let\@listi\@listI
3165      }%
3166  }%
3167  }{%
3168  }%
3169  \textheight = 694.0\p@
      End of prl code.
3170 }%

```

31.5.7 prper

There is no code specific to prper

```

3171 \def\rtx@apsprper{%
3172   \class@info{APS journal PRPER selected}%
3173 }%

```

31.5.8 prab

There is no code specific to prab.

```

3174 \def\rtx@apsprab{%
3175   \class@info{APS journal PRAB selected}%
3176 }%

```

31.5.9 prx

There is no code specific to prx.

```

3177 \def\rtx@apsprx{%
3178   \class@info{APS journal PRX selected}%
3179 }%

```

31.5.10 prapplied

There is no code specific to prapplied.

```

3180 \def\rtx@apsprapplied{%
3181   \class@info{APS journal PRApplied selected}%
3182 }%

```

31.5.11 prmaterials

There is no code specific to `prmaterials`.

```
3183 \def\rtx@apsprmaterials{%
3184   \class@info{APS journal PRMaterials selected}%
3185 }%
```

31.5.12 prfluids

PRFluids uses a one-column format for journal format, but if authors want this, they should use the `onecolumn` option and not the `reprint` option. Parsing of `documentclass` options is rather involved and hard to control precisely enough to have the correct behavior using the `reprint` option.

```
3186 \def\rtx@apsprfluids{%
3187   \class@info{APS journal PRFluids selected}%
3188   \booleanfalse\ttitlepage@sw
3189 }%
```

31.5.13 physrev

There is no code specific to `physrev`.

```
3190 \def\rtx@apsphysrev{%
3191   \class@info{APS unified Physical Review journal style selected}%
3192 %   \begin{macrocode}
3193 }%
```

31.5.14 rmp

If this option has been selected, we will read in the needed code from the file `apsrmp.rtx`.

31.6 Establish APS Defaults

- \footinbib@sw All APS journals except RMP effectively invoke the `footinbib` option. We rely on the RMP-specific code to override this assignment.
3194 \booleantrue\footinbib@sw
- \bibdataout@init Procedure `\bibdataout@aps` has the job of writing the control record into the job's `\jobname.revtex4-2.dtx.bib` file, where it will adjust the options to `revtex4-2.dtx bst` processing. It is installed into the initialization procedure `\bibdataout@init`, and its meaning is set by the society (APS) and journal. For all but RMP, we select the Physical Review style. For the latter case, we change the meaning, per the code in `apsrmp.rtx`.
3195 \appdef\bibdataout@rev{\bibdataout@aps}%
3196 \def\bibdataout@aps{%
3197 \immediate\write\bibdataout{%

An entry that controls processing of the revtex4-2.dtx bst file has entry type @CONTROL.

```
3198  @CONTROL{%
3199    apsrev42Control%
```

Say whether we want long bibliography style (the default), or the abbreviated style. Use binary flags on control.* flags in bst file to set appropriate parameters author = 08 corresponds to initials, jrnlist editor = 1 corresponds to format identical to authors title = 0 means to include title in journal references if present; title ="" means omit the title even if present (this should be the only difference between long and short bib styles) year = 1 corresponds to truncate page = 0 corresponds to using single page number rather than a range

```
3200  \longbibliography@sw{%
3201    ,author="08",editor="1",pages="0",title="0",year="1"%
3202  }{%
3203    ,author="08",editor="1",pages="0",title="",year="1"%
3204  }{%
3205  }{%
3206 }%
```

Place a \citation into the auxiliary file corresponding to this entry.

```
3207 \if@filesw
3208   \immediate\write\auxout{\string\citation{apsrev42Control}}%
3209 \fi
3210 }%
```

\place@bibnumber We install code that will select the presentation for \bibitems and govern the
\@bibstyle BIBTEX processing.

```
3211 \let\place@bibnumber\place@bibnumber@inl
3212 \def\@bibstyle{apsrev\substyle@post}{%
  \%appdef\setup@hook{%
  \% \longbibliography@sw{%
  \% \appdef\@bibstyle{long}{%
  \% }{%
  \%}%
  \%}
```

31.7 APS Sanity Checking

Rule: if \place@bibnumber is \place@bibnumber@sup (citations are numbered and set superscript), then it makes no sense for \footinbib@sw to be \false@sw (footnotes set in the bibliography, as endnotes). If both conditions prevailed, then the document would have footnotes and citations both as superscript arabic numbers, but independently numbered, which would be confusing.

Any society that provides for both superscript numbered citations as well as for numbered footnotes should check for this same condition, and deal with it.

Note: an alternative would be for footnotes to use the same sequence of footnote devices that are used by the frontmatter footnotes (`\frontmatter@thefootnote` instead of arabic numbers).

In this case, we would want to refrain from resetting `\c@footnote` at the end of the title page formatting. We would also want to treat body footnotes identically to frontmatter footnotes: the assignments in `\titleblock@produce` would persist throughout the document.

But APS do not choose to go that route.

```

3213 \appdef\setup@hook{%
3214   \@ifx{\place@bibnumber}{\place@bibnumber@sup}{%
3215     \footinbib@sw{}{%
3216       \class@warn{Citations are superscript numbers: footnotes must be endnotes; changing to that
3217       @booleantrue\footinbib@sw
3218     }%
3219   }{}%
3220 }%

```

Here ends the substyle for society APS.

```
3221 %</aps>
```

32 The rmp journal substyle: the rmp module

The file `apsrmp.rtx` is read in by the `revtex4` document class if `\@society` has the value `aps` and `\@journal` has the value `rmp`.

It is read at the end of the `aps.rtx`, so all definitions and assignments in that file are operative unless overridden here.

```
3222 %<*rmp>
```

Protect this file from being read in by anything but REVTEX.

```

3223 \ifx\undefined\substyle@ext
3224   \def\@tempa{%
3225     \endinput
3226     \GenericWarning{I must be read in by REVTeX! (Bailing out)}%
3227   }%
3228   \expandafter\else
3229   \def\@tempa{}%
3230   \expandafter\fi\@tempa

```

Protect this file from being read in as a society instead of a journal. In such a case, `\@journal` will be undefined.

```
3231 \@ifxundefined\@journal{%
```

One alternative: abort the document. Another alternative: try to recover: force load the aps society file

```

3232 \class@warn{Please specify the REVTeX options [aps,rmp]!}%
3233 \@@end
3234 }{}%

```

Log the journal substyle.

```
3235 \class@info{APS journal RMP selected}%
```

32.1 Frontmatter

We assign the titlepage style for RMP; a document instance may override by invoking one of the class options of REVTEX.

3236 \clo@groupedaddress

\frontmatter@setup

```
3237 \def\frontmatter@setup{%
3238   \normalfont\sffamily\raggedright
3239 }%
```

\PACS@warn Per Mark Doyle, RMP never displays the PACS, so they don't want the ‘use showpacs’ warning spit out.

3240 \def\PACS@warn{RMP documents do not display PACS and PACS are obsolete. Your \string\pacs\space

\frontmatter@title@above

\frontmatter@title@format 3241 \def\frontmatter@title@above{}%
\frontmatter@title@below 3242 \def\frontmatter@title@format{\Large\bfseries\raggedright}%
HelveticaNeue-Medium(Italic) 14pt.
3243 \def\frontmatter@title@below{\addvspace{12\p@}}%
24pt b-b down to first author

\frontmatter@authorformat Set the rag to a milder value, because we want to do true ragged right typesetting, as opposed to the L^AT_EX default, which gives very poor results.

Note: author font is 9.8bp. 19.2bp/14.3bp above/below.

```
3244 \def\frontmatter@authorformat{%
3245   \preprintsty@sw{\vskip0.5pc\relax}{}
3246   \@tempskipa\@flushglue
3247   \@flushglue\z@ plus.8\hsize
3248   \raggedright\advance\leftskip.5in\relax
3249   \@flushglue\@tempskipa
3250   \parskip\z@skip
3251   \@totallleftmargin\leftskip
3252 }%
```

\frontmatter@affiliationfont The hook \frontmatter@affiliationfont controls the formatting of affiliations and affiliation groups. The hook \frontmatter@above@affilgroup is invoked just before proceeding with author/affiliation processing. The \frontmatter@above@affiliation is the amount of space above affiliations in the groupedaddress style, and \frontmatter@above@affiliation@script is that for superscriptaddress.

Note: affiliation font is 9.03/10.4bp, 14.3bp/19.2bp b-b above/below

```
3253 \def\frontmatter@affiliationfont{%
3254   \small\slshape\selectfont\baselineskip10.5\p@\relax
3255   \@tempskipa\@flushglue
3256   \@flushglue\z@ plus.8\hsize
3257   \raggedright\advance\leftskip.5in\relax
3258   \@flushglue\@tempskipa
3259   \@totallleftmargin\leftskip
3260   \let\def@after@address\def@after@address@empty
3261 }%
```

```

3262 \def\frontmatter@above@affilgroup{\addvspace{7.2\p0}}% additional leading above an author
3263 \def\frontmatter@above@affiliation{\addvspace{5.3\p0}}%
3264 \def\frontmatter@above@affiliation@script{}%

```

Set up the default RMP style for title block authors and affiliations. We assign the titlepage style for RMP; a document instance may override by invoking one of the class options of REVTEX.

This command should override the effect of the corresponding command in the society substyle, and any document class option bearing on same will in turn override.

```
3265 \clo@groupedaddress
```

\frontmatter@RRAP@format Note: in RMP, if we are not in preprint mode, the date will not be produced.
Note: Helvetica C/lc, 8.98bp, space above: 16.3bp b-b.

```

3266 \def\frontmatter@RRAP@format{%
3267   \addvspace{7.3\p0}%
3268   \small
3269   \raggedright\advance\leftskip.5in\relax
3270   \totallmargin\leftskip
3271 }%
3272 \def\produce@RRAP#1{%
3273   \ifempty{#1}{\{}%
3274     \ifvmode{\leavevmode}\{}%
3275     \unskip(\ignorespaces#1\unskip)\quad
3276   \}%
3277 }%

```

\frontmatter@abstractheading Space above 21.8bp b-b.

```

3278 \def\frontmatter@abstractheading{%
3279   \preprintsty@sw{%
3280     \begingroup
3281     \centering\large
3282     \abstractname
3283     \par
3284   \endgroup
3285   \vspace{.5pc}%
3286 }{%
3287 }%

```

\frontmatter@abstractfont TimesTen 8.93bp/9.6bp X 360bp, indented 36bp, with 21.9/37.6bp b-b above/below

```

3288 \def\frontmatter@abstractfont{%
3289   \footnotesize
3290   \hsize360\p@
3291   \leftskip=0.5in
3292   \parindent\z@
3293   \totallmargin\leftskip
3294 }%

```

```
\frontmatter@preabstractspace Space above and space below abstract in title block. Should be 22/36 points  
\frontmatter@postabstractspace base-to-base.
```

```
3295 \def\frontmatter@preabstractspace{7.7\p@} %  
3296 \def\frontmatter@postabstractspace{24.6\p@} %
```

FIXME: Not done: PACS. FIXME: TOC: Head is same as

33 :

HelveticaNeue 8.98. 32/22bp b-b above/below, Body: TimesTen 8/10.5.

33.1 General Text

If not in preprint mode, RMP sets the type size to 10/12 point. Note: s/b 11.6bp leading
FIXME: define `\normalsize` only if nobody else has done so.

```
3297 \appdef\setup@hook{ %  
3298 \preprintsty@sw{}{ %  
3299 \def\normalsize{ %  
3300 \setsizes\normalsize{12pt}\xpt\xpt  
3301 \abovedisplayskip 10\p@ plus2\p@ minus5\p@  
3302 \belowdisplayskip \abovedisplayskip  
3303 \abovedisplayshortskip \abovedisplayskip  
3304 \belowdisplayshortskip \abovedisplayskip  
3305 \let\@listi\@listI  
3306 }%  
3307 }%  
3308 }%
```

Footnote mods:

```
3309 \footnotesep 9.25pt  
3310 \skip\footins 36pt plus 4pt minus 12pt  
3311 \def\footnoterule{ %  
3312 \dimen@\skip\footins\divide\dimen@\thr@@  
3313 \kern-\dimen@\hrule width.5in\kern\dimen@  
3314 }%
```

33.2 Sectioning

We override the meaning of `\secnums@rtx`. The class option `secnumarabic` will continue to work.

```
3315 \def\secnums@rtx{ %  
3316 \@ifxundefined\theprt{ %  
3317 \def\theprt{\Roman{part}} %  
3318 }%  
3319 \@ifxundefined\thesection{ %  
3320 \def\thesection {\Roman{section}} %  
3321 \def\p@section {\%  
3322 }%
```

```

3323  \@ifxundefined\thesubsection{%
3324    \def\thesubsection{\Alph{subsection}}%
3325    \def\p@subsection{\thesection.\;}%
3326  }{%
3327  \@ifxundefined\thesubsubsection{%
3328    \def\thesubsubsection{\arabic{subsubsection}}%
3329    \def\p@subsubsection{\thesection.\thesubsection.\;}%
3330  }{%
3331  \@ifxundefined\theparagraph{%
3332    \def\theparagraph{\alph{paragraph}}%
3333    \def\p@paragraph{\thesection.\thesubsection.\thesubsubsection.\;}%
3334  }{%
3335  \@ifxundefined\thesubparagraph{%
3336    \def\thesubparagraph{\arabic{subparagraph}}%
3337    \def\p@subparagraph{\thesection.\thesubsection.\thesubsubsection.\theparagraph.\;}%
3338  }{%
3339 }

```

In RMP, put a period (.), followed by ‘nut space’, after the section number.

Also, hang the section number (the L^AT_EX default).

```
3340 \def\@secCntFormat#1{\csname the#1\endcsname.\hspace{0.5em}\relax}%

```

Note that we wish to set the section head uppercase, so we use David Carlisle’s `\MakeTextUppercase`. However, because this procedure effectively parses its argument (looking for things to *not* translate), it has to be invoked in such a way that the argument of the `\section` command is passed to it as its own argument.

To accomplish this, we use the `\@hangfrom@` hook, which was developed for this purpose.

```

3341 \def\section{%
3342  \@startSection{section}{1}{\z@}{0.8cm plus1ex minus.2ex}{0.4cm}%
3343  {%
3344    \small\sffamily\bfseries\selectfont
3345    \raggedright
3346    \parindent\z@
3347  }%
3348 }%
3349 \def\@hangfrom@section#1#2#3{\@hangfrom{#1#2}\MakeTextUppercase{#3}}%
3350 \def\@hangfroms@section#1#2{#1\MakeTextUppercase{#2}}%
3351 \def\subsection{%
3352  \@startSection{subsection}{2}{\z@}{0.8cm plus1ex minus.2ex}{0.4cm}%
3353  {%
3354    \small\sffamily\bfseries
3355    \raggedright
3356    \parindent\z@
3357  }%
3358 }%
3359 \def\subsubsection{%
3360  \@startSection{subsubsection}{3}{\z@}{.8cm plus1ex minus.2ex}{0.4cm}%
3361  {%
3362    \small\sffamily\selectfont

```

```

3363   \raggedright
3364   \parindent\z@
3365 }%
3366 }%
3367 \def\paragraph{%
3368   \@startsection{paragraph}{4}{\z@}{.8cm plus1ex minus.2ex}{-1em}%
3369 }%
3370   \small\sllshape\selectfont
3371   \raggedright
3372   \parindent\z@
3373 }%
3374 }%
3375 \def\ subparagraph{%
3376   \@startsection{subparagraph}{4}{\parindent}{3.25ex plus1ex minus.2ex}{-1em}%
3377   {\normalsize\bfseries\selectfont}%
3378 }%
3379 %
3380 \setcounter{tocdepth}{4}% FIXME: has no effect

\appendix
\hangfrom@appendix 3381 \appdef\appendix{%
\hangfroms@appendix 3382 \let\hangfrom@section\hangfrom@appendix
\appendixcntformat 3383 \let\sectioncntformat\appendixcntformat
3384 }%
3385 \def\@hangfrom@appendix#1#2#3{%
3386 #1%
3387 \@ifempty{#2}{%
3388 #3%
3389 }{%
3390 #2\ifempty{#3}{\relax}{\ #3}%
3391 }%
3392 }%
3393 \def\@hangfroms@appendix#1#2{%
3394 #1\appendixname\ifempty{#2}{\relax}{\ #2}%
3395 }%
3396 \def\@appendixcntformat#1{\appendixname\ \csname the#1\endcsname}%

```

33.3 Figure and Table Caption Formatting

```
\@makecaption
3397 \setlength\belowcaptionskip{2\p@}
3398 \long\def\@makecaption#1#2{%
3399   \vskip\abovecaptionskip
3400   \vbox{%
3401     \flushing
3402     \small\rmfamily
3403     \noindent
3404     #1\@caption@fignum@sep#2\par
3405   }%
```

```

3406   \vskip\belowcaptionskip
3407 }%
3408 \def\@caption@fignum@sep{\nobreak\hskip.5em plus.2em\ignorespaces}%

```

33.4 Citations and Bibliography

Customize REV_TE_X for the journal substyle; this task requires three components: a BIBT_EX .bst style file, customizing code for `natbib`, and customizations of the `thebibliography` environment.

- `\@bibstyle` Define the argument of the `\bibliographystyle` command (if the document does not do so).

The user must have installed a .bst file of the corresponding name. This file will then be used by BIBT_EX when compiling the document's .bb1 file.

To generate `apsrmp.bst`, use `custom-bib` version 3.89d1 or later. Run the .bst generator, `makebst.tex`, with the following options:

1. STYLE OF CITATIONS: `a: ay`—Author-year with some non-standard interface
2. AUTHOR: `*: nat`—Natbib for use with natbib v5.3 or later
3. LANGUAGE FIELD: `l: lang`—Use language field to switch hyphenation patterns for title
4. PRESENTATIONS: `b: pres,pres-bf`—Presentation, speaker bold face
5. ORDER ON VON PART : `x: vonx`—Sort without von part (de la Maire after Mahone)
6. AUTHOR NAMES: `a: nm-rev1`—Only first name reversed, initials (AGU style: Smith, J. F., H. K. Jones)
7. POSITION OF JUNIOR : `*: jnrlst`—Junior comes last as Smith, John, Jr.
8. TYPEFACE FOR AUTHORS IN LIST OF REFERENCES: `u: nmft,nmft-def`—User defined author font (`\bibnamefont`)
9. FONT FOR FIRST NAMES : `u: fnm-def`—First names in user defined font (`\bibfnamefont`)
10. EDITOR NAMES IN INCOLLECTION ETC: `a: nmfted`—Editors incollection like authors font
11. FONT FOR ‘AND’ IN LIST: `r: nmand-rm`—‘And’ in normal font (JONES and JAMES)
12. FONT OF CITATION LABELS IN TEXT : `u: lab,lab-def`—User defined citation font (`\citetnamefont`)

13. FONT FOR ‘AND’ IN CITATIONS : **r:** `and-rm`—Cited ‘and’ in normal font
14. LABEL WHEN AUTHORS MISSING : *****: `keyxyr`—Year blank when KEY replaces missing author (for natbib 7.0)
15. DATE POSITION: **b:** `dt-beg`—Date after authors
16. DATE FORMAT : **m:** `yr-com`—Date preceded by comma as ‘, 1993’
17. INCLUDE MONTHS: **m:** `aymth`—Include month in date
18. REVERSED DATE : **r:** `dtrev`—Date as year month
19. TRUNCATE YEAR : *****: `note-yr`—Year text full as 1990–1993 or ‘in press’
20. TITLE OF ARTICLE: **d:** `tit-qq`—Title and punctuation in double quotes (“Title,” ..)
21. TITLE PRESENT IN ARTICLE, INCOLLECTION, AND INPROCEEDINGS: **x:** `jtit-x`—Title is ignored
22. INPROCEEDINGS CHAPTER AND PAGES, LIKE INBOOK: **y:** `inproceedings-chapter`—produce pages after chapter just as in InBook
23. ARTICLE BOOKTITLE PRESENT: **?:** `article-booktitle`—format booktitle
24. ARTICLE SERIES PRESENT: **?:** `article-series`—article can has series
25. JOURNAL NAME FONT: **r:** `jttl-rm`—Journal name normal font
26. JOURNAL NAME WITH ADDRESS: **y:** `journal-address`—Include address field (in parentheses) along with journal name
27. BOOK TITLE FIELDS: **y:** `book-bt`—Field ‘booktitle’, or if absent field ‘title’, is book title
28. THESIS TITLE OPTIONAL: **?:** `thesis-title-o`—Title is optional: no warning issued if empty
29. TECHNICAL REPORT TITLE: **b:** `trtit-b`—Tech. report title like books
30. JOURNAL VOLUME: **b:** `vol-bf`—Volume bold as **vol(num)**
31. JOURNAL VOL AND NUMBER: **s:** `vnum-sp`—Journal vol (num) as 34 (2)
32. VOLUME PUNCTUATION: **c:** `volp-com`—Volume with comma as vol(num), ppp
33. PAGE NUMBERS: **f:** `jpg-1`—Only start page number
34. POSITION OF PAGES: **e:** `pp-last`—Pages at end but before any notes

35. BOOK EDITOR W/O AUTHOR: : *book-editor-booktitle*—Book permits empty author, produces title before editor in this case
36. INBOOK PERMITS TITLE, BOOKTITLE, AUTHOR, EDITOR: **a:** *inbook-editor-booktitle*—Allow using both title/booktitle, both author/editor
37. CONFERENCE ADDRESS FOR BOOK, INBOOK, INCOLLECTION, IN-PROCEEDINGS, PROCEEDINGS: **a:** *bookaddress*—Italic booktitle followed by bookaddress in roman
38. NUMBER AND SERIES FOR BOOK, INBOOK, INCOLLECTION, IN-PROCEEDINGS, PROCEEDINGS: *: *num-xser*—Allows number without series and suppresses word "number"
39. WORD NUMBER CAPITALIZED FOR NUMBER AND SERIES: **c:** *number-cap*—Capitalize word 'number' as: "Number 123"
40. WORD CHAPTER CAPITALIZED: **c:** *chapter-cap*—Capitalize word 'chapter' as: 'Chapter 42'
41. COMBINING NUMBER AND SERIES: **x:** *series-number*—Series number as: 'Springer Lecture Notes No. 125'
42. POSITION OF NUMBER AND SERIES: **b:** *numser-booktitle*—After book title and conference address, and before editors
43. VOLUME AND SERIES FOR BOOKS: **s:** *ser-vol*—Series, vol. 23
44. VOLUME AND SERIES FORMATTING: **y:** *ser-rm*—format series roman , even when used with volume
45. WORD VOLUME CAPITALIZED FOR VOLUME AND SERIES: **y:** *volume-cap*—Capitalize word 'volume', as: 'Volume 7 in Lecture Series'
46. POSITION OF VOLUME AND SERIES FOR INCOLLECTION, INBOOK, AND INPROCEEDINGS: **e:** *ser-ed*—Series and volume after booktitle and before editors
47. JOURNAL NAME PUNCTUATION: **x:** *jnm-x*—Space after journal name
48. PAGES IN BOOK: *: *pg-bk,book-chapter-pages*—As chapter and page: chapter 42, page 345
49. PUBLISHER IN PARENTHESES: **p:** *pub-par*—Publisher in parentheses
50. EMPTY PUBLISHER PARENTHESES: **y:** *ay-empty-pub-parens-x*—eliminate parentheses altogether if nothing inside
51. PUBLISHER POSITION: **e:** *pre-edn*—Edition before publisher
52. SCHOOL: **p:** *school-par*—school/address in parens: '(school, address)'

53. ISBN NUMBER: *: `isbn`—Include ISBN for books, booklets, etc.
54. ISSN NUMBER: *: `issn`—Include ISSN for periodicals
55. DOI NUMBER: **a:** `doi-link,doi`—Doi forms a link to the publication, anchored to the volume or title
56. ‘EDITOR’ AFTER NAMES: **a:** `bkedcap`—‘Name Editor,’ as above, editor upper case
57. EDITOR IN COLLECTIONS: **b:** `edby`—In booktitle, edited by .. (where .. is names)
58. PUNCTUATION BETWEEN SECTIONS : **c:** `blk-com`—Comma between blocks
59. FINAL PUNCTUATION: **c:** `fin-endbibitem`—Command at end instead of period
60. ABBREVIATE WORD ‘PAGES’ : **a:** `pp`—‘Page’ abbreviated as p. or pp.
61. ABBREVIATE WORD ‘EDITORS’: **a:** `ed`—‘Editor’ abbreviated as ed. or eds.
62. OTHER ABBREVIATIONS: **a:** `abr`—Abbreviations of such words
63. ABBREVIATION FOR ‘EDITION’ : **a:** `ednx`—‘Edition’ abbreviated as ‘ed’
64. EDITION NUMBERS: **n:** `ord`—Numerical editions as 1st, 2nd, 3rd, etc
65. STORED JOURNAL NAMES: **a:** `jabr`—Abbreviated journal names
66. COMMA BEFORE ‘AND’: **c:** `and-com`—Comma even with 2 authors as ‘Tom, and Harry’
67. FONT OF ‘ET AL’: **i:** `etal-it`—Italic et al
68. ADDITIONAL REVTeX DATA FIELDS: **r:** `revdata,eprint,url,url-blk,translation`—Include REVTeX data fields collaboration, eid, eprint, archive, url, translation
69. SLACCitation FIELD: ?: `SLACCitation`—Produce SLACCitation field
70. NUMPAGES DATA FIELD: *: `numpages-x`—Do not include numpages field
71. REFERENCE COMPONENT TAGS: **b:** `bibinfo`—Reference component tags like `\bibinfo` in the content of `\bibitem`
72. ELEMENT TAGS: **b:** `bibfield`—Element tags like `\bibfield` in the content of `\bibitem`
73. COMPATIBILITY WITH PLAIN TEX: *: `nfss`—Use LaTeX commands which may not work with Plain TeX

A file `apsrmp.dbj` file equivalent to the following should result:

```
%\input docstrip
%\preamble
%-----
%*** REVTeX-compatible RMP 2010-02-12 ***
%\endpreamble
%\postamble
%End of customized bst file
%\endpostamble
%\keepsilent
%\askforoverwritefalse
%\def\MBopts{\from{merlin.mbs}{%
%  head,\MBopta}
%\from{physjour.mbs}{\MBopta}
%\from{geojour.mbs}{\MBopta}
%\from{photjour.mbs}{\MBopta}
%\from{merlin.mbs}{tail,\MBopta}}
%\def\MBopta{%
%  ay,: Author-year with some non-standard interface
%  nat,: Natbib for use with natbib v5.3 or later
%  lang,: Use language field to switch hyphenation patterns for title
%  pres,pres-bf,: Presentation, speaker bold face
%  vonx,: Sort without von part (de la Maire after Mahone)
%  nm-rev1,: Only first name reversed, initials (AGU style: Smith, J. F., H. K. Jones)
%  jnrlst,: Junior comes last as Smith, John, Jr.
%  nmft,nmft-def,: User defined author font (\bibnamefont)
%  fnm-def,: First names in user defined font (\bibfnamefont)
%  nmfted,: Editors incollection like authors font
%  nmand-rm,: ‘And’ in normal font (JONES and JAMES)
%  lab,lab-def,: User defined citation font (\citenamefont)
%  and-rm,: Cited ‘and’ in normal font
%  keyxyr,: Year blank when KEY replaces missing author (for natbib 7.0)
%  dt-beg,: Date after authors
%  yr-par,: Year in parentheses as (1993)
%  dtrev,: Date as year month
%  date-nil-x,: If date is empty, then do not produce the surrounding punctuation (parens, brackets)
%  tit-qq,: Title and punctuation in double quotes (“Title,” ...)
%  inproceedings-chapter,: produce pages after chapter, just as in InBook
%  jtit-x,: Title is ignored
%  inproceedings-chapter,: produce pages after chapter just as in InBook
%  article-booktitle,: format booktitle
%  article-series,: article can has series
%  jttl-rm,: Journal name normal font
%  journal-address,: Include address field (in parentheses) along with journal name
%  book-bt,: Field ‘booktitle’, or if absent field ‘title’, is book title
%  thesis-title-o,: Title is optional: no warning issued if empty
%  trtit-b,: Tech. report title like books
%  techreport-institution-par,: format tech report institution like book publisher
%  vol-bf,: Volume bold as {\bf vol}(num)
```

```

% vnum-sp,: Journal vol (num) as 34 (2)
% volp-com,: Volume with comma as vol(num), ppp
% jpg-1,: Only start page number
% pp-last,: Pages at end but before any notes
% book-editor-booktitle,: Book permits empty author, produces title before editor in this case
% inbook-editor-booktitle,: Allow using both title/booktitle, both author/editor
% bookaddress,: Italic booktitle followed by bookaddress in roman
% num-xser,: Allows number without series and suppresses word "number"
% number-cap,: Capitalize word 'number' as: "Number 123"
% chapter-cap,: Capitalize word 'chapter' as: 'Chapter 42'
% series-number,: Series number as: 'Springer Lecture Notes No. 125'
% numser-booktitle,: After book title and conference address, and before editors
% ser-vol,: Series, vol. 23
% ser-rm,: format series roman , even when used with volume
% volume-cap,: Capitalize word 'volume', as: 'Volume 7 in Lecture Series'
% ser-ed,: Series and volume after booktitle and before editors
% jnm-x,: Space after journal name
% pg-bk,book-chapter-pages,: As chapter and page: chapter 42, page 345
% pub-par,: Publisher in parentheses
% ay-empty-pub-parens-x,: eliminate parentheses altogether if nothing inside
% pre-edn,: Edition before publisher
% school-par,: school/address in parens: '(school, address)'
% isbn,: Include ISBN for books, booklets, etc.
% issn,: Include ISSN for periodicals
% doi-link,doi,: Doi forms a link to the publication, anchored to the volume or title
% bkedcap,: 'Name Editor,' as above, editor upper case
% edby,: In booktitle, edited by .. (where .. is names)
% blk-com,: Comma between blocks
% fin-endbibitem,: Command at end instead of period
% pp,: 'Page' abbreviated as p. or pp.
% ed,: 'Editor' abbreviated as ed. or eds.
% abr,: Abbreviations of such words
% edmx,: 'Edition' abbreviated as 'ed'
% ord,: Numerical editions as 1st, 2nd, 3rd, etc
% jabr,: Abbreviated journal names
% and-com,: Comma even with 2 authors as 'Tom, and Harry'
% etal-it,: Italic et al
% revdata,eprint,url,url-blk,translation,: Include REVTeX data fields collaboration, eid, eprint
% SLACcitation,: Produce SLACcitation field
% numpages-x,: Do not include numpages field
% url,url-prefix-x,: URL without prefix (default: 'URL ')
% bibinfo,: Reference component tags like \bibinfo in the content of \bibitem
% bibfield,: Element tags like \bibfield in the content of \bibitem
% nfss,: Use LaTeX commands which may not work with Plain TeX
%,{%
% }
% \generate{\file{apsrmp4-2.bst}}{\MBopts}
% \endbatchfile
%
```

For a comparison between apsrmp bst and apsrev bst, see Section 31.3.10.

```
3409 \def\@bibstyle{apsrmp\substyle@post}%
```

\authoryear@sw Author-year citations: default value of \authoryear@sw is true.

```
3410 \@booleantrue\authoryear@sw
```

@bibdataout@rmp When the journal is RMP, the meaning of the procedure @bibdataout@aps needs to be different because of the way the author names are formatted. In other respects, it is the same.

```
3411 \def\@bibdataout@aps{%
3412   \immediate\write\@bibdataout{%
```

An entry that controls processing of the revtex4-2.dtx bst file has entry type @CONTROL. This entry's cite key is apsrmp41Control, which serves as a version number.

```
3413   @CONTROL{%
3414     apsrmp41Control%
```

Say whether we want long bibliography style (the default), or the abbreviated style.

```
3415   \longbibliography@swf%
3416   ,author="03",editor="0",pages="1",title="0",year="0"%
3417 }{%
3418   ,author="0B",editor="0",pages="0",title="0",year="1"%
3419 }%
3420 }%
3421 }%
```

Place a \citation into the auxiliary file corresponding to this entry.

```
3422 \if@filesw
3423   \immediate\write\auxout{\string\citation{apsrmp41Control}}%
3424 \fi
3425 }%
```

\bibpunct The following commands effectively establish the style in which \cite commands are formatted. You can think of them as the second needed component for the bibliography.

\newblock Set up for author-year citations: when \NAT@set@cites executes (at \begin{document} time), the @biblabel will be set to \NAT@biblabel.

\bibhang Per Karie Friedman (friedman@phys.washington.edu), multiple citations are separated by semicolons, e.g., (Jones, 1999; Abbott and Smith, 2000; Wortley, 2001a), and multiple citations by the same author by commas, e.g., Abela et al. (1995, 1997a, 1997b). The third argument of \bibpunct handles the former.

The fifth argument puts a comma after the author when the year is not in parens: (Lee et al., 1996).

Incidentally, this \bibpunct command specifies the natbib default values.

We define the sectioning command to use when starting the bibliography.

We change natbib's \NAT@def@citea procedure to effect more elaborate punctuation for RMP: see item 473: \cite order punctuation: "If possible,

\textcites should put the word 'and' between two citations and before the last citation in a list of 3 or more."

3426 \appdef\setup@hook{%

We define the punctuation to use in the \cite command's production.

3427 \bibpunct{(%}
3428){%(
3429)}{;}{a}{,}{,}{)}

We define the sectioning command to use when starting the bibliography.

3430 \def\bibsection{
3431 \expandafter\section\expandafter*\expandafter{\refname}%
3432 \nobreaktrue
3433 }%
3434 \let\bibpreamble\empty
3435 \def\newblock{\ }%
3436 \bibhang10\p@
3437 \bibsep\z@

Per Mark Doyle, \cite is mapped to \citep in RMP.

3438 \let\cite\citep

End of code to be delayed until after **natbib** loads.

3439 }%

\footinbib@sw Footnotes in bibliography are consistent only with numbered citations, and are particularly nasty under **natbib**: the package will automatically change to numbered references if any \bibitem commands lack the optional argument. Therefore, we must uninvoke it now, even if invoked by the document. The same is quietly done with **natbib**'s **mcite** and **compress** options.

(AO 523) I changed the code that alters \NAT@merge so that it will not override when \NAT@merge has been set to \z@.

3440 \booleanfalse\footinbib@sw
3441 \appdef\setup@hook{
3442 \footinbib@sw{
3443 \class@warn{
3444 Footnotes in bibliography are incompatible with RMP.^~J%
3445 Undoing the footinbib option.
3446 }%
3447 \booleanfalse\footinbib@sw
3448 }{}%
3449 @ifnum{\NAT@merge>\@ne}{\let\NAT@merge\@ne}{
3450 \def\NAT@cmprs{\z@}}%
3451 }%

\eprint RMP requires the \eprint field in the bib entry to be set off with the word "eprint".

3452 \def\eprint#1{\eprint #1}%

33.5 Table of Contents

We set up for auto-sizing of certain TOC elements.

To do this, we override the definitions for the default TOC font (`\toc@@font`), and define formatting for the needed elements (`\l@...`). Finally, we activate the autosizing by assigning `\toc@pre` and `\toc@post`.

`\toc@@font` Set the formatting characteristics of the auto-indenting part of the TOC.

```
3453 \def\toc@@font{%
3454   \footnotesize\rmfamily
3455   \def\\f\\space{\ignorespaces}%
3456 }%
3457 \def\ltxu@dotsep{5.5pt}%
```

`\l@section` Determine which TOC elements are automatically indented.

```
3458 \def\tocleft@{\z@}%
3459 \def\tocdim@{\min{5\p@}}%
3460 \def\l@section{%
3461   \l@sections{}{section}%
3462 }%
3463 \def\l@subsection{%
3464   \l@sections{section}{subsection}%
3465 }%
3466 \def\l@subsubsection{%
3467   \l@sections{subsection}{subsubsection}%
3468 }%
3469 %\def\l@subsubsection#1#2{}%
3470 \def\l@paragraph#1#2{}%
3471 \def\l@subparagraph#1#2{}%
```

Activate the TOC processing.

```
3472 \let\toc@pre\toc@pre@auto
3473 \let\toc@post\toc@post@auto
3474 %</rmp>
```

Here ends the programmer's documentation.

Change History

4.0a

`\lastpage@putlabel`: Move after
process options, so `\clearpage`
not in scope of `twocolumn` . . . 35
`\openone`: use font-dependent
spacing 81
`\preprintststy@sw`: comma not
space between email and

homepage 16
Rearrange the ordering so
numerical ones come first. AO:
David, what does this mean? . 16
`\ps@preprint`: Move after process
options, so the following test
works 34
`\ps@titlepage`: multiple preprint

commands	101	Added localization of
\two@sw: 4.d had twoside		\tablesname
option setting twoside switch		AO: all code for 10pt is in this
to false	21	module.
General: 4.0d had twoside option		AO: all code for 11pt is in this
setting twoside switch to false .	5	module.
comma not space between email		AO: all code for 12pt is in this
and homepage	5	module.
Initial version	5	AO: made aps.rtx part of
Move after process options, so		revtex4.dtx
\clearpage not in scope of		5, 93
twocolumn	5	AO: remove duplicates
Move after process options, so		5
the following test works	5	call \print@floats
multiple preprint commands . . .	5	5
print homepage	5, 18	Defer assignment until
protect against hyperref revtex		\AtBeginDocument time.
kludges which are not needed		5, 68
now	5, 18	Defer decision until
Rearrange the ordering so		\AtBeginDocument time
numerical ones come first. AO:		5
David, what does this mean? . .	5	Define three separate
single space footnotes	5, 51	environments, defer assignment
use font-dependent spacing . . .	5	to \AtBeginDocument time.
4.0b		5, 69
\@makecaption: One-line caption		First modifications by Arthur
sets flush left.	44	Ogawa (mailto:arthur.ogawa at
\figurename: Added localization		sbcglobal dot net)
of \figuresname	73	5
\paperwidth: Restore all media		Frank Mittelbach, has stated in
size class option of \classes.dtx	19	multicol: “The kernel
\preprintsty@sw: Move this		command \@footnotetext
“complex” option to the front,		should not be modified.” Thus,
where it can be overridden by		I have removed David
“simple” options.	16	Carlisle’s redefinition of that
\printfigures: call		command. Note, however, that
\print@floats	45	later versions of multicol do
\printtables: only execute if		not require this workaround.
appropriate	48	Belt and suspenders.
\ps@preprint: Defer decision until		5, 51
\AtBeginDocument time	34	Move this “complex” option to
\ps@titlepage: Stack \preprint		the front, where it can be
args flush right at right		overridden by “simple”
margin.	101	options.
\roarrow: AO: remove duplicates	82	5, 18
\showKEYS@sw: New option	17	New option
\tablename: Added localization of		5
\tablesname	73	One-line caption sets flush left.
General: Added localization of		5
\figuresname	5	only execute if appropriate
		5
		Processing delayed to
		\AtBeginDocument time
		5, 44, 46
		Removed invocation of
		nonexistent class option
		groupauthors and all other
		class options that should only
		be invoked by the document.
		(Otherwise precedence of class
		options does not work.)
		5, 34
		Restore all media size class
		option of \classes.dtx
		5

Stack \preprint args flush right at right margin.	5	widetext@grid: grid changes via ltxgrid procedures	71
4.0c		\open@column@two: Also alter how lists get indented.	68
\@appendixcntformat: (AO, 129) section* within appendix was producing appendixname	106	\preprint@sw: New option	18
\@makecaption: Prevent an inner footnote from performing twice	44	\printtables: make longtable trigger the head, too	48
\close@column@grid: grid changes with ltxgrid	70	\url: eprint takes an optional argument, syntactical only in this case.	76
\frontmatter@abstractfont: (AO, 123) add parskip to the abstract.	97	General: Also alter how lists get indented.	5
\open@column@two: Grid changes with ltxgrid	68	But alternative spelling is deprecated.	5, 41
\printfigures: *-form mandates pagebreak	45	eprint takes an optional argument, syntactical only in this case.	5
\printtables: *-form mandates pagebreak	48	make longtable trigger the head, too	5
\produce@preprints: (AO, 115) If three or more preprints specified, set on single line, with commas.	101	More features and bug fixes: compatibility with longtable and array packages. Now certainly incompatible with multicol.	5
\ps@preprint: Do not put by REVTeX in every page foot	35	New option	5
Insert procedure \checkindate	34, 35	4.0e	
\ps@titlepage: Insert procedure \checkindate	101	\showKEYS@sw: New option showkeys	17
General: (AO, 115) If three or more preprints specified, set on single line, with commas.	5	General: adornments above and below.	5
(AO, 129) section* within appendix was producing appendixname	5	Bug fixes and minor new features: title block affiliations can have ancillary data, just like authors; clearpage processing revamped, with floats staying in order; widetext ornaments.	5
*-form mandates pagebreak	5	New option showkeys	5
also spelled “acknowledgements”.	5, 41	widetext@grid: adornments above and below.	71
Do not put by REVTeX in every page foot	5	4.0f	
grid changes via ltxgrid procedures	5	General: Last bug fixes before release.	5
grid changes with ltxgrid	5, 70, 115	4.0rc1	
Insert procedure \checkindate	5	\bibsection: grid changes with push and pop	114
Lose compatibility mode.	5, 14	\ps@preprint: Running headers always as if two-sided	34
New ltxgrid-based code, other bug fixes	5		
New option “checkin”	5, 16		
Prevent an inner footnote from performing twice	5		

General: grid changes with push and pop	5, 115	(AO, 461) Change the csname revtex uses from @dotsep to ltxu@dotsep. The former is understood in mu. (What we wanted was a dimension.)	5, 104
Running headers always as if two-sided	5	(AO, 478) \ds@letterpaper, so that “letterpaper really is the default”	5
4.0rc4		(AO, 488) Change processing of options to allow an unused option to specify society and journal	5, 31
General: hyperref is no longer loaded via class option: use a usepackage statement instead	5, 18	For natbib versions before 8.21, \NAT@sort was consulted only as natbib was being read in. Now it is fully dynamic.	5
4.1a		4.1b	
\@endnotesinbibliography: (AO, 457) Endnotes to be sorted in with numerical citations.	65	\@appendixcntformat: Add \changefroms@section	127
\@endnotetext: (AO, 457)		\@makecaption: Break out \caption@fignum@sep	127
Endnotes to be sorted in with numerical citations.	62	\@parse@class@options@: Procedures	
\@makecaption: (AO, 460)		\@parse@class@options@society and	
“Proper style is ”FIG. 1. ...” (no colon)”	44	\@parse@class@options@journal and friends	31
\@xendnote: (AO, 457) Endnotes to be sorted in with numerical citations.	61	\MakeLowercase: Package textcase is now simply a required package	27
\authoryear@sw: (AO, 457)		Read in all required packages together	27
Endnotes to be sorted in with numerical citations.	22, 113, 133	\altaffilletter@sw: (AO) make settings at class time instead of deferring them to later.	20
\bibliography: (AO, 457)		\balancelastpage@sw: (AO) make settings at class time instead of deferring them to later.	17
Endnotes to be sorted in with numerical citations.	57	\byrevtex@sw: (AO) make settings at class time instead of deferring them to later.	29
\bibpunct: For natbib versions before 8.21, \NAT@sort was consulted only as natbib was being read in. Now it is fully dynamic.	114	\change@journal: (AO) Provide more diagnostics when \@society is assigned.	26
\paperwidth: (AO, 478)		\draft@sw: (AO) make settings at class time instead of deferring them to later.	24
\ds@letterpaper, so that “letterpaper really is the default”	19	\floatp@sw: (AO) make settings at class time instead of deferring them to later.	25
\toc@font: (AO, 461) Change the csname revtex uses from @dotsep to ltxu@dotsep. The former is understood in mu. (What we wanted was a dimension.)	135		
General: (AO, 451) “Cannot have more than 256 cites in a document”	5		
(AO, 457) Endnotes to be sorted in with numerical citations.	5		
(AO, 460) “Proper style is ”FIG. 1. ...” (no colon)”	5		

\footinbib@sw: (AO) make	
settings at class time instead of	
deferring them to later.	20
\force@deferlist@sw: (AO) make	
settings at class time instead of	
deferring them to later.	29
\frontmatter@RRAP@format: (AO,	
455) Be nice to a list within	
the abstract (assign	
\@totallleftmargin).	123
\frontmatter@abstractfont:	
(AO, 455) Be nice to a list	
within the abstract (assign	
\@totallleftmargin).	124
\frontmatter@affiliationfont:	
(AO, 455) Be nice to a list	
within the abstract (assign	
\@totallleftmargin).	123
As with author formatting, rag	
the right more, and assign	
\@totallleftmargin. Also	
neutralize	
\def@after@address.	123
\frontmatter@authorformat:	
(AO, 455) Be nice to a list	
within the abstract (assign	
\@totallleftmargin).	123
Rag the right even more:	
.8\hsize. Also, assign	
\@totallleftmargin.	123
\frontmatter@footnote@produce:	
(AO) Implement bibnotes	
through	
\frontmatter@footnote@produce	
instead of \bibnotes@sw	19
\frontmatterverbose@sw: Code	
relating to new syntax for	
frontmatter has been placed in	
\ltxfront.dtx	30
\galley@sw: Class option galley	
sets \preprintsty@sw to false	23
\lengthcheck@sw: (AO) make	
settings at class time instead of	
deferring them to later.	23
\place@bibnumber: (AO) make	
settings at class time instead of	
deferring them to later.	20
\preprint@sw: (AO) make settings	
at class time instead of	
deferring them to later.	18
\preprintsty@sw: Add option	
reprint, opposite of preprint,	
and preferred alternative to	
twocolumn	16
\raggedcolumn@sw: (AO) make	
settings at class time instead of	
deferring them to later.	23
\revsymb@inithook: (AO) make	
settings at class time instead of	
deferring them to later.	84
\rxt@require@packages: Read in	
all required packages together	26
\tightenlines@sw: (AO) make	
settings at class time instead of	
deferring them to later.	23
\titlepage@sw: (AO) make	
settings at class time instead of	
deferring them to later.	25
\twocolumn@sw: (AO) make	
settings at class time instead of	
deferring them to later.	21
\twoside@sw: (AO) coordinate	
\if@twoside with	
\twoside@sw	21
General: (AO) Implement bibnotes	
through	
\frontmatter@footnote@produce	
instead of \bibnotes@sw	5
(AO) No longer need to test	
\chapter as of natbib version	
8.2	5, 61
(AO) No longer use	
\secnumarabic@sw, instead use	
\setup@secnums	5, 24
(AO) Provide more diagnostics	
when \society is assigned. . .	5
(AO) Structure the Abstract	
using the bibliography	
environment	5, 39
(AO) coordinate \if@twoside	
with \twoside@sw	5
(AO) make settings at class time	
instead of deferring them to	
later.	5, 18, 123, 124
(AO) provide option	
longbibliography	5, 21
(AO, 455) Be nice to a list	
within the abstract (assign	
\@totallleftmargin).	5
Add \hangfroms@section .	5, 126

Add option reprint, opposite of preprint, and preferred alternative to twocolumn	5
As with author formatting, rag the right more, and assign \@totallleftmargin. Also neutralize \def@after@address.	5
Break out \@caption@fignum@sep	5
Class option galley sets \preprintsty@sw to false	5
Code relating to new syntax for frontmatter has been placed in \ltxfront.dtx	5, 29
Package textcase is now simply a required package	5
Procedures \@parse@class@options@society and \@parse@class@options@journal and friends	5
Rag the right even more: .8\hsize. Also, assign \@totallleftmargin.	5
Read in all required packages together	5
Remove options newabstract and oldabstract	5, 30
Section numbering via procedures \secnums@rtx and \secnums@arabic.	5, 125
The rmp journal substyle selects groupedaddress by default.	5, 123
The csname substyle@ext is now defined without a dot (.), to be compatible with L ^A T _E Xusage (see @clsextension and @pkgextension).	5, 33
Use \setup@hook to initialize all.	5, 125
amsfonts: Read in all required packages together	27
amsmath: Read in all required packages together	27
amssymb: Read in all required packages together	27
4.1c \@bibstyle: Document class option longbibliography via \substyle@post	133
General: Document class option longbibliography via \substyle@post	5
4.1d \@fnsymbol: Definition of \fnsymbol follows fixltx2e.sty	96
General: Definition of \fnsymbol follows fixltx2e.sty	5
4.1e \frontmatter@abstractfont: (AO, 455) be nice to a list within the abstract	97
General: (AO, 455) be nice to a list within the abstract	5
4.1f \@endnotesinbibliography: (AO, 520) Automatically produce \bibliography command when needed	65
\@fnsymbol: (AO, 530) \fnsymbol: Failed to import fixltx2e.sty technology. Return to LaTeX core.	96
\NAT@merge: (AO, 523) Add class option nomerge, to turn off new natbib 8.3 syntax	31
\footinbib@sw: (AO, 523) Add class option nomerge, to turn off new natbib 8.3 syntax	135
\linenumbers@sw: (AO, 513) Add class option linenumbers: number the lines a la lineno	30
\notesname: (AO, 520) Automatically produce \bibliography command when needed	73
\present@bibnote: (AO, 521) Lonely bibliography head	58
\printendnotes: (AO, 520) Automatically produce \bibliography command when needed	64
\thebibliography@nogroup: (AO, 520) Automatically produce \bibliography command when needed	66
General: (AO, 513) Add class option linenumbers: number the lines a la lineno	5

(AO, 516) Merged references are separated with a semicolon	5, 57
(AO, 520) Automatically produce \bibliography command when needed	5
(AO, 521) Lonely bibliography head	5
(AO, 522) Warn if software is expired	5, 80, 81
(AO, 523) Add class option nomerge, to turn off new natbib 8.3 syntax	5
(AO, 524) Makes no sense if citations are superscript numbers and so are footnotes	5, 121
(AO, 530) \@fnsymbol: Failed to import fixltx2e.sty technology. Return to LaTeX core.	5
4.1g	
\MakeLowercase: (AO, 538)	
\MakeTextUppercase	
inappropriately expands the double backslash	27
General: (AO, 525) Remove phantom paragraph above display math that is given in vertical mode	5
(AO, 538) \MakeTextUppercase	
inappropriately expands the double backslash	5
\widetext@grid: (AO, 525) Remove phantom paragraph above display math that is given in vertical mode	71
4.1h	
General: (AO) Remove expiry code in the release software	5, 80
4.1i	
\cite: (AO, 541) Defer assignment of \cite until after natbib loads	135
General: (AO, 541) Defer assignment of \cite until after natbib loads	5
4.1j	
\bibAnnote: (AO, 549) Repairing natbib's \BibitemShut and \bibAnnote	54
\rtx@def@citea@box: (AO, 552)	
Repair spacing in \onlinecite	53
General: (AO, 545) hypertext capabilities off by default; enable with hypertex	5, 32
(AO, 549) Repairing natbib's \BibitemShut and \bibAnnote	5
(AO, 551) Punctuation at end of reference when optional arguments to the cite key are given	56
(AO, 552) Repair spacing in \onlinecite	5
4.1k	
\lastpage@putlabel: (AO, 554)	
give the \newlabel command syntax appropriate to the hyperref package	35
General: (AO, 554) give the \newlabel command syntax appropriate to the hyperref package	5
(AO, 561) remove dead code relating to \bibitemContinue	57
4.1n	
\clear@document: (AO, 569) Use of hyperref interferes with column balancing of last page	22
\frontmatter@makefntext: (AO, 572) Independent footnote counter for title block. Abstract footnote counter shared with body	106
\lastpage@putlabel: (AO, 569) execute the after-last-shipout procedures from within the safety of the output routine	36
\linenumbers@sw: (AO, 573) arrange to load lineno after any other packages	30
\preprint@sw: (AO, 565) restore 4.0 behavior: default value of \preprint@sw follows \preprintsty@sw	18
\present@bibnote: (AO, 572) Independent footnote counter for title block. Abstract footnote counter shared with body	58

\save@note: (AO, 572)	
Independent footnote counter	
for title block. Abstract	
footnote counter shared with	
body.	61
\thebibliography@nogroup: (AO,	
572) Independent footnote	
counter for title block.	
Abstract footnote counter	
shared with body.	66
General: (AO) fine-tune spacing	
above and below widetext . . .	5
(AO, 565) restore 4.0 behavior:	
invoking class option preprint	
implies class option	
preprintnumbers	5
(AO, 566) restore 4.0 behavior:	
flush column bottoms . . .	5, 105
(AO, 569) Use of <code>hyperref</code>	
interferes with column	
balancing of last page	5
(AO, 569) execute the	
after-last-shipout procedures	
from within the safety of the	
output routine	5
(AO, 571) Interface	
\set@footnotewidth for	
determining the set width of	
footnotes	5
(AO, 571) class file must set	
\splittopskip; fine tune	
\skip\footins;	
\footnoterule defined in	
terms of	
\skip\footins	5, 86, 87, 92, 125
(AO, 572) Independent footnote	
counter for title block.	
Abstract footnote counter	
shared with body.	5
(AO, 572) \@makefntext and	
\frontmatter@makefntext	
must be defined	
harmoniously	5, 106
(AO, 573) arrange to load	
lineno after any other	
packages.	5
(AO, 575) the default for journal	
prstper is longbibliography . .	5
(AO, 576) In .bst files, remove	
support for the annotate field	
5, 107	
widetext@grid: (AO) fine-tune	
spacing above and below	
widetext	71
4.1o	
\@bibdataout@aps: (AO, 580)	
Control .bst at run time. . .	64, 120
(AO, 580) Provide a document	
class option to turn off	
production of eprint field in	
bibliography.	64
\@bibdataout@rmp: (AO, 580)	
Control .bst at run time. . .	133
\@endnotetext: (AO, 579)	
Endnote shall comprise their	
own Bib _{TEX} entry type:	
@FOOTNOTE.	63
\bibAnnote: (AO, 549) Remove	
patch to natbib, which is now	
at version 8.31a	54
(AO, 578) accommodate the	
possible space character	
preceding \BibitemShut.	54
\eprint@enable@sw: (AO, 580)	
Provide a document class	
option to turn off production of	
eprint field in bibliography. . .	21
\present@bibnote: (AO, 575)	
Automatically incorporate the	
(Bib _{TEX} -generated) .bbl into	
an explicit <code>thebibliography</code> .	58
\thebibliography@nogroup: (AO,	
575) Automatically incorporate	
the (Bib _{TEX} -generated) .bbl	
into an explicit	
<code>thebibliography</code>	66
General: (AO, 549) Remove patch	
to natbib, which is now at	
version 8.31a	5
(AO, 575) Automatically	
incorporate the	
(Bib _{TEX} -generated) .bbl into	
an explicit <code>thebibliography</code> . .	5
(AO, 578) accommodate the	
possible space character	
preceding \BibitemShut. . . .	5, 56
(AO, 579) Endnote shall	
comprise their own Bib _{TEX}	
entry type: @FOOTNOTE. . . .	5
(AO, 580) Control .bst at run	
time.	5

(AO, 580) Provide a document class option to turn off production of eprint field in bibliography.	5	data if the .bst style is set by REVTeX.	59
(AO, 581) Handle case: merged references, with first ending in a stop character.	5, 56	4.1r	
4.1p		General: (AO, 595) Provide \lovname along with other List of Videos definitions.	5, 48
\twocolumn@sw: (AO, 583) Provide interface to ltxgrid \onecolumn@grid@setup and \twocolumn@grid@setup	21	4.2a	
General: (AO, 583) Provide interface to ltxgrid \onecolumn@grid@setup and \twocolumn@grid@setup	5	\longbibliography@sw: (MD) Make long bibliography style the default now.	21
(AO, 584) Per MD, remove trailing space character from each journal abbreviation: it had caused an extraneous space in the .bbl	5, 94	\setup@hook: (MD) Add call to to be a good citizen and allow booktabs.sty to work properly	80
4.1q		General: (Aptara) Corrected indentation for tableofcontents appearing along with listoffigure/listoftable.	5
\@bibdataout@aps: (AO, 588) Only write REVTeX-specific BibTeX .bib data if the .bst style is set by REVTeX.	64	(Aptara) Make prb style to follow other Phys. Rev. journals.	5
\bibliographystyle: (AO, 586) When .bbl is pasted into the document, prevent automatic bibliography inclusion.	56	(Aptara, MD) Added initial support for SOR and AAPM journals, additional journals for APS, and additional journals and proceedings for AIP, unreleased.	5
(AO, 588) Only write REVTeX-specific BibTeX .bib data if the .bst style is set by REVTeX.	56	(MD) Add call to normalsize to be a good citizen and allow booktabs.sty to work properly	5
\present@bibnote: (AO, 586) When .bbl is pasted into the document, prevent automatic bibliography inclusion.	58	(MD) Make long bibliography style the default now.	5
General: (AO, 586) When .bbl is pasted into the document, prevent automatic bibliography inclusion.	5	(MD, Aptara) Make titles in bibliography default, prb style to follow other Phys. Rev. journals, add a unified physrev option as well as prx, prapplied, prmaterials, prfluids, prab, and prper options. Corrected indentation for tableofcontents appearing along with listoffigure/listoftable.	77
(AO, 588) Only write REVTeX-specific BibTeX .bib data if the .bst style is set by REVTeX.	5		
write@bibliographystyle: (AO, 588) Only write REVTeX-specific BibTeX .bib			

4.2b

\@bibdataout@aps: (MD)	
Improve control over display of e-print ids in bibliography.	64
(MD) MD - not sure why these parameters were different previously. Made them match except for title.	120
\PACS@warn: (MD)	
PACS are obsolete altogether now ..	122
General: (MD)	
Add options for new APS journals and a generic physrev option for future-proofing	5
(MD) Change default to not use a title page - it seems antiquated	5, 97
(MD) Improve control over display of e-print ids in bibliography.	5
(MD) MD - not sure why	
these parameters were different previously. Made them match except for title.	5
(MD) Make titles in bibliography default, prb style to follow other Phys. Rev. journals, add a unified physrev option as well as prx and prapplied options. Corrected indentation for tableofcontents appearing along with listoffigure/listoftable.	5
(MD) PACS are obsolete altogether now	5
(MD) Update options for new titles without "Special Topics" and make prper match style of other journal options	5

Index

Symbols

\(1568	\@bibitemShut	1366, 1367, 1375, 1376, 1423, 1426, 1429
\)	1568	\@biblabel	134
\,	874, 878, 882, 886	\@bibstop	1363, 1372
.aux	13, 36, 59	\@bibstyle	1416, 1475, 1476, 3017, 3211, 3409
.bbl	107, 127	\@booleanfalse	272, 276, 283, 291, 296, 302, 304, 305, 310, 313, 360, 361, 363, 364, 372, 374, 377, 379, 384, 385, 387, 409, 410, 414, 420, 422, 423, 428, 429, 441, 442, 450, 461–463, 467, 468, 564, 566, 567, 590, 593, 1417, 1651, 2697, 2698, 2968, 3017, 3114, 3188, 3440, 3447
.bst	107, 127	\@booleantrue	264, 265, 267, 268, 279, 284, 293, 299, 307, 312, 314, 359, 362, 371, 373, 375, 376, 378, 383, 386, 408, 413, 421, 427, 431, 435, 440, 449, 461, 463–466, 563, 565, 581, 582, 585–587, 591, 592, 925, 1416, 1659, 1660, 1882, 1886, 3194, 3217, 3410
.dtx	6	\@caption@fignum@sep	44
.rtx	11–13, 26, 31–33, 93, 116	\@caption@fignum@sep	1068, 1082, 3404, 3408
.rty	12, 79	\@cite	59
.sty	32	\@citea	54
\@end	227, 3233	\@citea	1345, 1348, 1350, 1355, 1359
\@footnotetext	1536, 1540	\@citere	59
\@ontopof	2109–2112, 2115	\@citere	1499
\@par	2760	\@clubpenalty	3069
\@FMN@list	1454, 1616	\@ctrerr	2651
\@LN@LLError	2011–2013	\@currentHref	3042
\@LN@LLError@ltx	2004, 2013	\@currentlabel	1457
\@LN@LLError@org	1996, 2011	\@currenvir	1671
\@LN@parpgbrk	78	\@currext	31
\@LN@parpgbrk	2018	\@currext	608, 619, 632, 646
\@Roman	1118	\@currname	31
\@TBN@opr	1453	\@currname	608, 619, 632, 646
\@affils@sw	37		
\@afterheading	955, 963		
\@afterindentfalse	933		
\@appendixcntformat	2999, 3381		
\@author@parskip	2747		
\@auxout	774, 1586, 3208, 3423		
\@begindocumenthook	22		
\@beginparpenalty	1020		
\@bibdataout	63, 64		
\@bibdataout	1555, 1564, 1576, 1579, 3197, 3412		
\@bibdataout@aps	120, 133		
\@bibdataout@aps	1574, 3195, 3411		
\@bibdataout@init	120		
\@bibdataout@init	1574, 3195		
\@bibdataout@rev	59		
\@bibdataout@rev	1477, 1578, 3195		
\@bibdataout@rmp	3411		

\dblfloat 1034, 1115, 1197
 \dblfloatplacement 1707, 1713
 \dblfpbot 2295, 2521
 \dblfpsep 2294, 2520
 \dblftop 2293, 2519
 \depth ... 241, 243, 1789, 2064
 \oendnote 63
 \dottedtocline 1037
 \ehb 572
 \empty 37, 59
 \endnotelabel . 1546, 1557, 1558
 \endnotesinbib 65
 \endnotesinbib 1592
 \endnotesinbibliography .. 65
 \endnotesinbibliography 1592
 \endnotetext 62, 63
 \endnotetext 1547, 1552
 \endnotetext@note 62
 \endpage 35
 \endparpenalty 1021
 \endpetrue 1810
 \evenfoot .. 702, 719, 730, 739,
 759, 769, 2793
 \evenhead .. 703, 720, 727, 736,
 761, 767, 2785
 \firstofone .. 1067, 2141, 2157
 \floatboxreset 1129
 \floatplacement .. 1706, 1712
 \fltofv 29
 \fltofv 568
 \fltstk 29
 \fltstk 568
 \flushglue
 .. 2712, 2713, 2717, 2722,
 2723, 2725, 2970, 3246, 3247,
 3249, 3255, 3256, 3258
 \fnsymbol 96
 \fnsymbol 2631
 \fontswitch 1839, 1840
 \footnotemark 65
 \footnotemark 1071, 1532
 \footnotemark@gobble ... 1056,
 1070
 \footnotetext 1540, 1764
 \for 609, 620, 633, 647
 \fpbot 2292, 2518
 \fpsep 2291, 2517
 \fptop 2290, 2516
 \gobble@leavemode@uppercase
 2759, 2763
 \gobble@opt@i 1072, 1074
 \gobble@tw@ 2927, 2929
 \gobblethree 1648, 1674
 \gtempa 18
 \haligno 1244, 1261
 \hangfrom 2821
 \hangfroms 1334
 \hangfrom .. 2834, 2890, 3349
 \hangfrom@ 102, 126
 \hangfrom@appendix 2999, 3381
 \hangfrom@section 42
 \hangfrom@section 2834, 3001,
 3349, 3382
 \hangfrom@section@preprintsty
 2890
 \hangfroms@appendix 2999, 3381
 \hangfroms@section 1334, 2835,
 3002, 3350
 \height ... 241, 243, 1784, 2064
 \highpenalty 1019
 \idxitem 3081, 3087
 \ifempty 1442, 3007, 3010, 3273,
 3387, 3390, 3394
 \ifdim 1052, 2119
 \ifl@aded 530, 539
 \ifl@aded@LaTeX 530, 539
 \ifl@t@r 535, 544
 \ifl@t@r@LaTeX 535, 544
 \ifl@ter 534, 543
 \ifl@ter@LaTeX 534, 543
 \ifmmode 2657
 \ifnextchar 1072, 1482
 \ifnotrelax 254, 610, 621, 634,
 648, 1234
 \ifnum 604, 744, 751,
 936, 945, 1347, 1348, 1618,
 1676–1679, 2040–2042, 2803,
 3133, 3449
 \ifpackagelater . 533, 542, 551
 \ifpackagelater@LaTeX 533, 542
 \ifpackageloaded 531, 540, 550,
 665, 1233, 2015

\@ifpackageloaded@LaTeX . . 531,
 540
 \ifstar . 1100, 1175, 1224, 1729
 \undefined 61
 \ifvmode 2760, 3274
 \ifx 475,
 486, 1366, 1375, 1411, 1486,
 1502, 1509, 1523, 2011, 3214
 \ifx@empty . . 1067, 1331, 1423,
 1426, 1429, 1439, 1616
 \ifxundefined 316, 471, 482, 507,
 516, 526, 623, 637, 651, 672,
 679, 692, 865, 868, 872, 876,
 880, 884, 890, 893, 897, 901,
 905, 909, 1208, 1475, 2016,
 2180–2187, 2656, 3231, 3316,
 3319, 3323, 3327, 3331, 3335
 \itempenalty 1022
 \journal 13, 79, 94, 122
 \journal 482, 484, 486, 487,
 491–495, 637, 640, 674, 679,
 681, 686, 793, 2027, 3231
 \journal@default 79, 80
 \journal@default 2028, 3094
 \keys@name 1862
 \latex@error 569
 \latex@warning 575
 \let@token 59
 \let@token 1496, 1502
 \linenumberpar 78
 \linenumberpar 2018
 \listI 1690, 2206, 2307, 2363,
 2427, 2533, 3144, 3152, 3164,
 3305
 \listi 51
 \listi 1380, 1690, 1691, 2206,
 2214, 2227, 2363, 2370, 2382,
 2427, 2435, 2448, 3144, 3152,
 3164, 3305
 \listii 2314, 2538
 \listiii 2322, 2544
 \listiv 2331, 2550
 \listv 2336, 2553
 \listvi 2341, 2556
 \lowpenalty 1017, 1020–1022
 \make@capt@title 1050, 1057,
 1066
 \makecaption 1038, 3397
 \makefnmark 1079, 1109, 1265,
 2981, 2994
 \makefnmark@cite 1329
 \makefnmark@latex 1109
 \makefntext 1265, 2974
 \medpenalty 1018
 \minipagefalse 1060
 \mnm 1423, 1426, 1429
 \mparswitchfalse 383
 \mparswitchtrue 384
 \mpfn 1468, 1530, 1618, 2992
 \mpfootins 1027
 \mpmakefntext 1075
 \one 51, 55
 \nobreakfalse 1974
 \nobreaktrue 1336, 3030, 3122,
 3432
 \oddfoot 702, 719, 729, 738, 758,
 768, 2786, 2793
 \oddhead 704, 721, 728, 737, 760,
 766, 2779, 2785
 \onlinecite 57
 \onlinecite 1432
 \ontopof 2085, 2102–2105, 2106
 \options 2031
 \outputpage 21
 \pacs@name 1862
 \parboxrestore 1108
 \parse@class@options 645
 \parse@class@options@ 31
 \parse@class@options@ 607,
 2027, 2029
 \parse@class@options@journal
 631
 \parse@class@options@society
 31
 \parse@class@options@society
 607, 2025
 \parse@version 536, 545
 \parse@version@LaTeX 536, 545
 \part 73
 \part 934, 935
 \pkgextension 532, 541
 \pkgextension@LaTeX 532, 541

\@pnumwidth 2915
 \@pointsize 18, 33, 37, 80, 84, 88,
 90, 116
 \@pointsize 266,
 321–324, 651, 654, 692–694,
 699, 2029, 3133
 \@pointsize@default ... 33, 80
 \@pointsize@default 2030, 3095
 \@preprint 2782
 \@process@journal ... 668, 2028
 \@process@pointsize . 668, 2030
 \@process@society ... 668, 2026
 \@optionlist 31
 \@optionlist ... 608, 619, 632, 646
 \@ptsize 18
 \@secCntformat 2820, 3340
 \@secpenalty 2933, 2954
 \@sectionCntformat . 3003, 3383
 \@setfontsize
 ... 2201, 2209, 2222, 2235,
 2238, 2241, 2244, 2247, 2250,
 2253, 2358, 2366, 2378, 2390,
 2393, 2396, 2399, 2402, 2405,
 2408, 2422, 2430, 2443, 2456,
 2459, 2462, 2465, 2468, 2471,
 3136, 3139, 3147, 3159
 \@setsizeset 3300
 \@society . 13, 31, 32, 79, 93, 122
 \@society 471, 473, 475, 476, 672,
 674, 676, 686, 699
 \@spart 934, 957
 \@sptoken 59
 \@sptoken 1502
 \@startfnt 1965, 1991
 \@startsection ... 965, 974, 983,
 992, 1001, 2823, 2837, 2849,
 2861, 2870, 2879, 2892, 2904,
 3342, 3352, 3360, 3368, 3376
 \@starttoc 1989
 \@subsectionCntformat 42
 \@tempa 470, 472, 473, 475,
 476, 481, 483, 484, 486, 487,
 608, 609, 619, 620, 632, 633,
 646, 647, 1485, 1499, 2059,
 2071–2074, 2192, 2197, 2198,
 2349, 2354, 2355, 2413, 2418,
 2419, 2562, 2567, 2568, 3224,
 3229, 3230
 \@tempskipa .. 3246, 3249, 3255,
 3258
 \@textcite 57
 \@textcite 1433
 \@textsuperscript .. 1277, 2749
 \@thefnmark
 ... 1278, 1329, 1531, 1537,
 1540, 1543, 1546, 2750
 \@tocrmarg 2916
 \@totalleftmargin . 2695, 3251,
 3259, 3270, 3293
 \@twosidefalse 381
 \@twosidetrue 381
 \@undefined . 324, 491, 674, 853,
 855, 857, 859, 861, 863
 \@unexpandable@protect .. 1570
 \@width 241, 243, 2064
 \@xendnote 1542
 \@xfloat@prep 46
 \@xfloat@prep 1107
 \^ 1571
 _ 69
 \| 2639
 10pt document class option . 4, 33,
 84, 137
 11pt document class option . 4, 33,
 88, 91, 137
 11pt.rtx 88
 12pt document class option . 4, 33,
 90, 91, 137
 12pt.rtx 90

 \u 136, 137, 140
 \u . 31, 41, 182, 1323, 1404, 2006,
 2587–2592, 2595–2609, 2611–
 2626, 2628–2630, 2762, 2981,
 2994, 3010, 3016, 3064, 3390,
 3394, 3396, 3435

A

\abovecaptionskip . 1038, 1040,
 1045, 3399

\abovedisplayshortskip	
	..	2204, 2212, 2225, 2361,
		2368, 2380, 2425, 2433, 2446,
		3142, 3150, 3162, 3303
\abovedisplayskip	
	..	2202–2205, 2210, 2211,
		2223, 2224, 2359–2362, 2367,
		2375, 2379, 2387, 2423, 2424,
		2431, 2432, 2444, 2445, 3140–
		3143, 3148–3151, 3160–3163,
		3301–3304
abstract	environment	73
\abstractname	73
\abstractname	..	1855, 2675, 3282
\Accepted@name	1867
acknowledgements	environment	41
acknowledgments	environment	74
\acknowledgments@sw	..	915, 925,
		3114
\acknowledgmentsname	74
\acknowledgmentsname		916, 920,
		1858
\addcontentsline	62
\addcontentsline	..	920, 938, 940,
		3041
\address	1872
\addtocontents	..	1728, 2921, 2923
\adjust@abstractwidth	..	2684,
		2686, 2767, 2774
\adv	2586
\affiliation	1872
\aftergroup	..	1460, 1499, 1654,
		1660
\agt	2087
\allow@breaking@tables	..	269,
		270, 274
\Alph	802, 873, 1733, 3324
\alph	796, 881, 1725, 3332
\alt	2087
\altaddress	1873
\altaffiliation	19
\altaffiliation	1873
\altaffilletter@sw	362
\altprecsim	..	2088, 2090, 2183
\altsuccsim	..	2087, 2089, 2182
\amsfonts	500
amsfonts	document class	.. 11, 12,
		37, 83
amsfonts	document class option	11,
		27
\amsmath	518
amsmath	document class	11, 30, 82
amsmath	document class option	27
\amssymb	509
amssymb	document class	11, 12, 37,
		82
amssymb	document class option	11,
		27
\andname	1861
\ao	2587
\ap	2588
\apj	2591
\apl	2589
\apm	2590
\appdef	86
\appdef	232, 260, 315,
		358, 380, 396, 399, 402, 403,
		415, 424, 434, 437, 443, 451,
		497, 506, 515, 524, 527, 529,
		538, 595, 603, 665, 778, 785,
		788, 1093, 1096, 1107, 1108,
		1129, 1141, 1144, 1172, 1207,
		1217, 1220, 1232, 1244, 1255,
		1261, 1348, 1381, 1521, 1574,
		1612, 1686, 1698, 1831, 1942,
		1960, 1963, 2010, 2022, 2033,
		2255, 2476, 2495, 2655, 2699,
		3018, 3022, 3061, 3066, 3115,
		3126, 3132, 3195, 3213, 3297,
		3381, 3426, 3441
\appendix	1718, 1728, 1986, 2999,	
		3381
\appendix@toc	1986
\appendicesname	73
\appendicesname	1856
\appendixname	..	1856, 3016, 3394,
		3396
\appendixontrue	1720
\aprop	2597
aps	document class option	.. 4, 11,
		93, 122
aps.rtx	13, 33, 93, 122

aps.sty	46
aps10pt.rtx	84
apsrev.bst	107
apsrev.dbj	111, 113
apsrmp.bst	107, 127
apsrmp.dbj	113, 131
apsrmp.rtx	120, 122
\arabic	446, 794, 877, 885, 898, 902, 906, 910, 1010, 1457, 1724, 3328, 3336
\array@default	275, 1243
\array@row@pre	1251, 1252, 1256
\array@row@pre@default	1251, 1256
\array@row@pre@float	1252, 2969
\array@row@pst	1253, 1254, 1257
\array@row@pst@default	1253, 1257
\array@row@pst@float	1254, 2969
\array@row@rst	1255
\arraycolsep	1023
\arrayrulewidth	1025
article document class	11, 51
\assp	2596
\AtBeginDcoument	21
\AtBeginDocument	12, 51, 60, 63, 64, 79
\AtEndDocument	12, 22, 28
\AtEndDocument	1481
\AtEndOfClass	12
\att@TOC	1978, 1988
auguide.tex	5
\author	33
author-year document class option	22
\authoryear@sw	22, 65, 113, 133
\authoryear@sw	408, 1594, 3017, 3410
\auto@bib	65, 66
\auto@bib	358, 1615
\auto@bib@empty	1436, 1460, 1615
\auto@bib@innerbib	58, 67
\auto@bib@innerbib	1438, 1456, 1615
B	
balancelastpage document class option	17
\balancelastpage@sw	306, 1773
\baselineskip	241, 243, 2097, 2715, 3027, 3119, 3254
\baselinestretch	1016, 1266, 2497, 2499, 2798, 2975, 2987
\Bbb	83
\Bbb	2144
\bbox	1947
\begin	12
\bell	2592
\belowcaptionskip	1039, 1041, 1064, 3397, 3406
\belowdisplayshortskip	2205, 2213, 2226, 2362, 2369, 2381, 2426, 2434, 2447, 3143, 3151, 3163, 3304
\belowdisplayskip	2203, 2211, 2224, 2360, 2375, 2387, 2424, 2432, 2445, 3141, 3149, 3161, 3302
\bf	946, 949, 959, 1835, 2941, 2956
\bib@device	3028, 3036, 3120
\bibAnnote	1362, 1648
\bibAnnoteFile	1647
\bibdata	57
\bibdata@app	62
\bibdata@app	1549, 3021
\bibdata@ext	62
\bibdata@ext	1549, 1576
\bibfield	110, 131
\bibfield	1639
\bibfnamefont	107, 128
\bibfont	3066
\bibhang	3426
\bibinfo	76, 110, 131
\bibinfo	1640, 1940
\bibitem	20, 58, 66, 67, 110, 121, 131, 135
\bibitem	1652
\bibitem@NoStop	1365, 1374, 1420
\bibitem@set	67
\bibitem@set	1615

\bibitem@Stop	1364, 1373, 1419	\bigglb	2162
\bibitem@sw	1651, 1654, 1658–1660	\Biggrb	2164
\bibitemContinue	1420, 1425	\biggrb	2166
\bibitemContinue@Stop	1419, 1428	\Biglb	2161
\bibitemNoStop	1365, 1374, 1422, 1644	\biglb	2163
\BibitemOpen	1642	\Bigrb	2165
\BibitemShut	54, 56	\bigrb	2167
\BibitemShut . . .	<u>1362</u> , 1411–1413, 1646	\bm	1929, 1930, <u>1940</u> , 1948
\BibitemShut . . .	1366, 1367, 1375, 1376	bm document class	11
\BibitemShut@ltx	1370, 1413	\bmf	2593
\bibitemStop	1364, 1373, 1643	\boldmath	15
\bibliography	66	\boldmath	255–257, 1919–1922
\bibliography . . .	<u>1434</u> , 1630, 1666	book document class	11
\bibliography@latex	1434, 1440, 1443, 1445	\botrule	1241
\bibliographystyle . . .	12, 56, 59, 107, 127	\bottomfraction	812
\bibliographystyle . . .	1385, <u>1415</u>	\byrevtex	2787, 2795
\bibliographystyle@latex	1385, 1415, 1476	byrevtex document class option	29
\bibliographystyle@sw	56	\byrevtex@sw	29, 37
\bibliographystyle@sw	1416, 1417, 1477	\byrevtex@sw	<u>563</u> , 2795
\bibnamefont	107, 128		
\bibnotes document class option	19, 117		
\bibnumfmt	20, 55		
\bibnumfmt	<u>1387</u>		
\bibpreamble . . .	<u>1387, 3036, 3426</u>		
\bibpunct	51, 134		
\bibpunct	<u>3018, 3426</u>		
\bibsection	53		
\bibsection	1387, <u>3022, 3116,</u> <u>3426</u>		
\bibsep	<u>3036, 3426</u>		
\bibstyle	59		
\Big	2161, 2165		
\big	2163, 2167		
\Bigg	2160, 2164		
\bigg	2162, 2166		
\Bigglb	2160		

C

\c@figure	1086
\c@float@type	1208
\c@footnote	121
\c@NAT@ctr	53, 65
\c@NAT@ctr	1346, 1348
\c@page	68
\c@page	773, 1685, 1699, 2667
\c@seccnumdepth	708, 714, 744, 751, 936, 945, 3075, 3131
\c@table	1118
\c@video	1200
\cal	1839
\case	1895
\cdots	2085
\centering	1108, 2674, 2714, 2724, 2745, 2758, 2831, 2845, 2857, 2887, 2900, 2912, 3281
\cha	2594
\change@journal	<u>469</u> , 2570–2575, 2577–2579, 2581–2585
\change@society	<u>469</u> , 491–495, 612, 658
\changes	58–202, 2576, 2580
\chapter	61

\checkindate	273, 727, 728, 736, 737, 758, 759, 2790
\citation	64, 121, 134
\citation	1586, 3208, 3423
\cite	52, 53, 59, 114, 134, 135
\cite	3426
cite document class	11, 36, 59, 60
\citealp	52
\citealpnum	52
citeautoscript document class option	59, 60
\citeautoscript@sw	371, 1522
\citemamefont	108, 128
\citet	135
\citet	3438
\citet	52
\citeyear	1310, 1408
\class@amsfonts	37
\class@amsfonts	501, 504, 507
\class@amsmath	519, 522, 526
\class@amssymb	37
\class@amssymb	510, 513, 516
\class@documenthook	12, 22, 65, 68, 79
\class@documenthook	396, 402, 596, 1093, 1217, 1521, 1574, 1612, 1698, 1963, 2010
\class@enddocumenthook	13, 22
\class@enddocumenthook	358, 403, 527, 1096, 1144, 1220
\class@info	255, 472, 483, 1412, 2012, 2048, 2199, 2356, 2420, 2569, 3097, 3100, 3103, 3106, 3109, 3112, 3172, 3175, 3178, 3181, 3184, 3187, 3191, 3235
\class@name	6
\class@name	18, 226
\class@warn	288, 319, 476, 487, 552, 673, 680, 694, 1590, 2050, 3216, 3232, 3443
\class@warn@end	1875, 1881, 1885, 1890, 1929, 1948, 1952, 1957
classes.dtx	37
classes.dtx document class	34
\classname	30, 81, 151, 169, 173, 186
\classoption	72–74, 87, 164
\cleaders	1795, 1807
\clear@document	399, 778
\cleardoublepage	21
\clearpage	12, 22, 45, 46
\clearpage	400, 401, 404
\clearpage@ltx	400, 401
\clo@	96
\clo@grouppedaddress	2661, 3236, 3265
\close@column	22, 69
\close@column	401, 1736, 1820
\close@column@grid	70
\close@column@grid	1760, 1820
clsguide.tex	79
\clubpenalty	3069
⟨code specific to the josaa⟩ placeholder	13
\colrule	1240, 1890, 1891
\columnsep	15
\columnsep	416, 1744, 2277, 2503, 3074
\columnseprule	2278, 2504, 3073
\columnwidth	1186, 1744
\compose@footnotes	1817
\compose@footnotes@two	1817
compress	document class option 135
\copy	2125, 2171, 2172, 2174
\copyright	31
\copyrightname	1860
\corresponds	82
\corresponds	2078
\count@	53
\count@	1347, 1348, 2801, 2803, 2818
\cp	2630
\crcr	2099, 2811
\cs	59, 70, 71, 77–81, 86, 89, 97, 120, 123, 125, 127, 129, 131–133, 135–137, 140, 143–145, 147–149, 153, 158,

\def@after@address	3260
\def@after@address@empty	3260
\descriptionlabel	841, 847
\dimen@ ..	1794, 1795, 1806, 1807, 2282, 2283, 2508, 2509, 2687, 2688, 2690, 2692, 2693, 3312, 3313
\displaystyle ..	1905, 1919, 2071, 2109
\do	609, 620, 633, 647
\do@if@floats ..	1094, 1139, 1218
\do@output@ccly	779
\DocInput	11
document class	
amsfonts	11, 12, 37, 83
amsmath	11, 30, 82
amssymb	11, 12, 37, 82
article	11, 51
bm	11
book	11
cite	11, 36, 59, 60
classes.dtx	34
custom-bib	32, 107, 127
dcolumn	50
geometry	15, 68, 117
graphicx	11
hyperref	11, 49, 142
latex2e	82
lineno ..	30, 77, 78, 141–143
listings	61
longtable	11, 14, 15
ltxdoc	11
ltxfront	14
ltxgrid ..	3, 14, 21, 22, 28–30, 36, 70, 143
ltxutil	14, 25
mathtime	117
mcite	36, 55
multicol	11, 36, 137
natbib ..	11–13, 20, 36, 51–57, 59–61, 79, 114, 134, 135
overcite	11
revtex4 ..	1, 13, 84, 88, 90, 93, 122
revtex4-2	1
textcase	27

times	117	prab	4, 119
document class option		prapplied	4, 119
10pt	4, 33, 84, 137	prb	4, 116
11pt	4, 33, 88, 91, 137	prc	4, 117
12pt	4, 33, 90, 91, 137	prd	4, 117
amsfonts	11, 27	pre	4, 117
amsmath	27	preprint	16, 97
amssymb	11, 27	preprintnumbers	18
aps	4, 11, 93, 122	prfluids	4, 119
author-year	22	prl	4, 117, 119
balancelastpage	17	prmaterials	4, 119
bibnotes	19, 117	prper	4, 119
byrevtex	29	prx	4, 119
citeautoscript	59, 60	raggedbottom	23
compress	135	rmp	5, 120, 122
draft	24	secnumarabic	24, 125
endfloats	45, 49	showpacs	16
eprint	21	sort	51
eqsecnum	13, 24, 43	sort\&compress	51
floatfix	29	super	59
flushbottom	23	superscript	60
footinbib	120	superscriptaddress	123
galley	23, 37	twocolumn	17, 21
groupauthors	137	twocolumngrid	70
groupedaddress	123	twoside	21
hypertext	32, 142	document environment	6, 12, 134
josaa	13	\document@inithook	12, 79
letterpaper	19	\document@inithook	232, 260, 380,
longbibliography	21	665, 788, 1141, 1207, 1232,	
ltxgridinfo	29	2655	
mcite	135	\documentclass	79
newabstract	30	\documentstyle	14
nobalancelastpage	17	\documentstyle	223
noeprint	21	\doublerulesep	1026, 2972, 2973
nofloats	47	\dp	1794, 1806, 2118
nolongbibliography	21	\draft	1880, 1881
nomerge	31	draft document class option	24
nopreprintnumbers	18	\draft@sw	24, 37
numerical	22	\draft@sw	437, 1882
oldabstract	30	driver	6
onecolumn	21, 37	\ds@letterpaper	354
oneside	21		E
osa	13	\edef	222, 608, 619, 632, 646, 1457
outputdebug	29	\email	19
physrev	5, 120	\emergencystretch	2299, 2525
pra	4, 116		

\emph	1650
\endacknowledgments	929
\endcsname	59
\endcsname	254
	256, 257, 553, 610, 613, 621,
	622, 634, 636, 648, 650, 659,
	689, 1091, 1092, 1123, 1124,
	1168, 1169, 1172, 1212, 1213,
	1234, 1288, 1296, 1304, 1468,
	1509, 1517–1520, 1618, 1971,
	1972, 1984, 2820, 2992, 3016,
	3340, 3396
endfloats	document class option
	45, 49
\endgraf	247
\endinput	2193, 2350, 2414, 2563,
	3225
\endNAT@thebibliography	1459
\endnote	1542
\endnote@ext	62
\endnote@ext	1549
\endnote@relax	62, 63
\endnote@relax	1554, 1565
\endtabular@hook	1231
\endthebibliography	58
\endthebibliography	1878
\endthebibliography@nogroup	.
	1673
\endwrite@float	1150, 1155
\ensuremath	2632
\env	179
environment	
abstract	73
acknowledgements	41
acknowledgments	74
document	6, 12, 134
figure	3, 44–46, 48, 73
longtable	47
table	3, 46–48, 73
tabular	16
thebibliography	51, 55, 58,
	65, 67, 73, 107, 127, 143
thebibliography@nogroup	67
theindex	73
video	3, 48, 49
widetext	71
environments:	
figure	1030
rtx@thebibliography	. 1451
ruledtabular	1231
table	1111
video	1193
widetext@galley	1744
widetext@grid	1778
\EOS	1645
\eprint	135
\eprint	1940, 3452
eprint	document class option . 21
\eprint@enable@sw	376, 1582
\eqnum	1956
eqsecnum	document class option 13,
	24, 43
\eqseccnum@sw	24, 37
\eqseccnum@sw	443
\errhelp	222
\errmessage	226
\evensidemargin	15
\evensidemargin	2258, 2260, 2264,
	2479, 2483
\everymath	1905–1908, 1919–1922
\expandafter	59
\ext@figure	1089
\ext@table	1121
\ext@video	1201
F	
\f@size	1907, 1908
\f@ur	2117, 2119–2121, 2123–2125,
	2508
\false@sw	20, 56, 121
\false@sw	1100, 1175, 1224, 1654,
	2043, 2657
\fboxrule	1029
\fboxsep	1028
figure (environment)	1030
figure environment	3, 44–46, 48,
	73
\figurename	73
\figurename	1090, 1851
\figuresname	73
\figuresname	1852

file	
.aux	13, 36, 59
.bb1	107, 127
.bst	107, 127
.dtx	6
.rtx	11–13, 26, 31–33, 93, 116
.rty	12, 79
.sty	32
11pt.rtx	88
12pt.rtx	90
□	136, 137, 140
aps.rtx	13, 33, 93, 122
aps.sty	46
aps10pt.rtx	84
apsrev.bst	107
apsrev.dbj	111, 113
apsrmp.bst	107, 127
apsrmp.dbj	113, 131
apsrmp.rtx	120, 122
auguide.tex	5
classes.dtx	37
clsguide.tex	79
driver	6
fleqn.clo	25
hyperref.dtx	49
hyperref.sty	7
ltxdoc.sty	7
ltxdoceext.sty	7
ltxfront.dtx	29, 30
ltxgrid.dtx	16
ltxutil.dtx	65, 104
makebst.tex	107, 127
myarticle.rty	79
myarticle.tex	79
natbib	127
natbib.cfg	51
options	14
osa.rtx	13
osajnl.rtx	26
README	5
README-REVTEX.txt	6
revtex2	46
template.aps	5
template.rty	79
\file	52, 54, 56, 88, 138, 1695, 1696
\FL	1932
\fleqn	458
fleqn.clo	25
\float@link	1067, 1083, 1084
floatfix	document class option 29
\floatp@sw	25, 37
\floatp@sw	461, 1100, 1175, 1224
\floatpagefraction	38
\floatpagefraction	815
\floats@sw	25, 37, 44–47, 49
\floats@sw	276, 461, 1131
\floatsep	2285, 2511
\flushbottom	425
flushbottom	document class option 23
\flushing	1055, 1076, 3401
\fname@video	1202, 1206
\fnum@figure	1090
\fnum@table	1122
\fnum@video	1206
footinbib	document class option 120
\footinbib@sw	20, 37, 53, 61, 65, 121
\footinbib@sw	359, 1593, 1617, 3194, 3215, 3217, 3440
\footins	15
\footins	2280, 2282, 2506, 2508, 3310, 3312
\footnote	37, 65
\footnote	1056, 1897
\footnotemark	1898
\footnoterule	2281, 2507, 3311
\footnotesep	2279, 2505, 3309
\footnotesize 2221, 2222, 2377, 2378, 2442, 2443, 2766, 2773, 3289, 3454
\footnotetext	1899
\footskip	15
\footskip	2274, 2493
\force@deferlist@sw 565, 571, 577
\fp@proc@H	270
\fp@proc@h	269
\fps@figure	1087

\fps@table 1119
 \fps@video 1204
 \FR 1933
 \frac 1895, 1896
 \frak 83
 \frak 2128
 \frontmatter@above@affilgroup
 123
 \frontmatter@above@affilgroup
 2719, 3262
 \frontmatter@above@affiliation
 123
 \frontmatter@above@affiliation
 2721, 3263
 \frontmatter@above@affiliation@script\frontmatter@title@below 2744,
 3241
 \frontmatter@above@affiliation@script\frontmatter@title@format 2744,
 3241
 \frontmatter@abstractfont 2681,
 3288
 \frontmatter@abstractheading
 2671, 3278
 \frontmatter@abstractwidth ..
 ... 2680, 2687, 2702
 \frontmatter@affiliationfont
 123
 \frontmatter@affiliationfont
 ... 2703, 2732, 3253
 \frontmatter@authorbelow 2753
 \frontmatter@authorformat 2711,
 3244
 \frontmatter@collaboration@above
 2735
 \frontmatter@footnote 37
 \frontmatter@footnote@produce
 19
 \frontmatter@footnote@produce
 355, 3113
 \frontmatter@footnote@produce@endnote\GetFileInfo 27
 355, 3113
 \frontmatter@footnote@produce@footnote@glossary 62
 19
 \frontmatter@footnote@produce@footnote@footnote@glossary 1566
 356, 357
 \frontmatter@footnotetext 1764
 \frontmatter@keys@format 2772
 \frontmatter@makefnmark . 2747
 \frontmatter@makefntext . 2986
 \frontmatter@PACS@format 2764
 \frontmatter@postabstractspace
 3295
 \frontmatter@preabstractspace
 3295
 \frontmatter@RRAP@format 2756,
 3266
 \frontmatter@setup . 2741, 3237
 \frontmatter@thefootnote . 121
 \frontmatter@thefootnote 1469
 \frontmatter@title@above 2744,
 3241
 \frontmatter@title@below 2744,
 3241
 \frontmatter@title@format 2744,
 3241
 \frontmatterverbose@sw ... 592
 \ftype@figure .. 1088, 1091, 1092
 \ftype@table .. 1120, 1123, 1124
 \ftype@video .. 1205, 1212, 1213
 \futurelet 1496

G

\g@addto@macro 1533
 \g@bblefirsttoken . 1287, 1295,
 1303, 1313
 galley document class option 23,
 37
 \galley@outdent 1744, 1826
 \galley@sw 23
 \galley@sw 411, 1825, 2689
 \GenericInfo 212
 \GenericWarning 2194, 2351, 2415,
 2564, 3226
 geometry document class . 15, 68,
 117

\frontmatter@footnote@produce\GetFileInfo 27
 1909, 1923
 \frontmatter@footnote@produce@footnote@glossary 62
 1566
 \frontmatter@footnote@produce@footnote@glossary 11
 137
 \groupauthors document class op-
 tion 137
 \groupauthors@sw 37

groupedaddress	document class option	123
\gtrsim	2087, 2185
H		
\hb@xt@	... 1061, 1079, 1269, 1782, 1788, 1803, 2062, 2120, 2123, 2124, 2787, 2943, 2980, 2993, 3037, 3038, 3043	
\headheight	15
\headheight	2270, 2489
\heading@cr	.. 727, 728, 736, 737, 756, 1049	
\headsep	15
\headsep	2271, 2490
\hline	... 1239–1241, 2972, 2973	
\hoffset	15
\homepage	19
\href	1067
\hspace	53
\ht	1794, 1806, 2061, 2118, 2121, 2125	
\Huge	2252, 2253, 2407, 2408, 2473	
\huge	. 949, 959, 2249, 2250, 2404, 2405, 2470, 2471, 2473	
\Hy@raisedlink 1466, 2992	
\hyper@anchorend	.. 1466, 2992, 3055	
\hyper@anchorstart	1466, 2992, 3042	
hyperref	document class . 11, 49, 142	
hyperref.dtx	49
hyperref.sty	7
hypertext	document class option	32, 142
\hypertext@enable@ltx	.. 664, 665	
I		
\ialign	2099
\if	1323
\if@compatibility	221
\if@files w	771, 1585, 1970, 3207, 3422	
\if@mparswitch	15, 21
\if@reversemargin	15, 21
\if@twocolumn	15, 16
\if@twoside	15, 21
\ifappendixon	1717
\IfFileExists	611, 657
\ifmmode	1903, 1917
\ifNAT@super	20
\ifNAT@swa	1318
\ignorespaces	.. 756, 1779, 2942, 3275, 3408, 3455	
\immediate	774, 1158, 1160, 1555, 1576, 1579, 1586, 1972, 3197, 3208, 3412, 3423	
\incompatible@package	.. 789–791	
\index	62
\index	1566
\indexname	73
\indexname	1850, 3077
\indexspace	3093
\input	25
\InputIfFileExists	.. 689, 2023	
\interlinepenalty 944, 958	
\intextsep	2287, 2513
\iovs	2599
\it	1836, 2703, 2733
\item	.. 823, 831, 837, 1463, 1756, 3081	
\itemindent	822, 830, 846, 1397, 1750	
\itemsep	.. 822, 2218, 2231, 2311, 2320, 2329, 2373, 2385, 2439, 2452, 2535, 2542, 2548	
\itshape	.. 989, 998, 1836, 2856, 2867, 2911	
J		
\j@nk	1676–1679
\jap	2601
\jcp	2600
\jmo	2603
\jmp	2602
\jobname	62, 120
\jor	2629
\josa	2604
\josaa	2605
josaa	document class option ..	13
\josab	2606

<i><journal-specific setup></i>	placeholder
.....	36
\journalname 1859
\jpp 2607
\jpr 2608
\jqe 2595
L	
\l@ 135
\l@sections 104
\l@sections .	2951, 2959, 2962, 3461, 3464, 3467
\l@f@section 2953
\l@figure 1037, 1126, 1216
\l@paragraph 2964, 3470
\l@part 104
\l@part 2933
\l@section	2926, 2927, 2931, 2948 , 3458
\l@section@saved 2926, 2931
\l@ subparagraph 2965, 3471
\l@ subsection 2958, 3463
\l@ subsection 2961, 3466 , 3469
\l@table 1126
\l@video 1216
\label 35, 62
\label 1458, 1566
\labelenumi 793
\labelenumii 795
\labelenumiii 798
\labelenumiv 801
\labelitemi 804
\labelitemii 805
\labelitemiii 806
\labelitemiv 807
\labelsep	. 842, 1396, 1687, 1689, 2313, 2317, 2325, 2334, 2339, 2344, 2537, 2539, 2545, 2551, 2554, 2557
\labelwidth	846, 1395, 1689, 2316, 2317, 2324, 2325, 2333, 2334, 2338, 2339, 2343, 2344, 2539, 2545, 2551, 2554, 2557
\lambda 2071–2074
\lambdaabar 2057
\LARGE 2246, 2247, 2401, 2402, 2467, 2468
\Large	946, 2243, 2244, 2398, 2399, 2464, 2465, 3242
\large	2240, 2241, 2395, 2396, 2461, 2462, 2674, 2745, 2941, 3135, 3136, 3281
\lastbox 68
\lastbox 2807
\lastpage@putlabel 770
\lastskip 1488
\LaTeX 124, 255
latex2e document class 82
\leaders	. 1783, 1790, 3045, 3047 , 3049, 3051
\leftarrow 2104
\leftmargin 823, 831, 837 , 846, 1688, 1689, 1751, 2215, 2228, 2308, 2315, 2323, 2332, 2337, 2342, 2370, 2382, 2436, 2449, 2533, 2538, 2544, 2550, 2553, 2556
\leftmargini 1688, 2215, 2228, 2301 , 2308, 2370, 2382, 2436, 2449, 2527, 2533
\leftmarginii	. 2302, 2315, 2316 , 2528, 2538, 2539
\leftmarginiii	2303, 2323, 2324, 2529, 2544, 2545
\leftmarginiv	. 2304, 2332, 2333 , 2530, 2550, 2551
\leftmarginv	. 2305, 2337, 2338 , 2531, 2553, 2554
\leftmarginvi	. 2306, 2342, 2343 , 2532, 2556, 2557
\leftrightarrow 2102
\leftskip 68
\leftskip	2692, 2695, 2976, 2979, 2980, 2988, 2991, 2993, 3248, 3251, 3257, 3259, 3269, 3270, 3291, 3293
\lengthcheck@sw 23, 37
\lengthcheck@sw	429 , 3127, 3134
\lesssim 2087, 2184
\let 51, 59, 61

\let@environment	1603, 1607
.. 1132–1137, 1164–1166,	
1383, 1384, 1665, 1818, 1822,	
1937	
letterpaper document class option	11
..... 19	
\linelabel	77
\linelabel	1998, 2006
lineno document class	30, 77, 78,
141–143	
\linenumbers	77
\linenumbers ..	599, 1998, 2006
\linenumbersep	594
\lineskip	598
listings document class	61
\listoffigures	73
\listoffigures	1036
\listoftables	73
\listoftables	1125
\listofvideos	1215
\listparindent ..	822, 829, 830,
1398, 1749	
\loarrow	2102
\lofname	73
\lofname	1847
longbibliography document class	
option	21
\longbibliography@sw	21
\longbibliography@sw	373, 3200,
3415	
\longtable	1167
longtable document class	11, 14,
15	
longtable environment	47
\lotname	73
\lotname	1848
\lovname	1203
\lower	2082, 2096
\LT@cols	237
\LT@makecaption	234, 236
\LT@makecaption@rtx ..	234, 236
\LT@mcol	237
\LTcapwidth	240
\ltp	2609
\ltx@footmark ..	1597, 1603, 1607
\ltx@footmark@latex	1603, 1607
\ltx@footnote@pop	1606
\ltx@footnote@push ..	1595, 1602
\ltx@foottext ..	1598, 1604, 1608
\ltx@foottext@latex	1604, 1608
\ltx@no@footnote	1766
ltxdoc document class	11
ltxdoc.sty	7
ltxdocext.sty	7
ltxfront document class	14
ltxfront.dtx	29, 30
ltxgrid document class	3, 14, 21,
22, 28–30, 36, 70, 143	
ltxgrid.dtx	16
\ltxgrid@foot@info@sw ..	582, 587
\ltxgrid@info@sw	580
ltxgridinfo document class option	
..... 29	
\ltxu@dotsep	2918, 3457
ltxutil document class	14, 25
ltxutil.dtx	65, 104
M	
\mag	15
\make@footnote@endnote ..	65
\make@footnote@endnote ..	1592,
1613	
\makeatletter	1968
makbst.tex	107, 127
\makelabel	847
\MakeLowercase	497
\MakeTextUppercase ..	102, 126
\MakeTextUppercase	
.... 743, 2763, 2834, 2835,	
2890, 3349, 3350	
\maketitle	39
\MakeUppercase	497, 707
\marginparpush	2296, 2522
\marginparsep	15
\marginparsep	2268, 2487
\marginparwidth	15
\marginparwidth 2261, 2265, 2480,	
2484	
\mark@envir	1701
\markright	62
\mathbb	83

	N
\mathbb ..	2147, 2149, 2154, 2157, 2158, 2187
\mathbf ..	1835
\mathcal ..	1839
\mathchoice ..	1904, 1918, 2070, 2108
\mathclose ..	2178
\mathfrak ..	83
\mathfrak 2131, 2133, 2138, 2141, 2142, 2186	
\mathit ..	1836
\mathletters ..	1951
\mathnormal ..	1840
\mathopen ..	2177
\mathord .	2085, 2102–2105, 2121, 2125
\mathpalette ..	2091, 2092
\mathparagraph ..	2638, 2644, 2649
\mathrel ..	2091, 2092
\mathring ..	82
\mathring ..	2079
\mathrm ..	1832
\mathsection ..	2637, 2643, 2648
\mathsf ..	1833
mathtime document class ..	117
\mathtt ..	1834
\maxdimen ..	3075, 3131
\mbox ..	1309, 1911, 1925
mcite document class ..	36, 55
mcite document class option ..	135
\mediumtext ..	1935
\MessageBreak ..	553, 554
\mini@note ..	1528
\mini@notes ..	1528, 1541
\minipagefootnote@foot ..	1739, 1770
\minipagefootnote@init ..	1737, 1761
\mit ..	1840
\moveleft ..	68
\overright ..	68
\mtt ..	2598
multicol document class ..	11, 36, 137
myarticle.rty ..	79
myarticle.tex ..	79
\narrowtext ..	1934
\nat ..	2610
\NAT@ccitotp ..	59
\NAT@ccitotp ..	1524
\NAT@cclose ..	54
\NAT@cclose ..	1355
\NAT@bibitem@cont ..	1418
\NAT@BibitemShut ..	1362, 1411
\NAT@biblabel ..	134
\NAT@bibsetnum ..	1387
\NAT@bibsetup ..	1387
\NAT@citenum ..	1308
\NAT@citesuper ..	52, 59
\NAT@citesuper ..	1386, 1486, 1523
\NAT@citeyear ..	1310, 1408
\NAT@cmptrs ..	51, 114
\NAT@cmptrs ..	3450
\NAT@conj ..	1348, 1350, 1361
\NAT@def@citea ..	53, 54, 134
\NAT@def@citea ..	1340
\NAT@def@citea@box ..	54
\NAT@def@citea@box ..	1342
\NAT@def@citea@close ..	54
\NAT@def@citea@close ..	1341
\NAT@mbox ..	54
\NAT@mbox ..	1309, 1359
\NAT@merge ..	31, 51, 55, 135
\NAT@merge ..	602, 1387, 3449
\NAT@separator ..	1345
\NAT@set@cites ..	51, 134
\NAT@sort ..	51, 114
\NAT@space ..	1311, 1345, 1348, 1350
\NAT@spacechar ..	1311
\NAT@swattrue ..	1329
\NAT@thebibliography ..	1452
natbib ..	127
natbib document class ..	11– 13, 20, 36, 51–57, 59–61, 79, 114, 134, 135
natbib.cfg ..	51
\NATx@bibnumfmt ..	368, 1405
\NATx@bibsetnum ..	1388, 1391
\NATx@bibsetup ..	1393, 1401
newabstract document class option ..	30

\newblock	1387, 3036, 3426	
\newbox	1091, 1123, 1212, 1812, 1813	
\newcolumntype	1235	
\newif	21	
\newif	1717	
\newlabel	774	
\newlinechar	1571	
\newwrite	1564, 1971	
\noalign	1889, 2972, 2973	
nobalance	lastpage document class option	17
noprint	document class option	21
nofloats	document class option	47
nolongbibliography	document class option	21
nomerge	document class option	31
nopreprintnumbers	document class option	18
\normalfont	805, 842, 971, 980, 989, 998, 1007, 1278, 1322, 1465, 1832–1838, 2742, 2750, 2830, 2844, 2856, 2867, 2876, 2886, 2899, 2911, 3238	
\normallineskip	1015	
\normalsize	124	
\normalsize	998, 1007, 2033, 2077, 2200, 2201, 2357, 2358, 2421, 2422, 2867, 2876, 3138, 3139, 3158, 3159, 3299, 3300, 3377	
\notesname	73	
\notesname	1845	
\numbername	1865	
numerical	document class option	22
O		
\obsolete@command	1932–1935	
\oc	2611	
\oddsidemargin	15	
\oddsidemargin	2257, 2259, 2263, 2478, 2482	
\ol	2612	
oldabstract	document class option	30
\oneapage	1102, 1177, 1226	
P		
\p@enumii	797	
\p@enumiii	800, 803	
\p@enumiv	803	
\p@paragraph	882, 907, 3333	
\p@section	870, 895, 3321	
\p@subparagraph	886, 911, 3337	
\p@subsection	874, 899, 3325	
\p@subsubsection	878, 903, 3329	

\PackageError	1997	<i>journal-specific setup</i>	36
\PackageWarning	2005	\pof	2615
\PackageWarningNoLine	2056	\pop	2614
\pacs	3240	\post@absbox	2018
\PACS@warn	3240	\ppname	1864
\pagenumbering	68	\pra	2616
\pagenumbering	808	pra document class option	4, 116
\pageref	1567	prab document class option	4, 119
\pagestyle	98	prapplied document class option	4, 119
\paperheight	15, 37	\prb	2617
\paperheight	325	prb document class option	4, 116
\paperwidth	15, 37	\prc	2618
\paperwidth	325	prc document class option	4, 117
\par	78	\prd	2619
\parbox	240	prd document class option	4, 117
\parindent	943, 957, 995, 1004, 1077, 1267, 1749, 1750, 2298, 2524, 2683, 2768, 2775, 2864, 2873, 2937, 2977, 2989, 3079, 3292, 3346, 3356, 3364, 3372, 3376	\pre	2620
\parsep	831, 1400, 1752, 2217, 2218, 2230, 2231, 2309, 2319, 2320, 2327, 2372, 2373, 2384, 2385, 2438, 2439, 2451, 2452, 2533, 2541, 2542, 2547	pre document class option	4, 117
\parshape	68	\pre@bibdata	62, 64
\parskip	2297, 2523, 2716, 2738, 2745, 2769, 3080, 3250	\pre@bibdata	1439, 1443, 1445, 1450, 1576, 3021
\part	931	\prec	2088
\partname	73	\precsim	2087, 2183
\partname	946, 1845	\prep@absbox	2017
\partopsep	2300, 2328, 2526, 2547	\prep@math@patch	1798
\phantomsection	919, 3040	\prepdef	54
physrev document class option	5, 120	\prepdef	401, 1167–1169, 1355, 2999
\pl	2613	\preprint	18, 101
\place@bibnumber	20, 37, 55, 121	\preprint	2800, 2805, 2810
\place@bibnumber	365, 1406, 3211, 3214	preprint document class option	16, 97
\place@bibnumber@inl	369, 3211	\preprint@count	2800, 2818
\place@bibnumber@sup	121	\preprint@cr	2810, 2817
\place@bibnumber@sup	366, 369, 3214	\preprint@clist	2805, 2819
placeholder		\preprint@sw	18, 37
		\preprint@sw	313, 2781
		preprintnumbers document class op-	
		tion	18
		\preprintsty@sw	16, 18, 23, 37, 70, 98
		\preprintsty@sw	265, 278, 316, 414, 1823, 2672, 2697, 2700, 2729, 2736, 2789, 3245, 3279, 3298
		\present@bibnote	58

\present@bibnote 1451
 \preserve@LaTeX 525, 529
 prfluids document class option 4,
 119
 \print@float . 1102, 1104, 1177,
 1179, 1226, 1228
 \print@toc 1036, 1125, 1215, 1979,
 2922
 \printendnotes 61, 64, 73
 \printendnotes 1589
 \printfigures 45, 73
 \printfigures 1097, 1099
 \printtables 22, 47, 73
 \printtables 1145, 1162
 \printvideos 49
 \printvideos 1221, 1223
 \prl 2621
 \prl document class option . 4, 117,
 119
 prmaterials document class option
 4, 119
 \ProcessOptions 26, 31
 \produce@preprints . 2782, 2796
 \produce@RRAP 3272
 \protectdef@boldmath . 253, 261
 \protected@write 63
 \protected@xdef 1531
 \providecommand 784, 1638,
 1943–1945
 \providecommand@j@nk 1638, 1675
 \ProvidesClass 13
 \ProvidesFile 93
 \ProvidesFile 5–9, 12
 \ProvidesPackage 6, 13
 \ProvidesPackage 10
 prper document class option 4, 119
 prx document class option . 4, 119
 \ps@article 726, 2708
 \ps@article@final 726
 \ps@headings 701
 \ps@myheadings 701
 \ps@preprint 726, 2701
 \ps@titlepage 2778
 \pspie 2625
 \Published@name 1867
 \punct@RRAP 2762

Q

\quad 709, 715, 727, 728, 736, 737,
 758, 759, 2790, 2820, 3275

R

raggedbottom document class op-
 tion 23
 \raggedcolumn@sw 421, 2968
 \raise 2061, 2121, 2125, 2174
 README 5
 README-REVTEX.txt 6
 \Received@name 1867
 \RecordChanges 25
 \ref 1391, 1567
 \references 1876
 \refname 73
 \refname . 1331, 1335, 1849, 3041,
 3431
 \relax 59, 61, 116
 \renewenvironment 2662
 \replace@command 1872, 1873,
 1895–1899, 2078–2080
 \replace@environment 927
 \RequirePackage 26
 \RequirePackage 21,
 23, 498, 501, 510, 519, 597,
 786, 1382, 1961, 3128
 \reserved@a 222, 225
 \restore@LaTeX 538, 549
 \REV@ 74
 \REV@bbox 1915
 \REV@bm 1928, 1941
 \REV@boldclose . 2164–2167, 2178
 \REV@boldopen . 2160–2163, 2177
 \rev@citealp 52
 \rev@citealp 1282, 1409
 \rev@citealpnum 52
 \rev@citealpnum 1282
 \rev@citemark 1542, 1597
 \rev@citet 52
 \rev@citet 1282, 1410
 \REV@ddot 2084, 2180
 \rev@endtext 1545, 1598
 \REV@gtrsim 2092, 2185
 \REV@lesssim 2091, 2184
 \REV@mathbb 2187

\REV@mathfrak	2136, 2152, 2186
\REV@pmb	2168, 2177, 2178
\REV@precsim	2090
\REV@succsim	2089
\REV@text	1901, 1940
\REV@triangleq	2081, 2181
\Revised@name	1867
\revsymb@inithook	1963, 2179
\REVSYMB@warn	2056, 2129, 2137, 2145, 2153
\revtex	37, 41, 50, 189, 205
\revtex2	46
\revtex4 document class	1 , 13 , 84 , 88 , 90 , 93 , 122
\revtex4-2 document class	1
\rightarrowarrow	2105
\rightskip	68
\rm	1832
\rmp	2622
\rmp document class option .	5 , 120 , 122
\roarrow	2102
\robust@boldmath	253
\Roman	866, 869, 891, 894, 3317, 3320
\rotatebox	1190
\rse	2624
\rsi	2623
\rtx@citetp	59
\rtx@citetp	1482 , 1524
\rtx@apsphysrev	3190
\rtx@apspra	3096
\rtx@apsprab	3174
\rtx@apsprapplied	3180
\rtx@apsprb	3099
\rtx@apsprc	3102
\rtx@apsprd	3105
\rtx@apspre	3108
\rtx@apsprfluids	3186
\rtx@apsprl	3111
\rtx@apsprmaterials	3183
\rtx@apsprper	3171
\rtx@apsprx	3177
\rtx@bibsection	1330 , 1387
\rtx@citesuper	1317 , 1386
\rtx@citex	59
\rtx@citea	1482
\rtx@def@citea	53
\rtx@def@citea	1339
\rtx@def@citea@box	54
\rtx@def@citea@box	1339
\rtx@def@citea@close	1339
\rtx@do@substyle	684, 688, 697
\rtx@fin@day	2038, 2042, 2048, 2050
\rtx@fin@month	2037, 2041, 2048, 2050
\rtx@fin@warn	2039
\rtx@fin@year	2036, 2040, 2048, 2050
\rtx@require@packages	26 , 27 , 57
\rtx@swap@citea	52 , 53
\rtx@swap@citea	1286, 1294, 1307, 1339
\rtx@swap@citenum	1302, 1306
\rtx@thebibliography (environment)	1451
\ruledtabular (environment)	1231
\runinaddress@sw	37
S	
\samepage	1054, 2770, 2776
\save@note	1528
\sbox	241, 1048
\sc	1838
\scriptscriptstyle	1908, 1922, 2074, 2111, 2112
\scriptsize	47
\scriptsize	1128, 2234, 2235, 2389, 2390, 2455, 2456
\scriptstyle	1907, 1921, 2073, 2109–2111
\scshape	1838
\sd	2628
secnumarabic document class option	24 , 125
\secnums@arabic	24 , 25
\secnums@arabic	455, 864

\secnums@rtx 24, 25, 125
 \secnums@rtx 457, 864, 3315
 \section 102, 126
 \section 50,
 916, 964, 1335, 1981, 2704,
 2822, 3077, 3341, 3431
 \section@preprintsty 2704, 2878
 \sectionmark 706, 723, 732, 741,
 763
 \select@column@grid 22
 \select@column@grid 388, 397
 \set@colht 1705, 1711
 \set@footnotewidth 1765, 1796,
 1816
 \set@footnotewidth@two 1765,
 1796, 1816
 \set@linepenalties 78
 \set@linepenalties 2016, 2017
 \set@listindent 1715
 \set@listindent@ 1715
 \set@page@grid 1814, 1831
 \set@table@environments 1130,
 1142
 \set@tocdim@pagenum 2935
 \setfloatlink 1083
 \setup@hook 12, 14, 68, 79, 80, 84,
 86, 98
 \setup@hook 231, 315, 399,
 415, 424, 434, 437, 443, 451,
 603, 1686, 1831, 1942, 2033,
 2255, 2476, 2495, 2699, 3018,
 3022, 3061, 3066, 3115, 3126,
 3132, 3213, 3297, 3426, 3441
 \setup@secnums 25, 39
 \setup@secnums 452, 455, 457
 \sf 1833
 \sf@size 1907
 \sfamily 1833, 3238, 3344, 3354,
 3362
 \shipout 36
 \showKEYS@sw 17, 37
 \showKEYS@sw 268, 292
 showpacs document class option 16
 \showPACS@sw 17, 37
 \showPACS@sw 267, 292
 \sim 2087, 2088, 2099
 \sjqe 2626
 \skip 15
 \skip@ 1488, 2712, 2717, 2722, 2725,
 2939, 2942, 3044, 3046, 3048,
 3050, 3052
 \sl 1837
 \slantfrac 1896
 \small 47, 90
 \small 971, 980,
 989, 1047, 1127, 2077, 2208,
 2209, 2365, 2366, 2429, 2430,
 2682, 2733, 2757, 2799, 2830,
 2844, 2856, 2886, 2899, 2911,
 3068, 3146, 3147, 3254, 3268,
 3344, 3354, 3362, 3370, 3402
 sort document class option 51
 sort\&compress document class op-
 tion 51
 \spacefactor 1423, 1426, 1429
 \splittopskip 2273, 2492
 \squeezetable 47
 \squeezetable 1127
 \ssf@size 1908
 \stepcounter 1530
 \string 223, 224, 255, 319,
 774, 1158, 1160, 1412, 1586,
 1590, 1881, 1885, 1890, 1929,
 1948, 1957, 1998, 2006, 2012,
 2130, 2131, 2138, 2146, 2147,
 2154, 2921, 2923, 3208, 3240,
 3423
 \subitem 3089
 \subparagraph 1000, 2869, 3375
 \subsection 973, 2705, 2836, 3351
 \subsection@preprintsty 2705,
 2878
 \subsectionmark 712, 724, 733,
 749, 764
 \substyle@ext 611, 657, 669,
 676, 689, 2191, 2348, 2412,
 2561, 3223
 \substyle@post 611, 657, 668,
 676, 689, 3212, 3409
 \subsubitem 3091
 \subsubsection 982, 2706, 2848,
 3359

\subsubsection@preprintsty	2706, 2878	\tabular@hook	1231
\succ	2087	\tag	1957
\succsim	2087 , 2182	\tally@box@size@sw	435, 781
super document class option ..	59	\tempa	1987, 1988
\super@cite@check ..	1496, 1501	template.aps	5
\super@cite@end	1482	template.rty	79
\super@cite@let	1482	\tensor	2102
\super@cite@swap	59	\test@amsmath@over	527, 547
\super@cite@swap	1482	\test@bbl@sw	1615
superscript document class option	60	\TeX .	34, 37, 179, 182, 205, 2795
superscriptaddress document class option	123	\text	1940
\switch@longtable	233	\textasteriskcentered	806
T			
\tabbingsep	1687	\textbf	1649
\tabcolsep	1024	\textbullet	804
table (environment)	1111	\textcase document class	27
table environment ..	3, 46–48, 73	\textcite	52, 134
\table@hook	47	\textcite	1410, 1432
\table@hook	1127	\textendash	805
\tableleft@skip ..	1245, 1246, 1258	\textfloatsep	2286, 2512
\tableleft@skip@default ..	1245, 1258	\textfraction	814
\tableleft@skip@float ..	2969	\textheight	15
\tableline	1888, 1890, 1891, 1893	\textheight	1186, 2275, 2494, 3169
\tablename	73	\textheight@sw	590
\tablename	1122, 1853	\TextOrMath	96
\tablenote	1897	\TextOrMath	2656, 2657
\tablenotemark	1898	\textperiodcentered	807
\tablenotetext	1899	\textstyle	1906, 1920, 2072, 2110
\tableofcontents	73	\textsuperscript	369, 1322, 1464
\tableofcontents	48, 2920	\texttt	128, 131, 146
\tablesname	73	\textwidth	15
\tablesname	1854	\textwidth	416, 417, 1185, 2276, 2502, 2687, 2702, 3028
\tablewrite	1158, 1160	\thanks	19
\tabmid@skip ..	1247, 1248, 1259	\thanks	31, 34
\tabmid@skip@default ..	1247, 1259	\thebibliography	1876
\tabmid@skip@float ..	2969	thebibliography environment	51, 55, 58, 65, 67, 73, 107, 127, 143
\tabright@skip ..	1249, 1250, 1260	\thebibliography@nogroup	1615
\tabright@skip@default ..	1249, 1260	thebibliography@nogroup environment	67
\tabright@skip@float ..	2969	\thebibliogrphy	58
tabular environment	16	\theenumi	793, 794, 797, 800
		\theenumii	795, 796, 800
		\theenumiii	798, 799, 803

\theenumiv	801, 802	2458, 2459
\theequation	<u>1009</u>	29
\theequation@prefix	446, 1010, 1012, 1727, 1731	69
\thefigure	<u>1085</u>	<u>1736</u> , 1819
\thefootnote	<u>20</u>	<u>1760</u> , 1819
\thefootnote	1596, 2660	121
\thefootnote@latex	2660	<u>2662</u>
\theHvideo	1214	<u>25</u> , <u>37</u> , 98
theindex environment	<u>73</u>	<u>466</u> , 2698, 3188
\thempfn	. 1531, 1596, 1605, 1609	135
\thempfn@latex	1605, 1609	<u>3453</u>
\thepage	<u>68</u>	<u>135</u>
\thepage	. 703, 704, 720, 721, 727, 728, 736, 737, 758, 759, 774, 1685, 2789	1975, 2967, 3473
\theparagraph	<u>861</u> , 880, 881, 886, 905, 906, 910, 3331, 3332, 3337	2967 , 3473
\thepart	. 853, 865, 866, 890, 891, 938, 946, 3316, 3317	<u>135</u>
\thesection	<u>... 709</u> , 744, 855, 868, 869, 874, 878, 882, 886, 893, 894, 898, 1727, 1730, 1733, 3319, 3320, 3325, 3329, 3333, 3337	1967, 2966, 3472
\thesubparagraph	. 863, 884, 885, 909, 910, 3335, 3336	2966 , 3472
\thesubsection	. . 715, 751, 857, 872, 873, 878, 882, 886, 897, 898, 902, 1724, 3323, 3324, 3329, 3333, 3337	<u>2921</u> , 2925
\thesubsubsection	<u>859</u> , 876, 877, 882, 886, 901, 902, 906, 1725, 3327, 3328, 3333, 3337	<u>2923</u> , 2930
\thetable	<u>1117</u>	<u>2949</u> , 3459
\thevideo	<u>1199</u>	<u>2948</u> , 3458
\thispagestyle	2666, 3078	<u>2938</u>
\thr@@	<u>31</u>	<u>tocname</u> 73
\thr@@	1407, 1679, 3312	<u>tocname</u> <u>1846</u>
\tighten	1884, 1885	<u>today</u> 72
\tightenlines@sw	<u>23</u> , 37	<u>today</u> <u>273</u> , <u>1841</u>
\tightenlines@sw	<u>427</u> , 1886, 2496	<u>topfraction</u> <u>810</u>
times document class	<u>117</u>	<u>topmargin</u> 15
\tiny	273, 2237, 2238, 2392, 2393,	<u>topmargin</u> <u>2269</u> , 2488
		<u>toprule</u> <u>1239</u>
		<u>topsep</u> .. 1390, 1399, 1748, 2216, 2229, 2310, 2318, 2326, 2329, 2371, 2383, 2437, 2450, 2534, 2540, 2546, 2548
		<u>topskip</u> . 2272, 2273, 2491, 2492
		<u>total@text</u> <u>781</u>
		<u>traceoutput</u> <u>588</u>
		<u>translation</u> <u>1641</u>
		<u>triangle</u> <u>2082</u>
		<u>triangleq</u> <u>82</u>
		<u>triangleq</u> .. 2078, 2181
		<u>trigger@float@par</u> . 1167, 1168
		<u>true@sw</u> 21
		<u>true@sw</u> . 1100, 1175, 1224, 1314, 1619, 1627, 1654, 2040–2042, 2657

\tt	1834
\ttfamily	1834
\tw@	55
\twocolumn	115
twocolumn document class option	
.....	17, 21
\twocolumn@grid@setup	390
\twocolumn@sw	21, 22, 37, 70
\twocolumn@sw	284, 385, 1815,
2663	
\twocolumngrid	68
\twocolumngrid	1769, 1775, 1809,
2669	
twocolumngrid document class op-	
tion	70
twoside document class option	21
\twoside@sw	21, 37, 86
\twoside@sw	379, 2256, 2477
U	
\undefined	18, 21, 37
\unhbox	1061, 2943
\unskip	241, 243,
756, 842, 1320, 1371, 1489,	
1730, 2760, 2942, 3275	
\unvbox	78
\url	22, 45, 1940
\usepackage	11, 27, 79
V	
\vbox	1185, 1637, 1780, 1802, 2096,
3400	
\ver@amsmath.sty	27
\ver@amsmath@prefer	. 519, 551,
554, 562	
\vereq	2091, 2092, 2095
video (environment)	1193
video environment	3, 48, 49
\voffset	15
\volumename	1866
\vr	2627
\vrule	. 241, 243, 1784, 1789, 2064
\vss	2813
\vtop	2797
W	
\wastwocol@sw 2663, 2669
\widetext@bot	. 1788, 1802, 1803,
1806, 1807, 1813	
\widetext@galley (environment)	.
.....	1744
\widetext@grid (environment)	1778
\widetext@outdent	. 1745, 1753,
1826	
\widetext@top	. 1780, 1794, 1795,
1812	
\widetext environment 71
\write	774, 1158, 1160, 1555, 1579,
1586, 3197, 3208, 3412, 3423	
\write@@float 1148, 1153
\write@bibliographystyle	.. 59
\write@bibliographystyle	1474,
1474, 1479, 1481	
\write@column@totals 784
X	
\xpt 3300
Z	
\z@ 51, 135
\z@skip	.. 1748, 2745, 2769, 2943,
3250	