

The `ucph-revy` class*

Kristoffer Levin Hansen
kristoffer@levinhansen.dk

September 9, 2023

Abstract

A \LaTeX class for typesetting scripts in the style used for student theatrical productions at the University of Copenhagen's (ucph) science faculties. Formerly known to some as `revy.sty`.

Contents

1	Introduction	1
2	Usage	3
2.1	Invoking and arguments	3
2.2	Thumb index	4
2.3	The infoblock	6
2.3.1	Page headers	7
2.4	Assignment lists	8
2.5	Body text	9
2.5.1	<code>sketch</code>	9
2.5.2	<code>song</code>	10
2.5.3	Both <code>sketch</code> and <code>song</code>	10
A	Complete example	11
B	Example of a thumb index page	14

1 Introduction

A style of typesetting scripts in \LaTeX , originally developed for DIKURevy, the students' revue at DIKU, the Computer Science Institute at ucph, the University of Copenhagen. It has spread to adjacent revues at ucph Science as they have sprung into existence. Once known to its users as the package `revy.sty`, that package has been transplanted into this class, at the proper place in the \LaTeX hierarchy[1], practically in its entirety.

This class features the ability to set lines of dialogue and song lyrics with a clearly associated indication of the speaker or singer, along with stage directions.

*This document corresponds to `ucph-revy` v1.0.0, dated 2023/05/23.

Figure 1

<p>The Meaning of Liff 3001</p> <p>Example</p> <p>written by an examplesmith</p> <p>Melody: Monty Python: “Always look on the bright side of life” (https://youtu.be/SJUhRoBL8M)</p> <p>Status: example Version 1.0</p> <p>T_EX–responsive Probably you September 9, 2023</p> <p>(1 minute, 47 seconds) 2 pages</p>		<p>The Meaning of Liff 3001</p> <p>Version 1.0 September 9, 2023 <i>Example</i> Side 2/2</p> <p>RC (<i>To KA</i>): Did you write th... wait a minute. (<i>Off stage</i>) It's him! (<i>Back at KA</i>) How did you get here?</p> <p>KA <i>attempts to sidle away.</i></p> <p>RC: Get him!</p> <p><i>Several Roman soldiers appear, and drag KA off stage, while KA attempts to protest.</i></p> <p>KA (<i>As he is dragged off</i>): I am not him! I am Arthur, King of the Britons!</p> <p><i>The scene changes to a field of crosses, with several crucified criminals and B.</i></p> <p><i>CC is in the middle of singing to B.</i></p> <p>CC: ...be silly chumps, Just purse you're lips and whistle, That's the thing.</p> <p>And, always look on the bright side of life, Always look on the right side of life, For life is quite absurd, An. death's the final word...</p> <p>RC (<i>Shouting as he walks on stage</i>): Right, you lanky reprobate! Don't think that the mighty Roman bureaucracy doesn't keep track of its inmates</p> <p><i>KA is dragged on stage by two Roman soldiers behind RA.</i></p> <p>RA: Look, we have your designated cross ready for you right... (<i>points to B'a cross, then falters when he notices B.</i>)</p> <p><i>Everyone looks back and forth between B and KA.</i></p> <p><i>End scene</i></p>	
<p>Roles:</p> <p>KA (Graham) Arthur, king of all the Britons</p> <p>P (Michael) Peasant</p> <p>RC (John) Roman Centurion</p> <p>R1...? Several Roman Soldiers</p> <p>CC (Eric) Crucified Criminal</p> <p>B (Graham) Brian</p>		<p>Roles:</p> <p>KA (Graham) Arthur, king of all the Britons</p> <p>P (Michael) Peasant</p> <p>RC (John) Roman Centurion</p> <p>R1...? Several Roman Soldiers</p> <p>CC (Eric) Crucified Criminal</p> <p>B (Graham) Brian</p>	
<p>Props:</p> <p>Large sign</p> <p>Field of crosses</p>		<p>Props:</p> <p>Large sign</p> <p>Field of crosses</p>	
<p><i>Lights up on a muddy field with a castle in the background.</i></p> <p>KA (<i>As he enters</i>): Hello!</p> <p>KA: Now, by rights, you should all be kneeling, given that I am Arthur, king of all the Britons. However, it has been brought to my attention that the audience seating is not laid out to allow for that. We had some considerable trouble during dress rehearsals. So I will excuse you from that requirement.</p> <p>Now, has anyone seen a particularly fancy cup? Perhaps out in the bar? You see, I am on a quest given to me by God, to find the holy... (<i>Interrupted, as he steps in a hole.</i>) Oh dear...</p> <p>P (<i>Shrieking, as he rears up from the ground</i>): Oi! What do you think you're doing!</p> <p>P: You broke my sign!</p> <p>KA: Sign? What sign?</p> <p>P: Well, look.</p> <p><i>P raises up a sign that reads</i></p> <p>ROMANES EUNT DOM[]</p> <p><i>The last bit of the sign has a foot-shaped hole in it.</i></p> <p>P: You can't read it anymore!</p> <p>KA: You certainly can! It says “Romans go home.”</p> <p>RC (<i>Appears from offstage</i>): No it doesn't.</p> <p><i>P & KA are startled.</i></p>		<p>Props:</p> <p>Large sign</p> <p>Field of crosses</p>	

The style is intended for a revue, which is formed out of a number of little pieces, so there commands for typesetting a cast list and prop list, along with relevant information like the time to perform, or the name of a larger piece, which are intended to be typeset along with the title.

Figure 1 shown an example of how all this looks when typeset.

If you're looking for the script package that's designed to help with typesetting and compositing a full manuscript, it was last seen at <https://github.com/fysikrevy/fysikrevytex>.

According to `revy.sty`, its origianl authors were Uffe Friis Lichtenberg, Arne John Glenstrup and Anders Komár Ravn.

Change History

v1.0.0		
General: Initial conversion to a		sketch : The body text macros
class	1	(<code>\scene</code> , etc.) are no longer
New machinery for thumb		available outside the song and
indexes	4	sketch environments. 9
<code>\does</code> : New macro	11	song : The body text macros
<code>\maketitle</code> : New layout of the tile		(<code>\scene</code> , etc.) are no longer
block	6	available outside the song and
		sketch environments. 10

2 Usage

An example of a `.tex` file that will typeset something like figure 1 is presented in appendix A, or in the file `Example.tex`, which should have been produced by L^AT_EX alongside the documentation file that you are reading. In the present section, we'll hit some of the highlights of that file, to understand how it works.

2.1 Invoking and arguments

First, to use the `ucph-revy` class in a `.tex` file, that file must start with

```
\documentclass{ucph-revy}
```

article `ucph-revy` inherits from the `article` class, and accepts all its options. It sets `a4paper` and `11pt` by default, if not given any contrary options.

thumbindex In addition, `ucph-revy` add the options `thumbindex` and `planfile`, which activates the construction of thumb indexes in the file and allows setting the file that the thumb index is built from. We'll go through exactly how this works in section 2.2.

planfile=

In the example, we've included three packages that aren't strictly necessary for `ucph-revy` to function, but will probably make your life easier.

<code>\usepackage [utf8]{inputenc}</code>	
<code>\usepackage [T1]{fontenc}</code>	Modernize L ^A T _E X's handling of (particularly special) characters.
<code>\usepackage {hyperref}</code>	Enables the creation of hyperlinks, like the one in figure 1.
<code>\urlstyle {sf}</code>	Demands that hyperlinks be set in sans serif, rather than monospace

2.2 Thumb index

To help organizing a compiled manuscript, which might consist of a collection of many `.tex` files, we provide a facility for creating a thumb index in the typeset margins. That's the gray and black boxes on the edge of the pages in figure 1. It is off by default, since it only really makes sense in a compilation of documents, but is enabled by giving the option `thumbindex` to the class.

The structure of the consolidated manuscript is defined in a separate text file, which contains the filenames of the `.tex` files that make up the manuscript, and divide the show into sections with their own headings. By default, we assume that the plan file is in the same folder as the current `.tex` file, and named `planfile=aktoversigt.plan`. This may be changed by passing `planfile=<filename>` as a parameter to the class. Calling both these options might look like so:

```
\documentclass[thumbindex,planfile=../plan.txt]{ucph-revy}
```

An example of such a plan file might be:

```
Act 1
songs/opener.tex
sketches/Example.tex
sketches/anarchocommunist_commune.tex

Act 2
songs/glitzy_dance_act.tex
sketches/crossdressing.tex

Act 3
sketches/stop_police.tex
```

Note that the folder names (`songs`, `sketches`) are merely for illustration. The `.tex` files can be placed at any location that T_EX can read.

From this plan file, the class can generate a thumb mark for each of these individual files, as demonstrated in figure 1, which shows the location of that file in the larger structure of the piece. It can also generate a thumb index, as demonstrated in figure 2, which outlines the location of every part of the piece, and can serve as an aide to navigation.

The titles in the thumb index demonstrated in figure 2 are taken from the content of the `\title` macro in the files listed in the plan file. Also, the routine for setting the thumb mark for an individual file determine *which* file it is in by comparing the content of the `\title` macro in the files in the plan file with the title that T_EX knows about in the current file.

Figure 2

Opener	Act 1	1
Example	Act 1	2
Anarchocommunist Commune	Act 1	3
Non-sequitor Dance Act	Act 2	4
Find a Reason to Dress as Ladies	Act 2	5
Stop, Police	Act 3	6

An example thumb index. This example is compressed vertically. It is intended to be nearly the height of the page, to match the thumb markings (such as the ones in figure 1).

Therefore, it is necessary for the thumb index to work that a `\title` is declared in each of the files that are listed in the plan file.

If there are more than one `\title` invocations in a file, the thumb index routine will use the last one. If several of the files in the plan file have the same name, those files will end up with several thumb marks.

The thumbindex hasn't been enabled in the example file in appendix A, since there's nothing to index. However, if you were to place the example plan file above in a file along side `Example.tex` named `aktoversigt.plan`, and replace the class invocation at the top of `Example.tex` with

```
\documentclass[thumbindex]{ucph-revy}
```

then the typeset result should have a thumb marking like the one in figure 1. Nonexistent files are simply ignored when constructing the thumb index.

You might also like to have a page with an index of the thumb markings, something similar to figure 2, but scaled to a full page. Appendix B hold a complete example of one way to make a page like that. If you have access to the package's source files, you can also extract that code as the file `Thumbindex.tex`, by running the file `ucph-revy-ex-thumb.ins` through L^AT_EX.

In the remainder of this section, we list the macros that may be used to typeset the thumb indices.

```
\rectothumbtabfor \rectothumbtabfor{<title>}
```

Sets a thumb tab, oriented to the right, so suitable for a recto page, that corresponds to the file (or files) whose discovered title matches the argument. The most sensible argument to give it is the title of the current document, which can be found in `\@title`. This is the macro that typeset the thumb tabs in figure 1.

```
\rectothumbindexwithtitles \rectothumbindexwithtitles
```

Sets the thumbs index, as was demonstrated in figure 2. Do note that the example in figure 2 has been squeezed vertically. By default, the index is scaled vertically after `\paperheight`, like the thumb tabs in figure 1 were.

\rectothumbindex \rectothumbindex

Sets all the thumb marks, just like the previous macro, but without writing out the titles.

<code>\rectothumbtabwithtitlefor</code>	<code>\rectothumbtabwithtitlefor{<i><title></i>}</code>
---	---

Sets only the thumb tab for the entry(y/ies) with the title given in the parameter. It's unclear why you'd want to, but the option is included, for completeness.

`\versothumbtabfor` These macros also come in left oriented versions, suitable for the margin of verso pages.
`\versothumbindexwithtitles`

```
\versothumbindex
\versothumbtabfor{titel}
```

\versothumbindexwithtitle

\versothumbindex

`\versothumbtabwithtitlefor{\titel}`

2.3 The infoblock

ucph-revy’s modified title block contains some additional information that is useful in organizing a show. Figure 3 shows an example of how the title block looks with every possible piece of information included.

Figure 3

\maketitle

The Meaning of Liff 3001

Example

written by an examplesmith

Melody: Monty Python: “Always look on the bright side of life”

(<https://youtu.be/SJUhlRoBL8M>)

Status: example | Version 1.0

TeX-responsible Probably you September 9, 2023

(1 minute, 47 seconds)	2 pages
------------------------	---------

An example of how `ucph-revy`'s tilde block looks with every possible piece of information filled in. It is set with the command `\maketitle`.

We give `ucph-revy` this information with a series of preamble commands. For the sake of the example, the example file includes all of these commands, but they

are not required for a `ucph-revy` document to compile. If they don't make sense to include in a document, just leave them out. The macros were:

```
\version \version{1.0}
    \version is the only one of these commands that may not be omitted, because
    version control is important1.

\revyname \revyname{The Meaning of Liff}
\revyyear \revyyear{3001}
    \title \title{Example}
    \author{an examplesmith}

    If ucph-revy isn't given a revue name, year or a title, it will use the defaults of
    "DIKUrevy", "1973" and "En sketch".

\author The rest aren't typeset if they are not defined.
\status \status{example}
    \eta \eta{$1$ minute, $47$ seconds}
\responsible \responsible{Probably you}
\melody \melody{Monty Python: ``Always look on the bright side of life''
    (\url{https://youtu.be/SJUhlRoBL8M})}

\auteurs And as a bonus, we've retained \auteurs as an alias of \author, for fancy
    folk.

\writtenbyname \writtenbyname{written by}
\melodyname \melodyname{Melody:}
\responsibletext \responsibletext{\TeX--responsible}
\statustext
    The labels on some of the bits of info are in danish by default: "skrevet af",
    "Melodi:" and "TeX-ansvarlig:", respectively. These commands overwrite those
    defaults. There is also a command for changing the "Status" label, which happens
    not to be necessary in english:

    \statustext {\text}

\pagessum The page count is a touch more complicated, and requires a macro that takes
    1 argument (a \number), and evaluates to the grammatically correct phrase
    for that page count. Thus \pagessum{0} becomes "0 sider" (the plural), while
    \pagessum{1} becomes "1 side" (the singular). In the example,
    such a macro is given for english in the line

    \renewcommand{\pagessum}[1]{#1 page\ifnum#1=1\else s\fi}
```

2.3.1 Page headers

The class also defines its own header style, which is illustrated in figure 4, and contains some of the same information.

These headers belong to a new `pagestyle` named `revyheadings` The new `pagestyle` is activated by default.

¹You might be of the opinion that there are better ways of doing version control in the far future year 2023. In which case, you may take this as a reminder to actually use one of them.

Figure 4

The Meaning of Liff 3001		
Version 1.0 September 9, 2023	<i>Example</i>	Side 2/2

An example of the headers that `ucph-revy` define.

2.4 Assignement lists

We provide a number of environments for setting information about the material in a file in lists. In the example file, we produce something like the lists shown in figure 5, with the passage

```
\rolename{Roles:}
\begin{roles}
  \role{KA}[Graham] Arthur, king of all the Britons
  \role{P}[Michael] Peasant
  \role{RC}[John] Roman Centurion
  % [...]
\end{roles}
\propname{Props:}
\begin{props}
  \prop{Large sign}
  \prop{Field of crosses}
\end{props}
```

Figure 5

Roles:

KA (Graham)	Arthur, king of all the Britons
P (Michael)	Peasant
RC (John)	Roman Centurion

Props:

Large sign
Field of crosses

Examples of the assignment lists that can be typeset with `ucph-revy`, for noting cast lists, among other things.

roles (*env.*) In the role list, each role is set with the macro

```
\role{⟨abr.⟩}[⟨actor⟩]⟨description⟩
```


`props` (*env.*) Beyond the roles environment, `ucph-revy` defines these three additional environments, for typesetting lists that may be useful to a production. Of these, the `instructors` (*env.*) examples in figures 1 and 5 used `props`.

Within these environments, `props`, `mics` and `instructors`, the macros for setting a list item are

`\prop{<prop>}[<responsible>]<description>`,

`\mic{<abr.>}[<actor>]<microphon>`

or

`\instructor[<title>]<name>`,

respectively.

`\rolename` The default headings for these environments—“Roller:”, “Rekvisitter:”, “Mikrofoner” and “Instruktører:”—may be changed with the macros

`\micname`
`\instructorname` `\rolename{<text>}`,
 `\propname{<text>}`,
 `\micname{<text>}`

or

`\instructorname{<text>}`

2.5 Body text

2.5.1 sketch

`sketch` (*env.*) To typeset spoken lines, as in the example shown in figure 6, use the `sketch` environment.

Figure 6

⋮

RC (*To KA*): Did you write th... wait a minute. (*Off stage*) It’s him! (*Back at KA*) How did you get here?

KA *attempts to sidle away.*

RC: Get him!

Several Roman soldiers appear, and drag KA off stage, while KA attempts to protest.

⋮

An example of how spoken lines are typeset, using the `sketch` environment.

`\says` Inside the `sketch` environment, the macro `\says` sets each line of dialogue. Its complete syntax is:

```
\says{⟨abr.⟩}[⟨direction⟩] ⟨line⟩
```

Thus, for example, part of the first line of figure 6 gets created with the following code:

```
\says{RC}[To KA] Did you write th... wait a minute. \act{Off stage} (...)
```

2.5.2 song

`song` (*env.*) The `song` environment is for song lyrics, which are set as demonstrated in figure 7.

Figure 7

⋮

CC: ...be silly chumps,
 Just purse you're lips and whistle,
 That's the thing.

And, always look on the bright side of life,

⋮

An example of how song lyrics are typeset, using the `song` environment.

`\sings` Within the `song` environment, the macro `\sings` sets song lyrics. Its full syntax is

```
\sings{⟨abr.⟩}[⟨direction⟩] ⟨lyric⟩
```

Line breaks are significant in song lyrics, and so the `song` changes how `LATEX` reacts to carriage returns in the source file. For example, the lyric shown in figure 7 is the product, in part, of this source code:

```
\sings{CC} ...be silly chumps,  

           Just purse you're lips and whistle,  

           That's the thing.
```

2.5.3 Both `sketch` and `song`

The `sketch` and `song` macros both provide the following macros:

`\role` A macro for formatting role abbreviations within the text.

`\does` A macro for giving instructions for a particular role that aren't a spoken line, such as

```
\does{KA} attempts to sidle away.
```

`\scene` `\scene` is used for stage directions, such as

```
\scene P \& KA are startled.
```

`\act` `\act` is for directions, such as in

```
(...) It's him! \act{Back at KA} How did you get here?
```

Both were used in the example in figure 6.

References

- [1] Overleaf. Understanding packages and class files. https://www.overleaf.com/learn/latex/Understanding_packages_and_class_files.

A Complete example

```
%%
%% This is file `Example.tex',
%% generated with the docstrip utility.
%%
%% The original source files were:
%%
%% ucph-revy.dtx (with options: `ex-en')
%%
%% See the generating file for its conditions on distribution and reuse.
%%
%% Also, for this file by itself, to the extent possible under law,
%% Kristoffer Levin Hansen has waived all copyright and related or
%% neighboring rights to Example.tex. This work is published from:
%% Denmark.
%%
%% http://creativecommons.org/publicdomain/zero/1.0/
%%
%% Note that this file probably contains text, characters and situations
%% covered by copyright belonging to other entities.
%%
\documentclass{ucph-revy}

\usepackage[utf8]{inputenc}
\usepackage[T1]{fontenc}
\usepackage{hyperref}
\urlstyle{sf}
```

```

\version{1.0}
\revyname{The Meaning of Liff}
\revyyear{3001}
\title{Example}
\author{an examplesmith}
\status{example}
\eta{$1$ minute, $47$ seconds}
\responsible{Probably you}
\melody{Monty Python: ``Always look on the bright side of life''
  (\url{https://youtu.be/SJUh1RoBL8M}))}

\writtenbyname{written by}
\melodyname{Melody:}
\responsibletext{\TeX--responsible}

\renewcommand{\pagessum}[1]{#1 page\ifnum#1=1\else s\fi}

\begin{document}
\maketitle

\rolename{Roles:}
\begin{roles}
  \role{KA}{Graham} Arthur, king of all the Britons
  \role{P}{Michael} Peasant
  \role{RC}{John} Roman Centurion
  \role{R1...?}{Several} Roman Soldiers
  \role{CC}{Eric} Crucified Criminal
  \role{B}{Graham} Brian
\end{roles}
\propname{Props:}
\begin{props}
  \prop{Large sign}
  \prop{Field of crosses}
\end{props}

\begin{sketch}
  \scene Lights up on a muddy field with a castle in the background.

  \says{KA}{As he enters} Hello!

  \says{KA} Now, by rights, you should all be kneeling, given that I
  am Arthur, king of all the Britons. However, it has been brought to
  my attention that the audience seating is not laid out to allow for
  that. We had some considerable trouble during dress rehearsals. So I
  will excuse you from that requirement.

  Now, has anyone seen a particularly fancy cup? Perhaps out
  in the bar? You see, I am on a quest given to me by God, to find the
  holy... \act{Interrupted, as he steps in a hole.} Oh dear...

```

\says{P}[Shrieking, as he rears up from the ground] Oi! What do you think you're doing!

\says{P} You broke my sign!

\says{KA} Sign? What sign?

\says{P} Well, look.

\does{P} raises up a sign that reads

\begin{center}\sc Romanes Eunt Dom[]\end{center}

The last bit of the sign has a foot--shaped hole in it.

\says{P} You can't read it anymore!

\says{KA} You certainly can! It says ``Romans go home.''

\says{RC}[Appears from offstage] No it doesn't.

\does{P \& KA} are startled.

\says{RC}[To KA] Did you write th... wait a minute. \act{Off stage}
It's him! \act{Back at KA} How did you get here?

\does{KA} attempts to sidle away.

\says{RC} Get him!

\scene Several Roman soldiers appear, and drag \role{KA} off stage,
while \role{KA} attempts to protest.

\says{KA}[As he is dragged off] I am not him! I am Arthur, King of
the Britons!

\scene The scene changes to a field of crosses, with several
crucified criminals and B.

\does{CC} is in the middle of singing to \role{B}.

\end{sketch}

\begin{song}%

\sings{CC} ...be silly chumps,
Just purse you're lips and whistle,
That's the thing.

And, always look on the bright side of life,
Always look on the right side of life,
For life is quite absurd,

```

        An. death's the final word...
\end{song}
\begin{sketch}
  \says{RC}[Shouting as he walks on stage] Right, you lanky reprobate!
  Don't think that the mighty Roman bureaucracy doesn't keep track of
  its inmates

  \scene KA is dragged on stage by two Roman soldiers behind RA.

  \says{RA} Look, we have your designated cross ready for you
  right... \act{points to B'a cross, then falters when he notices
  B.}

  \scene Everyone looks back and forth between B and KA.

  \scene End scene
\end{sketch}
\end{document}
}
\endinput
%%
%% End of file `Example.tex'.

```

B Example of a thumb index page

```

\documentclass[a4paper,11pt,thumbindex]{article}

\usepackage[utf8]{inputenc}
\usepackage[T1]{fontenc}
\usepackage[danish]{babel}
\usepackage{calc}
\usepackage{tikz}

\version{1.0}
\title{Registerindeks}

\begin{document}
\thispagestyle{empty}
\newlength{\torightside}
\setlength{\torightside}{\paperwidth - 1in - \hoffset %
- \oddsidemargin + .6cm}
\newlength{\totop}
\setlength{\totop}{-\headsep - \headheight - \topmargin %
- \voffset - 1in - .5cm}

\ vbox to 0pt{\vskip \totop \hbox to \torightside{\hss%
\rectothumbindexwithtitles%
}}
\ vbox to 0pt{\tikz \path (0,0) -- (0,-.5\textheight)
node[rotate=90]{\parbox{\textheight}{\maketitle}}; }

```

`\end{document}`