

ukbill:  
A package for typesetting UK legislation

Elijah Z Granet\*

15 November 2023

Version 1.0.2

## Contents

<b>1 Overview</b>	<b>2</b>
<b>2 Usage</b>	<b>2</b>
2.1 Calling the package . . . . .	2
2.2 Declaring variables . . . . .	2
2.3 Bill parts . . . . .	3
2.4 Sections . . . . .	3
2.5 Schedules . . . . .	4
2.6 The ‘private’ Option . . . . .	4
<b>3 Future Development</b>	<b>4</b>
<b>4 Licence</b>	<b>4</b>
<b>5 Version History</b>	<b>4</b>
5.1 1.0.2 . . . . .	4
5.2 1.0.2 . . . . .	4
5.3 1.0.1 . . . . .	4
5.4 1.0.0 . . . . .	4
<b>6 Implementation</b>	<b>5</b>

---

\*e-mail: [ezg21@cantab.ac.uk](mailto:ezg21@cantab.ac.uk)

## 1 Overview

This is a class for typesetting bills in the standard used by the Parliament of the United Kingdom. It is meant to be of use to students of law and politics, to Parliamentary agents and lawyers drafting private bills, and to aid in the construct of proposals for law reform. The use of this package requires the libre font ‘Palatine Parliamentary’, which imitates the official typeface of the UK Parliament.<sup>1</sup>

## 2 Usage

For an example of the usage of the package, please see the attached ‘immigration-bill.tex’ example in the package archive.

### 2.1 Calling the package

Call the package with `\documentclass{ukbill}`

### 2.2 Declaring variables

In your preamble, declare the following variables to populate your bill.

Variable name	Explanation
<code>\drafter{}</code>	The drafter of the bill
<code>\billcopyright{}</code>	Copyright notice at the end of the bill
<code>\publishedby{}</code>	The publisher of the bill for notice at the end of the bill
<code>\billtitle{}</code>	The title of the bill
<code>billto{}</code>	The purpose or long title of the bill
<code>\humanrights{}</code>	The statutorily required statement under the Human Rights Act 1998
<code>\exptitle{}</code>	The title of the explanatory section—if you have extra notes added separately, title it ‘Explanatory Notes’; otherwise use ‘Explanatory Memorandum’
<code>\exptext{}</code>	The content of the explanatory memorandum (or notice about separate explanatory notes)
<code>\billnum{}</code>	The number of the bill for the cover sheet and back page
<code>\whereas{}</code>	This variable is needed <b>only</b> in the private option of the class. It contains the recitals, best formatted as a numbered list

---

<sup>1</sup>The font is available at this link: <https://github.com/ezgranet/palatine-parliamentary>

## 2.3 Bill parts

The command `\chapter` divides the main content of the bill up into appropriate parts noted in the Table of Contents. For example, ‘Introductory Provisions’.

## 2.4 Sections

The section is the main unit of legislation and is titled with `\section`. Most sections will be numbered and numbered subsections use the `numstat` environment as follows:

```
\begin{numstat}
  \item The first provision
  \item The second provision
\end{numstat}
```

Often, these sections will be nested with alphabetical subsections, Roman paragraphs, and double alphabetical (*ie*, ‘aa’) subparagraphs. These are called with `alphstat`, `romstat`, and `twoalphstat`, respectively.

```
\begin{numstat}
  \item A subsection
  \begin{alphstat}
    \item Nesting
    \begin{romstat}
      \item Even more nesting
      \begin{twoalphstat}
        \item this is too much nesting now,
        → lads
      \end{twoalphstat}
    \end{romstat}
  \end{alphstat}
  \item a subsection again
\end{numstat}
```

Occasionally, a section will have only one provision, and therefore no numbering is needed. In this case, use the `nostat` environment.

```
\begin{nostat}
  \item The first provision
  \item The second provision
\end{nostat}
```

## 2.5 Schedules

Some legislation requires schedules appended to the body of main legislation. To begin typesetting schedules (as opposed to the preceding main content of the bill), use the command `\startschedule`

A schedule is then named by the command `\schedule{Name}`, while a Part (*ie*, a subset of a schedule) is called using `\schdpart{name}`

## 2.6 The ‘private’ Option

Private bills have a different enacting formula and also make use of recitals. Drafting private bills therefore requires you to call the class with the option `\documentclass[private]{ukbill}`

## 3 Future Development

The package’s online repository is the best place to report bugs, feature requests, or other contributions, and is located at:  
[github.com/ezgranet/ukbill](https://github.com/ezgranet/ukbill).

## 4 Licence

This project is licensed under the Latex Public Project Licence version 1.3c. This documentation is copyright of the author but licensed under CC-BY-SA 4.0.

## 5 Version History

### 5.1 1.0.2

13 December 2022: fixed an error with changes made in 1.0.2

### 5.2 1.0.2

13 December 2022: fixed an error with indent in the ‘nostat’ environment

### 5.3 1.0.1

12 December 2022: Fixes to example documentation

### 5.4 1.0.0

1 December 2022: Class Creation

## 6 Implementation

```
22 \NeedsTeXFormat{LaTeX2e}
23 \def\ukbillversionnumber{1.0.3}
24 \ProvidesClass{ukbill}[2022-12-01 A Class for Legal Notes]
25 % !TeX program = lualatex
26 % !TeX encoding = utf8
27 % This work may be distributed and/or modified under the
28 % conditions of the LaTeX Project Public License, either version 1.3c
29 % of this license or (at your option) any later version.
30 % The latest version of this license is in
31 % http://www.latex-project.org/lppl.txt
32 % and version 1.3c or later is part of all distributions of LaTeX
33 % version 2005/12/01 or later.
34 %
35 % This work has the LPPL maintenance status `maintained'.
36 %
37 % The Current Maintainer of this work is Elijah Z Granet
38
39
40 \LoadClass[a4paper,12pt]{memoir}
41 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
42 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
43 % schedule divisions
44 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
45 \newcommand{\schdpart}[1]{\subsubsection{#1}}
46 \newcommand{\startsschedule}{\clearpage}
47 \setcounter{schedon}{1}
48 %\setcounter{subsection}{0}
49 \setcounter{part}{0}
50 \begin{center}
51     \large\textsc{SCHEDULES}
52 \end{center}
53 \addcontentsline{toc}{chapter}{\rule{.45\textwidth}{1pt}}
54 }
55 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
56 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
57 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
58 % Variables
59 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
60 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
61 \makeatletter
62 \newcommand{\drafter}[1]{\def\@drafter{#1}}
63 \newcommand{\printdrafter}{\@drafter}
64 \def\@drafter{\@latex@warning@no@line{No \noexpand\drafter given}}
65 \newcommand{\billcopyright}[1]{\def\@billcopyright{#1}}
```

```

66 \newcommand{\printbillcopyright}{\@billcopyright}
67 \def\@billcopyright{\@latex@warning@no@line{No \noexpand\billcopyright given}}
68 \newcommand{\billto}[1]{\def\@billto{#1}}
69 \newcommand{\printbillto}{\@billto}
70 \def\@billto{\@latex@warning@no@line{No \noexpand\billto given}}
71 \newcommand{\whereas}[1]{\def\@whereas{#1}}
72 \newcommand{\printwhereas}{\@whereas}
73
74 \newcommand{\publishedby}[1]{\def\@publishedby{#1}}
75 \newcommand{\printpublishedby}{\@publishedby}
76 \def\@publishedby{\@latex@warning@no@line{No \noexpand\publishedby given}}
77 \newcommand{\billtitle}[1]{\def\@billtitle{#1}}
78 \newcommand{\printbilltitle}{\@billtitle}
79 \def\@billtitle{\@latex@warning@no@line{No \noexpand\billtitle given}}
80 \newcommand{\humanrights}[1]{\def\@humanrights{#1}}
81 \newcommand{\printhumanrights}{\@humanrights}
82 \def\@humanrights{\@latex@warning@no@line{No \noexpand\humanrightsgiven}}
83 }
84 \newcommand{\exptitle}[1]{\def\@exptitle{#1}}
85 \newcommand{\printexptitle}{\@exptitle}
86 \def\@exptitle{\@latex@warning@no@line{No \noexpand\exptitle given}}
87 \newcommand{\exptext}[1]{\def\@exptext{#1}}
88 \newcommand{\printexptext}{\@exptext}
89 \def\@exptext{\@latex@warning@no@line{No \noexpand\exptext given}}
90 \newcommand{\billnum}[1]{\def\@billnum{#1}}
91 \newcommand{\printbillnum}{\@billnum}
92 \def\@billnum{\@latex@warning@no@line{No \noexpand\billnum given}}
93
94
95 \makeatother
96 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
97 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
98 % hyphenation
99 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
100 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
101 \RequirePackage[none]{hyphenat}
102 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
103 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
104 % list organisation
105 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
106 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
107 \RequirePackage{paralist}
108 \let\itemize\compactitem
109 \let\enditemize\endcompactitem
110 \let\enumerate\compactenum
111 \let\endenumerate\endcompactenum
112 \let\description\compactdesc

```

```

113 \let\enddescription\endcompactdesc
114 \pltopsep=-12pt
115 \plitemsep=0pt
116 \plparsep=0pt
117 \newcounter{schedcount}
118 \counterwithout{section}{chapter}
119
120 \counterwithin{schedcount}{subsubsection}
121 \setsecnumdepth{subsubsection}
122 \def\tocmark{\markboth{\MakeTextUppercase{}}{}}
123 \RequirePackage[absolute]{textpos}
124 \setlength{TPHorizModule}{10mm}
125 \setlength{TPVertModule}{10mm}
126 \TPGrid[15mm,1mm]{8}{9} % Divide page in 9x9 grid
127 \DeclareRobustCommand{\Leftblock}{
128 \begin{textblock}{10}(0.5,1.8)\footnotesize\itshape 5\end{textblock}
129 \begin{textblock}{10}(0.5,2.7)\footnotesize\itshape 10\end{textblock}
130 \begin{textblock}{10}(0.5,3.6)\footnotesize\itshape 15\end{textblock}
131 \begin{textblock}{10}(0.5,4.5)\footnotesize\itshape 20\end{textblock}
132 \begin{textblock}{10}(0.5,5.4)\footnotesize\itshape 25\end{textblock}
133 \begin{textblock}{10}(0.5,6.3)\footnotesize\itshape 30\end{textblock}
134 \begin{textblock}{10}(0.5,7.2)\footnotesize\itshape 35\end{textblock}
135 }
136 \DeclareRobustCommand{\Rightblock}{
137 \begin{textblock}{10}(7.75,1.8)\footnotesize\itshape 5\end{textblock}
138 \begin{textblock}{10}(7.75,2.7)\footnotesize\itshape 10\end{textblock}
139 \begin{textblock}{10}(7.75,3.6)\footnotesize\itshape 15\end{textblock}
140 \begin{textblock}{10}(7.75,4.5)\footnotesize\itshape 20\end{textblock}
141 \begin{textblock}{10}(7.75,5.4)\footnotesize\itshape 25\end{textblock}
142 \begin{textblock}{10}(7.75,6.3)\footnotesize\itshape 30\end{textblock}
143 \begin{textblock}{10}(7.75,7.2)\footnotesize\itshape 35\end{textblock}
144 }
145 \DeclareRobustCommand{\Firstblock}{
146 %\begin{textblock}{10}(7.75,1.8)\footnotesize\itshape 5\end{textblock}
147 %\begin{textblock}{10}(7.75,2.7)\footnotesize\itshape 10\end{textblock}
148 %\begin{textblock}{10}(7.75,3.6)\footnotesize\itshape 15\end{textblock}
149 \begin{textblock}{10}(7.75,4.5)\footnotesize\itshape 5\end{textblock}
150 \begin{textblock}{5}(7.75,5.4)\footnotesize\itshape 10\end{textblock}
151 \begin{textblock}{10}(7.75,6.3)\footnotesize\itshape 15\end{textblock}
152 \begin{textblock}{10}(7.75,7.2)\footnotesize\itshape 20\end{textblock}
153 }
154
155 \RequirePackage{ccicons}
156 \makepagestyle{bill}
157 \makepagestyle{billfirst}
158
159 \makeatletter

```

```

160 \makepsmarks {bill}{
161 \nouppercaseheads}
162 \makeatother
163 \makeatletter
164 \renewcommand{\bookpagemark}[1]{\itshape\thetitle\}
165 \makepsmarks {billfirst}{
166 \nouppercaseheads}
167 \makeatother
168 \renewcommand{\bookpagemark}[1]{\noindent\itshape\thetitle\}
169
170 % \renewcommand{\partpagemark}[1]{\itshape\thetitle\}
171 \makepagestyle{front}
172
173 \makepagestyle{sched}
174 \makeatletter
175 \makepsmarks {sched}{
176 \nouppercaseheads}
177 \makeatother
178 \renewcommand{\bookpagemark}[1]{\itshape\thetitle\}
179 % \renewcommand{\partpagemark}[1]{\itshape\thetitle\}
180 \clearmark{chapter}
181 \clearmark{section}
182
183 \createmark{part}{both}{shownumber}{\partname\space}{.\space}
184
185
186 \RequirePackage[margin=3.25cm,headheight=100pt]{geometry}
187 \makeatletter
188 \makeevenfoot{front}{}{}{\printbillnum}
189 \makeoddfoot{front}{}{}{\printbillnum}
190 \makeatother
191
192 \renewcommand{\bookname}{\printbilltitle}
193 \makeheadrule{bill}{\textwidth}{1pt}
194
195 ↪ \makeevenhead{bill}{\Rightblock\normalsize\thepage\ifnum\value{part}>0\else\fi\ifnum\value{schedon}=1\}
196 ↪ 12pt\else\fi}{}{\footnotesize\itshape\bookname
197 \ifnum\value{schedon}=1
198 \} \itshape Schedule
199 ↪ \arabic{subsection}\hspace{1ex}-\hspace{1ex}\currentsubsection \else\fi
200 \ifnum\value{part}>0
201 \} \Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
202 \else\fi\ifnum\value{subsubsection}>0\} \Part
203 ↪ \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}
204 \makeoddhead{bill}{\Rightblock\footnotesize\itshape\bookname
205 \ifnum\value{schedon}=1
206 \} \itshape Schedule
207 ↪ \arabic{subsection}\hspace{1ex}-\hspace{1ex}\currentsubsection \else\fi

```

```

203     \ifnum\value{part}>0
204     \\Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
205     \else\fi\ifnum\value{subsubsection}>0\\Part
206     ↪ \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}{\normalsize\thepage\ifnum
207     ↪ 12pt\else\fi}
208     \makeoddfoot{bill}{}}{}
209     %\renewcommand{\subsectionmark}[1]{#1}
210
211
212     %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
213     %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
214     % bill-first
215
216     %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
217     %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
218     \makeheadrule{billfirst}{\textwidth}{1pt}
219
220     ↪ \makeevenhead{billfirst}{\Firstblock\normalsize\thepage\ifnum\value{part}>0\\else\fi\ifnum\value{schedon}
221     ↪ 12pt\else\fi}}{\footnotesize\itshape\bookname
222     \ifnum\value{schedon}=1
223     \\ \itshape Schedule
224     ↪ \arabic{subsection}\hspace{1ex}-\hspace{1ex}\currentsubsection \else\fi
225     \ifnum\value{part}>0
226     \\Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
227     \else\fi\ifnum\value{subsubsection}>0\\Part
228     ↪ \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}
229     \makeoddhead{billfirst}{\Firstblock\footnotesize\itshape\bookname
230     \ifnum\value{schedon}=1
231     \\ \itshape Schedule
232     ↪ \arabic{subsection}\hspace{1ex}-\hspace{1ex}\currentsubsection \else\fi
233     \ifnum\value{part}>0
234     \\Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
235     \else\fi\ifnum\value{subsubsection}>0\\Part
236     ↪ \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}}{\normalsize\thepage\ifnum
237     ↪ 12pt\else\fi}
238     \makeoddfoot{billfirst}{}}{}
239     %\renewcommand{\subsectionmark}[1]{#1}
240
241
242     \renewcommand{\chaptermark}[1]{#1}
243     \cftpagenumbersoff{part}
244     \cftpagenumbersoff{chapter}
245     \cftpagenumbersoff{subsection}
246     \cftpagenumbersoff{subsubsection}

```

```

241 \renewcommand{\cftsubsectionpresnum}{\flushleft Schedule\hspace{1ex}}% Prefix
    ↳ to number for \subsection in ToC
242
243 \renewcommand{\cftsubsubsectionpresnum}{Part\hspace{1ex}}% Prefix to number
    ↳ for \subsection in ToC
244
245 \renewcommand{\thesubsection}{\arabic{subsection}}
246 \renewcommand{\thesubsubsection}{\arabic{subsubsection}}
247 \renewcommand{\cftsubsectionaftersnum}{\hspace{1ex}-\hspace{1ex}}
248 \renewcommand{\cftsubsubsectionaftersnum}{\hspace{1ex}-\hspace{1ex}}
249
250 \settocdepth{subsubsection}
251 \cftpagenumbersoff{section}
252 \makeatletter
253 \let\stdl@chapter\l@chapter
254 \renewcommand*{\l@chapter}[2]{\stdl@chapter{\centerline{#1}}{#2}}
255 \makeatother
256 \cftsetindents{subsection}{1.75cm}{10em}
257 \cftsetindents{subsubsection}{1.75cm}{10em}
258
259 \renewcommand{\cftsubsectionpresnum}{Schedule\hfill}
260 \renewcommand{\cftsubsectionaftersnum}{\quad-\quad}
261 \renewcommand{\cftsubsubsectionpresnum}{\quad Part\hfill}
262 \renewcommand{\cftsubsubsectionaftersnum}{\quad-\quad}
263
264 %\setlength\cftsubsectionnumwidth{7.3em}
265 %\setlength\cftsubsubsectionnumwidth{4em}
266
267 \renewcommand{\title}{\printbilltitle}
268 \RequirePackage{changepage} % for the adjustwidth environment
269 \renewcommand{\part}[1]{\stepcounter{part}\markright{#1}}
270 \begin{center}
271 \printpartname\hspace{1ex}\arabic{part}\\
272 \printparttitle{#1}\normalfont\normalsize\\end{center}
273 \addcontentsline{toc}{part}{\normalsize\bfseries\printpartname\hspace{1ex}\arabic{part}\normalfont\\
274 \centerline{\normalsize\normalfont\scshape\printparttitle{#1}}}
275 }
276 \renewcommand\contentsname{CONTENTS}%
277
278 \renewcommand{\chapter}[1]{\stepcounter{chapter}\markright{#1}}
279 \begin{center}
280 \itshape\printchaptertitle{#1}\normalfont\normalsize\\end{center}
281 \addcontentsline{toc}{chapter}{\normalsize\itshape
282 \centerline{\normalsize\normalfont\itshape\printchaptertitle{#1}}}
283 }
284
285 \renewcommand{\partnamefont}{\normalfont\centering\bfseries\scshape}

```

```

286 \renewcommand{\parttitlefont}{\normalfont\centering\scshape}
287 \makeatletter
288 \renewcommand{\partnumberline}[1]{\hfil\hspace{@tocrmarg #1~}
289 \makeatother
290
291 \renewcommand{\partnumfont}{\normalfont\bfseries\centering\normalsize\scshape}
292 \renewcommand{\partnamenum}{\normalfont\bfseries\centering\normalsize\scshape}
293 \RequirePackage{setspace}
294 \renewcommand{\chapterheadstart}{\vspace*{\beforechapskip}}
295 \renewcommand{\printchaptername}{\chapnamefont \@chapapp}
296 \renewcommand{\chapternamenum}{\space}
297 \renewcommand{\printchapternum}{\chapnumfont \thechapter}
298 \renewcommand{\afterchapternum}{\par\nobreak\vskip \midchapskip}
299 \renewcommand{\printchapternonum}{\space}
300 \renewcommand{\chapterheadstart}{\space}
301 \renewcommand{\printchaptername}{\space}
302 \renewcommand{\chapternamenum}{\space}
303 \renewcommand{\printchapternum}{\space}
304 \renewcommand{\afterchapternum}{\space}
305 \setlength{\parskip}{0pt}
306 \renewcommand{\printchaptertitle}[1]{\chaptitfont #1}
307 \renewcommand{\afterchaptertitle}{\par\nobreak\vskip \afterchapskip}
308 \renewcommand{\printtoctitle}[1]{\large\scshape\centerline{\MakeUppercase{#1}}}
309 \renewcommand{\chapnamefont}{\normalfont\centering\itshape}
310 \renewcommand{\chapnumfont}{\normalfont\centering\itshape}
311 \renewcommand{\chaptitfont}{\normalfont\centering\itshape}
312
313 \setlength{\beforechapskip}{12pt}
314 \setlength{\midchapskip}{0pt}
315 \setlength{\afterchapskip}{12pt}
316 \setbeforesecskip{-1em}
317 \setaftersecskip{-1em}
318 \setbeforesubsecskip{-1em}
319 \setaftersubsecskip{-1em}
320 \renewcommand*{\thesection}{\arabic{section}}
321 \setsecnumformat{\csname the#1\endcsname\hspace{5ex}}
322 %\setsubsecnumformat{\csname the#1\endcsname\hspace{5ex}}
323 %\setsubsecheadstyle{\bfseries}
324 %\setsubsecheadstyle{\scshape\centering}
325 %\setsubsectionnumformat{SCHEDULE\quad\csname the#1\endcsname\newline}
326 \RequirePackage[compact]{titlesec}
327 \titleformat{\subsection}[display]
328   {\normalfont\centering\scshape}{SCHEDULE \hspace{2ex } \thesubsection}{5pt}{}
329 \titleformat{\subsubsection}[display]
330   {\normalfont\centering\scshape}{Part \thesubsubsection}{5pt}{}
331
332 \setsecheadstyle{\centering\bfseries}

```

```

333 \renewcommand{\part}[1]{\stepcounter{part}\markright{#1}
334 \begin{center}
335 \normalfont\normalsize\itshape\printchaptertitle{#1}\normalfont\normalsize\end{center}
336 \addcontentsline{toc}{chapter}{
337 \centerline{\normalsize\normalfont\itshape\printchaptertitle{#1}}}
338 }
339 \RequirePackage{fontspec}
340 \IfFontExistsTF{Palatine Parliamentary}{
341 \setmainfont[
342 Scale=.98,
343 SmallCapsFeatures={LetterSpace=10,RawFeature={+smcp}},
344 BoldFeatures = {SmallCapsFont= {PalatineP-Bold},SmallCapsFeatures={%
345 RawFeature={+smcp},}%
346 ]},
347 BoldFont={PalatineP-Bold},
348 ItalicFont={PalatineP-Italic},
349 BoldItalicFont={PalatineP-BoldItalic}]{PalatineP-Regular}
350 \newfontface{\extfont}[SmallCapsFont={Times New Roman}]{Times New
→ Roman}}{\ClassWarning{Please install the Palatine Parliamentary Font}}
351
352 \RequirePackage[english]{babel}
353 %\RequirePackage{csquotes}
354 %\MakeOuterQuote{"}
355 %%\DeclareQuoteStyle{english}%
356 %% { {\extfont\textquotedblleft}
357 %% [ {\extfont\textquotedblleft}
358 %% { {\extfont\textquotedblright}
359 %% [0.05em]
360 %% { {\extfont\textquoteleft}
361 %% [ {\extfont\textquoteleft}
362 %% { {\extfont\textquoteright}
363 \RequirePackage{enumitem}
364 \newenvironment{statquote}%
365 {
366 \begin{list}{}%
367 {%
368 \setlength{\topsep}{0ex}%
369 \setlength{\partopsep}{0ex}%
370 \setlength{\parsep}{0.5ex}%
371 \setlength{\itemsep}{i}%
372 \addtolength{\leftmargin}{3em}%
373 \addtolength{\rightmargin}{3em}%
374 }%
375 \item[]%
376 {\end{list}}
377 \newenvironment{nostat}{\begin{enumerate}[nosep,leftmargin=1.7cm,labelindent=0pt,itemindent=0pt,label=]}\end{
378 \newenvironment{numstat}%

```

```

379  {%
380  %\vspace{-9ex}%
381  \begin{enumerate}[nosep,partopsep=0pt,
382  %parsep=0.5ex,
383  %itemsep=1ex,
384  labelsep=3ex,
385  leftmargin=4em,rightmargin=1.5em,label=(\arabic*)]%
386  \item[]%
387  {\end{enumerate}%
388  \vspace{1ex}\normalfont}%
389  \newenvironment{schumstat}%
390  {%
391  %\vspace{-9ex}%
392  \begin{enumerate}[nosep,partopsep=0pt,
393  %parsep=0.5ex,
394  itemsep=0ex,
395  labelsep=0ex,
396  leftmargin=0em,rightmargin=0em,label=]%
397  \item[]%
398  {\end{enumerate}%
399  \vspace{1ex}\normalfont}%
400
401  \newcounter{alphcount}
402
403  \newenvironment{in角度quote}%
404  {%
405  \setcounter{alphcount}{0}
406  \vspace{-3ex}%
407  \begin{list}{}%
408  {%
409  \setlength{\topsep}{0ex}%
410  \setlength{\partopsep}{1ex}%
411  \setlength{\parsep}{0.5ex}%
412  \setlength{\itemsep}{0ex}%
413  }%
414  \item[]%
415  {\end{list}%
416  }%
417  \newenvironment{alphstat}%
418  {%
419  \vspace{-3ex}%
420  \begin{enumerate}[leftmargin=7.5ex,topsep=0ex,partopsep=1ex,parsep=0.5ex,itemsep=0ex,labelsep=3ex,label=(\alph)}%
421
422  \item[]%
423  {\end{enumerate}%
424  }%
425  \newenvironment{romstat}%

```

```

426 {%
427 \vspace{-3ex}%
428 \begin{enumerate}[topsep=0ex,partopsep=1ex,parsep=0.5ex,itemsep=0ex,label=(\roman*)]%
429
430 \item[]%
431 {\end{enumerate}%
432 }%
433 \newenvironment{twoalphstat}%
434 {%
435 \vspace{-3ex}%
436 \begin{enumerate}[leftmargin=7.5ex,topsep=0ex,partopsep=1ex,parsep=0.5ex,itemsep=0ex,labelsep=3ex,label=(\alph
437
438 \item[]}%
439 {\end{enumerate}%
440 }%
441
442 \newcommand*\statquoteLabel[1]{
443
444 \newcommand{\stat}[2]{
445 \item[(#1)]#2
446 }
447
448 \newcommand{\stathead}[2]{
449 \textbf{#1}\hspace{5ex}\textbf{#2}
450 }
451
452
453
454
455 \setlength{\parindent}{0pt}
456 \RequirePackage{lettrine}
457 \setcounter{DefaultLines}{2}
458 %\renewcommand{\DefaultLraise}{0.05}
459 %\renewcommand{\DefaultLoversize}{.07}
460 %\renewcommand{\LettrineFontHook}{\initials}
461 %\RequirePackage{initials}
462 %\RequirePackage{Romantik}%\romantik{
463 %\RequirePackage{Royal}%\royal
464
465 \newcommand{\intl}[2]{\lettrine{#1}{\hspace{1ex}\textsc{#2}}}
466 \renewcommand{\maketitle}{\thispagestyle{front}
467 \begin{center}
468 {\Huge\textbf{\title}}\rule{\textwidth}{1pt}\rule[16pt]{\textwidth}{2pt}
469 \end{center}
470 }
471 \newcommand{\schedule}[1]{\subsection{#1}}
472 \newcounter{schedon}

```

```

473 \setcounter{schedon}{0}
474
475 \newcommand{\currentsubsection}{}
476 \let\oldsubsection\subsection
477 \renewcommand{\subsection}[1]{\oldsubsection{#1}\renewcommand{\currentsubsection}{#1}}
478
479 \newcommand{\currentsubsubsection}{}
480 \let\oldsubsubsection\subsubsection
481 \renewcommand{\subsubsection}[1]{\oldsubsubsection{#1}\renewcommand{\currentsubsubsection}{#1}}
482 %%%%%%%%%%%
483 %%%%%%%%%%%
484 % enacting
485 %%%%%%%%%%%
486 %%%%%%%%%%%
487 \newcommand{\enactingformula}{
488 \intl{B}{e it enacted} by the King's most Excellent Majesty, by and with the
489 ↪ advice and consent of the Lords Spiritual and Temporal, and Commons, in
490 ↪ this present Parliament assembled, and by the authority of the same, as
491 ↪ follows:---}
492
493 %%%%%%%%%%%
494 %%%%%%%%%%%
495 %enacting option
496 %%%%%%%%%%%
497 %%%%%%%%%%%
498 \DeclareOption{private}{
499 \makeatletter
500 \renewcommand{\enactingformula}{
501 \intl{W}{hereas}---
502
503 \hspace{2em}\begin{minipage}{.75\textwidth}
504
505 \printwhereas
506 \end{minipage}
507
508 \medskip
509
510 \intl{M}{ay} it therefore please Your Majesty that it may be enacted, and be
511 ↪ it enacted, by
512 the King's Most Excellent Majesty, by and with the advice and consent of the
513 ↪ Lords
514 ↪ Spiritual and Temporal, and Commons, in this present Parliament assembled, and
515 ↪ by
516 the authority of the same, as follows:-
517 }

```

```

514 \makeatother
515
516 }
517
518 \ProcessOptions\relax
519
520
521 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
522 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
523 % begindoc
524 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
525 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
526 \AtBeginDocument{\emergencystretch 3em
527 \sloppy
528 \OnehalfSpacing
529 \pagestyle{front}
530 \pagenumbering{roman}
531 \maketitle
532 \medskip
533 \extfont
534 \begin{center}\scshape\MakeUppercase{\printexptitle}\end{center}
535
536 \printexptext
537 \medskip
538
539 \begin{center}\scshape EUROPEAN CONVENTION ON HUMAN RIGHTS\end{center}
540
541 \printhumanrights
542 \normalfont
543 \clearpage\maketitle
544 \begin{KeepFromToc}
545 \normalfont\normalsize
546 \tableofcontents
547 \end{KeepFromToc}
548
549 \vskip 3ex
550 \mainmatter
551 \pagenumbering{arabic}
552 \pagestyle{bill}\thispagestyle{billfirst}
553 \begin{center}
554     \scshape a
555     \medskip
556
557     \normalfont\Huge\bfseries B\hspace{.5ex}I\hspace{.5ex}L\hspace{.5ex}L
558
559     \medskip
560

```

```

561         \normalfont\normalsize\scshape to\normalfont
562
563     \end{center}
564
565         \medskip
566
567     \noindent\footnotesize\extfont\printbillto\normalsize \normalfont
568
569     \medskip
570
571     \enactingformula
572
573     \medskip
574
575
576
577 }
578
579
580 \AtEndDocument{\cleardoublepage
581
582
583     \setcounter{page}{0}
584     \pagenumbering{arabic}
585     \setcounter{page}{1}
586     \thispagestyle{front}
587
588     \begin{center}
589     {\Huge\textbf{\title}}\rule{\textwidth}{1pt}\rule[16pt]{\textwidth}{2pt}
590     \end{center}
591
592     \begin{center}
593         \normalfont\scshape a
594         \medskip
595
596         \normalfont\Huge\bfseries B\hspace{.5ex}I\hspace{.5ex}L\hspace{.5ex}L
597
598         \vskip 3ex
599         \end{center}
600
601     \normalsize To make provision in connection with the citizens of certain
602     ↪ Commonwealth Realms
603
604         \vskip 3ex
605         \begin{center}
606     \normalsize\normalfont\itshape           Presented by \printdrafter

```

```

607
608 \vskip 3ex
609
610 \rule{.45\textwidth}{1pt}
611 \vspace{1ex}
612
613 \begin{minipage}{.4\textwidth}\centering
614 \itshape Ordered, by\normalfont\ \printdrafter\itshape\ to be Printed,
615 ↪ \normalfont 19\itshape th March \normalfont 2020\itshape.
616 \end{minipage}
617
618 \vspace{1ex}
619 \rule{.45\textwidth}{1pt}
620
621 \vskip 5ex
622
623 \normalfont\footnotesize\printbillcopyright
624
625
626 \vskip 1ex
627
628 \normalfont\scshape\MakeUppercase{Published By \printpublishedby}
629 \end{center}
630 }

```