

ukbill:  
A package for typesetting UK legislation

Elijah Z Granet\*

6 January 2024  
Version 1.2.0

## Contents

<b>1 Overview</b>	<b>2</b>
<b>2 Usage</b>	<b>2</b>
2.1 Calling the package . . . . .	2
2.2 Declaring variables . . . . .	2
2.3 Bill parts . . . . .	3
2.4 Sections . . . . .	3
2.5 Schedules . . . . .	4
2.6 The ‘private’ Option . . . . .	4
<b>3 Future Development</b>	<b>4</b>
<b>4 Licence</b>	<b>4</b>
<b>5 Version History</b>	<b>4</b>
5.1 1.0.2 . . . . .	4
5.2 1.0.2 . . . . .	4
5.3 1.0.1 . . . . .	4
5.4 1.0.0 . . . . .	4
<b>6 Implementation</b>	<b>5</b>

---

\*e-mail: [ezg21@cantab.ac.uk](mailto:ezg21@cantab.ac.uk)

## 1 Overview

This is a class for typesetting bills in the standard used by the Parliament of the United Kingdom. It is meant to be of use to students of law and politics, to Parliamentary agents and lawyers drafting private bills, and to aid in the construct of proposals for law reform. The use of this package requires the libre font ‘Palatine Parliamentary’, which imitates the official typeface of the UK Parliament.<sup>1</sup>

## 2 Usage

For an example of the usage of the package, please see the attached ‘immigration-bill.tex’ example in the package archive.

### 2.1 Calling the package

Call the package with `\documentclass{ukbill}`

### 2.2 Declaring variables

In your preamble, declare the following variables to populate your bill.

Variable name	Explanation
<code>\drafter{}</code>	The drafter of the bill
<code>\billcopyright{}</code>	Copyright notice at the end of the bill
<code>\publishedby{}</code>	The publisher of the bill for notice at the end of the bill
<code>\billtitle{}</code>	The title of the bill
<code>billto{}</code>	The purpose or long title of the bill
<code>\humanrights{}</code>	The statutorily required statement under the Human Rights Act 1998
<code>\exptitle{}</code>	The title of the explanatory section—if you have extra notes added separately, title it ‘Explanatory Notes’; otherwise use ‘Explanatory Memorandum’
<code>\exptext{}</code>	The content of the explanatory memorandum (or notice about separate explanatory notes)
<code>\billnum{}</code>	The number of the bill for the cover sheet and back page
<code>\whereas{}</code>	This variable is needed <b>only</b> in the private option of the class. It contains the recitals, best formatted as a numbered list

---

<sup>1</sup>The font is available at this link: <https://github.com/ezgranet/palatine-parliamentary>

## 2.3 Bill parts

The command `\chapter` divides the main content of the bill up into appropriate parts noted in the Table of Contents. For example, ‘Introductory Provisions’.

## 2.4 Sections

The section is the main unit of legislation and is titled with `\section`. Most sections will be numbered and numbered subsections use the `numstat` environment as follows:

```
\begin{numstat}
  \item The first provision
  \item The second provision
\end{numstat}
```

Often, these sections will be nested with alphabetical subsections, Roman paragraphs, and double alphabetical (*ie*, ‘aa’) subparagraphs. These are called with `alphstat`, `romstat`, and `twoalphstat`, respectively.

```
\begin{numstat}
  \item A subsection
  \begin{alphstat}
    \item Nesting
    \begin{romstat}
      \item Even more nesting
      \begin{twoalphstat}
        \item this is too much nesting now,
        → lads
      \end{twoalphstat}
    \end{romstat}
  \end{alphstat}
  \item a subsection again
\end{numstat}
```

Occasionally, a section will have only one provision, and therefore no numbering is needed. In this case, use the `nostat` environment.

```
\begin{nostat}
  \item The first provision
  \item The second provision
\end{nostat}
```

## 2.5 Schedules

Some legislation requires schedules appended to the body of main legislation. To begin typesetting schedules (as opposed to the preceding main content of the bill), use the command `\startschedule`

A schedule is then named by the command `\schedule{Name}`, while a Part (*ie*, a subset of a schedule) is called using `\schdpart{name}`

## 2.6 The ‘private’ Option

Private bills have a different enacting formula and also make use of recitals. Drafting private bills therefore requires you to call the class with the option `\documentclass[private]{ukbill}`

## 3 Future Development

The package’s online repository is the best place to report bugs, feature requests, or other contributions, and is located at:  
[github.com/ezgranet/ukbill](https://github.com/ezgranet/ukbill).

## 4 Licence

This project is licensed under the Latex Public Project Licence version 1.3c. This documentation is copyright of the author but licensed under CC-BY-SA 4.0.

## 5 Version History

### 5.1 1.0.2

13 December 2022: fixed an error with changes made in 1.0.2

### 5.2 1.0.2

13 December 2022: fixed an error with indent in the ‘nostat’ environment

### 5.3 1.0.1

12 December 2022: Fixes to example documentation

### 5.4 1.0.0

1 December 2022: Class Creation

## 6 Implementation

```
22 \NeedsTeXFormat{LaTeX2e}
23 \def\ukbillversionnumber{1.2.0}
24 \ProvidesClass{ukbill}[2024-01-06 A Class for UK legislation]
25 % !TeX program = lualatex
26 % !TeX encoding = utf8
27 % This work may be distributed and/or modified under the
28 % conditions of the LaTeX Project Public License, either version 1.3c
29 % of this license or (at your option) any later version.
30 % The latest version of this license is in
31 % http://www.latex-project.org/lppl.txt
32 % and version 1.3c or later is part of all distributions of LaTeX
33 % version 2005/12/01 or later.
34 %
35 % This work has the LPPL maintenance status `maintained'.
36 %
37 % The Current Maintainer of this work is Elijah Z Granet
38
39
40 \LoadClass[a4paper,12pt]{memoir}
41 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
42 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
43 % schedule divisions
44 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
45 \newcommand{\schdpart}[1]{\subsubsection{#1}}
46 \newcommand{\startschedule}{\clearpage}
47 \setcounter{schedon}{1}
48 %\setcounter{subsection}{}
49 \setcounter{part}{0}
50 \begin{center}
51 \large\textsc{SCHEDULES}
52 \end{center}
53 \addcontentsline{toc}{chapter}{\rule{.45\textwidth}{1pt}}
54 }
55 %\RequirePackage{datetime2}
56 %\DTMLangsetup[en-GB]{ord=omit}
57 \ExplSyntaxOn
58
59 \NewExpandableDocumentCommand{\addordinal}{m}
60 {% #1 should be something that TeX interprets as an integer
61 \int_to_arabic:n { #1 }
62 \exp_args:Ne \ORDINAL { \deman_compute_suffix:n { #1 } }
63 }
64
65 \NewDocumentCommand{\ORDINAL}{m}{\textsuperscript{\itshape #1}}% how ugly is
↪ it?
```

```

66
67 \cs_new:Nn \deman_compute_suffix:n
68 {
69   \int_case:nnF { #1 }
70     {% special cases
71       {1}{th}
72       {2}{th}
73       {3}{th}
74     }
75     { \__deman_compute_suffix_normal:n { #1 } }
76   }
77
78 \cs_new:Nn \__deman_compute_suffix_normal:n
79 {
80   \int_case:nnF { \int_mod:nn { #1 } { 10 } }
81     {
82       {1}{st}
83       {2}{nd}
84       {3}{rd}
85     }
86     {th}
87   }
88 \ExplSyntaxOff
89
90 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
91 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
92 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
93 % Variables
94 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
95 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
96 \makeatletter
97 \newcommand{\drafter}[1]{\def\@drafter{#1}}
98 \newcommand{\printdrafter}{\@drafter}
99 \def\@drafter{\@latex@warning@no@line{No \noexpand\drafter given}}
100 \newcommand{\billcopyright}[1]{\def\@billcopyright{#1}}
101 \newcommand{\printbillcopyright}{\@billcopyright}
102 \def\@billcopyright{\@latex@warning@no@line{No \noexpand\billcopyright given}}
103 \newcommand{\billto}[1]{\def\@billto{#1}}
104 \newcommand{\printbillto}{\@billto}
105 \def\@billto{\@latex@warning@no@line{No \noexpand\billto given}}
106 \newcommand{\whereas}[1]{\def\@whereas{#1}}
107 \newcommand{\printwhereas}{\@whereas}
108
109 %\newcommand{\billto}[1]{\def\@billto{#1}}
110
111
112 \newcommand{\publishedby}[1]{\def\@publishedby{#1}}

```

```

113 \newcommand{\printpublishedby}{\@publishedby}
114 \def\@publishedby{\@latex@warning@no@line{No \noexpand\publishedby given}}
115 \newcommand{\billtitle}[1]{\def\@billtitle{#1}}
116 \newcommand{\printbilltitle}{\@billtitle}
117 \newcommand{\billday}[1]{\def\@billday{#1}}
118 \newcommand{\printbillday}{\@billday}
119 \def\@billday{\@latex@warning@no@line{No \noexpand\billday given}}
120 \newcommand{\billmonth}[1]{\def\@billmonth{#1}}
121 \newcommand{\printbillmonth}{\@billmonth}
122 \def\@billmonth{\@latex@warning@no@line{No \noexpand\billmonth given}}
123 \newcommand{\billyear}[1]{\def\@billyear{#1}}
124 \newcommand{\printbillyear}{\@billyear}
125 \def\@billyear{\@latex@warning@no@line{No \noexpand\billyear given}}
126 \def\@billtitle{\@latex@warning@no@line{No \noexpand\billtitle given}}
127 \newcommand{\humanrights}[1]{\def\@humanrights{#1}}
128 \newcommand{\printhumanrights}{\@humanrights}
129 \def\@humanrights{\@latex@warning@no@line{No \noexpand\humanrightsgiven}}
130 }
131 \newcommand{\exptitle}[1]{\def\@exptitle{#1}}
132 \newcommand{\printexptitle}{\@exptitle}
133 \def\@exptitle{\@latex@warning@no@line{No \noexpand\exptitle given}}
134 \newcommand{\exptext}[1]{\def\@exptext{#1}}
135 \newcommand{\printexptext}{\@exptext}
136 \def\@exptext{\@latex@warning@no@line{No \noexpand\exptext given}}
137 \newcommand{\billnum}[1]{\def\@billnum{#1}}
138 \newcommand{\printbillnum}{\@billnum}
139 \def\@billnum{\@latex@warning@no@line{No \noexpand\billnum given}}
140
141
142 \makeatother
143 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
144 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
145 % hyphenation
146 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
147 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
148 \RequirePackage[none]{hyphenat}
149 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
150 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
151 % list organisation
152 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
153 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
154 \RequirePackage{paralist}
155 \let\itemize\compactitem
156 \let\enditemize\endcompactitem
157 \let\enumerate\compactenum
158 \let\endenumerate\endcompactenum
159 \let\description\compactdesc

```

```

160 \let\enddescription\endcompactdesc
161 \pltopsep=-12pt
162 \plitemsep=0pt
163 \plparsep=0pt
164 \newcounter{schedcount}
165 \counterwithout{section}{chapter}
166
167 \counterwithin{schedcount}{subsubsection}
168 \setsecnumdepth{subsubsection}
169 \def\tocmark{\markboth{\MakeTextUppercase{}}{}}
170 \RequirePackage[absolute]{textpos}
171 \setlength{\TPHorizModule}{10mm}
172 \setlength{\TPVertModule}{10mm}
173 \TPGrid[15mm,1mm]{8}{9} % Divide page in 9x9 grid
174 \DeclareRobustCommand{\Leftblock}{
175 \begin{textblock}{10}(0.5,1.8)\footnotesize\itshape 5\end{textblock}
176 \begin{textblock}{10}(0.5,2.7)\footnotesize\itshape 10\end{textblock}
177 \begin{textblock}{10}(0.5,3.6)\footnotesize\itshape 15\end{textblock}
178 \begin{textblock}{10}(0.5,4.5)\footnotesize\itshape 20\end{textblock}
179 \begin{textblock}{10}(0.5,5.4)\footnotesize\itshape 25\end{textblock}
180 \begin{textblock}{10}(0.5,6.3)\footnotesize\itshape 30\end{textblock}
181 \begin{textblock}{10}(0.5,7.2)\footnotesize\itshape 35\end{textblock}
182 }
183 \DeclareRobustCommand{\Rightblock}{
184 \begin{textblock}{10}(7.75,1.8)\footnotesize\itshape 5\end{textblock}
185 \begin{textblock}{10}(7.75,2.7)\footnotesize\itshape 10\end{textblock}
186 \begin{textblock}{10}(7.75,3.6)\footnotesize\itshape 15\end{textblock}
187 \begin{textblock}{10}(7.75,4.5)\footnotesize\itshape 20\end{textblock}
188 \begin{textblock}{10}(7.75,5.4)\footnotesize\itshape 25\end{textblock}
189 \begin{textblock}{10}(7.75,6.3)\footnotesize\itshape 30\end{textblock}
190 \begin{textblock}{10}(7.75,7.2)\footnotesize\itshape 35\end{textblock}
191 }
192 \DeclareRobustCommand{\Firstblock}{
193 %\begin{textblock}{10}(7.75,1.8)\footnotesize\itshape 5\end{textblock}
194 %\begin{textblock}{10}(7.75,2.7)\footnotesize\itshape 10\end{textblock}
195 %\begin{textblock}{10}(7.75,3.6)\footnotesize\itshape 15\end{textblock}
196 \begin{textblock}{10}(7.75,4.5)\footnotesize\itshape 5\end{textblock}
197 \begin{textblock}{5}(7.75,5.4)\footnotesize\itshape 10\end{textblock}
198 \begin{textblock}{10}(7.75,6.3)\footnotesize\itshape 15\end{textblock}
199 \begin{textblock}{10}(7.75,7.2)\footnotesize\itshape 20\end{textblock}
200 }
201
202 \RequirePackage{ccicons}
203 \makepagestyle{bill}
204 \makepagestyle{billfirst}
205
206 \makeatletter

```

```

207 \makepsmarks {bill}{
208 \nouppercaseheads}
209 \makeatother
210 \makeatletter
211 \renewcommand{\bookpagemark}[1]{\itshape\thetitle\}
212 \makepsmarks {billfirst}{
213 \nouppercaseheads}
214 \makeatother
215 \renewcommand{\bookpagemark}[1]{\noindent\itshape\thetitle\}
216
217 % \renewcommand{\partpagemark}[1]{\itshape\thetitle\}
218 \makepagestyle{front}
219
220 \makepagestyle{sched}
221 \makeatletter
222 \makepsmarks {sched}{
223 \nouppercaseheads}
224 \makeatother
225 \renewcommand{\bookpagemark}[1]{\itshape\thetitle\}
226 % \renewcommand{\partpagemark}[1]{\itshape\thetitle\}
227 \clearmark{chapter}
228 \clearmark{section}
229
230 \createmark{part}{both}{shownumber}{\partname\space}{.\space}
231
232
233 \RequirePackage[margin=3.25cm,headheight=100pt]{geometry}
234 \makeatletter
235 \makeevenfoot{front}{}{}{\printbillnum}
236 \makeoddfoot{front}{}{}{\printbillnum}
237 \makeatother
238
239 \renewcommand{\bookname}{\printbilltitle}
240 \makeheadrule{bill}{\textwidth}{1pt}
241
242 ↪ \makeevenhead{bill}{\Rightblock\normalsize\thepage\ifnum\value{part}>0\else\fi\ifnum\value{schedon}=1\}
243 ↪ 12pt\else\fi}{}{\footnotesize\itshape\bookname
244 \ifnum\value{schedon}=1
245 \} \itshape Schedule
246 ↪ \arabic{subsection}\hspace{1ex}-\hspace{1ex}\currentsubsection \else\fi
247 \ifnum\value{part}>0
248 \} \Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
249 \else\fi\ifnum\value{subsubsection}>0\} \Part
250 ↪ \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}
251 \makeoddhead{bill}{\Rightblock\footnotesize\itshape\bookname
252 \ifnum\value{schedon}=1
253 \} \itshape Schedule
254 ↪ \arabic{subsection}\hspace{1ex}-\hspace{1ex}\currentsubsection \else\fi

```

```

250   \ifnum\value{part}>0
251   \\Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
252   \else\fi\ifnum\value{subsubsection}>0\\Part
      ↳ \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}{\normalsize\thepage\ifnum
      ↳ 12pt\else\fi}
253   \makeoddfoot{bill}{}{}
254   %\renewcommand{\subsectionmark}[1]{#1}
255
256
257
258
259   %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
260   %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
261   % bill-first
262
263   %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
264   %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
265   \makeheadrule{billfirst}{\textwidth}{1pt}
266
      ↳ \makeevenhead{billfirst}{\Firstblock\normalsize\thepage\ifnum\value{part}>0\\else\fi\ifnum\value{schedon}
      ↳ 12pt\else\fi}{\footnotesize\itshape\bookname}
267   \ifnum\value{schedon}=1
268   \\ \itshape Schedule
      ↳ \arabic{subsection}\hspace{1ex}-\hspace{1ex}\currentsubsection \else\fi
269   \ifnum\value{part}>0
270   \\Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
271   \else\fi\ifnum\value{subsubsection}>0\\Part
      ↳ \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}
272   \makeoddhead{billfirst}{\Firstblock\footnotesize\itshape\bookname
      ↳ \ifnum\value{schedon}=1
273   \\ \itshape Schedule
      ↳ \arabic{subsection}\hspace{1ex}-\hspace{1ex}\currentsubsection \else\fi
274   \ifnum\value{part}>0
275   \\Part \arabic{part}\hspace{1ex}-\hspace{1ex}\rightmark
276   \else\fi\ifnum\value{subsubsection}>0\\Part
      ↳ \arabic{subsubsection}\hspace{1ex}-\hspace{1ex}\currentsubsubsection\else\fi}{\normalsize\thepage\ifnum
      ↳ 12pt\else\fi}
277
278   \makeoddfoot{billfirst}{}{}
279   %\renewcommand{\subsectionmark}[1]{#1}
280
281
282
283   \renewcommand{\chaptermark}[1]{#1}
284   \cftpagenumbersoff{part}
285   \cftpagenumbersoff{chapter}
286   \cftpagenumbersoff{subsection}
287   \cftpagenumbersoff{subsubsection}

```

```

288 \renewcommand{\cftsubsectionpresnum}{\flushleft Schedule\hspace{1ex}}% Prefix
    ↳ to number for \subsection in ToC
289
290 \renewcommand{\cftsubsubsectionpresnum}{Part\hspace{1ex}}% Prefix to number
    ↳ for \subsection in ToC
291
292 \renewcommand{\thesubsection}{\arabic{subsection}}
293 \renewcommand{\thesubsubsection}{\arabic{subsubsection}}
294 \renewcommand{\cftsubsectionaftersnum}{\hspace{1ex}-\hspace{1ex}}
295 \renewcommand{\cftsubsubsectionaftersnum}{\hspace{1ex}-\hspace{1ex}}
296
297 \settocdepth{subsubsection}
298 \cftpagenumbersoff{section}
299 \makeatletter
300 \let\stdl@chapter\l@chapter
301 \renewcommand*{\l@chapter}[2]{\stdl@chapter{\centerline{#1}}{#2}}
302 \makeatother
303 \cftsetindents{subsection}{1.75cm}{10em}
304 \cftsetindents{subsubsection}{1.75cm}{10em}
305
306 \renewcommand{\cftsubsectionpresnum}{Schedule\hfill}
307 \renewcommand{\cftsubsectionaftersnum}{\quad-\quad}
308 \renewcommand{\cftsubsubsectionpresnum}{\quad Part\hfill}
309 \renewcommand{\cftsubsubsectionaftersnum}{\quad-\quad}
310
311 %\setlength\cftsubsectionnumwidth{7.3em}
312 %\setlength\cftsubsubsectionnumwidth{4em}
313
314 \renewcommand{\title}{\printbilltitle}
315 \RequirePackage{changepage} % for the adjustwidth environment
316 \renewcommand{\part}[1]{\stepcounter{part}\markright{#1}}
317 \begin{center}
318 \printpartname\hspace{1ex}\arabic{part}\\
319 \printparttitle{#1}\normalfont\normalsize\\end{center}
320 \addcontentsline{toc}{part}{\normalsize\bfseries\printpartname\hspace{1ex}\arabic{part}\normalfont\\
321 \centerline{\normalsize\normalfont\scshape\printparttitle{#1}}}
322 }
323 \renewcommand\contentsname{CONTENTS}%
324
325 \renewcommand{\chapter}[1]{\stepcounter{chapter}\markright{#1}}
326 \begin{center}
327 \itshape\printchaptertitle{#1}\normalfont\normalsize\\end{center}
328 \addcontentsline{toc}{chapter}{\normalsize\itshape
329 \centerline{\normalsize\normalfont\itshape\printchaptertitle{#1}}}
330 }
331
332 \renewcommand{\partnamefont}{\normalfont\centering\bfseries\scshape}

```

```

333 \renewcommand{\parttitlefont}{\normalfont\centering\scshape}
334 \makeatletter
335 \renewcommand{\partnumberline}[1]{\hfil\hspace{@tocrmarg #1~}
336 \makeatother
337
338 \renewcommand{\partnumfont}{\normalfont\bfseries\centering\normalsize\scshape}
339 \renewcommand{\partnamenum}{\normalfont\bfseries\centering\normalsize\scshape}
340 \RequirePackage{setspace}
341 \renewcommand{\chapterheadstart}{\vspace*{\beforechapskip}}
342 \renewcommand{\printchaptername}{\chapnamefont \@chapapp}
343 \renewcommand{\chapternamenum}{\space}
344 \renewcommand{\printchapternum}{\chapnumfont \thechapter}
345 \renewcommand{\afterchapternum}{\par\nobreak\vskip \midchapskip}
346 \renewcommand{\printchapternonum}{\space}
347 \renewcommand{\chapterheadstart}{\space}
348 \renewcommand{\printchaptername}{\space}
349 \renewcommand{\chapternamenum}{\space}
350 \renewcommand{\printchapternum}{\space}
351 \renewcommand{\afterchapternum}{\space}
352 \setlength{\parskip}{0pt}
353 \renewcommand{\printchaptertitle}[1]{\chaptitfont #1}
354 \renewcommand{\afterchaptertitle}{\par\nobreak\vskip \afterchapskip}
355 \renewcommand{\printtoctitle}[1]{\large\scshape\centerline{\MakeUppercase{#1}}}
356 \renewcommand{\chapnamefont}{\normalfont\centering\itshape}
357 \renewcommand{\chapnumfont}{\normalfont\centering\itshape}
358 \renewcommand{\chaptitfont}{\normalfont\centering\itshape}
359
360 \setlength{\beforechapskip}{12pt}
361 \setlength{\midchapskip}{0pt}
362 \setlength{\afterchapskip}{12pt}
363 \setbeforesecskip{-1em}
364 \setaftersecskip{-1em}
365 \setbeforesubsecskip{-1em}
366 \setaftersubsecskip{-1em}
367 \renewcommand*{\thesection}{\arabic{section}}
368 \setsecnumformat{\csname the#1\endcsname\hspace{5ex}}
369 %\setsubsecnumformat{\csname the#1\endcsname\hspace{5ex}}
370 %\setsubsecheadstyle{\bfseries}
371 %\setsubsecheadstyle{\scshape\centering}
372 %\setsubsectionnumformat{SCHEDULE\quad\csname the#1\endcsname\newline}
373 \RequirePackage[compact]{titlesec}
374 \titleformat{\subsection}[display]
375   {\normalfont\centering\scshape}{SCHEDULE \hspace{2ex } \thesubsection}{5pt}{}
376 \titleformat{\subsubsection}[display]
377   {\normalfont\centering\scshape}{Part \thesubsubsection}{5pt}{}
378
379 \setsecheadstyle{\centering\bfseries}

```

```

380 \renewcommand{\part}[1]{\stepcounter{part}\markright{#1}
381 \begin{center}
382 \normalfont\normalsize\itshape\printchaptertitle{#1}\normalfont\normalsize\\end{center}
383 \addcontentsline{toc}{chapter}{
384 \centerline{\normalsize\normalfont\itshape\printchaptertitle{#1}}}
385 }
386 \RequirePackage{fontspec}
387 \IfFontExistsTF{Palatine Parliamentary}{
388 \setmainfont[
389 Scale=.98,
390 SmallCapsFeatures={LetterSpace=10,RawFeature={+smcp}},
391 BoldFeatures = {SmallCapsFont= {PalatineP-Bold},SmallCapsFeatures={%
392 RawFeature={+smcp},}%
393 ]},
394 BoldFont={PalatineP-Bold},
395 ItalicFont={PalatineP-Italic},
396 BoldItalicFont={PalatineP-BoldItalic}]{PalatineP-Regular}
397 \newfontface{\extfont}[SmallCapsFont={Times New Roman}]{Times New
↪ Roman}}{\ClassWarning[Please install the Palatine Parliamentary Font]}
398 \RequirePackage[english]{babel}
399 %\RequirePackage{csquotes}
400 %\MakeOuterQuote{"}
401 %%\DeclareQuoteStyle{english}%
402 %% {{\extfont\textquotedblleft}}
403 %% [{}{\extfont\textquotedblleft}
404 %% {{\extfont\textquotedblright}}
405 %% [0.05em]
406 %% {{\extfont\textquoteleft}}
407 %% [{}{\extfont\textquoteleft}
408 %% {{\extfont\textquoteright}}
409 \RequirePackage{enumitem}
410 \newenvironment{statquote}%
411 {
412 \begin{list}{}%
413 {%
414 \setlength{\topsep}{0ex}%
415 \setlength{\partopsep}{0ex}%
416 \setlength{\parsep}{0.5ex}%
417 \setlength{\itemsep}{i}%
418 \addtolength{\leftmargin}{3em}%
419 \addtolength{\rightmargin}{3em}%
420 ]%
421 \item[]%
422 {\end{list}}
423 \newenvironment{nostat}{\begin{enumerate}[nosep,leftmargin=1.7cm,labelindent=0pt,itemindent=0pt,label=]}\end{
424 \newenvironment{numstat}%
425 {%

```

```

426 %\vspace{-9ex}%
427 \begin{enumerate}[nosep,partopsep=0pt,
428 %parsep=0.5ex,
429 %itemsep=1ex,
430 labelsep=3ex,
431 leftmargin=4em,rightmargin=1.5em,label=(\arabic*)]%
432 \item[]%
433 {\end{enumerate}%
434 \vspace{1ex}\normalfont}%
435 \newenvironment{schumstat}%
436 {%
437 %\vspace{-9ex}%
438 \begin{enumerate}[nosep,partopsep=0pt,
439 %parsep=0.5ex,
440 itemsep=0ex,
441 labelsep=0ex,
442 leftmargin=0em,rightmargin=0em,label=]%
443 \item[]%
444 {\end{enumerate}%
445 \vspace{1ex}\normalfont}%
446
447 \newcounter{alphcount}
448
449 \newenvironment{in角度quote}%
450 {%
451 \setcounter{alphcount}{0}
452 \vspace{-3ex}%
453 \begin{list}{}%
454 {%
455 \setlength{\topsep}{0ex}%
456 \setlength{\partopsep}{1ex}%
457 \setlength{\parsep}{0.5ex}%
458 \setlength{\itemsep}{0ex}%
459 }%
460 \item[]%
461 {\end{list}%
462 }%
463 \newenvironment{alphstat}%
464 {%
465 \vspace{-3ex}%
466 \begin{enumerate}[leftmargin=7.5ex,topsep=0ex,partopsep=1ex,parsep=0.5ex,itemsep=0ex,labelsep=3ex,label=(\alph
467
468 \item[]%
469 {\end{enumerate}%
470 }%
471 \newenvironment{romstat}%
472 {%

```

```

473 \vspace{-3ex}%
474 \begin{enumerate}[topsep=0ex,partopsep=1ex,parsep=0.5ex,itemsep=0ex,label=(\roman*)]%
475
476 \item[]%
477 {\end{enumerate}%
478 ]%
479 \newenvironment{twoalphstat}%
480 {%
481 \vspace{-3ex}%
482 \begin{enumerate}[leftmargin=7.5ex,topsep=0ex,partopsep=1ex,parsep=0.5ex,itemsep=0ex,labelsep=3ex,label=(\alph
483
484 \item[]%
485 {\end{enumerate}%
486 ]%
487
488 \newcommand*\statquoteLabel[1]{}
489
490 \newcommand{\stat}[2]{
491 \item[(#1)]#2
492 }
493
494 \newcommand{\stathead}[2]{
495 \textbf{#1}\hspace{5ex}\textbf{#2}
496 }
497
498
499
500
501 \setlength{\parindent}{0pt}
502 \RequirePackage{lettrine}
503 \setcounter{DefaultLines}{2}
504 %\renewcommand{\DefaultLraise}{0.05}
505 %\renewcommand{\DefaultLoversize}{.07}
506 %\renewcommand{\LettrineFontHook}{\initials}
507 %\RequirePackage{initials}
508 %\RequirePackage{Romantik}%\romantik{}
509 %\RequirePackage{Royal}%\royal
510
511 \newcommand{\intl}[2]{\lettrine{#1}{\hspace{1ex}\textsc{#2}}}
512 \renewcommand{\maketitle}{\thispagestyle{front}
513 \begin{center}
514 {\Huge\textbf{\title}}\rule{\textwidth}{1pt}\rule[16pt]{\textwidth}{2pt}
515 \end{center}
516 }
517 \newcommand{\schedule}[1]{\subsection{#1}}
518 \newcounter{schedon}
519 \setcounter{schedon}{0}

```

```

520
521 \newcommand{\currentsubsection}{}
522 \let\oldsubsection\subsection
523 \renewcommand{\subsection}[1]{\oldsubsection{#1}\renewcommand{\currentsubsection}{#1}}
524
525 \newcommand{\currentsubsubsection}{}
526 \let\oldsubsubsection\subsubsection
527 \renewcommand{\subsubsection}[1]{\oldsubsubsection{#1}\renewcommand{\currentsubsubsection}{#1}}
528 %%%%%%%%%%%
529 %%%%%%%%%%%
530 % enacting
531 %%%%%%%%%%%
532 %%%%%%%%%%%
533 \newcommand{\enactingformula}{
534 \intl{B}{e it enacted} by the King's most Excellent Majesty, by and with the
535 ↪ advice and consent of the Lords Spiritual and Temporal, and Commons, in
536 ↪ this present Parliament assembled, and by the authority of the same, as
537 ↪ follows:--}
538
539 %%%%%%%%%%%
540 %%%%%%%%%%%
541 %enacting option
542 %%%%%%%%%%%
543 %%%%%%%%%%%
544 \DeclareOption{private}{
545 \makeatletter
546 \renewcommand{\enactingformula}{
547 \intl{W}{hereas}---
548
549 \hspace{2em}\begin{minipage}{.75\textwidth}
550
551 \printwhereas
552 \end{minipage}
553
554 \medskip
555
556 \intl{M}{ay} it therefore please Your Majesty that it may be enacted, and be
557 ↪ it enacted, by
558 the King's Most Excellent Majesty, by and with the advice and consent of the
559 ↪ Lords
560 ↪ Spiritual and Temporal, and Commons, in this present Parliament assembled, and
561 ↪ by
562 the authority of the same, as follows:-
563 }
564
565 \makeatother

```

```

561 }
562 }
563
564 \ProcessOptions\relax
565
566
567 %%%%%%%%%%%
568 %%%%%%%%%%%
569 % begindoc
570 %%%%%%%%%%%
571 %%%%%%%%%%%
572 \AtBeginDocument{\emergencystretch 3em
573 \sloppy
574 \OnehalfSpacing
575 \pagestyle{front}
576 \pagenumbering{roman}
577 \maketitle
578 \medskip
579 \extfont
580 \begin{center}\scshape\MakeUppercase{\printexptitle}\end{center}
581
582 \printexptext
583 \medskip
584
585 \begin{center}\scshape EUROPEAN CONVENTION ON HUMAN RIGHTS\end{center}
586
587 \printheadrights
588 \normalfont
589 \clearpage\maketitle
590 \begin{KeepFromToc}
591 \normalfont\normalsize
592 \tableofcontents
593 \end{KeepFromToc}
594
595 \vskip 3ex
596 \mainmatter
597 \pagenumbering{arabic}
598 \pagestyle{bill}\thispagestyle{billfirst}
599 \begin{center}
600     \scshape a
601     \medskip
602
603     \normalfont\Huge\bfseries B\hspace{.5ex}I\hspace{.5ex}L\hspace{.5ex}L
604
605     \medskip
606
607     \normalfont\normalsize\scshape to\normalfont

```

```

608
609 \end{center}
610
611 \medskip
612
613 \noindent\footnotesize\extfont\printbillto\normalsize \normalfont
614
615 \medskip
616
617 \enactingformula
618
619 \medskip
620
621
622
623 }
624
625
626 \AtEndDocument{\cleardoublepage
627
628
629 \setcounter{page}{0}
630 \pagenumbering{arabic}
631 \setcounter{page}{1}
632 \thispagestyle{front}
633
634 \begin{center}
635 {\Huge\textbf{\title}}\rule{\textwidth}{1pt}\rule[16pt]{\textwidth}{2pt}
636 \end{center}
637
638 \begin{center}
639 \normalfont\scshape a
640 \medskip
641
642 \normalfont\Huge\bfseries B\hspace{.5ex}I\hspace{.5ex}L\hspace{.5ex}L
643
644 \vskip 3ex
645 \end{center}
646
647 \normalsize \printbillto
648 \vskip 3ex
649 \begin{center}
650
651 \normalsize\normalfont\itshape Presented by \printdrafter
652
653 \vskip 3ex
654

```

```

655 \rule{.45\textwidth}{1pt}
656 \vspace{1ex}
657
658 \begin{minipage}{.4\textwidth}\centering
659 \itshape Ordered, by\normalfont\ \printdrafter\itshape\ to be Printed,
    ↪ {\normalfont\addordinal{\printbillday}} \textit{\printbillmonth}
    ↪ \printbillyear.
660 \end{minipage}
661
662 \vspace{1ex}
663
664 \rule{.45\textwidth}{1pt}
665
666 \vskip 5ex
667
668 \normalfont\footnotesize\printbillcopyright
669
670
671 \vskip 1ex
672
673 \normalfont\scshape\MakeUppercase{Published By \printpublishedby}
674 \end{center}
675 }

```