

The `latexbug` package*

The L^AT_EX Team

2022/06/10

This file is maintained by the L^AT_EX Project team.
Bug reports can be opened (category `latex`) at
<https://latex-project.org/bugs.html>.

1 Introduction

Software has bugs and L^AT_EX unfortunately is no exception. If somebody encounters a bug then it helps if that bug gets reported to the right people so that the bug can be resolved (or a workaround documented or whatever is most appropriate). The problem is to know to whom to report the bug.

The L^AT_EX Project Team maintains a bug database for its own code base (which consists of the L^AT_EX kernel and some packages that have been written by people in the L^AT_EX Project Team). However, the L^AT_EX universe consists of several thousand contributed packages maintained by individuals all over the world. And if a bug happens in one of those packages it doesn't help anybody if it is dumped at the L^AT_EX Project's doorstep.

For one, we can't actually change other people's code even if we are able to identify the issue. Furthermore we are only a few people and simply do not have the bandwidth to analyze bugs in other people's work.

We have therefore written this little package called `latexbug` that should help in identifying the rightful addressee for a bug report. We ask that it will be loaded in any test file that is intended to be sent to the L^AT_EX bug database as part of a bug report.

The package will determine if the test file is in a suitable state to be sent to us or if it should be modified first or if it should be sent to somebody else because the bug is (likely) to be in code not maintained by the L^AT_EX Project Team.

Bug reports sent to the L^AT_EX bug database without that prior verification are likely to get closed without being looked at at our end in the future.

2 The user interface

The user interface is simple: the package has no option and doesn't define any new commands to be used. All that is required is that the package is loaded as the very first step in the test file that shows the bug — in other words before

*This file has version number v1.0m, last revised 2022/06/10.

the `\documentclass`. For that reason it must be loaded using `\RequirePackage` instead of the usual `\usepackage` that is used in the preamble of a document.

Thus, a bug report test files should look like this:

```
\RequirePackage{latexbug}      % <- required first line
                                %   followed by:
\documentclass{article}       % or some other class
                                %   followed by:
...                            % <- code showing the bug ...
\end{document}
```

If the test file runs through (showing the bug) without any complains for `latexbug` then the test file is ready to be sent to the L^AT_EX bug database. The procedure for uploading and the location is documented at

<https://www.latex-project.org/bugs/>

If `latexbug` does generate an error, however, then this error needs to be addressed first and the depending on the resolution the bug report may has to be sent to somebody else.

An error is generated if the test file makes use of third-party code that is not maintained by the L^AT_EX Project Team. For example, if the file would load `geometry` and `footmisc` you would see the following:

```
Package latexbug Error: Third-party file(s)
(latexbug)
(latexbug)          This test file uses third-party file(s)
(latexbug)
(latexbug)          =====
(latexbug)          geometry.sty -> Hideo Umeki
(latexbug)          <latexgeometry [at] gmail [dot] com>
(latexbug)          footmisc.sty
(latexbug)          =====
(latexbug)
```

It then continues with advice to remove such third-party code from the test file. If that is not possible, because the bug goes away if a package is removed, then the problem is (most likely) with this package and the bug report should be sent to the maintainer of that package and not to the L^AT_EX bug database.

```
(latexbug)          So you should contact the authors
(latexbug)          of these files, not the LaTeX Team!
(latexbug)          (Or remove the packages that load
(latexbug)          them, if they are not necessary to
(latexbug)          exhibit the problem).
```

To make life somewhat easier `latexbug` will tell you the name of the maintainer (if we know it and have added it in) and if possible also the canonical bug address for the package (like in the case of `geometry`). If we don't have that information, you need to find it out for yourself by looking at the package documentation.

There may be cases where third-party code is essential to exhibit a bug in core L^AT_EX code maintained by the the L^AT_EX Team. The error text therefore finishes off with the following sentence:

```
(latexbug)          If you think the bug is in core LaTeX
(latexbug)          (as maintained by the LaTeX Team) but
(latexbug)          these files are needed to demonstrate
(latexbug)          the problem, please continue and mention
(latexbug)          this explicitly in your bug report
(latexbug)          (with an explanation why you think so).
```

Please explain your reasoning why you think this is the case in detail as part of the bug report.

It is also possible that `latexbug` doesn't generate an error, but issues a warning, that it has detected one or more packages, that have their own bug tracker. In that case the report should be made in the bug tracker of that package and not in the L^AT_EX 2_ε, even if it is a package that is mainted by us!

Other people look these bug tracker to search for known problems and thus it is best if yours is recorded in the right place. Such a warning will look like this (we use `hyperref` as an example):

```
Package latexbug Warning: Special bug tracker!
(latexbug)
(latexbug)          This test file uses the following file(s)
(latexbug)
(latexbug)          =====
(latexbug)          hyperref.sty -> Report at:
(latexbug)          https://github.com/latex3/hyperref/issues
(latexbug)          =====
(latexbug)
(latexbug)          Please note that these files have their own
(latexbug)          bug tracker and your issue should therefore
(latexbug)          be reported in the indicated repository.
(latexbug)
(latexbug)          If they are not necessary to exhibit the problem,
(latexbug)          remove them from your example and rerun it,
(latexbug)          otherwise report the issue in the listed repository.
(latexbug)
(latexbug)          If different repositories are listed, try to
(latexbug)          select the most appropriate one (but don't worry
(latexbug)          too much, if the choice is not clear to you).
```

*Thank you for taking the time to report a bug and
prepare a test file showing it!*

2.1 A note on the database content in the package

When a document is run through L^AT_EX it will load a number of files and bug reports that are to be sent to the L^AT_EX Team should only load files that we maintain and not third-party packages.

The database, if you want to call that, inside `latexbug` is simply a comma separated key value list consisting of file names = maintainer info. Most of the time the maintainer info is `us` or `us*` (the star means we maintain it, but in some repository other than `latex2e` — either `latex3` (default) or some other we point to, so the file is fine) or `ignore` (meaning we do not maintain it, but it is a file that is likely to appear for one or the other reason and we should accept such a bug report nonetheless without giving any warning).

Any file loaded in the bug report not listed will show up in the error listing flagged as “third-party” code that should be removed as explained above.

For a small number of popular third-party packages we have collected the name of the external maintainer and if available to us some extra info so that it is easier to send to the rightful addressee if you encounter a bug in such a third-party package. But to keep this manageable this is only done for a very small number of the 5000+ packages out there (though we might add one or the other over time).

It is however not impossible that we missed one or the other file that should have been listed as “maintained by us” but isn’t and thus incorrectly generates an error. If you run into that problem or notice an omission of that sort, please send us a bug report or open an issue at the GitHub source of the package which is located at:

<https://github.com/latex3/latexbug/>

3 The documentation driver file

The next bit of code contains the documentation driver file for $\text{T}_{\text{E}}\text{X}$, i.e., the file that will produce the documentation you are currently reading. It will be extracted from this file by the `docstrip` program.

```

1 <*driver>
2 \RequirePackage{latexbug}
3 \documentclass{ltxdoc}
4 \GetFileInfo{latexbug.sty}
5 %\usepackage{geometry,footmisc,hyperref} % uncomment for latexbug error
6 %\usepackage{xparse} % uncomment for latexbug error
7 \EnableCrossrefs
8 %\DisableCrossrefs % Say \DisableCrossrefs if index is ready
9 %\OnlyDescription % Comment out for implementation details
10 \begin{document}
11 \DocInput{latexbug.dtx}
12 \end{document}
13 </driver>

```

4 The implementation

```

14 <*package>
15 \NeedsTeXFormat{LaTeX2e}
16 \ProvidesPackage{latexbug}[2022/06/10 v1.0m Bug-classification]
\latexbug@empty Fixed text used in checking what actions to take with different files.
\latexbug@us 17 \def\latexbug@empty{}
\latexbug@ustar 18 \def\latexbug@us{us}
\latexbug@ignore 19 \def\latexbug@usstar{us*}

```

```

20 \def\latexbug@ignore{ignore}

\Contact A very simple piece of markup, really.
21 \def\Contact{\MessageBreak \@spaces}

The database of packages is set up in a group so we can throw away the loop
command.
22 \begingroup

\latexbug@loop A simple loop set up which reads a known format for the file-to-maintainer map-
ping. The trailing space is important (stripping it is not really worth it for this
very limited use case).
23 \long\def\latexbug@loop #1 = #2 #3, {% spaces matter
24 \global\@namedef{latexbug@@#1}{{#2}{#3}}}%
25 \ifx\latexbug@empty#1\else\expandafter\latexbug@loop\fi}

```

A simple database of files. The value `us` means we accept bugs for it. We also take bug reports for `us*` (expl3 or other repositories we suport) entries, but they need to go to a different GitHub repository, so are handled separately (and only show up if there are no third-party packages). For the `latex3/latex3` repository just write `us*`, for others one need to specify the full details, e.g.,

```

hyperref.sty = us*
\Contact https://github.com/latex3/hyperref/issues ,

```

A value of `ignore` means that its not our code, but we understand that it may show up in legitimate test files and should therefore not trigger an error.

Any file not in there will trigger an error if loaded and any file in there with some other value than `us` or `ignore` will also trigger an error displaying the value (which hopefully is the maintainers name). (Handling for `us*` means these files may not show up, depending on the nature of the use case.)

The database format is somewhat fragile: one needs to have a space on both sides of the equal sign and before the comma (or one gets a nasty low-level error), and names can't have no-ascii characters in them, so they end up crippled (sorry for that).

```

26 \latexbug@loop
27 %-----
28 latexbug.sty = us ,
29 regression-test = us ,
30 %----- base
31 alltt.sty = us ,
32 ansinew.def = us ,
33 applemac.def = us ,
34 article.cls = us ,
35 article.sty = us ,
36 ascii.def = us ,
37 atbegshi-ltx.sty = us ,
38 atveryend-ltx.sty = us ,
39 bezier.sty = us ,
40 bk10.clo = us ,
41 bk11.clo = us ,

```

```

42 bk12.clo = us ,
43 book.cls = us ,
44 book.sty = us ,
45 cp1250.def = us ,
46 cp1252.def = us ,
47 cp1257.def = us ,
48 cp437.def = us ,
49 cp437de.def = us ,
50 cp850.def = us ,
51 cp852.def = us ,
52 cp858.def = us ,
53 cp865.def = us ,
54 decmulti.def = us ,
55 doc-v3beta.sty = us ,
56 doc.sty = us ,
57 docstrip.tex = us ,
58 exscale.sty = us ,
59 fix-cm.sty = us ,
60 fixltx2e.sty = us ,
61 flafter.sty = us ,
62 fleqn.clo = us ,
63 fleqn.sty = us ,
64 fltrace.sty = us ,
65 fontenc.sty = us ,
66 fontmath.cfg = us ,
67 fontmath.ltx = us ,
68 fonttext.cfg = us ,
69 fonttext.ltx = us ,
70 graphpap.sty = us ,
71 hyphen.ltx = us ,
72 idx.tex = us ,
73 ifthen.sty = us ,
74 inputenc.sty = us ,
75 labl.st.tex = us ,
76 latex.ltx = us ,
77 latex209.def = us ,
78 latexrelease.sty = us ,
79 latexsym.sty = us ,
80 latin1.def = us ,
81 latin10.def = us ,
82 latin2.def = us ,
83 latin3.def = us ,
84 latin4.def = us ,
85 latin5.def = us ,
86 latin9.def = us ,
87 lcyenc.dfu = us ,
88 leqno.clo = us ,
89 leqno.sty = us ,
90 letter.cls = us ,
91 letter.sty = us ,
92 lppl.tex = us ,
93 ltluatex.lua = us ,
94 ltluatex.lua = us ,
95 ltluatex.tex = us ,

```

```

96 ltluatex.tex = us ,
97 ltnews.cls = us ,
98 ltxcheck.tex = us ,
99 ltxdoc.cls = us ,
100 ltxdoc.cfg = us ,
101 ltxguide.cls = us ,
102 ly1enc.dfu = us ,
103 macce.def = us ,
104 makeidx.sty = us ,
105 minimal.cls = us ,
106 newlfont.sty = us ,
107 next.def = us ,
108 nfssfont.tex = us ,
109 oldlfont.sty = us ,
110 omlcmm.fd = us ,
111 omlcmr.fd = us ,
112 omlenc.def = us ,
113 omllcmm.fd = us ,
114 omscmr.fd = us ,
115 omscopy.fd = us ,
116 omsenc.def = us ,
117 omsenc.dfu = us ,
118 omslscopy.fd = us ,
119 omxcmex.fd = us ,
120 omxlcex.fd = us ,
121 openbib.sty = us ,
122 ot1cmdh.fd = us ,
123 ot1cmfib.fd = us ,
124 ot1cmfr.fd = us ,
125 ot1cmr.fd = us ,
126 ot1cmss.fd = us ,
127 ot1cmtt.fd = us ,
128 ot1cmvtt.fd = us ,
129 ot1enc.def = us ,
130 ot1enc.dfu = us ,
131 ot1lcms.fd = us ,
132 ot1lcmtt.fd = us ,
133 ot2enc.dfu = us ,
134 ot4enc.def = us ,
135 preload.cfg = us ,
136 preload.ltx = us ,
137 proc.cls = us ,
138 proc.sty = us ,
139 report.cls = us ,
140 report.sty = us ,
141 sample2e.tex = us ,
142 sfonts.def = us ,
143 shortvrb.sty = us ,
144 showidx.sty = us ,
145 size10.clo = us ,
146 size11.clo = us ,
147 size12.clo = us ,
148 slides.cls = us ,
149 slides.def = us ,

```

```

150 slides.sty = us ,
151 small2e.tex = us ,
152 source2e.tex = us ,
153 source2edoc.cls = us ,
154 structuredlog.sty = us ,
155 syntononly.sty = us ,
156 t1cmdh.fd = us ,
157 t1cmfib.fd = us ,
158 t1cmfr.fd = us ,
159 t1cmr.fd = us ,
160 t1cmss.fd = us ,
161 t1cmtt.fd = us ,
162 t1cmvtt.fd = us ,
163 t1enc.def = us ,
164 t1enc.dfu = us ,
165 t1enc.sty = us ,
166 t1lcmss.fd = us ,
167 t1lcmtt.fd = us ,
168 t2aenc.dfu = us ,
169 t2benc.dfu = us ,
170 t2cenc.dfu = us ,
171 testpage.tex = us ,
172 texsys.cfg = us ,
173 textcomp-2018-08-11.sty = us ,
174 textcomp.sty = us ,
175 tracefmt.sty = us ,
176 ts1cmr.fd = us ,
177 ts1cmss.fd = us ,
178 ts1cmtt.fd = us ,
179 ts1cmvtt.fd = us ,
180 ts1enc.def = us ,
181 ts1enc.dfu = us ,
182 tuenc.def = us ,
183 tulmdh.fd = us ,
184 tulmr.fd = us ,
185 tulmss.fd = us ,
186 tulmssq.fd = us ,
187 tulmtt.fd = us ,
188 tulmvtt.fd = us ,
189 ucmr.fd = us ,
190 ucmss.fd = us ,
191 ucmtt.fd = us ,
192 ulasy.fd = us ,
193 ullasy.fd = us ,
194 utf8-2018.def = us ,
195 utf8.def = us ,
196 utf8enc.dfu = us ,
197 x2enc.dfu = us ,
198 %----- tools
199 afterpage.sty = us ,
200 array-2016-10-06.sty = us ,
201 array-2020-02-10.sty = us ,
202 array.sty = us ,
203 bm.sty = us ,

```



```

204 calc.sty = us ,
205 dcolumn.sty = us ,
206 delarray.sty = us ,
207 e.tex = us ,
208 enumerate.sty = us ,
209 fontsmpl.sty = us ,
210 fontsmpl.tex = us ,
211 ftnright.sty = us ,
212 h.tex = us ,
213 hhline.sty = us ,
214 indentfirst.sty = us ,
215 layout.sty = us ,
216 longtable-2020-01-07.sty = us ,
217 longtable.sty = us ,
218 multicol-2017-04-11.sty = us ,
219 multicol.sty = us ,
220 q.tex = us ,
221 r.tex = us ,
222 rawfonts.sty = us ,
223 s.tex = us ,
224 shellesc.sty = us ,
225 showkeys.sty = us ,
226 somedefs.sty = us ,
227 tabularx.sty = us ,
228 thb.sty = us ,
229 thc.sty = us ,
230 thcb.sty = us ,
231 theorem.sty = us ,
232 thm.sty = us ,
233 thmb.sty = us ,
234 thp.sty = us ,
235 trace.sty = us ,
236 varioref-2016-02-16.sty = us ,
237 varioref.sty = us ,
238 verbatim.sty = us ,
239 verbttest.tex = us ,
240 x.tex = us ,
241 xr.sty = us ,
242 xspace.sty = us ,
243 %----- babel (locale files)
244 babel-slovenian.tex = ignore ,
245 babel-slovene.tex = ignore ,
246 babel-slovak.tex = ignore ,
247 babel-urdu.tex = ignore ,
248 babel-northernkurdish.tex = ignore ,
249 babel-kurmanji.tex = ignore ,
250 babel-northernkurdish-arabic.tex = ignore ,
251 babel-northernkurdish-arab.tex = ignore ,
252 babel-northernsami.tex = ignore ,
253 babel-samin.tex = ignore ,
254 babel-soga.tex = ignore ,
255 babel-swahili.tex = ignore ,
256 babel-cherokee.tex = ignore ,
257 babel-koyrachiini.tex = ignore ,

```

```

258 babel-kabyle.tex = ignore ,
259 babel-uyghur.tex = ignore ,
260 babel-kako.tex = ignore ,
261 babel-uzbek.tex = ignore ,
262 babel-uzbek-latn.tex = ignore ,
263 babel-uzbek-arabic.tex = ignore ,
264 babel-uzbek-cyrillic.tex = ignore ,
265 babel-uzbek-latin.tex = ignore ,
266 babel-uzbek-arab.tex = ignore ,
267 babel-uzbek-cyrl.tex = ignore ,
268 babel-polish.tex = ignore ,
269 babel-rombo.tex = ignore ,
270 babel-vietnam.tex = ignore ,
271 babel-vietnamese.tex = ignore ,
272 babel-masai.tex = ignore ,
273 babel-albanian.tex = ignore ,
274 babel-kamba.tex = ignore ,
275 babel-swedish.tex = ignore ,
276 babel-irish.tex = ignore ,
277 babel-hebrew.tex = ignore ,
278 babel-inarisami.tex = ignore ,
279 babel-malay.tex = ignore ,
280 babel-malay-singapore.tex = ignore ,
281 babel-malay-sg.tex = ignore ,
282 babel-malay-brunei.tex = ignore ,
283 babel-malay-bn.tex = ignore ,
284 babel-mazanderani.tex = ignore ,
285 babel-khmer.tex = ignore ,
286 babel-maltese.tex = ignore ,
287 babel-tasawaq.tex = ignore ,
288 babel-bemba.tex = ignore ,
289 babel-armenian.tex = ignore ,
290 babel-amharic.tex = ignore ,
291 babel-zarma.tex = ignore ,
292 babel-nynorsk.tex = ignore ,
293 babel-norwegiannynorsk.tex = ignore ,
294 babel-belarusian.tex = ignore ,
295 babel-danish.tex = ignore ,
296 babel-kalaallisut.tex = ignore ,
297 babel-shambala.tex = ignore ,
298 babel-marathi.tex = ignore ,
299 babel-kazakh.tex = ignore ,
300 babel-norsk.tex = ignore ,
301 babel-norwegian.tex = ignore ,
302 babel-akan.tex = ignore ,
303 babel-kyrgyz.tex = ignore ,
304 babel-gujarati.tex = ignore ,
305 babel-samburu.tex = ignore ,
306 babel-dzongkha.tex = ignore ,
307 babel-malagasy.tex = ignore ,
308 babel-mongolian.tex = ignore ,
309 babel-cornish.tex = ignore ,
310 babel-walser.tex = ignore ,
311 babel-yangben.tex = ignore ,

```

```

312 babel-sangu.tex = ignore ,
313 babel-bambara.tex = ignore ,
314 babel-centralatlastamazight.tex = ignore ,
315 babel-ancientgreek.tex = ignore ,
316 babel-machame.tex = ignore ,
317 babel-sichuanyu.tex = ignore ,
318 babel-ewe.tex = ignore ,
319 babel-hawaiian.tex = ignore ,
320 babel-japanese.tex = ignore ,
321 babel-churchslavonic.tex = ignore ,
322 babel-churchslavic.tex = ignore ,
323 babel-churchslavic-cyrs.tex = ignore ,
324 babel-churchslavic-glagolitic.tex = ignore ,
325 babel-churchslavic-glag.tex = ignore ,
326 babel-churchslavic-oldcyrillic.tex = ignore ,
327 babel-polytonicgreek.tex = ignore ,
328 babel-greek.tex = ignore ,
329 babel-monotonicgreek.tex = ignore ,
330 babel-igbo.tex = ignore ,
331 babel-latvian.tex = ignore ,
332 babel-occitan.tex = ignore ,
333 babel-westernfrisian.tex = ignore ,
334 babel-luxembourgish.tex = ignore ,
335 babel-italian.tex = ignore ,
336 babel-oromo.tex = ignore ,
337 babel-catalan.tex = ignore ,
338 babel-icelandic.tex = ignore ,
339 babel-czech.tex = ignore ,
340 babel-interlingua.tex = ignore ,
341 babel-telugu.tex = ignore ,
342 babel-friulian.tex = ignore ,
343 babel-vai-latin.tex = ignore ,
344 babel-vai-vaii.tex = ignore ,
345 babel-vai.tex = ignore ,
346 babel-vai-latn.tex = ignore ,
347 babel-vai-vai.tex = ignore ,
348 babel-russian.tex = ignore ,
349 babel-turkmen.tex = ignore ,
350 babel-jolafonyi.tex = ignore ,
351 babel-rundi.tex = ignore ,
352 babel-konkani.tex = ignore ,
353 babel-piedmontese.tex = ignore ,
354 babel-standardmoroccantamazight.tex = ignore ,
355 babel-quechua.tex = ignore ,
356 babel-meru.tex = ignore ,
357 babel-nyankole.tex = ignore ,
358 babel-romanian-md.tex = ignore ,
359 babel-romanian-moldova.tex = ignore ,
360 babel-romanian.tex = ignore ,
361 babel-moldavian.tex = ignore ,
362 babel-luo.tex = ignore ,
363 babel-usorbian.tex = ignore ,
364 babel-uppersorbian.tex = ignore ,
365 babel-yoruba.tex = ignore ,

```

```

366 babel-syriac.tex = ignore ,
367 babel-makhuwameetto.tex = ignore ,
368 babel-northernluri.tex = ignore ,
369 babel-aghem.tex = ignore ,
370 babel-meta.tex = ignore ,
371 babel-zulu.tex = ignore ,
372 babel-centralkurdish-latin.tex = ignore ,
373 babel-centralkurdish-latn.tex = ignore ,
374 babel-sorani.tex = ignore ,
375 babel-centralkurdish.tex = ignore ,
376 babel-cantonese.tex = ignore ,
377 babel-makonde.tex = ignore ,
378 babel-somali.tex = ignore ,
379 babel-sanskrit.tex = ignore ,
380 babel-sanskrit-telu.tex = ignore ,
381 babel-sanskrit-malayalam.tex = ignore ,
382 babel-sanskrit-devanagari.tex = ignore ,
383 babel-sanskrit-bengali.tex = ignore ,
384 babel-sanskrit-gujr.tex = ignore ,
385 babel-sanskrit-gujarati.tex = ignore ,
386 babel-sanskrit-deva.tex = ignore ,
387 babel-sanskrit-telugu.tex = ignore ,
388 babel-sanskrit-knda.tex = ignore ,
389 babel-sanskrit-beng.tex = ignore ,
390 babel-sanskrit-kannada.tex = ignore ,
391 babel-sanskrit-mlym.tex = ignore ,
392 babel-chiga.tex = ignore ,
393 babel-teso.tex = ignore ,
394 babel-yiddish.tex = ignore ,
395 babel-portuguese.tex = ignore ,
396 babel-brazilian.tex = ignore ,
397 babel-portuguese-portugal.tex = ignore ,
398 babel-portuguese-br.tex = ignore ,
399 babel-portuguese-brazil.tex = ignore ,
400 babel-portuguese-pt.tex = ignore ,
401 babel-pashto.tex = ignore ,
402 babel-embu.tex = ignore ,
403 babel-chinese-hans-mo.tex = ignore ,
404 babel-chinese-hant-hk.tex = ignore ,
405 babel-chinese-simplified.tex = ignore ,
406 babel-chinese-hans-hk.tex = ignore ,
407 babel-chinese-hant.tex = ignore ,
408 babel-chinese-simplified-singapore.tex = ignore ,
409 babel-chinese-simplified-hongkongsarchina.tex = ignore ,
410 babel-chinese-hans-sg.tex = ignore ,
411 babel-chinese-hans.tex = ignore ,
412 babel-chinese-traditional-macausarchina.tex = ignore ,
413 babel-chinese.tex = ignore ,
414 babel-chinese-hant-mo.tex = ignore ,
415 babel-chinese-traditional.tex = ignore ,
416 babel-chinese-simplified-macausarchina.tex = ignore ,
417 babel-chinese-traditional-hongkongsarchina.tex = ignore ,
418 babel-ukrainian.tex = ignore ,
419 babel-serbian-latn-me.tex = ignore ,

```

```

420 babel-serbian-latin-kosovo.tex = ignore ,
421 babel-serbian-latn.tex = ignore ,
422 babel-serbian-cyrl-me.tex = ignore ,
423 babel-serbian-cyrillic-montenegro.tex = ignore ,
424 babel-serbian-cyrillic.tex = ignore ,
425 babel-serbian-cyrl-ba.tex = ignore ,
426 babel-serbian-cyrl.tex = ignore ,
427 babel-serbian.tex = ignore ,
428 babel-serbian-latin-bosniaherzegovina.tex = ignore ,
429 babel-serbian-latin.tex = ignore ,
430 babel-serbian-cyrl-xk.tex = ignore ,
431 babel-serbian-latn-ba.tex = ignore ,
432 babel-serbian-latin-montenegro.tex = ignore ,
433 babel-serbian-latn-xk.tex = ignore ,
434 babel-serbian-cyrillic-kosovo.tex = ignore ,
435 babel-serbian-cyrillic-bosniaherzegovina.tex = ignore ,
436 babel-bodo.tex = ignore ,
437 babel-sango.tex = ignore ,
438 babel-punjabi-gurmukhi.tex = ignore ,
439 babel-punjabi-arabic.tex = ignore ,
440 babel-punjabi-guru.tex = ignore ,
441 babel-punjabi.tex = ignore ,
442 babel-punjabi-arab.tex = ignore ,
443 babel-shona.tex = ignore ,
444 babel-sinhala.tex = ignore ,
445 babel-malayalam.tex = ignore ,
446 babel-tibetan.tex = ignore ,
447 babel-macedonian.tex = ignore ,
448 babel-northndebele.tex = ignore ,
449 babel-tachelhit-tifinagh.tex = ignore ,
450 babel-tachelhit.tex = ignore ,
451 babel-tachelhit-tfng.tex = ignore ,
452 babel-tachelhit-latn.tex = ignore ,
453 babel-tachelhit-latin.tex = ignore ,
454 babel-hausa.tex = ignore ,
455 babel-hausa-niger.tex = ignore ,
456 babel-hausa-gh.tex = ignore ,
457 babel-hausa-ghana.tex = ignore ,
458 babel-hausa-ne.tex = ignore ,
459 babel-kannada.tex = ignore ,
460 babel-bosnian.tex = ignore ,
461 babel-bosnian-cyrillic.tex = ignore ,
462 babel-bosnian-cyrl.tex = ignore ,
463 babel-bosnian-latn.tex = ignore ,
464 babel-bosnian-latin.tex = ignore ,
465 babel-kikuyu.tex = ignore ,
466 babel-burmese.tex = ignore ,
467 babel-arabic-lb.tex = ignore ,
468 babel-arabic-jordan.tex = ignore ,
469 babel-arabic-palestinianterritories.tex = ignore ,
470 babel-arabic-iraq.tex = ignore ,
471 babel-arabic-ma.tex = ignore ,
472 babel-arabic-egypt.tex = ignore ,
473 babel-arabic-lebanon.tex = ignore ,

```

```

474 babel-arabic-dz.tex = ignore ,
475 babel-arabic-morocco.tex = ignore ,
476 babel-arabic-eg.tex = ignore ,
477 babel-arabic-ps.tex = ignore ,
478 babel-arabic-iq.tex = ignore ,
479 babel-arabic-tunisia.tex = ignore ,
480 babel-arabic-jo.tex = ignore ,
481 babel-arabic-algeria.tex = ignore ,
482 babel-arabic-sy.tex = ignore ,
483 babel-arabic-syria.tex = ignore ,
484 babel-arabic-tn.tex = ignore ,
485 babel-arabic.tex = ignore ,
486 babel-sakha.tex = ignore ,
487 babel-rwa.tex = ignore ,
488 babel-galician.tex = ignore ,
489 babel-manx.tex = ignore ,
490 babel-croatian.tex = ignore ,
491 babel-hungarian.tex = ignore ,
492 babel-magyar.tex = ignore ,
493 babel-dutch.tex = ignore ,
494 babel-bulgarian.tex = ignore ,
495 babel-kashmiri.tex = ignore ,
496 babel-bengali.tex = ignore ,
497 babel-nepali.tex = ignore ,
498 babel-gusii.tex = ignore ,
499 babel-asturian.tex = ignore ,
500 babel-filipino.tex = ignore ,
501 babel-afrikaans.tex = ignore ,
502 babel-bena.tex = ignore ,
503 babel-norwegianbokmal.tex = ignore ,
504 babel-colognian.tex = ignore ,
505 babel-hindi.tex = ignore ,
506 babel-mundang.tex = ignore ,
507 babel-georgian.tex = ignore ,
508 babel-asu.tex = ignore ,
509 babel-austrian.tex = ignore ,
510 babel-german-switzerland.tex = ignore ,
511 babel-german-austria.tex = ignore ,
512 babel-german-switzerland-traditional.tex = ignore ,
513 babel-german-ch.tex = ignore ,
514 babel-german-at.tex = ignore ,
515 babel-german-traditional.tex = ignore ,
516 babel-nswissgerman.tex = ignore ,
517 babel-swissgerman.tex = ignore ,
518 babel-ngerman.tex = ignore ,
519 babel-naustrian.tex = ignore ,
520 babel-german-austria-traditional.tex = ignore ,
521 babel-german.tex = ignore ,
522 babel-assamese.tex = ignore ,
523 babel-azerbaijani-latin.tex = ignore ,
524 babel-azerbaijani-cyrl.tex = ignore ,
525 babel-azerbaijani.tex = ignore ,
526 babel-azerbaijani-cyrillic.tex = ignore ,
527 babel-azerbaijani-latn.tex = ignore ,

```

```

528 babel-bafia.tex = ignore ,
529 babel-scottishgaelic.tex = ignore ,
530 babel-breton.tex = ignore ,
531 babel-korean-han.tex = ignore ,
532 babel-korean.tex = ignore ,
533 babel-korean-hani.tex = ignore ,
534 babel-finnish.tex = ignore ,
535 babel-ossetic.tex = ignore ,
536 babel-lubakatanga.tex = ignore ,
537 babel-langi.tex = ignore ,
538 babel-esperanto.tex = ignore ,
539 babel-basaa.tex = ignore ,
540 babel-indonesian.tex = ignore ,
541 babel-french-swissfrench.tex = ignore ,
542 babel-french-canadianfrench.tex = ignore ,
543 babel-french-be.tex = ignore ,
544 babel-french-ca.tex = ignore ,
545 babel-french-belgium.tex = ignore ,
546 babel-french-ch.tex = ignore ,
547 babel-french.tex = ignore ,
548 babel-french-canada.tex = ignore ,
549 babel-french-lu.tex = ignore ,
550 babel-french-switzerland.tex = ignore ,
551 babel-french-luxembourg.tex = ignore ,
552 babel-ganda.tex = ignore ,
553 babel-taita.tex = ignore ,
554 babel-nama.tex = ignore ,
555 babel-lingala.tex = ignore ,
556 babel-spanish-mx.tex = ignore ,
557 babel-spanish.tex = ignore ,
558 babel-spanish-mexico.tex = ignore ,
559 babel-mexican.tex = ignore ,
560 babel-estonian.tex = ignore ,
561 babel-vunjo.tex = ignore ,
562 babel-kwasio.tex = ignore ,
563 babel-koyraborosenni.tex = ignore ,
564 babel-usenglish.tex = ignore ,
565 babel-english-newzealand.tex = ignore ,
566 babel-english.tex = ignore ,
567 babel-english-ca.tex = ignore ,
568 babel-australian.tex = ignore ,
569 babel-english-australia.tex = ignore ,
570 babel-english-canada.tex = ignore ,
571 babel-british.tex = ignore ,
572 babel-american.tex = ignore ,
573 babel-americanenglish.tex = ignore ,
574 babel-canadianenglish.tex = ignore ,
575 babel-australianenglish.tex = ignore ,
576 babel-english-gb.tex = ignore ,
577 babel-english-unitedkingdom.tex = ignore ,
578 babel-canadian.tex = ignore ,
579 babel-ukenglish.tex = ignore ,
580 babel-newzealand.tex = ignore ,
581 babel-english-au.tex = ignore ,

```

```

582 babel-english-unitedstates.tex = ignore ,
583 babel-english-nz.tex = ignore ,
584 babel-britishenglish.tex = ignore ,
585 babel-english-us.tex = ignore ,
586 babel-ngiemboon.tex = ignore ,
587 babel-persian.tex = ignore ,
588 babel-lithuanian.tex = ignore ,
589 babel-fulah.tex = ignore ,
590 babel-ngomba.tex = ignore ,
591 babel-lakota.tex = ignore ,
592 babel-faroese.tex = ignore ,
593 babel-ewondo.tex = ignore ,
594 babel-oriya.tex = ignore ,
595 babel-welsh.tex = ignore ,
596 babel-sena.tex = ignore ,
597 babel-basque.tex = ignore ,
598 babel-lao.tex = ignore ,
599 babel-medievallatin.tex = ignore ,
600 babel-classiclatin.tex = ignore ,
601 babel-ecclesiasticlatin.tex = ignore ,
602 babel-latin.tex = ignore ,
603 babel-chechen.tex = ignore ,
604 babel-romansh.tex = ignore ,
605 babel-lsorbian.tex = ignore ,
606 babel-lowersorbian.tex = ignore ,
607 babel-tamil.tex = ignore ,
608 babel-thai.tex = ignore ,
609 babel-tongan.tex = ignore ,
610 babel-kabuverdianu.tex = ignore ,
611 babel-turkish.tex = ignore ,
612 babel-coptic.tex = ignore ,
613 babel-duala.tex = ignore ,
614 babel-kinyarwanda.tex = ignore ,
615 babel-morisyen.tex = ignore ,
616 babel-tigrinya.tex = ignore ,
617 babel-kalenjin.tex = ignore ,
618 babel-luyia.tex = ignore ,
619 babel-nuer.tex = ignore ,
620 %-- looks like the files are sometimes loaded without extension
621 babel-slovenian = ignore ,
622 babel-slovene = ignore ,
623 babel-slovak = ignore ,
624 babel-urdu = ignore ,
625 babel-northernkurdish = ignore ,
626 babel-kurmanji = ignore ,
627 babel-northernkurdish-arabic = ignore ,
628 babel-northernkurdish-arab = ignore ,
629 babel-northernsami = ignore ,
630 babel-samin = ignore ,
631 babel-soga = ignore ,
632 babel-swahili = ignore ,
633 babel-cherokee = ignore ,
634 babel-koyrachiini = ignore ,
635 babel-kabyle = ignore ,

```


636 babel-uyghur = ignore ,
637 babel-kako = ignore ,
638 babel-uzbek = ignore ,
639 babel-uzbek-latn = ignore ,
640 babel-uzbek-arabic = ignore ,
641 babel-uzbek-cyrillic = ignore ,
642 babel-uzbek-latin = ignore ,
643 babel-uzbek-arab = ignore ,
644 babel-uzbek-cyrl = ignore ,
645 babel-polish = ignore ,
646 babel-rombo = ignore ,
647 babel-vietnam = ignore ,
648 babel-vietnamese = ignore ,
649 babel-masai = ignore ,
650 babel-albanian = ignore ,
651 babel-kamba = ignore ,
652 babel-swedish = ignore ,
653 babel-irish = ignore ,
654 babel-hebrew = ignore ,
655 babel-inarisami = ignore ,
656 babel-malay = ignore ,
657 babel-malay-singapore = ignore ,
658 babel-malay-sg = ignore ,
659 babel-malay-brunei = ignore ,
660 babel-malay-bn = ignore ,
661 babel-mazanderani = ignore ,
662 babel-khmer = ignore ,
663 babel-maltese = ignore ,
664 babel-tasawaq = ignore ,
665 babel-bemba = ignore ,
666 babel-armenian = ignore ,
667 babel-amharic = ignore ,
668 babel-zarma = ignore ,
669 babel-nynorsk = ignore ,
670 babel-norwegiannynorsk = ignore ,
671 babel-belarusian = ignore ,
672 babel-danish = ignore ,
673 babel-kalaallisut = ignore ,
674 babel-shambala = ignore ,
675 babel-marathi = ignore ,
676 babel-kazakh = ignore ,
677 babel-norsk = ignore ,
678 babel-norwegian = ignore ,
679 babel-akan = ignore ,
680 babel-kyrgyz = ignore ,
681 babel-gujarati = ignore ,
682 babel-samburu = ignore ,
683 babel-dzongkha = ignore ,
684 babel-malagasy = ignore ,
685 babel-mongolian = ignore ,
686 babel-cornish = ignore ,
687 babel-walser = ignore ,
688 babel-yangben = ignore ,
689 babel-sangu = ignore ,

690 babel-bambara = ignore ,
 691 babel-centralatlastamazight = ignore ,
 692 babel-ancientgreek = ignore ,
 693 babel-machame = ignore ,
 694 babel-sichuanyi = ignore ,
 695 babel-ewe = ignore ,
 696 babel-hawaiian = ignore ,
 697 babel-japanese = ignore ,
 698 babel-churchslavonic = ignore ,
 699 babel-churchslavic = ignore ,
 700 babel-churchslavic-cyrs = ignore ,
 701 babel-churchslavic-glagolitic = ignore ,
 702 babel-churchslavic-glag = ignore ,
 703 babel-churchslavic-oldcyrillic = ignore ,
 704 babel-polytonicgreek = ignore ,
 705 babel-greek = ignore ,
 706 babel-monotonicgreek = ignore ,
 707 babel-igbo = ignore ,
 708 babel-latvian = ignore ,
 709 babel-occitan = ignore ,
 710 babel-westernfrisian = ignore ,
 711 babel-luxembourgish = ignore ,
 712 babel-italian = ignore ,
 713 babel-oromo = ignore ,
 714 babel-catalan = ignore ,
 715 babel-icelandic = ignore ,
 716 babel-czech = ignore ,
 717 babel-interlingua = ignore ,
 718 babel-telugu = ignore ,
 719 babel-friulian = ignore ,
 720 babel-vai-latin = ignore ,
 721 babel-vai-vaii = ignore ,
 722 babel-vai = ignore ,
 723 babel-vai-latn = ignore ,
 724 babel-vai-vai = ignore ,
 725 babel-russian = ignore ,
 726 babel-turkmen = ignore ,
 727 babel-jolafonyi = ignore ,
 728 babel-rundi = ignore ,
 729 babel-konkani = ignore ,
 730 babel-piedmontese = ignore ,
 731 babel-standardmoroccantamazight = ignore ,
 732 babel-quechua = ignore ,
 733 babel-meru = ignore ,
 734 babel-nyankole = ignore ,
 735 babel-romanian-md = ignore ,
 736 babel-romanian-moldova = ignore ,
 737 babel-romanian = ignore ,
 738 babel-moldavian = ignore ,
 739 babel-luo = ignore ,
 740 babel-usorbian = ignore ,
 741 babel-uppersorbian = ignore ,
 742 babel-yoruba = ignore ,
 743 babel-syriac = ignore ,

744 babel-makhuwameetto = ignore ,
745 babel-northernluri = ignore ,
746 babel-aghem = ignore ,
747 babel-meta = ignore ,
748 babel-zulu = ignore ,
749 babel-centralkurdish-latin = ignore ,
750 babel-centralkurdish-latn = ignore ,
751 babel-sorani = ignore ,
752 babel-centralkurdish = ignore ,
753 babel-cantonese = ignore ,
754 babel-makonde = ignore ,
755 babel-somali = ignore ,
756 babel-sanskrit = ignore ,
757 babel-sanskrit-telu = ignore ,
758 babel-sanskrit-malayalam = ignore ,
759 babel-sanskrit-devanagari = ignore ,
760 babel-sanskrit-bengali = ignore ,
761 babel-sanskrit-gujr = ignore ,
762 babel-sanskrit-gujarati = ignore ,
763 babel-sanskrit-deva = ignore ,
764 babel-sanskrit-telugu = ignore ,
765 babel-sanskrit-knda = ignore ,
766 babel-sanskrit-beng = ignore ,
767 babel-sanskrit-kannada = ignore ,
768 babel-sanskrit-mlym = ignore ,
769 babel-chiga = ignore ,
770 babel-teso = ignore ,
771 babel-yiddish = ignore ,
772 babel-portuguese = ignore ,
773 babel-brazilian = ignore ,
774 babel-portuguese-portugal = ignore ,
775 babel-portuguese-br = ignore ,
776 babel-portuguese-brazil = ignore ,
777 babel-portuguese-pt = ignore ,
778 babel-pashto = ignore ,
779 babel-embu = ignore ,
780 babel-chinese-hans-mo = ignore ,
781 babel-chinese-hant-hk = ignore ,
782 babel-chinese-simplified = ignore ,
783 babel-chinese-hans-hk = ignore ,
784 babel-chinese-hant = ignore ,
785 babel-chinese-simplified-singapore = ignore ,
786 babel-chinese-simplified-hongkongsarchina = ignore ,
787 babel-chinese-hans-sg = ignore ,
788 babel-chinese-hans = ignore ,
789 babel-chinese-traditional-macausarchina = ignore ,
790 babel-chinese = ignore ,
791 babel-chinese-hant-mo = ignore ,
792 babel-chinese-traditional = ignore ,
793 babel-chinese-simplified-macausarchina = ignore ,
794 babel-chinese-traditional-hongkongsarchina = ignore ,
795 babel-ukrainian = ignore ,
796 babel-serbian-latn-me = ignore ,
797 babel-serbian-latin-kosovo = ignore ,

798 babel-serbian-latn = ignore ,
799 babel-serbian-cyrl-me = ignore ,
800 babel-serbian-cyrillic-montenegro = ignore ,
801 babel-serbian-cyrillic = ignore ,
802 babel-serbian-cyrl-ba = ignore ,
803 babel-serbian-cyrl = ignore ,
804 babel-serbian = ignore ,
805 babel-serbian-latin-bosniaherzegovina = ignore ,
806 babel-serbian-latin = ignore ,
807 babel-serbian-cyrl-xk = ignore ,
808 babel-serbian-latn-ba = ignore ,
809 babel-serbian-latin-montenegro = ignore ,
810 babel-serbian-latn-xk = ignore ,
811 babel-serbian-cyrillic-kosovo = ignore ,
812 babel-serbian-cyrillic-bosniaherzegovina = ignore ,
813 babel-bodo = ignore ,
814 babel-sango = ignore ,
815 babel-punjabi-gurmukhi = ignore ,
816 babel-punjabi-arabic = ignore ,
817 babel-punjabi-guru = ignore ,
818 babel-punjabi = ignore ,
819 babel-punjabi-arab = ignore ,
820 babel-shona = ignore ,
821 babel-sinhala = ignore ,
822 babel-malayalam = ignore ,
823 babel-tibetan = ignore ,
824 babel-macedonian = ignore ,
825 babel-northndebele = ignore ,
826 babel-tachelhit-tifinagh = ignore ,
827 babel-tachelhit = ignore ,
828 babel-tachelhit-tfng = ignore ,
829 babel-tachelhit-latn = ignore ,
830 babel-tachelhit-latin = ignore ,
831 babel-hausa = ignore ,
832 babel-hausa-niger = ignore ,
833 babel-hausa-gh = ignore ,
834 babel-hausa-ghana = ignore ,
835 babel-hausa-ne = ignore ,
836 babel-kannada = ignore ,
837 babel-bosnian = ignore ,
838 babel-bosnian-cyrillic = ignore ,
839 babel-bosnian-cyrl = ignore ,
840 babel-bosnian-latn = ignore ,
841 babel-bosnian-latin = ignore ,
842 babel-kikuyu = ignore ,
843 babel-burmese = ignore ,
844 babel-arabic-lb = ignore ,
845 babel-arabic-jordan = ignore ,
846 babel-arabic-palestinianterritories = ignore ,
847 babel-arabic-iraq = ignore ,
848 babel-arabic-ma = ignore ,
849 babel-arabic-egypt = ignore ,
850 babel-arabic-lebanon = ignore ,
851 babel-arabic-dz = ignore ,

852 babel-arabic-morocco = ignore ,
853 babel-arabic-eg = ignore ,
854 babel-arabic-ps = ignore ,
855 babel-arabic-iq = ignore ,
856 babel-arabic-tunisia = ignore ,
857 babel-arabic-jo = ignore ,
858 babel-arabic-algeria = ignore ,
859 babel-arabic-sy = ignore ,
860 babel-arabic-syria = ignore ,
861 babel-arabic-tn = ignore ,
862 babel-arabic = ignore ,
863 babel-sakha = ignore ,
864 babel-rwa = ignore ,
865 babel-galician = ignore ,
866 babel-manx = ignore ,
867 babel-croatian = ignore ,
868 babel-hungarian = ignore ,
869 babel-magyar = ignore ,
870 babel-dutch = ignore ,
871 babel-bulgarian = ignore ,
872 babel-kashmiri = ignore ,
873 babel-bengali = ignore ,
874 babel-nepali = ignore ,
875 babel-gusii = ignore ,
876 babel-asturian = ignore ,
877 babel-filipino = ignore ,
878 babel-afrikaans = ignore ,
879 babel-bena = ignore ,
880 babel-norwegianbokmal = ignore ,
881 babel-colognian = ignore ,
882 babel-hindi = ignore ,
883 babel-mundang = ignore ,
884 babel-georgian = ignore ,
885 babel-asu = ignore ,
886 babel-austrian = ignore ,
887 babel-german-switzerland = ignore ,
888 babel-german-austria = ignore ,
889 babel-german-switzerland-traditional = ignore ,
890 babel-german-ch = ignore ,
891 babel-german-at = ignore ,
892 babel-german-traditional = ignore ,
893 babel-nswissgerman = ignore ,
894 babel-swissgerman = ignore ,
895 babel-ngerman = ignore ,
896 babel-naustrian = ignore ,
897 babel-german-austria-traditional = ignore ,
898 babel-german = ignore ,
899 babel-assamese = ignore ,
900 babel-azerbaijani-latin = ignore ,
901 babel-azerbaijani-cyrl = ignore ,
902 babel-azerbaijani = ignore ,
903 babel-azerbaijani-cyrillic = ignore ,
904 babel-azerbaijani-latn = ignore ,
905 babel-bafia = ignore ,

906 babel-scottishgaelic = ignore ,
907 babel-breton = ignore ,
908 babel-korean-han = ignore ,
909 babel-korean = ignore ,
910 babel-korean-hani = ignore ,
911 babel-finnish = ignore ,
912 babel-ossetic = ignore ,
913 babel-lubakatanga = ignore ,
914 babel-langi = ignore ,
915 babel-esperanto = ignore ,
916 babel-basaa = ignore ,
917 babel-indonesian = ignore ,
918 babel-french-swissfrench = ignore ,
919 babel-french-canadianfrench = ignore ,
920 babel-french-be = ignore ,
921 babel-french-ca = ignore ,
922 babel-french-belgium = ignore ,
923 babel-french-ch = ignore ,
924 babel-french = ignore ,
925 babel-french-canada = ignore ,
926 babel-french-lu = ignore ,
927 babel-french-switzerland = ignore ,
928 babel-french-luxembourg = ignore ,
929 babel-ganda = ignore ,
930 babel-taita = ignore ,
931 babel-nama = ignore ,
932 babel-lingala = ignore ,
933 babel-spanish-mx = ignore ,
934 babel-spanish = ignore ,
935 babel-spanish-mexico = ignore ,
936 babel-mexican = ignore ,
937 babel-estonian = ignore ,
938 babel-vunjo = ignore ,
939 babel-kwasio = ignore ,
940 babel-koyraborosenni = ignore ,
941 babel-usenglish = ignore ,
942 babel-english-newzealand = ignore ,
943 babel-english = ignore ,
944 babel-english-ca = ignore ,
945 babel-australian = ignore ,
946 babel-english-australia = ignore ,
947 babel-english-canada = ignore ,
948 babel-british = ignore ,
949 babel-american = ignore ,
950 babel-americanenglish = ignore ,
951 babel-canadianenglish = ignore ,
952 babel-australianenglish = ignore ,
953 babel-english-gb = ignore ,
954 babel-english-unitedkingdom = ignore ,
955 babel-canadian = ignore ,
956 babel-ukenglish = ignore ,
957 babel-newzealand = ignore ,
958 babel-english-au = ignore ,
959 babel-english-unitedstates = ignore ,

```

960 babel-english-nz = ignore ,
961 babel-britishenglish = ignore ,
962 babel-english-us = ignore ,
963 babel-ngiemboon = ignore ,
964 babel-persian = ignore ,
965 babel-lithuanian = ignore ,
966 babel-fulah = ignore ,
967 babel-ngomba = ignore ,
968 babel-lakota = ignore ,
969 babel-faroese = ignore ,
970 babel-ewondo = ignore ,
971 babel-oriya = ignore ,
972 babel-welsh = ignore ,
973 babel-sena = ignore ,
974 babel-basque = ignore ,
975 babel-lao = ignore ,
976 babel-medievallatin = ignore ,
977 babel-classiclatin = ignore ,
978 babel-ecclesiasticlatin = ignore ,
979 babel-latin = ignore ,
980 babel-chechen = ignore ,
981 babel-romansh = ignore ,
982 babel-lsorbian = ignore ,
983 babel-lowersorbian = ignore ,
984 babel-tamil = ignore ,
985 babel-thai = ignore ,
986 babel-tongan = ignore ,
987 babel-kabuverdianu = ignore ,
988 babel-turkish = ignore ,
989 babel-coptic = ignore ,
990 babel-duala = ignore ,
991 babel-kinyarwanda = ignore ,
992 babel-morisyen = ignore ,
993 babel-tigrinya = ignore ,
994 babel-kalenjin = ignore ,
995 babel-luyia = ignore ,
996 babel-nuer = ignore ,
997 %----- babel (part supported by us)
998 UKenglish.sty = us ,
999 USenglish.sty = us ,
1000 afrikaans.sty = us ,
1001 albanian.sty = us ,
1002 american.sty = us ,
1003 austrian.sty = us ,
1004 babel.def = us ,
1005 babel.sty = us ,
1006 bahasa.sty = us ,
1007 bahasam.sty = us ,
1008 basque.sty = us ,
1009 blplain.tex = us ,
1010 bplain.tex = us ,
1011 breton.sty = us ,
1012 british.sty = us ,
1013 bulgarian.sty = us ,

```

```

1014 catalan.sty = us ,
1015 croatian.sty = us ,
1016 czech.sty = us ,
1017 danish.sty = us ,
1018 dutch.sty = us ,
1019 english.sty = us ,
1020 esperanto.sty = us ,
1021 estonian.sty = us ,
1022 finnish.sty = us ,
1023 francais.sty = us ,
1024 galician.sty = us ,
1025 germanb.sty = us ,
1026 greek.sty = us ,
1027 hebrew.sty = us ,
1028 hyphen.cfg = us ,
1029 icelandic.sty = us ,
1030 interlingua.sty = us ,
1031 irish.sty = us ,
1032 italian.sty = us ,
1033 latin.sty = us ,
1034 lsorbian.sty = us ,
1035 luababel.def = us ,
1036 magyar.sty = us ,
1037 naustrian.sty = us ,
1038 ngermanb.sty = us ,
1039 nil.ldf = us ,
1040 norsk.sty = us ,
1041 plain.def = us ,
1042 polish.sty = us ,
1043 portuges.sty = us ,
1044 romanian.sty = us ,
1045 russianb.sty = us ,
1046 samin.sty = us ,
1047 scottish.sty = us ,
1048 serbian.sty = us ,
1049 slovak.sty = us ,
1050 slovene.sty = us ,
1051 spanish.sty = us ,
1052 swedish.sty = us ,
1053 switch.def = us ,
1054 turkish.sty = us ,
1055 ukraineb.sty = us ,
1056 usorbian.sty = us ,
1057 welsh.sty = us ,
1058 xebabel.def = us ,
1059 %----- graphics + graphics-def
1060 color.cfg = us ,
1061 color.sty = us ,
1062 dvipdf.def = us ,
1063 dvipdfmx.def = us ,
1064 dvips.def = us ,
1065 dvipsnam.def = us ,
1066 dvipsone.def = us ,
1067 dvisvgm.def = us ,

```



```

1068 dviwin.def = us ,
1069 emtex.def = us ,
1070 epsfig.sty = us ,
1071 graphics-2017-06-25.sty = us ,
1072 graphics.cfg = us ,
1073 graphics.sty = us ,
1074 graphicx.sty = us ,
1075 keyval.sty = us ,
1076 lscape.sty = us ,
1077 luatex.def = us ,
1078 pctex32.def = us ,
1079 pctexhp.def = us ,
1080 pctexps.def = us ,
1081 pctexwin.def = us ,
1082 pdftex.def = us ,
1083 rotating.sty = us ,
1084 rotating.sty = us ,
1085 tcidvi.def = us ,
1086 trig.sty = us ,
1087 truetex.def = us ,
1088 xetex.def = us ,
1089 %----- mfnfss
1090 oldgerm.sty = us ,
1091 ot1panr.fd = us ,
1092 ot1pss.fd = us ,
1093 pandora.sty = us ,
1094 uyfrak.fd = us ,
1095 uygoth.fd = us ,
1096 uyinit.fd = us ,
1097 uyswab.fd = us ,
1098 %----- firstaid
1099 everyssel-ltx.sty = us ,
1100 filehook-ltx.sty = us ,
1101 %----- amsmath
1102 amsbsy.sty = us ,
1103 amscd.sty = us ,
1104 amsgen.sty = us ,
1105 amsmath-2018-12-01.sty = us ,
1106 amsmath.sty = us ,
1107 amsopn.sty = us ,
1108 amstex.sty = us ,
1109 amstext.sty = us ,
1110 amsxtra.sty = us ,
1111 %----- amscs (AMS)
1112 amsart.cls = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1113 amsbook.cls = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1114 amsbooka.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1115 amsdtx.cls = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1116 amsldoc.cls = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1117 amsmidx.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1118 amsproc.cls = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1119 amsthm.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1120 upref.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1121 %----- amsfons (AMS)

```

```

1122 amsfonts.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1123 amssymb.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1124 cmmib57.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1125 eucal.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1126 eufrak.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1127 euscript.sty = American Mathematical Society \Contact tech-support [at] ams [dot] org ,
1128 ueuex.fd = ignore ,
1129 ueuf.fd = ignore ,
1130 ueur.fd = ignore ,
1131 ueus.fd = ignore ,
1132 umsa.fd = ignore ,
1133 umsb.fd = ignore ,
1134 %----- psnfss
1135 8rbch.fd = us ,
1136 8rpag.fd = us ,
1137 8rpbk.fd = us ,
1138 8rPCR.fd = us ,
1139 8rphv.fd = us ,
1140 8rpnc.fd = us ,
1141 8rppl.fd = us ,
1142 8rptm.fd = us ,
1143 8rput.fd = us ,
1144 8rpzc.fd = us ,
1145 avant.sty = us ,
1146 bookman.sty = us ,
1147 chancery.sty = us ,
1148 charter.sty = us ,
1149 courier.sty = us ,
1150 helvet.sty = us ,
1151 mathpazo.sty = us ,
1152 mathpple.sty = us ,
1153 mathptm.sty = us ,
1154 mathptmx.sty = us ,
1155 newcent.sty = us ,
1156 omlbch.fd = us ,
1157 omlpag.fd = us ,
1158 omlpbk.fd = us ,
1159 omlPCR.fd = us ,
1160 omlphv.fd = us ,
1161 omlpnc.fd = us ,
1162 omlppl.fd = us ,
1163 omlptm.fd = us ,
1164 omlptmcm.fd = us ,
1165 omlput.fd = us ,
1166 omlpzc.fd = us ,
1167 omlzplm.fd = us ,
1168 omlzpple.fd = us ,
1169 omlztmcm.fd = us ,
1170 omsbch.fd = us ,
1171 omspag.fd = us ,
1172 omspbk.fd = us ,
1173 omsPCR.fd = us ,
1174 omsphv.fd = us ,
1175 omspnc.fd = us ,

```

1176 omsppl.fd = us ,
 1177 omsptm.fd = us ,
 1178 omsput.fd = us ,
 1179 omspzc.fd = us ,
 1180 omspzccm.fd = us ,
 1181 omszpplm.fd = us ,
 1182 omszpplle.fd = us ,
 1183 omsztmcm.fd = us ,
 1184 omxpsycm.fd = us ,
 1185 omxzplm.fd = us ,
 1186 omxzpple.fd = us ,
 1187 omxztmcm.fd = us ,
 1188 ot1bch.fd = us ,
 1189 ot1pag.fd = us ,
 1190 ot1pbk.fd = us ,
 1191 ot1pcr.fd = us ,
 1192 ot1phv.fd = us ,
 1193 ot1pnc.fd = us ,
 1194 ot1ppl.fd = us ,
 1195 ot1pplj.fd = us ,
 1196 ot1pplx.fd = us ,
 1197 ot1ptm.fd = us ,
 1198 ot1ptmcm.fd = us ,
 1199 ot1put.fd = us ,
 1200 ot1pzc.fd = us ,
 1201 ot1zplm.fd = us ,
 1202 ot1zpple.fd = us ,
 1203 ot1ztmcm.fd = us ,
 1204 palatino.sty = us ,
 1205 pifont.sty = us ,
 1206 t1bch.fd = us ,
 1207 t1pag.fd = us ,
 1208 t1pbk.fd = us ,
 1209 t1pcr.fd = us ,
 1210 t1phv.fd = us ,
 1211 t1pnc.fd = us ,
 1212 t1ppl.fd = us ,
 1213 t1pplj.fd = us ,
 1214 t1pplx.fd = us ,
 1215 t1ptm.fd = us ,
 1216 t1put.fd = us ,
 1217 t1pzc.fd = us ,
 1218 times.sty = us ,
 1219 ts1bch.fd = us ,
 1220 ts1pag.fd = us ,
 1221 ts1pbk.fd = us ,
 1222 ts1pcr.fd = us ,
 1223 ts1phv.fd = us ,
 1224 ts1pnc.fd = us ,
 1225 ts1ppl.fd = us ,
 1226 ts1pplj.fd = us ,
 1227 ts1pplx.fd = us ,
 1228 ts1ptm.fd = us ,
 1229 ts1put.fd = us ,

```

1230 ts1pzc.fd = us ,
1231 ufplm.fd = us ,
1232 ufplmbb.fd = us ,
1233 upsy.fd = us ,
1234 upzd.fd = us ,
1235 utopia.sty = us ,
1236 %----- l3experimental
1237 l3benchmark.sty = us* ,
1238 l3bitset.sty = us* ,
1239 l3draw.sty = us* ,
1240 l3graphics.sty = us* ,
1241 l3sys-shell.sty = us* ,
1242 %----- l3packages
1243 xparse-2018-04-12.sty = us* ,
1244 xparse-2020-10-01.sty = us* ,
1245 xparse-generic.tex = us* ,
1246 xparse.ltx = us* ,
1247 xfp.sty = us* ,
1248 %----- l3kernel / expl3
1249 expl3-code.tex = ignore ,
1250 expl3.ltx = ignore ,
1251 expl3.lua = us* ,
1252 expl3.sty = us* ,
1253 l3backend-dvipdfmx.def = ignore ,
1254 l3backend-dvips.def = ignore ,
1255 l3backend-dvisvgm.def = ignore ,
1256 l3backend-luatex.def = ignore ,
1257 l3backend-pdfmode.def = ignore ,      % -- old
1258 l3backend-pdftex.def = ignore ,
1259 l3backend-xdvipdfmx.def = ignore ,    % -- old
1260 l3backend-xetex.def = ignore ,
1261 l3debug.def = us* ,
1262 l3deprecation.def = ignore ,
1263 l3doc.cls = us* ,
1264 l3docstrip.tex = us ,
1265 l3keys2e.sty = us* ,
1266 l3str-enc-iso88591.def = us* ,
1267 l3str-enc-iso885910.def = us* ,
1268 l3str-enc-iso885911.def = us* ,
1269 l3str-enc-iso885913.def = us* ,
1270 l3str-enc-iso885914.def = us* ,
1271 l3str-enc-iso885915.def = us* ,
1272 l3str-enc-iso885916.def = us* ,
1273 l3str-enc-iso88592.def = us* ,
1274 l3str-enc-iso88593.def = us* ,
1275 l3str-enc-iso88594.def = us* ,
1276 l3str-enc-iso88595.def = us* ,
1277 l3str-enc-iso88596.def = us* ,
1278 l3str-enc-iso88597.def = us* ,
1279 l3str-enc-iso88598.def = us* ,
1280 l3str-enc-iso88599.def = us* ,
1281 xcoeffins.sty = us* ,
1282 xfrac.sty = us* ,
1283 xgalley.sty = us* ,

```

```

1284 xparse.sty = us* ,
1285 xtemplate.sty = us* ,
1286 %----- TAGGING PROJECT
1287 pdfmanagement-testphase.sty = us*
1288         \Contact https://github.com/latex3/pdfresources/issues
1289 pdfmanagement-testphase.ltx = ignore ,
1290 %----- EXTERNAL PACKAGES SUPPORTED BY THE LaTeX Team
1291 hluatex.def = ignore ,
1292 hpdftex.def = ignore ,
1293 hxetex.def = ignore ,
1294 hypdoc.sty = us ,
1295 hyperref.cfg = ignore ,
1296 hyperref.sty = us*
1297         \Contact https://github.com/latex3/hyperref/issues ,
1298 hyperref-langpatches.def = ignore ,
1299 pdlenc.def = ignore ,
1300 puenc.def = ignore ,
1301 xcolor.sty = us*
1302         \Contact https://github.com/latex3/xcolor/issues ,
1303 %----- PACKAGES BY MEMBERS OF THE LaTeX Team
1304 beamer.cls = Joseph Wright
1305         \Contact https://github.com/josephwright/beamer/issues ,
1306 dashundergaps.sty = Frank Mittelbach
1307         \Contact https://github.com/FrankMittelbach/fmitex-dashundergaps/issues ,
1308 fewerfloatpages.sty = Frank Mittelbach
1309         \Contact https://github.com/FrankMittelbach/fmitex-fewerfloatpages ,
1310 fontspec.sty = Will Robertson
1311         \Contact https://github.com/wspr/fontspec/issues ,
1312 luatex85.sty = Joseph Wright
1313         \Contact https://github.com/josephwright/luatex85/issues ,
1314 parskip.sty = Frank Mittelbach
1315         \Contact https://github.com/FrankMittelbach/fmitex-parskip/issues ,
1316 siunitx.sty = Joseph Wright
1317         \Contact https://github.com/josephwright/siunitx/issues ,
1318 widows-and-orphans.sty = Frank Mittelbach
1319         \Contact https://github.com/FrankMittelbach/fmitex-widows-and-orphans/issues
1320 %----- USEFUL FOR BUG REPORTS
1321 blindtext.sty = ignore ,
1322 etoolbox.sty = ignore ,
1323 kantlipsum.sty = ignore ,
1324 lipsum.ltd = ignore ,
1325 lipsum.sty = ignore ,
1326 %----- EXTERNALLY SUPPORTED
1327 %
1328 geometry.sty = Hideo Umeki
1329         \Contact <latexgeometry [at] gmail [dot] com> ,
1330 %----- babel external
1331 basque.ldf = Juan M. Aguirregabiria
1332         \Contact <http://tp.lc.ehu.es/jma.html> ,
1333 belarusian.ldf = Aleksey Novodvorsky and Andrew Shadura
1334         \Contact <andrew [at] shadura [dot] me> ,
1335 bosnian.ldf = Samir Halilcevic %% Halilčević
1336         \Contact <samir [dot] halilcevic [at] fet [dot] ba> ,
1337 bulgarian.ldf = Georgi N. Boshnakov

```

1338 \Contact <Georgi Boshnakov [at] manchester [dot] ac [dot] uk> ,
1339 croatian.ldf = Ivan Kokan
1340 \Contact <ivan [dot] kokan [at] gmail [dot] com> ,
1341 estonian.ldf = Jaan Vajakas
1342 \Contact <jaanvajakas [at] hot [dot] ee> ,
1343 frenchb.ldf = Daniel Flipo
1344 \Contact <daniel [dot] flipo [at] free [dot] fr> ,
1345 friulan.ldf = Claudio Beccari
1346 \Contact <claudio [dot] beccari [at] gmail [dot] com> ,
1347 georgian.ldf = Levan Shoshiashvili
1348 \Contact <shoshia [at] hotmail [dot] com> ,
1349 austrian.ldf = Juergen Spitzmueller
1350 \Contact <juergen [at] spitzmueller [dot] org> ,
1351 german.ldf = Juergen Spitzmueller
1352 \Contact <juergen [at] spitzmueller [dot] org> ,
1353 germanb.ldf = Juergen Spitzmueller
1354 \Contact <juergen [at] spitzmueller [dot] org> ,
1355 naustrian.ldf = Juergen Spitzmueller
1356 \Contact <juergen [at] spitzmueller [dot] org> ,
1357 ngerman.ldf = Juergen Spitzmueller
1358 \Contact <juergen [at] spitzmueller [dot] org> ,
1359 ngermanb.ldf = Juergen Spitzmueller
1360 \Contact <juergen [at] spitzmueller [dot] org> ,
1361 nswissgerman.ldf = Juergen Spitzmueller
1362 \Contact <juergen [at] spitzmueller [dot] org> ,
1363 swissgerman.ldf = Juergen Spitzmueller
1364 \Contact <juergen [at] spitzmueller [dot] org> ,
1365 greek.ldf = Guenter Milde
1366 \Contact <milde [at] users [dot] sf [dot] net> ,
1367 magyar.ldf = Peter Szabo %% Péter Szabó
1368 \Contact <<http://www.math.bme.hu/latex/>> ,
1369 italian.ldf = Claudio Beccari
1370 \Contact <claudio [dot] beccari [at] gmail [dot] com> ,
1371 japanese.ldf = Japanese TEX Development Community
1372 \Contact <<https://github.com/texjporg/babel-japanese>> ,
1373 latin.ldf = Claudio Beccari
1374 \Contact <claudio [dot] beccari [at] gmail [dot] com> ,
1375 macedonian.ldf = Stojan Trajanovski
1376 \Contact <stojan [dot] trajanovski [at] gmail [dot] com> ,
1377 occitan.ldf = Cedric Valmary %% Cédric Valmary
1378 \Contact <cvalmary [at] yahoo [dot] fr> ,
1379 piedmontese.ldf = Claudio Beccari
1380 \Contact <claudio [dot] beccari [at] gmail [dot] com> ,
1381 pinyin.ldf = Werner Lemberg
1382 \Contact <wl [at] gnu [dot] org> ,
1383 romansh.ldf = Claudio Beccari
1384 \Contact <claudio [dot] beccari [at] gmail [dot] com> ,
1385 russain.ldf = Igor A [dot] Kotelnikov
1386 \Contact <kia999 [at] mail [dot] ru> , % -- old?
1387 serbianc.ldf = Filip Brcic
1388 \Contact <brcha [at] users [dot] sourceforge [dot] net> ,
1389 spanglish.ldf = J [dot] Luis Rivera
1390 \Contact <jlrn77 [at] gmail [dot] com> , % -- old?
1391 spanish.ldf = Javier Bezoz

```

1392          \Contact <http://www.texnia.com/contact.html> ,
1393 thaicjk.ldf      = Werner Lemberg
1394          \Contact <wl [at] gnu [dot] org> ,
1395 ukraineb.ldf     = Sergiy Ponomarenko
1396          \Contact <sergiy [dot] ponomarenko [at] gmail [dot] com> ,
1397 vietnamese.ldf   = Werner Lemberg
1398          \Contact <wl [at] gnu [dot] org> ,
1399 %----- LAST LINE
1400 {\latexbug@empty} = {} ,

      Keep the data but throw away the loop function.
1401 \endgroup

\latexbug@addtofilelist Save the kernel version of \@addtofilelist.
1402 \let\latexbug@addtofilelist\@addtofilelist

\latexbug@zzzz Storage for third-party files and those from the LATEX3 set on GitHub.
\latexbug@own 1403 \def\latexbug@zzzz{}
1404 \def\latexbug@own{}

\latexbug@process@table A hook into a convenient place in the document set up: the initialization of NFSS
\process@table during the \document macro. If either \latexbug@zzzz or \latexbug@own have
any content then there is a message to issue, it's just a question of deciding which
one.

1405 \let\latexbug@process@table\process@table
1406 \def\process@table{\global\let\@addtofilelist\latexbug@addtofilelist
1407   \latexbug@process@table
1408   \ifx\latexbug@zzzz\latexbug@empty
1409     \ifx\latexbug@own\latexbug@empty
1410       \else
1411         \typeout{}%
1412         \PackageWarningNoLine{latexbug}%
1413           {Special bug tracker!\MessageBreak
1414 \MessageBreak
1415 This test file uses the following file(s)\MessageBreak
1416 \MessageBreak
1417           =====\MessageBreak
1418           \latexbug@own
1419           =====\MessageBreak
1420           \MessageBreak
1421 Please note that these files have their own\MessageBreak
1422 bug tracker and your issue should therefore\MessageBreak
1423 be reported in the indicated repository.\MessageBreak
1424           \MessageBreak
1425 If they are not necessary to exhibit the problem,\MessageBreak
1426 remove them from your example and rerun it,\MessageBreak
1427 otherwise report the issue in the listed repository.\MessageBreak
1428           \MessageBreak
1429 If different repositories are listed, try to\MessageBreak
1430 select the most appropriate one (but don't worry\MessageBreak
1431 too much, if the choice is not clear to you)}%
1432       \typeout{}%
1433       \fi
1434     \else

```

```

1435     \PackageError{latexbug}%
1436         {Third-party file(s)\MessageBreak
1437 \MessageBreak
1438 This test file uses third-party file(s)\MessageBreak
1439 \MessageBreak
1440     =====\MessageBreak
1441     \latexbug@zzzz
1442     =====\MessageBreak
1443     \MessageBreak
1444 So you should contact the authors\MessageBreak
1445 of these files, not the LaTeX Team!\MessageBreak
1446 (Or remove the packages that load\MessageBreak
1447 them, if they are not necessary to\MessageBreak
1448 exhibit the problem).\MessageBreak
1449 \MessageBreak
1450 If you think the bug is in core LaTeX\MessageBreak
1451 (as maintained by the LaTeX Team) but\MessageBreak
1452 these files are needed to demonstrate\MessageBreak
1453 the problem, please continue and mention\MessageBreak
1454 this explicitly in your bug report\MessageBreak
1455 (with an explanation why you think so)}{Please
1456         correct your test file prior
1457         to submitting the bug report.\MessageBreak
1458         Otherwise it is likely to be rejected!}%
1459 \fi
1460 }

```

`\@addtofilelist` First, a test to see if we are at the top level: there's no need to test dependencies of packages. Assuming we are doing a check, the aim is to see if the current name is known, and if it is whether it fits into one of our special cases. If it's one of the L^AT_EX3 GitHub packages it gets recorded in a dedicated space. Third-party package can also have information about where to report issues: this is all stored for reporting later.

```

1461 \def\@addtofilelist#1{%
1462     \expandafter\latexbug@iftoplevel\@currnamestack{}\@nil
1463     \begingroup
1464     \xdef\latexbug@x{#1}% TODO: one-level sanitize
1465     \expandafter
1466     \ifx\csname latexbug@@\latexbug@x\endcsname\relax
1467     \def\latexbug@y{}%
1468     \else
1469     \xdef\latexbug@y{\expandafter\expandafter\expandafter
1470         \@firstoftwo\csname latexbug@@\latexbug@x\endcsname}%
1471     \xdef\latexbug@z{\expandafter\expandafter\expandafter
1472         \@secondoftwo\csname latexbug@@\latexbug@x\endcsname}%
1473     \fi
1474     \ifx\latexbug@y\latexbug@us\else
1475     \ifx\latexbug@y\latexbug@usstar
1476     \begingroup
1477     \let\MessageBreak\relax

```



```

1478         \xdef\latexbug@own{%
1479             \latexbug@own\latexbug@x
1480             \space\space -> \space Report at:
1481             \ifx\latexbug@z\@empty
1482                 \Contact https://github.com/latex3/latex3/issues
1483             \else
1484                 \latexbug@z
1485             \fi
1486             \MessageBreak
1487         }%
1488     \endgroup
1489 \else
1490     \ifx\latexbug@y\latexbug@ignore\else
1491         {\let\MessageBreak\relax
1492         \xdef\latexbug@zzzz{\latexbug@zzzz\latexbug@x
1493         \ifx\latexbug@y\latexbug@empty\else
1494             \space\space -> \space \latexbug@y
1495             \space \latexbug@z
1496         \fi
1497         \MessageBreak}}%
1498     \fi
1499 \fi
1500 \fi
1501 \endgroup
1502 \fi
1503 \latexbug@addtofilelist{#1}}
1504 \def\latexbug@iftoptoplevel #1#2\@nil{%
1505     \def\next{#1}%
1506     \ifx\next\@empty
1507 }
1508 \endinput
1509 \</package>

```