



The *bidi* Package

Source documentation for [version 38.9](#)

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/kvafa/bidi/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

You may also have conversations, ask questions and post answers without opening issues using the Discussions space:

<https://github.com/kvafa/bidi/discussions>

The announcements for the new releases of the package will also appear in the Discussions space under the Announcements category.

Copyright (c) 2007–2022 Vafa Khalighi
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bidi* Package

Bidirectional typesetting in plain T_EX and L^AT_EX, using XeT_EX engine

Source documentation for [version 38.9](#)

Vafa Khalighi*

July 8, 2022

Contents

1 File amsart-xetex-bidi.def	5	18 File beamerbasecompatibility-xetex-bidi.def 41
2 File adjmulticol-xetex-bidi.def	7	19 File beamerbaseframecomponents-xetex-bidi.def 41
3 File algorithm2e-xetex-bidi.def	8	20 File beamerbaseframesize-xetex-bidi.def 49
4 File amsbook-xetex-bidi.def	8	21 File beamerbaselocalstructure-xetex-bidi.def 51
5 File amsmath-xetex-bidi.def	11	22 File beamerbasemisc-xetex-bidi.def 53
6 File amstext-xetex-bidi.def	11	23 File beamerbasenavigation-xetex-bidi.def 53
7 File amsthm-xetex-bidi.def	11	24 File beamerbaseoverlay-xetex-bidi.def 55
8 File array-xetex-bidi.def	11	25 File beamerinnerthemedefault-xetex-bidi.def 55
9 File article-xetex-bidi.def	13	26 File beamerinnerthemecircles-xetex-bidi.def 59
10 File artikel1-xetex-bidi.def	16	27 File beamerinnerthemefocus-xetex-bidi.def 59
11 File artikel2-xetex-bidi.def	21	28 File beamerinnerthememainmargin-xetex-bidi.def 60
12 File artikel3-xetex-bidi.def	26	29 File beamerinnerthememetropolis-xetex-bidi.def 62
13 File arydshln-xetex-bidi.def	30	30 File beamerinnerthemerectangles-xetex-bidi.def 65
14 File beamer-xetex-bidi.def	33	31 File beamerinnerthemerounded-xetex-bidi.def 65
15 File beamerbaseauxtemplates-xetex-bidi.def	38	32 File beamerouterthemedefault-xetex-bidi.def 65
16 File beamerbaseboxes-xetex-bidi.def	38	33 File beamerouterthemefocus-xetex-bidi.def 67
17 File beamerbasecolor-xetex-bidi.def	40	34 File beamerouterthemefolines-xetex-bidi.def 68

*Thanks to the *bidi-tex* GitHub organization consisted of David Carlisle and other members of the L^AT_EX team to maintain the package in the period 2018–2020.

35 File beamerouterthememetropolis-xetex-bidi.def	184
36 File beamerouterthememiniframes-xetex-bidi.def	188
37 File beamerouterthemesidebar-xetex-bidi.def	189
38 File beamerouterthemesplit-xetex-bidi.def	190
39 File beamerouterthemeshadow-xetex-bidi.def	190
40 File beamerouterthemesmoothbars-xetex-bidi.def	190
41 File beamerouterthemesmoothtree-xetex-bidi.def	191
42 File beamerouterthemetree-xetex-bidi.def	192
43 File beamertHEMEHannover-xetex-bidi.def	192
44 File beamertHEMEsingapore-xetex-bidi.def	194
45 File bidi.sty	79
46 File bidi.tex	85
47 File bidi2ini.sty	88
48 File bidicode.sty	89
49 File bidiftnxtra.sty	92
50 File bidimoderncv.cls	96
51 File bidi-perpage.sty	100
52 File biditools.sty	102
53 File bidituftefloat.sty	139
54 File biditufteidenote.sty	150
55 File bidituftetoc.sty	160
56 File bidituftegeneralstructure.sty	163
57 File bidituftehyperref.sty	165
58 File bidituftetitle.sty	165
59 File biditufte-handout.cls	168
60 File biditufte-book.cls	169
61 File bidipoem.sty	170
62 File boek3-xetex-bidi.def	177
63 File boek-xetex-bidi.def	180
64 File bookest-xetex-bidi.def	183
65 File filelist-xetex-bidi.def	169
66 File filelogo-xetex-bidi.def	170
67 File filecols-xetex-bidi.def	171
68 File filecaption-xetex-bidi.def	172
69 File filecaption3-xetex-bidi.def	173
70 File filetbl-xetex-bidi.def	174
71 File filefloat-xetex-bidi.def	175
72 File filecrop-xetex-bidi.def	176
73 File filecutwin-xetex-bidi.def	177
74 File cuted-xetex-bidi.def	178
75 File cvthemedibicasual.sty	203
76 File cvthemedibiclassic.sty	205
77 File dblfnote-xetex-bidi.def	207
78 File diagbox-xetex-bidi.def	210
79 File draftwatermark-xetex-bidi.def	212
80 File eso-pic-xetex-bidi.def	212
81 File empheq-xetex-bidi.def	213
82 File extarticle-xetex-bidi.def	216
83 File extbook-xetex-bidi.def	220
84 File extletter-xetex-bidi.def	223
85 File extrafootnotefeatures-xetex-bidi.def	224
86 File extreport-xetex-bidi.def	261
87 File fancybox-xetex-bidi.def	264
88 File fancyhdr-xetex-bidi.def	265
89 File fix2col-xetex-bidi.def	265
90 File fleqn-xetex-bidi.def	267
91 File float-xetex-bidi.def	267
92 File floatrow-xetex-bidi.def	268
93 File flowfram-xetex-bidi.def	268
94 File flowfram-xetex-bidi.def	268



95 File footnote-xetex-bidi.def	271	125File overpic-xetex-bidi.def	352
96 File footnotebackref-xetex-bidi.def	277	126File pdfbase-xetex-bidi.def	352
97 File framed-xetex-bidi.def	278	127File pdflscape-xetex-bidi.def	353
98 File ftnright-xetex-bidi.def	282	128File pdfpages-xetex-bidi.def	353
99 File graphicx-xetex-bidi.def	286	129File pgfcorescopes.code-xetex-bidi.def	354
100File geometry-xetex-bidi.def	288	130File pgfsys.code-xetex-bidi.def	355
101File hfloat-xetex-bidi.def	289	131File picinpar-xetex-bidi.def	355
102File hyperref-xetex-bidi.def	295	132File plain-xetex-bidi.def	358
103File imsproc-xetex-bidi.def	307	133File pstricks-xetex-bidi.def	360
104File leqno-xetex-bidi.def	309	134File quotchap-xetex-bidi.def	361
105File letter-xetex-bidi.def	309	135File ragged2e-xetex-bidi.def	361
106File lettrine-xetex-bidi.def	309	136File rapport1-xetex-bidi.def	363
107File lineno-xetex-bidi.def	312	137File rapport3-xetex-bidi.def	368
108File listings-xetex-bidi.def	313	138File refrep-xetex-bidi.def	373
109File loadingorder-xetex-bidi.def	315	139File report-xetex-bidi.def	376
110File longtable-xetex-bidi.def	320	140File rotating-xetex-bidi.def	380
111File lscape-xetex-bidi.def	322	141File scrartcl-xetex-bidi.def	382
112File mathtools-xetex-bidi.def	323	142File scrbook-xetex-bidi.def	396
113File mdframed-xetex-bidi.def	323	143File scrreprt-xetex-bidi.def	411
114File bidi-media9.sty	325	144File sidecap-xetex-bidi.def	425
115File memoir-xetex-bidi.def	335	145File soul-xetex-bidi.def	425
116File midfloat-xetex-bidi.def	338	146File stabular-xetex-bidi.def	426
117File minitoc-xetex-bidi.def	343	147File subfigure-xetex-bidi.def	427
118File multicol-xetex-bidi.def	344	148File tabls-xetex-bidi.def	427
119File multienum-xetex-bidi.def	348	149File tabularx-xetex-bidi.def	428
120File natbib-xetex-bidi.def	349	150File tabulary-xetex-bidi.def	429
121File newfloat-xetex-bidi.def	350	151File tc-xetex-bidi.def	430
122File nicematrix-xetex-bidi.def	351	152File tcolorbox-xetex-bidi.def	430
123File ntheorem-xetex-bidi.def	351	153File titlesec-xetex-bidi.def	430
124File ntheorem-hyper-xetex-bidi.def	351	154File titletoc-xetex-bidi.def	431



155File <code>tocbibind-xetex-bidi.def</code>	432	160File <code>wrapfig-xetex-bidi.def</code>	461
156File <code>tocloft-xetex-bidi.def</code>	434	161File <code>xcolor-xetex-bidi.def</code>	462
157File <code>tocbasic-xetex-bidi.def</code>	439	162File <code>latex-xetex-bidi.def</code>	464
158File <code>tocstyle-xetex-bidi.def</code>	454	163File <code>xltextra-xetex-bidi.def</code>	482
159File <code>todonotes-xetex-bidi.def</code>	458	164Index	483



1 File amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for Xe
2 \def\@tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth \% then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \@ifempty{#4}{%
8       \tempdima\csname r@tocindent\endcsname\relax
9     }{%
10       \tempdima#4\relax
11     }%
12     \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi#3\relax
13     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14     #5\leavevmode\hskip-\tempdima #6\nobreak\relax
15     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16     \nobreak
17     \endgroup
18   \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}{%
24   \z@\{ \linespacing\@plus\linespacing\}\,.5\linespacing\}%
25   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}%
26 \def\right@footnoterule{%
27   \kern-.4\p@
28   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }%
29   \kern11\p@\kern-\footnotesep}
30 \def\left@footnoterule{\kern-.4\p@
31   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}%
32
33
34 \long\def\@footnotetext#1{%
35   \insert\footins{%
36     \if@RTL\@footnote\@RTLtrue\else\@RTLfalse\fi\%
37     \reset@font\%
38     \bidi@\@footnotetext\font\% \normalfont\footnotesize
39     \interlinepenalty\interfootnotelinepenalty
40     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41     \floatingpenalty\@MM \hsize\columnwidth
42     \parboxrestore \parindent\normalparindent \sloppy
43     \protected\edef\@currentlabel{%
44       \csname p@footnote\endcsname\@thefnmark\}%
45     \makefntext{%
46       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}}%
47
48 \long\def\@RTLfootnotetext#1{%
49   \insert\footins{%
50     \@RTLtrue\%
51     \reset@font\%
52     \bidi@\@RTLfootnotetext\font\% \normalfont\footnotesize
```



```

53   \interlinepenalty\interfootnotelinepenalty
54   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55   \floatingpenalty\@MM \hsize\columnwidth
56   \parboxrestore \parindent\normalparindent \sloppy
57   \protected@edef\@currentlabel{%
58     \csname p@footnote\endcsname\@thefnmark}%
59   \@makefntext{%
60     \rule\z@\footnotesep\ignorespaces\#1\unskip\strut\par}}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65   \insert\footins{%
66     \ifRTLfalse%
67     \reset@font%
68     \bidi@LTRfootnotetext\font% \normalfont\footnotesize
69     \interlinepenalty\interfootnotelinepenalty
70     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71     \floatingpenalty\@MM \hsize\columnwidth
72     \parboxrestore \parindent\normalparindent \sloppy
73     \protected@edef\@currentlabel{%
74       \csname p@footnote\endcsname\@thefnmark}%
75     \@makefntext{%
76       \rule\z@\footnotesep\ignorespaces\#1\unskip\strut\par}}}
77
78
79 \footdir@temp\footdir@ORG\bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG\bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG\bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84   \bibtitlestyle
85   \normalfont\biblio\labelsep .5em\relax
86   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
87   \ifRTL\if@LTRbibitems\ifRTLfalse\else\fi\else\if@RTLbibitems\ifRTLtrue\else\fi\fi
88   \bidi@thebibliography\font@hook%
89   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90     \leftmargin\labelwidth \advance\leftmargin\labelsep
91     \usecounter{enumiv}}%
92   \sloppy \clubpenalty\OM \widowpenalty\clubpenalty
93   \sfcodes`.\.=\OM
94 }{%
95   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96   \endlist
97 }
98 \def\theindex{\restonecoltrue\if@twocolumn\restonecolfalse\fi
99   \columnseprule\z@\columnsep 35\p@
100  \indextitlestyle
101  \thispagestyle{plain}%
102  \let\item\idxitem
103  \parindent\z@\parskip\z@\plus.3\p@\relax
104  \ifRTL\raggedleft\else\raggedright\fi
105  \hyphenpenalty\OM
106  \footnotesize}

```



```

107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111   \c@topnum\z@ % this prevents figures from falling at the top of page 1
112   \c@setcopyright
113   \thispagestyle{firstpage}% this sets first page specifications
114   \uppercase\nonmath\shorttitle
115   \ifx\c@empty\shortauthors \let\shortauthors\shorttitle
116   \else \andify\shortauthors
117   \fi
118   \c@maketitle\hook
119   \begingroup
120   \c@maketitle
121   \toks0\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
122   \toks4{\def\\{\ignorespaces}}% defend against questionable usage
123   \edef\@tempa{%
124     \c@nx\markboth{\the\toks4}
125     \c@nx\MakeUppercase{\the\toks0}{\the\@temptokena}}%
126   \c@tempa
127   \endgroup
128   \c@footnote\z@
129   \c@cleartopmattertags
130 }

```

2 File adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol p
132 \def\adjmulticols#1#2#3{\col@number#1\relax
133   \def\@tempa{#2}%
134   \ifx\@tempa\c@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
135   \def\@tempa{#3}%
136   \ifx\@tempa\c@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
137   \ifnum\col@number<\c@ne
138     \PackageWarning{adjmulticol}%
139     {Using `~\number`\col@number'%
140      columns doesn't seem a good idea.^^J
141      I therefore use one columns instead}%
142     \col@number\c@ne\fi
143   \ifnum\col@number>10
144     \PackageError{adjmulticol}%
145     {Too many columns}%
146     {Current implementation doesn't
147      support more than 10 columns.}%
148     \MessageBreak
149     {I therefore use 10 columns instead}%
150   \col@number10\fi
151   \ifx\c@footnotetext\mult@footnotetext\else
152     \let\orig@cfootnotetext\cfootnotetext
153     \let\cfootnotetext\mult@footnotetext
154   \fi
155   \ifx\c@LTRfootnotetext\mult@LTRfootnotetext\else
156     \let\orig@LTRfootnotetext\c@LTRfootnotetext
157     \let\c@LTRfootnotetext\mult@LTRfootnotetext

```



```

158     \fi
159     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160         \let\orig@RTLfootnotetext\@RTLfootnotetext
161         \let\@RTLfootnotetext\mult@RTLfootnotetext
162     \fi
163 \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]
164 \let\adjmc@page@sofar@orig=\page@sofar

```

3 File algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2018/09/23 v0.2 bidi adaptations for algorithm2e p
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%
168 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\SepMark\arabic{c}\algocf}%
169 \fi
170 \ifpackage{color}{}{%
171   \bidi@patchcmd{\@algocf@start}{\bgroup}{%
172     \bgroup
173     \if@RTL
174       \beginR
175     \else
176       \beginL
177     \fi
178   }{}{%
179     \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
180       \if@RTL
181         \endR
182       \else
183         \endL
184       \fi
185       \egroup
186       \end{lrbox}%
187   }{}{%
188   \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
189     \if@RTL
190       \hboxR
191     \else
192       \hboxL
193     \fi
194   }{}{%
195 }

```

4 File amsbook-xetex-bidi.def

```

196 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for
197 \def\@tocline#1#2#3#4#5#6#7{\relax
198 \ifnum #1>\c@tocdepth % then omit
199 \else
200   \par \addpenalty\secpenalty\addvspace{#2}%
201   \begingroup \hyphenpenalty\@M
202   \@ifempty{#4}{%
203     \tempdima\csname r@tocindent\endcsname\relax
204   }{%
205     \tempdima#4\relax

```



```

206 }%
207 \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip\fi\z@ \if@RTL\leftskip\else\rightskip\fi\z@ \cnumwidth plus4em \parfillskip-\cnumwidth
208 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
209 \hfil\hbox to \cnumwidth{\tocpagenum{#7}}\par
210 \nobreak
211 \endgroup
212 \fi}
213 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
214 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
215 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
216 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
217 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
218 \columnseprule\z@ \columnsep 35\p@
219 \cindextitlestyle
220 \thispagestyle{plain}%
221 \let\item@\idxitem
222 \parindent\z@ \parskip\z@ \@plus.3\p@\relax
223 \if@RTL\raggedleft\else\raggedright\fi
224 \hyphenpenalty\@M
225 \footnotesize
226 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
227 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
228 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
229 \def\right@footnoterule{%
230 \kern-.4\p@
231 \hbox to \cnumwidth{\hskip \dimexpr\cnumwidth-5pc\relax \hrulefill }
232 \kern11\p@\kern-\footnotesep}
233 \def\left@footnoterule{\kern-.4\p@
234 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
235 \def\footnotetext#1{%
236 \long\def\@footnotetext#1{%
237 \insert\footins{%
238 \if@RTL\footnote\@RTLtrue\else\@RTLfalse\fi%
239 \reset@font%
240 \bidi@@footnotetext\font% \normalfont\footnotesize
241 \interlinepenalty\interfootnotelinepenalty
242 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
243 \floatingpenalty\@MM \hsize\cnumwidth
244 \parboxrestore \parindent\normalparindent \sloppy
245 \protected@edef\@currentlabel{%
246 \csname p@footnote\endcsname\@thefnmark}%
247 \makefntext{%
248 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
249 \long\def\@RTLfootnotetext#1{%
250 \insert\footins{%
251 \if@RTLtrue%
252 \bidi@@RTLfootnotetext\font% \normalfont\footnotesize
253 \interlinepenalty\interfootnotelinepenalty
254 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
255 \floatingpenalty\@MM \hsize\cnumwidth
256 \parboxrestore \parindent\normalparindent \sloppy
257 \protected@edef\@currentlabel{%
258 \csname p@footnote\endcsname\@thefnmark}%
259 \makefntext{%
260 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

```



```

260   \protected@edef{\currentlabel}{%
261     \csname p@footnote\endcsname\@thefnmark}%
262   \makefntext{%
263     \rule{z@\footnotesep}{\ignorespaces#1\unskip\strut\par}}}%
264
265
266 \long\def{\@LTRfootnotetext#1}{%
267   \insert\footins{%
268     \RTLfalse%
269     \reset@font{%
270       \bidi{\@LTRfootnotetext@font} \normalfont\footnotesize
271       \interlinepenalty\interfootnotelinepenalty
272       \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
273       \floatingpenalty\OMM \hsize\columnwidth
274       \parboxrestore \parindent\normalparindent \sloppy
275       \protected@edef{\currentlabel}{%
276         \csname p@footnote\endcsname\@thefnmark}%
277       \makefntext{%
278         \rule{z@\footnotesep}{\ignorespaces#1\unskip\strut\par}}}%
279
280
281
282 \footdir@temp\footdir@ORG\bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
283 \footdir@temp\footdir@ORG\bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
284 \footdir@temp\footdir@ORG\bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
285
286 \renewenvironment{thebibliography}[1]{%
287   \bibtitlestyle
288   \normalfont\biblio\labelsep .5em\relax
289   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
290   \ifRTL\if@LTrbibitems\RTLfalse\else\fi\else\if@RTLbibitems\RTLtrue\else\fi\fi
291   \bidi@thebibliography@font@hook%
292   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth\{\@biblabel{#1}\}%
293     \leftmargin\labelwidth \advance\leftmargin\labelsep
294     \usecounter{enumiv}}%
295   \sloppy \clubpenalty\OM \widowpenalty\clubpenalty
296   \sfcode`\.=\@m
297 }{%
298   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
299   \endlist
300 }
301 \def{\@makechapterhead#1}{\global\topskip 7.5pc\relax
302   \begingroup
303   \fontsize{\xivpt}{18}\bfseries\centering
304   \ifnum\c@secnumdepth>\m@ne
305     \leavevmode \hskip-\ifRTL\rightskip\else\leftskip\fi
306     \rlap{\vbox to\z@\{} \vss
307     \centerline{\normalsize\mdseries
308       \uppercase\expandafter{\expandafter\enspace\expandafter\thechapter}
309       \vskip 3pc}\} \hskip\ifRTL\rightskip\else\leftskip\fi\fi
310   \#1\par \endgroup
311   \skip0.34\p@ \advance\skip0-\normalbaselineskip
312   \vskip\skip0\}
313 \def{\maketitle}{\par

```



```

314  \atopnum{z@} % this prevents figures from falling at the top of page 1
315  \begingroup
316  \@maketitle
317  \endgroup
318  \c@footnote{z@}
319  \def\do##1{\let##1\relax}%
320  \do\maketitle \do\@maketitle \do\title \do\xtitle \do\@title
321  \do\author \do\@xauthor \do\address \do\@xaddress
322  \do\email \do\@xemail \do\curraddr \do\@xcurraddr
323  \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
324  \do\keywords \do\@keywords \do\subjclass \do\@subjclass
325 }

```

5 File amsmath-xetex-bidi.def

```

326 \ProvidesFile{amsmath-xetex-bidi.def}[2020/05/16 v1.2 bidi adaptations for amsmath package f
327 \let\veqno=\eqno
328 \iftagsleft@ \let\veqno=\leqno \fi
329 \renewcommand{\numberwithin}[3]{[\arabic]}{%
330   \@ifundefined{c@#2}{\@nocounterr{#2}}{%
331     \@ifundefined{c@#3}{\@nocounterr{#3}}{%
332       \addtoreset{#2}{#3}%
333       \expandafter\csname the#2\endcsname{%
334         \expandafter\csname the#3\endcsname \nx\SepMark\nx#1{#2}}}}}}%
335 }
336 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern{z@}\ignorespaces#1\unskip\@italicco
337
338 \bidi@patchcmd\math@cr@@@align\place@tag{%
339   \place@tag
340 } \else
341   \place@tag
342 }{}{}}
343

```

6 File amstext-xetex-bidi.def

```

344 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package f
345 \def\textdef@#1#2#3{\hbox{%
346   \everymath{#1}%
347   \let\f@size#2\selectfont
348   \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}

```

7 File amsthm-xetex-bidi.def

```

349 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
350 \def\@thmcountersep{\SepMark}

```

8 File array-xetex-bidi.def

```

351 \ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for X
352 \def\@testpach{\chclass
353 \ifnum\@lastchclass=6 \one\chnum\one\else
354 \ifnum\@lastchclass=7 5\else
355 \ifnum\@lastchclass=8 \tw@\else

```





9 File article-xetex-bidi.def

```
410 \ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article
411 \if@titlepage
412   \renewcommand\maketitle{\begin{titlepage}%
413   \let\footnotesize\small
414   \let\right@footnoterule\relax
415   \let\left@footnoterule\relax
416   \let\textwidth@footnoterule\relax
417   \let \footnote \thanks
418   \let \LTrfootnote \LTrthanks
419   \let \RTLfootnote \RTLthanks
420   \null\vfil
421   \vskip 60\p@
422   \begin{center}%
423     {\LARGE \@title \par}%
424     \vskip 3em%
425     {\large
426       \lineskip .75em%
427       \begin{tabular}[t]{c}%
428         \@author
429       \end{tabular}\par}%
430     \vskip 1.5em%
431     {\large \@date \par}          % Set date in \large size.
432   \end{center}\par
433   \@thanks
434   \vfil\null
435   \end{titlepage}%
436   \setcounter{footnote}{0}%
437   \global\let\thanks\relax
438   \global\let\LTrthanks\relax
439   \global\let\RTLthanks\relax
440   \global\let\maketitle\relax
441   \global\let \@thanks\empty
442   \global\let \@author\empty
443   \global\let \@date\empty
444   \global\let \@title\empty
445   \global\let \title\relax
446   \global\let \author\relax
447   \global\let \date\relax
448   \global\let \and\relax
449 }
450 \else
451 \renewcommand\maketitle{\par
452   \begingroup
453     \renewcommand\thefootnote{\fnsymbol{footnote}}%
454     \def\@makefnmark{\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
455     \long\def\@makefntext##1{\par\indent 1em\noindent
456       \hb@xt@1.8em{%
457         \hss\textsuperscript{\normalfont\@thefnmark}##1}%
458     \if@twocolumn
459       \ifnum \col@number=\@ne
460         \@maketitle
461       \else
```



```

462      \twocolumn[\@maketitle]%
463      \fi
464  \else
465      \newpage
466      \global\@topnum\z@    % Prevents figures from going at top of page.
467      \@maketitle
468      \fi
469      \thispagestyle{plain}\@thanks
470  \endgroup
471  \setcounter{footnote}{0}%
472  \global\let\thanks\relax
473  \global\let\LTRthanks\relax
474  \global\let\RTLthanks\relax
475  \global\let\maketitle\relax
476  \global\let@\maketitle\relax
477  \global\let@\thanks\@empty
478  \global\let@\author\@empty
479  \global\let@\date\@empty
480  \global\let@\title\@empty
481  \global\let\title\relax
482  \global\let\author\relax
483  \global\let\date\relax
484  \global\let\and\relax
485 }
486 \def\@maketitle{%
487   \newpage
488   \null
489   \vskip 2em%
490   \begin{center}%
491   \let \footnote \thanks
492   \let \LTrfootnote \LTRthanks
493   \let \RTLfootnote \RTLthanks
494   {\LARGE \@title \par}%
495   \vskip 1.5em%
496   {\large
497     \lineskip .5em%
498     \begin{tabular}[t]{c}%
499       \author
500     \end{tabular}\par}%
501   \vskip 1em%
502   {\large \@date}%
503   \end{center}%
504   \par
505   \vskip 1.5em}
506 \fi
507 \renewcommand*\l@part[2]{%
508   \ifnum \c@tocdepth >-2\relax
509     \addpenalty\@secpenalty
510     \addvspace{2.25em \oplus \p@}%
511     \setlength\@tempdima{3em}%
512     \begingroup
513       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
514       \parfillskip -\pnumwidth
515       \leavevmode

```



```

516      \large \bfseries #1\hfil \hb@xt@{\pnumwidth{\hss #2}}\par
517      \nobreak
518      \if@compatibility
519          \global\@nobreaktrue
520          \everypar{\global\@nobreakfalse\everypar{}}
521      \fi
522      \endgroup
523  \fi}
524 \renewcommand*\l@section[2]{%
525   \ifnum \c@tocdepth >\z@
526     \addpenalty\@secpenalty
527     \addvspace{1.0em \oplus\p@}%
528     \setlength\@tempdima{1.5em}%
529     \begingroup
530       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
531       \parfillskip -\pnumwidth
532       \leavevmode \bfseries
533       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
534       \hskip -\if@RTL\rightskip\else\leftskip\fi
535       #1\nobreak\hfil \nobreak\hb@xt@{\pnumwidth{\hss #2}}\par
536     \endgroup
537   \fi}
538 \renewcommand\left@footnoterule{%
539   \kern-3\p@
540   \hrule\@width.4\columnwidth
541   \kern2.6\p@}
542 \renewcommand\right@footnoterule{%
543   \kern-3\p@
544   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
545   \kern2.6\p@}
546 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
547 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
548 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
549 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
550 \def\@part[#1]#2{%
551   \ifnum \c@secnumdepth >\m@ne
552     \refstepcounter{part}%
553     \addcontentsline{toc}{part}{\thechapter\hspace{1em}\#1}%
554   \else
555     \addcontentsline{toc}{part}{\#1}%
556   \fi
557   \parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
558   \interlinepenalty \OM
559   \normalfont
560   \ifnum \c@secnumdepth >\m@ne
561     \Large\bfseries \partname\nobreakspace\thechapter
562     \par\nobreak
563   \fi
564   \huge \bfseries #2%
565   \markboth{}{}\par}%
566   \nobreak
567   \vskip 3ex
568   \afterheading}
569 \renewenvironment{thebibliography}[1]

```



```

570   {\section*{\refname}%
571     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
572     \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
573     \bidi@thebibliography@font@hook%
574     \list{\@biblabel{\@arabic\c@enumiv}}%
575       {\settowidth\labelwidth{\@biblabel{#1}}%
576        \leftmargin\labelwidth
577        \advance\leftmargin\labelsep
578        \openbib@code
579        \usecounter{enumiv}%
580        \let\p@enumiv\empty
581        \renewcommand\theenumiv{\@arabic\c@enumiv}%
582        \sloppy
583        \clubpenalty4000
584        \clubpenalty \clubpenalty
585        \widowpenalty4000%
586        \sfcodes`.\@m}
587      {\def\@noitemerr
588        {\@latex@warning{Empty `thebibliography' environment}}%
589      \endlist}
590 \renewenvironment{theindex}
591   {\if@twocolumn
592    \restonecolfalse
593    \else
594    \restonecoltrue
595    \fi
596    \columnseprule \z@
597    \columnsep 35\p@
598    \twocolumn[\section*{\indexname}]%
599    \@mkboth{\MakeUppercase\indexname}{\MakeUppercase\indexname}%
600    \thispagestyle{plain}\parindent\z@
601    \parskip\z@ \plus .3\p@\relax
602    \let\item\@idxitem
603    {\if@restonecol\onecolumn\else\clearpage\fi}
604

```

10 File artikel1-xetex-bidi.def

```

605 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class f
606 \renewenvironment{theindex}%
607   \if@twocolumn
608   \restonecolfalse
609   \else
610   \restonecoltrue
611   \fi
612   \columnseprule \z@
613   \columnsep 35\p@
614   \twocolumn[\section*{\indexname}]%
615   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
616   \thispagestyle{plain}\parindent\z@
617   \parskip\z@ \plus .3\p@\relax
618   \let\item\@idxitem
619 }{%
620   \if@restonecol\onecolumn\else\clearpage\fi}

```



```

621 \renewcommand*\head@style{%
622     \interlinepenalty \OM
623     \hyphenpenalty=\OM \exhyphenpenalty=\OM
624     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
625 \if@titlepage
626     \renewenvironment{abstract}{%
627         \titlepage
628         \null\vfil
629         \section*{\SectFont\abstractname}
630         \noindent\ignorespaces
631         {\par\vfil\null\endtitlepage}
632     \else
633         \renewenvironment{abstract}{%
634             \if@twocolumn
635                 \section*{\abstractname}%
636             \else
637                 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
638                 \section*{\small\SectFont\abstractname}%
639                 \noindent\ignorespaces
640                 \fi}
641             {\if@twocolumn\else\par\egroup\fi}
642     \fi
643 \renewcommand*\@regtocline[3]{%
644     \ifnum #1>\c@tocdepth
645     \else
646         \vskip\z@\@plus.2\p@
647         {\hangindent\z@ \c@afterindenttrue \interlinepenalty\OM
648             \if@RTL\rightskip\else\leftskip\fi\unitindent
649             \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
650             \parfillskip\z@
651             \tempdima\unitindent
652             \parindent\z@
653             \leavevmode
654             \hbox{} \hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
655             \hspace{1em}\nobreak\slshape #3}\par
656         }%
657     \fi}
658 \if@oldtoc
659 \renewcommand*\l@part[2]{%
660     \ifnum \c@tocdepth >-2\relax
661         \addpenalty\secpenalty
662         \addvspace{2.25em \@plus\p@}%
663         \begingroup
664             \setlength\tempdima{3em}%
665             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi\unitwidth
666             \parfillskip -\unitwidth
667             \leavevmode
668             \large \bfseries #1\hfil \hb@xt@\unitwidth{\hss #2}\par
669             \nobreak
670             \if@compatibility
671                 \global\nobreaktrue
672                 \everypar{\global\nobreakfalse\everypar{}}
673             \fi
674         \endgroup

```



```

675   \fi}
676 \else
677   \renewcommand*\l@part{%
678     \ifnum \c@tocdepth >-2\relax
679     \addpenalty\@secpenalty
680     \addvspace{2.25em \oplus \p@}%
681     \c@regtocline{0}%
682   \fi}
683 \fi
684 \if@oldtoc
685 \renewcommand*\l@section[2]{%
686   \addpenalty\@secpenalty
687   \addvspace{1.0em \oplus \p@}%
688   \setlength\@tempdima{1.5em}%
689   \begingroup
690   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
691   \parfillskip -\pnumwidth
692   \leavevmode \bfseries
693   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
694   \hskip -\if@RTL\rightskip\else\leftskip\fi
695   #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
696   \endgroup}
697 \else
698   \renewcommand*\l@section{\c@regtocline{1}}
699 \fi
700 \renewcommand*\thesubsection{\thesection\c@arabic\c@subsection}
701 \renewcommand*\thesubsubsection{\thesubsection\c@arabic\c@subsubsection}
702 \renewcommand*\theparagraph{\thesubsubsection\c@arabic\c@paragraph}
703 \renewcommand*\thesubparagraph{\theparagraph\c@arabic\c@subparagraph}
704 \renewenvironment{thebibliography}[1]
705   {\section*{\refname}%
706    \c@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
707    \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
708    \bidi@thebibliography\font@hook%
709    \list{\c@arabic\c@enumiv}%
710      {\settowidth\labelwidth{\c@biblabel{\#1}}%
711       \leftmargin\labelwidth
712       \advance\leftmargin\labelsep
713       \openbib@code
714       \usecounter{enumiv}%
715       \let\p@enumiv\empty
716       \renewcommand*\theenumiv{\c@arabic\c@enumiv}%
717       \sloppy\clubpenalty4000\widowpenalty4000%
718       \sfcode`.\@m}
719    \def\@noitemerr
720      {\@latex@warning{Empty `thebibliography' environment}}%
721    \endlist}
722 \renewcommand*\left@footnoterule{%
723   \kern-3\p@
724   \kern.5\baselineskip
725   \hrule\@width\unitindent
726   \kern.4\baselineskip
727 }
728 \renewcommand*\right@footnoterule{%

```



```

729 \kern-3\p@
730 \kern.5\baselineskip
731 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
732 \kern.4\baselineskip}
733 \if@titlepage
734 \renewcommand*\TitleFont{\rmfamily}
735 \renewcommand*\maketitle{%
736 \begin{titlepage}%
737 \let\footnotesize\small
738 \let\right@footnoterule\relax
739 \let\left@footnoterule\relax
740 \let\textwidth@footnoterule\relax
741 \let \footnote \thanks
742 \long\def\@makefntext{\par\kern\z@%
743 \def\labelitemi{\textendash}\relax\labeltrue
744 \leavevmode\textsuperscript{\@thefnmark}\kern1em\relax ##1}
745 \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
746 \if@compatibility\setcounter{page}{0}\fi
747 \null\vfil
748 \vskip 60\p@
749 \begin{center}%
750 \TitleFont
751 {\LARGE \def\{\penalty -\@M}
752 \if@allcaps
753 \expandafter\uc@nothanks\@title\thanks\relax
754 \else
755 \@title
756 \fi\par}%
757 \vskip 3em%
758 {\large
759 \lineskip .75em \par\kern\z@%
760 \begin{tabular}[t]{c}%
761 \if@allcaps
762 \expandafter\uc@author\nothanks\@author\and\relax
763 \else
764 \@author
765 \fi
766 \end{tabular}\par}%
767 \vskip 1.5em%
768 {\large
769 \if@allcaps
770 \uppercase\expandafter{\@date}%
771 \else
772 \@date
773 \fi\par}%
774 \end{center}\par
775 \thanks
776 \vfil\null
777 \end{titlepage}%
778 \setcounter{footnote}{0}%
779 \global\let\thanks\relax
780 \global\let\maketitle\relax
781 \global\let\@thanks\empty
782 \global\let\@author\empty

```



```

783 \global\let@\title\@empty
784 \global\let@\date\@empty
785 \global\let\title\relax
786 \global\let\author\relax
787 \global\let\date\relax
788 \global\let\and\relax
789 }
790 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet@\tempa\uc@tx}
791 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
792   \futurelet@\tempa\uc@ax}
793 \def\uc@ax{%
794   \ifx@\tempa\relax
795   \else
796     \\\ \andname \\ \expandafter\uc@authornothanks
797   \fi}
798 \def\uc@tx{\ifx@\tempa\relax
799   \else \expandafter\uc@ty \fi}
800 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
801 \else
802 \renewcommand*\maketitle{\par
803   \begingroup
804     \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
805     \def\@makefnmark{\rlap{%
806       \textsuperscript{\normalfont\thefnmark}}}%
807     \long\def\@makefntext{\xmakefntext{%
808       \textsuperscript{\normalfont\thefnmark}}}%
809     \if@twocolumn
810       \ifnum \col@number=\@ne
811         \maketitle
812       \else
813         \twocolumn[\maketitle]%
814       \fi
815     \else
816       \newpage
817       \global\@topnum\z@
818       \maketitle
819     \fi
820     \thispagestyle{plain}\@thanks
821   \endgroup
822   \setcounter{footnote}{0}%
823   \global\let\thanks\relax
824   \global\let\maketitle\relax
825   \global\let\@maketitle\relax
826   \global\let@\thanks\@empty
827   \global\let@\author\@empty
828   \global\let@\title\@empty
829   \global\let@\date\@empty
830   \global\let\title\relax
831   \global\let\author\relax
832   \global\let\date\relax
833   \global\let\and\relax
834 }
835 \def\@maketitle{%
836   \newpage

```



```

837 \null
838 \vskip 2em%
839 \begin{center}%
840   \let \footnote \thanks
841   {\LARGE \TitleFont \@title \par}%
842   \vskip 1.5em%
843   {\large \TitleFont
844     \lineskip .5em%
845     \begin{tabular}[t]{c}%
846       \author
847     \end{tabular}\par}%
848   \vskip 1em%
849   {\large \TitleFont \@date}%
850 \end{center}%
851 \par
852 \vskip 1.5em}
853 \fi

```

11 File artikel2-xetex-bidi.def

```

854 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class f
855 \renewenvironment{theindex}{%
856   \if@twocolumn
857     \restonecolfalse
858   \else
859     \restonecoltrue
860   \fi
861   \columnseprule \z@
862   \columnsep 35\p@
863   \twocolumn[\section*{\indexname}]%
864   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
865   \thispagestyle{plain}\parindent\z@
866   \parskip\z@ \plus .3\p@\relax
867   \let\item@\idxitem
868 }{%
869   \if@restonecol\onecolumn\else\clearpage\fi}
870 \renewcommand*\@regtocline[3]{%
871   \ifnum #1>\c@tocdepth
872   \else
873     \vskip\z@\plus.2\p@
874     \hangindent\z@ \afterindenttrue \interlinepenalty\@M
875     \if@RTL\rightskip\else\leftskip\fi\unitindent
876     \if@RTL\leftskip\else\rightskip\fi\unitindent\plus 1fil
877     \parfillskip\z@
878     \tempdima\unitindent
879     \advance\tempdima by \othermargin
880     \parindent\z@
881     \leavevmode
882     \hbox{} \hspace{-\if@RTL\rightskip\else\leftskip\fi\relax\#2\nobreak
883     \hspace{1em} \nobreak\slshape #3}\par
884   }%
885   \fi}
886 \if@oldtoc
887 \renewcommand*\l@section[2]{%

```



```

888     \addpenalty\@secpenalty
889     \addvspace{1.0em \@plus\p@}%
890     \setlength\@tempdima{1.5em}%
891     \begingroup
892     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
893     \parfillskip -\@pnumwidth
894     \leavevmode \bfseries
895     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
896     \hskip -\if@RTL\rightskip\else\leftskip\fi
897     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
898     \endgroup}
899 \else
900   \renewcommand*\l@section{\@regtocline{1}}
901 \fi
902 \if@oldtoc
903 \renewcommand*\l@part[2]{%
904   \ifnum \c@tocdepth >-2\relax
905     \addpenalty\@secpenalty
906     \addvspace{2.25em \@plus\p@}%
907     \begingroup
908       \setlength\@tempdima{3em}%
909       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
910       \parfillskip -\@pnumwidth
911       {\leavevmode
912         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}\par
913         \nobreak
914         \if@compatibility
915           \global\nobreaktrue
916           \everypar{\global\nobreakfalse\everypar{}}
917         \fi
918       \endgroup
919     \fi}
920 \else
921   \renewcommand*\l@part{%
922     \ifnum \c@tocdepth >-2\relax
923       \addpenalty\@secpenalty
924       \addvspace{2.25em \@plus \p@}%
925       \@regtocline{0}%
926     \fi
927   \fi
928 \renewcommand*\head@style{%
929   \interlinepenalty \OM
930   \hyphenpenalty=\OM \exhyphenpenalty=\OM
931   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
932 \if@titlepage
933   \renewenvironment{abstract}{%
934     \titlepage
935     \null\vfil
936     \section*{\SectFont\abstractname}%
937     \noindent\ignorespaces
938     {\par\vfil\null\endtitlepage}
939 \else
940   \renewenvironment{abstract}{%
941     \if@twocolumn

```



```

942     \section*{\abstractname}%
943     \else
944         \section*{\hskip\unitindent\small\SectFont\abstractname}%
945         \list{}{\setlength\listparindent{\unitindent}%
946             \setlength\parindent {\z@}%
947             \setlength\leftmargin {\unitindent}%
948             \setlength\rightmargin {\unitindent}%
949             \setlength\parsep {\z@}}%
950         \item[]%
951     \fi}
952     {\if@twocolumn\else\par\endlist\fi}
953 \fi
954 \renewcommand*\thesubsection{\thesection \@SepMark @arabic \c@subsection}
955 \renewcommand*\thesubsubsection{\thesubsection \@SepMark @arabic \c@subsubsection}
956 \renewcommand*\theparagraph{\thesubsubsection \@SepMark @arabic \c@paragraph}
957 \renewcommand*\thesubparagraph{\theparagraph \@SepMark @arabic \c@subparagraph}
958 \renewcommand*\left@footnoterule{%
959     \kern-3\p@
960     \hrule@width 3\unitindent
961     \kern 2.6\p@
962 }
963 \renewcommand*\right@footnoterule{%
964     \kern-3\p@
965     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
966     \kern 2.6\p@}
967 \renewenvironment{thebibliography}[1]
968     {\section*{\refname}%
969         \omkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
970         \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
971         \bidi@thebibliography@font@hook%
972         \list{@biblabel{\@arabic\c@enumiv}}%
973             \settowidth\labelwidth{@biblabel{#1}}%
974             \leftmargin\labelwidth
975             \advance\leftmargin\labelsep
976             \openbib@code
977             \usecounter{enumiv}%
978             \let\p@enumiv\empty
979             \renewcommand*\theenumiv{\@arabic\c@enumiv}%
980             \sloppy\clubpenalty4000\widowpenalty4000%
981             \sfcode`.\@m}
982         {\def\@noitemerr
983             {\@latex@warning{Empty `thebibliography' environment}}%
984         \endlist}
985 \if@titlepage
986 \renewcommand*\TitleFont{\rmfamily}
987 \renewcommand*\maketitle{%
988     \begin{titlepage}%
989         \let\footnotesize\small
990         \let\right@footnoterule\relax
991         \let\left@footnoterule\relax
992         \let\textwidth@footnoterule\relax
993         \let \footnote \thanks
994         \long\def\makefntext##1{\parindent\z@
995             \def\labelitemi{\textendash}\revlabeltrue

```



```

996      \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1
997  \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
998  \if@compatibility\setcounter{page}{0}\fi
999  \null\vfil
1000 \vskip 60\p@
1001 \begin{center}%
1002   \TitleFont
1003   {\LARGE \def\{\penalty -\@M}
1004     \if@allcaps
1005       \expandafter\uc@nothanks\@title\thanks\relax
1006     \else
1007       \@title
1008     \fi\par}%
1009 \vskip 3em%
1010 {\large
1011   \lineskip .75em \parindent\z@%
1012   \begin{tabular}[t]{c}%
1013     \if@allcaps
1014       \expandafter\uc@authornothanks\@author\and\relax
1015     \else
1016       \@author
1017     \fi
1018   \end{tabular}\par}%
1019 \vskip 1.5em%
1020 {\large
1021   \if@allcaps
1022     \uppercase\expandafter{\@date}%
1023   \else
1024     \@date
1025   \fi\par}%
1026 \end{center}\par
1027   \@thanks
1028   \vfil\null
1029 \end{titlepage}%
1030 \setcounter{footnote}{0}%
1031 \global\let\thanks\relax
1032 \global\let\maketitle\relax
1033 \global\let\@thanks\@empty
1034 \global\let\@author\@empty
1035 \global\let\@title\@empty
1036 \global\let\@date\@empty
1037 \global\let\title\relax
1038 \global\let\author\relax
1039 \global\let\date\relax
1040 \global\let\and\relax
1041 }
1042 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}%
1043 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1044   \futurelet\@tempa\uc@ax}
1045 \def\uc@ax{%
1046   \ifx\@tempa\relax
1047   \else
1048     \\ \andname \\ \expandafter\uc@authornothanks
1049   \fi}

```



```

1050 \def\uc@tx{\ifx\@tempa\relax
1051     \else \expandafter\uc@ty \fi}
1052 \def\uc@ty#1{\thanks{\#1}\uc@nothanks}
1053 \else
1054 \renewcommand*\maketitle{\par
1055   \begingroup
1056     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1057     \long\def\@makefntext##1{\par\indent\z@
1058       \def\labelitemi{\textendash}%
1059       \leavevmode\hb@xt@.5\unitindent{%
1060         \textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1061     \if@twocolumn
1062       \ifnum \col@number=\@ne
1063         \maketitle
1064       \else
1065         \twocolumn[\maketitle]%
1066       \fi
1067     \else
1068       \newpage
1069       \global\@topnum\z@
1070       \maketitle
1071     \fi
1072     \thispagestyle{plain}\@thanks
1073   \endgroup
1074   \setcounter{footnote}{0}%
1075   \global\let\thanks\relax
1076   \global\let\maketitle\relax
1077   \global\let\@maketitle\relax
1078   \global\let\@thanks\empty
1079   \global\let\@author\empty
1080   \global\let\@title\empty
1081   \global\let\@date\empty
1082   \global\let\title\relax
1083   \global\let\author\relax
1084   \global\let\date\relax
1085   \global\let\and\relax
1086 }
1087 \def\@maketitle{%
1088   \newpage
1089   \null
1090   \vskip 2em%
1091   \begin{center}%
1092     \let \footnote \thanks
1093     {\LARGE \TitleFont \@title \par}%
1094     \vskip 1.5em%
1095     {\large \TitleFont
1096       \lineskip .5em%
1097       \begin{tabular}[t]{c}%
1098         \author
1099       \end{tabular}\par}%
1100     \vskip 1em%
1101     {\large \TitleFont \@date}%
1102   \end{center}%
1103 }

```



```
1104   \vskip 1.5em}
1105 \fi
```

12 File artikel3-xetex-bidi.def

```
1106 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class f%
1107 \renewenvironment{theindex}{%
1108   \if@twocolumn
1109     \restonecolfalse
1110   \else
1111     \restonecoltrue
1112   \fi
1113   \columnseprule \z@
1114   \columnsep 35\p@
1115   \twocolumn[\section*{\indexname}]%
1116   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1117   \thispagestyle{plain}\parindent\z@
1118   \parskip\z@ \plus .3\p@\relax
1119   \let\item\idxitem
1120 }{%
1121   \if@restonecol\onecolumn\else\clearpage\fi}
1122 \renewcommand*\head@style{%
1123   \interlinepenalty \OM
1124   \hyphenpenalty=\OM \exhyphenpenalty=\OM
1125   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax
1126 \renewcommand*\@rgtocline[3]{%
1127   \ifnum #1>\c@tocdepth
1128   \else
1129     \vskip\z@\plus.2\p@
1130     {\hangindent\z@ \if@afterindenttrue \interlinepenalty\OM
1131       \if@RTL\rightskip\else\leftskip\fi\unitindent
1132       \if@RTL\leftskip\else\rightskip\fi\unitindent\plus 1fil
1133       \parfillskip\z@
1134       \tempdima\unitindent
1135       \parindent\z@
1136       \leavevmode
1137       \hbox{} \hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1138       \hspace{1em} \nobreak\slshape #3}\par
1139     }%
1140   \fi}
1141 \if@oldtoc
1142 \renewcommand*\l@part[2]{%
1143   \ifnum \c@tocdepth >-2\relax
1144     \addpenalty\secpenalty
1145     \addvspace{2.25em \plus\p@}%
1146     \begingroup
1147       \setlength\tempdima{3em}%
1148       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\pnumwidth
1149       \parfillskip -\pnumwidth
1150       \leavevmode
1151       \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
1152       \nobreak
1153     \if@compatibility
1154       \global\nobreaktrue
```



```

1155      \everypar{\global\@nobreakfalse\everypar{}}
1156      \fi
1157      \endgroup
1158  \fi}
1159 \else
1160   \renewcommand*\l@part{%
1161     \ifnum \c@tocdepth >-2\relax
1162       \addpenalty\@secpenalty
1163       \addvspace{2.25em \oplus \p@}%
1164       \regtocline{0}%
1165     \fi}
1166 \fi
1167
1168 \if@oldtoc
1169 \renewcommand*\l@section[2]{%
1170   \addpenalty\@secpenalty
1171   \addvspace{1.0em \oplus \p@}%
1172   \setlength\tempdima{1.5em}%
1173   \begingroup
1174     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
1175     \parfillskip -\pnumwidth
1176     \leavevmode \bfseries
1177     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
1178     \hskip -\if@RTL\rightskip\else\leftskip\fi
1179     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
1180   \endgroup}
1181 \else
1182   \renewcommand*\l@section{\regtocline{1}}
1183 \fi
1184 \if@titlepage
1185   \renewenvironment{abstract}{%
1186     \titlepage
1187     \null\vfil
1188     \section*{\SectFont\abstractname}%
1189     \noindent\ignorespaces
1190     {\par\vfil\null\endtitlepage}
1191 \else
1192   \renewenvironment{abstract}{%
1193     \if@twocolumn
1194       \section*{\abstractname}%
1195     \else
1196       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1197       \section*{\small\SectFont\abstractname}%
1198       \noindent\ignorespaces
1199     \fi}
1200   {\if@twocolumn\else\par\egroup\fi}
1201 \fi
1202 \renewcommand*\left@footnoterule{%
1203   \kern-3\p@
1204   \kern.5\baselineskip
1205   \hrule\@width\unitindent
1206   \kern.4\baselineskip
1207 }
1208 \renewcommand*\right@footnoterule{%

```



```

1209 \kern-3\p@
1210 \kern.5\baselineskip
1211 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1212 \kern.4\baselineskip}
1213 \renewcommand*\thesubsection{\thesection\c@subsection}
1214 \renewcommand*\thesubsubsection{\thesubsection\c@subsubsection}
1215 \renewcommand*\theparagraph{\thesubsubsection\c@paragraph}
1216 \renewcommand*\thesubparagraph{\theparagraph\c@subparagraph}
1217 \renewenvironment{thebibliography}[1]
1218   {\section*{\refname}%
1219    \c@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1220    \if@RTL\if@LTribitems\@RTLfalse\else\fi\else\if@RTLibitems\@RTLtrue\else\fi\fi
1221    \bidi@thebibliography\font@hook%
1222    \list{\c@biblabel{\c@arabic\c@enumiv}}%
1223      {\settowidth\labelwidth{\c@biblabel{\#1}}%
1224       \leftmargin\labelwidth
1225       \advance\leftmargin\labelsep
1226       \c@openbib@code
1227       \usecounter{enumiv}%
1228       \let\p@enumiv\empty
1229       \renewcommand*\theenumiv{\c@arabic\c@enumiv}%
1230       \sloppy\clubpenalty4000\widowpenalty4000%
1231       \sfcode`\. \c@m}
1232     {\def\c@noitemerr
1233      {\@latex@warning{Empty `thebibliography' environment}}%
1234     \endlist}
1235 \if@titlepage
1236 \renewcommand*\TitleFont{\rmfamily}
1237 \renewcommand*\maketitle{%
1238   \begin{titlepage}%
1239     \let\footnotesize\small
1240     \let\right@footnoterule\relax
1241     \let\left@footnoterule\relax
1242     \let\textwidth@footnoterule\relax
1243     \let\footnote\thanks
1244     \long\def\makefntext{\par\indent\z@%
1245       \def\labelitemi{\textendash}\c@revlabeltrue
1246       \leavevmode\c@textsuperscript{\c@thefnmark}\kern1em\relax ##1}
1247     \renewcommand*\thefootnote{\c@fnsymbol\c@footnote}%
1248     \if@compatibility\setcounter{page}{0}\fi
1249     \null\vfil
1250     \vskip 60\p@
1251     \begin{center}%
1252       \TitleFont
1253       {\LARGE \def\{\penalty -\c@M}%
1254        \if@allcaps
1255          \expandafter\uc@nothanks\c@title\thanks\relax
1256        \else
1257          \c@title
1258        \fi\par}%
1259     \vskip 3em%
1260     \large
1261     \lineskip .75em \par\indent\z@%
1262     \begin{tabular}[t]{c}%

```



```

1263     \if@allcaps
1264         \expandafter\uc@authornothanks\@author\and\relax
1265     \else
1266         \@author
1267     \fi
1268     \end{tabular}\par}%
1269     \vskip 1.5em%
1270     {\large
1271         \if@allcaps
1272             \uppercase\expandafter{\@date}%
1273         \else
1274             \@date
1275         \fi\par}%
1276     \end{center}\par
1277     \@thanks
1278     \vfil\null
1279     \end{titlepage}%
1280     \setcounter{footnote}{0}%
1281     \global\let\thanks\relax
1282     \global\let\maketitle\relax
1283     \global\let\@thanks\@empty
1284     \global\let\@author\@empty
1285     \global\let\@title\@empty
1286     \global\let\@date\@empty
1287     \global\let\title\relax
1288     \global\let\author\relax
1289     \global\let\date\relax
1290     \global\let\and\relax
1291 }
1292 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1293 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1294     \futurelet\@tempa\uc@ax}
1295 \def\uc@ax{%
1296     \ifx\@tempa\relax
1297     \else
1298         \\\andname \\ \expandafter\uc@authornothanks
1299     \fi}
1300 \def\uc@tx{\ifx\@tempa\relax
1301     \else \expandafter\uc@ty \fi}
1302 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1303 \else
1304 \renewcommand*\maketitle{\par
1305     \begingroup
1306         \renewcommand*\thefootnote{\fnsymbol{c@footnote}}%
1307         \def\@makefnmark{\rlap{%
1308             \textsuperscript{\normalfont\@thefnmark}}}%
1309         \long\def\@makefntext{\xmakefntext{%
1310             \textsuperscript{\normalfont\@thefnmark}}}%
1311         \if@twocolumn
1312             \ifnum \col@number=\@ne
1313                 \maketitle
1314             \else
1315                 \twocolumn[\maketitle]%
1316             \fi

```



```

1317     \else
1318         \newpage
1319         \global\@topnum\z@
1320         \@maketitle
1321     \fi
1322     \thispagestyle{plain}\@thanks
1323 \endgroup
1324 \setcounter{footnote}{0}%
1325 \global\let\thanks\relax
1326 \global\let\maketitle\relax
1327 \global\let\@maketitle\relax
1328 \global\let@\thanks{\empty}
1329 \global\let@\author{\empty}
1330 \global\let@\title{\empty}
1331 \global\let@\date{\empty}
1332 \global\let\title\relax
1333 \global\let\author\relax
1334 \global\let\date\relax
1335 \global\let\and\relax
1336 }
1337 \def\@maketitle{%
1338     \newpage
1339     \null
1340     \vskip 2em%
1341 \if@titlecentered
1342     \begin{center}%
1343         \let \footnote \thanks
1344         {\LARGE \TitleFont \atitle \par}%
1345         \vskip 1.5em%
1346         {\large \TitleFont
1347             \lineskip .5em%
1348             \begin{tabular}[t]{c}%
1349                 \author
1350             \end{tabular}\par}%
1351         \vskip 1em%
1352         {\large \TitleFont \adate}%
1353     \end{center}%
1354 \else
1355     {\LARGE \TitleFont \head@style \atitle \par} \vskip 1.5em
1356     {\large \TitleFont \lineskip .5em \tabcolsep\z@
1357         \def\and{\% \begin{tabular} has already started
1358             \end{tabular}\hskip 1em plus .17fil
1359             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabu
1360             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\%
1361         \vskip 1em {\large \TitleFont \adate}
1362     \fi
1363     \par
1364     \vskip 1.5em}
1365 \fi

```

13 File arydshln-xetex-bidi.def

```

1366 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package]
1367 \def\endarray{\adl\endarray \egroup \adl\arrayrestore \if@RTL\egroup\endR\egroup\fi\egrou

```





```

1422 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1423     \ifnum \@lastchclass=\thr@@ 5\relax \else
1424         \z@\if #1c\@chnum \z@\else
1425             \if \if@RTLtab#1\else#11\fi\@chnum \one \else
1426                 \if \if@RTLtab#11\else#1r\fi\@chnum \tw@ \else
1427                     \@chclass
1428                         \if #1|\one \let\@arrayrule\adl@arrayrule \else
1429                             \if #1:\one \let\@arrayrule\adl@arraydashrule \else
1430                                 \if #1;\one \let\@arrayrule\adl@argarraydashrule \else
1431                                     \if #1@\tw@ \else
1432                                         \if #1p\thr@@ \else \z@\@preamerr 0\fi
1433                                         \fi \fi \fi \fi \fi \fi \fi
1434
1435 \def\@arrayclassz{\ifcase \@lastchclass \acolampacol \or \ampacol \or
1436     \or \or \addamp \or
1437         \acolampacol \or \firstfalse \acol \fi
1438 \edef\@preamble{\@preamble
1439     \ifcase \chnum
1440         \hfil\adl@putlrc{$\relax\sharp$}\hfil
1441         \or \adl@putlrc{$\relax\sharp$}\hfil
1442         \or \hfil\adl@putlrc{$\relax\sharp$}\fi}
1443 \def\@tabclassz{\ifcase \@lastchclass \acolampacol \or \ampacol \or
1444     \or \or \addamp \or
1445         \acolampacol \or \firstfalse \acol \fi
1446 \edef\@preamble{\@preamble
1447     \ifcase \chnum
1448         \hfil\adl@putlrc{\sharp\unskip}\hfil
1449         \or \adl@putlrc{\sharp\unskip}\hfil
1450         \or \hfil\hskip\z@\adl@putlrc{\sharp\unskip}\fi}
1451 \def\adl@class@start{6}
1452 \def\adl@class@iiiorvii{3}
1453 \fi
1454 \ifpackageloaded{colortbl}{%
1455 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1456 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1457     \let\adl@CT@setup\adl@org@endpbox}
1458 \let\adl@CT@setup\CT@setup
1459 \def\CT@setup{\adl@CT@setup
1460     \tempdima\ht\z@\advance\tempdima\minrowclearance
1461     \ifdim\adl@height<\tempdima \global\adl@height\tempdima \fi
1462     \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1463 \let\adl@act@CT@setup\CT@setup
1464 \def\@classz{\@classx
1465     \tempcnta\count@ \prepnext@tok
1466     \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil
1467     \expandafter\adl@extract@arc\the\toks\tempcnta\arrayrulecolor!\@nil
1468     \expandafter\adl@extract@drsc
1469         \the\toks\tempcnta\doublerulesepcolor!\@nil
1470     \expandafter\adl@extract@dgc\the\toks\tempcnta\dashgapcolor!\@nil
1471     \addtopreamble{\if@RTL\beginL\fi%
1472         \setbox\z@\hbox\bgroup\if@RTL\beginR\fi
1473         \ifcase \chnum
1474             \hskip\stretch{.5}\kern\z@
1475             \dollarbegin

```



```

1476           \insert@column
1477           \d@llarend\hskip\stretch{.5}%
1478           \or \d@llarbegin \insert@column \d@llarend \hfill
1479           \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1480           \or \$\vcenter
1481               \atstartpbox{\@nextchar}\insert@column \cendpbox $%
1482               \or \vtop \atstartpbox{\@nextchar}\insert@column \cendpbox
1483               \or \vbox \atstartpbox{\@nextchar}\insert@column \cendpbox
1484               \fi
1485               \if@RTL\endR\fi\egroup\egroup
1486               \begingroup
1487                   \CT@setup
1488                   \CT@column@color
1489                   \CT@row@color
1490                   \CT@cell@color
1491                   \CT@do@color
1492               \endgroup
1493               \tempdima\ht\z@
1494               \advance\tempdima\minrowclearance
1495               \vrule\height\tempdima\width\z@
1496               \unhbox\z@\if@RTL\endL\fi}%
1497           \prepnext@tok}
1498 \let\adl@act@classz@classz
1499 \let\adl@org@classz@classz
1500 }{}}

```

14 File beamer-xetex-bidi.def

```

1501 \ProvidesFile{beamer-xetex-bidi.def}[2022/06/07 v0.3 bidi adaptations for beamer class for Xe
1502 \AtBeginDocument{%
1503   \if@RTLmain
1504     \raggedleft
1505   \else
1506     \raggedright
1507   \fi
1508 }
1509 \renewcommand*\bidi@beamer@ragged}{%
1510   \if@RTL
1511     \raggedleft
1512   \else
1513     \raggedright
1514   \fi
1515 }
1516 }
1517
1518

```

15 File beamerbaseauxtemplates-xetex-bidi.def

```

1519 \ProvidesFile{beamerbaseauxtemplates-xetex-bidi.def}[2022/06/06 v0.2 bidi adaptations for be
1520 \bidi@csundef{beamer@@tmpop@section in toc@circle}
1521
1522 \bidi@csundef{beamer@@tmpop@subsection in toc@circle}
1523

```



```

1524 \bidi@csundef{beamer@@tmpop@subsubsection in toc@circle}
1525
1526 \defbeamertemplate{section in toc}{circle}
1527 {\leavevmode\bidi@beamer@leftskip=2ex%
1528 \llap{%
1529   \usebeamertemplate*{section number projected}%
1530   \usebeamercolor{section number projected}%
1531   \begin{pgfpicture}{-1ex}{0ex}{1ex}{2ex}
1532     \color{bg}
1533     \pgfpathcircle{\pgfpoint{0pt}{.75ex}}{1.2ex}
1534     \pgfusepath{fill}
1535     \pgftext[base]{\color{fg}\inserttocsectionnumber}
1536   \end{pgfpicture}\kern1.25ex%
1537 }%
1538 \inserttocsection\par}
1539
1540 \defbeamertemplate{subsection in toc}{circle}
1541 {\leavevmode\bidi@beamer@leftskip=2em\inserttocsubsection\par}
1542
1543 \defbeamertemplate{subsubsection in toc}{circle}
1544 {\leavevmode\normalsize\usebeamertemplate{subsection in
1545   toc}\bidi@beamer@leftskip=3em\usebeamertemplate{subsubsection in toc}%
1546 \inserttocsubsubsection\par}
1547
1548 \bidi@csundef{beamer@@tmpop@section in toc@square}
1549
1550 \bidi@csundef{beamer@@tmpop@subsection in toc@square}
1551
1552 \bidi@csundef{beamer@@tmpop@subsubsection in toc@square}
1553
1554 \bidi@csundef{beamer@@tmpop@enumerate item@square}
1555
1556 \bidi@csundef{beamer@@tmpop@enumerate subitem@square}
1557
1558 \bidi@csundef{beamer@@tmpop@enumerate subsubitem@square}
1559
1560 \bidi@csundef{beamer@@tmpop@enumerate mini template@square}
1561
1562 \defbeamertemplate{section in toc}{square}
1563 {\leavevmode\bidi@beamer@leftskip=1.75ex%
1564 \llap{%
1565   \usebeamertemplate*{section number projected}%
1566   \usebeamercolor[bg]{section number projected}%
1567   \if@RTL
1568   \else
1569     \vrule width2.25ex height1.85ex depth.4ex%
1570     \hskip-2.25ex%
1571   \fi
1572   \hbox to2.25ex{\hfil\color{fg}\inserttocsectionnumber\hfil}%
1573   \if@RTL
1574     \hskip-2.25ex%
1575     \vrule width2.25ex height1.85ex depth.4ex%
1576   \fi
1577 }%

```



```

1578 \kern1.25ex\inserttocsection\par}
1579
1580 \defbeamertemplate{subsection in toc}{square}
1581 {\leavevmode\bidi@beamer@leftskip=5ex\llap{%
1582   \usebeamercolor[bg]{subsection number projected}%
1583   \vrule width1ex height1ex\kern1ex}\inserttocsubsection\par}
1584
1585 \defbeamertemplate{subsubsection in toc}{square}
1586 {\leavevmode\normalsize\usebeamertfont{subsection in
1587   toc}\bidi@beamer@leftskip=7ex\usebeamertfont{subsubsection in toc}%
1588 \llap{%
1589   \usebeamercolor[bg]{subsubsection number projected}%
1590   \vrule width0.75ex height0.75ex\kern1ex}\inserttocsubsubsection\par}
1591
1592 \defbeamertemplate{enumerate item}{square}
1593 {
1594   \hbox{%
1595     \usebeamertfont*{item projected}%
1596     \usebeamercolor[bg]{item projected}%
1597     \if@RTL
1598     \else
1599       \vrule width2.25ex height1.85ex depth.4ex%
1600       \hskip-2.25ex%
1601     \fi
1602     \hbox to2.25ex{%
1603       \hfil%
1604       \color{fg}\insertenumlabel%
1605       \hfil}%
1606     \if@RTL
1607       \hskip-2.25ex%
1608       \vrule width2.25ex height1.85ex depth.4ex%
1609     \fi
1610   }%
1611 }
1612 [action]
1613 {\setbeamertfont{item projected}{size=\scriptsize}}
1614
1615 \defbeamertemplate{enumerate subitem}{square}
1616 {
1617   \hbox{%
1618     \usebeamertfont*{subitem projected}%
1619     \usebeamercolor[bg]{subitem projected}%
1620     \if@RTL
1621     \else
1622       \vrule width2.25ex height1.85ex depth.4ex%
1623       \hskip-2.25ex%
1624     \fi
1625     \hbox to2.25ex{%
1626       \hfil%
1627       \color{fg}\insertsubenumlabel%
1628       \hfil}%
1629     \if@RTL
1630       \hskip-2.25ex%
1631       \vrule width2.25ex height1.85ex depth.4ex%

```



```

1632      \fi
1633  } } %
1634 }
1635
1636 \defbeamertemplate{enumerate subsubitem}{square}
1637 {
1638   \hbox{%
1639     \usebeamertemplate*{subitem projected}%
1640     \usebeamercolor[bg]{subsubitem projected}%
1641     \if@RTL
1642     \else
1643       \vrule width2.25ex height1.85ex depth.4ex%
1644       \hspace{-2.25ex}%
1645     \fi
1646   \hbox to2.25ex{%
1647     \hfil%
1648     \color{fg}\insertsubsubenumlabel%
1649     \hfil}%
1650   \if@RTL
1651     \hspace{-2.25ex}%
1652     \vrule width2.25ex height1.85ex depth.4ex%
1653   \fi
1654 } } %
1655 }
1656
1657 \defbeamertemplate{enumerate mini template}{square}
1658 {
1659   \hbox{%
1660     \usebeamertemplate*{\beameritemnestingprefix item projected}%
1661     \usebeamercolor[bg]{\beameritemnestingprefix item projected}%
1662     \if@RTL
1663     \else
1664       \vrule width2.25ex height1.85ex depth.4ex%
1665       \hspace{-2.25ex}%
1666     \fi
1667   \hbox to2.25ex{%
1668     \hfil%
1669     \color{fg}\insertenumlabel%
1670     \hfil}%
1671   \if@RTL
1672     \hspace{-2.25ex}%
1673     \vrule width2.25ex height1.85ex depth.4ex%
1674   \fi
1675 } } %
1676 }
1677
1678 \bidi@csundef{beamer@@tmpop@section in toc@ball}
1679
1680 \bidi@csundef{beamer@@tmpop@subsection in toc@ball}
1681
1682 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball}
1683
1684 \defbeamertemplate{section in toc}{ball}
1685 {\leavevmode\bidi@beamer@leftskip=2.75ex%

```



```

1686 \llap{%
1687   \normalsize%
1688   \begin{pgfpicture}{-1ex}{-0.7ex}{1ex}{1ex}
1689     \pgftext{\beamer@usesphere{section number projected}{tocsphere}}
1690     \pgftext{%
1691       \usebeamertemplate{section number projected}%
1692       \usebeamercolor{section number projected}%
1693       \color{fg!90!bg}%
1694       \inserttocsectionnumber}
1695     \end{pgfpicture}%
1696     \kern1.25ex}%
1697   \inserttocsection\par
1698 }
1699 [action]
1700 {\setbeamertemplate{section number projected}{size=\scriptsize}}
1701
1702 \defbeamertemplate{subsection in toc}{ball}
1703 {\leavevmode\bidi@beamer@leftskip=5ex%
1704   \llap{\raise0.1ex\beamer@usesphere{subsection number projected}{bigsphere}\kern1ex}%
1705   \inserttocsubsection\par%
1706 }
1707
1708 \defbeamertemplate{subsubsection in toc}{ball}
1709 {\leavevmode\normalsize\usebeamertemplate{subsection in
1710   toc}\bidi@beamer@leftskip=7ex\usebeamertemplate{subsubsection in toc}%
1711   \llap{\beamer@usesphere{subsubsection number projected}{bigsphere}\kern0.75ex}%
1712   \inserttocsubsubsection\par%
1713 }
1714
1715 \bidi@csundef{beamer@@tmpop@block begin@rounded}
1716
1717 \bidi@csundef{beamer@@tmpop@block alerted begin@rounded}
1718
1719 \bidi@csundef{beamer@@tmpop@block example begin@rounded}
1720
1721 \defbeamertemplate{block begin}{rounded}[1][shadow=false]
1722 {%
1723   \par\vskip\medskipamount%
1724   \begin{beamertemplatesrounded}[upper=block title,lower=block body,#1]%
1725     {\raggedright\usebeamertemplate{block title}\insertblocktitle}%
1726     \bidi@beamer@ragged%
1727     \usebeamertemplate{block body}%
1728 }
1729
1730 \defbeamertemplate{block alerted begin}{rounded}[1][shadow=false]
1731 {%
1732   \par\vskip\medskipamount%
1733   \begin{beamertemplatesrounded}[upper=block title alerted,lower=block body alerted,#1]%
1734     {\raggedright\usebeamertemplate{block title alerted}\insertblocktitle}%
1735     \bidi@beamer@ragged%
1736     \usebeamertemplate{block body alerted}%
1737 }%
1738
1739 \defbeamertemplate{block example begin}{rounded}[1][shadow=false]

```



```

1740 {%
1741   \par\vskip\medskipamount%
1742   \begin{beamerboxesrounded}[upper=block title example,lower=block body example,#1]
1743     {\raggedright\usebeamertfont*{block title example}\insertblocktitle}%
1744     \bidi@beamer@ragged%
1745     \usebeamertfont{block body example}%
1746 }%
1747

```

16 File beamerbaseboxes-xetex-bidi.def

```

1748 \ProvidesFile{beamerbaseboxes-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for beamerbas
1749 \renewcommand\beamerboxesrounded[2][]{%
1750   \global\let\beamer@firstlineitemizeunskip=\relax%
1751   \vbox\bggroup%
1752   \setkeys{beamerboxes}{upper=block title,lower=block body,width=\textwidth,shadow=false}%
1753   \setkeys{beamerboxes}{#1}%
1754   {%
1755     \usebeamercolor{\bmb@lower}%
1756     \globalcolortrue%
1757     \colorlet{lower.bg}{bg}%
1758   }%
1759   {%
1760     \usebeamercolor{\bmb@upper}%
1761     \globalcolortrue%
1762     \colorlet{upper.bg}{bg}%
1763   }%
1764   %
1765   % Typeset head
1766   %
1767   \vskip4bp
1768   \setbox\bmb@box=\hbox{%
1769     \begin{minipage}[b]{\bmb@width}%
1770       \usebeamercolor[fg]{\bmb@upper}%
1771       #2%
1772       \end{minipage}%
1773     \ifdim\wd\bmb@box=0pt%
1774       \setbox\bmb@box=\hbox{}%
1775       \ht\bmb@box=1.5pt%
1776       \bmb@prevheight=-4.5pt%
1777     \else%
1778       \wd\bmb@box=\bmb@width%
1779       \bmb@temp=\dp\bmb@box%
1780       \ifdim\bmb@temp<1.5pt%
1781         \bmb@temp=1.5pt%
1782       \fi%
1783       \setbox\bmb@box=\hbox{\raise\bmb@temp\hbox{\box\bmb@box}}%
1784       \dp\bmb@box=0pt%
1785       \bmb@prevheight=\ht\bmb@box%
1786     \fi%
1787     \bmb@temp=\bmb@width%
1788     \bmb@dima=\bmb@temp\advance\bmb@dima by2.2bp%
1789     \bmb@dimb=\bmb@temp\advance\bmb@dimb by4bp%
1790     \hbox{%

```



```

1791 \begin{pgfpicture}{0bp}{+-\ht\bmb@box}{0bp}{+-\ht\bmb@box}
1792   \ifdim\wd\bmb@box=0pt%
1793     \color{lower.bg}%
1794   \else%
1795     \color{upper.bg}%
1796   \fi%
1797   \pgfpathqmoveto{-4bp}{-1bp}
1798   \pgfpathqcurveto{-4bp}{1.2bp}{-2.2bp}{3bp}{0bp}{3bp}
1799   \pgfpathlineto{\pgfpoint{\bmb@temp}{3bp}}
1800   \pgfpathcurveto%
1801   {\pgfpoint{\bmb@dima}{3bp}}%
1802   {\pgfpoint{\bmb@dimb}{1.2bp}}%
1803   {\pgfpoint{\bmb@dimb}{-1bp}}%
1804   \bmb@dima=-\ht\bmb@box%
1805   \advance\bmb@dima by-2pt%
1806   \pgfpathlineto{\pgfpoint{\bmb@dimb}{\bmb@dima}}
1807   \pgfpathlineto{\pgfpoint{-4bp}{\bmb@dima}}
1808   \pgfusepath{fill}
1809 \end{pgfpicture}%
1810 \copy\bmb@box%
1811 }%
1812 \nointerlineskip%
1813 \vskip-1pt%
1814 \ifdim\wd\bmb@box=0pt%
1815 \else%
1816 \hbox{%
1817   \begin{pgfpicture}{0pt}{0pt}{\bmb@width}{6pt}
1818     \bmb@dima=\bmb@width%
1819     \advance\bmb@dima by8bp%
1820     \pgfpathrectangle{\pgfpoint{-4bp}{-1bp}}{\pgfpoint{\bmb@dima}{8bp}}
1821     \pgfusepath{clip}
1822     {\pgftransformshift{\pgfpoint{-4bp}{0bp}}\pgftext[left,base]{\pgfuseshading{\bmb@transi
1823   \end{pgfpicture}%
1824 }%
1825 \nointerlineskip%
1826 \vskip-0.5pt%
1827 \fi%
1828 \setbox\bmb@colorbox=\hbox{\ifpgfpicturetrue\pgfsetcolor{lower.bg}\fi}%
1829 \setbox\bmb@box=\hbox{\bgroup\begin{minipage}[b]{\bmb@width}%
1830   \vskip2pt%
1831   \usebeamercolor[fg]{\bmb@lower}%
1832   \colorlet{beamerstructure}{upper.bg}%
1833   \colorlet{structure}{upper.bg}%
1834   \%{\color{.}}%
1835   \@bidi@list@minipage@parboxfalse
1836 }
1837 \bidi@patchcmd{\endbeamerboxesrounded}{\begingroup}{%
1838   \begingroup
1839   \RTLfalse
1840 }{}{%
1841 }{}{%
1842 }{}{%
1843 }
```



17 File beamerbasecolor-xetex-bidi.def

```
1844 \ProvidesFile{beamerbasecolor-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for beamerbas
1845 \renewenvironment{beamercolorbox}[2][]{%
1846   \def\beamer@vmode{\leavevmode}%
1847   \setkeys{beamercolbox}{wd=\textwidth,ht={},dp={},%
1848     leftskip=0pt,rightskip=0pt plus1fil,%
1849     sep=0pt,colsep=0pt,colsep*=0pt,%
1850     shadow=false,rounded=false,ignorebg=false}%
1851   \if@RTL
1852     \setkeys{beamercolbox}{rightskip=0pt,leftskip=0pt plus1fil}%
1853   \else
1854     \setkeys{beamercolbox}{leftskip=0pt,rightskip=0pt plus1fil}%
1855   \fi
1856   \setkeys{beamercolbox}{#1}%
1857   \ifbeamercolorempty[bg]{\#2}{\@tempswafalse}{\@tempswatrue}%
1858   \ifbeamercolorempty[fg]{\#2}{\@tempswafalse}{\@tempswatrue}%
1859   \def\beamer@colbox@color{\#2}%
1860   \setbox\beamer@tempbox=\hbox\bgroup\color@begingroup
1861     \ifbeamercolbox@ignorebg%
1862       \colorlet{beamer@temp@color}{bg}%
1863       \usebeamercolor[fg]{\#2}%
1864       \colorlet{bg}{beamer@temp@color}%
1865     \else%
1866       \usebeamercolor[fg]{\#2}%
1867     \fi%
1868   \beginL
1869   \vbox\bgroup%
1870   \hspace=\beamer@colbox@wd%
1871   \arrayparboxrestore%
1872   \leftskip=\beamer@colbox@ls%
1873   \ifdim\beamer@colbox@sep>\z@\advance\leftskip\beamer@colbox@sep\fi%
1874   \rightskip=\beamer@colbox@rs%
1875   \ifdim\beamer@colbox@sep>\z@\advance\rightskip\beamer@colbox@sep\fi%
1876   \if@tempswa\ifdim\beamer@colbox@colsep>\z@%
1877     \advance\leftskip by\beamer@colbox@colsep%
1878     \advance\rightskip by\beamer@colbox@colsep%
1879     \vskip\beamer@colbox@colsep%
1880   \fi%
1881   \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
1882 \fi%
1883 \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
1884 \beamer@vmode\ignorespaces}%
1885 \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
1886 \if@tempswa%
1887   \ifdim\beamer@colbox@colsep>\z@\vskip\beamer@colbox@colsep\fi%
1888   \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
1889 \fi%
1890 \egroup\endL\color@endgroup\egroup%
1891 \wd\beamer@tempbox=\beamer@colbox@wd%
1892 \ifx\beamer@colbox@ht\empty\else\ht\beamer@tempbox=\beamer@colbox@ht\fi%
1893 \ifx\beamer@colbox@dp\empty\else\dp\beamer@tempbox=\beamer@colbox@dp\fi%
1894 \ifbeamercolbox@rounded%
1895   \if@tempswa%
```



```

1896 \begin{beamertemplatesrounded}[%  

1897     shadow=\beamer@colbox@shadow,%  

1898     lower=\beamer@colbox@color,%  

1899     upper=normal text,%  

1900     width=\beamer@colbox@wd]{})%  

1901     \box\beamer@tempbox%  

1902 \end{beamertemplatesrounded} %  

1903 \else%  

1904     \ifdim\wd\beamer@tempbox>\textwidth%  

1905         \setbox\beamer@tempbox=\hbox to\textwidth{\hss\box\beamer@tempbox\hss}%  

1906     \fi%  

1907     \box\beamer@tempbox%  

1908 \fi%  

1909 \else%  

1910     \if@tempswa\setbox\beamer@tempbox=\hbox{ %  

1911         \usebeamercolor{\beamer@colbox@color}}%  

1912         \hskip-\beamer@colbox@colseps%  

1913         \fboxsep=\z@\colorbox{bg}{ %  

1914             \hskip\beamer@colbox@colseps%  

1915             \box\beamer@tempbox%  

1916             \hskip\beamer@colbox@colseps%  

1917         }%  

1918         \hskip-\beamer@colbox@colseps%  

1919     }\fi%  

1920     \ifdim\wd\beamer@tempbox>\textwidth%  

1921         \setbox\beamer@tempbox=\hbox to\textwidth{\hskip0pt minus\beamer@leftmargin\relax\box\beamer@tempbox%  

1922     \fi%  

1923     \box\beamer@tempbox%  

1924 \fi%  

1925 }  

1926  

1927

```

18 File beamerbasecompatibility-xetex-bidi.def

```

1928 \ProvidesFile{beamerbasecompatibility-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for b  

1929 \def\insertvrule#1#2{\hbox{{\color{#2}\hskip-\Gm@lmargin\vrule width \paperwidth height #1\h  

1930  

1931

```

19 File beamerbaseframecomponents-xetex-bidi.def

```

1932 \ProvidesFile{beamerbaseframecomponents-xetex-bidi.def}[2022/06/13 v0.4 bidi adaptations for  

1933 \renewcommand{\setbeamersize}[1]{%  

1934     \beamer@dogeometryfalse%  

1935     \setkeys{beamer@margin}{#1}%  

1936     \ifbeamer@dogeometry%  

1937         % Reset left margin now  

1938         \beamer@tempdim=\beamer@leftmargin%  

1939         \advance\beamer@tempdim by\beamer@leftsidebar%  

1940         \if@RTLmain  

1941             \geometry{right=\the\beamer@tempdim}%  

1942         \else  

1943             \geometry{left=\the\beamer@tempdim}%

```



```

1944     \fi
1945     % Reset right margin now
1946     \beamer@tempdim=\beamer@rightmargin%
1947     \advance\beamer@tempdim by\beamer@rightsidebar%
1948     \if@RTLmain
1949         \geometry{left=\the\beamer@tempdim}%
1950     \else
1951         \geometry{right=\the\beamer@tempdim}%
1952     \fi
1953 \fi%
1954 }
1955 \newcommand*{\bidi@beamer@Gm@lmargin}{%
1956     \if@RTLmain
1957         \Gm@rmargin
1958     \else
1959         \Gm@lmargin
1960     \fi
1961 }
1962 }
1963 \newcommand*{\bidi@beamer@Gm@rmargin}{%
1964     \if@RTLmain
1965         \Gm@lmargin
1966     \else
1967         \Gm@rmargin
1968     \fi
1969 }
1970 }
1971 \def\ps@navigation{
1972     \def\@oddhead{%
1973         \begingroup%
1974             \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti
1975             \beamer@tempdim=\ht\beamer@tempbox%
1976             \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}%
1977             \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
1978             \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
1979             \beamer@tempdim=\ht\@tempboxa%
1980             \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}%
1981             \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
1982             \vbox{\hbox{\hskip-\bidi@beamer@Gm@lmargin\box\beamer@tempbox\box\@tempboxa}%
1983                 \hbox{%
1984                     \f%
1985                     \setbox\beamer@tempbox=\hbox{\hskip-\bidi@beamer@Gm@lmargin%
1986                     \if@RTLmain
1987                         {%
1988                             \vbox to \sidebarheight{%
1989                                 \usebeamertemplate***{sidebar left}%
1990                                 \vfil%
1991                             }%
1992                         }%
1993                         @ifpackageloaded{beamerinnerthememinmargin}{}{%
1994                             \hskip-\textwidth
1995                         }%
1996                     \fi
1997                     {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%

```



```

1998         \usebeamercolor*{sidebar left}%
1999         \usebeamertemplate{sidebar canvas left}%
2000         \vss%
2001     }}%
2002     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2003     \box\beamer@tempbox}%
2004     \if@RTLmain
2005     \else
2006     {%
2007         \vbox to \sidebarheight{%
2008             \usebeamertemplate***{sidebar left}%
2009             \vfil%
2010         } }\fi}%
2011     \beamer@tempdim=\ht\beamer@tempbox%
2012     \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}}%
2013     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2014     \box\beamer@tempbox%
2015 }%
2016 { % print right sidebar first, since it should be overwritten by headline
2017     \setbox\beamer@tempbox=\hbox{\hskip\textwidth\hskip\beamer@rightmargin}%
2018     \if@RTLmain
2019         {%
2020             \vbox to \sidebarheight{%
2021                 \usebeamertemplate***{sidebar right}%
2022                 \vfil%
2023             } }\fi%
2024             \hskip-\textwidth
2025             \fi
2026             {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
2027                 \usebeamercolor*{sidebar right}%
2028                 \usebeamertemplate{sidebar canvas right}%
2029                 \vss%
2030             } }\fi%
2031             \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2032             \box\beamer@tempbox}%
2033             \if@RTLmain
2034             \else
2035             {%
2036                 \vbox to \sidebarheight{%
2037                     \usebeamertemplate***{sidebar right}%
2038                     \vfil%
2039                 } }\fi}%
2040             \beamer@tempdim=\ht\beamer@tempbox%
2041             \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}}%
2042             \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2043             \box\beamer@tempbox%
2044 }%
2045             \beamer@typesetheadorfoot{headline}%
2046 }%
2047             \hfil}%
2048     \endgroup}
2049 \def\@oddfoot{%
2050     \vbox{\offinterlineskip\hbox{\beamer@typesetheadorfoot{footline}%
2051     \hfil}\hbox{\hfil}}

```



```

2052  }%
2053  \let\@evenhead\@oddhead
2054  \let\@evenfoot\@oddfoot
2055
2056 \AtBeginDocument{%
2057   \pagestyle{navigation}%
2058 }
2059
2060 \def\beamer@typesettheaderfoot#1{%
2061   \parskip0pt\offinterlineskip%
2062   \hbox{%
2063     \hspace{-\bidi@beamer@Gm@lmargin}%
2064     \hbox{%
2065       \vbox{%
2066         \tempdima=\textwidth%
2067         \textwidth=\paperwidth%
2068         \hsize=\textwidth%
2069         \def\\{\,}%
2070         \usebeamertemplate***{#1}%
2071       }%
2072       \hspace{-\bidi@beamer@Gm@rmargin}%
2073     }\hfil%
2074 }
2075
2076 \def\ps@empty{%
2077   \let\mkboth\gobbletwo%
2078   \def\@oddhead{\begingroup%
2079     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti%
2080     \beamer@tempdim=\ht\beamer@tempbox%
2081     \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}%
2082     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2083     \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
2084     \beamer@tempdim=\ht\@tempboxa%
2085     \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}%
2086     \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
2087     \vbox{\hbox{\hspace{-\Gm@lmargin}\raise\headheight\box\beamer@tempbox\raise\headheight\box\%
2088   \endgroup%
2089 }
2090   \def\@oddfoot{{\normalcolor\hfil}%
2091     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{navigation symbols}\hspace{-\Gm@rmargin}%
2092     \ht\beamer@tempbox=0pt%
2093     \dp\beamer@tempbox=0pt%
2094     \box\beamer@tempbox}}%
2095   \let\@evenhead\@oddhead\let\@evenfoot\@oddfoot
2096
2097 \renewcommand<>\beamer@columncom[2]{\beamer@colmode}{%
2098   \beamer@colclose%
2099   \def\beamer@colclose{\end{minipage}\hfill\end{actionenv}\ignorespaces}%
2100 \begin{actionenv}#3%
2101   \setkeys{beamer@col}{#1}%
2102   \begin{minipage}[{\beamer@colalign}]{#2}%
2103     \leavevmode\bidi@beamer@ragged\beamer@colheadskip\ignorespaces}%
2104
2105 \renewenvironment<>\{columns}[1][]{%

```



```

2106 \begin{actionenv}#2%
2107 \ifbeamer@onlytextwidth
2108   \def\beamer@colentrycode{\hbox to\textwidth\bgroup\ignorespaces}%
2109   \def\beamer@colexitcode{\unskip\egroup}%
2110 \else%
2111   \def\beamer@colentrycode{%
2112     \hbox to\textwidth\bgroup%
2113     \leavevmode%
2114     \hspace{-\beamer@leftmargin}%
2115     \nobreak%
2116     \beamer@tempdim=\textwidth%
2117     \advance\beamer@tempdim by\beamer@leftmargin%
2118     \advance\beamer@tempdim by\beamer@rightmargin%
2119     \hbox to\beamer@tempdim\bgroup%
2120     \hbox{}\hfill\ignorespaces}%
2121   \def\beamer@colexitcode{\egroup}%
2122   \nobreak%
2123   \hspace{-\beamer@rightmargin}\egroup}%
2124 \fi%
2125 \ifbeamer@centered\setkeys{beamer@col}{c}\else\setkeys{beamer@col}{t}\fi%
2126 \setkeys{beamer@col}{#1}%
2127 \par%
2128 \leavevmode
2129 \beamer@colentrycode%
2130 \def\beamer@colclose{}{\ignorespaces}%
2131 {\beamer@colclose\def\beamer@colclose{}{\beamer@colexitcode\end{actionenv}}}%
2132
2133
2134 \def\@makeRTLfntext#1{%
2135   \def\insertfootnotetext[#1]%
2136   \def\insertfootnotemark{\@makefnmark}%
2137   \usebeamertemplate***{RTLfootnote}}%
2138
2139 \def\@makeLTRfntext#1{%
2140   \def\insertfootnotetext[#1]%
2141   \def\insertfootnotemark{\@makefnmark}%
2142   \usebeamertemplate***{LTRfootnote}}%
2143
2144 \renewcommand<>\beamer@framefootnotetext[1]{%
2145   \global\setbox\beamer@footins\vbox{%
2146     \if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi%
2147     \hsize\ framewidth
2148     \textwidth\hsize
2149     \columnwidth\hsize
2150     \unvbox\beamer@footins
2151     \reset@font
2152     \bidi@@footnotetext@font
2153     \parboxrestore
2154     \protected@edef\@currentlabel
2155       {\csname p@footnote\endcsname\@thefnmark}%
2156     \color@begingroup
2157       \uncover#2{\@makefntext{%
2158         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}}
2159     \color@endgroup}}%

```



```

2160 \renewcommand<>\beamer@frameRTLfootnotetext[1]{%
2161   \global\setbox\beamer@footins\vbox{%
2162     \ifRTLtrue
2163       \hsize\framewidth
2164       \textwidth\hsize
2165       \columnwidth\hsize
2166       \unvbox\beamer@footins
2167     \else
2168       \reset@font
2169       \bidi@RTLfootnotetext@font
2170     \fi
2171     \parboxrestore
2172     \protected@edef\@currentlabel
2173       {\csname p@footnote\endcsname\thefnmark}%
2174     \color@begingroup
2175       \uncover#2{\@makeRTLfntext{%
2176         \rule{z@\footnotesep}{\ignorespaces#1\finalstrut\strutbox}}}
2177   \color@endgroup}%
2178 \renewcommand<>\beamer@frameLTRfootnotetext[1]{%
2179   \global\setbox\beamer@footins\vbox{%
2180     \ifRTLfalse
2181       \hsize\framewidth
2182       \textwidth\hsize
2183       \columnwidth\hsize
2184       \unvbox\beamer@footins
2185     \else
2186       \reset@font
2187       \bidi@LTRfootnotetext@font
2188     \fi
2189     \parboxrestore
2190     \protected@edef\@currentlabel
2191       {\csname p@footnote\endcsname\thefnmark}%
2192     \color@begingroup
2193       \uncover#2{\@makeLTRfntext{%
2194         \rule{z@\footnotesep}{\ignorespaces#1\finalstrut\strutbox}}}
2195   \color@endgroup}%
2196 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule\right@footnote\else\left@footnote\fi
2197   \global\setbox\@mpfootins\vbox{%
2198     \if@RTL@footnote\ifRTLtrue\else\ifRTLfalse\fi
2199     \unvbox\@mpfootins
2200   \else
2201     \reset@font
2202     \bidi@footnotetext@font
2203     \hsize\columnwidth
2204     \parboxrestore
2205     \protected@edef\@currentlabel
2206       {\csname p@mpfootnote\endcsname\thefnmark}%
2207     \color@begingroup
2208       \uncover#2{\@makefntext{%
2209         \rule{z@\footnotesep}{\ignorespaces#1\finalstrut\strutbox}}}
2210   \color@endgroup}%
2211 \renewcommand<>\@mpRTLfootnotetext[1]{%
2212 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnote\else\left@footnote\fi
2213   \global\setbox\@mpfootins\vbox{%

```



```

2214     \@RTLtrue
2215     \unvbox\@mpfootins
2216     \reset@font
2217     \bidi@\@RTLfootnotetext@font
2218     \hsize\columnwidth
2219     \parboxrestore
2220     \protected@edef\@currentlabel
2221         {\csname p@mpfootnote\endcsname\@thefnmark}%
2222     \color@begingroup
2223         \uncover#2{\@makeRTLfntext{%
2224             \rule{z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}}{}}%
2225     \color@endgroup}
2226
2227 \renewcommand<>{\@mpLTrfootnotetext[1]{%
2228 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnoterule\fi%
2229 \global\setbox\@mpfootins\vbox{%
2230     \vbox{\@RTLfalse
2231         \unvbox\@mpfootins
2232         \reset@font
2233         \bidi@\@LTRfootnotetext@font
2234         \hsize\columnwidth
2235         \parboxrestore
2236         \protected@edef\@currentlabel
2237             {\csname p@mpfootnote\endcsname\@thefnmark}%
2238         \color@begingroup
2239             \uncover#2{\@makeLTRfntext{%
2240                 \rule{z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}}{}}%
2241         \color@endgroup}
2242
2243 \let\@footnotetext=\beamer@framefootnotetext
2244 \let\@RTLfootnotetext=\beamer@frameRTLfootnotetext
2245 \let\@LTRfootnotetext=\beamer@frameLTRfootnotetext
2246
2247 \footdir@temp\footdir@ORG@bidi@beamer@footnotetext\@footnotetext{\bidi@footdir@footnote}%
2248 \footdir@temp\footdir@ORG@bidi@beamer@RTLfootnotetext\@RTLfootnotetext{R}%
2249 \footdir@temp\footdir@ORG@bidi@beamer@LTRfootnotetext\@LTRfootnotetext{L}%
2250
2251 \renewcommand<>{\footnote}[1][]{%
2252     \let\beamer@footnotetext=\@footnotetext%
2253     \let\beamer@mpfn=\@mpfn%
2254     \let\beamer@thempfn=\thempfn%
2255     \let\beamer@kvorig=KV@errx%
2256     \let\beamer@xkvorig=XKV@err
2257     \def\beamer@footarg{}%
2258     \def\KV@errx##1{\edef\beamer@footarg{\@tempa}{}%
2259     \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}{}%
2260     \setkeys{beamerfootnote}{#1}%
2261     \let\KV@errx=\beamer@kvorig%
2262     \let\XKV@errx=\beamer@xkvorig
2263     \ifx\beamer@footarg\empty%
2264         \def\beamer@next{\stepcounter\beamer@mpfn
2265             \protected@xdef\@thefnmark{\beamer@thempfn}%
2266             \footnotemark\beamer@footnotetext{#2}%
2267     \else%

```



```

2268 \def\beamer@next{%
2269   \begingroup
2270     \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2271     \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2272   \endgroup
2273   \footnotemark\beamer@footnotetext#2}%
2274 \fi%
2275 \beamer@next}
2276
2277 \renewcommand<>{\RTLfootnote}[1] []{%
2278   \let\beamer@RTLfootnotetext=\RTLfootnotetext%
2279   \let\beamer@mpfn=\@mpfn%
2280   \let\beamer@thempfn=\thempfn%
2281   \let\beamer@kvorig=\KV@errx%
2282   \let\beamer@xkvorig=\XKV@err
2283   \def\beamer@footarg{}%
2284   \def\KV@errx##1{\edef\beamer@footarg{@tempa}}%
2285   \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2286   \setkeys{beamerfootnote}{#1}%
2287   \let\KV@errx=\beamer@kvorig%
2288   \let\XKV@errx=\beamer@xkvorig
2289   \ifx\beamer@footarg\empty%
2290     \def\beamer@next{\stepcounter\beamer@mpfn
2291       \protected@xdef\@thefnmark{\beamer@thempfn}%
2292       \footnotemark\beamer@RTLfootnotetext#2}%
2293   \else%
2294     \def\beamer@next{%
2295       \begingroup
2296         \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2297         \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2298       \endgroup
2299       \footnotemark\beamer@RTLfootnotetext#2}%
2300   \fi%
2301 \beamer@next}
2302
2303 \renewcommand<>{\LTRfootnote}[1] []{%
2304   \let\beamer@LTRfootnotetext=\LTRfootnotetext%
2305   \let\beamer@mpfn=\@mpfn%
2306   \let\beamer@thempfn=\thempfn%
2307   \let\beamer@kvorig=\KV@errx%
2308   \let\beamer@xkvorig=\XKV@err
2309   \def\beamer@footarg{}%
2310   \def\KV@errx##1{\edef\beamer@footarg{@tempa}}%
2311   \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2312   \setkeys{beamerfootnote}{#1}%
2313   \let\KV@errx=\beamer@kvorig%
2314   \let\XKV@errx=\beamer@xkvorig
2315   \ifx\beamer@footarg\empty%
2316     \def\beamer@next{\stepcounter\beamer@mpfn
2317       \protected@xdef\@thefnmark{\beamer@thempfn}%
2318       \footnotemark\beamer@LTRfootnotetext#2}%
2319   \else%
2320     \def\beamer@next{%
2321       \begingroup

```



```

2322      \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2323      \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2324      \endgroup
2325      \@footnotemark\beamer@LTRfootnotetext#2}%
2326 \fi%
2327 \beamer@next}
2328
2329

```

20 File beamerbaseframesize-xetex-bidi.def

```

2330 \ProvidesFile{beamerbaseframesize-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beame
2331 \def\beamer@framezoom<#1><#2>[#3] (#4,#5) (#6,#7){%
2332   \par\nointerlineskip%
2333   \global\beamer@slidehaszoomtrue%
2334   \advance\beamer@zoomcount by1\relax%
2335   \def\beamer@zoomborderwidth{0}%
2336   \edef\beamer@labelzoomed{\beamer@labelzoomed@\the\beamer@zoomframecount @\the\beamer@zoomco
2337   \setkeys{beamerzoom}{#3}%
2338   \only<#1>{%
2339     {\hypersetup{pdfhighlight={/P},pdfborder={0 0 \beamer@zoomborderwidth}}%
2340     \global\setbox\@tempboxa=\vbox{\hyperlink{\beamer@labelzoomed}{%
2341       \expandafter\ifx\csname XeTeXrevision\endcsname\relax
2342         \vbox to #7{%
2343           \hbox to#6{\hfil}%
2344           \vfil}%
2345         }%
2346     \else%
2347       \begingroup%
2348         \normalsize%
2349         \begin{pgfpicture}{0pt}{0pt}{#6}{#7}%
2350           \pgfsetfillcolor{0}
2351           \pgftext[x=0cm,y=3pt]{.}
2352           \pgftext[x=#6,y=\dimexpr#7-\baselineskip+3pt]{.}
2353         \end{pgfpicture}%
2354       \endgroup%
2355     \fi%
2356   }%
2357   \ht\@tempboxa=0pt%
2358   \wd\@tempboxa=0pt%
2359   \dp\@tempboxa=0pt%
2360   \setbox\@tempboxa=\vbox{\if@RTL\moveleft\else\moveright\fi#4\hbox{\lower#5\vbox{\box\@te
2361   \ht\@tempboxa=0pt%
2362   \wd\@tempboxa=0pt%
2363   \dp\@tempboxa=0pt%
2364   \global\setbox\beamer@zoombox=\vbox to0pt{\unvbox\beamer@zoombox\box\@tempboxa}%
2365 }%
2366 \only<#2>{%
2367   \@ifundefined{\beamer@labelzoomed}{%
2368   }{%
2369     \hypertarget{\beamer@labelzoomed}{%
2370       \expandafter\gdef\csname\beamer@labelzoomed\endcsname{}%
2371     }{%
2372       \gdef\beamer@zoomer{%

```



```

2373      % compute zoom factor
2374      \Qtempdima=\beamer@frametextheight%
2375      \Qtempdimb=#7\relax%
2376      \Qtempcpta=\Qtempdimb%
2377      \divide\Qtempcpta by4096\relax%
2378      \multiply\Qtempdima by16\relax%
2379      \divide\Qtempdima by\Qtempcpta%
2380      \Qtempdimb=\paperwidth%
2381      \ifbeamer@plainframe%
2382      \else%
2383          \advance\Qtempdimb by-\beamer@leftsidebar%
2384          \advance\Qtempdimb by-\beamer@rightsidebar\relax%
2385      \fi%
2386      \Qtempdimc=#6\relax%
2387      \Qtempcntb=\Qtempdimc%
2388      \divide\Qtempcntb by4096\relax%
2389      \multiply\Qtempdimb by16\relax%
2390      \divide\Qtempdimb by\Qtempcntb%
2391      \ifdim\Qtempdimb<\Qtempdima%
2392          \Qtempdima=\Qtempdimb%
2393      \fi%
2394      \edef\beamer@temp{\strip@pt\Qtempdima}%
2395      \Qtempdimc=\beamer@frametextheight%
2396      \advance\Qtempdimc by4pt%
2397      \Qtempdimb=\paperwidth%
2398      \ifbeamer@plainframe%
2399      \else%
2400          \advance\Qtempdimb by-\beamer@leftsidebar%
2401          \advance\Qtempdimb by-\beamer@rightsidebar\relax%
2402      \fi%
2403      \setbox\Qtempboxa=\vbox{\hspace=\Qtempdimb\Acrobatmenu{GoBack}\{\vbox to
2404          \beamer@frametextheight{\hbox to\Qtempdimb{\hfil}\vfil}\}}%
2405      \ht\Qtempboxa=0pt%
2406      \wd\Qtempboxa=0pt%
2407      \dp\Qtempboxa=0pt%
2408      \setbox\beamer@framebox=\vbox to\beamer@frametextheight{%%
2409          \ifbeamer@plainframe\beamer@leftmargin=\Gm@lmargin\fi%
2410          \if@RTL%
2411              \begin{pgfpicture}{\paperwidth-\beamer@leftmargin}{-\beamer@frametextheight}{\paperwidth-\beamer@leftmargin}
2412                  \pgftext[right,top]{\box\Qtempboxa}
2413                  \pgfpathrectangle{\pgfpoint{0pt}{-\Qtempdimc}}{\pgfpoint{\Qtempdimb}{\Qtempdimc}}
2414                  \pgfusepath{clip}
2415                  \begingroup
2416                      \pgftransformscale{\beamer@temp}
2417                      \Qtempdima=#4\relax%
2418                      \Qtempdimb=#5\relax%
2419                      {\pgftransformshift{\pgfpoint{\Qtempdima+#6}{\Qtempdimb}}%
2420                          \pgftext[right,top]{\vbox{\vbox{}\nointerlineskip\unvbox\beamer@framebox}}}
2421                      \endgroup
2422                  \end{pgfpicture}%
2423          \else%
2424              \begin{pgfpicture}{\beamer@leftmargin}{-\beamer@frametextheight}{\beamer@leftmargin}
2425                  \pgftext[left,top]{\box\Qtempboxa}
2426                  \pgfpathrectangle{\pgfpoint{0pt}{-\Qtempdimc}}{\pgfpoint{\Qtempdimb}{\Qtempdimc}}

```



```

2427         \pgfusepath{clip}
2428         \begingroup
2429             \pgftransformscale{\beamer@temp}
2430             \tempdima=#4\relax%
2431             \tempdimb=#5\relax%
2432             {\pgftransformshift{\pgfpoint{-\tempdima}{-\tempdimb}}%
2433             \pgftext[left,top]{\vbox{\vbox{} \nointerlineskip \unvbox\beamer@framebox}}}
2434         \endgroup
2435         \end{pgfpicture}%
2436         \fi
2437     }%
2438 \setbox\beamer@framebox=\vbox{%
2439     \nobreak\vbox{}\nobreak\par\nobreak\beamer@entrycode\nobreak%
2440     \nointerlineskip\unvbox\beamer@frametitlebox%
2441     \nobreak%
2442     \box\beamer@framebox%
2443     \nobreak%
2444     \vss%
2445     \beamer@exitcode%
2446 }%
2447 \global\setbox\beamer@footins=\box\voidb@x% no footnotes in zoomed slides
2448 }%
2449 }%
2450 }
2451
2452

```

21 File beamerbaselocalstructure-xetex-bidi.def

```

2453 \ProvidesFile{beamerbaselocalstructure-xetex-bidi.def}[2022/05/24 v0.1 bidi adaptations for
2454 \def\beamer@enum@{%
2455     \beamer@computepref@\itemdepth% sets \beameritemnestingprefix
2456     \usebeamertemplate{itemize/enumerate}{\beameritemnestingprefix body}%
2457     \bgroup
2458     \usebeamercolor[fg]{itemize/enumerate}{\beameritemnestingprefix body}%
2459     \usebeamertemplate{itemize/enumerate}{\beameritemnestingprefix body begin}%
2460     \egroup
2461     \expandafter
2462     \list
2463         {\usebeamertemplate{\beamer@enumtempl}%
2464         {\usecounter{\enumctr}%
2465             \def\makelabel##1{\{\hss\llap{%
2466                 \usebeamertemplate*{enumerate}{\beameritemnestingprefix item}%
2467                 \usebeamercolor[fg]{enumerate}{\beameritemnestingprefix item}##1}\}}}}%
2468     \beamer@cramped%
2469     \bidi@beamer@ragged%
2470     \beamer@firstlineitemizeunskip%
2471 }
2472 \renewcommand{\itemize}[1][]{%
2473     \ifblank{#1}{}{\def\beamer@defaultospec{#1}}%
2474     \ifnum \itemdepth >2\relax\@toodeep\else
2475         \advance\itemdepth\@ne
2476         \beamer@computepref@\itemdepth% sets \beameritemnestingprefix

```



```

2478 \usebeamertemplate{itemize/enumerate}{\beameritemnestingprefix body}%
2479 \bgroup
2480 \usebeamercolor[fg]{itemize/enumerate}{\beameritemnestingprefix body}%
2481 \usebeamertemplate{itemize/enumerate}{\beameritemnestingprefix body begin}%
2482 \egroup
2483 \list
2484 {\usebeamertemplate{itemize}{\beameritemnestingprefix item}}
2485 {\def\makelabel##1{%
2486   %
2487   \hss\llap{%
2488     \usebeamertemplate*{itemize}{\beameritemnestingprefix item}%
2489     \usebeamercolor[fg]{itemize}{\beameritemnestingprefix item}##1}%
2490   }%
2491   %
2492 }
2493 \fi%
2494 \beamer@cramped%
2495 \bidi@beamer@ragged%
2496 \beamer@firstlineitemizeunskip%
2497 }
2498
2499 \def\@@description{%
2500   \advance\beamer@descdefault by \labelsep%
2501   \usebeamertemplate{description}{body}%
2502   \bgroup
2503   \usebeamercolor[fg]{description}{body}%
2504   \usebeamertemplate{description}{body begin}%
2505   \egroup
2506   \list
2507   {}
2508   {\labelwidth\beamer@descdefault\leftmargin\beamer@descdefault\let\makelabel\beamer@descrip
2509   \beamer@cramped%
2510   \bidi@beamer@ragged%
2511   \beamer@firstlineitemizeunskip%
2512 }
2513
2514 \renewenvironment{thebibliography}[1]
2515 {%\leavevmode\unskip%
2516 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2517 \bidi@@thebibliography@font@hook%
2518 \list{\@biblabel{\@arabic\c@enumiv}}%
2519 {\settowidth\labelwidth{\beamer@biblabeltemplate{\@biblabel{\#1}}}%
2520 \leftmargin\labelwidth
2521 \advance\leftmargin\labelsep
2522 \itemsep=0pt%
2523 \partopsep=0pt%
2524 \topsep=0pt%
2525 \usecounter{enumiv}%
2526 \let\p@enumiv\@empty
2527 \renewcommand{\theenumiv}{\@arabic\c@enumiv}
2528 \let\makelabel\beamer@biblabeltemplate}%
2529 \sloppy\bidi@beamer@ragged
2530 \clubpenalty10000
2531 \clubpenalty \clubpenalty

```



```

2532     \widowpenalty10000%
2533     \sfcodes`\.\\@m}
2534     {\def\@noitemerr
2535       {\@latex@warning{Empty `thebibliography' environment}}%
2536       \ifhmode\unskip\fi\endlist}
2537
2538

```

22 File beamerbasemisc-xetex-bidi.def

```

2539 \ProvidesFile{beamerbasemisc-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beamerbase
2540 \define@key{beamert}{width}{%
2541   \def\beamer@ststart{%
2542     \begin{minipage}[t]{#1}%
2543       \bidi@beamer@ragged
2544       \beamer@stalign
2545       \beamer@stlinebreakrule
2546     }%
2547   \def\beamer@stend{\end{minipage}}}
2548
2549

```

23 File beamerbasenavigation-xetex-bidi.def

```

2550 \ProvidesFile{beamerbasenavigation-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for beam
2551 \def\slideentry#1#2#3#4#5#6{%
2552   %section number, subsection number, slide number, first/last frame, page number, part num
2553   \ifnum#6=\c@part\ifnum#1>0\ifnum#3>0%
2554     \ifbeamer@compress%
2555       \advance\beamer@xpos by1\relax%
2556     \else%
2557       \ifnum#2=0%
2558         \beamer@ypos@offset=1\relax%
2559       \fi
2560       \beamer@xpos=#3\relax%
2561       \beamer@ypos=#2\relax%
2562       \advance\beamer@ypos by \beamer@ypos@offset\relax
2563     \fi%
2564   \hbox to \Opt{%
2565     \beamer@tempdim=-\beamer@vboxoffset%
2566     \advance\beamer@tempdim by-\beamer@boxsize%
2567     \multiply\beamer@tempdim by\beamer@ypos%
2568     \advance\beamer@tempdim by -.05cm%
2569     \raise\beamer@tempdim\hbox{%
2570       \beamer@tempdim=\beamer@boxsize%
2571       \multiply\beamer@tempdim by\beamer@xpos%
2572       \advance\beamer@tempdim by -\beamer@boxsize%
2573       \advance\beamer@tempdim by 1pt%
2574       \kern\beamer@tempdim
2575       \global\beamer@section@min@dim\beamer@tempdim
2576       \hbox{\beamer@link(#4){%
2577         \usebeamertemplate{mini frame}%
2578         \ifnum\c@section=1%
2579           \ifnum\c@subsection=2%
```



```

2580     \usebeamercolor[fg]{mini frame}%
2581     \ifnum\c@subsectionslide=#3%
2582         \usebeamertemplate{mini frame}%\beamer@minislidetitle%
2583     \else%
2584         \usebeamertemplate{mini frame in current subsection}%\beamer@minislidetitle%
2585     \fi%
2586     \else%
2587         \usebeamercolor[mini frame]%
2588         \%color{fg!50!bg}%
2589         \usebeamertemplate{mini frame in other subsection}%\beamer@minislidetitle%
2590     \fi%
2591     \else%
2592         \usebeamercolor[mini frame]%
2593         \%color{fg!50!bg}%
2594         \usebeamertemplate{mini frame in other subsection}%\beamer@minislidetitle%
2595     \fi%
2596     }}}} \hskip-10cm plus 1fil%
2597 } \fi \fi %
2598 \else%
2599 \fakeslideentry{#1}{#2}{#3}{#4}{#5}{#6}%
2600 \fi \ignorespaces
2601 }
2602
2603 \pgfdefobject{bidi@beamer@RTL@gotosymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2604 {
2605   \pgfpathqmoveto{3.5bp}{0.5bp}
2606   \pgfpathqlineto{1.5bp}{2bp}
2607   \pgfpathqlineto{3.5bp}{3.5bp}
2608   \pgfusepathqfill
2609 }
2610
2611 \def\insertgotosymbol{%
2612 \if@RTL
2613   \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2614     \pgfuseobject{bidi@beamer@RTL@gotosymbol}%
2615   \end{pgfpicture}%
2616 \else
2617   \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2618     \pgfuseobject{beamergotosymbol}%
2619   \end{pgfpicture}%
2620 \fi
2621 }
2622
2623 \pgfdefobject{bidi@beamer@RTL@skipsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{7pt}{5pt}}
2624 {
2625   \pgfpathqmoveto{5.5bp}{0.5bp}
2626   \pgfpathqlineto{3.5bp}{2bp}
2627   \pgfpathqlineto{5.5bp}{3.5bp}
2628   \pgfpathqmoveto{3.5bp}{0.5bp}
2629   \pgfpathqlineto{1.5bp}{2bp}
2630   \pgfpathqlineto{3.5bp}{3.5bp}
2631   \pgfusepathqfill
2632 }
2633

```



```

2634 \def\insertskipssymbol{%
2635   \if@RTL
2636     \begin{pgfpicture}{-1pt}{0pt}{6pt}{5pt}
2637       \pgfuseobject{bidi@beamer@RTL@skipssymbol}%
2638     \end{pgfpicture}%
2639   \else
2640     \begin{pgfpicture}{1pt}{0pt}{8pt}{5pt}
2641       \pgfuseobject{beamerskipssymbol}%
2642     \end{pgfpicture}%
2643   \fi
2644 }
2645
2646 \pgfdefobjetc{bidi@beamer@RTL@returnsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2647 {
2648   \pgfpathqmoveto{1.5bp}{0.5bp}
2649   \pgfpathqlineto{3.5bp}{2bp}
2650   \pgfpathqlineto{1.5bp}{3.5bp}
2651   \pgfusepathqfill
2652 }
2653
2654 \def\insertreturnsymbol{%
2655   \if@RTL
2656     \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2657       \pgfuseobject{bidi@beamer@RTL@returnsymbol}%
2658     \end{pgfpicture}%
2659   \else
2660     \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2661       \pgfuseobject{beamerreturnsymbol}%
2662     \end{pgfpicture}%
2663   \fi
2664 }
2665
2666

```

24 File beamerbaseoverlay-xetex-bidi.def

```

2667 \ProvidesFile{beamerbaseoverlay-xetex-bidi.def}[2022/06/10 v0.1 bidi adaptations for beamerb
2668 \renewcommand*{\color}{\alt{\beameroriginal{\color}}{\beamer@gobbleoptionalinsp}}
2669
2670

```

25 File beamerinnerthemedefault-xetex-bidi.def

```

2671 \ProvidesFile{beamerinnerthemedefault-xetex-bidi.def}[2022/06/27 v0.6 bidi adaptations for b
2672 \newcommand*{\bidi@beamer@leftskip}{%
2673   \if@RTL
2674     \rightskip
2675   \else
2676     \leftskip
2677   \fi
2678 }
2679
2680 \newcommand*{\bidi@beamer@rightskip}{%
2681   \if@RTL

```



```

2682     \leftskip
2683   \else
2684     \rightskip
2685   \fi
2686 }
2687
2688 \bidi@csundef{beamer@@tmpop@subsection in toc@default}
2689
2690 \bidi@csundef{beamer@@tmpop@subsubsection in toc@default}
2691
2692 \defbeamertemplate*{subsection in toc}{default}
2693 {\leavevmode\bidi@beamer@leftskip=1.5em\inserttocsubsection\par}
2694
2695 \defbeamertemplate*{subsubsection in toc}{default}
2696 {\leavevmode\normalsize\usebeamertfont{subsection in toc}\bidi@beamer@leftskip=3em%
2697   \usebeamertfont{subsubsection in toc}\inserttocsubsubsection\par}
2698
2699 \newcommand*{\bidi@beamer@blacktriangle}{%
2700   \if@RTL
2701     $\blacktriangleleft$%
2702   \else
2703     $\blacktriangleright$%
2704   \fi
2705 }
2706
2707 \bidi@csundef{beamer@@tmpop@itemize item@default}
2708
2709 \bidi@csundef{beamer@@tmpop@itemize subitem@default}
2710
2711 \bidi@csundef{beamer@@tmpop@itemize subsubitem@default}
2712
2713 \defbeamertemplate*{itemize item}{default}{\usebeamertfont{itemize item}\raise1.25pt\hbox{%
2714 \defbeamertemplate*{itemize subitem}{default}{\usebeamertfont{itemize subitem}\raise1.5pt\hbox{%
2715 \defbeamertemplate*{itemize subsubitem}{default}{\usebeamertfont{itemize subsubitem}\raise1.5pt\hbox{%
2716
2717 \bidi@undef\beamer@@tmpop@footnote@default
2718
2719 \defbeamertemplate*{footnote}{default}{%
2720 {
2721   \parindent 1em\noindent%
2722   \bidi@beamer@ragged
2723   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2724 }
2725
2726 \defbeamertemplate*{RTLfootnote}{default}{%
2727 {
2728   \parindent 1em\noindent%
2729   \raggedleft
2730   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2731 }
2732
2733 \defbeamertemplate*{LTRfootnote}{default}{%
2734 {
2735   \parindent 1em\noindent%

```



```

2736   \raggedright
2737   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2738 }
2739 \bidi@undef\beamer@@tmpop@caption@default
2740 \defbeamertemplate*{caption}{default}
2741 {%
2742   \bidi@beamer@ragged
2743 {%
2744   \leavevmode
2745   \usebeamercolor[fg]{caption name}%
2746   \usebeamertemplate*{caption name}%
2747   \insertcaptionname
2748   \usebeamertemplate{caption label separator}%
2749 }%
2750 \insertcaption\par
2751 }%
2752 \insertcaption\par
2753 }
2754 \bidi@csundef{beamer@@tmpop@block begin@default}
2755 \bidi@csundef{beamer@@tmpop@block alerted begin@default}
2756 \bidi@csundef{beamer@@tmpop@block example begin@default}
2757 \bidi@csundef{beamer@@tmpop@block example alerted begin@default}
2758 \bidi@csundef{beamer@@tmpop@block example alerted begin@default}
2759 \bidi@csundef{beamer@@tmpop@block example alerted begin@default}
2760 \defbeamertemplate*{block begin}{default}
2761 {%
2762   \par\vskip\medskipamount%
2763   \begin{beamercolorbox}[colsep*=.75ex]{block title}%
2764     \usebeamertemplate*{block title}\insertblocktitle%
2765   \end{beamercolorbox}%
2766   {\parskip0pt\par}%
2767   \ifbeamercolorempty[bg]{block title}%
2768   {}%
2769   {\ifbeamercolorempty[bg]{block body}{}{\nointerlineskip\vskip-0.5pt}}%
2770   \usebeamertemplate*{block body}%
2771   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body}%
2772     \ifbeamercolorempty[bg]{block body}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex+\basel}
2773   \end{beamercolorbox}%
2774 }%
2775 \defbeamertemplate*{block alerted begin}{default}
2776 {%
2777   \par\vskip\medskipamount%
2778   \begin{beamercolorbox}[colsep*=.75ex]{block title alerted}%
2779     \usebeamertemplate*{block title alerted}\insertblocktitle%
2780   \end{beamercolorbox}%
2781   {\parskip0pt\par}%
2782   \ifbeamercolorempty[bg]{block title alerted}%
2783   {}%
2784   {\ifbeamercolorempty[bg]{block body alerted}{}{\nointerlineskip\vskip-0.5pt}}%
2785   \usebeamertemplate*{block body alerted}%
2786   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body alerted}%
2787     \ifbeamercolorempty[bg]{block body alerted}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75e}
2788   \end{beamercolorbox}%
2789 }%

```



```

2790 \defbeamertemplate*{block example begin}{default}
2791 {
2792   \par\vskip\medskipamount%
2793   \begin{beamercolorbox}[colsep*=.75ex]{block title example}
2794     \usebeamertfont*{block title example}\insertblocktitle%
2795   \end{beamercolorbox}%
2796   {\parskip0pt\par}%
2797   \ifbeamercolorempty[bg]{block title example}%
2798   {}%
2799   \ifbeamercolorempty[bg]{block body example}{}{\nointerlineskip\vskip-0.5pt}%
2800   \usebeamertfont{block body example}%
2801   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body example}%
2802     \ifbeamercolorempty[bg]{block body example}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75em
2803     }%
2804   }%
2805   \bidi@csundef{beamer@@tmpop@abstract begin@default}%
2806   \bidi@csundef{beamer@@tmpop@button@default}%
2807   \defbeamertemplate*{abstract begin}{default}
2808   {\beamercolorbox[vmode]{abstract}\bidi@beamer@leftskip2em\bidi@beamer@rightskip2em plus 1fill
2809   }%
2810   \bidi@undef\beamer@@tmpop@button@default
2811   \defbeamertemplate*{button}{default}
2812   {%
2813     \setbox\beamer@tempbox=\hbox{\{\insertbuttoncontext\}}%
2814     \ht\beamer@tempbox=6pt%
2815     \dp\beamer@tempbox=0pt%
2816     \setbox\beamer@tempbox=\vbox{\box\beamer@tempbox\vskip2pt}%
2817     \beamer@tempdim=\wd\beamer@tempbox%
2818     \beamer@dima=\beamer@tempdim\advance\beamer@dima by2.2pt
2819     \beamer@dimb=\beamer@tempdim\advance\beamer@dimb by4pt
2820     \if@RTL
2821       \kern4pt%
2822       \box\beamer@tempbox%
2823       \hskip-\beamer@tempdim%
2824     \fi
2825     \begin{pgfpicture}{-4pt}{0pt}{\the\beamer@tempdim}{8pt}
2826       \color{bg}
2827       \pgfsetlinewidth{0.8pt}
2828       \pgfpathqmoveto{0pt}{0pt}
2829       \pgfpathqcurvetoh{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2830       \pgfpathqcurvetoh{-4pt}{6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2831       \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2832       \pgfpathcurveto%
2833       {\pgfpoint{\the\beamer@dima}{8pt}}%
2834       {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
2835       {\pgfpoint{\the\beamer@dimb}{4pt}}%
2836       \pgfpathcurveto%
2837       {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
2838       {\pgfpoint{\the\beamer@dima}{0pt}}%
2839       {\pgfpoint{\the\beamer@tempdim}{0pt}}%
2840       \pgfpathclose
2841       \pgfusepathqfill

```



```

2844 \colorlet{bg}{parent.bg}
2845 \usebeamercolor[fg]{button border}
2846 \pgfpathqmoveto{0pt}{0pt}
2847 \pgfpathqcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2848 \pgfpathqcurveto{-4pt}{-6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2849 \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2850 \pgfpathcurveto%
2851 {\pgfpoint{\the\beamer@dim{a}}{8pt}}%
2852 {\pgfpoint{\the\beamer@dim{b}}{6.2pt}}%
2853 {\pgfpoint{\the\beamer@dim{b}}{4pt}}%
2854 \pgfpathcurveto%
2855 {\pgfpoint{\the\beamer@dim{b}}{1.8pt}}%
2856 {\pgfpoint{\the\beamer@dim{a}}{0pt}}%
2857 {\pgfpoint{\the\beamer@tempdim}{0pt}}%
2858 \pgfpathclose
2859 \pgfusepathqstroke
2860 \end{pgfpicture}%
2861 \if@RTL
2862 \else
2863 \hskip-\beamer@tempdim%
2864 \box\beamer@tempbox%
2865 \kern4pt%
2866 \fi
2867 }
2868
2869

```

26 File beamerinnerthemecircles-xetex-bidi.def

```

2870 \ProvidesFile{beamerinnerthemecircles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for b
2871 \setbeamertemplate{sections/subsections in toc}[circle]
2872

```

27 File beamerinnerthemefocus-xetex-bidi.def

```

2873 \ProvidesFile{beamerinnerthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for bea
2874 \setbeamertemplate{section in toc}[square]
2875 \setbeamertemplate{subsection in toc}[square]
2876
2877 \setbeamertemplate{itemize items}[square]
2878 \setbeamertemplate{itemize subitem}[triangle]
2879
2880 \bidi@csundef{beamer@@tmpop@title page@focus}
2881
2882 \defbeamertemplate*{title page}{focus}{%
2883     {%
2884         \usebeamercolor{frametitle}\colorlet{focus@@temp}{bg}%
2885         \begin{tikzpicture}[overlay, remember picture]
2886             \fill[color=focus@@temp] (current page.north west) rectangle ([shift = {(0, -0.4
2887         \end{tikzpicture}
2888     }
2889
2890     \vspace{-1.65\baselineskip}
2891     \begin{minipage}[b][0.35\paperheight]{\textwidth}

```



```

2892      \vspace{\baselineskip}
2893      \usebeamertfont{title}
2894      \usebeamercolor[fg]{frametitle}
2895      \inserttitle
2896  \end{minipage}
2897
2898  \begin{minipage}[t][0.1\paperheight]{\textwidth}
2899      \usebeamertfont{subtitle}
2900      \usebeamercolor[fg]{frametitle}
2901      \insertsubtitle
2902  \end{minipage}
2903
2904  % Set the title graphic in a zero-height box, so that
2905  % the position of other elements is not affected.
2906  {\vfuzz=9999pt\vbox to Opt {
2907      \if@RTL
2908          \raggedright
2909      \else
2910          \raggedleft
2911      \fi
2912      \inserttitlegraphic
2913  }}
2914
2915  \begin{minipage}[t]{\textwidth}
2916      \usebeamertfont{author}
2917      \insertauthor
2918  \end{minipage}
2919
2920  \vspace*{\baselineskip}
2921  \begin{minipage}[t]{\textwidth}
2922      \usebeamertfont{institute}
2923      \insertinstitute
2924  \end{minipage}
2925
2926  \vspace*{\baselineskip}
2927  \begin{minipage}[t]{\textwidth}
2928      \usebeamertfont{date}
2929      \insertdate
2930  \end{minipage}
2931
2932  \vspace*{0pt plus 100fill}
2933
2934  \addtocounter{framenumber}{-1}
2935  \addtocounter{realframenumber}{-1}
2936 }
2937
2938
2939

```

28 File beamerinnerthememinmargin-xetex-bidi.def

```

2940 \ProvidesFile{beamerinnerthememinmargin-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for
2941 \AtBeginDocument{%
2942     \setbeamersize{sidebar width left=.25\paperwidth}%

```



```

2943 }
2944 \bidi@csundef{beamer@@tmpop@section in toc@inmargin}
2946
2947 \bidi@csundef{beamer@@tmpop@title page@inmargin}
2948
2949 \bidi@csundef{beamer@@tmpop@block begin@inmargin}
2950
2951 \bidi@csundef{beamer@@tmpop@block end@inmargin}
2952
2953 \bidi@csundef{beamer@@tmpop@block alerted begin@inmargin}
2954
2955 \bidi@csundef{beamer@@tmpop@block alerted end@inmargin}
2956
2957 \bidi@csundef{beamer@@tmpop@block example begin@inmargin}
2958
2959 \bidi@csundef{beamer@@tmpop@block example end@inmargin}
2960
2961 \defbeamertemplate*{section in toc}{inmargin}
2962 {\leavevmode
2963   \beamer@putleft{\{\usebeamercolor[fg]{section in toc}\inserttocsection}\strut}{2.5ex}}
2964
2965 \defbeamertemplate*{title page}{inmargin}
2966 {
2967   \begin{block}{\inserttitleindicator}
2968     \bgroup\usebeamercolor[fg]{title}\usebeamertfont{title}\inserttitle\egroup\par
2969     \usebeamercolor[fg]{subtitle}\usebeamertfont{subtitle}\insertsubtitle
2970   \end{block}
2971   \vfill
2972   \ifx\insertauthor\empty
2973   \else
2974     \begin{block}{\insertauthorindicator}
2975       \bgroup\usebeamercolor[fg]{author}\usebeamertfont{author}\insertauthor\egroup\par
2976     \end{block}
2977   \fi
2978   \ifx\insertinstitute\empty
2979   \else
2980     \begin{block}{\insertinstituteindicator}
2981       \bgroup\usebeamercolor[fg]{institute}\usebeamertfont{institute}\insertinstitute\egroup\par
2982     \end{block}
2983   \fi
2984   \ifx\insertdate\empty
2985   \else
2986     \begin{block}{\insertdateindicator}
2987       \bgroup\usebeamercolor[fg]{date}\usebeamertfont{date}\insertdate\egroup\par
2988     \end{block}
2989   \fi
2990 }
2991
2992 \defbeamertemplate*{block begin}{inmargin}
2993 {
2994   \par\vskip\medskipamount%
2995   \leavevmode%
2996   \beamer@putleft{\normalfont\usebeamercolor[fg]{block title}\usebeamertfont*{block title}\i

```



```

2997 \beginL\beamer@putright
2998 %\usebeamercolor[fg]{block body}%
2999 } to be done!
3000
3001 \defbeamertemplate*{block end}{inmargin}
3002 {\endbeamer@putright\endL\vskip\smallskipamount}
3003
3004 \defbeamertemplate*{block alerted begin}{inmargin}
3005 {
3006   \par\vskip\medskipamount%
3007   \leavevmode%
3008   \beamer@putleft{\normalfont\usebeamercolor[fg]{block title alerted}\usebeamertfont*{block
3009   \beginL\beamer@putright
3010   %\usebeamercolor[fg]{block body alerted}%
3011 } to be done!
3012
3013 \defbeamertemplate*{block alerted end}{inmargin}
3014 {\endbeamer@putright\endL\vskip\smallskipamount}
3015
3016 \defbeamertemplate*{block example begin}{inmargin}
3017 {
3018   \par\vskip\medskipamount%
3019   \leavevmode%
3020   \beamer@putleft{\normalfont\usebeamercolor[fg]{block title example}\usebeamertfont*{block
3021   \beginL\beamer@putright
3022   %\usebeamercolor[fg]{block body example}%
3023 } to be done
3024
3025 \defbeamertemplate*{block example end}{inmargin}
3026 {\endbeamer@putright\endL\vskip\smallskipamount}
3027
3028 \bidi@AfterFile{beamerinnerthememetropolis-xetex-bidi.def}{%
3029   \setbeamertemplate{section in toc}[inmargin]%
3030   \setbeamertemplate{subsection in toc}[inmargin]%
3031   \setbeamertemplate{subsubsection in toc}[inmargin]%
3032 }
3033
3034

```

29 File beamerinnerthememetropolis-xetex-bidi.def

```

3035 \ProvidesFile{beamerinnerthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for
3036 \setbeamertemplate{title}{%
3037   \bidi@beamer@ragged%
3038   \linespread{1.0}%
3039   \inserttitle%
3040   \par%
3041   \vspace*{0.5em}%
3042 }
3043
3044 \setbeamertemplate{subtitle}{%
3045   \bidi@beamer@ragged%
3046   \insertsubtitle%
3047   \par%

```



```

3048   \vspace*{0.5em}
3049 }
3050 \bidi@csundef{beamer@@tmpop@section page@progressbar}
3052
3053 \defbeamertemplate{section page}{progressbar}{
3054   \centering
3055   \begin{minipage}{22em}
3056     \bidi@beamer@ragged
3057     \usebeamercolor[fg]{section title}
3058     \usebeamertfont{section title}
3059     \insertsectionhead\[-1ex]
3060     \usebeamertemplate*{progress bar in section page}
3061     \par
3062     \ifx\insertsubsectionhead\empty\else%
3063       \usebeamercolor[fg]{subsection title}%
3064       \usebeamertfont{subsection title}%
3065       \insertsubsectionhead
3066     \fi
3067   \end{minipage}
3068   \par
3069   \vspace{\baselineskip}
3070 }
3071
3072 \setbeamertemplate{progress bar in section page}%
3073   \setlength{\metropolis@progressonsectionpage}{%
3074     \textwidth * \ratio{\insertframenumber pt}{\inserttotalframenumber pt}%
3075   }%
3076   \begin{tikzpicture}
3077     \fill[bg] (0,0) rectangle (\textwidth, \metropolis@progressonsectionpage@linewidth);
3078 \if@RTLmain
3079   \fill[fg] (\textwidth-\metropolis@progressonsectionpage,0) rectangle (\textwidth, \metropo
3080 \else
3081   \fill[fg] (0,0) rectangle (\metropolis@progressonsectionpage, \metropolis@progressonsec
3082 \fi
3083   \end{tikzpicture}%
3084 }
3085
3086 \renewcommand{\metropolis@block}[1]{
3087   \par\vskip\medskipamount%
3088   \setlength{\parskip}{0pt}
3089   \ifbeamercolorempty[bg]{block title#1}%
3090     \if@RTL
3091       \begin{beamercolorbox}[leftskip=0pt plus 4em]{block title#1}%
3092     \else
3093       \begin{beamercolorbox}[rightskip=0pt plus 4em]{block title#1}%
3094     \fi
3095   }%
3096   \ifbeamercolorempty[bg]{block title}%
3097     \if@RTL
3098       \begin{beamercolorbox}[leftskip=0pt plus 4em]{block title#1}%
3099     \else
3100       \begin{beamercolorbox}[rightskip=0pt plus 4em]{block title#1}%
3101     \fi

```



```

3102  }%
3103 {%
3104 \if@RTL
3105   \begin{beamercolorbox}[
3106     sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3107     rightskip=\metropolis@blockadjust,
3108     leftskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3109   ]{block title#1}%
3110 \else
3111   \begin{beamercolorbox}[
3112     sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3113     leftskip=\metropolis@blockadjust,
3114     rightskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3115   ]{block title#1}%
3116   \fi
3117 }}%
3118   \usebeamertemplate{block title#1}%
3119   \metropolis@strut%
3120   \insertblocktitle%
3121   \metropolis@strut%
3122 \end{beamercolorbox}%
3123 \nointerlineskip%
3124 \ifbeamercolorempty[bg]{block body#1}{%
3125   \begin{beamercolorbox}[vmode]{block body#1}%
3126 \ifbeamercolorempty[bg]{block body}{%
3127   \begin{beamercolorbox}[vmode]{block body#1}%
3128 }{%
3129   \begin{beamercolorbox}[sep=\metropolis@blocksep, vmode]{block body#1}%
3130   \vspace{-\metropolis@parskip}%
3131 }%
3132   \usebeamertemplate{block body#1}%
3133   \setlength{\parskip}{\metropolis@parskip}%
3134 }
3135
3136
3137 \setbeamertemplate{footnote}{%
3138   \parindent 0em\noindent%
3139   \bidi@beamer@ragged
3140   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3141 }
3142
3143 \setbeamertemplate{RTLfootnote}{%
3144   \parindent 0em\noindent%
3145   \raggedleft
3146   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3147 }
3148
3149 \setbeamertemplate{LTRfootnote}{%
3150   \parindent 0em\noindent%
3151   \raggedright
3152   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3153 }
3154
3155 \setbeamertemplate{itemize items}{\textbullet}

```



```

3156
3157 \setbeamertemplate{section page}[progressbar]
3158
3159

```

30 File beamerinnerthemerectangles-xetex-bidi.def

```

3160 \ProvidesFile{beamerinnerthemerectangles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for
3161 \setbeamertemplate{sections/subsections in toc}[square]
3162 \setbeamertemplate{items}[square]
3163

```

31 File beamerinnerthemerounded-xetex-bidi.def

```

3164 \ProvidesFile{beamerinnerthemerounded-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for
3165 \setbeamertemplate{blocks}[rounded] [shadow=\beamer@themerounded@shadow]
3166 \setbeamertemplate{items}[ball]
3167 \setbeamertemplate{sections/subsections in toc}[ball]
3168

```

32 File beamerouterthemedefault-xetex-bidi.def

```

3169 \ProvidesFile{beamerouterthemedefault-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for b
3170 \def\beamer@fteleft{\if@RTLmain\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightskip by 1.7cm}
3171
3172 \def\beamer@fteright{\if@RTLmain\else\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightskip by -1.7cm}
3173
3174 \AtBeginDocument{%
3175   \if@RTLmain
3176     \setbeamertemplate{frametitle}[default][right]
3177   \fi
3178 }
3179
3180 \bidi@csundef{beamer@@tmpop@note page@default}
3181
3182 \newcommand*\bidi@beamer@today{%
3183   \the\year-\ifnum\month<10\relax0\fi\the\month-\ifnum\day<10\relax0\fi\the\day}
3184
3185 \defbeamertemplate*{note page}{default}{%
3186   {%
3187     {%
3188       \scriptsize
3189       \usebeamertemplate{note title}\usebeamercolor[fg]{note title}%
3190       \ifbeamercolorempty[bg]{note title}{}{%
3191         \insertvrule{.25\paperheight}{note title.bg}%
3192         \vskip-.25\paperheight%
3193         \nointerlineskip%
3194       }%
3195     }%
3196     \vbox{%
3197       \hfill\insertslideintonotes{0.25}\hskip-\Gm@rmargin\hskip0pt%
3198       \vskip-0.25\paperheight%
3199       \nointerlineskip
3200       \begin{pgfpicture}{-\textwidth}{0cm}{-\textwidth}{0cm}

```



```

3201 \begin{pgfflowlevelscope}{\pgftransformrotate{-90}}
3202   {\pgftransformshift{\pgfpoint{2cm}{0.2cm}}%
3203   \pgftext[base,right]{\usebeamertfont{note date}\usebeamercolor[fg]{note date}\bidi@b
3204   \end{pgfflowlevelscope}
3205   \end{pgfpicture}%
3206   \else
3207   \begin{pgfpicture}{0cm}{0cm}{0cm}{0cm}
3208     \begin{pgfflowlevelscope}{\pgftransformrotate{90}}
3209       {\pgftransformshift{\pgfpoint{-2cm}{0.2cm}}%
3210       \pgftext[base,left]{\usebeamertfont{note date}\usebeamercolor[fg]{note date}\bidi@b
3211       \end{pgfflowlevelscope}
3212       \end{pgfpicture}%
3213     \fi}
3214   \nointerlineskip
3215   \vbox to .25\paperheight{\vskip0.5em
3216   \if@RTL
3217     \moveright0.25\textwidth
3218   \fi
3219   \hbox{\insertshorttitle[width=0.75\textwidth]}%
3220   \setbox\beamer@tempbox=\hbox{\insertsection}%
3221
3222 \if@RTL
3223   \moveright\dimexpr0.29\textwidth-14pt\relax
3224 \fi
3225 \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip4pt\raise3pt\hbox{\vrule
3226   width0.4pt height7pt\vrule width 9pt
3227   height0.4pt}}\hskip1pt\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}%
3228 \if@RTL\endR\fi}%
3229 \setbox\beamer@tempbox=\hbox{\insertsubsection}%
3230
3231 \if@RTL
3232   \moveright\dimexpr0.29\textwidth-27.4pt\relax
3233 \fi
3234   \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip17.4pt\raise3pt\hbox{\vru
3235   width0.4pt height7pt\vrule width 9pt
3236   height0.4pt}}\hskip1pt\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}%
3237 \if@RTL\endR\fi}%
3238 \setbox\beamer@tempbox=\hbox{\insertshortframetitle}%
3239
3240 \if@RTL
3241   \moveright\dimexpr0.33\textwidth-40.8pt\relax
3242 \fi
3243   \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip30.8pt\raise3pt\hbox{\vru
3244   width0.4pt height7pt\vrule width 9pt
3245   height0.4pt}}\hskip1pt\hbox{\insertshortframetitle[width=0.67\textwidth]}\fi%
3246 \vfil}%
3247 }%
3248 \ifbeamercolorempty[bg]{note page}{}{%
3249   \nointerlineskip%
3250   \insertvrule{.75\paperheight}{note page.bg}%
3251   \vskip-.75\paperheight%
3252 }%
3253 \vskip.25em
3254 \nointerlineskip
3255 \insertnote

```



```
3255 }  
3256  
3257  
3258
```

33 File beamerouterthemefocus-xetex-bidi.def

```
3259 \ProvidesFile{beamerouterthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for bea  
3260 \bidi@undef\beamer@tmpop@footline@progressbar  
3261  
3262 \defbeamertemplate*{footline}{progressbar}{%  
3263     % If not appendix.  
3264     \ifnum\mainend<0% From package appendixnumberbeamer.  
3265         %  
3266         \settowidth{\focus@pbar@leftoffset}{1}%  
3267         \addtolength{\focus@pbar@leftoffset}{1.5em}%  
3268         %  
3269         \ifx\beamer@focus@totalframenumbering\no%  
3270             \settowidth{\focus@pbar@rightoffset}{0}%  
3271             \addtolength{\focus@pbar@rightoffset}{0.5em}%  
3272         \else%  
3273             \settowidth{\focus@pbar@rightoffset}{\inserttotalframenumber}%  
3274             \addtolength{\focus@pbar@rightoffset}{1.5em}%  
3275         \fi%  
3276         %  
3277         % If not title page.  
3278         \ifnum\value{realframenumber}>0%  
3279             \ifnum\value{framenumber}<\inserttotalframenumber%  
3280                 \begin{tikzpicture}[inner xsep=0.5em, inner ysep=0.5ex]\usebeamertemplate{footli  
3281                     \pgfmathsetmacro{\focus@pbar@progress}{  
3282                         {(\paperwidth-\focus@pbar@leftoffset-\focus@pbar@rightoffset)*(\inse  
3283  
3284                     \clip (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);  
3285 \if@RTLmain  
3286                     \fill[footline.bg] (\paperwidth,0) rectangle ++(-\the\focus@pbar@leftoff  
3287                     \fill[footline.bg] (\paperwidth-\the\focus@pbar@leftoffset,0) rectangle  
3288                         ++(0,{-.5*\the\focus@pbar@height}) node[anchor=west,  
3289 \else  
3290                     \fill[footline.bg] (0,0) rectangle ++(\the\focus@pbar@leftoffset,\the\fo  
3291                     \fill[footline.bg] (\the\focus@pbar@leftoffset,0) rectangle ++(\focus@p  
3292                         ++(0,{-.5*\the\focus@pbar@height}) node[anchor=east,  
3293 \fi  
3294             \ifx\beamer@focus@totalframenumbering\no%  
3295             \else%  
3296 \if@RTLmain  
3297                     \fill[footline.bg] (0,0) rectangle ++(\the\focus@pbar@rightoffset,\t  
3298                     ++(0,{-.5*\the\focus@pbar@height}) node[anchor=e  
3299 \else  
3300                     \fill[footline.bg] (\paperwidth,0) rectangle ++(-\the\focus@pbar@rig  
3301                         ++(0,{-.5*\the\focus@pbar@height}) node[anchor=w  
3302 \fi  
3303             \fi%  
3304             \end{tikzpicture}%  
3305         \else%
```



```

3306      \begin{tikzpicture}[inner xsep=0.5em, inner ysep=0.5ex]
3307          \clip (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3308          \fill[footline.bg] (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height)
3309 \if@RTLmain
3310     \node[anchor=west, footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\the\paperwidth-\the\focus@pbar@rightoffset}) {};
3311 \else
3312     \node[anchor=east, footline.fg] at ({\paperwidth-\the\focus@pbar@rightoffset},{0.5*\the\paperwidth-\the\focus@pbar@rightoffset}) {};
3313 \fi
3314 \ifx\beamer@focus@totalframenumbering\no%
3315 \else%
3316 \if@RTLmain
3317     \node[footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\focus@pbar@height}) {};
3318     \node[anchor=east, footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\paperwidth-\the\focus@pbar@rightoffset}) {};
3319 \else
3320     \node[footline.fg] at ({\paperwidth-\the\focus@pbar@rightoffset},{0.5*\paperwidth-\the\focus@pbar@rightoffset}) {};
3321     \node[anchor=west, footline.fg] at ({\paperwidth-\the\focus@pbar@rightoffset},{0.5*\paperwidth-\the\focus@pbar@rightoffset}) {};
3322 \fi
3323     \fi%
3324 \end{tikzpicture}%
3325 \fi%
3326 \fi%
3327 \fi%
3328 }
3329
3330

```

34 File beamerouterthemefolines-xetex-bidi.def

```

3331 \ProvidesFile{beamerouterthemefolines-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for
3332 \bidi@csundef{beamer@@tmpop@footline@folines theme}
3333
3334 \defbeamertemplate*{footline}{folines theme}
3335 {%
3336   \leavevmode%
3337   \hbox{%
3338     \begin{beamercolorbox}[wd=.33333\paperwidth,ht=2.25ex,dp=1ex,center]{author in head/foot}%
3339       \usebeamertemplate{author in head/foot}\insertshortauthor\expandafter\ifblank\expandafter{\b
3340     \end{beamercolorbox}%
3341     \begin{beamercolorbox}[wd=.33333\paperwidth,ht=2.25ex,dp=1ex,center]{title in head/foot}%
3342       \usebeamertemplate{title in head/foot}\insertshorttitle
3343     \end{beamercolorbox}%
3344     \begin{beamercolorbox}[wd=.33333\paperwidth,ht=2.25ex,dp=1ex,leftskip=2ex,rightskip=2ex,s
3345       \hfill%
3346       \usebeamertemplate{date in head/foot}%
3347       \insertshortdate{}%
3348       \hfill%
3349       \bgroup
3350         \usebeamertemplate{page number in head/foot}%
3351         \usebeamertemplate{page number in head/foot}%
3352         \usebeamertemplate{page number in head/foot}%
3353       \egroup
3354     \end{beamercolorbox}%
3355     \vskip0pt%
3356 }

```



```

3357 \bidi@csundef{beamer@@tmpop@headline@infolines theme}
3358 \defbeamertemplate*[headline]{infolines theme}{%
3359   \leavevmode%
3360   \hbox{%
3361     \if@RTL%
3362       \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{section in head/foot}%
3363     \else%
3364       \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{section in head/foot}%
3365     \fi%
3366     \usebeamertfont{section in head/foot}\insertsectionhead\hspace*{2ex}%
3367     \end{beamercolorbox}%
3368     \if@RTL%
3369       \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{subsection in head/foot}%
3370     \else%
3371       \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{subsection in head/foot}%
3372     \fi%
3373     \usebeamertfont{subsection in head/foot}\hspace*{2ex}\insertsubsectionhead%
3374     \end{beamercolorbox}%
3375     \fi%
3376     \usebeamertfont{subsubsection in head/foot}\hspace*{2ex}\insertsubsubsectionhead%
3377     \end{beamercolorbox}}%
3378   \vskip0pt%
3379 }%
3380 \bidi@AfterFile{beamerouterthememetropolis-xetex-bidi.def}{%
3381   \setbeamertemplate{footline}[infolines theme]%
3382 }%
3383 }%
3384

```

35 File beamerouterthememetropolis-xetex-bidi.def

```

3385 \ProvidesFile{beamerouterthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for
3386 \setbeamertemplate{progress bar in head/foot}{%
3387   \nointerlineskip%
3388   \setlength{\metropolis@progressinheadfoot}{%
3389     \paperwidth * \ratio{\insertframenumber pt}{\inserttotalframenumber pt}%
3390   }%
3391   \begin{beamercolorbox}[wd=\paperwidth]{progress bar in head/foot}%
3392     \begin{tikzpicture}%
3393       \fill[bg] (0,0) rectangle (\paperwidth, \metropolis@progressinheadfoot@linewidth);%
3394     \if@RTLmain%
3395       \fill[fg] (\paperwidth-\metropolis@progressinheadfoot,0) rectangle (\paperwidth, \metropolis@progressinheadfoot@linewidth);%
3396     \else%
3397       \fill[fg] (0,0) rectangle (\metropolis@progressinheadfoot, \metropolis@progressinheadfoot@linewidth);%
3398     \fi%
3399     \end{tikzpicture}%
3400   \end{beamercolorbox}%
3401 }%
3402 \AtBeginDocument{%
3403   \setbeamertemplate{frametitle}[plain]%
3404 }%
3405 }%
3406
3407

```



36 File beamerouterthememiniframes-xetex-bidi.def

```
3408 \ProvidesFile{beamerouterthememiniframes-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for b
3409 \bidi@csundef{beamer@tmpop@headline@miniframes theme}
3410
3411 \defbeamertemplate*{headline}{miniframes theme}
3412 {%
3413   \begin{beamercolorbox}[colsep=1.5pt]{upper separation line head}
3414   \end{beamercolorbox}
3415   \begin{beamercolorbox}{section in head/foot}
3416     \vskip2pt\if@RTL\begin{R}\fi\insertnavigation{\paperwidth}\if@RTL\end{R}\fi\vskip2pt
3417   \end{beamercolorbox}%
3418   \ifbeamer@theme@section%
3419     \begin{beamercolorbox}[colsep=1.5pt]{middle separation line head}
3420     \end{beamercolorbox}
3421     \if@RTL
3422       \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3423         rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3424     \else
3425       \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3426         leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3427     \fi
3428     \usebeamertfont{subsection in head/foot}\insertsubsectionhead
3429   \end{beamercolorbox}%
3430 \fi%
3431   \begin{beamercolorbox}[colsep=1.5pt]{lower separation line head}
3432   \end{beamercolorbox}
3433 }
3434
3435
```

37 File beamerouterthemesidebar-xetex-bidi.def

```
3436 \ProvidesFile{beamerouterthemesidebar-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for b
3437 \bidi@csundef{beamer@tmpop@frametitle@sidebar theme}
3438
3439 \bidi@csundef{beamer@tmpop@headline@sidebar theme}
3440
3441 \bidi@csundef{beamer@tmpop@sidebar left@sidebar theme}
3442
3443 \bidi@csundef{beamer@tmpop@sidebar right@sidebar theme}
3444
3445 \ifdim\beamer@headheight>0pt
3446
3447 \defbeamertemplate*{frametitle}{sidebar theme}
3448 {%
3449   \nointerlineskip%
3450   \ifbeamer@plainframe%
3451     \hbox{\usebeamercolor[bg]{frametitle}%
3452       \tempdima\paperwidth\advance\tempdima-\beamer@sidebarwidth
3453       \hspace{-\beamer@leftmargin}\vrule height\beamer@headheight width\tempdima\hspace{-\beamer@leftmargin}%
3454     \nointerlineskip%
3455   \fi%
3456   \vskip-\beamer@headheight%
```



```

3457   \vbox to \beamer@headheight{%
3458     \vfil
3459     \bidi@beamer@leftskip=-\beamer@leftmargin%
3460     \advance\bidi@beamer@leftskip by0.3cm%
3461     \bidi@beamer@rightskip=-\beamer@rightmargin%
3462     \advance\bidi@beamer@rightskip by0.3cm plus1fil%
3463     {\usebeamercolor[fg]{frametitle}\usebeamertfont{frametitle}\strut\insertframetitle\par}
3464     \ifx\insertframesubtitle@\empty\else%
3465       {\usebeamercolor[fg]{framesubtitle}\usebeamertfont{framesubtitle}\strut\insertframesubtitle\par}
3466     \fi%
3467   \vbox{}%
3468   \vskip-1em%
3469   \vfil
3470 }
3471 }

3472 \AtBeginDocument{%
3473   \setbeamertemplate{frametitle}[sidebar theme]%
3474 }
3475 }

3476 \defbeamertemplate*[headline]{sidebar theme}%
3477 {%
3478   \begin{beamercolorbox}[wd=\paperwidth]{frametitle}
3479     \ifx\beamer@sidebarside\beamer@lefttext%
3480     \else%
3481       \hfill%
3482     \fi%
3483   \ifdim\beamer@sidebarwidth>0pt%
3484     \bgroup
3485     \usebeamercolor[bg]{logo}%
3486     \if@RTLmain
3487     \else
3488       \vrule width\beamer@sidebarwidth height \beamer@headheight%
3489       \hskip-\beamer@sidebarwidth%
3490     \fi
3491     \hbox to \beamer@sidebarwidth{\hss\vbox to
3492       \beamer@headheight{\vss\hbox{\color{fg}\insertlogo}\vss}\hss}%
3493     \if@RTLmain
3494       \hskip-\beamer@sidebarwidth%
3495       \vrule width\beamer@sidebarwidth height \beamer@headheight%
3496     \fi
3497   \egroup
3498   \else%
3499     \vrule width0pt height \beamer@headheight%
3500   \fi%
3501   \end{beamercolorbox}
3502 }
3503 }
3504 \fi
3505
3506 \def\beamer@sidebarformat#1#2#3{%
3507 \if@RTL
3508   \begin{beamercolorbox}[wd=\beamer@sidebarwidth,rightskip=#1,leftskip=1ex plus1fil,vmode]{#3}
3509 \else
3510   \begin{beamercolorbox}[wd=\beamer@sidebarwidth,leftskip=#1,rightskip=1ex plus1fil,vmode]{#3}

```



```

3511 \fi
3512   \vbox{ }%
3513   #3\par%
3514   \vbox{ }%
3515   \vskip-1.5ex%
3516 \end{beamercolorbox}
3517 }
3518
3519 \ifdim\beamer@sidebarwidth>0pt
3520
3521 \AtBeginDocument{%
3522   \setbeamersize{sidebar width \beamer@sidebarside=\beamer@sidebarwidth}%
3523 }
3524
3525 \defbeamertemplate*{sidebar}{\beamer@sidebarside}{\beamer theme}{%
3526 {
3527   \beamer@tempdim=\beamer@sidebarwidth%
3528   \advance\beamer@tempdim by -6pt%
3529   {\usebeamertemplate{title in sidebar}{%
3530     \vskip1.5em%
3531     \hskip3pt%
3532     \bgroup
3533       \usebeamercolor[fg]{title in sidebar}%
3534       \insertshorttitle[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3535     \vskip1.25em%
3536   }%
3537   {%
3538     \hskip3pt%
3539     \bgroup
3540       \usebeamercolor[fg]{author in sidebar}%
3541       \usebeamertemplate{author in sidebar}{%
3542         \insertshortauthor[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3543         \vskip1.25em%
3544       }%
3545       \insertverticalnavigation{\beamer@sidebarwidth}%
3546       \vfill
3547       \ifx\beamer@sidebarside\beamer@lefttext%
3548       \else%
3549         \usebeamercolor{normal text}%
3550         \llap{\usebeamertemplate***{navigation symbols}\hskip0.1cm}%
3551         \vskip2pt%
3552       \fi%
3553   }%
3554 }%
3555

```

38 File beamerouterthemessplit-xetex-bidi.def

```

3556 \ProvidesFile{beamerouterthemessplit-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for bea
3557 \bidi@csundef{beamer@ttmpop@footline@split theme}
3558
3559 \defbeamertemplate*{footline}{split theme}{%
3560 {%
3561   \leavevmode%

```



```

3562   \hbox{\if@RTL\begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm plus1fill,rightskip=.3cm]{author in head/foot}\else\begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm plus1fill,rightskip=.3cm]{author in head/foot}\fi\usebeamerfont{author in head/foot}\insertshortauthor\end{beamercolorbox}\%}
3563 \if@RTL
3564   \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm,leftskip=.3cm]{author in head/foot}\usebeamerfont{author in head/foot}\insertshortauthor\end{beamercolorbox}\%
3565 \else
3566   \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm,leftskip=.3cm]{author in head/foot}\usebeamerfont{author in head/foot}\insertshortauthor\end{beamercolorbox}\%
3567 \fi
3568 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm,leftskip=.3cm]{title in head/foot}\usebeamerfont{title in head/foot}\insertshorttitle\nobreak\hfill\bgroup\usebeamercolor[bg]{title in head/foot}\vskip0pt\end{beamercolorbox}\%
3569 \else
3570   \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm,leftskip=.3cm]{title in head/foot}\usebeamerfont{title in head/foot}\insertshorttitle\nobreak\hfill\bgroup\usebeamercolor[bg]{title in head/foot}\vskip0pt\end{beamercolorbox}\%
3571 \fi
3572 \else
3573   \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm,rightskip=.3cm]{title in head/foot}\usebeamerfont{title in head/foot}\insertshorttitle\nobreak\hfill\bgroup\usebeamercolor[bg]{title in head/foot}\vskip0pt\end{beamercolorbox}\%
3574 \fi
3575 \else
3576 \fi
3577 \else
3578 \fi

```

39 File beamerouterthemeshadow-xetex-bidi.def

```

3579 \ProvidesFile{beamerouterthemeshadow-xetex-bidi.def}[2022/06/11 v0.3 bidi adaptations for beamerouterthemeshadow]
3580 \pgfdeclarehorizontalshading[frametitle.bg,frametitle right.bg]{bidi@beamer@RTL@frametitleshade}{color(Opt)=(frametitle right.bg);color(\paperwidth)=(frametitle.bg)}
3581 \else
3582   \color(\paperwidth)=(frametitle.bg)
3583 \fi
3584 \newcommand*\bidi@beamer@frametitleshade[]{%
3585   \if@RTLmain
3586     \pgfuseshading{bidi@beamer@RTL@frametitleshade}%
3587   \else
3588     \pgfuseshading{beamer@frametitleshade}%
3589   \fi
3590 }
3591 \bidi@csundef{beamer@@tmpop@frametitle@shadow theme}
3592 \defbeamertemplate*[frametitle]{shadow theme}{%
3593   \leavevmode
3594   \nointerlineskip%
3595   \vskip-2pt%
3596   \hbox{\leavevmode
3597     \advance\beamer@leftmargin by -12bp%
3598     \advance\beamer@rightmargin by -12bp%
3599     \beamer@tempdim=\textwidth%
3600     \advance\beamer@tempdim by \beamer@leftmargin%
3601     \advance\beamer@tempdim by \beamer@rightmargin%
3602     \hskip-\Gm@lmargin\hbox{%
3603       \setbox\beamer@tempbox=\hbox{\begin{minipage}[b]{\paperwidth}%
3604         \vbox{}\vskip-.75ex%
3605         \bidi@beamer@leftskip0.3cm%
3606         \bidi@beamer@rightskip0.3cm plus1fil\leavevmode
3607         \bgroup\usebeamercolor[fg]{frametitle}\usebeamerfont{frametitle}\strut\insertframe%
3608         \ifx\insertframesubtitle\empty\else%
3609           {\usebeamerfont{framesubtitle}\usebeamercolor[fg]{framesubtitle}\insertframesu%
3610         \fi
3611       \end{minipage}}\endbox}%
3612     \usebeamercolor[fg]{framesubtitle}\insertframesu%
3613   }%
3614 }

```



```

3613   \fi%
3614   \nointerlineskip
3615   \vbox{}%
3616   \end{minipage}}%
3617   \beamer@tempdim=\ht\beamer@tempbox%
3618   \advance\beamer@tempdim by 2pt%
3619   \begin{pgfpicture}{0pt}{0pt}{\paperwidth}{\beamer@tempdim}
3620     \begin{pgfscope}
3621       \pgfsetfillcolor{black}%
3622       \pgfpathrectangle{\pgfpoint{0pt}{-4pt}}{\pgfpoint{\paperwidth}{8pt}}%
3623       \pgfsetfading{beamer@topshadowmask}{}%
3624       \pgfusepath{fill}%
3625     \end{pgfscope}
3626     \begin{pgfscope}
3627       \usebeamercolor{frametitle right}%
3628       \pgfpathrectangle{\pgfpointorigin}{\pgfpoint{\paperwidth}{\beamer@tempdim}}%
3629       \pgfusepath{clip}%
3630       \pgftext[left,base]{\bidi@beamer@frametitleshade}%
3631     \end{pgfscope}
3632   \end{pgfpicture}
3633   \hspace{-\paperwidth}%
3634   \box\beamer@tempbox%
3635 }%
3636 \hspace{-\Gm@rmargin}%
3637 }%
3638 \vskip-2pt
3639 }
3640
3641 \AtBeginDocument{%
3642   \setbeamertemplate{frametitle}[shadow theme]%
3643 }
3644
3645

```

40 File beamerouterthemeshoothbars-xetex-bidi.def

```

3646 \ProvidesFile{beamerouterthemeshoothbars-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for
3647 \bidi@csundef{beamer@tmpop@headline@smoothbars theme}
3648
3649 \bidi@csundef{beamer@tmpop@frametitle@smoothbars theme}
3650
3651 \defbeamertemplate*[headline]{smoothbars theme}%
3652 {%
3653   \pgfuseshading{beamer@barshade}%
3654   \vskip-0.05ex%
3655   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3656   \begin{pgfpicture}
3657     \begin{pgfscope}%
3658       \ifbeamer@sb@subsection%
3659         \pgfsetfillcolor{subsection in head/foot.bg}%
3660       \else%
3661         \pgfsetfillcolor{section in head/foot.bg}%
3662       \fi%
3663       \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%

```



```

3664      \pgfsetfading{beamer@belowframetitlemask}{0}%
3665      \pgfusepath{fill}%
3666      \end{pgfscope}%
3667      \end{pgfpicture}%
3668      \end{beamercolorbox}%
3669      \ifbeamer@sb@subsection%
3670          \vskip-9.75ex%
3671      \else%
3672          \vskip-6.85ex%
3673      \fi%
3674      \begin{beamercolorbox}[ignorebg,ht=2.25ex,dp=3.75ex]{section in head/foot}%
3675          \insertnavigation{\paperwidth}%
3676      \end{beamercolorbox}%
3677      \ifbeamer@sb@subsection%
3678      \if@RTL%
3679          \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3680              rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}%
3681      \else%
3682          \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3683              leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}%
3684      \fi%
3685          \usebeamertemplate{subsection in head/foot}\insertsubsectionhead%
3686      \end{beamercolorbox}%
3687      \fi%
3688 }%
3689 %
3690 \defbeamertemplate*{frametitle}{smoothbars theme}%
3691 {%
3692     \nointerlineskip%
3693     \vskip-0.19ex%
3694     \usebeamertemplate{headline}%
3695     \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=1ex,vmode]{empty}%
3696         \pgfuseshading{beamer@aboveframetitle}%
3697     \end{beamercolorbox}%
3698     \vskip-1ex%
3699     \nointerlineskip%
3700     \if@RTL%
3701         \begin{beamercolorbox}[wd=\paperwidth,rightskip=.3cm,leftskip=.3cm plus1fil,vmode]{frametitle}%
3702     \else%
3703         \begin{beamercolorbox}[wd=\paperwidth,leftskip=.3cm,rightskip=.3cm plus1fil,vmode]{frametitle}%
3704     \fi%
3705     \vskip0.5ex%
3706     \usebeamertemplate{frametitle}\strut\insertframetitle%
3707     \ifx\insertframesubtitle\empty%
3708         \strut\par%
3709     \else%
3710         \par\usebeamertemplate{framesubtitle}\usebeamercolor[fg]{framesubtitle}\strut\insertframesubtitle%
3711     \fi%
3712     \usebeamertemplate{headline}%
3713     \vskip0.05ex%
3714     \end{beamercolorbox}%
3715     \nointerlineskip%
3716     \vskip-0.05ex%
3717     \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}%

```



```

3718 \begin{pgfpicture}
3719   \begin{pgfscope}%
3720     \pgfsetfillcolor{frametitle.bg}%
3721     \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3722     \pgfsetfading{beamer@belowframetitlemask}{0}%
3723     \pgfusepath{fill}%
3724   \end{pgfscope}%
3725 \end{pgfpicture}%
3726 \end{beamercolorbox}%
3727 }
3728
3729 \AtBeginDocument{%
3730   \setbeamertemplate{frametitle}[smoothbars theme]%
3731 }
3732
3733

```

41 File beamerouterthemeshoothtree-xetex-bidi.def

```

3734 \ProvidesFile{beamerouterthemeshoothtree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3735 \bidi@csundef{beamer@@tmpop@headline@smoothtree theme}
3736
3737 \bidi@csundef{beamer@@tmpop@frametitle@smoothtree theme}
3738
3739 \defbeamertemplate*[headline]{smoothtree theme}
3740 {%
3741   \pgfuseshading{beamer@treeshade}%
3742   \vskip-0.05ex%
3743   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3744     \begin{pgfpicture}
3745       \begin{pgfscope}%
3746         \pgfsetfillcolor{subsection in head/foot.bg}%
3747         \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3748         \pgfsetfading{beamer@belowframetitlemask}{0}%
3749         \pgfusepath{fill}%
3750       \end{pgfscope}%
3751     \end{pgfpicture}%
3752   \end{beamercolorbox}%
3753   \vskip-9.15ex%
3754   \if@RTL
3755     \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3756       rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3757   \else
3758     \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3759       leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3760     \fi
3761     \usebeamertfont{title in head/foot}\insertshorttitle
3762   \end{beamercolorbox}
3763   \if@RTL
3764     \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3765       rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3766   \else
3767     \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3768       leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}

```



```

3769     \fi
3770     \usebeamertemplate{section in head/foot}%
3771     \hspace{6pt}\insertsectionhead
3772 \end{beamercolorbox}
3773 \if@RTL
3774 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3775   rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3776 \else
3777 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3778   leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3779 \fi
3780 \usebeamertemplate{subsection in head/foot}%
3781 \hspace{12pt}\insertsubsectionhead
3782 \end{beamercolorbox}
3783 \vskip-0.4ex%
3784 }
3785
3786 \defbeamertemplate*{frametitle}{smoothtree theme}%
3787 {%
3788   \nointerlineskip%
3789   \vskip-0.05ex%
3790   \usebeamertemplate{headline}%
3791   \begin{beamercolorbox}[wd=\paperwidth,ht=0.85ex,dp=0ex]{empty}%
3792     \pgfuseshading{beamer@aboveframetitle}%
3793   \end{beamercolorbox}
3794   \nointerlineskip%
3795   \if@RTL
3796   \begin{beamercolorbox}[wd=\paperwidth,rightskip=.935cm,leftskip=.3cm plus1fil]{frametitle}%
3797   \else
3798   \begin{beamercolorbox}[wd=\paperwidth,leftskip=.935cm,rightskip=.3cm plus1fil]{frametitle}%
3799   \fi
3800   \vskip-1.2ex%
3801   \usebeamertemplate*{frametitle}\strut\insertframetitle%
3802   \ifx\insertframesubtitle\empty%
3803     \strut\par%
3804   \else
3805     \par{\usebeamertemplate*{framesubtitle}{\usebeamercolor[fg]{framesubtitle}\strut\insertfr%
3806   \fi}%
3807   \usebeamertemplate{headline}%
3808   \end{beamercolorbox}%
3809   \nointerlineskip%
3810   \vskip-0.2ex%
3811   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}%
3812   \begin{pgfpicture}
3813     \begin{pgfscope}%
3814       \pgfsetfillcolor{frametitle.bg}%
3815       \pgfpathrectangle{\pgfpoint{-5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3816       \pgfsetfading{beamer@belowframetitlemask}{0}%
3817       \pgfusepath{fill}%
3818     \end{pgfscope}%
3819   \end{pgfpicture}%
3820   \end{beamercolorbox}%
3821 }
3822

```



```

3823 \AtBeginDocument{%
3824   \setbeamertemplate{frametitle}[smoothtree theme]%
3825 }
3826 }
3827
3828

```

42 File beamerouterthemetree-xetex-bidi.def

```

3829 \ProvidesFile{beamerouterthemetree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beam
3830 \bidi@csundef{beamer@tempbox@headline@tree theme}
3831
3832 \defbeamertemplate*{headline}{tree theme}%
3833 {%
3834   \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{upper separation line head}
3835     \end{beamercolorbox}
3836     \if@RTL
3837       \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3838         rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3839     \else
3840       \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3841         leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3842     \fi
3843     \usebeamertfont{title in head/foot}\insertshorttitle
3844   \end{beamercolorbox}
3845   \if@RTL
3846     \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3847       rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3848   \else
3849     \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3850       leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}
3851   \fi
3852     \usebeamertfont{section in head/foot}%
3853     \ifbeamer@tree@showhooks
3854       \setbox\beamer@tempbox=\hbox{\insertsectionhead}%
3855       \ifdim\wd\beamer@tempbox>1pt%
3856         \hskip2pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height0.4pt\hskip1pt}%
3857       \else%
3858         \fi%
3859       \else%
3860         \hskip6pt%
3861       \fi%
3862       \insertsectionhead
3863     \end{beamercolorbox}
3864   \if@RTL
3865     \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3866       rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3867   \else
3868     \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3869       leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3870   \fi
3871     \usebeamertfont{subsection in head/foot}%
3872     \ifbeamer@tree@showhooks
3873       \setbox\beamer@tempbox=\hbox{\insertsubsectionhead}%

```



```
3874 \ifdim\wd\beamer@tempbox>1pt%
3875     \hskip9.4pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height
3876     \hskip1pt%
3877 \fi%
3878 \else%
3879     \hskip12pt%
3880 \fi%
3881 \insertsubsectionhead
3882 \end{beamercolorbox}
3883 \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{lower separation line head}
3884 \end{beamercolorbox}
3885 }
3886
3887
```

43 File beamerthemeHannover-xetex-bidi.def

```
3888 \ProvidesFile{beamerthemeHannover-xetex-bidi.def}[2022/06/07 v0.1 bidi adaptations for beam
3889 \AtBeginDocument{%
3890   \if@RTLmain
3891     \setbeamertemplate{frametitle}{default}[left]%
3892   \else
3893     \setbeamertemplate{frametitle}{default}[right]%
3894   \fi
3895 }
3896
3897
```

44 File beamerthemeSingapore-xetex-bidi.def

```
3898 \ProvidesFile{beamerthemeSingapore-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beam
3899 \addtoheadtemplate{\pgfuseshading{beamer@headfade}\vskip-1.25cm}{}
3900
3901 \beamertemplatedotitem
3902
3903 \AtBeginDocument{%
3904   \setbeamertemplate{frametitle}[default][center]%
3905 }
3906
3907
```

45 File bidi.sty

```
3908 \NeedsTeXFormat{LaTeX2e}
3909 \def\biddidate{2022/07/08}
3910 \def\bidi@version{38.9}
3911 \ProvidesPackage{bidi}[\biddidate\space v\bidi@version\space
3912 Bidirectional typesetting in plain TeX and LaTeX]
3913 \edef@\bidi@info{*****^J%
3914 * ^J%
3915 * bidi package (Bidirectional typesetting in^J%
3916 * plain TeX and LaTeX, using XeTeX engine)^J%
3917 * ^J%
3918 * Description: A convenient interface for^J%
```



```

3919 * typesetting bidirectional texts in plain TeX^^J%
3920 * and LaTeX. The package includes adaptations^^J%
3921 * for use with many other commonly-used packages.^~^J%
3922 * ^~^J%
3923 * Copyright (c) 2007--2022 Vafa Khalighi^^J%
3924 * Copyright (c) 2018--2020 bidi-tex GitHub organization^^J%
3925 * ^~^J%
3926 * v\bidi@version, \bididate^~^J%
3927 * ^~^J%
3928 * License: LaTeX Project Public License, version^~^J%
3929 * 1.3c or higher (your choice)^~^J%
3930 * ^~^J%
3931 * Location on CTAN: /macros/xetex/latex/bidi^~^J%
3932 * ^~^J%
3933 * Issue tracker: https://github.com/kvafa/bidi/issues^~^J%
3934 * ^~^J%
3935 * Discussions: https://github.com/kvafa/bidi/discussions^~^J%
3936 * ^~^J%
3937 * Primary author of bidi package: Vafa Khalighi.^~^J%
3938 * ^~^J%
3939 ****}
3940 \typeout{\@bidi@info}
3941 \edef\bidi@everyjob{\the\everyjob}
3942 \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
3943 \newcommand*{\bidi diversion}{\ensuremath{\bidi@version}}
3944 \newcommand*{\IfbidiPackageVersionLater}[1]{%
3945   \ifdim\bidi@version pt > #1 pt %
3946     \expandafter\@firstoftwo
3947   \else
3948     \expandafter\@secondoftwo
3949   \fi}
3950 \newcommand*{\IfbidiPackageVersionBefore}[1]{%
3951   \ifdim\bidi@version pt < #1 pt %
3952     \expandafter\@firstoftwo
3953   \else
3954     \expandafter\@secondoftwo
3955   \fi}
3956 \newcommand*{\IfbidiPackageVersion}[1]{%
3957   \ifdim\bidi@version pt = #1 pt %
3958     \expandafter\@firstoftwo
3959   \else
3960     \expandafter\@secondoftwo
3961   \fi}
3962 \RequirePackage{iftex}
3963 \RequireXeTeX
3964 \RequirePackage{biditools}
3965 \RequirePackage{zref-abspage}
3966 \RequirePackage{auxhook}
3967 \RequirePackage{ltxcmds}
3968 \RequirePackage{xkeyval}
3969 \eqnewif{\if@RTLmain}{\if@rlmain}
3970 \eqnewif{\if@RTL}{\if@rl}
3971 \newif\if@nonlatin
3972 \newif\if@bidi@perpage@footnote

```



```

3973 \newcommand*{\setlatin}{\nonlatinfalse}
3974 \newcommand*{\setnonlatin}{\nonlatintrue}
3975 \eqnewif{\if@RTLtab}{\if@tab@rl}
3976 \newif\if@hboxRconstruct
3977 \newif\if@bidi@pdfencrypt
3978 \newcommand*{\setRTLtable}{\@RTLtabtrue}
3979 \newcommand*{\setLTRtable}{\@RTLtabfalse}
3980 \newif\if@bidi@pdfm@mark
3981 \newif\if@RTLmarginpar
3982 \newif\if@LTRmarginpar
3983 \newif\if@LTRbibitems
3984 \newif\if@RTLbibitems
3985 \newif\if@extrafootnotefeatures
3986 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
3987 \newif\if@bidi@list@minipage@parbox
3988 \newif\if@bidi@list@minipage@parbox@not@nob
3989 \newcommand*{\@bidi@pdfcreator}{%
3990   The bidi package, v\bidi@version, \bididate
3991 }
3992 \newcommand*{\@bidi@pdfproducer}{%
3993   The bidi package, v\bidi@version, \bididate
3994 }
3995 \newcommand*{\@bidi@pdfcustomproperties}{%
3996   This is the bidi package, Version \bidi@version,
3997   Released July 8, 2022.
3998 }
3999 \newcommand*{\bidi@beamer@ragged}{}%
4000 \nonRTLmainfalse
4001 \AtBeginDocument{%
4002   \if@RTLmain\else
4003     \if@RTL\@RTLmaintrue%
4004     \else\@RTLmainfalse%
4005     \fi%
4006   \fi%
4007 }
4008 \let\n@xt=\
4009 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
4010 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4011 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
4012 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4013 \def\brace{text{\ifcat\n@xt\else\ifcat\n@xt\fi
4014   \errmessage{Missing left brace has been substituted}\fi \bgroup}%
4015 \newinsert{\bidi@copyins}%
4016 \skip{\bidi@copyins=12\p@}%
4017 \dimen{\bidi@copyins=40pc}%
4018 \count{\bidi@copyins=1000}%
4019 \newcommand*{\@bidi@inslogo@}{\insert{\bidi@copyins}{\bidi@logo@}}%
4020 \newcommand*{\@bidi@logo@hb@xt@columnwidth}{%
4021   \if@RTLmain
4022     \if@twocolumn
4023       \hbox{ to \columnwidth}
4024     \else
4025       \hbox{ to \textwidth}
4026     \fi

```



```

4027 \else
4028   \if@twocolumn
4029     \hboxL to \columnwidth
4030   \else
4031     \hboxL to \textwidth
4032   \fi
4033 \fi
4034 }
4035 \newcommand*{\@bidi@logo}[1]{%
4036   \toks@{%
4037     \setbox\z@\hbox{%
4038       \special{%
4039         pdf:image width 50pt height 50pt (#1)}%
4040       }%
4041     }%
4042   \dp\z@=0pt
4043   \ht\z@=50pt
4044   \wd\z@=50pt
4045   \beginL
4046     \lower20pt\box\z@
4047   \endL
4048 }%
4049 \the\toks@
4050 }
4051 \newcommand*{\@bidi@logo@}{%
4052   \@bidi@logo@hb@xt@columnwidth
4053   {\hss\LR{bfseries Typeset by the \textsf{bidi}}
4054     package\quad\@bidi@logo{bidi-logo.pdf}}}}
4055 \define@key{bidi@pdfencrypt}{userpassword}[]{%
4056   \def\bidi@pdfencrypt@userpassword{\#1}%
4057 }
4058 \define@key{bidi@pdfencrypt}{ownerpassword}[]{%
4059   \def\bidi@pdfencrypt@ownerpassword{\#1}%
4060 }
4061 \define@key{bidi@pdfencrypt}{keylength}[128]{%
4062   \def\bidi@pdfencrypt@keylength{\#1}%
4063 }
4064 \define@key{bidi@pdfencrypt}{permissionflags}[2052]{%
4065   \def\bidi@pdfencrypt@permissionflags{\#1}%
4066 }
4067 \newcommand*{\pdfencryptsetup}{\setkeys{bidi@pdfencrypt}}
4068 \onlypreamble\pdfencryptsetup
4069 \input{latex-xetex-bidi.def}
4070 \input{loadingorder-xetex-bidi.def}
4071 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4072   \ifcase\bidi@tempb\relax
4073     \RTLtrue
4074   \or
4075     \RTLfalse
4076   \fi}
4077 \define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftrig}
4078 \ifcase\bidi@tempb\relax
4079   \RTLtrue
4080   \or

```



```

4081     \@RTLfalse
4082   \fi}
4083 \define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftright}
4084   \ifcase\bidi@tempb\relax
4085     \@RTLtabtrue
4086   \or
4087     \@RTLtabfalse
4088   \fi}
4089 \define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
4090   \ifcase\bidi@tempb\relax
4091     \@nonlatinfalse
4092   \or
4093     \@nonlatintrue
4094   \fi}
4095 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4096   \ifcase\bidi@tempb\relax
4097     \@RTLtrue
4098   \or
4099     \@RTLfalse
4100   \fi}
4101 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split}
4102   \ifcase\bidi@tempb\relax
4103     \autofootnoterule
4104   \or
4105     \leftfootnoterule
4106   \or
4107     \rightfootnoterule
4108   \or
4109     \SplitFootnoteRule
4110   \or
4111     \textwidthfootnoterule
4112   \fi}
4113 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,leftrig}
4114   \ifcase\bidi@tempb\relax
4115     \@RTL@footnotetrue
4116   \or
4117     \@RTL@footnotefalse
4118   \fi}
4119 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4120   \ifcase\bidi@tempb\relax
4121     \footdir@debugtrue
4122   \or
4123     \footdir@debugfalse
4124   \fi}
4125 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4126   \ifcase\bidi@tempb\relax
4127     \@extrafootnotefeaturestrue
4128   \or
4129     \@extrafootnotefeaturesfalse
4130   \fi}
4131 \define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4132   \ifcase\bidi@tempb\relax
4133     \def\bidi@firstcolumn@status@write{%

```



```

4135      \protected@write\@auxout{%
4136          {\string\bidi@column@status
4137          {1}}}{%
4138  \def\bidi@lastcolumn@status@write{%
4139      \protected@write\@auxout{%
4140          {\string\bidi@column@status{2}}}{%
4141      \or
4142          \let\bidi@firstcolumn@status@write\relax
4143          \let\bidi@lastcolumn@status@write\relax
4144      \fi}
4145
4146 \define@choicekey{bidi.sty}{logo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4147   \ifcase\bidi@tempb\relax
4148     \AtBeginDocument{\@bidi@inslogo@}%
4149   \or
4150     \let@\bidi@logo@\empty\let@\bidi@inslogo@\empty
4151   \fi}
4152
4153 \define@choicekey{bidi.sty}{pdfinfo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4154   \ifcase\bidi@tempb\relax
4155     \@bidi@pdfm@marktrue
4156   \or
4157     \@bidi@pdfm@markfalse
4158   \fi}
4159
4160% The `perpagefootnote' option is documented in UK TeX FAQ at
4161% <https://texfaq.org/FAQ-footnpp> (see last paragraph)
4162
4163 \define@choicekey{bidi.sty}{perpagefootnote}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4164   \ifcase\bidi@tempb\relax
4165     \@bidi@perpage@footnotetrue
4166   \or
4167     \@bidi@perpage@footnotefalse
4168   \fi}
4169
4170 \ExecuteOptionsX{%
4171   DetectColumn=off%
4172 }
4173
4174 \ProcessOptionsX
4175
4176 \pdfencryptsetup{%
4177   userpassword,%
4178   ownerpassword,%
4179   keylength,%
4180   permissionflags%
4181 }
4182
4183 \if@extrafootnotefeatures
4184   \input{extrafootnotefeatures-xetex-bidi.def}
4185 \fi
4186 \newcount\bidi@digits
4187 \XeTeXinterchartokenstate=\@ne
4188 \newXeTeXintercharclass\bidi@digits@charclass

```



```

4189 \newXeTeXintercharclass\bidi@sepmark@charclass
4190 \XeTeXcharclass `\. \bidi@sepmark@charclass
4191 \XeTeXcharclass `~- \bidi@sepmark@charclass
4192 \bidi@digits=\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digi
4193 \bidi@digits=\` \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digi
4194 \bidi@digits=\` \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digi
4195 \XeTeXinterchartoks \bidi@sepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterCh
4196 \newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
4197 \bidi@AtEndPreamble{%
4198   \if@bidi@perpage@footnote
4199     \RequirePackage{bidi-perpage}%
4200     \ResetCounterPerPage{footnote}%
4201   \fi
4202   \ifx\bidi@pdfencrypt@ownerpassword\bidi@empty
4203     \ifx\bidi@pdfencrypt@userpassword\bidi@empty
4204       \bidi@pdfencryptfalse
4205     \else
4206       \bidi@pdfencrypttrue
4207     \fi
4208   \else
4209     \bidi@pdfencrypttrue
4210   \fi
4211   \if@bidi@pdfencrypt
4212     \special{pdf:encrypt
4213       userpw (\bidi@pdfencrypt@userpassword)
4214       ownerpw (\bidi@pdfencrypt@ownerpassword)
4215       length \bidi@pdfencrypt@keylength
4216       perm \bidi@pdfencrypt@permissionflags
4217     }%
4218   \fi
4219 }
4220 \AtEndDocument{%
4221   \special{pdf:%
4222     docinfo<<%
4223     \if@bidi@pdflatex
4224       /Creator(\@bidi@pdfcreator)%
4225       /Producer(\@bidi@pdfproducer)%
4226     \fi
4227     /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4228     \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
4229       /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
4230     }{}%
4231     >>%
4232   }%
4233 }

```

46 File `bidi.tex`

```

4234 \def\bididate{2022/07/08}
4235 \catcode`\@=11
4236 \def\bidi@version{38.9}
4237 \let \protect \relax
4238 \newlinechar`^\^J
4239 \edef\bidi@info{*****^J%

```



```

4240 * ^~J%
4241 * bidi package (Bidirectional typesetting in^~J%
4242 * plain TeX and LaTeX, using XeTeX engine)^~J%
4243 * ^~J%
4244 * Description: A convenient interface for^~J%
4245 * typesetting bidirectional texts in plain TeX^~J%
4246 * and LaTeX. The package includes adaptations^~J%
4247 * for use with many other commonly-used packages.^~J%
4248 * ^~J%
4249 * Copyright (c) 2007--2022 Vafa Khalighi^~J%
4250 * Copyright (c) 2018--2020 bidi-tex GitHub organization^~J%
4251 * ^~J%
4252 * v\bidi@version, \bididate^~J%
4253 * ^~J%
4254 * License: LaTeX Project Public License, version^~J%
4255 * 1.3c or higher (your choice)^~J%
4256 * ^~J%
4257 * Location on CTAN: /macros/xetex/latex/bidi^~J%
4258 * ^~J%
4259 * Issue tracker: https://github.com/kvafa/bidi/issues^~J%
4260 * ^~J%
4261 * Discussions: https://github.com/kvafa/bidi/discussions^~J%
4262 * ^~J%
4263 * Primary author of bidi package: Vafa Khalighi.^~J%
4264 * ^~J%
4265 ****}
4266 \message{@bidi@info}
4267 \edef\bidi@everyjob{\the\everyjob}
4268 \everyjob{\bidi@everyjob\message{@bidi@info}}
4269 \def\bidi diversion{%
4270   \relax
4271   \ifmmode
4272     \bidi@version
4273   \else
4274     $ \bidi@version $
4275   \fi
4276 }
4277 \input iftex.sty
4278 \RequireXeTeX
4279 \newif\if@bidi@pdfm@mark
4280 \newif\if@RTLmain
4281 \newif\if@RTL
4282 \newif\if@hboxRconstruct
4283 \newif\if@sentrdir
4284 \newif\if@RTL@footnote
4285 \if@RTLmainfalse
4286 \def\setRTLmain{%
4287   \if@RTLmain\else
4288     \if@RTL\if@RTLmaintrue%
4289     \else\if@RTLmainfalse%
4290     \fi%
4291   \fi%
4292 }
4293 \let\n@xt=\

```



```

4294 \protected\def\LRE{\protect\pLRE}%
4295 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4296 \protected\def\RLE{\protect\pRLE}%
4297 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4298 \def\brace{text{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4299   \errmessage{Missing left brace has been substituted}\fi \bgroup}
4300 \newinsert@\bidi@copyins@%
4301 \skip@\bidi@copyins@=12\p@
4302 \dimen@\bidi@copyins@=40pc
4303 \count@\bidi@copyins@=1000
4304 \def@\bidi@inslogo@{\insert@\bidi@copyins@{\@bidi@logo@}}
4305 \def@\bidi@logo@hb@xt@{%
4306   \if@RTLmain
4307     \hboxR to
4308   \else
4309     \hboxL to
4310   \fi
4311 }
4312 \def@\bidi@logo#1{%
4313   \toks@{%
4314     \setbox\z@\hbox{%
4315       \special{%
4316         pdf:image width 50pt height 50pt (#1)}%
4317     }%
4318   }%
4319   \dp\z@\z@
4320   \ht\z@=50pt
4321   \wd\z@=50pt
4322   \beginL
4323     \lower20pt\box\z@
4324   \endL
4325 }%
4326 \the\toks@
4327 }
4328 \def@\bidi@logo@{\@bidi@logo@hb@xt@hsize{\hss\LRE{\bf Typeset by the bidi package\quad@\bidi@inslogo@}}%
4329 \def\nobidilogo{\let@\bidi@logo@\empty\let@\bidi@inslogo@\empty}%
4330 \def@\bidi@pdfcreator{%
4331   The bidi package, v\bidi@version, \bididate
4332 }%
4333 \def@\bidi@pdfproducer{%
4334   The bidi package, v\bidi@version, \bididate
4335 }%
4336 \def@\bidi@pdfcustomproperties{%
4337   This is the bidi package, Version \bidi@version,
4338   Released July 8, 2022.
4339 }%
4340 \def\bidi@pdfm@mark{%
4341   \special{pdf:%
4342     docinfo<<%
4343     \if@\bidi@pdfm@mark
4344       /Creator(\@bidi@pdfcreator)%
4345       /Producer(\@bidi@pdfproducer)%
4346     \fi
4347     /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%

```



```

4348      >>%
4349      }%
4350 }
4351 \def\bidi pdfinfoon{\@bidi@pdfm@marktrue}
4352 \def\bidi pdfinfooff{\@bidi@pdfm@markfalse}
4353 \input plain-xetex-bidi.def
4354 \@bidi@inslogo@
4355 \outer\def\bye{\par\vfill\supereject\bidi@pdfm@mark\end}
4356 \catcode`@=12
4357 \bidi pdfinfoon

```

47 File bidi2in1.sty

```

4358 \NeedsTeXFormat{LaTeX2e}
4359 \ProvidesPackage{bidi2in1}
4360 \pagestyle{plain}
4361 \newcount\evenpage
4362 \newcount\oddpage
4363 \twocolumn
4364 \def\@oddfoot{\evenpage=\thepage%
4365 \multiply\evenpage by 2%
4366 \oddpage=\the\evenpage%
4367 \advance\oddpage by -1%
4368 \hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
4369 \def\@evenfoot{\evenpage=\thepage%
4370 \multiply\evenpage by 2%
4371 \oddpage=\the\evenpage%
4372 \advance\oddpage by -1%
4373 \hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
4374 \textwidth 9.49in
4375 \textheight 6.7in
4376 \columnsep 0.9in
4377 \columnseprule 0.125pt
4378 \headheight 0cm
4379 \topmargin 0in
4380 \marginparwidth 0in
4381 \marginparsep 0in
4382 \hoffset 0.05in % Corrected
4383 \voffset -0.5in % top margin space is 1.0in by default
4384 \oddsidemargin 0in
4385 \evensidemargin 0in
4386 \headsep 0cm
4387 \topskip 0cm
4388 \parskip 0.15in      %
4389 \headsep 0pt
4390 \special{papersize=11.69in,8.26in}
4391 \renewcommand\maketitle{\par
4392 \begingroup
4393 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
4394 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
4395 \long\def\makefntext##1{\parindent 1em\noindent
4396 \hb@xt@1.8em{%
4397 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
4398 \maketitle

```



```

4399 \@thanks
4400 \endgroup
4401 \setcounter{footnote}{0}%
4402 \global\let\thanks\relax
4403 \global\let\maketitle\relax
4404 \global\let\@maketitle\relax
4405 \global\let\@thanks\@empty
4406 \global\let\@author\@empty
4407 \global\let\@date\@empty
4408 \global\let\@title\@empty
4409 \global\let\title\relax
4410 \global\let\author\relax
4411 \global\let\date\relax
4412 \global\let\and\relax
4413 }

```

48 File `bidicode.sty`

```

4414 \NeedsTeXFormat{LaTeX2e}
4415 \ProvidesPackage{bidicode}
4416 \RequirePackage{xcolor}
4417 \RequirePackage{showexpl}
4418 \definecolor{hellgelb}{rgb}{1,1,0.85}
4419 \definecolor{colKeys}{rgb}{0,0,1}
4420 \definecolor{colCS}{rgb}{0,0,1}
4421 \definecolor{colIdentifier}{rgb}{0,0,0}
4422 \definecolor{colComments}{rgb}{1,0,0}
4423 \definecolor{colString}{rgb}{0,0.5,0}
4424 \lstset{%
  language=[LaTeX]TeX,%
  float=shbp,%
  basicstyle=\ttfamily\small,%
  identifierstyle=\color{colIdentifier},%
  keywordstyle=\color{colKeys},%
  texcsstyle=\color{colCS},%
  stringstyle=\color{colString},%
  commentstyle=\color{colComments},%
  backgroundcolor=\color{hellgelb},%
  columns=flexible,%
  tabsize=4,%
  extendedchars=true,%
  showspaces=false,%
  showstringspaces=false,%
  numbers=left,%
  numbersep=0.9em,%
  numberstyle=\tiny,%
  frame=single,%
  captionpos=b,%
  xleftmargin=1em,%
  breaklines=true,%
  breakautoindent=false,%
  breakindent=0pt,%
  escapeinside=**,%
  pos=r,%
}

```



```

4450   explpreset={%
4451     xleftmargin=1em,%
4452     columns=flexible,%
4453     language=[LaTeX]TeX%
4454   },%
4455   moretexcs={%
4456     bididate,%
4457     bidiversion,%
4458     deflatinfont,%
4459     defpersianfont,%
4460     ding,%
4461     endLTR,%
4462     endRTL,%
4463     false,%
4464     falsesymbol,%
4465     junicode,%
4466     lr,%
4467     LR,%
4468     LRE,%
4469     LTR,%
4470     maketitle,%
4471     Nastaliq,%
4472     newfontfamily,%
4473     Parsifont,%
4474     part,%
4475     RL,%
4476     RLE,%
4477     RTL,%
4478     RTLcases,%
4479     SepMark,%
4480     setLR,%
4481     setLTR,%
4482     setRL,%
4483     setRTL,%
4484     settextfont,%
4485     subsection,%
4486     subsubsection,%
4487     tableofcontents,%
4488     text,%
4489     theequation,%
4490     thesection,%
4491     true,%
4492     truesymbol,%
4493     XePersian,%
4494     xepersiandate,%
4495     xepersianversion%
4496   }%
4497 }
4498 \newcommand\HLON{%
4499   \gdef\lst@alloverstyle##1{%
4500     \fboxrule=0pt
4501     \fboxsep=0pt
4502     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
4503   }%

```



```

4504 \newcommand\HLOFF{%
4505   \xdef\lst@alloverstyle##1{##1}%
4506 }
4507 \newcommand\Larg [1]{{\normalfont\itshape#1\!}}
4508 \newcommand\Large[1]{\$\langle\$Larg{#1}\$rangle\$}
4509 \newcommand\Largb[1]{\lcb\Large{#1}\rcb}
4510 \newcommand\Largs[1]{\lsb\Large{#1}\rsb}
4511 \newcommand\Lagr[1]{\lrb\Large{#1}\rrb}
4512 \newcommand\LBEG[1]{{\normalfont\ttfamily\bs{}begin\lcb\#1\rcb\!}}
4513 \newcommand\LEND[1]{{\normalfont\ttfamily\bs{}end\lcb\#1\rcb\!}}
4514
4515 \DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
4516 \DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`\'{}}}
4517 \DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`\'\!}}
4518 \DeclareRobustCommand\lsb{{\normalfont\ttfamily[]}}
4519 \DeclareRobustCommand\rsb{{\normalfont\ttfamily[]}}
4520 \DeclareRobustCommand\lrb{{\normalfont\ttfamily()}}
4521 \DeclareRobustCommand\rrb{{\normalfont\ttfamily()}}
4522
4523 \def\Lcs#1{\nxLcs{#1}}
4524 \def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
4525 \def\nxLcs#1{\texttt{\symbol{92}\#1}}
4526
4527 \def\Coordx#1{$x_{\#1}$}
4528 \def\Coordy#1{$y_{\#1}$}
4529 \def\Coordz#1{$z_{\#1}$}
4530 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
4531 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
4532 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
4533 \def\cAny{\Coordx{},\kern 1pt\Coordy{}}
4534 \def\cIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
4535 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
4536 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
4537 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
4538 \def\coordx#1{($x_{\#1}$)}
4539 \def\coordy#1{($y_{\#1}$)}
4540 \def\coordz#1{($z_{\#1}$)}
4541 \def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
4542 \def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}
4543
4544 \newsavebox{\boxdef}
4545 \newenvironment{BDef}
4546   {\begin{lrbox}\boxdef
4547     \def\arraystretch{1.0}
4548     \begin{tabular}{@{}l@{}l@{}l@{}}
4549   }
4550   {\end{tabular}\end{lrbox}
4551
4552   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
4553   \aftergroup\@afterindentfalse\aftergroup\@afterheading
4554 }
4555
4556 \newenvironment{BDef*}
4557   {\begin{lrbox}\boxdef

```



```

4558     \def\arraystretch{1.0}
4559     \begin{tabular}{@{}l@{}l@{}l@{}}
4560   }
4561 \end{tabular}\end{lrbox}
4562 {\begin{BBox}\fbox{\usebox\boxdef}\end{BBox}}
4563 \aftergroup\@afterindentfalse\aftergroup\@afterheading
4564 }
4565 \newenvironment{BBox}{%
4566   \begin{parpenalty-}\lowpenalty
4567   \topsep\BDefaboveskip
4568   \fboxsep3pt
4569   \flushleft}
4570 {\end{parpenalty-}\M
4571 \topsepadd\BDefbelowskip
4572 \endflushleft}
4573
4574 \newenvironment{BBox*}{%
4575   \begin{parpenalty-}\M
4576   \topsep\BDefinlineskip
4577   \fboxsep3pt
4578   \flushleft}
4579 {\end{parpenalty-}5000
4580 \endflushleft}
4581
4582 \newskip\BDefaboveskip
4583 \newskip\BDefbelowskip
4584 \newskip\BDefinlineskip
4585 \setlength\BDefaboveskip{10pt plus 4pt}
4586 \setlength\BDefbelowskip{6pt}
4587 \setlength\BDefinlineskip{6pt}
4588
4589 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt}
4590 \def\OptArg{\ifnextchar*\OptArg@i{\OptArg@ii}}
4591 \def\OptArg@i#1{\colorbox{black!20}{\texttt{#1}}}\kern1pt}
4592 \def\OptArg@ii#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}

```

49 File `bidiftnxtra.sty`

```

4593 \NeedsTeXFormat{LaTeX2e}
4594 \ProvidesPackage{bidiftnxtra}
4595 \newtoks\bidi@p@ftn
4596 \let\FN@sf@@footnote\footnote
4597 \let\FN@sf@@LTRfootnote\LTRfootnote
4598 \let\FN@sf@@RTLfootnote\RTLfootnote
4599 \def\footnote{\ifx\protect\@typeset@protect
4600   \expandafter\FN@sf@@footnote
4601   \else
4602   \expandafter\FN@sf@gobble@opt
4603   \fi
4604 }
4605 \def\LTRfootnote{\ifx\protect\@typeset@protect
4606   \expandafter\FN@sf@@LTRfootnote
4607   \else
4608   \expandafter\FN@sf@gobble@opt

```



```

4609   \fi
4610 }
4611 \def\RTLfootnote{\ifx\protect\@typeset@protect
4612   \expandafter\FN@sf@@RTLfootnote
4613 \else
4614   \expandafter\FN@sf@gobble@opt
4615 \fi
4616 }
4617 \edef\FN@sf@gobble@opt{\noexpand\protect
4618 \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
4619 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
4620 \@ifnextchar[%]
4621 \FN@sf@gobble@twobracket
4622 \gobble
4623 }
4624 \def\FN@sf@gobble@twobracket[#1]#2{%
4625 \let\FN@sf@@footnotemark\footnotemark
4626 \def\footnotemark{\ifx\protect\@typeset@protect
4627 \expandafter\FN@sf@@footnotemark
4628 \else
4629 \expandafter\FN@sf@gobble@optionly
4630 \fi
4631 }
4632 \edef\FN@sf@gobble@optionly{\noexpand\protect
4633 \expandafter\noexpand\csname FN@sf@gobble@optionly \endcsname}
4634 \expandafter\def\csname FN@sf@gobble@optionly \endcsname{%
4635 \ifnextchar[%]
4636 \FN@sf@gobble@bracket
4637 {}%
4638 }
4639 \def\FN@sf@gobble@bracket[#1]{}
4640 \def\@tabular{%
4641 \leavevmode \hbox \bgroup
4642 \let\@footnotetext\bidi@p@ftntext
4643 \let\@LTRfootnotetext\bidi@p@LTRftntext
4644 \let\@RTLfootnotetext\bidi@p@RTLftntext
4645 \let\xfootnotenext\bidi@p@xftntext
4646 \let\xfootnote\bidi@p@xfootnote
4647 \let\xLTRfootnotenext\bidi@p@xLTRftntext
4648 \let\xLTRfootnote\bidi@p@xLTRfootnote
4649 \let\xRTLfootnotenext\bidi@p@xRTLftntext
4650 \let\xRTLfootnote\bidi@p@xRTLfootnote
4651 \if@RTLtab\beginR \fi
4652 \$\let\@acol\@tabacol
4653 \let\@classz\@tabclassz
4654 \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}
4655 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
4656 \egroup \$\if@RTLtab\endR\fi\egroup
4657 \ifx\@capttype\@undefined
4658 \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi}
4659 \long\def\bidi@p@ftntext#1{%
4660 \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
4661 \global\bidi@p@ftn\expandafter{\@tempy{#1}}}%
4662 \long\def\bidi@p@LTRftntext#1{%

```



```

4663 \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]%
4664 \global\bidi@p@ftn\expandafter{\@tempyi{#1}}}%
4665 \long\def\bidi@p@RTLftntext#1{%
4666 \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]%
4667 \global\bidi@p@ftn\expandafter{\@tempyii{#1}}}%
4668
4669
4670 \long\def\bidi@p@xftntext [#1]#2{%
4671 \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext [#1]{#2}}}%
4672
4673 \long\def\bidi@p@xLTRftntext [#1]#2{%
4674 \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext [#1]{#2}}}%
4675
4676 \long\def\bidi@p@xRTLftntext [#1]#2{%
4677 \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext [#1]{#2}}}%
4678
4679
4680 \def\bidi@p@xfootnote [#1]{%
4681 \begingroup
4682 \csname c@\@mpfn\endcsname #1\relax
4683 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4684 \endgroup
4685 \footnotemark\bidi@p@xftntext [#1]}%
4686
4687
4688 \def\bidi@p@xLTRfootnote [#1]{%
4689 \begingroup
4690 \csname c@\@mpfn\endcsname #1\relax
4691 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4692 \endgroup
4693 \footnotemark\bidi@p@xLTRftntext [#1]}%
4694
4695
4696 \def\bidi@p@xRTLfootnote [#1]{%
4697 \begingroup
4698 \csname c@\@mpfn\endcsname #1\relax
4699 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4700 \endgroup
4701 \footnotemark\bidi@p@xRTLftntext [#1]}%
4702
4703 \def\xfloat #1[#2]{%
4704 \nodocument
4705 \def \capttype {#1}%
4706 \def \fps {#2}%
4707 \onelevel@sanitize \fps
4708 \def \reserved@b {!}%
4709 \ifx \reserved@b \fps
4710 \fpsadddefault
4711 \else
4712 \ifx \fps \empty
4713 \fpsadddefault
4714 \fi
4715 \fi
4716 \ifhmode

```



```

4717     \@bsphack
4718     \@floatpenalty -\@Mii
4719     \else
4720     \@floatpenalty-\@Miii
4721     \fi
4722     \ifinner
4723     \parmoderr\@floatpenalty\z@
4724     \else
4725     \next\currbox\freelist
4726     {%
4727     \tempcnta \sixt@n
4728     \expandafter \tfor \expandafter \reserved@a
4729     \expandafter :\expandafter =\fps
4730     \do
4731     {%
4732     \if \reserved@a h%
4733     \ifodd \tempcnta
4734     \else
4735     \advance \tempcnta \one
4736     \fi
4737     \fi
4738     \if \reserved@a t%
4739     \setfpsbit \tw@
4740     \fi
4741     \if \reserved@a b%
4742     \setfpsbit 4%
4743     \fi
4744     \if \reserved@a p%
4745     \setfpsbit 8%
4746     \fi
4747     \if \reserved@a !%
4748     \ifnum \tempcnta>15
4749     \advance\tempcnta -\sixt@n\relax
4750     \fi
4751     \fi
4752     }%
4753     \tempcntb \csname ftype@\captype \endcsname
4754     \multiply \tempcntb \xxxii
4755     \advance \tempcnta \tempcntb
4756     \global \count\currbox \tempcnta
4757     }%
4758     \fltofvf
4759     \fi
4760     \global \setbox\currbox
4761     \color\vbox
4762     \normalcolor
4763     \vbox \bgroup
4764     \let\footnotetext\bidi@p@ftntext
4765     \let\@LTrfootnotetext\bidi@p@LTrftntext
4766     \let\@RTLfootnotetext\bidi@p@RTLftntext
4767     \let\xfootnotenext\bidi@p@xftntext
4768     \let\xfootnote\bidi@p@xfootnote
4769     \let\xLTRfootnotenext\bidi@p@xLTRftntext
4770     \let\xLTRfootnote\bidi@p@xLTRfootnote

```



```

4771      \let\@xRTLfootnotenext\bidi@p@xRTLftnttext
4772      \let\@xRTLfootnote\bidi@p@xRTLfootnote
4773      \hsize\columnwidth
4774      \parboxrestore
4775      \floatboxreset
4776 }
4777 \def \@endfloatbox{%
4778     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
4779     \minipagetrue
4780     \outer\nobreak
4781     \egroup          %% end of vbox
4782     \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
4783     \color@endbox
4784 }

```

50 File bidimoderncv.cls

```

4785 \NeedsTeXFormat{LaTeX2e}
4786 \ProvidesClass{bidimoderncv}
4787 \newif\if@DEBUG\@DEBUGfalse
4788 \DeclareOption{a4paper}{%
4789   \setlength\paperheight{297mm}
4790   \setlength\paperwidth{210mm}}
4791 \DeclareOption{a5paper}{%
4792   \setlength\paperheight{210mm}
4793   \setlength\paperwidth{148mm}}
4794 \DeclareOption{b5paper}{%
4795   \setlength\paperheight{250mm}
4796   \setlength\paperwidth{176mm}}
4797 \DeclareOption{letterpaper}{%
4798   \setlength\paperheight{11in}
4799   \setlength\paperwidth{8.5in}}
4800 \DeclareOption{legalpaper}{%
4801   \setlength\paperheight{14in}
4802   \setlength\paperwidth{8.5in}}
4803 \DeclareOption{executivepaper}{%
4804   \setlength\paperheight{10.5in}
4805   \setlength\paperwidth{7.25in}}
4806 \DeclareOption{landscape}{%
4807   \setlength\@tempdima{\paperheight}
4808   \setlength\paperheight{\paperwidth}
4809   \setlength\paperwidth{\@tempdima}}
4810 \newcommand\@ptsize{}
4811 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
4812 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}
4813 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
4814 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
4815 \DeclareOption{final}{\setlength\overfullrule{0pt}}
4816 \newif\if@colour\@colourtrue
4817 \DeclareOption{nocolour}{\@colourfalse}
4818 \ExecuteOptions{a4paper,11pt,colour,final}
4819 \ProcessOptions\relax
4820 \input{size1\@ptsize.clo}
4821 \RequirePackage{color}

```



```

4822 \RequirePackage{graphicx}
4823 \RequirePackage{ifthen}
4824 \RequirePackage{marvosym}
4825 \addtolength{\oddsidemargin}{-54pt}
4826 \addtolength{\textwidth}{109pt}
4827 \addtolength{\topmargin}{-70pt}
4828 \addtolength{\textheight}{122pt}
4829 \addtolength{\marginparsep}{-5pt}
4830 \addtolength{\marginparwidth}{-10pt}
4831 \RequirePackage{url}
4832 \RequirePackage{hyperref}
4833 \hypersetup{%
4834   breaklinks,
4835   baseurl      = http://,%
4836   pdfborder    = 0 0 0,%
4837   pdfpagemode = UseNone,%
4838   pdfstartpage = 1}
4839 \AtEndOfClass{%
4840   \AtBeginDocument{%
4841     \hypersetup{%
4842       pdfauthor    = \@firstname~\@familyname,%
4843       pdftitle     = \@title,%
4844       pdfsubject   = \@firstname~\@familyname,%
4845       pdfkeywords  = \@resumename~\@firstname~\@familyname}}}
4846 \urlstyle{tt}
4847 \RequirePackage{fancyhdr}
4848 \fancypagestyle{plain}{%
4849   \renewcommand{\headrulewidth}{0pt}
4850   \renewcommand{\footrulewidth}{0pt}
4851   \fancyhf{}}
4852 \pagestyle{plain}
4853 \setlength{\lineskip}{1\p@}
4854 \setlength{\normallineskip}{1\p@}
4855 \renewcommand{\baselinestretch}{}
4856 \setlength{\parindent}{0pt}
4857 \setlength{\parskip}{0pt}
4858 \setlength{\columnsep}{10\p@}
4859 \setlength{\columnseprule}{0\p@}
4860 \pagestyle{empty}
4861 \pagenumbering{arabic}
4862 \raggedbottom
4863 \onecolumn
4864 \providecommand*{\listitemsymbol}{\textbullet}
4865 \providecommand*{\addresssymbol}{}
4866 \providecommand*{\mobilesymbol}{\Mobilefone}
4867 \providecommand*{\phonesymbol}{\Telefon}
4868 \providecommand*{\faxsymbol}{\FAX}
4869 \providecommand*{\emailsymbol}{\Letter}
4870 \definecolor{firstnamecolor}{rgb}{0,0,0}
4871 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
4872 \def\familycolour#1{\gdef\@familycolour{\addfontfeature{Color=#1}}}
4873 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
4874 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
4875 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}

```



```

4876 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
4877 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
4878 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
4879 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
4880 \providecommand*{\firstnamefont}{}}
4881 \providecommand*{\familynamefont}{}}
4882 \providecommand*{\titlefont}{}}
4883 \providecommand*{\addressfont}{}}
4884 \providecommand*{\quotefont}{}}
4885 \providecommand*{\sectionfont}{}}
4886 \providecommand*{\subsectionfont}{}}
4887 \providecommand*{\hintfont}{\small}
4888 \providecommand*{\firstnamestyle}[1]{{\firstnamefont\@firstnamecolour#1}}
4889 \providecommand*{\familynamestyle}[1]{{\familynamefont\@familynamecolour#1}}
4890 \providecommand*{\titlestyle}[1]{{\titlefont\@titlecolour#1}}
4891 \providecommand*{\addressstyle}[1]{{\addressfont\@addresscolour#1}}
4892 \providecommand*{\quotestyle}[1]{{\quotefont\@quotecolour#1}}
4893 \providecommand*{\sectionstyle}[1]{{\sectionfont\@sectiontitlecolour#1}}
4894 \providecommand*{\subsectionstyle}[1]{{\subsectionfont\@subsectioncolour#1}}
4895 \providecommand*{\hintstyle}[1]{{\hintfont\@hintcolour#1}}
4896 \newcommand*{\cvtheme}[2][]{%
4897   \def\@cvtheme{#2}
4898   \def\@cvthemeoptions{#1}}
4899 \cvtheme{bidi-casual}
4900 \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
4901 \newcommand*{\resumename}[1]{\def\@resumename{#1}}
4902 \newcommand*{\firstname}[1]{\def\@firstname{#1}}
4903 \newcommand*{\familyname}[1]{\def\@familyname{#1}}
4904 \renewcommand*{\title}[1]{\def\@title{#1}}
4905 \newcommand*{\address}[1]{\def\@address{#1}}
4906 \newcommand*{\mobile}[1]{\def\@mobile{#1}}
4907 \newcommand*{\phone}[1]{\def\@phone{#1}}
4908 \renewcommand*{\fax}[1]{\def\@fax{#1}}
4909 \newcommand*{\email}[1]{\def\@email{#1}}
4910 \newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
4911 \def\@photowidth{0pt}
4912 \newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
4913 \newcommand*{\quote}[1]{\def\@quote{#1}}
4914 \newlength{\quotewidth}
4915 \newlength{\hintscolumnwidth}
4916 \newlength{\separatorcolumnwidth}
4917 \setlength{\separatorcolumnwidth}{0.025\textwidth}
4918 \newlength{\maincolumnwidth}
4919 \newlength{\doubleitemmaincolumnwidth}
4920 \newlength{\listitemsymbolwidth}
4921 \settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
4922 \newlength{\listitemmaincolumnwidth}
4923 \newlength{\listdoubleitemmaincolumnwidth}
4924 \newcommand*{\recomputethemelengths}{}}
4925 \newcommand*{\recomputelengths}{%
4926 \setlength{\quotewidth}{0.65\textwidth}%
4927 \setlength{\maincolumnwidth}{\textwidth}%
4928 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
4929 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%

```



```

4930 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
4931 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
4932 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
4933 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
4934 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
4935 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
4936 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
4937 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
4938 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
4939 \renewcommand{\headwidth}{\textwidth}%
4940 \recomputethemelengths%
4941 \setlength{\hintscolumnwidth}{0.15\textwidth}%
4942 \recomputelengths%
4943 \title{}%
4944 \renewcommand*{\maketitle}{}%
4945 \newcommand*{\section}[1]{%
4946   \vspace*{2.5ex} \oplus 1ex \ominus .2ex}%
4947   \phantomsection{}%
4948   \addcontentsline{toc}{part}{#1}%
4949   \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecolor}\rule[.5ex]{\hintscolumnwidth}{.4pt}}\rule[.5ex]{\hintscolumnwidth}{.4pt}}%
4950   \hspace{\separatorcolumnwidth}%
4951   \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}\rule[.5ex]{\maincolumnwidth}{.4pt}}%
4952 \newcommand*{\subsection}[1]{%
4953   \cvline[0.45em]{}{\subsectionstyle{#1}}%
4954 \newcommand*{\cvline}[3][.25em]{%
4955   \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}@{}}
4956     \bidi@raggedleft\hintfont{#2} & {#3}%
4957   \end{tabular}\rule[.5ex]{\maincolumnwidth}{.4pt}}%
4958 \newcommand*{\cvdoubleitem}[4]{%
4959   \cvline[#1]{\begin{minipage}[t]{\doubleitemmaincolumnwidth}\#2\end{minipage}}{%
4960     \hfill}%
4961   \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hskip*{%
4962 \newcommand*{\cvlistitem}[2]{[\listitemsymbol{}]}{%
4963   \cvline[Opt]{\#1}{\begin{minipage}[t]{\listitemmaincolumnwidth}\#2\end{minipage}}}%
4964 \newcommand*{\cvlistdoubleitem}[3]{[\listitemsymbol{}]}{%
4965   \cvline[Opt]{\#1}{\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#2\end{minipage}}}%
4966   \hfill}%
4967   \ifthenelse{\equal{#3}{}}{%
4968     {}%
4969     {\#1-\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#3\end{minipage}}}%
4970 \newcommand*{\cventry}[6]{%
4971   \cvline{\#1}{%
4972     {\bfseries\#2}%
4973     \ifx#3\else{, \slshape#3}\fi%
4974     \ifx#4\else{, #4}\fi%
4975     \ifx#5\else{, #5}\fi%
4976     .%
4977     \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi%
4978   }%
4979 \newcommand*{\cvlanguage}[3]{%
4980   \cvline{\#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{\#2}\end{minipage}}\hfill\begin{minipage}[t]{\maincolumnwidth}%
4981 \newcommand*{\cvcomputer}[4]{%
4982   \cvdoubleitem{\#1}{\small#2}{\#3}{\small#4}}%
4983 \newcommand*{\link}[2][]{%

```



```

4984 \ifthenelse{\equal{#1}{}}{%
4985   {\href{#2}{#2}}{%
4986     {\href{#2}{#1}}{%
4987 \newcommand*{\httplink}[2][]{%
4988   \ifthenelse{\equal{#1}{}}{%
4989     {\href{http://#2}{#2}}{%
4990       {\href{http://#2}{#1}}{%
4991 \newcommand*{\emaillink}[2][]{%
4992   \ifthenelse{\equal{#1}{}}{%
4993     {\href{mailto:#2}{#2}}{%
4994       {\href{mailto:#2}{#1}}{%
4995 \newif\if@displaypagenumbers\@displaypagenumberstrue
4996 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
4997 \AtBeginDocument{%
4998   \if@displaypagenumbers{%
4999     \@ifundefined{r@lastpage}{}{%
5000       \ifthenelse{\pageref{lastpage} > 1}{%
5001         \fancypagestyle{plain}{%
5002           \fancyfoot[r]{\begin{address}\color{quotecolour}\footnotesize\thepage\end{address}}{%
5003             \pagestyle{plain}}{}}{%
5004   \AtEndDocument{\label{lastpage}}{%
5005     \fi}
5006 \newlength{\bibindent}
5007 \setlength{\bibindent}{1.5em}
5008 \newcommand*{\bibliographyitemlabel}{\includegraphics{bidi-bibitem.pdf}}
5009 \newenvironment{thebibliography}[1]{%
5010   {%
5011     \section{\refname}{%
5012       \small{%
5013         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
5014         \bidi@\thebibliography\font@hook{%
5015           \begin{list}{\bibliographyitemlabel}{%
5016             {%
5017               \setlength{\topsep}{0pt}{%
5018                 \setlength{\labelwidth}{\hintscolumnwidth}{%
5019                   \setlength{\labelsep}{\separatorcolumnwidth}{%
5020                     \leftmargin\labelwidth{%
5021                       \advance\leftmargin\labelsep{%
5022                         \openbib@code{%
5023                           \usecounter{enumiv}{%
5024                             \let\p@enumiv\empty{%
5025                               \renewcommand{\theenumiv}{\arabic{enumiv}}{%
5026                                 \sloppy\clubpenalty4000\widowpenalty4000{%
5027                               }{%
5028                               {%
5029                                 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}{%
5030                                   \end{list}}{%
5031                                 }{%
5032 \newcommand{\newblock}{\hspace{.11em}\hspace{.33em}\hspace{-.07em}}
5033 \let\openbib@code\empty{%
5034 \NeedsTeXFormat{LaTeX2e}

```

51 File bidi-perpage.sty

5034 \NeedsTeXFormat{LaTeX2e}



```

5035 \ProvidesPackage{bidi-perpage}[2018/10/04 v0.4 Reset counter(s) on every page]
5036 \newcount\bidi@page@count
5037 \bidi@page@count\one
5038 \newcommand*\ResetCounterPerPage[2][\z@]{%
5039   \if@bidi@csundef{\bidi@stepcounterhook@@#2}{%
5040     \expandafter\gdef\csname bidi@stepcounterhook@@#2\endcsname{}%
5041   }{%
5042   \if@bidi@csundef{\if@bidi@reset@@#2@rerun}{%
5043     \expandafter\newif\csname if@bidi@reset@@#2@rerun\endcsname
5044   }{%
5045   \if@bidi@csundef{\bidi@#2@count}{%
5046     \expandafter\newcount\csname bidi@#2@count\endcsname
5047   }{%
5048     \csname bidi@#2@count\endcsname\z@
5049   \if@bidi@csundef{\bidi@previous@page@@#2@count}{%
5050     \expandafter\newcount\csname
5051       bidi@previous@page@@#2@count\endcsname
5052   }{%
5053     \csname bidi@previous@page@@#2@count\endcsname\z@
5054   \if@bidi@csundef{\bidi@reset@@#2@perpage}{%
5055     \bidi@AfterEndDocumentCheckLabelsRerun{%
5056       \csname if@bidi@reset@@#2@rerun\endcsname
5057       \PackageWarningNoLine{bidi-perpage}{%
5058         Counter `#2' may not have been reset per page.
5059         Rerun to reset counter `#2' per page%
5060       }%
5061     \fi
5062   }{%
5063 }{%
5064 \expandafter\gdef\csname bidi@reset@@#2@perpage\endcsname{%
5065   \global\advance\csname bidi@#2@count\endcsname\one
5066   \if@filesw
5067     \edef@\tempaf{%
5068       \write\auxout{%
5069         \string\bidi@counter@page{#2}%
5070         {\number\csname bidi@#2@count\endcsname}%
5071         {\noexpand\number\noexpand\bidi@page@count}%
5072       }%
5073     }%
5074     \tempa
5075   \fi
5076 \begingroup\expandafter\expandafter\expandafter\endgroup
5077 \expandafter\ifx\csname bidi@#2@count\endcsname
5078 \bidi@#2@count\endcsname\relax
5079   \global\csname @bidi@reset@@#2@reruntrue\endcsname
5080 \else
5081   \global\csname @bidi@reset@@#2@rerunfalse\endcsname
5082   \expandafter\@tempcnta\csname bidi@#2@count\endcsname
5083   \csname bidi@#2@count\endcsname\relax
5084   \ifnum@\tempcnta=\csname
5085     \bidi@previous@page@@#2@count\endcsname
5086   \else
5087     \global\csname
5088       \bidi@previous@page@@#2@count\endcsname\@tempcnta

```



```

5089     \global\csname c@#2\endcsname#1\relax
5090     \fi
5091   \fi
5092 }%
5093 \expandafter\bidi@gappto\csname
5094 bidi@stepcounterhook@@#2\endcsname{%
5095   \csname bidi@reset@#2@perpage\endcsname
5096 }%
5097 }
5098 \def\bidi@counter@page#1#2#3{\bidi@namegdef{bidi@#1@@#2}{#3}}
5099 \bidi@AtEndOutputPage{%
5100   \global\advance\bidi@page@count\@ne
5101 }

```

52 File biditools.sty

```

5102 \NeedsTeXFormat{LaTeX2e}
5103 \ProvidesPackage{biditools}[2022/06/15 v2.3 Programming tools for bidi package]
5104 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\\\relax
5105   \edef@\tempa{\string#1}\edef@\tempb{\meaning#1}%
5106   \ifx@\tempa@\tempb \global\let#2#1%
5107   \else
5108     \edef@\tempb{\meaning#2}%
5109     \ifx@\tempa@\tempb
5110     \else
5111       \@latex@error{Unable to properly define \string#2; primitive
5112         \noexpand#1 no longer primitive}\@eha
5113     \fi
5114   \fi
5115 \endgroup}
5116 \newtoks\@bidi@envbody
5117 \newtoks\@bidi@emptytoks
5118 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
5119 \def\bidi@collect@body#1{%
5120   \global\@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5121   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
5122   \global\@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
5123   \begingroup
5124   \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
5125   \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
5126   \bidi@process@envbody
5127 }
5128 \def\bidi@push@begins#1\begin#2{%
5129   \ifx\end#2\else b\expandafter\bidi@push@begins\fi
5130 }
5131 \def\bidi@collect@@body#1\end#2{%
5132   \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}
5133   \ifx\@empty\begin@bidi@stack
5134     \endgroup
5135     \@checkend{#2}%
5136     \bidi@addto@envbody{#1}%
5137   \else
5138     \bidi@addto@envbody{#1\end{#2}}%
5139   \fi

```



```

5140  \bidi@process@envbody % A little tricky! Note the grouping
5141 }
5142 \long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
5143 \long\def\bidi@collect@long@body#1{%
5144   \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5145   \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
5146   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
5147   \begingroup
5148   \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
5149   \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
5150   \bidi@process@envbody
5151 }
5152 \long\def\bidi@push@long@begins#1\begin#2{%
5153   \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
5154 }
5155 \long\def\bidi@collect@long@@body#1\end#2{%
5156   \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}
5157   \ifx@\empty\begin@bidi@stack
5158     \endgroup
5159     \checkend{#2}%
5160     \bidi@addto@long@envbody{#1}%
5161   \else
5162     \bidi@addto@long@envbody{#1\end{#2}}%
5163   \fi
5164   \bidi@process@envbody % A little tricky! Note the grouping
5165 }
5166 \long\def\bidi@new@ifnextchar#1#2#3{%
5167   \let\reserved@d= #1%
5168   \def\reserved@a{#2}\def\reserved@b{#3}%
5169   \futurelet\@let@token\bidi@new@ifnch
5170 }
5171 \def\bidi@new@ifnch{%
5172   \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
5173   \reserved@b
5174 }
5175 \def\bidi@matrix@check#1{%
5176   \expandafter\ifx\csname\@currenvir\endcsname#1%
5177   \else\bidi@matrix@error#1%
5178   \expandafter\@gobble
5179   \fi
5180 }
5181 \def\bidi@matrix@error#1{%
5182   \PackageError{biditools}{%
5183 Old form `string#1' should be \string\begin{\expandafter\@gobble\string#1}%
5184 }{%
5185 `string#1{...}' is old bidi package syntax whose use is
5186 ill-advised in the old versions of bidi package.%}
5187 }%
5188 }
5189 \def\@tagsextension{clo}
5190 \def\@definitionfileextension{def}
5191 \def\@texfileextension{tex}
5192 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
5193 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}

```



```

5194 \def\@iftexfileloaded{\@ifl@aded\@texfileextension}
5195 \def\eqnewif#1#2{%
5196   \count@\escapechar \escapechar\m@ne
5197   \let#1\iffalse
5198   \let#2\iffalse
5199   \eq@if#1#2\iftrue
5200   \eq@if#1#2\iffalse
5201   \escapechar\count@}
5202 \def\eq@if#1#2#3{%
5203   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
5204   \expandafter\@gobbletwo\string#3\endcsname
5205   {\let#1#3%
5206   \let#2#3}%
5207   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
5208   \expandafter\@gobbletwo\string#3\endcsname
5209   {\let#2#3%
5210   \let#1#3}%
5211 \def\noteqnewif#1#2{%
5212   \count@\escapechar \escapechar\m@ne
5213   \let#1\iffalse
5214   \let#2\iffalse
5215   \not@eq@if#1#2\iftrue\iffalse
5216   \escapechar\count@}
5217 \def\not@eq@if#1#2#3#4{%
5218   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
5219   \expandafter\@gobbletwo\string#3\endcsname
5220   {\let#1#3%
5221   \let#2#4}%
5222   \expandafter\def\csname\expandafter\@gobbletwo\string#1%
5223   \expandafter\@gobbletwo\string#4\endcsname
5224   {\let#1#4%
5225   \let#2#3}%
5226   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
5227   \expandafter\@gobbletwo\string#3\endcsname
5228   {\let#2#3%
5229   \let#1#4}%
5230   \expandafter\def\csname\expandafter\@gobbletwo\string#2%
5231   \expandafter\@gobbletwo\string#4\endcsname
5232   {\let#2#4%
5233   \let#1#3}%
5234 \newcommand*\SetBoolean}[2]{%
5235   \lowercase{\def\@tempa{#2}}%
5236   \@ifundefined{@tempswa\@tempa}{%
5237     {\PackageError{biditools}{%
5238       {You can only set a boolean to `true' or `false'}\@ehc}}%
5239     {\@ifundefined{#1\@tempa}{%
5240       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}}%
5241       {\csname#1\@tempa\endcsname}}}%
5242 \newcommand*\GlobalSetBoolean}[2]{%
5243   \lowercase{\def\@tempa{#2}}%
5244   \@ifundefined{@tempswa\@tempa}{%
5245     {\PackageError{biditools}{%
5246       {You can only set a boolean to `true' or `false'}\@ehc}}%
5247     {\@ifundefined{#1\@tempa}{%

```



```

5248      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
5249      {\global\csname#1\@tempa\endcsname}%
5250 \newcommand*{\SetatBoolean}[2]{%
5251   \lowercase{\def\@tempa{#2}}%
5252   \@ifundefined{\tempswa\@tempa}%
5253     {\PackageError{biditools}%
5254       {You can only set a boolean to `true' or `false'}\@ehc}%
5255     {\@ifundefined{#1\@tempa}%
5256       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
5257       {\csname @#1\@tempa\endcsname}}}
5258 \newcommand*{\GlobalSetatBoolean}[2]{%
5259   \lowercase{\def\@tempa{#2}}%
5260   \@ifundefined{\tempswa\@tempa}%
5261     {\PackageError{biditools}%
5262       {You can only set a boolean to `true' or `false'}\@ehc}%
5263     {\@ifundefined{#1\@tempa}%
5264       {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
5265       {\global\csname @#1\@tempa\endcsname}}}
5266 \def@cidi@removefromreset#1#2{%
5267   \expandafter\let\csname c@#1\endcsname@cidi@removefromreset
5268   \def@celt##1{%
5269     \expandafter\ifx\csname c@##1\endcsname@cidi@removefromreset
5270     \else
5271       \noexpand@celt##1%
5272     \fi}%
5273   \expandafter\xdef\csname cl@#2\endcsname{%
5274     \csname cl@#2\endcsname}}}
5275 \newcommand*{\ifRtoL}{%
5276   \if@RTL
5277     \expandafter\@firstoftwo
5278   \else
5279     \expandafter\@secondoftwo
5280   \fi}
5281 \newcommand*{\ifLtoR}{%
5282   \if@RTL
5283     \expandafter\@secondoftwo
5284   \else
5285     \expandafter\@firstoftwo
5286   \fi}
5287 \newcommand*{\ifRtoLtable}{%
5288   \if@RTLtab
5289     \expandafter\@firstoftwo
5290   \else
5291     \expandafter\@secondoftwo
5292   \fi}
5293 \newcommand*{\ifLtoRtable}{%
5294   \if@RTLtab
5295     \expandafter\@secondoftwo
5296   \else
5297     \expandafter\@firstoftwo
5298   \fi}
5299 \newcommand*{\ifRtoLhboxconstruct}{%
5300   \if@hboxRconstruct
5301     \expandafter\@firstoftwo

```



```

5302 \else
5303   \expandafter\@secondoftwo
5304 \fi}
5305 \newcommand*{\ifLtoRboxconstruct}{%
5306   \if@ hboxRconstruct
5307     \expandafter\@secondoftwo
5308   \else
5309     \expandafter\@firstoftwo
5310   \fi}
5311 \newcommand*{\iflatin}{%
5312   \if@nonlatin
5313     \expandafter\@secondoftwo
5314   \else
5315     \expandafter\@firstoftwo
5316   \fi}
5317 \newcommand*{\ifnonlatin}{%
5318   \if@nonlatin
5319     \expandafter\@firstoftwo
5320   \else
5321     \expandafter\@secondoftwo
5322   \fi}
5323
5324 \newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
5325   \stripopt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
5326
5327 \newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
5328   \dimexpr #1*65536/\dimexpr 1pt\relax}
5329
5330 \newcommand*{\if@bidi@csdef}[1]{%
5331   \ifcsname#1\endcsname
5332     \expandafter\@firstoftwo
5333   \else
5334     \expandafter\@secondoftwo
5335   \fi}
5336 \newcommand*{\if@bidi@csundef}[1]{%
5337   \ifcsname#1\endcsname
5338     \expandafter\ifx\csname#1\endcsname\relax
5339       \expandafter\expandafter
5340         \expandafter\@firstoftwo
5341     \else
5342       \expandafter\expandafter
5343         \expandafter\@secondoftwo
5344     \fi
5345   \else
5346     \expandafter\@firstoftwo
5347   \fi}
5348 \newcommand{\if@bidi@def}[1]{%
5349   \ifdefined#1%
5350     \expandafter\@firstoftwo
5351   \else
5352     \expandafter\@secondoftwo
5353   \fi}
5354 \newcommand{\if@bidi@undef}[1]{%
5355   \ifdefined#1%

```



```

5356   \ifx#1\relax
5357     \expandafter\expandafter
5358       \expandafter\@firstoftwo
5359     \else
5360       \expandafter\expandafter
5361         \expandafter\@secondoftwo
5362     \fi
5363   \else
5364     \expandafter\@firstoftwo
5365   \fi}
5366 \newcommand{\if@bidi@blank}[1]{% from url.sty
5367   \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
5368 \long\def\bidi@ifblank@i#1#2#3#4#5:{#4}
5369 \newcommand{\bidi@notblank}[1]{%
5370   \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
5371 \newcommand{\if@bidi@defmacro}{}
5372 \long\edef\if@bidi@defmacro#1{%
5373   \noexpand\expandafter\noexpand\bidi@ifdefmacro
5374   \noexpand\meaning#1\detokenize{macro}:&}
5375 \edef\bidi@ifdefmacro{%
5376   \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
5377 \bidi@ifdefmacro{\bidi@notblank{#2}}
5378 \newcommand*\{\if@bidi@csmacro}[1]{%
5379   \if@bidi@csdef{#1}
5380     {\expandafter\if@bidi@defmacro\csname#1\endcsname}
5381     {\@secondoftwo}}
5382 \newcommand{\if@bidi@defprimitive}[1]{%
5383   \ifprimitive#1%
5384     \expandafter\@firstoftwo
5385   \else
5386     \expandafter\@secondoftwo
5387   \fi}
5388 \newcommand{\if@bidi@csprimitive}[1]{%
5389 \begingroup\expandafter\expandafter\expandafter\endgroup%
5390   \expandafter\ifprimitive\csname#1\endcsname%
5391   \expandafter\@firstoftwo
5392   \else
5393   \expandafter\@secondoftwo
5394   \fi}
5395 \newcommand*\{\bidi@csdefcs}[2]{%
5396 \expandafter\@ifdefinable \csname#1\endcsname{%
5397 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
5398 \newcommand*\{\bidi@csletcs}[2]{%
5399 \expandafter\@ifdefinable \csname#1\endcsname{%
5400 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
5401 \newcommand*\{\bidi@cslet}[2]{%
5402 \expandafter\@ifdefinable \csname#1\endcsname{%
5403 \expandafter\let\csname#1\endcsname#2}}
5404 \newcommand{\bidi@namelongdef}[1]{%
5405   \long\expandafter\def\csname #1\endcsname}
5406 \newcommand{\bidi@namelonggdef}[1]{%
5407   \long\expandafter\gdef\csname #1\endcsname}
5408 \newcommand{\bidi@namelongedef}[1]{%
5409   \long\expandafter\edef\csname #1\endcsname}

```



```

5410 \newcommand{\bidi@namealongxdef}[1]{%
5411   \long\expandafter\xdef\csname #1\endcsname{%
5412     \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}%
5413     \def\bidi@ensure@new@command#1{%
5414       \begingroup \escapechar\m@ne\xdef\gtempa{\{\\string#1\}}\endgroup
5415       \expandafter\if\bidi@csundef\gtempa{%
5416         {\new@command#1}{\relax}%
5417         \let\@ifdefinable\@rc@ifdefinable%
5418         \new@command#1}%
5419     \def\bidi@ensure@newlength#1{\if\bidi@undef#1{\newskip#1}{}}
5420   }%
5421   \protected\def\bidi@error{\PackageError{bidi}{}}%
5422   \protected\def\bidi@warning{\PackageWarning{bidi}{}}%
5423   \protected\def\bidi@info{\PackageInfo{bidi}{}}%
5424 }%
5425 \def\bidi@pos#1#2#3#4{\bidi@namegdef{bidi@#1pos@#2@#3}{#4}}%
5426 \newcount\bidi@poscount
5427 \newcommand*\WriteStartXPostoaux{%
5428   \global\advance\bidi@poscount\@ne
5429   \edef\@tempa{%
5430     \write\@auxout{%
5431       \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5432     }%
5433   }%
5434   }%
5435   \ifvmode
5436     \leavevmode
5437   \fi
5438   \if@RTL
5439     \if@files w
5440     \atempa
5441   \fi
5442   \pdfsavepos
5443   \else
5444   \pdfsavepos
5445   \if@files w
5446     \atempa
5447   \fi
5448   \fi
5449   \fi
5450   \if\bidi@csundef{bidi@xpos@start@\number\bidi@poscount}{%
5451     \PackageWarningNoLine{biditools}{%
5452       The start x position `\\number\\bidi@poscount' is not known yet.
5453       Rerun to get this x position}%
5454   }%
5455   }{}}%
5456 }%
5457 \newcommand*\WriteEndXPostoaux{%
5458   \edef\@tempa{%
5459     \write\@auxout{%
5460       \string\bidi@pos{x}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5461     }%
5462   }%
5463   }%

```



```

5464 \if@RTL
5465   \if@filesw
5466     \tempa
5467   \fi
5468 \pdfsavepos
5469 \else
5470 \pdfsavepos
5471 \if@filesw
5472   \tempa
5473 \fi
5474 \fi
5475 \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
5476   \PackageWarningNoLine{biditools}{%
5477     The end x position `\\number\\bidi@poscount' is not known yet.
5478     Rerun to get this x position%
5479   }%
5480 }{}%
5481 }
5482
5483 \newcommand*{\WriteStartYPostoaux}{%
5484   \global\advance\bidi@poscount@ne
5485   \edef\tempa{%
5486     \write\auxout{%
5487       \string\bidi@pos{y}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflasty
5488     }%
5489   }%
5490   \ifvmode
5491     \leavevmode
5492   \fi
5493 \if@RTL
5494   \if@filesw
5495     \tempa
5496   \fi
5497 \pdfsavepos
5498   \else
5499 \pdfsavepos
5500 \if@filesw
5501   \tempa
5502 \fi
5503 \fi
5504 \if@bidi@csundef{bidi@ypos@@start@\number\bidi@poscount}{%
5505   \PackageWarningNoLine{biditools}{%
5506     The start y position `\\number\\bidi@poscount' is not known yet.
5507     Rerun to get this y position%
5508   }%
5509 }{}%
5510 }
5511
5512 \newcommand*{\WriteEndYPostoaux}{%
5513   \edef\tempa{%
5514     \write\auxout{%
5515       \string\bidi@pos{y}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflasty
5516     }%
5517   }%

```



```

5518 \if@RTL
5519   \if@filesw
5520     \tempa
5521   \fi
5522 \pdfsavepos
5523 \else
5524 \pdfsavepos
5525 \if@filesw
5526   \tempa
5527 \fi
5528 \fi
5529 \if@bidi@csundef{bidi@ypos@@end@}\number\bidi@poscount}{%
5530   \PackageWarningNoLine{biditools}{%
5531     The end y position `'\number\bidi@poscount' is not known yet.
5532     Rerun to get this y position%
5533   }%
5534 }{%
5535 }
5536
5537 \newcommand*{\WriteStartXYPostoaux}{%
5538   \global\advance\bidi@poscount@ne
5539   \edef\tempa{%
5540     \write\@auxout{%
5541       \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5542     }%
5543     \write\@auxout{%
5544       \string\bidi@pos{y}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflasty
5545     }%
5546   }%
5547   \ifvmode
5548     \leavevmode
5549   \fi
5550   \if@RTL
5551     \if@filesw
5552       \tempa
5553     \fi
5554     \pdfsavepos
5555     \else
5556     \pdfsavepos
5557     \if@filesw
5558       \tempa
5559     \fi
5560     \fi
5561   \if@bidi@csundef{bidi@xpos@@start@}\number\bidi@poscount}{%
5562     \PackageWarningNoLine{biditools}{%
5563       The start x position `'\number\bidi@poscount' is not known yet.
5564       Rerun to get this x position%
5565     }%
5566   }{%
5567   \if@bidi@csundef{bidi@ypos@@start@}\number\bidi@poscount}{%
5568     \PackageWarningNoLine{biditools}{%
5569       The start y position `'\number\bidi@poscount' is not known yet.
5570       Rerun to get this y position%
5571     }%

```



```

5572  }{}}%
5573 }
5574 \newcommand*{\WriteEndXYPostiaux}{%
5575   \edef\@tempaf{%
5576     \write\@auxout{%
5577       \string\bidi@pos{x}{end}\{\number\bidi@poscount\}\{\noexpand\number\noexpand\pdflastx%
5578     }%
5579     \write\@auxout{%
5580       \string\bidi@pos{y}{end}\{\number\bidi@poscount\}\{\noexpand\number\noexpand\pdflasty%
5581     }%
5582     }%
5583   }%
5584   \if@RTL
5585     \if@filesw
5586       \@tempa
5587     \fi
5588     \pdfsavepos
5589   \else
5590     \pdfsavepos
5591   \if@filesw
5592     \@tempa
5593   \fi
5594   \fi
5595   \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
5596     \PackageWarningNoLine{biditools}{%
5597       The end x position `\\number\\bidi@poscount' is not known yet.
5598       Rerun to get this x position%
5599     }%
5600   }{}}%
5601 \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{%
5602   \PackageWarningNoLine{biditools}{%
5603     The end y position `\\number\\bidi@poscount' is not known yet.
5604     Rerun to get this y position%
5605   }%
5606 }{}}%
5607 }
5608 \newcommand*{\currentposxwidth}{%
5609   \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{\z@}%
5610   \ifnum\csname bidi@xpos@@start@\number\bidi@poscount
5611   {%
5612     \ifnum\csname bidi@xpos@@start@\number\bidi@poscount
5613       \endcsname < \csname bidi@xpos@@end@\number\bidi@poscount
5614       \endcsname
5615       \dimexpr \csname bidi@xpos@@end@\number\bidi@poscount
5616       \endcsname sp - \csname bidi@xpos@@start@\number\bidi@poscount
5617       \endcsname sp\relax
5618     \else
5619       \dimexpr \csname bidi@xpos@@start@\number\bidi@poscount
5620       \endcsname sp - \csname bidi@xpos@@end@\number\bidi@poscount
5621       \endcsname sp\relax
5622     \fi
5623   }%
5624 }
5625

```



```

5626 \newcommand*{\currentposyheight}{%
5627   \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{\z@}
5628   {%
5629     \dimexpr \csname bidi@ypos@@start@\number\bidi@poscount
5630     \endcsname sp - \csname bidi@ypos@@end@\number\bidi@poscount
5631     \endcsname sp\relax
5632   }%
5633 }
5634
5635
5636
5637 \newcommand*{\setbaselineskip}[1]{%
5638   \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\relax
5639   \selectfont
5640 }
5641
5642
5643 \newcommand*{\bidi@newrobustcmd}{}%
5644 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}%
5645
5646 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}%
5647
5648 \def\bidi@newcommand#1[#2]{%
5649   \@ifnextchar[%]
5650     {\bidi@xargdef#1[#2]}
5651     {\@ifx\l@ngrel@x\relax
5652       \let\l@ngrel@x\protected
5653     \else
5654       \protected\def\l@ngrel@x{\protected\long}%
5655     \fi
5656     \@argdef#1[#2]}%
5657
5658 \long\def\bidi@xargdef#1[#2] [#3] #4{%
5659   \@ifdefinable#1{%
5660     \expandafter\protected
5661     \expandafter\def
5662     \expandafter#1%
5663     \expandafter{%
5664       \expandafter\@testopt
5665       \csname\string#1\endcsname{#3}}%
5666     \expandafter\@argdef\csname\string#1\endcsname\tw@{#2}{#4}}%
5667
5668 \bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}%
5669
5670 \def\bidi@renew@command#1{%
5671   \if@bidi@undefined{#1}
5672     {\bidi@error{\string#1 undefined}\@ehc}
5673   {}%
5674   \let\@ifdefinable\@rc@ifdefinable
5675   \bidi@new@command#1}%
5676
5677
5678
5679 \bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}%

```



```

5680
5681 \def\bidi@provide@command#1{%
5682   \if@bidi@undef{#1}
5683     {\def\reserved@a{\bidi@new@command#1}}
5684     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
5685   \reserved@a}
5686
5687 \newcommand*{\bidi@csuse}[1]{%
5688   \ifcsname#1\endcsname
5689     \csname#1\expandafter\endcsname
5690   \fi}
5691
5692 \newcommand{\bidi@expandonce}[1]{%
5693   \unexpanded\expandafter{#1}}
5694
5695 \def\bidi@protected{%
5696   \let\@@protect\protect
5697   \let\protect\@unexpandable@protect
5698   \afterassignment\restore@protect}
5699
5700 \bidi@newrobustcmd{\bidi@appto}[2]{%
5701   \if@bidi@undef{#1}
5702     {\edef#1{\unexpanded{#2}}}
5703     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
5704 \bidi@newrobustcmd{\bidi@eappto}[2]{%
5705   \if@bidi@undef{#1}
5706     {\edef#1{#2}}
5707     {\edef#1{\bidi@expandonce#1#2}}}
5708 \bidi@newrobustcmd{\bidi@gappto}[2]{%
5709   \if@bidi@undef{#1}
5710     {\xdef#1{\unexpanded{#2}}}
5711     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
5712 \bidi@newrobustcmd{\bidi@xappto}[2]{%
5713   \if@bidi@undef{#1}
5714     {\xdef#1{#2}}
5715     {\xdef#1{\bidi@expandonce#1#2}}}
5716
5717 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
5718 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
5719
5720
5721
5722 \bidi@newrobustcmd{\bidi@preto}[2]{%
5723   \if@bidi@undef{#1}
5724     {\edef#1{\unexpanded{#2}}}
5725     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
5726 \bidi@newrobustcmd{\bidi@epreto}[2]{%
5727   \if@bidi@undef{#1}
5728     {\edef#1{#2}}
5729     {\edef#1{#2\bidi@expandonce#1}}}
5730 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
5731   \if@bidi@undef{#1}
5732     {\xdef#1{\unexpanded{#2}}}
5733     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}

```



```

5734 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
5735   \if@bidi@undef{#1}
5736     {\xdef#1{#2}}
5737     {\xdef#1{#2\bidi@expandonce#1}}}
5738
5739 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
5740 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
5741
5742
5743
5744 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
5745 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
5746 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
5747 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
5748 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
5749 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
5750
5751
5752
5753 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
5754 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
5755 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
5756 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
5757 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
5758 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
5759
5760
5761
5762 \bidi@newrobustcmd{\if@bidi@patchable}{%
5763   \bidi@dbg@trce\if@bidi@patchable
5764   \begingroup
5765   \makeother\#
5766   @ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
5767
5768 \long\def\bidi@ifpatchable#1#2{%
5769   \endgroup
5770   \bidi@dbg@init#1%
5771   \if@bidi@undef{#1}
5772     {\bidi@dbg@fail{def}\@secondoftwo}
5773     {\bidi@dbg@info{def}}%
5774     \if@bidi@defmacro{#1}%
5775       {\bidi@dbg@info{mac}}%
5776       \bidi@ifscanable{#1}%
5777         {\bidi@ifhashcheck{#2}%
5778           {\bidi@dbg@info{tok}}%
5779           \bidi@ifpattern#1{#2}%
5780             {\bidi@dbg@info{pat}}%
5781             \bidi@dbg@info{pos}\@firstoftwo}%
5782             {\bidi@dbg@fail{pat}\@secondoftwo}%
5783             {\bidi@dbg@fail{hsh}\@secondoftwo}}%
5784             {\bidi@dbg@fail{tok}\@secondoftwo}}%
5785             {\bidi@dbg@fail{mac}\@secondoftwo}}}}%
5786
5787 \long\def\bidi@ifpatchable@i#1{%

```



```

5788 \endgroup
5789 \bidi@dbg@init#1%
5790 \if@bidi@undef{#1}
5791 {\bidi@dbg@fail{def}\@secondoftwo}
5792 {\bidi@dbg@info{def}%
5793 \if@bidi@defmacro{#1}
5794 {\bidi@dbg@info{mac}%
5795 \if@bidi@defparam{#1}
5796 {\bidi@dbg@info{prm}%
5797 \bidi@ifscanable{#1}
5798 {\bidi@dbg@info{tok}%
5799 \bidi@dbg@info{pos}\@firstoftwo}
5800 {\bidi@dbg@fail{tok}\@secondoftwo}}
5801 {\bidi@dbg@info{prl}%
5802 \if@bidi@defprotected{#1}
5803 {\bidi@dbg@info{pro}%
5804 {}%
5805 {\bidi@dbg@info{pos}\@firstoftwo}}
5806 {\bidi@dbg@fail{mac}\@secondoftwo}}}
5807
5808 \bidi@newrobustcmd*\{\bidi@patchcmd\}{%
5809 \bidi@dbg@trce\bidi@patchcmd
5810 \begingroup
5811 \@makeother\#%
5812 \bidi@@patchcmd}
5813
5814 \newcommand{\bidi@@patchcmd}[4] [#####1]{%
5815 \bidi@ifpatchable#2{#3}
5816 {\bidi@dbg@succ{ret}%
5817 \begingroup
5818 \edef\bidi@resrvda{%
5819 \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
5820 #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
5821 \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
5822 ####1\detokenize{#4}####2}%
5823 \edef\noexpand\bidi@resrvda{%
5824 \noexpand\bidi@resrvda\meaning#2}}%
5825 \bidi@resrvda
5826 \bidi@patchcmd@scantoks\bidi@resrvda
5827 \let#2\bidi@resrvda
5828 \bidi@undef\bidi@resrvda
5829 \@firstoftwo}
5830 {\@secondoftwo}}
5831
5832 \def\bidi@patchcmd@scantoks#1{%
5833 \edef\bidi@resrvda{\endgroup
5834 \unexpanded{\makeatletter\scantokens}{#1}%
5835 \catcode\number`\\=\the\catcode`\\@relax}%
5836 \bidi@resrvda}
5837
5838 \newcommand\bidi@isloaded[2] []
5839 \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
5840 \expandafter\newif\csname if@bidi@#2loaded@\endcsname
5841 \fi

```



```
5842 \@ifpackageloading{#2}
5843     {\csname @bidi@#2loaded@true\endcsname #1}
5844     {\csname @bidi@#2loaded@false\endcsname}}
5845
5846 \protected\def\bidi@ifscanable#1{%
5847     \begingroup
5848     \edef\bidi@resrvda{%
5849         \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
5850             ####1\def\string\bidi@resrvda####2{####3}}%
5851         \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
5852     \bidi@resrvda
5853     \makeatletter
5854     \scantokens\expandafter{\bidi@resrvda}%
5855     \expandafter\endgroup\ifx#1\bidi@resrvda
5856         \expandafter\@firstoftwo
5857     \else
5858         \expandafter\@secondoftwo
5859     \fi}
5860
5861
5862 \protected\long\def\bidi@ifhashcheck#1{%
5863     \begingroup
5864     \edef\bidi@resrvda{\detokenize{#1}}%
5865     \expandafter\endgroup
5866     \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&
5867
5868 \edef\bidi@ifhashcheck@i#1&{%
5869     \noexpand\expandafter
5870     \noexpand\bidi@ifhashcheck@ii
5871     \noexpand\strip@prefix#1\string#\string##&}
5872
5873 \edef\bidi@ifhashcheck@ii{%
5874     \def\noexpand\bidi@ifhashcheck@ii##1\string#\string##2&%
5875     \bidi@ifhashcheck@ii{\if@bidi@blank{#2}}}
5876
5877
5878 \protected\long\def\bidi@ifpattern#1#2{%
5879     \begingroup
5880     \edef\bidi@resrvda{%
5881         \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
5882             \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
5883         \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
5884             \expandafter\strip@prefix\meaning#1\detokenize{#2}&}}%
5885         \noexpand\bidi@resrvda}
5886     \bidi@resrvda\@secondoftwo\@firstoftwo}
5887
5888
5889 \newcommand{\if@bidi@defparam}{}
5890 \long\edef\if@bidi@defparam#1{%
5891     \noexpand\expandafter\noexpand\noexpand\bidi@ifdefparam
5892     \noexpand\meaning#1\detokenize{macro}:->&}
5893 \edef\bidi@ifdefparam{%
5894     \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&{%
5895     \bidi@ifdefparam{\bidi@notblank{#2}}}
```



```

5896
5897
5898 \newcommand{\if@bidi@defprotected}{}%
5899 \long\edef\if@bidi@defprotected#1{%
5900   \noexpand\expandafter\noexpand\bidi@ifdefprotected
5901   \noexpand\meaning#1\string\protected&}
5902 \edef\bidi@ifdefprotected{%
5903   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
5904 \bidi@ifdefprotected{\bidi@notblank{#2}}
5905
5906
5907 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
5908 \bidi@newrobustcmd{\bidi@csundef}[1]{%
5909   \expandafter\let\csname #1\endcsname\bidi@undefined
5910 }
5911
5912 \let\bidi@dbg@trce\gobble
5913 \let\bidi@dbg@init\gobble
5914 \let\bidi@dbg@info\gobble
5915 \let\bidi@dbg@succ\gobble
5916 \let\bidi@dbg@fail\gobble
5917
5918
5919 \bidi@newrobustcmd*{\bidi@apptocmd}{%
5920   \bidi@dbg@trce\bidi@apptocmd
5921   \begingroup
5922   \makeother\#%
5923   \bidi@hooktocmd\bidi@append}
5924
5925
5926
5927 \bidi@newrobustcmd*{\bidi@pretocmd}{%
5928   \bidi@dbg@trce\bidi@pretocmd
5929   \begingroup
5930   \makeother\#%
5931   \bidi@hooktocmd\bidi@prepend}
5932
5933 \long\def\bidi@hooktocmd#1#2#3{%
5934   \endgroup
5935   \bidi@dbg@init#2%
5936   \if@bidi@undef{#2}
5937     {\bidi@dbg@fail{def}\@secondoftwo}
5938     {\bidi@dbg@info{def}}%
5939     \if@bidi@defmacro{#2}
5940       {\bidi@dbg@info{mac}}%
5941       \if@bidi@defparam{#2}
5942         {\bidi@dbg@info{prm}}%
5943         \bidi@ifscanable{#2}
5944           {\bidi@ifhashcheck{#3}}
5945             {\bidi@dbg@info{tok}}%
5946             \bidi@dbg@succ{ret}}%
5947             \bidi@hooktocmd{i#1#2{#3}}%
5948             \@firstoftwo}
5949

```



```

5950          {\bidi@dbg@fail{hsh}\@secondoftwo}
5951          {\bidi@dbg@fail{tok}\@secondoftwo}}
5952          {\bidi@dbg@info{prl}%
5953          \if@bidi@defprotected{#2}
5954          {\bidi@dbg@info{pro}%
5955          \bidi@dbg@succ{red}%
5956          \protected}
5957          {\bidi@dbg@succ{red}}%
5958          \edef#2{\bidi@expandonce#2}{\unexpanded{#3}}}}%
5959          \@firstoftwo}}
5960          {\bidi@dbg@fail{mac}\@secondoftwo}}}
5961
5962 \long\def\bidi@hooktocmd@i#1#2#3{%
5963   \begingroup
5964   \edef\bidi@resrvda{%
5965     \def\noexpand\bidi@resrvda####1{\detokenize{macro}:####2->####3&`%
5966       #####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}}}%
5967   \edef\noexpand\bidi@resrvda{%
5968     \noexpand\bidi@resrvda\meaning#2&}}}}%
5969   \bidi@resrvda
5970   \bidi@patchcmd@scantoks\bidi@resrvda
5971   \let#2\bidi@resrvda
5972   \bidi@undef\bidi@resrvda}
5973
5974 \long\def\bidi@append#1#2{#1#2}
5975 \long\def\bidi@prepend#1#2{#2#1}
5976
5977 \%{\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}}
5978 \%{\newcommand*{\bidi@endpreamblehook}{}}
5979
5980 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\AddToHook{begindocument/before}}%
5981
5982 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipout}
5983 \%{\newcommand*{\bidi@beforeoutputpageshipouthook}{}}
5984
5985 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
5986 \%{\newcommand*{\bidi@beforeheaderhook}{}}
5987
5988 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutputpage}
5989 \%{\newcommand*{\bidi@beforeoutputboxoutputpagehook}{}}
5990
5991 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpage}
5992 \%{\newcommand*{\bidi@afteroutputboxoutputpagehook}{}}
5993
5994 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
5995 \%{\newcommand*{\bidi@beforefooterhook}{}}
5996
5997 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
5998 \%{\newcommand*{\bidi@afterfooterhook}{}}
5999
6000
6001 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook}
6002 \%{\newcommand*{\bidi@afteroutputpageshipouthook}{}}
6003

```



```

6004 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
6005 \newcommand*{\bidi@atendoutputpagehook}{}%
6006
6007 %\bidi@preto\document{%
6008 % \endgroup
6009 % \let\bidi@AtEndPreamble\@firstofone
6010 % \bidi@endpreamblehook
6011 % \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
6012 % \bidi@undef\bidi@endpreamblehook
6013 % \begingroup}
6014
6015 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
6016 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
6017
6018 %\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
6019 %\newcommand*{\bidi@afterendpreamblehook}{}%
6020
6021 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\AddToHook{begindocument/end}}%
6022
6023 %\bidi@appto\document{%
6024 % \let\bidi@AfterEndPreamble\@firstofone
6025 % \bidi@afterendpreamblehook
6026 % \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
6027 % \bidi@undef\bidi@afterendpreamblehook
6028 % \ignorespaces}
6029
6030 \bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocumentchecklabelsrerunhook}%
6031 \newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}%
6032
6033 \bidi@patchcmd\enddocument
6034 {\fi}
6035 {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
6036 \bidi@afterenddocumentchecklabelsrerunhook
6037 \fi}
6038 {}
6039 {\PackageWarning[biditools]{Patching `\\string\\enddocument' failed}}
6040
6041 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
6042
6043 \bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
6044 \newcommand*{\bidi@afterlastshipouthook}{}%
6045
6046 \bidi@patchcmd\enddocument
6047 {\clearpage}
6048 {\clearpage
6049 \let\bidi@AfterLastShipout\@firstofone
6050 \bidi@afterlastshipouthook}
6051 {}
6052 {\let\bidi@clearpage\clearpage
6053 \def\clearpage{%
6054 \bidi@clearpage
6055 \let\bidi@AfterLastShipout\@firstofone
6056 \bidi@afterlastshipouthook}}
6057

```



```

6058 \%bidi@newrobustcmd{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
6059 \%newcommand{\bidi@afterenddocumenthook}{}
6060
6061 \bidi@newrobustcmd{\bidi@AfterEndDocument}{\AddToHook{enddocument/end}}%
6062
6063 \%bidi@patchcmd\enddocument
6064 % {\deadcycles}
6065 % {\let\bidi@AfterEndDocument\@firstofone
6066 % \bidi@afterenddocumenthook
6067 % \deadcycles}
6068 %
6069 % {\let\bidi@@end\@end
6070 % \def\@end{%
6071 % \let\bidi@AfterEndDocument\@firstofone
6072 % \bidi@afterenddocumenthook
6073 % \bidi@@end}}
6074
6075 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
6076 \bidi@csgappto{@bidi@begin@#1@hook}}
6077
6078 % Patch \begin<space> and \end<space> in newer LaTeX releases
6079 % \begin and \end in older ones.
6080 \expandafter\bidi@patchcmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6081 {\csname #1\endcsname}
6082 {\bidi@csuse{@bidi@begin@#1@hook}%
6083 \csname #1\endcsname}
6084 {}
6085 {\bidi@warning{%
6086 Patching '\string\begin' failed!\MessageBreak
6087 '\string\bidi@AtBeginEnvironment' will not work\@gobble}}}
6088
6089
6090
6091 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
6092 \bidi@csgappto{@bidi@end@#1@hook}}
6093
6094 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6095 {\csname end#1\endcsname}
6096 {\bidi@csuse{@bidi@end@#1@hook}%
6097 \csname end#1\endcsname}
6098 {}
6099 {\bidi@warning{%
6100 Patching '\string\end' failed!\MessageBreak
6101 '\string\bidi@AtEndEnvironment' will not work\@gobble}}}
6102
6103
6104
6105 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
6106 \bidi@csgappto{@bidi@beforebegin@#1@hook}}
6107
6108 \expandafter\bidi@pretocmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6109 {\bidi@csuse{@bidi@beforebegin@#1@hook}%
6110 {}
6111 {\bidi@warning{%

```



```

6112      Patching '\string\begin' failed!\MessageBreak
6113      '\string\bidi@BeforeBeginEnvironment' will not work@\gobble}%
6114
6115 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
6116   \bidi@csgappto{@bidi@afterend@#1@hook}%
6117
6118 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6119 { \if@ignore}%
6120 { \bidi@csuse{@bidi@afterend@#1@hook}%
6121   \if@ignore}%
6122 {}%
6123 { \bidi@warning{%
6124     Patching '\string\end' failed!\MessageBreak
6125     '\string\bidi@AfterEndEnvironment' will not work@\gobble}%
6126
6127 \def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}%
6128 \def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}%
6129 \def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}%
6130 \def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}%
6131
6132 % From David Carlisle:
6133 % The \cstpelt redefinition below belongs to Heiko Oberdiek
6134 % See also https://github.com/ho-tex/oberdiek/issues/26
6135
6136 \let\bidi@stepcounter\stepcounter
6137 \let\bidi@@cstpelt\cstpelt
6138
6139 \def\cstpelt#1{%
6140   \ifcsname bidi@reset@#1@perpage\endcsname
6141     \begingroup
6142       \let\stepcounter\bidi@stepcounter
6143       \bidi@@cstpelt{#1}%
6144     \endgroup
6145     \expandafter\@gobbletwo
6146   \fi
6147   \bidi@@cstpelt{#1}%
6148 }
6149
6150 \bidi@pretocmd\stepcounter
6151 {%
6152   \if@bidi@csundef{bidi@stepcounterhook@@#1}{}{%
6153     \csname bidi@stepcounterhook@@#1\endcsname
6154   }%
6155 }{%
6156 {\PackageWarning[biditools]{Patching `\\string\\stepcounter' failed}}%
6157
6158 \chardef\bidi@backslash`\\
6159 \def\bidics#1{\texttt{\char\bidi@backslash#1}}
6160
6161 % anonymous control sequences
6162 \newcount\bidi@tempcountb
6163 \newtoks\bidi@temptoksa
6164 \newtoks\bidi@temptoksb
6165

```



```

6166 % Catcode (re)storing
6167 %
6168 \def\bidi@storecatcode#1%
6169   {\escapechar`m@ne
6170    \bidi@csarg\edef{bidi@restorecatcode\string#1}%
6171      {\catcode`\string#1=
6172        \the\catcode\expandafter`\string#1}%
6173    \catcode\expandafter`\string#1=12\relax
6174    \escapechar`\\relax}
6175 \def\bidi@restorecatcode#1%
6176   {\escapechar`m@ne
6177    \csname bidi@restorecatcode\string#1\endcsname
6178    \escapechar`\\relax}
6179
6180 % Construct a control sequence inside \edef
6181 %
6182 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
6183
6184 % Construct a control sequence out of #2, and give it to #1
6185 %
6186 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
6187
6188 % Pick an escapecharacter
6189 % this presumes that its argument is a character.
6190 %
6191 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
6192
6193 % Equality of strings.
6194 % the fast approach: does not work in expansion-only environment.
6195 %
6196 \def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
6197   \ifx\bidi@eqs@a\bidi@eqs@b}
6198
6199 % Test by expansion only
6200 %
6201 \def\bidi@EqualStringX#1#2{00\fi
6202   \csname if@\bidi@EqualStringX#1&#2&\endcsname}
6203 \def@\bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
6204   \ifx#1&true\else\bidi@hop@ES@\bidi@EqualStringX#2$#4$\fi
6205   \else false\fi}
6206 \def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}
6207
6208 % Lexicographic ordering
6209 % note the use of \def
6210 % also note the characters 0,127,255 that are used,
6211 % these are not supposed to appear in the strings
6212 %
6213 {\catcode0=12 \catcode255=12 \catcode127=12
6214 \gdef\bidi@StringBeforeNC#1#2{00\fi
6215   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
6216 \gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
6217   \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
6218   \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
6219   \else\ifnum\lccode`#1<\lccode`#3

```



```

6220          \def\bidi@next{\csname iftrue\endcsname}%
6221          \else\ifnum\lccode`#1>\lccode`#
6222              \def\bidi@next{\csname ifffalse\endcsname}%
6223              \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
6224      \fi \fi \fi \fi
6225  \bidi@next}
6226 \gdef\bidi@StringBefore#1#2{00\fi
6227  \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
6228 \gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
6229  \ifnum`#1<`#3
6230      \def\bidi@next{\csname iftrue\endcsname}%
6231  \else\ifnum`#1>`#3
6232      \def\bidi@next{\csname ifffalse\endcsname}%
6233      \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
6234  \fi\fi
6235  \bidi@next}
6236 }
6237
6238 % Null argument test
6239 %
6240 \def\bidi@empty{}
6241 \def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
6242 \def\bidi@ifEmptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
6243 \% \def\bidi@ifEmpty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
6244 \def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}
6245
6246 % Next character test
6247 %
6248 \def\bidi@NextChar#1#2#3{00\fi
6249  \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
6250  \futurelet\bidi@nxt@c@\bidi@ifnxtc}
6251 \def\bidi@ifNextChar#1#2#3{%
6252  \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
6253  \futurelet\bidi@nxt@c@\bidi@ifnxtc}
6254 \def@\bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
6255  \else \expandafter\bidi@nxt@b \fi}
6256
6257 % Test for defined-ness of string as control sequence.
6258 % works inside \edef
6259 %
6260 \def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}
6261
6262 % Define uniquely defined dummy macros,
6263 % usually to serve as bumper blocks at the end of a list
6264 %
6265 \newcount\bidi@dummies
6266 \def\DefNewDummy#1{%
6267  \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{bidi@dum\the\bidi@dummies}%
6268  \advance\bidi@dummies\@ne
6269  \else
6270  \bidi@error{Attempt at second definition of `#1'}
6271  \fi}
6272
6273 % string case statement

```



```

6274 % use: \bidi@switch \iftest{...} in:
6275 %     item1 action1
6276 %
6277 %     ...
6278 %     itemn actionn
6279 %     default defaultaction [optional]
6280 % inspired by Jonathan Fine: Some Basic Control Macros
6281 % Tugboat 12 #4
6282 %
6283 \let\@bidi@fi@fi \let\endbidi@switch\relax \DefNewDummy{bidi@default}
6284 \def\bidi@switch@exit #1 \@bidi@fi #2 \endbidi@switch {\fi #1}
6285 \def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6286 #1{#2}\bidi@switch@exit #3 \@bidi@fi
6287 \bidi@switch {#1}
6288 }
6289 % this version puts the test object in {}
6290 \def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6291 #1{#2}\bidi@switch@exit #3 \@bidi@fi
6292 \bidi@switch #1 in:
6293 }
6294 % this version assumes that the test object is just one character
6295 \def\bidi@csswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6296 #1#2\bidi@switch@exit #3 \@bidi@fi
6297 \bidi@csswitch #1 in:
6298 }
6299 % this version assumes that the test object can have an optional space
6300 \def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6301 #1#2 \bidi@switch@exit #3 \@bidi@fi
6302 \bidi@bswitch #1 in:
6303 }
6304 % this version can cope with significant spaces at the start of #3;
6305 % #2 is macro argument
6306 \def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6307 #1{#2}\bidi@switch@exit #3 \@bidi@fi
6308 \bidi@mswitch #1 in:
6309 }
6310 % idem; #2 does not have to be enclosed in braces
6311 \def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6312 #1#2 \bidi@switch@exit #3 \@bidi@fi
6313 \bidi@fswitch #1 in:
6314 }
6315
6316 % Routines for taking the value of a string:
6317 % if the string is defined as control sequence
6318 % take the value of that, otherwise take the string itself
6319
6320 % String or value of control sequence
6321 %
6322 \def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
6323
6324 % String or control sequence
6325 %
6326 \def@\bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
6327

```



```

6328 % String or \noexpand-ed control sequence;
6329 % for use in \edef
6330 %
6331 \newif\ifbidi@in@label
6332 \def\bidi@w#1{\if\bidi@undefinedcs{#1}#1\else
6333     \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6334 \newtoks\bidi@are@these@correct
6335 \def\bidi@t@w#1{%
6336     \if\bidi@undefinedcs{#1}#1%
6337         \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
6338     \else
6339         \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6340
6341 % List Manipulation .....
6342 % this assumes that #1 is a list of tokens, #2 is the name of a list
6343 %
6344 % Names of lists (and of items to pop into) are given as strings;
6345 % not as control sequences.
6346 %
6347 \newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
6348 % basic append/prepend macro
6349 \long\def\bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6350   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@tok
6351 \long\def\bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6352   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@list
6353 \def\bidi@append@to@list{\bidi@csarg\bidi@append@to@cslist}
6354 \def\bidi@prepend@to@list{\bidi@csarg\bidi@prepend@to@cslist}
6355 % variations:
6356 \long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{#2}}
6357 \long\def\bidi@prepend@to@list#1#2{\@bidi@prepend@to@list{#1}{#2}}
6358 \def\bidi@append@list@to@list#1#2{%
6359   \@bidi@append@to@list{#1}{\expandafter\expandafter{\expandafter\expandafter\the\csname#2\}
6360 \def\bidi@prepend@list@to@list#1#2{%
6361   \@bidi@prepend@to@list{#1}{\expandafter\expandafter{\expandafter\expandafter\the\csname#2\}
6362 \def\bidi@append@cslist@to@cslist#1#2{%
6363   \@bidi@append@to@cslist{#1}\expandafter{\the#2}}
6364 \def\bidi@prepend@cslist@to@cslist#1#2{%
6365   \@bidi@prepend@to@cslist{#1}\expandafter{\the#2}}
6366 \def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}
6367 \def\bidi@prepend@toks@cs@to@list#1#2{\@bidi@prepend@to@list{#1}\expandafter{\the#2}}
6368
6369 \let\bidi@willbeunhskip\unhskip
6370
6371 % A few list macros for the user
6372 \def\NewTokenList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
6373 \def\EmptyTokenList:#1 {\global\csname#1\endcsname{}}
6374 \long\def\AppendToTokenList:#1#2 {\@bidi@append@to@list{#1}{#2}}
6375 \long\def\PrependToTokenList:#1#2 {\@bidi@prepend@to@list{#1}{#2}}
6376 \def\TheTokenList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip@\empty
6377   \if\bidi@undefinedcs{#1}\bidi@error{Token List <#1> undefined}
6378   \else\bidi@csarg\the{#1}\fi
6379   \let\bidi@willbeunhskip\bidi@oldwbuskip}
6380
6381 \def\bidi@del@tok@from@list#1#2{\begingroup

```



```

6382 \long\def\bidi@cs@liste##1#2##2\bidi@tok@SM
6383   {\bidi@toks@lista{##1}\bidi@toks@listb{##2}%
6384     \edef\bidi@cs@listb{\global\bidi@csname{#1}=
6385       {\the\bidi@toks@lista\the\bidi@toks@listb}}%
6386     \bidi@cs@listb}%
6387   \edef\bidi@cs@listaf{\noexpand\bidi@cs@liste{} \expandafter\the\csname#1\endcsname\noexpand
6388   \bidi@cs@lista \endgroup}
6389 \def\bidi@in@front@of@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
6390   \bidi@in@front@of@cslist\bidi@cs@lista}
6391 \long\def\bidi@in@front@of@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
6392   \global#1=\expandafter\expandafter\expandafter{\expandafter\expandafter\expandafter\bidi@toks@list
6393   \endgroup}
6394 \long\def\bidi@local@in@front@of@list#1#2{\bidi@toks@lista={#2}%
6395   \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter
6396   \expandafter\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter
6397   \expandafter\the\csname#1\endcsname}%
6398 }
6399 \def\bidi@set@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
6400   \bidi@set@cslist\bidi@cs@lista}
6401 \long\def\bidi@set@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
6402   \global#1=\expandafter{\the\bidi@toks@lista}\endgroup}
6403 %%%%%%%%%%%%%% Stack macros
6404 %
6405 %
6406 % push in terms of prepending of lists
6407 \def\bidi@push@cs@onto@cs#1#2{\bidi@prepend@to@cslist#1\expandafter{\expandafter\\ \expandaft
6408 \def\bidi@push@onto#1{\bidi@csarg{\bidi@push@onto@cs{#1}}}
6409 \def\bidi@push@onto@cs#1#2{\bidi@prepend@to@cslist#1{}{\\\{#2}}}
6410 \def\bidi@local@push@onto#1#2{\let\\=\relax
6411   \bidi@local@in@front@of@list{#1}{\\{#2}}}
6412 % pop via auxiliary macro: #1 is result, #2 is stack
6413 % two cs arguments
6414 \def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
6415   {\noexpand\@@bidi@popinto\noexpand#1\noexpand#2\the#2\noexpand\@@bidi@pop}\bidi@cs@e}
6416 % two string arguments
6417 \def\bidi@pop@into#1#2{\edef\bidi@cs@e
6418   {\noexpand\@@bidi@popinto\bidi@csname{#1}\bidi@csname{#2}\bidi@csarg{\the{#2}}\noexpand\@@b
6419 \long\def\@@bidi@popinto#1#2{\#3#4\@@bidi@pop{#1{#3}}#2{#4}}
6420 \def\bidi@copy@stacktop#1#2{%
6421   \edef\bidi@cs@e{\noexpand\@@bidi@copy@stacktop
6422     {#1}\bidi@csarg{\the{#2}}\noexpand\@@bidi@pop}%
6423   \bidi@cs@e}
6424 \def\@@bidi@copy@stacktop#1{\#2#3\@@bidi@pop{\csname#1\endcsname#2\relax}
6425 \newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\{\}}
6426 \def\bidi@length@of@stack#1{\bidi@csarg{\bidi@length@of@csstack{#1}}}
6427 \def\bidi@length@of@csstack#1{\def\##1{\advance\bidi@stack@length\@ne}%
6428   \bidi@stack@length\m@ne \the\##1}
6429 % turn a stack upside down
6430 \def\bidi@invert@csstack#1{\bidi@length@of@csstack{#1}%
6431   \bidi@tempcountb@z@ \bidi@temptoksa\bidi@empty@stack
6432   \loop\ifnum\bidi@tempcountb<\bidi@stack@length
6433     \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length\m@ne
6434     \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
6435   \bidi@append@cslist@to@cslist\bidi@temptoksb\bidi@temptoksa% append a to b

```



```

6436 \%     \bidi@temptoksa\bidi@temptoksb
6437     \repeat% copy b to a
6438 #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
6439 \% invert a stack into a list
6440 \def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
6441 \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
6442 \loop\ifnum\bidi@tempcountb<\bidi@stack@length
6443     \bidi@pop@into{\bidi@temptoksb}{#1}\advance\bidi@stack@length\m@ne
6444     \bidi@append@list@to@list{\bidi@temptoksb}{\bidi@temptoksa}\repeat
6445 \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
6446
6447
6448 \% General loop macro:
6449 \% \looprepeat
6450 \%   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<en
6451 \%           \untilcondition{<cond>} \whilecondition{<cond>}
6452 \%   \doloopbody { <loop body> }
6453 \% where all control sequences in between \looprepeat and \doloopbody are optional.
6454 %
6455 \% var: characters to form a control sequence;
6456 \%     after \forvariable{index} you can access the loop counter as \index.
6457 \%     This is a count register; to print it use \number\index.
6458 \% start,step,end: integers with obvious relations to the loop counter;
6459 \%     start and step have a default value of 1
6460 \% cond: (sequence of commands ending in) any TeX \if... test.
6461 %
6462 \% Count down instead of up with \downtovalue; the increment given in \bystep
6463 \% is always positive, and is added or subtracted accordingly.
6464 %
6465 \% Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
6466 \% at the beginning of the loop body.
6467 %
6468 \% Exit from middle of loop: \breaklooprepeat
6469 \% use this at any place in the loop; in case of a conditional use
6470 \%   \ifsomething ... \expandafter \breaklooprepeat \fi
6471 %
6472 \% Note that the line ends do not cause spaces in the output.
6473 %
6474 \% Technical details:
6475 \% The loop body is not executed in a group: the braces are those
6476 \% of a token list.
6477 \% The 'forvariable' variable is \let to a \count register.
6478
6479
6480
6481 \% Auxiliary stuff
6482 \def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
6483 \def\bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
6484 \def\bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprep
6485
6486 \newcount\bidi@looprepeat@depth
6487 \let\endlooprepeat\relax \def\bidi@csprotect{}}
6488 \% Trace switches may later be defined by PAC_utils
6489 \let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax

```



```

6490 %
6491 % Main repeatloop macro
6492 % - go to next level and allocate unique counter/toks if this is the
6493 %   first time we visit this level
6494 % - setup: gather bounds and termination conditions
6495 % - scoop up body in token list; after the assignment define and
6496 %   execute body
6497 \def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
6498   \advance\bidi@looprepeat@depth\@ne\relax
6499   \bidi@looprepeat@csargromannumerical{ifx{\bidi@looprepeat@count}}\relax
6500   \bidi@looprepeat@csargromannumerical{\csname newcount\expandafter\endcsname}{bidi@looprepeat@count}
6501   \bidi@looprepeat@csargromannumerical{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@toks}
6502   \bidi@looprepeat@csargromannumerical{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@body}
6503   \bidi@looprepeat@csargromannumerical{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@sign}
6504 \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{>}\bidi@looprepeat@tmp
6505 \edef\bidi@looprepeat@tmp
6506   {\def\bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@looprepeat}{\bidi@looprepeat@body}
6507   \afterassignment\bidi@looprepeat@dxbody\bidi@looprepeat@csromannumerical{\bidi@looprepeat@toks}
6508
6509 % Define and execute loop body
6510 % This is done with an \edef to construct the actual sequence
6511 \def\bidi@looprepeat@dxbody{\bidi@looprepeat@csargromannumerical\edef{\bidi@looprepeat@body}{%
6512   \bidi@looprepeat@csargromannumerical{\the{\bidi@looprepeat@wtest}}%
6513   \noexpand\the\bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@toks}%
6514   \bidi@looprepeat@csargromannumerical{\the{\bidi@looprepeat@utest}}%
6515   \global\bidi@looprepeat@csargromannumerical\advance{\bidi@looprepeat@count} by \bidi@looprepeat@count
6516   \noexpand\endlooprepeat
6517   \bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@looprepeat}}%
6518 \bidi@looprepeat@csromannumerical{\bidi@looprepeat@body}\ignorespaces}
6519
6520 % Stop test
6521 %% In order to stop, issue a
6522 % \breaklooprepeat which scoops up the rest of the body and exits
6523 \def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumerical
6524   \advance\bidi@looprepeat@depth\m@ne \bidi@looprepeat@traceexit
6525 }
6526
6527
6528 % Setup
6529 % gather bounds and termination conditions
6530 \def\bidi@looprepeat@setup#1{%
6531   \begingroup
6532     \def\forvariable##1{%
6533       \edef\bidi@looprepeat@tmp{%
6534         \global\let\bidi@looprepeat@csarg\noexpand{\##1}\bidi@looprepeat@csromannumerical{\bidi@looprepeat@count}%
6535         \bidi@looprepeat@tmp}%
6536     \def\fromvalue##1{\bidi@looprepeat@csargromannumerical\global{\bidi@looprepeat@count}##1\ignorespaces}
6537     \def\tovalue##1{%
6538       \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@count}%
6539         \bidi@looprepeat@csargromannumerical{\the{\bidi@looprepeat@wtest}}%
6540         \noexpand\ifnum\bidi@looprepeat@csargromannumerical\noexpand{\bidi@looprepeat@count}<=##1\then
6541           \noexpand\expandafter\noexpand\breaklooprepeat
6542           \noexpand\fi\ignorespaces}%
6543     \bidi@looprepeat@tmp}%

```



```

6544 \def\downtovalue##1{%
6545   \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
6546 \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}%
6547   \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc}{-##1}\else
6548   \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc}{##1}\fi\ignorespaces}%
6549 \def\untilcondition##1{%
6550   \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loop%
6551   {\noexpand##1\relax
6552   \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
6553   \bidi@looprepeat@tmp}%
6554 \def\whilecondition##1{%
6555   \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loop%
6556   {\noexpand##1\relax \noexpand\else
6557   \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
6558   \bidi@looprepeat@tmp}%
6559   \fromvalue{\@ne}\bystep{\@ne}#1%
6560 \endgroup}
6561 \def\bidi@looprepeat@zero
6562 { \bidi@looprepeat@csromannumeral{bidi@looprepeat@toks}{} \bidi@looprepeat@csromannumeral{bidi@looprepeat@body}{}}
6563
6564
6565 %\tracingmacros2
6566 %\newcount\tmpcount % used in some examples below
6567
6568 %\looprepeat \forvariable{i}
6569 %   \bystep{2}
6570 %   \doloopbody {%
6571 %     \ifnum\i=13 \expandafter\breaklooprepeat \fi
6572 %     \number\i{} %
6573 %}%
6574
6575 %\looprepeat \forvariable{iii}
6576 %   \tovalue{8}
6577 %   \doloopbody {}
6578 %After loop: \number\iii%
6579
6580 %\looprepeat \forvariable{i}
6581 %   \fromvalue{10}
6582 %   \bystep{2}
6583 %   \downtovalue{0}
6584 %   \doloopbody {\number\i{} }%
6585
6586 %\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
6587 %   \doloopbody {\number\x{} }%
6588
6589 %\looprepeat \tovalue{3} \doloopbody {Hello world! }
6590
6591 %\looprepeat \forvariable{j}
6592 %   \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
6593 %   \doloopbody {\number\j{} }%
6594
6595 %\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
6596 %   {\looprepeat \forvariable{j} \fromvalue{\i} \bystep{3} \tovalue{18}}
6597 %   \doloopbody {(\number\i.\number\j) }%

```



```

6598 % }
6599
6600 % infinite loop
6601 \%looprepeat \doloopbody {}
6602
6603 \renewcommand{\InputIfFileExists}[2]{%
6604   \begingroup\expandafter\expandafter\expandafter\endgroup
6605   \expandafter\ifx\csname #1-\@bidi@alias\endcsname\relax
6606     \expandafter\@secondoftwo
6607   \else
6608     \bidi@replacefile@msg{\csname #1-\@bidi@alias\endcsname}{#1}%
6609     \expandafter\@firstoftwo
6610   \fi
6611   {%
6612     \expandafter\InputIfFileExists\expandafter{\csname
6613       #1-\@bidi@alias\endcsname}{#2}%
6614   }%
6615   {\IfFileExists{#1}{%
6616     \bidi@load@hook{before}{#1}%
6617     #2\@addtofilelist{#1}%
6618     \@@input \@filef@und
6619     \bidi@load@hook{after}{#1}%
6620   }}%
6621 }
6622
6623 \newcommand*\bidi@loadwithoptions(){}
6624 \newcommand*\bidi@loadwithoptions(){}
6625 \let\bidi@loadwithoptions\@loadwithoptions
6626
6627 \renewcommand*\@loadwithoptions[3]{%
6628   \begingroup\expandafter\expandafter\expandafter\endgroup
6629   \expandafter\ifx\csname #3.#1-\@bidi@aliasname\endcsname\relax
6630     \def\bidi@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
6631   \else
6632     \bidi@replacefile@msg{\csname #3.#1-\@bidi@aliasname\endcsname}{#1}{#3.#1}%
6633     \def\bidi@loadwithoptions{%
6634       \@loadwithoptions{#1}{#2}{\csname #3.#1-\@bidi@aliasname\endcsname}%
6635     }%
6636   \fi
6637   \bidi@loadwithoptions
6638 }
6639
6640 \newcommand*\bidi@onefilewithoptions(){}
6641 \let\bidi@onefilewithoptions\@onefilewithoptions
6642 \def\@onefilewithoptions#1[#2][#3]{#4{%
6643   \begingroup\expandafter\expandafter\expandafter\endgroup
6644   \expandafter\ifx\csname #1.#4-\@bidi@aliasname\endcsname\relax
6645     \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
6646   \else
6647     \bidi@replacefile@msg{\csname #1.#4-\@bidi@aliasname\endcsname}{#4}{#1.#4}%
6648     \edef\bidi@onefilewithoptions{%
6649       \noexpand\@onefilewithoptions{\csname #1.#4-\@bidi@aliasname\endcsname}}%
6650   \fi
6651   \bidi@onefilewithoptions[{#2}][{#3}]{#4}%

```



```

6652 \bidi@load@hook{lateafter}{#1.#4}%
6653 }
6654
6655 \newcommand*{\bidi@ReplaceInput}[2]{%
6656 \expandafter\edef\csname #1-\bidi@alias\endcsname{#2}%
6657 }
6658
6659 \newcommand*{\bidi@UnReplaceInput}[1]{%
6660 \ifcsname #1-\bidi@alias\endcsname
6661 \expandafter\let\csname #1-\bidi@alias\endcsname\relax
6662 \fi
6663 }
6664
6665 \newcommand*{\@bidi@replacefilewithext}[3]{%
6666 \expandafter\edef\csname #1.#3-\bidi@aliasname\endcsname{#2}%
6667 }
6668 \newcommand*{\bidi@ReplacePackage}[2]{%
6669 \@bidi@replacefilewithext{#1}{#2}\@pkextension
6670 }
6671 \newcommand*{\bidi@ReplaceClass}[2]{%
6672 \@bidi@replacefilewithext{#1}{#2}\@clsextension
6673 }
6674 \newcommand*{\@bidi@unreplacefilewithext}[2]{%
6675 \ifcsname #1.#2-\bidi@aliasname\endcsname
6676 \expandafter\let\csname #1.#2-\bidi@aliasname\endcsname\relax
6677 \fi
6678 }
6679 \newcommand*{\bidi@UnReplacePackage}[1]{%
6680 \@bidi@unreplacefilewithext{#1}\@pkextension
6681 }
6682 \newcommand*{\bidi@UnReplaceClass}[1]{%
6683 \@bidi@unreplacefilewithext{#1}\@clsextension
6684 }
6685 \newcommand*{\bidi@replacefile@msg}[2]{%
6686 \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
6687 }
6688
6689 \newcommand*{\bidi@load@hook}[2]{%
6690 \@ifundefined{#2-\@#1}{}{%
6691 \nameuse{#2-\@#1}%
6692 \expandafter\let\csname #2-\@#1\endcsname=\relax}
6693 \newcommand*{\bidi@set@load@hook}[2]{%
6694 \@ifundefined{#2-\@#1}{\namedef{#2-\@#1}{}{}}{%
6695 \expandafter\g@addto@macro\csname #2-\@#1\endcsname}
6696 \newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
6697 \newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
6698 \newcommand*{\bidi@BeforeClass}[1]{%
6699 \bidi@set@load@hook{before}{#1.\@clsextension}}
6700 \newcommand*{\bidi@AfterClass}{%
6701 \@ifstar {\s@bidi@AfterClass}{%
6702 \@ifnextchar +\@bidi@AfterClass{%
6703 \ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
6704 }%
6705 }%

```



```

6706 }
6707
6708 \newcommand*{\@@@bidi@AfterClass}[2]{%
6709   \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
6710     \aftergroup@s@bidi@AfterClass
6711   \else
6712     \aftergroup\bidi@AfterAtEndOfClass
6713   \fi
6714 \endgroup{#2}%
6715 }
6716
6717 \newcommand*{\bidi@AfterAtEndOfClass}[1]{%
6718   \bidi@set@load@hook{lateafter}{#1.\@clsextension}%
6719 \newcommand*{\@@@bidi@AfterClass}[2]{%
6720   \begingroup
6721     \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
6722       \aftergroup@s@bidi@AfterClass
6723     \else
6724       \aftergroup@bidi@AfterClass
6725     \fi
6726   \endgroup{#2}%
6727 }
6728
6729 \newcommand*{\@bidi@AfterClass}[1]{%
6730   \bidi@set@load@hook{after}{#1.\@clsextension}%
6731 \newcommand*{\@s@bidi@AfterClass}[1]{%
6732   \begingroup
6733     \@ifclassloaded{#1}{%
6734       \aftergroup@\secondoftwo
6735     }{%
6736       \aftergroup@bidi@AfterClass
6737     }%
6738   \endgroup
6739   {#1}%
6740 }
6741
6742
6743 \newcommand*{\bidi@BeforePackage}[1]{%
6744   \bidi@set@load@hook{before}{#1.\@pkgextension}%
6745 \newcommand*{\bidi@AfterPackage}{%
6746   \@ifstar {\@s@bidi@AfterPackage}{%
6747     \@ifnextchar +\@@@bidi@AfterPackage{%
6748       \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
6749     }%
6750   }%
6751 }
6752 \newcommand*{\@@@bidi@AfterPackage}[2]{%
6753   \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
6754     \aftergroup@s@bidi@AfterPackage
6755   \else
6756     \aftergroup\bidi@AfterAtEndOfClass
6757   \fi
6758 \endgroup{#2}%
6759 }

```



```

6760 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
6761   \bidi@set@load@hook{lateafter}{#1.\@pkgextension}%
6762 \newcommand*{\@@bidi@AfterPackage}[2]{%
6763   \begingroup
6764     \expandafter\ifx\csname #2.\@pkgextension-h@k\endcsname\relax
6765       \aftergroup\@s@bidi@AfterPackage
6766     \else
6767       \aftergroup\@bidi@AfterPackage
6768     \fi
6769   \endgroup{#2}%
6770 }
6771 \newcommand*{\@bidi@AfterPackage}[1]{%
6772   \bidi@set@load@hook{after}{#1.\@pkgextension}%
6773 \newcommand*{\@s@bidi@AfterPackage}[1]{%
6774   \begingroup
6775     \@ifpackageloaded{#1}{%
6776       \aftergroup\@secondoftwo
6777     }{%
6778       \aftergroup\@bidi@AfterPackage
6779     }%
6780   \endgroup
6781 {#1}%
6782 }
6783
6784 \newcommand*{\bidi@excludedpackages}{}%
6785 \let\bidi@excludedpackages\empty
6786 \newcommand*{\bidi@saved@RequirePackage}{}%
6787 \newcommand*{\bidi@PreventPackageFromLoading}{}%
6788   \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}{%
6789     \@bidi@PreventPackageFromLoading\PackageWarning}%
6790 }
6791 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
6792   \@ifnextchar [%]
6793     {\@@bidi@PreventPackageFromLoading#1}{\@@bidi@PreventPackageFromLoading#1[]}}%
6794 }
6795 \newcommand*{\@@bidi@PreventPackageFromLoading}{}%
6796
6797 \def\@@bidi@PreventPackageFromLoading#1[#2]#3{%
6798   \edef\reserved@b{\zap@space#3 \empty}%
6799   \ifx\reserved@b\empty
6800     #1\bidi@tools}{%
6801     \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
6802     argument ignored%
6803   }%
6804 \else
6805   \ifx\bidi@excludedpackages\empty
6806     \let\bidi@saved@RequirePackage\RequirePackage
6807     \let\RequirePackage\bidi@RequirePackage
6808     \def\reserved@a##1##{%
6809       \@latex@error
6810       {\noexpand \usepackage before \string\documentclass}%
6811       {\noexpand \usepackage may only appear in the document
6812         preamble, i.e.,\MessageBreak
6813         between \noexpand\documentclass and

```



```

6814     \string\begin{document}. }%
6815     \@gobble}%
6816     \ifx\reserved@a\usepackage\else
6817     \ifx\usepackage\bidi@saved@RequirePackage\else
6818     \PackageWarning{biditools}{%
6819         Maybe serious problem: unexpected definition of\MessageBreak
6820         \string\usepackage
6821     }%
6822     \fi
6823     \let\usepackage\RequirePackage
6824     \fi
6825 \fi
6826 \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
6827 \reserved@b\do {%
6828     \ifx\reserved@a\@empty
6829     #1{biditools}{%
6830         empty package argument for
6831         \string\bidi@PreventPackageFromLoading\MessageBreak
6832         ignored%
6833     }%
6834 \else
6835     \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
6836     #1{biditools}{%
6837         package `'\reserved@a' already loaded.\MessageBreak
6838         Cannot prevent it from beeing loaded%
6839     }%
6840 }{%
6841     \edef\bidi@excludedpackages{\bidi@excludedpackages,%
6842     \reserved@a}%
6843     \if\relax\detokenize{\#2}\relax\else
6844     \@ifundefined{bidi@exclude@package@\reserved@a @do}{%
6845         \namedef{bidi@exclude@package@\reserved@a @do}{}}%
6846     \{}%
6847     \expandafter\def
6848     \csname bidi@exclude@package@\reserved@a
6849         @do\expandafter\expandafter\expandafter\endcsname
6850     \expandafter\expandafter\expandafter{%
6851         \csname bidi@exclude@package@\reserved@a @do\endcsname
6852         \#2%
6853     }%
6854     \fi
6855 }%
6856 \fi
6857 }%
6858 \ifx\bidi@excludedpackages\@empty
6859     \bidi@ResetPreventPackageFromLoading
6860 \fi
6861 \fi
6862 }
6863
6864 \onlypreamble\bidi@PreventPackageFromLoading
6865 \newcommand*\bidi@ResetPreventPackageFromLoading{%
6866     \let\bidi@excludedpackages\@empty
6867     \ifx\RequirePackage\bidi@RequirePackage

```



```

6868     \ifx\usepackage\RequirePackage
6869         \let\usepackage\bidi@saved@RequirePackage
6870     \fi
6871     \let\RequirePackage\bidi@saved@RequirePackage
6872 \fi
6873 }
6874 \@onlypreamble\bidi@ResetPreventPackageFromLoading
6875 \newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
6876     \let#1\bidi@excludedpackages
6877 }
6878 \@onlypreamble\bidi@StorePreventPackageFromLoading
6879 \newcommand*{\bidi@UnPreventPackageFromLoading}{%
6880     \@ifstar {\@tempswatrue\bidi@UnPreventPackageFromLoading}%
6881             {\@tempswafalse\bidi@UnPreventPackageFromLoading}%
6882 }
6883
6884 \newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
6885     \edef\reserved@b{\zap@space#1 \empty}%
6886     \if@tempswa
6887         \for\reserved@a:=\reserved@b\do {%
6888             \ifx\reserved@a\empty \else
6889                 \ifcsname bidi@exclude@package@\reserved@a \do\endcsname
6890                     \expandafter\let
6891                         \csname bidi@exclude@package@\reserved@a \do\endcsname
6892                         \undefined
6893             \fi
6894         \fi
6895     }%
6896     \fi
6897     \ifcsname bidi@excludedpackages\endcsname
6898         \let\reserved@a\bidi@excludedpackages
6899         \let\bidi@excludedpackages\empty
6900         \expandafter\for\expandafter\reserved@c
6901         \expandafter:\expandafter=\reserved@a
6902         \do{%
6903             \ifx\reserved@c\empty\else
6904                 \expandtwoargs\in@{\reserved@c,}{\reserved@b,}%
6905                 \ifin@
6906                 \else
6907                     \edef\bidi@excludedpackages{%
6908                         \bidi@excludedpackages,\reserved@c
6909                     }%
6910                 \fi
6911             \fi
6912     }%
6913     \ifx\bidi@excludedpackages\empty\bidi@ResetPreventPackageFromLoading\fi
6914 \fi
6915 }
6916
6917
6918 \newcommand*{\bidi@RequirePackage}[2] []{%
6919     \let\reserved@c\empty
6920     \let\reserved@d\empty
6921     \edef\reserved@b{\zap@space#2 \empty}%

```



```

6922 \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
6923 \do {%
6924   \begingroup
6925     \tempswattrue
6926     \@for\reserved@a:=\bidi@excludedpackages\do {%
6927       \ifx\reserved@a\reserved@b
6928         \tempswafalse
6929       \fi
6930     }%
6931     \if@tempswa
6932       \xdef\reserved@c{\reserved@c,\reserved@b}%
6933     \else
6934       \ifx\reserved@b\empty\else
6935         \PackageInfo{biditools}{Excluding package `'\reserved@b'\MessageBreak
6936           from loading}%
6937         \@ifundefined{bidi@exclude@package@\reserved@b}{%
6938           }{%
6939             \expandafter\g@addto@macro\expandafter\reserved@d
6940             \csname bidi@exclude@package@\reserved@b \do\endcsname
6941           }%
6942         \fi
6943       \fi
6944     \endgroup
6945   }%
6946   \ifx\reserved@c\empty
6947     \let\reserved@a\bidi@gobbleopt
6948   \else
6949     \edef\reserved@a{\noexpand\bidi@saved@RequirePackage [#1]}{%
6950       \expandafter\gobble\reserved@c\empty}%
6951   \fi
6952   \expandafter\reserved@d
6953   \reserved@a
6954 }
6955
6956 \newcommand{\bidi@gobbleopt}[1][]{}
6957 \AtEndDocument{%
6958   \let\bidi@saved@checkend=\@checkend
6959   \renewcommand*{\@checkend}[1]{%
6960     \def\reserved@a{\#1}\def\reserved@b{document}%
6961     \bidi@saved@checkend{\#1}%
6962     \ifx\reserved@a\reserved@b
6963       \let\bidi@saved@clearpage=\clearpage
6964       \renewcommand*{\clearpage}{\bidi@saved@clearpage
6965         \bidi@hook@bcma
6966         \bidi@restore@newpage
6967         \let\clearpage=\bidi@saved@clearpage}%
6968     \fi%
6969     \let\bidi@saved@dofilelist\@dofilelist
6970     \def\@dofilelist{%
6971       \bidi@hook@acma
6972       \let\@dofilelist\bidi@saved@dofilelist
6973       \bidi@saved@dofilelist
6974     }%
6975   }%

```



```

6976 }
6977
6978
6979 \newcommand*{\bidi@saved@checkend}(){}
6980 \newcommand*{\bidi@saved@ofilelist}(){}
6981 \newcommand*{\bidi@redefine@newpage}{%
6982   \let\bidi@saved@newpage\newpage
6983   \def\bidi@restore@newpage{%
6984     \renewcommand*{\newpage}{%
6985       \PackageWarningNoLine{%
6986         biditools%
6987       }{%
6988         \string\newpage\space at main aux file!\MessageBreak
6989         You have output material at the main aux file.\MessageBreak
6990         Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
6991         are processed before the output from aux file%
6992       }{%
6993         \let\newpage\bidi@saved@newpage
6994         \newpage
6995       }{%
6996     }{%
6997     \renewcommand*{\newpage}{%
6998       \PackageError{%
6999         biditools%
7000       }{%
7001         \string\newpage\space at \string\bidi@BeforeClosingMainAux
7002       }{%
7003         You should never use \string\newpage\space or
7004         \string\clear(double)page or other output material at the\MessageBreak
7005         argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
7006         If you'll continue, the \string\newpage\space will be ignored to
7007         avoid corruption of\MessageBreak
7008         every prior use of \string\bidi@BeforeClosingMainAux.
7009       }{%
7010     }{%
7011   }{%
7012
7013 \newcommand*{\bidi@restore@newpage}{}}
7014 \newcommand*{\bidi@hook@bcma}{}}
7015 \newcommand*{\bidi@hook@acma}{}}
7016 \newcommand*{\bidi@BeforeClosingMainAux}{%
7017   \ifx\bidi@hook@bcma\empty
7018     \gdef\bidi@hook@bcma{%
7019       \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}{%
7020         \let\protected@write\bidi@protected@immediate@write
7021         \bidi@redefine@newpage
7022       }{%
7023     \fi
7024     \g@addto@macro\bidi@hook@bcma%
7025   }{%
7026
7027 \newcommand*{\bidi@AfterReadingMainAux}{%
7028   \ifx\bidi@hook@acma\empty
7029     \gdef\bidi@hook@acma{%

```



```

7030      \renewcommand*{\bidi@AfterReadingMainAux}[1]{###1}%
7031      \let\protected@write\bidi@protected@immediate@write
7032  }%
7033 \fi
7034 \g@addto@macro\bidi@hook@acma%
7035 }
7036
7037 \long\def\bidi@protected@immediate@write#1#2#3{%
7038   \begingroup
7039     #2%
7040   \let\protect\@unexpandable@protect
7041   \edef\reserved@a{\immediate\write#1{#3}}%
7042   \reserved@a
7043 \endgroup
7044 \if@nobreak\ifvmode\nobreak\fi\fi
7045 }
7046
7047 \def\bidi@patch@counter{0}%
7048 \if@bidi@csundef{numexpr}{%
7049   \def\bidi@patch@stepcounter{%
7050     \begingroup
7051       \count@\bidi@patch@counter\relax
7052       \advance\count@\@ne\relax
7053     \edef\x{\endgroup
7054       \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
7055   }%
7056   \x
7057 }%
7058 }{%
7059   \def\bidi@patch@stepcounter{%
7060     \edef\bidi@patch@counter{%
7061       \the\numexpr\bidi@patch@counter+\@ne\relax
7062     }%
7063   }%
7064 }
7065 \def\bidi@patch@list{}
7066 \def\bidi@patch@Add{%
7067   \bidi@appto\bidi@patch@list
7068 }
7069 \def\bidi@patch@AfterPackage#1{%
7070   \@ifpackageloaded{#1}{%
7071     \@firstofone
7072   }{%
7073     \bidi@patch@AfterPackage{#1}%
7074   }%
7075 }
7076 \def@\bidi@patch@AfterPackage#1{%
7077   \edef\bidi@patch@temp{#1}%
7078   \bidi@patch@stepcounter
7079   \expandafter\bidi@patch@@AfterPackage
7080   \csname @bidi@patch@bidi@patch@counter\expandafter\endcsname{%
7081     \bidi@patch@temp
7082   }%
7083 }

```



```

7084 \def\bidi@patch@@AfterPackage#1#2#3{%
7085   \begingroup
7086     \toks@{\#3}%
7087     \xdef\bidi@patch@gtemp{%
7088       \noexpand\@ifpackageloaded{#2}{%
7089         \noexpand\let\noexpand#1\noexpand\relax
7090         \the\toks@
7091       }{}}%
7092     }%
7093   \endgroup
7094   \let#1\bidi@patch@gtemp
7095   \bidi@patch@Add#1%
7096   \bidi@patch@try{\bidi@AfterPackage}{#2}#1%
7097 }
7098
7099 \def\bidi@patch@try#1#2#3{%
7100   \if\bidi@csundef{\#1}{}{%
7101     \csname #1\endcsname{#2}{#3}%
7102   }%
7103 }
7104
7105 \AtBeginDocument{\bidi@patch@list}
7106
7107 \bidi@AtEndPreamble{\bidi@patch@list}%
7108
7109 \bidi@AfterEndPreamble{%
7110   \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
7111   \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
7112   \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
7113   \let\bidi@patch@OrgIfClassLater\@ifclasslater
7114   \bidi@patch@list
7115   \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
7116   \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
7117   \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
7118   \let\@ifclasslater\bidi@patch@OrgIfClassLater
7119 }%

```

53 File `budituftefloat.sty`

```

7120 \NeedsTeXFormat{LaTeX2e}
7121 \ProvidesPackage{budituftefloat}[2017/05/19 v0.2
7122 bidi implementation of tufte float]
7123 \RequirePackage{xifthen}
7124 \newcommand{\@budituftefloat@pkgname}{budituftefloat}
7125 \newcommand{\budituftefloatError}[2]{\PackageError{\@budituftefloat@pkgname}{#1}{#2}}
7126 \newcommand{\budituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@budituftefloat@debug}}{\@budituftefloat@infoNL}{#1}}
7127 \newcommand{\budituftefloatInfoNL}[1]{\PackageInfo{\@budituftefloat@pkgname}{#1}\@gobble}
7128 \newboolean{@budituftefloat@reversegeometry}
7129 \setboolean{@budituftefloat@reversegeometry}{false}
7130 \DeclareOption{reversegeometry}{\setboolean{@budituftefloat@reversegeometry}{true}}
7131 \newboolean{@budituftefloat@afourpaper}
7132 \DeclareOption{a4paper}{\setboolean{@budituftefloat@afourpaper}{true}}
7133 \newboolean{@budituftefloat@bfivepaper}
7134 \DeclareOption{b5paper}{\setboolean{@budituftefloat@bfivepaper}{true}}

```



```

7135 \newboolean{@biditufefloat@symmetric}
7136 \newboolean{@biditufefloat@twoside}
7137 \DeclareOption{twoside}{%
7138   \twosidetrue \mparswitchtrue%
7139   \setboolean{@biditufefloat@twoside}{true}%
7140   \setboolean{@biditufefloat@symmetric}{true}%
7141 }
7142 \DeclareOption{oneside}{%
7143   \twosidefalse \mparswitchfalse%
7144   \setboolean{@biditufefloat@twoside}{false}%
7145   \setboolean{@biditufefloat@symmetric}{false}%
7146 }
7147 \ifclassloaded{book}{\ExecuteOptions{twoside}{}}
7148 \newboolean{@biditufefloat@debug}
7149 \newcommand*\@biditufefloat@caption@justification{\@biditufefloat@justification@autodelete}
7150 \ProcessOptions
7151 %% Globally sets the length
7152 \newcommand*\gsetlength}[2]{%
7153   \setlength{#1}{#2}%
7154   \global#1=\#1\relax%
7155 }
7156
7157 %% Set the font sizes and baselines to match biditufefloat's books
7158 \renewcommand\normalsize{%
7159   \setfontsize\normalsize\@xpt{14}%
7160   \abovedisplayskip 10\p@ \oplus2\p@ \minus5\p@
7161   \abovedisplayshortskip \z@ \oplus3\p@
7162   \belowdisplayshortskip 6\p@ \oplus3\p@ \minus3\p@
7163   \belowdisplayskip \abovedisplayskip
7164   \let\@listi\@listI}
7165 \normalbaselineskip=14pt
7166 \normalsize
7167 \renewcommand\footnotesize{%
7168   \setfontsize\footnotesize\@viiipt{10}%
7169   \abovedisplayskip 6\p@ \oplus2\p@ \minus4\p@
7170   \abovedisplayshortskip \z@ \oplus\p@
7171   \belowdisplayshortskip 3\p@ \oplus\p@ \minus2\p@
7172   \def\@listi{\leftmargin\leftmargini
7173     \topsep 3\p@ \oplus\p@ \minus\p@
7174     \parsep 2\p@ \oplus\p@ \minus\p@
7175     \itemsep \parsep}%
7176   \belowdisplayskip \abovedisplayskip
7177 }
7178 %% Paragraph indentation and separation for marginal text
7179 \newcommand{\@biditufefloat@margin@par}{%
7180   \setlength{\RaggedRightParindent}{0.5pc}%
7181   \setlength{\JustifyingParindent}{0.5pc}%
7182   \setlength{\parindent}{0.5pc}%
7183   \setlength{\parskip}{0pt}%
7184 }
7185 \RequirePackage{ragged2e}
7186 \ifthenelse{\boolean{@biditufefloat@reversegeometry}}{%
7187 \RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip, textwidth=26pc, marginpa
7188 \ifthenelse{\boolean{@biditufefloat@afourpaper}}{%

```



```

7189  {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm,marginparwidth=107mm}}
7190  {}}
7191 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
7192  {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm, textwidth=102.66mm,marginparwidth=102.66mm}}
7193  {}}{%
7194 \RequirePackage[letterpaper, left=1in,top=1in,headsep=2\baselineskip, textwidth=26pc,marginparwidth=26pc]
7195 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}
7196  {\geometry{a4paper, left=24.8mm,top=27.4mm,headsep=2\baselineskip, textwidth=107mm,marginparwidth=107mm}}
7197  {}}
7198 \ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
7199  {\geometry{paperwidth=176mm,paperheight=250mm, left=14.66mm,top=13.88mm, textwidth=102.66mm,marginparwidth=102.66mm}}
7200  {}}
7201 \ifthenelse{\boolean{@bidituftefloat@symmetric}}
7202  {}}
7203  {\geometry{asymmetric}}% forces internal LaTeX `twoside'
7204 \setlength\marginparpush{10pt}
7205 %% Font for margin items
7206 \newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
7207 \newcommand*\{@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
7208 \newcommand*\setcaptionfont[1]{\renewcommand*\@bidituftefloat@caption@font{#1}}
7209 \newcommand{\@bidituftefloat@justification}{\justifying}%
7210 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
7211 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
7212 \newboolean{@bidituftefloat@changepage}
7213 \IfFileExists{changepage.sty}{%
7214  \bidituftefloatDebugInfoNL{Found changepage.sty}
7215  \RequirePackage[strict]{changepage}
7216  \setboolean{@bidituftefloat@changepage}{true}
7217 }{%
7218  \bidituftefloatDebugInfoNL{Found chngpage.sty}
7219  \RequirePackage[strict]{chngpage}
7220  \setboolean{@bidituftefloat@changepage}{false}
7221 }
7222 \newboolean{@bidituftefloat@odd@page}
7223 \setboolean{@bidituftefloat@odd@page}{true}
7224 \newcommand*\@bidituftefloat@checkoddpage}{%
7225  \checkoddpage%
7226  \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
7227   \ifoddpage%
7228    \setboolean{@bidituftefloat@odd@page}{true}%
7229   \else%
7230    \setboolean{@bidituftefloat@odd@page}{false}%
7231   \fi%
7232 }{%
7233  \ifcpoddpage%
7234   \setboolean{@bidituftefloat@odd@page}{true}%
7235  \else%
7236   \setboolean{@bidituftefloat@odd@page}{false}%
7237  \fi%
7238 }%
7239 }
7240 \newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running head
7241 \newlength{\@bidituftefloat@fullwidth}
7242 \newlength{\@bidituftefloat@caption@fill}

```



```

7243 \newcommand{\bidituftefloatRecalculate}{%
7244   \setlength{\@bidituftefloat@overhang}{\marginparwidth}
7245   \addtolength{\@bidituftefloat@overhang}{\marginparsep}
7246   \setlength{\@bidituftefloat@fullwidth}{\textwidth}
7247   \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
7248   \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}
7249 }
7250 \setlength{\@bidituftefloat@caption@fill}{\textwidth}
7251 \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
7252 }
7253 }
7254 \AtBeginDocument{\bidituftefloatRecalculate}
7255 \RequirePackage{optparams}%
  provides multiple optional arguments for commands
7256 \RequirePackage{placeins}
7257 \newsavebox{\@bidituftefloat@margin@floatbox}
7258 \newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
7259   {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order
7260   \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
7261   \begin{minipage}{\marginparwidth}%
7262     \@bidituftefloat@caption@font%
7263     \def\@capttype{\#2}%
7264     \hbox{}\vspace*{\#1}%
7265     \@bidituftefloat@caption@justification%
7266     \@bidituftefloat@margin@par%
7267     \noindent%
7268   }%
7269   \end{minipage}%
7270   \end{lrbox}%
7271   \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
7272 }
7273 \newenvironment{marginfigure}[1][-1.2ex]%
7274   {\begin{@bidituftefloat@margin@float}[\#1]{figure}}%
7275   {\end{@bidituftefloat@margin@float}}
7276 \newenvironment{margintable}[1][-1.2ex]%
7277   {\begin{@bidituftefloat@margin@float}[\#1]{table}}%
7278   {\end{@bidituftefloat@margin@float}}
7279 \newcommand*\@bidituftefloat@justification@autodetect{\justifying}%
7280
7281 \newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float is processed
7282 \newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
7283   \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}{%
7284     \def\@bidituftefloat@float@debug@info{\#1}%
7285     \g@addto@macro{\@bidituftefloat@float@debug@info{\MessageBreak\#1}}%
7286   }
7287 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
7288 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{\#1}\@bidituftefloat@float@debug}
7289 \newboolean{\bidituftefloat@float@recto}
7290 \newcommand{\forcecorrectoffloat}{\GlobalSetBoolean{\bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug}
7291 \newcommand{\forceversoffloat}{\GlobalSetBoolean{\bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug}
7292 \newsavebox{\@bidituftefloat@figure@box}
7293 \newsavebox{\@bidituftefloat@caption@box}
7294 \let\@bidituftefloat@orig@float\@float
7295 \let\@bidituftefloat@orig@endfloat\end@float
7296 \newlength{\@bidituftefloat@caption@vertical@offset}

```



```

7297 \setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
7298 \newcommand{\@bidituftefloat@stored@shortcaption}{}
7299 \newcommand{\@bidituftefloat@stored@caption}{}
7300 \newcommand{\@bidituftefloat@stored@label}{}
7301 \long\def\@bidituftefloat@caption[#1][#2]{#3{%
7302   \ifthenelse{\isempty{#1}}{%
7303     {\gdef\@bidituftefloat@stored@shortcaption{#3}}{%
7304       {\gdef\@bidituftefloat@stored@shortcaption{#1}}{%
7305         \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}}% we want a positive offset to l
7306         \gdef\@bidituftefloat@stored@caption{#3}}{%
7307       }{%
7308     \newcommand{\@bidituftefloat@label}[1]{%
7309       \gdef\@bidituftefloat@stored@label{#1}}{%
7310     }{%
7311     \newcommand{\@bidituftefloat@fps}{}
7312     \newboolean{@bidituftefloat@float@star}
7313     \newlength{\@bidituftefloat@float@contents@width}
7314     \newenvironment{@bidituftefloat@float}[3][htbp]{%
7315       {%
7316         \begin{minipage}{#1}%
7317           \ifthenelse{\equal{#3}{star}}{%
7318             {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}{%
7319               {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}{%
7320                 \% Check page side (recto/verso) and store detected value -- can be overriden in environm
7321                 \@bidituftefloat@checkoddpage}{%
7322                   \ifthenelse{\boolean{@bidituftefloat@odd@page}}{%
7323                     {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}}{\@bidituftefloat@float@debug{Det
7324                     {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}}{\@bidituftefloat@float@debug{Det
7325                     \% If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages
7326                     \renewcommand{\@bidituftefloat@fps}{#1}}{%
7327                       \@bidituftefloat@float@debug{Allowed positions: [#1]}{%
7328                         \ifthenelse{\equal{#1}{b}}{\OR{\equal{#1}{B}}}{%
7329                           {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [bot
7330                           {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top
7331                           \% Capture the contents of the \caption and \label commands to use later
7332                           \global\let\@bidituftefloat@orig@caption\caption
7333                           \global\let\@bidituftefloat@orig@label\label
7334                           \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[]}{[0pt]}}{%
7335                           \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}{%
7336                           \% Handle subfigure package compatibility
7337                           \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
7338                             \bidi@patchcmd{\subfigure}{%
7339                               \let\subfig@oldlabel=\label
7340                               }{%
7341                                 \let\subfig@oldlabel=\@bidituftefloat@orig@label
7342                               }
7343                               {}
7344                               {}
7345                               \let\subtable=\subfigure
7346                               }{%
7347                                 \subfigure package is not loaded
7348                                 \@bidituftefloat@orig@float{#2}{#1}}{%
7349                                 \ifthenelse{\boolean{@bidituftefloat@float@star}}{%
7350                                   {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}{%
7350                                     {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}{%

```





```

7405      \smash{\raisebox{#1}{\usebox{#3}}}\%
7406  }
7407  \obidituftefloat@float@debug{Caption position: [right]}\%
7408 }{\% symmetric pages and page is even, so caption is on the left
7409   \hbox{%
7410     \smash{\raisebox{#1}{\usebox{#3}}}\%
7411     \hspace{\marginparsep}\%
7412     \usebox{#2}\%
7413   }
7414   \obidituftefloat@float@debug{Caption position: [left]}\%
7415 }%
7416 }
7417 \newcommand{\obidituftefloat@float@fullwidth}[3][0pt]{%
7418   \ifthenelse{\equal{\floatalignment}{b}}{%
7419     {\% place caption above figure
7420       \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\OR\boolean{@bidituftefloat@float@r}{\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\obidituftefloat@float@debug}}{%
7421         \smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\obidituftefloat@float@debug}}%
7422     {\% place caption below figure
7423       \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\OR\boolean{@bidituftefloat@float@r}{\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\obidituftefloat@float@debug}}{%
7424         \usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\obidituftefloat@float@debug}}%
7425     }%
7426   }%
7427 }
7428 }
7429 \renewenvironment{figure}[1][htbp]{%
7430   \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{}{%
7431     \end{@bidituftefloat@float}}}
7432 \renewenvironment{table}[1][htbp]{%
7433   \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{}{%
7434     \end{@bidituftefloat@float}}}
7435 \renewenvironment{figure*}[1][htbp]{%
7436   \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{star}{}{%
7437     \end{@bidituftefloat@float}}}
7438 \renewenvironment{table*}[1][htbp]{%
7439   \ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{star}{}{%
7440     \end{@bidituftefloat@float}}}
7441 \newenvironment{fullwidth}{%
7442   \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
7443     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth}{}{-\obidituftefloat@overhang}}{%
7444       \begin{adjustwidth}{}{-\obidituftefloat@overhang}}}}%
7445   }%
7446   \ifthenelse{\boolean{@bidituftefloat@symmetric}}{%
7447     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth}}{\end{adjustwidth}}{%
7448       \end{adjustwidth}}}}%
7449 }
7450 \long\def\@caption#1[#2]#3{%
7451   \par%
7452   \addcontentsline{\csname ext@#1\endcsname}{#1}{%
7453     \protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
7454   \begingroup%
7455     \parboxrestore%
7456     \if@minipage%
7457       \setminipage%
7458     \fi%

```



```

7459     \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
7460     \noindent\csname fnum@\#1\endcsname: \ignorespaces#3\par%
7461     \%@\makecaption{\csname fnum@\#1\endcsname}{\ignorespaces #3}\par
7462     \endgroup}
7463 %%
7464 % Turns newlines into spaces. Based on code from the `titlesec' package.
7465 \DeclareRobustCommand{\@biditufteheading@newlinetospace}{%
7466   \@ifstar{\@biditufteheading@newlinetospace@i}{\@biditufteheading@newlinetospace@i}%
7467 }
7468 \def\@biditufteheading@newlinetospace@i{%
7469   \ifdim\lastskip>\z@\else\space\fi
7470   \ignorespaces%
7471 }
7472 \DeclareRobustCommand{\newlinetospace}[1]{%
7473   \let\@biditufteheading@orig@cr\\% save the original meaning of \\
7474   \def\\{\@biditufteheading@newlinetospace}% turn \\ and \\* into \space
7475   \let\newline\\% turn \newline into \space
7476   #1%
7477   \let\\{\@biditufteheading@orig@cr}% revert to original meaning of \\
7478 }
7479 \RequirePackage{fancyhdr}
7480 \pagestyle{fancy}
7481 \AtBeginDocument{%
7482   \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
7483     {\fancyhff offset[LE,RO]{\@bidituftefloat@overhang}}%
7484     {\fancyhff offset[RE,RO]{\@bidituftefloat@overhang}}%
7485 }
7486 % The running heads/feet don't have rules
7487 \renewcommand{\headrulewidth}{0pt}
7488 \renewcommand{\footrulewidth}{0pt}
7489 % The 'fancy' page style is the default style for all pages.
7490 \fancyhf{} % clear header and footer fields
7491   \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
7492     {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}}%
7493     {\fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
7494     {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
7495 % The `plain' page style is used on chapter opening pages.
7496 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
7497 % bottom of pages -- the folios are unexpressed.
7498 \fancypagestyle{plain}{%
7499   \fancyhf{} % clear header and footer fields
7500   % Uncomment the following five lines of code if you want the opening page
7501   % of the chapter to express the folio in the lower outside corner.
7502   % \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
7503   % {\fancyfoot[LE,RO]{\thepage}}%
7504   % {\fancyfoot[RE,RO]{\thepage}}%
7505 }
7506 % The `empty' page style suppresses all headers and footers.
7507 % It's used on title pages and `intentionally blank' pages.
7508 \fancypagestyle{empty}{%
7509   \fancyhf{} % clear header and footer fields
7510 }
7511 \def\morefloats{%
7512   \ifthenelse{\isundefined{\bx@S}}{%

```



```

7513 \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
7514 \newinsert\bx@S
7515 \newinsert\bx@T
7516 \newinsert\bx@U
7517 \newinsert\bx@V
7518 \newinsert\bx@W
7519 \newinsert\bx@X
7520 \newinsert\bx@Y
7521 \newinsert\bx@Z
7522 \newinsert\bx@a
7523 \newinsert\bx@b
7524 \newinsert\bx@c
7525 \newinsert\bx@d
7526 \newinsert\bx@e
7527 \newinsert\bx@f
7528 \newinsert\bx@g
7529 \newinsert\bx@h
7530 \newinsert\bx@i
7531 \newinsert\bx@j
7532 \newinsert\bx@k
7533 \newinsert\bx@l
7534 \newinsert\bx@m
7535 \newinsert\bx@n
7536 \newinsert\bx@o
7537 \newinsert\bx@p
7538 \newinsert\bx@q
7539 \newinsert\bx@r
7540 \newinsert\bx@s
7541 \newinsert\bx@t
7542 \newinsert\bx@u
7543 \newinsert\bx@v
7544 \newinsert\bx@w
7545 \newinsert\bx@x
7546 \newinsert\bx@y
7547 \newinsert\bx@z
7548 \gdef\@freelist{@elt\bx@A@elt\bx@B@elt\bx@C@elt\bx@D@elt\bx@E
7549 \qquad\qquad\qquad @elt\bx@F@elt\bx@G@elt\bx@H@elt\bx@I@elt\bx@J
7550 \qquad\qquad\qquad @elt\bx@K@elt\bx@L@elt\bx@M@elt\bx@N
7551 \qquad\qquad\qquad @elt\bx@O@elt\bx@P@elt\bx@Q@elt\bx@R
7552 \qquad\qquad\qquad @elt\bx@S@elt\bx@T@elt\bx@U@elt\bx@V
7553 \qquad\qquad\qquad @elt\bx@W@elt\bx@X@elt\bx@Y@elt\bx@Z
7554 \qquad\qquad\qquad @elt\bx@a@elt\bx@b@elt\bx@c@elt\bx@d@elt\bx@e
7555 \qquad\qquad\qquad @elt\bx@f@elt\bx@g@elt\bx@h@elt\bx@i@elt\bx@j
7556 \qquad\qquad\qquad @elt\bx@k@elt\bx@l@elt\bx@m@elt\bx@n
7557 \qquad\qquad\qquad @elt\bx@o@elt\bx@p@elt\bx@q@elt\bx@r
7558 \qquad\qquad\qquad @elt\bx@s@elt\bx@t@elt\bx@u@elt\bx@v
7559 \qquad\qquad\qquad @elt\bx@w@elt\bx@x@elt\bx@y@elt\bx@z}%
7560 }% we've already added another 34 floats, so we'll add 26 more, but that's it!
7561 \ifthenelse{\isundefined{\bx@AA}}{%
7562 \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
7563 \newinsert\bx@AA
7564 \newinsert\bx@BB
7565 \newinsert\bx@CC
7566 \newinsert\bx@DD

```



```

7567     \newinsert\bx@EE
7568     \newinsert\bx@FF
7569     \newinsert\bx@GG
7570     \newinsert\bx@HH
7571     \newinsert\bx@II
7572     \newinsert\bx@JJ
7573     \newinsert\bx@KK
7574     \newinsert\bx@LL
7575     \newinsert\bx@MM
7576     \newinsert\bx@NN
7577     \newinsert\bx@OO
7578     \newinsert\bx@PP
7579     \newinsert\bx@QQ
7580     \newinsert\bx@RR
7581     \newinsert\bx@SS
7582     \newinsert\bx@TT
7583     \newinsert\bx@UU
7584     \newinsert\bx@VV
7585     \newinsert\bx@WW
7586     \newinsert\bx@XX
7587     \newinsert\bx@YY
7588     \newinsert\bx@ZZ
7589 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7590             \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7591             \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7592             \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
7593             \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7594             \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7595             \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7596             \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7597             \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
7598             \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7599             \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7600             \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
7601             \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
7602             \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
7603             \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
7604             \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
7605             \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
7606             \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
7607 }{%
7608     \bidituftefloatError{You may only call \string\morefloats\space twice. See the\Message
7609     {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or
7610     }%
7611 }%
7612 }%
7613 \newboolean{@bidituftefloat@packages@subfigure}
7614 \setboolean{@bidituftefloat@packages@subfigure}{false}
7615 \AtBeginDocument{%
7616     \@ifpackageloaded{subfigure}
7617         {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{true}}
7618         {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{false}}%
7619 }%
7620 \AtBeginDocument{%

```



```

7621  \@ifpackageloaded{float}{%
7622    % Save the redefined float environment (instead of the LaTeX float environment)
7623    \let\@bidituftefloat@orig@float\@float
7624    \let\@bidituftefloat@orig@endfloat\end@float
7625
7626    % Define Tuftian float styles (with the caption in the margin)
7627    \newcommand{\floatc@bidituftefloatplain}[2]{%
7628      \begin{lrbox}{\@bidituftefloat@caption@box}%
7629        \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
7630          \@bidituftefloat@caption@font{\@fs@cfont #1} #2\par%
7631        \end{minipage}%
7632      \end{lrbox}%
7633      \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
7634    }
7635    \newcommand{\fs@bidituftefloatplain}{%
7636      \def\@fs@cfont{\@bidituftefloat@caption@font}%
7637      \let\@fs@capt\floatc@bidituftefloatplain%
7638      \def\@fs@pref{}%
7639      \def\@fs@post{}%
7640      \def\@fs@mid{}%
7641      \let\@fs@iftopcapt\iftrue%
7642    }
7643    \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
7644    \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
7645    \newcommand\floatc@bidituftefloatruled[2]{%
7646      {\@fs@cfont #1} #2\par%
7647    }
7648    \newcommand\fs@bidituftefloatruled{%
7649      \def\@fs@cfont{\@bidituftefloat@caption@font}%
7650      \let\@fs@capt\floatc@bidituftefloatplain%
7651      \def\@fs@pref{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
7652      \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
7653      \def\@fs@mid{}%
7654      \let\@fs@iftopcapt\iftrue%
7655    }
7656    \newcommand\fs@bidituftefloatboxed{%
7657      \def\@fs@cfont{}%
7658      \let\@fs@capt\floatc@bidituftefloatplain%
7659      \def\@fs@pref{%
7660        \setbox\@currbox\vbox{\hbadness1000
7661        \moveleft3.4pt\vbox{\advance\hsize by6.8pt
7662          \hrule\hbox to\hsize{\vrule\kern3pt
7663            \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}%
7664      }%
7665      \def\@fs@mid{\kern2pt}%
7666      \def\@fs@post{}%
7667      \let\@fs@iftopcapt\iftrue%
7668    }
7669  }{%
7670    % Nothing to do
7671  }
7672 }
7673 \AtBeginDocument{%
7674   \ifpackageloaded{algorithm}{%

```



```

7675 % Set the float style to the Tuftian version
7676 \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@floatstyle}{switch}}%
7677   \bidiutfefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak}
7678   \floatstyle{bidiutfefloat\ALG@floatstyle}%
7679   \restylefloat{algorithm}%
7680 }{}%
7681 }{%
7682   % Nothing to do
7683 }
7684 }
7685 \PassOptionsToPackage{caption=false}{subfig}

```

54 File `bidiutfesidenote.sty`

```

7686 \NeedsTeXFormat{LaTeX2e}
7687 \ProvidesPackage{bidiutfesidenote}[2017/08/09 v0.4
7688 bidi implementation of tufte sidenote]
7689 \RequirePackage{xifthen}
7690 \RequirePackage{ragged2e}
7691 \RequirePackage{setspace}
7692 \RequirePackage{biditools}
7693 \def\bidiutfesidenotemarginpar{%
7694   \ifhmode
7695     \obspshack
7696     \floatpenalty -\Mii
7697   \else
7698     \floatpenalty-\Miii
7699   \fi
7700   \ifinner
7701     \parmoderr
7702     \floatpenalty\z@
7703   \else
7704     \next@currbox@\freelist{}{}%
7705     \next@marbox@\freelist{\global\count@marbox\m@ne}%
7706     {\floatpenalty\z@%
7707       \fltovf\def@\currbox{\tempboxa}\def@\marbox{\tempboxa}%
7708     \fi
7709     \ifnextchar [\bidiutfesidenotexmpar\bidiutfesidenoteypar]
7710     \long\def\bidiutfesidenotexmpar[#1]#2{%
7711       \bidiutfesidenotesavemarbox@\marbox{#1}%
7712       \bidiutfesidenotesavemarbox@\currbox{#2}%
7713       \xympar%
7714     \long\def\bidiutfesidenoteypar#1{%
7715       \bidiutfesidenotesavemarbox@\marbox{#1}%
7716       \global\setbox@\currbox\copy@\marbox%
7717       \xympar%
7718     \long\def \bidiutfesidenotesavemarbox #1#2{%
7719       \global\setbox #1%
7720       \color@vbox%
7721       \vtop{%
7722         \hspace\marginparwidth
7723         \parboxrestore
7724         \bidiutfesidenotemarginparreset
7725         #2%

```



```

7726      \@minipagefalse
7727      \outer@nobreak
7728      }%
7729      \color@endbox
7730 }
7731 \def \@bidituftesidenotemarginparreset {%
7732     \reset@font
7733     \normalsize
7734     \@minipagetrue
7735     \everypar{\@minipagefalse\everypar{}{if@RTL@footnote\beginR\else\beginL\fi}%
7736 }
7737 \def\LTRbidituftesidenotemarginpar{%
7738   \ifhmode
7739     \bsphack
7740     \@floatpenalty -\Mii
7741   \else
7742     \@floatpenalty-\Miii
7743   \fi
7744   \ifinner
7745     \parmmoderr
7746     \@floatpenalty\z@
7747   \else
7748     \next@\currbox\@freelist{}{}%
7749     \next@\marbox\@freelist{\global\count\marbox\m@ne}%
7750     {\@floatpenalty\z@
7751       \f@tovf\def\currbox{\tempboxa}\def\marbox{\tempboxa}}%
7752   \fi
7753   \ifnextchar [\@LTRbidituftesidenotexmpar@\LTRbidituftesidenoteypar]
7754     \long\def\@LTRbidituftesidenotexmpar[#1]#2{%
7755       \@LTRbidituftesidenotesavemarbox\marbox{#1}%
7756       \@LTRbidituftesidenotesavemarbox\currbox{#2}%
7757       \xympar}
7758     \long\def\@LTRbidituftesidenoteypar#1{%
7759       \@LTRbidituftesidenotesavemarbox\marbox{#1}%
7760       \global\setbox\currbox\copy\marbox
7761       \xympar}
7762     \long\def\@LTRbidituftesidenotesavemarbox #1#2{%
7763       \global\setbox #1%
7764       \color@vbox
7765       \vtop{%
7766         \hsize\marginparwidth
7767         \parboxrestore
7768         \@LTRbidituftesidenotemarginparreset
7769         #2%
7770         \@minipagefalse
7771         \outer@nobreak
7772       }%
7773       \color@endbox
7774 }
7775 \def \@LTRbidituftesidenotemarginparreset {%
7776     \reset@font
7777     \normalsize
7778     \@minipagetrue
7779     \everypar{\@minipagefalse\everypar{}{\beginL}}%

```



```

7780 }
7781 \def\RTLbidituftesidenotemarginpar{%
7782   \ifhmode
7783     \@bsphack
7784     \@floatpenalty -\@Mii
7785   \else
7786     \@floatpenalty-\@Miii
7787   \fi
7788   \ifinner
7789     \@parmoderr
7790     \@floatpenalty\z@
7791   \else
7792     \next\currbox\freelist{}{%
7793       \next\marbox\freelist{\global\count\marbox\m@ne}{%
7794         \next\@floatpenalty\z@
7795         \next\@fltofv\def\currbox{\tempboxa}\def\marbox{\tempboxa}}{%
7796       \fi
7797       \ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteypar]{%
7798         \long\def\@RTLbidituftesidenotexmpar[#1]#2{%
7799           \next\marbox\setbox\copy\marbox{\#1}{%
7800             \next\marbox\setbox\copy\currbox{\#2}{%
7801               \next\@xympar{%
7802                 \long\def\@RTLbidituftesidenoteypar#1{%
7803                   \next\marbox\setbox\copy\marbox{\#1}{%
7804                     \global\setbox\currbox\copy\marbox{%
7805                       \next\@xympar{%
7806                         \long\def\@RTLbidituftesidenotesavemarbox #1#2{%
7807                           \global\setbox #1{%
7808                             \color@vbox{%
7809                               \vtop{%
7810                                 \hsize\marginparwidth
7811                                 \parboxrestore
7812                                 \next\@RTLbidituftesidenotemarginparreset{%
7813                                   #2%
7814                                   \next\minipagetrue{%
7815                                     \outer\nobreak{%
7816                                       }{%
7817                                     \color@endbox{%
7818 }{%
7819 \def\@RTLbidituftesidenotemarginparreset {%
7820   \reset@font
7821   \normalsize
7822   \minipagetrue
7823   \everypar{\minipagetrue\everypar{}\beginR}{%
7824 }{%
7825 \newcommand*{\bidituftesidenote@marginfont}{\normalfont\footnotesize}
7826 \newcommand*{\bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
7827 \newcommand*{\bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
7828 \newcommand*{\bidituftesidenote@sidenote@font}{\bidituftesidenote@marginfont}
7829 \newcommand*{\bidituftesidenote@LTRsidenote@font}{\bidituftesidenote@LTRmarginfont}
7830 \newcommand*{\bidituftesidenote@RTLsidenote@font}{\bidituftesidenote@RTLmarginfont}
7831 \newcommand*{\bidituftesidenote@marginnote@font}{\bidituftesidenote@marginfont}
7832 \newcommand*{\bidituftesidenote@LTRmarginnote@font}{\bidituftesidenote@LTRmarginfont}
7833 \newcommand*{\bidituftesidenote@RTLmarginnote@font}{\bidituftesidenote@RTLmarginfont}

```



```

7834 \newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
7835 \newcommand*{\@bidituftesidenote@LTRcitation@font}{\@bidituftesidenote@LTRmarginfont}
7836 \newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
7837 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
7838 \newcommand*{\setLTrsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTrsidenote@font}{#1}}
7839 \newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1}}
7840 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
7841 \newcommand*{\setLTmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTmarginnote@font}{#1}}
7842 \newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}{#1}}
7843 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
7844 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1}}
7845 \newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1}}
7846 \newcommand*{\@bidituftesidenote@sideneote@justification}{\@bidituftesidenote@justification@a}
7847 \newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@a}
7848 \newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@a}
7849 \newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
7850 \newcommand{\@bidituftesidenote@margin@par}{%
7851   \setlength{\RaggedRightParindent}{0.5pc}%
7852   \setlength{\JustifyingParindent}{0.5pc}%
7853   \setlength{\parindent}{0.5pc}%
7854   \setlength{\parskip}{0pt}%
7855 }%
7856 %%%
7857 % Globally sets the length
7858 \ifundefined{gsetlength}{%
7859   \newcommand*{\gsetlength}[2]{%
7860     \setlength{#1}{#2}%
7861     \global#1=#1\relax%
7862 }%
7863 }{}%
7864 %
7865 %%%
7866 % A function that removes leading and trailling spaces from the supplied macro.
7867 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
7868 % Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
7869 % being trimmed of leading and trailing white space.
7870 \catcode`\Q=3
7871 \def\@bidituftesidenote@trim@spaces#1{%
7872   % Use grouping to emulate a multi-token afterassignment queue
7873   \begingroup%
7874   % Put `\'toks 0 {` into the afterassignment queue
7875   \aftergroup\toks\aftergroup0\aftergroup{%
7876   % Apply \trimb to the replacement text of #1, adding a leading
7877   % \noexpand to prevent brace stripping and to serve another purpose
7878   % later.
7879   \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
7880   % Transfer the trimmed text back into #1.
7881   \edef#1{\the\toks}%
7882 }%
7883 % \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
7884 % clean up any leftover bizarre Qs, and trim a leading space. In
7885 % order for \trimc to work properly we need to put back a Q first.
7886 \def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}%
7887 % Execute \vfuzz assignment to remove leading space; the \noexpand

```



```

7888 % will now prevent unwanted expansion of a macro or other expandable
7889 % token at the beginning of the trimmed text. The \endgroup will feed
7890 % in the \aftergroup tokens after the \vfuzz assignment is completed.
7891 \def\@bidituftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
7892 \catcode`\Q=11
7893 %%
7894 % Citations should go in the margin as sidenotes
7895
7896 \RequirePackage{natbib}
7897 \RequirePackage{bibentry} % allows bibitems to be typeset outside thebibliography env
7898 % Redefine the \BR@c@bibitem command to fix a bug with bibentry+chicago style
7899 \renewcommand\BR@c@bibitem[2] []{%
7900   \ifthenelse{\isempty{#1}}{%
7901     {\BR@c@bibitem[#2]}%
7902     {\BR@c@bibitem[#1]{#2}}%
7903   \BR@c@bibitem[#2]%
7904 }%
7905 \bidi@AtEndPreamble{\nobibliography*} % pre-loads the bibliography keys
7906 %%
7907 % Normal \cite behavior
7908 \newcounter{@bidituftesidenote@num@bibkeys}%
7909 \newcommand{\@bidituftesidenote@normal@cite}[2][0pt]{%
7910   % Snag the last bibentry in the list for later comparison
7911   \let\@temp@last@bibkey\empty%
7912   \for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
7913   \sidenote[] [#1]{%
7914     % Loop through all the bibentries, separating them with semicolons and spaces
7915     \normalsize\normalfont\@bidituftesidenote@citation@font%
7916     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
7917     \for\@temp@bibkeyx:=#2\do{%
7918       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
7919         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
7920         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7921         \bibentry{\@temp@bibkeyx}%
7922         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7923         \bibentry{\@temp@bibkeyx};\ }%
7924       \stepcounter{@bidituftesidenote@num@bibkeys}%
7925     }%
7926   }%
7927 }%
7928 \newcommand{\@biditufteLTRsidenote@normal@cite}[2][0pt]{%
7929   % Snag the last bibentry in the list for later comparison
7930   \let\@temp@last@bibkey\empty%
7931   \for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
7932   \LTRsidenote[] [#1]{%
7933     % Loop through all the bibentries, separating them with semicolons and spaces
7934     \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
7935     \setcounter{@bidituftesidenote@num@bibkeys}{0}%
7936     \for\@temp@bibkeyx:=#2\do{%
7937       \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
7938         \ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
7939         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7940         \bibentry{\@temp@bibkeyx}%
7941         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey

```



```

7942      \bibentry{\@temp@bibkeyx};\ }%
7943      \stepcounter{bidituftesidenote@num@bibkeys}%
7944  }%
7945 }%
7946 }%
7947 \newcommand{\@biditufteRTLsidenote@normal@cite}[2] [0pt]{%
7948 % Snag the last bibentry in the list for later comparison
7949 \let\@temp@last@bibkey\empty%
7950 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
7951 \RTLsidenote[] [#1]{%
7952 % Loop through all the bibentries, separating them with semicolons and spaces
7953 \normalsize\normalfont\budituftesidenote@citation@font}%
7954 \setcounter{bidituftesidenote@num@bibkeys}{0}%
7955 \@for\@temp@bibkeyx:=#2\do{%
7956 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
7957 \ifthenelse{\equal{\value{bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
7958 \budituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7959 \bibentry{\@temp@bibkeyx}}{%
7960 \budituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7961 \bibentry{\@temp@bibkeyx};\ }%
7962 \stepcounter{bidituftesidenote@num@bibkeys}%
7963 }%
7964 }%
7965 }%
7966 }%
7967 % Macros for holding the list of cite keys until after the \sidenote
7968 \gdef\@bidituftesidenote@citations{}% list of cite keys
7969 \newcommand\@bidituftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
7970 \ifx\@bidituftesidenote@citations\empty\else
7971 \g@addto@macro\@bidituftesidenote@citations{,}%
7972 \fi
7973 \g@addto@macro\@bidituftesidenote@citations{#1}
7974 }%
7975 \newcommand{\@bidituftesidenote@print@citations}[1] [0pt]{% puts the citations in a margin no
7976 % Snag the last bibentry in the list for later comparison
7977 \let\@temp@last@bibkey\empty%
7978 \@for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
7979 \marginpar{%
7980 \hbox{}\vspace*{#1}%
7981 \budituftesidenote@citation@font}%
7982 \budituftesidenote@citation@justification}%
7983 \budituftesidenote@margin@par% use parindent and parskip settings for marginal text
7984 \vspace*{-1\baselineskip}%
7985 % Loop through all the bibentries, separating them with semicolons and spaces
7986 \setcounter{bidituftesidenote@num@bibkeys}{0}%
7987 \@for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
7988 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
7989 \ifthenelse{\equal{\value{bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
7990 \budituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7991 \bibentry{\@temp@bibkeyx}}{%
7992 \budituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7993 \bibentry{\@temp@bibkeyx};\ }%
7994 \stepcounter{bidituftesidenote@num@bibkeys}%
7995 }%

```



```

7996  }%
7997 }
7998 %%
7999 % \cite behavior when executed within a sidenote
8000 \newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
8001 \newcommand{\@bidituftesidenote@infofootnote@cite}[1]{%
8002   \@bidituftesidenote@add@citation{#1}
8003 }
8004 %%
8005 % Set the default \cite style. This is set and reset by the \sidenote command.
8006 \let\cite\@bidituftesidenote@normal@cite
8007 \let\LTRcite\@biditufteLTRsidenote@normal@cite
8008 \let\RTLcite\@biditufteRTLsidenote@normal@cite
8009 %%
8010 % Transform existing \footnotes into \sidenotes
8011 % Sidenote: ``Where God meant footnotes to go.'' ---bidituftesidenote
8012 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
8013 \providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote}
8014 \renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote}
8015 % Override footmisc's definition to set the sidenote marks (numbers) inside the
8016 % sidenote's text block.
8017 \bidi@patch@AfterPackage{bidi}{\long\def\makefntext{\@textsuperscript{\@bidituftesidenote}}
8018 % Set the in-text footnote mark in the same typeface as the body text itself.
8019 \bidi@patch@AfterPackage{bidi}{\def\makefnmark{\hbox{\@textsuperscript{\normalfont\footnote}}}}
8020 \providecommand*\multiplefootnotemarker{3sp}
8021 \providecommand*\multfootsep{,}
8022 \bidi@patch@AfterPackage{bidi}{%
8023 \renewcommand{\@footnotemark}{%
8024   \leavevmode%
8025   \ifhmode%
8026     \edef\x@sf{\the\spacefactor}%
8027     \@bidituftesidenote@check@multiple@sidenotes%
8028     \nobreak%
8029   \fi%
8030   \makefnmark%
8031   \ifhmode\spacefactor\x@sf\fi%
8032   \relax%
8033 }%
8034 }
8035 \newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
8036   \ifdim\lastkern=\multiplefootnotemarker\relax%
8037     \edef\x@sf{\the\spacefactor}%
8038     \unkern%
8039     \textsuperscript{\multfootsep}%
8040     \spacefactor\x@sf\relax%
8041   \fi
8042 }
8043 \bidi@patch@AfterPackage{bidi}{%
8044 \renewcommand{\footnotetext}[2][0pt]{%
8045   \bidituftesidenotemarginpar{%
8046     \hbox{}\vspace*{#1}%
8047     \def\baselinestretch{\setspace@singlespace}%
8048     \reset@font%
8049     \bidi@footnotetext@font\reset@font\footnotesize%

```



```

8050  \b@uditufteidenote@margin@par% use parindent and parskip settings for marginal text
8051  \vspace*{-1\baselineskip}\noindent%
8052  \protected@edef\@currentlabel{%
8053      \csname p@footnote\endcsname\@thefnmark%
8054  }%
8055  \color@begingroup%
8056      \makefntext{%
8057          \ignorespaces#2%
8058      }%
8059  \color@endgroup%
8060 }%
8061 }%
8062 \renewcommand\@LTrfootnotetext[2][0pt]{%
8063     \LTrb@uditufteidenotemarginpar{%
8064         \hbox{}\vspace*{\#1}%
8065         \def\baselinestretch {\setlength{\lineskip}{0pt}\setlength{\lineheight}{1.2}\relax}%
8066         \reset@font%
8067         \bidi@LTrfootnotetext@font% \reset@font\footnotesize%
8068     \b@uditufteidenote@margin@par% use parindent and parskip settings for marginal text
8069     \vspace*{-1\baselineskip}\noindent%
8070     \protected@edef\@currentlabel{%
8071         \csname p@footnote\endcsname\@thefnmark%
8072     }%
8073     \color@begingroup%
8074         \makefntext{%
8075             \ignorespaces#2%
8076         }%
8077     \color@endgroup%
8078 }%
8079 }%
8080 \renewcommand\@RTLfootnotetext[2][0pt]{%
8081     \RTLb@uditufteidenotemarginpar{%
8082         \hbox{}\vspace*{\#1}%
8083         \def\baselinestretch {\setlength{\lineskip}{0pt}\setlength{\lineheight}{1.2}\relax}%
8084         \reset@font%
8085         \bidi@RTLfootnotetext@font% \reset@font\footnotesize%
8086     \b@uditufteidenote@margin@par% use parindent and parskip settings for marginal text
8087     \vspace*{-1\baselineskip}\noindent%
8088     \protected@edef\@currentlabel{%
8089         \csname p@footnote\endcsname\@thefnmark%
8090     }%
8091     \color@begingroup%
8092         \makefntext{%
8093             \ignorespaces#2%
8094         }%
8095     \color@endgroup%
8096 }%
8097 }%
8098 }%
8099 %
8100 % Define \sidenote command. Can handle \cite.
8101 \newlength{\b@uditufteidenote@sidenote@vertical@offset}
8102 \setlength{\b@uditufteidenote@sidenote@vertical@offset}{0pt}
8103 % #1 = footnote num, #2 = vertical offset, #3 = footnote text

```



```

8104 \long\def\@bidituftesidenote@sidenote[#1] [#2]#3{%
8105   \let\cite\@bidituftesidenote@infofootnote@cite%    use the in-sidenote \cite command
8106   \gdef\@bidituftesidenote@citations{}%           clear out any old citations
8107   \ifthenelse{\NOT\isempty{#2}}{%
8108     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
8109   }{%
8110     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
8111   }%
8112   \ifthenelse{\isempty{#1}}{%
8113     % no specific footnote number provided
8114     \stepcounter\@mpfn%
8115     \protected@xdef\@thefnmark{\thempfn}%
8116     \footnotemark\footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8117   }{%
8118     % specific footnote number provided
8119     \begingroup%
8120       \csname c@\@mpfn\endcsname #1\relax%
8121       \unrestored@protected@xdef\@thefnmark{\thempfn}%
8122     \endgroup%
8123     \footnotemark\footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8124   }%
8125   \@bidituftesidenote@print@citations%           print any citations
8126   \let\cite\@bidituftesidenote@normal@cite%        go back to using normal in-text \cite command
8127   \let\LTRcite\@biditufteLTRsidenote@normal@cite%  go back to using normal in-text \LTR
8128   \let\RTLcite\@biditufteRTLsidenote@normal@cite%  go back to using normal in-text \RTL
8129   \unskip\ignorespaces%                           remove extra white space
8130   \kern-\multiplefootnotemarker%                remove \kern left behind by sidenote
8131   \kern\multiplefootnotemarker\relax%           add new \kern here to replace the one we yanked
8132 }

8133 \long\def\@LTRbidituftesidenote@sidenote[#1] [#2]#3{%
8134   \let\cite\@bidituftesidenote@infofootnote@cite%    use the in-sidenote \cite command
8135   \gdef\@bidituftesidenote@citations{}%           clear out any old citations
8136   \ifthenelse{\NOT\isempty{#2}}{%
8137     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
8138   }{%
8139     \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
8140   }%
8141   \ifthenelse{\isempty{#1}}{%
8142     % no specific footnote number provided
8143     \stepcounter\@mpfn%
8144     \protected@xdef\@thefnmark{\thempfn}%
8145     \footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8146   }{%
8147     % specific footnote number provided
8148     \begingroup%
8149       \csname c@\@mpfn\endcsname #1\relax%
8150       \unrestored@protected@xdef\@thefnmark{\thempfn}%
8151     \endgroup%
8152     \footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
8153   }%
8154   \@bidituftesidenote@print@citations%           print any citations
8155   \let\cite\@bidituftesidenote@normal@cite%        go back to using normal in-text \cite command
8156   \let\LTRcite\@biditufteLTRsidenote@normal@cite%  go back to using normal in-text \LTR
8157   \let\RTLcite\@biditufteRTLsidenote@normal@cite%  go back to using normal in-text \RTL

```



```

8158 \unskip\ignorespaces%           remove extra white space
8159 \kern-\multiplefootnotemarker%   remove \kern left behind by sidenote
8160 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8161 }
8162 \long\def\@RTLbidituftesidenote@sidenote[#1][#2]#3{%
8163 \let\cite\@bidituftesidenote@infofootnote@cite%   use the in-sidenote \cite command
8164 \gdef\@bidituftesidenote@citations{}%           clear out any old citations
8165 \ifthenelse{\NOT\isempty{#2}}{%
8166   \gsetlength{\@bidituftesidenote@vertical@offset}{#2}%
8167 }{%
8168   \gsetlength{\@bidituftesidenote@vertical@offset}{0pt}%
8169 }%
8170 \ifthenelse{\isempty{#1}}{%
8171   % no specific footnote number provided
8172   \stepcounter\@mpfn%
8173   \protected@xdef\@thefnmark{\thempfn}%
8174   \footnotemark\@RTLfootnotetext[\@bidituftesidenote@vertical@offset]{#3}%
8175 }{%
8176   % specific footnote number provided
8177   \begingroup%
8178     \csname c@\@mpfn\endcsname #1\relax%
8179     \unrestored\protected@xdef\@thefnmark{\thempfn}%
8180   \endgroup%
8181   \footnotemark\@RTLfootnotetext[\@bidituftesidenote@vertical@offset]{#3}%
8182 }%
8183 \@bidituftesidenote@print@citations%           print any citations
8184 \let\cite\@bidituftesidenote@normal@cite%         go back to using normal in-text \cite command
8185 \let\LTRcite\@biditufteLTRsidenote@normal@cite%   go back to using normal in-text \LTR
8186 \let\RTLcite\@biditufteRTLsidenote@normal@cite%   go back to using normal in-text \RTL
8187 \unskip\ignorespaces%           remove extra white space
8188 \kern-\multiplefootnotemarker%   remove \kern left behind by sidenote
8189 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8190 }
8191 \newcommand{\sidenote}[1]{\optparams{\@bidituftesidenote@sidenote}{[] [0pt]}}
8192 \newcommand{\LTRsidenote}[1]{\optparams{\@LTRbidituftesidenote@sidenote}{[] [0pt]}}
8193 \newcommand{\RTLsidenote}[1]{\optparams{\@RTLbidituftesidenote@sidenote}{[] [0pt]}}
8194 \bidi@patch@AfterPackage{bidi}{%
8195 \renewcommand{\footnote}[1]{\optparams{\@bidituftesidenote@sidenote}{[] [0pt]}}%
8196 \renewcommand{\LTRfootnote}[1]{\optparams{\@LTRbidituftesidenote@sidenote}{[] [0pt]}}%
8197 \renewcommand{\RTLfootnote}[1]{\optparams{\@RTLbidituftesidenote@sidenote}{[] [0pt]}}%
8198 }%
8199 %%%
8200 % Sidenote without the footnote mark
8201 \newcommand\marginnote[2][0pt]{%
8202   \let\cite\@bidituftesidenote@infofootnote@cite%   use the in-sidenote \cite command
8203   \gdef\@bidituftesidenote@citations{}%           clear out any old citations
8204   \bidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidituftesidenote@font}%
8205   \@bidituftesidenote@print@citations%           print any citations
8206   \let\cite\@bidituftesidenote@normal@cite%         go back to using normal in-text \cite command
8207   \let\LTRcite\@biditufteLTRsidenote@normal@cite%   go back to using normal in-text \LTR
8208   \let\RTLcite\@biditufteRTLsidenote@normal@cite%   go back to using normal in-text \RTL
8209 }
8210 \newcommand\LTRmarginnote[2][0pt]{%
8211   \let\cite\@bidituftesidenote@infofootnote@cite%   use the in-sidenote \cite command

```



```

8212 \gdef\@bidituftesidenote@citations{}%           clear out any old citations
8213 \LTRbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@LTRmarginnote@font\@c
8214 \@bidituftesidenote@print@citations%           print any citations
8215 \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comm
8216 \let\LTRcite\@biditufteLTRsidenote@normal@cite%      go back to using normal in-text \LTRA
8217 \let\RTLcite\@biditufteRTLsidenote@normal@cite%      go back to using normal in-text \RTLA
8218 }
8219 \newcommand\RTLmarginnote[2][Opt]{%
8220   \let\cite\@bidituftesidenote@infofnote@cite%    use the in-sidenote \cite command
8221   \gdef\@bidituftesidenote@citations{}%           clear out any old citations
8222   \RTLbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@RTLmarginnote@font\@c
8223   \@bidituftesidenote@print@citations%           print any citations
8224   \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comm
8225   \let\LTRcite\@biditufteLTRsidenote@normal@cite%      go back to using normal in-text \LTRA
8226   \let\RTLcite\@biditufteRTLsidenote@normal@cite%      go back to using normal in-text \RTLA
8227 }

```

55 File `bidituftetoc.sty`

```

8228 \NeedsTeXFormat{LaTeX2e}
8229 \ProvidesPackage{bidituftetoc}[2011/06/17 v0.1
8230 bidi implementation of tufte toc]
8231 \RequirePackage{titlesec,titletoc,xifthen,biditools}
8232 \newcommand{\@bidituftetoc@pkgname}{bidituftetoc}
8233 \newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}
8234 %%
8235 % Turn off section numbering
8236 \setcounter{secnumdepth}{-1}
8237 \newboolean{@bidituftetoc@toc}
8238 \setboolean{@bidituftetoc@toc}{true}
8239 \DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
8240 \DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
8241 \ProcessOptions
8242 %%
8243 % Make Tuftian-style section headings and TOC formatting
8244 \bidi@patch@AfterPackage{bidi}{%
8245 \titleformat{\chapter}{%
8246   [display]{shape
8247   {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}{}{}}% format
8248   {\itshape\huge\thechapter}}% label
8249   {0pt}}% horizontal separation between label and title body
8250   {\huge\rmfamily\itshape}}% before the title body
8251   [\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}{}{}}]}}% after the title
8252 \titleformat{\section}{%
8253   [hang]{shape
8254   {\normalfont\Large\itshape}}% format applied to label+text
8255   {\thesection}}% label
8256   {1em}}% horizontal separation between label and title body
8257   {}% before the title body
8258   []% after the title body
8259 \titleformat{\subsection}{%
8260   [hang]{shape
8261   {\normalfont\large\itshape}}% format applied to label+text
8262   {\thesubsection}}% label

```



```

8263 {1em}% horizontal separation between label and title body
8264 {}% before the title body
8265 []% after the title body
8266 \titleformat{\paragraph}%
8267 [runin]%
8268 {\normalfont\itshape}% format applied to label+text
8269 {\theparagraph}%
8270 {1em}% horizontal separation between label and title body
8271 {}% before the title body
8272 []% after the title body
8273 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
8274 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
8275 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
8276 }
8277 % Subsubsection and following section headings shouldn't be used.
8278 % See Bringhurst's The Elements of Typography, section 4.2.2.
8279 \renewcommand\subsubsection{%
8280   \bidiuftetocError{\noexpand\subsubsection is undefined by this class.%}
8281   \MessageBreak See Robert Bringhurst's The Elements of
8282   \MessageBreak Typographic Style, section 4.2.2.
8283   \MessageBreak \noexpand\subsubsection was used}
8284   {From Bringhurst's The Elements of Typographic Style, section 4.2.2: Use as
8285   \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8286   \MessageBreak related threads on Ask E.T. at http://www.edwardbidiuftetoc.com/.}
8287 }
8288 \renewcommand\subparagraph{%
8289   \bidiuftetocError{\noexpand\subparagraph is undefined by this class.%}
8290   \MessageBreak See Robert Bringhurst's The Elements of
8291   \MessageBreak Typographic Style, section 4.2.2.
8292   \MessageBreak \noexpand\subparagraph was used}
8293   {From Bringhurst's The Elements of Typographic Style, section 4.2.2: Use as
8294   \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8295   \MessageBreak related threads on Ask E.T. at http://www.edwardbidiuftetoc.com/.}
8296 }
8297 % Formatting for main TOC (printed in front matter)
8298 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
8299 \ifthenelse{\boolean{\bidiuftetoc@toc}}{%
8300   \bidi@patch@AfterPackage{bidi}{%
8301     \titlecontents{part}%
8302       [0em] % distance from left margin
8303       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8304       {\contentslabel{2em}} % before w/label (label = ``II'')
8305       {} % before w/o label
8306       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8307       [\end{fullwidth}] % after
8308     \titlecontents{chapter}%
8309       [0em] % distance from left margin
8310       {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8311       {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
8312       {\hspace*{0em}} % before w/o label
8313       {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8314       [\end{fullwidth}] % after
8315     \titlecontents{section}%
8316       [0em] % distance from left margin

```



```

8317   {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format
8318   {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
8319   {\hspace*{2em}} % before w/o label
8320   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8321   [\end{fullwidth}] % after
8322 \titlecontents{subsection}%
8323   [0em] % distance from left margin
8324   {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format
8325   {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
8326   {\hspace*{4em}} % before w/o label
8327   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8328   [\end{fullwidth}] % after
8329 \titlecontents{paragraph}%
8330   [0em] % distance from left margin
8331   {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global f
8332   {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
8333   {\hspace*{6em}} % before w/o label
8334   {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
8335   [\end{fullwidth}] % after
8336 }%
8337 }{%
8338 %%%
8339 % Format lists of figures/tables
8340 \renewcommand{\listoffigures}{%
8341   \@ifundefined{chapter}%
8342     {\section*{\listfigurename}}%
8343     {\chapter*{\listfigurename}}%
8344 %   \begin{fullwidth}%
8345   \starttoc{lof}%
8346 %   \end{fullwidth}%
8347 }%
8348 \renewcommand{\listoftables}{%
8349   \@ifundefined{chapter}%
8350     {\section*{\listtablename}}%
8351     {\chapter*{\listtablename}}%
8352 %   \begin{fullwidth}%
8353   \starttoc{lot}%
8354 %   \end{fullwidth}%
8355 }%
8356 \newcommand{\@biditufetoc@lof@line}[2]{%
8357   % #1 is the figure/table number and its caption text
8358   % #2 is the page number on which the figure/table appears
8359   \leftskip 0.0em
8360   \rightskip 0em
8361   \parfillskip 0em plus 1fil
8362   \parindent 0.0em
8363   \@afterindenttrue
8364   \interlinepenalty\@M
8365   \leavevmode
8366   \tempdima 2.0em
8367   \if@RTL\advance\rightskip\tempdima\else\advance\leftskip\tempdima\fi
8368   \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
8369   {#1}\nobreak\qquad\nobreak#2%
8370   \par}%

```



```

8371 }
8372 \renewcommand*\l@figure{\@bidituftetoc@lof@line}
8373 \let\l@table\l@figure

```

56 File `bidituftegeneralstructure.sty`

```

8374 \NeedsTeXFormat{LaTeX2e}
8375 \ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
8376 bidi implementation of tufte general structure]
8377 \renewcommand\small{%
8378   \@setfontsize\small\@ixpt{12}%
8379   \abovedisplayskip 8.5\p@ \plus3\p@ \minus4\p@
8380   \abovedisplayshortskip \z@ \plus2\p@
8381   \belowdisplayshortskip 4\p@ \plus2\p@ \minus2\p@
8382   \def\@listi{\leftmargin\leftmargini
8383     \topsep 4\p@ \plus2\p@ \minus2\p@
8384     \parsep 2\p@ \plus\p@ \minus\p@
8385     \itemsep \parsep}%
8386   \belowdisplayskip \abovedisplayskip
8387 }
8388 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viiipt\@viiipt}
8389 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vpt}
8390 \renewcommand\large{\@setfontsize\large\@xiipt{15}}
8391 \renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
8392 \renewcommand\LARGE{\@setfontsize\LARGE\@xivipt{18}}
8393 \renewcommand\huge{\@setfontsize\huge\@xxipt{30}}
8394 \renewcommand\Huge{\@setfontsize\Huge\@xxipt{36}}
8395 \setlength\leftmargini {1pc}
8396 \setlength\leftmarginii {1pc}
8397 \setlength\leftmarginiii {1pc}
8398 \setlength\leftmarginiv {1pc}
8399 \setlength\leftmarginv {1pc}
8400 \setlength\leftmarginvi {1pc}
8401 \setlength\labelsep {1.5pc}
8402 \setlength\labelwidth {\leftmargini}
8403 \addtolength\labelwidth{-\labelsep}
8404 \setlength\parindent{1.0pc}%
8405 \setlength\parskip{0pt}%
8406 \RequirePackage{ragged2e}
8407 \setlength\RaggedRightRightskip{\z@ plus 0.08\hspace}
8408 % Paragraph indentation and separation for normal text
8409 \newcommand{\@bidituftegeneralstructure@reset@par}{%
8410   \setlength\RaggedRightParindent{1.0pc}%
8411   \setlength\JustifyingParindent{1.0pc}%
8412   \setlength\parindent{1pc}%
8413   \setlength\parskip{0pt}%
8414 }
8415 \@bidituftegeneralstructure@reset@par
8416 % Require paralist package for tighter lists
8417 \RequirePackage{paralist}
8418 % Add rightmargin to compactenum
8419 \def\@compactenum{%
8420   \expandafter\list\csname label\@enumctr\endcsname{%
8421     \usecounter{\@enumctr}}%

```



```

8422     \rightmargin=2em% added this
8423     \parsep\plparsep
8424     \itemsep\plitemsep
8425     \topsep\plttopsep
8426     \partopsep\plpartopsep
8427     \def\makelabel##1{\hss\llap{##1}}}
8428 %%
8429 % An environment for paragraph-style section
8430 \providecommand{\newthought}[1]{%
8431   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
8432   \noindent\textrm{\#1}%
8433 }
8434 %%
8435 % Redefine the display environments (quote, quotation, etc.)
8436 \renewenvironment{verse}
8437   {\let\\@centercr
8438    \list{}{\itemsep      \z@
8439              \itemindent -1pc%
8440              \listparindent\itemindent
8441              \rightmargin \leftmargin
8442              \advance\leftmargin 1pc}%
8443              \small%
8444              \item\relax}
8445  {\endlist}
8446 \renewenvironment{quotation}
8447   {\list{}{\listparindent 1pc%
8448              \itemindent \listparindent
8449              \rightmargin \leftmargin
8450              \parsep      \z@ \oplus\p@}%
8451              \small%
8452              \item\relax\noindent\ignorespaces}
8453  {\endlist}
8454 \renewenvironment{quote}
8455   {\list{}{\rightmargin\leftmargin}%
8456              \small%
8457              \item\relax}
8458  {\endlist}
8459 % Italicize description run-in headings (instead of the default bold)
8460 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
8461 %%
8462 % Redefine \bibsection to not mark the running heads.
8463 % (Code modified from natbib.sty)
8464 \ifundefined{chapter}%
8465   {\renewcommand{\bibsection}{\section*{\refname}}}
8466   {\@ifundefined{NAT@sectionbib}%
8467     {\renewcommand{\bibsection}{\chapter{\bibname}}}
8468     {\renewcommand{\bibsection}{\section*{\bibname}}}}
8469 \RequirePackage{multicol}
8470 \renewenvironment{theindex}%
8471 \ifundefined{chapter}%
8472   {\section*{\indexname}%
8473   {\chapter{\indexname}}%
8474   \begin{fullwidth}%
8475   \small%

```



```

8476  \parskip0pt%
8477  \parindent0pt%
8478  \let\item@\idxitem%
8479  \begin{multicols}{3}%
8480 }{%
8481  \end{multicols}%
8482  \end{fullwidth}%
8483 }%
8484 \AtBeginDocument{%
8485 \renewcommand{\idxitem}{\par\hangindent \if@RTL-\fi2em}%
8486 \renewcommand{\subitem}{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
8487 \renewcommand{\subsubitem}{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
8488 \renewcommand{\indexspace}{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
8489 \newcommand{\lettergroup}[1]{% swallow the letter heading in the index

```

57 File `budituftehyperref.sty`

```

8490 \NeedsTeXFormat{LaTeX2e}
8491 \ProvidesPackage{budituftehyperref}[2011/06/18 v0.1
8492 bidi implementation of tufte hyperref]
8493 %%
8494 % Color
8495 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
8496 \newboolean{@budituftehyperref@loadhyper}
8497 \setboolean{@budituftehyperref@loadhyper}{true}
8498 \DeclareOption{hyper}{\setboolean{@budituftehyperref@loadhyper}{true}}
8499 \DeclareOption{nohyper}{\setboolean{@budituftehyperref@loadhyper}{false}}
8500 \ProcessOptions
8501 %% Loads the hyperref package and sets some default options.
8502 \newcommand{\budituftehyperrefLoadHyperref}{%
8503 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
8504   \hypersetup{%
8505     bookmarksdepth = section,
8506     citecolor = DarkGreen,
8507     linkcolor = DarkBlue,
8508     pagecolor = DarkBlue,
8509     urlcolor = DarkGreen,
8510   }%
8511 }
8512 \ifthenelse{\boolean{@budituftehyperref@loadhyper}}{%
8513   \budituftehyperrefLoadHyperref%
8514 }{%
8515   \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
8516 }

```

58 File `budituftetitle.sty`

```

8517 \NeedsTeXFormat{LaTeX2e}
8518 \ProvidesPackage{budituftetitle}[2011/06/18 v0.1
8519 bidi implementation of tufte title]
8520 \RequirePackage{biditools}
8521 %%
8522 % `titlepage' option -- creates a full title page with \maketitle
8523 \newboolean{@budituftetitle@titlepage}

```



```

8524 \DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
8525 \DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
8526 % Default `book' and `handout' options
8527 \@ifclassloaded{book}{%
8528 \ExecuteOptions{titlepage}}{%
8529 \ifclassloaded{article}{%
8530 \ExecuteOptions{notitlepage}}{%
8531 {}}
8532 \ProcessOptions
8533 %%}
8534 % Modified \title, \author, and \date commands. These store the
8535 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
8536 \newcommand{\plaintitle}{}% plain-text-only title
8537 \newcommand{\plainauthor}{}% plain-text-only author
8538 \newcommand{\plainpublisher}{}% plain-text-only publisher
8539 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
8540 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
8541 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
8542 \newcommand{\@publisher}{}% full publisher with \thanks{}
8543 \newcommand{\thedate}{\today}
8544 \bidi@patch@AfterPackage{bidi}{%
8545 \renewcommand{\thanks}[1]{\footnote{\#1}}
8546 \renewcommand{\LTRthanks}[1]{\LTrfootnote{\#1}}
8547 \renewcommand{\RTLthanks}[1]{\RTLfootnote{\#1}}
8548 }
8549 \renewcommand{\title}[2][]{%
8550   \gdef\@title{\#2}%
8551   \begingroup%
8552     % TODO store contents of \thanks command
8553     \renewcommand{\thanks}[1]{}% swallow \thanks contents
8554     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8555     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8556     \protected@xdef\thanklesstitle{\#2}%
8557   \endgroup%
8558   \ifthenelse{\isempty{\#1}}{%
8559     {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
8560     {\renewcommand{\plaintitle}{\#1}}% use provided plain-text title
8561   \ifundefined{hypersetup}{%
8562     {}% hyperref is not loaded; do nothing
8563     {\hypersetup{pdftitle={\plaintitle}}}}% set the PDF metadata title
8564 }
8565 \let\@author\empty% suppress default latex.ltx ``no author'' warning
8566 \renewcommand{\author}[2][]{%
8567   \ifthenelse{\isempty{\#2}}{%
8568     \gdef\@author{\#2}%
8569     \begingroup%
8570       % TODO store contents of \thanks command
8571       \renewcommand{\thanks}[1]{}% swallow \thanks contents
8572       \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8573       \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8574     \endgroup%
8575     \ifthenelse{\isempty{\#1}}{%
8576       {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
8577       {\renewcommand{\plainauthor}{\#1}}% use provided plain-text author

```



```

8578  \@ifundefined{hypersetup}%
8579    {}% hyperref is not loaded; do nothing
8580    {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
8581 }
8582 \renewcommand{\date}[1]{%
8583   \gdef\@date{\#1}%
8584   \begingroup%
8585     % TODO store contents of \thanks command
8586     \renewcommand{\thanks}[1]{}% swallow \thanks contents
8587     \renewcommand{\LTrthanks}[1]{}% swallow \LTrthanks contents
8588     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8589     \protected@xdef\thedata{\#1}%
8590   \endgroup%
8591 }
8592 %%
8593 % Provides a \publisher command to set the publisher
8594 \newcommand{\publisher}[2][]{%
8595   \gdef\@publisher{\#2}%
8596   \begingroup%
8597     \renewcommand{\thanks}[1]{}% swallow \thanks contents
8598     \renewcommand{\LTrthanks}[1]{}% swallow \LTrthanks contents
8599     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8600     \protected@xdef\thanklesspublisher{\#2}%
8601   \endgroup%
8602   \ifthenelse{\isempty{\#1}}%
8603     {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
8604     {\renewcommand{\plainpublisher}{\#1}}% use provided plain-text publisher
8605 }
8606 %%
8607 % Produces a full title page
8608 \newcommand{\maketitlepage}[0]{%
8609   \cleardoublepage%
8610   {%
8611     \bfseries%
8612     \begin{fullwidth}%
8613       \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
8614       \vspace{11.5pc}%
8615       \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
8616       \vfill%
8617       \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
8618     \end{fullwidth}%
8619   }%
8620   \thispagestyle{empty}%
8621   \clearpage%
8622 }
8623 %%
8624 % Title block
8625 \bidi@AfterEndPreamble{%
8626   \renewcommand{\maketitle}{%
8627     \newpage%
8628     \global\@topnum\z@% prevent floats from being placed at the top of the page
8629     \begingroup%
8630       \setlength{\parindent}{0pt}%
8631       \setlength{\parskip}{4pt}%

```



```

8632   \let\@@title\@empty%
8633   \let\@@author\@empty%
8634   \let\@@date\@empty%
8635     \gdef\@@title{\LARGE\itshape\@title\par}%
8636     \gdef\@@author{\Large\itshape\@author\par}%
8637     \gdef\@@date{\Large\itshape\@date\par}%
8638   \@@title%
8639   \@@author%
8640   \@@date%
8641 \endgroup%
8642 \thispagestyle{plain}% suppress the running head
8643 }%
8644 }%
8645 %%%
8646 % Title page (if the `titlepage' option was passed to the biditufte-handout
8647 % class.)
8648 \bidi@AfterEndPreamble{%
8649 \ifthenelse{\boolean{buditufte@titlepage}}%
8650   {\renewcommand{\maketitle}{\maketitlepage}}%
8651   {}%
8652 }%
8653 %%%
8654 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
8655 % without headers and footers
8656 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
8657   \hbox{}%
8658   \%vspace*\fill}
8659   \begin{center}%
8660   % This page intentionally contains only this sentence.
8661   \end{center}%
8662   \%vspace*\fill}
8663 \thispagestyle{empty}
8664 \newpage
8665 \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

59 File `buditufte-handout.cls`

```

8666 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8667 \ProvidesClass{buditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
8668 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
8669 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftefloat}}
8670 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetoc}}
8671 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftehyperref}}
8672 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{budituftetitle}}
8673 \ProcessOptions\relax
8674 \LoadClass{article}
8675 \RequirePackage{budituftefloat}
8676 \RequirePackage{budituftesidenote}
8677 \RequirePackage{budituftetoc}
8678 \RequirePackage{budituftegeneralstructure}
8679 \RequirePackage{budituftehyperref}
8680 \RequirePackage{budituftetitle}
8681 \renewenvironment{abstract}
8682   {\begin{quotation}}

```



```

8683  {\end{quotation}}
8684 \AtBeginDocument{%
8685 \IfFileExists{biditufte-handout.cfg}%
8686  {\input{biditufte-handout.cfg}%
8687  \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}%
8688  {}%}
8689 }

```

60 File `biditufte-book.cls`

```

8690 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8691 \ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
8692 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
8693 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
8694 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
8695 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
8696 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
8697 \ProcessOptions\relax
8698 \LoadClass{book}
8699 \RequirePackage{bidituftefloat}
8700 \RequirePackage{bidituftesidenote}
8701 \RequirePackage{bidituftetoc}
8702 \RequirePackage{bidituftegeneralstructure}
8703 \RequirePackage{bidituftehyperref}
8704 \RequirePackage{bidituftetitle}
8705 %%
8706 % Set up any book-specific stuff now
8707 %%
8708 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
8709 % to the opening page of Chapter 1. The running heads, when they appear,
8710 % contain only the (arabic) page number in the outside corner.
8711 \%newif\if@mainmatter \@mainmattertrue
8712 \renewcommand\frontmatter{%
8713  \cleardoublepage%
8714  \@mainmatterfalse%
8715  \pagenumbering{arabic}%
8716  \%pagestyle{plain}%
8717  \fancyhf{}%
8718  \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
8719    {\fancyhead[LE,RO]{\thepage}}%
8720    {\fancyhead[RE,RO]{\thepage}}%
8721 }%
8722 %%
8723 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
8724 % numbering---it continues where it left off in the front matter.
8725 \renewcommand\mainmatter{%
8726  \cleardoublepage%
8727  \@mainmattertrue%
8728  \fancyhf{}%
8729  \ifthenelse{\boolean{@bidituftefloat@twoside}}{%
8730    {\renewcommand{\chaptermark}[1]{\markboth{\#\#1}{}}}%
8731    {\fancyhead[LE]{\thepage\quad\smallcaps{\newlineinspace{\plaintitle}}}}% book title
8732    {\fancyhead[RO]{\smallcaps{\newlineinspace{\leftmark}}\quad\thepage}}% chapter title
8733    {\fancyhead[RE,RO]{\smallcaps{\newlineinspace{\plaintitle}}\quad\thepage}}% book title

```



```

8734 }
8735 %%
8736 % The back matter contains appendices, indices, glossaries, endnotes,
8737 % bibliographies, list of contributors, illustration credits, etc.
8738 \renewcommand\backmatter{%
8739   \if@openright%
8740     \cleardoublepage%
8741   \else%
8742     \clearpage%
8743   \fi%
8744   \c@mainmatterfalse%
8745 }
8746 %%
8747 % Only show the chapter titles in the table of contents
8748 \setcounter{tocdepth}{0}
8749 \AtBeginDocument{%
8750 \IfFileExists{biditufte-book.cfg}%
8751   {\input{biditufte-book.cfg}}
8752   \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \gobble}%
8753 {}%
8754 }

```

61 File `bidipoem.sty`

```

8755 \NeedsTeXFormat{LaTeX2e}
8756 \ProvidesPackage{bidipoem}%
8757 [2019/03/03 v1.0 Environments for typesetting Persian traditional and modern poems]
8758
8759 % Usage:
8760 %
8761 % \Setversedim #1#2 % define the layout (within a group):
8762 % #1 = length of both half-verses
8763 % #2 = separation distance = length of a connection, if present
8764 % Variant:
8765 % \Setversedim #1[#2]#3 % for half-verses of unequal length
8766 % #1 = length of first (=right) half-verse
8767 % #2 = length of second (=left) half-verse
8768 % #3 = separation distance = length of a connection, if present
8769 %
8770 % \traditionalhalfverses #1#2 % typeset two separated half-verses
8771 % #1 = text of first (=right) half-verse
8772 % #2 = text of second (=left) half-verse
8773 % Variant:
8774 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
8775 % #1 = text of first (=right) half-verse
8776 % #2 = text of connection
8777 % #3 = text of second (=left) half-verse
8778 %
8779 % Alternative (if preferred):
8780 %
8781 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
8782
8783
8784 \newcommand*\bidipoem[2]{\hbox to #1{#2}}

```



```

8785
8786 % define the layout, verses will be centered
8787
8788 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
8789 \newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen
8790
8791 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
8792 \bidipoem@hvind \textwidth
8793 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
8794 \ifx [#2\def \bidipoem@next {\bidipoem@set@verseI []}\else
8795 \bidipoem@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@hvlen
8796
8797 \def \bidipoem@set@verseI [#1]{% optional parameter
8798 \bidipoem@hvlen #1\relax \bidipoem@set@verse }
8799
8800 \newcommand*{\bidipoem@set@@verse}[1]{% separation
8801 \advance \bidipoem@hvind -\bidipoem@hvlen \bidipoem@hvsep #1\relax
8802 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
8803
8804 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
8805 \ifdim 0pt > \bidipoem@hvind %
8806 \bidipoem@spreadbox \bidipoem@hvlen {#1}\\\hfill % first block
8807 \else
8808 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
8809 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
8810 \bidipoem@spreadbox \bidipoem@hvlen {#3}% second block
8811 \par }
8812
8813 % macro for two half verses
8814 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
8815 \ifx [#2\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]}
8816 \else\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
8817 \bidipoem@half@verses@next}
8818
8819 \def \bidipoem@half@verses #1[#2]#3{%
8820 \traditionalconnverses {#1}{#2}{#3}}
8821
8822
8823 {\catcode`^\^M=\active % these lines must end with %
8824 \gdef\traditionalpoem@obeylines{\catcode`^\^M\active \let^\^M\traditionalpoem@par}%
8825 \global\let^\^M\traditionalpoem@par} % this is in case ^M appears in a \write
8826 {\catcode`^\^M=\active % these lines must end with %
8827 \gdef\modernpoem@obeylines{\catcode`^\^M\active \let^\^M\modernpoem@par}%
8828 \global\let^\^M\modernpoem@par} % this is in case ^M appears in a \write
8829 \def\poemcolsep{.1\versewidth plus .1\versewidth minus .05\versewidth}
8830 \def\poemmarginskip{1em plus 1fil minus 1em}
8831 \def\poemextrabaselineskip{0\baselineskip}
8832 \def\poemskip{\medskip}
8833 \newcommand{\bidipoem@openbox}{\leavevmode
8834 \hbox to .77778em{%
8835 \hfil\vrule
8836 \vbox to .675em{\hrule width .6em\vfil\hrule}%
8837 \vrule\hfil}}
8838 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}}
```



```

8839 \newdimen\versewidth
8840 \newtoks\bidipoem@p@ftn
8841 \def\poem@verse#1{%
8842 \ifdim\wd#1>\new@poem@width
8843 \xdef\new@poem@width{\the\wd#1}%
8844 \ifdim\new@poem@width>\poem@width
8845 \xdef\poem@width{\new@poem@width}%
8846 \global\let\poem@needrun\relax
8847 \fi
8848 \fi
8849 \hbox to\poem@width{\unhbox#1}%
8850 \global\bidipoem@p@ftn\expandafter{\expandafter{\expandafter{\the\bidipoem@p@ftn}%
8851 }%
8852 \def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}%
8853 \def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
8854 \def\poem@lineversesep{%
8855 \nobreak
8856 \hskip\z@ plus 1filll%
8857 \penalty600%
8858 \hskip\poemcolsepskip
8859 \hskip\z@ plus -2filll%
8860 \vadjust{}%
8861 \nobreak
8862 \hskip\z@ plus 1filll%
8863 }%
8864 \def\poem@lineparsebegin{%
8865 \halign\bggroup
8866 \global\setbox\verse@i=\hbox{%
8867 \let\@footnotetext\bidipoem@p@ftntext}%
8868 \let\@LTRfootnotetext\bidipoem@p@LTRftntext}%
8869 \let\@RTLfootnotetext\bidipoem@p@RTLftntext}%
8870 \let\@xfootnotenext\bidipoem@p@xftntext}%
8871 \let\@xfootnote\bidipoem@p@xfootnote}%
8872 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext}%
8873 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote}%
8874 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext}%
8875 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote}%
8876 \ignorespaces##\unskip}%%
8877 \global\setbox\verse@ii=\hbox{%
8878 \let\@footnotetext\bidipoem@p@ftntext}%
8879 \let\@LTRfootnotetext\bidipoem@p@LTRftntext}%
8880 \let\@RTLfootnotetext\bidipoem@p@RTLftntext}%
8881 \let\@xfootnotenext\bidipoem@p@xftntext}%
8882 \let\@xfootnote\bidipoem@p@xfootnote}%
8883 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext}%
8884 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote}%
8885 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext}%
8886 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote}%
8887 \ignorespaces##\unskip}
8888 \cr
8889 }%
8890 \def\poem@lineparseend{%
8891 \crcr\egroup
8892 \vskip-\baselineskip

```



```

8893 }
8894 \def\traditionalpoem@cr{%
8895   \cr\poem@line
8896 }
8897 \newbox\verse@i
8898 \newbox\verse@ii
8899 \newif\ifpoem@started
8900
8901 \def\poem@line{%
8902 \poem@lineparseend
8903 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
8904 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
8905 \ifpoem@started
8906   \ifdim\wd\verse@ii>\z@\else
8907   \nopagebreak[3]
8908   \fi
8909   \leavevemode
8910   \poem@linebegin
8911   \poem@verse\verse@i
8912   \ifdim\wd\verse@ii>\z@
8913   \poem@linenversesep
8914   \poem@verse\verse@ii
8915   \fi
8916   \poem@lineend
8917 % \nopagebreak
8918 \par
8919 \vskip\poemextrabaselineskip
8920 \fi
8921 \poem@lineparsebegin
8922 }
8923 \def\@traditionalpoem{%
8924 \stepcounter{poem@no}
8925   \ifnum\max@poem@no<\number\c@poem@no%
8926   \xdef\poem@width{\z@}%
8927   \else
8928   \xdef\poem@width{\poem@prop{poem@width}}%
8929   \fi
8930 \xdef\new@poem@width{\z@}%
8931 \global\versewidth=\poem@width
8932 \poemskip\par
8933 \begingroup
8934 \tabskip=\z@
8935 \parskip=\z@
8936 \parindent=\z@
8937 \parfillskip=\z@
8938 \rightskip=\z@
8939 \leftskip=\z@
8940 \widowpenalty=10000% No break between verses of the same line.
8941 \clubpenalty=10000% Same as above. Not really needed.
8942 \def\newblock{\hfil\poemblocksep\hfil\null}%
8943 \def\traditionalpoem@par{\traditionalpoem@cr}%
8944 \def\\{\global\poem@startedtrue\traditionalpoem@cr}%
8945 \global\poem@startedfalse
8946 \csname poem@obeylines\endcsname

```



```

8947 \let\poem@obeylines\relax
8948 \poem@lineparsebegin
8949 }
8950 \def\@endtraditionalpoem{%
8951 \cr
8952 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
8953 \noalign{%
8954 \skip0=\poemextrabaselineskip
8955 \vskip-\skip0
8956 \vskip-\baselineskip
8957 }%
8958 \fi\fi
8959 \poem@lineparseend
8960 \endgroup
8961 \par
8962 \vskip\baselineskip
8963 \poemskip
8964 \ifdim\new@poem@width<\poem@width
8965 \global\let\poem@needrun\relax
8966 \fi
8967 \poem@write@aux{\poem@width@\romannumeral\c@poem@no}{\new@poem@width}%
8968 \ifx\AtEndDocument\undefined\poem@finish\fi
8969 \endparenv
8970 }
8971
8972
8973 \long\def\bidipoem@p@ftntext#1{%
8974 \edef\@tempx{\the\bidoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
8975 \global\bidoem@p@ftn\expandafter{\@tempx{#1}}%
8976 \long\def\bidipoem@p@LTRftntext#1{%
8977 \edef\@tempxi{\the\bidoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
8978 \global\bidoem@p@ftn\expandafter{\@tempxi{#1}}%
8979 \long\def\bidipoem@p@RTLftntext#1{%
8980 \edef\@tempxii{\the\bidoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
8981 \global\bidoem@p@ftn\expandafter{\@tempxii{#1}}%
8982
8983 \long\def\bidipoem@p@xftntext[#1]#2{%
8984 \global\bidoem@p@ftn\expandafter{\the\bidoem@p@ftn\footnotetext[#1]{#2}}}
8985
8986 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
8987 \global\bidoem@p@ftn\expandafter{\the\bidoem@p@ftn\LTRfootnotetext[#1]{#2}}}
8988
8989 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
8990 \global\bidoem@p@ftn\expandafter{\the\bidoem@p@ftn\RTLfootnotetext[#1]{#2}}}
8991
8992 \def\bidipoem@p@xfootnote[#1]{%
8993 \begingroup
8994 \csname c@\@mpfn\endcsname #1\relax
8995 \unrestored@protected@xdef\@thefnmark{\thempfn}%
8996 \endgroup
8997 \footnotemark\bidoem@p@xftntext[#1]}
8998
8999 \def\bidipoem@p@xLTRfootnote[#1]{%
9000 \begingroup

```



```

9001      \csname c@\@mpfn\endcsname #1\relax
9002      \unrestored@protected@xdef\@thefnmark{\thempfn}%
9003  \endgroup
9004  \@footnotemark\bidipoem@p@xLTRftntext[#1]
9005
9006 \def\bidipoem@p@xRTLfootnote[#1]{%
9007  \begingroup
9008    \csname c@\@mpfn\endcsname #1\relax
9009    \unrestored@protected@xdef\@thefnmark{\thempfn}%
9010  \endgroup
9011  \@footnotemark\bidipoem@p@xRTLftntext[#1]
9012
9013
9014
9015 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
9016 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obey
9017 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
9018 \def\poem@finish{%
9019 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
9020 \ifx\poem@needrun\relax
9021 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
9022 \global\let\poem@needrun\undefined
9023 \fi
9024 }
9025 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
9026 \newcounter{poem@no}\setcounter{poem@no}{\z@}
9027 \ifx\max@poem@no\undefined
9028   \def\max@poem@no{0}%
9029 \fi
9030 \newcommand{\poem@prop}[1]{\nameuse{\#1@\romannumeral\c@poem@no}}
9031 \newcommand{\poem@write@aux}[2]{%
9032   \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{\#1}{\#2}}}\%
9033   \@x
9034 }
9035 \def\@modernpoem{%
9036 \par
9037 \begingroup
9038 \parskip=\z@
9039 \parindent=\z@
9040 \def\[{\@settab\@tabplus\ignorespaces}%
9041 \def\][]{\@tabminus\ignorespaces}%
9042 \def\newblock{\poemblocksep}%
9043 \let\newpoem@tabcr\@tabcr
9044 \def\modernpoem@par{%
9045   \ifpoem@started\else
9046     \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9047       \stopfield
9048       \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9049     \contfield
9050   \fi
9051 }%
9052 \ifpoem@started\newpoem@tabcr\fi}%
9053 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
9054 \global\poem@startedfalse

```



```

9055 \csname poem@obeylines\endcsname
9056 \let\poem@obeylines\relax
9057 \begin{tabbing}%
9058 }
9059 \def\@endmodernpoem{%
9060 \global\poem@startedfalse
9061 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9062   \@stopfield
9063   \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9064   \@contfield
9065 \fi
9066 \ifpoem@started\else\let\@stopline\@stopfield\fi
9067 \end{tabbing}%
9068 \endgroup
9069 \par
9070   \if@nopallist \else
9071     \ifdim\lastskip >\z@
9072       \tempskipa\lastskip \vskip -\lastskip
9073       \advance\tempskipa\parskip \advance\tempskipa -\outerparskip
9074       \vskip\tempskipa
9075     \fi
9076   \endparenv
9077 \fi
9078 }
9079 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
9080 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem}
9081 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
9082 \gdef\@startfield{%
9083 \global\setbox\@curfield\hbox\bgroup%
9084 \let\@footnotetext\bidipoem@p@ftntext%
9085 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9086 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9087 \let\xfootnotenext\bidipoem@p\xftntext%
9088 \let\xfootnote\bidipoem@p\xfootnote%
9089 \let\xLTRfootnotenext\bidipoem@p\xLTRftntext%
9090 \let\xLTRfootnote\bidipoem@p\xLTRfootnote%
9091 \let\xRTLfootnotenext\bidipoem@p\xRTLftntext%
9092 \let\xRTLfootnote\bidipoem@p\xRTLfootnote%
9093 \color@begingroup%
9094 \gdef\@stopfield{%
9095   \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
9096 \gdef\@contfield{%
9097 \global\setbox\@curfield\hbox\bgroup%
9098 \let\@footnotetext\bidipoem@p@ftntext%
9099 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9100 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9101 \let\xfootnotenext\bidipoem@p\xftntext%
9102 \let\xfootnote\bidipoem@p\xfootnote%
9103 \let\xLTRfootnotenext\bidipoem@p\xLTRftntext%
9104 \let\xLTRfootnote\bidipoem@p\xLTRfootnote%
9105 \let\xRTLfootnotenext\bidipoem@p\xRTLftntext%
9106 \let\xRTLfootnote\bidipoem@p\xRTLfootnote%
9107 \color@begingroup\unhbox\@curfield}

```



62 File boek3-xetex-bidi.def

```
9108 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeT
9109 \renewenvironment{theindex}{%
9110   \if@twocolumn
9111     \restonecolfalse
9112   \else
9113     \restonecoltrue
9114   \fi
9115   \columnseprule \z@
9116   \columnsep 35\p@
9117   \twocolumn[\@makeschapterhead{\indexname}]%
9118   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
9119   \thispagestyle{plain}\parindent\z@
9120   \parskip\z@\@plus .3\p@\relax
9121   \let\item\@idxitem
9122 }{%
9123   \if@restonecol\onecolumn\else\clearpage\fi}
9124 \renewcommand*\head@style{%
9125   \interlinepenalty \OM
9126   \hyphenpenalty=\OM \exhyphenpenalty=\OM
9127   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
9128 \renewcommand*\@regtocline[3]{%
9129   \ifnum #1>\c@tocdepth
9130   \else
9131     \vskip\z@\@plus.2\p@
9132     \hangindent\z@ \cafterindenttrue \interlinepenalty\OM
9133     \if@RTL\rightskip\else\leftskip\fi\unitindent
9134     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
9135     \parfillskip\z@
9136     \tempdima\unitindent
9137     \parindent\z@
9138     \leavevmode
9139     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
9140     \hskip 1em \nobreak{\slshape #3}\par
9141   }%
9142   \fi}
9143 \if@oldtoc
9144 \renewcommand*\l@part[2]{%
9145   \ifnum \c@tocdepth >-2\relax
9146     \addpenalty{-\@highpenalty}%
9147     \addvspace{2.25em \@plus\p@}%
9148     \begingroup
9149       \setlength\tempdima{3em}%
9150       \parindent\z@ \if@RTL\leftskip\else\rightskip\fi\fi \c@pnumwidth
9151       \parfillskip -\c@pnumwidth
9152       \leavevmode
9153       \large \bfseries \hfil \hb@xt@\c@pnumwidth{\hss #2}\par
9154       \nobreak
9155       \global\c@nobreaktrue
9156       \everypar{\global\c@nobreakfalse\everypar{}}
9157     \endgroup
9158   \fi}
9159 \else
```



```

9160 \renewcommand*\l@part{%
9161   \ifnum \c@tocdepth >-2\relax
9162     \addpenalty{-\@highpenalty}%
9163     \addvspace{2.25em \@plus \p@}%
9164     \regtocline{0}%
9165   \fi}
9166 \fi
9167 \if@oldtoc
9168 \renewcommand*\l@chapter[2]{%
9169   \addpenalty{-\@highpenalty}%
9170   \vskip 1.0em \@plus\p@
9171   \setlength\@tempdima{1.5em}%
9172   \begingroup
9173   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9174   \parfillskip -\@pnumwidth
9175   \leavevmode \bfseries
9176   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9177   \hskip -\if@RTL\rightskip\else\leftskip\fi
9178   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9179   \penalty\@highpenalty
9180   \endgroup}
9181 \else
9182   \renewcommand*\l@chapter{\regtocline{0}}
9183 \fi
9184 \renewenvironment{abstract}{%
9185   \titlepage
9186   \null\vfil
9187   \section*{\SectFont \abstractname}
9188   \noindent\ignorespaces}
9189   {\par\vfil\null\endtitlepage}
9190 \renewenvironment{thebibliography}[1]
9191   {\chapter*{\bibname}%
9192     \omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9193     \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
9194     \bidi@thebibliography@font@hook%
9195     \list{\@biblabel{\@arabic\c@enumiv}}{%
9196       \settowidth\labelwidth{\@biblabel{#1}}%
9197       \leftmargin\labelwidth
9198       \advance\leftmargin\labelsep
9199       \openbib@code
9200       \usecounter{enumiv}%
9201       \let\p@enumiv\empty
9202       \renewcommand*\theenumiv{\@arabic\c@enumiv}%
9203       \sloppy\clubpenalty4000\widowpenalty4000%
9204       \sfcode`\. \om}
9205     {\def\@noitemerr
9206       {\@latex@warning{Empty `thebibliography' environment}}%
9207     \endlist}
9208 \renewcommand*\left@footnoterule{%
9209   \kern-3\p@
9210   \kern.5\baselineskip
9211   \hrule\@width\unitindent
9212   \kern.4\baselineskip
9213 }

```



```

9214 \renewcommand*\right@footnoterule{%
9215   \kern-3\p@
9216   \kern.5\baselineskip
9217   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9218   \kern.4\baselineskip}
9219 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
9220 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
9221 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
9222 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
9223 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
9224 \renewcommand*\theequation{%
9225   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
9226 \renewcommand*\thefigure{%
9227   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
9228 \renewcommand*\thetable{%
9229   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
9230 \renewcommand*\maketitle{%
9231   \begin{titlepage}%
9232     \let\footnotesize\small
9233     \let\right@footnoterule\relax
9234     \let\left@footnoterule\relax
9235     \let\textwidth@footnoterule\relax
9236     \let \footnote \thanks
9237     \long\def\@makefntext##1{\par\indent\z@%
9238       \def\labelitemi{\textendash}\@revlabeltrue
9239       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9240     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9241     \if@compatibility\setcounter{page}{0}\fi
9242     \null\vfil
9243     \vskip 60\p@
9244     \begin{center}%
9245       \TitleFont
9246       {\LARGE \def\{\penalty -\@M}
9247         \if@allcaps
9248           \expandafter\uc@nothanks\@title\thanks\relax
9249         \else
9250           \@\title
9251           \fi\par}%
9252     \vskip 3em%
9253     {\large
9254       \lineskip .75em \par\indent\z@%
9255     \begin{tabular}[t]{c}%
9256       \if@allcaps
9257         \expandafter\uc@author\nothanks\@author\and\relax
9258       \else
9259         \@\author
9260         \fi
9261       \end{tabular}\par}%
9262     \vskip 1.5em%
9263     {\large
9264       \if@allcaps
9265         \uppercase\expandafter{\@date}%
9266       \else
9267         \@date

```



```

9268     \fi\par}%
9269     \end{center}\par
9270     \@thanks
9271     \vfil\null
9272     \end{titlepage}%
9273     \setcounter{footnote}{0}%
9274     \global\let\thanks\relax
9275     \global\let\maketitle\relax
9276     \global\let\@thanks\empty
9277     \global\let\@author\empty
9278     \global\let\@title\empty
9279     \global\let\@date\empty
9280     \global\let\title\relax
9281     \global\let\author\relax
9282     \global\let\date\relax
9283     \global\let\and\relax
9284 }

```

63 File boek-xetex-bidi.def

```

9285 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX]
9286 \renewenvironment{theindex}{%
9287   \if@twocolumn
9288     \restonecolfalse
9289   \else
9290     \restonecoltrue
9291   \fi
9292   \columnseprule \z@
9293   \columnsep 35\p@
9294   \twocolumn[\@makeschapterhead{\indexname}]%
9295   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
9296   \thispagestyle{plain}\parindent\z@
9297   \parskip\z@ \plus .3\p@\relax
9298   \let\item@\idxitem
9299 }{%
9300   \if@restonecol\onecolumn\else\clearpage\fi}
9301 \renewcommand*\head@style{%
9302   \interlinepenalty \OM
9303   \hyphenpenalty=\OM \exhyphenpenalty=\OM
9304   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
9305 \renewcommand*\@regtocline[3]{%
9306   \ifnum #1>\c@tocdepth
9307   \else
9308     \vskip\z@\plus.2\p@
9309     \hangindent\z@ \afterindenttrue \interlinepenalty\OM
9310     \if@RTL\rightskip\else\leftskip\fi\unitindent
9311     \if@RTL\leftskip\else\rightskip\fi\unitindent\plus 1fil
9312     \parfillskip\z@
9313     \tempdima\unitindent
9314     \parindent\z@
9315     \leavevmode
9316     \hbox{} \hspace{-\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
9317     \hspace{1em}\nobreak\slshape #3}\par
9318 }

```



```

9319   \fi}
9320 \if@oldtoc
9321 \renewcommand*\l@part[2]{%
9322   \ifnum \c@tocdepth >-2\relax
9323     \addpenalty{-\@highpenalty}%
9324     \addvspace{2.25em \oplus \p@}%
9325     \begingroup
9326       \setlength{\tempdima}{3em}%
9327       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9328       \parfillskip -\pnumwidth
9329       {\leavevmode
9330         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
9331         \nobreak
9332         \global\@nobreaktrue
9333         \everypar{\global\@nobreakfalse\everypar{} }%
9334       \endgroup
9335     \fi}
9336 \else
9337   \renewcommand*\l@part{%
9338     \ifnum \c@tocdepth >-2\relax
9339       \addpenalty{-\@highpenalty}%
9340       \addvspace{2.25em \oplus \p@}%
9341       \regtocline{0}%
9342     \fi}
9343 \fi
9344 \if@oldtoc
9345 \renewcommand*\l@chapter[2]{%
9346   \addpenalty{-\@highpenalty}%
9347   \vskip 1.0em \oplus \p@
9348   \setlength{\tempdima}{1.5em}%
9349   \begingroup
9350     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9351     \parfillskip -\pnumwidth
9352     \leavevmode \bfseries
9353     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
9354     \hskip -\if@RTL\rightskip\else\leftskip\fi
9355     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
9356     \penalty\@highpenalty
9357   \endgroup
9358 \else
9359   \renewcommand*\l@chapter{\regtocline{0}}
9360 \fi
9361 \renewcommand*\left@footnoterule{%
9362   \kern-3\p@
9363   \kern.5\baselineskip
9364   \hrule\width\unitindent
9365   \kern.4\baselineskip
9366 }
9367 \renewcommand*\right@footnoterule{%
9368   \kern-3\p@
9369   \kern.5\baselineskip
9370   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9371   \kern.4\baselineskip}
9372 \renewenvironment{abstract}{%

```



```

9373   \titlepage
9374   \null\vfil
9375   \section*\{\SectFont \abstractname}
9376   \noindent\ignorespaces
9377   {\par\vfil\null\endtitlepage}
9378 \renewenvironment{thebibliography}[1]
9379   {\chapter*\{\bibname}\%
9380     \omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}\%
9381     \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
9382     \bidi@thebibliography@font@hook\%
9383     \list{\@biblabel{\@arabic\c@enumiv}}\%
9384       {\settowidth\labelwidth{\@biblabel{\#1}}\%
9385         \leftmargin\labelwidth
9386         \advance\leftmargin\labelsep
9387         \openbib@code
9388         \usecounter{enumiv}\%
9389         \let\p@enumiv\empty
9390         \renewcommand*\theenumiv{\@arabic\c@enumiv}\%
9391         \sloppy\clubpenalty4000\widowpenalty4000\%
9392         \sfcode`\. \em}
9393       {\def\@noitemerr
9394         {\@latex@warning{Empty `thebibliography' environment}}\%
9395       \endlist}
9396 \renewcommand*\thesection{\thechapter \@SepMark \@arabic\c@section}
9397 \renewcommand*\thesubsection{\thesection \@SepMark \@arabic\c@subsection}
9398 \renewcommand*\thesubsubsection{\thesubsection \@SepMark \@arabic\c@subsubsection}
9399 \renewcommand*\theparagraph{\thesubsubsection \@SepMark \@arabic\c@paragraph}
9400 \renewcommand*\thesubparagraph{\theparagraph \@SepMark \@arabic\c@subparagraph}
9401 \renewcommand*\theequation{%
9402   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@equation}
9403 \renewcommand*\thefigure{%
9404   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@figure}
9405 \renewcommand*\thetable{%
9406   \ifnum \c@chapter>\z@ \thechapter \@SepMark \fi \@arabic\c@table}
9407 \renewcommand*\maketitle{%
9408   \begin{titlepage}%
9409     \let\footnotesize\small
9410     \let\right@footnoterule\relax
9411     \let\left@footnoterule\relax
9412     \let\textwidth@footnoterule\relax
9413     \let \footnote \thanks
9414     \long\def\@makefntext##1{\par\indent\z@%
9415       \def\labelitemi{\textendash}\@revlabeltrue
9416       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9417     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}\%
9418     \if@compatibility\setcounter{page}{0}\fi
9419     \null\vfil
9420     \vskip 60\p@
9421     \begin{center}%
9422       \TitleFont
9423       {\LARGE \def\\{\penalty -\OM}}
9424       \if@allcaps
9425         \expandafter\uc@nothanks\@title\thanks\relax
9426       \else

```



```

9427     \@title
9428     \fi\par}%
9429     \vskip 3em%
9430     {\large
9431         \lineskip .75em \parindent\z@
9432         \begin{tabular}[t]{c}%
9433             \if@allcaps
9434                 \expandafter\uc@authornothanks\@author\and\relax
9435             \else
9436                 \@author
9437             \fi
9438         \end{tabular}\par}%
9439     \vskip 1.5em%
9440     {\large
9441         \if@allcaps
9442             \uppercase\expandafter{\@date}%
9443         \else
9444             \@date
9445         \fi\par}%
9446     \end{center}\par
9447     \@thanks
9448     \vfil\null
9449     \end{titlepage}%
9450     \setcounter{footnote}{0}%
9451     \global\let\thanks\relax
9452     \global\let\maketitle\relax
9453     \global\let\@thanks\empty
9454     \global\let\@author\empty
9455     \global\let\@title\empty
9456     \global\let\@date\empty
9457     \global\let\title\relax
9458     \global\let\author\relax
9459     \global\let\date\relax
9460     \global\let\and\relax
9461 }

```

64 File bookest-xetex-bidi.def

```

9462 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
9463 \def\makechapterhead#1{%
9464     \vspace*{20\p@}
9465     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9466         \ifnum \c@secnumdepth >\m@ne
9467             \if@mainmatter
9468                 {\colorA\huge\scshape \chapapp\space \thechapter}
9469                 \par\nobreak
9470                 \vskip 10\p@
9471             \fi
9472         \fi
9473         \interlinepenalty\@M
9474         {\colorB\hrule}
9475         \vskip 15\p@
9476         \if@RTL\begin{flushleft}\else\begin{flushright}\fi
9477             {\colorA\Huge \bfseries #1}\par\nobreak

```



```

9478   \if@RTL\end{flushleft}\else\end{flushright}\fi
9479   \vskip 5\p@
9480   {\colorB\hrule}
9481   \vskip 30\p@
9482   }}
9483 \def\@makeschapterhead#1{%
9484   \vspace*{20\p@}
9485   {\parindent \z@\raggedright \normalfont
9486   {\colorB\hrule}
9487   \vskip 15\p@
9488   \begin{center}
9489     {\colorA\Huge \bfseries #1}\par\nobreak
9490   \end{center}
9491   \vskip 5\p@
9492   {\colorB\hrule}
9493   \vskip 30\p@
9494 }

```

65 File book-xetex-bidi.def

```

9495 \ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class
9496 \renewenvironment{theindex}
9497   {\if@twocolumn
9498     \restonecolfalse
9499   \else
9500     \restonecoltrue
9501   \fi
9502   \columnseprule \z@
9503   \columnsep 35\p@
9504   \twocolumn[\@makeschapterhead{\indexname}]%
9505   \mkboth{\MakeUppercase\indexname}%
9506   {\MakeUppercase\indexname}%
9507   \thispagestyle{plain}\parindent\z@
9508   \parskip\z@ \relax .3\p@\relax
9509   \let\item\@idxitem
9510   {\if@restonecol\onecolumn\else\clearpage\fi}
9511 \@ifclassloaded{bookest}{}{%
9512   \if@titlepage
9513     \renewcommand\maketitle{\begin{titlepage}%
9514       \let\footnotesize\small
9515       \let\right@footnoterule\relax
9516       \let\left@footnoterule\relax
9517       \let\textwidth@footnoterule\relax
9518       \let \footnote \thanks
9519       \let \LTRfootnote \LTRthanks
9520       \let \RTLfootnote \RTLthanks
9521       \null\vfil
9522       \vskip 60\p@
9523     \begin{center}%
9524       {\LARGE \title \par}%
9525       \vskip 3em%
9526       {\large
9527         \lineskip .75em%
9528         \begin{tabular}[t]{c}%

```



```

9529     \@author
9530     \end{tabular}\par}%
9531     \vskip 1.5em%
9532     {\large \@date \par}%
9533     % Set date in \large size.
9534     \end{center}\par
9535     \@thanks
9536     \vfil\null
9537     \end{titlepage}%
9538     \setcounter{footnote}{0}%
9539     \global\let\thanks\relax
9540     \global\let\LTRthanks\relax
9541     \global\let\RTLthanks\relax
9542     \global\let\@thanks\@empty
9543     \global\let\@author\@empty
9544     \global\let\@date\@empty
9545     \global\let\@title\@empty
9546     \global\let\title\relax
9547     \global\let\author\relax
9548     \global\let\date\relax
9549     \global\let\and\relax
9550 }
9551 \else
9552 \renewcommand\maketitle{\par
9553   \begingroup
9554     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
9555     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
9556     \long\def\@makefntext##1{\par\indent 1em\noindent
9557       \hb@xt@1.8em{%
9558         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
9559     \if@twocolumn
9560       \ifnum \col@number=\@ne
9561         \@maketitle
9562       \else
9563         \twocolumn[\@maketitle]%
9564       \fi
9565     \else
9566       \newpage
9567       \global\@topnum\z@    % Prevents figures from going at top of page.
9568       \@maketitle
9569     \fi
9570     \thispagestyle{plain}\@thanks
9571   \endgroup
9572   \setcounter{footnote}{0}%
9573   \global\let\thanks\relax
9574   \global\let\LTRthanks\relax
9575   \global\let\RTLthanks\relax
9576   \global\let\maketitle\relax
9577   \global\let\@maketitle\relax
9578   \global\let\@thanks\@empty
9579   \global\let\@author\@empty
9580   \global\let\@date\@empty
9581   \global\let\@title\@empty
9582   \global\let\title\relax

```



```

9583   \global\let\author\relax
9584   \global\let\date\relax
9585   \global\let\and\relax
9586 }
9587 \def\@maketitle{%
9588   \newpage
9589   \null
9590   \vskip 2em%
9591   \begin{center}%
9592     \let \footnote \thanks
9593     \let \LTrfootnote \LTrthanks
9594     \let \RTLfootnote \RTLthanks
9595     {\LARGE \@title \par}%
9596     \vskip 1.5em%
9597     {\large
9598       \lineskip .5em%
9599       \begin{tabular}[t]{c}%
9600         \@author
9601       \end{tabular}\par}%
9602     \vskip 1em%
9603     {\large \@date}%
9604   \end{center}%
9605   \par
9606   \vskip 1.5em}
9607 \fi}
9608 \renewcommand*\l@part[2]{%
9609   \ifnum \c@tocdepth >-2\relax
9610     \addpenalty{-\@highpenalty}%
9611     \addvspace{2.25em \@plus\p@}%
9612     \setlength{\tempdima}{3em}%
9613     \begingroup
9614       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9615       \parfillskip -\pnumwidth
9616       {\leavevmode
9617         \large \bfseries #1\hfil \hb@xt{\pnumwidth}{\hss #2}\par
9618         \nobreak
9619         \global\@nobreaktrue
9620         \everypar{\global\@nobreakfalse\everypar{}}%
9621       \endgroup
9622     \fi}
9623 \renewcommand*\l@chapter[2]{%
9624   \ifnum \c@tocdepth >\m@ne
9625     \addpenalty{-\@highpenalty}%
9626     \vskip 1.0em \@plus\p@
9627     \setlength{\tempdima}{1.5em}%
9628     \begingroup
9629       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9630       \parfillskip -\pnumwidth
9631       \leavevmode \bfseries
9632       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
9633       \hskip -\if@RTL\rightskip\else\leftskip\fi
9634       #1\nobreak\hfil \nobreak\hb@xt{\pnumwidth}{\hss #2}\par
9635       \penalty\@highpenalty
9636     \endgroup

```



```

9637   \fi}
9638 \renewcommand\left@footnoterule{%
9639   \kern-3\p@
9640   \hrule\@width.4\columnwidth
9641   \kern2.6\p@}
9642 \renewcommand\right@footnoterule{%
9643   \kern-3\p@
9644   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
9645   \kern2.6\p@}
9646 \renewcommand\theequation
9647   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@equation}
9648 \renewcommand \thefigure
9649   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@figure}
9650 \renewcommand \thetable
9651   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@table}
9652 \renewcommand \thechapter {\arabic\c@chapter}
9653 \renewcommand \thesection {\thechapter\@SepMark\arabic\c@section}
9654 \renewcommand \thesubsection {\thesection\@SepMark\arabic\c@subsection}
9655 \renewcommand \thesubsubsection{\thesubsection \@SepMark\arabic\c@subsubsection}
9656 \renewcommand \theparagraph {\thesubsubsection\@SepMark\arabic\c@paragraph}
9657 \renewcommand \thesubparagraph {\theparagraph\@SepMark\arabic\c@subparagraph}
9658 \def\@makechapterhead#1{%
9659   \vspace*{50\p@}%
9660   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9661     \ifnum \c@secnumdepth >\m@ne
9662       \if@mainmatter
9663         \huge\bfseries \chapapp\space \thechapter
9664         \par\nobreak
9665         \vskip 20\p@
9666       \fi
9667     \fi
9668     \interlinepenalty\@M
9669     \Huge \bfseries #1\par\nobreak
9670     \vskip 40\p@
9671   }%
9672 \def\@makeschapterhead#1{%
9673   \vspace*{50\p@}%
9674   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
9675     \normalfont
9676     \interlinepenalty\@M
9677     \Huge \bfseries #1\par\nobreak
9678     \vskip 40\p@
9679   }%
9680 \renewcommand\backmatter{%
9681   \if@openright
9682     \cleardoublepage
9683   \else
9684     \clearpage
9685   \fi
9686   \mainmatterfalse}
9687 \renewenvironment{thebibliography}[1]
9688   {\chapter*{\bibname}%
9689    \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9690    \if@RTL\ifOLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi

```



```

9691      \bidi@@thebibliography@font@hook%
9692      \list{\@biblabel{\@arabic\c@enumiv}}%
9693          {\settowidth\labelwidth{\@biblabel{#1}}%
9694           \leftmargin\labelwidth
9695           \advance\leftmargin\labelsep
9696           \openbib@code
9697           \usecounter{enumiv}%
9698           \let\p@enumiv\empty
9699           \renewcommand\theenumiv{\@arabic\c@enumiv}}%
9700       \sloppy
9701       \clubpenalty4000
9702       \clubpenalty \clubpenalty
9703       \widowpenalty4000%
9704       \sfcodes`\. \cm}
9705   {\def\noitemerr
9706     {\@latex@warning{Empty `thebibliography' environment}}%
9707   }

```

66 File breqn-xetex-bidi.def

```

9708 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for Xe
9709 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
9710   \everydisplay\expandafter{\the\everydisplay \display@setup}%
9711   \if@noskipsec \leavevmode \fi
9712   \if@inlabel \leavevmode \global\@inlabelfalse \fi
9713   \if\eq@group\else\eq@prelim\fi
9714   \setkeys{breqn}{#1}%
9715   \the\eqstyle
9716   \eq@setnumber
9717   \begingroup
9718   \eq@setup@a
9719   \eq@startup
9720 }
9721 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
9722   \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
9723   \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidbx
9724   \global\let\GRP@label\empty
9725   \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
9726   \global\grp@linewidth\z@\global\grp@wdNum\z@
9727   \global\let\grp@eqs@numbered\@False
9728   \global\let\grp@aligned\@True
9729   \global\let\grp@shiftnumber\@False
9730   \eq@prelim
9731   \setkeys{breqn}{#1}%
9732   \if\grp@hasNumber \grp@setnumber \fi
9733 }
9734 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
9735   \let\display@setup\dseries@display@setup
9736   % Question: should this be the default for dseries???
9737   \global\eq@wdCond\z@
9738   \dmath[layout={M},#1]%
9739   \mathsurround\z@\math@math \penalty\@Mi
9740   \let\endmath\ends@math
9741   \def\premath{%

```



```

9742     \ifdim\lastskip<.3em \unskip
9743     \else\ifnum\lastpenalty<\OM \dquad\fi\fi
9744 }%
9745 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \ignorespaces}%
9746 \ignorespaces
9747 }%
9748 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@italiccorr)\if@nonlatin\endR\fi}%
9749 \renewenvironment{dsuspend}{%
9750   \global\setbox\grp@box\vbox\biggroup\if@nonlatin\@RTLtrue\fi \parboxrestore
9751   \parshape 1 \displayindent \displaywidth\relax
9752   \hsize=\columnwidth \noindent\ignorespaces
9753 }{%
9754   \par\egroup
9755   \global\setbox\grp@box\vbox{%
9756     \hbox{\copy\box\vtop{\unvbox\box}}\unvbox\grp@box
9757   }%
9758 }%
9759 \global\grp@queue\exp{\the\grp@queue
9760   \elt{\let\eq@isIntertext\True}%
9761 }%
9762 }

```

67 File `cals-xetex-bidi.def`

```

9763 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeT
9764 \renewcommand\cals@setup@alignment[1]{%
9765 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
9766 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
9767 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
9768 }%
9769 \renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
9770 \renewenvironment{calstable}[1][\cals@table@alignment]{%
9771 \if@RTLtab\cals@activate@rtl\fi
9772 \let\cals@thead@tokens=\relax
9773 \let\cals@tfoot@tokens=\relax
9774 \let\cals@tbreak@tokens=\relax
9775 \cals@tfoot@height=Opt \relax
9776 \let\cals@last@context=n%
9777 \let\cals@current@context=b%
9778 \parindent=Opt \relax%
9779 \cals@setup@alignment{#1}%
9780 \cals@setpadding{Ag}\cals@setcellprevdepth{A1}\cals@set@tohsize%
9781 %% Alignment inside is independent on center/flushright outside
9782 \parfillskip=Opt plus1fil\relax
9783 \let\cals@borderL=\relax
9784 \let\cals@borderR=\relax
9785 \let\cals@borderT=\relax
9786 \let\cals@borderB=\relax
9787 \setbox\cals@backup@row=\box\voidb@x\relax
9788 \cals@AtBeginTable
9789 }% End of the table
9790 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
9791 \renewcommand\alignL{%
9792 \if@RTLtab

```



```

9793   \cals@vfillAdd\cals@paddingL
9794 \else
9795   \cals@vfillDrop\cals@paddingL
9796 \fi
9797 \cals@vfillDrop\cals@paddingR}
9798 \renewcommand\alignR{%
9799 \if@RTLtab
9800   \cals@vfillDrop\cals@paddingL
9801 \else
9802   \cals@vfillAdd\cals@paddingL
9803 \fi
9804 \cals@vfillDrop\cals@paddingR}

```

68 File caption-xetex-bidi.def

```

9805 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package f
9806 \let\@makecaption\caption\@makecaption

```

69 File caption3-xetex-bidi.def

```

9807 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package
9808 \renewcommand*\caption@par{%
9809   \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

70 File colortbl-xetex-bidi.def

```

9810 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package
9811 \def\CT@setup{%
9812   \tempdime\col@sep
9813   \tempdimc\col@sep
9814   \def\CT@color{%
9815     \global\let\CT@do@color\CT@@do@color
9816     \bidicolor}}
9817 \def\@classz{\@classx
9818   \tempcnta \count@
9819   \prepnext@tok
9820 \expandafter\CT@extract\the\toks\tempcnta\columncolor!\@nil
9821   \addtopreamble{\if@RTLtab\beginL\fi%
9822     \setbox\z@\hbox\bgroup\bgroupl\if@RTLtab\beginR\fi
9823       \ifcase \chnum
9824         \hskip\stretch{.5}\kern\z@
9825         \d@llarbegin
9826           \insert@column
9827           \d@llarend\hskip\stretch{.5}\or
9828           \d@llarbegin \insert@column \d@llarend \hfill \or
9829           \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
9830           \$\vcenter
9831           \startpbox{\nextchar}\insert@column \endpbox \$\or
9832           \vtop \startpbox{\nextchar}\insert@column \endpbox \or
9833           \vbox \startpbox{\nextchar}\insert@column \endpbox
9834   \fi
9835   \if@RTLtab\endR\fi\egroup\egroup
9836 \begingroup
9837   \CT@setup

```



```

9838 \CT@column@color
9839 \CT@row@color
9840 \CT@cell@color
9841 \CT@do@color
9842 \endgroup
9843     \tempdima\ht\z@
9844     \advance\tempdima\minrowclearance
9845     \vrule\height\tempdima\width\z@
9846     \unhbox\z@\if@RTLtab\endL\fi}%
9847 \prepnext@tok}

```

71 File color-xetex-bidi.def

```

9848 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for XeLaTeX]
9849 \long\def\color@b@x#1#2#3{%
9850   \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
9851   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
9852   \dimen@.ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
9853   \dimen@.dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
9854   {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}}%
9855     \box\z@}\ifmmode\else\if@RTL\endL\fi\fi
9856 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}%
9857 \DeclareRobustCommand\color{%
9858   \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\ifnextchar[\@undeclaredcolor\@declaredcolor}%
9859 \def\@declaredcolor#1{%
9860   \ifundefined{\string\color @#1}%
9861     {\color@error`#1'}%
9862     {\expandafter\let\expandafter\current@color
9863       \csname\string\color @#1\endcsname
9864       \set@color}%
9865   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
9866 \def\@undeclaredcolor[#1]#2{%
9867   \ifundefined{\color@#1}%
9868     {\color@error{model `#1'}%
9869      {\csname color@#1\endcsname\current@color{#2}}%
9870      \set@color}%
9871   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}%
9872 \DeclareRobustCommand\bidicolor{%
9873   \ifnextchar[\@bidideclaredcolor\@bidideclaredcolor}%
9874 \def\@bidideclaredcolor[#1]#2{%
9875   \ifundefined{\color@#1}%
9876     {\color@error{model `#1'}%
9877      {\csname color@#1\endcsname\current@color{#2}}%
9878      \set@color}%
9879   \ignorespaces}%
9880 \def\@bidideclaredcolor#1{%
9881   \ifundefined{\string\color @#1}%
9882     {\color@error`#1'}%
9883     {\expandafter\let\expandafter\current@color
9884       \csname\string\color @#1\endcsname
9885       \set@color}%
9886   \ignorespaces}%
9887 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}%
9888 \def\color@fbox#1#2#3{%

```



```

9889 \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
9890 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmod

```

72 File combine-xetex-bidi.def

```

9891 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
9892 \renewcommand{\c@ll@chapsecii}[2]{%
9893   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
9894   \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
9895   #1\nobreak\hfil \nobreak\hb@xt@{\pnumwidth{\hss #2}\par
9896 }
9897 \renewcommand{\c@ll@chapseci}{%
9898   \setlength{\tempdima{0em}}%
9899   \begingroup
9900     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
9901     \parfillskip -\pnumwidth
9902     \leavevmode
9903 }
9904 \renewenvironment{tocindent}[1]{%
9905   \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}%

```

73 File crop-xetex-bidi.def

```

9906 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeT
9907 \renewcommand*\CROP@ulc{%
9908   \if@RTLmain%
9909     \begin{picture}(0,0)
9910       \unitlength\p@\thinlines
9911       \put(-40,0){\circle{10}}
9912       \put(-30,-5){\line(0,1){10}}
9913       \put(-35,0){\line(1,0){30}}
9914       \put(-10,30){\circle{10}}
9915       \put(-5,30){\line(1,0){10}}
9916       \put(0,35){\line(0,-1){30}}
9917     \end{picture}%
9918   \else%
9919     \begin{picture}(0,0)
9920       \unitlength\p@\thinlines
9921       \put(-30,0){\circle{10}}
9922       \put(-30,-5){\line(0,1){10}}
9923       \put(-35,0){\line(1,0){30}}
9924       \put(0,30){\circle{10}}
9925       \put(-5,30){\line(1,0){10}}
9926       \put(0,35){\line(0,-1){30}}
9927     \end{picture}%
9928   \fi%
9929 }
9930 \renewcommand*\CROP@urc{%
9931   \if@RTLmain%
9932     \begin{picture}(0,0)
9933       \unitlength\p@\thinlines
9934       \put(20,0){\circle{10}}
9935       \put(30,-5){\line(0,1){10}}
9936       \put(35,0){\line(-1,0){30}}

```



```

9937      \put(-10,30){\circle{10}}
9938      \put(-5,30){\line(1,0){10}}
9939      \put(0,35){\line(0,-1){30}}
9940  \end{picture}%
9941 \else%
9942  \begin{picture}(0,0)
9943      \unitlength\p@\thinlines
9944      \put(30,0){\circle{10}}
9945      \put(30,-5){\line(0,1){10}}
9946      \put(35,0){\line(-1,0){30}}
9947      \put(0,30){\circle{10}}
9948      \put(-5,30){\line(1,0){10}}
9949      \put(0,35){\line(0,-1){30}}
9950  \end{picture}%
9951 \fi%
9952 }
9953 \renewcommand*\CROP@llc{%
9954   \if@RTLmain%
9955     \begin{picture}(0,0)
9956     \unitlength\p@\thinlines
9957     \put(-40,0){\circle{10}}
9958     \put(-30,-5){\line(0,1){10}}
9959     \put(-35,0){\line(1,0){30}}
9960     \put(-10,-30){\circle{10}}
9961     \put(-5,-30){\line(1,0){10}}
9962     \put(0,-35){\line(0,1){30}}
9963   \end{picture}%
9964 \else%
9965   \begin{picture}(0,0)
9966     \unitlength\p@\thinlines
9967     \put(-30,0){\circle{10}}
9968     \put(-30,-5){\line(0,1){10}}
9969     \put(-35,0){\line(1,0){30}}
9970     \put(0,-30){\circle{10}}
9971     \put(-5,-30){\line(1,0){10}}
9972     \put(0,-35){\line(0,1){30}}
9973   \end{picture}%
9974 \fi%
9975 }
9976 \renewcommand*\CROP@lrc{%
9977   \if@RTLmain%
9978     \begin{picture}(0,0)
9979     \unitlength\p@\thinlines
9980     \put(20,0){\circle{10}}
9981     \put(30,-5){\line(0,1){10}}
9982     \put(35,0){\line(-1,0){30}}
9983     \put(-10,-30){\circle{10}}
9984     \put(-5,-30){\line(1,0){10}}
9985     \put(0,-35){\line(0,1){30}}
9986   \end{picture}%
9987 \else%
9988   \begin{picture}(0,0)
9989     \unitlength\p@\thinlines
9990     \put(30,0){\circle{10}}

```



```

9991      \put(30,-5){\line(0,1){10}}
9992      \put(35,0){\line(-1,0){30}}
9993      \put(0,-30){\circle{10}}
9994      \put(-5,-30){\line(1,0){10}}
9995      \put(0,-35){\line(0,1){30}}
9996  \end{picture}%
9997  \fi%
9998 }
9999 \ifpackagewith{crop}{cam}%
10000 \CROP@execopt{cam}%
10001 }{}}

```

74 File cutwin-xetex-bidi.def

```

10002 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
10003 \renewcommand*{\c@twcompctr}[2]{%
10004   \def\c@twffirst{1}
10005   \loop\advance\c@twinlines\m@ne
10006   \setbox\c@twslicea=\vsplit#1 to\baselineskip
10007   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
10008   \c@twprune{\c@twslicea}{\c@twlftside}%
10009   \c@twprune{\c@twsliceb}{\c@twrtside}%
10010   \ifnum\c@twffirst=\@ne
10011     \setbox#2=\vbox{\unvbox#2\hbox
10012       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
10013   \else
10014     \setbox#2=\vbox{\unvbox#2\hbox
10015       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
10016   \fi
10017   \def\c@twffirst{2}
10018   \ifnum\c@twinlines>\z@\repeat}
10019 \renewcommand*{\c@twcompoddctr}[2]{%
10020   \def\c@twrounds{1}
10021   \def\c@twffirst{1}
10022   \c@for\c@twlspec:=\c@twb\do{%
10023     \ifnum\c@twrounds=1
10024       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
10025       \c@twprune{\c@twslicea}{\c@twlspec}%
10026       \def\c@twrounds{2}
10027     \else
10028       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
10029       \c@twprune{\c@twsliceb}{\c@twlspec}%
10030       \ifnum\c@twffirst=1
10031         \setbox#2=\vbox{\unvbox#2\hbox
10032           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
10033         \def\c@twffirst{2}
10034       \else
10035         \setbox#2=\vbox{\unvbox#2\hbox
10036           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}%
10037         \fi
10038       \def\c@twrounds{1}
10039     \fi}

```



75 File cuted-xetex-bidi.def

```
10040 \ProvidesFile{cuted-xetex-bidi.def}[2022/02/18 v0.7 bidi adaptations for cuted package for XeLaTeX]
10041
10042 \def\RTL@outputdblcol{%
10043   \if@firstcolumn
10044     \global\@firstcolumnfalse
10045     \global\setbox\@leftcolumn\copy\@outputbox
10046     \splitmaxdepth\maxdimen
10047     \vbadness\maxdimen
10048     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10049     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10050     \toks@\expandafter{\topmark}%
10051     \xdef\@firstcoltopmark{\the\toks@}%
10052     \toks@\expandafter{\splitfirstmark}%
10053     \xdef\@firstcolfirstmark{\the\toks@}%
10054     \ifx\@firstcolfirstmark\empty
10055       \global\let\@setmarks\relax
10056     \else
10057       \gdef\@setmarks{%
10058         \let\firstmark\@firstcolfirstmark
10059         \let\topmark\@firstcoltopmark}%
10060     \fi
10061   \else
10062     \global\@firstcolumntrue
10063     \setbox\@outputbox\vbox{%
10064       \hb@xt@\textwidth{%
10065         \hskip \columnwidth
10066         \hfil
10067         {\normalcolor\vrule \width\columnseprule}%
10068         \hfil
10069         \hb@xt@\columnwidth{%
10070           \bidi@firstcolumn@status@write%
10071           \box\@leftcolumn \hss}%
10072           \hskip -\textwidth
10073           \hb@xt@\columnwidth{%
10074             \bidi@lastcolumn@status@write%
10075             \box\@outputbox \hss}%
10076             \hskip \columnsep
10077             \hskip \columnwidth }%}
10078   \ifvoid\hold@viper
10079   \else
10080     \setbox\@outputbox \vbox to\textheight{%
10081       \box\hold@viper
10082       \box\@outputbox
10083       \vss
10084     }%
10085   \fi
10086   \combinedblfloats
10087   \setmarks
10088   \outputpage
10089   \begingroup
10090     \dblfloatplacement
10091     \startdblcolumn
```



```

10092     \@whilesw\if@fcolmade \fi{\@outputpage
10093     \@startdblcolumn}%
10094     \ifvoid\@viper
10095     \else
10096         \global\setbox\@viper\vbox{%
10097             \vskip-\stripsep
10098             \unvbox\@viper
10099         }%
10100         \@viperoutput
10101     \fi
10102     \endgroup
10103 \fi}%
10104
10105 \def\LTR@outputdblcol{%
10106     \if@firstcolumn
10107         \global\@firstcolumnfalse
10108         \global\setbox\@leftcolumn\copy\outputbox
10109         \splitmaxdepth\maxdimen
10110         \vbadness\maxdimen
10111         \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10112         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10113         \toks@\expandafter{\topmark}%
10114         \xdef\@firstcoltopmark{\the\toks@}%
10115         \toks@\expandafter{\splitfirstmark}%
10116         \xdef\@firstcolfirstmark{\the\toks@}%
10117         \ifx\@firstcolfirstmark\@empty
10118             \global\let\@setmarks\relax
10119         \else
10120             \gdef\@setmarks{%
10121                 \let\firstmark\@firstcolfirstmark
10122                 \let\topmark\@firstcoltopmark}%
10123             \fi
10124         \else
10125             \global\@firstcolumntrue
10126             \setbox\@outputbox\vbox{%
10127                 \hb@xt@\textwidth{%
10128                     \hb@xt@\columnwidth{%
10129                         \bidi@firstcolumn@status@write%
10130                         \box\@leftcolumn \hss}%
10131                         \hfil
10132                         {\normalcolor\vrule \@width\columnseprule}%
10133                         \hfil
10134                         \hb@xt@\columnwidth{%
10135                             \bidi@lastcolumn@status@write%
10136                             \box\@outputbox \hss}}}}%
10137             \ifvoid\hold\@viper
10138             \else
10139                 \setbox\@outputbox \vbox to\textheight{%
10140                     \box\hold\@viper
10141                     \box\@outputbox
10142                     \vss
10143                 }%
10144             \fi
10145     \@combinedblfloats

```



```

10146  \csetmarks
10147  \coutputpage
10148  \begingroup
10149  \odblfloatplacement
10150  \startdblcolumn
10151  \whilesw\if@fcolmade \fi{\coutputpage
10152  \startdblcolumn}%
10153  \ifvoid@ciper
10154  \else
10155  \global\setbox@ciper\vbox{%
10156  \vskip-\stripsep
10157  \unvbox@ciper
10158  }%
10159  \ciperoutput
10160  \fi
10161  \endgroup
10162  \fi}%
10163
10164 \def@caddciper{%
10165  \cinsertfalse
10166  \def\var@@thecol@num{2}%
10167  \if@firstcolumn
10168  \def\var@@thecol@num{1}%
10169  \reqcolroom=.5\pageht
10170  \ht@ciper=\reqcolroom
10171  \advance\reqcolroom by\ht@ciper
10172  \advance\reqcolroom by\stripsep
10173  \else
10174  \reqcolroom=\colht
10175  \advance\reqcolroom by\pageht
10176  \ht@ciper.5\reqcolroom
10177  \reqcolroom=\ht@ciper
10178  \advance\reqcolroom by\ht@ciper
10179  \advance\reqcolroom by\stripsep
10180  \global\setbox@holdpg\vbox{%
10181  \setbox\cuted@@tempbox@a\vbox{%
10182  \aftergroup\unvbox
10183  \unvcopy\leftcolumn
10184  \unskip\unkern\unpenalty
10185  \setbox@\tempboxa\lastbox
10186  \ifdim\dimexpr\ht@\tempboxa+\wd@\tempboxa+\dp@\tempboxa>\z@
10187  %% keeps lastbox
10188  \aftergroup\leftcolumn
10189  \else
10190  %% removes lastbox
10191  \aftergroup\cuted@@tempbox@a
10192  \fi
10193  }%
10194  \unskip\unkern\unpenalty
10195  \on@stripcols@break
10196  \the\At@ViperColsBreak
10197  \unvbox@holdpg
10198  }%
10199  \global\At@ViperColsBreak{}%

```



```

10200      \ht@viper=.5\ht\@holdpg
10201      \ifdim\ht@viper>\@colht
10202          \ht@viper=\@colht
10203      \fi
10204  \fi
10205  %%
10206  %% calculations for breaking
10207  %%
10208  \ifvoid\hold@viper
10209      \ht@hold@viper=\z@
10210  \else
10211      \ht@hold@viper=\ht\hold@viper
10212  \fi
10213  \cuted@{\tempdim@b}{\ht@viper}
10214  \set@split@{\topskip@}{\topskip}
10215  \loop
10216      \xdef\saved@{\tempdim@b}{\the\cuted@{\tempdim@b}%
10217      \setbox\cuted@{\varbox@a}\copy\@holdpg
10218      \setbox\cuted@{\tempbox@a}\vsplit\cuted@{\varbox@a}{\the\cuted@{\tempdim@b}%
10219      %% set leftcolumn boxes
10220      \setbox\cuted@{\tempbox@c}\vbox{\unvbox\cuted@{\tempbox@c}%
10221      \setbox\cuted@{\tempbox@a}\vbox{\the\cuted@{\tempdim@b}{\unvcopy\cuted@{\tempbox@c}}%
10222      \xdef\var@{leftcolumn@badness}{\the\badness}%
10223      %% set rightcolumn boxes
10224      \setbox\cuted@{\varbox@c}\vbox{\unvbox\cuted@{\varbox@c}%
10225      \setbox\cuted@{\varbox@a}\vbox{\the\cuted@{\tempdim@b}{\unvcopy\cuted@{\varbox@c}}%
10226      \xdef\var@{rightcolumn@badness}{\the\badness}%
10227      %% analyzing split goodness
10228      \cuted@{\tempdim@spread}{\ht\cuted@{\tempbox@c}%
10229      \advance\cuted@{\tempdim@spread}{\dp\cuted@{\tempbox@c}%
10230      \advance\cuted@{\tempdim@spread}{-\ht\cuted@{\varbox@c}%
10231      \advance\cuted@{\tempdim@spread}{-\dp\cuted@{\varbox@c}%
10232      \cuted@{\wlog@debug[CUTED [-----]}%
10233          ^~JLeft: \the\ht\cuted@{\tempbox@c}%
10234          +\the\dp\cuted@{\tempbox@c}{\space}/\var@{leftcolumn@badness}%
10235          ^~JRight: \the\ht\cuted@{\varbox@c}%
10236          +\the\dp\cuted@{\varbox@c}{\space}/\var@{rightcolumn@badness}%
10237          ^~JSplit: \the\cuted@{\tempdim@b}%
10238          ^~JExtra height: \the\cuted@{\tempdim@spread}%
10239      }%
10240      \ifnum\var@{leftcolumn@badness}<\cuted@{column@badness}%
10241          \ifnum\var@{rightcolumn@badness}<\cuted@{column@badness}%
10242              \cuted@{\tempdim@spread}{\z@}
10243          \fi
10244      \fi
10245      \ifdim\cuted@{\tempdim@spread}<\z@%
10246          \if@left@column@spread
10247              \if@right@column@shrink
10248                  \ifdim\dimexpr\cuted@{\tempdim@spread}+\pageshrink>\z@%
10249                      \cuted@{\tempdim@a}{\dimexpr\ht\cuted@{\tempbox@c}-0.5\cuted@{\tempdim@sp}
10250                  \else
10251                      \cuted@{\tempdim@a}{-\dimexpr\cuted@{\tempdim@spread}+.5\pageshrink\relax}%
10252                  \fi
10253          \setbox\cuted@{\varbox@a}\vbox{\the\cuted@{\tempdim@b}{\unvcopy\cuted@{\tempbox@c}}%

```



```

10254           \ifnum\badness<\cuted@@column@badness
10255             \cuted@@tempdim@b=\cuted@@tempdim@a
10256             \cuted@@tempdim@spread=\z@
10257           \fi
10258           \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness\space on
10259             \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@varbox@a}
10260             \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness\space on
10261           \else
10262             \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{%
10263               \unvcopy\cuted@@tempbox@c
10264             }%
10265             \ifnum\badness<\cuted@@column@badness
10266               \cuted@@tempdimb=\ht\cuted@@varbox@c
10267               \cuted@@tempdim@spread=\z@
10268             \fi
10269             \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness on \the\ht\cuted@@varbox@c}
10270             \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{%
10271               \unvcopy\cuted@@varbox@c
10272             }%
10273             \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness on \the\ht\cuted@@varbox@c}
10274           \fi
10275         \else
10276           \if@right@column@shrink
10277             \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink<\z@
10278             \else
10279               \cuted@@tempdim@b=\ht\cuted@@tempbox@c
10280               \cuted@@tempdim@spread=\z@
10281             \fi
10282           \fi
10283         \fi
10284       \else
10285         \ifdim\cuted@@tempdim@spread>\z@
10286           \ifdim\dimexpr\@tempdimb+\p@\\relax>\@colht
10287             \cuted@@tempdim@b=\@colht
10288             \cuted@@tempdim@spread=\z@
10289           \fi
10290         \fi
10291       \fi
10292     \ifdim\cuted@@tempdim@spread<\z@
10293       \advance\cuted@@tempdim@b 1\p@
10294     \repeat
10295     \wlog{CUTED [- LAST -]%
10296       ^^JExtra skip:\the\cuted@@tempdim@spread
10297       ^^JLeft:\the\ht\cuted@@tempbox@c/\the\dp\cuted@@tempbox@c
10298       ^^JRight:\the\ht\cuted@@varbox@c/\the\dp\cuted@@varbox@c
10299       ^^JSplit: \saved@tempdimb
10300       ^^JOutput:\the\cuted@@tempdim@b
10301       ^^JPageshrink: \the\pageshrink
10302       ^^JPagestretch: \the\pagestretch
10303       ^^J@colht:\the\@colht
10304     }%
10305   %%%
10306   %% final construction of the cuted page above strip
10307   %%%

```



```

10308 \setbox\cuted@@tempbox@c\vsplit\@holdpg to\saved@tempdimb
10309 \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{%
10310   \cuted@@tempdim@a=\dimexpr
10311     \cuted@@tempdim@b-\ht\cuted@@tempbox@c
10312   \relax
10313   \cuted@@tempdim@spread=\dp\cuted@@tempbox@c
10314   \unvbox\cuted@@tempbox@c
10315   \ifdim\cuted@@tempdim@spread>\dp\strutbox
10316   \else
10317     \vskip-\cuted@@tempdim@spread
10318   \fi
10319   \prevdepth\z@
10320   \hrule\@height\cuted@@page@rule width\textwidth
10321   \vskip-\cuted@@page@rule
10322   \ifdim\cuted@@tempdim@a>\z@
10323     \if@left@column@spread
10324     \else
10325       \vss
10326     \fi
10327   \else
10328     \ifdim\cuted@@tempdim@a<\z@
10329       \if@left@column@shrink
10330       \else
10331         \vss
10332       \fi
10333     \fi
10334   \fi
10335 }%
10336 \wlog{CUTED [output]: \the\cuted@@tempdim@b
10337   ^~JCUTED [leftcolumn badness]: \number\badness
10338 }%
10339 \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{%
10340   \cuted@@tempdim@a=\dimexpr
10341     \cuted@@tempdim@b-\ht\@holdpg
10342   \relax
10343   \unvbox\@holdpg
10344   \ifdim\cuted@@tempdim@a>\z@
10345     \if@right@column@spread
10346     \else
10347       \vss
10348     \fi
10349   \else
10350     \ifdim\cuted@@tempdim@a<\z@
10351       \if@right@column@shrink
10352       \else
10353         \vss
10354       \fi
10355     \fi
10356   \fi
10357 }%
10358 \wlog{CUTED [rightcolumn badness]: \number\badness}%
10359 \setbox\cuted@@tempbox@var\vbox{%
10360   \hb@xt@\textwidth{%
10361     \if@RTLmain

```



```

10362 \hskip \columnwidth
10363 \hfil
10364 {\normalcolor\vrule \@width\columnseprule}%
10365 \hfil
10366 \hb@xt@\columnwidth{%
10367   \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10368   \hss
10369 }%
10370 \hskip -\textwidth
10371 \hb@xt@\columnwidth{%
10372   \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10373   \hss
10374 }%
10375 \hskip \columnsep
10376 \hskip \columnwidth
10377 \else
10378   \hb@xt@\columnwidth{%
10379     \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10380     \hss
10381   }%
10382   \hfil
10383   {\normalcolor\vrule \@width\columnseprule}%
10384   \hfil
10385   \hb@xt@\columnwidth{%
10386     \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10387     \hss
10388   }%
10389   \fi
10390 }%
10391 }%
10392 %%
10393 %% finalize cuted page
10394 %%
10395 \ifvoid\hold@viper
10396   \global\setbox\hold@viper\vbox{%
10397     \unvbox\cuted@@tempbox@var
10398     \penalty\interlinepenalty
10399     \vskip\stripsep
10400     \the\preCutedStrip
10401     \ifnum\outputpenalty<-\@Mii
10402       \vskip -\parskip
10403     \fi
10404     \outputpenalty\z@
10405   }%
10406 \else
10407   \global\setbox\hold@viper\vbox{%
10408     \unvbox\hold@viper
10409     \cuted@@tempbox@var
10410     \penalty\interlinepenalty
10411     \vskip\stripsep
10412     \the\preCutedStrip
10413     \ifnum\outputpenalty<-\@Mii
10414       \vskip -\parskip
10415     \fi

```



```

10416      \outputpenalty\z@
10417      }%
10418  \fi
10419  \ifdim\@colht>\@reqcolroom
10420    \global\setbox\hold@viper\vbox{%
10421      \unvbox\hold@viper
10422      \box\@viper
10423      \penalty\interlinepenalty
10424      \the\postCutedStrip
10425      \vskip\stripsep
10426      \ifnum\outputpenalty<-\@Mii
10427        \vskip -\parskip
10428      \fi
10429      \outputpenalty\z@
10430      }%
10431      \ifinserttrue
10432        \global\@firstcolumntrue
10433        \advance\ht\hold@viper by-\ht\hold@viper
10434        \global\advance\@colht by\ht\hold@viper
10435        \ifdim\@colht<2.5\baselineskip
10436          \iflatex@warning@no@line {Optional argument of \noexpand\twocolumn
10437              too tall on page \thepage (\var@@thecol@num column)}%
10438            \emptycol
10439            \if@firstcolumn
10440              \else
10441                \emptycol
10442              \fi
10443              \global\@lastvipertrue
10444            \else
10445              \global\vsiz@\@colht
10446              \global\@colroom\@colht
10447              \check@floats\cuted@@tempdim@a
10448              \ifdim\cuted@@tempdim@a>\z@
10449                \global\advance\@colroom by-\cuted@@tempdim@a
10450              \fi
10451              \ifdim\@colroom<\z@
10452                \global\@colroom1\p@
10453                \ifdim\cuted@@tempdim@a>\@colht
10454                  \iflatex@warning@no@line{TOP and/or BOT FLOAT's
10455                      too large on \thepage (\var@@thecol@num column)}%
10456                  \fi
10457                  \emptycol
10458                  \if@firstcolumn
10459                    \else
10460                      \emptycol
10461                    \fi
10462                    \global\@lastvipertrue
10463                  \fi
10464                \fi
10465              \fi
10466              \if@insert
10467                \advance\ht\hold@viper by-\ht\hold@viper
10468                \global\advance\@colht by\ht\hold@viper

```



```

10470      \global\setbox\hold@viper\vbox{%
10471          \unvbox\hold@viper
10472          \set@split@topskip@to{\z@ plus2\p@}%
10473          \vsplit@\viper to\colht
10474          \vss
10475      }%
10476      \vbox{}%
10477      \global\@firstcolumnfalse
10478      \newpage
10479  \fi
10480 }

```

76 File cvthemedibicasual.sty

```

10481 \NeedsTeXFormat{LaTeX2e}
10482 \ProvidesPackage{cvthemedibicasual}
10483 \DeclareOption{blue}{}
10484 \newif\if@colourorange\@colourorangefalse
10485 \DeclareOption{orange}{\@colourorangeltrue}
10486 \newif\if@colourgreen\@colourgreenfalse
10487 \DeclareOption{green}{\@colourgreentrue}
10488 \newif\if@colourred\@colourredfalse
10489 \DeclareOption{red}{\@colourredtrue}
10490 \newif\if@colourgrey\@colourgreyfalse
10491 \DeclareOption{grey}{\@colourgreytrue}
10492 \DeclareOption*{%
10493   \PackageWarning{cvthemedibicasual}{Unknown option `'\CurrentOption'}}}
10494 \ExecuteOptions{colour}
10495 \ProcessOptions\relax
10496 \renewcommand*\listitemsymbol{\textbullet}
10497 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
10498 \familynamecolour{808080}
10499 \firstnamecolour{A9A9A9}
10500 \quotecolour{696969}
10501 \addresscolour{696969}
10502 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
10503 \sectiontitlecolour{1E90FF}
10504 \subsectioncolour{4682B4}
10505 \definecolor{rulecolour}{gray}{0.6}
10506 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
10507 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
10508 \if@colourorange
10509   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10510   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10511   \sectiontitlecolour{FF8C00}
10512   \subsectioncolour{FF8C00}
10513   \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
10514   \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
10515 \if@colourgreen
10516   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10517   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10518   \sectiontitlecolour{008000}
10519   \subsectioncolour{008000}
10520   \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}

```



```

10521 \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
10522 \if@coloured
10523 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10524 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10525 \sectiontitlecolour{FF0000}
10526 \subsectioncolour{FF0000}
10527 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
10528 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
10529 \if@colourgrey
10530 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
10531 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10532 \sectiontitlecolour{808080}
10533 \subsectioncolour{808080}
10534 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
10535 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
10536 \renewcommand*\{\ttdefault\}{pcr}
10537 \renewcommand*\{\firstnamefont\}{\fontsize{38}{40}\mdseries\upshape}
10538 \renewcommand*\{\familynamefont\}{\firstnamefont}
10539 \renewcommand*\{\addressfont\}{\normalsize\mdseries\slshape}
10540 \renewcommand*\{\quotefont\}{\large\slshape}
10541 \renewcommand*\{\sectionfont\}{\Large\mdseries\upshape}
10542 \renewcommand*\{\subsectionfont\}{\large\mdseries\upshape}
10543 \renewcommand*\{\maketitle\}{%
10544   {%
10545     \ifthenelse{\isundefined{\@photo}}{%
10546       {}%
10547       {{\color{firstnamecolor}\framebox{\includegraphics[width=\photowidth]{\@photo}}}}%
10548     \hfill%
10549     \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\hbox{-35em}%
10550     {\color{firstnamecolor}\rule{\textwidth}{.25ex}}\hbox{2.5em}%
10551   \ifthenelse{\isundefined{\@quote}}{%
10552     {}%
10553     {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}%
10554   }%
10555 \newif\if@firstfooterelement\@firstfooterelementtrue
10556 \providecommand*\{\footersymbol\}{}
10557 \renewcommand*\{\footersymbol\}{%
10558   \if@firstfooterelement%
10559   \else%
10560     { \color{footersymbolcolor}\textbullet~~}\fi}
10561 \providecommand*\{\makefooter\}{}
10562 \renewcommand*\{\makefooter\}{%
10563   \fancypagestyle{plain}{%
10564     \fancyfoot[c]{%
10565       \parbox{0.8\textwidth}{%
10566         \centering%
10567         \addressfont\@addresscolour%
10568         \ifthenelse{\isundefined{\@address}}{}{%
10569           \addresssymbol\@address\hbox{%
10570             \if@firstfooterelementfalse}%
10571           \ifthenelse{\isundefined{\@mobile}}{}{%
10572             \ifthenelse{\isundefined{\@phone}}{}{%
10573               \ifthenelse{\isundefined{\@fax}}{}{%
10574                 \ifthenelse{\isundefined{\@email}}{}{%

```



```

10575      \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementf
10576  }%
10577  \pagestyle{plain}
10578 \AtBeginDocument{\makefootert

```

77 File cvthemedibidiclassic.sty

```

10579 \NeedsTeXFormat{LaTeX2e}
10580 \ProvidesPackage{cvthemedibidiclassic}
10581 \DeclareOption{blue}{}
10582 \newif\if@colourorange\@colourorangefalse
10583 \DeclareOption{orange}{\@colourorangetrue}
10584 \newif\if@colourgreen\@colourgreenfalse
10585 \DeclareOption{green}{\@colourgreentrue}
10586 \newif\if@colourred\@colourredfalse
10587 \DeclareOption{red}{\@colourredtrue}
10588 \newif\if@colourgrey\@colourgreyfalse
10589 \DeclareOption{grey}{\@colourgreytrue}
10590 \DeclareOption*{
10591   \PackageWarning{cvthemedibidiclassic}{Unknown option '\CurrentOption'}}
10592 \ExecuteOptions{colour}
10593 \ProcessOptions\relax
10594 \renewcommand*\listitemsymbol{\textbullet}
10595 \firstnamecolour{}
10596 \familynamecolour{}
10597 \titlecolour{808080}
10598 \quotecolour{696969}
10599 \addresscolour{696969}
10600 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
10601 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
10602 \sectiontitlecolour{1E90FF}
10603 \subsectioncolour{4682B4}
10604 \if@colourorange
10605   \addresscolour{FF8C00}
10606   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
10607   \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
10608   \sectiontitlecolour{FF8C00}
10609   \subsectioncolour{FF8C00}\fi
10610 \if@colourgreen
10611   \addresscolour{008000}
10612   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10613   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10614   \sectiontitlecolour{008000}
10615   \subsectioncolour{008000}\fi
10616 \if@colourred
10617   \addresscolour{FF0000}
10618   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10619   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10620   \sectiontitlecolour{FF0000}
10621   \subsectioncolour{FF0000}\fi
10622 \if@colourgrey
10623   \addresscolour{808080}
10624   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10625   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}

```



```

10626 \sectiontitlecolour{808080}
10627 \subsectioncolour{808080}\fi
10628 \renewcommand*{\ttdefault}{pcr}
10629 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
10630 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
10631 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
10632 \renewcommand*{\familynamefont}{\firstnamefont}
10633 \renewcommand*{\quotefont}{\large\slshape}
10634 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
10635 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
10636 \newlength{\maketitlenamemaxwidth}
10637 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
10638 \newlength{\maketitlenamefullwidth}
10639 \setwidth{\maketitlenamefullwidth}{\firstnamestyle{@firstname~}\familynamestyle{@familyname}}
10640 \newlength{\maketitlenamewidth}
10641 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
10642 \newlength{\maketitledetailswidth}
10643 \setlength{\maketitledetailswidth}{\photowidth}
10644 \newlength{\maketitledetailswidth}
10645 \renewcommand*{\recomputethemelengths}{%
10646 \setlength{\maketitledetailswidth}{\textwidth}%
10647 \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
10648 \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
10649 \addtolength{\maketitledetailswidth}{-\maketitledetailswidth}}%
10650 \recomputethemelengths
10651 \newif\if@firstdetailselement\@firstdetailselementtrue
10652 \newcommand*{\maketitledetailsnewline}{%
10653 \if@firstdetailselement%
10654 \else%
10655 \else%
10656 \\[.2em]\fi}
10657 \renewcommand*{\maketitle}{%
10658 % name and title
10659 \begin{minipage}[b]{\maketitlenamewidth}%
10660 \firstnamestyle{@firstname~}\familynamestyle{@familyname}%
10661 \ifthenelse{\equal{@title}{}{}}{\v[1.25em]\titlestyle{@title}}%
10662 \end{minipage}%
10663 % optional data
10664 \begin{minipage}[b]{\maketitledetailswidth}%
10665 \bidi@raggedleft\addressfont\addresscolour%
10666 \ifthenelse{\isundefined{@address}}{}{%
10667 \maketitledetailsnewline%
10668 \addresssymbol~\\@address}%
10669 \ifthenelse{\isundefined{@mobile}}{}{\maketitledetailsnewline\mobilesymbol~@\mobile}%
10670 \ifthenelse{\isundefined{@phone}}{}{\maketitledetailsnewline\phonesymbol~@\phone}%
10671 \ifthenelse{\isundefined{@fax}}{}{\maketitledetailsnewline\faxsymbol~@\fax}%
10672 \ifthenelse{\isundefined{@email}}{}{\maketitledetailsnewline\emailsymbol~\maillink{@email}}%
10673 \ifthenelse{\isundefined{@extrainfo}}{}{\maketitledetailsnewline@\extrainfo}%
10674 \end{minipage}%
10675 % optional photo
10676 \ifthenelse{\isundefined{@photo}}{}{%
10677 {}%
10678 {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=}}%
10679 % optional quote

```



```

10680 \ifthenelse{\isundefined{\@quote}}{%
10681   {}%
10682   {\centering\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\%
10683 }

```

78 File dblfnote-xetex-bidi.def

```

10684 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
10685 \let\autofootnoterule\relax
10686 \let\rightfootnoterule\relax
10687 \let\leftfootnoterule\relax
10688 \let\textwidthfootnoterule\relax
10689 \let\LRfootnoterule\relax
10690 \def\footnoterule{\kern-3\p@
10691   \hrule \width \DFNcolumnwidth \kern 2.6\p@}%
10692 \AtBeginDocument{\let\dfn@latex@footnotetext\footnotetext
10693 \let\@footnotetext\dfn@footnotetext}
10694 \long\def\dfn@LTRfootnotetext#1{\setbox\dfn@boxa\vbox{
10695   \let\insert\dfn@gobble
10696   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10697   \def\@makefnmark{\smash{\dfn@makefnmark}}
10698   \dfn@latex@LTRfootnotetext{\#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10699   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10700   \ifdim\dfn@dima>\z@\else
10701     \dfn@dima1sp\relax
10702     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10703   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10704     \ifvoid\dfn@ins\else
10705       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10706       \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10707   \setbox\dfn@boxa\copy\dfn@ins
10708   \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10709   \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10710   \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10711   \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{} }%
10712   \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}%
10713 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
10714 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
10715 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
10716   \let\insert\dfn@gobble
10717   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10718   \def\@makefnmark{\smash{\dfn@makefnmark}}
10719   \dfn@latex@RTLfootnotetext{\#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10720   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10721   \ifdim\dfn@dima>\z@\else
10722     \dfn@dima1sp\relax
10723     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10724   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10725     \ifvoid\dfn@ins\else
10726       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10727       \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10728   \setbox\dfn@boxa\copy\dfn@ins
10729   \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10730   \advance\@tempdima\@tempdimb \@tempdimb\@tempdima

```



```

10731      \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10732      \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}
10733      \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}%
10734 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
10735 \let\@RTLfootnotetext\dfn@RTLfootnotetext
10736 \def\dfn@RTLmakecol{\ifvoid\footins\else
10737      \dfn@dima\ht\footins
10738      \atempcpta{z}\dfn@countins
10739      \atempdima{z}\let\@elt\dfn@elt@getht
10740      \dfn@list@nil
10741      \ifdim\@tempdima=z\else
10742      \dfn@split\atempdima\dfn@ins\dfn@boxa{z}{z}
10743      \global\setbox\dfn@ins\box\dfn@ins
10744      \atempswatru
10745      \ifdfn@trysingle
10746          \setbox\dfn@boxb\vbox{\unvcopy\cclv}\atempdima@colroom
10747          \advance\atempdima-\ht\dfn@boxb \advance\atempdima-\dp\dfn@boxb
10748          \advance\atempdima-\skip\footins
10749          \advance\atempdima-\ht\dfn@boxa
10750          \ifdim\@tempdima<z\else \atempswafalse
10751              \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10752                  \footnoterule \unvbox\dfn@boxa}\fi\fi
10753      \if@tempswa
10754      \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10755      \global\setbox\footins\vbox{\hbox{%
10756          \hskip\DFNcolumnwidth
10757          \hskip\DFNcolumnsep
10758          \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
10759              \unvbox\dfn@boxb\vss}\hss}
10760          \hskip-\textwidth
10761          \hbox to\DFNcolumnwidth\ifvoid\dfn@boxa\else
10762              \vbox to\@tempdima{%
10763                  \setbox\@tempboxa\vbox{\footnoterule}
10764                  \ifdfn@ruleboth \unvbox\@tempboxa
10765                  \else \atempdima\ht\@tempboxa
10766                      \advance\atempdima\dp\@tempboxa
10767                      \vskip\atempdima
10768                      \prevdepth\dp\@tempboxa \fi
10769                      \unvbox\dfn@boxa\vss}\fi\hss}
10770          \hskip\DFNcolumnsep
10771          \hskip\DFNcolumnwidth}}\fi\fi
10772      \global\dfn@fnht\z@%
10773      \ifx\dfn@list\empty\else
10774          \let\@elt\dfn@elt@adjust \dfn@dima{z}\dfn@dimb{z}
10775          \dfn@list \global\advance\dfn@fnht\dfn@dimb
10776          \let\@elt\relax
10777          \ifdim\dfn@dimb>z
10778              \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
10779              \insert\footins{\floatingpenalty\@MM
10780                  \vbox to\dfn@dimb{}}\fi
10781          \ifdim\dfn@fnht>\atempdima
10782              \atempdimb\atempdima \advance\atempdimb-\dfn@fnht
10783              \global\dfn@fnht\atempdima
10784              \xdef\dfn@list{\dfn@list\@elt{0}{\number\atempdimb}}%

```



```

10785           \xdef\dfn@afteroutput{\insert\footins{
10786               \floatingpenalty\@MM
10787               \vbox to\number\@tempdimb sp{}%}
10788               \global\let\noexpand\dfn@afteroutput\relax}%
10789           \fi\fi
10790       \fi}%
10791       \let\footnoterule\relax \dfn@latex@makecol
10792       \let\footnoterule\dfn@footnoterule}
10793 \def\dfn@TRmakecol{\ifvoid\footins\else
10794     \dfn@dima\ht\footins
10795     \tempcpta\z@\dfn@countins
10796     \tempdima\z@\let\elt\dfn@elt@getht
10797     \dfn@list\@nil
10798     \ifdim\@tempdima=\z@\else
10799     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
10800     \global\setbox\dfn@ins\box\dfn@ins
10801     \tempswatru
10802     \ifdfn@trysingle
10803         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
10804         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
10805         \advance\@tempdima-\skip\footins
10806         \advance\@tempdima-\ht\dfn@boxa
10807         \ifdim\@tempdima<\z@\else \tempswafalse
10808             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10809                 \footnoterule \unvbox\dfn@boxa}\fi\fi
10810     \if@tempswa
10811     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10812     \global\setbox\footins\vbox{\hbox{%
10813         \hbox to\DFNcolumnwidth\vbox to\@tempdima{\footnoterule
10814             \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
10815         \hbox to\DFNcolumnwidth\ifvoid\dfn@boxa\else
10816             \vbox to\@tempdima{%
10817                 \setbox\tempboxa\vbox{\footnoterule}
10818                 \ifdfn@ruleboth \unvbox\tempboxa
10819                 \else \tempdima\ht\tempboxa
10820                     \advance\@tempdima\dp\tempboxa
10821                     \vskip\@tempdima
10822                     \prevdepth\dp\tempboxa \fi
10823                     \unvbox\dfn@boxa\vss}}\fi\hss}}\fi\fi
10824     \global\dfn@fnht\z@
10825     \ifx\dfn@list\empty\else
10826         \let\elt\dfn@elt@adjust \dfn@dima\z@\dfn@dimb\z@
10827         \dfn@list \global\advance\dfn@fnht\dfn@dimb
10828         \let\elt\relax
10829         \ifdim\dfn@dimb>\z@
10830             \xdef\dfn@list{@elt{0}{\number\dfn@dimb}\dfn@list}%
10831             \insert\footins{\floatingpenalty\@MM
10832                 \vbox to\dfn@dimb{}}\fi
10833     \ifdim\dfn@fnht>\@tempdima
10834         \tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
10835         \global\dfn@fnht\@tempdima
10836         \xdef\dfn@list{\dfn@list@elt{0}{\number\@tempdimb}}%
10837         \xdef\dfn@afteroutput{\insert\footins{
10838                         \floatingpenalty\@MM

```



```

10839                               \vbox to\number\@tempdimb sp{}%%
10840           \global\let\noexpand\dfn@afteroutput\relax%
10841           \fi\fi%
10842           \fi}%
10843           \let\footnoterule\relax \dfn@latex@makecol
10844           \let\footnoterule\dfn@footnoterule}
10845 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
10846 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
10847 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
10848 \DFN@alwaysdouble

```

79 File diagbox-xetex-bidi.def

```

10849 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package f
10850 \bidi@patchcmd{\diagbox@double}{%
10851   \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}%
10852 }{\bidi@@diagbox@double@ii}{}
10853 \bidi@patchcmd{\diagbox@double}{%
10854   \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}%
10855 }{\bidi@@diagbox@double@iii}{}
10856 \newcommand*\bidi@@diagbox@double@ii}{%
10857   \if@RTL
10858     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep{l}}}}%
10859   \else
10860     \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}%
10861   \fi
10862 }
10863 \newcommand*\bidi@@diagbox@double@iii}{%
10864   \if@RTL
10865     \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}%
10866   \else
10867     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}%
10868   \fi
10869 }
10870 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10871   \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}%
10872 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}
10873 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10874   \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}%
10875 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}
10876 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10877   \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}%
10878 }{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{}
10879 \newcommand*\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
10880   \if@RTL
10881     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insep{l}}}}%
10882   \else
10883     \begin{tabular}{@{\hspace{\diagbox@insep{l}}}>{\diagbox@font}l@{}}%
10884   \fi
10885 \newcommand*\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
10886   \if@RTL
10887     \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}%
10888   \else
10889     \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}%

```



```

10890   \fi}
10891 \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
10892 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10893   \begin{tabular}{@{\hspace{\diagbox@insep1}}l@{}}
10894 }{\bidi@@diagbox@triple@setbox@SE@tabular@i}{}
10895 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10896   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}{}%
10897 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}
10898 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10899   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}{}%
10900 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}
10901 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
10902   \if@RTL
10903     \begin{tabular}{@{}r@{\hspace{\diagbox@insep1}}}
10904   \else
10905     \begin{tabular}{@{\hspace{\diagbox@insep1}}l@{}}
10906   \fi
10907 }
10908 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
10909   \if@RTL
10910     \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
10911   \else
10912     \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}{}%
10913   \fi
10914 }
10915 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
10916 \bidi@patchcmd{\diagbox@double@pict@SE}{%
10917   \diagbox@setlinecolor
10918   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
10919 }{%
10920   {\diagbox@setlinecolor
10921     \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
10922 }{%
10923 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
10924 \bidi@patchcmd{\diagbox@double@pict@NE}{%
10925   \diagbox@setlinecolor
10926   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
10927 }{%
10928   {\diagbox@setlinecolor
10929     \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
10930 }{%
10931 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
10932 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
10933   \diagbox@setlinecolor
10934   \Line(0,\yym)(\x,0)
10935   \Line(\xm,\y)(\x,0)%
10936 }{%
10937   {\diagbox@setlinecolor
10938     \Line(0,\yym)(\x,0)
10939     \Line(\xm,\y)(\x,0)}%
10940 }{%
10941 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
10942   \diagbox@setlinecolor
10943   \Line(0,0)(\xxm,\y)

```



```

10944   \Line(0,0)(\x,\yym)%
10945 }{%
10946   {\diagbox@setlinecolor
10947   \Line(0,0)(\xxm,\y)
10948   \Line(0,0)(\x,\yym)}%
10949 }{}{%
10950 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
10951   \diagbox@setlinecolor
10952   \Line(0,\yym)(\x,\y)
10953   \Line(\xm,0)(\x,\y)}%
10954 }{%
10955   {\diagbox@setlinecolor
10956   \Line(0,\yym)(\x,\y)
10957   \Line(\xm,0)(\x,\y)}%
10958 }{}{%
10959 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
10960   \diagbox@setlinecolor
10961   \Line(0,\y)(\xxm,0)
10962   \Line(0,\y)(\x,\yym)}%
10963 }{%
10964   {\diagbox@setlinecolor
10965   \Line(0,\y)(\xxm,0)
10966   \Line(0,\y)(\x,\yym)}%
10967 }{}{%

```

80 File `draftwatermark-xetex-bidi.def`

```

10968 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwater
10969 \renewcommand\SetWatermarkText[1]{%
10970   \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

81 File `eso-pic-xetex-bidi.def`

```

10971 \ProvidesFile{eso-pic-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for eso-pic package f
10972 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
10973   \put(\if@RTLmain\paperwidth\else 0\fi,-\paperheight){#1}}}
10974
10975 \ESO@isMEMOIR{%
10976   \renewcommand\AtTextUpperLeft[1]{%
10977     \begingroup
10978       \ifodd\c@page
10979         \if@RTLmain
10980           \ESO@tempdima=\paperwidth
10981           \advance\ESO@tempdima-\textwidth
10982           \advance\ESO@tempdima-\spinemargin
10983         \else
10984           \ESO@tempdima=\spinemargin
10985         \fi
10986       \else
10987         \if@RTLmain
10988           \ESO@tempdima=\spinemargin
10989         \else
10990           \ESO@tempdima=\paperwidth
10991           \advance\ESO@tempdima-\textwidth

```



```

10992     \advance\ESO@tempdima-\spinemargin
10993     \fi
10994     \fi
10995     \ESO@tempdimb=-\uppermargin
10996     \AtPageUpperLeft{%
10997         \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
10998     }%
10999     \endgroup
11000 }
11001 }{%
11002     \renewcommand\AtTextUpperLeft[1]{%
11003         \begin{group}
11004             \ESO@tempdima=1in\relax
11005             \if@twoside
11006                 \ifodd\c@page
11007                     \if@RTLmain
11008                         \advance\ESO@tempdima\evensidemargin
11009                     \else
11010                         \advance\ESO@tempdima\oddsidemargin
11011                     \fi
11012                 \else
11013                     \if@RTLmain
11014                         \advance\ESO@tempdima\oddsidemargin
11015                     \else
11016                         \advance\ESO@tempdima\evensidemargin
11017                     \fi
11018                 \fi
11019             \else
11020                 \advance\ESO@tempdima\oddsidemargin
11021             \fi
11022             \ESO@tempdimb=-1in\relax
11023             \advance\ESO@tempdimb-\topmargin
11024             \advance\ESO@tempdimb-\headheight
11025             \advance\ESO@tempdimb-\headsep
11026             \AtPageUpperLeft{%
11027                 \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
11028             }%
11029         \endgroup
11030     }
11031 }

```

82 File `empheq-xetex-bidi.def`

```

11032 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for
11033 \MHInternalSyntaxOn
11034 \def\EQ_tag_plus_endmark:{%
11035     \iftagsleft@
11036         \gdef\maketag@@@##1{%
11037             \hfuzz\displaywidth
11038             \if@RTL\makebox[\widthof{##1}][r]{%
11039                 \hbox to \displaywidth{\m@th\normalfont##1\hss
11040                     \raisebox{-\dp\EQ_mathdisplay_box}{%
11041                         -\depthof{\EQ_outerbox:{}}
11042                         {\PotEndMark{\hss}}}}}

```



```

11043     \else\makebox[\widthof{\#1}][l]{%
11044         \hbox to \displaywidth{\m@th\normalfont##1\hss
11045             \raisebox{-\dp\EQ_mathdisplay_box}{%
11046                 -\depthof{\EQ_outerbox:[]}}%
11047             {\PotEndMark{\hss}}}\fi}%
11048 \MH_else:
11049     \gdef\maketag@@@##1{%
11050         \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
11051             \settoheight{\@tempdima}{\nameuse{\InTheoType Symbol}}%
11052             \MH_addtolength:dn \@tempdima
11053                 {\g_EQ_bottomtag_depth_dim+\mintagvsep}
11054             \setlength{\@tempdimb}{%
11055                 {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:[]}}
11056                 +\depthof{\EQ_innerbox:[]}}%
11057             \MH_if_dim:w \@tempdima>\@tempdimb
11058                 \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
11059                     -\@tempdima+\g_EQ_bottomrow_depth_dim}
11060                 \addtolength{\@tempdima}{\depthof{\EQ_innerbox:[]}}%
11061                 \def\EQ_next:{\raisebox{\@tempdima}{%
11062                     \MH_else:
11063                         \def\EQ_next:{%
11064                             \raisebox{-\dp\EQ_mathdisplay_box}{%
11065                                 -\depthof{\EQ_outerbox:[]}}}\%
11066                         \MH_fi:\EQ_next:}\}}\%
11067     \MH_fi:}
11068 \def\EQ_post_process:{%
11069     \EQ_initialize:
11070     \EQ_begin_equation:
11071     \MH_if_boolean:nT {outer_mult}{%
11072         \setkeys{\MT_options_name:}{%
11073             firstline-afterskip=0pt,
11074             lastline-preskip=0pt,
11075             multlined-width=0pt,
11076         }%
11077         \ifodd \l_EQ_alignmentmode_int
11078             \setkeys{\MT_options_name:}{multlined-pos=b}
11079         \MH_else:
11080             \setkeys{\MT_options_name:}{multlined-pos=t}
11081         \MH_fi:
11082             \g@addto@macro\EQ_complete_mathdisplay:{%
11083                 \begin{MTmultlined}\relax
11084             }%
11085             \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
11086             \MH_if_boolean:nT {outer_mult}{%
11087                 \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
11088             }%
11089             \EQ_end_equation:
11090             \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
11091             \savecounters@
11092             \EQ_typeset_tags:
11093             \edef\l_EQ_equation_fint{\number\c@equation}
11094             \restorecounters@
11095             \Hy@linkcounter=\EQ_hyperref_link_fint
11096             \settowidth\l_EQ_totalwidth_dim}%

```



```

11097      $EQ_left_side:$EQ_innerbox:{}$EQ_right_side:$}%
11098      \MH_if_boolean:nTF {outer_mult}
11099          { \def\EQ_next:{_mult} }
11100          { \def\EQ_next:{} }
11101      \cnameuse{EQ_modify_linewidth_
11102          \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
11103      \EQ_typeset_display:
11104      \cnameuse{EQ_find_displaywidth_
11105          \romannumeral\l_EQ_equationtype_int\EQ_next: :}
11106      \MH_addtolength:dn
11107          \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
11108      \savebox{EQ_mathdisplay_box}[\l_EQ_totalwidth_dim][c]{%
11109          $EQ_left_side:
11110          \EQ_innerbox:{%
11111              \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
11112                  \makebox[\l_EQ_displaywidth_dim][c]
11113                      {\usebox{EQ_mathdisplay_box}}%
11114              \MH_or:
11115                  \makebox[\l_EQ_displaywidth_dim][c]
11116                      {\usebox{EQ_mathdisplay_box}}%
11117              \MH_or:
11118                  \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
11119                      \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11120                          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11121                              \kern-\@mathmargin
11122                                  \MH_fi:
11123                                  \MH_fi:
11124                                      \usebox{EQ_mathdisplay_box}}%
11125                  \else\makebox[\l_EQ_displaywidth_dim][1]{%
11126                      \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11127                          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11128                              \kern-\@mathmargin
11129                                  \MH_fi:
11130                                  \usebox{EQ_mathdisplay_box}}\fi%
11131              \MH_or:
11132                  \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
11133                      \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11134                          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11135                              \kern-\@mathmargin
11136                                  \MH_fi:
11137                                  \MH_fi:
11138                                      \usebox{EQ_mathdisplay_box}}
11139                  \else\makebox[\l_EQ_displaywidth_dim][1]{%
11140                      \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11141                          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11142                              \kern-\@mathmargin
11143                                  \MH_fi:
11144                                  \MH_fi:
11145                                      \usebox{EQ_mathdisplay_box}}\fi%
11146              \MH_fi:}%
11147          \EQ_right_side:$}%
11148      \begin{AmSequation*}
11149      \cnameuse{EQ_place_display_

```



```

11151      \romannumeral\l_EQ_equationtype_int\EQ_next: :}
11152      \MH_if_dim:w \g_EQ_widesttag_dim>\z@
11153      \MH_set_boolean_T:n {show_manual_tags}
11154      \MH_if_case:w \l_EQ_alignmentmode_int
11155      \MH_or: \if@RTL\EQ_place_tag:N 1\else\EQ_place_tag:N r\fi %%1
11156      \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %%2
11157      \MH_or: \if@RTL\EQ_place_tag:N 1\else\EQ_place_tag:N r\fi %%3
11158      \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %%4
11159      \MH_fi:
11160      \MH_fi:
11161      \end{AmS equation*}
11162      \global\c@equation=\l_EQ_equation_fint\relax
11163 }
11164 \AtBeginDocument{%
11165   \@ifpackageloaded{fancybox}{%
11166     \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}{%
11167       \renewcommand*\textcolor[2]{\normalcolor{#2}}{}}%
11168       \renewcommand*\shadowbox{%
11169         \ifstar{\MH_set_boolean_T:n {shadowbox_star}%
11170           \VerbBox\EQ_shadowbox:n%
11171           {\MH_set_boolean_F:n {shadowbox_star}%
11172             \VerbBox\EQ_shadowbox:n}%
11173         }{\def\EQ_shadowbox:n #1{%
11174           \sbox{\z@}{\fbox{#1}}%
11175           \MH_if_boolean:nTF {shadowbox_star}{%
11176             \MH_setlength:dn \tempdima{\z@}%
11177           }{%
11178             \MH_setlength:dn \tempdima{\dp\z@+\shadowsize}%
11179           }%
11180           \raisebox{\tempdima}{%
11181             \if@RTL\makebox[\z@][r]{%
11182               \kern\shadowsize \textcolor{shadowcolor}{%
11183                 \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
11184               }%
11185             \else\makebox[\z@][l]{%
11186               \kern\shadowsize \textcolor{shadowcolor}{%
11187                 \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
11188               }\fi%
11189             \usebox\z@\textcolor{shadowcolor}{%
11190               \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}%
11191         }{}}%
11192 }
11193 \MHInternalSyntaxOff

```

83 File extarticle-xetex-bidi.def

```

11194 \ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class]
11195 \renewcommand*\l@section[2]{%
11196   \ifnum \c@tocdepth >\z@
11197     \addpenalty\secpenalty
11198     \addvspace{1.0em \oplus \p@}%
11199     \setlength\tempdima{1.5em}%
11200     \begingroup
11201       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \tempdima

```



```

11202     \parfillskip -\@pnumwidth
11203     \leavevmode \bfseries
11204     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
11205     \hskip -\if@RTL\rightskip\else\leftskip\fi
11206     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
11207     \endgroup
11208 \fi}
11209 \renewcommand*\l@part[2]{%
11210 \ifnum \c@tocdepth >-2\relax
11211   \addpenalty\@secpenalty
11212   \addvspace{2.25em \oplus \p@}%
11213   \begin{group}
11214     \setlength\@tempdima{3em}%
11215     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
11216     \parfillskip -\@pnumwidth
11217     \leavevmode
11218     \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}\par
11219     \nobreak
11220   \endgroup
11221 \fi}
11222 \def\@part[#1]#2{%
11223   \ifnum \c@secnumdepth >\m@ne
11224     \refstepcounter{part}%
11225     \addcontentsline{toc}{part}{\the\part\hskip{1em}#1}%
11226   \else
11227     \addcontentsline{toc}{part}{#1}%
11228   \fi
11229   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11230     \interlinepenalty \OM
11231     \normalfont
11232     \ifnum \c@secnumdepth >\m@ne
11233       \Large\bfseries \partname~\the\part
11234       \par\nobreak
11235     \fi
11236     \huge \bfseries #2%
11237     \markboth{}{}\par}%
11238   \nobreak
11239   \vskip 3ex
11240   \afterheading}
11241 \def\@spart#1{%
11242   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11243     \interlinepenalty \OM
11244     \normalfont
11245     \huge \bfseries #1\par}%
11246   \nobreak
11247   \vskip 3ex
11248   \afterheading}
11249 \renewenvironment{thebibliography}[1]
11250   {\section*{\refname
11251     \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
11252     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11253     \bidi@@thebibliography@font@hook%
11254     \list{\@biblabel{\@arabic\c@enumiv}}%
11255     {\settowidth\labelwidth{\@biblabel{#1}}}%

```



```

11256           \leftmargin\labelwidth
11257           \advance\leftmargin\labelsep
11258           \openbib@code
11259           \usecounter{enumiv}%
11260           \let\p@enumiv\empty
11261           \renewcommand{\theenumiv}{\@arabic\c@enumiv}%
11262           \sloppy\clubpenalty4000\widowpenalty4000%
11263           \sfcode`.\@m}
11264           {\def\@noitemerr
11265             {\@latex@warning{Empty `thebibliography' environment}}%
11266           \endlist}
11267 \renewcommand{\left@footnoterule}{%
11268   \kern-3\p@
11269   \hrule\@width.4\columnwidth
11270   \kern2.6\p@}
11271 \renewcommand{\right@footnoterule}{%
11272   \kern-3\p@
11273   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11274   \kern2.6\p@}
11275   \if@titlepage
11276   \renewcommand{\maketitle}{\begin{titlepage}%
11277     \let\footnotesize\small
11278     \let\right@footnoterule\relax
11279     \let\left@footnoterule\relax
11280     \let\textwidth@footnoterule\relax
11281     \let \footnote \thanks
11282     \null\vfil
11283     \vskip 60\p@
11284     \begin{center}%
11285       {\LARGE \@title \par}%
11286       \vskip 3em%
11287       {\large
11288         \lineskip .75em%
11289         \begin{tabular}[t]{c}%
11290           \author
11291         \end{tabular}\par}%
11292       \vskip 1.5em%
11293       {\large \@date \par} % Set date in \large size.
11294     \end{center}\par
11295     \thanks
11296     \vfil\null
11297   \end{titlepage}%
11298   \setcounter{footnote}{0}%
11299   \global\let\thanks\relax
11300   \global\let\maketitle\relax
11301   \global\let\@thanks\empty
11302   \global\let\author\empty
11303   \global\let\@date\empty
11304   \global\let\@title\empty
11305   \global\let\title\relax
11306   \global\let\author\relax
11307   \global\let\date\relax
11308   \global\let\and\relax
11309 }

```



```

11310 \else
11311 \renewcommand\maketitle{\par
11312   \begingroup
11313     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
11314     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
11315     \long\def\@makefntext##1{\par\indent 1em\noindent
11316       \hb@xt@1.8em{%
11317         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
11318       \if@twocolumn
11319         \ifnum \col@number=\@ne
11320           \maketitle
11321         \else
11322           \twocolumn[\maketitle]%
11323         \fi
11324       \else
11325         \newpage
11326         \global\@topnum\z@    % Prevents figures from going at top of page.
11327         \maketitle
11328       \fi
11329       \thispagestyle{plain}\@thanks
11330     \endgroup
11331     \setcounter{footnote}{0}%
11332     \global\let\thanks\relax
11333     \global\let\maketitle\relax
11334     \global\let\@maketitle\relax
11335     \global\let\@thanks\@empty
11336     \global\let\@author\@empty
11337     \global\let\@date\@empty
11338     \global\let\@title\@empty
11339     \global\let\title\relax
11340     \global\let\author\relax
11341     \global\let\date\relax
11342     \global\let\and\relax
11343   }
11344 \def\@maketitle{%
11345   \newpage
11346   \null
11347   \vskip 2em%
11348   \begin{center}%
11349     \let \footnote \thanks
11350     {\LARGE \@title \par}%
11351     \vskip 1.5em%
11352     {\large
11353       \lineskip .5em%
11354       \begin{tabular}[t]{c}%
11355         \author
11356       \end{tabular}\par}%
11357     \vskip 1em%
11358     {\large \@date}%
11359   \end{center}%
11360   \par
11361   \vskip 1.5em}
11362 \fi
11363 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}

```



```

11364 \renewcommand\thesubsubsection{\thesubsection \c@SepMark\c@arabic\c@subsubsection}
11365 \renewcommand\theparagraph {\thesubsubsection\c@SepMark\c@arabic\c@paragraph}
11366 \renewcommand\thesubparagraph {\theparagraph\c@SepMark\c@arabic\c@subparagraph}%%

```

84 File extbook-xetex-bidi.def

```

11367 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for
11368 \if@titlepage
11369 \renewcommand\maketitle{\begin{titlepage}%
11370 \let\footnotesize\small
11371 \let\right@footnoterule\relax
11372 \let\left@footnoterule\relax
11373 \let\textwidth@footnoterule\relax
11374 \let \footnote \thanks
11375 \let \LTrfootnote \LTrthanks
11376 \let \RTLfootnote \RTLthanks
11377 \null\vfil
11378 \vskip 60\p@
11379 \begin{center}%
11380 {\LARGE \@title \par}%
11381 \vskip 3em%
11382 {\large
11383 \lineskip .75em%
11384 \begin{tabular}[t]{c}%
11385 \author
11386 \end{tabular}\par}%
11387 \vskip 1.5em%
11388 {\large \@date \par}%
11389 \end{center}\par
11390 \thanks
11391 \vfildnull
11392 \end{titlepage}%
11393 \setcounter{footnote}{0}%
11394 \global\let\thanks\relax
11395 \global\let\LTrthanks\relax
11396 \global\let\RTLthanks\relax
11397 \global\let\maketitle\relax
11398 \global\let\@thanks\empty
11399 \global\let\author\empty
11400 \global\let\@date\empty
11401 \global\let\@title\empty
11402 \global\let\title\relax
11403 \global\let\author\relax
11404 \global\let\date\relax
11405 \global\let\and\relax
11406 }
11407 \else
11408 \renewcommand\maketitle{\par
11409 \begingroup
11410 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
11411 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
11412 \long\def\@makefntext##1{\par\indent 1em\noindent
11413 \hb@xt@1.8em{%
11414 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%

```



```

11415   \if@twocolumn
11416     \ifnum \col@number=\@ne
11417       \@maketitle
11418     \else
11419       \twocolumn[\@maketitle]%
11420     \fi
11421   \else
11422     \newpage
11423     \global\@topnum\z@ % Prevents figures from going at top of page.
11424     \@maketitle
11425   \fi
11426   \thispagestyle{plain}\@thanks
11427 \endgroup
11428 \setcounter{footnote}{0}%
11429 \global\let\thanks\relax
11430 \global\let\LTRthanks\relax
11431 \global\let\RTLthanks\relax
11432 \global\let\maketitle\relax
11433 \global\let@\maketitle\relax
11434 \global\let@\thanks\@empty
11435 \global\let@\author\@empty
11436 \global\let@\date\@empty
11437 \global\let@\title\@empty
11438 \global\let\title\relax
11439 \global\let\author\relax
11440 \global\let\date\relax
11441 \global\let\and\relax
11442 }
11443 \def\@maketitle{%
11444   \newpage
11445   \null
11446   \vskip 2em%
11447   \begin{center}%
11448     \let \footnote \thanks
11449     \let \LTrfootnote \LTRthanks
11450     \let \RTLfootnote \RTLthanks
11451     {\LARGE \@title \par}%
11452     \vskip 1.5em%
11453     {\large
11454       \lineskip .5em%
11455       \begin{tabular}[t]{c}%
11456         \author
11457       \end{tabular}\par}%
11458     \vskip 1em%
11459     {\large \@date}%
11460   \end{center}%
11461   \par
11462   \vskip 1.5em}
11463 \fi
11464 \renewcommand*\l@part[2]{%
11465   \ifnum \c@tocdepth >-2\relax
11466     \addpenalty{-\@highpenalty}%
11467     \addvspace{2.25em \@plus\p@}%
11468   \begingroup

```



```

11469   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \c@pnumwidth
11470   \parfillskip -\c@pnumwidth
11471   {\leavevmode
11472     \large \bfseries #1\hfil \hb@xt@\c@pnumwidth{\hss #2}\par
11473     \nobreak
11474       \global\@nobreaktrue
11475       \everypar{\global\@nobreakfalse\everypar{}}
11476   \endgroup
11477   \fi}
11478 \renewcommand\theequation
11479   {\ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi \c@arabic\c@equation}
11480 \renewcommand \thefigure
11481   {\ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi \c@arabic\c@figure}
11482 \renewcommand \thetable
11483   {\ifnum \c@chapter>\z@ \thechapter\c@SepMark\fi \c@arabic\c@table}
11484 \renewcommand \thechapter {\c@arabic\c@chapter}
11485 \renewcommand \thesection {\thechapter\c@SepMark\c@arabic\c@section}
11486 \renewcommand\thesubsection {\thesection\c@SepMark\c@arabic\c@subsection}
11487 \renewcommand\thesubsubsection{\thesubsection\c@SepMark\c@arabic\c@subsubsection}
11488 \renewcommand\theparagraph {\thesubsubsection\c@SepMark\c@arabic\c@paragraph}
11489 \renewcommand\thesubparagraph {\theparagraph\c@SepMark\c@arabic\c@subparagraph}
11490 \def\@makechapterhead#1{%
11491   \vspace*{50\p@}%
11492   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
11493     \ifnum \c@secnumdepth >\m@ne
11494       \if@mainmatter
11495         \huge\bfseries \c@chapapp\space \thechapter
11496         \par\nobreak
11497         \vskip 20\p@
11498       \fi
11499     \fi
11500     \interlinepenalty\@M
11501     \Huge \bfseries #1\par\nobreak
11502     \vskip 40\p@
11503   }%
11504
11505 \def\@makeschapterhead#1{%
11506   \vspace*{50\p@}%
11507   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11508     \normalfont
11509     \interlinepenalty\@M
11510     \Huge \bfseries #1\par\nobreak
11511     \vskip 40\p@
11512   }%
11513 \renewcommand\backmatter{%
11514   \if@openright
11515     \cleardoublepage
11516   \else
11517     \clearpage
11518   \fi
11519   \c@mainmatterfalse}
11520 \renewenvironment{\thebibliography}[1]
11521   {\chapter*{\bibname
11522     \c@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%

```



```

11523     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11524     \bidi@@thebibliography@font@hook%
11525     \list{\@biblabel{\@arabic\c@enumiv}}%
11526         {\settowidth\labelwidth{\@biblabel{#1}}%
11527             \leftmargin\labelwidth
11528             \advance\leftmargin\labelsep
11529             \openbib@code
11530             \usecounter{enumiv}%
11531             \let\p@enumiv\empty
11532             \renewcommand\theenumiv{\@arabic\c@enumiv}%
11533             \sloppy
11534             \clubpenalty4000
11535             \clubpenalty \clubpenalty
11536             \widowpenalty4000%
11537             \sfcode`\.\@m}
11538     {\def\@noitemerr
11539         {\@latex@warning{Empty `thebibliography' environment}}%
11540     \endlist}

```

85 File extletter-xetex-bidi.def

```

11541 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class
11542 \renewcommand*\opening[1]{\ifx\empty\fromaddress
11543   \thispagestyle{firstpage}%
11544   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
11545 \else % home address
11546   \thispagestyle{empty}%
11547   {\if@RTL\raggedright\begin{tabular}{r@{} }\else\raggedleft\begin{tabular}{l@{} }\fi\ignore
11548     \fromaddress \\*[2\parskip]%
11549     \@date \end{tabular}\par}%
11550 \fi
11551 \vspace{2\parskip}%
11552 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
11553 \vspace{2\parskip}%
11554 #1\par\nobreak}
11555 \renewcommand\closing[1]{\par\nobreak\vspace{\parskip}%
11556 \stopbreaks
11557 \noindent
11558 \ifx\empty\fromaddress\else
11559 \hspace*{\longindentation}\fi
11560 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
11561   \ignorespaces #1\\[6\medskipamount]%
11562   \ifx\empty\fromsig
11563     \fromname
11564     \else \fromsig \fi\strut}%
11565 \par}
11566 \renewcommand\left@footnoterule{%
11567 \kern-\p@
11568 \hrule \width .4\columnwidth
11569 \kern .6\p@}
11570 \renewcommand\right@footnoterule{%
11571 \kern-\p@
11572 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
11573 \kern .6\p@}

```



86 File extrafootnotefeatures-xetex-bidi.def

```
11574 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2022/07/08 v2.1 bidi extra footnote fea
11575 \newdimen\bidi@columnwidth
11576 \def\bidi@floathook{%
11577   \bidi@columnwidth\columnwidth
11578 }
11579 \newif\if@bidi@void@footins
11580 \newif\if@bidi@void@mpfootins
11581 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
11582 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
11583 \if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
11584 \ifHy@hyperfootnotes
11585   \let\@@H@@footnotetext\@footnotetext
11586   \let\@@HLTR@@LTRfootnotetext\@LTRfootnotetext
11587   \let\@@HRTL@@RTLfootnotetext\@RTLfootnotetext
11588   \let\@@H@mpfootnotetext\@mpfootnotetext
11589   \let\@@HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
11590   \let\@@HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
11591 \fi
11592 }%
11593 }%
11594 }
11595 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
11596 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
11597 \if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
11598 \ifHy@hyperfootnotes
11599   \let\H@@footnotetext\@footnotetext
11600   \let\@footnotetext\@@H@@footnotetext
11601   \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
11602   \let\@LTRfootnotetext\@@HLTR@@LTRfootnotetext
11603   \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
11604   \let\@RTLfootnotetext\@@HRTL@@RTLfootnotetext
11605   \let\H@mpfootnotetext\@mpfootnotetext
11606   \let\@mpfootnotetext\@@H@mpfootnotetext
11607   \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
11608   \let\@mpLTRfootnotetext\@@HLTR@@mpLTRfootnotetext
11609   \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
11610   \let\@mpRTLfootnotetext\@@HRTL@@mpRTLfootnotetext
11611 \fi
11612 }%
11613 }%
11614 }
11615 \let\autofootnoterule\relax
11616 \let\rightfootnoterule\relax
11617 \let\leftfootnoterule\relax
11618 \let\textwidthfootnoterule\relax
11619 \let\LRfootnoterule\relax
11620 \def\footnoterule{\kern-3\p@
11621   \hrule \@width \columnwidth \kern 2.6\p@}
11622 \newcommand{\@preamnormalfmt}{%
11623   \parindent 1em%
11624   \noindent
11625 }
```



```

11626 \newcommand{\@normalfootfmt}[1]{%
11627   \preamnormalfmt
11628   \footfootmark
11629   \rule{z@\footnotesep\ignorespaces{\foottextfont #1}%
11630   \finalstrut\strutbox
11631 }
11632 \newcommand{\@normalRTLfootfmt}[1]{%
11633   \preamnormalfmt
11634   \RTLfootfootmark
11635   \rule{z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
11636   \finalstrut\strutbox
11637 }
11638 \newcommand{\@normalLTRfootfmt}[1]{%
11639   \preamnormalfmt
11640   \LTRfootfootmark
11641   \rule{z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
11642   \finalstrut\strutbox
11643 }
11644 \renewcommand{\@footnotetext}[1]{%
11645   \insert\footins{%
11646     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\f@i%
11647     \def\baselinestretch{\m@m@footnote@spacing}%
11648     \reset@font
11649     \foottextfont
11650     \preamfntext
11651     \hsize\columnwidth
11652     \protected@edef\@currentlabel{%
11653       \csname p@footnote\endcsname\@thefnmark}%
11654     \color@begingroup
11655     \normalfootfmt{#1}%
11656     \color@endgroup}%
11657     \m@mmf@prepare}
11658 \renewcommand{\@RTLfootnotetext}[1]{%
11659   \insert\footins{%
11660     \@RTLtrue%
11661     \def\baselinestretch{\m@m@footnote@spacing}%
11662     \reset@font
11663     \RTLfoottextfont
11664     \preamfntext
11665     \hsize\columnwidth
11666     \protected@edef\@currentlabel{%
11667       \csname p@footnote\endcsname\@thefnmark}%
11668     \color@begingroup
11669     \normalRTLfootfmt{#1}%
11670     \color@endgroup}%
11671     \m@mmf@prepare}
11672 \renewcommand{\@LTRfootnotetext}[1]{%
11673   \insert\footins{%
11674     \@RTLfalse%
11675     \def\baselinestretch{\m@m@footnote@spacing}%
11676     \reset@font
11677     \LTRfoottextfont
11678     \preamfntext
11679     \hsize\columnwidth

```



```

11680 \protected@edef{\currentlabel}{%
11681   \csname p@footnote\endcsname\@thefnmark}%
11682 \color@begingroup
11683   \normalLTrfootfmt{#1}%
11684 \color@endgroup}%
11685 \m@mmf@prepare}
11686 \renewcommand{\@mpfootnotetext}[1]{%
11687   \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11688     \unvbox\@mpfootins
11689     \def\baselinestretch{\m@m@footnote@spacing}%
11690     \reset@font%
11691     \foottextfont \hsize\columnwidth \parboxrestore
11692     \protected@edef{\currentlabel}{%
11693       \csname p@mpfootnote\endcsname\@thefnmark}%
11694   \color@begingroup
11695     \normalfootfmt{#1}%
11696   \color@endgroup}}
11697 \renewcommand{\@mpLTrfootnotetext}[1]{%
11698   \global\setbox\@mpfootins\vbox{\@RTLfalse%
11699     \unvbox\@mpfootins
11700     \def\baselinestretch{\m@m@footnote@spacing}%
11701     \reset@font%
11702     \LTrfoottextfont \hsize\columnwidth \parboxrestore
11703     \protected@edef{\currentlabel}{%
11704       \csname p@mpfootnote\endcsname\@thefnmark}%
11705   \color@begingroup
11706     \normalLTrfootfmt{#1}%
11707   \color@endgroup}}
11708 \renewcommand{\@mpRTLfootnotetext}[1]{%
11709   \global\setbox\@mpfootins\vbox{\@RTLtrue%
11710     \unvbox\@mpfootins
11711     \def\baselinestretch{\m@m@footnote@spacing}%
11712     \reset@font%
11713     \RTLfoottextfont \hsize\columnwidth \parboxrestore
11714     \protected@edef{\currentlabel}{%
11715       \csname p@mpfootnote\endcsname\@thefnmark}%
11716   \color@begingroup
11717     \normalRTLfootfmt{#1}%
11718   \color@endgroup}}
11719 \let\m@mold@footnotetext\@footnotetext
11720 \let\m@mold@LTrfootnotetext\@LTrfootnotetext
11721 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
11722 \let\m@mold@mpfootnotetext\@mpfootnotetext
11723 \let\m@mold@mpLTrfootnotetext\@mpLTrfootnotetext
11724 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
11725 \bidi@ensure@newcommand{\normalfootnotes}{%
11726   \bidi@before@Hy@hyperfootnotes
11727   \let\@footnotetext\m@mold@footnotetext
11728   \let\@LTrfootnotetext\m@mold@LTrfootnotetext
11729   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
11730   \let\@mpfootnotetext\m@mold@mpfootnotetext
11731   \let\@mpLTrfootnotetext\m@mold@mpLTrfootnotetext
11732   \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
11733   \bidi@after@Hy@hyperfootnotes

```



```

11734   \o@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11735 }
11736 \o@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
11737 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
11738   \def\m@m@singlespace{\#1}%
11739   \def\m@m@footnote@spacing{\#1}%
11740   \def\m@m@float@spacing{\#1} %
11741 }
11742 \setSingleSpace{1}
11743 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
11744 \bidi@ensure@newcommand*{\m@mmf@prepare}{%
11745   \kern-\multiplefootnotemarker
11746   \kern\multiplefootnotemarker\relax}
11747 \bidi@ensure@newlength{\footmarkwidth}
11748 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{\#1}}
11749 \bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{\#1}}
11750 \bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{\#1}}
11751 \bidi@ensure@newcommand{\footfootmark}{%
11752   \ifdim\footmarkwidth < \z@
11753     \llap{\hb@xt@ -\footmarkwidth{%
11754       \hss\normalfont\footscript{\@thefnmark}}%
11755       \hskip*{-\footmarkwidth}}}%
11756 \else
11757   \ifdim\footmarkwidth = \z@
11758     {\normalfont\footscript{\@thefnmark}}%
11759   \else
11760     \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
11761   \fi
11762 \fi}
11763 \bidi@ensure@newcommand{\LTRfootfootmark}{%
11764   \ifdim\footmarkwidth < \z@
11765     \llap{\hb@xt@ -\footmarkwidth{%
11766       \hss\normalfont\LTRfootscript{\@thefnmark}}%
11767       \hskip*{-\footmarkwidth}}}%
11768 \else
11769   \ifdim\footmarkwidth = \z@
11770     {\normalfont\LTRfootscript{\@thefnmark}}%
11771   \else
11772     \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
11773   \fi
11774 \fi}
11775 \bidi@ensure@newcommand{\RTLfootfootmark}{%
11776   \ifdim\footmarkwidth < \z@
11777     \llap{\hb@xt@ -\footmarkwidth{%
11778       \hss\normalfont\RTLfootscript{\@thefnmark}}%
11779       \hskip*{-\footmarkwidth}}}%
11780 \else
11781   \ifdim\footmarkwidth = \z@
11782     {\normalfont\RTLfootscript{\@thefnmark}}%
11783   \else
11784     \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
11785   \fi
11786 \fi}
11787 \footmarkstyle{\textsuperscript{\#1}}

```



```

11788 \LTRfootmarkstyle{\textsuperscript{#1}}
11789 \RTLfootmarkstyle{\textsuperscript{#1}}
11790 \newcommand*{\bidi@normal@footmarkwidth}{%
11791   \setlength{\footmarkwidth}{1em plus .3em minus .3em}%
11792 }
11793 \newcommand*{\bidi@star@footmarkwidth}{%
11794   \setlength{\footmarkwidth}{0em plus .3em minus .3em}%
11795 }
11796 \bidi@normal@footmarkwidth
11797 \bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
11798 \bidi@ensure@newcommand*{\extrafeetins}{%
11799   \setbox\@outputbox \vbox{%
11800     \boxmaxdepth \maxdepth
11801     \unvbox\@outputbox
11802     \ifvoid\footinsv@r
11803       \ifvoid\footinsv@l
11804         \else
11805           \footstartv@l
11806           \footgroupv@l
11807         \fi
11808       \else
11809         \footstartv@r
11810         \footgroupv@r
11811         \ifvoid\footinsv@l
11812           \else
11813             \footstartv@l
11814             \footgroupv@l
11815           \fi
11816       \fi
11817     \ifvoid\@bidi@copyins@
11818     \else
11819       \vskip \skip\@bidi@copyins@
11820       \color@begingroup
11821         \normalcolor
11822         \unvbox \@bidi@copyins@
11823       \color@endgroup
11824     \fi
11825   \extrafeetinshook}}
11826 \bidi@ensure@newcommand{\extrafeetinshook}{}
11827 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
11828 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
11829 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
11830 \bidi@ensure@newlength{\footinsdim}
11831   \setlength{\footinsdim}{8in} % standard for \dimen\footins
11832 \bidi@ensure@newcommand{\preamfntext}{%
11833   \interlinepenalty\interfootnotelinepenalty
11834   \floatingpenalty \MM
11835   \splittopskip=\footnotesep
11836   \splitmaxdepth=\dp\strutbox
11837   \parboxrestore
11838 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
11839   \extrafeetminihook}
11840 \bidi@ensure@newcommand{\extrafeetendmini}{%
11841   \ifvoid\@mpfootinsv@r

```



```

11842 \ifvoid\@mpfootinsv@l
11843 \else
11844   \vskip\skip\@mpfootins
11845   \normalcolor
11846   \if@bidi@void@\@mpfootins
11847     \footnoterule
11848   \fi
11849   \mp@LTRfootgroupv@l
11850 \fi
11851 \else
11852   \vskip\skip\@mpfootins
11853   \normalcolor
11854   \if@bidi@void@\@mpfootins
11855     \footnoterule
11856   \fi
11857   \mp@footgroupv@r
11858 \ifvoid\@mpfootinsv@l
11859 \else
11860   \vskip\skip\@mpfootins
11861   \normalcolor\mp@LTRfootgroupv@l
11862 \fi
11863 \fi
11864 \extrafeetendminihook}
11865 \bidi@ensure@newcommand{\extrafeetendminihook}={}
11866 \bidi@ensure@newcommand{\m@ndoextrafeetendmini}{\extrafeetendmini}
11867 \def\endminipage{%
11868   \par
11869   \unskip
11870   \ifvoid\@mpfootins
11871     \global\@bidi@void@\@mpfootintrue
11872   \else
11873     \global\@bidi@void@\@mpfootinsfalse
11874     \vskip\skip\@mpfootins
11875     \normalcolor
11876     \footnoterule
11877     \unvbox\@mpfootins
11878   \fi
11879   \m@ndoextrafeetendmini
11880   \ominipagefalse
11881   \color@endgroup
11882   \egroup
11883   \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
11884 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
11885   \cnamedef{@footstart#1}{%
11886   \if@bidi@void@footins
11887     \bidi@mopfn@bottom
11888   \fi
11889   \leftskip=\z@
11890   \rightskip=\z@
11891   \parindent=\z@
11892   \vskip\skip\footins
11893   \if@bidi@void@footins
11894     \footnoterule
11895   \fi}}

```



```

11896 \newcommand{\bidi@make@footstart@@}[1]{%
11897   \namedef{@@footstart@@#1}{%
11898     \leftskip=\z@%
11899     \rightskip=\z@%
11900     \parindent=\z@%
11901     \vskip\skip\footins}}
11902 \newinsert\footinsv@r
11903 \skip\footinsv@r\bigskipamount
11904 \count\footinsv@r=1000 % no magnification
11905 \dimen\footinsv@r=\footinsdim
11906 \m@make@footstart{v@r}
11907 \newinsert\footinsv@l
11908 \skip\footinsv@l\bigskipamount
11909 \count\footinsv@l=1000 % no magnification
11910 \dimen\footinsv@l=\footinsdim
11911 \m@make@footstart{v@l}
11912 \bidi@make@footstart@@{v@l}
11913 \bidi@ensure@newcommand{\@footgroupv@r}{}
11914 \newinsert\@mpfootinsv@r
11915 \newinsert\@mpfootinsv@l
11916 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
11917 \newcount\m@m@k \newdimen\m@m@h
11918 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
11919   \hsize\bidi@columnwidth
11920   \@@line{\beginR\splittopskip=\m@m@h \vbadness=\@M \hfilneg
11921   \valign{##\vfill\cr\m@mdosplits}\endR}}
11922 \newcommand*{\bidi@LTRrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
11923   \hsize\bidi@columnwidth
11924   \@@line{\splittopskip=\m@m@h \vbadness=\@M \hfilneg
11925   \valign{##\vfill\cr\m@mdosplits}}}
11926 \bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
11927   \global\advance\m@m@k-1\cr\m@mdosplits\fi}
11928 \bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
11929   \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
11930   \setbox2\vsplit0 to \dimen0
11931   \unvbox2 }
11932 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
11933   \namedef{foottextfontv@r}{\foottextfont}%
11934   \namedef{foottextfontv@l}{\LTRfoottextfont}%
11935   \bidi@before@Hy@hyperfootnotes
11936   \let\footnotetext\@twocolfootnotetext
11937   \let\@LTRfootnotetext\@twocolLTRfootnotetext
11938   \let\@RTLfootnotetext\@twocolRTLfootnotetext
11939   \dimen\footinsv@r=2\footinsdim
11940   \count\footinsv@r=500\relax
11941   \m@make@twocol@footgroup{v@r}%
11942   \let\footgroupv@r\@twocol@footgroupv@r
11943   \dimen\footinsv@l=2\footinsdim
11944   \count\footinsv@l=500\relax
11945   \bidi@make@twocol@LTRfootgroup{v@l}%
11946   \let\@LTRfootgroupv@l\@twocol@LTRfootgroupv@l
11947   \let\@mpfootnotetext\@mptwocolfootnotetext
11948   \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
11949   \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext

```



```

11950  \bidi@after@Hy@hyperfootnotes
11951  \m@make@mp@twocol@footgroup{v@r}%
11952  \let\mp@footgroupv@r\@mp@twocol@footgroupv@r
11953  \bidi@make@mp@twocol@LTRfootgroup{v@l}%
11954  \let\mp@LTRfootgroupv@l\@mp@twocol@LTRfootgroupv@l
11955  \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11956 }
11957 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert
11958   \if@RTL@footnote
11959     \footinsv@r
11960   \else
11961     \footinsv@l
11962   \fi
11963 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
11964 \def\baselinestretch{\m@m@footnote@spacing}%
11965 \reset@font\foottextfont
11966 \preamfntext
11967 \protected@edef\@currentlabel{%
11968   \csname p@footnote\endcsname\@thefnmark}%
11969 \color@begingroup
11970   \@twocolfootfmt{#1}%
11971 \color@endgroup}%
11972 \m@mmf@prepare}
11973 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse}%
11974 \def\baselinestretch{\m@m@footnote@spacing}%
11975 \reset@font\LTRfoottextfont
11976 \preamfntext
11977 \protected@edef\@currentlabel{%
11978   \csname p@footnote\endcsname\@thefnmark}%
11979 \color@begingroup
11980   \@twocolLTRfootfmt{#1}%
11981 \color@endgroup}%
11982 \m@mmf@prepare}
11983 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
11984 \def\baselinestretch{\m@m@footnote@spacing}%
11985 \reset@font\RTLfoottextfont
11986 \preamfntext
11987 \protected@edef\@currentlabel{%
11988   \csname p@footnote\endcsname\@thefnmark}%
11989 \color@begingroup
11990   \@twocolRTLfootfmt{#1}%
11991 \color@endgroup}%
11992 \m@mmf@prepare}
11993 \bidi@ensure@newcommand{\@preamtwofmt}{%
11994   \hsize .45\hsize
11995   \parindent=\z@
11996   \tolerance=5000\relax
11997   \leavevmode}
11998 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
11999   \preamtwofmt
12000   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12001 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
12002   \preamtwofmt
12003   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}

```



```

12004 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
12005   \preamtwofmt
12006   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12007 \bidi@ensure@newcommand{\@mptwofootnotetext}[1]{%
12008   \global\setbox
12009     \if@RTL@footnote
12010       \ompfootinsv@r
12011     \else
12012       \ompfootinsv@l
12013     \fi
12014   \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12015     \unvbox
12016     \if@RTL@footnote
12017       \ompfootinsv@r
12018     \else
12019       \ompfootinsv@l
12020     \fi
12021     \def\baselinestretch{\m@m@footnote@spacing}%
12022     \reset@font\foottextfont
12023     \hsize\columnwidth \parboxrestore
12024     \protected@edef\@currentlabel{%
12025       \csname p@mpfootnote\endcsname\@thefnmark}%
12026     \color@begingroup
12027       \atwocolfootfmt{#1}%
12028     \color@endgroup}%
12029     \m@mmf@prepare}
12030 \bidi@ensure@newcommand{\@mptwofootnotetext}[1]{%
12031   \global\setbox\ompfootinsv@l\vbox{\@RTLfalse}%
12032     \unvbox\ompfootinsv@l
12033     \def\baselinestretch{\m@m@footnote@spacing}%
12034     \reset@font\LTRfoottextfont
12035     \hsize\columnwidth \parboxrestore
12036     \protected@edef\@currentlabel{%
12037       \csname p@mpfootnote\endcsname\@thefnmark}%
12038     \color@begingroup
12039       \atwocolLTRfootfmt{#1}%
12040     \color@endgroup}%
12041     \m@mmf@prepare}
12042 \bidi@ensure@newcommand{\@mptwoRTLfootnotetext}[1]{%
12043   \global\setbox\ompfootinsv@r\vbox{\@RTLtrue}%
12044     \unvbox\ompfootinsv@r
12045     \def\baselinestretch{\m@m@footnote@spacing}%
12046     \reset@font\RTLfoottextfont
12047     \hsize\columnwidth \parboxrestore
12048     \protected@edef\@currentlabel{%
12049       \csname p@mpfootnote\endcsname\@thefnmark}%
12050     \color@begingroup
12051       \atwocolRTLfootfmt{#1}%
12052     \color@endgroup}%
12053     \m@mmf@prepare}
12054 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
12055   \namedef{@twocol@footgroup#1}{}%
12056   \def\baselinestretch{\m@m@footnote@spacing}%
12057   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox

```



```

12058     \m@mrigidbalance{\@nameuse{footins#1}{\tw@}{\splittopskip}}}}
12059 \newcommand{\bidi@make@twocol@LTRfootgroup}[1]{%
12060   \@namedef{@twocol@LTRfootgroup#1}{%
12061     \def\baselinestretch{\m@m@footnote@spacing}%
12062     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12063     \bidi@LT Rigidbalance{\@nameuse{footins#1}{\tw@}{\splittopskip}}}%
12064 \bidi@ensure@newcommand{\m@m@make@mptwocol@footgroup}[1]{%
12065   \@namedef{@mptwocol@footgroup#1}{%
12066     \def\baselinestretch{\m@m@footnote@spacing}%
12067     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12068     \m@mrigidbalance{\@nameuse{@mpfootins#1}{\tw@}{\splittopskip}}}%
12069 \newcommand{\bidi@make@mptwocol@LTRfootgroup}[1]{%
12070   \@namedef{@mptwocol@LTRfootgroup#1}{%
12071     \def\baselinestretch{\m@m@footnote@spacing}%
12072     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12073     \bidi@LT Rigidbalance{\@nameuse{@mpfootins#1}{\tw@}{\splittopskip}}}%
12074 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
12075   \@namedef{foottextfontv@r}{\foottextfont}%
12076   \@namedef{foottextfontv@l}{\L TRfoottextfont}%
12077   \@bidi@before@Hy@hyperfootnotes
12078   \let\@footnotetext\threecolfootnotetext
12079   \let\@LTRfootnotetext\threecolLTRfootnotetext
12080   \let\@RTLfootnotetext\threecolRTLfootnotetext
12081   \dimen\footinsv@r=3\footinsdim
12082   \count\footinsv@r=333\relax
12083   \m@m@make@threecol@footgroup{v@r}%
12084   \let\@footgroupv@r\threecol@footgroupv@r
12085   \dimen\footinsv@l=3\footinsdim
12086   \count\footinsv@l=333\relax
12087   \bidi@make@threecol@LTRfootgroup{v@l}%
12088   \let\@LTRfootgroupv@l\threecol@LTRfootgroupv@l
12089   \let\@mpfootnotetext\mpthreecolfootnotetext
12090   \let\@mpLTRfootnotetext\mpthreecolLTRfootnotetext
12091   \let\@mpRTLfootnotetext\mpthreecolRTLfootnotetext
12092   \@bidi@after@Hy@hyperfootnotes
12093   \m@m@make@mpthreecol@footgroup{v@r}%
12094   \let\mp@footgroupv@r\mpthreecol@footgroupv@r
12095   \bidi@make@mpthreecol@LTRfootgroup{v@l}%
12096   \let\mp@LTRfootgroupv@l\mpthreecol@LTRfootgroupv@l
12097   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12098 }
12099 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert
12100   \if@RTL@footnote
12101     \footinsv@r
12102   \else
12103     \footinsv@l
12104   \fi
12105   {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
12106   \def\baselinestretch{\m@m@footnote@spacing}%
12107   \reset@font\foottextfont
12108   \preamfntext
12109   \protected@edef\@currentlabel{%
12110     \csname p@footnote\endcsname\@thefnmark}%
12111   \color@begingroup

```



```

12112      \@threecolfootfmt{#1}%
12113  \color@endgroup\m@mmf@prepare}
12114 \bidi@ensure@newcommand{\@threecollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12115  \def\baselinestretch{\m@m@footnote@spacing}%
12116  \reset@font\LTRfoottextfont
12117  \preamfntext
12118  \protected@edef\@currentlabel{%
12119    \csname p@footnote\endcsname\@thefnmark}%
12120  \color@begingroup
12121    \@threecollTRfootfmt{#1}%
12122  \color@endgroup\m@mmf@prepare}
12123 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12124  \def\baselinestretch{\m@m@footnote@spacing}%
12125  \reset@font\RTLfoottextfont
12126  \preamfntext
12127  \protected@edef\@currentlabel{%
12128    \csname p@footnote\endcsname\@thefnmark}%
12129  \color@begingroup
12130    \@threecolRTLfootfmt{#1}%
12131  \color@endgroup\m@mmf@prepare}
12132 \bidi@ensure@newcommand{\@preamthreefmt}{%
12133  \hsize .3\hsize
12134  \parindent=\z@
12135  \tolerance=5000\relax
12136  \leavevmode}
12137 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
12138  \preamthreefmt
12139  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12140 \bidi@ensure@newcommand{\@threecollTRfootfmt}[1]{%
12141  \preamthreefmt
12142  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12143 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
12144  \preamthreefmt
12145  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12146 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
12147  \global\setbox
12148  \if@RTL@footnote
12149  \ompfootinsv@r
12150  \else
12151  \ompfootinsv@l
12152  \fi
12153  \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12154  \unvbox
12155  \if@RTL@footnote
12156  \ompfootinsv@r
12157  \else
12158  \ompfootinsv@l
12159  \fi
12160  \def\baselinestretch{\m@m@footnote@spacing}%
12161  \reset@font\foottextfont
12162  \hsize\columnwidth \parboxrestore
12163  \protected@edef\@currentlabel{%
12164    \csname p@mpfootnote\endcsname\@thefnmark}%
12165  \color@begingroup

```



```

12166      \@threecolfootfmt{#1}%
12167  \color@endgroup\m@mmf@prepare}
12168 \bidi@ensure@newcommand{\@mpthreecollTRfootnotetext}[1]{%
12169  \global\setbox\@mpfootinsv@l\vbox{\@RTLfalse}%
12170  \unvbox\@mpfootinsv@l
12171  \def\baselinestretch{\m@m@footnote@spacing}%
12172  \reset@font\LTRfoottextfont
12173  \hsize\columnwidth \parboxrestore
12174  \protected@edef\@currentlabel{%
12175    \csname p@\mpfootnote\endcsname\@thefnmark}%
12176  \color@begingroup
12177  \@threecollTRfootfmt{#1}%
12178  \color@endgroup\m@mmf@prepare}
12179 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
12180  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue}%
12181  \unvbox\@mpfootinsv@r
12182  \def\baselinestretch{\m@m@footnote@spacing}%
12183  \reset@font\RTLfoottextfont
12184  \hsize\columnwidth \parboxrestore
12185  \protected@edef\@currentlabel{%
12186    \csname p@\mpfootnote\endcsname\@thefnmark}%
12187  \color@begingroup
12188  \@threecolRTLfootfmt{#1}%
12189  \color@endgroup\m@mmf@prepare}
12190 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
12191 \namedef{@threecol@footgroup#1}{%
12192  \def\baselinestretch{\m@m@footnote@spacing}%
12193  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12194  \m@mrigidbalance{\nameuse{footins#1}\thr@@{\splittopskip}}}}
12195 \newcommand{\bidi@make@threecol@LTRfootgroup}[1]{%
12196 \namedef{@threecol@LTRfootgroup#1}{%
12197  \def\baselinestretch{\m@m@footnote@spacing}%
12198  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12199  \bidi@LT Rigidbalance{\nameuse{footins#1}\thr@@{\splittopskip}}}}
12200 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
12201 \namedef{@mpthreecol@footgroup#1}{%
12202  \def\baselinestretch{\m@m@footnote@spacing}%
12203  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12204  \m@mrigidbalance{\nameuse{@mpfootins#1}\thr@@{\splittopskip}}}}
12205 \newcommand{\bidi@make@mpthreecol@LTRfootgroup}[1]{%
12206 \namedef{@mpthreecol@LTRfootgroup#1}{%
12207  \def\baselinestretch{\m@m@footnote@spacing}%
12208  \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12209  \bidi@LT Rigidbalance{\nameuse{@mpfootins#1}\thr@@{\splittopskip}}}}
12210 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
12211 \namedef{foottextfont@r}{\foottextfont}%
12212 \namedef{foottextfont@l}{\LTrfoottextfont}%
12213 \bidi@before@Hy@hyperfootnotes
12214 \let\footnotetext\fourcolfootnotetext
12215 \let\LT Rfootnotetext\fourcolLTRfootnotetext
12216 \let\RTLfootnotetext\fourcolRTLfootnotetext
12217 \dimen\footinsv@r=4\footinsdim
12218 \count\footinsv@r=250\relax
12219 \m@make@fourcol@footgroup{v@r}%

```



```

12220 \let\@footgroupv@r\@fourcol@footgroupv@r
12221 \dimen\footinsv@l=4\footinsdim
12222 \count\footinsv@l=250\relax
12223 \bidi@make@fourcol@LTRfootgroup{v@l}%
12224 \let\@LTRfootgroupv@l\@fourcol@LTRfootgroupv@l
12225 \let\@mpfootnotetext\@mpfourcolfootnotetext
12226 \let\@mpLTRfootnotetext\@mpfourcollTRfootnotetext
12227 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
12228 \bidi@after@Hy@hyperfootnotes
12229 \m@make@mpfourcol@footgroup{v@r}%
12230 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
12231 \bidi@make@mpfourcol@LTRfootgroup{v@l}%
12232 \let\mp@LTRfootgroupv@l\@mpfourcol@LTRfootgroupv@l
12233 \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12234 }
12235 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert
12236 \if@RTL@footnote
12237 \footinsv@r
12238 \else
12239 \footinsv@l
12240 \fi
12241 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
12242 \def\baselinestretch{\m@m@footnote@spacing}%
12243 \reset@font\foottextfont
12244 \preamfntext
12245 \protected@edef\@currentlabel{%
12246 \csname p@footnote\endcsname\@thefnmark}%
12247 \color@begingroup
12248 \@fourcolfootfmt{#1}%
12249 \color@endgroup}%
12250 \m@mmf@prepare}
12251 \bidi@ensure@newcommand{\@fourcollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse}%
12252 \def\baselinestretch{\m@m@footnote@spacing}%
12253 \reset@font\LTRfoottextfont
12254 \preamfntext
12255 \protected@edef\@currentlabel{%
12256 \csname p@footnote\endcsname\@thefnmark}%
12257 \color@begingroup
12258 \@fourcollTRfootfmt{#1}%
12259 \color@endgroup}%
12260 \m@mmf@prepare}
12261 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
12262 \def\baselinestretch{\m@m@footnote@spacing}%
12263 \reset@font\RTLfoottextfont
12264 \preamfntext
12265 \protected@edef\@currentlabel{%
12266 \csname p@footnote\endcsname\@thefnmark}%
12267 \color@begingroup
12268 \@fourcolRTLfootfmt{#1}%
12269 \color@endgroup}%
12270 \m@mmf@prepare}
12271 \bidi@ensure@newcommand{\@preamfourfmt}{%
12272 \hsize .25\hsize
12273 \parindent=\z@
```



```

12274   \tolerance=5000\relax
12275   \leavevmode}
12276 \bidi@ensure@newcommand{\fourcolfootfmt}[1]{%
12277   \preamblefourfmt
12278   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12279 \bidi@ensure@newcommand{\fourcolLTRfootfmt}[1]{%
12280   \preamblefourfmt
12281   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12282 \bidi@ensure@newcommand{\fourcolRTLfootfmt}[1]{%
12283   \preamblefourfmt
12284   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12285 \bidi@ensure@newcommand{\mpfourcolfootnotetext}[1]{%
12286   \global\setbox
12287   \if@RTL@footnote
12288     \ompfootinsv@r
12289   \else
12290     \ompfootinsv@l
12291   \fi
12292   \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12293     \unvbox
12294     \if@RTL@footnote
12295       \ompfootinsv@r
12296     \else
12297       \ompfootinsv@l
12298   \fi
12299   \def\baselinestretch{\m@m@footnote@spacing}%
12300   \reset@font\foottextfont
12301   \hsize\columnwidth \parboxrestore
12302   \protected@edef@\currentlabel{%
12303     \csname p@mpfootnote\endcsname\@thefnmark}%
12304   \color@begingroup
12305   \fourcolfootfmt{#1}%
12306   \color@endgroup}%
12307   \m@mmf@prepare}
12308 \bidi@ensure@newcommand{\mpfourcolLTRfootnotetext}[1]{%
12309   \global\setbox\ompfootinsv@l\vbox{\@RTLfalse%
12310     \unvbox\ompfootinsv@l
12311     \def\baselinestretch{\m@m@footnote@spacing}%
12312     \reset@font\LTRfoottextfont
12313     \hsize\columnwidth \parboxrestore
12314     \protected@edef@\currentlabel{%
12315       \csname p@mpfootnote\endcsname\@thefnmark}%
12316     \color@begingroup
12317     \fourcolLTRfootfmt{#1}%
12318     \color@endgroup}%
12319   \m@mmf@prepare}
12320 \bidi@ensure@newcommand{\mpfourcolRTLfootnotetext}[1]{%
12321   \global\setbox\ompfootinsv@r\vbox{\@RTLtrue%
12322     \unvbox\ompfootinsv@r
12323     \def\baselinestretch{\m@m@footnote@spacing}%
12324     \reset@font\RTLfoottextfont
12325     \hsize\columnwidth \parboxrestore
12326     \protected@edef@\currentlabel{%
12327       \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

12328 \color@begingroup
12329   \fourcolRTLfootfmt{#1}%
12330 \color@endgroup}%
12331 \m@mmf@prepare}
12332 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
12333   \namedef{@fourcol@footgroup#1}{%
12334     \def\baselinestretch{\m@m@footnote@spacing}%
12335     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12336     \m@mrigidbalance{\nameuse{footins#1}}{4}{\splittopskip}}}
12337 \newcommand{\bidi@make@fourcol@LTRfootgroup}[1]{%
12338   \namedef{@fourcol@LTRfootgroup#1}{%
12339     \def\baselinestretch{\m@m@footnote@spacing}%
12340     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12341     \bidi@LTrrigidbalance{\nameuse{footins#1}}{4}{\splittopskip}}}
12342 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
12343 \namedef{@mpfourcol@footgroup#1}{%
12344   \def\baselinestretch{\m@m@footnote@spacing}%
12345   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12346   \m@mrigidbalance{\nameuse{@mpfootins#1}}{4}{\splittopskip}}}
12347 \newcommand{\bidi@make@mpfourcol@LTRfootgroup}[1]{%
12348 \namedef{@mpfourcol@LTRfootgroup#1}{%
12349   \def\baselinestretch{\m@m@footnote@spacing}%
12350   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12351   \bidi@LTrrigidbalance{\nameuse{@mpfootins#1}}{4}{\splittopskip}}}
12352 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
12353   \namedef{foottextfont@r}{\foottextfont}%
12354   \namedef{foottextfont@l}{\LTrfoottextfont}%
12355   \bidi@before@Hy@hyperfootnotes
12356   \let\footnotetext\fivecolfootnotetext
12357   \let\LTRfootnotetext\fivecolLTRfootnotetext
12358   \let\RRTLfootnotetext\fivecolRTLfootnotetext
12359   \dimen\footinsv@r=5\footinsdim
12360   \count\footinsv@r=200\relax
12361   \m@make@fivecol@footgroup{v@r}%
12362   \let\footgroupv@r\fivecol@footgroupv@r
12363   \dimen\footinsv@l=5\footinsdim
12364   \count\footinsv@l=200\relax
12365   \bidi@make@fivecol@LTRfootgroup{v@l}%
12366   \let\LTRfootgroupv@l\fivecol@LTRfootgroupv@l
12367   \let\mpfootnotetext\mpfivecolfootnotetext
12368   \let\mpLTRfootnotetext\mpfivecolLTRfootnotetext
12369   \let\mpRTLfootnotetext\mpfivecolRTLfootnotetext
12370   \bidi@after@Hy@hyperfootnotes
12371   \m@make@mpfivecol@footgroup{v@r}%
12372   \let\mp@footgroupv@r\mpfivecol@footgroupv@r
12373   \bidi@make@mpfivecol@LTRfootgroup{v@l}%
12374   \let\mp@LTRfootgroupv@l\mpfivecol@LTRfootgroupv@l
12375   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12376 }
12377 \bidi@ensure@newcommand{@fivecolfootnotetext}[1]{\insert
12378   \if@RTL@footnote
12379     \footinsv@r
12380   \else
12381     \footinsv@l

```



```

12382   \fi
12383 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12384   \def\baselinestretch{\m@m@footnote@spacing}%
12385   \reset@font\foottextfont
12386   \preamfntext
12387   \protected@edef\@currentlabel{%
12388     \csname p@footnote\endcsname\@thefnmark}%
12389   \color@begingroup
12390     \fivectfootfmt{#1}%
12391   \color@endgroup}%
12392   \m@mmf@prepare}
12393 \bidi@ensure@newcommand{\fivectfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12394   \def\baselinestretch{\m@m@footnote@spacing}%
12395   \reset@font\LTRfoottextfont
12396   \preamfntext
12397   \protected@edef\@currentlabel{%
12398     \csname p@footnote\endcsname\@thefnmark}%
12399   \color@begingroup
12400     \fivectfootfmt{#1}%
12401   \color@endgroup}%
12402   \m@mmf@prepare}
12403 \bidi@ensure@newcommand{\fivectRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12404   \def\baselinestretch{\m@m@footnote@spacing}%
12405   \reset@font\RTLfoottextfont
12406   \preamfntext
12407   \protected@edef\@currentlabel{%
12408     \csname p@footnote\endcsname\@thefnmark}%
12409   \color@begingroup
12410     \fivectRTLfootfmt{#1}%
12411   \color@endgroup}%
12412   \m@mmf@prepare}
12413 \bidi@ensure@newcommand{\preamfivefmt}{%
12414   \hsize .2\hsize
12415   \parindent=\z@
12416   \tolerance=5000\relax
12417   \leavevmode}
12418 \bidi@ensure@newcommand{\fivectfootfmt}[1]{%
12419   \preamfivefmt
12420   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12421 \bidi@ensure@newcommand{\fivectLTRfootfmt}[1]{%
12422   \preamfivefmt
12423   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12424 \bidi@ensure@newcommand{\fivectRTLfootfmt}[1]{%
12425   \preamfivefmt
12426   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12427 \bidi@ensure@newcommand{\mpfivecolfootnotetext}[1]{%
12428   \global\setbox
12429     \if@RTL@footnote
12430       \ompfootinsv@r
12431     \else
12432       \ompfootinsv@l
12433     \fi
12434   \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12435   \unvbox}
```



```

12436      \if@RTL@footnote
12437          \ompfootinsv@r
12438      \else
12439          \ompfootinsv@l
12440      \fi
12441          \def\baselinestretch{\m@m@footnote@spacing}%
12442          \reset@font\foottextfont
12443          \hsize\columnwidth \parboxrestore
12444          \protected@edef\@currentlabel{%
12445              \csname p@mpfootnote\endcsname\@thefnmark}%
12446          \color@begingroup
12447              \fivelayoutfmt{#1}%
12448          \color@endgroup}%
12449          \m@mmf@prepare}
12450 \bidi@ensure@newcommand{\ompfivecolLTRfootnotetext}[1]{%
12451     \global\setbox\ompfootinsv@l\vbox{\@RTLfalse}%
12452         \unvbox\ompfootinsv@l
12453         \def\baselinestretch{\m@m@footnote@spacing}%
12454         \reset@font\LTRfoottextfont
12455         \hsize\columnwidth \parboxrestore
12456         \protected@edef\@currentlabel{%
12457             \csname p@mpfootnote\endcsname\@thefnmark}%
12458         \color@begingroup
12459             \fivelayoutfmt{#1}%
12460         \color@endgroup}%
12461         \m@mmf@prepare}
12462 \bidi@ensure@newcommand{\ompfivecolRTLfootnotetext}[1]{%
12463     \global\setbox\ompfootinsv@r\vbox{\@RTLtrue}%
12464         \unvbox\ompfootinsv@r
12465         \def\baselinestretch{\m@m@footnote@spacing}%
12466         \reset@font\RTLfoottextfont
12467         \hsize\columnwidth \parboxrestore
12468         \protected@edef\@currentlabel{%
12469             \csname p@mpfootnote\endcsname\@thefnmark}%
12470         \color@begingroup
12471             \fivelayoutfmt{#1}%
12472         \color@endgroup}%
12473         \m@mmf@prepare}
12474 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
12475     \namedef{@fivecol@footgroup#1}{%
12476         \def\baselinestretch{\m@m@footnote@spacing}%
12477         \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12478         \m@mrigidbalance{\nameuse{footins#1}{5}{\splittopskip}}}%
12479 \newcommand{\bidi@make@fivecol@LTRfootgroup}[1]{%
12480     \namedef{@fivecol@LTRfootgroup#1}{%
12481         \def\baselinestretch{\m@m@footnote@spacing}%
12482         \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12483         \bidi@LTRrigidbalance{\nameuse{footins#1}{5}{\splittopskip}}}%
12484 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
12485     \namedef{@mpfivecol@footgroup#1}{%
12486         \def\baselinestretch{\m@m@footnote@spacing}%
12487         \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12488         \m@mrigidbalance{\nameuse{@mpfootins#1}{5}{\splittopskip}}}%
12489 \newcommand{\bidi@make@mpfivecol@LTRfootgroup}[1]{%

```



```

12490 \cnamedef{@mpfivecol@LTRfootgroup#1}{{%
12491   \def\baselinestretch{\m@m@footnote@spacing}%
12492   \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12493   \bidi@LT Rrigidbalance{\nameuse{@mpfootins#1}{5}{\splittopskip}}}}
12494 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
12495   \cnamedef{foottextfontv@r}{\foottextfont}%
12496   \cnamedef{foottextfontv@l}{\LTRfoottextfont}%
12497   \bidi@before@Hy@hyperfootnotes
12498   \let\footnotetext@sixcolfootnotetext
12499   \let\LTRfootnotetext@sixcolLTRfootnotetext
12500   \let\RTLfootnotetext@sixcolRTLfootnotetext
12501   \dimen\footinsv@r=6\footinsdim
12502   \count\footinsv@r=166\relax
12503   \m@make@sixcol@footgroup{v@r}%
12504   \let\footgroupv@r\@sixcol@footgroupv@r
12505   \dimen\footinsv@l=6\footinsdim
12506   \count\footinsv@l=166\relax
12507   \bidi@make@sixcol@LTRfootgroup{v@l}%
12508   \let\LTRfootgroupv@l\@sixcol@LTRfootgroupv@l
12509   \let\mpfootnotetext@mpsixcolfootnotetext
12510   \let\mpLTRfootnotetext@mpsixcolLTRfootnotetext
12511   \let\mpRTLfootnotetext@mpsixcolRTLfootnotetext
12512   \bidi@after@Hy@hyperfootnotes
12513   \m@make@mpsixcol@footgroup{v@r}%
12514   \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
12515   \bidi@make@mpsixcol@LTRfootgroup{v@l}%
12516   \let\mp@LTRfootgroupv@l\@mpsixcol@LTRfootgroupv@l
12517   \cifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12518 }
12519 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert
12520   \if@RTL@footnote
12521     \footinsv@r
12522   \else
12523     \footinsv@l
12524   \fi
12525 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
12526   \def\baselinestretch{\m@m@footnote@spacing}%
12527   \reset@font\foottextfont
12528   \preamfntext
12529   \protected@edef\currentlabel{%
12530     \csname p@footnote\endcsname\@thefnmark}%
12531   \color@begingroup
12532     \@sixcolfootfmt{\#1}%
12533   \color@endgroup}%
12534   \m@mmf@prepare}
12535 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse}%
12536   \def\baselinestretch{\m@m@footnote@spacing}%
12537   \reset@font\LTRfoottextfont
12538   \preamfntext
12539   \protected@edef\currentlabel{%
12540     \csname p@footnote\endcsname\@thefnmark}%
12541   \color@begingroup
12542     \@sixcolLTRfootfmt{\#1}%
12543   \color@endgroup}%

```



```

12544 \m@mmf@prepare}
12545 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12546 \def\baselinestretch{\m@m@footnote@spacing}%
12547 \reset@font\RTLfoottextfont
12548 \@preamfntext
12549 \protected@edef\@currentlabel{%
12550 \csname p@footnote\endcsname\@thefnmark}%
12551 \color@begingroup
12552 \@sixcolRTLfootfmt{\#1}%
12553 \color@endgroup}%
12554 \m@mmf@prepare}
12555 \bidi@ensure@newcommand{\@preamsixfmt}{%
12556 \hsize .16\hsize
12557 \parindent=\z@
12558 \tolerance=5000\relax
12559 \leavevmode}
12560 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
12561 \@preamsixfmt
12562 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12563 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
12564 \@preamsixfmt
12565 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12566 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
12567 \@preamsixfmt
12568 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12569 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\%
12570 \global\setbox
12571 \if@RTL@footnote
12572 \ompfootinsv@r
12573 \else
12574 \ompfootinsv@l
12575 \fi
12576 \vbox{%
12577 \unvbox
12578 \if@RTL@footnote
12579 \ompfootinsv@r
12580 \else
12581 \ompfootinsv@l
12582 \fi
12583 \def\baselinestretch{\m@m@footnote@spacing}%
12584 \reset@font\foottextfont
12585 \hsize\columnwidth \parboxrestore
12586 \protected@edef\@currentlabel{%
12587 \csname p@mpfootnote\endcsname\@thefnmark}%
12588 \color@begingroup
12589 \@sixcolfootfmt{\#1}%
12590 \color@endgroup}%
12591 \m@mmf@prepare}
12592 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
12593 \global\setbox\ompfootinsv@l\vbox{%
12594 \unvbox\ompfootinsv@l
12595 \def\baselinestretch{\m@m@footnote@spacing}%
12596 \reset@font\LTRfoottextfont
12597 \hsize\columnwidth \parboxrestore

```



```

12598   \protected@edef{\currentlabel}{%
12599     \csname p@mpfootnote\endcsname\@thefnmark}%
12600   \color@begingroup
12601     \@sixcolLTRfootfmt{#1}%
12602   \color@endgroup}%
12603   \m@mmf@prepare}
12604 \bidi@ensure@newcommand{\mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
12605   \global\setbox\@mpfootinsv@r\vbox{%
12606     \unvbox\@mpfootinsv@r
12607     \def\baselinestretch{\m@m@footnote@spacing}%
12608     \reset@font\RTLfoottextfont
12609     \hsize\columnwidth \parboxrestore
12610     \protected@edef{\currentlabel}{%
12611       \csname p@mpfootnote\endcsname\@thefnmark}%
12612   \color@begingroup
12613     \@sixcolRTLfootfmt{#1}%
12614   \color@endgroup}%
12615   \m@mmf@prepare}
12616 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
12617   \@namedef{@sixcol@footgroup#1}{%
12618     \def\baselinestretch{\m@m@footnote@spacing}%
12619     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12620     \m@mrigidbalance{\nameuse{footins#1}{6}{\splittopskip}}}%
12621 \newcommand{\bidi@make@sixcol@LTRfootgroup}[1]{%
12622   \@namedef{@sixcol@LTRfootgroup#1}{%
12623     \def\baselinestretch{\m@m@footnote@spacing}%
12624     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12625     \bidi@LT R rigidbalance{\nameuse{footins#1}{6}{\splittopskip}}}%
12626 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
12627   \@namedef{@mpsixcol@footgroup#1}{%
12628     \def\baselinestretch{\m@m@footnote@spacing}%
12629     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12630     \m@mrigidbalance{\nameuse{@mpfootins#1}{6}{\splittopskip}}}%
12631 \newcommand{\bidi@make@mpsixcol@LTRfootgroup}[1]{%
12632   \@namedef{@mpsixcol@LTRfootgroup#1}{%
12633     \def\baselinestretch{\m@m@footnote@spacing}%
12634     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12635     \bidi@LT R rigidbalance{\nameuse{@mpfootins#1}{6}{\splittopskip}}}%
12636 \bidi@ensure@newcommand{\sevencolumnfootnotes}{%
12637   \@namedef{foottextfontv@r}{\foottextfont} \% [RS]
12638   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12639   \bidi@before@Hy@hyperfootnotes
12640   \let@\footnotetext@\sevencolfootnotetext
12641   \let@\LTRfootnotetext@\sevencolLTRfootnotetext
12642   \let@\RTLfootnotetext@\sevencolRTLfootnotetext
12643   \dimen\footinsv@r=7\footinsdim
12644   \count\footinsv@r=142\relax
12645   \m@make@sevencol@footgroup{v@r}%
12646   \let@\footgroupv@r\@sevencol@footgroupv@r
12647   \dimen\footinsv@l=7\footinsdim
12648   \count\footinsv@l=142\relax
12649   \bidi@make@sevencol@LTRfootgroup{v@l}%
12650   \let@\LTRfootgroupv@l\@sevencol@LTRfootgroupv@l
12651   \let@\mpfootnotetext\@mpsevencolfootnotetext

```



```

12652 \let\@mpLTRfootnotetext\@mpsevencollTRfootnotetext
12653 \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
12654 \@bidi@after@Hy@hyperfootnotes
12655 \m@make@mpsevencol@footgroup{v@r}%
12656 \let\mp@footgroupv@r\@mpsevencol@footgroupv@r
12657 \bidi@make@mpsevencol@LTRfootgroup{v@l}%
12658 \let\mp@LTRfootgroupv@l\@mpsevencol@LTRfootgroupv@l
12659 \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12660 }
12661 \bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert
12662   \if@RTL@footnote
12663     \footinsv@r
12664   \else
12665     \footinsv@l
12666   \fi
12667 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
12668 \def\baselinestretch{\m@m@footnote@spacing}%
12669 \reset@font\foottextfont
12670 \preamfntext
12671 \protected@edef\@currentlabel{%
12672   \csname p@footnote\endcsname\@thefnmark}%
12673 \color@begingroup
12674   \@sevencolfootfmt{#1}%
12675 \color@endgroup}%
12676 \m@mmf@prepare}
12677 \bidi@ensure@newcommand{\@sevencollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse}%
12678 \def\baselinestretch{\m@m@footnote@spacing}%
12679 \reset@font\LTRfoottextfont
12680 \preamfntext
12681 \protected@edef\@currentlabel{%
12682   \csname p@footnote\endcsname\@thefnmark}%
12683 \color@begingroup
12684   \@sevencollTRfootfmt{#1}%
12685 \color@endgroup}%
12686 \m@mmf@prepare}
12687 \bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
12688 \def\baselinestretch{\m@m@footnote@spacing}%
12689 \reset@font\RTLfoottextfont
12690 \preamfntext
12691 \protected@edef\@currentlabel{%
12692   \csname p@footnote\endcsname\@thefnmark}%
12693 \color@begingroup
12694   \@sevencolRTLfootfmt{#1}%
12695 \color@endgroup}%
12696 \m@mmf@prepare}
12697 \bidi@ensure@newcommand{\@preamsevenfmt}{%
12698   \hsize .142\hsize
12699   \parindent=\z@
12700   \tolerance=5000\relax
12701   \leavevmode}
12702 \bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
12703   \preamsevenfmt
12704   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12705 \bidi@ensure@newcommand{\@sevencollTRfootfmt}[1]{%

```



```

12706  \@preamsevenfmt
12707  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12708 \bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
12709  \@preamsevenfmt
12710  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12711 \bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse}
12712  \global\setbox
12713  \if@RTL@footnote
12714  \@mpfootinsv@r
12715  \else
12716  \@mpfootinsv@l
12717  \fi
12718  \vbox{%
12719  \unvbox
12720  \if@RTL@footnote
12721  \@mpfootinsv@r
12722  \else
12723  \@mpfootinsv@l
12724  \fi
12725  \def\baselinestretch{\m@m@footnote@spacing}%
12726  \reset@font\foottextfont
12727  \hsize\columnwidth \parboxrestore
12728  \protected@edef\@currentlabel{%
12729  \csname p@mpfootnote\endcsname\@thefnmark}%
12730  \color@begingroup
12731  \@sevencolfootfmt{#1}%
12732  \color@endgroup}%
12733  \m@mmf@prepare}
12734 \bidi@ensure@newcommand{\@mpsevencollTRfootnotetext}[1]{\@RTLfalse}%
12735  \global\setbox\@mpfootinsv@l\vbox{%
12736  \unvbox\@mpfootinsv@l
12737  \def\baselinestretch{\m@m@footnote@spacing}%
12738  \reset@font\LTRfoottextfont
12739  \hsize\columnwidth \parboxrestore
12740  \protected@edef\@currentlabel{%
12741  \csname p@mpfootnote\endcsname\@thefnmark}%
12742  \color@begingroup
12743  \@sevencollTRfootfmt{#1}%
12744  \color@endgroup}%
12745  \m@mmf@prepare}
12746 \bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue}%
12747  \global\setbox\@mpfootinsv@r\vbox{%
12748  \unvbox\@mpfootinsv@r
12749  \def\baselinestretch{\m@m@footnote@spacing}%
12750  \reset@font\RTLfoottextfont
12751  \hsize\columnwidth \parboxrestore
12752  \protected@edef\@currentlabel{%
12753  \csname p@mpfootnote\endcsname\@thefnmark}%
12754  \color@begingroup
12755  \@sevencolRTLfootfmt{#1}%
12756  \color@endgroup}%
12757  \m@mmf@prepare}
12758 \bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
12759  \namedef{@sevencol@footgroup#1}{}%

```



```

12760     \def\baselinestretch{\m@m@footnote@spacing}%
12761     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12762     \m@mrigidbalance{\@nameuse{footins#1}{7}{\splittopskip}}}
12763 \newcommand{\bidi@make@sevencol@LTRfootgroup}[1]{%
12764   \namedef{@sevencol@LTRfootgroup#1}{%
12765     \def\baselinestretch{\m@m@footnote@spacing}%
12766     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12767     \bidi@LTrrigidbalance{\@nameuse{footins#1}{7}{\splittopskip}}}}
12768 \bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
12769   \namedef{@mpsevencol@footgroup#1}{%
12770     \def\baselinestretch{\m@m@footnote@spacing}%
12771     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12772     \m@mrigidbalance{\@nameuse{@mpfootins#1}{7}{\splittopskip}}}
12773 \newcommand{\bidi@make@mpsevencol@LTRfootgroup}[1]{%
12774   \namedef{@mpsevencol@LTRfootgroup#1}{%
12775     \def\baselinestretch{\m@m@footnote@spacing}%
12776     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12777     \bidi@LTrrigidbalance{\@nameuse{@mpfootins#1}{7}{\splittopskip}}}}
12778 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
12779   \namedef{foottextfont@r}{\foottextfont} % [RS]
12780   \namedef{foottextfont@l}{\LTrfoottextfont}%
12781   \bidi@before@Hy@hyperfootnotes
12782   \let\@footnotetext\@eightcolfootnotetext
12783   \let\@LTRfootnotetext\@eightcolLTRfootnotetext
12784   \let\@RTLfootnotetext\@eightcolRTLfootnotetext
12785   \dimen\footinsv@r=8\footinsdim
12786   \count\footinsv@r=125\relax
12787   \m@make@eightcol@footgroup{v@r}%
12788   \let\@footgroupv@r\@eightcol@footgroupv@r
12789   \dimen\footinsv@l=8\footinsdim
12790   \count\footinsv@l=125\relax
12791   \bidi@make@eightcol@LTRfootgroup{v@l}%
12792   \let\@LTRfootgroupv@l\@eightcol@LTRfootgroupv@l
12793   \let\@mpfootnotetext\@mp@eightcolfootnotetext
12794   \let\@mplTRfootnotetext\@mp@eightcolLTRfootnotetext
12795   \let\@mpRTLfootnotetext\@mp@eightcolRTLfootnotetext
12796   \bidi@after@Hy@hyperfootnotes
12797   \m@make@mp@eightcol@footgroup{v@r}%
12798   \let\@mp@footgroupv@r\@mp@eightcol@footgroupv@r
12799   \bidi@make@mp@eightcol@LTRfootgroup{v@l}%
12800   \let\@mp@LTRfootgroupv@l\@mp@eightcol@LTRfootgroupv@l
12801   \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12802 }
12803 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert
12804   \if@RTL@footnote
12805     \footinsv@r
12806   \else
12807     \footinsv@l
12808   \fi
12809 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
12810   \def\baselinestretch{\m@m@footnote@spacing}%
12811   \reset@font\foottextfont
12812   \preamfntext
12813   \protected@edef{\currentlabel}{%

```



```

12814     \csname p@footnote\endcsname\@thefnmark}%
12815     \color@begingroup
12816     \eightcolfootfmt{#1}%
12817     \color@endgroup}%
12818     \m@mmf@prepare}
12819 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse}%
12820   \def\baselinestretch{\m@m@footnote@spacing}%
12821   \reset@font\LTRfoottextfont
12822   \preamfntext
12823   \protected@edef\@currentlabel{%
12824     \csname p@footnote\endcsname\@thefnmark}%
12825     \color@begingroup
12826     \eightcolLTRfootfmt{#1}%
12827     \color@endgroup}%
12828     \m@mmf@prepare}
12829 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
12830   \def\baselinestretch{\m@m@footnote@spacing}%
12831   \reset@font\RTLfoottextfont
12832   \preamfntext
12833   \protected@edef\@currentlabel{%
12834     \csname p@footnote\endcsname\@thefnmark}%
12835     \color@begingroup
12836     \eightcolRTLfootfmt{#1}%
12837     \color@endgroup}%
12838     \m@mmf@prepare}
12839 \bidi@ensure@newcommand{\@preameightfmt}{%
12840   \hsize .125\hsize
12841   \parindent=\z@
12842   \tolerance=5000\relax
12843   \leavevmode}
12844 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
12845   \preameightfmt
12846   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12847 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
12848   \preameightfmt
12849   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12850 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
12851   \preameightfmt
12852   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12853 \bidi@ensure@newcommand{\@mpheightcolfootnotetext}[1]{%
12854   \global\setbox
12855   \if@RTL@footnote
12856     \ompfootinsv@r
12857   \else
12858     \ompfootinsv@l
12859   \fi
12860   \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12861     \unvbox
12862     \if@RTL@footnote
12863       \ompfootinsv@r
12864     \else
12865       \ompfootinsv@l
12866     \fi
12867     \def\baselinestretch{\m@m@footnote@spacing}}%

```



```

12868 \reset@font\foottextfont
12869 \hsize\columnwidth \parboxrestore
12870 \protected@edef\@currentlabel{%
12871   \csname p@mpfootnote\endcsname\@thefnmark}%
12872 \color@begingroup
12873   \eightcolfootfmt{\#1}%
12874 \color@endgroup}%
12875 \m@mmf@prepare}
12876 \bidi@ensure@newcommand{\@mpheightcollTRfootnotetext}[1]{%
12877   \global\setbox\@mpfootinsv@l\vbox{\@RTLfalse%
12878     \unvbox\@mpfootinsv@l
12879     \def\baselinestretch{\m@m@footnote@spacing}%
12880   \reset@font\LTRfoottextfont
12881   \hsize\columnwidth \parboxrestore
12882   \protected@edef\@currentlabel{%
12883     \csname p@mpfootnote\endcsname\@thefnmark}%
12884 \color@begingroup
12885   \eightcolLTRfootfmt{\#1}%
12886 \color@endgroup}%
12887 \m@mmf@prepare}
12888 \bidi@ensure@newcommand{\@mpheightcolRTLfootnotetext}[1]{%
12889   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
12890     \unvbox\@mpfootinsv@r
12891     \def\baselinestretch{\m@m@footnote@spacing}%
12892   \reset@font\RTLfoottextfont
12893   \hsize\columnwidth \parboxrestore
12894   \protected@edef\@currentlabel{%
12895     \csname p@mpfootnote\endcsname\@thefnmark}%
12896 \color@begingroup
12897   \eightcolRTLfootfmt{\#1}%
12898 \color@endgroup}%
12899 \m@mmf@prepare}
12900 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
12901   \namedef{@eightcol@footgroup\#1}{%
12902     \def\baselinestretch{\m@m@footnote@spacing}%
12903     \nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
12904     \m@mrigidbalance{\nameuse{footins\#1}\{8\}\{\splittopskip\}}}}
12905 \newcommand{\bidi@make@eightcol@LTRfootgroup}[1]{%
12906   \namedef{@eightcol@LTRfootgroup\#1}{%
12907     \def\baselinestretch{\m@m@footnote@spacing}%
12908     \nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
12909     \bidi@LT Rigidbalance{\nameuse{footins\#1}\{8\}\{\splittopskip\}}}}
12910 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
12911   \namedef{@mpeightcol@footgroup\#1}{%
12912     \def\baselinestretch{\m@m@footnote@spacing}%
12913     \nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
12914     \m@mrigidbalance{\nameuse{@mpfootins\#1}\{8\}\{\splittopskip\}}}}
12915 \newcommand{\bidi@make@mpeightcol@LTRfootgroup}[1]{%
12916   \namedef{@mpeightcol@LTRfootgroup\#1}{%
12917     \def\baselinestretch{\m@m@footnote@spacing}%
12918     \nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
12919     \bidi@LT Rigidbalance{\nameuse{@mpfootins\#1}\{8\}\{\splittopskip\}}}}
12920 \bidi@ensure@newcommand{\ninecolumnfootnotes}{%
12921   \namedef{foottextfontv@r}{\foottextfont} \% [RS]

```



```

12922  \@namedef{foottextfontv@l}{\LTrfoottextfont}%
12923  \@bidi@before@Hy@hyperfootnotes
12924  \let\@footnotetext\@ninecolfootnotetext
12925  \let\@LTRfootnotetext\@ninecolLTRfootnotetext
12926  \let\@RTLfootnotetext\@ninecolRTLfootnotetext
12927  \dimen\footinsv@r=9\footinsdim
12928  \count\footinsv@r=111\relax
12929  \m@make@ninecol@footgroup{v@r}%
12930  \let\@footgroupv@r\@ninecol@footgroupv@r
12931  \dimen\footinsv@l=9\footinsdim
12932  \count\footinsv@l=111\relax
12933  \bidi@make@ninecol@LTRfootgroup{v@l}%
12934  \let\@LTRfootgroupv@l\@ninecol@LTRfootgroupv@l
12935  \let\@mpfootnotetext\@mpninecolfootnotetext
12936  \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
12937  \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
12938  \@bidi@after@Hy@hyperfootnotes
12939  \m@make@mpninecol@footgroup{v@r}%
12940  \let\mp@footgroupv@r\@mpninecol@footgroupv@r
12941  \bidi@make@mpninecol@LTRfootgroup{v@l}%
12942  \let\mp@LTRfootgroupv@l\@mpninecol@LTRfootgroupv@l
12943  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12944 }
12945 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert
12946  \if@RTL@footnote
12947    \footinsv@r
12948  \else
12949    \footinsv@l
12950  \fi
12951 {\if@RTL@footnote@\RTLtrue\else@\RTLfalse\fi}%
12952  \def\baselinestretch{\m@m@footnote@spacing}%
12953  \reset@font\foottextfont
12954  \@preamfntext
12955  \protected@edef{\currentlabel}{%
12956    \csname p@footnote\endcsname\@thefnmark}%
12957  \color@begingroup
12958    \@ninecolfootfmt{\#1}%
12959  \color@endgroup}%
12960  \m@mmf@prepare}
12961 \bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse}%
12962  \def\baselinestretch{\m@m@footnote@spacing}%
12963  \reset@font\LTRfoottextfont
12964  \@preamfntext
12965  \protected@edef{\currentlabel}{%
12966    \csname p@footnote\endcsname\@thefnmark}%
12967  \color@begingroup
12968    \@ninecolLTRfootfmt{\#1}%
12969  \color@endgroup}%
12970  \m@mmf@prepare}
12971 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
12972  \def\baselinestretch{\m@m@footnote@spacing}%
12973  \reset@font\RTLfoottextfont
12974  \@preamfntext
12975  \protected@edef{\currentlabel}{%

```



```

12976      \csname p@footnote\endcsname\@thefnmark}%
12977      \color@begingroup
12978      \@ninecolRTLfootfmt{#1}%
12979      \color@endgroup}%
12980      \m@mmf@prepare}
12981 \bidi@ensure@newcommand{\@preamninefmt}{%
12982   \hsize .1\hsize
12983   \parindent=\z@
12984   \tolerance=5000\relax
12985   \leavevmode}
12986 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
12987   \@preamninefmt
12988   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12989 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
12990   \@preamninefmt
12991   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12992 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
12993   \@preamninefmt
12994   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12995 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
12996   \global\setbox
12997     \if@RTL@footnote
12998       \ompfootinsv@r
12999     \else
13000       \ompfootinsv@l
13001     \fi
13002   \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
13003     \unvbox
13004     \if@RTL@footnote
13005       \ompfootinsv@r
13006     \else
13007       \ompfootinsv@l
13008     \fi
13009     \def\baselinestretch{\m@m@footnote@spacing}%
13010     \reset@font\foottextfont
13011     \hsize\columnwidth \parboxrestore
13012     \protected@edef\@currentlabel{%
13013       \csname p@mpfootnote\endcsname\@thefnmark}%
13014     \color@begingroup
13015       \@ninecolfootfmt{#1}%
13016     \color@endgroup}%
13017     \m@mmf@prepare}
13018 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
13019   \global\setbox\ompfootinsv@l\vbox{\@RTLfalse}%
13020     \unvbox\ompfootinsv@l
13021     \def\baselinestretch{\m@m@footnote@spacing}%
13022     \reset@font\LTRfoottextfont
13023     \hsize\columnwidth \parboxrestore
13024     \protected@edef\@currentlabel{%
13025       \csname p@mpfootnote\endcsname\@thefnmark}%
13026     \color@begingroup
13027       \@ninecolLTRfootfmt{#1}%
13028     \color@endgroup}%
13029     \m@mmf@prepare}

```



```

13030 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
13031   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
13032     \unvbox\@mpfootinsv@r
13033     \def\baselinestretch{\m@m@footnote@spacing}%
13034     \reset@font\RTLfoottextfont
13035     \hsize\columnwidth \parboxrestore
13036     \protected@edef{\currentlabel{%
13037       \csname p@mpfootnote\endcsname\@thefnmark}%
13038     \color@begingroup
13039       \c@ninecolRTLfootfmt{\#1}%
13040     \color@endgroup}%
13041     \m@mmf@prepare}
13042 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
13043   \c@namedef{\c@ninecol@footgroup\#1}{%
13044     \def\baselinestretch{\m@m@footnote@spacing}%
13045     \c@nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
13046     \m@mrigidbalance{\c@nameuse{footins\#1}\{9\}\{splittopskip\}}}}
13047 \newcommand{\bidi@make@c@ninecol@LTRfootgroup}[1]{%
13048   \c@namedef{\c@ninecol@LTRfootgroup\#1}{%
13049     \def\baselinestretch{\m@m@footnote@spacing}%
13050     \c@nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
13051     \bidi@LT Rigidbalance{\c@nameuse{footins\#1}\{9\}\{splittopskip\}}}
13052 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
13053   \c@namedef{\c@mpninecol@footgroup\#1}{%
13054     \def\baselinestretch{\m@m@footnote@spacing}%
13055     \c@nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
13056     \m@mrigidbalance{\c@nameuse{\c@mpfootins\#1}\{9\}\{splittopskip\}}}
13057 \newcommand{\bidi@make@mpninecol@LTRfootgroup}[1]{%
13058   \c@namedef{\c@mpninecol@LTRfootgroup\#1}{%
13059     \def\baselinestretch{\m@m@footnote@spacing}%
13060     \c@nameuse{foottextfont\#1} \splittopskip=\ht\strutbox
13061     \bidi@LT Rigidbalance{\c@nameuse{\c@mpfootins\#1}\{9\}\{splittopskip\}}}
13062 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
13063   \c@namedef{foottextfontv@r}{\foottextfont}%
13064   \c@namedef{foottextfontv@l}{\LT Rfoottextfont}%
13065   \bidi@before@Hy@hyperfootnotes
13066   \let\@footnotetext\@tencolfootnotetext
13067   \let\@LT Rfootnotetext\@tencolLT Rfootnotetext
13068   \let\@RTLfootnotetext\@tencolRTLfootnotetext
13069   \dimen\footinsv@r=10\footinsdim
13070   \count\footinsv@r=100\relax
13071   \m@make@tencol@footgroup{v@r}%
13072   \let\@footgroupv@r\@tencol@footgroupv@r
13073   \dimen\footinsv@l=10\footinsdim
13074   \count\footinsv@l=100\relax
13075   \bidi@make@tencol@LTRfootgroup{v@l}%
13076   \let\@LT Rfootgroupv@l\@tencol@LTRfootgroupv@l
13077   \let\@mpfootnotetext\@mptencolfootnotetext
13078   \let\@mpLT Rfootnotetext\@mptencolLT Rfootnotetext
13079   \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
13080   \bidi@after@Hy@hyperfootnotes
13081   \m@make@mptencol@footgroup{v@r}%
13082   \let\@mp@footgroupv@r\@mptencol@footgroupv@r
13083   \bidi@make@mptencol@LTRfootgroup{v@l}%

```



```

13084   \let\mp@LTRfootgroupv@l\@ptencol@LTRfootgroupv@l
13085   \c@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13086 }
13087 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert
13088   \if@RTL@footnote
13089     \footinsv@r
13090   \else
13091     \footinsv@l
13092   \fi
13093 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13094   \def\baselinestretch{\m@m@footnote@spacing}%
13095   \reset@font\foottextfont
13096   \preamfntext
13097   \protected@edef\@currentlabel{%
13098     \csname p@footnote\endcsname\@thefnmark}%
13099   \color@begingroup
13100     \atencolfootfmt{\#1}%
13101   \color@endgroup}%
13102   \m@mmf@prepare}
13103 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13104   \def\baselinestretch{\m@m@footnote@spacing}%
13105   \reset@font\LTRfoottextfont
13106   \preamfntext
13107   \protected@edef\@currentlabel{%
13108     \csname p@footnote\endcsname\@thefnmark}%
13109   \color@begingroup
13110     \atencollTRfootfmt{\#1}%
13111   \color@endgroup}%
13112   \m@mmf@prepare}
13113 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13114   \def\baselinestretch{\m@m@footnote@spacing}%
13115   \reset@font\RTLfoottextfont
13116   \preamfntext
13117   \protected@edef\@currentlabel{%
13118     \csname p@footnote\endcsname\@thefnmark}%
13119   \color@begingroup
13120     \atencolRTLfootfmt{\#1}%
13121   \color@endgroup}%
13122   \m@mmf@prepare}
13123 \bidi@ensure@newcommand{\@preamtenfmt}{%
13124   \hsize .1\hsize
13125   \parindent=\z@
13126   \tolerance=5000\relax
13127   \leavevmode}
13128 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
13129   \preamtenfmt
13130   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13131 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
13132   \preamtenfmt
13133   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13134 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
13135   \preamtenfmt
13136   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13137 \bidi@ensure@newcommand{\@mpptencolfootnotetext}[1]{%

```



```

13138 \global\setbox
13139   \if@RTL@footnote
13140     \ompfootinsv@r
13141   \else
13142     \ompfootinsv@l
13143   \fi
13144 \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13145   \unvbox
13146   \if@RTL@footnote
13147     \ompfootinsv@r
13148   \else
13149     \ompfootinsv@l
13150   \fi
13151   \def\baselinestretch{\m@m@footnote@spacing}%
13152   \reset@font\foottextfont
13153   \hsize\columnwidth \parboxrestore
13154   \protected@edef@\currentlabel{%
13155     \csname p@mpfootnote\endcsname\@thefnmark}%
13156 \color@begingroup
13157   \tencolfootfmt{\#1}%
13158 \color@endgroup}%
13159 \m@mmf@prepare}
13160 \bidi@ensure@newcommand{\@ptencollTRfootnotetext}[1]{%
13161   \global\setbox\@mpfootinsv@l\vbox{\@RTLfalse%
13162     \unvbox\@mpfootinsv@l
13163     \def\baselinestretch{\m@m@footnote@spacing}%
13164     \reset@font\LTRfoottextfont
13165     \hsize\columnwidth \parboxrestore
13166     \protected@edef@\currentlabel{%
13167       \csname p@mpfootnote\endcsname\@thefnmark}%
13168   \color@begingroup
13169     \tencollTRfootfmt{\#1}%
13170   \color@endgroup}%
13171 \m@mmf@prepare}
13172 \bidi@ensure@newcommand{\@ptencolRTLfootnotetext}[1]{%
13173   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
13174     \unvbox\@mpfootinsv@r
13175     \def\baselinestretch{\m@m@footnote@spacing}%
13176     \reset@font\RTLfoottextfont
13177     \hsize\columnwidth \parboxrestore
13178     \protected@edef@\currentlabel{%
13179       \csname p@mpfootnote\endcsname\@thefnmark}%
13180   \color@begingroup
13181     \tencolRTLfootfmt{\#1}%
13182   \color@endgroup}%
13183 \m@mmf@prepare}
13184 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
13185   \namedef{@tencol@footgroup#1}{{%
13186     \def\baselinestretch{\m@m@footnote@spacing}%
13187     \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13188     \m@mrigidbalance{\nameuse{footins#1}}{10}{\splittopskip}}}%
13189 \newcommand{\bidi@make@tencol@LTRfootgroup}[1]{%
13190   \namedef{@tencol@LTRfootgroup#1}{{%
13191     \def\baselinestretch{\m@m@footnote@spacing}%

```



```

13192      \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13193          \bidi@LTRrigidbalance{\nameuse{footins#1}{10}{\splittopskip}}}}
13194 \bidi@ensure@newcommand{\m@make@ptencol@footgroup}[1]{%
13195 \namedef{@ptencol@footgroup#1}{{%
13196 \def\baselinestretch{\m@m@footnote@spacing}%
13197 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13198 \m@mrigidbalance{\nameuse{@mpfootins#1}{10}{\splittopskip}}}%
13199 \newcommand{\bidi@make@ptencol@LTRfootgroup}[1]{%
13200 \namedef{@ptencol@LTRfootgroup#1}{{%
13201 \def\baselinestretch{\m@m@footnote@spacing}%
13202 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13203 \bidi@LTRrigidbalance{\nameuse{@mpfootins#1}{10}{\splittopskip}}}%
13204 \bidi@ensure@newcommand{\m@munvh}[1]{%
13205 \setbox0=\vbox{\unvbox#1}%
13206 \global\setbox1=\lastbox}%
13207 \unhbox1
13208 \unskip
13209 \unskip
13210 \unpenalty
13211 \hskip\m@mipn@skip}%
13212 \bidi@ensure@newcommand{\m@mungebox}{{%
13213 \setbox0=\hbox{\m@munvh0}}%
13214 \dp0=z@%
13215 \ht0=\footfudgefactor\wd0
13216 \box0
13217 \penalty0}%
13218 \newskip\m@mipn@skip
13219 \bidi@ensure@newcommand*\{\m@minterparanote glue}[1]{%
13220 {\foottextfont\global\m@mipn@skip=#1\relax}%
13221 \m@minterparanote glue{1em plus .3em minus .3em}%
13222 \bidi@ensure@newcommand*\{\m@mmakehboxofhboxes}{{%
13223 \setbox0=\hbox{}%}
13224 \loop
13225 \unpenalty
13226 \setbox2=\lastbox
13227 \ifhbox2
13228 \setbox0=\hbox{\box2\unhbox0}%
13229 \repeat}%
13230 \bidi@ensure@newcommand*\{\m@mremovehboxes}{\setbox0=\lastbox
13231 \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}%
13232 \newcommand*\AddExtraParaSkip[1]{%
13233 \def\bidi@xparaskip{\advance\tempdima#1\relax}%
13234 }%
13235 \let\bidi@xparaskip\relax
13236 \onlypreamble\AddExtraParaSkip
13237 \onlypreamble\bidi@xparaskip
13238 \bidi@ensure@newcommand{\paragraphfootnotes}{{%
13239 \namedef{foottextfont@r}{\foottextfont}%
13240 \namedef{foottextfont@l}{\LTRfoottextfont}%
13241 \bidi@before@Hy@hyperfootnotes
13242 \let\footnotetext\parafootnotetext
13243 \let\@LTRfootnotetext\paraLTRfootnotetext
13244 \let\@RTLfootnotetext\paraRTLfootnotetext
13245 \dimen\footinsv@r=\footinsdim

```



```

13246 \count\footinsv@r=1000\relax
13247 \m@make@para@footgroup{v@r}%
13248 \m@make@para@footstart{v@r}%
13249 \let\@footgroupv@r\@para@footgroupv@r
13250 \let\@footstartv@r\@para@footstartv@r
13251 \dimen\footinsv@l=\footinsdim
13252 \count\footinsv@l=1000\relax
13253 \bidi@m@ke@para@LTRfootgroup{v@l}%
13254 \m@make@para@footstart{v@l}%
13255 \bidi@m@ke@para@footstart@@{v@l}%
13256 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
13257 \let\@footstartv@l\@para@footstartv@l
13258 \let\@footstart@@v@l\@para@footstart@@v@l
13259 \let\@mpfootnotetext\@mparafootnotetext
13260 \let\@mpLTRfootnotetext\@mparaLTRfootnotetext
13261 \let\@mpRTLfootnotetext\@mparaRTLfootnotetext
13262 \bidi@after@Hy@hyperfootnotes
13263 \m@make@mppara@footgroup{v@r}%
13264 \bidi@m@ke@mppara@LTRfootgroup{v@l}%
13265 \let\mp@footgroupv@r\@mpara@footgroupv@r
13266 \let\mp@LTRfootgroupv@l\@mpara@LTRfootgroupv@l
13267 \g@addto@macro\bidi@floathook{%
13268   \begingroup
13269     \foottextfont \tempdima\normalbaselineskip
13270     \multiply \tempdima \cclvi
13271     \tempdima \columnwidth
13272     \divide \tempdima \cclvi
13273     \divide \tempdima \tempdima
13274     \xdef\footfudgefactor{\strip@pt\tempdima}%
13275   \endgroup
13276 }
13277 \AtBeginDocument{%
13278   \begingroup
13279     \foottextfont
13280     \tempdima\footnotesep
13281     \advance\tempdima -\ht\strutbox
13282     \ifdim\tempdima<\z@ \tempdima\z@ \fi
13283     \advance\tempdima.5\normalbaselineskip
13284     \bidi@xparaskip
13285     \xdef\bidi@paraskip{\the\tempdima\relax}%
13286   \endgroup
13287 }
13288 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13289 }
13290 \newcommand{\normalRTLparaLTRfootnotes}{%
13291   \namedef{foottextfont@r}{\foottextfont}%
13292   \bidi@before@Hy@hyperfootnotes
13293   \if@RTL@footnote
13294     \let\footnotetext\m@mold@footnotetext
13295   \else
13296     \let\footnotetext\@parafootnotetext
13297   \fi
13298   \let\@LTRfootnotetext\@paraLTRfootnotetext
13299   \let\@RTLfootnotetext\m@mold@RTLfootnotetext

```



```

13300 \dimen\footinsv@r=\footinsdim
13301 \count\footinsv@r=1000\relax
13302 \m@make@para@footgroup{v@r}%
13303 \m@make@para@footstart{v@r}%
13304 \let\@footgroupv@r\@para@footgroupv@r
13305 \let\@footstartv@r\@para@footstartv@r
13306 \dimen\footinsv@l=\footinsdim
13307 \count\footinsv@l=1000\relax
13308 \bidi@make@para@LTRfootgroup{v@l}%
13309 \m@make@para@footstart{v@l}%
13310 \bidi@make@para@footstart@@{v@l}%
13311 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
13312 \let\@footstartv@l\@para@footstartv@l
13313 \let\@footstart@@v@l\@para@footstart@@v@l
13314 \if@RTL@footnote
     \let\@mpfootnotetext\m@mold@mpfootnotetext
13315 \else
     \let\@mpfootnotetext\@mparafootnotetext
13316 \fi
13317 \let\@mpLTRfootnotetext\@mparaLTRfootnotetext
13318 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
13319 \bidi@after@Hy@hyperfootnotes
13320 \m@make@mppara@footgroup{v@r}%
13321 \bidi@make@mppara@LTRfootgroup{v@l}%
13322 \let\mp@footgroupv@r\@mpara@footgroupv@r
13323 \let\mp@LTRfootgroupv@l\@mpara@LTRfootgroupv@l
13324 \g@addto@macro\bidi@floathook{%
13325 \begin{group}
13326   \LTfoottextfont \tempdima\normalbaselineskip
13327   \multiply \tempdima \cclvi
13328   \tempdimb \columnwidth
13329   \divide \tempdimb \cclvi
13330   \divide \tempdima \tempdimb
13331   \xdef\footfudgefactor{\strip@pt\tempdima}%
13332 \endgroup
13333 }
13334 \AtBeginDocument{%
13335 \begin{group}
13336   \LTfoottextfont
13337   \tempdima\footnotesep
13338   \advance\tempdima -\ht\strutbox
13339   \ifdim\tempdima<\z@ \tempdima\z@ \fi
13340   \advance\tempdima.5\normalbaselineskip
13341   \bidi@xparaskip
13342   \xdef\bidi@paraskip{\the\tempdima\relax}%
13343 \endgroup
13344 }
13345 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13346 }
13347 \else
13348 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert
13349 \if@RTL@footnote
13350   \footinsv@r
13351 \else
13352   \footinsv@l

```



```

13354   \fi
13355   {%
13356   \let\bidi@RTL@everypar\empty%
13357   \def\baselinestretch{\m@m@footnote@spacing}%
13358   \reset@font\foottextfont
13359   \preamfntext
13360   \protected@edef\@currentlabel{%
13361     \csname p@footnote\endcsname\@thefnmark}%
13362   \setbox0=\vbox{\hsize=\maxdimen
13363     \color@begingroup
13364       \noindent \parafootfmt{\#1}%
13365     \color@endgroup}%
13366   \m@mungebox}\m@mmf@prepare}
13367 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@l{%
13368   \let\bidi@RTL@everypar\empty%
13369   \def\baselinestretch{\m@m@footnote@spacing}%
13370   \reset@font\LTRfoottextfont
13371   \preamfntext
13372   \protected@edef\@currentlabel{%
13373     \csname p@footnote\endcsname\@thefnmark}%
13374   \setbox0=\vbox{\hsize=\maxdimen
13375     \color@begingroup
13376       \noindent \paraLTRfootfmt{\#1}%
13377     \color@endgroup}%
13378   \m@mungebox}\m@mmf@prepare}
13379 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
13380   \let\bidi@RTL@everypar\empty%
13381   \def\baselinestretch{\m@m@footnote@spacing}%
13382   \reset@font\RTLfoottextfont
13383   \preamfntext
13384   \protected@edef\@currentlabel{%
13385     \csname p@footnote\endcsname\@thefnmark}%
13386   \setbox0=\vbox{\hsize=\maxdimen
13387     \color@begingroup
13388       \noindent \paraRTLfootfmt{\#1}%
13389     \color@endgroup}%
13390   \m@mungebox}\m@mmf@prepare}
13391 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
13392   \parindent=\z@
13393   \parfillskip=0pt \plus 1fil
13394   {\footfootmark\strut {\foottextfont \#1}\penalty-10}}
13395 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
13396   \parindent=\z@
13397   \parfillskip=0pt \plus 1fil
13398   {\LTRfootfootmark\strut {\LTRfoottextfont \#1}\penalty-10}}
13399 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
13400   \parindent=\z@
13401   \parfillskip=0pt \plus 1fil
13402   {\RTLfootfootmark\strut {\RTLfoottextfont \#1}\penalty-10}}
13403 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
13404   \global\setbox
13405   \if@RTL@footnote
13406     \ompfootinsv@r
13407   \else

```



```

13408     \ompfootinsv@l
13409   \fi
13410   \vbox{%
13411     \let\bidi@RTL@everypar\empty%
13412     \def\baselinestretch{\m@m@footnote@spacing}%
13413     \unvbox
13414     \if@RTL@footnote
13415       \ompfootinsv@r
13416     \else
13417       \ompfootinsv@l
13418     \fi
13419     \reset@font\foottextfont
13420     \hsize\columnwidth \parboxrestore
13421     \protected@edef\@currentlabel{%
13422       \csname p@mpfootnote\endcsname\@thefnmark}%
13423     \setbox0=\vbox{\hsize=\maxdimen
13424       \color@begingroup
13425       \noindent \parafootfmt{#1}%
13426       \color@endgroup}%
13427     \m@mungebox}\m@mmf@prepare}
13428 \bidi@ensure@newcommand{\mpparaLTRfootnotetext}[1]{%
13429   \global\setbox\ompfootinsv@l\vbox{%
13430     \let\bidi@RTL@everypar\empty%
13431     \def\baselinestretch{\m@m@footnote@spacing}%
13432     \unvbox\ompfootinsv@l
13433     \reset@font\LTRfoottextfont
13434     \hsize\columnwidth \parboxrestore
13435     \protected@edef\@currentlabel{%
13436       \csname p@mpfootnote\endcsname\@thefnmark}%
13437     \setbox0=\vbox{\hsize=\maxdimen
13438       \color@begingroup
13439       \noindent \paraLTRfootfmt{#1}%
13440       \color@endgroup}%
13441     \m@mungebox}\m@mmf@prepare}
13442 \bidi@ensure@newcommand{\mpparaRTLfootnotetext}[1]{%
13443   \global\setbox\ompfootinsv@r\vbox{%
13444     \let\bidi@RTL@everypar\empty%
13445     \def\baselinestretch{\m@m@footnote@spacing}%
13446     \unvbox\ompfootinsv@r
13447     \reset@font\RTLfoottextfont
13448     \hsize\columnwidth \parboxrestore
13449     \protected@edef\@currentlabel{%
13450       \csname p@mpfootnote\endcsname\@thefnmark}%
13451     \setbox0=\vbox{\hsize=\maxdimen
13452       \color@begingroup
13453       \noindent \paraRTLfootfmt{#1}%
13454       \color@endgroup}%
13455     \m@mungebox}\m@mmf@prepare}
13456 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
13457   \namedef{@para@footgroup#1}{%
13458     \unvbox\nameuse{footins#1}
13459     \RTLtrue
13460     \m@makehboxofhboxes
13461     \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%

```



```

13462 \hsize\bidi@columnwidth
13463 \@parboxrestore
13464 \def\baselinestretch{\m@m@footnote@spacing}%
13465 \@nameuse{foottextfont#1}%
13466 \noindent\unhbox0\par}
13467 \bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
13468 \@namedef{@para@LTRfootgroup#1}{%
13469 \unvbox\@nameuse{footins#1}
13470 \RTLfalse
13471 \m@m@makehboxofhboxes
13472 \setbox0=\hbox{\unhbox0 \m@m@removehboxes}%
13473 \hsize\bidi@columnwidth
13474 \@parboxrestore
13475 \def\baselinestretch{\m@m@footnote@spacing}%
13476 \@nameuse{foottextfont#1}%
13477 \noindent\unhbox0\par}
13478 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
13479 \@namedef{@mppara@footgroup#1}{%
13480 \unvbox\@nameuse{@mpfootins#1}
13481 \RTLtrue
13482 \m@m@makehboxofhboxes
13483 \setbox0=\hbox{\unhbox0 \m@m@removehboxes}%
13484 \def\baselinestretch{\m@m@footnote@spacing}%
13485 \@nameuse{foottextfont#1}%
13486 \noindent\unhbox0\par}
13487 \bidi@ensure@newcommand{\bidi@make@mppara@LTRfootgroup}[1]{%
13488 \@namedef{@mppara@LTRfootgroup#1}{%
13489 \unvbox\@nameuse{@mpfootins#1}
13490 \RTLfalse
13491 \m@m@makehboxofhboxes
13492 \setbox0=\hbox{\unhbox0 \m@m@removehboxes}%
13493 \def\baselinestretch{\m@m@footnote@spacing}%
13494 \@nameuse{foottextfont#1}%
13495 \noindent\unhbox0\par}}
13496 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
13497 \@namedef{@para@footstart#1}{%
13498 \if@bidi@void@footins
13499 \bidi@mopfn@bottom
13500 \fi
13501 \leftskip=\z@
13502 \rightskip=\z@
13503 \parindent=\z@
13504 \vskip\skip\footins
13505 \if@bidi@void@footins
13506 \footnoterule
13507 \fi}}
13508 \bidi@ensure@newcommand{\bidi@make@para@footstart@@}[1]{%
13509 \@namedef{@@para@footstart@@#1}{%
13510 \leftskip=\z@
13511 \rightskip=\z@
13512 \parindent=\z@
13513 \vskip\skip\footins}}
13514 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
13515 \xdef\@freelist{\@freelist\@midlist}%

```



```

13516 \global\let\@midlist\empty
13517 \@combinefloats}
13518 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
13519   \ifvbox\@kludgeins
13520     \makespecialcolbox
13521   \else
13522     \setbox\@outputbox \vbox to\@colht{%
13523       \texttop
13524       \dimen@ \dp\@outputbox
13525       \unvbox \@outputbox
13526       \vskip -\dimen@
13527       \textbottom}%
13528   \fi}
13529 \bidi@ensure@newcommand*{\m@m@makecolintro}{}
13530 \bidi@ensure@newcommand*{\m@m@mopfootnote}{\setbox\@outputbox \vbox{%
13531   \boxmaxdepth\@maxdepth
13532   \tempdima\dp\@cclv
13533   \unvbox\@cclv
13534   \vskip-\tempdima
13535   \bidi@mopfn@bottom
13536   \vskip \skip\footins
13537   \color@begingroup
13538     \normalcolor
13539     \footnoterule
13540     \unvbox \footins
13541   \color@endgroup
13542 }%
13543 }
13544 \newcommand*{\bidi@mopfootnotebf}{%
13545   \setbox\@outputbox \vbox{%
13546   \boxmaxdepth\@maxdepth
13547   \unvbox\@outputbox
13548   \bidi@mopfn@bottom
13549   \vskip\skip\footins
13550   \color@begingroup
13551     \normalcolor
13552     \footnoterule
13553     \unvbox \footins
13554   \color@endgroup
13555 }%
13556 }
13557 \gdef\mem@makecol{%
13558   \m@m@makecolintro
13559   \ifvoid\footins
13560     \global\bidi@void@footintrue
13561     \setbox\@outputbox \box\@cclv
13562   \else
13563     \global\bidi@void@footinsfalse
13564     \m@m@mopfootnote
13565   \fi
13566   \m@m@doextrafeet
13567   \m@m@makecolfloats
13568   \m@m@makecoltext
13569   \global \maxdepth \@maxdepth}

```



```

13570 \gdef\bidi@makecolbf{%
13571   \m@m@makecolintro
13572   \setbox\@outputbox \box\@cclv
13573   \m@m@makecolfloats
13574   \ifvoid\footins
13575     \global\bidi@void@footintrue
13576   \else
13577     \global\bidi@void@footinsfalse
13578   \bidi@mopfootnotebf
13579   \fi
13580   \m@m@doextrafeet
13581   \m@m@makecoltext
13582   \global \maxdepth \maxdepth
13583 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
13584 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
13585 \newcommand{\FeetAtBottom}{\def\bidi@mopfn@bottom{\vfill\relax}}
13586 \newcommand{\FeetBelowRagged}{\let\bidi@mopfn@bottom\relax}
13587 \FeetAboveFloat
13588 \FeetBelowRagged
13589 \AtBeginDocument{%
13590   \bidi@floathook
13591 }

```

87 File extreport-xetex-bidi.def

```

13592 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class
13593 \renewcommand*\l@part[2]{%
13594   \ifnum \c@tocdepth >-2\relax
13595     \addpenalty{-\@highpenalty}%
13596     \addvspace{2.25em \oplus \p@}%
13597     \begingroup
13598       \setlength\@tempdima{3em}%
13599       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
13600       \parfillskip -\pnumwidth
13601       {\leavevmode
13602         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
13603         \nobreak
13604           \global\nobreaktrue
13605           \everypar{\global\nobreakfalse\everypar{} }%
13606         \endgroup
13607       \fi}
13608 \renewcommand*\l@chapter[2]{%
13609   \ifnum \c@tocdepth >\m@ne
13610     \addpenalty{-\@highpenalty}%
13611     \vskip 1.0em \oplus \p@
13612     \setlength\@tempdima{1.5em}%
13613     \begingroup
13614       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
13615       \parfillskip -\pnumwidth
13616       \leavevmode \bfseries
13617       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13618       \hskip -\if@RTL\rightskip\else\leftskip\fi
13619       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
13620       \penalty\@highpenalty

```



```

13621      \endgroup
13622  \fi}
13623 \def\@makechapterhead#1{%
13624  \vspace*{50\p@}%
13625  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
13626  \ifnum \c@secnumdepth >\m@ne
13627    \huge\bfseries \chapapp\space \thechapter
13628    \par\nobreak
13629    \vskip 20\p@
13630  \fi
13631  \interlinepenalty\@M
13632  \Huge \bfseries #1\par\nobreak
13633  \vskip 40\p@
13634  }%
13635 \def\@makeschapterhead#1{%
13636  \vspace*{50\p@}%
13637  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
13638  \normalfont
13639  \interlinepenalty\@M
13640  \Huge \bfseries #1\par\nobreak
13641  \vskip 40\p@
13642  }%
13643 \renewcommand\left@footnoterule{%
13644  \kern-3\p@
13645  \hrule\@width.4\columnwidth
13646  \kern2.6\p@}
13647 \renewcommand\right@footnoterule{%
13648  \kern-3\p@
13649  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
13650  \kern2.6\p@}
13651 \renewenvironment{thebibliography}[1]
13652  {\chapter*{\bibname
13653   \OMkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
13654   \if@RTL\if@LTrbibitems@\RTLfalsel\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
13655   \bidi@thebibliography@font@hook%
13656   \list{\@biblabel{\@arabic\c@enumiv}}%
13657   {\settowidth\labelwidth{\@biblabel{#1}}%
13658   \leftmargin\labelwidth
13659   \advance\leftmargin\labelsep
13660   \openbib@code
13661   \usecounter{enumiv}%
13662   \let\p@enumiv\empty
13663   \renewcommand\theenumiv{\@arabic\c@enumiv}%
13664   \sloppy\clubpenalty4000\widowpenalty4000%
13665   \sfcode`\. \om}
13666   {\def\@noitemerr
13667     {\@latex@warning{Empty `thebibliography' environment}}%
13668   \endlist}
13669   \if@titlepage
13670   \renewcommand\maketitle{\begin{titlepage}%
13671   \let\footnotesize\small
13672   \let\right@footnoterule\relax
13673   \let\left@footnoterule\relax
13674   \let\textwidth@footnoterule\relax

```



```

13675 \let \footnote \thanks
13676 \null\vfil
13677 \vskip 60\p@
13678 \begin{center}%
13679   {\LARGE \@title \par}%
13680   \vskip 3em%
13681   {\large
13682     \lineskip .75em%
13683     \begin{tabular}[t]{c}%
13684       \author
13685     \end{tabular}\par}%
13686   \vskip 1.5em%
13687   {\large \@date \par}      % Set date in \large size.
13688 \end{center}\par
13689 \thanks
13690 \vfil\null
13691 \end{titlepage}%
13692 \setcounter{footnote}{0}%
13693 \global\let\thanks\relax
13694 \global\let\maketitle\relax
13695 \global\let\@thanks\@empty
13696 \global\let\@author\@empty
13697 \global\let\@date\@empty
13698 \global\let\@title\@empty
13699 \global\let\title\relax
13700 \global\let\author\relax
13701 \global\let\date\relax
13702 \global\let\and\relax
13703 }
13704 \else
13705 \renewcommand\maketitle{\par
13706   \begingroup
13707     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
13708     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
13709     \long\def\@makefntext##1{\parindent 1em\noindent
13710       \hb@xt@1.8em{%
13711         \hss\@textsuperscript{\normalfont\@thefnmark}##1}%
13712       \if@twocolumn
13713         \ifnum \col@number=\@ne
13714           \maketitle
13715         \else
13716           \twocolumn[\maketitle]%
13717         \fi
13718       \else
13719         \newpage
13720         \global\@topnum\z@    % Prevents figures from going at top of page.
13721         \maketitle
13722       \fi
13723       \thispagestyle{plain}\@thanks
13724   \endgroup
13725   \setcounter{footnote}{0}%
13726   \global\let\thanks\relax
13727   \global\let\maketitle\relax
13728   \global\let\@maketitle\relax

```



```

13729 \global\let\@thanks\@empty
13730 \global\let\@author\@empty
13731 \global\let\@date\@empty
13732 \global\let\@title\@empty
13733 \global\let\title\relax
13734 \global\let\author\relax
13735 \global\let\date\relax
13736 \global\let\and\relax
13737 }
13738 \def\@maketitle{%
13739   \newpage
13740   \null
13741   \vskip 2em%
13742   \begin{center}%
13743     \let \footnote \thanks
13744     {\LARGE \@title \par}%
13745     \vskip 1.5em%
13746     {\large
13747       \lineskip .5em%
13748       \begin{tabular}[t]{c}%
13749         \author
13750       \end{tabular}\par}%
13751     \vskip 1em%
13752     {\large \@date}%
13753   \end{center}%
13754   \par
13755   \vskip 1.5em}
13756 \fi
13757 \renewcommand\thesection{\thechapter\@SepMark\@arabic\c@section}
13758 \renewcommand\thesubsection{\thesection\@SepMark\@arabic\c@section}
13759 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@section}
13760 \renewcommand\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
13761 \renewcommand\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
13762 \renewcommand\theequation{%
13763   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
13764 \renewcommand\thefigure{%
13765   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
13766 \renewcommand\thetable{%
13767   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}

```

88 File fancybox-xetex-bidi.def

```

13768 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
13769 \def\fancy@oval#1#2#3{%
13770   \boxmaxdepth \maxdimen
13771   \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
13772   \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
13773   \@ovxx#1\relax
13774   \advance\@ovxx-\@wholewidth
13775   \@ovyy#2\relax
13776   \advance\@ovyy-\@wholewidth
13777   \tempdimb \ifdim \@ovyy >\@ovxx \else \@ovxx \fi
13778   \advance\@tempdimb-2\p@
13779   \ifdim\@tempdimb>\the\@cornersize\relax

```



```

13780      \@tempdimb=\the@cornersize
13781  \fi
13782  \@getcirc\@tempdimb
13783  \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
13784  \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
13785  \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
13786  \@circlefnt
13787  \setbox\@tempboxa\hbox{\beginL%
13788      \if@ovr \@ovvert32\kern -\@tempdima \fi
13789      \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
13790      \if@ovt \@ovhorz \kern -\@ovxx \fi
13791      \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
13792  \advance\@ovdx\@ovro
13793  \advance\@ovdy\@ovro
13794  \advance\@ovxx\@wholewidth
13795  \wd\@tempboxa=\@ovxx
13796  \dp\@tempboxa=\z@}

```

89 File fancyhdr-xetex-bidi.def

```

13797 \ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package
13798
13799 \let\f@nch@everypar\everypar
13800
13801 \def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
13802     \f@nch@vbox\headheight{\hbox
13803         {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}}\hfill
13804         \parbox[b]{\headwidth}{\centering#3}\hfill
13805         \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}#5}
13806
13807 \def\f@nch@foot#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
13808     \f@nch@vbox\footskip\footrule
13809         \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}}\hfill
13810         \parbox[t]{\headwidth}{\centering#3}\hfill
13811         \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}]\headrule}#5}
13812

```

90 File fix2col-xetex-bidi.def

```

13813 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package f
13814 \def\RTL@outputdblcol{%
13815   \if@firstcolumn
13816     \global\@firstcolumnfalse
13817     \global\setbox\@leftcolumn\copy\@outputbox
13818     \splitmaxdepth\maxdimen
13819     \vbadness\maxdimen
13820     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
13821     \toks@\expandafter{\topmark}%
13822     \xdef\@firstcoltopmark{\the\toks@}%
13823     \toks@\expandafter{\splitfirstmark}%
13824     \xdef\@firstcolfirstmark{\the\toks@}%
13825     \ifx\@firstcolfirstmark\empty
13826       \global\let\@setmarks\relax
13827     \else

```



```

13828      \gdef\@setmarks{%
13829          \let\firstmark\@firstcolfirstmark
13830          \let\topmark\@firstcoltopmark}%
13831      \fi
13832 \else \global\@firstcolumntrue
13833 \setbox\@outputbox \vbox {\hbox to\textwidth {%
13834 \hskip \columnwidth
13835 \hfil \vrule width\columnseprule \hfil
13836 \hbox to\columnwidth {%
13837 \bidi@firstcolumn@status@write%
13838 \box\@leftcolumn \hss}%
13839 \hskip -\textwidth
13840 \hbox to\columnwidth{%
13841 \bidi@lastcolumn@status@write%
13842 \box\@outputbox \hss}%
13843 \hskip \columnsep
13844 \hskip \columnwidth }}%
13845 \@combinedblfloats \@setmarks \@outputpage
13846 \begingroup \@dblfloatplacement \@startdblcolumn
13847 \@whilesw\if\fcolmade \fi
13848 {\@outputpage \@startdblcolumn }\endgroup
13849 \fi}
13850 \def\LTR@outputdblcol{%
13851     \if@\firstcolumn
13852         \global\@firstcolumnfalse
13853         \global\setbox\@leftcolumn\copy\@outputbox
13854         \splitmaxdepth\maxdimen
13855         \vbadness\maxdimen
13856         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
13857         \toks@\expandafter{\topmark}%
13858         \xdef\@firstcoltopmark{\the\toks@}%
13859         \toks@\expandafter{\splitfirstmark}%
13860         \xdef\@firstcolfirstmark{\the\toks@}%
13861         \ifx\@firstcolfirstmark\@empty
13862             \global\let\@setmarks\relax
13863         \else
13864             \gdef\@setmarks{%
13865                 \let\firstmark\@firstcolfirstmark
13866                 \let\topmark\@firstcoltopmark}%
13867             \fi
13868     \else
13869         \global\@firstcolumntrue
13870         \setbox\@outputbox\vbox{%
13871             \hb@xt@\textwidth{%
13872                 \hb@xt@\columnwidth{%
13873                     \bidi@firstcolumn@status@write%
13874                     \box\@leftcolumn \hss}%
13875                     \hfil
13876                     \vrule \width\columnseprule
13877                     \hfil
13878                     \hb@xt@\columnwidth{%
13879                         \bidi@lastcolumn@status@write%
13880                         \box\@outputbox \hss}}}}%
13881 \@combinedblfloats

```



```

13882     \@setmarks
13883     \@outputpage
13884     \begingroup
13885         \@dblfloatplacement
13886         \startdblcolumn
13887         \@whilesw@if@fcolmade \fi{\@outputpage\@startdblcolumn}%
13888     \endgroup
13889 \fi}

```

91 File `fleqn-xetex-bidi.def`

```

13890 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX]
13891 \renewcommand{\[}{\relax
13892             \ifmmode\@badmath
13893             \else
13894                 \begin{trivlist}%
13895                     \begin{parpenalty}\predisplaypenalty
13896                     \end{parpenalty}\postdisplaypenalty
13897                     \item[]\leavevmode
13898                     \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$%
13899                         \hskip\mathindent\bgroup
13900                         \fi}
13901 \renewcommand]{\relax
13902             \ifmmode
13903                 \egroup $\hfil$ %
13904                 \endL\egroup
13905                 \end{trivlist}%
13906             \else \@badmath
13907             \fi}
13908 \renewenvironment{equation}%
13909     {\begin{parpenalty}\predisplaypenalty
13910     \end{parpenalty}\postdisplaypenalty
13911     \refstepcounter{equation}%
13912     \trivlist \item[]\leavevmode
13913         \hb@xt@\linewidth\bgroup\beginL $\m@th$ %
13914             \displaystyle
13915             \hskip\mathindent}%
13916             \hfil \% %
13917             \displaywidth\linewidth\hbox{\eqnnum}%
13918         \endL\egroup
13919     \endtrivlist}

```

92 File `float-xetex-bidi.def`

```

13920 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeTeX]
13921 \renewcommand{\floatc@plain[2]}{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
13922 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
13923 \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
13924 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
13925     \expandafter\edef\csname the#1\endcsname{%
13926         \expandafter\noexpand\csname
13927             the#2\endcsname\SepMark\noexpand\arabic{#1}}}}%
13928 {\PackageWarning{float}{Can't redefine counter variable for #1.}}

```



93 File floatrow-xetex-bidi.def

```
13929 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package]
13930 \renewcommand\flnew@within[1]{\@addtoreset{\FB@capttype}{\#1}%
13931   \expandafter\edef\csname the\FB@capttype\endcsname{%
13932     \expandafter\noexpand\csname
13933       the\#1\endcsname\SepMark\noexpand\arabic{\FB@capttype}}}
```

94 File flowfram-xetex-bidi.def

```
13934 \ProvidesFile{flowfram-xetex-bidi.def}[2018/09/29 v0.5 bidi adaptations for flowfram package]
13935 \def\@outputdblcol{%
13936   \nxtcol=\c@thisframe
13937   \c@curpg=\c@page
13938   \g@tnextcol{\nxtcol}%
13939   \if@ff@nwpg % next flow frame starts on new page
13940     \global\@firstcolumntrue
13941     \setcolbox\c@thisframe
13942     \if@specialpage
13943       \global\@specialpagefalse
13944       \c@nameuse{ps@\@specialstyle}\relax
13945     \fi
13946     \if@twoside
13947       \ifodd\count\z@
13948         \let\@thehead\@oddhead
13949         \let\@tfoot\@oddfoot
13950       \else
13951         \let\@thehead\@evenhead
13952         \let\@tfoot\@evenfoot
13953       \fi
13954     \else
13955       \let\@thehead\@oddhead
13956       \let\@tfoot\@oddfoot
13957     \fi
13958     \begindvi
13959     \dodynamicthehead\dodynamictfoot
13960     \vbadness=\@M
13961     \setbox\@outputbox\vbox{\hbox to \textwidth{\offdo@allframes}}%
13962     \combinedblfloats
13963     \outputpage
13964     \advance\c@curpg by -\c@page\relax
13965     \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
13966       \setbox\@outputbox\vbox{\hbox to \textwidth{\offdo@allframes}}%
13967     \outputpage}
13968     \begingroup
13969       \dblfloatplacement
13970       \startdblcolumn
13971       \whilesw \if@fcolmade \fi
13972       {\outputpage \startdblcolumn }\endgroup
13973     \resetst@tics
13974     \resetdyn@mics
13975   \else % still on same page, save contents of box255
13976     \global\@firstcolumnfalse
13977     \setcolbox\c@thisframe
```



```

13978 \fi
13979 \global\c@thisframe=\@nxtcol
13980 \setcol{\c@thisframe}\relax
13981 \global\@colht\vsiz
13982 }
13983 \def\@outputpage{%
13984 \begingroup
13985 \let\protect\noexpand
13986 \resetactivechars
13987 \global\let\@if@newlist\if@newlist
13988 \global\@newlistfalse\parboxrestore
13989 \global\let\bidi@BeforeOutputPageShipOut\@firstofone
13990 \bidi@beforeoutputpageshipouthook
13991 \shipout\vbox{\set@typeset@protect
13992 \aftergroup
13993 \endgroup
13994 \aftergroup
13995 \set@typeset@protect
13996 \reset@font\normalsize
13997 \bidi@font@@outputpage
13998 \normalsfcodes
13999 \let\label@gobble
14000 \let\index@gobble
14001 \let\glossary@gobble
14002 \baselineskip\z@skip
14003 \lineskip\z@skip
14004 \lineskiplimit\z@
14005 \vskip\topmargin\moveright\@themargin
14006 \vbox{%
14007 \global\let\bidi@BeforeHeader\@firstofone
14008 \bidi@beforeheaderhook
14009 \vskip\headheight
14010 \vskip\headsep
14011 \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
14012 \bidi@beforeoutputboxoutputpagehook
14013 \box@\outputbox
14014 \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
14015 \bidi@afteroutputboxoutputpagehook
14016 }}%
14017 \global\let\bidi@AfterOutputPageShipOut\@firstofone
14018 \bidi@afteroutputpageshipouthook
14019 \global\let\if@newlist\@if@newlist
14020 \stepcounter{page}%
14021 \setcounter{displayedframe}{0}%
14022 \let\firstmark\botmark
14023 \global\let\bidi@AtEndOutputPage\@firstofone
14024 \bidi@atendoutputpagehook
14025 }
14026
14027
14028 \newcommand*\bidi@s@tffttextcol{\ifthenelse{\equal{\ff@txtcol}{}{}}{%
14029 \expandafter\bidicolor\ff@txtcol}}
14030
14031 \newcommand{\bidi@ff@box}[3]{\f@ffbackground{\vbox to#2

```



```

14032 {\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}
14033
14034
14035 \renewcommand*{\docolbox}[1]{%
14036 \edef\ff@frametype{%
14037 \csname @ff@frametype@\romannumeral#1\endcsname}%
14038 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
14039 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
14040 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
14041 \@ff@setoffset{\#1}%
14042 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
14043 \ifthenelse{\boolean{columnframe}\romannumeral#1}{%
14044 \Cff@fbox{\csname colwidth\romannumeral#1\endcsname}%
14045 {\csname colheight\romannumeral#1\endcsname}%
14046 \expandafter\box\csname column\romannumeral#1\endcsname}%
14047 \csname\ff@frametype\endcsname}%
14048 }{%
14049 \bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
14050 {\csname colheight\romannumeral#1\endcsname}%
14051 \expandafter\box\csname column\romannumeral#1\endcsname}%
14052 }}}
14053 \@ifclassloaded{book}{%
14054 \renewcommand\theequation
14055 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
14056 \renewcommand \thefigure
14057 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
14058 \renewcommand \thetable
14059 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
14060 \renewcommand \thechapter {\arabic\c@chapter}
14061 \renewcommand \thesection {\thechapter\SepMark\arabic\c@section}
14062 \renewcommand \thesubsection {\thesection\SepMark\arabic\c@subsection}
14063 \renewcommand \thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
14064 \renewcommand \theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
14065 \renewcommand \thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}{}}
14066 \ifclassloaded{report}{%
14067 \renewcommand\theequation
14068 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
14069 \renewcommand \thefigure
14070 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
14071 \renewcommand \thetable
14072 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
14073 \renewcommand \thechapter {\arabic\c@chapter}
14074 \renewcommand \thesection {\thechapter\SepMark\arabic\c@section}
14075 \renewcommand \thesubsection {\thesection\SepMark\arabic\c@subsection}
14076 \renewcommand \thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
14077 \renewcommand \theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
14078 \renewcommand \thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}{}}
14079 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
14080 \rotatebox{\#1}{\if@RTL\beginL\fi\#2\if@RTL\endL\fi}%
14081 \else
14082 #2\relax
14083 \fi}

```



95 File `footnote-xetex-bidi.def`

```
14084 \ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine
14085 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
14086 \newif\ifbidi@autofootnoterule
14087 \def\bidi@mpfootnoterule{\footnoterule}
14088 \newcounter{footdir@label}
14089 \renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
14090 \newcommand*{\footdir@write}{%
14091   \stepcounter{footdir@label}%
14092   \zref@labelbyprops{\thefootdir@label}{abspage}%
14093 }
14094 \newif\iffootdir@debug
14095 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
14096 \newtoks\footdir@toks
14097 \newcommand*{\footdir@debug}[1]{%
14098   \iffootdir@debug
14099     \typeout{[footdir] #1}%
14100   \fi
14101 }
14102 %\@ifpackagelater[zref-abspage]{2012/10/27}{%
14103 %  \newcommand*{\footdir@LeftRightElse}{%
14104 %    \ltx@ifundefined{footdir@\the\value{zabspage}}{%
14105 %      \footdir@debug{abspage} \the\value{zabspage}: else}%
14106 %      \ltx@thirdofthree
14107 %    }{%
14108 %      \if\csname footdir@\the\value{zabspage}\endcsname L%
14109 %        \footdir@debug{abspage} \the\value{zabspage}: left}%
14110 %        \expandafter\ltx@firstofthree
14111 %      \else
14112 %        \footdir@debug{abspage} \the\value{zabspage}: right}%
14113 %        \expandafter\ltx@secondofthree
14114 %      \fi
14115 %    }%
14116 %  }%
14117 %}%
14118 \providecommand*{\c@zabspage}{\c@abspage}%
14119 \newcommand*{\footdir@LeftRightElse}{%
14120   \footdir@write
14121   \zifrefundefined{\thefootdir@label}{%
14122     \footdir@debug{abspage} ??: else}%
14123     \ltx@thirdofthree
14124   }{%
14125     \edef\footdir@abspage{%
14126       \zref@extractdefault{\thefootdir@label}{abspage}{0}%
14127     }%
14128     \ltx@ifundefined{footdir@\footdir@abspage}{%
14129       \footdir@debug{\footdir@abspage: else}%
14130       \ltx@thirdofthree
14131     }{%
14132       \if\csname footdir@\footdir@abspage\endcsname L%
14133         \footdir@debug{\footdir@abspage: left}%
14134         \expandafter\ltx@firstofthree
14135       \else
```



```

14136          \footdir@debug{\footdir@abspage: right}%
14137          \expandafter\ltx@secondofthree
14138          \fi
14139      }%
14140  }%
14141 }%
14142 }%
14143 \newcommand*{\footdir@fntext}[1]{%
14144   \zifrefundefined{\thefootdir@label}{%
14145     }{%
14146       \edef\footdir@name{%
14147         footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
14148       }%
14149       \@ifundefined{\footdir@name}{%
14150         \expandafter\gdef\csname\footdir@name\endcsname{#1}%
14151       }{%
14152     }%
14153   }%
14154   \newcommand*{\footdir@temp}[3]{%
14155     \@ifdefinable{#1}{%
14156       \let#1#2%
14157       \renewcommand{#2}[1]{%
14158         \footdir@write
14159         \footdir@fntext{#3}%
14160         \stepcounter{footdir@label}%
14161         \footdir@fntext{#3}%
14162         \footdir@toks{##1}%
14163         \footdir@toks\expandafter{%
14164           \the\expandafter\footdir@toks
14165           \expandafter
14166             \zref@labelbyprops\expandafter{\the\footdir@label}{abspage}%
14167           }%
14168           \expandafter#1\expandafter{\the\footdir@toks}%
14169         }%
14170       }%
14171     }%
14172   }%
14173   \def\right@footnoterule{%
14174     \kern-3\p@
14175     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }%
14176     \kern2.6\p@}
14177   \def\left@footnoterule{\kern-3\p@
14178     \hrule \width .4\columnwidth \kern 2.6\p@}
14179   \def\textwidth@footnoterule{\kern-3\p@
14180     \hrule \width \columnwidth \kern 2.6\p@}
14181   \def\leftfootnoterule{%
14182     \bidi@autofootnoterulefalse%
14183     \def\footnoterule{\left@footnoterule}%
14184     \def\footnoterule{\left@footnoterule}%
14185     \let\LRfootnoterule=\leftfootnoterule
14186     \def\rightfootnoterule{%
14187     \bidi@autofootnoterulefalse%
14188     \def\footnoterule{\right@footnoterule}%
14189     \def\textwidthfootnoterule{%

```



```

14190 \bidi@autofootnoterulefalse%
14191 \def\footnoterule{\textwidth@footnoterule}
14192
14193
14194
14195 \def\auto@footnoterule{%
14196 \footdir@LeftRightElse%
14197 \left@footnoterule%
14198 \right@footnoterule%
14199 \left@footnoterule%
14200 }
14201
14202
14203
14204 \def\autofootnoterule{%
14205 \bidi@autofootnoteruletrue%
14206 \def\footnoterule{\auto@footnoterule}%
14207 }
14208
14209 \newcommand*\SplitFootnoteRule{%
14210   \gdef\split@prev{0}
14211   \let\pagefootnoterule\footnoterule
14212   \let\mpfootnoterule\footnoterule
14213   \def\splitfootnoterule{\kern-3\p@\hrule\kern2.6\p@}
14214   \def\footnoterule{\relax
14215     \ifx\@listdepth\mplistdepth
14216       \mpfootnoterule
14217     \else
14218       \ifnum\split@prev=\z@
14219         \pagefootnoterule
14220       \else
14221         \splitfootnoterule
14222       \fi
14223       \xdef\split@prev{\the\insertpenalties}%
14224     \fi
14225   }%
14226 }
14227
14228
14229
14230
14231 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
14232   \protected\xdef\@thefnmark{\thempfn}%
14233   \footnotemark[\RTLfootnotetext]}}
14234 \def\@xRTLfootnote[#1]{%
14235   \begingroup
14236     \csname c@\@mpfn\endcsname #1\relax
14237     \unrestored\protected\xdef\@thefnmark{\thempfn}%
14238   \endgroup
14239   \footnotemark[\RTLfootnotetext]
14240 \def\LTRfootnote{\ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
14241   \protected\xdef\@thefnmark{\thempfn}%
14242   \footnotemark[\LTRfootnotetext]}}
14243 \def\@xLTRfootnote[#1]{%

```



```

14244 \begingroup
14245   \csname c@\@mpfn\endcsname #1\relax
14246   \unrestored@protected@xdef\@thefnmark{\thempfn}%
14247 \endgroup
14248 \@footnotemark\@LTRfootnotetext}

14249
14250
14251 \def\setfootnoteRL{\@RTL@footnotetrue}
14252 \def\unsetfootnoteRL{\@RTL@footnotefalse}
14253 \def\setfootnoteLR{\unsetfootnoteRL}

14254
14255 \newcommand*{\bidi@@footnotetext@font}{\footnotesize}
14256 \newcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize}
14257 \newcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize}
14258
14259 \long\def\@footnotetext#1{\insert\footins{%
14260   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
14261   \reset@font%
14262   \bidi@@footnotetext@font% \reset@font\footnotesize
14263   \interlinepenalty\interfootnotelinepenalty
14264   \splittopskip\footnotesep
14265   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
14266   \hsize\columnwidth \parboxrestore
14267   \protected@edef\@currentlabel{%
14268     \csname p@footnote\endcsname\@thefnmark
14269   }%
14270   \color@begingroup
14271     \makemfntext{%
14272       \rule{z@\footnotesep}{\ignorespaces#1\finalstrut\strutbox}%
14273     }\color@endgroup}%
14274
14275
14276 \long\def\@RTLfootnotetext#1{\insert\footins{%
14277   \if@RTLtrue%
14278   \reset@font%
14279   \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
14280   \interlinepenalty\interfootnotelinepenalty
14281   \splittopskip\footnotesep
14282   \splitmaxdepth \dp\strutbox \floatingpenalty \OMM
14283   \hsize\columnwidth \parboxrestore
14284   \protected@edef\@currentlabel{%
14285     \csname p@footnote\endcsname\@thefnmark
14286   }%
14287   \color@begingroup
14288     \makemfntext{%
14289       \rule{z@\footnotesep}{\ignorespaces#1\finalstrut\strutbox}%
14290     }\color@endgroup}%
14291
14292 \long\def\@LTRfootnotetext#1{\insert\footins{%
14293   \if@RTLfalse%
14294   \reset@font%
14295   \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
14296   \interlinepenalty\interfootnotelinepenalty
14297   \splittopskip\footnotesep

```



```

14298 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
14299 \hsize\columnwidth \parboxrestore
14300 \protected@edef\@currentlabel{%
14301     \csname p@footnote\endcsname\@thefnmark
14302 }%
14303 \color@begingroup
14304     \makefntext{%
14305         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14306     \color@endgroup}%
14307
14308 \AtBeginDocument{%
14309 \if@RTL@footnote
14310     \newcommand*{\bidi@footdir@footnote}{R}
14311 \else
14312     \newcommand*{\bidi@footdir@footnote}{L}
14313 \fi%
14314 }
14315
14316 \footdir@temp\footdir@ORG@bidi@footnotetext\footnotetext{\bidi@footdir@footnote}%
14317 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
14318 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
14319
14320 \long\def\@mpRTLfootnotetext#1{%
14321     \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footno
14322     \global\setbox\@mpfootins\vbox{\@RTLtrue%
14323         \unvbox\@mpfootins
14324         \reset@font%
14325         \bidi@RTLfootnotetext@font% \reset@font\footnotesize
14326         \hsize\columnwidth
14327         \parboxrestore
14328         \protected@edef\@currentlabel
14329             {\csname p@mpfootnote\endcsname\@thefnmark}%
14330         \color@begingroup
14331             \makefntext{%
14332                 \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14333             \color@endgroup}%
14334 \long\def\@mpLTRfootnotetext#1{%
14335     \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footno
14336     \global\setbox\@mpfootins\vbox{\@RTLfalse%
14337         \unvbox\@mpfootins
14338         \reset@font%
14339         \bidi@LTRfootnotetext@font% \reset@font\footnotesize
14340         \hsize\columnwidth
14341         \parboxrestore
14342         \protected@edef\@currentlabel
14343             {\csname p@mpfootnote\endcsname\@thefnmark}%
14344         \color@begingroup
14345             \makefntext{%
14346                 \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14347             \color@endgroup}%
14348 \long\def\@mpfootnotetext#1{%
14349     \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnote
14350     \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
14351         \unvbox\@mpfootins

```



```

14352 \reset@font%
14353 \bidi@footnotetext@font% \reset@font\footnotesize
14354 \hsize\columnwidth
14355 \parboxrestore
14356 \protected@edef\@currentlabel
14357 {\csname p@mpfootnote\endcsname\@thefnmark}%
14358 \color@begingroup
14359 \makefntext{%
14360 \rule{z@\footnotesep}{\ignorespaces#1\@finalstrut\strutbox}%
14361 \color@endgroup}}
14362 \def\@iiminipage#1#2[#3]{%
14363 \leavevmode
14364 \opboxswfalse
14365 \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
14366 \if@RTL\if#1\@bidi@list@minipage@parboxtrue\else\if#1\@bidi@list@minipage@parboxtrue\fi\fi
14367 \setlength{\tempdima}{#4}%
14368 \def\@mpargs{{#1}{#2}[#3]{#4}}%
14369 \setbox\@tempboxa\vbox\bgroup
14370 \color@begingroup
14371 \hsize\@tempdima
14372 \textwidth\hsize \columnwidth\hsize
14373 \parboxrestore
14374 \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote{z@}
14375 \let\@footnotetext\@mpfootnotetext
14376 \let\@LTRfootnotetext\@mpLTRfootnotetext
14377 \let\@RTLfootnotetext\@mpRTLfootnotetext
14378 \let\@listdepth\@mplistdepth \@mplistdepth{z@}
14379 \minipagerestore
14380 \setminipage}
14381 \def\endminipage{%
14382 \par
14383 \unskip
14384 \ifvoid\@mpfootins\else
14385 \vskip\skip\@mpfootins
14386 \normalcolor
14387 \bidi@mpfootnoterule
14388 \unvbox\@mpfootins
14389 \fi
14390 \minipagetrue %% added 24 May 89
14391 \color@endgroup
14392 \egroup
14393 \expandafter\@iiparbox\@mpargs{\unvbox\@tempboxa}}
14394 \def\LTRthanks#1{\footnotemark
14395 \protected@xdef\@thanks{\@thanks
14396 \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
14397 }
14398 \def\LTRfootnotetext{%
14399 \ifinextchar [\@xLTRfootnotenext
14400 {\protected@xdef\@thefnmark{\thempfn}%
14401 \@LTRfootnotetext}]}
14402 \def\@xLTRfootnotenext[#1]{%
14403 \begingroup
14404 \csname c@\@mpfn\endcsname #1\relax
14405 \unrestored@protected@xdef\@thefnmark{\thempfn}%

```



```

14406 \endgroup
14407 \@LTRfootnotetext}
14408 \def\RTLthanks{\footnotemark
14409     \protected@xdef\@thanks{\@thanks
14410         \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
14411 }
14412 \let\@thanks\empty
14413 \def\RTLfootnotetext{%
14414     \@ifnextchar [\@RTLfootnotenext
14415         {\protected@xdef\@thefnmark{\thempfn}%
14416         \@RTLfootnotetext}}%
14417 \def\xRTLfootnotenext[#1]{%
14418     \begingroup
14419         \csname c@\thempfn\endcsname #1\relax
14420         \unrestored@protected@xdef\@thefnmark{\thempfn}%
14421     \endgroup
14422     \@RTLfootnotetext}
14423 \leftfootnoterule

```

96 File footnotebackref-xetex-bidi.def

```

14424 \ProvidesFile{footnotebackref-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for footnotebidi]
14425 \LetLtxMacro{\BHFN@OldLTRFootnote}{\LTRfootnote}
14426 \LetLtxMacro{\BHFN@OldRTLFootnote}{\RTLfootnote}
14427
14428 \renewcommand*\LTRfootnote{%
14429     \refstepcounter{BackrefHyperFootnoteCounter}%
14430     \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
14431     \label{\BackrefFootnoteTag}%
14432     \@ifnextchar [\Backref@OptLTRHyperFootnote\Backref@HyperLTRFootnote}%
14433
14434 \renewcommand*\RTLfootnote{%
14435     \refstepcounter{BackrefHyperFootnoteCounter}%
14436     \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
14437     \label{\BackrefFootnoteTag}%
14438     \@ifnextchar [\Backref@OptRTLHyperFootnote\Backref@HyperRTLFootnote}%
14439 \newcommand\Backref@HyperLTRFootnote[1]{%
14440     \BHFN@OldLTRFootnote{\Backref@HyperSymbol#1}}
14441
14442 \newcommand\Backref@HyperRTLFootnote[1]{%
14443     \BHFN@OldRTLFootnote{\Backref@HyperSymbol#1}}
14444
14445 \newcommand\Backref@OptHyperLTRFootnote[2][\empty]{%
14446     \BHFN@OldLTRFootnote[#1]{\Backref@HyperSymbol#2}}
14447
14448 \newcommand\Backref@OptHyperRTLFootnote[2][\empty]{%
14449     \BHFN@OldRTLFootnote[#1]{\Backref@HyperSymbol#2}}
14450
14451 \bidi@AfterFile{extrafootnotefeatures-xetex-bidi.def}%
14452 \ifFootnoteBackref@numberlinked
14453 \renewcommand{\footfootmark}{%
14454     \ifdim\footmarkwidth < \z@%
14455         \llap{\hb@xt@ -\footmarkwidth{%
14456             \hss\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}}%

```



```

14457           \hspace*{-\footmarkwidth}}}}%
14458 \else
14459   \ifdim\footmarkwidth = \z@%
14460     {\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14461   \else
14462     \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14463   \fi
14464 \fi}
14465 \renewcommand{\LTRfootfootmark}{%
14466   \ifdim\footmarkwidth < \z@%
14467     \llap{\hb@xt@\footmarkwidth{%
14468       \hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14469       \hspace*{-\footmarkwidth}}}}%
14470   \else
14471     \ifdim\footmarkwidth = \z@%
14472       {\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14473     \else
14474       \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14475     \fi
14476   \fi}
14477 \renewcommand{\RTLfootfootmark}{%
14478   \ifdim\footmarkwidth < \z@%
14479     \llap{\hb@xt@\footmarkwidth{%
14480       \hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14481       \hspace*{-\footmarkwidth}}}}%
14482   \else
14483     \ifdim\footmarkwidth = \z@%
14484       {\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14485     \else
14486       \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14487     \fi
14488   \fi}
14489 \fi
14490 }

```

97 File framed-xetex-bidi.def

```

14491 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for
14492 \renewcommand{\TitleBarFrame[3] []}{\begin{group}
14493   \ifx\delimiter#1\delimiter
14494     \let\TF@conlab\empty
14495   \else
14496     \def\TF@conlab{\% continuation label
14497       \nointerlineskip
14498       \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}}%
14499   \fi
14500 \% \let\TF@savecolor\current@color
14501 \textcolor{TFFrameColor}{%
14502 \CustomFBox
14503   {\TF@Title{#2}\{\TF@conlab\}%
14504   \fboxrule\fboxrule\fboxrule\fboxrule
14505   \% \let\current@color\TF@savecolor\set@color #3}%
14506   {\normalcolor #3}%
14507 } \endgroup

```



```

14508 }
14509 \renewenvironment{titled-frame}[1]{%
14510   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
14511     \TitleBarFrame{\textbf{\#1}}\%
14512   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
14513     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi]\{\textbf{\#1}\}\%
14514   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
14515     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi]\{\textbf{\#1}\} (com
14516   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
14517     \TitleBarFrame{\textbf{\#1}\ (cont)}\%
14518   \MakeFramed{\advance\hsize-20pt \FrameRestore}\%
14519 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
14520 % could interfere with the width measurement.
14521 {\endMakeFramed}
14522 \chardef\FrameRestore=\catcode`\| % for debug
14523 \catcode`\|= \catcode`\% % (debug: insert space after backslash)
14524 \def\fb@put@frame#1#2{\relax
14525 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
14526 | \message{===== Entering putframe =====^J
14527 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal. }%
14528 \ifinner
14529   \fb@putboxa#1%
14530   \fb@afterframe
14531 \else
14532   \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
14533   \ifdim\dimen@<2\baselineskip % Too little room on page
14534 | \message{Page has only \the\dimen@ space room left; eject. }%
14535   \eject \fb@adjheight \fb@put@frame#1#2%
14536 \else % there's appreciable room left on the page
14537   \fb@sizeofframe#1%
14538 | \message{\string\pagetotal=\the\pagetotal,
14539 | \string\pagegoal=\the\pagegoal,
14540 | \string\pagestretch=\the\pagestretch,
14541 | \string\pageshrink=\the\pageshrink,
14542 | \string\fb@frh=\the\fb@frh. \space}
14543 | \message{^^JBox of size \the\ht\@tempboxa\space}%
14544 \begingroup % temporarily set \dimen@ to be...
14545 \advance\dimen@.8\pageshrink % maximum space available on page
14546 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
14547 %% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
14548 \expandafter\endgroup
14549 % expand \ifdim, then restore \dimen@ to real room left on page
14550 \ifdim\dimen@>\ht\@tempboxa % whole box does fit
14551 | \message{fits in \the\dimen@. }%
14552 % ToDo: Change this to use vsplit anyway to capture the marks
14553 % MERGE THIS WITH THE else CLAUSE!!!
14554 \fb@putboxa#1%
14555 \fb@afterframe
14556 \else % box must be split
14557 | \message{must be split to fit in \the\dimen@. }%
14558 % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
14559 \fb@sizeofframe#2%
14560 \setbox\@tempboxa\vbox{\% simulate frame and flexibility of the page:
14561   \vskip \fb@frh \oplus\pagestretch \ominus.8\pageshrink

```



```

14562           \kern137sp\kern-137sp\penalty-30
14563           \unvbox\@tempboxa}%
14564 \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
14565                               \splittopskip\the\splittopskip}%
14566 \boxmaxdepth\z@\splittopskip\z@
14567 | \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
14568 | % Split box here
14569 | \setbox\tw@\vsplit\@tempboxa to\dimen@%
14570 | \toks99\expandafter{\splitfirstmark}%
14571 | \toks98\expandafter{\splitbotmark}%
14572 | \message{Marks are: \the\toks99, \the\toks98. }%
14573 | \setbox\tw@\vbox{\unvbox\tw@}%
14574 | \message{Natural height of split box is \the\ht\tw@, leaving
14575 | \the\ht\@tempboxa\space remainder. }%
14576 | % If the split-to size > (\vsize-\topskip), then set box to full size.
14577 | \begingroup
14578 | \advance\dimen@\topskip
14579 | \expandafter\endgroup
14580 | \ifdim\dimen@>\pagegoal
14581 |   \message{Frame is big -- Use up the full column. }%
14582 |   \dimen@ii\pagegoal
14583 |   \advance\dimen@ii -\topskip
14584 |   \advance\dimen@ii \FrameHeightAdjust\relax
14585 | \else % suspect this is implemented incorrectly:
14586 |   % If the split-to size > feasible room_on_page, rebox it smaller.
14587 |   \advance\dimen@.8\pageshrink
14588 |   \ifdim\ht\tw@>\dimen@
14589 |     \message{Box too tall; rebox it to \the\dimen@. }%
14590 |     \dimen@ii\dimen@
14591 |   \else % use natural size
14592 |     \dimen@ii\ht\tw@
14593 |   \fi
14594 | \fi
14595 | % Re-box contents to desired size \dimen@ii
14596 | \advance\dimen@ii -\fb@frh
14597 | \setbox\tw@\vbox to\dimen@ii \bgroup
14598 | % remove simulated frame and page flexibility:
14599 | \vskip -\fb@frh \oplus-\pagestretch \minus-.8\pageshrink
14600 | \unvbox\tw@\unpenalty\unpenalty
14601 | \ifdim\lastkern=-137sp % whole box went to next page
14602 |   \message{box split at beginning! }%
14603 |   % need work here???
14604 |   \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
14605 |   \fb@adjheight
14606 |   \fb@put@frame#1#2% INSERTED ???
14607 | \else % Got material split off at the head
14608 |   \egroup \fb@resto@set
14609 |   \ifvoid\@tempboxa % it all fit after all
14610 |     \message{box split at end! }%
14611 |     \setbox\@tempboxa\box\tw@
14612 |     \fb@putboxa#1%
14613 |     \fb@afterframe
14614 | \else % it really did split
14615 |   \message{box split as expected. Its reboxed height is \the\ht\tw@. }%

```



```

14616          \ifdim\wd\@tw@>\z@
14617              \wd\@tw@\wd\@tempboxa
14618                  \centerline{\#2{\hboxL{\box\@tw@}}}% ??? \centerline bad idea
14619          \else
14620          |      \message{Zero width means likely blank. Don't frame it (guess)}%
14621              \box\@tw@
14622          \fi
14623          \hrule \@height\z@ \@width\hsize
14624          \eject
14625          \fb@adjheight
14626          \fb@put@frame\LastFrameCommand\MidFrameCommand
14627          \fi\fi\fi\fi\fi
14628 }
14629 \def\fb@putboxa#1{%
14630     \ifvoid\@tempboxa
14631         \PackageWarning{framed}{Boxa is void -- discard it. }%
14632     \else
14633     |      \message{Frame and place boxa. }%
14634     |      \%{\showoutput\showbox\@tempboxa}%
14635     |      \centerline{\#1{\hboxL{\box\@tempboxa}}}%
14636     \fi
14637 }
14638 \catcode`\\=\FrameRestore
14639 \def\FrameRestore{%
14640     \let\ifnobreak\iffalse
14641     \let\ifnoskipsec\iffalse
14642     \let\-\@dischyp
14643     \let'`\@acci\let`'\@accii\let\=\@acciii
14644     % \message{FrameRestore:
14645     %   \totallmargin=\the\totallmargin,
14646     %   \rightmargin=\the\rightmargin,
14647     %   \listdepth=\the\listdepth. }%
14648     % Test if we are in a list (or list-like paragraph)
14649     \ifnum\ifdim\@totallmargin>\z@ 1\fi
14650     \ifdim\rightmargin>\z@ 1\fi
14651     \ifnum\@listdepth>\z@ 1\fi 0>\z@
14652     % \message{In a list: \linewidth=\the\linewidth, \totallmargin=\the\totallmargin,
14653     %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
14654     %   \labelwidth=\the\labelwidth. }%
14655     \setminipage % snug fit around the item
14656     % Now try to propagate changes of width from \hsize to list parameters.
14657     % This is deficient, but a more advanced way to indicate modification to text
14658     % dimensions is not (yet) provided; in particular, no separate left/right
14659     % adjustment.
14660     \advance\linewidth-\columnwidth \advance\linewidth\hsize
14661     \parshape@ne \totallmargin \linewidth
14662     \else % Not in list
14663     \linewidth=\hsize
14664     \% \message{No list, set \string\linewidth=\the\hsize. }%
14665     \fi
14666     \sloppy
14667 }

```



98 File ftnright-xetex-bidi.def

```
14668 \ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package]
14669
14670 \def\prepare@bidi@copyins{%
14671   \global\bidi@rcol@copyinsskip\skip\@bidi@copyins@
14672   \global\skip\@bidi@copyins@\z@
14673   \global\count\@bidi@copyins@\z@
14674   \global\dimen\@bidi@copyins@\textheight}
14675
14676 \newskip\bidi@rcol@copyinsskip
14677
14678 \def\LTR@outputdblcol{%
14679   \if@firstcolumn
14680     \global\@firstcolumnfalse
14681     \global\setbox\@leftcolumn\copy\@outputbox
14682     \global\count\footins\@m
14683     \global\skip\footins\rcol@footinsskip
14684     \global\count\@bidi@copyins@\@m
14685     \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
14686     \splitmaxdepth\maxdimen
14687     \vbadness\maxdimen
14688     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14689     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14690     \toks@\expandafter{\topmark}%
14691     \xdef\@firstcoltopmark{\the\toks@}%
14692     \toks@\expandafter{\splitfirstmark}%
14693     \xdef\@firstcolfirstmark{\the\toks@}%
14694     \ifx\@firstcolfirstmark\@empty
14695       \global\let\@setmarks\relax
14696     \else
14697       \gdef\@setmarks{%
14698         \let\firstmark\@firstcolfirstmark
14699         \let\topmark\@firstcoltopmark}%
14700       \fi
14701     \else
14702       \preparefootins
14703       \prepare@bidi@copyins
14704       \global\@firstcolumntrue
14705       \setbox\@outputbox\vbox{%
14706         \hb@xt@\textwidth{%
14707           \hb@xt@\columnwidth{%
14708             \bidi@firstcolumn@status@write}%
14709             \box\@leftcolumn \hss}%
14710             \hfil
14711             {\normalcolor\vrule \@width\columnseprule}%
14712             \hfil
14713             \hb@xt@\columnwidth{%
14714               \bidi@lastcolumn@status@write}%
14715               \box\@outputbox \hss}}}}%
14716   \combinedblfloats
14717   \@setmarks
14718   \outputpage
14719   \begin{group}
```



```

14720      \@dblfloatplacement
14721      \@startdblcolumn
14722      \@whilesw\if@fcolmade \fi{\@outputpage
14723      \@startdblcolumn}%
14724      \endgroup
14725  \fi}%
14726
14727 \def\RTL@outputdblcol{%
14728   \if@firstcolumn
14729     \global\@firstcolumnfalse
14730     \global\setbox\@leftcolumn\copy\@outputbox
14731     \global\count\footins\@m
14732     \global\skip\footins\rcol@footinsskip
14733     \global\count\@bidi@copyins\@m
14734     \global\skip\@bidi@copyins\@bidi@rcol@copyinsskip
14735     \splitmaxdepth\maxdimen
14736     \vbadness\maxdimen
14737     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14738     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14739     \toks@\expandafter{\topmark}%
14740     \xdef\@firstcoltopmark{\the\toks@}%
14741     \toks@\expandafter{\splitfirstmark}%
14742     \xdef\@firstcolfirstmark{\the\toks@}%
14743     \ifx\@firstcolfirstmark\empty
14744       \global\let\@setmarks\relax
14745     \else
14746       \gdef\@setmarks{%
14747         \let\firstmark\@firstcolfirstmark
14748         \let\topmark\@firstcoltopmark}%
14749       \fi
14750   \else
14751     \preparefootins
14752     \prepare@bidi@copyins
14753     \global\@firstcolumntrue
14754     \setbox\@outputbox\vbox{%
14755       \hb@xt@\textwidth{%
14756         \hskip \columnwidth
14757         \hfil
14758         {\normalcolor\vrule \width\columnseprule}%
14759         \hfil
14760         \hb@xt@\columnwidth{%
14761           \bidi@firstcolumn@status@write%
14762           \box\@leftcolumn \hss}%
14763           \hskip -\textwidth
14764           \hb@xt@\columnwidth{%
14765             \bidi@lastcolumn@status@write%
14766             \box\@outputbox \hss}%
14767             \hskip \columnsep
14768             \hskip \columnwidth }%}
14769   \@combinedblfloats
14770     \@setmarks
14771     \@outputpage
14772     \begingroup
14773       \@dblfloatplacement

```



```

14774      \@startdblcolumn
14775      \@whilesw\if@fcolmade \fi{\@outputpage
14776      \@startdblcolumn}%
14777      \endgroup
14778  \fi}%
14779
14780 \def\@startcolumn{%
14781  \ifx\@deferlist\@empty
14782    \global\@fcolmadefalse
14783    \global\@colroom\@colht
14784  \else
14785    \ifvoid\footins\else
14786      \ftn@amount\ht\footins
14787      \advance\ftn@amount\dp\footins
14788      \advance\ftn@amount\skip\footins
14789    \fi
14790  \ifvoid\@bidi@copyins@\else
14791    \bidi@copyins@amount\ht\@bidi@copyins@
14792    \advance\bidi@copyins@amount\dp\@bidi@copyins@
14793    \advance\bidi@copyins@amount\skip\@bidi@copyins@
14794  \fi
14795  \global\advance\@colht-\ftn@amount
14796  \global\advance\@colht-\bidi@copyins@amount
14797  \global\@colroom\@colht
14798  \xstartcol
14799  \global\advance\@colht\ftn@amount
14800  \global\advance\@colroom\ftn@amount
14801  \global\advance\@colht\bidi@copyins@amount
14802  \global\advance\@colroom\bidi@copyins@amount
14803 \fi
14804 \if@fcolmade
14805  \setbox\@cclv\box\@outputbox
14806  \makecol
14807 \else
14808  \ifvoid\footins\else
14809    \insert\footins{\unvbox\footins}\fi
14810  \ifvoid\@bidi@copyins@\else
14811    \insert\@bidi@copyins@\{\unvbox\@bidi@copyins@\}\fi
14812 \fi}
14813
14814 \newdimen\bidi@copyins@amount
14815
14816 \def\@makecol{\if@firstcolumn
14817  \setbox\@outputbox\box\@cclv
14818  \if@twocolumn \else
14819    \ifvoid\footins \else
14820      \@latexerr{ftnright package
14821        used in one-column mode}%
14822      {The ftnright package was designed to
14823        work with LaTeX's standard^^Jtwocolumn
14824        option. It does *not* work with the
14825        multicول package.^^JSO please specify
14826        'twocolumn' in the
14827        \noexpand\documentclass command.}%

```



```

14828      \shipout\box\footins \fi
14829      \ifvoid@\bidi@copyins@ \else
14830          \O@lateXerr{ftnright package
14831              used in one-column mode}%
14832 {The ftnright package was designed to
14833     work with LaTeX's standard^Jtwocolumn
14834     option. It does *not* work with the
14835     multicol package.^JSo please specify
14836     `twocolumn' in the
14837     \noexpand\documentclass command.}%
14838     \shipout\box@\bidi@copyins@ \fi\fi
14839 \ifnum\insertpenalties>\z@%
14840     \O@lateXerr{ftnright package
14841         scrambled footnotes}%
14842 {There is too much footnote material in
14843     the first column and ftnright^Jis
14844     unable to cope with this.^JYou need
14845     to reduce the amount to get a properly
14846     formatted page.}%
14847 \fi
14848 \else
14849 \ifvoid\footins
14850   \ifvoid@\bidi@copyins@
14851     \setbox@\outputbox\box@\cclv
14852   \else
14853     \setbox@\outputbox\vbox
14854     {\ifvoid\cclv \else
14855       \unvbox\cclv
14856       \vskip \skip@\bidi@copyins@
14857     \fi
14858       \color@begingroup
14859       \normalcolor
14860       \unvbox \bidi@copyins@
14861       \color@endgroup}%
14862   \fi
14863 \else
14864   \setbox@\outputbox\vbox
14865   {\ifvoid\cclv \else
14866     \unvbox\cclv
14867     \vskip\skip\footins\fi
14868     \color@begingroup
14869     \normalcolor
14870     \footnoterule\unvbox\footins
14871     \color@endgroup
14872     \ifvoid@\bidi@copyins@
14873     \else
14874       \vskip \skip@\bidi@copyins@
14875       \color@begingroup
14876       \normalcolor
14877       \unvbox \bidi@copyins@
14878       \color@endgroup
14879     \fi
14880   }%
14881 \fi

```



```

14882 \fi
14883 \xdef\@freelist{\@freelist\@midlist}%
14884 \global \let \@midlist \empty
14885 \@combinefloats
14886 \ifvbox\@kludgeins
14887   \@makespecialcolbox
14888 \else
14889   \setbox\@outputbox\vbox to\@colht
14890     {\boxmaxdepth\maxdepth
14891       \texttop
14892       \tempdima\dp\@outputbox
14893       \unvbox\@outputbox
14894       \vskip-\tempdima
14895       \textbottom}%
14896 \fi
14897 \global\maxdepth\@maxdepth}
14898
14899 \let\leftfootnoterule\empty
14900 \let\rightfootnoterule\empty
14901 \let\textwidthfootnoterule\empty
14902 \let\autofootnoterule\empty
14903 \let\footnoterule\empty
14904 \long\def\@makefntext#1{\parindent 1em
14905   \noindent\hbox to 2em{}}%
14906   \llap{\@thefnmark\hbox{.},,}\#1}
14907
14908 \setlength{\skip\@bidi@copyins@}
14909   {10pt plus 5pt minus 3pt}
14910 \AtBeginDocument{\prepare@bidi@copyins}

```

99 File graphicx-xetex-bidi.def

```

14911 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
14912 \def\Grot@box@std#1{\ifmmode\else\if@RTL\beginL\fi\fi%
14913   \Grot@setangle{#1}%
14914   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\#2\if@RTL\endR\fi\else\if@RTL\beginR\fi\#2\if@RTL
14915     \Grot@x\z@
14916     \Grot@y\z@
14917     \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
14918 \long\def\Grot@box@kv[#1]#2{\ifmmode\else\if@RTL\beginL\fi\fi%
14919   \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi\#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\#3\if@RTL
14920     \Grot@x\width \divide\Grot@x\tw@
14921     \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
14922     \setkeys{Grot}{#1}%
14923     \setbox\z@\box\@tempboxa
14924     \Grot@setangle{#2}%
14925     \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
14926   \end@tempboxa}
14927 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
14928   \leavevmode
14929   \def\Gscale@x{\def\Gscale@y{#2}%
14930   \setbox\z@\hbox{\#3}%
14931   \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}%
14932   \ifdim#2\p@<\z@
```



```

14933      \ht\tw@-\#2\dp\z@
14934      \dp\tw@-\#2\ht\z@
14935  \else
14936      \ht\tw@#2\ht\z@
14937      \dp\tw@#2\dp\z@
14938  \fi
14939  \ifdim#1\p@<\z@
14940      \hb@xt@-\#1\wd\z@\{kern-\#1\wd\z@\box\tw@\hss}\%
14941  \else
14942      \wd\tw@#1\wd\z@
14943      \box\tw@
14944  \fi\ifmmode\else\if@RTL\endL\fi\fi}
14945 \def\Gin@iii[#1,#2] [#3,#4]#5{%
14946  \begingroup
14947  \ifmmode\else\if@RTL\beginL\fi\fi
14948  \Gin@bboxtrue
14949  \Gin@defaultbp\Gin@llx{#1}%
14950  \Gin@defaultbp\Gin@lly{#2}%
14951  \Gin@defaultbp\Gin@urx{#3}%
14952  \Gin@defaultbp\Gin@ury{#4}%
14953  \Ginclusion@graphics{#5}%
14954  \ifmmode\else\if@RTL\endL\fi\fi
14955  \endgroup}
14956 \def\Gin@ii[#1]#2{%
14957      \def\@tempa{} \def\@tempb{#2}%
14958      \ifx\@tempa\@tempb
14959          \def\@tempa{\Gin@iii[#1]}%
14960          \expandafter\@tempa
14961      \else
14962          \begingroup
14963              \ifmmode\else\if@RTL\beginL\fi\fi
14964              \@tempswafalse
14965              \toks@{\Ginclusion@graphics{#2}}%
14966              \setkeys{Gin}{#1}%
14967              \Gin@esetsze
14968              \the\toks@
14969              \ifmmode\else\if@RTL\endL\fi\fi
14970          \endgroup
14971          \fi}
14972 \def\reflectbox{\bidiGscale@box-1[1]}
14973 \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
14974  \leavevmode
14975  \def\Gscale@x{#1}\def\Gscale@y{#2}%
14976  \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\#3\if@RTL
14977  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@\Gscale@end}%
14978 \ifdim#2\p@<\z@
14979     \ht\tw@-\#2\dp\z@
14980     \dp\tw@-\#2\ht\z@
14981  \else
14982     \ht\tw@#2\ht\z@
14983     \dp\tw@#2\dp\z@
14984  \fi
14985  \ifdim#1\p@<\z@
14986      \hb@xt@-\#1\wd\z@\{kern-\#1\wd\z@\box\tw@\hss}\%

```



```

14987     \else
14988         \wd\tw@#1\wd\z@
14989         \box\tw@
14990     \fi\ifmmode\else\if@RTL\endL\fi\fi}
14991 \def\scalebox#1{%
14992     \ifnextchar[\{\bidiGscale@box{#1}\}{\bidiGscale@box{#1}[#1]}}
14993 \def\resizebox{%
14994     \leavevmode
14995     \ifstar{\bidiGscale@box\totalheight}{\bidiGscale@box\height}}
14996 \def\bidiGscale@box#1#2#3{%
14997     \let\@tempa\Gin@exclamation
14998     \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
14999     \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
15000     \ifx\@tempb\@tempa
15001         \ifx\@tempc\@tempa
15002             \toks@\{\mbox{}}%
15003         \else
15004             \toks@\{\bidiGscale@box@dd{#3}#1\}%
15005         \fi
15006     \else
15007         \ifx\@tempc\@tempa
15008             \toks@\{\bidiGscale@box@dd{#2}\width\}%
15009         \else
15010             \toks@\{\bidiGscale@box@ddd{#2}\width{#3}#1\}%
15011         \fi
15012     \fi
15013     \the\toks@}
15014 \long\def\bidiGscale@box@dd#1#2#3{%
15015     \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi\else\if@RTL\beginR\fi\endR\fi}
15016     \setlength\@tempdima{#1}%
15017     \setlength\@tempdimb{#2}%
15018     \Gscale@div\@tempa\@tempdima\@tempdimb
15019     \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
15020     \end@tempboxa}
15021 \long\def\bidiGscale@box@ddd#1#2#3#4#5{%
15022     \begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi\else\if@RTL\beginR\fi\endR\fi}
15023     \setlength\@tempdima{#1}%
15024     \setlength\@tempdimb{#2}%
15025     \Gscale@div\@tempa\@tempdima\@tempdimb
15026     \setlength\@tempdima{#3}%
15027     \setlength\@tempdimb{#4}%
15028     \Gscale@div\@tempb\@tempdima\@tempdimb
15029     \ifGin@iso
15030         \ifdim\@tempa\p@>\@tempb\p@
15031             \let\@tempa\@tempb
15032         \else
15033             \let\@tempb\@tempa
15034         \fi
15035     \fi
15036     \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
15037     \end@tempboxa}

```

100 File geometry-xetex-bidi.def



```

15038 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package
15039 \renewcommand*{\Gm@vrule@mpi}{%
15040 \if@RTLmain%
15041     \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
15042         \llap{\Gm@vrule}\ignorespaces
15043         \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
15044         \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
15045     \else%
15046     \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
15047         \hskip \textwidth\Gm@vrule\hskip \marginparsep
15048         \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
15049 \renewcommand*{\Gm@vrule@mpii}{%
15050 \if@RTLmain%
15051     \hb@xt@{\tempdima{\llap{\Gm@vrule}\ignorespaces
15052         \hskip \textwidth\Gm@vrule\hskip \marginparsep
15053         \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
15054 \else%
15055     \hb@xt@{\tempdima{\hskip-\marginparwidth\hskip-\marginparsep
15056         \llap{\Gm@vrule}\ignorespaces
15057         \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
15058         \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
15059 \bidi@patchcmd{\Gm@pageframes}{%
15060     \ifodd\count\z@
15061         \let\@themargin\oddsidemargin
15062     \else
15063         \let\@themargin\evensidemargin
15064     \fi
15065 }{%
15066     \ifodd\count\z@
15067         \if@RTLmain
15068             \let\@themargin\evensidemargin
15069         \else
15070             \let\@themargin\oddsidemargin
15071         \fi
15072     \else
15073         \if@RTLmain
15074             \let\@themargin\oddsidemargin
15075         \else
15076             \let\@themargin\evensidemargin
15077         \fi
15078     \fi
15079 }{}{}}}
```

101 File hvffloat-xetex-bidi.def

```

15080 \ProvidesFile{hvffloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvffloat package f
15081 \def\do@hvFloat[#1]#2#3{%
15082 \def\hv@shortCap{#1}
15083 \def\hv@longCap{#2}
15084 \def\hv@label{#3}
15085 \% \newcommand*{\hvFloat}[5][]{\%
15086 \% [#1]: keyvalues
15087 \% #2: type figure | table | ...
15088 \% #3: float contents
```



```

15089 % [#4]: short caption
15090 % #5: caption
15091 % #6: label
15092 % \setDefaults%
15093 % \def\@tempa{#1}%
15094 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
15095 \def\@tempa{90}%
15096 \ifx\hvSet@rotAngle@\@tempa \setlength{\hvMaxCapWidth}{\textheight}
15097 \else \setlength{\hvMaxCapWidth}{\ linewidth}
15098 \fi
15099 %
15100 % First we save the object in \hvObjectBox
15101 %
15102 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
15103 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
15104 \else
15105 \savebox{\hvObjectBox}%
15106 \rotatebox{\hvSet@objectAngle}%
15107 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
15108 \fi
15109 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
15110 %
15111 % Now we save the caption with its defined \hvCapWidth
15112 %
15113 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
15114 \else
15115 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
15116 \else
15117 \setlength{\hvCapWidth}{\hvObjectWidth}
15118 \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
15119 \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
15120 \ifdim\hvSet@capWidth>\columnwidth<\hvMaxCapWidth
15121 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
15122 \else
15123 \setlength{\hvCapWidth}{\hvMaxCapWidth}
15124 \fi
15125 \fi
15126 \fi
15127 %
15128 % now we have the object and the caption with the right
15129 % rotated angles saved in boxes
15130 %
15131 \def\fps@figure{\hvSet@floatPos}
15132 \ifhv@nonFloat\begin{group}% Start the nonfloat part
15133 \else \begin{\hv@floatType}% Start the floating environment
15134 \fi%
15135 \saveCaptionSkip% we put this space ourselves
15136 \ifx\hvSet@capAngle\hv@Width % need rotation?
15137 \sbox{\hvCaptionBox}%
15138 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
15139 \ifhv@nonFloat%
15140 \ifhv@onlyText#2%
15141 \else%
15142 \ifx\hv@floatType\hv@figure

```



```

15143      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
15144      \else
15145          \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
15146      \fi
15147  \fi
15148 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
15149 \fi%
15150 \label{#3}%
15151     \end{minipage}%
15152     }%
15153 \else%
15154     \sbox{\hvCaptionBox}{%
15155         \rotatebox{\hvSet@capAngle}{%
15156             \begin{minipage}[b]{\hvCapWidth} minipage, to get hyphenation
15157 \ifhv@nonFloat%
15158     \ifhv@onlyText#2%
15159     \else%
15160     \ifx\hv@floatType\hv@figure
15161         \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
15162     \else
15163         \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
15164     \fi
15165 \fi
15166 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
15167         \fi%
15168         \label{#3}%
15169         \end{minipage}%
15170         }%
15171     }%
15172 \fi%
15173 %%%
15174 \restoreCaptionSkip% save old values
15175 \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
15176 \else%
15177     \ifx\hvSet@objectPos\hv@Center
15178         \ifhv@nonFloat\hspace*\{\fill\}\else\centering\fi%
15179     \fi%
15180 \fi%
15181 %
15182 % to rotate object and caption together, we save all in another box
15183 % the caption comes first, if its on the left or the top
15184 %
15185 \savebox{\tempboxa}{%
15186 \ifx\hvSet@capPos\hv@Left % caption on left side
15187 \if@RTL%
15188 \ifx\hvSet@capVPos\hv@Center%
15189 \ifhv@fbox
15190 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
15191 \else
15192 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
15193 \fi%
15194 \hspace{\hvSet@floatCapSep pt}%
15195 \ifhv@fbox
15196 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%

```



```

15197 \else
15198 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
15199 \fi%
15200 \else%
15201 \ifx\hvSet@capVPos\hv@Top
15202 \ifhv@fbox
15203 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15204 \else
15205 \raisebox{-\height}{\usebox{\hvObjectBox}}}%
15206 \fi%
15207 \hspace{\hvSet@floatCapSep pt}%
15208 \ifhv@fbox
15209 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15210 \else
15211 \raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15212 \fi
15213 \else
15214 \ifhv@fbox
15215 \fbox{\usebox{\hvObjectBox}}%
15216 \else
15217 \usebox{\hvObjectBox}%
15218 \fi
15219 \hspace{\hvSet@floatCapSep pt}%
15220 \ifhv@fbox
15221 \fbox{\usebox{\hvCaptionBox}}%
15222 \else
15223 \usebox{\hvCaptionBox}}%
15224 \fi%
15225 \fi%
15226 \fi%
15227 \else% not RTL
15228     \ifx\hvSet@capVPos\hv@Center%
15229         \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
15230         \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
15231         \fi%
15232         \hspace{\hvSet@floatCapSep pt}% capfloatsep
15233         \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
15234         \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
15235         \fi%
15236     \else%
15237         \ifx\hvSet@capVPos\hv@Top % caption at top
15238             \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15239             \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15240             \fi
15241             \hspace{\hvSet@floatCapSep pt}% capfloatsep
15242             \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15243             \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
15244             \fi%
15245     \else% caption on bottom
15246         \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
15247             \else\usebox{\hvCaptionBox}%
15248         \fi%
15249         \hspace{\hvSet@floatCapSep pt}%
15250         \ifhv@fbox\fbox{\usebox{\hvObjectBox}}%

```



```

15251      \else      \usebox{\hvObjectBox}
15252      \fi%
15253      \fi%
15254 \fi% end of RTL
15255 \fi%
15256 \else
15257 \ifx\hvSet@capPos\hv@Top
15258 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
15259 \begin{minipage}{\wd\hvCaptionBox}
15260 \else
15261 \begin{minipage}{\wd\hvObjectBox}
15262 \fi
15263 \centering
15264 \ifhv@fbox
15265 \fbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
15266 \fbox{\usebox{\hvObjectBox}}
15267 \else
15268 \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
15269 \usebox{\hvObjectBox}
15270 \fi%
15271 \end{minipage}
15272 \else
15273 \ifx\hvSet@capPos\hv@Bottom
15274 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
15275 \begin{minipage}{\wd\hvCaptionBox}
15276 \else
15277 \begin{minipage}{\wd\hvObjectBox}
15278 \fi
15279 \centering
15280 \ifhv@fbox
15281 \fbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
15282 \fbox{\usebox{\hvCaptionBox}}
15283 \else
15284 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
15285 \usebox{\hvCaptionBox}
15286 \fi%
15287 \end{minipage}
15288 \else% the last option: put the caption on the right
15289 \if@RTL%
15290 \ifx\hvSet@capVPos\hv@Center%
15291 \ifhv@fbox\fbox\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
15292 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
15293 \fi%
15294 \hspace{\hvSet@floatCapSep pt} % capfloatsep
15295 \ifhv@fbox\fbox\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
15296 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}%
15297 \fi%
15298 \else%
15299 \ifx\hvSet@capVPos\hv@Top % caption at top
15300 \ifhv@fbox\fbox\raisebox{-\height}{\usebox{\hvCaptionBox}}%
15301 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15302 \fi
15303 \hspace{\hvSet@floatCapSep pt} % capfloatsep
15304 \ifhv@fbox\fbox\raisebox{-\height}{\usebox{\hvObjectBox}}%

```



```

15305      \else      \raisebox{-\height}{\usebox{\hvObjectBox}}%
15306      \fi%
15307      \else% caption on bottom
15308          \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
15309              \else\usebox{\hvCaptionBox}
15310          \fi%
15311          \hspace{\hvSet@floatCapSep pt}%
15312          \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
15313              \else      \usebox{\hvObjectBox}
15314          \fi%
15315      \fi%
15316  \fi%
15317 \else% not RTL
15318 \ifx\hvSet@capVPos\hv@Center%
15319 \ifhv@fbox
15320 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
15321 \else
15322 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
15323 \fi%
15324 \hspace{\hvSet@floatCapSep pt}%
15325 \ifhv@fbox
15326 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
15327 \else
15328 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
15329 \fi%
15330 \else%
15331 \ifx\hvSet@capVPos\hv@Top
15332 \ifhv@fbox
15333 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15334 \else
15335 \raisebox{-\height}{\usebox{\hvObjectBox}}%
15336 \fi%
15337 \hspace{\hvSet@floatCapSep pt}%
15338 \ifhv@fbox
15339 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15340 \else
15341 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15342 \fi
15343 \else
15344 \ifhv@fbox
15345 \fbox{\usebox{\hvObjectBox}}%
15346 \else
15347 \usebox{\hvObjectBox}%
15348 \fi
15349 \hspace{\hvSet@floatCapSep pt}%
15350 \ifhv@fbox
15351 \fbox{\usebox{\hvCaptionBox}}%
15352 \else
15353 \usebox{\hvCaptionBox}%
15354 \fi%
15355 \fi%
15356 \fi
15357 \fi% end of RTL
15358 \fi

```



```

15359 \fi
15360 \fi
15361 }% End savebox Object and caption
15362 %
15363 % now we rotate the object and caption, if needed
15364 %
15365 \ifx\hvSet@rotAngle\hv@Zero
15366 \usebox{\@tempboxa}
15367 \else
15368 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
15369 \fi
15370 \ifhv@nonFloat
15371 \ifx\hvSet@objectPos\hv@Center
15372 \ifhv@nonFloat
15373 \hspace{\fill}
15374 \fi
15375 \fi
15376 \endgroup% End the nonfloat part
15377 \else
15378 \end{\hv@floatType}% End the floating environment
15379 \fi
15380 }

```

102 File hyperref-xetex-bidi.def

```

15381 \ProvidesFile{hyperref-xetex-bidi.def}[2018/11/11 v1.1 bidi adaptations for hyperref package]
15382 \AtBeginDocument{%
15383 \def\contentsline#1#2#3#4{%
15384   \ifx\\#4\\%
15385     \csname l@#1\endcsname{#2}{#3}%
15386   \else
15387     \ifcase\Hy@linktoc % none
15388       \csname l@#1\endcsname{#2}{#3}%
15389     \or % section
15390       \csname l@#1\endcsname{%
15391         \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi\if@RTL\endR\fi}\hyper@linkend
15392       }{#3}%
15393     \or % page
15394       \csname l@#1\endcsname{#2}{%
15395         \hyper@linkstart{link}{#4}{#3}\hyper@linkend
15396       }%
15397     \else % all
15398       \csname l@#1\endcsname{%
15399         \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi\if@RTL\endR\fi}\hyper@linkend
15400       }%
15401       \hyper@linkstart{link}{#4}{#3}\hyper@linkend
15402     }%
15403   \fi
15404 \fi
15405 }
15406 \ifHy@hyperfootnotes
15407   \let\H@footnotetext\@footnotetext
15408   \let\HRTL@RTLfootnotetext\@RTLfootnotetext
15409   \let\HLTR@LTRfootnotetext\@LTRfootnotetext

```



```

15410 \def\@xfootnotenext[#1]{%
15411 \begingroup
15412   \csname c@\@mpfn\endcsname #1\relax
15413   \unrestored@protected@xdef\@thefnmark{\thempfn}%
15414 \endgroup
15415 \ifx\@footnotetext\@mpfootnotetext
15416   \expandafter\H@\@mpfootnotetext
15417 \else
15418   \expandafter\H@\@footnotetext
15419 \fi
15420 }%
15421 \def\@xRTLfootnotenext[#1]{%
15422 \begingroup
15423   \csname c@\@mpfn\endcsname #1\relax
15424   \unrestored@protected@xdef\@thefnmark{\thempfn}%
15425 \endgroup
15426 \ifx\@RTLfootnotetext\@mpRTLfootnotetext
15427   \expandafter\HRTL@\@mpRTLfootnotetext
15428 \else
15429   \expandafter\HRTL@\@RTLfootnotetext
15430 \fi
15431 }%
15432 \def\@xLTRfootnotenext[#1]{%
15433 \begingroup
15434   \csname c@\@mpfn\endcsname #1\relax
15435   \unrestored@protected@xdef\@thefnmark{\thempfn}%
15436 \endgroup
15437 \ifx\@LTRfootnotetext\@mpLTRfootnotetext
15438   \expandafter\HLTR@\@mpLTRfootnotetext
15439 \else
15440   \expandafter\HLTR@\@LTRfootnotetext
15441 \fi
15442 }%
15443 \def\@xfootnotemark[#1]{%
15444 \begingroup
15445   \c@footnote #1\relax
15446   \unrestored@protected@xdef\@thefnmark{\thefootnote}%
15447 \endgroup
15448 \H@\@footnotemark
15449 }%
15450 \let\H@\@mpfootnotetext\@mpfootnotetext
15451 \let\HRTL@\@mpRTLfootnotetext\@mpRTLfootnotetext
15452 \let\HLTR@\@mpLTRfootnotetext\@mpLTRfootnotetext
15453   \long\def\@mpfootnotetext#1{%
15454   \H@\@mpfootnotetext{%
15455     \ifHy@nesting
15456       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15457     \else
15458       \Hy@raisedlink{%
15459         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15460       }#1%
15461     \fi
15462   }%
15463 }%

```



```

15464 \long\def\@mpRTLfootnotetext#1{%
15465   \HRTL@@mpRTLfootnotetext{%
15466     \ifHy@nesting
15467       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15468     \else
15469       \Hy@raisedlink{%
15470         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15471       }#1%
15472     \fi
15473   }%
15474 }%
15475 \long\def\@mplTRfootnotetext#1{%
15476 \HLTR@@mpLTRfootnotetext{%
15477   \ifHy@nesting
15478     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15479   \else
15480     \Hy@raisedlink{%
15481       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15482     }#1%
15483   \fi
15484 }%
15485 }%
15486 \long\def\@footnotetext#1{%
15487 \H@@footnotetext{%
15488   \ifHy@nesting
15489     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15490   \else
15491     \Hy@raisedlink{%
15492       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15493     }%
15494     \let\@currentHlabel\Hy@footnote@currentHlabel
15495     \let\@currentHref\Hy@footnote@currentHref
15496     \let\@currentlabelname\@empty
15497     #1%
15498   \fi
15499 }%
15500 }%
15501 \long\def\@RTLfootnotetext#1{%
15502 \HRTL@@RTLfootnotetext{%
15503   \ifHy@nesting
15504     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15505   \else
15506     \Hy@raisedlink{%
15507       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15508     }%
15509     \let\@currentHlabel\Hy@footnote@currentHlabel
15510     \let\@currentHref\Hy@footnote@currentHref
15511     \let\@currentlabelname\@empty
15512     #1%
15513   \fi
15514 }%
15515 }%
15516 \long\def\@LTRfootnotetext#1{%
15517 \HLTR@@LTRfootnotetext{%

```



```

15518 \ifHy@nesting
15519   \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15520 \else
15521   \Hy@raisedlink{%
15522     \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15523   }%
15524   \let\@currentHlabel\Hy@footnote@currentHlabel
15525   \let\@currentHref\Hy@footnote@currentHref
15526   \let\@currentlabelname\@empty
15527   #1%
15528 \fi
15529 }%
15530 }%
15531 \@ifpackageloaded{tabularx}{%
15532 \let\HyOrg@TX@endtabularx\TX@endtabularx
15533 \def\Hy@tabularx@hook{%
15534   \let\@footnotetext\H@@footnotetext
15535   \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
15536   \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
15537   \let\@footnotemark\H@@footnotemark
15538   \let\@mpfootnotetext\H@@mpfootnotetext
15539   \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
15540   \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
15541 }%
15542 \begingroup
15543   \toks@\expandafter{\TX@endtabularx}%
15544   \xdef\Hy@gtemp{%
15545     \noexpand\Hy@tabularx@hook
15546     \the\toks@
15547   }%
15548 \endgroup
15549 \let\TX@endtabularx\Hy@gtemp
15550 }{}%
15551 \@ifpackageloaded{longtable}{%
15552 \CheckCommand*{\LT@p@LTRftntext}[1]{%
15553   \edef\@tempa{%
15554     \the\LT@p@ftn
15555     \noexpand\LTRfootnotetext[\the\c@footnote]%
15556   }%
15557   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
15558 }%
15559 \long\def\LT@p@LTRftntext#1{%
15560   \edef\@tempa{%
15561     \the\LT@p@ftn
15562     \begingroup
15563       \noexpand\c@footnote=\the\c@footnote\relax
15564       \noexpand\protected\xdef\noexpand\@thefnmark{%
15565         \noexpand\thempfn
15566       }%
15567       \noexpand\Hy@LT@LTRfootnotetext{%
15568         \Hy@footnote@currentHref
15569       }%
15570     }%
15571   \global\LT@p@ftn\expandafter{%

```



```

15572           \@tempa{#1}%
15573     \endgroup
15574   }%
15575 }%
15576 \long\def\Hy@LT@LTRfootnotetext#1#2{%
15577   \HTR@LTRfootnotetext{%
15578     \ifHy@nesting
15579       \hyper@@anchor{#1}{#2}%
15580     \else
15581       \Hy@raisedlink{%
15582         \hyper@@anchor{#1}{\relax}%
15583       }%
15584       \def\@currentHref{#1}%
15585       \let\@currentlabelname\empty
15586       #2%
15587       \fi
15588     }%
15589 }%
15590 \CheckCommand*{\LT@p@RTLftntext}[1]{%
15591   \edef\@tempa{%
15592     \the\LT@p@ftn
15593     \noexpand\RTLfootnotetext[\the\c@footnote]%
15594   }%
15595   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
15596 }%
15597 \long\def\LT@p@RTLftntext#1{%
15598   \edef\@tempa{%
15599     \the\LT@p@ftn
15600     \begingroup
15601       \noexpand\c@footnote=\the\c@footnote\relax
15602       \noexpand\protected@xdef\noexpand\@thefnmark{%
15603         \noexpand\thempfn
15604       }%
15605       \noexpand\Hy@LT@RTLfootnotetext{%
15606         \Hy@footnote@currentHref
15607       }%
15608     }%
15609     \global\LT@p@ftn\expandafter{%
15610       \@tempa{#1}%
15611       \endgroup
15612     }%
15613 }%
15614 \long\def\Hy@LT@RTLfootnotetext#1#2{%
15615   \HTR@RTLfootnotetext{%
15616     \ifHy@nesting
15617       \hyper@@anchor{#1}{#2}%
15618     \else
15619       \Hy@raisedlink{%
15620         \hyper@@anchor{#1}{\relax}%
15621       }%
15622       \def\@currentHref{#1}%
15623       \let\@currentlabelname\empty
15624       #2%
15625     \fi

```



```

15626      }%
15627      }%
15628  }{ }%
15629  \@ifpackageloaded{bidipoem}{%
15630  \long\def\bidipoem@p@ftntext#1{%
15631    \edef\@tempx{%
15632      \the\bidipoem@p@ftn
15633      \begingroup
15634        \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
15635        \noexpand\protected@xdef\noexpand\@thefnmark{%
15636          \noexpand\thempfn
15637        }%
15638        \noexpand\Hy@bidipoem@footnotetext{%
15639          \Hy@footnote@currentHref
15640        }%
15641      }%
15642      \global\bidipoem@p@ftn\expandafter{%
15643        \@tempx{#1}%
15644        \endgroup
15645      }%
15646  }%
15647  \long\def\Hy@bidipoem@footnotetext#1#2{%
15648    \H@@footnotetext{%
15649      \ifHy@nesting
15650        \hyper@@anchor{#1}{#2}%
15651      \else
15652        \Hy@raisedlink{%
15653          \hyper@@anchor{#1}{\relax}%
15654        }%
15655        \def\@currentHref{#1}%
15656        \let\@currentlabelname\empty
15657        #2%
15658      \fi
15659    }%
15660  }%
15661  \long\def\bidipoem@p@LTRftntext#1{%
15662  \edef\@tempxi{%
15663    \the\bidipoem@p@ftn
15664    \begingroup
15665      \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
15666      \noexpand\protected@xdef\noexpand\@thefnmark{%
15667        \noexpand\thempfn
15668      }%
15669      \noexpand\Hy@bidipoem@LTRfootnotetext{%
15670        \Hy@footnote@currentHref
15671      }%
15672    }%
15673    \global\bidipoem@p@ftn\expandafter{%
15674      \@tempxi{#1}%
15675      \endgroup
15676    }%
15677  }%
15678  \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
15679    \HLTR@@LTRfootnotetext{%

```



```

15680   \ifHy@nesting
15681     \hyper@@anchor{\#1}{\#2}%
15682   \else
15683     \Hy@raisedlink{%
15684       \hyper@@anchor{\#1}{\relax}%
15685     }%
15686     \def\@currentHref{\#1}%
15687     \let\@currentlabelname\@empty
15688     #2%
15689   \fi
15690 }%
15691 }%
15692   \long\def\bidipoem@p@RTLftnttext#1{%
15693 \edef\@tempxii{%
15694   \the\bidipoem@p@ftn
15695   \begingroup
15696     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
15697     \noexpand\protected@xdef\noexpand\@thefnmark{%
15698       \noexpand\thempfn
15699     }%
15700     \noexpand\Hy@bidipoem@RTLfootnotetext{%
15701       \Hy@footnote@currentHref
15702     }%
15703   }%
15704   \global\bidipoem@p@ftn\expandafter{%
15705     \@tempxii{\#1}%
15706   \endgroup
15707 }%
15708 }%
15709   \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
15710     \HRTL@RTLfootnotetext{%
15711       \ifHy@nesting
15712         \hyper@@anchor{\#1}{\#2}%
15713       \else
15714         \Hy@raisedlink{%
15715           \hyper@@anchor{\#1}{\relax}%
15716         }%
15717         \def\@currentHref{\#1}%
15718         \let\@currentlabelname\@empty
15719         #2%
15720       \fi
15721     }%
15722   }%
15723 }{}%
15724 \let\HyOrg@maketitle\maketitle
15725 \def\maketitle{%
15726   \let\Hy@saved@footnotemark\@footnotemark
15727   \let\Hy@saved@footnotetext\@footnotetext
15728   \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
15729   \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
15730   \let\@footnotemark\H@@footnotemark
15731   \let\@footnotetext\H@@footnotetext
15732   \let\@RTLfootnotetext\HRTL@RTLfootnotetext
15733   \let\@LTRfootnotetext\HLTR@LTRfootnotetext

```



```

15734     \@ifnextchar[\Hy@maketitle@optarg{%
15735         \HyOrg@maketitle
15736         \Hy@maketitle@end
15737     }%
15738 }%
15739 \def\Hy@maketitle@optarg[#1]{%
15740     \HyOrg@maketitle[{\#1}]%
15741     \Hy@maketitle@end
15742 }%
15743 \def\Hy@maketitle@end{%
15744     \ifx\@footnotemark\H@@footnotemark
15745         \let\@footnotemark\Hy@saved@footnotemark
15746     \fi
15747     \ifx\@footnotetext\H@@footnotetext
15748         \let\@footnotetext\Hy@saved@footnotetext
15749     \fi
15750     \ifx\@RTLfootnotetext\HRTL@RTLfootnotetext
15751         \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
15752     \fi
15753     \ifx\@LTRfootnotetext\HLTR@LTRfootnotetext
15754         \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
15755     \fi
15756 }%
15757 \def\realfootnote{%
15758     \ifnextchar[\@xfootnote{%
15759         \stepcounter{\@mpfn}%
15760         \protected@xdef\@thefnmark{\thempfn}%
15761         \H@@footnotemark\H@@footnotetext
15762     }%
15763 }%
15764 \fi
15765 \def\Hy@BeginAnnot#1{%
15766     \ifmmode\else\beginL\fi%
15767     \global\advance\c@Hy@AnnotLevel\@ne
15768     \ifnum\c@Hy@AnnotLevel=\@ne
15769         #1%
15770     \fi
15771 }
15772 \def\Hy@EndAnnot{%
15773     \ifnum\c@Hy@AnnotLevel=\@ne
15774         \Hy@endcolorlink
15775         \opdfm@mark{eann}%
15776     \fi
15777     \global\advance\c@Hy@AnnotLevel\m@ne
15778     \ifmmode\else\endL\fi%
15779 }
15780 \def\hyper@link#1#2#3{%
15781     \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi\#3\ifmmode\else\if@RTL\endR\fi\fi
15782 }
15783 \def\hyper@linkfile#1#2#3{%
15784     \leavevmode
15785     \Hy@BeginAnnot{%
15786         \def\Hy@pstringF{#2}%
15787         \Hy@CleanupFile\Hy@pstringF

```



```

15788 \Hy@pstringdef\Hy@pstringF\Hy@pstringF
15789 \Hy@pstringdef\Hy@pstringD{\#3}%
15790 \Hy@MakeRemoteAction
15791 \@pdfm@mark{%
15792   bann<<%
15793     /Type/Annot%
15794     /Subtype/Link%
15795     \ifHy@pdfa /F 4\fi
15796     \Hy@setpdfborder
15797     \ifx\@filebordercolor\relax
15798     \else
15799       /C[\@filebordercolor]%
15800     \fi
15801   /A<<%
15802     /S/GoToR%
15803     /F(\Hy@pstringF)%
15804     /D%
15805     \ifx\#3\%
15806       [\Hy@href@page@\pdfremotestartview]%
15807     \else
15808       (\Hy@pstringD)%
15809     \fi
15810     \Hy@SetNewWindow
15811     \Hy@href@nextactionraw
15812   >>%
15813   >>%
15814 }
15815 \Hy@colorlink\@filecolor
15816 }%
15817 \ifmmode\else\if@RTL\beginR\fi\fi\#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace\end
15818 \Hy@EndAnnot
15819 }
15820 \def\@hyper@launch run:#1\#2#3{%
15821   \leavevmode
15822   \Hy@BeginAnnot{%
15823     \Hy@pstringdef\Hy@pstringF{\#1}%
15824     \Hy@pstringdef\Hy@pstringP{\#3}%
15825     \@pdfm@mark{%
15826       bann<<%
15827         /Type/Annot%
15828         /Subtype/Link%
15829         \ifHy@pdfa /F 4\fi
15830         \Hy@setpdfborder
15831         \ifx\@rumbordercolor\relax
15832         \else
15833           /C[\@rumbordercolor]%
15834         \fi
15835       /A<<%
15836         /F(\Hy@pstringF)%
15837         /S/Launch%
15838         \Hy@SetNewWindow
15839         \ifx\#3\%
15840         \else
15841           /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%

```



```

15842         \fi
15843         \Hy@href@nextactionraw
15844     >>%
15845     >>%
15846   }%
15847   \Hy@colorlink\@runcolor
15848 }%
15849 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
15850 \Hy@EndAnnot
15851 }
15852 \def\hyper@linkurl#1#2{%
15853   \leavevmode
15854   \Hy@BeginAnnot{%
15855     \Hy@pstringdef\Hy@pstringURI{\#2}%
15856     \@pdfm@mark{%
15857       bann<<%
15858       /Type/Annot%
15859       /Subtype/Link%
15860       \ifHy@pdfa /F 4\fi
15861       \Hy@setpdfborder
15862       \ifx\@urlbordercolor\relax
15863       \else
15864         /C[\@urlbordercolor]%
15865       \fi
15866     /A<<%
15867       /S/URI%
15868       /URI(\Hy@pstringURI)%
15869       \ifHy@href@ismap
15870         /IsMap true%
15871       \fi
15872       \Hy@href@nextactionraw
15873     >>%
15874   >>%
15875   }%
15876   \Hy@colorlink\@urlcolor
15877 }%
15878 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
15879 \Hy@EndAnnot
15880 }
15881 \def\Acrobatmenu#1#2{%
15882   \Hy@Acrobatmenu{\#1}{\#2}{%
15883     \Hy@BeginAnnot{%
15884       \EdefEscapeName\Hy@temp@menu{\#1}%
15885       \@pdfm@mark{%
15886         bann<<%
15887         /Type/Annot%
15888         /Subtype/Link%
15889         \ifHy@pdfa /F 4\fi
15890         \Hy@setpdfborder
15891         \ifx\@menubordercolor\relax
15892         \else
15893           /C[\@menubordercolor]%
15894         \fi
15895       /A<<%

```



```

15896      /S/Named%
15897      /N/\Hy@temp@menu
15898      \Hy@href@nextactionraw
15899      >>%
15900      >>%
15901      }%
15902      \Hy@colorlink@\menucolor
15903      }%
15904      \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
15905      \Hy@EndAnnot
15906      }%
15907 }
15908 \def\hyper@natlinkstart#1{%
15909   \Hy@backout{#1}%
15910   \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
15911   \def\hyper@nat@current{#1}%
15912 }
15913 \def\hyper@natlinkend{%
15914   \if@RTL\endR\fi\hyper@linkend
15915 }
15916 \def\hyper@natlinkbreak#1#2{%
15917   \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
15918 }%
15919 }
15920 \pdfstringdefDisableCommands{%
15921 \let\LRE@firstofone
15922 \let\LR@firstofone
15923 \let\RLE@firstofone
15924 \let\RL@firstofone
15925 \def\XeTeX{\XeTeX}%
15926 \def\XeLaTeX{\XeTeX}%
15927 }
15928 \@ifpackageloaded{longtable}{%
15929   \begingroup
15930     \def\y{\LT@array}%
15931     \@ifundefined{scr@LT@array}{%
15932       \ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
15933     }{\def\y{\scr@LT@array}}%
15934     \long\def\x{\refstepcounter#1#2\@sharp#3#4\@nil}%
15935     \expandafter\endgroup
15936     \expandafter\def\y[##1]##2{%
15937       \H@refstepcounter{##1}%
15938       \hyper@makecurrent{table}%
15939       \let\Hy@LT@currentHref\@currentHref
15940       #2\@sharp#####4%
15941     }%
15942   }%
15943   \expandafter\expandafter\expandafter\x\y[{#1}]{#2}\@nil
15944   \begingroup
15945     \def\x{#1\ifvoid\LT@foot#2\fi#3\@nil}%
15946     \endgroup
15947     \def\LT@start{%
15948       #1%
15949       \ifvoid\LT@foot#2\fi

```



```

15950      \let\@currentHref\Hy@LT@currentHref
15951      \Hy@raisedlink{%
15952          \hyper@anchorstart{\@currentHref}\hyper@anchorend
15953      }%
15954      #3%
15955  }%
15956 }%
15957 \expandafter\x\LT@start\@nil
15958 }{}}
15959 \bidi@patchcmd\@TextField{%
15960     \opdfm@mark
15961 }{%
15962     \if@RTL
15963         \hskip\Fld@width
15964     \fi
15965     \opdfm@mark
15966 }{}{}}
15967 \bidi@patchcmd\@TextField{%
15968     \unhbox
15969 }{%
15970     \if@RTL
15971         \hskip-\Fld@width
15972     \fi
15973     \unhbox
15974 }{}{}}
15975 \bidi@patchcmd\@@Radio{%
15976     \opdfm@mark
15977 }{%
15978     \if@RTL
15979         \hskip\Fld@width
15980     \fi
15981     \opdfm@mark
15982 }{}{}}
15983 \bidi@patchcmd\@@Radio{%
15984     \unhcopy
15985 }{%
15986     \if@RTL
15987         \hskip-\Fld@width
15988     \fi
15989     \unhcopy
15990 }{}{}}
15991 \bidi@patchcmd\@Submit{%
15992     \opdfm@mark
15993 }{%
15994     \if@RTL
15995         \null
15996         \hskip\wd\opdfm@box
15997     \fi
15998     \opdfm@mark
15999 }{}{}}
16000 \bidi@patchcmd\@Submit{%
16001     \unhbox
16002 }{%
16003     \if@RTL

```



```

16004     \hskip-\wd\pdfm@box
16005   \fi
16006   \unhbox
16007 }{}{%
16008 \bidi@patchcmd\@Reset{%
16009   \@pdfm@mark
16010 }{%
16011   \if@RTL
16012     \null
16013     \hskip\wd\pdfm@box
16014   \fi
16015   \@pdfm@mark
16016 }{}{%
16017 \bidi@patchcmd\@Reset{%
16018   \unhbox
16019 }{%
16020   \if@RTL
16021     \hskip-\wd\pdfm@box
16022   \fi
16023   \unhbox
16024 }{}{%

```

103 File imsproc-xetex-bidi.def

```

16025 \ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for
16026 \newenvironment{thebibliography}[1]{%
16027   \bibtestyle
16028   \normalfont\bibliofont\labelsep .5em\relax
16029   \renewcommand{\theenumiv}{\arabic{enumiv}}\let\p@enumiv\empty
16030   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16031   \bidi@thebibliography@font@hook
16032   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
16033     \leftmargin\labelwidth \advance\leftmargin\labelsep
16034     \usecounter{enumiv}}%
16035   \sloppy \clubpenalty@M \widowpenalty\clubpenalty
16036   \sfcode`\.=\@m
16037 }{%
16038   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
16039   \endlist
16040 }
16041 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
16042   \columnseprule\z@\columnsep 35\p@
16043   \indextitlestyle
16044   \thispagestyle{plain}%
16045   \let\item\idxitem
16046   \parindent\z@\parskip\z@\plus.3\p@\relax
16047   \if@RTL\raggedleft\else\raggedright\fi
16048   \hyphenpenalty@M
16049   \footnotesize
16050   \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
16051   \def\subitem{\par\hangindent \if@RTL-\fi2em\hskip*{1em}}
16052   \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hskip*{2em}}
16053
16054

```



```

16055 \def\right@footnoterule{%
16056   \kern-.4\p@
16057   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
16058   \kern11\p@\kern-\footnotesep}
16059 \def\left@footnoterule{\kern-.4\p@
16060   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
16061 \def\@makefnmark{%
16062   \leavevmode
16063   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
16064 }
16065
16066 \def\part{\@startsection{part}{0}%
16067   \z@\{ \linespacing\@plus\linespacing\}\.5\linespacing\}%
16068   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
16069 \def\@tocline#1#2#3#4#5#6#7{\relax
16070   \ifnum #1>\c@tocdepth \% then omit
16071   \else
16072     \par \addpenalty\secpenalty\addvspace{#2}%
16073     \begingroup \hyphenpenalty\@M
16074     \@ifempty{#4}{%
16075       \tempdima\csname r@tocindent\endcsname\relax
16076     }{%
16077       \tempdima#4\relax
16078     }%
16079     \parindent\z@\if@RTL\rightskip\else\leftskip\fi\#3\relax \advance\if@RTL\rightskip\else\leftskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
16080     \if@RTL\leftskip\else\rightskip\fi\@pnumwidth\#5\leavevmode\hskip-\tempdima\#6\nobreak\relax
16081     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16082     \nobreak
16083     \endgroup
16084   \fi}
16085 \fi}
16086 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
16087 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
16088 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
16089 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
16090 \def\maketitle{\par
16091   \atopnum\z@ \% this prevents figures from falling at the top of page 1
16092   \setcopyright
16093   \thispagestyle{firstpage}\% this sets first page specifications
16094   \uppercaseonmath\shorttitle
16095   \ifx\empty\shortauthors \let\shortauthors\shorttitle
16096   \else \andify\shortauthors
16097   \fi
16098   \maketitle@hook
16099   \begingroup
16100   \maketitle
16101   \toks@{\xp{\shortauthors}\temptokena\xp{\shorttitle}\%}
16102   \toks4{\def\\{\ignorespaces}}\% defend against questionable usage
16103   \edef\tempa{%
16104     \nx\markboth{\the\toks4
16105       \nx\MakeUppercase{\the\toks@}\{\the\temptokena}\%}
16106   \tempa
16107   \endgroup
16108   \c@footnote\z@
```



```
16109  \@cleartopmattertags  
16110 }
```

104 File leqno-xetex-bidi.def

```
16111 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX  
16112 \renewcommand\@eqnnum{\hb@xt@.01\p@{}%  
16113           \rlap{\hskip -\displaywidth  
16114           \normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}
```

105 File letter-xetex-bidi.def

```
16115 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter class  
16116 \renewcommand*\{\opening}[1]{\ifx\@empty\fromaddress  
16117   \thispagestyle{firstpage}%
 16118   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
 16119 \else % home address
 16120   \thispagestyle{empty}%
 16121   {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l}%
 16122     \fromaddress \\*[2\parskip]%
 16123     \@date \end{tabular}\par}%
 16124 \fi
 16125 \vspace{2\parskip}%
 16126 {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
 16127 \vspace{2\parskip}%
 16128 #1\par\nobreak}
 16129 \renewcommand\left@footnoterule{%
 16130   \kern-\p@
 16131   \hrule \width .4\columnwidth
 16132   \kern .6\p@}
 16133 \renewcommand\right@footnoterule{%
 16134   \kern-\p@
 16135   \hbox to \columnwidth{\hspace{.6\columnwidth} \hrulefill }
 16136   \kern .6\p@}
```

106 File lettrine-xetex-bidi.def

```
16137 \ProvidesFile{lettrine-xetex-bidi.def}[2019/05/01 v0.7 bidi adaptations for lettrine package  
16138 \def\@lettrine[##1]##2##3{%
 16139   \def\l@initial{##2}\let\l@refstring\l@initial
 16140   \setcounter{L@lines}{\value{DefaultLines}}%
 16141   \setcounter{L@depth}{\value{DefaultDepth}}%
 16142   \renewcommand*\{\L@hang}{\DefaultLhang}%
 16143   \renewcommand*\{\L@oversize}{\DefaultLoversize}%
 16144   \renewcommand*\{\L@raise}{\DefaultLraise}%
 16145   \renewcommand*\{\L@ante}{\%}
 16146   \setlength{\L@Findent}{\DefaultFindent}%
 16147   \setlength{\L@Nindent}{\DefaultNindent}%
 16148   \setlength{\L@slope}{\DefaultSlope}%
 16149   \setlength{\L@novskip}{\DiscardVskip}%
 16150   \ifLettrineImage\l@imagetrue\else\l@imagefalse\fi
 16151   \ifLettrineOnGrid\l@gridtrue\else\l@gridfalse\fi
 16152   \ifLettrineRealHeight\l@realtrue\else\l@realfalse\fi
 16153   \ifLettrineSelfRef\l@selfreftrue\else\l@selfreffalse\fi
```



```

16154 \setkeys{L}{#1}%
16155 \sbox{\L@tbox}{\LettrineTextFont{\LettrineSecondString}}%
16156 \ifL@realh
16157 \def\@tempa{#3}%
16158 \ifx\@tempa\empty
16159   \PackageWarning{lettrine.sty}%
16160   {Empty second argument,\MessageBreak
16161     ignoring option `realheight';}%
16162 \else
16163   \sbox{\L@tbox}{\LettrineTextFont{#3}}%
16164 \fi
16165 \fi
16166 \if\DefaultOptionsFile\relax
16167 \else
16168   \begingroup
16169   \InputIfFileExists{\DefaultOptionsFile}%
16170   {}%
16171   {\PackageWarning{lettrine.sty}%
16172     {File \DefaultOptionsFile\space not found}%
16173   }%
16174   \def\color##1##{\l@color{##1}}%
16175   \let\l@color\gobbletwo
16176   \def\textcolor##1##{\l@textcolor{##1}}%
16177   \def\l@textcolor##1##2##3{##3}%
16178   \expandafter\ifx\csname 1@#2-keys\endcsname\relax
16179     \gdef\l@LOKeys{}%
16180   \else
16181     \xdef\l@LOKeys{\csname 1@#2-keys\endcsname}%
16182   \fi
16183 \endgroup
16184 \def\KV@prefix{KV@L@}%
16185 \let\@tempc\relax
16186 \expandafter\KV@do\l@LOKeys,\relax,
16187 \setupL@lbox
16188 \setlength{\LettrineWidth}{\wd\l@lbox}%
16189 \def\KV@prefix{KV@L@}%
16190 \let\@tempc\relax
16191 \expandafter\KV@do\l@LOKeys,\relax,
16192 \setkeys{L}{#1}%
16193 \fi
16194 \setupL@lbox
16195 \setlength{\LettrineWidth}{\wd\l@lbox}%
16196 \setlength{\LettrineHeight}{\ht\l@lbox}%
16197 \setlength{\LettrineDepth}{\dp\l@lbox}%
16198 \begingroup
16199 \def\IeC##1{##1}%
16200 \tempdima=\L@oversize pt\relax
16201 \PackageInfo{lettrine.sty}%
16202   {Targeted height = \the\L@target@tht\MessageBreak
16203     (no accent, oversize=0),\MessageBreak
16204     Lettrine height = \the\LettrineHeight\space (#2)%
16205     \ifdim\tempdima=z@\else\space oversize=\L@oversize\fi;%
16206     \MessageBreak reported}%
16207 \endgroup

```



```

16208 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
16209 \setlength{\L@first}{\LettrineHeight}%
16210 \setlength{\L@lraise}{\L@raise\L@target@tht}%
16211 \addtolength{\L@first}{\L@lraise}%
16212 \ifnum\value{L@lines}=1
16213   \addtolength{\L@first}{-\ht\L@tbox}%
16214 \else
16215   \addtolength{\L@first}{-\L@target@tht}%
16216   \addtolength{\L@lraise}{-\L@target@dp}%
16217 \fi
16218 \par
16219 \ifdim\L@first>\L@novskip
16220   \ifL@grid
16221     \tempdima=\baselineskip
16222     \tempdimb=\tempdima
16223     \advance\tempdimb by \L@novskip
16224     \tempcpta=1
16225     \loop\ifdim\L@first>\tempdimb
16226       \advance\tempcpta by 1
16227       \advance\L@first by -\tempdima
16228     \repeat
16229     \L@first=\tempcpta\baselineskip
16230   \fi
16231   \vskip\L@first
16232 \fi
16233 \setlength{\L@Pindent}{\wd\L@lbox}%
16234 \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
16235 \settowidth{\L@first}{\L@ante}%
16236 \addtolength{\L@Pindent}{\L@first}%
16237 \addtolength{\L@Pindent}{\L@Findent}%
16238 \setlength{\L@first}{\linewidth}%
16239 \addtolength{\L@first}{-\L@Pindent}%
16240 \addtolength{\L@Nindent}{\L@Pindent}%
16241 \setlength{\L@next}{\linewidth}%
16242 \addtolength{\L@next}{-\L@Nindent}%
16243 \addtolength{\L@Pindent}{\@totalleftmargin}%
16244 \addtolength{\L@Nindent}{\@totalleftmargin}%
16245 \addtocounter{L@lines}{1}%
16246 \addtocounter{L@lines}{\value{L@depth}}%
16247 \if@RTL
16248   \def\L@parshape{\c@L@lines \z@ \the\L@first}%
16249 \else
16250   \def\L@parshape{\c@L@lines \the\L@Pindent \the\L@first}%
16251 \fi
16252 \tempcpta=\tw@
16253 \whilenum \tempcpta<\c@L@lines\do{%
16254   \if@RTL
16255     \edef\L@parshape{\L@parshape \z@ \the\L@next}%
16256   \else
16257     \edef\L@parshape{\L@parshape \the\L@Nindent \the\L@next}%
16258   \fi
16259   \addtolength{\L@Nindent}{\L@slope}%
16260   \addtolength{\L@next}{-\L@slope}%
16261   \advance\tempcpta\one}%

```



```

16262 \if@RTL
16263   \edef\L@parshape{\L@parshape \z@ \the\linewidth}%
16264 \else
16265   \edef\L@parshape{\L@parshape \atotalleftmargin \the\linewidth}%
16266 \fi
16267 \noindent
16268 \parshape=\L@parshape\relax
16269 \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}}\hskip \the\L@Findent}%
16270 \usebox{\L@tbox}%
16271 \ifnum\@listdepth>0 \Lreset@listparshape \fi
16272 \fi
16273 }

```

107 File lineno-xetex-bidi.def

```

16274 \ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for
16275 \bidi@patchcmd{\MakeLineNo}{%
16276   \hb@xt@z@\{\makeLineNumber}%
16277 }{%
16278   \hboxL to \z@\{\makeLineNumber}%
16279 }{}{%
16280 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
16281 \if@RTL
16282   \hb@xt@\linenumberwidth{\LineNumber\hss}%
16283 \else
16284   \LineNumber
16285 \fi
16286 }{}{%
16287 }{}{%
16288 \bidi@patchcmd{\makeLineNumberRight}{%
16289   \hb@xt@\linenumberwidth{\hss\LineNumber}%
16290 }{%
16291 }{%
16292 \if@RTL
16293   \LineNumber
16294 \else
16295   \hb@xt@\linenumberwidth{\hss\LineNumber}%
16296 \fi
16297 }{}{%
16298 \bidi@AfterPreamble{%
16299 \if@RTLmain
16300   \rightlinenumbers*
16301 \else
16302   \leftlinenumbers*
16303 \fi
16304 \if@ifpackagewith[lineno]{left}{%
16305   \leftlinenumbers*
16306 \else
16307 \fi
16308 \if@ifpackagewith[lineno]{right}{%
16309   \rightlinenumbers*
16310 \fi
16311 }%
16312 }

```



108 File `listings-xetex-bidi.def`

```
16313 \ProvidesFile{listings-xetex-bidi.def}[2018/09/15 v1.5 bidi adaptations for listings package]
16314 \lst@Key{captiondirection}{textdirection}{%
16315   \lstKV@SwitchCases{#1}%
16316   {textdirection:\%
16317     RTL:\chardef\bidi@lst@caption@direction\@ne\%
16318     LTR:\chardef\bidi@lst@caption@direction\z@%
16319   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
16320
16321 \lst@Key{captionscript}{textscript}{%
16322   \lstKV@SwitchCases{#1}%
16323   {textscript:\%
16324     latin:\chardef\bidi@lst@caption@script\@ne\%
16325     nonlatin:\chardef\bidi@lst@caption@script\z@%
16326   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
16327
16328 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
16329   \@ifundefined{bidi@lst@caption@direction}{}{%
16330     \ifnum\bidi@lst@caption@direction=\z@%
16331       #1%
16332     \else%
16333       \ifnum\bidi@lst@caption@direction=\@ne%
16334         #2%
16335       \fi%
16336     \fi%
16337   }%
16338
16339 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
16340   \@ifundefined{bidi@lst@caption@script}{}{%
16341     \ifnum\bidi@lst@caption@script=\z@%
16342       #1%
16343     \else%
16344       \ifnum\bidi@lst@caption@script=\@ne%
16345         #2%
16346       \fi%
16347     \fi%
16348   }%
16349
16350 \long\def\bidi@lst@makecaption#1#2{%
16351   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
16352   \vskip\abovecaptionskip
16353   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16354   \sbox\@tempboxa%
16355   \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
16356   #1: #2%
16357   \bidi@lst@ensure@caption@direction{\endL}{\endR}%
16358 }%
16359   \ifdim \wd\@tempboxa >\hsize
16360     #1: #2\par
16361   \else
16362     \global \minipagetrue
16363     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
16364   \fi
```



```

16365     \vskip\belowcaptionskip}%
16366 \def\lst@makecaption{\bidi@lst@makecaption}
16367 \def\lst@maketitle{\bidi@lst@makecaption\lst@title@dropdelim}
16368 \bidi@AtEndPreamble{%
16369 \bidi@patchcmd{\lst@MakeCaption}{%
16370     \ifx #1{%
16371         \ifx\lst@caption\empty\expandafter\lst@HRefStepCounter \else
16372             \expandafter\refstepcounter
16373         \fi \lstlisting}%
16374 }{%
16375     \ifx #1{%
16376         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16377         \ifx\lst@caption\empty\expandafter\lst@HRefStepCounter \else
16378             \expandafter\refstepcounter
16379         \fi \lstlisting}%
16380         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
16381 }{}{%
16382 \bidi@patchcmd{\lst@MakeCaption}{%
16383     \addcontentsline{loll}{\lstlisting}%
16384         \protect\newline{\the\lstlisting}\lst@caption}%
16385 }{%
16386 \begingroup{%
16387     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16388     \addcontentsline{loll}{\lstlisting}%
16389         \protect\newline{\the\lstlisting}\lst@caption}%
16390 \endgroup{%
16391 }{}{%
16392 }%
16393 @ifpackageloaded[caption]{%
16394     \AtBeginCaption{%
16395         \bidi@lst@ensure@caption@script{\nonlatintrue}{\nonlatinfalse}%
16396         \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16397 }%
16398     \let\bidi@lst@makecaption\caption@makecaption%
16399     \def\lst@makecaption{\caption@starfalse\bidi@lst@makecaption}%
16400     \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}%
16401 }{%
16402 \AtBeginDocument{%
16403 @ifundefined[captionlabelfalse]{}{%
16404     \def\lst@maketitle{\captionlabelfalse\bidi@lst@makecaption\empty}%
16405 @ifundefined[caption@startrue]{}{%
16406     \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}%
16407 }%
16408 }%
16409 \AtBeginDocument{%
16410     @ifundefined[thechapter]{\let\lst@ifnumberbychapter\iffalse}{}%
16411     \lst@ifnumberbychapter
16412         \gdef\the\lstlisting{%
16413             {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \arabic\c@lstlisting}%
16414         \else
16415             \gdef\the\lstlisting{@arabic\c@lstlisting}%
16416         \fi}%

```



109 File loadingorder-xetex-bidi.def

```
16417 \ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the last
16418 \bidi@isloaded{amsmath}
16419 \bidi@isloaded{amstext}
16420 \bidi@isloaded{amsthm}
16421 \bidi@isloaded{animate}
16422 \bidi@isloaded{breqn}
16423 \bidi@isloaded{cals}
16424 \bidi@isloaded{caption}
16425 \bidi@isloaded{crop}
16426 \bidi@isloaded{cuted}
16427 \bidi@isloaded{cutwin}
16428 \bidi@isloaded{color}
16429 \bidi@isloaded{dblfnote}
16430 \bidi@isloaded{diagbox}
16431 \bidi@isloaded{xcolor}
16432 \bidi@isloaded{colortbl}
16433 \bidi@isloaded{float}
16434 \bidi@isloaded{floatrow}
16435 \bidi@isloaded{flowfram}
16436 \bidi@isloaded{framed}
16437 \bidi@isloaded{ftnright}
16438 \bidi@isloaded{xltxtra}
16439 \bidi@isloaded{xunicode}
16440 \bidi@isloaded{wrapfig}
16441 \bidi@isloaded{graphicx}
16442 \bidi@isloaded{geometry}
16443 \bidi@isloaded{hvfloat}
16444 \bidi@isloaded{mdframed}
16445 \bidi@isloaded{midfloat}
16446 \bidi@isloaded{ntheorem}
16447 \bidi@isloaded{ntheorem-hyper}
16448 \bidi@isloaded{hyperref}
16449 \bidi@isloaded{fancybox}
16450 \bidi@isloaded{fancyhdr}
16451 \bidi@isloaded{fix2col}
16452 \bidi@isloaded{draftwatermark}
16453 \bidi@isloaded{empheq}
16454 \bidi@isloaded{overpic}
16455 \bidi@isloaded{pdfpages}
16456 \bidi@isloaded{listings}
16457 \bidi@isloaded{lettrine}
16458 \bidi@isloaded{lineno}
16459 \bidi@isloaded{media9}
16460 \bidi@isloaded{pstricks}
16461 \bidi@isloaded{pgf}
16462 \bidi@isloaded{picinpar}
16463 \bidi@isloaded{quotchap}
16464 \bidi@isloaded{tikz}
16465 \bidi@isloaded{titlesec}
16466 \bidi@isloaded{titletoc}
16467 \bidi@isloaded{array}
16468 \bidi@isloaded{soul}
```



```

16469 \bidi@isloaded{stabular}
16470 \bidi@isloaded{subfig}
16471 \bidi@isloaded{subfigure}
16472 \bidi@isloaded{supertabular}
16473 \bidi@isloaded{xtab}
16474 \bidi@isloaded{longtable}
16475 \bidi@isloaded{arydshln}
16476 \bidi@isloaded{multicol}
16477 \bidi@isloaded{multienum}
16478 \bidi@isloaded{minitoc}
16479 \bidi@isloaded{natbib}
16480 \bidi@isloaded{newfloat}
16481 \bidi@isloaded{ragged2e}
16482 \bidi@isloaded{rotating}
16483 \bidi@isloaded{tbls}
16484 \bidi@isloaded{tabulary}
16485 \bidi@isloaded{tocbasic}
16486 \bidi@isloaded{tocstyle}
16487 \bidi@isloaded{tocbibind}
16488 \bidi@isloaded{fontspec}
16489 \bidi@isloaded{arabxetex}
16490 \bidi@isloaded{polyglossia}
16491 \bidi@isloaded{fancyvrb}
16492 \AtBeginDocument{
16493   \if@bidi@amsmathloaded@\else
16494     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package amsmath after bidi packa
16495   \fi%
16496   \if@bidi@amstextloaded@\else
16497     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package amstext after bidi pack
16498   \fi%
16499   \if@bidi@amsthmloaded@\else
16500     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package amsthm after bidi packa
16501   \fi%
16502   \if@bidi@animateloaded@\else
16503     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package animate after bidi pack
16504   \fi%
16505   \if@bidi@breqnloaded@\else
16506     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package breqn after bidi packag
16507   \fi%
16508   \if@bidi@calsloaded@\else
16509     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package cals after bidi package
16510   \fi%
16511   \if@bidi@captionloaded@\else
16512     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package caption after bidi pack
16513   \fi%
16514   \if@bidi@croploaded@\else
16515     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package crop after bidi package
16516   \fi%
16517   \if@bidi@colorloaded@\else
16518     @ifpackageloaded{hyperref}{}{%
16519       \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package color after bidi packag
16520     \fi%
16521   \if@bidi@cutwinloaded@\else
16522     \bidi@isloaded[{\PackageError{bidi}{Oops! you have loaded package cutwin after bidi packa

```



```

16523 \fi%
16524   \if@bidi@cutedloaded@\else
16525     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package}]
16526   \fi%
16527   \if@bidi@dblfnoteloaded@\else
16528     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package}]
16529   \fi%
16530   \if@bidi@diagboxloaded@\else
16531     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi package}]
16532   \fi%
16533   \if@bidi@xcolorloaded@\else
16534     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package}]
16535   \fi%
16536   \if@bidi@colortblloaded@\else
16537     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi package}]
16538   \fi%
16539   \if@bidi@floatloaded@\else
16540     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package}]
16541   \fi%
16542   \if@bidi@floatrowloaded@\else
16543     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi package}]
16544   \fi%
16545   \if@bidi@flowframloaded@\else
16546     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi package}]
16547   \fi%
16548   \if@bidi@framedloaded@\else
16549     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package}]
16550   \fi%
16551   \if@bidi@ftnrightloaded@\else
16552     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi package}]
16553   \fi%
16554   \if@bidi@xltxtxtraloaded@\else
16555     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtxtra after bidi package}]
16556   \fi%
16557   \if@bidi@xunicodeloaded@\else
16558     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi package}]
16559   \fi%
16560   \if@bidi@wrapfigloaded@\else
16561     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi package}]
16562   \fi%
16563   \if@bidi@graphicxloaded@\else
16564     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi package}]
16565   \fi%
16566   \if@bidi@geometryloaded@\else
16567     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi package}]
16568   \fi%
16569   \if@bidi@hvfloadloaded@\else
16570     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfload after bidi package}]
16571   \fi%
16572   \if@bidi@mdframedloaded@\else
16573     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi package}]
16574   \fi%
16575   \if@bidi@midfloatloaded@\else
16576     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi package}]

```



```

16577 \fi%
16578   \if@bidi@ntheoremloaded@\else
16579     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi pac
16580 \fi%
16581 \if@bidi@hyperrefloaded@\else
16582   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi pac
16583 \fi%
16584 \if@bidi@fancyboxloaded@\else
16585   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi pac
16586 \fi%
16587 \if@bidi@fancyhdrloaded@\else
16588   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi pac
16589 \fi%
16590 \if@bidi@draftwatermarkloaded@\else
16591   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bi
16592 \fi%
16593 \if@bidi@empheqloaded@\else
16594   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi packa
16595 \fi%
16596 \if@bidi@overpicloaded@\else
16597   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi pack
16598 \fi%
16599 \if@bidi@pdfpagesloaded@\else
16600   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi pac
16601 \fi%
16602 \if@bidi@lettrineloaded@\else
16603   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi pac
16604 \fi%
16605 \if@bidi@linenoloaded@\else
16606   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi packa
16607 \fi%
16608 \if@bidi@listingsloaded@\else
16609   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi pac
16610 \fi%
16611 \csname if@bidi@media9loaded@\endcsname\else
16612   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi packa
16613 \fi%
16614 \if@bidi@pstricksloaded@\else
16615   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi pac
16616 \fi%
16617 \if@bidi@pgfloaded@\else
16618   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package
16619 \fi%
16620 \if@bidi@picinparloaded@\else
16621   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi pac
16622 \fi%
16623 \if@bidi@quotchaploaded@\else
16624   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi pac
16625 \fi%
16626 \if@bidi@tikzloaded@\else
16627   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package
16628 \fi%
16629 \if@bidi@titlesecloaded@\else
16630   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi pac

```



```

16631 \fi%
16632 \if@bidi@titletocloaded@\else
16633   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi pac}
16634 \fi%
16635 \if@bidi@arrayloaded@\else
16636   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi packag}
16637 \fi%
16638 \if@bidi@stabularloaded@\else
16639   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi pac}
16640 \fi%
16641 \if@bidi@soulloaded@\else
16642   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package}
16643 \fi%
16644 \if@bidi@subfigloaded@\else
16645   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi packa}
16646 \fi%
16647 \if@bidi@subfigureloaded@\else
16648   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pa}
16649 \fi%
16650 \if@bidi@supertabularloaded@\else
16651   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi pa}
16652 \fi%
16653 \if@bidi@xtabloaded@\else
16654   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package}
16655 \fi%
16656 \if@bidi@longtableloaded@\else
16657   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pa}
16658 \fi%
16659 \if@bidi@arydshlnloaded@\else
16660   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi pac}
16661 \fi%
16662 \if@bidi@multicolloaded@\else
16663   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi pac}
16664 \fi%
16665 \if@bidi@multienumloaded@\else
16666   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pa}
16667 \fi%
16668 \if@bidi@minitocloaded@\else
16669   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi pack}
16670 \fi%
16671 \if@bidi@natbibloaded@\else
16672   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi packa}
16673 \fi%
16674   \if@bidi@newfloatloaded@\else
16675   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi pac}
16676 \fi%
16677 \csname if@bidi@ragged2elloaded@\endcsname\else
16678   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi pac}
16679 \fi%
16680   \if@bidi@rotatingloaded@\else
16681   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi pac}
16682 \fi%
16683 \if@bidi@tblsloaded@\else
16684   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tbls after bidi packa}

```



```

16685 \fi%
16686 \if@bidi@tabularyloaded@\else
16687   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi pac
16688 \fi%
16689 \if@bidi@tocbasicloaded@\else
16690   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi pac
16691 \fi%
16692 \if@bidi@tocstyleloaded@\else
16693   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi pac
16694 \fi%
16695 \if@bidi@tocbibindloaded@\else
16696   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pac
16697 \fi%
16698 \if@bidi@fontspecloaded@\else
16699   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi pac
16700 \fi%
16701 \if@bidi@arabxetexloaded@\else
16702   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pac
16703 \fi%
16704 \if@bidi@polyglossialoaded@\else
16705   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi pac
16706 \fi%
16707 \if@bidi@fancyvrbloaded@\else
16708   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi pac
16709 \fi%
16710 }

```

110 File longtable-xetex-bidi.def

```

16711 \ProvidesFile{longtable-xetex-bidi.def}[2022/05/20 v0.6 bidi adaptations for longtable packa
16712 \def\LT@array[#1]#2{%
16713   \refstepcounter{table}\stepcounter{LT@tables}%
16714   \if #1%
16715     \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
16716   \elseif r#1%
16717     \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
16718   \elseif c#1%
16719     \LTleft\fill \LTright\fill
16720   \fi\fi\fi
16721   \let\LT@mcoll\multicolumn
16722   \let\LT@tabarray\@tabarray
16723   \let\LT@hline\hline
16724   \def\@tabarray{%
16725     \let\hline\LT@hline
16726     \LT@tabarray}%
16727   \let\\LT@tabularcr\let\tabularnewline\\%
16728   \def\newpage{\noalign{\break}}%
16729   \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
16730   \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk4}%
16731   \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
16732   \tempdima\ht\strutbox
16733   \let\endpbox\LT@endpbox
16734   \ifx\extrarowheight\undefined
16735     \let\@acol\@tabacol

```



```

16736   \let\@classz\@tabclassz \let\@classiv\@tabclassiv
16737   \def\@startpbox{\vtop\LT@startpbox}%
16738   \let\@@startpbox\@startpbox
16739   \let\@@endpbox\@endpbox
16740   \let\LT@LL@FM@cr\@tabularcr
16741 \else
16742   \advance\@tempdima\extrarowheight
16743   \col@sep\tabcolsep
16744   \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
16745 \fi
16746 \setbox\@arstrutbox\hbox{\vrule
16747   \Cheight \arraystretch \@tempdima
16748   \Cdepth \arraystretch \dp \strutbox
16749   \Cwidth \z@}%
16750 \let\sharp##\let\protect\relax
16751 \begingroup
16752   \mkpream{#2}%
16753   \xdef\LT@bchunk{%
16754     \global\advance\c@LT@chunks\one
16755     \global\LT@rows\z@\setbox\z@\vbox\bgroup
16756     \LT@setprevdepth
16757     \tabskip\LTleft\noexpand\halign to\hsize\bgroup
16758     \tabskip\z@\@arstrut \preamble \tabskip\LTRight \cr}%
16759   \endgroup
16760   \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
16761   \LT@make@row
16762   \m@th\let\par\empty
16763   \everycr{}\lineskip\z@\baselineskip\z@
16764   \LT@bchunk}
16765 \def\LT@makecaption#1#2#3{%
16766   \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
16767     \sbox\@tempboxa\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
16768     \ifdim\wd\@tempboxa>\hsize
16769       #1{#2: }#3%
16770     \else
16771       \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
16772     \fi
16773     \endgraf\vskip\baselineskip}%
16774   \hss}}}
16775 \ifpackageloaded{caption}{%
16776   \renewcommand\LT@makecaption[3]{%
16777     \caption@LT@make{%
16778       \caption@LT@settype\LTcaptype
16779       \caption@LT@setup
16780       \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
16781       \caption@startrue#1\caption@starfalse
16782       \caption@prepare@stepcounter\LTcaptype
16783       \caption@begin\LTcaptype
16784         \caption@normalsize
16785         \vskip-\ht\strutbox
16786         \caption@ifdefined\FBifcaption{%
16787           \let\caption@belowskip\empty}{}%
16788         \caption@make@above
16789         \caption@make{#2}{#3}\endgraf

```



```

16790      \caption@make@below
16791      \caption@end} }%
16792 }{ }
16793 \def\LT@startpbox#1{%
16794   \bgroup\color@begingroup
16795   \let\footnotetext\LT@p@ftntext
16796   \let\LTRfootnotetext\LT@p@LTRftntext
16797   \let\RTLfootnotetext\LT@p@RTLftntext
16798   \setlength\hsize{#1}%
16799   \arrayparboxrestore
16800   \vrule \height \ht\arstrutbox \width \z@}
16801 \def\LT@p@LTRftntext#1{%
16802   \edef\tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
16803   \global\LT@p@ftn\expandafter{\tempa{#1}} }%
16804 \def\LT@p@RTLftntext#1{%
16805   \edef\tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
16806   \global\LT@p@ftn\expandafter{\tempa{#1}} }%
16807
16808
16809 \def\LT@output{%
16810   \ifnum\outputpenalty <-\@Mi
16811     \ifnum\outputpenalty > -\LT@end@open
16812       \LT@err{floats and marginpars not allowed in a longtable}\@ehc
16813     \else
16814       \setbox\z@\vbox{\unvbox\cclv}%
16815       \ifdim \ht\LT@lastfoot>\ht\LT@foot
16816         \dimen@\pagegoal
16817         \advance\dimen@-\ht\LT@lastfoot
16818         \ifdim\dimen@<\ht\z@
16819           \setbox\cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
16820           \makecol
16821           \outputpage
16822           \setbox\z@\vbox{\box\LT@head}%
16823         \fi
16824       \fi
16825     \global\colroom\colht
16826     \global\vsiz@\colht
16827     \vbox
16828       {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@fo
16829     \fi
16830   \else
16831     \setbox\cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\cclv\copy\LT@foo
16832     \makecol
16833     \outputpage
16834     \global\vsiz@\colroom
16835     \copy\LT@head\nobreak
16836   \fi}

```

111 File `lscape-xetex-bidi.def`

```

16837 \ProvidesFile{lscape-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for lscape package for
16838 \bidi@patchcmd{\LS@rot}{\rotatebox{90}{\box\@outputbox}}{%
16839   \if@RTL
16840     \rotatebox[origin=br]{-90}{\box\@outputbox}%

```



```

16841 \else
16842   \rotatebox{90}{\box\@outputbox}%
16843 \fi
16844 }{}{%
16845 \g@addto@macro{\landscape}{%
16846 \let\bidi@left@footnoterule\left@footnoterule
16847 \let\bidi@right@footnoterule\right@footnoterule
16848 \def\left@footnoterule{%
16849   \if@RTL
16850     \bidi@right@footnoterule
16851   \else
16852     \bidi@left@footnoterule
16853   \fi
16854 }%
16855 \def\right@footnoterule{%
16856   \if@RTL
16857     \bidi@left@footnoterule
16858   \else
16859     \bidi@right@footnoterule
16860   \fi
16861 }%
16862 }

```

112 File `mathtools-xetex-bidi.def`

```

16863 \ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools package]
16864 \MHInternalSyntaxOn
16865 \def\MT_define_tagform:nwnn #1[#2]#3#4{%
16866   \namedef{MT_tagform_#1:n}##1
16867   {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2##1\unskip\@@italiccorr#4\if@nonlatin\ignorespaces#3\kern\z@\ignorespaces#4\fi}%
16868 }%
16869 \renewtagform{default}{(){}}
16870 \MHInternalSyntaxOff

```

113 File `mdframed-xetex-bidi.def`

```

16871 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package]
16872 \newif\if@bidi@mdf@RTL
16873 \def\mdf@lrbox#1{%
16874   \mdf@patchamsthm%patch amsthm
16875   \if@RTL\@bidi@mdf@RTLtrue\fi%
16876   \if@RTLfalse%
16877     \setbox#1\vbox\bgroup%
16878     \color@begingroup%
16879     \if@bidi@mdf@RTL\@RTLtrue\fi%
16880     \mdf@horizontalmargin@equation%
16881     \columnwidth=\hsize%
16882     \textwidth=\hsize%
16883     \let\if@nobreak\iffalse%
16884     \let\if@noskipsec\iffalse%
16885     \let\par\@@par%
16886     \let\-\@dischyp%
16887     \let\'\@acci\let`\@accii\let\=\@acciii%
16888     \parindent\z@\parskip\z@skip%

```



```

16889     \linewidth\hsize%
16890     \@totalleftmargin\z@%
16891     \leftskip\z@skip \rightskip\z@skip \rightskip\z@skip%
16892     \parfillskip\@flushglue \lineskip\normallineskip%
16893     \baselineskip\normalbaselineskip%
16894 %% \sloppy%
16895     \let\\@normalcr%
16896     \mdf@par@local%New feature to restore parskip/parindent local in save box
16897     \ifbool{\mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
16898     \cafterindentfalse%
16899     \%@afterheading%
16900 }
16901 \renewrobustcmd\mdfframedtitleenv[1]{%
16902     \mdf@lrbox{\mdf@frametitlebox}%
16903     \mdf@frametitlealignment%
16904     \leavevmode{\color{\mdf@frametitlefontcolor}%
16905         \normalfont\mdf@frametitlefont{\#1}%
16906     \ifbool{\mdf@ignorelastdescenders}{%
16907         %
16908         \par\strut\par
16909         \unskip\unskip\setbox0=\lastbox
16910         \vspace*{(\dimexpr\ht\strutbox-\baselineskip\relax)}%
16911     }{}%
16912     \par\unskip\ifvmode\nointerlineskip\hrule \height\z@ \width\hsize\fi%
16913     \endmdf@lrbox\relax%
16914     \mdf@ignorerevbadness%
16915     \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
16916     \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
16917     \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
16918     \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
16919     \mdfframetitleboxtotalheight=\dimexpr
16920             \ht\mdf@frametitlebox
16921             +\dp\mdf@frametitlebox%
16922             +\mdf@frametitleaboveskip@length
16923             +\mdf@frametitlebelowskip@length
16924             \relax%
16925 }
16926
16927 \renewrobustcmd*\mdf@footnoteoutput{%
16928     \ifvoid\@mpfootins\else%
16929         \nobreak%
16930         \vskip\mdf@footnotedistance@length%
16931         \normalcolor%
16932         \bidi@\mpfootnoterule%
16933         \unvbox\@mpfootins%
16934     \fi%
16935 }
16936
16937
16938 \renewrobustcmd*\mdf@footnoteinput{%
16939     \def\@mpfn{\mpfootnote}%
16940     \def\thempfn{\thempfootnote}%
16941     \c@mpfootnote\z@%
16942     \let\@footnotetext\@mpfootnotetext%

```



```

16943     \let\@LTRfootnotetext\@mpLTRfootnotetext%
16944     \let\@RTLfootnotetext\@mpRTLfootnotetext%
16945 }

```

114 File bidi-media9.sty

```

16946 \ProvidesExplPackage{bidi-media9}{2022/02/18}{0.4}
16947 {bidi fixes for media9 package for the XeTeX engine}
16948
16949 \keys_define:nn{media9/mbtn}{
16950   draft .code:n = {},
16951   final .code:n = {},
16952
16953   tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
16954   tooltip .value_required:n = {true},
16955
16956   overface .code:n = {
16957     \sbox{\l_mix_poster_box{
16958       \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
16959       \mix_pdfxform:n{\l_mix_poster_box}
16960       \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
16961     }},
16962   overface .value_required:n = {true},
16963
16964   downface .code:n = {
16965     \sbox{\l_mix_poster_box{
16966       \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
16967       \mix_pdfxform:n{\l_mix_poster_box}
16968       \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
16969     }},
16970   downface .value_required:n = {true},
16971
16972   3Dgotoview .code:n = {
16973     \tl_set:Nx\l_tmpa_tl{#1} %extract ref
16974     \regex_replace_once:nnN{[^:]+:??.*}{\1}\l_tmpa_tl
16975     \tl_trim_spaces:N\l_tmpa_tl
16976     \tl_if_exist:cTF{\ann@\l_tmpa_tl}{
16977       \str_if_eq:eeF{\tl_use:c{\ann@\l_tmpa_tl}}{draft}{
16978         \tl_set:Nx\l_tmpb_tl{#1} %extract idx
16979         \regex_replace_once:nnN{[^:]+:?:}{\1}\l_tmpb_tl
16980         \tl_trim_spaces:N\l_tmpb_tl
16981         \tl_if_blank:VF\l_tmpb_tl{
16982           \regex_match:nVTF{^DFLNP$}\l_tmpb_tl{
16983             \tl_set:Nx\l_mix_vidx_tl{/}\l_tmpb_tl
16984           }{
16985             \regex_match:nVTF{^\d+$}\l_tmpb_tl{
16986               \tl_set:Nx\l_mix_vidx_tl{~}\l_tmpb_tl
16987             }{
16988               \regex_replace_once:nnN{^(\s*){}}\l_tmpb_tl{
16989                 \regex_replace_once:nnN{(\s*)$}{}\l_tmpb_tl
16990                 \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
16991               }
16992             }
16993           }
16994         }
16995       }
16996     }
16997   }

```



```

16994 \mix_pdfobj:nnn{}{dict}{
16995   /S/JavaScript/JS~(
16996     if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
16997     if(typeof(annotRM['\l_tmpa_t1'])=='undefined'){
16998       annotRM['\l_tmpa_t1']=
16999         this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_t1},'\l_tmpa_t1');
17000     }
17001     annotRM['\l_tmpa_t1'].activated=true;
17002   )
17003   \tl_if_blank:VF\l_tmpb_t1{
17004     /Next~<<
17005       /S/GoTo3DView
17006       /TA-\tl_use:c{ann@\l_tmpa_t1}
17007       /V\l_mix_vidx_t1
17008     >>
17009   }
17010 }
17011 \tl_gput_right:Nx\g_mix_btnactions_t1{\~\mix_pdflastobj:}
17012 }
17013 ){
17014   \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_t1}
17015   \cs_if_exist:NF\g_mix_refundefwarned_t1{
17016     \tl_new:N\g_mix_refundefwarned_t1
17017     \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
17018   }
17019 }
17020 },
17021 3Dgotoview .value_required:n = {true},
17022
mediacommand .code:n = {
17023   \tl_set:Nx\l_tmpa_t1{\#1}
17024   \regex_replace_once:nnN{([^\:]+):??.*}{\1}\l_tmpa_t1 %extract ref
17025   \tl_trim_spaces:N\l_tmpa_t1
17026   \tl_if_exist:cTF{ann@\l_tmpa_t1}{
17027     \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_t1}}{draft}{
17028       \tl_set:Nx\l_tmpb_t1{\#1}
17029       \regex_replace_once:nnN{[^\:]+\:\?}{ }\l_tmpb_t1
17030       \tl_trim_spaces:N\l_tmpb_t1
17031       \regex_replace_all:nnN{^\{| \}$}{ }\l_tmpb_t1
17032       \tl_set:Nx\l_mix_cmd_t1{
17033         \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_t1[]\q_stop
17034       \tl_trim_spaces:N\l_mix_cmd_t1
17035       \tl_set:Nx\l_mix_arg_t1{
17036         \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_t1[]\q_stop
17037       \tl_trim_spaces:N\l_mix_arg_t1
17038       \mix_pdfobj:nnn{}{dict}{
17039         /S/JavaScript/JS~(
17040           if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
17041           if(typeof(annotRM['\l_tmpa_t1'])=='undefined'){
17042             annotRM['\l_tmpa_t1']=
17043               this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_t1},'\l_tmpa_t1');
17044           }
17045           annotRM['\l_tmpa_t1'].activated=true;
17046         )

```



```

17048   \tl_if_blank:VF\l_mix_cmd_t1{
17049     /Next-<<
17050       /S/RichMediaExecute
17051       /TA-\tl_use:c{ann@\l_tmpa_t1}
17052       /TI-\tl_use:c{main@\l_tmpa_t1}
17053       /CMD-<<
17054         /C-(\l_mix_cmd_t1)
17055         \tl_if_blank:VF\l_mix_arg_t1{
17056           /A~[\l_mix_arg_t1]
17057         }
17058       >>
17059     }
17060   }
17061   \tl_gput_right:Nx\g_mix_btnactions_t1{\~\mix_pdflastobj:}
17062 }
17063 }{
17064   \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_t1}
17065   \cs_if_exist:NF\g_mix_refundefwarned_t1{
17066     \tl_new:N\g_mix_refundefwarned_t1
17067     \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
17068   }
17069 }
17070 }
17071 },
17072 mediacommand .value_required:n = {true},
17073
17074 jsaction .code:n = {
17075   \tl_set:Nx\l_tmpa_t1{#1}
17076   \regex_match:nVT{^[\^\{:]+.*$}\l_tmpa_t1{
17077     \regex_replace_once:nnN{[^:]+:??.*}{\1}\l_tmpa_t1 %extract ref
17078     \tl_trim_spaces:N\l_tmpa_t1
17079   }{\tl_clear:N\l_tmpa_t1}
17080   \tl_set:Nx\l_tmpb_t1{#1}
17081   \tl_if_blank:VF\l_tmpa_t1{
17082     \tl_if_exist:cF{ann@\l_tmpa_t1}{
17083       \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_t1}
17084       \cs_if_exist:NF\g_mix_refundefwarned_t1{
17085         \tl_new:N\g_mix_refundefwarned_t1
17086         \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
17087       }
17088     }
17089     \regex_replace_once:nnN{[^:]+:\}{}{\l_tmpb_t1
17090   }
17091   \tl_set:Nx\l_tmpb_t1{\exp_after:wN\use:n\l_tmpb_t1}
17092   \tl_trim_spaces:N\l_tmpb_t1
17093   \tl_if_blank:VF\l_tmpb_t1{
17094     \mix_pdfobj:nnn{}{dict}{
17095       /S/JavaScript/JS~(
17096         try{\l_tmpb_t1}catch(e){console.show();console.println(e)}))
17097     \bool_lazy_and:nnT{
17098       \tl_if_exist_p:c{ann@\l_tmpa_t1}
17099     }{
17100       !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_t1}}{draft}
17101     }

```



```

17102     \mix_pdfobj:nnn{}{dict}{
17103         /S/JavaScript/JS~(
17104             if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
17105             if(typeof(annotRM['\l_tmpa_t1'])=='undefined'){
17106                 annotRM['\l_tmpa_t1']=
17107                     this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_t1},'\l_tmpa_t1');
17108             }
17109             annotRM['\l_tmpa_t1'].activated=true;
17110         )
17111         \tl_if_blank:VF\l_tmpb_t1{/Next~\mix_pdflastobj:}
17112     }
17113 }
17114 \bool_if:nT{
17115     \bool_lazy_and_p:nn{
17116         \tl_if_exist_p:c{ann@\l_tmpa_t1}
17117         ){
17118             !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_t1}}{draft}
17119         }
17120         || !\tl_if_blank_p:V\l_tmpb_t1
17121     ){
17122         \tl_gput_right:Nx\g_mix_btnactions_t1{~\mix_pdflastobj:}
17123     }
17124 },
17125 jsaction .value_required:n = {true},
17126
17127 unknown .code:n = {
17128     \msg_error:nnx{media9}{unknown~option}{\l_keys_key_t1}
17129 }
17130 }

17131 \RenewDocumentCommand\includemedia{O{}mm}{%
17132     #1 options, #2 text/image #3 media file
17133     \mix_uried:
17134     \group_begin:
17135     \mix_beginLTR:
17136     \mode_leave_vertical:
17137     %empty stream as appearance dummy
17138     \cs_if_exist:N\g_mix_appearance_t1{
17139         \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
17140         \mix_pdfxf orm:n{\l_mix_poster_box}
17141         \tl_gset:Nx\g_mix_appearance_t1{\mix_pdflastxform:}
17142     }
17143     \mix_reset:
17144     \mix_uribegin: %treat URI characters correctly
17145     \keys_set:nn{media9/user}{#1}
17146     \mix_uried:
17147     \tl_greplace_all:Nnn\g_mix_flashvars_t1{~&}{&}
17148     \tl_greplace_all:Nnn\g_mix_flashvars_t1{&~}{&}
17149     \tl_greplace_all:Nnn\g_mix_flashvars_t1{~=}{=}
17150     \tl_greplace_all:Nnn\g_mix_flashvars_t1{=~}{=}
17151     \tl_gtrim_spaces:N\g_mix_flashvars_t1
17152
17153     \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
17154
17155     \%hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}

```



```

17156 \%hbox_set:Nn\l_mix_poster_box{#2}
17157 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
17158 \mix_scale:n{\l_mix_poster_box}
17159 \bool_if:nT{
17160   \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim} ||
17161   \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
17162 }{
17163   \tl_gset:Nn\g_mix_usrbtn_tl{none}
17164 }
17165 \bool_if:NTF\g_mix_usrdrift_bool{
17166   \tl_if_empty:NF\g_mix_usrlabel_tl{
17167     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
17168   }
17169   \tl_if_blank:oTF{#2}{
17170     \mix_uribegin: %treat URI characters correctly
17171     \mix_draftbox:n{\tl_to_str:n{#3}}
17172     \mix_urriend:
17173   }{
17174     \hbox_to_wd:nnf{\g_mix_wd_tl}{
17175       \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
17176       \box_use:N\l_mix_poster_box\hss
17177     }
17178   }
17179 }{
17180 \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrbtn_tl{none}}{
17181   %attach script that switches off play button overlay upon activation
17182   \mix_pdfobj:nnn{}{stream}{}{
17183     \scriptlet{host.getOCGs(host.pageNum);
17184     for(var-i=0;i<ocgs.length;i++){
17185       if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
17186         ocgs[i].state=false;
17187       }
17188     }
17189   }
17190 }
17191 \mix_pdfobj:nnn{}{dict}{}{
17192   /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btwoff)%/UF~(btwoff)
17193 }
17194 \tl_gset:Nx\g_mix_assets_tl{(btwoff)~\mix_pdflastobj:}
17195 \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
17196 %enforce plain playbutton overlay for XeTeX
17197 \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrbtn_tl{plain}}
17198 }
17199 %embed main asset
17200 \mix_uribegin:
17201 \mix_embedasset:n{#3}
17202 \bool_if:nTF{
17203   \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
17204 }{
17205   \bool_gset_true:N\g_mix_iid_bool
17206   \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
17207 }{
17208   \str_case_e:nnF{\l_mix_base_tl}{%
17209

```



```

17210   {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
17211   {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
17212   {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
17213   {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
17214   {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
17215   {\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
17216 }
17217 \tl_gset:Nx\g_mix_mainasset_tl{\~\g_mix_lastasset_tl}
17218 \mix_urriend:
17219 %secondary assets (added by addresource)
17220 \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
17221 \seq_map_inline:Nn\g_mix_script_seq{
17222   \mix_embedasset:n{##1}
17223   \tl_put_right:Nx\l_mix_scripts_tl{\~\g_mix_lastasset_tl}
17224 }
17225 %attach 3D calculation script
17226 \bool_if:nT{\g_mix_iid_bool && \g_mix_iidcalc_bool} {
17227   \mix_embedasset:n{3Dmenu.js}
17228   \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl-}
17229 }
17230 %create 3D views from file (option 3Dviews)
17231 \bool_if:nT{\g_mix_iid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
17232   \tl_set:Nn\l_mix_level_tl{-1}
17233   \int_zero:N\l_mix_viewcnt_int
17234   \int_zero:N\l_mix_lineno_int
17235
17236   \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
17237   \ior_map_inline:Nn\l_mix_vfile_stream{
17238     \int_incr:N\l_mix_lineno_int
17239     \keys_set:nn{media9/views}{##1} %process input line
17240   }
17241   \ior_close:N\l_mix_vfile_stream
17242 }
17243 \bool_if:nT{ %create default 3D view if required
17244   \g_mix_iid_bool &&
17245   (\g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl)
17246 }{
17247   \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
17248   \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
17249   \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
17250   \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
17251   \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
17252   \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
17253   \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
17254
17255   \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
17256   \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
17257   \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
17258   \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
17259
17260   \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
17261   \bool_set_eq:NN\l_mix_iidortho_bool\g_mix_opt_iidortho_bool
17262   \tl_clear:N\l_mix_naarray_tl
17263

```



```

17264     \bool_if:NF\l_mix_ciiw_bool{
17265         \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
17266         \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
17267     }
17268
17269     \tl_clear:N\l_mix_naarray_tl
17270     \tl_clear:N\l_mix_saarray_tl
17271     \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
17272
17273     \mix_view:n{Default}
17274     \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
17275
17276 }
17277 \mix_pdfobj:nnn{}{dict}{
17278     /Type/RichMediaInstance
17279     /Subtype/\g_mix_mainassetsub_tl
17280     /Asset~\g_mix_mainasset_tl
17281     \bool_if:NF\g_mix_iid_bool{
17282         /Params~<<
17283             /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{%
17284                 /Foreground
17285             }{
17286                 /Background
17287             }
17288             \tl_if_blank:VF\g_mix_flashvars_tl{%
17289                 /FlashVars~(\g_mix_flashvars_tl)
17290             }
17291             >>
17292         }
17293     }
17294     \tl_if_empty:NF\g_mix_usrlabel_tl{%
17295         \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
17296     }
17297     \mix_pdfobj:nnn{}{dict}{
17298         /Type/RichMediaConfiguration
17299         /Subtype/\g_mix_mainassetsub_tl
17300         /Instances~[\mix_pdflastobj:]}
17301
17302     \mix_pdfobj:nnn{}{dict}{
17303         /Type/RichMediaContent
17304         /Assets~<</Names~[\g_mix_assets_tl]>>
17305         /Configurations~[\mix_pdflastobj:]
17306         \bool_if:nT{
17307             \g_mix_iid_bool && !(\tl_if_empty_p:V\l_mix_iidviewarray_tl)
17308         }{
17309             /Views~[\l_mix_iidviewarray_tl]
17310         }
17311     }
17312     \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
17313     \bool_if:nT{
17314         \g_mix_iid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
17315     }{
17316         \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
17317     }

```



```

17318 %determine floating window size
17319 \bool_if:NT\g_mix_opt_windowed_bool{
17320   \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
17321 }
17322 \mix_pdfobj:nnnf{}{dict}{
17323   /Activation<<
17324     /Condition\g_mix_act_tl
17325     \bool_if:nT{
17326       \g_mix_iid_bool &&
17327       !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
17328     }%seems to work only with 3D content
17329   /Animation<<
17330     /Subtype/\g_mix_playtpe_tl
17331     /PlayCount~\g_mix_playcnt_tl
17332     /Speed~\g_mix_playspd_tl
17333     >>
17334   }
17335   \bool_if:nT{
17336     \g_mix_iid_bool && (
17337       \g_mix_opt_iidview_bool || \tl_if_blank_p:V\l_mix_iidviewarray_tl
17338     )
17339   }{/View~\l_mix_dfltvview_tl}
17340   /Presentation<<
17341     /Transparent~\g_mix_transp_tl
17342     \bool_if:NTF\g_mix_opt_windowed_bool{
17343       /Style/Windowed
17344       /Window<<
17345         /Width~<</Default~\tl_mix_fltwd>>
17346         /Height~<</Default~\tl_mix_flht>>
17347         /Position~<<
17348           /HOffset~0/VOffset~0
17349           \str_case_e:nnF{\g_mix_winpos_tl}{
17350             {tl}{/VAlign/Near/HAlign/Near}
17351             {cl}{/VAlign/Center/HAlign/Near}
17352             {bl}{/VAlign/Far/HAlign/Near}
17353             {bc}{/VAlign/Far/HAlign/Center}
17354             {br}{/VAlign/Far/HAlign/Far}
17355             {cr}{/VAlign/Center/HAlign/Far}
17356             {tr}{/VAlign/Near/HAlign/Far}
17357             {tc}{/VAlign/Near/HAlign/Center}
17358           }{/HAlign/Center/VAlign/Center}
17359           >>
17360           >>
17361         }{
17362           /Style/Embedded
17363         }
17364         \bool_if:NTF\g_mix_iid_bool{
17365           /Toolbar~\g_mix_tools_tl
17366           /NavigationPane~\g_mix_nav_tl
17367         }{
17368           /PassContextClick~\g_mix_contextclick_tl
17369         }
17370       >>
17371     \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}

```



```

17372     >>
17373     /Deactivation~<</Condition\g_mix_deact_t1>>
17374   }
17375   \tl_set:Nx\l_mix_settings_t1{\mix_pdstobj:}
17376   \tl_if_empty:NF\g_mix_usrlabel_t1{
17377     \tl_gset_eq:NN\g_mix_label_t1\g_mix_usrlabel_t1
17378   }
17379   % #1:width, #2:height, #3:depth, #4:content (key-value)
17380   \mix_pdfannot:nnnn{\g_mix_wd_t1}{\g_mix_ht_t1}{\g_mix_dp_t1}{
17381     /Subtype/RichMedia
17382     /F~4
17383     /BS<</W~0/S/S>>
17384     /Contents~(media~embedded~by~media9~[\g_mix_version_t1~(\g_mix_date_t1)])
17385     /NM~(\g_mix_label_t1)
17386     /AP~<</N~\g_mix_appearance_t1>>
17387     /RichMediaSettings~\l_mix_settings_t1
17388     /RichMediaContent~\l_mix_content_t1
17389   }
17390   \tl_if_empty:NF\g_mix_usrlabel_t1{
17391     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_t1}{\mix_pdstann:}
17392     \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_t1}{
17393       \noexpand\the\g@mix@page@int}
17394   }
17395   \mix_pdfobj:nnn{}{dict}{
17396     /S/JavaScript/JS~(
17397       try{
17398         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
17399         if(typeof(annotRM['\g_mix_label_t1'])=='undefined'){
17400           annotRM['\g_mix_label_t1']=
17401             this.getAnnotRichMedia(this.pageNum,'\g_mix_label_t1');
17402         }
17403         \str_if_eq:eeF{\g_mix_usrbtn_t1}{none}{
17404           if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
17405             var~ocgs=this.getOCGs(this.pageNum);
17406             for(var~i=0;i<ocgs.length;i++){
17407               if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
17408                 var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
17409               }
17410             }
17411           }
17412           if(
17413             !annotRM['\g_mix_label_t1'].activated&&
17414             app.viewerType=='Reader'|||
17415             app.viewerType=='Exchange'|||
17416             app.viewerType=='Exchange-Pro'
17417             )&&app.viewerVersion>=9
17418           ){
17419             ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
17420           }
17421         }
17422         }catch(e){}
17423         this.dirty=false;
17424       )
17425     }

```



```

17426 \mix_pdfannot:nnnn{0pt}{0pt}{0pt}{
17427   /Subtype/Widget
17428   /FT/Btn/Ff-65537/F~2
17429   /BS<</W~0>>
17430   /T~(fd@{g_mix_label_t1})
17431   /AA~<</P0~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
17432 }
17433 \mix_appendofields:n{\mix_pdflastann:}
17434 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
17435 \str_if_eq:eeTF{\g_mix_usrbtn_t1}{none}{
17436   \hbox_to_wd:nn{\g_mix_wd_t1}{
17437     \vrule~width~\c_zero_dim~height~\g_mix_ht_t1~depth~\g_mix_dp_t1\hss
17438   }
17439 }{\%insert play button overlay
17440   \mix_insert_btnocg: %create OCG
17441   \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrbtn_t1 @tl}
17442   \group_begin:
17443   \cs_if_exist:NT\textdir{\textdir TLT}
17444   \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_t1\g_mix_tt_t1}
17445   \box_move_down:nn{\g_mix_dp_t1}%
17446   \hbox_to_wd:nn{\g_mix_wd_t1}%
17447     \vbox_to_ht:nn{\g_mix_tt_t1}%
17448     \vss
17449     \ocgbase_oc_bdc:n{\g_mix_btnocg_t1}
17450     \box_use:N\l_mix_pbtn_box
17451     \ocgbase_oc_emc:
17452   }
17453   }
17454   }
17455   \group_end:
17456 }
17457   \int_gincr:N\g_mix_rmcnt_int
17458 }
17459 \mix_endLTR:
17460 \group_end:
17461 }
17462 \tl_set_eq:NN\l_mix_includemedia_t1\includemedia
17463 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_t1}
17464
17465 \RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
17466   \mix_urient:
17467   \group_begin:
17468   \mix_beginLTR:
17469   \mode_leave_vertical:
17470   %reset various variables
17471   \tl_gclear:N\g_mix_overbtn_t1
17472   \tl_gclear:N\g_mix_downbtn_t1
17473   \tl_gclear:N\g_mix_btnactions_t1
17474   \tl_gclear:N\g_mix_tooltip_t1
17475   %process options
17476   \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
17477   \mix_uribegin: %treat URI characters correctly
17478   \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
17479   \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}

```



```

17480 \mix_urriend:
17481 %normal button appearance
17482 \%hbox_set:Nn\l_mix_poster_box{#2}
17483 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
17484 \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
17485 \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
17486 \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
17487 \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box} {
17488   \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{%
17489     \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}%
17490   \mix_pdffxform:n{\l_mix_poster_box}
17491   \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
17492 %insert widget annotation
17493 \mix_pdfannot:nnnn{\width}{\height}{\depth}{%
17494   /Subtype/Widget
17495   /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
17496   \tl_if_empty:NF\g_mix_tooltip_tl{/\TU{(\g_mix_tooltip_tl)}}
17497   /FT/Btn/Ff~65536
17498   \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
17499 /AP<<
17500   /N~\g_mix_normalbtn_tl
17501   \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
17502   \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
17503 >>
17504 /MK~<<
17505   /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
17506   /I~\g_mix_normalbtn_tl
17507   \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
17508   \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
17509 >>
17510 /A~<<
17511   /S/JavaScript/JS~(app.focusRect=false;)
17512   %sequence of actions to perform
17513   \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
17514 >>
17515 }
17516 \mix_appendtofields:n{\mix_pdflastann:}
17517 \hbox_to_wd:nn{\width}{%
17518   \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
17519 }
17520 \int_gincr:N\g_mix_mbtncnt_int
17521 }
17522 \mix_endLTR:
17523 \group_end:
17524 }
17525 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
17526 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
17527

```

115 File memoir-xetex-bidi.def

```

17528 \ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for Xe
17529 \renewcommand{\keepthetitle}{%
17530   \@bsmtitleempty

```



```

17531 \global\let\thanks\relax
17532 \global\let\LTRthanks\relax
17533 \global\let\RTLthanks\relax
17534 \global\let\and\relax
17535 \global\let\andnext\relax
17536 \global\let\@thanks\@empty
17537 \global\let\@title\@empty
17538 \global\let\@author\@empty
17539 \global\let\@date\@empty}
17540 \renewcommand{\maketitle}{\par
17541 \begingroup
17542 \Cbsmarkseries
17543 \def\@makefnmark{\textsuperscript{%
17544 \normalfont\@bstthanksheadpre \tamarck \@bstthanksheadpost}}%
17545 \long\def\@makefntext##1{\makethanksmark ##1}
17546 \if@twocolumn
17547 \ifnum \col@number=\@ne
17548 \@maketitle
17549 \else
17550 \twocolumn[\@maketitle]%
17551 \fi
17552 \else
17553 \ifdim\pagetotal>\z@
17554 \newpage
17555 \fi
17556 \global\@topnum\z@
17557 \@maketitle
17558 \fi
17559 \thispagestyle{title}\@thanks
17560 \endgroup
17561 \Cbscontmark % \setcounter{footnote}{0}%
17562 }
17563 \renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
17564 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
17565 \renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
17566 \renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
17567 \renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
17568 \renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
17569 \renewcommand*{\thesection}{\thechapter\SepMark\arabic\c@section}
17570 \renewcommand*{\thesubsection}{%
17571 \thesection\SepMark\arabic\c@subsection}
17572 \renewcommand*{\thesubsubsection}{%
17573 \thesubsection\SepMark\arabic\c@subsubsection}
17574 \renewcommand*{\theparagraph}{%
17575 \thesubsubsection\SepMark\arabic\c@paragraph}
17576 \renewcommand*{\thesubparagraph}{%
17577 \theparagraph\SepMark\arabic\c@subparagraph}
17578 \renewcommand{\setthesection}{\thechapter\SepMark\Alph{section}}
17579 \renewcommand{\theequation}{%
17580 \ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
17581 \renewcommand{\thefigure}{\thechapter\SepMark\arabic\c@figure}
17582 \renewcommand{\thetable}{\thechapter\SepMark\arabic\c@table}
17583 \ifartopt
17584 \chapterstyle{article}

```



```

17585 \counterwithout{figure}{chapter}
17586 \counterwithout{table}{chapter}
17587 \counterwithout{footnote}{chapter}
17588 \counterwithout{equation}{chapter}
17589 \renewcommand{\chaptername}{}
17590 \renewcommand{\maketitlehookb}{%
17591   \vskip -1.5\topsep\vskip -1.5\partopsep}
17592 \renewcommand{\maketitlehookc}{%
17593   \vskip -1.5\topsep\vskip -1.5\partopsep}
17594 \fi
17595 \long\def\@makecaption#1#2{\let\@memtempa\relax
17596   \ifdim\prevdepth>-99\p@\vskip\abovecaptionskip
17597   \else \def\@memtempa{\vbox to\topskip{}{}\fi
17598   \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
17599   \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
17600   \sbox\@tempboxa{@contnfont #1\@contdelim \@conttfont #2\@contfinal}
17601   \let\footnote\@contfnote
17602   \let\footnotemark\@contfmark
17603   \ifdim\wd\@tempboxa<\linewidth \centering \fi
17604   \if@contcw
17605     \centering
17606     \parbox{\@contcwidth}{%
17607       \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
17608     \fi
17609   \ifdim\wd\@tempboxa<\linewidth
17610     \@contpre
17611     {\@contnfont #1\@contdelim}\@memtempa
17612     {\@contcshortstyle \@conttfont #2\@contfinal\par}
17613   \else
17614     \if@conthang
17615       \sbox\@tempboxa{@contnfont #1\@contdelim}
17616       \@contpre%
17617       {\@contcstyle\hangindent=\wd\@tempboxa
17618         \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
17619     \else
17620       \if@contindent
17621         \@contpre%
17622         {\@contnfont #1\@contdelim}\@memtempa
17623         {\@contcstyle\hangindent=\@contindw
17624           \hangafter=\@ne\@conttfont #2\@contfinal\par}%
17625           <- v1.4
17626       \else
17627         \@contpre%
17628         {\@contnfont #1\@contdelim}\@memtempa
17629         {\@contcstyle \@conttfont #2\@contfinal\par}
17630       \fi
17631     \fi
17632   \@contpost
17633   \if@contcw
17634     \par
17635   } % end of the \parbox
17636   \fi
17637   \vskip\belowcaptionskip}
17638 \@ifpackage{caption}{%

```



```

17639 \AtBeginPackage{caption}{%
17640 \ClassWarningNoLine{memoir}{%
17641   You are using the caption package with the memoir \MessageBreak
17642   class. This may cause unexpected or inconsistent \MessageBreak
17643   results if you use any of memoir's captioning facilities}
17644
17645 \long\def\@makecaption##1##2{%
17646   \vskip\abovecaptionskip
17647   \sbox{\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}}%
17648   \ifdim \wd\@tempboxa >\hsize
17649     \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
17650   \else
17651     \global \ominipagefalse
17652     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
17653   \fi
17654   \vskip\belowcaptionskip}
17655
17656 \def\caption{%
17657   \ifx\@captive\@undefined
17658     \@latex@error{\noexpand\caption outside float}\@ehd
17659     \expandafter\@gobble
17660   \else
17661     \refstepcounter\@captive
17662     \expandafter\@firstofone
17663   \fi
17664   {\@dblarg{\@caption\@captive}}%
17665 }
17666
17667 \long\def\@caption##1[##2]##3{%
17668   \par
17669   \addcontentsline{\csname ext@##1\endcsname}{##1}{%
17670     \protect\numberline{\csname the##1\endcsname}\ignorespaces ##2}%
17671   \begingroup
17672     \parboxrestore
17673     \if@minipage
17674       \setminipage
17675     \fi
17676     \normalsize
17677     \makecaption{\csname fnum@##1\endcsname}\ignorespaces ##3\par
17678   \endgroup
17679 }{}}
17680 \renewenvironment{thebibliography}[1]{%
17681   \bibsection
17682   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17683   \bidi@@thebibliography@font@hook%
17684   \begin{bibitemlist}{#1}\end{bibitemlist}\postbibhook}

```

116 File `midfloat-xetex-bidi.def`

```

17685 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
17686 \def\RTL@outputdblcol{%
17687   \if@firstcolumn
17688     \global \firstcolumnfalse
17689     \global\setbox\leftcolumn\copy\outputbox

```



```

17690   \splitmaxdepth\maxdimen
17691   \vbadness\maxdimen
17692   \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
17693   \setbox\@outputbox\vsplit\@outputbox to\maxdimen
17694   \toks@\expandafter{\topmark}%
17695   \xdef\@firstcoltopmark{\the\toks@}%
17696   \toks@\expandafter{\splitfirstmark}%
17697   \xdef\@firstcolfirstmark{\the\toks@}%
17698   \ifx\@firstcolfirstmark\empty
17699     \global\let\@setmarks\relax
17700   \else
17701     \gdef\@setmarks{%
17702       \let\firstmark\@firstcolfirstmark
17703       \let\topmark\@firstcoltopmark}%
17704   \fi
17705   \global\c@colht\@colht\global\c@addvipersep\z@
17706   \ifnum\juo@sk>0
17707     \remove@strip\juo@sar
17708     \global\@colht\the\juo@pr
17709     \ifdim\right@cor>\z@
17710       \global\advance\@colht by\right@cor
17711     \fi
17712     \global\advance\@colht by\cor@height
17713     \global\cor@height=0pt
17714   \fi
17715   \global\setbox\@rightcolumn\vbox{}%
17716 \else
17717   \ifdim\c@colht\@colht
17718     \tempdima\@colht
17719     \ifdim\@colht>\z@
17720       \global\setbox\@rightcolumn\vbox{%
17721         \unvbox\@rightcolumn
17722         \vbox to\@tempdima{%
17723           \vskip\c@addvipersep\unvbox\@outputbox}%
17724           \vskip\stripsep
17725           \vrule height\the\juo@ht width Opt depth Opt
17726           \vskip\stripsep
17727         }%
17728       \global\c@addvipersep\m@addvipersep
17729     \else
17730       \global\setbox\@rightcolumn\vbox{%
17731         \unvbox\@rightcolumn
17732         \vrule height\the\juo@ht width Opt depth Opt
17733         \vskip\stripsep
17734       }%
17735     \fi
17736   \ifnum\juo@sk>0
17737     \remove@strip\juo@sar
17738     \global\@colht\the\juo@pr
17739     \global\advance\@colht by -\ht\@rightcolumn
17740     \global\advance\@colht by\cor@height
17741     \global\cor@height=0pt
17742   \else
17743     \global\advance\c@colht by-\ht\@rightcolumn

```



```

17744           \global\@colht\c@colht
17745           \fi
17746 \else
17747 \global\@firstcolumntrue
17748 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
17749             \unvbox\@rightcolumn
17750             \vskip\c@addvipersep
17751             \unvbox\@outputbox
17752             }%
17753 \setbox\@outputbox \vbox {%
17754             \hb@xt@\textwidth {%
17755                 \hskip \columnwidth
17756                 \hfil
17757                 \vrule \@width\columnseprule
17758                 \hfil
17759                 \hb@xt@\columnwidth {%
17760                     \bidi@firstcolumn@status@write%
17761                     \box\@leftcolumn \hss}%
17762                     \hskip-\textwidth
17763                     \hb@xt@\columnwidth {%
17764                         \bidi@lastcolumn@status@write%
17765                         \box\@outputbox \hss}%
17766                     \hskip\columnwidth
17767                     \hskip\columnsep}%
17768             }%
17769 \@combinedblfloats
17770 \@setmarks
17771 \@outputpage
17772 \begingroup
17773     \@dblfloatplacement
17774     \@startdblcolumn
17775     \@whilesw\if@fcolmade \fi
17776         {\@outputpage
17777             \@startdblcolumn}%
17778 \endgroup
17779 \global\juo@sk=0\global\juo@sar={}%
17780 \global\cor@height\z@\global\c@addvipersep\z@
17781 \fi
17782 \fi
17783 }
17784
17785
17786 \def\LTR@outputdblcol{%
17787     \if@firstcolumn
17788         \global \@firstcolumnfalse
17789         \global\setbox\@leftcolumn\copy\@outputbox
17790         \splitmaxdepth\maxdimen
17791         \vbadness\maxdimen
17792         \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
17793         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
17794         \toks@{\expandafter{\topmark}}%
17795         \xdef\@firstcoltopmark{\the\toks@}%
17796         \toks@{\expandafter{\splitfirstmark}}%
17797         \xdef\@firstcolfirstmark{\the\toks@}%

```



```

17798 \ifx\@firstcolfirstmark\@empty
17799   \global\let\@setmarks\relax
17800 \else
17801   \gdef\@setmarks{%
17802     \let\firstmark\@firstcolfirstmark
17803     \let\topmark\@firstcoltopmark}%
17804 \fi
17805 \global\c@colht\@colht\global\c@addvipersep\z@
17806 \ifnum\juo@sk>0
17807   \remove@strip\juo@sar
17808   \global\@colht\the\juo@pr
17809   \ifdim\right@cor>\z@
17810     \global\advance\@colht by\right@cor
17811   \fi
17812   \global\advance\@colht by\cor@height
17813   \global\cor@height=0pt
17814 \fi
17815 \global\setbox\@rightcolumn\vbox{}%
17816 \else
17817   \ifdim\c@colht>\@colht
17818     \tempdima\@colht
17819     \ifdim\@colht>\z@
17820       \global\setbox\@rightcolumn\vbox{%
17821         \unvbox\@rightcolumn
17822         \vbox to\@tempdima{%
17823           \vskip\c@addvipersep\unvbox\@outputbox}%
17824           \vskip\stripsep
17825           \vrule height\the\juo@ht width 0pt depth 0pt
17826           \vskip\stripsep
17827         }%
17828       \global\c@addvipersep\m@addvipersep
17829     \else
17830       \global\setbox\@rightcolumn\vbox{%
17831         \unvbox\@rightcolumn
17832         \vrule height\the\juo@ht width 0pt depth 0pt
17833         \vskip\stripsep
17834       }%
17835     \fi
17836   \ifnum\juo@sk>0
17837     \remove@strip\juo@sar
17838     \global\@colht\the\juo@pr
17839     \global\advance\@colht by -\ht\@rightcolumn
17840     \global\advance\@colht by\cor@height
17841     \global\cor@height=0pt
17842   \else
17843     \global\advance\c@colht by-\ht\@rightcolumn
17844     \global\@colht\c@colht
17845   \fi
17846 \else
17847   \global\@firstcolumntrue
17848   \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
17849     \unvbox\@rightcolumn
17850     \vskip\c@addvipersep
17851     \unvbox\@outputbox

```



```

17852      }%
17853      \setbox\@outputbox \vbox {%
17854          \hb@xt@\textwidth {%
17855              \hb@xt@\columnwidth {%
17856                  \bidi@firstcolumn@status@write%
17857                      \box\@leftcolumn \hss}%
17858                  \hfil
17859                  \vrule \cwidth\columnsep
17860                  \hfil
17861                  \hb@xt@\columnwidth {%
17862                      \bidi@lastcolumn@status@write%
17863                          \box\@outputbox \hss}%
17864                      }%
17865      }%
17866      \@combinedblfloats
17867      \@setmarks
17868      \@outputpage
17869      \begingroup
17870          \@dblfloatplacement
17871          \@startdblcolumn
17872          \@whilesw\if@fcollmade \fi
17873              {\@outputpage
17874                  \@startdblcolumn}%
17875      \endgroup
17876      \global\juo@sk=0\global\juo@sar={}%
17877      \global\cor@height\z@\global\c@addvipersep\z@
17878      \fi
17879  \fi
17880 }
17881
17882
17883 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
17884   \global\setbox\@viper\vbox\bgroun\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi
17885       \hsize\textwidth
17886       \parboxrestore
17887       \col@number \one
17888       \vrule height\topskip width0pt depth0pt
17889 }
17890
17891 \def\endstrip{%
17892     \egroup\egroup
17893     \if@firstcolumn
17894         \ifdim\pagetotal>\z@
17895             \vskip\stripsep
17896             \global\ht@strip\pagegoal
17897             \global\advance\ht@strip by-\pagetotal
17898             \global\advance\ht@strip by-\stripsep
17899             \global\advance\ht@strip by-\ht\@viper
17900             \global\advance\ht@strip by-\stripsep
17901             \global\juo@ht=\ht\@viper
17902         \else
17903             \global\ht@strip\z@
17904         \fi
17905     \ifdim\ht@strip>\z@

```



```

17906          \unvbox\@viper
17907          \vskip\stripsep
17908          \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
17909          \global\advance\juo@sk by1
17910      \else
17911          \@latex@error{Strip needs more place!}\@ehc
17912          \if@vihproof
17913              \framebox[\columnwidth]{???? Strip ???}%
17914          \fi
17915      \fi
17916  \else
17917      \@latex@error{Strip is used only on left column!}\@ehc
17918      \if@vihproof
17919          \framebox[\columnwidth]{???? Strip ???}%
17920      \fi
17921  \fi
17922 }

```

117 File minitoc-xetex-bidi.def

```

17923 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package f
17924 \def\@undottedtocline#1#2#3#4#5{%
17925   \ifnum #1>\c@tocdepth\relax \else
17926     \vskip \z@ plus.2\p@
17927     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrmarg
17928       \parindent #2\relax\@afterindenttrue
17929       \interlinepenalty\@M
17930       \leavevmode
17931       \atempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \hbox{}%
17932       \hskip -\if@RTL\rightskip\else\leftskip\fi
17933       #4\nobreak\hfill \nobreak
17934       \null\par}%
17935   \fi}
17936 \def\@Undottedtocline#1#2#3#4#5{%
17937   \ifnum #1>\c@tocdepth\relax \else
17938     \vskip \z@ \atplus.2\p@
17939     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrm
17940       \parindent #2\relax\@afterindenttrue
17941       \interlinepenalty\@M
17942       \leavevmode
17943       \atempdima #3\relax
17944       \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \null\nobreak\hskip -\if@RTL\right
17945       {\coffeefont #4}\nobreak \nobreak\null
17946       \par}%
17947   \fi}
17948 \def\@Undottedtoclinep#1#2#3#4#5{%
17949   \ifnum #1>\c@tocdepth\relax \else
17950     \vskip \z@ \atplus.2\p@
17951     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrm
17952       \parindent #2\relax\@afterindenttrue
17953       \interlinepenalty\@M
17954       \leavevmode
17955       \atempdima #3\relax
17956       \advance\if@RTL\rightskip\else\leftskip\fi \atempdima \null\nobreak\hskip -\if@RTL\right

```



```

17957      {#4}\nobreak \hfill \nobreak\null
17958      \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
17959      \par}%
17960  \fi}

```

118 File `multicol-xetex-bidi.def`

```

17961 \ProvidesFile{multicol-xetex-bidi.def}[2022/02/01 v1.3 bidi adaptations for multicol package]
17962 \def\page@sofar{%
17963   \process@cols\mult@rightbox
17964     {\ifvoid\count@
17965       \setbox\count@\hbox to\hsize}%
17966     \else
17967       \wd\count@\hsize
17968     \fi}%
17969   \count@\col@number \advance\count@\m@ne
17970   \mult@info{z@}
17971   {Column spec: \the\full@width\space = indent
17972     + columns + sep =\MessageBreak
17973     \the\multicol@leftmargin\space
17974     + \the\col@number\space
17975     x \the\hsize\space
17976     + \the\count@\space
17977     x \the\columnsep
17978   }%
17979 \ifvmode\else\errmessage{Multicol Error}\fi
17980   \nointerlineskip
17981   \setbox{z@}\hbox{p}\global\dimen\tw@\dp{z@}
17982   \moveright\multicol@leftmargin
17983   \hbox to\full@width{%
17984     \bidi@multicol@align@columns
17985     \rlap{\phantom p}%
17986   }%
17987 \prevdepth{z@}
17988 \kern-\dimen\tw@
17989 \ifdim\dimen\tw@ > \mc@gridwarn
17990   \PackageWarning{multicol}%
17991   {Very deep columns!\MessageBreak
17992     Grid alignment might be broken}%
17993 \fi
17994 }
17995 \def\LTR@column@boxes{%
17996   \process@cols\mult@firstbox{%
17997     \ifdim\dp\count@>\dimen\tw@
17998       \global\dimen\tw@\dp\count@ \fi
17999       \mc@col@status@write
18000       \box\count@
18001       \hss{\columnseprulecolor\vrule
18002         @width\columnseprule}\hss}%
18003   \ifdim\dp\mult@rightbox>\dimen\tw@
18004     \global\dimen\tw@\dp\mult@rightbox \fi
18005   \mc@lastcol@status@write
18006   \box\mult@rightbox
18007 }

```



```

18008 \def\RTL@column@boxes{%
18009   \process@cols\mult@firstbox{%
18010     \hskip\hsize
18011     \hss{\columnseprulecolor\vrule
18012       @width\columnseprule}\hss
18013   }%
18014   \hskip\hsize
18015   \process@cols\mult@firstbox{%
18016     \ifdim\dp\count@>\dimen\tw@
18017       \global\dimen\tw@\dp\count@ \fi
18018       \hskip-\hsize
18019       \mc@col@status@write
18020       \box\count@
18021       \hskip-\hsize
18022       \hskip-\columnsep
18023   }%
18024   \ifdim\dp\mult@rightbox>\dimen\tw@
18025     \global\dimen\tw@\dp\mult@rightbox \fi
18026     \hskip-\hsize
18027     \mc@lastcol@status@write
18028     \box\mult@rightbox
18029     \hskip-\hsize
18030     \hskip\full@width
18031   }
18032 }
18033 \newcommand\RTLmulticolcolumns
18034   {\let\bidi@multicol@align@columns
18035     \RTL@column@boxes}
18036 \newcommand\LTRmulticolcolumns
18037   {\let\bidi@multicol@align@columns
18038     \LTR@column@boxes}
18039 \newcommand\bidi@multicol@align@columns
18040   {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
18041   \bidi@AtEndPreamble{%
18042     \if@bidi@csdef{footinsv@l}{%
18043       \def\footnoterule{\kern-3\p@
18044         \hrule @width \textwidth \kern 2.6\p@}%
18045     }{}%
18046   }{}%
18047 }
18048 \def\multicols#1{\col@number#1\relax
18049   \ifnum\col@number<\tw@
18050     \PackageWarning{multicol}%
18051     {Using `~\number\col@number'%
18052      columns doesn't seem a good idea.^~J%
18053      I therefore use two columns instead}%
18054     \col@number\tw@ \fi
18055   \ifnum\col@number>20
18056     \PackageError{multicol}%
18057     {Too many columns}%
18058     {Current implementation doesn't%
18059      support more than 20 columns.}%
18060     \MessageBreak
18061     I therefore use 20 columns instead}%

```



```

18062      \col@number20 \fi
18063      \ifx\@footnotetext\mult@footnotetext
18064      \else
18065          \let\orig@footnotetext\@footnotetext
18066          \let\@footnotetext\mult@footnotetext
18067      \fi
18068      \ifx\@LTRfootnotetext\mult@LTRfootnotetext
18069      \else
18070          \let\orig@LTRfootnotetext\@LTRfootnotetext
18071          \let\@LTRfootnotetext\mult@LTRfootnotetext
18072      \fi
18073      \ifx\@RTLfootnotetext\mult@RTLfootnotetext
18074      \else
18075          \let\orig@RTLfootnotetext\@RTLfootnotetext
18076          \let\@RTLfootnotetext\mult@RTLfootnotetext
18077      \fi
18078  \@ifnextchar[\mult@cols{\mult@cols[]}]
18079 \long\def\mult@footnotetext#1{\begingroup
18080     \hsize\textwidth
18081     \columnwidth\textwidth
18082     \orig@footnotetext{\#1}\endgroup}
18083 \long\def\mult@LTRfootnotetext#1{\begingroup
18084     \hsize\textwidth
18085     \columnwidth\textwidth
18086     \orig@LTRfootnotetext{\#1}\endgroup}
18087 \long\def\mult@RTLfootnotetext#1{\begingroup
18088     \hsize\textwidth
18089     \columnwidth\textwidth
18090     \orig@RTLfootnotetext{\#1}\endgroup}
18091 \def\right@footnoterule{%
18092   \kern-3\p@
18093   \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
18094   \kern2.6\p@}
18095 \def\textwidth@footnoterule{\kern-3\p@
18096   \hrule \width \textwidth \kern 2.6\p@}
18097 \def\bidi@leave@mult@copyins{%
18098   \advance\dimen@\-\skip\@bidi@copyins@%
18099   \advance\dimen@\-\ht\@bidi@copyins@%
18100 }
18101 \bidi@AtEndPreamble{%
18102   \if@bidi@csdef{footinsv@l}{%
18103     \def\bidi@leave@mult@footins@vr{%
18104         \advance\dimen@\-\skip\footinsv@r
18105         \advance\dimen@\-\ht\footinsv@r
18106     }%
18107     \def\bidi@leave@mult@footins@vl{%
18108         \advance\dimen@\-\skip\footinsv@l
18109         \advance\dimen@\-\ht\footinsv@l
18110     }%
18111     \def\bidi@init@mult@footinsv@r{%
18112         \multiply\count\footinsv@r\col@number
18113         \multiply\skip\footinsv@r\col@number
18114     }%
18115     \def\bidi@init@mult@footinsv@l{%

```



```

18116      \multiply\count\footinsv@l\col@number
18117      \multiply\skip \footinsv@l\col@number
18118  }%
18119  \def\bidi@reinsert@footnotesv@r{\ifvoid\footinsv@r\else
18120      \insert\footinsv@r{}\fi}%
18121  \def\bidi@reinsert@footnotesv@l{\ifvoid\footinsv@l\else
18122      \insert\footinsv@l{}\fi}%
18123  \bidi@patchcmd{\prepare@multicols}{%
18124      \reinsert@footnotes
18125  }{%
18126      \reinsert@footnotes
18127      \bidi@init@mult@footinsv@r
18128      \bidi@reinsert@footnotesv@r
18129      \bidi@init@mult@footinsv@l
18130      \bidi@reinsert@footnotesv@l
18131  }{}{%
18132  \bidi@patchcmd{\multi@column@out}{%
18133      \ifnum \c@tracingmulticols>\thr@@
18134  }{%
18135      \ifvoid\footinsv@r
18136      \ifvoid\footinsv@l
18137      \else
18138          \PackageWarning{multicol}%
18139          {I moved some lines to
18140              the next page.\MessageBreak
18141              Footnotes on page
18142              \thepage\space might be wrong}%
18143          \fi
18144      \else
18145          \PackageWarning{multicol}%
18146          {I moved some lines to
18147              the next page.\MessageBreak
18148              Footnotes on page
18149              \thepage\space might be wrong}%
18150          \fi
18151      \ifnum \c@tracingmulticols>\thr@@
18152  }{}{%
18153  \bidi@patchcmd{\endmulticols}{%
18154      \reinsert@footnotes
18155  }{%
18156      \reinsert@footnotes
18157      \bidi@reinsert@footnotesv@r
18158      \bidi@reinsert@footnotesv@l
18159  }{}{%
18160  \bidi@patchcmd{\speci@ls}{%
18161      \reinsert@footnotes
18162  }{%
18163      \reinsert@footnotes
18164      \bidi@reinsert@footnotesv@r
18165      \bidi@reinsert@footnotesv@l
18166  }{}{%
18167  \bidi@patchcmd{\speci@ls}{%
18168      \reinsert@footnotes
18169  }{%

```



```

18170  \reinsert@footnotes
18171  \bidi@reinsert@footnotesv@r
18172  \bidi@reinsert@footnotesv@l
18173 }{}%
18174 }{}%
18175 \bidi@patchcmd{\multi@column@out}{%
18176   \ifvbox \@kludgeins
18177 }{%
18178   \if@bidi@csdef{footinsv@l}{%
18179     \divide\skip\footinsv@r\col@number
18180     \ifvoid\footinsv@r \else
18181       \bidi@leave@mult@footins@vr
18182     \fi
18183     \divide\skip\footinsv@l\col@number
18184     \ifvoid\footinsv@l \else
18185       \bidi@leave@mult@footins@vl
18186     \fi
18187   }{}%
18188   \ifvoid\@bidi@copyins@ \else
18189     \bidi@leave@mult@copyins
18190   \fi
18191   \ifvbox \@kludgeins
18192 }{}%
18193 }

```

119 File multienum-xetex-bidi.def

```

18194 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum packa
18195 \renewcommand{\itemx}[1]{\parbox[t]{%
18196 {\labelwidth}\hfill{\labelname}}\hskip\labelsep%
18197 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}\%\smallskip
18198 \renewcommand{\itemxx}[2]{\parbox[t]{%
18199 {\labelwidth}\hfill{\labelname}}\hskip\labelsep
18200 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
18201 {\labelwidth}\hfill{\labelname}}\hskip\labelsep
18202 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
18203 \renewcommand{\itemxxx}[3]{\parbox[t]{%
18204 {\labelwidth}\hfill{\labelname}}\hskip\labelsep%
18205 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
18206 {\labelwidth}\hfill {\labelname}}\hskip\labelsep%
18207 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]{%
18208 {\labelwidth}\hfill{\labelname}}\hskip\labelsep%
18209 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}\%\smallskip
18210 \renewcommand{\itemxxxx}[4]{\parbox[t]{%
18211 {\labelwidth}\hfill{\labelname}}\hskip\labelsep
18212 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]{%
18213 {\labelwidth}\hfill{\labelname}}\hskip\labelsep
18214 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
18215 \parbox[t]{\labelwidth}\hfill{\labelname}\hskip\labelsep
18216 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
18217 \parbox[t]{\labelwidth}\hfill{\labelname}\hskip\labelsep
18218 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
18219 \renewcommand{\itemxxxxx}[5]{\parbox[t]{%
18220 {\labelwidth}\hfill{\labelname}}\hskip\labelsep

```



```

18221 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #1}\hfill%
18222 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18223 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #2}\hfill%
18224 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18225 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #3}\hfill%
18226 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18227 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #4}\hfill%
18228 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18229 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #5}\smallskip
18230 \renewcommand{\itemxox}[2]{\parbox[t]%
18231 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18232 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
18233 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18234 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip
18235 \renewcommand{\itemxxo}[2]{\parbox[t]%
18236 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18237 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
18238 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18239 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip
18240 \renewcommand{\itemxoxx}[3]{\parbox[t]%
18241 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18242 \parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill%
18243 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18244 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
18245 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18246 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip
18247 \renewcommand{\itemxxox}[3]{\parbox[t]%
18248 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18249 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
18250 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18251 \parbox[t]{\remainxoxx}{\bidi@raggedright #2}\hfill%
18252 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18253 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip
18254 \renewcommand{\itemxxo}[3]{\parbox[t]%
18255 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18256 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
18257 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18258 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
18259 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18260 \parbox[t]{\remainxoxx}{\bidi@raggedright #3}\smallskip}

```

120 File `natbib-xetex-bidi.def`

```

18261 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for
18262 \renewenvironment{thebibliography}[1]{%
18263   \bibsection
18264   \parindent\z@
18265   \bibpreamble
18266   \bibfont
18267   \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
18268   \bidi@@thebibliography@font@hook%
18269   \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{\#1}\global\c@NAT@ctr\z@}%
18270   \ifNAT@openbib
18271     \renewcommand{\newblock}{\par}%

```



```

18272 \else
18273   \renewcommand{\newblock}{\hspace{.11em} \texttt{@plus}.33em \texttt{@minus}.07em}%
18274 \fi
18275 \sloppy\clubpenalty4000\widowpenalty4000
18276 \sfcode`\. \texttt{@m}
18277 \let\NAT@bibitem@first@sw\@firstoftwo
18278   \let\citeN\cite \let\shortcite\cite
18279   \let\citeasnoun\cite
18280 }{%
18281 \bibitem@fin
18282 \bibpostamble
18283 \def\@noitemerr{%
18284 \PackageWarning{natbib}{Empty `thebibliography' environment}%
18285 }%
18286 \endlist
18287 \bibcleanup
18288 }%

```

121 File newfloat-xetex-bidi.def

```

18289 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
18290 \renewcommand*\newfloat@setwithin[2]{%
18291   \ifcsname c@chapter\endcsname
18292     \removefromreset{#1}{chapter}%
18293   \fi
18294   \removefromreset{#1}{section}%
18295   \edef\@tempa{#2}%
18296   \ifx\@tempa\empty
18297     \def\@tempa{none}%
18298   \fi
18299   \def\@tempb{none}%
18300   \ifx\@tempa\@tempb
18301     \ifcsname c@chapter\endcsname
18302       \chapterlistsgap@off{#1}%
18303     \fi
18304     \newfloat@@setwithin{#1}{}{%
18305   \else
18306     \def\@tempb{chapter}%
18307     \ifx\@tempa\@tempb
18308       \addtoreset{#1}{chapter}%
18309       \chapterlistsgap@on{#1}%
18310       \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@\thechapter\@SepMark\fi}{\theHchapter\@SepMark}%
18311     \else
18312       \def\@tempb{section}%
18313       \ifx\@tempa\@tempb
18314         \addtoreset{#1}{section}%
18315         \ifcsname c@chapter\endcsname
18316           \addtoreset{#1}{chapter}%
18317           \chapterlistsgap@on{#1}%
18318           \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
18319         \else
18320           \newfloat@@setwithin{#1}{\ifnum\c@section>\z@\thesection\@SepMark\fi}{\theHsection\@SepMark}%
18321         \fi
18322       \else

```



```

18323      \newfloat@Error{Invalid value `#2' for option `within'}%
18324      \fi
18325      \fi
18326  \fi}

```

122 File nicematrix-xetex-bidi.def

```

18327 \ProvidesFile{nicematrix-xetex-bidi.def}[2022/07/04 v0.1 bidi adaptations for nicematrix pac
18328 \ExplSyntaxOn
18329 \bidi@patchcmd{\__nicematrix_array}{\@tabarray}{%
18330   \bool_if:NF \l__nicematrix_NiceTabular_bool \oRTLtabfalse
18331   \@tabarray
18332 }{}{%
18333 \ExplSyntaxOff
18334

```

123 File ntheorem-xetex-bidi.def

```

18335 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package
18336 \gdef\@thm#1#2#3{%
18337   \if@thmmarks
18338     \stepcounter{end}\InTheoType{ctr}%
18339   \fi
18340   \renewcommand{\InTheoType}{#1}%
18341   \if@thmmarks
18342     \stepcounter{curr#1ctr}%
18343     \setcounter{end#1ctr}{0}%
18344   \fi
18345   \refstepcounter{#2}%
18346   \theorem@prework
18347   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \o@trivlist
18348   \ifvmode \advance\thm@topsepadd\partopsep\fi
18349   \trivlist
18350   \o@topsep \theorempreskipamount
18351   \o@topsepadd \thm@topsepadd % used by \o@endparenv
18352   \advance\linewidth -\theorem@indent
18353   \advance\o@totalleftmargin \theorem@indent
18354   \if@RTL\parshape \o@ne Opt \linewidth\else \parshape \o@ne \o@totalleftmargin \linewidth\fi
18355   \o@ifnextchar[\{\o@thm{#1}{#2}{#3}\}\{\o@xthm{#1}{#2}{#3}\}]%

```

124 File ntheorem-hyper-xetex-bidi.def

```

18356 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-h
18357 \gdef\@thm#1#2#3{%
18358   \if@thmmarks
18359     \stepcounter{end}\InTheoType{ctr}%
18360   \fi
18361   \renewcommand{\InTheoType}{#1}%
18362   \if@thmmarks
18363     \stepcounter{curr#1ctr}%
18364     \setcounter{end#1ctr}{0}%
18365   \fi
18366   \refstepcounter{#2}%
18367   \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \o@trivlist

```



```

18368 \ifvmode \advance\thm@topsepadd\partopsep\fi
18369 \trivlist
18370 \@topsep \theorempreskipamount
18371 \@topsepadd \thm@topsepadd % used by \endparenv
18372 \advance\linewidth -\theorem@indent
18373 \advance\@totalleftmargin \theorem@indent
18374 \if@RTL\parshape \one Opt \linewidth\else \parshape \one \@totalleftmargin \linewidth\fi
18375 \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}

```

125 File overpic-xetex-bidi.def

```

18376 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package f
18377 \renewenvironment{overpic}[2] []{%
18378   \sbox{\z@}{\includegraphics[#1]{#2}}%
18379   \settodepth{\@tempcnta}{\usebox{\z@}}%
18380   \settoheight{\@tempcntb}{\usebox{\z@}}%
18381   \advance\@tempcntb\@tempcnta%
18382   \settowidth{\@tempcnta}{\usebox{\z@}}%
18383   \setlength{\@tempdima}{\unitlength}%
18384   \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
18385 %
18386   \OVP@calc%
18387 %
18388   \begin{picture}(\@tempcnta,\@tempcntb)%
18389     \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
18390     \ifGin@grid%
18391       \put(0,0){\normalfont\fontsize@viiipt@viiipt\selectfont}%
18392         \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]%
18393     \fi\fi%
18394     % reset the graphics parameter
18395     \let\Gin@outer@scaled\relax
18396     \let\Gin@outer@scaled\relax
18397     \let\Gin@angle\relax
18398     \let\Gin@ewidht\Gin@exclamation
18399     \let\Gin@eheight\Gin@ewidht
18400     \def\Gin@scaled{1}
18401     \let\Gin@scaled\Gin@exclamation
18402   }{%
18403     \if@RTL\ifGin@grid%
18404       \put(0,0){\normalfont\fontsize@viiipt@viiipt\selectfont}%
18405         \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]%
18406     \fi%
18407     \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
18408   }%
18409 }

```

126 File pdfbase-xetex-bidi.def

```

18410 \ProvidesFile{pdfbase-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for pdfbase package f
18411 \ExplSyntaxOn
18412 \cs_set_eq:NN \pbs_outputpage_orig: \outputpage
18413 \cs_set_nopar:Npn \outputpage{%
18414   \int_gincr:N \g_pbs_page_int
18415   \box_if_vertical:cTF{\outputbox}{%

```



```

18416     \bool_set_true:N\l_pbs_is_vertical_bool
18417     }{
18418     \bool_set_false:N\l_pbs_is_vertical_bool
18419   }
18420   \hbox_set:Nn\@outputbox{
18421     %begin of page
18422     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
18423     \box_use_drop:N\@outputbox
18424     %end of page
18425     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
18426   }
18427   \bool_if:NT\l_pbs_is_vertical_bool{
18428     \vbox_set:Nn\@outputbox{\box_use_drop:N\@outputbox}
18429   }
18430   \pbs_outputpage_orig:
18431 }
18432 \ExplSyntaxOff

```

127 File pdflscape-xetex-bidi.def

```

18433 \ProvidesFile{pdflscape-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for pdflscape package]
18434 \bidi@patchcmd{\landscape}{\PLS@Rotate{90}}{%
18435   \if@RTL
18436     \PLS@Rotate{-90}%
18437   \else
18438     \PLS@Rotate{90}%
18439   \fi
18440 }{}{%

```

128 File pdfpages-xetex-bidi.def

```

18441 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
18442 \renewcommand*{\includepdf}[2][]{%
18443   \begingroup
18444   \if@RTLfalse
18445     \let\AM@threadname\relax
18446     \AM@split@options{pdfpages}{#1}%
18447     \edef\AM@temp{\pdfpages}{\the\@temptokena}%
18448     \expandafter\setkeys\AM@temp
18449     \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
18450       \let\AM@currentdocname\relax
18451       \renewcommand\includegraphics[2][]{Survey in draft-mode}%
18452       \def\AM@pagecount{0}%
18453     }{%
18454       \AM@findfile{#2}%
18455       \if\AM@threadname\relax
18456         \def\AM@threadname{\AM@currentdocname}%
18457       \fi
18458     }%
18459     \ifAM@survey
18460       \def\AM@pagestemp{}%
18461       \c@tempcnta=0
18462       \def\foo{%
18463         \ifeundefined{r@\AM@xrprefix pdfpages@page\the\c@tempcnta}%

```



```

18464      {\let\foo\relax}
18465      {\expandafter\ifx\expandafter\\\AM@pagestemp\\
18466          \edef\AM@pagestemp{%
18467              \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
18468      \else
18469          \edef\AM@pagestemp{\AM@pagestemp,%
18470              \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
18471      \fi
18472          \advance\@tempcnta 1\relax
18473      }%
18474      \foo
18475  }%
18476  \foo
18477  \expandafter\ifx\expandafter\\\AM@pagestemp\\
18478      \def\AM@pagestemp{1}%
18479      \fi
18480  \fi
18481  \ifAM@output
18482      \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
18483      \AM@output{#1}%
18484  \fi
18485  \AM@CheckAtEnd
18486  \endgroup
18487  \AM@ClearShipoutPicture
18488 }

```

129 File pgfcorescopes.code-xetex-bidi.def

```

18489 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pa
18490 \def\pgfpicture{%
18491  \begingroup%
18492  \ifmmode\else\@RTLfalse\beginL\fi%
18493  \pgfpicturetrue%
18494  \global\advance\pgf@picture@serial@count by1\relax%
18495  \edef\pgfpictureid{\pgfid\the\pgf@picture@serial@count}%
18496  \let\pgf@nodecallback=\pgfutil@gobble%
18497  \pgf@picmaxx=-16000pt\relax%
18498  \pgf@picminx=16000pt\relax%
18499  \pgf@picmaxy=-16000pt\relax%
18500  \pgf@picminy=16000pt\relax%
18501  \pgf@relevantforpicturesizetrue%
18502  \pgf@resetpathsizes%
18503  \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}%
18504 \def\endpgfpicture{%
18505  \ifpgfrememberpicturepositiononpage%
18506  \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
18507  \fi%
18508  % ok, now let's position the box
18509  \ifdim\pgf@picmaxx=-16000pt\relax%
18510  % empty picture. make size 0.
18511  \global\pgf@picmaxx=0pt\relax%
18512  \global\pgf@picminx=0pt\relax%
18513  \global\pgf@picmaxy=0pt\relax%
18514  \global\pgf@picminy=0pt\relax%

```



```

18515   \fi%
18516   % Shift baseline outside:
18517   \pgf@relevantforpicturesizefalse%
18518   \pgf@process{\pgf@baseline}%
18519   \xdef\pgf@shift@baseline{\the\pgf@y}%
18520   %
18521   \pgf@process{\pgf@trimleft}%
18522   \global\advance\pgf@x by-\pgf@picminx
18523   % prepare \hskip\pgf@trimleft@final.
18524   % note that \pgf@trimleft@final is also queried
18525   % by the pgf image externalization.
18526   \xdef\pgf@trimleft@final{-\the\pgf@x}%
18527   %
18528   \pgf@process{\pgf@trimright}%
18529   \global\advance\pgf@x by-\pgf@picmaxx
18530   % prepare \hskip\pgf@trimright@final.
18531   % note that \pgf@trimright@final is also queried
18532   % by the pgf image externalization.
18533   \xdef\pgf@trimright@final{\the\pgf@x}%
18534   %
18535   \pgf@remember@layerlist@globally
18536       \endgroup%
18537       \hss%
18538       \egroup%
18539   \pgf@restore@layerlist@from@global
18540       \pgf@insertlayers%
18541   \endgroup%
18542   \pgfsys@discardpath%
18543   \endgroup%
18544   \pgfsys@endscope%
18545   \pgfsys@endpicture%
18546   \endgroup%
18547   \hss
18548   \egroup%
18549   \pgfsys@typesetpicturebox\pgfpic%
18550   \ifmmode\else\endL\fi%
18551   \endgroup%
18552 }

```

130 File pgfsys.code-xetex-bidi.def

```

18553 \ProvidesFile{pgfsys.code-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for pgfsys.code.t
18554 \def\pgfsys@shadingoutsidepgfpicture#1{%
18555   \begin{L#1}\end{L}%
18556 }
18557
18558

```

131 File picinpar-xetex-bidi.def

```

18559 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package
18560 \long\def\@makewincaption#1#2{%
18561   \setbox\@tempboxa\hbox{\footnotesize\b{#1}\enspace\{#2\}}%
18562   \ifdim\wd\@tempboxa>\picwd

```



```

18563      {\footnotesize{\bf #1:\enspace}{\#2\par}}
18564      \else
18565          \hbox to\picwd{\if@RTL\beginR\fi\hfil\box@\tempboxa\hfil\if@RTL\endR\fi}
18566      \fi}
18567 \def\endwindow{%
18568     \global\tcd=\tcdsav
18569     \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
18570     \vbadness=10000
18571     \splittopskip=0pt
18572 %
18573 % Typeset the lines above the window
18574 %
18575 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
18576 \tcn=\tcd
18577 \loop\advance\tcn -1
18578 \setbox\fslice=\vsplit\holder to\baselineskip
18579 \prune\fslice\linewidth
18580 \topheight=0pt
18581 \ifnum\dp\fslice>\dp\wstrutbox
18582     \advance\topheight-\dp\fslice
18583     \advance\topheight\dp\wstrutbox
18584     \advance\topheight\ilg\fi
18585 \hbox to\linewidth{\box\fslice}
18586 \vskip-\topheight
18587 \ifdim\ht\holder>0pt\repeat
18588 \fi
18589 %
18590 % Now we build the boxes beside the window
18591 %
18592 \global\topheight=\tcl\baselineskip
18593 \ifnum\cumpartcl>0\global\tcl=\cumtcl
18594     \global\topheight=\vpic
18595 \fi
18596 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
18597 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
18598 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
18599 \tcn=\tcl \na=0 \nb=0
18600 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
18601 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
18602 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
18603 \ifnum\na=0\ifnum\nb=0
18604     \setbox\waslice=\vbox to\vpic{\vss}
18605     \setbox\wbslice=\vbox to\vpic{\vss}
18606     \bl=1\br=1
18607     \vskip\ilg
18608 \fi\fi
18609 %
18610 % both sides
18611 %
18612 \ifnum\na>0 \ifnum\nb>0
18613 \loop\advance\nb -1
18614 \advance\na -1
18615 \if@RTL%
18616 \setbox\bslice=\vsplit\holder to\baselineskip

```



```

18617 \prune\bslice\rtside
18618 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
18619 to\rtside{\box\bslice\hfil}}
18620 \setbox\aslice=\vsplit\holder to\baselineskip
18621 \prune\aslice\lftside
18622 \setbox\waslice=\vbox{\unvbox\waslice\hbox
18623 to\lftside{\box\aslice\hfil}}
18624 \else%
18625 \setbox\aslice=\vsplit\holder to\baselineskip
18626 \prune\aslice\lftside
18627 \setbox\waslice=\vbox{\unvbox\waslice\hbox
18628 to\lftside{\box\aslice\hfil}}
18629 \setbox\bslice=\vsplit\holder to\baselineskip
18630 \prune\bslice\rtside
18631 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
18632 to\rtside{\box\bslice\hfil}}
18633 \fi%
18634 \ifnum\nb>0\repeat
18635 \fi\fi
18636 %
18637 % only text on the left side
18638 %
18639 \ifnum\na>0
18640     \loop\advance\na -1
18641     \setbox\aslice=\vsplit\holder to\baselineskip
18642     \prune\aslice\lftside
18643     \setbox\waslice=\vbox{\unvbox\waslice\hbox
18644     to\lftside{\box\aslice\hfil}}
18645     \ifdim\ht\holder>0pt\repeat
18646 \fi
18647 %
18648 % only text on the right side
18649 %
18650 \ifnum\nb>0
18651     \loop\advance\nb -1
18652     \setbox\bslice=\vsplit\holder to\baselineskip
18653     \prune\bslice\rtside
18654     \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
18655     to\rtside{\box\bslice\hfil}}
18656     \ifdim\ht\holder>0pt\repeat
18657 \fi
18658 %
18659 % fixing the dimensions of the window part
18660 %
18661 \ifnum\bl=0\topheight=\ht\wbslice
18662 \else\ifnum\br=0\topheight=\ht\waslice
18663     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
18664         \else\topheight=\ht\wbslice\fi\fi\fi
18665 %
18666 % ship out the window material to the main vertical list
18667 %
18668 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
18669 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
18670 \fi\fi\fi

```



```

18671 \setbox>windowbox=\vbox{\hbox to\linewidth{%
18672 \ifnum\bl>0\box\waslice\hfill\fi%
18673 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
18674 \vfill\unvbox\picbox%
18675 \ifnum\picwd>0\vfill\fi%
18676 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
18677 \unvbox>windowbox%
18678 \loop
18679 \setbox\bslice=\vsplit\rawtext to\baselineskip
18680 \prune\bslice\linewidth
18681 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
18682 \unvbox\wbslice
18683 \ifdim\ht\rawtext>0pt
18684 \repeat
18685 }% FINITO

```

132 File plain-xetex-bidi.def

```

18686 \def\TeXeTOn{\TeXeTstate=1 }
18687 \def\TeXeTOff{\TeXeTstate=0 }
18688 \TeXeTOn
18689 \def\usebox#1{\leavevmode\copy #1\relax}
18690 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebo
18691   \let\bidi@o@everypar=\everypar
18692   \newtoks\bidi@n@everypar
18693   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
18694   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
18695   \let\everypar=\bidi@n@everypar
18696 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
18697 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
18698 \protected\def\hboxR{\hbox\bgroup
18699   \everyhbox{%
18700     \aftergroup\egroup
18701   }\%
18702   \beginR
18703   \hboxRconstructtrue
18704   \bgroup
18705   \aftergroup\endR
18706   \aftergroup\egroup
18707 }\hbox}
18708 \protected\def\hboxL{\hbox\bgroup
18709   \everyhbox{%
18710     \aftergroup\egroup
18711   }\%
18712   \beginL
18713   \hboxRconstructfalse
18714   \bgroup
18715   \aftergroup\endL
18716   \aftergroup\egroup
18717 }\hbox}
18718 \protected\def\vboxR{\vbox\bgroup
18719   \everyvbox{%
18720     \aftergroup\egroup
18721   }\%

```



```

18722  \@RTLtrue
18723  \bgroup
18724  \aftergroup\egroup
18725  }\vbox}
18726 \protected\def\vboxL{\vbox\bgroup
18727  \everyvbox{%
18728  \aftergroup\egroup
18729  \everyvbox{}%
18730  \@RTLfalse
18731  \bgroup
18732  \aftergroup\egroup
18733  }\vbox}
18734 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
18735 \def\endLTR{\par}
18736 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
18737 \def\endRTL{\par}
18738 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
18739 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
18740 \let\unsetRTL=\setLTR
18741 \let\unsetLTR=\setRTL
18742 \let\LR=\LRE
18743 \let\RL=\RLE
18744 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
18745 \def\@ensure@LTR#1{\if@RTL\LR{#1}\else#1\fi}
18746 \let\@ensure@RL=\@ensure@RTL
18747 \let\@ensure@LR=\@ensure@LTR
18748 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
18749 \let\@ensure@maindir=\@ensure@dir
18750 \def\@RTL{RTL}
18751 \def\@LTR{LTR}
18752 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
18753 \def\reset@dir{\ifx\saved@@dir\@RTL\setRTL\else\ifx\saved@@dir\@LTR\setLTR\else\relax\fi\fi}
18754 \let\@TeX\TeX
18755 \def\TeX{\@ensure@LTR{\@TeX}}
18756 \def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
18757  \dimen@=\dp\ccly \unvbox\ccly % open up \box255
18758  \ifvoid\footins\else % footnote info is present
18759   \vskip\skip\footins
18760   \footnoterule
18761   \unvbox\footins\fi
18762  \if@ggedbottom \kern-\dimen@ \vfil \fi
18763  \ifvoid\@bidi@copyins@%
18764  \else
18765   \vskip\skip\@bidi@copyins@%
18766   \unvbox\@bidi@copyins@%
18767  \fi
18768 }
18769 \long\def\bidi@reflect@box#1{%
18770  \leavevemode
18771  \setbox\z@\hbox{\#1}%
18772  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
18773  \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
18774 }
18775 \def\XeTeX{\LR{\leavevemode$\smash{\hbox{X}\lower.5ex}}}
```



```

18776   \hbox{\kern-.125em\bidi@reflect@box{E}\kern-.1667em \TeX}$$}
18777 \let\setRL=\setRTL
18778 \let\setLR=\setLTR
18779 \let\unsetRL=\setLTR
18780 \let\bidi@saved@eqno=\eqno
18781 \let\bidi@saved@leqno=\leqno
18782 \def\eqno{\ifnum\predisplaydirection<z@\bidi@saved@leqno \else \bidi@saved@eqno \fi}
18783 \def\leqno{\ifnum\predisplaydirection<z@\bidi@saved@eqno \else \bidi@saved@leqno \fi}
18784 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
18785 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
18786 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

133 File pstricks-xetex-bidi.def

```

18787 \ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package]
18788 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
18789 \def\endpspicture{%
18790   \ifshowgrid\ifnum\showgridp@s>0
18791     \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
18792   \pst@killglue
18793 % \global\pst@shift=\pst@shift% in fact of the following endgroup
18794   \endgroup
18795   \egroup
18796   \ifdim\wd\pst@hbox=z@\else
18797     \%@pstrickserr{Extraneous space in the pspicture environment}%
18798     \%{Type \space <return> \space to proceed.}%
18799   \fi
18800   \ht\pst@hbox=\pst@dimd
18801   \dp\pst@hbox=-\pst@dimb
18802   \setbox\pst@hbox=\hbox{%
18803     \kern-\pst@dimc
18804 % Orig version -----
18805 \%ifx\pst@tempa\empty\else
18806 \%advance\pst@dimd-\pst@dimb
18807 \%pst@dimd=\pst@tempa\pst@dimd
18808 \%advance\pst@dimd\pst@dimb
18809 \%lower\pst@dimd
18810 \%fi
18811 \%---- end Orig
18812   \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%
18813     \advance\pst@dimd-\pst@dimb
18814     \pst@dimd=0.5\pst@dimd
18815     \else\pst@dimd-\pst@shift\fi
18816     \advance\pst@dimd\pst@dimb
18817     \lower\pst@dimd
18818     \box\pst@hbox
18819     \kern\pst@dimc%
18820   \if@star\setbox\pst@hbox=\hbox{\clipbox@@z@\fi
18821   \leavevmode\ifdim\overfullrule=z@\box\pst@hbox\else
18822   \fboxsep=0pt
18823   \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
18824 \ifmmode\else\endL\fi
18825 \endgroup%
18826 \psset[pstricks]{shift=0}%

```



18827 }

134 File quotchap-xetex-bidi.def

```
18828 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package
18829 \renewcommand{\qauthor}[1]{%
18830   \par\smallskip
18831   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
18832 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
18833   \size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
18834     {\chapnumfont
18835       \ifnum \c@secnumdepth >\m@ne%
18836         \if@mainmatter\thechapter%
18837           \fi\fi
18838         \par\nobreak}%
18839       {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi
18840         \nobreak\chapterheadendvskip}}
18841 \renewcommand*{\@iprintcites}{%
18842   \vbox to \z@{\leavevmode\copy\@quotebox\vss}
18843   \global\let\@printcites\relax}
```

135 File ragged2e-xetex-bidi.def

```
18844 \ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package
18845 \renewcommand{\Centering}{%
18846   \ifx\\@\raggedtwoe@savedcr
18847     \let\\@\centercr
18848   \fi
18849   \let\@gnewline\@raggedtwoe@gnewline
18850   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
18851   \@rightskip\CenteringRightskip
18852   \if@RTL\leftskip\else\rightskip\fi\@rightskip
18853   \parfillskip\CenteringParfillskip
18854   \parindent\CenteringParindent
18855   \@raggedtwoe@spaceskiptrue
18856   \@raggedtwoe@everyselectfont
18857 }
18858 \renewcommand{\RaggedLeft}{%
18859   \ifx\\@\raggedtwoe@savedcr
18860     \let\\@\centercr
18861   \fi
18862   \let\@gnewline\@raggedtwoe@gnewline
18863   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
18864   \@rightskip\RaggedLeftRightskip
18865   \if@RTL\leftskip\else\rightskip\fi\@rightskip
18866   \parfillskip\RaggedLeftParfillskip
18867   \parindent\RaggedLeftParindent
18868   \@raggedtwoe@spaceskiptrue
18869   \@raggedtwoe@everyselectfont
18870 }
18871 \renewcommand{\RaggedRight}{%
18872   \ifx\\@\raggedtwoe@savedcr
18873     \let\\@\centercr
18874   \fi
```



```

18875 \let\@gnewline\@raggedtwoe@gnewline
18876 \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
18877 \@rightskip\RaggedRightRightskip
18878 \if@RTL\leftskip\else\rightskip\fi\@rightskip
18879 \parfillskip\RaggedRightParfillskip
18880 \parindent\RaggedRightParindent
18881 \@raggedtwoe@spaceskiptrue
18882 \@raggedtwoe@everyselectfont
18883 }
18884 \renewcommand{\justifying}{%
18885   \let\\@\raggedtwoe@savedcr
18886   \let\@gnewline\@raggedtwoe@saved@gnewline
18887   \if@RTL\rightskip\else\leftskip\fi\z@
18888   \@rightskip\z@
18889   \if@RTL\leftskip\else\rightskip\fi\@rightskip
18890   \parfillskip\JustifyingParfillskip
18891   \parindent\JustifyingParindent
18892   \@raggedtwoe@spaceskipfalse
18893   \@raggedtwoe@everyselectfont
18894 }
18895 \def\@raggedtwoe@raggedrightboxes@opt{%
18896   \renewcommand{\@arrayparboxrestore}{%
18897     \let\if@nobreak\iffalse
18898     \let\if@noskipsec\iffalse
18899     \let\par\@@par
18900     \let\-\@dischph
18901     \let'\@accil\`@\accii\let\=\@acciii
18902     \parskip\z@skip
18903     \everypar{}%
18904     \linewidth\hsize
18905     \totalleftmargin\z@
18906     \if@RTL
18907       \RaggedLeft
18908     \else
18909       \RaggedRight
18910     \fi
18911     \lineskip\normalineskip
18912     \baselineskip\normalbaselineskip
18913     \sloppy}%
18914   \let\@raggedtwoe@raggedrightboxes@opt\relax
18915 }
18916 \def\@raggedtwoe@document@opt{%
18917   \AtBeginDocument{\@raggedtwoe@abdhook}%
18918   \@raggedtwoe@raggedrightboxes@opt
18919   \@raggedtwoe@footmisctrue
18920   \let\@raggedtwoe@document@opt\relax
18921 }
18922 \def\@raggedtwoe@abdhook{%
18923   \PackageInfo{ragged2e}{ABD: executing `\string\RaggedLeft' for
18924     right to left documents and `\string\RaggedRight' for left
18925     to right documents}%
18926   \if@RTL
18927     \RaggedLeft
18928   \else

```



```

18929     \RaggedRight
18930   \fi
18931   \@ifundefined{@tocrmarg}{}{\edef@tocrmarg{\@tocrmarg plus 2em}}%
18932   \let\@raggedtwoe@abdhook\relax
18933   }
18934 \c@ifpackagewith{ragged2e}{raggedrightboxes}{%
18935   \c@raggedtwoe@raggedrightboxes@opt
18936 }{%
18937 \c@ifpackagewith{ragged2e}{document}{%
18938   \c@raggedtwoe@document@opt
18939 }{%
18940 \let\origin@RaggedLeft=\RaggedLeft
18941 \let\origin@RaggedRight=\RaggedRight
18942 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
18943 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

136 File rapport1-xetex-bidi.def

```

18944 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class f
18945 \renewenvironment{theindex}{%
18946   \if@twocolumn
18947     \c@restonecolfalse
18948   \else
18949     \c@restonecoltrue
18950   \fi
18951   \columnseprule \z@
18952   \columnsep 35\p@
18953   \twocolumn[\c@makeschapterhead{\indexname}]%
18954   \c@mkboth{\c@MakeUppercase{\indexname}}{\c@MakeUppercase{\indexname}}%
18955   \thispagestyle{plain}\parindent\z@
18956   \parskip\z@ \c@plus .3\p@\relax
18957   \let\item\c@idxitem
18958 }{%
18959   \if@restonecol\onecolumn\else\clearpage\fi}
18960 \renewcommand*\head@style{%
18961   \interlinepenalty \c@M
18962   \hyphenpenalty=\c@M \exhyphenpenalty=\c@M
18963   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
18964 \if@titlepage
18965   \renewenvironment{abstract}{%
18966     \titlepage
18967     \null\vfil
18968     \section*{\SectFont\abstractname}%
18969     \noindent\ignorespaces
18970     {\par\vfil\null\endtitlepage}
18971 \else
18972   \renewenvironment{abstract}{%
18973     \if@twocolumn
18974       \section*{\abstractname}%
18975     \else
18976       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
18977       \section*{\small\SectFont\abstractname}%
18978       \noindent\ignorespaces
18979     \fi}

```



```

18980      {\if@twocolumn\else\par\egroup\fi}
18981 \fi
18982 \renewcommand*\@regtocline[3]{%
18983   \ifnum #1>\c@tocdepth
18984   \else
18985     \vskip\z@\@plus.2\p@
18986     {\hangindent\z@ \cafterindenttrue \interlinepenalty\@M
18987       \if@RTL\rightskip\else\leftskip\fi\unitindent
18988       \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
18989       \parfillskip\z@
18990       \tempdima\unitindent
18991       \parindent\z@
18992       \leavevmode
18993       \hbox{}{\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
18994       \hskip 1em \nobreak{\slshape #3}\par
18995     }%
18996   \fi}
18997 \if@oldtoc
18998 \renewcommand*\l@part[2]{%
18999   \ifnum \c@tocdepth >-2\relax
19000     \addpenalty{-\@highpenalty}%
19001     \addvspace{2.25em \@plus\p@}%
19002     \begingroup
19003       \setlength\tempdima{3em}%
19004       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
19005       \parfillskip -\pnumwidth
19006       {\leavevmode
19007         \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
19008         \nobreak
19009         \global\nobreaktrue
19010         \everypar{\global\ nobreakfalse\everypar{} }%
19011       \endgroup
19012     \fi}
19013 \else
19014   \renewcommand*\l@part{%
19015     \ifnum \c@tocdepth >-2\relax
19016     \addpenalty{-\@highpenalty}%
19017     \addvspace{2.25em \@plus \p@}%
19018     \regtocline{0}%
19019   \fi}
19020 \fi
19021 \if@oldtoc
19022 \renewcommand*\l@chapter[2]{%
19023   \addpenalty{-\@highpenalty}%
19024   \vskip 1.0em \@plus\p@
19025   \setlength\tempdima{1.5em}%
19026   \begingroup
19027     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
19028     \parfillskip -\pnumwidth
19029     \leavevmode \bfseries
19030     \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
19031     \hskip -\if@RTL\rightskip\else\leftskip\fi
19032     #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
19033     \penalty\@highpenalty

```



```

19034     \endgroup}
19035 \else
19036   \renewcommand*\l@chapter{\@regtocline{0}}
19037 \fi
19038 \renewcommand*\left@footnoterule{%
19039   \kern-3\p@
19040   \kern.5\baselineskip
19041   \hrule\@width\unitindent
19042   \kern.4\baselineskip
19043 }
19044 \renewcommand*\right@footnoterule{%
19045   \kern-3\p@
19046   \kern.5\baselineskip
19047   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
19048   \kern.4\baselineskip}
19049 \renewenvironment{thebibliography}[1]
19050   {\chapter*{\bibname}%
19051     \Omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
19052     \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19053     \bidi@thebibliography@font@hook%
19054     \list{\@biblabel{\@arabic\c@enumiv}}%
19055       {\settowidth\labelwidth{\@biblabel{\#1}}%
19056         \leftmargin\labelwidth
19057         \advance\leftmargin\labelsep
19058         \openbib@code
19059         \usecounter{enumiv}%
19060         \let\p@enumiv\empty
19061         \renewcommand*\theenumiv{\@arabic\c@enumiv}%
19062         \sloppy\clubpenalty4000\widowpenalty4000%
19063         \sfcode`\. \OM
19064         \def\@noitemerr
19065           {\@latex@warning{Empty `thebibliography' environment}}%
19066         \endlist}
19067 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
19068 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
19069 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
19070 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
19071 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
19072 \renewcommand*\theequation{%
19073   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
19074 \renewcommand*\thefigure{%
19075   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
19076 \renewcommand*\thetable{%
19077   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
19078 \if@titlepage
19079 \renewcommand*\TitleFont{\rmfamily}
19080 \renewcommand*\maketitle{%
19081   \begin{titlepage}%
19082     \let\footnotesize\small
19083     \let\right@footnoterule\relax
19084     \let\left@footnoterule\relax
19085     \let\textwidth@footnoterule\relax
19086     \let \footnote \thanks
19087     \long\def\@makefntext##1{\parindent\z@%

```



```

19088      \def\labelitemi{\textendash}\relax\labeltrue
19089      \leavevmode\textsuperscript{\@thefnmark}\kern1em\relax ##1
19090      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19091      \if@compatibility\setcounter{page}{0}\fi
19092      \null\vfil
19093      \vskip 60\p@
19094      \begin{center}%
19095          \TitleFont
19096          {\LARGE \def\penalty -\@M}
19097          \if@allcaps
19098              \expandafter\uc@nothanks\@title\thanks\relax
19099          \else
19100              \@title
19101          \fi\par}%
19102      \vskip 3em%
19103      {\large
19104          \lineskip .75em \parindent\z@%
19105      \begin{tabular}[t]{c}%
19106          \if@allcaps
19107              \expandafter\uc@authornothanks\@author\and\relax
19108          \else
19109              \@author
19110          \fi
19111      \end{tabular}\par}%
19112      \vskip 1.5em%
19113      {\large
19114          \if@allcaps
19115              \uppercase\expandafter{\@date}%
19116          \else
19117              \@date
19118          \fi\par}%
19119      \end{center}\par
19120      \@thanks
19121      \vfil\null
19122      \end{titlepage}%
19123      \setcounter{footnote}{0}%
19124      \global\let\thanks\relax
19125      \global\let\maketitle\relax
19126      \global\let\@thanks\empty
19127      \global\let\@author\empty
19128      \global\let\@title\empty
19129      \global\let\@date\empty
19130      \global\let\title\relax
19131      \global\let\author\relax
19132      \global\let\date\relax
19133      \global\let\and\relax
19134  }%
19135 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}%
19136 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
19137     \futurelet\@tempa\uc@ax}%
19138 \def\uc@ax{%
19139     \ifx\@tempa\relax
19140     \else
19141         \\ \andname \\ \expandafter\uc@authornothanks

```



```

19142   \fi}
19143 \def\uc@tx{\ifx\@tempa\relax
19144     \else \expandafter\uc@ty \fi}
19145 \def\uc@ty#1{\thanks{\#1}\uc@nothanks}
19146 \else
19147 \renewcommand*\maketitle{\par
19148   \begingroup
19149     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19150     \def\@makefnmark{\rlap{%
19151       \textsuperscript{\normalfont\@thefnmark}}}%
19152     \long\def\makefntext{\xmakefntext{%
19153       \textsuperscript{\normalfont\@thefnmark}}}%
19154     \if@twocolumn
19155       \ifnum \col@number=\@ne
19156         \maketitle
19157       \else
19158         \twocolumn[\maketitle]%
19159       \fi
19160     \else
19161       \newpage
19162       \global\@topnum\z@
19163       \maketitle
19164     \fi
19165     \thispagestyle{plain}\@thanks
19166   \endgroup
19167   \setcounter{footnote}{0}%
19168   \global\let\thanks\relax
19169   \global\let\maketitle\relax
19170   \global\let\@maketitle\relax
19171   \global\let\@thanks\@empty
19172   \global\let\@author\@empty
19173   \global\let\@title\@empty
19174   \global\let\@date\@empty
19175   \global\let\title\relax
19176   \global\let\author\relax
19177   \global\let\date\relax
19178   \global\let\and\relax
19179 }
19180 \def\@maketitle{%
19181   \newpage
19182   \null
19183   \vskip 2em%
19184   \begin{center}%
19185     \let \footnote \thanks
19186     {\LARGE \TitleFont \@title \par}%
19187     \vskip 1.5em%
19188     {\large \TitleFont
19189       \lineskip .5em%
19190       \begin{tabular}[t]{c}%
19191         \author
19192       \end{tabular}\par}%
19193     \vskip 1em%
19194     {\large \TitleFont \@date}%
19195   \end{center}%

```



```

19196  \par
19197  \vskip 1.5em}
19198 \fi

```

137 File rapport3-xetex-bidi.def

```

19199 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class f
19200 \renewenvironment{theindex}{%
19201   \if@twocolumn
19202     \restonecolfalse
19203   \else
19204     \restonecoltrue
19205   \fi
19206   \columnseprule \z@
19207   \columnsep 35\p@
19208   \twocolumn[\makeschapterhead{\indexname}]%
19209   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
19210   \thispagestyle{plain}\parindent\z@
19211   \parskip\z@\relax .3\p@\relax
19212   \let\item@\idxitem
19213 }{%
19214   \if@restonecol\onecolumn\else\clearpage\fi}
19215 \if@titlepage
19216 \renewcommand*\TitleFont{\rmfamily}
19217 \renewcommand*\maketitle{%
19218   \begin{titlepage}%
19219     \let\footnotesize\small
19220     \let\right@footnoterule\relax
19221     \let\left@footnoterule\relax
19222     \let\textwidth@footnoterule\relax
19223     \let\footnote\thanks
19224     \let\LTRfootnote\LTRthanks
19225     \let\RTLfootnote\RTLthanks
19226     \long\def\makefntext##1{\parindent\z@
19227       \def\labelitemi{\textendash}\relax\labeltrue
19228       \leavevmode\textsuperscript{\thefnmark}\kern1em\relax ##1}
19229     \renewcommand*\thefootnote{\fnsymbol{c}@\footnote}%
19230     \if@compatibility\setcounter{page}{0}\fi
19231     \null\vfil
19232     \vskip 60\p@
19233     \begin{center}%
19234       \TitleFont
19235       {\LARGE \def\\{\penalty -\OM}}
19236       \if@allcaps
19237         \expandafter\uc@nothanks\@title\thanks\relax
19238       \else
19239         \@title
19240       \fi\par}%
19241     \vskip 3em%
19242     \large
19243     \lineskip .75em \parindent\z@
19244     \begin{tabular}[t]{c}%
19245       \if@allcaps
19246         \expandafter\uc@authornothanks\@author\and\relax

```



```

19247      \else
19248          \@author
19249      \fi
19250  \end{tabular}\par}%
19251  \vskip 1.5em%
19252  {\large
19253      \if@allcaps
19254          \uppercase\expandafter{\@date}%
19255      \else
19256          \@date
19257      \fi\par}%
19258  \end{center}\par
19259  \@thanks
19260  \vfil\null
19261 \end{titlepage}%
19262 \setcounter{footnote}{0}%
19263 \global\let\thanks\relax
19264 \global\let\LTRthanks\relax
19265 \global\let\RTLthanks\relax
19266 \global\let\maketitle\relax
19267 \global\let\@thanks\@empty
19268 \global\let\@author\@empty
19269 \global\let\@title\@empty
19270 \global\let\@date\@empty
19271 \global\let\title\relax
19272 \global\let\author\relax
19273 \global\let\date\relax
19274 \global\let\and\relax
19275 }
19276 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
19277 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
19278     \futurelet\@tempa\uc@ax}
19279 \def\uc@ax{%
19280     \ifx\@tempa\relax
19281     \else
19282         \\\andname \\ \expandafter\uc@authornothanks
19283     \fi}
19284 \def\uc@tx{\ifx\@tempa\relax
19285     \else \expandafter\uc@ty \fi}
19286 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
19287 \else
19288 \renewcommand*\maketitle{\par
19289     \begingroup
19290         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19291         \def\@makefnmark{\rlap{%
19292             \textsuperscript{\normalfont\@thefnmark}}}%
19293         \long\def\@makefntext{\xmakefntext{%
19294             \textsuperscript{\normalfont\@thefnmark}}}%
19295         \if@twocolumn
19296             \ifnum \col@number=\@ne
19297                 \maketitle
19298             \else
19299                 \twocolumn[\maketitle]%
19300             \fi

```



```

19301    \else
19302        \newpage
19303        \global\@topnum\z@
19304        \maketitle
19305    \fi
19306    \thispagestyle{plain}\@thanks
19307 \endgroup
19308 \setcounter{footnote}{0}%
19309 \global\let\thanks\relax
19310 \global\let\LTRthanks\relax
19311 \global\let\RTLthanks\relax
19312 \global\let\maketitle\relax
19313 \global\let\@maketitle\relax
19314 \global\let\@thanks\@empty
19315 \global\let\@author\@empty
19316 \global\let\@title\@empty
19317 \global\let\@date\@empty
19318 \global\let\title\relax
19319 \global\let\author\relax
19320 \global\let\date\relax
19321 \global\let\and\relax
19322 }
19323 \def\@maketitle{%
19324     \newpage
19325     \null
19326     \vskip 2em%
19327 \if@titlecentered
19328     \begin{center}%
19329         \let \footnote \thanks
19330         \let \LTrfootnote \LTRthanks
19331         \let \RTLfootnote \RTLthanks
19332     {\LARGE \TitleFont \@title \par}%
19333     \vskip 1.5em%
19334     {\large \TitleFont
19335         \lineskip .5em%
19336         \begin{tabular}[t]{c}%
19337             \author
19338         \end{tabular}\par}%
19339     \vskip 1em%
19340     {\large \TitleFont \@date}%
19341     \end{center}%
19342 \else
19343     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
19344     {\large \TitleFont \lineskip .5em \tabcolsep\z@
19345         \def\and{\% \begin{tabular} has already started
19346             \end{tabular}\hskip 1em plus .17fil
19347             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}%
19348             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\% \end{tabular}\@author\end{tabular}%
19349     \vskip 1em {\large \TitleFont \@date}
19350 \fi
19351 \par
19352 \vskip 1.5em}
19353 \fi
19354 \renewcommand*\@reftocline[3]{}%

```



```

19355 \ifnum #1>\c@tocdepth
19356 \else
19357   \vskip\z@\@plus.2\p@
19358   {\hangindent\z@ \o@afterindenttrue \interlinepenalty\@M
19359     \if@RTL\rightskip\else\leftskip\fi\unitindent
19360     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
19361     \parfillskip\z@
19362     \o@tempdima\unitindent
19363     \parindent\z@
19364     \leavevmode
19365     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
19366     \hskip 1em \nobreak{\slshape #3}\par
19367   }%
19368 \fi}
19369 \if@oldtoc
19370 \renewcommand*\l@part[2]{%
19371   \ifnum \c@tocdepth >-2\relax
19372     \addpenalty{-\@highpenalty}%
19373     \addvspace{2.25em \@plus\p@}%
19374     \begingroup
19375       \setlength\o@tempdima{3em}%
19376       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \o@pnumwidth
19377       \parfillskip -\o@pnumwidth
19378       \leavevmode
19379         \large \bfseries #1\hfil \hb@xt@\o@pnumwidth{\hss #2}\par
19380         \nobreak
19381         \global\onobreaktrue
19382         \everypar{\global\onobreakfalse\everypar{} }%
19383     \endgroup
19384   \fi}
19385 \else
19386   \renewcommand*\l@part{%
19387     \ifnum \c@tocdepth >-2\relax
19388       \addpenalty{-\@highpenalty}%
19389       \addvspace{2.25em \@plus \p@}%
19390       \o@regtocline{0}%
19391   \fi}
19392 \fi
19393 \if@oldtoc
19394 \renewcommand*\l@chapter[2]{%
19395   \addpenalty{-\@highpenalty}%
19396   \vskip 1.0em \@plus\p@
19397   \setlength\o@tempdima{1.5em}%
19398   \begingroup
19399     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \o@pnumwidth
19400     \parfillskip -\o@pnumwidth
19401     \leavevmode \bfseries
19402     \advance\if@RTL\rightskip\else\leftskip\fi\o@tempdima
19403     \hskip -\if@RTL\rightskip\else\leftskip\fi\hskip -\if@RTL\rightskip\else\leftskip\fi
19404     \hskip -\if@RTL\rightskip\else\leftskip\fi\hskip -\if@RTL\rightskip\else\leftskip\fi
19405     \hskip -\if@RTL\rightskip\else\leftskip\fi\hskip -\if@RTL\rightskip\else\leftskip\fi
19406   \endgroup
19407 \else
19408   \renewcommand*\l@chapter{\o@regtocline{0}}

```



```

19409 \fi
19410 \renewcommand*\head@style{%
19411     \interlinepenalty \OM
19412     \hyphenpenalty=\OM \exhyphenpenalty=\OM
19413     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
19414 \if@titlepage
19415     \renewenvironment{abstract}{%
19416         \titlepage
19417         \null\vfil
19418         \section*{\SectFont\abstractname}%
19419         \noindent\ignorespaces
19420         {\par\vfil\null\endtitlepage}
19421 \else
19422     \renewenvironment{abstract}{%
19423         \if@twocolumn
19424             \section*{\abstractname}%
19425         \else
19426             \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
19427             \section*{\small\SectFont\abstractname}%
19428             \noindent\ignorespaces
19429             \fi}
19430             {\if@twocolumn\else\par\egroup\fi}
19431 \fi
19432 \renewcommand*\thesection{\thechapter\SepMark\arabic\c@section}
19433 \renewcommand*\thesubsection{\thesection\SepMark\arabic\c@subsection}
19434 \renewcommand*\thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
19435 \renewcommand*\theparagraph{\thesubsubsection\SepMark\arabic\c@paragraph}
19436 \renewcommand*\thesubparagraph{\theparagraph\SepMark\arabic\c@subparagraph}
19437 \renewcommand*\thefigure{%
19438     \ifnum\c@chapter>\z@\thechapter\SepMark\fi\arabic\c@figure}
19439 \renewcommand*\thetable{%
19440     \ifnum\c@chapter>\z@\thechapter\SepMark\fi\arabic\c@table}
19441 \renewcommand*\theequation{%
19442     \ifnum\c@chapter>\z@\thechapter\SepMark\fi\arabic\c@equation}
19443 \renewenvironment{thebibliography}[1]
19444     {\chapter*{\bibname}%
19445         \OMkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
19446         \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19447         \bidi@thebibliography@font@hook%
19448         \list{\@biblabel{\arabic\c@enumiv}}%
19449             {\settowidth\labelwidth{\@biblabel{\#1}}%
19450                 \leftmargin\labelwidth
19451                 \advance\leftmargin\labelsep
19452                 \openbib@code
19453                 \usecounter{enumiv}%
19454                 \let\p@enumiv\empty
19455                 \renewcommand*\theenumiv{\arabic\c@enumiv}%
19456                 \sloppy\clubpenalty4000\widowpenalty4000%
19457                 \sfcode`\. \OM}
19458                 {\def\@noitemerr
19459                     {\@latex@warning{Empty `thebibliography' environment}}%
19460                 \endlist}
19461 \renewcommand*\left@footnoterule{%
19462     \kern-3\p@

```



```

19463 \kern.5\baselineskip
19464 \hrule\@width\unitindent
19465 \kern.4\baselineskip
19466 }
19467 \renewcommand*\right@footnoterule{%
19468 \kern-3\p@
19469 \kern.5\baselineskip
19470 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
19471 \kern.4\baselineskip}
19472 \renewcommand*\head@style{%
19473 \interlinepenalty \OM
19474 \hyphenpenalty=\OM \exhyphenpenalty=\OM
19475 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

138 File refrep-xetex-bidi.def

```

19476 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for Xe
19477 \if@titlepage
19478 \renewcommand\maketitle{\begin{titlepage}%
19479 \let\footnotesize\small
19480 \let\right@footnoterule\relax
19481 \let\left@footnoterule\relax
19482 \let\textwidth\footnoterule\relax
19483 \let\footnote\thanks
19484 \let\LTRfootnote\LTRthanks
19485 \let\RTLfootnote\RTLthanks
19486 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
19487 \def\@makefnmark%
19488 {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
19489 \long\def\@makefntext##1{%
19490 \qsetpar{\@par
19491 \tempdima = \hsize
19492 \advance\tempdima -1em
19493 \parshape \one 1em \tempdima}%
19494 \par\parindent 1em \noindent
19495 \hb@xt@.z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
19496 \null\vfil
19497 \vskip 60\p@
19498 \begin{center}%
19499 {\LARGE \@title \par}%
19500 \vskip 3em%
19501 {\large
19502 \lineskip .75em%
19503 \begin{tabular}[t]{c}%
19504 \author
19505 \end{tabular}\par}%
19506 \vskip 1.5em%
19507 {\large \@date \par}%
19508 \end{center}\par
19509 \thanks
19510 \vfil\null
19511 \end{titlepage}%
19512 \setcounter{footnote}{0}%
19513 \global\let\thanks\relax

```



```

19514 \global\let\LTRthanks\relax
19515 \global\let\RTLthanks\relax
19516 \global\let\maketitle\relax
19517 \global\let{@thanks}{\empty}
19518 \global\let{@author}{\empty}
19519 \global\let{@date}{\empty}
19520 \global\let{@title}{\empty}
19521 \global\let{\title}\relax
19522 \global\let{\author}\relax
19523 \global\let{\date}\relax
19524 \global\let{\and}\relax
19525 }
19526 \else
19527   \renewcommand{\maketitle}{\par
19528     \begingroup
19529       \renewcommand{\thefootnote}{\@fnsymbol\c@footnote}%
19530       \def{\@makefnmark}%
19531         {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
19532       \long\def{\@makefntext}##1{%
19533         \setpar{\@par
19534           \tempdima = \hsize
19535           \advance\tempdima -1em
19536           \parshape \one 1em \tempdima}%
19537           \par\parindent 1em \noindent
19538           \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
19539     \if@twocolumn
19540       \ifnum \col@number=\one
19541         \maketitle
19542       \else
19543         \twocolumn[\maketitle]%
19544       \fi
19545     \else
19546       \newpage
19547       \global\@topnum\z@ % Prevents figures from going at top of page.
19548       \maketitle
19549     \fi
19550     \thispagestyle{empty}\@thanks
19551   \endgroup
19552   \setcounter{footnote}{0}%
19553   \global\let{\thanks}\relax
19554   \global\let\LTRthanks\relax
19555   \global\let\RTLthanks\relax
19556   \global\let\maketitle\relax
19557   \global\let{\maketitle}\relax
19558   \global\let{@thanks}{\empty}
19559   \global\let{@author}{\empty}
19560   \global\let{@date}{\empty}
19561   \global\let{@title}{\empty}
19562   \global\let{\title}\relax
19563   \global\let{\author}\relax
19564   \global\let{\date}\relax
19565   \global\let{\and}\relax
19566 }
19567 \def{\@maketitle}%

```



```

19568 \newpage
19569 \null
19570 \longthickrule\vskip1.5em%
19571 \let \footnote \thanks
19572 \let \LTRfootnote \LTRthanks
19573 \let \RTLfootnote \RTLthanks
19574 {\secshape \parskip\z@ \parindent\z@%
19575 \Large\bfseries \@title \par}%
19576 \vskip1.5em\longthickrule\vskip1.5em%
19577 {\normalsize
19578 \lineskip .5em%
19579 \begin{flushright}%
19580 {\slshape \author \par}%
19581 \vskip 1em%
19582 {\@date}%
19583 \end{flushright}\par}%
19584 \vskip 1.5em}
19585 \fi
19586 \renewcommand*\l@part[2]{%
19587 \ifnum \c@tocdepth >-2\relax
19588 \addpenalty{-\@highpenalty}%
19589 \addvspace{2.25em \oplus\p@}%
19590 \begingroup
19591 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
19592 \parfillskip -\pnumwidth
19593 {\leavevmode
19594 \large \bfseries #1\hfil \hbox to\pnumwidth{\hss #2}\par
19595 \nobreak
19596 \global\nobreaktrue
19597 \everypar{\global\nobreakfalse\everypar{}}}%
19598 \endgroup
19599 \fi}
19600 \renewcommand*\l@chapter[2]{%
19601 \ifnum \c@tocdepth >\m@ne
19602 \addpenalty{-\@highpenalty}%
19603 \vskip 1.0em \oplus\p@
19604 \setlength\tempdima{1.5em}%
19605 \begingroup
19606 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
19607 \parfillskip -\pnumwidth
19608 \leavevmode \bfseries
19609 \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
19610 \hskip -\if@RTL\rightskip\else\leftskip\fi
19611 #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
19612 \penalty\@highpenalty
19613 \endgroup
19614 \fi}
19615 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
19616 \if@RTL\leftskip\else\rightskip\fi=\@flushglue}%
19617 \hyphenpenalty=2000}
19618 \renewcommand\left@footnoterule{%
19619 \kern-3\p@
19620 \hrule\@width.4\columnwidth
19621 \kern 2.6\p@}

```



```

19622 \renewcommand\right@footnoterule{%
19623   \kern-3\p@
19624   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
19625   \kern2.6\p@}
19626 \renewcommand\theequation
19627 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
19628 \renewcommand\thefigure
19629   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
19630 \renewcommand\thetable%
19631   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
19632 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
19633 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
19634 \renewcommand\thesubsubsection {\thesubsection\@SepMark\@arabic\c@subsubsection}
19635 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
19636 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
19637 \renewenvironment{thebibliography}[1]
19638   {\chapter*\{ \bibname
19639     \omkboth{\bibname}{\bibname}\}%
19640     \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19641     \bidi@thebibliography\font@hook%
19642     \list{\@biblabel{\@arabic\c@enumiv}\}%
19643       \settowidth\labelwidth{\@biblabel{\#1}\}%
19644       \leftmargin\labelwidth
19645       \advance\leftmargin\labelsep
19646       \openbib@code
19647       \usecounter{enumiv}\%
19648       \let\p@enumiv\empty
19649       \renewcommand\theenumiv{\@arabic\c@enumiv}\%
19650       \sloppy
19651       \clubpenalty4000
19652       \clubpenalty \clubpenalty
19653       \widowpenalty4000%
19654       \sfcode`.=\@m}
19655     {\def\noitemerr
19656       {\@latex@warning{Empty `thebibliography' environment}}%
19657     \endlist}

```

139 File report-xetex-bidi.def

```

19658 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report cl
19659 \renewenvironment{theindex}
19660   {\if@twocolumn
19661     \restonecolfalse
19662   \else
19663     \restonecoltrue
19664   \fi
19665   \columnseprule \z@
19666   \columnsep 35\p@
19667   \twocolumn[\makeschapterhead{\indexname}\}%
19668   \omkboth{\MakeUppercase\indexname}\%
19669     {\MakeUppercase\indexname}\%
19670     \thispagestyle{plain}\parindent\z@
19671     \parskip\z@\@plus .3\p@\relax
19672     \let\item\oidxitem}

```



```

19673      {\if@restonecol\onecolumn\else\clearpage\fi}
19674  \if@titlepage
19675  \renewcommand\maketitle{\begin{titlepage}%
19676  \let\footnotesize\small
19677  \let\right@footnoterule\relax
19678  \let\left@footnoterule\relax
19679  \let\textwidth@footnoterule\relax
19680  \let \footnote \thanks
19681  \let \LTRfootnote \LTRthanks
19682  \let \RTLfootnote \RTLthanks
19683  \null\vfil
19684  \vskip 60\p@
19685  \begin{center}%
19686    {\LARGE \@title \par}%
19687    \vskip 3em%
19688    {\large
19689      \lineskip .75em%
19690      \begin{tabular}[t]{c}%
19691        \@author
19692      \end{tabular}\par}%
19693      \vskip 1.5em%
19694    {\large \@date \par}%
19695      % Set date in \large size.
19696  \end{center}\par
19697  \@thanks
19698  \vfil\null
19699  \end{titlepage}%
19700  \setcounter{footnote}{0}%
19701  \global\let\thanks\relax
19702  \global\let\LTRthanks\relax
19703  \global\let\RTLthanks\relax
19704  \global\let\maketitle\relax
19705  \global\let{@thanks}\empty
19706  \global\let{@author}\empty
19707  \global\let{@date}\empty
19708  \global\let{@title}\empty
19709  \global\let\author\relax
19710  \global\let\date\relax
19711  \global\let\and\relax
19712 }
19713 \else
19714 \renewcommand\maketitle{\par
19715  \begingroup
19716    \renewcommand\thefootnote{\fnsymbol{footnote}}%
19717    \def\@makefnmark{\rlap{\textsuperscript{\normalfont\@thefnmark}}}%
19718    \long\def\@makefntext##1{\parindent 1em\noindent
19719      \hb@xt@1.8em{%
19720        \hss\textsuperscript{\normalfont\@thefnmark}##1}%
19721    \if@twocolumn
19722      \ifnum \col@number=\@ne
19723        \maketitle
19724      \else
19725        \twocolumn[\maketitle]%
19726      \fi

```



```

19727     \else
19728         \newpage
19729         \global\@topnum\z@    % Prevents figures from going at top of page.
19730         \@maketitle
19731     \fi
19732     \thispagestyle{plain}\@thanks
19733     \endgroup
19734     \setcounter{footnote}{0}%
19735     \global\let\thanks\relax
19736     \global\let\LTRthanks\relax
19737     \global\let\RTLthanks\relax
19738     \global\let\maketitle\relax
19739     \global\let\@maketitle\relax
19740     \global\let\@thanks\@empty
19741     \global\let\@author\@empty
19742     \global\let\@date\@empty
19743     \global\let\@title\@empty
19744     \global\let\title\relax
19745     \global\let\author\relax
19746     \global\let\date\relax
19747     \global\let\and\relax
19748 }
19749 \def\@maketitle{%
19750     \newpage
19751     \null
19752     \vskip 2em%
19753     \begin{center}%
19754     \let \footnote \thanks
19755     \let \LTRfootnote \LTRthanks
19756     \let \RTLfootnote \RTLthanks
19757     {\LARGE \@title \par}%
19758     \vskip 1.5em%
19759     {\large
19760         \lineskip .5em%
19761         \begin{tabular}[t]{c}%
19762             \author
19763             \end{tabular}\par}%
19764     \vskip 1em%
19765     {\large \@date}%
19766     \end{center}%
19767     \par
19768     \vskip 1.5em}
19769 \fi
19770 \renewcommand*\l@part[2]{%
19771     \ifnum \c@tocdepth >-2\relax
19772         \addpenalty{-\@highpenalty}%
19773         \addvspace{2.25em \oplus \p@}%
19774         \setlength\@tempdima{3em}%
19775         \begingroup
19776             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
19777             \parfillskip -\pnumwidth
19778             {\leavevmode
19779                 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}\par
19780                 \nobreak

```



```

19781      \global\@nobreaktrue
19782      \everypar{\global\@nobreakfalse\everypar{}}
19783      \endgroup
19784      \fi}
19785 \renewcommand*\l@chapter[2]{%
19786   \ifnum \c@tocdepth >\m@ne
19787     \addpenalty{-\@highpenalty}%
19788     \vskip 1.0em \oplus\p@
19789     \setlength\tempdima{1.5em}%
19790     \begingroup
19791       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
19792       \parfillskip -\pnumwidth
19793       \leavevmode \bfseries
19794       \advance\if@RTL\rightskip\else\leftskip\fi\tempdima
19795       \hskip -\if@RTL\rightskip\else\leftskip\fi
19796       #1\nobreak\hfil \nobreak\hb@xt@\pnumwidth{\hss #2}\par
19797       \penalty\@highpenalty
19798     \endgroup
19799   \fi}
19800 \renewcommand\left@footnoterule{%
19801   \kern-3\p@
19802   \hrule\@width.4\columnwidth
19803   \kern2.6\p@}
19804 \renewcommand\right@footnoterule{%
19805   \kern-3\p@
19806   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
19807   \kern2.6\p@}
19808 \renewcommand\theequation
19809 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@equation}
19810 \renewcommand\thefigure
19811 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@figure}
19812 \renewcommand\thetable
19813 {\ifnum \c@chapter>\z@ \thechapter\SepMark\fi \arabic\c@table}
19814 \renewcommand\thechapter {\arabic\c@chapter}
19815 \renewcommand\thesection {\thechapter\SepMark\arabic\c@section}
19816 \renewcommand\thesubsection {\thesection\SepMark\arabic\c@subsection}
19817 \renewcommand\thesubsubsection{\thesubsection\SepMark\arabic\c@subsubsection}
19818 \renewcommand\theparagraph {\thesubsubsection\SepMark\arabic\c@paragraph}
19819 \renewcommand\thesubparagraph {\theparagraph\SepMark\arabic\c@subparagraph}
19820 \def\@makechapterhead#1{%
19821   \vspace*{50\p@}%
19822   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
19823     \ifnum \c@secnumdepth >\m@ne
19824       \huge\bfseries \chapapp\space \thechapter
19825       \par\nobreak
19826       \vskip 20\p@
19827     \fi
19828     \interlinepenalty\@M
19829     \Huge\bfseries #1\par\nobreak
19830     \vskip 40\p@
19831   }%
19832 \def\@makeschapterhead#1{%
19833   \vspace*{50\p@}%
19834   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi

```



```

19835   \normalfont
19836   \interlinepenalty\@M
19837   \Huge \bfseries #1\par\nobreak
19838   \vskip 40\p@
19839   }]}
19840 \renewenvironment{thebibliography}{[1]
19841   {\chapter*{\bibname}%
19842     \Omkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
19843     \if@RTL\if@LTrbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
19844     \bidi@thebibliography@font@hook%
19845     \list{\@biblabel{\@arabic\c@enumiv}}%
19846       {\settowidth\labelwidth{\@biblabel{#1}}%
19847         \leftmargin\labelwidth
19848         \advance\leftmargin\labelsep
19849         \openbib@code
19850         \usecounter{enumiv}%
19851         \let\p@enumiv\empty
19852         \renewcommand\theenumiv{\@arabic\c@enumiv}%
19853         \sloppy
19854         \clubpenalty4000
19855         \clubpenalty \clubpenalty
19856         \widowpenalty4000%
19857         \sfcode`\. \om}
19858       {\def\@noitemerr
19859         {\@latex@warning{Empty `thebibliography' environment}}%
19860       \endlist}

```

140 File rotating-xetex-bidi.def

```

19861 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
19862 \def\end@rotfloat{%
19863   \end{minipage}\end{lrbox}%
19864   \stepcounter{r@tfl@t}%
19865   \rot@label{RF\ther@tfl@t}%
19866   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
19867   \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}%
19868   \rot@mess@toks\expandafter{\@tempa}%
19869   \wd\rot@float@box\z@%
19870   \ht\rot@float@box\z@%
19871   \dp\rot@float@box\z@%
19872   \vboxL to \textheight{%
19873     \setkeys{Grot}{units=360}%
19874     \if@rot@twoside
19875     \else
19876       \let\R@@page\rot@LR
19877     \fi
19878     \ifthenelse{\isodd{\R@@page}}{%
19879       \if@rot@twoside
19880         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
19881       \fi
19882       \vfill
19883       \O@line{%
19884         \hskip\rotFtop
19885         \rotatebox{90}{\box\rot@float@box}}%

```



```

19886      \hskip\rotFPbot
19887      }%
19888  }{%
19889      \if@rot@twoside
19890          \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
19891      \fi
19892      \@@line{%
19893          \hskip\rotFPbot
19894          \rotatebox{-90}{\box\rot@float@box}%
19895          \hskip\rotFPtop
19896      }%
19897          \vfill
19898      }%
19899      \rot@message{\the\rot@mess@toks}
19900  }%
19901      \end@float
19902 }
19903 \let\endsidewaysfigure\end@rotfloat
19904 \let\endsidewaystable\end@rotfloat
19905 \def\end@rotdblfloat{%
19906     \end{minipage}\end{lrbox}%
19907     \stepcounter{r@tfl@t}%
19908     \rot@label{RF\ther@tfl@t}%
19909     \rot@pageref{RF\ther@tfl@t}{\R@@page}%
19910     \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
19911     \rot@mess@toks\expandafter{\@tempa}
19912     \@tempdima\ht\rot@float@box
19913     \advance\@tempdima by \dp\rot@float@box
19914     \wd\rot@float@box\z@
19915     \ht\rot@float@box\z@
19916     \dp\rot@float@box\z@
19917     \vbox to \textheight{%
19918         \setkeys{Grot}{units=360}%
19919         \if@rot@twoside
19920             \else
19921                 \let\R@@page\rot@LR
19922             \fi
19923             \ifthenelse{\isodd{\R@@page}}{%
19924                 \ifrot@messages
19925                     \if@rot@twoside
19926                         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
19927                     \fi
19928                     \fi
19929                     \vfill
19930                     \@@line{%
19931                         \hskip\rotFPtop
19932                         \rotatebox{90}{\box\rot@float@box}%
19933                         \hskip\rotFPbot
19934                     }%
19935                 }{%
19936                     \ifrot@messages
19937                         \if@rot@twoside
19938                             \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
19939                     \fi

```



```

19940     \fi%
19941     \@@line{%
19942         \hskip\rotFPbot
19943         \rotatebox{-90}{\box\rot@float@box}%
19944         \hskip\rotPtop
19945     }%
19946     \vfill
19947 }%
19948     \rot@message{\the\rot@mess@toks}%
19949 }%
19950 \end@dblfloat
19951 }
19952 \def\turn#1{%
19953   \Grot@setangle{#1}%
19954   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces%
19955 \def\endturn{%
19956   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
19957   \unskip\color@endbox
19958   \Grot@x\z@
19959   \Grot@y\z@
19960   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19961 }
19962 \def\rotate#1{%
19963   \Grot@setangle{#1}%
19964   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces%
19965 \def\endrotate{%
19966   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
19967   \unskip\color@endbox
19968   \Grot@x\z@
19969   \Grot@y\z@
19970   \wd0\z@\dp0\z@\ht0\z@
19971   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19972 }
19973 \def\turnbox#1#2{%
19974   \Grot@setangle{#1}%
19975   \setbox\z@\hbox{ \ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\#2\ifmmode\if@RTL\endR\fi\fi
19976   \Grot@x\z@\Grot@y\z@
19977   \wd0\z@\dp0\z@\ht0\z@
19978   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19979 }
19980 \def\sideways{%
19981   \Grot@setangle{90}%
19982   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces%
19983 \def\endsideways{%
19984   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
19985   \unskip\color@endbox
19986   \Grot@x\z@
19987   \Grot@y\z@
19988   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19989 }

```

141 File `scrartcl-xetex-bidi.def`

```
19990 \ProvidesFile{scrartcl-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrartcl class f
```



```

19991 \newcommand{\scr@saved@LTRfootnotetext}{}
19992 \newcommand{\scr@saved@RTLfootnotetext}{}
19993 \let\scr@saved@footnotetext\@footnotetext
19994 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
19995 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
19996 \renewcommand{\@footnotetext}[1]{%
19997   \scr@saved@footnotetext{#1}%
19998   \csname FN@mf@prepare\endcsname
19999 }
20000 \renewcommand{\@LTRfootnotetext}[1]{%
20001   \scr@saved@LTRfootnotetext{#1}%
20002   \csname FN@mf@prepare\endcsname
20003 }
20004 \renewcommand{\@RTLfootnotetext}[1]{%
20005   \scr@saved@RTLfootnotetext{#1}%
20006   \csname FN@mf@prepare\endcsname
20007 }
20008 \renewcommand\deffootnote[4] []{%
20009   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
20010     \long\def\@makefntext##1{%
20011       \ExecuteDoHook{footnote/text/begin}%
20012       \raggedfootnote
20013       \if@RTL
20014         \rightskip
20015       \else
20016         \leftskip
20017       \fi
20018     #2
20019     \l@addto@macro\@trivlist{%
20020       \ifnum\@listdepth=\@ne
20021         \if@RTL
20022           \advance\rightmargin #2\relax
20023         \else
20024           \advance\leftmargin #2\relax
20025         \fi
20026       \fi
20027     }%
20028     \parindent #3\noindent
20029     \IfArgIsEmpty{#1}{%
20030       \hskip \dimexpr #1-#2\relax
20031     }%
20032     \ftn@font\hbox to \z@\{\hss\@makefnmark\#\#1%
20033     \ExecuteDoHook{footnote/text/end}%
20034   }%
20035 \else
20036   \ClassInfo{\KOMAClassName}{%
20037     Using old \string\@makefntext\space due to compatibility
20038     level\MessageBreak
20039     less than 3.22}%
20040   \long\def\@makefntext##1{%
20041     \setlength{\@tempdimc}{#3}%
20042     \def\@tempa{#1}\ifx\@tempa\empty
20043       \setpar{\@par
20044         \tempdima = \hsize

```



```

20045      \addtolength{\@tempdima}{-#2}%
20046      \if@RTL
20047          \parshape \one \z@ \@tempdima
20048      \else
20049          \parshape \one #2 \@tempdima
20050      \fi}%
20051  \else
20052      \addtolength{\@tempdimc}{#2}%
20053      \addtolength{\@tempdimc}{-#1}%
20054      \setpar{\@par
20055          \@tempdima = \hsize
20056          \addtolength{\@tempdima}{-#1}%
20057          \@tempdimb = \hsize
20058          \addtolength{\@tempdimb}{-#2}%
20059          \if@RTL
20060              \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
20061          \else
20062              \parshape \tw@ #1 \@tempdima #2 \@tempdimb
20063          \fi
20064      }%
20065      \fi
20066      \par
20067      \parindent\@tempdimc\noindent
20068      \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
20069  }%
20070 \fi
20071 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
20072 }
20073 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
20074 \renewcommand*\left@footnoterule{%
20075   \normalsize\ftn@rule@test@values
20076   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20077   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
20078   {\usekomafont{footnoterule}}{%
20079     \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
20080 \kern 2.6\p@}
20081 \renewcommand*\right@footnoterule{%
20082   \normalsize\ftn@rule@test@values
20083   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20084   \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
20085   {\usekomafont{footnoterule}}{%
20086     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
20087   \kern 2.6\p@}
20088 \renewcommand*\maketitle[1][1]{%
20089   \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
20090   \else
20091     \def\and{%
20092       \end{tabular}}%
20093       \hskip 1em \oplus.17fil%
20094       \begin{tabular}[t]{c}%
20095     }%
20096   \fi
20097   \if@titlepage
20098     \begin{titlepage}
```



```

20099 \setcounter{page}{%
20100     #1%
20101 }
20102 \if@titlepageiscoverpage
20103     \edef\titlepage@restore{%
20104         \noexpand\endgroup
20105         \noexpand\global\noexpand\@colht\the\@colht
20106         \noexpand\global\noexpand\@colroom\the\@colroom
20107         \noexpand\global\vsize\the\vsize
20108         \noexpand\global\noexpand\@titlepageiscoverpagefalse
20109         \noexpand\let\noexpand\titlepage@restore\noexpand\relax
20110     }%
20111     \begingroup
20112         \topmargin=\dimexpr \coverpagetopmargin-1in\relax
20113         \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
20114         \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
20115         \textwidth=\dimexpr
20116             \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
20117         \textheight=\dimexpr
20118             \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
20119         \headheight=0pt
20120         \headsep=0pt
20121         \footskip=\baselineskip
20122         \@colht=\textheight
20123         \@colroom=\textheight
20124         \vsize=\textheight
20125         \columnwidth=\textwidth
20126         \hsize=\columnwidth
20127         \linewidth=\hsize
20128     \else
20129         \let\titlepage@restore\relax
20130     \fi
20131     \let\footnotesize\small
20132     \let\right@footnoterule\relax
20133     \let\left@footnoterule\relax
20134     \let\textwidth@footnoterule\relax
20135     \let\footnote\thanks
20136     \let\LTRfootnote\LTRthanks
20137     \let\RTLfootnote\RTLthanks
20138     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20139     \let\@oldmakefnmark\@makefnmark
20140     \renewcommand*{\@makefnmark}{\rlap{\@oldmakefnmark}}%
20141     \ifx\@extratitle\@empty
20142         \ifx\@frontispiece\@empty
20143             \else
20144                 \if@twoside\mbox{}\next@tpage\fi
20145                 \noindent\@frontispiece\next@tdpage
20146             \fi
20147         \else
20148             \noindent\@extratitle
20149             \ifx\@frontispiece\@empty
20150                 \else
20151                     \next@tpage
20152                     \noindent\@frontispiece

```



```

20153      \fi
20154      \next@tdpage
20155      \fi
20156      \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
20157      \ifx\@titlehead\@empty \else
20158          \begin{minipage}[t]{\textwidth}%
20159              \usekomafont{titlehead}{\@titlehead\par}%
20160          \end{minipage}\par
20161      \fi
20162      \null\vfill
20163      \begin{center}
20164          \ifx\@subject\@empty \else
20165              \usekomafont{subject}{\@subject\par}%
20166              \vskip 3em
20167          \fi
20168          \usekomafont{title}{\huge \@title\par}%
20169          \vskip 1em
20170          \ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi%
20171          \vskip 2em
20172      \%
20173          \usekomafont{author}{%
20174              \lineskip 0.75em
20175              \begin{tabular}[t]{c}
20176                  \author
20177                  \end{tabular}\par
20178          }%
20179      \%
20180      \vskip 1.5em
20181      \usekomafont{date}{\@date\par}%
20182      \vskip \z@\@plus3fill
20183      \usekomafont{publishers}{\@publishers\par}%
20184      \vskip 3em
20185      \end{center}\par
20186      \thanks\global\let\@thanks\@empty
20187      \vfill\null
20188      \if@twoside
20189          \tempswatru
20190          \expandafter\ifnum \nameuse{scr@v@3.12}>\scr@compatibility\relax
20191          \else
20192              \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
20193                  \tempswafalse
20194              \fi\fi
20195          \fi
20196          \if@tempswa
20197              \next@tpage
20198              \begin{minipage}[t]{\textwidth}
20199                  \@uppertitleback
20200              \end{minipage}\par
20201              \vfill
20202              \begin{minipage}[b]{\textwidth}
20203                  \@lowertitleback
20204              \end{minipage}\par
20205              \thanks\global\let\@thanks\@empty
20206      \fi

```



```

20207     \else
20208         \ifx\@uppertitleback\@empty\else
20209             \ClassWarning{\KOMAClassName}{%
20210                 non empty \string\uppertitleback\space ignored
20211                 by \string\maketitle\MessageBreak
20212                 in `twoside=false' mode%
20213             }%
20214         \fi
20215         \ifx\@lowertitleback\@empty\else
20216             \ClassWarning{\KOMAClassName}{%
20217                 non empty \string\lowertitleback\space ignored
20218                 by \string\maketitle\MessageBreak
20219                 in `twoside=false' mode%
20220             }%
20221         \fi
20222         \fi
20223         \ifx\@dedication\@empty
20224             \else
20225                 \next@tdpage\null\vfill
20226                 {\centering\usekomafont{dedication}{\@dedication \par}}%
20227                 \vskip \z@ \@plus3fill
20228                 \@thanks\global\let\@thanks\@empty
20229                 \cleardoubleemptypage
20230             \fi
20231             \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
20232         \end{titlepage}
20233     \else
20234         \par
20235         \tempcnta=%
20236         #1%
20237         \relax\ifnum\tempcnta=1\else
20238             \ClassWarning{\KOMAClassName}{%
20239                 Optional argument of \string\maketitle\space ignored\MessageBreak
20240                 in `titlepage=false' mode%
20241             }%
20242         \fi
20243         \ifx\@uppertitleback\@empty\else
20244             \ClassWarning{\KOMAClassName}{%
20245                 non empty \string\uppertitleback\space ignored
20246                 by \string\maketitle\MessageBreak
20247                 in `titlepage=false' mode%
20248             }%
20249         \fi
20250         \ifx\@lowertitleback\@empty\else
20251             \ClassWarning{\KOMAClassName}{%
20252                 non empty \string\lowertitleback\space ignored
20253                 by \string\maketitle\MessageBreak
20254                 in `titlepage=false' mode%
20255             }%
20256         \fi
20257         \begingroup
20258             \let\titlepage@restore\relax
20259             \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20260             \let\oldmakefnmark\makefnmark

```



```

20261 \renewcommand*{\@makefnmark}{\rlap{\oldmakefnmark}%
20262 \next@tdpage
20263 \if@twocolumn
20264   \ifnum \col@number=\@ne
20265     \ifx\@extratitle\empty
20266       \ifx\@frontispiece\empty\else\if@twoside\mbox{}\fi\fi
20267     \else
20268       \@makeextratitle
20269     \fi
20270     \ifx\@frontispiece\empty
20271       \ifx\@extratitle\empty\else\next@tdpage\fi
20272     \else
20273       \next@tpage
20274       \@makefrontispiece
20275       \next@tdpage
20276     \fi
20277     \@maketitle
20278   \else
20279     \ifx\@extratitle\empty
20280       \ifx\@frontispiece\empty\else\if@twoside\mbox{}\fi\fi
20281     \else
20282       \twocolumn[\@makeextratitle]%
20283     \fi
20284     \ifx\@frontispiece\empty
20285       \ifx\@extratitle\empty\else\next@tdpage\fi
20286     \else
20287       \next@tpage
20288       \twocolumn[\@makefrontispiece]%
20289       \next@tdpage
20290     \fi
20291     \twocolumn[\@maketitle]%
20292   \fi
20293 \else
20294   \ifx\@extratitle\empty
20295     \ifx\@frontispiece\empty\else \mbox{}\fi
20296   \else
20297     \@makeextratitle
20298   \fi
20299   \ifx\@frontispiece\empty
20300     \ifx\@extratitle\empty\else\next@tdpage\fi
20301   \else
20302     \next@tpage
20303     \@makefrontispiece
20304     \next@tdpage
20305   \fi
20306   \@maketitle
20307   \fi
20308   \ifx\titlepagestyle\empty\else\thispagestyle{\titlepagestyle}\fi
20309   \@thanks\global\let\@thanks\empty
20310   \endgroup
20311 \fi
20312 \setcounter{footnote}{0}%
20313 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
20314   \let\thanks\relax

```



```

20315   \let\LTRthanks\relax
20316   \let\RTLthanks\relax
20317   \let\maketitle\relax
20318   \let\@maketitle\relax
20319   \global\let\@thanks\@empty
20320   \global\let\@author\@empty
20321   \global\let\@date\@empty
20322   \global\let\@title\@empty
20323   \global\let\@subtitle\@empty
20324   \global\let\@extratitle\@empty
20325   \global\let\@frontispiece\@empty
20326   \global\let\@titlehead\@empty
20327   \global\let\@subject\@empty
20328   \global\let\@publishers\@empty
20329   \global\let\@uppertitleback\@empty
20330   \global\let\@lowertitleback\@empty
20331   \global\let\@dedication\@empty
20332   \global\let\author\relax
20333   \global\let\title\relax
20334   \global\let\extratitle\relax
20335   \global\let\titlehead\relax
20336   \global\let\subject\relax
20337   \global\let\publishers\relax
20338   \global\let\uppertitleback\relax
20339   \global\let\lowertitleback\relax
20340   \global\let\dedication\relax
20341   \global\let\date\relax
20342   \fi
20343   \global\let\and\relax
20344 }%
20345 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
20346 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
20347 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
20348 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@section}
20349 \renewcommand*{\thesubsubsection}{%
20350   \thesubsection\@SepMark\@arabic\c@section
20351 }
20352 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
20353 \renewcommand*{\thesubparagraph}{%
20354   \theparagraph\@SepMark\@arabic\c@subparagraph
20355 }
20356 \renewenvironment{thebibliography}[1]{%
20357   \if@bib@break@
20358     \bib@beginhook
20359   \else
20360     \bib@heading
20361     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
20362       \noindent\bibpreamble\par\nobreak
20363     \fi\fi
20364     \bib@beginhook
20365     \bib@before@hook
20366   \fi
20367   \renewcommand{\BreakBibliography}[1]{%
20368     \nobreak

```



```

20369      \end{thebibliography}%
20370      \begingroup ##1\endgroup
20371      \begin{thebibliography}{#1}
20372  }%
20373  \if@RTL\if@LTRbibitems@\RTLfalse\else\fi\else\if@RTLbibitems@\RTLtrue\else\fi\fi
20374  \bidi@thebibliography@font@hook%
20375  \list{%
20376    \biblabel{\@arabic\c@enumiv}%
20377  }{%
20378    \settowidth\labelwidth{\@biblabel{#1}}%
20379    \leftmargin\labelwidth
20380    \advance\leftmargin\labelsep
20381    \openbib@code
20382    \if@bib@break@
20383      \edef@\tempa{%
20384        \noexpand\usecounter{enumiv}%
20385        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
20386      }\@\tempa
20387      \no@bib@break
20388    \else
20389      \usecounter{enumiv}%
20390    \fi
20391    \let\p@enumiv\@empty
20392    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
20393  }%
20394  \sloppy\clubpenalty4000 \widowpenalty4000
20395  \sfcode`.=\@m
20396 }{%
20397  \if@bib@break@
20398    \def@\noitemerr{%
20399      \@latex@warning{%
20400        \string\BreakBibliography\space at begin of `thebibliography'
20401        environment\MessageBreak
20402        or following \string\BreakBibliography}%
20403    }%
20404  \else
20405    \def@\noitemerr{%
20406      \@latex@warning{%
20407        Empty `thebibliography' environment or
20408        \string\BreakBibliography\MessageBreak
20409        before end of `thebibliography' environment}%
20410    }%
20411  \fi
20412  \endlist
20413  \if@bib@break@
20414  \else
20415    \bib@after@hook
20416    \let\bib@before@hook\@empty
20417    \let\bib@after@hook\@empty
20418  \fi
20419  \bib@endhook
20420 }%
20421 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
20422 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}

```



```

20423 \renewcommand*\{\\raggeddictumauthor}{\\if@RTL\\raggedright\\else\\raggedleft\\fi}
20424 \renewcommand\\margininline[1]{%
20425   \\marginpar[\\if@RTL\\raggedright\\else\\raggedleft\\fi{\\#1}]{\\if@RTL\\raggedleft\\else\\raggedright
20426 }
20427 \renewcommand{\\@@makecaption}[3]{%
20428   \\cap@margin
20429   \\begingroup
20430     \\ifonelinecaptions
20431       \\def\\stepcounter##1{\\advance\\value{\\#1}\\@ne}%
20432       \\let\\refstepcounter\\stepcounter
20433       \\let\\label\\@gobble
20434       \\let\\@footnotetext=\\@gobble
20435       \\let\\@LTRfootnotetext=\\@gobble
20436       \\let\\@RTLfootnotetext=\\@gobble
20437       \\let\\hypertarget\\gobbletwo
20438       \\edef\\@xnewline{%
20439         \\unexpanded{\\ClassInfo{\\KOMAClassName}}{%
20440           \\Workaround for not recommended usage of \\string\\\\ or\\MessageBreak
20441           \\string\\newline in caption text
20442         }%
20443         \\hspace*{\\ linewidth}\\hspace{1sp}%
20444       }%
20445       \\unexpanded\\expandafter{\\@xnewline}%
20446     }%
20447     \\edef\\@xcentercr{%
20448       \\unexpanded{\\ClassInfo{\\KOMAClassName}}{%
20449         \\Workaround for not recommended usage of \\string\\\\ or\\MessageBreak
20450         \\string\\newline in caption text
20451       }%
20452         \\hspace*{\\ linewidth}\\hspace{1sp}%
20453       }%
20454       \\unexpanded\\expandafter{\\@xcentercr}%
20455     }%
20456     \\settowidth{\\tempdima}{\\scr@makesinglelinecaption{\\#1}{\\#2}{\\#3}}%
20457     \\ifdim\\tempdima>\\cap@width
20458       \\aftergroup\\scr@makemultilinecaption
20459     \\else
20460       \\aftergroup\\scr@makesinglelinecaption
20461     \\fi
20462   \\else
20463     \\aftergroup\\scr@makemultilinecaption
20464   \\fi
20465 \\endgroup
20466 {\\#1}{\\#2}{\\#3}%
20467 }
20468 \\renewcommand{\\scr@makesinglelinecaption}[3]{%
20469   {%
20470     \\usefontofkomafont{caption}{%
20471       \\hb@xt@\\hsize{%
20472         \\cap@left
20473         \\if@RTL
20474           \\beginR
20475         \\fi
20476       \\scr@makesinglelinecaption{\\#1}{\\#2}{\\#3}}%

```



```

20477      \if@RTL
20478          \endR
20479      \fi
20480      \cap@right
20481  } \par \kern \dp \strutbox %
20482  }%
20483 } \kern - \dp \strutbox
20484 }
20485 \renewcommand{\@makecaption}[2]{%
20486     \if@captionabove
20487         \vskip \belowcaptionskip
20488     \else
20489         \vskip \abovecaptionskip
20490     \fi
20491 \@@makecaption\@firstofone{#1}{#2}%
20492 \if@captionabove
20493     \vskip \abovecaptionskip
20494 \else
20495     \vskip \belowcaptionskip
20496 \fi
20497 }
20498
20499 \renewcommand{\scr@makesinglelinecaption}[3]{%
20500     {\usekomafont{caption}{\strut\ignorespaces
20501         #1{\usekomafont{captionlabel}{\#2\captionformat}}}}%
20502     \ignorespaces #3\unskip}%
20503 }
20504
20505 \renewcommand{\scr@makedmultilinecaption}[3]{%
20506     {%
20507         \usefontofkomafont{caption}{%
20508             \hb@xt@hsizes{%
20509                 \cap@left
20510                 \vbox{\hspace{\cap@width}\linewidth\hsize
20511                     \scr@ifundefinedorrelax{@capttype}{%
20512                         \ClassWarning{\KOMAClassName}{%
20513                             ` \string \caption' outside float.\MessageBreak
20514                             Seems you are using ` \string \caption' outside a
20515                             float.\MessageBreak
20516                             Maybe you are using a package that uses
20517                             ` \string @makecaption' \MessageBreak
20518                             without setting ` \string @capttype' before.\MessageBreak
20519                             Because I cannot detect the caption type, I'm using\MessageBreak
20520                             the empty one.%}
20521                     }%
20522                     \let \capttype \empty
20523                 }{}}%
20524                 \scr@ifundefinedorrelax{ragged}{\capttype caption}{\raggedcaption}{%
20525                     \nameuse{ragged}{\capttype caption}}%
20526                 }%
20527                 \ifdofulllc@p
20528                     \hangfrom{%
20529                         \strut
20530                         \scr@smashdp}%

```



```

20531      #1{%
20532          \usekomafont{caption}{%
20533              \usekomafont{captionlabel}{#2\captionformat}%
20534          }%
20535      }%
20536  }%
20537  }%
20538  {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
20539 \else
20540     \ifdim\cap@indent<\z@
20541         \strut
20542     #1{%
20543         {\usekomafont{caption}{%
20544             \usekomafont{captionlabel}{#2\captionformat}%
20545         }%
20546     }\par}%
20547     \noindent{{\usekomafont{caption}{%
20548         \hspace*{-\cap@indent}#3\scr@endstrut
20549     }}\par}%
20550 \else
20551     \if@capbreak
20552         \strut
20553     #1{%
20554         {\usekomafont{caption}{%
20555             \usekomafont{captionlabel}{#2\captionformat}%
20556         }%
20557     }\par}%
20558     \noindent\@hangfrom{\hspace*{\cap@indent}}%
20559     {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
20560 \else
20561     \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
20562     {%
20563         \hspace{-\cap@indent}%
20564         \scr@smashdp{%
20565             #1{\usekomafont{caption}{%
20566                 \usekomafont{captionlabel}{#2\captionformat}%
20567             }%
20568         }\%
20569         {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
20570     }\%
20571     \fi
20572     \fi
20573     \fi
20574 }%
20575     \cap@right
20576     }\par\kern\dp\strutbox
20577     }%
20578     }\kern-\dp\strutbox
20579 }
20580 }
20581 \bidi@AfterFile{longtable-xetex-bidi.def}{%
20582 \if@komalongtable
20583     \renewcommand{\LT@makecaption}[3]{%
20584

```



```

20585     \noalign{%
20586         \if@captionabove
20587             \vskip\belowcaptionskip
20588         \else
20589             \vskip\abovecaptionskip
20590         \fi
20591     }%
20592     \LT@mcoll\LT@cols c{%
20593         \hbox to\z@\{\hss\parbox[t]\linewidth{%
20594             \def\@captype{table}%
20595             \@@makecaption{\#1}{\#2}{\#3}%
20596             \endgraf
20597             \if@captionabove
20598                 \vskip\abovecaptionskip
20599             \else
20600                 \vskip\belowcaptionskip
20601             \fi
20602         }%
20603         \hss
20604     }%
20605 }%
20606 }%
20607 \renewcommand*{\scr@LT@array}{%
20608 \let\scr@LT@array=\LT@array
20609 \renewcommand*{\LT@array}{%
20610     \let\scr@caption=\LT@caption
20611     \def\captionabove{\noalign{\global\@captionabovetrue}%
20612         \scr@caption}%
20613     \def\captionbelow{\noalign{\global\@captionabovefalse}%
20614         \scr@caption}%
20615     \if@tablecaptionabove
20616         \let\LT@caption=\captionabove
20617     \else
20618         \let\LT@caption=\captionbelow
20619     \fi
20620     \scr@LT@array
20621 }%
20622     \ClassInfo{\KOMAClassName}{%
20623         longtable captions redefined%
20624     }%
20625 }%
20626 }%
20627
20628 \CloneTOCEntryStyle{tocline}{part}
20629 \TOCEntryStyleStartInitCode{part}{%
20630     \expandafter\renewcommand%
20631     \csname scr@tso@#1@linefill\endcsname{\hfill}%
20632     \expandafter\renewcommand%
20633     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
20634     \expandafter\renewcommand%
20635     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20636         {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
20637     \expandafter\renewcommand\expandafter*%
20638     \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%

```



```

20639 }
20640 \CloneTOCEntryStyle{tocline}{section}
20641 \TOCEntryStyleStartInitCode{section}{%
20642   \expandafter\renewcommand%
20643     \csname scr@tso@#1@linefill\endcsname{%
20644       \if@sectionentrywithdots
20645         {\usekomafont{sectionentrydots}{\TOCLineLeaderFill}}\relax
20646       \else
20647         \hfill
20648       \fi
20649     }%
20650   \expandafter\renewcommand%
20651   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
20652   \expandafter\renewcommand%
20653   \csname scr@tso@#1@pagenumberformat\endcsname[1]{{\usekomafont{sectionentry}{\usekomafont{%
20654     \expandafter\renewcommand\expandafter*%
20655     \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus \p0}}%
20656     \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus \p0}}%
20657 }%
20658 \CloneTOCEntryStyle{tocline}{subsection}
20659 \TOCEntryStyleStartInitCode{subsection}{%
20660   \expandafter\renewcommand%
20661   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
20662     \expandafter\renewcommand%
20663     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20664       {\normalfont\normalcolor ##1}}%
20665     \normalfont\normalcolor ##1}%
20666 }%
20667 \CloneTOCEntryStyle{subsection}{default}
20668 \DeclareSectionCommand[%]
20669   style=section,%
20670   level=1,%
20671   indent=\z@,%
20672   beforeskip=-3.5ex \oplus -1ex \minus -.2ex,%
20673   afterskip=2.3ex \oplus .2ex,%
20674   tocstyle=section,%
20675   tocindent=0pt,%
20676   tocnumwidth=1.5em%
20677 ]{section}
20678 \DeclareSectionCommand[%]
20679   style=part,%
20680   level=\z@,%
20681   tocstyle=part,%
20682   toplevel=\m@ne,%
20683   tocindent=\z@,%
20684   tocnumwidth=2em%
20685 ]{part}
20686 \DeclareSectionCommand[%]
20687   style=section,%
20688   level=2,%
20689   indent=\z@,%
20690   beforeskip=-3.25ex\oplus -1ex \minus -.2ex,%
20691 
```



```

20693 afterskip=1.5ex \oplus .2ex,%
20694 tocstyle=subsection,%
20695 tocindent=1.5em,%
20696 tocnumwidth=2.3em%
20697 ]{subsection}
20698 \DeclareSectionCommand[%]
20699 style=section,%
20700 level=3,%
20701 indent=\z@,%
20702 beforeskip=-3.25ex\oplus -1ex \ominus -.2ex,%
20703 afterskip=1.5ex \oplus .2ex,%
20704 tocstyle=subsection,%
20705 tocindent=3.8em,%
20706 tocnumwidth=3.2em%
20707 ]{subsubsection}
20708 \DeclareSectionCommand[%]
20709 style=section,%
20710 level=4,%
20711 indent=\z@,%
20712 beforeskip=3.25ex \oplus 1ex \ominus .2ex,%
20713 afterskip=-1em,%
20714 tocstyle=subsection,%
20715 tocindentfollows=subsubsection,%
20716 tocindent=7.0em,%
20717 tocnumwidth=4.1em%
20718 ]{paragraph}
20719 \DeclareSectionCommand[%]
20720 style=section,%
20721 level=5,%
20722 indent=\scr@parindent,%
20723 beforeskip=3.25ex \oplus 1ex \ominus .2ex,%
20724 afterskip=-1em,%
20725 tocstyle=subsection,%
20726 tocindent=10em,%
20727 tocnumwidth=5em%
20728 ]{subparagraph}

```

142 File scrbook-xetex-bidi.def

```

20729 \ProvidesFile{scrbook-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrbook class for
20730 \newcommand{\scr@saved@LTRfootnotetext}{}
20731 \newcommand{\scr@saved@RTLfootnotetext}{}
20732 \let\scr@saved@footnotetext\footnotetext
20733 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
20734 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
20735 \renewcommand{\@footnotetext}[1]{%
20736   \scr@saved@footnotetext{#1}%
20737   \csname FN@mf@prepare\endcsname
20738 }
20739 \renewcommand{\@LTRfootnotetext}[1]{%
20740   \scr@saved@LTRfootnotetext{#1}%
20741   \csname FN@mf@prepare\endcsname
20742 }
20743 \renewcommand{\@RTLfootnotetext}[1]{%

```



```

20744   \scr@saved@RTLfootnotetext{#1}%
20745   \csname FN@mf@prepare\endcsname
20746 }
20747 \renewcommand\deffootnote[4] []{%
20748   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
20749     \long\def\@makefntext##1{%
20750       \ExecuteDoHook{footnote/text/begin}%
20751       \raggedfootnote
20752       \if@RTL
20753         \rightskip
20754       \else
20755         \leftskip
20756       \fi
20757     #2
20758     \l@addto@macro\@trivlist{%
20759       \ifnum\@listdepth=\@ne\advance
20760         \if@RTL
20761           \rightmargin #2\relax
20762         \else
20763           \leftmargin #2\relax
20764         \fi
20765       \fi
20766     }%
20767     \parindent #3\noindent
20768     \IfArgIsEmpty{#1}{}{%
20769       \hskip \dimexpr #1-#2\relax
20770     }%
20771     \ftn@font\hbox to \z@\{\hss\@@makefnmark}##1%
20772     \ExecuteDoHook{footnote/text/end}%
20773   }%
20774 \else
20775   \ClassInfo{\KOMAClassName}{%
20776     Using old \string\@makefntext\space due to compatibility
20777     level\MessageBreak
20778     less than 3.22}%
20779   \long\def\@makefntext##1{%
20780     \setlength{\@tempdima}{#3}%
20781     \def\@tempa{#1}\ifx\@tempa\empty
20782       \gsetpar{\@par
20783         \@tempdima = \hsize
20784         \addtolength{\@tempdima}{-#2}%
20785       \if@RTL
20786         \parshape \@ne \z@ \@tempdima
20787       \else
20788         \parshape \@ne #2 \@tempdima
20789       \fi
20790     }%
20791   \else
20792     \addtolength{\@tempdima}{#2}%
20793     \addtolength{\@tempdima}{-#1}%
20794     \gsetpar{\@par
20795       \@tempdima = \hsize
20796       \addtolength{\@tempdima}{-#1}%
20797       \@tempdimb = \hsize

```



```

20798     \addtolength{\@tempdimb}{-#2}%
20799     \if@RTL
20800         \parshape \tw@ \z@ \tempdima \z@ \tempdimb
20801     \else
20802         \parshape \tw@ #1 \tempdima #2 \tempdimb
20803     \fi
20804     }%
20805   \fi
20806   \par
20807   \parindent\tempdimc\noindent
20808   \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
20809   }%
20810 \fi
20811 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
20812 }
20813 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
20814 \renewcommand*\left@footnoterule{%
20815   \normalsize\ftn@rule@test@values
20816   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20817   \ifx\@textbottom\relax\else\vskip \z@ \plus .05fil\fi
20818   {\usekomafont{footnoterule}{%
20819     \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
20820   \kern 2.6\p@}
20821 \renewcommand*\right@footnoterule{%
20822   \normalsize\ftn@rule@test@values
20823   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20824   \ifx\@textbottom\relax\else\vskip \z@ \plus .05fil\fi
20825   {\usekomafont{footnoterule}{%
20826     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
20827   \kern 2.6\p@}
20828 \renewcommand*\maketitle[1][1]{%
20829   \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
20830   \else
20831     \def\and{%
20832       \end{tabular}%
20833       \hskip 1em \plus.17fil%
20834       \begin{tabular}[t]{c}%
20835     }%
20836   \fi
20837   \if@titlepage
20838     \begin{titlepage}
20839       \setcounter{page}{%
20840         #1%
20841     }%
20842     \if@titlepageiscoverpage
20843       \edef\titlepage@restore{%
20844         \noexpand\endgroup
20845         \noexpand\global\noexpand\colht\the\colht
20846         \noexpand\global\noexpand\colroom\the\colroom
20847         \noexpand\global\vsiz\the\vsiz
20848         \noexpand\global\noexpand\titlepageiscoverpagefalse
20849         \noexpand\let\noexpand\titlepage@restore\noexpand\relax
20850     }%
20851   \begingroup

```



```

20852   \topmargin=\dimexpr \coverpagetopmargin-1in\relax
20853   \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
20854   \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
20855   \textwidth=\dimexpr
20856   \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
20857   \textheight=\dimexpr
20858   \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
20859   \headheight=0pt
20860   \headsep=0pt
20861   \footskip=\baselineskip
20862   \@colht=\textheight
20863   \@colroom=\textheight
20864   \vsize=\textheight
20865   \columnwidth=\textwidth
20866   \hsize=\columnwidth
20867   \linewidth=\hsize
20868   \else
20869     \let\titlepage@restore\relax
20870   \fi
20871   \let\footnotesize\small
20872   \let\right@footnoterule\relax
20873   \let\left@footnoterule\relax
20874   \let\textwidth@footnoterule\relax
20875   \let\footnote\thanks
20876   \let\LTRfootnote\LTRthanks
20877   \let\RTLfootnote\RTLthanks
20878   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20879   \let\oldmakefnmark\@makefnmark
20880   \renewcommand*{\@makefnmark}{\rlap{\oldmakefnmark}}%
20881   \ifx\@extratitle\@empty
20882     \ifx\@frontispiece\@empty
20883     \else
20884       \if@twoside\mbox{}\next@tpage\fi
20885       \noindent\@frontispiece\next@tdpage
20886     \fi
20887   \else
20888     \noindent\@extratitle
20889     \ifx\@frontispiece\@empty
20890     \else
20891       \next@tpage
20892       \noindent\@frontispiece
20893     \fi
20894     \next@tdpage
20895   \fi
20896   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
20897   \ifx\@titlehead\@empty \else
20898     \begin{minipage}[t]{\textwidth}%
20899       \usekomafont{titlehead}{\@titlehead\par}%
20900     \end{minipage}\par
20901   \fi
20902   \null\vfill
20903   \begin{center}
20904     \ifx\@subject\@empty \else
20905       \usekomafont{subject}{\@subject\par}\}%

```



```

20906     \vskip 3em
20907   \fi
20908 { \usekomafont{title}{\huge \@title\par} }%
20909   \vskip 1em
20910 { \ifx\@subtitle\empty\else \usekomafont{subtitle}{\@subtitle\par}\fi }%
20911   \vskip 2em
20912 {%
20913   \usekomafont{author}{%
20914     \lineskip 0.75em
20915     \begin{tabular}[t]{c}
20916       \author
20917       \end{tabular}\par
20918   }%
20919 }%
20920   \vskip 1.5em
20921 { \usekomafont{date}{\@date\par} }%
20922   \vskip \z@ \plus 3fill
20923 { \usekomafont{publishers}{\@publishers\par} }%
20924   \vskip 3em
20925   \end{center}\par
20926   \thanks\global\let\@thanks\empty
20927   \vfill\null
20928   \if@twoside
20929     \tempswatru
20930     \expandafter\ifnum \nameuse{scr@v@3.12}>\scr@compatibility\relax
20931     \else
20932       \ifx\@uppertitleback\empty\ifx\@lowertitleback\empty
20933         \tempswafalse
20934       \fi\fi
20935     \fi
20936     \if@tempswa
20937       \next@tpage
20938       \begin{minipage}[t]{\textwidth}
20939         \@uppertitleback
20940       \end{minipage}\par
20941       \vfill
20942       \begin{minipage}[b]{\textwidth}
20943         \@lowertitleback
20944       \end{minipage}\par
20945       \thanks\global\let\@thanks\empty
20946     \fi
20947   \else
20948     \ifx\@uppertitleback\empty\else
20949       \ClassWarning{\KOMAClassName}{%
20950         non empty \string\uppertitleback\space ignored
20951         by \string\maketitle\MessageBreak
20952         in `twoside=false' mode%
20953     }%
20954   \fi
20955   \ifx\@lowertitleback\empty\else
20956     \ClassWarning{\KOMAClassName}{%
20957       non empty \string\lowertitleback\space ignored
20958       by \string\maketitle\MessageBreak
20959       in `twoside=false' mode%

```



```

20960      }%
20961      \fi
20962      \fi
20963      \ifx\@dedication\@empty
20964      \else
20965          \next@tdpage\null\vfill
20966          {\centering\usekomafont{dedication}{\@dedication \par}}%
20967          \vskip \z@\@plus3fill
20968          \@thanks\global\let\@thanks\@empty
20969          \cleardoubleemptypage
20970      \fi
20971      \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
20972      \end{titlepage}
20973 \else
20974     \par
20975     \tempcnta=%
20976     #1%
20977     \relax\ifnum\tempcnta=1\else
20978         \ClassWarning{\KOMAClassName}{%
20979             Optional argument of \string\maketitle\space ignored\MessageBreak
20980             in `titlepage=false' mode%
20981         }%
20982     \fi
20983     \ifx\uppertitleback\@empty\else
20984         \ClassWarning{\KOMAClassName}{%
20985             non empty \string\uppertitleback\space ignored
20986             by \string\maketitle\MessageBreak
20987             in `titlepage=false' mode%
20988         }%
20989     \fi
20990     \ifx\lowertitleback\@empty\else
20991         \ClassWarning{\KOMAClassName}{%
20992             non empty \string\lowertitleback\space ignored
20993             by \string\maketitle\MessageBreak
20994             in `titlepage=false' mode%
20995         }%
20996     \fi
20997     \begingroup
20998         \let\titlepage@restore\relax
20999         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
21000         \let\oldmakefnmark\makefnmark
21001         \renewcommand*{\makefnmark}{\rlap{\oldmakefnmark}}%
21002         \next@tdpage
21003         \if@twocolumn
21004             \ifnum \col@number=\@ne
21005                 \ifx\@extratitle\@empty
21006                     \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi\fi
21007                 \else
21008                     \makeextratitle
21009                 \fi
21010                 \ifx\@frontispiece\@empty
21011                     \ifx\@extratitle\@empty\else\next@tdpage\fi
21012                 \else
21013                     \next@tpage

```



```

21014      \@makefrontispiece
21015      \next@tdpage
21016      \fi
21017      \@maketitle
21018      \else
21019          \ifx\@extratitle\@empty
21020              \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
21021      \else
21022          \twocolumn[\@makeextratitle]%
21023      \fi
21024      \ifx\@frontispiece\@empty
21025          \ifx\@extratitle\@empty\else\next@tdpage\fi
21026      \else
21027          \next@tpage
21028          \twocolumn[\@makefrontispiece]%
21029          \next@tdpage
21030      \fi
21031          \twocolumn[\@maketitle]%
21032      \fi
21033      \else
21034          \ifx\@extratitle\@empty
21035              \ifx\@frontispiece\@empty\else \mbox{}\fi
21036      \else
21037          \@makeextratitle
21038      \fi
21039      \ifx\@frontispiece\@empty
21040          \ifx\@extratitle\@empty\else\next@tdpage\fi
21041      \else
21042          \next@tpage
21043          \@makefrontispiece
21044          \next@tdpage
21045      \fi
21046          \@maketitle
21047      \fi
21048      \ifx\titelpagestyle\@empty\else\thispagestyle{\titelpagestyle}\fi
21049          \@thanks\global\let\@thanks\@empty
21050      \endgroup
21051  \fi
21052  \setcounter{footnote}{0}%
21053  \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21054      \let\thanks\relax
21055      \let\LTRthanks\relax
21056      \let\RTLthanks\relax
21057      \let\maketitle\relax
21058      \let\@maketitle\relax
21059      \global\let\@thanks\@empty
21060      \global\let\@author\@empty
21061      \global\let\@date\@empty
21062      \global\let\@title\@empty
21063      \global\let\@subtitle\@empty
21064      \global\let\@extratitle\@empty
21065      \global\let\@frontispiece\@empty
21066      \global\let\@titlehead\@empty
21067      \global\let\@subject\@empty

```



```

21068 \global\let\@publishers\@empty
21069 \global\let\@uppertitleback\@empty
21070 \global\let\@lowertitleback\@empty
21071 \global\let\@dedication\@empty
21072 \global\let\author\relax
21073 \global\let\title\relax
21074 \global\let\extratitle\relax
21075 \global\let\titlehead\relax
21076 \global\let\subject\relax
21077 \global\let\publishers\relax
21078 \global\let\uppertitleback\relax
21079 \global\let\lowertitleback\relax
21080 \global\let\dedication\relax
21081 \global\let\date\relax
21082 \fi
21083 \global\let\and\relax
21084 }%
21085 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
21086 \renewcommand*\autodot{\if@altsecnumformat \@SepMark\fi}
21087 \renewcommand*\thesection{%
21088 \expandafter\ifnum\scr@v@is@gt{2.97d}%
21089 \if@mainmatter\thechapter\@SepMark\fi
21090 \else
21091 \thechapter\@SepMark%
21092 \fi
21093 \@arabic\c@section
21094 }
21095 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
21096 \renewcommand*\thesubsubsection{\%
21097 \thesubsection\@SepMark\@arabic\c@subsubsection
21098 }
21099 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
21100 \renewcommand*\thesubparagraph{\%
21101 \theparagraph\@SepMark\@arabic\c@subparagraph
21102 }
21103 \expandafter\ifnum\scr@v@is@le{2.97d}%
21104 \renewcommand*\thefigure{\thechapter\@SepMark\@arabic\c@figure}
21105 \fi
21106 \expandafter\ifnum\scr@v@is@le{2.97d}%
21107 \renewcommand*\thetable{\thechapter\@SepMark\@arabic\c@table}
21108 \fi
21109 \renewcommand*\theequation{%
21110 \expandafter\ifnum\scr@v@is@gt{2.97d}%
21111 \if@mainmatter\thechapter\@SepMark\fi
21112 \else
21113 \thechapter\@SepMark%
21114 \fi
21115 \@arabic\c@equation
21116 }
21117 \renewenvironment{thebibliography}[1]{%
21118 \if@bib@break@
21119 \bib@beginhook
21120 \else
21121 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else

```



```

21122      \setchapterpreamble{\bibpreamble}%
21123      \fi\fi
21124      \bib@heading
21125      \bib@beginhook
21126      \bib@before@hook
21127      \fi
21128      \renewcommand{\BreakBibliography}[1]{%
21129          \bib@break
21130          \end{thebibliography}%
21131          \begingroup ##1\endgroup
21132          \begin{thebibliography}{#1}
21133      }%
21134      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
21135      \bidi@thebibliography@font@hook%
21136      \list{%
21137          \biblabel{\@arabic\c@enumiv}%
21138      }{%
21139          \settowidth\labelwidth{\@biblabel{#1}}%
21140          \leftmargin\labelwidth
21141          \advance\leftmargin\labelsep
21142          \openbib@code
21143          \if@bib@break@
21144              \edef\@tempa{%
21145                  \noexpand\usecounter{enumiv}%
21146                  \noexpand\setcounter{enumiv}{\the\c@enumiv}%
21147              }\@tempa
21148              \no@bib@break
21149          \else
21150              \usecounter{enumiv}%
21151          \fi
21152          \let\p@enumiv\empty
21153          \renewcommand*\theenumiv{\@arabic\c@enumiv}%
21154      }%
21155      \sloppy\clubpenalty4000 \widowpenalty4000
21156      \sfcode`\.=\@m
21157  }{%
21158      \if@bib@break@
21159          \def\@noitemerr{%
21160              \@latex@warning{%
21161                  \string\BreakBibliography\space at begin of `thebibliography'
21162                  environment\MessageBreak
21163                  or following \string\BreakBibliography}%
21164          }%
21165      \else
21166          \def\@noitemerr{%
21167              \@latex@warning{%
21168                  Empty `thebibliography' environment or
21169                  \string\BreakBibliography\MessageBreak
21170                  before end of `thebibliography' environment}%
21171          }%
21172      \fi
21173      \endlist
21174      \if@bib@break@
21175      \else

```



```

21176     \bib@after@hook
21177     \let\bib@before@hook\empty
21178     \let\bib@after@hook\empty
21179     \fi
21180   \bib@endhook
21181 }
21182 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
21183 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
21184 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
21185 \renewcommand\marginline[1]{%
21186   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]\{\if@RTL\raggedleft\else\raggedright
21187 \}
21188 \renewcommand{\@makecaption}[3]{%
21189   \cap@margin
21190   \begingroup
21191     \ifonelinecaptions
21192       \def\stepcounter##1{\advance\value{##1}\@ne}%
21193       \let\refstepcounter\stepcounter
21194       \let\label\@gobble
21195       \let\@footnotetext=\@gobble
21196       \let\@LTRfootnotetext=\@gobble
21197       \let\@RTLfootnotetext=\@gobble
21198       \let\hypertarget\@gobbletwo
21199     \edef\@xnewline{%
21200       \unexpanded{\ClassInfo{\KOMAClassName}{%
21201         Workaround for not recommended usage of \string\\ or\MessageBreak
21202         \string\newline in caption text
21203       }%
21204       \hspace*{\ linewidth}\hspace{1sp}%
21205     }%
21206     \unexpanded\expandafter{\@xnewline}%
21207   }%
21208   \edef\@xcentercr{%
21209     \unexpanded{\ClassInfo{\KOMAClassName}{%
21210       Workaround for not recommended usage of \string\\ or\MessageBreak
21211       \string\newline in caption text
21212     }%
21213     \hspace*{\ linewidth}\hspace{1sp}%
21214   }%
21215     \unexpanded\expandafter{\@xcentercr}%
21216   }%
21217   \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
21218   \ifdim\@tempdima>\cap@width
21219     \aftergroup\scr@makemultilinecaption
21220   \else
21221     \aftergroup\scr@makesinglelinecaption
21222   \fi
21223 \else
21224   \aftergroup\scr@makemultilinecaption
21225 \fi
21226 \endgroup
21227 {#1}{#2}{#3}%
21228 }
21229 \renewcommand{\scr@makesinglelinecaption}[3]{%

```



```

21230  {%
21231   \usefontofkomafont{caption}{%
21232     \hb@xt@\hsize{%
21233       \cap@left
21234       \if@RTL
21235         \beginR
21236       \fi
21237       \scr@@makesinglelinecaption{#1}{#2}{#3}%
21238       \if@RTL
21239         \endR
21240       \fi
21241       \cap@right
21242     }\par\kern\dp\strutbox%
21243   }%
21244 }\kern-\dp\strutbox
21245 }
21246 \renewcommand{\@makecaption}[2]{%
21247   \if@captionabove
21248     \vskip\belowcaptionskip
21249   \else
21250     \vskip\abovecaptionskip
21251   \fi
21252 \scr@@makecaption\@firstofone{#1}{#2}%
21253 \if@captionabove
21254   \vskip\abovecaptionskip
21255 \else
21256   \vskip\belowcaptionskip
21257 \fi
21258 }
21259
21260 \renewcommand{\scr@@makesinglelinecaption}[3]{%
21261   {\usekomafont{caption}{\strut\ignorespaces
21262     #1{\usekomafont{captionlabel}{#2\captionformat}}}}%
21263   \ignorespaces #3\unskip}%
21264 }
21265
21266 \renewcommand{\scr@makemultilinecaption}[3]{%
21267   {%
21268     \usefontofkomafont{caption}{%
21269       \hb@xt@\hsize{%
21270         \cap@left
21271         \vbox{\hsize\cap@width\linewidth\hsize
21272           \scr@ifundefinedorrelax{@capttype}{%
21273             \ClassWarning{\KOMAClassName}{%
21274               `string\caption' outside float.\MessageBreak
21275               Seems you are using `string\caption' outside a
21276               float.\MessageBreak
21277               Maybe you are using a package that uses
21278               `string\@makecaption'\MessageBreak
21279               without setting `string\@capttype' before.\MessageBreak
21280               Because I cannot detect the caption type, I'm using\MessageBreak
21281               the empty one.%}
21282             }%
21283             \let\@capttype\empty

```



```

21284 }{ }%
21285 \scr@ifundefinedorrelax{ragged\@capttype caption}{\raggedcaption}{%
21286   \nameuse{ragged\@capttype caption}%
21287 }%
21288 \ifdofullc@p
21289   \hangfrom{%
21290     \strut
21291     \scr@smashdp{%
21292       #1{%
21293         \usekomafont{caption}{%
21294           \usekomafont{captionlabel}{#2\captionformat}%
21295         }%
21296       }%
21297     }%
21298   }%
21299   {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21300 \else
21301   \ifdim\cap@indent<\z@%
21302     \strut
21303     #1{%
21304       \usekomafont{caption}{%
21305         \usekomafont{captionlabel}{#2\captionformat}%
21306       }%
21307     }\par}%
21308   \noindent{{\usekomafont{caption}{%
21309     \hspace*{-\cap@indent}#3\scr@endstrut
21310   }}\par}%
21311 \else
21312   \if@capbreak
21313     \strut
21314     #1{%
21315       \usekomafont{caption}{%
21316         \usekomafont{captionlabel}{#2\captionformat}%
21317       }%
21318     }\par}%
21319   \noindent\hangfrom{\hspace*{\cap@indent}}%
21320   {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21321 \else
21322   \hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
21323 }%
21324   \hspace{-\cap@indent}%
21325   \scr@smashdp{%
21326     #1{\usekomafont{caption}{%
21327       \usekomafont{captionlabel}{#2\captionformat}%
21328     }%
21329   }%
21330   {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21331 }%
21332 \fi
21333 \fi
21334 \fi
21335 }%
21336 \cap@right

```



```

21338      } \par \kern \dp \strutbox
21339      }%
21340  } \kern - \dp \strutbox
21341 }
21342
21343
21344 \bidi@AfterFile{longtable-xetex-bidi.def}{%
21345   \if@komalongtable
21346     \renewcommand{\LT@makecaption}[3]{%
21347       \noalign{%
21348         \if@captionabove
21349           \vskip\belowcaptionskip
21350         \else
21351           \vskip\abovecaptionskip
21352         \fi
21353       }%
21354     \LT@mcol\LT@cols c{%
21355       \hbox to \z@{ \hss \parbox[t]{\linewidth}{%
21356         \def\@captype{table}%
21357         \@@makecaption{\#1}{\#2}{\#3}%
21358         \endgraf
21359         \if@captionabove
21360           \vskip\abovecaptionskip
21361         \else
21362           \vskip\belowcaptionskip
21363         \fi
21364       }%
21365       \hss
21366     }%
21367   }%
21368 }%
21369 \renewcommand*{\scr@LT@array}{}%
21370 \let\scr@LT@array=\LT@array
21371 \renewcommand*{\LT@array}{%
21372   \let\scr@caption=\LT@caption
21373   \def\captionabove{\noalign{\global\@captionabovetrue}%
21374     \scr@caption}%
21375   \def\captionbelow{\noalign{\global\@captionabovefalse}%
21376     \scr@caption}%
21377   \if@tablecaptionabove
21378     \let\LT@caption=\captionabove
21379   \else
21380     \let\LT@caption=\captionbelow
21381   \fi
21382   \scr@LT@array
21383 }%
21384 \ClassInfo{\KOMAClassName}{%
21385   longtable captions redefined%
21386 }%
21387 \fi
21388 }
21389
21390 \CloneTOCEEntryStyle{tocline}{part}
21391 \TOCEEntryStyleStartInitCode{part}{%

```



```

21392 \expandafter\renewcommand%
21393 \csname scr@tso@#1@linefill\endcsname{\hfill}%
21394 \expandafter\renewcommand%
21395 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
21396 \expandafter\renewcommand%
21397 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21398 {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}}%
21399 \expandafter\renewcommand\expandafter*%
21400 \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
21401 }%
21402 \CloneTOCEntryStyle{tocline}{chapter}%
21403 \TOCEntryStyleStartInitCode{chapter}{%
21404 \expandafter\renewcommand%
21405 \csname scr@tso@#1@linefill\endcsname{%
21406 \if@chapterentrywithdots
21407 {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
21408 \else
21409 \hfill
21410 \fi
21411 }%
21412 }%
21413 \expandafter\renewcommand%
21414 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
21415 \expandafter\renewcommand%
21416 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21417 {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}}%
21418 \expandafter\renewcommand\expandafter*%
21419 \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
21420 }%
21421 \CloneTOCEntryStyle{lefttocline}{section}%
21422 \TOCEntryStyleStartInitCode{section}{%
21423 \expandafter\renewcommand%
21424 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
21425 \expandafter\renewcommand%
21426 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21427 {\normalfont\normalcolor ##1}}%
21428 }%
21429 }%
21430 \CloneTOCEntryStyle{section}{default}%
21431 \DeclareSectionCommand[%%
21432 style=chapter,%
21433 level=\z@,%
21434 pagestyle=plain,%
21435 tocstyle=chapter,%
21436 tocindent=\z@,%
21437 tocnumwidth=1.5em%
21438 ]{chapter}%
21439 \DeclareSectionCommand[%%
21440 style=section,%
21441 level=1,%
21442 indent=\z@,%
21443 beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
21444 
```



```

21446 afterskip=2.3ex \oplus .2ex,%
21447 tocstyle=section,%
21448 tocindentfollows=chapter,%
21449 tocindent=1.5em,%
21450 tocnumwidth=2.3em%
21451 ]{section}
21452 \DeclareSectionCommand[%]
21453 style=part,%
21454 level=\m@ne,%
21455 pagestyle=plain,%
21456 tocstyle=part,%
21457 toplevel=\m@ne,%
21458 tocindent=\z@,%
21459 tocnumwidth=2em%
21460 ]{part}
21461 \DeclareSectionCommand[%]
21462 style=section,%
21463 level=2,%
21464 indent=\z@,%
21465 beforeskip=-3.25ex\oplus -1ex \ominus -.2ex,%
21466 afterskip=1.5ex \oplus .2ex,%
21467 tocstyle=section,%
21468 tocindent=3.8em,%
21469 tocnumwidth=3.2em%
21470 ]{subsection}
21471 \DeclareSectionCommand[%]
21472 style=section,%
21473 level=3,%
21474 indent=\z@,%
21475 beforeskip=-3.25ex\oplus -1ex \ominus -.2ex,%
21476 afterskip=1.5ex \oplus .2ex,%
21477 tocstyle=section,%
21478 tocindent=7.0em,%
21479 tocnumwidth=4.1em%
21480 ]{subsubsection}
21481 \DeclareSectionCommand[%]
21482 style=section,%
21483 level=4,%
21484 indent=\z@,%
21485 beforeskip=3.25ex \oplus 1ex \ominus .2ex,%
21486 afterskip=-1em,%
21487 tocindentfollows=subsubsection,%
21488 tocstyle=section,%
21489 tocindent=10em,%
21490 tocnumwidth=5em%
21491 ]{paragraph}
21492 \DeclareSectionCommand[%]
21493 style=section,%
21494 level=5,%
21495 indent=\scr@parindent,%
21496 beforeskip=3.25ex \oplus 1ex \ominus .2ex,%
21497 afterskip=-1em,%
21498 tocstyle=section,%
21499 tocindent=12em,%

```



```
21500 tocnumwidth=6em%
21501 ]{subparagraph}
```

143 File scrreprt-xetex-bidi.def

```
21502 \ProvidesFile{scrreprt-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrreprt class f
21503 \newcommand{\scr@saved@LTRfootnotetext}{}%
21504 \newcommand{\scr@saved@RTLfootnotetext}{}%
21505 \let\scr@saved@footnotetext\@footnotetext
21506 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
21507 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
21508 \renewcommand{\@footnotetext}[1]{%
21509   \scr@saved@footnotetext{#1}%
21510   \csname FN@mf@prepare\endcsname
21511 }
21512 \renewcommand{\@LTRfootnotetext}[1]{%
21513   \scr@saved@LTRfootnotetext{#1}%
21514   \csname FN@mf@prepare\endcsname
21515 }
21516 \renewcommand{\@RTLfootnotetext}[1]{%
21517   \scr@saved@RTLfootnotetext{#1}%
21518   \csname FN@mf@prepare\endcsname
21519 }
21520 \renewcommand\deffootnote[4][]{%
21521   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
21522     \long\def\@makefntext##1{%
21523       \ExecuteDoHook{footnote/text/begin}%
21524       \raggedfootnote
21525       \if@RTL
21526         \rightskip
21527       \else
21528         \leftskip
21529       \fi
21530       #2
21531       \l@addto@macro\@trivlist{%
21532         \ifnum\@listdepth=\@ne
21533           \if@RTL
21534             \advance\rightmargin #2\relax
21535           \else
21536             \advance\leftmargin #2\relax
21537           \fi
21538         \fi
21539       }%
21540       \parindent #3\noindent
21541       \IfArgIsEmpty{#1}{%
21542         \hskip \dimexpr #1-#2\relax
21543       }%
21544       \ftn@font\hbox to \z@\{\hss\@makefnmark\}##1%
21545       \ExecuteDoHook{footnote/text/end}%
21546     }%
21547   \else
21548     \ClassInfo{\KOMAClassName}{%
21549       Using old \string\@makefntext\space due to compatibility
21550       level\MessageBreak
21551     }%
21552   \fi
21553 }
```



```

21551     less than 3.22}%
21552     \long\def\@makefntext##1{%
21553         \setlength{\@tempdimc}{#3}%
21554         \def\@tempa{#1}\ifx\@tempa\empty
21555             \setpar{\@@par
21556                 \@tempdima = \hsize
21557                 \addtolength{\@tempdima}{-#2}%
21558                 \if@RTL
21559                     \parshape \one \z@ \@tempdima
21560                 \else
21561                     \parshape \one #2 \@tempdima
21562                 \fi
21563             }%
21564         \else
21565             \addtolength{\@tempdimc}{#2}%
21566             \addtolength{\@tempdimc}{-#1}%
21567             \setpar{\@@par
21568                 \@tempdima = \hsize
21569                 \addtolength{\@tempdima}{-#1}%
21570                 \@tempdimb = \hsize
21571                 \addtolength{\@tempdimb}{-#2}%
21572                 \if@RTL
21573                     \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
21574                 \else
21575                     \parshape \tw@ #1 \@tempdima #2 \@tempdimb
21576                 \fi
21577             }%
21578             \fi
21579             \par
21580             \parindent\@tempdimc\noindent
21581             \ftn@font\hbox to \z@\{\hss\@makefnmark}##1%
21582         }%
21583     \fi
21584     \def\@makefnmark{\hbox{\ftn@font{#4}}}%
21585 }
21586 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
21587 \renewcommand*\left@footnoterule{%
21588     \normalsize\ftn@rule@test@values
21589     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
21590     \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
21591     {\usekomafont{footnoterule}{%
21592         \hrule \height\ftn@rule@height \width\ftn@rule@width}}%
21593     \kern 2.6\p@}
21594 \renewcommand*\right@footnoterule{%
21595     \normalsize\ftn@rule@test@values
21596     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
21597     \ifx\@textbottom\relax\else\vskip \z@ \oplus.05fil\fi
21598     {\usekomafont{footnoterule}{%
21599         \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
21600     \kern 2.6\p@}
21601 \renewcommand*\maketitle[1][1]{%
21602     \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21603     \else
21604         \def\and{%

```



```

21605      \end{tabular}%
21606      \hskip 1em \oplus.17fil%
21607      \begin{tabular}[t]{c}%
21608  }%
21609 \fi
21610 \if@titlepage
21611   \begin{titlepage}
21612     \setcounter{page}{%
21613       #1%
21614     }%
21615   \if@titlepageiscoverpage
21616     \edef\titlepage@restore{%
21617       \noexpand\endgroup
21618       \noexpand\global\noexpand\@colht\the\@colht
21619       \noexpand\global\noexpand\@colroom\the\@colroom
21620       \noexpand\global\vsize\the\vsize
21621       \noexpand\global\noexpand\@titlepageiscoverpagefalse
21622       \noexpand\let\noexpand\titlepage@restore\noexpand\relax
21623     }%
21624   \begingroup
21625     \topmargin=\dimexpr \coverpagetopmargin-1in\relax
21626     \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
21627     \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
21628     \textwidth=\dimexpr
21629       \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
21630     \textheight=\dimexpr
21631       \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
21632     \headheight=0pt
21633     \headsep=0pt
21634     \footskip=\baselineskip
21635     \@colht=\textheight
21636     \@colroom=\textheight
21637     \vsize=\textheight
21638     \columnwidth=\textwidth
21639     \hsize=\columnwidth
21640     \linewidth=\hsize
21641   \else
21642     \let\titlepage@restore\relax
21643   \fi
21644   \let\footnotesize\small
21645   \let\right@footnoterule\relax
21646   \let\left@footnoterule\relax
21647   \let\textwidth@footnoterule\relax
21648   \let\footnote\thanks
21649   \let\LTRfootnote\LTRthanks
21650   \let\RTLfootnote\RTLthanks
21651   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
21652   \let\oldmakefnmark\@makefnmark
21653   \renewcommand*{\@makefnmark}{\rlap{\oldmakefnmark}}%
21654   \ifx\@extratitle\empty
21655     \ifx\@frontispiece\empty
21656   \else
21657     \if@twoside\mbox{}\next@tpage\fi
21658     \noindent\@frontispiece\next@tdpage

```



```

21659     \fi
21660 \else
21661     \noindent\@extratitle
21662     \ifx\@frontispiece\@empty
21663     \else
21664         \next@tpage
21665         \noindent\@frontispiece
21666     \fi
21667     \next@tdpage
21668 \fi
21669 \setparsizes{\z@\z@\z@}{\z@\@plus 1fil}\par@updaterelative
21670 \ifx\@titlehead\@empty \else
21671     \begin{minipage}[t]{\textwidth}%
21672         \usekomafont{titlehead}{\@titlehead\par}%
21673     \end{minipage}\par
21674 \fi
21675 \null\vfill
21676 \begin{center}
21677     \ifx\@subject\@empty \else
21678         \usekomafont{subject}{\@subject\par}%
21679         \vskip 3em
21680     \fi
21681     {\usekomafont{title}{\huge \@title\par}}%
21682     \vskip 1em
21683     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
21684     \vskip 2em
21685     \%
21686     \usekomafont{author}{%
21687         \lineskip 0.75em
21688         \begin{tabular}[t]{c}
21689             \author
21690             \end{tabular}\par
21691     }%
21692     \%
21693     \vskip 1.5em
21694     {\usekomafont{date}{\@date \par}}%
21695     \vskip \z@\@plus3fill
21696     {\usekomafont{publishers}{\@publishers \par}}%
21697     \vskip 3em
21698 \end{center}\par
21699 \thanks\global\let\@thanks\@empty
21700 \vfill\null
21701 \if@twoside
21702     \tempswatrue
21703     \expandafter\ifnum \nameuse{scr@v@3.12}>\scr@compatibility\relax
21704     \else
21705         \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
21706             \tempswafalse
21707         \fi\fi
21708     \fi
21709     \if@tempswa
21710         \next@tpage
21711         \begin{minipage}[t]{\textwidth}
21712             \@uppertitleback

```



```

21713   \end{minipage}\par
21714   \vfill
21715   \begin{minipage}[b]{\textwidth}
21716     \@lowertitleback
21717   \end{minipage}\par
21718   \@thanks\global\let\@thanks\@empty
21719   \fi
21720 \else
21721   \ifx\@uppertitleback\@empty\else
21722     \ClassWarning{\KOMAClassName}{%
21723       non empty \string\uppertitleback\space ignored
21724       by \string\maketitle\MessageBreak
21725       in `twoside=false' mode%
21726     }%
21727   \fi
21728   \ifx\@lowertitleback\@empty\else
21729     \ClassWarning{\KOMAClassName}{%
21730       non empty \string\lowertitleback\space ignored
21731       by \string\maketitle\MessageBreak
21732       in `twoside=false' mode%
21733     }%
21734   \fi
21735 \fi
21736 \ifx\@dedication\@empty
21737 \else
21738   \next@tdpage\null\vfill
21739   {\centering\usekomafont{dedication}{\@dedication \par}}%
21740   \vskip \z@ \@plus3fill
21741   \@thanks\global\let\@thanks\@empty
21742   \cleardoubleemptypage
21743 \fi
21744   \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
21745 \end{titlepage}
21746 \else
21747   \par
21748   \tempcnta=%
21749   #1%
21750   \relax\ifnum\tempcnta=1\else
21751     \ClassWarning{\KOMAClassName}{%
21752       Optional argument of \string\maketitle\space ignored\MessageBreak
21753       in `titlepage=false' mode%
21754     }%
21755   \fi
21756   \ifx\@uppertitleback\@empty\else
21757     \ClassWarning{\KOMAClassName}{%
21758       non empty \string\uppertitleback\space ignored
21759       by \string\maketitle\MessageBreak
21760       in `titlepage=false' mode%
21761     }%
21762   \fi
21763   \ifx\@lowertitleback\@empty\else
21764     \ClassWarning{\KOMAClassName}{%
21765       non empty \string\lowertitleback\space ignored
21766       by \string\maketitle\MessageBreak

```



```

21767      in `titlepage=false' mode%
21768  }%
21769 \fi
21770 \begingroup
21771   \let\titlepage@restore\relax
21772   \renewcommand*\thefootnote{\@fnssymbol\c@footnote}%
21773   \let\oldmakefnmark\@makefnmark
21774   \renewcommand*{\@makefnmark}{\rlap{\oldmakefnmark}}%
21775   \next@tdpage
21776   \if@twocolumn
21777     \ifnum \col@number=\@ne
21778       \ifx\@extratitle\@empty
21779         \ifx\@frontispiece\@empty\else\if@twoside\mbox{} \fi\fi
21780       \else
21781         \@makeextratitle
21782       \fi
21783       \ifx\@frontispiece\@empty
21784         \ifx\@extratitle\@empty\else\next@tdpage\fi
21785       \else
21786         \next@tpage
21787         \@makefrontispiece
21788         \next@tdpage
21789       \fi
21790       \@maketitle
21791     \else
21792       \ifx\@extratitle\@empty
21793         \ifx\@frontispiece\@empty\else\if@twoside\mbox{} \fi\fi
21794       \else
21795         \twocolumn[\@makeextratitle]%
21796       \fi
21797       \ifx\@frontispiece\@empty
21798         \ifx\@extratitle\@empty\else\next@tdpage\fi
21799       \else
21800         \next@tpage
21801         \twocolumn[\@makefrontispiece]%
21802         \next@tdpage
21803       \fi
21804       \twocolumn[\@maketitle]%
21805     \fi
21806   \else
21807     \ifx\@extratitle\@empty
21808       \ifx\@frontispiece\@empty\else \mbox{} \fi
21809     \else
21810       \@makeextratitle
21811     \fi
21812     \ifx\@frontispiece\@empty
21813       \ifx\@extratitle\@empty\else\next@tdpage\fi
21814     \else
21815       \next@tpage
21816       \@makefrontispiece
21817       \next@tdpage
21818     \fi
21819     \@maketitle
21820   \fi

```



```

21821      \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
21822      \@thanks\global\let\@thanks\@empty
21823      \endgroup
21824  \fi
21825  \setcounter{footnote}{0}%
21826  \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21827      \let\thanks\relax
21828      \let\LTRthanks\relax
21829      \let\RTLthanks\relax
21830      \let\maketitle\relax
21831      \let\@maketitle\relax
21832      \global\let\@thanks\@empty
21833      \global\let\@author\@empty
21834      \global\let\@date\@empty
21835      \global\let\@title\@empty
21836      \global\let\@subtitle\@empty
21837      \global\let\@extratitle\@empty
21838      \global\let\@frontispiece\@empty
21839      \global\let\@titlehead\@empty
21840      \global\let\@subject\@empty
21841      \global\let\@publishers\@empty
21842      \global\let\@uppertitleback\@empty
21843      \global\let\@lowertitleback\@empty
21844      \global\let\@dedication\@empty
21845      \global\let\author\relax
21846      \global\let\title\relax
21847      \global\let\extratitle\relax
21848      \global\let\titlehead\relax
21849      \global\let\subject\relax
21850      \global\let\publishers\relax
21851      \global\let\uppertitleback\relax
21852      \global\let\lowertitleback\relax
21853      \global\let\dedication\relax
21854      \global\let\date\relax
21855  \fi
21856  \global\let\and\relax
21857 }%
21858 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
21859 \renewcommand*\autodot{\if@altsecnumformat \@SepMark\fi}
21860 \renewcommand*\thesection{%
21861   \thechapter \@SepMark%
21862   \@arabic\c@section
21863 }
21864 \renewcommand*{\thesubsection}{\thesection \@SepMark \@arabic\c@subsection}
21865 \renewcommand*{\thesubsubsection}{%
21866   \thesubsection \@SepMark \@arabic\c@subsubsection
21867 }
21868 \renewcommand*{\theparagraph}{\thesubsubsection \@SepMark \@arabic\c@paragraph}
21869 \renewcommand*{\thesubparagraph}{%
21870   \theparagraph \@SepMark \@arabic\c@subparagraph
21871 }
21872 \expandafter\ifnum\scr@v@is@le{2.97d}%
21873   \renewcommand*\thefigure{\thechapter \@SepMark \@arabic\c@figure}
21874 \fi

```



```

21875 \expandafter\ifnum\scr@v@is@le{2.97d}%
21876   \renewcommand*\thetable{\thechapter\@SepMark\arabic{c@table}}
21877 \fi
21878 \renewcommand*\theequation{%
21879   \thechapter\@SepMark%
21880   \arabic{c@equation}
21881 }
21882 \renewenvironment{thebibliography}[1]{%
21883   \if@bib@break@
21884     \bib@beginhook
21885   \else
21886     \ifx\bibpreamble\relax\else\ifx\bibpreamble\empty\else
21887       \setchapterpreamble{\bibpreamble}%
21888     \fi\fi
21889     \bib@heading
21890     \bib@beginhook
21891     \bib@before@hook
21892   \fi
21893 \renewcommand{\BreakBibliography}[1]{%
21894   \bib@break
21895   \end{thebibliography}%
21896   \begingroup ##1\endgroup
21897   \begin{thebibliography}{#1}
21898 }%
21899 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
21900 \bidi@thebibliography@font@hook%
21901 \list{%
21902   \biblabel{\arabic{c@enumiv}}%
21903 }{%
21904   \settowidth\labelwidth{\biblabel{#1}}%
21905   \leftmargin\labelwidth
21906   \advance\leftmargin\labelsep
21907   \openbib@code
21908   \if@bib@break@
21909     \edef\@tempa{%
21910       \noexpand\usecounter{enumiv}%
21911       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
21912     }\@tempa
21913     \no@bib@break
21914   \else
21915     \usecounter{enumiv}%
21916   \fi
21917   \let\p@enumiv\empty
21918   \renewcommand*\theenumiv{\arabic{c@enumiv}}%
21919 }%
21920 \sloppy\clubpenalty4000 \widowpenalty4000
21921 \sfcode`.=\@m
21922 }{%
21923 \if@bib@break@
21924   \def\@noitemerr{%
21925     \@latex@warning{%
21926       \string\BreakBibliography\space at begin of `thebibliography'
21927       environment\MessageBreak
21928       or following \string\BreakBibliography}%

```



```

21929      }%
21930  \else
21931    \def\@noitemerr{%
21932      \@latex@warning{%
21933        Empty `thebibliography' environment or
21934        \string\BreakBibliography\MessageBreak
21935        before end of `thebibliography' environment}%
21936    }%
21937  \fi
21938  \endlist
21939  \if@bib@break@
21940  \else
21941    \bib@after@hook
21942    \let\bib@before@hook\@empty
21943    \let\bib@after@hook\@empty
21944  \fi
21945  \bib@endhook
21946 }
21947 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
21948 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
21949 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
21950 \renewcommand\marginline[1]{%
21951   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]\{\if@RTL\raggedleft\else\raggedright
21952 \}}
21953 \renewcommand{\@makecaption}[3]{%
21954   \cap@margin
21955   \begingroup
21956     \ifonelinecaptions
21957       \def\stepcounter##1{\advance\value{##1}\@ne}%
21958       \let\refstepcounter\stepcounter
21959       \let\label\@gobble
21960       \let\@footnotetext=\@gobble
21961       \let\@LTRfootnotetext=\@gobble
21962       \let\@RTLfootnotetext=\@gobble
21963       \let\hypertarget\gobbletwo
21964     \edef\@xnewline{%
21965       \unexpanded{\ClassInfo{\KOMAClassName}{%
21966         Workaround for not recommended usage of \string\\ or\MessageBreak
21967         \string\newline in caption text
21968       }%
21969       \hspace*{\ linewidth}\hspace{1sp}%
21970     }%
21971       \unexpanded\expandafter{\@xnewline}%
21972   }%
21973   \edef\@xcentercr{%
21974     \unexpanded{\ClassInfo{\KOMAClassName}{%
21975       Workaround for not recommended usage of \string\\ or\MessageBreak
21976       \string\newline in caption text
21977     }%
21978     \hspace*{\ linewidth}\hspace{1sp}%
21979   }%
21980     \unexpanded\expandafter{\@xcentercr}%
21981   }%
21982   \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%

```



```

21983     \ifdim\@tempdima>\cap@width
21984         \aftergroup\scr@makemultilinecaption
21985     \else
21986         \aftergroup\scr@makesinglelinecaption
21987     \fi
21988 \else
21989     \aftergroup\scr@makemultilinecaption
21990 \fi
21991 \endgroup
21992 {#1}{#2}{#3}%
21993 }
21994 \renewcommand{\scr@makesinglelinecaption}[3]{%
21995   {%
21996     \usefontofkomafont{caption}{%
21997       \hb@xt@\hsize{%
21998         \cap@left
21999         \if@RTL
22000           \beginR
22001           \fi
22002           \scr@makesinglelinecaption{#1}{#2}{#3}%
22003           \if@RTL
22004             \endR
22005             \fi
22006             \cap@right
22007           }\par\kern\dp\strutbox%
22008       }%
22009     }\kern-\dp\strutbox
22010   }
22011 \renewcommand{\@makecaption}[2]{%
22012   \if@captionabove
22013     \vskip\belowcaptionskip
22014   \else
22015     \vskip\abovecaptionskip
22016   \fi
22017   \@@makecaption\@firstofone{#1}{#2}%
22018   \if@captionabove
22019     \vskip\abovecaptionskip
22020   \else
22021     \vskip\belowcaptionskip
22022   \fi
22023 }
22024
22025 \renewcommand{\scr@makesinglelinecaption}[3]{%
22026   \usekomafont{caption}{\strut\ignorespaces
22027     #1{\usekomafont{captionlabel}{\#2\captionformat}}%
22028     \ignorespaces #3\unskip}%
22029 }
22030
22031 \renewcommand{\scr@makemultilinecaption}[3]{%
22032   {%
22033     \usefontofkomafont{caption}{%
22034       \hb@xt@\hsize{%
22035         \cap@left
22036         \vbox{\hspace{\cap@width}\linewidth\hspace

```



```

22037 \scr@ifundefinedorrelax{@capttype}{%
22038   \ClassWarning{\KOMAClassName}{%
22039     `\\string\\caption' outside float.\\MessageBreak
22040     Seems you are using `\\string\\caption' outside a
22041     float.\\MessageBreak
22042     Maybe you are using a package that uses
22043     `\\string\\@makecaption'\\MessageBreak
22044     without setting `\\string\\@capttype' before.\\MessageBreak
22045     Because I cannot detect the caption type, I'm using\\MessageBreak
22046     the empty one.%}
22047   }%
22048   \let\\@capttype\\empty
22049 }{%
22050 \scr@ifundefinedorrelax{ragged\\@capttype caption}{\\raggedcaption}{%
22051   \\nameuse{ragged\\@capttype caption}%
22052 }%
22053 \\ifdofullc@p
22054   \\@hangfrom{%
22055     \\strut
22056     \\scr@smashdp{%
22057       #1{%
22058         \\usekomafont{caption}{%
22059           \\usekomafont{captionlabel}{#2\\captionformat}%
22060         }%
22061       }%
22062     }%
22063   }%
22064   {{\\usekomafont{caption}{#3\\scr@endstrut}}\\par}%
22065 \\else
22066   \\ifdim\\cap@indent<\\z@
22067     \\strut
22068     #1{%
22069       {\\usekomafont{caption}{%
22070         \\usekomafont{captionlabel}{#2\\captionformat}%
22071       }%
22072     }\\par}%
22073     \\noindent{{\\usekomafont{caption}{%
22074       \\hspace*{-\\cap@indent}#3\\scr@endstrut
22075     }}}\\par}%
22076 \\else
22077   \\if@capbreak
22078     \\strut
22079     #1{%
22080       {\\usekomafont{caption}{%
22081         \\usekomafont{captionlabel}{#2\\captionformat}%
22082       }%
22083     }\\par}%
22084     \\noindent\\@hangfrom{\\hspace*{\\cap@indent}}%
22085     {{\\usekomafont{caption}{#3\\scr@endstrut}}\\par}%
22086 \\else
22087   \\@hangfrom{\\scr@smashdp\\strut\\hspace*{\\cap@indent}}%
22088   {%
22089     \\hspace{-\\cap@indent}%
22090     \\scr@smashdp{%

```



```

22091          #1{\usekomafont{caption}{%
22092              \usekomafont{captionlabel}{#2\captionformat}%
22093          }%
22094      }%
22095  }%
22096  {\usekomafont{caption}{#3\scr@endstrut}\par}%
22097  }%
22098  \fi
22099  \fi
22100  \fi
22101  }%
22102  \cap@right
22103  }\par\kern\dp\strutbox
22104  }%
22105  }\kern-\dp\strutbox
22106 }
22107
22108
22109 \bidi@AfterFile{longtable-xetex-bidi.def}{%
22110   \if@komalongtable
22111     \renewcommand{\LT@makecaption}[3]{%
22112       \noalign{%
22113         \if@captionabove
22114           \vskip\belowcaptionskip
22115         \else
22116           \vskip\abovecaptionskip
22117         \fi
22118       }%
22119       \LT@mcol\LT@cols c{%
22120         \hbox to\z@\hss\parbox[t]\linewidth{%
22121           \def\@captype{table}%
22122           \@@makecaption{#1}{#2}{#3}%
22123           \endgraf
22124           \if@captionabove
22125             \vskip\abovecaptionskip
22126           \else
22127             \vskip\belowcaptionskip
22128           \fi
22129         }%
22130         \hss
22131       }%
22132     }%
22133   }%
22134   \renewcommand*\scr@LT@array{}%
22135   \let\scr@LT@array=\LT@array
22136   \renewcommand*{\LT@array}{%
22137     \let\scr@caption=\LT@caption
22138     \def\captionabove{\noalign{\global\@captionabovetrue}%
22139       \scr@caption}%
22140     \def\captionbelow{\noalign{\global\@captionabovefalse}%
22141       \scr@caption}%
22142     \if@tablecaptionabove
22143       \let\LT@caption=\captionabove
22144     \else

```



```

22145      \let\LT@caption=\captionbelow
22146      \fi
22147      \scr@LT@array
22148  }%
22149  \ClassInfo{\KOMAClassName}{%
22150    longtable captions redefined%
22151  }%
22152 \fi
22153 }
22154
22155 \CloneTOCEntryStyle{tocline}{part}
22156 \TOCEntryStyleStartInitCode{part}{%
22157   \expandafter\renewcommand%
22158   \csname scr@tso@#1@linefill\endcsname{\hfill}%
22159   \expandafter\renewcommand%
22160   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
22161   \expandafter\renewcommand%
22162   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22163     {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}}}}%
22164   \expandafter\renewcommand\expandafter*%
22165   \csname scr@tso@#1@beforeskip\endcsname{2.25em \oplus\p0}%
22166 }
22167
22168 \CloneTOCEntryStyle{tocline}{chapter}
22169 \TOCEntryStyleStartInitCode{chapter}{%
22170   \expandafter\renewcommand%
22171   \csname scr@tso@#1@linefill\endcsname{%
22172     \if@chapterentrywithdots
22173       {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
22174     \else
22175       \hfill
22176     \fi
22177   }%
22178   \expandafter\renewcommand%
22179   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
22180   \expandafter\renewcommand%
22181   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22182     {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}}}}%
22183   \expandafter\renewcommand\expandafter*%
22184   \csname scr@tso@#1@beforeskip\endcsname{1.0em \oplus\p0}%
22185 }
22186
22187 \CloneTOCEntryStyle{tocline}{section}
22188 \TOCEntryStyleStartInitCode{section}{%
22189   \expandafter\renewcommand%
22190   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
22191   \expandafter\renewcommand%
22192   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22193     {\normalfont\color{##1}}}}%
22194 }
22195
22196 \CloneTOCEntryStyle{section}{default}
22197
22198 \DeclareSectionCommand[%
```



```

22199 style=chapter,%
22200 level=\z@,%
22201 pagestyle=plain,%
22202 tocstyle=chapter,%
22203 tocindent=\z@,%
22204 tocnumwidth=1.5em%
22205 ]{chapter}
22206 \DeclareSectionCommand[%]
22207 style=section,%
22208 level=1,%
22209 indent=\z@,%
22210 beforeskip=-3.5ex \oplus -1ex \ominus -.2ex,%
22211 afterskip=2.3ex \oplus .2ex,%
22212 tocstyle=section,%
22213 tocindentfollows=chapter,%
22214 tocindent=1.5em,%
22215 tocnumwidth=2.3em%
22216 ]{section}
22217 \DeclareSectionCommand[%]
22218 style=part,%
22219 level=\m@ne,%
22220 pagestyle=plain,%
22221 tocstyle=part,%
22222 toclevel=\m@ne,%
22223 tocindent=\z@,%
22224 tocnumwidth=2em%
22225 ]{part}
22226 \DeclareSectionCommand[%]
22227 style=section,%
22228 level=2,%
22229 indent=\z@,%
22230 beforeskip=-3.25ex\oplus -1ex \ominus -.2ex,%
22231 afterskip=1.5ex \oplus .2ex,%
22232 tocstyle=section,%
22233 tocindent=3.8em,%
22234 tocnumwidth=3.2em%
22235 ]{subsection}
22236 \DeclareSectionCommand[%]
22237 style=section,%
22238 level=3,%
22239 indent=\z@,%
22240 beforeskip=-3.25ex\oplus -1ex \ominus -.2ex,%
22241 afterskip=1.5ex \oplus .2ex,%
22242 tocstyle=section,%
22243 tocindent=7.0em,%
22244 tocnumwidth=4.1em%
22245 ]{subsubsection}
22246 \DeclareSectionCommand[%]
22247 style=section,%
22248 level=4,%
22249 indent=\z@,%
22250 beforeskip=3.25ex \oplus 1ex \ominus .2ex,%
22251 afterskip=-1em,%
22252 tocindentfollows=subsubsection,%

```



```

22253 tocstyle=section,%
22254 tocindent=10em,%
22255 tocnumwidth=5em%
22256 ]{paragraph}
22257 \DeclareSectionCommand[%]
22258 style=section,%
22259 level=5,%
22260 indent=\scr@parindent,%
22261 beforeskip=3.25ex \oplus1ex \minus .2ex,%
22262 afterskip=-1em,%
22263 tocstyle=section,%
22264 tocindent=12em,%
22265 tocnumwidth=6em%
22266 ]{subparagraph}

```

144 File `sidecap-xetex-bidi.def`

```

22267 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package f
22268 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
22269   \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2} {\#2}\hspace{\sidecaptionsep}{\#1}}\else%
22270 \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1} {\#1}\hspace{\sidecaptionsep}{\#2}}\fi}
22271 \renewcommand*{\SC@justify@caption{\if@RTL%
22272 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\else%
22273 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\fi}

```

145 File `soul-xetex-bidi.def`

```

22274 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeT
22275 \long\def\SOUL@start#1{%
22276   \let\bidi@RTL@everypar\empty
22277   \let\<\SOUL@lowerthan
22278   \let\>\empty
22279   \def\soulomit{\noexpand\soulomit}%
22280   \gdef\SOUL@eventuallyexhyphen##1{}%
22281   \let\SOUL@soeventuallyskip\relax
22282   \SOUL@spaceskip=\fontdimen\tw@\font\plus\fontdimen\thr@@\font
22283   \minus\fontdimen4\font
22284   \SOUL@ignorespacesfalse
22285   \leavevmode
22286   \SOUL@preamble
22287   \SOUL@lasttoken={}
22288   \SOUL@word={}
22289   \SOUL@minus\z@
22290   \SOUL@comma\z@
22291   \SOUL@apo\z@
22292   \SOUL@grave\z@
22293   \SOUL@do{#1}%
22294   \SOUL@postamble
22295 }
22296 \def\SOUL@ulunderline#1{%
22297   \setbox\z@\hbox{#1}%
22298   \dimen@=\wd\z@
22299   \dimen@i=\SOUL@uloverlap
22300   \advance\dimen@2\dimen@i

```



```

22301   \if@RTL
22302     \unhcopy\z@
22303     \llap{%
22304       \null
22305       \kern-\dimen@i
22306       \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
22307     }%
22308   \else
22309     \rlap{%
22310       \null
22311       \kern-\dimen@i
22312       \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
22313     }%
22314   \unhcopy\z@
22315   \fi
22316 }
22317 \def\bidi@SOUL@ulleaders{%
22318   \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\n
22319 }
22320 \def\SOUL@uleveryspace#1{%
22321   \if@RTL
22322     #1%
22323     \bidi@SOUL@ulleaders
22324     \hskip\spaceskip
22325     \else
22326     \SOUL@ulcolor{%
22327       #1%
22328       \SOUL@ulleaders
22329       \hskip\spaceskip
22330     }%
22331     \fi
22332     \null
22333 }

```

146 File stabular-xetex-bidi.def

```

22334 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
22335 \def\@stabular{%
22336   \leavevmode \bgroup \if@RTLtab\beginR \fi
22337   \let\@acol\@tabacol
22338   \let\@classz\@tabclassz
22339   \let\@classiv\@tabclassiv \let\\@\tabularcr\@stabarray}
22340 \def\endstabular{\crcr\egroup\if@RTLtab\beginR\egroup\endR\egroup\fi
22341           \egroup \if@RTLtab\endR\fi\egroup}
22342 \expandafter \let \csname endstabular*\endcsname = \endstabular
22343 \def\@sarray[#1]#2{%
22344   \bgroup
22345   \setbox\@arstrutbox\hbox{%
22346     \vrule \height\arraystretch\ht\strutbox
22347     \depth\arraystretch \dp\strutbox
22348     \width\z@}%
22349   \mkpream{#2}%
22350   \edef\@preamble{%
22351     \ialign \noexpand\@halign to

```



```

22352     \bgroup \carstrut \preamble \tabskip\z@skip \cr}%
22353     \let\startpbox\@startpbox \let\endpbox\@endpbox
22354     \let\tabularnewline\\%
22355     \let\sharp##%
22356     \set@typeset@protect
22357     \lineskip\z@skip\baselineskip\z@skip
22358     \if@RTLtab\hbox\bgroup\beginR\hboxR\constructtrue\if #1\vtop \else \vbox \fi\bgroup\fi
22359     \preamble}

```

147 File subfigure-xetex-bidi.def

```

22360 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
22361 \AtBeginDocument{%
22362   \let\p@subfigure=\thefigure
22363   \let\p@subtable=\thetable%
22364 }

```

148 File tabls-xetex-bidi.def

```

22365 \ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for XeLaTeX]
22366 \def\endtabular{\endarray $ \if@RTLtab\endR\fi\egroup}
22367
22368 \expandafter\let\csname endtabular*\endcsname=\endtabular
22369
22370 \def\endarray{\ifvmode\csname crcr\endcsname % just do \cr if \\ given
22371   \else \\[\z@ \global\advance\carstdepth-\otarlinesep]%
22372   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\unrecuse\egroup}
22373
22374 \def\@array[#1]{% remember global variables to allow recursion:
22375   \edef\unrecuse{\global\zskip@bove\the\zskip@bove
22376     \global\carstheight\the\carstheight\global\carstddepth\the\carstddepth}%
22377   \let\otarlinesep@\tarlinesep \global\zskip@bove-\otarlinesep
22378   \ifx\@classz\@arrayclassz \let\otarlinesep\arraylinesep
22379   \else \let\otarlinesep\tablinesep \fi
22380   \divide\otarlinesep\tw@ % half sep is applied to height & depth
22381   \let\seesize\relax \let\rememsize\relax \mkpream{#2}%
22382   \tempdima\arraystretch\ht\strutbox \tempdimb\arraystretch\dp\strutbox
22383   \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
22384     \def\rememsize{\protect\or@m@msize}\let\seesize\@size
22385     \advance\tempdima-\@tarlinesep \advance\tempdimb-\@tarlinesep
22386   \fi \setbox\carstrutbox\hbox{%
22387     \vrule\height\tempdima \depth\tempdimb \width\z@}%
22388   \let\protect\noexpand
22389   \edef\preamble{\ialign \noexpand\halign \bgroup
22390     \unhcopy\carstrutbox \preamble \tabskip\z@skip &\sharp \cr}%
22391   \let\startpbox\@startpbox \let\endpbox\@endpbox
22392   \if#1\vtop \else \if#1b\vbox \else \vcenter \fi\fi
22393   \bgroup \let\par\empty
22394   \global\carstheight\ht\carstrutbox \global\carstddepth\dp\carstrutbox
22395   \advance\extrarulesep.5\arrayrulewidth
22396   \let\sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
22397   \if@RTLtab\hbox\bgroup\beginR\hboxR\constructtrue\if#1\vtop \else \vbox \fi\bgroup\fi
22398   \preamble}

```



149 File `tabularx-xetex-bidi.def`

```
22399 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
22400 \def\TX@endtabularx{%
22401   \expandafter\expandafter\expandafter
22402     \TX@find@endtabularxa\csname end\TX@\endcsname
22403     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
22404   \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
22405   \let\verb\TX@verb
22406 \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
22407 \edef\TX@ckpt{\cl@ckpt}%
22408 \let\@elt\relax
22409 \TX@old@table\maxdimen
22410 \TX@col@width\TX@target
22411 \global\TX@cols\@ne
22412 \TX@typeout@
22413   {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
22414 \TX@trial{\def\NC@rewrite@X{%
22415   \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}%
22416 \loop
22417   \TX@arith
22418   \ifTX@
22419   \TX@trial{}%
22420 \repeat
22421 {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
22422 \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
22423 \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
22424 \csname tabular*\expandafter\endcsname\expandafter\TX@target
22425   \the\toks@
22426   \csname endtabular*\endcsname}%
22427 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
22428 \ifnum0=\`{fi}%
22429   \expandafter\expandafter\expandafter
22430   \TX@find@endtabularxb
22431   \expandafter\end\expandafter{\TX@}%
22432   \endtabularx\TX@\endtabularx\TX@find@endtabularxb
22433 }
22434 \def\TX@trial#1{%
22435   \setbox\@tempboxa\hbox{%
22436     #1\relax
22437   \let\@footnotetext\TX@trial@ftn
22438   \let\@LTRfootnotetext\TX@trial@ftn
22439   \let\@RTLfootnotetext\TX@trial@ftn
22440   \let\TX@vwarn@\empty
22441   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
22442   \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
22443   \def\write{\begingroup
22444     \def\let{\afterassignment\endgroup\toks@}%
22445     \afterassignment\let\count@}%
22446   \hbadness\@M
22447   \hfuzz\maxdimen
22448   \let\hbadness\@tempcnta
22449   \let\hfuzz\@tempdima
```



```
22451 \expandafter\tabular\the\toks@  
22452 \endtabular} %  
22453 \TX@ckpt  
22454 \TX@typeout@\{@spaces  
22455 \expandafter\TX@align  
22456 \the\wd\tempboxa\space\space\space\space\space\space\@  
22457 \expandafter\TX@align  
22458 \the\TX@col@width\space\space\space\space\space\space\space\@  
22459 \{@spaces\the\TX@cols}\}  
22460  
22461 \long\def\TX@LTRftntext#1{  
22462 \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext  
22463 [\the\csname c@\mpfn\endcsname]}%  
22464 \global\TX@ftn\expandafter{\@tempa[#1]}%  
22465 \long\def\TX@xLTRftntext[#1]#2{  
22466 \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}  
22467  
22468 \long\def\TX@RTLftntext#1{  
22469 \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext  
22470 [\the\csname c@\mpfn\endcsname]}%  
22471 \global\TX@ftn\expandafter{\@tempa[#1]}%  
22472 \long\def\TX@xRTLftntext[#1]#2{  
22473 \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}
```

150 File tabulary-xetex-bidi.def

```
22474 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package
22475 \def\@testpach{\@chclass
22476 \ifnum \@lastchclass=6 \one \@chnum \one \else
22477 \ifnum \@lastchclass=7 5 \else
22478 \ifnum \@lastchclass=8 \tw@ \else
22479 \ifnum \@lastchclass=9 \thr@@
22480 \else \z@
22481 \ifnum \@lastchclass = 10 \else
22482 \edef\@nextchar{\expandafter\string\@nextchar}%
22483 \@chnum
22484 \if \@nextchar c\z@ \else
22485 \if \@nextchar \if@RTLtab r\else l\fi\one \else
22486 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
22487 \if \@nextchar C7 \else
22488 \if \@nextchar L8 \else
22489 \if \@nextchar R9 \else
22490 \if \@nextchar J10 \else
22491 \z@ \@chclass
22492 \if \@nextchar |\one \else
22493 \if \@nextchar !6 \else
22494 \if \@nextchar @7 \else
22495 \if \@nextchar <8 \else
22496 \if \@nextchar >9 \else
22497 10
22498 \@chnum
22499 \if \@nextchar m\thr@@\else
22500 \if \@nextchar p4 \else
22501 \if \@nextchar b5 \else
```



151 File `tc-xetex-bidi.def`

```
22504 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for Xe
22505 \def\@cliptoboxdim#1{%
22506     \setbox#1=\hbox{%
22507         \Gin@defaultbp\WIDTH{\wd#1}%
22508         \Gin@defaultbp\DEPTH{\dp#1}%
22509         \tempdima\ht#1%
22510         \advance\tempdima\dp#1%
22511         \Gin@defaultbp\TOTALHEIGHT{\tempdima}%
22512         \beginL{special{pdf:bcontent }%
22513         \special{%
22514             pdf:literal direct
22515             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
22516         }%
22517         \special{pdf:literal direct W }%
22518         \special{pdf:literal direct n }%
22519         \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
22520         \special{pdf:econtent }\endL%
22521     }%
22522 }
```

152 File `tcolorbox-xetex-bidi.def`

```
22523 \ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox packa
22524 \let\endtcb@lrbox=\endminipage
22525 \let\endtcb@savebox=\endtcb@lrbox
22526
22527 \bidi@patchcmd{\tcb@vbox}{%
22528   \let\@footnotetext\@mpfootnotetext%
22529 }{%
22530   \let\@footnotetext\@mpfootnotetext%
22531   \let\@LTRfootnotetext\@mpLTRfootnotetext%
22532   \let\@RTLfootnotetext\@mpRTLfootnotetext%
22533 }{}{%
22534
22535 \bidi@patchcmd{\endtcb@vbox}{%
22536   \footnoterule%
22537 }{%
22538   \bidi@mpfootnoterule%
22539 }{}{%
22540 \bidi@apptocmd\tcb@@icolorbox{%
22541   \bidi@list@minipage@parboxfalse
22542 }{}{}
```

153 File `titlesec-xetex-bidi.def`

```
22543 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package
22544 \renewcommand{\filright}{%
22545   \gdef\ttl@filleft##1{\hskip##1}%
22546   \gdef\ttl@filright##1{\hfill}%
```



```

22547 \let\\@centercr
22548 \advance\rightskip\z@ \plus 1fil
22549 \parfillskip\z@}
22550 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
22551 \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
22552 \setlength\leftskip{#6}%
22553 \setlength\rightskip{#7}%
22554 \interlinepenalty\@M
22555 \ttl@changecentercr
22556 \ttl@beginlongest
22557 #1{\ifhmode\ttl@hmode@error\fi
22558 \ttl@glcmds
22559 \parindent\z@
22560 \leavevmode
22561 \begingroup
22562 \ifttl@label
22563 \sbox\z@{\#2\strut\ttl@calc\hspace{#3}}%
22564 \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
22565 \llap{\box\z@}%
22566 \fi
22567 #4{#8}%
22568 \kern\z@\strut\@@par
22569 \endgroup
22570 \nobreak\ttl@midlongest#5\@@par}%
22571 \ttl@endlongest}

```

154 File `titletoc-xetex-bidi.def`

```

22572 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
22573 \renewcommand\filright{%
22574 \gdef\ttl@filleft##1{\hskip##1}%
22575 \gdef\ttl@filright##1{\hfill}%
22576 \let\\@centercr
22577 \advance\rightskip\z@ \plus 1fil
22578 \parfillskip\z@}
22579 \renewcommand\contentspush[1]{%
22580 \sbox\z@{#1}%
22581 \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
22582 \aftergroup\ttl@b
22583 \leavevmode\llap{\box\z@}}
22584 \def\ttl@outnoblock#1#2#3{%
22585 \begingroup
22586 \ifnum\ttl@b>\ttl@a
22587 \nobreak
22588 \else\ifnum\ttl@b<\ttl@a
22589 \addpenalty{\secpenalty}%
22590 \else
22591 \addpenalty{\z@}%
22592 \fi\fi
22593 \ttl@contentsstretch
22594 \nobreak
22595 \ifcase#1\relax\else\interlinepenalty\@M\fi
22596 \parindent\z@
22597 \ifx\@nil#2%

```



```

22598     \PackageError{titletoc}{Unimplemented}%
22599     {The optional argument is currently mandatory}%
22600 \else
22601   \if@RTL\setlength\rightskip{\#2}\else
22602     \setlength\leftskip{\#2}\fi%
22603 \fi
22604 \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
22605 \let\contentsmargin\ttl@margin
22606 \def\ttl@makeline##1{##1}%
22607 #3%
22608 \addtolength{\parfillskip}{-\ttl@corr}%
22609 \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
22610 \let\ttl@leaders\leaders
22611 \renewcommand\ttl@margin[2][\z@]{%
22612   \def\ttl@corr{#1}%
22613   \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
22614   \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
22615   \def\@pnumwidth{#2}%
22616 \let\ttl@savel@part\l@part
22617 \def\l@part{\ttl@lselect{part}}}
22618
22619 \let\ttl@savel@chapter\l@chapter
22620 \def\l@chapter{\ttl@lselect{chapter}}

```

155 File tocbibind-xetex-bidi.def

```

22621 \ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind packa
22622 \if@dotocbib
22623   \@ifpackageloaded{natbib}{}{%
22624     \renewcommand{\bibsection}{\t@cb@bchapsec}
22625     \renewenvironment{thebibliography}[1]{%
22626       \bibsection
22627       \begin{thebibitemlist}[#1]\end{thebibitemlist}}
22628     \renewenvironment{thebibitemlist}[1]{%
22629       \if@RTL\if@LTrbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi\fi
22630       \bidi@thebibliography@font@hook%
22631       \list{\@biblabel{\@arabic\c@enumiv}}{%
22632         \settowidth\labelwidth{\@biblabel{#1}}%
22633         \leftmargin\labelwidth
22634         \advance\leftmargin\labelsep
22635         \openbib@code
22636         \usecounter{enumiv}%
22637         \let\p@enumiv\empty
22638         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
22639       \sloppy
22640       \clubpenalty4000
22641       \clubpenalty \clubpenalty
22642       \widowpenalty4000%
22643       \sfcode`\.\@m}
22644     {\def\@noitemerr
22645       {\@latex@warning{Empty `thebibliography' environment}}%
22646     \endlist}
22647
22648 \@ifpackagewith{chapterbib}{sectionbib}%

```



```

22649      {\renewcommand{\sectionbib}[2]{}}
22650      {}
22651
22652 \fi
22653 \if@inltxdoc\else
22654   \renewenvironment{theindex}%
22655     {\if@twocolumn
22656       \@restonecolfalse
22657     \else
22658       \@restonecoltrue
22659     \fi
22660     \if@bibchapter
22661       \if@donumindex
22662         \refstepcounter{chapter}
22663         \twocolumn[\vspace*{2\topskip}%
22664           \makechapterhead{\indexname}]%
22665         \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
22666         \chaptermark{\indexname}
22667       \else
22668         \if@dotocind
22669           \twocolumn[\vspace*{2\topskip}%
22670             \makeschapterhead{\indexname}]%
22671           \prw@mkboth{\indexname}
22672           \addcontentsline{toc}{chapter}{\indexname}
22673         \else
22674           \twocolumn[\vspace*{2\topskip}%
22675             \makeschapterhead{\indexname}]%
22676           \prw@mkboth{\indexname}
22677         \fi
22678       \fi
22679     \else
22680       \if@donumindex
22681         \twocolumn[\vspace*{-1.5\topskip}%
22682           \nameuse{@tocextra}{\indexname}]%
22683         \csname \tocextra mark\endcsname{\indexname}
22684       \else
22685         \if@dotocind
22686           \twocolumn[\vspace*{-1.5\topskip}%
22687             \toc@headstar{\@tocextra}{\indexname}]%
22688           \prw@mkboth{\indexname}
22689           \addcontentsline{toc}{@tocextra}{\indexname}
22690         \else
22691           \twocolumn[\vspace*{-1.5\topskip}%
22692             \toc@headstar{\@tocextra}{\indexname}]%
22693           \prw@mkboth{\indexname}
22694         \fi
22695       \fi
22696     \fi
22697     \thispagestyle{plain}\parindent\z@
22698     \parskip\z@ \oplus .3\p@\relax
22699     \let\item\@idxitem
22700     {\if@restonecol\onecolumn\else\clearpage\fi}
22701 \fi

```



156 File tocloft-xetex-bidi.def

```
22702 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package f
22703 \let\cftdot\@SepMark
22704 \if@cfthaspart
22705 \renewcommand*{\l@part}[2]{
22706   \cftdopartfalse
22707   \ifnum \c@tocdepth >-2\relax
22708     \if@cfthaschapter
22709       \cftdoparttrue
22710     \fi
22711     \ifnum \c@tocdepth >\m@ne
22712       \if@cfthaschapter\else
22713         \cftdoparttrue
22714       \fi
22715     \fi
22716   \fi
22717 \if@cftdopart
22718   \if@cfthaschapter
22719     \addpenalty{-\@highpenalty}
22720   \else
22721     \addpenalty\@secpenalty
22722   \fi
22723 \addvspace{\cftbeforeparts skip}
22724 \begingroup
22725   \if@RTL\rightskip\else\leftskip\fi \cftpindent\relax
22726   \if@RTL\leftskip\else\rightskip\fi \cftpartmarg
22727   \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22728   \parindent \cftpindent\relax\@afterindenttrue
22729   \interlinepenalty\@M
22730   \leavevmode
22731   \tempdima \cftpnumwidth\relax
22732   \let\cftbsnum \cftpresnum
22733   \let\cftasnum \cftaftersnum
22734   \let\cftasnumb \cftaftersnumb
22735   \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\ri
22736   {\cftpfont \cftpresnum \#1}
22737   \cftpfillnum{\#2}}
22738 \nobreak
22739 \if@cfthaschapter
22740   \global\nobreaktrue
22741   \everypar{\global\nobreakfalse\everypar{}}
22742 \else
22743   \if@compatibility
22744     \global\nobreaktrue
22745     \everypar{\global\nobreakfalse\everypar{}}
22746   \fi
22747 \fi
22748 \endgroup
22749 \fi}
22750 \fi
22751 \if@cfthaschapter
22752 \renewcommand*{\l@chapter}[2]{
22753   \ifnum \c@tocdepth >\m@ne
```



```

22754     \addpenalty{-\@highpenalty}
22755     \vskip \cftbeforechapskip
22756     {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
22757       \if@RTL\leftskip\else\rightskip\fi \cftchapmarg
22758       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22759       \parindent \cftchapindent\relax\@afterindenttrue
22760       \interlinepenalty\@M
22761       \leavevmode
22762       \tempdima \cftchapnumwidth\relax
22763       \let\cftbsnum \cftchappresnum
22764       \let\cftasnum \cftchapaftersnum
22765       \let\cftasnumb \cftchapaftersnumb
22766       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22767       {\cftchapfont #1}\nobreak
22768       \cftchapfillnum{#2}}
22769     \fi}
22770 \fi
22771 \renewcommand*{\l@section}[2]{%
22772   \ifnum \c@tocdepth >\z@
22773     \if@cfthaschapter
22774       \vskip \cftbeforesecskip
22775     \else
22776       \addpenalty\@secpenalty
22777       \addvspace{\cftbeforesecskip}
22778     \fi
22779     {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
22780       \if@RTL\leftskip\else\rightskip\fi \cftsecmarg
22781       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22782       \parindent \cftsecindent\relax\@afterindenttrue
22783       \interlinepenalty\@M
22784       \leavevmode
22785       \tempdima \cftsecnumwidth\relax
22786       \let\cftbsnum \cftsecpresnum
22787       \let\cftasnum \cftsecaftersnum
22788       \let\cftasnumb \cftsecaftersnumb
22789       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22790       {\cftsecfont #1}\nobreak
22791       \cftsecfillnum{#2}}
22792     \fi}
22793 \renewcommand*{\l@subsection}[2]{%
22794   \ifnum \c@tocdepth >\@ne
22795     \vskip \cftbeforesubsecskip
22796     {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
22797       \if@RTL\leftskip\else\rightskip\fi \cftsubsecmarg
22798       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22799       \parindent \cftsubsecindent\relax\@afterindenttrue
22800       \interlinepenalty\@M
22801       \leavevmode
22802       \tempdima \cftsubsecnumwidth\relax
22803       \let\cftbsnum \cftsubsecpresnum
22804       \let\cftasnum \cftsubsecaftersnum
22805       \let\cftasnumb \cftsubsecaftersnumb
22806       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22807       {\cftsubsecfont #1}\nobreak

```



```

22808     \cftsubsecfillnum{#2}}
22809   \fi}
22810 \renewcommand*{\l@subsubsection}[2]{%
22811   \ifnum \c@tocdepth >\tw@
22812     \vskip \cftbeforesubsubsecskip
22813     {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
22814     \if@RTL\leftskip\else\rightskip\fi \cftsubsubsecindent\relax
22815     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22816     \parindent \cftsubsubsecindent\relax\@afterindenttrue
22817     \interlinepenalty\OM
22818     \leavevmode
22819     \tempdima \cftsubsubsecnumwidth\relax
22820     \let\cftbsnum \cftsubsubsecpresnum
22821     \let\cftasnum \cftsubsubsecaftersnum
22822     \let\cftasnumb \cftsubsubsecaftersnumb
22823     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22824     {\cftsubsubsecfont #1}\nobreak
22825     \cftsubsubsecfillnum{#2}}
22826   \fi}
22827 \renewcommand*{\l@paragraph}[2]{%
22828   \ifnum \c@tocdepth >3\relax
22829     \vskip \cftbeforeparaskip
22830     {\if@RTL\rightskip\else\leftskip\fi \cftpaindent\relax
22831     \if@RTL\leftskip\else\rightskip\fi \cftparaindent\relax
22832     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22833     \parindent \cftpaindent\relax\@afterindenttrue
22834     \interlinepenalty\OM
22835     \leavevmode
22836     \tempdima \cftpainumwidth\relax
22837     \let\cftbsnum \cftpapresnum
22838     \let\cftasnum \cftpaaftersnum
22839     \let\cftasnumb \cftpaaftersnumb
22840     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22841     {\cftpafont #1}\nobreak
22842     \cftpafillnum{#2}}
22843   \fi}
22844 \renewcommand*{\l@ subparagraph}[2]{%
22845   \ifnum \c@tocdepth >4\relax
22846     \vskip \cftbeforesubparaskip
22847     {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
22848     \if@RTL\leftskip\else\rightskip\fi \cftsubparaindent\relax
22849     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22850     \parindent \cftsubparaindent\relax\@afterindenttrue
22851     \interlinepenalty\OM
22852     \leavevmode
22853     \tempdima \cftsubparanumwidth\relax
22854     \let\cftbsnum \cftsubparapresnum
22855     \let\cftasnum \cftsubparaftersnum
22856     \let\cftasnumb \cftsubparaftersnumb
22857     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22858     {\cftsubparafont #1}\nobreak
22859     \cftsubparafillnum{#2}}
22860   \fi}
22861 \renewcommand*{\l@figure}[2]{%

```



```

22862 \ifnum \c@lofdepth >\z@
22863   \vskip \cftbeforefigskip
22864   {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
22865     \if@RTL\leftskip\else\rightskip\fi \cftfigmarg
22866     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22867     \parindent \cftfigindent\relax\cfterindenttrue
22868     \interlinepenalty\@M
22869     \leavevmode
22870     \tempdima \cftfignumwidth\relax
22871     \let\cftbsnum \cftfigpresnum
22872     \let\cftasnum \cftfigaftersnum
22873     \let\cftasnumb \cftfigaftersnumb
22874     \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22875     {\cftfigfont #1}\nobreak
22876     \cftfigfillnum{\#2}}
22877   \fi
22878 }
22879 \renewcommand*{\l@table}[2]{%
22880   \ifnum\c@lotdepth >\z@
22881     \vskip \cftbeforetabskip
22882     {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
22883       \if@RTL\leftskip\else\rightskip\fi \cfttabmarg
22884       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22885       \parindent \cfttabindent\relax\cfterindenttrue
22886       \interlinepenalty\@M
22887       \leavevmode
22888       \tempdima \cfttabnumwidth\relax
22889       \let\cftbsnum \cfttabpresnum
22890       \let\cftasnum \cfttabaftersnum
22891       \let\cftasnumb \cfttabaftersnumb
22892       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22893       {\cfttabfont #1}\nobreak
22894       \cfttabfillnum{\#2}}
22895     \fi
22896   }
22897 \renewcommand{\cftl@subfig}{%
22898 \renewcommand*{\l@subfigure}[2]{%
22899   \ifnum \c@lofdepth > \toclevel@subfigure
22900     \vskip \cftbeforesubfigskip
22901     {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
22902       \if@RTL\leftskip\else\rightskip\fi \cftsubfigmarg
22903       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22904       \parindent \cftsubfigindent\relax\cfterindenttrue
22905       \interlinepenalty\@M
22906       \leavevmode
22907       \tempdima \cftsubfignumwidth\relax
22908       \let\cftbsnum \cftsubfigpresnum
22909       \let\cftasnum \cftsubfigaftersnum
22910       \let\cftasnumb \cftsubfigaftersnumb
22911       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22912       {\cftsubfigfont ##1}\nobreak
22913       \cftsubfigfillnum{##2}}
22914     \fi
22915   }

```



```

22916 }
22917 \renewcommand{\@cftl@subtab}{%
22918 \renewcommand*{\l@subtable}[2]{%
22919   \ifnum \c@lotdepth > \toclevel@subtable
22920     \vskip \cftbeforesubtabskip
22921     {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
22922       \if@RTL\leftskip\else\rightskip\fi \cftmarg
22923       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22924       \parindent \cftsubtabindent\relax\cftafterindenttrue
22925       \interlinepenalty\@M
22926       \leavevmode
22927       \tempdima \cftsubtabnumwidth\relax
22928       \let\cftbsnum \cftsubabpresnum
22929       \let\cftasnum \cftsubabaftersnum
22930       \let\cftasnumb \cftsubabaftersnumb
22931       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22932       {\cftsubabfont \#1}\nobreak
22933       \cftsubabfillnum{\#2}}
22934   \fi
22935 }
22936 }
22937 \renewcommand{\newlistentry}[4] [{}]{%
22938   \cifundefined{c@\#2}{%      check & set the counter
22939     \ifx \empty\relax
22940       \newcounter{\#2}
22941     \else
22942       \cifundefined{c@\#1}{\PackageWarning{tocloft}%
22943                     {\#1 has no counter for use as a `within'}
22944                     \newcounter{\#2}}%
22945       {\newcounter{\#2}[\#1]%
22946         \expandafter\edef\csname the\#2\endcsname{%
22947           \expandafter\noexpand\csname the\#1\endcsname\cSepMark\noexpand\arabic{\#2}}}
22948     \fi
22949     \setcounter{\#2}{0}
22950   }
22951   {\PackageError{tocloft}{\#2 has been previously defined}{\@eha}}
22952 }
22953 \cnamedef{l@#2}##1##2{%
22954   \ifnum \nameuse{c@#3depth} > #4\relax
22955     \vskip \nameuse{cftbefore#2skip}
22956     {\if@RTL\rightskip\else\leftskip\fi \nameuse{cft#2indent}\relax
22957       \if@RTL\leftskip\else\rightskip\fi \cftmarg
22958       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22959       \parindent \nameuse{cft#2indent}\relax\cftafterindenttrue
22960       \interlinepenalty\@M
22961       \leavevmode
22962       \tempdima \nameuse{cft#2numwidth}\relax
22963       \expandafter\let\expandafter\cftbsnum\csname cft#2presnum\endcsname
22964       \expandafter\let\expandafter\cftasnum\csname cft#2aftersnum\endcsname
22965       \expandafter\let\expandafter\cftasnumb\csname cft#2aftersnumb\endcsname
22966       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
22967       {\nameuse{cft#2font}\#1}\nobreak
22968       \nameuse{cft#2fillnum}{\#2}}
22969   \fi

```



```

22970 } % end of \l@#2
22971
22972 \expandafter\newlength\csname cftbefore#2skip\endcsname
22973   \setlength{\@nameuse{cftbefore#2skip}}{\z@ \oplus .2\p@}
22974 \expandafter\newlength\csname cft#2indent\endcsname
22975 \expandafter\newlength\csname cft#2numwidth\endcsname
22976 \ifcase #4\relax % 0
22977   \setlength{\@nameuse{cft#2indent}}{0em}
22978   \setlength{\@nameuse{cft#2numwidth}}{1.5em}
22979 \or % 1
22980   \setlength{\@nameuse{cft#2indent}}{1.5em}
22981   \setlength{\@nameuse{cft#2numwidth}}{2.3em}
22982 \or % 2
22983   \setlength{\@nameuse{cft#2indent}}{3.8em}
22984   \setlength{\@nameuse{cft#2numwidth}}{3.2em}
22985 \or % 3
22986   \setlength{\@nameuse{cft#2indent}}{7.0em}
22987   \setlength{\@nameuse{cft#2numwidth}}{4.1em}
22988 \else % anything else
22989   \setlength{\@nameuse{cft#2indent}}{10.0em}
22990   \setlength{\@nameuse{cft#2numwidth}}{5.0em}
22991 \fi
22992 \@namedef{cft#2font}{\normalfont}
22993 \@namedef{cft#2presnum}{}
22994 \@namedef{cft#2aftersnum}{}
22995 \@namedef{cft#2aftersnumb}{}
22996 \@namedef{cft#2dotsep}{\cftdotsep}
22997 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
22998 \@namedef{cft#2pagefont}{\normalfont}
22999 \@namedef{cft#2afterpnum}{}
23000 \@namedef{toclevel@#2}{#4}
23001 \@namedef{cft#2fillnum}##1{%
23002   {\@nameuse{cft#2leader}}\nobreak
23003   \hb@xt@{\pnumwidth{\hfil}\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
23004 } % end \newlistentry
23005 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
23006   \ifRTL\rightskip\else\leftskip\fi \cftchapindent\relax
23007   \advance\ifRTL\rightskip\else\leftskip\fi \cftchapnumwidth\relax
23008   \ifRTL\leftskip\else\rightskip\fi \cftmarg\relax
23009   \textit{\#1}\protect\par}}

```

157 File `tocbasic-xetex-bidi.def`

```

23010 \ProvidesFile{tocbasic-xetex-bidi.def}[2022/06/15 v0.5 bidi adaptations for tocbasic package]
23011 \bidi@undef\scr@dte@def@l@undottedtocline
23012 \bidi@undef\scr@dte@undottedtocline@init
23013 \DeclareTOCEntryStyle{undottedtocline}[{%
23014   \DefineTOCEntryLengthOption{indent}{%
23015     \scr@tso@{@}{\entry indent}{%}
23016   \DefineTOCEntryLengthOption{numwidth}{%
23017     \scr@tso@{@}{\entry number width}{%}
23018   \ifundefined{#1tocdepth}{%
23019     \Ifstr{\#1}{part}{\@namedef{#1tocdepth}{-1}}{%
23020       \Ifstr{\#1}{chapter}{\@namedef{#1tocdepth}{0}}{%

```



```

23021 \Ifstr{#1}{section}{\@namedef{\#1tocdepth}{1}}{%
23022   \Ifstr{#1}{subsection}{\@namedef{\#1tocdepth}{2}}{%
23023     \Ifstr{#1}{subsubsection}{\@namedef{\#1tocdepth}{3}}{%
23024       \Ifstr{#1}{paragraph}{\@namedef{\#1tocdepth}{4}}{%
23025         \Ifstr{#1}{ subparagraph}{\@namedef{\#1tocdepth}{5}}{%
23026           \Ifstr{#1}{figure}{\@namedef{\#1tocdepth}{1}}{%
23027             \Ifstr{#1}{table}{\@namedef{\#1tocdepth}{1}}{%
23028               \expandafter\let\csname #1tocdepth\expandafter\endcsname
23029                 \csname #1numdepth\endcsname
23030               }%
23031             }%
23032           }%
23033         }%
23034       }%
23035     }%
23036   }%
23037 }%
23038 }%
23039 }{}%
23040 \@ifundefined{scr@tso@#1@indent}{%
23041   \@ifundefined{scr@#1@tocindent}{%
23042     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23043       \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23044         \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
23045           \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
23046             \scr@ifundefinedorrelax{l@chapter}{%
23047               \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
23048                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23049                   \Ifstr{#1}{subsubsection}{%
23050                     \@namedef{scr@tso@#1@indent}{3.8em}}%
23051                   }%
23052                     \Ifstr{#1}{paragraph}{%
23053                       \@namedef{scr@tso@#1@indent}{7em}}%
23054                     }%
23055                     \Ifstr{#1}{ subparagraph}{%
23056                       \@namedef{scr@tso@#1@indent}{10em}}%
23057                     }%
23058                     }%
23059                     }%
23060                   }%
23061                 }%
23062               }%
23063             }{}%
23064             \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23065               \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
23066                 \Ifstr{#1}{subsubsection}{%
23067                   \@namedef{scr@tso@#1@indent}{7.0em}}%
23068                 }%
23069                 \Ifstr{#1}{paragraph}{%
23070                   \@namedef{scr@tso@#1@indent}{10em}}%
23071                 }%
23072                 \Ifstr{#1}{ subparagraph}{%
23073                   \@namedef{scr@tso@#1@indent}{12em}}%
23074                 }%

```



```

23075      }%
23076      }%
23077      }%
23078      }%
23079      }%
23080      }%
23081      }%
23082      }%
23083      }%
23084      }%
23085      }{%
23086      \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}{%
23087      }%
23088      }{%
23089      \@ifundefined{scr@tso@#1@numwidth}{%
23090      \@ifundefined{scr@#1@tocnumwidth}{%
23091      \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23092      \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23093      \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23094      \scr@ifundefinedorrelax{chapter}{%
23095      \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23096      \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23097      \Ifstr{#1}{subsubsection}{%
23098      \@namedef{scr@tso@#1@numwidth}{3.2em}}{%
23099      }{%
23100      \Ifstr{#1}{paragraph}{%
23101      \@namedef{scr@tso@#1@numwidth}{4.1em}}{%
23102      }{%
23103      \Ifstr{#1}{ subparagraph}{%
23104      \@namedef{scr@tso@#1@numwidth}{5m}}{%
23105      }{%
23106      }{%
23107      }{%
23108      }{%
23109      }{%
23110      }{%
23111      }{%
23112      \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23113      \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
23114      \Ifstr{#1}{subsubsection}{%
23115      \@namedef{scr@tso@#1@numwidth}{3.1em}}{%
23116      }{%
23117      \Ifstr{#1}{paragraph}{%
23118      \@namedef{scr@tso@#1@numwidth}{5em}}{%
23119      }{%
23120      \Ifstr{#1}{ subparagraph}{%
23121      \@namedef{scr@tso@#1@numwidth}{6em}}{%
23122      }{%
23123      }{%
23124      }{%
23125      }{%
23126      }{%
23127      }{%
23128      }{%

```



```

23129      }%
23130      }%
23131      }%
23132      }{%
23133      \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
23134      }%
23135      }{}%
23136  }]{%
23137  \ifnum \c@tocdepth > \numexpr \@nameuse{#1tocdepth}-\@ne\relax
23138  \ifnum \@nameuse{#1tocdepth}<\@ne
23139  \scr@ifundefinedorrelax{chapter}{%
23140  \addpenalty\@secpenalty
23141  \addvspace{1.0em \oplus \p@}%
23142  }{%
23143  \addpenalty{-\@highpenalty}%
23144  \vskip 1.0em \oplus \p@%
23145  }%
23146 \else
23147  \addpenalty\@secpenalty
23148  \addvspace{1.0em \oplus \p@}%
23149 \fi
23150 \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
23151 \begingroup
23152  \parindent \z@ \bidi@rightskip \pnumwidth
23153  \parfillskip -\pnumwidth
23154  \leavevmode
23155  \bfseries
23156  \advance\bidi@leftskip\@tempdima
23157  \If tocfeature{\@currrent}{noindent}{%
23158  \hskip -\bidi@leftskip
23159  }{%
23160  \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
23161  \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
23162  }%
23163  ##1%
23164  \nobreak
23165  \hfil \nobreak\hb@xt@{\pnumwidth}{\hss ##2}%
23166  \par
23167  \penalty\@highpenalty
23168  \endgroup
23169 \fi
23170 }
23171 \bidi@undef\scr@dte@def@l@largetocline
23172 \bidi@undef\scr@dte@largetocline@init
23173 \DeclareTOCEntryStyle{largetocline}[{%
23174  \DefineTOCEntryLengthOption{indent}{%
23175    \scr@tso@{}{@indent}{entry indent}%
23176  }{%
23177  \scr@ifundefined{#1tocdepth}{%
23178    \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
23179      \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
23180        \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
23181          \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
23182            \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%

```



```

23183 \Ifstr{#1}{paragraph}{\@namedef{\#1tocdepth}{4}}{%
23184   \Ifstr{#1}{subparagraph}{\@namedef{\#1tocdepth}{5}}{%
23185     \Ifstr{#1}{figure}{\@namedef{\#1tocdepth}{1}}{%
23186       \Ifstr{#1}{table}{\@namedef{\#1tocdepth}{1}}{%
23187         \expandafter\let\csname #1tocdepth\expandafter\endcsname
23188           \csname #1numdepth\endcsname
23189         }%
23190       }%
23191     }%
23192   }%
23193 }%
23194 }%
23195 }%
23196 }%
23197 }%
23198 }{}%
23199 \@ifundefined{scr@tso@#1@indent}{%
23200   \@ifundefined{scr@#1@tocindent}{%
23201     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23202       \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23203         \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
23204           \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
23205             \scr@ifundefinedorrelax{1@chapter}{%
23206               \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
23207                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23208                   \Ifstr{#1}{subsubsection}{%
23209                     \@namedef{scr@tso@#1@indent}{3.8em}}{%
23210                   }%
23211                   \Ifstr{#1}{paragraph}{%
23212                     \@namedef{scr@tso@#1@indent}{7em}}{%
23213                   }%
23214                   \Ifstr{#1}{subparagraph}{%
23215                     \@namedef{scr@tso@#1@indent}{10em}}{%
23216                   }%
23217                   }%
23218                 }%
23219               }%
23220             }%
23221           }%
23222         }{}%
23223         \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23224           \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
23225             \Ifstr{#1}{subsubsection}{%
23226               \@namedef{scr@tso@#1@indent}{7.0em}}{%
23227             }%
23228             \Ifstr{#1}{paragraph}{%
23229               \@namedef{scr@tso@#1@indent}{10em}}{%
23230             }%
23231             \Ifstr{#1}{subparagraph}{%
23232               \@namedef{scr@tso@#1@indent}{12em}}{%
23233             }%
23234             }%
23235           }%
23236         }%

```



```

23237      }%
23238      }%
23239      }%
23240      }%
23241      }%
23242      }%
23243      }%
23244      }{%
23245      \c@nameuse{\scr@tso@#1@indent}{\c@nameuse{\scr@#1@tocindent}}{%
23246      }%
23247      }{}}%
23248 }]{%
23249 \ifnum \c@tocdepth > \numexpr \c@nameuse{\#1tocdepth} - \one \relax
23250   \c@nameuse{\#1tocdepth} < \one
23251   \scr@ifundefinedorrelax{chapter}{%
23252     \addpenalty\@secpenalty
23253     \addvspace{2.25em \oplus \p@}}%
23254   }{%
23255     \addpenalty{-\highpenalty}}%
23256     \addvspace{2.25em \oplus \p@}}%
23257   }%
23258 \else
23259   \addpenalty\@secpenalty
23260   \addvspace{2.25em \oplus \p@}}%
23261 \fi
23262 \setlength{\tempdima}{3em}%
23263 \begingroup
23264   \parindent \z@ \bidi@rightskip \pnumwidth
23265   \parfillskip -\pnumwidth
23266   \leavevmode
23267   \large
23268   \bfseries
23269   \If tocfeature{\current}{noindent}{%
23270   }{%
23271     \advance\bidi@leftskip \c@nameuse{\scr@tso@#1@indent}}%
23272   }%
23273   ##1%
23274   \hfil \nobreak\hb@xt@\pnumwidth{\hss ##2}%
23275   \par
23276   \nobreak
23277   \ifnum 0 =
23278     \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
23279     \global\nobreaktrue
23280     \everypar{\global\nobreakfalse\everypar{}}}}%
23281   \fi
23282 \endgroup
23283 \fi
23284 }
23285 \renewcommand*{\scr@dte@tocline}[3]{%
23286   \ifnum \c@nameuse{\#1tocdepth} > \c@tocdepth
23287   \else
23288     \tocbasic@DependOnPenaltyAndTOCLevel{\#1}%
23289     \addvspace{\c@nameuse{\scr@tso@#1@beforeskip}}\relax

```



```

23291  \@nameuse{Ifscr@tso@#1@dynindent}{%
23292    \expandafter\ifx\csname scr@tso@#1@indentfollows\endcsname\empty
23293      \PackageWarning{tocbasic}{`dynindent' for `#1' not available}%
23294    \else
23295      \edef\reserved@a{\@nameuse{scr@tso@#1@indentfollows}}%
23296    \@for \reserved@a:=\reserved@a\do {%
23297      \scr@trim@spaces\reserved@a
23298      \ifx\reserved@a\empty\else
23299        \scr@ifundefinedorrelax{\reserved@a tocdepth}{%
23300          }{%
23301            \ifnum \@nameuse{\reserved@a tocdepth}<\@nameuse{#1tocdepth}%
23302              \atempdima\@nameuse{scr@tso@\reserved@a @indent}\relax
23303              \@nameuse{Ifscr@tso@\reserved@a @dynnumwidth}{%
23304                \scr@ifundefinedorrelax
23305                  {\scr@dte@\reserved@a @lastmaxnumwidth}{%
23306                    \advance\atempdima
23307                    \@nameuse{scr@tso@\reserved@a @numwidth}\relax
23308                  }{%
23309                    \advance\atempdima
23310                      \@nameuse{\scr@dte@\reserved@a @lastmaxnumwidth}\relax
23311                  }{%
23312                    \advance\atempdima
23313                      \@nameuse{\scr@tso@\reserved@a @numwidth}\relax
23314                  }{%
23315                    \ifdim \atempdima>\@nameuse{scr@tso@#1@indent}\relax
23316                      \expandafter\edef\csname scr@tso@#1@indent\endcsname
23317                        {\the\atempdima}%
23318                    \fi
23319                  \fi
23320                \fi
23321              }{%
23322                \fi
23323              }{%
23324                \fi
23325              }{%
23326              }{%
23327                \iftocfeature{\@currext}{noindent}{%
23328                  \bidi@leftskip \z@
23329                }{%
23330                  \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
23331                }{%
23332                  \bidi@rightskip \@nameuse{scr@tso@#1@rightindent}\relax
23333                  \parfillskip -\bidi@rightskip
23334                  \@nameuse{Ifscr@tso@#1@raggedpage}{%
23335                    \addtolength{\parfillskip}{\z@ \oplus 1fil}%
23336                  }{%
23337                  \iftocfeature{\@currext}{noindent}{%
23338                    \parindent \z@
23339                  }{%
23340                    \parindent \@nameuse{scr@tso@#1@indent}\relax
23341                  }{%
23342                    \aafterindenttrue
23343                    \interlinepenalty\@M
23344                    \expandafter\ifx\csname ragged#1entry\endcsname\raggedright

```



```

23345   \addtolength\bidi@rightskip\@flushglue
23346 \else
23347   \def\reserved@a{\raggedright}%
23348   \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
23349     \addtolength\bidi@rightskip\@flushglue
23350 \else
23351   \renewcommand\reserved@a{\raggedright}%
23352   \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
23353     \addtolength\bidi@rightskip\@flushglue
23354   \fi
23355 \fi
23356 \fi
23357 \leavevmode
23358 \tempdima \nameuse{scr@tso@#1@numwidth}\relax
23359 \nameuse{Ifscr@tso@#1@dynnumwidth}{%
23360   \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
23361     \ifdim \nameuse{scr@dte@#1@lastmaxnumwidth}>\tempdima
23362       \tempdima\nameuse{scr@dte@#1@lastmaxnumwidth}\relax
23363     \fi
23364   }%
23365 }{%
23366 \advance\bidi@leftskip \tempdima
23367 \null\nobreak\hskip -\bidi@leftskip
23368 }%
23369 \usetocbasicnumberline
23370 \let\scr@dte@numberline@box\numberline@box
23371 \def\numberline@box##1{%
23372   \sbox\scr@dte@tocline@numbox{\nameuse{scr@tso@#1@numberformat}##1}%
23373   \global\scr@dte@tocline@numberwidth
23374   \dimexpr\wd\scr@dte@tocline@numbox+\nameuse{scr@tso@#1@numsep}\relax
23375   \relax
23376   \ifdim \scr@dte@tocline@numberwidth
23377     >\nameuse{scr@dte@#1@maxnumwidth}\relax
23378     \global\nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
23379   \fi
23380 \nameuse{Ifscr@tso@#1@dynnumwidth}{%
23381   \ifdim \scr@dte@tocline@numberwidth
23382     >\dimexpr \nameuse{scr@tso@#1@numwidth}%
23383       +\nameuse{scr@tso@#1@numsep}\relax\relax
23384   \PackageWarning{tocbasic}{%
23385     number width of #1 toc entries should be
23386     increased!\MessageBreak
23387     Currently used number width =
23388     \the\wd\scr@dte@tocline@numbox,\MessageBreak
23389     Wanted number separation
23390     \space\space\space =
23391     \the\dimexpr\nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
23392     Reserved number width \space\space\space\space\space\space =
23393     \the\dimexpr\nameuse{scr@tso@#1@numwidth}\relax%
23394   }%
23395   \fi
23396 }%
23397 \scr@dte@numberline@box{\nameuse{scr@tso@#1@numberformat}##1}%
23398 \nameuse{Ifscr@tso@#1@breakafternumber}{%

```



```

23399      {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
23400  }{}%
23401 }%
23402 {\@nameuse{scr@tso@#1@entryformat}{%
23403   #2%
23404   \nobreak
23405   {%
23406     \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
23407     \nobreak
23408     \expandafter\let\expandafter\scr@dte@pagenumberwidth
23409     \csname scr@tso@#1@pagenumberwidth\endcsname
23410     \@nameuse{scr@tso@#1@pagenumberbox}{%
23411       \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
23412     }%
23413   }%
23414   }{\par
23415 }%
23416 }%
23417 \tocbasic@SetPenaltyByTOCLevel{#1}%
23418 \fi
23419 }
23420
23421 \bidi@undef\scr@dte@def@l@tocline
23422 \bidi@undef\scr@dte@tocline@init
23423 \DeclareTOCEntryStyle{tocline}[{%
23424   \DefineTOCEntryLengthOption{beforeskip}%
23425   {\scr@tso@}{@beforeskip}{vertical skip before the entry}%
23426   \DefineTOCEntryIfOption{breakafternumber}%
23427   {\scr@tso@}{@breakafternumber}{line break after number flag}%
23428   \DefineTOCEntryIfOption{dynnumwidth}%
23429   {\scr@tso@}{@dynnumwidth}{dynamic number width flag}%
23430   \DefineTOCEntryListOption{indentfollows}%
23431   {\scr@tso@}{@indentfollows}{list of levels that define the indent}%
23432   \DefineTOCEntryIfOption{dynindent}%
23433   {\scr@tso@}{@dynindent}{dynamic indent width flag}%
23434   \DefineTOCEntryCommandOption{entryformat}%
23435   {\scr@tso@}{@entryformat}{[1]{entry format}}%
23436   \DefineTOCEntryCommandOption{entrynumberformat}%
23437   {\scr@tso@}{@numberformat}{[1]{entry number format}}%
23438   \DefineTOCEntryCommandOption{linefill}{[\TOCLineLeaderFill]}%
23439   {\scr@tso@}{@linefill}{filling between text and page number}%
23440   \DefineTOCEntryLengthOption{numsep}%
23441   {\scr@tso@}{@numsep}{entry number separation}%
23442   \DefineTOCEntryCommandOption{onstarthigherlevel}%
23443   {\scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
23444   \DefineTOCEntryCommandOption{onstartlowerlevel}%
23445   {\scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
23446   \DefineTOCEntryCommandOption{onstartsamelevel}%
23447   {\scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
23448   \DefineTOCEntryCommandOption{pagenumberbox}%
23449   {\scr@tso@}{@pagenumberbox}{[1]{page number box}}%
23450   \DefineTOCEntryCommandOption{pagenumberformat}%
23451   {\scr@tso@}{@pagenumberformat}{[1]{page number format}}%

```



```

23453 \DefineTOCEEntryLengthOption{pagewidth}%
23454   {scr@tso@}{@pagewidth}{width of page number box}%
23455 \DefineTOCEEntryLengthOption{rightindent}%
23456   {scr@tso@}{@rightindent}{entry's text right indent}%
23457 \DefineTOCEEntryOption{raggedentrytext}[true]{%
23458   \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
23459   \ifx\FamilyKeyState\FamilyKeyStateProcessed
23460     \if@tempswa
23461       \expandafter\let\csname ragged\scr@dte@current entry\endcsname
23462         \raggedright
23463     \else
23464       \expandafter\let\csname ragged\scr@dte@current entry\endcsname
23465         \relax
23466     \fi
23467   \fi
23468 }%
23469 \DefineTOCEEntryIfOption{raggedpagenumber}%
23470   {scr@tso@}{@raggedpage}{page number ragged flag}%
23471 \DefineTOCEEntryLengthOption{indent}%
23472   {scr@tso@}{@indent}{entry indent}%
23473 \DefineTOCEEntryLengthOption{numwidth}%
23474   {scr@tso@}{@numwidth}{entry number width}%
23475 \scr@ifundefinedorrelax{\#1tocdepth}{%
23476   \Ifstrstart{\#1}{sub}{%
23477     \scr@ifundefinedorrelax{\scr@dte@nosub{\#1}tocdepth}{%
23478       \expandafter\edef\csname #1tocdepth\endcsname{%
23479         \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{\#1}tocdepth}+\@ne\relax
23480       }%
23481     }%
23482   }{}%
23483 }{}%
23484 \scr@ifundefined{\#1tocdepth}{%
23485   \Ifstr{\#1}{part}{\@namedef{\#1tocdepth}{-1}}{%
23486     \Ifstr{\#1}{chapter}{\@namedef{\#1tocdepth}{0}}{%
23487       \Ifstr{\#1}{section}{\@namedef{\#1tocdepth}{1}}{%
23488         \Ifstr{\#1}{subsection}{\@namedef{\#1tocdepth}{2}}{%
23489           \Ifstr{\#1}{subsubsection}{\@namedef{\#1tocdepth}{3}}{%
23490             \Ifstr{\#1}{paragraph}{\@namedef{\#1tocdepth}{4}}{%
23491               \Ifstr{\#1}{ subparagraph}{\@namedef{\#1tocdepth}{5}}{%
23492                 \Ifstr{\#1}{figure}{\@namedef{\#1tocdepth}{1}}{%
23493                   \Ifstr{\#1}{table}{\@namedef{\#1tocdepth}{1}}{%
23494                     \expandafter\let\csname #1tocdepth\expandafter\endcsname
23495                     \csname #1numdepth\endcsname
23496                   }%
23497                 }%
23498               }%
23499             }%
23500           }%
23501         }%
23502       }%
23503     }%
23504   }{}%
23505 }{}%
23506 \scr@ifundefinedorrelax{\scr@tso@#10indent}{%

```



```

23507  \@ifundefined{scr@#1@tocindent}{%
23508    \Ifstrstart{\#1}{sub}{%
23509      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{\#1}@indent}{%
23510        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{\#1}@numwidth}{%
23511          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
23512            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{\#1}@numwidth}%
23513            \relax
23514          }%
23515        }%
23516      }%
23517      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{\#1}@numwidth}{%
23518        \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
23519          \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{\#1}@indent}%
23520          \relax
23521        }%
23522      }%
23523      \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
23524        \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{\#1}@indent}%
23525        +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{\#1}@numwidth}%
23526        \relax
23527      }%
23528    }%
23529  }%
23530  }{%
23531  }{%
23532    \namedef{scr@tso@#1@indent}{\nameuse{scr@#1@tocindent}}%
23533  }%
23534 }{%
23535 \scr@ifundefinedorrelax{scr@tso@#1@pagewidth}{%
23536   \Ifstrstart{\#1}{sub}{%
23537     \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{\#1}@pagewidth}{%
23538       \namedef{scr@tso@#1@pagewidth}{\pnumwidth}%
23539     }{%
23540       \expandafter\let
23541         \csname scr@tso@#1@pagewidth\expandafter\endcsname
23542         \csname scr@tso@\scr@dte@nosub{\#1}@pagewidth\endcsname
23543     }%
23544   }{%
23545     \namedef{scr@tso@#1@pagewidth}{\pnumwidth}%
23546   }%
23547 }{%
23548 \scr@ifundefinedorrelax{scr@tso@#1@right indent}{%
23549   \Ifstrstart{\#1}{sub}{%
23550     \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{\#1}@right indent}{%
23551       \namedef{scr@tso@#1@right indent}{\tocrmarg}%
23552     }{%
23553       \expandafter\let
23554         \csname scr@tso@#1@right indent\expandafter\endcsname
23555         \csname scr@tso@\scr@dte@nosub{\#1}@right indent\endcsname
23556     }%
23557   }{%
23558     \namedef{scr@tso@#1@right indent}{\tocrmarg}%
23559   }%
23560 }{%

```



```

23561  \@ifundefined{scr@tso@#1@indent}{%
23562    \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23563      \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23564        \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
23565          \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
23566            \scr@ifundefinedorrelax{l@chapter}{%
23567              \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
23568                \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23569                  \Ifstr{#1}{subsubsection}{%
23570                    \@namedef{scr@tso@#1@indent}{3.8em}}{%
23571                  }{%
23572                    \Ifstr{#1}{paragraph}{%
23573                      \@namedef{scr@tso@#1@indent}{7em}}{%
23574                    }{%
23575                      \Ifstr{#1}{subparagraph}{%
23576                        \@namedef{scr@tso@#1@indent}{10em}}{%
23577                        }{%
23578                          }{%
23579                          }{%
23580                          }{%
23581                          }{%
23582                          }{%
23583                        }{%
23584                      \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23585                        \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
23586                          \Ifstr{#1}{subsubsection}{%
23587                            \@namedef{scr@tso@#1@indent}{7.0em}}{%
23588                          }{%
23589                            \Ifstr{#1}{paragraph}{%
23590                              \@namedef{scr@tso@#1@indent}{10em}}{%
23591                            }{%
23592                              \Ifstr{#1}{subparagraph}{%
23593                                \@namedef{scr@tso@#1@indent}{12em}}{%
23594                                }{%
23595                                  }{%
23596                                  }{%
23597                                  }{%
23598                                  }{%
23599                                  }{%
23600                                  }{%
23601                                  }{%
23602                                  }{%
23603                                  }{%
23604                                  }{%
23605                                }{%
23606                                \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
23607                                  \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
23608                                    \Ifstrstart{#1}{sub}{%
23609                                      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
23610                                        \expandafter\edef\csname scr@tso@\scr@dte@nosub{#1}@numwidth\endcsname{%
23611                                          \glueexpr\noexpand\nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
23612                                          +.9em}}{%
23613                                        \relax}}{%
23614                                        }{%

```



```

23615      }%
23616      }{%
23617      }{%
23618      \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
23619      }%
23620      }{%
23621      \@ifundefined{scr@tso@#1@numwidth}{%
23622          \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23623          \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23624          \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23625              \scr@ifundefinedorrelax{chapter}{%
23626                  \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23627                      \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23628                          \Ifstr{#1}{subsubsection}{%
23629                              \@namedef{scr@tso@#1@numwidth}{3.2em}}{%
23630                          }{%
23631                          \Ifstr{#1}{paragraph}{%
23632                              \@namedef{scr@tso@#1@numwidth}{4.1em}}{%
23633                          }{%
23634                          \Ifstr{#1}{subparagraph}{%
23635                              \@namedef{scr@tso@#1@numwidth}{5em}}{%
23636                          }{%
23637                          }{%
23638                          }{%
23639                          }{%
23640                          }{%
23641                          }{%
23642                          }{%
23643                          \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23644                              \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
23645                                  \Ifstr{#1}{subsubsection}{%
23646                                      \@namedef{scr@tso@#1@numwidth}{3.1em}}{%
23647                                      }{%
23648                                      \Ifstr{#1}{paragraph}{%
23649                                          \@namedef{scr@tso@#1@numwidth}{5em}}{%
23650                                          }{%
23651                                          \Ifstr{#1}{subparagraph}{%
23652                                              \@namedef{scr@tso@#1@numwidth}{6em}}{%
23653                                              }{%
23654                                              }{%
23655                                              }{%
23656                                              }{%
23657                                              }{%
23658                                              }{%
23659                                              }{%
23660                                              }{%
23661                                              }{%
23662                                              }{%
23663                                              }{%
23664      \expandafter\renewcommand%
23665      \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
23666      \expandafter\renewcommand%
23667      \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
23668      \expandafter\renewcommand%

```



```

23669 \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
23670 \@ifundefined{scr@tso@#1@beforeskip}{%
23671   \Ifstr{#1}{part}{%
23672     \Qnamedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \oplus \p@ \relax}%
23673   }{%
23674     \Ifstr{#1}{chapter}{%
23675       \Qnamedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus \p@ \relax}%
23676     }{%
23677       \Ifstr{#1}{section}{%
23678         \scr@ifundefinedorrelax{l@chapter}{%
23679           \Qnamedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \oplus \p@ \relax}%
23680         }{%
23681           \{}%
23682           \}%
23683         \}%
23684         \expandafter\renewcommand\expandafter*{%
23685           \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@ \relax}%
23686         }{%
23687 \@ifundefined{scr@dte@#1@maxnumwidth}{%
23688   \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
23689   \setlength{\Qnameuse{scr@dte@#1@maxnumwidth}}{\z@}%
23690 }{%
23691 \renewcommand*{\scr@dte@donumwidth}{}%
23692 \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
23693 \expandafter\renewcommand\expandafter*{%
23694 \csname scr@tso@#1@numsep\endcsname{.4em}%
23695 \expandafter\renewcommand{%
23696 \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
23697 \Ifstr{#1}{part}{%
23698   \expandafter\providecommand{%
23699     \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
23700   }{%
23701     \Ifstr{#1}{chapter}{%
23702       \expandafter\providecommand{%
23703         \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
23704       }{%
23705         \scr@ifundefinedorrelax{l@chapter}{%
23706           \Ifstr{#1}{section}{%
23707             \expandafter\providecommand{%
23708               \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
23709             }{%
23710             \}%
23711             \expandafter\providecommand{%
23712               \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
23713             }{%
23714             \}%
23715             \expandafter\renewcommand{%
23716               \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
23717             \@ifundefined{scr@tso@#1@linefill}{%
23718               \Ifstr{#1}{part}{%
23719                 \Qnamedef{scr@tso@#1@linefill}{\hfill}%
23720               }{%
23721                 \Ifstr{#1}{chapter}{%
23722                   \Qnamedef{scr@tso@#1@linefill}{\hfill}%

```



```

23723 }{%
23724   \scr@ifundefinedorrelax{l@chapter}{%
23725     \Ifstr{#1}{section}{%
23726       @namedef{scr@tso@#1@linefill}{\hfill}%
23727     }{}%
23728   }{}%
23729   \expandafter\renewcommand%
23730   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
23731 }%
23732 }{}%
23733 }{}%
23734 \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
23735 \Ifstr{#1}{part}{%
23736   \expandafter\providecommand%
23737   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
23738 }{%
23739   \Ifstr{#1}{chapter}{%
23740     \expandafter\providecommand%
23741     \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
23742   }{%
23743     \scr@ifundefinedorrelax{l@chapter}{%
23744       \Ifstr{#1}{section}{%
23745         \expandafter\providecommand%
23746         \csname scr@tso@#1@pagenumberformat\endcsname[1]{\bfseries ##1}%
23747       }{}%
23748     }{}%
23749     \expandafter\providecommand%
23750     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
23751       {\normalfont\color{##1}}%%
23752     }%
23753   }{}%
23754   \expandafter\renewcommand%
23755   \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
23756     \hb@xt@{\nameuse{scr@dte@pagenumberwidth}}{\hfil ##1}}%
23757   \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
23758   \expandafter\renewcommand\csname Ifscr@tso@#1@dynindent\endcsname[2]{##2}%
23759   \scr@ifundefinedorrelax{scr@tso@#1@indentfollows}{%
23760     \Ifstrstart{#1}{sub}{%
23761       \expandafter\edef\csname scr@tso@#1@indentfollows\endcsname{%
23762         \scr@dte@nosub{#1}}%
23763       }%
23764     }{%
23765       \expandafter\let\csname scr@tso@#1@indentfollows\endcsname\empty%
23766     }%
23767   }{}%
23768 }]{%
23769   \scr@dte@tocline{#1}{##1}{##2}%
23770 }
23771 \if@bidi@csdef{scr@tso@figure@pagenumberformat}{%
23772   \renewcommand*{\scr@tso@figure@pagenumberformat}[1]{%
23773     {\normalfont\color{##1}}%
23774   }%
23775 }%
23776 }{}%

```



```

23777
23778 \if@bidi@csdef{scr@tso@table@pagenumberformat}{%
23779   \renewcommand*{\scr@tso@table@pagenumberformat}[1]{%
23780     {\normalfont\normalcolor #1}%
23781   }%
23782 }{}%
23783

```

158 File tocstyle-xetex-bidi.def

```

23784 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
23785 \renewcommand*{\tocstyle@dottedtocline}[5]{%
23786   \let\numberline\tocstyle@numberline
23787   \ifnum #1>\c@tocdepth \else
23788     \if@tocstyle@penalties
23789       \begingroup
23790         \tempcnta 20010
23791         \advance \tempcnta by -#1
23792         \ifnum \tempcnta>\lastpenalty
23793           \aftergroup\penalty\aftergroup\lowpenalty
23794         \fi
23795       \endgroup
23796     \fi
23797     \edef\tocstyle@depth{\#1}%
23798     \tocstyle@activate@features
23799     \ifx\tocstyle@feature@entryvskip\relax
23800       \vskip \z@ \oplus.2\p@
23801     \else
23802       \addvspace{\tocstyle@feature@entryvskip}%
23803     \fi
23804   }%
23805   \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\el
23806   \tocstyle@feature@raggedhook
23807   \tempdima #3\relax
23808   \tempdimb #2\relax
23809   \typeout{m (\tocstyleTOC, \tocstyle@depth): \the\tempdima}%
23810   \ifnum #1>\z@\relax
23811     \tempcnta #1\relax \advance \tempcnta \m@ne
23812     \ifcsname tocstyle@skipwidth@\tocstyleTOC \the\tempcnta\endcsname
23813       \ifcsname tocstyle@numwidth@\tocstyleTOC \the\tempcnta\endcsname
23814         \tempdimb
23815         \csname tocstyle@skipwidth@\tocstyleTOC \the\tempcnta\endcsname
23816         \advance \tempdimb
23817         \csname tocstyle@numwidth@\tocstyleTOC \the\tempcnta\endcsname
23818       \fi
23819     \fi
23820   \fi
23821   \typeout{C (\tocstyleTOC, \tocstyle@depth): \the\tempdimb}%
23822   \ifcsname tocstyle@skipwidth@\tocstyleTOC \#1\endcsname
23823     \ifdim \tempdimb
23824       \csname tocstyle@skipwidth@\tocstyleTOC \#1\endcsname\relax
23825       \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
23826         \#1\endcsname{\the\tempdimb}%
23827     \fi

```



```

23828 \else
23829   \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
23830     @#1\endcsname{\the\@tempdimb}%
23831 \fi
23832 \iftocstyle@autolength
23833   \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
23834     \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
23835       \relax
23836   \fi
23837   \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
23838     \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
23839       \relax
23840   \fi
23841   \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
23842   \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23843 \else
23844   \@tempdimb #2\relax
23845   \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23846 \fi
23847 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
23848   \ifdim \@tempdima>
23849     \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
23850       \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
23851         @\endcsname{\the\@tempdima}%
23852   \fi
23853 \else
23854   \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
23855     @\endcsname{\the\@tempdima}%
23856 \fi
23857 \ifcase\tocstyle@indentstyle\relax\else
23858   \@tempdimb \z@%
23859   \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
23860     \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
23861       \relax
23862   \fi
23863   \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
23864   \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23865 \fi
23866 \advance\parindent \@tempdimb\@afterindenttrue
23867 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
23868 \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
23869 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
23870 \ifx\tocstyle@feature@parfillskip\relax\else
23871   \advance\parfillskip \tocstyle@feature@parfillskip\relax
23872 \fi
23873 \interlinepenalty\@M
23874 \leavevmode
23875 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
23876 \null\nobreak
23877 \iftocstyle@indentnotnumbered\else
23878   \hskip -\if@RTL\rightskip\else\leftskip\fi
23879 \fi
23880 \tocstyle@feature@entryhook
23881 {#4}\nobreak

```



```

23882     \ifx\tocstyle@feature@leaders\relax
23883         \leaders\hbox{$\m@th
23884             \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
23885             \mkern \@dotsep mu$\}\hfill
23886     \else
23887         \tocstyle@feature@leaders
23888     \fi
23889     \nobreak
23890     \ifx\tocstyle@feature@pagenumberbox\relax
23891         \hb@xt@\pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
23892     \else
23893         \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
23894     \fi
23895     \par
23896 }%
23897 \if@tocstyle@penalties
23898     \bgroup
23899         \tempcnta 20009
23900         \advance\tempcnta by -#1
23901         \edef\reserved@a{\egroup\penalty\the\tempcnta\relax}%
23902     \reserved@a
23903     \fi
23904 \fi}
23905 \renewcommand*{\tocstyle@numberline}[1]{%
23906     \begingroup
23907         \ifx\tocstyle@feature@spaceafternumber\relax
23908             \settowidth\tempdima{\tocstyle@numberline{#1}\enskip}%
23909         \else
23910             \settowidth\tempdima{\tocstyle@numberline{#1}}%
23911             \advance\tempdima \tocstyle@feature@spaceafternumber\relax
23912         \fi
23913         \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
23914             \ifdim\tempdima >
23915                 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
23916                 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
23917                     @\tocstyledepth\endcsname{\the\tempdima}%
23918             \fi
23919         \else
23920             \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
23921                 @\tocstyledepth\endcsname{\the\tempdima}%
23922         \fi
23923     \endgroup
23924     \iftocstyle@indentnotnumbered
23925         \hskip -\if@RTL\rightskip\else\leftskip\fi
23926     \fi
23927     \ifcase\tocstyle@indentstyle
23928         \hb@xt@\tempdima{\tocstyle@numberline{#1}\hfil}%
23929     \or
23930         \hb@xt@\tempdima{\tocstyle@numberline{#1}\hfil}%
23931     \else
23932         \ifx\tocstyle@feature@spaceafternumber\relax
23933             \hbox{\tocstyle@numberline{#1}\enskip}%
23934         \else
23935             \hbox{\tocstyle@numberline{#1}\hskip

```



```

23936      \tocstyle@feature@spaceafternumber\relax}%
23937      \fi
23938  \fi
23939 }
23940 \AtBeginDocument{%
23941   \ifcsname l@part\endcsname
23942     \ifcsname l@chapter\endcsname
23943       \setbox\@tempboxa\vbox{\hsize\maxdimen
23944         \l@part{\tocstyle@l@define{part}{-1}}{}}
23945     \else
23946       \setbox\@tempboxa\vbox{\hsize\maxdimen
23947         \l@part{\tocstyle@l@define{part}{0}}{}}
23948     \fi
23949   \fi
23950   \ifcsname l@chapter\endcsname
23951     \setbox\@tempboxa\vbox{\hsize\maxdimen
23952       \l@chapter{\tocstyle@l@define{chapter}{0}}{}}
23953   \fi
23954   \ifcsname l@section\endcsname
23955     \setbox\@tempboxa\vbox{\hsize\maxdimen
23956       \l@section{\tocstyle@l@define{section}{1}}{}}
23957   \fi
23958   \ifcsname l@subsection\endcsname
23959     \setbox\@tempboxa\vbox{\hsize\maxdimen
23960       \l@subsection{\tocstyle@l@define{subsection}{2}}{}}
23961   \fi
23962   \ifcsname l@subsubsection\endcsname
23963     \setbox\@tempboxa\vbox{\hsize\maxdimen
23964       \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}
23965   \fi
23966   \ifcsname l@paragraph\endcsname
23967     \setbox\@tempboxa\vbox{\hsize\maxdimen
23968       \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}
23969   \fi
23970   \ifcsname l@ subparagraph\endcsname
23971     \setbox\@tempboxa\vbox{\hsize\maxdimen
23972       \l@ subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}
23973   \fi
23974   \ifcsname l@table\endcsname
23975     \setbox\@tempboxa\vbox{\hsize\maxdimen
23976       \l@table{\tocstyle@l@define{table}{1}}{}}
23977   \fi
23978   \ifcsname l@figure\endcsname
23979     \setbox\@tempboxa\vbox{\hsize\maxdimen
23980       \l@figure{\tocstyle@l@define{figure}{1}}{}}
23981   \fi
23982 \def\@tempa#1#2#3#4#5{%
23983   \ifnum #1>\c@tocdepth \else
23984     \vskip \z@ \oplus .2\p@
23985     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \tocr
23986     \parindent #2\relax\@afterindenttrue
23987     \interlinepenalty\@M
23988     \leavevmode
23989     \tempdima #3\relax

```



```

23990 \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\ri
23991 {#4}\nobreak
23992 \leaders\hbox{$\m@th
23993 \mkern \dotsep mu\hbox{.}\mkern \dotsep
23994 mu$}\hfill
23995 \nobreak
23996 \hb@xt@\pnumwidth{{\hfil \normalfont \normalcolor #5}}%
23997 \par}%
23998 \fi}%
23999 \ifx\@dottedtocline\@tempa\else
24000 \tocstyle@macrochangelwarning\@dottedtocline
24001 \fi
24002 \let\tocstyle@saved@dottedtocline\@dottedtocline
24003 \def\@tempa#1{\hb@xt@\tempdima{#1\autodot\hfil}}%
24004 \ifx\@tempa\else
24005 \def\@tempa{\hb@xt@\tempdima{#1\hfil}}%
24006 \ifx\@tempa\else
24007 \tocstyle@macrochangelwarning\@tempa\else
24008 \fi
24009 \fi
24010 \let\tocstyle@saved@numberline\@tempa\else
24011 \fi
24012 \renewcommand*\@tocstyle@l@define}[2]{%
24013 \advance\if@RTL\rightskip\else\leftskip\fi-\tempdima
24014 \edef\@tempa{%
24015 \noexpand\global\noexpand\let
24016 \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
24017 \expandafter\noexpand\csname l@#1\endcsname
24018 \noexpand\gdef
24019 \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
24020 \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\tempdima}}%
24021 \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
24022 \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
24023 \expandafter\noexpand\csname tocstyle@l@#1\endcsname
24024 }%
24025 }%
24026 \PackageInfo{tocstyle}{prepare \expandafter\string
24027 \csname l@#1\endcsname\space for redefinition}%
24028 \@tempa
24029 }

```

159 File todonotes-xetex-bidi.def

```

24030 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes packa
24031 \newif\if@bidi@todonotes@textdirection@RTL
24032 \newif\if@bidi@todonotes@figposition@right
24033 \newcommand{\@bidi@todonotes@align}{}%
24034 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
24035 \newcommand{\@bidi@todonotes@textdirection}{}%
24036 \define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right
24037 \ifcase\bidi@todonotes@tempb\relax
24038 \bidi@todonotes@textdirection@RTLtrue
24039 \let\bidi@todonotes@textdirection\RLE
24040 \or

```



```

24041      \@bidi@todonotes@textdirection@RTLfalse
24042      \let\@bidi@todonotes@textdirection\LRE
24043      \fi}
24044 \define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,
24045   \ifcase\bidi@todonotes@tempb\relax
24046     \bidi@todonotes@figposition@righttrue
24047   \or
24048     \bidi@todonotes@figposition@rightfalse
24049   \fi}
24050 \if@todonotes@disabled%
24051 \else % \if@todonotes@disabled
24052 \renewcommand{\@todonotes@drawInlineNote}{%
24053   \if@todonotes@dviStyle%
24054     {\par\noindent\begin{tikzpicture}[remember picture]%
24055       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
24056     \if@todonotes@authorgiven%
24057       {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
24058     \else%
24059       {\noindent \@todonotes@sizecommand \@todonotes@text}%
24060     \fi
24061     {\par\noindent\begin{tikzpicture}[remember picture]%
24062       \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
24063   \else%
24064     {\par\noindent\begin{tikzpicture}[remember picture]%
24065       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
24066       \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@authorgiven]%
24067         \if@todonotes@authorgiven%
24068           {\noindent \@todonotes@sizecommand \@todonotes@author:\,,\@todonotes@text}%
24069         \else%
24070           {\noindent \@todonotes@sizecommand \@todonotes@text}%
24071         \fi}%
24072     \end{tikzpicture}\par}%
24073   \fi}%
24074 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
24075 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
24076   \node [coordinate] (inText) {};%
24077 \end{tikzpicture}%
24078 \marginpar[{\% Draw note in left margin
24079   \@todonotes@drawMarginNote%
24080   \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
24081 }]{\% Draw note in right margin
24082   \@todonotes@drawMarginNote%
24083   \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
24084 }%
24085 }%
24086 \renewcommand{\@todonotes@drawMarginNote}{%
24087 \if@todonotes@dviStyle%
24088   \begin{tikzpicture}[remember picture]%
24089     \draw node[notestyle] {};%
24090   \end{tikzpicture}\%
24091   \begin{minipage}{\@todonotes@textwidth}%
24092     \if@todonotes@authorgiven%
24093       \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
24094     \else%

```



```

24095      \C@todonotes@sizecommand \C@todonotes@text%
24096      \fi%
24097      \end{minipage}\%
24098      \begin{tikzpicture}[remember picture]%
24099          \draw node[nestyle] (inNote) {};%
24100      \end{tikzpicture}%
24101 \else%
24102     \let\originalHbadness\hbadness%
24103     \hbadness 100000%
24104     \begin{tikzpicture}[remember picture,baseline=(X.base)]%
24105         \if@bidi@\C@todonotes@textdirection@RTL\setRTL\fi%
24106         \node(X){\phantom{X}};%
24107         \draw node[nestyle,font=\C@todonotes@sizecommand,anchor=north,align=\C@bidi@\C@todonote%
24108             {\C@todonotes@text};%
24109         \if@todonotes@authorgiven%
24110             \draw node[nestyle,font=\C@todonotes@sizecommand,anchor=north,align=\C@bidi@\C@todo%
24111                 {\C@todonotes@sizecommand\C@todonotes@author};%
24112             \node(Y)[below=of X]{};%
24113             \draw node[nestyle,font=\C@todonotes@sizecommand,anchor=north,align=\C@bidi@\C@todo%
24114                 {\C@todonotes@text};%
24115         \else%
24116             \draw node[nestyle,font=\C@todonotes@sizecommand,anchor=north,align=\C@bidi@\C@todo%
24117                 {\C@todonotes@text};%
24118         \fi%
24119     \end{tikzpicture}%
24120     \hbadness \originalHbadness%
24121 \fi}%
24122 \renewcommand{\missingfigure}[2][]{%
24123 \setkeys{todonotes}{#1}%
24124 \addcontentsline{tdo}{todo}{\C@todonotes@MissingFigureText: #2}%
24125 \par
24126 \noindent
24127 \begin{tikzpicture}
24128 \draw[fill=\C@todonotes@currentfgcolor, draw = black!40, line width=2pt]
24129     (-2, -2.5) rectangle +(\C@todonotes@currentfigwidth, \C@todonotes@currentfigheight);
24130 \if@bidi@\C@todonotes@figposition@right%
24131 \begin{scope}[xshift=\C@todonotes@currentfigwidth-4cm]
24132 \fi%
24133 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
24134     (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
24135 \if@bidi@\C@todonotes@figposition@right%
24136 \end{scope}
24137 \begin{scope}[xshift=-3.8cm]
24138 \fi%
24139 \if@bidi@\C@todonotes@textdirection@RTL\setRTL\fi%
24140 \draw (2, -0.3) node[right, text
24141     width=\C@todonotes@currentfigwidth-4.5cm,align=\C@bidi@\C@todonotes@align] {#2};
24142 \if@bidi@\C@todonotes@figposition@right%
24143 \end{scope}
24144 \begin{scope}[xshift=\C@todonotes@currentfigwidth-4cm]
24145 \fi%
24146 \draw (0, 0.3) node[align=\C@bidi@\C@todonotes@align] {\C@bidi@\C@todonotes@textdirection{\C@todonote%
24147 \draw (0, -0.3) node[align=\C@bidi@\C@todonotes@align] {\C@bidi@\C@todonotes@textdirection{\C@todonote%
24148 \if@bidi@\C@todonotes@figposition@right%

```



```

24149 \end{scope}
24150 \fi%
24151 \end{tikzpicture}\hfill
24152 }% Ending \missingfigure command
24153 \fi % Ending \todonotes@ifdisabled
24154 \presetkeys%
24155   {todonotes}%
24156   {align=left,%
24157   textdirection=lefttoright,%
24158   figposition=left}{}}%

```

160 File wrapfig-xetex-bidi.def

```

24159 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package f
24160 \let\WF@everypar\bidi@n@everypar
24161 \def\WF@putfigmaybe{%
24162 \ifinner
24163   \vskip-\parskip \global\WF@floatfalse
24164   \let\pagetotal\maxdimen % kludge flag for "not top of page"
24165 \else % outer page
24166   \tempdima\pagedepth % save page depth
24167   {\advance\parskip\tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back
24168   \penalty\interlinepenalty % update pg. parameters
24169   \tempdimb\pagegoal\advance\tempdimb-\pagetotal % room left on page
24170   \ifdim\tempdimb<\z@ % \WF@info{Page overfull already;}%
24171     \global\WF@floatfalse
24172     \ifdim-\tempdimb>\pageshrink \else \pagebreak \fi
24173 \else
24174   \ifdim\WF@size>\tempdimb
24175     \ifWF@float \dimen0.5\baselineskip \else \dimen0 2\baselineskip\fi
24176     \ifdim\pagestretch>\dimen0 \dimen0\pagestretch \fi
24177     \ifdim\pagefilstretch>\z@ \dimen0\tempdimb \fi
24178     \ifdim\pagefillstretch>\z@ \dimen0\tempdimb \fi
24179     \advance\dimen0.5\baselineskip
24180     \ifdim\dimen0>\tempdimb % \WF@info{Page nearly full; can stretch}%
24181       \global\WF@floatfalse \pagebreak
24182     \fi
24183   \else % \WF@info{Fits in \the\tempdimb;}%
24184     \global\WF@floatfalse
24185   \fi\fi
24186   \vskip\tempdima\relax % (return erased page depth)
24187 \fi
24188 \noindent
24189 \ifWF@float
24190   \WF@fltmes
24191 \else % putting here;
24192   \WF@info{Put \WF@wfname here:}%
24193   {\ifodd\if@twoside\c@page\else\c@ne\fi % assign l/r to i/o placement
24194     \lccode`\l`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
24195     \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
24196   \hbox to\z@{%
24197     \tempdima\wd\WF@box \tempdimb\WF@ovh
24198     \advance\tempdima-\tempdimb \advance\tempdima\columnsep
24199     \tempdimb\hsize \advance\tempdimb-\tempdima

```



```

24200 \xdef\WF@adjlw{\the\@tempdima}%
24201 \ifnum `l=\WF@place % fig on left
24202   \if@RTL%
24203     \kern\@tempdimb \kern\columnsep
24204   \def\@tempa{\hss}% position to left of the gap
24205   \else%
24206     \hss % figure overlaps space to the left
24207   \def\@tempa{\kern\columnsep}% position to left of the gap
24208   \fi%
24209 \else % fig on right
24210   \if@RTL%
24211     \hss
24212     \@tempdima\z@%
24213     \def\@tempa{\kern\columnsep}
24214   \else%
24215     \@tempdima\z@ % no left indentation
24216     \kern\@tempdimb \kern\columnsep
24217   \def\@tempa{\hss}% figure overlaps space to the right
24218   \fi%
24219 \fi
24220 \ifdim\@tempdimb<\hsize
24221   \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}%
24222   \xdef\WF@adjt1m{\the\@tempdima}%
24223 \else
24224   \xdef\WF@wrapil{\z@ \the\hsize}%
24225   \xdef\WF@adjlw{\z@}\xdef\WF@adjt1m{\z@}%
24226 \fi
24227 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
24228   \global\advance\WF@size-\intextsep
24229 \else % \WF@info{Putting \WF@wfname in middle of page}%
24230   \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
24231   \fi \dp\WF@box\z@ \box\WF@box \attempa
24232 }% end \hbox to Opt
24233 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
24234 \fi}

```

161 File `xcolor-xetex-bidi.def`

```

24235 \ProvidesFile{xcolor-xetex-bidi.def}[2022/06/13 v0.3 bidi adaptations for xcolor package for
24236 \long\def\color@b0x#1#2#3%
24237 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
24238   \setbox\z@\hbox{\kern\fboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
24239   \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
24240   \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
24241   \#1\#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}\ifmmode\else\if@RTL\endL\fi\fi}
24242 \protected\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup
24243 \DeclareRobustCommand\color
24244 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}%
24245 \def\@undeclaredcolor[#1]#2%
24246 {\begingroup
24247   \let\@ccls\empty
24248   \XC@getmodclr12{#1}{#2}{\empty}%
24249   {\ifblendcolors
24250     \ifx\colorblend\empty\else

```



```

24251     \edef\@@mix{\expandafter\gobble\colorblend}\@tempswafalse
24252     \XC@coremodel\@mod\@clr\@xcolor{}\{}@\@mod\@clr
24253     \fi
24254   \fi
24255   \ifconvertcolorsU
24256     \edef\@@tmp{\XC@tgt@mod{\@mod}}%
24257     \convertcolorspec\@mod\@clr\@@tmp\@clr \let\@mod\@@tmp
24258   \fi
24259   \ifmaskcolors
24260     \convertcolorspec\@mod\@clr\XC@mmod\@clr
24261     \let\@mod\XC@mmod
24262     \XC@inflate\@mod\XC@mclr\@clr\@@tmp
24263     \expandafter\XC@mul\@@tmp,\@clr
24264   \fi
24265   \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
24266   \expandafter\endgroup\@@tmp}
24267 \def\@declaredcolor#1%
24268 { \XC@edef\XC@ttmp{#1} \XC@tstfalse
24269   \ifcase\XC@type\XC@ttmp\relax \XC@tsttrue\or \relax\else
24270   \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
24271   \ifconvertcolorsU\XC@tsttrue\fi
24272   \fi
24273   \ifXC@tst
24274     \expandafter\XC@declaredcolor\else
24275     \expandafter\XC@declaredc@lor\fi}
24276 \def\XC@undeclaredcolor#1#2%
24277 { \ifundefinedmodel{#1}%
24278   {\c@lor@error{model `#1'}}%
24279   {\@nameuse{color@#1}\current@color{#2}%
24280     \edef\XC@current@color{\noexpand\xcolor@\{}{\current@color}{#1}{#2}\}%
24281     \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
24282 \def\XC@declaredc@lor
24283 { \XC@let@Nc\XC@current@color{\string\color@\XC@ttmp}%
24284   \edef\current@color{\XC@current@color}%
24285   \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
24286 \DeclareRobustCommand\bidicolor
24287 { \ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
24288 \def\@bidiundeclaredcolor[#1]#2%
24289 { \begingroup
24290   \let\@cls\@empty
24291   \XC@getmodclr12{#1}{#2}\{}%
24292   \ifblendcolors
24293     \ifx\colorblend\empty\else
24294       \edef\@@mix{\expandafter\gobble\colorblend}\@tempswafalse
24295       \XC@coremodel\@mod\@clr\@xcolor{}\{}@\@mod\@clr
24296     \fi
24297   \fi
24298   \ifconvertcolorsU
24299     \edef\@@tmp{\XC@tgt@mod{\@mod}}%
24300     \convertcolorspec\@mod\@clr\@@tmp\@clr \let\@mod\@@tmp
24301   \fi
24302   \ifmaskcolors
24303     \convertcolorspec\@mod\@clr\XC@mmod\@clr
24304     \let\@mod\XC@mmod

```



```

24305      \XC@inflate\@@mod\XC@clr\@@clr\@@tmp
24306      \expandafter\XC@mul\@@tmp,\@@clr
24307      \fi
24308      \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
24309      \expandafter\endgroup\@@tmp}
24310 \def\XC@bidiundeclaredcolor#1#2%
24311 {\@ifundefined{model}{#1}%
24312 {\@color@error{model `#1'}}%
24313 {\@nameuse{color@#1}\current@color{#2}%
24314 \edef\XC@current@color{\noexpand\xcolor@{\}}{\current@color}{#1}{#2}}%
24315 \XC@display}}
24316 \def\@bidideclaredcolor#1%
24317 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
24318 \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
24319 \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
24320 \ifconvertcolorsU\XC@@tsttrue\fi
24321 \fi
24322 \ifXC@@tst
24323 \expandafter\XC@bidideclaredcolor\else
24324 \expandafter\XC@bidideclaredc@lor\fi}
24325 \def\XC@bidideclaredcolor
24326 {\XC@split\XC@@tmp
24327 \edef\@@tmp{\noexpand\@bidideclaredcolor[\@@mod]{\@@clr}}%
24328 \expandafter\endgroup\@@tmp}
24329 \def\XC@bidideclaredc@lor
24330 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
24331 \edef\current@color{\XC@current@color}%
24332 \XC@display}
24333 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
24334 \def\color@fbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
24335 \def\color@fb@x#1#2#3%
24336 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
24337 {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
24338 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmod
```

162 File `latex-xetex-bidi.def`

```

24339 \ProvidesFile{latex-xetex-bidi.def}[2022/07/04 v1.4.9 bidi adaptations for `latex.ltx' for
24340 \newcommand{\TeXeTOn}{\TeXeTstate\One}
24341 \newcommand{\TeXeTOff}{\TeXeTstate\Zero}
24342 \TeXeTOn
24343 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@}}
```

24344 \let\bidi@o@everypar=\everypar

24345 \newtoks\bidi@n@everypar

24346 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}

24347 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}

24348 \let\everypar=\bidi@n@everypar

24349 \def\moreLRE{\brace{text \aftergroup\endL \beginL\@RTLfalse}}

24350 \def\moreRLE{\brace{text \aftergroup\endR \beginR\@RTLtrue}}

24351 \protected\def\hboxR{\hbox\bgroup

24352 \everyhbox{%

24353 \aftergroup\egroup

24354 \everyhbox{}}%

24355 \beginR



```

24356  \@hboxRconstructtrue
24357  \bgroup
24358  \aftergroup\endR
24359  \aftergroup\egroup
24360  }\hbox}
24361 \protected\def\hboxL{\hbox\bgroup
24362  \everyhbox{%
24363  \aftergroup\egroup
24364  \everyhbox{}%
24365  \beginL
24366  \@hboxRconstructfalse
24367  \bgroup
24368  \aftergroup\endL
24369  \aftergroup\egroup
24370  }\hbox}
24371 \protected\def\vboxR{\vbox\bgroup
24372  \everyvbox{%
24373  \aftergroup\egroup
24374  \everyvbox{}%
24375  \RTLtrue
24376  \RTLTabtrue
24377  \bgroup
24378  \aftergroup\egroup
24379  }\vbox}
24380 \protected\def\vboxL{\vbox\bgroup
24381  \everyvbox{%
24382  \aftergroup\egroup
24383  \everyvbox{}%
24384  \RTLfalse
24385  \RTLTabfalse
24386  \bgroup
24387  \aftergroup\egroup
24388  }\vbox}
24389 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
24390 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
24391 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLTabfalse\hsize\linewidth\parshape\z@\bidi@beamer}
24392 \def\endLTR{\par}
24393 \newenvironment{LTR*}{\LTR
24394  \everypar{%
24395    {\setbox\z@\lastbox
24396      \ifvoid\z@
24397        \kern-\parindent
24398      \fi}%
24399  }%
24400 }{\endLTR\@endpetrue}
24401 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLTabtrue\hsize\linewidth\parshape\z@\bidi@beamer}
24402 \def\endRTL{\par}
24403 \newenvironment{RTL*}{\RTL
24404  \everypar{%
24405    {\setbox\z@\lastbox
24406      \ifvoid\z@
24407        \kern-\parindent
24408      \fi}%
24409  }%

```



```

24410 }{\endRTL\@endpetrue}
24411 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\bidi@beamer@ragged}
24412 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\bidi@beamer@ragged}
24413 \let\unsetRTL=\setLTR
24414 \let\unsetLTR=\setRTL
24415 \let\LR=\LRE
24416 \let\RL=\RLE
24417 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
24418 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
24419 \let\@ensure@RL=\@ensure@RTL
24420 \let\@ensure@LR=\@ensure@LTR
24421 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
24422 \let\@ensure@maindir=\@ensure@dir
24423 \def\@@RTL{RTL}
24424 \def\@@LTR{LTR}
24425 \def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
24426 \def\reset@dir{\ifx\saved@@dir\@RTL\setRTL\else\ifx\saved@@dir\@LTR\setLTR\else\relax\fi\fi}
24427 \let\@@TeX\TeX
24428 \def\TeX{\@ensure@LTR{\@@TeX}}
24429 \let\@@LaTeX\LaTeX
24430 \def\LaTeX{\@ensure@LTR{\@@LaTeX}}
24431 \let\@@LaTeXe\LaTeXe
24432 \def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
24433 \long\def\bidi@reflect@box#1{%
24434   \leavevemode
24435   \setbox\z@\hbox{#1}%
24436   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}%
24437   \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
24438 }
24439 \bidi@newrobustcmd*\{XeTeX}\{\LR{\leavevemode$\smash{\hbox{X\lower.5ex}}%
24440   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
24441 \bidi@newrobustcmd*\{XeLaTeX}\{\LR{\leavevemode$\smash{\hbox{X\lower.5ex}}%
24442   \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
24443 \let\setRL=\setRTL
24444 \let\setLR=\setLTR
24445 \let\unsetRL=\setLTR
24446 \def\bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
24447 \ifpackageloaded{array}{%
24448 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
24449   \leavevemode
24450   \hbox \bgroup \$\left.\.\col@sep\@tabcolsep \let\d@llarbegin\begin\group
24451   \let\d@llarend\end\group
24452   \atarray
24453 \def\endbidi@tabular@RTLcases{\endarray \right.\rbrace$\egroup}%
24454 }%
24455 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
24456   \leavevemode \hbox \bgroup
24457   \$\left.\.\let\@acol\@tabacol
24458   \let\@classz\@tabclassz
24459   \let\@classiv\@tabclassiv \let\\@\tabularcr\@tabarray}%
24460
24461 \def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
24462   \egroup\right.\rbrace \$\egroup}}}
24463 \def\RTLcases#1{\left.\.\vcenter{\normalbaselines\m@th

```



```

24464     \ialign{$##\hfil$&\quad{##}\hfil\crcr#1\crcr}\,,\right\}%
24465 \renewenvironment{RTLcases}{%
24466   \bidi@matrix@check\RTLcases\env@RTLcases
24467 }{%
24468   \endbidi@tabular@RTLcases%
24469 }
24470 \def\env@RTLcases{%
24471   \let\@ifnextchar\bidi@new@ifnextchar
24472   \def\arraystretch{1.2}%
24473   \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
24474 }
24475 \def\SepMark{\gdef\@SepMark{\#1}}
24476 \SepMark{.}
24477 \def\@thmcountersep{\@SepMark}
24478 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
24479 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
24480 \def\setDefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
24481 \newcommand*\bidi@thebibliography[font@hook]{}
24482 \def\list#1#2{%
24483   \ifnum \@listdepth >5\relax
24484     \atodeep
24485   \else
24486     \global\advance\@listdepth\@ne
24487   \fi
24488   \rightmargin\z@
24489   \listparindent\z@
24490   \itemindent\z@
24491   \csname @list\romannumeral\the\@listdepth\endcsname
24492   \def\@itemlabel{\#1}%
24493   \let\makelabel\@mklab
24494   \nmblistfalse
24495   #2\relax
24496   \trivlist
24497   \parskip\parsep
24498   \parindent\listparindent
24499   \advance\linewidth -\rightmargin
24500   \advance\linewidth -\leftmargin
24501   \if@bidi@list@minipage@parbox
24502   \if@RTL
24503   \advance\@totalleftmargin \leftmargin
24504   \else
24505   \advance\@totalleftmargin \rightmargin
24506   \fi
24507   \else
24508   \if@hboxRconstruct
24509   \if@bidi@list@minipage@parbox@not@nob
24510   \if@RTL
24511   \advance\@totalleftmargin \rightmargin
24512   \else
24513   \advance\@totalleftmargin \leftmargin
24514   \fi
24515   \else
24516   \if@RTL
24517   \advance\@totalleftmargin \leftmargin

```



```

24518 \else
24519 \advance\@totalleftmargin \rightmargin
24520 \fi\fi
24521 \else
24522 \if@RTL
24523   \advance\@totalleftmargin \rightmargin
24524 \else
24525   \advance\@totalleftmargin \leftmargin
24526 \fi\fi\fi
24527 \parshape \one \@totalleftmargin \linewidth
24528 \ignorespaces}
24529 \long\def\@iiparbox#1#2[#3]#4#5{%
24530   \leavevmode
24531   \pboxswfalse
24532   \if@hboxRconstruct
24533     \bidi@list@minipage@parbox@not@nobtrue
24534   \fi
24535   \if@RTL
24536     \ifx#1t%
24537       \bidi@list@minipage@parboxtrue
24538     \else
24539       \ifx#1b%
24540         \bidi@list@minipage@parboxtrue
24541       \fi
24542     \fi
24543   \fi
24544   \setlength\@tempdima{#4}%
24545   \begin@\tempboxa\vbox{\hsize\@tempdima\parboxrestore#5\@par}%
24546   \ifx\relax#2\else
24547     \setlength\@tempdimb{#2}%
24548     \edef\@parboxto{\to\the\@tempdimb}%
24549   \fi
24550   \if#1b\vbox
24551     \else\if #1t\vtop
24552       \else\ifmmode\vcenter
24553       \else\pboxswtrue \$\vcenter
24554       \fi\fi\fi
24555       \parboxto{\let\hss\vss\let\unhbox\unvbox
24556         \csname bm#3\endcsname}%
24557       \if@pboxsw \m@th$\fi
24558   \end@\tempboxa}
24559 \newenvironment{LTRitems}
24560   {\par\@RTLfalse\@RTLtabfalse\bidi@beamer@ragged
24561   \if@bidi@list@minipage@parbox
24562     \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
24563     \else \if@hboxRconstruct\if\bidi@list@minipage@parbox@not@nob
24564       \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
24565       \parshape \one \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24566       \else \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24567       \ignorespaces}\{\vskip\z@\}
24568 \newenvironment{RTLitems}
24569   {\par\@RTLtrue\@RTLtabtrue\bidi@beamer@ragged
24570   \if@bidi@list@minipage@parbox
24571     \parshape \one \dimexpr(\@totalleftmargin+\leftmargin) \linewidth

```



```

24572 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
24573 \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
24574 \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24575 \else \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24576 \ignorespaces}{\vskip\z@}
24577 \newenvironment{LTRbibitems}
24578 {\par\@RTLfalse\@RTLTabfalse\bidi@beamer@ragged
24579 \if@bidi@list@minipage@parbox
24580 \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
24581 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
24582 \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
24583 \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24584 \else \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24585 \ignorespaces}{\vskip\z@}
24586 \newenvironment{RTLbibitems}
24587 {\par\@RTLtrue\@RTLTabtrue\bidi@beamer@ragged
24588 \if@bidi@list@minipage@parbox
24589 \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
24590 \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
24591 \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
24592 \parshape \cne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24593 \else \parshape \cne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24594 \ignorespaces}{\vskip\z@}
24595 \def\raggedright{%
24596 \let\\@centercr@rightskip@\flushglue \rightskip@\rightskip
24597 \leftskip\z@skip
24598 \parindent\z@\parfillskip\z@skip}
24599 \let\bidi@orig@raggedleft\raggedleft
24600 \let\bidi@orig@raggedright\raggedright
24601 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRco
24602 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRco
24603 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
24604 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
24605 \def\centerline#1{%
24606 \if@RTL\@@line{\hss\beginR#1\endR\hss}
24607 \else\@@line{\hss#1\hss}\fi}
24608 \def\leftline#1{%
24609 \if@RTL\@@line{\beginR#1\endR\hss}
24610 \else\@@line{\#1\hss}\fi}
24611 \def\rightline#1{%
24612 \if@RTL\@@line{\hss\beginR#1\endR}
24613 \else\@@line{\hss#1}\fi}
24614 \let\bidi@orig@leftline\leftline
24615 \let\bidi@orig@rightline\rightline
24616 \def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\if@Hmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\if@Vmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\fi\fi}
24617 \def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\if@Hmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\if@Vmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\fi\fi}
24618 \def\bidirlap#1{\hb@xt@0\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
24619 \def\bidillap#1{\hb@xt@0\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
24620 \def\@hangfrom#1{\setbox@tempboxa\hbox{\#1}%
24621 \hangindent\if@RTL\wd\@tempboxa\else\wd\@tempboxa\wd\@tempboxa\fi\box\@tempboxa}
24622 \def\narrower{%
24623 \advance\if@RTL\rightskip\else\leftskip\fi\parindent
24624 \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
24625 \def\underline#1{%

```



```

24626  \relax
24627  \ifmmode\@@underline{\#1}%
24628  \else
24629 \if@RTL $\\@@underline{\hbox{\beginR\#1\endR}}\m@th$\relax
24630 \else
24631 $\\@@underline{\hbox{\#1}}\m@th$\relax\fi\fi}
24632 \if@compatibility
24633  \let\undertext=\underline
24634 \fi
24635 \def\@tabular{%
24636  \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
24637  \$\let\@acol\@tabacol
24638  \let\@classz\@tabclassz
24639  \let\@classiv\@tabclassiv \let\\@\@tabularcr\@tabarray}
24640 \def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
24641  \egroup \$\if@RTLtab\endR\fi\egroup}
24642 \expandafter \let\csname endtabular*\endcsname = \endtabular
24643 \def\@array[\#1]\#2{%
24644  \if #1\@vtop \else \if#1b\vbox \else \vcenter \fi\fi
24645  \bgroup
24646  \setbox\@arstrutbox\hbox{%
24647  \vrule \height\arraystretch\ht\strutbox
24648  \depth\arraystretch \dp\strutbox
24649  \width\z@\%}
24650  \mkpream{\#2}%
24651  \edef\@preamble{%
24652   \ialign \noexpand\@halignto
24653   \bgroup \@arstrut \preamble \tabskip\z@skip \cr}%
24654 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
24655 \let\tabularnewline\\%
24656  \let\par\@empty
24657  \let\sharp##%
24658  \set@typeset@protect
24659  \lineskip\z@skip\baselineskip\z@skip
24660  \ifhmode \preamerr\z@ \@@par\fi
24661 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1\@vtop \else \vbox \fi\bgroup\fi
24662  \preamble}
24663 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
24664 \let\@classiv\@arrayclassiv
24665 \let\\@\arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
24666 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4 \else
24667  \ifnum \lastchclass=3 5 \else
24668  \z@ \if #1c\@chnum \z@ \else
24669  \if \if@RTLtab#1r\else#1l\fi\@chnum \one \else
24670  \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
24671  \@chclass \if #1|\one \else
24672  \if #1@\tw@ \else
24673  \if #1p3 \else \z@ \preamerr 0\fi
24674  \fi \fi \fi \fi \fi
24675 \fi}
24676 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
24677 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
24678 \def\bm@t{\unhbox\@tempboxa\hss}
24679 \def\bm@b{\hss\unhbox\@tempboxa}

```



```

24680 \def\@dottedtocline#1#2#3#4#5{%
24681   \ifnum #1>\c@tocdepth \else
24682     \vskip \z@ \oplus.2\p@
24683     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \atocrma
24684       \parindent #2\relax\afterindenttrue
24685       \interlinepenalty\@M
24686       \leavevmode
24687       \tempdima #3\relax
24688       \advance\if@RTL\rightskip\else\leftskip\fi \tempdima \null\nobreak\hskip -\if@RTL\right
24689       {#4}\nobreak
24690       \leaders\hbox{\m@th
24691         \mkern \dotsep mu\hbox{.}\mkern \dotsep
24692         mu}\hfill
24693       \nobreak
24694       \hb@xt@\pnumwidth{{\hfil\normalfont \normalcolor #5}}%
24695       \par}%
24696   \fi}
24697
24698 \newcount\bidi@column@check@number
24699
24700 \def\bidi@column@status#1{\gdef\bidi@current@column@status{#1}}
24701
24702 \def\bidi@set@column@status#1#2{%
24703   \global\expandafter\let\csname #1\endcsname\bidi@current@column@status}
24704
24705 \if@twocolumn
24706 \newcommand{\DetectColumn}[3][1]{%
24707   \ifx\bidi@firstcolumn@status@write\relax
24708     \PackageError{\bidi}{%
24709       {Option 'DetectColumn' not selected}%
24710       {string\DetectColumn\space
24711         requires the use of the 'DetectColumn'
24712         option on the package}%
24713   \fi
24714   \global\advance\bidi@column@check@number\@ne
24715   \edef\bidi@column@type{\expandafter\ifx
24716     \csname bidi@column-\the\bidi@column@check@number\endcsname\relax
24717     \else
24718       \csname bidi@column-\the\bidi@column@check@number\endcsname
24719     \fi}%
24720   \ifcase \bidi@column@type\relax
24721     \ifcase #1\or #2\or#3\fi % 0 not known use first column as default
24722     \or
24723       #2% % 1 First column
24724     \or
24725       #3% % 2 Second (Last column)
24726   \else
24727     \ERROR
24728   \fi
24729   \edef\next{\write\auxout
24730     {\string\bidi@set@column@status{\bidi@column-\the\bidi@column@check@number}%
24731       {\bidi@column@type}}\relax
24732   \next
24733 }

```



```

24734 \AtEndDocument{\def\bidi@set@column@status#1#2{%
24735   \ifnum #2=\bidi@current@column@status\else
24736     \tempswattrue
24737     \fi}%
24738 }
24739 }%
24740 \fi
24741 \def\RTL@outputdblcol{%
24742   \if@firstcolumn
24743     \global\@firstcolumnfalse
24744     \global\setbox@\leftcolumn\copy\outputbox
24745     \splitmaxdepth\maxdimen
24746     \vbadness\maxdimen
24747     \setbox@\outputbox\vbox{\unvbox\outputbox\unskip}%
24748     \setbox@\outputbox\vsplit\outputbox to\maxdimen
24749     \toks@\expandafter{\topmark}%
24750     \xdef\@firstcoltopmark{\the\toks@}%
24751     \toks@\expandafter{\splitfirstmark}%
24752     \xdef\@firstcolfirstmark{\the\toks@}%
24753     \ifx\@firstcolfirstmark\empty
24754       \global\let\@setmarks\relax
24755     \else
24756       \gdef\@setmarks{%
24757         \let\firstmark\@firstcolfirstmark
24758         \let\topmark\@firstcoltopmark}%
24759     \fi
24760   \else
24761     \global\@firstcolumntrue
24762     \setbox@\outputbox\vbox{%
24763       \hb@xt@\textwidth{%
24764         \hskip \columnwidth
24765         \hfil
24766         {\normalcolor\vrule \width\columnseprule}%
24767         \hfil
24768         \hb@xt@\columnwidth{%
24769           \bidi@firstcolumn@status@write%
24770           \box@\leftcolumn \hss}%
24771           \hskip -\textwidth
24772           \hb@xt@\columnwidth{%
24773             \bidi@lastcolumn@status@write%
24774             \box@\outputbox \hss}%
24775             \hskip \columnsep
24776             \hskip \columnwidth }%}
24777   }%
24778   \combinedblfloats
24779   \@setmarks
24780   \outputpage
24781   \begingroup
24782     \dblfloataction
24783     \startdblcolumn
24784     \if@whilesw\if@fcolmade \fi{\outputpage
24785     \startdblcolumn}%
24786   \endgroup
24787 }%

```



```

24788
24789 \def\LTR@outputdblcol{%
24790   \if@firstcolumn
24791     \global\@firstcolumnfalse
24792     \global\setbox\@leftcolumn\copy\@outputbox
24793     \splitmaxdepth\maxdimen
24794     \vbadness\maxdimen
24795     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
24796     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
24797     \toks@\expandafter{\topmark}%
24798     \xdef\@firstcoltopmark{\the\toks@}%
24799     \toks@\expandafter{\splitfirstmark}%
24800     \xdef\@firstcolfirstmark{\the\toks@}%
24801     \ifx\@firstcolfirstmark\empty
24802       \global\let\@setmarks\relax
24803     \else
24804       \gdef\@setmarks{%
24805         \let\firstmark\@firstcolfirstmark
24806         \let\topmark\@firstcoltopmark}%
24807     \fi
24808   \else
24809     \global\@firstcolumntrue
24810     \setbox\@outputbox\vbox{%
24811       \hb@xt@\textwidth{%
24812         \hb@xt@\columnwidth{%
24813           \bidi@firstcolumn@status@write}%
24814           \box\@leftcolumn \hss}%
24815           \hfil
24816           {\normalcolor\vrule \width\columnseprule}%
24817           \hfil
24818           \hb@xt@\columnwidth{%
24819             \bidi@lastcolumn@status@write}%
24820             \box\@outputbox \hss}}}}%
24821   \combinedblfloats
24822     \@setmarks
24823     \@outputpage
24824     \begin{group}
24825       \@dblfloatplacement
24826       \@startdblcolumn
24827       \@whilesw\if@fcolmade \fi{\@outputpage
24828         \@startdblcolumn}%
24829     \end{group}
24830   \fi}%
24831
24832
24833 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
24834 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
24835 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
24836
24837 \bidi@patchcmd\@makecol{%
24838   \ifvoid\footins
24839     \setbox\@outputbox \box\@ccilv
24840   \else
24841     \setbox\@outputbox \vbox {%

```



```

24842      \boxmaxdepth \@maxdepth
24843      \unvbox \@cclv
24844      \vskip \skip\footins
24845      \color@begingroup
24846          \normalcolor
24847          \footnoterule
24848          \unvbox \footins
24849          \color@endgroup
24850      }%
24851      \fi
24852 }{%
24853     \ifvoid\footins
24854         \ifvoid\@bidi@copyins@
24855             \setbox\@outputbox \box\@cclv
24856         \else
24857             \setbox\@outputbox \vbox {%
24858                 \boxmaxdepth \@maxdepth
24859                 \unvbox \@cclv
24860                 \vskip \skip\@bidi@copyins@
24861                 \color@begingroup
24862                     \normalcolor
24863                     \unvbox \@bidi@copyins@
24864                     \color@endgroup
24865                 }%
24866             \fi
24867         \else
24868             \setbox\@outputbox \vbox {%
24869                 \boxmaxdepth \@maxdepth
24870                 \unvbox \@cclv
24871                 \vskip \skip\footins
24872                 \color@begingroup
24873                     \normalcolor
24874                     \footnoterule
24875                     \unvbox \footins
24876                 \color@endgroup
24877                 \ifvoid\@bidi@copyins@
24878                 \else
24879                     \vskip \skip\@bidi@copyins@
24880                     \color@begingroup
24881                         \normalcolor
24882                         \unvbox \@bidi@copyins@
24883                     \color@endgroup
24884                 \fi
24885             }%
24886         \fi
24887 }{}{%
24888
24889 \def\LTRmarginpar{%
24890     \ifhmode
24891         \@bsphack
24892         \floatpenalty -\Mii
24893     \else
24894         \floatpenalty-\Miii
24895     \fi

```



```

24896 \ifinner
24897   \@parmoderr
24898   \@floatpenalty\z@
24899 \else
24900   \next@\currbox\@freelist{}{}%
24901   \next@\marbox\@freelist{\global\count\@marbox\m@ne}%
24902   \@floatpenalty\z@
24903   \@fltovf\def\currbox{\tempboxa}\def\@marbox{\tempboxa}%
24904 \fi
24905 \ifnextchar [\@LTrxmpar\@LTrympar]
24906 \long\def\@LTrxmpar[#1]#2{%
24907   \LTRsavemarbox\@marbox{#1}%
24908   \LTRsavemarbox\@currbox{#2}%
24909   \xympar}
24910 \long\def\@LTrympar#1{%
24911   \LTRsavemarbox\@marbox{#1}%
24912   \global\setbox\currbox\copy\@marbox
24913   \xympar}
24914 \long\def \@LTrsavemarbox #1#2{%
24915   \global\setbox #1%
24916   \color@vbox
24917   \vtop{%
24918     \hsize\marginparwidth
24919     \parboxrestore
24920     \LTrmarginparreset
24921     #2%
24922     \minipagetrue
24923     \outer@nobreak
24924   }%
24925   \color@endbox
24926 }
24927 \def \LTrmarginparreset {%
24928   \reset@font
24929   \normalsize
24930   \minipagetrue
24931   \everypar{\minipagetrue\everypar{}\beginL}%
24932 }
24933 \def\RTLmarginpar{%
24934   \ifhmode
24935     \bsphack
24936     \@floatpenalty -\Mii
24937   \else
24938     \@floatpenalty-\Miii
24939   \fi
24940   \ifinner
24941     \@parmoderr
24942     \@floatpenalty\z@
24943   \else
24944     \next@\currbox\@freelist{}{}%
24945     \next@\marbox\@freelist{\global\count\@marbox\m@ne}%
24946     \@floatpenalty\z@
24947     \@fltovf\def\currbox{\tempboxa}\def\@marbox{\tempboxa}%
24948   \fi
24949 \ifnextchar [\@RTLxmpar\@RTLympar]

```



```

24950 \long\def\@RTLxmpar [#1]#2{%
24951   \@RTLsavemarbox\@marbox{#1}%
24952   \@RTLsavemarbox\@currbox{#2}%
24953   \@xmpar}
24954 \long\def\@RTLYmpar#1{%
24955   \@RTLsavemarbox\@marbox{#1}%
24956   \global\setbox\@currbox\copy\@marbox
24957   \@xmpar}
24958 \long\def \@RTLsavemarbox #1#2{%
24959   \global\setbox #1%
24960   \color@vbox
24961   \vtop{%
24962     \hsize\marginparwidth
24963     \parboxrestore
24964     \@RTLmarginparreset
24965     #2%
24966     \@minipagefalse
24967     \outer@nobreak
24968   }%
24969   \color@endbox
24970 }
24971 \def \@RTLmarginparreset {%
24972   \reset@font
24973   \normalsize
24974   \@minipagetrue
24975   \everypar{\@minipagefalse\everypar{}{\beginR}}%
24976 }
24977 \def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
24978   \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
24979   \if@twocolumn
24980     \if@firstcolumn \@tempcnta\@ne \fi
24981   \else
24982     \if@mparswitch
24983       \ifodd\c@page \else\@tempcnta\@ne \fi
24984     \fi
24985     \if@reversemargin \@tempcnta -\@tempcnta \fi
24986   \fi
24987   \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
24988   \global\@mparbottom
24989   \advance\@tempdima -\@pageht
24990   \advance\@tempdima\ht\@marbox
24991   \ifdim\@tempdima >\z@
24992     \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
24993   \else
24994     \global\@mparbottom\z@
24995   \fi
24996   \global\@mparbottom\@pageht
24997   \global\advance\@mparbottom\@tempdima
24998   \global\advance\@mparbottom\dp\@marbox
24999   \global\advance\@mparbottom\marginparpush
25000   \advance\@tempdima -\ht\@marbox
25001   \global\setbox \@marbox
25002   \vbox {\vskip \@tempdima
25003   \box \@marbox}%

```



```

25004 \global \ht\@marbox \z@
25005 \global \dp\@marbox \z@
25006 \kern -\@pagedp
25007 \nointerlineskip
25008 \hb@xt@\columnwidth
25009 {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL
25010 \hskip\columnwidth \hskip\marginparsep
25011 \else
25012 \hskip -\marginparsep \hskip -\marginparwidth
25013 \fi
25014 \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\endL
25015 \nointerlineskip
25016 \hbox{\vrule \Oheight\z@ \Owidth\z@ \Odepth\@pagedp}}
25017 \long\def\@ympar#1{%
25018 \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar\@RTLmarginpartrue\@RTLmarginparfalse\else\@RTLmarginpartrue\@RTLmarginparfalse\fi}%
25019 \global\setbox\@currbox\copy\@marbox
25020 \@xympar}
25021 \def\setRTLmarginpar{\@RTLmarginpartrue\@RTLmarginparfalse}
25022 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
25023 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
25024 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
25025 \tempdima\@totallleftmargin \advance\tempdima\linewidth
25026 \hbox to\tempdima{\if@RTL\beginR\fi\itemfudge\hskip\dimen\@curtabmar
25027 \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
25028 \hbox to\linewidth{\if@RTL\beginR\fi\itemfudge
25029 \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
25030 \fi}
25031
25032 \newcommand*\bidi@font@@outputpage(){}
25033
25034 \def\@outputpage{%
25035 \begingroup % the \endgroup is put in by \aftergroup
25036 \let \protect \noexpand
25037 \resetactivechars
25038 \global\let\@if@newlist\if@newlist
25039 \global\@newlistfalse
25040 \parboxrestore
25041 \global\let\bidi@BeforeOutputPageShipOut\@firstofone
25042 \bidi@beforeoutputpageshipouthook
25043 \shipout \vbox{%
25044 \set@typeset@protect
25045 \aftergroup \endgroup
25046 \aftergroup \set@typeset@protect
25047 % correct? or just restore by ending
25048 % the group?
25049 \if@specialpage
25050 \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
25051 \fi
25052 \if@twoside
25053 \ifodd\count\z@ \let\@thead\@oddhead \let\@tfoot\@oddfoot
25054 \if@RTLmain
25055 \let\@themargin\evensidemargin
25056 \else
25057 \let\@themargin\oddsidemargin

```



```

25058     \fi
25059     \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
25060         \if@RTLmain
25061             \let\@themargin\oddsidemargin
25062         \else
25063             \let\@themargin\evensidemargin
25064         \fi
25065     \fi
25066     \ifx\@thehead\@empty \let\@thehead\hfil \fi
25067     \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
25068     \else %% not \twoside
25069         \ifx\@oddhead\@empty \let\@thehead\hfil \fi
25070         \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
25071     \fi
25072     \reset@font
25073     \normalsize
25074     \bidi@font@@outputpage
25075     \normalsfcodes
25076     \let\label\@gobble
25077     \let\index\@gobble
25078     \let\glossary\@gobble
25079     \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
25080         \begindvi
25081         \vskip \topmargin
25082         \moveright\@themargin \vbox {%
25083             \global\let\bidi@BeforeHeader\@firstofone
25084             \bidi@beforeheaderhook
25085             \setbox\@tempboxa \vbox to\headheight{%
25086                 \vfil
25087                 \color@hbox
25088                     \normalcolor
25089                     \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if
25090                     \color@endbox
25091                 }%                                     %% 22 Feb 87
25092                     \dp\@tempboxa \z@
25093                     \box\@tempboxa
25094                     \vskip \headsep
25095                     \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
25096                     \bidi@beforeoutputboxoutputpagehook
25097                     \box\@outputbox
25098                     \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
25099                     \bidi@afteroutputboxoutputpagehook
25100                     \global\let\bidi@BeforeFooter\@firstofone
25101                     \bidi@beforefooterhook
25102                     \baselineskip \footskip
25103                     \color@hbox
25104                         \normalcolor
25105                         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@R
25106                         \color@endbox
25107                         \global\let\bidi@AfterFooter\@firstofone
25108                         \bidi@afterfooterhook
25109                     }%
25110                 }%
25111             \global\let\bidi@AfterOutputPageShipOut\@firstofone

```



```

25112 \bidi@afteroutputpageshipouthook
25113 \global\let\if@newlist\@@if@newlist
25114 \global \@colht \textheight
25115 \stepcounter{page}%
25116 \let\firstmark\botmark
25117 \global\let\bidi@AtEndOutputPage\@firstofone
25118 \bidi@atendoutputpagehook
25119 }
25120 \long\def\@makecaption#1#2{%
25121   \vskip\abovetopskip
25122   \sbox\@tempboxa{#1: #2}%
25123   \ifdim \wd\@tempboxa >\hsize
25124     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
25125   \else
25126     \global \minipagefalse
25127     \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
25128   \fi
25129   \vskip\belowcaptionskip}
25130 \let\bidi@saved@eqno=\eqno
25131 \let\bidi@saved@leqno=\leqno
25132 \def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
25133 \def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
25134 \ifpackageloaded{amsmath}{}{
25135 \def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
25136 }
25137 \input{footnote-xetex-bidi.def}
25138 \if@twocolumn
25139   \let\autofootnoterule\relax
25140   \let\leftfootnoterule\relax
25141   \let\rightfootnoterule\relax
25142   \textwidthfootnoterule
25143 \fi
25144 \if@bidi@csundef{@idxitem}{}{%
25145 \renewcommand{@idxitem}{\par\hangindent \if@RTL-\fi40\p@}%
25146 }
25147 \ifpackageloaded{tocbasic}{{\input{tocbasic-xetex-bidi.def}}}{{}
25148 \ifclassloaded{article}{\ifclassloaded{svmult}{{\input{article-xetex-bidi.def}}}{{}
25149 \ifclassloaded{extarticle}{{\input{extarticle-xetex-bidi.def}}}{{}
25150 \ifclassloaded{artikel1}{{\input{artikel1-xetex-bidi.def}}}{{}
25151 \ifclassloaded{artikel2}{{\input{artikel2-xetex-bidi.def}}}{{}
25152 \ifclassloaded{artikel3}{{\input{artikel3-xetex-bidi.def}}}{{}
25153 \ifclassloaded{amsart}{{\input{amsart-xetex-bidi.def}}}{{}
25154 \ifclassloaded{beamer}{{\input{beamer-xetex-bidi.def}}}{{}
25155 \ifclassloaded{letter}{{\input{letter-xetex-bidi.def}}}{{}
25156 \ifclassloaded{extletter}{{\input{extletter-xetex-bidi.def}}}{{}
25157 \ifclassloaded{memoir}{{\input{memoir-xetex-bidi.def}}}{{}
25158 \ifclassloaded{refrep}{{\input{refrep-xetex-bidi.def}}}{{}
25159 \ifclassloaded{extreport}{{\input{extreport-xetex-bidi.def}}}{{}
25160 \ifclassloaded{report}{{\ifpackageloaded{flowfram}{}{{\input{report-xetex-bidi.def}}}}}{{}
25161 \ifclassloaded{rapport1}{{\input{rapport1-xetex-bidi.def}}}{{}
25162 \ifclassloaded{rapport3}{{\input{rapport3-xetex-bidi.def}}}{{}
25163 \ifclassloaded{scrartcl}{{\input{scrartcl-xetex-bidi.def}}}{{}
25164 \ifclassloaded{scrbook}{{\input{scrbook-xetex-bidi.def}}}{{}
25165 \ifclassloaded{scrreprt}{{\input{scrreprt-xetex-bidi.def}}}{{}

```



```

25166 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
25167 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
25168 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
25169 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
25170 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}={}
25171 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}={}
25172 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}={}
25173 \@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}={}
25174 \@ifpackageloaded{amsmath}{}{%
25175 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}%
25176 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}%
25177 }%
25178 \@ifpackageloaded{mathtools}{}{%
25179   \RequirePackage{graphicx}%
25180   \input{mathtools-xetex-bidi.def}%
25181 }%
25182 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}%
25183 \@ifpackageloaded{lscapte}{\RequirePackage{graphicx}}{}%
25184 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}%
25185 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}%
25186 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}%
25187 \@ifpackagewith{algorithm2e}{algonl}{}{%
25188 \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{A}%
25189 }%
25190 \@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}%
25191 \@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}%
25192 \@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}%
25193 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}%
25194 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}%
25195 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}%
25196 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}%
25197 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}%
25198 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}%
25199 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}%
25200 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}%
25201 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}%
25202 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}%
25203 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}%
25204 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}%
25205 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}%
25206 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}%
25207 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}}{}%
25208 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}%
25209 \@ifpackageloaded{xltxtra}{\input{xltxtra-xetex-bidi.def}}{}%
25210 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}%
25211 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}%
25212 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}%
25213 \@ifpackageloaded{hfvfloat}{\input{hfvfloat-xetex-bidi.def}}{}%
25214 \@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}%
25215 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}%
25216 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}%
25217 \@ifpackageloaded{lscapte}{\input{lscapte-xetex-bidi.def}}{}%
25218 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}%
25219 \@ifpackageloaded{footnotebackref}{\input{footnotebackref-xetex-bidi.def}}{}%

```



```

25220 \@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
25221 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
25222 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
25223 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
25224 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
25225 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
25226 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
25227 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
25228 \@ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}
25229 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
25230 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
25231 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
25232 \@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
25233 \@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
25234 \@ifpackageloaded{pdflandscape}{\input{pdflandscape-xetex-bidi.def}}{}
25235 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
25236 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
25237 \@ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}
25238 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
25239 \@ifpackageloaded{media9}{\RequirePackage[bidi-media9]}{}
25240 \@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
25241 \@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
25242 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
25243 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
25244 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
25245 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
25246 \@ifpackagewith{sidecap}{innercaption}{%
25247   \if@RTL \renewcommand*\SC@FLOAT}[2]{%
25248     \isSC@ODD{\#2}\hspace{\sidecaptionsep}{\#1} {\#1}\hspace{\sidecaptionsep}{\#2}}}
25249   \renewcommand*\SC@justify@caption{%
25250     \isSC@ODD{\RaggedRight}{\RaggedLeft}\else
25251     \renewcommand*\SC@FLOAT}[2]{%
25252       \isSC@ODD{\#1}\hspace{\sidecaptionsep}{\#2} {\#2}\hspace{\sidecaptionsep}{\#1}}}
25253   \renewcommand*\SC@justify@caption{%
25254     \isSC@ODD{\RaggedLeft}{\RaggedRight}\fi
25255   }{%
25256   \@ifpackagewith{sidecap}{rightcaption}{%
25257     \if@RTL \renewcommand*\SC@FLOAT}[2]{\#1}\hspace{\sidecaptionsep}{\#2}}}
25258   \def\SC@justify@caption{\RaggedLeft}\else%
25259   \renewcommand*\SC@FLOAT}[2]{\#2}\hspace{\sidecaptionsep}{\#1}}
25260   \def\SC@justify@caption{\RaggedRight}\fi%
25261 }{%
25262   \@ifpackagewith{sidecap}{leftcaption}{%
25263     \if@RTL \renewcommand*\SC@FLOAT}[2]{\#2}\hspace{\sidecaptionsep}{\#1}}
25264     \def\SC@justify@caption{\RaggedRight}\else%
25265     \renewcommand*\SC@FLOAT}[2]{\#1}\hspace{\sidecaptionsep}{\#2}}
25266     \def\SC@justify@caption{\RaggedLeft}\fi%
25267 }{%
25268   \@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
25269   \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
25270   \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
25271   \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
25272   \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
25273   \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}}

```



```

25274 \@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
25275 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
25276 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
25277 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
25278 \@ifpackageloaded{nicematrix}{\input{nicematrix-xetex-bidi.def}}{}
25279 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
25280 \@ifpackageloaded{pgfsys}{\input{pgfsys.code-xetex-bidi.def}}{}
25281 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
25282 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
25283 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
25284 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
25285 \@ifpackageloaded{tbls}{\input{tbls-xetex-bidi.def}}{}
25286 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
25287 \@ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
25288 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
25289 \@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}{}}
25290 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}{}}
25291 \@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
25292 \@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}
25293 \@ifpackageloaded{beamerbaseauxtemplates}{\input{beamerbaseauxtemplates-xetex-bidi.def}}{}
25294 \@ifpackageloaded{beamerbaseboxes}{\input{beamerbaseboxes-xetex-bidi.def}}{}
25295 \@ifpackageloaded{beamerbasecolor}{\input{beamerbasecolor-xetex-bidi.def}}{}
25296 \@ifpackageloaded{beamerbasecompatibility}{\input{beamerbasecompatibility-xetex-bidi.def}}{}
25297 \@ifpackageloaded{beamerbaseframecomponents}{\input{beamerbaseframecomponents-xetex-bidi.def}}
25298 \@ifpackageloaded{beamerbaseframesize}{\input{beamerbaseframesize-xetex-bidi.def}}{}
25299 \@ifpackageloaded{beamerbaselocalstructure}{\input{beamerbaselocalstructure-xetex-bidi.def}}
25300 \@ifpackageloaded{beamerbasemisc}{\input{beamerbasemisc-xetex-bidi.def}}{}
25301 \@ifpackageloaded{beamerbasenavigation}{\input{beamerbasenavigation-xetex-bidi.def}}{}
25302 \@ifpackageloaded{beamerbaseoverlay}{\input{beamerbaseoverlay-xetex-bidi.def}}{}
25303 \@ifpackageloaded{beamerinnerthemedefault}{\input{beamerinnerthemedefault-xetex-bidi.def}}{}
25304 \@ifpackageloaded{beamerinnerthemecircles}{\input{beamerinnerthemecircles-xetex-bidi.def}}{}
25305 \@ifpackageloaded{beamerinnerthemefocus}{\input{beamerinnerthemefocus-xetex-bidi.def}}{}
25306 \@ifpackageloaded{beamerinnerthememinmargin}{\input{beamerinnerthememinmargin-xetex-bidi.def}}
25307 \@ifpackageloaded{beamerinnerthememetropolis}{\input{beamerinnerthememetropolis-xetex-bidi.def}}
25308 \@ifpackageloaded{beamerinnerthemerectangles}{\input{beamerinnerthemerectangles-xetex-bidi.def}}
25309 \@ifpackageloaded{beamerinnerthermerounded}{\input{beamerinnerthermerounded-xetex-bidi.def}}{}
25310 \@ifpackageloaded{beamerouterthemedefault}{\input{beamerouterthemedefault-xetex-bidi.def}}{}
25311 \@ifpackageloaded{beamerouterthemefocus}{\input{beamerouterthemefocus-xetex-bidi.def}}{}
25312 \@ifpackageloaded{beamerouterthemelineinfo}{\input{beamerouterthemelineinfo-xetex-bidi.def}}
25313 \@ifpackageloaded{beamerouterthememetropolis}{\input{beamerouterthememetropolis-xetex-bidi.def}}
25314 \@ifpackageloaded{beamerouterthememiniframes}{\input{beamerouterthememiniframes-xetex-bidi.def}}
25315 \@ifpackageloaded{beamerouterthemesidebar}{\input{beamerouterthemesidebar-xetex-bidi.def}}{}
25316 \@ifpackageloaded{beamerouterthemesplit}{\input{beamerouterthemesplit-xetex-bidi.def}}{}
25317 \@ifpackageloaded{beamerouterthemeshadow}{\input{beamerouterthemeshadow-xetex-bidi.def}}{}
25318 \@ifpackageloaded{beamerouterthemesmoothbars}{\input{beamerouterthemesmoothbars-xetex-bidi.def}}
25319 \@ifpackageloaded{beamerouterthemesmoothtree}{\input{beamerouterthemesmoothtree-xetex-bidi.def}}
25320 \@ifpackageloaded{beamerouterthememetree}{\input{beamerouterthememetree-xetex-bidi.def}}{}
25321 \@ifpackageloaded{beamertHEMEHannover}{\input{beamertHEMEHannover-xetex-bidi.def}}{}
25322 \@ifpackageloaded{beamertHEMEsingapore}{\input{beamertHEMEsingapore-xetex-bidi.def}}{}

```

163 File `xltxtra-xetex-bidi.def`

```

25323 \ProvidesFile{xltxtra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxtra package f
25324 \let\@XeTeX\XeTeX

```



```

25325 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
25326 \let\@XeLaTeX\XeLaTeX
25327 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

164 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		
\# . . . 5765, 5811, 5923, 5931	\@@LTR 18751, 18753, 24424, 24426	19892, 19930, 19941, 24606,
\% 14523	\@@LaTeX . . . 24429, 24430	24607, 24609,
\' . . . 14643, 16887, 18901	\@@LaTeXe . . . 24431, 24432	24610, 24612, 24613
\(. 16988	\@@RTL 18750, 18753, 24423, 24426	\@@makecaption
\) 16989	\@@Radio . . . 15975, 15983	. . . 20427, 20491,
\, 8017, 14906, 19495, 19538, 24057, 24068, 24464	\@@TeX 18754, 18755, 24427, 24428	20595, 21188, 21252, 21357,
\- . . . 4191, 14642, 16886, 18900	\@@XeTeX 25326, 25327	21953, 22017, 22122
\. . . 93, 296, 586, 718, 981, 1231, 2533, 4190, 9204, 9392, 9704, 11263, 11537, 13665, 16036, 18276, 19063, 19457, 19654, 19857, 20395, 21156, 21921, 22643	\@@XeTeX 25324, 25325	\@@makefnmark
\/ 4507	\@@author . . . 8633, 8636, 8639	. . . 20032, 20068,
\: 17030, 17089	\@@bidi@AfterClass 6702, 6719	20071, 20771,
\< 22277	\@@bidi@AfterPackage 6747, 6762	20808, 20811,
\= . . . 14643, 16887, 18901	\@@bidi@PreventPackageFromLoading 6793, 6795, 6797	21544, 21581, 21584
\> 22278	\@@bidi@pop 6415, 6418, 6419	\@@math 9739
\@ 5835	\@@bidi@popinto 6415, 6418, 6419	\@@mix 24251, 24294
\@@ 22456, 22458	\@@clr 24252, 24257, 24260, 24262,	\@@par 16885,
\@@@bidi@AfterClass 6703, 6708	24263, 24265, 24295, 24300,	18899, 19490,
\@@@bidi@AfterPackage 6748, 6752	24303, 24305, 24306, 24308, 24327	19533, 20043,
\@@H@@footnotetext 11585, 11600	\@@cls 24247, 24290	20054, 20782,
\@@H@mpfootnotetext 11588, 11606	\@@date . . . 8634, 8637, 8640	20794, 21555,
\@@HLTR@@LTRfootnotetext 11586, 11602	\@@description 2499	21567, 22568,
\@@HLTR@mpLTRfootnotetext 11589, 11608	\@@end 6069, 6070	22570, 24545, 24660
\@@HRTL@@RTLfootnotetext 11587, 11604	\@@endbox 16739, 22353, 22391, 24654	\@@para@footstart@v@l 13258, 13313
\@@HRTL@mpRTLfootnotetext 11590, 11610	\@@footstart@v@l 11813, 13258, 13313	\@@protect 5696
	\@@if@newlist 13987,	\@@startpbox 16738,
	14019, 25038, 25113	22353, 22391, 24654
	\@@input 6618	\@@title . . . 8632, 8635, 8638
	\@@italiccorr 336, 9748, 16867	\@@tmp 24256,
		24257, 24262,
		24263, 24265,
		24266, 24299,
		24300, 24305,
		24306, 24308,
		24309, 24327, 24328



\@underline	21196, 21506,	10401, 10413,
. 24627, 24629, 24631	21512, 21961,	10426, 24892, 24936
\@DEBUGfalse	22422, 22439, 22531	\@Mii 4720, 7698, 7742,
\@False	\@LTRmarginparfalse	7786, 24894, 24938
24478, 24480	25021, 25023	\@RTL@footnotefalse
\@LTRbibitemstrue 24479	\@LTRmarginparreset 4117, 14085,
\@LTRbidituftesidenote@sidenote 8133, 8192, 8196	\@LTRmarginpartrue 25022	14252, 18734,
..... 7768, 7775	\@LTrsavemarbox 24907,	18739, 24391, 24412
\@LTRbidituftesidenotemarkinpar 7755, 7756, 7759, 7762	\@LTrmarginparreset 24908, 24911, 24914	\@RTL@footnotetrue
\@LTRbidituftesidenotemarkinpar 7753, 7754	\@LTrxmpar . 24905, 24906	. . . 4115, 14085,
\@LTRbidituftesidenoteympar 7753, 7758	\@LTrxmpar . 24905, 24910	14251, 18736,
\@LTRfootgroupv@l .	\@M . 6, 92, 105, 201, 225,	18738, 24401, 24411
. . 11806, 11814, 11946, 12088, 12224, 12366, 12508, 12650, 12792, 12934, 13076, 13256, 13311	295, 558, 622, 623, 647, 751, 874, 929, 930, 1003, 1123, 1124, 1130, 1253, 4570, 4575, 8364, 9125, 9126, 9132, 9246, 9302, 9303, 9309, 9423, 9473, 9668, 9676, 9743, 11230, 11243, 11500, 11509, 11920, 11924, 13631, 13639, 13960, 16035, 16049, 16073, 17929, 17941, 17953, 18839, 18961, 18962, 18986, 19096, 19235, 19358, 19411, 19412, 19473, 19474, 19828, 19836, 22447, 22554, 22595, 22729, 22760, 22783, 22800, 22817, 22834, 22851, 22868, 22886, 22905, 22925, 22960, 23343, 23873, 23987, 24685	\@RTLbitemstrue 24479, 24480
\@LTRfootnotetext 64, 81, 155, 156, 157, 266, 284, 2245, 2249, 2304, 4643, 4765, 8062, 8145, 8152, 8868, 8879, 9085, 9099, 10713, 10714, 11586, 11601, 11602, 11672, 11720, 11728, 11937, 12079, 12215, 12357, 12499, 12641, 12783, 12925, 13067, 13243, 13298, 14242, 14248, 14292, 14318, 14376, 14401, 14407, 15409, 15437, 15516, 15535, 15729, 15733, 15753, 15754, 16796, 16943, 18068, 18070, 18071, 19994, 20000, 20435, 20733, 20739,	\@MM . . . 41, 55, 71, 244, 258, 273, 10711, 10732, 10779, 10786, 10831, 10838, 11834, 14265, 14282, 14298	\@RTL@footnotetrue
	\@Mi 9739, 16810	. . . 4115, 14085,
	\@Mii 4718,	14252, 18734,
	7696, 7740, 7784,	18739, 24391, 24412



13103,	13144,		4004, 4285, 4289	17682, 18267,
13161,	13470,	\@RTLmaintrue .	4003, 4288	18697, 18722,
13490,	13654,	\@RTLmarginparfalse		18736, 18738,
14260,	14293,	25022, 25023	19052, 19446,
14336,	14350,	\@RTLmarginparreset		19640, 19843,
16030,	16353,	24964, 24971	20373, 21134,
16376,	16380,	\@RTLmarginpartrue	25021	21899, 22629,
16387,	16396,	\@RTLsavemarbox	24951,	24350, 24375,
16876,	17682,	24952, 24955,	24958	24401, 24411,
18267,	18444,	\@RTLtabfalse		24569, 24587,
18492,	18696,	. 409, 3979, 4087,		25018, 25089, 25105
18730,	18734,	18330, 24385,		\@RTLxmpar . 24949, 24950
18739,	18788,	24391, 24412,		\@RTLympar . 24949, 24954
19052,	19446,	24560, 24578,		\@Reset 16008, 16017
19640,	19843,	24665		\@SepMark 19,
20373,	21134,	\@RTLtabtrue		20, 21, 22, 168,
21899,	22629, 3978, 4085,		214, 215, 216, 217,
24349,	24384,	24376, 24401,		334, 350, 546, 547,
24391,	24412,	24411, 24448,		548, 549, 700, 701,
24560,	24578,	24455, 24569,	24587	702, 703, 954, 955,
25018,	25089,	\@RTLtrue . 36, 50, 87,		956, 957, 1213,
25105		239, 253, 290, 572,		1214, 1215, 1216,
\@RTLfootnotetext 48,		707, 970, 1220,		9219, 9220, 9221,
80,	159,	2146, 2163, 2198,		9222, 9223, 9225,
161,	251,	2214, 2516, 4073,		9227, 9229, 9396,
2244,	2248,	4079, 4097, 5013,		9397, 9398, 9399,
4644,	4766,	9193, 9381, 9690,		9400, 9402, 9404,
8174,	8181,	9748, 9750, 11252,		9406, 9647, 9649,
8880,	9086,	11523, 11646,		9651, 9653, 9654,
9100,		11660, 11687,		9655, 9656, 9657,
10734,	10735,	11709, 11963,		11363, 11364,
11587,	11603,	11983, 12014,		11365, 11366,
11604,	11658,	12043, 12105,		11479, 11481,
11721,	11729,	12123, 12153,		11483, 11485,
11938,	12080,	12180, 12241,		11486, 11487,
12216,	12358,	12261, 12292,		11488, 11489,
12500,	12642,	12321, 12383,		13757, 13758,
12784,	12926,	12403, 12434,		13759, 13760,
13068,	13244,	12463, 12525,		13761, 13763,
13299,	14233,	12545, 12569,		13765, 13767,
14239,	14276,	12604, 12667,		13927, 13933,
14317,	14377,	12687, 12711,		14055, 14057,
14416,	14422,	12746, 12809,		14059, 14061,
15408,	15426,	12829, 12860,		14062, 14063,
15501,	15536,	12889, 12951,		14064, 14065,
15728,	15732,	12971, 13002,		14068, 14070,
15750,	15751,	13031, 13093,		14072, 14074,
16797,	16944,	13113, 13144,		14075, 14076,
18073,	18075,	13173, 13459,		14077, 14078,
18076,	19995,	13481, 13654,		16086, 16087,
20004,	20436,	14260, 14277,		16088, 16089,
20734,	20743,	14322, 14350,		16413, 17569,
21197,	21507,	16030, 16353,		17571, 17573,
21516,	21962,	16376, 16387,		17575, 17577,
22423,	22440,	16396, 16879,		
\@RTLmainfalse .	4000,			



17578,	17580,	\@addresscolour 4874, 4891, 10567, 10665	11486, 11488,	11487, 11489,
17581,	17582,	\@addtofilelist ... 6617	11525,	11532,
18310,	18318,	\@addtopreamble 1408, 1471, 9821	13656,	13663,
18320,	19067,	\@addtoreset 332, 13930, 18308, 18314, 18316	13757,	13758,
19068,	19069,	\@addviper ... 10164	13759,	13760,
19070,	19071,	\@afterheading 568, 4553, 4563, 11240, 11248, 16899	13761,	13763,
19073,	19075,	\@afterindentfalse 4553, 4563, 16898	13765,	13767,
19077,	19432,	\@afterindenttrue 647, 874, 1130, 8363, 9132, 9309,	14055,	14057,
19433,	19434,	17928, 17940, 17952, 18986,	14059,	14060,
19435,	19436,	19358, 22728, 22759, 22782,	14061,	14062,
19438,	19440,	22799, 22816, 22833, 22850,	14063,	14064,
19442,	19627,	22867, 22885, 22904, 22924,	14065,	14068,
19629,	19631,	22959, 23342, 23866, 23986, 24684	14070,	14072,
19632,	19633,	\@algocf@finish ... 179	14073,	14074,
19634,	19635,	\@algocf@start ... 171	14075,	14076,
19636,	19809,	\@ampacol ... 1435, 1443	14077,	14078,
19811,	19813,	\@arabic ... 168, 546, 547, 548, 549, 574, 581, 700, 701, 702,	16413,	16415,
19815,	19816,	703, 709, 716, 954, 955, 956, 957, 972, 979, 1213, 1214,	17569,	17571,
19817,	19818,	1215, 1216, 1222, 1229, 2518, 2527, 5025, 9195, 9202,	17573,	17575,
19819,	20347,	9219, 9220, 9221, 9222, 9223, 9225, 9227, 9229, 9383,	17577,	17580,
20348,	20350,	9390, 9396, 9397, 9398, 9399, 9400, 9402, 9404, 9406,	17581,	17582,
20352,	20354,	9647, 9649, 9651, 9652, 9653, 9654, 9655, 9656, 9657,	19054,	19061,
21086,	21089,	9692, 9699, 11254, 11261, 11363,	19067,	19068,
21091,	21095,	11364, 11365,	19069,	19070,
21097,	21099,	11366, 11479,	19071,	19073,
21101,	21104,	11481, 11483,	19075,	19077,
21107,	21111,	11484, 11485,	19432,	19433,
21113,	21859,	\@ampacol ... 1435, 1443	19434,	19435,
21861,	21864,	\@arabic ... 168, 546, 547, 548, 549, 574, 581, 700, 701, 702,	19436,	19438,
21866,	21868,	703, 709, 716, 954, 955, 956, 957, 972, 979, 1213, 1214,	19440,	19442,
21870,	21873,	1215, 1216, 1222, 1229, 2518, 2527, 5025, 9195, 9202,	19448,	19455,
21876,	21879,	9219, 9220, 9221, 9222, 9223, 9225, 9227, 9229, 9383,	19627,	19629,
22703,	22947,	9390, 9396, 9397, 9398, 9399, 9400, 9402, 9404, 9406,	19631,	19632,
24475,	24477, 25188	9647, 9649, 9651, 9652, 9653, 9654, 9655, 9656, 9657,	19633,	19634,
\@Submit ...	15991, 16000	9692, 9699, 11254, 11261, 11363,	19635,	19636,
\@TextField .	15959, 15967	11364, 11365,	19642,	19649,
\@True ...	9722, 9728, 9760	11366, 11479,	19809,	19811,
\@Undottedtocline	17936	11481, 11483,	19813,	19814,
\@Undottedtoclinep	17948	11484, 11485,	19815,	19816,
\@acci	14643, 16887, 18901	\@ampacol ... 1435, 1443	19817,	19818,
\@accii	14643, 16887, 18901	\@arabic ... 168, 546, 547, 548, 549, 574, 581, 700, 701, 702,	19819,	19845,
\@acciii	703, 709, 716, 954, 955, 956, 957, 972, 979, 1213, 1214,	19852,	20348,
	. 14643, 16887, 18901	1215, 1216, 1222, 1229, 2518, 2527, 5025, 9195, 9202,	20350,	20352,
\@acol	1437, 1445, 4652, 16735, 22337,	9219, 9220, 9221, 9222, 9223, 9225, 9227, 9229, 9383,	20354,	20376,
	24457, 24637, 24663	9390, 9396, 9397, 9398, 9399, 9400, 9402, 9404, 9406,	20392,	21093,
\@acolampacol ..	1435,	9647, 9649, 9651, 9652, 9653, 9654, 9655, 9656, 9657,	21095,	21097,
	1437, 1443, 1445	9692, 9699, 11254, 11261, 11363,	21099,	21101,
\@addamp	1436, 1444	11364, 11365,	21104,	21107,
\@addfield	25027	11366, 11479,	21115,	21137,
\@addmarginpar ...	24977	11481, 11483,	21153,	21862,
\@address	4905, 10568, 10569, 10666, 10668	11484, 11485,	21864,	21866,
			21868,	21870,
			21873,	21876,



21880, 21902, 21918, 22631, 22638	20320, 20916, 21060, 21689, 21833	12228, 12370, 12512, 12654, 12796, 12938, 13080, 13262, 13321
\@argdef 5656	\@auxout 4135, 4139, 5068, 5432, 5460, 5486, 5514, 5540, 5543, 5577, 5580, 9032, 24729	\@bidi@append@to@cslist ... 6349, 6353, 6363
\@array 384, 405, 1370, 1371, 22374, 24643	\@badmath .. 13892, 13906	\@bidi@append@to@list 6353, 6356, 6359, 6366, 6374
\@arrayacol 24663	\@begin@tempboxa 14919, 15015, 15022, 24545	\@bidi@before@Hy@hyperfootnotes .. 11581, 11726,
\@arrayclassiv ... 24664	\@begindvi . 13958, 25080	11935, 12077,
\@arrayclassz .. . 1435, 22378, 24663	\@beginparpenalty 4566, 4575, 13895, 13909	12213, 12355, 12497, 12639, 12781, 12923, 13065, 13241, 13292
\@arraycr 404, 16744, 24665	\@bib@break .. . 20368, 21129, 21894	\@bidi@copy@stacktop 6421, 6424
\@arrayleft 397	\@biblabel 89, 292, 574, 575, 709, 710, 972, 973, 1222, 1223, 2518, 2519, 9195, 9196, 9383, 9384, 9692, 9693, 11254, 11255, 11525, 11526, 13656, 13657, 16032, 18269, 19054, 19055, 19448, 19449, 19642, 19643, 19845, 19846, 20376, 20378, 21137, 21139, 21902, 21904, 22631, 22632	\@bidi@copyins@ 4015, 4016, 4017, 4018, 4019, 4300, 4301, 4302, 4303, 4304, 11817, 11819, 11822, 14671, 14672, 14673, 14674, 14684, 14685, 14733, 14734, 14790, 14791, 14792, 14793, 14810, 14811, 14829, 14838, 14850, 14856, 14860, 14872, 14874, 14877, 14908, 18098, 18099, 18188, 18763, 18765, 18766, 24854, 24860, 24863, 24877, 24879, 24882
\@arrayparboxrestore . 1871, 16799, 18896	\@bibsetup 18269	\@bidi@emptytoks 5117, 5122, 5146
\@arrayright 406	\@bibtitlestyle 84, 287, 16027	\@bidi@envbody 5116, 5118,
\@arrayrule 1390, 1391, 1392, 1428, 1429, 1430	\@bidi@stpelt 6137, 6143, 6147	5120, 5121, 5122, 5142, 5144, 5145, 5146
\@arstdepth 22371, 22376, 22394	\@bidi@AfterClass 6703, 6724, 6729, 6736	\@bidi@emptytoks 5117, 5122, 5146
\@arstheight 22376, 22394	\@bidi@AfterPackage 6748, 6767, 6771, 6778	\@bidi@envbody 5116, 5118,
\@arstrut 394, 16758, 22352, 24653	\@bidi@EqualStringX ... 6202, 6203, 6204	5120, 5121, 5122, 5142, 5144, 5145, 5146
\@arstrutbox ... 387, 16746, 16800, 22345, 22386, 22390, 22394, 24646	\@bidi@PreventPackageFromLoading ... 6788, 6789, 6791	\@bidi@emptytoks 5117, 5122, 5146
\@author 428, 442, 478, 499, 762, 764, 782, 827, 846, 1014, 1016, 1034, 1079, 1098, 1264, 1266, 1284, 1329, 1349, 1360, 4406, 8565, 8567, 8636, 9257, 9259, 9277, 9434, 9436, 9454, 9529, 9543, 9579, 9600, 11290, 11302, 11336, 11355, 11385, 11399, 11435, 11456, 13684, 13696, 13730, 13749, 17538, 19107, 19109, 19127, 19172, 19191, 19246, 19248, 19268, 19315, 19337, 19348, 19504, 19518, 19559, 19580, 19691, 19705, 19741, 19762, 20176,	\@bidi@UnPreventPackageFromLoading ... 6880, 6881, 6884	
	\@bidi@after@Hy@hyperfootnotes .. 11595, 11733, 11950, 12092,	\@bidi@ifnxtc 6250, 6253, 6254



\@bidi@info	3913, 3940, 3942, 4239, 4266, 4268	6357, 6361, 6367, 6375 ... 5266, 5267, 5269	\@biditufefloat@caption@box 7293, 7358, 7369, 7370, 7393, 7628, 7633
\@bidi@inslogo@ 4019, 4148, 4150, 4304, 4329, 4354	\@bidi@replacefilewithext ... 6665, 6669, 6672	\@biditufefloat@caption@fill ... 7242, 7251, 7252, 7633
\@bidi@list@minipage@parbox@opt@nosaveprimitive	... 14365, 24533	\@bidi@replacefilewithext ... 5104	\@biditufefloat@caption@font 7207, 7208, 7262, 7459, 7630, 7636, 7649
\@bidi@list@minipage@parbox@stepcounter	... 1835, 22541	\@bidi@replacefilewithext ... 6136, 6142	\@biditufefloat@caption@justification ... 7149, 7265, 7459
\@bidi@list@minipage@parbox@true	... 14366, 24537, 24540	\@bidi@tabular@RTLcases ... 24446, 24448, 24455	\@biditufefloat@caption@vertical@offset ... 7296, 7297, 7305, 7369, 7370, 7397
\@bidi@logo	... 4035, 4054, 4312, 4328	\@bidi@todonotes@align ... 24033,	\@biditufefloat@checkoddpage ... 7224, 7321
\@bidi@logo@ 4019, 4051, 4150, 4304, 4328, 4329	\@bidi@todonotes@align ... 24034, 24066,	\@biditufefloat@figure@box
\@bidi@logo@hb@xt@	... 4305, 4328	\@bidi@todonotes@align ... 24107, 24110,	\@biditufefloat@figposition@rightfalse ... 7292, 7351, 7369, 7370, 7392
\@bidi@logo@hb@xt@columnwidth	... 4020, 4052	\@bidi@todonotes@align ... 24113, 24116,	\@biditufefloat@figposition@righttrue ... 7313,
\@bidi@lst@makecaption	... 16350, 16366, 16367, 16398, 16399, 16400, 16404, 16406	\@bidi@todonotes@textdirection ... 24141, 24146, 24147	\@biditufefloat@float@contents@width ... 7349, 7350, 7352
\@bidi@mdf@RTLtrue	16875	\@bidi@todonotes@textdirection ... 24046	\@biditufefloat@float@debug ... 7282, 7288,
\@bidi@patch@AfterPackage	... 7073, 7076	\@bidi@todonotes@textdirection ... 24041	7290, 7291, 7323, 7324, 7327, 7329,
\@bidi@pdfcreator	... 3989, 4224, 4330, 4344	\@bidi@todonotes@textdirection ... 24042, 24146, 24147	7330, 7407, 7414, 7421, 7422, 7425, 7426
\@bidi@pdfcustomproperties	... 3995, 4227, 4336, 4347	\@bidi@unreplacefilewithext ... 24035, 24039,	\@biditufefloat@float@debug@info ... 7281, 7283,
\@bidi@pdfencryptfalse	... 4204	\@bidi@unreplacefilewithext ... 24042	7284, 7285, 7382, 7389
\@bidi@pdfencrypttrue	... 4206, 4209	\@bidi@void@mpfootinsfalse ... 11873	\@biditufefloat@float@fullwidth ... 7369, 7417
\@bidi@pdfm@markfalse	... 4157, 4352	\@bidi@void@mpfootinstrue ... 11871	\@biditufefloat@float@textwidth ... 7370, 7399
\@bidi@pdfm@marktrue	... 4155, 4351	\@bidi@void@mpfootinsfalse ... 13563, 13577	\@biditufefloat@fps ... 7311, 7326
\@bidi@pdfproducer	... 3992, 4225, 4333, 4345	\@bidi@void@footintrue ... 13560, 13575	\@biditufefloat@fullwidth ... 7241,
\@bidi@perpage@footnotefalse	... 4167	\@bidi@w@w ... 6332	7247, 7248, 7249, 7349
\@bidi@perpage@footnotetrue	... 4165	\@bidi@w@w ... 6326	\@biditufefloat@justification ... 7209
\@bidi@prepend@to@cslist	... 6351, 6354, 6365, 6407, 6409	\@bidi@declaredcolor ... 9873,	\@biditufefloat@justification@autodetect ... 7149, 7279
\@bidi@prepend@to@list	... 6354,	\@bidi@declaredcolor ... 9880, 24287, 24316	\@biditufefloat@label ... 7308, 7335
		\@biditufefloat@LTsidenote@normal ... 7928,	\@biditufefloat@margin@floatbox ... 7257, 7260, 7271
		\@biditufefloat@LTsidenote@normal ... 8007, 8127, 8156,	\@biditufefloat@margin@par ... 7179, 7266
		\@biditufefloat@LTsidenote@normal ... 8185, 8207, 8216, 8225	\@biditufefloat@margin@par ... 7206, 7207
		\@biditufefloat@LTsidenote@normal ... 8186, 8208, 8217, 8226	\@biditufefloat@marginfont ... 7332, 7360, 7390
		\@biditufefloat@caption ... 7301, 7334	



\@bidituftefloat@orig@endl	\@bidituftesidenote@citation@justification	7941,
... 7295, 7373, 7624 7848, 7982	7958, 7960, 7990, 7992
\@bidituftefloat@orig@fload	\@bidituftesidenote@citation@justification	\@bidituftesidenote@marginpar@reset
... 7294, 7347, 7623 7968, 7970, 7724, 7731
\@bidituftefloat@orig@label	7971, 7973, 7978,	\@bidituftesidenotesave@marbox
..... 7333,	7987, 8106, 8135, 7711,
7341, 7361, 7391	8164, 8203, 8212, 8221	7712, 7715, 7718
\@bidituftefloat@overhang	\@bidituftesidenote@info@text	\@bidituftesidenote@xmp@par
7240, 7244, 7245,	8001, 8105, 8134, 7709, 7710
7443, 7444, 7483, 7484	8163, 8202, 8211, 8220	\@bidituftesidenote@ymp@par
\@bidituftefloat@pkgname	\@bidituftesidenote@justification@autodetect	769, 7714
... 7124, 7125, 7127 7846,	\@biditufte@toc@lof@line
\@bidituftefloat@stored@caption	7847, 7848, 7849 8356, 8372
..... 7299,	\@bidituftesidenote@margins@par	\@biditufte@toc@pkgname
7306, 7360, 7395 7850, 8232, 8233
\@bidituftefloat@stored@label	7983, 8050, 8068,	\@bidiundeclaredcolor
.... 7300, 7309,	8086, 8204, 8213, 8222 9873, 9874,
7361, 7377, 7379, 7396	\@bidituftesidenote@margins@font	24287, 24288, 24327
\@bidituftefloat@stored@shortcaption 7825,	\@bscontmark 17561
.... 7298,	7828, 7831, 7834	\@bsmarkseries ... 17542
7303, 7304, 7360, 7394	\@bidituftesidenote@margins@note@font	\@bsnote@empty ... 17530
\@bidituftegeneralstructure@reset@par 7831, 7840, 8204	\@bsphack
.... 8409, 8415	\@bidituftesidenote@margins@note@justification	4713, 7605, 7739,
\@biditufteheading@newlinetospace 7847,	7783, 24891, 24935
.... 7465, 7474	8204, 8213, 8222	\@bsthanksheadpost 17544
\@biditufteheading@newlinetospace@i	\@bidituftesidenote@normal@loc@ite	\@bsthanksheadpre 17544
.... 7466, 7468 7909,	\@caption
\@biditufteheading@orig@cr	8006, 8126, 8155,	. 7450, 17664, 17667
.... 7473, 7477	8184, 8206, 8215, 8224	\@captionabovefalse
\@bidituftesidenote@LTR@font	\@bidituftesidenote@print@citations	20613, 21375, 22140
... 7835, 7844, 7934 7975, 8125, 8154,	\@captionabovetrue
\@bidituftesidenote@LTRmarginfo@font	8183, 8205, 8214, 8223	. 20611, 21373, 22138
.... 7826,	\@bidituftesidenote@sidenote	\@capttype . 4657, 4705,
7829, 7832, 7835 8104, 8191, 8195	4753, 7263, 17657,
\@bidituftesidenote@LTRmarginfo@font	\@bidituftesidenote@sidenote@citations	17661, 17664,
... 7832, 7841, 8213 8000	19867, 19910,
\@bidituftesidenote@LTRsidenote@font	\@bidituftesidenote@sidenote@font	20518, 20522,
.... 7829, 7838 8024,	20524, 20525,
\@bidituftesidenote@RTLcitation@font 7828,	20594, 21279,
.... 7836, 7845	7837, 8013, 8014, 8017	21283, 21285,
\@bidituftesidenote@RTLmargin@font	\@bidituftesidenote@sidenote@justification	21286, 21356,
.... 7827, 7846, 8013, 8014	22044, 22048,
7830, 7833, 7836	\@bidituftesidenote@sidenote@vertical@offset	22050, 22051, 22121
\@bidituftesidenote@RTLmargin@font	... 8101,	\@cclv
... 7833, 7842, 8222	8102, 8108, 8110,	10746,
\@bidituftesidenote@RTLsidenote@font	8116, 8123, 8137,	10803, 13532,
.... 7830, 7839	8139, 8145, 8152,	13533, 13561,
\@bidituftesidenote@add@citation	8166, 8168, 8174, 8181	13572, 14805,
.... 7969, 8002	\@bidituftesidenote@trim@b	14817, 14851,
\@bidituftesidenote@check@multiple@sidenote	8189, 7886	14854, 14855,
.... 8027, 8035	\@bidituftesidenote@trim@c	14865, 14866,
\@bidituftesidenote@citation@font	7883, 7886, 7891	16814, 16819,
.... 7834,	\@bidituftesidenote@trim@spaces	16831, 18757,
7843, 7915, 7953, 7981	7868, 7871, 7920,	24839, 24843,
		24855, 24859, 24870



\@ccclvi	13270,	\@classz	1405,	\@colourredfalse ..
	13272, 13329, 13331		1464, 1498, 1499, 10488, 10586
\@centercr	8437, 18847,		4653, 9817, 16736,	\@colourredtrue ..
	18860, 18873,		22338, 22378, 10489, 10587
	22547, 22576, 24596		24458, 24638, 24663	\@colourtrue
\@cftasnum	... 22733,	\@cleartopmattertags 129, 16109	\@colroom
	22764, 22787,		\@cliptoboxdim ... 22505	10446, 10449, 10451,
	22804, 22821,		\@clsextension	10452, 10746,
	22838, 22855,		6672, 6683, 6699,	10803, 14783,
	22872, 22890,		6709, 6718, 6721, 6730	14797, 14800,
	22909, 22929, 22964	\@clubpenalty ..	14802, 16825,	
\@cftasnumb	... 22734,	584,	16834, 20106,	
	22765, 22788,	2531, 9702, 11535,	20123, 20846,	
	22805, 22822,	19652, 19855, 22641	20863, 21619, 21636	
	22839, 22856,	\@colht	\@combinedblfloats	
	22873, 22891,	10174,	.. 10086, 10145,	
	22910, 22930, 22965	10201, 10202,	13845, 13881,	
\@cftbsnum	... 22732,	10286, 10287,	13962, 14716,	
	22763, 22786,	10303, 10419,	14769, 17769,	
	22803, 22820,	10434, 10435,	17866, 24778, 24821	
	22837, 22854,	10445, 10446,	\@combinefloats	
	22871, 22889,	10453, 10469, 13517, 14885	
	22908, 22928, 22963	10473, 13522,	\@compactenum@	
\@cftdopartfalse	. 22706	13981, 14783,	8419	
\@cftdoparttrue	...	14795, 14796,	\@cons	
 22709, 22713	14797, 14799,	24977, 24978	
\@cftl@subfig 22897	14801, 14889,	\@contcshortstyle 17612	
\@cftl@subtab 22917	16825, 16826,	\@contcstyle	
\@chapapp	. 9468, 9663,	17705, 17708,	.. 17617, 17623, 17628	
	11495, 13627, 19824	17710, 17712,	\@contcwidth 17606, 17607	
\@chapterlistsgap@off		17717, 17718,	\@contdelim	
 18302	17719, 17738,	.. 17600, 17611,	
\@chapterlistsgap@on		17739, 17740,	17615, 17622, 17627	
 18309, 18317	17744, 17805,	\@contfield	
\@chclass	.. 352, 364,	17808, 17810,	... 9049, 9064, 9096	
	375, 1377, 1389,	17812, 17817,	\@contfinal	
	1402, 1422, 1427,	17818, 17819,	.. 17600, 17612,	
	22475, 22491,	17838, 17839,	17618, 17624, 17628	
	22502, 24666, 24671	17840, 17844,	\@contfmark . 17599, 17602	
\@checkend 5135,	20105, 20122,	\@contfnote . 17598, 17601	
	5159, 6958, 6959	20845, 20862,	\@contindw	
\@chnum	. 353, 360, 371,	21618, 21635, 25114	17623	
	1378, 1385, 1398,	\@colourfalse	\@contnfont	
	1408, 1424, 1425,	4817	.. 17600, 17611,	
	1426, 1439, 1447,	\@colourgreenfalse	17615, 17622, 17627	
	1473, 9823, 22476, 10486, 10584	\@contpost	
	22483, 22498,	\@colourgreentrue ..	17632	
	24668, 24669, 24670 10487, 10585	\@contpre	
\@circleleft 13786	\@colourgreyfalse ..	17610, 17616, 17621, 17626	
\@classiv 4654, 10490, 10588	\@conttfont	
	16736, 22339,	\@colourgreytrue 17600, 17612,	
	24459, 24639, 24664 10491, 10589	17618, 17624, 17628	
\@classx	. 1405, 1464, 9817	\@colourorangepfalse	\@curfield	
	 10484, 10582	9048, 9063, 9083,	
		\@colourorangeltrue	9097, 9107, 25027	
	 10485, 10583	\@curline	
			9046, 9061, 25027, 25029	



\@currbox .	4725, 4756,	13178, 13360,	. . 10090, 10149,
4760, 7660,	7663,	13372, 13384,	13846, 13885,
7704, 7707,	7712,	13421, 13435,	13969, 14720,
7716, 7748,	7751,	13449, 14267,	14773, 17773,
7756, 7760,	7792,	14284, 14300,	17870, 24782, 24825
7795, 7800,	7804,	14328, 14342, 14356	\@declaredcolor 9858,
24900,	24903,	\@currentlabelname	9859, 24244, 24267
24908,	24912, 15496,	\@dedication
24944,	24947,	15511, 15526,	.. 20223, 20226,
24952,	24956,	15585, 15623,	20331, 20963,
24978,	24987, 25019	15656, 15687, 15718	20966, 21071,
\@currentHlabel . .	15494, 15509, 15524	\@currenenvir	21736, 21739, 21844
\@currentHref 15495, 15510,	5121, 5124, 5125,	\@dedicatory
15525,	15584,	5145, 5148, 5149, 5176	\@deferlist
15622,	15655,	\@currext	14781
15686,	15717,	23157, 23269, 23327, 23337	\@definitionfileextension
15939,	15950, 15952	\@currlist 5190, 5193
\@currentlabel ..	43, 57, 73, 246, 260,	\@cvtheme	\@depth ... 389, 16748,
275, 2154,	2171,	4897, 4900	22318, 22347,
2188,	2204, 2220,	\@cvthemeoptions ..	22387, 24648, 25016
2236,	8052, 8070, 4898, 4900	\@dgroup
8088,	11652,	\@date ..	\@dischypf
11666,	11680,	431, 443, 479,	.. 14642, 16886, 18900
11692,	11703,	502, 770, 772, 784,	\@displaypagenumbersfalse
11714,	11967,	829, 849, 1022, 4996
11977,	11987,	1024, 1036, 1081,	\@displaypagenumberstrue
12024,	12036,	1101, 1272, 1274, 4995
12048,	12109,	1286, 1331, 1352,	\@dmath
12118,	12127,	1361, 4407, 8583,	9709, 9738
12163,	12174,	8637, 9265, 9267,	\@docolbox
12185,	12245,	9279, 9442, 9444,	14035
12255,	12265,	9456, 9532, 9544,	\@dynamicthefoot 13959
12302,	12314,	9580, 9603, 11293,	\@dynamicthehead 13959
12326,	12387,	11303, 11337,	\@dofilelist
12397,	12407,	11358, 11388,	.. 6969, 6970, 6972
12444,	12456,	11400, 11436,	\@dotsep
12468,	12529,	11459, 11544,	23884, 23885, 23993, 24691
12539,	12549,	11549, 13687,	\@dottedtocline ...
12586,	12598,	13697, 13731,	.. 23999, 24000,
12610,	12671,	13752, 16118,	24002, 24020, 24680
12681,	12691,	16123, 17539,	\@dseries
12728,	12740,	19115, 19117,	9734
12752,	12813,	19129, 19174,	\@eha
12823,	12833,	19194, 19254,	5112, 22951
12870,	12882,	19256, 19270,	\@ehc
12894,	12955,	19317, 19340,	5238,
12965,	12975,	19349, 19507,	5240, 5246, 5248,
13012,	13024,	19519, 19560,	5254, 5256, 5262,
13036,	13097,	19582, 19694,	5264, 5672, 6546,
13107,	13117,	19706, 19742,	16319, 16326,
13154,	13166,	19765, 20181,	16812, 17911, 17917
		20321, 20921,	\@ehd
		21061, 21694, 21834	17658
		\@dblarg	\@eightcol@LTRfootgroupv01
		17664 12792
		\@dblfloatplacement	\@eightcol@footgroupv@r
		 12788
			\@eightcolLTRfootfmt
			.. 12826, 12847, 12885
			\@eightcolLTRfootnotetext
		 12783, 12819



\@eightcolRTLfootfmt	7028, 7911, 7930,	19173, 19174,
. 12836, 12850, 12897	7949, 7970, 7977,	19267, 19268,
\@eightcolRTLfootnotetext	8565, 8632, 8633,	19269, 19270,
. 12784, 12829	8634, 9201, 9276,	19314, 19315,
\@eightcolfootfmt	9277, 9278, 9279,	19316, 19317,
. 12816, 12844, 12873	9389, 9453, 9454,	19454, 19517,
\@eightcolfootnotetext	9455, 9456, 9542,	19518, 19519,
. 12782, 12803	9543, 9544, 9545,	19520, 19558,
\@elt	9578, 9579, 9580,	19559, 19560,
. 5268,	9581, 9698, 9724,	19561, 19648,
5271, 7548, 7549,	10054, 10117,	19704, 19705,
7550, 7551, 7552,	10773, 10825,	19706, 19707,
7553, 7554, 7555,	11260, 11301,	19740, 19741,
7556, 7557, 7558,	11302, 11303,	19742, 19743,
7559, 7589, 7590,	11304, 11335,	19851, 20042,
7591, 7592, 7593,	11336, 11337,	20141, 20142,
7594, 7595, 7596,	11338, 11398,	20149, 20157,
7597, 7598, 7599,	11399, 11400,	20164, 20170,
7600, 7601, 7602,	11401, 11434,	20186, 20192,
7603, 7604, 7605,	11435, 11436,	20205, 20208,
7606, 9760, 10712,	11437, 11531,	20215, 20223,
10733, 10739,	11542, 11558,	20228, 20243,
10774, 10776,	11562, 13356,	20250, 20265,
10778, 10784,	13368, 13380,	20266, 20270,
10796, 10826,	13411, 13430,	20271, 20279,
10828, 10830,	13444, 13516,	20280, 20284,
10836, 22406, 22408	13662, 13695,	20285, 20294,
\@email	13696, 13697,	20295, 20299,
\@empty	13698, 13729,	20300, 20308,
86, 115, 134, 136,	13730, 13731,	20309, 20319,
289, 404, 441, 442,	13732, 13825,	20320, 20321,
443, 444, 477, 478,	13861, 14412,	20322, 20323,
479, 480, 580, 715,	14494, 14694,	20324, 20325,
781, 782, 783, 784,	14743, 14781,	20326, 20327,
826, 827, 828, 829,	14884, 14899,	20328, 20329,
978, 1033, 1034,	14900, 14901,	20330, 20331,
1035, 1036, 1078,	14902, 14903,	20361, 20391,
1079, 1080, 1081,	15496, 15511,	20416, 20417,
1228, 1283, 1284,	15526, 15585,	20522, 20781,
1285, 1286, 1328,	15623, 15656,	20881, 20882,
1329, 1330, 1331,	15687, 15718,	20889, 20897,
1892, 1893, 2263,	16029, 16095,	20904, 20910,
2289, 2315, 2526,	16116, 16158,	20926, 20932,
2972, 2978, 2984,	16371, 16377,	20945, 20948,
3062, 3464, 3611,	16400, 16404,	20955, 20963,
3707, 3802, 4150,	16406, 16762,	20968, 20983,
4329, 4405, 4406,	16787, 17536,	20990, 21005,
4407, 4408, 4712,	17537, 17538,	21006, 21010,
5024, 5033, 5133,	17539, 17698,	21011, 21019,
5157, 6376, 6785,	17798, 18296,	21020, 21024,
6798, 6799, 6805,	18805, 19060,	21025, 21034,
6828, 6858, 6866,	19126, 19127,	21035, 21039,
6885, 6888, 6899,	19128, 19129,	21040, 21048,
6903, 6913, 6919,	19171, 19172,	21049, 21059,



21060,	21061,	\@endpbox	\@familynamecolour 4872, 4889
21062,	21063,	1415, 1416, 1457,	\@fax . . . 4908, 10573, 10671
21064,	21065,	1481, 1482, 1483,	\@fcollmadelfalse . . . 14782
21066,	21067,	9831, 9832, 9833,	\@ff@do@allframes 13961, 13966
21068,	21069,	16733, 16739,	\@ff@fbbox 14044
21070,	21071,	22353, 22391, 24654	\@ff@setoffset 14041
21121,	21152,	\@endptrue . 24400, 24410	\@ffbackground 14031
21177,	21178,	\@endtraditionalpoem 8950, 9015	\@filebordercolor 15797, 15799
21283,	21554,	\@ensure@LR . 18747, 24420	\@filecolor 15815
21654,	21655,	\@ensure@LTR 18745,	\@filef@und 6618
21662,	21670,	18747, 18755,	\@finalstrut 2158, 2175, 2192,
21677,	21683,	24418, 24420,	2208, 2224, 2240,
21699,	21705,	24428, 24430,	11630, 11636,
21718,	21721,	24432, 25325, 25327	11642, 14272,
21728,	21736,	\@ensure@RL . 18746, 24419	14289, 14305,
21741,	21756,	\@ensure@RTL 18744,	14332, 14346, 14360
21763,	21778,	18746, 24417, 24419	\@firstampfalse 1437, 1445
21779,	21783,	\@ensure@dir 18748,	\@firstcolfirstmark
21784,	21792,	18749, 24421, 24422 10053,
21793,	21797,	\@ensure@maindir 18749, 24422	10054, 10058,
21798,	21807,	\@enumctr 2464, 8420, 8421	10116, 10117,
21808,	21812,	\@eqnnum 13917, 16112, 25135	10121, 13824,
21813,	21821,	\@evenfoot 2054, 2095,	13825, 13829,
21822,	21832,	4369, 13952, 25059	13860, 13861,
21833,	21834,	\@evenhead 2053,	13865, 14693,
21835,	21836,	2095, 13951, 25059	\@expandtwoargs 6904
21837,	21838,	\@extrafootnotefeaturesfalse 4129	14694, 14698,
21839,	21840,	\@extrafootnotefeaturestrue 4127	14742, 14743,
21841,	21842,	\@extrainfo 4910, 10575, 10673	14747, 17697,
21843,	21844,	\@extratitle 20141, 20148,	17698, 17702,
21886,	21917,	20265, 20271,	17797, 17798,
21942,	21943,	20279, 20285,	17802, 24753,
22048,	22276,	20294, 20300,	24754, 24758,
22393,	22441,	20324, 20881,	24800, 24801, 24805
22637,	22937,	20888, 21005,	\@firstcoltopmark 10051,
22939,	23292,	21011, 21019,	10059, 10114,
23298,	23765,	21025, 21034,	10122, 13822,
24247,	24250,	21040, 21064,	13830, 13858,
24290,	24293,	21654, 21661,	13866, 14691,
24446,	24656,	21778, 21784,	14699, 14740,
24665,	24754,	21792, 21798,	14748, 17695,
24801,	25066,	21807, 21813, 21837	17703, 17795,
25067,	25069, 25070	21844, 2442, 4842,	17803, 24751,
\@emptycol	... 10438,	4844, 4845, 4903,	24759, 24798, 24806
10441,	10457, 10460	4916, 4917, 4918,	\@firstcolumnfalse 10044,
\@emptytoks	... 9723	4920, 4921, 4922,	10107, 10477,
\@end@tempboxa	14926,	4924, 4925, 4926,	13816, 13852,
15020,	15037, 24558	4928, 4929, 4930,	13976, 14680,
\@endfloatbox	... 4777	4932, 4933, 4934,	
\@endmodernpoem	9059, 9079	4936, 4937, 4938,	
\@endparenv	... 8969,	4940, 4941, 4942,	
9076,	18351, 18371	4944, 4945, 4946,	
\@endparpenalty	4570,	4948, 4949, 4950,	
4579,	13896, 13910	4952, 4953, 4954,	
		4956, 4957, 4958,	
		4960, 4961, 4962,	
		4964, 4965, 4966,	
		4968, 4969, 4970,	
		4972, 4973, 4974,	
		4976, 4977, 4978,	
		4980, 4981, 4982,	
		4984, 4985, 4986,	
		4988, 4989, 4990,	
		4992, 4993, 4994,	
		4996, 4997, 4998,	
		4999, 5000, 5001,	
		5003, 5004, 5005,	
		5007, 5008, 5009,	
		5011, 5012, 5013,	
		5015, 5016, 5017,	
		5019, 5020, 5021,	
		5023, 5024, 5025,	
		5027, 5028, 5029,	
		5031, 5032, 5033,	
		5035, 5036, 5037,	
		5039, 5040, 5041,	
		5043, 5044, 5045,	
		5047, 5048, 5049,	
		5051, 5052, 5053,	
		5055, 5056, 5057,	
		5059, 5060, 5061,	
		5063, 5064, 5065,	
		5067, 5068, 5069,	
		5071, 5072, 5073,	
		5075, 5076, 5077,	
		5079, 5080, 5081,	
		5083, 5084, 5085,	
		5087, 5088, 5089,	
		5091, 5092, 5093,	
		5095, 5096, 5097,	
		5099, 5100, 5101,	
		5103, 5104, 5105,	
		5107, 5108, 5109,	
		5111, 5112, 5113,	
		5115, 5116, 5117,	
		5119, 5120, 5121,	
		5123, 5124, 5125,	
		5127, 5128, 5129,	
		5131, 5132, 5133,	
		5135, 5136, 5137,	
		5139, 5140, 5141,	
		5143, 5144, 5145,	
		5147, 5148, 5149,	
		5151, 5152, 5153,	
		5155, 5156, 5157,	
		5159, 5160, 5161,	
		5163, 5164, 5165,	
		5167, 5168, 5169,	
		5171, 5172, 5173,	
		5175, 5176, 5177,	
		5179, 5180, 5181,	
		5183, 5184, 5185,	
		5187, 5188, 5189,	
		5191, 5192, 5193,	
		5195, 5196, 5197,	
		5199, 5200, 5201,	
		5203, 5204, 5205,	
		5207, 5208, 5209,	
		5211, 5212, 5213,	
		5215, 5216, 5217,	
		5219, 5220, 5221,	
		5223, 5224, 5225,	
		5227, 5228, 5229,	
		5231, 5232, 5233,	
		5235, 5236, 5237,	
		5239, 5240, 5241,	
		5243, 5244, 5245,	
		5247, 5248, 5249,	
		5251, 5252, 5253,	
		5255, 5256, 5257,	
		5259, 5260, 5261,	
		5263, 5264, 5265,	
		5267, 5268, 5269,	
		5271, 5272, 5273,	
		5275, 5276, 5277,	
		5279, 5280, 5281,	
		5283, 5284, 5285,	
		5287, 5288, 5289,	
		5291, 5292, 5293,	
		5295, 5296, 5297,	
		5299, 5300, 5301,	
		5303, 5304, 5305,	
		5307, 5308, 5309,	
		5311, 5312, 5313,	
		5315, 5316, 5317,	
		5319, 5320, 5321,	
		5323, 5324, 5325,	
		5327, 5328, 5329,	
		5331, 5332, 5333,	
		5335, 5336, 5337,	
		5339, 5340, 5341,	
		5343, 5344, 5345,	
		5347, 5348, 5349,	
		5351, 5352, 5353,	
		5355, 5356, 5357,	
		5359, 5360, 5361,	
		5363, 5364, 5365,	
		5367, 5368, 5369,	
		5371, 5372, 5373,	
		5375, 5376, 5377,	
		5379, 5380, 5381,	
		5383, 5384, 5385,	
		5387, 5388, 5389,	
		5391, 5392, 5393,	
		5395, 5396, 5397,	
		5399, 5400, 5401,	
		5403, 5404, 5405,	
		5407, 5408, 5409,	
		5411, 5412, 5413,	
		5415, 5416, 5417,	
		5419, 5420, 5421,	
		5423, 5424, 5425,	
		5427, 5428, 5429,	
		5431, 5432, 5433,	
		5435, 5436, 5437,	
		5439, 5440, 5441,	
		5443, 5444, 5445,	
		5447, 5448, 5449,	
		5451, 5452, 5453,	
		5455, 5456, 5457,	
		5459, 5460, 5461,	
		5463, 5464, 5465,	
		5467, 5468, 5469,	
		5471, 5472, 5473,	
		5475, 5476, 5477,	
		5479, 5480, 5481,	
		5483, 5484, 5485,	
		5487, 5488, 5489,	
		5491, 5492, 5493,	
		5495, 5496, 5497,	
		5499, 5500, 5501,	
		5503, 5504, 5505,	
		5507, 5508, 5509,	
		5511, 5512, 5513,	
		5515, 5516, 5517,	
		5519, 5520, 5521,	
		5523, 5524, 5525,	
		5527, 5528, 5529,	
		5531, 5532, 5533,	
		5535, 5536, 5537,	
		5539, 5540, 5541,	
		5543, 5544, 5545,	
		5547, 5548, 5549,	
		5551, 5552, 5553,	
		5555, 5556, 5557,	
		5559, 5560, 5561,	
		5563, 5564, 5565,	
		5567, 5568, 5569,	
		5571, 5572, 5573,	
		5575, 5576, 5577,	
		5579, 5580, 5581,	
		5583, 5584, 5585,	
		5587, 5588, 5589,	
		5591, 5592, 5593,	
		5595, 5596, 5597,	
		5599, 5600, 5601,	
		5603, 5604, 5605,	
		5607, 5608, 5609,	
		5611, 5612, 5613,	
		5615, 5616, 5617,	
		5619, 5620, 5621,	
		5623, 5624, 5625,	
		5627, 5628, 5629,	
		5631, 5632, 5633,	
		5635, 5636, 5637,	
		5639, 5640, 5641,	
		5643, 5644, 5645,	
		5647, 5648, 5649,	
		5651, 5652, 5653,	
		5655, 5656, 5657,	
		5659, 5660, 5661,	
		5663, 5664, 5665,	
		5667, 5668, 5669,	
		5671, 5672, 5673,	
		5675, 5676, 5677,	
		5679, 5680, 5681,	
		5683, 5684, 5685,	
		5687, 5688, 5689,	
		5691, 5692, 5693,	
		5695, 5696, 5697,	
		5699, 5700, 5701,	
		5703, 5704, 5705,	
		5707, 5708, 5709,	
		5711, 5712, 5713,	
		5715, 5716, 5717,	
		5719, 5720, 5721,	
		5723, 5724, 5725,	
		5727, 5728, 5729,	
		5731, 5732, 5733,	
		5735, 5736, 5737,	
		5739, 5740, 5741,	
		5743, 5744, 5745,	
		5747, 5748, 5749,	
		5751, 5752, 5753,	
		5755, 5756, 5757,	
		5759, 5760, 5761,	
		5763,	

14729, 17688, 17788, 24744, 24791	. 12400, 12421, 12459 \@fivecolLTRfootnotetext 12357, 12393	8152, 8174, 8181, 8997, 9004, 9011, 14233, 14239, 14242, 14248, 15537, 15726, 15730, 15744, 15745
\@firstcolumntrue 10062, 10125, 10432, 13832, 13869, 13940, 14704, 14753, 17747, 17847, 24762, 24809	\@fivecolRTLfootfmt 12410, 12424, 12471 \@fivecolRTLfootnotetext 12358, 12403 \@fivecolfootfmt .. . 12390, 12418, 12447	\@footnotetext .. 34, 79, 151, 152, 153, 237, 282, 2243, 2247, 2252, 4642, 4764, 8044, 8116, 8123, 8867, 8878, 9084, 9098, 10692, 10693, 11585, 11599, 11600, 11644, 11719, 11727, 11936, 12078, 12214, 12356, 12498, 12640, 12782, 12924, 13066, 13242, 13294, 13296, 14259, 14316, 14375, 15407, 15415, 15486, 15534, 15727, 15731, 15747, 15748, 16795, 16942, 18063, 18065, 18066, 19993, 19996, 20434, 20732, 20735, 21195, 21505, 21508, 21960, 22421, 22438, 22528, 22530
\@firstdetailselementfalse 10654	\@fivecolfootnotetext 12356, 12377	\@footstartv@l .. . 11805, 13257, 13312
\@firstdetailselementtrue 10651	\@float 7294, 7623 \@floatboxreset ... 4775	\@footstartv@r .. . 11809, 13250, 13305
\@firstfooterelementfalse 10570, 10571, 10572, 10573, 10574, 10575	\@floatpenalty . 4718, 4720, 4723, 7696, 7698, 7702, 7706, 7740, 7742, 7746, 7750, 7784, 7786, 7790, 7794, 24892, 24894, 24898, 24902, 24936, 24938, 24942, 24946	\@for . 6826, 6887, 6900, 6922, 6926, 7912, 7917, 7931, 7936, 7950, 7955, 7978, 7987, 10022, 23296
\@firstname 4842, 4844, 4845, 4902, 10549, 10639, 10660	\@fltofvf	\@fourcol@LTRfootgroupv@l 12224
\@firstnamecolour 4871, 4888	4758, 7707, 7751, 7795, 24903, 24947	\@fourcol@footgroupv@r 12220
\@firstofone ... 6009, 6016, 6024, 6035, 6049, 6055, 6065, 6071, 7071, 13989, 14007, 14011, 14014, 14017, 14023, 15921, 15922, 15923, 15924, 17662, 20491, 21252, 22017, 25041, 25083, 25095, 25098, 25100, 25107, 25111, 25117	\@flushglue 8852, 8853, 16892, 19616, 23345, 23349, 23353, 23399, 24596	\@fourcol@LTRfootgroupv@r 12215, 12251
\@firstoftwo ... 3946, 3952, 3958, 5277, 5285, 5289, 5297, 5301, 5309, 5315, 5319, 5332, 5340, 5346, 5350, 5358, 5364, 5367, 5370, 5384, 5391, 5781, 5799, 5805, 5829, 5856, 5886, 5949, 5959, 6609, 18277	\@footgroupv@r 11810, 11913, 11942, 12084, 12220, 12362, 12504, 12646, 12788, 12930, 13072, 13249, 13304	Index 494
\@fivecol@LTRfootgroupv@l 12366	\@footnote 8514 \@footnotemark . 2266, 2273, 2292, 2299,	\@fourcol@footgroupv@r 12258, 12279, 12317
\@fivecol@footgroupv@r 12362	2318, 2325, 4685, 4693, 4701, 8023, 8116, 8123, 8145,	\@fourcol@LTRfootnotetext 12215, 12251
\@fivecolLTRfootfmt		



\@fourcolRTLfootfmt . 12268, 12282, 12329	6125, 6815, 6950, 7127, 8687, 8752,	19612, 19772, 19787, 19797,
\@fourcolRTLfootnotetext 12216, 12261	13999, 14000, 14001, 17659, 20433, 20434, 20435, 20436,	22719, 22754, 23143, 23167, 23255
\@fourcolfootfmt 12248, 12276, 12305	21194, 21195, 21196, 21197, 21959, 21960, 21961, 21962,	\@hintcolour .. 4879, 4895
\@fourcolfootnotetext 12214, 12235	24251, 24294, 25076, 25077, 25078	\@holdpg 10180, 10197, 10200, 10217, 10308, 10341, 10343
\@fps 4706, 4707, 4709, 4712, 4729	21959, 21960, 21961, 21962, 24251, 24294, 25076, 25077, 25078	\@hyper@launch . . . 15820
\@fpsadddefault 4710, 4713	25076, 25077, 25078	\@idxitem 102, 107, 222, 227, 603, 618, 867, 1119, 8478, 8485,
\@freelist 4725, 7548, 7589, 7704, 7705, 7748, 7749, 7792, 7793, 13515, 14883, 24900, 24901, 24944, 24945, 24977, 24978	\@gobbletwo 2077, 5203, 5204, 5207, 5208, 5218, 5219, 5222, 5223, 5226, 5227, 5230, 5231, 6145, 16175, 20437, 21198, 21963	9121, 9298, 9509, 16046, 16051, 18957, 19212, 19672, 22699, 25145
\@frontispiece 20142, 20145, 20149, 20152, 20266, 20270, 20280, 20284, 20295, 20299, 20325, 20882, 20885, 20889, 20892, 21006, 21010, 21020, 21024, 21035, 21039, 21065, 21655, 21658, 21662, 21665, 21779, 21783, 21793, 21797, 21808, 21812, 21838	\@gtempa 5414, 5415	\@idxitem 102, 107, 222, 227, 603, 618, 867, 1119, 8478, 8485,
\@fs@capt 7637, 7650, 7658	\@haligno 393, 408, 22351, 22389, 24446, 24652, 24665	9121, 9298, 9509, 16046, 16051, 18957, 19212, 19672, 22699, 25145
\@fs@cfont 7630, 7636, 7646, 7649, 7657, 13921, 13922	\@hangfrom 20528, 20558, 20561, 21289, 21319, 21322, 22054, 22084, 22087, 24620	\@ifclasslater 7113, 7118
\@fs@gifttopcapt 7641, 7654, 7667	\@hboxRconstructfalse 18713, 24366	\@ifclassloaded 6733, 7112, 7117, 7147, 8527, 8529, 9511, 11736,
\@fs@mid . 7640, 7653, 7665	\@hboxRconstructtrue 404, 18703, 22358, 22397, 24356, 24661	14053, 14066, 25148, 25149, 25150, 25151, 25152, 25153, 25154, 25155, 25156, 25157, 25158, 25159, 25160, 25161, 25162, 25163, 25164, 25165, 25166, 25167, 25168, 25169, 25170, 25171, 25172, 25173, 25201, 25289, 25290
\@fs@post 7639, 7652, 7666	\@height 388, 1495, 9845, 10320, 14623, 16747, 16800, 16912, 20079, 20086, 20819, 20826, 21592, 21599, 22318, 22346, 22387, 24647, 25016	\@ifdefinable .. 5396, 5399, 5402, 5417, 5659, 5674, 14156
\@fs@pre . 7638, 7651, 7659	\@highpenalty 9146, 9162, 9169, 9179, 9323, 9339, 9346, 9356, 9610, 9625, 9635, 11466, 13595, 13610, 13620, 19000, 19016, 19023, 19033, 19372, 19388, 19395, 19405, 19588, 19602,	\@ifdefinitionfileloaded 5193, 25291
\@gobble 4622, 5132, 5156, 5178, 5183, 5912, 5913, 5914, 5915, 5916, 6011, 6026, 6041, 6087, 6101, 6113,	\@isempty 7, 202, 16074	\@ifempty 7, 202, 16074
		\@ifl@aded 5192, 5193, 5194
		\@ifnextchar 163, 405, 4590, 4620, 4635, 5649, 6702, 6703, 6747, 6748, 6792, 7709, 7753, 7797, 9858, 9873, 14231, 14240, 14399, 14414, 14432, 14438, 14992, 15734, 15758, 18078,



18355,	18375,	25281,	25282,	18463,	18931,
24244,	24287,	25283,	25284,	22938,	22942,
24471,	24905,	25285,	25286,	23018,	23040,
\@ifpackagelater	..	25287,	25288,	23041,	23089,
..	7111, 7116, 14102	25289,	25290,	23090,	23177,
\@ifpackageloaded	.	25292,	25293,	23199,	23200,
....	170, 1454,	25294,	25295,	23484,	23507,
1993,	5842,	25296,	25297,	23561,	23621,
6835,	7070,	25298,	25299,	23670,	23687,
7110,	7115,	25300,	25301,	23717	
7621,	7674,	25302,	25303,	\@ifundefinedmodel	
11166,	11165,	25304,	25305,	24277, 24311
15551,	15629,	25306,	25307,	\@ifxempty
15928,	16393,	25308,	25309,	\@ignoretrue
16518,	16775,	25310,	25311,	\@iiiminipage
17638,	22623,	25312,	25313,	\@iiiparbox
24447,	25134,	25314,	25315,	..	11883, 14393, 24529
25147,	25160,	25316,	25317,	\@indestitlestyle	.
25170,	25174,	25318,	25319,	100, 220, 16044
25178,	25182,	25320,	25321,	\@inlabelfalse
25183,	25184,	25322		\@insertfalse
25185,	25186,	\@ifpackagewith	\@inserttrue
25193,	25194,	9999, 16305,	\@iprintcites
25195,	25196,	16308,	18934,	\@itemdepth
25197,	25198,	18937,	22648,	2455,	
25199,	25200,	25187,	25190,	2475,	2476,
25201,	25202,	25191,	25192,	2477	
25203,	25204,	25246,	25256,	\@itemfudge	..
25205,	25206,	25256,	25262	25026,	25028
25207,	25208,	\@ifstar	\@itemlabel
25209,	25210,	5766,		24492	
25211,	25212,	6701,	6746,	\@ixpt
25213,	25214,	6788,		8378	
25215,	25216,	6880,	7466,	\@keywords
25217,	25218,	11169,		324	
25219,	25220,	11734,	11955,	\@kludgeins	...
25221,	25222,	12097,	12233,	13519,	
25223,	25224,	12375,	12517,	14886,	18176,
25225,	25226,	12659,	12801,	18191	
25227,	25228,	12943,	13085,	\@lastchclass	..
25229,	25230,	13288,	13347,	353,	
25231,	25232,	14995		354, 355, 356,	358,
25233,	25234,	\@iftagsloaded	1378,	1379,
25235,	25236,	. 5192,	25175,	1380,	
25237,	25238,	25240,	25176	1381,	1383,
25239,	25242,	25241		1423,	1435,
25243,	25244,	\@iftexfileloaded	.	1443,	
25245,	25268,	. 5194,	25240,	22476,	22477,
25269,	25270,	25241		22478,	22479,
25271,	25272,	5236,		22481,	24666,
25273,	25274,	5247,		24667	
25275,	25276,	5252,		\@lastvipertrue	...
25277,	25278,	5255,		10443, 10462
25279,	25280,	5260,		\@latex@error
		5263,		5111, 6809,
		6690,		17658,	17911,
		6694,		17917	
		6844,		\@latex@warning	..
		6937,		95,	
		7858,		298, 588,	720, 983,
		8341,		1233,	2535,
		8349,		5029,	
		8464,		9206,	9394,
		8466,		9706,	
		8471,		11265,	11539,
		8561,		13667,	16038,
		8578,		19065,	19459,
		9860,		19656,	19859,
		9867,		20399,	20406,
		9875,		21160,	21167,
		9881,		21925,	21932,
		13924,		22645	



\@latex@warning@no@line . 10436, 10454, 24992	\@makeLTRfntext 2139, 2191, 2239	20010, 20037, 20040, 20749,
\@latexbug 24978	\@makeRTLfntext 2134, 2174, 2223	20776, 20779, 21522, 21549, 21552
\@latexerr 14820, 14830, 14840	\@makecaption . . 7461, 9806, 17595, 17645, 17677, 20485, 20517, 21246, 21278, 22011, 22043, 25120	\@makefrontispiece . . . 20274, 20288, 20303, 21014, 21028, 21043, 21787, 21801, 21816
\@leftcolumn . . 10045, 10071, 10108, 10130, 10183, 10188, 13817, 13838, 13853, 13874, 14681, 14709, 14730, 14762, 17689, 17748, 17761, 17789, 17848, 17857, 24745, 24771, 24792, 24814	\@makechapterhead . . 301, 9463, 9658, 11490, 13623, 18832, 19820, 22664	\@makeother . . . 5765, 5811, 5923, 5931
\@let@token . . . 5169, 5172	\@makecol 13583, 13584, 14806, 14816, 16820, 16832, 24837	\@makeschapterhead . . . 9117, 9294, 9483, 9504, 9672, 11505, 13635, 18953, 19208, 19667, 19832, 22670, 22675
\@letrine 16138	\@makeextratitle 20268, 20282, 20297, 21008, 21022, 21037, 21781, 21795, 21810	\@makespecialcolbox 13520, 14887
\@listI 7164	\@makefnmark . . . 454, 805, 1307, 2136, 2141, 4394, 8019, 8030, 9555, 10697	\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 4398, 4404, 9561, 9563, 9568, 9577, 9587, 11320, 11322,
\@listdepth 14215, 14378, 14647, 14651, 16272, 20020, 20759, 21532, 24483, 24486, 24491	\@makefnmark . . . 454, 805, 1307, 2136, 2141, 4394, 8019, 8030, 9555, 10697	\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 4398, 4404, 9561, 9563, 9568, 9577, 9587, 11320, 11322,
\@listi . . . 7164, 7172, 8382	\@makefnmark . . . 454, 805, 1307, 2136, 2141, 4394, 8019, 8030, 9555, 10697	\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 4398, 4404, 9561, 9563, 9568, 9577, 9587, 11320, 11322,
\@loadwithoptions 6625, 6627, 6634	\@makefnmark . . . 454, 805, 1307, 2136, 2141, 4394, 8019, 8030, 9555, 10697	\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 4398, 4404, 9561, 9563, 9568, 9577, 9587, 11320, 11322,
\@lowertitleback 20192, 20203, 20215, 20250, 20330, 20932, 20943, 20955, 20990, 21070, 21705, 21716, 21728, 21763, 21843	\@makefnmark . . . 454, 805, 1307, 2136, 2141, 4394, 8019, 8030, 9555, 10697	\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 4398, 4404, 9561, 9563, 9568, 9577, 9587, 11320, 11322,
\@lowpenalty . 4566, 23793	\@makefnmark . . . 454, 805, 1307, 2136, 2141, 4394, 8019, 8030, 9555, 10697	\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 4398, 4404, 9561, 9563, 9568, 9577, 9587, 11320, 11322,
\@m . . . 93, 296, 586, 718, 981, 1231, 2533, 9204, 9392, 9704, 11263, 11537, 13665, 14682, 14684, 14731, 14733, 16036, 18276, 19063, 19457, 19654, 19857, 20395, 21156, 21921, 22643	\@makefnmark . . . 454, 805, 1307, 2136, 2141, 4394, 8019, 8030, 9555, 10697	\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 4398, 4404, 9561, 9563, 9568, 9577, 9587, 11320, 11322,
\@mainmatterfalse 8714, 8744, 9686, 11519	\@makefnmark . . . 454, 805, 1307, 2136, 2141, 4394, 8019, 8030, 9555, 10697	\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 4398, 4404, 9561, 9563, 9568, 9577, 9587, 11320, 11322,
\@mainmattertrue 8711, 8727	\@makefnmark . . . 454, 805, 1307, 2136, 2141, 4394, 8019, 8030, 9555, 10697	\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 4398, 4404, 9561, 9563, 9568, 9577, 9587, 11320, 11322,



\@maketitle@hook ..	21475, 21485,	\@mpeightcol@LTRfootgroupv@l
..... 118, 16098	21496, 22210,	12800
\@makewincaption . 18560	22230, 22240,	\@mpeightcol@footgroupv@r
\@marbox 7705,	22250, 22261, 22283	12798
7707, 7711, 7715,	\@mkboth 571,	\@mpeightcolLTRfootnotetext
7716, 7749, 7751,	599, 615, 706,	12794, 12876
7755, 7759, 7760,	864, 969, 1116,	\@mpeightcolRTLfootnotetext
7793, 7795, 7799,	1219, 2077, 9118,	12795, 12888
7803, 7804, 24901,	9192, 9295, 9380,	\@mpeightcolfootnotetext
24903, 24907,	9505, 9689, 11251,	12793, 12853
24911, 24912,	11522, 13653,	\@mpfivecol@LTRfootgroupv@l
24945, 24947,	18954, 19051,	12374
24951, 24955,	19209, 19445,	\@mpfivecol@footgroupv@r
24956, 24977,	19639, 19668, 19842	12372
24987, 24990,	\@mklab 24493	\@mpfivecolLTRfootnotetext
24998, 25000,	\@mkpream . 392, 16752,	12368, 12450
25001, 25003,	22349, 22381, 24650	\@mpfivecolRTLfootnotetext
25004, 25005,	\@mobile 4906, 10571, 10669	12369, 12462
25014, 25018, 25019	\@modernpoem .. 9035, 9079	\@mpfivecolfootnotetext
\@mathmargin .. 11121,	\@mpLTRfootnotetext	12367, 12427
11128, 11136, 11143	2227,	\@mpfn 2253, 2279, 2305,
\@maxdepth	11589, 11607,	4660, 4663, 4666,
.. 11800, 13531,	11608, 11697,	4682, 4690, 4698,
13546, 13569,	11723, 11731,	8114, 8120, 8143,
13582, 14897,	11948, 12090,	8149, 8172, 8178,
24842, 24858, 24869	12226, 12368,	8974, 8977, 8980,
\@memtempa ... 17595,	12510, 12652,	8994, 9001, 9008,
17597, 17611,	12794, 12936,	14231, 14236,
17618, 17622, 17627	13078, 13260,	14240, 14245,
\@menubordercolor ..	13319, 14334,	14374, 14404,
.... 15891, 15893	14376, 15437,	14419, 15412,
\@menucolor 15902	15452, 15475,	15423, 15434,
\@midlist 13515,	15539, 16943, 22531	15634, 15665,
13516, 14883, 14884	\@mpRTLfootnotetext	15696, 15759,
\@minipagefalse 4779,	2211,	16939, 22463, 22470
7726, 7735, 7770,	11590, 11609,	\@mpfootins
7779, 7814, 7823,	11610, 11708,	2197, 2199, 2213,
11880, 14390,	11724, 11732,	2215, 2229, 2231,
16362, 17651,	11949, 12091,	11687, 11688,
24922, 24931,	12227, 12369,	11698, 11699,
24966, 24975, 25126	12511, 12653,	11709, 11710,
\@minipagerestore 14379	12795, 12937,	11844, 11852,
\@minipagetrue	13079, 13261,	11860, 11870,
.... 7734, 7778,	13320, 14320,	11874, 11877,
7822, 24930, 24974	14377, 15426,	14322, 14323,
\@minus 4946, 5032, 7160,	15451, 15464,	14336, 14337,
7162, 7169, 7171,	15540, 16944, 22532	14350, 14351,
7173, 7174, 8379,	\@mparbottom	14384, 14385,
8381, 8383, 8384,	.. 24988, 24996,	14388, 16928, 16933
14561, 14599,	24997, 24998, 24999	\@mpfootinsv@l
18273, 20674,	\@mpargs 11842, 11858,
20692, 20702,	. 11883, 14368, 14393	11915, 12012,
20712, 20723,	\@mparswitchfalse . 7143	12019, 12031,
21445, 21465,	\@mparswitchtrue .. 7138	12032, 12151,



12158,	12169,	\@mpfourcol@footgroupv@r	\@mptencolLTRfootnotetext
12170,	12290, 12230 13078, 13160
12297,	12309,	\@mpfourcolLTRfootnotetext	\@mptencolRTLfootnotetext
12310,	12432, 12226, 12308 13079, 13172
12439,	12451,	\@mpfourcolRTLfootnotetext	\@mptencolfootnotetext
12452,	12574, 12227, 12320 13077, 13137
12581,	12593,	\@mpfourcolfootnotetext	\@mpthreecol@LTRfootgroupv@l
12594,	12716, 12225, 12285 12096
12723,	12735,	\@mplistdepth 14215, 14378	\@mpthreecol@footgroupv@r
12736,	12858,	\@mpninecol@LTRfootgroupv@l 12094
12865,	12877, 12942	\@mpthreecolLTRfootnotetext
12878,	13000,	\@mpninecol@footgroupv@r 12090, 12168
13007,	13019, 12940	\@mpthreecolRTLfootnotetext
13020,	13142,	\@mpninecolLTRfootnotetext 12091, 12179
13149,	13161, 12936, 13018	\@mpthreecolfootnotetext
13162,	13408,	\@mpninecolRTLfootnotetext 12089, 12146
13417,	13429, 13432 12937, 13030	\@mptwocol@LTRfootgroupv@l
\@mpfootinsv@r	11841,	\@mpninecolfootnotetext 11954
11914,	12010, 12935, 12995	\@mptwocol@footgroupv@r
12017,	12043,	\@mppara@LTRfootgroupv@l 11952
12044,	12149, 13266, 13325	\@mptwocolLTRfootnotetext
12156,	12180,	\@mppara@footgroupv@r 11948, 12030
12181,	12288, 13265, 13324	\@mptwocolRTLfootnotetext
12295,	12321,	\@mpparaLTRfootnotetext 11949, 12042
12322,	12430,	.. 13260, 13319, 13428	\@mptwocolfootnotetext
12437,	12463,	\@mpparaRTLfootnotetext 11947, 12007
12464,	12572, 13261, 13442	\@namedef
12579,	12605,	\@mpparafootnotetext	6694, 6845, 9032,
12606,	12714,	.. 13259, 13317, 13403	11885, 11897,
12721,	12747,	\@mpsevencol@LTRfootgroupv@l	11933, 11934,
12748,	12856, 12658	12055, 12060,
12863,	12889,	\@mpsevencol@footgroupv@r	12065, 12070,
12890,	12998, 12656	12075, 12076,
13005,	13031,	\@mpsevencollTRfootnotetext	12191, 12196,
13032,	13140, 12652, 12734	12201, 12206,
13147,	13173,	\@mpsevencolRTLfootnotetext	12211, 12212,
13174,	13406, 12653, 12746	12333, 12338,
13415,	13443, 13446	\@mpsevencolfootnotetext	12343, 12348,
\@mpfootnotetext	2195, 12651, 12711	12353, 12354,
11588,	11605,	\@mpsixcol@LTRfootgroupv@l	12475, 12480,
11606,	11686, 12516	12485, 12490,
11722,	11730,	\@mpsixcol@footgroupv@r	12495, 12496,
11947,	12089, 12514	12617, 12622,
12225,	12367,	\@mpsixcollTRfootnotetext	12627, 12632,
12509,	12651, 12510, 12592	12637, 12638,
12793,	12935,	\@mpsixcolRTLfootnotetext	12759, 12764,
13077,	13259, 12511, 12604	12769, 12774,
13315,	13317,	\@mpsixcolfootnotetext	12779, 12780,
14348,	14375, 12509, 12569	12901, 12906,
15415,	15450,	\@mptencol@LTRfootgroupv@l	12911, 12916,
15453,	15538, 13084	12921, 12922,
16942,	22528, 22530	\@mptencol@footgroupv@r	13043, 13048,
..... 12232	 13082	13053, 13058,
			13063, 13064,



13185,	13190,	23573,	23576,	13480,	13485,
13195,	13200,	23584,	23585,	13489,	13494,
13239,	13240,	23587,	23590,	13944,	20190,
13291,	13457,	23593,	23618,	20525,	20930,
13468,	13479,	23622,	23623,	21286,	21703,
13488,	13497,	23624,	23626,	22051,	22682,
13509,	16866,	23627,	23629,	22954,	22955,
22953,	22992,	23632,	23635,	22956,	22959,
22993,	22994,	23643,	23644,	22962,	22967,
22995,	22996,	23646,	23649,	22968,	22973,
22997,	22998,	23652,	23672,	22977,	22978,
22999,	23000,	23675,	23679,	22980,	22981,
23001,	23019,	23719,	23722,	22983,	22984,
23020,	23021,	\@nameuse . 6691, 9030,			
23022,	23023,	11051,	11101,	22986,	22987,
23024,	23025,	11104,	11150,	22989,	22990,
23026,	23027,	12057,	12058,	22997,	23002,
23042,	23043,	12062,	12063,	23003,	23086,
23044,	23045,	12067,	12068,	23133,	23137,
23047,	23048,	12072,	12073,	23138,	23150,
23050,	23053,	12193,	12194,	23160,	23161,
23056,	23064,	12198,	12199,	23245,	23249,
23065,	23067,	12203,	12204,	23250,	23271,
23070,	23073,	12208,	12209,	23287,	23290,
23086,	23091,	12335,	12336,	23291,	23295,
23092,	23093,	12340,	12341,	23301,	23302,
23095,	23096,	12345,	12346,	23303,	23307,
23098,	23101,	12350,	12351,	23310,	23314,
23104,	23112,	12477,	12478,	23316,	23330,
23113,	23115,	12482,	12483,	23332,	23334,
23118,	23121,	12487,	12488,	23340,	23358,
23133,	23178,	12492,	12493,	23359,	23361,
23179,	23180,	12619,	12620,	23362,	23372,
23181,	23182,	12624,	12625,	23374,	23377,
23183,	23184,	12629,	12630,	23378,	23380,
23185,	23186,	12634,	12635,	23382,	23383,
23201,	23202,	12761,	12762,	23391,	23393,
23203,	23204,	12766,	12767,	23397,	23398,
23206,	23207,	12771,	12772,	23402,	23406,
23209,	23212,	12776,	12777,	23410,	23411,
23215,	23223,	12903,	12904,	23479,	23512,
23224,	23226,	12908,	12909,	23519,	23524,
23229,	23232,	12913,	12914,	23525,	23532,
23245,	23485,	12918,	12919,	23611,	23618,
23486,	23487,	13045,	13046,	23689,	23756,
23488,	23489,	13050,	13051,	24279,	24313,
23490,	23491,	13055,	13056,	25050,	\@ne 137,
23492,	23493,	13060,	13061,	142, 353, 362, 365,	142, 353, 362, 365,
23532,	23538,	13187,	13188,	459, 810, 1062,	459, 810, 1062,
23545,	23551,	13192,	13193,	1312, 1378, 1387,	1312, 1378, 1387,
23558,	23562,	13197,	13198,	1390, 1391, 1392,	1390, 1391, 1392,
23563,	23564,	13202,	13203,	1425, 1428, 1429,	1425, 1428, 1429,
23565,	23567,	13458,	13465,	1430, 2196, 2212,	1430, 2196, 2212,
23568,	23570,	13469,	13476,	2228, 2476, 4187,	2228, 2476, 4187,
				4192, 4193, 4194,	4192, 4193, 4194,



4735, 5037, 5065, 5100, 5430, 5484, 5538, 6268, 6427, 6498, 6559, 7052, 7061, 9560, 10010, 11319, 11416, 13713, 14321, 14335, 14349, 14661, 15767, 15768, 15773, 16261, 16317, 16324, 16333, 16344, 16754, 17547, 17624, 17887, 18354, 18374, 19155, 19296, 19493, 19536, 19540, 19722, 20020, 20047, 20049, 20264, 20431, 20759, 20786, 20788, 21004, 21192, 21532, 21559, 21561, 21777, 21957, 22411, 22415, 22476, 22485, 22492, 22794, 23137, 23138, 23249, 23250, 23479, 24193, 24340, 24486, 24527, 24562, 24564, 24565, 24566, 24571, 24573, 24574, 24575, 24580, 24582, 24583, 24584, 24589, 24591, 24592, 24593, 24669, 24671, 24714, 24978	\@noitemerr 1384, 1386, 1387, 1388, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1399, 1400, 1401, 1413, 1415, 1416, 1481, 1482, 1483, 9831, 9832, 9833, 22482, 22484, 22485, 22486, 22487, 22488, 22489, 22490, 22492, 22493, 22494, 22495, 22496, 22499, 22500, 22501 \@nil 1466, 1467, 1469, 1470, 9820, 10740, 10797, 15934, 15943, 15945, 15957, 22597 \@ninecol@LTRfootgroupv@l 12934 \@ninecol@footgroupv@r 12930 \@ninecolLTRfootfmt . 12968, 12989, 13027 \@ninecolLTRfootnotetext 12925, 12961 \@ninecolRTLfootfmt . 12978, 12992, 13039 \@ninecolRTLfootnotetext 12926, 12971 \@ninecolfootfmt .. . 12958, 12986, 13015 \@ninecolfootnotetext 12924, 12945 \@nmbrlistfalse .. 24494 \@nobreakfalse . 520, 672, 916, 1155, 9156, 9333, 9620, 11475, 13605, 19010, 19382, 19597, 19782, 22741, 22745, 23280 \@nobreaktrue .. 519, 671, 915, 1154, 9155, 9332, 9619, 11474, 13604, 19009, 19381, 19596, 19781, 22740, 22744, 23279	\@noitemerr 95, 298, 587, 719, 982, 1232, 2534, 5029, 9205, 9393, 9705, 11264, 11538, 13666, 16038, 18283, 19064, 19458, 19655, 19858, 20398, 20405, 21159, 21166, 21924, 21931, 22644 \@nonlatinfalse 3973, 4091, 16351, 16395 \@nonlatintrue . 3974, 4093, 16351, 16395 \@normalLTRfootfmt . 11638, 11683, 11706 \@normalRTLfootfmt . 11632, 11669, 11717 \@normalcr 16895 \@normalfootfmt . . . 11626, 11655, 11695 \@notprerr ... 6011, 6026 \@nx 124, 125, 334, 16104, 16105 \@nxtcol 13936, 13938, 13979 \@oddfoot 2049, 2054, 2090, 2095, 4364, 13949, 13956, 25053, 25070 \@oddhead . 1973, 2053, 2078, 2095, 13948, 13955, 25053, 25069 \@oldmakefnmark 20139, 20140, 20260, 20261, 20879, 20880, 21000, 21001, 21652, 21653, 21773, 21774 \@onefilewithoptions ... 6641, 6642, 6649 \@onelevel@sanitize 4707 \@onlypreamble . . . 4068, 6864, 6874, 6878, 13236, 13237 \@openbib@code 578, 713, 976, 1226, 5022, 5033, 9199, 9387, 9696, 11258, 11529, 13660, 19058, 19452, 19646,
\@newlistfalse 13988, 25039 \@next 4725, 7704, 7705, 7748, 7749, 7792, 7793, 24900, 24901, 24944, 24945, 24977 \@nextchar 359, 361, 362, 363, 365, 366, 367, 368, 369, 372, 373, 374,	\@nobreakfalse 672, 916, 1155, 9156, 9333, 9620, 11475, 13605, 19010, 19382, 19597, 19782, 22741, 22745, 23280 \@nobreaktrue .. 519, 671, 915, 1154, 9155, 9332, 9619, 11474, 13604, 19009, 19381, 19596, 19781, 22740, 22744, 23279 \@nocnterr 331 \@nocounterr 330 \@nodocument 4704	\@onefilewithoptions ... 6641, 6642, 6649 \@onelevel@sanitize 4707 \@onlypreamble . . . 4068, 6864, 6874, 6878, 13236, 13237 \@openbib@code 578, 713, 976, 1226, 5022, 5033, 9199, 9387, 9696, 11258, 11529, 13660, 19058, 19452, 19646,



19849, 20381, 21142, 21907, 22635	10147, 10151, 13845, 13848, 13883, 13887, 13963, 13967, 13972, 13983, 14718, 14722, 14771, 14775, 16821, 16833, 17771, 17776, 17868, 17873, 18412, 18413, 24780, 24784, 24823, 24827, 25034	\@parboxrestore . 42, 56, 72, 245, 259, 274, 2153, 2170, 2187, 2203, 2219, 2235, 4774, 7455, 7723, 7767, 7811, 9750, 11691, 11702, 11713, 11837, 12023, 12035, 12047, 12162, 12173, 12184, 12301, 12313, 12325, 12443, 12455, 12467, 12585, 12597, 12609, 12727, 12739, 12751, 12869, 12881, 12893, 13011, 13023, 13035, 13153, 13165, 13177, 13420, 13434, 13448, 13463, 13474, 13988, 14266, 14283, 14299, 14327, 14341, 14355, 14373, 17672, 17886, 24545, 24919, 24963, 25040
\@tarlinesep 22371, 22377	\@ovbtrue	13771
\@outerparskip 9073	\@ovdx	13784, 13792
\@outputbox	\@ovdy	13785, 13793
. . 10045, 10048,	\@ovhorz	13790, 13791
10049, 10063,	\@ovltrue	13771
10075, 10080,	\@ovri	13783
10082, 10108,	\@ovro 13783, 13792, 13793	
10111, 10112,	\@ovrtrue	13771
10126, 10136,	\@ovttrue	13771
10139, 10141,	\@ovvert 13788, 13789	
11799, 11801,	\@ovxx	13773,
13522, 13524,	13774, 13777,	
13525, 13530,	13784, 13789,	
13545, 13547,	13790, 13794, 13795	
13561, 13572,	\@ovyy 13775, 13776,	
13817, 13820,	13777, 13785, 13791	
13833, 13842,	\@pagedp 25006, 25016	
13853, 13856,	\@pageht 10169,	
13870, 13880,	10175, 24989, 24996	
13961, 13966,	\@par	23414
14013, 14681,	\@para@LTRfootgroupv@l	
14688, 14689, 13256, 13311	
14705, 14715,	\@para@footgroupv@r	
14730, 14737, 13249, 13304	
14738, 14754,	\@para@footstartv@l	
14766, 14805, 13257, 13312	
14817, 14851,	\@para@footstartv@r	
14853, 14864, 13250, 13305	
14889, 14892,	\@paraLTRfootfmt . .	
14893, 16838,	13376, 13395, 13439	
16840, 16842,	\@paraLTRfootnotetext	
17689, 17692, 13243, 13298, 13367	
17693, 17723,	\@paraRTLfootfmt . .	
17748, 17751,	13388, 13399, 13453	
17753, 17765,	\@paraRTLfootnotetext	
17789, 17792, 13244, 13379	
17793, 17823,	\@parafootfmt	
17848, 17851,	13364, 13391, 13425	
17853, 17863,	\@parafootnotetext	
18420, 18423, 13244, 13379	
18428, 24745,	\@photowidth	
24748, 24749,	4907, 10572, 10670	
24763, 24775,	\@photo 4912, 10545,	
24792, 24795,	10547, 10676, 10678	
24796, 24810,	\@photowidth 4912, 10547, 10643	
24820, 24839,	\@pkgextension	
24841, 24855,	6669, 6680, 6744,	
24857, 24868, 25097		
\@outputdblcol 13935,		
24833, 24834, 24835		
\@outputpage		
. . 10088, 10092,		



6753, 6761, 6764, 6772	22184, 22210, 22211, 22230, 22231, 22240, 22241, 22250, 22261, 22282, 22548, 22577, 22698, 22973, 23141, 23144, 23148, 23253, 23256, 23260, 23335, 23672, 23675, 23679, 23800, 23984, 24682	23538, 23545, 23891, 23996, 24694 \@preamble . . . 393, 394, 404, 406, 1438, 1446, 16758, 22350, 22352, 22359, 22389, 22390, 22398, 24651, 24653, 24662 \@preameightfmt 12839, 12845, 12848, 12851 \@preamerr 375, 1402, 1432, 22502, 24660, 24673 \@preamfivefmt 12413, 12419, 12422, 12425 \@preamfntext . 11650, 11664, 11678, 11832, 11966, 11976, 11986, 12108, 12117, 12126, 12244, 12254, 12264, 12386, 12396, 12406, 12528, 12538, 12548, 12670, 12680, 12690, 12812, 12822, 12832, 12954, 12964, 12974, 13096, 13106, 13116, 13359, 13371, 13383 \@preamfourfmt 12271, 12277, 12280, 12283 \@preamninefmt 12981, 12987, 12990, 12993 \@preamnormalfmt 11622, 11627, 11633, 11639 \@preamsevenfmt 12697, 12703, 12706, 12709 \@preamsixfmt . 12555, 12561, 12564, 12567 \@preamtenfmt . 13123, 13129, 13132, 13135 \@preamthreefmt 12132, 12138, 12141, 12144 \@preamtwofmt . 11993, 11999, 12002, 12005 \@printcites 18843 \@pstrickserr 18797 \@ptsize 4810, 4811, 4812, 4813, 4820
------------------------	---	--



\@publisher ... 8542, 8595	\@resetdyn@mics ... 13974	5830, 5858, 5886,
\@publishers ... 20183, 20328, 20923, 21068, 21696, 21841	\@resetst@tics ... 13973	5938, 5950, 5951,
\@quote ... 4913, 10551, 10553, 10680, 10682	\@restonecolfalse ... 98, 218, 592, 608, 857, 1109, 9111, 9288, 9498,	5960, 6606, 6734, 6776
\@quotebox 18842	16042, 18947, 19202, 19661, 22656	\@secpenalty 5,
\@quotecolour 4875, 4892, 5002	\@restonecoltrue ... 98, 218, 594, 610, 859, 1111, 9113, 9290, 9500,	200, 509, 526, 661,
\@r@m@msize 22384	16042, 18949, 19204, 19663, 22658	679, 686, 888,
\@raggedtwoe@abdhook . 18917, 18922, 18932	\@resumename .. 4845, 4901	905, 923, 1144,
\@raggedtwoe@document@opt . 18916, 18920, 18938	\@revlabeltrue . 743, 995, 1245, 9238,	1162, 1170, 11197,
\@raggedtwoe@everyselectfon . 18856, 18869, 18882, 18893	9415, 19088, 19227	11211, 16072,
\@raggedtwoe@footmisctrue . 18919	\@rightcolumn . 17715, 17720, 17721, 17730, 17731, 17743, 17749, 17815, 17820, 17821, 17830, 17831, 17839, 17843, 17849	22589, 22721,
\@raggedtwoe@gnewline . 18849, 18862, 18875	\@rights skip ... 16891, 18851, 18852, 18864, 18865, 18877, 18878, 18888, 18889, 24596	22776, 23140,
\@raggedtwoe@raggedrightboxes@opt . 18895, 18914, 18918, 18935	\@rjfieldfalse ... 25024	23147, 23252, 23259
\@raggedtwoe@savet@gnewline . 18886	\@runbordercolor ... 15831, 15833	\@sectontitlecolour .. 4876, 4893
\@raggedtwoe@savedcr . 18846, 18859, 18872, 18885	\@runcolor 15847	\@seesize ... 22381, 22384
\@raggedtwoe@spaceskipfalse . 18892	\@s@bidi@AfterClass ... 6701, 6710, 6722, 6731	\@setcol 13980
\@raggedtwoe@spaceskiptrue . 18855, 18868, 18881	\@s@bidi@AfterPackage ... 6746, 6754, 6765, 6773	\@setcolbox . 13941, 13977
\@rc@ifdefinable ... 5417, 5674	\@sarray 22343	\@setcopyright 112, 16092
\@regtocline ... 643, 681, 698, 870, 900, 925, 1126, 1164, 1182, 9128, 9164, 9182, 9305, 9341, 9359, 18982, 19018, 19036, 19354, 19390, 19408	\@savemarbox 25018	\@setfontsize ..
\@rememsize . 22381, 22384	\@secondoftwo ... 3948, 3954, 3960, 5279, 5283, 5291, 5295, 5303, 5307, 5313, 5321, 5334, 5343,	7159, 7168, 8378,
\@removefromreset . 18292, 18294	5352, 5361, 5367, 5370, 5381, 5386, 5393, 5772, 5782, 5783, 5784, 5785,	8388, 8389, 8390,
\@reqcolroom 10169, 10170, 10171, 10172, 10174, 10175, 10176, 10177, 10178, 10179, 10419	5791, 5800, 5806,	8391, 8392, 8393, 8394
\@resetactivechars . 13986, 25037		\@setfpsbit ... 4739, 4742, 4745
		\@setmarks ... 10055, 10057, 10087, 10118, 10120, 10146, 13826, 13828, 13845, 13862, 13864, 13882, 14695, 14697, 14717, 14744, 14746, 14770, 17699, 17701, 17770, 17799, 17801, 17867, 24755, 24757, 24779, 24802, 24804, 24822
		\@setminipage ... 7457, 14380, 14655, 17674
		\@setpar 19490, 19533, 20043, 20054, 20782, 20794, 21555, 21567
		\@settab 9040
		\@sevencol@LTRfootgroupv01 12650
		\@sevencol@footgroupv@r 12646
		\@sevencollTRfootfmt . 12684, 12705, 12743
		\@sevencollTRfootnotetext 12641, 12677



\@sevencolRTLfootfmt .	12694, 12708, 12755	17874, 24783, 24785, 24826, 24828	7920, 7921, 7922, 7923, 7936, 7937,
\@sevencolRTLfootnotetext	12642, 12687	\@startfield 9082	7939, 7940, 7941,
\@sevencolfootfmt .	12674, 12702, 12731	\@startpbox 1415, 1416, 1481, 1482, 1483, 9831, 9832,	7942, 7955, 7956, 7958, 7959, 7960,
\@sevencolfootnotetext	12640, 12661	9833, 16737, 16738, 16744, 22353, 22391, 24654	7961, 7987, 7988, 7990, 7991, 7992, 7993
\@sharp	400, 1440, 1441, 1442, 1448, 1449, 1450, 15934, 15940, 16750, 22355, 22390, 22396, 24657	\@startsection 23, 16066	\@temp@last@bibkey 7911, 7912,
\@sixcol@LTRfootgroupv@l	12508	\@starttoc ... 8345, 8353	7918, 7930, 7931,
\@sixcol@footgroupv@r	12504	\@stopfield 9047, 9062, 9066, 9094, 25024	7937, 7949, 7950,
\@sixcolLTRfootfmt .	12542, 12563, 12601	\@stopline .. 9066, 25024	7956, 7977, 7978, 7988
\@sixcolLTRfootnotetext	12499, 12535	\@stplelt . 6133, 6137, 6139	\@tempa 123,
\@sixcolRTLfootfmt .	12552, 12566, 12613	\@strip 17883	126, 133, 134, 135,
\@sixcolRTLfootnotetext	12500, 12545	\@subjclass 324	136, 790, 792, 794,
\@sixcolfootfmt ...	12532, 12560, 12589	\@subject 20164, 20165, 20327, 20904, 20905, 21067, 21677, 21678, 21840	798, 1042, 1044,
\@sixcolfootnotetext	12498, 12519	\@subsectioncolour 4878, 4894	1046, 1050, 1292,
\@skip@bove .	22375, 22377	\@subtitle ... 20170, 20323, 20910, 21063, 21683, 21836	1294, 1296, 1300,
\@spaces	22413, 22454, 22459	\@tabacol 4652, 16735, 22337, 24457, 24637	2258, 2284, 2310,
\@spart	11241	\@tabarray . 381, 405, 409, 4654, 16722, 16724, 18329, 18331, 24452, 24459, 24639, 24665	5067, 5074, 5105,
\@specialpagefalse	13943, 25050	\@tabclassiv 4654, 16736, 22339, 24459, 24639	5106, 5109, 5235,
\@specialstyle	13944, 25050	\@tabclassz 1443, 4653, 16736, 22338, 24458, 24638	5236, 5239, 5241,
\@stabarray	22339	\@tabcr 9043, 9053	5243, 5244, 5247,
\@stabular	22335	\@tabminus 9041	5249, 5251, 5252,
\@star@or@long .	5412, 5644, 5668, 5679	\@tabplus 9040	5255, 5257, 5259,
\@startcolumn	14780	\@tabular 377, 4640, 24635	5260, 5263, 5265,
\@startdblcolumn ...	10091, 10093, 10150, 10152, 13846, 13848, 13886, 13887, 13970, 13972, 14721, 14723, 14774, 14776, 17774, 17777, 17871,	\@tabularcr 4654, 16740, 22339, 24459, 24639	5431, 5441, 5447,
		\@tagsextension 5189, 5192	5459, 5466, 5472,
		\@tarlinesep .. 22377, 22378, 22379, 22380, 22383, 22385	5485, 5495, 5501,
		\@temp@bibkey .. 7912, 7931, 7950, 7978	5513, 5520, 5526,
		\@temp@bibkeyx	5539, 5552, 5558,
	 7917, 7918,	5576, 5586, 5592,
			13772, 14957,
			14958, 14959,
			14960, 14997,
			15000, 15001,
			15007, 15018,
			15019, 15025,
			15030, 15031,
			15033, 15036,
			15093, 15094,
			15095, 15096,
			15553, 15557,
			15560, 15572,
			15591, 15595,
			15598, 15610,
			16103, 16106,
			16157, 16158,
			16802, 16803,
			16805, 16806,
			18295, 18296,
			18297, 18300,
			18307, 18313,
			19135, 19137,



19139,	19143,	14923,	15019,	24980,	24983,
19276,	19278,	15036,	15185,	24985,	24987, 25009
19280,	19284,	15366,	15368,	\@tempcntb	
19867,	19868,	16354,	16359,	2387, 2388, 2390,	
19910,	19911,	16363,	16767,	4753, 4754, 4755,	
20042,	20383,	16768,	16771,	18380, 18381,	
20386,	20781,	17600,	17603,	18388, 18392, 18405	
21144,	21147,	17607,	17609,	\@tempdima . 8, 10, 12,	
21554,	21909,	17615,	17617,	14, 203, 205, 207,	
21912,	22462,	17618,	17647,	209, 385, 386, 388,	
22464,	22469,	17648,	17652,	511, 528, 533, 651,	
22471,	23982,	18561,	18562,	664, 688, 693, 878,	
23999,	24003,	18565,	22436,	879, 890, 895, 908,	
24004,	24005,	22456,	23943,	1134, 1147, 1172,	
24014,	24028,	23946,	23951,	1177, 1460, 1461,	
24204,	24207,	23955,	23959,	1493, 1494, 1495,	
24213,	24217, 24231	23963,	23967,	2066, 2374, 2378,	
\@tempb	5105,	23971,	23975,	2379, 2391, 2392,	
5106,	5108, 5109,	23979,	24620,	2394, 2417, 2419,	
14957,	14958,	24621,	24676,	2430, 2432, 3452,	
14998,	15000,	24677,	24678,	3453, 4807, 4809,	
15028,	15030,	24679,	24903,	8366, 8367, 9136,	
15031,	15033,	24947,	25085,	9149, 9171, 9176,	
15036,	18299,	25092,	25093,	9313, 9326, 9348,	
18300,	18306,	25122,	25123, 25127	9353, 9612, 9627,	
18307,	18312, 18313	\@tempc . 14999, 15001,	15007, 16185, 16190	9632, 9843, 9844,	
\@tempboxa	1979,	15007,	16185, 16190	9845, 9893, 9898,	
1980,	1981, 1982,	\@tempcnta	10709,	10710,	
1983,	2083, 2084,	1406, 1465, 1466,	10711,	10712,	
2085,	2086, 2087,	1467, 1469, 1470,	10730,	10731,	
2340,	2357, 2358,	2376, 2377, 2379,	10732,	10733,	
2359,	2360, 2361,	4727, 4733, 4735,	10739,	10741,	
2362,	2363, 2364,	4748, 4749, 4755,	10742,	10746,	
2403,	2405, 2406,	4756, 5082, 5084,	10747,	10748,	
2407,	2412, 2425,	5088, 9818, 9820,	10749,	10750,	
7707,	7751, 7795,	10738,	10795,	10758,	10762,
10185,	10186,	16224,	16226,	10765,	10766,
10763,	10764,	16229,	16252,	10767,	10781,
10765,	10766,	16253,	16261,	10782,	10783,
10768,	10817,	18379,	18381,	10796,	10798,
10818,	10819,	18382,	18388,	10799,	10803,
10820,	10822,	18392,	18405,	10804,	10805,
11883,	13783,	18461,	18463,	10806,	10807,
13787,	13795,	18467,	18470,	10813,	10816,
13796,	13921,	18472,	20235,	10819,	10820,
13922,	13923,	20237,	20975,	10821,	10833,
14369,	14393,	20977,	21748,	10834,	10835,
14498,	14543,	21750,	22449,	11051,	11052,
14550,	14560,	23790,	23791,	11057,	11058,
14563,	14567,	23792,	23811,	11059,	11060,
14569,	14575,	23812,	23813,	11061,	11176,
14609,	14611,	23815,	23817,	11178,	11180,
14617,	14630,	23899,	23900,	11199,	11204,
14634,	14635,	23901,	24978,	11214,	13233,



13269,	13270,	21559,	21561,	2400, 2401, 2403,
13273,	13274,	21568,	21569,	2404, 2413, 2418,
13280,	13281,	21573,	21575,	2419, 2426, 2431,
13282,	13283,	21982,	21983,	2432, 9812, 10266,
13285,	13328,	22382,	22385,	10286, 10709,
13329,	13332,	22387,	22450,	10710, 10730,
13333,	13339,	22509,	22510,	10731, 10782,
13340,	13341,	22511,	22731,	10784, 10787,
13342,	13344,	22735,	22762,	10834, 10836,
13532,	13534,	22766,	22785,	10839, 11054,
13598,	13612,	22789,	22802,	11057, 13271,
13617,	13784,	22806,	22819,	13272, 13273,
13785,	13788,	22823,	22836,	13330, 13331,
13789,	14367,	22840,	22853,	13332, 13777,
14371,	14892,	22857,	22870,	13778, 13779,
14894,	15016,	22874,	22888,	13780, 13782,
15018,	15023,	22892,	22907,	15017, 15018,
15025,	15026,	22911,	22927,	15024, 15025,
15028,	15041,	22931,	22962,	15027, 15028,
15046,	15051,	22966,	23150,	16222, 16223,
15055,	16075,	23156,	23262,	16225, 17883,
16077,	16079,	23302,	23306,	17908, 20057,
16081,	16200,	23309,	23313,	20058, 20060,
16205,	16221,	23316,	23318,	20062, 20797,
16222,	16227,	23358,	23361,	20798, 20800,
16732,	16742,	23362,	23366,	20802, 21570,
16747,	17718,	23807,	23809,	21571, 21573,
17722,	17818,	23838,	23841,	21575, 22382,
17822,	17883,	23848,	23851,	22385, 22387,
17908,	17931,	23855,	23860,	23808, 23814,
17943,	17944,	23863,	23875,	23816, 23821,
17955,	17956,	23908,	23910,	23823, 23826,
18383,	18990,	23911,	23914,	23830, 23834,
19003,	19025,	23917,	23921,	23842, 23844,
19030,	19362,	23928,	23930,	23845, 23858,
19375,	19397,	23989,	23990,	23864, 23866,
19402,	19491,	24003,	24005,	24169, 24170,
19492,	19493,	24013,	24020,	24172, 24174,
19534,	19535,	24166,	24167,	24177, 24178,
19536,	19604,	24186,	24197,	24180, 24183,
19609,	19774,	24198,	24199,	24197, 24198,
19789,	19794,	24200,	24212,	24199, 24203,
19912,	19913,	24215,	24221,	24216, 24220,
20044,	20045,	24222,	24544,	24221, 24547, 24548
20047,	20049,	24545,	24687,	\@tempdimc 2386, 2387,
20055,	20056,	24688,	24988,	2395, 2396, 2413,
20060,	20062,	24989,	24990,	2426, 9813, 20041,
20456,	20457,	24991,	24994,	20052, 20053,
20783,	20784,	24997,	25000,	20067, 20780,
20786,	20788,	25002,	25025, 25026	20792, 20793,
20795,	20796,	\@tempdimb	2375,	20807, 21553,
20800,	20802,	2376,	2380, 2383,	21565, 21566, 21580
21217,	21218,	2384,	2389, 2390,	\@tempskipa
21556,	21557,	2391,	2392, 2397,	. . . 9072, 9073, 9074



\@tempswafalse . . .	11314, 11317,	8019, 8053, 8071,
. . . 1857, 1858,	11411, 11414,	8089, 8115, 8121,
6881, 6928, 10750,	13708, 13711,	8144, 8150, 8173,
10807, 14964,	17543, 19089,	8179, 8995, 9002,
20193, 20933,	19151, 19153,	9009, 9239, 9416,
21706, 24251, 24294	19228, 19292,	9555, 9558, 11314,
\@tempswatrue . . 1857,	19294, 19488,	11317, 11411,
6880, 6925, 10744,	19495, 19531,	11414, 11653,
10801, 20189,	19538, 19717, 19720	11667, 11681,
20929, 21702, 24737	\@texttop . . 13523, 14891	11693, 11704,
\@temptokena 121, 125,	\@tfor 4728, 13772	11715, 11754,
16101, 16105, 18447	\@thanks . . . 433, 441,	11758, 11760,
\@tempx 8974,	469, 477, 775, 781,	11766, 11770,
8975, 15631, 15643	820, 826, 1027,	11772, 11778,
\@tempxi 8977,	1033, 1072, 1078,	11782, 11784,
8978, 15662, 15674	1277, 1283, 1322,	11968, 11978,
\@tempxii 8980,	1328, 4399, 4405,	11988, 12025,
8981, 15693, 15705	9270, 9276, 9447,	12037, 12049,
\@tempy 4660, 4661	9453, 9534, 9542,	12110, 12119,
\@tempyi 4663, 4664	9570, 9578, 11295,	12128, 12164,
\@tempyii 4666, 4667	11301, 11329,	12175, 12186,
\@tencol@LTRfootgroupv@l	11335, 11390,	12246, 12256,
. 13076	11398, 11426,	12266, 12303,
\@tencol@footgroupv@r	11434, 13689,	12315, 12327,
. 13072	13695, 13723,	12388, 12398,
\@tencollTRfootfmt	13729, 14395,	12408, 12445,
. 13110, 13131, 13169	14409, 14412,	12457, 12469,
\@tencollLTRfootnotetext	17536, 17559,	12530, 12540,
. . . 13067, 13103	19120, 19126,	12550, 12587,
\@tencolRTLfootfmt	19165, 19171,	12599, 12611,
. 13120, 13134, 13181	19259, 19267,	12672, 12682,
\@tencolRTLfootnotetext	19306, 19314,	12692, 12729,
. . . 13068, 13113	19509, 19517,	12741, 12753,
\@tencolfootfmt . . .	19550, 19558,	12814, 12824,
. 13100, 13128, 13157	19696, 19704,	12834, 12871,
\@tencolfootnotetext	19732, 19740,	12883, 12895,
. . . 13066, 13087	20186, 20205,	12956, 12966,
\@testopt 5646,	20228, 20309,	12976, 13013,
5664, 16729, 16730	20319, 20926,	13025, 13037,
\@testpach 352, 1377,	20945, 20968,	13098, 13108,
1422, 22475, 24666	21049, 21059,	13118, 13155,
\@texfileextension	21699, 21718,	13167, 13179,
. 5191, 5194	21741, 21822, 21832	13361, 13373,
\@textbottom . . 13527,	\@thefnmark . . . 44, 58,	13385, 13422,
14895, 20077,	74, 247, 261, 276,	13436, 13450,
20084, 20817,	454, 457, 744, 806,	13708, 13711,
20824, 21590, 21597	808, 996, 1060,	14232, 14237,
\@textsupserscript .	1246, 1308, 1310,	14241, 14246,
. . . 454, 457,	2155, 2172, 2189,	14268, 14285,
744, 806, 808, 996,	2205, 2221, 2237,	14301, 14329,
1060, 1246, 1308,	2265, 2271, 2291,	14343, 14357,
1310, 4394, 4397,	2297, 2317, 2323,	14400, 14405,
8017, 8019, 9239,	4394, 4397, 4683,	14415, 14420,
9416, 9555, 9558,	4691, 4699, 8017,	14456, 14460,



14462,	14468,	4408, 4843, 4904, 8550, 8635, 9248,	\@todonotes@author 24057, 24068, 24093, 24111
14472,	14474,	9250, 9278, 9425, 9427, 9455, 9524,	\@todonotes@currentfigcolor 24128
14480,	14484,	9545, 9581, 9595, 10661, 11285,	\@todonotes@currentfigheight 24129
14486,	14906,	11304, 11338, 11350, 11380,	\@todonotes@currentfigwidth 24129, 24131, 24141, 24144
15413,	15424,	11401, 11437,	\@todonotes@drawInlineNote 24052
15435,	15446,	11451, 13679,	\@todonotes@drawLineToLeftMargin 24080, 24083
15564,	15602,	13698, 13732,	\@todonotes@drawLineToRightMargin 24080, 24083
15635,	15666,	13744, 17537,	\@todonotes@drawMarginNote . 24079, 24082, 24086
15697,	15760,	19098, 19100,	\@todonotes@drawMarginNoteWithLine 24074
16063,	19089,	19128, 19173,	\@todonotes@ifdisabled 24153
19151,	19153,	19186, 19237,	\@todonotes@sizecommand 24057,
19228,	19292,	19239, 19269,	24059, 24066,
19294,	19488,	19316, 19332,	24068, 24070,
19495,	19531,	19343, 19499,	24093, 24095,
19538,	19717, 19720	19520, 19561,	24107, 24110,
\@thefoot . . .	13949, 13952, 13956, 25053, 25059, 25067, 25070, 25105	19575, 19686, 19707, 19743, 19757, 20168, 20322, 20908,	24111, 24113, 24116
\@thehead . . .	13948, 13951, 13955, 25053, 25059, 25066, 25069, 25089	21062, 21681, 21835 \@titlecolour . 4873, 4890	\@todonotes@text 24057, 24059, 24068, 24070,
\@themargin . . .	14005, 15061, 15063, 15068, 15070, 15074, 15076, 25055, 25057, 25061, 25063, 25082	\@titlehead 20157, 20159, 20326, 20897, 20899, 21066, 21670, 21672, 21839	24093, 24095, 24107, 24110, 24111, 24113, 24116
\@thm . . .	18336, 18357	\@titlepageiscoverpagefalse . 20108, 20848, 21621	\@todonotes@textwidth 24091
\@thmcOUNTERsep	350, 24477	\@tocextra 22682, 22683, 22687, 22689, 22692	\@toodeep ... 2475, 24484
\@threecol@LTRfootgroupv@l 12088	\@tocline .. 2, 197, 16069	\@topnum ... 111, 314, 466, 817, 1069,
\@threecol@footgroupv@r 12084	\@tocpagenum 15, 210, 16082	1319, 8628, 9567,
\@threecol@LRFootfmt	. 12121, 12140, 12177	\@tocrmarg ... 17927, 17939, 17951,	11326, 11423,
\@threecol@LRFootnoteText 12079, 12114	18931, 22726, 22757, 22780,	13720, 16091,
\@threecol@RTLfootfmt	. 12130, 12143, 12188	22797, 22814, 22831, 22848,	17556, 19162,
\@threecol@RTLfootnoteText 12080, 12123	22865, 22883, 22902, 22922,	19303, 19547, 19729
\@threecolfootfmt .	. 12112, 12137, 12166	22957, 23008, 23551, 23558,	\@topsep ... 18350, 18370
\@threecolfootnotetext 12078, 12099	23868, 23985, 24683	\@topsepadd 4571, 18351, 18371
\@title	320, 423, 444, 480, 494, 753, 755, 783, 828, 841, 1005, 1007, 1035, 1080, 1093, 1255, 1257, 1285, 1330, 1344, 1355,	\@todonotes@MissingFigureDown .. 14645, 14649, 24147	\@totalleftmargin . .. 14652, 14661,
		\@todonotes@MissingFigureText .. 16243, 16244, 24124	16265, 16890,
		\@todonotes@MissingFigureUp .. 18353, 18354, 24146	18373, 18374,



18905,	24503,	21705,	21712,	8873, 8884, 9090,
24505,	24511,	21721,	21756, 21842	9104, 14240, 14243
24513,	24517,	\@urlbordercolor ..		\@xLTRfootnotenext
24519,	24523, 15862, 15864	 4647,
24525,	24527,	\@urlcolor 15876		4769, 8872, 8883,
24562,	24564,	\@viiipt 7168,		9089, 9103, 14399,
24565,	24566,	8388, 18391, 18404		14402, 15432, 22422
24571,	24573,	\@viipt 8388, 18391, 18404		\@xRTLfootnote
24574,	24575,	\@viper 10094,	 4650, 4772,
24580,	24582,	10096, 10098,		8875, 8886, 9092,
24583,	24584,	10153, 10155,		9106, 14231, 14234
24589,	24591,	10157, 10171,		\@xRTLfootnotenext
24592,	24593, 25025	10178, 10422,	 4649,
\@traditionalpoem .		10473, 17884,		4771, 8874, 8885,
 8923, 9015	17899, 17901, 17906		9091, 9105, 14414,
\@trivlist ...	18347,	\@viperoutput 10100, 10159		14417, 15421, 22423
	18367, 20019,	\@vpt 8389		\@xaddress
	20758, 21531, 24496	\@vpt 8389		321
\@twocol@LTRfootgroupv@l		\@whilenum 16253		\@xauthor
 11946	\@whilesw 10092, 10151,		321
\@twocol@footgroupv@r		13847, 13887,		\@xcentercr ... 20447,
 11942	13971, 14722,		20454, 21208,
\@twocolLTRfootfmt		14775, 17775,		21215, 21973, 21980
	. 11980, 12001, 12039	17872, 24784, 24827		\@xcolor@ ... 24252, 24295
\@twocolLTRfootnotetext		\@wholewidth		\@xcurraddr
 11937, 11973	. 13774, 13776, 13794		322
\@twocolRTLfootfmt		\@width 31, 235,		\@xemail
	. 11990, 12004, 12051	390, 540, 725, 960,		322
\@twocolRTLfootnotetext		1205, 1495, 9211,		\@xepersian@pdfcustomproperties
 11938, 11983	9364, 9640, 9845,	 4229
\@twocolfootfmt ...		10067, 10132,		\@xfloat
	. 11970, 11998, 12027	10364, 10383,		4703
\@twocolfootnotetext		10691, 11269,		\@xfootnote
 11936, 11957	11568, 11621,		4646,
\@twosidefalse 7143	13645, 13876,		4768, 8871, 8882,
\@twosidetrue 7138	14179, 14181,		9088, 9102, 15758
\@typeset@protect .		14623, 14711,		\@xfootnotemark ... 15443
 4599,	14758, 16060,		\@xfootnotenext ...
	4605, 4611, 4626	16131, 16749,	 4645, 4767,
\@undeclaredcolor .		16800, 16912,		8870, 8881, 9087,
 9858,	17757, 17859,		9101, 15410, 22421
	9866, 24244, 24245	18002, 18013,		\@xiipt
\@undefined		18045, 18096,		8391
	. 4657, 16734, 17657	19041, 19464,		\@xipt
\@undottedtocline	17924	19620, 19802,		8390
\@unexpandable@protect		20079, 20819,		\@xivpt ... 303, 8392
 5697, 7040	21592, 22348,		\@xmakefntext ... 807,
\@unrecuse .	22372, 22375	22387, 24649,		1309, 19152, 19293
\@uppertitleback ..		24767, 24816, 25016		\@xnewline ... 20438,
	. 20192, 20199,	\@x 9032, 9033		20445, 21199,
	20208, 20243,	\@x@sf 8026, 8031, 8037, 8040		21206, 21964, 21971
	20329, 20932,	\@xLTRfootnote ...		\@xp
	20939, 20948, 4648, 4770,		121, 308,
	20983, 21069,			333, 334, 9759, 16101



24909, 24913,	\`^	4238,	11211,	11466,
24953, 24957, 25020		8823, 8824, 8826, 8827	13595,	13610,
\@yargdef	\`_	18329	16072,	19000,
\@ympar	\``	14643, 16887, 18901	19016,	19023,
\@ythm	\` 	14522, 14523, 14638	19372,	19388,
\[.....			19395,	19588,
\`\\			19602,	19772,
122, 404, 751, 796,	\`0	4192	19787,	22589,
1003, 1048, 1253,	\`1	16974, 17025, 17077	22591,	22719,
1298, 2069, 3059,	\`9	4192	22721,	22754,
4654, 4951, 4957,			22776,	23140,
5104, 6158, 6174,			23143,	23147,
6178, 6407, 6409,			23252,	23255, 23259
6410, 6411, 6419,			\address	321, 4905
6424, 6425, 6427,			\addresscolour	
7473, 7474, 7475,			.. . 4874, 10501,	
7477, 8437, 8806,			10599, 10605,	
8944, 9246, 9423,			10611, 10617, 10623	
10549, 10550,			\addressfont .. . 4883,	
10553, 10569,			4891, 5002, 10539,	
10656, 10661,			10567, 10631, 10665	
10668, 10678,			\addresssymbol .. .	
10682, 11548,			. 4865, 10569, 10668	
11552, 11561,			\addresstyle	4891
15265, 15268,			\addtocontents .. . 23005	
15281, 15284,			\addtocounter .. . 2934,	
15384, 15805,			2935, 16245, 16246	
15820, 15839,			\addtoheadtemplate .. . 3899	
16102, 16122,			\AddToHook .. . 5980, 6021, 6061	
16126, 16316,			\addtolength .. .	
16317, 16323,			.. . 3267, 3271,	
16324, 16727,			3274, 4825, 4826,	
16895, 18465,			4827, 4828, 4829,	
18477, 18846,			4830, 4928, 4929,	
18847, 18859,			4931, 4933, 4934,	
18860, 18872,			4937, 7245, 7248,	
18873, 18885,			7249, 7252, 8403,	
19096, 19141,			10647, 10648,	
19235, 19282,			10649, 11060,	
20440, 20449,			15118, 15119,	
21201, 21210,			16211, 16213,	
21966, 21975,			16215, 16216,	
22339, 22354,			16234, 16236,	
22370, 22371,			16237, 16239,	
22547, 22576,			16240, 16242,	
24090, 24097,			16243, 16244,	
24459, 24596,			16259, 16260,	
24639, 24655, 24665			\addpenalty .. . 5, 200,	20045, 20052,
\{			509, 526, 661, 679,	20053, 20056,
\}			686, 888, 905, 923,	20058, 20784,
_			1144, 1162, 1170,	20792, 20793,
4008, 4293, 7919,			9146, 9162, 9169,	20796, 20798,
7923, 7938, 7942,			9323, 9339, 9346,	21557, 21565,
7957, 7961, 7989,			9610, 9625, 11197,	21566, 21569,
7993, 14515, 14517				
\]				



21571, 22608,	\adl@noalign 1374	10805, 10806,
22609, 23335,	\adl@org@activate . 1456	10820, 10827,
23345, 23349, 23353	\adl@org@classz . . . 1499	10834, 10981,
\addvspace 5,	\adl@org@endpbox . . 1457	10982, 10991,
200, 510, 527, 662,	\adl@org@inactivate 1455	10992, 11008,
680, 687, 889, 906,	\adl@putlrc 1410, 1411,	11010, 11014,
924, 1145, 1163,	1412, 1440, 1441,	11016, 11020,
1171, 8431, 8488,	1442, 1448, 1449, 1450	11023, 11024,
9147, 9163, 9324,	\adl@startmbox . . . 1413	11025, 11204,
9340, 9611, 11198,	\advance 12, 90, 207, 293,	11257, 11528,
11212, 11467,	311, 386, 533, 577,	11927, 11929,
13596, 16072,	693, 712, 879, 895,	13233, 13281,
19001, 19017,	975, 1177, 1225,	13283, 13340,
19373, 19389,	1460, 1494, 1788,	13342, 13617,
19589, 19773,	1789, 1805, 1819,	13659, 13774,
22723, 22777,	1873, 1875, 1877,	13776, 13778,
23141, 23148,	1878, 1939, 1947,	13784, 13785,
23253, 23256,	2117, 2118, 2334,	13792, 13793,
23260, 23290, 23802	2383, 2384, 2396,	13794, 13964,
\adjmc@inner 134	2400, 2401, 2476,	13965, 14518,
\adjmc@outer 136	2500, 2521, 2555,	14532, 14545,
\adjmc@page@sofar@orig	2562, 2566, 2568,	14546, 14578,
..... 164	2572, 2573, 2820,	14583, 14584,
\adjmult@cols 163	2821, 3170, 3172,	14587, 14596,
\adjmulticols 132	3452, 3460, 3462,	14660, 14787,
\adl@act@classz . . . 1498	3528, 3600, 3601,	14788, 14792,
\adl@act@CT@setup .	3603, 3604, 3618,	14793, 14795,
..... 1456, 1463	4192, 4193, 4194,	14796, 14799,
\adl@activate . . 1373, 1456	4367, 4372, 4735,	14800, 14801,
\adl@argarraydashrule	4749, 4755, 5021,	14802, 14921,
..... 1392, 1430	5065, 5100, 5430,	15767, 15777,
\adl@array . . . 1370, 1375	5484, 5538, 6268,	16033, 16079,
\adl@arraydashrule	6427, 6433, 6443,	16223, 16226,
..... 1391, 1429	6498, 6515, 6524,	16227, 16261,
\adl@arrayinit . . . 1372	7052, 7661, 8367,	16742, 16754,
\adl@arrayrestore . . 1367	8442, 8793, 8801,	16817, 17710,
\adl@arrayrule . 1390, 1428	8802, 9073, 9176,	17712, 17739,
\adl@box . . 1413, 1415, 1416	9198, 9353, 9386,	17740, 17743,
\adl@class@iiiorvii	9632, 9695, 9844,	17810, 17812,
..... 1419, 1452	9852, 9853, 9893,	17839, 17840,
\adl@class@start .	10005, 10171,	17843, 17897,
..... 1418, 1451	10172, 10175,	17898, 17899,
\adl@CT@setup . . .	10178, 10179,	17900, 17909,
... 1455, 1458, 1459	10229, 10230,	17931, 17944,
\adl@depth 1462	10231, 10293,	17956, 17969,
\adl@endarray 1367	10433, 10434,	18098, 18099,
\adl@endmbox 1414	10449, 10468,	18104, 18105,
\adl@everyvbox . 1371, 1372	10469, 10699,	18108, 18109,
\adl@extract@arc . . 1467	10709, 10710,	18348, 18352,
\adl@extract@dgc . . 1470	10720, 10730,	18353, 18368,
\adl@extract@drsc . . 1468	10731, 10747,	18372, 18373,
\adl@height 1461	10748, 10749,	18381, 18472,
\adl@inactivate 1373, 1455	10766, 10775,	18494, 18522,
\adl@LT@array . . . 15932	10782, 10804,	18529, 18577,



18582,	18583,	\afterassignment ..	12568,	12704,
18584,	18613,	4010, 4012, 4295,	12707,	12710,
18614,	18640,	4297, 5698, 6507,	12846,	12849,
18651,	18806,	7891, 22445, 22446	12852,	12988,
18808,	18813,	\aftergroup	12991,	12994,
18816,	18839,	4553, 4563, 6710,	13130,	13133, 13136
19030,	19057,	6712, 6722, 6724,	\Alph	17578
19402,	19451,	6734, 6736, 6754,	\alt	2668
19492,	19535,	6756, 6765, 6767,	\AM@CheckAtEnd ...	18485
19609,	19645,	6776, 6778, 7875,	\AM@ClearShipoutPicture	
19794,	19848,	7890, 9856, 9858,	18487
19913,	20022,	9865, 9871, 9890,	\AM@currentdocname	
20024,	20380,	10182, 10188,	18450, 18456
20431,	20759,	10191, 13992,	\AM@findfile	18454
21141,	21192,	13994, 18696,	\AM@output	18483
21534,	21536,	18697, 18700,	\AM@pagecount	18452
21906,	21957,	18705, 18706,	\AM@pageref .	18467, 18470
22300,	22371,	18710, 18715,	\AM@pagestemp	
22385,	22395,	18716, 18720,	..	18460, 18465,
22415,	22510,	18724, 18728,	18466,	18469,
22548,	22564,	18732, 20458,	18477,	18478, 18482
22577,	22581,	20460, 20463,	\AM@readlist	18482
22613,	22614,	21219, 21221,	\AM@split@options	18446
22634,	22735,	21224, 21984,	\AM@temp ...	18447, 18448
22766,	22789,	21986, 21989,	\AM@threadname	
22806,	22823,	22582, 23793,	. 18445, 18455, 18456	
22840,	22857,	24233, 24242,	\AM@xrprefix	
22874,	22892,	24244, 24281,	. 18463, 18467, 18470	
22911,	22931,	24285, 24338,	\and .	448, 484, 762, 788,
22966,	23007,	24349, 24350,	791, 833, 1014,	
23156,	23160,	24353, 24358,	1040, 1043, 1085,	
23271,	23306,	24359, 24363,	1264, 1290, 1293,	
23309,	23313,	24368, 24369,	1335, 1357, 4412,	
23366,	23791,	24373, 24378,	9257, 9283, 9434,	
23811,	23816,	24382, 24387,	9460, 9549, 9585,	
23866,	23867,	25035, 25045, 25046	\ALG@floatstyle	
23868,	23871,	\ALG@floatstyle	11308, 11342,	
23875,	23900,	... 7676, 7677, 7678	11405, 11441,	
23911,	23990,	\algocf@float	13702, 13736,	
24013,	24167,	25188	17534, 18449,	
24169,	24179,	\algocf@makecaption	19107, 19133,	
24198,	24199,	\algocf@within	19136, 19178,	
24228,	24239, 166, 168,	19246, 19274,	
24240,	24486,	25190, 25191, 25192	19277, 19321,	
24499,	24500,	\alignL	19345, 19524,	
24503,	24505,	9791	19565, 19711,	
24511,	24513,	\alignR	19747, 20091,	
24517,	24519,	9798	20343, 20831,	
24523,	24525,	\allowbreak	21083, 21604, 21856	
24623,	24624,	.. 10705, 10726,	\andify	116, 16096
24688,	24714,	12000, 12003,	\andname ..	796, 1048,
24989,	24990,	12006, 12139,	1298, 19141, 19282	
24997,	24998,	12142, 12145,	\andnext	17535
24999,	25000,	12278, 12281,	\AppendToTokenList	6374
		12284, 12420,		
		12423, 12426,		
		12562, 12565,		



\arabic	19, 20, 21, 22, 86, 214, 215, 216, 217, 289, 329, 13927, 13933, 16029, 16086, 16087, 16088, 16089, 22947, 25188	\author	321, 446, 482, 786, 831, 1038, 1083, 1288, 1333, 4410, 8534, 8566, 9281, 9458, 9547, 9583, 11306, 11340, 11403, 11439, 13700, 13734, 19131, 19176, 19272, 19319, 19522, 19563, 19709, 19745, 20332, 21072, 21845	\baselineskip ..	402, 724, 726, 730, 732, 1204, 1206, 1210, 1212, 2352, 2773, 2788, 2803, 2890, 2892, 2920, 2926, 3069, 5638, 7187, 7189, 7192, 7194, 7196, 7199, 7354, 7984, 8051, 8069, 8087, 8204, 8213, 8222, 8303, 8310, 8317, 8324, 8331, 8431, 8488, 8831, 8892, 8956, 8962, 9210, 9212, 9216, 9218, 9363, 9365, 9369, 9371, 10006, 10007, 10024, 10028, 10435, 14002, 14533, 16221, 16229, 16763, 16773, 16893, 16910, 18575, 18578, 18592, 18616, 18620, 18625, 18629, 18641, 18652, 18679, 18912, 19040, 19042, 19046, 19048, 19463, 19465, 19469, 19471, 20121, 20861, 21634, 22357, 22396, 24167, 24175, 24179, 24659, 25079, 25102, 14432 \baselinestretch ..
\At@ViperColsBreak 10196, 10199	\backmatter 8738, 9680, 11513	\Backref@HyperLTFootnote	18625, 18629,
\AtBeginCaption ..	16394 14432, 14439	18641, 18652,		
\AtBeginDocument ..	1502, 2056, 2941, 3174, 3403, 3473, 3521, 3641, 3729, 3824, 3889, 3903, 4001, 4148, 4840, 4900, 4997, 6015, 7105, 7254, 7481, 7615, 7620, 7673, 8484, 8684, 8749, 10578, 10692, 10713, 10734, 11164, 13277, 13336, 13589, 14308, 14910, 15382, 16402, 16409, 16492, 18917, 22361, 23940 14438	18679, 18912, 19040, 19042, 19046, 19048, 19463, 19465, 19469, 19471, 20121, 20861, 21634, 22357, 22396, 24167, 24175, 24179, 24659, 25079, 25102, 14432 \baselinestretch ..		
\AtBeginPackage ..	17639	\Backref@OptHyperLTFootnote 14445	\Backref@OptRTLHyperFootnote 4855, 8047,
\AtEndDocument ..	4220, 5004, 6041, 6957, 8968, 9025, 17017, 17068, 17086, 24735 14448 14448 14438	8065, 8083, 11647,
\AtEndOfClass ..	4839 14452 14452 14461	11661, 11675,
\AtPageLowerLeft ..	10972 14456 14456	11689, 11700,	
\AtPageUpperLeft ..	10972, 10996, 11026 14462 14462	11711, 11964,	
\AtTextUpperLeft ..	10976, 11002 14466 14466	11974, 11984,	
	 14472 14472	12021, 12033,	
	 14480 14480	12045, 12056,	
	 14484 14484	12061, 12066,	
	 14486 14486	12071, 12106,	
		\badness	10222, 10226,	12115, 12124,	
	 10254 10258	12160, 12171,	
	 10260 10265	12182, 12192,	
	 10269 10273	12197, 12202,	
	 10358 10337		



12207,	12242, 2717	\beamer@exitcode .. 2445
12252,	12262,	\beamer@biblabeltemplate 2519, 2528	\beamer@firstlineitemizeunskip 1750, 2470, 2496, 2511
12299,	12311,	\beamer@boxsize 2566, 2570, 2572	\beamer@focus@totalframenumbering ... 3269, 3294, 3314
12323,	12334,	\beamer@colalign .. 2102	\beamer@footarg 2257, 2258, 2259, 2263, 2270, 2283, 2284, 2285, 2289, 2296, 2309, 2310, 2311, 2315, 2322
12339,	12344,	\beamer@colbox@color ... 1859, 1898, 1911	\beamer@footins ... 2145, 2150, 2162, 2167, 2179, 2184, 2447
12349,	12384,	\beamer@colbox@colsep 1876, 1877, 1878, 1879, 1887	\beamer@footnotetext ... 2252, 2266, 2273
12394,	12404,	\beamer@colbox@colseps 1881, 1888,	\beamer@framebox 2408, 2420, 2433, 2438, 2442
12441,	12453,	1912, 1914, 1916, 1918	\beamer@framefootnotetext 2144, 2243
12465,	12476,	\beamer@colbox@dp .. 1893	\beamer@frameLTRfootnotetext 2178, 2245
12481,	12486,	\beamer@colbox@ht .. 1892	\beamer@frameRTLfootnotetext 2161, 2244
12491,	12526,	\beamer@colbox@ls .. 1872	\beamer@frametitlebox 2440
12536,	12546,	\beamer@colbox@rs .. 1874	\beamer@frametextheight 2374, 2395, 2404, 2408, 2411, 2424
12583,	12595,	\beamer@colbox@sep 1897	\beamer@framezoom .. 2331
12607,	12618,	\beamer@colbox@wd 1870, 1891, 1900	\beamer@fteleft ... 3170
12623,	12628,	\beamer@colclose 2098, 2099, 2130, 2131	\beamer@fteright ... 3172
12633,	12668,	\beamer@colentrycode ... 2108, 2111, 2129	\beamer@gobbleoptionalinsp 2668
12678,	12688,	\beamer@colmode ... 2097	\beamer@headheight 3445, 3453, 3456, 3457, 3489, 3493, 3496, 3500
12725,	12737,	\beamer@columnncm .. 2097	\beamer@kvorig 2255, 2261, 2281, 2287, 2307, 2313
12749,	12760,	\beamer@computepref 2455, 2477	\beamer@labelzoomed 2336, 2340, 2367, 2369, 2370
12765,	12770,	\beamer@cramped 2468, 2494, 2509	\beamer@leftmargin 1921, 1938, 2114, 2117, 2409, 2411, 2424, 3453, 3459, 3600, 3603
12775,	12810,	\beamer@defaultospec 2474	\beamer@leftsidebar ... 1939, 2383, 2400
12820,	12830,	\beamer@descdefault 2500, 2508	\beamer@lefttext 3480, 3547
12867,	12879,	\beamer@descriptionitem 2508	
12891,	12902,	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
12907,	12912,	\beamer@dimb	
12917,	12952,	\beamer@descdefault 2500, 2508	
12962,	12972,	\beamer@descriptionitem 2508	
13009,	13021,	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
13033,	13044,	\beamer@dimb	
13049,	13054,	\beamer@dimb	
13059,	13094,	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
13104,	13114,	\beamer@dimb	
13151,	13163,	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
13175,	13186,	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
13191,	13196,	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
13201,	13357,	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
13369,	13381,	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
13412,	13431,	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
13445,	13464,	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
13475,	13484, 13493	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
\BCmd 4552	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
\BDefaboveskip	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
	... 4567, 4582, 4585	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
\BDefbelowskip	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
	... 4571, 4583, 4586	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
\BDefinlineskip	...	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
	... 4576, 4584, 4587	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
\beamer@@tmpop@button@default	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
	... 2811	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
\beamer@@tmpop@caption@default	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
	... 2740	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
\beamer@@tmpop@footline@pr	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
	... 3260	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
\beamer@@tmpop@footnote@def	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	
	... 2463	\beamer@dim ... 2820, 2835, 2840, 2851, 2856	



\beamer@link	2576	1892, 1893, 1901, 1904, 1905, 1907, 1910, 1915, 1920, 1921, 1923, 1975, 1976, 1977, 1978, 1983, 1986, 1997, 2002, 2003, 2011, 2012, 2013, 2014, 2017, 2026, 2031, 2032, 2040, 2041, 2042, 2043, 2079, 2080, 2081, 2082, 2087, 2091, 2092, 2093, 2094, 2815, 2816, 2817, 2818, 2819, 2824, 2864, 3220, 3225, 3229, 3233, 3237, 3241, 3606, 3617, 3634, 3854, 3855, 3873, 3874	\beamer@xpos
\beamer@LTRfootnotetext ... 2304, 2318, 2325		... 2555, 2560, 2571	
\beamer@minislide 2589, 2594		... 2561, 2562, 2567	
\beamer@minislidehilight 2582	 2558, 2562	
\beamer@minislidewhilight 2584		\beamer@zoomborderwidth 2335, 2339	
\beamer@mpfn		\beamer@zoombox ... 2364	
.... 2253, 2264, 2270, 2279, 2290, 2296, 2305, 2316, 2322		\beamer@zoomcount 2334, 2336	
\beamer@next		\beamer@zoomer ... 2372	
.... 2264, 2268, 2275, 2290, 2294, 2301, 2316, 2320, 2327		\beamer@zoomframecount 2336	
\beamer@putleft 2963, 2996, 3008, 3020		\beamerboxesrounded 1749	
\beamer@putright 2997, 3009, 3021		\beamercolorbox ... 2809	
\beamer@rightmargin 1921, 1946, 2017, 2118, 2123, 3453, 3461, 3601, 3604		\beamertemnestingprefix 1660, 1661, 2455, 2456, 2458, 2459, 2466, 2467, 2477, 2478, 2480, 2481, 2484, 2488, 2489	
\beamer@rightsidebar 1947, 2384, 2401		\beameroctal ... 2668	
\beamer@RTLfootnotetext ... 2278, 2292, 2299		\beamertemplatedotitem 3901	
\beamer@section@min@dim 2575		\begin ... 412, 422, 427, 490, 498, 736, 749, 760, 839, 845, 988, 1001, 1012, 1091, 1097, 1238, 1251, 1262, 1342, 1348, 1357, 1359, 1360, 1531, 1688, 1724, 1733, 1742, 1769, 1791, 1817, 1829, 1896, 2100, 2102, 2106, 2349, 2411, 2424, 2542, 2613, 2617, 2636, 2640, 2656, 2660, 2764, 2772, 2779, 2787, 2794, 2802, 2827, 2885, 2891, 2898, 2915, 2921, 2927, 2967, 2974, 2980, 2986, 3055, 3076, 3091, 3093, 3098, 3100, 3105, 3111, 3125, 3127, 3129, 3200, 3201, 3207, 3208, 3227, 3235, 3280, 3306, 3338, 3341, 3344, 3365, 3367, 3372,	
\beamer@shortinstitute 3339			
\beamer@sidebarformat 3506			
\beamer@sidebarside 3480, 3522, 3525, 3547			
\beamer@sidebarwidth 3452, 3484, 3489, 3490, 3492, 3495, 3496, 3508, 3510, 3519, 3522, 3527, 3545			
\beamer@slidehaszoomtrue 2333			
\beamer@stalign ... 2544			
\beamer@stend ... 2547			
\beamer@stlinebreakrule 2545			
\beamer@ststart ... 2541			
\beamer@temp			
... 2394, 2416, 2429			
\beamer@tempbox 1860, 1891,			
	2282, 2288, 2308, 2314		



3374, 3391, 3392, 3413, 3415, 3419, 3422, 3425, 3431, 3479, 3508, 3510, 3562, 3564, 3569, 3571, 3606, 3619, 3620, 3626, 3655, 3656, 3657, 3674, 3679, 3682, 3695, 3701, 3703, 3717, 3718, 3719, 3743, 3744, 3745, 3755, 3758, 3764, 3767, 3774, 3777, 3791, 3796, 3798, 3811, 3812, 3813, 3834, 3837, 3840, 3846, 3849, 3865, 3868, 3883, 4546, 4548, 4557, 4559, 4562, 4955, 4959, 4961, 4963, 4965, 4969, 4977, 4980, 5015, 5128, 5132, 5152, 5156, 5183, 6078, 6079, 6086, 6112, 6814, 7260, 7261, 7274, 7277, 7351, 7352, 7358, 7359, 7366, 7367, 7392, 7393, 7430, 7433, 7436, 7439, 7443, 7444, 7628, 7629, 8247, 8303, 8310, 8317, 8324, 8331, 8344, 8352, 8474, 8479, 8612, 8659, 8682, 9057, 9231, 9244, 9255, 9408, 9421, 9432, 9476, 9488, 9513, 9523, 9528, 9591, 9599, 9909, 9919, 9932, 9942, 9955, 9965, 9978, 9988, 10553, 10659, 10664, 10682, 10851, 10854, 10858, 10860, 10865, 10867, 10871, 10874, 10877, 10881, 10883, 10887, 10889, 10893, 10896,	10899, 10903, 10905, 10910, 10912, 11083, 11149, 11276, 11284, 11289, 11348, 11354, 11369, 11379, 11384, 11447, 11455, 11547, 13670, 13678, 13683, 13742, 13748, 13894, 15133, 15138, 15156, 15259, 15261, 15275, 15277, 16121, 17684, 18388, 19081, 19094, 19105, 19184, 19190, 19218, 19233, 19244, 19328, 19336, 19345, 19347, 19348, 19478, 19498, 19503, 19579, 19675, 19685, 19690, 19753, 19761, 20094, 20098, 20158, 20163, 20175, 20198, 20202, 20371, 20834, 20838, 20898, 20903, 20915, 20938, 20942, 21132, 21607, 21611, 21671, 21676, 21688, 21711, 21715, 21897, 22627, 24054, 24061, 24064, 24075, 24088, 24091, 24098, 24104, 24127, 24131, 24137, 24144 \begin@bidi@stack 5122, 5132, 5133, 5146, 5156, 5157 \begingroup 6, 119, 201, 302, 315, 379, 391, 452, 512, 529, 663, 689, 803, 891, 907, 1055, 1146, 1173,	1305, 1486, 1838, 1839, 1974, 2078, 2269, 2295, 2321, 2347, 2415, 2428, 4392, 4681, 4689, 4697, 5076, 5104, 5123, 5147, 5389, 5414, 5764, 5810, 5817, 5847, 5863, 5879, 5922, 5930, 5963, 6013, 6141, 6349, 6351, 6381, 6391, 6401, 6531, 6604, 6628, 6643, 6709, 6720, 6732, 6753, 6763, 6774, 6924, 7038, 7050, 7085, 7454, 7873, 8119, 8148, 8177, 8551, 8568, 8584, 8596, 8629, 8933, 8993, 9000, 9007, 9037, 9148, 9172, 9325, 9349, 9553, 9613, 9628, 9717, 9836, 9890, 9899, 10089, 10148, 10977, 11003, 11200, 11213, 11312, 11409, 11468, 13268, 13278, 13327, 13337, 13597, 13613, 13706, 13846, 13884, 13968, 13984, 14235, 14244, 14403, 14418, 14492, 14544, 14577, 14719, 14772, 14946, 14962, 15132, 15411, 15422, 15433, 15444, 15542, 15562, 15600, 15633, 15664, 15695, 15929, 15944, 16073, 16099, 16168, 16198, 16386, 16751, 17541, 17671, 17772, 17869, 18079, 18083,
---	---	--



18087,	18443,	15399,	15781,	11203,	11218,
18491,	18788,	15817,	15849,	11233,	11236,
19002,	19026,	15878,	15904,	11245,	11472,
19148,	19289,	15910,	15917,	11495,	11501,
19374,	19398,	16114,	16355,	11510,	13602,
19528,	19590,	16767,	16828,	13616,	13627,
19605,	19715,	16831,	16867,	13632,	13640,
19775,	19790,	16958,	16966,	16068,	19007,
20111,	20257,	17157,	17483,	19029,	19379,
20370,	20429,	17647,	17649,	19401,	19575,
20851,	20997,	18565,	18690,	19594,	19608,
21131,	21190,	18697,	18702,	19779,	19793,
21624,	21770,	18784,	18785,	19824,	19829,
21896,	21955,	18786,	19954,	19837,	23155,
22444,	22561,	19964,	19975,	23268,	23699,
22585,	22724,	19982,	20474,	23703,	23708,
23151,	23263,	21235,	22000,	23737,	23741, 23746
23789,	23906,	22336,	22358,	\bgroup	171,
24246,	24289,	22397,	22519,	172,	379, 394, 399,
24338,	24450,	24238,	24242,	404,	637, 1196,
24781,	24824, 25035	24281,	24285,	1472,	1751, 1829,
\beginL . . .	176, 1471,	24338,	24343,	1860,	1869, 2108,
1868,	2997, 3009,	24350,	24355,	2112,	2119, 2457,
3021,	4045, 4322,	24606,	24609,	2479,	2502, 2968,
5002,	7735, 7779,	24612,	24629,	2975,	2981, 2987,
9821,	9850, 9856,	24636,	24661,	3349,	3485, 3532,
9858,	9890, 13787,	24975,	25009,	3539,	3573, 3610,
13898,	13913,	25026,	25028,	4014,	4299, 4641,
14080,	14912,	25089,	25105,	4763,	8865, 9083,
14918,	14927,	25124,	25127, 25135	9097,	9750, 9822,
14947,	14963,	\belowcaptionskip .	.	13898,	13899,
14973,	15766,	16365,	13913,	14369,
16355,	18492,	17637,	17654,	14597,	16755,
18555,	18690,	20487,	20495,	16757,	16794,
18696,	18712,	20587,	20600,	16828,	16831,
18788,	19960,	21248,	21256,	16877,	17884,
19971,	19978,	21349,	21362,	18503,	18698,
19988,	22512,	22013,	22021,	18704,	18708,
24237,	24242,	22114,	22127, 25129	18714,	18718,
24244,	24338,	\belowdisplayshortskip	.	18723,	18726,
24343,	24349,	... 7162, 7171, 8381	.	18731,	18976,
24365,	24931,	\belowdisplayskip .	.	19426,	22336,
25009,	25089, 25105	7163,	22344,	22352,
\beginR .	174, 336, 348,	7176,	7211, 8386	22358,	22389,
379,	404, 1472,	\bf . . .	4328, 18561, 18563	22393,	22397,
3225,	3233, 3241,	\bfseries	25,	23898,	24351,
3416,	4651, 7735,	303,	516, 532, 561,	24357,	24361,
7823,	9748, 9822,	564,	668, 692, 894,	24367,	24371,
9851,	9856, 9865,	912,	1151, 1176,	24377,	24380,
9871,	9890, 10970,	4053,	4502, 4972,	24386,	24450,
11920,	13923,	8611,	9153, 9175,	24456,	24636,
14914,	14919,	9330,	9352, 9477,	24645,	24653, 24661
14976,	15015,	9489,	9617, 9631,	\BHFN@OldLTRFootnote	.
15022,	15391,	9663,	9669, 9677,	. 14425, 14440, 14446	.



\BHFN@OldRTLFootnote 14426, 14443, 14449	\bidi@@diagbox@triple@setbox@SE@baba@lar@666, 6072 10894, 10901	\bidi@AfterEndEnvironment 6058,
\bib@after@hook 20415, 20417, 21176, 21178, 21941, 21943	\bidi@@diagbox@triple@setbox@SE@tabular@i6@1@i6125 10897, 10900, 10908	\bidi@AfterEndPreamble 6018,
\bib@before@hook 20365, 20416, 21126, 21177, 21891, 21942	\bidi@@end .. 6069, 6073	6021, 6024, 6026, 6041, 7109, 8625, 8648
\bib@beginhook 20358, 20364, 21119, 21125, 21884, 21890	\bidi@@footnotetext@font 38, 241, 2152, 2201, 8049, 14255, 14262, 14353	\bidi@afterendpreamblehook 6018,
\bib@endhook 20419, 21180, 21945	\bidi@@loadwithoptions 6623, 6630, 6633, 6637	6019, 6025, 6027
\bib@heading 20360, 21124, 21889	\bidi@@LTRfootnotetext@font 68, 270, 2186, 2233, 8067, 14256, 14295, 14339	\bidi@AfterFile 3028, 3381, 6697, 14451, 20582, 21344, 22109
\bibcleanup .. 18287	\bidi@@null .. 6241, 6242	\bidi@AfterFooter 5997, 25107
\bibentry .. 7921, 7923, 7940, 7942, 7959, 7961, 7991, 7993	\bidi@@onefilewithoptions ... 6645, 6648, 6651	\bidi@afterfooterhook .. 5997, 5998, 25108
\bibfont .. 18266	\bidi@@patchcmd 5812, 5814	\bidi@AfterLastShipout ... 6043, 6049, 6055
\bibindent .. 5006, 5007	\bidi@@RTLfootnotetext@font 52, 255, 2169, 2217, 8085, 14257, 14279, 14325	\bidi@afterlastshipouthook 6043, 6044, 6050, 6056
\bibitem@fin .. 18281	\bidi@@thebibliography@font 88, 291, 573, 708, 971, 1221, 2517, 5014, 9194, 9382, 9691, 11253, 11524, 13655, 16031, 17683, 18268, 19053, 19447, 19641, 19844, 20374, 21135, 21900, 22630, 24481	\bidi@AfterOutputBoxOutputPage 5991, 5992, 14015, 25099
\biblio@font 85, 288, 16028	\bidi@@AfterOutputBoxOutputPage 6043, 6044, 6050, 6056	\bidi@AfterOutputPageShipOut . 6001, 14017, 25111
\bibliographyitemlabel 5008, 5015	\bidi@@AfterOutputPageshipouthook 6001, 6002, 14018, 25112	\bidi@AfterPackage 6745
\bibname .. 8467, 8468, 9191, 9192, 9379, 9380, 9688, 9689, 11521, 11522, 13652, 13653, 19050, 19051, 19444, 19445, 19638, 19639, 19841, 19842	\bidi@@AfterPackage 6015, 6016, 16299	\bidi@AfterPreamble .. 6015, 6016, 16299
\bibpostamble .. 18282	\bidi@@AfterReadingMainAux 7027, 7030	\bidi@AfterReadingMainAux 7027, 7030
\bibpreamble 18265, 20361, 20362, 21121, 21122, 21886, 21887	\bidi@@addto@envbody ... 5118, 5136, 5138	\bidi@append .. 5924, 5974
\bibsection 8462, 8465, 8467, 8468, 17681, 18263, 22624, 22626	\bidi@@addto@long@envbody ... 5142, 5160, 5162	\bidi@append@cslist@to@cslist 6362, 6435
\bidi@convert@dimen@t@pt 5327	\bidi@@AfterAtEndOfClass 6712, 6717	\bidi@append@list@to@list 6358, 6444
\bidi@convert@dimen@t@uni 5324	\bidi@@AfterAtEndOfPackage 6756, 6760	\bidi@append@list 6337, 6356
\bidi@diagbox@double@ii 10852, 10856	\bidi@@AfterClass .. 6700	\bidi@append@toks@cs@to@list 6366
\bidi@diagbox@double@iii 10855, 10863	\bidi@@AfterEndDocument 6058, 6061, 6065, 6071	\bidi@appto .. 5700, 5744, 6023, 7067
\bidi@diagbox@triple@setbox@SE@baba@lar@666, 6072 10872, 10875, 10879	\bidi@@AfterEndDocumentCheck ... 5055, 6030, 6035	\bidi@check@document 5920, 5921, 22540
	\bidi@@AfterEndDocumentCheck ... 6030, 6031, 6036	\bidi@check@timesetcorrect 6334, 6337



\bidi@AtBeginEnvironment 6075, 6087	\bidi@BeforeClosingMainAux\bidi@counter@page 6990, 7001, 5069, 5098
\bidi@AtEndEnvironment 6091, 6101	7005, 7008, 7016, 7019	\bidi@cs@a ... 6243, 6244
\bidi@AtEndOutputPage 5099, 6004, 14023, 25117	\bidi@BeforeFile .. 6696 \bidi@BeforeFooter 5994, 25100	\bidi@cs@e 6414, 6415, 6417, 6418, 6421, 6423
\bidi@atendoutputpagehook 6004, 6005, 14024, 25118	\bidi@beforefooterhook .. 5994, 5995, 25101	\bidi@cs@lista 6387, 6388, 6389, 6390, 6399, 6400
\bidi@AtEndPreamble 4197, 5977, 5980, 6009, 6011, 6016, 7107, 7905, 16368, 18042, 18101	\bidi@BeforeHeader . 5985, 14007, 25083	\bidi@cs@listb 6384, 6386
\bidi@autofootnoterulefalse . 14183, 14187, 14190	\bidi@beforeheaderhook 5985, 5986, 14008, 25084	\bidi@cs@liste 6382, 6387
\bidi@autofootnoteruletrue 14205	\bidi@BeforeOutputBoxOutputPage 5988, 14011, 25095	\bidi@csappto 5744
\bidi@backslash 6158, 6159	\bidi@beforeoutputboxoutputpagehook 5988,	\bidi@csarg 6170, 6186, 6260, 6267,
\bidi@beamer@blacktriangle 2699, 2713, 2714, 2715	\bidi@beforeoutputboxoutputpagehook 5989, 14012, 25096	\bidi@BeforeOutputBoxOutputPage 6285, 6290, 6295, 6300, 6306, 6311, 6378, 6389, 6399,
\bidi@beamer@frametitleshade 3585, 3630	\bidi@BeforeOutputPageShipOut \bidi@csdefcs 5395 . 5982, 13989, 25041	6408, 6418, 6422, 6426
\bidi@beamer@Gm@lmargin 1956, 1983, 1986, 2063	\bidi@beforeoutputpageshipout 5982, 5983, 13990, 25042	\bidi@cseappto 5745, 5748
\bidi@beamer@Gm@rmargin 1964, 2072	\bidi@BeforePackage 6743	\bidi@cspreto 5754, 5757
\bidi@beamer@leftskip 1527, 1541, 1545, 1563, 1581, 1587, 1685, 1703, 1710, 2672, 2693, 2696, 2809, 3459, 3460, 3608	\bidi@bswitch . 6300, 6302	\bidi@csgappto . 5746, 6076, 6092, 6106, 6116
\bidi@beamer@ragged 1510, 1726, 1735, 1744, 2103, 2469, 2495, 2510, 2529, 2543, 2722, 2744, 3037, 3045, 3056, 3139, 3999, 24391, 24401, 24411, 24412, 24560, 24569, 24578, 24587	\bidi@CharsBefore . 6215, 6217, 6218, 6223, 6227, 6228, 6233	\bidi@csgpreto 5755
\bidi@beamer@rightskip 2680, 2809, 3461, 3462, 3609	\bidi@CharsBeforeNC 6216	\bidi@cslet 5401
\bidi@beamer@today ... 3182, 3203, 3210	\bidi@clearpage 6052, 6054	\bidi@csletcs 5398
\bidi@BeforeBeginEnvironment 6105, 6113	\bidi@collect@@body 5124, 5131	\bidi@csname 6182, 6333, 6339, 6384, 6418
\bidi@BeforeClass . 6698	\bidi@collect@body 5119	\bidi@cspreto 5753
	\bidi@collect@long@@body 5148, 5155	\bidi@csprotect ... 6487
	\bidi@collect@long@body 5143	\bidi@csundef
	\bidi@column@check@number . 24698, 24714, 24716, 24718, 24730 1520, 1522, 1524, 1548, 1550, 1552, 1554, 1556, 1558, 1560, 1678, 1680, 1682, 1715, 1717, 1719, 2688, 2690, 2707, 2709, 2711, 2755, 2757, 2759, 2806, 2880, 2945, 2947, 2949, 2951, 2953, 2955, 2957, 2959, 3051, 3180, 3332, 3358, 3409, 3437, 3439, 3441, 3443, 3557, 3593, 3647, 3649, 3735, 3737, 3830, 5908
	\bidi@column@status . 4136, 4140, 24700	\bidi@csuse 5687, 6082, 6096, 6109, 6120
	\bidi@column@type . 24715, 24720, 24731	\bidi@csswitch . 6295, 6297
	\bidi@columnwidth . 11575, 11577, 11919, 11923, 13462, 13473	\bidi@csxappto 5747, 5749
	\bidi@copy@stacktop 6420	\bidi@csxpreto 5756, 5758
	\bidi@copyins@amount .. 14791, 14792, 14793, 14796, 14801, 14802, 14814	



\bidi@current@column@status .	24700, 24703, 24736	11828, 11832, 11840, 11866, 11913, 11918, 11928, 11957, 11983, 11998, 12004, 12030, 12054, 12074, 12114, 12132, 12140, 12146, 12179, 12235, 12261, 12276, 12282, 12308, 12332, 12352, 12393, 12413, 12421, 12200, 12210, 12251, 12271, 12279, 12285, 12320, 12342, 12377, 12403, 12418, 12424, 12450, 12462, 12484, 12519, 12535, 12555, 12560, 12566, 12592, 12616, 12636, 12677, 12697, 12705, 12711, 12746, 12768, 12803, 12829, 12844, 12850, 12876, 12900, 12920, 12961,	11829, 11838, 11865, 11884, 11916, 11926, 11932, 11973, 11993, 12001, 12007, 12042, 12064, 12099, 12123, 12137, 12143, 12168, 12190, 12210, 12251, 12271, 12279, 12285, 12320, 12342, 12377, 12403, 12418, 12424, 12450, 12474, 12494, 12535, 12555, 12563, 12569, 12604, 12626, 12661, 12687, 12702, 12708, 12734, 12758, 12778, 12819, 12839, 12847, 12853, 12888, 12910, 12945, 12971,	12981, 12989, 12995, 13030, 13042, 13052, 13062, 13087, 13103, 13113, 13123, 13128, 13134, 13160, 13184, 13204, 13219, 13230, 13349, 13379, 13395, 13403, 13442, 13467, 13487, 13508, 13518, 13529, 13530, 13379, 13391, 13395, 13403, 13442, 13467, 13487, 13508, 13518, 13529, 13530, 5419, 11747, 11830, 5726, 5739, 5754, 6196, 6197, 6196, 6197, 6196, 6201, 5421, 5672, 6270, 6377, 6546, 3941, 3942, 4267, 4268, 6784, 6785, 6805, 6841, 6858, 6866, 6876, 6898, 6899, 6907, 6908, 6913, 6926, 5692, 5703, 5707, 5711, 5715, 5725, 5729, 5733, 5737, 5958, 14031, 14049, 4134, 4142, 10070, 10129, 13837, 13873, 14708, 14761, 17760, 17856, 24707, 24770, 24813, 11576, 13267, 13326, 13590
-------------------------------	---------------------	---	---	---



\bidi@font@@outputpage		\bidi@info	5423	16540,	16543,
. 13997, 25032, 25074		\bidi@init@mult@footins@l		16546,	16549,
\bidi@footdir@footnote		18115, 18129	16552,	16555,
. 79, 282, 2247,		\bidi@init@mult@footins@r	16558,	16561,
14310, 14312, 14316		18111, 18127		16564,	16567,
\bidi@fswitch . 6311, 6313		\bidi@invert@csstack		16570,	16573,
\bidi@gappto	6430	16576,	16579,
5093, 5708, 5746,		\bidi@IsEmptyList . 6244		16582,	16585,
5977, 5982, 5985,		\bidi@isloaded		16588,	16591,
5988, 5991, 5994,		... 5838, 16418,		16594,	16597,
5997, 6001, 6004,		16419, 16420,		16600,	16603,
6018, 6030, 6043, 6058		16421, 16422,		16606,	16609,
\bidi@gobbleopt 6947, 6956		16423, 16424,		16612,	16615,
\bidi@gpreto . . 5730, 5755		16425, 16426,		16618,	16621,
\bidi@hook@acma 6971,		16427, 16428,		16624,	16627,
7015, 7028, 7029, 7034		16429, 16430,		16630,	16633,
\bidi@hook@bcma 6965,		16431, 16432,		16636,	16639,
7014, 7017, 7018, 7024		16433, 16434,		16642,	16645,
\bidi@hooktocmd . .		16435, 16436,		16648,	16651,
. 5924, 5932, 5934		16437, 16438,		16654,	16657,
\bidi@hooktocmd@i .		16439, 16440,		16660,	16663,
. 5948, 5962		16441, 16442,		16666,	16669,
\bidi@hop@ES . . 6204, 6206		16443, 16444,		16672,	16675,
\bidi@ifblank@i . .		16445, 16446,		16678,	16681,
. 5367, 5368, 5370		16447, 16448,		16684,	16687,
\bidi@ifdefmacro 5373,		16449, 16450,		16690,	16693,
5375, 5376, 5377		16451, 16452,		16696,	16699,
\bidi@ifdefparam 5891,		16453, 16454,		16702,	16705, 16708
5893, 5894, 5895		16455, 16456,		\bidi@lastcolumn@status@write	
\bidi@ifdefprotected		16457, 16458,		4138, 4143, 10074,	
. 5900,		16459, 16460,		10135,	13841,
5902, 5903, 5904		16461, 16462,		13879,	14714,
\bidi@ifEmpty . . 6243		16463, 16464,		14765,	17764,
\bidi@ifempty . . 6241		16465, 16466,		17862,	24774, 24819
\bidi@ifEmptyX . . 6242		16467, 16468,		\bidi@leave@mult@copyins	
\bidi@ifhashcheck .		16469, 16470,	 18097, 18189	
. 5777, 5862, 5945		16471, 16472,		\bidi@leave@mult@footins@vl	
\bidi@ifhashcheck@i		16473, 16474,	 18107, 18185	
. 5866, 5868		16475, 16476,		\bidi@leave@mult@footins@vr	
\bidi@ifhashcheck@ii		16477, 16478,	 18103, 18181	
. 5870,		16479, 16480,		\bidi@left@footnoterule	
5873, 5874, 5875		16481, 16482,		. 16846, 16852, 16857	
\bidi@ifNextChar . . 6251		16483, 16484,		\bidi@leftskip . .	
\bidi@ifpatchable .		16485, 16486,		.. 23156, 23158,	
. 5766, 5768, 5815		16487, 16488,		23160,	23161,
\bidi@ifpatchable@i		16489, 16490,		23271,	23328,
. 5766, 5787		16491, 16494,		23330,	23366,
\bidi@ifpattern 5779, 5878		16497, 16500,		23367,	23399, 24389
\bidi@ifscanable 5776,		16503, 16506,		\bidi@length@of@csstack	
5797, 5846, 5944		16509, 16512,		... 6426, 6427, 6430	
\bidi@in@front@of@cslist		16515, 16519,		\bidi@length@of@stack	
. 6390, 6391		16522, 16525,	 6426, 6440	
\bidi@in@front@of@list		16528, 16531,		\bidi@load@hook 6616,	
. 6389		16534, 16537,		6619, 6652, 6689	



\bidi@loadwithoptions ... 6624, 6625, 6630	\bidi@LTrrigidbalance .. 11922, 12063,	\bidi@makecolbf 13570, 13584
\bidi@local@in@front@of@list 6394, 6411	12073, 12199, 12209, 12341,	\bidi@matrix@check 5175, 24466
\bidi@local@push@onto 6410	12351, 12483, 12493, 12625,	\bidi@matrix@error 5177, 5181
\bidi@looprepeat@comp ... 6504, 6540, 6545	12635, 12767, 12777, 12909,	\bidi@mopfn@bottom 11887,
\bidi@looprepeat@csarg 6482, 6534	12919, 13051, 13061, 13193, 13203	13499, 13535, 13548, 13585, 13586
\bidi@looprepeat@csargromannumeral 6484, 6499, 6500, 6501, 6502, 6503, 6506, 6511, 6512, 6513, 6514, 6515, 6517, 6523, 6536, 6538, 6539, 6540, 6547, 6548, 6550, 6555, 6563	\bidi@make@eightcol@LTRfootgroup 12791, 12905	\bidi@mopfootnotebf 13544, 13578
\bidi@looprepeat@csromannumeral 6483, 6507, 6515, 6518, 6534, 6562	\bidi@make@fivecol@LTRfootgroup 12365, 12479	\bidi@mopfootnoterule 2196, 2212, 2228,
\bidi@looprepeat@depth 6483, 6484, 6486, 6498, 6524	\bidi@make@footstart@ 11896, 11912	14087, 14321, 14335, 14349,
\bidi@looprepeat@dxbody 6507, 6511	\bidi@make@fourcol@LTRfootgroup 12223, 12337	14387, 16932, 22538
\bidi@looprepeat@setup 6504, 6530	\bidi@make@make@mpweightcol@LTRfootgroup 12799, 12915	\bidi@mswitch . 6306, 6308
\bidi@looprepeat@sign ... 6504, 6515, 6545	\bidi@make@mpfivecol@LTRfootgroup 12373, 12489	\bidi@mpticolumn@align@columns 17984,
\bidi@looprepeat@tmp 6505, 6506, 6533, 6535, 6538, 6543, 6550, 6553, 6555, 6558	\bidi@make@mpfourcol@LTRfootgroup 13264, 13323, 13487	\bidi@n@everypar .. 18692, 18693,
\bidi@looprepeat@traceexit 6489, 6524	\bidi@make@mpninecol@LTRfootgroup 12941, 13057	18694, 18695, 24345,
\bidi@looprepeat@traceinit 6489, 6497	\bidi@make@mpsevencol@LTRfootgroup 12057, 12205	24346, 24347, 24348
\bidi@looprepeat@zero ... 6504, 6523, 6561	\bidi@make@mptencol@LTRfootgroup 13083, 13199	\bidi@namedef 6127
\bidi@lst@caption@direction 16317, 16318, 16330, 16333	\bidi@make@mptthreecol@LTRfootgroup 11953, 12069	\bidi@namedef 6129
\bidi@lst@caption@script 16324, 16325, 16341, 16344	\bidi@make@mpsixcol@LTRfootgroup 12933, 13047	\bidi@namelongdef . 5404
\bidi@lst@ensure@caption@direction ... 16328, 16353, 16355, 16357, 16376, 16380, 16387, 16396	\bidi@make@para@footstart@ 13253, 13308, 13467	\bidi@namelongedef 5408
\bidi@lst@ensure@caption@script ... 16339, 16351, 16395	\bidi@make@paratrigroup 13255, 13310, 13508	\bidi@namelonggdef 5406
	\bidi@make@paratrigroup 13253, 13308, 13467	\bidi@namelongxdef 5410
	\bidi@make@paratrigroup 12649, 12763	\bidi@new@command .
	\bidi@make@sixcol@LTRfootgroup 12507, 12621	\bidi@new@ifnch 5169, 5171
	\bidi@make@tencol@LTRfootgroup 13075, 13189	\bidi@new@ifnextchar
	\bidi@make@threecol@LTRfootgroup 12087, 12195	5166, 24471
	\bidi@make@twocol@LTRfootgroup 11945, 12059	\bidi@newrobustcmd
		5644, 5646, 5648
		5643, 5644, 5668,
		5679, 5700, 5704,
		5708, 5712, 5717,
		5718, 5722, 5726,
		5730, 5734, 5739,
		5740, 5744, 5745,
		5746, 5747, 5748,
		5749, 5753, 5754,
		5755, 5756, 5757,



	\bidi@p@ftntext . . .	5809, 6033, 6046,
	. . . 4642, 4659, 4764	6063, 6080, 6094,
	\bidi@p@LTRftntext	6118, 7338, 10850,
	. . . 4643, 4662, 4765	10853, 10870,
	\bidi@p@RTLftntext	10873, 10876,
	. . . 4644, 4665, 4766	10892, 10895,
	\bidi@p@xfootnote .	10898, 10916,
	. . . 4646, 4680, 4768	10924, 10932,
	\bidi@p@xftntext 4645,	10941, 10950,
	4670, 4685, 4767	10959, 15059,
	\bidi@p@xLTRfootnote	15959, 15967,
	. . . 4648, 4688, 4770	15975, 15983,
	\bidi@p@xRTLftntext	15991, 16000,
 4647,	16008, 16017,
	4673, 4693, 4769	16275, 16281,
	\bidi@p@xRTLfootnote	16289, 16369,
 4650, 4696, 4772	16382, 16838,
	\bidi@p@xRTLftntext	18123, 18132,
 4649,	18153, 18160,
	4676, 4701, 4771	18167, 18175,
	\bidi@page@count 5036,	18329, 18434,
	5037, 5071, 5100	22527, 22535, 24837
	\bidi@paraskip . . .	\bidi@patchcmd@scantoks
	. . . 13285, 13344	. . . 5826, 5832, 5970
	\bidi@patch@@AfterPackage	\bidi@pdfencrypt@keylength
 7079, 7084 4062, 4215
	\bidi@patch@Add 7066, 7095	\bidi@pdfencrypt@ownerpassword
	\bidi@patch@AfterPackage 4059, 4202, 4214
 7069, 8017,	\bidi@pdfencrypt@permissionflags
	8019, 8022, 8043, 4065, 4216
	8194, 8244, 8300, 8544	\bidi@pdfencrypt@userpassword
	\bidi@patch@counter 4056, 4203, 4213
 7047, 7051,	\bidi@pdfm@mark 4340, 4355
	7054, 7060, 7061, 7080	\bidi@pickescape . . 6191
	\bidi@patch@gtemp .	\bidi@pop@cs@into .
 7087, 7094 6414, 6433
	\bidi@patch@list 7065,	\bidi@pop@into 6417, 6443
	7067, 7105, 7107, 7114	\bidi@pos . . 5425, 5433,
	\bidi@patch@OrgIfClassLater	5461, 5487, 5515,
 7113, 7118	5541, 5544, 5578, 5581
	\bidi@patch@OrgIfClassLoaded	\bidi@poscount . . 5427,
 7112, 7117	5430, 5433, 5450,
	\bidi@patch@OrgIfPackageLater	5452, 5461, 5475,
 7111, 7116	5477, 5484, 5487,
	\bidi@patch@OrgIfPackageLoaded	5504, 5506, 5515,
 7110, 7115	5529, 5531, 5538,
	\bidi@patch@stepcounter	5541, 5544, 5561,
 7049, 7059, 7078	5563, 5567, 5569,
	\bidi@patch@temp ..	5578, 5581, 5595,
 7077, 7081	5597, 5601, 5603,
	\bidi@patch@try 7096, 7099	5610, 5612, 5613,
	\bidi@patchcmd . . .	5615, 5616, 5619,
	. . . 171, 179, 188,	5620, 5627, 5629, 5630
	338, 1838, 5808,	\bidi@prepend . . 5932, 5975



\bidi@prepend@cslist@to@cs	\bidi@raggedleft ..	
..... 6364 4949, 4956,	5826, 5827, 5828,
\bidi@prepend@list@to@list	4961, 4980, 10549,	5833, 5836, 5848,
..... 6360	10665, 13805,	5849, 5850, 5851,
\bidi@prepend@to@list	13811, 15175, 24604	5852, 5854, 5855,
..... 6357	\bidi@raggedright ..	5864, 5866, 5880,
\bidi@prepend@toks@cs@to@list	.. 13803, 13809,	5881, 5883, 5885,
..... 6367	18197, 18200,	5886, 5964, 5965,
\bidi@preto	18202, 18205,	5966, 5967, 5968,
... 5722, 5753, 6007	18207, 18209,	5969, 5970, 5971, 5972
\bidi@pretocmd . 5928,	18212, 18214,	\bidi@resrvdb . 5820, 5821
5929, 6108, 6150	18216, 18218,	\bidi@restore@newpage
\bidi@PreventPackageFromLoading	18221, 18223,	... 6966, 6983, 7013
..... 6787,	18225, 18227,	\bidi@restorecatcode
6801, 6831, 6864	18229, 18232, 6175
\bidi@process@envbody	18234, 18237,	\bidi@right@footnoterule
..... 5121,	18239, 18242,	. 16847, 16850, 16859
5125, 5126, 5140,	18244, 18246,	\bidi@rightskip 23152,
5145, 5149, 5150, 5164	18249, 18251,	23264, 23332,
\bidi@protected ...	18253, 18256,	23333, 23345,
... 5695, 5717,	18258, 18260, 24603	23349, 23353, 24390
5718, 5739, 5740,	\bidi@rcol@copyinsskip	\bidi@RTL@everypar
5748, 5749, 5757, 5758 14671,	.. 13356, 13368,
\bidi@protected@cseappto	14676, 14685, 14734	13380, 13411,
..... 5748	\bidi@redefine@newpage	13430, 13444,
\bidi@protected@csepreno 6981, 7021	18690, 18694,
..... 5757	\bidi@reflect@box ..	22276, 24343, 24347
\bidi@protected@csxappto	.. 18769, 18776,	\bidi@s@tfftextcol
..... 5749	24433, 24440, 24442 14028, 14032
\bidi@protected@csxpreto	\bidi@reinsert@footnotesv@l	\bidi@saved@checkend
..... 5758	.. 18121, 18130,	... 6958, 6961, 6979
\bidi@protected@eappto	18158, 18165, 18172	\bidi@saved@clearpage
..... 5717	\bidi@reinsert@footnotesv@r	... 6963, 6964, 6967
\bidi@protected@epreno	.. 18119, 18128,	\bidi@saved@ofilelist
..... 5739	18157, 18164, 18171 6969,
\bidi@protected@immediate	\bidi@renew@command	6972, 6973, 6980
... 7020, 7031, 7037	... 5668, 5670, 5684	\bidi@saved@eqno ..
\bidi@protected@xappto	\bidi@renewrobustcmd 18780,
..... 5718 5668	18782, 18783,
\bidi@protected@xpreto	\bidi@ReplaceClass 6671	25130, 25132, 25133
..... 5740	\bidi@replacefile@msg	\bidi@saved@leqno ..
\bidi@provide@command 6608, 18781,
..... 5679, 5681	6632, 6647, 6685	18782, 18783,
\bidi@providerobustcmd	\bidi@ReplaceInput 6655	25131, 25132, 25133
..... 5679	\bidi@ReplacePackage	\bidi@saved@newpage
\bidi@push@begins 6668 6982, 6993
... 5128, 5129, 5132	\bidi@RequirePackage	\bidi@saved@RequirePackage
\bidi@push@cs@onto@cs	... 6807, 6867, 6918	... 6786, 6806,
..... 6407, 6434	\bidi@ResetPreventPackageFromLoading	6817, 6869, 6871, 6949
\bidi@push@long@begins 6859,	\bidi@sepmark@charclass
... 5152, 5153, 5156	6865, 6874, 6913 4189,
\bidi@push@onto ... 6408	\bidi@resrvda	4190, 4191, 4195
\bidi@push@onto@cs	5818, 5819, 5820,	\bidi@set@column@status
..... 6408, 6409	5823, 5824, 5825,	. 24702, 24730, 24735



\bidi@set@cslist	6400, 6401	\bidi@temptoksb 6164, 6433, 6434, 6435, 6436	\bidicolor 9816, 9872, 9887, 9889,
\bidi@set@list 6399		\bidi@todonotes@tempa	14029, 24286,
\bidi@set@load@hook	6693, 6696, 6697, 6699, 6718, 6730, 6744, 6761, 6772	\bidi@todonotes@tempb	24333, 24336, 24337
\bidi@SOUL@ulleaders	22317, 22323	\bidi@tok@SM .. 6382, 6387	\bidics 6159
\bidi@stack@length	6425, 6427, 6428, 6432, 6433, 6442, 6443	\bidi@toks@lista	\bididate . 3909, 3911, 3926, 3990, 3993, 4234, 4252, 4331, 4334
\bidi@star@footmarkwidth	11734, 11793, 11955, 12097, 12233, 12375, 12517, 12659, 12801, 12943, 13085, 13288, 13347	\bidi@toks@listb	\bidiGscale@@box 14995, 14996
\bidi@storecatcode 6168		\bidi@undef 2717, 2740, 2811, 3260, 5828, 5907, 5972, 6012, 6027, 23011, 23012, 23172,	\bidiGscale@box 14972, 14973, 14992
\bidi@StorePreventPackageFromLoading	6875, 6878	\bidi@undefined 5907, 5909	\bidiGscale@box@dd 15004, 15008, 15014
\bidi@StringBefore 6226		\bidi@undefinedcs	\bidiGscale@box@dddd 15010, 15021
\bidi@StringBeforeNC	6214	\bidi@UnDefinedPackageFromLoading	\bidillap 24619
\bidi@switch	6274, 6285, 6287, 6292	\bidi@UnLoadPackageFromLoading	\bidipdfinfooff 4352
\bidi@switch@exit	6284, 6285, 6286, 6290, 6291, 6295, 6296, 6300, 6301, 6306, 6307, 6311, 6312	\bidi@UnLoadPackageFromLoading	\bidipdfinfoon 4351, 4357
\bidi@t@w@w	6335	\bidi@UnLoadPackageFromLoading	\bidipoem@@hvlen 8789, 8795, 8798, 8801, 8810
\bidi@tabular@RTLcases	24446, 24473	\bidi@UnLoadPackageFromLoading	\bidipoem@half@verses 8815, 8816, 8819
\bidi@tempa	4071, 4077, 4083, 4089, 4095, 4101, 4113, 4119, 4125, 4132, 4146, 4153, 4163	\bidi@UnLoadPackageFromLoading	\bidipoem@half@verses@next 8815, 8816, 8817
\bidi@tempb	4071, 4072, 4077, 4078, 4083, 4084, 4089, 4090, 4095, 4096, 4101, 4102, 4113, 4114, 4119, 4120, 4125, 4126, 4132, 4133, 4146, 4147, 4153, 4154, 4163, 4164	\bidi@UnReplaceClass	\bidi@hvlen 8789, 8792, 8793, 8801, 8802, 8805, 8808
\bidi@tempcountb 6162, 6431, 6432, 6441, 6442		\bidi@UnReplaceInput	\bidi@hvlen 8788, 8795, 8806, 8809
\bidi@temptoksa 6163, 6431, 6434, 6435, 6436, 6438, 6441, 6445		\bidi@UnReplacePackage	\bidi@hvsep 8801, 8802, 8809
		\bidi@version .. 3910, 3911, 3926, 3943, 3945, 3951, 3957, 3990, 3993, 3996, 4236, 4252, 4272, 4274, 4331, 4334, 4337	\bidi@next .. 8794, 8795
		\bidi@w@w	\bidi@openbox 8833, 8838
		\bidi@warning .. 5422, 6085, 6099, 6111, 6123	\bidi@p@ftn 8840, 8850, 8974, 8975, 8977, 8978, 8980, 8981, 8984, 8987, 8990, 9095, 15632, 15642, 15663, 15673, 15694, 15704
		\bidi@willbeunskip	\bidi@p@ftntext 8867, 8878, 8973, 9084, 9098, 15630
		\bidi@x@stack@to@list	\bidi@p@LTRftntext 8868, 8879, 8976, 9085, 9099, 15661
		\bidi@xappto	\bidi@p@RTLftntext 8869, 8880, 8979, 9086, 9100, 15692
		\bidi@xargdef .. 5650, 5658	\bidi@p@xfootnote 8882, 8992, 9088, 9102
		\bidi@xparaskip	
		\bidi@xpreto	
		\bidi@xpreto	



\bidipoem@p@xftntext		
.... 8870, 8881,	\bmb@box .. 1768, 1773,	2087, 2094, 2360,
8983, 8997, 9087, 9101	1774, 1775, 1778,	2364, 2412, 2425,
\bidipoem@p@xLTRfootnote	1779, 1783, 1784,	2442, 2447, 2818,
..... 8873,	1785, 1791, 1792,	2824, 2864, 3634,
8884, 8999, 9090, 9104	1804, 1810, 1814, 1829	4046, 4323, 7663,
\bidipoem@p@xLTfnttext	\bmb@colorbox	9723, 9787, 9855,
.... 8872, 8883,	\bmb@dima . 1788, 1801,	10012, 10015,
8986, 9004, 9089, 9103	1804, 1805, 1806,	10032, 10036,
\bidipoem@p@xRTLfootnote	1807, 1818, 1819, 1820	10071, 10075,
..... 8875,	\bmb@dimb	10081, 10082,
8886, 9006, 9092, 9106	1789,	10130, 10136,
\bidipoem@p@xRTLftnttext	1802, 1803, 1806	10140, 10141,
.... 8874, 8885,	\bmb@lower ... 1755, 1831	10367, 10372,
8989, 9011, 9091, 9105	\bmb@prevheight 1776, 1785	10379, 10386,
\bidipoem@set@verse	\bmb@temp	10422, 10706,
... 8795, 8798, 8800	1779,	10727, 10743,
\bidipoem@set@versel	1780, 1781, 1783,	10800, 11918,
..... 8794, 8797	1787, 1788, 1789, 1799	11922, 13216,
\bidipoem@spreadbox	\bmb@upper ... 1760, 1770	13228, 13561,
..... 8784,	\bmb@width 1769, 1778,	13572, 13838,
8806, 8808, 8809, 8810	1787, 1817, 1818, 1829	13842, 13874,
\bidirlap	\bool	13880, 13923,
24618	16958,	14013, 14046,
\biditufefloatDebugInfoNL	16966, 17097,	14051, 14611,
..... 7126,	17114, 17115,	14618, 14621,
7214, 7218, 7513, 7562	17159, 17165,	14635, 14709,
\biditufefloatError	17180, 17203,	14715, 14762,
..... 7125, 7608	17206, 17226,	14766, 14805,
\biditufefloatInfoNL	17231, 17243,	14817, 14828,
... 7126, 7127, 7677	17260, 17261,	14838, 14851,
\biditufefloatRecalculate	17264, 17281,	14923, 14940,
..... 7243, 7254	17306, 17313,	14943, 14986,
\bidituftehyperrefLoadHyperref	17319, 17325,	14989, 15019,
..... 8502, 8513	17335, 17342,	15036, 16363,
\bidituftesidenotemarginpar	17364, 17476,	16771, 16822,
... 7693, 8045, 8204	17479, 17487,	16828, 16838,
\bidituftetocError	17488, 18330,	16840, 16842,
... 8233, 8280, 8289	18416, 18418, 18427	17176, 17434,
\bidiversion .. 3943, 4269	\boolean	17445, 17450,
\bigskip	7126, 7186, 7188,	17484, 17485,
18831	7191, 7195, 7198,	17486, 17487,
\bigskipamount	7201, 7226, 7322,	17489, 17618,
..... 11903, 11908	7337, 7348, 7368,	17652, 17761,
\bl	7375, 7383, 7400,	17765, 17857,
18596, 18597,	7420, 7424, 7442,	17863, 18000,
18600, 18601,	7443, 7446, 7447,	18006, 18021,
18602, 18606,	7482, 7491, 7502,	18029, 18415,
18661, 18668, 18672	8247, 8251, 8299,	18423, 18428,
\blacktriangleleft	8512, 8649, 8718,	18565, 18569,
. 2701, 14513, 14515	8729, 14043, 18449	18585, 18619,
\blacktriangleright	\botmark ... 14022, 25116	18623, 18628,
. 2703, 14513, 14515	\box .. 1783, 1901, 1905,	18632, 18644,
\bm@b	1907, 1915, 1921,	18655, 18669,
24679	1923, 1977, 1981,	18672, 18676,
\bm@l	1983, 2003, 2012,	
24676	2014, 2032, 2041,	
\bm@r	2043, 2081, 2085,	
\bm@t		



18681,	18757,	18653, 18655, 18679, 18680, 18681	\bx@r 7539, 7557, 7598
18773,	18818,	\bx@A 7548, 7589	\bx@RR 7580, 7604
18821,	19885,	\bx@a 7522, 7554, 7595	\bx@S 7512, 7514, 7552, 7593
19894,	19932,	\bx@AA 7561, 7563, 7601	\bx@s 7540, 7558, 7599
19943,	22519,	\bx@B 7548, 7589	\bx@SS 7581, 7605
22565,	22583,	\bx@b 7523, 7554, 7595	\bx@T 7515, 7552, 7593
24230,	24231,	\bx@BB 7564, 7601	\bx@t 7541, 7558, 7599
24241,	24437,	\bx@C 7548, 7589	\bx@TT 7582, 7605
24621,	24771,	\bx@c 7524, 7554, 7595	\bx@U 7516, 7552, 7593
24775,	24814,	\bx@CC 7565, 7601	\bx@u 7542, 7558, 7599
24820,	24839,	\bx@D 7548, 7589	\bx@UU 7583, 7605
24855,	24987,	\bx@d 7525, 7554, 7595	\bx@V 7517, 7552, 7593
25003,	25014,	\bx@DD 7566, 7601	\bx@v 7543, 7558, 7599
25027,	25029,	\bx@E 7548, 7589	\bx@VV 7584, 7605
25093,	25097, 25127	\bx@e 7526, 7554, 7595	\bx@W 7518, 7553, 7594
\boxdef	4544,	\bx@EE 7567, 7601	\bx@w 7544, 7559, 7600
	4546, 4552, 4557, 4562	\bx@F 7549, 7590	\bx@WW 7585, 7606
\boxmaxdepth . . .	10698,	\bx@f 7527, 7555, 7596	\bx@X 7519, 7553, 7594
	10703,	\bx@FF 7568, 7602	\bx@x 7545, 7559, 7600
	10724,	\bx@G 7549, 7590	\bx@XX 7586, 7606
	10808,	\bx@g 7528, 7555, 7596	\bx@Y 7520, 7553, 7594
	13531,	\bx@GG 7569, 7602	\bx@y 7546, 7559, 7600
	13546,	\bx@H 7549, 7590	\bx@YY 7587, 7606
	13770,	\bx@h 7529, 7555, 7596	\bx@Z 7521, 7553, 7594
	14564,	\bx@HH 7570, 7602	\bx@z 7547, 7559, 7600
	14566,	\bx@I 7549, 7590	\bx@ZZ 7588, 7606
	14890,	\bx@i 7530, 7555, 7596	\bye 4355
	24842,	\bx@II 7571, 7602	\bystep 6450,
	24858,	\bx@J 7549, 7590	6462, 6546, 6559,
\br	18596, 18598,	\bx@j 7531, 7555, 7596	6569, 6582, 6595, 6596
	18600,	\bx@JJ 7572, 7602	
	18602,	\bx@K 7550, 7591	C
	18606,	\bx@k 7532, 7556, 7597	\c 17160, 17161,
	18662,	\bx@KK 7573, 7603	17175, 17437, 17518
	18668,	\bx@L 7550, 7591	\c@abspsage 14118
	18676	\bx@M 7533, 7556, 7597	\c@addvipersep 17705,
\BR@b@bibitem . . .	7898, 7899	\bx@N 7575, 7603	17723, 17728,
\BR@bibitem . . .	7901, 7902	\bx@O 7550, 7591	17750, 17780,
\BR@c@bibitem . . .	7903	\bx@MM 7534, 7556, 7597	17805, 17823,
\brace{text}		\bx@N 7555, 7591	17828, 17850, 17877
	4013, 4298, 18696,	\bx@n 7535, 7556, 7597	\c@algocf 168
	18697,	\bx@NN 7576, 7603	\c@chapter 9225,
	24349,	\bx@O 7551, 7592	9227, 9229, 9402,
\break	16728	\bx@P 7536, 7557, 7598	9404, 9406, 9647,
\BreakBibliography		\bx@OO 7577, 7604	9649, 9651, 9652,
		\bx@P 7551, 7592	11479, 11481,
		\bx@P 7537, 7557, 7598	11483, 11484,
		\bx@PP 7578, 7604	13763, 13765,
		\bx@Q 7551, 7592	13767, 14055,
		\bx@Q 7538, 7557, 7598	14057, 14059,
		\bx@QQ 7579, 7604	14060, 14068,
		\bx@R 7551, 7592	14070, 14072,
			14073, 16413,
\breakhere . . .	3227, 3235		17580, 18310,
\breaklooprepeat	6468,		
	6470,		
	6522,		
	6523,		
	6541,		
	6552,		
	6557,		
\breakrepeatloop	6497		
\bs	4512, 4513, 4515		
\bslice	18616,		
	18617,		
	18619,		
	18629,		
	18630,		
	18632,		
	18652,		



19073,	19075,	15445,	15555,	19432,	19632,
19077,	19438,	15563,	15593,	19815,	21093, 21862
19440,	19442,	15601,	16108,	\c@subparagraph	549,
19627,	19629,	16802,	16805,	703,	957, 1216,
19631,	19809,	19090,	19149,	9223,	9400, 9657,
19811,	19813, 19814	19229,	19290,	11366,	11489,
\c@colht	17705,	19486,	19529,	13761,	14065,
17717,	17743,	19716,	20138,	14078,	17577,
17744,	17805,	20259,	20878,	19071,	19436,
17817,	17843, 17844	20999,	21651, 21772	19636,	19819,
\c@curpg 13937, 13964, 13965	\c@Hy@AnnotLevel	15767,	20354,	21101, 21870
\c@DFNsloppiness	10696, 10717	15768,	15773, 15777	\c@subsection	546, 700,
\c@enumiv	574,	\c@L@lines 16248, 16250, 16253	954,	1213, 2579,
581,	709, 716, 972,	\c@ll@chapseci	9897	9220,	9397, 9654,
979,	1222, 1229,	\c@ll@chapsecii	9892	11363,	11486,
2518,	2527, 5025,	\c@lofdepth	22862, 22899	13758,	14062,
9195,	9202, 9383,	\c@lor@error	9861, 9868, 9876,	14075,	17571,
9390,	9692, 9699,	9882,	24278, 24312	19068,	19433,
11254,	11261,	\c@lotdepth	2196, 2212, 2228,	19633,	19816,
11525,	11532,	\c@lstlisting	14321,	20348,	21095, 21864
13656,	13663,	16413, 16415	14335,	\c@subsectionslide	2581
19054,	19061,	\c@LT@chunks	14349,	\c@subsubsection	547,
19448,	19455,	16754	14374,	701,	955, 1214,
19642,	19649,	\c@mpfootnote	16941	9221,	9398, 9655,
19845,	19852,	2196, 2212, 2228,	\c@NAT@ctr	11364,	11487,
20376,	20385,	14321,	18269	13759,	14063,
20392,	21137,	14335,	\c@page	14076,	17573,
21146,	21153,	14349,	8656, 10978,	19069,	19434,
21902,	21911,	14374,	13937,	19634,	19817,
21918,	22631, 22638	16941	13964, 24193, 24983	20350,	21097, 21866
\c@equation	9225, 9402, 9647,	\c@paragraph	548,	\c@table	
11093,	11162,	702,	956, 1215,	9229, 9406, 9651,	
11479,	13763,	9222,	9399, 9656,	11483,	13767,
14055,	14068,	11365,	11488,	14059,	14072,
17580,	19073,	13760,	14064,	17582,	19077,
19442,	19627,	14077,	17575,	19440,	19631,
19809,	21115, 21880	19070,	19435,	19813,	21107, 21876
\c@figure	20352,	19635,	19818,	\c@thisframe	
9227,	9404, 9649,	21099,	21868	..	13936, 13941,
11481,	13765,	\c@part	2553	13977,	13979, 13980
14057,	14070,	\c@poem@no	8925,	\c@tocdepth	3,
17581,	19075,	8967,	9019, 9030	198,	508, 525, 644,
19438,	19629,	\c@secnumdepth	304,	660,	678, 871, 904,
19811,	21104, 21873	551,	9466,	922,	1127, 1143,
\c@footnote	128,	9661,	11223,	1161,	9129, 9145,
318,	453, 745, 804,	11232,	11493,	9161,	9306, 9322,
997,	1056, 1247,	13626,	18835, 19823	9338,	9609, 9624,
1306,	4393, 9240,	\c@section	2578, 9219,	11196,	11210,
9417,	9554, 11313,	9396,	9653, 11485,	11465,	13594,
11410,	13707,	13757,	14061,	13609,	16070,
14396,	14410,	14074,	17569,	17925,	17937,
		18320,	19067,	17949,	18983,
				18999,	19015,
				19355,	19371,



19387,	19587,	\cals@setup@alignment	\caption@make@above
19601,	19771, 9764, 9779 16788
19786,	22707,	\cals@table@alignment	\caption@make@below
22711,	22753, 9769, 9770 16790
22772,	22794,	\cals@tbreak@tokens 9774	\caption@makecaption
22811,	22828,	\cals@tfoot@height 9775 9806, 16398
22845,	23137,	\cals@tfoot@tokens	\caption@normalsize
23249,	23287, 9773, 9790 16784
23787,	23983, 24681	\cals@thead@tokens 9772	\caption@parindent 9809
\c@tracingmulticols		\cals@vfillAdd . 9765,	\caption@prepare@stepcounter
..... 18133, 18151		9767, 9793, 9802 16782
\c@twb	10022	\cals@vfillDrop ...	\caption@setautoposition
\c@twcompctr	10003 9766, 9767, 16780
\c@twcompodctr ..	10019	9795, 9797, 9800, 9804	\caption@starfalse
\c@twfirst ...	10004,	\CAny 4533 16399, 16781
10010,	10017,	\cAny 4541	\caption@startrue .
10021,	10030, 10033	\cap@indent 16400, 16406, 16781
\c@twlfstside	10008	.. 20540, 20548,	\captionabove . 20611,
\c@twlspec		20558, 20561,	20616, 21373,
. 10022, 10025, 10029		20563, 21301,	21378, 22138, 22143
\c@twprune ...	10008,	21309, 21319,	\captionbelow . 20613,
10009, 10025, 10029		21322, 21324,	20618, 21375,
\c@trounds ...	10020,	22066, 22074,	21380, 22140, 22145
10023, 10026, 10038		22084, 22087, 22089	\captionformat
\c@twrtside	10009	\cap@left ... 20472,	.. 20501, 20533,
\c@twslicea ...	10006,	20509, 21233,	20544, 20555,
10008,	10012,	21270, 21998, 22035	20566, 21262,
10015,	10024,	\cap@margin	21294, 21305,
10025,	10032, 10036	. 20428, 21189, 21954	21316, 21327,
\c@twsliceb ...	10007,	\cap@right ... 20480,	22027, 22059,
10009,	10012,	20576, 21241,	22070, 22081, 22092
10015,	10028,	21337, 22006, 22102	\captionlabelfalse 16404
10029,	10032, 10036	\cap@width ... 20457,	\catcode
\c@twinlines 10005, 10018		20510, 21218,	4235, 4356, 5835, 6171,
\c@zabspage	14118	21271, 21983, 22036	6172, 6173, 6213,
\cals@activate@rtl	9771	\caption	7870, 7892, 8823,
\cals@AtBeginTable	9788	7331, 7332, 7334, 7390,	8824, 8826, 8827,
\cals@AtEndTable ..	9790	15148, 15166,	14522, 14523, 14638
\cals@backup@row ..	9787	16731, 17656,	\Centering
\cals@borderB	9786	17658, 20513,	18845
\cals@borderL	9783	20514, 21274,	\centering
\cals@borderR	9784	21275, 22039, 22040	303, 3054, 10553,
\cals@borderT	9785	\caption@@make ... 16789	10566, 10682,
\cals@current@context		\caption@@par 9808	13804, 13810,
..... 9777		\caption@begin ... 16783	15178, 15263,
\cals@last@context	9776	\caption@belowskip 16787	15279, 17603,
\cals@paddingL ..	9793,	\caption@end 16791	17605, 17607,
9795,	9800, 9802	\caption@hangindent 9809	20226, 20966, 21739
\cals@paddingR	9797, 9804	\caption@ifdefined 16786	\CenteringLeftskip 18850
\cals@set@tohsiz...	9780	\caption@LT@make . 16777	\CenteringParfillskip
\cals@setcellprevdepth		\caption@LT@setttype 18853
..... 9780	 16778	\CenteringParindent
\cals@setpadding ..	9780	\caption@LT@setup 16779 18854



\centerline	307, 14618, 14635, 18784, 24605	\cftpnumwidth . 22731 \cftpresnum 22732, 22736	\cftsubtabaftersnum 22929
\cftbeforechapskip	22755	\cftsecaftersnum . 22787	\cftsubtabaftersnumb 22930
\cftbeforefigskip	22863	\cftsecaftersnumb . 22788	\cftsubtabfillnum 22933
\cftbeforeparaskip	22829	\cftsecfillnum 22791	\cftsubtabfont 22932
\cftbeforepartskip	22723	\cftsecfont 22790	\cftsubtabindent 22921, 22924
\cftbeforesecskip 22774, 22777	\cftseindent 22779, 22782	\cftsubtabnumwidth 22927
\cftbeforesubfigskip 22900	\cftsewidth . 22785	\cftsubtabpresnum 22928
\cftbeforesubparaskip 22846	\cftsepresnum 22786	\cfttabaftersnum . 22890
\cftbeforesubsecskip 22795	\cftsubfigaftersnum 22909	\cfttabaftersnumb 22891
\cftbeforesubsubsecskip 22812	\cftsubfigfillnum . 22910	\cfttabfillnum 22894
\cftbeforesubtabskip 22920	\cftsubfigfont 22912	\cfttabfont 22893
\cftbeforetabskip	22881	\cftsubfigindent 22901, 22904	\cfttabindent 22882, 22885
\cftchapaftersnum	22764	\cftsubfignumwidth . 22907	\cfttabnumwidth 22888
\cftchapaftersnumb	22765	\cftsubfigpresnum . 22908	\cfttabpresnum 22889
\cftchapfillnum .	22768	\cftsubparaftersnum 22855	\chapnumfont 18834
\cftchapfont	22767	\cftsubparaftersnumb	\chapter 8245,
\cftchapindent	22756, 22759, 23006 22856	8273, 8343, 8351,
\cftchapnumwidth	22762, 23007	\cftsubparafillnum . 22859	8467, 8473, 9191,
\cftchappresnum	22763	\cftsubparafont 22858	9379, 9688, 11521,
\cftchapterprecistoc 23005	\cftsubparaindent 22847, 22850	13652, 19050,
\cftdot	22703	\cftsubparanumwidth 22853	19444, 19638, 19841
\cftdotfill	22997	\cftsubparapresnum . 22854	\chapterheadendvskip 18840
\cftdotsep	22996	\cftsubsecaftersnum 22804	\chapterheadstartvskip 18832
\cftfigaftersnum .	22872	\cftsubsecaftersnumb 22805	\chaptermark . 8730, 22666
\cftfigaftersnumb	22873	\cftsubsecfillnum . 22808	\chaptername 308, 17589
\cftfigfillnum	22876	\cftsubsecfont 22807	\chapterstyle 17584
\cftfigfont	22875	\cftsubsecindent 22796, 22799	\char 4196, 4516, 4517, 6159
\cftfigindent	22864, 22867	\cftsubsecnumwidth . 22802	\chardef 6158,
\cftfignumwidth	22870	\cftsubsecpresnum . 22803	14522, 16317,
\cftfigpresnum	22871	\cftsubsubsecaftersnum 22821	16318, 16324, 16325
\cftpaaftersnum	22838	\cftsubsubsecfont 22821	\check@floats 10447
\cftpaaftersnumb	22839	\cftsubsubsecaftersnumb 22822	\CheckCommand 15552, 15590
\cftpafillnum	22842	\cftsubsubsecindent 22822	\checkoddpage 7225
\cftpafont	22841	\cftsubsubsecfillnum 22825	\CIIIAny 4534
\cftpaindent 22830, 22833	\cftsubsubsecfont 22824	\ciiiAny 4542
\cftpnumwidth	22836	\cftsubsubsecindent 22825	\circle 9911, 9914, 9921,
\cftpapresnum	22837	\cftsubsubsecfont 22824	9924, 9934, 9937,
\cftpaaftersnum	22733	\cftsubsubsecindent 22825	9944, 9947, 9957,
\cftpaaftersnumb	22734	\cftsubsubsecfont 22825	9960, 9967, 9970,
\cftpapartfillnum	22737	\cftsubsubsecnumwidth 22819	9980, 9983, 9990, 9993
\cftpapartfont	22736	\cftsubsubsecpresnum 22820	\cite 7907,
\cftpapartindent 22725, 22728		7999, 8005, 8006,



\cites	8000	16035,	18275,	12120,	12129,
\cl@ckpt	22407	19062,	19456,	12165,	12176,
\ClassInfo	8687,	19651,	19652,	12187,	12247,
8752,	20036,	19854,	19855,	12257,	12267,
20439,	20448,	20394,	21155,	12304,	12316,
20622,	20775,	21920,	22640, 22641	12328,	12389,
21200,	21209,	\coffeefont	17945	12399,	12409,
21384,	21548,	\col@number .	132, 137,	12446,	12458,
21965,	21974, 22149	139, 142, 143, 150,		12470,	12531,
\ClassWarning .	20209,	459,	810, 1062,	12541,	12551,
20216,	20238,	1312, 9560, 11319,		12588,	12600,
20244,	20251,	11416,	13713,	12612,	12673,
20512,	20949,	17547,	17887,	12683,	12693,
20956,	20978,	17969,	17974,	12730,	12742,
20984,	20991,	18048,	18049,	12754,	12815,
21273,	21722,	18051,	18054,	12825,	12835,
21729,	21751,	18055,	18062,	12872,	12884,
21757,	21764, 22038	18112,	18113,	12896,	12957,
\ClassWarningNoLine	.	18116,	18117,	12967,	12977,
.	17640	18179,	18183,	13014,	13026,
\clear	7004	19155,	19296,	13038,	13099,
\cleardoubleemptypage	.	19540,	19722,	13109,	13119,
. 20229, 20969, 21742		20264,	21004, 21777	13156,	13168,
\cleardoublepage	..	\col@sep .	379, 407, 9812,	13180,	13363,
.	8609, 8654,	9813,	16743, 24450	13375,	13387,
8656,	8713, 8726,	\color	1532, 1535,	13424,	13438,
8740,	9682, 11515	1572,	1604, 1627,	13452,	13537,
\clearpage .	604, 620,	1648,	1669, 1693,	13550,	14270,
869,	1121, 6047,	1793,	1795, 1834,	14287,	14303,
6048,	6052, 6053,	1929,	2588, 2593,	14330,	14344,
6963,	6964, 6967,	2668,	2828, 3493,	14358,	14370,
7609,	8621, 8656,	4428,	4429, 4430,	14858,	14868,
8742,	9123, 9300,	4431,	4432, 4433,	14875,	16794,
9510,	9684, 11517,	4949,	9857, 9860,	16878,	24845,
18959,	19214,	9863,	9881, 9884,	24861,	24872, 24880
19673,	20231,	10547,	10550,	\color@block .	9854, 24241
20971,	21744, 22700	10560,	10678,	\color@box ..	9887, 24333
\clip	3284, 3307	16174,	16904, 24243	\color@endbox ..	4783,
\clipbox@@	18820	\color@	24283, 24330	7729,	7773, 7817,
\CloneTOCEEntryStyle	.	\color@b@x		19957,	19967,
.	20628,	9849,	9887, 9889,	19985,	24925,
20641,	20659,	24236,	24333, 24336	24969,	25090, 25106
20668,	21390,	\color@begingroup .		\color@endgroup	1890,
21403,	21422,	1860,	2156, 2173,	2159,	2176, 2193,
21431,	22155,	2190,	2206, 2222,	2209,	2225, 2241,
22168,	22187, 22196	2238,	8055, 8073,	8059,	8077, 8095,
\closing	11555	8091,	9093, 9107,	9095,	11656,
\clubpenalty .	92, 295,	11654,	11668,	11670,	11684,
583,	584, 717, 980,	11682,	11694,	11696,	11707,
1230,	2530, 2531,	11705,	11716,	11718,	11823,
5026,	8941, 9203,	11820,	11969,	11881,	11971,
9391,	9701, 9702,	11979,	11989,	11981,	11991,
11262,	11534,	12026,	12038,	12028,	12040,
11535,	13664,	12050,	12111,	12052,	12113,



12122,	12131,	\columncolor .. 1466, 9820	12443,	12455,
12167,	12178,	\columnsep 99, 219, 597, 613, 862, 1114, 4376, 4858, 9116, 9293, 9503, 10076,	12467,	12585,
12189,	12249,	10375, 13843, 14767, 16043, 17767, 17884, 17977, 18023,	12597,	12609,
12259,	12269,	18952, 19207, 19666, 24198, 24203, 24207, 24213, 24216, 24776	12727,	12739,
12306,	12318,	\columnseprule 99, 219, 596, 612, 861, 1113, 4377, 4859, 9115, 9292, 9502, 10067,	12751,	12869,
12330,	12391,	10132, 10364, 10383, 13835, 13876, 14711, 14758, 16043, 17757, 17859, 18002, 18013, 18951, 19206, 19665, 24767, 24816	12881,	12893,
12401,	12411,	\columnseprulecolor 18001, 18012	13011,	13023,
12448,	12460,	\columnwidth .. 28, 41, 55, 71, 232, 244, 258, 273, 540, 544, 731, 965, 1211, 2149, 2166, 2183, 2202, 2218, 2234, 4023, 4029, 4773, 9217, 9370, 9640, 9644, 9752, 10065, 10069, 10073, 10077, 10128, 10134, 10362, 10366, 10371, 10376, 10378, 10385, 10696, 10717, 11269, 11273, 11568, 11572, 11577, 11621, 11651, 11665, 11679, 11691, 11702, 11713, 12023, 12035, 12047, 12162, 12173, 12184, 12301, 12313, 12325,	13035,	13153,
12472,	12533,	\contentslabel .. 8304, 8311, 8318, 8325, 8332	13165,	13177,
12543,	12553,	\contentsline 15383	13271,	13330,
12590,	12602,	\contentsmargin .. 22605	13420,	13434,
12614,	12675,	\contentspush 22579	13448,	13645,
12685,	12695,	\convertcolorspec 24257, 24260, 24300, 24303	13649,	13834,
12732,	12744,	\Coord 4530	13836,	13840,
12756,	12817,		13844,	13872,
12827,	12837,		13878,	14176,
12874,	12886,		14179,	14181,
12898,	12959,		14266,	14283,
12969,	12979,		14299,	14326,
13016,	13028,		14340,	14354,
13040,	13101,		14372,	14653,
13111,	13121,		14660,	14707,
13158,	13170,		14713,	14756,
13182,	13365,		14760,	14764,
13377,	13389,		14768,	15120,
13426,	13440,		15121,	16057,
13454,	13541,		16131,	16135,
13554,	14273,		16881,	17755,
14290,	14306,		17759,	17763,
14333,	14347,		17766,	17855,
14361,	14391,		17861,	17884,
14861,	14871,		17913,	17919,
14878,	24849,		18081,	18085,
	24864, 24876, 24883		18089,	18093,
	\color@fb@x . 24334, 24335		19047,	19470,
	\color@fbox .. 9888, 24334		19620,	19624,
	\color@hbox		19802,	19806,
	. . 19954, 19964,		20086,	20125,
	19982, 25087, 25103		20126,	20826,
	\color@setgroup ...		20865,	20866,
 9890, 24338		21599,	21638,
	\color@vbox		21639,	24765,
	4761, 7720, 7764,		24769,	24773,
	7808, 24916, 24960		24777,	24812,
	\colorA .. 9468, 9477, 9489		24818, 25008, 25010	
	\colorB 9474,		\contentsline 15383	
	9480, 9486, 9492		\contentsmargin .. 22605	
	\colorblend .. 24250,		\contentspush 22579	
	24251, 24293, 24294		\convertcolorspec 24257, 24260, 24300, 24303	
	\colorbox 1913,		\Coord 4530	
	4589, 4591, 4592			
	\colorlet 1757,			
	1762, 1832, 1833,			
	1862, 1864, 2844, 2884			



\coord	4535	14731, 14733,	2341, 2370, 4618,
\CoordIII	4532	15060, 15066,	4619, 4633, 4634,
\coordiii	4537	18112, 18116,	4660, 4663, 4666,
\Coordn	4531	24901, 24945, 25053	4682, 4690, 4698,
\coordn	4536	\count@ 1406,	4753, 5040, 5043,
\Coordx	4527,	1465, 5196, 5201,	5046, 5048, 5050,
	4530, 4531, 4532,	5212, 5216, 7051,	5053, 5056, 5064,
	4533, 4534, 4535,	7052, 7054, 9818,	5065, 5070, 5077,
	4536, 4537, 4541, 4542	17964, 17965,	5079, 5081, 5082,
\coordx	4538	17967, 17969,	5083, 5084, 5087,
\Coordy	4528,	17976, 17997,	5089, 5093, 5095,
	4530, 4531, 4532,	17998, 18000,	5124, 5125, 5148,
	4533, 4534, 4535,	18017, 18018,	5149, 5176, 5203,
	4536, 4537, 4541, 4542	18021, 18384,	5207, 5218, 5222,
\coordy	4539	18392, 18405, 22446	5226, 5230, 5241,
\Coordz	4529,	\counterwithout 17585,	5249, 5257, 5265,
	4532, 4534, 4537, 4542	17586, 17587, 17588	5267, 5269, 5273,
\coordz	4540	\coverpagebottommargin 20118, 20858, 21631	5274, 5338, 5380,
\copy	1810, 7716,	\coverpageleftmargin 20113, 20114,	5390, 5396, 5397,
	7760, 7804, 9756,	20116, 20853,	5399, 5400, 5402,
	10045, 10108,	20854, 20856,	5403, 5405, 5407,
	10217, 10707,	21626, 21627, 21629	5409, 5411, 5612,
	10728, 13817,	\coverpagerightmargin 20116, 20856, 21629	5613, 5615, 5616,
	13853, 14681,	\coverpagetopmargin 20112,	5619, 5620, 5629,
	14730, 14931,	20118, 20852,	5630, 5665, 5666,
	14977, 16819,	20858, 21625, 21631	5689, 5744, 5745,
	16831, 16835,	\cr 395, 8888, 8895, 8951,	5746, 5747, 5753,
	17689, 17789,	11921, 11925,	5754, 5755, 5756,
	18689, 18772,	11927, 16758,	5839, 5840, 5843,
	18842, 24436,	22352, 22390, 24653	5844, 5909, 6080,
	24745, 24792,	\crcr 406, 4655, 8891,	6081, 6083, 6094,
	24912, 24956, 25019	22340, 22370,	6095, 6097, 6108,
\cor@height . . .	17712,	24461, 24464, 24640	6118, 6127, 6128,
	17713, 17740,	\CROP@llc 9953	6129, 6130, 6153,
	17741, 17780,	\CROP@lrc 9976	6177, 6182, 6186,
	17812, 17813,	\CROP@ulc 9907	6202, 6220, 6222,
	17840, 17841, 17877	\CROP@urc 9930	6230, 6232, 6241,
\count	4018,	\CROP@execpt 10000	6242, 6322, 6326,
	4303, 4756, 6477,	\cs 17015, 17066,	6359, 6361, 6372,
	7705, 7749, 7793,	17084, 17138,	6373, 6387, 6395,
	11904, 11909,	17153, 17441,	6397, 6424, 6445,
	11940, 11944,	17443, 18412, 18413	6482, 6483, 6484,
	12082, 12086,	\cs@a 6244	6500, 6501, 6502,
	12218, 12222,	\csname 8, 44, 58,	6503, 6605, 6608,
	12360, 12364,	74, 166, 168, 203,	6612, 6629, 6632,
	12502, 12506,	247, 261, 276, 333,	6634, 6644, 6647,
	12644, 12648,	334, 383, 1369,	6649, 6656, 6661,
	12786, 12790,	2155, 2172, 2189,	6666, 6676, 6692,
	12928, 12932,	2205, 2221, 2237,	6695, 6709, 6721,
	13070, 13074,	2270, 2296, 2322,	6753, 6764, 6848,
	13246, 13252,		6851, 6891, 6940,
	13301, 13307,		7080, 7101, 7452,
	13947, 14673,		7453, 7460, 7461,
	14682, 14684,		8053, 8071, 8089,



8120,	8149,	8178,	14419,	15385,	23667,	23669,
8420,	8946,	8974,	15388,	15390,	23685,	23688,
8977,	8980,	8994,	15394,	15398,	23694,	23696,
9001,	9008,	9016,	15412,	15423,	23699,	23703,
9017,	9055,	9080,	15434,	15634,	23708,	23712,
9081,	9863,	9869,	15665,	15696,	23716,	23730,
9877,	9884,	11653,	16075,	16178,	23734,	23737,
11667,	11681,		16181,	16611,	23741,	23746,
11693,	11704,		16677,	17669,	23750,	23755,
11715,	11968,		17670,	17677,	23757,	23758,
11978,	11988,		19998,	20002,	23761,	23765,
12025,	12037,		20006,	20089,	23815,	23817,
12049,	12110,		20313,	20631,	23824,	23825,
12119,	12128,		20633,	20635,	23829,	23834,
12164,	12175,		20638,	20644,	23838,	23849,
12186,	12246,		20652,	20654,	23850,	23854,
12256,	12266,		20656,	20662,	23860,	23915,
12303,	12315,		20664,	20737,	23916,	23920,
12327,	12388,		20741,	20745,	24016,	24017,
12398,	12408,		20829,	21053,	24019,	24022,
12445,	12457,		21393,	21395,	24023,	24027,
12469,	12530,		21397,	21400,	24491,	24556,
12540,	12550,		21406,	21414,	24642,	24703,
12587,	12599,		21416,	21419,	24716,	24718,
12611,	12672,		21425,	21427,	\CT@do@color	9815
12682,	12692,		21510,	21514,	\CT@cell@color	1490, 9840
12729,	12741,		21518,	21602,	\CT@color	9814
12753,	12814,		21826,	22158,	\CT@column@color	1488, 9838
12824,	12834,		22160,	22162,	\CT@do@color	
12871,	12883,		22165,	22171,	\CT@extract	
12895,	12956,		22179,	22181,	\CT@row@color	1491, 9815, 9841
12966,	12976,		22184,	22190,	\CT@setup	1466, 9820
13013,	13025,		22192,	22342,	\cumpartcl	18593
13037,	13098,		22368,	22370,	\cumtcl	18593
13108,	13118,		22402,	22424,	\curraddr	322
13155,	13167,		22426,	22442,	\current@color	
13179,	13361,		22443,	22463,		
13373,	13385,		22470,	22683,		
13422,	13436,		22946,	22947,		
13450,	13772,		22963,	22964,		
13925,	13926,		22965,	22972,		
13931,	13932,		22974,	22975,		
14037,	14038,		23028,	23029,		
14039,	14040,		23187,	23188,		
14042,	14044,		23292,	23317,		
14045,	14046,		23344,	23348,		
14047,	14049,		23352,	23409,	\CurrentOption	
14050,	14051,		23461,	23464,	8668, 8669, 8670,	
14108,	14132,		23478,	23494,	8671, 8672, 8692,	
14150,	14236,		23495,	23511,	8693, 8694, 8695,	
14245,	14268,		23518,	23523,	8696, 10493, 10591	
14285,	14301,		23541,	23542,	\currentposxwidth	5609
14329,	14343,		23554,	23555,	\currentposyheight	5626
14357,	14404,		23610,	23665,	\CustomFBox	14502



\cuted@@column@badness	10339, 10372, 10386	4794, 4797, 4800,
..... 10240, 10224,	4803, 4806, 4811,
10241, 10254, 10265	10225, 10230,	4812, 4813, 4814,
\cuted@@page@rule .	10231, 10235,	4815, 4817, 7130,
..... 10320, 10321	10236, 10259,	7132, 7134, 7137,
\cuted@@tempbox@a .	10262, 10266,	7142, 8239, 8240,
..... 10181,	10269, 10270,	8498, 8499, 8524,
10191, 10218,	10271, 10273, 10298	8525, 8668, 8669,
10220, 10221, 10232, 10258,	8670, 8671, 8672,
10309, 10367, 10379	10260, 10269, 10273	8692, 8693, 8694,
\cuted@@tempbox@c 10260	8695, 8696, 10483,
.. 10220, 10221,	\cvcomputer 4981	10485, 10487,
10228, 10229,	\cvdoubleitem . 4958, 4982	10489, 10491,
10233, 10234,	\cventry 4970	10492, 10581,
10249, 10253,	\cvlanguage 4979	10583, 10585,
10263, 10279,	\cvline 4953, 4954, 4959,	10587, 10589, 10590
10297, 10308,	4963, 4965, 4971, 4980	\DeclareRobustCommand
10311, 10313, 10314	\cvlistdoubleitem . 4964 4515,
\cuted@@tempbox@var	\cvlistitem 4962	4516, 4517, 4518,
. 10359, 10397, 10409	\cvtheme 4896, 4899	4519, 4520, 4521,
\cuted@@tempdim@a .	D	7465, 7472, 9857,
.. 10249, 10251,	\d 16985	9872, 24243, 24286
10253, 10255,	\d@llarbegin	\DeclareSectionCommand
10258, 10259,	.. 379, 408, 1410, 20670,
10260, 10310,	1411, 1412, 1475,	20680, 20688,
10322, 10328,	1478, 1479, 9825,	20698, 20708,
10340, 10344,	9828, 9829, 24450	20719, 21433,
10350, 10447,	\d@llarend	21441, 21452,
10448, 10449, 10453	.. 380, 408, 1410,	21461, 21471,
\cuted@@tempdim@b .	1411, 1412, 1477,	21481, 21492,
..... 10213,	1478, 1479, 9827,	22198, 22206,
10216, 10218,	9828, 9829, 24451	22217, 22226,
10221, 10225,	\dashgapcolor 1470	22236, 22246, 22257
10237, 10255,	\date ... 447, 483, 787,	\DeclareTOCEntryStyle
10279, 10287,	832, 1039, 1084,	. 23013, 23174, 23424
10293, 10300,	1289, 1334, 4411,	\dedication
10309, 10311,	8534, 8582, 9282,	. 20340, 21080, 21853
10336, 10339, 10341	9459, 9548, 9584,	\dedicator
\cuted@@tempdim@spread	11307, 11341,	323
.. 10228, 10229,	11404, 11440,	\def 2, 23, 26,
10230, 10231,	13701, 13735,	30, 34, 48, 64, 95,
10238, 10242,	19132, 19177,	98, 107, 108, 109,
10245, 10248,	19273, 19320,	110, 122, 132, 133,
10249, 10251,	19523, 19564,	135, 197, 218, 227,
10256, 10267,	19710, 19746,	228, 229, 230, 234,
10277, 10280,	20341, 21081, 21854	237, 251, 266, 298,
10285, 10288,	\day 3183	301, 313, 319, 336,
10292, 10296,	\deadcycles ... 6064, 6067	345, 350, 352, 377,
10313, 10315, 10317	\debugfootnotedirection	382, 384, 405, 406,
\cuted@@varbox@a 14095	407, 408, 454, 455,
.. 10217, 10218,	\DeclareOption	486, 550, 587, 719,
10224, 10225, 4788, 4791,	742, 743, 751, 790,
10253, 10259,		791, 793, 798, 800,
10262, 10270,		805, 807, 835, 982,
		994, 995, 1003,



1042, 1043, 1045, 1050, 1052, 1057, 1058, 1087, 1232, 1244, 1245, 1253, 1292, 1293, 1295, 1300, 1302, 1307, 1309, 1337, 1357, 1367, 1368, 1371, 1377, 1405, 1418, 1419, 1422, 1435, 1443, 1451, 1452, 1455, 1456, 1459, 1464, 1846, 1859, 1929, 1972, 1973, 2049, 2060, 2069, 2076, 2078, 2090, 2099, 2108, 2109, 2111, 2121, 2130, 2131, 2134, 2135, 2136, 2139, 2140, 2141, 2257, 2258, 2259, 2264, 2268, 2283, 2284, 2285, 2290, 2294, 2309, 2310, 2311, 2316, 2320, 2331, 2335, 2454, 2465, 2474, 2485, 2499, 2534, 2541, 2547, 2551, 2611, 2634, 2654, 3170, 3172, 3227, 3235, 3506, 3909, 3910, 4010, 4012, 4013, 4056, 4059, 4062, 4065, 4134, 4138, 4234, 4236, 4269, 4286, 4294, 4295, 4296, 4297, 4298, 4304, 4305, 4312, 4328, 4329, 4330, 4333, 4336, 4340, 4351, 4352, 4355, 4364, 4369, 4394, 4395, 4523, 4524, 4525, 4527, 4528, 4529, 4530, 4531, 4532, 4533, 4534, 4535, 4536, 4537, 4538, 4539, 4540, 4541, 4542, 4547, 4558, 4589, 4590, 4591, 4592, 4599, 4605, 4611, 4619, 4624, 4626,	4634, 4639, 4640, 4655, 4659, 4662, 4665, 4670, 4673, 4676, 4680, 4688, 4696, 4703, 4705, 4706, 4708, 4777, 4871, 4872, 4873, 4874, 4875, 4876, 4878, 4879, 4897, 4898, 4901, 4902, 4903, 4904, 4905, 4906, 4907, 4908, 4909, 4910, 4911, 4912, 4913, 5029, 5098, 5118, 5119, 5122, 5128, 5131, 5142, 5143, 5146, 5152, 5155, 5166, 5168, 5171, 5175, 5181, 5189, 5190, 5191, 5192, 5193, 5194, 5195, 5202, 5203, 5207, 5211, 5217, 5218, 5222, 5226, 5230, 5235, 5243, 5251, 5259, 5266, 5268, 5368, 5376, 5397, 5405, 5412, 5413, 5419, 5421, 5422, 5423, 5425, 5644, 5646, 5648, 5654, 5658, 5661, 5670, 5681, 5683, 5684, 5695, 5768, 5787, 5819, 5820, 5821, 5832, 5846, 5849, 5850, 5862, 5874, 5878, 5881, 5894, 5903, 5934, 5962, 5965, 5966, 5974, 5975, 6011, 6026, 6053, 6070, 6127, 6128, 6129, 6130, 6139, 6159, 6168, 6175, 6182, 6186, 6191, 6196, 6201, 6203, 6206, 6209, 6217, 6218, 6220, 6222, 6223, 6230, 6232, 6233, 6240, 6241, 6242, 6243, 6244, 6248, 6249, 6251, 6252, 6254, 6260,	6266, 6284, 6285, 6290, 6295, 6300, 6306, 6311, 6322, 6326, 6332, 6335, 6349, 6351, 6353, 6354, 6356, 6357, 6358, 6360, 6362, 6364, 6366, 6367, 6372, 6373, 6374, 6375, 6376, 6381, 6382, 6389, 6391, 6394, 6399, 6401, 6407, 6408, 6409, 6410, 6414, 6417, 6419, 6420, 6424, 6426, 6427, 6430, 6440, 6482, 6483, 6484, 6487, 6497, 6504, 6506, 6511, 6523, 6530, 6532, 6536, 6537, 6544, 6546, 6549, 6554, 6561, 6563, 6630, 6633, 6642, 6645, 6797, 6808, 6847, 6960, 6970, 6983, 7037, 7047, 7049, 7054, 7059, 7065, 7066, 7069, 7076, 7084, 7099, 7172, 7263, 7284, 7288, 7301, 7381, 7450, 7468, 7474, 7511, 7636, 7638, 7639, 7640, 7649, 7651, 7652, 7653, 7657, 7659, 7665, 7666, 7693, 7707, 7710, 7714, 7718, 7731, 7737, 7751, 7754, 7758, 7762, 7775, 7781, 7795, 7798, 7802, 7806, 7819, 7871, 7886, 7891, 8017, 8019, 8047, 8065, 8083, 8104, 8133, 8162, 8382, 8419, 8427, 8656, 8794, 8795, 8797, 8815, 8816, 8819, 8829, 8830, 8831, 8832, 8838, 8841, 8852, 8853, 8854, 8864, 8890, 8894,
--	--	--



8901, 8923, 8942, 8943, 8944, 8950, 8973, 8976, 8979, 8983, 8986, 8989, 8992, 8999, 9006, 9016, 9017, 9018, 9028, 9032, 9035, 9040, 9041, 9042, 9044, 9053, 9059, 9080, 9081, 9205, 9237, 9238, 9246, 9393, 9414, 9415, 9423, 9463, 9483, 9555, 9556, 9587, 9658, 9672, 9705, 9709, 9721, 9734, 9741, 9745, 9748, 9811, 9814, 9817, 9849, 9856, 9859, 9866, 9874, 9880, 9887, 9888, 9890, 10004, 10017, 10020, 10021, 10026, 10033, 10038, 10042, 10105, 10164, 10166, 10168, 10690, 10694, 10697, 10715, 10718, 10736, 10793, 10970, 11034, 11061, 11063, 11068, 11099, 11100, 11173, 11222, 11241, 11264, 11314, 11315, 11344, 11411, 11412, 11443, 11490, 11505, 11538, 11576, 11620, 11647, 11661, 11675, 11689, 11700, 11711, 11738, 11739, 11740, 11748, 11749, 11750, 11867, 11964, 11974, 11984, 12021, 12033, 12045, 12056, 12061, 12066, 12071, 12106, 12115,	12124, 12160, 12171, 12182, 12192, 12197, 12202, 12207, 12242, 12252, 12262, 12299, 12311, 12323, 12334, 12339, 12344, 12349, 12384, 12394, 12404, 12441, 12453, 12465, 12476, 12481, 12486, 12491, 12526, 12536, 12546, 12583, 12595, 12607, 12618, 12623, 12628, 12633, 12668, 12678, 12688, 12725, 12737, 12749, 12760, 12765, 12770, 12775, 12810, 12820, 12830, 12867, 12879, 12891, 12902, 12907, 12912, 12917, 12952, 12962, 12972, 13009, 13021, 13033, 13044, 13049, 13054, 13059, 13094, 13104, 13114, 13151, 13163, 13175, 13186, 13191, 13196, 13201, 13233, 13357, 13369, 13381, 13412, 13431, 13445, 13464, 13475, 13484, 13493, 13585, 13623, 13635, 13666, 13708, 13709, 13738, 13769, 13801, 13807, 13814, 13850, 13924, 13935, 13983, 14087, 14174, 14178, 14180,	14182, 14184, 14186, 14188, 14189, 14191, 14195, 14204, 14206, 14213, 14214, 14231, 14234, 14240, 14243, 14251, 14252, 14253, 14259, 14276, 14292, 14320, 14334, 14348, 14362, 14368, 14374, 14381, 14394, 14398, 14402, 14408, 14413, 14417, 14496, 14510, 14512, 14514, 14516, 14524, 14629, 14639, 14670, 14678, 14727, 14780, 14816, 14904, 14912, 14918, 14927, 14929, 14945, 14956, 14957, 14959, 14972, 14973, 14975, 14991, 14993, 14996, 14998, 14999, 15014, 15021, 15081, 15082, 15083, 15084, 15093, 15095, 15131, 15383, 15410, 15421, 15432, 15443, 15453, 15464, 15475, 15486, 15501, 15516, 15533, 15559, 15576, 15584, 15597, 15614, 15622, 15630, 15647, 15655, 15661, 15678, 15686, 15692, 15709, 15717, 15725, 15739, 15743, 15757, 15765, 15772, 15780, 15783,
--	--	--



15786,	15820,	18554,	18560,	21166,	21192,
15852,	15881,	18567,	18686,	21356,	21373,
15908,	15911,	18687,	18689,	21375,	21522,
15913,	15916,	18690,	18696,	21552,	21554,
15925,	15926,	18697,	18698,	21584,	21604,
15930,	15932,	18708,	18718,	21858,	21924,
15933,	15934,	18726,	18734,	21931,	21957,
15936,	15945,	18735,	18736,	22121,	22138,
15947,	16038,	18737,	18738,	22140,	22275,
16042,	16051,	18739,	18744,	22279,	22296,
16052,	16053,	18745,	18748,	22317,	22320,
16055,	16059,	18750,	18751,	22335,	22340,
16061,	16066,	18752,	18753,	22343,	22366,
16069,	16090,	18755,	18756,	22370,	22374,
16102,	16138,	18769,	18775,	22384,	22400,
16139,	16157,	18782,	18783,	22406,	22414,
16174,	16176,	18784,	18785,	22435,	22444,
16177,	16184,	18786,	18788,	22445,	22461,
16189,	16199,	18789,	18895,	22465,	22468,
16248,	16250,	18916,	18922,	22472,	22475,
16350,	16366,	18942,	18943,	22505,	22550,
16367,	16399,	19064,	19087,	22584,	22606,
16400,	16404,	19088,	19096,	22612,	22615,
16406,	16712,	19135,	19136,	22617,	22620,
16724,	16728,	19138,	19143,	22644,	23347,
16729,	16730,	19145,	19150,	23371,	23982,
16737,	16765,	19152,	19180,	24003,	24005,
16793,	16801,	19226,	19227,	24161,	24204,
16804,	16809,	19235,	19276,	24207,	24213,
16848,	16855,	19277,	19279,	24217,	24236,
16865,	16873,	19284,	19286,	24242,	24245,
16939,	16940,	19291,	19293,	24267,	24276,
17543,	17545,	19323,	19345,	24282,	24288,
17595,	17597,	19458,	19487,	24310,	24316,
17645,	17656,	19489,	19530,	24325,	24329,
17667,	17686,	19532,	19567,	24333,	24334,
17786,	17883,	19655,	19717,	24335,	24338,
17891,	17924,	19718,	19749,	24343,	24349,
17936,	17948,	19820,	19832,	24350,	24351,
17962,	17995,	19858,	19862,	24361,	24371,
18009,	18044,	19905,	19952,	24380,	24391,
18048,	18079,	19955,	19962,	24392,	24401,
18083,	18087,	19965,	19973,	24402,	24411,
18091,	18095,	19980,	19983,	24412,	24417,
18097,	18103,	20010,	20040,	24418,	24421,
18107,	18111,	20042,	20071,	24423,	24424,
18115,	18119,	20091,	20345,	24425,	24426,
18121,	18283,	20346,	20398,	24428,	24430,
18297,	18299,	20405,	20431,	24432,	24433,
18306,	18312,	20594,	20611,	24446,	24448,
18400,	18452,	20613,	20749,	24453,	24455,
18456,	18460,	20779,	20781,	24461,	24463,
18462,	18478,	20811,	20831,	24470,	24472,
18490,	18504,	21085,	21159,	24475,	24477,



24478,	24479,	3334, 3360, 3411,	\DEPTH 22508, 22515
24480,	24482,	3447, 3477, 3525,	\depth 14921,
24492,	24529,	3559, 3595, 3651,	17486, 17493, 17518
24595,	24605,	3690, 3739, 3786, 3832	\depthof 11041,
24608,	24611,	\deffootnote . . 20008,	11046, 11055,
24616,	24617,	20073, 20747,	11056, 11060, 11065
24618,	24619,	20813, 21520, 21586	\descriptionlabel . 8460
24620,	24622,	\define@choicekey .	\DetectColumn 24706, 24710
24625,	24635,	4071, 4077, 4083,	\detokenize 5374,
24640,	24643,	4089, 4095, 4101,	5376, 5819, 5821,
24663,	24666,	4113, 4119, 4125,	5822, 5849, 5864,
24676,	24677,	4132, 4146, 4153,	5881, 5884, 5892,
24678,	24679,	4163, 24036, 24044	5894, 5965, 5966, 6843
24680,	24700,	\define@key	\dfn@afteroutput 10785,
24702,	24735,	2540, 4055, 4058,	10788, 10837, 10840
24742,	24789,	4061, 4064, 24034	\dfn@boxa 10694,
24889,	24903,	\definecolor . . 4418,	10699, 10702,
24906,	24910,	4419, 4420, 4421,	10706, 10707,
24914,	24927,	4422, 4423, 4870,	10708, 10715,
24933,	24947,	4877, 10497,	10720, 10723,
24950,	24954,	10502, 10505,	10727, 10728,
24958,	24971,	10506, 10507,	10729, 10742,
24977,	25017,	10509, 10510,	10749, 10752,
25021,	25022,	10513, 10514,	10754, 10761,
25023,	25024,	10516, 10517,	10769, 10799,
25034,	25120,	10520, 10521,	10806, 10809,
25132,	25133,	10523, 10524,	10811, 10815, 10823
25135,	25258,	10527, 10528,	\dfn@boxb 10708,
25260,	25264,	10530, 10531,	10729, 10746,
25266,	25325, 25327	10534, 10535,	10747, 10754,
\default@color	9856, 24242	10600, 10601,	10759, 10803,
\DefaultFindent	. . 16146	10606, 10607,	10804, 10811, 10814
\DefaultLhang 16142	10612, 10613,	\dfn@countins 10738, 10795
\DefaultLoversize	. . 16143	10618, 10619,	\dfn@dima 10699,
\DefaultLraise	. . 16144	10624, 10625, 11166	\DefineTOCEEntryCommandOption 10700, 10701,
\DefaultNindent	. . 16147	\DefineTOCEEntryIfOption 23435,	10712, 10720,
\DefaultOptionsFile	. . 16166, 16169, 16172	23437, 23439,	10721, 10722,
\DefaultSlope 16148	23443, 23445,	10733, 10737,
\defbeamertemplate		23447, 23449, 23451	10754, 10774,
		\DefineTOCEEntryIfOption 23427,	10794, 10811, 10826
		23429, 23433, 23469	\dfn@dimb 10774,
		\DefineTOCEEntryLengthOption 23014, 23016,	10775, 10777,
		23175, 23425,	10778, 10780,
		23441, 23453,	10826, 10827,
		23455, 23471, 23473	10829, 10830, 10832
		\DefineTOCEEntryListOption 23431	\dfn@elt@adjust 10774, 10826
		\DefineTOCEEntryOption 23457	\dfn@elt@getht 10739, 10796
		\DefNewDummy 6266, 6283	\dfn@fnht 10710,
		\delimiter 14493	10731, 10772,
			10775, 10781,
			10782, 10783,



10824, 10827, 10833, 10834, 10835	\diagbox@double 10850, 10853	\diagbox@wd . . . 10918, 10921, 10926, 10929
\dfn@fnmaxdp .. 10698, 10703, 10708, 10719, 10724, 10729, 10751, 10754, 10808, 10811	\diagbox@double@pict@NE 10924, 10931	\DigitsDotDashInterCharToks 4195, 4196
\dfn@footnoterule 10792, 10844	\diagbox@double@pict@NW 10923	\dim . . . 17160, 17161, 17484, 17485, 17486
\dfn@footnotetext 10693	\diagbox@double@pict@SE 10916, 10923	\dimen 4017, 4302, 11831, 11905, 11910,
\dfn@gobble . 10695, 10716	\diagbox@double@pict@SW 10931	11928, 11929, 11930, 11939,
\dfn@ins . . . 10703, 10704, 10705, 10707, 10724, 10725, 10726, 10728, 10742, 10743, 10799, 10800	\diagbox@font 10851, 10854, 10858, 10860, 10865, 10867, 10871, 10874, 10877, 10881, 10883, 10887, 10889	11943, 12081, 12085, 12217, 12221, 12359, 12363, 12501, 12505, 12643, 12647, 12785, 12789, 12927, 12931, 13069, 13073, 13245, 13251, 13300, 13306, 14674, 17981, 17988, 17989, 17997, 17998, 18003, 18004, 18017, 18018, 18025, 18026, 25026, 25029
\dfn@latex@footnotetext 10692	\diagbox@ht . . . 10918, 10921, 10926, 10929	\dimen@ . . . 9852, 9853, 13524, 13526, 14532, 14533, 14534, 14544, 14545, 14546, 14549, 14550, 14551, 14557, 14567, 14569, 14578, 14580, 14587, 14588, 14589, 14590, 16816, 16817, 16818, 18098, 18099, 18104, 18105, 18108, 18109, 18757, 18762, 22298, 22300, 22306, 22312, 24175, 24176, 24177, 24178, 24179, 24180, 24239, 24240
\dfn@latex@LTRfootnotetext	\diagbox@insepI 10851, 10698, 10713	\dimen@i . . . 22299, 22300, 22305, 22311
\dfn@latex@makecol 10791, 10843	10858, 10860, 10871, 10874, 10881, 10883, 10893, 10903, 10905	\dimen@ii . . . 14582, 14583, 14584, 14590, 14592,
\dfn@latex@RTLfootnotetext 10719, 10734	\diagbox@insepr 10854, 10865, 10867, 10877, 10887, 10889, 10896, 10899, 10910, 10912	
\dfn@list . . . 10712, 10733, 10740, 10773, 10775, 10778, 10784, 10797, 10825, 10827, 10830, 10836	\diagbox@setlinecolor 10917,	
\dfn@LTRfootnotetext 10694, 10714	10920, 10925, 10928, 10933, 10937, 10942, 10946, 10951, 10955, 10960, 10964	
\dfn@LTRmakecol 10793, 10845, 10847	\diagbox@triple@pict@NE 10941	
\dfn@makecol 10845, 10846, 10847	\diagbox@triple@pict@NW 10932	
\dfn@makefnmark 10697, 10718	\diagbox@triple@pict@SE 10959	
\dfn@RTLfootnotetext 10715, 10735	\diagbox@triple@setbox@NE 10950	
\dfn@RTLmakecol 10736, 10845, 10846	\diagbox@triple@setbox@NW 10915	
\dfn@split . . . 10708, 10729, 10742, 10754, 10799, 10811	\diagbox@triple@setbox@SW 10950	
\DFNalwaysdouble . 10848	\diagbox@triple@setbox@SE 10870, 10873, 10876, 10891	
\DFNcolumnsep 10757, 10770, 10814	\dimen@ . . . 22299, 22300, 22305, 22311	
\DFNcolumnwidth 10691, 10696, 10717, 10756, 10758, 10761, 10771, 10813, 10815	\diagbox@triple@setbox@SE 10892, 10895, 10898, 10915	\dimen@ii . . . 14582, 14583, 14584, 14590, 14592,



	14595, 14596, 14597	
\dimexpr .	28, 232, 731, 965, 1211, 2352, 2773, 2788, 2803, 3106, 3108, 3112, 3114, 3223, 3232, 3240, 5325, 5328, 5615, 5619, 5629, 5638, 9217, 9370, 10186, 10248, 10249, 10251, 10277, 10286, 10310, 10340, 16057, 16910, 16919, 17884, 18093, 19047, 19470, 20030, 20076, 20083, 20086, 20112, 20113, 20114, 20115, 20117, 20769, 20816, 20823, 20826, 20852, 20853, 20854, 20855, 20857, 21542, 21589, 21596, 21599, 21625, 21626, 21627, 21628, 21630, 23161, 23374, 23382, 23391, 23393, 24562, 24564, 24565, 24566, 24571, 24573, 24574, 24575, 24580, 24582, 24583, 24584, 24589, 24591, 24592, 24593	
\DiscardVskip	16149	
\display@setup	9710, 9735	
\displayindent	9751	
\displaystyle	13898, 13914	
\displaywidth	9751, 11037, 11039, 11044, 13917, 16113	
\divide	2377, 2379, 2388, 2390, 6592, 8802, 11929, 13272, 13273, 13331, 13332, 13784, 13785, 14920, 14921	
	18179, 18183, 18601, 18602, 22380	
\do	319, 320, 321, 322, 323, 324, 4730, 6827, 6887, 6902, 6923, 6926, 7912, 7917, 7931, 7936, 7950, 7955, 7978, 7987, 10022, 13772, 16253, 23296, 23692	
\do@hvFloat	15081	
\document	6007, 6023	
\documentclass . .	6810, 6813, 14827, 14837	
\doloopbody	6452, 6453, 6497, 6570, 6577, 6584, 6587, 6589, 6593, 6595, 6597, 6601	
\donotcoloroutermaths	2713, 2714, 2715	
\doubleitemmaincolumnwidth	4919, 4932, 4933, 4934, 4935, 4959, 4961	
\doublerulesepcolor	1469	
\downtovalue	6450, 6462, 6544, 6583	
\dp	40, 54, 70, 243, 257, 272, 389, 1462, 1779, 1784, 1893, 1978, 1982, 2002, 2013, 2031, 2042, 2082, 2086, 2093, 2359, 2363, 2407, 2817, 4042, 4319, 9853, 9854, 10186, 10229, 10231, 10234, 10236, 10297, 10298, 10313, 10315, 10699, 10720, 10747, 10766, 10768, 10804, 10820, 10822, 11040, 11045, 11058, 11064, 11178, 11183, 11187, 11190, 11836, 13214, 13524, 13532, 13783, 13796, 14265, 14282, 14298, 14787, 14792, 14892,	
\dquad	9743, 9745	
\draw	24055, 24062, 24066, 24089, 24099, 24107, 24110, 24113, 24116, 24128, 24133, 24140, 24146, 24147	
\dseries@display@setup	9735	
		E
\edef ..	123, 359, 1384, 1438, 1446, 2258, 2259, 2284, 2285, 2310, 2311, 2336, 2394, 3913, 3941, 4239, 4267, 4617, 4632, 4660, 4663, 4666, 5067, 5105, 5108, 5121, 5125, 5132, 5145, 5149, 5156, 5372, 5375, 5409, 5431, 5459, 5485, 5513, 5539, 5576, 5702, 5703, 5706, 5707, 5724, 5725, 5728, 5729,	



5818, 5823, 5833,	24299, 24308,	620, 624, 632, 636,
5848, 5851, 5864,	24314, 24327,	637, 641, 645, 648,
5868, 5873, 5880,	24331, 24548,	649, 654, 665, 676,
5883, 5890, 5893,	24651, 24715, 24729	690, 693, 694, 697,
5899, 5902, 5958,	\EdefEscapeName .. 15884	707, 754, 763, 771,
5964, 5967, 6129,	\egroup 179,	795, 799, 801, 812,
6170, 6180, 6258,	185, 382, 406,	815, 858, 869, 872,
6267, 6329, 6384,	641, 1200, 1367,	875, 876, 882, 892,
6387, 6414, 6417,	1368, 1485, 1890,	895, 896, 899, 909,
6421, 6505, 6510,	2109, 2121, 2123,	920, 931, 939, 943,
6511, 6533, 6538,	2460, 2482, 2505,	952, 970, 1006,
6550, 6555, 6648,	2968, 2975, 2981,	1015, 1023, 1047,
6656, 6666, 6798,	2987, 3353, 3498,	1051, 1053, 1064,
6841, 6885, 6907,	3534, 3542, 3573,	1067, 1110, 1121,
6921, 6949, 7041,	3610, 4655, 4656,	1125, 1128, 1131,
7053, 7060, 7077,	4781, 8891, 9095,	1132, 1137, 1148,
7881, 8026, 8037,	9754, 9835, 11882,	1159, 1174, 1177,
8974, 8977, 8980,	13903, 13904,	1178, 1181, 1191,
11090, 11093,	13918, 14392,	1195, 1196, 1200,
13925, 13931,	14604, 14608,	1220, 1256, 1265,
14036, 14038,	16828, 16831,	1273, 1297, 1301,
14039, 14040,	17892, 18538,	1303, 1314, 1317,
14125, 14146,	18548, 18569,	1354, 1359, 1360,
14430, 14436,	18700, 18706,	1373, 1378, 1379,
14564, 15553,	18710, 18716,	1380, 1382, 1383,
15560, 15591,	18720, 18724,	1386, 1387, 1388,
15598, 15631,	18728, 18732,	1390, 1391, 1392,
15662, 15693,	18795, 18980,	1393, 1394, 1395,
16103, 16255,	19430, 22340,	1396, 1399, 1400,
16257, 16263,	22341, 22366,	1401, 1421, 1422,
16265, 16802,	22372, 23901,	1423, 1424, 1425,
16805, 18295,	24353, 24359,	1426, 1428, 1429,
18447, 18466,	24363, 24369,	1430, 1431, 1432,
18469, 18495,	24373, 24378,	1505, 1513, 1568,
18931, 19867,	24382, 24387,	1598, 1621, 1642,
19910, 20103,	24453, 24461,	1663, 1777, 1794,
20383, 20438,	24462, 24640, 24641	1815, 1853, 1865,
20447, 20843,	\eightcolumnfootnotes	1892, 1893, 1903,
21144, 21199, 12778	1909, 1942, 1950,
21208, 21616,	\eject 14535, 14604, 14624	1959, 1967, 2005,
21909, 21964,	\else .. 4, 12, 13, 25, 36,	2034, 2110, 2125,
21973, 22350,	87, 104, 116, 134,	2146, 2196, 2198,
22375, 22389,	136, 151, 155, 159,	2267, 2293, 2319,
22407, 22462,	167, 175, 182, 191,	2346, 2360, 2382,
22469, 22482,	199, 207, 208, 224,	2399, 2423, 2475,
22946, 23295,	239, 290, 305, 309,	2516, 2556, 2583,
23317, 23478,	340, 353, 354, 355,	2586, 2591, 2598,
23511, 23518,	357, 358, 361, 362,	2616, 2639, 2659,
23523, 23610,	363, 365, 366, 367,	2675, 2683, 2702,
23761, 23797,	368, 369, 372, 373,	2862, 2909, 2973,
23901, 24014,	374, 398, 404, 450,	2979, 2985, 3062,
24251, 24256,	461, 464, 513, 530,	3080, 3092, 3099,
24265, 24280,	533, 534, 554, 557,	3110, 3170, 3172,
24284, 24294,	572, 593, 604, 609,	3206, 3272, 3289,



3295, 3299, 3305, 3311, 3315, 3319, 3366, 3373, 3396, 3424, 3464, 3481, 3488, 3499, 3509, 3548, 3563, 3570, 3588, 3611, 3660, 3671, 3681, 3702, 3709, 3757, 3766, 3776, 3797, 3804, 3839, 3848, 3859, 3867, 3878, 3892, 3947, 3953, 3959, 4002, 4004, 4013, 4024, 4027, 4030, 4205, 4208, 4273, 4287, 4289, 4298, 4308, 4601, 4607, 4613, 4628, 4711, 4719, 4724, 4734, 4973, 4974, 4975, 4977, 5013, 5080, 5086, 5107, 5110, 5129, 5137, 5153, 5161, 5177, 5270, 5278, 5284, 5290, 5296, 5302, 5308, 5314, 5320, 5333, 5341, 5345, 5351, 5359, 5363, 5385, 5392, 5444, 5469, 5498, 5523, 5555, 5589, 5618, 5653, 5857, 6191, 6204, 6205, 6218, 6219, 6221, 6223, 6231, 6233, 6255, 6269, 6322, 6326, 6332, 6338, 6378, 6547, 6556, 6607, 6631, 6646, 6711, 6723, 6755, 6766, 6804, 6816, 6817, 6834, 6843, 6888, 6903, 6906, 6933, 6934, 6948, 7229, 7235, 7430, 7433, 7436, 7439, 7469, 7697, 7703, 7735, 7741, 7747, 7785, 7791, 7970, 8367, 8368, 8656, 8741, 8794, 8807, 8816, 8906, 8927, 8952, 9025,	9045, 9046, 9061, 9066, 9070, 9112, 9123, 9127, 9130, 9133, 9134, 9139, 9150, 9159, 9173, 9176, 9177, 9181, 9193, 9249, 9258, 9266, 9289, 9300, 9304, 9307, 9310, 9311, 9316, 9327, 9336, 9350, 9353, 9354, 9358, 9381, 9426, 9435, 9443, 9465, 9476, 9478, 9499, 9510, 9551, 9562, 9565, 9614, 9629, 9632, 9633, 9660, 9674, 9683, 9690, 9713, 9743, 9769, 9794, 9801, 9850, 9855, 9893, 9894, 9900, 9918, 9941, 9964, 9987, 10012, 10013, 10015, 10027, 10032, 10034, 10036, 10056, 10061, 10079, 10095, 10119, 10124, 10138, 10154, 10173, 10189, 10210, 10250, 10261, 10275, 10278, 10284, 10316, 10324, 10327, 10330, 10346, 10349, 10352, 10377, 10406, 10440, 10444, 10459, 10467, 10559, 10641, 10655, 10700, 10704, 10706, 10721, 10725, 10727, 10736, 10741, 10750, 10761, 10765, 10773, 10793, 10798, 10807, 10815, 10819, 10825, 10845, 10859, 10866, 10882, 10888,	10904, 10911, 10973, 10983, 10986, 10989, 11009, 11012, 11015, 11019, 11043, 11125, 11140, 11155, 11156, 11157, 11158, 11185, 11201, 11204, 11205, 11215, 11226, 11229, 11242, 11252, 11310, 11321, 11324, 11407, 11418, 11421, 11469, 11492, 11507, 11516, 11523, 11544, 11545, 11547, 11552, 11558, 11560, 11564, 11646, 11687, 11756, 11759, 11768, 11771, 11780, 11783, 11804, 11808, 11812, 11818, 11843, 11851, 11859, 11872, 11960, 11963, 12011, 12014, 12018, 12102, 12105, 12150, 12153, 12157, 12238, 12241, 12289, 12292, 12296, 12380, 12383, 12431, 12434, 12438, 12522, 12525, 12569, 12573, 12580, 12664, 12667, 12711, 12715, 12722, 12806, 12809, 12857, 12860, 12864, 12948, 12951, 12999, 13002, 13006, 13090, 13093, 13141, 13144, 13148, 13295, 13316, 13352,
--	--	--



13407,	13416,	15075,	15094,	16152,	16153,
13521,	13562,	15097,	15103,	16162,	16167,
13576,	13599,	15104,	15107,	16180,	16205,
13614,	13617,	15114,	15116,	16214,	16249,
13618,	13625,	15122,	15133,	16256,	16264,
13637,	13654,	15141,	15143,	16284,	16294,
13704,	13715,	15144,	15145,	16302,	16332,
13718,	13777,	15148,	15153,	16343,	16361,
13827,	13832,	15159,	15161,	16371,	16377,
13863,	13868,	15162,	15163,	16414,	16493,
13893,	13906,	15166,	15176,	16496,	16499,
13923,	13950,	15178,	15191,	16502,	16505,
13954,	13975,	15197,	15200,	16508,	16511,
14081,	14085,	15204,	15210,	16514,	16517,
14111,	14135,	15213,	15216,	16521,	16524,
14217,	14220,	15222,	15227,	16527,	16530,
14260,	14311,	15230,	15234,	16533,	16536,
14349,	14350,	15236,	15239,	16539,	16542,
14366,	14384,	15243,	15245,	16545,	16548,
14458,	14461,	15247,	15251,	16551,	16554,
14470,	14473,	15256,	15260,	16557,	16560,
14482,	14485,	15267,	15272,	16563,	16566,
14495,	14513,	15276,	15283,	16569,	16572,
14515,	14531,	15288,	15292,	16575,	16578,
14536,	14556,	15296,	15298,	16581,	16584,
14585,	14591,	15301,	15305,	16587,	16590,
14607,	14614,	15307,	15309,	16593,	16596,
14619,	14632,	15313,	15317,	16599,	16602,
14662,	14696,	15321,	15327,	16605,	16608,
14701,	14745,	15330,	15334,	16611,	16614,
14750,	14784,	15340,	15343,	16617,	16620,
14785,	14790,	15346,	15352,	16623,	16626,
14807,	14808,	15367,	15377,	16629,	16632,
14810,	14818,	15386,	15397,	16635,	16638,
14819,	14829,	15417,	15428,	16641,	16644,
14848,	14852,	15439,	15457,	16647,	16650,
14854,	14863,	15468,	15479,	16653,	16656,
14865,	14873,	15490,	15505,	16659,	16662,
14888,	14912,	15520,	15580,	16665,	16668,
14914,	14917,	15618,	15651,	16671,	16674,
14918,	14919,	15682,	15713,	16677,	16680,
14925,	14927,	15766,	15778,	16683,	16686,
14935,	14941,	15781,	15798,	16689,	16692,
14944,	14947,	15807,	15817,	16695,	16698,
14954,	14961,	15832,	15840,	16701,	16704,
14963,	14969,	15849,	15863,	16707,	16715,
14973,	14976,	15878,	15892,	16716,	16717,
14981,	14987,	15904,	16030,	16718,	16741,
14990,	15003,	16048,	16068,	16770,	16780,
15006,	15009,	16071,	16079,	16813,	16828,
15015,	15022,	16080,	16096,	16830,	16841,
15032,	15045,	16118,	16119,	16851,	16858,
15054,	15062,	16121,	16126,	16928,	17549,
15069,	15072,	16150,	16151,	17552,	17563,



17564,	17565,	18988,	18993,	20266,	20267,
17566,	17567,	19004,	19013,	20271,	20272,
17568,	17597,	19027,	19030,	20278,	20280,
17613,	17619,	19031,	19035,	20281,	20285,
17625,	17650,	19052,	19099,	20286,	20293,
17660,	17682,	19108,	19116,	20295,	20296,
17700,	17716,	19140,	19144,	20300,	20301,
17729,	17742,	19146,	19157,	20308,	20345,
17746,	17800,	19160,	19203,	20346,	20359,
17816,	17829,	19214,	19238,	20361,	20373,
17842,	17846,	19247,	19255,	20388,	20404,
17902,	17910,	19281,	19285,	20414,	20421,
17916,	17925,	19287,	19298,	20422,	20423,
17927,	17931,	19301,	19342,	20425,	20459,
17932,	17937,	19347,	19348,	20462,	20488,
17939,	17944,	19356,	19359,	20494,	20539,
17949,	17951,	19360,	19365,	20550,	20560,
17956,	17966,	19376,	19385,	20588,	20599,
17979,	18041,	19399,	19402,	20617,	20647,
18064,	18069,	19403,	19407,	20754,	20762,
18074,	18119,	19413,	19421,	20774,	20787,
18121,	18137,	19425,	19426,	20791,	20801,
18144,	18180,	19430,	19446,	20817,	20824,
18184,	18188,	19475,	19526,	20830,	20868,
18267,	18272,	19542,	19545,	20883,	20887,
18305,	18311,	19591,	19606,	20890,	20897,
18319,	18322,	19609,	19610,	20904,	20910,
18354,	18374,	19615,	19616,	20931,	20947,
18389,	18437,	19640,	19662,	20948,	20955,
18468,	18492,	19673,	19713,	20964,	20971,
18550,	18564,	19724,	19727,	20973,	20977,
18598,	18624,	19776,	19791,	20983,	20990,
18662,	18663,	19794,	19795,	21006,	21007,
18664,	18690,	19822,	19834,	21011,	21012,
18744,	18745,	19843,	19875,	21018,	21020,
18748,	18752,	19920,	19954,	21021,	21025,
18753,	18756,	19956,	19960,	21026,	21033,
18758,	18764,	19964,	19966,	21035,	21036,
18782,	18783,	19971,	19975,	21040,	21041,
18788,	18796,	19978,	19982,	21048,	21085,
18805,	18815,	19984,	19988,	21090,	21112,
18821,	18824,	20015,	20023,	21120,	21121,
18831,	18833,	20035,	20048,	21134,	21149,
18839,	18850,	20051,	20061,	21165,	21175,
18852,	18863,	20077,	20084,	21182,	21183,
18865,	18876,	20090,	20128,	21184,	21186,
18878,	18887,	20143,	20147,	21220,	21223,
18889,	18908,	20150,	20157,	21249,	21255,
18928,	18942,	20164,	20170,	21300,	21311,
18943,	18948,	20191,	20207,	21321,	21350,
18959,	18963,	20208,	20215,	21361,	21379,
18971,	18975,	20224,	20231,	21409,	21527,
18976,	18980,	20233,	20237,	21535,	21547,
18984,	18987,	20243,	20250,	21560,	21564,



21574,	21590,	22720,	22725,	24183,	24191,
21597,	21603,	22726,	22727,	24193,	24194,
21641,	21656,	22735,	22742,	24205,	24209,
21660,	21663,	22756,	22757,	24214,	24223,
21670,	21677,	22758,	22766,	24229,	24237,
21683,	21704,	22775,	22779,	24241,	24250,
21720,	21721,	22780,	22781,	24269,	24274,
21728,	21737,	22789,	22796,	24293,	24318,
21744,	21746,	22797,	22798,	24323,	24343,
21750,	21756,	22806,	22813,	24389,	24390,
21763,	21779,	22814,	22815,	24417,	24418,
21780,	21784,	22823,	22830,	24421,	24425,
21785,	21791,	22831,	22832,	24426,	24485,
21793,	21794,	22840,	22847,	24504,	24507,
21798,	21799,	22848,	22849,	24512,	24515,
21806,	21808,	22857,	22864,	24518,	24521,
21809,	21813,	22865,	22866,	24524,	24538,
21814,	21821,	22874,	22882,	24546,	24551,
21858,	21885,	22883,	22884,	24552,	24553,
21886,	21899,	22892,	22901,	24563,	24564,
21914,	21930,	22902,	22903,	24566,	24572,
21940,	21947,	22911,	22921,	24573,	24575,
21948,	21949,	22922,	22923,	24581,	24582,
21951,	21985,	22931,	22941,	24584,	24590,
21988,	22014,	22956,	22957,	24591,	24593,
22020,	22065,	22958,	22966,	24601,	24602,
22076,	22086,	22988,	23006,	24603,	24604,
22115,	22126,	23007,	23008,	24607,	24610,
22144,	22174,	23146,	23258,	24613,	24616,
22269,	22272,	23278,	23288,	24617,	24618,
22308,	22325,	23294,	23298,	24619,	24621,
22358,	22371,	23346,	23350,	24623,	24624,
22379,	22392,	23463,	23787,	24628,	24630,
22397,	22476,	23801,	23805,	24644,	24661,
22477,	22478,	23828,	23843,	24666,	24667,
22480,	22481,	23853,	23857,	24668,	24669,
22484,	22485,	23867,	23868,	24670,	24671,
22486,	22487,	23869,	23870,	24672,	24673,
22488,	22489,	23875,	23877,	24676,	24677,
22490,	22492,	23878,	23886,	24681,	24683,
22493,	22494,	23892,	23909,	24688,	24717,
22495,	22496,	23919,	23925,	24726,	24736,
22499,	22500,	23931,	23934,	24756,	24761,
22501,	22564,	23945,	23983,	24803,	24808,
22581,	22588,	23985,	23990,	24833,	24840,
22590,	22595,	23999,	24004,	24856,	24867,
22600,	22601,	24006,	24013,	24878,	24893,
22604,	22609,	24020,	24051,	24899,	24937,
22613,	22614,	24058,	24063,	24943,	24981,
22629,	22653,	24069,	24080,	24983,	24993,
22657,	22667,	24083,	24094,	25009,	25011,
22673,	22679,	24101,	24115,	25014,	25018,
22684,	22690,	24165,	24172,	25027,	25056,
22700,	22712,	24173,	24175,	25059,	25062,



25068, 25089,	4977, 4980, 5030,	20204, 20232,
25105, 25125,	5121, 5129, 5131,	20369, 20832,
25132, 25133,	5132, 5138, 5145,	20900, 20917,
25250, 25258, 25264	5153, 5155, 5156,	20925, 20940,
\em 8460	5162, 6078, 6079,	20944, 20972,
\email 322, 4909	6100, 6124, 7269,	21130, 21605,
\emaillink	7270, 7275, 7278,	21673, 21690,
. 4991, 10574, 10672	7355, 7356, 7363,	21698, 21713,
\emailsymbol	7364, 7371, 7372,	21717, 21745,
\empty 14445,	7392, 7393, 7431,	21895, 22431,
14448, 15094, 22278	7434, 7437, 7440,	22627, 24055,
\EmptyTokenList ... 6373	7447, 7448, 7631,	24062, 24072,
\end 179, 186,	7632, 8251, 8307,	24077, 24090,
429, 432, 435, 500,	8314, 8321, 8328,	24097, 24100,
503, 766, 774, 777,	8335, 8346, 8354,	24119, 24136,
847, 850, 1018,	8481, 8482, 8618,	24143, 24149, 24151
1026, 1029, 1099,	8661, 8683, 9067,	\end@dblfloat 19950
1102, 1268, 1276,	9261, 9269, 9272,	\end@float
1279, 1350, 1353,	9438, 9446, 9449,	. 7295, 7624, 19901
1358, 1359, 1360,	9478, 9490, 9530,	\end@rot dbl float . 19905
1536, 1695, 1772,	9533, 9536, 9601,	\end@rot float
1809, 1823, 1902,	9604, 9917, 9927,	. 19862, 19903, 19904
2099, 2131, 2353,	9940, 9950, 9963,	\endarray 382,
2422, 2435, 2547,	9973, 9986, 9996,	406, 1367, 1368,
2615, 2619, 2638,	10553, 10662,	22366, 22370, 24453
2642, 2658, 2662,	10674, 10682,	\endBCmd 4552
2766, 2781, 2796,	11087, 11161,	\endbeamer@putright
2860, 2887, 2896,	11291, 11294,	. 3002, 3014, 3026
2902, 2918, 2924,	11297, 11356,	\endbeamerboxesrounded
2930, 2970, 2976,	11359, 11386, 1838
2982, 2988, 3067,	11389, 11392,	\endbidi@switch .
3083, 3122, 3204,	11457, 11460,	. 6279, 6283, 6284
3205, 3211, 3212,	11549, 13685,	\endbidi@tabular@RTLcases
3227, 3235, 3304,	13688, 13691,	. 24453, 24461, 24468
3324, 3340, 3343,	13750, 13753,	\endcsname . 8, 44, 58,
3354, 3370, 3377,	13905, 15151,	74, 166, 168, 203,
3399, 3400, 3414,	15169, 15271,	247, 261, 276, 333,
3417, 3420, 3429,	15287, 15378,	334, 383, 1369,
3432, 3502, 3516,	16123, 17684,	2155, 2172, 2189,
3567, 3574, 3616,	18408, 19111,	2205, 2221, 2237,
3625, 3631, 3632,	19119, 19122,	2270, 2296, 2322,
3666, 3667, 3668,	19192, 19195,	2341, 2370, 4618,
3676, 3686, 3697,	19250, 19258,	4619, 4633, 4634,
3714, 3724, 3725,	19261, 19338,	4660, 4663, 4666,
3726, 3750, 3751,	19341, 19346,	4682, 4690, 4698,
3752, 3762, 3772,	19347, 19348,	4753, 5040, 5043,
3782, 3793, 3808,	19505, 19508,	5046, 5048, 5051,
3818, 3819, 3820,	19511, 19583,	5053, 5056, 5064,
3835, 3844, 3863,	19692, 19695,	5065, 5070, 5078,
3882, 3884, 4355,	19698, 19763,	5079, 5081, 5083,
4550, 4561, 4562,	19766, 19863,	5085, 5088, 5089,
4957, 4959, 4961,	19906, 20092,	5094, 5095, 5124,
4963, 4965, 4969,	20160, 20177,	5125, 5148, 5149,
	20185, 20200,	5176, 5204, 5208,



5219, 5223, 5227,	11988,	12025,	18301,	18315,
5231, 5241, 5249,	12037,	12049,	19998,	20002,
5257, 5265, 5267,	12110,	12119,	20006,	20089,
5269, 5273, 5274,	12128,	12164,	20313,	20631,
5331, 5337, 5338,	12175,	12186,	20633,	20635,
5380, 5390, 5396,	12246,	12256,	20638,	20644,
5397, 5399, 5400,	12266,	12303,	20652,	20654,
5402, 5403, 5405,	12315,	12327,	20656,	20662,
5407, 5409, 5411,	12388,	12398,	20664,	20737,
5613, 5614, 5616,	12408,	12445,	20741,	20745,
5617, 5620, 5621,	12457,	12469,	20829,	21053,
5630, 5631, 5665,	12530,	12540,	21393,	21395,
5666, 5688, 5689,	12550,	12587,	21397,	21400,
5744, 5745, 5746,	12599,	12611,	21406,	21414,
5747, 5753, 5754,	12672,	12682,	21416,	21419,
5755, 5756, 5839,	12692,	12729,	21425,	21427,
5840, 5843, 5844,	12741,	12753,	21510,	21514,
5909, 6080, 6081,	12814,	12824,	21518,	21602,
6083, 6094, 6095,	12834,	12871,	21826,	22158,
6097, 6108, 6118,	12883,	12895,	22160,	22162,
6127, 6128, 6129,	12956,	12966,	22165,	22171,
6130, 6140, 6153,	12976,	13013,	22179,	22181,
6177, 6182, 6186,	13025,	13037,	22184,	22190,
6202, 6220, 6222,	13098,	13108,	22192,	22342,
6230, 6232, 6241,	13118,	13155,	22368,	22370,
6242, 6322, 6326,	13167,	13179,	22402,	22424,
6359, 6361, 6372,	13361,	13373,	22426,	22442,
6373, 6387, 6395,	13385,	13422,	22443,	22463,
6397, 6424, 6445,	13436,	13450,	22470,	22683,
6482, 6483, 6484,	13772,	13925,	22946,	22947,
6500, 6501, 6502,	13927,	13931,	22963,	22964,
6503, 6605, 6608,	13933,	14037,	22965,	22972,
6613, 6629, 6632,	14038,	14039,	22974,	22975,
6634, 6644, 6647,	14040,	14042,	23028,	23029,
6649, 6656, 6660,	14044,	14045,	23187,	23188,
6661, 6666, 6675,	14046,	14047,	23292,	23317,
6676, 6692, 6695,	14049,	14050,	23344,	23348,
6709, 6721, 6753,	14051,	14108,	23352,	23409,
6764, 6849, 6851,	14132,	14150,	23461,	23464,
6889, 6891, 6897,	14236,	14245,	23478,	23494,
6940, 7080, 7101,	14268,	14285,	23495,	23511,
7452, 7453, 7460,	14301,	14329,	23518,	23523,
7461, 8053, 8071,	14343,	14357,	23541,	23542,
8089, 8120, 8149,	14404,	14419,	23554,	23555,
8178, 8420, 8946,	15385,	15388,	23610,	23665,
8974, 8977, 8980,	15390,	15394,	23667,	23669,
8994, 9001, 9008,	15398,	15412,	23685,	23688,
9016, 9017, 9055,	15423,	15434,	23694,	23696,
9080, 9081, 9863,	15634,	15665,	23699,	23703,
9869, 9877, 9884,	15696,	16075,	23708,	23712,
11653, 11667,	16178,	16181,	23716,	23730,
11681, 11693,	16611,	16677,	23734,	23737,
11704, 11715,	17669,	17670,	23741,	23746,
11968, 11978,	17677,	18291,	23750,	23755,



23757,	23758,	8996, 9003, 9010,	24451, 24786,
23761,	23765,	9068, 9157, 9180,	24829, 25035, 25045
23812,	23813,	9334, 9357, 9571,	\endL 183,
23815,	23817,	9621, 9636, 9842,	1496, 1890, 3002,
23822,	23824,	10102, 10161,	3014, 3026, 4047,
23826,	23830,	10999, 11029,	4324, 5002, 9846,
23833,	23834,	11207, 11220,	9855, 9856, 9865,
23837,	23838,	11330, 11427,	9871, 9890, 13791,
23847,	23849,	11476, 13275,	13904, 13918,
23851,	23855,	13286, 13334,	14080, 14917,
23859,	23860,	13345, 13606,	14925, 14944,
23913,	23915,	13621, 13724,	14954, 14969,
23917,	23921,	13848, 13888,	14990, 15778,
23941,	23942,	13972, 13993,	16357, 18550,
23950,	23954,	14238, 14247,	18555, 18696,
23958,	23962,	14406, 14421,	18715, 18824,
23966,	23970,	14507, 14548,	19960, 19971,
23974,	23978,	14579, 14724,	19978, 19988,
24016,	24017,	14777, 14955,	22520, 24241,
24019,	24022,	14970, 15376,	24242, 24281,
24023,	24027,	15414, 15425,	24285, 24338,
24491,	24556,	15436, 15447,	24349, 24368,
24642,	24703,	15548, 15573,	25014, 25089, 25105
24716,	24718, 25188	15611, 15644,	\endlist 96,
\endddocument . . .	6033,	15675, 15706,	299, 589, 721, 952,
6039,	6046, 6063	15935, 15946,	984, 1234, 2536,
\endflushleft .	4572, 4580	16084, 16107,	8445, 8453, 8458,
\endgraf	16773, 16789,	16183, 16207,	9207, 9395, 9707,
20596,	21358, 22123	16390, 16759,	11266, 11540,
\endgroup	17, 127, 212,	17560, 17678,	13668, 16039,
310,	317, 380, 396,	17778, 17875,	18286, 19066,
470,	522, 536, 674,	18082, 18086,	19460, 19657,
696,	821, 898, 918,	18090, 18486,	19860, 20412,
1073,	1157, 1180,	18536, 18541,	21173, 21938, 22646
1323,	1492, 2048,	18543, 18546,	\endlooprepeat
2088,	2272, 2298,	18551, 18794,	6487, 6516, 6523
2324,	2354, 2421,	18825, 19011,	\endLTR 18735, 24392, 24400
2434,	4400, 4684,	19034, 19166,	\endMakeFramed 14521
4692,	4700, 5076,	19307, 19383,	\endmath 9740
5115,	5134, 5158,	19406, 19551,	\endmdf@lrbox 16913
5389,	5414, 5769,	19598, 19613,	\endminipage
5788,	5833, 5855,	19733, 19783,	. 11867, 14381, 22524
5865,	5882, 5935,	19798, 20104,	\endmodernpoem 9081
6008,	6144, 6350,	20310, 20370,	\endmulticols 18153
6352,	6388, 6393,	20465, 20844,	\endpgfpicture 18504
6402,	6560, 6604,	21050, 21131,	\endpspicture 18789
6628,	6643, 6714,	21226, 21617,	\endR 181, 336, 348,
6726,	6738, 6758,	21823, 21896,	382, 406, 1367,
6769,	6780, 6944,	21991, 22445,	1368, 1485, 3228,
7043,	7053, 7093,	22569, 22748,	3236, 3244, 3416,
7462,	7889, 7891,	23168, 23282,	4655, 4656, 9748,
8122,	8151, 8180,	23795, 23923,	9835, 9851, 9856,
8557,	8574, 8590,	24233, 24266,	9858, 9890, 10970,
8601,	8641, 8960,	24309, 24328,	11921, 13923,



14914,	14919,	\endturn	19955	\errmessage
14976,	15015,	\endwindow	18567	. . . 4014, 4299, 17979
15022,	15391,	\enskip	23908, 23933	\ERROR 24727
15399,	15781,	\enspace 308, 18561, 18563		\escapechar 5104,
15817,	15849,	\ensuremath	3943	5196, 5201, 5212,
15878,	15904,	\env@RTLcases 24466, 24470		5216, 5414, 6169,
15914,	15917,	\EQ 11034, 11040, 11041,		6174, 6176, 6178, 6191
16114,	16357,	11045, 11046,		\ESO@isMEMOIR 10975
16767,	16828,	11055, 11056,		\ESO@tempdima 10980,
16831,	16867,	11058, 11060,		10981, 10982,
16958,	16966,	11061, 11063,		10984, 10988,
17157,	17483,	11064, 11065,		10990, 10991,
17647,	17649,	11066, 11068,		10992, 10997,
18565,	18697,	11069, 11070,		11004, 11008,
18705,	18784,	11082, 11085,		11010, 11014,
18785,	18786,	11087, 11089,		11016, 11020, 11027
19956,	19966,	11090, 11092,		\ESO@tempdimb
19975,	19984,	11095, 11097,		. . . 10995, 10997,
20478,	21239,	11099, 11100,		11022, 11023,
22004,	22340,	11102, 11103,		11024, 11025, 11027
22341,	22366,	11105, 11108,		\evenpage 4361, 4364,
22372,	22519,	11109, 11110,		4365, 4366, 4368,
24238,	24242,	11113, 11116,		4369, 4370, 4371, 4373
24244,	24338,	11124, 11131,		\evensidemargin
24350,	24358,	11139, 11146,		. . . 4385, 11008,
24461,	24606,	11148, 11151,		11016, 15063,
24609,	24612,	11155, 11156,		15068, 15076,
24629,	24640,	11157, 11158,		20114, 20854,
24641,	25014,	11170, 11172, 11173		21627, 25055, 25063
25027,	25029,	\eq@addpunct	9745	\everycr 16763
25089,	25105,	\EQ@box	9750, 9756	\everydisplay 9710
25124,	25127, 25135	\eq@group	9713, 9722	\everyhbox 18699,
		\eq@GRP@first@dmath	9722	18701, 18709,
		\eq@if	5199, 5200, 5202	18711, 24352,
		\eq@isIntertext	9760	24354, 24362, 24364
		\eq@prelim	9713, 9730	\everyjob 3941,
		\eq@setnumber	9716	3942, 4267, 4268
		\eq@setup@a	9718	\everymath 346
		\eq@startup	9719	\everypar 520,
		\eq@wdCond	9737	672, 916, 1155,
		\eqnewif	3969,	7735, 7779, 7823,
		3970, 3975, 3986, 5195		9156, 9333, 9620,
		\eqno	327, 18780,	11475, 13605,
		18782, 25130, 25132		13799, 18691,
		\eqnumform	9748	18695, 18903,
		\eqstyle	9715	19010, 19382,
		\equal	4967,	19597, 19782,
		4984, 4988, 4992,		22741, 22745,
		7283, 7317, 7328,		23280, 24344,
		7360, 7361, 7377,		24348, 24394,
		7418, 7676, 7918,		24404, 24931, 24975
		7919, 7937, 7938,		\everyvbox 1371,
		7956, 7957, 7988,		1372, 18719,
		7989, 10661, 14028		18721, 18727,



18729, 24372,	5342, 5343, 5346,	10115, 11883,
24374, 24381, 24383	5350, 5352, 5357,	13821, 13823,
\ExecuteDoHook 20011,	5358, 5360, 5361,	13857, 13859,
20033, 20750,	5364, 5373, 5380,	13925, 13926,
20772, 21523, 21545	5384, 5386, 5389,	13931, 13932,
\ExecuteOptions ...	5390, 5391, 5393,	14029, 14046,
4818, 7147, 8528,	5396, 5397, 5399,	14051, 14110,
8530, 10494, 10592	5400, 5402, 5403,	14113, 14134,
\ExecuteOptionsX ... 4170	5405, 5407, 5409,	14137, 14150,
\exhyphenpenalty ...	5411, 5415, 5660,	14164, 14165,
..... 623, 930,	5661, 5662, 5663,	14166, 14167,
1124, 9126, 9303,	5664, 5666, 5689,	14169, 14393,
18962, 19412, 19474	5693, 5744, 5745,	14548, 14570,
\exp ... 17034, 17037,	5746, 5747, 5753,	14571, 14579,
17091, 17266, 17320	5754, 5755, 5756,	14690, 14692,
\expandafter ... 166,	5839, 5840, 5854,	14739, 14741,
359, 383, 753,	5855, 5856, 5858,	14960, 14998,
762, 770, 796, 799,	5865, 5866, 5869,	14999, 15416,
1005, 1014, 1022,	5884, 5891, 5900,	15418, 15427,
1048, 1051, 1255,	5909, 6080, 6094,	15429, 15438,
1264, 1272, 1298,	6108, 6118, 6127,	15440, 15543,
1301, 1369, 1384,	6128, 6129, 6130,	15557, 15571,
1466, 1467, 1468,	6145, 6172, 6173,	15595, 15609,
1470, 2341, 2370,	6182, 6186, 6241,	15642, 15673,
2461, 3339, 3946,	6242, 6254, 6255,	15704, 15935,
3948, 3952, 3954,	6350, 6352, 6359,	15936, 15943,
3958, 3960, 4600,	6361, 6363, 6365,	15957, 16178,
4602, 4606, 4608,	6366, 6367, 6387,	16186, 16191,
4612, 4614, 4618,	6389, 6392, 6395,	16371, 16372,
4619, 4627, 4629,	6396, 6397, 6399,	16377, 16378,
4633, 4634, 4658,	6402, 6407, 6470,	16760, 16803,
4661, 4664, 4667,	6482, 6484, 6500,	16806, 17659,
4671, 4674, 4677,	6501, 6502, 6503,	17662, 17694,
4728, 4729, 4782,	6541, 6552, 6557,	17696, 17794,
5040, 5043, 5046,	6571, 6604, 6605,	17796, 18448,
5050, 5064, 5076,	6606, 6609, 6612,	18465, 18477,
5077, 5082, 5093,	6628, 6629, 6643,	18482, 18693,
5118, 5120, 5124,	6644, 6656, 6661,	19098, 19107,
5125, 5129, 5132,	6666, 6676, 6692,	19115, 19141,
5142, 5144, 5148,	6695, 6721, 6764,	19144, 19237,
5149, 5153, 5156,	6826, 6835, 6847,	19246, 19254,
5176, 5178, 5183,	6849, 6850, 6890,	19282, 19285,
5203, 5204, 5207,	6900, 6901, 6922,	19868, 19880,
5208, 5218, 5219,	6939, 6950, 6952,	19890, 19911,
5222, 5223, 5226,	7079, 7080, 7879,	19926, 19938,
5227, 5230, 5231,	8420, 8850, 8975,	20009, 20089,
5267, 5269, 5273,	8978, 8981, 8984,	20190, 20313,
5277, 5279, 5283,	8987, 8990, 9016,	20445, 20454,
5285, 5289, 5291,	9017, 9080, 9081,	20630, 20632,
5295, 5297, 5301,	9095, 9248, 9257,	20634, 20637,
5303, 5307, 5309,	9265, 9425, 9434,	20643, 20651,
5313, 5315, 5319,	9442, 9710, 9820,	20653, 20655,
5321, 5332, 5334,	9862, 9883, 10050,	20661, 20663,
5338, 5339, 5340,	10052, 10113,	20748, 20829,



20930,	21053,	23854,	23916,	\fancyhead
21088,	21103,	23920,	24016,	7492, 7493, 7494, 8719,
21106,	21110,	24017,	24019,	8720, 8731, 8732, 8733
21206,	21215,	24022,	24023,	\fancyhf . . 4851, 7490,
21392,	21394,	24026,	24251,	7499, 7509, 8717, 8728
21396,	21399,	24263,	24266,	\fancyhoffset 7483, 7484
21405,	21413,	24274,	24275,	\fancypagestyle
21415,	21418,	24294,	24306,	4848, 5001, 7498, 7508, 10563
21424,	21426,	24309,	24323,	\FAX 4868
21521,	21602,	24324,	24328,	\fax 4908
21703,	21826,	24346,	24642,	\faxsymbol
21872,	21875,	24703,	24715,	. 4868, 10573, 10671
21971,	21980,	24750,	24752,	\fb@adjheight
22157,	22159,	24797,	24799, 25188	. 14535, 14605, 14625
22161,	22164,	\ExplSyntaxOff	\fb@afterframe
22170,	22178, 18333, 18432	\ExplSyntaxOn 18328, 18411	. 14530, 14555, 14613
22180,	22183,	\extrafeetendmini	\FB@capttype 13930, 13931, 13933
22189,	22191,	11840, 11866	\fb@frh . 14542, 14546,	14561, 14596, 14599
22342,	22368,	\extrafeetendminihook	\fb@put@frame . 14524,	14535, 14606, 14626
22401,	22404,	11864, 11865	14537, 14559	\fb@putboxa
22424,	22427,	\extrafeetins 11797, 11798	\fb@resto@set 14564, 14604, 14608
22429,	22431,	\extrafeetinshook	\fb@sizeofframe 14537, 14559
22442,	22443,	11825, 11826	\FBifcaptop	\FBifcaptop 16786
22451,	22455,	\extrafeetminihook 11839	\fbox 4552,	\fbox 4552,
22457,	22464,	\extrainfo 4910	4562, 9889, 11174,	4562, 9889, 11174,
22466,	22471,	\extrarowheight	15190, 15196,	15190, 15196,
22473,	22482,	386, 16734, 16742	15203, 15209,	15203, 15209,
22946,	22947,	\extrarulesep 22395	15215, 15221,	15215, 15221,
22963,	22964,	\extratitle	15229, 15233,	15229, 15233,
22965,	22972,	. 20334, 21074, 21847	15238, 15242,	15238, 15242,
22974,	22975,	F	15246, 15250,	15246, 15250,
23028,	23187,	\f@nch@everypar . . 13799	15265, 15266,	15265, 15266,
23292,	23317,	\f@nch@foot 13807	15281, 15282,	15281, 15282,
23344,	23348,	\f@nch@head 13801	15291, 15295,	15291, 15295,
23352,	23408,	\f@nch@reset 13801, 13807	15300, 15304,	15300, 15304,
23461,	23464,	\f@nch@vbox . 13802, 13808	15308, 15312,	15308, 15312,
23478,	23494,	\f@size 347	15320, 15326,	15320, 15326,
23511,	23518,	\fakeslideentry . . 2599	15333, 15339,	15333, 15339,
23523,	23540,	\FamilyKeyState . . 23459	15345, 15351, 18823	15345, 15351, 18823
23541,	23553,	\FamilyKeyStateProcessed	\fboxrule 4500, 14498,	\fboxrule 4500, 14498,
23554,	23610, 23459	14504, 14510,	14504, 14510,
23664,	23666,	\familyname 4903	14512, 14514, 14516	14512, 14514, 14516
23668,	23684,	\familynamecolour	\fboxsep 1913,	\fboxsep 1913,
23688,	23693,	4872, 10498, 10596	4501, 4568, 4577,	4501, 4568, 4577,
23695,	23698,	\familynamefont 4881,	9851, 9852, 9853,	9851, 9852, 9853,
23702,	23707,	4889, 10538, 10632	9889, 14498,	9889, 14498,
23711,	23715,	\familynamestyle 4889,	14510, 14512,	14510, 14512,
23729,	23734,	10549, 10639, 10660	14514, 14516	14514, 14516
23736,	23740,	\FamilySetBool 23458	\fboxsep	\fboxsep
23745,	23749,	\fancy@oval 13769	1913, 4501, 4568, 4577,	1913, 4501, 4568, 4577,
23754,	23757,	\fancyfoot 5002,	9851, 9852, 9853,	9851, 9852, 9853,
23758,	23761,	7503, 7504, 10564	9889, 14498,	9889, 14498,
23765,	23825,		14510, 14512,	14510, 14512,
23829,	23850,			



14514, 14516, 18822, 24238, 24239, 24240, 24336 \fcolorbox 4502 \FeetAboveFloat 13583, 13587 \FeetAtBottom 13585 \FeetBelowFloat . . 13584 \FeetBelowRagged 13586, 13588 \ff@backcol 14040 \ff@col 14038 \ff@frametype 14036, 14047 \ff@txtcol 14028, 14029, 14039 \fi . . . 12, 13, 18, 25, 36, 87, 98, 104, 107, 108, 109, 117, 134, 136, 142, 150, 154, 158, 162, 169, 177, 184, 193, 207, 208, 213, 218, 224, 227, 228, 229, 239, 290, 305, 309, 328, 336, 348, 362, 363, 375, 376, 379, 382, 398, 404, 406, 463, 468, 506, 513, 521, 523, 530, 533, 534, 537, 556, 557, 563, 572, 595, 604, 611, 620, 624, 637, 640, 641, 642, 648, 649, 654, 657, 665, 673, 675, 682, 683, 690, 693, 694, 699, 707, 746, 756, 765, 773, 797, 799, 814, 819, 853, 860, 869, 875, 876, 882, 885, 892, 895, 896, 901, 909, 917, 919, 926, 927, 931, 951, 952, 953, 970, 998, 1008, 1017, 1025, 1049, 1051, 1066, 1071, 1105, 1112, 1121, 1125, 1131, 1132, 1137, 1140, 1148, 1156, 1158, 1165, 1166, 1174, 1177, 1178, 1183, 1196, 1199, 1200, 1201, 1220, 1248, 1258, 1267,	1275, 1299, 1301, 1316, 1321, 1359, 1360, 1362, 1365, 1367, 1368, 1373, 1387, 1388, 1402, 1403, 1417, 1425, 1426, 1432, 1433, 1437, 1442, 1445, 1450, 1453, 1461, 1462, 1471, 1472, 1484, 1485, 1496, 1507, 1515, 1571, 1576, 1601, 1609, 1624, 1632, 1645, 1653, 1666, 1674, 1782, 1786, 1796, 1827, 1855, 1858, 1867, 1873, 1875, 1880, 1881, 1882, 1883, 1885, 1887, 1888, 1889, 1892, 1893, 1906, 1908, 1919, 1922, 1924, 1944, 1952, 1953, 1961, 1969, 1996, 2010, 2025, 2039, 2124, 2125, 2146, 2196, 2198, 2212, 2228, 2274, 2300, 2326, 2355, 2360, 2385, 2393, 2402, 2409, 2436, 2493, 2516, 2536, 2559, 2563, 2585, 2590, 2595, 2597, 2600, 2620, 2643, 2663, 2677, 2685, 2704, 2826, 2866, 2911, 2977, 2983, 2989, 3066, 3082, 3094, 3101, 3116, 3170, 3172, 3177, 3183, 3213, 3218, 3224, 3225, 3227, 3228, 3233, 3235, 3236, 3241, 3243, 3244, 3275, 3293, 3302, 3303, 3313, 3322, 3323, 3325, 3326, 3327, 3368, 3375, 3398, 3416, 3427, 3430, 3455, 3466, 3483, 3491, 3497, 3501, 3504, 3511,	3552, 3554, 3565, 3572, 3590, 3613, 3662, 3673, 3684, 3687, 3704, 3711, 3760, 3769, 3779, 3799, 3806, 3842, 3851, 3858, 3861, 3870, 3877, 3880, 3894, 3949, 3955, 3961, 4005, 4006, 4013, 4014, 4026, 4032, 4033, 4076, 4082, 4088, 4094, 4100, 4112, 4118, 4124, 4130, 4144, 4151, 4158, 4168, 4185, 4196, 4201, 4207, 4210, 4218, 4226, 4275, 4290, 4291, 4298, 4299, 4310, 4346, 4603, 4609, 4615, 4630, 4651, 4655, 4656, 4658, 4714, 4715, 4721, 4736, 4737, 4740, 4743, 4746, 4750, 4751, 4759, 4973, 4974, 4975, 4977, 5005, 5013, 5061, 5075, 5090, 5091, 5113, 5114, 5129, 5139, 5153, 5163, 5172, 5179, 5272, 5280, 5286, 5292, 5298, 5304, 5310, 5316, 5322, 5335, 5344, 5347, 5353, 5362, 5365, 5387, 5394, 5438, 5442, 5448, 5449, 5467, 5473, 5474, 5492, 5496, 5502, 5503, 5521, 5527, 5528, 5549, 5553, 5559, 5560, 5587, 5593, 5594, 5622, 5655, 5690, 5841, 5859, 6034, 6037, 6080, 6094, 6108, 6118, 6146, 6191, 6196, 6201, 6204, 6205, 6206, 6214, 6224, 6226, 6234, 6241, 6244, 6248,
--	--	--



6255, 6260, 6271, 6283, 6284, 6322, 6326, 6333, 6337, 6339, 6378, 6470, 6504, 6542, 6548, 6552, 6557, 6571, 6610, 6636, 6650, 6662, 6677, 6713, 6725, 6757, 6768, 6822, 6824, 6825, 6854, 6856, 6860, 6861, 6870, 6872, 6893, 6894, 6896, 6910, 6911, 6913, 6914, 6929, 6942, 6943, 6951, 6968, 7023, 7033, 7044, 7231, 7237, 7430, 7433, 7436, 7439, 7458, 7469, 7699, 7708, 7735, 7743, 7752, 7787, 7796, 7972, 8029, 8031, 8041, 8367, 8368, 8485, 8486, 8487, 8665, 8743, 8795, 8808, 8816, 8847, 8848, 8903, 8904, 8908, 8915, 8920, 8929, 8958, 8966, 8968, 9023, 9025, 9029, 9048, 9050, 9051, 9052, 9063, 9065, 9066, 9075, 9077, 9114, 9123, 9127, 9133, 9134, 9139, 9142, 9150, 9158, 9165, 9166, 9173, 9176, 9177, 9183, 9193, 9225, 9227, 9229, 9241, 9251, 9260, 9268, 9291, 9300, 9304, 9310, 9311, 9316, 9319, 9327, 9335, 9342, 9343, 9350, 9353, 9354, 9360, 9381, 9402, 9404, 9406, 9418, 9428, 9437, 9445, 9465, 9471, 9472, 9476, 9478, 9501, 9510, 9564, 9569, 9607, 9614, 9622, 9629,	9632, 9633, 9637, 9647, 9649, 9651, 9660, 9666, 9667, 9674, 9685, 9690, 9709, 9711, 9712, 9713, 9721, 9732, 9734, 9743, 9748, 9750, 9765, 9766, 9767, 9769, 9771, 9796, 9803, 9809, 9821, 9822, 9834, 9835, 9846, 9850, 9851, 9855, 9856, 9858, 9865, 9871, 9890, 9893, 9894, 9900, 9905, 9928, 9951, 9974, 9997, 10012, 10015, 10016, 10032, 10036, 10037, 10039, 10060, 10085, 10092, 10101, 10103, 10123, 10144, 10151, 10160, 10162, 10192, 10203, 10204, 10212, 10243, 10244, 10252, 10257, 10268, 10274, 10281, 10282, 10283, 10289, 10290, 10291, 10318, 10326, 10332, 10333, 10334, 10348, 10354, 10355, 10356, 10389, 10403, 10415, 10418, 10428, 10442, 10450, 10456, 10461, 10463, 10464, 10465, 10479, 10514, 10521, 10528, 10535, 10560, 10609, 10615, 10621, 10627, 10641, 10656, 10702, 10705, 10706, 10723, 10726, 10727, 10752, 10768,	10769, 10771, 10780, 10789, 10790, 10809, 10822, 10823, 10832, 10841, 10842, 10845, 10861, 10868, 10884, 10890, 10906, 10913, 10970, 10973, 10985, 10993, 10994, 10997, 11011, 11017, 11018, 11021, 11027, 11047, 11131, 11146, 11155, 11156, 11157, 11158, 11188, 11201, 11204, 11205, 11208, 11215, 11221, 11228, 11229, 11235, 11242, 11252, 11323, 11328, 11362, 11420, 11425, 11463, 11469, 11477, 11479, 11481, 11483, 11492, 11498, 11499, 11507, 11518, 11523, 11544, 11547, 11550, 11552, 11559, 11560, 11564, 11591, 11611, 11646, 11687, 11761, 11762, 11773, 11774, 11785, 11786, 11807, 11815, 11816, 11824, 11848, 11850, 11856, 11862, 11863, 11878, 11888, 11895, 11927, 11962, 11963, 12013, 12014, 12020, 12104, 12105, 12152, 12153, 12159, 12240, 12241, 12291,
--	--	--



12292,	12298,	14487,	14488,	15248,	15252,
12382,	12383,	14489,	14499,	15253,	15254,
12433,	12434,	14513,	14515,	15255,	15262,
12440,	12524,	14525,	14593,	15270,	15278,
12525,	12569,	14594,	14622,	15286,	15293,
12575,	12582,	14627,	14636,	15297,	15302,
12666,	12667,	14649,	14650,	15306,	15310,
12711,	12717,	14651,	14665,	15314,	15315,
12724,	12808,	14700,	14722,	15316,	15323,
12809,	12859,	14725,	14749,	15329,	15336,
12860,	12866,	14775,	14778,	15342,	15348,
12950,	12951,	14789,	14794,	15354,	15355,
13001,	13002,	14803,	14809,	15356,	15357,
13008,	13092,	14811,	14812,	15358,	15359,
13093,	13143,	14828,	14838,	15360,	15369,
13144,	13150,	14847,	14857,	15374,	15375,
13231,	13282,	14862,	14867,	15379,	15391,
13297,	13318,	14879,	14881,	15399,	15403,
13341,	13354,	14882,	14896,	15404,	15419,
13409,	13418,	14912,	14914,	15430,	15441,
13500,	13507,	14917,	14918,	15461,	15472,
13528,	13565,	14919,	14925,	15483,	15498,
13579,	13599,	14927,	14938,	15513,	15528,
13607,	13614,	14944,	14947,	15587,	15625,
13617,	13618,	14954,	14963,	15658,	15689,
13622,	13625,	14969,	14971,	15720,	15746,
13630,	13637,	14973,	14976,	15749,	15752,
13654,	13717,	14984,	14990,	15755,	15764,
13722,	13756,	15005,	15011,	15766,	15770,
13763,	13765,	15012,	15015,	15776,	15778,
13767,	13777,	15022,	15034,	15781,	15795,
13781,	13788,	15035,	15048,	15800,	15809,
13789,	13790,	15058,	15064,	15817,	15829,
13791,	13831,	15071,	15077,	15834,	15842,
13847,	13849,	15078,	15094,	15849,	15860,
13867,	13887,	15098,	15103,	15865,	15871,
13889,	13900,	15107,	15108,	15878,	15889,
13907,	13923,	15118,	15119,	15894,	15904,
13945,	13953,	15124,	15125,	15910,	15914,
13957,	13971,	15126,	15134,	15917,	15945,
13978,	14055,	15143,	15145,	15949,	15964,
14057,	14059,	15146,	15147,	15972,	15980,
14068,	14070,	15148,	15149,	15988,	15997,
14072,	14080,	15161,	15163,	16005,	16014,
14083,	14085,	15164,	15165,	16022,	16030,
14100,	14114,	15166,	15167,	16042,	16048,
14138,	14222,	15172,	15178,	16051,	16052,
14224,	14260,	15179,	15180,	16053,	16068,
14313,	14321,	15193,	15199,	16079,	16080,
14335,	14349,	15206,	15212,	16085,	16097,
14350,	14365,	15218,	15224,	16114,	16118,
14366,	14389,	15225,	15226,	16121,	16124,
14463,	14464,	15231,	15235,	16126,	16150,
14475,	14476,	15240,	15244,	16151,	16152,



16153,	16164,	16828,	16829,	18360,	18365,
16165,	16182,	16831,	16836,	18368,	18374,
16193,	16205,	16843,	16853,	18393,	18406,
16217,	16230,	16860,	16867,	18407,	18439,
16232,	16251,	16875,	16879,	18457,	18471,
16258,	16266,	16912,	16934,	18479,	18480,
16272,	16286,	16958,	16966,	18484,	18492,
16296,	16304,	17157,	17483,	18507,	18515,
16335,	16336,	17551,	17555,	18550,	18565,
16346,	16347,	17558,	17563,	18566,	18584,
16364,	16373,	17564,	17565,	18588,	18595,
16379,	16413,	17566,	17567,	18596,	18598,
16416,	16495,	17568,	17580,	18600,	18601,
16498,	16501,	17594,	17597,	18602,	18608,
16504,	16507,	17603,	17607,	18633,	18635,
16510,	16513,	17608,	17629,	18646,	18657,
16516,	16520,	17630,	17631,	18664,	18670,
16523,	16526,	17636,	17647,	18672,	18675,
16529,	16532,	17649,	17653,	18676,	18690,
16535,	16538,	17663,	17675,	18744,	18745,
16541,	16544,	17682,	17704,	18748,	18752,
16547,	16550,	17711,	17714,	18753,	18756,
16553,	16556,	17735,	17745,	18761,	18762,
16559,	16562,	17775,	17781,	18767,	18782,
16565,	16568,	17782,	17804,	18783,	18784,
16571,	16574,	17811,	17814,	18785,	18786,
16577,	16580,	17835,	17845,	18788,	18791,
16583,	16586,	17872,	17878,	18799,	18810,
16589,	16592,	17879,	17884,	18815,	18820,
16595,	16598,	17904,	17914,	18823,	18824,
16601,	16604,	17915,	17920,	18831,	18833,
16607,	16610,	17921,	17927,	18837,	18839,
16613,	16616,	17931,	17932,	18848,	18850,
16619,	16622,	17935,	17939,	18852,	18861,
16625,	16628,	17944,	17947,	18863,	18865,
16631,	16634,	17951,	17956,	18874,	18876,
16637,	16640,	17960,	17968,	18878,	18887,
16643,	16646,	17979,	17993,	18889,	18910,
16649,	16652,	17998,	18004,	18930,	18942,
16655,	16658,	18018,	18026,	18943,	18950,
16661,	16664,	18041,	18054,	18959,	18963,
16667,	16670,	18062,	18067,	18976,	18979,
16673,	16676,	18072,	18077,	18980,	18981,
16679,	16682,	18120,	18122,	18987,	18988,
16685,	16688,	18143,	18150,	18993,	18996,
16691,	16694,	18182,	18186,	19004,	19012,
16697,	16700,	18190,	18267,	19019,	19020,
16703,	16706,	18274,	18293,	19027,	19030,
16709,	16715,	18298,	18303,	19031,	19037,
16717,	16720,	18310,	18320,	19052,	19073,
16729,	16730,	18321,	18324,	19075,	19077,
16745,	16767,	18325,	18326,	19091,	19101,
16772,	16780,	18339,	18344,	19110,	19118,
16823,	16824,	18348,	18354,	19142,	19144,



19159,	19164,	20170,	20194,	21111,	21114,
19198,	19205,	20195,	20206,	21123,	21127,
19214,	19230,	20214,	20221,	21134,	21151,
19240,	19249,	20222,	20230,	21172,	21179,
19257,	19283,	20231,	20242,	21182,	21183,
19285,	19300,	20249,	20256,	21184,	21186,
19305,	19347,	20266,	20269,	21222,	21225,
19348,	19350,	20271,	20276,	21236,	21240,
19353,	19359,	20280,	20283,	21251,	21257,
19360,	19365,	20285,	20290,	21333,	21334,
19368,	19376,	20292,	20295,	21335,	21352,
19384,	19391,	20298,	20300,	21363,	21381,
19392,	19399,	20305,	20307,	21387,	21411,
19402,	19403,	20308,	20311,	21529,	21537,
19409,	19413,	20342,	20345,	21538,	21562,
19426,	19429,	20346,	20347,	21576,	21578,
19430,	19431,	20363,	20366,	21583,	21590,
19438,	19440,	20373,	20390,	21597,	21609,
19442,	19446,	20411,	20418,	21643,	21657,
19475,	19544,	20421,	20422,	21659,	21666,
19549,	19585,	20423,	20425,	21668,	21674,
19591,	19599,	20461,	20464,	21680,	21683,
19606,	19609,	20475,	20479,	21707,	21708,
19610,	19614,	20490,	20496,	21719,	21727,
19615,	19616,	20572,	20573,	21734,	21735,
19627,	19629,	20574,	20590,	21743,	21744,
19631,	19640,	20601,	20619,	21755,	21762,
19664,	19673,	20625,	20649,	21769,	21779,
19726,	19731,	20756,	20764,	21782,	21784,
19769,	19776,	20765,	20789,	21789,	21793,
19784,	19791,	20803,	20805,	21796,	21798,
19794,	19795,	20810,	20817,	21803,	21805,
19799,	19809,	20824,	20836,	21808,	21811,
19811,	19813,	20870,	20884,	21813,	21818,
19822,	19827,	20886,	20893,	21820,	21821,
19834,	19843,	20895,	20901,	21824,	21855,
19877,	19881,	20907,	20910,	21858,	21859,
19891,	19922,	20934,	20935,	21874,	21877,
19927,	19928,	20946,	20954,	21888,	21892,
19939,	19940,	20961,	20962,	21899,	21916,
19954,	19956,	20970,	20971,	21937,	21944,
19960,	19964,	20982,	20989,	21947,	21948,
19966,	19971,	20996,	21006,	21949,	21951,
19975,	19978,	21009,	21011,	21987,	21990,
19982,	19984,	21016,	21020,	22001,	22005,
19988,	20017,	21023,	21025,	22016,	22022,
20025,	20026,	21030,	21032,	22098,	22099,
20050,	20063,	21035,	21038,	22100,	22117,
20065,	20070,	21040,	21045,	22128,	22146,
20077,	20084,	21047,	21048,	22152,	22176,
20096,	20130,	21051,	21082,	22270,	22273,
20144,	20146,	21085,	21086,	22315,	22331,
20153,	20155,	21089,	21092,	22336,	22340,
20161,	20167,	21105,	21108,	22341,	22358,



22366,	22372,	23008,	23149,	24238,	24241,
22379,	22386,	23169,	23261,	24242,	24244,
22392,	22397,	23278,	23281,	24253,	24254,
22428,	22485,	23283,	23319,	24258,	24264,
22486,	22502,	23320,	23322,	24270,	24271,
22503,	22519,	23324,	23354,	24272,	24275,
22557,	22564,	23355,	23356,	24281,	24285,
22566,	22581,	23363,	23379,	24296,	24297,
22592,	22595,	23395,	23418,	24301,	24307,
22602,	22603,	23466,	23467,	24319,	24320,
22604,	22609,	23794,	23796,	24321,	24324,
22613,	22614,	23803,	23805,	24338,	24343,
22629,	22652,	23818,	23819,	24389,	24390,
22659,	22677,	23820,	23827,	24398,	24408,
22678,	22694,	23831,	23836,	24417,	24418,
22695,	22696,	23840,	23846,	24421,	24425,
22700,	22701,	23852,	23856,	24426,	24461,
22710,	22714,	23862,	23865,	24487,	24506,
22715,	22716,	23867,	23868,	24514,	24520,
22722,	22725,	23869,	23872,	24526,	24534,
22726,	22727,	23875,	23878,	24541,	24542,
22735,	22746,	23879,	23888,	24543,	24549,
22747,	22749,	23894,	23903,	24554,	24557,
22750,	22756,	23904,	23912,	24565,	24566,
22757,	22758,	23918,	23922,	24574,	24575,
22766,	22769,	23925,	23926,	24583,	24584,
22770,	22778,	23937,	23938,	24592,	24593,
22779,	22780,	23948,	23949,	24601,	24602,
22781,	22789,	23953,	23957,	24603,	24604,
22792,	22796,	23961,	23965,	24607,	24610,
22797,	22798,	23969,	23973,	24613,	24616,
22806,	22809,	23977,	23981,	24617,	24618,
22813,	22814,	23985,	23990,	24619,	24621,
22815,	22823,	23998,	24001,	24623,	24624,
22826,	22830,	24008,	24009,	24631,	24634,
22831,	22832,	24013,	24020,	24636,	24640,
22840,	22843,	24043,	24049,	24641,	24644,
22847,	22848,	24060,	24065,	24660,	24661,
22849,	22857,	24071,	24073,	24669,	24670,
22860,	22864,	24080,	24083,	24673,	24674,
22865,	22866,	24096,	24105,	24675,	24676,
22874,	22877,	24118,	24121,	24677,	24683,
22882,	22883,	24132,	24138,	24688,	24696,
22884,	22892,	24139,	24145,	24713,	24719,
22895,	22901,	24150,	24153,	24721,	24728,
22902,	22903,	24167,	24172,	24738,	24740,
22911,	22914,	24175,	24176,	24760,	24784,
22921,	22922,	24177,	24178,	24787,	24807,
22923,	22931,	24182,	24185,	24827,	24830,
22934,	22948,	24187,	24193,	24833,	24851,
22956,	22957,	24194,	24208,	24866,	24884,
22958,	22966,	24218,	24219,	24886,	24895,
22969,	22991,	24226,	24231,	24904,	24939,
23006,	23007,	24234,	24237,	24948,	24980,



24983,	24984,	\FloatBarrier . 7259, 7609	\fontsize 303,
24985,	24986,	\floatc@biditufefloatplain 7627,	8613, 8615, 8617,
24987,	24995,	7637, 7644, 7650, 7658	10537, 10629,
25009,	25013,	\floatc@biditufefloatplain 7644	16063, 18391, 18404
25014,	25018,	\floatc@biditufefloatrule 7645	\footdir 18462,
25026,	25027,	\floatc@plain 13921	18464, 18474, 18476
25028,	25029,	\floatingpenalty 41, 55, 71, 244,	\footdir@abspage 14125,
25030,	25051,	258, 273, 10711,	14128, 14129,
25058,	25064,	10732, 10779,	14132, 14133, 14136
25065,	25066,	10786, 10831,	\footdir@debug 14097,
25067,	25069,	10838, 11834,	14105, 14109,
25070,	25071,	14265, 14282, 14298	14112, 14122,
25089,	25105,	\floatstyle 7678	14129, 14133, 14136
25124,	25127,	\flushleft . . . 4569, 4578	\footdir@debugfalse 4123
25128,	25132,	\FN@sf@@footnote 4596, 4600	\footdir@debugtrue 4121, 14095
25133,	25135,	\FN@sf@@footnotemark 4625, 4627	\footdir@fntext 14143, 14160, 14162
25143,	25145,	\FN@sf@@LTRfootnote 4597, 4606	\footdir@LeftRightElse 14103, 14119, 14196
25254,	25260, 25266	\FN@sf@@RTLfootnote 4598, 4612	\footdir@name 14146, 14149, 14150
\figcaption .	15143, 15161	\FN@sf@gobble@bracket 4636, 4639	\footdir@ORG@bidi@amsart@footnotetext 79
\fill	2886, 3077, 3079, 3081, 3286, 3287, 3290, 3291, 3297, 3300, 3308, 3393, 3395, 3397, 8658, 8662, 15178, 15373, 16715, 16717, 16719	\FN@sf@gobble@opt 4602, 4608, 4614, 4617	\footdir@ORG@bidi@amsart@LTRfootnotetext 81
\filright .	22544, 22573	\FN@sf@gobble@only 4629, 4632	\footdir@ORG@bidi@amsbook@footnotetext 80
\FirstFrameCommand	14512, 14558	\FN@sf@gobble@twobracket 4621, 4624	\footdir@ORG@bidi@amsbook@RTLfootnotetext 282
\firstmark	10058, 10121, 13829, 13865, 14022, 14698, 14747, 17702, 17802, 24758, 24805, 25116	\focus@pbar@height 3284, 3286, 3287, 3288, 3290, 3291, 3292, 3297, 3298, 3300, 3301, 3307, 3308, 3310, 3312, 3317, 3318, 3320, 3321	\footdir@ORG@bidi@beamer@footnotetext 2247
\firstname	4902	\focus@pbar@leftoffset 3266, 3267, 3282, 3286, 3287, 3290, 3291	\footdir@ORG@bidi@beamer@LTRfootnotetext 2249
\firstnamecolour	4871, 10499, 10595	\focus@pbar@progress 3281, 3287, 3291	\footdir@ORG@bidi@beamer@RTLfootnotetext 2248
\firstnamefont	4880, 4888, 10537, 10538, 10629, 10632	\focus@pbar@rightoffset 3270, 3271, 3273, 3274, 3282, 3297, 3300, 3310, 3312, 3317, 3318, 3320, 3321	\footdir@ORG@bidi@footnotetext 14316
\firstnamestyle	4888, 10549, 10639, 10660	\font 22282, 22283	\footdir@ORG@bidi@LTRfootnotetext 14318
\fivecolumnfootnotes	12352	\fontdimen 22282, 22283	\footdir@ORG@bidi@RTLfootnotetext 14317
\Fld@width	15963, 15971, 15979, 15987		\footdir@temp 79, 80, 81, 282, 283, 284, 2247, 2248, 2249, 14155, 14316, 14317, 14318
\flnew@within	13930		\footdir@toks 14096, 14163,
\float@newx	13924		
\floataignment	7287, 7288, 7329, 7330, 7352, 7359, 7367, 7418, 7629		



14164,	14165,	14169	12789,	12927,	13245,	13246,
\footdir@write			12931,	13069,	13300,	13301,
. 14090, 14120, 14159			13073,	13245,	13351,	13379,
\footersymbol . 10556,			13251,	13300,	18104,	18105,
10557,	10572,		\footinsv@l		18112,	18113,
10573,	10574,	10575	. . 11803, 11811,		18119,	18120,
\footfootmark			11907,	11908,	18135,	18179,
. . 11628, 11751,			11909,	11910,	\footmarkstyle	
12000,	12139,		11943,	11944, 11748, 11787	
12278,	12420,		11961,	11973,	\footmarkwidth	
12562,	12704,		12085,	12086,	. . 11747, 11752,	
12846,	12988,		12103,	12114,	11753,	11755,
13130,	13394,	14453	12221,	12222,	11757,	11760,
\footfudgefactor . . .			12239,	12251,	11764,	11765,
. 13215, 13274, 13333			12363,	12364,	11767,	11769,
\footins 35,			12381,	12393,	11772,	11776,
49,	65,	238,	12505,	12506,	11777,	11779,
267,	10711,	10732,	12523,	12535,	11781,	11784,
10736,	10737,		12647,	12648,	11791,	11794,
10748,	10751,		12665,	12677,	14454,	14455,
10755,	10779,		12789,	12790,	14457,	14459,
10785,	10793,		12807,	12819,	14462,	14466,
10794,	10805,		12931,	12932,	14467,	14469,
10808,	10812,		12949,	12961,	14471,	14474,
10831,	10837,		13073,	13074,	14478,	14479,
11645,	11659,		13091,	13103,	14481,	14483,
11673,	11831,		13251,	13252,	14486	
11892,	11901,		\footinsv@r . . . 11802,		\footnote . 417, 491, 741,	
13504,	13513,		11902,	11903,	840,	993,
13536,	13540,		11904,	11905,	1092,	
13549,	13553,		11939,	11940,	1243,	1343,
13559,	13574,		11959,	11983,	2251,	
14259,	14276,		12081,	12082,	4596,	4599,
14292,	14682,		12101,	12123,	8195,	
14683,	14731,		12217,	12218,	8514,	8545,
14732,	14785,		12237,	12261,	9236,	
14786,	14787,		12359,	12360,	9413,	9518,
14788,	14808,		12379,	12403,	9592,	
14809,	14819,		12501,	12502,	11281,	11349,
14828,	14849,		12521,	12545,	11374,	11448,
14867,	14870,		12643,	12644,	13675,	13743,
18758,	18759,		12663,	12687,	17598,	17601,
18761,	24838,		12785,	12786,	19086,	19185,
24844,	24848,		12805,	12829,	19223,	19329,
24853,	24871,	24875	12927,	12928,	19483,	19571,
\footinsdim . . . 11830,			12947,	12971,	19680,	19754,
11831,	11905,		12947,	12971,	20135,	20875,
11910,	11939,		13069,	13070,	21648	
11943,	12081,		13089,	13113,	\footnotelayout	
12085,	12217,				. . . 8013, 8014, 8017	
12221,	12359,				\footnotemark	
12363,	12501,				4625, 4626, 14394,	
12505,	12643,				14408,	17599,
12647,	12785,				17602	



11894,	13506,	14456, 14460, 14462	\fs@bidituftefloatboxed 7656
13539,	13552,	\footskip 13808, 20121, 20861, 21634, 25102	\fs@bidituftefloatplain 7635, 7643
14087,	14184,	\foottextfont . 11629, 11649, 11691,	\fs@bidituftefloatplaintop 7643
14188,	14191,	11827, 11933,	\fs@bidituftefloatruled 7648
14206,	14211,	11965, 12000,	\fslice . 18578, 18579, 18581, 18582, 18585
14212,	14214,	12022, 12075,	\ftn@amount ... 14786, 14787, 14788,
14870,	14903,	12107, 12139,	14795, 14799, 14800
18044,	18760,	12161, 12211,	\ftn@font 20032, 20068, 20771,
22536,	24847, 24874	12243, 12278,	20808, 21544, 21581
\footnotes	8010	12300, 12353,	\ftn@rule@height 20076,
\footnotesep	29, 31, 40,	12385, 12420,	20079, 20083,
46, 54, 60, 70, 76,		12442, 12495,	20086, 20816,
233, 235, 243, 249,		12527, 12562,	20819, 20823,
257, 263, 272, 278,		12584, 12637,	20826, 21589,
2158, 2175, 2192,		12669, 12704,	21592, 21596, 21599
2208, 2224, 2240,		12726, 12779,	\ftn@rule@test@values 20075,
10708, 10729,		12811, 12846,	20082, 20815,
10754, 10811,		12868, 12921,	20822, 21588, 21595
11629, 11635,		12953, 12988,	\ftn@rule@width 20079, 20086, 20819,
11641, 11835,		13010, 13063,	20826, 21592, 21599
13280, 13339,		13095, 13130,	\ftnm@font
14264, 14272,		13152, 13220,	. 20071, 20811, 21584
14281, 14289,		13239, 13269,	\full@width
14297, 14305,		13279, 13291,	. 17971, 17983, 18031
14332, 14346,		13358, 13394, 13419	\futurelet 790,
14360, 16058, 16060		\forcecorrectofloat .. 7290	792, 1042, 1044,
\footnotesize ... 38,		\forceversofloat .. 7291	1292, 1294, 5169,
52, 68, 106, 226,		\forvariable	6250, 6253, 19135,
241, 255, 270, 413,		6450, 6456, 6532,	19137, 19276, 19278
737, 989, 1239,		6568, 6575, 6580,	
4980, 5002, 7167,		6586, 6591, 6595, 6596	
7168, 7206, 7825,		\fourcolumnfootnotes	
7826, 7827, 8019,	 12210	
8049, 8067, 8085,		\fp 17255,	
9232, 9409, 9514,		17256, 17257, 17258	
11277, 11370,		\fps@figure	15131
11827, 11828,		\framebox 10547,	
11829, 13671,		10678, 17913, 17919	
14255, 14256,		\FrameCommand 14510	
14257, 14262,		\FrameHeightAdjust 14584	G
14279, 14295,		\FrameRestore . 14518,	\g 11053, 11055, 11059,
14325, 14339,		14522, 14638, 14639	11152, 16953,
14353, 16050,		\framewidth	16958, 16960,
18561, 18563,		... 2147, 2164, 2181	16966, 16968,
19082, 19219,		\fromaddress	17011, 17015,
19479, 19676,		.. 11542, 11548,	17016, 17062,
20131, 20871, 21644		11558, 16116, 16122	17066, 17067,
\footnotetext .. 4660,		\fromname	17084, 17085,
4671, 8974, 8984		11563	17122, 17138,
\footrule	13808	\fromsig ... 11562, 11564	17141, 17147,
\footrulewidth 4850, 7488		\fromvalue 6450,	17148, 17149,
\footscript		6536, 6559, 6581, 6596	17150, 17151,
.. 11748, 11754,		\frontmatter	17160, 17161,
11758, 11760,		8712	



17163,	17165,	17487,	17488,	\Gin@angle
17166,	17167,	17491,	17495,	\Gin@bboxtrue
17174,	17175,	17496,	17498,	\Gin@defaultbp
17180,	17186,	17500,	17501, 14949, 14950,
17195,	17198,	17502,	17506,	14951, 14952,
17206,	17207,	17507,	17508,	22507, 22508, 22511
17210,	17211,	17513,	17520,	\Gin@eheight 18399
17212,	17213,	18414,	18422, 18425	\Gin@esetsize 14967
17214,	17215,	\g@addto@macro		\Gin@ewidth . 18398, 18399
17217,	17220,		6695, 6939,	\Gin@exclamation
17221,	17223,		7024, 7034, 7285,	. 14997, 18398, 18401
17226,	17228,		7971, 7973, 11082,	\Gin@gridfalse 18384
17231,	17236,		11085, 11087,	\Gin@ii 14956
17244,	17245,		13267, 13326,	\Gin@iii 14945, 14959
17247,	17248,		16845, 23692, 24021	\Gin@llx 14949
17249,	17250,	\g@mix@page@int	17393	\Gin@lly 14950
17251,	17252,	\gdef	406, 408,	\Gin@outer@scalex . 18395
17253,	17255,		2370, 2372, 4499,	\Gin@outer@scalley . 18396
17256,	17257,		4871, 4872, 4873,	\Gin@scalex 18400
17258,	17260,		4874, 4875, 4876,	\Gin@scalley 18401
17261,	17271,		4878, 4879, 5040,	\Gin@urx 14951
17279,	17280,		5064, 5407, 6128,	\Gin@ury 14952
17281,	17283,		6214, 6216, 6226,	\Ginclude@graphics
17288,	17289,		6228, 6545, 6547, 14953, 14965
17294,	17295,		6548, 7018, 7029,	\Ginput@path 17153
17299,	17304,		7303, 7304, 7306,	\global 301,
17307,	17314,		7309, 7389, 7394,	437, 438, 439, 440,
17316,	17319,		7395, 7396, 7548,	441, 442, 443, 444,
17320,	17324,		7589, 7968, 8106,	445, 446, 447, 448,
17326,	17327,		8135, 8164, 8203,	466, 472, 473, 474,
17330,	17331,		8212, 8221, 8550,	475, 476, 477, 478,
17332,	17336,		8567, 8583, 8595,	479, 480, 481, 482,
17337,	17341,		8635, 8636, 8637,	483, 484, 519, 520,
17342,	17349,		8824, 8827, 9082,	671, 672, 779, 780,
17364,	17365,		9094, 9096, 10057,	781, 782, 783, 784,
17366,	17368,		10120, 11036,	785, 786, 787, 788,
17373,	17376,		11049, 13557,	817, 823, 824, 825,
17377,	17380,		13570, 13583,	826, 827, 828, 829,
17384,	17385,		13584, 13828,	830, 831, 832, 833,
17386,	17390,		13864, 14150,	915, 916, 1031,
17391,	17392,		14210, 14697,	1032, 1033, 1034,
17399,	17400,		14746, 16179,	1035, 1036, 1037,
17401,	17403,		16412, 16415,	1038, 1039, 1040,
17404,	17407,		17701, 17801,	1069, 1075, 1076,
17408,	17413,		18336, 18357,	1077, 1078, 1079,
17419,	17430,		18752, 22280,	1080, 1081, 1082,
17435,	17436,		22545, 22546,	1083, 1084, 1085,
17437,	17441,		22551, 22574,	1154, 1155, 1281,
17444,	17445,		22575, 24018,	1282, 1283, 1284,
17446,	17447,		24425, 24475,	1285, 1286, 1287,
17449,	17457,		24700, 24757, 24804	1288, 1289, 1290,
17471,	17472,	\geometry .	1941, 1943,	1319, 1325, 1326,
17473,	17474,		1949, 1951, 7189,	1327, 1328, 1329,
17476,	17479,		7192, 7196, 7199, 7203	1330, 1331, 1332,



1333, 1334, 1335,	9585, 9619, 9620,	11709, 11871,
1461, 1462, 1750,	9712, 9722, 9723,	11873, 11927,
2145, 2162, 2179,	9724, 9725, 9726,	12008, 12031,
2196, 2197, 2212,	9727, 9728, 9729,	12043, 12147,
2213, 2228, 2229,	9737, 9750, 9755,	12169, 12180,
2333, 2340, 2364,	9759, 9815, 10044,	12286, 12309,
2447, 2575, 4402,	10045, 10055,	12321, 12428,
4403, 4404, 4405,	10062, 10096,	12451, 12463,
4406, 4407, 4408,	10107, 10108,	12570, 12593,
4409, 4410, 4411,	10118, 10125,	12605, 12712,
4412, 4658, 4661,	10155, 10180,	12735, 12747,
4664, 4667, 4671,	10199, 10396,	12854, 12877,
4674, 4677, 4756,	10407, 10420,	12889, 12996,
4760, 4782, 5065,	10432, 10434,	13019, 13031,
5079, 5081, 5087,	10443, 10445,	13138, 13161,
5089, 5100, 5106,	10446, 10449,	13173, 13206,
5118, 5142, 5249,	10452, 10462,	13220, 13404,
5265, 5430, 5484,	10469, 10470,	13429, 13443,
5538, 6350, 6352,	10477, 10703,	13516, 13560,
6372, 6373, 6384,	10710, 10724,	13563, 13569,
6392, 6402, 6515,	10731, 10743,	13575, 13577,
6534, 6536, 6538,	10751, 10755,	13582, 13604,
6550, 6555, 7154,	10772, 10775,	13605, 13693,
7288, 7332, 7333,	10783, 10788,	13694, 13695,
7705, 7716, 7719,	10800, 10808,	13696, 13697,
7749, 7760, 7763,	10812, 10824,	13698, 13699,
7793, 7804, 7807,	10827, 10835,	13700, 13701,
7861, 8628, 8825,	10840, 11162,	13702, 13720,
8828, 8846, 8850,	11299, 11300,	13726, 13727,
8866, 8877, 8903,	11301, 11302,	13728, 13729,
8904, 8931, 8944,	11303, 11304,	13730, 13731,
8945, 8965, 8975,	11305, 11306,	13732, 13733,
8978, 8981, 8984,	11307, 11308,	13734, 13735,
8987, 8990, 9022,	11326, 11332,	13736, 13816,
9032, 9046, 9048,	11333, 11334,	13817, 13826,
9053, 9054, 9060,	11335, 11336,	13832, 13852,
9061, 9063, 9083,	11337, 11338,	13853, 13862,
9095, 9097, 9155,	11339, 11340,	13869, 13940,
9156, 9274, 9275,	11341, 11342,	13943, 13976,
9276, 9277, 9278,	11394, 11395,	13979, 13981,
9279, 9280, 9281,	11396, 11397,	13987, 13988,
9282, 9283, 9332,	11398, 11399,	13989, 14007,
9333, 9451, 9452,	11400, 11401,	14011, 14014,
9453, 9454, 9455,	11402, 11403,	14017, 14019,
9456, 9457, 9458,	11404, 11405,	14023, 14321,
9459, 9460, 9538,	11423, 11429,	14322, 14335,
9539, 9540, 9541,	11430, 11431,	14336, 14349,
9542, 9543, 9544,	11432, 11433,	14350, 14671,
9545, 9546, 9547,	11434, 11435,	14672, 14673,
9548, 9549, 9567,	11436, 11437,	14674, 14680,
9573, 9574, 9575,	11438, 11439,	14681, 14682,
9576, 9577, 9578,	11440, 11441,	14683, 14684,
9579, 9580, 9581,	11474, 11475,	14685, 14695,
9582, 9583, 9584,	11687, 11698,	14704, 14729,



14730,	14731,	18512,	18513,	19739,	19740,
14732,	14733,	18514,	18522,	19741,	19742,
14734,	14744,	18529,	18568,	19743,	19744,
14753,	14782,	18592,	18593,	19745,	19746,
14783,	14795,	18594,	18793,	19747,	19781,
14796,	14797,	18843,	19009,	19782,	20105,
14799,	14800,	19010,	19124,	20106,	20107,
14801,	14802,	19125,	19126,	20108,	20186,
14884,	14897,	19127,	19128,	20205,	20228,
15557,	15571,	19129,	19130,	20309,	20319,
15595,	15609,	19131,	19132,	20320,	20321,
15642,	15673,	19133,	19162,	20322,	20323,
15704,	15767,	19168,	19169,	20324,	20325,
15777,	16362,	19170,	19171,	20326,	20327,
16754,	16755,	19172,	19173,	20328,	20329,
16803,	16806,	19174,	19175,	20330,	20331,
16825,	16826,	19176,	19177,	20332,	20333,
16834,	17531,	19178,	19263,	20334,	20335,
17532,	17533,	19264,	19265,	20336,	20337,
17534,	17535,	19266,	19267,	20338,	20339,
17536,	17537,	19268,	19269,	20340,	20341,
17538,	17539,	19270,	19271,	20343,	20611,
17556,	17651,	19272,	19273,	20613,	20845,
17688,	17689,	19274,	19303,	20846,	20847,
17699,	17705,	19309,	19310,	20848,	20926,
17708,	17710,	19311,	19312,	20945,	20968,
17712,	17713,	19313,	19314,	21049,	21059,
17715,	17720,	19315,	19316,	21060,	21061,
17728,	17730,	19317,	19318,	21062,	21063,
17738,	17739,	19319,	19320,	21064,	21065,
17740,	17741,	19321,	19381,	21066,	21067,
17743,	17744,	19382,	19513,	21068,	21069,
17747,	17748,	19514,	19515,	21070,	21071,
17779,	17780,	19516,	19517,	21072,	21073,
17788,	17789,	19518,	19519,	21074,	21075,
17799,	17805,	19520,	19521,	21076,	21077,
17808,	17810,	19522,	19523,	21078,	21079,
17812,	17813,	19524,	19547,	21080,	21081,
17815,	17820,	19553,	19554,	21083,	21373,
17828,	17830,	19555,	19556,	21375,	21618,
17838,	17839,	19557,	19558,	21619,	21620,
17840,	17841,	19559,	19560,	21621,	21699,
17843,	17844,	19561,	19562,	21718,	21741,
17847,	17848,	19563,	19564,	21822,	21832,
17876,	17877,	19565,	19596,	21833,	21834,
17883,	17884,	19597,	19700,	21835,	21836,
17896,	17897,	19701,	19702,	21837,	21838,
17898,	17899,	19703,	19704,	21839,	21840,
17900,	17901,	19705,	19706,	21841,	21842,
17903,	17909,	19707,	19708,	21843,	21844,
17981,	17998,	19709,	19710,	21845,	21846,
18004,	18018,	19711,	19729,	21847,	21848,
18026,	18269,	19735,	19736,	21849,	21850,
18494,	18511,	19737,	19738,	21851,	21852,



21853,	21854,	15043,	15044,	15730, 15744, 15761
21856,	22138,	15046,	15047,	\H@footnotetext . . . 11599, 15407,
22140,	22371,	15048,	15051,	15418, 15487,
22375,	22376,	15052,	15053,	15534, 15648,
22377,	22394,	15056, 15057,	15058	15731, 15747, 15761
22406,	22411,	\Gm@vrules@mpi . . .	15039	\H@mpfootnotetext
22415,	22427,	\Gm@vrules@mpii . .	15049	\H@refstepcounter 15937
22464,	22466,	\grid	18392, 18405	\halign 8865, 16757
22471,	22473,	\Grot@box	14917,	\hangafter 9905, 17624
22740,	22741,	14925,	19960,	\hangindent 107,
22744,	22745,	19971, 19978,	19988	108, 109, 227,
23279,	23280,	\Grot@box@kv	14918	228, 229, 647,
23373,	23378,	\Grot@box@std	14912	874, 1130, 8485,
24015,	24163,	\Grot@setangle	14913,	8486, 8487, 9132,
24171,	24181,	14924,	19953,	9309, 9809, 9905,
24184,	24228,	19963, 19974,	19981	16051, 16052,
24486,	24703,	\Grot@x	14915,	16053, 17617,
24714,	24744,	14920,	19958,	17623, 18986,
24745,	24755,	19968, 19976,	19986	19358, 24621, 25145
24762,	24791,	\Grot@y	14916,	\hb@xt@ 456,
24792,	24802,	14921,	19959,	516, 535, 668, 695,
24809,	24901,	19969, 19976,	19987	897, 912, 1059,
24912,	24915,	\group	17134, 17155,	1151, 1179, 4396,
24945,	24956,	17442,	17455,	9153, 9178, 9330,
24959,	24987,	17460, 17467,	17523	9355, 9557, 9617,
24996,	24997,	\grp@aligned	9728	9634, 9895, 10064,
24998,	24999,	\GRP@box	9723, 9755, 9757	10069, 10073,
25001,	25004,	\grp@eqs@numbered . . .	9727	10127, 10128,
25005,	25019,	\grp@hasNumber	9732	10134, 10360,
25024,	25038,	\GRP@label	9724	10366, 10371,
25039,	25041,	\grp@linewidth	9726	10378, 10385,
25050,	25083,	\GRP@queue	9723, 9759	11206, 11218,
25095,	25098,	\grp@setnumber	9732	11316, 11413,
25100,	25107,	\grp@shiftnumber	9729	11472, 11753,
25111,	25113,	\grp@wdL	9725	11760, 11765,
25114,	25117,	\grp@wdNum	9726	11772, 11777,
\globalcolorstrue 1756, 1761		\grp@wdR	9725	11784, 13602,
\GlobalSetatBoolean 5258		\Gscale@box 14927, 15019, 15036	13619, 13710,
\GlobalSetBoolean 5242, 7290, 7291, 7318, 7319, 7323, 7324, 7617, 7618		\Gscale@div 15018, 15025, 15028	13871, 13872,
\glossary . . . 14001, 25078		\Gscale@end	14931, 14977	13878, 13898,
\glueexpr . . . 23512, 23519, 23524, 23611, 23672, 23675, 23679, 23685		\Gscale@start	14931, 14977	13913, 14032,
\Gm@lmargin 1929, 1960, 1966, 2087, 2409, 3605		\Gscale@x	14929, 14975	14455, 14462,
\Gm@pageframes . . . 15059		\Gscale@y	14929, 14975	14467, 14474,
\Gm@rmargin 1929, 1958, 1968, 2091, 3196, 3636		\gsetlength	7152, 7305, 7397, 7859, 8108, 8110, 8137, 8139, 8166, 8168	14479, 14486,
\Gm@vrule . . . 15042,		H		14706, 14707,
		\H@footnotemark . . .		14713, 14755,
				14760, 14764,
				14940, 14986,
				15041, 15046,
				15051, 15055,
				16112, 16276,



16283,	16290,	2730, 2737, 2815,	17482, 17517,
16295,	16363,	3140, 3146, 3152,	17931, 17965,
17652,	17754,	3219, 3220, 3225,	17981, 17983,
17759,	17763,	3227, 3229, 3233,	18093, 18420,
17854,	17855,	3235, 3237, 3241,	18422, 18425,
17861,	17958,	3243, 3337, 3363,	18506, 18561,
19007,	19032,	3451, 3492, 3493,	18565, 18585,
19379,	19404,	3562, 3599, 3605,	18618, 18622,
19495,	19538,	3606, 3854, 3856,	18627, 18631,
19611,	19719,	3873, 3875, 4037,	18643, 18654,
19779,	19796,	4314, 4641, 7264,	18671, 18681,
20471,	20508,	7352, 7354, 7359,	18698, 18707,
21232,	21269,	7392, 7393, 7402,	18708, 18717,
21997,	22034,	7409, 7629, 7662,	18771, 18772,
22318,	23003,	7980, 8019, 8046,	18773, 18775,
23165,	23274,	8064, 8082, 8204,	18776, 18802,
23756,	23891,	8213, 8222, 8657,	18820, 18831,
23928,	23930,	8665, 8784, 8834,	18993, 19047,
23996,	24003,	8838, 8849, 8866,	19365, 19470,
24005,	24437,	8877, 9083, 9097,	19594, 19624,
24618,	24619,	9139, 9217, 9316,	19806, 19975,
24694,	24764,	9370, 9644, 9756,	20032, 20068,
24769,	24773,	9822, 9851, 10011,	20071, 20086,
24811,	24812,	10014, 10031,	20593, 20771,
24818,	25008,	10035, 10755,	20808, 20811,
25089,	25105, 25127	10758, 10761,	20826, 21355,
\hbadness	7660,	10812, 10813,	21544, 21581,
10696,	10717,	10815, 11039,	21584, 21599,
22447,	22449,	11044, 11050,	22120, 22297,
24102,	24103, 24120	11273, 11572,	22345, 22358,
\hbox .	15, 28, 188, 210,	13213, 13223,	22386, 22397,
	232, 345, 379, 387,	13228, 13461,	22436, 22506,
	404, 544, 654, 731,	13472, 13483,	23883, 23884,
	882, 965, 1137,	13492, 13649,	23933, 23935,
	1211, 1413, 1472,	13787, 13801,	23992, 23993,
	1572, 1594, 1602,	13802, 13807,	24196, 24230,
	1617, 1625, 1638,	13809, 13833,	24232, 24238,
	1646, 1659, 1667,	13836, 13840,	24351, 24360,
	1768, 1774, 1783,	13917, 13921,	24361, 24370,
	1790, 1816, 1828,	13923, 13961,	24435, 24436,
	1829, 1860, 1905,	13966, 14176,	24439, 24440,
	1910, 1921, 1929,	14905, 14906,	24441, 24442,
	1975, 1977, 1979,	14914, 14919,	24450, 24456,
	1981, 1983, 1984,	14930, 14931,	24620, 24629,
	1986, 1997, 2012,	14976, 14977,	24631, 24636,
	2017, 2026, 2041,	15015, 15022,	24646, 24661,
	2050, 2051, 2062,	16057, 16063,	24690, 24691,
	2064, 2079, 2081,	16082, 16135,	25016, 25026, 25028
	2083, 2085, 2087,	16746, 16766,	\hboxL 192,
	2091, 2108, 2112,	16771, 16828,	4029, 4031, 4309,
	2119, 2120, 2343,	16831, 17139,	14618, 14635,
	2360, 2404, 2564,	17155, 17156,	16278, 18708, 24361
	2569, 2576, 2713,	17174, 17434,	\hboxR 190, 4023, 4025,
	2714, 2715, 2723,	17436, 17446,	4307, 18698, 24351



\head@style . . .	621,	13619,	13835,	18233,	18236,
928,	1122,	13875,	13877,	18237,	18238,
1355,		13903,	13916,	18241,	18242,
9124,	9301,	13923,	14710,	18243,	18244,
18960,		14712,	14757,	18245,	18248,
19343,	19410,	14759,	15048,	18249,	18250,
19472		15053,	16082,	18251,	18252,
\headheight	2087,	16363,	16771,	18255,	18256,
4378,		17652,	17756,	18257,	18258,
11024,	13802,	17758,	17858,	18259,	18672,
14009,	20119,	17860,	17958,	18676,	20086,
20859,	21632,	18565,	18619,	20631,	20648,
\headrule	18623,	18628,	20826,	21393,
\headrulewidth	4849,	18632,	18644,	21410,	21599,
\headsep	18655,	18681,	22158,	22175,
4386,		19007,	19032,	22546,	22575,
4389,	11025,	19379,	19404,	23719,	23722,
14010,	20120,	19594,	19611,	23726,	23885,
\headwidth	4939,	19779,	19796,	23994,	24151,
13801,		23003,	23165,		24692
13803,	13804,	23274,	23756,	\hfilneg . . .	11920, 11924
13805,	13807,	23891,	23928,	\hfuzz 11037,	22448, 22450
13809,	13810,	23930,	23996,	\hintcolour	4879
\height .	14921,	24003,	24005,	\hintfont	4887,
14995,		24464,	24694,	4895, 4949,	4956, 4961
15203,	15205,	24766,	24768,	\hintscolumnwidth .	
15209,	15211,	24815,	24817,	4915,
15238,	15239,	25027,	25029,	4929,	4933, 4941,
15242,	15243,	25066,	25067,	4949,	4955, 4961, 5018
15300,	15301,	25069,	25070,	\hintstyle	4895
15304,	15305,			\hline 16723,	16725, 16731
15333,	15335,			\HLOFF	4504
15339,	15341,			\HLON	4498
17485,	17493,			\HLTR@LTRfootnotetext . . .	
17518				11601,	15409,
\hfil .	15,	15242,	15243,	15440,	15517,
210,	516,	15300,	15301,	15535,	15577,
635,	635,	15304,	15305,	15679,	15733,
668,	695,	15333,	15335,	15753	
897,	897,	15339,	15341,	\HLTR@mpLTRfootnotetext . . .	
912,		17485,	17493,	11607,	15438,
1060,	1151,	17518		15452,	15476,
1179,		\hfill . . .	1478, 1479,	15539	
1409,	1410,	2099,	2120,	\hoffset	4382
1411,		3345,	3348,	\hold@viper . . .	10078,
1412,	1440,	3482,	3573,	10081,	10137,
1441,		4960,	4966,	10140,	10208,
1442,	1448,	4980,	7421,	10211,	10395,
1449,		7425,	7426,	10396,	10407,
1450,	1572,	8806,	8816,	10408,	10420,
1603,		9828,	9829,	10421,	10433,
1605,	1626,	10548,	13803,	10468,	10470,
1628,		13804,	13809,	10471	
1647,	1649,	13810,	17933,	\holder . .	18575, 18578,
1668,		17957,	18196,	18587,	18597,
1670,	2047,	18199,	18200,	18598,	18616,
2051,		18201,	18204,	18620,	18625,
2073,	2087,	18205,	18206,		
2090,		18207,	18208,		
2343,	2404,	18211,	18212,		
2723,		18213,	18214,		
2730,	2737,	18215,	18216,		
3140,		18217,	18220,		
3146,	3152,	18221,	18222,		
4368,		18223,	18224,		
4373,	8835,	18225,	18226,		
8837,		18227,	18228,		
8942,	9153,	18227,	18231,		
9178,					
9330,	9355,				
9617,					
9634,	9895,				
10012,					
10015,	10032,				
10036,	10066,				
10068,	10131,				
10133,	10363,				
10365,	10382,				
10384,	11206,				
11218,	11472,				
11926,	13602,				



18629,	18641,	11919,	11923,	20795,	20797,
18645,	18652,	11994,	12023,	20866,	20867,
\href	4985, 4986,	12035,	12047,	21232,	21269,
	4989, 4990, 4993, 4994	12133,	12162,	21271,	21556,
\HRTL@@mpRTLfootnotetext		12173,	12184,	21568,	21570,
.	.. 11609, 15427,	12272,	12301,	21639,	21640,
	15451, 15465, 15540	12313,	12325,	21997,	22034,
\HRTL@@RTLfootnotetext		12414,	12443,	22036,	23943,
.	.. 11603, 15408,	12455,	12467,	23946,	23951,
	15429, 15502,	12556,	12585,	23955,	23959,
	15536, 15615,	12597,	12609,	23963,	23967,
	15710, 15732, 15750	12698,	12727,	23971,	23975,
\hrule	31, 235, 540, 725,	12739,	12751,	23979,	24199,
	960, 1205, 7651,	12840,	12869,	24220,	24224,
	7652, 7662, 7663,	12881,	12893,	24391,	24401,
	8836, 9211, 9364,	12982,	13011,	24545,	24918,
	9474, 9480, 9486,	13023,	13035,	24962,	25123, 25127
	9492, 9640, 10320,	13124,	13153,	\hskip	14,
	10691, 11269,	13165,	13177,	28,	209, 232, 305,
	11568, 11621,	13362,	13374,	309, 534, 544, 654,	
	13645, 14179,	13386,	13420,	655, 694, 731, 882,	
	14181, 14213,	13423,	13434,	883, 896, 944, 965,	
	14623, 16060,	13437,	13448,	1137, 1138, 1178,	
	16131, 16912,	13451,	13462,	1211, 1358, 1411,	
	18045, 18096,	13473,	13922,	1412, 1450, 1474,	
	18673, 19041,	13923,	14266,	1477, 1570, 1574,	
	19464, 19620,	14283,	14299,	1600, 1607, 1623,	
	19802, 20079,	14326,	14340,	1630, 1644, 1651,	
	20086, 20819,	14354,	14371,	1665, 1672, 1912,	
	20826, 21592, 21599	14372,	14518,	1914, 1916, 1918,	
\rulefill	28, 232, 544,	14623,	14653,	1921, 1929, 1983,	
	731, 965, 1211,	14656,	14660,	1986, 1994, 2017,	
	9217, 9370, 9644,	14663,	14664,	2024, 2063, 2072,	
	11273, 11572,	16359,	16363,	2087, 2091, 2114,	
	13649, 14176,	16757,	16768,	2123, 2596, 2825,	
	16057, 16135,	16771,	16798,	2863, 3196, 3225,	
	18093, 19047,	16881,	16882,	3227, 3233, 3235,	
	19470, 19624, 19806	16889,	16912,	3241, 3243, 3453,	
\hspace	. 41, 55, 71, 244,	17648,	17652,	3490, 3495, 3531,	
	258, 273, 624, 931,	17885,	17965,	3538, 3550, 3605,	
	1125, 1870, 2068,	17967,	17975,	3633, 3636, 3771,	
	2147, 2148, 2149,	18011,	18015,	3781, 3856, 3857,	
	2164, 2165, 2166,	18019,	18022,	3860, 3875, 3876,	
	2181, 2182, 2183,	18027,	18030,	3879, 5032, 8368,	
	2202, 2218, 2234,	18080,	18084,	8808, 8852, 8853,	
	2403, 4328, 4773,	18088,	18734,	8856, 8858, 8859,	
	7661, 7662, 7722,	18736,	18904,	8862, 9139, 9140,	
	7766, 7810, 8407,	18963,	19413,	9177, 9217, 9316,	
	9127, 9304, 9752,	19475,	19491,	9317, 9354, 9370,	
	10012, 10015,	19534,	20044,	9633, 9644, 9824,	
	10032, 10036,	20055,	20057,	9827, 9894, 10065,	
	11651, 11665,	20126,	20127,	10072, 10076,	
	11679, 11691,	20471,	20508,	10077, 10362,	
	11702, 11713,	20510,	20783,	10370,	10375,



10376,	10756,	19895,	19931,	16053,	20443,
10757,	10760,	19933,	19942,	20452,	20548,
10770,	10771,	19944,	20030,	20558,	20561,
10814,	11205,	20086,	20093,	20563,	21204,
11273,	11572,	20769,	20826,	21213,	21309,
13211,	13618,	20833,	21542,	21319,	21322,
13649,	13834,	21599,	21606,	21324,	21969,
13839,	13843,	22306,	22312,	21978,	22074,
13844,	13899,	22324,	22329,	22084,	22087,
13915,	14176,	22545,	22574,	22089,	22269,
14756,	14763,	22735,	22766,	22270,	22551,
14767,	14768,	22789,	22806,	22563,	25248,
15041,	15043,	22823,	22840,	25252,	25257,
15044,	15047,	22857,	22874,	25259,	25263, 25265
15052,	15055,	22892,	22911,	\hss	457,
15057,	15058,	22931,	22966,	516,	535, 668, 695,
15963,	15971,	23158,	23161,	897,	912, 1151,
15979,	15987,	23367,	23399,	1179,	1905, 2465,
15996,	16004,	23878,	23925,	2487,	3492, 3493,
16013,	16021,	23935,	23990,	4053,	4328, 4397,
16057,	16081,	24688,	24765,	8427,	9153, 9178,
16113,	16135,	24772,	24776,	9330,	9355, 9558,
16270,	17755,	24777,	25010,	9617,	9634, 9895,
17762,	17766,	25012,	25026, 25029	10071,	10075,
17767,	17932,	\hspace{.108em}	108, 109, 228,	10130,	10136,
17944,	17956,	229,	553, 3369,	10368,	10373,
18011,	18015,	3376,	4950, 4955,	10380,	10387,
18019,	18022,	4961,	7404, 7411,	10759,	10769,
18023,	18027,	7633,	8311, 8312,	10814,	10823,
18030,	18031,	8318,	8319, 8325,	11039,	11042,
18093,	18196,	8326,	8332, 8333,	11044,	11047,
18199,	18201,	8460,	8486, 8487,	11050,	11206,
18204,	18206,	10678,	10851,	11218,	11317,
18208,	18211,	10854,	10858,	11414,	11472,
18213,	18215,	10860,	10865,	11754,	11760,
18217,	18220,	10867,	10871,	11766,	11772,
18222,	18224,	10874,	10877,	11778,	11784,
18226,	18228,	10881,	10883,	13602,	13619,
18231,	18233,	10887,	10889,	13711,	13838,
18236,	18238,	10893,	10896,	13842,	13874,
18241,	18243,	10899,	10903,	13880,	14032,
18245,	18248,	10905,	10910,	14456,	14462,
18250,	18252,	10912,	11225,	14468,	14474,
18255,	18257,	11559,	11755,	14480,	14486,
18259,	18273,	11767,	11779,	14709,	14715,
18523,	18530,	14457,	14469,	14762,	14766,
18993,	18994,	14481,	15178,	14940,	14986,
19031,	19047,	15194,	15207,	15044,	15058,
19346,	19365,	15219,	15232,	16283,	16290,
19366,	19403,	15241,	15249,	16295,	16766,
19470,	19610,	15294,	15303,	16774,	17176,
19624,	19795,	15311,	15324,	17437,	17518,
19806,	19884,	15337,	15349,	17761,	17765,
19886,	19893,	15373,	16052,	17857,	17863,



18001,	18002,	10749,	10765,	24241,	24647,
18012,	18013,	10794,	10804,	24990,	25000, 25004
18537,	18547,	10806,	10819,	\ht@hold@viper	10209,
18773,	18784,	11190,	11928,	10211,	10433,
18785,	18786,	12057,	12062,	10434,	10468, 10469
19007,	19032,	12067,	12072,	\ht@strip	17896, 17897,
19379,	19404,	12193,	12198,	17898,	17899,
19495,	19538,	12203,	12208,	17900,	17903, 17905
19594,	19611,	12335,	12340,	\ht@viper	10170, 10176,
19720,	19779,	12345,	12350,	10177,	10200,
19796,	20032,	12477,	12482,	10201,	10202,
20068,	20593,	12487,	12492,	10213,	10367,
20603,	20771,	12619,	12624,	10372,	10379, 10386
20808,	21355,	12629,	12634,	\httplink 4987
21365,	21544,	12761,	12766,	\Huge	. 8394, 9477, 9489,
21581,	22120,	12771,	12776,	9669, 9677,	11501,
22130,	22318,	12903,	12908,	11510,	13632,
23165,	23274,	12913,	12918,	13640,	19829, 19837
24204,	24206,	13045,	13050,	\huge 564,
24211,	24217,	13055,	13060,	8248, 8250,	8393,
24437,	24555,	13187,	13192,	9468, 9663,	11236,
24606,	24607,	13197,	13202,	11245,	11495,
24609,	24610,	13215,	13281,	13627,	19824,
24612,	24613,	13340,	13783,	20168,	20908, 21681
24618,	24619,	14543,	14550,	\hv@Bottom 15273
24676,	24677,	14567,	14574,	\hv@Center	... 15177,
24678,	24679,	14575,	14588,	15188,	15228,
24771,	24775,	14592,	14615,	15290,	15318, 15371
24814,	24820,	14786,	14791,	\hv@figure	. 15142, 15160
\ht . . . 385, 1460, 1493,		14933,	14934,	\hv@floatObject	...
1775, 1785, 1791,		14936,	14979, 15103, 15107	
1804, 1892, 1976,		14980,	14982,	\hv@floatType	. 15133,
1978, 1980, 1982,		15115,	16196,	15142, 15160,	15378
2002, 2011, 2013,		16213,	16732,	\hv@Height 15115
2031, 2040, 2042,		16785,	16800,	\hv@label 15084
2080, 2082, 2084,		16815,	16817,	\hv@Left	... 15118, 15186
2086, 2092, 2357,		16818,	16910,	\hv@longCap 15083
2361, 2405, 2816,		16917,	16920,	\hv@Right	. 15119, 15175
3617, 4043, 4320,		17739,	17743,	\hv@shortCap
9843, 9852, 9854,		17748,	17839,	. 15082, 15148, 15166	
10171,		17843,	17848,	\hv@Top	. 15201, 15237,
10186,		17899,	17901,	15257,	15299, 15331
10211,		18099,	18105,	\hv@Width	.. 15113, 15136
10230,		18109,	18587,	\hv@Zero	... 15102, 15365
10235,		18645,	18656,	\hvAboveCaptionSkip	
10262,		18661,	18662, 15281, 15284	
10269,		18663,	18664,	\hvBelowCaptionSkip	
10273,		18668,	18683, 15265, 15268	
10297,		18800,	18823,	\hvCaptionBox	. 15137,
10311,		19870,	19912,	15154,	15196,
10433,		19915,	19970,	15198,	15209,
10699,		19977,	22346,	15211,	15221,
10720,		22382,	22394,	15223,	15229,
10737,		22509,	24239,	15230,	15238,



15239, 15246, 15194,	\Hy@LT@LTRfootnotetext
15247, 15258,	15207, 15219, 15567, 15576
15259, 15265,	15232, 15241,	\Hy@LT@RTLfootnotetext
15268, 15274,	15249, 15294, 15605, 15614
15275, 15282,	15303, 15311,	\Hy@MakeRemoteAction
15285, 15291,	15324, 15337, 15349 15790
15292, 15300,	\hvSet@floatPos .. 15131	\Hy@maketitle@end
15301, 15308,	\hvSet@objectAngle	. 15736, 15741, 15743
15309, 15326, 15102, 15106	\Hy@maketitle@optarg
15328, 15339,	\hvSet@objectPos 15734, 15739
15341, 15351, 15353	. 15175, 15177, 15371	\Hy@pstringD 15789, 15808
\hvCapWidth ... 15111,	\hvSet@rotAngle ..	\Hy@pstringdef
15113, 15115,	. 15096, 15365, 15368	.. 15788, 15789,
15117, 15121,	\Hy@Acrobatmenu .. 15882	15823, 15824, 15855
15123, 15138, 15156	\Hy@backout 15909	\Hy@pstringF
\hvFloat	\Hy@BeginAnnot 15786, 15787,
\hvMaxCapWidth 15096,	.. 15765, 15785,	15788, 15803,
15097, 15118,	15822, 15854, 15883	15823, 15836, 15841
15119, 15120, 15123	\Hy@bidipoem@footnotetext	\Hy@pstringP 15824, 15841
\hvObjectBox 15638, 15647	\Hy@pstringURI
.. 15100, 15103,	\Hy@bidipoem@LTRfootnotetext 15855, 15868
15105, 15109, 15669, 15678	\Hy@raisedlink 15458,
15115, 15190,	\Hy@bidipoem@RTLfootnotetext	15469, 15480,
15192, 15203, 15700, 15709	15491, 15506,
15205, 15215,	\Hy@CleanupFile .. 15787	15521, 15581,
15217, 15233,	\Hy@colorlink . 15815,	15619, 15652,
15234, 15242,	15847, 15876, 15902	15683, 15714, 15951
15243, 15250,	\Hy@EndAnnot	\Hy@saved@footnotemark
15251, 15258,	.. 15772, 15818, 15726, 15745
15261, 15266,	15850, 15879, 15905	\Hy@saved@footnotetext
15269, 15274,	\Hy@endcolorlink . 15774 15727, 15748
15277, 15281,	\Hy@footnote@currentHlabel	\Hy@SetNewWindow ..
15284, 15295,	. 15494, 15509, 15524 15810, 15838
15296, 15304,	\Hy@footnote@currentHref	\Hy@setpdfborder ..
15305, 15312, 15456, 15796,
15313, 15320,	15459, 15467,	15830, 15861, 15890
15322, 15333,	15470, 15478,	\Hy@tabularx@hook .
15335, 15345, 15347	15481, 15489, 15533, 15545
\hvObjectWidth	15492, 15495,	\Hy@temp@menu 15884, 15897
.. 15109, 15113,	15504, 15507,	\Hy@xspace@end
15117, 15118, 15119	15510, 15519,	.. 15781, 15817,
\hvOBox ... 15103, 15107	15522, 15525,	15849, 15878, 15904
\hvSet@capAngle ...	15568, 15606,	\HyLTR@saved@LTRfootnotetext
..... 15136, 15155	15639, 15670, 15701 15729, 15754
\hvSet@capPos	\Hy@gtemp .. 15544, 15549	\HyOrg@maketitle ..
.. 15118, 15119,	\Hy@href@nextactionraw	. 15724, 15735, 15740
15186, 15257, 15273 15811,	\HyOrg@TX@endtabularx
\hvSet@capVPos 15188,	15843, 15872, 15898 15532
15201, 15228,	\Hy@href@page .. 15806	\hyper@@anchor 15456,
15237, 15290,	\Hy@linkcounter ..	15459, 15467,
15299, 15318, 15331 11090, 11095	15470, 15478,
\hvSet@capWidth 15113,	\Hy@linktoc	15481, 15489,
15115, 15120, 15121	15387	15492, 15504,
\hvSet@floatCapSep	\Hy@LT@currentHref	15507, 15519,
 15939, 15950	



15522, 15579,	\if 361, 362, 363, 365, 366, 367, 368, 16496
15582, 15617,	369, 372, 373, 374,	\if@bidi@amsthmlloaded@ 16499
15620, 15650,	398, 404, 1386,	\if@bidi@animateloaded@ 16502
15653, 15681,	1387, 1388, 1390,	\if@bidi@arabxetexloaded@ 16701
15684, 15712, 15715	1391, 1392, 1393,	\if@bidi@arrayloaded@ 16635
\hyper@anchorend . 15952	1394, 1395, 1396,	\if@bidi@arydshlnloaded@ 16659
\hyper@anchorstart 15952	1399, 1400, 1401,	\if@bidi@blank 5366, 5875, 5882
\hyper@link 15780	1424, 1425, 1426, 1428, 1429, 1430,	\if@bidi@breqnloaded@ 16505
\hyper@linkend	1431, 1432, 4732, 4738, 4741, 4744,	\if@bidi@calsloaded@ 16508
.. 15391, 15395, 15399, 15401, 15781, 15914, 15917	4747, 6267, 6322, 6326, 6332, 6336, 6377, 6460, 6843, 9713, 9732, 9765,	\if@bidi@captionloaded@ 16511
\hyper@linkfile .. 15783	9766, 9767, 14108, 14132, 14366,	\if@bidi@colorloaded@ 16517
\hyper@linkstart ..	16166, 16714, 16716, 16718,	\if@bidi@colortblloaded@ 16536
. . . 15391, 15395, 15399, 15401, 15781, 15910, 15917	18455, 22358, 22392, 22397, 22484, 22485, 22486, 22487,	\if@bidi@croploaded@ 16514
\hyper@linkurl 15852	22488, 22489, 22490, 22492, 22493, 22494, 22495, 22496,	\if@bidi@csdef 4228, 5330, 5379, 18043, 18102, 18178, 23772, 23778
\hyper@makecurrent 15938	22499, 22500, 22501, 24550, 24551, 24644, 24661, 24668,	\if@bidi@csmacro .. 5378
\hyper@nat@current 15911	24669, 24670, 24671, 24672, 24673	\if@bidi@csprimitive 5388
\hyper@natlinkbreak 15916	\if@allcaps 752, 761, 769, 1004, 1013, 1021, 1254, 1263, 1271, 9247, 9256, 9264, 9424, 9433, 9441, 19097, 19106, 19114, 19236, 19245, 19253	\if@bidi@csundef 5039, 5042, 5045, 5049, 5054, 5336, 5415, 5450, 5475, 5504, 5529, 5561, 5567, 5595, 5601, 5610, 5627, 6152, 7048, 7100, 11582, 11583, 11596, 11597, 25144
\hyper@natlinkend 15913	\if@altsecnumformat 20347, 21086, 21859	\if@bidi@cutedloaded@ 16524
\hyper@natlinkstart 15908	\if@bib@break@ 20357, 20382, 20397, 20413, 21118, 21143, 21158, 21174, 21883, 21908, 21923, 21939	\if@bidi@cutwinloaded@ 16521
\hyper@pageduration 1975, 2079	\if@bibchapter 22660	\if@bidi@dblfnoteloaded@ 16527
\hyper@pagetransition 1975, 2079	\if@bidi@amsmathloaded@ 16493	\if@bidi@def 5348
\hyperlink 2340	\if@bidi@amstextloaded@ 5795,	\if@bidi@defmacro 5371, 5372, 5380, 5774, 5793, 5940
\hyperref 14456, 14460, 14462, 14468, 14472, 14474, 14480, 14484, 14486		\if@bidi@defparam
\hypersetup 2339, 4833, 4841, 8504, 8563, 8580		
\hypertarget 2369, 20437, 21198, 21963		
\hyphenpenalty . . . 6, 105, 201, 225, 623, 930, 1124, 9126, 9303, 16049, 16073, 18962, 19412, 19474, 19617		
\HyRTL@saved@RTLfootnotetext 15728, 15751		
I		
\i 6571, 6572, 6584, 6596, 6597		
\ialign . . . 393, 22351, 22389, 24464, 24652		
\IeC 16199		



<p>5889, 5890, 5942 \if@bidi@defprimitive 5382 \if@bidi@defprotected 5802, 5898, 5899, 5953 \if@bidi@diagboxloaded@ 16530 \if@bidi@draftwatermarkloaded@ 16590 \if@bidi@empheqloaded@ 16593 \if@bidi@fancyboxloaded@ 16584 \if@bidi@fancyhdrloaded@ 16587 \if@bidi@fancyvrbloaded@ 16707 \if@bidi@floatloaded@ 16539 \if@bidi@floatrowloaded@ 16542 \if@bidi@flowframloaded@ 16545 \if@bidi@fontspecloaded@ 16698 \if@bidi@framedloaded@ 16548 \if@bidi@ftnrightloaded@ 16551 \if@bidi@geometryloaded@ 16566 \if@bidi@graphicxloaded@ 16563 \if@bidi@hvfloatloaded@ 16569 \if@bidi@hyperrefloaded@ 16581 \if@bidi@lettrineloaded@ 16602 \if@bidi@linenoloaded@ 16605 \if@bidi@list@minipage@parbox 3987, 24501, 24561, 24570, 24579, 24588, 24601, 24602, 24616, 24617 \if@bidi@list@minipage@parbox 3988, 24509, 24563, 24572, 24581, 24590 \if@bidi@listingsloaded@ 16608</p>	\if@bidi@longtableloaded@ 16656 \if@bidi@mdf@RTL 16872, 16879 \if@bidi@mdframedloaded@ 16572 \if@bidi@midfloatloaded@ 16575 \if@bidi@minitocloaded@ 16668 \if@bidi@multicolloaded@ 16662 \if@bidi@multienumloaded@ 16665 \if@bidi@natbibloaded@ 16671 \if@bidi@newfloatloaded@ 16674 \if@bidi@ntheoremloaded@ 16578 \if@bidi@overpicloaded@ 16596 \if@bidi@patchable 5762, 5763 \if@bidi@pdfencrypt 3977, 4211 \if@bidi@pdfm@mark 3980, 4223, 4279, 4343 \if@bidi@pdfpagesloaded@ 16599 \if@bidi@perpage@footnote 3972, 4198 \if@bidi@pgfloaded@ 16617 \if@bidi@picinparloaded@ 16620 \if@bidi@polyglossialoaded@ 16704 \if@bidi@pstricksloaded@ 16614 \if@bidi@quotchaploaded@ 16623 \if@bidi@rotatingloaded@ 16680 \if@bidi@soulloaded@ 16641 \if@bidi@tabularloaded@ 16638 \if@bidi@subfigloaded@ 16644 \if@bidi@subfigureloaded@ 16647	\if@bidi@supertabularloaded@ 16650 \if@bidi@tablsloaded@ 16683 \if@bidi@tabularyloaded@ 16686 \if@bidi@tikzloaded@ 16626 \if@bidi@titlesecloaded@ 16629 \if@bidi@titletocloaded@ 16632 \if@bidi@tocbasicloaded@ 16689 \if@bidi@tocbibindloaded@ 16695 \if@bidi@tocstyleloaded@ 16692 \if@bidi@todonotes@figposition@right .. 24032, 24130, 24135, 24142, 24148 \if@bidi@todonotes@textdirection@RTL 24031, 24065, 24105, 24139 \if@bidi@undef 5354, 5419, 5671, 5682, 5701, 5705, 5709, 5713, 5723, 5727, 5731, 5735, 5771, 5790, 5937 \if@bidi@void@ompfootins 11580, 11846, 11854 \if@bidi@void@footins 11579, 11886, 11893, 13498, 13505 \if@bidi@wrapfigloaded@ 16560 \if@bidi@xcolorloaded@ 16533 \if@bidi@xltxtrealoaded@ 16554 \if@bidi@xtabloaded@ 16653 \if@bidi@xunicode@loaded@ 16557 \if@capbreak 20551, 21312, 22077 \if@captionabove 20486, 20492, 20586, 20597, 21247, 21253, 21348, 21359, 22012, 22018, 22113, 22124
---	--	---



\if@cftdopart	22717	
\if@cfthaschapter	22708, 22712, 22718, 22739, 22751, 22773	17787, 17893, 24743, 24790, 24980
\if@cfthaspart	22704	\if@firstdetailselement 10651, 10653
\if@chapterentrywithdots	21407, 22172	\if@firstfooterelement 10555, 10558
\if@colour	4816	\if@hboxRconstruct 3976,
\if@colourgreen	10486, 10515, 10584, 10610	4282, 5300, 5306, 14365, 24508,
\if@colourgrey	10490, 10529, 10588, 10622	24532, 24563, 24572, 24581,
\if@colourorange	10484, 10508, 10582, 10604	24590, 24601, 24602, 24616, 24617
\if@coloured	10488, 10522, 10586, 10616	\if@ignore 6119, 6121
\if@compatibility	518, 670, 746, 914, 998, 1153, 1248, 9241, 9418, 19091, 19230, 22743, 23278, 24632	\if@inlabel 9712
\if@contcw	17604, 17633	\if@inltxdoc 22653
\if@conthang	17614	\if@insert 10466
\if@continent	17620	\if@komalongtable 20583, 21345, 22110
\if@DEBUG	4787	\if@left@column@shrink 10329
\if@displaypagenumbers	4995, 4998	\if@left@column@spread 10246, 10323
\if@donumindex	22661, 22680	\if@LTbibitems 87, 290, 572, 707, 970, 1220, 2516, 3983, 5013, 9193, 9381, 9690, 11252, 11523, 13654, 16030, 17682, 18267, 19052, 19446, 19640, 19843, 20373, 21134, 21899, 22629
\if@dotocbib	22622	\if@LTmarginpar 3982, 25009, 25014, 25018
\if@dotocind	22668, 22685	\if@mainmatter 8711, 9467, 9662, 11494, 18836, 21089, 21111
\if@extrafootnotefeatures	3985, 4183	\if@minipage 7456, 17673
\if@fcolmade	10092, 10151, 13847, 13887, 13971, 14722, 14775, 14804, 17775, 17872, 24784, 24827	\if@mparswitch 24982
\if@ff@nwpw	13939	\if@newlist 13987, 14019, 25038, 25113
\if@files w	5066, 5440, 5446, 5465, 5471, 5494, 5500, 5519, 5525, 5551, 5557, 5585, 5591	\if@nobreak 7044, 14640, 16883, 18897
\if@firstcolumn	10043, 10106, 10167, 10439, 10458, 13815, 13851, 14679, 14728, 14816, 17687,	\if@nonlatin 336, 348, 3971, 4196, 5312, 5318, 9748, 9750, 16867
		\if@noparlist 9070
		\if@noskipsec 9711, 14641, 16884, 18898
		\if@oldtoc 658, 684, 886, 902, 1141, 1168, 9143, 9167, 9320, 9344, 18997, 19021, 19369, 19393
		\if@openright 8739, 9681, 11514
		\if@ovb 13791
		\if@ovl 13789
		\if@ovr 13788
		\if@ovt 13790
		\if@pboxsw 24557
		\if@restonecol 604, 620, 869, 1121, 9123, 9300, 9510, 18959, 19214, 19673, 22700
		\if@reversemargin 24985
		\if@right@column@shrink 10247, 10276, 10351
		\if@right@column@spread 10345
		\if@rjfield 25024
		\if@rl 3970
		\if@rl@footnote 3986
		\if@rlmain 3969
		\if@rot@twoside 19874, 19879, 19889, 19919, 19925, 19937
		\if@RTL 12, 13, 25, 87, 104, 107, 108, 109, 173, 180, 189, 207, 208, 224, 227, 228, 229, 290, 305, 309, 513, 530, 533, 534, 557, 572, 624, 637, 648, 649, 654, 665, 690, 693, 694, 707, 875, 876, 882, 892, 895, 896, 909, 931, 970, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 1220, 1359, 1360, 1471, 1472, 1485, 1496, 1511, 1567, 1573, 1597, 1606, 1620, 1629, 1641, 1650, 1662, 1671, 1851, 2360, 2410, 2516, 2612, 2635, 2655, 2673, 2681, 2700, 2822, 2861,



2907, 3090, 3097,	14914,	14917,	18943,	18963,
3104, 3199, 3216,	14918,	14919,	18976,	18987,
3222, 3225, 3228,	14925,	14927,	18988,	18993,
3231, 3233, 3236,	14944,	14947,	19004,	19027,
3239, 3241, 3244,	14954,	14963,	19030,	19031,
3364, 3371, 3416,	14969,	14973,	19052,	19347,
3421, 3507, 3562,	14976,	14990,	19348,	19359,
3568, 3678, 3700,	15015,	15022,	19360,	19365,
3754, 3763, 3773,	15187,	15289,	19376,	19399,
3795, 3836, 3845,	15391,	15399,	19402,	19403,
3864, 3970, 4003,	15781,	15817,	19413,	19426,
4281, 4288, 5013,	15849,	15878,	19446,	19475,
5276, 5282, 5439,	15904,	15910,	19591,	19606,
5464, 5493, 5518,	15914,	15917,	19609,	19610,
5550, 5584, 8367,	15962,	15970,	19615,	19616,
8368, 8485, 8486,	15978,	15986,	19640,	19776,
8487, 9127, 9133,	15994,	16003,	19791,	19794,
9134, 9139, 9150,	16011,	16020,	19795,	19822,
9173, 9176, 9177,	16030,	16048,	19834,	19843,
9193, 9304, 9310,	16051,	16052,	19954,	19956,
9311, 9316, 9327,	16053,	16068,	19960,	19964,
9350, 9353, 9354,	16079,	16080,	19966,	19971,
9381, 9465, 9476,	16114,	16118,	19975,	19978,
9478, 9614, 9629,	16121,	16126,	19982,	19984,
9632, 9633, 9660,	16247,	16254,	19988,	20013,
9674, 9690, 9709,	16262,	16282,	20021,	20046,
9721, 9734, 9809,	16292,	16767,	20059,	20345,
9850, 9851, 9855,	16839,	16849,	20346,	20373,
9856, 9858, 9865,	16856,	16875,	20421,	20422,
9871, 9890, 9893,	16958,	16966,	20423,	20425,
9894, 9900, 9905,	17157,	17483,	20473,	20477,
10012, 10015,	17563,	17564,	20752,	20760,
10032, 10036,	17565,	17566,	20785,	20799,
10857, 10864,	17567,	17568,	21085,	21134,
10880, 10886,	17647,	17649,	21182,	21183,
10902, 10909,	17682,	17927,	21184,	21186,
11038, 11118,	17931,	17932,	21234,	21238,
11133, 11155,	17939,	17944,	21525,	21533,
11156, 11157,	17951,	17956,	21558,	21572,
11158, 11181,	18267,	18354,	21858,	21899,
11201, 11204,	18374,	18389,	21947,	21948,
11205, 11215,	18403,	18435,	21949,	21951,
11229, 11242,	18565,	18615,	21999,	22003,
11252, 11469,	18690,	18744,	22268,	22271,
11492, 11507,	18745,	18748,	22301,	22321,
11523, 11544,	18752,	18784,	22519,	22564,
11547, 11552,	18785,	18786,	22581,	22601,
11560, 13599,	18831,	18833,	22604,	22609,
13614, 13617,	18839,	18850,	22613,	22614,
13618, 13625,	18852,	18863,	22629,	22725,
13637, 13654,	18865,	18876,	22726,	22727,
13923, 14080,	18878,	18887,	22735,	22756,
14366, 14513,	18889,	18906,	22757,	22758,
14515, 14912,	18926,	18942,	22766,	22779,



22780,	22781,	\if@RTL@footnote	36,	10970,	10973,
22789,	22796,	239,	2146, 2196,	10979,	10987,
22797,	22798,	2198,	3986, 4284,	10997,	11007,
22806,	22813,	7735,	11646,	11013,	11027,
22814,	22815,	11687,	11958,	14085,	15040,
22823,	22830,	11963,	12009,	15050,	15067,
22831,	22832,	12014,	12016,	15073,	16300,
22840,	22847,	12100,	12105,	17884,	18041,
22848,	22849,	12148,	12153,	24833,	25054,
22857,	22864,	12155,	12236,	25060,	25089, 25105
22865,	22866,	12241,	12287,	\if@RTLmarginpar	3981,
22874,	22882,	12292,	12294,	25009,	25014, 25018
22883,	22884,	12378,	12383,	\if@RTLtab	. 362, 363,
22892,	22901,	12429,	12434,	379, 382, 404, 406,	
22902,	22903,	12436,	12520,	1367, 1368, 1387,	
22911,	22921,	12525,	12569,	1388, 1425, 1426,	
22922,	22923,	12571,	12578,	3975, 4651, 4655,	
22931,	22956,	12662,	12667,	4656, 5288, 5294,	
22957,	22958,	12711,	12713,	9769, 9771, 9792,	
22966,	23006,	12720,	12804,	9799, 9821, 9822,	
23007,	23008,	12809,	12855,	9835, 9846, 16715,	
23805,	23867,	12860,	12862,	16717,	16828,
23868,	23869,	12946,	12951,	16831,	22336,
23875,	23878,	12997,	13002,	22340,	22341,
23925,	23985,	13004,	13088,	22358,	22366,
23990,	24013,	13093,	13139,	22372,	22397,
24020,	24080,	13144,	13146,	22485,	22486,
24083,	24167,	13293,	13314,	24461,	24636,
24202,	24210,	13350,	13405,	24640,	24641,
24237,	24238,	13414,	14260,	24661, 24669, 24670	
24241,	24242,	14309, 14349, 14350		\if@sectionentrywithdots	
24244,	24281,	\if@RTLbibtitems	. 87,	20645
24285,	24338,	290,	572, 707,	\if@sentdir 4283
24343,	24389,	970,	1220, 2516,	\if@specialpage	...
24390,	24417,	3984,	5013, 9193,	13942, 25049
24418,	24421,	9381,	9690, 11252,	\if@star 18820
24425,	24502,	11523,	13654,	\if@tab@rl 3975
24510,	24516,	16030,	17682,	\if@tablecaptionabove	
24522,	24535,	18267,	19052,	.. 20615, 21377, 22142	
24603,	24604,	19446,	19640,	\if@tempswa 1876,
24606,	24609,	19843,	20373,		1886, 1895, 1910,
24612,	24616,	21134,	21899, 22629		6886, 6931, 10753,
24617,	24618,	\if@RTLmain	1503, 1940,		10810, 20196,
24619,	24621,	1948,	1957, 1965,		20936, 21709, 23460
24623,	24624,	1987,	2004, 2018,	\if@thmmarks	.. 18337,
24629,	24676,	2033,	3078, 3170,		18341, 18358, 18362
24677,	24683,	3172,	3175, 3285,	\if@titlecentered	.
24688,	25009,	3296,	3309, 3316,	1341, 19327
25014,	25018,	3394,	3487, 3494,	\if@titlepage
25026,	25027,	3586,	3890, 3969,	..	411, 625, 733,
25028,	25029,	4002,	4021, 4280,		932, 985, 1184,
25124,	25127,	4287,	4306, 9908,		1235, 9512, 11275,
25135,	25145,	9931,	9954, 9977,		11368, 13669,
25247,	25257, 25263	10361,	10845,		18964, 19078,



19215, 19414,	\ifbeamer@colbox@rounded	\ifcpoddpage 7233
19477, 19674, 1894	\ifcsname
20097, 20837, 21610	\ifbeamer@compress 2554	5331, 5337, 5688,
\if@titlepageiscoverpage 1936	6080, 6094, 6108,
. 20102, 20842, 21615	\ifbeamer@dogeometry	6118, 6140, 6660,
\if@tocstyle@penalties 2107	6675, 6889, 6897,
.... 23788, 23897	\ifbeamer@onlytextwidth	18291, 18301,
\if@todonotes@authorgiven 2381,	18315, 23812,
.... 24056,	2398, 2409, 3450	23813, 23822,
24067, 24092, 24109	\ifbeamer@sb@subsection	23833, 23837,
\if@todonotes@disabled	... 3658, 3669, 3677	23847, 23859,
.... 24050, 24051	\ifbeamer@theme@subsection	23913, 23941,
\if@todonotes@dviStyle 3418	23942, 23950,
.... 24053, 24087	\ifbeamer@tree@showhooks	23954, 23958,
\if@ttb@rotate ... 14079 3853, 3872	23962, 23966,
\if@twocolumn ... 98,	\ifbeamercolorempty	23970, 23974, 23978
218, 458, 591, 607,	1857, 2768, 2770,	\ifdefined ... 5349, 5355
634, 641, 809, 856,	2773, 2783, 2785,	\ifdefining 6337
941, 952, 1061,	2788, 2798, 2800,	\ifdfn@allowcbreak
1108, 1193, 1200,	2803, 3089, 3096, 10706, 10727
1311, 4022, 4028,	3124, 3126, 3190, 3247	\ifdfn@ruleboth ...
8665, 9110, 9287,	\ifbidi@autofootnoterule 10764, 10818
9497, 9559, 11318, 2196,	\ifdfn@trysingle ..
11415, 13712,	2212, 2228, 14086, 10745, 10802
14818, 16042,	14321, 14335, 14349	\ifdim 1461,
17546, 18946,	\ifbidi@in@label ..	1462, 1773, 1780,
18973, 18980, 6331, 6333	1792, 1814, 1873,
19154, 19201,	\IfbidiPackageVersion	1875, 1876, 1881,
19295, 19423, 3956	1883, 1885, 1887,
19430, 19539,	\IfbidiPackageVersionBefore	1888, 1904, 1920,
19660, 19721, 3950	2391, 3225, 3233,
20263, 21003,	\IfbidiPackageVersionLater	3241, 3445, 3484,
21776, 22655, 3944	3519, 3855, 3874,
24705, 24979, 25138	\ifblank 2474, 3339	3945, 3951, 3957,
\if@twoside	\ifblendcolors 24249,	7469, 8036, 8805,
... 8656, 11005,	24270, 24292, 24319	8842, 8844, 8903,
13946, 20144,	\ifbool 16897, 16906	8904, 8906, 8912,
20188, 20266,	\ifcase 1408, 1435, 1439,	8952, 8964, 9046,
20280, 20884,	1443, 1447, 1473,	9048, 9061, 9063,
20928, 21006,	4072, 4078, 4084,	9071, 9742, 10186,
21020, 21657,	4090, 4096, 4102,	10201, 10245,
21701, 21779,	4114, 4120, 4126,	10248, 10277,
21793, 24193, 25052	4133, 4147, 4154,	10285, 10286,
\if@vihproof 17912, 17918	4164, 9823, 15387,	10292, 10315,
\ifadl@inactive ... 1373	16780, 22595,	10322, 10328,
\ifadl@usingarypkg 1376	22976, 23857,	10344, 10350,
\ifAM@output 18481	23927, 24037,	10419, 10435,
\ifAM@survey 18459	24045, 24269,	10448, 10451,
\IfArgIsEmpty	24318, 24720, 24721	10453, 10700,
. 20029, 20768, 21541	\ifcat 4013, 4298, 6217, 6218	10721, 10741,
\ifartopt 17583	\ifconvertcolorsU .	10750, 10777,
\ifbeamer@centered 2125 24255,	10781, 10798,
\ifbeamer@colbox@ignorebg	24271, 24298, 24320	10807, 10829,
.... 1858, 1861		10833, 11752,



11757,	11764,	16884, 18897, 18898	24162, 24896, 24940
11769,	11776,	\IfExists .. 6615, 7213, 8685, 8750	\ifL@grid 16220
11781,	13282,	\iffootdir@debug 14094, 14098	\ifL@reah 16156
13341,	13777,	\ifFootnoteBackref@number 14452	\iflatin 5311
13779,	13922,	\ifFootnoteBackref@number 14452	\ifLettrineImage .. 16150
14454,	14459,	\ifFootnoteBackref@number 14452	\ifLettrineOnGrid 16151
14466,	14471,	\ifGin@grid . 18390, 18403	\ifLettrineRealHeight 16152
14478,	14483,	\ifGin@iso 15029	\ifLettrineSelfRef 16153
14525,	14533,	\ifhbox 13227, 13231	\ifLtoR 5281
14549,	14550,	\ifhmode	\ifLtoRhboxconstruct 5305
14580,	14588,	2536, 4716, 7694, 7738, 7782, 8025,	\ifLtoRtable 5293
14601,	14616,	8031, 9856, 9858, 9865, 9871, 9890,	\ifmaskcolors . 24259, 24270, 24302, 24319
14649,	14650,	22557, 24242, 24244, 24281,	\ifmmode
14932,	14939,	24285, 24338, 24616, 24617,	4271, 9850, 9855, 13892, 13902,
14978,	14985,	24660, 24890, 24934	14912, 14914, 14917, 14918,
15030,	15120,	\ifhv@fbox ... 15189, 15195, 15202,	14919, 14925,
15258,	15274,	15208, 15214, 15220, 15229,	14927, 14944,
16205,	16219,	15233, 15238, 15242, 15246,	14947, 14954,
16225,	16359,	15250, 15264, 15280, 15291,	14963, 14969,
16768,	16815,	15295, 15300, 15304, 15308,	14973, 14976,
16818,	17553,	15312, 15319, 15325, 15332,	14990, 15015,
17596,	17603,	15338, 15344, 15350	15022, 15766,
17607,	17609,	\ifhv@nonFloat 15132, 15139, 15157,	15778, 15781,
17648,	17709,	15178, 15370, 15372	15817, 15849,
17717,	17719,	\ifhv@onlyText ...	15878, 15904,
17809,	17817, 15140, 15158	18492, 18550,
17819,	17894,	\ifhv@use0Box 15103, 15107	18788, 18824,
17905,	17989,	\ifHy@href@ismap . 15869	19954, 19956,
17997,	18003,	\ifHy@hyperfootnotes .. 11584, 11598, 15406	19960, 19964,
18017,	18025,	\ifHy@nesting ...	19966, 19971,
18509,	18562,	... 15455, 15466, 15477, 15488,	19975, 19978,
18587,	18645,	15503, 15518, 15578, 15616,	19982, 19984,
18656,	18663,	15649, 15680, 15711	19988, 24237,
18668,	18683,	\ifHy@pdfa ... 15795, 15829, 15860, 15889	24241, 24552, 24627
18796,	18821,	\ifNAT@openbib ... 18270	\ifNAT@openbib ... 18270
20457,	20540,	\ifHy@onlyText ...	\ifnonlatin 5317
21218,	21301, 15140, 15158	\ifnum 3,
21983,	22066,	\ifhv@use0Box 15103, 15107	137, 143, 198, 304,
22383,	23316,	\ifHy@hyperfootnotes .. 11584, 11598, 15406	353, 354, 355, 356,
23361,	23376,	\ifHy@nesting ...	358, 459, 508, 525,
23381,	23823,	... 15455, 15466, 15477, 15488,	551, 560, 644, 660,
23848,	23914,	15503, 15518, 15578, 15616,	678, 810, 871, 904,
24170,	24172,	15649, 15680, 15711	922, 1062, 1127,
24174,	24176,	\ifHy@pdfa ... 15795, 15829, 15860, 15889	1143, 1161, 1312,
24177,	24178,	\ifin@ 6905	1378, 1379, 1380,
24180,	24220,	\ifin@label 6339	1381, 1383, 1422,
24227,	24991, 25123	\ifinner .. 4722, 7700, 7744, 7788, 14528,	1423, 2196, 2212,
\ifdofullc@p			2228, 2475, 2553,
. 20527, 21288, 22053			2557, 2578, 2579,
\iffalse			
5197, 5198, 5200,			
5213, 5214, 5215,			
14640, 14641,			
16410, 16883,			



2581, 3183, 3264, 3278, 3279, 4192, 4193, 4194, 4748, 5084, 5612, 6191, 6219, 6221, 6229, 6231, 6432, 6442, 6540, 6546, 6571, 6586, 6592, 8925, 9129, 9145, 9161, 9225, 9227, 9229, 9306, 9322, 9338, 9402, 9404, 9406, 9466, 9560, 9609, 9624, 9647, 9649, 9651, 9661, 9743, 10010, 10018, 10023, 10030, 10240, 10241, 10254, 10265, 10401, 10413, 10426, 10641, 11196, 11210, 11223, 11232, 11319, 11416, 11465, 11479, 11481, 11483, 11493, 11926, 13594, 13609, 13626, 13713, 13763, 13765, 13767, 14055, 14057, 14059, 14068, 14070, 14072, 14218, 14321, 14335, 14349, 14649, 14651, 14839, 15768, 15773, 16070, 16212, 16272, 16330, 16333, 16341, 16344, 16413, 16729, 16730, 16810, 16811, 17547, 17580, 17706, 17736, 17806, 17836, 17925, 17937, 17949, 18049, 18055, 18133, 18151, 18310, 18320, 18575, 18581, 18593, 18596, 18597,	18598, 18600, 18601, 18602, 18603, 18612, 18634, 18639, 18650, 18661, 18662, 18668, 18672, 18675, 18676, 18782, 18783, 18790, 18835, 18983, 18999, 19015, 19073, 19075, 19077, 19155, 19296, 19355, 19371, 19387, 19438, 19440, 19442, 19540, 19587, 19601, 19627, 19629, 19631, 19722, 19771, 19786, 19809, 19811, 19813, 19823, 20009, 20020, 20089, 20190, 20237, 20264, 20313, 20748, 20759, 20829, 20930, 20977, 21004, 21053, 21088, 21103, 21106, 21110, 21521, 21532, 21602, 21703, 21750, 21777, 21826, 21872, 21875, 22428, 22476, 22477, 22478, 22479, 22481, 22586, 22588, 22707, 22711, 22753, 22772, 22794, 22811, 22828, 22845, 22862, 22880, 22899, 22919, 22954, 23137, 23138, 23249, 23250, 23277, 23287, 23301, 23787, 23792, 23810, 23983, 24201, 24483, 24666,	24667, 24681, 24736, 24987, 25009, 25132, 25133 \ifodd 4733, 8656, 10978, 11006, 11077, 13947, 15060, 15066, 24193, 24983, 25053 \ifoddpage 7227 \ifonelinecaptions . 20430, 21191, 21956 \ifpgfrememberpicturepositiononpage 18505 \ifpoem@started 8899, 8905, 9045, 9052, 9066 \ifprimitive .. 5383, 5390 \ifPst@shift@star 18812 \ifr@ggedbottom . . 18762 \ifrot@messages 19924, 19936 \ifRtoL 5275 \ifRtoLhboxconstruct 5299 \ifRtoLtable 5287 \ifshowgrid 18790 \ifsomething 6470 \Ifstr .. 23019, 23020, 23021, 23022, 23023, 23024, 23025, 23026, 23027, 23042, 23043, 23044, 23045, 23047, 23048, 23049, 23052, 23055, 23064, 23065, 23066, 23069, 23072, 23091, 23092, 23093, 23095, 23096, 23097, 23100, 23103, 23112, 23113, 23114, 23117, 23120, 23178, 23179, 23180, 23181, 23182, 23183, 23184, 23185, 23186, 23201, 23202, 23203, 23204, 23206, 23207, 23208, 23211, 23214, 23223,
--	--	---



23225, 23228,	10571, 10572,	24853, 24854, 24877
23231, 23485,	10573, 10574,	\ifWF@float . 24175, 24189
23486, 23487,	10575, 10661,	\ifx . 115, 134, 136, 151,
23488, 23489,	10666, 10669,	155, 159, 166, 794,
23490, 23491,	10670, 10671,	798, 1046, 1050,
23492, 23493,	10672, 10673,	1296, 1300, 1892,
23562, 23563,	10676, 10680,	1893, 2263, 2289,
23564, 23565,	14028, 14043,	2315, 2341, 2972,
23567, 23568,	18449, 19878, 19923	2978, 2984, 3062,
23569, 23572,	\Iftocfeature . 23157,	3269, 3294, 3314,
23575, 23584,	23269, 23327, 23337	3464, 3480, 3547,
23585, 23586,	\iftocstyle@autolength	3611, 3707, 3802,
23589, 23592, 23832	4202, 4203, 4599,
23622, 23623,	\iftocstyle@indentnotnumbered	4605, 4611, 4626,
23624, 23626, 23877, 23924	4657, 4709, 4712,
23627, 23628,	\iftrue	4973, 4974, 4975,
23631, 23634,	5199, 5215, 7641, 7654, 7667	4977, 5077, 5106,
23643, 23644,	\ifttl@label	5109, 5129, 5133,
23645, 23648,	22562	5153, 5157, 5172,
23651, 23671,	\ifTX@	5176, 5269, 5338,
23674, 23677,	22418	5356, 5651, 5839,
23697, 23701,	\ifvbox	5855, 6197, 6203,
23706, 23718,	13519, 14886, 18176, 18191	6204, 6241, 6242,
23721, 23725,	\ifvmode .. 5436, 5490,	6243, 6244, 6254,
23735, 23739, 23744	5547, 7044, 7430,	6260, 6285, 6290,
\Ifstrstart ... 23476,	7433, 7436, 7439,	6295, 6300, 6306,
23508, 23536,	16912, 17979,	6311, 6499, 6605,
23549, 23608, 23760	18348, 18368, 22370	6629, 6644, 6709,
\iftagsleft@ ... 328, 11035	\ifvoid . 10078, 10094,	6721, 6753, 6764,
\iftest	10137, 10153,	6799, 6805, 6816,
\ifthenelse 4967, 4984,	10208, 10395,	6817, 6828, 6858,
4988, 4992, 5000,	10704, 10725,	6867, 6868, 6888,
7126, 7186, 7188,	10736, 10761,	6903, 6913, 6927,
7191, 7195, 7198,	10793, 10815,	6934, 6946, 6962,
7201, 7226, 7283,	11802, 11803,	7017, 7028, 7970,
7302, 7317, 7322,	11811, 11817,	8794, 8815, 8968,
7328, 7337, 7348,	11841, 11842,	9020, 9025, 9027,
7354, 7360, 7361,	11858, 11870,	10054, 10117,
7368, 7375, 7377,	13559, 13574,	10773, 10825,
7383, 7400, 7418,	14384, 14609,	11542, 11558,
7420, 7424, 7442,	14630, 14785,	11562, 13825,
7443, 7446, 7447,	14790, 14808,	13861, 14215,
7482, 7491, 7502,	14810, 14819,	14493, 14694,
7512, 7561, 7676,	14829, 14849,	14743, 14781,
7900, 7918, 7919,	14850, 14854,	14958, 15000,
7937, 7938, 7956,	14865, 14872,	15001, 15007,
7957, 7988, 7989,	15945, 15949,	15094, 15096,
8107, 8112, 8136,	16828, 16928,	15102, 15113,
8141, 8165, 8170,	17964, 18119,	15115, 15118,
8247, 8251, 8299,	18121, 18135,	15119, 15136,
8512, 8558, 8567,	18136, 18180,	15142, 15143,
8575, 8602, 8649,	18184, 18188,	15145, 15148,
8718, 8729, 10545,	18690, 18756,	15160, 15161,
10551, 10568,	18758, 18763,	15163, 15166,
	24343, 24396,	
	24406, 24838,	



15175,	15177,	21011,	21019,	9188, 9376, 9746,
15186,	15188,	21020,	21024,	9752, 9865, 9871,
15201,	15228,	21025,	21034,	9879, 9886, 11547,
15237,	15257,	21035,	21039,	11561, 11629,
15273,	15290,	21040,	21048,	11635, 11641,
15299,	15318,	21121,	21554,	14272, 14289,
15331,	15365,	21590,	21597,	14305, 14332,
15371,	15384,	21654,	21655,	14346, 14360,
15415,	15426,	21662,	21670,	15042, 15046,
15437,	15744,	21677,	21683,	15051, 15056,
15747,	15750,	21705,	21721,	16102, 16121,
15753,	15797,	21728,	21736,	16867, 17670,
15805,	15831,	21744,	21756,	17677, 18969,
15839,	15862,	21763,	21778,	18978, 19419,
15891,	16095,	21779,	21783,	19428, 19954,
16116,	16158,	21784,	21792,	19964, 19982,
16178,	16370,	21793,	21797,	20500, 20502,
16371,	16375,	21798,	21807,	21261, 21263,
16377,	16734,	21808,	21812,	22026, 22028,
17657,	17698,	21813,	21821,	24281, 24285,
17798,	18063,	21886,	22378,	24528, 24567,
18068,	18073,	22597,	22939,	24576, 24585, 24594
18296,	18300,	23292,	23298,	\iii 6578
18307,	18313,	23344,	23348,	\ilg 18584, 18607
18465,	18477,	23352,	23459,	\immediate ... 7041, 9032
18753,	18805,	23799,	23870,	\in@ 6904
18846,	18859,	23882,	23890,	\includegraphics ...
18872,	19139,	23907,	23932,	... 5008, 10547,
19143,	19280,	23999,	24004,	10678, 18378, 18451
19284,	20042,	24006,	24250,	\includemedia
20077,	20084,	24293,	24426,	. 17132, 17462, 17463
20141,	20142,	24536,	24539,	\includepdf 18442
20149,	20157,	24546,	24707,	\Indentedwidth ... 11560
20164,	20170,	24715,	24754,	\index 6456,
20192,	20208,	24801,	25066,	6457, 14000, 25077
20215,	20223,	25067,	25069, 25070	\indexname 598,
20231,	20243,	\ifXC@tst .	24273, 24322	599, 600, 614,
20250,	20265,	\ignorespaces ...	46,	615, 863, 864,
20266,	20270,	60,	76, 122, 249,	1115, 1116, 8472,
20271,	20279,	263,	278, 336,	8473, 9117, 9118,
20280,	20284,	630,	639, 937,	9294, 9295, 9504,
20285,	20294,	1189,	1198, 1884,	9505, 9506, 18953,
20295,	20299,	2099,	2103, 2108,	18954, 19208,
20300,	20308,	2120,	2130, 2158,	19209, 19667,
20361,	20781,	2175,	2192, 2208,	19668, 19669,
20817,	20824,	2224,	2240, 2600,	22664, 22665,
20881,	20882,	6028,	6518, 6534,	22666, 22670,
20889,	20897,	6536,	6542, 6545,	22671, 22672,
20904,	20910,	6548,	6552, 6557,	22675, 22676,
20932,	20948,	7453,	7460, 7461,	22682, 22683,
20955,	20963,	7470,	8057, 8075,	22687, 22688,
20971,	20983,	8093,	8129, 8158,	22689, 22692, 22693
20990,	21005,	8187,	8452, 8876,	\indexspace 8488
21006,	21010,	8887,	9040, 9041,	\input 4069, 4070,



4184, 4277, 4353, 4820, 8686, 8751, 25137, 25147, 25148, 25149, 25150, 25151, 25152, 25153, 25154, 25155, 25156, 25157, 25158, 25159, 25160, 25161, 25162, 25163, 25164, 25165, 25166, 25167, 25168, 25169, 25170, 25171, 25172, 25173, 25175, 25176, 25180, 25186, 25193, 25194, 25195, 25196, 25197, 25198, 25199, 25200, 25201, 25202, 25203, 25204, 25205, 25206, 25207, 25208, 25209, 25210, 25211, 25212, 25213, 25214, 25215, 25216, 25217, 25218, 25219, 25220, 25221, 25222, 25223, 25224, 25225, 25226, 25227, 25228, 25229, 25230, 25231, 25232, 25233, 25234, 25235, 25236, 25237, 25238, 25240, 25241, 25242, 25243, 25244, 25245, 25268, 25269, 25270, 25271, 25272, 25273, 25274, 25275, 25276, 25277, 25278, 25279, 25280, 25281, 25282, 25283, 25284, 25285, 25286, 25287,	25288, 25289, 25290, 25291, 25292, 25293, 25294, 25295, 25296, 25297, 25298, 25299, 25300, 25301, 25302, 25303, 25304, 25305, 25306, 25307, 25308, 25309, 25310, 25311, 25312, 25313, 25314, 25315, 25316, 25317, 25318, 25319, 25320, 25321, 25322 \input@path 17153 \InputIfFileExists 6603, 6612, 16169 \insert 35, 49, 65, 238, 252, 267, 4019, 4304, 10695, 10711, 10716, 10732, 10779, 10785, 10831, 10837, 11645, 11659, 11673, 11957, 11973, 11983, 12099, 12114, 12123, 12235, 12251, 12261, 12377, 12393, 12403, 12519, 12535, 12545, 12661, 12677, 12687, 12803, 12819, 12829, 12945, 12961, 12971, 13087, 13103, 13113, 13349, 13367, 13379, 14259, 14276, 14292, 14809, 14811, 18120, 18122 \insert@column 1410, 1411, 1412, 1413, 1415, 1416, 1476, 1478, 1479, 1481, 1482, 1483, 9826, 9828, 9829, 9831, 9832, 9833 \insertauthor 2917, 2972, 2975 \insertauthorindicator 2974 \insertblocktitle . 1725, 1734, 1743, 2765, 2780, 2795, 2996, 3008, 3020, 3120 \insertbuttontext . 2815 \insertcaption 2752 \insertcaptionname 2749 \insertdate 2929, 2984, 2987 \insertdateindicator 2986 \insertenumlabel 1604, 1669 \insertfootnotemark 2136, 2141, 2723, 2730, 2737, 3140, 3146, 3152 \insertfootnotetext 2135, 2140, 2723, 2730, 2737, 3140, 3146, 3152 \insertframenumber 3074, 3282, 3288, 3292, 3310, 3312, 3389 \insertframesubtitle 3464, 3465, 3611, 3612, 3707, 3710, 3802, 3805 \insertframetitle 3463, 3610, 3706, 3801 \insertgotosymbol . 2611 \insertinstitute 2923, 2978, 2981 \insertinstituteindicator 2980 \insertlogo 3493 \insertnavigation 3416, 3675 \insertnote 3254 \insertpenalties 14223, 14839 \insertreturnsymbol 2654 \insertsection 3220, 3227 \insertsectionhead 3059, 3369, 3771, 3854, 3862 \insertshortauthor 3339, 3542, 3566 \insertshortdate . . . 3347
--	---	--



\insertshortframetitle	256, 271, 11833, 14263, 14280, 14296	\item 102, 222, 603, 618, 867, 950, 1119, 8444, 8452, 8457, 8478, 9121, 9298, 9509, 13897, 13912, 16046, 18957, 19212, 19672, 22699
\insertshortinstitute	3339	\interlinepenalty 39, 53, 69, 242, 256, 271, 558, 622, 647, 874, 929, 1123, 1130, 8364, 9125, 9132, 9302, 9309, 9473, 9668, 9676, 10398, 10410, 10423, 11230, 11243, 11500, 11509, 11833, 13631, 13639, 14263, 14280, 14296, 17929, 17941, 17953, 18839, 18961, 18986, 19358, 19411, 19473, 19828, 19836, 22554, 22595, 22729, 22760, 22783, 22800, 22817, 22834, 22851, 22868, 22886, 22905, 22925, 22960, 23343, 23873, 23987, 24168, 24685
\insertshorttitle 3229, 3235	\intermath@penalty 9745 \intextsep . 24228, 24230 \InTheoType 11051, 18338, 18340, 18359, 18361
\insertskipsymbol	2634	\ior .. 17236, 17237, 17241 \isempty .. 7302, 7900, 8107, 8112, 8136, 8141, 8165, 8170, 8558, 8567, 8575, 8602
\insertslideintonotes 3196	\isodd 19878, 19923 \isSC@ODD 22269, 22270, 22272, 22273, 25248, 25250, 25252, 25254
\insertsubenumlabel	1627	\isundefined 7512, 7561, 10545, 10551, 10568, 10571, 10572, 10573, 10574, 10575, 10666, 10669, 10670, 10671, 10672, 10673, 10676, 10680
\insertsubsection 3229, 3235	
\insertsubsectionhead 3062, 3065, 3376, 3428, 3685, 3781, 3873, 3881	
\insertsubsubenumlabel 1648	
\insertsubtitle 2901, 2969, 3046	
\inserttitle 2895, 2968, 3039	
\inserttitlegraphic	2912	
\inserttitleindicator 2967	
\inserttocsection 1538, 1578, 1697, 2963	
\inserttocsectionnumber 1535, 1572, 1694	
\inserttocsubsection 1541, 1583, 1705, 2693	
\inserttocsubsection 1546, 1590, 1712, 2697	
\inserttotalframenumber 3074, 3273, 3279, 3282, 3298, 3301, 3318, 3321, 3389	
\insertverticalnavigation 3545	
\insertvrule 1929, 3191, 3249	
\int 17186, 17233, 17234, 17238, 17316, 17404, 17407, 17408, 17419, 17457, 17495, 17520, 18414	
\interfootnotelinepenalty 39, 53, 69, 242,	



235, 336, 539, 541, 543, 545, 723, 724, 726, 729, 730, 732, 744, 959, 961, 964, 966, 996, 1203, 1204, 1206, 1209, 1210, 1212, 1246, 1474, 1479, 1536, 1578, 1583, 1590, 1696, 1704, 1711, 2574, 2823, 2865, 4530, 4531, 4532, 4533, 4534, 4535, 4536, 4537, 4541, 4542, 4589, 4591, 4592, 7651, 7652, 7662, 7663, 7665, 8130, 8131, 8159, 8160, 8188, 8189, 9209, 9210, 9212, 9215, 9216, 9218, 9239, 9362, 9363, 9365, 9368, 9369, 9371, 9416, 9639, 9641, 9643, 9645, 9824, 9829, 9851, 10690, 10691, 11121, 11128, 11136, 11143, 11182, 11186, 11268, 11270, 11272, 11274, 11567, 11569, 11571, 11573, 11620, 11621, 11745, 11746, 13644, 13646, 13648, 13650, 13788, 13789, 13790, 14032, 14175, 14177, 14178, 14179, 14180, 14181, 14213, 14498, 14562, 14940, 14986, 16056, 16058, 16059, 16060, 16130, 16132, 16134, 16136, 16867, 17988, 18044, 18045, 18092, 18094, 18095, 18096, 18762,	18773, 18803, 19039, 19042, 19046, 19089, 19228, 19462, 19465, 19469, 19619, 19623, 19625, 19801, 19805, 19807, 20076, 20083, 20086, 20087, 20483, 20577, 20579, 20820, 20823, 20826, 21242, 21244, 21338, 21340, 21589, 21593, 21596, 21599, 21600, 22009, 22103, 22105, 22311, 22568, 24203, 24213, 24216, 24238, 24397, 24407, 24440, 24442, 25006, \keys 16949, 17145, 17239, 17478, 17479 \keywords 324 \kill 16731 \KOMAClassName 20036, 20209, 20238, 20251, 20259, 20448, 20512, 20622, 20775, 20949, 20956, 20978, 20984, 20991, 21200, 21209, 21273, 21384, 21548, 21722, 21729, 21751, 21757, 21764, 21965, 21974, 22038, 22149 \KV@do 16186, 16191 \KV@errx 2255, 2258,	18776, 18819, 19040, 19045, 19048, 19228, 19463, 19468, 19471, 19621, 19625, 19803, 19807, 20080, 20086, 20087, 20481, 20577, 20816, 20823, 20827, 21244, 21340, 21593, 21599, 22007, 22103, 22305, 22311, 22568, 24207, 24216, 24397, 24437, 24440, 24442, 25006, \keys 16949, 17145, 17239, 17478, 17479 \keywords 324 \kill 16731 \KOMAClassName 20036, 20209, 20238, 20251, 20259, 20448, 20512, 20622, 20775, 20949, 20956, 20978, 20984, 20991, 21200, 21209, 21273, 21384, 21548, 21722, 21729, 21751, 21757, 21764, 21965, 21974, 22038, 22149 \KV@do 16186, 16191 \KV@errx 2255, 2258,	2261, 2281, 2284, 2287, 2307, 2310, 2313 \KV@prefix . 16184, 16189
		L	
	\l 11077, 11093, 11096, 11102, 11105, 11107, 11108, 11111, 11112, 11115, 11118, 11119, 11120, 11125, 11126, 11127, 11133, 11134, 11135, 11140, 11141, 11142, 11151, 11154, 11162, 16957, 16959, 16965, 16967, 16973, 16974, 16975, 16976, 16977, 16978, 16979, 16980, 16981, 16982, 16983, 16985, 16986, 16988, 16989, 16990, 16997, 16998, 16999, 17001, 17003, 17006, 17007, 17014, 17024, 17025, 17026, 17027, 17028, 17029, 17030, 17031, 17032, 17033, 17034, 17035, 17036, 17037, 17038, 17042, 17043, 17044, 17046, 17048, 17051, 17052, 17054, 17055, 17056, 17065, 17075, 17076, 17077, 17078, 17079, 17080, 17081, 17082, 17083, 17089, 17091, 17092, 17093, 17096, 17098, 17100, 17105, 17106, 17107, 17109,		



17111,	17116,	16213,	16215,	\l@section
17118,	17120,	16219,	16225,	524, 685, 698, 887,
17128,	17139,	16227,	16229,	900, 1169, 1182,
17140,	17155,	16231,	16235,	11195, 22771, 23956
17156,	17157,	16236,	16238,	\L@selfreffalse .. 16153
17158,	17176,	16239,	16248, 16250	\L@selfreftrue .. 16153
17196,	17204,	\L@gridfalse ..	16151	\L@slope
17209,	17223,	\L@gridtrue ..	16151	. 16148, 16259, 16260
17228,	17232,	\L@hang ..	16142, 16234	\l@subfigure
17233,	17234,	\L@imagefalse ..	16150	\l@subparagraph ..
17236,	17237,	\L@imagetrue ..	16150	. 22844, 23972
17238,	17241,	\l@initial ..	16139	\l@subsection 22793, 23960
17245,	17247,	\L@lbox .	16188, 16195,	\l@subsubsection ..
17248,	17249,	16196,	16197,	. 22810, 23964
17250,	17251,	16233,	16234, 16269	\l@subtable
17252,	17253,	\l@LOKeys ..	16179,	22918
17255,	17256,	16181,	16186, 16191	\l@table 8373, 22879, 23976
17257,	17258,	\L@lraise ..	16210,	\L@target@dp
17260,	17261,	16211,	16216, 16269	. 16216, 16220, 16215
17262,	17264,	\L@next .	16241, 16242,	\L@tbox . 16155, 16163,
17265,	17266,	16255,	16257, 16260	16208, 16213, 16271
17269,	17270,	\l@ngrel@x 5651, 5652, 5654	\l@textcolor 16176, 16177	
17271,	17274,	\L@Nindent ..	16147,	\label 5004, 7331, 7333,
17307,	17309,	16240,	16242,	7335, 7339, 7391,
17312,	17337,	16244,	16257, 16259	13999, 14431,
17339,	17371,	\L@novskip 16149, 16219, 16223	14437, 15150,
17375,	17387,	\L@oversize 16143, 16200, 16205	15168, 20433,
17388,	17434,	\l@paragraph 22827, 23968	\labelitemi . 743, 995,	
17444,	17450,	\L@parshape	1058, 1245, 9238,	
17462,	17463,	. 16248, 16250,	9415, 19088, 19227	
17482,	17483,	16255,	16257,	\labelname ... 18196,
17484,	17485,	16263,	16265, 16268	18199, 18201,
17486,	17487,	\l@part	18204, 18206,	
17488,	17489,	507,	18208, 18211,	
17490,	17525,	659,	18213, 18215,	
17526,	18330,	677,	18217, 18220,	
18416,	18418, 18427	903,	18222, 18224,	
\l@	22970	921,	18226, 18228,	
\l@addto@macro ..	. 20019, 20758, 21531	1142,	18231, 18233,	
\L@ante	16145, 16235, 16269	1160,	18236, 18238,	
\l@chapter	9168, 9182,	9144,	18241, 18243,	
	9345, 9359, 9623,	9160,	18245, 18248,	
	13608, 19022,	9321,	18250, 18252,	
	19036, 19394,	9337,	18255, 18257, 18259	
	19408, 19600,	9608,	\labelsep ... 85, 90,	
	19785, 22619,	11209,	293, 577, 712,	
	22620, 22752, 23952	11464,	975, 1225, 2500,	
\l@color	... 16174, 16175	13593,	2521, 5019, 5021,	
\l@figure	... 8372,	18998,	8401, 8403, 8460,	
	8373, 22861, 23980	19014,	9198, 9386, 9695,	
\L@Findent	19370,	11257, 11528,	
	. 16146, 16237, 16270	19386,	13659, 16028,	
\L@first	16209, 16211,	19586,	16033, 18196,	
		19770,		
		22616,		
		22675,		
		23944,		
		23947		
		\L@Pindent ..		
		16233,		
		16234,		
		16236,		
		16237,		
		16239,		
		16240,		
		16243,		
		16250		
		\L@raise ..		
		16144,		
		16210		
		\L@realhfalse ..		
		16152		
		\L@realhtrue ..		
		16152		
		\l@refstring ..		
		16139		



18199,	18201,	4508, 4509, 4510, 4511	\lastbox 10185, 13206,
18204,	18206,	\Larga 4508	13226, 13230,
18208,	18211,	\Largb 4509	16909, 18690,
18213,	18215,	\LARGE 423, 494,	24343, 24395, 24405
18217,	18220,	751, 841, 1003,	\LastFrameCommand .
18222,	18224,	1093, 1253, 1344, 14516, 14626
18226,	18228,	1355, 8303, 8310,	\lastkern ... 8036, 14601
18231,	18233,	8392, 8635, 9246,	\lastpenalty . 9743, 23792
18236,	18238,	9423, 9524, 9595,	\lastrule 9790
18241,	18243,	10630, 11285,	\lastskip 7469,
18245,	18248,	11350, 11380,	9071, 9072, 9742
18250,	18252,	11451, 13679,	\LastTOCLevelWasHigher
18255,	18257,	13744, 19096, 23669
18259,	19057,	19186, 19235,	\LastTOCLevelWasLower
19451,	19645,	19332, 19343, 23665
19848,	20380,	19499, 19686, 19757	\LastTOCLevelWasSame
21141,	21906, 22634	\Large 561, 23667
\labelwidth	89, 90,	8254, 8317, 8391,	\LaTeX 15926,
	292, 293, 575, 576,	8636, 8637, 10541,	24429, 24430, 24442
	710, 711, 973, 974,	10634, 11233, 19575	\LaTeXe 24431, 24432
	1223, 1224, 2508,	\large 425, 431,	\LBEG 4512
	2519, 2520, 5018,	496, 502, 516, 668,	\lcb . 4509, 4512, 4513, 4516
	5020, 8402, 8403,	758, 768, 843, 849,	\lcicode 6219,
	9196, 9197, 9384,	912, 1010, 1020,	6221, 24194, 24195
	9385, 9693, 9694,	1095, 1101, 1151,	\Lcs 4523
	11255, 11256,	1260, 1270, 1346,	\LcsStar 4524
	11526, 11527,	1352, 1356, 1361,	\leaders 20086,
	13657, 13658,	8261, 8324, 8390,	20826, 21599,
	14654, 16032,	9153, 9253, 9263,	22318, 22610,
	16033, 18196,	9330, 9430, 9440,	23883, 23992, 24690
	18199, 18201,	9526, 9532, 9597,	\leavevmode .. 14, 209,
	18204, 18206,	9603, 9617, 10540,	305, 378, 515, 532,
	18208, 18211,	10542, 10633,	653, 667, 692, 744,
	18213, 18215,	10635, 11218,	881, 894, 911, 996,
	18217, 18220,	11287, 11293,	1059, 1136, 1150,
	18222, 18224,	11352, 11358,	1176, 1246, 1527,
	18226, 18228,	11382, 11388,	1541, 1544, 1563,
	18231, 18233,	11453, 11459,	1581, 1586, 1685,
	18236, 18238,	11472, 13602,	1703, 1709, 1846,
	18241, 18243,	13681, 13687,	2103, 2113, 2128,
	18245, 18248,	13746, 13752,	2515, 2693, 2696,
	18250, 18252,	19007, 19103,	2746, 2773, 2788,
	18255, 18257,	19113, 19188,	2803, 2962, 2995,
	18259, 19055,	19194, 19242,	3007, 3019, 3336,
	19056, 19449,	19252, 19334,	3362, 3561, 3599,
	19450, 19643,	19340, 19344,	3609, 4641, 4949,
	19644, 19846,	19349, 19379,	5437, 5491, 5548,
	19847, 20378,	19501, 19507,	8024, 8365, 8833,
	20379, 21139,	19594, 19688,	8909, 9138, 9152,
	21140, 21904,	19694, 19759,	9175, 9239, 9315,
	21905, 22632, 22633	19765, 19779,	9329, 9352, 9416,
\landscape .	16845, 18434	23267, 23699, 23737	9616, 9631, 9711,
\langle	4508	\Lagr 4511	9712, 9850, 9902,
\Larg	4507,	\Largs 4510	11203, 11217,



11471,	11997,	19084,	19221,	\leftmarginvi
12136,	12275,	19461,	19481,	\leftmarginwidth . 19615
12417,	12559,	19618,	19678,	\leftmark
12701,	12843,	19800,	20074,	\leftskip 12, 13,
12985,	13127,	20133,	20814,	207, 208, 305, 309,
13601,	13616,	20873,	21587, 21646	513, 530, 533, 534,
13897,	13912, 4105,		624, 637, 648, 649,
14363,	14928,	10687,	11617,	654, 665, 690, 693,
14974,	14994,	14182,	14185,	694, 875, 876, 882,
15784,	15821,	14423,	14899, 25140	892, 895, 896, 909,
15853,	16062, 16303, 16306		931, 1125, 1131,
16081,	16904,	\leftline 18785,		1132, 1137, 1148,
17930,	17942,	24608, 24614, 24616		1174, 1177, 1178,
17954,	18689,	\leftlinenumbers ..		1196, 1872, 1873,
18770,	18775, 16303, 16306		1877, 2676, 2682,
18821,	18842,	\leftmargin 90,		3170, 3172, 8359,
18992,	19006,	293, 576, 577, 711,		8367, 8368, 8939,
19029,	19089,	712, 947, 974,		9127, 9133, 9134,
19228,	19364,	975, 1224, 1225,		9139, 9150, 9173,
19378,	19401,	2508, 2520, 2521,		9176, 9177, 9304,
19593,	19608,	5020, 5021, 7172,		9310, 9311, 9316,
19778,	19793,	8382, 8441, 8442,		9327, 9350, 9353,
20086,	20826,	8449, 8455, 9197,		9354, 9614, 9629,
21599,	22285,	9198, 9385, 9386,		9632, 9633, 9765,
22336,	22560,	9694, 9695, 11256,		9766, 9767, 9893,
22583,	22730,	11257, 11527,		9894, 9900, 11201,
22761,	22784,	11528, 13658,		11204, 11205,
22801,	22818,	13659, 16033,		11215, 11469,
22835,	22852,	18839, 19056,		11889, 11898,
22869,	22887,	19057, 19450,		13501, 13510,
22906,	22926,	19451, 19644,		13599, 13614,
22961,	23154,	19645, 19847,		13617, 13618,
23266,	23357,	19848, 20024,		16079, 16080,
23874,	23988,	20379, 20380,		16891, 17563,
24237,	24434,	20763, 21140,		17564, 17927,
24439,	24441,	21141, 21536,		17931, 17932,
24449,	24456,	21905, 21906,		17939, 17944,
24530,	24636, 24686	22633, 22634,		17951, 17956,
		24500, 24503,		18850, 18852,
		24513, 24517,		18863, 18865,
		24525, 24562,		18876, 18878,
		24564, 24565,		18887, 18889,
		24566, 24571,		18963, 18976,
		24573, 24574,		18987, 18988,
		24575, 24580,		18993, 19004,
		24582, 24583,		19027, 19030,
		24584, 24589,		19031, 19359,
		24591, 24592, 24593		19360, 19365,
		\leftmargini ... 7172,		19376, 19399,
		8382, 8395, 8402		19402, 19403,
		\leftmarginii 8396		19413, 19426,
		\leftmarginiii 8397		19475, 19591,
		\leftmarginiv 8398		19606, 19609,
		\leftmarginv 8399		19610, 19615,



19616,	19776,	441, 442, 443, 444,	4404, 4405, 4406,
19791,	19794,	445, 446, 447, 448,	4407, 4408, 4409,
19795,	20016,	472, 473, 474, 475,	4410, 4411, 4412,
20755,	21528,	476, 477, 478, 479,	4596, 4597, 4598,
22552,	22564,	480, 481, 482, 483,	4625, 4642, 4643,
22581,	22602,	484, 491, 492, 493,	4644, 4645, 4646,
22604,	22609,	580, 603, 618, 715,	4647, 4648, 4649,
22613,	22614,	737, 738, 739, 740,	4650, 4652, 4653,
22725,	22726,	741, 779, 780, 781,	4654, 4764, 4765,
22727,	22735,	782, 783, 784, 785,	4766, 4767, 4768,
22756,	22757,	786, 787, 788, 823,	4769, 4770, 4771,
22758,	22766,	824, 825, 826, 827,	4772, 5024, 5033,
22779,	22780,	828, 829, 830, 831,	5106, 5124, 5148,
22781,	22789,	832, 833, 840, 867,	5167, 5172, 5197,
22796,	22797,	978, 989, 990, 991,	5198, 5205, 5206,
22798,	22806,	992, 993, 1031,	5209, 5210, 5213,
22813,	22814,	1032, 1033, 1034,	5214, 5220, 5221,
22815,	22823,	1035, 1036, 1037,	5224, 5225, 5228,
22830,	22831,	1038, 1039, 1040,	5229, 5232, 5233,
22832,	22840,	1075, 1076, 1077,	5267, 5400, 5403,
22847,	22848,	1078, 1079, 1080,	5417, 5652, 5674,
22849,	22857,	1081, 1082, 1083,	5696, 5697, 5827,
22864,	22865,	1084, 1085, 1092,	5907, 5909, 5912,
22866,	22874,	1119, 1228, 1239,	5913, 5914, 5915,
22882,	22883,	1240, 1241, 1242,	5916, 5971, 6009,
22884,	22892,	1243, 1281, 1282,	6016, 6024, 6035,
22901,	22902,	1283, 1284, 1285,	6041, 6049, 6052,
22903,	22911,	1286, 1287, 1288,	6055, 6065, 6069,
22921,	22922,	1289, 1290, 1325,	6071, 6136, 6137,
22923,	22931,	1326, 1327, 1328,	6142, 6249, 6252,
22956,	22957,	1329, 1330, 1331,	6283, 6369, 6376,
22958,	22966,	1332, 1333, 1334,	6379, 6389, 6399,
23006,	23007,	1335, 1343, 1369,	6410, 6477, 6487,
23008,	23805,	1370, 1374, 1390,	6489, 6523, 6534,
23867,	23868,	1391, 1392, 1428,	6625, 6641, 6661,
23869,	23875,	1429, 1430, 1455,	6676, 6692, 6785,
23878,	23925,	1456, 1457, 1458,	6806, 6807, 6823,
23985,	23990,	1463, 1498, 1499,	6866, 6869, 6871,
24013,	24020,	1750, 2053, 2054,	6876, 6890, 6898,
24389,	24390,	2077, 2095, 2196,	6899, 6919, 6920,
24597,	24623,	2212, 2228, 2243,	6947, 6958, 6963,
24624,	24683, 24688	2244, 2245, 2252,	6967, 6969, 6972,
\LEND	4513	2253, 2254, 2255,	6982, 6993, 7020,
\leqno . . .	328, 18781,	2256, 2261, 2262,	7031, 7040, 7089,
	18783, 25131, 25133	2278, 2279, 2280,	7094, 7110, 7111,
\let	86,	2281, 2282, 2287,	7112, 7113, 7115,
	102, 115, 152, 153,	2288, 2304, 2305,	7116, 7117, 7118,
	156, 157, 160, 161,	2306, 2307, 2308,	7164, 7294, 7295,
	164, 222, 289, 319,	2313, 2314, 2508,	7332, 7333, 7339,
	327, 328, 347, 379,	2526, 2528, 4008,	7341, 7345, 7390,
	380, 383, 400, 404,	4010, 4012, 4142,	7391, 7473, 7475,
	408, 413, 414, 415,	4143, 4150, 4237,	7477, 7623, 7624,
	416, 417, 418, 419,	4293, 4295, 4297,	7637, 7641, 7643,
	437, 438, 439, 440,	4329, 4402, 4403,	7644, 7650, 7654,



7658, 7667, 7911, 7912, 7930, 7931, 7949, 7950, 7977, 7978, 8006, 8007, 8008, 8105, 8126, 8127, 8128, 8134, 8155, 8156, 8157, 8163, 8184, 8185, 8186, 8202, 8206, 8207, 8208, 8211, 8215, 8216, 8217, 8220, 8224, 8225, 8226, 8373, 8437, 8478, 8565, 8632, 8633, 8634, 8824, 8825, 8827, 8828, 8846, 8867, 8868, 8869, 8870, 8871, 8872, 8873, 8874, 8875, 8878, 8879, 8880, 8881, 8882, 8883, 8884, 8885, 8886, 8947, 8965, 9016, 9022, 9043, 9056, 9066, 9080, 9084, 9085, 9086, 9087, 9088, 9089, 9090, 9091, 9092, 9098, 9099, 9100, 9101, 9102, 9103, 9104, 9105, 9106, 9121, 9201, 9232, 9233, 9234, 9235, 9236, 9274, 9275, 9276, 9277, 9278, 9279, 9280, 9281, 9282, 9283, 9298, 9389, 9409, 9410, 9411, 9412, 9413, 9451, 9452, 9453, 9454, 9455, 9456, 9457, 9458, 9459, 9460, 9509, 9514, 9515, 9516, 9517, 9518, 9519, 9520, 9538, 9539, 9540, 9541, 9542, 9543, 9544, 9545, 9546, 9547, 9548, 9549, 9573, 9574, 9575, 9576, 9577, 9578, 9579, 9580, 9581, 9582, 9583, 9584, 9585, 9592, 9593,	9594, 9698, 9722, 9724, 9727, 9728, 9729, 9735, 9740, 9760, 9772, 9773, 9774, 9776, 9777, 9783, 9784, 9785, 9786, 9806, 9815, 9856, 9862, 9883, 10055, 10058, 10059, 10118, 10121, 10122, 10685, 10686, 10687, 10688, 10689, 10692, 10693, 10695, 10713, 10714, 10716, 10734, 10735, 10739, 10774, 10776, 10788, 10791, 10792, 10796, 10826, 10828, 10840, 10843, 10844, 10891, 10915, 10923, 10931, 11260, 11277, 11278, 11279, 11280, 11281, 11299, 11300, 11301, 11302, 11303, 11304, 11305, 11306, 11307, 11308, 11332, 11333, 11334, 11335, 11336, 11337, 11338, 11339, 11340, 11341, 11342, 11349, 11370, 11371, 11372, 11373, 11374, 11375, 11376, 11394, 11395, 11396, 11397, 11398, 11399, 11400, 11401, 11402, 11403, 11404, 11405, 11429, 11430, 11431, 11432, 11433, 11434, 11435, 11436, 11437, 11438,	11439, 11440, 11441, 11448, 11449, 11450, 11531, 11585, 11586, 11587, 11588, 11589, 11590, 11599, 11600, 11601, 11602, 11603, 11604, 11605, 11606, 11607, 11608, 11609, 11610, 11615, 11616, 11617, 11618, 11619, 11719, 11720, 11721, 11722, 11723, 11724, 11727, 11728, 11729, 11730, 11731, 11732, 11736, 11936, 11937, 11938, 11942, 11946, 11947, 11948, 11949, 11952, 11954, 12078, 12079, 12080, 12084, 12088, 12089, 12090, 12091, 12094, 12096, 12214, 12215, 12216, 12220, 12224, 12225, 12226, 12227, 12230, 12232, 12356, 12357, 12358, 12362, 12366, 12367, 12368, 12369, 12372, 12374, 12498, 12499, 12500, 12504, 12508, 12509, 12510, 12511, 12514, 12516, 12640, 12641, 12642, 12646, 12650, 12651, 12652, 12653, 12656, 12658, 12782, 12783, 12784, 12788, 12792,
--	--	--



12793,	12794,	14001,	14007,	16725,	16727,
12795,	12798,	14011,	14014,	16731,	16733,
12800,	12924,	14017,	14019,	16735,	16736,
12925,	12926,	14022,	14023,	16738,	16739,
12930,	12934,	14157,	14185,	16740,	16744,
12935,	12936,	14211,	14212,	16750,	16762,
12937,	12940,	14321,	14335,	16787,	16795,
12942,	13066,	14349,	14375,	16796,	16797,
13067,	13068,	14376,	14377,	16846,	16847,
13072,	13076,	14378,	14412,	16883,	16884,
13077,	13078,	14494,	14500,	16885,	16886,
13079,	13082,	14505,	14640,	16887,	16895,
13084,	13235,	14641,	14642,	16942,	16943,
13242,	13243,	14643,	14695,	16944,	17531,
13244,	13249,	14698,	14699,	17532,	17533,
13250,	13256,	14744,	14747,	17534,	17535,
13257,	13258,	14748,	14884,	17536,	17537,
13259,	13260,	14899,	14900,	17538,	17539,
13261,	13265,	14901,	14902,	17595,	17598,
13266,	13294,	14903,	14997,	17599,	17601,
13296,	13298,	15031,	15033,	17602,	17699,
13299,	13304,	15061,	15063,	17702,	17703,
13305,	13311,	15068,	15070,	17799,	17802,
13312,	13313,	15074,	15076,	17803,	18035,
13315,	13317,	15407,	15408,	18038,	18065,
13319,	13320,	15409,	15450,	18066,	18070,
13324,	13325,	15451,	15452,	18071,	18075,
13356,	13368,	15494,	15495,	18076,	18277,
13380,	13411,	15496,	15509,	18278,	18279,
13430,	13444,	15510,	15511,	18395,	18396,
13516,	13586,	15524,	15525,	18397,	18398,
13662,	13671,	15526,	15532,	18399,	18401,
13672,	13673,	15534,	15535,	18445,	18450,
13674,	13675,	15536,	15537,	18464,	18496,
13693,	13694,	15538,	15539,	18691,	18695,
13695,	13696,	15540,	15549,	18740,	18741,
13697,	13698,	15585,	15623,	18742,	18743,
13699,	13700,	15656,	15687,	18746,	18747,
13701,	13702,	15718,	15724,	18749,	18754,
13726,	13727,	15726,	15727,	18777,	18778,
13728,	13729,	15728,	15729,	18779,	18780,
13730,	13731,	15730,	15731,	18781,	18843,
13732,	13733,	15732,	15733,	18847,	18849,
13734,	13735,	15745,	15748,	18860,	18862,
13736,	13743,	15751,	15754,	18873,	18875,
13799,	13826,	15921,	15922,	18885,	18886,
13829,	13830,	15923,	15924,	18897,	18898,
13862,	13865,	15939,	15950,	18899,	18900,
13866,	13948,	16029,	16046,	18901,	18914,
13949,	13951,	16095,	16139,	18920,	18932,
13952,	13955,	16175,	16185,	18940,	18941,
13956,	13985,	16190,	16398,	18957,	19060,
13987,	13989,	16410,	16721,	19082,	19083,
13999,	14000,	16722,	16723,	19084,	19085,



19086,	19124,	19704,	19705,	21000,	21049,
19125,	19126,	19706,	19707,	21054,	21055,
19127,	19128,	19708,	19709,	21056,	21057,
19129,	19130,	19710,	19711,	21058,	21059,
19131,	19132,	19735,	19736,	21060,	21061,
19133,	19168,	19737,	19738,	21062,	21063,
19169,	19170,	19739,	19740,	21064,	21065,
19171,	19172,	19741,	19742,	21066,	21067,
19173,	19174,	19743,	19744,	21068,	21069,
19175,	19176,	19745,	19746,	21070,	21071,
19177,	19178,	19747,	19754,	21072,	21073,
19185,	19212,	19755,	19756,	21074,	21075,
19219,	19220,	19851,	19876,	21076,	21077,
19221,	19222,	19903,	19904,	21078,	21079,
19223,	19224,	19921,	19993,	21080,	21081,
19225,	19263,	19994,	19995,	21083,	21152,
19264,	19265,	20109,	20129,	21177,	21178,
19266,	19267,	20131,	20132,	21193,	21194,
19268,	19269,	20133,	20134,	21195,	21196,
19270,	19271,	20135,	20136,	21197,	21198,
19272,	19273,	20137,	20139,	21283,	21370,
19274,	19309,	20186,	20205,	21372,	21378,
19310,	19311,	20228,	20258,	21380,	21505,
19312,	19313,	20260,	20309,	21506,	21507,
19314,	19315,	20314,	20315,	21622,	21642,
19316,	19317,	20316,	20317,	21644,	21645,
19318,	19319,	20318,	20319,	21646,	21647,
19320,	19321,	20320,	20321,	21648,	21649,
19329,	19330,	20322,	20323,	21650,	21652,
19331,	19454,	20324,	20325,	21699,	21718,
19479,	19480,	20326,	20327,	21741,	21771,
19481,	19482,	20328,	20329,	21773,	21822,
19483,	19484,	20330,	20331,	21827,	21828,
19485,	19513,	20332,	20333,	21829,	21830,
19514,	19515,	20334,	20335,	21831,	21832,
19516,	19517,	20336,	20337,	21833,	21834,
19518,	19519,	20338,	20339,	21835,	21836,
19520,	19521,	20340,	20341,	21837,	21838,
19522,	19523,	20343,	20391,	21839,	21840,
19524,	19553,	20416,	20417,	21841,	21842,
19554,	19555,	20432,	20433,	21843,	21844,
19556,	19557,	20434,	20435,	21845,	21846,
19558,	19559,	20436,	20437,	21847,	21848,
19560,	19561,	20522,	20608,	21849,	21850,
19562,	19563,	20610,	20616,	21851,	21852,
19564,	19565,	20618,	20732,	21853,	21854,
19571,	19572,	20733,	20734,	21856,	21917,
19573,	19648,	20849,	20869,	21942,	21943,
19672,	19676,	20871,	20872,	21958,	21959,
19677,	19678,	20873,	20874,	21960,	21961,
19679,	19680,	20875,	20876,	21962,	21963,
19681,	19682,	20877,	20879,	22048,	22135,
19700,	19701,	20926,	20945,	22137,	22143,
19702,	19703,	20968,	20998,	22145,	22276,



22277,	22278,	24242,	24247, 16188, 16195
22281,	22337,	24257,	24261,	\lftside 18621,
22338,	22339,	24290,	24300,	18623, 18626,
22342,	22353,	24304,	24344,	18628, 18642, 18644
22354,	22355,	24348,	24413,	\Line 10918,
22362,	22363,	24414,	24415,	10921, 10926,
22368,	22377,	24416,	24419,	10929, 10934,
22378,	22379,	24420,	24422,	10935, 10938,
22381,	22384,	24427,	24429,	10939, 10943,
22388,	22391,	24431,	24443,	10944, 10947,
22393,	22396,	24444,	24445,	10948, 10952,
22405,	22408,	24446,	24450,	10953, 10956,
22421,	22422,	24451,	24457,	10957, 10961,
22423,	22438,	24458,	24459,	10962, 10965, 10966
22439,	22440,	24471,	24493,	\line 9912, 9913,
22441,	22442,	24555,	24596,	9915, 9916, 9922,
22443,	22445,	24599,	24600,	9923, 9925, 9926,
22446,	22449,	24614,	24615,	9935, 9936, 9938,
22450,	22524,	24633,	24637,	9939, 9945, 9946,
22525,	22528,	24638,	24639,	9948, 9949, 9958,
22530,	22531,	24642,	24654,	9959, 9961, 9962,
22532,	22547,	24655,	24656,	9968, 9969, 9971,
22576,	22605,	24657,	24663,	9972, 9981, 9982,
22610,	22616,	24664,	24665,	9984, 9985, 9991,
22619,	22637,	24703,	24755,	9992, 9994, 9995,
22699,	22703,	24758,	24759,	18784, 18785, 18786
22732,	22733,	24802,	24805,	\LineNumber . . . 16281,
22734,	22763,	24806,	25036,	16283, 16285,
22764,	22765,	25038,	25041,	16290, 16293, 16295
22786,	22787,	25053,	25055,	\linenumberwidth . . .
22788,	22803,	25057,	25059,	. 16283, 16290, 16295
22804,	22805,	25061,	25063,	\lineskip 401,
22820,	22821,	25066,	25067,	426, 497, 759,
22822,	22837,	25069,	25070,	844, 1011, 1096,
22838,	22839,	25076,	25077,	1261, 1347, 1356,
22854,	22855,	25078,	25083,	4853, 9254, 9431,
22856,	22871,	25095,	25098,	9527, 9598, 11288,
22872,	22873,	25100,	25107,	11353, 11383,
22889,	22890,	25111,	25113,	11454, 13682,
22891,	22908,	25116,	25117,	13747, 14003,
22909,	22910,	25130,	25131,	16763, 16892,
22928,	22929,	25139,	25140,	18911, 19104,
22930,	22963,	25141,	25324, 25326	19189, 19243,
22964,	22965,	\LetLtxMacro	14425, 14426	19335, 19344,
23028,	23187,	\Letter	4869	19502, 19578,
23370,	23408,	\lettergroup	8489	19689, 19760,
23461,	23464,	\LettrineDepth . . .	16197	20174, 20914,
23494,	23540,	\LettrineHeight	21687, 22357,
23553,	23765,	. 16196, 16204, 16209	.	22396, 24659, 25079
23786,	24002,	\LettrineSecondString	.	\lineskiplimit . . .
24010,	24015,	16155 14004, 25079
24022,	24039,	\LettrineTextFont	.	\linespacing . . . 24, 16067
24042,	24102,	. 16155, 16163, 16208	.	\linespread . . . 3038, 5638
24160,	24164,	\LettrineWidth	\linewidth . . . 4977,



7367,	13898,	4864, 4921, 4962, 4964, 10496, 10594	13709,	14259,
13913,	13917,	\listitemsymbolwidth 4920, 4921, 4931, 4937	14276,	14292,
14652,	14660,	\listoffigures 8340	14320,	14334,
14661,	14663,	\listoftables 8348	14348,	14904,
14664,	15097,	\listparindent 945, 8440, 8447, 8448, 24489, 24498	14918,	14927,
16238,	16241,	\listtablename 8350, 8351	14973,	15014,
16263,	16265,	\llap . 1528, 1564, 1581, 1588, 1686, 1704, 1711, 2465, 2487,	15021,	15453,
16889,	17603,	3550, 8427, 11050, 11753, 11765,	15464,	15475,
17609,	18352,	11777, 13805,	15486,	15501,
18354,	18372,	13811, 14455,	15516,	15559,
18374,	18579,	14467, 14479,	15576,	15597,
18585,	18671,	14906, 15042,	15614,	15630,
18680,	18681,	15044, 15046,	15647,	15661,
18734,	18736,	15048, 15051,	15678,	15692,
18904,	20127,	15053, 15056, 15058, 16269,	15709,	15934,
20443,	20452,	22303, 22565, 22583	16350,	17545,
20510,	20593,	\LoadClass ... 8674, 8698	17595,	17645,
20867,	21204,	\long .. 34, 48, 64, 237, 251, 266, 455, 742, 807, 994, 1057,	17667,	18079,
21213,	21271,	1244, 1309, 4395, 4659, 4662, 4665, 4670, 4673, 4676,	18083,	18087,
21355,	21640,	5142, 5143, 5152, 5155, 5166, 5368,	18560,	18769,
21969,	21978,	5372, 5405, 5407, 5409, 5411, 5654,	19087,	19152,
22036,	22120,	5658, 5768, 5787, 5862, 5878, 5890,	19226,	19293,
24391,	24401,	5899, 5934, 5962,	19489,	19532,
24499,	24500,	5974, 5975, 6349,	19718,	20010,
24527,	24562,	6351, 6356, 6357,	20040,	20749,
24564,	24565,	6374, 6375, 6382, 6391, 6394, 6401,	20779,	21522,
24566,	24571,	6419, 7037, 7301,	21552,	22275,
24573,	24574,	7450, 7710, 7714,	22461,	22465,
24575,	24580,	7718, 7754, 7758,	22468,	22472,
24582,	24583,	7762, 7798, 7802,	24236,	24433,
24584,	24589,	7806, 8017, 8104,	24529,	24906,
24591,	24592,	8133, 8162, 8973,	24910,	24914,
24593,	25025, 25028	8976, 8979, 8983,	24950,	24954,
\link	4983	8986, 8989, 9237,	24958, 25017, 25120	
\list .	89, 292, 574, 709, 945, 972, 1222, 2462, 2483, 2506, 2518, 8420, 8438, 8447, 8455, 9195, 9383, 9692, 11254, 11525, 13656, 16032, 18269, 19054, 19448, 19642, 19845, 20375, 21136, 21901, 22631, 24482	9414, 9556, 9849, 10694, 10715, 11315, 11412,	\longindentation . 11559 \longthickrule 19570, 19576	
\listdoubleitemmaincolumnwidth 4923, 4936, 4937, 4938, 4965, 4969		\loop . 4192, 4193, 4194, 6432, 6442, 10005, 10215, 13224, 16225, 18577, 18613, 18640, 18651, 18678, 22416	
\listfigurename	8342, 8343		\looprepeat 6449, 6453, 6497, 6568, 6575, 6580, 6586, 6589, 6591, 6595, 6596, 6601	
\listitemmaincolumnwidth 4922, 4930, 4931, 4963		\lower	1977,
\listitemsymbol	...			1981, 2012, 2041, 2081, 2085, 2360, 4046, 4323, 18775, 18809, 18817, 24230, 24439, 24441
			\lowercase 5235,	



\lowertitleback ...	\LT@end@pen 16811 \LT@endpbox 16733 \LT@err 16812 \LT@foot 15945, 15949, 16815, 16819, 16828, 16831	\LTrcite 8007, 8127, 8156, 8185, 8207, 8216, 8225
\LR 15922, 18742, 18775, 24415, 24439, 24441	\LT@head ... 16822, 16835 \LT@hline 16731 \LT@kill 16731	\LTrdblcol 24835 \LTrdfnmakecol ... 10847
\lrb 4511, 4520	\LT@lastfoot 16815, 16817, 16828	\LTrfootfootmark 11640, 11763, 12003, 12142, 12281, 12423, 12565, 12707, 12849, 12991, 13133, 13398, 14465
\LRE 4009, 4053, 4294, 4328, 15921, 18742, 18745, 24042, 24415, 24418	\LT@make@row 16761 \LT@makecaption 16765, 16776, 20584, 21346, 22111	\LTrfootmarkstyle 11749, 11788
\Lreset@listparshape	\LT@mcoll 16721, 16766, 20592, 21354, 22119	\LTrfootnote ... 418, 492, 2303, 4597, 4605, 8196, 8546, 9519, 9593, 11375, 11449, 14240, 14425, 14428, 19224, 19330, 19484, 19572, 19681, 19755, 20136, 20876, 21649
\LRfootnoterule ...	\LT@no@pgbk . 16729, 16730 \LT@nofcols 16760	\LTrfootnotetext 4663, 4674, 8977, 8987, 14396, 14398, 15555, 16802, 22462, 22466
. 10689, 11619, 14185	\LT@output 16809 \LT@p@ftn 15554, 15557, 15561, 15571, 15592, 15595, 15599, 15609, 16802, 16803, 16805, 16806	\LTrfootscript 11749, 11766, 11770, 11772, 14468, 14472, 14474
\LS@rot 16838	\LT@p@RTLftnttext 15559, 16796, 16801	\LTrfoottextfont 11641,
\lsb 4510, 4518	\LT@p@p@ftnttext ... 16795 \LT@p@LTrftnttext 15552, 15559, 16796, 16801	11677, 11702, 11828, 11934, 11975, 12003, 12034, 12076, 12116, 12142, 12172, 12212, 12253, 12281, 12312, 12354, 12395, 12423, 12454, 12496, 12537, 12565, 12596, 12638, 12679, 12707, 12738, 12780, 12821, 12849, 12880, 12922, 12963, 12991, 13022, 13064, 13105, 13133,
\lst@caption . 16371, 16377, 16384, 16389	\LT@rows ... 16755, 16780 \LT@setprevdepth . 16756	
\lst@alloverstyle .	\LT@start .. 15947, 15957 \LT@startpbox 16737, 16744, 16793	
. 4499, 4505	\LT@tabularcr ... 16727 \LT@captiontype 16778, 16782, 16783	
\lst@HRefStepCounter	\LT@capwidth 16766 \LT@left 16715, 16717, 16719, 16757	
. 16371, 16377	\LTr .. 18734, 24391, 24393 \LTr@column@boxes 17995, 18039, 18041	
\lst@ifnumberbychapter	\LTr@outputdblcol 10105, 13850, 14678, 17786, 24789, 24833, 24835	
. 16410, 16411	\LTrbidituftesidenotemarginpar	
\lst@Key ... 16314, 16321	. 7737, 8063, 8213	
\lst@MakeCaption ..		
. 16369, 16382		
\lst@makecaption ..		
. 16366, 16399		
\lst@maketitle 16367,		
16400, 16404, 16406		
\lst@title@dropdelim		
. 16367		
\lstKV@SwitchCases		
. 16315, 16322		
\lstset 4424		
\LT@ohl ... 16723, 16725		
\LT@tabarray 16722, 16726		
\LT@array 15930,		
16712, 20608,		
20609, 21370,		
21371, 22135, 22136		
\LT@bchunk		
. 16753, 16760, 16764		
\LT@caption ... 16731,		
20610, 20616,		
20618, 21372,		
21378, 21380,		
22137, 22143, 22145		
\LT@cols 16766,		
20592, 21354, 22119		



	13164, 13240, 13328, 13338, 13370, 13398, 13433	12252, 12262, 12299, 12311, 12323, 12334, 12339, 12344, 12349, 12384, 12394, 12404, 12441, 12453, 12465, 12476, 12481, 12486, 12491, 12526, 12536, 12546, 12583, 12595, 12607, 12618, 12623, 12628, 12633, 12668, 12678, 12688, 12725, 12737, 12749, 12760, 12765, 12770, 12775, 12810, 12820, 12830, 12867, 12879, 12891, 12902, 12907, 12912, 12917, 12952, 12962, 12972, 13009, 13021, 13033, 13044, 13049, 13054, 13059, 13094, 13104, 13114, 13151, 13163, 13175, 13186, 13191, 13196, 13201, 13357, 13369, 13381, 13412, 13431, 13445, 13464, 13475, 13484, 13493	\m@make@fivecol@footgroup 12361, 12474 \m@make@footstart . . 11884, 11906, 11911 \m@make@fourcol@footgroup 12219, 12332 \m@make@mpeightcol@footgroup 12797, 12910 \m@make@mpfivecol@footgroup 12371, 12484 \m@make@mpfourcol@footgroup 12229, 12342 \m@make@mpninecol@footgroup 12939, 13052 \m@make@mppara@footgroup . 13263, 13322, 13478 \m@make@mpsevencol@footgroup 12655, 12768 \m@make@mpsixcol@footgroup 12513, 12626 \m@make@mptencol@footgroup 13081, 13194 \m@make@mpthreecol@footgroup 12093, 12200 \m@make@mptwocol@footgroup 11951, 12064 \m@make@ninecol@footgroup 12929, 13042 \m@make@para@footgroup . 13247, 13302, 13456 \m@make@paratext@footstart . 13248, 13254, 13303, 13309, 13496 \m@make@sevencol@footgroup 12645, 12758 \m@make@sixcol@footgroup 12503, 12616 \m@make@tencol@footgroup 13071, 13184 \m@make@threecol@footgroup 12083, 12190 \m@make@twocol@footgroup 11941, 12054 \m@mdoextrafeet 11797, 13566, 13580 \m@mdoextrafeetendmini 11866, 11879 \m@mdoextrafeetmini 11838 \m@mdosplits .. 11921, 11925, 11926, 11927 \m@make@eightcol@footgroup\b@m@interparanote@glue 12787, 12900
M			
\m@addvipersep			
..... 17728, 17828			
\m@m@float@spacing 11740			
\m@m@footnote@spacing			
.. 11647, 11661, 11675, 11689, 11700, 11711, 11739, 11964, 11974, 11984, 12021, 12033, 12045, 12056, 12061, 12066, 12071, 12106, 12115, 12124, 12160, 12171, 12182, 12192, 12197, 12202, 12207, 12242,			
\m@m@h	11917, 11918, 11920, 11922, 11924, 11929		
\m@m@k	11917, 11918, 11922, 11926, 11927, 11929		
\m@m@makecolfloats	. 13514, 13567, 13573		
\m@m@makecolintro .	. 13529, 13558, 13571		
\m@m@makecoltext ..	. 13518, 13568, 13581		
\m@m@singlespace .	11738		
\m@m@make@eightcol@footgroup\b@m@interparanote@glue			
 12787, 12900		



\m@mipn@skip	13472, 13483, 13492	. 10561, 10562, 10578
. 13211, 13218, 13220		\MakeFramed 14518
\m@mmakehboxofhboxes	\m@mrigidbalance . .	\makelabel
. 13222, 13460,	11918, 12058,	2465, 2485, 2508,
13471, 13482, 13491	12068, 12194,	2528, 8427, 24493
\m@mmpf@prepare 11657,	12204, 12336,	\MakeLineNo 16275
11671, 11685,	12346, 12478,	\makeLineNumber . . .
11744, 11972,	12488, 12620,	16276, 16278
11982, 11992,	12630, 12762,	\makeLineNumberLeft
12029, 12041,	12772, 12904,	16281
12053, 12113,	12914, 13046,	\makeLineNumberRight
12122, 12131,	13056, 13188, 13198	16289
12167, 12178,	\m@msplitoff 11926, 11928	\maketag@@@ 336,
12189, 12250,	\m@mungebox	11036, 11049, 16867
12260, 12270,	.. 13212, 13366,	\makethanksmark . . 17545
12307, 12319,	13378, 13390,	\maketitle 110,
12331, 12392,	13427, 13441, 13455	313, 320, 412,
12402, 12412,	\m@muvxh . . 13204, 13213	440, 451, 475, 735,
12449, 12461,	304, 551, 560, 5196,	780, 802, 824, 987,
12473, 12534,	5212, 5414, 6169,	1032, 1054, 1076,
12544, 12554,	6176, 6428, 6433,	1237, 1282, 1304,
12591, 12603,	6443, 6524, 7705,	1326, 4391, 4403,
12615, 12676,	7749, 7793, 9466,	4944, 8522, 8626,
12686, 12696,	9624, 9661, 10005,	8650, 9230, 9275,
12733, 12745,	11223, 11232,	9407, 9452, 9513,
12757, 12818,	11493, 13609,	9541, 9552, 9576,
12828, 12838,	13626, 15777,	10543, 10657,
12875, 12887,	17969, 18835,	11276, 11300,
12899, 12960,	19601, 19786,	11311, 11333,
12970, 12980,	19823, 20684,	11369, 11397,
13017, 13029,	21454, 21457,	11408, 11432,
13041, 13102,	22219, 22222,	13670, 13694,
13112, 13122,	22711, 22753,	13705, 13727,
13159, 13171,	23811, 24901,	15724, 15725,
13183, 13366,	24945, 24980, 24983	16090, 17540,
13378, 13390,	\m@th 403, 11039, 11044,	19080, 19125,
13427, 13441, 13455	11050, 13898,	19147, 19169,
\m@mold@footnotetext	13913, 16762,	19217, 19266,
. 11719, 11727, 13294	23883, 23992,	19288, 19312,
\m@mold@LTRfootnotetext	24463, 24557,	19478, 19516,
. 11720, 11728	24629, 24631, 24690	\maincolumnwidth . .
\m@mold@mpfootnotetext	\mainend 3264	19527, 19556,
. 11722, 11730, 13315	\mainmatter 8725	19675, 19703,
\m@mold@mpLTRfootnotetext	4929, 4930, 4932,	19714, 19738,
. 11723, 11731	4936, 4951, 4955, 4980	20088, 20211,
\m@mold@mpRTLfootnotetext	\mainend 3264	20218, 20239,
. 11724, 11732, 13320	\mainmatter 8725	20246, 20253,
\m@mold@RTLfootnotetext	\makeatletter . 5834, 5853	20317, 20828,
. 11721, 11729, 13299	\makebox 11038,	20951, 20958,
\m@mopfootnote . . .	11043, 11112,	20979, 20986,
. 13530, 13564	11115, 11118,	20993, 21057,
\m@mremovehboxes . .	11125, 11133,	21601, 21724,
. 13230,	11140, 11181,	21731, 21752,
13231, 13461,	11185, 18389, 18407	21759, 21766, 21830
	\makefooter	\maketitledetailsnewline



\maketitledetailswidth	.. 10652, 10667, 10669, 10670, 10671, 10672, 10673	\math@cr@@@align .. 338 \mathindent . 13899, 13915 \mathsurround 9739 \max@poem@no 8925, 9027, 9028	\mdf@frametitlebelowskip@length 16923
\maketitlehookb	.. 17590	\maxdepth 13569, 13582, 14890, 14897	\mdf@frametitlefont 16905
\maketitlehookc	.. 17592	\maxdimen 10046, 10047, 10049, 10109, 10110, 10112, 13362, 13374, 13386, 13423, 13437, 13451, 13770, 13818, 13819, 13820, 13854, 13855, 13856, 14525, 14686, 14687, 14689, 14735, 14736, 14738, 17690, 17691, 17693, 17790, 17791, 17793, 22409, 22448, 23943, 23946, 23951, 23955, 23959, 23963, 23967, 23971, 23975, 23979, 24164, 24746, 24747, 24749, 24793, 24794, 24796	\mdf@frametitlefontcolor 16904
\maketitlenamefullwidth	.. 10638, 10639, 10641	\mdf@horizontalmargin@equation 16880	
\maketitlenamemaxwidth	.. 10636, 10637, 10641	\mdf@ignorevbadness 16914	
\maketitlenamewidth	.. 10640, 10641, 10647, 10659	\mdf@lrbbox . 16873, 16902	
\maketitlepage	8608, 8650	\mdf@par@local ... 16896	
\maketitlepicturewidth	.. 10642, 10643, 10649, 10678	\mdf@patchamsthm . 16874	
\MakeUppercase	. 125,	\mdfframedtitleenv 16901	
	571, 599, 600, 615, 706, 864, 969, 1116, 1219, 9118, 9192, 9295, 9380, 9505, 9506, 9689, 11251, 11522, 13653, 16105, 18954, 19051, 19209, 19445, 19668, 19669, 19842	\mdfframetitleboxdepth 16918	
\marginline 20424, 21185, 21950	\mdfframetitleboxheight 16917	
\marginnote 8201	\mdfframetitleboxtotalheight 16919	
\marginpar 7271, 7979, 20425, 21186, 21951, 24078	\mdfframetitleboxwidth 16916	
\marginparpush	7204, 24999	\mdseries .. 307, 10537, 10539, 10541, 10542, 10629, 10630, 10631, 10634, 10635	
\marginparsep 4381, 4829, 7245, 7248, 7252, 7404, 7411, 15041, 15043, 15047, 15052, 15055, 15057, 25010, 25012	\meaning .. 5105, 5108, 5374, 5824, 5851, 5866, 5884, 5892, 5901, 5968	
\marginparwidth	4380, 4830, 7244, 7249, 7261, 7359, 7629, 7722, 7766, 7810, 15041, 15043, 15055, 15057, 24918, 24962, 25012	\mediabutton .. . 17465, 17525, 17526	
\markboth	.. 124, 565, 8730, 11237, 16104	\medskip .. 8832	
		\medskipamount 1723, 1732, 1741, 2763, 2778, 2793, 2994, 3006, 3018, 3087, 11561	
		\mem@makecol 13557, 13583	
		\memRTLleftskip .. 17563	
		\memRTLraggedleft 17568	
		\memRTLraggedright 17567	
		\memRTLrightskip . 17564	
		\memRTLvleftskip . 17565	
		\memRTLvrightskip 17566	
		\message .. 4266, 4268, 14526, 14534, 14538, 14543, 14551, 14557,	



14567,	14572, 3130, 3133	17144,	17146,
14574,	14581,	\metropolis@progressinheadfoot	17158,	17167,
14589,	14602,	... 3388, 3395, 3397	17170,	17171,
14610,	14615,	\metropolis@progressinheadfoot@linewidth	17182,	
14620,	14633,	... 3393, 3395, 3397	17192,	17193,
14644,	14652, 14664	\metropolis@progressonsectionpage@7195,	17196,	
\MessageBreak 3073, 3079, 3081	17201,	17202,
..... 148, 6086,		\metropolis@progressonsectionpage@7198@linewidth	17220,	
6100,	6112, 6124,	... 3077, 3079, 3081	17222,	17227,
6801,	6812, 6819,	\metropolis@strut .	17266,	17273,
6831,	6837, 6935, 3119, 3121	17274,	17277,
6988,	6989, 6990,	\MH 11048, 11052, 11057,	17295,	17297,
7004,	7005, 7007,	11058, 11062,	17300,	17302,
7285,	7381, 7608,	11066, 11067,	17305,	17312,
7609,	7677, 8281,	11071, 11079,	17320,	17322,
8282,	8283, 8285,	11081, 11086,	17375,	17380,
8286,	8290, 8291,	11098, 11106,	17391,	17392,
8292,	8294, 8295,	11111, 11114,	17395,	17426,
16160,	16202,	11117, 11119,	17431,	17433,
16203,	16206,	11120, 11122,	17440,	17441,
17641,	17642,	11123, 11126,	17444,	17459,
17972,	17991,	11127, 11129,	17463,	17466,
18060,	18140,	11130, 11132,	17468,	17477,
18147,	20038,	11134, 11135,	17480,	17490,
20211,	20218,	11137, 11138,	17491,	17493,
20239,	20246,	11141, 11142,	17516,	17522, 17526
20253,	20401,	11144, 11145,	\mkern	23884,
20408,	20440,	11147, 11152,	23885, 23993, 24691	
20449,	20513,	11153, 11154,	\mobile	4906
20515,	20517,	11155, 11156,	\Mobilefone	4866
20518,	20519,	11157, 11158,	\mobilesymbol	
20777,	20951,	11159, 11160,	. 4866, 10571, 10669	
20958,	20979,	11169, 11171,	\mode	17136, 17469
20986,	20993,	11175, 11176, 11178	\modernpoem	9080
21162,	21169,	\MHInternalSyntaxOff	\modernpoem@obeylines	
21201,	21210, 11193, 16870 8827, 9080	
21274,	21276,	\MHInternalSyntaxOn	\modernpoem@par ...	
21278,	21279, 11033, 16864	... 8827, 8828, 9044	
21280,	21550,	\MidFrameCommand ..	\month	3183
21724,	21731,	. 14514, 14558, 14626	\morefloats ... 7511, 7608	
21752,	21759,	\minrowclearance ..	\moreLRE	4010,
21766,	21927,	... 1460, 1494, 9844	4295, 18696, 24349	
21934,	21966,	\mintagvsep	\moreRLE	4012,
21975,	22039,	11053	4297, 18697, 24350	
22041,	22043,	\missingfigure	\moveleft 2360, 7661, 17884	
22044,	22045, 24122, 24152	\moveright 2360, 3217,	
23386,	23388, 23391	\mix 16959, 16960, 16967,	3223, 3232, 3240,	
\metropolis@block . 3086		16968, 16994,	14005, 17982, 25082	
\metropolis@blockadjust		17011, 17034,	\mp@footgroupv@r ..	
.... 3106, 3107,		17037, 17039,	.. 11857, 11916,	
3108, 3112, 3113, 3114		17062, 17094,	11952, 12094,	
\metropolis@blocksep		17102, 17111,	12230, 12372,	
... 3106, 3112, 3129		17122, 17133,	12514, 12656,	
\metropolis@parskip		17135, 17140,		
17141, 17143,				



	12798, 12940, 13082, 13265, 13324	4010, 4012, 4013, 4293, 4295, 4297, 4298	5234, 5242, 5250, 5258, 5275, 5281, 5287, 5293, 5299,
\mp@LTRfootgroupv@l	.. 11849, 11861, 11954, 12096, 12232, 12374, 12516, 12658, 12800, 12942, 13084, 13266, 13325	\na 18599, 18601, 18603, 18612, 18614, 18639, 18640	5305, 5311, 5317, 5324, 5327, 5330, 5336, 5348, 5354, 5366, 5369, 5371, 5378, 5382, 5388,
\mpfootnoterule 14212, 14216	\narrower 24622	5395, 5398, 5401, 5404, 5406, 5408, 5410, 5429, 5458, 5483, 5512, 5537, 5575, 5609, 5626, 5637, 5643, 5687,
\msg ...	17014, 17017, 17065, 17068, 17083, 17086, 17128	\NAT@bibitem@first@sw 18277	5692, 5814, 5838, 5889, 5898, 5978, 5983, 5986, 5989, 5992, 5995, 5998, 6002, 6005, 6019,
\MT	11072, 11078, 11080, 16865	\nb 18599, 18602, 18603, 18612, 18613, 18634, 18650, 18651	6031, 6044, 6059, 6623, 6624, 6640, 6655, 6659, 6665, 6668, 6671, 6674, 6679, 6682, 6685,
\mult@cols	18078	\NC@find 22415	6689, 6693, 6696, 6697, 6698, 6700, 6708, 6717, 6719, 6729, 6731, 6743, 6745, 6752, 6760, 6762, 6771, 6773, 6784, 6786, 6787,
\mult@firstbox 17996, 18010, 18016	\NC@rewrite@X 22414	6791, 6795, 6865, 6875, 6879, 6884, 6918, 6956, 6979, 6980, 6981, 7013, 7014, 7015, 7016, 7027, 7124, 7125, 7126, 7127, 7149, 7152, 7179, 7206, 7207, 7208, 7209, 7224, 7243, 7279, 7281, 7282, 7287, 7288, 7290, 7291, 7298, 7299, 7300, 7308, 7311, 7399, 7417, 7627, 7635, 7645, 7648, 7656, 7825, 7826, 7827, 7828, 7829, 7830, 7831, 7832, 7833, 7834, 7835, 7836, 7837, 7838, 7839, 7840, 7841, 7842, 7843, 7844, 7845,
\mult@footnotetext	151, 153, 18063, 18066, 18079	\NeedsTeXFormat ... 3908, 4358, 4414, 4593, 4785, 5034, 5102, 7120, 7686, 8228, 8374, 8490, 8517, 8666, 8690, 8755, 10481, 10579	6044, 6059, 6623, 6624, 6640, 6655, 6659, 6665, 6668, 6671, 6674, 6679, 6682, 6685, 6689, 6693, 6696, 6697, 6698, 6700, 6708, 6717, 6719, 6729, 6731, 6743, 6745, 6752, 6760, 6762, 6771, 6773, 6784, 6786, 6787, 6791, 6795, 6865, 6875, 6879, 6884, 6918, 6956, 6979, 6980, 6981, 7013, 7014, 7015, 7016, 7027, 7124, 7125, 7126, 7127, 7149, 7152, 7179, 7206, 7207, 7208, 7209, 7224, 7243, 7279, 7281, 7282, 7287, 7288, 7290, 7291, 7298, 7299, 7300, 7308, 7311, 7399, 7417, 7627, 7635, 7645, 7648, 7656, 7825, 7826, 7827, 7828, 7829, 7830, 7831, 7832, 7833, 7834, 7835, 7836, 7837, 7838, 7839, 7840, 7841, 7842, 7843, 7844, 7845,
\mult@info	17970	\new@command .. 5416, 5418	6044, 6059, 6623, 6624, 6640, 6655, 6659, 6665, 6668, 6671, 6674, 6679, 6682, 6685, 6689, 6693, 6696, 6697, 6698, 6700, 6708, 6717, 6719, 6729, 6731, 6743, 6745, 6752, 6760, 6762, 6771, 6773, 6784, 6786, 6787, 6791, 6795, 6865, 6875, 6879, 6884, 6918, 6956, 6979, 6980, 6981, 7013, 7014, 7015, 7016, 7027, 7124, 7125, 7126, 7127, 7149, 7152, 7179, 7206, 7207, 7208, 7209, 7224, 7243, 7279, 7281, 7282, 7287, 7288, 7290, 7291, 7298, 7299, 7300, 7308, 7311, 7399, 7417, 7627, 7635, 7645, 7648, 7656, 7825, 7826, 7827, 7828, 7829, 7830, 7831, 7832, 7833, 7834, 7835, 7836, 7837, 7838, 7839, 7840, 7841, 7842, 7843, 7844, 7845,
\mult@LTRfootnotetext	155, 157, 18068, 18071, 18083	\new@poem@width ... 8842, 8843, 8844, 8845, 8930, 8964, 8967	6044, 6059, 6623, 6624, 6640, 6655, 6659, 6665, 6668, 6671, 6674, 6679, 6682, 6685, 6689, 6693, 6696, 6697, 6698, 6700, 6708, 6717, 6719, 6729, 6731, 6743, 6745, 6752, 6760, 6762, 6771, 6773, 6784, 6786, 6787, 6791, 6795, 6865, 6875, 6879, 6884, 6918, 6956, 6979, 6980, 6981, 7013, 7014, 7015, 7016, 7027, 7124, 7125, 7126, 7127, 7149, 7152, 7179, 7206, 7207, 7208, 7209, 7224, 7243, 7279, 7281, 7282, 7287, 7288, 7290, 7291, 7298, 7299, 7300, 7308, 7311, 7399, 7417, 7627, 7635, 7645, 7648, 7656, 7825, 7826, 7827, 7828, 7829, 7830, 7831, 7832, 7833, 7834, 7835, 7836, 7837, 7838, 7839, 7840, 7841, 7842, 7843, 7844, 7845,
\mult@rightbox 17963, 18003, 18004, 18006, 18025, 18026, 18029	\newblock . 5032, 8942, 9042, 18271, 18273	6044, 6059, 6623, 6624, 6640, 6655, 6659, 6665, 6668, 6671, 6674, 6679, 6682, 6685, 6689, 6693, 6696, 6697, 6698, 6700, 6708, 6717, 6719, 6729, 6731, 6743, 6745, 6752, 6760, 6762, 6771, 6773, 6784, 6786, 6787, 6791, 6795, 6865, 6875, 6879, 6884, 6918, 6956, 6979, 6980, 6981, 7013, 7014, 7015, 7016, 7027, 7124, 7125, 7126, 7127, 7149, 7152, 7179, 7206, 7207, 7208, 7209, 7224, 7243, 7279, 7281, 7282, 7287, 7288, 7290, 7291, 7298, 7299, 7300, 7308, 7311, 7399, 7417, 7627, 7635, 7645, 7648, 7656, 7825, 7826, 7827, 7828, 7829, 7830, 7831, 7832, 7833, 7834, 7835, 7836, 7837, 7838, 7839, 7840, 7841, 7842, 7843, 7844, 7845,
\mult@RTLfootnotetext	159, 161, 18073, 18076, 18087	\newboolean ... 7128, 7131, 7133, 7135, 7136, 7148, 7212, 7222, 7289, 7312, 7613, 8237, 8496, 8523	6044, 6059, 6623, 6624, 6640, 6655, 6659, 6665, 6668, 6671, 6674, 6679, 6682, 6685, 6689, 6693, 6696, 6697, 6698, 6700, 6708, 6717, 6719, 6729, 6731, 6743, 6745, 6752, 6760, 6762, 6771, 6773, 6784, 6786, 6787, 6791, 6795, 6865, 6875, 6879, 6884, 6918, 6956, 6979, 6980, 6981, 7013, 7014, 7015, 7016, 7027, 7124, 7125, 7126, 7127, 7149, 7152, 7179, 7206, 7207, 7208, 7209, 7224, 7243, 7279, 7281, 7282, 7287, 7288, 7290, 7291, 7298, 7299, 7300, 7308, 7311, 7399, 7417, 7627, 7635, 7645, 7648, 7656, 7825, 7826, 7827, 7828, 7829, 7830, 7831, 7832, 7833, 7834, 7835, 7836, 7837, 7838, 7839, 7840, 7841, 7842, 7843, 7844, 7845,
\multfootsep ..	8021, 8039	\newbox ... 8897, 8898	6044, 6059, 6623, 6624, 6640, 6655, 6659, 6665, 6668, 6671, 6674, 6679, 6682, 6685, 6689, 6693, 6696, 6697, 6698, 6700, 6708, 6717, 6719, 6729, 6731, 6743, 6745, 6752, 6760, 6762, 6771, 6773, 6784, 6786, 6787, 6791, 6795, 6865, 6875, 6879, 6884, 6918, 6956, 6979, 6980, 6981, 7013, 7014, 7015, 7016, 7027, 7124, 7125, 7126, 7127, 7149, 7152, 7179, 7206, 7207, 7208, 7209, 7224, 7243, 7279, 7281, 7282, 7287, 7288, 7290, 7291, 7298, 7299, 7300, 7308, 7311, 7399, 7417, 7627, 7635, 7645, 7648, 7656, 7825, 7826, 7827, 7828, 7829, 7830, 7831, 7832, 7833, 7834, 7835, 7836, 7837, 7838, 7839, 7840, 7841, 7842, 7843, 7844, 7845,
\multi@column@out 18132, 18175	\newcommand ... 1956, 1964, 2672, 2680, 2699, 3182, 3585, 3943, 3944, 3950, 3956, 3973, 3974, 3978, 3979, 3989, 3992, 3995, 3999, 4019, 4020, 4035, 4051, 4067, 4196, 4498, 4504, 4507, 4508, 4509, 4510, 4511, 4512, 4513, 4810, 4896, 4901, 4902, 4903, 4905, 4906, 4907, 4909, 4910, 4912, 4913, 4924, 4925, 4945, 4952, 4954, 4958, 4962, 4964, 4970, 4979, 4981, 4983, 4987, 4991, 4996, 5008, 5032, 5038,	6044, 6059, 6623, 6624, 6640, 6655, 6659, 6665, 6668, 6671, 6674, 6679, 6682, 6685, 6689, 6693, 6696, 6697, 6698, 6700, 6708, 6717, 6719, 6729, 6731, 6743, 6745, 6752, 6760, 6762, 6771, 6773, 6784, 6786, 6787, 6791, 6795, 6865, 6875, 6879, 6884, 6918, 6956, 6979, 6980, 6981, 7013, 7014, 7015, 7016, 7027, 7124, 7125, 7126, 7127, 7149, 7152, 7179, 7206, 7207, 7208, 7209, 7224, 7243, 7279, 7281, 7282, 7287, 7288, 7290, 7291, 7298, 7299, 7300, 7308, 7311, 7399, 7417, 7627, 7635, 7645, 7648, 7656, 7825, 7826, 7827, 7828, 7829, 7830, 7831, 7832, 7833, 7834, 7835, 7836, 7837, 7838, 7839, 7840, 7841, 7842, 7843, 7844, 7845,
\multicol@leftmargin 17973, 17982		
\multicols	18048		
\multicolumn 16721, 22383			
\multiplefootnotemarker 8020, 8036, 8130, 8131, 8159, 8160, 8188, 8189, 11743, 11745, 11746		
\multiply .	2378, 2389, 2567, 2571, 4365, 4370, 4754, 13270, 13329, 18112, 18113, 18116, 18117, 18596, 18600		
N			
\n@xt	4008,		



7846, 7847, 7848, 7849, 7850, 7859, 7909, 7928, 7947, 7969, 7975, 8000, 8001, 8035, 8191, 8192, 8193, 8201, 8210, 8219, 8232, 8233, 8356, 8409, 8489, 8502, 8536, 8537, 8538, 8539, 8540, 8541, 8542, 8543, 8594, 8608, 8784, 8791, 8800, 8804, 8814, 8833, 9030, 9031, 10652, 10846, 10847, 10856, 10863, 10879, 10885, 10901, 10908, 11581, 11595, 11622, 11626, 11632, 11638, 11790, 11793, 11896, 11922, 12059, 12069, 12195, 12205, 12337, 12347, 12479, 12489, 12621, 12631, 12763, 12773, 12905, 12915, 13047, 13057, 13189, 13199, 13232, 13290, 13544, 13583, 13584, 13585, 13586, 14028, 14031, 14090, 14095, 14097, 14103, 14119, 14143, 14155, 14209, 14255, 14256, 14257, 14310, 14312, 14439, 14442, 14445, 14448, 15085, 16328, 16339, 18034, 18037, 18040, 19991, 19992, 20730, 20731, 21503, 21504, 24033, 24035, 24340, 24341,	24389, 24390, 24481, 24603, 24604, 24706, 24834, 24835, 25032 \newcount . 4186, 4361, 4362, 5036, 5046, 5050, 5427, 6162, 6265, 6425, 6486, 6566, 11917, 24698 \newcounter 7908, 9026, 13924, 14088, 22940, 22944, 22945 \newdimen 8788, 8789, 8839, 11575, 11917, 14814 \newenvironment ... 4545, 4556, 4565, 4574, 5009, 7258, 7273, 7276, 7314, 7441, 9015, 9079, 16026, 24393, 24403, 24559, 24568, 24577, 24586 \newfloat@setwithin 18304, 18310, 18318, 18320 \newfloat@Error .. 18323 \newfloat@setwithin 18290 \newif 3971, 3972, 3976, 3977, 3980, 3981, 3982, 3983, 3984, 3985, 3987, 3988, 4279, 4280, 4281, 4282, 4283, 4284, 4787, 4816, 4995, 5043, 5840, 6331, 8711, 8899, 10484, 10486, 10488, 10490, 10555, 10582, 10584, 10586, 10588, 10651, 11579, 11580, 14086, 14094, 16872, 24031, 24032 \newinsert 4015, 4300, 7514, 7515, 7516, 7517, 7518, 7519, 7520, 7521, 7522, 7523, 7524, 7525, 7526, 7527, 7528, 7529, 7530, 7531, 7532,	7533, 7534, 7535, 7536, 7537, 7538, 7539, 7540, 7541, 7542, 7543, 7544, 7545, 7546, 7547, 7563, 7564, 7565, 7566, 7567, 7568, 7569, 7570, 7571, 7572, 7573, 7574, 7575, 7576, 7577, 7578, 7579, 7580, 7581, 7582, 7583, 7584, 7585, 7586, 7587, 7588, 11902, 11907, 11914, 11915 \newlength 4914, 4915, 4916, 4918, 4919, 4920, 4922, 4923, 5006, 7240, 7241, 7242, 7296, 7313, 8101, 10636, 10638, 10640, 10642, 10644, 22972, 22974, 22975, 23688 \newline 4977, 7475, 20441, 20450, 21202, 21211, 21967, 21976 \newlinechar 4238 \newlineinspace ... 7472, 7492, 7493, 7494, 8731, 8732, 8733 \newlistentry 22937, 23004 \newpage 465, 487, 816, 836, 1068, 1088, 1318, 1338, 6982, 6984, 6988, 6993, 6994, 6997, 7001, 7003, 7006, 8627, 8664, 8665, 9566, 9588, 10478, 11325, 11345, 11422, 11444, 13719, 13739, 16728, 17554, 19161, 19181, 19302, 19324, 19546, 19568, 19728, 19750 \newpoem@tabcr 9043, 9052, 9053 \newsavebox 4544, 7257, 7292, 7293
---	--	---



\newskip	669, 695, 882, 883, 897, 913, 1137,	23889, 23990, 23991, 23995,
4582, 4583, 4584, 5419, 13218, 14676	1138, 1152, 1179, 2115, 2122, 2439,	24688, 24689, 24693
\newthought	2441, 2443, 3573, 7044, 8028, 8368,	\nobreakspace 561
\NewTokenList	8369, 8853, 8855, 8861, 9139, 9140,	\node . 3310, 3312, 3317, 3318, 3320, 3321,
\newtoks	9154, 9178, 9316, 9317, 9331, 9355,	24076, 24106, 24112
4595, 5116, 5117, 6163, 6164, 6334, 6347, 6372, 6425, 8840, 14096, 18692, 24345	9469, 9477, 9489, 9618, 9634, 9664, 9669, 9677, 9895, 11206, 11219,	\noexpand 393,
\newXeTeXintercharclass	11234, 11238, 11246, 11473,	4617, 4618, 4632, 4633, 4660, 4663,
\next	11496, 11501, 11510, 11554,	4666, 5071, 5112, 5121, 5125, 5145,
\next@tdpage ..	11555, 13603, 13619, 13628, 13632, 13640,	5149, 5271, 5373, 5374, 5376, 5433,
20145, 20154, 20225, 20262, 20271, 20275, 20285, 20289, 20300, 20304, 20885, 20894, 20965, 21002, 21011, 21015, 21025, 21029, 21040, 21044, 21658, 21667, 21738, 21775, 21784, 21788, 21798, 21802, 21813, 21817	16081, 16083, 16128, 16835, 16929, 17933, 17944, 17945, 17956, 17957, 18838, 18840, 18993, 18994, 19008, 19032, 19365, 19366, 19380, 19404, 19595, 19611, 19780, 19796, 19825, 19829, 19837, 20362, 22570, 22587, 22594, 22735, 22738, 22766, 22767, 22789, 22790, 22806, 22807, 22823, 22824, 22840, 22841, 22857, 22858, 22874, 22875, 22892, 22893, 22911, 22912, 22931, 22932, 22966, 22967, 23002, 23164, 23165, 23274, 23276, 23367, 23399, 23404, 23407, 23876, 23881,	5461, 5487, 5515, 5541, 5544, 5578, 5581, 5819, 5820, 5821, 5823, 5824, 5849, 5851, 5869, 5870, 5871, 5874, 5881, 5882, 5883, 5885, 5891, 5892, 5894, 5900, 5901, 5903, 5965, 5967, 5968, 6182, 6328, 6333, 6339, 6387, 6415, 6418, 6421, 6422, 6506, 6513, 6516, 6517, 6534, 6538, 6540, 6541, 6542, 6550, 6551, 6552, 6555, 6556, 6557, 6592, 6649, 6810, 6811, 6813, 6949, 7054, 7088, 7089, 7877, 7879, 7887, 8280, 8283, 8289, 8292, 8974, 8977, 8980, 9032, 10436, 10788, 10840, 13926, 13927, 13932, 13933, 13985, 14827, 14837, 15545, 15555, 15563, 15564, 15565, 15567, 15593, 15601, 15602, 15603, 15605, 15634, 15635, 15636, 15638, 15665, 15666, 15667, 15669, 15696,
\ninecolumnfootnotes	12920	
\no	3269, 3294, 3314	
\no@bib@break 20387, 21148, 21913	
\noalign ..	1374, 8953, 11926, 16728, 16729, 16730, 20585, 20611, 20613, 21347, 21373, 21375, 22112, 22138, 22140	
\nobibliography ..	7905	
\nobidilogo	4329	
\nobreak	14, 16, 209, 211, 517, 535, 562, 566, 654, 655,	



15697,	15698,	20067,	20145,	24846,	24862,
15700,	16757,	20148,	20152,	24873,	24881,
16802,	16805,	20362,	20547,	25088,	25104, 25135
17393,	17658,	20558,	20767,	\normalfont	25,
20104,	20105,	20807,	20885,	38, 52, 68, 85, 241,	
20106,	20107,	20888,	20892,	255, 270, 288, 454,	
20108,	20109,	21308,	21319,	457, 559, 806, 808,	
20384,	20385,	21540,	21580,	1060, 1308, 1310,	
20844,	20845,	21658,	21661,	2996, 3008, 3020,	
20846,	20847,	21665,	22073,	4394, 4397, 4507,	
20848,	20849,	22084,	24054,	4512, 4513, 4515,	
21145,	21146,	24057,	24059,	4516, 4517, 4518,	
21617,	21618,	24061,	24064,	4519, 4520, 4521,	
21619,	21620,	24068,	24070,	7206, 7825, 7826,	
21621,	21622,	24126,	24188, 24621	7827, 7915, 7934,	
21910,	21911,	\nointerlineskip . . .		7953, 8019, 8254,	
22279,	22351, 1812, 1825,		8261, 8268, 8460,	
22388,	22389,	2332, 2420, 2433,		9465, 9485, 9555,	
22462,	22469,	2440, 2770, 2785,		9558, 9660, 9675,	
22947,	23479,	2800, 3123, 3193,		11039, 11044,	
23512,	23519,	3198, 3214, 3248,		11050, 11231,	
23524,	23525,	3253, 3387, 3449,		11244, 11314,	
23611,	24015,	3454, 3597, 3614,		11317, 11411,	
24016,	24017,	3692, 3699, 3715,		11414, 11492,	
24018,	24019,	3788, 3794, 3809,		11508, 11754,	
24020,	24021,	10705, 10726,		11758, 11760,	
24022,	24023,	14497, 16912,		11766, 11770,	
24265,	24280,	17980, 25007, 25015		11772, 11778,	
24308,	24314,	\nopagebreak		11782, 11784,	
24327,	24652, 25036 8907, 8917, 16730		13625, 13638,	
\noindent	455,	\nopagenumbers	4996	13708, 13711,	
630,	639, 937,	\normalbaselines .	24463	14456, 14460,	
1189,	1198, 2721,	\normalbaselineskip		14462, 14468,	
2728,	2735, 3138,	311, 7165, 13269,		14472, 14474,	
3144,	3150, 4395,	13283, 13328,		14480, 14484,	
7267,	7460, 8051,	13342, 16893, 18912		14486, 16028,	
8069,	8087, 8204,	\normalcolor	2090,	16063, 16068,	
8213,	8222, 8432,	4762, 9856, 10067,		16114, 16905,	
8452,	8613, 8615,	10132, 10364,		17544, 17958,	
8617,	8808, 9188,	10383, 11167,		18391, 18404,	
9376,	9556, 9752,	11821, 11845,		19151, 19153,	
11315,	11412,	11853, 11861,		19292, 19294,	
11557,	11624,	11875, 13538,		19488, 19495,	
13364,	13376,	13551, 14386,		19531, 19538,	
13388,	13425,	14506, 14711,		19717, 19720,	
13439,	13453,	14758, 14859,		19822, 19835,	
13466,	13477,	14869, 14876,		20665, 21428,	
13486,	13495,	16114, 16931,		22193, 22992,	
13709,	14905,	17958, 20665,		22997, 22998,	
16267,	17618,	21428, 22193,		23406, 23751,	
18969,	18978,	23751, 23774,		23774, 23780,	
19419,	19428,	23780, 23996,		23996, 24694, 25135	
19494,	19537,	24242, 24694,		\normalfootnotes . . .	
19718,	20028,	24767, 24816,	 11725, 11736	



\normallineskip . . .	20965, 21675,	4368, 4371, 4372, 4373
. 4854, 16892, 18911	21700, 21738,	\oddsidemargin
\normalparindent 42,	22304, 22310, 4384, 4825,
56, 72, 245, 259, 274	22332, 22735,	11010, 11014,
\normalRTLparaLTrfootnotes	22766, 22789,	11020, 15061,
. 13290	22806, 22823,	15070, 15074,
\normalsfcodes	22840, 22857,	20113, 20853,
. 13998, 25075	22874, 22892,	21626, 25057, 25061
\normalsize 307, 1544,	22911, 22931,	\offinterlineskip
1586, 1687, 1709,	22966, 23367, 2050, 2061
2348, 2696, 7158,	23876, 23990, 24688	\on@stripcols@break
7159, 7166, 7733,	\number 8, 139, 203, 5070,	10195
7777, 7821, 7915,	5071, 5077, 5082,	\onecolumn
7934, 7953, 8331,	5433, 5450, 5452, 604, 620, 869,
10539, 10631,	5461, 5475, 5477,	1121, 4863, 9123,
13996, 17676,	5487, 5504, 5506,	9300, 9510, 18959,
19577, 20075,	5515, 5529, 5531,	19214, 19673, 22700
20082, 20815,	5541, 5544, 5561,	\only 2338, 2366
20822, 21588,	5563, 5567, 5569,	\opening 11542, 16116
21595, 23406,	5578, 5581, 5595,	\OptArg 4524, 4590
24929, 24973, 25073	5597, 5601, 5603,	\OptArg@i 4590, 4591
\NOT . . . 7360, 7361, 7400,	5610, 5612, 5613,	\OptArg@ii 4590, 4592
7420, 7424, 8107,	5615, 5616, 5619,	\OptArgs 4589
8136, 8165, 8247, 8251	5620, 5627, 5629,	\optparams
\not@eq@if 5215, 5217	5630, 5835, 6457,	7334, 8191, 8192,
\noteqnewif 5211	6572, 6578, 6584,	8193, 8195, 8196, 8197
\null 420, 434, 488,	6587, 6593, 6597,	\OR 7328,
628, 631, 747, 776,	8925, 9019, 10258,	7400, 7420, 7424, 7676
837, 935, 938, 999,	10260, 10269,	\or 1410, 1411,
1028, 1089, 1187,	10273, 10337,	1412, 1414, 1415,
1190, 1249, 1278,	10358, 10712,	1435, 1436, 1437,
1339, 8368, 8942,	10733, 10778,	1441, 1442, 1443,
9186, 9189, 9242,	10784, 10787,	1444, 1445, 1449,
9271, 9374, 9377,	10830, 10836,	1450, 1478, 1479,
9419, 9448, 9521,	10839, 11090,	1480, 1482, 1483,
9535, 9589, 11282,	11093, 16075, 18051	4074, 4080, 4086,
11296, 11346,	\numberline	4092, 4098, 4104,
11377, 11391,	. . . 7453, 16384,	4106, 4108, 4110,
11445, 13676,	16389, 17670,	4116, 4122, 4128,
13690, 13740,	22665, 23786,	4141, 4149, 4156,
15995, 16012,	24004, 24007, 24010	4166, 9827, 9828,
17934, 17944,	\numberline@box . . .	9829, 9831, 9832,
17945, 17956, 23370, 23371	15389, 15393,
17957, 18967,	\numberline@tempa 24006	22979, 22982,
18970, 19092,	\numberwithin 329	22985, 23929,
19121, 19182,	\numexpr . . . 5638, 7061,	24040, 24047,
19231, 19260,	23137, 23249, 23479	24269, 24318,
19325, 19417,	\nxLcs . . . 4523, 4524, 4525	24721, 24722, 24724
19420, 19496,	O	\orig@footnotetext
19510, 19569,	\obeylines . . . 8943, 9044	152, 18065, 18082
19683, 19697,	\ocgbase . . . 17449, 17451	\orig@LTRfootnotetext
19751, 20162,	\oddpage	156, 18070, 18086
20187, 20225, 4362, 4366, 4367,	\orig@RTLfootnotetext
20902, 20927,		160, 18075, 18090



\origin@RaggedLeft	9678, 9910, 9920,	19801, 19803,
. 18940, 18942, 18943	9933, 9943, 9956,	19805, 19807,
\origin@RaggedRight	9966, 9979, 9989,	19821, 19826,
. 18941, 18942, 18943	10286, 10293,	19830, 19833,
\originalHbadness	10452, 10472,	19838, 20076,
. 24102, 24120	10690, 10691,	20080, 20083,
\othermargin	11198, 11212,	20087, 20638,
\outer	11268, 11270,	20656, 20816,
\outer@nobreak	11272, 11274,	20820, 20823,
. 4780, 7727, 7771, 7815, 24923, 24967	11283, 11378,	20827, 21400,
\outputpenalty	11467, 11491,	21419, 21589,
10401, 10404, 10413, 10416, 10426, 10429, 16810, 16811	11497, 11502,	21593, 21596,
\overfullrule	11506, 11511,	21600, 22165,
. . 4814, 4815, 18821	11567, 11569,	22184, 22698,
\OVP@calc	11571, 11573,	22973, 23141,
. 18386	11620, 11621,	23144, 23148,
P	13596, 13611,	23253, 23256,
\p@	13624, 13629,	23260, 23672,
. 27, 29, 30, 31, 99, 103, 219, 223, 231, 233, 234, 235, 311, 421, 510, 527, 539, 541, 543, 545, 597, 602, 613, 617, 646, 662, 680, 687, 723, 729, 748, 862, 866, 873, 889, 906, 924, 959, 961, 964, 966, 1000, 1114, 1118, 1129, 1145, 1163, 1171, 1203, 1209, 1250, 4016, 4301, 4853, 4854, 4858, 4859, 7160, 7161, 7162, 7169, 7170, 7171, 7173, 7174, 8379, 8380, 8381, 8383, 8384, 8450, 9116, 9120, 9131, 9147, 9163, 9170, 9209, 9215, 9243, 9293, 9297, 9308, 9324, 9340, 9347, 9362, 9368, 9420, 9464, 9470, 9475, 9479, 9481, 9484, 9487, 9491, 9493, 9503, 9508, 9522, 9611, 9626, 9639, 9641, 9643, 9645, 9659, 9665, 9670, 9673,	13633, 13636, 13641, 13644, 13646, 13648, 13650, 13677, 13778, 14175, 14177, 14178, 14179, 14180, 14181, 14213, 14932, 14939, 14978, 14985, 15030, 16043, 16047, 16056, 16058, 16059, 16060, 16112, 16130, 16132, 16134, 16136, 17596, 17926, 17938, 17950, 18044, 18045, 18092, 18094, 18095, 18096, 18952, 18956, 18985, 19001, 19017, 19024, 19039, 19045, 19093, 19207, 19211, 19232, 19357, 19373, 19389, 19396, 19462, 19468, 19497, 19589, 19603, 19619, 19621, 19623, 19625, 19666, 19671, 19684, 19773, 19788,	19801, 19803, 19805, 19807, 19821, 19826, 19830, 19833, 19838, 20076, 20080, 20083, 20087, 20638, 20656, 20816, 20820, 20823, 20827, 21400, 21419, 21589, 21593, 21596, 21600, 22165, 22184, 22698, 22973, 23141, 23144, 23148, 23253, 23256, 23260, 23672, 23675, 23679, 23685, 23800, 23984, 24682, 25145 \p@enumiv
		86, 289, 580, 715, 978, 1228, 2526, 5024, 9201, 9389, 9698, 11260, 11531, 13662, 16029, 19060, 19454, 19648, 19851, 20391, 21152, 21917, 22637
		\p@subfigure
		\p@subtable
		\PackageError



16588, 16591, 16594, 16597, 16600, 16603, 16606, 16609, 16612, 16615, 16618, 16621, 16624, 16627, 16630, 16633, 16636, 16639, 16642, 16645, 16648, 16651, 16654, 16657, 16660, 16663, 16666, 16669, 16672, 16675, 16678, 16681, 16684, 16687, 16690, 16693, 16696, 16699, 16702, 16705, 16708, 18056, 22598, 22951, 24708	\pagenumbering 4861, 8715 \pageref 5000, 5002 \pageshrink ... 10248, 10251, 10277, 10301, 14541, 14545, 14561, 14587, 14599, 24172 \pagestretch 10302, 14540, 14561, 14599, 24176 \pagestyle 2057, 4360, 4852, 4860, 5003, 7480, 8716, 10577 \pagetotal ... 14527, 14532, 14538, 17553, 17894, 17897, 17908, 24164, 24169, 24227 \paperheight ... 2886, 2891, 2898, 3191, 3192, 3197, 3215, 3249, 3250, 3580, 4789, 4792, 4795, 4798, 4801, 4804, 4807, 4808, 10973, 20118, 20858, 21631	20116, 20856, 21629 \par 5, 15, 46, 60, 76, 107, 108, 109, 110, 200, 210, 227, 228, 229, 249, 263, 278, 310, 313, 404, 423, 429, 431, 432, 451, 494, 500, 504, 516, 535, 562, 565, 631, 641, 655, 668, 695, 756, 766, 773, 774, 802, 841, 847, 851, 883, 897, 912, 938, 952, 1008, 1018, 1025, 1026, 1054, 1093, 1099, 1103, 1138, 1151, 1179, 1190, 1200, 1258, 1268, 1275, 1276, 1304, 1344, 1350, 1355, 1360, 1363, 1538, 1541, 1546, 1578, 1583, 1590, 1697, 1705, 1712, 1723, 1732, 1741, 2127, 2332, 2439, 2693, 2697, 2723, 2730, 2737, 2752, 2763, 2767, 2778, 2782, 2793, 2797, 2968, 2975, 2981, 2987, 2994, 3006, 3018, 3040, 3047, 3061, 3068, 3087, 3140, 3146, 3152, 3463, 3465, 3513, 3534, 3542, 3610, 3612, 3708, 3710, 3803, 3805, 4355, 4391, 4778, 7354, 7362, 7421, 7422, 7425, 7426, 7451, 7460, 7461, 7630, 7646, 8370, 8485, 8486, 8487, 8488, 8613, 8615, 8617, 8635, 8636, 8637, 8811, 8918, 8932, 8943, 8961, 9036, 9044, 9069, 9140, 9153, 9178, 9189, 9251, 9261, 9268, 9269, 9317, 9330, 9355, 9377, 9428, 9438,
\PackageInfo		
.... 5423, 6686, 6788, 6935, 7127, 16201, 18923, 24026		
\PackageWarning		
.... 138, 5422, 6039, 6156, 6789, 6818, 9021, 10493, 10591, 13928, 14631, 16159, 16171, 17990, 18050, 18138, 18145, 18284, 22942, 23293, 23384		
\PackageWarningNoLine		
5057, 5451, 5476, 5505, 5530, 5562, 5568, 5596, 5602, 6985		
\page@sofar ... 164, 17962		
\pagebreak		
. 16729, 24172, 24181		
\pagecontents 18756		
\pagedepth 24166		
\pagefillstretch . 24178		
\pagefilstretch .. 24177		
\pagefootnoterule .		
.... 14211, 14219		
\pagegoal 14525, 14527, 14532, 14539, 14580, 14582, 16816, 17896, 24169		
\pageinwindow 10012		



9445, 9446, 9469,	16912,	17540,	20917,	20921,
9477, 9489, 9524,	17612,	17618,	20923,	20925,
9530, 9532, 9533,	17624,	17628,	20940,	20944,
9552, 9595, 9601,	17634,	17649,	20966,	20974,
9605, 9617, 9634,	17668,	17677,	21242,	21299,
9664, 9669, 9677,	17934,	17946,	21307,	21310,
9754, 9895, 10698,	17959,	18197,	21318,	21320,
10719, 11206,	18209,	18271,	21331,	21338,
11218, 11234,	18563,	18734,	21579,	21672,
11237, 11245,	18735,	18736,	21673,	21678,
11285, 11291,	18737,	18830,	21681,	21683,
11293, 11294,	18831,	18838,	21690,	21694,
11311, 11350,	18839,	18899,	21696,	21698,
11356, 11360,	18970,	18980,	21713,	21717,
11380, 11386,	18994,	19007,	21739,	21747,
11388, 11389,	19032,	19101,	22007,	22064,
11408, 11451,	19111,	19118,	22072,	22075,
11457, 11461,	19119,	19147,	22083,	22085,
11472, 11496,	19186,	19192,	22096,	22103,
11501, 11510,	19196,	19240,	22393,	23003,
11544, 11549,	19250,	19257,	23009,	23166,
11552, 11554,	19258,	19288,	23275,	23399,
11555, 11565,	19332,	19338,	23895,	23997,
11868, 12000,	19343,	19348,	24054,	24055,
12003, 12006,	19351,	19366,	24061,	24062,
12139, 12142,	19379,	19404,	24064,	24072,
12145, 12278,	19420,	19430,	24125,	24391,
12281, 12284,	19494,	19499,	24392,	24401,
12420, 12423,	19505,	19507,	24402,	24560,
12426, 12562,	19508,	19527,	24569,	24578,
12565, 12568,	19537,	19575,	24587,	24656,
12704, 12707,	19580,	19583,	24695,	25124, 25145
12710, 12846,	19594,	19611,	\par@updaterelative	
12849, 12852,	19686,	19692,	. 20156, 20896, 21669	
12988, 12991,	19694,	19695,	\paragraph 8266
12994, 13130,	19714,	19757,	\paragraphfootnotes	
13133, 13136,	19763,	19767,	13238
13466, 13477,	19779,	19796,	\parbox 4949,
13486, 13495,	19825,	19829,	4951,	10565,
13602, 13619,	19837,	20066,	11560,	13803,
13628, 13632,	20159,	20160,	13804,	13805,
13640, 13679,	20165,	20168,	13809,	13810,
13685, 13687,	20170,	20177,	13811,	15190,
13688, 13705,	20181,	20183,	15192,	15196,
13744, 13750,	20185,	20200,	15198,	15229,
13754, 13922,	20204,	20226,	15230,	15233,
14382, 16051,	20234,	20362,	15234,	15291,
16052, 16053,	20481,	20538,	15292,	15295,
16072, 16082,	20546,	20549,	15296,	15320,
16090, 16118,	20557,	20559,	15322,	15326,
16123, 16126,	20570,	20577,	15328,	16766,
16128, 16218,	20806,	20899,	17606,	17635,
16360, 16762,	20900,	20905,	18195,	18197,
16885, 16908,	20908,	20910,	18198,	18200,



18202,	18203,	22958,	23153,	19243,	19363,
18205,	18207,	23265,	23333,	19376,	19399,
18209,	18210,	23335,	23399,	19494,	19537,
18212,	18214,	23869,	23871,	19574,	19591,
18215,	18216,	23985,	24598,	19606,	19670,
18217,	18218,	\parindent 12,			
18219,	18221,	42,	56,	19718,	19776,
18222,	18223,	207,	223,	19791,	19822,
18224,	18225,	245,	259,	19834,	20028,
18226,	18227,	274,	455,	20067,	20767,
18228,	18229,	513,	530,	20807,	21540,
18230,	18232,	557,	601,	21580,	22559,
18233,	18234,	616,	652,	22596,	22697,
18235,	18237,	665,	690,	22728,	22759,
18238,	18239,	742,	759,	22782,	22799,
18240,	18242,	865,	880,	22816,	22833,
18243,	18244,	892,	909,	22850,	22867,
18245,	18246,	946,	994,	22885,	22904,
18247,	18249,	1011,		22924,	22959,
18250,	18251,	1057,	1117,	23152,	23264,
18252,	18253,	1135,		23338,	23340,
18254,	18256,	1148,	1174,	23805,	23866,
18257,	18258,	1244,		23867,	23986,
18259,	18260,	1261,	2721,	24397,	24407,
20593,	21355,	2728,		24498,	24598,
	22120	2735,	3138,	24623,	24624,
\parfillskip . . . 13,					
208,	514,	9556,	9485,	24624,	24684
531,	650,	9614,	9507,	\parsep . . .	949,
666,	691,	9629,	9557,	7174,	7175,
877,		9660,	9614,	8384,	8385,
893,	910,	9674,	9507,	8423,	8450,
1133,		9778,	9465,		24497
1149,	1175,	9809,	9485,	\parshape . . .	9751,
8361,		9900,	9507,	14653,	14661,
8937,	9135,	11201,	9556,	16268,	18354,
9151,		11215,	9614,	18374,	18569,
9174,	9312,	11229,	9629,	18734,	18736,
9328,		11242,	9660,	19493,	19536,
9351,	9615,	11315,	9674,	20047,	20049,
9630,		11412,	9778,	20060,	20062,
9782,	9901,	11469,	9809,	20786,	20788,
11202,		11492,	9900,	20800,	20802,
11216,	11470,	11507,	11995,	21559,	21561,
		11623,	11995,	21573,	21575,
13393,	13397,	11891,		24391,	24401,
13401,	13600,	11900,	12273,	24527,	24562,
13615,	16080,	12134,	12415,	24564,	24565,
		12415,	12557,	24566,	24571,
16892,	17927,	12699,	12841,	24573,	24574,
		12983,	13125,	24575,	24580,
17939,	17951,	13392,	13396,	24582,	24583,
		13400,	13503,	24584,	24589,
18853,	18866,	13512,	13599,	24591,	24592,
		13614,	13625,	24592,	24593
18879,	18890,	13637,	13709,	\parskip	103,
		13637,	13709,	223,	223,
18989,	19005,	13709,	13709,	602,	602,
		14904,	16047,	866,	866,
19028,	19361,	16079,	16888,	1118,	1118,
		17928,	17940,	2061,	2061,
19377,	19400,	17952,	18264,	2767,	2767,
		18854,	18867,	2782,	2782,
19592,	19607,	18880,	18891,	2797,	3088,
		18955,	18991,	3133,	3133,
19777,	19792,	19004,	19027,	4388,	4857,
		19087,	19104,	7183,	
22549,	22578,	19210,	19226,		
22608,	22727,				
22758,	22781,				
22798,	22815,				
22832,	22849,				
22866,	22884,				
22903,	22923,				



\part	23, 16066	\pgf@baseline . . . 18518 \pgf@insertlayers 18540 \pgf@nodecallback 18496 \pgf@oldpicture .. 18503 \pgf@picmaxx .. 18497, 18509, 18511, 18529 \pgf@picmaxy 18499, 18513 \pgf@picminx 18498, 18512, 18522 \pgf@picminy 18500, 18514 \pgf@picture 18503 \pgf@picture@serial@count 18494, 18495 \pgf@process 18518, 18521, 18528 \pgf@relevantforpicturesizefalse 18517 \pgf@relevantforpicturesizetrue 18501 \pgf@remember@layerlist@globally 18535 \pgf@resetpathsizes 18502 \pgf@restore@layerlist@from@global 18539 \pgf@shift@baseline 18519 \pgf@trimleft .. . 18521 \pgf@trimleft@final . . 18523, 18524, 18526 \pgf@trimright .. . 18528 \pgf@trimright@final . . 18530, 18531, 18533 \pgf@x 18522, 18526, 18529, 18533 \pgf@y 18519 \pgfdeclarehorizontalshading 3580 \pgfdefobject 2603, 2623, 2646 \pgfmathsetmacro .. 3281 \pgfpathcircle .. . 1533 \pgfpathclose . 2842, 2858 \pgfpathcurveto 1800, 2834, 2838, 2850, 2854 \pgfpathlineto . 1799, 1806, 1807, 2833, 2849 \pgfpathqcurveto 1798, 2831, 2832, 2847, 2848 \pgfpathqlineto 2606, 2607, 2626, 2627, 2629, 2630, 2649, 2650	\pgfpathqmoveto 1797, 2605, 2625, 2628, 2648, 2830, 2846 \pgfpathrectangle 1820, 2413, 2426, 3622, 3628, 3663, 3721, 3747, 3815 \pgfpic 18549 \pgfpicture 18490 \pgfpictureid 18495, 18506 \pgfpicturetrue 1828, 18493 \pgfpoint 1533, 1799, 1801, 1802, 1803, 1806, 1807, 1820, 1822, 2413, 2419, 2426, 2432, 2603, 2623, 2646, 2833, 2835, 2836, 2837, 2839, 2840, 2841, 2849, 2851, 2852, 2853, 2855, 2856, 2857, 3202, 3209, 3622, 3628, 3663, 3721, 3747, 3815 \pgfpointorigin .. . 3628 \pgfsetcolor 1828 \pgfsetfading .. . 3623, 3664, 3722, 3748, 3816 \pgfsetfillcolor 3621, 3659, 3661, 3720, 3746, 3814 \pgfsetfillopacity 2350 \pgfsetlinewidth .. . 2829 \pgfsys@discardpath 18542 \pgfsys@endpicture 18545 \pgfsys@endscope .. 18544 \pgfsys@markposition 18506 \pgfsys@shadingoutsidepgfpicture 18554 \pgfsys@typesetpicturebox 18549 \pgftext 1535, 1689, 1690, 1822, 2351, 2352, 2412, 2420, 2425, 2433, 3203, 3210, 3630 \pgftransformrotate 3201, 3208 \pgftransformscale 2416, 2429
-------	-----------	--	---



\pgftransformshift		\poem@lineparseend		\prepnext@tok	
..... 1822,		... 8890, 8902, 8959	 1407, 1417,	
2419, 2432, 3202, 3209	 8854, 8913		1465, 1497, 9819, 9847	
\pgfuseobject	\poem@needrun .. 8846,		\presetkeys 24154
.... 2614, 2618,		8965, 9020, 9022		\prevdepth	7354, 7362,
2637, 2641, 2657, 2661		\poem@obeylines 8947,		10319, 10768,	
\pgfusepath 1534,	9016, 9056, 9080		10822, 17596, 17987	
1808, 1821, 2414,		\poem@prop ... 8928, 9030		\pRLE	4011, 4012, 4296, 4297
2427, 3624, 3629,		\poem@startedfalse		\process@cols	. 17963,
3665, 3723, 3749, 3817	 8945, 9054, 9060		17996, 18010, 18016	
\pgfusepathqfill	2608,	\poem@startedtrue .		\ProcessOptions	...
2631, 2651, 2843	 8903,		4819, 7150, 8241,	
\pgfusepathqstroke	2859	8904, 8944, 9046,		8500, 8532, 8673,	
\pgfuseshading	. 1822,	9048, 9053, 9061, 9063		8697, 10495, 10593	
3587, 3589, 3653,		\poem@verse	\ProcessOptionsX	.. 4174
3696, 3741, 3792, 3899	 8841, 8911, 8914		\protect 400,
\pgfutil@gobble	.. 18496	\poem@width	4009, 4010, 4011,	
\pgfutil@ifnextchar		8844, 8845, 8849,		4012, 4237, 4294,	
 18503	8926, 8928, 8931, 8964		4295, 4296, 4297,	
\phantom	... 17139, 17985	\poem@write@aux	...	4599, 4605, 4611,	
\phantomsection	... 4947	... 8967, 9019, 9031		4617, 4626, 4632,	
\phone 4907	\poemblocksep	5696, 5697, 6333,	
\phonesymbol 8838, 8942, 9042		6339, 7040, 7453,	
.... 4867, 10572, 10670		\poemcolsepskip	8829, 8858	13985, 14396,	
\photo 4912	\poemextrabaselineskip	14410, 16384,	
\picbox 18674 8831, 8919, 8954		16389, 16750,	
\picinwindow 10032	\poemmarginskip	...	17670, 22383,	
\picwd 18562, 8830, 8852, 8853		22384, 22388,	
18565, 18673, 18675		\poemskip	8832, 8932, 8963	22396, 22665,	
\place@tag	.. 338, 339, 341	\postbibhook 17684	23009, 24334, 25036	
\plainauthor	\postCutedStrip	.. 10424	\protected	4294, 4296,
.... 7492, 8535,		\postdisplaypenalty	5421, 5422, 5423,	
8537, 8576, 8577, 8580	 13896, 13910		5644, 5652, 5654,	
\plainfootnotes	.. 11736	\postmath 9745	5660, 5846, 5862,	
\plainpublisher	...	\PotEndMark	5878, 5901, 5903,	
... 8538, 8603, 8604	 11042, 11047, 11050		5956, 6011, 6026,	
\plaintitle	7493, 7494,	\preCutedStrip 10400, 10412	18698, 18708,	
8535, 8536, 8559,		\predisplaydirection	18718, 18726,	
8560, 8563, 8731, 8733	 18782,		24242, 24351,	
\plitemsep 8424 18783, 25132, 25133		24361, 24371, 24380	
\plparsep 8423	\predisplaypenalty	\protected@edef	.. 43,
\plpartopsep 8426 13895, 13909		57, 73, 246, 260,	
\pLRE	4009, 4010, 4294, 4295	\premath 9741	275, 2154, 2171,	
\PLS@Rotate	\prepare@bidi@copyins		2188, 2204, 2220,	
.... 18434, 18436, 18438	 14670,		2236, 8052, 8070,	
\pltosep 8425 14703, 14752, 14910		8088, 11652,	
\poem@finish	\prepare@multicols	18123	11666, 11680,	
.... 8968, 9018, 9025		\preparefootins	...	11692, 11703,	
\poem@line	8895, 8901, 8952 14702, 14751		11714, 11967,	
\poem@linebegin	8852, 8910	\PrependToTokenList	6375	11977, 11987,	
\poem@lineend	8853, 8916			12024, 12036,	
\poem@lineparsebegin				12048, 12109,	
.... 8864, 8921, 8948				12118, 12127,	
				12163, 12174,	



12185,	12245,	\ProvidesClass . . .	19990,	20729,
12255,	12265,	... 4786, 8667, 8691	21502,	22267,
12302,	12314,	\ProvidesExplPackage	22274,	22334,
12326,	12387, 16946	22360,	22365,
12397,	12407,	\ProvidesFile . . . 1,	22399,	22474,
12444,	12456,	131, 165, 196, 326,	22504,	22523,
12468,	12529,	344, 349, 351, 410,	22543,	22572,
12539,	12549,	605, 854, 1106,	22621,	22702,
12586,	12598,	1366, 1501, 1519,	23010,	23784,
12610,	12671,	1748, 1844, 1928,	24030,	24159,
12681,	12691,	1932, 2330, 2453,	24235, 24339, 25323	
12728,	12740,	2539, 2550, 2667,	\ProvidesPackage . .	
12752,	12813,	2671, 2870, 2873,	3911, 4359, 4415,	
12823,	12833,	2940, 3035, 3160,	4594, 5035, 5103,	
12870,	12882,	3164, 3169, 3259,	7121, 7687, 8229,	
12894,	12955,	3331, 3385, 3408,	8375, 8491, 8518,	
12965,	12975,	3436, 3556, 3579,	8756, 10482, 10580	
13012,	13024,	3646, 3734, 3829,	\prune . . . 18579,	
13036,	13097,	3888, 3898, 9108,	18617, 18621,	
13107,	13117,	9285, 9462, 9495,	18626, 18630,	
13154,	13166,	9708, 9763, 9805,	18642, 18653, 18680	
13178,	13360,	9807, 9810, 9848,	\prw@mkboth . . . 22671,	
13372,	13384,	9891, 9906, 10002,	22676, 22688, 22693	
13421,	13435,	10040, 10684,	\ps@empty . . . 2076	
13449,	14267,	10849, 10968,	\ps@navigation . . . 1972	
14284,	14300,	10971, 11032,	\psgrid . . . 18791	
14328,	14342, 14356	11194, 11367,	\pspicture . . . 18788	
\protected@write	4135,	11541, 11574,	\psset . . . 18826	
4139,	7020, 7031	13592, 13768,	\pst@dima . . . 18803	
\protected@xdef	...	13797, 13813,	\pst@dimb 18801, 18806,	
...	2265, 2291,	13890, 13920,	18808, 18813, 18816	
2317,	8115, 8144,	13929, 13934,	\pst@dimc . . . 18819	
8173,	8556, 8573,	14084, 14424,	\pst@dimd . . . 18800,	
8589,	8600, 14232,	14491, 14668,	18806, 18807,	
14241,	14395,	14911, 15038,	18808, 18809,	
14400,	14409,	15080, 15381,	18813, 18814,	
14415,	15564,	16025, 16111,	18815, 18816, 18817	
15602,	15635,	16115, 16137,	\pst@hbox . . . 18796,	
15666,	15697, 15760	16274, 16313,	18800, 18801,	
\providecommand	...	16417, 16711,	18802, 18818,	
4864,	4865, 4866,	16837, 16863,	18820, 18821, 18823	
4867,	4868, 4869,	16871, 17528,	\pst@ifstar . . . 18788	
4880,	4881, 4882,	17685, 17923,	\pst@killglue . . . 18792	
4883,	4884, 4885,	17961, 18194,	\pst@picture . . . 18788	
4886,	4887, 4888,	18261, 18289,	\pst@shift . . .	
4889,	4890, 4891,	18327, 18335,	. 18793, 18815, 18823	
4892,	4893, 4894,	18356, 18376,	\pst@tempa . 18805, 18807	
4895,	5104, 8013,	18410, 18433,	\publisher . . . 8593, 8594	
8020,	8021, 8430,	18441, 18489,	\publishers . . .	
10556,	10561,	18553, 18559,	. 20337, 21077, 21850	
14118,	23698,	18787, 18828,	\put . . 9911, 9912, 9913,	
23702,	23707,	18844, 18944,	9914, 9915, 9916,	
23711,	23736,	19199, 19476,	9921, 9922, 9923,	
23740,	23745, 23749	19658, 19861,	9924, 9925, 9926,	



9934, 9935, 9936, 9937, 9938, 9939, 9944, 9945, 9946, 9947, 9948, 9949, 9957, 9958, 9959, 9960, 9961, 9962, 9967, 9968, 9969, 9970, 9971, 9972, 9980, 9981, 9982, 9983, 9984, 9985, 9990, 9991, 9992, 9993, 9994, 9995, 10973, 10997, 11027, 18389, 18391, 18404, 18407	18927, 18940, 18942, 22272, 22273, 25250, 25254, 25258, 25266 \raggedleft 25, 104, 224, 557, 1504, 1512, 2729, 2910, 3145, 9465, 9660, 9674, 11229, 11242, 11492, 11507, 11544, 11547, 11552, 11560, 13625, 13637, 16048, 16068, 16118,	13625, 13637, 16048, 16068, 16118, 16121, 16126, 17567, 17568, 18831, 18833, 18839, 19822, 19834, 20345, 20346, 20421, 20422, 20423, 20425, 21085, 21182, 21183, 21184, 21186, 21858, 21947, 21948, 21949, 21951, 23344, 23347, 23351, 23462, 24595, 24600, 24602, 24603, 24604 \RaggedRightLeftskip 18876 \RaggedRightParfillskip 18879 \RaggedRightParindent 7180, 7851, 8410, 18880 \RaggedRightRightskip 8407, 18877 \raggedsection 20345, 21085, 21858 \raise 1704, 1783, 2087, 2569, 2713, 2714, 2715, 3225, 3233, 3241, 3856, 3875, 13791, 16063 \raisebox 7405, 7410, 7421, 7422, 7425, 7426, 11040, 11045, 11061, 11064, 11180, 15203, 15205, 15209, 15211, 15238, 15239, 15242, 15243, 15300, 15301, 15304, 15305, 15333, 15335, 15339, 15341, 16269 \rangle 4508 \ratio 3074, 3389 \rawtext 18569, 18575, 18597, 18598, 18679, 18683 \rbrace 24453, 24462
Q		
\Q 7870, 7892 \q 17034, 17037, 17266, 17320 \qauthor 18829 \qqquad 8306, 8313, 8320, 8327, 8334, 8369, 18831 \quad 4054, 4328, 7492, 7493, 7494, 8731, 8732, 8733, 8838, 24464, 24473 \quote 4913 \quotecolour 4875, 10500, 10598 \quotefont 4884, 4892, 10540, 10633 \quotestyle 4892, 10553, 10682 \quotewidth 4914, 4926, 10553, 10682		
R		
\R@@page 19866, 19867, 19876, 19878, 19909, 19910, 19921, 19923 \raggedbottom 4862 \raggedcaption 20524, 21285, 22050 \raggeddictum 20421, 21182, 21947 \raggeddictumaauthor 20423, 21184, 21949 \raggeddictumtext 20422, 21183, 21948 \raggedfootnote 20012, 20751, 21524 \RaggedLeft 18858, 18907, 18923,	\RaggedLeftLeftskip 18863 \RaggedLeftParfillskip 18866 \RaggedLeftParindent 18867 \RaggedLeftRightskip 18864 \raggedpart 20346 \RaggedRight .. . 18871, 18909, 18924, 18929, 18941, 18943, 22272, 22273, 25250, 25254, 25260, 25264 \raggedright 25, 104, 224, 557, 1506, 1514, 1725, 1734, 1743, 2736, 2908, 3151, 9465, 9485, 9660, 9674, 11229, 11242, 11492, 11507, 11544, 11547, 11552, 11560,	\RaggedRightLeftskip 18876 \RaggedRightParfillskip 18879 \RaggedRightParindent 7180, 7851, 8410, 18880 \RaggedRightRightskip 8407, 18877 \raggedsection 20345, 21085, 21858 \raise 1704, 1783, 2087, 2569, 2713, 2714, 2715, 3225, 3233, 3241, 3856, 3875, 13791, 16063 \raisebox 7405, 7410, 7421, 7422, 7425, 7426, 11040, 11045, 11061, 11064, 11180, 15203, 15205, 15209, 15211, 15238, 15239, 15242, 15243, 15300, 15301, 15304, 15305, 15333, 15335, 15339, 15341, 16269 \rangle 4508 \ratio 3074, 3389 \rawtext 18569, 18575, 18597, 18598, 18679, 18683 \rbrace 24453, 24462



\rcb .	4509, 4512, 4513, 4517	1032, 1037, 1038,	7154, 7652, 7861,
\rcol@footinsskip 14683, 14732	1039, 1040, 1043,	7969, 8032, 8036,
\realfootnote 15757	1046, 1050, 1075,	8040, 8120, 8131,
\recomputelengths 4925, 4942	1076, 1077, 1082,	8149, 8160, 8178,
\recomputethemelengths 4924,	1083, 1084, 1085,	8189, 8247, 8444,
	4940, 10645, 10650	1118, 1125, 1137,	8452, 8457, 8488,
\reflectbox 14972	1143, 1161, 1211,	8673, 8697, 8793,
\refname 570, 571,	1240, 1241, 1242,	8798, 8801, 8808,
	705, 706, 968, 969,	1246, 1255, 1264,	8846, 8852, 8947,
	1218, 1219, 5011,	1281, 1282, 1287,	8965, 8994, 9001,
	8465, 11250, 11251	1288, 1289, 1290,	9008, 9020, 9056,
\refstepcounter	552,	1293, 1296, 1300,	9120, 9127, 9139,
	11224, 13911,	1325, 1326, 1327,	9145, 9161, 9217,
	14429, 14435,	1332, 1333, 1334,	9233, 9234, 9235,
	15934, 16372,	1335, 1422, 1423,	9239, 9248, 9257,
	16378, 16713,	1440, 1441, 1442,	9274, 9275, 9280,
	17661, 18345,	1750, 1921, 2270,	9281, 9282, 9283,
	18366, 20432,	2296, 2322, 2334,	9297, 9304, 9316,
	21193, 21958, 22662	2341, 2375, 2377,	9322, 9338, 9370,
\regex 16974,	2378, 2384, 2386,	9410, 9411, 9412,
	16979, 16982,	2388, 2389, 2401,	9416, 9425, 9434,
	16985, 16988,	2417, 2418, 2430,	9451, 9452, 9457,
	16989, 17025,	2431, 2475, 2555,	9458, 9459, 9460,
	17030, 17032,	2558, 2560, 2561,	9508, 9515, 9516,
	17076, 17077, 17089	2562, 2773, 2788,	9517, 9538, 9539,
\reinsert@footnotes	2803, 3106, 3108,	9540, 9541, 9546,
	18124,	3112, 3114, 3183,	9547, 9548, 9549,
	18126, 18154,	3223, 3232, 3240,	9573, 9574, 9575,
	18156, 18161,	4072, 4078, 4084,	9576, 9577, 9582,
	18163, 18168, 18170	4090, 4096, 4102,	9583, 9584, 9585,
\relax .	2, 8, 10, 12, 14,	4114, 4120, 4126,	9609, 9751, 9765,
	28, 85, 103, 132,	4133, 4142, 4143,	9766, 9767, 9772,
	166, 197, 203, 205,	4147, 4154, 4164,	9773, 9774, 9775,
	207, 209, 223, 232,	4237, 4270, 4402,	9778, 9782, 9783,
	288, 301, 319, 400,	4403, 4404, 4409,	9784, 9785, 9786,
	414, 415, 416, 437,	4410, 4411, 4412,	9787, 9887, 9905,
	438, 439, 440, 445,	4682, 4690, 4698,	10055, 10118,
	446, 447, 448, 472,	4749, 4819, 5078,	10249, 10251,
	473, 474, 475, 476,	5083, 5089, 5104,	10286, 10312,
	481, 482, 483, 484,	5325, 5328, 5338,	10342, 10495,
	508, 602, 617, 624,	5356, 5416, 5617,	10593, 10685,
	654, 660, 678, 731,	5621, 5631, 5638,	10686, 10687,
	738, 739, 740, 744,	5651, 5835, 5839,	10688, 10689,
	753, 762, 779, 780,	6173, 6174, 6178,	10701, 10722,
	785, 786, 787, 788,	6217, 6218, 6260,	10776, 10788,
	791, 794, 798, 823,	6283, 6410, 6424,	10791, 10828,
	824, 825, 830, 831,	6487, 6489, 6498,	10840, 10843,
	832, 833, 866, 882,	6499, 6515, 6523,	11004, 11022,
	904, 922, 931, 965,	6540, 6551, 6556,	11083, 11162,
	990, 991, 992, 996,	6605, 6629, 6644,	11210, 11278,
	1005, 1014, 1031,	6661, 6676, 6692,	11279, 11280,
		6709, 6721, 6753,	11299, 11300,
		6764, 6843, 7051,	11305, 11306,
		7052, 7061, 7089,	11307, 11308,



11332,	11333,	14584,	14695,	19083,	19084,
11334,	11339,	14744,	15143,	19085,	19089,
11340,	11341,	15145,	15148,	19098,	19107,
11342,	11371,	15161,	15163,	19124,	19125,
11372,	11373,	15166,	15412,	19130,	19131,
11394,	11395,	15423,	15434,	19132,	19133,
11396,	11397,	15445,	15459,	19136,	19139,
11402,	11403,	15470,	15481,	19143,	19168,
11404,	11405,	15492,	15507,	19169,	19170,
11429,	11430,	15522,	15563,	19175,	19176,
11431,	11432,	15582,	15601,	19177,	19178,
11433,	11438,	15620,	15634,	19211,	19220,
11439,	11440,	15653,	15665,	19221,	19222,
11441,	11465,	15684,	15696,	19228,	19237,
11615,	11616,	15715,	15797,	19246,	19263,
11617,	11618,	15831,	15862,	19264,	19265,
11619,	11746,	15891,	16028,	19266,	19271,
11940,	11944,	16047,	16057,	19272,	19273,
11996,	12082,	16069,	16075,	19274,	19277,
12086,	12135,	16077,	16079,	19280,	19284,
12218,	12222,	16081,	16166,	19309,	19310,
12274,	12360,	16178,	16185,	19311,	19312,
12364,	12416,	16186,	16190,	19313,	19318,
12502,	12506,	16191,	16200,	19319,	19320,
12558,	12644,	16268,	16750,	19321,	19365,
12648,	12700,	16910,	16913,	19371,	19387,
12786,	12790,	16916,	16917,	19413,	19470,
12842,	12928,	16918,	16924,	19475,	19480,
12932,	12984,	17531,	17532,	19481,	19482,
13070,	13074,	17533,	17534,	19513,	19514,
13126,	13220,	17535,	17595,	19515,	19516,
13233,	13235,	17699,	17799,	19521,	19522,
13246,	13252,	17925,	17927,	19523,	19524,
13285,	13301,	17928,	17931,	19553,	19554,
13307,	13344,	17937,	17939,	19555,	19556,
13585,	13586,	17940,	17943,	19557,	19562,
13594,	13672,	17949,	17951,	19563,	19564,
13673,	13674,	17952,	17955,	19565,	19587,
13693,	13694,	18048,	18093,	19671,	19677,
13699,	13700,	18395,	18396,	19678,	19679,
13701,	13702,	18397,	18445,	19700,	19701,
13726,	13727,	18450,	18455,	19702,	19703,
13728,	13733,	18464,	18472,	19708,	19709,
13734,	13735,	18494,	18497,	19710,	19711,
13736,	13773,	18498,	18499,	19735,	19736,
13775,	13779,	18500,	18509,	19737,	19738,
13826,	13862,	18511,	18512,	19739,	19744,
13891,	13901,	18513,	18514,	19745,	19746,
13944,	13964,	18689,	18753,	19747,	19771,
13965,	13980,	18843,	18914,	20009,	20022,
14082,	14214,	18920,	18932,	20024,	20030,
14236,	14245,	18956,	18963,	20076,	20077,
14404,	14419,	18993,	18999,	20083,	20084,
14524,	14546,	19015,	19047,	20086,	20089,



20109,	20112,	21845,	21846,	23835,	23839,
20113,	20114,	21847,	21848,	23844,	23849,
20116,	20118,	21849,	21850,	23857,	23861,
20129,	20132,	21851,	21852,	23870,	23871,
20133,	20134,	21853,	21854,	23882,	23890,
20190,	20231,	21856,	21886,	23901,	23907,
20237,	20258,	22173,	22190,	23911,	23915,
20313,	20314,	22281,	22318,	23932,	23936,
20315,	20316,	22381,	22396,	23985,	23986,
20317,	20318,	22406,	22408,	23989,	24037,
20332,	20333,	22437,	22595,	24045,	24186,
20334,	20335,	22613,	22614,	24269,	24318,
20336,	20337,	22698,	22707,	24333,	24426,
20338,	20339,	22725,	22728,	24483,	24495,
20340,	20341,	22731,	22756,	24546,	24626,
20343,	20361,	22759,	22762,	24629,	24631,
20646,	20662,	22779,	22782,	24683,	24684,
20748,	20761,	22785,	22796,	24687,	24707,
20763,	20769,	22799,	22802,	24716,	24720,
20816,	20817,	22813,	22816,	24755,	24802,
20823,	20824,	22819,	22828,	25139,	25140, 25141
20826,	20829,	22830,	22833,	\remainx	18197
20849,	20852,	22836,	22845,	\remainxox	18232, 18239
20853,	20854,	22847,	22850,	\remainxox	
20856,	20858,	22853,	22864,	. 18242, 18251, 18260	
20869,	20872,	22867,	22870,	\remainxx	18200, 18202
20873,	20874,	22882,	22885,	\remainxxx	
20930,	20971,	22888,	22901,	. 18205, 18207,	
20977,	20998,	22904,	22907,	18209, 18234, 18237	
21053,	21054,	22921,	22924,	\remainxxxx	18212,
21055,	21056,	22927,	22939,	18214,	18216,
21057,	21058,	22954,	22956,	18218,	18244,
21072,	21073,	22959,	22962,	18246,	18249,
21074,	21075,	22976,	23006,	18253, 18256, 18258	
21076,	21077,	23007,	23008,	\remainxxxxx	
21078,	21079,	23137,	23161,	. . 18221, 18223,	
21080,	21081,	23249,	23278,	18225, 18227, 18229	
21083,	21121,	23290,	23302,	\remove@strip	17707,
21408,	21425,	23307,	23310,	17737, 17807, 17837	
21521,	21534,	23314,	23316,	\renewcommand	19,
21536,	21542,	23330,	23332,	20, 21, 22, 86,	
21589,	21590,	23340,	23358,	168, 214, 215,	
21596,	21597,	23362,	23374,	216, 217, 289, 329,	
21599,	21602,	23375,	23377,	412, 451, 453, 507,	
21622,	21625,	23383,	23391,	524, 538, 542, 546,	
21626,	21627,	23393,	23465,	547, 548, 549, 581,	
21629,	21631,	23479,	23513,	621, 643, 659, 677,	
21642,	21645,	23520,	23526,	685, 698, 700, 701,	
21646,	21647,	23613,	23672,	702, 703, 716, 722,	
21703,	21744,	23675,	23679,	728, 734, 735, 745,	
21750,	21771,	23685,	23730,	802, 804, 870, 887,	
21826,	21827,	23799,	23807,	900, 903, 921, 928,	
21828,	21829,	23808,	23810,	954, 955, 956, 957,	
21830,	21831,	23811,	23824,	958, 963, 979, 986,	



987, 997, 1054,	9345, 9359, 9361,	13758, 13759,
1056, 1122, 1126,	9367, 9390, 9396,	13760, 13761,
1142, 1160, 1169,	9397, 9398, 9399,	13762, 13764,
1182, 1202, 1208,	9400, 9401, 9403,	13766, 13891,
1213, 1214, 1215,	9405, 9407, 9417,	13901, 13921,
1216, 1229, 1236,	9513, 9552, 9554,	13930, 14035,
1237, 1247, 1304,	9608, 9623, 9638,	14054, 14056,
1306, 1510, 1749,	9642, 9646, 9648,	14058, 14060,
1933, 2097, 2144,	9650, 9652, 9653,	14061, 14062,
2161, 2178, 2195,	9654, 9655, 9656,	14063, 14064,
2211, 2227, 2251,	9657, 9680, 9699,	14065, 14067,
2277, 2303, 2473,	9764, 9769, 9791,	14069, 14071,
2527, 2668, 3086,	9798, 9808, 9892,	14073, 14074,
4391, 4393, 4811,	9897, 9907, 9930,	14075, 14076,
4812, 4813, 4849,	9953, 9976, 10003,	14077, 14078,
4850, 4855, 4904,	10019, 10496,	14079, 14089,
4908, 4939, 4944,	10536, 10537,	14158, 14428,
5025, 6603, 6627,	10538, 10539,	14434, 14453,
6959, 6964, 6984,	10540, 10541,	14465, 14477,
6997, 7019, 7030,	10542, 10543,	14492, 15039,
7158, 7167, 7208,	10557, 10562,	15049, 16029,
7326, 7329, 7330,	10594, 10628,	16086, 16087,
7334, 7335, 7487,	10629, 10630,	16088, 16089,
7488, 7837, 7838,	10631, 10632,	16112, 16116,
7839, 7840, 7841,	10633, 10634,	16129, 16133,
7842, 7843, 7844,	10635, 10645,	16142, 16143,
7845, 7899, 8014,	10657, 10845,	16144, 16145,
8023, 8044, 8062,	10846, 10847,	16776, 17529,
8080, 8195, 8196,	10969, 10972,	17540, 17563,
8197, 8279, 8288,	10976, 11002,	17564, 17565,
8340, 8348, 8372,	11167, 11168,	17566, 17567,
8377, 8388, 8389,	11195, 11209,	17568, 17569,
8390, 8391, 8392,	11261, 11267,	17570, 17572,
8393, 8394, 8460,	11271, 11276,	17574, 17576,
8465, 8467, 8468,	11311, 11313,	17578, 17579,
8485, 8486, 8487,	11363, 11364,	17581, 17582,
8488, 8545, 8546,	11365, 11366,	17589, 17590,
8547, 8549, 8553,	11369, 11408,	17592, 17598,
8554, 8555, 8559,	11410, 11464,	17599, 18195,
8560, 8566, 8570,	11478, 11480,	18198, 18203,
8571, 8572, 8576,	11482, 11484,	18210, 18219,
8577, 8582, 8586,	11485, 11486,	18230, 18235,
8587, 8588, 8597,	11487, 11488,	18240, 18247,
8598, 8599, 8603,	11489, 11513,	18254, 18271,
8604, 8626, 8650,	11532, 11542,	18273, 18290,
8712, 8725, 8730,	11555, 11566,	18340, 18361,
8738, 9124, 9128,	11570, 11644,	18442, 18451,
9144, 9160, 9168,	11658, 11672,	18829, 18832,
9182, 9202, 9208,	11686, 11697,	18841, 18845,
9214, 9219, 9220,	11708, 13593,	18858, 18871,
9221, 9222, 9223,	13608, 13643,	18884, 18896,
9224, 9226, 9228,	13647, 13663,	18960, 18982,
9230, 9240, 9301,	13670, 13705,	18998, 19014,
9305, 9321, 9337,	13707, 13757,	19022, 19036,



19038,	19044,	20643,	20651,	22827,	22844,
19061,	19067,	20653,	20655,	22861,	22879,
19068,	19069,	20661,	20663,	22897,	22898,
19070,	19071,	20735,	20739,	22917,	22918,
19072,	19074,	20743,	20747,	22937,	23005,
19076,	19079,	20814,	20821,	23286,	23351,
19080,	19090,	20828,	20878,	23664,	23666,
19147,	19149,	20880,	20999,	23668,	23684,
19216,	19217,	21001,	21086,	23691,	23693,
19229,	19288,	21087,	21095,	23695,	23715,
19290,	19354,	21096,	21099,	23729,	23734,
19370,	19386,	21100,	21104,	23754,	23757,
19394,	19408,	21107,	21109,	23758,	23773,
19410,	19432,	21128,	21153,	23779,	23785,
19433,	19434,	21182,	21183,	23905,	24012,
19435,	19436,	21184,	21185,	24034,	24052,
19437,	19439,	21188,	21229,	24074,	24086,
19441,	19455,	21246,	21260,	24122,	24601,
19461,	19467,	21266,	21346,	24602,	24833,
19472,	19478,	21369,	21371,	24834,	24835,
19486,	19527,	21392,	21394,	25145,	25188,
19529,	19586,	21396,	21399,	25190,	25191,
19600,	19615,	21405,	21413,	25192,	25247,
19618,	19622,	21415,	21418,	25249,	25251,
19626,	19628,	21424,	21426,	25253,	25257,
19630,	19632,	21508,	21512,	25259,	25263,
19633,	19634,	21516,	21520,	\RenewDocumentCommand	
19635,	19636,	21587,	21594,	17132, 17465
19649,	19675,	21601,	21651,	\renewenvironment	83,
19714,	19716,	21653,	21772,	286,	569,
19770,	19785,	21774,	21859,	590,	606,
19800,	19804,	21860,	21864,	626,	633,
19808,	19810,	21865,	21868,	704,	855,
19812,	19814,	21869,	21873,	933,	940,
19815,	19816,	21876,	21878,	967,	1107,
19817,	19818,	21893,	21918,	1185,	1192,
19819,	19852,	21947,	21948,	1217,	1845,
19996,	20000,	21949,	21950,	2105,	2514,
20004,	20008,	21953,	21994,	7429,	7432,
20074,	20081,	22011,	22025,	7435,	7438,
20088,	20138,	22031,	22111,	8436,	8446,
20140,	20259,	22134,	22136,	8454,	8470,
20261,	20347,	22157,	22159,	8681,	9109,
20348,	20349,	22161,	22164,	9184,	9190,
20352,	20353,	22170,	22178,	9286,	9372,
20367,	20392,	22180,	22183,	9378,	9496,
20421,	20422,	22189,	22191,	9749,	9687,
20423,	20424,	22268,	22271,	9770,	9904,
20427,	20468,	22544,	22573,	11249,	11520,
20485,	20499,	22579,	22611,	13651,	13908,
20505,	20584,	22624,	22638,	14509,	17680,
20607,	20609,	22649,	22705,	18262,	18377,
20630,	20632,	22752,	22771,	18945,	18965,
20634,	20637,	22793,	22810,	19049,	18972,
				19415,	19422,
				19443,	19637,
				19659,	19840,
				20356,	21117,
				21882,	22625,
				22628,	22654,
					24465



\renewrobustcmd . . .	\reserved@b 4708, 4709, 5168, 5172, 5173, 6798, 6799, 6827, 6885, 6887, 6904, 6921, 6922, 6927, 6932, 6934, 6935, 6937, 6940, 6960, 6962	14261, 14262, 14278, 14279, 14294, 14295, 14324, 14325, 14338, 14339, 14352, 14353, 24928, 24972, 25072
\renewtagform . . .	\reserved@c . . . 6900, 6903, 6904, 6908, 6919, 6932, 6946, 6950	\ResetCounterPerPage 4200, 5038
\repeat 4192, 4193, 4194, 6437, 6444, 10018, 10294, 13229, 16228, 18587, 18634, 18645, 18656, 18684, 22420	\reserved@d . . . 5167, 5172, 6920, 6939, 6952	\resizebox . . . 14993
\RequirePackage . . .	\reset@dir . 18753, 24426	\restore@protect .. 5698
.... 3962, 3964, 3965, 3966, 3967, 3968, 4199, 4416, 4417, 4821, 4822, 4823, 4824, 4831, 4832, 4847, 4900, 6806, 6807, 6823, 6867, 6868, 6871, 7123, 7185, 7187, 7194, 7215, 7219, 7255, 7256, 7479, 7689, 7690, 7691, 7692, 7896, 7897, 8012, 8231, 8406, 8417, 8469, 8495, 8503, 8520, 8675, 8676, 8677, 8678, 8679, 8680, 8699, 8700, 8701, 8702, 8703, 8704, 25179, 25182, 25183, 25184, 25185, 25239	\reset@font . . . 37, 51, 67, 240, 254, 269, 2151, 2168, 2185, 2200, 2216, 2232, 7732, 7776, 7820, 8048, 8049, 8066, 8067, 8084, 8085, 11648, 11662, 11676, 11690, 11701, 11712, 11965, 11975, 11985, 12022, 12034, 12046, 12107, 12116, 12125, 12161, 12172, 12183, 12243, 12253, 12263, 12300, 12312, 12324, 12385, 12395, 12405, 12442, 12454, 12466, 12527, 12537, 12547, 12584, 12596, 12608, 12669, 12679, 12689, 12726, 12738, 12750, 12811, 12821, 12831, 12868, 12880, 12892, 12953, 12963, 12973, 13010, 13022, 13034, 13095, 13105, 13115, 13152, 13164, 13176, 13358, 13370, 13382, 13419, 13433, 13447, 13996,	\restoreCaptionSkip 15174
\RequireXeTeX . 3963, 4278	\right @cor . . . 17709, 17710, 17809, 17810	\restorecounters@ 11094
\reserved@a 4728, 4732, 4738, 4741, 4744, 4747, 5168, 5172, 5683, 5684, 5685, 6808, 6816, 6826, 6828, 6835, 6837, 6842, 6844, 6845, 6848, 6851, 6887, 6888, 6889, 6891, 6898, 6901, 6926, 6927, 6947, 6949, 6953, 6960, 6962, 7041, 7042, 23295, 23296, 23297, 23298, 23299, 23301, 23302, 23303, 23305, 23307, 23310, 23314, 23347, 23348, 23351, 23352, 23901, 23902	\right @footnoterule ... 26, 230, 414, 542, 728, 738, 963, 990, 1208, 1240, 2196, 2212, 9214, 9233, 9367, 9410, 9515, 9642, 11271, 11278, 11371, 11570, 13647, 13672, 14174, 14188, 14198, 14321, 14349, 16055, 16133, 16847, 16855, 18091, 19044, 19083, 19220, 19467, 19480, 19622, 19677, 19804, 20081, 20132, 20821, 20872, 21594, 21645	\rightfootnoterule 4107, 10686, 11616, 14186, 14900, 25141
		\rightline . . . 18786, 24611, 24615, 24617
		\rightlinenumbers 16301, 16309
		\rightmargin . . . 948, 8422, 8441, 8449, 8455, 14646, 14650, 18839, 20022, 20761,



21534,	24488,	19615,	19616,	19488,	19531,
24499,	24505,	19776,	19791,	19717,	20140,
24511,	24519,	19794,	19795,	20261,	20880,
\rightskip	12,	20014,	20753,	21001,	21653,
13,	207,	21526,	22548,	21774,	22309,
309,	513,	22553,	22564,	\RLE .	24436
530,	533,	22577,	22581,	4011,	4296,
534,	624,	22601,	22604,	15923,	18743,
637,	648,	22609,	22613,	18744,	18748,
649,	654,	22614,	22725,	24039,	24416,
665,	690,	22726,	22727,	24417,	24421
693,	694,	22735,	22756,	\rmfamily	734,
875,	876,	22757,	22758,	986,	1236,
882,	892,	22766,	22779,	8250,	8303,
895,	896,	22780,	22781,	8306,	8310,
909,	931,	22789,	22796,	8313,	8317,
1125,		22797,	22798,	8320,	8324,
1131,	1132,	22806,	22813,	8327,	8331,
1137,		22814,	22815,	8334,	19079,
1148,	1174,	22823,	22830,	19216,	
1177,		22831,	22832,	\romannumeral	6483,
1178,	1196,	22840,	22847,	6484,	8967,
1874,		22848,	22849,	11102,	11105,
1875,	1878,	22857,	22864,	11151,	14037,
2674,		22865,	22866,	14038,	14039,
2684,	3170,	22874,	22882,	14040,	14042,
3172,		22883,	22884,	14043,	14044,
8360,	8367,	22892,	22901,	14045,	14046,
8368,		22902,	22903,	14049,	14050,
8938,	9127,	22911,	22921,	14051,	14491
9133,		22922,	22923,	\rot@float@box	19869,
9134,	9139,	22931,	22956,	19870,	19871,
9150,		22957,	22958,	19885,	19894,
9173,	9176,	22966,	23006,	19912,	19913,
9177,		23008,	23805,	19914,	19915,
9304,	9310,	23867,	23868,	19916,	19932,
9311,		23869,	23875,	19943,	
9316,	9327,	23878,	23925,	\rot@label .	19865,
9350,		23985,	23990,	19908,	19876,
9353,	9354,	24013,	24020,	\rot@LR	19921
9614,		24389,	24390,	\rot@mess@toks	19868,
9629,	9632,	24596,	24623,	19880,	19890,
9633,		24624,	24683,	19899,	19911,
9765,	9766,	24688		19926,	19938,
9893,	9894,			19948,	19948
9900,				\rot@message	19899,
11201,	11204,			19948,	19948
11205,	11215,			\rot@pageref	19866,
11469,	11890,			19909,	
11899,	13502,			\rotate	19962
13511,	13599,			\rotatebox	14080,
13614,	13617,			15106,	15155,
13618,	16079,			15368,	16838,
16080,	16891,			16840,	16842,
17563,	17564,			16958,	16966,
17927,	17931,			17488,	19885,
17932,	17939,			19894,	19932,
17944,	17951,			19943,	
17956,	18850,			\rotateframe	14042,
18852,	18863,			14079	
18865,	18876,			\rotFPbot	19886,
18878,	18887,			19893,	19933,
18889,	18963,			19942,	
18976,	18987,			\rotFPTop	19884,
18988,	18993,			19895,	19931,
19004,	19027,			19944,	
19030,	19031,			\rrb	4511,
19359,	19360,			4521,	
19365,	19376,			\rsb	4510,
19399,	19402,			4519	
19403,	19413,				
19426,	19475,				
19591,	19606,				
19609,	19610,				



\RTL ..	18736, 24401, 24403	12689,	12710,	\sbox	11174,
\RTL@column@boxes ..	. 18009, 18036, 18041	12750,	12831,	15137,	15154,
\RTL@outputdblcol ..	. 10042, 13814, 14727, 17686, 24742, 24833, 24834	12852,	12892,	16155,	16163,
\RTLbidiutifutesidenotemargin 7781, 8081, 8222	12973,	12994,	16208,	16354,
\RTLcases ..	24463, 24466	13034,	13115,	16767,	16957,
\RTLcite 8008, 8128, 8157, 8186, 8208, 8217, 8226	13136,	13176,	16965,	17157,
\RTLtblcol	24834	13382,	13402, 13447	17444,	17483,
\RTLdfnmakecol ..	10846	\RTLmarginnote ..	8219	17488,	17600,
\RTLfootfootmark 11634, 11775, 12006, 12145, 12284, 12426, 12568, 12710, 12852, 12994, 13136, 13402, 14477	\RTLmarginpar ..	24933	17615,	17647,
\RTLfootmarkstyle 11750, 11789	\RTLmulticolcolumns 18034	18378,	22563,
\RTLfootnote 419, 493, 2277, 4598, 4611, 8197, 8547, 9520, 9594, 11376, 11450, 14231, 14426, 14434, 19225, 19331, 19485, 19573, 19682, 19756, 20137, 20877, 21650	\RTL sidenote ..	7951, 8193	22580,	23372, 25122
\RTLfootnotetext 4666, 4677, 8980, 8990, 14410, 14413, 15593, 16805, 22469, 22473	\RTL thanks 419, 439, 474, 493, 8547, 8555, 8572, 8588, 8599, 9520, 9540, 9575, 9594, 11376, 11396, 11431, 11450, 14408, 17533, 19225, 19265, 19311, 19331, 19485, 19515, 19555, 19573, 19682,	\SC@FLOAT ..	22268, 25247,
\RTLfootscript 11750, 11778, 11782, 11784, 14480, 14484, 14486	19702,	19737,	25251,	25257,
\RTLfoottextfont 11635, 11663, 11713, 11829, 11985, 12006, 12046, 12125, 12145, 12183, 12263, 12284, 12324, 12405, 12426, 12466, 12547, 12568, 12608,	\rule 46, 60, 76, 249, 263, 278, 2158, 2175, 2192, 2208, 2224, 2240, 4949, 10550, 11183, 11187, 11190, 11629, 11635, 11641, 14272, 14289, 14305, 14332, 14346, 14360, 17139, 18823	\SC@justify@caption 25259, 25263, 25265
	S	\rtside	18617, 18619, 18630, 18632, 18653, 18655	\sc@wm@text	10970
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\scalebox	14991
		\rtside 18617, 18619, 18630, 18632, 18653, 18655	\scantokens	5834, 5854
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\scr@singlelinecaption ..	20456, 20476,
		\rtside 18617, 18619, 18630, 18632, 18653, 18655	\scr@caption	20499, 21217,
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\scr@compatibility	21237, 21260,
		\rtside 18617, 18619, 18630, 18632, 18653, 18655	\scr@dte@current	21982, 22002, 22025
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\scr@dte@def@l@targettocline	22137, 22139, 22141
		\rtside 18617, 18619, 18630, 18632, 18653, 18655	\scr@dte@def@l@tocline	22137, 22139, 22141
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\scr@dte@def@l@undottedtocline	22137, 22139, 22141
		\rtside 18617, 18619, 18630, 18632, 18653, 18655	\scr@dte@donumwidth	23011
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\scr@dte@largetocline@init	23691, 23692
		\rtside 18617, 18619, 18630, 18632, 18653, 18655	\scr@dte@nosub	23173
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\scr@dte@tempdimb	23477,
		\rtside 18617, 18619, 18630, 18632, 18653, 18655	\rule ..	23479, 23509,
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\rule ..	23510, 23512,
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\rule ..	23517, 23519,
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\rule ..	23524, 23525,
		\rule 18617, 18619, 18630, 18632, 18653, 18655	\rule ..	23537, 23542,



23550, 23555, 23609, 23611, 23762	\scr@parindent 20722, 21495, 22260	\sectionfont ... 4885, 4893, 10541, 10634
\scr@dte@numberline@box 23370, 23397	\scr@saved@footnotetext 19993, 19997, 20732, 20736, 21505, 21509	\sectionstyle . 4893, 4951 \sectontitlecolour ... 4876, 10503, 10511, 10518, 10525, 10532, 10602, 10608, 10614, 10620, 10626
\scr@dte@tocline 23286, 23769	\scr@saved@LTRfootnotetext .. 19991, 19994, 20001, 20730,	\selectfont ... 347, 5639, 8613, 8615, 8617, 18391, 18404
\scr@dte@tocline@init 23423	20733, 20740, 21503, 21506, 21513	\scr@saved@RTLfootnotetext\separatorcolumnwidth ... 19992, 19995, 20005, 20731,
\scr@dte@tocline@numberwidth 23373, 23376, 23378, 23381	20734, 20744, 21504, 21507, 21517 4916, 4917, 4928, 4934, 4950, 4955, 4961, 5019, 10648, 10678
\scr@dte@tocline@numbox . 23372, 23374, 23388	\scr@smashdp	\SepMark ... 24475, 24476
\scr@dte@undottedtocline@init 23012	.. 20530, 20561, 20564, 21291, 21322, 21325, 22056, 22087, 22090	\seq 17220, 17221, 18422, 18425
\scr@endstrut . 20538, 20548, 20559, 20570, 21299, 21309, 21320, 21331, 22064, 22074, 22085, 22096	\scr@trim@spaces . 23297	\set@color 9851, 9856, 9864, 9870, 9878, 9885, 9890, 14505,
\scr@ifundefinedorrelax . 20511, 20524, 21272, 21285, 22037, 22050, 23046, 23094, 23139, 23205, 23251, 23278, 23299, 23304, 23360, 23475, 23477, 23506, 23509, 23510, 23517, 23535, 23537, 23548, 23550, 23566, 23606, 23607, 23609, 23625, 23678, 23705, 23724, 23743, 23759	\scr@tso@figure@pagenumberformat 24238, 24242, 24338 23773	\set@split@topskip@to 10214, 10472
\scr@LT@array . 15933, 20607, 20608, 20620, 21369, 21370, 21382, 22134, 22135, 22147	\scr@v@is@ge .. . 20009, 20748, 21521	\set@typeset@protect 13991, 13995, 22356, 24658, 25044, 25046
\scr@makemultilinecaption . 20458, 20463, 20505, 21219, 21224, 21266, 21984, 21989, 22031	\scr@v@is@gt 21088, 21110	\SetatBoolean 5250 \setbaselineskip ... 5637
\scr@makesinglelinecaption 20460, 20468, 21221,	\scriptsize ... 1613, 1700, 3188, 8388	\setbeamertemplate 1613, 1700, 3188, 8388
	\scshape .. 19574, 19615	\setbeamertemplate 1933, 2942, 3522
	\SectFont 629, 638, 936, 944, 1188, 1197, 9187, 9375, 18968, 18977, 19418, 19427	\setbeamertemplate 2871, 2874, 2875, 2877, 2878, 3029, 3030, 3031, 3036, 3044, 3072, 3137, 3143, 3149, 3155, 3157, 3161, 3162, 3165, 3166, 3167, 3176, 3382, 3386, 3404, 3474, 3642, 3730, 3825, 3891, 3893, 3904
	\sectfont 18833	\SetBoolean 5234
	\section ... 570, 598, 614, 629, 635, 638, 705, 863, 936, 942, 944, 968, 1115, 1188, 1194, 1197, 1218, 4945, 5011, 8252, 8274, 8342, 8350, 8465, 8468, 8472, 9187, 9375, 11250, 18968, 18974, 18977, 19418, 19424, 19427	\setboolean 7129, 7130, 7132, 7134, 7139, 7140, 7144, 7145, 7216, 7220, 7223, 7228, 7230, 7234, 7236, 7614, 8238,
	\sectionbib 22649	



8239, 8240, 8497, 8498, 8499, 8524, 8525	10812, 11687, 11709, 11918, 11930, 12031, 12147, 12180, 12309, 12428, 12463, 12593, 12712, 12747, 12877, 12996, 13031, 13161, 13205, 13213, 13226, 13230, 13374, 13404, 13429, 13443, 13461, 13483, 13522, 13545, 13572, 13817, 13833, 13856, 13921, 13966, 14336, 14369, 14569, 14597, 14681, 14689, 14730, 14738, 14805, 14851, 14864, 14914, 14930, 14976, 16746, 16814, 16822, 16877,	10817, 11698, 11799, 11922, 12008, 12043, 12169, 12286, 12321, 12451, 12570, 12605, 12735, 12854, 12889, 13019, 13138, 13173, 13206, 13223, 13228, 13362, 13386, 13423, 13437, 13451, 13472, 13492, 13530, 13561, 13787, 13820, 13853, 13961, 14322, 14350, 14560, 14573, 14611, 14688, 14705, 14737, 14754, 14817, 14853, 14889, 14923, 14931, 14977, 16755, 16819, 16831, 16909,	16915, 17692, 17715, 17730, 17753, 17792, 17815, 17830, 17853, 17965, 18561, 18578, 18598, 18605, 18618, 18622, 18627, 18631, 18643, 18654, 18671, 18681, 18771, 18802, 19954, 19975, 22297, 22386, 22506, 23946, 23955, 23963, 23971, 23979, 24238, 24395, 24435, 24620, 24745, 24749, 24792, 24796, 24839, 24855, 24868, 24915, 24959, 25001, \setcaptionfont . . . 7208 \setchapterpreamble . . . 21122, 21887 \setcitationfont . . . 7843 \setcounter . . . 436, 471, 746, 778, 822,
\setbox . . . 387, 1413, 1415, 1416, 1472, 1768, 1774, 1783, 1828, 1829, 1860, 1905, 1910, 1921, 1975, 1977, 1979, 1981, 1986, 1997, 2012, 2017, 2026, 2041, 2079, 2081, 2083, 2085, 2091, 2145, 2162, 2179, 2197, 2213, 2229, 2340, 2360, 2364, 2403, 2408, 2438, 2447, 2815, 2818, 3220, 3229, 3237, 3606, 3854, 3873, 4037, 4314, 4760, 7660, 7716, 7719, 7760, 7763, 7804, 7807, 8866, 8877, 9083, 9097, 9723, 9750, 9755, 9787, 9822, 9851, 10006, 10007, 10011, 10014, 10024, 10028, 10031, 10035, 10045, 10048, 10049, 10063, 10080, 10096, 10108, 10111, 10112, 10126, 10139, 10155, 10180, 10181, 10185, 10217, 10218, 10220, 10221, 10224, 10225, 10253, 10259, 10262, 10270, 10308, 10309, 10339, 10359, 10396, 10407, 10420, 10470, 10694, 10702, 10703, 10707, 10715, 10723, 10724, 10728, 10743, 10746, 10751, 10755, 10763, 10800, 10803, 10808,			



998, 1030, 1074, 1248, 1280, 1324, 4401, 7916, 7935, 7954, 7986, 8236, 8748, 9026, 9241, 9273, 9418, 9450, 9537, 9572, 11298, 11331, 11393, 11428, 13692, 13725, 14021, 16140, 16141, 17561, 18343, 18364, 19091, 19123, 19167, 19230, 19262, 19308, 19512, 19552, 19699, 19734, 20099, 20312, 20385, 20839, 21052, 21146, 21612, 21825, 21911, 22949	4807, 4808, 4809, 4814, 4815, 4853, 4854, 4856, 4857, 4858, 4859, 4917, 4926, 4927, 4930, 4932, 4935, 4936, 4938, 4941, 5007, 5017, 5018, 5019, 7153, 7180, 7181, 7182, 7183, 7204, 7210, 7211, 7244, 7247, 7251, 7297, 7349, 7350, 7851, 7852, 7853, 7854, 7860, 8102, 8395, 8396, 8397, 8398, 8399, 8400, 8401, 8402, 8404, 8405, 8407, 8410, 8411, 8412, 8413, 8630, 8631, 9149, 9171, 9326, 9348, 9612, 9627, 9898, 10637, 10641, 10643, 10646, 11054, 11199, 11214, 11791, 11794, 11831, 13598, 13612, 14367, 14908, 15016, 15017, 15023, 15024, 15026, 15027, 15096, 15097, 15109, 15113, 15115, 15117, 15121, 15123, 16146, 16147, 16148, 16149, 16188, 16195, 16196, 16197, 16209, 16210, 16233, 16238, 16241, 16798, 18383, 19003, 19025, 19375, 19397, 19604, 19774, 19789, 20041, 20780, 21553, 22552, 22553, 22601, 22602, 22604, 22973, 22977, 22978, 22980, 22981,	22983, 22984, 22986, 22987, 22989, 22990, 23150, 23262, 23689, 24544, 24547 \setLR 18778, 24444 \setLTR 18739, 18740, 18753, 18778, 18779, 24412, 24413, 24426, 24444, 24445 \setLTRbibitems . . . 24479 \setLTRcitationfont 7844 \setLTRmarginnotefont 7841 \setLTRmarginpar . 25022 \setLTRsidenotefont 7838 \setLTRtable 3979 \setmarginnotefont 7840 \setnonlatin 3974 \setparsizes 20156, 20896, 21669 \setRL 18777, 24443 \setRTL . 18738, 18741, 18753, 18777, 24065, 24105, 24139, 24411, 24414, 24426, 24443 \setRTLbibitems . . . 24478 \setRTLcitationfont 7845 \setRTLmain 4286 \setRTLmarginnotefont 7842 \setRTLmarginpar . 25021 \setRTLsidenotefont 7839 \setRTLtable 3978 \setsidenotefont . 7837 \setSingleSpace 11737, 11742 \setspace@singlespace . . . 8047, 8065, 8083 \setthesection 17578 \settodepth 18379 \settoheight 11051, 18380 \settowidth 89, 292, 575, 710, 973, 1223, 2519, 3266, 3270, 3273, 4921, 9196, 9384, 9693, 10639, 11096, 11255, 11526, 13657, 16032, 16235, 18382, 19055, 19449,
--	---	--



```

19643,    19846, \skip ..... 4016, 20131, 20871, 21644
20378,    20456, 4301, 8954, 8955, \smallcaps 8731, 8732, 8733
21139,    21217, 10748,   10805, \smallskip ..... \smallskip . . .
21904,    21982, 11819,   11844, 18197, 18202,
22632, 23908, 23910, 11852,   11860, 18209, 18218,
\setupL@lbox 16187, 16194, 11874,   11892, 18229, 18234,
\Setversedim ..... 11901,   11903, 18239, 18246,
... 8761, 8765, 8791, 11908,   13504, 18253, 18260, 18830
\SetWatermarkText 10969, 13513,   13536, \smallskipamount ...
\sevencolumnfootnotes 13549,   14385, ... 3002, 3014, 3026
..... 12636, 14671,   14672, \smash ..... 7405,
\sf@size ..... 16063, 14683,   14685, 7410, 7421, 7422,
\sfcode 93, 296, 586, 718, 14732,   14734, 7425, 7426, 7633,
981, 1231, 2533, 14788,   14793, 10697, 10718,
9204, 9392, 9704, 14856,   14867, 14498, 16269,
11263,   11537, 14874,   14908, 18775, 24439, 24441
13665,   16036, 18098,   18104, \SOUL@apo ..... 22291
18276,   19063, 18108,   18113, \SOUL@comma ..... 22290
19457,   19654, 18117,   18179, \SOUL@do ..... 22293
19857,   20395, 18183,   18759, \SOUL@eventuallyexhyphen
21156, 21921, 22643, 18765,   24844, ..... 22280
\sh@wgridXunit ... 18791, 24860, 24871, 24879, \SOUL@grave ..... 22292
\sh@wgridYunit ... 18791, \skip@ ..... 311, 312, \SOUL@ignorespacesfalse
\shadowbox ..... 11168, \slideentry ..... 2551, ..... 22284
\shadowsize ... 11178, \sloppy ..... 42, \SOUL@lasttoken .. 22287
11182,   11183, 56, 72, 92, 245, \SOUL@lowerthan .. 22277
11186, 11187, 11190, 259, 274, 295, 582, \SOUL@minus ..... 22289
\shipout ..... 13991, 717, 980, 1230, \SOUL@postamble .. 22294
14828, 14838, 25043, 2529, 5026, 9203, \SOUL@preamble ... 22286
\shortauthors ..... 9391, 9700, 11262, \SOUL@soeventuallyskip
.. 115, 116, 121, 11533, 13664, ..... 22281
16095, 16096, 16101, 14666, 16035, \SOUL@spaceskip .. 22282
\shortcite ..... 18278, 16894, 18275, \SOUL@start ..... 22275
\shorttitle ..... 18913, 19062, \SOUL@ulcolor . 22306,
.. 114, 115, 121, 19456, 19650, 22312, 22318, 22326
16094, 16095, 16101, 19853, 20394, \SOUL@uldp ..... 22318
\showbox ..... 14634, 21155, 21920, 22639, \SOUL@uleveryspace 22320
\showgridp@s ..... 18790, \slshape ..... 655, \SOUL@ulht ..... 22318
\showoutput ..... 14634, 883, 1138, 4973, \SOUL@ulleaders ...
\sidebarheight ..... 9140, 9317, 10539, . 22306, 22312, 22328
.. 1989, 1997, 10540, 10630, \SOUL@uloverlap .. 22299
2007, 2020, 2026, 2036, 10631, 10633, \SOUL@ulunderline 22296
\sidecaptionsep 22269, 18994, 19366, 19580, \SOUL@word ..... 22288
22270,   25248, \small 413, 638, 737, 944,
25252,   25257, 989, 1197, 1239, \soulomit ..... 22279
25259, 25263, 25265, 4427, 4887, 4977,
\ sidenote ..... 7913, 4982, 5012, 8377,
7967, 8005, 8100, 8191, 8378, 8443, 8451,
\ sidenotes ..... 8010, 8456, 8475, 9232,
\ sideways ..... 19980, 9409, 9514, 11277,
\ sixcolumnfootnotes ..... 12494, 11370, 13671,
\ sixt@n ..... 4727, 4749, 18977, 19082,
\ size@chapter .... 18833, 19219, 19427,
19479, 19676,

```



14534,	14542,	14265,	14282,	15759,	16713,
14543,	14567,	14298,	14686,	18338,	18342,
14575,	16172,	14735,	17690,	18359,	18363,
16204,	16205,	17790,	24746, 24793	19864,	19907,
17265,	17971,	\splittopskip	... 40, 54, 70, 243, 257, 272, 11835, 11920,	20431,	20432,
17973,	17974,	11924,	12057,	21192,	21193,
17975,	17976,	12058,	12062,	21957,	21958, 25115
18142,	18149,	12063,	12067,	\stopbreaks 11556
18798,	19824,	12068,	12072,	\str 16977, 17028,
19867,	19910,	12073,	12193,	17100,	17118,
20037,	20210,	12194,	12198,	17180,	17204,
20217,	20239,	12199,	12203,	17209,	17283,
20245,	20252,	12204,	12208,	17314,	17327,
20400,	20776,	12209,	12335,	17349,	17403, 17435
20950,	20957,	12336,	12340,	\stretch 1474,
20979,	20985,	12341,	12345,	1477,	9824, 9827
20992,	21161,	12346,	12350,	\string	... 359, 1384,
21549,	21723,	12351,	12477,	4136,	4140, 5069,
21730,	21752,	12478,	12482,	5105,	5111, 5183,
21758,	21765,	12483,	12487,	5185,	5203, 5204,
21926,	22456,	12488,	12492,	5207,	5208, 5218,
22458,	22515,	12493,	12619,	5219,	5222, 5223,
23390,	23392,	12620,	12624,	5226,	5227, 5230,
24027,	24710, 24992	12625,	12629,	5231,	5414, 5433,
\spacefactor	... 8026, 8031, 8037, 8040	12630,	12634,	5461,	5487, 5515,
\spaceskip	. 22324, 22329	12635,	12761,	5541,	5544, 5578,
\speci@ls	.. 18160, 18167	12762,	12766,	5581,	5665, 5666,
\special 4038, 4212, 4221, 4315, 4341, 4390, 18772, 22512, 22513, 22517, 22518, 22520, 24436	12767,	12771,	5672,	5820, 5850,
\spinemargin	.. 10982, 10984, 10988, 10992	12772,	12776,	5871,	5874, 5901,
\split@prev 14210, 14218, 14223	12777,	12903,	5903,	5966, 6039,
\splitbotmark 14571	12904,	12908,	6086,	6087, 6100,
\splitfirstmark	...	12909,	12913,	6101,	6112, 6113,
	.. 10052, 10115, 13823, 13859, 14570, 14692, 14741, 17696, 17796, 24752, 24799	12914,	12918,	6124,	6125, 6156,
\SplitFootnoteRule 4109, 14209	12919,	13045,	6170,	6171, 6172,
\splitfootnoterule 14213, 14221	13046,	13050,	6173,	6177, 6801,
\splitmaxdepth 40, 54, 70, 243, 257, 272, 10046, 10109, 11836, 13818, 13854,	13051,	13055,	6810,	6814, 6820,
		13056,	13060,	6831,	6988, 6990,
		13061,	13187,	7001,	7003, 7004,
		13188,	13192,	7005,	7006, 7008,
		13193,	13197,	7608,	7609, 9860,
		13198,	13202,	9863,	9881, 9884,
		13203,	14264,	14538,	14539,
		14281,	14297,	14540,	14541,
		14565,	14566, 18571	14542,	14664,
		\stepcounter	... 2264, 2290, 2316, 6136, 6142, 6150, 6156,	14998,	14999,
		7924,	7943, 7962,	18923,	18924,
		7994,	8114, 8143,	20037,	20210,
		8172,	8924, 14020,	20211,	20217,
		14091,	14161,	20218,	20239,
		14231,	14240,	20245,	20246,
				20252,	20253,
				20400,	20402,
				20408,	20440,
				20441,	20449,



20450,	20513,	12426,	12562,	22007,	22009,
20514,	20517,	12565,	12568,	22103,	22105,
20518,	20776,	12704,	12707,	22346,	22347,
20950,	20951,	12710,	12846,	22382,	24647, 24648
20957,	20958,	12849,	12852,	\subfig@oldlabel ..	
20979,	20985,	12988,	12991, 7339, 7341	
20986,	20992,	12994,	13130,	\subfigure ... 7338, 7345	
20993,	21161,	13133,	13136,	\subitem	
21163,	21169,	13394,	13398,	108, 228, 8486, 16052	
21201,	21202,	13402,	16908,	\subjclass	324
21210,	21211,	20500,	20529,	\subject	
21274,	21275,	20541,	20552,	. 20336, 21076, 21849	
21278,	21279,	20561,	21261,	\subparagraph	
21549,	21723,	21290,	21302,	... 8288, 8289, 8292	
21724,	21730,	21313,	21322,	\subsection	
21731,	21752,	22026,	22055,	... 4952, 8259, 8275	
21758,	21759,	22067,	22078,	\subsectioncolour ..	
21765,	21766,	22087,	22563, 22568	... 4878, 10504,	
21926,	21928,	\strutbox 40,	54, 70, 243,	10512, 10519,	
21934,	21966,	257,	272, 385, 389,	10526, 10533,	
21967,	21975,	2158,	2175, 2192,	10603, 10609,	
21976,	22039,	2208,	2224, 2240,	10615, 10621, 10627	
22040,	22043,	10315,	11630,	\subsectionfont 4886,	
22044,	22482,	11636,	11642,	4894, 10542, 10635	
24026,	24283,	11836,	12057,	\subsectionstyle ..	
24330,	24710, 24730	12062,	12067, 4894, 4953	
\strip@prefix .	5871, 5884	12072,	12193,	\subsubitem	
\strip@pt	2394,	12198,	12203,	109, 229, 8487, 16053	
	5325, 5638, 10918,	12208,	12335,	\subsubsection	
	10921,	12340,	12345,	... 8279, 8280, 8283	
	10929, 13274, 13333	12350,	12477,	\subtable	7345
\stripsep	10097, 10156,	12482,	12487,	\supereject	4355
	10172,	12492,	12619,	\symbol	4515, 4525
	10399,	12624,	12629,	\sys	17198
	10425,	12634,	12761,		T
	17726,	12766,	12771,	\t@cb@bchapsec ... 22624	
	17824,	12776,	12903,	\tabcaption . 15145, 15163	
	17833,	12908,	12913,	\tabcolsep 379, 1356,	
	17898,	12918,	13045,	16743, 19344, 24450	
\strut .	46, 60, 76, 249,	13050,	13055,	\tablinesep	22379
	263,	13060,	13187,	\tabskip .. 395, 8934,	
	3288,	13192,	13197,	16757, 16758,	
	3292,	13202,	13281,	22352, 22390, 24653	
	3298,	13340,	14265,	\tabular	22451
	3301,	14272,	14282,	\tabularnewline 404,	
	3310,	14289,	14298,	16727, 22354, 24655	
	3312,	14305,	14332,	\tabularx	22442
	3317,	14346,	14360,	\tabularxcolumn .. 22404	
	3318,	14732,	16748,	\tagform@	336
	3320,	16785,	16910,	\tamark	17544
	3463,	20481,	20483,	\tcb@icolorbox .. 22540	
	3465,	20577,	20579,	\tcb@vbox	22527
	3610,	21242,	21244,	\tcd .. 18568, 18575, 18576	
	3612,	21338,	21340,		



\tcdsav	18568	3243, 3602, 4025,	18687, 24340, 24341
\tcl . .	18592, 18593, 18599	4031, 4374, 4826,	\TF@conlab
\tcn	18576, 18577, 18599,	4917, 4926, 4927,	. 14494, 14496, 14503
	18600, 18601, 18602	4939, 4941, 7247,	\TF@savecolor 14500, 14505
\Telefon	4867	7251, 7350, 7651,	\TF@Title 14503
\tencolumnfootnotes	13062	7652, 8792, 10064,	\thanklessauthor 8540,
\TeX	15925, 18754,	10072, 10127,	8573, 8576, 8613
	18755, 18776,	10320, 10360,	\thanklesspublisher 8541,
	24427, 24428, 24440	10370, 10550,	8600, 8603, 8617
\textbf		10565, 10637,	\thanklesstitle 8539,
	4980, 8432, 14511,	10646, 10760,	8556, 8559, 8615
	14513, 14515, 14517	10981, 10991,	\thanks 323,
\textbullet	3155, 4864,	10997, 11027,	417, 437, 472, 491,
	10496, 10560, 10594	13833, 13839,	741, 753, 779, 790,
\textcolor	11167,	13871, 13961,	791, 800, 823, 840,
	11182, 11186,	13966, 14372,	993, 1005, 1031,
	11189, 14501, 16176	14706, 14755,	1042, 1043, 1052,
\textdef@	345	14763, 15044,	1075, 1092, 1243,
\textdir	17443	15047, 15052,	1255, 1281, 1292,
\textendash .	743, 995,	15058, 16882,	1293, 1302, 1325,
	1058, 1245, 9238,	17754, 17762,	1343, 4402, 8539,
	9415, 19088, 19227	17854, 17885,	8540, 8541, 8542,
\textheight	4375, 4828,	18045, 18080,	8545, 8552, 8553,
	10080, 10139,	18081, 18084,	8569, 8570, 8585,
	14674, 15096,	18085, 18088,	8586, 8597, 9236,
	19872, 19917,	18089, 18093,	9248, 9274, 9413,
	20117, 20122,	18096, 20115,	9425, 9451, 9518,
	20123, 20124,	20125, 20158,	9538, 9573, 9592,
	20857, 20862,	20198, 20202,	11281, 11299,
	20863, 20864,	20855, 20865,	11332, 11349,
	21630, 21635,	20898, 20938,	11374, 11394,
	21636, 21637, 25114	20942, 21628,	11429, 11448,
\textit	23009	21638, 21671,	13675, 13693,
\textsf	4053	21711, 21715,	13726, 13743,
\textsl	7492, 7493, 7494	24764, 24772,	17531, 19086,
\textsuperscript		24811, 25089, 25105	\textwidth@footnoterule 416,
	8039, 11787,		740, 992, 1242,
	11788, 11789,		9235, 9412, 9517,
	20073, 20813, 21586		11280, 11373,
\texttt	4525,		13674, 14180,
	4589, 4591, 4592, 6159		14191, 18095,
\textwidth	1752,		19085, 19222,
	1847, 1904, 1905,		19482, 19679,
	1920, 1921, 1994,		20134, 20874, 21647
	2017, 2024, 2066,		\textwidthfootnoterule 4111,
	2067, 2068, 2108,		10688, 11618,
	2112, 2116, 2148,		14189, 14901, 25142
	2165, 2182, 2891,		\TeXeTOff . 18687, 24341
	2898, 2915, 2921,		\TeXeTOn . . . 18686,
	2927, 3074, 3077,		18688, 24340, 24342
	3079, 3200, 3217,		\TeXeTstate . . . 18686,
	3219, 3223, 3227,		
	3232, 3235, 3240,		



1949, 1951, 2336, 2827, 2833, 2835, 2836, 2837, 2839, 2840, 2841, 2849, 2851, 2852, 2853, 2855, 2856, 2857, 3183, 3284, 3286, 3287, 3288, 3290, 3291, 3292, 3297, 3298, 3300, 3301, 3307, 3308, 3310, 3312, 3317, 3318, 3320, 3321, 3941, 4049, 4267, 4326, 4366, 4368, 4371, 4373, 4658, 4660, 4663, 4666, 4671, 4674, 4677, 4782, 5118, 5120, 5121, 5142, 5144, 5145, 5835, 6172, 6267, 6322, 6350, 6352, 6359, 6361, 6363, 6365, 6366, 6367, 6378, 6385, 6387, 6392, 6396, 6397, 6402, 6407, 6415, 6418, 6422, 6428, 6512, 6513, 6514, 6539, 7054, 7061, 7090, 7881, 7891, 8026, 8037, 8843, 8850, 8974, 8977, 8980, 8984, 8987, 8990, 9095, 9710, 9715, 9759, 9820, 10051, 10053, 10114, 10116, 10196, 10216, 10222, 10226, 10233, 10234, 10235, 10236, 10237, 10238, 10258, 10260, 10269, 10273, 10296, 10297, 10298, 10300, 10301, 10302, 10303, 10336, 10400, 10412, 10424, 13285, 13344, 13822, 13824, 13858, 13860, 14089,	14104, 14105, 14108, 14109, 14112, 14165, 14169, 14223, 14396, 14410, 14527, 14534, 14538, 14539, 14540, 14541, 14542, 14543, 14551, 14557, 14564, 14565, 14567, 14572, 14574, 14575, 14589, 14615, 14645, 14646, 14647, 14652, 14653, 14654, 14664, 14691, 14693, 14740, 14742, 14968, 15013, 15546, 15554, 15555, 15561, 15563, 15592, 15593, 15599, 15601, 15632, 15634, 15663, 15665, 15694, 15696, 16104, 16105, 16202, 16204, 16248, 16250, 16255, 16257, 16263, 16265, 16270, 16802, 16805, 17393, 17695, 17697, 17708, 17725, 17732, 17738, 17795, 17797, 17808, 17825, 17832, 17838, 17908, 17971, 17973, 17974, 17975, 17976, 17977, 18269, 18447, 18463, 18467, 18470, 18495, 18519, 18526, 18533, 18693, 18694, 19880, 19890, 19899, 19926, 19938, 19948, 20105, 20106,	20107, 20385, 20845, 20846, 20847, 21146, 21618, 21619, 21620, 21911, 22375, 22376, 22406, 22425, 22427, 22451, 22456, 22458, 22459, 22462, 22463, 22466, 22469, 22470, 22473, 22581, 23318, 23388, 23391, 23393, 23479, 23809, 23812, 23813, 23815, 23817, 23821, 23826, 23830, 23841, 23842, 23845, 23851, 23855, 23863, 23864, 23901, 23917, 23921, 24020, 24183, 24195, 24200, 24221, 24222, 24224, 24346, 24347, 24491, 24548, 24716, 24718, 24730, 24751, 24753, 24798, 24800 \the@cornersize 13779, 13780 \thealgcfc 168 \theAlgoLine 25188 \theBackrefHyperFootnoteCounter 14430, 14436 \thechapter 308, 8248, 9219, 9225, 9227, 9229, 9396, 9402, 9404, 9406, 9468, 9647, 9649, 9651, 9652, 9653, 9663, 11479, 11481, 11483, 11484, 11485, 11495, 13627, 13757, 13763, 13765, 13767, 14055, 14057, 14059, 14060, 14061, 14068,
--	--	---



14070,	14072,	1247, 1306, 4393, 9240, 9417, 9554, 11313, 11410, 13707, 15446, 19090, 19149, 19229, 19290, 19486, 19529, 19716, 20138, 20259, 20878, 20999, 21651, 21772	9223, 9399, 9400, 9656, 9657, 11365, 11366, 11488, 11489, 13760, 13761, 14064, 14065, 14077, 14078, 16088, 16089, 17574, 17577, 19070, 19071, 19435, 19436, 19635, 19636, 19818, 19819, 20352, 20354, 21099, 21101, 21868, 21870
14073,	14074,	\thefootnotemark . . . 20073, 20813, 21586	
16413,	17569,	\theHchapter 18310	
17578,	17580,	\theHsection 18318, 18320	
17581,	17582,	\theindex . 98, 218, 16042	
18310,	18836,	\thelstlisting 16384, 16389, 16412, 16415	\thepart 553, 561, 11225, 11233
19067,	19073,	\thempfn 2254, 2280, 2306,	\ther@tfl@t . . . 19865, 19866, 19908, 19909
19075,	19077,	4683, 4691, 4699, 8115, 8121, 8144, 8150, 8173, 8179,	\thesection 19, 214, 546, 700, 954, 1213, 8255, 9219, 9220, 9396,
19432,	19438,	8995, 9002, 9009,	9397, 9653, 9654,
19440,	19442,	14232, 14237, 14241, 14246, 14374, 14400,	11363, 11485, 11486, 13757, 13758, 14061,
19627,	19629,	14405, 14415, 14420, 15413, 15424, 15435,	14062, 14074, 14075, 16086, 17569, 17571,
19631,	19632,	15565, 15603, 15636, 15667, 15698, 15760, 16940	18318, 18320, 19067, 19068,
19809,	19811,	\thempfootnote 14374, 16940	19432, 19433, 19632, 19633,
19813,	19814,	\theorem@indent 18352, 18353, 18372, 18373	19815, 19816, 20348, 21087,
19815,	19824,	\theorem@prework . 18346	21095, 21860, 21864
21089,	21091,	\theorempostskipamount 18347, 18367	\thesubparagraph 22, 217, 549, 703, 957, 1216, 9223,
21104,	21107,	\theorempreskipamount 18350, 18370	9400, 9657, 11366,
21111,	21113,	\thepage 4364, 4369, 5002, 7380, 7492, 7493, 7494, 7503, 7504, 8719, 8720, 8731, 8732, 8733, 10437, 10455, 18142, 18149, 24227, 24992	11489, 13761, 14065, 14078, 16089, 17576, 19071, 19436, 19636, 19819, 20353, 21100, 21869
21861,	21873,	\theparagraph . . . 21, 22, 216, 217, 548, 549, 702, 703,	\thesubsection . . 19, 20, 214, 215, 546, 547, 700, 701, 954, 955, 1213,
21876,	21879,	956, 957, 1215, 1216, 8269, 9222,	1214, 8262, 9220, 9221, 9397, 9398, 9654, 9655, 11363,
\thecontentspage 8306, 8313, 8320, 8327, 8334			
\thedate . 8535, 8543, 8589			
\theenumiv 86, 89, 289, 292, 581, 716, 979, 1229, 2527, 5025, 9202, 9390, 9699, 11261, 11532, 13663, 16029, 16032, 19061, 19455, 19649, 19852, 20392, 21153, 21918, 22638			
\theequation 9224, 9401, 9646, 11478, 13762, 14054, 14067, 16114, 17579, 19072, 19441, 19626, 19808, 21109, 21878, 25135			
\thefigure 9226, 9403, 9648, 11480, 13764, 14056, 14069, 17581, 19074, 19437, 19628, 19810, 21104, 21873, 22362			
\thefootdir@label 14089, 14092, 14121, 14126, 14144, 14147, 14167			
\thefootnote 453, 745, 804, 997, 1056,			



11364,	11486,	16093,	16117,	\titleformat ... 8245, 8252, 8259, 8266
11487,	13758,	16120,	17559,	\titlehead
13759,	14062,	18955,	19165,	. 20335, 21075, 21848
14063,	14075,	19210,	19306,	\titlepage ... 627, 934, 1186, 9185,
14076,	16086,	19550,	19670,	9373, 18966, 19416
16087,	17570,	19732,	20308,	\titlepage@restore
17573,	19068,	21048, 21821, 22697		. 20103, 20109,
19069,	19433,	\thm@topsepadd 18347,		20129, 20231,
19434,	19633,	18348, 18351,		20258, 20843,
19634,	19816,	18367, 18368, 18371		20849, 20869,
19817,	20348,	\thr@@ . 356, 372, 1381,		20971, 20998,
20350,	21095,	1399, 1423, 1432,		21616, 21622,
21097,	21864, 21866	12194, 12199,		21642, 21744, 21771
\thesubsubsection 20,		12204, 12209,		\titlepagestyle ...
21,	215, 216,	18133, 18151,		. 20308, 21048, 21821
547,	548, 701,	22282, 22479, 22499		\titlespacing
702,	955, 956,	\threecolumnfootnotes		. 8273, 8274, 8275
1214,	1215, 9221, 12074		\titlestyle ... 4890, 10661
9222,	9398, 9399,	\tiny ... 4441, 8017, 8389		\tl 16960, 16968,
9655,	9656, 11364,	\title ... 320, 445, 481,		16973, 16975,
11365,	11487,	785, 830, 1037,		16976, 16977,
11488,	13759,	1082, 1287, 1332,		16978, 16980,
13760,	14063,	4409, 4904, 4943,		16981, 16983,
14064,	14076,	8534, 8549, 9280,		16986, 16990,
14077,	16087,	9457, 9546, 9582,		16999, 17003,
16088,	17572,	11305, 11339,		17006, 17011,
17575,	19069,	11402, 11438,		17016, 17024,
19070,	19434,	13699, 13733,		17026, 17027,
19435,	19634,	19130, 19175,		17028, 17029,
19635,	19817,	19271, 19318,		17031, 17033,
19818,	20349,	19521, 19562,		17035, 17036,
20352,	21096,	19708, 19744,		17038, 17044,
21099,	21865, 21868	20333, 21073, 21846		17048, 17051,
\thetable 9228,		\TitleBarFrame ...		17052, 17055,
9405,	9650, 11482,	.. 14492, 14511,		17062, 17067,
13766,	14058,	14513, 14515, 14517		17075, 17078,
14071,	17582,	\titlecolour . 4873, 10597		17079, 17080,
19076,	19439,	\titlecontents . 8301,		17081, 17082,
19630,	19812,	8308, 8315, 8322, 8329		17085, 17091,
21107,	21876, 22363	\TitleFont ... 734,		17092, 17093,
\TheTokenList 6376		750, 841, 843, 849,		17098, 17100,
\thinlines 9910,		986, 1002, 1093,		17107, 17111,
9920,	9933, 9943,	1095, 1101, 1236,		17116, 17118,
9956,	9966, 9979, 9989	1252, 1344, 1346,		17120, 17122,
\thispagestyle		1352, 1355, 1356,		17141, 17147,
.	101, 113,	1361, 9245, 9422,		17148, 17149,
221,	469, 601, 616,	19079, 19095,		17150, 17151,
820,	865, 1072,	19186, 19188,		17163, 17166,
1117,	1322, 8620,	19194, 19216,		17169, 17171,
8642,	8663, 9119,	19234, 19332,		17195, 17196,
9296,	9507, 9570,	19334, 19340,		17198, 17207,
11329,	11426,	19343, 19344, 19349		17210, 17211,
11543,	11546,	\titlefont		
13723,	16045,	.. 4882, 4890, 10630		



17212,	17213,	23798	23849,	23850,
17214,	17215,	\tocstyle@dottedtocline		23854,	23859,
17217,	17223,	23785	23860,	23863,
17228,	17231,	\tocstyle@feature@dothook		23864,	23913,
17232,	17245,	23884	23915,	23916,
17247,	17248,	\tocstyle@feature@entryhook	\today	23920	8543
17249,	17250,	23880	\toks	122,
17251,	17252,	\tocstyle@feature@entryvskip		124,	1466,
17253,	17262,	23799,	1467,	23802
17265,	17269,	\tocstyle@feature@leaders		1469,	1470,
17270,	17271,	23882,	7874,	23887
17274,	17288,	\tocstyle@feature@pagenumberbox		7875,	7881,
17294,	17307,	23890,	9820,	23893
17312,	17316,	\tocstyle@feature@pagenumberhook		14570,	14571,
17337,	17345,	23891,	10050,	23893
17346,	17371,	\tocstyle@feature@parfillskip		10051,	10052,
17375,	17376,	23870,	10053,	23871
17377,	17390,	\tocstyle@feature@raggedhook		10114,	10115,
17462,	17463,	23806	10116,	13821,
17471,	17472,	\tocstyle@feature@spaceafternumber		822,	13823,
17473,	17474,	23907,	13824,	13857,
17484,	17485,	23911,	13858,	23932,
17486,	17491,	\tocstyle@indentstyle		13859,	13859,
17496,	17498,	23857,	13860,	23927
17501,	17502,	\tocstyle@l@define		14691,	14692,
17507,	17508,	..	23944,	14693,	23947,
17513,	17525,	23952,	23956,	14740,	14741,
\tmpcount	6566,	6592	14742,	14965,
\toaddress	.	11552,	16126	14968,	15002,
\toc@headstar	22687,	22692		15004,	15008,
\tocbasic@DependOnPenalty		AndTOCLevel	macrochangewarning	15010,	15013,
.....	23289	24000,	15543,	24007
\tocbasic@SetPenaltyByTOCLevel		macrostyle@numberline		16101,	15546,
.....	23417	23786,	17694,	23905
\TOCEntryStyleStartInitCode		\tocstyle@savetodottedtocline		17696,	17695,
..	20629,	20642,	17794,	17697,
20660,	21391,	\tocstyle@savetodottedtocline		17796,	22425,
21404,	21423,	24002	22445,	24750,
22156,	22169,	22188	\tocstyle@saved@numberline	22451,	24751,
\toclevel@subfigure		24010	24752,	24753,
.....	22899	\tocstyledepth	23797,	24753,	24797,
\toclevel@subtable	22919	23809,	23821,	24798,	24799,
\TOCLineLeaderFill		23841,	23842,	24799,	24800
.....	20646,	23845,	23863,	\tolerance
20662,	21408,	23864,	23913,	..	11996,
21425,	22173,	23915,	23921	12135,	12274,
22190,	23439,	23730	\tocstyleTOC	12416,	12558,
\tocstyle@@numberline		..	23809,	12700,	12842,
.....	23908,	23813,	23812,	12984,	13126
23910,	23928,	23817,	23821,	\toname
23930,	23933,	23822,	23824,	11552,	16126
\tocstyle@activate@all@l		23825,	23829,	..	18580,
.....	24021	23833,	23834,	18582,	18583,
\tocstyle@activate@features		23837,	23838,	18584,	18586,
		23841,	23842,	18592,	18594,
		23845,	23847,	18596,	18597,
				18598,	18598,
				18661,	18662,



18663, 18664, 18668, 18669, 18673	\ttl@a 22586, 22588 \ttl@b 22581, 22582, 22586, 22588	18026, 18049, 18054, 18772, 18773, 20060,
\topins 18756	\ttl@beginlongest 22556	20062, 20800,
\topmargin 4379, 4827, 11023, 14005, 20112, 20852, 21625, 25081	\ttl@calc .. 22551, 22563 \ttl@changecentercr 22555	20802, 21573, 21575, 22282, 22380, 22478,
\topmark 10050, 10059, 10113, 10122, 13821, 13830, 13857, 13866, 14690, 14699, 14739, 14748, 17694, 17703, 17794, 17803, 24750, 24759, 24797, 24806	\ttl@contentsstretch 22593 \ttl@corr 22608, 22609, 22612	22486, 22811, 24436, 24437, 24666, 24670, 24672
\topsep 2524, 4567, 4576, 5017, 7173, 8383, 8425, 17591, 17593	\ttl@endlongest .. 22571 \ttl@filleft 22545, 22574 \ttl@filright 22546, 22575 \ttl@glcmds 22558	\twocolumn 462, 598, 614, 813, 863, 1065, 1115, 1315, 4363, 9117, 9294, 9504, 9563,
\topskip 301, 4387, 10214, 14576, 14578, 14583, 17597, 17888, 22663, 22669, 22674, 22681, 22686, 22691	\ttl@margin . 22605, 22611 \ttl@midlongest .. 22570 \ttl@outnblock .. 22584 \ttl@savel@chapter 22619 \ttl@savel@part .. 22616 \ttlh@hang 22550 \turn 19952 \turnbox 19973	10436, 11322, 11419, 13716, 17550, 18953, 19158, 19208, 19299, 19543, 19667, 19725, 20282, 20288, 20291, 21022, 21028, 21031, 21795, 21801, 21804, 22663, 22669, 22674, 22681, 22686, 22691
\TOTALHEIGHT 22511, 22515	\tw@ ... 355, 363, 1380, 1388, 1422, 1426, 1431, 4739, 5666, 12058, 12063, 12068, 12073, 13784, 13785, 14569, 14573, 14574, 14588, 14592, 14597, 14600, 14611, 14615, 14616, 14617, 14618, 14621, 14920, 14921, 14931, 14933, 14934, 14936, 14937, 14940, 14942, 14943, 14977, 14979, 14980, 14982, 14983, 14986, 14988, 14989, 16252, 17981, 17988, 17989, 17997, 17998, 18003, 18004, 18017, 18018, 18025,	\twocolumnfootnotes 11932 \TX@ 22402, 22403, 22431, 22432 \TX@align .. 22455, 22457 \TX@arith 22417 \TX@ckpt .. 22407, 22453 \TX@col@width .. 22404, 22410, 22415, 22458 \TX@cols 22411, 22415, 22459 \TX@endtabularx 15532, 15543, 15549, 22400 \TX@find@endtabularxa 22402, 22403 \TX@find@endtabularxb 22432 \TX@find@endtabularxbb 22430 \TX@ftn .. 22427, 22462, 22464, 22466, 22469, 22471, 22473 \TX@ftntext 22421 \TX@LTRftntext 22422, 22461 \TX@newcol 22404



\TX@old@table	22409	\uncover	2157, 2174, 2191, 2207, 2223, 2239	13210, 13225, 14600
\TX@RTLftntext	22423, 22468	\undefined	6892, 8968, 9022, 9025, 9027	\unrestored@protected@xdef 2271,
\TX@target	22410, 22424	\underline	24625, 24633	2297, 2323, 4683,
\TX@trial 22414, 22419, 22435	\undertext	24633	4691, 4699, 8121,
\TX@trial@ftn 22438, 22439, 22440	\unexpanded	5693, 5702, 5703, 5710, 5711, 5724, 5725,	8150, 8179, 8995,
\TX@typeout@	22412, 22454		5732, 5733, 5834, 5958, 20439,	9002, 9009, 14237,
\TX@verb	22405		20445, 20448,	14246, 14405,
\TX@vwarn	22441		20454, 21200,	14420, 15413,
\TX@xftntext	22421		21206, 21209,	15424, 15435, 15446
\TX@xLTRftntext 22422, 22465		21215, 21965, 21971, 21974, 21980	\unsetfootnoteRL 14252, 14253
\TX@xRTLftntext 22423, 22472	\unhbox	1496, 8849, 9107, 9846, 13207, 13228, 13231, 13461, 13466,	\unsetLTR . . . 18741, 24414
\typeout	3940, 3942, 7376, 7378, 7379, 7380, 7382, 7384, 7385, 7386, 14099, 18812, 23809, 23821, 23841, 23842, 23845, 23863, 23864		13472, 13477, 13483, 13486, 13492, 13495, 15968, 15973, 16001, 16006, 16018, 16023, 24555, 24676, 24677, 24678, 24679	\unsetRL . . . 18779, 24445
U		\unhcbox	14984, 15989, 22302, 22314, 22390	\unsetRTL . . . 18740, 24413
\uc@authornothanks 762, 791, 796, 1014, 1043, 1048, 1264, 1293, 1298, 9257, 9434, 19107, 19136, 19141, 19246, 19277, 19282	\unhskip	6369	\unskip 46, 60,
\uc@ax	792, 793, 1044, 1045, 1294, 1295, 19137, 19138, 19278, 19279	\unitindent	637, 648, 649, 651, 725, 731, 875,	76, 249, 263, 278, 336, 1448, 1449, 1450, 2109, 2515,
\uc@nothanks 753, 790, 791, 800, 1005, 1042, 1043, 1052, 1255, 1292, 1293, 1302, 9248, 9425, 19098, 19135, 19136, 19145, 19237, 19276, 19277, 19286	\unitlength	876, 878, 944, 945, 947, 948, 960, 965, 1059, 1131, 1132, 1134, 1196, 1205, 1211, 9133, 9134, 9136, 9211, 9217, 9310, 9311, 9313, 9364, 9370, 18976, 18987, 18988, 18990, 19041, 19047, 19359, 19360, 19362, 19426, 19464, 19470	2536, 7430, 7433, 7436, 7439, 8129, 8158, 8187, 8876, 8887, 9742, 10048,
\uc@tx	790, 798, 1042, 1050, 1292, 1300, 19135, 19143, 19276, 19284	\unkern	10111, 10184, 10194, 11869, 13208, 13209, 14383, 14688, 14737, 16867,	10111, 10184,
\uc@ty	799, 800, 1051, 1052, 1301, 1302, 19144, 19145, 19285, 19286	\unpenalty	16909, 16912, 17692, 17792, 19957, 19967, 19985, 20502, 21263, 22028, 24748, 24795, 25024	11869,
				\untilcondition 6451, 6465, 6549, 6592
				\unvbox 2150, 2167, 2184, 2199, 2215, 2231, 2364, 2420, 2433, 2440, 9756, 9757, 10011, 10014, 10031, 10035, 10048, 10098, 10111, 10157, 10182, 10197, 10220, 10224, 10314, 10343, 10397, 10408, 10421, 10471, 10702, 10705, 10706, 10723, 10726, 10727, 10752, 10759, 10764,



10769,	10809,	24859, 24863,	1736, 1743, 1745,
10814,	10818,	24870, 24875, 24882	2456, 2466, 2478,
10823,	11688,	\unvcopy 10183, 10221,	2488, 2501, 2577,
11699,	11710,	10225, 10253,	2696, 2697, 2713,
11801,	11822,	10259, 10263,	2714, 2715, 2748,
11877,	11883,	10271, 10746, 10803	2765, 2771, 2780,
11931,	12015,	\uppercase 308,	2786, 2795, 2801,
12032,	12044,	770, 790, 1022,	2809, 2893, 2899,
12154,	12170,	1042, 1272, 1292,	2916, 2922, 2928,
12181,	12293,	9265, 9442, 19115,	2968, 2969, 2975,
12310,	12322,	19135, 19254, 19276	2981, 2987, 2996,
12435,	12452,	\uppercasenonmath .	3008, 3020, 3058,
12464,	12577, 114, 16094	3064, 3118, 3132,
12594,	12606,	\uppermargin 10995	3189, 3203, 3210,
12719,	12736,	\uppertitleback . .	3280, 3339, 3342,
12748,	12861,	. . 20210, 20245,	3346, 3351, 3369,
12878,	12890,	20338, 20950,	3376, 3428, 3463,
13003,	13020,	20985, 21078,	3465, 3529, 3541,
13032,	13145,	21723, 21758, 21851	3566, 3573, 3610,
13162,	13174,	\upshape . . 8306, 8313,	3612, 3685, 3694,
13205,	13413,	8320, 8327, 8334,	3706, 3710, 3712,
13432,	13446,	10537, 10541,	3761, 3770, 3780,
13458,	13469,	10542, 10629,	3790, 3801, 3805,
13480,	13489,	10634, 10635, 18831	3807, 3843, 3852, 3871
13525,	13533,	\urlstyle 4846	\usebeamertemplate
13540,	13547,	\use 17091	1975, 1979, 1990,
13553,	14323,	\usebeamercolor 1530,	1999, 2008, 2021,
14337,	14351,	1566, 1582, 1589,	2028, 2037, 2070,
14388,	14393,	1596, 1619, 1640,	2079, 2083, 2091,
14563,	14573,	1661, 1692, 1755,	2137, 2142, 2459,
14600,	14688,	1760, 1770, 1831,	2463, 2481, 2484,
14737,	14809,	1863, 1866, 1911,	2504, 2582, 2584,
14811,	14855,	1998, 2027, 2458,	2589, 2594, 2750,
14860,	14866,	2467, 2480, 2489,	3060, 3352, 3550, 3573
14870,	14877,	2503, 2580, 2587,	\usebox 4552, 4562, 7271,
14893,	16814,	2592, 2747, 2845,	7403, 7405, 7410,
16819,	16828,	2884, 2894, 2900,	7412, 7421, 7422,
16831,	16915,	2963, 2968, 2969,	7425, 7426, 7633,
16933,	17692,	2975, 2981, 2987,	11113, 11116,
17721,	17723,	2996, 2998, 3008,	11124, 11131,
17731,	17749,	3010, 3020, 3022,	11139, 11146,
17751,	17792,	3057, 3063, 3140,	11189, 15103,
17821,	17823,	3146, 3152, 3189,	15107, 15190,
17831,	17849,	3203, 3210, 3350,	15192, 15196,
17851,	17906,	3451, 3463, 3465,	15198, 15203,
18618,	18622,	3486, 3533, 3540,	15205, 15209,
18627,	18631,	3549, 3573, 3610,	15211, 15215,
18643,	18654,	3612, 3627, 3710, 3805	15217, 15221,
18674,	18677,	\usebeamertemplate . 1529,	15223, 15229,
18682,	18756,	1544, 1545, 1565,	15230, 15233,
18757,	18761,	1586, 1587, 1595,	15234, 15238,
18766,	24555,	1618, 1639, 1660,	15239, 15242,
24748,	24795,	1691, 1709, 1710,	15243, 15246,
24843,	24848,	1725, 1727, 1734,	15247, 15250,



15251,	15265,	20825,	20899,	10110,	11920,
15266,	15268,	20905,	20908,	11924,	13819,
15269,	15281,	20910,	20913,	13855,	13960,
15282,	15284,	20921,	20923,	14687,	14736,
15285,	15291,	20966,	21261,	17691,	17791,
15292,	15295,	21262,	21293,	18570,	24747, 24794
15296,	15300,	21294,	21299,	\vbox	306, 398, 404, 1416,
15301,	15304,	21304,	21305,	1483,	1751, 1869,
15305,	15308,	21308,	21315,	1983,	1989, 1997,
15309,	15312,	21316,	21320,	2007,	2020, 2026,
15313,	15320,	21326,	21327,	2036,	2050, 2065,
15322,	15326,	21331,	21395,	2087,	2145, 2162,
15328,	15333,	21398,	21408,	2179,	2197, 2213,
15335,	15339,	21414,	21417,	2229,	2340, 2342,
15341,	15345,	21591,	21598,	2360,	2364, 2403,
15347,	15351,	21672,	21678,	2408,	2420, 2433,
15353,	15366,	21681,	21683,	2438,	2439, 2773,
15368,	16269,	21686,	21694,	2788,	2803, 2818,
16271,	18379,	21696,	21739,	2906,	3195, 3215,
18380,	18382,	22026,	22027,	3457,	3467, 3492,
18389,	18407,	22058,	22059,	3512,	3514, 3607,
18689,	18690, 24343	22064,	22069,	3615,	4763, 7660,
\usecounter 91,	22070,	22073,	7661,	7663, 8836,
294,	579, 714,	22080,	22081,	9750,	9755, 9833,
977,	1227, 2464,	22085,	22091,	10011,	10014,
2525,	5023, 8421,	22092,	22096,	10031,	10035,
9200,	9388, 9697,	22160,	22163,	10048,	10063,
11259,	11530,	22173,	22179, 22182	10080,	10096,
13661,	16034,	\usepackage 6810,	10111,	10126,
19059,	19453,	6811,	6816, 6817,	10139,	10155,
19647,	19850,	6820,	6823, 6868, 6869	10180,	10181,
20384,	20389,	\usetocbasicnumberline 23369	10220,	10221,
21145,	21150,			10224,	10225,
21910,	21915, 22636	V		10253,	10259,
\usefontofkomafont 20470,	\vadjust	. 8852, 8853, 8860	10262,	10270,
20507,	21231,	\valign 11921, 11925	10309,	10339,
21268,	21996, 22033	\value 3278,	10359,	10367,
\usekomafont		3279, 7919, 7938,	10372,	10379,
.	20078, 20085,		7957, 7989, 14089,	10386,	10396,
20159,	20165,		14104,	10407,	10420,
20168,	20170,		14105,	10470,	10476,
20173,	20181,		14108,	10694,	10702,
20183,	20226,		14112,	10703,	10711,
20500,	20501,		16141,	10715,	10723,
20532,	20533,		16246,	10724,	10732,
20538,	20543,		21192,	10746,	10751,
20544,	20547,	\var@@leftcolumn@badness	21957,	10755,	10758,
20554,	20555,	.	22406	10762,	10763,
20559,	20565,	\var@@rightcolumn@badness	.	10780,	10787,
20566,	20570,	.	10226, 10236, 10241	10803,	10808,
20633,	20636,	\var@@thecol@num	.	10812,	10813,
20646,	20652,	..	10166,	10816,	10817,
20654,	20818,		10168, 10437, 10455	10832,	10839,
		\vbadness 10047,	11687,	11698,



11709,	11799,	20510,	21271,	\vfill
12014,	12031,	22036,	22358,	2971, 3546, 4355, 8616, 11921,
12043,	12153,	22392,	22397,	11925, 13585,
12169,	12180,	23943,	23946,	18669, 18674,
12292,	12309,	23951,	23955,	18675, 19882,
12321,	12434,	23959,	23963,	19897, 19929,
12451,	12463,	23967,	23971,	19946, 20162,
12576,	12593,	23975,	23979,	20187, 20201,
12605,	12718,	24371,	24379,	20225, 20902,
12735,	12747,	24380,	24388,	20927, 20941,
12860,	12877,	24545,	24550,	20965, 21675,
12889,	13002,	24644,	24661,	21700, 21714, 21738
13019,	13031,	24748,	24763,	\vfuzz 2906, 7887, 7890, 7891
13144,	13161,	24795,	24810,	\vleftskip . . 17565, 17566
13173,	13205,	24841,	24857,	\voffset 4383
13362,	13374,	24868,	25002,	\voidb@x . 2447, 9723, 9787
13386,	13410,	25043,	25082, 25085	\vphantom 24106
13423,	13429,	\vboxL	18726,	\vpic . 18594, 18604, 18605
13437,	13443,	18972,	19917, 24380	\vrightskip . . 17565, 17566
13451,	13522,	\vboxR	18718, 24371	\vrule 387, 1495,
13530,	13545,	\vcenter 398, 1480, 9830,	22392, 24463,	1569, 1575, 1583,
13833,	13870,	24552, 24553, 24644	24552, 24553, 24644	1590, 1599, 1608,
13961,	13966,	\veqno	327, 328	1622, 1631, 1643,
13991,	14006,	\verb	22405	1652, 1664, 1673,
14031,	14322,	\VerbBox	11170, 11172	1929, 3225, 3226,
14336,	14350,	\verse@i	8866,	3233, 3234, 3241,
14369,	14560,	8897, 8903, 8911, 8952	8897, 8903, 8911, 8952	3242, 3453, 3489,
14573,	14597,	\verse@ii	8877, 8898, 8904,	3496, 3500, 3856,
14688,	14705,	8906, 8912, 8914, 8952	8906, 8912, 8914, 8952	3875, 7662, 7663,
14737,	14754,	\versewidth 8829, 8839, 8931	8835, 8837, 9845,
14853,	14864,	\vfil 420, 434, 628, 631,	... 8829, 8839, 8931	10067, 10132,
14889,	16755,	747, 776, 935, 938,	14711, 14758,	10364, 10383,
16814,	16819,	999, 1028, 1187,	16746, 16800,	13835, 13876,
16822,	16827,	1190, 1249, 1278,	17175, 17437,	14758, 17725,
16828,	16831,	1991, 2009, 2022,	17518, 17757,	17732, 17757,
16877,	16915,	2038, 2344, 2404,	17732, 17757,	17825, 17832,
17447,	17597,	3245, 3458, 3469,	17859, 17888,	17859, 17888,
17692,	17715,	8836, 9186, 9189,	18001, 18012,	18001, 18012,
17720,	17722,	9242, 9271, 9374,	22318, 22346,	22318, 22346,
17730,	17748,	9377, 9419, 9448,	22387, 24647,	22387, 24647,
17753,	17792,	9521, 9535, 10702,	24767, 24816, 25016	24767, 24816, 25016
17815,	17820,	10723, 11282,	\vszie	\vszie 10445,
17822,	17830,	11296, 11377,	13981, 14525,	13981, 14525,
17848,	17853,	11391, 13676,	14576, 16826,	14576, 16826,
17884,	18428,	13690, 18762,	16834, 20107,	16834, 20107,
18604,	18605,	18967, 18970,	20124, 20847,	20124, 20847,
18618,	18622,	19092, 19121,	20864, 21620, 21637	20864, 21620, 21637
18627,	18631,	19231, 19260,	\vskip	\vskip 309, 312, 421,
18643,	18654,	19417, 19420,	424, 430, 489, 495,	424, 430, 489, 495,
18669,	18671,	19496, 19510,	501, 505, 567, 646,	501, 505, 567, 646,
18673,	18676,	19683, 19697, 25086	748, 757, 767, 838,	748, 757, 767, 838,



842, 848, 852, 873,	11462, 11497,	19826, 19830,
1000, 1009, 1019,	11502, 11511,	19838, 20077,
1090, 1094, 1100,	11819, 11844,	20084, 20166,
1104, 1129, 1250,	11852, 11860,	20169, 20171,
1259, 1269, 1340,	11874, 11892,	20180, 20182,
1345, 1351, 1355,	11901, 13504,	20184, 20227,
1361, 1364, 1723,	13513, 13526,	20487, 20489,
1732, 1741, 1767,	13534, 13536,	20493, 20495,
1813, 1826, 1830,	13549, 13611,	20587, 20589,
1879, 1881, 1883,	13629, 13633,	20598, 20600,
1885, 1887, 1888,	13641, 13677,	20817, 20824,
2763, 2770, 2773,	13680, 13686,	20906, 20909,
2778, 2785, 2788,	13741, 13745,	20911, 20920,
2793, 2800, 2803,	13751, 13755,	20922, 20924,
2818, 2994, 3002,	14005, 14009,	20967, 21248,
3006, 3014, 3018,	14010, 14385,	21250, 21254,
3026, 3087, 3170,	14561, 14599,	21256, 21349,
3172, 3192, 3197,	14604, 14856,	21351, 21360,
3215, 3250, 3252,	14867, 14874,	21362, 21590,
3355, 3378, 3416,	14894, 16231,	21597, 21679,
3456, 3468, 3515,	16352, 16365,	21682, 21684,
3530, 3535, 3543,	16773, 16785,	21693, 21695,
3551, 3575, 3598,	16930, 17591,	21697, 21740,
3607, 3638, 3654,	17593, 17596,	22013, 22015,
3670, 3672, 3693,	17637, 17646,	22019, 22021,
3698, 3705, 3713,	17654, 17723,	22114, 22116,
3716, 3742, 3753,	17724, 17726,	22125, 22127,
3783, 3789, 3800,	17733, 17750,	22755, 22774,
3810, 3899, 4778,	17823, 17824,	22795, 22812,
8892, 8919, 8955,	17826, 17833,	22829, 22846,
8956, 8962, 9072,	17850, 17895,	22863, 22881,
9074, 9131, 9170,	17907, 17926,	22900, 22920,
9243, 9252, 9262,	17938, 17950,	22955, 23144,
9308, 9347, 9420,	18569, 18586,	23800, 23984,
9429, 9439, 9470,	18607, 18673,	24163, 24167,
9475, 9479, 9481,	18759, 18765,	24186, 24567,
9487, 9491, 9493,	18985, 19024,	24576, 24585,
9522, 9525, 9531,	19093, 19102,	24594, 24682,
9590, 9596, 9602,	19112, 19183,	24844, 24860,
9606, 9626, 9665,	19187, 19193,	24871, 24879,
9670, 9678, 10097,	19197, 19232,	25002, 25081,
10156, 10317,	19241, 19251,	25094, 25121, 25129
10321, 10399,	19326, 19333,	\vspace{2890, 2892, 2920},
10402, 10411,	19339, 19343,	2926, 2932, 3041,
10414, 10425,	19349, 19352,	3048, 3069, 3130,
10427, 10767,	19357, 19396,	4946, 7264, 7354,
10821, 11239,	19497, 19500,	7362, 7980, 7984,
11247, 11283,	19506, 19570,	8046, 8051, 8064,
11286, 11292,	19576, 19581,	8069, 8082, 8087,
11347, 11351,	19584, 19603,	8204, 8213, 8222,
11357, 11361,	19684, 19687,	8303, 8310, 8317,
11378, 11381,	19693, 19752,	8324, 8331, 8614,
11387, 11446,	19758, 19764,	8658, 8662, 9464,
11452, 11458,	19768, 19788,	9484, 9659, 9673,



11491,	11506,	18676,	18681,	18682	\WF@floatfalse 24163, 24171, 24181, 24184
11551,	11553,	\wd	1773,	1778,	\WF@fltnes 24190
11555,	13624,	1792,	1814,	1891,	\WF@info 24170, 24180, 24183, 24192, 24227, 24229
13636,	16125,	1904,	1920,	1978,	\WF@ovh 24197
16127,	16897,	1982,	2002,	2013,	\WF@place . . . 24195, 24201
16910,	19821,	2031,	2042,	2082,	\WF@putfigmaybe . . . 24161
19833,	22663,	2086,	2358,	2362,	\WF@size . . . 24174, 24228
22669,	22674,	2406,	2819,	3225,	\WF@startwrapping 24233
22681,	22686,	3233,	3241,	3855,	\WF@wfname 24192, 24227, 24229
\vsplit	10006,	3874,	4044,	4321,	\WF@wrapil . 24221, 24224
10007,	10024,	8842,	8843,	8903,	\whilecondition 6451, 6465, 6554, 6586
10028,	10049,	8904,	8906,	8912,	\whiledo 13965
10112,	10218,	8952,	9046,	9048,	\widowpenalty 92, 295, 585, 717, 980, 1230,
10308,	10473,	9061,	9063,	9854,	2532, 5026, 8940, 9203, 9391, 9703,
11930,	13820,	10186,	11183,	11187,	11262, 11536, 13664, 16035, 18275, 19062,
13856,	14569,	13215,	13795,	13922,	19456, 19653, 19856, 20394, 21155, 21920, 22642
14689,	14738,	14498,	14616,	14617,	\WIDTH 22507, 22515
17693,	17793,	14940,	14942,	14986,	\width . . . 14519, 14920, 15008, 15010, 17484, 17493, 17517
18575,	18578,	14988,	15109,	15109,	\widthof . . . 11038, 11043
18597,	18598,	15190,	15192,	15196,	\windowbox . 18671, 18677
18616,	18620,	15196,	15198,	15229,	\wlog . 10295, 10336, 10358
18625,	18629,	15229,	15230,	15233,	\write 5068, 5432, 5460, 5486, 5514, 5540, 5543, 5577, 5580, 7041, 8825, 8828, 9032, 22444, 24729
18641,	18652,	15236,	15326,	15258,	\WriteEndXPostoaux 5458
18679,	24749,	15320,	15322,	15261,	\WriteEndXYPostoaux 5575
\vss . . . 306,	2000, 2029,	15326,	15328,	15274,	\WriteEndYPostoaux 5512
2444,	3493, 10083,	15996,	16004,	15275,	\WriteStartXPostoaux 5429
10142,	10325,	16013,	16021,	15291,	\WriteStartXYPostoaux 5537
10331,	10347,	16188,	16195,	15295,	\WriteStartYPostoaux 5483
10353,	10367,	16233,	16234,	15296,	\wstrutbox . 18581, 18583
10372,	10379,	16359,	16768,	15320,	X
10386,	10474,	16916,	17603,	15326,	\x 6586, 6587, 7053, 7056, 10934,
10759,	10769,	17607,	17609,	15326,	
10814,	10823,	17617,	17648,	15326,	
14032,	16819,	17967,	18562,	15326,	
16831,	17448,	18773,	18796,	15326,	
18604,	18605,	18823,	19869,	15326,	
18676,	18842,	19914,	19970,	15326,	
\vtop . . . 398,	404, 1415,	19977,	22298,	15326,	
1482,	7721,	22456,	22507,	15326,	
7809,	9756,	22564,	22581,	15326,	
16737,	22358,	23374,	23388,	15326,	
22392,	22397,	24197,	24241,	15326,	
24551,	24644,	24437,	24621,	25123	
24661,	24917,	\WF@everypar . . .	24160		
		\WF@adjlw . . .	24200, 24225		
		\WF@adjtlm . . .	24222, 24225		
		\WF@box . . .	24197, 24230, 24231		



10935, 10938, 10939, 10944, 10948, 10952, 10953, 10956, 10957, 10962, 10966, 15934, 15943, 15945, 15957 \XC@tmp 24268, 24269, 24283, 24317, 24318, 24326, 24330 \XC@tstfalse 24268, 24317 \XC@tsttrue . 24269, 24270, 24271, 24318, 24319, 24320 \XC@bidideclaredc@lor . . 24324, 24329 \XC@bidideclaredcolor . . 24323, 24325 \XC@bidiundeclaredcolor . . 24308, 24310 \XC@coremodel 24252, 24295 \XC@current@color . . . 24280, 24283, 24284, 24314, 24330, 24331 \XC@declaredc@lor . . . 24275, 24282 \XC@declaredcolor 24274 \XC@display . 24281, 24285, 24315, 24332 \XC@edef . 24268, 24317 \XC@fbox 24336 \XC@getmodclr 24248, 24291 \XC@inflate . 24262, 24305 \XC@let@Nc . 24283, 24330 \XC@mclr . 24262, 24305 \XC@mmod 24260, 24261, 24303, 24304 \XC@mul 24263, 24306 \XC@split 24326 \XC@tgt@mod . 24256, 24299 \XC@type 24269, 24318 \XC@undeclaredcolor 24265, 24276 \xcolor@ 24280, 24314 \xdef 333, 393, 4505, 5273, 5411, 5414, 5710, 5711, 5714, 5715, 5732, 5733, 5736, 5737, 6130, 6932, 7087, 8843, 8845, 8926, 8928, 8930, 10051, 10053,	10114, 10116, 10216, 10222, 10226, 10712, 10733, 10778, 10784, 10785, 10830, 10836, 10837, 13274, 13285, 13333, 13344, 13515, 13822, 13824, 13858, 13860, 14223, 14691, 14693, 14740, 14742, 14883, 15544, 16181, 16753, 17695, 17697, 17795, 17797, 18519, 18526, 18533, 22581, 23825, 23829, 23850, 23854, 23916, 23920, 24195, 24200, 24221, 24222, 24224, 24225, 24751, 24753, 24798, 24800 \XeTeX 15926, 24441, 25326, 25327 \XeTeX . . 15925, 18775, 24439, 25324, 25325 \XeTeXcharclass 4190, 4191, 4192, 4193, 4194 \XeTeXinterchartokenstate 4187 \XeTeXinterchartoks 4195 \XKV@err . 2256, 2259, 2282, 2285, 2308, 2311 \XKV@errx 2262, 2288, 2314 \XKV@tkey 2259, 2285, 2311 \xm 10935, 10939, 10953, 10957 \xxm 10943, 10947, 10961, 10965 \xyzzy 7868	15930, 15932, 15933, 15936, 15943 \year 3183 \ym 10952, 10956, 10962, 10966 \yym 10934, 10938, 10944, 10948
	Y	Z
	\y 10935, 10939, 10943, 10947, 10952, 10953, 10956, 10957, 10961, 10962, 10965, 10966,	\z@ 12, 24, 46, 60, 76, 99, 103, 111, 128, 134, 136, 207, 219, 223, 249, 263, 278, 306, 314, 318, 336, 357, 361, 364, 375, 390, 395, 401, 402, 466, 513, 525, 530, 557, 596, 601, 602, 612, 616, 617, 646, 647, 650, 652, 665, 690, 742, 759, 817, 861, 865, 866, 873, 874, 877, 880, 892, 909, 946, 949, 994, 1011, 1057, 1069, 1113, 1117, 1118, 1129, 1130, 1133, 1135, 1148, 1174, 1244, 1261, 1319, 1356, 1382, 1386, 1389, 1402, 1424, 1432, 1450, 1460, 1462, 1472, 1474, 1479, 1493, 1495, 1496, 1873, 1875, 1876, 1881, 1883, 1885, 1887, 1888, 1913, 2158, 2175, 2192, 2208, 2224, 2240, 4037, 4042, 4043, 4044, 4046, 4314, 4319, 4320, 4321, 4323, 4723, 4778, 5038, 5048, 5053, 5610, 5627, 6431, 6441, 7161, 7170, 7469, 7702, 7706, 7746, 7750, 7790, 7794, 8380, 8407, 8438, 8450, 8628, 8856, 8859, 8862, 8903, 8904, 8906, 8912, 8926, 8930, 8934,



8935, 8936, 8937,	11479, 11481,	15066, 16043,
8938, 8939, 8952,	11483, 11492,	16047, 16063,
9026, 9038, 9039,	11507, 11629,	16067, 16079,
9046, 9048, 9061,	11635, 11641,	16091, 16108,
9063, 9071, 9115,	11752, 11757,	16205, 16248,
9119, 9120, 9131,	11764, 11769,	16255, 16263,
9132, 9135, 9137,	11776, 11781,	16276, 16278,
9150, 9173, 9225,	11889, 11890,	16318, 16325,
9227, 9229, 9237,	11891, 11898,	16330, 16341,
9254, 9292, 9296,	11899, 11900,	16413, 16715,
9297, 9308, 9309,	11995, 12134,	16717, 16749,
9312, 9314, 9327,	12273, 12415,	16755, 16758,
9350, 9402, 9404,	12557, 12699,	16763, 16766,
9406, 9414, 9431,	12841, 12983,	16800, 16814,
9465, 9485, 9502,	13125, 13214,	16818, 16819,
9507, 9508, 9567,	13282, 13341,	16822, 16828,
9614, 9629, 9647,	13392, 13396,	16867, 16888,
9649, 9651, 9660,	13400, 13501,	16890, 16912,
9674, 9725, 9726,	13502, 13503,	16941, 17553,
9737, 9739, 9822,	13510, 13511,	17556, 17580,
9824, 9829, 9843,	13512, 13599,	17705, 17709,
9845, 9846, 9851,	13614, 13625,	17719, 17780,
9852, 9853, 9854,	13637, 13720,	17805, 17809,
9855, 9889, 9900,	13763, 13765,	17819, 17877,
10018, 10186,	13767, 13796,	17894, 17903,
10209, 10242,	13947, 14004,	17905, 17926,
10245, 10248,	14032, 14055,	17938, 17950,
10256, 10267,	14057, 14059,	17970, 17981,
10277, 10280,	14068, 14070,	17987, 18264,
10285, 10288,	14072, 14218,	18269, 18310,
10292, 10319,	14272, 14289,	18320, 18378,
10322, 10328,	14305, 14332,	18379, 18380,
10344, 10350,	14346, 14360,	18382, 18384,
10404, 10416,	14374, 14378,	18389, 18407,
10429, 10448,	14454, 14459,	18690, 18734,
10451, 10472,	14466, 14471,	18736, 18771,
10700, 10721,	14478, 14483,	18772, 18773,
10738, 10739,	14566, 14616,	18782, 18783,
10741, 10742,	14623, 14649,	18796, 18820,
10750, 10772,	14650, 14651,	18821, 18842,
10774, 10777,	14672, 14673,	18887, 18888,
10795, 10796,	14839, 14914,	18905, 18951,
10798, 10799,	14915, 14916,	18955, 18956,
10807, 10824,	14923, 14930,	18985, 18986,
10826, 10829,	14931, 14932,	18989, 18991,
11152, 11174,	14933, 14934,	19004, 19027,
11176, 11178,	14936, 14937,	19073, 19075,
11181, 11183,	14939, 14940,	19077, 19087,
11185, 11187,	14942, 14976,	19104, 19162,
11189, 11190,	14977, 14978,	19206, 19210,
11196, 11201,	14979, 14980,	19211, 19226,
11215, 11229,	14982, 14983,	19243, 19303,
11242, 11326,	14985, 14986,	19344, 19357,
11423, 11469,	14988, 15060,	19358, 19361,



19363,	19376,	21573,	21581,	24395,	24396,
19399,	19438,	21590,	21597,	24401,	24405,
19440,	19442,	21599,	21669,	24406,	24435,
19495,	19538,	21695,	21740,	24436,	24437,
19547,	19574,	22066,	22120,	24488,	24489,
19591,	19606,	22200,	22203,	24490,	24567,
19627,	19629,	22209,	22223,	24576,	24585,
19631,	19665,	22229,	22239,	24594,	24598,
19670,	19671,	22249,	22289,	24618,	24619,
19729,	19776,	22290,	22291,	24649,	24660,
19791,	19809,	22292,	22297,	24668,	24673,
19811,	19813,	22298,	22302,	24682,	24898,
19822,	19834,	22314,	22348,	24902,	24942,
19869,	19870,	22371,	22383,	24946,	24987,
19871,	19914,	22387,	22480,	24991,	24994,
19915,	19916,	22484,	22491,	25004,	25005,
19954,	19958,	22502,	22548,	25009,	25016,
19959,	19964,	22549,	22559,	25053,	25079,
19968,	19969,	22563,	22564,	25092,	25132, 25133
19970,	19975,	22565,	22568,	\z@skip . .	4778, 14002,
19976,	19977,	22577,	22578,	14003,	16888,
19982,	19986,	22580,	22581,	16891,	18902,
19987,	20032,	22583,	22591,	22352,	22357,
20047,	20060,	22596,	22611,	22390,	22396,
20068,	20077,	22697,	22698,	24597,	24598,
20084,	20086,	22772,	22862,	24653,	24659, 25079
20156,	20182,	22880,	22973,	\zap@space	6798, 6885, 6921
20227,	20540,	23152,	23264,	\zifrefundefined . .	
20593,	20673,	23328,	23335,	14121, 14144
20682,	20685,	23338,	23685,	\zref@extractdefault	
20691,	20701,	23689,	23800,	14126, 14147
20711,	20771,	23805,	23810,	\zref@labelbyprops	
20786,	20800,	23858,	23984,	14092, 14167
20808,	20817,	24170,	24177,		
20824,	20826,	24178,	24196,		☒
20896,	20922,	24212,	24215,	\	4193
20967,	21301,	24224,	24225,	\	4193
21355,	21435,	24227,	24231,		
21438,	21444,	24238,	24239,		
21458,	21464,	24240,	24241,	\	4194
21474,	21484,	24336,	24341,	\	4194
21544,	21559,	24343,	24391,		

