



# The bidi Package

Source documentation for version 39.3

to my Master, *Ferdowsi The Great*

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/kvafa/bidi/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

You may also have conversations, ask questions and post answers without opening issues using the Discussions space:

<https://github.com/kvafa/bidi/discussions>

The announcements for the new releases of the package will also appear in the Discussions space under the Announcements category.

Copyright (c) 2007–2022 Vafa Khalighi  
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L<sup>A</sup>T<sub>E</sub>X Project Public License, either version 1.3c of this license or (at your option) any later version.

# The *bidi* Package

## Bidirectional typesetting in plain $\text{T}_{\text{E}}\text{X}$ and $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$ , using Xe $\text{T}_{\text{E}}\text{X}$ engine

Source documentation for version 39.3

Vafa Khalighi\*

July 18, 2022

### Contents

1	File <code>amsart-xetex-bidi.def</code>	5	18	File <code>beamerbasecompatibility-xetex-bidi.def</code>	41
2	File <code>adjmulticol-xetex-bidi.def</code>	7	19	File <code>beamerbaseframecomponents-xetex-bidi.def</code>	41
3	File <code>algorithm2e-xetex-bidi.def</code>	8	20	File <code>beamerbaseframesize-xetex-bidi.def</code>	49
4	File <code>amsbook-xetex-bidi.def</code>	8	21	File <code>beamerbaselocalstructure-xetex-bidi.def</code>	51
5	File <code>amsmath-xetex-bidi.def</code>	11	22	File <code>beamerbasemisc-xetex-bidi.def</code>	53
6	File <code>amstext-xetex-bidi.def</code>	11	23	File <code>beamerbasenavigation-xetex-bidi.def</code>	53
7	File <code>amsthm-xetex-bidi.def</code>	11	24	File <code>beamerbaseoverlay-xetex-bidi.def</code>	55
8	File <code>array-xetex-bidi.def</code>	11	25	File <code>beamerinnerthemedefault-xetex-bidi.def</code>	55
9	File <code>article-xetex-bidi.def</code>	13	26	File <code>beamerinnerthemecircles-xetex-bidi.def</code>	59
10	File <code>artikel1-xetex-bidi.def</code>	16	27	File <code>beamerinnerthemefocus-xetex-bidi.def</code>	59
11	File <code>artikel2-xetex-bidi.def</code>	21	28	File <code>beamerinnerthemeinmargin-xetex-bidi.def</code>	60
12	File <code>artikel3-xetex-bidi.def</code>	26	29	File <code>beamerinnerthememetropolis-xetex-bidi.def</code>	62
13	File <code>arydshln-xetex-bidi.def</code>	30	30	File <code>beamerinnerthemerectangles-xetex-bidi.def</code>	65
14	File <code>beamer-xetex-bidi.def</code>	33	31	File <code>beamerinnerthemrounded-xetex-bidi.def</code>	65
15	File <code>beamerbaseauxtemplates-xetex-bidi.def</code>	33	32	File <code>beamerouterthemedefault-xetex-bidi.def</code>	65
16	File <code>beamerbaseboxes-xetex-bidi.def</code>	38	33	File <code>beamerouterthemefocus-xetex-bidi.def</code>	67
17	File <code>beamerbasecolor-xetex-bidi.def</code>	40	34	File <code>beamerouterthemeinfolines-xetex-bidi.def</code>	68

\*Thanks to the `bidi-tex` GitHub organization consisted of David Carlisle and other members of the  $\text{L}_{\text{A}}\text{T}_{\text{E}}\text{X}$  team to maintain the package in the period 2018–2020.

35	File beamerouterthememetropolis-xetex-bidi.def	184
36	File beamerouterthememiniframes-xetex-bidi.def	188
37	File beamerouterthemeseidebar-xetex-bidi.def	189
38	File beamerouterthemessplit-xetex-bidi.def	190
39	File beamerouterthemeshadow-xetex-bidi.def	190
40	File beamerouterthemessmoothbars-xetex-bidi.def	190
41	File beamerouterthemessmoothtree-xetex-bidi.def	191
42	File beamerouterthemetree-xetex-bidi.def	192
43	File beamerthemeHannover-xetex-bidi.def	192
44	File beamerthemeSingapore-xetex-bidi.def	194
45	File bidi.sty	79
46	File bidi.tex	85
47	File bidi2ini.sty	88
48	File bidicode.sty	89
49	File bidiftnxtra.sty	92
50	File bidimoderncv.cls	96
51	File bidi-perpage.sty	100
52	File biditools.sty	102
53	File bidituftefloat.sty	139
54	File bidituftesidenote.sty	150
55	File bidituftetoc.sty	160
56	File bidituftegeneralstructure.sty	163
57	File bidituftehyperref.sty	165
58	File biditufтетitle.sty	165
59	File biditufte-handout.cls	168
60	File biditufte-book.cls	169
61	File bidipoem.sty	170
62	File boek3-xetex-bidi.def	177
63	File boek-xetex-bidi.def	180
64	File bookest-xetex-bidi.def	183
65	File book-xetex-bidi.def	184
66	File bookfeq-xetex-bidi.def	188
67	File bookfeqs-xetex-bidi.def	189
68	File bookcaption-xetex-bidi.def	190
69	File bookcaption3-xetex-bidi.def	190
70	File booktbl-xetex-bidi.def	190
71	File booktbl-xetex-bidi.def	191
72	File bookcombine-xetex-bidi.def	192
73	File bookcrop-xetex-bidi.def	192
74	File bookcutwin-xetex-bidi.def	194
75	File bookcuted-xetex-bidi.def	195
76	File cvthemebidicasual.sty	203
77	File cvthemebidiclassic.sty	205
78	File dblfnote-xetex-bidi.def	207
79	File diagbox-xetex-bidi.def	210
80	File draftwatermark-xetex-bidi.def	212
81	File eso-pic-xetex-bidi.def	212
82	File empheq-xetex-bidi.def	213
83	File extarticle-xetex-bidi.def	216
84	File extbook-xetex-bidi.def	220
85	File extletter-xetex-bidi.def	223
86	File extrafootnotefeatures-xetex-bidi.def	224
87	File extreport-xetex-bidi.def	261
88	File fancybox-xetex-bidi.def	265
89	File fancyhdr-xetex-bidi.def	265
90	File fix2col-xetex-bidi.def	266
91	File fleqn-xetex-bidi.def	267
92	File float-xetex-bidi.def	268
93	File floatrow-xetex-bidi.def	268
94	File flowfram-xetex-bidi.def	268



95 File footnote-xetex-bidi.def	271	125File overpic-xetex-bidi.def	351
96 File footnotebackref-xetex-bidi.def	277	126File pdfbase-xetex-bidi.def	352
97 File framed-xetex-bidi.def	279	127File pdfscape-xetex-bidi.def	352
98 File ftnright-xetex-bidi.def	282	128File pdfpages-xetex-bidi.def	352
99 File graphicx-xetex-bidi.def	287	129File pgfcorescopes.code-xetex-bidi.def	353
100File geometry-xetex-bidi.def	289	130File pgfsys.code-xetex-bidi.def	354
101File hvfloat-xetex-bidi.def	290	131File picinpar-xetex-bidi.def	355
102File hyperref-xetex-bidi.def	295	132File plain-xetex-bidi.def	357
103File imsproc-xetex-bidi.def	307	133File pstricks-xetex-bidi.def	359
104File leqno-xetex-bidi.def	309	134File quotchap-xetex-bidi.def	360
105File letter-xetex-bidi.def	309	135File ragged2e-xetex-bidi.def	360
106File lettrine-xetex-bidi.def	310	136File rapport1-xetex-bidi.def	362
107File lineno-xetex-bidi.def	312	137File rapport3-xetex-bidi.def	367
108File listings-xetex-bidi.def	313	138File refrep-xetex-bidi.def	372
109File loadingorder-xetex-bidi.def	315	139File report-xetex-bidi.def	375
110File longtable-xetex-bidi.def	321	140File rotating-xetex-bidi.def	379
111File lscape-xetex-bidi.def	323	141File scrartcl-xetex-bidi.def	382
112File mathtools-xetex-bidi.def	324	142File scrbook-xetex-bidi.def	395
113File mdframed-xetex-bidi.def	324	143File screprt-xetex-bidi.def	410
114File bidi-media9.sty	325	144File sidecap-xetex-bidi.def	424
115File memoir-xetex-bidi.def	336	145File soul-xetex-bidi.def	424
116File midfloat-xetex-bidi.def	339	146File stabular-xetex-bidi.def	425
117File minitoc-xetex-bidi.def	343	147File subfigure-xetex-bidi.def	426
118File multicol-xetex-bidi.def	344	148File tabs-xetex-bidi.def	426
119File multienum-xetex-bidi.def	347	149File tabularx-xetex-bidi.def	427
120File natbib-xetex-bidi.def	348	150File tabulary-xetex-bidi.def	428
121File newfloat-xetex-bidi.def	349	151File tc-xetex-bidi.def	429
122File nicematrix-xetex-bidi.def	350	152File tcolorbox-xetex-bidi.def	429
123File ntheorem-xetex-bidi.def	350	153File titlesec-xetex-bidi.def	430
124File ntheorem-hyper-xetex-bidi.def	350	154File titletoc-xetex-bidi.def	430



155	File tocbibind-xetex-bidi.def	431	160	File wrapfig-xetex-bidi.def	460
156	File tocloft-xetex-bidi.def	433	161	File xcolor-xetex-bidi.def	461
157	File tocbasic-xetex-bidi.def	438	162	File latex-xetex-bidi.def	463
158	File tocstyle-xetex-bidi.def	453	163	File xltextra-xetex-bidi.def	482
159	File todonotes-xetex-bidi.def	457	164	Index	482



## 1 File amsart-xetex-bidi.def

```
1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for X
2 \def\tocline#1#2#3#4#5#6#7{\relax
3 \ifnum #1>\c@tocdepth % then omit
4 \else
5 \par \addpenalty\@secpenalty\addvspace{#2}%
6 \begingroup \hyphenpenalty\@M
7 \ifempty{#4}{%
8 \@tempdima\csname r@tocindent\number#1\endcsname\relax
9 }{%
10 \@tempdima#4\relax
11 }%
12 \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\
13 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16 \nobreak
17 \endgroup
18 \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24 \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
25 {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27 \kern-.4\p@
28 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
29 \kern11\p@\kern-\footnotesep}
30 \def\left@footnoterule{\kern-.4\p@
31 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35 \insert\footins{%
36 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37 \reset@font%
38 \bidi@@footnotetext@font% \normalfont\footnotesize
39 \interlinepenalty\interfootnotelinepenalty
40 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41 \floatingpenalty\@MM \hsize\columnwidth
42 \@parboxrestore \parindent\normalparindent \sloppy
43 \protected@edef\@currentlabel{%
44 \csname p@footnote\endcsname\@thefnmark}%
45 \@makefnmark%
46 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
47
48 \long\def\@RTLfootnotetext#1{%
49 \insert\footins{%
50 \@RTLtrue%
51 \reset@font%
52 \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
```



```

53 \interlinepenalty\interfootnotelinepenalty
54 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55 \floatingpenalty\@MM \hsize\columnwidth
56 \@parboxrestore \parindent\normalparindent \sloppy
57 \protected@edef\@currentlabel{%
58 \csname p@footnote\endcsname\@thefnmark}%
59 \@makefntext{%
60 \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65 \insert\footins{%
66 \RTLfalse%
67 \reset@font%
68 \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
69 \interlinepenalty\interfootnotelinepenalty
70 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71 \floatingpenalty\@MM \hsize\columnwidth
72 \@parboxrestore \parindent\normalparindent \sloppy
73 \protected@edef\@currentlabel{%
74 \csname p@footnote\endcsname\@thefnmark}%
75 \@makefntext{%
76 \rule{z@\footnotesep\ignorespaces#1\unskip\strut\par}}
77
78
79 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84 \@bibtitlestyle
85 \normalfont\bibliofont\labelsep .5em\relax
86 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
87 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
88 \bidi@thebibliography@font@hook%
89 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90 \leftmargin\labelwidth \advance\leftmargin\labelsep
91 \usecounter{enumiv}}%
92 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
93 \sfcode`\.=\@m
94 }{%
95 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96 \endlist
97 }
98 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
99 \columnseprule{z@ \columnsep 35\p@
100 \@indextitlestyle
101 \thispagestyle{plain}%
102 \let\item\@idxitem
103 \parindent{z@ \parskip{z@\@plus.3\p@}\relax
104 \ifRTL\raggedleft\else\raggedright\fi
105 \hyphenpenalty\@M
106 \footnotesize}

```



```

107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111 \@topnum\z@ % this prevents figures from falling at the top of page 1
112 \setcopyright
113 \thispagestyle{firstpage}% this sets first page specifications
114 \uppercase\shorttitle
115 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
116 \else \andify\shortauthors
117 \fi
118 \@maketitle@hook
119 \begingroup
120 \@maketitle
121 \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
122 \toks4{\def\{\ \ignorespaces}}% defend against questionable usage
123 \edef\@tempa{%
124 \@nx\markboth{\the\toks4
125 \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
126 \@tempa
127 \endgroup
128 \c@footnote\z@
129 \cleartopmattertags
130 }

```

## 2 File adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol p
132 \def\adjmulticols#1#2#3{\col@number#1\relax
133 \def\@tempa{#2}%
134 \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
135 \def\@tempa{#3}%
136 \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
137 \ifnum\col@number<\@ne
138 \PackageWarning{adjmulticol}%
139 {Using '\number\col@number'
140 columns doesn't seem a good idea.^^J
141 I therefore use one columns instead}%
142 \col@number\@ne\fi
143 \ifnum\col@number>10
144 \PackageError{adjmulticol}%
145 {Too many columns}%
146 {Current implementation doesn't
147 support more than 10 columns.%
148 \MessageBreak
149 I therefore use 10 columns instead}%
150 \col@number10 \fi
151 \ifx\@footnotetext\mult@footnotetext\else
152 \let\orig@footnotetext\@footnotetext
153 \let\@footnotetext\mult@footnotetext
154 \fi
155 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
156 \let\orig@LTRfootnotetext\@LTRfootnotetext
157 \let\@LTRfootnotetext\mult@LTRfootnotetext

```



```

158 \fi
159 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160 \let\orig@RTLfootnotetext\@RTLfootnotetext
161 \let\@RTLfootnotetext\mult@RTLfootnotetext
162 \fi
163 \@ifnextchar[\adjmult@cols{\adjmult@cols[]}]
164 \let\adjmc@page@sofar@orig=\page@sofar

```

### 3 File algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2018/09/23 v0.2 bidi adaptations for algorithm2e p
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%
168 \else%
169 \fi
170 \ifpackageloaded{color}{-}{%
171 \bidi@patchcmd{\@algocf@start}{\bgroup}{%
172 \bgroup
173 \if@RTL
174 \beginR
175 \else
176 \beginL
177 \fi
178 }{}{}
179 \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
180 \if@RTL
181 \endR
182 \else
183 \endL
184 \fi
185 \egroup
186 \end{lrbox}}%
187 }{}{}
188 \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
189 \if@RTL
190 \hboxR
191 \else
192 \hboxL
193 \fi
194 }{}{}
195 }

```

### 4 File amsbook-xetex-bidi.def

```

196 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for
197 \def\@tocline#1#2#3#4#5#6#7{\relax
198 \ifnum #1>\c@tocdepth % then omit
199 \else
200 \par \addpenalty\@secpenalty\addvspace{#2}%
201 \begingroup \hyphenpenalty\@M
202 \@ifempty{#4}{%
203 \@tempdima\csname r@tocindent\number#1\endcsname\relax
204 }{}%
205 \@tempdima#4\relax

```



```

206 }%
207 \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\
208 \if@RTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
209 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
210 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
211 \nobreak
212 \endgroup
213 \fi}
214 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
215 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
216 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
217 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
218 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
219 \columnseprule\z@ \columnsep 35\p@
220 \@indextitlestyle
221 \thispagestyle{plain}%
222 \let\item\@idxitem
223 \parindent\z@ \parskip\z@\@plus.3\p@\relax
224 \if@RTL\raggedleft\else\raggedright\fi
225 \hyphenpenalty\@M
226 \footnotesize}
227 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
228 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
229 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
230 \def\right@footnoterule{%
231 \kern-.4\p@
232 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
233 \kern11\p@\kern-\footnotesep}
234 \def\left@footnoterule{\kern-.4\p@
235 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
236
237 \long\def\@footnotetext#1{%
238 \insert\footins{%
239 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
240 \reset@font%
241 \bidi@footnotetext@font% \normalfont\footnotesize
242 \interlinepenalty\interfootnotelinepenalty
243 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
244 \floatingpenalty\@MM \hsize\columnwidth
245 \@parboxrestore \parindent\normalparindent \sloppy
246 \protected@edef\@currentlabel{%
247 \csname p@footnote\endcsname\@thefnmark}%
248 \@makefnmark%
249 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
250
251 \long\def\@RTLfootnotetext#1{%
252 \insert\footins{%
253 \@RTLtrue%
254 \reset@font%
255 \bidi@RTLfootnotetext@font% \normalfont\footnotesize
256 \interlinepenalty\interfootnotelinepenalty
257 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
258 \floatingpenalty\@MM \hsize\columnwidth
259 \@parboxrestore \parindent\normalparindent \sloppy

```



```

260 \protected@edef\@currentlabel{%
261 \csname p@footnote\endcsname\@thefnmark}%
262 \@makefntext{%
263 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
264
265
266 \long\def\@LTRfootnotetext#1{%
267 \insert\footins{%
268 \RTLfalse%
269 \reset@font%
270 \bidi@L@LTRfootnotetext@font% \normalfont\footnotesize
271 \interlinepenalty\interfootnotelinepenalty
272 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
273 \floatingpenalty\@MM \hsize\columnwidth
274 \@parboxrestore \parindent\normalparindent \sloppy
275 \protected@edef\@currentlabel{%
276 \csname p@footnote\endcsname\@thefnmark}%
277 \@makefntext{%
278 \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
279
280
281
282 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
283 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
284 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
285
286 \renewenvironment{thebibliography}[1]{%
287 \@bibtitlestyle
288 \normalfont\bibliofont\labelsep .5em\relax
289 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
290 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
291 \bidi@thebibliography@font@hook%
292 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
293 \leftmargin\labelwidth \advance\leftmargin\labelsep
294 \usecounter{enumiv}}%
295 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
296 \sfcode`.=\@m
297 }%
298 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
299 \endlist
300 }
301 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
302 \begingroup
303 \fontsize{\@xivpt}{18}\bfseries\centering
304 \ifnum\c@secnumdepth>\m@ne
305 \leavevmode \hskip-\ifRTL\rightskip\else\leftskip\fi
306 \rlap{\vbox to\z@{\vss
307 \centerline{\normalsize\mdseries
308 \uppercase\@xp{\chaptername}\enspace\thechapter}
309 \vskip 3pc}}\hskip\ifRTL\rightskip\else\leftskip\fi\fi
310 #1\par \endgroup
311 \skip@34\p@ \advance\skip@-\normalbaselineskip
312 \vskip\skip@ }
313 \def\maketitle{\par

```



```

314 \@topnum\z@ % this prevents figures from falling at the top of page 1
315 \begingroup
316 \@maketitle
317 \endgroup
318 \c@footnote\z@
319 \def\do##1{\let##1\relax}%
320 \do\maketitle \do\@maketitle \do\title \do\xtitle \do\@title
321 \do\author \do\@xauthor \do\address \do\@xaddress
322 \do\email \do\@xemail \do\curraddr \do\@xcurraddr
323 \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
324 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
325 }

```

## 5 File amsmath-xetex-bidi.def

```

326 \ProvidesFile{amsmath-xetex-bidi.def}[2020/05/16 v1.2 bidi adaptations for amsmath package f
327 \let\veqno=\eqno
328 \iftagsleft@ \let\veqno=\leqno \fi
329 \renewcommand{\numberwithin}[3][\arabic]{%
330   \ifundefined{c@#2}{\@nocounterr{#2}}{%
331     \ifundefined{c@#3}{\@nocnterr{#3}}{%
332       \@addtoreset{#2}{#3}%
333       \xp\xdef\csname the#2\endcsname{%
334         \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}%
335 }
336 \def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@italicco
337
338 \bidi@patchcmd\math@cr@@@align\place@tag{%
339   \place@tag
340   \else
341     \place@tag
342 }{}{}
343

```

## 6 File amstext-xetex-bidi.def

```

344 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package f
345 \def\textdef@#1#2#3{\hbox{%
346   \everymath{#1}%
347   \let\fontsize#2\selectfont
348   \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}

```

## 7 File amsthm-xetex-bidi.def

```

349 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for
350 \def\@thmcountersep{\@SepMark}

```

## 8 File array-xetex-bidi.def

```

351 \ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for X
352 \def\@testpach{\@chclass
353   \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
354   \ifnum \@lastchclass=7 5 \else
355   \ifnum \@lastchclass=8 \tw@ \else

```



```

356 \ifnum \@lastchclass=9 \thr@@
357 \else \z@
358 \ifnum \@lastchclass = 10 \else
359 \edef\@nextchar{\expandafter\string\@nextchar}%
360 \@chnum
361 \if \@nextchar c\z@ \else
362 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
363 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
364 \z@ \@chclass
365 \if\@nextchar |\@ne \else
366 \if \@nextchar !6 \else
367 \if \@nextchar @7 \else
368 \if \@nextchar <8 \else
369 \if \@nextchar >9 \else
370 10
371 \@chnum
372 \if \@nextchar m\thr@@\else
373 \if \@nextchar p4 \else
374 \if \@nextchar b5 \else
375 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
376 \fi \fi
377 \def\@tabular{%
378 \leavevmode
379 \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabc@sep \let\d@llarbegin\beginR
380 \let\d@llarend\endR
381 \@tabarray}
382 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
383 \expandafter\let\csname endtabular*\endcsname=\endtabular
384 \def\@array[#1]#2{%
385 \@tempdima \ht \strutbox
386 \advance \@tempdima by\extrarowheight
387 \setbox \@arstrutbox \hbox{\vrule
388 \@height \arraystretch \@tempdima
389 \@depth \arraystretch \dp \strutbox
390 \@width \z@}%
391 \beginR
392 \mkpream{#2}%
393 \xdef\@preamble{\noexpand \ialign \@halignto
394 \bgroup \@arstrut \@preamble
395 \tabskip \z@ \cr}%
396 \endR
397 \@arrayleft
398 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
399 \bgroup
400 \let \@sharp ##\let \protect \relax
401 \lineskip \z@
402 \baselineskip \z@
403 \m@th
404 \let\\\@arraycr \let\@tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\@hboxR
405 \def\@tabarray{\@ifnextchar{\@array}{\@array[c]}}
406 \def\endarray{\cr\egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@pream
407 \def\array{\col@sep\arraycolsep
408 \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}}
409 \@RTLtabfalse\@tabarray}

```



## 9 File article-xetex-bidi.def

```
410 \ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article
411 \if@titlepage
412 \renewcommand\maketitle{\begin{titlepage}%
413 \let\footnotesize\small
414 \let\right@footnoterule\relax
415 \let\left@footnoterule\relax
416 \let\textwidth@footnoterule\relax
417 \let \footnote \thanks
418 \let \LTRfootnote \LTRthanks
419 \let \RTLfootnote \RTLthanks
420 \null\vfil
421 \vskip 60\p@
422 \begin{center}%
423 {\LARGE \@title \par}%
424 \vskip 3em%
425 {\large
426 \lineskip .75em%
427 \begin{tabular}[t]{c}%
428 \@author
429 \end{tabular}\par}%
430 \vskip 1.5em%
431 {\large \@date \par}% % Set date in \large size.
432 \end{center}\par
433 \@thanks
434 \vfil\null
435 \end{titlepage}%
436 \setcounter{footnote}{0}%
437 \global\let\thanks\relax
438 \global\let\LTRthanks\relax
439 \global\let\RTLthanks\relax
440 \global\let\maketitle\relax
441 \global\let\@thanks\@empty
442 \global\let\@author\@empty
443 \global\let\@date\@empty
444 \global\let\@title\@empty
445 \global\let\title\relax
446 \global\let\author\relax
447 \global\let\date\relax
448 \global\let\and\relax
449 }
450 \else
451 \renewcommand\maketitle{\par
452 \begingroup
453 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
454 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
455 \long\def\@makefntext##1{\parindent 1em\noindent
456 \hb@xt@1.8em{\
457 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
458 \if@twocolumn
459 \ifnum \col@number=\@ne
460 \maketitle
461 \else
```



```

462     \twocolumn[\@maketitle]%
463     \fi
464     \else
465     \newpage
466     \global\@topnum\z@   % Prevents figures from going at top of page.
467     \@maketitle
468     \fi
469     \thispagestyle{plain}\@thanks
470 \endgroup
471 \setcounter{footnote}{0}%
472 \global\let\thanks\relax
473 \global\let\LTRthanks\relax
474 \global\let\RTLthanks\relax
475 \global\let\maketitle\relax
476 \global\let\@maketitle\relax
477 \global\let\@thanks\@empty
478 \global\let\@author\@empty
479 \global\let\@date\@empty
480 \global\let\@title\@empty
481 \global\let\title\relax
482 \global\let\author\relax
483 \global\let\date\relax
484 \global\let\and\relax
485 }
486 \def\@maketitle{%
487   \newpage
488   \null
489   \vskip 2em%
490   \begin{center}%
491     \let \footnote \thanks
492     \let \LTRfootnote \LTRthanks
493     \let \RTLfootnote \RTLthanks
494     {\LARGE \@title \par}%
495     \vskip 1.5em%
496     {\large
497       \lineskip .5em%
498       \begin{tabular}[t]{c}%
499         \@author
500       \end{tabular}\par}%
501     \vskip 1em%
502     {\large \@date}%
503   \end{center}%
504   \par
505   \vskip 1.5em}
506 \fi
507 \renewcommand*\l@part[2]{%
508   \ifnum \c@tocdepth >-2\relax
509     \addpenalty\@secpenalty
510     \addvspace{2.25em \@plus\p@}%
511     \setlength\@tempdima{3em}%
512     \begingroup
513       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
514       \parfillskip -\@pnumwidth
515     {\leavevmode

```



```

516     \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
517     \nobreak
518     \if@compatibility
519         \global\@nobreaktrue
520         \everypar{\global\@nobreakfalse\everypar{}}%
521     \fi
522 \endgroup
523 \fi}
524 \renewcommand*\l@section[2]{%
525 \ifnum \c@tocdepth >\z@
526     \addpenalty\@secpenalty
527     \addvspace{1.0em \@plus\p@}%
528     \setlength\@tempdima{1.5em}%
529     \begingroup
530         \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
531         \parfillskip -\@pnumwidth
532         \leavevmode \bfseries
533         \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
534         \hskip -\if@RTL\rightskip\else\leftskip\fi
535         #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
536     \endgroup
537 \fi}
538 \renewcommand\left@footnoterule{%
539 \kern-3\p@
540 \hrule\@width.4\columnwidth
541 \kern2.6\p@}
542 \renewcommand\right@footnoterule{%
543 \kern-3\p@
544 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
545 \kern2.6\p@}
546 \renewcommand\thesubsection {\thesubsection\@SepMark\@arabic\c@subsection}
547 \renewcommand\thesubsubsection{\thesubsubsection\@SepMark\@arabic\c@subsubsection}
548 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
549 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
550 \def\@part [#1]#2{%
551     \ifnum \c@secnumdepth >\m@ne
552         \refstepcounter{part}%
553         \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
554     \else
555         \addcontentsline{toc}{part}{#1}%
556     \fi
557     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
558     \interlinepenalty \@M
559     \normalfont
560     \ifnum \c@secnumdepth >\m@ne
561         \Large\bfseries \partname\nobreakspace\thepart
562         \par\nobreak
563     \fi
564     \huge \bfseries #2%
565     \markboth{}{\par}%
566     \nobreak
567     \vskip 3ex
568     \@afterheading}
569 \renewenvironment{thebibliography}[1]

```



```

570 {\section*{\refname}%
571 \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
572 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
573 \bidi@thebibliography@font@hook%
574 \list{\@biblabel{\@arabic\c@enumiv}}%
575 {\settowidth\labelwidth{\@biblabel{#1}}%
576 \leftmargin\labelwidth
577 \advance\leftmargin\labelsep
578 \@openbib@code
579 \usecounter{enumiv}%
580 \let\p@enumiv\@empty
581 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
582 \sloppy
583 \clubpenalty4000
584 \@clubpenalty \clubpenalty
585 \widowpenalty4000%
586 \sfcode\.\@m}
587 {\def\@noitemerr
588 {\@latex@warning{Empty `thebibliography' environment}}}%
589 \endlist}
590 \renewenvironment{theindex}
591 {\if@twocolumn
592 \@restonecolfalse
593 \else
594 \@restonecoltrue
595 \fi
596 \columnseprule \z@
597 \columnsep 35\p@
598 \twocolumn[\section*{\indexname}]%
599 \mkboth{\MakeUppercase\indexname}%
600 {\MakeUppercase\indexname}%
601 \thispagestyle{plain}\parindent\z@
602 \parskip\z@ \@plus .3\p@\relax
603 \let\item\@idxitem}
604 {\if@restonecol\onecolumn\else\clearpage\fi}

```

## 10 File artikel1-xetex-bidi.def

```

605 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class f
606 \renewenvironment{theindex}{%
607 \if@twocolumn
608 \@restonecolfalse
609 \else
610 \@restonecoltrue
611 \fi
612 \columnseprule \z@
613 \columnsep 35\p@
614 \twocolumn[\section*{\indexname}]%
615 \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
616 \thispagestyle{plain}\parindent\z@
617 \parskip\z@ \@plus .3\p@\relax
618 \let\item\@idxitem
619 }{%
620 \if@restonecol\onecolumn\else\clearpage\fi}

```



```

621 \renewcommand* \head@style{%
622   \interlinepenalty \@M
623   \hyphenpenalty=\@M \exhyphenpenalty=\@M
624   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
625 \if@titlepage
626   \renewenvironment{abstract}{%
627     \titlepage
628     \null\vfil
629     \section*{\SectFont\abstractname}
630     \noindent\ignorespaces}
631   {\par\vfil\null\endtitlepage}
632 \else
633   \renewenvironment{abstract}{%
634     \if@twocolumn
635       \section*{\abstractname}%
636     \else
637       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
638       \section*{\small\SectFont\abstractname}%
639       \noindent\ignorespaces
640     \fi}
641   {\if@twocolumn\else\par\egroup\fi}
642 \fi
643 \renewcommand* \@regtocline[3]{%
644   \ifnum #1>\c@tocdepth
645     \else
646       \vskip\z@\@plus.2\p@
647       {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
648        \if@RTL\rightskip\else\leftskip\fi\unitindent
649        \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
650        \parfillskip\z@
651        \@tempdima\unitindent
652        \parindent\z@
653        \leavevmode
654        \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
655        \hskip 1em \nobreak{\slshape #3}\par
656       }%
657   \fi}
658 \if@oldtoc
659 \renewcommand* \l@part[2]{%
660   \ifnum \c@tocdepth >-2\relax
661     \addpenalty\@secpenalty
662     \addvspace{2.25em \@plus\p@}%
663     \begingroup
664     \setlength\@tempdima{3em}%
665     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
666     \parfillskip -\@pnumwidth
667     {\leavevmode
668      \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
669     \nobreak
670     \if@compatibility
671       \global\@nobreaktrue
672     \everypar{\global\@nobreakfalse\everypar{}}%
673     \fi
674   \endgroup

```



```

675 \fi}
676 \else
677 \renewcommand*\l@part{%
678 \ifnum \c@tocdepth >-2\relax
679 \addpenalty\@secpenalty
680 \advvspace{2.25em \@plus \p@}%
681 \@regtocline{0}%
682 \fi}
683 \fi
684 \if@oldtoc
685 \renewcommand*\l@section[2]{%
686 \addpenalty\@secpenalty
687 \advvspace{1.0em \@plus \p@}%
688 \setlength\@tempdima{1.5em}%
689 \begingroup
690 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
691 \parfillskip -\@pnumwidth
692 \leavevmode \bfseries
693 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
694 \hskip -\if@RTL\rightskip\else\leftskip\fi
695 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
696 \endgroup}
697 \else
698 \renewcommand*\l@section{\@regtocline{1}}
699 \fi
700 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
701 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
702 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
703 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
704 \renewenvironment{thebibliography}[1]
705 {\section*\refname}%
706 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
707 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
708 \bidi\@thebibliography@font@hook%
709 \list{\@biblabel{\@arabic\c@enumiv}}%
710 {\settowidth\labelwidth{\@biblabel{#1}}%
711 \leftmargin\labelwidth
712 \advance\leftmargin\labelsep
713 \@openbib@code
714 \usecounter{enumiv}%
715 \let\p@enumiv\@empty
716 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
717 \sloppy\clubpenalty4000\widowpenalty4000%
718 \sfcode`. \@m}
719 {\def\@noitemerr
720 {\@latex@warning{Empty `thebibliography' environment}}%
721 \endlist}
722 \renewcommand*\left@footnoterule{%
723 \kern-3\p@
724 \kern.5\baselineskip
725 \hrule\@width\unitindent
726 \kern.4\baselineskip
727 }
728 \renewcommand*\right@footnoterule{%

```



```

729 \kern-3\p@
730 \kern.5\baselineskip
731 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
732 \kern.4\baselineskip}
733 \if@titlepage
734 \renewcommand*{\TitleFont{\rmfamily}
735 \renewcommand*\maketitle{%
736 \begin{titlepage}%
737 \let\footnotesize\small
738 \let\right@footnoterule\relax
739 \let\left@footnoterule\relax
740 \let\textwidth@footnoterule\relax
741 \let \footnote \thanks
742 \long\def\@makefnctext##1{\parindent\z@
743 \def\labelitemi{\textendash}\@crevlabeltrue
744 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
745 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
746 \if@compatibility\setcounter{page}{0}\fi
747 \null\vfil
748 \vskip 60\p@
749 \begin{center}%
750 \TitleFont
751 {\LARGE \def\{\penalty -\@M}
752 \if@allcaps
753 \expandafter\uc@nothanks\@title\thanks\relax
754 \else
755 \@title
756 \fi\par}%
757 \vskip 3em%
758 {\large
759 \lineskip .75em \parindent\z@
760 \begin{tabular}[t]{c}%
761 \if@allcaps
762 \expandafter\uc@authornothanks\@author\and\relax
763 \else
764 \@author
765 \fi
766 \end{tabular}\par}%
767 \vskip 1.5em%
768 {\large
769 \if@allcaps
770 \uppercase\expandafter{\@date}%
771 \else
772 \@date
773 \fi\par}%
774 \end{center}\par
775 \@thanks
776 \vfil\null
777 \end{titlepage}%
778 \setcounter{footnote}{0}%
779 \global\let\thanks\relax
780 \global\let\maketitle\relax
781 \global\let\@thanks\@empty
782 \global\let\@author\@empty

```



```

783 \global\let\@title\@empty
784 \global\let\@date\@empty
785 \global\let\title\relax
786 \global\let\author\relax
787 \global\let\date\relax
788 \global\let\and\relax
789 }
790 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
791 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
792 \futurelet\@tempa\uc@ax}
793 \def\uc@ax{%
794 \ifx\@tempa\relax
795 \else
796 \\\andname \\\expandafter\uc@authornothanks
797 \fi}
798 \def\uc@tx{\ifx\@tempa\relax
799 \else \expandafter\uc@ty \fi}
800 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
801 \else
802 \renewcommand*\maketitle{\par
803 \begingroup
804 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
805 \def\@makefnmark{\rlap{%
806 \@textsuperscript{\normalfont\@thefnmark}}}%
807 \long\def\@makefntext{\@xmakefntext{%
808 \@textsuperscript{\normalfont\@thefnmark}}}%
809 \iftwocolumn
810 \ifnum \col@number=\@ne
811 \maketitle
812 \else
813 \twocolumn[\maketitle]%
814 \fi
815 \else
816 \newpage
817 \global\@topnum\z@
818 \maketitle
819 \fi
820 \thispagestyle{plain}\@thanks
821 \endgroup
822 \setcounter{footnote}{0}%
823 \global\let\thanks\relax
824 \global\let\maketitle\relax
825 \global\let\@maketitle\relax
826 \global\let\@thanks\@empty
827 \global\let\@author\@empty
828 \global\let\@title\@empty
829 \global\let\@date\@empty
830 \global\let\title\relax
831 \global\let\author\relax
832 \global\let\date\relax
833 \global\let\and\relax
834 }
835 \def\@maketitle{%
836 \newpage

```



```

837 \null
838 \vskip 2em%
839 \begin{center}%
840   \let \footnote \thanks
841   {\LARGE \TitleFont \@title \par}%
842   \vskip 1.5em%
843   {\large \TitleFont
844     \lineskip .5em%
845     \begin{tabular}[t]{c}%
846       \@author
847     \end{tabular}\par}%
848   \vskip 1em%
849   {\large \TitleFont \@date}%
850 \end{center}%
851 \par
852 \vskip 1.5em}
853 \fi

```

## 11 File artikel2-xetex-bidi.def

```

854 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class f
855 \renewenvironment{theindex}{%
856   \if@twocolumn
857     \@restonecolfalse
858   \else
859     \@restonecoltrue
860   \fi
861   \columnseprule \z@
862   \columnsep 35\p@
863   \twocolumn[\section*{\indexname}]%
864   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
865   \thispagestyle{plain}\parindent\z@
866   \parskip\z@ \@plus .3\p@\relax
867   \let\item\@idxitem
868   }{%
869   \if@restonecol\onecolumn\else\clearpage\fi}
870 \renewcommand*\@regtocline[3]{%
871   \ifnum #1>\c@tocdepth
872   \else
873     \vskip\z@\@plus.2\p@
874     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
875       \if@RTL\righskip\else\leftskip\fi\unitindent
876       \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
877       \parfillskip\z@
878       \@tempdima\unitindent
879       \advance\@tempdima by \othermargin
880       \parindent\z@
881       \leavevmode
882       \hbox{} \hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
883       \hskip 1em \nobreak{\slshape #3}\par
884     }%
885   \fi}
886 \if@oldtoc
887 \renewcommand*\l@section[2]{%

```



```

888 \addpenalty\@secpenalty
889 \addvspace{1.0em \@plus\p@}%
890 \setlength\@tempdima{1.5em}%
891 \begingroup
892 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
893 \parfillskip -\@pnumwidth
894 \leavevmode \bfseries
895 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
896 \hskip -\if@RTL\rightskip\else\leftskip\fi
897 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
898 \endgroup}
899 \else
900 \renewcommand*\l@section{\@regtocline{1}}
901 \fi
902 \if@oldtoc
903 \renewcommand*\l@part[2]{%
904 \ifnum \c@tocdepth >-2\relax
905 \addpenalty\@secpenalty
906 \addvspace{2.25em \@plus\p@}%
907 \begingroup
908 \setlength\@tempdima{3em}%
909 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
910 \parfillskip -\@pnumwidth
911 {\leavevmode
912 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
913 \nobreak
914 \if@compatibility
915 \global\@nobreaktrue
916 \everypar{\global\@nobreakfalse\everypar{}}%
917 \fi
918 \endgroup
919 \fi}
920 \else
921 \renewcommand*\l@part{%
922 \ifnum \c@tocdepth >-2\relax
923 \addpenalty\@secpenalty
924 \addvspace{2.25em \@plus\p@}%
925 \@regtocline{0}%
926 \fi}
927 \fi
928 \renewcommand*\head@style{%
929 \interlinepenalty \@M
930 \hyphenpenalty=\@M \exhyphenpenalty=\@M
931 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsizel relax}
932 \if@titlepage
933 \renewenvironment{abstract}{%
934 \titlepage
935 \null\vfil
936 \section*{\SectFont\abstractname}%
937 \noindent\ignorespaces}
938 {\par\vfil\null\endtitlepage}
939 \else
940 \renewenvironment{abstract}{%
941 \if@twocolumn

```



```

942     \section*{\abstractname}%
943   \else
944     \section*{\hskip\unitindent\small\SectFont\abstractname}%
945     \list*{\setlength\listparindent{\unitindent}%
946           \setlength\parindent   {\z@}%
947           \setlength\leftmargin   {\unitindent}%
948           \setlength\rightmargin  {\unitindent}%
949           \setlength\parsep       {\z@}}%
950     \item[]%
951   \fi}
952   {\if@twocolumn\else\par\endlist\fi}
953 \fi
954 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
955 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
956 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
957 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
958 \renewcommand*\left@footnoterule{%
959   \kern-3\p@
960   \hrule\@width 3\unitindent
961   \kern 2.6\p@
962 }
963 \renewcommand*\right@footnoterule{%
964   \kern-3\p@
965   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
966   \kern 2.6\p@}
967 \renewenvironment{thebibliography}[1]
968   {\section*{\refname}%
969     \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
970     \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
971     \bidi@thebibliography@font@hook%
972     \list{\@biblabel{\@arabic\c@enumiv}}%
973           {\settowidth\labelwidth{\@biblabel{#1}}%
974           \leftmargin\labelwidth
975           \advance\leftmargin\labelsep
976           \@openbib@code
977           \usecounter{enumiv}}%
978           \let\p@enumiv\@empty
979           \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
980     \sloppy\clubpenalty4000\widowpenalty4000%
981     \sfcode`. \@m}
982   {\def\@noitemerr
983     {\@latex@warning{Empty `thebibliography' environment}}%
984     \endlist}
985 \if@titlepage
986 \renewcommand*\TitleFont{\rmfamily}
987 \renewcommand*\maketitle{%
988   \begin{titlepage}%
989     \let\footnotesize\small
990     \let\right@footnoterule\relax
991     \let\left@footnoterule\relax
992     \let\textwidth@footnoterule\relax
993     \let \footnote \thanks
994     \long\def\@makefntext##1{\parindent\z@
995       \def\labelitemi{\textendash}\@revlabeltrue

```



```

996         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
997 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
998 \ifcompatibility\setcounter{page}{0}\fi
999 \null\vfil
1000 \vskip 60\p@
1001 \begin{center}%
1002   \TitleFont
1003   {\LARGE \def\{\penalty -\@M}
1004     \if@allcaps
1005       \expandafter\uc@nothanks\@title\thanks\relax
1006     \else
1007       \@title
1008       \fi\par}%
1009   \vskip 3em%
1010   {\large
1011     \lineskip .75em \parindent\z@
1012     \begin{tabular}[t]{c}%
1013       \if@allcaps
1014         \expandafter\uc@authornothanks\@author\and\relax
1015       \else
1016         \@author
1017       \fi
1018     \end{tabular}\par}%
1019   \vskip 1.5em%
1020   {\large
1021     \if@allcaps
1022       \uppercase\expandafter{\@date}%
1023     \else
1024       \@date
1025     \fi\par}%
1026   \end{center}\par
1027   \@thanks
1028   \vfil\null
1029 \end{titlepage}%
1030 \setcounter{footnote}{0}%
1031 \global\let\thanks\relax
1032 \global\let\maketitle\relax
1033 \global\let\@thanks\@empty
1034 \global\let\@author\@empty
1035 \global\let\@title\@empty
1036 \global\let\@date\@empty
1037 \global\let\title\relax
1038 \global\let\author\relax
1039 \global\let\date\relax
1040 \global\let\and\relax
1041 }
1042 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1043 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1044   \futurelet\@tempa\uc@ax}
1045 \def\uc@ax{%
1046   \ifx\@tempa\relax
1047   \else
1048     \ \andname \ \ \expandafter\uc@authornothanks
1049   \fi}

```



```

1050 \def\uc@tx{\ifx\@tempa\relax
1051     \else \expandafter\uc@ty \fi}
1052 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1053 \else
1054 \renewcommand*\maketitle{\par
1055 \begingroup
1056     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1057     \long\def\@makefntext##1{\parindent\z@
1058         \def\labelitemi{\textendash}%
1059         \leavevmode\hb@xt@.5\unitindent{%
1060             \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1061     \if@twocolumn
1062         \ifnum \col@number=\@ne
1063             \@maketitle
1064         \else
1065             \twocolumn[\@maketitle]%
1066         \fi
1067     \else
1068         \newpage
1069         \global\@topnum\z@
1070         \@maketitle
1071     \fi
1072     \thispagestyle{plain}\@thanks
1073 \endgroup
1074 \setcounter{footnote}{0}%
1075 \global\let\thanks\relax
1076 \global\let\maketitle\relax
1077 \global\let\@maketitle\relax
1078 \global\let\@thanks\@empty
1079 \global\let\@author\@empty
1080 \global\let\@title\@empty
1081 \global\let\@date\@empty
1082 \global\let\title\relax
1083 \global\let\author\relax
1084 \global\let\date\relax
1085 \global\let\and\relax
1086 }
1087 \def\@maketitle{%
1088     \newpage
1089     \null
1090     \vskip 2em%
1091     \begin{center}%
1092         \let \footnote \thanks
1093         {\LARGE \TitleFont \@title \par}%
1094         \vskip 1.5em%
1095         {\large \TitleFont
1096             \lineskip .5em%
1097             \begin{tabular}[t]{c}%
1098                 \@author
1099             \end{tabular}\par}%
1100         \vskip 1em%
1101         {\large \TitleFont \@date}%
1102     \end{center}%
1103     \par

```



```

1104 \vskip 1.5em}
1105 \fi

```

## 12 File artikel3-xetex-bidi.def

```

1106 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class f
1107 \renewenvironment{theindex}{%
1108 \if@twocolumn
1109 \@restonecolfalse
1110 \else
1111 \@restonecoltrue
1112 \fi
1113 \columnseprule \z@
1114 \columnsep 35\p@
1115 \twocolumn[\section*{\indexname}]%
1116 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1117 \thispagestyle{plain}\parindent\z@
1118 \parskip\z@ \@plus .3\p@\relax
1119 \let\item\@idxitem
1120 }{%
1121 \if@restonecol\onecolumn\else\clearpage\fi}
1122 \renewcommand*{\head@style}{%
1123 \interlinepenalty \@M
1124 \hyphenpenalty=\@M \exhyphenpenalty=\@M
1125 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1126 \renewcommand*{\regtocline}[3]{%
1127 \ifnum #1>\c@tocdepth
1128 \else
1129 \vskip\z@\@plus.2\p@
1130 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
1131 \if@RTL\rightskip\else\leftskip\fi\unitindent
1132 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
1133 \parfillskip\z@
1134 \@tempdima\unitindent
1135 \parindent\z@
1136 \leavevmode
1137 \hbox{ }\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1138 \hskip 1em \nobreak{\slshape #3}\par
1139 }%
1140 \fi}
1141 \if@oldtoc
1142 \renewcommand*\l@part[2]{%
1143 \ifnum \c@tocdepth >-2\relax
1144 \addpenalty\@secpenalty
1145 \addvspace{2.25em \@plus\p@}%
1146 \begingroup
1147 \setlength\@tempdima{3em}%
1148 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1149 \parfillskip -\@pnumwidth
1150 {\leavevmode
1151 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
1152 \nobreak
1153 \if@compatibility
1154 \global\@nobreaktrue

```



```

1155     \everypar{\global\@nbreakfalse\everypar{}}%
1156     \fi
1157   \endgroup
1158 \fi}
1159 \else
1160   \renewcommand*\l@part{%
1161     \ifnum \c@tocdepth >-2\relax
1162     \addpenalty\@secpenalty
1163     \addvspace{2.25em \@plus \p@}%
1164     \@regtocline{0}%
1165     \fi}
1166 \fi
1167
1168 \if@oldtoc
1169 \renewcommand*\l@section[2]{%
1170   \addpenalty\@secpenalty
1171   \addvspace{1.0em \@plus \p@}%
1172   \setlength\@tempdima{1.5em}%
1173   \begingroup
1174   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1175   \parfillskip -\@pnumwidth
1176   \leavevmode \bfseries
1177   \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
1178   \hskip -\if@RTL\rightskip\else\leftskip\fi
1179   #1\nobreak\hbfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1180   \endgroup}
1181 \else
1182   \renewcommand*\l@section{\@regtocline{1}}
1183 \fi
1184 \if@titlepage
1185   \renewenvironment{abstract}{%
1186     \titlepage
1187     \null\vfil
1188     \section*{\SectFont\abstractname}%
1189     \noindent\ignorespaces}
1190     {\par\vfil\null\endtitlepage}
1191 \else
1192   \renewenvironment{abstract}{%
1193     \if@twocolumn
1194       \section*{\abstractname}%
1195     \else
1196       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1197       \section*{\small\SectFont\abstractname}%
1198       \noindent\ignorespaces
1199       \fi}
1200     {\if@twocolumn\else\par\egroup\fi}
1201 \fi
1202 \renewcommand*\left@footnoterule{%
1203   \kern-3\p@
1204   \kern.5\baselineskip
1205   \hrule\@width\unitindent
1206   \kern.4\baselineskip
1207 }
1208 \renewcommand*\right@footnoterule{%

```



```

1209 \kern-3\p@
1210 \kern.5\baselineskip
1211 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1212 \kern.4\baselineskip}
1213 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
1214 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1215 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1216 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1217 \renewenvironment{thebibliography}[1]
1218     {\section*\refname}%
1219     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1220     \ifRTL\ifLTRbibitems\RTLfalse\else\fi\else\ifRTLbibitems\RTLtrue\else\fi\fi
1221     \bidi@thebibliography@font@hook%
1222     \list{\@biblabel{\@arabic\c@enumiv}}%
1223         {\setto\width\labelwidth{\@biblabel{#1}}%
1224         \leftmargin\labelwidth
1225         \advance\leftmargin\labelsep
1226         \@openbib@code
1227         \usecounter{enumiv}%
1228         \let\p@enumiv\@empty
1229         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
1230     \sloppy\clubpenalty4000\widowpenalty4000%
1231     \sfcode`..\@m}
1232     {\def\@noitemerr
1233     {\@latex@warning{Empty `thebibliography' environment}}}%
1234     \endlist}
1235 \if@titlepage
1236 \renewcommand*\TitleFont{\rmfamily}
1237 \renewcommand*\maketitle{%
1238 \begin{titlepage}%
1239     \let\footnotesize\small
1240     \let\right@footnoterule\relax
1241     \let\left@footnoterule\relax
1242     \let\textwidth@footnoterule\relax
1243     \let \footnote \thanks
1244     \long\def\@makefn\text##1{\parindent\z@
1245     \def\labelitemi{\textendash}\@relabeltrue
1246     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1247 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1248 \if@compatibility\setcounter{page}{0}\fi
1249 \null\vfil
1250 \vskip 60\p@
1251 \begin{center}%
1252     \TitleFont
1253     {\LARGE \def\{\penalty -\@M}
1254     \if@allcaps
1255     \expandafter\uc@nothanks\@title\thanks\relax
1256     \else
1257     \@title
1258     \fi\par}%
1259 \vskip 3em%
1260 {\large
1261 \lineskip .75em \parindent\z@
1262 \begin{tabular}[t]{c}%

```



```

1263         \if@allcaps
1264         \expandafter\uc@authornothanks \@author\and\relax
1265         \else
1266         \@author
1267         \fi
1268     \end{tabular}\par}%
1269 \vskip 1.5em%
1270 {\large
1271     \if@allcaps
1272     \uppercase\expandafter{\@date}%
1273     \else
1274     \@date
1275     \fi\par}%
1276 \end{center}\par
1277 \@thanks
1278 \vfil\null
1279 \end{titlepage}%
1280 \setcounter{footnote}{0}%
1281 \global\let\thanks\relax
1282 \global\let\maketitle\relax
1283 \global\let\@thanks\@empty
1284 \global\let\@author\@empty
1285 \global\let\@title\@empty
1286 \global\let\@date\@empty
1287 \global\let\title\relax
1288 \global\let\author\relax
1289 \global\let\date\relax
1290 \global\let\and\relax
1291 }
1292 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1293 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1294     \futurelet\@tempa\uc@ax}
1295 \def\uc@ax{%
1296     \ifx\@tempa\relax
1297     \else
1298     \ \andname \ \ \expandafter\uc@authornothanks
1299     \fi}
1300 \def\uc@tx{\ifx\@tempa\relax
1301     \else \expandafter\uc@ty \fi}
1302 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1303 \else
1304 \renewcommand*\maketitle{\par
1305     \begingroup
1306     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1307     \def\@makefnmark{\rlap{%
1308         \@textsuperscript{\normalfont\@thefnmark}}}%
1309     \long\def\@makefntext{\@xmakefntext{%
1310         \@textsuperscript{\normalfont\@thefnmark}}}%
1311     \if@twocolumn
1312     \ifnum \col@number=\@ne
1313     \@maketitle
1314     \else
1315     \twocolumn[\@maketitle]%
1316     \fi

```



```

1317   \else
1318     \newpage
1319     \global\@topnum\z@
1320     \@maketitle
1321   \fi
1322   \thispagestyle{plain}\@thanks
1323 \endgroup
1324 \setcounter{footnote}{0}%
1325 \global\let\thanks\relax
1326 \global\let\maketitle\relax
1327 \global\let\@maketitle\relax
1328 \global\let\@thanks\@empty
1329 \global\let\@author\@empty
1330 \global\let\@title\@empty
1331 \global\let\@date\@empty
1332 \global\let\title\relax
1333 \global\let\author\relax
1334 \global\let\date\relax
1335 \global\let\and\relax
1336 }
1337 \def\@maketitle{%
1338   \newpage
1339   \null
1340   \vskip 2em%
1341   \if@titlecentered
1342     \begin{center}%
1343       \let \footnote \thanks
1344       {\LARGE \TitleFont \@title \par}%
1345       \vskip 1.5em%
1346       {\large \TitleFont
1347         \lineskip .5em%
1348         \begin{tabular}[t]{c}%
1349           \@author
1350         \end{tabular}\par}%
1351       \vskip 1em%
1352       {\large \TitleFont \@date}%
1353     \end{center}%
1354   \else
1355     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1356     {\large \TitleFont \lineskip .5em \tabcolsep\z@
1357       \def\and{%% \begin{tabular} has already started
1358         \end{tabular}\hskip 1em plus .17fil
1359         \ifRTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabular}
1360         \ifRTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}
1361       \vskip 1em {\large \TitleFont \@date}
1362   \fi
1363   \par
1364   \vskip 1.5em}
1365 \fi

```

### 13 File arydshln-xetex-bidi.def

```

1366 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package]
1367 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTL\begin{array}\endR\egroup\fi\egroup

```



```

1368 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
1369 \expandafter\let\csname endtabular*\endcsname\endtabular
1370 \let\adl@array\@array
1371 \def\@array{\adl@everyvbox\everyvbox
1372     \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1373     \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1374     \let\adl@noalign\noalign
1375     \adl@array}
1376 \ifadl@usingarypkg
1377 \def\@testpach{\@chclass
1378 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1379 \ifnum \@lastchclass=7 5 \else
1380 \ifnum \@lastchclass=8 \tw@ \else
1381 \ifnum \@lastchclass=9 \thr@@
1382 \else \z@
1383 \ifnum \@lastchclass = 10 \else
1384 \edef\@nextchar{\expandafter\string\@nextchar}%
1385 \@chnum
1386 \if \@nextchar c\z@ \else
1387 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
1388 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
1389 \z@ \@chclass
1390 \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1391 \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
1392 \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
1393 \if \@nextchar !6 \else
1394 \if \@nextchar @7 \else
1395 \if \@nextchar <8 \else
1396 \if \@nextchar >9 \else
1397 10
1398 \@chnum
1399 \if \@nextchar m\thr@@\else
1400 \if \@nextchar p4 \else
1401 \if \@nextchar b5 \else
1402 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
1403 \fi \fi}
1404
1405 \def\@classz{\@classx
1406     \@tempcnta \count@
1407     \prepnext@tok
1408     \@addtopreamble{\ifcase \@chnum
1409         \hfil
1410         \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1411         \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1412         \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1413         \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1414         \adl@endmbox\or
1415         \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1416         \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1417     \fi}\prepnext@tok}
1418 \def\adl@class@start{4}
1419 \def\adl@class@iiiorvii{7}
1420
1421 \else

```



```

1422 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1423     \ifnum \@lastchclass=\thr@@ 5\relax \else
1424         \z@ \if #1c\@chnum \z@ \else
1425             \if \if@RTLtab#1r\else#1l\fi\@chnum \@one \else
1426             \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1427         \@chclass
1428             \if #1|\@one \let\@arrayrule\adl@arrayrule \else
1429             \if #1:\@one \let\@arrayrule\adl@arraydashrule \else
1430             \if #1;\@one \let\@arrayrule\adl@argarraydashrule \else
1431             \if #1\@tw@ \else
1432             \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1433     \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1434
1435 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1436     \or \or \@addamp \or
1437     \@acolampacol \or \@firstampfalse \@acol \fi
1438     \edef\@preamble{\@preamble
1439         \ifcase \@chnum
1440             \hfil\adl@putlrc{\$relax\@sharp$}\hfil
1441             \or \adl@putlrc{\$relax\@sharp$}\hfil
1442             \or \hfil\adl@putlrc{\$relax\@sharp$}\fi}}
1443 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1444     \or \or \@addamp \or
1445     \@acolampacol \or \@firstampfalse \@acol \fi
1446     \edef\@preamble{\@preamble
1447         \ifcase \@chnum
1448             \hfil\adl@putlrc{\@sharp\unskip}\hfil
1449             \or \adl@putlrc{\@sharp\unskip}\hfil
1450             \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1451 \def\adl@class@start{6}
1452 \def\adl@class@iiiorvii{3}
1453 \fi
1454 \ifpackageloaded{colortbl}{%
1455 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1456 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1457     \let\@endpbox\adl@org@endpbox}
1458 \let\adl@CT@setup\CT@setup
1459 \def\CT@setup{\adl@CT@setup
1460     \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1461     \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1462     \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1463 \let\adl@act@CT@setup\CT@setup
1464 \def\@classz{\@classx
1465     \@tempcnta\count@ \prepnext@tok
1466     \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1467     \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1468     \expandafter\adl@extract@drsc
1469         \the\toks\@tempcnta\doubleulesepcolor!\@nil
1470     \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
1471     \@addtopreamble{\if@RTL\beginL\fi%
1472         \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
1473         \ifcase \@chnum
1474             \hskip\stretch{.5}\kern\z@
1475             \dollarbegin

```



```

1476         \insert@column
1477         \d@llarend\hskip\stretch{.5}%
1478     \or \d@llarbegin \insert@column \d@llarend \hfill
1479     \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1480     \or $\vcenter
1481         \@startpbox{\@nextchar}\insert@column \@endpbox $%
1482     \or \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
1483     \or \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1484     \fi
1485     \if@RTL\endR\fi\egroup\egroup
1486     \begin@group
1487         \CT@setup
1488         \CT@column@color
1489         \CT@row@color
1490         \CT@cell@color
1491         \CT@do@color
1492     \end@group
1493     \@tempdima\ht\z@
1494     \advance\@tempdima\minrowclearance
1495     \vrule\@height\@tempdima\@width\z@
1496     \unhbox\z@\if@RTL\endL\fi}%
1497     \prepnext@tok}
1498 \let\adl@act@classz\@classz
1499 \let\adl@org@classz\@classz
1500 }{}

```

## 14 File beamer-xetex-bidi.def

```

1501 \ProvidesFile{beamer-xetex-bidi.def}[2022/06/07 v0.3 bidi adaptations for beamer class for Xe
1502 \AtBeginDocument{%
1503     \if@RTLmain
1504         \raggedleft
1505     \else
1506         \raggedright
1507     \fi
1508 }
1509
1510 \renewcommand*{\bidi@beamer@ragged}{%
1511     \if@RTL
1512         \raggedleft
1513     \else
1514         \raggedright
1515     \fi
1516 }
1517
1518

```

## 15 File beamerbaseauxtemplates-xetex-bidi.def

```

1519 \ProvidesFile{beamerbaseauxtemplates-xetex-bidi.def}[2022/06/06 v0.2 bidi adaptations for be
1520 \bidi@csundef{beamer@tmpop@section in toc@circle}
1521
1522 \bidi@csundef{beamer@tmpop@subsection in toc@circle}
1523

```



```

1524 \bidi@csundef{beamer@@tmpop@subsubsection in toc@circle}
1525
1526 \defbeamertemplate{section in toc}{circle}
1527 {\leavevmode\bidi@beamer@leftskip=2ex%
1528 \llap{%
1529 \usebeamerfont*{section number projected}%
1530 \usebeamercolor{section number projected}%
1531 \begin{pgfpicture}{-1ex}{0ex}{1ex}{2ex}
1532 \color{bg}
1533 \pgfpathcircle{\pgfpoint{0pt}{.75ex}}{1.2ex}
1534 \pgfusepath{fill}
1535 \pgftext[base]{\color{fg}\inserttocsectionnumber}
1536 \end{pgfpicture}\kern1.25ex%
1537 }%
1538 \inserttocsection\par}
1539
1540 \defbeamertemplate{subsection in toc}{circle}
1541 {\leavevmode\bidi@beamer@leftskip=2em\inserttocsubsection\par}
1542
1543 \defbeamertemplate{subsubsection in toc}{circle}
1544 {\leavevmode\normalsize\usebeamerfont{subsection in
1545 toc}\bidi@beamer@leftskip=3em\usebeamerfont{subsubsection in toc}%
1546 \inserttocsubsubsection\par}
1547
1548 \bidi@csundef{beamer@@tmpop@section in toc@square}
1549
1550 \bidi@csundef{beamer@@tmpop@subsection in toc@square}
1551
1552 \bidi@csundef{beamer@@tmpop@subsubsection in toc@square}
1553
1554 \bidi@csundef{beamer@@tmpop@enumerate item@square}
1555
1556 \bidi@csundef{beamer@@tmpop@enumerate subitem@square}
1557
1558 \bidi@csundef{beamer@@tmpop@enumerate subsubitem@square}
1559
1560 \bidi@csundef{beamer@@tmpop@enumerate mini template@square}
1561
1562 \defbeamertemplate{section in toc}{square}
1563 {\leavevmode\bidi@beamer@leftskip=1.75ex%
1564 \llap{%
1565 \usebeamerfont*{section number projected}%
1566 \usebeamercolor[bg]{section number projected}%
1567 \if@RTL
1568 \else
1569 \vrule width2.25ex height1.85ex depth.4ex%
1570 \hskip-2.25ex%
1571 \fi
1572 \hbox to2.25ex{{\hfil\color{fg}\inserttocsectionnumber\hfil}}%
1573 \if@RTL
1574 \hskip-2.25ex%
1575 \vrule width2.25ex height1.85ex depth.4ex%
1576 \fi
1577 }%

```



```

1578 \kern1.25ex\inserttocsection\par}
1579
1580 \defbeamerteremplate{subsection in toc}{square}
1581 {\leavevmode\ bidi@beamer@leftskip=5ex\llap{%
1582   \usebeamercolor[bg]{subsection number projected}%
1583   \vrule width1ex height1ex\kern1ex}}\inserttocsubsection\par}
1584
1585 \defbeamerteremplate{subsubsection in toc}{square}
1586 {\leavevmode\normalsize\usebeamerfont{subsection in
1587   toc}\ bidi@beamer@leftskip=7ex\usebeamerfont{subsubsection in toc}%
1588   \llap{%
1589     \usebeamercolor[bg]{subsubsection number projected}%
1590     \vrule width0.75ex height0.75ex\kern1ex}}\inserttocsubsubsection\par}
1591
1592 \defbeamerteremplate{enumerate item}{square}
1593 {
1594   \hbox{%
1595     \usebeamerfont*{item projected}%
1596     \usebeamercolor[bg]{item projected}%
1597     \if@RTL
1598     \else
1599       \vrule width2.25ex height1.85ex depth.4ex%
1600       \hskip-2.25ex%
1601     \fi
1602     \hbox to2.25ex{%
1603       \hfil%
1604       \color{fg}\insertenumlabel%
1605       \hfil}}%
1606     \if@RTL
1607       \hskip-2.25ex%
1608       \vrule width2.25ex height1.85ex depth.4ex%
1609     \fi
1610   }%
1611 }
1612 [action]
1613 {\setbeamerfont{item projected}{size=\scriptsize}}
1614
1615 \defbeamerteremplate{enumerate subitem}{square}
1616 {
1617   \hbox{%
1618     \usebeamerfont*{subitem projected}%
1619     \usebeamercolor[bg]{subitem projected}%
1620     \if@RTL
1621     \else
1622       \vrule width2.25ex height1.85ex depth.4ex%
1623       \hskip-2.25ex%
1624     \fi
1625     \hbox to2.25ex{%
1626       \hfil%
1627       \color{fg}\insertsubenumlabel%
1628       \hfil}}%
1629     \if@RTL
1630       \hskip-2.25ex%
1631       \vrule width2.25ex height1.85ex depth.4ex%

```



```

1632     \fi
1633   }}%
1634 }
1635
1636 \defbeamertemplate{enumerate subsubitem}{square}
1637 {
1638   \hbox{%
1639     \usebeamerfont*{subitem projected}%
1640     \usebeamercolor[bg]{subsubitem projected}%
1641     \if@RTL
1642     \else
1643       \vrule width2.25ex height1.85ex depth.4ex%
1644       \hskip-2.25ex%
1645     \fi
1646     \hbox to2.25ex{%
1647       \hfil%
1648       \color{fg}\insertsubsubenumlabel%
1649       \hfil}}%
1650     \if@RTL
1651       \hskip-2.25ex%
1652       \vrule width2.25ex height1.85ex depth.4ex%
1653     \fi
1654   }}%
1655 }
1656
1657 \defbeamertemplate{enumerate mini template}{square}
1658 {
1659   \hbox{%
1660     \usebeamerfont*{\beameritemnestingprefix item projected}%
1661     \usebeamercolor[bg]{\beameritemnestingprefix item projected}%
1662     \if@RTL
1663     \else
1664       \vrule width2.25ex height1.85ex depth.4ex%
1665       \hskip-2.25ex%
1666     \fi
1667     \hbox to2.25ex{%
1668       \hfil%
1669       \color{fg}\insertenumlabel%
1670       \hfil}}%
1671     \if@RTL
1672       \hskip-2.25ex%
1673       \vrule width2.25ex height1.85ex depth.4ex%
1674     \fi
1675   }}%
1676 }
1677
1678 \bidi@csundef{beamer@@tmpop@section in toc@ball}
1679
1680 \bidi@csundef{beamer@@tmpop@subsection in toc@ball}
1681
1682 \bidi@csundef{beamer@@tmpop@subsubsection in toc@ball}
1683
1684 \defbeamertemplate{section in toc}{ball}
1685 {\leavevmode\bidi@beamer@leftskip=2.75ex%

```



```

1686 \llap{%
1687   \normalsize%
1688   \begin{pgfpicture}{-1ex}{-0.7ex}{1ex}{1ex}
1689     \pgftext{\beamer@usesphere{section number projected}{tocsphere}}
1690     \pgftext{%
1691       \usebeamerfont*{section number projected}%
1692       \usebeamerfont*{section number projected}%
1693       \color{fg!90!bg}%
1694       \inserttocsectionnumber}
1695     \end{pgfpicture}%
1696     \kern1.25ex}%
1697 \inserttocsection\par
1698 }
1699 [action]
1700 {\setbeamerfont{section number projected}{size=\scriptsize}}
1701
1702 \defbeamertemplate{subsection in toc}{ball}
1703 {\leavevmode\ bidi@beamer@leftskip=5ex%
1704   \llap{\raise0.1ex\beamer@usesphere{subsection number projected}{bigsphere}\kern1ex}%
1705   \inserttocsubsection\par%
1706 }
1707
1708 \defbeamertemplate{subsubsection in toc}{ball}
1709 {\leavevmode\normalsize\usebeamerfont{subsection in
1710   toc}\ bidi@beamer@leftskip=7ex\usebeamerfont{subsubsection in toc}%
1711   \llap{\beamer@usesphere{subsubsection number projected}{bigsphere}\kern0.75ex}%
1712   \inserttocsubsubsection\par%
1713 }
1714
1715 \bidi@csundef{beamer@@tmpop@block begin@rounded}
1716
1717 \bidi@csundef{beamer@@tmpop@block alerted begin@rounded}
1718
1719 \bidi@csundef{beamer@@tmpop@block example begin@rounded}
1720
1721 \defbeamertemplate{block begin}{rounded}[1][shadow=false]
1722 {%
1723   \par\vskip\medskipamount%
1724   \begin{beamerboxesrounded}[upper=block title,lower=block body,#1]%
1725     {\raggedright\usebeamerfont*{block title}\insertblocktitle}%
1726     \bidi@beamer@ragged%
1727     \usebeamerfont{block body}%
1728   }
1729
1730 \defbeamertemplate{block alerted begin}{rounded}[1][shadow=false]
1731 {%
1732   \par\vskip\medskipamount%
1733   \begin{beamerboxesrounded}[upper=block title alerted,lower=block body alerted,#1]%
1734     {\raggedright\usebeamerfont*{block title alerted}\insertblocktitle}%
1735     \bidi@beamer@ragged%
1736     \usebeamerfont{block body alerted}%
1737   }%
1738
1739 \defbeamertemplate{block example begin}{rounded}[1][shadow=false]

```



```

1740 {%
1741   \par\vskip\medskipamount%
1742   \begin{beamerboxesrounded}[upper=block title example,lower=block body example,#1]
1743     {\raggedright\usebeamerfont*{block title example}\insertblocktitle}%
1744     \bidi@beamer@ragged%
1745     \usebeamerfont{block body example}%
1746 }%
1747

```

## 16 File beamerbaseboxes-xetex-bidi.def

```

1748 \ProvidesFile{beamerbaseboxes-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for beamerbas
1749 \renewcommand\beamerboxesrounded[2] [] {%
1750   \global\let\beamer@firstlineitemizeunskip=\relax%
1751   \vbox\bgroup%
1752   \setkeys{beamerboxes}{upper=block title,lower=block body,width=\textwidth,shadow=false}%
1753   \setkeys{beamerboxes}{#1}%
1754   {%
1755     \usebeamercolor{\bmb@lower}%
1756     \globalcolorstrue%
1757     \colorlet{lower.bg}{bg}%
1758   }%
1759   {%
1760     \usebeamercolor{\bmb@upper}%
1761     \globalcolorstrue%
1762     \colorlet{upper.bg}{bg}%
1763   }%
1764   %
1765   % Typeset head
1766   %
1767   \vskip4bp
1768   \setbox\bmb@box=\hbox{%
1769     \begin{minipage}[b]{\bmb@width}%
1770       \usebeamercolor{fg}{\bmb@upper}%
1771       #2%
1772     \end{minipage}}%
1773   \ifdim\wd\bmb@box=0pt%
1774     \setbox\bmb@box=\hbox{}%
1775     \ht\bmb@box=1.5pt%
1776     \bmb@prevheight=-4.5pt%
1777   \else%
1778     \wd\bmb@box=\bmb@width%
1779     \bmb@temp=\dp\bmb@box%
1780     \ifdim\bmb@temp<1.5pt%
1781       \bmb@temp=1.5pt%
1782     \fi%
1783     \setbox\bmb@box=\hbox{\raise\bmb@temp\hbox{\box\bmb@box}}%
1784     \dp\bmb@box=0pt%
1785     \bmb@prevheight=\ht\bmb@box%
1786   \fi%
1787   \bmb@temp=\bmb@width%
1788   \bmb@dima=\bmb@temp\advance\bmb@dima by2.2bp%
1789   \bmb@dimb=\bmb@temp\advance\bmb@dimb by4bp%
1790   \hbox{%

```



```

1791 \begin{pgfpicture}{0bp}{+-\ht\bmb@box}{0bp}{+-\ht\bmb@box}
1792 \ifdim\wd\bmb@box=0pt%
1793 \color{lower.bg}%
1794 \else%
1795 \color{upper.bg}%
1796 \fi%
1797 \pgfpathmoveto{-4bp}{-1bp}
1798 \pgfpathcurveto{-4bp}{1.2bp}{-2.2bp}{3bp}{0bp}{3bp}
1799 \pgfpathlineto{\pgfpoint{\bmb@temp}{3bp}}
1800 \pgfpathcurveto%
1801 {\pgfpoint{\bmb@dima}{3bp}}%
1802 {\pgfpoint{\bmb@dimb}{1.2bp}}%
1803 {\pgfpoint{\bmb@dimb}{-1bp}}%
1804 \bmb@dima=-\ht\bmb@box%
1805 \advance\bmb@dima by-2pt%
1806 \pgfpathlineto{\pgfpoint{\bmb@dimb}{\bmb@dima}}
1807 \pgfpathlineto{\pgfpoint{-4bp}{\bmb@dima}}
1808 \pgfusepath{fill}
1809 \end{pgfpicture}%
1810 \copy\bmb@box%
1811 }%
1812 \nointerlineskip%
1813 \vskip-1pt%
1814 \ifdim\wd\bmb@box=0pt%
1815 \else%
1816 \hbox{%
1817 \begin{pgfpicture}{0pt}{0pt}{\bmb@width}{6pt}
1818 \bmb@dima=\bmb@width%
1819 \advance\bmb@dima by8bp%
1820 \pgfpathrectangle{\pgfpoint{-4bp}{-1bp}}{\pgfpoint{\bmb@dima}{8bp}}
1821 \pgfusepath{clip}
1822 {\pgftransformshift{\pgfpoint{-4bp}{0bp}}\pgftext[left,base]{\pgfuseshading{\bmb@transi
1823 \end{pgfpicture}%
1824 }%
1825 \nointerlineskip%
1826 \vskip-0.5pt%
1827 \fi%
1828 \setbox\bmb@colorbox=\hbox{\pgfpicturetrue\pgfsetcolor{lower.bg}}%
1829 \setbox\bmb@box=\hbox\bgroup\begin{minipage}[b]{\bmb@width}%
1830 \vskip2pt%
1831 \usebeamercolor[fg]{\bmb@lower}%
1832 \colorlet{beamerstructure}{upper.bg}%
1833 \colorlet{structure}{upper.bg}%
1834 %\color{.}%
1835 \@bidi@list@minipage@parboxfalse
1836 }
1837
1838 \bidi@patchcmd{\endbeamerboxesrounded}{\begingroup}{%
1839 \begingroup
1840 \@RTLfalse
1841 }{}{}
1842
1843

```



## 17 File beamerbasecolor-xetex-bidi.def

```
1844 \ProvidesFile{beamerbasecolor-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for beamerbas
1845 \renewenvironment{beamercolobox}[2][]{%
1846   \def\beamer@vmode{\leavevmode}%
1847   \setkeys{beamercolobox}{wd=\textwidth,ht={},dp={},%
1848     leftskip=0pt,rightskip=0pt plus1fil,%
1849     sep=0pt,colsep=0pt,colsep*=0pt,%
1850     shadow=false,rounded=false,ignorebg=false}%
1851   \if@RTL
1852     \setkeys{beamercolobox}{rightskip=0pt,leftskip=0pt plus1fil}%
1853   \else
1854     \setkeys{beamercolobox}{leftskip=0pt,rightskip=0pt plus1fil}%
1855   \fi
1856   \setkeys{beamercolobox}{#1}%
1857   \ifbeamercoloreempty[bg]{#2}{\@tempswafalse}{\@tempswatrue}%
1858   \ifbeamer@colbox@ignorebg\@tempswafalse\fi%
1859   \def\beamer@colbox@color{#2}%
1860   \setbox\beamer@tempbox=\hbox\bgroup\color@begingroup
1861     \ifbeamer@colbox@ignorebg%
1862       \colorlet{beamer@temp@color}{bg}%
1863       \usebeamercolor[fg]{#2}%
1864       \colorlet{bg}{beamer@temp@color}%
1865     \else%
1866       \usebeamercolor[fg]{#2}%
1867     \fi%
1868     \beginL
1869     \vbox\bgroup%
1870     \hsize=\beamer@colbox@wd%
1871     \@arrayparboxrestore%
1872     \leftskip=\beamer@colbox@ls%
1873     \ifdim\beamer@colbox@sep>\z@\advance\leftskip\beamer@colbox@sep\fi%
1874     \rightskip=\beamer@colbox@rs%
1875     \ifdim\beamer@colbox@sep>\z@\advance\rightskip\beamer@colbox@sep\fi%
1876     \if@tempswa\ifdim\beamer@colbox@colsep>\z@%
1877       \advance\leftskip by\beamer@colbox@colsep%
1878       \advance\rightskip by\beamer@colbox@colsep%
1879       \vskip\beamer@colbox@colsep%
1880     \fi%
1881     \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
1882     \fi%
1883     \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
1884     \beamer@vmode\ignorespaces}{%
1885     \ifdim\beamer@colbox@sep>\z@\vskip\beamer@colbox@sep\fi%
1886     \if@tempswa
1887       \ifdim\beamer@colbox@colsep>\z@\vskip\beamer@colbox@colsep\fi%
1888       \ifdim\beamer@colbox@colseps>\z@\vskip\beamer@colbox@colseps\fi%
1889     \fi%
1890   \egroup\endL\color@endgroup\egroup%
1891   \wd\beamer@tempbox=\beamer@colbox@wd%
1892   \ifx\beamer@colbox@ht\empty\else\ht\beamer@tempbox=\beamer@colbox@ht\fi%
1893   \ifx\beamer@colbox@dp\empty\else\dp\beamer@tempbox=\beamer@colbox@dp\fi%
1894   \ifbeamer@colbox@rounded%
1895     \if@tempswa%
```



```

1896 \begin{beamerboxesrounded}[%
1897   shadow=\beamer@colbox@shadow,%
1898   lower=\beamer@colbox@color,%
1899   upper=normal text,%
1900   width=\beamer@colbox@wd]{}%
1901   \box\beamer@tempbox%
1902 \end{beamerboxesrounded}%
1903 \else%
1904 \ifdim\wd\beamer@tempbox>\textwidth%
1905   \setbox\beamer@tempbox=\hbox to\textwidth{\hss\box\beamer@tempbox\hss}%
1906 \fi%
1907 \box\beamer@tempbox%
1908 \fi%
1909 \else%
1910 \if@tempswa\setbox\beamer@tempbox=\hbox{%
1911   \usebeamercolor{\beamer@colbox@color}%
1912   \hskip-\beamer@colbox@colseps%
1913   \fboxsep=\z@\colorbox{bg}{}%
1914   \hskip\beamer@colbox@colseps%
1915   \box\beamer@tempbox%
1916   \hskip\beamer@colbox@colseps%
1917 }%
1918 \hskip-\beamer@colbox@colseps%
1919 }\fi%
1920 \ifdim\wd\beamer@tempbox>\textwidth%
1921   \setbox\beamer@tempbox=\hbox to\textwidth{\hskip0pt minus\beamer@leftmargin\relax\box\
1922 \fi%
1923 \box\beamer@tempbox%
1924 \fi%
1925 }
1926
1927

```

## 18 File beamerbasecompatibility-xetex-bidi.def

```

1928 \ProvidesFile{beamerbasecompatibility-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for b
1929 \def\insertvrule#1#2{\hbox{\color{#2}\hskip-\Gm\lmargin\vrule width \paperwidth height #1\
1930
1931

```

## 19 File beamerbaseframecomponents-xetex-bidi.def

```

1932 \ProvidesFile{beamerbaseframecomponents-xetex-bidi.def}[2022/06/13 v0.4 bidi adaptations for
1933 \renewcommand{\setbeamer size}[1]{%
1934 \beamer@dogeometryfalse%
1935 \setkeys{beamer@margin}{#1}%
1936 \ifbeamer@dogeometry%
1937   % Reset left margin now
1938   \beamer@tempdim=\beamer@leftmargin%
1939   \advance\beamer@tempdim by\beamer@leftsidebar%
1940 \if@RTLmain
1941   \geometry{right=\the\beamer@tempdim}%
1942 \else
1943   \geometry{left=\the\beamer@tempdim}%

```



```

1944 \fi
1945 % Reset right margin now
1946 \beamer@tempdim=\beamer@rightmargin%
1947 \advance\beamer@tempdim by\beamer@rightsidebar%
1948 \if@RTLmain
1949 \geometry{left=\the\beamer@tempdim}%
1950 \else
1951 \geometry{right=\the\beamer@tempdim}%
1952 \fi
1953 \fi%
1954 }
1955
1956 \newcommand*\bidi@beamer@Gm@lmargin}{%
1957 \if@RTLmain
1958 \Gm@rmargin
1959 \else
1960 \Gm@lmargin
1961 \fi
1962 }
1963
1964 \newcommand*\bidi@beamer@Gm@rmargin}{%
1965 \if@RTLmain
1966 \Gm@lmargin
1967 \else
1968 \Gm@rmargin
1969 \fi
1970 }
1971
1972 \def\ps@navigation{
1973 \def\@oddhead{%
1974 \begingroup%
1975 \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti
1976 \beamer@tempdim=\ht\beamer@tempbox%
1977 \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
1978 \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
1979 \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
1980 \beamer@tempdim=\ht\@tempboxa%
1981 \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}%
1982 \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
1983 \vbox{\hbox{\hspace-\bidi@beamer@Gm@lmargin\box\beamer@tempbox\box\@tempboxa}%
1984 \hbox{%
1985 {%
1986 \setbox\beamer@tempbox=\hbox{\hspace-\bidi@beamer@Gm@lmargin%
1987 \if@RTLmain
1988 {%
1989 \vbox to \sidebarheight{%
1990 \usebeamertemplate***{sidebar left}%
1991 \vfil%
1992 }}}}
1993 \ifpackageloaded{beamerinnerthemeinmargin}{}%
1994 \hspace-\textwidth
1995 }%
1996 \fi
1997 {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%

```



```

1998         \usebeamercolor*{sidebar left}%
1999         \usebeamertemplate{sidebar canvas left}%
2000         \vss%
2001     }}%
2002     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2003     \box\beamer@tempbox}%
2004     \if@RTLmain
2005     \else
2006     {%
2007         \vbox to \sidebarheight{%
2008             \usebeamertemplate***{sidebar left}%
2009             \vfil%
2010         }}\fi}%
2011     \beamer@tempdim=\ht\beamer@tempbox%
2012     \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
2013     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2014     \box\beamer@tempbox%
2015 }%
2016 {% print right sidebar first, since it should be overwritten by headline
2017     \setbox\beamer@tempbox=\hbox{\hskip\textwidth\hskip\beamer@rightmargin%
2018     \if@RTLmain
2019         {%
2020             \vbox to \sidebarheight{%
2021                 \usebeamertemplate***{sidebar right}%
2022                 \vfil%
2023             }}%
2024     \hskip-\textwidth
2025     \fi
2026     {\setbox\beamer@tempbox=\hbox{\vbox to \sidebarheight{%
2027         \usebeamercolor*{sidebar right}%
2028         \usebeamertemplate{sidebar canvas right}%
2029         \vss%
2030     }}%
2031     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2032     \box\beamer@tempbox}%
2033     \if@RTLmain
2034     \else
2035     {%
2036         \vbox to \sidebarheight{%
2037             \usebeamertemplate***{sidebar right}%
2038             \vfil%
2039         }}\fi}%
2040     \beamer@tempdim=\ht\beamer@tempbox%
2041     \setbox\beamer@tempbox=\hbox{{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}}%
2042     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2043     \box\beamer@tempbox%
2044 }%
2045     \beamer@typesetheadorfoot{headline}%
2046 }%
2047     \hfil}%
2048 \endgroup}
2049 \def\@oddfoot{%
2050     \vbox{\offinterlineskip\hbox{\beamer@typesetheadorfoot{footline}%
2051     \hfil}\hbox{}}\hfil

```



```

2052 }%
2053 \let\@evenhead\@oddhead
2054 \let\@evenfoot\@oddfoot}
2055
2056 \AtBeginDocument{%
2057   \pagestyle{navigation}%
2058 }
2059
2060 \def\beamer@typesetheadorfoot#1{% typeset the head or footline
2061   {\parskip0pt\offinterlineskip%
2062     \hbox{%
2063       \hskip-\bidi@beamer@Gm@lmargin%
2064       \hbox{%
2065         \vbox{%
2066           \@tempdima=\textwidth%
2067           \textwidth=\paperwidth%
2068           \hsize=\textwidth%
2069           \def\{,%
2070             \usebeamertemplate***{#1}%
2071           }%
2072           \hskip-\bidi@beamer@Gm@rmargin%
2073         }\hfil%
2074       }
2075     }
2076 \def\ps@empty{%
2077   \let\@mkboth\@gobbletwo%
2078   \def\@oddhead{\beginingroup%
2079     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{background canvas}\hyper@pagetransiti
2080     \beamer@tempdim=\ht\beamer@tempbox%
2081     \setbox\beamer@tempbox=\hbox{\lower\beamer@tempdim\hbox{\box\beamer@tempbox}}%
2082     \wd\beamer@tempbox=0pt\ht\beamer@tempbox=0pt\dp\beamer@tempbox=0pt%
2083     \setbox\@tempboxa=\hbox{\usebeamertemplate***{background}}%
2084     \beamer@tempdim=\ht\@tempboxa%
2085     \setbox\@tempboxa=\hbox{\lower\beamer@tempdim\hbox{\box\@tempboxa}}%
2086     \wd\@tempboxa=0pt\ht\@tempboxa=0pt\dp\@tempboxa=0pt%
2087     \vbox{\hbox{\hskip-\Gm@lmargin\raise\headheight\box\beamer@tempbox\raise\headheight\box\
2088     \endgroup%
2089   }
2090   \def\@oddfoot{\normalcolor\hfil%
2091     \setbox\beamer@tempbox=\hbox{\usebeamertemplate***{navigation symbols}\hskip-\Gm@rmargin
2092     \ht\beamer@tempbox=0pt%
2093     \dp\beamer@tempbox=0pt%
2094     \box\beamer@tempbox}}
2095   \let\@evenhead\@oddhead\let\@evenfoot\@oddfoot}
2096
2097 \renewcommand<>\beamer@columncom[2][\beamer@colmode]{%
2098   \beamer@colclose%
2099   \def\beamer@colclose{\end{minipage}\hfill\end{actionenv}\ignorespaces}%
2100 \begin{actionenv}#3%
2101   \setkeys{beamer@col}{#1}%
2102   \begin{minipage}[\beamer@colalign]{#2}%
2103     \leavevmode\bidi@beamer@ragged\beamer@colheadskip\ignorespaces}
2104
2105 \renewenvironment<>{columns}[1][]{%

```



```

2106 \begin{actionenv}#2%
2107 \ifbeamer@onlytextwidth
2108   \def\beamer@colentrycode{\hbox to\textwidth\bgroup\ignorespaces}%
2109   \def\beamer@colexitcode{\unskip\egroup}
2110 \else%
2111   \def\beamer@colentrycode{%
2112     \hbox to\textwidth\bgroup%
2113     \leavevmode%
2114     \hskip-\beamer@leftmargin%
2115     \nobreak%
2116     \beamer@tempdim=\textwidth%
2117     \advance\beamer@tempdim by\beamer@leftmargin%
2118     \advance\beamer@tempdim by\beamer@rightmargin%
2119     \hbox to\beamer@tempdim\bgroup%
2120     \hbox{\hfill\ignorespaces}%
2121     \def\beamer@colexitcode{\egroup%
2122       \nobreak%
2123       \hskip-\beamer@rightmargin\egroup}%
2124   \fi%
2125   \ifbeamer@centered\setkeys{beamer@col}{c}\else\setkeys{beamer@col}{t}\fi%
2126   \setkeys{beamer@col}{#1}%
2127   \par%
2128   \leavevmode
2129   \beamer@colentrycode%
2130   \def\beamer@colclose{\ignorespaces}%
2131   {\beamer@colclose\def\beamer@colclose{\beamer@colexitcode\end{actionenv}}}%
2132
2133
2134 \def\@makeRTLftntext#1{%
2135   \def\insertfootnotetext{#1}%
2136   \def\insertfootnotemark{\@makefnmark}%
2137   \usebeamertemplate***{RTLfootnote}}
2138
2139 \def\@makeLTRftntext#1{%
2140   \def\insertfootnotetext{#1}%
2141   \def\insertfootnotemark{\@makefnmark}%
2142   \usebeamertemplate***{LTRfootnote}}
2143
2144 \renewcommand<>\beamer@framefootnotetext [1]{%
2145   \global\setbox\beamer@footins\vbox{%
2146     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
2147     \hsize\framewidth
2148     \textwidth\hsize
2149     \columnwidth\hsize
2150     \unvbox\beamer@footins
2151     \reset@font
2152     \bidi@footnotetext@font
2153     \@parboxrestore
2154     \protected@edef\@currentlabel
2155       {\csname p@footnote\endcsname\@thefnmark}%
2156     \color@begingroup
2157     \uncover#2{\@makefntext{%
2158       \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2159     \color@endgroup}}

```



```

2160
2161 \renewcommand<>\beamer@frameRTLfootnotetext[1]{%
2162   \global\setbox\beamer@footins\vbox{%
2163     \RTLtrue
2164     \hsize\framewidth
2165     \textwidth\hsize
2166     \columnwidth\hsize
2167     \unvbox\beamer@footins
2168     \reset@font
2169     \bidi@@RTLfootnotetext@font
2170     \@parboxrestore
2171     \protected@edef\@currentlabel
2172       {\csname p@footnote\endcsname\@thefnmark}%
2173     \color@begingroup
2174     \uncover#2{\@makeRTLfnstext{%
2175       \rule\z@\footnotesepp\ignorespaces#1\@finalstrut\strutbox}}%
2176     \color@endgroup}}
2177
2178 \renewcommand<>\beamer@frameLTRfootnotetext[1]{%
2179   \global\setbox\beamer@footins\vbox{%
2180     \RTLfalse
2181     \hsize\framewidth
2182     \textwidth\hsize
2183     \columnwidth\hsize
2184     \unvbox\beamer@footins
2185     \reset@font
2186     \bidi@@LTRfootnotetext@font
2187     \@parboxrestore
2188     \protected@edef\@currentlabel
2189       {\csname p@footnote\endcsname\@thefnmark}%
2190     \color@begingroup
2191     \uncover#2{\@makeLTRfnstext{%
2192       \rule\z@\footnotesepp\ignorespaces#1\@finalstrut\strutbox}}%
2193     \color@endgroup}}
2194
2195 \renewcommand<>\@mpfootnotetext[1]{%
2196 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\ifRTL@footnote\global\let\bidi@mpfootnotetext\beamer@frameRTLfootnotetext\else\let\bidi@mpfootnotetext\beamer@frameLTRfootnotetext\fi
2197   \global\setbox\@mpfootins\vbox{%
2198     \ifRTL@footnote\RTLtrue\else\RTLfalse\fi
2199     \unvbox\@mpfootins
2200     \reset@font
2201     \bidi@@footnotetext@font
2202     \hsize\columnwidth
2203     \@parboxrestore
2204     \protected@edef\@currentlabel
2205       {\csname p@mpfootnote\endcsname\@thefnmark}%
2206     \color@begingroup
2207     \uncover#2{\@makefnstext{%
2208       \rule\z@\footnotesepp\ignorespaces#1\@finalstrut\strutbox}}%
2209     \color@endgroup}}
2210
2211 \renewcommand<>\@mpRTLfootnotetext[1]{%
2212 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnotetext\beamer@frameRTLfootnotetext\else\let\bidi@mpfootnotetext\beamer@frameLTRfootnotetext\fi
2213   \global\setbox\@mpfootins\vbox{%

```



```

2214 \RTLtrue
2215 \unvbox\@mpfootins
2216 \reset@font
2217 \bidi@RTLfootnotetext@font
2218 \hsize\columnwidth
2219 \@parboxrestore
2220 \protected@edef\@currentlabel
2221   {\csname p@mpfootnote\endcsname\@thefnmark}%
2222 \color@begingroup
2223   \uncover#2{\@makeRTLfntext{%
2224     \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2225 \color@endgroup}}
2226
2227 \renewcommand<>\@mpLTRfootnotetext [1] {%
2228 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnot
2229 \global\setbox\@mpfootins\vbox{%
2230 \RTLfalse
2231 \unvbox\@mpfootins
2232 \reset@font
2233 \bidi@LTRfootnotetext@font
2234 \hsize\columnwidth
2235 \@parboxrestore
2236 \protected@edef\@currentlabel
2237   {\csname p@mpfootnote\endcsname\@thefnmark}%
2238 \color@begingroup
2239   \uncover#2{\@makeLTRfntext{%
2240     \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}}%
2241 \color@endgroup}}
2242
2243 \let\@footnotetext=\beamer@framefootnotetext
2244 \let\@RTLfootnotetext=\beamer@frameRTLfootnotetext
2245 \let\@LTRfootnotetext=\beamer@frameLTRfootnotetext
2246
2247 \footdir@temp\footdir@ORG@bidi@beamer@footnotetext\@footnotetext{\bidi@footdir@footnote}%
2248 \footdir@temp\footdir@ORG@bidi@beamer@RTLfootnotetext\@RTLfootnotetext{R}%
2249 \footdir@temp\footdir@ORG@bidi@beamer@LTRfootnotetext\@LTRfootnotetext{L}%
2250
2251 \renewcommand<>{\footnote} [1] [] {%
2252 \let\beamer@footnotetext=\@footnotetext%
2253 \let\beamer@mpfn=\@mpfn%
2254 \let\beamer@thempfn=\@thempfn%
2255 \let\beamer@kvorig=\KV@errx%
2256 \let\beamer@xkvorig=\XKV@err
2257 \def\beamer@footarg{}%
2258 \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2259 \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2260 \setkeys{beamerfootnote}{#1}%
2261 \let\KV@errx=\beamer@kvorig%
2262 \let\XKV@errx=\beamer@xkvorig
2263 \ifx\beamer@footarg\@empty%
2264 \def\beamer@next{\stepcounter\beamer@mpfn
2265 \protected@xdef\@thefnmark{\beamer@thempfn}%
2266 \@footnotemark\beamer@footnotetext#2}%
2267 \else%

```



```

2268 \def\beamer@next{%
2269 \begingroup
2270 \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2271 \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2272 \endgroup
2273 \@footnotemark\beamer@footnotetext#2}%
2274 \fi%
2275 \beamer@next}
2276
2277 \renewcommand<>{\RTLfootnote}[1] [] {%
2278 \let\beamer@RTLfootnotetext=\@RTLfootnotetext%
2279 \let\beamer@mpfn=\@mpfn%
2280 \let\beamer@thempfn=\thempfn%
2281 \let\beamer@kvorig=\KV@errx%
2282 \let\beamer@xkvorig=\XKV@err
2283 \def\beamer@footarg{%
2284 \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2285 \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2286 \setkeys{beamerfootnote}{#1}%
2287 \let\KV@errx=\beamer@kvorig%
2288 \let\XKV@errx=\beamer@xkvorig
2289 \ifx\beamer@footarg\@empty%
2290 \def\beamer@next{\stepcounter\beamer@mpfn
2291 \protected@xdef\@thefnmark{\beamer@thempfn}%
2292 \@footnotemark\beamer@RTLfootnotetext#2}%
2293 \else%
2294 \def\beamer@next{%
2295 \begingroup
2296 \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2297 \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2298 \endgroup
2299 \@footnotemark\beamer@RTLfootnotetext#2}%
2300 \fi%
2301 \beamer@next}
2302
2303 \renewcommand<>{\LTRfootnote}[1] [] {%
2304 \let\beamer@LTRfootnotetext=\@LTRfootnotetext%
2305 \let\beamer@mpfn=\@mpfn%
2306 \let\beamer@thempfn=\thempfn%
2307 \let\beamer@kvorig=\KV@errx%
2308 \let\beamer@xkvorig=\XKV@err
2309 \def\beamer@footarg{%
2310 \def\KV@errx##1{\edef\beamer@footarg{\@tempa}}%
2311 \def\XKV@err##1{\edef\beamer@footarg{\XKV@tkey}}%
2312 \setkeys{beamerfootnote}{#1}%
2313 \let\KV@errx=\beamer@kvorig%
2314 \let\XKV@errx=\beamer@xkvorig
2315 \ifx\beamer@footarg\@empty%
2316 \def\beamer@next{\stepcounter\beamer@mpfn
2317 \protected@xdef\@thefnmark{\beamer@thempfn}%
2318 \@footnotemark\beamer@LTRfootnotetext#2}%
2319 \else%
2320 \def\beamer@next{%
2321 \begingroup

```



```

2322         \csname c@\beamer@mpfn\endcsname\beamer@footarg\relax
2323         \unrestored@protected@xdef\@thefnmark{\beamer@thempfn}%
2324     \endgroup
2325     \@footnotemark\beamer@LTRfootnotetext#2}%
2326 \fi%
2327 \beamer@next}
2328
2329

```

## 20 File beamerbaseframesize-xetex-bidi.def

```

2330 \ProvidesFile{beamerbaseframesize-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beamer]
2331 \def\beamer@framezoom<#1><#2>[#3] (#4, #5) (#6, #7){%
2332     \par\nointerlineskip%
2333     \global\beamer@slidehaszoomtrue%
2334     \advance\beamer@zoomcount by1\relax%
2335     \def\beamer@zoomborderwidth{0}%
2336     \edef\beamer@labelzoomed{\beamer@labelzoomed@\the\beamer@zoomframecount @\the\beamer@zoomcount}%
2337     \setkeys{beamerzoom}{#3}%
2338     \only<#1>{%
2339         {\hypersetup{pdfhighlight={/P},pdfborder={0 0 \beamer@zoomborderwidth}}}%
2340         \global\setbox\@tempboxa=\vbox{\hyperlink{\beamer@labelzoomed}{%
2341             \expandafter\ifx\csname XeTeXrevision\endcsname\relax
2342                 \vbox to #7{%
2343                     \hbox to#6{\hfil}%
2344                     \vfil%
2345                 }%
2346             \else%
2347                 \begin{group}%
2348                 \normalsize%
2349                 \begin{pgfpicture}{0pt}{0pt}{#6}{#7}%
2350                 \pgfsetfillopacity{0}
2351                 \pgftext [x=0cm,y=3pt]{.}
2352                 \pgftext [x=#6,y=\dimexpr#7-\baselineskip+3pt]{.}
2353                 \end{pgfpicture}%
2354                 \endgroup%
2355                 \fi%
2356             }}}}%
2357     \ht\@tempboxa=0pt%
2358     \wd\@tempboxa=0pt%
2359     \dp\@tempboxa=0pt%
2360     \setbox\@tempboxa=\vbox{\if@RTL\moveleft\else\moveright\fi#4\hbox{\lower#5\vbox{\box\@tempboxa}}}%
2361     \ht\@tempboxa=0pt%
2362     \wd\@tempboxa=0pt%
2363     \dp\@tempboxa=0pt%
2364     \global\setbox\beamer@zoombox=\vbox to0pt{\unvbox\beamer@zoombox\box\@tempboxa}%
2365     }%
2366     \only<#2>{%
2367         \@ifundefined{\beamer@labelzoomed}%
2368         {%
2369             \hypertarget{\beamer@labelzoomed}{}%
2370             \expandafter\gdef\csname\beamer@labelzoomed\endcsname{}%
2371         }{}%
2372         \gdef\beamer@zoomer{%

```



```

2373 % compute zoom factor
2374 \@tempdima=\beamer@frametextheight%
2375 \@tempdimb=#7\relax%
2376 \@tempcnta=\@tempdimb%
2377 \divide\@tempcnta by4096\relax%
2378 \multiply\@tempdima by16\relax%
2379 \divide\@tempdima by\@tempcnta%
2380 \@tempdimb=\paperwidth%
2381 \ifbeamer@plainframe%
2382 \else%
2383   \advance\@tempdimb by-\beamer@leftsidebar%
2384   \advance\@tempdimb by-\beamer@rightsidebar\relax%
2385 \fi%
2386 \@tempdimc=#6\relax%
2387 \@tempcntb=\@tempdimc%
2388 \divide\@tempcntb by4096\relax%
2389 \multiply\@tempdimb by16\relax%
2390 \divide\@tempdimb by\@tempcntb%
2391 \ifdim\@tempdimb<\@tempdima%
2392   \@tempdima=\@tempdimb%
2393 \fi%
2394 \edef\beamer@temp{\strip@pt\@tempdima}%
2395 \@tempdimc=\beamer@frametextheight%
2396 \advance\@tempdimc by4pt%
2397 \@tempdimb=\paperwidth%
2398 \ifbeamer@plainframe%
2399 \else%
2400   \advance\@tempdimb by-\beamer@leftsidebar%
2401   \advance\@tempdimb by-\beamer@rightsidebar\relax%
2402 \fi%
2403 \setbox\@tempboxa=\vbox{\hspace=\@tempdimb\Acrobatmenu{GoBack}{\vbox to
2404   \beamer@frametextheight{\hbox to\@tempdimb{\hfil}\vfil}}}%
2405 \ht\@tempboxa=0pt%
2406 \wd\@tempboxa=0pt%
2407 \dp\@tempboxa=0pt%
2408 \setbox\beamer@framebox=\vbox to\beamer@frametextheight{%
2409   \ifbeamer@plainframe\beamer@leftmargin=\Gm@lmargin\fi%
2410   \if@RTL
2411     \begin{pgfpicture}{\paperwidth-\beamer@leftmargin}{-\beamer@frametextheight}{\paperwidth-\beamer@leftmargin}
2412       \pgftext [right, top]{\box\@tempboxa}
2413       \pgfpathrectangle{\pgfpoint{0pt}{-\@tempdimc}}{\pgfpoint{\@tempdimb}{\@tempdimc}}
2414       \pgfusepath{clip}
2415       \begingroup
2416         \pgftransformscale{\beamer@temp}
2417         \@tempdima=#4\relax%
2418         \@tempdimb=#5\relax%
2419         {\pgftransformshift{\pgfpoint{\@tempdima+#6}{\@tempdimb}}%
2420         \pgftext [right, top]{\vbox{\vbox{} \nointerlineskip\unvbox\beamer@framebox}}
2421       \endgroup
2422     \end{pgfpicture}%
2423   \else
2424     \begin{pgfpicture}{\beamer@leftmargin}{-\beamer@frametextheight}{\beamer@leftmargin+\beamer@rightmargin}
2425       \pgftext [left, top]{\box\@tempboxa}
2426       \pgfpathrectangle{\pgfpoint{0pt}{-\@tempdimc}}{\pgfpoint{\@tempdimb}{\@tempdimc}}

```



```

2427         \pgfusepath{clip}
2428         \begingroup
2429             \pgftransformscale{\beamer@temp}
2430             \@tempdima=#4\relax%
2431             \@tempdimb=#5\relax%
2432             {\pgftransformshift{\pgfpoint{-\@tempdima}{\@tempdimb}}}%
2433             \pgftext[left,top]{\vbox{\vbox{} \nointerlineskip\unvbox\beamer@framebox}}
2434         \endgroup
2435     \end{pgfpicture}%
2436     \fi
2437 }}%
2438 \setbox\beamer@framebox=\vbox{%
2439     \nobreak\vbox{} \nobreak\par \nobreak\beamer@entrycode \nobreak%
2440     \nointerlineskip\unvbox\beamer@frametitlebox%
2441     \nobreak%
2442     \box\beamer@framebox%
2443     \nobreak%
2444     \vss%
2445     \beamer@exitcode%
2446 }%
2447 \global\setbox\beamer@footins=\box\voidb@x% no footnotes in zoomed slides
2448 }%
2449 }%
2450 }
2451
2452

```

## 21 File beamerbaselocalstructure-xetex-bidi.def

```

2453 \ProvidesFile{beamerbaselocalstructure-xetex-bidi.def}[2022/05/24 v0.1 bidi adaptations for
2454 \def\beamer@enum@{%
2455     \beamer@computepref\@itemdepth% sets \beameritemnestingprefix
2456     \usebeamerfont{itemize/enumerate \beameritemnestingprefix body}%
2457     \bgroup
2458     \usebeamercolor[fg]{itemize/enumerate \beameritemnestingprefix body}%
2459     \usebeamertemplate{itemize/enumerate \beameritemnestingprefix body begin}%
2460     \egroup
2461     \expandafter
2462     \list
2463         {\usebeamertemplate{\beamer@enumtempl}}
2464         {\usecounter\@enumctr%
2465         \def\makelabel##1{\hss\llap{\%
2466             \usebeamerfont*{enumerate \beameritemnestingprefix item}%
2467             \usebeamercolor[fg]{enumerate \beameritemnestingprefix item}##1}}}%
2468     \beamer@cramped%
2469     \bidi@beamer@ragged%
2470     \beamer@firstlineitemizeunskip%
2471 }
2472
2473 \renewcommand{\itemize}[1][ ]{%
2474     \ifblank{#1}{\def\beamer@defaultospec{#1}}%
2475     \ifnum \@itemdepth >2\relax\@toodeep\else
2476         \advance\@itemdepth\@ne
2477         \beamer@computepref\@itemdepth% sets \beameritemnestingprefix

```



```

2478 \usebeamerfont{itemize/enumerate \beameritemnestingprefix body}%
2479 \bgroup
2480 \usebeamerfont{fg}{itemize/enumerate \beameritemnestingprefix body}%
2481 \usebeamerfont{itemize/enumerate \beameritemnestingprefix body begin}%
2482 \egroup
2483 \list
2484 {\usebeamerfont{itemize \beameritemnestingprefix item}}
2485 {\def\makelabel##1{%
2486   {%
2487     \hss\llap{%
2488       \usebeamerfont*{itemize \beameritemnestingprefix item}%
2489       \usebeamerfont{fg}{itemize \beameritemnestingprefix item}##1}}%
2490   }%
2491 }%
2492 }
2493 \fi%
2494 \beamer@cramped%
2495 \bidi@beamer@ragged%
2496 \beamer@firstlineitemizeunskip%
2497 }
2498
2499 \def\@@description{%
2500 \advance\beamer@descdefault by \labelsep%
2501 \usebeamerfont{description body}%
2502 \bgroup
2503 \usebeamerfont{fg}{description body}%
2504 \usebeamerfont{description body begin}%
2505 \egroup
2506 \list
2507 {}
2508 {\labelwidth\beamer@descdefault\leftmargin\beamer@descdefault\let\makelabel\beamer@descrip
2509 \beamer@cramped%
2510 \bidi@beamer@ragged
2511 \beamer@firstlineitemizeunskip%
2512 }
2513
2514 \renewenvironment{thebibliography}[1]
2515 {%\leavevmode\unskip%
2516 \ifRTL\ifLTRbibitens\RTLfalse\else\fi\else\ifRTLbibitens\RTLtrue\else\fi\fi
2517 \bidi@thebibliography@font@hook%
2518 \list{\@biblabel{\@arabic\c@enumiv}}%
2519   {\settowidth\labelwidth{\beamer@biblabeltemplate{\@biblabel{#1}}}%
2520   \leftmargin\labelwidth
2521   \advance\leftmargin\labelsep
2522   \itemsep=0pt%
2523   \partopsep=0pt%
2524   \topsep=0pt%
2525   \usecounter{enumiv}%
2526   \let\p@enumiv\@empty
2527   \renewcommand\theenumiv{\@arabic\c@enumiv}
2528   \let\makelabel\beamer@biblabeltemplate}%
2529 \sloppy\bidi@beamer@ragged
2530 \clubpenalty10000
2531 \@clubpenalty \clubpenalty

```



```

2532     \widowpenalty10000%
2533     \sfcode`\.\@m}
2534     {\def\@noitemerr
2535      {\@latex@warning{Empty `thebibliography' environment}}}%
2536     \ifhmode\unskip\fi\endlist}
2537
2538

```

## 22 File beamerbasemisc-xetex-bidi.def

```

2539 \ProvidesFile{beamerbasemisc-xetex-bidi.def}[2022/06/27 v0.1 bidi adaptations for beamerbase
2540 \define@key{beamerst}{width}{%
2541   \def\beamer@ststart{%
2542     \begin{minipage}[t]{#1}%
2543       \bidi@beamer@ragged
2544       \beamer@stalign
2545       \beamer@stlinebreakrule
2546     }%
2547   \def\beamer@stend{\end{minipage}}}}
2548
2549

```

## 23 File beamerbasenavigation-xetex-bidi.def

```

2550 \ProvidesFile{beamerbasenavigation-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for beam
2551 \def\slideentry#1#2#3#4#5#6{%
2552   %section number, subsection number, slide number, first/last frame, page number, part numb
2553   \ifnum#6=\c@part\ifnum#1>0\ifnum#3>0%
2554     \ifbeamer@compress%
2555       \advance\beamer@xpos by1\relax%
2556     \else%
2557       \ifnum#2=0%
2558         \beamer@ypos@offset=1\relax%
2559       \fi
2560       \beamer@xpos=#3\relax%
2561       \beamer@ypos=#2\relax%
2562       \advance\beamer@ypos by \beamer@ypos@offset\relax
2563     \fi%
2564   \hbox to 0pt{%
2565     \beamer@tempdim=-\beamer@vboxoffset%
2566     \advance\beamer@tempdim by-\beamer@boxsize%
2567     \multiply\beamer@tempdim by\beamer@ypos%
2568     \advance\beamer@tempdim by -.05cm%
2569     \raise\beamer@tempdim\hbox{%
2570       \beamer@tempdim=\beamer@boxsize%
2571       \multiply\beamer@tempdim by\beamer@xpos%
2572       \advance\beamer@tempdim by -\beamer@boxsize%
2573       \advance\beamer@tempdim by 1pt%
2574       \kern\beamer@tempdim
2575       \global\beamer@section@min@dim\beamer@tempdim
2576       \hbox{\beamer@link(#4)}{%
2577         \usebeamerfont{mini frame}}%
2578       \ifnum\c@section=#1%
2579         \ifnum\c@subsection=#2%

```



```

2580         \usebeamercolor[fg]{mini frame}%
2581         \ifnum\c@subsectionslide=#3%
2582             \usebeamertemplate{mini frame}%\beamer@minislidhighlight%
2583         \else%
2584             \usebeamertemplate{mini frame in current subsection}%\beamer@minislidrowhil
2585         \fi%
2586     \else%
2587         \usebeamercolor{mini frame}%
2588         %\color{fg!50!bg}%
2589         \usebeamertemplate{mini frame in other subsection}%\beamer@minislid%
2590     \fi%
2591 \else%
2592     \usebeamercolor{mini frame}%
2593     %\color{fg!50!bg}%
2594     \usebeamertemplate{mini frame in other subsection}%\beamer@minislid%
2595 \fi%
2596 }}}}\hskip-10cm plus 1fil%
2597 }\fi\fi%
2598 \else%
2599 \fakeslideentry{#1}{#2}{#3}{#4}{#5}{#6}%
2600 \fi\ignorespaces
2601 }
2602
2603 \pgfdefobject{bidi@beamer@RTL@gotosymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2604 {
2605     \pgfpathmoveto{3.5bp}{0.5bp}
2606     \pgfpathqlineto{1.5bp}{2bp}
2607     \pgfpathqlineto{3.5bp}{3.5bp}
2608     \pgfusepathqfill
2609 }
2610
2611 \def\insertgotosymbol{%
2612 \if@RTL
2613     \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2614         \pgfuseobject{bidi@beamer@RTL@gotosymbol}%
2615     \end{pgfpicture}%
2616 \else
2617     \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2618         \pgfuseobject{beamer@gotosymbol}%
2619     \end{pgfpicture}%
2620 \fi
2621 }
2622
2623 \pgfdefobject{bidi@beamer@RTL@skipsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{7pt}{5pt}}
2624 {
2625     \pgfpathmoveto{5.5bp}{0.5bp}
2626     \pgfpathqlineto{3.5bp}{2bp}
2627     \pgfpathqlineto{5.5bp}{3.5bp}
2628     \pgfpathmoveto{3.5bp}{0.5bp}
2629     \pgfpathqlineto{1.5bp}{2bp}
2630     \pgfpathqlineto{3.5bp}{3.5bp}
2631     \pgfusepathqfill
2632 }
2633

```



```

2634 \def\insertskipsymbol{%
2635 \if@RTL
2636 \begin{pgfpicture}{-1pt}{0pt}{6pt}{5pt}
2637 \pgfuseobject{bidi@beamer@RTL@skipsymbol}%
2638 \end{pgfpicture}%
2639 \else
2640 \begin{pgfpicture}{1pt}{0pt}{8pt}{5pt}
2641 \pgfuseobject{beamerskipsymbol}%
2642 \end{pgfpicture}%
2643 \fi
2644 }
2645
2646 \pgfdefobject{bidi@beamer@RTL@returnsymbol}{\pgfpoint{0pt}{-1pt}}{\pgfpoint{5pt}{5pt}}
2647 {
2648 \pgfpathmoveto{1.5bp}{0.5bp}
2649 \pgfpathqlineto{3.5bp}{2bp}
2650 \pgfpathqlineto{1.5bp}{3.5bp}
2651 \pgfusepathqfill
2652 }
2653
2654 \def\insertreturnsymbol{%
2655 \if@RTL
2656 \begin{pgfpicture}{-1pt}{0pt}{4pt}{5pt}
2657 \pgfuseobject{bidi@beamer@RTL@returnsymbol}%
2658 \end{pgfpicture}%
2659 \else
2660 \begin{pgfpicture}{1pt}{0pt}{6pt}{5pt}
2661 \pgfuseobject{beamerreturnsymbol}%
2662 \end{pgfpicture}%
2663 \fi
2664 }
2665
2666

```

## 24 File beamerbaseoverlay-xetex-bidi.def

```

2667 \ProvidesFile{beamerbaseoverlay-xetex-bidi.def}[2022/06/10 v0.1 bidi adaptations for beamer]
2668 \renewcommand<>{\color}{\alt#1{\beameroriginal{\color}}{\beamer@gobbleoptionalinsp}}
2669
2670

```

## 25 File beamerinnerthemedefault-xetex-bidi.def

```

2671 \ProvidesFile{beamerinnerthemedefault-xetex-bidi.def}[2022/06/27 v0.6 bidi adaptations for beamer]
2672 \newcommand*{\bidi@beamer@leftskip}{%
2673 \if@RTL
2674 \rightskip
2675 \else
2676 \leftskip
2677 \fi
2678 }
2679
2680 \newcommand*{\bidi@beamer@rightskip}{%
2681 \if@RTL

```



```

2682     \leftskip
2683   \else
2684     \rightskip
2685   \fi
2686 }
2687
2688 \bidi@csundef{beamer@tmpop@subsection in toc@default}
2689
2690 \bidi@csundef{beamer@tmpop@subsubsection in toc@default}
2691
2692 \defbeamertemplate*{subsection in toc}{default}
2693 {\leavevmode\bidi@beamer@leftskip=1.5em\inserttocsubsection\par}
2694
2695 \defbeamertemplate*{subsubsection in toc}{default}
2696 {\leavevmode\normalsize\usebeamerfont{subsection in toc}\bidi@beamer@leftskip=3em%
2697  \usebeamerfont{subsubsection in toc}\inserttocsubsubsection\par}
2698
2699 \newcommand*{\bidi@beamer@blacktriangle}{%
2700   \if@RTL
2701     $\blacktriangleleft$%
2702   \else
2703     $\blacktriangleright$%
2704   \fi
2705 }
2706
2707 \bidi@csundef{beamer@tmpop@itemize item@default}
2708
2709 \bidi@csundef{beamer@tmpop@itemize subitem@default}
2710
2711 \bidi@csundef{beamer@tmpop@itemize subsubitem@default}
2712
2713 \defbeamertemplate*{itemize item}{default}{\usebeamerfont*{itemize item}\raise1.25pt\hbox{\D
2714 \defbeamertemplate*{itemize subitem}{default}{\usebeamerfont*{itemize subitem}\raise1.5pt\hb
2715 \defbeamertemplate*{itemize subsubitem}{default}{\usebeamerfont*{itemize subsubitem}\raise1.
2716
2717 \bidi@undef\beamer@tmpop@footnote@default
2718
2719 \defbeamertemplate*{footnote}{default}
2720 {
2721   \parindent 1em\noindent%
2722   \bidi@beamer@ragged
2723   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2724 }
2725
2726 \defbeamertemplate*{RTLfootnote}{default}
2727 {
2728   \parindent 1em\noindent%
2729   \raggedleft
2730   \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2731 }
2732
2733 \defbeamertemplate*{LTRfootnote}{default}
2734 {
2735   \parindent 1em\noindent%

```



```

2736 \raggedright
2737 \hbox to 1.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
2738 }
2739
2740 \bidi@undef\beamer@@tmpop@caption@default
2741
2742 \defbeamer*{caption}{default}
2743 {
2744 \bidi@beamer@ragged
2745 {
2746 \leavevmode
2747 \usebeamerfont[fg]{caption name}%
2748 \usebeamerfont*{caption name}%
2749 \insertcaptionname
2750 \usebeamerfont{caption label separator}%
2751 }%
2752 \insertcaption\par
2753 }
2754
2755 \bidi@csundef{beamer@@tmpop@block begin@default}
2756
2757 \bidi@csundef{beamer@@tmpop@block alerted begin@default}
2758
2759 \bidi@csundef{beamer@@tmpop@block example begin@default}
2760
2761 \defbeamer*{block begin}{default}
2762 {
2763 \par\vskip\medskipamount%
2764 \begin{beamercolorbox}[colsep*=.75ex]{block title}
2765 \usebeamerfont*{block title}\insertblocktitle%
2766 \end{beamercolorbox}%
2767 {\parskip0pt\par}%
2768 \ifbeamercoloreempty[bg]{block title}
2769 {}
2770 {\ifbeamercoloreempty[bg]{block body}{\nointerlineskip\vskip-0.5pt}}%
2771 \usebeamerfont{block body}%
2772 \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body}%
2773 \ifbeamercoloreempty[bg]{block body}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex+\basel}
2774 }
2775
2776 \defbeamer*{block alerted begin}{default}
2777 {
2778 \par\vskip\medskipamount%
2779 \begin{beamercolorbox}[colsep*=.75ex]{block title alerted}
2780 \usebeamerfont*{block title alerted}\insertblocktitle%
2781 \end{beamercolorbox}%
2782 {\parskip0pt\par}%
2783 \ifbeamercoloreempty[bg]{block title alerted}
2784 {}
2785 {\ifbeamercoloreempty[bg]{block body alerted}{\nointerlineskip\vskip-0.5pt}}%
2786 \usebeamerfont{block body alerted}%
2787 \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body alerted}%
2788 \ifbeamercoloreempty[bg]{block body alerted}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex+\basel}
2789 }

```



```

2790
2791 \defbeamertemplate*{block example begin}{default}
2792 {
2793   \par\vskip\medskipamount%
2794   \begin{beamercolorbox}[colsep*=.75ex]{block title example}
2795     \usebeamerfont*{block title example}\insertblocktitle%
2796   \end{beamercolorbox}%
2797   {\parskip0pt\par}%
2798   \ifbeamercoloreempty[bg]{block title example}
2799   {}
2800   {\ifbeamercoloreempty[bg]{block body example}{\nointerlineskip\vskip-0.5pt}}%
2801   \usebeamerfont{block body example}%
2802   \begin{beamercolorbox}[colsep*=.75ex,vmode]{block body example}%
2803     \ifbeamercoloreempty[bg]{block body example}{\vskip-.25ex}{\leavevmode\vskip-\dimexpr.75ex}
2804 }
2805
2806 \bidi@csundef{beamer@tmpop@abstract begin@default}
2807
2808 \defbeamertemplate*{abstract begin}{default}
2809 {\beamercolorbox[vmode]{abstract}\bidi@beamer@leftskip2em\bidi@beamer@rightskip2em plus 1fil}
2810
2811 \bidi@undef\beamer@tmpop@button@default
2812
2813 \defbeamertemplate*{button}{default}
2814 {%
2815   \setbox\beamer@tempbox=\hbox{\insertbuttontext}%
2816   \ht\beamer@tempbox=6pt%
2817   \dp\beamer@tempbox=0pt%
2818   \setbox\beamer@tempbox=\vbox{\box\beamer@tempbox\vskip2pt}%
2819   \beamer@tempdim=\wd\beamer@tempbox%
2820   \beamer@dima=\beamer@tempdim\advance\beamer@dima by2.2pt
2821   \beamer@dimb=\beamer@tempdim\advance\beamer@dimb by4pt
2822   \ifRTL
2823     \kern4pt%
2824     \box\beamer@tempbox%
2825     \hskip-\beamer@tempdim%
2826   \fi
2827   \begin{pgfpicture}{-4pt}{0pt}{\the\beamer@tempdim}{8pt}
2828     \color{bg}
2829     \pgfsetlinewidth{0.8pt}
2830     \pgfpathmoveto{0pt}{0pt}
2831     \pgfpathqcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2832     \pgfpathqcurveto{-4pt}{6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2833     \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2834     \pgfpathcurveto%
2835       {\pgfpoint{\the\beamer@dima}{8pt}}%
2836       {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
2837       {\pgfpoint{\the\beamer@dimb}{4pt}}
2838     \pgfpathcurveto%
2839       {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
2840       {\pgfpoint{\the\beamer@dima}{0pt}}%
2841       {\pgfpoint{\the\beamer@tempdim}{0pt}}
2842     \pgfpathclose
2843     \pgfusepathqfill

```



```

2844 \colorlet{bg}{parent.bg}
2845 \usebeamercolor[fg]{button border}
2846 \pgfpathmoveto{0pt}{0pt}
2847 \pgfpathcurveto{-2.2pt}{0pt}{-4pt}{1.8pt}{-4pt}{4pt}
2848 \pgfpathcurveto{-4pt}{6.2pt}{-2.2pt}{8pt}{0pt}{8pt}
2849 \pgfpathlineto{\pgfpoint{\the\beamer@tempdim}{8pt}}
2850 \pgfpathcurveto%
2851 {\pgfpoint{\the\beamer@dima}{8pt}}%
2852 {\pgfpoint{\the\beamer@dimb}{6.2pt}}%
2853 {\pgfpoint{\the\beamer@dimb}{4pt}}
2854 \pgfpathcurveto%
2855 {\pgfpoint{\the\beamer@dimb}{1.8pt}}%
2856 {\pgfpoint{\the\beamer@dima}{0pt}}%
2857 {\pgfpoint{\the\beamer@tempdim}{0pt}}
2858 \pgfpathclose
2859 \pgfusepathqstroke
2860 \end{pgfpicture}%
2861 \ifRTL
2862 \else
2863 \hskip-\beamer@tempdim%
2864 \box\beamer@tempbox%
2865 \kern4pt%
2866 \fi
2867 }
2868
2869

```

## 26 File beamerinnerthemecircles-xetex-bidi.def

```

2870 \ProvidesFile{beamerinnerthemecircles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for beamer]
2871 \setbeamertemplate{sections/subsections in toc}[circle]
2872

```

## 27 File beamerinnerthemefocus-xetex-bidi.def

```

2873 \ProvidesFile{beamerinnerthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for beamer]
2874 \setbeamertemplate{section in toc}[square]
2875 \setbeamertemplate{subsection in toc}[square]
2876
2877 \setbeamertemplate{itemize items}[square]
2878 \setbeamertemplate{itemize subitem}[triangle]
2879
2880 \bidi@csundef{beamer@tmpop@title page@focus}
2881
2882 \defbeamertemplate*{title page}{focus}{%
2883   {%
2884     \usebeamercolor{frametitle}\colorlet{focus@temp}{bg}%
2885     \begin{tikzpicture}[overlay, remember picture]
2886       \fill[color=focus@temp] (current page.north west) rectangle ([shift = {(0, -0.4}
2887     \end{tikzpicture}
2888   }
2889
2890 \vspace{-1.65\baselineskip}
2891 \begin{minipage}[b] [0.35\paperheight]{\textwidth}

```



```

2892     \vspace{\baselineskip}
2893     \usebeamerfont{title}
2894     \usebeamercolor[fg]{frametitle}
2895     \inserttitle
2896 \end{minipage}
2897
2898 \begin{minipage}[t][0.1\paperheight]{\textwidth}
2899     \usebeamerfont{subtitle}
2900     \usebeamercolor[fg]{frametitle}
2901     \insertsubtitle
2902 \end{minipage}
2903
2904 % Set the title graphic in a zero-height box, so that
2905 % the position of other elements is not affected.
2906 {\vfuzz=9999pt\vbox to 0pt {
2907     \if@RTL
2908         \raggedright
2909     \else
2910         \raggedleft
2911     \fi
2912     \inserttitlegraphic
2913 }}
2914
2915 \begin{minipage}[t]{\textwidth}
2916     \usebeamerfont{author}
2917     \insertauthor
2918 \end{minipage}
2919
2920 \vspace*{\baselineskip}
2921 \begin{minipage}[t]{\textwidth}
2922     \usebeamerfont{institute}
2923     \insertinstitute
2924 \end{minipage}
2925
2926 \vspace*{\baselineskip}
2927 \begin{minipage}[t]{\textwidth}
2928     \usebeamerfont{date}
2929     \insertdate
2930 \end{minipage}
2931
2932 \vspace*{0pt plus 100fill}
2933
2934 \addtocounter{framenum}{-1}
2935 \addtocounter{realframenum}{-1}
2936 }
2937
2938
2939

```

## 28 File beamerinnerthemeinmargin-xetex-bidi.def

```

2940 \ProvidesFile{beamerinnerthemeinmargin-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for
2941 \AtBeginDocument{%
2942     \setbeamerfont{sidebar width left}=\textwidth}

```



```

2943 }
2944
2945 \bidi@csundef{beamer@@tmpop@section in toc@inmargin}
2946
2947 \bidi@csundef{beamer@@tmpop@title page@inmargin}
2948
2949 \bidi@csundef{beamer@@tmpop@block begin@inmargin}
2950
2951 \bidi@csundef{beamer@@tmpop@block end@inmargin}
2952
2953 \bidi@csundef{beamer@@tmpop@block alerted begin@inmargin}
2954
2955 \bidi@csundef{beamer@@tmpop@block alerted end@inmargin}
2956
2957 \bidi@csundef{beamer@@tmpop@block example begin@inmargin}
2958
2959 \bidi@csundef{beamer@@tmpop@block example end@inmargin}
2960
2961 \defbeamerteremplate*{section in toc}{inmargin}
2962 {\leavevmode
2963  \beamer@putleft{\usebeamercolor[fg]{section in toc}\inserttocsection}\strut}{2.5ex}}
2964
2965 \defbeamerteremplate*{title page}{inmargin}
2966 {
2967  \begin{block}{\inserttitleindicator}
2968    \bgroup\usebeamercolor[fg]{title}\usebeamerfont{title}\inserttitle\egroup\par
2969    \usebeamercolor[fg]{subtitle}\usebeamerfont{subtitle}\insertsubtitle
2970  \end{block}
2971  \vfill
2972  \ifx\insertauthor\@empty
2973  \else
2974  \begin{block}{\insertauthorindicator}
2975    \bgroup\usebeamercolor[fg]{author}\usebeamerfont{author}\insertauthor\egroup\par
2976  \end{block}
2977  \fi
2978  \ifx\insertinstitute\@empty
2979  \else
2980  \begin{block}{\insertinstituteindicator}
2981    \bgroup\usebeamercolor[fg]{institute}\usebeamerfont{institute}\insertinstitute\egroup\par
2982  \end{block}
2983  \fi
2984  \ifx\insertdate\@empty
2985  \else
2986  \begin{block}{\insertdateindicator}
2987    \bgroup\usebeamercolor[fg]{date}\usebeamerfont{date}\insertdate\egroup\par
2988  \end{block}
2989  \fi
2990 }
2991
2992 \defbeamerteremplate*{block begin}{inmargin}
2993 {
2994  \par\vskip\medskipamount%
2995  \leavevmode%
2996  \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title}\usebeamerfont*{block title}\i

```



```

2997 \beginL\beamer@putright
2998 %\usebeamercolor[fg]{block body}% to be done!
2999 }
3000
3001 \defbeamertemplate*{block end}{inmargin}
3002 {\endbeamer@putright\endL\vskip\smallskipamount}
3003
3004 \defbeamertemplate*{block alerted begin}{inmargin}
3005 {
3006 \par\vskip\medskipamount%
3007 \leavevmode%
3008 \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title alerted}}\usebeamerfont*{block
3009 \beginL\beamer@putright
3010 %\usebeamercolor[fg]{block body alerted}% to be done!
3011 }
3012
3013 \defbeamertemplate*{block alerted end}{inmargin}
3014 {\endbeamer@putright\endL\vskip\smallskipamount}
3015
3016 \defbeamertemplate*{block example begin}{inmargin}
3017 {
3018 \par\vskip\medskipamount%
3019 \leavevmode%
3020 \beamer@putleft{\normalfont{\usebeamercolor[fg]{block title example}}\usebeamerfont*{block
3021 \beginL\beamer@putright
3022 %\usebeamercolor[fg]{block body example}% to be done
3023 }
3024
3025 \defbeamertemplate*{block example end}{inmargin}
3026 {\endbeamer@putright\endL\vskip\smallskipamount}
3027
3028 \bidi@AfterFile{beamerinnerthememetropolis-xetex-bidi.def}{%
3029 \setbeamertemplate{section in toc}[inmargin]%
3030 \setbeamertemplate{subsection in toc}[inmargin]%
3031 \setbeamertemplate{subsubsection in toc}[inmargin]%
3032 }
3033
3034

```

## 29 [File beamerinnerthememetropolis-xetex-bidi.def](#)

```

3035 \ProvidesFile{beamerinnerthememetropolis-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations fo
3036 \setbeamertemplate{title}{
3037 \bidi@beamer@ragged%
3038 \linespread{1.0}%
3039 \inserttitle%
3040 \par%
3041 \vspace*{0.5em}
3042 }
3043
3044 \setbeamertemplate{subtitle}{
3045 \bidi@beamer@ragged%
3046 \insertsubtitle%
3047 \par%

```



```

3048 \vspace*{0.5em}
3049 }
3050
3051 \bidi@csundef{beamer@@tmpop@section page@progressbar}
3052
3053 \defbeamerteremplate{section page}{progressbar}{
3054 \centering
3055 \begin{minipage}{22em}
3056 \bidi@beamer@ragged
3057 \usebeamercolor[fg]{section title}
3058 \usebeamerfont{section title}
3059 \insertsectionhead\[-1ex]
3060 \usebeamerteremplate*{progress bar in section page}
3061 \par
3062 \ifx\insertsubsectionhead\@empty\else%
3063 \usebeamercolor[fg]{subsection title}%
3064 \usebeamerfont{subsection title}%
3065 \insertsubsectionhead
3066 \fi
3067 \end{minipage}
3068 \par
3069 \vspace{\baselineskip}
3070 }
3071
3072 \setbeamerteremplate{progress bar in section page}{
3073 \setlength{\metropolis@progressonsectionpage}{%
3074 \textwidth * \ratio{\insertframenumber pt}{\inserttotalframenumber pt}}%
3075 }%
3076 \begin{tikzpicture}
3077 \fill[bg] (0,0) rectangle (\textwidth, \metropolis@progressonsectionpage@linewidth);
3078 \if@RTLmain
3079 \fill[fg] (\textwidth-\metropolis@progressonsectionpage,0) rectangle (\textwidth, \metropolis@progressonsectionpage);
3080 \else
3081 \fill[fg] (0,0) rectangle (\metropolis@progressonsectionpage, \metropolis@progressonsectionpage);
3082 \fi
3083 \end{tikzpicture}%
3084 }
3085
3086 \renewcommand{\metropolis@block}[1]{
3087 \par\vskip\medskipamount%
3088 \setlength{\parskip}{Opt}
3089 \ifbeamercolorempy[bg]{block title#1}{%
3090 \if@RTL
3091 \begin{beamercolorbox}[leftskip=Opt plus 4em]{block title#1}%
3092 \else
3093 \begin{beamercolorbox}[rightskip=Opt plus 4em]{block title#1}%
3094 \fi
3095 }{%
3096 \ifbeamercolorempy[bg]{block title}{%
3097 \if@RTL
3098 \begin{beamercolorbox}[leftskip=Opt plus 4em]{block title#1}%
3099 \else
3100 \begin{beamercolorbox}[rightskip=Opt plus 4em]{block title#1}%
3101 \fi

```



```

3102 }%
3103 {%
3104 \if@RTL
3105   \begin{beamercolorbox}[
3106     sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3107     rightskip=\metropolis@blockadjust,
3108     leftskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3109   ]{block title#1}%
3110   \else
3111   \begin{beamercolorbox}[
3112     sep=\dimexpr\metropolis@blocksep-\metropolis@blockadjust\relax,
3113     leftskip=\metropolis@blockadjust,
3114     rightskip=\dimexpr\metropolis@blockadjust plus 4em\relax
3115   ]{block title#1}%
3116   \fi
3117 }}%
3118   \usebeamerfont*{block title#1}%
3119   \metropolis@strut%
3120   \insertblocktitle%
3121   \metropolis@strut%
3122 \end{beamercolorbox}%
3123 \nointerlineskip%
3124 \ifbeamercolorempy[bg]{block body#1}{%
3125   \begin{beamercolorbox}[vmode]{block body#1}}{
3126 \ifbeamercolorempy[bg]{block body}{%
3127   \begin{beamercolorbox}[vmode]{block body#1}%
3128 }{%
3129   \begin{beamercolorbox}[sep=\metropolis@blocksep, vmode]{block body#1}%
3130   \vspace{-\metropolis@parskip}
3131 }}%
3132   \usebeamerfont{block body#1}%
3133   \setlength{\parskip}{\metropolis@parskip}%
3134 }
3135
3136
3137 \setbeamertemplate{footnote}{%
3138   \parindent 0em\noindent%
3139   \bidi@beamer@ragged
3140   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3141 }
3142
3143 \setbeamertemplate{RTLfootnote}{%
3144   \parindent 0em\noindent%
3145   \raggedleft
3146   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3147 }
3148
3149 \setbeamertemplate{LTRfootnote}{%
3150   \parindent 0em\noindent%
3151   \raggedright
3152   \usebeamercolor{footnote}\hbox to 0.8em{\hfil\insertfootnotemark}\insertfootnotetext\par%
3153 }
3154
3155 \setbeamertemplate{itemize items}{\textbullet}

```



```

3156
3157 \setbeamertemplate{section page}[progressbar]
3158
3159

```

### 30 File beamerinnerthemerectangles-xetex-bidi.def

```

3160 \ProvidesFile{beamerinnerthemerectangles-xetex-bidi.def}[2022/06/06 v0.1 bidi adaptations for b
3161 \setbeamertemplate{sections/subsections in toc}[square]
3162 \setbeamertemplate{items}[square]
3163

```

### 31 File beamerinnerthemeroounded-xetex-bidi.def

```

3164 \ProvidesFile{beamerinnerthemeroounded-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for b
3165 \setbeamertemplate{blocks}[rounded] [shadow=\beamer@themeroounded@shadow]
3166 \setbeamertemplate{items}[ball]
3167 \setbeamertemplate{sections/subsections in toc}[ball]
3168

```

### 32 File beamerouterthemedefault-xetex-bidi.def

```

3169 \ProvidesFile{beamerouterthemedefault-xetex-bidi.def}[2022/06/27 v0.2 bidi adaptations for b
3170 \def\beamer@fteleft{\if@RTLmain\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightskip by1.
3171
3172 \def\beamer@fteright{\if@RTLmain\else\vskip0.35cm\advance\leftskip by 1.7cm\advance\rightski
3173
3174 \AtBeginDocument{%
3175   \if@RTLmain
3176     \setbeamertemplate{frametitle}[default] [right]
3177   \fi
3178 }
3179
3180 \bidi@csundef{beamer@@tmpop@note page@default}
3181
3182 \newcommand*{\bidi@beamer@today}{%
3183 \the\year-\ifnum\month<10\relax0\fi\the\month-\ifnum\day<10\relax0\fi\the\day}
3184
3185 \defbeamertemplate*{note page}{default}
3186 {%
3187   {%
3188     \scriptsize
3189     \usebeamerfont{note title}\usebeamercolor[fg]{note title}%
3190     \ifbeamercolorempy[bg]{note title}{ }{%
3191       \insertvrule{.25\paperheight}{note title.bg}%
3192       \vskip-.25\paperheight%
3193       \nointerlineskip%
3194     }%
3195     \vbox{
3196       \hfill\insertslideintonotes{0.25}\hskip-\Gm@rmargin\hskip0pt%
3197       \vskip-0.25\paperheight%
3198       \nointerlineskip
3199       \if@RTL
3200       \begin{pgfpicture}{-\textwidth}{0cm}{-\textwidth}{0cm}

```



```

3201     \begin{pgflowlevelslope}{\pgftransformrotate{-90}}
3202         {\pgftransformshift{\pgfpoint{2cm}{0.2cm}}}%
3203         \pgftext[base,right]{\usebeamerfont{note date}\usebeamercolor[fg]{note date}\bidi@
3204     \end{pgflowlevelslope}
3205     \end{pgfpicture}%
3206     \else
3207     \begin{pgfpicture}{0cm}{0cm}{0cm}{0cm}
3208         \begin{pgflowlevelslope}{\pgftransformrotate{90}}
3209             {\pgftransformshift{\pgfpoint{-2cm}{0.2cm}}}%
3210             \pgftext[base,left]{\usebeamerfont{note date}\usebeamercolor[fg]{note date}\bidi@
3211         \end{pgflowlevelslope}
3212     \end{pgfpicture}%
3213     \fi}
3214     \nointerlineskip
3215     \vbox to .25\paperheight{\vskip0.5em
3216     \if@RTL
3217         \moveright0.25\textwidth
3218     \fi
3219     \hbox{\insertshorttitle[width=0.75\textwidth]}}%
3220     \setbox\beamer@tempbox=\hbox{\insertsection}%
3221
3222     \if@RTL
3223     \moveright\dimexpr0.29\textwidth-14pt\relax
3224     \fi
3225     \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip4pt\raise3pt\hbox{\vrule
3226         width0.4pt height7pt\vrule width 9pt
3227         height0.4pt}}\hskip1pt\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}}
3228     \if@RTL\endR\fi}%
3229     \setbox\beamer@tempbox=\hbox{\insertsubsection}%
3230
3231     \if@RTL
3232     \moveright\dimexpr0.29\textwidth-27.4pt\relax
3233     \fi
3234     \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip17.4pt\raise3pt\hbox{\vru
3235         width0.4pt height7pt\vrule width 9pt
3236         height0.4pt}}\hskip1pt\hbox{\begin{minipage}[t]{0.71\textwidth}\def\breakhere{}}
3237     \if@RTL\endR\fi}%
3238     \setbox\beamer@tempbox=\hbox{\insertshortframetitle}%
3239
3240     \if@RTL
3241     \moveright\dimexpr0.33\textwidth-40.8pt\relax
3242     \fi
3243     \hbox{\if@RTL\beginR\fi\ifdim\wd\beamer@tempbox>1pt{\hskip30.8pt\raise3pt\hbox{\vru
3244         width0.4pt height7pt\vrule width 9pt
3245         height0.4pt}}\hskip1pt\hbox{\insertshortframetitle[width=0.67\textwidth]}\fi%
3246     \if@RTL\endR\fi}%
3247     \vfil}%
3248     }%
3249     \ifbeamercolorempty[bg]{note page}{-}{%
3250         \nointerlineskip%
3251         \insertvrule{.75\paperheight}{note page.bg}%
3252         \vskip-.75\paperheight%
3253     }%
3254     \vskip.25em
3255     \nointerlineskip
3256     \insertnote

```



```

3255 }
3256
3257
3258

```

### 33 File beamerouterthemefocus-xetex-bidi.def

```

3259 \ProvidesFile{beamerouterthemefocus-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for bea
3260 \bidi@undef\beamer@tmpop@footline@progressbar
3261
3262 \defbeamertemplate*{footline}{progressbar}{%
3263   % If not appendix.
3264   \ifnum\mainend<0% From package appendixnumberbeamer.
3265   %
3266   \settoheight{\focus@pbar@leftoffset}{1}%
3267   \addtolength{\focus@pbar@leftoffset}{1.5em}%
3268   %
3269   \ifx\beamer@focus@totalframenumbering\no%
3270     \settoheight{\focus@pbar@rightoffset}{}%
3271     \addtolength{\focus@pbar@rightoffset}{0.5em}%
3272   \else%
3273     \settoheight{\focus@pbar@rightoffset}{\inserttotalframenumber}%
3274     \addtolength{\focus@pbar@rightoffset}{1.5em}%
3275   \fi%
3276   %
3277   % If not title page.
3278   \ifnum\value{realframenumber}>0%
3279     \ifnum\value{framenumber}<\inserttotalframenumber%
3280       \begin{tikzpicture}[inner xsep=0.5em, inner ysep=0.5ex]\usebeamerfont{footli
3281         \pgfmathsetmacro{\focus@pbar@progress}%
3282           {(\paperwidth-\focus@pbar@leftoffset-\focus@pbar@rightoffset)*(\inse
3283
3284           \clip (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3285 \if@RTLmain
3286 \fill[footline.bg] (\paperwidth,0) rectangle ++(-\the\focus@pbar@leftoff
3287 \fill[footline.bg] (\paperwidth-\the\focus@pbar@leftoffset,0) rectangle
3288 ++(0,{-0.5*\the\focus@pbar@height}) node[anchor=west,
3289 \else
3290 \fill[footline.bg] (0,0) rectangle ++(\the\focus@pbar@leftoffset,\the\fo
3291 \fill[footline.bg] (\the\focus@pbar@leftoffset,0) rectangle ++(\focus@pb
3292 ++(0,{-0.5*\the\focus@pbar@height}) node[anchor=east,
3293 \fi
3294 \ifx\beamer@focus@totalframenumbering\no%
3295 \else%
3296 \if@RTLmain
3297 \fill[footline.bg] (0,0) rectangle ++(\the\focus@pbar@rightoffset,\t
3298 ++(0,{-0.5*\the\focus@pbar@height}) node[anchor=e
3299 \else
3300 \fill[footline.bg] (\paperwidth,0) rectangle ++(-\the\focus@pbar@rig
3301 ++(0,{-0.5*\the\focus@pbar@height}) node[anchor=w
3302 \fi
3303 \fi%
3304 \end{tikzpicture}%
3305 \else%

```



```

3306             \begin{tikzpicture}[inner xsep=0.5em, inner ysep=0.5ex]
3307                 \clip (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3308                 \fill[footline.bg] (0,0) rectangle ++(\paperwidth,\the\focus@pbar@height);
3309 \if@RTLmain
3310                 \node[anchor=west, footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\focus@pbar@height}){\footline};
3311 \else
3312                 \node[anchor=east, footline.fg] at ({\paperwidth-\the\focus@pbar@rightoffset},{0.5*\focus@pbar@height}){\footline};
3313 \fi
3314             \ifx\beamer@focus@totalframenumbers\no%
3315             \else%
3316 \if@RTLmain
3317                 \node[footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\focus@pbar@height}){\footline};
3318                 \node[anchor=east, footline.fg] at ({\the\focus@pbar@rightoffset},{0.5*\focus@pbar@height}){\footline};
3319 \else
3320                 \node[footline.fg] at ({\paperwidth-\the\focus@pbar@rightoffset},{0.5*\focus@pbar@height}){\footline};
3321                 \node[anchor=west, footline.fg] at ({\paperwidth-\the\focus@pbar@rightoffset},{0.5*\focus@pbar@height}){\footline};
3322 \fi
3323             \fi%
3324             \end{tikzpicture}%
3325         \fi%
3326     \fi%
3327 \fi%
3328 }
3329
3330

```

## 34 File beamerouterthemeinfolines-xetex-bidi.def

```

3331 \ProvidesFile{beamerouterthemeinfolines-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for xetex]
3332 \bidi@csundef{beamer@tmpop@footline@infolines theme}
3333
3334 \defbeamer-template*{footline}{infolines theme}
3335 {%
3336     \leavevmode%
3337     \hbox{%
3338         \begin{beamer-colorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,center]{author in head/foot}%
3339             \usebeamerfont{author in head/foot}\insertshortauthor\expandafter\ifblank\expandafter{\author}{}%
3340         \end{beamer-colorbox}%
3341         \begin{beamer-colorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,center]{title in head/foot}%
3342             \usebeamerfont{title in head/foot}\insertshorttitle%
3343         \end{beamer-colorbox}%
3344         \begin{beamer-colorbox}[wd=.333333\paperwidth,ht=2.25ex,dp=1ex,leftskip=2ex,rightskip=2ex,center]{date in head/foot}%
3345             \hfill%
3346             \usebeamerfont{date in head/foot}%
3347             \insertshortdate{}%
3348             \hfill%
3349         \bgroup
3350             \usebeamerfont[fg]{page number in head/foot}%
3351             \usebeamerfont{page number in head/foot}%
3352             \usebeamerfont{page number in head/foot}%
3353         \egroup
3354     \end{beamer-colorbox}}%
3355     \vskip0pt%
3356 }

```



```

3357
3358 \bidi@csundef{beamer@tmpop@headline@infolines theme}
3359
3360 \defbeamertemplate*{headline}{infolines theme}
3361 {%
3362   \leavevmode%
3363   \hbox{%
3364     \if@RTL
3365     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{section in head/foot}%
3366     \else
3367     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{section in head/foot}%
3368     \fi
3369     \usebeamerfont{section in head/foot}\insertsectionhead\hspace*{2ex}
3370     \end{beamercolorbox}%
3371     \if@RTL
3372     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,right]{subsection in head/foot}%
3373     \else
3374     \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.65ex,dp=1.5ex,left]{subsection in head/foot}%
3375     \fi
3376     \usebeamerfont{subsection in head/foot}\hspace*{2ex}\insertsubsectionhead
3377     \end{beamercolorbox}}%
3378     \vskip0pt%
3379 }
3380
3381 \bidi@AfterFile{beamerouterthememetroplit-xetex-bidi.def}{%
3382   \setbeamertemplate{footline}[infolines theme]%
3383 }
3384

```

## 35 File beamerouterthememetroplit-xetex-bidi.def

```

3385 \ProvidesFile{beamerouterthememetroplit-xetex-bidi.def}[2022/06/13 v0.1 bidi adaptations for]
3386 \setbeamertemplate{progress bar in head/foot}{
3387   \nointerlineskip
3388   \setlength{\metroplit@progressinheadfoot}{%
3389     \paperwidth * \ratio{\insertframenum pt}{\inserttotalframenum pt}%
3390   }%
3391   \begin{beamercolorbox}[wd=\paperwidth]{progress bar in head/foot}
3392     \begin{tikzpicture}
3393       \fill[bg] (0,0) rectangle (\paperwidth, \metroplit@progressinheadfoot@linewidth);
3394     \if@RTLmain
3395       \fill[fg] (\paperwidth-\metroplit@progressinheadfoot,0) rectangle (\paperwidth, \metroplit@progressinheadfoot);
3396     \else
3397       \fill[fg] (0,0) rectangle (\metroplit@progressinheadfoot, \metroplit@progressinheadfoot);
3398     \fi
3399     \end{tikzpicture}%
3400   \end{beamercolorbox}
3401 }
3402
3403 \AtBeginDocument{%
3404   \setbeamertemplate{frametitle}[plain]%
3405 }
3406
3407

```



## 36 File beamerouterthememiniframes-xetex-bidi.def

```
3408 \ProvidesFile{beamerouterthememiniframes-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for
3409 \bidi@csundef{beamer@tmpop@headline@miniframes theme}
3410
3411 \defbeamertemplate*{headline}{miniframes theme}
3412 {%
3413 \begin{beamercolorbox}[colsep=1.5pt]{upper separation line head}
3414 \end{beamercolorbox}
3415 \begin{beamercolorbox}{section in head/foot}
3416 \vskip2pt\if@RTL\beginR\fi\insertnavigation{\paperwidth}\if@RTL\endR\fi\vskip2pt
3417 \end{beamercolorbox}%
3418 \ifbeamer@theme@subsection%
3419 \begin{beamercolorbox}[colsep=1.5pt]{middle separation line head}
3420 \end{beamercolorbox}
3421 \if@RTL
3422 \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3423 rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/foot}
3424 \else
3425 \begin{beamercolorbox}[ht=2.5ex,dp=1.125ex,%
3426 leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/foot}
3427 \fi
3428 \usebeamerfont{subsection in head/foot}\insertsubsectionhead
3429 \end{beamercolorbox}%
3430 \fi%
3431 \begin{beamercolorbox}[colsep=1.5pt]{lower separation line head}
3432 \end{beamercolorbox}
3433 }
3434
3435
```

## 37 File beamerouterthemesidebar-xetex-bidi.def

```
3436 \ProvidesFile{beamerouterthemesidebar-xetex-bidi.def}[2022/06/07 v0.2 bidi adaptations for b
3437 \bidi@csundef{beamer@tmpop@frametitle@sidebar theme}
3438
3439 \bidi@csundef{beamer@tmpop@headline@sidebar theme}
3440
3441 \bidi@csundef{beamer@tmpop@sidebar left@sidebar theme}
3442
3443 \bidi@csundef{beamer@tmpop@sidebar right@sidebar theme}
3444
3445 \ifdim\beamer@headheight>0pt
3446
3447 \defbeamertemplate*{frametitle}{sidebar theme}
3448 {%
3449 \nointerlineskip%
3450 \ifbeamer@plainframe%
3451 \hbox{\usebeamercolor [bg]{frametitle}%
3452 \@tempdima\paperwidth\advance\@tempdima-\beamer@sidebarwidth
3453 \hskip-\beamer@leftmargin\vrule height\beamer@headheight width\@tempdima\hskip-\beam
3454 \nointerlineskip%
3455 \fi%
3456 \vskip-\beamer@headheight%
```



```

3457 \vbox to \beamer@headheight{%
3458 \vfil
3459 \bidi@beamer@leftskip=-\beamer@leftmargin%
3460 \advance\bidi@beamer@leftskip by0.3cm%
3461 \bidi@beamer@rightskip=-\beamer@rightmargin%
3462 \advance\bidi@beamer@rightskip by0.3cm plus1fil%
3463 {\usebeamerfont[fg]{frametitle}\usebeamerfont{frametitle}\strut\insertframetitle\par}
3464 \ifx\insertframesubtitle\@empty\else%
3465 {\usebeamerfont[fg]{framesubtitle}\usebeamerfont{framesubtitle}\strut\insertframesubtitle\par}
3466 \fi%
3467 \vbox{}%
3468 \vskip-1em%
3469 \vfil
3470 }%
3471 }
3472
3473 \AtBeginDocument{%
3474 \setbeamertheme{frametitle}[sidebar theme]%
3475 }
3476
3477 \defbeamertheme*{headline}{sidebar theme}
3478 {%
3479 \begin{beamercolorbox}[wd=\paperwidth]{frametitle}
3480 \ifx\beamer@sidebarside\beamer@lefttext%
3481 \else%
3482 \hfill%
3483 \fi%
3484 \ifdim\beamer@sidebarwidth>0pt%
3485 \bgroup
3486 \usebeamerfont[bg]{logo}%
3487 \if@RTLmain
3488 \else
3489 \vrule width\beamer@sidebarwidth height \beamer@headheight%
3490 \hskip-\beamer@sidebarwidth%
3491 \fi
3492 \hbox to \beamer@sidebarwidth{\hss\vbox to
3493 \beamer@headheight{\vss\hbox{\color{fg}\insertlogo}\vss}\hss}%
3494 \if@RTLmain
3495 \hskip-\beamer@sidebarwidth%
3496 \vrule width\beamer@sidebarwidth height \beamer@headheight%
3497 \fi
3498 \egroup
3499 \else%
3500 \vrule width0pt height \beamer@headheight%
3501 \fi%
3502 \end{beamercolorbox}
3503 }
3504 \fi
3505
3506 \def\beamer@sidebarformat#1#2#3{%
3507 \if@RTL
3508 \begin{beamercolorbox}[wd=\beamer@sidebarwidth,rightskip=#1,leftskip=1ex plus1fil,vmode]{#2}
3509 \else
3510 \begin{beamercolorbox}[wd=\beamer@sidebarwidth,leftskip=#1,rightskip=1ex plus1fil,vmode]{#2}

```



```

3511 \fi
3512   \vbox{}%
3513   #3\par%
3514   \vbox{}%
3515   \vskip-1.5ex%
3516 \end{beamercolorbox}
3517 }
3518
3519 \ifdim\beamer@sidebarwidth>0pt
3520
3521 \AtBeginDocument{%
3522   \setbeamersize{sidebar width \beamer@sidebarside=\beamer@sidebarwidth}%
3523 }
3524
3525 \defbeamertemplate*{sidebar \beamer@sidebarside}{sidebar theme}
3526 {
3527   \beamer@tempdim=\beamer@sidebarwidth%
3528   \advance\beamer@tempdim by -6pt%
3529   {\usebeamerfont{title in sidebar}%
3530     \vskip1.5em%
3531     \hskip3pt%
3532     \bgroup
3533     \usebeamercolor[fg]{title in sidebar}%
3534     \insertshorttitle[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3535     \vskip1.25em%
3536   }%
3537   {%
3538     \hskip3pt%
3539     \bgroup
3540     \usebeamercolor[fg]{author in sidebar}%
3541     \usebeamerfont{author in sidebar}%
3542     \insertshortauthor[width=\beamer@tempdim,center,respectlinebreaks]\egroup\par%
3543     \vskip1.25em%
3544   }%
3545   \insertverticalnavigation{\beamer@sidebarwidth}%
3546   \vfill
3547   \ifx\beamer@sidebarside\beamer@lefttext%
3548   \else%
3549     \usebeamercolor{normal text}%
3550     \llap{\usebeamertemplate***{navigation symbols}\hskip0.1cm}%
3551     \vskip2pt%
3552   \fi%
3553 }%
3554 \fi
3555

```

## 38 File beamerouterthemesplit-xetex-bidi.def

```

3556 \ProvidesFile{beamerouterthemesplit-xetex-bidi.def}[2022/06/09 v0.2 bidi adaptations for bea
3557 \bidi\csundef{beamer@tmpop@footline@split theme}
3558
3559 \defbeamertemplate*{footline}{split theme}
3560 {%
3561   \leavevmode%

```



```

3562 \hbox{\if@RTL\begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm pl
3563 \else
3564 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm plus1fill,rightski
3565 \fi
3566 \usebeamerfont{author in head/foot}\insertshortauthor
3567 \end{beamercolorbox}}%
3568 \if@RTL
3569 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,rightskip=.3cm,leftskip=.3cm
3570 \else
3571 \begin{beamercolorbox}[wd=.5\paperwidth,ht=2.5ex,dp=1.125ex,leftskip=.3cm,rightskip=.3cm p
3572 \fi
3573 \usebeamerfont{title in head/foot}\insertshorttitle\nobreak\hfill\bggroup\usebeamercolor[
3574 \end{beamercolorbox}}}%
3575 \vskip0pt%
3576 }
3577
3578

```

### 39 File beamerouterthemeshadow-xetex-bidi.def

```

3579 \ProvidesFile{beamerouterthemeshadow-xetex-bidi.def}[2022/06/11 v0.3 bidi adaptations for be
3580 \pgfdeclarehorizontalshading[frametitle.bg,frametitle right.bg]{bidi@beamer@RTL@frametitlesh
3581 color(Opt)=(frametitle right.bg);
3582 color(\paperwidth)=(frametitle.bg)
3583 }
3584
3585 \newcommand*{\bidi@beamer@frametitleshade}{%
3586 \if@RTLmain
3587 \pgfuses shading{bidi@beamer@RTL@frametitleshade}%
3588 \else
3589 \pgfuses shading{beamer@frametitleshade}%
3590 \fi
3591 }
3592
3593 \bidi@csundef{beamer@@tmpop@frametitle@shadow theme}
3594
3595 \defbeamertemplate*{frametitle}{shadow theme}
3596 {%
3597 \nointerlineskip%
3598 \vskip-2pt%
3599 \hbox{\leavevmode
3600 \advance\beamer@leftmargin by -12bp%
3601 \advance\beamer@rightmargin by -12bp%
3602 \beamer@tempdim=\textwidth%
3603 \advance\beamer@tempdim by \beamer@leftmargin%
3604 \advance\beamer@tempdim by \beamer@rightmargin%
3605 \hskip-\Gm@lmargin\hbox{%
3606 \setbox\beamer@tempbox=\hbox{\begin{minipage}[b]{\paperwidth}%
3607 \vbox{\vskip-.75ex%
3608 \bidi@beamer@leftskip0.3cm%
3609 \bidi@beamer@rightskip0.3cm plus1fil\leavevmode
3610 \bggroup\usebeamercolor[fg]{frametitle}\usebeamerfont{frametitle}\strut\insertframe
3611 \ifx\insertframesubtitle@empty\else%
3612 {\usebeamerfont*{framesubtitle}\usebeamercolor[fg]{framesubtitle}\insertframesub

```



```

3613         \fi%
3614         \nointerlineskip
3615         \vbox{}%
3616         \end{minipage}}%
3617     \beamer@tempdim=\ht\beamer@tempbox%
3618     \advance\beamer@tempdim by 2pt%
3619     \begin{pgfpicture}{0pt}{0pt}{\paperwidth}{\beamer@tempdim}
3620     \begin{pgfscope}
3621         \pgfsetfillcolor{black}%
3622         \pgfpathrectangle{\pgfpoint{0pt}{-4pt}}{\pgfpoint{\paperwidth}{8pt}}%
3623         \pgfsetfading{beamer@topshadowmask}{}%
3624         \pgfusepath{fill}%
3625     \end{pgfscope}
3626     \begin{pgfscope}
3627         \usebeamercolor{frametitle right}%
3628         \pgfpathrectangle{\pgfpointorigin}{\pgfpoint{\paperwidth}{\beamer@tempdim}}%
3629         \pgfusepath{clip}%
3630         \pgftext[left,base]{\bidi@beamer@frametitleshade}%
3631     \end{pgfscope}
3632     \end{pgfpicture}
3633     \hskip-\paperwidth%
3634     \box\beamer@tempbox%
3635 }%
3636 \hskip-\Gm@rmargin%
3637 }%
3638 \vskip-2pt
3639 }
3640
3641 \AtBeginDocument{%
3642   \setbeamertheme{frametitle}[shadow theme]%
3643 }
3644
3645

```

## 40 File beamerouterthemesmoothbars-xetex-bidi.def

```

3646 \ProvidesFile{beamerouterthemesmoothbars-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3647 \bidi@csundef{beamer@tmpop@headline@smoothbars theme}
3648
3649 \bidi@csundef{beamer@tmpop@frametitle@smoothbars theme}
3650
3651 \defbeamertheme*{headline}{smoothbars theme}
3652 {%
3653   \pgfuses shading{beamer@barshade}%
3654   \vskip-0.05ex%
3655   \begin{beamer colorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3656   \begin{pgfpicture}
3657     \begin{pgfscope}%
3658       \ifbeamer@sb@subsection%
3659         \pgfsetfillcolor{subsection in head/foot.bg}%
3660       \else%
3661         \pgfsetfillcolor{section in head/foot.bg}%
3662       \fi%
3663       \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%

```



```

3664     \pgfsetfading{beamer@belowframetitlemask}{}%
3665     \pgfusespath{fill}%
3666     \end{pgfscope}%
3667 \end{pgfpicture}%
3668 \end{beamercolorbox}%
3669 \ifbeamer@sb@subsection%
3670     \vskip-9.75ex%
3671 \else%
3672     \vskip-6.85ex%
3673 \fi%
3674 \begin{beamercolorbox}[ignorebg,ht=2.25ex,dp=3.75ex]{section in head/footer}
3675     \insertnavigation{\paperwidth}
3676 \end{beamercolorbox}%
3677 \ifbeamer@sb@subsection%
3678 \if@RTL
3679     \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3680         rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/footer}
3681     \else
3682     \begin{beamercolorbox}[ignorebg,ht=2.125ex,dp=1.125ex,%
3683         leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/footer}
3684     \fi
3685     \usebeamerfont{subsection in head/footer}\insertsubsectionhead
3686     \end{beamercolorbox}%
3687 \fi%
3688 }%
3689
3690 \defbeamertheme*{frametitle}{smoothbars theme}
3691 {%
3692     \nointerlineskip%
3693     \vskip-0.19ex%
3694     \usebeamerfont{headline}%
3695     \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=1ex,vmode]{empty}
3696         \pgfuses shading{beamer@aboveframetitle}%
3697     \end{beamercolorbox}%
3698     \vskip-1ex%
3699     \nointerlineskip%
3700     \if@RTL
3701     \begin{beamercolorbox}[wd=\paperwidth,rightskip=.3cm,leftskip=.3cm plus1fil,vmode]{frameti
3702     \else
3703     \begin{beamercolorbox}[wd=\paperwidth,leftskip=.3cm,rightskip=.3cm plus1fil,vmode]{frameti
3704     \fi
3705     \vskip0.5ex%
3706     \usebeamerfont*{frametitle}\strut\insertframetitle%
3707     \ifx\insertframesubtitle\@empty%
3708         \strut\par%
3709     \else
3710         \par{\usebeamerfont*{framesubtitle}{\usebeamercolor[fg]{framesubtitle}\strut\insertf
3711     \fi%
3712     \usebeamerfont{headline}%
3713     \vskip0.05ex%
3714     \end{beamercolorbox}%
3715     \nointerlineskip%
3716     \vskip-0.05ex%
3717     \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}

```



```

3718 \begin{pgfpicture}
3719   \begin{pgfscope}%
3720     \pgfsetfillcolor{frametitle.bg}%
3721     \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3722     \pgfsetfading{beamer@belowframetitlemask}{}%
3723     \pgfusepath{fill}%
3724   \end{pgfscope}%
3725 \end{pgfpicture}%
3726 \end{beamercolorbox}%
3727 }
3728
3729 \AtBeginDocument{%
3730   \setbeamertheme{frametitle}[smoothbars theme]%
3731 }
3732
3733

```

## 41 File beamerouterthemesmoothtree-xetex-bidi.def

```

3734 \ProvidesFile{beamerouterthemesmoothtree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations fo
3735 \bidi\csundef{beamer@tmpop@headline@smoothtree theme}
3736
3737 \bidi\csundef{beamer@tmpop@frametitle@smoothtree theme}
3738
3739 \defbeamertheme*{headline}{smoothtree theme}
3740 {%
3741   \pgfuseshading{beamer@treeshade}%
3742   \vskip-0.05ex%
3743   \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3744     \begin{pgfpicture}
3745       \begin{pgfscope}%
3746         \pgfsetfillcolor{subsection in head/foot.bg}%
3747         \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3748         \pgfsetfading{beamer@belowframetitlemask}{}%
3749         \pgfusepath{fill}%
3750       \end{pgfscope}%
3751     \end{pgfpicture}%
3752   \end{beamercolorbox}%
3753   \vskip-9.15ex%
3754   \if@RTL
3755     \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3756       rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/foot}
3757   \else
3758     \begin{beamercolorbox}[wd=\paperwidth,ht=1.125ex,dp=1.125ex,ignorebg,%
3759       leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/foot}
3760     \fi
3761     \usebeamerfont{title in head/foot}\insertshorttitle
3762   \end{beamercolorbox}
3763   \if@RTL
3764     \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3765       rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/foot}
3766   \else
3767     \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3768       leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/foot}

```



```

3769   \fi
3770   \usebeamerfont{section in head/footer}%
3771   \hskip6pt\insertsectionhead
3772 \end{beamercolorbox}
3773 \if@RTL
3774 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3775   rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/footer}
3776 \else
3777 \begin{beamercolorbox}[wd=\paperwidth,ht=2.125ex,dp=1.125ex,ignorebg,%
3778   leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/footer}
3779   \fi
3780   \usebeamerfont{subsection in head/footer}%
3781   \hskip12pt\insertsubsectionhead
3782 \end{beamercolorbox}
3783 \vskip-0.4ex%
3784 }
3785
3786 \defbeamertheme*{frametitle}{smoothtree theme}
3787 {%
3788   \nointerlineskip%
3789   \vskip-0.05ex%
3790   \usebeamerfont{headline}%
3791   \begin{beamercolorbox}[wd=\paperwidth,ht=0.85ex,dp=0ex]{empty}
3792     \pgfuses shading{beamer@aboveframetitle}%
3793   \end{beamercolorbox}
3794   \nointerlineskip%
3795   \if@RTL
3796   \begin{beamercolorbox}[wd=\paperwidth,rightskip=.935cm,leftskip=.3cm plus1fil]{frametitle}
3797 \else
3798 \begin{beamercolorbox}[wd=\paperwidth,leftskip=.935cm,rightskip=.3cm plus1fil]{frametitle}
3799 \fi
3800   \vskip-1.2ex%
3801   \usebeamerfont*{frametitle}\strut\insertframetitle%
3802   \ifx\insertframesubtitle\@empty%
3803     \strut\par%
3804   \else
3805     \par{\usebeamerfont*{framesubtitle}{\usebeamercolor[fg]{framesubtitle}\strut\insertframesubtitle}%
3806     \fi}%
3807   \usebeamerfont{headline}%
3808 \end{beamercolorbox}%
3809 \nointerlineskip
3810 \vskip-0.2ex%
3811 \begin{beamercolorbox}[wd=\paperwidth,ht=1ex,dp=0ex]{empty}
3812 \begin{pgfpicture}
3813   \begin{pgfscope}%
3814     \pgfsetfillcolor{frametitle.bg}%
3815     \pgfpathrectangle{\pgfpoint{-0.5\paperwidth}{-0.5ex}}{\pgfpoint{\paperwidth}{1ex}}%
3816     \pgfsetfading{beamer@belowframetitlemask}{}%
3817     \pgfusepath{fill}%
3818   \end{pgfscope}%
3819 \end{pgfpicture}%
3820 \end{beamercolorbox}%
3821 }
3822

```



```

3823
3824 \AtBeginDocument{%
3825   \setbeamertheme{frametitle}[smoothtree theme]%
3826 }
3827
3828

```

## 42 File beamerouterthemetree-xetex-bidi.def

```

3829 \ProvidesFile{beamerouterthemetree-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beam
3830 \bidi@csundef{beamer@tmpop@headline@tree theme}
3831
3832 \defbeamertheme*{headline}{tree theme}
3833 {%
3834   \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{upper separation line head}
3835   \end{beamercolorbox}
3836   \if@RTL
3837   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3838     rightskip=.3cm,leftskip=.3cm plus1fil]{title in head/footer}
3839   \else
3840   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3841     leftskip=.3cm,rightskip=.3cm plus1fil]{title in head/footer}
3842   \fi
3843   \usebeamerfont{title in head/footer}\insertshorttitle
3844   \end{beamercolorbox}
3845   \if@RTL
3846   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3847     rightskip=.3cm,leftskip=.3cm plus1fil]{section in head/footer}
3848   \else
3849   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3850     leftskip=.3cm,rightskip=.3cm plus1fil]{section in head/footer}
3851   \fi
3852   \usebeamerfont{section in head/footer}%
3853   \ifbeamer@tree@showhooks
3854     \setbox\beamer@tempbox=\hbox{\insertsectionhead}%
3855     \ifdim\wd\beamer@tempbox>1pt%
3856       \hskip2pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height0.
3857       \hskip1pt%
3858     \fi%
3859   \else%
3860     \hskip6pt%
3861   \fi%
3862   \insertsectionhead
3863   \end{beamercolorbox}
3864   \if@RTL
3865   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3866     rightskip=.3cm,leftskip=.3cm plus1fil]{subsection in head/footer}
3867   \else
3868   \begin{beamercolorbox}[wd=\paperwidth,ht=2.5ex,dp=1.125ex,%
3869     leftskip=.3cm,rightskip=.3cm plus1fil]{subsection in head/footer}
3870   \fi
3871   \usebeamerfont{subsection in head/footer}%
3872   \ifbeamer@tree@showhooks
3873     \setbox\beamer@tempbox=\hbox{\insertsubsectionhead}%

```



```

3874     \ifdim\wd\beamer@tempbox>1pt%
3875         \hskip9.4pt\raise1.9pt\hbox{\vrule width0.4pt height1.875ex\vrule width 5pt height
3876         \hskip1pt%
3877         \fi%
3878     \else%
3879         \hskip12pt%
3880         \fi%
3881     \insertsubsectionhead
3882 \end{beamercolorbox}
3883 \begin{beamercolorbox}[wd=\paperwidth,colsep=1.5pt]{lower separation line head}
3884 \end{beamercolorbox}
3885 }
3886
3887

```

### 43 File beamerthemeHannover-xetex-bidi.def

```

3888 \ProvidesFile{beamerthemeHannover-xetex-bidi.def}[2022/06/07 v0.1 bidi adaptations for beame
3889 \AtBeginDocument{%
3890   \if@RTLMain
3891     \setbeamertemplate{frametitle}[default][left]%
3892   \else
3893     \setbeamertemplate{frametitle}[default][right]%
3894   \fi
3895 }
3896
3897

```

### 44 File beamerthemeSingapore-xetex-bidi.def

```

3898 \ProvidesFile{beamerthemeSingapore-xetex-bidi.def}[2022/06/09 v0.1 bidi adaptations for beame
3899 \addtoheadtemplate{\pgfuses shading{beamer@headfade}\vskip-1.25cm}{ }
3900
3901 \beamertemplatedotitem
3902
3903 \AtBeginDocument{%
3904   \setbeamertemplate{frametitle}[default][center]%
3905 }
3906
3907

```

### 45 File bidi.sty

```

3908 \NeedsTeXFormat{LaTeX2e}
3909 \def\bididate{2022/07/18}
3910 \def\bidi@version{39.3}
3911 \ProvidesPackage{bidi}[\bididate\space v\bidi@version\space
3912 Bidirectional typesetting in plain TeX and LaTeX]
3913 \edef\@bidi@info{*****~^J%
3914 * ~^J%
3915 * bidi package (Bidirectional typesetting in~^J%
3916 * plain TeX and LaTeX, using XeTeX engine)~^J%
3917 * ~^J%
3918 * Description: A convenient interface for~^J%

```



```

3919 * typesetting bidirectional texts in plain TeX^^J%
3920 * and LaTeX. The package includes adaptations^^J%
3921 * for use with many other commonly-used packages.^^J%
3922 * ^^J%
3923 * Copyright (c) 2007--2022 Vafa Khalighi^^J%
3924 * Copyright (c) 2018--2020 bidi-tex GitHub organization^^J%
3925 * ^^J%
3926 * v\bidi@version, \bididate^^J%
3927 * ^^J%
3928 * License: LaTeX Project Public License, version^^J%
3929 * 1.3c or higher (your choice)^^J%
3930 * ^^J%
3931 * Location on CTAN: /macros/xetex/latex/bidi^^J%
3932 * ^^J%
3933 * Issue tracker: https://github.com/kvafa/bidi/issues^^J%
3934 * ^^J%
3935 * Discussions: https://github.com/kvafa/bidi/discussions^^J%
3936 * ^^J%
3937 * Primary author of bidi package: Vafa Khalighi.^^J%
3938 * ^^J%
3939 *****}
3940 \typeout{\@bidi@info}
3941 \edef\bidi@everyjob{\the\everyjob}
3942 \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
3943 \newcommand*\bidi@version{\ensuremath\bidi@version}
3944 \newcommand*\IfbidiPackageVersionLater}[1]{%
3945   \ifdim\bidi@version pt > #1 pt %
3946     \expandafter\@firstoftwo
3947   \else
3948     \expandafter\@secondoftwo
3949   \fi}
3950 \newcommand*\IfbidiPackageVersionBefore}[1]{%
3951   \ifdim\bidi@version pt < #1 pt %
3952     \expandafter\@firstoftwo
3953   \else
3954     \expandafter\@secondoftwo
3955   \fi}
3956 \newcommand*\IfbidiPackageVersion}[1]{%
3957   \ifdim\bidi@version pt = #1 pt %
3958     \expandafter\@firstoftwo
3959   \else
3960     \expandafter\@secondoftwo
3961   \fi}
3962 \RequirePackage{iftex}
3963 \RequireXeTeX
3964 \RequirePackage{biditools}
3965 \RequirePackage{zref-abspage}
3966 \RequirePackage{auxhook}
3967 \RequirePackage{ltxcmds}
3968 \RequirePackage{xkeyval}
3969 \eqnewif{\if@RTLmain}{\if@rlmain}
3970 \eqnewif{\if@RTL}{\if@rl}
3971 \newif\if@nonlatin
3972 \newif\if@bidi@perpage@footnote

```



```

3973 \newcommand*\setlatin{\@nonlatinfalse}
3974 \newcommand*\setnonlatin{\@nonlatintrue}
3975 \eqnewif{\if@RTLtab}{\if@tab@rl}
3976 \newif\if@hboxRconstruct
3977 \newif\if@bidi@pdfencrypt
3978 \newcommand*\setRTLtable{\@RTLtabtrue}
3979 \newcommand*\setLTRtable{\@RTLtabfalse}
3980 \newif\if@bidi@pdfm@mark
3981 \newif\if@RTLmarginpar
3982 \newif\if@LTRmarginpar
3983 \newif\if@LTRbibitems
3984 \newif\if@RTLbibitems
3985 \newif\if@extrafootnotefeatures
3986 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
3987 \newif\if@bidi@list@minipage@parbox
3988 \newif\if@bidi@list@minipage@parbox@not@nob
3989 \newcommand*\@bidi@pdfcreator{%
3990   The bidi package, v\@bidi@version, \@bididate
3991 }
3992 \newcommand*\@bidi@pdfproducer{%
3993   The bidi package, v\@bidi@version, \@bididate
3994 }
3995 \newcommand*\@bidi@pdfcustomproperties{%
3996   This is the bidi package, Version \@bidi@version,
3997   Released July 18, 2022.
3998 }
3999 \newcommand*\@bidi@beamer@ragged{}
4000 \@RTLmainfalse
4001 \AtBeginDocument{%
4002   \if@RTLmain\else
4003     \if@RTL\@RTLmaintrue%
4004     \else\@RTLmainfalse%
4005     \fi%
4006   \fi%
4007 }
4008 \let\n@xt=\
4009 \bidi@newrobustcmd*\LRE{\protect\pLRE}%
4010 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4011 \bidi@newrobustcmd*\RLE{\protect\pRLE}
4012 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4013 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4014   \errmessage{Missing left brace has been substituted}\fi \bgroup}
4015 \newinsert\@bidi@copyins@
4016 \skip\@bidi@copyins@=12\p@
4017 \dimen\@bidi@copyins@=40pc
4018 \count\@bidi@copyins@=1000
4019 \newcommand*\@bidi@inslogo@\@insert\@bidi@copyins@\@bidi@logo@}
4020 \newcommand*\@bidi@logo@hb@xt@columnwidth{%
4021   \if@RTLmain
4022     \if@twocolumn
4023       \hboxR to \columnwidth
4024     \else
4025       \hboxR to \textwidth
4026     \fi

```



```

4027 \else
4028   \if@twocolumn
4029     \hboxL to \columnwidth
4030   \else
4031     \hboxL to \textwidth
4032   \fi
4033 \fi
4034 }
4035 \newcommand*{\@bidi@logo}[1]{%
4036   \toks@{%
4037     \setbox\z@\hbox{%
4038       \special{%
4039         pdf:image width 50pt height 50pt (#1)%
4040       }
4041     }%
4042     \dp\z@\z@
4043     \ht\z@=50pt
4044     \wd\z@=50pt
4045     \beginL
4046     \lower20pt\box\z@
4047     \endL
4048   }%
4049   \the\toks@
4050 }
4051 \newcommand*{\@bidi@logo@}{%
4052   \@bidi@logo@hb@xt@columnwidth
4053   {\hss\LR{\bfseries Typeset by the \textsf{bidi}
4054     package\quad\@bidi@logo{bidi-logo.pdf}}}}
4055 \define@key{bidi@pdfencrypt}{userpassword}[]{%
4056   \def\bidi@pdfencrypt@userpassword{#1}%
4057 }
4058 \define@key{bidi@pdfencrypt}{ownerpassword}[]{%
4059   \def\bidi@pdfencrypt@ownerpassword{#1}%
4060 }
4061 \define@key{bidi@pdfencrypt}{keylength}[128]{%
4062   \def\bidi@pdfencrypt@keylength{#1}%
4063 }
4064 \define@key{bidi@pdfencrypt}{permissionflags}[2052]{%
4065   \def\bidi@pdfencrypt@permissionflags{#1}%
4066 }
4067 \newcommand*{\pdfencryptsetup}{\setkeys{bidi@pdfencrypt}}
4068 \@onlypreamble\pdfencryptsetup
4069 \input{latex-xetex-bidi.def}
4070 \input{loadingorder-xetex-bidi.def}
4071 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4072   \ifcase\bidi@tempb\relax
4073     \RTLtrue
4074   \or
4075     \RTLfalse
4076   \fi}
4077 \define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}
4078 \ifcase\bidi@tempb\relax
4079   \RTLtrue
4080 \or

```



```

4081 \RTLfalse
4082 \fi}
4083 \define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}
4084 \ifcase\bidi@tempb\relax
4085 \RTLtabtrue
4086 \or
4087 \RTLtabfalse
4088 \fi}
4089 \define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
4090 \ifcase\bidi@tempb\relax
4091 \nonlatinfalse
4092 \or
4093 \nonlatintrue
4094 \fi}
4095 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4096 \ifcase\bidi@tempb\relax
4097 \RTLtrue
4098 \or
4099 \RTLfalse
4100 \fi}
4101 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split}
4102 \ifcase\bidi@tempb\relax
4103 \autofootnoterule
4104 \or
4105 \leftfootnoterule
4106 \or
4107 \rightfootnoterule
4108 \or
4109 \SplitFootnoteRule
4110 \or
4111 \textwidthfootnoterule
4112 \fi}
4113 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}
4114 \ifcase\bidi@tempb\relax
4115 \RTL@footnotetrue
4116 \or
4117 \RTL@footnotefalse
4118 \fi}
4119 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4120 \ifcase\bidi@tempb\relax
4121 \footdir@debugtrue
4122 \or
4123 \footdir@debugfalse
4124 \fi}
4125 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4126 \ifcase\bidi@tempb\relax
4127 \@extrafootnotefeaturestrue
4128 \or
4129 \@extrafootnotefeaturesfalse
4130 \fi}
4131
4132 \define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4133 \ifcase\bidi@tempb\relax
4134 \def\bidi@firstcolumn@status@write{%

```



```

4135     \protected@write\@auxout{%
4136         {\string\bidicolumn@status
4137         {1}}}%
4138 \def\bidilastcolumn@status@write{%
4139     \protected@write\@auxout{%
4140         {\string\bidicolumn@status{2}}}%
4141 \or
4142     \let\bidifirstcolumn@status@write\relax
4143     \let\bidilastcolumn@status@write\relax
4144 \fi}
4145
4146 \define@choicekey{bidi.sty}{logo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4147     \ifcase\bidi@tempb\relax
4148         \AtBeginDocument{\@bidi@inslogo@}%
4149 \or
4150     \let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty
4151 \fi}
4152
4153 \define@choicekey{bidi.sty}{pdfinfo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4154     \ifcase\bidi@tempb\relax
4155         \@bidi@pdfm@marktrue
4156 \or
4157         \@bidi@pdfm@markfalse
4158 \fi}
4159
4160 % The `perpagefootnote' option is documented in UK TeX FAQ at
4161 % <https://texfaq.org/FAQ-footnpp> (see last paragraph)
4162
4163 \define@choicekey{bidi.sty}{perpagefootnote}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
4164     \ifcase\bidi@tempb\relax
4165         \@bidi@perpage@footnotetrue
4166 \or
4167         \@bidi@perpage@footnotefalse
4168 \fi}
4169
4170 \ExecuteOptionsX{%
4171     DetectColumn=off%
4172 }
4173
4174 \ProcessOptionsX
4175
4176 \pdfencryptsetup{%
4177     userpassword,%
4178     ownerpassword,%
4179     keylength,%
4180     permissionflags%
4181 }
4182
4183 \if@extrafootnotefeatures
4184     \input{extrafootnotefeatures-xetex-bidi.def}
4185 \fi
4186 \newcount\bidi@digits
4187 \XeTeXinterchartokenstate=\@ne
4188 \newXeTeXintercharclass\bidi@digits@charclass

```



```

4189 \newXeTeXintercharclass\bidisepmark@charclass
4190 \XeTeXcharclass `\. \bidisepmark@charclass
4191 \XeTeXcharclass `\- \bidisepmark@charclass
4192 \bidi@digits=`\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4193 \bidi@digits=`\ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4194 \bidi@digits=`\ \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digit
4195 \XeTeXinterchartoks \bidisepmark@charclass \bidi@digits@charclass = {\DigitsDotDashInterCh
4196 \newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
4197 \bidi@AtEndPreamble{%
4198 \if@bidi@perpage@footnote
4199 \RequirePackage{bidi-perpage}%
4200 \ResetCounterPerPage{footnote}%
4201 \fi
4202 \ifx\bidi@pdfencrypt@ownerpassword\bidi@empty
4203 \ifx\bidi@pdfencrypt@userpassword\bidi@empty
4204 \@bidi@pdfencryptfalse
4205 \else
4206 \@bidi@pdfencrypttrue
4207 \fi
4208 \else
4209 \@bidi@pdfencrypttrue
4210 \fi
4211 \if@bidi@pdfencrypt
4212 \special{pdf:encrypt
4213 userpw (\bidi@pdfencrypt@userpassword)
4214 ownerpw (\bidi@pdfencrypt@ownerpassword)
4215 length \bidi@pdfencrypt@keylength
4216 perm \bidi@pdfencrypt@permissionflags
4217 }%
4218 \fi
4219 }
4220 \AtEndDocument{%
4221 \special{pdf:%
4222 docinfo<<%
4223 \if@bidi@pdfm@mark
4224 /Creator(\@bidi@pdfcreator)%
4225 /Producer(\@bidi@pdfproducer)%
4226 \fi
4227 /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
4228 \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
4229 /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
4230 }{}%
4231 >>%
4232 }%
4233 }

```

## 46 File bidi.tex

```

4234 \def\bididate{2022/07/18}
4235 \catcode`@=11
4236 \def\bidi@version{39.3}
4237 \let \protect \relax
4238 \newlinechar`^^J
4239 \edef\@bidi@info{*****~^J%

```



```

4240 * ^^J%
4241 * bidi package (Bidirectional typesetting in^^J%
4242 * plain TeX and LaTeX, using XeTeX engine)^^J%
4243 * ^^J%
4244 * Description: A convenient interface for^^J%
4245 * typesetting bidirectional texts in plain TeX^^J%
4246 * and LaTeX. The package includes adaptations^^J%
4247 * for use with many other commonly-used packages.^^J%
4248 * ^^J%
4249 * Copyright (c) 2007--2022 Vafa Khalighi^^J%
4250 * Copyright (c) 2018--2020 bidi-tex GitHub organization^^J%
4251 * ^^J%
4252 * v\bidi@version, \bididate^^J%
4253 * ^^J%
4254 * License: LaTeX Project Public License, version^^J%
4255 * 1.3c or higher (your choice)^^J%
4256 * ^^J%
4257 * Location on CTAN: /macros/xetex/latex/bidi^^J%
4258 * ^^J%
4259 * Issue tracker: https://github.com/kvafa/bidi/issues^^J%
4260 * ^^J%
4261 * Discussions: https://github.com/kvafa/bidi/discussions^^J%
4262 * ^^J%
4263 * Primary author of bidi package: Vafa Khalighi.^^J%
4264 * ^^J%
4265 * *****}
4266 \message{\@bidi@info}
4267 \edef\bidi@everyjob{\the\everyjob}
4268 \everyjob{\bidi@everyjob\message{\@bidi@info}}
4269 \def\bidiversion{%
4270 \relax
4271 \ifmode
4272 \bidi@version
4273 \else
4274 $\bidi@version$
4275 \fi
4276 }
4277 \input iftex.sty
4278 \RequireXeTeX
4279 \newif\if@bidi@pdfm@mark
4280 \newif\if@RTLmain
4281 \newif\if@RTL
4282 \newif\if@hboxRconstruct
4283 \newif\if@sendif
4284 \newif\if@RTL@footnote
4285 \@RTLmainfalse
4286 \def\setRTLmain{%
4287 \if@RTLmain\else
4288 \if@RTL\@RTLmaintrue%
4289 \else\@RTLmainfalse%
4290 \fi%
4291 \fi%
4292 }
4293 \let\n@xt=\

```



```

4294 \protected\def\LRE{\protect\pLRE}%
4295 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
4296 \protected\def\RLE{\protect\pRLE}
4297 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
4298 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
4299 \errmessage{Missing left brace has been substituted}\fi \bgroup}
4300 \newinsert\@bidi@copyins@
4301 \skip\@bidi@copyins@=12\p@
4302 \dimen\@bidi@copyins@=40pc
4303 \count\@bidi@copyins@=1000
4304 \def\@bidi@inslogo@{\insert\@bidi@copyins@\@bidi@logo@}
4305 \def\@bidi@logo@hb@xt@{%
4306 \if@RTLmain
4307 \hboxR to
4308 \else
4309 \hboxL to
4310 \fi
4311 }
4312 \def\@bidi@logo#1{%
4313 \toks@{%
4314 \setbox\z@\hbox{%
4315 \special{%
4316 pdf:image width 50pt height 50pt (#1)%
4317 }
4318 }%
4319 \dp\z@\z@
4320 \ht\z@=50pt
4321 \wd\z@=50pt
4322 \beginL
4323 \lower20pt\box\z@
4324 \endL
4325 }%
4326 \the\toks@
4327 }
4328 \def\@bidi@logo@\@bidi@logo@hb@xt@\hsize{\hss\LRE{\bf Typeset by the bidi package\quad\@bidi@
4329 \def\nobidilogo{\let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty}
4330 \def\@bidi@pdfcreator{%
4331 The bidi package, v\@bidi@version, \@bididate
4332 }
4333 \def\@bidi@pdfproducer{%
4334 The bidi package, v\@bidi@version, \@bididate
4335 }
4336 \def\@bidi@pdfcustomproperties{%
4337 This is the bidi package, Version \@bidi@version,
4338 Released July 18, 2022.
4339 }
4340 \def\@bidi@pdfm@mark{%
4341 \special{pdf:%
4342 docinfo<<%
4343 \if\@bidi@pdfm@mark
4344 /Creator(\@bidi@pdfcreator)%
4345 /Producer(\@bidi@pdfproducer)%
4346 \fi
4347 /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%

```



```

4348     >>%
4349     }%
4350 }
4351 \def\bidipdfinfoon{\@bidi@pdfm@marktrue}
4352 \def\bidipdfinfooff{\@bidi@pdfm@markfalse}
4353 \input plain-xetex-bidi.def
4354 \@bidi@inslogo@
4355 \outer\def\bye{\par\vfill\supereject\@bidi@pdfm@mark@end}
4356 \catcode\@=12
4357 \bidipdfinfoon

```

## 47 File bidi2in1.sty

```

4358 \NeedsTeXFormat{LaTeX2e}
4359 \ProvidesPackage{bidi2in1}
4360 \pagestyle{plain}
4361 \newcount\evenpage
4362 \newcount\oddpages
4363 \twocolumn
4364 \def\@oddfoot{\evenpage=\thepage%
4365 \multiply\evenpage by 2%
4366 \oddpages=\the\evenpage%
4367 \advance\oddpages by -1%
4368 \hfil\the\evenpage\hfil\hfil\the\oddpages\hfil}%
4369 \def\@evenfoot{\evenpage=\thepage%
4370 \multiply\evenpage by 2%
4371 \oddpages=\the\evenpage%
4372 \advance\oddpages by -1%
4373 \hfil\the\oddpages\hfil\hfil\the\evenpage\hfil}%
4374 \textwidth 9.49in
4375 \textheight 6.7in
4376 \columnsep 0.9in
4377 \columnseprule 0.125pt
4378 \headheight 0cm
4379 \topmargin 0in
4380 \marginparwidth 0in
4381 \marginparsep 0in
4382 \hoffset 0.05in % Corrected
4383 \voffset -0.5in %top margin space is 1.0in by default
4384 \oddsidemargin 0in
4385 \evensidemargin 0in
4386 \headsep 0cm
4387 \topskip 0cm
4388 \parskip 0.15in %
4389 \headsep 0pt
4390 \special{papersize=11.69in,8.26in}
4391 \renewcommand\maketitle{\par
4392 \begingroup
4393 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
4394 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
4395 \long\def\@makefntext##1{\parindent 1em\noindent
4396 \hb@xt@1.8em{\%
4397 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
4398 \@maketitle

```



```

4399 \@thanks
4400 \endgroup
4401 \setcounter{footnote}{0}%
4402 \global\let\thanks\relax
4403 \global\let\maketitle\relax
4404 \global\let\@maketitle\relax
4405 \global\let\@thanks\@empty
4406 \global\let\@author\@empty
4407 \global\let\@date\@empty
4408 \global\let\@title\@empty
4409 \global\let\title\relax
4410 \global\let\author\relax
4411 \global\let\date\relax
4412 \global\let\and\relax
4413 }

```

## 48 File bidicode.sty

```

4414 \NeedsTeXFormat{LaTeX2e}
4415 \ProvidesPackage{bidicode}
4416 \RequirePackage{xcolor}
4417 \RequirePackage{showexpl}
4418 \definecolor{hellgelb}{rgb}{1,1,0.85}
4419 \definecolor{colKeys}{rgb}{0,0,1}
4420 \definecolor{colCS}{rgb}{0,0,1}
4421 \definecolor{colIdentifier}{rgb}{0,0,0}
4422 \definecolor{colComments}{rgb}{1,0,0}
4423 \definecolor{colString}{rgb}{0,0.5,0}
4424 \lstset{%
4425     language=[LaTeX]TeX,%
4426     float=hbp,%
4427     basicstyle=\ttfamily\small,%
4428     identifierstyle=\color{colIdentifier},%
4429     keywordstyle=\color{colKeys},%
4430     texcsstyle=\color{colCS},%
4431     stringstyle=\color{colString},%
4432     commentstyle=\color{colComments},%
4433     backgroundcolor=\color{hellgelb},%
4434     columns=flexible,%
4435     tabsize=4,%
4436     extendedchars=true,%
4437     showspaces=false,%
4438     showstringspaces=false,%
4439     numbers=left,%
4440     numbersep=0.9em,%
4441     numberstyle=\tiny,%
4442     frame=single,%
4443     captionpos=b,%
4444     xleftmargin=1em,%
4445     breaklines=true,%
4446     breakautoindent=false,%
4447     breakindent=0pt,%
4448     escapeinside=**,%
4449     pos=r,%

```



```

4450   explpreset={%
4451     xleftmargin=1em,%
4452     columns=flexible,%
4453     language=[LaTeX]TeX%
4454   },%
4455   moretexcs={%
4456     bididate,%
4457     bidiversion,%
4458     deflatinfont,%
4459     defpersianfont,%
4460     ding,%
4461     endLTR,%
4462     endRTL,%
4463     false,%
4464     falsesymbol,%
4465     junicode,%
4466     lr,%
4467     LR,%
4468     LRE,%
4469     LTR,%
4470     maketitle,%
4471     Nastaliq,%
4472     newfontfamily,%
4473     Parsifont,%
4474     part,%
4475     RL,%
4476     RLE,%
4477     RTL,%
4478     RTLcases,%
4479     SepMark,%
4480     setLR,%
4481     setLTR,%
4482     setRL,%
4483     setRTL,%
4484     settextfont,%
4485     subsection,%
4486     subsection,%
4487     tableofcontents,%
4488     text,%
4489     theequation,%
4490     thesection,%
4491     true,%
4492     truesymbol,%
4493     XePersian,%
4494     xepersiandate,%
4495     xepersianversion%
4496   },%
4497 }
4498 \newcommand\HLON{%
4499   \gdef\lst@alloverstyle##1{%
4500     \fboxrule=0pt
4501     \fboxsep=0pt
4502     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
4503   }}

```



```

4504 \newcommand\HLOFF{%
4505   \xdef\lst@alloverstyle##1{##1}%
4506 }
4507 \newcommand\Larg [1]{\normalfont\itshape#1\ /}
4508 \newcommand\Larga[1]{\langle$\Larg{#1}$\rangle$}
4509 \newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
4510 \newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
4511 \newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
4512 \newcommand\LBEG[1]{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}
4513 \newcommand\LEND[1]{\normalfont\ttfamily\bs{}end\lcb#1\rcb}
4514
4515 \DeclareRobustCommand\bs{\normalfont\ttfamily\symbol{92}}
4516 \DeclareRobustCommand\lcb{\normalfont\ttfamily\char`{}}
4517 \DeclareRobustCommand\rcb{\normalfont\ttfamily\char`{}}
4518 \DeclareRobustCommand\lsb{\normalfont\ttfamily[]}
4519 \DeclareRobustCommand\rsb{\normalfont\ttfamily]}
4520 \DeclareRobustCommand\lrb{\normalfont\ttfamily()}
4521 \DeclareRobustCommand\rrb{\normalfont\ttfamily)}}
4522
4523 \def\Lcs#1{\nxLcs{#1}}
4524 \def\LcsStar#1{\nxLcs{#1}\OptArg*{}}
4525 \def\nxLcs#1{\texttt{\symbol{92}}#1}
4526
4527 \def\Coordx#1{${x}_{#1}$}
4528 \def\Coordy#1{${y}_{#1}$}
4529 \def\Coordz#1{${z}_{#1}$}
4530 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
4531 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
4532 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
4533 \def\CAny{\Coordx{}},\kern 1pt\Coordy{}
4534 \def\CIIIAny{\Coordx{}},\kern 1pt\Coordy{}},\kern 1pt\Coordz{}
4535 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
4536 \def\coordin{(\Coordx{n},\kern 1pt\Coordy{n})}
4537 \def\coordi#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
4538 \def\coordx#1{(${x}_{#1}$)}
4539 \def\coordy#1{(${y}_{#1}$)}
4540 \def\coordz#1{(${z}_{#1}$)}
4541 \def\cAny{(\Coordx{}},\kern 1pt\Coordy{})}
4542 \def\ciiiiAny{(\Coordx{}},\kern 1pt\Coordy{}},\kern 1pt\Coordz{})}
4543
4544 \newsavebox{\boxdef}
4545 \newenvironment{BDef}
4546   {\begin{lrbox}\boxdef
4547     \def\arraystretch{1.0}
4548     \begin{tabular}{@{}l@{}l@{}l@{}}
4549   }
4550   {\end{tabular}\end{lrbox}}
4551
4552   {\BCmd\fbbox{\usebox\boxdef}\endBCmd}
4553   \aftergroup\@afterindentfalse\aftergroup\@afterheading
4554 }
4555
4556 \newenvironment{BDef*}
4557   {\begin{lrbox}\boxdef

```



```

4558     \def\arraystretch{1.0}
4559     \begin{tabular}{@{}l@{}l@{}l@{}}
4560   }
4561   {\end{tabular}\end{lrbox}
4562   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
4563   \aftergroup\@afterindentfalse\aftergroup\@afterheading
4564   }
4565 \newenvironment{BCmd}{
4566   \@beginparpenalty-\@lowpenalty
4567   \topsep\BDefaboveskip
4568   \fboxsep3pt
4569   \flushleft}
4570 {\@endparpenalty\@M
4571  \topsepadd\BDefbelowskip
4572  \endflushleft}
4573
4574 \newenvironment{BCmd*}{
4575   \@beginparpenalty\@M
4576   \topsep\BDefinlineskip
4577   \fboxsep3pt
4578   \flushleft}
4579 {\@endparpenalty5000
4580  \endflushleft}
4581
4582 \newskip\BDefaboveskip
4583 \newskip\BDefbelowskip
4584 \newskip\BDefinlineskip
4585 \setlength\BDefaboveskip{10pt plus 4pt}
4586 \setlength\BDefbelowskip{6pt}
4587 \setlength\BDefinlineskip{6pt}
4588
4589 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
4590 \def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
4591 \def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
4592 \def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}

```

## 49 File bidiftnxtra.sty

```

4593 \NeedsTeXFormat{LaTeX2e}
4594 \ProvidesPackage{bidiftnxtra}
4595 \newtoks\bidip@ftn
4596 \let\FN@sf@@footnote\footnote
4597 \let\FN@sf@LTRfootnote\LTRfootnote
4598 \let\FN@sf@RTLfootnote\RTLfootnote
4599 \def\footnote{\ifx\protect\@typeset@protect
4600   \expandafter\FN@sf@@footnote
4601   \else
4602     \expandafter\FN@sf@gobble@opt
4603   \fi
4604 }
4605 \def\LTRfootnote{\ifx\protect\@typeset@protect
4606   \expandafter\FN@sf@LTRfootnote
4607   \else
4608     \expandafter\FN@sf@gobble@opt

```



```

4609 \fi
4610 }
4611 \def\RTLfootnote{\ifx\protect\@typeset@protect
4612 \expandafter\FN@sf@RTLfootnote
4613 \else
4614 \expandafter\FN@sf@gobble@opt
4615 \fi
4616 }
4617 \edef\FN@sf@gobble@opt{\noexpand\protect
4618 \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
4619 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
4620 \ifnextchar[%]
4621 \FN@sf@gobble@twobrace
4622 \@gobble
4623 }
4624 \def\FN@sf@gobble@twobrace[#1]#2{}
4625 \let\FN@sf@footnotemark\footnotemark
4626 \def\footnotemark{\ifx\protect\@typeset@protect
4627 \expandafter\FN@sf@footnotemark
4628 \else
4629 \expandafter\FN@sf@gobble@optonly
4630 \fi
4631 }
4632 \edef\FN@sf@gobble@optonly{\noexpand\protect
4633 \expandafter\noexpand\csname FN@sf@gobble@optonly \endcsname}
4634 \expandafter\def\csname FN@sf@gobble@optonly \endcsname{%
4635 \ifnextchar[%]
4636 \FN@sf@gobble@bracket
4637 }%
4638 }
4639 \def\FN@sf@gobble@bracket[#1]{}
4640 \def\@tabular{%
4641 \leavevmode \hbox \bgroup
4642 \let\@footnotetext\@bidi@p@ftntext
4643 \let\@LTRfootnotetext\@bidi@p@LTRftntext
4644 \let\@RTLfootnotetext\@bidi@p@RTLftntext
4645 \let\@xfootnotenext\@bidi@p@xftntext
4646 \let\@xfootnote\@bidi@p@xfootnote
4647 \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
4648 \let\@xLTRfootnote\@bidi@p@xLTRfootnote
4649 \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
4650 \let\@xRTLfootnote\@bidi@p@xRTLfootnote
4651 \if@RTLtab\beginR \fi
4652 $\let\@acol\@tabacol
4653 \let\@classz\@tabclassz
4654 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
4655 \def\endtabular{\@crrc\@egroup\if@RTLtab\@egroup\endR\@egroup\fi
4656 \egroup $\if@RTLtab\endR\fi\egroup
4657 \ifx\@capttype\@undefined
4658 \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn\fi}
4659 \long\def\@bidi@p@ftntext#1{%
4660 \edef\@tempy{\the\@bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
4661 \global\@bidi@p@ftn\expandafter{\@tempy{#1}}%
4662 \long\def\@bidi@p@LTRftntext#1{%

```



```

4663 \edef\@tempyi{\the\bidip@ftn\noexpand\LTRfootnotetext[\the\csname c@\mpfn\endcsname]}%
4664 \global\bidip@ftn\expandafter{\@tempyi{#1}}}%
4665 \long\def\bidip@RTLftntext#1{%
4666 \edef\@tempyii{\the\bidip@ftn\noexpand\RTLfootnotetext[\the\csname c@\mpfn\endcsname]}%
4667 \global\bidip@ftn\expandafter{\@tempyii{#1}}}%
4668
4669
4670 \long\def\bidip@xftntext[#1]#2{%
4671 \global\bidip@ftn\expandafter{\the\bidip@ftn\footnotetext[#1]{#2}}}
4672
4673 \long\def\bidip@xLTRftntext[#1]#2{%
4674 \global\bidip@ftn\expandafter{\the\bidip@ftn\LTRfootnotetext[#1]{#2}}}
4675
4676 \long\def\bidip@xRTLftntext[#1]#2{%
4677 \global\bidip@ftn\expandafter{\the\bidip@ftn\RTLfootnotetext[#1]{#2}}}
4678
4679
4680 \def\bidip@xfootnote[#1]{%
4681 \begingroup
4682 \csname c@\mpfn\endcsname #1\relax
4683 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4684 \endgroup
4685 \@footnotemark\bidip@xftntext[#1]}
4686
4687
4688 \def\bidip@xLTRfootnote[#1]{%
4689 \begingroup
4690 \csname c@\mpfn\endcsname #1\relax
4691 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4692 \endgroup
4693 \@footnotemark\bidip@xLTRftntext[#1]}
4694
4695
4696 \def\bidip@xRTLfootnote[#1]{%
4697 \begingroup
4698 \csname c@\mpfn\endcsname #1\relax
4699 \unrestored@protected@xdef\@thefnmark{\thempfn}%
4700 \endgroup
4701 \@footnotemark\bidip@xRTLftntext[#1]}
4702
4703 \def\@xfloat #1[#2]{%
4704 \@nodocument
4705 \def \@capttype {#1}%
4706 \def \@fps {#2}%
4707 \@onelevel@sanitize \@fps
4708 \def \reserved@b {!}%
4709 \ifx \reserved@b \@fps
4710 \@fpsaddefault
4711 \else
4712 \ifx \@fps \@empty
4713 \@fpsaddefault
4714 \fi
4715 \fi
4716 \ifhmode

```



```

4717     \@bsphack
4718     \@floatpenalty -\@Mii
4719     \else
4720       \@floatpenalty-\@Miii
4721     \fi
4722   \ifinner
4723     \@parmoderr\@floatpenalty\z@
4724   \else
4725     \@next\@currbox\@freelist
4726     {%
4727       \@tempcnta \sixt@n
4728       \expandafter \@tfor \expandafter \reserved@a
4729       \expandafter : \expandafter =\@fps
4730       \do
4731       {%
4732         \if \reserved@a h%
4733           \ifodd \@tempcnta
4734             \else
4735               \advance \@tempcnta \@ne
4736             \fi
4737         \fi
4738         \if \reserved@a t%
4739           \@setfpsbit \tw@
4740         \fi
4741         \if \reserved@a b%
4742           \@setfpsbit 4%
4743         \fi
4744         \if \reserved@a p%
4745           \@setfpsbit 8%
4746         \fi
4747         \if \reserved@a !%
4748           \ifnum \@tempcnta>15
4749             \advance\@tempcnta -\sixt@n\relax
4750           \fi
4751         \fi
4752       }%
4753     \@tempcntb \cstype\@capttype \endcstype
4754     \multiply \@tempcntb \@xxxii
4755     \advance \@tempcnta \@tempcntb
4756     \global \count\@currbox \@tempcnta
4757   }%
4758   \@fltovf
4759 \fi
4760 \global \setbox\@currbox
4761   \color@vbox
4762   \normalcolor
4763   \vbox \bgroup
4764     \let\@footnotetext\@footnotetext
4765     \let\@LTRfootnotetext\@LTRfootnotetext
4766     \let\@RTLfootnotetext\@RTLfootnotetext
4767     \let\@xfootnotenext\@xfootnotenext
4768     \let\@xfootnote\@xfootnote
4769     \let\@xLTRfootnotenext\@xLTRfootnotenext
4770     \let\@xLTRfootnote\@xLTRfootnote

```



```

4771     \let\@xRTLfootnotenext\@xRTLftntext
4772     \let\@xRTLfootnote\@xRTLfootnote
4773     \hspace\columnwidth
4774     \@parboxrestore
4775     \@floatboxreset
4776 }
4777 \def \@endfloatbox{%
4778     \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
4779     \@minipagefalse
4780     \outer@nobreak
4781     \egroup                %% end of vbox
4782     \global\@xRTLftntext\@xRTLftntext
4783     \color@endbox
4784 }

```

## 50 File bidimoderncv.cls

```

4785 \NeedsTeXFormat{LaTeX2e}
4786 \ProvidesClass{bidimoderncv}
4787 \newif\if@DEBUG\@DEBUGfalse
4788 \DeclareOption{a4paper}{
4789     \setlength\paperheight{297mm}
4790     \setlength\paperwidth{210mm}}
4791 \DeclareOption{a5paper}{
4792     \setlength\paperheight{210mm}
4793     \setlength\paperwidth{148mm}}
4794 \DeclareOption{b5paper}{
4795     \setlength\paperheight{250mm}
4796     \setlength\paperwidth{176mm}}
4797 \DeclareOption{letterpaper}{
4798     \setlength\paperheight{11in}
4799     \setlength\paperwidth{8.5in}}
4800 \DeclareOption{legalpaper}{
4801     \setlength\paperheight{14in}
4802     \setlength\paperwidth{8.5in}}
4803 \DeclareOption{executivepaper}{
4804     \setlength\paperheight{10.5in}
4805     \setlength\paperwidth{7.25in}}
4806 \DeclareOption{landscape}{
4807     \setlength\@tempdima{\paperheight}
4808     \setlength\paperheight{\paperwidth}
4809     \setlength\paperwidth{\@tempdima}}
4810 \newcommand\@ptsize{}
4811 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
4812 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}
4813 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
4814 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
4815 \DeclareOption{final}{\setlength\overfullrule{0pt}}
4816 \newif\if@colour\@colourtrue
4817 \DeclareOption{nocolour}{\@colourfalse}
4818 \ExecuteOptions{a4paper,11pt,colour,final}
4819 \ProcessOptions\relax
4820 \input{size1\@ptsize.clo}
4821 \RequirePackage{color}

```



```

4822 \RequirePackage{graphicx}
4823 \RequirePackage{ifthen}
4824 \RequirePackage{marvosym}
4825 \addtolength{\oddsidemargin}{-54pt}
4826 \addtolength{\textwidth}{109pt}
4827 \addtolength{\topmargin}{-70pt}
4828 \addtolength{\textheight}{122pt}
4829 \addtolength{\marginparsep}{-5pt}
4830 \addtolength{\marginparwidth}{-10pt}
4831 \RequirePackage{url}
4832 \RequirePackage{hyperref}
4833 \hypersetup{%
4834   breaklinks,
4835   baseurl      = http://,%
4836   pdfborder    = 0 0 0,%
4837   pdfpagemode  = UseNone,%
4838   pdfstartpage = 1}
4839 \AtEndOfClass{%
4840   \AtBeginDocument{%
4841     \hypersetup{%
4842       pdfauthor      = \@firstname~\@familyname,%
4843       pdftitle       = \@title,%
4844       pdfsubject     = \@firstname~\@familyname,%
4845       pdfkeywords    = \@resumename~\@firstname~\@familyname}}}
4846 \urlstyle{tt}
4847 \RequirePackage{fancyhdr}
4848 \fancypagestyle{plain}{%
4849   \renewcommand{\headrulewidth}{0pt}
4850   \renewcommand{\footrulewidth}{0pt}
4851   \fancyhf{}}
4852 \pagestyle{plain}
4853 \setlength\lineskip{1\p@}
4854 \setlength\normallineskip{1\p@}
4855 \renewcommand\baselinestretch{}
4856 \setlength{\parindent}{0pt}
4857 \setlength{\parskip}{0pt}
4858 \setlength\columnsep{10\p@}
4859 \setlength\columnseprule{0\p@}
4860 \pagestyle{empty}
4861 \pagenumbering{arabic}
4862 \raggedbottom
4863 \onecolumn
4864 \providecommand*\listitemsymbol{\textbullet}
4865 \providecommand*\addresssymbol{}
4866 \providecommand*\mobilesymbol{\Mobilefone}
4867 \providecommand*\phonesymbol{\Telefon}
4868 \providecommand*\faxsymbol{\FAX}
4869 \providecommand*\emailsymbol{\Letter}
4870 \definecolor{firstnamecolor}{rgb}{0,0,0}
4871 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
4872 \def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
4873 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
4874 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
4875 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}

```



```

4876 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
4877 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
4878 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
4879 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
4880 \providecommand*\firstnamefont{}
4881 \providecommand*\familynamefont{}
4882 \providecommand*\titlefont{}
4883 \providecommand*\addressfont{}
4884 \providecommand*\quotefont{}
4885 \providecommand*\sectionfont{}
4886 \providecommand*\subsectionfont{}
4887 \providecommand*\hintfont{\small}
4888 \providecommand*\firstnamestyle[1]{\@firstnamefont\@firstnamecolour#1}
4889 \providecommand*\familynamestyle[1]{\@familynamefont\@familynamecolour#1}
4890 \providecommand*\titlestyle[1]{\@titlefont\@titlecolour#1}
4891 \providecommand*\addressstyle[1]{\@addressfont\@addresscolour#1}
4892 \providecommand*\quotestyle[1]{\@quotefont\@quotecolour#1}
4893 \providecommand*\sectionstyle[1]{\@sectionfont\@sectiontitlecolour#1}
4894 \providecommand*\subsectionstyle[1]{\@subsectionfont\@subsectioncolour#1}
4895 \providecommand*\hintstyle[1]{\@hintfont\@hintcolour#1}
4896 \newcommand*\cvtheme}[2]{}
4897 \def\@cvtheme{#2}
4898 \def\@cvthemeoptions{#1}
4899 \cvtheme{bidi-casual}
4900 \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
4901 \newcommand*\resumename[1]{\def\@resumename{#1}}
4902 \newcommand*\firstname[1]{\def\@firstname{#1}}
4903 \newcommand*\familyname[1]{\def\@familyname{#1}}
4904 \renewcommand*\title[1]{\def\@title{#1}}
4905 \newcommand*\address[1]{\def\@address{#1}}
4906 \newcommand*\mobile[1]{\def\@mobile{#1}}
4907 \newcommand*\phone[1]{\def\@phone{#1}}
4908 \renewcommand*\fax[1]{\def\@fax{#1}}
4909 \newcommand*\email[1]{\def\@email{#1}}
4910 \newcommand*\extrainfo[1]{\def\@extrainfo{#1}}
4911 \def\@photowidth{0pt}
4912 \newcommand*\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
4913 \newcommand*\quote[1]{\def\@quote{#1}}
4914 \newlength{\quotewidth}
4915 \newlength{\hintscolumnwidth}
4916 \newlength{\separatorcolumnwidth}
4917 \setlength{\separatorcolumnwidth}{0.025\textwidth}
4918 \newlength{\maincolumnwidth}
4919 \newlength{\doubleitemmaincolumnwidth}
4920 \newlength{\listitemsymbolwidth}
4921 \settowidth{\listitemsymbolwidth}{\listitemsymbol}~}
4922 \newlength{\listitemmaincolumnwidth}
4923 \newlength{\listdoubleitemmaincolumnwidth}
4924 \newcommand*\recomputethemelengths{}
4925 \newcommand*\recomputelengths{%
4926 \setlength{\quotewidth}{0.65\textwidth}%
4927 \setlength{\maincolumnwidth}{\textwidth}%
4928 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
4929 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%

```



```

4930 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
4931 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
4932 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
4933 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
4934 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
4935 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
4936 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
4937 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
4938 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
4939 \renewcommand{\headwidth}{\textwidth}%
4940 \recomputethemelengths}
4941 \setlength{\hintscolumnwidth}{0.15\textwidth}
4942 \recomputelengths
4943 \title{}
4944 \renewcommand*{\maketitle}{}
4945 \newcommand*{\section}[1]{%
4946 \vspace*{2.5ex \@plus 1ex \@minus .2ex}%
4947 \phantomsection{}%
4948 \addcontentsline{toc}{part}{#1}%
4949 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectangle}
4950 \hspace{\separatorcolumnwidth}%
4951 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\@{1ex}}
4952 \newcommand*{\subsection}[1]{%
4953 \cvline[0.45em]{}{\subsectionstyle{#1}}}
4954 \newcommand*{\cvline}[3][.25em]{%
4955 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}
4956 \bidi@raggedleft\hintfont{#2} &{#3}}%
4957 \end{tabular}}\@{#1}}
4958 \newcommand*{\cvdoubleitem}[4]{%
4959 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
4960 \hfill%
4961 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\
4962 \newcommand*{\cvlistitem}[2][\listitemsymbol]{}%
4963 \cvline[0pt]{}{#1-\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}
4964 \newcommand*{\cvlistdoubleitem}[3][\listitemsymbol]{}%
4965 \cvline[0pt]{}{#1-\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}}%
4966 \hfill%
4967 \ifthenelse{\equal{#3}{}%
4968 {}%
4969 {#1-\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}
4970 \newcommand*{\cventry}[6]{%
4971 \cvline{#1}{%
4972 {\bfseries#2}%
4973 \ifx#3\else{, {\slshape#3}}\fi%
4974 \ifx#4\else{, #4}\fi%
4975 \ifx#5\else{, #5}\fi%
4976 .%
4977 \ifx#6\else{\newline}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
4978 }%
4979 \newcommand*{\cvlanguage}[3]{%
4980 \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin
4981 \newcommand*{\cvcomputer}[4]{%
4982 \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
4983 \newcommand*{\link}[2][ ]{}%

```



```

4984 \ifthenelse{\equal{#1}{}}%
4985   {\href{#2}{#2}}%
4986   {\href{#2}{#1}}
4987 \newcommand*{\httplink}[2][ ]{%
4988   \ifthenelse{\equal{#1}{}}%
4989     {\href{http://#2}{#2}}%
4990     {\href{http://#2}{#1}}
4991 \newcommand*{\emailink}[2][ ]{%
4992   \ifthenelse{\equal{#1}{}}%
4993     {\href{mailto:#2}{#2}}%
4994     {\href{mailto:#2}{#1}}
4995 \newif\if@displaypagenumbers\@displaypagenumberstrue
4996 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
4997 \AtBeginDocument{%
4998   \if@displaypagenumbers%
4999     \ifundefined{r@lastpage}{}%
5000     \ifthenelse{\pageref{lastpage} > 1}{%
5001       \fancypagestyle{plain}{%
5002         \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\pag
5003         \pagestyle{plain}}}%
5004     \AtEndDocument{\label{lastpage}}%
5005     \fi}
5006 \newlength{\bibindent}
5007 \setlength{\bibindent}{1.5em}
5008 \newcommand*{\bibliographyitemlabel}{\includegraphics{bidi-bibitem.pdf}}
5009 \newenvironment{thebibliography}[1]%
5010   {%
5011     \section{\refname}%
5012     \small%
5013     \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
5014     \bidi@thebibliography@font@hook%
5015     \begin{list}{\bibliographyitemlabel}%
5016       {%
5017         \setlength{\topsep}{0pt}%
5018         \setlength{\labelwidth}{\hintscolumnwidth}%
5019         \setlength{\labelsep}{\separatorcolumnwidth}%
5020         \leftmargin\labelwidth%
5021         \advance\leftmargin\labelsep%
5022         \@openbib@code%
5023         \usecounter{enumiv}%
5024         \let\p@enumiv\@empty%
5025         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
5026         \sloppy\clubpenalty4000\widowpenalty4000%
5027     }%
5028   {%
5029     \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
5030     \end{list}%
5031   }
5032 \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
5033 \let\@openbib@code\@empty

```

## 51 File bidi-perpage.sty

```
5034 \NeedsTeXFormat{LaTeX2e}
```



```

5035 \ProvidesPackage{bidi-perpage}[2018/10/04 v0.4 Reset counter(s) on every page]
5036 \newcount\bidi@page@count
5037 \bidi@page@count@one
5038 \newcommand*\ResetCounterPerPage}[2][\z@]{%
5039 \if@bidi@csundef{bidi@stepcounterhook@#2}{%
5040 \expandafter\gdef\csname bidi@stepcounterhook@#2\endcsname{%
5041 }{}%
5042 \if@bidi@csundef{if@bidi@reset@#2@rerun}{%
5043 \expandafter\newif\csname if@bidi@reset@#2@rerun\endcsname
5044 }{}%
5045 \if@bidi@csundef{bidi@#2@count}{%
5046 \expandafter\newcount\csname bidi@#2@count\endcsname
5047 }{}%
5048 \csname bidi@#2@count\endcsname\z@
5049 \if@bidi@csundef{bidi@previous@page@#2@count}{%
5050 \expandafter\newcount\csname
5051 bidi@previous@page@#2@count\endcsname
5052 }{}%
5053 \csname bidi@previous@page@#2@count\endcsname\z@
5054 \if@bidi@csundef{bidi@reset@#2@perpage}{%
5055 \bidi@AfterEndDocumentCheckLabelsRerun{%
5056 \csname if@bidi@reset@#2@rerun\endcsname
5057 \PackageWarningNoLine{bidi-perpage}{%
5058 Counter `#2' may not have been reset per page.
5059 Rerun to reset counter `#2' per page%
5060 }%
5061 \fi
5062 }%
5063 }{}%
5064 \expandafter\gdef\csname bidi@reset@#2@perpage\endcsname{%
5065 \global\advance\csname bidi@#2@count\endcsname\@ne
5066 \if@filesw
5067 \edef\@tempa{%
5068 \write\@auxout{%
5069 \string\bidi@counter@page{#2}%
5070 {\number\csname bidi@#2@count\endcsname}%
5071 {\noexpand\number\noexpand\bidi@page@count}%
5072 }%
5073 }%
5074 \@tempa
5075 \fi
5076 \begingroup\expandafter\expandafter\expandafter\endgroup
5077 \expandafter\ifx\csname bidi@#2@@\number\csname
5078 bidi@#2@count\endcsname\endcsname\relax
5079 \global\csname @bidi@reset@#2@reruntrue\endcsname
5080 \else
5081 \global\csname @bidi@reset@#2@rerunfalse\endcsname
5082 \expandafter\@tempcnta\csname bidi@#2@@\number
5083 \csname bidi@#2@count\endcsname\endcsname\relax
5084 \ifnum\@tempcnta=\csname
5085 bidi@previous@page@#2@count\endcsname
5086 \else
5087 \global\csname
5088 bidi@previous@page@#2@count\endcsname\@tempcnta

```



```

5089     \global\csname c@#2\endcsname#1\relax
5090     \fi
5091 \fi
5092 }%
5093 \expandafter\bidigappto\csname
5094 bidi@stepcounterhook@#2\endcsname{%
5095     \csname bidi@reset@#2@perpage\endcsname
5096 }%
5097 }
5098 \def\bidicounter@page#1#2#3{\bidi@namegdef{bidi@#1@#2}#{3}}
5099 \bidi@AtEndOutputPage{%
5100 \global\advance\bidipage@count\@ne
5101 }

```

## 52 File biditools.sty

```

5102 \NeedsTeXFormat{LaTeX2e}
5103 \ProvidesPackage{biditools}[2022/06/15 v2.3 Programming tools for bidi package]
5104 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\relax
5105     \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
5106     \ifx\@tempa\@tempb \global\let#2#1%
5107     \else
5108         \edef\@tempb{\meaning#2}%
5109         \ifx\@tempa\@tempb
5110             \else
5111                 \@latex@error{Unable to properly define \string#2; primitive
5112                 \noexpand#1no longer primitive}\@eha
5113             \fi
5114         \fi
5115     \endgroup}
5116 \newtoks\@bidi@envbody
5117 \newtoks\@bidi@emptytoks
5118 \def\bidicollect@body#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
5119 \def\bidiprocess@body#1{%
5120     \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
5121     \edef\bidiprocess@envbody{\the\@bidi@envbody\noexpand\end{\@currentenv}}%
5122     \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
5123     \begingroup
5124     \expandafter\let\csname\@currentenv\endcsname\bidicollect@@body
5125     \edef\bidiprocess@envbody{\expandafter\noexpand\csname\@currentenv\endcsname}%
5126     \bidiprocess@envbody
5127 }
5128 \def\bidipush@begins#1\begin#2{%
5129     \ifx\end#2\else b\expandafter\bidipush@begins\fi
5130 }
5131 \def\bidicollect@@body#1\end#2{%
5132     \edef\begin@bidi@stack{\bidipush@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}
5133     \ifx\@empty\begin@bidi@stack
5134         \endgroup
5135         \@checkend{#2}%
5136         \bidicollect@body{#1}%
5137     \else
5138         \bidicollect@body{#1\end{#2}}%
5139     \fi

```



```

5140 \bidi@process@envbody % A little tricky! Note the grouping
5141 }
5142 \long\def\bidi@addto@long@envbody#1{\global\bidi@envbody\expandafter{\the\bidi@envbody#1}}%
5143 \long\def\bidi@collect@long@body#1{%
5144   \@bidi@envbody{\expandafter#1\expandafter{\the\bidi@envbody}}%
5145   \edef\bidi@process@envbody{\the\bidi@envbody\noexpand\end{\currenvir}}%
5146   \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
5147   \begingroup
5148   \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
5149   \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
5150   \bidi@process@envbody
5151 }
5152 \long\def\bidi@push@long@begins#1\begin#2{%
5153   \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
5154 }
5155 \long\def\bidi@collect@long@@body#1\end#2{%
5156   \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@
5157   \ifx\@empty\begin@bidi@stack
5158     \endgroup
5159     \@checkend{#2}%
5160     \bidi@addto@long@envbody{#1}%
5161   \else
5162     \bidi@addto@long@envbody{#1\end{#2}}%
5163   \fi
5164   \bidi@process@envbody % A little tricky! Note the grouping
5165 }
5166 \long\def\bidi@new@ifnextchar#1#2#3{%
5167   \let\reserved@d= #1%
5168   \def\reserved@a{#2}\def\reserved@b{#3}%
5169   \futurelet\@let@token\bidi@new@ifnch
5170 }
5171 \def\bidi@new@ifnch{%
5172   \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
5173   \reserved@b
5174 }
5175 \def\bidi@matrix@check#1{%
5176   \expandafter\ifx\csname\@currenvir\endcsname#1%
5177   \else\bidi@matrix@error#1%
5178     \expandafter\@gobble
5179   \fi
5180 }
5181 \def\bidi@matrix@error#1{%
5182   \PackageError{biditools}{%
5183     Old form '\string#1' should be \string\begin{\expandafter\@gobble\string#1}%
5184   }{%
5185     '\string#1{...}' is old bidi package syntax whose use is
5186     ill-advised in the old versions of bidi package.%
5187   }%
5188 }
5189 \def\@tagsextension{clo}
5190 \def\@definitionfileextension{def}
5191 \def\@texfileextension{tex}
5192 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
5193 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}

```



```

5194 \def@iftexfileloaded{\@ifl@aded\@texfileextension}
5195 \def\eqnewif#1#2{%
5196   \count@\escapechar \escapechar\m@ne
5197   \let#1\iffalse
5198   \let#2\iffalse
5199   \eq@if#1#2\iftrue
5200   \eq@if#1#2\iffalse
5201   \escapechar\count@}
5202 \def\eq@if#1#2#3{%
5203   \expandafter\def\csname\expandafter@gobbletwo\string#1%
5204     \expandafter@gobbletwo\string#3\endcsname
5205     {\let#1#3%
5206     \let#2#3}%
5207   \expandafter\def\csname\expandafter@gobbletwo\string#2%
5208     \expandafter@gobbletwo\string#3\endcsname
5209     {\let#2#3%
5210     \let#1#3}}
5211 \def\noteqnewif#1#2{%
5212   \count@\escapechar \escapechar\m@ne
5213   \let#1\iffalse
5214   \let#2\iffalse
5215   \not@eq@if#1#2\iftrue\iffalse
5216   \escapechar\count@}
5217 \def\not@eq@if#1#2#3#4{%
5218   \expandafter\def\csname\expandafter@gobbletwo\string#1%
5219     \expandafter@gobbletwo\string#3\endcsname
5220     {\let#1#3%
5221     \let#2#4}%
5222   \expandafter\def\csname\expandafter@gobbletwo\string#1%
5223     \expandafter@gobbletwo\string#4\endcsname
5224     {\let#1#4%
5225     \let#2#3}%
5226   \expandafter\def\csname\expandafter@gobbletwo\string#2%
5227     \expandafter@gobbletwo\string#3\endcsname
5228     {\let#2#3%
5229     \let#1#4}%
5230   \expandafter\def\csname\expandafter@gobbletwo\string#2%
5231     \expandafter@gobbletwo\string#4\endcsname
5232     {\let#2#4%
5233     \let#1#3}}
5234 \newcommand*\SetBoolean}[2]{%
5235   \lowercase{\def\@tempa{#2}}%
5236   \@ifundefined{\@tempswa\@tempa}%
5237     {\PackageError{biditools}%
5238       {You can only set a boolean to `true' or `false'}\@ehc}%
5239     {\@ifundefined{#1\@tempa}%
5240       {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
5241       {\csname#1\@tempa\endcsname}}}
5242 \newcommand*\GlobalSetBoolean}[2]{%
5243   \lowercase{\def\@tempa{#2}}%
5244   \@ifundefined{\@tempswa\@tempa}%
5245     {\PackageError{biditools}%
5246       {You can only set a boolean to `true' or `false'}\@ehc}%
5247     {\@ifundefined{#1\@tempa}%

```



```

5248     {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
5249     {\global\csname#1\@tempa\endcsname}}
5250 \newcommand*\SetatBoolean}[2]{%
5251   \lowercase{\def\@tempa{#2}}%
5252   \@ifundefined{@tempwa\@tempa}%
5253   {\PackageError{biditools}%
5254     {You can only set a boolean to `true' or `false'}\@ehc}%
5255   {\@ifundefined{@#1\@tempa}%
5256     {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
5257     {\csname @#1\@tempa\endcsname}}}
5258 \newcommand*\GlobalSetatBoolean}[2]{%
5259   \lowercase{\def\@tempa{#2}}%
5260   \@ifundefined{@tempwa\@tempa}%
5261   {\PackageError{biditools}%
5262     {You can only set a boolean to `true' or `false'}\@ehc}%
5263   {\@ifundefined{@#1\@tempa}%
5264     {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
5265     {\global\csname @#1\@tempa\endcsname}}}
5266 \def\@bidi@removefromreset#1#2{%
5267   \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
5268   \def\@elt##1{%
5269     \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
5270     \else
5271     \noexpand\@elt{##1}%
5272     \fi}%
5273   \expandafter\xdef\csname c1@#2\endcsname{%
5274     \csname c1@#2\endcsname}}
5275 \newcommand*\ifRtoL{%
5276   \ifRTL
5277     \expandafter\@firstoftwo
5278   \else
5279     \expandafter\@secondoftwo
5280   \fi}
5281 \newcommand*\ifLtoR{%
5282   \ifRTL
5283     \expandafter\@secondoftwo
5284   \else
5285     \expandafter\@firstoftwo
5286   \fi}
5287 \newcommand*\ifRtoLtable{%
5288   \ifRTLtab
5289     \expandafter\@firstoftwo
5290   \else
5291     \expandafter\@secondoftwo
5292   \fi}
5293 \newcommand*\ifLtoRtable{%
5294   \ifRTLtab
5295     \expandafter\@secondoftwo
5296   \else
5297     \expandafter\@firstoftwo
5298   \fi}
5299 \newcommand*\ifRtoLhboxconstruct{%
5300   \if@hboxRconstruct
5301     \expandafter\@firstoftwo

```



```

5302 \else
5303   \expandafter\@secondoftwo
5304 \fi}
5305 \newcommand*\ifLtoRhboxconstruct}{%
5306 \if@hboxRconstruct
5307   \expandafter\@secondoftwo
5308 \else
5309   \expandafter\@firstoftwo
5310 \fi}
5311 \newcommand*\iflatin}{%
5312 \if@nonlatin
5313   \expandafter\@secondoftwo
5314 \else
5315   \expandafter\@firstoftwo
5316 \fi}
5317 \newcommand*\ifnonlatin}{%
5318 \if@nonlatin
5319   \expandafter\@firstoftwo
5320 \else
5321   \expandafter\@secondoftwo
5322 \fi}
5323
5324 \newcommand*\bidi@convert@dimen@t@unit}[2]{%
5325   \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
5326
5327 \newcommand*\bidi@convert@dimen@t@pt}[1]{%
5328   \dimexpr #1*65536/\dimexpr 1pt\relax}
5329
5330 \newcommand*\if@bidi@csdef}[1]{%
5331 \ifcsname#1\endcsname
5332   \expandafter\@firstoftwo
5333 \else
5334   \expandafter\@secondoftwo
5335 \fi}
5336 \newcommand*\if@bidi@cundef}[1]{%
5337 \ifcsname#1\endcsname
5338   \expandafter\ifx\csname#1\endcsname\relax
5339   \expandafter\expandafter
5340   \expandafter\@firstoftwo
5341 \else
5342   \expandafter\expandafter
5343   \expandafter\@secondoftwo
5344 \fi
5345 \else
5346   \expandafter\@firstoftwo
5347 \fi}
5348 \newcommand{\if@bidi@def}[1]{%
5349 \ifdefined#1%
5350   \expandafter\@firstoftwo
5351 \else
5352   \expandafter\@secondoftwo
5353 \fi}
5354 \newcommand{\if@bidi@undef}[1]{%
5355 \ifdefined#1%

```



```

5356 \ifx#1\relax
5357 \expandafter\expandafter
5358 \expandafter\@firstoftwo
5359 \else
5360 \expandafter\expandafter
5361 \expandafter\@secondoftwo
5362 \fi
5363 \else
5364 \expandafter\@firstoftwo
5365 \fi}
5366 \newcommand{\if@bidi@blank}[1]{% from url.sty
5367 \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
5368 \long\def\bidi@ifblank@i#1#2&#3#4#5:#{#4}
5369 \newcommand{\bidi@notblank}[1]{%
5370 \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
5371 \newcommand{\if@bidi@defmacro}{%
5372 \long\edef\if@bidi@defmacro#1{%
5373 \noexpand\expandafter\noexpand\bidi@ifdefmacro
5374 \noexpand\meaning#1\detokenize{macro}:&}
5375 \edef\bidi@ifdefmacro{%
5376 \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&
5377 \bidi@ifdefmacro{\bidi@notblank{#2}}
5378 \newcommand*{\if@bidi@csmacro}[1]{%
5379 \if@bidi@csdef{#1}
5380 {\expandafter\if@bidi@defmacro\csname#1\endcsname}
5381 {\@secondoftwo}}
5382 \newcommand{\if@bidi@defprimitive}[1]{%
5383 \ifprimitive#1%
5384 \expandafter\@firstoftwo
5385 \else
5386 \expandafter\@secondoftwo
5387 \fi}
5388 \newcommand{\if@bidi@csprimitive}[1]{%
5389 \begingroup\expandafter\expandafter\expandafter\endgroup%
5390 \expandafter\ifprimitive\csname#1\endcsname%
5391 \expandafter\@firstoftwo
5392 \else
5393 \expandafter\@secondoftwo
5394 \fi}
5395 \newcommand*{\bidi@csdefcs}[2]{%
5396 \expandafter\@ifdefinable \csname#1\endcsname{%
5397 \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}
5398 \newcommand*{\bidi@csletcs}[2]{%
5399 \expandafter\@ifdefinable \csname#1\endcsname{%
5400 \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
5401 \newcommand*{\bidi@cslet}[2]{%
5402 \expandafter\@ifdefinable \csname#1\endcsname{%
5403 \expandafter\let\csname#1\endcsname#2}}
5404 \newcommand{\bidi@namelongdef}[1]{%
5405 \long\expandafter\def\csname #1\endcsname}
5406 \newcommand{\bidi@namelonggdef}[1]{%
5407 \long\expandafter\gdef\csname #1\endcsname}
5408 \newcommand{\bidi@namelongedef}[1]{%
5409 \long\expandafter\edef\csname #1\endcsname}

```



```

5410 \newcommand{\bidi@namelongxdef}[1]{%
5411   \long\expandafter\xdef\csname #1\endcsname}
5412 \def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
5413 \def\bidi@ensure@new@command#1{%
5414   \begingroup \escapechar\m@ne\xdef\@tempa{\string#1}\endgroup
5415   \expandafter\if@bidi@csundef\@tempa
5416     {\new@command#1}{\relax%
5417     \let\@ifdefinable\rc@ifdefinable%
5418     \new@command#1}}
5419 \def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}
5420
5421 \protected\def\bidi@error{\PackageError{bidi}}
5422 \protected\def\bidi@warning{\PackageWarning{bidi}}
5423 \protected\def\bidi@info{\PackageInfo{bidi}}
5424
5425 \def\bidi@pos#1#2#3#4{\bidi@namegdef\bidi@#1pos@#2@#3}{#4}
5426
5427 \newcount\bidi@poscount
5428
5429 \newcommand*\WriteStartXPostoaux{%
5430   \global\advance\bidi@poscount\@ne
5431   \edef\@tempa{%
5432     \write\@auxout{%
5433       \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5434       }%
5435     }%
5436     \ifvmode
5437       \leavevmode
5438     \fi
5439     \if@RTL
5440       \if@filesw
5441         \@tempa
5442       \fi
5443     \pdfsavepos
5444     \else
5445     \pdfsavepos
5446     \if@filesw
5447       \@tempa
5448     \fi
5449     \fi
5450     \if@bidi@csundef\bidi@xpos@start@\number\bidi@poscount}{%
5451       \PackageWarningNoLine{biditools}{%
5452         The start x position ` \number\bidi@poscount' is not known yet.
5453         Rerun to get this x position%
5454       }%
5455     }{}%
5456 }
5457
5458 \newcommand*\WriteEndXPostoaux{%
5459   \edef\@tempa{%
5460     \write\@auxout{%
5461       \string\bidi@pos{x}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastx
5462       }%
5463     }%

```



```

5464 \if@RTL
5465   \if@filesw
5466     \@tempa
5467   \fi
5468   \pdfsavepos
5469 \else
5470 \pdfsavepos
5471 \if@filesw
5472   \@tempa
5473 \fi
5474 \fi
5475 \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
5476   \PackageWarningNoLine{biditools}{%
5477     The end x position `\

```



```

5518 \if@RTL
5519   \if@filesw
5520     \@tempa
5521   \fi
5522 \pdfsavepos
5523 \else
5524 \pdfsavepos
5525 \if@filesw
5526   \@tempa
5527 \fi
5528 \fi
5529 \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{%
5530   \PackageWarningNoLine{biditools}{%
5531     The end y position `\

```



```

5572 }{}%
5573 }
5574
5575 \newcommand*\WriteEndXYPostoaux}{%
5576     \edef\@tempa{%
5577         \write\@auxout{%
5578             \string\bidipos{x}{end}{\number\bidiposcount}{\noexpand\number\noexpand\pdflastx}
5579         }%
5580         \write\@auxout{%
5581             \string\bidipos{y}{end}{\number\bidiposcount}{\noexpand\number\noexpand\pdflasty}
5582         }%
5583     }%
5584 \if@RTL
5585     \if@filesw
5586         \@tempa
5587     \fi
5588 \pdfsavepos
5589 \else
5590 \pdfsavepos
5591 \if@filesw
5592     \@tempa
5593 \fi
5594 \fi
5595 \if@bidi@csundef{bidi@xpos@@end@\number\bidiposcount}{%
5596     \PackageWarningNoLine{biditools}{%
5597         The end x position `'\number\bidiposcount' is not known yet.
5598         Rerun to get this x position%
5599     }%
5600 }{}%
5601 \if@bidi@csundef{bidi@ypos@@end@\number\bidiposcount}{%
5602     \PackageWarningNoLine{biditools}{%
5603         The end y position `'\number\bidiposcount' is not known yet.
5604         Rerun to get this y position%
5605     }%
5606 }{}%
5607 }
5608
5609 \newcommand*\currentposxwidth}{%
5610 \if@bidi@csundef{bidi@xpos@@end@\number\bidiposcount}{\z@}
5611 {%
5612     \ifnum\csname bidi@xpos@@start@\number\bidiposcount
5613     \endcsname < \csname bidi@xpos@@end@\number\bidiposcount
5614     \endcsname
5615     \dimexpr \csname bidi@xpos@@end@\number\bidiposcount
5616     \endcsname sp - \csname bidi@xpos@@start@\number\bidiposcount
5617     \endcsname sp\relax
5618 \else
5619     \dimexpr \csname bidi@xpos@@start@\number\bidiposcount
5620     \endcsname sp - \csname bidi@xpos@@end@\number\bidiposcount
5621     \endcsname sp\relax
5622 \fi
5623 }%
5624 }
5625

```



```

5626 \newcommand*{\currentposyheight}{%
5627   \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{\z@}
5628   {%
5629     \dimexpr \csname bidi@ypos@@start@\number\bidi@poscount
5630     \endcsname sp - \csname   bidi@ypos@@end@\number\bidi@poscount
5631     \endcsname sp\relax
5632   }%
5633 }
5634
5635
5636
5637 \newcommand*{\setbaselineskip}[1]{%
5638   \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax}
5639   \selectfont
5640 }
5641
5642
5643 \newcommand*{\bidi@newrobustcmd}{%
5644 \protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}
5645
5646 \def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}
5647
5648 \def\bidi@newcommand#1[#2]{%
5649   \@ifnextchar[%]
5650     {\bidi@xargdef#1[#2]}
5651     {\ifx\l@ngrel@x\relax
5652       \let\l@ngrel@x\protected
5653       \else
5654         \protected\def\l@ngrel@x{\protected\long}%
5655       \fi
5656       \@argdef#1[#2]}}
5657
5658 \long\def\bidi@xargdef#1[#2][#3]#4{%
5659   \@ifdefinable#1{%
5660     \expandafter\protected
5661     \expandafter\def
5662     \expandafter#1%
5663     \expandafter{%
5664       \expandafter\@testopt
5665       \csname\string#1\endcsname{#3}}}%
5666   \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}
5667
5668 \bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}
5669
5670 \def\bidi@renew@command#1{%
5671   \if@bidi@undef{#1}
5672     {\bidi@error{\string#1 undefined}\@ehc}
5673     {}%
5674   \let\@ifdefinable\@rc@ifdefinable
5675   \bidi@new@command#1}
5676
5677
5678
5679 \bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}

```



```

5680
5681 \def\ bidi@provide@command#1{%
5682   \if@bidi@undef{#1}
5683     {\def\reserved@a{\bidi@new@command#1}}
5684     {\def\reserved@a{\bidi@renew@command\reserved@a}}%
5685   \reserved@a}
5686
5687 \newcommand*{\bidi@csuse}[1]{%
5688   \ifcsname#1\endcsname
5689     \csname#1\expandafter\endcsname
5690   \fi}
5691
5692 \newcommand{\bidi@expandonce}[1]{%
5693   \unexpanded\expandafter{#1}}
5694
5695 \def\ bidi@protected{%
5696   \let\@@protect\protect
5697   \let\protect\@unexpandable@protect
5698   \afterassignment\restore@protect}
5699
5700 \bidi@newrobustcmd{\bidi@appto}[2]{%
5701   \if@bidi@undef{#1}
5702     {\edef#1{\unexpanded{#2}}}
5703     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
5704 \bidi@newrobustcmd{\bidi@eappto}[2]{%
5705   \if@bidi@undef{#1}
5706     {\edef#1{#2}}
5707     {\edef#1{\bidi@expandonce#1#2}}}
5708 \bidi@newrobustcmd{\bidi@gappto}[2]{%
5709   \if@bidi@undef{#1}
5710     {\xdef#1{\unexpanded{#2}}}
5711     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
5712 \bidi@newrobustcmd{\bidi@xappto}[2]{%
5713   \if@bidi@undef{#1}
5714     {\xdef#1{#2}}
5715     {\xdef#1{\bidi@expandonce#1#2}}}
5716
5717 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
5718 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
5719
5720
5721
5722 \bidi@newrobustcmd{\bidi@preto}[2]{%
5723   \if@bidi@undef{#1}
5724     {\edef#1{\unexpanded{#2}}}
5725     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
5726 \bidi@newrobustcmd{\bidi@epreto}[2]{%
5727   \if@bidi@undef{#1}
5728     {\edef#1{#2}}
5729     {\edef#1{#2\bidi@expandonce#1}}}
5730 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
5731   \if@bidi@undef{#1}
5732     {\xdef#1{\unexpanded{#2}}}
5733     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}

```



```

5734 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
5735   \if@bidi@undef{#1}
5736     {\xdef#1{#2}}
5737     {\xdef#1{#2\bidi@expandonce#1}}}
5738
5739 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
5740 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
5741
5742
5743
5744 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
5745 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
5746 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
5747 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
5748 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
5749 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
5750
5751
5752
5753 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
5754 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
5755 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
5756 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
5757 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
5758 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
5759
5760
5761
5762 \bidi@newrobustcmd{\if@bidi@patchable}{%
5763   \bidi@dbg@trce\if@bidi@patchable
5764   \begingroup
5765   \@makeother\%#
5766   \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
5767
5768 \long\def\bidi@ifpatchable#1#2{%
5769   \endgroup
5770   \bidi@dbg@init#1%
5771   \if@bidi@undef{#1}
5772     {\bidi@dbg@fail{def}\@secondoftwo}
5773     {\bidi@dbg@info{def}%
5774     \if@bidi@defmacro{#1}
5775       {\bidi@dbg@info{mac}%
5776       \bidi@ifscanable{#1}
5777         {\bidi@ifhashcheck{#2}
5778           {\bidi@dbg@info{tok}%
5779           \bidi@ifpattern#1{#2}
5780             {\bidi@dbg@info{pat}%
5781             \bidi@dbg@info{pos}\@firstoftwo}
5782             {\bidi@dbg@fail{pat}\@secondoftwo}}
5783           {\bidi@dbg@fail{hsh}\@secondoftwo}}
5784         {\bidi@dbg@fail{tok}\@secondoftwo}}
5785       {\bidi@dbg@fail{mac}\@secondoftwo}}}
5786
5787 \long\def\bidi@ifpatchable@i#1{%

```



```

5788 \endgroup
5789 \bidi@dbg@init#1%
5790 \if@bidi@undef{#1}
5791   {\bidi@dbg@fail{def}\@secondoftwo}
5792   {\bidi@dbg@info{def}%
5793   \if@bidi@defmacro{#1}
5794     {\bidi@dbg@info{mac}%
5795     \if@bidi@defparam{#1}
5796       {\bidi@dbg@info{prm}%
5797       \bidi@ifscanable{#1}
5798         {\bidi@dbg@info{tok}%
5799         \bidi@dbg@info{pos}\@firstoftwo}
5800         {\bidi@dbg@fail{tok}\@secondoftwo}}
5801     {\bidi@dbg@info{prl}%
5802     \if@bidi@defprotected{#1}
5803       {\bidi@dbg@info{pro}}
5804       {}%
5805     \bidi@dbg@info{pos}\@firstoftwo}}
5806   {\bidi@dbg@fail{mac}\@secondoftwo}}
5807
5808 \bidi@newrobustcmd*{\bidi@patchcmd}{%
5809 \bidi@dbg@trce\bidi@patchcmd
5810 \begingroup
5811 \@makeother\#%
5812 \bidi@@patchcmd}
5813
5814 \newcommand{\bidi@@patchcmd}[4][#####1]{%
5815 \bidi@ifpatchable#2{#3}
5816   {\bidi@dbg@succ{ret}%
5817   \begingroup
5818   \edef\bidi@resrvda{%
5819     \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
5820       #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
5821     \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
5822       ####1\detokenize{#4}####2}%
5823     \edef\noexpand\bidi@resrvda{%
5824       \noexpand\bidi@resrvda\meaning#2&}}%
5825   \bidi@resrvda
5826   \bidi@patchcmd@scantoks\bidi@resrvda
5827   \let#2\bidi@resrvda
5828   \bidi@undef\bidi@resrvda
5829   \@firstoftwo}
5830   {\@secondoftwo}}
5831
5832 \def\bidi@patchcmd@scantoks#1{%
5833 \edef\bidi@resrvda{\endgroup
5834 \unexpanded{\makeatletter\scantokens}{#1}%
5835 \catcode\number`\@=\the\catcode`\@ \relax}%
5836 \bidi@resrvda}
5837
5838 \newcommand\bidi@isloaded[2][]{
5839 \expandafter\ifx\csname if@bidi@#2loaded@ \endcsname \relax
5840 \expandafter\newif\csname if@bidi@#2loaded@ \endcsname
5841 \fi

```



```

5842 \@ifpackageloaded{#2}
5843   {\csname @bidi@#2loaded@true\endcsname #1}
5844   {\csname @bidi@#2loaded@false\endcsname}}
5845
5846 \protected\def\bidi@ifscanable#1{%
5847   \begingroup
5848   \edef\bidi@resrvda{%
5849     \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
5850       ####1\def\string\bidi@resrvda####2{####3}}}%
5851   \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
5852   \bidi@resrvda
5853   \makeatletter
5854   \scantokens\expandafter{\bidi@resrvda}%
5855   \expandafter\endgroup\ifx#1\bidi@resrvda
5856     \expandafter\@firstoftwo
5857   \else
5858     \expandafter\@secondoftwo
5859   \fi}
5860
5861
5862 \protected\long\def\bidi@ifhashcheck#1{%
5863   \begingroup
5864   \edef\bidi@resrvda{\detokenize{#1}}%
5865   \expandafter\endgroup
5866   \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
5867
5868 \edef\bidi@ifhashcheck@i#1&{%
5869   \noexpand\expandafter
5870   \noexpand\bidi@ifhashcheck@ii
5871   \noexpand\strip@prefix#1\string#\string#&}
5872
5873 \edef\bidi@ifhashcheck@ii{%
5874   \def\noexpand\bidi@ifhashcheck@ii##1\string#\string###2&}
5875 \bidi@ifhashcheck@ii{\if@bidi@blank{#2}}
5876
5877
5878 \protected\long\def\bidi@ifpattern#1#2{%
5879   \begingroup
5880   \edef\bidi@resrvda{%
5881     \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
5882       \endgroup\noexpand\noexpand\noexpand\noexpand\if@bidi@blank{####2}}}%
5883   \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
5884     \expandafter\strip@prefix\meaning#1\detokenize{#2}&}}%
5885   \noexpand\bidi@resrvda}
5886   \bidi@resrvda\@secondoftwo\@firstoftwo}
5887
5888
5889 \newcommand{\if@bidi@defparam}{ }
5890 \long\edef\if@bidi@defparam#1{%
5891   \noexpand\expandafter\noexpand\bidi@ifdefparam
5892   \noexpand\meaning#1\detokenize{macro}:->&}
5893 \edef\bidi@ifdefparam{%
5894   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
5895 \bidi@ifdefparam{\bidi@notblank{#2}}

```



```

5896
5897
5898 \newcommand{\if@bidi@defprotected}{}
5899 \long\edef\if@bidi@defprotected#1{%
5900 \noexpand\expandafter\noexpand\bidi@ifdefprotected
5901 \noexpand\meaning#1\string\protected&}
5902 \edef\bidi@ifdefprotected{%
5903 \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
5904 \bidi@ifdefprotected{\bidi@notblank{#2}}
5905
5906
5907 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
5908 \bidi@newrobustcmd{\bidi@csundef}[1]{%
5909 \expandafter\let\csname #1\endcsname\bidi@undefined
5910 }
5911
5912 \let\bidi@dbg@trce@gobble
5913 \let\bidi@dbg@init@gobble
5914 \let\bidi@dbg@info@gobble
5915 \let\bidi@dbg@succ@gobble
5916 \let\bidi@dbg@fail@gobble
5917
5918
5919
5920 \bidi@newrobustcmd*{\bidi@apptocmd}{%
5921 \bidi@dbg@trce\bidi@apptocmd
5922 \begingroup
5923 \@makeother\#%
5924 \bidi@hooktocmd\bidi@append}
5925
5926
5927
5928 \bidi@newrobustcmd*{\bidi@pretocmd}{%
5929 \bidi@dbg@trce\bidi@pretocmd
5930 \begingroup
5931 \@makeother\#%
5932 \bidi@hooktocmd\bidi@prepend}
5933
5934 \long\def\bidi@hooktocmd#1#2#3{%
5935 \endgroup
5936 \bidi@dbg@init#2%
5937 \if@bidi@undef{#2}
5938 {\bidi@dbg@fail{def}\@secondoftwo}
5939 {\bidi@dbg@info{def}%
5940 \if@bidi@defmacro{#2}
5941 {\bidi@dbg@info{mac}%
5942 \if@bidi@defparam{#2}
5943 {\bidi@dbg@info{prm}%
5944 \bidi@ifscanable{#2}
5945 {\bidi@ifhashcheck{#3}
5946 {\bidi@dbg@info{tok}%
5947 \bidi@dbg@succ{ret}%
5948 \bidi@hooktocmd@i#1#2{#3}%
5949 \@firstoftwo}

```



```

5950         {\bidi@dbg@fail{hsh}\@secondoftwo}}
5951         {\bidi@dbg@fail{tok}\@secondoftwo}}
5952     {\bidi@dbg@info{prl}%
5953      \if@bidi@defprotected{#2}
5954       {\bidi@dbg@info{pro}%
5955        \bidi@dbg@succ{red}%
5956         \protected}
5957       {\bidi@dbg@succ{red}}}%
5958     \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
5959     \@firstoftwo}}
5960     {\bidi@dbg@fail{mac}\@secondoftwo}}
5961
5962 \long\def\bidi@hooktocmd@i#1#2#3{%
5963   \begingroup
5964   \edef\bidi@resrvda{%
5965     \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
5966       ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
5967     \edef\noexpand\bidi@resrvda{%
5968       \noexpand\bidi@resrvda\meaning#2&}}%
5969   \bidi@resrvda
5970   \bidi@patchcmd@scantoks\bidi@resrvda
5971   \let#2\bidi@resrvda
5972   \bidi@undef\bidi@resrvda}
5973
5974 \long\def\bidi@append#1#2{#1#2}
5975 \long\def\bidi@prepend#1#2{#2#1}
5976
5977 %\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
5978 %\newcommand*{\bidi@endpreamblehook}{}
5979
5980 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\AddToHook{begindocument/before}}%
5981
5982 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipout}
5983 \newcommand*{\bidi@beforeoutputpageshipouthook}{}
5984
5985 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
5986 \newcommand*{\bidi@beforeheaderhook}{}
5987
5988 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutput}
5989 \newcommand*{\bidi@beforeoutputboxoutputpagehook}{}
5990
5991 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpa}
5992 \newcommand*{\bidi@afteroutputboxoutputpagehook}{}
5993
5994 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
5995 \newcommand*{\bidi@beforefooterhook}{}
5996
5997 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
5998 \newcommand*{\bidi@afterfooterhook}{}
5999
6000
6001 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipoutho}
6002 \newcommand*{\bidi@afteroutputpageshipouthook}{}
6003

```



```

6004 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
6005 \newcommand*{\bidi@atendoutputpagehook}{}
6006
6007 %\bidi@preto\document{%
6008 % \endgroup
6009 % \let\bidi@AtEndPreamble\@firstofone
6010 % \bidi@endpreamblehook
6011 % \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
6012 % \bidi@undef\bidi@endpreamblehook
6013 % \beginingroup}
6014
6015 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
6016 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
6017
6018 %\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
6019 \newcommand*{\bidi@afterendpreamblehook}{}
6020
6021 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\AddToHook{begindocument/end}}%
6022
6023 %\bidi@appto\document{%
6024 % \let\bidi@AfterEndPreamble\@firstofone
6025 % \bidi@afterendpreamblehook
6026 % \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
6027 % \bidi@undef\bidi@afterendpreamblehook
6028 % \ignorespaces}
6029
6030 \bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocumentchecklabelsrerunhook}
6031 \newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}
6032
6033 \bidi@patchcmd\enddocument
6034 {\fi}
6035 {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
6036 \bidi@afterenddocumentchecklabelsrerunhook
6037 \fi}
6038 {}
6039 {\PackageWarning{biditools}{Patching '\string\enddocument' failed}}
6040
6041 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
6042
6043 \bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
6044 \newcommand*{\bidi@afterlastshipouthook}{}
6045
6046 \bidi@patchcmd\enddocument
6047 {\clearpage}
6048 {\clearpage
6049 \let\bidi@AfterLastShipout\@firstofone
6050 \bidi@afterlastshipouthook}
6051 {}
6052 {\let\bidi@clearpage\clearpage
6053 \def\clearpage{%
6054 \bidi@clearpage
6055 \let\bidi@AfterLastShipout\@firstofone
6056 \bidi@afterlastshipouthook}}
6057

```



```

6058 %\bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
6059 %\newcommand*{\bidi@afterenddocumenthook}{}
6060
6061 \bidi@newrobustcmd*{\bidi@AfterEndDocument}{\AddToHook{enddocument/end}}%
6062
6063 %\bidi@patchcmd\enddocument
6064 % {\deadcycles}
6065 % {\let\bidi@AfterEndDocument\@firstofone
6066 % \bidi@afterenddocumenthook
6067 % \deadcycles}
6068 % {}
6069 % {\let\bidi@@end\@@end
6070 % \def\@@end{%
6071 % \let\bidi@AfterEndDocument\@firstofone
6072 % \bidi@afterenddocumenthook
6073 % \bidi@@end}}
6074
6075 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
6076 \bidi@csgappto{@bidi@begin@#1@hook}}
6077
6078 % Patch \begin<space> and \end<space> in newer LaTeX releases
6079 % \begin and \end in older ones.
6080 \expandafter\bidi@patchcmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6081 {\csname #1\endcsname}
6082 {\bidi@csuse{@bidi@begin@#1@hook}}%
6083 \csname #1\endcsname}
6084 {}
6085 {\bidi@warning{%
6086 Patching '\string\begin' failed!\MessageBreak
6087 '\string\bidi@AtBeginEnvironment' will not work@gobble}}
6088
6089
6090
6091 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
6092 \bidi@csgappto{@bidi@end@#1@hook}}
6093
6094 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6095 {\csname end#1\endcsname}
6096 {\bidi@csuse{@bidi@end@#1@hook}}%
6097 \csname end#1\endcsname}
6098 {}
6099 {\bidi@warning{%
6100 Patching '\string\end' failed!\MessageBreak
6101 '\string\bidi@AtEndEnvironment' will not work@gobble}}
6102
6103
6104
6105 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
6106 \bidi@csgappto{@bidi@beforebegin@#1@hook}}
6107
6108 \expandafter\bidi@pretocmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
6109 {\bidi@csuse{@bidi@beforebegin@#1@hook}}
6110 {}
6111 {\bidi@warning{%

```



```

6112     Patching '\string\begin' failed!\MessageBreak
6113     '\string\bidibeforebeginenvironment' will not work@gobble}}
6114
6115 \bidi@newrobustcmd{\bidi@afterendenvironment}[1]{%
6116 \bidi@csgappto{@bidi@afterend@#1@hook}}
6117
6118 \expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
6119 {\if@ignore}
6120 {\bidi@csusef{@bidi@afterend@#1@hook}%
6121 \if@ignore}
6122 {}
6123 {\bidi@warning{%
6124     Patching '\string\end' failed!\MessageBreak
6125     '\string\bidiafterendenvironment' will not work@gobble}}
6126
6127 \def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}
6128 \def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}
6129 \def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}
6130 \def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}
6131
6132 % From David Carlisle:
6133 % The \stpelt redefinition below belongs to Heiko Oberdiek
6134 % See also https://github.com/ho-tex/oberdiek/issues/26
6135
6136 \let\bidi@stepcounter\stepcounter
6137 \let\bidi@stpelt\stpelt
6138
6139 \def\bidi@stpelt#1{%
6140 \ifcsname bidi@reset@#1@perpage\endcsname
6141 \begingroup
6142 \let\stepcounter\bidi@stepcounter
6143 \bidi@stpelt{#1}%
6144 \endgroup
6145 \expandafter@gobbletwo
6146 \fi
6147 \bidi@stpelt{#1}%
6148 }
6149
6150 \bidi@pretocmd\stepcounter
6151 {%
6152 \if@bidi@csundef\bidi@stepcounterhook@#1}{-}{%
6153 \csname bidi@stepcounterhook@#1\endcsname
6154 }%
6155 }-}%
6156 {\PackageWarning{biditools}{Patching '\string\stepcounter' failed}}
6157
6158 \chardef\bidi@backslash`\\
6159 \def\bidi@backslash#1{\texttt{\char\bidi@backslash#1}}
6160
6161 % anonymous control sequences
6162 \newcount\bidi@tempcountb
6163 \newtoks\bidi@temptoksa
6164 \newtoks\bidi@temptoksb
6165

```



```

6166 % Catcode (re)storing
6167 %
6168 \def\bidi@storecatcode#1%
6169   {\escapechar\m@ne
6170   \bidi@csarg\edef\bidi@restorecatcode\string#1}%
6171   {\catcode`\string#1=
6172   \the\catcode\expandafter`\string#1}}%
6173   \catcode\expandafter`\string#1=12\relax
6174   \escapechar`\\relax}
6175 \def\bidi@restorecatcode#1%
6176   {\escapechar\m@ne
6177   \csname bidi@restorecatcode\string#1\endcsname
6178   \escapechar`\\relax}
6179
6180 % Construct a control sequence inside \edef
6181 %
6182 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
6183
6184 % Construct a control sequence out of #2, and give it to #1
6185 %
6186 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
6187
6188 % Pick an escapecharacter
6189 % this presumes that its argument is a character.
6190 %
6191 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
6192
6193 % Equality of strings.
6194 % the fast approach: does not work in expansion-only environment.
6195 %
6196 \def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
6197   \ifx\bidi@eqs@a\bidi@eqs@b}
6198
6199 % Test by expansion only
6200 %
6201 \def\bidi@EqualStringX#1#2{00\fi
6202   \csname if\@bidi@EqualStringX#1&#2&$\endcsname}
6203 \def\@bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
6204   \ifx#1&true\else\bidi@hop@ES\@bidi@EqualStringX#2$#4$\fi
6205   \else false\fi}
6206 \def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}
6207
6208 % Lexicographic ordering
6209 % note the use of \def
6210 % also note the characters 0,127,255 that are used,
6211 % these are not supposed to appear in the strings
6212 %
6213 {\catcode0=12 \catcode255=12 \catcode127=12
6214 \gdef\bidi@StringBeforeNC#1#2{00\fi
6215   \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
6216 \gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
6217   \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
6218   \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
6219   \else\ifnum\lccode`#1<\lccode`#3

```



```

6220         \def\bidi@next{\csname iftrue\endcsname}%
6221         \else\ifnum\lccode`#1>\lccode`#3
6222             \def\bidi@next{\csname iffalse\endcsname}%
6223             \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
6224 \fi \fi \fi \fi
6225 \bidi@next}
6226 \gdef\bidi@StringBefore#1#2{00\fi
6227 \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
6228 \gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
6229 \ifnum`#1<`#3
6230     \def\bidi@next{\csname iftrue\endcsname}%
6231 \else\ifnum`#1>`#3
6232     \def\bidi@next{\csname iffalse\endcsname}%
6233     \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
6234 \fi\fi
6235 \bidi@next}
6236 }
6237
6238 % Null argument test
6239 %
6240 \def\bidi@empty{}
6241 \def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@null}
6242 \def\bidi@ifemptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@null}
6243 %\def\bidi@ifempty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
6244 \def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}
6245
6246 % Next character test
6247 %
6248 \def\bidi@NextChar#1#2#3{00\fi
6249 \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
6250 \futurelet\bidi@nxt@c@\bidi@ifnxtc}
6251 \def\bidi@ifNextChar#1#2#3{%
6252 \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
6253 \futurelet\bidi@nxt@c@\bidi@ifnxtc}
6254 \def@bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
6255 \else \expandafter\bidi@nxt@b \fi}
6256
6257 % Test for defined-ness of string as control sequence.
6258 % works inside \edef
6259 %
6260 \def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}
6261
6262 % Define uniquely defined dummy macros,
6263 % usually to serve as bumper blocks at the end of a list
6264 %
6265 \newcount\bidi@dummies
6266 \def\DefNewDummy#1{
6267 \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{bidi@dum\the\bidi@dummies}
6268 \advance\bidi@dummies\@ne
6269 \else
6270 \bidi@error{Attempt at second definition of `#1'}
6271 \fi}
6272
6273 % string case statement

```



```

6274 % use: \bidi@switch \iftest{...} in:
6275 %     item1 action1
6276 %     ...
6277 %     itemn actionn
6278 %     default defaultaction [optional]
6279 %     \endbidi@switch
6280 % inspired by Jonathan Fine: Some Basic Control Macros
6281 % Tugboat 12 #4
6282 %
6283 \let\@bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{bidi@default}
6284 \def\bidi@switch@exit #1 \@bidi@fi #2 \endbidi@switch {\fi #1}
6285 \def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6286 #1{#2}\bidi@switch@exit #3 \@bidi@fi
6287 \bidi@switch {#1}
6288 }
6289 % this version puts the test object in {}
6290 \def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6291 #1{#2}\bidi@switch@exit #3 \@bidi@fi
6292 \bidi@switch #1 in:
6293 }
6294 % this version assumes that the test object is just one character
6295 \def\bidi@cswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6296 #1#2\bidi@switch@exit #3 \@bidi@fi
6297 \bidi@cswitch #1 in:
6298 }
6299 % this version assumes that the test object can have an optional space
6300 \def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6301 #1#2 \bidi@switch@exit #3 \@bidi@fi
6302 \bidi@bswitch #1 in:
6303 }
6304 % this version can cope with significant spaces at the start of #3;
6305 % #2 is macro argument
6306 \def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6307 #1{#2}\bidi@switch@exit #3 \@bidi@fi
6308 \bidi@mswitch #1 in:
6309 }
6310 % idem; #2 does not have to be enclosed in braces
6311 \def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
6312 #1#2 \bidi@switch@exit #3 \@bidi@fi
6313 \bidi@fswitch #1 in:
6314 }
6315
6316 % Routines for taking the value of a string:
6317 % if the string is defined as control sequence
6318 % take the value of that, otherwise take the string itself
6319
6320 % String or value of control sequence
6321 %
6322 \def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
6323
6324 % String or control sequence
6325 %
6326 \def\@bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
6327

```



```

6328 % String or \noexpand-ed control sequence;
6329 % for use in \edef
6330 %
6331 \newif\ifbidi@in@label
6332 \def\@bidi@w@w#1{\if\@bidi@undefinedcs{#1}#1\else
6333     \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6334 \newtoks\bidi@are@these@correct
6335 \def\bidi@t@w@w#1{%
6336     \if\@bidi@undefinedcs{#1}#1%
6337     \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
6338     \else
6339     \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
6340
6341 % List Manipulation .....
6342 % this assumes that #1 is a list of tokens, #2 is the name of a list
6343 %
6344 % Names of lists (and of items to pop into) are given as strings;
6345 % not as control sequences.
6346 %
6347 \newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
6348 % basic append/prepend macro
6349 \long\def\@bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6350 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@listb}
6351 \long\def\@bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
6352 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@listb}
6353 \def\@bidi@append@to@list{\bidi@csarg\@bidi@append@to@cslist}
6354 \def\@bidi@prepend@to@list{\bidi@csarg\@bidi@prepend@to@cslist}
6355 % variations:
6356 \long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{#2}}
6357 \long\def\bidi@prepend@to@list#1#2{\@bidi@prepend@to@list{#1}{#2}}
6358 \def\bidi@append@list@to@list#1#2{%
6359     \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2}
6360 \def\bidi@prepend@list@to@list#1#2{%
6361     \@bidi@prepend@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2}
6362 \def\bidi@append@cslist@to@cslist#1#2{%
6363     \@bidi@append@to@cslist{#1}\expandafter{\the#2}}
6364 \def\bidi@prepend@cslist@to@cslist#1#2{%
6365     \@bidi@prepend@to@cslist{#1}\expandafter{\the#2}}
6366 \def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}
6367 \def\bidi@prepend@toks@cs@to@list#1#2{\@bidi@prepend@to@list{#1}\expandafter{\the#2}}
6368
6369 \let\bidi@willbeunhskip\unhskip
6370
6371 % A few list macros for the user
6372 \def\NewTokenList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
6373 \def\EmptyTokenList:#1 {\global\csname#1\endcsname{}}
6374 \long\def\AppendToTokenList:#1=#2 {\@bidi@append@to@list{#1}{#2}}
6375 \long\def\PrependToTokenList:#1=#2 {\@bidi@prepend@to@list{#1}{#2}}
6376 \def\TheTokenList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\empty
6377     \if\@bidi@undefinedcs{#1}\bidi@error{Token List <#1> undefined}
6378     \else\bidi@csarg\the{#1}\fi
6379     \let\bidi@willbeunhskip\bidi@oldwbuskip}
6380
6381 \def\bidi@del@tok@from@list#1#2{\begingroup

```



```

6382 \long\def\bidi@cs@liste##1#2##2\bidi@tok@SM
6383   {\bidi@toks@lista{##1}\bidi@toks@listb{##2}%
6384   \edef\bidi@cs@listb{\global\bidi@csname{##1}=
6385     {\the\bidi@toks@lista\the\bidi@toks@listb}}%
6386   \bidi@cs@listb}%
6387   \edef\bidi@cs@lista{\noexpand\bidi@cs@liste{}}\expandafter\the\csname#1\endcsname\noexpand
6388   \bidi@cs@lista \endgroup}
6389 \def\bidi@in@front@of@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
6390 \bidi@in@front@of@cslist\bidi@cs@lista}
6391 \long\def\bidi@in@front@of@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
6392 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@list
6393 \endgroup}
6394 \long\def\bidi@local@in@front@of@list#1#2{\bidi@toks@lista={#2}%
6395   \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter
6396   {\expandafter\expandafter\expandafter\expandafter\the\expandafter\expandafter\expandafter
6397   \expandafter\the\csname#1\endcsname}%
6398   }
6399 \def\bidi@set@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
6400 \bidi@set@cslist\bidi@cs@lista}
6401 \long\def\bidi@set@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
6402 \global#1=\expandafter{\the\bidi@toks@lista}\endgroup}
6403
6404 %%%%%%%%%%%%%%% Stack macros
6405 %
6406 % push in terms of prepending of lists
6407 \def\bidi@push@cs@onto@cs#1#2{\@bidi@prepend@to@cslist#1\expandafter{\expandafter\expandafter
6408 \def\bidi@push@onto#1{\bidi@csarg\bidi@push@onto@cs{##1}}
6409 \def\bidi@push@onto@cs#1#2{\@bidi@prepend@to@cslist#1}{\{##2}}
6410 \def\bidi@local@push@onto#1#2{\let\relax
6411 \bidi@local@in@front@of@list{##1}{\{##2}}
6412 % pop via auxiliary macro: #1 is result, #2 is stack
6413 % two cs arguments
6414 \def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
6415   {\noexpand\@bidi@popinto\noexpand#1\noexpand#2\the#2\noexpand\@bidi@pop}\bidi@cs@e}
6416 % two string arguments
6417 \def\bidi@pop@into#1#2{\edef\bidi@cs@e
6418   {\noexpand\@bidi@popinto\bidi@csname{##1}\bidi@csname{##2}\bidi@csarg\the{##2}\noexpand\@bidi@pop}
6419 \long\def\@bidi@popinto#1#2\#3#4{\@bidi@pop{##1}{##2}{##3}{##4}}
6420 \def\bidi@copy@stacktop#1#2{%
6421   \edef\bidi@cs@e{\noexpand\@bidi@copy@stacktop
6422     {##1}\bidi@csarg\the{##2}\noexpand\@bidi@pop}%
6423   \bidi@cs@e}
6424 \def\@bidi@copy@stacktop#1\#2#3\@bidi@pop{\csname#1\endcsname#2\relax}
6425 \newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\{\}}
6426 \def\bidi@length@of@stack#1{\bidi@csarg\bidi@length@of@csstack{##1}}
6427 \def\bidi@length@of@csstack#1{\def\#1{\advance\bidi@stack@length\@ne}%
6428 \bidi@stack@length\@m@ne \the#1}
6429 % turn a stack upside down
6430 \def\bidi@invert@csstack#1{\bidi@length@of@csstack{##1}%
6431 \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@stack
6432 \loop\ifnum\bidi@tempcountb<\bidi@stack@length
6433 \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length\@m@ne
6434 \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
6435 % \bidi@append@cslist@to@cslist\bidi@temptoksb\bidi@temptoksa% append a to b

```



```

6436% \bidi@temptoksa\bidi@temptoksb
6437 \repeat% copy b to a
6438 #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
6439% invert a stack into a list
6440 \def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
6441 \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
6442 \loop\ifnum\bidi@tempcountb<\bidi@stack@length
6443 \bidi@pop@into{\bidi@temptoksb}{#1}\advance\bidi@stack@length\m@ne
6444 \bidi@append@list@to@list{\bidi@temptoksb}{\bidi@temptoksa}\repeat
6445 \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
6446
6447
6448% General loop macro:
6449% \looprepeat
6450% \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>}
6451% \untilcondition{<cond>} \whilecondition{<cond>}
6452% \doloopbody { <loop body> }
6453% where all control sequences in between \looprepeat and \doloopbody are optional.
6454%
6455% var: characters to form a control sequence;
6456% after \forvariable{index} you can access the loop counter as \index.
6457% This is a count register; to print it use \number\index.
6458% start,step,end: integers with obvious relations to the loop counter;
6459% start and step have a default value of 1
6460% cond: (sequence of commands ending in) any TeX \if... test.
6461%
6462% Count down instead of up with \downtovalue; the increment given in \bystep
6463% is always positive, and is added or subtracted accordingly.
6464%
6465% Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
6466% at the beginning of the loop body.
6467%
6468% Exit from middle of loop: \breaklooprepeat
6469% use this at any place in the loop; in case of a conditional use
6470% \ifsomething ... \expandafter \breaklooprepeat \fi
6471%
6472% Note that the line ends do not cause spaces in the output.
6473%
6474% Technical details:
6475% The loop body is not executed in a group: the braces are those
6476% of a token list.
6477% The `forvariable' variable is \let to a \count register.
6478
6479
6480
6481% Auxiliary stuff
6482 \def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
6483 \def\bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
6484 \def\bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprepeat@depth\endcsname}
6485
6486 \newcount\bidi@looprepeat@depth
6487 \let\endlooprepeat\relax \def\bidi@csprotect{}
6488% Trace switches may later be defined by PAC_utils
6489 \let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax

```



```

6490
6491 % Main repeatloop macro
6492 % - go to next level and allocate unique counter/toks if this is the
6493 %   first time we visit this level
6494 % - setup: gather bounds and termination conditions
6495 % - scoop up body in token list; after the assignment define and
6496 %   execute body
6497 \def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
6498   \advance\bidi@looprepeat@depth\@ne\relax
6499   \bidi@looprepeat@csargromannumeral\ifx\bidi@looprepeat@count}\relax
6500     \bidi@looprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}{\bidi@looprepe
6501     \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepea
6502     \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepea
6503     \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidi@looprepea
6504   \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{>}\bidi@loop
6505   \edef\bidi@looprepeat@tmp
6506     {\def\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@looprepeat}{\bidi@loop
6507   \afterassignment\bidi@looprepeat@dxbbody\bidi@looprepeat@csromannumeral{\bidi@looprepeat@tok
6508
6509 % Define and execute loop body
6510 % This is done with an \edef to construct the actual sequence
6511 \def\bidi@looprepeat@dxbbody{\bidi@looprepeat@csargromannumeral\edef{\bidi@looprepeat@body}{%
6512   \bidi@looprepeat@csargromannumeral\the{\bidi@looprepeat@wtest}%
6513   \noexpand\the\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@toks}%
6514   \bidi@looprepeat@csargromannumeral\the{\bidi@looprepeat@utest}%
6515   \global\bidi@looprepeat@csargromannumeral\advance{\bidi@looprepeat@count} by \bidi@loopre
6516   \noexpand\endlooprepeat
6517   \bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@looprepeat}}}%
6518 \bidi@looprepeat@csromannumeral{\bidi@looprepeat@body}\ignorespaces}
6519
6520 % Stop test
6521 %% In order to stop, issue a
6522 % \breaklooprepeat which scoops up the rest of the body and exits
6523 \def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral
6524   \advance\bidi@looprepeat@depth\m@ne \bidi@looprepeat@traceexit
6525   }
6526
6527
6528 % Setup
6529 % gather bounds and termination conditions
6530 \def\bidi@looprepeat@setup#1{%
6531   \begingroup
6532     \def\forvariable##1{%
6533       \edef\bidi@looprepeat@tmp{%
6534         \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral{\bidi@
6535         \bidi@looprepeat@tmp}%
6536       \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{\bidi@looprepeat@count}##1\ig
6537       \def\tovalue##1{%
6538         \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{\bidi@loop
6539         {\bidi@looprepeat@csargromannumeral\the{\bidi@looprepeat@wtest}%
6540         \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{\bidi@looprepeat@count}\bi
6541         \noexpand\expandafter \noexpand\breaklooprepeat
6542         \noexpand\fi}\ignorespaces}%
6543         \bidi@looprepeat@tmp}%

```



```

6544 \def\downtovalue##1{%
6545 \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
6546 \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}
6547 \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc}{-##1}\else
6548 \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc}{##1}\fi\ignorespaces}%
6549 \def\untilcondition##1{%
6550 \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@looprepeat@
6551 {noexpand##1\relax
6552 \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
6553 \bidi@looprepeat@tmp}%
6554 \def}whilecondition##1{%
6555 \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@looprepeat@
6556 {noexpand##1\relax \noexpand\else
6557 \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
6558 \bidi@looprepeat@tmp}%
6559 \fromvalue{@ne}\bystep{@ne}#1%
6560 \endgroup}
6561 \def\bidi@looprepeat@zero
6562 {\bidi@looprepeat@csromannumeral\bidi@looprepeat@toks}{\bidi@looprepeat@csromannumeral\bidi@looprepeat@
6563 \bidi@looprepeat@csargromannumeral\def\bidi@looprepeat@body}{}}
6564
6565 %\tracingmacros2
6566 %\newcount\tmpcount % used in some examples below
6567
6568 %\looprepeat \forvariable{i}
6569 % \bystep{2}
6570 % \doloopbody {%
6571 % \ifnum i=13 \expandafter\breaklooprepeat \fi
6572 % \number{i} %
6573 %}%
6574
6575 %\looprepeat \forvariable{iii}
6576 % \tovalue{8}
6577 % \doloopbody {}
6578 %After loop: \number{iii}%
6579
6580 %\looprepeat \forvariable{i}
6581 % \fromvalue{10}
6582 % \bystep{2}
6583 % \downtovalue{0}
6584 % \doloopbody {\number{i} }
6585
6586 %\looprepeat \forvariable{x} \whilecondition{\ifnum x<7}
6587 % \doloopbody {\number{x} }
6588
6589 %\looprepeat \tovalue{3} \doloopbody {Hello world! }
6590
6591 %\looprepeat \forvariable{j}
6592 % \untilcondition{\tmpcount=j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
6593 % \doloopbody {\number{j} }
6594
6595 %\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
6596 % {\looprepeat \forvariable{j} \fromvalue{i} \bystep{3} \tovalue{18}
6597 % \doloopbody {(\number{i}.\number{j} ) }

```



```

6598 % }
6599
6600 % infinite loop
6601 %\looprepeat \doloopbody {}
6602
6603 \renewcommand{\InputIfFileExists}[2]{%
6604 \begingroup\expandafter\expandafter\expandafter\endgroup
6605 \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
6606 \expandafter\@secondoftwo
6607 \else
6608 \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
6609 \expandafter\@firstoftwo
6610 \fi
6611 {%
6612 \expandafter\InputIfFileExists\expandafter{\csname
6613 #1-@bidi@alias\endcsname}{#2}%
6614 }%
6615 {\IfFileExists{#1}{%
6616 \bidi@load@hook{before}{#1}%
6617 #2\@addtofilelist{#1}%
6618 \@input \@file@und
6619 \bidi@load@hook{after}{#1}%
6620 }}%
6621 }
6622
6623 \newcommand*\bidi@loadwithoptions{}
6624 \newcommand*\bidi@loadwithoptions{}
6625 \let\bidi@loadwithoptions\@loadwithoptions
6626
6627 \renewcommand*\@loadwithoptions}[3]{%
6628 \begingroup\expandafter\expandafter\expandafter\endgroup
6629 \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
6630 \def\bidi@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
6631 \else
6632 \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
6633 \def\bidi@loadwithoptions{%
6634 \loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}}%
6635 }%
6636 \fi
6637 \bidi@loadwithoptions
6638 }
6639
6640 \newcommand*\bidi@onefilewithoptions{}
6641 \let\bidi@onefilewithoptions\@onefilewithoptions
6642 \def\@onefilewithoptions#1[#2][#3]#4{%
6643 \begingroup\expandafter\expandafter\expandafter\endgroup
6644 \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
6645 \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
6646 \else
6647 \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
6648 \edef\bidi@onefilewithoptions{%
6649 \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
6650 \fi
6651 \bidi@onefilewithoptions[#{#2}][#{#3}]{#4}%

```



```

6652 \bidi@load@hook{lateafter}{#1.#4}%
6653 }
6654
6655 \newcommand*\bidi@ReplaceInput}[2]{%
6656 \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
6657 }
6658
6659 \newcommand*\bidi@UnReplaceInput}[1]{%
6660 \ifcsname #1-@bidi@alias\endcsname
6661 \expandafter\let\csname #1-@bidi@alias\endcsname\relax
6662 \fi
6663 }
6664
6665 \newcommand*\@bidi@replacefilewithext}[3]{%
6666 \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
6667 }
6668 \newcommand*\bidi@ReplacePackage}[2]{%
6669 \@bidi@replacefilewithext{#1}{#2}\@pkgextension
6670 }
6671 \newcommand*\bidi@ReplaceClass}[2]{%
6672 \@bidi@replacefilewithext{#1}{#2}\@clsextension
6673 }
6674 \newcommand*\@bidi@unreplacefilewithext}[2]{%
6675 \ifcsname #1.#2-@bidi@aliasname\endcsname
6676 \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
6677 \fi
6678 }
6679 \newcommand*\bidi@UnReplacePackage}[1]{%
6680 \@bidi@unreplacefilewithext{#1}\@pkgextension
6681 }
6682 \newcommand*\bidi@UnReplaceClass}[1]{%
6683 \@bidi@unreplacefilewithext{#1}\@clsextension
6684 }
6685 \newcommand*\bidi@replacefile@msg}[2]{%
6686 \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
6687 }
6688
6689 \newcommand*\bidi@load@hook}[2]{%
6690 \@ifundefined{#2-@#1}{-}{%
6691 \nameuse{#2-@#1}%
6692 \expandafter\let\csname #2-@#1\endcsname=\relax}}
6693 \newcommand*\bidi@set@load@hook}[2]{%
6694 \@ifundefined{#2-@#1}{\@namedef{#2-@#1}{-}}{-}%
6695 \expandafter\g@addto@macro\csname #2-@#1\endcsname}
6696 \newcommand*\bidi@BeforeFile}{\bidi@set@load@hook{before}}
6697 \newcommand*\bidi@AfterFile}{\bidi@set@load@hook{after}}
6698 \newcommand*\bidi@BeforeClass}[1]{%
6699 \bidi@set@load@hook{before}{#1.\@clsextension}}
6700 \newcommand*\bidi@AfterClass}{%
6701 \@ifstar {\@s@bidi@AfterClass}{%
6702 \ifnextchar +\@@bidi@AfterClass{%
6703 \ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
6704 }%
6705 }%

```



```

6706 }
6707
6708 \newcommand*{\@@@bidi@AfterClass}[2]{%
6709   \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
6710     \aftergroup\@s@bidi@AfterClass
6711   \else
6712     \aftergroup\bidi@AfterAtEndOfClass
6713   \fi
6714 \endgroup{#2}%
6715 }
6716
6717 \newcommand*{\bidi@AfterAtEndOfClass}[1]{%
6718   \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
6719 \newcommand*{\@@@bidi@AfterClass}[2]{%
6720   \begingroup
6721     \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
6722       \aftergroup\@s@bidi@AfterClass
6723     \else
6724       \aftergroup\@bidi@AfterClass
6725     \fi
6726   \endgroup{#2}%
6727 }
6728
6729 \newcommand*{\@bidi@AfterClass}[1]{%
6730   \bidi@set@load@hook{after}{#1.\@clsextension}}
6731 \newcommand*{\@s@bidi@AfterClass}[1]{%
6732   \begingroup
6733     \@ifclassloaded{#1}{%
6734       \aftergroup\@secondoftwo
6735     }{%
6736       \aftergroup\@bidi@AfterClass
6737     }%
6738   \endgroup
6739   {#1}%
6740 }
6741
6742
6743 \newcommand*{\bidi@BeforePackage}[1]{%
6744   \bidi@set@load@hook{before}{#1.\@pkgextension}}
6745 \newcommand*{\bidi@AfterPackage}{%
6746   \@ifstar {\@s@bidi@AfterPackage}{%
6747     \@ifnextchar +\@@@bidi@AfterPackage{%
6748       \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
6749     }%
6750   }%
6751 }
6752 \newcommand*{\@@@bidi@AfterPackage}[2]{%
6753   \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
6754     \aftergroup\@s@bidi@AfterPackage
6755   \else
6756     \aftergroup\bidi@AfterAtEndOfPackage
6757   \fi
6758   \endgroup{#2}%
6759 }

```



```

6760 \newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
6761   \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
6762 \newcommand*{\@bidi@AfterPackage}[2]{%
6763   \begingroup
6764     \expandafter\ifx\csname #2.\@pkgextension-h@k\endcsname\relax
6765     \aftergroup\@s@bidi@AfterPackage
6766   \else
6767     \aftergroup\@bidi@AfterPackage
6768   \fi
6769   \endgroup{#2}%
6770 }
6771 \newcommand*{\@bidi@AfterPackage}[1]{%
6772   \bidi@set@load@hook{after}{#1.\@pkgextension}}
6773 \newcommand*{\@s@bidi@AfterPackage}[1]{%
6774   \begingroup
6775     \@ifpackageloaded{#1}{%
6776       \aftergroup\@secondoftwo
6777     }{%
6778       \aftergroup\@bidi@AfterPackage
6779     }%
6780   \endgroup
6781   {#1}%
6782 }
6783
6784 \newcommand*{\bidi@excludedpackages}{}
6785 \let\bidi@excludedpackages\@empty
6786 \newcommand*{\bidi@saved@RequirePackage}{}
6787 \newcommand*{\bidi@PreventPackageFromLoading}{%
6788   \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
6789           {\@bidi@PreventPackageFromLoading\PackageWarning}%
6790 }
6791 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
6792   \@ifnextchar [%]
6793     {\@bidi@PreventPackageFromLoading#1}{\@bidi@PreventPackageFromLoading#1 []}%
6794 }
6795 \newcommand*{\@bidi@PreventPackageFromLoading}{}
6796
6797 \def\@bidi@PreventPackageFromLoading#1[#2]#3{%
6798   \edef\reserved@b{\zap@space#3 \@empty}%
6799   \ifx \reserved@b\@empty
6800     #1{biditools}{%
6801       \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
6802       argument ignored%
6803     }%
6804   \else
6805     \ifx\bidi@excludedpackages\@empty
6806       \let\bidi@saved@RequirePackage\RequirePackage
6807       \let\RequirePackage\bidi@RequirePackage
6808     \def\reserved@a##1##{%
6809       \@latex@error
6810       {\noexpand \usepackage before \string\documentclass}%
6811       {\noexpand \usepackage may only appear in the document
6812       preamble, i.e.,\MessageBreak
6813       between \noexpand\documentclass and

```



```

6814     \string\begin{document}.}%
6815     \@gobble}%
6816 \ifx\reserved@a\usepackage\else
6817     \ifx\usepackage\bid@saved@RequirePackage\else
6818     \PackageWarning{biditools}{%
6819     Maybe serious problem: unexpected definition of\MessageBreak
6820     \string\usepackage
6821     }%
6822     \fi
6823 \let\usepackage\RequirePackage
6824 \fi
6825 \fi
6826 \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
6827 \reserved@b\do {%
6828     \ifx\reserved@a@empty
6829     #1{biditools}{%
6830     empty package argument for
6831     \string\bid@PreventPackageFromLoading\MessageBreak
6832     ignored%
6833     }%
6834 \else
6835     \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
6836     #1{biditools}{%
6837     package `\'reserved@a' already loaded.\MessageBreak
6838     Cannot prevent it from being loaded%
6839     }%
6840     }{%
6841     \edef\bid@excludedpackages{\bid@excludedpackages,%
6842     \reserved@a}%
6843     \if\relax\detokenize{#2}\relax\else
6844     \@ifundefined{bid@exclude@package@\reserved@a @do}{%
6845     \@namedef{bid@exclude@package@\reserved@a @do}{%
6846     }{%
6847     \expandafter\def
6848     \csname bid@exclude@package@\reserved@a
6849     @do\expandafter\expandafter\expandafter\endcsname
6850     \expandafter\expandafter\expandafter{%
6851     \csname bid@exclude@package@\reserved@a @do\endcsname
6852     #2%
6853     }%
6854     \fi
6855     }%
6856     \fi
6857     }%
6858     \ifx\bid@excludedpackages@empty
6859     \bid@ResetPreventPackageFromLoading
6860     \fi
6861 \fi
6862 }
6863
6864 \@onlypreamble\bid@PreventPackageFromLoading
6865 \newcommand*{\bid@ResetPreventPackageFromLoading}{%
6866 \let\bid@excludedpackages@empty
6867 \ifx\RequirePackage\bid@RequirePackage

```



```

6868 \ifx\usepackage\RequirePackage
6869 \let\usepackage\bidisaved@RequirePackage
6870 \fi
6871 \let\RequirePackage\bidisaved@RequirePackage
6872 \fi
6873 }
6874 \@onlypreamble\bidisaved@ResetPreventPackageFromLoading
6875 \newcommand*{\bidisaved@StorePreventPackageFromLoading}[1]{%
6876 \let#1\bidisaved@excludedpackages
6877 }
6878 \@onlypreamble\bidisaved@StorePreventPackageFromLoading
6879 \newcommand*{\bidisaved@UnPreventPackageFromLoading}{%
6880 \@ifstar {\@tempswatrue\bidisaved@UnPreventPackageFromLoading}%
6881 {\@tempswafalse\bidisaved@UnPreventPackageFromLoading}%
6882 }
6883
6884 \newcommand*{\bidisaved@UnPreventPackageFromLoading}[1]{%
6885 \edef\reserved@b{\zap@space#1 \@empty}%
6886 \if@tempswa
6887 \for\reserved@a:=\reserved@b\do {%
6888 \ifx\reserved@a\@empty \else
6889 \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
6890 \expandafter\let
6891 \csname bidi@exclude@package@\reserved@a @do\endcsname
6892 \undefined
6893 \fi
6894 \fi
6895 }%
6896 \fi
6897 \ifcsname bidi@excludedpackages\endcsname
6898 \let\reserved@a\bidisaved@excludedpackages
6899 \let\bidisaved@excludedpackages\@empty
6900 \expandafter\for\expandafter\reserved@c
6901 \expandafter:\expandafter=\reserved@a
6902 \do{%
6903 \ifx\reserved@c\@empty\else
6904 \@expandtwoargs\in@{\reserved@c,}{\reserved@b,}%
6905 \ifin@
6906 \else
6907 \edef\bidisaved@excludedpackages{%
6908 \bidisaved@excludedpackages,\reserved@c
6909 }%
6910 \fi
6911 \fi
6912 }%
6913 \ifx\bidisaved@excludedpackages\@empty\bidisaved@ResetPreventPackageFromLoading\fi
6914 \fi
6915 }
6916
6917
6918 \newcommand*{\bidisaved@RequirePackage}[2][ ]{%
6919 \let\reserved@c\@empty
6920 \let\reserved@d\@empty
6921 \edef\reserved@b{\zap@space#2 \@empty}%

```



```

6922 \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
6923 \do {%
6924   \begingroup
6925     \@tempwatruue
6926     \@for\reserved@a:=\bidi@excludedpackages\do {%
6927       \ifx\reserved@a\reserved@b
6928         \@tempwafalse
6929       \fi
6930     }%
6931   \if@tempswa
6932     \xdef\reserved@c{\reserved@c,\reserved@b}%
6933   \else
6934     \ifx\reserved@b\@empty\else
6935       \PackageInfo{biditytools}{Excluding package ` \reserved@b' \MessageBreak
6936         from loading}%
6937       \@ifundefined{bidi@exclude@package@\reserved@b @do}{%
6938         }{%
6939           \expandafter\g@addto@macro\expandafter\reserved@d
6940           \csname bidi@exclude@package@\reserved@b @do\endcsname
6941         }%
6942       \fi
6943     \fi
6944   \endgroup
6945 }%
6946 \ifx\reserved@c\@empty
6947   \let\reserved@a\bidi@gobbleopt
6948 \else
6949   \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]}%
6950   \expandafter\@gobble\reserved@c\@empty}%
6951 \fi
6952 \expandafter\reserved@d
6953 \reserved@a
6954 }
6955
6956 \newcommand{\bidi@gobbleopt}[1][{}]{
6957 \AtEndDocument{%
6958   \let\bidi@saved@checkend=\@checkend
6959   \renewcommand*{\@checkend}[1]{%
6960     \def\reserved@a{#1}\def\reserved@b{document}%
6961     \bidi@saved@checkend{#1}%
6962     \ifx\reserved@a\reserved@b
6963       \let\bidi@saved@clearpage=\clearpage
6964       \renewcommand*{\clearpage}{\bidi@saved@clearpage
6965         \bidi@hook@bcma
6966         \bidi@restore@newpage
6967         \let\clearpage=\bidi@saved@clearpage}%
6968     \fi%
6969     \let\bidi@saved@dofilelist\@dofilelist
6970     \def\@dofilelist{%
6971       \bidi@hook@acma
6972       \let\@dofilelist\bidi@saved@dofilelist
6973       \bidi@saved@dofilelist
6974     }%
6975   }%

```



```

6976 }
6977
6978
6979 \newcommand*{\bidi@saved@checkend}{ }
6980 \newcommand*{\bidi@saved@dofilelist}{ }
6981 \newcommand*{\bidi@redefine@newpage}{%
6982   \let\bidi@saved@newpage\newpage
6983   \def\bidi@restore@newpage{%
6984     \renewcommand*{\newpage}{%
6985       \PackageWarningNoLine{%
6986         biditools%
6987       }{%
6988         \string\newpage\space at main aux file!\MessageBreak
6989         You have output material at the main aux file.\MessageBreak
6990         Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
6991         are processed before the output from aux file%
6992       }%
6993       \let\newpage\bidi@saved@newpage
6994       \newpage
6995     }%
6996   }%
6997   \renewcommand*{\newpage}{%
6998     \PackageError{%
6999       biditools%
7000     }{%
7001       \string\newpage\space at \string\bidi@BeforeClosingMainAux
7002     }{%
7003       You should never use \string\newpage\space or
7004       \string\clear(double)page or other output material at the\MessageBreak
7005       argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
7006       If you'll continue, the \string\newpage\space will be ignored to
7007       avoid corruption of\MessageBreak
7008       every prior use of \string\bidi@BeforeClosingMainAux.
7009     }%
7010   }%
7011 }
7012
7013 \newcommand*{\bidi@restore@newpage}{ }
7014 \newcommand*{\bidi@hook@bcma}{ }
7015 \newcommand*{\bidi@hook@acma}{ }
7016 \newcommand*{\bidi@BeforeClosingMainAux}{%
7017   \ifx\bidi@hook@bcma\@empty
7018     \gdef\bidi@hook@bcma{%
7019       \renewcommand*{\bidi@BeforeClosingMainAux}[1]{###1}%
7020       \let\protected@write\bidi@protected@immediate@write
7021       \bidi@redefine@newpage
7022     }%
7023   \fi
7024   \g@addto@macro\bidi@hook@bcma%
7025 }
7026
7027 \newcommand*{\bidi@AfterReadingMainAux}{%
7028   \ifx\bidi@hook@acma\@empty
7029     \gdef\bidi@hook@acma{%

```



```

7030     \renewcommand*{\bidi@AfterReadingMainAux}[1]{###1}%
7031     \let\protected@write\bidi@protected@immediate@write
7032   }%
7033   \fi
7034   \g@addto@macro\bidi@hook@acma%
7035 }
7036
7037 \long\def\bidi@protected@immediate@write#1#2#3{%
7038   \begingroup
7039     #2%
7040     \let\protect\@unexpandable@protect
7041     \edef\reserved@a{\immediate\write#1{#3}}%
7042     \reserved@a
7043   \endgroup
7044   \if@nbreak\ifvmode\nobreak\fi\fi
7045 }
7046
7047 \def\bidi@patch@counter{0}%
7048 \if@bidi@csundef{numexpr}{%
7049   \def\bidi@patch@stepcounter{%
7050     \begingroup
7051       \count@\bidi@patch@counter\relax
7052       \advance\count@\@ne\relax
7053     \edef\x{\endgroup
7054       \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
7055     }%
7056     \x
7057   }%
7058 }{%
7059   \def\bidi@patch@stepcounter{%
7060     \edef\bidi@patch@counter{%
7061       \the\numexpr\bidi@patch@counter+\@ne\relax
7062     }%
7063   }%
7064 }
7065 \def\bidi@patch@list{}
7066 \def\bidi@patch@Add{%
7067   \bidi@appto\bidi@patch@list
7068 }
7069 \def\bidi@patch@AfterPackage#1{%
7070   \@ifpackageloaded{#1}{%
7071     \@firstofone
7072   }{%
7073     \@bidi@patch@AfterPackage{#1}%
7074   }%
7075 }
7076 \def\@bidi@patch@AfterPackage#1{%
7077   \edef\bidi@patch@temp{#1}%
7078   \bidi@patch@stepcounter
7079   \expandafter\bidi@patch@@AfterPackage
7080   \csname @bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
7081     \bidi@patch@temp
7082   }%
7083 }

```



```

7084 \def\bidi@patch@@AfterPackage#1#2#3{%
7085   \begingroup
7086     \toks@{#3}%
7087     \xdef\bidi@patch@gtemp{%
7088       \noexpand\@ifpackageloaded{#2}{%
7089         \noexpand\let\noexpand#1\noexpand\relax
7090         \the\toks@
7091       }{}%
7092     }%
7093   \endgroup
7094   \let#1\bidi@patch@gtemp
7095   \bidi@patch@Add#1%
7096   \bidi@patch@try{\bidi@AfterPackage}{#2}#1%
7097 }
7098
7099 \def\bidi@patch@try#1#2#3{%
7100   \if@bidi@csundef{#1}{-}{%
7101     \csname #1\endcsname{#2}{#3}%
7102   }%
7103 }
7104
7105 \AtBeginDocument{\bidi@patch@list}
7106
7107 \bidi@AtEndPreamble{\bidi@patch@list}%
7108
7109 \bidi@AfterEndPreamble{%
7110   \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
7111   \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
7112   \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
7113   \let\bidi@patch@OrgIfClassLater\@ifclasslater
7114   \bidi@patch@list
7115   \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
7116   \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
7117   \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
7118   \let\@ifclasslater\bidi@patch@OrgIfClassLater
7119 }%

```

## 53 File `bidituftefloat.sty`

```

7120 \NeedsTeXFormat{LaTeX2e}
7121 \ProvidesPackage{bidituftefloat}[2017/05/19 v0.2
7122 bidi implementation of tufte float]
7123 \RequirePackage{xifthen}
7124 \newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
7125 \newcommand{\@bidituftefloat@Error}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}
7126 \newcommand{\@bidituftefloat@DebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bid
7127 \newcommand{\@bidituftefloat@InfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1\@gobble}}
7128 \newboolean{@bidituftefloat@reversegeometry}
7129 \setboolean{@bidituftefloat@reversegeometry}{false}
7130 \DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
7131 \newboolean{@bidituftefloat@a4paper}
7132 \DeclareOption{a4paper}{\setboolean{@bidituftefloat@a4paper}{true}}
7133 \newboolean{@bidituftefloat@b5paper}
7134 \DeclareOption{b5paper}{\setboolean{@bidituftefloat@b5paper}{true}}

```



```

7135 \newboolean{@bidituftefloat@symmetric}
7136 \newboolean{@bidituftefloat@twoside}
7137 \DeclareOption{twoside}{%
7138 \@twosidetrue \@mparswitchtrue%
7139 \setboolean{@bidituftefloat@twoside}{true}%
7140 \setboolean{@bidituftefloat@symmetric}{true}%
7141 }
7142 \DeclareOption{oneside}{%
7143 \@twosidefalse \@mparswitchfalse%
7144 \setboolean{@bidituftefloat@twoside}{false}%
7145 \setboolean{@bidituftefloat@symmetric}{false}%
7146 }
7147 \ifclassloaded{book}{\ExecuteOptions{twoside}}{}
7148 \newboolean{@bidituftefloat@debug}
7149 \newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodete
7150 \ProcessOptions
7151 %% Globally sets the length
7152 \newcommand*\gsetlength}[2]{%
7153 \setlength{#1}{#2}%
7154 \global#1=#1\relax%
7155 }
7156
7157 %% Set the font sizes and baselines to match bidituftefloat's books
7158 \renewcommand\normalsize{%
7159 \@setfontsize\normalsize\@xpt{14}%
7160 \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
7161 \abovedisplayshortskip \z@ \@plus3\p@
7162 \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
7163 \belowdisplayskip \abovedisplayskip
7164 \let\@listi\@listI}
7165 \normalbaselineskip=14pt
7166 \normalsize
7167 \renewcommand\footnotesize{%
7168 \@setfontsize\footnotesize\@viipt{10}%
7169 \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
7170 \abovedisplayshortskip \z@ \@plus\p@
7171 \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
7172 \def\@listi{\leftmargin\leftmarginI
7173 \topsep 3\p@ \@plus\p@ \@minus\p@
7174 \parsep 2\p@ \@plus\p@ \@minus\p@
7175 \itemsep \parsep}%
7176 \belowdisplayskip \abovedisplayskip
7177 }
7178 %% Paragraph indentation and separation for marginal text
7179 \newcommand{\@bidituftefloat@margin@par}{%
7180 \setlength{\RaggedRightParindent}{0.5pc}%
7181 \setlength{\JustifyingParindent}{0.5pc}%
7182 \setlength{\parindent}{0.5pc}%
7183 \setlength{\parskip}{0pt}%
7184 }
7185 \RequirePackage{ragged2e}
7186 \ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
7187 \RequirePackage[letterpaper, right=1in, top=1in, headsep=2\baselineskip, textwidth=26pc, marginp
7188 \ifthenelse{\boolean{@bidituftefloat@afourpaper}}

```



```

7189 {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar
7190 {}
7191 \ifthenelse{\boolean{@biditytfloat@bfivepaper}}
7192 {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm
7193 }}{%
7194 \RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar
7195 \ifthenelse{\boolean{@biditytfloat@afourpaper}}
7196 {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar
7197 {}
7198 \ifthenelse{\boolean{@biditytfloat@bfivepaper}}
7199 {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,
7200 {}
7201 \ifthenelse{\boolean{@biditytfloat@symmetric}}
7202 {}
7203 {\geometry{asymmetric}}% forces internal LaTeX `twoside'
7204 \setlength\marginparpush{10pt}
7205 %% Font for margin items
7206 \newcommand{\@biditytfloat@marginfont}{\normalfont\footnotesize}
7207 \newcommand*{\@biditytfloat@captionfont}{\@biditytfloat@marginfont}
7208 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@biditytfloat@captionfont}{#1}}
7209 \newcommand{\@biditytfloat@justification}{\justifying}%
7210 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
7211 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
7212 \newboolean{@biditytfloat@changepage}
7213 \IfFileExists{changepage.sty}{%
7214 \biditytfloatDebugInfoNL{Found changepage.sty}
7215 \RequirePackage[strict]{changepage}
7216 \setboolean{@biditytfloat@changepage}{true}
7217 }{%
7218 \biditytfloatDebugInfoNL{Found chngpage.sty}
7219 \RequirePackage[strict]{chngpage}
7220 \setboolean{@biditytfloat@changepage}{false}
7221 }
7222 \newboolean{@biditytfloat@odd@page}
7223 \setboolean{@biditytfloat@odd@page}{true}
7224 \newcommand*{\@biditytfloat@checkoddpage}{%
7225 \checkoddpage%
7226 \ifthenelse{\boolean{@biditytfloat@changepage}}{%
7227 \ifoddpage%
7228 \setboolean{@biditytfloat@odd@page}{true}%
7229 \else%
7230 \setboolean{@biditytfloat@odd@page}{false}%
7231 \fi%
7232 }{%
7233 \ifcpoddpage%
7234 \setboolean{@biditytfloat@odd@page}{true}%
7235 \else%
7236 \setboolean{@biditytfloat@odd@page}{false}%
7237 \fi%
7238 }%
7239 }
7240 \newlength{\@biditytfloat@overhang}% used by the fullwidth environment and the running head
7241 \newlength{\@biditytfloat@fullwidth}
7242 \newlength{\@biditytfloat@caption@fill}

```



```

7243 \newcommand{\bidituftefloatRecalculate}{%
7244 \setlength{\@bidituftefloat@overhang}{\marginparwidth}
7245 \addtolength{\@bidituftefloat@overhang}{\marginparsep}
7246
7247 \setlength{\@bidituftefloat@fullwidth}{\textwidth}
7248 \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
7249 \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}
7250
7251 \setlength{\@bidituftefloat@caption@fill}{\textwidth}
7252 \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
7253 }
7254 \AtBeginDocument{\bidituftefloatRecalculate}
7255 \RequirePackage{optparams}% provides multiple optional arguments for commands
7256 \RequirePackage{placeins}
7257 \newsavebox{\@bidituftefloat@margin@floatbox}
7258 \newenvironment{@bidituftefloat@margin@float}[2] [-1.2ex]%
7259 {\FloatBarrier% process all floats before this point so the figure/table numbers stay in o
7260 \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
7261 \begin{minipage}{\marginparwidth}%
7262 \@bidituftefloat@caption@font%
7263 \def\@capttype{#2}%
7264 \hbox{\vspace*{#1}%
7265 \@bidituftefloat@caption@justification%
7266 \@bidituftefloat@margin@par%
7267 \noindent%
7268 }
7269 \end{minipage}%
7270 \end{lrbox}%
7271 \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
7272 }
7273 \newenvironment{marginfigure}[1] [-1.2ex]%
7274 {\begin{@bidituftefloat@margin@float}[#1]{figure}}
7275 {\end{@bidituftefloat@margin@float}}
7276 \newenvironment{marginfigure}[1] [-1.2ex]%
7277 {\begin{@bidituftefloat@margin@float}[#1]{table}}
7278 {\end{@bidituftefloat@margin@float}}
7279 \newcommand*{@bidituftefloat@justification@autodetect}{\justifying}%
7280
7281 \newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float
7282 \newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
7283 \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}%
7284 {\def\@bidituftefloat@float@debug@info{#1}}%
7285 {\g@addto@macro{\@bidituftefloat@float@debug@info}{\MessageBreak#1}}%
7286 }
7287 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
7288 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debug
7289 \newboolean{@bidituftefloat@float@recto}
7290 \newcommand{\forcerectofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituf
7291 \newcommand{\forceversofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituf
7292 \newsavebox{\@bidituftefloat@figure@box}
7293 \newsavebox{\@bidituftefloat@caption@box}
7294 \let\@bidituftefloat@orig@float\@float
7295 \let\@bidituftefloat@orig@endfloat\end@float
7296 \newlength{\@bidituftefloat@caption@vertical@offset}

```



```

7297 \setlength{\@biditytfloat@caption@vertical@offset}{0pt}
7298 \newcommand{\@biditytfloat@stored@shortcaption}{}
7299 \newcommand{\@biditytfloat@stored@caption}{}
7300 \newcommand{\@biditytfloat@stored@label}{}
7301 \long\def\@biditytfloat@caption[#1][#2]#3{%
7302   \ifthenelse{\isempty{#1}}%
7303     {\gdef\@biditytfloat@stored@shortcaption{#3}}%
7304     {\gdef\@biditytfloat@stored@shortcaption{#1}}%
7305   \gsetlength{\@biditytfloat@caption@vertical@offset}{-#2}% we want a positive offset to l
7306   \gdef\@biditytfloat@stored@caption{#3}%
7307 }
7308 \newcommand{\@biditytfloat@label}[1]{%
7309   \gdef\@biditytfloat@stored@label{#1}%
7310 }
7311 \newcommand{\@biditytfloat@fps}{}
7312 \newboolean{\@biditytfloat@float@star}
7313 \newlength{\@biditytfloat@float@contents@width}
7314 \newenvironment{\@biditytfloat@float}[3][htbp]%
7315   {% begin \@biditytfloat@float
7316     % Should this float be full-width or just text-width?
7317     \ifthenelse{\equal{#3}{star}}%
7318       {\GlobalSetBoolean{\@biditytfloat@float@star}{true}}%
7319       {\GlobalSetBoolean{\@biditytfloat@float@star}{false}}%
7320     % Check page side (recto/verso) and store detected value -- can be overridden in environm
7321     \@biditytfloat@checkoddpage%
7322     \ifthenelse{\boolean{\@biditytfloat@odd@page}}%
7323       {\GlobalSetBoolean{\@biditytfloat@float@recto}{true}\@biditytfloat@float@debug{Dete
7324       {\GlobalSetBoolean{\@biditytfloat@float@recto}{false}\@biditytfloat@float@debug{Dete
7325     % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages
7326     \renewcommand{\@biditytfloat@fps}{#1}%
7327     \@biditytfloat@float@debug{Allowed positions: [#1]}%
7328     \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
7329       {\renewcommand{\floatalignment}{b}\@biditytfloat@float@debug{Presumed position: [bot
7330       {\renewcommand{\floatalignment}{t}\@biditytfloat@float@debug{Presumed position: [top
7331     % Capture the contents of the \caption and \label commands to use later
7332     \global\let\@biditytfloat@orig@caption\caption%
7333     \global\let\@biditytfloat@orig@label\label%
7334     \renewcommand{\caption}{\optparams{\@biditytfloat@caption}{[[] [Opt]}}%
7335     \renewcommand{\label}[1]{\@biditytfloat@label{##1}}%
7336     % Handle subfigure package compatibility
7337     \ifthenelse{\boolean{\@biditytfloat@packages@subfigure}}{%
7338       \bidi@patchcmd{\subfigure}{%
7339         \let\subfig@oldlabel=\label
7340       }{%
7341         \let\subfig@oldlabel=\@biditytfloat@orig@label
7342       }
7343     }
7344     {}
7345     \let\subtable=\subfigure
7346   }{}% subfigure package is not loaded
7347   \@biditytfloat@orig@float{#2}[#1]%
7348   \ifthenelse{\boolean{\@biditytfloat@float@star}}%
7349     {\setlength{\@biditytfloat@float@contents@width}{\@biditytfloat@fullwidth}}%
7350     {\setlength{\@biditytfloat@float@contents@width}{\textwidth}}%

```



```

7351 \begin{lrbox}{\@biditytfloat@figure@box}%
7352 \begin{minipage}[\floatalignment]{\@biditytfloat@float@contents@width}\hbox{}%
7353 }{\% end @biditytfloat@float
7354 \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% a
7355 \end{minipage}%
7356 \end{lrbox}%
7357 % build the caption box
7358 \begin{lrbox}{\@biditytfloat@caption@box}%
7359 \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
7360 \ifthenelse{\NOT\equal{\@biditytfloat@stored@caption}{}}{\@biditytfloat@orig@cap
7361 \ifthenelse{\NOT\equal{\@biditytfloat@stored@label}{}}{\@biditytfloat@orig@label
7362 \par\vspace{-\prevdepth}}% TODO: DOUBLE-CHECK FOR SAFETY
7363 \end{minipage}%
7364 \end{lrbox}%
7365 % now typeset the stored boxes
7366 \begin{fullwidth}%
7367 \begin{minipage}[\floatalignment]{\linewidth}%
7368 \ifthenelse{\boolean{@biditytfloat@float@star}}%
7369 {\@biditytfloat@float@fullwidth[\@biditytfloat@caption@vertical@offset]{\@bidi
7370 {\@biditytfloat@float@textwidth[\@biditytfloat@caption@vertical@offset]{\@bidi
7371 \end{minipage}%
7372 \end{fullwidth}%
7373 \@biditytfloat@orig@endfloat% end original LaTeX float environment
7374 % output debug info
7375 \ifthenelse{\boolean{@biditytfloat@debug}}{%
7376 \typeout{^^J^^J----- biditytfloat package float information -----}%
7377 \ifthenelse{\equal{\@biditytfloat@stored@label}{}}%
7378 {\typeout{Warning: Float unlabeled!}}%
7379 {\typeout{Float label: [\@biditytfloat@stored@label]}}%
7380 \typeout{Page number: [\thepage]}%
7381 \def\MessageBreak{^^J}%
7382 \typeout{\@biditytfloat@float@debug@info}%
7383 \ifthenelse{\boolean{@biditytfloat@symmetric}}%
7384 {\typeout{Symmetric: [true]}}%
7385 {\typeout{Symmetric: [false]}}%
7386 \typeout{-----^^J^^J}%
7387 }{}%
7388 % reset commands and temp boxes and captions
7389 \gdef\@biditytfloat@float@debug@info{}%
7390 \let\caption\@biditytfloat@orig@caption%
7391 \let\label\@biditytfloat@orig@label%
7392 \begin{lrbox}{\@biditytfloat@figure@box}\hbox{}\end{lrbox}%
7393 \begin{lrbox}{\@biditytfloat@caption@box}\hbox{}\end{lrbox}%
7394 \gdef\@biditytfloat@stored@shortcaption{}%
7395 \gdef\@biditytfloat@stored@caption{}%
7396 \gdef\@biditytfloat@stored@label{}%
7397 \gsetlength{\@biditytfloat@caption@vertical@offset}{0pt}% reset caption offset
7398 }
7399 \newcommand{\@biditytfloat@float@textwidth}[3][Opt]{%
7400 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@recto
7401 % asymmetric or page is odd, so caption is on the right
7402 \hbox{%
7403 \usebox{#2}%
7404 \hspace{\marginparsep}%

```



```

7405     \smash{\raisebox{#1}{\usebox{#3}}}%
7406   }
7407   \@biditytfloat@float@debug{Caption position: [right]}%
7408 }{% symmetric pages and page is even, so caption is on the left
7409   \hbox{%
7410     \smash{\raisebox{#1}{\usebox{#3}}}%
7411     \hspace{\marginparsep}%
7412     \usebox{#2}%
7413   }
7414   \@biditytfloat@float@debug{Caption position: [left]}%
7415 }%
7416 }
7417 \newcommand{\@biditytfloat@float@fullwidth}[3][Opt]{%
7418   \ifthenelse{\equal{\floatalignment}{b}}%
7419     {% place caption above figure
7420       \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@
7421         {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@biditytfloat@float@debug
7422         {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@biditytfloat@float@debug
7423       }{% place caption below figure
7424         \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@
7425         {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@biditytfloat@float@debug
7426         {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@biditytfloat@float@debug
7427       }%
7428 }
7429 \renewenvironment{figure}[1][htbp]%
7430   {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{}}
7431   {\end{@biditytfloat@float}}
7432 \renewenvironment{table}[1][htbp]
7433   {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{}}
7434   {\end{@biditytfloat@float}}
7435 \renewenvironment{figure*}[1][htbp]%
7436   {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{star}}
7437   {\end{@biditytfloat@float}}
7438 \renewenvironment{table*}[1][htbp]%
7439   {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{star}}
7440   {\end{@biditytfloat@float}}
7441 \newenvironment{fullwidth}
7442   {\ifthenelse{\boolean{@biditytfloat@symmetric}}%
7443     {\ifthenelse{\boolean{@biditytfloat@change page}}{\begin{adjustwidth*}{-}\@biditytfloat@
7444     {\begin{adjustwidth}{-}\@biditytfloat@overhang}}%
7445   }%
7446   {\ifthenelse{\boolean{@biditytfloat@symmetric}}%
7447     {\ifthenelse{\boolean{@biditytfloat@change page}}{\end{adjustwidth*}}{\end{adjustwidth}}
7448     {\end{adjustwidth}}}%
7449   }
7450 \long\def\@caption#1[#2]#3{%
7451   \par%
7452   \addcontentsline{\csname ext@#1\endcsname}{#1}%
7453     {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
7454   \begingroup%
7455     \@parboxrestore%
7456     \if@minipage%
7457       \@setminipage%
7458     \fi%

```



```

7459 \@biditytfloat@caption@font\@biditytfloat@caption@justification%
7460 \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
7461 %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
7462 \endgroup}
7463 %%
7464 % Turns newlines into spaces. Based on code from the `titlesec' package.
7465 \DeclareRobustCommand{\@biditytfloat@newlinetospace}{%
7466 \ifstar{\@biditytfloat@newlinetospace@i}{\@biditytfloat@newlinetospace@i}%
7467 }
7468 \def\@biditytfloat@newlinetospace@i{%
7469 \ifdim\lastskip>\z@\else\space\fi
7470 \ignorespaces%
7471 }
7472 \DeclareRobustCommand{\newlinetospace}[1]{%
7473 \let\@biditytfloat@orig@cr\% save the original meaning of \
7474 \def\{\@biditytfloat@newlinetospace}% turn \ and \* into \space
7475 \let\newline\% turn \newline into \space
7476 #1%
7477 \let\{\@biditytfloat@orig@cr% revert to original meaning of \
7478 }
7479 \RequirePackage{fancyhdr}
7480 \pagestyle{fancy}
7481 \AtBeginDocument{%
7482 \ifthenelse{\boolean{@biditytfloat@symmetric}}
7483 {\fancyhfoffset[LE,RO]{\@biditytfloat@overhang}}
7484 {\fancyhfoffset[RE,RO]{\@biditytfloat@overhang}}
7485 }
7486 % The running heads/feet don't have rules
7487 \renewcommand{\headrulewidth}{0pt}
7488 \renewcommand{\footrulewidth}{0pt}
7489 % The 'fancy' page style is the default style for all pages.
7490 \fancyhf{} % clear header and footer fields
7491 \ifthenelse{\boolean{@biditytfloat@symmetric}}
7492 {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
7493 \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
7494 {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
7495 % The `plain' page style is used on chapter opening pages.
7496 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
7497 % bottom of pages -- the folios are unexpressed.
7498 \fancypagestyle{plain}{
7499 \fancyhf{} % clear header and footer fields
7500 % Uncomment the following five lines of code if you want the opening page
7501 % of the chapter to express the folio in the lower outside corner.
7502 % \ifthenelse{\boolean{@biditytfloat@symmetric}}
7503 % {\fancyfoot[LE,RO]{\thepage}}
7504 % {\fancyfoot[RE,RO]{\thepage}}
7505 }
7506 % The `empty' page style suppresses all headers and footers.
7507 % It's used on title pages and `intentionally blank' pages.
7508 \fancypagestyle{empty}{
7509 \fancyhf{} % clear header and footer fields
7510 }
7511 \def\morefloats{% provides a total of 52 floats
7512 \ifthenelse{\isundefined{\bx@S}}{%

```



```

7513 \biditytfloatDebugInfoNL{Adding 34 more float slots.}
7514 \newinsert\bx@S
7515 \newinsert\bx@T
7516 \newinsert\bx@U
7517 \newinsert\bx@V
7518 \newinsert\bx@W
7519 \newinsert\bx@X
7520 \newinsert\bx@Y
7521 \newinsert\bx@Z
7522 \newinsert\bx@a
7523 \newinsert\bx@b
7524 \newinsert\bx@c
7525 \newinsert\bx@d
7526 \newinsert\bx@e
7527 \newinsert\bx@f
7528 \newinsert\bx@g
7529 \newinsert\bx@h
7530 \newinsert\bx@i
7531 \newinsert\bx@j
7532 \newinsert\bx@k
7533 \newinsert\bx@l
7534 \newinsert\bx@m
7535 \newinsert\bx@n
7536 \newinsert\bx@o
7537 \newinsert\bx@p
7538 \newinsert\bx@q
7539 \newinsert\bx@r
7540 \newinsert\bx@s
7541 \newinsert\bx@t
7542 \newinsert\bx@u
7543 \newinsert\bx@v
7544 \newinsert\bx@w
7545 \newinsert\bx@x
7546 \newinsert\bx@y
7547 \newinsert\bx@z
7548 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7549 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7550 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7551 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
7552 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7553 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7554 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7555 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7556 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
7557 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7558 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7559 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
7560 }-{\% we've already added another 34 floats, so we'll add 26 more, but that's it!
7561 \ifthenelse{\isundefined{\bx@AA}}-{\%
7562 \biditytfloatDebugInfoNL{Adding 26 more float slots.}
7563 \newinsert\bx@AA
7564 \newinsert\bx@BB
7565 \newinsert\bx@CC
7566 \newinsert\bx@DD

```



```

7567 \newinsert\bx@EE
7568 \newinsert\bx@FF
7569 \newinsert\bx@GG
7570 \newinsert\bx@HH
7571 \newinsert\bx@II
7572 \newinsert\bx@JJ
7573 \newinsert\bx@KK
7574 \newinsert\bx@LL
7575 \newinsert\bx@MM
7576 \newinsert\bx@NN
7577 \newinsert\bx@OO
7578 \newinsert\bx@PP
7579 \newinsert\bx@QQ
7580 \newinsert\bx@RR
7581 \newinsert\bx@SS
7582 \newinsert\bx@TT
7583 \newinsert\bx@UU
7584 \newinsert\bx@VV
7585 \newinsert\bx@WW
7586 \newinsert\bx@XX
7587 \newinsert\bx@YY
7588 \newinsert\bx@ZZ
7589 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
7590 \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
7591 \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
7592 \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
7593 \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
7594 \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
7595 \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
7596 \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
7597 \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
7598 \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
7599 \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
7600 \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
7601 \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
7602 \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
7603 \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
7604 \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
7605 \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
7606 \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
7607 }{%
7608 \bidituftefloatError{You may only call \string\morefloats\space twice. See the\Message
7609 {There are already 78 float slots allocated. Try using \string\FloatBarrier\space on
7610 }%
7611 }%
7612 }
7613 \newboolean{@bidituftefloat@packages@subfigure}
7614 \setboolean{@bidituftefloat@packages@subfigure}{false}
7615 \AtBeginDocument{%
7616 \@ifpackageloaded{subfigure}
7617 {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{true}}
7618 {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{false}}%
7619 }
7620 \AtBeginDocument{%

```



```

7621 \@ifpackageloaded{float}{%
7622   % Save the redefined float environment (instead of the LaTeX float environment)
7623   \let\@biditytfloat@orig@float\float
7624   \let\@biditytfloat@orig@endfloat\endfloat
7625
7626   % Define Tuftian float styles (with the caption in the margin)
7627   \newcommand{\floatc@biditytfloatplain}[2]{%
7628     \begin{lrbox}{\@biditytfloat@caption@box}%
7629       \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{%
7630         \@biditytfloat@caption@font{\@fs@cfont #1:} #2\par%
7631       }\end{minipage}%
7632     \end{lrbox}%
7633     \smash{\hspace{\@biditytfloat@caption@fill}}\usebox{\@biditytfloat@caption@box}}%
7634   }
7635   \newcommand{\fs@biditytfloatplain}{%
7636     \def\@fs@cfont{\@biditytfloat@caption@font}%
7637     \let\@fs@capt\floatc@biditytfloatplain%
7638     \def\@fs@pre{}%
7639     \def\@fs@post{}%
7640     \def\@fs@mid{}%
7641     \let\@fs@iftopcapt\iftrue%
7642   }
7643   \let\fs@biditytfloatplaintop=\fs@biditytfloatplain
7644   \let\floatc@biditytfloatplaintop=\floatc@biditytfloatplain
7645   \newcommand\floatc@biditytfloatruled[2]{%
7646     {\@fs@cfont #1} #2\par%
7647   }
7648   \newcommand\fs@biditytfloatruled{%
7649     \def\@fs@cfont{\@biditytfloat@caption@font}%
7650     \let\@fs@capt\floatc@biditytfloatplain%
7651     \def\@fs@pre{\hrule height .8pt depth 0pt width \textwidth \kern 2pt}%
7652     \def\@fs@post{\kern 2pt \hrule width \textwidth \relax}%
7653     \def\@fs@mid{}%
7654     \let\@fs@iftopcapt\iftrue%
7655   }
7656   \newcommand\fs@biditytfloatboxed{%
7657     \def\@fs@cfont{}%
7658     \let\@fs@capt\floatc@biditytfloatplain%
7659     \def\@fs@pre{%
7660       \setbox\@currbox\ vbox{\hbadness 10000
7661         \moveleft 3.4pt \vbox{\advance \hsize by 6.8pt
7662           \hrule \hbox to \hsize{\vrule \kern 3pt
7663             \vbox{\kern 3pt \box\@currbox \kern 3pt}\kern 3pt \vrule}\hrule}}
7664     }%
7665     \def\@fs@mid{\kern 2pt}%
7666     \def\@fs@post{}%
7667     \let\@fs@iftopcapt\iftrue%
7668   }
7669 }{%
7670   % Nothing to do
7671 }
7672 }
7673 \AtBeginDocument{%
7674   \@ifpackageloaded{algorithm}{%

```



```

7675 % Set the float style to the Tuftian version
7676 \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\AL
7677 \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBrea
7678 \floatstyle{\bidituftefloat\ALG@floatstyle}%
7679 \restylefloat{algorithm}%
7680 }{}%
7681 }{%
7682 % Nothing to do
7683 }
7684 }
7685 \PassOptionsToPackage{caption=false}{subfig}

```

## 54 File `bidituftesidenote.sty`

```

7686 \NeedsTeXFormat{LaTeX2e}
7687 \ProvidesPackage{bidituftesidenote}[2017/08/09 v0.4
7688 bidi implementation of tufte sidenote]
7689 \RequirePackage{xifthen}
7690 \RequirePackage{ragged2e}
7691 \RequirePackage{setspace}
7692 \RequirePackage{biditools}
7693 \def\bidituftesidenotemarginpar{%
7694 \ifhmode
7695 \@bsphack
7696 \@floatpenalty -\@Mii
7697 \else
7698 \@floatpenalty -\@Miii
7699 \fi
7700 \ifinner
7701 \@parmoderr
7702 \@floatpenalty\z@
7703 \else
7704 \@next\@currbox\@freelist{}{}%
7705 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7706 {\@floatpenalty\z@
7707 \fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7708 \fi
7709 \ifnextchar [ \@bidituftesidenotexmpar \@bidituftesidenoteympar}
7710 \long\def\@bidituftesidenotexmpar[#1]#2{%
7711 \@bidituftesidenotesavemarbox\@marbox{#1}%
7712 \@bidituftesidenotesavemarbox\@currbox{#2}%
7713 \@xympar}
7714 \long\def\@bidituftesidenoteympar#1{%
7715 \@bidituftesidenotesavemarbox\@marbox{#1}%
7716 \global\setbox\@currbox\copy\@marbox
7717 \@xympar}
7718 \long\def \@bidituftesidenotesavemarbox #1#2{%
7719 \global\setbox #1%
7720 \color@vbox
7721 \vtop{%
7722 \hsize\marginparwidth
7723 \@parboxrestore
7724 \@bidituftesidenotemarginparreset
7725 #2%

```



```

7726     \@minipagefalse
7727     \outer@nobreak
7728     }%
7729     \color@endbox
7730 }
7731 \def \@bidityftesidenotemarginparreset {%
7732     \reset@font
7733     \normalsize
7734     \@minipagetrue
7735     \everypar{\@minipagefalse\everypar{}}\if@RTL@footnote\beginR\else\beginL\fi}%
7736 }
7737 \def \LTRbidityftesidenotemarginpar{%
7738     \ifhmode
7739         \@bsphack
7740         \@floatpenalty -\@Mii
7741     \else
7742         \@floatpenalty-\@Miii
7743     \fi
7744     \ifinner
7745         \@parmoderr
7746         \@floatpenalty\z@
7747     \else
7748         \@next\@currbox\@freelist{}{}%
7749         \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7750         {\@floatpenalty\z@
7751         \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7752     \fi
7753     \@ifnextchar [\@LTRbidityftesidenotexmpar\@LTRbidityftesidenoteympar}
7754 \long\def \@LTRbidityftesidenotexmpar[#1]#2{%
7755     \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
7756     \@LTRbidityftesidenotesavemarbox\@currbox{#2}%
7757     \@xympar}
7758 \long\def \@LTRbidityftesidenoteympar#1{%
7759     \@LTRbidityftesidenotesavemarbox\@marbox{#1}%
7760     \global\setbox\@currbox\copy\@marbox
7761     \@xympar}
7762 \long\def \@LTRbidityftesidenotesavemarbox #1#2{%
7763     \global\setbox #1%
7764         \color@vbox
7765         \vtop{%
7766             \hsize\marginparwidth
7767             \@parboxrestore
7768             \@LTRbidityftesidenotemarginparreset
7769             #2%
7770             \@minipagefalse
7771             \outer@nobreak
7772             }%
7773     \color@endbox
7774 }
7775 \def \@LTRbidityftesidenotemarginparreset {%
7776     \reset@font
7777     \normalsize
7778     \@minipagetrue
7779     \everypar{\@minipagefalse\everypar{}}\beginL}%

```



```

7780 }
7781 \def\RTLbidituftesidenotemarginpar{%
7782   \ifhmode
7783     \@bsphack
7784     \@floatpenalty -\@Mii
7785   \else
7786     \@floatpenalty-\@Miii
7787   \fi
7788   \ifinner
7789     \@parmoderr
7790     \@floatpenalty\z@
7791   \else
7792     \@next\@currbox\@freelist{}{}%
7793     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
7794     {\@floatpenalty\z@
7795       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
7796   \fi
7797   \@ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteypar}
7798 \long\def\@RTLbidituftesidenotexmpar[#1]#2{%
7799   \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
7800   \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
7801   \@xympar}
7802 \long\def\@RTLbidituftesidenoteypar#1{%
7803   \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
7804   \global\setbox\@currbox\copy\@marbox
7805   \@xympar}
7806 \long\def \@RTLbidituftesidenotesavemarbox #1#2{%
7807   \global\setbox #1%
7808     \color@vbox
7809     \vtop{%
7810       \hsize\marginparwidth
7811       \@parboxrestore
7812       \@RTLbidituftesidenotemarginparreset
7813       #2%
7814       \@minipagefalse
7815       \outer@nobreak
7816     }%
7817   \color@endbox
7818 }
7819 \def \@RTLbidituftesidenotemarginparreset {%
7820   \reset@font
7821   \normalsize
7822   \@minipagetrue
7823   \everypar{\@minipagefalse\everypar{}}\beginR}%
7824 }
7825 \newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
7826 \newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
7827 \newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
7828 \newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
7829 \newcommand*{\@bidituftesidenote@LTRsidenote@font}{\@bidituftesidenote@LTRmarginfont}
7830 \newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}
7831 \newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
7832 \newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}
7833 \newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}

```



```

7834 \newcommand*{\@bidityftesidenote@citation@font}{\@bidityftesidenote@marginfont}
7835 \newcommand*{\@bidityftesidenote@LTRcitation@font}{\@bidityftesidenote@LTRmarginfont}
7836 \newcommand*{\@bidityftesidenote@RTLcitation@font}{\@bidityftesidenote@RTLmarginfont}
7837 \newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidityftesidenote@sidenote@font}{#1}}
7838 \newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidityftesidenote@LTRsidenote@font}{#1}}
7839 \newcommand*{\setRTLSidenotefont}[1]{\renewcommand*{\@bidityftesidenote@RTLSidenote@font}{#1}}
7840 \newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@marginnote@font}{#1}}
7841 \newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@LTRmarginnote@font}{#1}}
7842 \newcommand*{\setRTLMarginnotefont}[1]{\renewcommand*{\@bidityftesidenote@RTLMarginnote@font}{#1}}
7843 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidityftesidenote@citation@font}{#1}}
7844 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidityftesidenote@LTRcitation@font}{#1}}
7845 \newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidityftesidenote@RTLcitation@font}{#1}}
7846 \newcommand*{\@bidityftesidenote@sidenote@justification}{\@bidityftesidenote@justification@atop}
7847 \newcommand*{\@bidityftesidenote@marginnote@justification}{\@bidityftesidenote@justification@atop}
7848 \newcommand*{\@bidityftesidenote@citation@justification}{\@bidityftesidenote@justification@atop}
7849 \newcommand*{\@bidityftesidenote@justification@autodetect}{\justifying}%
7850 \newcommand{\@bidityftesidenote@margin@par}{%
7851   \setlength{\RaggedRightParindent}{0.5pc}%
7852   \setlength{\JustifyingParindent}{0.5pc}%
7853   \setlength{\parindent}{0.5pc}%
7854   \setlength{\parskip}{Opt}%
7855 }
7856 %%
7857 % Globally sets the length
7858 \@ifundefined{gsetlength}{%
7859 \newcommand*{gsetlength}[2]{%
7860   \setlength{#1}{#2}%
7861   \global#1=#1\relax%
7862 }%
7863 }{}
7864
7865 %%
7866 % A function that removes leading and trailing spaces from the supplied macro.
7867 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
7868 % Executing \@bidityftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
7869 % being trimmed of leading and trailing white space.
7870 \catcode\Q=3
7871 \def\@bidityftesidenote@trim@spaces#1{%
7872   % Use grouping to emulate a multi-token afterassignment queue
7873   \begingroup%
7874   % Put \toks 0 {' into the afterassignment queue
7875   \aftergroup\toks\aftergroup0\aftergroup{%
7876   % Apply \trimb to the replacement text of #1, adding a leading
7877   % \noexpand to prevent brace stripping and to serve another purpose
7878   % later.
7879   \expandafter\@bidityftesidenote@trim@b\expandafter\noexpand#1Q Q}%
7880   % Transfer the trimmed text back into #1.
7881   \edef#1{\the\toks0}%
7882 }
7883 % \trimb removes a trailing space if present, then calls \@bidityftesidenote@trim@c to
7884 % clean up any leftover bizarre Qs, and trim a leading space. In
7885 % order for \trimc to work properly we need to put back a Q first.
7886 \def\@bidityftesidenote@trim@b#1 Q{\@bidityftesidenote@trim@c#1Q}
7887 % Execute \vfuzz assignment to remove leading space; the \noexpand

```



```

7888 % will now prevent unwanted expansion of a macro or other expandable
7889 % token at the beginning of the trimmed text. The \endgroup will feed
7890 % in the \aftergroup tokens after the \vfuzz assignment is completed.
7891 \def\@bidityftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
7892 \catcode\Q=11
7893 %%
7894 % Citations should go in the margin as sidenotes
7895
7896 \RequirePackage{natbib}
7897 \RequirePackage{bibentry} % allows bibitems to be typeset outside thebibliography env
7898 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
7899 \renewcommand\BR@b@bibitem[2][\%
7900 \ifthenelse{\isempty{#1}}%
7901   {\BR@bibitem{#2}}%
7902   {\BR@bibitem{#1}{#2}}%
7903 \BR@c@bibitem{#2}}%
7904 }
7905 \bidi@AtEndPreamble{\nobibliography*} % pre-loads the bibliography keys
7906 %%
7907 % Normal \cite behavior
7908 \newcounter{@bidityftesidenote@num@bibkeys}%
7909 \newcommand{\@bidityftesidenote@normal@cite}[2][Opt]{%
7910 % Snag the last bibentry in the list for later comparison
7911 \let\@temp@last@bibkey\@empty%
7912 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
7913 \sidenote[][#1]{%
7914 % Loop through all the bibentries, separating them with semicolons and spaces
7915 \normalsize\normalfont\@bidityftesidenote@citation@font%
7916 \setcounter{@bidityftesidenote@num@bibkeys}{0}%
7917 \@for\@temp@bibkeyx:=#2\do{%
7918 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
7919   {\ifthenelse{\equal{value{@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
7920   \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7921   \bibentry{\@temp@bibkeyx}}%
7922   {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7923   \bibentry{\@temp@bibkeyx};\ }%
7924 \stepcounter{@bidityftesidenote@num@bibkeys}%
7925 }%
7926 }%
7927 }
7928 \newcommand{\@bidityfteLTRsidenote@normal@cite}[2][Opt]{%
7929 % Snag the last bibentry in the list for later comparison
7930 \let\@temp@last@bibkey\@empty%
7931 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
7932 \LTRsidenote[][#1]{%
7933 % Loop through all the bibentries, separating them with semicolons and spaces
7934 \normalsize\normalfont\@bidityftesidenote@LTRcitation@font%
7935 \setcounter{@bidityftesidenote@num@bibkeys}{0}%
7936 \@for\@temp@bibkeyx:=#2\do{%
7937 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
7938   {\ifthenelse{\equal{value{@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
7939   \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7940   \bibentry{\@temp@bibkeyx}}%
7941   {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey

```



```

7942         \bibentry{\@temp@bibkeyx};\ }%
7943         \stepcounter{@bidituftesidenote@num@bibkeys}%
7944     }%
7945 }%
7946 }
7947 \newcommand{\@bidituftesidenote@normal@cite}[2][Opt]{%
7948 % Snag the last bibentry in the list for later comparison
7949 \let\@temp@last@bibkey\@empty%
7950 \for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
7951 \RTLsidenote[#1]{%
7952 % Loop through all the bibentries, separating them with semicolons and spaces
7953 \normalsize\normalfont\@bidituftesidenote@citation@font%
7954 \setcounter{@bidituftesidenote@num@bibkeys}{0}%
7955 \for\@temp@bibkeyx:=#2\do{%
7956 \ifthenelse{equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
7957     {\ifthenelse{equal{value{@bidituftesidenote@num@bibkeys}}{0}}{\and\ }%
7958     \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7959     \bibentry{\@temp@bibkeyx}}%
7960     {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7961     \bibentry{\@temp@bibkeyx};\ }%
7962     \stepcounter{@bidituftesidenote@num@bibkeys}%
7963 }%
7964 }%
7965 }
7966 %%
7967 % Macros for holding the list of cite keys until after the \sidenote
7968 \gdef\@bidituftesidenote@citations{}% list of cite keys
7969 \newcommand\@bidituftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
7970 \ifx\@bidituftesidenote@citations\@empty\else
7971 \g@addto@macro\@bidituftesidenote@citations{,% separate by commas
7972 \fi
7973 \g@addto@macro\@bidituftesidenote@citations{#1}
7974 }
7975 \newcommand{\@bidituftesidenote@print@citations}[1][Opt]{% puts the citations in a margin no
7976 % Snag the last bibentry in the list for later comparison
7977 \let\@temp@last@bibkey\@empty%
7978 \for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
7979 \marginpar{%
7980 \hbox{} \vspace*{#1}%
7981 \@bidituftesidenote@citation@font%
7982 \@bidituftesidenote@citation@justification%
7983 \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
7984 \vspace*{-1\baselineskip}%
7985 % Loop through all the bibentries, separating them with semicolons and spaces
7986 \setcounter{@bidituftesidenote@num@bibkeys}{0}%
7987 \for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
7988 \ifthenelse{equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
7989     {\ifthenelse{equal{value{@bidituftesidenote@num@bibkeys}}{0}}{\and\ }%
7990     \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7991     \bibentry{\@temp@bibkeyx}}%
7992     {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
7993     \bibentry{\@temp@bibkeyx};\ }%
7994     \stepcounter{@bidituftesidenote@num@bibkeys}%
7995 }%

```



```

7996 }%
7997 }
7998 %%
7999 % \cite behavior when executed within a sidenote
8000 \newcommand{\@bidityftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
8001 \newcommand{\@bidityftesidenote@infootnote@cite}[1]{%
8002   \@bidityftesidenote@add@citation{#1}
8003 }
8004 %%
8005 % Set the default \cite style. This is set and reset by the \sidenote command.
8006 \let\cite\@bidityftesidenote@normal@cite
8007 \let\LTRcite\@bidityftelTRSsidenote@normal@cite
8008 \let\RTLcite\@bidityfterteRLsidenote@normal@cite
8009 %%
8010 % Transform existing \footnotes into \sidenotes
8011 % Sidenote: ``Where God meant footnotes to go.''' ---bidityftesidenote
8012 \RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional argu
8013 \providecommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote
8014 \renewcommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote
8015 % Override footmisc's definition to set the sidenote marks (numbers) inside the
8016 % sidenote's text block.
8017 \bidi@patch@AfterPackage{bidi}{\long\def\@makefnmark#1{\@textsuperscript{\@bidityftesidenote
8018 % Set the in-text footnote mark in the same typeface as the body text itself.
8019 \bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnote
8020 \providecommand*\@multiplefootnotemark}{3sp}
8021 \providecommand*\@multfootsep}{,}
8022 \bidi@patch@AfterPackage{bidi}{%
8023 \renewcommand{\@footnotemark}{%
8024   \leavevmode%
8025   \ifhmode%
8026     \edef\@x@sf{\the\spacefactor}%
8027     \@bidityftesidenote@check@multiple@sidenotes%
8028     \nobreak%
8029     \fi%
8030     \@makefnmark%
8031     \ifhmode\spacefactor\@x@sf\fi%
8032     \relax%
8033 }%
8034 }
8035 \newcommand{\@bidityftesidenote@check@multiple@sidenotes}{%
8036   \ifdim\lastkern=\@multiplefootnotemark\relax%
8037     \edef\@x@sf{\the\spacefactor}%
8038     \unkern%
8039     \textsuperscript{\@multfootsep}%
8040     \spacefactor\@x@sf\relax%
8041     \fi
8042 }
8043 \bidi@patch@AfterPackage{bidi}{%
8044 \renewcommand\@footnotetext[2][Opt]{%
8045   \bidityftesidenotemarginpar{%
8046     \hbox{}}\vspace*{#1}%
8047     \def\baselinestretch {\setspace@singlespace}%
8048     \reset@font%
8049     \bidi@@footnotetext@font% \reset@font\footnotesize%

```



```

8050 \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8051 \vspace*{-1\baselineskip}\noindent%
8052 \protected@edef\@currentlabel{%
8053     \csname p@footnote\endcsname\@thefnmark%
8054 }%
8055 \color@begingroup%
8056     \@makefntext{%
8057         \ignorespaces#2%
8058     }%
8059 \color@endgroup%
8060 }%
8061 }%
8062 \renewcommand\@LTRfootnotetext[2][Opt]{%
8063     \LTRbidityftesidenotemarginpar{%
8064         \hbox{ }\vspace*{#1}%
8065         \def\baselinestretch {\setspace@singlespace}%
8066         \reset@font%
8067         \bidi@LTRfootnotetext@font% \reset@font\footnotesize%
8068         \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8069         \vspace*{-1\baselineskip}\noindent%
8070         \protected@edef\@currentlabel{%
8071             \csname p@footnote\endcsname\@thefnmark%
8072         }%
8073         \color@begingroup%
8074             \@makefntext{%
8075                 \ignorespaces#2%
8076             }%
8077         \color@endgroup%
8078     }%
8079 }%
8080 \renewcommand\@RTLfootnotetext[2][Opt]{%
8081     \RTLbidityftesidenotemarginpar{%
8082         \hbox{ }\vspace*{#1}%
8083         \def\baselinestretch {\setspace@singlespace}%
8084         \reset@font%
8085         \bidi@RTLfootnotetext@font% \reset@font\footnotesize%
8086         \@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
8087         \vspace*{-1\baselineskip}\noindent%
8088         \protected@edef\@currentlabel{%
8089             \csname p@footnote\endcsname\@thefnmark%
8090         }%
8091         \color@begingroup%
8092             \@makefntext{%
8093                 \ignorespaces#2%
8094             }%
8095         \color@endgroup%
8096     }%
8097 }%
8098 }
8099 %
8100 % Define \sidenote command. Can handle \cite.
8101 \newlength{\@bidityftesidenote@sidenote@vertical@offset}
8102 \setlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}
8103 % #1 = footnote num, #2 = vertical offset, #3 = footnote text

```



```

8104 \long\def\@bidityftesidenote@sidenote[#1][#2]#3{%
8105 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
8106 \gdef\@bidityftesidenote@citations{}% clear out any old citations
8107 \ifthenelse{\NOT\isempty{#2}}{%
8108 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
8109 }{%
8110 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
8111 }%
8112 \ifthenelse{\isempty{#1}}{%
8113 % no specific footnote number provided
8114 \stepcounter\@mpfn%
8115 \protected@xdef\@thefnmark{\thempfn}%
8116 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8117 }{%
8118 % specific footnote number provided
8119 \begingroup%
8120 \csname c@\@mpfn\endcsname #1\relax%
8121 \unrestored@protected@xdef\@thefnmark{\thempfn}%
8122 \endgroup%
8123 \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8124 }%
8125 \@bidityftesidenote@print@citations% print any citations
8126 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite comm
8127 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8128 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
8129 \unskip\ignorespaces% remove extra white space
8130 \kern-\multiplefootnotemarker% remove \kern left behind by sidenote
8131 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8132 }
8133 \long\def\@LTRbidityftesidenote@sidenote[#1][#2]#3{%
8134 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
8135 \gdef\@bidityftesidenote@citations{}% clear out any old citations
8136 \ifthenelse{\NOT\isempty{#2}}{%
8137 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
8138 }{%
8139 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
8140 }%
8141 \ifthenelse{\isempty{#1}}{%
8142 % no specific footnote number provided
8143 \stepcounter\@mpfn%
8144 \protected@xdef\@thefnmark{\thempfn}%
8145 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8146 }{%
8147 % specific footnote number provided
8148 \begingroup%
8149 \csname c@\@mpfn\endcsname #1\relax%
8150 \unrestored@protected@xdef\@thefnmark{\thempfn}%
8151 \endgroup%
8152 \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8153 }%
8154 \@bidityftesidenote@print@citations% print any citations
8155 \let\cite\@bidityftesidenote@normal@cite% go back to using normal in-text \cite comm
8156 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8157 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL

```



```

8158 \unskip\ignorespaces%           remove extra white space
8159 \kern-\multiplefootnotemarker%   remove \kern left behind by sidenote
8160 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8161 }
8162 \long\def\@RTLbidityftesidenote@sidenote[#1][#2]#3{%
8163 \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command
8164 \gdef\@bidityftesidenote@citations{%           clear out any old citations
8165 \ifthenelse{\NOT\isempty{#2}}{%
8166 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
8167 }{%
8168 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
8169 }%
8170 \ifthenelse{\isempty{#1}}{%
8171 % no specific footnote number provided
8172 \stepcounter\@mpfn%
8173 \protected@xdef\@thefnmark{\thempfn}%
8174 \@footnotemark\@RTLfootnotetext [\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8175 }{%
8176 % specific footnote number provided
8177 \begingroup%
8178 \csname c@\@mpfn\endcsname #1\relax%
8179 \unrestored@protected@xdef\@thefnmark{\thempfn}%
8180 \endgroup%
8181 \@footnotemark\@RTLfootnotetext [\@bidityftesidenote@sidenote@vertical@offset]{#3}%
8182 }%
8183 \@bidityftesidenote@print@citations%           print any citations
8184 \let\cite\@bidityftesidenote@normal@cite%       go back to using normal in-text \cite command
8185 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8186 \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTL
8187 \unskip\ignorespaces%           remove extra white space
8188 \kern-\multiplefootnotemarker%   remove \kern left behind by sidenote
8189 \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
8190 }
8191 \newcommand{\sidenote}{\optparams{\@bidityftesidenote@sidenote}{[] [Opt]}}
8192 \newcommand{\LTRsidenote}{\optparams{\@LTRbidityftesidenote@sidenote}{[] [Opt]}}
8193 \newcommand{\RTLSidenote}{\optparams{\@RTLbidityftesidenote@sidenote}{[] [Opt]}}
8194 \bidi@patch@AfterPackage{bidi}{%
8195 \renewcommand{\footnote}{\optparams{\@bidityftesidenote@sidenote}{[] [Opt]}}%
8196 \renewcommand{\LTRfootnote}{\optparams{\@LTRbidityftesidenote@sidenote}{[] [Opt]}}%
8197 \renewcommand{\RTLfootnote}{\optparams{\@RTLbidityftesidenote@sidenote}{[] [Opt]}}%
8198 }
8199 %%
8200 % Sidenote without the footnote mark
8201 \newcommand\marginnote[2] [Opt]{%
8202 \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command
8203 \gdef\@bidityftesidenote@citations{%           clear out any old citations
8204 \bidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidity
8205 \@bidityftesidenote@print@citations%           print any citations
8206 \let\cite\@bidityftesidenote@normal@cite%       go back to using normal in-text \cite command
8207 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8208 \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTL
8209 }
8210 \newcommand\LTRmarginnote [2] [Opt]{%
8211 \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command

```



```

8212 \gdef\@bidityftesidenote@citations{%          clear out any old citations
8213 \LTRbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@LTRmarginnote@font\@
8214 \@bidityftesidenote@print@citations%          print any citations
8215 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comm
8216 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8217 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
8218 }
8219 \newcommand\RTLmarginnote[2][Opt]{%
8220 \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
8221 \gdef\@bidityftesidenote@citations{%          clear out any old citations
8222 \RTLbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@RTLmarginnote@font\@
8223 \@bidityftesidenote@print@citations%          print any citations
8224 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comm
8225 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTR
8226 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTL
8227 }

```

## 55 File bidityftetoc.sty

```

8228 \NeedsTeXFormat{LaTeX2e}
8229 \ProvidesPackage{bidityftetoc}[2011/06/17 v0.1
8230 bidi implementation of tuft toc]
8231 \RequirePackage{titlesec,titletoc,xifthen,biditytools}
8232 \newcommand{\@bidityftetoc@pkgname}{bidityftetoc}
8233 \newcommand{\bidityftetocError}[2]{\PackageError{\@bidityftetoc@pkgname}{#1}{#2}}
8234 %%
8235 % Turn off section numbering
8236 \setcounter{secnumdepth}{-1}
8237 \newboolean{@bidityftetoc@toc}
8238 \setboolean{@bidityftetoc@toc}{true}
8239 \DeclareOption{notoc}{\setboolean{@bidityftetoc@toc}{false}}
8240 \DeclareOption{toc}{\setboolean{@bidityftetoc@toc}{true}}
8241 \ProcessOptions
8242 %%
8243 % Make Tuftian-style section headings and TOC formatting
8244 \bidity@patch@AfterPackage{bidi}{%
8245 \titleformat{\chapter}%
8246 [display]% shape
8247 {\relax\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\begin{fullwidth}}{}}% format
8248 {\itshape\huge\thechapter}% label
8249 {Opt}% horizontal separation between label and title body
8250 {\huge\rmfamily\itshape}% before the title body
8251 [\ifthenelse{\NOT\boolean{@bidityftefloat@symmetric}}{\end{fullwidth}}{}}% after the title
8252 \titleformat{\section}%
8253 [hang]% shape
8254 {\normalfont\Large\itshape}% format applied to label+text
8255 {\thesection}% label
8256 {1em}% horizontal separation between label and title body
8257 {}% before the title body
8258 []% after the title body
8259 \titleformat{\subsection}%
8260 [hang]% shape
8261 {\normalfont\large\itshape}% format applied to label+text
8262 {\thesubsection}% label

```



```

8263 {1em}% horizontal separation between label and title body
8264 {}% before the title body
8265 []% after the title body
8266 \titleformat{\paragraph}%
8267 [runin]% shape
8268 {\normalfont\itshape}% format applied to label+text
8269 {\theparagraph}% label
8270 {1em}% horizontal separation between label and title body
8271 {}% before the title body
8272 []% after the title body
8273 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
8274 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
8275 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus.2ex}
8276 }
8277 % Subsubsection and following section headings shouldn't be used.
8278 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
8279 \renewcommand\subsubsection{%
8280 \bidityftetocError{\noexpand\subsubsection is undefined by this class.%
8281 \MessageBreak See Robert Bringhurst's _The Elements of
8282 \MessageBreak Typographic Style_, section 4.2.2.
8283 \MessageBreak \noexpand\subsubsection was used}
8284 {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
8285 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8286 \MessageBreak related threads on Ask E.T. at http://www.edwardbidityftetoc.com/.}
8287 }
8288 \renewcommand\subparagraph{%
8289 \bidityftetocError{\noexpand\subparagraph is undefined by this class.%
8290 \MessageBreak See Robert Bringhurst's _The Elements of
8291 \MessageBreak Typographic Style_, section 4.2.2.
8292 \MessageBreak \noexpand\subparagraph was used}
8293 {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
8294 \MessageBreak many levels of headings as you need, no more and no fewer. Also see the m
8295 \MessageBreak related threads on Ask E.T. at http://www.edwardbidityftetoc.com/.}
8296 }
8297 % Formatting for main TOC (printed in front matter)
8298 \section{left}{above}{before w/label}{before w/o label}{filler + page}{after}
8299 \ifthenelse{\boolean{@bidityftetoc@toc}}{%
8300 \bidi@patch@AfterPackage{bidi}{%
8301 \titlecontents{part}% FIXME
8302 [0em] % distance from left margin
8303 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8304 {\contentslabel{2em}} % before w/label (label = ``II'')
8305 {} % before w/o label
8306 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
8307 [\end{fullwidth}] % after
8308 \titlecontents{chapter}%
8309 [0em] % distance from left margin
8310 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global form
8311 {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
8312 {\hspace*{0em}} % before w/o label
8313 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
8314 [\end{fullwidth}] % after
8315 \titlecontents{section}% FIXME
8316 [0em] % distance from left margin

```



```

8317   {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format
8318   {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
8319   {\hspace*{2em}} % before w/o label
8320   {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8321   [\end{fullwidth}] % after
8322   \titlecontents{subsection}% FIXME
8323   [0em] % distance from left margin
8324   {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format
8325   {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
8326   {\hspace*{4em}} % before w/o label
8327   {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8328   [\end{fullwidth}] % after
8329   \titlecontents{paragraph}% FIXME
8330   [0em] % distance from left margin
8331   {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global f
8332   {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
8333   {\hspace*{6em}} % before w/o label
8334   {\rmfamily\upshape\qqquad\thecontentspage} % filler + page (leaders and page num)
8335   [\end{fullwidth}] % after
8336 }%
8337 }{}
8338 %%
8339 % Format lists of figures/tables
8340 \renewcommand\listoffigures{%
8341   \@ifundefined{chapter}%
8342     {\section*{\listfigurename}}%
8343     {\chapter*{\listfigurename}}%
8344 % \begin{fullwidth}%
8345   \@starttoc{lof}%
8346 % \end{fullwidth}%
8347 }
8348 \renewcommand\listoftables{%
8349   \@ifundefined{chapter}%
8350     {\section*{\listtablename}}%
8351     {\chapter*{\listtablename}}%
8352 % \begin{fullwidth}%
8353   \@starttoc{lot}%
8354 % \end{fullwidth}%
8355 }
8356 \newcommand{\@biditytetoc@lof@line}[2]{%
8357   % #1 is the figure/table number and its caption text
8358   % #2 is the page number on which the figure/table appears
8359   \leftskip 0.0em
8360   \rightskip 0em
8361   \parfillskip 0em plus 1fil
8362   \parindent 0.0em
8363   \@afterindenttrue
8364   \interlinepenalty\@M
8365   \leavevmode
8366   \@tempdima 2.0em
8367   \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
8368   \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
8369   {#1}\nobreak\qqquad\nobreak#2%
8370   \par%

```



```

8371 }
8372 \renewcommand*\l@figure{\@biditytetoc\lof@line}
8373 \let\l@table\l@figure

```

## 56 File biditytgeneralstructure.sty

```

8374 \NeedsTeXFormat{LaTeX2e}
8375 \ProvidesPackage{biditytgeneralstructure}[2011/06/18 v0.1
8376 bidi implementation of tufe general structure]
8377 \renewcommand\small{%
8378   \@setfontsize\small\@ixpt{12}%
8379   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
8380   \abovedisplayshortskip \z@ \@plus2\p@
8381   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
8382   \def\@listi{\leftmargin\leftmargini
8383     \topsep 4\p@ \@plus2\p@ \@minus2\p@
8384     \parsep 2\p@ \@plus\p@ \@minus\p@
8385     \itemsep \parsep}%
8386   \belowdisplayskip \abovedisplayskip
8387 }
8388 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viiipt}
8389 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
8390 \renewcommand\large{\@setfontsize\large\@xipt{15}}
8391 \renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
8392 \renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
8393 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
8394 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
8395 \setlength\leftmargini {1pc}
8396 \setlength\leftmarginii {1pc}
8397 \setlength\leftmarginiii {1pc}
8398 \setlength\leftmarginiv {1pc}
8399 \setlength\leftmarginv {1pc}
8400 \setlength\leftmarginvi {1pc}
8401 \setlength\labelsep {.5pc}
8402 \setlength\labelwidth {\leftmargini}
8403 \addtolength\labelwidth{-\labelsep}
8404 \setlength{\parindent}{1.0pc}%
8405 \setlength{\parskip}{0pt}%
8406 \RequirePackage{ragged2e}
8407 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
8408 % Paragraph indentation and separation for normal text
8409 \newcommand{\@biditytgeneralstructure@reset@par}{%
8410   \setlength{\RaggedRightParindent}{1.0pc}%
8411   \setlength{\JustifyingParindent}{1.0pc}%
8412   \setlength{\parindent}{1pc}%
8413   \setlength{\parskip}{0pt}%
8414 }
8415 \@biditytgeneralstructure@reset@par
8416 % Require paralist package for tighter lists
8417 \RequirePackage{paralist}
8418 % Add rightmargin to compactenum
8419 \def\@compactenum@{%
8420   \expandafter\list\csname label\@enumctr\endcsname{%
8421     \usecounter{\@enumctr}%

```



```

8422 \rightmargin=2em% added this
8423 \parsep\plparsep
8424 \itemsep\plitemsep
8425 \topsep\pltopsep
8426 \partopsep\plpartopsep
8427 \def\makelabel##1{\hss\llap{##1}}}}
8428 %%
8429 % An environment for paragraph-style section
8430 \providecommand\newthought[1]{%
8431 \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
8432 \noindent\textbf{#1}%
8433 }
8434 %%
8435 % Redefine the display environments (quote, quotation, etc.)
8436 \renewenvironment{verse}
8437 {\let\\\@centercr
8438 \list{}{\itemsep \z@
8439 \itemindent -1pc%
8440 \listparindent\itemindent
8441 \rightmargin \leftmargin
8442 \advance\leftmargin 1pc}%
8443 \small%
8444 \item\relax}
8445 {\endlist}
8446 \renewenvironment{quotation}
8447 {\list{}{\listparindent 1pc%
8448 \itemindent \listparindent
8449 \rightmargin \leftmargin
8450 \parsep \z@ \@plus\p@}%
8451 \small%
8452 \item\relax\noindent\ignorespaces}
8453 {\endlist}
8454 \renewenvironment{quote}
8455 {\list{}{\rightmargin\leftmargin}%
8456 \small%
8457 \item\relax}
8458 {\endlist}
8459 % Italicize description run-in headings (instead of the default bold)
8460 \renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
8461 %%
8462 % Redefine \bibsection to not mark the running heads.
8463 % (Code modified from natbib.sty.)
8464 \@ifundefined{chapter}%
8465 {\renewcommand\bibsection{\section*{\refname}}}
8466 {\@ifundefined{NAT@sectionbib}%
8467 {\renewcommand\bibsection{\chapter{\bibname}}}
8468 {\renewcommand\bibsection{\section*{\bibname}}}}
8469 \RequirePackage{multicol}
8470 \renewenvironment{theindex}{-%
8471 \@ifundefined{chapter}%
8472 {\section*{\indexname}}%
8473 {\chapter{\indexname}}%
8474 \begin{fullwidth}%
8475 \small%

```



```

8476 \parskip0pt%
8477 \parindent0pt%
8478 \let\item\@idxitem%
8479 \begin{multicols}{3}%
8480 }{%
8481 \end{multicols}%
8482 \end{fullwidth}%
8483 }
8484 \AtBeginDocument{%
8485 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
8486 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
8487 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
8488 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
8489 \newcommand{\lettergroup}[1]{% swallow the letter heading in the index

```

## 57 File `bidituftehyperref.sty`

```

8490 \NeedsTeXFormat{LaTeX2e}
8491 \ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
8492 bidi implementation of tufte hyperref]
8493 %%
8494 % Color
8495 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
8496 \newboolean{@bidituftehyperref@loadhyper}
8497 \setboolean{@bidituftehyperref@loadhyper}{true}
8498 \DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
8499 \DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
8500 \ProcessOptions
8501 %% Loads the hyperref package and sets some default options.
8502 \newcommand{\bidituftehyperrefLoadHyperref}{%
8503 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
8504 \hypersetup{%
8505     bookmarksdepth = section,
8506     citecolor = DarkGreen,
8507     linkcolor = DarkBlue,
8508     pagecolor = DarkBlue,
8509     urlcolor = DarkGreen,
8510 }%
8511 }
8512 \ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
8513 \bidituftehyperrefLoadHyperref%
8514 }{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
8515 \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
8516 }

```

## 58 File `bidituftetitle.sty`

```

8517 \NeedsTeXFormat{LaTeX2e}
8518 \ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
8519 bidi implementation of tufte title]
8520 \RequirePackage{biditools}
8521 %%
8522 % `titlepage' option -- creates a full title page with \maketitle
8523 \newboolean{@bidituftetitle@titlepage}

```



```

8524 \DeclareOption{titlepage}{\setboolean{@bidityttitle@titlepage}{true}}
8525 \DeclareOption{notitlepage}{\setboolean{@bidityttitle@titlepage}{false}}
8526 % Default `book' and `handout' options
8527 \@ifclassloaded{book}{%
8528 \ExecuteOptions{titlepage}}{%
8529 \@ifclassloaded{article}{%
8530 \ExecuteOptions{notitlepage}}%
8531 {}}
8532 \ProcessOptions
8533 %%
8534 % Modified \title, \author, and \date commands. These store the
8535 % (footnote-less) values in \plaintitle, \plainauthor, and \thedata, respectively.
8536 \newcommand{\plaintitle}{}% plain-text-only title
8537 \newcommand{\plainauthor}{}% plain-text-only author
8538 \newcommand{\plainpublisher}{}% plain-text-only publisher
8539 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
8540 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
8541 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
8542 \newcommand{\@publisher}{}% full publisher with \thanks{}
8543 \newcommand{\thedata}{\today}
8544 \bidi@patch@AfterPackage{bidi}{%
8545 \renewcommand{\thanks}[1]{\footnote{#1}}
8546 \renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
8547 \renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
8548 }
8549 \renewcommand{\title}[2] []{%
8550 \gdef\@title{#2}%
8551 \begingroup%
8552 % TODO store contents of \thanks command
8553 \renewcommand{\thanks}[1]{}% swallow \thanks contents
8554 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8555 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8556 \protected@xdef\thanklesstitle{#2}%
8557 \endgroup%
8558 \ifthenelse{\isempty{#1}}%
8559 {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
8560 {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
8561 \@ifundefined{hypersetup}%
8562 {}% hyperref is not loaded; do nothing
8563 {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
8564 }
8565 \let\@author\@empty% suppress default latex.ltx ``no author'' warning
8566 \renewcommand{\author}[2] []{%
8567 \ifthenelse{\isempty{#2}}{\gdef\@author{#2}}%
8568 \begingroup%
8569 % TODO store contents of \thanks command
8570 \renewcommand{\thanks}[1]{}% swallow \thanks contents
8571 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8572 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8573 \protected@xdef\thanklessauthor{#2}%
8574 \endgroup%
8575 \ifthenelse{\isempty{#1}}%
8576 {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
8577 {\renewcommand{\plainauthor}{#1}}% use provided plain-text author

```



```

8578 \@ifundefined{hypersetup}%
8579   {}% hyperref is not loaded; do nothing
8580   {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
8581 }
8582 \renewcommand{\date}[1]{%
8583   \gdef\@date{#1}%
8584   \begingroup%
8585     % TODO store contents of \thanks command
8586     \renewcommand{\thanks}[1]{}% swallow \thanks contents
8587     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8588     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8589     \protected@xdef\thedata{#1}%
8590   \endgroup%
8591 }
8592 %%
8593 % Provides a \publisher command to set the publisher
8594 \newcommand{\publisher}[2] [] {%
8595   \gdef\@publisher{#2}%
8596   \begingroup%
8597     \renewcommand{\thanks}[1]{}% swallow \thanks contents
8598     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
8599     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
8600     \protected@xdef\thanklesspublisher{#2}%
8601   \endgroup%
8602   \ifthenelse{\isempty{#1}}
8603     {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
8604     {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
8605 }
8606 %%
8607 % Produces a full title page
8608 \newcommand{\maketitlepage}[0] {%
8609   \cleardoublepage%
8610   {%
8611     \bfseries%
8612     \begin{fullwidth}%
8613       \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
8614       \vspace{11.5pc}%
8615       \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
8616       \vfill%
8617       \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
8618     \end{fullwidth}%
8619   }
8620   \thispagestyle{empty}%
8621   \clearpage%
8622 }
8623 %%
8624 % Title block
8625 \bidi@AfterEndPreamble{%
8626 \renewcommand{\maketitle}{%
8627   \newpage%
8628   \global\@topnum\z@% prevent floats from being placed at the top of the page
8629   \begingroup%
8630     \setlength{\parindent}{0pt}%
8631     \setlength{\parskip}{4pt}%

```



```

8632 \let\@title\@empty%
8633 \let\@author\@empty%
8634 \let\@date\@empty%
8635 \gdef\@title{\LARGE\itshape\@title\par}%
8636 \gdef\@author{\Large\itshape\@author\par}%
8637 \gdef\@date{\Large\itshape\@date\par}%
8638 \@title%
8639 \@author%
8640 \@date%
8641 \endgroup%
8642 \thispagestyle{plain}% suppress the running head
8643 }%
8644 }
8645 %%
8646 % Title page (if the `titlepage' option was passed to the bidentitetitle-handout
8647 % class.)
8648 \bidi@AfterEndPreamble{%
8649 \ifthenelse{\boolean{@bidentitetitle@titlepage}}
8650 {\renewcommand{\maketitle}{\maketitlepage}}
8651 {}
8652 }
8653 %%
8654 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
8655 % without headers and footers
8656 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
8657 \hbox{}
8658 %\vspace*{\fill}
8659 %\begin{center}
8660 % This page intentionally contains only this sentence.
8661 %\end{center}
8662 %\vspace{\fill}
8663 \thispagestyle{empty}
8664 \newpage
8665 \if@twocolumn\hbox{} \newpage\fi\fi\fi}

```

## 59 File bidentufte-handout.cls

```

8666 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8667 \ProvidesClass{bidentufte-handout}[2011/06/18 v0.1 bidentufte-handout class]
8668 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
8669 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftefloat}}
8670 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetoc}}
8671 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftehyperref}}
8672 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetitle}}
8673 \ProcessOptions\relax
8674 \LoadClass{article}
8675 \RequirePackage{bidentuftefloat}
8676 \RequirePackage{bidentuftesidenote}
8677 \RequirePackage{bidentuftetoc}
8678 \RequirePackage{bidentuftegeneralstructure}
8679 \RequirePackage{bidentuftehyperref}
8680 \RequirePackage{bidentuftetitle}
8681 \renewenvironment{abstract}
8682 {\begin{quotation}}

```



```

8683   {\end{quotation}}
8684 \AtBeginDocument{%
8685   \IfFileExists{biditufte-handout.cfg}
8686     {\input{biditufte-handout.cfg}
8687      \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}}
8688     {}}%
8689 }

```

## 60 File biditufte-book.cls

```

8690 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
8691 \ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
8692 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
8693 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
8694 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
8695 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
8696 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{biditufтетitle}}
8697 \ProcessOptions\relax
8698 \LoadClass{book}
8699 \RequirePackage{bidituftefloat}
8700 \RequirePackage{bidituftesidenote}
8701 \RequirePackage{bidituftetoc}
8702 \RequirePackage{bidituftegeneralstructure}
8703 \RequirePackage{bidituftehyperref}
8704 \RequirePackage{biditufтетitle}
8705 %%
8706 % Set up any book-specific stuff now
8707 %%
8708 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
8709 % to the opening page of Chapter 1. The running heads, when they appear,
8710 % contain only the (arabic) page number in the outside corner.
8711 %\newif\if@mainmatter \@mainmattertrue
8712 \renewcommand\frontmatter{%
8713   \cleardoublepage%
8714   \@mainmatterfalse%
8715   \pagenumbering{arabic}%
8716   %\pagestyle{plain}%
8717   \fancyhf{}%
8718   \ifthenelse{\boolean{@bidituftefloat@twoside}}%
8719     {\fancyhead[LE,RO]{\thepage}}%
8720     {\fancyhead[RE,RO]{\thepage}}%
8721 }
8722 %%
8723 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
8724 % numbering---it continues where it left off in the front matter.
8725 \renewcommand\mainmatter{%
8726   \cleardoublepage%
8727   \@mainmattertrue%
8728   \fancyhf{}%
8729   \ifthenelse{\boolean{@bidituftefloat@twoside}}%
8730     {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
8731      \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
8732      \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}}% chapter title
8733     {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title

```



```

8734 }
8735 %%
8736 % The back matter contains appendices, indices, glossaries, endnotes,
8737 % bibliographies, list of contributors, illustration credits, etc.
8738 \renewcommand\backmatter{%
8739   \if@openright%
8740     \cleardoublepage%
8741   \else%
8742     \clearpage%
8743   \fi%
8744   \@mainmatterfalse%
8745 }
8746 %%
8747 % Only show the chapter titles in the table of contents
8748 \setcounter{tocdepth}{0}
8749 \AtBeginDocument{%
8750 \IfFileExists{biditufte-book.cfg}
8751   {\input{biditufte-book.cfg}
8752     \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
8753   {}%
8754 }

```

## 61 File bidipoem.sty

```

8755 \NeedsTeXFormat{LaTeX2e}
8756 \ProvidesPackage{bidipoem}%
8757 [2019/03/03 v1.0 Environments for typesetting Persian traditional and modern poems]
8758
8759 % Usage:
8760 %
8761 % \Setversedim #1#2 % define the layout (within a group):
8762 % #1 = length of both half-verses
8763 % #2 = separation distance = length of a connection, if present
8764 % Variant:
8765 % \Setversedim #1[#2]#3 % for half-verses of unequal length
8766 % #1 = length of first (=right) half-verse
8767 % #2 = length of second (=left) half-verse
8768 % #3 = separation distance = length of a connection, if present
8769 %
8770 % \traditionalhalfverses #1#2 % typeset two separated half-verses
8771 % #1 = text of first (=right) half-verse
8772 % #2 = text of second (=left) half-verse
8773 % Variant:
8774 % \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
8775 % #1 = text of first (=right) half-verse
8776 % #2 = text of connection
8777 % #3 = text of second (=left) half-verse
8778 %
8779 % Alternative (if preferred):
8780 %
8781 % \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
8782
8783
8784 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}

```



```

8785
8786 % define the layout, verses will be centered
8787
8788 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
8789 \newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen
8790
8791 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
8792 \bidipoem@hvind \textwidth
8793 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
8794 \ifx [#2\def \bidipoem@next {\bidipoem@set@verseI []\else
8795 \bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem
8796
8797 \def \bidipoem@set@verseI [#1]{% optional parameter
8798 \bidipoem@@hvlen #1\relax \bidipoem@set@@verse }
8799
8800 \newcommand*{\bidipoem@set@@verse}[1]{% separation
8801 \advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
8802 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
8803
8804 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
8805 \ifdim Opt > \bidipoem@hvind %
8806 \bidipoem@spreadbox \bidipoem@hvlen {#1}\ \hfill % first block
8807 \else
8808 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
8809 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
8810 \bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
8811 \par }
8812
8813 % macro for two half verses
8814 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
8815 \ifx [#2\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]}%
8816 \else\def \bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
8817 \bidipoem@half@verses@next}
8818
8819 \def \bidipoem@half@verses #1[#2]#3{% first[mid]second
8820 \traditionalconnverses {#1}{#2}{#3}}
8821
8822
8823 {\catcode\^^M=\active % these lines must end with %
8824 \gdef\traditionalpoem@obeylines{\catcode\^^M=\active \let^^M\traditionalpoem@par}%
8825 \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
8826 {\catcode\^^M=\active % these lines must end with %
8827 \gdef\modernpoem@obeylines{\catcode\^^M=\active \let^^M\modernpoem@par}%
8828 \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
8829 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
8830 \def\poemmarginsskip{1em plus 1fil minus 1em}
8831 \def\poemextrabaselineskip{0\baselineskip}
8832 \def\poemsskip{\medskip}
8833 \newcommand{\bidipoem@openbox}{\leavevmode
8834 \hbox to.77778em{%
8835 \hfil\vrule
8836 \vbox to.675em{\hrule width.6em\vfil\hrule}%
8837 \vrule\hfil}}
8838 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}

```



```

8839 \newdimen\versewidth
8840 \newtoks\bidipoem@p@ftn
8841 \def\poem@verse#1{%
8842 \ifdim\wd#1>\new@poem@width
8843 \xdef\new@poem@width{\the\wd#1}%
8844 \ifdim\new@poem@width>\poem@width
8845 \xdef\poem@width{\new@poem@width}%
8846 \global\let\poem@needrun\relax
8847 \fi
8848 \fi
8849 \hbox to\poem@width{\unhbox#1}%
8850 \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
8851 }
8852 \def\poem@linebegin{\vadjust{}}\hskip\@flushglue\hskip\poemmargin\relax}
8853 \def\poem@lineend{\nobreak\hskip\poemmargin\hskip\@flushglue\vadjust{}}
8854 \def\poem@lineversesep{%
8855 \nobreak
8856 \hskip\z@ plus 1filll%
8857 \penalty600%
8858 \hskip\poemcolsepskip
8859 \hskip\z@ plus -2filll%
8860 \vadjust{}}%
8861 \nobreak
8862 \hskip\z@ plus 1filll%
8863 }
8864 \def\poem@lineparsebegin{%
8865 \halign\bgroup
8866 \global\setbox\verse@i=\hbox{%
8867 \let\@footnotetext\bidipoem@p@ftntext%
8868 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
8869 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
8870 \let\@xfootnotenext\bidipoem@p@xftntext%
8871 \let\@xfootnote\bidipoem@p@xfootnote%
8872 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
8873 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
8874 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
8875 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
8876 \ignorespaces##\unskip}&&
8877 \global\setbox\verse@ii=\hbox{%
8878 \let\@footnotetext\bidipoem@p@ftntext%
8879 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
8880 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
8881 \let\@xfootnotenext\bidipoem@p@xftntext%
8882 \let\@xfootnote\bidipoem@p@xfootnote%
8883 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
8884 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
8885 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
8886 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
8887 \ignorespaces##\unskip}
8888 \cr
8889 }
8890 \def\poem@lineparseend{%
8891 \crcr\egroup
8892 \vskip-\baselineskip

```



```

8893 }
8894 \def\traditionalpoem@cr{%
8895   \cr\poem@line
8896 }
8897 \newbox\verse@i
8898 \newbox\verse@ii
8899 \newif\ifpoem@started
8900
8901 \def\poem@line{%
8902 \poem@lineparseend
8903 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
8904 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
8905 \ifpoem@started
8906   \ifdim\wd\verse@ii>\z@\else
8907     \nopagebreak[3]
8908   \fi
8909   \leavevmode
8910   \poem@linebegin
8911   \poem@verse\verse@i
8912   \ifdim\wd\verse@ii>\z@
8913     \poem@lineversesep
8914     \poem@verse\verse@ii
8915   \fi
8916   \poem@lineend
8917 % \nopagebreak
8918 \par
8919 \vskip\poemextrabaselineskip
8920 \fi
8921 \poem@lineparsebegin
8922 }
8923 \def\@traditionalpoem{%
8924 \stepcounter{poem@no}
8925   \ifnum\max@poem@no<\number\c@poem@no%
8926 \xdef\poem@width{\z@}%
8927   \else
8928 \xdef\poem@width{\poem@prop{poem@width}}%
8929 \fi
8930 \xdef\new@poem@width{\z@}%
8931 \global\versewidth=\poem@width
8932 \poemskip\par
8933 \begingroup
8934 \tabskip=\z@
8935 \parskip=\z@
8936 \parindent=\z@
8937 \parfillskip=\z@
8938 \rightskip=\z@
8939 \leftskip=\z@
8940 \widowpenalty=10000% No break between verses of the same line.
8941 \clubpenalty=10000% Same as above. Not really needed.
8942 \def\newblock{\hfil\poemblocksep\hfil\null}%
8943 \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
8944 \def\{\{\global\poem@startedtrue\traditionalpoem@cr}\}%
8945 \global\poem@startedfalse
8946 \csname poem@obeylines\endcsname

```



```

8947 \let\poem@obeylines\relax
8948 \poem@lineparsebegin
8949 }
8950 \def\@endtraditionalpoem{%
8951 \cr
8952 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
8953 \noalign{%
8954 \skip0=\poemextrabaselineskip
8955 \vskip-\skip0
8956 \vskip-\baselineskip
8957 }%
8958 \fi\fi
8959 \poem@lineparseend
8960 \endgroup
8961 \par
8962 \vskip\baselineskip
8963 \poemskip
8964 \ifdim\new@poem@width<\poem@width
8965 \global\let\poem@needrun\relax
8966 \fi
8967 \poem@write@aux{\poem@width\romannumeral\c@poem@no}{\new@poem@width}%
8968 \ifx\AtEndDocument\undefined\poem@finish\fi
8969 \@endparenv
8970 }
8971
8972
8973 \long\def\bidipoem@p@ftntext#1{%
8974 \edef\@tempf{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\mpfn\endcsname]}}%
8975 \global\bidipoem@p@ftn\expandafter{\@tempf{#1}}}%
8976 \long\def\bidipoem@p@LTRftntext#1{%
8977 \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\mpfn\endcsname]}}%
8978 \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
8979 \long\def\bidipoem@p@RTLftntext#1{%
8980 \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\mpfn\endcsname]}}%
8981 \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%
8982
8983 \long\def\bidipoem@p@xftntext[#1]#2{%
8984 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}
8985
8986 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
8987 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}
8988
8989 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
8990 \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}
8991
8992 \def\bidipoem@p@xfootnote[#1]{%
8993 \begingroup
8994 \csname c@\mpfn\endcsname #1\relax
8995 \unrestored@protected@xdef\@thefnmark{\thempfn}%
8996 \endgroup
8997 \@footnotemark\bidipoem@p@xftntext[#1]}
8998
8999 \def\bidipoem@p@xLTRfootnote[#1]{%
9000 \begingroup

```



```

9001     \csname c@\@mpfn\endcsname #1\relax
9002     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9003     \endgroup
9004     \@footnotemark\bidipoem@p@xLTRftntext[#1]}
9005
9006 \def\bidipoem@p@xRTLfootnote[#1]{%
9007     \beginingroup
9008     \csname c@\@mpfn\endcsname #1\relax
9009     \unrestored@protected@xdef\@thefnmark{\thempfn}%
9010     \endgroup
9011     \@footnotemark\bidipoem@p@xRTLftntext[#1]}
9012
9013
9014
9015 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
9016 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obey}
9017 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
9018 \def\poem@finish{%
9019 \poem@write@aux{max@poem@no}{\number\c@poem@no}%
9020 \ifx\poem@needrun\relax
9021 \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
9022 \global\let\poem@needrun\undefined
9023 \fi
9024 }
9025 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
9026 \newcounter{poem@no}\setcounter{poem@no}{\z@}
9027 \ifx\max@poem@no\undefined
9028     \def\max@poem@no{0}%
9029 \fi
9030 \newcommand{\poem@prop}[1]{\@nameuse{#1@\romannumeral\c@poem@no}}
9031 \newcommand{\poem@write@aux}[2]{%
9032     \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1-#2}}}%
9033     \@x
9034 }
9035 \def\@modernpoem{%
9036 \par
9037 \beginingroup
9038 \parskip=\z@
9039 \parindent=\z@
9040 \def\@settab{\@tabplus\ignorespaces}%
9041 \def\@tabminus{\ignorespaces}%
9042 \def\newblock{\poemblocksep}%
9043 \let\newpoem@tabcr\@tabcr
9044 \def\modernpoem@par{% Redefine \par for possible \obeylines
9045     \ifpoem@started\else
9046         \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9047             \@stopfield
9048             \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9049             \@contfield
9050         \fi
9051     \fi
9052     \ifpoem@started\newpoem@tabcr\fi}%
9053 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
9054 \global\poem@startedfalse

```



```

9055 \csname poem@obeylines\endcsname
9056 \let\poem@obeylines\relax
9057 \begin{tabbing}%
9058 }
9059 \def\@endmodernpoem{%
9060 \global\poem@startedfalse
9061 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
9062 \@stopfield
9063 \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
9064 \@contfield
9065 \fi
9066 \ifpoem@started\else\let\@stopline\@stopfield\fi
9067 \end{tabbing}%
9068 \endgroup
9069 \par
9070 \if@nolist \else
9071 \ifdim\lastskip >\z@
9072 \@tempskipa\lastskip \vskip -\lastskip
9073 \advance\@tempskipa\parskip \advance\@tempskipa -\outerparskip
9074 \vskip\@tempskipa
9075 \fi
9076 \@endparenv
9077 \fi
9078 }
9079 \newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
9080 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\mode
9081 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
9082 \gdef\@startfield{%
9083 \global\setbox\@curfield\hbox\bgroup%
9084 \let\@footnotetext\bidipoem@p@ftntext%
9085 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9086 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9087 \let\@xfootnotenext\bidipoem@p@xftntext%
9088 \let\@xfootnote\bidipoem@p@xfootnote%
9089 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9090 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9091 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9092 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9093 \color@begingroup}
9094 \gdef\@stopfield{%
9095 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
9096 \gdef\@contfield{%
9097 \global\setbox\@curfield\hbox\bgroup%
9098 \let\@footnotetext\bidipoem@p@ftntext%
9099 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
9100 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
9101 \let\@xfootnotenext\bidipoem@p@xftntext%
9102 \let\@xfootnote\bidipoem@p@xfootnote%
9103 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
9104 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
9105 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
9106 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
9107 \color@begingroup\unhbox\@curfield}

```



## 62 File boek3-xetex-bidi.def

```
9108 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeT
9109 \renewenvironment{theindex}{%
9110   \if@twocolumn
9111     \@restonecolfalse
9112   \else
9113     \@restonecoltrue
9114   \fi
9115   \columnseprule \z@
9116   \columnsep 35\p@
9117   \twocolumn[\@makeschapterhead{\indexname}]%
9118   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
9119   \thispagestyle{plain}\parindent\z@
9120   \parskip\z@ \@plus .3\p@\relax
9121   \let\item\@idxitem
9122 }{%
9123   \if@restonecol\onecolumn\else\clearpage\fi}
9124 \renewcommand*{\head@style}{%
9125   \interlinepenalty \@M
9126   \hyphenpenalty=\@M \exhyphenpenalty=\@M
9127   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
9128 \renewcommand*{\@regtocline}[3]{%
9129   \ifnum #1>\c@tocdepth
9130   \else
9131     \vskip\z@\@plus.2\p@
9132     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
9133     \if@RTL\rightskip\else\leftskip\fi\unitindent
9134     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
9135     \parfillskip\z@
9136     \@tempdima\unitindent
9137     \parindent\z@
9138     \leavevmode
9139     \hbox{ }\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
9140     \hskip 1em \nobreak{\slshape #3}\par
9141     }%
9142   \fi}
9143 \if@oldtoc
9144 \renewcommand*\l@part[2]{%
9145   \ifnum \c@tocdepth >-2\relax
9146     \addpenalty{-\@highpenalty}%
9147     \addvspace{2.25em \@plus\p@}%
9148     \begingroup
9149       \setlength\@tempdima{3em}%
9150       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9151       \parfillskip -\@pnumwidth
9152       {\leavevmode
9153         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9154       \nobreak
9155       \global\@nobreaktrue
9156       \everypar{\global\@nobreakfalse\everypar{}}%
9157     \endgroup
9158   \fi}
9159 \else
```



```

9160 \renewcommand*\l@part{%
9161 \ifnum \c@tocdepth >-2\relax
9162 \addpenalty{-\@highpenalty}%
9163 \addvspace{2.25em \@plus \p@}%
9164 \@regtocoline{0}%
9165 \fi}
9166 \fi
9167 \if@oldtoc
9168 \renewcommand*\l@chapter[2]{%
9169 \addpenalty{-\@highpenalty}%
9170 \vskip 1.0em \@plus\p@
9171 \setlength\@tempdima{1.5em}%
9172 \begingroup
9173 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9174 \parfillskip -\@pnumwidth
9175 \leavevmode \bfseries
9176 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9177 \hskip -\if@RTL\rightskip\else\leftskip\fi
9178 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9179 \penalty\@highpenalty
9180 \endgroup}
9181 \else
9182 \renewcommand*\l@chapter{\@regtocoline{0}}
9183 \fi
9184 \renewenvironment{abstract}{%
9185 \titlepage
9186 \null\vfil
9187 \section*{\SectFont \abstractname}
9188 \noindent\ignorespaces}
9189 {\par\vfil\null\endtitlepage}
9190 \renewenvironment{thebibliography}[1]
9191 {\chapter*{\bibname}%
9192 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9193 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
9194 \bidi@thebibliography@font@hook%
9195 \list{\@biblabel{\@arabic\c@enumiv}}%
9196 {\settowidth\labelwidth{\@biblabel{#1}}%
9197 \leftmargin\labelwidth
9198 \advance\leftmargin\labelsep
9199 \@openbib@code
9200 \usecounter{enumiv}%
9201 \let\p@enumiv\@empty
9202 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
9203 \sloppy\clubpenalty4000\widowpenalty4000%
9204 \sfcode`.\@m}
9205 {\def\@noitemerr
9206 {\@latex@warning{Empty `thebibliography' environment}}}%
9207 \endlist}
9208 \renewcommand*\left@footnoterule{%
9209 \kern-3\p@
9210 \kern.5\baselineskip
9211 \hrule\@width\unitindent
9212 \kern.4\baselineskip
9213 }

```



```

9214 \renewcommand*\right@footnoterule{%
9215   \kern-3\p@
9216   \kern.5\baselineskip
9217   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9218   \kern.4\baselineskip}
9219 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
9220 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
9221 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
9222 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
9223 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
9224 \renewcommand*\theequation{%
9225   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
9226 \renewcommand*\thefigure{%
9227   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
9228 \renewcommand*\thetable{%
9229   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
9230 \renewcommand*\maketitle{%
9231   \begin{titlepage}%
9232     \let\footnotesize\small
9233     \let\right@footnoterule\relax
9234     \let\left@footnoterule\relax
9235     \let\textwidth\footnoterule\relax
9236     \let \footnote \thanks
9237     \long\def\@makefnmark##1{\parindent\z@
9238       \def\labelitemi{\textendash}\@revlabeltrue
9239       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9240     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9241     \if@compatibility\setcounter{page}{0}\fi
9242     \null\vfil
9243     \vskip 60\p@
9244     \begin{center}%
9245       \TitleFont
9246       {\LARGE \def\{\{\penalty -\@M}
9247         \if@allcaps
9248           \expandafter\uc@nothanks\@title\thanks\relax
9249         \else
9250           \@title
9251         \fi\par}%
9252       \vskip 3em%
9253       {\large
9254         \lineskip .75em \parindent\z@
9255         \begin{tabular}[t]{c}%
9256           \if@allcaps
9257             \expandafter\uc@author\@author\and\relax
9258           \else
9259             \@author
9260           \fi
9261         \end{tabular}\par}%
9262       \vskip 1.5em%
9263       {\large
9264         \if@allcaps
9265           \uppercase\expandafter{\@date}%
9266         \else
9267           \@date

```



```

9268     \fi\par}%
9269     \end{center}\par
9270     \@thanks
9271     \vfil\null
9272 \end{titlepage}%
9273 \setcounter{footnote}{0}%
9274 \global\let\thanks\relax
9275 \global\let\maketitle\relax
9276 \global\let\@thanks\@empty
9277 \global\let\@author\@empty
9278 \global\let\@title\@empty
9279 \global\let\@date\@empty
9280 \global\let\title\relax
9281 \global\let\author\relax
9282 \global\let\date\relax
9283 \global\let\and\relax
9284 }

```

### 63 File boek-xetex-bidi.def

```

9285 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX]
9286 \renewenvironment{theindex}{%
9287   \if@twocolumn
9288     \@restonecolfalse
9289   \else
9290     \@restonecoltrue
9291   \fi
9292   \columnseprule \z@
9293   \columnsep 35\p@
9294   \twocolumn[\@makeschapterhead{\indexname}]%
9295   \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
9296   \thispagestyle{plain}\parindent\z@
9297   \parskip\z@ \@plus .3\p@\relax
9298   \let\item\@idxitem
9299 }{%
9300   \if@restonecol\onecolumn\else\clearpage\fi}
9301 \renewcommand*{\head@style}{%
9302   \interlinepenalty \@M
9303   \hyphenpenalty=\@M \exhyphenpenalty=\@M
9304   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsizel\relax}
9305 \renewcommand*{\regtocline}[3]{%
9306   \ifnum #1>\c@tocdepth
9307   \else
9308     \vskip\z@\@plus.2\p@
9309     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
9310     \if@RTL\rightskip\else\leftskip\fi\unitindent
9311     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
9312     \parfillskip\z@
9313     \@tempdima\unitindent
9314     \parindent\z@
9315     \leavevmode
9316     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
9317     \hskip 1em \nobreak{\slshape #3}\par
9318   }%

```



```

9319 \fi}
9320 \if@oldtoc
9321 \renewcommand*\l@part[2]{%
9322 \ifnum \c@tocdepth >-2\relax
9323 \addpenalty{-\@highpenalty}%
9324 \addvspace{2.25em \@plus\p@}%
9325 \begingroup
9326 \setlength\@tempdima{3em}%
9327 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9328 \parfillskip -\@pnumwidth
9329 {\leavevmode
9330 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9331 \nobreak
9332 \global\@nobreaktrue
9333 \everypar{\global\@nobreakfalse\everypar{}}%
9334 \endgroup
9335 \fi}
9336 \else
9337 \renewcommand*\l@part{%
9338 \ifnum \c@tocdepth >-2\relax
9339 \addpenalty{-\@highpenalty}%
9340 \addvspace{2.25em \@plus \p@}%
9341 \@regtocline{0}%
9342 \fi}
9343 \fi}
9344 \if@oldtoc
9345 \renewcommand*\l@chapter[2]{%
9346 \addpenalty{-\@highpenalty}%
9347 \vskip 1.0em \@plus\p@
9348 \setlength\@tempdima{1.5em}%
9349 \begingroup
9350 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9351 \parfillskip -\@pnumwidth
9352 \leavevmode \bfseries
9353 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9354 \hskip -\if@RTL\rightskip\else\leftskip\fi
9355 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9356 \penalty\@highpenalty
9357 \endgroup}
9358 \else
9359 \renewcommand*\l@chapter{\@regtocline{0}}
9360 \fi
9361 \renewcommand*\left@footnoterule{%
9362 \kern-3\p@
9363 \kern.5\baselineskip
9364 \hrule\@width\unitindent
9365 \kern.4\baselineskip
9366 }
9367 \renewcommand*\right@footnoterule{%
9368 \kern-3\p@
9369 \kern.5\baselineskip
9370 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
9371 \kern.4\baselineskip}
9372 \renewenvironment{abstract}{%

```



```

9373     \titlepage
9374     \null\vfil
9375     \section*{\SectFont \abstractname}
9376     \noindent\ignorespaces}
9377     {\par\vfil\null\endtitlepage}
9378 \renewenvironment{thebibliography}[1]
9379     {\chapter*{\bibname}%
9380     \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9381     \ifRTL\ifLTRbibitems\RTLfalse\else\fi\else\ifRTLbibitems\RTLtrue\else\fi\fi
9382     \bidi@thebibliography@font@hook%
9383     \list{\@biblabel{\@arabic\c@enumiv}}%
9384         {\settowidth\labelwidth{\@biblabel{#1}}%
9385         \leftmargin\labelwidth
9386         \advance\leftmargin\labelsep
9387         \@openbib@code
9388         \usecounter{enumiv}%
9389         \let\p@enumiv\@empty
9390         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
9391     \sloppy\clubpenalty4000\widowpenalty4000%
9392     \sfcode`..\@m}
9393     {\def\@noitemerr
9394     {\@latex@warning{Empty `thebibliography' environment}}}%
9395     \endlist}
9396 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
9397 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
9398 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
9399 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
9400 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
9401 \renewcommand*\theequation{%
9402 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
9403 \renewcommand*\thefigure{%
9404 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
9405 \renewcommand*\thetable{%
9406 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
9407 \renewcommand*\maketitle{%
9408 \begin{titlepage}%
9409     \let\footnotesize\small
9410     \let\right@footnoterule\relax
9411     \let\left@footnoterule\relax
9412     \let\textwidth@footnoterule\relax
9413     \let \footnote \thanks
9414     \long\def\@makefnmark##1{\parindent\z@
9415     \def\labelitemi{\textendash}\@revlabeltrue
9416     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
9417     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
9418     \if@compatibility\setcounter{page}{0}\fi
9419     \null\vfil
9420     \vskip 60\p@
9421     \begin{center}%
9422     \TitleFont
9423     {\LARGE \def\{\{\penalty -\@M}
9424     \if@allcaps
9425     \expandafter\uc@nothanks\@title\thanks\relax
9426     \else

```



```

9427     \@title
9428     \fi\par}%
9429     \vskip 3em%
9430     {\large
9431     \lineskip .75em \parindent\z@
9432     \begin{tabular}[t]{c}%
9433     \if@allcaps
9434     \expandafter\uc@authornothanks\@author\and\relax
9435     \else
9436     \@author
9437     \fi
9438     \end{tabular}\par}%
9439     \vskip 1.5em%
9440     {\large
9441     \if@allcaps
9442     \uppercase\expandafter{\@date}%
9443     \else
9444     \@date
9445     \fi\par}%
9446     \end{center}\par
9447     \@thanks
9448     \vfil\null
9449 \end{titlepage}%
9450 \setcounter{footnote}{0}%
9451 \global\let\thanks\relax
9452 \global\let\maketitle\relax
9453 \global\let\@thanks\@empty
9454 \global\let\@author\@empty
9455 \global\let\@title\@empty
9456 \global\let\@date\@empty
9457 \global\let\title\relax
9458 \global\let\author\relax
9459 \global\let\date\relax
9460 \global\let\and\relax
9461 }

```

## 64 File `bookest-xetex-bidi.def`

```

9462 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for
9463 \def\makechapterhead#1{%
9464   \vspace*{20\p@}
9465   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9466     \ifnum \c@secnumdepth >\m@ne
9467     \if@mainmatter
9468       {\colorA\huge\scshape \@chapapp\space \thechapter}
9469       \par\nobreak
9470       \vskip 10\p@
9471     \fi
9472     \fi
9473     \interlinepenalty\@M
9474     {\colorB\hrule}
9475     \vskip 15\p@
9476     \if@RTL\begin{flushleft}\else\begin{flushright}\fi
9477     {\colorA\Huge \bfseries #1}\par\nobreak

```



```

9478 \if@RTL\end{flushleft}\else\end{flushright}\fi
9479 \vskip 5\p@
9480 {\colorB\hrule}
9481 \vskip 30\p@
9482 }}
9483 \def\@makeschapterhead#1{%
9484 \vspace*{20\p@}
9485 {\parindent \z@ \raggedright \normalfont
9486 {\colorB\hrule}
9487 \vskip 15\p@
9488 \begin{center}
9489 {\colorA\Huge \bfseries #1}\par\nobreak
9490 \end{center}
9491 \vskip 5\p@
9492 {\colorB\hrule}
9493 \vskip 30\p@
9494 }}

```

## 65 File book-xetex-bidi.def

```

9495 \ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class]
9496 \renewenvironment{theindex}
9497     {\if@twocolumn
9498         \@restonecolfalse
9499         \else
9500             \@restonecoltrue
9501         \fi
9502         \columnseprule \z@
9503         \columnsep 35\p@
9504         \twocolumn[\@makeschapterhead{\indexname}]%
9505         \@mkboth{\MakeUppercase\indexname}%
9506                 {\MakeUppercase\indexname}%
9507         \thispagestyle{plain}\parindent\z@
9508         \parskip\z@ \@plus .3\p@\relax
9509         \let\item\@idxitem}
9510     {\if@restonecol\onecolumn\else\clearpage\fi}
9511 \@ifclassloaded{bookest}{}{%
9512 \if@titlepage
9513 \renewcommand\maketitle{\begin{titlepage}%
9514 \let\footnotesize\small
9515 \let\right@footnoterule\relax
9516 \let\left@footnoterule\relax
9517 \let\textwidth@footnoterule\relax
9518 \let \footnote \thanks
9519 \let \LTRfootnote \LTRthanks
9520 \let \RTLfootnote \RTLthanks
9521 \null\vfil
9522 \vskip 60\p@
9523 \begin{center}%
9524 {\LARGE \@title \par}%
9525 \vskip 3em%
9526 {\large
9527 \lineskip .75em%
9528 \begin{tabular}[t]{c}%

```



```

9529     \@author
9530     \end{tabular}\par}%
9531     \vskip 1.5em%
9532     {\large \@date \par}%           % Set date in \large size.
9533 \end{center}\par
9534 \@thanks
9535 \vfil\null
9536 \end{titlepage}%
9537 \setcounter{footnote}{0}%
9538 \global\let\thanks\relax
9539 \global\let\LTRthanks\relax
9540 \global\let\RTLthanks\relax
9541 \global\let\maketitle\relax
9542 \global\let\@thanks\@empty
9543 \global\let\@author\@empty
9544 \global\let\@date\@empty
9545 \global\let\@title\@empty
9546 \global\let\title\relax
9547 \global\let\author\relax
9548 \global\let\date\relax
9549 \global\let\and\relax
9550 }
9551 \else
9552 \renewcommand\maketitle{\par
9553   \begingroup
9554     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
9555     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
9556     \long\def\@makefntext##1{\parindent 1em\noindent
9557       \hb@xt@1.8em{%
9558         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
9559     \if@twocolumn
9560       \ifnum \col@number=\@ne
9561         \@maketitle
9562       \else
9563         \twocolumn[\@maketitle]%
9564       \fi
9565     \else
9566       \newpage
9567       \global\@topnum\z@   % Prevents figures from going at top of page.
9568       \@maketitle
9569     \fi
9570     \thispagestyle{plain}\@thanks
9571   \endgroup
9572   \setcounter{footnote}{0}%
9573   \global\let\thanks\relax
9574   \global\let\LTRthanks\relax
9575   \global\let\RTLthanks\relax
9576   \global\let\maketitle\relax
9577   \global\let\@maketitle\relax
9578   \global\let\@thanks\@empty
9579   \global\let\@author\@empty
9580   \global\let\@date\@empty
9581   \global\let\@title\@empty
9582   \global\let\title\relax

```



```

9583 \global\let\author\relax
9584 \global\let\date\relax
9585 \global\let\and\relax
9586 }
9587 \def\@maketitle{%
9588 \newpage
9589 \null
9590 \vskip 2em%
9591 \begin{center}%
9592 \let \footnote \thanks
9593 \let \LTRfootnote \LTRthanks
9594 \let \RTLfootnote \RTLthanks
9595 {\LARGE \@title \par}%
9596 \vskip 1.5em%
9597 {\large
9598 \lineskip .5em%
9599 \begin{tabular}[t]{c}%
9600 \@author
9601 \end{tabular}\par}%
9602 \vskip 1em%
9603 {\large \@date}%
9604 \end{center}%
9605 \par
9606 \vskip 1.5em}
9607 \fi}
9608 \renewcommand*\l@part[2]{%
9609 \ifnum \c@tocdepth >-2\relax
9610 \addpenalty{-\@highpenalty}%
9611 \addvspace{2.25em \@plus\p@}%
9612 \setlength\@tempdima{3em}%
9613 \begingroup
9614 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9615 \parfillskip -\@pnumwidth
9616 {\leavevmode
9617 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
9618 \nobreak
9619 \global\@nobreaktrue
9620 \everypar{\global\@nobreakfalse\everypar{}}%
9621 \endgroup
9622 \fi}
9623 \renewcommand*\l@chapter[2]{%
9624 \ifnum \c@tocdepth >\m@ne
9625 \addpenalty{-\@highpenalty}%
9626 \vskip 1.0em \@plus\p@
9627 \setlength\@tempdima{1.5em}%
9628 \begingroup
9629 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9630 \parfillskip -\@pnumwidth
9631 \leavevmode \bfseries
9632 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
9633 \hskip -\if@RTL\rightskip\else\leftskip\fi
9634 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9635 \penalty\@highpenalty
9636 \endgroup

```



```

9637 \fi}
9638 \renewcommand\left@footnoterule{%
9639 \kern-3\p@
9640 \hrule\@width.4\columnwidth
9641 \kern2.6\p@}
9642 \renewcommand\right@footnoterule{%
9643 \kern-3\p@
9644 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
9645 \kern2.6\p@}
9646 \renewcommand\theequation
9647 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
9648 \renewcommand \thefigure
9649 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
9650 \renewcommand \thetable
9651 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
9652 \renewcommand \thechapter {\@arabic\c@chapter}
9653 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
9654 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
9655 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
9656 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
9657 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
9658 \def\@makechapterhead#1{%
9659 \vspace*{50\p@}%
9660 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
9661 \ifnum \c@secnumdepth >\m@ne
9662 \if@mainmatter
9663 \huge\bfseries \@chapapp\space \thechapter
9664 \par\nobreak
9665 \vskip 20\p@
9666 \fi
9667 \fi
9668 \interlinepenalty\@M
9669 \Huge \bfseries #1\par\nobreak
9670 \vskip 40\p@
9671 }}
9672 \def\@makeschapterhead#1{%
9673 \vspace*{50\p@}%
9674 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
9675 \normalfont
9676 \interlinepenalty\@M
9677 \Huge \bfseries #1\par\nobreak
9678 \vskip 40\p@
9679 }}
9680 \renewcommand\backmatter{%
9681 \if@openright
9682 \cleardoublepage
9683 \else
9684 \clearpage
9685 \fi
9686 \@mainmatterfalse}
9687 \renewenvironment{thebibliography}[1]
9688 {\chapter*{\bibname}%
9689 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
9690 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi

```



```

9691 \bidi@thebibliography@font@hook%
9692 \list{\@biblabel{\@arabic\c@enumiv}}%
9693     {\settoheight\labelwidth{\@biblabel{#1}}%
9694     \leftmargin\labelwidth
9695     \advance\leftmargin\labelsep
9696     \@openbib@code
9697     \usecounter{enumiv}}%
9698     \let\p@enumiv\@empty
9699     \renewcommand\theenumiv{\@arabic\c@enumiv}}%
9700 \sloppy
9701 \clubpenalty4000
9702 \@clubpenalty \clubpenalty
9703 \widowpenalty4000%
9704 \sfcode\.\@m}
9705 {\def\@noitemerr
9706     {\@latex@warning{Empty `thebibliography' environment}}}%
9707 \endlist}

```

## 66 File breqn-xetex-bidi.def

```

9708 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for X
9709 \def\@dmath[#1]{\ifRTL\@RTLfalse\fi%
9710 \everydisplay\expandafter{\the\everydisplay \display@setup}%
9711 \ifnoskipsec \leavevmode \fi
9712 \ifinlabel \leavevmode \global\@inlabelfalse \fi
9713 \if\eq@group\else\eq@prelim\fi
9714 \setkeys{breqn}{#1}%
9715 \the\eqstyle
9716 \eq@setnumber
9717 \begingroup
9718 \eq@setup@a
9719 \eq@startup
9720 }
9721 \def\@dgroup[#1]{\ifRTL\@RTLfalse\fi%
9722 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
9723 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
9724 \global\let\GRP@label\@empty
9725 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
9726 \global\grp@linewidth\z@\global\grp@wdNum\z@
9727 \global\let\grp@eqs@numbered\@False
9728 \global\let\grp@aligned\@True
9729 \global\let\grp@shiftnumber\@False
9730 \eq@prelim
9731 \setkeys{breqn}{#1}%
9732 \if\grp@hasNumber \grp@setnumber \fi
9733 }
9734 \def\@dseries[#1]{\ifRTL\@RTLfalse\fi%
9735 \let\display@setup\dseries@display@setup
9736 % Question: should this be the default for dseries???
9737 \global\eq@wdCond\z@
9738 \@dmath[layout={M},#1]%
9739 \mathsurround\z@\@math \penalty\@Mi
9740 \let\endmath\ends@math
9741 \def\premath{%

```



```

9742 \ifdim\lastskip<.3em \unskip
9743 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
9744 }%
9745 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
9746 \ignorespaces
9747 }
9748 \def\eqnumform#1{\ifnonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\ifnonlatin\endR\fi}
9749 \renewenvironment{dsuspend}{%
9750 \global\setbox\EQ@box\ vbox\bgroup\ifnonlatin\@RTLtrue\fi \@parboxrestore
9751 \parshape 1 \displayindent \displaywidth\relax
9752 \hsize=\columnwidth \noindent\ignorespaces
9753 }{%
9754 \par\egroup
9755 \global\setbox\GRP@box\ vbox{%
9756 \hbox{\copy\EQ@box\ vtop{\unvbox\EQ@box}}%
9757 \unvbox\GRP@box
9758 }%
9759 \global\GRP@queue\@xp{\the\GRP@queue
9760 \@elt{\let\eq@isIntertext\@True}}%
9761 }%
9762 }

```

## 67 File cals-xetex-bidi.def

```

9763 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeT
9764 \renewcommand\cals@setup@alignment[1]{%
9765 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
9766 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
9767 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
9768 }
9769 \renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
9770 \renewenvironment{calstable}[1][\cals@table@alignment]{%
9771 \if@RTLtab\cals@activate@rtl\fi
9772 \let\cals@thead@tokens=\relax
9773 \let\cals@tfoot@tokens=\relax
9774 \let\cals@tbody@tokens=\relax
9775 \cals@tfoot@height=0pt \relax
9776 \let\cals@last@context=n%
9777 \let\cals@current@context=b%
9778 \parindent=0pt \relax%
9779 \cals@setup@alignment{#1}%
9780 \cals@setpadding{Ag}\cals@setcellprevdepth{A1}\cals@set@tohsize%
9781 %% Alignment inside is independent on center/flushright outside
9782 \parfillskip=0pt plus1fil\relax
9783 \let\cals@borderL=\relax
9784 \let\cals@borderR=\relax
9785 \let\cals@borderT=\relax
9786 \let\cals@borderB=\relax
9787 \setbox\cals@backup@row=\box\voidb@x\relax
9788 \cals@AtBeginTable
9789 }{% End of the table
9790 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
9791 \renewcommand\alignL{%
9792 \if@RTLtab

```



```

9793 \cals@vfillAdd\cals@paddingL
9794 \else
9795 \cals@vfillDrop\cals@paddingL
9796 \fi
9797 \cals@vfillDrop\cals@paddingR}
9798 \renewcommand\alignR{%
9799 \if@RTLtab
9800 \cals@vfillDrop\cals@paddingL
9801 \else
9802 \cals@vfillAdd\cals@paddingL
9803 \fi
9804 \cals@vfillDrop\cals@paddingR}

```

## 68 File caption-xetex-bidi.def

```

9805 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package f
9806 \let\makecaption\caption@makecaption

```

## 69 File caption3-xetex-bidi.def

```

9807 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package
9808 \renewcommand*\caption@par{%
9809 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

## 70 File colortbl-xetex-bidi.def

```

9810 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package
9811 \def\CT@setup{%
9812 \@tempdimb\col@sep
9813 \@tempdimc\col@sep
9814 \def\CT@color{%
9815 \global\let\CT@do@color\CT@@do@color
9816 \bidicolor}}
9817 \def\@classz{\@classx
9818 \@tempcnta \count@
9819 \prepnext@tok
9820 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
9821 \@addtopreamble{\if@RTLtab\beginL\fi%
9822 \setbox\z@\hbox\bgroup\group\if@RTLtab\beginR\fi
9823 \ifcase \@chnum
9824 \hskip\stretch{.5}\kern\z@
9825 \d@llarbegin
9826 \insert@column
9827 \d@llarend\hskip\stretch{.5}\or
9828 \d@llarbegin \insert@column \d@llarend \hfill \or
9829 \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
9830 $\vcenter
9831 \@startpbox{\@nextchar}\insert@column \@endpbox $\or
9832 \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
9833 \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
9834 \fi
9835 \if@RTLtab\endR\fi\egroup\egroup
9836 \begingroup
9837 \CT@setup

```



```

9838 \CT@column@color
9839 \CT@row@color
9840 \CT@cell@color
9841 \CT@do@color
9842 \endgroup
9843 \@tempdima\ht\z@
9844 \advance\@tempdima\minrowclearance
9845 \vrule\@height\@tempdima\@width\z@
9846 \unhbox\z@\if@RTLtab\endL\fi}%
9847 \prepnext@tok}

```

## 71 File color-xetex-bidi.def

```

9848 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for X
9849 \long\def\color@box#1#2#3{%
9850 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
9851 \setbox\z@\hbox{\kern\fbboxsep\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
9852 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
9853 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
9854 {#1#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
9855 \box\z@}\ifmmode\else\if@RTL\endL\fi\fi}
9856 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
9857 \DeclareRobustCommand\color{%
9858 \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi@ifnextchar[\@undeclaredcolor\@declaredcolor]}
9859 \def\@declaredcolor#1{%
9860 \@ifundefined{string\color @#1}%
9861 {\c@lor@error{`#1'}}%
9862 {\expandafter\let\expandafter\current@color
9863 \csname\string\color @#1\endcsname
9864 \set@color}%
9865 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
9866 \def\@undeclaredcolor[#1]#2{%
9867 \@ifundefined{color@#1}%
9868 {\c@lor@error{model `#1'}}%
9869 {\csname color@#1\endcsname\current@color{#2}%
9870 \set@color}%
9871 \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
9872 \DeclareRobustCommand\bidicolor{%
9873 \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor]}
9874 \def\@bidiundeclaredcolor[#1]#2{%
9875 \@ifundefined{color@#1}%
9876 {\c@lor@error{model `#1'}}%
9877 {\csname color@#1\endcsname\current@color{#2}%
9878 \set@color}%
9879 \ignorespaces}
9880 \def\@bidideclaredcolor#1{%
9881 \@ifundefined{\string\color @#1}%
9882 {\c@lor@error{`#1'}}%
9883 {\expandafter\let\expandafter\current@color
9884 \csname\string\color @#1\endcsname
9885 \set@color}%
9886 \ignorespaces}
9887 \def\color@box#1#2{\color@box\relax{\bidicolor#1{#2}}}
9888 \def\color@fbox#1#2#3{%

```



```

9889 \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}
9890 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

## 72 File combine-xetex-bidi.def

```

9891 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for
9892 \renewcommand{\c@ll@chapsecii}[2]{%
9893 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
9894 \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
9895 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
9896 }
9897 \renewcommand{\c@ll@chapseci}{%
9898 \setlength\@tempdima{0em}%
9899 \begingroup
9900 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
9901 \parfillskip -\@pnumwidth
9902 \leavevmode
9903 }
9904 \renewenvironment{tocindent}[1]{%
9905 \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{%

```

## 73 File crop-xetex-bidi.def

```

9906 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeT
9907 \renewcommand*\CROP@ulc{%
9908 \if@RTLmain%
9909 \begin{picture}(0,0)
9910 \unitlength\p@\thinlines
9911 \put(-40,0){\circle{10}}
9912 \put(-30,-5){\line(0,1){10}}
9913 \put(-35,0){\line(1,0){30}}
9914 \put(-10,30){\circle{10}}
9915 \put(-5,30){\line(1,0){10}}
9916 \put(0,35){\line(0,-1){30}}
9917 \end{picture}%
9918 \else%
9919 \begin{picture}(0,0)
9920 \unitlength\p@\thinlines
9921 \put(-30,0){\circle{10}}
9922 \put(-30,-5){\line(0,1){10}}
9923 \put(-35,0){\line(1,0){30}}
9924 \put(0,30){\circle{10}}
9925 \put(-5,30){\line(1,0){10}}
9926 \put(0,35){\line(0,-1){30}}
9927 \end{picture}%
9928 \fi%
9929 }
9930 \renewcommand*\CROP@urc{%
9931 \if@RTLmain%
9932 \begin{picture}(0,0)
9933 \unitlength\p@\thinlines
9934 \put(20,0){\circle{10}}
9935 \put(30,-5){\line(0,1){10}}
9936 \put(35,0){\line(-1,0){30}}

```



```

9937     \put(-10,30){\circle{10}}
9938     \put(-5,30){\line(1,0){10}}
9939     \put(0,35){\line(0,-1){30}}
9940 \end{picture}%
9941 \else%
9942 \begin{picture}(0,0)
9943     \unitlength\p@\thinlines
9944     \put(30,0){\circle{10}}
9945     \put(30,-5){\line(0,1){10}}
9946     \put(35,0){\line(-1,0){30}}
9947     \put(0,30){\circle{10}}
9948     \put(-5,30){\line(1,0){10}}
9949     \put(0,35){\line(0,-1){30}}
9950 \end{picture}%
9951 \fi%
9952 }
9953 \renewcommand*\CROP@llc{%
9954 \if@RTLmain%
9955     \begin{picture}(0,0)
9956     \unitlength\p@\thinlines
9957     \put(-40,0){\circle{10}}
9958     \put(-30,-5){\line(0,1){10}}
9959     \put(-35,0){\line(1,0){30}}
9960     \put(-10,-30){\circle{10}}
9961     \put(-5,-30){\line(1,0){10}}
9962     \put(0,-35){\line(0,1){30}}
9963 \end{picture}%
9964 \else%
9965 \begin{picture}(0,0)
9966     \unitlength\p@\thinlines
9967     \put(-30,0){\circle{10}}
9968     \put(-30,-5){\line(0,1){10}}
9969     \put(-35,0){\line(1,0){30}}
9970     \put(0,-30){\circle{10}}
9971     \put(-5,-30){\line(1,0){10}}
9972     \put(0,-35){\line(0,1){30}}
9973 \end{picture}%
9974 \fi%
9975 }
9976 \renewcommand*\CROP@llrc{%
9977 \if@RTLmain%
9978     \begin{picture}(0,0)
9979     \unitlength\p@\thinlines
9980     \put(20,0){\circle{10}}
9981     \put(30,-5){\line(0,1){10}}
9982     \put(35,0){\line(-1,0){30}}
9983     \put(-10,-30){\circle{10}}
9984     \put(-5,-30){\line(1,0){10}}
9985     \put(0,-35){\line(0,1){30}}
9986 \end{picture}%
9987 \else%
9988 \begin{picture}(0,0)
9989     \unitlength\p@\thinlines
9990     \put(30,0){\circle{10}}

```



```

9991      \put(30,-5){\line(0,1){10}}
9992      \put(35,0){\line(-1,0){30}}
9993      \put(0,-30){\circle{10}}
9994      \put(-5,-30){\line(1,0){10}}
9995      \put(0,-35){\line(0,1){30}}
9996  \end{picture}%
9997  \fi%
9998 }
9999 \@ifpackagewith{crop}{cam}{%
10000 \CROP@exectopt{cam}%
10001 }{}

```

## 74 File cutwin-xetex-bidi.def

```

10002 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for
10003 \renewcommand*{\c@twcompctr}[2]{%
10004   \def\c@twfirst{1}
10005   \loop\advance\c@twinlines\m@ne
10006   \setbox\c@twslicea=\vsplit#1 to\baselineskip
10007   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
10008   \c@twprune{\c@twslicea}{\c@twlftside}%
10009   \c@twprune{\c@twsliceb}{\c@twrtside}%
10010   \ifnum\c@twfirst=\@ne
10011     \setbox#2=\vbox{\unvbox#2\hbox
10012       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@tw
10013     \else
10014       \setbox#2=\vbox{\unvbox#2\hbox
10015       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\
10016     \fi
10017   \def\c@twfirst{2}
10018   \ifnum\c@twinlines>\z@\repeat}
10019 \renewcommand*{\c@twcompodctr}[2]{%
10020   \def\c@twrounds{1}
10021   \def\c@twfirst{1}
10022   \@for\c@twlspec:=\c@twb\do{%
10023     \ifnum\c@twrounds=1
10024       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
10025       \c@twprune{\c@twslicea}{\c@twlspec}%
10026       \def\c@twrounds{2}
10027     \else
10028       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
10029       \c@twprune{\c@twsliceb}{\c@twlspec}%
10030     \ifnum\c@twfirst=1
10031       \setbox#2=\vbox{\unvbox#2\hbox
10032       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\
10033       \def\c@twfirst{2}
10034     \else
10035       \setbox#2=\vbox{\unvbox#2\hbox
10036       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\el
10037     \fi
10038   \def\c@twrounds{1}
10039 \fi}}

```



## 75 File cuted-xetex-bidi.def

```
10040 \ProvidesFile{cuted-xetex-bidi.def}[2022/02/18 v0.7 bidi adaptations for cuted package for X
10041
10042 \def\RTL@outputdblcol{%
10043   \if@firstcolumn
10044     \global\@firstcolumnfalse
10045     \global\setbox\@leftcolumn\copy\@outputbox
10046     \splitmaxdepth\maxdimen
10047     \vbadness\maxdimen
10048     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10049     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10050     \toks@\expandafter{\topmark}%
10051     \xdef\@firstcoltopmark{\the\toks@}%
10052     \toks@\expandafter{\splitfirstmark}%
10053     \xdef\@firstcolfirstmark{\the\toks@}%
10054     \ifx\@firstcolfirstmark\@empty
10055       \global\let\@setmarks\relax
10056     \else
10057       \gdef\@setmarks{%
10058         \let\firstmark\@firstcolfirstmark
10059         \let\topmark\@firstcoltopmark}%
10060     \fi
10061   \else
10062     \global\@firstcolumntrue
10063     \setbox\@outputbox\vbox{%
10064       \hb@xt@\textwidth{%
10065         \hskip \columnwidth
10066         \hfil
10067         {\normalcolor\vrule \@width\columnseprule}%
10068         \hfil
10069         \hb@xt@\columnwidth{%
10070           \bidi@firstcolumn@status@write%
10071           \box\@leftcolumn \hss}%
10072         \hskip -\textwidth
10073         \hb@xt@\columnwidth{%
10074           \bidi@lastcolumn@status@write%
10075           \box\@outputbox \hss}%
10076         \hskip \columnsep
10077         \hskip \columnwidth }}%
10078     \ifvoid\hold@viper
10079     \else
10080       \setbox\@outputbox \vbox to\textheight{%
10081         \box\hold@viper
10082         \box\@outputbox
10083         \vss
10084       }%
10085     \fi
10086   \@combinedblfloats
10087   \@setmarks
10088   \@outputpage
10089   \begingroup
10090   \@dblfloatplacement
10091   \startdblcolumn
```



```

10092     \@whilesw\if@fcolmade \fi{\@outputpage
10093     \@startdblcolumn}%
10094     \ifvoid\@viper
10095     \else
10096         \global\setbox\@viper\vbox{%
10097             \vskip-\stripsep
10098             \unvbox\@viper
10099             }%
10100         \@viperoutput
10101     \fi
10102     \endgroup
10103 \fi}%
10104
10105 \def\LTR@outputdblcol{%
10106     \if@firstcolumn
10107         \global\@firstcolumnfalse
10108         \global\setbox\@leftcolumn\copy\@outputbox
10109         \splitmaxdepth\maxdimen
10110         \vbadness\maxdimen
10111         \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
10112         \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10113         \toks@\expandafter{\topmark}%
10114         \xdef\@firstcoltopmark{\the\toks@}%
10115         \toks@\expandafter{\splitfirstmark}%
10116         \xdef\@firstcolfirstmark{\the\toks@}%
10117         \ifx\@firstcolfirstmark\@empty
10118             \global\let\@setmarks\relax
10119         \else
10120             \gdef\@setmarks{%
10121                 \let\firstmark\@firstcolfirstmark
10122                 \let\topmark\@firstcoltopmark}%
10123         \fi
10124     \else
10125         \global\@firstcolumntrue
10126         \setbox\@outputbox\vbox{%
10127             \hb@xt@\textwidth{%
10128                 \hb@xt@\columnwidth{%
10129                     \bidi@firstcolumn@status@write%
10130                     \box\@leftcolumn \hss}%
10131                 \hfil
10132                 {\normalcolor\vrule \@width\columnseprule}%
10133                 \hfil
10134                 \hb@xt@\columnwidth{%
10135                     \bidi@lastcolumn@status@write%
10136                     \box\@outputbox \hss}}}%
10137         \ifvoid\hold@viper
10138         \else
10139             \setbox\@outputbox \vbox to\textheight{%
10140                 \box\hold@viper
10141                 \box\@outputbox
10142                 \vss
10143                 }%
10144         \fi
10145     \@combinedblfloats

```



```

10146 \@setmarks
10147 \@outputpage
10148 \beginingroup
10149   \@dblfloatplacement
10150   \@startdblcolumn
10151   \@whilesw@if@fcolmade \fi{\@outputpage
10152   \@startdblcolumn}%
10153   \ifvoid\viper
10154   \else
10155     \global\setbox\viper\vbox{%
10156       \vskip-\stripsep
10157       \unvbox\viper
10158     }%
10159     \@viperoutput
10160   \fi
10161 \endgroup
10162 \fi}%
10163
10164 \def\@addviper{%
10165   \@insertfalse
10166   \def\var@thecol@num{2}%
10167   \if@firstcolumn
10168     \def\var@thecol@num{1}%
10169     \@reqcolroom=.5\@pageht
10170     \ht@viper=\@reqcolroom
10171     \advance\@reqcolroom by\ht\viper
10172     \advance\@reqcolroom by\stripsep
10173   \else
10174     \@reqcolroom=\@colht
10175     \advance\@reqcolroom by\@pageht
10176     \ht@viper.5\@reqcolroom
10177     \@reqcolroom=\ht@viper
10178     \advance\@reqcolroom by\ht\viper
10179     \advance\@reqcolroom by\stripsep
10180     \global\setbox\@holdpg\vbox{%
10181       \setbox\cuted@tempbox@a\vbox{%
10182         \aftergroup\unvbox
10183         \unvcopy\@leftcolumn
10184         \unskip\unkern\unpenalty
10185         \setbox\@tempboxa\lastbox
10186         \ifdim\dimexpr\ht\@tempboxa+\wd\@tempboxa+\dp\@tempboxa>\z@
10187           %% keeps lastbox
10188         \aftergroup\@leftcolumn
10189       \else
10190         %% removes lastbox
10191       \aftergroup\cuted@tempbox@a
10192     \fi
10193   }%
10194   \unskip\unkern\unpenalty
10195   \on@stripcols@break
10196   \the\At@ViperColsBreak
10197   \unvbox\@holdpg
10198 }%
10199 \global\At@ViperColsBreak{}}%

```



```

10200     \ht@viper=.5\ht\@holdpg
10201     \ifdim\ht@viper>\@colht
10202         \ht@viper=\@colht
10203     \fi
10204 \fi
10205 %%
10206 %% calculations for breaking
10207 %%
10208 \ifvoid\hold@viper
10209     \ht@hold@viper=\z@
10210 \else
10211     \ht@hold@viper=\ht\hold@viper
10212 \fi
10213 \cuted@@tempdim@b\ht@viper
10214 \set@split@topskip@to\topskip
10215 \loop
10216     \xdef\saved@tempdim@b{\the\cuted@@tempdim@b}%
10217     \setbox\cuted@@varbox@a\copy\@holdpg
10218     \setbox\cuted@@tempbox@a\vsplit\cuted@@varbox@a to\cuted@@tempdim@b
10219     %% set leftcolumn boxes
10220     \setbox\cuted@@tempbox@c\ vbox{\unvbox\cuted@@tempbox@a}%
10221     \setbox\cuted@@tempbox@a\ vbox to\cuted@@tempdim@b{\unvcopy\cuted@@tempbox@c}%
10222     \xdef\var@@leftcolumn@badness{\the\badness}%
10223     %% set rightcolumn boxes
10224     \setbox\cuted@@varbox@c\ vbox{\unvbox\cuted@@varbox@a}%
10225     \setbox\cuted@@varbox@a\ vbox to\cuted@@tempdim@b{\unvcopy\cuted@@varbox@c}%
10226     \xdef\var@@rightcolumn@badness{\the\badness}%
10227     %% analyzing split goodness
10228     \cuted@@tempdim@spread=\ht\cuted@@tempbox@c
10229     \advance\cuted@@tempdim@spread by\dp\cuted@@tempbox@c
10230     \advance\cuted@@tempdim@spread by-\ht\cuted@@varbox@c
10231     \advance\cuted@@tempdim@spread by-\dp\cuted@@varbox@c
10232     \cuted@@wlog@debug{CUTED [----]}%
10233     ^^JLeft: \the\ht\cuted@@tempbox@c
10234     +\the\dp\cuted@@tempbox@c\space/\var@@leftcolumn@badness
10235     ^^JRight: \the\ht\cuted@@varbox@c
10236     +\the\dp\cuted@@varbox@c\space/\var@@rightcolumn@badness
10237     ^^JSplit: \the\cuted@@tempdim@b
10238     ^^JExtra height: \the\cuted@@tempdim@spread
10239     }%
10240     \ifnum\var@@leftcolumn@badness<\cuted@@column@badness
10241         \ifnum\var@@rightcolumn@badness<\cuted@@column@badness
10242             \cuted@@tempdim@spread=\z@
10243         \fi
10244     \fi
10245     \ifdim\cuted@@tempdim@spread<\z@
10246         \if@leftcolumn@spread
10247             \if@rightcolumn@shrink
10248                 \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink>\z@
10249                     \cuted@@tempdim@a=\dimexpr\ht\cuted@@tempbox@c-0.5\cuted@@tempdim@spread
10250                 \else
10251                     \cuted@@tempdim@a=-\dimexpr\cuted@@tempdim@spread+.5\pageshrink\relax
10252                 \fi
10253             \setbox\cuted@@varbox@a\ vbox to\cuted@@tempdim@a{\unvcopy\cuted@@tempbox@c}

```



```

10254         \ifnum\badness<\cuted@@column@badness
10255             \cuted@@tempdim@b=\cuted@@tempdim@a
10256             \cuted@@tempdim@spread=\z@
10257         \fi
10258         \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness\space on
10259         \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@a{\unvcopy\cuted@@varbox@c
10260         \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness\space on
10261     \else
10262         \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{
10263             \unvcopy\cuted@@tempbox@c
10264         }%
10265         \ifnum\badness<\cuted@@column@badness
10266             \@tempdimb=\ht\cuted@@varbox@c
10267             \cuted@@tempdim@spread=\z@
10268         \fi
10269         \cuted@@wlog@debug{CUTED [leftcolumn badness]: \number\badness on \the\h
10270         \setbox\cuted@@varbox@a\vbox to\ht\cuted@@varbox@c{
10271             \unvcopy\cuted@@varbox@c
10272         }%
10273         \cuted@@wlog@debug{CUTED [rightcolumn badness]: \number\badness on \the\
10274     \fi
10275 \else
10276     \if@right@column@shrink
10277         \ifdim\dimexpr\cuted@@tempdim@spread+\pageshrink<\z@
10278         \else
10279             \cuted@@tempdim@b=\ht\cuted@@tempbox@c
10280             \cuted@@tempdim@spread=\z@
10281         \fi
10282     \fi
10283 \fi
10284 \else
10285     \ifdim\cuted@@tempdim@spread>\z@
10286     \ifdim\dimexpr\@tempdimb+p@\relax>\@colht
10287         \cuted@@tempdim@b=\@colht
10288         \cuted@@tempdim@spread=\z@
10289     \fi
10290 \fi
10291 \fi
10292 \ifdim\cuted@@tempdim@spread<\z@
10293     \advance\cuted@@tempdim@b 1p@
10294 \repeat
10295 \wlog{CUTED [- LAST -]}%
10296 ^^JExtra skip:\the\cuted@@tempdim@spread
10297 ^^JLeft:\the\ht\cuted@@tempbox@c/\the\dp\cuted@@tempbox@c
10298 ^^JRight:\the\ht\cuted@@varbox@c/\the\dp\cuted@@varbox@c
10299 ^^JSplit: \saved@tempdimb
10300 ^^JOutput:\the\cuted@@tempdim@b
10301 ^^JPageshrink: \the\pageshrink
10302 ^^JPagestretch: \the\pagestretch
10303 ^^J@colht:\the\@colht
10304 }%
10305 %%
10306 %% final construction of the cuted page above strip
10307 %%

```



```

10308 \setbox\cuted@@tempbox@c\vsplit\@holdpg to\saved@tempdimb
10309 \setbox\cuted@@tempbox@a\vbox to\cuted@@tempdim@b{%
10310   \cuted@@tempdim@a=\dimexpr
10311     \cuted@@tempdim@b-\ht\cuted@@tempbox@c
10312     \relax
10313   \cuted@@tempdim@spread=\dp\cuted@@tempbox@c
10314   \unvbox\cuted@@tempbox@c
10315   \ifdim\cuted@@tempdim@spread>\dp\strutbox
10316   \else
10317     \vskip-\cuted@@tempdim@spread
10318   \fi
10319   \prevdepth\z@
10320   \hrule\@height\cuted@@page@rule width\textwidth
10321   \vskip-\cuted@@page@rule
10322   \ifdim\cuted@@tempdim@a>\z@
10323     \if@left@column@spread
10324     \else
10325       \vss
10326     \fi
10327   \else
10328     \ifdim\cuted@@tempdim@a<\z@
10329     \if@left@column@shrink
10330     \else
10331       \vss
10332     \fi
10333   \fi
10334 \fi
10335 }%
10336 \wlog{CUTED [output]: \the\cuted@@tempdim@b
10337   ^^JCUTED [leftcolumn badness]: \number\badness
10338 }%
10339 \setbox\cuted@@varbox@a\vbox to\cuted@@tempdim@b{%
10340   \cuted@@tempdim@a=\dimexpr
10341     \cuted@@tempdim@b-\ht\@holdpg
10342     \relax
10343   \unvbox\@holdpg
10344   \ifdim\cuted@@tempdim@a>\z@
10345     \if@right@column@spread
10346     \else
10347       \vss
10348     \fi
10349   \else
10350     \ifdim\cuted@@tempdim@a<\z@
10351     \if@right@column@shrink
10352     \else
10353       \vss
10354     \fi
10355   \fi
10356 \fi
10357 }%
10358 \wlog{CUTED [rightcolumn badness]: \number\badness}%
10359 \setbox\cuted@@tempbox@var\vbox{%
10360   \hb@xt@\textwidth{%
10361     \ifRTLmain

```



```

10362         \hskip \columnwidth
10363         \hfil
10364         {\normalcolor\vrule \@width\columnseprule}%
10365         \hfil
10366         \hb@xt@\columnwidth{%
10367             \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10368             \hss
10369         }%
10370         \hskip -\textwidth
10371         \hb@xt@\columnwidth{%
10372             \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10373             \hss
10374         }%
10375         \hskip \columnsep
10376         \hskip \columnwidth
10377     \else
10378         \hb@xt@\columnwidth{%
10379             \vbox to\ht@viper{\box\cuted@@tempbox@a\vss}%
10380             \hss
10381         }%
10382         \hfil
10383         {\normalcolor\vrule \@width\columnseprule}%
10384         \hfil
10385         \hb@xt@\columnwidth{%
10386             \vbox to\ht@viper{\box\cuted@@varbox@a\vss}%
10387             \hss
10388         }%
10389     \fi
10390     }%
10391 }%
10392 %%
10393 %% finalize cuted page
10394 %%
10395 \ifvoid\hold@viper
10396     \global\setbox\hold@viper\vbox{%
10397         \unvbox\cuted@@tempbox@var
10398         \penalty\interlinepenalty
10399         \vskip\stripsep
10400         \the\preCutedStrip
10401         \ifnum\outputpenalty<-\@Mii
10402             \vskip -\parskip
10403         \fi
10404         \outputpenalty\z@
10405     }%
10406 \else
10407     \global\setbox\hold@viper\vbox{%
10408         \unvbox\hold@viper
10409         \cuted@@tempbox@var
10410         \penalty\interlinepenalty
10411         \vskip\stripsep
10412         \the\preCutedStrip
10413         \ifnum\outputpenalty<-\@Mii
10414             \vskip -\parskip
10415         \fi

```



```

10416         \outputpenalty\z@
10417         }%
10418     \fi
10419     \ifdim\@colht>\@reqcolroom
10420         \global\setbox\hold@viper\vbox{%
10421             \unvbox\hold@viper
10422             \box\@viper
10423             \penalty\interlinepenalty
10424             \the\postCutedStrip
10425             \vskip\stripsep
10426             \ifnum\outputpenalty<-\@Mii
10427                 \vskip -\parskip
10428             \fi
10429             \outputpenalty\z@
10430         }%
10431     \@inserttrue
10432     \global\@firstcolumntrue
10433     \advance\ht@hold@viper by-\ht\hold@viper
10434     \global\advance\@colht by\ht@hold@viper
10435     \ifdim\@colht<2.5\baselineskip
10436         \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
10437             too tall on page \thepage (\var@thecol@num column)}%
10438         \@emptycol
10439         \if@firstcolumn
10440             \else
10441                 \@emptycol
10442             \fi
10443         \global\@lastvipertrue
10444     \else
10445         \global\vsizel\@colht
10446         \global\@colroom\@colht
10447         \check@floats\cuted@@tempdim@a
10448         \ifdim\cuted@@tempdim@a>\z@
10449             \global\advance\@colroom by-\cuted@@tempdim@a
10450         \fi
10451         \ifdim\@colroom<\z@
10452             \global\@colroom\p@
10453             \ifdim\cuted@@tempdim@a>\@colht
10454                 \@latex@warning@no@line{TOP and/or BOT FLOAT's
10455                     to large on \thepage (\var@thecol@num column)}%
10456             \fi
10457             \@emptycol
10458             \if@firstcolumn
10459                 \else
10460                     \@emptycol
10461                 \fi
10462             \global\@lastvipertrue
10463         \fi
10464     \fi
10465 \fi
10466 \if@insert
10467 \else
10468     \advance\ht@hold@viper by-\ht\hold@viper
10469     \global\advance\@colht by\ht@hold@viper

```



```

10470     \global\setbox\hold@viper\vbox{%
10471         \unvbox\hold@viper
10472         \set@split@topskip@to{\z@ plus2\p@}%
10473         \vsplit\@viper to\@colht
10474         \vss
10475     }%
10476     \vbox{%
10477     \global\@firstcolumnfalse
10478     \newpage
10479     \fi
10480     }

```

## 76 File cvthemebidicasual.sty

```

10481 \NeedsTeXFormat{LaTeX2e}
10482 \ProvidesPackage{cvthemebidicasual}
10483 \DeclareOption{blue}{}
10484 \newif\if@colourorange\@colourorangefalse
10485 \DeclareOption{orange}{\@colourorange>true}
10486 \newif\if@colourgreen\@colourgreenfalse
10487 \DeclareOption{green}{\@colourgreentruer}
10488 \newif\if@coloured\@colouredfalse
10489 \DeclareOption{red}{\@colouredtrue}
10490 \newif\if@colourgrey\@colourgreyfalse
10491 \DeclareOption{grey}{\@colourgreytrue}
10492 \DeclareOption*{
10493     \PackageWarning{cvthemebidicasual}{Unknown option ‘\CurrentOption’}}
10494 \ExecuteOptions{colour}
10495 \ProcessOptions\relax
10496 \renewcommand*{\listitemsymbol}{\textbullet}
10497 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
10498 \familynamecolour{808080}
10499 \firstnamecolour{A9A9A9}
10500 \quotecolour{696969}
10501 \addresscolour{696969}
10502 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
10503 \sectiontitlecolour{1E90FF}
10504 \subsectioncolour{4682B4}
10505 \definecolor{rulecolour}{gray}{0.6}
10506 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
10507 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
10508 \if@colourorange
10509     \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10510     \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
10511     \sectiontitlecolour{FF8C00}
10512     \subsectioncolour{FF8C00}
10513     \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
10514     \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
10515 \if@colourgreen
10516     \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10517     \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10518     \sectiontitlecolour{008000}
10519     \subsectioncolour{008000}
10520     \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}

```



```

10521 \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
10522 \if@coloured
10523 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10524 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10525 \sectiontitlecolour{FF0000}
10526 \subsectioncolour{FF0000}
10527 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
10528 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
10529 \if@colourgrey
10530 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
10531 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10532 \sectiontitlecolour{808080}
10533 \subsectioncolour{808080}
10534 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
10535 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
10536 \renewcommand*{\ttdefault}{pcr}
10537 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
10538 \renewcommand*{\familynamefont}{\firstnamefont}
10539 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
10540 \renewcommand*{\quoteont}{\large\slshape}
10541 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
10542 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
10543 \renewcommand*{\maketitle}{%
10544   {%
10545     \ifthenelse{\isundefined{\@photo}}{%
10546       {}%
10547       {\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
10548     \hfill%
10549     \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\[-.35em]}
10550     {\color{firstnamecolor}\rule{\textwidth}{.25ex}\[2.5em]}%
10551     \ifthenelse{\isundefined{\@quote}}{%
10552       {}%
10553       {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\}
10554     }%
10555 \newif\if@firstfooterelement\@firstfooterelementtrue
10556 \providecommand*{\footersymbol}{}
10557 \renewcommand*{\footersymbol}{%
10558   \if@firstfooterelement%
10559   \else%
10560     { ~-\color{footersymbolcolor}\textbullet~~}\fi}
10561 \providecommand*{\makefooter}{}
10562 \renewcommand*{\makefooter}{%
10563   \fancypagestyle{plain}{%
10564     \fancyfoot[c]{%
10565       \parbox{0.8\textwidth}{%
10566         \centering%
10567         \addressfont\@addresscolour%
10568         \ifthenelse{\isundefined{\@address}}{~}{%
10569           \addresssymbol~\@address\%
10570           \@firstfooterelementfalse}%
10571         \ifthenelse{\isundefined{\@mobile}}{~}{\mobilesymbol~\@mobile\@firstfooterelementfalse}
10572         \ifthenelse{\isundefined{\@phone}}{~}{\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse}
10573         \ifthenelse{\isundefined{\@fax}}{~}{\footersymbol\xaxsymbol~\@fax\@firstfooterelementfalse}
10574         \ifthenelse{\isundefined{\@email}}{~}{\footersymbol\emailsymbol~\emailink{\@email}\@firstfooterelementfalse}

```



```

10575     \ifthenelse{\isundefined{\@extrainfo}}{\footersymbol\@extrainfo\@firstfooterelementf
10576   }%
10577   \pagestyle{plain}}
10578 \AtBeginDocument{\makefooter}

```

## 77 File cvthemebidiclassic.sty

```

10579 \NeedsTeXFormat{LaTeX2e}
10580 \ProvidesPackage{cvthemebidiclassic}
10581 \DeclareOption{blue}{}
10582 \newif\if@colourorange\@colourorangefalse
10583 \DeclareOption{orange}{\@colourorangetrue}
10584 \newif\if@colourgreen\@colourgreenfalse
10585 \DeclareOption{green}{\@colourgreentrue}
10586 \newif\if@coloured\@colouredfalse
10587 \DeclareOption{red}{\@colouredtrue}
10588 \newif\if@colourgrey\@colourgreyfalse
10589 \DeclareOption{grey}{\@colourgreytrue}
10590 \DeclareOption*{
10591   \PackageWarning{cvthemebidiclassic}{Unknown option ‘\CurrentOption’}}
10592 \ExecuteOptions{colour}
10593 \ProcessOptions\relax
10594 \renewcommand*\listitemssymbol{\textbullet}
10595 \firstnamecolour{}
10596 \familynamecolour{}
10597 \titlecolour{808080}
10598 \quotecolour{696969}
10599 \addresscolour{696969}
10600 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
10601 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
10602 \sectiontitlecolour{1E90FF}
10603 \subsectioncolour{4682B4}
10604 \if@colourorange
10605   \addresscolour{FF8C00}
10606   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
10607   \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
10608   \sectiontitlecolour{FF8C00}
10609   \subsectioncolour{FF8C00}\fi
10610 \if@colourgreen
10611   \addresscolour{008000}
10612   \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
10613   \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
10614   \sectiontitlecolour{008000}
10615   \subsectioncolour{008000}\fi
10616 \if@coloured
10617   \addresscolour{FF0000}
10618   \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
10619   \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
10620   \sectiontitlecolour{FF0000}
10621   \subsectioncolour{FF0000}\fi
10622 \if@colourgrey
10623   \addresscolour{808080}
10624   \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
10625   \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}

```



```

10626 \sectiontitlecolour{808080}
10627 \subsectioncolour{808080}\fi
10628 \renewcommand*{\ttdefault}{pcr}
10629 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
10630 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
10631 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
10632 \renewcommand*{\familynamefont}{\firstnamefont}
10633 \renewcommand*{\quotefont}{\large\slshape}
10634 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
10635 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
10636 \newlength{\maketitlenamemaxwidth}
10637 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
10638 \newlength{\maketitlenamefullwidth}
10639 \settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familyname}}
10640 \newlength{\maketitlenamewidth}
10641 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}
10642 \newlength{\maketitlepicturewidth}
10643 \setlength{\maketitlepicturewidth}{\@photowidth}
10644 \newlength{\maketitledetailwidth}
10645 \renewcommand*{\recomputethemelengths}{%
10646 \setlength{\maketitledetailwidth}{\textwidth}%
10647 \addtolength{\maketitledetailwidth}{-\maketitlenamewidth}%
10648 \addtolength{\maketitledetailwidth}{-\separatorcolumnwidth}%
10649 \addtolength{\maketitledetailwidth}{-\maketitlepicturewidth}}
10650 \recomputethemelengths
10651 \newif\if@firstdetailselement\@firstdetailselementtrue
10652 \newcommand*{\maketitledetailsnewline}{
10653 \if@firstdetailselement%
10654 \@firstdetailselementfalse%
10655 \else%
10656 \ [.2em]\fi}
10657 \renewcommand*{\maketitle}{%
10658 % name and title
10659 \begin{minipage}[b]{\maketitlenamewidth}%
10660 \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
10661 \ifthenelse{equal{\@title}{}}{\ \ [1.25em]\titlestyle{\@title}}%
10662 \end{minipage}%
10663 % optional data
10664 \begin{minipage}[b]{\maketitledetailwidth}%
10665 \bidi@raggedleft\addressfont\addresscolour%
10666 \ifthenelse{\isundefined{\@address}}{\}%
10667 \maketitledetailsnewline%
10668 \addresssymbol~\@address}%
10669 \ifthenelse{\isundefined{\@mobile}}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
10670 \ifthenelse{\isundefined{\@phone}}{\maketitledetailsnewline\phonesymbol~\@phone}%
10671 \ifthenelse{\isundefined{\@fax}}{\maketitledetailsnewline\faxsymbol~\@fax}%
10672 \ifthenelse{\isundefined{\@email}}{\maketitledetailsnewline\emailsymbol~\emailink{\@email}}%
10673 \ifthenelse{\isundefined{\@extrainfo}}{\maketitledetailsnewline\@extrainfo}%
10674 \end{minipage}%
10675 % optional photo
10676 \ifthenelse{\isundefined{\@photo}}{\}%
10677 {}%
10678 {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=
10679 % optional quote

```



```

10680 \ifthenelse{\isundefined{\@quote}}{%
10681   {}}%
10682   {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}}\
10683   }

```

## 78 File dblfnote-xetex-bidi.def

```

10684 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
10685 \let\autofooterule\relax
10686 \let\rightfootnoterule\relax
10687 \let\leftfootnoterule\relax
10688 \let\textwidthfootnoterule\relax
10689 \let\LRfootnoterule\relax
10690 \def\footnoterule{\kern-3\p@
10691   \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
10692 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
10693 \let\@footnotetext\dfn@footnotetext}
10694 \long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
10695   \let\insert\dfn@gobble
10696   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10697   \def\@makefnmark{\smash{\dfn@makefnmark}}
10698   \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10699   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10700   \ifdim\dfn@dima>\z@else
10701     \dfn@dima1sp\relax
10702     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10703   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10704     \ifvoid\dfn@ins\else
10705       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10706     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10707   \setbox\dfn@boxa\copy\dfn@ins
10708   \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10709   \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
10710   \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10711   \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
10712   \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
10713 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
10714 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
10715 \long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
10716   \let\insert\dfn@gobble
10717   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
10718   \def\@makefnmark{\smash{\dfn@makefnmark}}
10719   \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
10720   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
10721   \ifdim\dfn@dima>\z@else
10722     \dfn@dima1sp\relax
10723     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
10724   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
10725     \ifvoid\dfn@ins\else
10726       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
10727     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
10728   \setbox\dfn@boxa\copy\dfn@ins
10729   \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10730   \advance\@tempdima\@tempdimb \@tempdimb\@tempdima

```



```

10731     \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
10732     \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
10733     \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
10734 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
10735 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
10736 \def\dfn@RTLmakecol{{\ifvoid\footins\else
10737     \dfn@dima\ht\footins
10738     \@tempcnta\z@ \dfn@countins
10739     \@tempdima\z@ \let\@elt\dfn@elt@getht
10740     \dfn@list\@nil
10741     \ifdim\@tempdima=\z@\else
10742     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
10743     \global\setbox\dfn@ins\box\dfn@ins
10744     \@tempswatruue
10745     \ifdfn@trysingle
10746         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
10747         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
10748         \advance\@tempdima-\skip\footins
10749         \advance\@tempdima-\ht\dfn@boxa
10750         \ifdim\@tempdima<\z@\else \@tempswafalse
10751             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10752                 \footnoterule \unvbox\dfn@boxa}\fi\fi
10753     \if@tempswa
10754     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10755     \global\setbox\footins\vbox{\hbox{%
10756         \hskip \DFNcolumnwidth
10757         \hskip\DFNcolumnsep
10758         \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
10759             \unvbox\dfn@boxb\vss}\hss}
10760         \hskip -\textwidth
10761         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
10762             \vbox to\@tempdima{
10763                 \setbox\@tempboxa\vbox{\footnoterule}
10764                 \ifdfn@ruleboth \unvbox\@tempboxa
10765                 \else \@tempdima\ht\@tempboxa
10766                     \advance\@tempdima\dp\@tempboxa
10767                     \vskip\@tempdima
10768                     \prevdepth\dp\@tempboxa \fi
10769                 \unvbox\dfn@boxa\vss}\fi\hss}
10770                 \hskip \DFNcolumnsep
10771                 \hskip \DFNcolumnwidth}}}\fi\fi
10772     \global\dfn@fnht\z@
10773     \ifx\dfn@list\@empty\else
10774         \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
10775         \dfn@list \global\advance\dfn@fnht\dfn@dimb
10776         \let\@elt\relax
10777         \ifdim\dfn@dimb>\z@
10778             \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
10779             \insert\footins{\floatingpenalty\@MM
10780                 \vbox to\dfn@dimb{}}\fi
10781         \ifdim\dfn@fnht>\@tempdima
10782             \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
10783             \global\dfn@fnht\@tempdima
10784             \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%

```



```

10785             \xdef\dfn@afteroutput{\insert\footins{
10786                 \floatingpenalty\@MM
10787                 \vbox to\number\@tempdimb sp{}}}%
10788             \global\let\noexpand\dfn@afteroutput\relax}%
10789         \fi\fi
10790     \fi}%
10791     \let\footnoterule\relax \dfn@latex@makecol
10792     \let\footnoterule\dfn@footnoterule}
10793 \def\dfn@LTRmakecol{{\ifvoid\footins\else
10794     \dfn@dima\ht\footins
10795     \@tempcnta\z@ \dfn@countins
10796     \@tempdima\z@ \let\@elt\dfn@elt@getht
10797     \dfn@list\@nil
10798     \ifdim\@tempdima=\z@\else
10799     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
10800     \global\setbox\dfn@ins\box\dfn@ins
10801     \@tempswatrue
10802     \ifdfn@trysingle
10803         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
10804         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
10805         \advance\@tempdima-\skip\footins
10806         \advance\@tempdima-\ht\dfn@boxa
10807         \ifdim\@tempdima<\z@\else \@tempswafalse
10808             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
10809                 \footnoterule \unvbox\dfn@boxa}\fi\fi
10810     \if@tempswa
10811     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
10812     \global\setbox\footins\vbox{\hbox{%
10813         \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
10814             \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
10815         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
10816             \vbox to\@tempdima{
10817                 \setbox\@tempboxa\vbox{\footnoterule}
10818                 \ifdfn@ruleboth \unvbox\@tempboxa
10819                 \else \@tempdima\ht\@tempboxa
10820                 \advance\@tempdima\dp\@tempboxa
10821                 \vskip\@tempdima
10822                 \prevdepth\dp\@tempboxa \fi
10823                 \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
10824     \global\dfn@fnht\z@
10825     \ifx\dfn@list\@empty\else
10826         \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
10827         \dfn@list \global\advance\dfn@fnht\dfn@dimb
10828         \let\@elt\relax
10829         \ifdim\dfn@dimb>\z@
10830             \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
10831             \insert\footins{\floatingpenalty\@MM
10832                 \vbox to\dfn@dimb{}}\fi
10833     \ifdim\dfn@fnht>\@tempdima
10834         \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
10835         \global\dfn@fnht\@tempdima
10836         \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
10837     \xdef\dfn@afteroutput{\insert\footins{
10838         \floatingpenalty\@MM

```



```

10839             \vbox to\number\@tempdimb sp{}}%
10840             \global\let\noexpand\dfn@afteroutput\relax}%
10841             \fi\fi
10842             \fi}%
10843             \let\footnoterule\relax \dfn@latex@makecol
10844             \let\footnoterule\dfn@footnoterule}
10845 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
10846 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
10847 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
10848 \DFNalwaysdouble

```

## 79 File diagbox-xetex-bidi.def

```

10849 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package f
10850 \bidi@patchcmd{\diagbox@double}{%
10851     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}}
10852 }{\bidi@@diagbox@double@ii}{-}{-}
10853 \bidi@patchcmd{\diagbox@double}{%
10854     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepr}}
10855 }{\bidi@@diagbox@double@iii}{-}{-}
10856 \newcommand*{\bidi@@diagbox@double@ii}{%
10857     \if@RTL
10858     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepl}}
10859     \else
10860     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}}
10861     \fi
10862 }
10863 \newcommand*{\bidi@@diagbox@double@iii}{%
10864     \if@RTL
10865     \begin{tabular}{@{\hspace{\diagbox@insepr}}>\diagbox@font}l@{}}
10866     \else
10867     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepr}}
10868     \fi
10869 }
10870 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10871     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}}
10872 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{-}{-}
10873 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10874     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}}
10875 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{-}{-}
10876 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
10877     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepr}}
10878 }{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{-}{-}
10879 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
10880     \if@RTL
10881     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepl}}
10882     \else
10883     \begin{tabular}{@{\hspace{\diagbox@insepl}}>\diagbox@font}l@{}}
10884     \fi
10885 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
10886     \if@RTL
10887     \begin{tabular}{@{\hspace{\diagbox@insepr}}>\diagbox@font}l@{}}
10888     \else
10889     \begin{tabular}{@{}>\diagbox@font}r@{\hspace{\diagbox@insepr}}

```



```

10890 \fi}
10891 \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
10892 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10893   \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}%
10894 }{\bidi@@diagbox@triple@setbox@SE@tabular@i}{-}{-}
10895 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10896   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
10897 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
10898 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
10899   \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
10900 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
10901 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
10902   \ifRTL
10903     \begin{tabular}{@{}r@{\hspace{\diagbox@insepl}}}%
10904   \else
10905     \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}
10906   \fi
10907 }
10908 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
10909   \ifRTL
10910     \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
10911   \else
10912     \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
10913   \fi
10914 }
10915 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
10916 \bidi@patchcmd{\diagbox@double@pict@SE}{%
10917   \diagbox@setlinecolor
10918   \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
10919 }{%
10920   {\diagbox@setlinecolor
10921     \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
10922 }{-}{-}
10923 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
10924 \bidi@patchcmd{\diagbox@double@pict@NE}{%
10925   \diagbox@setlinecolor
10926   \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
10927 }{%
10928   {\diagbox@setlinecolor
10929     \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
10930 }{-}{-}
10931 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
10932 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
10933   \diagbox@setlinecolor
10934   \Line(0,\yym)(\x,0)
10935   \Line(\xm,\y)(\x,0)%
10936 }{%
10937   {\diagbox@setlinecolor
10938     \Line(0,\yym)(\x,0)
10939     \Line(\xm,\y)(\x,0)}%
10940 }{-}{-}
10941 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
10942   \diagbox@setlinecolor
10943   \Line(0,0)(\xxm,\y)

```



```

10944 \Line(0,0)(\x,\yym)%
10945 }{%
10946 {\diagbox@setlinecolor
10947 \Line(0,0)(\xxm,\y)
10948 \Line(0,0)(\x,\yym)}%
10949 }{}{}
10950 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
10951 \diagbox@setlinecolor
10952 \Line(0,\ym)(\x,\y)
10953 \Line(\xm,0)(\x,\y)}%
10954 }{%
10955 {\diagbox@setlinecolor
10956 \Line(0,\ym)(\x,\y)
10957 \Line(\xm,0)(\x,\y)}%
10958 }{}{}
10959 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
10960 \diagbox@setlinecolor
10961 \Line(0,\y)(\xxm,0)
10962 \Line(0,\y)(\x,\ym)}%
10963 }{%
10964 {\diagbox@setlinecolor
10965 \Line(0,\y)(\xxm,0)
10966 \Line(0,\y)(\x,\ym)}%
10967 }{}{}

```

## 80 File draftwatermark-xetex-bidi.def

```

10968 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwater
10969 \renewcommand\SetWatermarkText[1]{%
10970 \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

## 81 File eso-pic-xetex-bidi.def

```

10971 \ProvidesFile{eso-pic-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for eso-pic package f
10972 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
10973 \put(\if@RTLmain\paperwidth\else 0\fi,-\paperheight){#1}}
10974
10975 \ESO@isMEMOIR{%
10976 \renewcommand\AtTextUpperLeft[1]{%
10977 \begingroup
10978 \ifodd\c@page
10979 \if@RTLmain
10980 \ESO@tempdima=\paperwidth
10981 \advance\ESO@tempdima-\textwidth
10982 \advance\ESO@tempdima-\spinmargin
10983 \else
10984 \ESO@tempdima=\spinmargin
10985 \fi
10986 \else
10987 \if@RTLmain
10988 \ESO@tempdima=\spinmargin
10989 \else
10990 \ESO@tempdima=\paperwidth
10991 \advance\ESO@tempdima-\textwidth

```



```

10992         \advance\ESO@tempdima-\spinemargin
10993         \fi
10994     \fi
10995     \ESO@tempdimb=-\uppermargin
10996     \AtPageUpperLeft{%
10997         \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
10998     }%
10999 \endgroup
11000 }
11001 }{%
11002 \renewcommand\AtTextUpperLeft[1]{%
11003 \begingroup
11004 \ESO@tempdima=1in\relax
11005 \if@twoside
11006     \ifodd\c@page
11007         \if@RTLmain
11008             \advance\ESO@tempdima\evensidemargin
11009         \else
11010             \advance\ESO@tempdima\oddsidemargin
11011         \fi
11012     \else
11013         \if@RTLmain
11014             \advance\ESO@tempdima\oddsidemargin
11015         \else
11016             \advance\ESO@tempdima\evensidemargin
11017         \fi
11018     \fi
11019 \else
11020     \advance\ESO@tempdima\oddsidemargin
11021 \fi
11022 \ESO@tempdimb=-1in\relax
11023 \advance\ESO@tempdimb-\topmargin
11024 \advance\ESO@tempdimb-\headheight
11025 \advance\ESO@tempdimb-\headsep
11026 \AtPageUpperLeft{%
11027     \put(\if@RTLmain-\textwidth-\fi\ESO@tempdima,\ESO@tempdimb){#1}%
11028 }%
11029 \endgroup
11030 }
11031 }

```

## 82 File empheq-xetex-bidi.def

```

11032 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for
11033 \MHInternalSyntaxOn
11034 \def\EQ_tag_plus_endmark:{%
11035 \iftagsleft@
11036     \gdef\maketag@@@##1{%
11037         \hfuzz\displaywidth
11038         \if@RTL\makebox[\widthof{##1}][r]{%
11039             \hbox to \displaywidth{\m@th\normalfont##1\hss
11040                 \raisebox{-\dp\EQ_mathdisplay_box
11041                     -\depthof{\EQ_outerbox:}}{
11042                     {\PotEndMark{\hss}}}}

```



```

11043     \else\makebox[\widthof{##1}] [l]{%
11044         \hbox to \displaywidth{\m@th\normalfont##1\hss
11045             \raisebox{-\dp\EQ_mathdisplay_box
11046                 -\depthof{\EQ_outerbox: {}}}{
11047                 {\PotEndMark{\hss}}}\fi}%
11048 \MH_else:
11049     \gdef\maketag@@@##1{%
11050         \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
11051             \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}}%
11052             \MH_addtolength:dn \@tempdima
11053             {\g_EQ_bottomtag_depth_dim+\mintagvsep}
11054             \setlength{\@tempdimb}
11055             {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox: {}}
11056             +\depthof{\EQ_innerbox: {}}}}
11057         \MH_if_dim:w \@tempdima>\@tempdimb
11058         \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
11059             -\@tempdima+\g_EQ_bottomrow_depth_dim}
11060         \addtolength{\@tempdima}{\depthof{\EQ_innerbox: {}}}%
11061         \def\EQ_next:{\raisebox{\@tempdima}}}%
11062     \MH_else:
11063     \def\EQ_next:{
11064         \raisebox{-\dp\EQ_mathdisplay_box
11065             -\depthof{\EQ_outerbox: {}}}%
11066     \MH_fi:\EQ_next:}}}%
11067 \MH_fi:}
11068 \def\EQ_post_process:{%
11069     \EQ_initialize:
11070     \EQ_begin_equation:
11071     \MH_if_boolean:nT {outer_mult}{
11072         \setkeys{MT_options_name:}{
11073             firstline-afterskip=Opt,
11074             lastline-preskip=Opt,
11075             multlined-width=Opt,
11076         }
11077         \ifodd \l_EQ_alignmentmode_int
11078             \setkeys{MT_options_name:}{multlined-pos=b}
11079         \MH_else:
11080             \setkeys{MT_options_name:}{multlined-pos=t}
11081         \MH_fi:
11082         \g@addto@macro\EQ_complete_mathdisplay:{
11083             \begin{MTmultlined}\relax}
11084     }
11085     \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
11086     \MH_if_boolean:nT {outer_mult}{
11087         \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
11088     }
11089     \EQ_end_equation:
11090     \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
11091     \savecounters@
11092     \EQ_typeset_tags:
11093     \edef\l_EQ_equation_fint{\number\c@equation}
11094     \restorecounters@
11095     \Hy@linkcounter=\EQ_hyperref_link_fint
11096     \settowidth\l_EQ_totalwidth_dim{%

```



```

11097   $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
11098 \MH_if_boolean:nTF {outer_mult}
11099   { \def\EQ_next:{_mult} }
11100   { \def\EQ_next:{} }
11101 \@nameuse{EQ_modify_linewidth_
11102   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
11103 \EQ_typeset_display:
11104 \@nameuse{EQ_find_displaywidth_
11105   \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
11106 \MH_addtolength:dn
11107   \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
11108 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
11109   $\EQ_left_side:
11110   \EQ_innerbox:{%
11111     \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
11112     \makebox[\l_EQ_displaywidth_dim][c]
11113     {\usebox{\EQ_mathdisplay_box}}}%
11114   \MH_or:
11115     \makebox[\l_EQ_displaywidth_dim][c]
11116     {\usebox{\EQ_mathdisplay_box}}}%
11117   \MH_or:
11118     \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
11119       \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11120       \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11121       \kern-\@mathmargin
11122       \MH_fi:
11123     \MH_fi:
11124     \usebox{\EQ_mathdisplay_box}}}%
11125   \else\makebox[\l_EQ_displaywidth_dim][l]{%
11126     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11127     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11128     \kern-\@mathmargin
11129     \MH_fi:
11130     \MH_fi:
11131     \usebox{\EQ_mathdisplay_box}}\fi%
11132   \MH_or:
11133     \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
11134       \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11135       \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11136       \kern-\@mathmargin
11137       \MH_fi:
11138     \MH_fi:
11139     \usebox{\EQ_mathdisplay_box}}
11140   \else\makebox[\l_EQ_displaywidth_dim][l]{%
11141     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
11142     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
11143     \kern-\@mathmargin
11144     \MH_fi:
11145     \MH_fi:
11146     \usebox{\EQ_mathdisplay_box}}\fi%
11147   \MH_fi:}%
11148   \EQ_right_side:$}%
11149 \begin{AmSequation*}
11150 \@nameuse{EQ_place_display_

```



```

11151         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
11152 \MH_if_dim:w \g_EQ_widesttag_dim>\z@
11153 \MH_set_boolean_T:n {show_manual_tags}
11154   \MH_if_case:w \l_EQ_alignmentmode_int
11155   \MH_or: \ifRTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %\#1
11156   \MH_or: \ifRTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %\#2
11157   \MH_or: \ifRTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %\#3
11158   \MH_or: \ifRTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %\#4
11159   \MH_fi:
11160 \MH_fi:
11161 \end{AmSequation*}
11162 \global\c@equation=\l_EQ_equation_fint\relax
11163 }
11164 \AtBeginDocument{%
11165   \@ifpackageloaded{fancybox}{%
11166     \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
11167     {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
11168     \renewcommand*\shadowbox{%
11169       \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
11170         \VerbBox\EQ_shadowbox:n
11171         {\MH_set_boolean_F:n {shadowbox_star}
11172         \VerbBox\EQ_shadowbox:n}}
11173       \def\EQ_shadowbox:n #1{%
11174         \sbox{\z@}{\fbox{#1}}%
11175         \MH_if_boolean:nTF {shadowbox_star}{
11176           \MH_setlength:dn \@tempdima{\z@}%
11177         }{
11178           \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
11179         }
11180         \raisebox{\@tempdima}{%
11181           \ifRTL\makebox[\z@][r]{%
11182             \kern\shadowsize \textcolor{shadowcolor}{%
11183               \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
11184           }%
11185           \else\makebox[\z@][l]{%
11186             \kern\shadowsize \textcolor{shadowcolor}{%
11187               \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
11188           }\fi%
11189           \usebox\z@\textcolor{shadowcolor}{%
11190             \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}%
11191         }{}}%
11192 }
11193 \MHInternalSyntaxOff

```

## 83 File extarticle-xetex-bidi.def

```

11194 \ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle cla
11195 \renewcommand*\l@section[2]{%
11196   \ifnum \c@tocdepth >\z@
11197     \addpenalty\@secpenalty
11198     \addvspace{1.0em \@plus\p@}%
11199     \setlength\@tempdima{1.5em}%
11200     \begingroup
11201     \parindent \z@ \ifRTL\leftskip\else\rightskip\fi \@pnumwidth

```



```

11202     \parfillskip -\@pnumwidth
11203     \leavevmode \bfseries
11204     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
11205     \hskip -\if@RTL\rightskip\else\leftskip\fi
11206     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
11207   \endgroup
11208 \fi}
11209 \renewcommand*\l@part[2]{%
11210 \ifnum \c@tocdepth >-2\relax
11211   \addpenalty\@secpenalty
11212   \addvspace{2.25em \@plus\p@}%
11213   \begingroup
11214     \setlength\@tempdima{3em}%
11215     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
11216     \parfillskip -\@pnumwidth
11217     {\leavevmode
11218       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
11219     \nobreak
11220   \endgroup
11221 \fi}
11222 \def\@part[#1]#2{%
11223   \ifnum \c@secnumdepth >\m@ne
11224     \refstepcounter{part}%
11225     \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
11226   \else
11227     \addcontentsline{toc}{part}{#1}%
11228   \fi
11229   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11230   \interlinepenalty \@M
11231   \normalfont
11232   \ifnum \c@secnumdepth >\m@ne
11233     \Large\bfseries \partname-\thepart
11234     \par\nobreak
11235   \fi
11236   \huge \bfseries #2%
11237   \markboth{}{\par}%
11238   \nobreak
11239   \vskip 3ex
11240   \@afterheading}
11241 \def\@spart#1{%
11242   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11243   \interlinepenalty \@M
11244   \normalfont
11245   \huge \bfseries #1\par}%
11246   \nobreak
11247   \vskip 3ex
11248   \@afterheading}
11249 \renewenvironment{thebibliography}[1]
11250   {\section*{\refname
11251     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
11252     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
11253     \bidi@thebibliography@font@hook%
11254     \list{\@biblabel{\@arabic\c@enumiv}}%
11255     {\settowidth\labelwidth{\@biblabel{#1}}%

```



```

11256         \leftmargin\labelwidth
11257         \advance\leftmargin\labelsep
11258         \@openbib@code
11259         \usecounter{enumiv}%
11260         \let\p@enumiv\@empty
11261         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
11262     \sloppy\clubpenalty4000\widowpenalty4000%
11263     \sfcode`\.\@m}
11264     {\def\@noitemerr
11265       {\@latex@warning{Empty `thebibliography' environment}}}%
11266     \endlist}
11267 \renewcommand\left@footnoterule{%
11268   \kern-3\p@
11269   \hrule\@width.4\columnwidth
11270   \kern2.6\p@}
11271 \renewcommand\right@footnoterule{%
11272   \kern-3\p@
11273   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11274   \kern2.6\p@}
11275   \if@titlepage
11276   \renewcommand\maketitle{\begin{titlepage}%
11277     \let\footnotesize\small
11278     \let\right@footnoterule\relax
11279     \let\left@footnoterule\relax
11280     \let\textwidth@footnoterule\relax
11281     \let \footnote \thanks
11282     \null\vfil
11283     \vskip 60\p@
11284     \begin{center}%
11285       {\LARGE \@title \par}%
11286       \vskip 3em%
11287       {\large
11288         \lineskip .75em%
11289         \begin{tabular}[t]{c}%
11290           \@author
11291           \end{tabular}\par}%
11292       \vskip 1.5em%
11293       {\large \@date \par}%           % Set date in \large size.
11294     \end{center}\par
11295     \@thanks
11296     \vfil\null
11297   \end{titlepage}%
11298   \setcounter{footnote}{0}%
11299   \global\let\thanks\relax
11300   \global\let\maketitle\relax
11301   \global\let\@thanks\@empty
11302   \global\let\@author\@empty
11303   \global\let\@date\@empty
11304   \global\let\@title\@empty
11305   \global\let\title\relax
11306   \global\let\author\relax
11307   \global\let\date\relax
11308   \global\let\and\relax
11309 }

```



```

11310 \else
11311 \renewcommand\maketitle{\par
11312   \begingroup
11313     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
11314     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
11315     \long\def\@makefntext##1{\parindent 1em\noindent
11316       \hb@xt@1.8em{%
11317         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
11318     \if@twocolumn
11319       \ifnum \col@number=\@ne
11320         \@maketitle
11321       \else
11322         \twocolumn[\@maketitle]%
11323       \fi
11324     \else
11325       \newpage
11326       \global\@topnum\z@ % Prevents figures from going at top of page.
11327       \@maketitle
11328     \fi
11329     \thispagestyle{plain}\@thanks
11330   \endgroup
11331   \setcounter{footnote}{0}%
11332   \global\let\thanks\relax
11333   \global\let\maketitle\relax
11334   \global\let\@maketitle\relax
11335   \global\let\@thanks\@empty
11336   \global\let\@author\@empty
11337   \global\let\@date\@empty
11338   \global\let\@title\@empty
11339   \global\let\title\relax
11340   \global\let\author\relax
11341   \global\let\date\relax
11342   \global\let\and\relax
11343 }
11344 \def\@maketitle{%
11345   \newpage
11346   \null
11347   \vskip 2em%
11348   \begin{center}%
11349     \let \footnote \thanks
11350     {\LARGE \@title \par}%
11351     \vskip 1.5em%
11352     {\large
11353       \lineskip .5em%
11354       \begin{tabular}[t]{c}%
11355         \@author
11356       \end{tabular}\par}%
11357     \vskip 1em%
11358     {\large \@date}%
11359   \end{center}%
11360   \par
11361   \vskip 1.5em}
11362 \fi
11363 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}

```



```

11364 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
11365 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
11366 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%

```

## 84 File extbook-xetex-bidi.def

```

11367 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for
11368 \if@titlepage
11369 \renewcommand\maketitle{\begin{titlepage}%
11370 \let\footnotesize\small
11371 \let\right@footnoterule\relax
11372 \let\left@footnoterule\relax
11373 \let\textwidth@footnoterule\relax
11374 \let\footnote\thanks
11375 \let\LTRfootnote\LTRthanks
11376 \let\RTLfootnote\RTLthanks
11377 \null\vfil
11378 \vskip 60\p@
11379 \begin{center}%
11380 {\LARGE \@title \par}%
11381 \vskip 3em%
11382 {\large
11383 \lineskip .75em%
11384 \begin{tabular}[t]{c}%
11385 \@author
11386 \end{tabular}\par}%
11387 \vskip 1.5em%
11388 {\large \@date \par}% % Set date in \large size.
11389 \end{center}\par
11390 \@thanks
11391 \vfil\null
11392 \end{titlepage}%
11393 \setcounter{footnote}{0}%
11394 \global\let\thanks\relax
11395 \global\let\LTRthanks\relax
11396 \global\let\RTLthanks\relax
11397 \global\let\maketitle\relax
11398 \global\let\@thanks\@empty
11399 \global\let\@author\@empty
11400 \global\let\@date\@empty
11401 \global\let\@title\@empty
11402 \global\let\title\relax
11403 \global\let\author\relax
11404 \global\let\date\relax
11405 \global\let\and\relax
11406 }
11407 \else
11408 \renewcommand\maketitle{\par
11409 \begin{group
11410 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
11411 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
11412 \long\def\@makefntext##1{\parindent 1em\noindent
11413 \hb@xt@1.8em{%
11414 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%

```



```

11415 \if@twocolumn
11416 \ifnum \col@number=\@ne
11417 \maketitle
11418 \else
11419 \twocolumn[\maketitle]%
11420 \fi
11421 \else
11422 \newpage
11423 \global\@topnum\z@ % Prevents figures from going at top of page.
11424 \maketitle
11425 \fi
11426 \thispagestyle{plain}\@thanks
11427 \endgroup
11428 \setcounter{footnote}{0}%
11429 \global\let\thanks\relax
11430 \global\let\LTRthanks\relax
11431 \global\let\RTLthanks\relax
11432 \global\let\maketitle\relax
11433 \global\let\@maketitle\relax
11434 \global\let\@thanks\@empty
11435 \global\let\@author\@empty
11436 \global\let\@date\@empty
11437 \global\let\@title\@empty
11438 \global\let\title\relax
11439 \global\let\author\relax
11440 \global\let\date\relax
11441 \global\let\and\relax
11442 }
11443 \def\maketitle{%
11444 \newpage
11445 \null
11446 \vskip 2em%
11447 \begin{center}%
11448 \let \footnote \thanks
11449 \let \LTRfootnote \LTRthanks
11450 \let \RTLfootnote \RTLthanks
11451 {\LARGE \@title \par}%
11452 \vskip 1.5em%
11453 {\large
11454 \lineskip .5em%
11455 \begin{tabular}[t]{c}%
11456 \@author
11457 \end{tabular}\par}%
11458 \vskip 1em%
11459 {\large \@date}%
11460 \end{center}%
11461 \par
11462 \vskip 1.5em}
11463 \fi
11464 \renewcommand*\l@part[2]{%
11465 \ifnum \c@tocdepth >-2\relax
11466 \addpenalty{-\@highpenalty}%
11467 \addvspace{2.25em \@plus\p}%
11468 \begingroup

```



```

11469     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
11470     \parfillskip -\@pnumwidth
11471     {\leavevmode
11472     \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
11473     \nobreak
11474     \global\@nobreaktrue
11475     \everypar{\global\@nobreakfalse\everypar{}}%
11476 \endgroup
11477 \fi}
11478 \renewcommand\theequation
11479 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
11480 \renewcommand \thefigure
11481 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
11482 \renewcommand \thetable
11483 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
11484 \renewcommand \thechapter {\@arabic\c@chapter}
11485 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
11486 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
11487 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
11488 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
11489 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
11490 \def\@makechapterhead#1{%
11491 \vspace*{50\p@}%
11492 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
11493 \ifnum \c@secnumdepth >\m@ne
11494 \if@mainmatter
11495 \huge\bfseries \@chapapp\space \thechapter
11496 \par\nobreak
11497 \vskip 20\p@
11498 \fi
11499 \fi
11500 \interlinepenalty\@M
11501 \Huge \bfseries #1\par\nobreak
11502 \vskip 40\p@
11503 }}
11504
11505 \def\@makeschapterhead#1{%
11506 \vspace*{50\p@}%
11507 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
11508 \normalfont
11509 \interlinepenalty\@M
11510 \Huge \bfseries #1\par\nobreak
11511 \vskip 40\p@
11512 }}
11513 \renewcommand\backmatter{%
11514 \if@openright
11515 \cleardoublepage
11516 \else
11517 \clearpage
11518 \fi
11519 \@mainmatterfalse}
11520 \renewenvironment{thebibliography}[1]
11521 {\chapter*{\bibname
11522 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%

```



```

11523 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
11524 \bidi@thebibliography@font@hook%
11525 \list{\@biblabel{\@arabic\c@enumiv}}%
11526     {\settowidth\labelwidth{\@biblabel{#1}}%
11527     \leftmargin\labelwidth
11528     \advance\leftmargin\labelsep
11529     \@openbib@code
11530     \usecounter{enumiv}}%
11531     \let\p@enumiv\@empty
11532     \renewcommand\theenumiv{\@arabic\c@enumiv}}%
11533 \sloppy
11534 \clubpenalty4000
11535 \@clubpenalty \clubpenalty
11536 \widowpenalty4000%
11537 \sfcode`..\@m}
11538 {\def\@noitemerr
11539     {\@latex@warning{Empty `thebibliography' environment}}}%
11540 \endlist}

```

## 85 File extletter-xetex-bidi.def

```

11541 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class]
11542 \renewcommand*\opening[1]{\ifx\@empty\fromaddress
11543 \thispagestyle{firstpage}%
11544     {\ifRTL\raggedright\else\raggedleft\fi \@date\par}%
11545 \else % home address
11546 \thispagestyle{empty}%
11547     {\ifRTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignore
11548     \fromaddress \*[2\parskip]%
11549     \@date \end{tabular}\par}%
11550 \fi
11551 \vspace{2\parskip}%
11552 {\ifRTL\raggedleft\else\raggedright\fi \toname \ \ toaddress \par}%
11553 \vspace{2\parskip}%
11554 #1\par\nobreak}
11555 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
11556 \stopbreaks
11557 \noindent
11558 \ifx\@empty\fromaddress\else
11559 \hspace*{\longindentation}\fi
11560 \parbox{\indentedwidth}{\ifRTL\raggedleft\else\raggedright\fi
11561     \ignorespaces #1\[\[6\medskipamount]}%
11562     \ifx\@empty\fromsig
11563     \fromname
11564     \else \fromsig \fi\strut}%
11565 \par}
11566 \renewcommand\left@footnoterule{%
11567 \kern-\p@
11568 \hrule \@width .4\columnwidth
11569 \kern .6\p@}
11570 \renewcommand\right@footnoterule{%
11571 \kern-\p@
11572 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11573 \kern .6\p@}

```



## 86 File extrafootnotefeatures-xetex-bidi.def

```
11574 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2022/07/14 v2.4 bidi extra footnote feat
11575 \newdimen\bidi@columnwidth
11576 \def\bidi@floathook{%
11577   \bidi@columnwidth\columnwidth
11578 }
11579 \newif\if@bidi@void@@mpfootins
11580 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
11581 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
11582 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
11583 \ifHy@hyperfootnotes
11584   \let@@H@@footnotetext\@footnotetext
11585   \let@@HLTR@LTRfootnotetext\@LTRfootnotetext
11586   \let@@HRTL@RTLfootnotetext\@RTLfootnotetext
11587   \let@@H@@mpfootnotetext\@mpfootnotetext
11588   \let@@HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
11589   \let@@HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
11590 \fi
11591 }%
11592 }%
11593 }
11594 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
11595 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
11596 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
11597 \ifHy@hyperfootnotes
11598   \let\H@@footnotetext\@footnotetext
11599   \let\@footnotetext\@H@@footnotetext
11600   \let\HLTR@LTRfootnotetext\@LTRfootnotetext
11601   \let\@LTRfootnotetext\@HLTR@LTRfootnotetext
11602   \let\HRTL@RTLfootnotetext\@RTLfootnotetext
11603   \let\@RTLfootnotetext\@HRTL@RTLfootnotetext
11604   \let\H@@mpfootnotetext\@mpfootnotetext
11605   \let\@mpfootnotetext\@H@@mpfootnotetext
11606   \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
11607   \let\@mpLTRfootnotetext\@HLTR@mpLTRfootnotetext
11608   \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
11609   \let\@mpRTLfootnotetext\@HRTL@mpRTLfootnotetext
11610 \fi
11611 }%
11612 }%
11613 }
11614 \let\autofooterule\relax
11615 \let\rightfooterule\relax
11616 \let\leftfooterule\relax
11617 \let\textwidthfooterule\relax
11618 \let\LRfooterule\relax
11619 \def\footnoterule{\kern-3\p@
11620 \hrule \@width \columnwidth \kern 2.6\p@}
11621 \newcommand{\@preamnormalfmt}{%
11622   \parindent 1em%
11623   \noindent
11624 }
11625 \newcommand{\@normalfootfmt}[1]{%
```



```

11626 \@preamnormalfmt
11627 \footfootmark
11628 \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
11629 \@finalstrut\strutbox
11630 }
11631 \newcommand{\@normalRTLfootfmt}[1]{%
11632 \@preamnormalfmt
11633 \RTLfootfootmark
11634 \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
11635 \@finalstrut\strutbox
11636 }
11637 \newcommand{\@normalLTRfootfmt}[1]{%
11638 \@preamnormalfmt
11639 \LTRfootfootmark
11640 \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
11641 \@finalstrut\strutbox
11642 }
11643 \renewcommand{\@footnotetext}[1]{%
11644 \insert\footins{%
11645 \ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11646 \def\baselinestretch{\m@m@footnote@spacing}%
11647 \reset@font
11648 \foottextfont
11649 \@preamfntext
11650 \hsize\columnwidth
11651 \protected@edef\@currentlabel{%
11652 \csname p@footnote\endcsname\@thefnmark}%
11653 \color@begingroup
11654 \@normalfootfmt{#1}%
11655 \color@endgroup}%
11656 \m@mmf@prepare}
11657 \renewcommand{\@RTLfootnotetext}[1]{%
11658 \insert\footins{%
11659 \@RTLtrue%
11660 \def\baselinestretch{\m@m@footnote@spacing}%
11661 \reset@font
11662 \RTLfoottextfont
11663 \@preamfntext
11664 \hsize\columnwidth
11665 \protected@edef\@currentlabel{%
11666 \csname p@footnote\endcsname\@thefnmark}%
11667 \color@begingroup
11668 \@normalRTLfootfmt{#1}%
11669 \color@endgroup}%
11670 \m@mmf@prepare}
11671 \renewcommand{\@LTRfootnotetext}[1]{%
11672 \insert\footins{%
11673 \@RTLfalse%
11674 \def\baselinestretch{\m@m@footnote@spacing}%
11675 \reset@font
11676 \LTRfoottextfont
11677 \@preamfntext
11678 \hsize\columnwidth
11679 \protected@edef\@currentlabel{%

```



```

11680     \csname p@footnote\endcsname\@thefnmark}%
11681     \color@begingroup
11682     \@normalLTRfootfmt{#1}%
11683     \color@endgroup}%
11684     \m@m@mmf@prepare}
11685 \renewcommand{\@mpfootnotetext}[1]{%
11686 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11687 \unvbox\@mpfootins
11688 \def\baselinestretch{\m@m@footnote@spacing}%
11689 \reset@font%
11690 \foottextfont \hsize\columnwidth \@parboxrestore
11691 \protected@edef\@currentlabel{%
11692 \csname p@mpfootnote\endcsname\@thefnmark}%
11693 \color@begingroup
11694 \@normalfootfmt{#1}%
11695 \color@endgroup}}
11696 \renewcommand{\@mpLTRfootnotetext}[1]{%
11697 \global\setbox\@mpfootins\vbox{\@RTLfalse%
11698 \unvbox\@mpfootins
11699 \def\baselinestretch{\m@m@footnote@spacing}%
11700 \reset@font%
11701 \LTRfoottextfont \hsize\columnwidth \@parboxrestore
11702 \protected@edef\@currentlabel{%
11703 \csname p@mpfootnote\endcsname\@thefnmark}%
11704 \color@begingroup
11705 \@normalLTRfootfmt{#1}%
11706 \color@endgroup}}
11707 \renewcommand{\@mpRTLfootnotetext}[1]{%
11708 \global\setbox\@mpfootins\vbox{\@RTLtrue%
11709 \unvbox\@mpfootins
11710 \def\baselinestretch{\m@m@footnote@spacing}%
11711 \reset@font%
11712 \RTLfoottextfont \hsize\columnwidth \@parboxrestore
11713 \protected@edef\@currentlabel{%
11714 \csname p@mpfootnote\endcsname\@thefnmark}%
11715 \color@begingroup
11716 \@normalRTLfootfmt{#1}%
11717 \color@endgroup}}
11718 \let\m@mold@footnotetext\@footnotetext
11719 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
11720 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
11721 \let\m@mold@mpfootnotetext\@mpfootnotetext
11722 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
11723 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
11724 \bidi@ensure@newcommand{\normalfootnotes}{%
11725 \@bidi@before@Hy@hyperfootnotes
11726 \let\@footnotetext\m@mold@footnotetext
11727 \let\@LTRfootnotetext\m@mold@LTRfootnotetext
11728 \let\@RTLfootnotetext\m@mold@RTLfootnotetext
11729 \let\@mpfootnotetext\m@mold@mpfootnotetext
11730 \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
11731 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
11732 \@bidi@after@Hy@hyperfootnotes
11733 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth

```



```

11734 }
11735 \@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
11736 \bidi@ensure@newcommand*\setSingleSpace{1}{%
11737   \def\m@m@singlespace{#1}%
11738   \def\m@m@footnote@spacing{#1}%
11739   \def\m@m@float@spacing{#1} %
11740 }
11741 \setSingleSpace{1}
11742 \bidi@ensure@newcommand*\multiplefootnotemarker{3sp}
11743 \bidi@ensure@newcommand*\m@mmf@prepare}{%
11744   \kern-\multiplefootnotemarker
11745   \kern\multiplefootnotemarker\relax}
11746 \bidi@ensure@newlength{footmarkwidth}
11747 \bidi@ensure@newcommand*\footmarkstyle{1}{\def\footscript##1{#1}}
11748 \bidi@ensure@newcommand*\LTRfootmarkstyle{1}{\def\LTRfootscript##1{#1}}
11749 \bidi@ensure@newcommand*\RTLfootmarkstyle{1}{\def\RTLfootscript##1{#1}}
11750 \bidi@ensure@newcommand\footfootmark}{%
11751   \ifdim\footmarkwidth < \z@
11752     \llap{\hb@xt@ -\footmarkwidth{%
11753       \hss\normalfont\footscript{\@thefnmark}}%
11754       \hspace*{-\footmarkwidth}}}%
11755   \else
11756     \ifdim\footmarkwidth = \z@
11757       {\normalfont\footscript{\@thefnmark}}%
11758     \else
11759       \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
11760     \fi
11761   \fi}
11762 \bidi@ensure@newcommand\LTRfootfootmark}{%
11763   \ifdim\footmarkwidth < \z@
11764     \llap{\hb@xt@ -\footmarkwidth{%
11765       \hss\normalfont\LTRfootscript{\@thefnmark}}%
11766       \hspace*{-\footmarkwidth}}}%
11767   \else
11768     \ifdim\footmarkwidth = \z@
11769       {\normalfont\LTRfootscript{\@thefnmark}}%
11770     \else
11771       \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
11772     \fi
11773   \fi}
11774 \bidi@ensure@newcommand\RTLfootfootmark}{%
11775   \ifdim\footmarkwidth < \z@
11776     \llap{\hb@xt@ -\footmarkwidth{%
11777       \hss\normalfont\RTLfootscript{\@thefnmark}}%
11778       \hspace*{-\footmarkwidth}}}%
11779   \else
11780     \ifdim\footmarkwidth = \z@
11781       {\normalfont\RTLfootscript{\@thefnmark}}%
11782     \else
11783       \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
11784     \fi
11785   \fi}
11786 \footmarkstyle{\textsuperscript{#1}}
11787 \LTRfootmarkstyle{\textsuperscript{#1}}

```



```

11788 \RTLfootmarkstyle{\textsuperscript{#1}}
11789 \newcommand*{\bidi@normal@footmarkwidth}{%
11790   \setlength{\footmarkwidth}{1em plus.3em minus.3em}%
11791 }
11792 \newcommand*{\bidi@star@footmarkwidth}{%
11793   \setlength{\footmarkwidth}{0em plus.3em minus.3em}%
11794 }
11795 \bidi@normal@footmarkwidth
11796 \bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
11797 \bidi@ensure@newcommand*{\extrafeetins}{%
11798   \bidi@joinfootnotes\footinsv@r\@footstartv@r\@footgroupv@r
11799   \bidi@joinfootnotes\footinsv@l\@footstartv@l\@LTRfootgroupv@l
11800   \bidi@joinfootnotes\bidi@copyins@{\}\@unvbox\bidi@copyins@}%
11801   \extrafeetinshook}
11802 \bidi@ensure@newcommand{\extrafeetinshook}{%
11803   \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
11804   \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
11805   \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
11806   \bidi@ensure@newlength{\footinsdim}
11807   \setlength{\footinsdim}{8in} % standard for \dimen\footins
11808   \bidi@ensure@newcommand{\@preamfntext}{%
11809     \interlinepenalty\interfootnotelinepenalty
11810     \floatingpenalty \@MM
11811     \splittopskip=\footnotesep
11812     \splitmaxdepth=\dp\strutbox
11813     \@parboxrestore}
11814   \def\bidi@ifmulticol#1#2{\@tempswafalse
11815     \ifnum\col@number>\@ne
11816       \ifnum\count\footins>1999 \@tempwattrue \fi
11817       \fi
11818     \if@tempswa #1\else #2\fi
11819 }
11820 \def\bidi@joinfootnotes#1#2#3{%
11821   \ifvoid#1
11822     \else
11823       \@tempskipa\skip#1%
11824       \bidi@ifmulticol{\divide\@tempskipa\col@number}{}%
11825       \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
11826       \bidi@removexfootskip
11827       \ifvoid\footins
11828         \global\setbox\footins\vbox{#2#3}%
11829       \else
11830         \global\setbox\footins\vbox{%
11831           \unvbox\footins
11832           \bidi@footskip
11833           #2#3%
11834         }%
11835       \fi
11836     \fi
11837 }
11838 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
11839   \extrafeetminihook}
11840 \bidi@ensure@newcommand{\extrafeetendmini}{%
11841   \ifvoid\@mpfootinsv@r

```



```

11842 \ifvoid\@mpfootinsv@l
11843 \else
11844 \vskip\skip\@mpfootins
11845 \normalcolor
11846 \if@bidi@void@\@mpfootins
11847 \footnoterule
11848 \fi
11849 \mp@LTRfootgroupv@l
11850 \fi
11851 \else
11852 \vskip\skip\@mpfootins
11853 \normalcolor
11854 \if@bidi@void@\@mpfootins
11855 \footnoterule
11856 \fi
11857 \mp@footgroupv@r
11858 \ifvoid\@mpfootinsv@l
11859 \else
11860 \vskip\skip\@mpfootins
11861 \normalcolor\mp@LTRfootgroupv@l
11862 \fi
11863 \fi
11864 \extrafeetendminihook}
11865 \bidi@ensure@newcommand{\extrafeetendminihook}{-}
11866 \bidi@ensure@newcommand{\m@mndoextrafeetendmini}{\extrafeetendmini}
11867 \def\endminipage{%
11868 \par
11869 \unskip
11870 \ifvoid\@mpfootins
11871 \global\@bidi@void@\@mpfootinstrue
11872 \else
11873 \global\@bidi@void@\@mpfootinsfalse
11874 \vskip\skip\@mpfootins
11875 \normalcolor
11876 \footnoterule
11877 \unvbox\@mpfootins
11878 \fi
11879 \m@mndoextrafeetendmini
11880 \@minipagefalse
11881 \color@endgroup
11882 \egroup
11883 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
11884 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
11885 \@namedef{\@footstart#1}{%
11886 \leftskip=\z@
11887 \rightskip=\z@
11888 \parindent=\z@
11889 }%
11890 }
11891 \newinsert\footinsv@r
11892 \skip\footinsv@r\skip\footins
11893 \count\footinsv@r=1000 % no magnification
11894 \dimen\footinsv@r=\footinsdim
11895 \m@make@footstart{v@r}

```



```

11896 \newinsert\footinsv@l
11897 \skip\footinsv@l\skip\footins
11898 \count\footinsv@l=1000 % no magnification
11899 \dimen\footinsv@l=\footinsdim
11900 \make@footstart{v@l}
11901 \bidi@ensure@newcommand{\@footgroupv@r}{}
11902 \newinsert\@mpfootinsv@r
11903 \newinsert\@mpfootinsv@l
11904 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
11905 \newcount\m@k \newdimen\m@h
11906 \bidi@ensure@newcommand*{\m@r@rigidbalance}[3]{\setbox0=\box#1 \m@k=#2 \m@h=#3
11907 \@line{\beginR\splittopskip=\m@h \vbadness=\M \hfilneg
11908 \valign{##\vfill\cr\m@dosplits}\endR}}
11909 \newcommand*{\bidi@LTR@rigidbalance}[3]{\setbox0=\box#1 \m@k=#2 \m@h=#3
11910 \@line{\beginL\splittopskip=\m@h \vbadness=\M \hfilneg
11911 \valign{##\vfill\cr\m@dosplits}\endL}}
11912 \bidi@ensure@newcommand*{\m@dosplits}{\ifnum\m@k>0 \noalign{\hfil}\m@splitoff
11913 \global\advance\m@k-1\cr\m@dosplits\fi}
11914 \bidi@ensure@newcommand*{\m@splitoff}{\dimen0=\ht0
11915 \divide\dimen0 by\m@k \advance\dimen0 by\m@h
11916 \setbox2 \vsplit0 to \dimen0
11917 \unvbox2 }
11918 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
11919 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
11920 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
11921 \@bidi@before@Hy@hyperfootnotes
11922 \let\@footnotetext\@twocolfootnotetext
11923 \let\@LTRfootnotetext\@twocolLTRfootnotetext
11924 \let\@RTLfootnotetext\@twocolRTLfootnotetext
11925 \dimen\footinsv@r=2\footinsdim
11926 \count\footinsv@r=500\relax
11927 \make@twocol@footgroup{v@r}%
11928 \let\@footgroupv@r\@twocol@footgroupv@r
11929 \dimen\footinsv@l=2\footinsdim
11930 \count\footinsv@l=500\relax
11931 \bidi@make@twocol@LTR@footgroup{v@l}%
11932 \let\@LTR@footgroupv@l\@twocol@LTR@footgroupv@l
11933 \let\@mp@footnotetext\@mptwocolfootnotetext
11934 \let\@mp@LTR@footnotetext\@mptwocolLTR@footnotetext
11935 \let\@mp@RTL@footnotetext\@mptwocolRTL@footnotetext
11936 \@bidi@after@Hy@hyperfootnotes
11937 \make@mptwocol@footgroup{v@r}%
11938 \let\mp@footgroupv@r\@mptwocol@footgroupv@r
11939 \bidi@make@mptwocol@LTR@footgroup{v@l}%
11940 \let\mp@LTR@footgroupv@l\@mptwocol@LTR@footgroupv@l
11941 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
11942 }
11943 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert
11944 \if@RTL@footnote
11945 \footinsv@r
11946 \else
11947 \footinsv@l
11948 \fi
11949 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%

```



```

11950 \def\baselinestretch{\m@m@footnote@spacing}%
11951 \reset@font\foottextfont
11952 \@preamfntext
11953 \protected@edef\@currentlabel{%
11954   \csname p@footnote\endcsname\@thefnmark}%
11955 \color@begingroup
11956   \@twocolfootfmt{#1}%
11957 \color@endgroup}%
11958 \m@mmf@prepare}
11959 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv1{\@RTLfalse%
11960 \def\baselinestretch{\m@m@footnote@spacing}%
11961 \reset@font\LTRfoottextfont
11962 \@preamfntext
11963 \protected@edef\@currentlabel{%
11964   \csname p@footnote\endcsname\@thefnmark}%
11965 \color@begingroup
11966   \@twocolLTRfootfmt{#1}%
11967 \color@endgroup}%
11968 \m@mmf@prepare}
11969 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
11970 \def\baselinestretch{\m@m@footnote@spacing}%
11971 \reset@font\RTLfoottextfont
11972 \@preamfntext
11973 \protected@edef\@currentlabel{%
11974   \csname p@footnote\endcsname\@thefnmark}%
11975 \color@begingroup
11976   \@twocolRTLfootfmt{#1}%
11977 \color@endgroup}%
11978 \m@mmf@prepare}
11979 \bidi@ensure@newcommand{\@preamtwofmt}{%
11980 \hspace .45\hspace
11981 \parindent=\z@
11982 \tolerance=5000\relax
11983 \leavevmode}
11984 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
11985 \@preamtwofmt
11986   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
11987 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
11988 \@preamtwofmt
11989   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
11990 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
11991 \@preamtwofmt
11992   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
11993 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
11994 \global\setbox
11995   \if@RTL@footnote
11996   \@mpfootinsv@r
11997   \else
11998   \@mpfootinsv@l
11999 \fi
12000 \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}
12001   \unvbox
12002   \if@RTL@footnote
12003   \@mpfootinsv@r

```



```

12004 \else
12005   \@mpfootinsv@l
12006 \fi
12007   \def\baselinestretch{\m@m@footnote@spacing}%
12008   \reset@font\foottextfont
12009   \hsize\columnwidth \@parboxrestore
12010   \protected@edef\@currentlabel{%
12011     \csname p@mpfootnote\endcsname\@thefnmark}%
12012 \color@begingroup
12013   \@twocolfootfmt{#1}%
12014 \color@endgroup}%
12015 \m@mmf@prepare}
12016 \bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
12017   \global\setbox\@mpfootinsv@l\vbox{\@RTLfalse%
12018     \unvbox\@mpfootinsv@l
12019     \def\baselinestretch{\m@m@footnote@spacing}%
12020     \reset@font\LTRfoottextfont
12021     \hsize\columnwidth \@parboxrestore
12022     \protected@edef\@currentlabel{%
12023       \csname p@mpfootnote\endcsname\@thefnmark}%
12024     \color@begingroup
12025       \@twocolLTRfootfmt{#1}%
12026     \color@endgroup}%
12027   \m@mmf@prepare}
12028 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
12029   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
12030     \unvbox\@mpfootinsv@r
12031     \def\baselinestretch{\m@m@footnote@spacing}%
12032     \reset@font\RTLfoottextfont
12033     \hsize\columnwidth \@parboxrestore
12034     \protected@edef\@currentlabel{%
12035       \csname p@mpfootnote\endcsname\@thefnmark}%
12036     \color@begingroup
12037       \@twocolRTLfootfmt{#1}%
12038     \color@endgroup}%
12039   \m@mmf@prepare}
12040 \bidi@ensure@newcommand{\@make@twocol@footgroup}[1]{%
12041   \@namedef{@twocol@footgroup#1}{%
12042     \def\baselinestretch{\m@m@footnote@spacing}%
12043     \hsize\bidi@columnwidth
12044     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12045     \m@r rigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
12046 \newcommand{\bidi@make@twocol@LTRfootgroup}[1]{%
12047   \@namedef{@twocol@LTRfootgroup#1}{%
12048     \def\baselinestretch{\m@m@footnote@spacing}%
12049     \hsize\bidi@columnwidth
12050     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12051     \bidi@LTR rigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
12052 \bidi@ensure@newcommand{\@make@mptwocol@footgroup}[1]{%
12053   \@namedef{@mptwocol@footgroup#1}{%
12054     \def\baselinestretch{\m@m@footnote@spacing}%
12055     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12056     \m@r rigidbalance{\@nameuse{mpfootins#1}}{\tw@}{\splittopskip}}}}
12057 \newcommand{\bidi@make@mptwocol@LTRfootgroup}[1]{%

```



```

12058 \@namedef{@mptwocol@LTRfootgroup#1}{%
12059 \def\baselinestretch{\m@footnote@spacing}%
12060 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12061 \bidi@LTRrigidbalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}
12062 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
12063 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12064 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12065 \@bidi@before@Hy@hyperfootnotes
12066 \let\@footnotetext\@threecolfootnotetext
12067 \let\@LTRfootnotetext\@threecolLTRfootnotetext
12068 \let\@RTLfootnotetext\@threecolRTLfootnotetext
12069 \dimen\footinsv@r=3\footinsdim
12070 \count\footinsv@r=333\relax
12071 \m@make@threecol@footgroup{v@r}%
12072 \let\@footgroupv@r\@threecol@footgroupv@r
12073 \dimen\footinsv@l=3\footinsdim
12074 \count\footinsv@l=333\relax
12075 \bidi@make@threecol@LTRfootgroup{v@l}%
12076 \let\@LTRfootgroupv@l\@threecol@LTRfootgroupv@l
12077 \let\@mpfootnotetext\@mpthreecolfootnotetext
12078 \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
12079 \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
12080 \@bidi@after@Hy@hyperfootnotes
12081 \m@make@mpthreecol@footgroup{v@r}%
12082 \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
12083 \bidi@make@mpthreecol@LTRfootgroup{v@l}%
12084 \let\mp@LTRfootgroupv@l\@mpthreecol@LTRfootgroupv@l
12085 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12086 }
12087 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert
12088 \if@RTL@footnote
12089 \footinsv@r
12090 \else
12091 \footinsv@l
12092 \fi
12093 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12094 \def\baselinestretch{\m@footnote@spacing}%
12095 \reset@font\foottextfont
12096 \@preamfntext
12097 \protected@edef\@currentlabel{%
12098 \csname p@footnote\endcsname\@thefnmark}%
12099 \color@begingroup
12100 \@threecolfootfmt{#1}%
12101 \color@endgroup}\m@mmf@prepare}
12102 \bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12103 \def\baselinestretch{\m@footnote@spacing}%
12104 \reset@font\LTRfoottextfont
12105 \@preamfntext
12106 \protected@edef\@currentlabel{%
12107 \csname p@footnote\endcsname\@thefnmark}%
12108 \color@begingroup
12109 \@threecolLTRfootfmt{#1}%
12110 \color@endgroup}\m@mmf@prepare}
12111 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%

```



```

12112 \def\baselinestretch{\m@m@footnote@spacing}%
12113 \reset@font\RTLfoottextfont
12114 \@preamfntext
12115 \protected@edef\@currentlabel{%
12116   \csname p@footnote\endcsname\@thefnmark}%
12117 \color@begingroup
12118   \@threecolRTLfootfmt{#1}%
12119 \color@endgroup}\m@mmf@prepare}
12120 \bidi@ensure@newcommand{\@preamthreefmt}{%
12121   \hspace .3\hspace
12122   \parindent=\z@
12123   \tolerance=5000\relax
12124   \leavevmode}
12125 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
12126   \@preamthreefmt
12127   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12128 \bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
12129   \@preamthreefmt
12130   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12131 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
12132   \@preamthreefmt
12133   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12134 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
12135   \global\setbox
12136     \if@RTL@footnote
12137     \@mpfootinsv@r
12138   \else
12139     \@mpfootinsv@l
12140   \fi
12141   \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12142     \unvbox
12143     \if@RTL@footnote
12144     \@mpfootinsv@r
12145   \else
12146     \@mpfootinsv@l
12147   \fi
12148   \def\baselinestretch{\m@m@footnote@spacing}%
12149   \reset@font\foottextfont
12150   \hspace\columnwidth \@parboxrestore
12151   \protected@edef\@currentlabel{%
12152     \csname p@mpfootnote\endcsname\@thefnmark}%
12153   \color@begingroup
12154     \@threecolfootfmt{#1}%
12155   \color@endgroup}\m@mmf@prepare}
12156 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
12157   \global\setbox\@mpfootinsv@l\vbox{\@RTLfalse%
12158     \unvbox\@mpfootinsv@l
12159     \def\baselinestretch{\m@m@footnote@spacing}%
12160     \reset@font\LTRfoottextfont
12161     \hspace\columnwidth \@parboxrestore
12162     \protected@edef\@currentlabel{%
12163       \csname p@mpfootnote\endcsname\@thefnmark}%
12164     \color@begingroup
12165     \@threecolLTRfootfmt{#1}%

```



```

12166 \color@endgroup}\m@mmf@prepare}
12167 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
12168 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
12169 \unvbox\@mpfootinsv@r
12170 \def\baselinestretch{\m@m@footnote@spacing}%
12171 \reset@font\RTLfoottextfont
12172 \hsize\columnwidth \@parboxrestore
12173 \protected@edef\@currentlabel{%
12174 \csname p@mpfootnote\endcsname\@thefnmark}%
12175 \color@begingroup
12176 \@threecolRTLfootfmt{#1}%
12177 \color@endgroup}\m@mmf@prepare}
12178 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
12179 \@namedef{@threecol@footgroup#1}{%
12180 \def\baselinestretch{\m@m@footnote@spacing}%
12181 \hsize\bidi@columnwidth
12182 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12183 \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
12184 \newcommand{\bidi@make@threecol@LTRfootgroup}[1]{%
12185 \@namedef{@threecol@LTRfootgroup#1}{%
12186 \def\baselinestretch{\m@m@footnote@spacing}%
12187 \hsize\bidi@columnwidth
12188 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12189 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
12190 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
12191 \@namedef{@mpthreecol@footgroup#1}{%
12192 \def\baselinestretch{\m@m@footnote@spacing}%
12193 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12194 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
12195 \newcommand{\bidi@make@mpthreecol@LTRfootgroup}[1]{%
12196 \@namedef{@mpthreecol@LTRfootgroup#1}{%
12197 \def\baselinestretch{\m@m@footnote@spacing}%
12198 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12199 \bidi@LTRrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
12200 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
12201 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12202 \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12203 \@bidi@before@Hy@hyperfootnotes
12204 \let\@footnotetext\@fourcolfootnotetext
12205 \let\@LTRfootnotetext\@fourcolLTRfootnotetext
12206 \let\@RTLfootnotetext\@fourcolRTLfootnotetext
12207 \dimen\footinsv@r=4\footinsdim
12208 \count\footinsv@r=250\relax
12209 \m@make@fourcol@footgroup{v@r}%
12210 \let\@footgroupv@r\@fourcol@footgroupv@r
12211 \dimen\footinsv@l=4\footinsdim
12212 \count\footinsv@l=250\relax
12213 \bidi@make@fourcol@LTRfootgroup{v@l}%
12214 \let\@LTRfootgroupv@l\@fourcol@LTRfootgroupv@l
12215 \let\@mpfootnotetext\@mpfourcolfootnotetext
12216 \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
12217 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
12218 \@bidi@after@Hy@hyperfootnotes
12219 \m@make@mpfourcol@footgroup{v@r}%

```



```

12220 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
12221 \bidi@make@mpfourcol@LTRfootgroup{v@1}%
12222 \let\mp@LTRfootgroupv@1\@mpfourcol@LTRfootgroupv@1
12223 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12224 }
12225 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert
12226 \ifRTL@footnote
12227 \footinsv@r
12228 \else
12229 \footinsv@l
12230 \fi
12231 {\ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12232 \def\baselinestretch{\m@m@footnote@spacing}%
12233 \reset@font\foottextfont
12234 \@preamfntext
12235 \protected@edef\@currentlabel{%
12236 \csname p@footnote\endcsname\@thefnmark}%
12237 \color@begingroup
12238 \@fourcolfootfmt{#1}%
12239 \color@endgroup}%
12240 \m@mmf@prepare}
12241 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12242 \def\baselinestretch{\m@m@footnote@spacing}%
12243 \reset@font\LTRfoottextfont
12244 \@preamfntext
12245 \protected@edef\@currentlabel{%
12246 \csname p@footnote\endcsname\@thefnmark}%
12247 \color@begingroup
12248 \@fourcolLTRfootfmt{#1}%
12249 \color@endgroup}%
12250 \m@mmf@prepare}
12251 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12252 \def\baselinestretch{\m@m@footnote@spacing}%
12253 \reset@font\RTLfoottextfont
12254 \@preamfntext
12255 \protected@edef\@currentlabel{%
12256 \csname p@footnote\endcsname\@thefnmark}%
12257 \color@begingroup
12258 \@fourcolRTLfootfmt{#1}%
12259 \color@endgroup}%
12260 \m@mmf@prepare}
12261 \bidi@ensure@newcommand{\@preamfourfmt}{%
12262 \hspace .25\hspace
12263 \parindent=\z@
12264 \tolerance=5000\relax
12265 \leavevmode}
12266 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
12267 \@preamfourfmt
12268 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12269 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
12270 \@preamfourfmt
12271 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12272 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
12273 \@preamfourfmt

```



```

12274 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12275 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
12276   \global\setbox
12277     \if@RTL@footnote
12278     \@mpfootinsv@r
12279   \else
12280     \@mpfootinsv@l
12281   \fi
12282   \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12283     \unvbox
12284     \if@RTL@footnote
12285     \@mpfootinsv@r
12286   \else
12287     \@mpfootinsv@l
12288   \fi
12289   \def\baselinestretch{\m@m@footnote@spacing}%
12290   \reset@font\foottextfont
12291   \hsize\columnwidth \@parboxrestore
12292   \protected@edef\@currentlabel{%
12293     \csname p@mpfootnote\endcsname\@thefnmark}%
12294   \color@begingroup
12295     \@fourcolfootfmt{#1}%
12296   \color@endgroup}%
12297   \m@m@m@prepare}
12298 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
12299   \global\setbox\@mpfootinsv@l\vbox{\@RTLfalse%
12300     \unvbox\@mpfootinsv@l
12301     \def\baselinestretch{\m@m@footnote@spacing}%
12302     \reset@font\LTRfoottextfont
12303     \hsize\columnwidth \@parboxrestore
12304     \protected@edef\@currentlabel{%
12305       \csname p@mpfootnote\endcsname\@thefnmark}%
12306     \color@begingroup
12307       \@fourcolLTRfootfmt{#1}%
12308     \color@endgroup}%
12309     \m@m@m@prepare}
12310 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
12311   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
12312     \unvbox\@mpfootinsv@r
12313     \def\baselinestretch{\m@m@footnote@spacing}%
12314     \reset@font\RTLfoottextfont
12315     \hsize\columnwidth \@parboxrestore
12316     \protected@edef\@currentlabel{%
12317       \csname p@mpfootnote\endcsname\@thefnmark}%
12318     \color@begingroup
12319       \@fourcolRTLfootfmt{#1}%
12320     \color@endgroup}%
12321     \m@m@m@prepare}
12322 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
12323   \@namedef{\@fourcol@footgroup#1}{%
12324     \def\baselinestretch{\m@m@footnote@spacing}%
12325     \hsize\bidi@columnwidth
12326     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12327     \m@r@rigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}

```



```

12328 \newcommand{\bidi@make@fourcol@LTRfootgroup}[1]{%
12329   \@namedef{fourcol@LTRfootgroup#1}{%
12330     \def\baselinestretch{\m@f@footnote@spacing}%
12331     \hsize\bidi@columnwidth
12332     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12333     \bidi@LTRrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
12334 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
12335   \@namedef{mpfourcol@footgroup#1}{%
12336     \def\baselinestretch{\m@f@footnote@spacing}%
12337     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12338     \m@r@rigidbalance{\@nameuse{mpfootins#1}}{4}{\splittopskip}}}}
12339 \newcommand{\bidi@make@mpfourcol@LTRfootgroup}[1]{%
12340   \@namedef{mpfourcol@LTRfootgroup#1}{%
12341     \def\baselinestretch{\m@f@footnote@spacing}%
12342     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12343     \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{4}{\splittopskip}}}}
12344 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%
12345   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12346   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12347   \@bidi@before@Hy@hyperfootnotes
12348   \let\@footnotetext\@fivecolfootnotetext
12349   \let\@LTRfootnotetext\@fivecolLTRfootnotetext
12350   \let\@RTLfootnotetext\@fivecolRTLfootnotetext
12351   \dimen\footinsv@r=5\footinsdim
12352   \count\footinsv@r=200\relax
12353   \m@make@fivecol@footgroup{v@r}%
12354   \let\@footgroupv@r\@fivecol@footgroupv@r
12355   \dimen\footinsv@l=5\footinsdim
12356   \count\footinsv@l=200\relax
12357   \bidi@make@fivecol@LTRfootgroup{v@l}%
12358   \let\@LTRfootgroupv@l\@fivecol@LTRfootgroupv@l
12359   \let\@mpfootnotetext\@mpfivecolfootnotetext
12360   \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
12361   \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
12362   \@bidi@after@Hy@hyperfootnotes
12363   \m@make@mpfivecol@footgroup{v@r}%
12364   \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
12365   \bidi@make@mpfivecol@LTRfootgroup{v@l}%
12366   \let\mp@LTRfootgroupv@l\@mpfivecol@LTRfootgroupv@l
12367   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12368 }
12369 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert
12370   \if@RTL@footnote
12371     \footinsv@r
12372   \else
12373     \footinsv@l
12374   \fi
12375 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12376   \def\baselinestretch{\m@f@footnote@spacing}%
12377   \reset@font\foottextfont
12378   \@preamfntext
12379   \protected@edef\@currentlabel{%
12380     \csname p@footnote\endcsname\@thefnmark}%
12381   \color@begingroup

```



```

12382   \@fivecolfootfmt{#1}%
12383   \color@endgroup}%
12384   \m@mmf@prepare}
12385 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12386   \def\baselinestretch{\m@m@footnote@spacing}%
12387   \reset@font\LTRfoottextfont
12388   \@preamfntext
12389   \protected@edef\@currentlabel{%
12390     \csname p@footnote\endcsname\@thefnmark}%
12391   \color@begingroup
12392     \@fivecolLTRfootfmt{#1}%
12393   \color@endgroup}%
12394   \m@mmf@prepare}
12395 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12396   \def\baselinestretch{\m@m@footnote@spacing}%
12397   \reset@font\RTLfoottextfont
12398   \@preamfntext
12399   \protected@edef\@currentlabel{%
12400     \csname p@footnote\endcsname\@thefnmark}%
12401   \color@begingroup
12402     \@fivecolRTLfootfmt{#1}%
12403   \color@endgroup}%
12404   \m@mmf@prepare}
12405 \bidi@ensure@newcommand{\@preamfivefmt}{%
12406   \hspace .2\hspace
12407   \parindent=\z@
12408   \tolerance=5000\relax
12409   \leavevmode}
12410 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
12411   \@preamfivefmt
12412   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12413 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
12414   \@preamfivefmt
12415   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12416 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
12417   \@preamfivefmt
12418   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12419 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
12420   \global\setbox
12421     \if@RTL@footnote
12422     \@mpfootinsv@r
12423   \else
12424     \@mpfootinsv@l
12425   \fi
12426   \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12427     \unvbox
12428     \if@RTL@footnote
12429     \@mpfootinsv@r
12430   \else
12431     \@mpfootinsv@l
12432   \fi
12433   \def\baselinestretch{\m@m@footnote@spacing}%
12434   \reset@font\foottextfont
12435   \hspace\columnwidth \@parboxrestore

```



```

12436 \protected@edef\@currentlabel{%
12437 \csname p@mpfootnote\endcsname\@thefnmark}%
12438 \color@begingroup
12439 \@fivecolfootfmt{#1}%
12440 \color@endgroup}%
12441 \m@mmf@prepare}
12442 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
12443 \global\setbox\@mpfootinsv@l\vbox{\@RTLfalse%
12444 \unvbox\@mpfootinsv@l
12445 \def\baselinestretch{\m@m@footnote@spacing}%
12446 \reset@font\LTRfoottextfont
12447 \hsize\columnwidth \@parboxrestore
12448 \protected@edef\@currentlabel{%
12449 \csname p@mpfootnote\endcsname\@thefnmark}%
12450 \color@begingroup
12451 \@fivecolLTRfootfmt{#1}%
12452 \color@endgroup}%
12453 \m@mmf@prepare}
12454 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
12455 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
12456 \unvbox\@mpfootinsv@r
12457 \def\baselinestretch{\m@m@footnote@spacing}%
12458 \reset@font\RTLfoottextfont
12459 \hsize\columnwidth \@parboxrestore
12460 \protected@edef\@currentlabel{%
12461 \csname p@mpfootnote\endcsname\@thefnmark}%
12462 \color@begingroup
12463 \@fivecolRTLfootfmt{#1}%
12464 \color@endgroup}%
12465 \m@mmf@prepare}
12466 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
12467 \@namedef{@fivecol@footgroup#1}{%
12468 \def\baselinestretch{\m@m@footnote@spacing}%
12469 \hsize\bidi@columnwidth
12470 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12471 \m@r@rigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
12472 \newcommand{\bidi@make@fivecol@LTRfootgroup}[1]{%
12473 \@namedef{@fivecol@LTRfootgroup#1}{%
12474 \def\baselinestretch{\m@m@footnote@spacing}%
12475 \hsize\bidi@columnwidth
12476 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12477 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
12478 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
12479 \@namedef{@mpfivecol@footgroup#1}{%
12480 \def\baselinestretch{\m@m@footnote@spacing}%
12481 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12482 \m@r@rigidbalance{\@nameuse{mpfootins#1}}{5}{\splittopskip}}}}
12483 \newcommand{\bidi@make@mpfivecol@LTRfootgroup}[1]{%
12484 \@namedef{@mpfivecol@LTRfootgroup#1}{%
12485 \def\baselinestretch{\m@m@footnote@spacing}%
12486 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12487 \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{5}{\splittopskip}}}}
12488 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
12489 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]

```



```

12490 \@namedef{foottextfontv@1}{\LTRfoottextfont}%
12491 \@bidi@before@Hy@hyperfootnotes
12492 \let\@footnotetext\@sixcolfootnotetext
12493 \let\@LTRfootnotetext\@sixcolLTRfootnotetext
12494 \let\@RTLfootnotetext\@sixcolRTLfootnotetext
12495 \dimen\footinsv@r=6\footinsdim
12496 \count\footinsv@r=166\relax
12497 \m@make@sixcol@footgroup{v@r}%
12498 \let\@footgroupv@r\@sixcol@footgroupv@r
12499 \dimen\footinsv@l=6\footinsdim
12500 \count\footinsv@l=166\relax
12501 \bidi@make@sixcol@LTRfootgroup{v@1}%
12502 \let\@LTRfootgroupv@1\@sixcol@LTRfootgroupv@1
12503 \let\@mpfootnotetext\@mpsixcolfootnotetext
12504 \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
12505 \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
12506 \@bidi@after@Hy@hyperfootnotes
12507 \m@make@mpsixcol@footgroup{v@r}%
12508 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
12509 \bidi@make@mpsixcol@LTRfootgroup{v@1}%
12510 \let\mp@LTRfootgroupv@1\@mpsixcol@LTRfootgroupv@1
12511 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12512 }
12513 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert
12514   \if@RTL@footnote
12515     \footinsv@r
12516   \else
12517     \footinsv@l
12518   \fi
12519 { \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12520   \def\baselinestretch{\m@f@footnote@spacing}%
12521   \reset@font\foottextfont
12522   \@preamfntext
12523   \protected@edef\@currentlabel{%
12524     \csname p@footnote\endcsname\@thefnmark}%
12525   \color@begingroup
12526     \@sixcolfootfmt{#1}%
12527   \color@endgroup}%
12528   \m@mmf@prepare}
12529 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12530   \def\baselinestretch{\m@f@footnote@spacing}%
12531   \reset@font\LTRfoottextfont
12532   \@preamfntext
12533   \protected@edef\@currentlabel{%
12534     \csname p@footnote\endcsname\@thefnmark}%
12535   \color@begingroup
12536     \@sixcolLTRfootfmt{#1}%
12537   \color@endgroup}%
12538   \m@mmf@prepare}
12539 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12540   \def\baselinestretch{\m@f@footnote@spacing}%
12541   \reset@font\RTLfoottextfont
12542   \@preamfntext
12543   \protected@edef\@currentlabel{%

```



```

12544   \csname p@footnote\endcsname\@thefnmark}%
12545   \color@begingroup
12546     \@sixcolRTLfootfmt{#1}%
12547   \color@endgroup}%
12548   \m@mmf@prepare}
12549 \bidi@ensure@newcommand{\@preamsixfmt}{%
12550   \hspace .16\hspace
12551   \parindent=\z@
12552   \tolerance=5000\relax
12553   \leavevmode}
12554 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
12555   \@preamsixfmt
12556   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12557 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
12558   \@preamsixfmt
12559   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12560 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
12561   \@preamsixfmt
12562   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12563 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse}
12564   \global\setbox
12565     \if@RTL@footnote
12566     \mpfootinsv@r
12567   \else
12568     \mpfootinsv@l
12569   \fi
12570   \vbox{%
12571     \unvbox
12572     \if@RTL@footnote
12573     \mpfootinsv@r
12574   \else
12575     \mpfootinsv@l
12576   \fi
12577   \def\baselinestretch{\m@m@footnote@spacing}%
12578   \reset@font\foottextfont
12579   \hspace\columnwidth \parboxrestore
12580   \protected@edef\@currentlabel{%
12581     \csname p@mpfootnote\endcsname\@thefnmark}%
12582   \color@begingroup
12583     \@sixcolfootfmt{#1}%
12584   \color@endgroup}%
12585   \m@mmf@prepare}
12586 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse}
12587   \global\setbox\mpfootinsv@l\vbox{%
12588     \unvbox\mpfootinsv@l
12589     \def\baselinestretch{\m@m@footnote@spacing}%
12590     \reset@font\LTRfoottextfont
12591     \hspace\columnwidth \parboxrestore
12592     \protected@edef\@currentlabel{%
12593       \csname p@mpfootnote\endcsname\@thefnmark}%
12594   \color@begingroup
12595     \@sixcolLTRfootfmt{#1}%
12596   \color@endgroup}%
12597   \m@mmf@prepare}

```



```

12598 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
12599 \global\setbox\@mpfootinsv@r\vbox{%
12600   \unvbox\@mpfootinsv@r
12601   \def\baselinestretch{\m@m@footnote@spacing}%
12602   \reset@font\RTLfoottextfont
12603   \hsize\columnwidth \@parboxrestore
12604   \protected@edef\@currentlabel{%
12605     \csname p@mpfootnote\endcsname\@thefnmark}%
12606   \color@begingroup
12607     \@sixcolRTLfootfmt{#1}%
12608   \color@endgroup}%
12609   \m@mmf@prepare}
12610 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
12611   \@namedef{@sixcol@footgroup#1}{%
12612     \def\baselinestretch{\m@m@footnote@spacing}%
12613     \hsize\bidi@columnwidth
12614     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12615     \m@r@rigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
12616 \newcommand{\bidi@make@sixcol@LTRfootgroup}[1]{%
12617   \@namedef{@sixcol@LTRfootgroup#1}{%
12618     \def\baselinestretch{\m@m@footnote@spacing}%
12619     \hsize\bidi@columnwidth
12620     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12621     \bidi@LTRrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
12622 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
12623   \@namedef{@mpsixcol@footgroup#1}{%
12624     \def\baselinestretch{\m@m@footnote@spacing}%
12625     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12626     \m@r@rigidbalance{\@nameuse{mpfootins#1}}{6}{\splittopskip}}}}
12627 \newcommand{\bidi@make@mpsixcol@LTRfootgroup}[1]{%
12628   \@namedef{@mpsixcol@LTRfootgroup#1}{%
12629     \def\baselinestretch{\m@m@footnote@spacing}%
12630     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12631     \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{6}{\splittopskip}}}}
12632 \bidi@ensure@newcommand{\sevendcolumnfootnotes}{%
12633   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12634   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12635   \@bidi@before@Hy@hyperfootnotes
12636   \let\@footnotetext\@sevendcolfootnotetext
12637   \let\@LTRfootnotetext\@sevendcolLTRfootnotetext
12638   \let\@RTLfootnotetext\@sevendcolRTLfootnotetext
12639   \dimen\footinsv@r=7\footinsdim
12640   \count\footinsv@r=142\relax
12641   \m@make@sevendcol@footgroup{v@r}%
12642   \let\@footgroupv@r\@sevendcol@footgroupv@r
12643   \dimen\footinsv@l=7\footinsdim
12644   \count\footinsv@l=142\relax
12645   \bidi@make@sevendcol@LTRfootgroup{v@l}%
12646   \let\@LTRfootgroupv@l\@sevendcol@LTRfootgroupv@l
12647   \let\@mpfootnotetext\@mpsevendcolfootnotetext
12648   \let\@mpLTRfootnotetext\@mpsevendcolLTRfootnotetext
12649   \let\@mpRTLfootnotetext\@mpsevendcolRTLfootnotetext
12650   \@bidi@after@Hy@hyperfootnotes
12651   \m@make@mpsevendcol@footgroup{v@r}%

```



```

12652 \let\mp@footgroupv@r\@mpsevenscol@footgroupv@r
12653 \bidi@make@mpsevenscol@LTRfootgroup{v@1}%
12654 \let\mp@LTRfootgroupv@1\@mpsevenscol@LTRfootgroupv@1
12655 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12656 }
12657 \bidi@ensure@newcommand{\@sevenscolfootnotetext}[1]{\insert
12658 \if@RTL@footnote
12659 \footinsv@r
12660 \else
12661 \footinsv@l
12662 \fi
12663 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12664 \def\baselinestretch{\m@m@footnote@spacing}%
12665 \reset@font\foottextfont
12666 \@preamfntext
12667 \protected@edef\@currentlabel{%
12668 \csname p@footnote\endcsname\@thefnmark}%
12669 \color@begingroup
12670 \@sevenscolfootfmt{#1}%
12671 \color@endgroup}%
12672 \m@mmf@prepare}
12673 \bidi@ensure@newcommand{\@sevenscolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12674 \def\baselinestretch{\m@m@footnote@spacing}%
12675 \reset@font\LTRfoottextfont
12676 \@preamfntext
12677 \protected@edef\@currentlabel{%
12678 \csname p@footnote\endcsname\@thefnmark}%
12679 \color@begingroup
12680 \@sevenscolLTRfootfmt{#1}%
12681 \color@endgroup}%
12682 \m@mmf@prepare}
12683 \bidi@ensure@newcommand{\@sevenscolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12684 \def\baselinestretch{\m@m@footnote@spacing}%
12685 \reset@font\RTLfoottextfont
12686 \@preamfntext
12687 \protected@edef\@currentlabel{%
12688 \csname p@footnote\endcsname\@thefnmark}%
12689 \color@begingroup
12690 \@sevenscolRTLfootfmt{#1}%
12691 \color@endgroup}%
12692 \m@mmf@prepare}
12693 \bidi@ensure@newcommand{\@preamsevenfmt}{%
12694 \hspace .142\hspace
12695 \parindent=\z@
12696 \tolerance=5000\relax
12697 \leavevmode}
12698 \bidi@ensure@newcommand{\@sevenscolfootfmt}[1]{%
12699 \@preamsevenfmt
12700 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12701 \bidi@ensure@newcommand{\@sevenscolLTRfootfmt}[1]{%
12702 \@preamsevenfmt
12703 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12704 \bidi@ensure@newcommand{\@sevenscolRTLfootfmt}[1]{%
12705 \@preamsevenfmt

```



```

12706 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12707 \bidi@ensure@newcommand{\@mpsevendcolfootnotetext}[1]{\if@RTL@footnote@RTLtrue\else\RTLfalse%
12708 \global\setbox
12709 \if@RTL@footnote
12710 \@mpfootinsv@r
12711 \else
12712 \@mpfootinsv@l
12713 \fi
12714 \vbox{%
12715 \unvbox
12716 \if@RTL@footnote
12717 \@mpfootinsv@r
12718 \else
12719 \@mpfootinsv@l
12720 \fi
12721 \def\baselinestretch{\m@m@footnote@spacing}%
12722 \reset@font\foottextfont
12723 \hsize\columnwidth \@parboxrestore
12724 \protected@edef\@currentlabel{%
12725 \csname p@mpfootnote\endcsname\@thefnmark}%
12726 \color@begingroup
12727 \@sevendcolfootfmt{#1}%
12728 \color@endgroup}%
12729 \m@m@m@prepare}
12730 \bidi@ensure@newcommand{\@mpsevendcolLTRfootnotetext}[1]{\@RTLfalse%
12731 \global\setbox\@mpfootinsv@l\vbox{%
12732 \unvbox\@mpfootinsv@l
12733 \def\baselinestretch{\m@m@footnote@spacing}%
12734 \reset@font\LTRfoottextfont
12735 \hsize\columnwidth \@parboxrestore
12736 \protected@edef\@currentlabel{%
12737 \csname p@mpfootnote\endcsname\@thefnmark}%
12738 \color@begingroup
12739 \@sevendcolLTRfootfmt{#1}%
12740 \color@endgroup}%
12741 \m@m@m@prepare}
12742 \bidi@ensure@newcommand{\@mpsevendcolRTLfootnotetext}[1]{\@RTLtrue%
12743 \global\setbox\@mpfootinsv@r\vbox{%
12744 \unvbox\@mpfootinsv@r
12745 \def\baselinestretch{\m@m@footnote@spacing}%
12746 \reset@font\RTLfoottextfont
12747 \hsize\columnwidth \@parboxrestore
12748 \protected@edef\@currentlabel{%
12749 \csname p@mpfootnote\endcsname\@thefnmark}%
12750 \color@begingroup
12751 \@sevendcolRTLfootfmt{#1}%
12752 \color@endgroup}%
12753 \m@m@m@prepare}
12754 \bidi@ensure@newcommand{\m@make@sevendcol@footgroup}[1]{%
12755 \@namedef{\@sevendcol@footgroup#1}{%
12756 \def\baselinestretch{\m@m@footnote@spacing}%
12757 \hsize\bidi@columnwidth
12758 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12759 \m@m@rigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}

```



```

12760 \newcommand{\bidi@make@sevenscol@LTRfootgroup}[1]{%
12761   \@namedef{@sevenscol@LTRfootgroup#1}{%
12762     \def\baselinestretch{\m@m@footnote@spacing}%
12763     \hsize\bidi@columnwidth
12764     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12765     \bidi@LTRrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}
12766 \bidi@ensure@newcommand{\m@make@mpsevenscol@footgroup}[1]{%
12767   \@namedef{@mpsevenscol@footgroup#1}{%
12768     \def\baselinestretch{\m@m@footnote@spacing}%
12769     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12770     \m@mrigidbalance{\@nameuse{mpfootins#1}}{7}{\splittopskip}}}}
12771 \newcommand{\bidi@make@mpsevenscol@LTRfootgroup}[1]{%
12772   \@namedef{@mpsevenscol@LTRfootgroup#1}{%
12773     \def\baselinestretch{\m@m@footnote@spacing}%
12774     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12775     \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{7}{\splittopskip}}}}
12776 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
12777   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
12778   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
12779   \@bidi@before@Hy@hyperfootnotes
12780   \let\@footnotetext\@eightcolfootnotetext
12781   \let\@LTRfootnotetext\@eightcolLTRfootnotetext
12782   \let\@RTLfootnotetext\@eightcolRTLfootnotetext
12783   \dimen\footinsv@r=8\footinsdim
12784   \count\footinsv@r=125\relax
12785   \m@make@eightcol@footgroup{v@r}%
12786   \let\@footgroupv@r\@eightcol@footgroupv@r
12787   \dimen\footinsv@l=8\footinsdim
12788   \count\footinsv@l=125\relax
12789   \bidi@make@eightcol@LTRfootgroup{v@l}%
12790   \let\@LTRfootgroupv@l\@eightcol@LTRfootgroupv@l
12791   \let\@mpfootnotetext\@mpeightcolfootnotetext
12792   \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
12793   \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
12794   \@bidi@after@Hy@hyperfootnotes
12795   \m@make@mpeightcol@footgroup{v@r}%
12796   \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
12797   \bidi@make@mpeightcol@LTRfootgroup{v@l}%
12798   \let\mp@LTRfootgroupv@l\@mpeightcol@LTRfootgroupv@l
12799   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12800 }
12801 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert
12802   \if@RTL@footnote
12803     \footinsv@r
12804   \else
12805     \footinsv@l
12806   \fi
12807 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12808   \def\baselinestretch{\m@m@footnote@spacing}%
12809   \reset@font\foottextfont
12810   \@preamfntext
12811   \protected@edef\@currentlabel{%
12812     \csname p@footnote\endcsname\@thefnmark}%
12813   \color@begingroup

```



```

12814   \@eightcolfootfmt{#1}%
12815   \color@endgroup}%
12816   \m@mmf@prepare}
12817 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12818   \def\baselinestretch{\m@m@footnote@spacing}%
12819   \reset@font\LTRfoottextfont
12820   \@preamfntext
12821   \protected@edef\@currentlabel{%
12822     \csname p@footnote\endcsname\@thefnmark}%
12823   \color@begingroup
12824     \@eightcolLTRfootfmt{#1}%
12825   \color@endgroup}%
12826   \m@mmf@prepare}
12827 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12828   \def\baselinestretch{\m@m@footnote@spacing}%
12829   \reset@font\RTLfoottextfont
12830   \@preamfntext
12831   \protected@edef\@currentlabel{%
12832     \csname p@footnote\endcsname\@thefnmark}%
12833   \color@begingroup
12834     \@eightcolRTLfootfmt{#1}%
12835   \color@endgroup}%
12836   \m@mmf@prepare}
12837 \bidi@ensure@newcommand{\@preameightfmt}{%
12838   \hspace .125\hspace
12839   \parindent=\z@
12840   \tolerance=5000\relax
12841   \leavevmode}
12842 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
12843   \@preameightfmt
12844   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12845 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
12846   \@preameightfmt
12847   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12848 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
12849   \@preameightfmt
12850   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12851 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
12852   \global\setbox
12853     \if@RTL@footnote
12854     \@mpfootinsv@r
12855   \else
12856     \@mpfootinsv@l
12857   \fi
12858   \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12859     \unvbox
12860     \if@RTL@footnote
12861     \@mpfootinsv@r
12862   \else
12863     \@mpfootinsv@l
12864   \fi
12865   \def\baselinestretch{\m@m@footnote@spacing}%
12866   \reset@font\foottextfont
12867   \hspace\columnwidth \@parboxrestore

```



```

12868 \protected@edef\@currentlabel{%
12869 \csname p@mpfootnote\endcsname\@thefnmark}%
12870 \color@begingroup
12871 \@eightcolfootfmt{#1}%
12872 \color@endgroup}%
12873 \m@mmf@prepare}
12874 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
12875 \global\setbox\@mpfootinsv@l\vbox{\@RTLfalse%
12876 \unvbox\@mpfootinsv@l
12877 \def\baselinestretch{\m@m@footnote@spacing}%
12878 \reset@font\LTRfoottextfont
12879 \hsize\columnwidth \@parboxrestore
12880 \protected@edef\@currentlabel{%
12881 \csname p@mpfootnote\endcsname\@thefnmark}%
12882 \color@begingroup
12883 \@eightcolLTRfootfmt{#1}%
12884 \color@endgroup}%
12885 \m@mmf@prepare}
12886 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
12887 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
12888 \unvbox\@mpfootinsv@r
12889 \def\baselinestretch{\m@m@footnote@spacing}%
12890 \reset@font\RTLfoottextfont
12891 \hsize\columnwidth \@parboxrestore
12892 \protected@edef\@currentlabel{%
12893 \csname p@mpfootnote\endcsname\@thefnmark}%
12894 \color@begingroup
12895 \@eightcolRTLfootfmt{#1}%
12896 \color@endgroup}%
12897 \m@mmf@prepare}
12898 \bidi@ensure@newcommand{\@m@make@eightcol@footgroup}[1]{%
12899 \@namedef{@eightcol@footgroup#1}{%
12900 \def\baselinestretch{\m@m@footnote@spacing}%
12901 \hsize\bidi@columnwidth
12902 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12903 \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
12904 \newcommand{\bidi@make@eightcol@LTRfootgroup}[1]{%
12905 \@namedef{@eightcol@LTRfootgroup#1}{%
12906 \def\baselinestretch{\m@m@footnote@spacing}%
12907 \hsize\bidi@columnwidth
12908 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12909 \bidi@LTRrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
12910 \bidi@ensure@newcommand{\@m@make@mpeightcol@footgroup}[1]{%
12911 \@namedef{@mpeightcol@footgroup#1}{%
12912 \def\baselinestretch{\m@m@footnote@spacing}%
12913 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12914 \m@mrigidbalance{\@nameuse{mpfootins#1}}{8}{\splittopskip}}}}
12915 \newcommand{\bidi@make@mpeightcol@LTRfootgroup}[1]{%
12916 \@namedef{@mpeightcol@LTRfootgroup#1}{%
12917 \def\baselinestretch{\m@m@footnote@spacing}%
12918 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
12919 \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{8}{\splittopskip}}}}
12920 \bidi@ensure@newcommand{\@ninecolumnfootnotes}{%
12921 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]

```



```

12922 \@namedef{foottextfontv@1}{\LTRfoottextfont}%
12923 \@bidi@before@Hy@hyperfootnotes
12924 \let\@footnotetext\@ninecolfootnotetext
12925 \let\@LTRfootnotetext\@ninecollTRfootnotetext
12926 \let\@RTLfootnotetext\@ninecolRTLfootnotetext
12927 \dimen\footinsv@r=9\footinsdim
12928 \count\footinsv@r=111\relax
12929 \m@make@ninecol@footgroup{v@r}%
12930 \let\@footgroupv@r\@ninecol@footgroupv@r
12931 \dimen\footinsv@l=9\footinsdim
12932 \count\footinsv@l=111\relax
12933 \bidi@make@ninecol@LTRfootgroup{v@l}%
12934 \let\@LTRfootgroupv@l\@ninecol@LTRfootgroupv@l
12935 \let\@mpfootnotetext\@mpninecolfootnotetext
12936 \let\@mpLTRfootnotetext\@mpninecollTRfootnotetext
12937 \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
12938 \@bidi@after@Hy@hyperfootnotes
12939 \m@make@mpninecol@footgroup{v@r}%
12940 \let\mp@footgroupv@r\@mpninecol@footgroupv@r
12941 \bidi@make@mpninecol@LTRfootgroup{v@l}%
12942 \let\mp@LTRfootgroupv@l\@mpninecol@LTRfootgroupv@l
12943 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
12944 }
12945 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert
12946 \if@RTL@footnote
12947 \footinsv@r
12948 \else
12949 \footinsv@l
12950 \fi
12951 {\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
12952 \def\baselinestretch{\m@f@footnote@spacing}%
12953 \reset@font\foottextfont
12954 \@preamfntext
12955 \protected@edef\@currentlabel{%
12956 \csname p@footnote\endcsname\@thefnmark}%
12957 \color@begingroup
12958 \@ninecolfootfmt{#1}%
12959 \color@endgroup}%
12960 \m@mmf@prepare}
12961 \bidi@ensure@newcommand{\@ninecollTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
12962 \def\baselinestretch{\m@f@footnote@spacing}%
12963 \reset@font\LTRfoottextfont
12964 \@preamfntext
12965 \protected@edef\@currentlabel{%
12966 \csname p@footnote\endcsname\@thefnmark}%
12967 \color@begingroup
12968 \@ninecollTRfootfmt{#1}%
12969 \color@endgroup}%
12970 \m@mmf@prepare}
12971 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
12972 \def\baselinestretch{\m@f@footnote@spacing}%
12973 \reset@font\RTLfoottextfont
12974 \@preamfntext
12975 \protected@edef\@currentlabel{%

```



```

12976 \csname p@footnote\endcsname\@thefnmark}%
12977 \color@begingroup
12978 \@ninecolRTLfootfmt{#1}%
12979 \color@endgroup}%
12980 \m@mmf@prepare}
12981 \bidi@ensure@newcommand{\@preamninefmt}{%
12982 \hspace .1\hspace
12983 \parindent=\z@
12984 \tolerance=5000\relax
12985 \leavevmode}
12986 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
12987 \@preamninefmt
12988 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
12989 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
12990 \@preamninefmt
12991 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
12992 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
12993 \@preamninefmt
12994 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
12995 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
12996 \global\setbox
12997 \if@RTL@footnote
12998 \@mpfootinsv@r
12999 \else
13000 \@mpfootinsv@l
13001 \fi
13002 \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13003 \unvbox
13004 \if@RTL@footnote
13005 \@mpfootinsv@r
13006 \else
13007 \@mpfootinsv@l
13008 \fi
13009 \def\baselinestretch{\m@m@footnote@spacing}%
13010 \reset@font\foottextfont
13011 \hspace\columnwidth \@parboxrestore
13012 \protected@edef\@currentlabel{%
13013 \csname p@mpfootnote\endcsname\@thefnmark}%
13014 \color@begingroup
13015 \@ninecolfootfmt{#1}%
13016 \color@endgroup}%
13017 \m@mmf@prepare}
13018 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
13019 \global\setbox\@mpfootinsv@l\vbox{\@RTLfalse%
13020 \unvbox\@mpfootinsv@l
13021 \def\baselinestretch{\m@m@footnote@spacing}%
13022 \reset@font\LTRfoottextfont
13023 \hspace\columnwidth \@parboxrestore
13024 \protected@edef\@currentlabel{%
13025 \csname p@mpfootnote\endcsname\@thefnmark}%
13026 \color@begingroup
13027 \@ninecolLTRfootfmt{#1}%
13028 \color@endgroup}%
13029 \m@mmf@prepare}

```



```

13030 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
13031   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
13032     \unvbox\@mpfootinsv@r
13033     \def\baselinestretch{\m@m@footnote@spacing}%
13034     \reset@font\RTLfoottextfont
13035     \hsize\columnwidth \@parboxrestore
13036     \protected@edef\@currentlabel{%
13037       \csname p@mpfootnote\endcsname\@thefnmark}%
13038     \color@begingroup
13039     \@ninecolRTLfootfmt{#1}%
13040     \color@endgroup}%
13041   \m@mmf@prepare}
13042 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
13043   \@namedef{@ninecol@footgroup#1}{%
13044     \def\baselinestretch{\m@m@footnote@spacing}%
13045     \hsize\bidi@columnwidth
13046     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13047     \m@r@rigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
13048 \newcommand{\bidi@make@ninecol@LTRfootgroup}[1]{%
13049   \@namedef{@ninecol@LTRfootgroup#1}{%
13050     \def\baselinestretch{\m@m@footnote@spacing}%
13051     \hsize\bidi@columnwidth
13052     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13053     \bidi@LTRrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
13054 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
13055   \@namedef{@mpninecol@footgroup#1}{%
13056     \def\baselinestretch{\m@m@footnote@spacing}%
13057     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13058     \m@r@rigidbalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}}
13059 \newcommand{\bidi@make@mpninecol@LTRfootgroup}[1]{%
13060   \@namedef{@mpninecol@LTRfootgroup#1}{%
13061     \def\baselinestretch{\m@m@footnote@spacing}%
13062     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13063     \bidi@LTRrigidbalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}}
13064 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
13065   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13066   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13067   \@bidi@before@Hy@hyperfootnotes
13068   \let\@footnotetext\@tencolfootnotetext
13069   \let\@LTRfootnotetext\@tencolLTRfootnotetext
13070   \let\@RTLfootnotetext\@tencolRTLfootnotetext
13071   \dimen\footinsv@r=10\footinsdim
13072   \count\footinsv@r=100\relax
13073   \m@make@tencol@footgroup{v@r}%
13074   \let\@footgroupv@r\@tencol@footgroupv@r
13075   \dimen\footinsv@l=10\footinsdim
13076   \count\footinsv@l=100\relax
13077   \bidi@make@tencol@LTRfootgroup{v@l}%
13078   \let\@LTRfootgroupv@l\@tencol@LTRfootgroupv@l
13079   \let\@mpfootnotetext\@mptencolfootnotetext
13080   \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
13081   \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
13082   \@bidi@after@Hy@hyperfootnotes
13083   \m@make@mptencol@footgroup{v@r}%

```



```

13084 \let\mp@footgroupv@r\@mptencol@footgroupv@r
13085 \bidi@make@mptencol@LTRfootgroup{v@1}%
13086 \let\mp@LTRfootgroupv@1\@mptencol@LTRfootgroupv@1
13087 \ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13088 }
13089 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert
13090 \ifRTL@footnote
13091 \footinsv@r
13092 \else
13093 \footinsv@l
13094 \fi
13095 {\ifRTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13096 \def\baselinestretch{\m@m@footnote@spacing}%
13097 \reset@font\foottextfont
13098 \@preamfntext
13099 \protected@edef\@currentlabel{%
13100 \csname p@footnote\endcsname\@thefnmark}%
13101 \color@begingroup
13102 \@tencolfootfmt{#1}%
13103 \color@endgroup}%
13104 \m@mmf@prepare}
13105 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@l{\@RTLfalse%
13106 \def\baselinestretch{\m@m@footnote@spacing}%
13107 \reset@font\LTRfoottextfont
13108 \@preamfntext
13109 \protected@edef\@currentlabel{%
13110 \csname p@footnote\endcsname\@thefnmark}%
13111 \color@begingroup
13112 \@tencolLTRfootfmt{#1}%
13113 \color@endgroup}%
13114 \m@mmf@prepare}
13115 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
13116 \def\baselinestretch{\m@m@footnote@spacing}%
13117 \reset@font\RTLfoottextfont
13118 \@preamfntext
13119 \protected@edef\@currentlabel{%
13120 \csname p@footnote\endcsname\@thefnmark}%
13121 \color@begingroup
13122 \@tencolRTLfootfmt{#1}%
13123 \color@endgroup}%
13124 \m@mmf@prepare}
13125 \bidi@ensure@newcommand{\@preamtenfmt}{%
13126 \hspace .1\hspace
13127 \parindent=\z@
13128 \tolerance=5000\relax
13129 \leavevmode}
13130 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
13131 \@preamtenfmt
13132 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
13133 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
13134 \@preamtenfmt
13135 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
13136 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
13137 \@preamtenfmt

```



```

13138 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
13139 \bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
13140   \global\setbox
13141     \if@RTL@footnote
13142     \@mpfootinsv@r
13143   \else
13144     \@mpfootinsv@l
13145   \fi
13146   \vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
13147     \unvbox
13148     \if@RTL@footnote
13149     \@mpfootinsv@r
13150   \else
13151     \@mpfootinsv@l
13152   \fi
13153   \def\baselinestretch{\m@m@footnote@spacing}%
13154   \reset@font\foottextfont
13155   \hsize\columnwidth \@parboxrestore
13156   \protected@edef\@currentlabel{%
13157     \csname p@mpfootnote\endcsname\@thefnmark}%
13158   \color@begingroup
13159     \@tencolfootfmt{#1}%
13160   \color@endgroup}%
13161   \m@m@m@prepare}
13162 \bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
13163   \global\setbox\@mpfootinsv@l\vbox{\@RTLfalse%
13164     \unvbox\@mpfootinsv@l
13165     \def\baselinestretch{\m@m@footnote@spacing}%
13166     \reset@font\LTRfoottextfont
13167     \hsize\columnwidth \@parboxrestore
13168     \protected@edef\@currentlabel{%
13169       \csname p@mpfootnote\endcsname\@thefnmark}%
13170     \color@begingroup
13171       \@tencolLTRfootfmt{#1}%
13172     \color@endgroup}%
13173     \m@m@m@prepare}
13174 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
13175   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
13176     \unvbox\@mpfootinsv@r
13177     \def\baselinestretch{\m@m@footnote@spacing}%
13178     \reset@font\RTLfoottextfont
13179     \hsize\columnwidth \@parboxrestore
13180     \protected@edef\@currentlabel{%
13181       \csname p@mpfootnote\endcsname\@thefnmark}%
13182     \color@begingroup
13183       \@tencolRTLfootfmt{#1}%
13184     \color@endgroup}%
13185     \m@m@m@prepare}
13186 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
13187   \@namedef{\@tencol@footgroup#1}{%
13188     \def\baselinestretch{\m@m@footnote@spacing}%
13189     \hsize\bidi@columnwidth
13190     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13191     \m@m@rigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}

```



```

13192 \newcommand{\bidi@make@tencol@LTRfootgroup}[1]{%
13193   \@namedef{@tencol@LTRfootgroup#1}{%
13194     \def\baselinestretch{\m@m@footnote@spacing}%
13195     \hsize\bidi@columnwidth
13196     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13197     \bidi@LTRrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
13198 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
13199   \@namedef{@mptencol@footgroup#1}{%
13200     \def\baselinestretch{\m@m@footnote@spacing}%
13201     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13202     \m@mrigidbalance{\@nameuse{mpfootins#1}}{10}{\splittopskip}}}}
13203 \newcommand{\bidi@make@mptencol@LTRfootgroup}[1]{%
13204   \@namedef{@mptencol@LTRfootgroup#1}{%
13205     \def\baselinestretch{\m@m@footnote@spacing}%
13206     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
13207     \bidi@LTRrigidbalance{\@nameuse{mpfootins#1}}{10}{\splittopskip}}}}
13208 \bidi@ensure@newcommand{\m@munvxh}[1]{%
13209   \setbox0=\vbox{\unvbox#1}
13210   \global\setbox1=\lastbox}%
13211   \unhbox1
13212   \unskip
13213   \unskip
13214   \unpenalty
13215   \hskip\m@mipn@skip}
13216 \bidi@ensure@newcommand{\m@mungebox}{%
13217   \setbox0=\hbox{\m@munvxh0}%
13218   \dp0=\z@
13219   \ht0=\footfudgefactor\wd0
13220   \box0
13221   \penalty0}
13222 \newskip\m@mipn@skip
13223 \bidi@ensure@newcommand*{\m@minterparanoteglue}[1]{%
13224   {foottextfont\global\m@mipn@skip=#1\relax}}
13225 \m@minterparanoteglue{1em plus.3em minus.3em}
13226 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
13227   \setbox0=\hbox{}%
13228   \loop
13229     \unpenalty
13230     \setbox2=\lastbox
13231     \ifhbox2
13232       \setbox0=\hbox{\box2\unhbox0}
13233     \repeat}
13234 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
13235   \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
13236 \newcommand*{\AddExtraParaSkip}[1]{%
13237   \def\bidi@xparaskip{\advance@tempdima#1\relax}%
13238 }
13239 \let\bidi@xparaskip\relax
13240 \@onlypreamble\AddExtraParaSkip
13241 \@onlypreamble\bidi@xparaskip
13242 \def\bidi@startparafootskip#1{%
13243   \global\advance\skip#1\bidi@paraskip
13244 }
13245 \@onlypreamble\bidi@startparafootskip

```



```

13246 \bidi@ensure@newcommand{\paragraphfootnotes}{%
13247   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
13248   \@namedef{foottextfontv@l}{\LTRfoottextfont}%
13249   \@bidi@before@Hy@hyperfootnotes
13250   \let\@footnotetext\@parafootnotetext
13251   \let\@LTRfootnotetext\@paraLTRfootnotetext
13252   \let\@RTLfootnotetext\@paraRTLfootnotetext
13253   \dimen\footinsv@r=\footinsdim
13254   \count\footinsv@r=1000\relax
13255   \let\bidi@removexfootskip\bidi@removexparafootskip
13256   \m@make@para@footgroup{v@r}%
13257   \m@make@para@footstart{v@r}%
13258   \let\@footgroupv@r\@para@footgroupv@r
13259   \let\@footstartv@r\@para@footstartv@r
13260   \dimen\footinsv@l=\footinsdim
13261   \count\footinsv@l=1000\relax
13262   \bidi@make@para@LTRfootgroup{v@l}%
13263   \m@make@para@footstart{v@l}%
13264   \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
13265   \let\@footstartv@l\@para@footstartv@l
13266   \let\@mpfootnotetext\@mpparafootnotetext
13267   \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
13268   \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
13269   \@bidi@after@Hy@hyperfootnotes
13270   \m@make@mppara@footgroup{v@r}%
13271   \bidi@make@mppara@LTRfootgroup{v@l}%
13272   \let\mp@footgroupv@r\@mppara@footgroupv@r
13273   \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
13274   \g@addto@macro\bidi@floathook{%
13275     \begingroup
13276       \foottextfont \@tempdima\normalbaselineskip
13277       \multiply \@tempdima \@cclvi
13278       \@tempdimb \columnwidth
13279       \divide \@tempdimb \@cclvi
13280       \divide \@tempdima \@tempdimb
13281       \xdef\footfudgefactor{\strip@pt\@tempdima}%
13282     \endgroup
13283   }
13284 \AtBeginDocument{%
13285   \begingroup
13286     \foottextfont
13287     \@tempdima\footnotesep
13288     \advance\@tempdima -\ht\strutbox
13289     \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
13290     \advance\@tempdima.5\normalbaselineskip
13291     \bidi@xparaskip
13292     \xdef\bidi@paraskip{\the\@tempdima\relax}%
13293   \endgroup
13294   \bidi@startparafootskip\footinsv@r
13295   \bidi@startparafootskip\footinsv@l
13296   }
13297   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13298 }
13299 \newcommand{\normalRTLparaLTRfootnotes}{%

```



```

13300 \@namedef{foottextfontv@1}{\LTRfoottextfont}%
13301 \@bidi@before@Hy@hyperfootnotes
13302 \if@RTL@footnote
13303   \let\@footnotetext\m@mold@footnotetext
13304 \else
13305   \let\@footnotetext\@parafootnotetext
13306 \fi
13307 \let\@LTRfootnotetext\@paraLTRfootnotetext
13308 \let\@RTLfootnotetext\m@mold@RTLfootnotetext
13309 \dimen\footinsv@1=\footinsdim
13310 \count\footinsv@1=1000\relax
13311 \let\@bidi@removexfootskip\@bidi@removexparafootskip
13312 \bidi@make@para@LTRfootgroup{v@1}%
13313 \m@make@para@footstart{v@1}%
13314 \let\@LTRfootgroupv@1\@para@LTRfootgroupv@1
13315 \let\@footstartv@1\@para@footstartv@1
13316 \if@RTL@footnote
13317   \let\@mpfootnotetext\m@mold@mpfootnotetext
13318 \else
13319   \let\@mpfootnotetext\@mpparafootnotetext
13320 \fi
13321 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
13322 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
13323 \@bidi@after@Hy@hyperfootnotes
13324 \bidi@make@mppara@LTRfootgroup{v@1}%
13325 \let\mp@LTRfootgroupv@1\@mppara@LTRfootgroupv@1
13326 \g@addto@macro\bidi@floathook{%
13327   \begingroup
13328     \LTRfoottextfont \@tempdima\normalbaselineskip
13329     \multiply \@tempdima \@cclvi
13330     \@tempdimb \columnwidth
13331     \divide \@tempdimb \@cclvi
13332     \divide \@tempdima \@tempdimb
13333     \xdef\footfudgefactor{\strip@pt\@tempdima}%
13334   \endgroup
13335 }
13336 \AtBeginDocument{%
13337   \begingroup
13338     \LTRfoottextfont
13339     \@tempdima\footnotesep
13340     \advance\@tempdima -\ht\strutbox
13341     \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
13342     \advance\@tempdima.5\normalbaselineskip
13343     \bidi@xparaskip
13344     \xdef\bidi@paraskip{\the\@tempdima\relax}%
13345   \endgroup
13346   \bidi@startparafootskip\footinsv@1
13347 }
13348 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
13349 }
13350 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert
13351 \if@RTL@footnote
13352   \footinsv@r
13353 \else

```



```

13354 \footinsv@l
13355 \fi
13356 {%
13357 \let\ bidi@RTL@everypar\@empty%
13358 \def\baselinestretch{\m@m@footnote@spacing}%
13359 \reset@font\foottextfont
13360 \@preamfntext
13361 \protected@edef\@currentlabel{%
13362 \csname p@footnote\endcsname\@thefnmark}%
13363 \setbox0=\vbox{\hsize=\maxdimen
13364 \color@begingroup
13365 \noindent \@parafootfmt{#1}%
13366 \color@endgroup}%
13367 \m@mungebox}\m@mmf@prepare}
13368 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@l{%
13369 \let\ bidi@RTL@everypar\@empty%
13370 \def\baselinestretch{\m@m@footnote@spacing}%
13371 \reset@font\LTRfoottextfont
13372 \@preamfntext
13373 \protected@edef\@currentlabel{%
13374 \csname p@footnote\endcsname\@thefnmark}%
13375 \setbox0=\vbox{\hsize=\maxdimen
13376 \color@begingroup
13377 \noindent \@paraLTRfootfmt{#1}%
13378 \color@endgroup}%
13379 \m@mungebox}\m@mmf@prepare}
13380 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
13381 \let\ bidi@RTL@everypar\@empty%
13382 \def\baselinestretch{\m@m@footnote@spacing}%
13383 \reset@font\RTLfoottextfont
13384 \@preamfntext
13385 \protected@edef\@currentlabel{%
13386 \csname p@footnote\endcsname\@thefnmark}%
13387 \setbox0=\vbox{\hsize=\maxdimen
13388 \color@begingroup
13389 \noindent \@paraRTLfootfmt{#1}%
13390 \color@endgroup}%
13391 \m@mungebox}\m@mmf@prepare}
13392 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
13393 \parindent=\z@
13394 \parfillskip=0pt \@plus 1fil
13395 {\footfootmark\strut {\foottextfont #1}\penalty-10}}
13396 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
13397 \parindent=\z@
13398 \parfillskip=0pt \@plus 1fil
13399 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
13400 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
13401 \parindent=\z@
13402 \parfillskip=0pt \@plus 1fil
13403 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
13404 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
13405 \global\setbox
13406 \if@RTL@footnote
13407 \@mpfootinsv@r

```



```

13408 \else
13409   \@mpfootinsv@l
13410 \fi
13411 \vbox{%
13412   \let\bidir@RTL@everypar\@empty%
13413   \def\baselinestretch{\m@m@footnote@spacing}%
13414   \unvbox
13415   \if@RTL@footnote
13416     \@mpfootinsv@r
13417   \else
13418     \@mpfootinsv@l
13419   \fi
13420   \reset@font\foottextfont
13421   \hsize\columnwidth \@parboxrestore
13422   \protected@edef\@currentlabel{%
13423     \csname p@mpfootnote\endcsname\@thefnmark}%
13424   \setbox0=\vbox{\hsize=\maxdimen
13425     \color@begingroup
13426     \noindent \@parafootfmt{#1}%
13427     \color@endgroup}%
13428   \m@mungebox}\m@mmf@prepare}
13429 \bidi@ensure@newcommand{\mpparaLTRfootnotetext}[1]{%
13430 \global\setbox\@mpfootinsv@l\vbox{%
13431   \let\bidir@RTL@everypar\@empty%
13432   \def\baselinestretch{\m@m@footnote@spacing}%
13433   \unvbox\@mpfootinsv@l
13434   \reset@font\LTRfoottextfont
13435   \hsize\columnwidth \@parboxrestore
13436   \protected@edef\@currentlabel{%
13437     \csname p@mpfootnote\endcsname\@thefnmark}%
13438   \setbox0=\vbox{\hsize=\maxdimen
13439     \color@begingroup
13440     \noindent \@paraLTRfootfmt{#1}%
13441     \color@endgroup}%
13442   \m@mungebox}\m@mmf@prepare}
13443 \bidi@ensure@newcommand{\mpparaRTLfootnotetext}[1]{%
13444 \global\setbox\@mpfootinsv@r\vbox{%
13445   \let\bidir@RTL@everypar\@empty%
13446   \def\baselinestretch{\m@m@footnote@spacing}%
13447   \unvbox\@mpfootinsv@r
13448   \reset@font\RTLfoottextfont
13449   \hsize\columnwidth \@parboxrestore
13450   \protected@edef\@currentlabel{%
13451     \csname p@mpfootnote\endcsname\@thefnmark}%
13452   \setbox0=\vbox{\hsize=\maxdimen
13453     \color@begingroup
13454     \noindent \@paraRTLfootfmt{#1}%
13455     \color@endgroup}%
13456   \m@mungebox}\m@mmf@prepare}
13457 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
13458 \@namedef{\@para@footgroup#1}{%
13459   \unvbox\@nameuse{footins#1}
13460   \@RTLtrue
13461   \m@mmakehboxofhboxes

```



```

13462 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
13463 \hsize\bidicolumnwidth
13464 \@parboxrestore
13465 \def\baselinestretch{\m@m@footnote@spacing}%
13466 \@nameuse{foottextfont#1}%
13467 \noindent\unhbox0\par}}
13468 \bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
13469 \@namedef{@para@LTRfootgroup#1}{%
13470 \unvbox\@nameuse{footins#1}
13471 \@RTLfalse
13472 \m@mmakehboxofhboxes
13473 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
13474 \hsize\bidicolumnwidth
13475 \@parboxrestore
13476 \def\baselinestretch{\m@m@footnote@spacing}%
13477 \@nameuse{foottextfont#1}%
13478 \noindent\unhbox0\par}}
13479 \newcommand{\bidi@removexparafootskip}{%
13480 \advance\@tempskipa -\bidi@paraskip
13481 \edef\bidi@footskip{\vskip\the\@tempskipa\relax}%
13482 }
13483 \let\bidi@removexfootskip\relax
13484 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
13485 \@namedef{@mppara@footgroup#1}{%
13486 \unvbox\@nameuse{@mpfootins#1}
13487 \@RTLtrue
13488 \m@mmakehboxofhboxes
13489 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
13490 \def\baselinestretch{\m@m@footnote@spacing}%
13491 \@nameuse{foottextfont#1}%
13492 \noindent\unhbox0\par}}
13493 \bidi@ensure@newcommand{\bidi@make@mppara@LTRfootgroup}[1]{%
13494 \@namedef{@mppara@LTRfootgroup#1}{%
13495 \unvbox\@nameuse{@mpfootins#1}
13496 \@RTLfalse
13497 \m@mmakehboxofhboxes
13498 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
13499 \def\baselinestretch{\m@m@footnote@spacing}%
13500 \@nameuse{foottextfont#1}%
13501 \noindent\unhbox0\par}}
13502 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
13503 \@namedef{@para@footstart#1}{%
13504 \leftskip=\z@
13505 \rightskip=\z@
13506 \parindent=\z@
13507 }%
13508 }
13509 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
13510 \xdef\@freelist{\@freelist\@midlist}%
13511 \global\let\@midlist\@empty
13512 \@combinefloats}
13513 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
13514 \ifvbox\@kludgeins
13515 \@makespecialcolbox

```



```

13516 \else
13517   \setbox\@outputbox \vbox to\@colht{%
13518     \@texttop
13519     \dimen@ \dp\@outputbox
13520     \unvbox \@outputbox
13521     \vskip -\dimen@
13522     \@textbottom}%
13523 \fi}
13524 \bidi@ensure@newcommand*{\m@m@makecolintro}{
13525 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
13526   \boxmaxdepth\@maxdepth
13527   \@tempdima\dp\@cclv
13528   \unvbox\@cclv
13529   \vskip-\@tempdima
13530   \bidi@mopfn@bottom
13531   \vskip \skip\footins
13532   \color@begingroup
13533     \normalcolor
13534     \footnoterule
13535     \unvbox \footins
13536   \color@endgroup
13537   }%
13538 }
13539 \newcommand*{\bidi@mopfootnotebf}{%
13540   \setbox\@outputbox \vbox{%
13541     \boxmaxdepth\@maxdepth
13542     \unvbox\@outputbox
13543     \bidi@mopfn@bottom
13544     \vskip\skip\footins
13545     \color@begingroup
13546       \normalcolor
13547       \footnoterule
13548       \unvbox \footins
13549     \color@endgroup
13550   }%
13551 }
13552 \gdef\mem@makecol{%
13553   \m@m@makecolintro
13554   \m@m@doextrafeet
13555   \ifvoid\footins
13556     \setbox\@outputbox \box\@cclv
13557   \else
13558     \m@mopfootnote
13559   \fi
13560   \m@m@makecolfloats
13561   \m@m@makecoltext
13562   \global \maxdepth \@maxdepth}
13563 \gdef\bidi@makecolbf{%
13564   \m@m@makecolintro
13565   \m@m@doextrafeet
13566   \setbox\@outputbox \box\@cclv
13567   \m@m@makecolfloats
13568   \ifvoid\footins
13569   \else

```



```

13570     \bidi@mopfootnotebf
13571     \fi
13572     \m@m@makecoltext
13573     \global \maxdepth \@maxdepth}
13574 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
13575 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
13576 \newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
13577 \newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
13578 \FeetAboveFloat
13579 \FeetBelowRagged
13580 \def\bidi@reinserts#1{\ifvoid#1\else
13581     \ifnum\count\@currbox>\z@
13582     \advance\@pageht \ht#1%
13583     \advance\@pageht \skip#1%
13584     \advance\@pageht \dp#1%
13585     \fi
13586     \insert#1{\unvbox#1}%
13587     \fi
13588 }
13589 \def\bidi@init@multi@footins#1{%
13590     \multiply\count#1\col@number
13591     \multiply\skip#1\col@number
13592 }
13593 \def\bidi@reinsert@footnotes#1{\ifvoid#1\else
13594     \insert#1{\fi}
13595 \AtBeginDocument{%
13596     \bidi@preto\@doclearpage\m@m@doextrafeet
13597     \g@addto@macro\@reinserts{%
13598     \bidi@reinserts\footinsv@r
13599     \bidi@reinserts\footinsv@l
13600     }
13601     \bidi@floathook
13602     \g@addto@macro\@floatplacement{%
13603     \bidi@ifmulticol}{\bidi@floathook}%
13604     }%
13605     \if@bidi@csundef{multi@column@out}{%
13606     \@onlypreamble\bidi@init@multi@footins
13607     \let\bidi@ifmulticol\@secondoftwo
13608     }{%
13609     \bidi@preto\multi@column@out\m@m@doextrafeet
13610     \g@addto@macro\init@mult@footins{%
13611     \bidi@init@multi@footins\footinsv@r
13612     \bidi@init@multi@footins\footinsv@l
13613     }%
13614     \g@addto@macro\reinsert@footnotes{%
13615     \bidi@reinsert@footnotes\footinsv@r
13616     \bidi@reinsert@footnotes\footinsv@l
13617     }%
13618     }%
13619 }

```

## 87 File extreport-xetex-bidi.def

```

13620 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class

```



```

13621 \renewcommand*\l@part[2]{%
13622   \ifnum \c@tocdepth >-2\relax
13623     \addpenalty{-\@highpenalty}%
13624     \addvspace{2.25em \@plus\p@}%
13625     \begingroup
13626       \setlength\@tempdima{3em}%
13627       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13628       \parfillskip -\@pnumwidth
13629       {\leavevmode
13630         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
13631       \nobreak
13632       \global\@nobreaktrue
13633       \everypar{\global\@nobreakfalse\everypar{}}%
13634     \endgroup
13635   \fi}
13636 \renewcommand*\l@chapter[2]{%
13637   \ifnum \c@tocdepth >\m@ne
13638     \addpenalty{-\@highpenalty}%
13639     \vskip 1.0em \@plus\p@
13640     \setlength\@tempdima{1.5em}%
13641     \begingroup
13642       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
13643       \parfillskip -\@pnumwidth
13644       \leavevmode \bfseries
13645       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
13646       \hskip -\if@RTL\rightskip\else\leftskip\fi
13647       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
13648       \penalty\@highpenalty
13649     \endgroup
13650   \fi}
13651 \def\@makechapterhead#1{%
13652   \vspace*{50\p@}%
13653   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
13654     \ifnum \c@secnumdepth >\m@ne
13655       \huge\bfseries \@chapapp\space \thechapter
13656       \par\nobreak
13657       \vskip 20\p@
13658     \fi
13659     \interlinepenalty\@M
13660     \Huge \bfseries #1\par\nobreak
13661     \vskip 40\p@
13662   }}
13663 \def\@makeschapterhead#1{%
13664   \vspace*{50\p@}%
13665   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
13666     \normalfont
13667     \interlinepenalty\@M
13668     \Huge \bfseries #1\par\nobreak
13669     \vskip 40\p@
13670   }}
13671 \renewcommand\left@footnoterule{%
13672   \kern-3\p@
13673   \hrule\@width.4\columnwidth
13674   \kern2.6\p@}

```



```

13675 \renewcommand\right@footnoterule{%
13676 \kern-3\p@
13677 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
13678 \kern2.6\p@}
13679 \renewenvironment{thebibliography}[1]
13680 {\chapter*{\bibname
13681 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
13682 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
13683 \bidi@thebibliography@font@hook%
13684 \list{\@biblabel{\@arabic\c@enumiv}}%
13685 {\settowidth\labelwidth{\@biblabel{#1}}%
13686 \leftmargin\labelwidth
13687 \advance\leftmargin\labelsep
13688 \@openbib@code
13689 \usecounter{enumiv}%
13690 \let\p@enumiv\@empty
13691 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
13692 \sloppy\clubpenalty4000\widowpenalty4000%
13693 \sfcode`\.\@m}
13694 {\def\@noitemerr
13695 {\@latex@warning{Empty `thebibliography' environment}}%
13696 \endlist}
13697 \if@titlepage
13698 \renewcommand\maketitle{\begin{titlepage}%
13699 \let\footnotesize\small
13700 \let\right@footnoterule\relax
13701 \let\left@footnoterule\relax
13702 \let\textwidth@footnoterule\relax
13703 \let\footnote\thanks
13704 \null\vfil
13705 \vskip 60\p@
13706 \begin{center}%
13707 {\LARGE \@title \par}%
13708 \vskip 3em%
13709 {\large
13710 \lineskip .75em%
13711 \begin{tabular}[t]{c}%
13712 \@author
13713 \end{tabular}\par}%
13714 \vskip 1.5em%
13715 {\large \@date \par}% % Set date in \large size.
13716 \end{center}\par
13717 \@thanks
13718 \vfil\null
13719 \end{titlepage}%
13720 \setcounter{footnote}{0}%
13721 \global\let\thanks\relax
13722 \global\let\maketitle\relax
13723 \global\let\@thanks\@empty
13724 \global\let\@author\@empty
13725 \global\let\@date\@empty
13726 \global\let\@title\@empty
13727 \global\let\title\relax
13728 \global\let\author\relax

```



```

13729 \global\let\date\relax
13730 \global\let\and\relax
13731 }
13732 \else
13733 \renewcommand\maketitle{\par
13734 \begingroup
13735 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
13736 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
13737 \long\def\@makefntext##1{\parindent 1em\noindent
13738 \hb@xt@1.8em{%
13739 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
13740 \if@twocolumn
13741 \ifnum \col@number=\@ne
13742 \maketitle
13743 \else
13744 \twocolumn[\maketitle]%
13745 \fi
13746 \else
13747 \newpage
13748 \global\@topnum\z@ % Prevents figures from going at top of page.
13749 \maketitle
13750 \fi
13751 \thispagestyle{plain}\@thanks
13752 \endgroup
13753 \setcounter{footnote}{0}%
13754 \global\let\thanks\relax
13755 \global\let\maketitle\relax
13756 \global\let\@maketitle\relax
13757 \global\let\@thanks\@empty
13758 \global\let\@author\@empty
13759 \global\let\@date\@empty
13760 \global\let\@title\@empty
13761 \global\let\title\relax
13762 \global\let\author\relax
13763 \global\let\date\relax
13764 \global\let\and\relax
13765 }
13766 \def\@maketitle{%
13767 \newpage
13768 \null
13769 \vskip 2em%
13770 \begin{center}%
13771 \let \footnote \thanks
13772 {\LARGE \@title \par}%
13773 \vskip 1.5em%
13774 {\large
13775 \lineskip .5em%
13776 \begin{tabular}[t]{c}%
13777 \@author
13778 \end{tabular}\par}%
13779 \vskip 1em%
13780 {\large \@date}%
13781 \end{center}%
13782 \par

```



```

13783 \vskip 1.5em}
13784 \fi
13785 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
13786 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
13787 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
13788 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
13789 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
13790 \renewcommand\theequation{%
13791 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
13792 \renewcommand\thefigure{%
13793 \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
13794 \renewcommand\thetable{%
13795 \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}

```

## 88 File fancybox-xetex-bidi.def

```

13796 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
13797 \def\fancy@oval#1#2#3{%
13798 \boxmaxdepth \maxdimen
13799 \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
13800 \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
13801 \@ovxx#1\relax
13802 \advance\@ovxx-\@wholewidth
13803 \@ovyy#2\relax
13804 \advance\@ovyy-\@wholewidth
13805 \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx \else \@ovyy \fi
13806 \advance\@tempdimb-2\p@
13807 \ifdim\@tempdimb>\the@cornersize\relax
13808 \@tempdimb=\the@cornersize
13809 \fi
13810 \@getcirc\@tempdimb
13811 \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
13812 \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
13813 \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
13814 \@circleft
13815 \setbox\@tempboxa\hbox{\beginL%
13816 \if@ovr \@ovvert32\kern -\@tempdima \fi
13817 \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
13818 \if@ovt \@ovhorz \kern -\@ovxx \fi
13819 \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
13820 \advance\@ovdx\@ovro
13821 \advance\@ovdy\@ovro
13822 \advance\@ovxx\@wholewidth
13823 \wd\@tempboxa=\@ovxx
13824 \dp\@tempboxa=\z@}

```

## 89 File fancyhdr-xetex-bidi.def

```

13825 \ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package]
13826
13827 \let\f@nch@everypar\everypar
13828
13829 \def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
13830 \f@nch@vbox\headheight{\hbox

```



```

13831     {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
13832       \parbox[b]{\headwidth}{\centering#3}\hfill
13833       \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}\headrule}}#5}
13834
13835 \def\fnch@foot#1#2#3#4#5{#1\hbox to\headwidth{\fnch@reset
13836   \fnch@vbox\footskip{\footrule
13837     \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
13838       \parbox[t]{\headwidth}{\centering#3}\hfill
13839       \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}}#5}
13840

```

## 90 File fix2col-xetex-bidi.def

```

13841 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package f
13842 \def\RTL@outputdblcol{%
13843   \if@firstcolumn
13844     \global\@firstcolumnfalse
13845     \global\setbox\@leftcolumn\copy\@outputbox
13846     \splitmaxdepth\maxdimen
13847     \vbadness\maxdimen
13848     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
13849     \toks@\expandafter{\topmark}%
13850     \xdef\@firstcoltopmark{\the\toks@}%
13851     \toks@\expandafter{\splitfirstmark}%
13852     \xdef\@firstcolfirstmark{\the\toks@}%
13853     \ifx\@firstcolfirstmark\@empty
13854       \global\let\@setmarks\relax
13855     \else
13856       \gdef\@setmarks{%
13857         \let\firstmark\@firstcolfirstmark
13858         \let\topmark\@firstcoltopmark}%
13859     \fi
13860 \else \global\@firstcolumntrue
13861 \setbox\@outputbox \vbox {\hbox to\textwidth {%
13862 \hskip \columnwidth
13863 \hfil \vrule width\columnseprule \hfil
13864 \hbox to\columnwidth {%
13865 \bidi@firstcolumn@status@write%
13866 \box\@leftcolumn \hss}%
13867 \hskip -\textwidth
13868 \hbox to\columnwidth{%
13869 \bidi@lastcolumn@status@write%
13870 \box\@outputbox \hss}%
13871 \hskip \columnsep
13872 \hskip \columnwidth }}%
13873 \@combinedblfloats \@setmarks \@outputpage
13874 \begingroup \@dblfloatplacement \@startdblcolumn
13875 \@whiles\ifcolmade \fi
13876 {\@outputpage \@startdblcolumn }\endgroup
13877 \fi}
13878 \def\LTR@outputdblcol{%
13879   \if@firstcolumn
13880     \global\@firstcolumnfalse
13881     \global\setbox\@leftcolumn\copy\@outputbox

```



```

13882 \splitmaxdepth\maxdimen
13883 \vbadness\maxdimen
13884 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
13885 \toks@\expandafter{\topmark}%
13886 \xdef\@firstcoltopmark{\the\toks@}%
13887 \toks@\expandafter{\splitfirstmark}%
13888 \xdef\@firstcolfirstmark{\the\toks@}%
13889 \ifx\@firstcolfirstmark\@empty
13890 \global\let\@setmarks\relax
13891 \else
13892 \gdef\@setmarks{%
13893 \let\firstmark\@firstcolfirstmark
13894 \let\topmark\@firstcoltopmark}%
13895 \fi
13896 \else
13897 \global\@firstcolumntrue
13898 \setbox\@outputbox\vbox{%
13899 \hb@xt@\textwidth{%
13900 \hb@xt@\columnwidth{%
13901 \bidi@firstcolumn@status@write%
13902 \box\@leftcolumn \hss}%
13903 \hfil
13904 \vrule \@width\columnseprule
13905 \hfil
13906 \hb@xt@\columnwidth{%
13907 \bidi@lastcolumn@status@write%
13908 \box\@outputbox \hss}}}%
13909 \@combinedblfloats
13910 \@setmarks
13911 \@outputpage
13912 \begin@group
13913 \@dblfloatplacement
13914 \@startdblcolumn
13915 \@whilesw\if@colmade \fi{\@outputpage\@startdblcolumn}%
13916 \endgroup
13917 \fi}

```

## 91 File fleqn-xetex-bidi.def

```

13918 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX]
13919 \renewcommand\[\{\relax
13920 \ifmmode\@badmath
13921 \else
13922 \begin{trivlist}%
13923 \@beginparpenalty\predisplaypenalty
13924 \@endparpenalty\postdisplaypenalty
13925 \item[]\leavevmode
13926 \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
13927 \hskip\mathindent\bgroup
13928 \fi}
13929 \renewcommand\[\{\relax
13930 \ifmmode
13931 \egroup $\hfil% $
13932 \endL\egroup

```



```

13933             \end{trivlist}%
13934             \else \@badmath
13935             \fi}
13936 \renewenvironment{equation}%
13937   {\@beginparpenalty\predisplaypenalty
13938   \@endparpenalty\postdisplaypenalty
13939   \refstepcounter{equation}%
13940   \trivlist \item[]\leavevmode
13941   \hb@xt@\linewidth\bgroup\beginL $\m@th% $
13942   \displaystyle
13943   \hskip\mathindent}%
13944   {$\hfil % $
13945   \displaywidth\linewidth\hbox{\@eqnnum}%
13946   \endL\egroup
13947   \endtrivlist}

```

## 92 File float-xetex-bidi.def

```

13948 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for X
13949 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
13950 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
13951   \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
13952 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]}%
13953   \expandafter\edef\csname the#1\endcsname{%
13954   \expandafter\noexpand\csname
13955   the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
13956   {\PackageWarning{float}{Can't redefine counter variable for #1.}}

```

## 93 File floatrow-xetex-bidi.def

```

13957 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package
13958 \renewcommand\flnew@within[1]{\@addtoreset{FB@captype}{#1}%
13959 \expandafter\edef\csname the\FB@captype\endcsname{%
13960   \expandafter\noexpand\csname
13961   the#1\endcsname\@SepMark\noexpand\arabic{FB@captype}}

```

## 94 File flowfram-xetex-bidi.def

```

13962 \ProvidesFile{flowfram-xetex-bidi.def}[2018/09/29 v0.5 bidi adaptations for flowfram package
13963 \def\@outputdblcol{%
13964 \@nxtcol=\c@thisframe
13965 \c@curpg=\c@page
13966 \@g@tnextcol{\@nxtcol}%
13967 \ifff@nwpng % next flow frame starts on new page
13968   \global\@firstcolumntrue
13969   \@setcolbox\c@thisframe
13970   \if@specialpage
13971     \global\@specialpagefalse
13972     \@nameuse{ps@\@specialstyle}\relax
13973   \fi
13974   \if@twoside
13975     \ifodd\count\z@
13976       \let\@thehead\@oddhead
13977       \let\@thefoot\@oddfoot

```



```

13978   \else
13979     \let\@thehead\@evenhead
13980     \let\@thefoot\@evenfoot
13981   \fi
13982 \else
13983   \let\@thehead\@oddhead
13984   \let\@thefoot\@oddfoot
13985 \fi
13986 \@beginarvi
13987 \@dodynamicthehead\@dodynamicthefoot
13988 \vbadness=\@M
13989 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}}%
13990 \@combinedblfloats
13991 \@outputpage
13992 \advance\c@curpg by -\c@page\relax
13993 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
13994 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}}%
13995 \@outputpage}
13996 \beginingroup
13997   \@dblfloatplacement
13998   \@startdblcolumn
13999   \@whilesw \if@fcolmade \fi
14000     {\@outputpage \@startdblcolumn }\endgroup
14001 \@resetst@tics
14002 \@resetdyn@mics
14003 \else % still on same page, save contents of box255
14004 \global\@firstcolumnfalse
14005 \@setcolbox\c@thisframe
14006 \fi
14007 \global\c@thisframe=\@nxtcol
14008 \@setcol{\c@thisframe}\relax
14009 \global\@colht\vsize
14010 }
14011 \def\@outputpage{%
14012 \beginingroup
14013   \let\protect\noexpand
14014   \@resetactivechars
14015   \global\let\@if@newlist\if@newlist
14016   \global\@newlistfalse\@parboxrestore
14017   \global\let\@bidi@BeforeOutputPageShipOut\@firstofone
14018   \bidi@beforeoutputpageshipouthook
14019   \shipout\vbox{\set@typeset@protect
14020     \aftergroup
14021     \endgroup
14022     \aftergroup
14023     \set@typeset@protect
14024     \reset@font\normalsize
14025     \bidi@font@@outputpage
14026     \normalsfcodes
14027     \let\label\@gobble
14028     \let\index\@gobble
14029     \let\glossary\@gobble
14030     \baselineskip\z@skip
14031     \lineskip\z@skip

```



```

14032 \lineskiplimit\z@
14033 \vskip\topmargin\moveright\@themargin
14034 \vbox{%
14035   \global\let\ bidi@BeforeHeader\@firstofone
14036   \ bidi@beforeheaderhook
14037   \vskip\headheight
14038   \vskip\headsep
14039   \global\let\ bidi@BeforeOutputBoxOutputPage\@firstofone
14040   \ bidi@beforeoutputboxoutputpagehook
14041   \box\@outputbox
14042   \global\let\ bidi@AfterOutputBoxOutputPage\@firstofone
14043   \ bidi@afteroutputboxoutputpagehook
14044   }%
14045 \global\let\ bidi@AfterOutputPageShipOut\@firstofone
14046 \ bidi@afteroutputpageshipouthook
14047 \global\let\ if@newlist\@if@newlist
14048 \stepcounter{page}%
14049 \setcounter{displayedframe}{0}%
14050 \let\firstmark\botmark
14051 \global\let\ bidi@AtEndOutputPage\@firstofone
14052 \ bidi@atendoutputpagehook
14053 }
14054
14055
14056 \newcommand*\ bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{\}%
14057 \expandafter\ bidicolor\ff@txtcol}}
14058
14059 \newcommand{\ bidi@ff@box}[3]{\@ffbackground{\vbox to#2
14060 {\hb@xt@ #1{\hss{\ bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}
14061
14062
14063 \renewcommand*\@docolbox}[1]{%
14064 \edef\ff@frametype{%
14065 \csname @ff@frametype@\romannumeral#1\endcsname}%
14066 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
14067 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
14068 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
14069 \@ff@setoffset{#1}%
14070 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
14071 \ifthenelse{\boolean{columnframe\romannumeral#1}}{\%
14072 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
14073 {\csname colheight\romannumeral#1\endcsname}}{\%
14074 \expandafter\box\csname column\romannumeral#1\endcsname}}{\%
14075 \csname\ff@frametype\endcsname}%
14076 }{\%
14077 \ bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
14078 {\csname colheight\romannumeral#1\endcsname}}{\%
14079 \expandafter\box\csname column\romannumeral#1\endcsname}}{\%
14080 }}}
14081 \@ifclassloaded{book}{%
14082 \renewcommand\theequation
14083 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
14084 \renewcommand \thefigure
14085 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}

```



```

14086 \renewcommand \thetable
14087     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
14088 \renewcommand \thechapter {\@arabic\c@chapter}
14089 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
14090 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
14091 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
14092 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
14093 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
14094 \@ifclassloaded{report}{%
14095 \renewcommand \theequation
14096     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
14097 \renewcommand \thefigure
14098     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
14099 \renewcommand \thetable
14100     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
14101 \renewcommand \thechapter {\@arabic\c@chapter}
14102 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
14103 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
14104 \renewcommand \thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
14105 \renewcommand \theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
14106 \renewcommand \thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
14107 \renewcommand{\rotateframe}[2]{\if@tbtb\rotate
14108 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}}%
14109 \else
14110 #2\relax
14111 \fi}

```

## 95 File footnote-xetex-bidi.def

```

14112 \ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine]
14113 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
14114 \newif\ifbidi@autofooterule
14115 \def\bidi@mpfootnoterule{\footnoterule}
14116 \newcounter{footdir@label}
14117 \renewcommand*{\thefootdir@label}{footdir@the\value{footdir@label}}
14118 \newcommand*{\footdir@write}{%
14119 \stepcounter{footdir@label}%
14120 \zref@labelbyprops{\thefootdir@label}{abspage}%
14121 }
14122 \newif\iffootdir@debug
14123 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
14124 \newtoks\footdir@toks
14125 \newcommand*{\footdir@debug}[1]{%
14126 \iffootdir@debug
14127 \typeout{[footdir] #1}%
14128 \fi
14129 }
14130 %\@ifpackagelater{zref-abspage}{2012/10/27}{%
14131 % \newcommand*{\footdir@LeftRightElse}{%
14132 % \ltx@ifundefined{footdir@the\value{zabspage}}{%
14133 % \footdir@debug{abspage \the\value{zabspage}: else}%
14134 % \ltx@thirdofthree
14135 % }{%
14136 % \if\csname footdir@the\value{zabspage}\endcsname L%

```



```

14137 %      \footdir@debug{abspage \the\value{zabspage}: left}%
14138 %      \expandafter\ltx@firstofthree
14139 %      \else
14140 %      \footdir@debug{abspage \the\value{zabspage}: right}%
14141 %      \expandafter\ltx@secondofthree
14142 %      \fi
14143 %    }%
14144 %  }%
14145 %}{%
14146 \providecommand*\c@zabspage{\c@abspage}%
14147 \newcommand*\footdir@LeftRightElse{%
14148   \footdir@write
14149   \zifrefundefined{\thefootdir@label}{%
14150     \footdir@debug{abspage ??: else}%
14151     \ltx@thirdofthree
14152   }{%
14153     \edef\footdir@abspage{%
14154       \zref@extractdefault{\thefootdir@label}{abspage}{0}%
14155     }%
14156     \ltx@ifundefined{footdir@\footdir@abspage}{%
14157       \footdir@debug{\footdir@abspage: else}%
14158       \ltx@thirdofthree
14159     }{%
14160       \if\csname footdir@\footdir@abspage\endcsname L%
14161         \footdir@debug{\footdir@abspage: left}%
14162         \expandafter\ltx@firstofthree
14163       \else
14164         \footdir@debug{\footdir@abspage: right}%
14165         \expandafter\ltx@secondofthree
14166       \fi
14167     }%
14168   }%
14169 }%
14170 %}
14171 \newcommand*\footdir@fntext}[1]{%
14172   \zifrefundefined{\thefootdir@label}{%
14173     }{%
14174       \edef\footdir@name{%
14175         footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
14176       }%
14177       \@ifundefined{\footdir@name}{%
14178         \expandafter\gdef\csname\footdir@name\endcsname{#1}%
14179       }{}%
14180     }%
14181 }
14182
14183 \newcommand*\footdir@temp}[3]{%
14184   \@ifdefinable{#1}{%
14185     \let#1#2%
14186     \renewcommand{#2}[1]{%
14187       \footdir@write
14188       \footdir@fntext{#3}%
14189       \stepcounter{footdir@label}%
14190       \footdir@fntext{#3}%

```



```

14191     \footdir@toks{##1}%
14192     \footdir@toks\expandafter{%
14193     \the\expandafter\footdir@toks
14194     \expandafter
14195     \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
14196     }%
14197     \expandafter#1\expandafter{\the\footdir@toks}%
14198     }%
14199 }%
14200 }
14201
14202 \def\right@footnoterule{%
14203     \kern-3\p@
14204     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
14205     \kern2.6\p@}
14206 \def\left@footnoterule{\kern-3\p@
14207     \hrule \@width .4\columnwidth \kern 2.6\p@}
14208 \def\textwidth@footnoterule{\kern-3\p@
14209     \hrule \@width \columnwidth \kern 2.6\p@}
14210 \def\leftfootnoterule{%
14211     \bidi@autofootnoterulefalse%
14212     \def\footnoterule{\left@footnoterule}}
14213 \let\LRfootnoterule=\leftfootnoterule
14214 \def\rightfootnoterule{%
14215     \bidi@autofootnoterulefalse%
14216     \def\footnoterule{\right@footnoterule}}
14217 \def\textwidthfootnoterule{%
14218     \bidi@autofootnoterulefalse%
14219     \def\footnoterule{\textwidth@footnoterule}}
14220
14221
14222
14223 \def\auto@footnoterule{%
14224     \footdir@LeftRightElse%
14225     \left@footnoterule%
14226     \right@footnoterule%
14227     \left@footnoterule%
14228 }
14229
14230
14231
14232 \def\autofootnoterule{%
14233     \bidi@autofootnoteruletrue%
14234     \def\footnoterule{\auto@footnoterule}%
14235 }
14236
14237 \newcommand*\SplitFootnoteRule{%
14238     \gdef\split@prev{0}
14239     \let\pagefootnoterule\footnoterule
14240     \let\mpfootnoterule\footnoterule
14241     \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
14242     \def\footnoterule{\relax
14243         \ifx \@listdepth\@mplistdepth
14244             \mpfootnoterule

```



```

14245 \else
14246 \ifnum\split@prev=\z@
14247 \pagefootnoterule
14248 \else
14249 \splitfootnoterule
14250 \fi
14251 \xdef\split@prev{\the\insertpenalties}%
14252 \fi
14253 }%
14254 }
14255
14256
14257
14258
14259 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
14260 \protected@xdef\@thefnmark{\thempfn}%
14261 \@footnotemark\@RTLfootnotetext}}
14262 \def\@xRTLfootnote[#1]{%
14263 \begingroup
14264 \csname c@\@mpfn\endcsname #1\relax
14265 \unrestored@protected@xdef\@thefnmark{\thempfn}%
14266 \endgroup
14267 \@footnotemark\@RTLfootnotetext}
14268 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
14269 \protected@xdef\@thefnmark{\thempfn}%
14270 \@footnotemark\@LTRfootnotetext}}
14271 \def\@xLTRfootnote[#1]{%
14272 \begingroup
14273 \csname c@\@mpfn\endcsname #1\relax
14274 \unrestored@protected@xdef\@thefnmark{\thempfn}%
14275 \endgroup
14276 \@footnotemark\@LTRfootnotetext}
14277
14278
14279 \def\setfootnoteRL{\@RTL@footnotetrue}
14280 \def\unsetfootnoteRL{\@RTL@footnotefalse}
14281 \def\setfootnoteLR{\unsetfootnoteRL}
14282
14283 \newcommand*{\bidi@footnotetext@font}{\footnotesize}
14284 \newcommand*{\bidi@LTRfootnotetext@font}{\footnotesize}
14285 \newcommand*{\bidi@RTLfootnotetext@font}{\footnotesize}
14286
14287 \long\def\@footnotetext#1{\insert\footins{%
14288 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
14289 \reset@font%
14290 \bidi@footnotetext@font% \reset@font\footnotesize
14291 \interlinepenalty\interfootnotelinepenalty
14292 \splittopskip\footnotesep
14293 \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
14294 \hsize\columnwidth \@parboxrestore
14295 \protected@edef\@currentlabel{%
14296 \csname p@footnote\endcsname\@thefnmark
14297 }%
14298 \color@begingroup

```



```

14299     \@makefntext{%
14300         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14301     \color@endgroup}}%
14302
14303
14304 \long\def\@RTLfootnotetext#1{\insert\footins{%
14305     \RTLtrue%
14306     \reset@font%
14307     \bidi@RTLfootnotetext@font% \reset@font\footnotesize
14308     \interlinepenalty\interfootnotelinepenalty
14309     \splittopskip\footnotesep
14310     \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
14311     \hsize\columnwidth \@parboxrestore
14312     \protected@edef\@currentlabel{%
14313         \csname p@footnote\endcsname\@thefnmark
14314     }%
14315     \color@begingroup
14316     \@makefntext{%
14317         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14318     \color@endgroup}}%
14319
14320 \long\def\@LTRfootnotetext#1{\insert\footins{%
14321     \RTLfalse%
14322     \reset@font%
14323     \bidi@LTRfootnotetext@font% \reset@font\footnotesize
14324     \interlinepenalty\interfootnotelinepenalty
14325     \splittopskip\footnotesep
14326     \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
14327     \hsize\columnwidth \@parboxrestore
14328     \protected@edef\@currentlabel{%
14329         \csname p@footnote\endcsname\@thefnmark
14330     }%
14331     \color@begingroup
14332     \@makefntext{%
14333         \rule{z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14334     \color@endgroup}}%
14335
14336 \AtBeginDocument{%
14337 \if@RTL@footnote
14338   \newcommand*\bidi@footdir@footnote}{R}
14339 \else
14340   \newcommand*\bidi@footdir@footnote}{L}
14341 \fi%
14342 }
14343
14344 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
14345 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
14346 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
14347
14348 \long\def\@mpRTLfootnotetext#1{%
14349   \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@foot
14350   \global\setbox\@mpfootins\vbox{\@RTLtrue%
14351     \unvbox\@mpfootins
14352     \reset@font%

```



```

14353 \bidi@RTLfootnotetext@font% \reset@font\footnotesize
14354 \hsize\columnwidth
14355 \@parboxrestore
14356 \protected@edef\@currentlabel
14357   {\csname p@mpfootnote\endcsname\@thefnmark}%
14358 \color@begingroup
14359   \@makefnintext{%
14360     \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14361   \color@endgroup}}
14362 \long\def\@mpLTRfootnotetext#1{%
14363 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnot
14364 \global\setbox\@mpfootins\vbox{\@RTLfalse%
14365   \unvbox\@mpfootins
14366   \reset@font%
14367   \bidi@LTRfootnotetext@font% \reset@font\footnotesize
14368   \hsize\columnwidth
14369   \@parboxrestore
14370   \protected@edef\@currentlabel
14371     {\csname p@mpfootnote\endcsname\@thefnmark}%
14372   \color@begingroup
14373     \@makefnintext{%
14374       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14375     \color@endgroup}}
14376 \long\def\@mpfootnotetext#1{%
14377 \ifbidi@autofooterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnot
14378 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
14379   \unvbox\@mpfootins
14380   \reset@font%
14381   \bidi@footnotetext@font% \reset@font\footnotesize
14382   \hsize\columnwidth
14383   \@parboxrestore
14384   \protected@edef\@currentlabel
14385     {\csname p@mpfootnote\endcsname\@thefnmark}%
14386   \color@begingroup
14387     \@makefnintext{%
14388       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
14389   \color@endgroup}}
14390 \def\@iiiminipage#1#2[#3]#4{%
14391   \leavevmode
14392   \@pboxswfalse
14393   \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
14394   \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi
14395   \setlength\@tempdima{#4}%
14396   \def\@mpargs{#1}#2[#3]#4}%
14397   \setbox\@tempboxa\vbox\bgroup
14398     \color@begingroup
14399     \hsize\@tempdima
14400     \textwidth\hsize \columnwidth\hsize
14401     \@parboxrestore
14402     \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
14403     \let\@footnotetext\@mpfootnotetext
14404     \let\@LTRfootnotetext\@mpLTRfootnotetext
14405     \let\@RTLfootnotetext\@mpRTLfootnotetext
14406     \let\@listdepth\@mplistdepth \@mplistdepth\z@

```



```

14407     \@minipagerestore
14408     \@setminipage}
14409 \def\endminipage{%
14410     \par
14411     \unskip
14412     \ifvoid\@mpfootins\else
14413     \vskip\skip\@mpfootins
14414     \normalcolor
14415     \bidi@mpfootnoterule
14416     \unvbox\@mpfootins
14417     \fi
14418     \@minipagefalse    %% added 24 May 89
14419 \color@endgroup
14420 \egroup
14421 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
14422 \def\LTRthanks#1{\footnotemark
14423     \protected@xdef\@thanks{\@thanks
14424         \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
14425 }
14426 \def\LTRfootnotetext{%
14427     \@ifnextchar [\@xLTRfootnotenext
14428         {\protected@xdef\@thefnmark{\thempfn}%
14429     \@LTRfootnotetext}}
14430 \def\@xLTRfootnotenext[#1]{%
14431     \begingroup
14432         \csname c@\@mpfn\endcsname #1\relax
14433         \unrestored@protected@xdef\@thefnmark{\thempfn}%
14434     \endgroup
14435     \@LTRfootnotetext}
14436 \def\RTLthanks#1{\footnotemark
14437     \protected@xdef\@thanks{\@thanks
14438         \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
14439 }
14440 \let\@thanks\@empty
14441 \def\RTLfootnotetext{%
14442     \@ifnextchar [\@xRTLfootnotenext
14443         {\protected@xdef\@thefnmark{\thempfn}%
14444     \@RTLfootnotetext}}
14445 \def\@xRTLfootnotenext[#1]{%
14446     \begingroup
14447         \csname c@\@mpfn\endcsname #1\relax
14448         \unrestored@protected@xdef\@thefnmark{\thempfn}%
14449     \endgroup
14450     \@RTLfootnotetext}
14451 \leftfootnoterule

```

## 96 File footnotebackref-xetex-bidi.def

```

14452 \ProvidesFile{footnotebackref-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for footnote]
14453 \LetLtxMacro{\BHFN@OldLTRFootnote}{\LTRfootnote}
14454 \LetLtxMacro{\BHFN@OldRTLFootnote}{\RTLfootnote}
14455
14456 \renewcommand*\LTRfootnote{%
14457     \refstepcounter{BackrefHyperFootnoteCounter}%

```



```

14458 \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
14459 \label{\BackrefFootnoteTag}%
14460 \@ifnextchar [\Backref@OptLTRHyperFootnote\Backref@HyperLTRFootnote]
14461
14462 \renewcommand*\RTLfootnote{%
14463 \refstepcounter{BackrefHyperFootnoteCounter}%
14464 \edef\BackrefFootnoteTag{bhfn:\theBackrefHyperFootnoteCounter}%
14465 \label{\BackrefFootnoteTag}%
14466 \@ifnextchar [\Backref@OptRTLHyperFootnote\Backref@HyperRTLFootnote]
14467 \newcommand\Backref@HyperLTRFootnote[1]{%
14468 \BHFN@OldLTRFootnote{\Backref@HyperSymbol#1}}
14469
14470 \newcommand\Backref@HyperRTLFootnote[1]{%
14471 \BHFN@OldRTLFootnote{\Backref@HyperSymbol#1}}
14472
14473 \newcommand\Backref@OptHyperLTRFootnote[2][\empty]{%
14474 \BHFN@OldLTRFootnote[#1]{\Backref@HyperSymbol#2}}
14475
14476 \newcommand\Backref@OptHyperRTLFootnote[2][\empty]{%
14477 \BHFN@OldRTLFootnote[#1]{\Backref@HyperSymbol#2}}
14478
14479 \bidi@AfterFile{extrafootnotefeatures-xetex-bidi.def}{%
14480 \ifFootnoteBackref@numberlinked
14481 \renewcommand{\footfootmark}{%
14482 \ifdim\footmarkwidth < \z@
14483 \llap{\hb@xt@ -\footmarkwidth{%
14484 \hss\normalfont\footscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
14485 \hspace*{-\footmarkwidth}}}%
14486 \else
14487 \ifdim\footmarkwidth = \z@
14488 {\normalfont\footscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
14489 \else
14490 \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
14491 \fi
14492 \fi}
14493 \renewcommand{\LTRfootfootmark}{%
14494 \ifdim\footmarkwidth < \z@
14495 \llap{\hb@xt@ -\footmarkwidth{%
14496 \hss\normalfont\LTRfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
14497 \hspace*{-\footmarkwidth}}}%
14498 \else
14499 \ifdim\footmarkwidth = \z@
14500 {\normalfont\LTRfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
14501 \else
14502 \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
14503 \fi
14504 \fi}
14505 \renewcommand{\RTLfootfootmark}{%
14506 \ifdim\footmarkwidth < \z@
14507 \llap{\hb@xt@ -\footmarkwidth{%
14508 \hss\normalfont\RTLfootscript{\hyperref [\BackrefFootnoteTag]{\@thefnmark}}}%
14509 \hspace*{-\footmarkwidth}}}%
14510 \else
14511 \ifdim\footmarkwidth = \z@

```



```

14512     {\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14513     \else
14514       \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\hyperref[\BackrefFootnoteTag]{\@thefnmark}}}%
14515     \fi
14516 \fi}
14517 \fi
14518 }

```

## 97 File framed-xetex-bidi.def

```

14519 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for xetex]
14520 \renewcommand\TitleBarFrame[3][\begingroup
14521   \ifx\delimiter#1\delimiter
14522     \let\TF@conlab\@empty
14523   \else
14524     \def\TF@conlab{% continuation label
14525     \nointerlineskip
14526     \smash{\rlap{\kern\wd\@tempboxa\kern\fb@rule\kern\fb@sep #1}}}%
14527   \fi
14528   %\let\TF@savecolor\current@color
14529   \textcolor\TF@FrameColor{%
14530   \CustomFBox
14531     {\TF@Title{#2}}{\TF@conlab}%
14532     \fb@rule\fb@rule\fb@rule\fb@rule
14533     %{\let\current@color\TF@savecolor\set@color #3}%
14534     {\normalcolor #3}%
14535   }\endgroup
14536 }
14537 \renewenvironment{titled-frame}[1]{%
14538   \def\FrameCommand{\fb@sep8pt\fb@rule2pt
14539     \TitleBarFrame{\textbf{#1}}}%
14540   \def\FirstFrameCommand{\fb@sep8pt\fb@rule2pt
14541     \TitleBarFrame[\if@RTL\blacktriangleleft\else\blacktriangleright\fi]{\textbf{#1}}}%
14542   \def\MidFrameCommand{\fb@sep8pt\fb@rule2pt
14543     \TitleBarFrame[\if@RTL\blacktriangleleft\else\blacktriangleright\fi]{\textbf{#1\ (cont)}}}%
14544   \def\LastFrameCommand{\fb@sep8pt\fb@rule2pt
14545     \TitleBarFrame{\textbf{#1\ (cont)}}}%
14546   \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
14547 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title
14548 % could interfere with the width measurement.
14549 {\endMakeFramed}
14550 \chardef\FrameRestore=\catcode`\| % for debug
14551 \catcode`\|=\catcode`\% % (debug: insert space after backslash)
14552 \def\fb@put@frame#1#2{\relax
14553   \ifdim\pagegoal=\maxdimen \pagegoal\vszize \fi
14554   | \message{===== Entering putframe =====^^J
14555   | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal.}%
14556   \ifinner
14557     \fb@putboxa#1%
14558     \fb@afterframe
14559   \else
14560     \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
14561     \ifdim\dimen@<2\baselineskip % Too little room on page
14562     | \message{Page has only \the\dimen@\space room left; eject. }%

```



```

14563 \eject \fb@adjheight \fb@put@frame#1#2%
14564 \else % there's appreciable room left on the page
14565 \fb@sizeofframe#1%
14566 | \message{\string\pagetotal=\the\pagetotal,
14567 | \string\pagegoal=\the\pagegoal,
14568 | \string\pagestretch=\the\pagestretch,
14569 | \string\pageshrink=\the\pageshrink,
14570 | \string\fb@frh=\the\fb@frh. \space}
14571 | \message{^^JBox of size \the\ht\@tempboxa\space}%
14572 \begingroup % temporarily set \dimen@ to be...
14573 \advance\dimen@.8\pageshrink % maximum space available on page
14574 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
14575 %%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
14576 \expandafter\endgroup
14577 % expand \ifdim, then restore \dimen@ to real room left on page
14578 \ifdim\dimen@>\ht\@tempboxa % whole box does fit
14579 | \message{fits in \the\dimen@. }%
14580 % ToDo: Change this to use vsplit anyway to capture the marks
14581 % MERGE THIS WITH THE else CLAUSE!!!
14582 \fb@putboxa#1%
14583 \fb@afterframe
14584 \else % box must be split
14585 | \message{must be split to fit in \the\dimen@. }%
14586 % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
14587 \fb@sizeofframe#2%
14588 \setbox\@tempboxa\vbox{% simulate frame and flexibility of the page:
14589 \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
14590 \kern137sp\kern-137sp\penalty-30
14591 \unvbox\@tempboxa}%
14592 \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
14593 \splittopskip\the\splittopskip}%
14594 \boxmaxdepth\z@ \splittopskip\z@
14595 | \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
14596 % Split box here
14597 \setbox\tw@\vsplit\@tempboxa to\dimen@
14598 | \toks99\expandafter{\splitfirstmark}%
14599 | \toks98\expandafter{\splitbotmark}%
14600 | \message{Marks are: \the\toks99, \the\toks98. }%
14601 \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
14602 | \message{Natural height of split box is \the\ht\tw@, leaving
14603 | \the\ht\@tempboxa\space remainder. }%
14604 % If the split-to size > (\vsize-\topskip), then set box to full size.
14605 \begingroup
14606 \advance\dimen@\topskip
14607 \expandafter\endgroup
14608 \ifdim\dimen@>\pagegoal
14609 | \message{Frame is big -- Use up the full column. }%
14610 \dimen@ii\pagegoal
14611 \advance\dimen@ii -\topskip
14612 \advance\dimen@ii \FrameHeightAdjust\relax
14613 \else % suspect this is implemented incorrectly:
14614 % If the split-to size > feasible room_on_page, rebox it smaller.
14615 \advance\dimen@.8\pageshrink
14616 \ifdim\ht\tw@>\dimen@

```



```

14617 |         \message{Box too tall; rebox it to \the\dimen@. }%
14618 |         \dimen@ii\dimen@
14619 |         \else % use natural size
14620 |         \dimen@ii\ht\tw@
14621 |         \fi
14622 |     \fi
14623 |     % Re-box contents to desired size \dimen@ii
14624 |     \advance\dimen@ii -\fb@frh
14625 |     \setbox\tw@\vbox to\dimen@ii \bgroup
14626 |     % remove simulated frame and page flexibility:
14627 |     \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
14628 |     \unvbox\tw@ \unpenalty\unpenalty
14629 |     \ifdim\lastkern=-137sp % whole box went to next page
14630 |     \message{box split at beginning! }%
14631 |     % need work here???
14632 |     \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
14633 |     \fb@adjheight
14634 |     \fb@put@frame#1#2% INSERTED ???
14635 |     \else % Got material split off at the head
14636 |     \egroup \fb@resto@set
14637 |     \ifvoid\@tempboxa % it all fit after all
14638 |     \message{box split at end! }%
14639 |     \setbox\@tempboxa\box\tw@
14640 |     \fb@putboxa#1%
14641 |     \fb@afterframe
14642 |     \else % it really did split
14643 |     \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
14644 |     \ifdim\wd\tw@>\z@
14645 |         \wd\tw@\wd\@tempboxa
14646 |         \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
14647 |     \else
14648 |     \message{Zero width means likely blank. Don't frame it (guess)}%
14649 |     \box\tw@
14650 |     \fi
14651 |     \hrule \@height\z@ \@width\hsize
14652 |     \eject
14653 |     \fb@adjheight
14654 |     \fb@put@frame\LastFrameCommand\MidFrameCommand
14655 | \fi\fi\fi\fi\fi
14656 | }
14657 | \def\fb@putboxa#1{%
14658 | \ifvoid\@tempboxa
14659 | \PackageWarning{framed}{Boxa is void -- discard it. }%
14660 | \else
14661 | \message{Frame and place boxa. }%
14662 | %{\showoutput\showbox\@tempboxa}%
14663 | \centerline{#1{\hboxL{\box\@tempboxa}}}%
14664 | \fi
14665 | }
14666 | \catcode`\|= \FrameRestore
14667 | \def\FrameRestore{%
14668 | \let\if@nobreak\iffalse
14669 | \let\if@noskipsec\iffalse
14670 | \let\-\@dischyph

```



```

14671 \let'\@acci\let'\@accii\let\=\@acciii
14672 % \message{FrameRestore:
14673 % \totalleftmargin=\the \totalleftmargin,
14674 % \rightmargin=\the\rightmargin,
14675 % \@listdepth=\the\@listdepth. }%
14676 % Test if we are in a list (or list-like paragraph)
14677 \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
14678 \ifdim\rightmargin>\z@ 1\fi
14679 \ifnum\@listdepth>\z@ 1\fi 0>\z@
14680 % \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmargin,
14681 % \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
14682 % \labelwidth=\the\labelwidth. }%
14683 \@setminipage % snug fit around the item
14684 % Now try to propagate changes of width from \hsize to list parameters.
14685 % This is deficient, but a more advanced way to indicate modification to text
14686 % dimensions is not (yet) provided; in particular, no separate left/right
14687 % adjustment.
14688 \advance\linewidth-\columnwidth \advance\linewidth\hsize
14689 \parshape\@ne \@totalleftmargin \linewidth
14690 \else % Not in list
14691 \linewidth=\hsize
14692 %\message{No list, set \string\linewidth=\the\hsize. }%
14693 \fi
14694 \sloppy
14695 }

```

## 98 File `ftnright-xetex-bidi.def`

```

14696 \ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package]
14697
14698 \def\prepare@bidi@copyins{%
14699 \global\bidi@rcol@copyinsskip\skip\@bidi@copyins@
14700 \global\skip\@bidi@copyins@\z@
14701 \global\count\@bidi@copyins@\z@
14702 \global\dimen\@bidi@copyins@\textheight}
14703
14704 \newskip\bidi@rcol@copyinsskip
14705
14706 \def\LTR@outputdblcol{%
14707 \if@firstcolumn
14708 \global\@firstcolumnfalse
14709 \global\setbox\@leftcolumn\copy\@outputbox
14710 \global\count\footins\@m
14711 \global\skip\footins\rcol@footinsskip
14712 \global\count\@bidi@copyins@\@m
14713 \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
14714 \splitmaxdepth\maxdimen
14715 \vbadness\maxdimen
14716 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14717 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14718 \toks@\expandafter{\topmark}%
14719 \xdef\@firstcoltopmark{\the\toks@}%
14720 \toks@\expandafter{\splitfirstmark}%
14721 \xdef\@firstcolfirstmark{\the\toks@}%

```



```

14722 \ifx\@firstcolfirstmark\@empty
14723 \global\let\@setmarks\relax
14724 \else
14725 \gdef\@setmarks{%
14726 \let\firstmark\@firstcolfirstmark
14727 \let\topmark\@firstcoltopmark}%
14728 \fi
14729 \else
14730 \preparefootins
14731 \prepare@bidi@copyins
14732 \global\@firstcolumntrue
14733 \setbox\@outputbox\vbox{%
14734 \hb@xt@\textwidth{%
14735 \hb@xt@\columnwidth{%
14736 \bidi@firstcolumn@status@write%
14737 \box\@leftcolumn \hss}%
14738 \hfil
14739 {\normalcolor\vrule \@width\columnseprule}%
14740 \hfil
14741 \hb@xt@\columnwidth{%
14742 \bidi@lastcolumn@status@write%
14743 \box\@outputbox \hss}}}%
14744 \@combinedblfloats
14745 \@setmarks
14746 \@outputpage
14747 \begingroup
14748 \@dblfloatplacement
14749 \@startdblcolumn
14750 \@whilesw\if@fcolmade \fi{\@outputpage
14751 \@startdblcolumn}%
14752 \endgroup
14753 \fi}%
14754
14755 \def\RTL@outputdblcol{%
14756 \if@firstcolumn
14757 \global\@firstcolumnfalse
14758 \global\setbox\@leftcolumn\copy\@outputbox
14759 \global\count\footins\@m
14760 \global\skip\footins\rcol@footinsskip
14761 \global\count\@bidi@copyins\@m
14762 \global\skip\@bidi@copyins\@bidi@rcol@copyinsskip
14763 \splitmaxdepth\maxdimen
14764 \vbadness\maxdimen
14765 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14766 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14767 \toks@\expandafter{\topmark}%
14768 \xdef\@firstcoltopmark{\the\toks@}%
14769 \toks@\expandafter{\splitfirstmark}%
14770 \xdef\@firstcolfirstmark{\the\toks@}%
14771 \ifx\@firstcolfirstmark\@empty
14772 \global\let\@setmarks\relax
14773 \else
14774 \gdef\@setmarks{%
14775 \let\firstmark\@firstcolfirstmark

```



```

14776     \let\topmark\@firstcoltopmark}%
14777     \fi
14778 \else
14779   \preparefootins
14780   \prepare@bidi@copyins
14781   \global\@firstcolumntrue
14782   \setbox\@outputbox\vbox{%
14783     \hb@xt@\textwidth{%
14784       \hskip \columnwidth
14785       \hfil
14786       {\normalcolor\vrule \@width\columnseprule}%
14787       \hfil
14788       \hb@xt@\columnwidth{%
14789         \bidi@firstcolumn@status@write%
14790         \box\@leftcolumn \hss}%
14791       \hskip -\textwidth
14792       \hb@xt@\columnwidth{%
14793         \bidi@lastcolumn@status@write%
14794         \box\@outputbox \hss}%
14795       \hskip \columnsep
14796       \hskip \columnwidth }}%
14797 \@combinedblfloats
14798   \setmarks
14799   \outputpage
14800   \begingroup
14801     \@dblfloatplacement
14802     \@startdblcolumn
14803     \@whilesw@if@colmade \fi{\@outputpage
14804       \@startdblcolumn}%
14805   \endgroup
14806 \fi}%
14807
14808 \def\@startcolumn{%
14809 \ifx\@deferlist\@empty
14810   \global\@fcolmadefalse
14811   \global\@colroom\@colht
14812 \else
14813   \ifvoid\footins\else
14814     \ftn@amount\ht\footins
14815     \advance\ftn@amount\dp\footins
14816     \advance\ftn@amount\skip\footins
14817   \fi
14818   \ifvoid\@bidi@copyins\else
14819     \bidi@copyins@amount\ht\@bidi@copyins@
14820     \advance\bidi@copyins@amount\dp\@bidi@copyins@
14821     \advance\bidi@copyins@amount\skip\@bidi@copyins@
14822   \fi
14823   \global\advance\@colht-\ftn@amount
14824   \global\advance\@colht-\bidi@copyins@amount
14825   \global\@colroom\@colht
14826   \xstartcol
14827   \global\advance\@colht\ftn@amount
14828   \global\advance\@colroom\ftn@amount
14829   \global\advance\@colht\bidi@copyins@amount

```



```

14830 \global\advance\@colroom\@bidi@copyins@amount
14831 \fi
14832 \if@fcolmade
14833 \setbox\@cclv\box\@outputbox
14834 \@makecol
14835 \else
14836 \ifvoid\footins\else
14837 \insert\footins{\unvbox\footins}\fi
14838 \ifvoid\@bidi@copyins@\else
14839 \insert\@bidi@copyins@{\unvbox\@bidi@copyins@}\fi
14840 \fi}
14841
14842 \newdimen\@bidi@copyins@amount
14843
14844 \def\@makecol{\if@firstcolumn
14845 \setbox\@outputbox\box\@cclv
14846 \if@twocolumn \else
14847 \ifvoid\footins \else
14848 \@latexerr{ftnright package
14849 used in one-column mode}}%
14850 {The ftnright package was designed to
14851 work with LaTeX's standard^^Jtwocolumn
14852 option. It does *not* work with the
14853 multicol package.^^JSo please specify
14854 `twocolumn' in the
14855 \noexpand\documentclass command.}%
14856 \shipout\box\footins \fi
14857 \ifvoid\@bidi@copyins@ \else
14858 \@latexerr{ftnright package
14859 used in one-column mode}}%
14860 {The ftnright package was designed to
14861 work with LaTeX's standard^^Jtwocolumn
14862 option. It does *not* work with the
14863 multicol package.^^JSo please specify
14864 `twocolumn' in the
14865 \noexpand\documentclass command.}%
14866 \shipout\box\@bidi@copyins@ \fi\fi
14867 \ifnum\insertpenalties>\z@
14868 \@latexerr{ftnright package
14869 scrambled footnotes}}%
14870 {There is too much footnote material in
14871 the first column and ftnright^^Jis
14872 unable to cope with this.^^JYou need
14873 to reduce the amount to get a properly
14874 formatted page.}%
14875 \fi
14876 \else
14877 \ifvoid\footins
14878 \ifvoid\@bidi@copyins@
14879 \setbox\@outputbox\box\@cclv
14880 \else
14881 \setbox\@outputbox\vbox
14882 {\ifvoid\@cclv \else
14883 \unvbox\@cclv

```



```

14884         \vskip \skip\@bidi@copyins@
14885     \fi
14886         \color@begingroup
14887         \normalcolor
14888         \unvbox \@bidi@copyins@
14889         \color@endgroup}%
14890 \fi
14891 \else
14892     \setbox\@outputbox\vbox
14893     {\ifvoid\@cclv \else
14894         \unvbox\@cclv
14895         \vskip\skip\footins\fi
14896         \color@begingroup
14897         \normalcolor
14898         \footnoterule\unvbox\footins
14899         \color@endgroup
14900         \ifvoid\@bidi@copyins@
14901         \else
14902             \vskip \skip\@bidi@copyins@
14903             \color@begingroup
14904             \normalcolor
14905             \unvbox \@bidi@copyins@
14906             \color@endgroup
14907         \fi
14908     }%
14909 \fi
14910 \fi
14911 \xdef\@freelist{\@freelist\@midlist}%
14912 \global \let \@midlist \@empty
14913 \@combinefloats
14914 \ifvbox\@kludgeins
14915     \@makespecialcolbox
14916 \else
14917     \setbox\@outputbox\vbox to\@colht
14918     {\boxmaxdepth\maxdepth
14919     \@texttop
14920     \@tempdima\dp\@outputbox
14921     \unvbox\@outputbox
14922     \vskip-\@tempdima
14923     \@textbottom}%
14924 \fi
14925 \global\maxdepth\@maxdepth}
14926
14927 \let\leftfootnoterule\@empty
14928 \let\rightfootnoterule\@empty
14929 \let\textwidthfootnoterule\@empty
14930 \let\autofootnoterule\@empty
14931 \let\footnoterule\@empty
14932 \long\def\@makefnmark#1{\parindent 1em
14933     \noindent\hbox to 2em{}}%
14934     \llap{\@thefnmark\hbox{.}\,\,}#1}
14935
14936 \setlength{\skip\@bidi@copyins@}
14937     {10pt plus 5pt minus 3pt}

```



```
14938 \AtBeginDocument{\prepare@bidi@copyins}
```

## 99 File graphicx-xetex-bidi.def

```
14939 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
14940 \def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
14941 \Grot@setangle{#1}%
14942 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL
14943 \Grot@x\z@
14944 \Grot@y\z@
14945 \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
14946 \long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
14947 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\i
14948 \Grot@x\width \divide\Grot@x\tw@
14949 \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
14950 \setkeys{Grot}{#1}%
14951 \setbox\z@\box\@tempboxa
14952 \Grot@setangle{#2}%
14953 \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
14954 \@end@tempboxa}
14955 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
14956 \leavevmode
14957 \def\Gscale@x{#1}\def\Gscale@y{#2}%
14958 \setbox\z@\hbox{#3}%
14959 \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
14960 \ifdim#2\p@<\z@
14961 \ht\tw@-#2\dp\z@
14962 \dp\tw@-#2\ht\z@
14963 \else
14964 \ht\tw@#2\ht\z@
14965 \dp\tw@#2\dp\z@
14966 \fi
14967 \ifdim#1\p@<\z@
14968 \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
14969 \else
14970 \wd\tw@#1\wd\z@
14971 \box\tw@
14972 \fi\ifmmode\else\if@RTL\endL\fi\fi}
14973 \def\Gin@iii[#1,#2][#3,#4]#5{%
14974 \begingroup
14975 \ifmmode\else\if@RTL\beginL\fi\fi
14976 \Gin@bboxtrue
14977 \Gin@defaultbp\Gin@llx{#1}%
14978 \Gin@defaultbp\Gin@lly{#2}%
14979 \Gin@defaultbp\Gin@urx{#3}%
14980 \Gin@defaultbp\Gin@ury{#4}%
14981 \Gin@include@graphics{#5}%
14982 \ifmmode\else\if@RTL\endL\fi\fi
14983 \endgroup}
14984 \def\Gin@ii[#1]#2{%
14985 \def\@tempa{[]}\def\@tempb{#2}%
14986 \ifx\@tempa\@tempb
14987 \def\@tempa{\Gin@iii[#1] []}%
14988 \expandafter\@tempa
```



```

14989 \else
14990 \begingroup
14991 \ifmode\else\if@RTL\beginL\fi\fi
14992 \@tempwafalse
14993 \toks@{\Ginclude@graphics{#2}}%
14994 \setkeys{Gin}{#1}%
14995 \Gin@esetsize
14996 \the\toks@
14997 \ifmode\else\if@RTL\endL\fi\fi
14998 \endgroup
14999 \fi}
15000 \def\reflectbox{\bidiGscale@box-1[1]}
15001 \long\def\bidiGscale@box#1[#2]#3{\ifmode\else\if@RTL\beginL\fi\fi%
15002 \leavevmode
15003 \def\Gscale@x{#1}\def\Gscale@y{#2}%
15004 \setbox\z@\hbox{\ifmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL
15005 \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
15006 \ifdim#2\p@<\z@
15007 \ht\tw@-#2\dp\z@
15008 \dp\tw@-#2\ht\z@
15009 \else
15010 \ht\tw@#2\ht\z@
15011 \dp\tw@#2\dp\z@
15012 \fi
15013 \ifdim#1\p@<\z@
15014 \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
15015 \else
15016 \wd\tw@#1\wd\z@
15017 \box\tw@
15018 \fi\ifmode\else\if@RTL\endL\fi\fi}
15019 \def\scalebox#1{%
15020 \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}]
15021 \def\resizebox{%
15022 \leavevmode
15023 \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
15024 \def\bidiGscale@@box#1#2#3{%
15025 \let@tempa\Gin@exclamation
15026 \expandafter\def\expandafter@tempb\expandafter{\string#2}%
15027 \expandafter\def\expandafter@tempc\expandafter{\string#3}%
15028 \ifx@tempb@tempa
15029 \ifx@tempc@tempa
15030 \toks@{\mbox}%
15031 \else
15032 \toks@{\bidiGscale@box@dd{#3}#1}%
15033 \fi
15034 \else
15035 \ifx@tempc@tempa
15036 \toks@{\bidiGscale@box@dd{#2}\width}%
15037 \else
15038 \toks@{\bidiGscale@box@ddd{#2}\width{#3}#1}%
15039 \fi
15040 \fi
15041 \the\toks@}
15042 \long\def\bidiGscale@box@dd#1#2#3{%

```



```

15043 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\fi
15044 \setlength\@tempdima{#1}%
15045 \setlength\@tempdimb{#2}%
15046 \Gscale@div\@tempa\@tempdima\@tempdimb
15047 \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
15048 \@end@tempboxa}
15049 \long\def\bidiGscale@box@dddd#1#2#3#4#5{%
15050 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\fi
15051 \setlength\@tempdima{#1}%
15052 \setlength\@tempdimb{#2}%
15053 \Gscale@div\@tempa\@tempdima\@tempdimb
15054 \setlength\@tempdima{#3}%
15055 \setlength\@tempdimb{#4}%
15056 \Gscale@div\@tempb\@tempdima\@tempdimb
15057 \ifGin@iso
15058 \ifdim\@tempa\p>\@tempb\p@
15059 \let\@tempa\@tempb
15060 \else
15061 \let\@tempb\@tempa
15062 \fi
15063 \fi
15064 \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
15065 \@end@tempboxa}

```

## 100 File geometry-xetex-bidi.def

```

15066 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package]
15067 \renewcommand*\Gm@vrules@mpi{%
15068 \if@RTLmain%
15069 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
15070 \llap{\Gm@vrule}\ignorespaces
15071 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
15072 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
15073 \else%
15074 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
15075 \hskip \textwidth\Gm@vrule\hskip \marginparsep
15076 \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
15077 \renewcommand*\Gm@vrules@mpii{%
15078 \if@RTLmain%
15079 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
15080 \hskip \textwidth\Gm@vrule\hskip \marginparsep
15081 \llap{\Gm@vrule}\hfil\Gm@vrule}%
15082 \else%
15083 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
15084 \llap{\Gm@vrule}\ignorespaces
15085 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
15086 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
15087 \bidi@patchcmd{\Gm@pageframes}{%
15088 \ifodd\count\z@
15089 \let\@themargin\oddsidemargin
15090 \else
15091 \let\@themargin\evensidemargin
15092 \fi
15093 }{%

```



```

15094 \ifodd\count\z@
15095 \if@RTLmain
15096 \let\@themargin\evensidemargin
15097 \else
15098 \let\@themargin\oddsidemargin
15099 \fi
15100 \else
15101 \if@RTLmain
15102 \let\@themargin\oddsidemargin
15103 \else
15104 \let\@themargin\evensidemargin
15105 \fi
15106 \fi
15107 }{}{}

```

## 101 File hvfloat-xetex-bidi.def

```

15108 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package f
15109 \def\do@hvFloat[#1]#2#3{%
15110 \def\hv@shortCap{#1}
15111 \def\hv@longCap{#2}
15112 \def\hv@label{#3}
15113 %\newcommand*{\hvFloat}[5][[]]{%
15114 % #1: keyvalues
15115 % #2: type figure | table | ...
15116 % #3: float contents
15117 % #4: short caption
15118 % #5: caption
15119 % #6: label
15120 % \setDefault%
15121 % \def\@tempa{#1}%
15122 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
15123 \def\@tempa{90}%
15124 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
15125 \else \setlength{\hvMaxCapWidth}{\linewidth}
15126 \fi
15127 %
15128 % First we save the object in \hvObjectBox
15129 %
15130 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
15131 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
15132 \else
15133 \savebox{\hvObjectBox}{%
15134 \rotatebox{\hvSet@objectAngle}{%
15135 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
15136 \fi
15137 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
15138 %
15139 % Now we save the caption with its defined \hvCapWidth
15140 %
15141 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
15142 \else
15143 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
15144 \else

```



```

15145     \setlength{\hvCapWidth}{\hvObjectWidth}
15146     \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
15147     \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
15148     \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
15149 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
15150     \else
15151 \setlength{\hvCapWidth}{\hvMaxCapWidth}
15152     \fi
15153   \fi
15154 \fi
15155 %
15156 % now we have the object and the caption with the right
15157 % rotated angles saved in boxes
15158 %
15159 \def\fps@figure{\hvSet@floatPos}
15160 \ifhv@nonFloat\beginngroup% Start the nonfloat part
15161 \else      \begin{\hv@floatType}% Start the floating environment
15162 \fi%
15163 \saveCaptionSkip% we put this space ourselve
15164 \ifx\hvSet@capAngle\hv@Width % need rotation?
15165   \sbox{\hvCaptionBox}{%
15166     \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
15167       \ifhv@nonFloat%
15168 \ifhv@onlyText#2%
15169       \else%
15170 \ifx\hv@floatType\hv@figure
15171   \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
15172   \else
15173   \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
15174   \fi
15175   \fi
15176 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
15177 \fi%
15178 \label{#3}%
15179   \end{minipage}%
15180   }%
15181 \else%
15182   \sbox{\hvCaptionBox}{%
15183     \rotatebox{\hvSet@capAngle}{%
15184       \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
15185 \ifhv@nonFloat%
15186   \ifhv@onlyText#2%
15187   \else%
15188 \ifx\hv@floatType\hv@figure
15189   \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
15190   \else
15191   \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
15192   \fi
15193   \fi
15194 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
15195   \fi%
15196   \label{#3}%
15197   \end{minipage}%
15198   }%

```



```

15199   }%
15200   \fi%
15201 %%
15202   \restoreCaptionSkip% save old values
15203   \ifx\hvSet@objectPos\hv@Right\ bidi@raggedleft%
15204   \else%
15205     \ifx\hvSet@objectPos\hv@Center
15206       \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
15207     \fi%
15208   \fi%
15209 %
15210 % to rotate object and caption together, we save all in another box
15211 % the caption comes first, if its on the left or the top
15212 %
15213   \savebox{\@tempboxa}{%
15214     \ifx\hvSet@capPos\hv@Left % caption on left side
15215     \if@RTL%
15216     \ifx\hvSet@capVPos\hv@Center%
15217     \ifhv@fbox
15218     \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
15219     \else
15220     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
15221     \fi%
15222     \hspace{\hvSet@floatCapSep pt}%
15223     \ifhv@fbox
15224     \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
15225     \else
15226     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
15227     \fi%
15228     \else%
15229     \ifx\hvSet@capVPos\hv@Top
15230     \ifhv@fbox
15231     \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15232     \else
15233     \raisebox{-\height}{\usebox{\hvObjectBox}}%
15234     \fi%
15235     \hspace{\hvSet@floatCapSep pt}%
15236     \ifhv@fbox
15237     \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15238     \else
15239     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15240     \fi
15241     \else
15242     \ifhv@fbox
15243     \fbox{\usebox{\hvObjectBox}}%
15244     \else
15245     \usebox{\hvObjectBox}%
15246     \fi
15247     \hspace{\hvSet@floatCapSep pt}%
15248     \ifhv@fbox
15249     \fbox{\usebox{\hvCaptionBox}}%
15250     \else
15251     \usebox{\hvCaptionBox}%
15252     \fi%

```



```

15253 \fi%
15254 \fi%
15255 \else% not RTL
15256   \ifx\hvSet@capVPos\hv@Center%
15257     \ifhv@fbox\fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
15258     \else   \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
15259     \fi%
15260     \hspace{\hvSet@floatCapSep pt}% capfloatsep
15261     \ifhv@fbox\fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
15262     \else   \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
15263     \fi%
15264 \else%
15265   \ifx\hvSet@capVPos\hv@Top % caption at top
15266     \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15267     \else   \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15268     \fi
15269     \hspace{\hvSet@floatCapSep pt}% capfloatsep
15270     \ifhv@fbox\fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15271     \else   \raisebox{-\height}{\usebox{\hvObjectBox}}%
15272     \fi%
15273 \else% caption on bottom
15274   \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
15275   \else\usebox{\hvCaptionBox}
15276   \fi%
15277   \hspace{\hvSet@floatCapSep pt}%
15278   \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
15279   \else   \usebox{\hvObjectBox}
15280   \fi%
15281 \fi%
15282 \fi% end of RTL
15283 \fi%
15284 \else
15285 \ifx\hvSet@capPos\hv@Top
15286 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
15287 \begin{minipage}{\wd\hvCaptionBox}
15288 \else
15289 \begin{minipage}{\wd\hvObjectBox}
15290 \fi
15291 \centering
15292 \ifhv@fbox
15293 \fbbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
15294 \fbbox{\usebox{\hvObjectBox}}
15295 \else
15296 \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
15297 \usebox{\hvObjectBox}
15298 \fi%
15299 \end{minipage}
15300 \else
15301 \ifx\hvSet@capPos\hv@Bottom
15302 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
15303 \begin{minipage}{\wd\hvCaptionBox}
15304 \else
15305 \begin{minipage}{\wd\hvObjectBox}
15306 \fi

```



```

15307 \centering
15308 \ifhv@fbox
15309 \fbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
15310 \fbox{\usebox{\hvCaptionBox}}
15311 \else
15312 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
15313 \usebox{\hvCaptionBox}
15314 \fi%
15315 \end{minipage}
15316 \else% the last option: put the caption on the right
15317 \if@RTL%
15318 \ifx\hvSet@capVPos\hv@Center%
15319 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
15320 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
15321 \fi%
15322 \hspace{\hvSet@floatCapSep pt}% capfloatsep
15323 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
15324 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
15325 \fi%
15326 \else%
15327 \ifx\hvSet@capVPos\hv@Top % caption at top
15328 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15329 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15330 \fi
15331 \hspace{\hvSet@floatCapSep pt}% capfloatsep
15332 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15333 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
15334 \fi%
15335 \else% caption on bottom
15336 \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
15337 \else\usebox{\hvCaptionBox}
15338 \fi%
15339 \hspace{\hvSet@floatCapSep pt}%
15340 \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
15341 \else \usebox{\hvObjectBox}
15342 \fi%
15343 \fi%
15344 \fi%
15345 \else% not RTL
15346 \ifx\hvSet@capVPos\hv@Center%
15347 \ifhv@fbox
15348 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
15349 \else
15350 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
15351 \fi%
15352 \hspace{\hvSet@floatCapSep pt}%
15353 \ifhv@fbox
15354 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
15355 \else
15356 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
15357 \fi%
15358 \else%
15359 \ifx\hvSet@capVPos\hv@Top
15360 \ifhv@fbox

```



```

15361 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
15362 \else
15363 \raisebox{-\height}{\usebox{\hvObjectBox}}%
15364 \fi%
15365 \hspace{\hvSet@floatCapSep pt}%
15366 \ifhv@fbox
15367 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
15368 \else
15369 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
15370 \fi
15371 \else
15372 \ifhv@fbox
15373 \fbox{\usebox{\hvObjectBox}}%
15374 \else
15375 \usebox{\hvObjectBox}%
15376 \fi
15377 \hspace{\hvSet@floatCapSep pt}%
15378 \ifhv@fbox
15379 \fbox{\usebox{\hvCaptionBox}}%
15380 \else
15381 \usebox{\hvCaptionBox}%
15382 \fi%
15383 \fi%
15384 \fi
15385 \fi% end of RTL
15386 \fi
15387 \fi
15388 \fi
15389 }% End savebox Object and caption
15390 %
15391 % now we rotate the object and caption, if needed
15392 %
15393 \ifx\hvSet@rotAngle\hv@Zero
15394 \usebox{\@tempboxa}
15395 \else
15396 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
15397 \fi
15398 \ifhv@nonFloat
15399 \ifx\hvSet@objectPos\hv@Center
15400 \ifhv@nonFloat
15401 \hspace{\fill}
15402 \fi
15403 \fi
15404 \endgroup% End the nonfloat part
15405 \else
15406 \end{\hv@floatType}% End the floating environment
15407 \fi
15408 }

```

## 102 File hyperref-xetex-bidi.def

```

15409 \ProvidesFile{hyperref-xetex-bidi.def}[2018/11/11 v1.1 bidi adaptations for hyperref package]
15410 \AtBeginDocument{%
15411 \def\contentsline#1#2#3#4{%

```



```

15412 \ifx\#4\%
15413   \csname l@#1\endcsname{#2}{#3}%
15414 \else
15415   \ifcase\Hy@linktoc % none
15416     \csname l@#1\endcsname{#2}{#3}%
15417   \or % section
15418     \csname l@#1\endcsname{%
15419       \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
15420     }{#3}%
15421   \or % page
15422     \csname l@#1\endcsname{#2}{#3}{%
15423       \hyper@linkstart{link}{#4}{#3}\hyper@linkend
15424     }%
15425   \else % all
15426     \csname l@#1\endcsname{%
15427       \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
15428     }{#3}{%
15429       \hyper@linkstart{link}{#4}{#3}\hyper@linkend
15430     }%
15431   \fi
15432 \fi
15433 }
15434 \ifHy@hyperfootnotes
15435   \let\H@@footnotetext\@footnotetext
15436   \let\HRTL@RTLfootnotetext\@RTLfootnotetext
15437   \let\HLTR@LTRfootnotetext\@LTRfootnotetext
15438   \def\xfootnotenext[#1]{%
15439     \begingroup
15440       \csname c@\@mpfn\endcsname #1\relax
15441       \unrestored@protected@xdef\@thefnmark{\thempfn}%
15442     \endgroup
15443     \ifx\@footnotetext\@mpfootnotetext
15444       \expandafter\H@@mpfootnotetext
15445     \else
15446       \expandafter\H@@footnotetext
15447     \fi
15448   }%
15449   \def\@xRTLfootnotenext[#1]{%
15450     \begingroup
15451       \csname c@\@mpfn\endcsname #1\relax
15452       \unrestored@protected@xdef\@thefnmark{\thempfn}%
15453     \endgroup
15454     \ifx\@RTLfootnotetext\@mpRTLfootnotetext
15455       \expandafter\HRTL@mpRTLfootnotetext
15456     \else
15457       \expandafter\HRTL@RTLfootnotetext
15458     \fi
15459   }%
15460   \def\@xLTRfootnotenext[#1]{%
15461     \begingroup
15462       \csname c@\@mpfn\endcsname #1\relax
15463       \unrestored@protected@xdef\@thefnmark{\thempfn}%
15464     \endgroup
15465     \ifx\@LTRfootnotetext\@mpLTRfootnotetext

```



```

15466     \expandafter\HLTR@mpLTRfootnotetext
15467     \else
15468     \expandafter\HLTR@LTRfootnotetext
15469     \fi
15470 }%
15471 \def\xfootnotemark[#1]{%
15472 \begingroup
15473   \c@footnote #1\relax
15474   \unrestored@protected@xdef\@thefnmark{\thefootnote}%
15475 \endgroup
15476 \H@footnotemark
15477 }%
15478 \let\H@mpfootnotetext\mpfootnotetext
15479 \let\HRTL@mpRTLfootnotetext\mpRTLfootnotetext
15480 \let\HLTR@mpLTRfootnotetext\mpLTRfootnotetext
15481 \long\def\mpfootnotetext#1{%
15482 \H@mpfootnotetext{%
15483   \ifHy@nesting
15484     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15485   \else
15486     \Hy@raisedlink{%
15487       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15488     }#1%
15489   \fi
15490 }%
15491 }%
15492 \long\def\mpRTLfootnotetext#1{%
15493 \HRTL@mpRTLfootnotetext{%
15494   \ifHy@nesting
15495     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15496   \else
15497     \Hy@raisedlink{%
15498       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15499     }#1%
15500   \fi
15501 }%
15502 }%
15503 \long\def\mpLTRfootnotetext#1{%
15504 \HLTR@mpLTRfootnotetext{%
15505   \ifHy@nesting
15506     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15507   \else
15508     \Hy@raisedlink{%
15509       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15510     }#1%
15511   \fi
15512 }%
15513 }%
15514 \long\def\@footnotetext#1{%
15515 \H@footnotetext{%
15516   \ifHy@nesting
15517     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15518   \else
15519     \Hy@raisedlink{%

```



```

15520         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15521     }%
15522     \let\@currentHlabel\Hy@footnote@currentHlabel
15523     \let\@currentHref\Hy@footnote@currentHref
15524     \let\@currentlabelname\@empty
15525     #1%
15526     \fi
15527 }%
15528 }%
15529 \long\def\@RTLfootnotetext#1{%
15530 \HRTL@RTLfootnotetext{%
15531     \ifHy@nesting
15532         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15533     \else
15534         \Hy@raisedlink{%
15535             \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15536         }%
15537         \let\@currentHlabel\Hy@footnote@currentHlabel
15538         \let\@currentHref\Hy@footnote@currentHref
15539         \let\@currentlabelname\@empty
15540         #1%
15541     \fi
15542 }%
15543 }%
15544 \long\def\@LTRfootnotetext#1{%
15545 \HLTR@LTRfootnotetext{%
15546     \ifHy@nesting
15547         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
15548     \else
15549         \Hy@raisedlink{%
15550             \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
15551         }%
15552         \let\@currentHlabel\Hy@footnote@currentHlabel
15553         \let\@currentHref\Hy@footnote@currentHref
15554         \let\@currentlabelname\@empty
15555         #1%
15556     \fi
15557 }%
15558 }%
15559 \@ifpackageloaded{tabularx}{%
15560 \let\HyOrg@TX@endtabularx\TX@endtabularx
15561 \def\Hy@tabularx@hook{%
15562     \let\@footnotetext\H@@footnotetext
15563     \let\@LTRfootnotetext\HLTR@LTRfootnotetext
15564     \let\@RTLfootnotetext\HRTL@RTLfootnotetext
15565     \let\@footnotemark\H@@footnotemark
15566     \let\@mpfootnotetext\H@@mpfootnotetext
15567     \let\@mpLTRfootnotetext\HLTR@mpLTRfootnotetext
15568     \let\@mpRTLfootnotetext\HRTL@mpRTLfootnotetext
15569 }%
15570 \begingroup
15571     \toks@\expandafter{\TX@endtabularx}%
15572     \xdef\Hy@gtemp{%
15573         \noexpand\Hy@tabularx@hook

```



```

15574     \the\toks@
15575     }%
15576   \endgroup
15577   \let\TX@endtabularx\Hy@gtemp
15578 }{}%
15579   \@ifpackageloaded{longtable}{%
15580   \CheckCommand*\LT@p@LTRftntext}[1]{%
15581     \edef\@tempa{%
15582       \the\LT@p@ftn
15583       \noexpand\LTRfootnotetext[\the\c@footnote]%
15584     }%
15585     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
15586   }%
15587   \long\def\LT@p@LTRftntext#1{%
15588     \edef\@tempa{%
15589       \the\LT@p@ftn
15590     \begingroup
15591       \noexpand\c@footnote=\the\c@footnote\relax
15592       \noexpand\protected@xdef\noexpand\@thefnmark{%
15593         \noexpand\thempfn
15594       }%
15595       \noexpand\Hy@LT@LTRfootnotetext{%
15596         \Hy@footnote@currentHref
15597       }%
15598     }%
15599     \global\LT@p@ftn\expandafter{%
15600       \@tempa{#1}%
15601     \endgroup
15602   }%
15603 }%
15604 \long\def\Hy@LT@LTRfootnotetext#1#2{%
15605   \HLTR@LTRfootnotetext{%
15606     \ifHy@nesting
15607       \hyper@@anchor{#1}{#2}%
15608     \else
15609       \Hy@raisedlink{%
15610         \hyper@@anchor{#1}{\relax}%
15611       }%
15612       \def\@currentHref{#1}%
15613       \let\@currentlabelname\empty
15614       #2%
15615     \fi
15616   }%
15617 }%
15618 \CheckCommand*\LT@p@RTLftntext}[1]{%
15619   \edef\@tempa{%
15620     \the\LT@p@ftn
15621     \noexpand\RTLfootnotetext[\the\c@footnote]%
15622   }%
15623   \global\LT@p@ftn\expandafter{\@tempa{#1}}%
15624 }%
15625 \long\def\LT@p@RTLftntext#1{%
15626   \edef\@tempa{%
15627     \the\LT@p@ftn

```



```

15628     \begingroup
15629         \noexpand\c@footnote=\the\c@footnote\relax
15630         \noexpand\protected@xdef\noexpand\@thefnmark{%
15631             \noexpand\thempfn
15632         }%
15633         \noexpand\Hy@LT@RTLfootnotetext{%
15634             \Hy@footnote@currentHref
15635         }%
15636     }%
15637     \global\LT@p@ftn\expandafter{%
15638         \@tempa{#1}%
15639     \endgroup
15640 }%
15641 }%
15642 \long\def\Hy@LT@RTLfootnotetext#1#2{%
15643 \HRTL@RTLfootnotetext{%
15644     \ifHy@nesting
15645     \hyper@@anchor{#1}{#2}%
15646     \else
15647     \Hy@raisedlink{%
15648         \hyper@@anchor{#1}{\relax}%
15649     }%
15650     \def\@currentHref{#1}%
15651     \let\@currentlabelname\@empty
15652     #2%
15653 \fi
15654 }%
15655 }%
15656 }{}%
15657 \@ifpackageloaded{bidipoem}{%
15658 \long\def\bidipoem@p@ftntext#1{%
15659     \edef\@tempx{%
15660         \the\bidipoem@p@ftn
15661     \begingroup
15662         \noexpand\c@name c@\@mpfn@endc@name=\the\c@name c@\@mpfn@endc@name\relax
15663         \noexpand\protected@xdef\noexpand\@thefnmark{%
15664             \noexpand\thempfn
15665         }%
15666         \noexpand\Hy@bidipoem@footnotetext{%
15667             \Hy@footnote@currentHref
15668         }%
15669     }%
15670     \global\bidipoem@p@ftn\expandafter{%
15671         \@tempx{#1}%
15672     \endgroup
15673 }%
15674 }%
15675 \long\def\Hy@bidipoem@footnotetext#1#2{%
15676 \H@footnotetext{%
15677     \ifHy@nesting
15678     \hyper@@anchor{#1}{#2}%
15679     \else
15680     \Hy@raisedlink{%
15681         \hyper@@anchor{#1}{\relax}%

```



```

15682     }%
15683     \def\@currentHref{#1}%
15684     \let\@currentlabelname\@empty
15685     #2%
15686     \fi
15687   }%
15688 }%
15689   \long\def\bidipoem@p@LTRftntext#1{%
15690 \edef\@tempxi{%
15691   \the\bidipoem@p@ftn
15692   \begingroup
15693     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
15694     \noexpand\protected@xdef\noexpand\@thefnmark{%
15695       \noexpand\thempfn
15696     }%
15697     \noexpand\Hy@bidipoem@LTRfootnotetext{%
15698       \Hy@footnote@currentHref
15699     }%
15700   }%
15701   \global\bidipoem@p@ftn\expandafter{%
15702     \@tempxi{#1}%
15703   \endgroup
15704 }%
15705 }%
15706 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
15707   \HLTR@LTRfootnotetext{%
15708     \ifHy@nesting
15709       \hyper@@anchor{#1}{#2}%
15710     \else
15711       \Hy@raisedlink{%
15712         \hyper@@anchor{#1}{\relax}%
15713       }%
15714       \def\@currentHref{#1}%
15715       \let\@currentlabelname\@empty
15716       #2%
15717     \fi
15718   }%
15719 }%
15720   \long\def\bidipoem@p@RTLftntext#1{%
15721 \edef\@tempxii{%
15722   \the\bidipoem@p@ftn
15723   \begingroup
15724     \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
15725     \noexpand\protected@xdef\noexpand\@thefnmark{%
15726       \noexpand\thempfn
15727     }%
15728     \noexpand\Hy@bidipoem@RTLfootnotetext{%
15729       \Hy@footnote@currentHref
15730     }%
15731   }%
15732   \global\bidipoem@p@ftn\expandafter{%
15733     \@tempxii{#1}%
15734   \endgroup
15735 }%

```



```

15736 }%
15737 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
15738   \HRTL@@RTLfootnotetext{%
15739     \ifHy@nesting
15740     \hyper@@anchor{#1}{#2}%
15741   \else
15742     \Hy@raisedlink{%
15743       \hyper@@anchor{#1}{\relax}%
15744     }%
15745     \def\@currentHref{#1}%
15746     \let\@currentlabelname\@empty
15747     #2%
15748   \fi
15749 }%
15750 }%
15751 }-{}%
15752 \let\HyOrg@maketitle\maketitle
15753 \def\maketitle{%
15754   \let\Hy@saved@footnotemark\@footnotemark
15755   \let\Hy@saved@footnotetext\@footnotetext
15756   \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
15757   \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
15758   \let\@footnotemark\H@@footnotemark
15759   \let\@footnotetext\H@@footnotetext
15760   \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
15761   \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
15762   \@ifnextchar[\Hy@maketitle@optarg{% ]
15763     \HyOrg@maketitle
15764     \Hy@maketitle@end
15765   }%
15766 }%
15767 \def\Hy@maketitle@optarg[#1]{%
15768   \HyOrg@maketitle[#{#1}]%
15769   \Hy@maketitle@end
15770 }%
15771 \def\Hy@maketitle@end{%
15772   \ifx\@footnotemark\H@@footnotemark
15773     \let\@footnotemark\Hy@saved@footnotemark
15774   \fi
15775   \ifx\@footnotetext\H@@footnotetext
15776     \let\@footnotetext\Hy@saved@footnotetext
15777   \fi
15778   \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
15779     \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
15780   \fi
15781   \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
15782     \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
15783   \fi
15784 }%
15785 \def\realfootnote{%
15786   \@ifnextchar[\@xfootnote{%
15787     \stepcounter{\@mpfn}%
15788     \protected@xdef\@thefnmark{\thempfn}%
15789     \H@@footnotemark\H@@footnotetext

```



```

15790     }%
15791   }%
15792 \fi
15793 \def\Hy@BeginAnnot#1{%
15794   \ifmmode\else\beginL\fi%
15795   \global\advance\c@Hy@AnnotLevel\@ne
15796   \ifnum\c@Hy@AnnotLevel=\@ne
15797     #1%
15798   \fi
15799 }
15800 \def\Hy@endAnnot{%
15801   \ifnum\c@Hy@AnnotLevel=\@ne
15802     \Hy@endcolorlink
15803     \@pdfm@mark{eann}%
15804   \fi
15805   \global\advance\c@Hy@AnnotLevel\m@ne
15806   \ifmmode\else\endL\fi%
15807 }
15808 \def\hyper@link#1#2#3{%
15809   \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi%
15810 }
15811 \def\hyper@linkfile#1#2#3{%
15812   \leavevmode
15813   \Hy@BeginAnnot{%
15814     \def\Hy@pstringF{#2}%
15815     \Hy@CleanupFile\Hy@pstringF
15816     \Hy@pstringdef\Hy@pstringF\Hy@pstringF
15817     \Hy@pstringdef\Hy@pstringD{#3}%
15818     \Hy@MakeRemoteAction
15819     \@pdfm@mark{%
15820       bann<<%
15821       /Type/Annot%
15822       /Subtype/Link%
15823       \ifHy@pdfa /F 4\fi
15824       \Hy@setpdfborder
15825       \ifx\@filebordercolor\relax
15826         \else
15827           /C[\@filebordercolor]%
15828         \fi
15829       /A<<%
15830       /S/GoToR%
15831       /F(\Hy@pstringF)%
15832       /D%
15833       \ifx\@#3\%
15834         [\Hy@href@page\@pdfremotestartview]%
15835       \else
15836         (\Hy@pstringD)%
15837       \fi
15838       \Hy@SetNewWindow
15839       \Hy@href@nextactionraw
15840     >>%
15841     >>%
15842   }%
15843   \Hy@colorlink\@filecolor

```



```

15844 }%
15845 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
15846 \Hy@EndAnnot
15847 }
15848 \def\@hyper@launch run:#1\#2#3{% filename, anchor text linkname
15849 \leavevmode
15850 \Hy@BeginAnnot{%
15851 \Hy@pstringdef\Hy@pstringF{#1}%
15852 \Hy@pstringdef\Hy@pstringP{#3}%
15853 \@pdfm@mark{%
15854 bann<<%
15855 /Type/Annot%
15856 /Subtype/Link%
15857 \ifHy@pdfa /F 4\fi
15858 \Hy@setpdfborder
15859 \ifx\@runbordercolor\relax
15860 \else
15861 /C[\@runbordercolor]%
15862 \fi
15863 /A<<%
15864 /F(\Hy@pstringF)%
15865 /S/Launch%
15866 \Hy@SetNewWindow
15867 \ifx\#3\%
15868 \else
15869 /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
15870 \fi
15871 \Hy@href@nextactionraw
15872 >>%
15873 >>%
15874 }%
15875 \Hy@colorlink\@runcolor
15876 }%
15877 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
15878 \Hy@EndAnnot
15879 }
15880 \def\hyper@linkurl#1#2{%
15881 \leavevmode
15882 \Hy@BeginAnnot{%
15883 \Hy@pstringdef\Hy@pstringURI{#2}%
15884 \@pdfm@mark{%
15885 bann<<%
15886 /Type/Annot%
15887 /Subtype/Link%
15888 \ifHy@pdfa /F 4\fi
15889 \Hy@setpdfborder
15890 \ifx\@urlbordercolor\relax
15891 \else
15892 /C[\@urlbordercolor]%
15893 \fi
15894 /A<<%
15895 /S/URI%
15896 /URI(\Hy@pstringURI)%
15897 \ifHy@href@ismap

```



```

15898         /IsMap true%
15899         \fi
15900         \Hy@href@nextactionraw
15901         >>%
15902     >>%
15903 }%
15904 \Hy@colorlink\@urlcolor
15905 }%
15906 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
15907 \Hy@EndAnnot
15908 }
15909 \def\Acrobatmenu#1#2{%
15910 \Hy@Acrobatmenu{#1}{#2}{%
15911     \Hy@BeginAnnot{%
15912         \EdefEscapeName\Hy@temp@menu{#1}%
15913         \@pdfm@mark{%
15914             bann<<%
15915             /Type/Annot%
15916             /Subtype/Link%
15917             \ifHy@pdfa /F 4\fi
15918             \Hy@setpdfborder
15919             \ifx\@menubordercolor\relax
15920             \else
15921                 /C[\@menubordercolor]%
15922             \fi
15923             /A<<%
15924             /S/Named%
15925             /N/\Hy@temp@menu
15926             \Hy@href@nextactionraw
15927             >>%
15928             >>%
15929         }%
15930         \Hy@colorlink\@menucolor
15931     }%
15932     \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
15933     \Hy@EndAnnot
15934 }%
15935 }
15936 \def\hyper@natlinkstart#1{%
15937 \Hy@backout{#1}%
15938 \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
15939 \def\hyper@nat@current{#1}%
15940 }
15941 \def\hyper@natlinkend{%
15942 \if@RTL\endR\fi\hyper@linkend
15943 }
15944 \def\hyper@natlinkbreak#1#2{%
15945 \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
15946 }%
15947 }
15948 \pdfstringdefDisableCommands{%
15949 \let\LRE\@firstofone
15950 \let\LR\@firstofone
15951 \let\RLE\@firstofone

```



```

15952 \let\RL\@firstofone
15953 \def\XeTeX{Xe\TeX}%
15954 \def\XeLaTeX{Xe\LaTeX}%
15955 }
15956 \@ifpackageloaded{longtable}{%
15957   \begingroup
15958     \def\y{\LT@array}%
15959     \@ifundefined{scrLT@array}{%
15960       \@ifundefined{adlLT@array}{\def\y{\adlLT@array}}%
15961     }\def\y{scrLT@array}}%
15962     \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
15963       \expandafter\endgroup
15964       \expandafter\def\y[##1]##2{%
15965         \H@refstepcounter{#1}%
15966         \hyper@makecurrent{table}%
15967         \let\Hy@LT@currentHref\@currentHref
15968         #2\@sharp####4%
15969       }%
15970     }%
15971     \expandafter\expandafter\expandafter\x\y[##1][##2]\@nil
15972     \begingroup
15973       \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
15974         \endgroup
15975         \def\LT@start{%
15976           #1%
15977           \ifvoid\LT@foot#2\fi
15978           \let\@currentHref\Hy@LT@currentHref
15979           \Hy@raisedlink{%
15980             \hyper@anchorstart{\@currentHref}\hyper@anchorend
15981           }%
15982           #3%
15983         }%
15984       }%
15985     \expandafter\x\LT@start\@nil
15986 }{}
15987 \bidi@patchcmd\@TextField{%
15988   \@pdfm@mark
15989 }{%
15990   \if@RTL
15991     \hskip\Fld@width
15992   \fi
15993   \@pdfm@mark
15994 }{}{}
15995 \bidi@patchcmd\@TextField{%
15996   \unhbox
15997 }{%
15998   \if@RTL
15999     \hskip-\Fld@width
16000   \fi
16001   \unhbox
16002 }{}{}
16003 \bidi@patchcmd\@Radio{%
16004   \@pdfm@mark
16005 }{%

```



```

16006 \if@RTL
16007   \hskip\Fld@width
16008 \fi
16009 \@pdfm@mark
16010 }{}{}
16011 \bidi@patchcmd\@Radio{%
16012   \unhcopy
16013 }{%
16014   \if@RTL
16015     \hskip-\Fld@width
16016   \fi
16017   \unhcopy
16018 }{}{}
16019 \bidi@patchcmd\@Submit{%
16020   \@pdfm@mark
16021 }{%
16022   \if@RTL
16023     \null
16024     \hskip\wd\pdfm@box
16025   \fi
16026   \@pdfm@mark
16027 }{}{}
16028 \bidi@patchcmd\@Submit{%
16029   \unhbox
16030 }{%
16031   \if@RTL
16032     \hskip-\wd\pdfm@box
16033   \fi
16034   \unhbox
16035 }{}{}
16036 \bidi@patchcmd\@Reset{%
16037   \@pdfm@mark
16038 }{%
16039   \if@RTL
16040     \null
16041     \hskip\wd\pdfm@box
16042   \fi
16043   \@pdfm@mark
16044 }{}{}
16045 \bidi@patchcmd\@Reset{%
16046   \unhbox
16047 }{%
16048   \if@RTL
16049     \hskip-\wd\pdfm@box
16050   \fi
16051   \unhbox
16052 }{}{}

```

### 103 File `imsproc-xetex-bidi.def`

```

16053 \ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for
16054 \newenvironment{thebibliography}[1]{}
16055   \@bibtitlestyle
16056   \normalfont\bibliofont\labelsep .5em\relax

```



```

16057 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
16058 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16059 \bidi@thebibliography@font@hook
16060 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
16061 \leftmargin\labelwidth \advance\leftmargin\labelsep
16062 \usecounter{enumiv}}%
16063 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
16064 \sfcode`.=\@m
16065 }{%
16066 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
16067 \endlist
16068 }
16069
16070 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
16071 \columnseprule\z@ \columnsep 35\p@
16072 \@indextitlestyle
16073 \thispagestyle{plain}%
16074 \let\item\@idxitem
16075 \parindent\z@ \parskip\z@\@plus.3\p@\relax
16076 \if@RTL\raggedleft\else\raggedright\fi
16077 \hyphenpenalty\@M
16078 \footnotesize}
16079 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
16080 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
16081 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
16082
16083 \def\right@footnoterule{%
16084 \kern-.4\p@
16085 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
16086 \kern11\p@\kern-\footnotesep}
16087 \def\left@footnoterule{\kern-.4\p@
16088 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
16089 \def\@makefnmark{%
16090 \leavevmode
16091 \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}}%
16092 }
16093
16094 \def\part{\@startsection{part}{0}%
16095 \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
16096 {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
16097 \def\@tocline#1#2#3#4#5#6#7{\relax
16098 \ifnum #1>\c@tocdepth % then omit
16099 \else
16100 \par \addpenalty\@secpenalty\addvspace{#2}%
16101 \begingroup \hyphenpenalty\@M
16102 \@ifempty{#4}{%
16103 \@tempdima\csname r@tocindent\number#1\endcsname\relax
16104 }{%
16105 \@tempdima#4\relax
16106 }%
16107 \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\leftskip\fi#4\relax
16108 \if@RTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
16109 #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
16110 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par

```



```

16111 \nobreak
16112 \endgroup
16113 \fi}
16114 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
16115 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
16116 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
16117 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
16118 \def\maketitle{\par
16119 \@topnum\z@ % this prevents figures from falling at the top of page 1
16120 \@setcopyright
16121 \thispagestyle{firstpage}% this sets first page specifications
16122 \uppercasenonmath\shorttitle
16123 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
16124 \else \andify\shortauthors
16125 \fi
16126 \@maketitle@hook
16127 \begingroup
16128 \@maketitle
16129 \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
16130 \toks4{\def\{\ \ignorespaces}}% defend against questionable usage
16131 \edef\@tempa{%
16132 \ \@nx\markboth{\the\toks4
16133 \ \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
16134 \@tempa
16135 \endgroup
16136 \c@footnote\z@
16137 \clearatopmattertags
16138 }

```

## 104 File leqno-xetex-bidi.def

```

16139 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX
16140 \renewcommand\@eqnnum{\hb@xt@.01\p@{}}%
16141 \rlap{\hskip -\displaywidth
16142 {\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\

```

## 105 File letter-xetex-bidi.def

```

16143 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter cl
16144 \renewcommand*\@opening}[1]{\ifx\@empty\fromaddress
16145 \thispagestyle{firstpage}%
16146 {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
16147 \else % home address
16148 \thispagestyle{empty}%
16149 {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r{}}\else\begin{tabular}{l}
16150 \fromaddress \*[2\parskip]%
16151 \@date \end{tabular}\par}%
16152 \fi
16153 \vspace{2\parskip}%
16154 {\if@RTL\raggedleft\else\raggedright\fi \toname \ \ \toaddress \par}%
16155 \vspace{2\parskip}%
16156 #1\par\nobreak}
16157 \renewcommand\left@footnoterule{%
16158 \kern-\p@

```



```

16159 \hrule \@width .4\columnwidth
16160 \kern .6\p@}
16161 \renewcommand\right@footnoterule{%
16162 \kern-\p@
16163 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16164 \kern .6\p@}

```

## 106 File lettrine-xetex-bidi.def

```

16165 \ProvidesFile{lettrine-xetex-bidi.def}[2019/05/01 v0.7 bidi adaptations for lettrine package]
16166 \def\@lettrine[#1]#2#3{%
16167 \def\l@initial{#2}\let\l@refstring\l@initial
16168 \setcounter{L@lines}{\value{DefaultLines}}%
16169 \setcounter{L@depth}{\value{DefaultDepth}}%
16170 \renewcommand*\L@hang{\DefaultLhang}%
16171 \renewcommand*\L@oversize{\DefaultLoversize}%
16172 \renewcommand*\L@raise{\DefaultLraise}%
16173 \renewcommand*\L@ante{}}%
16174 \setlength{\L@Findent}{\DefaultFindent}%
16175 \setlength{\L@Nindent}{\DefaultNindent}%
16176 \setlength{\L@slope}{\DefaultSlope}%
16177 \setlength{\L@novskip}{\DiscardVskip}%
16178 \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
16179 \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
16180 \ifLettrineRealHeight\L@realhtrue\else\L@realhfalse\fi
16181 \ifLettrineSelfRef\L@selfreftrue\else\L@selfreffalse\fi
16182 \setkeys{L}{#1}%
16183 \sbox{\L@tbox}{\LettrineTextFont{\LettrineSecondString}}%
16184 \ifL@realh
16185 \def\@tempa{#3}%
16186 \ifx\@tempa\@empty
16187 \PackageWarning{lettrine.sty}%
16188 {Empty second argument,\MessageBreak
16189 ignoring option `realheight';}%
16190 \else
16191 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
16192 \fi
16193 \fi
16194 \if\DefaultOptionsFile\relax
16195 \else
16196 \begingroup
16197 \InputIfFileExists{\DefaultOptionsFile}%
16198 {}%
16199 {\PackageWarning{lettrine.sty}%
16200 {File \DefaultOptionsFile\space not found}%
16201 }%
16202 \def\color##1##{\l@color{##1}}%
16203 \let\l@color\@gobbletwo
16204 \def\textcolor##1##{\l@textcolor{##1}}%
16205 \def\l@textcolor##1##2##3{##3}%
16206 \expandafter\ifx\csname l@#2-keys\endcsname\relax
16207 \gdef\l@LOKeys{}%
16208 \else
16209 \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%

```



```

16210         \fi
16211     \endgroup
16212     \def\KV@prefix{KV@L@}%
16213     \let\@tempc\relax
16214     \expandafter\KV@do\l@LOKeys,\relax,
16215     \setupL@lbox
16216     \setlength{\LettrineWidth}{\wd\L@lbox}%
16217     \def\KV@prefix{KV@L@}%
16218     \let\@tempc\relax
16219     \expandafter\KV@do\l@LOKeys,\relax,
16220     \setkeys{L}{#1}%
16221 \fi
16222 \setupL@lbox
16223 \setlength{\LettrineWidth}{\wd\L@lbox}%
16224 \setlength{\LettrineHeight}{\ht\L@lbox}%
16225 \setlength{\LettrineDepth}{\dp\L@lbox}%
16226 \begingroup
16227 \def\IeC##1{##1}%
16228 \@tempdima=\L@oversize pt\relax
16229 \PackageInfo{lettrine.sty}%
16230 {Targeted height = \the\L@target@tth\MessageBreak
16231 (no accent, loversize=0),\MessageBreak
16232 Lettrine height = \the\LettrineHeight\space (#2)%
16233 \ifdim\@tempdima=\z@\else\space loversize=\L@oversize\fi;%
16234 \MessageBreak reported}%
16235 \endgroup
16236 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
16237 \setlength{\L@first}{\LettrineHeight}%
16238 \setlength{\L@lraise}{\L@raise\L@target@tth}%
16239 \addtolength{\L@first}{\L@lraise}%
16240 \ifnum\value{L@lines}=1
16241 \addtolength{\L@first}{-\ht\L@tbox}%
16242 \else
16243 \addtolength{\L@first}{-\L@target@tth}%
16244 \addtolength{\L@lraise}{-\L@target@dp}%
16245 \fi
16246 \par
16247 \ifdim\L@first>\L@novskip
16248 \ifL@grid
16249 \@tempdima=\baselineskip
16250 \@tempdimb=\@tempdima
16251 \advance\@tempdimb by \L@novskip
16252 \@tempcnta=1
16253 \loop\ifdim\L@first>\@tempdimb
16254 \advance\@tempcnta by 1
16255 \advance\L@first by -\@tempdima
16256 \repeat
16257 \L@first=\@tempcnta\baselineskip
16258 \fi
16259 \vskip\L@first
16260 \fi
16261 \setlength{\L@Pindent}{\wd\L@lbox}%
16262 \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
16263 \settowidth{\L@first}{\L@ante}%

```



```

16264 \addtolength{\L@Pindent}{\L@first}%
16265 \addtolength{\L@Pindent}{\L@Findent}%
16266 \setlength{\L@first}{\linewidth}%
16267 \addtolength{\L@first}{-\L@Pindent}%
16268 \addtolength{\L@Nindent}{\L@Pindent}%
16269 \setlength{\L@next}{\linewidth}%
16270 \addtolength{\L@next}{-\L@Nindent}%
16271 \addtolength{\L@Pindent}{\@totalleftmargin}%
16272 \addtolength{\L@Nindent}{\@totalleftmargin}%
16273 \addtocounter{L@lines}{1}%
16274 \addtocounter{L@lines}{\value{L@depth}}%
16275 \if@RTL
16276   \def\L@parshape{\c@L@lines \z@ \the\L@first}%
16277 \else
16278   \def\L@parshape{\c@L@lines \the\L@Pindent \the\L@first}%
16279 \fi
16280 \@tempcnta=\tw@
16281 \@whilenum \@tempcnta<\c@L@lines\do{%
16282   \if@RTL
16283     \edef\L@parshape{\L@parshape \z@ \the\L@next}%
16284   \else
16285     \edef\L@parshape{\L@parshape \the\L@Nindent \the\L@next}%
16286   \fi
16287   \addtolength{\L@Nindent}{\L@slope}%
16288   \addtolength{\L@next}{-\L@slope}%
16289   \advance\@tempcnta\@ne}%
16290 \if@RTL
16291   \edef\L@parshape{\L@parshape \z@ \the\linewidth}%
16292 \else
16293   \edef\L@parshape{\L@parshape \@totalleftmargin \the\linewidth}%
16294 \fi
16295 \noindent
16296 \parshape=\L@parshape\relax
16297 \smash{\llap{\mbox{\L@ante}\raisebox{\L@raise}{\usebox{\L@lbox}}}%
16298   \hskip \the\L@Findent}}%
16299 \usebox{\L@tbox}%
16300 \ifnum\@listdepth>0 \Lreset@listparshape \fi
16301 }

```

## 107 File `lineno-xetex-bidi.def`

```

16302 \ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for
16303 \bidi@patchcmd{\MakeLineNo}{%
16304   \hb@xt@\z@{\makeLineNumber}%
16305 }{%
16306   \hboxL to \z@{\makeLineNumber}%
16307 }{}{}
16308
16309 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
16310   \if@RTL
16311     \hb@xt@\linewidthwidth{\LineNumber\hss}%
16312   \else
16313     \LineNumber
16314   \fi

```



```

16315 }{}{}
16316
16317 \bidi@patchcmd{\makeLineNumberRight}{%
16318   \hb@xt@\linewidthwidth{\hss\LineNumber}%
16319 }{}%
16320 \ifRTL
16321   \LineNumber
16322 \else
16323   \hb@xt@\linewidthwidth{\hss\LineNumber}%
16324 \fi
16325 }{}{}
16326
16327 \bidi@AfterPreamble{%
16328   \ifRTLMain
16329     \rightlinenumbers*
16330 \else
16331   \leftlinenumbers*
16332 \fi
16333 \@ifpackagewith{lineno}{left}{%
16334   \leftlinenumbers*
16335 }{}
16336 \@ifpackagewith{lineno}{right}{%
16337   \rightlinenumbers*
16338 }{}
16339 }
16340

```

## 108 File listings-xetex-bidi.def

```

16341 \ProvidesFile{listings-xetex-bidi.def}[2018/09/15 v1.5 bidi adaptations for listings package]
16342 \lst@Key{captiondirection}{textdirection}{%
16343   \lstKV@SwitchCases{#1}%
16344   {textdirection:\\%
16345     RTL:\chardef\bidi@lst@caption@direction@ne\\%
16346     LTR:\chardef\bidi@lst@caption@direction@z@%
16347   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
16348
16349 \lst@Key{captionscript}{textscript}{%
16350   \lstKV@SwitchCases{#1}%
16351   {textscript:\\%
16352     latin:\chardef\bidi@lst@caption@script@ne\\%
16353     nonlatin:\chardef\bidi@lst@caption@script@z@%
16354   }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
16355
16356 \newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
16357   \ifundefined{bidi@lst@caption@direction}{}%
16358   \ifnum\bidi@lst@caption@direction=\z@%
16359     #1%
16360   \else%
16361     \ifnum\bidi@lst@caption@direction=\@ne%
16362       #2%
16363     \fi%
16364   \fi%
16365 }}

```



```

16366
16367 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
16368   \@ifundefined{bidi@lst@caption@script}{}%
16369   \ifnum\bidi@lst@caption@script=\z@%
16370     #1%
16371   \else%
16372     \ifnum\bidi@lst@caption@script=\@ne%
16373       #2%
16374     \fi%
16375   \fi%
16376 }}
16377
16378 \long\def\@bidi@lst@makecaption#1#2{%
16379   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
16380   \vskip\abovcaptionskip
16381   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16382   \sbox\@tempboxa{%
16383     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
16384     #1: #2%
16385     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
16386     }%
16387   \ifdim \wd\@tempboxa >\hsize
16388     #1: #2\par
16389   \else
16390     \global \@minipagefalse
16391     \hbxt@\hsize{\hfil\box\@tempboxa\hfil}%
16392   \fi
16393   \vskip\belowcaptionskip}%
16394 \def\lst@makecaption{\@bidi@lst@makecaption}
16395 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
16396 \bidi@AtEndPreamble{%
16397 \bidi@patchcmd{\lst@MakeCaption}{%
16398   \ifx #1%
16399     \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
16400       \expandafter\refstepcounter
16401     \fi {lstlisting}%
16402 }{%
16403   \ifx #1%
16404     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16405     \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
16406       \expandafter\refstepcounter
16407     \fi {lstlisting}%
16408     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
16409 }{}}%
16410 \bidi@patchcmd{\lst@MakeCaption}{%
16411   \addcontentsline{lol}{lstlisting}%
16412   {\protect\numberline{\thelstlisting}\lst@@caption}%
16413 }{%
16414 \begingroup%
16415   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16416   \addcontentsline{lol}{lstlisting}%
16417   {\protect\numberline{\thelstlisting}\lst@@caption}%
16418 \endgroup%
16419 }{}}%

```



```

16420 }
16421 \@ifpackageloaded{caption}{%
16422   \AtBeginCaption{%
16423     \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
16424     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
16425   }
16426   \let\@bidi@lst@makecaption\caption@makecaption%
16427   \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
16428   \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\empty}%
16429 }%
16430 \@AtBeginDocument{%
16431   \@ifundefined{captionlabelfalse}{}{%
16432     \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\empty}}%
16433   \@ifundefined{caption@startrue}{}{%
16434     \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\empty}}%
16435 }%
16436 }
16437 \@AtBeginDocument{
16438   \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{
16439     \lst@ifnumberbychapter
16440       \gdef\thelstlisting%
16441         {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
16442   \else
16443     \gdef\thelstlisting{\@arabic\c@lstlisting}
16444   \fi}

```

## 109 File loadingorder-xetex-bidi.def

```

16445 \ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the las
16446 \bidi@isloaded{amsmath}
16447 \bidi@isloaded{amstext}
16448 \bidi@isloaded{amsthm}
16449 \bidi@isloaded{animate}
16450 \bidi@isloaded{breqn}
16451 \bidi@isloaded{cals}
16452 \bidi@isloaded{caption}
16453 \bidi@isloaded{crop}
16454 \bidi@isloaded{cuted}
16455 \bidi@isloaded{cutwin}
16456 \bidi@isloaded{color}
16457 \bidi@isloaded{dblfnote}
16458 \bidi@isloaded{diagbox}
16459 \bidi@isloaded{xcolor}
16460 \bidi@isloaded{colortbl}
16461 \bidi@isloaded{float}
16462 \bidi@isloaded{floatrow}
16463 \bidi@isloaded{flowfram}
16464 \bidi@isloaded{framed}
16465 \bidi@isloaded{ftnright}
16466 \bidi@isloaded{xltextra}
16467 \bidi@isloaded{xunicode}
16468 \bidi@isloaded{wrapfig}
16469 \bidi@isloaded{graphicx}
16470 \bidi@isloaded{geometry}

```



```

16471 \bidi@isloaded{hvfloat}
16472 \bidi@isloaded{mdframed}
16473 \bidi@isloaded{midfloat}
16474 \bidi@isloaded{ntheorem}
16475 \bidi@isloaded{ntheorem-hyper}
16476 \bidi@isloaded{hyperref}
16477 \bidi@isloaded{fancybox}
16478 \bidi@isloaded{fancyhdr}
16479 \bidi@isloaded{fix2col}
16480 \bidi@isloaded{draftwatermark}
16481 \bidi@isloaded{empheq}
16482 \bidi@isloaded{overpic}
16483 \bidi@isloaded{pdfpages}
16484 \bidi@isloaded{listings}
16485 \bidi@isloaded{lettrine}
16486 \bidi@isloaded{lineno}
16487 \bidi@isloaded{media9}
16488 \bidi@isloaded{pstricks}
16489 \bidi@isloaded{pgf}
16490 \bidi@isloaded{picinpar}
16491 \bidi@isloaded{quotchap}
16492 \bidi@isloaded{tikz}
16493 \bidi@isloaded{titlesec}
16494 \bidi@isloaded{titletoc}
16495 \bidi@isloaded{array}
16496 \bidi@isloaded{soul}
16497 \bidi@isloaded{stabular}
16498 \bidi@isloaded{subfig}
16499 \bidi@isloaded{subfigure}
16500 \bidi@isloaded{supertabular}
16501 \bidi@isloaded{xtab}
16502 \bidi@isloaded{longtable}
16503 \bidi@isloaded{arydshln}
16504 \bidi@isloaded{multicol}
16505 \bidi@isloaded{multienum}
16506 \bidi@isloaded{minitoc}
16507 \bidi@isloaded{natbib}
16508 \bidi@isloaded{newfloat}
16509 \bidi@isloaded{ragged2e}
16510 \bidi@isloaded{rotating}
16511 \bidi@isloaded{tabls}
16512 \bidi@isloaded{tabulary}
16513 \bidi@isloaded{tocbasic}
16514 \bidi@isloaded{tocstyle}
16515 \bidi@isloaded{tocbibind}
16516 \bidi@isloaded{fontspec}
16517 \bidi@isloaded{arabxetex}
16518 \bidi@isloaded{polyglossia}
16519 \bidi@isloaded{fancyvrb}
16520 \AtBeginDocument{
16521   \if@bidi@amsmathloaded@\else
16522     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi pack
16523   \fi%
16524   \if@bidi@amstextloaded@\else

```



```

16525 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi pack
16526 \fi%
16527 \if@bidi@amsthmloaded@else
16528 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi packa
16529 \fi%
16530 \if@bidi@animateloaded@else
16531 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi pack
16532 \fi%
16533 \if@bidi@breqnloaded@else
16534 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi packag
16535 \fi%
16536 \if@bidi@calsloaded@else
16537 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package
16538 \fi%
16539 \if@bidi@captionloaded@else
16540 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi pack
16541 \fi%
16542 \if@bidi@croploaded@else
16543 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package
16544 \fi%
16545 \if@bidi@colorloaded@else
16546 \@ifpackageloaded{hyperref}{}{%
16547 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi packag
16548 \fi%
16549 \if@bidi@cutwinloaded@else
16550 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi packa
16551 \fi%
16552 \if@bidi@cutedloaded@else
16553 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi packag
16554 \fi%
16555 \if@bidi@dblfnoteloaded@else
16556 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi pac
16557 \fi%
16558 \if@bidi@diagboxloaded@else
16559 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi pack
16560 \fi%
16561 \if@bidi@xcolorloaded@else
16562 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi packa
16563 \fi%
16564 \if@bidi@colortblloaded@else
16565 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi pac
16566 \fi%
16567 \if@bidi@floatloaded@else
16568 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi packag
16569 \fi%
16570 \if@bidi@floatrowloaded@else
16571 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi pac
16572 \fi%
16573 \if@bidi@flowframloaded@else
16574 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi pac
16575 \fi%
16576 \if@bidi@framedloaded@else
16577 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi packa
16578 \fi%

```



```

16579     \if@bidi@ftnrightloaded@else
16580     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi pac
16581 \fi%
16582 \if@bidi@xltxttraloaded@else
16583     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxttra after bidi pack
16584 \fi%
16585 \if@bidi@xunicodeloaded@else
16586     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi pac
16587 \fi%
16588 \if@bidi@wrapfigloaded@else
16589     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi pack
16590 \fi%
16591 \if@bidi@graphicxloaded@else
16592     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi pac
16593 \fi%
16594     \if@bidi@geometryloaded@else
16595     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi pac
16596 \fi%
16597 \if@bidi@hvfloatloaded@else
16598     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi pack
16599 \fi%
16600     \if@bidi@mdframedloaded@else
16601     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi pac
16602 \fi%
16603     \if@bidi@midfloatloaded@else
16604     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi pac
16605 \fi%
16606     \if@bidi@theoremloaded@else
16607     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi pac
16608 \fi%
16609 \if@bidi@hyperrefloaded@else
16610     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi pac
16611 \fi%
16612     \if@bidi@fancyboxloaded@else
16613     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi pac
16614 \fi%
16615 \if@bidi@fancyhdrloaded@else
16616     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi pac
16617 \fi%
16618 \if@bidi@draftwatermarkloaded@else
16619     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bi
16620 \fi%
16621 \if@bidi@empheqloaded@else
16622     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi packa
16623 \fi%
16624     \if@bidi@overpicloaded@else
16625     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi pack
16626 \fi%
16627 \if@bidi@pdfpagesloaded@else
16628     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi pac
16629 \fi%
16630 \if@bidi@lettrineloaded@else
16631     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi pac
16632 \fi%

```



```

16633 \if@bidi@linenoloaded@else
16634   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi packa
16635 \fi%
16636 \if@bidi@listingsloaded@else
16637   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi pac
16638 \fi%
16639 \csname if@bidi@media9loaded@endcsname\else
16640   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi packa
16641 \fi%
16642 \if@bidi@pstricksloaded@else
16643   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi pac
16644 \fi%
16645 \if@bidi@pgfloaded@else
16646   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.
16647 \fi%
16648 \if@bidi@picinparloaded@else
16649   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi pac
16650 \fi%
16651 \if@bidi@quotchaploaded@else
16652   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi pac
16653 \fi%
16654 \if@bidi@tikzloaded@else
16655   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package
16656 \fi%
16657 \if@bidi@titlesecloaded@else
16658   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi pac
16659 \fi%
16660 \if@bidi@titletocloaded@else
16661   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi pac
16662 \fi%
16663 \if@bidi@arrayloaded@else
16664   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi packag
16665 \fi%
16666 \if@bidi@stabularloaded@else
16667   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi pac
16668 \fi%
16669 \if@bidi@soulloaded@else
16670   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package
16671 \fi%
16672 \if@bidi@subfigloaded@else
16673   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi packa
16674 \fi%
16675 \if@bidi@subfigureloaded@else
16676   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pa
16677 \fi%
16678 \if@bidi@supertabularloaded@else
16679   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi
16680 \fi%
16681 \if@bidi@xtableloaded@else
16682   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package
16683 \fi%
16684 \if@bidi@longtableloaded@else
16685   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pa
16686 \fi%

```



```

16687 \if@bidi@arydshlnloaded@\else
16688   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi pac
16689 \fi%
16690 \if@bidi@multicolloaded@\else
16691   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi pac
16692 \fi%
16693 \if@bidi@multienumloaded@\else
16694   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pa
16695 \fi%
16696 \if@bidi@minitocloaded@\else
16697   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi pack
16698 \fi%
16699 \if@bidi@natbibloaded@\else
16700   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi packa
16701 \fi%
16702   \if@bidi@newfloatloaded@\else
16703     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi pac
16704 \fi%
16705 \csname if@bidi@ragged2eloaded@endcsname\else
16706   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi pac
16707 \fi%
16708   \if@bidi@rotatingloaded@\else
16709     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi pac
16710 \fi%
16711 \if@bidi@tblsloaded@\else
16712   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tbls after bidi packag
16713 \fi%
16714 \if@bidi@tabularyloaded@\else
16715   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi pac
16716 \fi%
16717 \if@bidi@tocbasicloaded@\else
16718   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi pac
16719 \fi%
16720 \if@bidi@tocstyleloaded@\else
16721   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi pac
16722 \fi%
16723 \if@bidi@tocbibindloaded@\else
16724   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pa
16725 \fi%
16726 \if@bidi@fontspecloaded@\else
16727   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi pac
16728 \fi%
16729 \if@bidi@arabxetexloaded@\else
16730   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pa
16731 \fi%
16732 \if@bidi@polyglossialoaded@\else
16733   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi
16734 \fi%
16735 \if@bidi@fancyvrbloaded@\else
16736   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi pac
16737 \fi%
16738 }

```



## 110 File longtable-xetex-bidi.def

```
16739 \ProvidesFile{longtable-xetex-bidi.def}[2022/05/20 v0.6 bidi adaptations for longtable packa
16740 \def\LT@array[#1]#2{%
16741   \refstepcounter{table}\stepcounter{LT@tables}%
16742   \if l#1%
16743     \if@RTLtab\LTleft\fill \LTright\z@ \else\LTleft\z@ \LTright\fill\fi
16744   \else\if r#1%
16745     \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
16746   \else\if c#1%
16747     \LTleft\fill \LTright\fill
16748   \fi\fi\fi
16749   \let\LT@mc\multicolumn
16750   \let\LT@@@tabarray\@tabarray
16751   \let\LT@@@hline\hline
16752   \def\@tabarray{%
16753     \let\hline\LT@@@hline
16754     \LT@@@tabarray}%
16755   \let\@LT@tabularcr\let\@tabularnewline\@
16756   \def\newpage{\noalign{\break}}%
16757   \def\pagebreak{\noalign{\ifnum`=0\fi\@testopt{LT@no@pgbk-}4}%
16758   \def\nopagebreak{\noalign{\ifnum`=0\fi\@testopt{LT@no@pgbk4}%
16759   \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
16760   \@tempdima\ht\strutbox
16761   \let\@endpbox\LT@endpbox
16762   \ifx\extrarowheight\@undefined
16763     \let\@acol\@tabacol
16764     \let\@classz\@tabclassz \let\@classiv\@tabclassiv
16765     \def\@startpbox{\vtop\LT@startpbox}%
16766     \let\@@startpbox\@startpbox
16767     \let\@@endpbox\@endpbox
16768     \let\LT@LL@FM@cr\@tabularcr
16769   \else
16770     \advance\@tempdima\extrarowheight
16771     \col@sep\@tabcolsep
16772     \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
16773   \fi
16774   \setbox\@arstrutbox\hbox{\vrule
16775     \@height \arraystretch \@tempdima
16776     \@depth \arraystretch \dp \strutbox
16777     \@width \z@}%
16778   \let\@sharp##\let\protect\relax
16779   \begingroup
16780   \@mkpream{#2}%
16781   \xdef\LT@bchunk{%
16782     \global\advance\c@LT@chunks\@ne
16783     \global\LT@rows\z@\setbox\z@\vbox\bgroup
16784     \LT@setprevdepth
16785     \tabskip\LTleft \noexpand\halign to\hsize\bgroup
16786     \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
16787   \endgroup
16788   \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
16789   \LT@make@row
16790   \m@th\let\par\@empty
```



```

16791 \everycr{\lineskip\z@\baselineskip\z@
16792 \LT@bchunk}
16793 \def\LT@makecaption#1#2#3{%
16794 \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
16795 \sbox\@tempboxa{\if@RTL\beginR\fi#1#2: }#3\if@RTL\endR\fi}%
16796 \ifdim\wd\@tempboxa>\hsize
16797 #1#2: }#3%
16798 \else
16799 \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
16800 \fi
16801 \endgraf\vskip\baselineskip}%
16802 \hss}}
16803 \ifpackageloaded{caption}{%
16804 \renewcommand\LT@makecaption[3]{%
16805 \caption@LT@make{%
16806 \caption@LT@settype\LTcapttype
16807 \caption@LT@setup
16808 \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
16809 \caption@startrue#1\caption@starfalse
16810 \caption@prepare@stepcounter\LTcapttype
16811 \caption@begin\LTcapttype
16812 \caption@normalsize
16813 \vskip-\ht\strutbox
16814 \caption@ifdefined\FBifcapttop{%
16815 \let\caption@belowskip\@empty}{}%
16816 \caption@make@above
16817 \caption@make{#2}{#3}\endgraf
16818 \caption@make@below
16819 \caption@end}}%
16820 }{}
16821 \def\LT@startpbox#1{%
16822 \bgroup\color@begingroup
16823 \let\@footnotetext\LT@p@ftntext
16824 \let\@LTRfootnotetext\LT@p@LTRftntext
16825 \let\@RTLfootnotetext\LT@p@RTLftntext
16826 \setlength\hsize{#1}%
16827 \@arrayparboxrestore
16828 \vrule \@height \ht\@arstrutbox \@width \z@}
16829 \def\LT@p@LTRftntext#1{%
16830 \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
16831 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
16832 \def\LT@p@RTLftntext#1{%
16833 \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
16834 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
16835
16836
16837 \def\LT@output{%
16838 \ifnum\outputpenalty <-\@Mi
16839 \ifnum\outputpenalty >-\LT@end@pen
16840 \LT@err{floats and marginpars not allowed in a longtable}\@ehc
16841 \else
16842 \setbox\z@\vbox{\unvbox\@cclv}%
16843 \ifdim \ht\LT@lastfoot>\ht\LT@foot
16844 \dimen@pagegoal

```



```

16845     \advance\dimen@-\ht\LT@lastfoot
16846     \ifdim\dimen@<\ht\z@
16847         \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
16848         \@makecol
16849         \@outputpage
16850         \setbox\z@\vbox{\box\LT@head}%
16851     \fi
16852 \fi
16853 \global\@colroom\@colht
16854 \global\vsizel\@colht
16855 \vbox
16856   {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@fo
16857 \fi
16858 \else
16859   \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@fo
16860   \@makecol
16861   \@outputpage
16862   \global\vsizel\@colroom
16863   \copy\LT@head\nobreak
16864 \fi}

```

## 111 File `lscope-xetex-bidi.def`

```

16865 \ProvidesFile{lscope-xetex-bidi.def}[2022/07/14 v0.2 bidi adaptations for lscope package for
16866 \bidi@patchcmd{\LS@rot}{\rotatebox{90}{\box\@outputbox}}{%
16867   \if@RTL
16868     \rotatebox[origin=br]{-90}{\box\@outputbox}%
16869   \else
16870     \rotatebox{90}{\box\@outputbox}%
16871   \fi
16872 }{}{}
16873
16874 \g@addto@macro{\landscape}{%
16875   \if@bidi@csdef{bidi@columnwidth}{%
16876     \bidi@columnwidth\columnwidth
16877   }{}%
16878   \let\bidi@left@footnoterule\left@footnoterule
16879   \let\bidi@right@footnoterule\right@footnoterule
16880   \def\left@footnoterule{%
16881     \if@RTL
16882       \bidi@right@footnoterule
16883     \else
16884       \bidi@left@footnoterule
16885     \fi
16886   }%
16887   \def\right@footnoterule{%
16888     \if@RTL
16889       \bidi@left@footnoterule
16890     \else
16891       \bidi@right@footnoterule
16892     \fi
16893   }%
16894 }

```



## 112 File mathtools-xetex-bidi.def

```
16895 \ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools packa
16896 \MHInternalSyntaxOn
16897 \def\MT_define_tagform:nwnn #1[#2]#3#4{
16898   \@namedef{MT_tagform_#1:n}##1
16899   {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2{##1}\unskip\@italiccorr#4}
16900 }
16901 \renewtagform{default}{(}{)}
16902 \MHInternalSyntaxOff
```

## 113 File mdframed-xetex-bidi.def

```
16903 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package
16904 \newif\if@bidi@mdf@RTL
16905 \def\mdf@lrbox#1{%
16906   \mdf@patchamsthm%patch amsthm
16907   \if@RTL\@bidi@mdf@RTLtrue\fi%
16908   \@RTLfalse%
16909   \setbox#1\vbox\bgroup%
16910   \color@begingroup%
16911   \if@bidi@mdf@RTL\@RTLtrue\fi%
16912   \mdf@horizontalmargin@equation%
16913   \columnwidth=\hsize%
16914   \textwidth=\hsize%
16915   \let\if@nobreak\iffalse%
16916   \let\if@noskipsec\iffalse%
16917   \let\par\@par%
16918   \let\-\@dischyp%
16919   \let'\@acci\let\` \@accii\let=\@acciii%
16920   \parindent\z@ \parskip\z@skip%
16921   \linewidth\hsize%
16922   \@totalleftmargin\z@%
16923   \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
16924   \parfillskip\@flushglue \lineskip\normallineskip%
16925   \baselineskip\normalbaselineskip%
16926 %% \sloppy%
16927   \let\ \ \@normalcr%
16928   \mdf@par@local%New feature to restore parskip/parindent local in save box
16929   \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
16930   \@afterindentfalse%
16931   %\@afterheading%
16932 }
16933 \renewrobustcmd\mdfframedtitleenv[1]{%
16934   \mdf@lrbox{\mdf@frametitlebox}%
16935   \mdf@frametitlealignment%
16936   \leavevmode{\color{\mdf@frametitlefontcolor}%
16937     \normalfont\mdf@frametitlefont{#1}
16938     \ifbool{mdf@ignorelastdescenders}%
16939     {%
16940       \par\strut\par
16941       \unskip\unskip\setbox0=\lastbox
16942       \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
16943     }{}%

```



```

16944 \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%
16945 \endmdf@lrbox\relax%
16946 \mdf@ignorevbadness%
16947 \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
16948 \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
16949 \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
16950 \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
16951 \mdfframetitleboxtotalheight=\dimexpr
16952 \ht\mdf@frametitlebox
16953 +\dp\mdf@frametitlebox%
16954 +\mdf@frametitleaboveskip@length
16955 +\mdf@frametitlebelowskip@length
16956 \relax%
16957 }
16958
16959 \renewrobustcmd*\mdf@footnoteoutput{%
16960 \ifvoid\@mpfootins\else%
16961 \nobreak%
16962 \vskip\mdf@footnotedistance@length%
16963 \normalcolor%
16964 \bidi@mpfootnoterule%
16965 \unvbox\@mpfootins%
16966 \fi%
16967 }
16968
16969
16970 \renewrobustcmd*\mdf@footnoteinput{%
16971 \def\@mpfn{mpfootnote}%
16972 \def\thempfn{\thempfootnote}%
16973 \c@mpfootnote\z@%
16974 \let\@footnotetext\@mpfootnotetext%
16975 \let\@LTRfootnotetext\@mpLTRfootnotetext%
16976 \let\@RTLfootnotetext\@mpRTLfootnotetext%
16977 }

```

## 114 File bidi-media9.sty

```

16978 \ProvidesExplPackage{bidi-media9}{2022/02/18}{0.4}
16979 {bidi fixes for media9 package for the XeTeX engine}
16980
16981 \keys_define:nn{media9/mbtn}{
16982 draft .code:n = {},
16983 final .code:n = {},
16984
16985 tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
16986 tooltip .value_required:n = {true},
16987
16988 overface .code:n = {
16989 \sbox\l_mix_poster_box{
16990 \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
16991 \mix_pdfxform:n{\l_mix_poster_box}
16992 \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
16993 },
16994 overface .value_required:n = {true},

```



```

16995
16996 downface .code:n = {
16997   \sbox\l_mix_poster_box{
16998     \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}
16999     \mix_pdfxform:n{\l_mix_poster_box}
17000     \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
17001   },
17002 downface .value_required:n = {true},
17003
17004 3Dgotoview .code:n = {
17005   \tl_set:Nx\l_tmpa_tl{#1} %extract ref
17006   \regex_replace_once:nnN{([~:]+)??.*}{\1}\l_tmpa_tl
17007   \tl_trim_spaces:N\l_tmpa_tl
17008   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
17009     \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
17010       \tl_set:Nx\l_tmpb_tl{#1} %extract idx
17011       \regex_replace_once:nnN{[~:]+?}{\1}\l_tmpb_tl
17012       \tl_trim_spaces:N\l_tmpb_tl
17013       \tl_if_blank:VF\l_tmpb_tl{
17014         \regex_match:nVTF{[DFLNP]$}\l_tmpb_tl{
17015           \tl_set:Nx\l_mix_vidx_tl{/}\l_tmpb_tl
17016         }{
17017           \regex_match:nVTF{~\d+$}\l_tmpb_tl{
17018             \tl_set:Nx\l_mix_vidx_tl{~}\l_tmpb_tl
17019           }{
17020             \regex_replace_once:nnN{~\{s*\}}\l_tmpb_tl
17021             \regex_replace_once:nnN{~\{s*\}}\l_tmpb_tl
17022             \tl_set:Nx\l_mix_vidx_tl{~}\l_tmpb_tl
17023           }
17024         }
17025       }
17026       \mix_pdfobj:nnn{}{dict}{
17027         /S/JavaScript/JS~(
17028           if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
17029           if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
17030             annotRM['\l_tmpa_tl']=
17031               this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
17032           }
17033           annotRM['\l_tmpa_tl'].activated=true;
17034         )
17035         \tl_if_blank:VF\l_tmpb_tl{
17036           /Next~<<
17037           /S/GoTo3DView
17038           /TA~\tl_use:c{ann@\l_tmpa_tl}
17039           /V\l_mix_vidx_tl
17040         >>
17041       }
17042     }
17043     \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
17044   }
17045 }{
17046   \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
17047   \cs_if_exist:NF\g_mix_refundefwarned_tl{
17048     \tl_new:N\g_mix_refundefwarned_tl

```



```

17049     \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
17050   }
17051 }
17052 },
17053 3Dgotoview .value_required:n = {true},
17054
17055 mediacommand .code:n = {
17056   \tl_set:Nx\l_tmpa_tl{#1}
17057   \regex_replace_once:nnN{([\^:]+)??.*}{\1}\l_tmpa_tl %extract ref
17058   \tl_trim_spaces:N\l_tmpa_tl
17059   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
17060     \str_if_eq:eeF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
17061       \tl_set:Nx\l_tmpb_tl{#1}
17062       \regex_replace_once:nnN{[\^:]+\:}{\1}\l_tmpb_tl
17063       \tl_trim_spaces:N\l_tmpb_tl
17064       \regex_replace_all:nnN{^\{|\}$}{\1}\l_tmpb_tl
17065       \tl_set:Nx\l_mix_cmd_tl{
17066         \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
17067       \tl_trim_spaces:N\l_mix_cmd_tl
17068       \tl_set:Nx\l_mix_arg_tl{
17069         \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
17070       \tl_trim_spaces:N\l_mix_arg_tl
17071       \mix_pdfobj:nnn{}{dict}{
17072         /S/JavaScript/JS~(
17073           if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
17074           if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
17075             annotRM['\l_tmpa_tl']=
17076               this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
17077           }
17078           annotRM['\l_tmpa_tl'].activated=true;
17079         )
17080       \tl_if_blank:VF\l_mix_cmd_tl{
17081         /Next~<<
17082         /S/RichMediaExecute
17083         /TA~\tl_use:c{ann@\l_tmpa_tl}
17084         /TI~\tl_use:c{main@\l_tmpa_tl}
17085         /CMD~<<<
17086         /C~(\l_mix_cmd_tl)
17087         \tl_if_blank:VF\l_mix_arg_tl{
17088           /A~[\l_mix_arg_tl]
17089         }
17090         >>
17091         >>
17092       }
17093     }
17094     \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
17095   }
17096 }{
17097   \msg_warning:nx{media9}{undefined~reference}{\l_tmpa_tl}
17098   \cs_if_exist:NF\g_mix_refundefwarned_tl{
17099     \tl_new:N\g_mix_refundefwarned_tl
17100     \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
17101   }
17102 }

```



```

17103 },
17104 mediacommand .value_required:n = {true},
17105
17106 jsaction .code:n = {
17107   \tl_set:Nx\l_tmpa_tl{#1}
17108   \regex_match:nVTF{^[^\{:\}+.*$}\l_tmpa_tl{
17109     \regex_replace_once:nnN{([^\:]+):??.*}{\1}\l_tmpa_tl %extract ref
17110     \tl_trim_spaces:N\l_tmpa_tl
17111   }{\tl_clear:N\l_tmpa_tl}
17112   \tl_set:Nx\l_tmpb_tl{#1}
17113   \tl_if_blank:VF\l_tmpa_tl{
17114     \tl_if_exist:cF{ann@\l_tmpa_tl}{
17115       \msg_warning:nnx{media9}{undefined-reference}{\l_tmpa_tl}
17116       \cs_if_exist:NF\g_mix_refundefwarned_tl{
17117         \tl_new:N\g_mix_refundefwarned_tl
17118         \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
17119       }
17120     }
17121     \regex_replace_once:nnN{[^\:]+\:}{\1}\l_tmpb_tl
17122   }
17123   \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
17124   \tl_trim_spaces:N\l_tmpb_tl
17125   \tl_if_blank:VF\l_tmpb_tl{
17126     \mix_pdfobj:nnn{}{dict}{
17127       /S/JavaScript/JS~(
17128         try{\l_tmpb_tl}catch(e){console.show();console.println(e)}}}
17129   \bool_lazy_and:nnT{
17130     \tl_if_exist_p:c{ann@\l_tmpa_tl}
17131   }{
17132     !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
17133   }{
17134     \mix_pdfobj:nnn{}{dict}{
17135       /S/JavaScript/JS~(
17136         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
17137         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
17138           annotRM['\l_tmpa_tl']=
17139             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
17140         }
17141         annotRM['\l_tmpa_tl'].activated=true;
17142       )
17143     \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
17144   }
17145 }
17146 \bool_if:nT{
17147   \bool_lazy_and_p:nn{
17148     \tl_if_exist_p:c{ann@\l_tmpa_tl}
17149   }{
17150     !\str_if_eq_p:ee{\tl_use:c{ann@\l_tmpa_tl}}{draft}
17151   }
17152   || !\tl_if_blank_p:V\l_tmpb_tl
17153 }{
17154   \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
17155 }
17156 },

```



```

17157 jsaction .value_required:n = {true},
17158
17159 unknown .code:n = {
17160   \msg_error:nx{media9}{unknown~option}{\l_keys_key_tl}
17161 }
17162 }
17163
17164 \RenewDocumentCommand\includemedia{0{}mm}{%#1 options, #2 text/image #3 media file
17165   \mix_uriend:
17166   \group_begin:
17167   \mix_beginLTR:
17168   \mode_leave_vertical:
17169   %empty stream as appearance dummy
17170   \cs_if_exist:Nf\g_mix_appearance_tl{
17171     \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
17172     \mix_pdfxform:n{\l_mix_poster_box}
17173     \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
17174   }
17175   \mix_reset:
17176   \mix_urbegin: %treat URI characters correctly
17177   \keys_set:nn{media9/user}{#1}
17178   \mix_uriend:
17179   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
17180   \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
17181   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~={}}{=}
17182   \tl_greplace_all:Nnn\g_mix_flashvars_tl{~}{}{=}
17183   \tl_gtrim_spaces:N\g_mix_flashvars_tl
17184
17185   \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
17186
17187   %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
17188   %\hbox_set:Nn\l_mix_poster_box{#2}
17189   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
17190   \mix_scale:n{\l_mix_poster_box}
17191   \bool_if:nT{
17192     \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
17193     \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
17194   }{
17195     \tl_gset:Nn\g_mix_usrpbtn_tl{none}
17196   }
17197   \bool_if:NTF\g_mix_usrdraft_bool{
17198     \tl_if_empty:NF\g_mix_usrlabel_tl{
17199       \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
17200     }
17201     \tl_if_blank:oTF{#2}{
17202       \mix_urbegin: %treat URI characters correctly
17203       \mix_draftbox:n{\tl_to_str:n{#3}}
17204       \mix_uriend:
17205     }{
17206       \hbox_to_wd:nn{\g_mix_wd_tl}{
17207         \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
17208         \box_use:N\l_mix_poster_box\hss
17209       }
17210     }

```



```

17211 }{
17212 \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
17213 %attach script that switches off play button overlay upon activation
17214 \mix_pdfobj:nnn{}{stream}{
17215   }{
17216     var~ocgs=host.getOCGs(host.pageNum);
17217     for(var~i=0;i<ocgs.length;i++){
17218       if(ocgs[i].name=='MediaPlayerButton\int_use:N\g_mix_rmcnt_int'){
17219         ocgs[i].state=false;
17220       }
17221     }
17222   }
17223 }
17224 \mix_pdfobj:nnn{}{dict}{
17225   /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
17226 }
17227 \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
17228 \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
17229 %enforce plain playbutton overlay for XeTeX
17230 \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
17231 }
17232 %embed main asset
17233 \mix_uribegin:
17234 \mix_embedasset:n{#3}
17235 \bool_if:nTF{
17236   \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
17237 }{
17238   \bool_gset_true:N\g_mix_iiid_bool
17239   \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
17240 }{
17241   \str_case_e:nnF{\l_mix_base_tl}{
17242     {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
17243     {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
17244     {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
17245     {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
17246     {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
17247   }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
17248 }
17249 \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
17250 \mix_uriend:
17251 %secondary assets (added by addresource)
17252 \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
17253 \seq_map_inline:Nn\g_mix_script_seq{
17254   \mix_embedasset:n{##1}
17255   \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
17256 }
17257 %attach 3D calculation script
17258 \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
17259   \mix_embedasset:n{3Dmenu.js}
17260   \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
17261 }
17262 %create 3D views from file (option 3Dviews)
17263 \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
17264   \tl_set:Nn\l_mix_level_tl{-1}

```



```

17265 \int_zero:N\l_mix_viewcnt_int
17266 \int_zero:N\l_mix_lineno_int
17267
17268 \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
17269 \ior_map_inline:Nn\l_mix_vfile_stream{
17270 \int_incr:N\l_mix_lineno_int
17271 \keys_set:nn{media9/views}{##1} %process input line
17272 }
17273 \ior_close:N\l_mix_vfile_stream
17274 }
17275 \bool_if:nT{ %create default 3D view if required
17276 \g_mix_iiid_bool &&
17277 (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
17278 }{
17279 \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
17280 \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
17281 \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
17282 \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
17283 \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
17284 \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
17285 \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
17286
17287 \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
17288 \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
17289 \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
17290 \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
17291
17292 \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
17293 \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
17294 \tl_clear:N\l_mix_naarray_tl
17295
17296 \bool_if:NF\l_mix_ciiw_bool{
17297 \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
17298 \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
17299 }
17300
17301 \tl_clear:N\l_mix_naarray_tl
17302 \tl_clear:N\l_mix_saarray_tl
17303 \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
17304
17305 \mix_view:n{Default}
17306 \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
17307
17308 }
17309 \mix_pdfobj:nnn-{}{dict-}{
17310 /Type/RichMediaInstance
17311 /Subtype/\g_mix_mainassetstl
17312 /Asset~\g_mix_mainasset_tl
17313 \bool_if:NF\g_mix_iiid_bool{
17314 /Params~<<
17315 /Binding\str_if_eq:VnTF\g_mix_transp_tl{true-}{
17316 /Foreground
17317 }{
17318 /Background

```



```

17319     }
17320     \tl_if_blank:VF\g_mix_flashvars_tl{
17321       /FlashVars~(\g_mix_flashvars_tl)
17322     }
17323     >>
17324   }
17325 }
17326 \tl_if_empty:NF\g_mix_usrlabel_tl{
17327   \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
17328 }
17329 \mix_pdfobj:nnn{}{dict}{
17330   /Type/RichMediaConfiguration
17331   /Subtype/\g_mix_mainassetssub_tl
17332   /Instances~[\mix_pdflastobj:]
17333 }
17334 \mix_pdfobj:nnn{}{dict}{
17335   /Type/RichMediaContent
17336   /Assets~<</Names~[\g_mix_assets_tl]>>
17337   /Configurations~[\mix_pdflastobj:]
17338   \bool_if:nT{
17339     \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
17340   }{
17341     /Views~[\l_mix_iiidviewarray_tl]
17342   }
17343 }
17344 \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
17345 \bool_if:nT{
17346   \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
17347 }{
17348   \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
17349 }
17350 %determine floating window size
17351 \bool_if:NT\g_mix_opt_windowed_bool{
17352   \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
17353 }
17354 \mix_pdfobj:nnn{}{dict}{
17355   /Activation~<<
17356   /Condition\g_mix_act_tl
17357   \bool_if:nT{
17358     \g_mix_iiid_bool &&
17359     !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
17360   }{%seems to work only with 3D content
17361     /Animation~<<
17362     /Subtype/\g_mix_playtpe_tl
17363     /PlayCount~\g_mix_playcnt_tl
17364     /Speed~\g_mix_playspd_tl
17365     >>
17366   }
17367   \bool_if:nT{
17368     \g_mix_iiid_bool && (
17369     \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
17370     )
17371   }{/View~\l_mix_dfltview_tl}
17372   /Presentation~<<

```



```

17373 /Transparent~\g_mix_transp_tl
17374 \bool_if:NTF\g_mix_opt_windowed_bool{
17375 /Style/Windowed
17376 /Window~<<
17377 /Width~<</Default~\tl_mix_fltd>>
17378 /Height~<</Default~\tl_mix_flht>>
17379 /Position~<<
17380 /HOffset~0/VOffset~0
17381 \str_case_e:nnF{\g_mix_winpos_tl}{
17382 {tl}{/VAlign/Near/HAlign/Near}
17383 {cl}{/VAlign/Center/HAlign/Near}
17384 {bl}{/VAlign/Far/HAlign/Near}
17385 {bc}{/VAlign/Far/HAlign/Center}
17386 {br}{/VAlign/Far/HAlign/Far}
17387 {cr}{/VAlign/Center/HAlign/Far}
17388 {tr}{/VAlign/Near/HAlign/Far}
17389 {tc}{/VAlign/Near/HAlign/Center}
17390 }{/HAlign/Center/VAlign/Center}
17391 >>
17392 >>
17393 }{
17394 /Style/Embedded
17395 }
17396 \bool_if:NTF\g_mix_iiid_bool{
17397 /Toolbar~\g_mix_tools_tl
17398 /NavigationPane~\g_mix_nav_tl
17399 }{
17400 /PassContextClick~\g_mix_contextclick_tl
17401 }
17402 >>
17403 \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
17404 >>
17405 /Deactivation~<</Condition\g_mix_deact_tl>>
17406 }
17407 \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
17408 \tl_if_empty:NF\g_mix_usrlabel_tl{
17409 \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
17410 }
17411 % #1:width, #2:height, #3:depth, #4:content (key-value)
17412 \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
17413 /Subtype/RichMedia
17414 /F~4
17415 /BS~<</W~0/S/S>>
17416 /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
17417 /NM~(\g_mix_label_tl)
17418 /AP~<</N~\g_mix_appearance_tl>>
17419 /RichMediaSettings~\l_mix_settings_tl
17420 /RichMediaContent~\l_mix_content_tl
17421 }
17422 \tl_if_empty:NF\g_mix_usrlabel_tl{
17423 \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
17424 \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
17425 \noexpand\the\g@mix@page@int}
17426 }

```



```

17427 \mix_pdfobj:nnn-{}{dict}{
17428 /S/JavaScript/JS~(
17429   try{
17430     if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
17431     if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
17432       annotRM['\g_mix_label_tl']=
17433         this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
17434     }
17435     \str_if_eq:eeF{\g_mix_usrpbtn_tl}{none}{
17436       if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
17437         var~ocgs=this.getOCGs(this.pageNum);
17438         for(var~i=0;i<ocgs.length;i++){
17439           if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
17440             var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
17441           }
17442         }
17443       }
17444       if(
17445         !annotRM['\g_mix_label_tl'].activated&&(
17446           app.viewerType=='Reader' ||
17447           app.viewerType=='Exchange' ||
17448           app.viewerType=='Exchange-Pro'
17449         )&&app.viewerVersion>=9
17450       ){
17451         ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
17452       }
17453     }
17454   }catch(e){}
17455   this.dirty=false;
17456 )
17457 }
17458 \mix_pdfannot:nnnn{Opt}{Opt}{Opt}{
17459 /Subtype/Widget
17460 /FT/Btn/Ff~65537/F~2
17461 /BS~<</W~0>>
17462 /T~(fd@\g_mix_label_tl)
17463 /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
17464 }
17465 \mix_appendtofields:n{\mix_pdflastann:}
17466 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
17467 \str_if_eq:eeTF{\g_mix_usrpbtn_tl}{none}{
17468   \hbox_to_wd:nn{\g_mix_wd_tl}{
17469     \vrule-width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
17470   }
17471 }{%insert play button overlay
17472   \mix_insert_btnocg: %create OCG
17473   \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
17474   \group_begin:
17475   \cs_if_exist:NT\textdir{\textdir TLT}
17476   \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
17477   \box_move_down:nn{\g_mix_dp_tl}{
17478     \hbox_to_wd:nn{\g_mix_wd_tl}{
17479       \vbox_to_ht:nn{\g_mix_tt_tl}{
17480         \vss

```



```

17481         \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
17482         \box_use:N\l_mix_pbtn_box
17483         \ocgbase_oc_emc:
17484     }
17485 }
17486 }
17487 \group_end:
17488 }
17489 \int_gincr:N\g_mix_rmcnt_int
17490 }
17491 \mix_endLTR:
17492 \group_end:
17493 }
17494 \tl_set_eq:NN\l_mix_includemedia_tl\includemedia
17495 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}
17496
17497 \RenewDocumentCommand\mediabutton{0}{m}{%#1 options, #2 normal button text
17498 \mix_uriend:
17499 \group_begin:
17500 \mix_beginLTR:
17501 \mode_leave_vertical:
17502 %reset various variables
17503 \tl_gclear:N\g_mix_overbtn_tl
17504 \tl_gclear:N\g_mix_downbtn_tl
17505 \tl_gclear:N\g_mix_btnactions_tl
17506 \tl_gclear:N\g_mix_tooltip_tl
17507 %process options
17508 \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
17509 \mix_uribegin: %treat URI characters correctly
17510 \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
17511 \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
17512 \mix_uriend:
17513 %normal button appearance
17514 %\hbox_set:Nn\l_mix_poster_box{#2}
17515 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
17516 \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
17517 \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
17518 \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
17519 \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
17520 \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{
17521 \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
17522 \mix_pdfxform:n{\l_mix_poster_box}
17523 \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
17524 %insert widget annotation
17525 \mix_pdfannot:nnnn{\width}{\height}{\depth}{
17526 /Subtype/Widget
17527 /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
17528 \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
17529 /FT/Btn/Ff~65536
17530 \tl_if_empty:NF\g_mix_downbtn_tl{/H/I}{/H/P}
17531 /AP~<<
17532 /N~\g_mix_normalbtn_tl
17533 \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
17534 \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}

```



```

17535 >>
17536 /MK~<<
17537 /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
17538 /I~\g_mix_normalbtn_tl
17539 \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
17540 \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
17541 >>
17542 /A~<<
17543 /S/JavaScript/JS~(app.focusRect=false;)
17544 %sequence of actions to perform
17545 \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
17546 >>
17547 }
17548 \mix_appendtofields:n{\mix_pdflastann:}
17549 \hbox_to_wd:nn{\width}{
17550 \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
17551 }
17552 \int_gincr:N\g_mix_mbtncnt_int
17553 }
17554 \mix_endLTR:
17555 \group_end:
17556 }
17557 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
17558 \tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}
17559

```

## 115 File memoir-xetex-bidi.def

```

17560 \ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for X
17561 \renewcommand{\keepthetitle}{%
17562 \@bsmtitleempty
17563 \global\let\thanks\relax
17564 \global\let\LTRthanks\relax
17565 \global\let\RTLthanks\relax
17566 \global\let\and\relax
17567 \global\let\andnext\relax
17568 \global\let\@thanks\@empty
17569 \global\let\@title\@empty
17570 \global\let\@author\@empty
17571 \global\let\@date\@empty}
17572 \renewcommand{\maketitle}{\par
17573 \begingroup
17574 \@bsmarkseries
17575 \def\@makefnmark{\@textsuperscript{%
17576 \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}%
17577 \long\def\@makefntext##1{\makethanksmark ##1}
17578 \if@twocolumn
17579 \ifnum \col@number=\@ne
17580 \@maketitle
17581 \else
17582 \twocolumn[\@maketitle]%
17583 \fi
17584 \else
17585 \ifdim\pagetotal>\z@

```



```

17586     \newpage
17587     \fi
17588     \global\@topnum\z@
17589     \@maketitle
17590     \fi
17591     \thispagestyle{title}\@thanks
17592 \endgroup
17593 \@bscontmark % \setcounter{footnote}{0}%
17594 }
17595 \renewcommand*{\memRTLleftskip}{\ifRTL\rightskip\else\leftskip\fi}
17596 \renewcommand*{\memRTLrightskip}{\ifRTL\leftskip\else\rightskip\fi}
17597 \renewcommand*{\memRTLvleftskip}{\ifRTL\vrightskip\else\vleftskip\fi}
17598 \renewcommand*{\memRTLvrightskip}{\ifRTL\vleftskip\else\vrightskip\fi}
17599 \renewcommand*{\memRTLraggedright}{\ifRTL\raggedleft\else\raggedright\fi}
17600 \renewcommand*{\memRTLraggedleft}{\ifRTL\raggedright\else\raggedleft\fi}
17601 \renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
17602 \renewcommand*{\thesubsection}{%
17603     \thesection\@SepMark\@arabic\c@subsection}
17604 \renewcommand*{\thesubsubsection}{%
17605     \thesubsection\@SepMark\@arabic\c@subsubsection}
17606 \renewcommand*{\theparagraph}{%
17607     \thesubsubsection\@SepMark\@arabic\c@paragraph}
17608 \renewcommand*{\thesubparagraph}{%
17609     \theparagraph\@SepMark\@arabic\c@subparagraph}
17610 \renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
17611 \renewcommand{\theequation}{%
17612     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
17613 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
17614 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
17615 \ifartopt
17616 \chapterstyle{article}
17617 \counterwithout{figure}{chapter}
17618 \counterwithout{table}{chapter}
17619 \counterwithout{footnote}{chapter}
17620 \counterwithout{equation}{chapter}
17621 \renewcommand{\chaptername}{}
17622 \renewcommand{\maketitlehookb}{%
17623     \vskip -1.5\topsep\vskip -1.5\partopsep}
17624 \renewcommand{\maketitlehookc}{%
17625     \vskip -1.5\topsep\vskip -1.5\partopsep}
17626 \fi
17627 \long\def\@makecaption#1#2{\let\@memtempa\relax
17628 \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
17629 \else \def\@memtempa{\vbox to\topskip{}}\fi
17630 \let\@contfnote\footnote \renewcommand{\footnote}[2] [] {}
17631 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1] [] {}
17632 \sbox\@tempboxa{\@contfnote #1\@contdelim \@contffont #2\@contffont}
17633 \let\footnote\@contfnote
17634 \let\footnotemark\@contfmark
17635 \ifdim\wd\@tempboxa<\linewidth \centering \fi
17636 \if@contcw
17637     \centering
17638     \parbox{\@contcwidth}{%
17639     \ifdim\wd\@tempboxa<\@contcwidth \centering \fi

```



```

17640 \fi
17641 \ifdim\wd\@tempboxa<\linewidth
17642   \@contpre
17643   {\@contnfont #1\@contdelim}\@memtempa
17644   {\@contcshortstyle \@conttfont #2\@contfinal\par}
17645 \else
17646   \if@conthang
17647     \sbox\@tempboxa{\@contnfont #1\@contdelim}
17648     \@contpre%
17649     {\@contcstyle\hangindent=\wd\@tempboxa
17650     \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
17651   \else
17652     \if@contindent
17653       \@contpre%
17654       {\@contnfont #1\@contdelim}\@memtempa
17655       {\@contcstyle\hangindent=\@contindw
17656         \hangafter=\@one\@conttfont #2\@contfinal\par}% <- v1.4
17657     \else
17658       \@contpre%
17659       {\@contnfont #1\@contdelim}\@memtempa
17660       {\@contcstyle \@conttfont #2\@contfinal\par}
17661     \fi
17662   \fi
17663 \fi
17664 \@contpost
17665 \if@contcw
17666   \par
17667   } % end of the \parbox
17668 \fi
17669 \vskip\belowcaptionskip}
17670 \@ifpackageloaded{caption}{%
17671 \AtBeginPackage{caption}{
17672 \ClassWarningNoLine{memoir}{%
17673 You are using the caption package with the memoir \MessageBreak
17674 class. This may cause unexpected or inconsistent \MessageBreak
17675 results if you use any of memoir's captioning facilities}
17676
17677 \long\def\@makecaption##1##2{%
17678   \vskip\abovecaptionskip
17679   \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
17680   \ifdim \wd\@tempboxa >\hsize
17681     \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
17682   \else
17683     \global \@minipagefalse
17684     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
17685   \fi
17686   \vskip\belowcaptionskip}
17687
17688 \def\caption{%
17689   \ifx\@captive\@undefined
17690     \@latex@error{\noexpand\caption outside float}\@ehd
17691     \expandafter\@gobble
17692   \else
17693     \refstepcounter\@captive

```



```

17694     \expandafter\@firstofone
17695     \fi
17696     {\@dblarg{\@caption\@capttype}}%
17697 }
17698
17699 \long\def\@caption##1[##2]##3{%
17700   \par
17701   \addcontentsline{\csname ext@##1\endcsname}{##1}%
17702     {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
17703   \begingroup
17704     \@parboxrestore
17705     \if@minipage
17706       \@setminipage
17707     \fi
17708     \normalsize
17709     \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
17710   \endgroup}
17711 }}{}
17712 \renewenvironment{thebibliography}[1]{%
17713   \bibsection
17714   \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17715   \bidi@thebibliography@font@hook%
17716   \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}

```

## 116 File midfloat-xetex-bidi.def

```

17717 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
17718 \def\RTL@outputdblcol{%
17719   \if@firstcolumn
17720     \global \@firstcolumnfalse
17721     \global\setbox\@leftcolumn\copy\@outputbox
17722     \splitmaxdepth\maxdimen
17723     \vbadness\maxdimen
17724     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
17725     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
17726     \toks@\expandafter{\topmark}%
17727     \xdef\@firstcoltopmark{\the\toks@}%
17728     \toks@\expandafter{\splitfirstmark}%
17729     \xdef\@firstcolfirstmark{\the\toks@}%
17730     \ifx\@firstcolfirstmark\@empty
17731       \global\let\@setmarks\relax
17732     \else
17733       \gdef\@setmarks{%
17734         \let\firstmark\@firstcolfirstmark
17735         \let\topmark\@firstcoltopmark}%
17736     \fi
17737     \global\c@colht\@colht\global\c@advvipersep\z@
17738     \ifnum\j@uo@sk>0
17739       \remove@strip\j@uo@sar
17740       \global\@colht\the\j@uo@pr
17741       \ifdim\right@cor>\z@
17742         \global\advance\@colht by\right@cor
17743       \fi
17744       \global\advance\@colht by\cor@height

```



```

17745     \global\cor@height=0pt
17746     \fi
17747     \global \setbox\@rightcolumn \vbox{}%
17748 \else
17749     \ifdim\c@colht>\@colht
17750         \@tempdima\@colht
17751         \ifdim\@colht>\z@
17752             \global\setbox\@rightcolumn \vbox{%
17753                 \unvbox\@rightcolumn
17754                 \vbox to\@tempdima{%
17755                     \vskip\c@addvipersep\unvbox\@outputbox}%
17756                 \vskip\stripsep
17757                 \vrule height\the\juo@ht width Opt depth Opt
17758                 \vskip\stripsep
17759                 }%
17760     \global\c@addvipersep\m@addvipersep
17761 \else
17762     \global\setbox\@rightcolumn \vbox{%
17763         \unvbox\@rightcolumn
17764         \vrule height\the\juo@ht width Opt depth Opt
17765         \vskip\stripsep
17766     }%
17767 \fi
17768 \ifnum\juo@sk>0
17769     \remove@strip\juo@sar
17770     \global\@colht\the\juo@pr
17771     \global\advance\@colht by -\ht\@rightcolumn
17772     \global\advance\@colht by\cor@height
17773     \global\cor@height=0pt
17774 \else
17775     \global\advance\c@colht by-\ht\@rightcolumn
17776     \global\@colht\c@colht
17777 \fi
17778 \else
17779 \global\@firstcolumntrue
17780 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
17781     \unvbox\@rightcolumn
17782     \vskip\c@addvipersep
17783     \unvbox\@outputbox
17784 }%
17785 \setbox\@outputbox \vbox {%
17786     \hb@xt@\textwidth {%
17787         \hskip \columnwidth
17788         \hfil
17789         \vrule \@width\columnseprule
17790         \hfil
17791         \hb@xt@\columnwidth {%
17792             \bidi@firstcolumn@status@write%
17793             \box\@leftcolumn \hss}%
17794         \hskip-\textwidth
17795         \hb@xt@\columnwidth {%
17796             \bidi@lastcolumn@status@write%
17797             \box\@outputbox \hss}%
17798         \hskip\columnwidth

```



```

17799             \hskip\columnsep}%
17800             }%
17801     \@combinedblfloats
17802     \@setmarks
17803     \@outputpage
17804     \begingroup
17805         \@dblfloatplacement
17806         \@startdblcolumn
17807         \@whiles\if@colmade \fi
17808         {\@outputpage
17809         \@startdblcolumn}%
17810     \endgroup
17811     \global\jua@sk=0\global\jua@sar={}%
17812     \global\cor@height\z@\global\c@advipersep\z@
17813     \fi
17814 \fi
17815 }
17816
17817
17818 \def\LTR@outputdblcol{%
17819   \if@firstcolumn
17820     \global \@firstcolumnfalse
17821     \global\setbox\@leftcolumn\copy\@outputbox
17822     \splitmaxdepth\maxdimen
17823     \vbadness\maxdimen
17824     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
17825     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
17826     \toks@\expandafter{\topmark}%
17827     \xdef\@firstcoltopmark{\the\toks@}%
17828     \toks@\expandafter{\splitfirstmark}%
17829     \xdef\@firstcolfirstmark{\the\toks@}%
17830     \ifx\@firstcolfirstmark\@empty
17831       \global\let\@setmarks\relax
17832     \else
17833       \gdef\@setmarks{%
17834         \let\firstmark\@firstcolfirstmark
17835         \let\topmark\@firstcoltopmark}%
17836     \fi
17837     \global\c@colht\@colht\global\c@advipersep\z@
17838     \ifnum\jua@sk>0
17839       \remove@strip\jua@sar
17840       \global\@colht\the\jua@pr
17841       \ifdim\right@cor>\z@
17842         \global\advance\@colht by\right@cor
17843       \fi
17844       \global\advance\@colht by\cor@height
17845       \global\cor@height=0pt
17846     \fi
17847     \global\setbox\@rightcolumn\vbox{%
17848   \else
17849     \ifdim\c@colht>\@colht
17850       \@tempdima\@colht
17851       \ifdim\@colht>\z@
17852         \global\setbox\@rightcolumn\vbox{%

```



```

17853         \unvbox\@rightcolumn
17854         \vbox to\@tempdima{%
17855             \vskip\c@advipersep\unvbox\@outputbox}%
17856         \vskip\stripsep
17857         \vrule height\the\juo@ht width Opt depth Opt
17858         \vskip\stripsep
17859         }%
17860     \global\c@advipersep\m@advipersep
17861     \else
17862     \global\setbox\@rightcolumn \vbox{%
17863         \unvbox\@rightcolumn
17864         \vrule height\the\juo@ht width Opt depth Opt
17865         \vskip\stripsep
17866         }%
17867     \fi
17868     \ifnum\juo@sk>0
17869         \remove@strip\juo@sar
17870         \global\@colht\the\juo@pr
17871         \global\advance\@colht by -\ht\@rightcolumn
17872         \global\advance\@colht by\cor@height
17873         \global\cor@height=0pt
17874     \else
17875         \global\advance\c@colht by-\ht\@rightcolumn
17876         \global\@colht\c@colht
17877     \fi
17878 \else
17879     \global\@firstcolumntrue
17880     \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
17881         \unvbox\@rightcolumn
17882         \vskip\c@advipersep
17883         \unvbox\@outputbox
17884         }%
17885     \setbox\@outputbox \vbox {%
17886         \hb@xt@\textwidth {%
17887             \hb@xt@\columnwidth {%
17888                 \bidi@firstcolumn@status@write%
17889                 \box\@leftcolumn \hss}%
17890             \hfil
17891             \vrule \@width\columnseprule
17892             \hfil
17893             \hb@xt@\columnwidth {%
17894                 \bidi@lastcolumn@status@write%
17895                 \box\@outputbox \hss}%
17896                 }%
17897         }%
17898     \@combinedblfloats
17899     \@setmarks
17900     \@outputpage
17901     \beginingroup
17902     \@dblfloatplacement
17903     \@startdblcolumn
17904     \@whilesw\if@fcolmade \fi
17905     {\@outputpage
17906     \@startdblcolumn}%

```



```

17907 \endgroup
17908 \global\jwo@sk=0\global\jwo@sar={}%
17909 \global\cor@height\z@\global\c@advvipersep\z@
17910 \fi
17911 \fi
17912 }
17913
17914
17915 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
17916 \global\setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi
17917 \hsize\textwidth
17918 \@parboxrestore
17919 \col@number \@ne
17920 \vrule height\topskip width0pt depth0pt
17921 }
17922
17923 \def\endstrip{%
17924 \egroup\egroup
17925 \if@firstcolumn
17926 \ifdim\pagetotal>\z@
17927 \vskip\stripsep
17928 \global\ht@strip\pagegoal
17929 \global\advance\ht@strip by-\pagetotal
17930 \global\advance\ht@strip by-\stripsep
17931 \global\advance\ht@strip by-\ht\@viper
17932 \global\advance\ht@strip by-\stripsep
17933 \global\jwo@ht=\ht\@viper
17934 \else
17935 \global\ht@strip\z@
17936 \fi
17937 \ifdim\ht@strip>\z@
17938 \unvbox\@viper
17939 \vskip\stripsep
17940 \add@strip{\the\pagetotal}{\the\jwo@ht}{\the\@tempdima}{\the\@tempdimb}%
17941 \global\advance\jwo@sk by1
17942 \else
17943 \@latex@error{Strip needs more place!}\@ehc
17944 \if@vihproof
17945 \framebox[\columnwidth]{??? Strip ???}%
17946 \fi
17947 \fi
17948 \else
17949 \@latex@error{Strip is used only on left column!}\@ehc
17950 \if@vihproof
17951 \framebox[\columnwidth]{??? Strip ???}%
17952 \fi
17953 \fi
17954 }

```

## 117 File minitoc-xetex-bidi.def

```

17955 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package f
17956 \def\@undottedtocline#1#2#3#4#5{%
17957 \ifnum #1>\c@tocdepth\relax \else

```



```

17958 \vskip \z@ plus.2\p@
17959 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocmargin}
17960 \parindent #2\relax\@afterindenttrue
17961 \interlinepenalty\@M
17962 \leavevmode
17963 \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}}%
17964 \hskip -\if@RTL\rightskip\else\leftskip\fi
17965 #4\nobreak\hfill \nobreak
17966 \null\par}%
17967 \fi}
17968 \def\@Undottedtocline#1#2#3#4#5{%
17969 \ifnum #1>\c@tocdepth\relax \else
17970 \vskip \z@ \@plus.2\p@
17971 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocmargin}
17972 \parindent #2\relax\@afterindenttrue
17973 \interlinepenalty\@M
17974 \leavevmode
17975 \@tempdima #3\relax
17976 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
17977 {\coffefont #4}\nobreak \nobreak\null
17978 \par}%
17979 \fi}
17980 \def\@Undottedtoclinep#1#2#3#4#5{%
17981 \ifnum #1>\c@tocdepth\relax \else
17982 \vskip \z@ \@plus.2\p@
17983 {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocmargin}
17984 \parindent #2\relax\@afterindenttrue
17985 \interlinepenalty\@M
17986 \leavevmode
17987 \@tempdima #3\relax
17988 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
17989 {#4}\nobreak \hfill \nobreak\null
17990 \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
17991 \par}%
17992 \fi}

```

## 118 File multicol-xetex-bidi.def

```

17993 \ProvidesFile{multicol-xetex-bidi.def}[2022/07/10 v1.4 bidi adaptations for multicol package]
17994 \def\page@sofar{%
17995 \process@cols\mult@rightbox
17996 {\ifvoid\count@
17997 \setbox\count@\hbox to\hsize}%
17998 \else
17999 \wd\count@\hsize
18000 \fi}%
18001 \count@\col@number \advance\count@\m@ne
18002 \mult@info\z@
18003 {Column spec: \the\full@width\space = indent
18004 + columns + sep =\MessageBreak
18005 \the\multicol@leftmargin\space
18006 + \the\col@number\space
18007 x \the\hsize\space
18008 + \the\count@\space

```



```

18009         x \the\columnsep
18010     }%
18011 \ifvmode\else\errmessage{Multicol Error}\fi
18012     \nointerlineskip
18013     \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
18014     \moveright\multicol@leftmargin
18015     \hbox to\full@width{%
18016         \bidi@multicol@align@columns
18017         \rlap{\phantom p}%
18018     }%
18019 \prevdepth\z@
18020 \kern-\dimen\tw@
18021 \ifdim\dimen\tw@ > \mc@gridwarn
18022     \PackageWarning{multicol}%
18023     {Very deep columns!\MessageBreak
18024     Grid alignment might be broken}%
18025 \fi
18026 }
18027 \def\LTR@column@boxes{%
18028     \process@cols\mult@firstbox{%
18029         \ifdim\dp\count@>\dimen\tw@
18030             \global\dimen\tw@\dp\count@ \fi
18031         \mc@col@status@write
18032         \box\count@
18033         \hss{\columnseprulecolor\vrule
18034             \@width\columnseprule}\hss}%
18035     \ifdim\dp\mult@rightbox>\dimen\tw@
18036         \global\dimen\tw@\dp\mult@rightbox \fi
18037     \mc@lastcol@status@write
18038     \box\mult@rightbox
18039 }
18040
18041 \def\RTL@column@boxes{%
18042     \process@cols\mult@firstbox{%
18043         \hskip\hsize
18044         \hss{\columnseprulecolor\vrule
18045             \@width\columnseprule}\hss
18046     }%
18047     \hskip\hsize
18048     \process@cols\mult@firstbox{%
18049         \ifdim\dp\count@>\dimen\tw@
18050             \global\dimen\tw@\dp\count@ \fi
18051         \hskip-\hsize
18052         \mc@col@status@write
18053         \box\count@
18054         \hskip-\hsize
18055         \hskip-\columnsep
18056     }%
18057     \ifdim\dp\mult@rightbox>\dimen\tw@
18058         \global\dimen\tw@\dp\mult@rightbox \fi
18059     \hskip-\hsize
18060     \mc@lastcol@status@write
18061     \box\mult@rightbox
18062     \hskip-\hsize

```



```

18063     \hskip\full@width
18064 }
18065
18066 \newcommand\RTLmulticolcolumns
18067     {\let\ bidi@multicol@align@columns
18068         \RTL@column@boxes}
18069 \newcommand\LTRmulticolcolumns
18070     {\let\ bidi@multicol@align@columns
18071         \LTR@column@boxes}
18072 \newcommand\ bidi@multicol@align@columns
18073     {\ifRTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
18074 \ bidi@AtEndPreamble{%
18075     \if@ bidi@csdef{footinsv@1}{%
18076         \def\footnoterule{\kern-3\p@
18077             \hrule \@width \textwidth \kern 2.6\p@}%
18078     }{%}
18079 }
18080 \def\multicols#1{\col@number#1\relax
18081     \ifnum\col@number<\tw@
18082         \PackageWarning{multicol}%
18083             {Using ` \number\col@number '
18084             columns doesn't seem a good idea.^^J
18085             I therefore use two columns instead}%
18086         \col@number\tw@ \fi
18087     \ifnum\col@number>20
18088         \PackageError{multicol}%
18089             {Too many columns}%
18090             {Current implementation doesn't
18091             support more than 20 columns.%
18092             \MessageBreak
18093             I therefore use 20 columns instead}%
18094         \col@number20 \fi
18095     \ifx\@footnotetext\mult@footnotetext
18096     \else
18097         \let\orig@footnotetext\@footnotetext
18098         \let\@footnotetext\mult@footnotetext
18099     \fi
18100     \ifx\@LTRfootnotetext\mult@LTRfootnotetext
18101     \else
18102         \let\orig@LTRfootnotetext\@LTRfootnotetext
18103         \let\@LTRfootnotetext\mult@LTRfootnotetext
18104     \fi
18105     \ifx\@RTLfootnotetext\mult@RTLfootnotetext
18106     \else
18107         \let\orig@RTLfootnotetext\@RTLfootnotetext
18108         \let\@RTLfootnotetext\mult@RTLfootnotetext
18109     \fi
18110     \@ifnextchar[\mult@cols{\mult@cols[]}]
18111 \long\def\mult@footnotetext#1{\begingroup
18112     \hsize\textwidth
18113     \columnwidth\textwidth
18114     \orig@footnotetext{#1}\endgroup}
18115 \long\def\mult@LTRfootnotetext#1{\begingroup
18116     \hsize\textwidth

```



```

18117         \columnwidth\textwidth
18118         \orig@LTRfootnotetext{#1}\endgroup}
18119 \long\def\mult@RTLfootnotetext#1{\begingroup
18120         \hsize\textwidth
18121         \columnwidth\textwidth
18122         \orig@RTLfootnotetext{#1}\endgroup}
18123 \def\right@footnoterule{%
18124 \kern-3\p@
18125 \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
18126 \kern2.6\p@}
18127 \def\textwidth@footnoterule{\kern-3\p@
18128 \hrule \@width \textwidth \kern 2.6\p@}
18129 \def\bidileave@mult@copyins{%
18130 \advance\dimen@-\skip\@bidi@copyins@
18131 \advance\dimen@-\ht\@bidi@copyins@
18132 }
18133
18134 \bidi@AtEndPreamble{%
18135 \if@bidi@csundef{footinsv@1}{%
18136 \bidi@patchcmd{\multi@column@out}{%
18137 \ifvbox \@kludgeins
18138 }{%
18139 \ifvoid\@bidi@copyins@ \else
18140 \bidileave@mult@copyins
18141 \fi
18142 \ifvbox \@kludgeins
18143 }{}{}%
18144 }{}%
18145 }
18146
18147

```

## 119 File multienum-xetex-bidi.def

```

18148 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum packa
18149 \renewcommand{\itemx}[1]{\parbox[t]%
18150 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
18151 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
18152 \renewcommand{\itemxx}[2]{\parbox[t]%
18153 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18154 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
18155 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18156 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
18157 \renewcommand{\itemxxx}[3]{\parbox[t]%
18158 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
18159 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
18160 {\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
18161 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
18162 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
18163 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
18164 \renewcommand{\itemxxxx}[4]{\parbox[t]%
18165 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18166 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
18167 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep

```



```

18168 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
18169 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18170 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
18171 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18172 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
18173 \renewcommand{\itemxxxxx}[5]{\parbox[t]%
18174 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18175 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #1}\hfill%
18176 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18177 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #2}\hfill%
18178 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18179 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #3}\hfill%
18180 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18181 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #4}\hfill%
18182 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18183 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #5}\smallskip}
18184 \renewcommand{\itemxox}[2]{\parbox[t]%
18185 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18186 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
18187 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18188 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
18189 \renewcommand{\itemxox}[2]{\parbox[t]%
18190 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18191 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
18192 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18193 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
18194 \renewcommand{\itemxox}[3]{\parbox[t]%
18195 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18196 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
18197 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18198 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
18199 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18200 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
18201 \renewcommand{\itemxox}[3]{\parbox[t]%
18202 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18203 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
18204 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18205 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
18206 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18207 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
18208 \renewcommand{\itemxox}[3]{\parbox[t]%
18209 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18210 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
18211 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18212 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
18213 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
18214 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

## 120 File natbib-xetex-bidi.def

```

18215 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for
18216 \renewenvironment{thebibliography}[1]{%
18217 \bibsection
18218 \parindent\z@

```



```

18219 \bibpreamble
18220 \bibfont
18221 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18222 \bidi@thebibliography@font@hook%
18223 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
18224 \ifNAT@openbib
18225   \renewcommand\newblock{\par}%
18226 \else
18227   \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
18228 \fi
18229 \sloppy\clubpenalty4000\widowpenalty4000
18230 \sfcode`..\@m
18231 \let\NAT@bibitem@first@sw\@firstoftwo
18232   \let\citeN\cite \let\shortcite\cite
18233   \let\citeasnoun\cite
18234 }{%
18235 \bibitem@fin
18236 \bibpostamble
18237 \def\@noitemerr{%
18238 \PackageWarning{natbib}{Empty `thebibliography' environment}%
18239 }%
18240 \endlist
18241 \bibcleanup
18242 }%

```

## 121 File newfloat-xetex-bidi.def

```

18243 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
18244 \renewcommand*\newfloat@setwithin[2]{%
18245   \ifcsname c@chapter\endcsname
18246     \@removefromreset{#1}{chapter}%
18247   \fi
18248   \@removefromreset{#1}{section}%
18249   \edef\@tempa{#2}%
18250   \ifx\@tempa\@empty
18251     \def\@tempa{none}%
18252   \fi
18253   \def\@tempb{none}%
18254   \ifx\@tempa\@tempb
18255     \ifcsname c@chapter\endcsname
18256       \@chapterlistsgap@off{#1}%
18257     \fi
18258     \newfloat@setwithin{#1}{}%
18259   \else
18260     \def\@tempb{chapter}%
18261     \ifx\@tempa\@tempb
18262       \@addtoreset{#1}{chapter}%
18263       \@chapterlistsgap@on{#1}%
18264       \newfloat@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@S}
18265     \else
18266       \def\@tempb{section}%
18267       \ifx\@tempa\@tempb
18268         \@addtoreset{#1}{section}%
18269       \fi
18269     \ifcsname c@chapter\endcsname

```



```

18270         \@addtoreset{#1}{chapter}%
18271         \@chapterlistsgapon{#1}%
18272         \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
18273     \else
18274         \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection
18275     \fi
18276 \else
18277     \newfloat@Error{Invalid value `#2' for option `within'}%
18278 \fi
18279 \fi
18280 \fi}

```

## 122 File `nicematrix-xetex-bidi.def`

```

18281 \ProvidesFile{nicematrix-xetex-bidi.def}[2022/07/18 v0.2 bidi adaptations for nicematrix pac
18282 \ExplSyntaxOn
18283 \bidi@patchcmd{\__nicematrix_array:n}{\@tabarray}{%
18284 \bool_if:NF \l__nicematrix_NiceTabular_bool \@RTLtabfalse
18285 \@tabarray
18286 }{}{}
18287 \ExplSyntaxOff
18288

```

## 123 File `ntheorem-xetex-bidi.def`

```

18289 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package
18290 \gdef\@thm#1#2#3{%
18291 \if@thmmarks
18292 \stepcounter{end\InTheoType ctr}%
18293 \fi
18294 \renewcommand{\InTheoType}{#1}%
18295 \if@thmmarks
18296 \stepcounter{curr#1ctr}%
18297 \setcounter{end#1ctr}{0}%
18298 \fi
18299 \refstepcounter{#2}%
18300 \theorem@prework
18301 \thm@topsepadd \theorem@postskipamount % cf. latex.ltx: \@trivlist
18302 \ifvmode \advance\thm@topsepadd\partopsep\fi
18303 \trivlist
18304 \@topsep \theorem@preskipamount
18305 \@topsepadd \thm@topsepadd % used by \@endparenv
18306 \advance\linewidth -\theorem@indent
18307 \advance\@totalleftmargin \theorem@indent
18308 \if@RTL\parshape \@ne 0pt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
18309 \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

## 124 File `ntheorem-hyper-xetex-bidi.def`

```

18310 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-h
18311 \gdef\@thm#1#2#3{%
18312 \if@thmmarks
18313 \stepcounter{end\InTheoType ctr}%
18314 \fi

```



```

18315 \renewcommand{\InTheoType}{#1}%
18316 \if@thmmarks
18317   \stepcounter{curr#1ctr}%
18318   \setcounter{end#1ctr}{0}%
18319 \fi
18320 \refstepcounter{#2}%
18321 \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
18322 \ifvmode \advance\thm@topsepadd\partopsep\fi
18323 \trivlist
18324 \@topsep \theorempreskipamount
18325 \@topsepadd \thm@topsepadd % used by \@endparenv
18326 \advance\linewidth -\theorem@indent
18327 \advance\@totalleftmargin \theorem@indent
18328 \if@RTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
18329 \@ifnextchar [{\@yhtm{#1}{#2}{#3}}{\@xhtm{#1}{#2}{#3}}]

```

## 125 File overpic-xetex-bidi.def

```

18330 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package f
18331 \renewenvironment{overpic}[2][\fi]{%
18332   \sbox{z@}{\includegraphics[#1]{#2}}%
18333   \settodepth{\@tempcnta}{\usebox{z@}}%
18334   \settoheight{\@tempcntb}{\usebox{z@}}%
18335   \advance\@tempcntb\@tempcnta%
18336   \settowidth{\@tempcnta}{\usebox{z@}}%
18337   \setlength{\@tempdima}{\unitlength}%
18338   \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
18339 %
18340 \OVP@calc%
18341 %
18342 \begin{picture}(\@tempcnta,\@tempcntb)%
18343   \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{z@}}}%
18344   \ifGin@grid%
18345     \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont%
18346       \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
18347   \fi\fi%
18348   % reset the graphics parameter
18349   \let\Gin@outer@scalex\relax
18350   \let\Gin@outer@scaley\relax
18351   \let\Gin@angle\relax
18352   \let\Gin@ewidth\Gin@exclamation
18353   \let\Gin@eheight\Gin@ewidth
18354   \def\Gin@scalex{1}
18355   \let\Gin@scaley\Gin@exclamation
18356 }{%
18357   \if@RTL\ifGin@grid%
18358     \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont%
18359       \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
18360   \fi%
18361   \put(0,0){\makebox(0,0)[bl]{\usebox{z@}}}\fi%
18362 \end{picture}%
18363 }%

```



## 126 File pdfbase-xetex-bidi.def

```
18364 \ProvidesFile{pdfbase-xetex-bidi.def}[2022/02/18 v0.4 bidi adaptations for pdfbase package f
18365 \ExplSyntaxOn
18366 \cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
18367 \cs_set_nopar:Npn\@outputpage{
18368   \int_gincr:N\g_pbs_page_int
18369   \box_if_vertical:cTF{\@outputbox}{
18370     \bool_set_true:N\l_pbs_is_vertical_bool
18371   }{
18372     \bool_set_false:N\l_pbs_is_vertical_bool
18373   }
18374   \hbox_set:Nn\@outputbox{
18375     %begin of page
18376     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
18377     \box_use_drop:N\@outputbox
18378     %end of page
18379     \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
18380   }
18381   \bool_if:NT\l_pbs_is_vertical_bool{
18382     \vbox_set:Nn\@outputbox{\box_use_drop:N\@outputbox}
18383   }
18384   \pbs_outputpage_orig:
18385 }
18386 \ExplSyntaxOff
```

## 127 File pdfscape-xetex-bidi.def

```
18387 \ProvidesFile{pdfscape-xetex-bidi.def}[2022/02/18 v0.1 bidi adaptations for pdfscape packa
18388 \bidi@patchcmd{\landscape}{\PLS@Rotate{90}}{%
18389   \if@RTL
18390     \PLS@Rotate{-90}%
18391   \else
18392     \PLS@Rotate{90}%
18393   \fi
18394 }{}{}
```

## 128 File pdfpages-xetex-bidi.def

```
18395 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package
18396 \renewcommand*{\includepdf}[2] [] {%
18397   \begingroup
18398   \@RTLfalse
18399   \let\AM@threadname\relax
18400   \AM@split@options{pdfpages}{#1}%
18401   \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
18402   \expandafter\setkeys\AM@temp
18403   \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
18404     \let\AM@currentdocname\relax
18405     \renewcommand\includegraphics[2] [] {Survey in draft-mode}%
18406     \def\AM@pagecount{0}%
18407   }{%
18408     \AM@findfile{#2}%
18409     \if\AM@threadname\relax
```



```

18410     \def\AM@threadname{\AM@currentdocname}%
18411     \fi
18412 }%
18413 \ifAM@survey
18414     \def\AM@pagestemp{}%
18415     \@tempcnta=0
18416     \def\foo{%
18417         \@ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
18418             {\let\foo\relax}
18419             {\expandafter\ifx\expandafter\\AM@pagestemp\\
18420                 \edef\AM@pagestemp{%
18421                     \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
18422             }
18423             \else
18424                 \edef\AM@pagestemp{\AM@pagestemp,%
18425                     \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
18426             }
18427     \fi
18428     \advance\@tempcnta 1\relax
18429 }%
18430 \foo
18431 \expandafter\ifx\expandafter\\AM@pagestemp\\
18432     \def\AM@pagestemp{1}%
18433 \fi
18434 \fi
18435 \ifAM@output
18436     \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
18437     \AM@output{#1}%
18438 \fi
18439 \AM@CheckAtEnd
18440 \endgroup
18441 \AM@ClearShipoutPicture
18442 }

```

## 129 File pgfcorescopes.code-xetex-bidi.def

```

18443 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pa
18444 \def\pgfpicture{%
18445     \begingroup%
18446     \ifmode\else\@RTLfalse\beginL\fi%
18447     \pgfpicturetrue%
18448     \global\advance\pgf@picture@serial@count by1\relax%
18449     \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
18450     \let\pgf@nodecallback=\pgfutil@gobble%
18451     \pgf@picmaxx=-16000pt\relax%
18452     \pgf@picminx=16000pt\relax%
18453     \pgf@picmaxy=-16000pt\relax%
18454     \pgf@picminy=16000pt\relax%
18455     \pgf@relevantforpicturesizetrue%
18456     \pgf@resetpathsizes%
18457     \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
18458 \def\endpgfpicture{%
18459     \ifpgfrememberpicturepositiononpage%
18460         \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%

```



```

18461         \fi%
18462         % ok, now let's position the box
18463         \ifdim\pgf@picmaxx=-16000pt\relax%
18464             % empty picture. make size 0.
18465             \global\pgf@picmaxx=0pt\relax%
18466             \global\pgf@picminx=0pt\relax%
18467             \global\pgf@picmaxy=0pt\relax%
18468             \global\pgf@picminy=0pt\relax%
18469         \fi%
18470         % Shift baseline outside:
18471         \pgf@relevantforpicturesizefalse%
18472         \pgf@process{\pgf@baseline}%
18473         \xdef\pgf@shift@baseline{\the\pgf@y}%
18474         %
18475         \pgf@process{\pgf@trimleft}%
18476         \global\advance\pgf@x by-\pgf@picminx
18477         % prepare \hskip\pgf@trimleft@final.
18478         % note that \pgf@trimleft@final is also queried
18479         % by the pgf image externalization.
18480         \xdef\pgf@trimleft@final{-\the\pgf@x}%
18481         %
18482         \pgf@process{\pgf@trimright}%
18483         \global\advance\pgf@x by-\pgf@picmaxx
18484         % prepare \hskip\pgf@trimright@final.
18485         % note that \pgf@trimright@final is also queried
18486         % by the pgf image externalization.
18487         \xdef\pgf@trimright@final{\the\pgf@x}%
18488     %
18489     \pgf@remember@layerlist@globally
18490     \endgroup%
18491     \hss%
18492     \egroup%
18493     \pgf@restore@layerlist@from@global
18494     \pgf@insertlayers%
18495     \endgroup%
18496     \pgfsys@discardpath%
18497     \endgroup%
18498     \pgfsys@endscope%
18499     \pgfsys@endpicture%
18500     \endgroup%
18501     \hss
18502 \egroup%
18503 \pgfsys@typesetpicturebox\pgfpic%
18504 \ifmmode\else\endL\fi%
18505 \endgroup%
18506 }

```

## 130 File `pgfsys.code-xetex-bidi.def`

```

18507 \ProvidesFile{pgfsys.code-xetex-bidi.def}[2022/06/01 v0.1 bidi adaptations for pgfsys.code.t
18508 \def\pgfsys@shadingoutsidepgfpicture#1{%
18509     \beginL#1\endL%
18510 }
18511

```



18512

## 131 File picinpar-xetex-bidi.def

```
18513 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package]
18514 \long\def\@makewincaption#1#2{%
18515   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
18516   \ifdim\wd\@tempboxa>\picwd
18517     {\footnotesize{\bf #1:\enspace}{#2\par}}
18518   \else
18519     \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
18520   \fi}
18521 \def\endwindow{%
18522   \global\tcd=\tcdsav
18523   \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
18524   \vbadness=10000
18525   \splittopskip=0pt
18526 %
18527 % Typeset the lines above the window
18528 %
18529 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
18530 \tcn=\tcd
18531 \loop\advance\tcn -1
18532 \setbox\fslice=\vsplit\holder to\baselineskip
18533 \prune\fslice\linewidth
18534 \topheight=0pt
18535 \ifnum\dp\fslice>\dp\wstrutbox
18536   \advance\topheight-\dp\fslice
18537   \advance\topheight\dp\wstrutbox
18538   \advance\topheight\ilg\fi
18539 \hbox to\linewidth{\box\fslice}
18540 \vskip-\topheight
18541 \ifdim\ht\holder>0pt\repeat
18542 \fi
18543 %
18544 % Now we build the boxes beside the window
18545 %
18546 \global\topheight=\tcl\baselineskip
18547 \ifnum\cumpartcl>0\global\tcl=\cumtcl
18548   \global\topheight=\vpic
18549 \fi
18550 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
18551 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
18552 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
18553 \tcn=\tcl \na=0 \nb=0
18554 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
18555 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
18556 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
18557 \ifnum\na=0\ifnum\nb=0
18558   \setbox\waslice=\vbox to\vpic{\vss}
18559   \setbox\wbslice=\vbox to\vpic{\vss}
18560   \bl=1\br=1
18561   \vskip\ilg
18562 \fi\fi
```



```

18563 %
18564 % both sides
18565 %
18566 \ifnum\na>0 \ifnum\nb>0
18567 \loop\advance\nb -1
18568 \advance\na -1
18569 \if@RTL%
18570 \setbox\bslice=\vsplit\holder to\baselineskip
18571 \prune\bslice\rtside
18572 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
18573 to\rtside{\box\bslice\hfil}}
18574 \setbox\aslice=\vsplit\holder to\baselineskip
18575 \prune\aslice\lftside
18576 \setbox\waslice=\vbox{\unvbox\waslice\hbox
18577 to\lftside{\box\aslice\hfil}}
18578 \else%
18579 \setbox\aslice=\vsplit\holder to\baselineskip
18580 \prune\aslice\lftside
18581 \setbox\waslice=\vbox{\unvbox\waslice\hbox
18582 to\lftside{\box\aslice\hfil}}
18583 \setbox\bslice=\vsplit\holder to\baselineskip
18584 \prune\bslice\rtside
18585 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
18586 to\rtside{\box\bslice\hfil}}
18587 \fi%
18588 \ifnum\nb>0\repeat
18589 \fi\fi
18590 %
18591 % only text on the left side
18592 %
18593 \ifnum\na>0
18594 \loop\advance\na -1
18595 \setbox\aslice=\vsplit\holder to\baselineskip
18596 \prune\aslice\lftside
18597 \setbox\waslice=\vbox{\unvbox\waslice\hbox
18598 to\lftside{\box\aslice\hfil}}
18599 \ifdim\ht\holder>0pt\repeat
18600 \fi
18601 %
18602 % only text on the right side
18603 %
18604 \ifnum\nb>0
18605 \loop\advance\nb -1
18606 \setbox\bslice=\vsplit\holder to\baselineskip
18607 \prune\bslice\rtside
18608 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
18609 to\rtside{\box\bslice\hfil}}
18610 \ifdim\ht\holder>0pt\repeat
18611 \fi
18612 %
18613 % fixing the dimensions of the window part
18614 %
18615 \ifnum\bl=0\topheight=\ht\wbslice
18616 \else\ifnum\br=0\topheight=\ht\waslice

```



```

18617     \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
18618         \else\topheight=\ht\wbslice\fi\fi\fi
18619 %
18620 % ship out the window material to the main vertical list
18621 %
18622 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
18623 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfll}
18624 \fi\fi\fi
18625 \setbox>windowbox=\vbox{\hbox to\linewidth{%
18626 \ifnum\bl>0\box\waslice\hfill\fi%
18627 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
18628 \vfll\unvbox\picbox%
18629 \ifnum\picwd>0\vfll\fi%
18630 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
18631 \unvbox>windowbox%
18632 \loop
18633 \setbox\bslice=\vsplit\rawtext to\baselineskip
18634 \prune\bslice\linewidth
18635 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
18636 \unvbox\wbslice
18637 \ifdim\ht\rawtext>0pt
18638 \repeat
18639 }% FINITO

```

## 132 File plain-xetex-bidi.def

```

18640 \def\TeXeTOn{\TeXeTstate=1 }
18641 \def\TeXeTOff{\TeXeTstate=0 }
18642 \TeXeTOn
18643 \def\usebox#1{\leavevmode\copy #1\relax}
18644 \def\bidi@RTL@everypar{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox#1\fi}
18645 \let\bidi@o@everypar=\everypar
18646 \newtoks\bidi@n@everypar
18647 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
18648 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
18649 \let\everypar=\bidi@n@everypar
18650 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
18651 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
18652 \protected\def\hboxR{\hbox\bgroup
18653 \everyhbox{%
18654 \aftergroup\egroup
18655 \everyhbox{}}%
18656 \beginR
18657 \@hboxRconstructtrue
18658 \bgroup
18659 \aftergroup\endR
18660 \aftergroup\egroup
18661 }\hbox}
18662 \protected\def\hboxL{\hbox\bgroup
18663 \everyhbox{%
18664 \aftergroup\egroup
18665 \everyhbox{}}%
18666 \beginL
18667 \@hboxRconstructfalse

```



```

18668 \bgroup
18669 \aftergroup\endL
18670 \aftergroup\egroup
18671 }\hbox}
18672 \protected\def\ vboxR{\ vbox\bgroup
18673 \everyvbox{%
18674 \aftergroup\egroup
18675 \everyvbox{}}%
18676 \@RTLtrue
18677 \bgroup
18678 \aftergroup\egroup
18679 }\ vbox}
18680 \protected\def\ vboxL{\ vbox\bgroup
18681 \everyvbox{%
18682 \aftergroup\egroup
18683 \everyvbox{}}%
18684 \@RTLfalse
18685 \bgroup
18686 \aftergroup\egroup
18687 }\ vbox}
18688 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
18689 \def\endLTR{\par}
18690 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
18691 \def\endRTL{\par}
18692 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
18693 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
18694 \let\unsetRTL=\setLTR
18695 \let\unsetLTR=\setRTL
18696 \let\LR=\LRE
18697 \let\RL=\RLE
18698 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
18699 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
18700 \let\@ensure@RL=\@ensure@RTL
18701 \let\@ensure@LR=\@ensure@LTR
18702 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
18703 \let\@ensure@maindir=\@ensure@dir
18704 \def\@RTL{RTL}
18705 \def\@LTR{LTR}
18706 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
18707 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi}
18708 \let\@TeX\TeX
18709 \def\TeX{\@ensure@LTR{\@TeX}}
18710 \def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
18711 \dimen@=\dp\@cclv \unvbox\@cclv % open up \box255
18712 \ifvoid\footins\else % footnote info is present
18713 \vskip\skip\footins
18714 \footnoterule
18715 \unvbox\footins\fi
18716 \ifr@ggedbottom \kern-\dimen@ \vfil \fi
18717 \ifvoid\@bidi@copyins@
18718 \else
18719 \vskip\skip\@bidi@copyins@
18720 \unvbox\@bidi@copyins@
18721 \fi

```



```

18722 }
18723 \long\def\ bidi@reflect@box#1{%
18724   \leavevmode
18725   \setbox\z@\hbox{#1}%
18726   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
18727   \hbox to \wd\z@{\kern\wd\z@\box\tw@hss}%
18728 }
18729 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
18730   \hbox{\kern-.125em\ bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
18731 \let\setRL=\setRTL
18732 \let\setLR=\setLTR
18733 \let\unsetRL=\setLTR
18734 \let\ bidi@sav@d@eqno=\eqno
18735 \let\ bidi@sav@d@leqno=\leqno
18736 \def\eqno{\ifnum\predisplaydirection<\z@ \ bidi@sav@d@leqno \else \ bidi@sav@d@eqno \fi}
18737 \def\leqno{\ifnum\predisplaydirection<\z@ \ bidi@sav@d@eqno \else \ bidi@sav@d@leqno \fi}
18738 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
18739 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
18740 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

### 133 File pstricks-xetex-bidi.def

```

18741 \ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package]
18742 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
18743 \def\endpspicture{%
18744   \ifshowgrid\ifnum\showgridp@s>0
18745     \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
18746   \pst@killglue
18747   % \global\pst@shift=\pst@shift% in fact of the following endgroup
18748   \endgroup
18749   \egroup
18750   \ifdim\wd\pst@hbox=\z@\else
18751     %\@pstrickserr{Extraneous space in the pspicture environment}%
18752     %\Type \space <return> \space to proceed.}%
18753   \fi
18754   \ht\pst@hbox=\pst@dimd
18755   \dp\pst@hbox=-\pst@dimb
18756   \setbox\pst@hbox=\hbox{%
18757     \kern-\pst@dima
18758   % Orig version -----
18759   %\ifx\pst@tempa\@empty\else
18760   %\advance\pst@dimd-\pst@dimb
18761   %\pst@dimd=\pst@tempa\pst@dimd
18762   %\advance\pst@dimd\pst@dimb
18763   %\lower\pst@dimd
18764   %\fi
18765   %----- end Orig
18766   \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}% shift=*
18767   \advance\pst@dimd-\pst@dimb
18768   \pst@dimd=0.5\pst@dimd
18769   \else\pst@dimd-\pst@shift\fi
18770   \advance\pst@dimd\pst@dimb
18771   \lower\pst@dimd
18772   \box\pst@hbox

```



```

18773 \kern\pst@dimc}%
18774 \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
18775 \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
18776 \fboxsep=0pt
18777 \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
18778 \ifmmode\else\endL\fi
18779 \endgroup%
18780 \psset[pstricks]{shift=0}% reset value
18781 }

```

## 134 File quotchap-xetex-bidi.def

```

18782 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
18783 \renewcommand{\qauthor}[1]{%
18784 \par\smallskip
18785 {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\quad\hbox{}\par}\bigskip}
18786 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
18787 {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
18788 {\chapnumfont
18789 \ifnum \c@secnumdepth >\m@ne%
18790 \if@mainmatter\thechapter%
18791 \fi\fi
18792 \par\nobreak}}%
18793 {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi
18794 \nobreak\chapterheadendvskip}}
18795 \renewcommand*{\@iprintcites}{%
18796 \vbox to\z@{\leavevmode\copy\@quotebox\vss}
18797 \global\let\@printcites\relax}

```

## 135 File ragged2e-xetex-bidi.def

```

18798 \ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package]
18799 \renewcommand{\Centering}{%
18800 \ifx\\ \@raggedtwo@savedcr
18801 \let\\ \@centercr
18802 \fi
18803 \let\@gnewline\@raggedtwo@gnewline
18804 \if@RTL\rightright\else\leftskip\fi\CenteringLeftskip
18805 \@rightskip\CenteringRightskip
18806 \if@RTL\leftskip\else\rightskip\fi\@rightskip
18807 \parfillskip\CenteringParfillskip
18808 \parindent\CenteringParindent
18809 \@raggedtwo@spaceskiptrue
18810 \@raggedtwo@everyselectfont
18811 }
18812 \renewcommand{\RaggedLeft}{%
18813 \ifx\\ \@raggedtwo@savedcr
18814 \let\\ \@centercr
18815 \fi
18816 \let\@gnewline\@raggedtwo@gnewline
18817 \if@RTL\rightright\else\leftskip\fi\RaggedLeftLeftskip
18818 \@rightskip\RaggedLeftRightskip
18819 \if@RTL\leftskip\else\rightskip\fi\@rightskip
18820 \parfillskip\RaggedLeftParfillskip

```



```

18821 \parindent\RaggedLeftParindent
18822 \@raggedtwo@spaceskiptrue
18823 \@raggedtwo@everyselectfont
18824 }
18825 \renewcommand{\RaggedRight}{%
18826 \ifx\\ \@raggedtwo@savedcr
18827 \let\\ \@centercr
18828 \fi
18829 \let\@gnewline\@raggedtwo@gnewline
18830 \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
18831 \@rightskip\RaggedRightRightskip
18832 \if@RTL\leftskip\else\rightskip\fi\@rightskip
18833 \parfillskip\RaggedRightParfillskip
18834 \parindent\RaggedRightParindent
18835 \@raggedtwo@spaceskiptrue
18836 \@raggedtwo@everyselectfont
18837 }
18838 \renewcommand{\justifying}{%
18839 \let\\ \@raggedtwo@savedcr
18840 \let\@gnewline\@raggedtwo@saved@gnewline
18841 \if@RTL\rightskip\else\leftskip\fi\z@
18842 \@rightskip\z@
18843 \if@RTL\leftskip\else\rightskip\fi\@rightskip
18844 \parfillskip\JustifyingParfillskip
18845 \parindent\JustifyingParindent
18846 \@raggedtwo@spaceskipfalse
18847 \@raggedtwo@everyselectfont
18848 }
18849 \def\@raggedtwo@raggedrightboxes@opt{%
18850 \renewcommand{\@arrayparboxrestore}{%
18851 \let\if@nobreak\iffalse
18852 \let\if@noskipsec\iffalse
18853 \let\par\@par
18854 \let\-\@dischyp
18855 \let'\@acci\let`\@accii\let\=\@acciii
18856 \parskip\z@skip
18857 \everypar{}%
18858 \linewidth\hsize
18859 \@totalleftmargin\z@
18860 \if@RTL
18861 \RaggedLeft
18862 \else
18863 \RaggedRight
18864 \fi
18865 \lineskip\normallineskip
18866 \baselineskip\normalbaselineskip
18867 \sloppy}%
18868 \let\@raggedtwo@raggedrightboxes@opt\relax
18869 }
18870 \def\@raggedtwo@document@opt{%
18871 \AtBeginDocument{\@raggedtwo@abdhook}%
18872 \@raggedtwo@raggedrightboxes@opt
18873 \@raggedtwo@footmisctrue
18874 \let\@raggedtwo@document@opt\relax

```



```

18875 }
18876 \def\@raggedtwo@abdhook{%
18877   \PackageInfo{ragged2e}{ABD: executing '\string\RaggedLeft' for
18878     right to left documents and '\string\RaggedRight' for left
18879     to right documents}%
18880   \ifRTL
18881     \RaggedLeft
18882   \else
18883     \RaggedRight
18884   \fi
18885   \@ifundefined{@tocrmarg}{\edef\tocrmarg{\@tocrmarg plus 2em}}%
18886   \let\@raggedtwo@abdhook\relax
18887 }
18888 \@ifpackagewith{ragged2e}{raggedrightboxes}{%
18889   \@raggedtwo@raggedrightboxes@opt
18890 }{}
18891 \@ifpackagewith{ragged2e}{document}{%
18892   \@raggedtwo@document@opt
18893 }{}
18894 \let\origin@RaggedLeft=\RaggedLeft
18895 \let\origin@RaggedRight=\RaggedRight
18896 \def\RaggedLeft{\ifRTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
18897 \def\RaggedRight{\ifRTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

## 136 File rapport1-xetex-bidi.def

```

18898 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class f
18899 \renewenvironment{theindex}{%
18900   \if@twocolumn
18901     \@restonecolfalse
18902   \else
18903     \@restonecoltrue
18904   \fi
18905   \columnseprule \z@
18906   \columnsep 35\p@
18907   \twocolumn[\@makeschapterhead{\indexname}]%
18908   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
18909   \thispagestyle{plain}\parindent\z@
18910   \parskip\z@ \@plus .3\p@\relax
18911   \let\item\@idxitem
18912 }{%
18913   \if@restonecol\onecolumn\else\clearpage\fi}
18914 \renewcommand*\head@style{%
18915   \interlinepenalty \@M
18916   \hyphenpenalty=\@M \exhyphenpenalty=\@M
18917   \ifRTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
18918 \if@titlepage
18919   \renewenvironment{abstract}{%
18920     \titlepage
18921     \null\vfil
18922     \section*{\SectFont\abstractname}%
18923     \noindent\ignorespaces}
18924   {\par\vfil\null\endtitlepage}
18925 \else

```



```

18926 \renewenvironment{abstract}{%
18927     \if@twocolumn
18928         \section*{\abstractname}%
18929     \else
18930         \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
18931         \section*{\small\SectFont\abstractname}%
18932         \noindent\ignorespaces
18933     \fi}
18934     {\if@twocolumn\else\par\egroup\fi}
18935 \fi
18936 \renewcommand*\@regtocoline[3]{%
18937     \ifnum #1>\c@tocdepth
18938     \else
18939         \vskip\z@\@plus.2\p@
18940         {\hangindent\z@ \afterindenttrue \interlinepenalty\@M
18941         \if@RTL\rightskip\else\leftskip\fi\unitindent
18942         \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
18943         \parfillskip\z@
18944         \@tempdima\unitindent
18945         \parindent\z@
18946         \leavevmode
18947         \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
18948         \hskip 1em \nobreak{\slshape #3}\par
18949     }%
18950     \fi}
18951 \if@oldtoc
18952 \renewcommand*\l@part[2]{%
18953     \ifnum \c@tocdepth >-2\relax
18954         \addpenalty{-\@highpenalty}%
18955         \addvspace{2.25em \@plus\p@}%
18956         \begingroup
18957             \setlength\@tempdima{3em}%
18958             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
18959             \parfillskip -\@pnumwidth
18960             {\leavevmode
18961             \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
18962             \nobreak
18963             \global\@nobreaktrue
18964             \everypar{\global\@nobreakfalse\everypar{}}%
18965         \endgroup
18966     \fi}
18967 \else
18968     \renewcommand*\l@part{%
18969         \ifnum \c@tocdepth >-2\relax
18970             \addpenalty{-\@highpenalty}%
18971             \addvspace{2.25em \@plus \p@}%
18972             \@regtocoline{0}%
18973         \fi}
18974 \fi
18975 \if@oldtoc
18976 \renewcommand*\l@chapter[2]{%
18977     \addpenalty{-\@highpenalty}%
18978     \vskip 1.0em \@plus\p@
18979     \setlength\@tempdima{1.5em}%

```



```

18980 \begingroup
18981 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
18982 \parfillskip -\@pnumwidth
18983 \leavevmode \bfseries
18984 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
18985 \hskip -\if@RTL\rightskip\else\leftskip\fi
18986 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
18987 \penalty\@highpenalty
18988 \endgroup}
18989 \else
18990 \renewcommand*\l@chapter{\@regtocline{0}}
18991 \fi
18992 \renewcommand*\left@footnoterule{%
18993 \kern-3\p@
18994 \kern.5\baselineskip
18995 \hrule\@width\unitindent
18996 \kern.4\baselineskip
18997 }
18998 \renewcommand*\right@footnoterule{%
18999 \kern-3\p@
19000 \kern.5\baselineskip
19001 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
19002 \kern.4\baselineskip}
19003 \renewenvironment{thebibliography}[1]
19004 {\chapter*{\bibname}%
19005 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
19006 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLBibitems\@RTLtrue\else\fi\fi
19007 \bidi@thebibliography@font@hook%
19008 \list{\@biblabel{\@arabic\c@enumiv}}%
19009 {\settowidth\labelwidth{\@biblabel{#1}}%
19010 \leftmargin\labelwidth
19011 \advance\leftmargin\labelsep
19012 \@openbib@code
19013 \usecounter{enumiv}%
19014 \let\p@enumiv\@empty
19015 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
19016 \sloppy\clubpenalty4000\widowpenalty4000%
19017 \sfcode\.\@m}
19018 {\def\@noitemerr
19019 {\@latex@warning{Empty `thebibliography' environment}}%
19020 \endlist}
19021 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
19022 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
19023 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
19024 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
19025 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
19026 \renewcommand*\theequation{%
19027 \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
19028 \renewcommand*\thefigure{%
19029 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
19030 \renewcommand*\thetable{%
19031 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
19032 \if@titlepage
19033 \renewcommand*\TitleFont{\rmfamily}

```



```

19034 \renewcommand*\maketitle{%
19035 \begin{titlepage}%
19036 \let\footnotesize\small
19037 \let\right@footnoterule\relax
19038 \let\left@footnoterule\relax
19039 \let\textwidth@footnoterule\relax
19040 \let \footnote \thanks
19041 \long\def\@makefntext##1{\parindent\z@
19042 \def\labelitemi{\textendash}\@revlabeltrue
19043 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
19044 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19045 \if@compatibility\setcounter{page}{0}\fi
19046 \null\vfil
19047 \vskip 60\p@
19048 \begin{center}%
19049 \TitleFont
19050 {\LARGE \def\{\penalty -\@M}
19051 \if@allcaps
19052 \expandafter\uc@nothanks\@title\thanks\relax
19053 \else
19054 \@title
19055 \fi\par}%
19056 \vskip 3em%
19057 {\large
19058 \lineskip .75em \parindent\z@
19059 \begin{tabular}[t]{c}%
19060 \if@allcaps
19061 \expandafter\uc@authornothanks\@author\and\relax
19062 \else
19063 \@author
19064 \fi
19065 \end{tabular}\par}%
19066 \vskip 1.5em%
19067 {\large
19068 \if@allcaps
19069 \uppercase\expandafter{\@date}%
19070 \else
19071 \@date
19072 \fi\par}%
19073 \end{center}\par
19074 \@thanks
19075 \vfil\null
19076 \end{titlepage}%
19077 \setcounter{footnote}{0}%
19078 \global\let\thanks\relax
19079 \global\let\maketitle\relax
19080 \global\let\@thanks\@empty
19081 \global\let\@author\@empty
19082 \global\let\@title\@empty
19083 \global\let\@date\@empty
19084 \global\let\title\relax
19085 \global\let\author\relax
19086 \global\let\date\relax
19087 \global\let\and\relax

```



```

19088 }
19089 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
19090 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
19091 \futurelet\@tempa\uc@ax}
19092 \def\uc@ax{%
19093 \ifx\@tempa\relax
19094 \else
19095 \ \andname \ \expandafter\uc@authornothanks
19096 \fi}
19097 \def\uc@tx{\ifx\@tempa\relax
19098 \else \expandafter\uc@ty \fi}
19099 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
19100 \else
19101 \renewcommand*\maketitle{\par
19102 \begin{group}
19103 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19104 \def\@makefnmark{\rlap{%
19105 \textsuperscript{\normalfont\@thefnmark}}}%
19106 \long\def\@makefntext{\@xmakefntext{%
19107 \textsuperscript{\normalfont\@thefnmark}}}%
19108 \if@twocolumn
19109 \ifnum \col@number=\@ne
19110 \maketitle
19111 \else
19112 \twocolumn[\maketitle]%
19113 \fi
19114 \else
19115 \newpage
19116 \global\@topnum\z@
19117 \maketitle
19118 \fi
19119 \thispagestyle{plain}\@thanks
19120 \endgroup
19121 \setcounter{footnote}{0}%
19122 \global\let\thanks\relax
19123 \global\let\maketitle\relax
19124 \global\let\@maketitle\relax
19125 \global\let\@thanks\@empty
19126 \global\let\@author\@empty
19127 \global\let\@title\@empty
19128 \global\let\@date\@empty
19129 \global\let\title\relax
19130 \global\let\author\relax
19131 \global\let\date\relax
19132 \global\let\and\relax
19133 }
19134 \def\@maketitle{%
19135 \newpage
19136 \null
19137 \vskip 2em%
19138 \begin{center}%
19139 \let \footnote \thanks
19140 {\LARGE \TitleFont \@title \par}%
19141 \vskip 1.5em%

```



```

19142   {\large \TitleFont
19143     \lineskip .5em%
19144     \begin{tabular}[t]{c}%
19145       \@author
19146     \end{tabular}\par}%
19147   \vskip 1em%
19148   {\large \TitleFont \@date}%
19149 \end{center}%
19150 \par
19151 \vskip 1.5em}
19152 \fi

```

### 137 File rapport3-xetex-bidi.def

```

19153 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class f
19154 \renewenvironment{theindex}{%
19155   \if@twocolumn
19156     \@restonecolfalse
19157   \else
19158     \@restonecoltrue
19159   \fi
19160   \columnseprule \z@
19161   \columnsep 35\p@
19162   \twocolumn[\@makeschapterhead{\indexname}]%
19163   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
19164   \thispagestyle{plain}\parindent\z@
19165   \parskip\z@ \@plus .3\p@\relax
19166   \let\item\@idxitem
19167 }{%
19168 \if@restonecol\onecolumn\else\clearpage\fi}
19169 \if@titlepage
19170 \renewcommand*\TitleFont{\rmfamily}
19171 \renewcommand*\maketitle{%
19172 \begin{titlepage}%
19173   \let\footnotesize\small
19174   \let\right@footnoterule\relax
19175   \let\left@footnoterule\relax
19176   \let\textwidth@footnoterule\relax
19177   \let \footnote \thanks
19178   \let \LTRfootnote \LTRthanks
19179   \let \RTLfootnote \RTLthanks
19180   \long\def\@makefntext##1{\parindent\z@
19181     \def\labelitemi{\textendash}\@revlabeltrue
19182     \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
19183   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19184   \if@compatibility\setcounter{page}{0}\fi
19185   \null\vfil
19186   \vskip 60\p@
19187   \begin{center}%
19188     \TitleFont
19189     {\LARGE \def\\{\penalty -\@M}
19190     \if@allcaps
19191       \expandafter\uc@nothanks\@title\thanks\relax
19192     \else

```



```

19193         \@title
19194         \fi\par}%
19195     \vskip 3em%
19196     {\large
19197         \lineskip .75em \parindent\z@
19198         \begin{tabular}[t]{c}%
19199             \if@allcaps
19200                 \expandafter\uc@authornothanks\@author\and\relax
19201             \else
19202                 \@author
19203             \fi
19204         \end{tabular}\par}%
19205     \vskip 1.5em%
19206     {\large
19207         \if@allcaps
19208             \uppercase\expandafter{\@date}%
19209         \else
19210             \@date
19211         \fi\par}%
19212     \end{center}\par
19213     \@thanks
19214     \vfil\null
19215 \end{titlepage}%
19216 \setcounter{footnote}{0}%
19217 \global\let\thanks\relax
19218 \global\let\LTRthanks\relax
19219 \global\let\RTLthanks\relax
19220 \global\let\maketitle\relax
19221 \global\let\@thanks\@empty
19222 \global\let\@author\@empty
19223 \global\let\@title\@empty
19224 \global\let\@date\@empty
19225 \global\let\title\relax
19226 \global\let\author\relax
19227 \global\let\date\relax
19228 \global\let\and\relax
19229 }
19230 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
19231 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
19232     \futurelet\@tempa\uc@ax}
19233 \def\uc@ax{%
19234     \ifx\@tempa\relax
19235     \else
19236         \ \andname \ \ \expandafter\uc@authornothanks
19237     \fi}
19238 \def\uc@tx{\ifx\@tempa\relax
19239     \else \expandafter\uc@ty \fi}
19240 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
19241 \else
19242 \renewcommand*\maketitle{\par
19243     \begingroup
19244         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
19245         \def\@makefnmark{\rlap{%
19246             \textsuperscript{\normalfont\@thefnmark}}}%

```



```

19247 \long\def\@makefntext{\@xmakefntext{%
19248 \@textsuperscript{\normalfont\@thefnmark}}}%
19249 \if@twocolumn
19250 \ifnum \col@number=\@ne
19251 \@maketitle
19252 \else
19253 \twocolumn[\@maketitle]%
19254 \fi
19255 \else
19256 \newpage
19257 \global\@topnum\z@
19258 \@maketitle
19259 \fi
19260 \thispagestyle{plain}\@thanks
19261 \endgroup
19262 \setcounter{footnote}{0}%
19263 \global\let\thanks\relax
19264 \global\let\LTRthanks\relax
19265 \global\let\RTLthanks\relax
19266 \global\let\maketitle\relax
19267 \global\let\@maketitle\relax
19268 \global\let\@thanks\@empty
19269 \global\let\@author\@empty
19270 \global\let\@title\@empty
19271 \global\let\@date\@empty
19272 \global\let\title\relax
19273 \global\let\author\relax
19274 \global\let\date\relax
19275 \global\let\and\relax
19276 }
19277 \def\@maketitle{%
19278 \newpage
19279 \null
19280 \vskip 2em%
19281 \if@titlecentered
19282 \begin{center}%
19283 \let \footnote \thanks
19284 \let \LTRfootnote \LTRthanks
19285 \let \RTLfootnote \RTLthanks
19286 {\LARGE \TitleFont \@title \par}%
19287 \vskip 1.5em%
19288 {\large \TitleFont
19289 \lineskip .5em%
19290 \begin{tabular}[t]{c}%
19291 \@author
19292 \end{tabular}\par}%
19293 \vskip 1em%
19294 {\large \TitleFont \@date}%
19295 \end{center}%
19296 \else
19297 {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
19298 {\large \TitleFont \lineskip .5em \tabcolsep\z@
19299 \def\and{%% \begin{tabular} has already started
19300 \end{tabular}\hskip 1em plus .17fil

```



```

19301             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabu
19302             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\
19303     \vskip 1em {\large \TitleFont \@date}
19304 \fi
19305 \par
19306 \vskip 1.5em}
19307 \fi
19308 \renewcommand*\@regtocline[3]{%
19309   \ifnum #1>\c@tocdepth
19310   \else
19311     \vskip\z@\@plus.2\p@
19312     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
19313     \if@RTL\righskip\else\leftskip\fi\unitindent
19314     \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil
19315     \parfillskip\z@
19316     \@tempdima\unitindent
19317     \parindent\z@
19318     \leavevmode
19319     \hbox{} \hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
19320     \hskip 1em \nobreak{\slshape #3}\par
19321   }%
19322 \fi}
19323 \if@oldtoc
19324 \renewcommand*\l@part[2]{%
19325   \ifnum \c@tocdepth >-2\relax
19326     \addpenalty{-\@highpenalty}%
19327     \addvspace{2.25em \@plus\p@}%
19328     \begingroup
19329       \setlength\@tempdima{3em}%
19330       \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
19331       \parfillskip -\@pnumwidth
19332       {\leavevmode
19333         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
19334         \nobreak
19335         \global\@nobreaktrue
19336         \everypar{\global\@nobreakfalse\everypar{}}%
19337       \endgroup
19338 \fi}
19339 \else
19340 \renewcommand*\l@part{%
19341   \ifnum \c@tocdepth >-2\relax
19342     \addpenalty{-\@highpenalty}%
19343     \addvspace{2.25em \@plus \p@}%
19344     \@regtocline{0}%
19345 \fi}
19346 \fi
19347 \if@oldtoc
19348 \renewcommand*\l@chapter[2]{%
19349   \addpenalty{-\@highpenalty}%
19350   \vskip 1.0em \@plus\p@
19351   \setlength\@tempdima{1.5em}%
19352   \begingroup
19353   \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
19354   \parfillskip -\@pnumwidth

```



```

19355 \leavevmode \bfseries
19356 \advance\if@RTL\rightskip\else\leftskip\fi@tempdima
19357 \hskip -\if@RTL\rightskip\else\leftskip\fi
19358 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
19359 \penalty\@highpenalty
19360 \endgroup}
19361 \else
19362 \renewcommand*\l@chapter{\@regtocline{0}}
19363 \fi
19364 \renewcommand*\head@style{%
19365 \interlinepenalty \@M
19366 \hyphenpenalty=\@M \exhyphenpenalty=\@M
19367 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
19368 \if@titlepage
19369 \renewenvironment{abstract}{%
19370 \titlepage
19371 \null\vfil
19372 \section*{\SectFont\abstractname}%
19373 \noindent\ignorespaces}
19374 {\par\vfil\null\endtitlepage}
19375 \else
19376 \renewenvironment{abstract}{%
19377 \if@twocolumn
19378 \section*{\abstractname}%
19379 \else
19380 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
19381 \section*{\small\SectFont\abstractname}%
19382 \noindent\ignorespaces
19383 \fi}
19384 {\if@twocolumn\else\par\egroup\fi}
19385 \fi
19386 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
19387 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
19388 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
19389 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
19390 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
19391 \renewcommand*\thefigure{%
19392 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
19393 \renewcommand*\thetable{%
19394 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
19395 \renewcommand*\theequation{%
19396 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@equation}
19397 \renewenvironment{thebibliography}[1]
19398 {\chapter*{\bibname}%
19399 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
19400 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19401 \bidi@thebibliography@font@hook%
19402 \list{\@biblabel{\@arabic\c@enumiv}}%
19403 {\settowidth\labelwidth{\@biblabel{#1}}%
19404 \leftmargin\labelwidth
19405 \advance\leftmargin\labelsep
19406 \@openbib@code
19407 \usecounter{enumiv}}%
19408 \let\p@enumiv\@empty

```



```

19409         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
19410         \sloppy\clubpenalty4000\widowpenalty4000%
19411         \sfcode`.\@m}
19412     {\def\@noitemerr
19413         {\@latex@warning{Empty `thebibliography' environment}}}%
19414         \endlist}
19415 \renewcommand*\left@footnoterule{%
19416     \kern-3\p@
19417     \kern.5\baselineskip
19418     \hrule\@width\unitindent
19419     \kern.4\baselineskip
19420 }
19421 \renewcommand*\right@footnoterule{%
19422     \kern-3\p@
19423     \kern.5\baselineskip
19424     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
19425     \kern.4\baselineskip}
19426 \renewcommand*\head@style{%
19427     \interlinepenalty \@M
19428     \hyphenpenalty=\@M \exhyphenpenalty=\@M
19429     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

## 138 File refrep-xetex-bidi.def

```

19430 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for X
19431 \if@titlepage
19432     \renewcommand\maketitle{\begin{titlepage}%
19433         \let\footnotesize\small
19434         \let\right@footnoterule\relax
19435         \let\left@footnoterule\relax
19436         \let\textwidth@footnoterule\relax
19437         \let\footnote\thanks
19438         \let\LTRfootnote\LTRthanks
19439         \let\RTLfootnote\RTLthanks
19440         \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
19441         \def\@makefnmark%
19442             {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
19443     \long\def\@makefntext##1{%
19444         \@setpar{\@par
19445             \@tempdima = \hsize
19446             \advance\@tempdima -1em
19447             \parshape \@ne 1em \@tempdima}%
19448         \par\parindent 1em \noindent
19449         \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
19450     \null\vfil
19451     \vskip 60\p@
19452     \begin{center}%
19453         {\LARGE \@title \par}%
19454         \vskip 3em%
19455         {\large
19456             \lineskip .75em%
19457             \begin{tabular}[t]{c}%
19458                 \@author
19459             \end{tabular}\par}%

```



```

19460     \vskip 1.5em%
19461     {\large \@date \par}%           % Set date in \large size.
19462 \end{center}\par
19463 \@thanks
19464 \vfil\null
19465 \end{titlepage}%
19466 \setcounter{footnote}{0}%
19467 \global\let\thanks\relax
19468 \global\let\LTRthanks\relax
19469 \global\let\RTLthanks\relax
19470 \global\let\maketitle\relax
19471 \global\let\@thanks\@empty
19472 \global\let\@author\@empty
19473 \global\let\@date\@empty
19474 \global\let\@title\@empty
19475 \global\let\title\relax
19476 \global\let\author\relax
19477 \global\let\date\relax
19478 \global\let\and\relax
19479 }
19480 \else
19481 \renewcommand\maketitle{\par
19482   \begingroup
19483     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
19484     \def\@makefnmark%
19485       {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
19486     \long\def\@makefnmark##1%
19487       \@setpar{\@par
19488         \@tempdima = \hsize
19489         \advance\@tempdima -1em
19490         \parshape \@ne 1em \@tempdima}%
19491     \par\parindent 1em \noindent
19492     \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
19493   \if@twocolumn
19494     \ifnum \col@number=\@ne
19495       \@maketitle
19496     \else
19497       \twocolumn[\@maketitle]%
19498     \fi
19499   \else
19500     \newpage
19501     \global\@topnum\z@ % Prevents figures from going at top of page.
19502     \@maketitle
19503     \fi
19504     \thispagestyle{empty}\@thanks
19505   \endgroup
19506   \setcounter{footnote}{0}%
19507   \global\let\thanks\relax
19508   \global\let\LTRthanks\relax
19509   \global\let\RTLthanks\relax
19510   \global\let\maketitle\relax
19511   \global\let\@maketitle\relax
19512   \global\let\@thanks\@empty
19513   \global\let\@author\@empty

```



```

19514 \global\let\@date\@empty
19515 \global\let\@title\@empty
19516 \global\let\title\relax
19517 \global\let\author\relax
19518 \global\let\date\relax
19519 \global\let\and\relax
19520 }
19521 \def\@maketitle{%
19522   \newpage
19523   \null
19524   \longthickrule\vskip1.5em%
19525   \let \footnote \thanks
19526   \let \LTRfootnote \LTRthanks
19527   \let \RTLfootnote \RTLthanks
19528   {\secshape \parskip\z@ \parindent\z@
19529   \Large\bfseries \@title \par}%
19530   \vskip1.5em\longthickrule\vskip1.5em%
19531   {\normalsize
19532     \lineskip .5em%
19533     \begin{flushright}%
19534       {\slshape\@author\par}
19535       \vskip 1em%
19536       {\@date}%
19537     \end{flushright}\par}%
19538   \vskip 1.5em}
19539 \fi
19540 \renewcommand*\l@part[2]{%
19541   \ifnum \c@tocdepth >-2\relax
19542     \addpenalty{-\@highpenalty}%
19543     \addvspace{2.25em \@plus\p@}%
19544     \begingroup
19545       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
19546       \parfillskip -\@pnumwidth
19547       {\leavevmode
19548         \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
19549       \nobreak
19550       \global\@nobreaktrue
19551       \everypar{\global\@nobreakfalse\everypar{}}%
19552     \endgroup
19553   \fi}
19554 \renewcommand*\l@chapter[2]{%
19555   \ifnum \c@tocdepth >\m@ne
19556     \addpenalty{-\@highpenalty}%
19557     \vskip 1.0em \@plus\p@
19558     \setlength\@tempdima{1.5em}%
19559     \begingroup
19560       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
19561       \parfillskip -\@pnumwidth
19562       \leavevmode \bfseries
19563       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
19564       \hskip -\if@RTL\rightskip\else\leftskip\fi
19565       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
19566       \penalty\@highpenalty
19567     \endgroup

```



```

19568 \fi}
19569 \renewcommand\secshape{\ifRTL\righskip\else\leftskip\fi=-\leftmarginwidth%
19570 \ifRTL\leftskip\else\righskip\fi=\@flushglue%
19571 \hyphenpenalty=2000}
19572 \renewcommand\left@footnoterule{%
19573 \kern-3\p@
19574 \hrule\@width.4\columnwidth
19575 \kern 2.6\p@}
19576 \renewcommand\right@footnoterule{%
19577 \kern-3\p@
19578 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
19579 \kern2.6\p@}
19580 \renewcommand\theequation
19581 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
19582 \renewcommand\thefigure
19583 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
19584 \renewcommand\thetable%
19585 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
19586 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
19587 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
19588 \renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
19589 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
19590 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
19591 \renewenvironment{thebibliography}[1]
19592 {\chapter*{\bibname
19593 \mkboth{\bibname}{\bibname}}%
19594 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLBibitems\@RTLtrue\else\fi\fi
19595 \bidi@thebibliography@font@hook%
19596 \list{\@biblabel{\@arabic\c@enumiv}}%
19597 {\settowidth\labelwidth{\@biblabel{#1}}%
19598 \leftmargin\labelwidth
19599 \advance\leftmargin\labelsep
19600 \openbib@code
19601 \usecounter{enumiv}}%
19602 \let\p@enumiv\@empty
19603 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
19604 \sloppy
19605 \clubpenalty4000
19606 \@clubpenalty \clubpenalty
19607 \widowpenalty4000%
19608 \sfcode`\.=\@m}
19609 {\def\@noitemerr
19610 {\@latex@warning{Empty `thebibliography' environment}}}%
19611 \endlist}

```

## 139 File report-xetex-bidi.def

```

19612 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report cl
19613 \renewenvironment{theindex}
19614 {\if@twocolumn
19615 \@restonecolfalse
19616 \else
19617 \@restonecoltrue
19618 \fi

```



```

19619             \columnseprule \z@
19620             \columnsep 35\p@
19621             \twocolumn[\@makeschapterhead{\indexname}]%
19622             \@mkboth{\MakeUppercase\indexname}%
19623                 {\MakeUppercase\indexname}%
19624             \thispagestyle{plain}\parindent\z@
19625             \parskip\z@ \@plus .3\p@\relax
19626             \let\item\@idxitem}
19627             {\if@restonecol\onecolumn\else\clearpage\fi}
19628 \if@titlepage
19629 \renewcommand\maketitle{\begin{titlepage}%
19630 \let\footnotesize\small
19631 \let\right@footnoterule\relax
19632 \let\left@footnoterule\relax
19633 \let\textwidth@footnoterule\relax
19634 \let\footnote\thanks
19635 \let\LTRfootnote\LTRthanks
19636 \let\RTLfootnote\RTLthanks
19637 \null\vfil
19638 \vskip 60\p@
19639 \begin{center}%
19640     {\LARGE \@title \par}%
19641     \vskip 3em%
19642     {\large
19643       \lineskip .75em%
19644       \begin{tabular}[t]{c}%
19645         \@author
19646       \end{tabular}\par}%
19647     \vskip 1.5em%
19648     {\large \@date \par}%           % Set date in \large size.
19649 \end{center}\par
19650 \@thanks
19651 \vfil\null
19652 \end{titlepage}%
19653 \setcounter{footnote}{0}%
19654 \global\let\thanks\relax
19655 \global\let\LTRthanks\relax
19656 \global\let\RTLthanks\relax
19657 \global\let\maketitle\relax
19658 \global\let\@thanks\@empty
19659 \global\let\@author\@empty
19660 \global\let\@date\@empty
19661 \global\let\@title\@empty
19662 \global\let\title\relax
19663 \global\let\author\relax
19664 \global\let\date\relax
19665 \global\let\and\relax
19666 }
19667 \else
19668 \renewcommand\maketitle{\par
19669 \begingroup
19670   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
19671   \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
19672   \long\def\@makefntext##1{\parindent 1em\noindent

```



```

19673         \hb@xt@1.8em{%
19674             \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
19675     \if@twocolumn
19676         \ifnum \col@number=\@ne
19677             \@maketitle
19678         \else
19679             \twocolumn[\@maketitle]%
19680         \fi
19681     \else
19682         \newpage
19683         \global\@topnum\z@ % Prevents figures from going at top of page.
19684         \@maketitle
19685     \fi
19686     \thispagestyle{plain}\@thanks
19687 \endgroup
19688 \setcounter{footnote}{0}%
19689 \global\let\thanks\relax
19690 \global\let\LTRthanks\relax
19691 \global\let\RTLthanks\relax
19692 \global\let\maketitle\relax
19693 \global\let\@maketitle\relax
19694 \global\let\@thanks\@empty
19695 \global\let\@author\@empty
19696 \global\let\@date\@empty
19697 \global\let\@title\@empty
19698 \global\let\title\relax
19699 \global\let\author\relax
19700 \global\let\date\relax
19701 \global\let\and\relax
19702 }
19703 \def\@maketitle{%
19704     \newpage
19705     \null
19706     \vskip 2em%
19707     \begin{center}%
19708         \let \footnote \thanks
19709         \let \LTRfootnote \LTRthanks
19710         \let \RTLfootnote \RTLthanks
19711         {\LARGE \@title \par}%
19712         \vskip 1.5em%
19713         {\large
19714             \lineskip .5em%
19715             \begin{tabular}[t]{c}%
19716                 \@author
19717             \end{tabular}\par}%
19718         \vskip 1em%
19719         {\large \@date}%
19720     \end{center}%
19721     \par
19722     \vskip 1.5em}
19723 \fi
19724 \renewcommand*\l@part[2]{%
19725     \ifnum \c@tocdepth >-2\relax
19726         \addpenalty{-\@highpenalty}%

```



```

19727 \addvspace{2.25em \@plus\p@}%
19728 \setlength\@tempdima{3em}%
19729 \begingroup
19730 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
19731 \parfillskip -\@pnumwidth
19732 {\leavevmode
19733 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
19734 \nobreak
19735 \global\@nobreaktrue
19736 \everypar{\global\@nobreakfalse\everypar{}}}%
19737 \endgroup
19738 \fi}
19739 \renewcommand*\l@chapter[2]{%
19740 \ifnum \c@tocdepth >\m@ne
19741 \addpenalty{-\@highpenalty}%
19742 \vskip 1.0em \@plus\p@
19743 \setlength\@tempdima{1.5em}%
19744 \begingroup
19745 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
19746 \parfillskip -\@pnumwidth
19747 \leavevmode \bfseries
19748 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
19749 \hskip -\if@RTL\rightskip\else\leftskip\fi
19750 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
19751 \penalty\@highpenalty
19752 \endgroup
19753 \fi}
19754 \renewcommand\left@footnoterule{%
19755 \kern-3\p@
19756 \hrule\@width.4\columnwidth
19757 \kern2.6\p@}
19758 \renewcommand\right@footnoterule{%
19759 \kern-3\p@
19760 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
19761 \kern2.6\p@}
19762 \renewcommand\theequation
19763 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
19764 \renewcommand \thefigure
19765 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
19766 \renewcommand \thetable
19767 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
19768 \renewcommand \thechapter {\@arabic\c@chapter}
19769 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
19770 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
19771 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
19772 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
19773 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
19774 \def\@makechapterhead#1{%
19775 \vspace*{50\p@}%
19776 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
19777 \ifnum \c@secnumdepth >\m@ne
19778 \huge\bfseries \@chapapp\space \thechapter
19779 \par\nobreak
19780 \vskip 20\p@}

```



```

19781 \fi
19782 \interlinepenalty\@M
19783 \Huge \bfseries #1\par\nobreak
19784 \vskip 40\p@
19785 }}
19786 \def\@makeschapterhead#1{%
19787 \vspace*{50\p@}%
19788 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
19789 \normalfont
19790 \interlinepenalty\@M
19791 \Huge \bfseries #1\par\nobreak
19792 \vskip 40\p@
19793 }}
19794 \renewenvironment{thebibliography}[1]
19795 {\chapter*{\bibname}%
19796 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
19797 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
19798 \bidi@thebibliography@font@hook%
19799 \list{\@biblabel{\@arabic\c@enumiv}}%
19800 {\settowidth\labelwidth{\@biblabel{#1}}%
19801 \leftmargin\labelwidth
19802 \advance\leftmargin\labelsep
19803 \@openbib@code
19804 \usecounter{enumiv}%
19805 \let\p@enumiv\@empty
19806 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
19807 \sloppy
19808 \clubpenalty4000
19809 \@clubpenalty \clubpenalty
19810 \widowpenalty4000%
19811 \sfcode`..\@m}
19812 {\def\@noitemerr
19813 {\@latex@warning{Empty `thebibliography' environment}}}%
19814 \endlist}

```

## 140 File rotating-xetex-bidi.def

```

19815 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
19816 \def\end@rotfloat{%
19817 \end{minipage}\end{lrbox}%
19818 \stepcounter{r@tfl@t}%
19819 \rot@label{RF\ther@tfl@t}%
19820 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
19821 \edef\@tempa{Adding sideways \@capytype\space on page \R@@page\space}
19822 \rot@mess@toks\expandafter{\@tempa}
19823 \wd\rot@float@box\z@
19824 \ht\rot@float@box\z@
19825 \dp\rot@float@box\z@
19826 \vboxL to \textheight{%
19827 \setkeys{Grot}{units=360}%
19828 \if@rot@twoside
19829 \else
19830 \let\R@@page\rot@LR
19831 \fi

```



```

19832 \ifthenelse{\isodd{\R@@page}}{%
19833 \if@rot@twoside
19834 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
19835 \fi
19836 \vfill
19837 @@line{%
19838 \hskip\rotFPtop
19839 \rotatebox{90}{\box\rot@float@box}%
19840 \hskip\rotFPbot
19841 }%
19842 }{%
19843 \if@rot@twoside
19844 \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
19845 \fi
19846 @@line{%
19847 \hskip\rotFPbot
19848 \rotatebox{-90}{\box\rot@float@box}%
19849 \hskip\rotFPtop
19850 }%
19851 \vfill
19852 }%
19853 \rot@message{\the\rot@mess@toks}
19854 }%
19855 \end@float
19856 }
19857 \let\endsidewaysfigure\end@rotfloat
19858 \let\endsidewaysstable\end@rotfloat
19859 \def\end@rotdblfloat{%
19860 \end{minipage}\end{lrbox}%
19861 \stepcounter{r@tfl@t}%
19862 \rot@label{RF\ther@tfl@t}%
19863 \rot@pageref{RF\ther@tfl@t}{\R@@page}%
19864 \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
19865 \rot@mess@toks\expandafter{\@tempa}
19866 \@tempdima\ht\rot@float@box
19867 \advance\@tempdima by \dp\rot@float@box
19868 \wd\rot@float@box\z@
19869 \ht\rot@float@box\z@
19870 \dp\rot@float@box\z@
19871 \vboxL to \textheight{%
19872 \setkeys{Grot}{units=360}%
19873 \if@rot@twoside
19874 \else
19875 \let\R@@page\rot@LR
19876 \fi
19877 \ifthenelse{\isodd{\R@@page}}{%
19878 \ifrot@messages
19879 \if@rot@twoside
19880 \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
19881 \fi
19882 \fi
19883 \vfill
19884 @@line{%
19885 \hskip\rotFPtop

```



```

19886     \rotatebox{90}{\box\rot@float@box}%
19887     \hskip\rotFPbot
19888     }%
19889   }{%
19890     \ifrot@messages
19891     \if@rot@twoside
19892   \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
19893 \fi
19894     \fi%
19895     \@@line{%
19896       \hskip\rotFPbot
19897       \rotatebox{-90}{\box\rot@float@box}%
19898       \hskip\rotFPtop
19899     }%
19900     \vfill
19901   }%
19902   \rot@message{\the\rot@mess@toks}%
19903 }%
19904 \end@dblfloat
19905 }
19906 \def\turn#1{%
19907   \Grot@setangle{#1}%
19908   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
19909 \def\endturn{%
19910   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
19911   \unskip\color@endbox
19912   \Grot@x\z@
19913   \Grot@y\z@
19914   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19915 }
19916 \def\rotate#1{%
19917   \Grot@setangle{#1}%
19918   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
19919 \def\endrotate{%
19920   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
19921   \unskip\color@endbox
19922   \Grot@x\z@
19923   \Grot@y\z@
19924   \wd0\z@\dp0\z@\ht0\z@
19925   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19926 }
19927 \def\turnbox#1#2{%
19928   \Grot@setangle{#1}%
19929   \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi\fi}
19930   \Grot@x\z@\Grot@y\z@
19931   \wd0\z@\dp0\z@\ht0\z@
19932   \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19933 }
19934 \def\sideways{%
19935   \Grot@setangle{90}%
19936   \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
19937 \def\endsideways{%
19938   \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
19939   \unskip\color@endbox

```



```

19940 \Grot@x\z@
19941 \Grot@y\z@
19942 \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
19943 }

```

## 141 File `scrartcl-xetex-bidi.def`

```

19944 \ProvidesFile{scrartcl-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrartcl class f
19945 \newcommand{\scr@saved@LTRfootnotetext}{}
19946 \newcommand{\scr@saved@RTLfootnotetext}{}
19947 \let\scr@saved@footnotetext\@footnotetext
19948 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
19949 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
19950 \renewcommand{\@footnotetext}[1]{%
19951   \scr@saved@footnotetext{#1}%
19952   \csname FN@mfb@prepare\endcsname
19953 }
19954 \renewcommand{\@LTRfootnotetext}[1]{%
19955   \scr@saved@LTRfootnotetext{#1}%
19956   \csname FN@mfb@prepare\endcsname
19957 }
19958 \renewcommand{\@RTLfootnotetext}[1]{%
19959   \scr@saved@RTLfootnotetext{#1}%
19960   \csname FN@mfb@prepare\endcsname
19961 }
19962 \renewcommand\deffootnote[4] [] {%
19963   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
19964     \long\def\@makefnmark##1{%
19965       \ExecuteDoHook{footnote/text/begin}%
19966       \raggedfootnote
19967       \if@RTL
19968         \rightskip
19969       \else
19970         \leftskip
19971       \fi
19972       #2
19973       \l@addto@macro\@trivlist{%
19974         \ifnum\@listdepth=\@ne
19975           \if@RTL
19976             \advance\rightmargin #2\relax
19977           \else
19978             \advance\leftmargin #2\relax
19979           \fi
19980         \fi
19981       }%
19982       \parindent #3\noindent
19983       \IfArgIsEmpty{#1}{}{%
19984         \hskip \dimexpr #1-#2\relax
19985       }%
19986       \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
19987       \ExecuteDoHook{footnote/text/end}%
19988     }%
19989   \else
19990     \ClassInfo{\KOMAClassName}{%

```



```

19991     Using old \string\@makefnmark\space due to compatibility
19992     level\MessageBreak
19993     less than 3.22}%
19994 \long\def\@makefnmark##1{%
19995   \setlength{\@tempdimc}{#3}%
19996   \def\@tempa{#1}\ifx\@tempa\@empty
19997     \setpar{\@@par
19998       \@tempdima = \hsize
19999       \addtolength{\@tempdima}{-#2}%
20000       \if@RTL
20001         \parshape \@ne \z@ \@tempdima
20002       \else
20003         \parshape \@ne #2 \@tempdima
20004       \fi}%
20005   \else
20006     \addtolength{\@tempdimc}{#2}%
20007     \addtolength{\@tempdimc}{-#1}%
20008     \setpar{\@@par
20009       \@tempdima = \hsize
20010       \addtolength{\@tempdima}{-#1}%
20011       \@tempdimb = \hsize
20012       \addtolength{\@tempdimb}{-#2}%
20013       \if@RTL
20014         \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
20015       \else
20016         \parshape \tw@ #1 \@tempdima #2 \@tempdimb
20017       \fi
20018     }%
20019   \fi
20020   \par
20021   \parindent\@tempdimc\noindent
20022   \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
20023 }%
20024 \fi
20025 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
20026 }
20027 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
20028 \renewcommand*\left@footnoterule{%
20029   \normalsize\ftn@rule@test@values
20030   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20031   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
20032   {\usekomafont{footnoterule}{%
20033     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
20034   \kern 2.6\p@}
20035 \renewcommand*\right@footnoterule{%
20036   \normalsize\ftn@rule@test@values
20037   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20038   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
20039   {\usekomafont{footnoterule}{%
20040     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\l
20041     \kern 2.6\p@}
20042   \renewcommand*\maketitle[1][1]{%
20043     \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
20044     \else

```



```

20045   \def\and{%
20046     \end{tabular}%
20047     \hskip 1em \@plus.17fil%
20048     \begin{tabular}[t]{c}%
20049   }%
20050 \fi
20051 \if@titlepage
20052   \begin{titlepage}
20053     \setcounter{page}{%
20054       #1%
20055     }%
20056   \if@titlepageiscoverpage
20057     \edef\titlepage@restore{%
20058       \noexpand\endgroup
20059       \noexpand\global\noexpand\@colht\the\@colht
20060       \noexpand\global\noexpand\@colroom\the\@colroom
20061       \noexpand\global\ysize\the\ysize
20062       \noexpand\global\noexpand\@titlepageiscoverpagefalse
20063       \noexpand\let\noexpand\titlepage@restore\noexpand\relax
20064     }%
20065     \begingroup
20066     \topmargin=\dimexpr \coverpagetopmargin-1in\relax
20067     \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
20068     \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
20069     \textwidth=\dimexpr
20070     \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
20071     \textheight=\dimexpr
20072     \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
20073     \headheight=0pt
20074     \headsep=0pt
20075     \footskip=\baselineskip
20076     \@colht=\textheight
20077     \@colroom=\textheight
20078     \ysize=\textheight
20079     \columnwidth=\textwidth
20080     \hsize=\columnwidth
20081     \linewidth=\hsize
20082   \else
20083     \let\titlepage@restore\relax
20084 \fi
20085 \let\footnotesize\small
20086 \let\right@footnoterule\relax
20087 \let\left@footnoterule\relax
20088 \let\textwidth@footnoterule\relax
20089 \let\footnote\thanks
20090 \let\LTRfootnote\LTRthanks
20091 \let\RTLfootnote\RTLthanks
20092 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20093 \let\@oldmakefnmark\@makefnmark
20094 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
20095 \ifx\@extratitle\@empty
20096   \ifx\@frontispiece\@empty
20097   \else
20098     \if@twoside\mbox{}\next@tpage\fi

```



```

20099         \noindent\@frontispiece\next@tdpage
20100         \fi
20101     \else
20102         \noindent\@extratitle
20103         \ifx\@frontispiece\@empty
20104         \else
20105             \next@tpage
20106             \noindent\@frontispiece
20107         \fi
20108         \next@tdpage
20109     \fi
20110     \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
20111     \ifx\@titlehead\@empty \else
20112         \begin{minipage}[t]{\textwidth}%
20113             \usekomafont{titlehead}{\@titlehead\par}%
20114         \end{minipage}\par
20115     \fi
20116     \null\vfill
20117     \begin{center}
20118         \ifx\@subject\@empty \else
20119             {\usekomafont{subject}{\@subject\par}}%
20120             \vskip 3em
20121         \fi
20122         {\usekomafont{title}{\huge \@title\par}}%
20123         \vskip 1em
20124         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
20125         \vskip 2em
20126         {%
20127             \usekomafont{author}{%
20128                 \lineskip 0.75em
20129                 \begin{tabular}[t]{c}
20130                     \@author
20131                 \end{tabular}\par
20132             }%
20133         }%
20134         \vskip 1.5em
20135         {\usekomafont{date}{\@date \par}}%
20136         \vskip \z@ \@plus3fill
20137         {\usekomafont{publishers}{\@publishers \par}}%
20138         \vskip 3em
20139     \end{center}\par
20140     \@thanks\global\let\@thanks\@empty
20141     \vfill\null
20142     \if@twoside
20143         \@tempswatrue
20144         \expandafter\ifnum \@nameuse{scr@v@3.12}>\scr@compatibility\relax
20145         \else
20146             \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
20147                 \@tempswafalse
20148             \fi\fi
20149         \fi
20150         \if@tempswa
20151             \next@tpage
20152             \begin{minipage}[t]{\textwidth}

```



```

20153         \@uppertitleback
20154     \end{minipage}\par
20155     \vfill
20156     \begin{minipage}[b]{\textwidth}
20157         \@lowertitleback
20158     \end{minipage}\par
20159     \@thanks\global\let\@thanks\@empty
20160 \fi
20161 \else
20162     \ifx\@uppertitleback\@empty\else
20163         \ClassWarning{\KOMAClassName}{%
20164             non empty \string\uppertitleback\space ignored
20165             by \string\maketitle\MessageBreak
20166             in `twoside=false' mode%
20167         }%
20168     \fi
20169     \ifx\@lowertitleback\@empty\else
20170         \ClassWarning{\KOMAClassName}{%
20171             non empty \string\lowertitleback\space ignored
20172             by \string\maketitle\MessageBreak
20173             in `twoside=false' mode%
20174         }%
20175     \fi
20176 \fi
20177 \ifx\@dedication\@empty
20178 \else
20179     \next@tdpage\null\vfill
20180     {\centering\usekomafont{dedication}{\@dedication \par}}%
20181     \vskip \z@ \@plus3fill
20182     \@thanks\global\let\@thanks\@empty
20183     \cleardoubleemptypage
20184 \fi
20185 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
20186 \end{titlepage}
20187 \else
20188     \par
20189     \@tempcnta=%
20190     #1%
20191     \relax\ifnum\@tempcnta=1\else
20192         \ClassWarning{\KOMAClassName}{%
20193             Optional argument of \string\maketitle\space ignored\MessageBreak
20194             in `titlepage=false' mode%
20195         }%
20196     \fi
20197     \ifx\@uppertitleback\@empty\else
20198         \ClassWarning{\KOMAClassName}{%
20199             non empty \string\uppertitleback\space ignored
20200             by \string\maketitle\MessageBreak
20201             in `titlepage=false' mode%
20202         }%
20203     \fi
20204     \ifx\@lowertitleback\@empty\else
20205         \ClassWarning{\KOMAClassName}{%
20206             non empty \string\lowertitleback\space ignored

```



```

20207         by \string\maketitle\MessageBreak
20208         in `titlepage=false' mode%
20209     }%
20210 \fi
20211 \beginingroup
20212 \let\titlepage@restore\relax
20213 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20214 \let\@oldmakefnmark\@makefnmark
20215 \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
20216 \next@tdpage
20217 \if@twocolumn
20218     \ifnum \col@number=\@ne
20219         \ifx\@extratitle\@empty
20220             \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
20221         \else
20222             \@makeextratitle
20223         \fi
20224         \ifx\@frontispiece\@empty
20225             \ifx\@extratitle\@empty\else\next@tdpage\fi
20226         \else
20227             \next@tpage
20228             \@makefrontispiece
20229             \next@tdpage
20230         \fi
20231         \@maketitle
20232     \else
20233         \ifx\@extratitle\@empty
20234             \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
20235         \else
20236             \twocolumn[\@makeextratitle]%
20237         \fi
20238         \ifx\@frontispiece\@empty
20239             \ifx\@extratitle\@empty\else\next@tdpage\fi
20240         \else
20241             \next@tpage
20242             \twocolumn[\@makefrontispiece]%
20243             \next@tdpage
20244         \fi
20245         \twocolumn[\@maketitle]%
20246     \fi
20247 \else
20248     \ifx\@extratitle\@empty
20249         \ifx\@frontispiece\@empty\else \mbox{}\fi
20250     \else
20251         \@makeextratitle
20252     \fi
20253     \ifx\@frontispiece\@empty
20254         \ifx\@extratitle\@empty\else\next@tdpage\fi
20255     \else
20256         \next@tpage
20257         \@makefrontispiece
20258         \next@tdpage
20259     \fi
20260     \@maketitle

```



```

20261     \fi
20262     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
20263     \@thanks\global\let\@thanks\@empty
20264   \endgroup
20265 \fi
20266 \setcounter{footnote}{0}%
20267 \expandafter\ifnum \cscname scr@v3.12\endcscname>\scr@compatibility\relax
20268   \let\thanks\relax
20269   \let\LTRthanks\relax
20270   \let\RTLthanks\relax
20271   \let\maketitle\relax
20272   \let\@maketitle\relax
20273   \global\let\@thanks\@empty
20274   \global\let\@author\@empty
20275   \global\let\@date\@empty
20276   \global\let\@title\@empty
20277   \global\let\@subtitle\@empty
20278   \global\let\@extratitle\@empty
20279   \global\let\@frontispiece\@empty
20280   \global\let\@titlehead\@empty
20281   \global\let\@subject\@empty
20282   \global\let\@publishers\@empty
20283   \global\let\@uppertitleback\@empty
20284   \global\let\@lowertitleback\@empty
20285   \global\let\@dedication\@empty
20286   \global\let\author\relax
20287   \global\let\title\relax
20288   \global\let\extratitle\relax
20289   \global\let\titlehead\relax
20290   \global\let\subject\relax
20291   \global\let\publishers\relax
20292   \global\let\uppertitleback\relax
20293   \global\let\lowertitleback\relax
20294   \global\let\dedication\relax
20295   \global\let\date\relax
20296 \fi
20297 \global\let\and\relax
20298 }%
20299 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
20300 \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
20301 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
20302 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
20303 \renewcommand*{\thesubsubsection}{%
20304   \thesubsection\@SepMark\@arabic\c@subsubsection
20305 }
20306 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
20307 \renewcommand*{\thesubparagraph}{%
20308   \theparagraph\@SepMark\@arabic\c@subparagraph
20309 }
20310 \renewenvironment{thebibliography}[1]{%
20311   \if@bib@break@
20312     \bib@beginhook
20313   \else
20314     \bib@heading

```



```

20315 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
20316 \noindent\bibpreamble\par\nobreak
20317 \fi\fi
20318 \bib@beginhook
20319 \bib@before@hook
20320 \fi
20321 \renewcommand{\BreakBibliography}[1]{%
20322 \@bib@break
20323 \end{thebibliography}%
20324 \begingroup ##1\endgroup
20325 \begin{thebibliography}{#1}
20326 }%
20327 \ifRTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
20328 \bidi@thebibliography@font@hook%
20329 \list{%
20330 \@biblabel{\@arabic\c@enumiv}%
20331 }{%
20332 \settowidth\labelwidth{\@biblabel{#1}}%
20333 \leftmargin\labelwidth
20334 \advance\leftmargin\labelsep
20335 \@openbib@code
20336 \if@bib@break@
20337 \edef\@tempa{%
20338 \noexpand\usecounter{enumiv}%
20339 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
20340 }\@tempa
20341 \no@bib@break
20342 \else
20343 \usecounter{enumiv}%
20344 \fi
20345 \let\p@enumiv\@empty
20346 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
20347 }%
20348 \sloppy\clubpenalty4000 \widowpenalty4000
20349 \sfcode`\.=\@m
20350 }{%
20351 \if@bib@break@
20352 \def\@noitemerr{%
20353 \@latex@warning{%
20354 \string\BreakBibliography\space at begin of `thebibliography'
20355 environment\MessageBreak
20356 or following \string\BreakBibliography}%
20357 }%
20358 \else
20359 \def\@noitemerr{%
20360 \@latex@warning{%
20361 Empty `thebibliography' environment or
20362 \string\BreakBibliography\MessageBreak
20363 before end of `thebibliography' environment}%
20364 }%
20365 \fi
20366 \endlist
20367 \if@bib@break@
20368 \else

```



```

20369 \bib@after@hook
20370 \let\bib@before@hook\@empty
20371 \let\bib@after@hook\@empty
20372 \fi
20373 \bib@endhook
20374 }
20375 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
20376 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
20377 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
20378 \renewcommand\marginline[1]{%
20379 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
20380 }
20381 \renewcommand{\@makecaption}[3]{%
20382 \cap@margin
20383 \begingroup
20384 \ifonelinecaptions
20385 \def\stepcounter##1{\advance\value{##1}\@one}%
20386 \let\refstepcounter\stepcounter
20387 \let\label\@gobble
20388 \let\@footnotetext=\@gobble
20389 \let\@LTRfootnotetext=\@gobble
20390 \let\@RTLfootnotetext=\@gobble
20391 \let\hypertarget\@gobbletwo
20392 \edef\@xnewline{%
20393 \unexpanded{\ClassInfo{\KOMAClassName}}{%
20394 Workaround for not recommended usage of \string\ or\MessageBreak
20395 \string\newline in caption text
20396 }%
20397 \hspace*{\linewidth}\hspace{1sp}%
20398 }%
20399 \unexpanded\expandafter{\@xnewline}%
20400 }%
20401 \edef\@xcentercr{%
20402 \unexpanded{\ClassInfo{\KOMAClassName}}{%
20403 Workaround for not recommended usage of \string\ or\MessageBreak
20404 \string\newline in caption text
20405 }%
20406 \hspace*{\linewidth}\hspace{1sp}%
20407 }%
20408 \unexpanded\expandafter{\@xcentercr}%
20409 }%
20410 \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
20411 \ifdim\@tempdima>\cap@width
20412 \aftergroup\scr@makemultilinecaption
20413 \else
20414 \aftergroup\scr@makesinglelinecaption
20415 \fi
20416 \else
20417 \aftergroup\scr@makemultilinecaption
20418 \fi
20419 \endgroup
20420 {#1}{#2}{#3}%
20421 }
20422 \renewcommand{\scr@makesinglelinecaption}[3]{%

```



```

20423  {%
20424    \usefontofkomafont{caption}{%
20425      \hb@xt@\hsize{%
20426        \cap@left
20427        \if@RTL
20428          \beginR
20429          \fi
20430          \scr@@makesinglelinecaption{#1}{#2}{#3}%
20431        \if@RTL
20432          \endR
20433        \fi
20434        \cap@right
20435      }\par\kern\dp\strutbox%
20436    }%
20437  }\kern-\dp\strutbox
20438 }
20439 \renewcommand{\@makecaption}[2]{%
20440   \if@captionabove
20441     \vskip\belowcaptionskip
20442   \else
20443     \vskip\abovecaptionskip
20444   \fi
20445   \@makecaption\@firstofone{#1}{#2}%
20446   \if@captionabove
20447     \vskip\abovecaptionskip
20448   \else
20449     \vskip\belowcaptionskip
20450   \fi
20451 }
20452
20453 \renewcommand{\scr@@makesinglelinecaption}[3]{%
20454   {\usekomafont{caption}{\strut\ignorespaces
20455     #1{\usekomafont{captionlabel}{#2\captionformat}}}%
20456   \ignorespaces #3\unskip}}%
20457 }
20458
20459 \renewcommand{\scr@makemultilinecaption}[3]{%
20460   {%
20461     \usefontofkomafont{caption}{%
20462       \hb@xt@\hsize{%
20463         \cap@left
20464         \vbox{\hsize\cap@width\linewidth\hsize
20465           \scr@ifundefinedorrelax{@capytype}{%
20466             \ClassWarning{\KOMAClassName}{%
20467               `string\caption' outside float.\MessageBreak
20468               Seems you are using `string\caption' outside a
20469               float.\MessageBreak
20470               Maybe you are using a package that uses
20471               `string\@makecaption'\MessageBreak
20472               without setting `string\@capytype' before.\MessageBreak
20473               Because I cannot detect the caption type, I'm using\MessageBreak
20474               the empty one.%
20475             }%
20476             \let\@capytype\@empty

```



```

20477     }{}%
20478     \scr@ifundefinedorrelax{ragged\@captive caption}{\raggedcaption}{%
20479       \@nameuse{ragged\@captive caption}%
20480     }%
20481     \ifdofullc@p
20482       \@hangfrom{%
20483         \strut
20484         \scr@smashdp{%
20485           #1{%
20486             \usekomafont{caption}{%
20487               \usekomafont{captionlabel}{#2\captionformat}%
20488             }%
20489           }%
20490         }%
20491       }%
20492       {\usekomafont{caption}{#3\scr@endstrut}}\par}%
20493     \else
20494       \ifdim\cap@indent<\z@
20495         \strut
20496         #1{%
20497           {\usekomafont{caption}{%
20498             \usekomafont{captionlabel}{#2\captionformat}%
20499           }%
20500         }\par}%
20501         \noindent{\usekomafont{caption}{%
20502           \hspace*{-\cap@indent}#3\scr@endstrut
20503         }}\par}%
20504       \else
20505         \if@capbreak
20506           \strut
20507           #1{%
20508             {\usekomafont{caption}{%
20509               \usekomafont{captionlabel}{#2\captionformat}%
20510             }%
20511           }\par}%
20512           \noindent\@hangfrom{\hspace*{\cap@indent}}%
20513           {\usekomafont{caption}{#3\scr@endstrut}}\par}%
20514         \else
20515           \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
20516           {%
20517             \hspace{-\cap@indent}%
20518             \scr@smashdp{%
20519               #1{\usekomafont{caption}{%
20520                 \usekomafont{captionlabel}{#2\captionformat}%
20521               }%
20522             }%
20523           }%
20524           {\usekomafont{caption}{#3\scr@endstrut}}\par}%
20525         }%
20526       \fi
20527     \fi
20528   \fi
20529 }%
20530 \cap@right

```



```

20531     }\par\kern\dp\strutbox
20532   }%
20533 }\kern-\dp\strutbox
20534 }
20535
20536 \bidi@AfterFile{longtable-xetex-bidi.def}{%
20537   \if@komalongtable
20538     \renewcommand{\LT@makecaption}[3]{%
20539       \noalign{%
20540         \if@captionabove
20541           \vskip\belowcaptionskip
20542         \else
20543           \vskip\abovecaptionskip
20544         \fi
20545       }%
20546       \LT@mcol\LT@cols c{%
20547         \hbox to\z@{\hss\parbox[t]{\linewidth{%
20548           \def\@capytype{table}%
20549           \@makecaption{#1}{#2}{#3}%
20550           \endgraf
20551           \if@captionabove
20552             \vskip\abovecaptionskip
20553           \else
20554             \vskip\belowcaptionskip
20555           \fi
20556         }%
20557         \hss
20558       }%
20559     }%
20560   }%
20561   \renewcommand*\{\scr@LT@array}{}%
20562   \let\scr@LT@array=\LT@array
20563   \renewcommand*\{\LT@array}{%
20564     \let\scr@caption=\LT@caption
20565     \def\captionabove{\noalign{\global\@captionabovetrue}%
20566       \scr@caption}%
20567     \def\captionbelow{\noalign{\global\@captionabovefalse}%
20568       \scr@caption}%
20569     \if@tablecaptionabove
20570       \let\LT@caption=\captionabove
20571     \else
20572       \let\LT@caption=\captionbelow
20573     \fi
20574     \scr@LT@array
20575   }%
20576   \ClassInfo{\KOMAClassName}{%
20577     longtable captions redefined%
20578   }%
20579   \fi
20580 }
20581
20582 \CloneTOCEntryStyle{tocline}{part}
20583 \TOCEntryStyleStartInitCode{part}{%
20584   \expandafter\renewcommand%

```



```

20585 \csname scr@tso@#1@linefill\endcsname{\hfill}%
20586 \expandafter\renewcommand%
20587 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
20588 \expandafter\renewcommand%
20589 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20590   {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}}%
20591 \expandafter\renewcommand\expandafter*%
20592 \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
20593 }
20594
20595 \CloneTOCEntryStyle{tocline}{section}
20596 \TOCEntryStyleStartInitCode{section}{%
20597   \expandafter\renewcommand%
20598   \csname scr@tso@#1@linefill\endcsname{%
20599     \if@sectionentrywithdots
20600       {\usekomafont{sectionentrydots}{\TOCLineLeaderFill}}\relax
20601     \else
20602       \hfill
20603     \fi
20604   }%
20605   \expandafter\renewcommand%
20606   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
20607   \expandafter\renewcommand%
20608   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{
20609   \expandafter\renewcommand\expandafter*%
20610   \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
20611   }
20612
20613 \CloneTOCEntryStyle{tocline}{subsection}
20614 \TOCEntryStyleStartInitCode{subsection}{%
20615   \expandafter\renewcommand%
20616   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
20617   \expandafter\renewcommand%
20618   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20619     {\normalfont\normalcolor ##1}}%
20620   }
20621
20622 \CloneTOCEntryStyle{subsection}{default}
20623
20624 \DeclareSectionCommand[%
20625   style=section,%
20626   level=1,%
20627   indent=\z@,%
20628   beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
20629   afterskip=2.3ex \@plus.2ex,%
20630   tocstyle=section,%
20631   tocindent=0pt,%
20632   tocnumwidth=1.5em%
20633 ]{section}
20634 \DeclareSectionCommand[%
20635   style=part,%
20636   level=\z@,%
20637   tocstyle=part,%
20638   toplevel=\m@ne,%

```



```

20639 tocindent=\z@,%
20640 tocnumwidth=2em%
20641 ]{part}
20642 \DeclareSectionCommand[%
20643 style=section,%
20644 level=2,%
20645 indent=\z@,%
20646 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
20647 afterskip=1.5ex \@plus .2ex,%
20648 tocstyle=subsection,%
20649 tocindent=1.5em,%
20650 tocnumwidth=2.3em%
20651 ]{subsection}
20652 \DeclareSectionCommand[%
20653 style=section,%
20654 level=3,%
20655 indent=\z@,%
20656 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
20657 afterskip=1.5ex \@plus .2ex,%
20658 tocstyle=subsection,%
20659 tocindent=3.8em,%
20660 tocnumwidth=3.2em%
20661 ]{subsubsection}
20662 \DeclareSectionCommand[%
20663 style=section,%
20664 level=4,%
20665 indent=\z@,%
20666 beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
20667 afterskip=-1em,%
20668 tocstyle=subsection,%
20669 tocindentfollows=subsubsection,%
20670 tocindent=7.0em,%
20671 tocnumwidth=4.1em%
20672 ]{paragraph}
20673 \DeclareSectionCommand[%
20674 style=section,%
20675 level=5,%
20676 indent=\scr@parindent,%
20677 beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
20678 afterskip=-1em,%
20679 tocstyle=subsection,%
20680 tocindent=10em,%
20681 tocnumwidth=5em%
20682 ]{subparagraph}

```

## 142 File `scrbook-xetex-bidi.def`

```

20683 \ProvidesFile{scrbook-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrbook class for
20684 \newcommand{\scr@saved@LTRfootnotetext}{}
20685 \newcommand{\scr@saved@RTLfootnotetext}{}
20686 \let\scr@saved@footnotetext\@footnotetext
20687 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
20688 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
20689 \renewcommand{\@footnotetext}[1]{%

```



```

20690 \scr@saved@footnotetext{#1}%
20691 \csname FN@mf@prepare\endcsname
20692 }
20693 \renewcommand{\@LTRfootnotetext}[1]{%
20694 \scr@saved@LTRfootnotetext{#1}%
20695 \csname FN@mf@prepare\endcsname
20696 }
20697 \renewcommand{\@RTLfootnotetext}[1]{%
20698 \scr@saved@RTLfootnotetext{#1}%
20699 \csname FN@mf@prepare\endcsname
20700 }
20701 \renewcommand\deffootnote[4] []{%
20702 \expandafter\ifnum\scr@v@is@ge{3.22}\relax
20703 \long\def\@makefntext##1{%
20704 \ExecuteDoHook{footnote/text/begin}%
20705 \raggedfootnote
20706 \if@RTL
20707 \rightskip
20708 \else
20709 \leftskip
20710 \fi
20711 #2
20712 \l@addto@macro\@trivlist{%
20713 \ifnum\@listdepth=\@ne\advance
20714 \if@RTL
20715 \rightmargin #2\relax
20716 \else
20717 \leftmargin #2\relax
20718 \fi
20719 \fi
20720 }%
20721 \parindent #3\noindent
20722 \IfArgIsEmpty{#1}{-}{%
20723 \hskip \dimexpr #1-#2\relax
20724 }%
20725 \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
20726 \ExecuteDoHook{footnote/text/end}%
20727 }%
20728 \else
20729 \ClassInfo{\KOMAClassName}{%
20730 Using old \string\@makefntext\space due to compatibility
20731 level\MessageBreak
20732 less than 3.22}%
20733 \long\def\@makefntext##1{%
20734 \setlength{\@tempdimc}{#3}%
20735 \def\@tempa{#1}\ifx\@tempa\@empty
20736 \setpar{\@par
20737 \@tempdima = \hspace
20738 \addtolength{\@tempdima}{-#2}%
20739 \if@RTL
20740 \parshape \@ne \z@ \@tempdima
20741 \else
20742 \parshape \@ne #2 \@tempdima
20743 \fi

```



```

20744     }%
20745     \else
20746         \addtolength{\@tempdimc}{#2}%
20747         \addtolength{\@tempdimc}{-#1}%
20748         \@setpar{\@@par
20749             \@tempdima = \hsize
20750             \addtolength{\@tempdima}{-#1}%
20751             \@tempdimb = \hsize
20752             \addtolength{\@tempdimb}{-#2}%
20753             \if@RTL
20754                 \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
20755             \else
20756                 \parshape \tw@ #1 \@tempdima #2 \@tempdimb
20757             \fi
20758         }%
20759     \fi
20760     \par
20761     \parindent\@tempdimc\noindent
20762     \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
20763 }%
20764 \fi
20765 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
20766 }
20767 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
20768 \renewcommand*\left@footnoterule{%
20769     \normalsize\ftn@rule@test@values
20770     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20771     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
20772     {\usekomafont{footnoterule}{%
20773         \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
20774     \kern 2.6\p@}
20775 \renewcommand*\right@footnoterule{%
20776     \normalsize\ftn@rule@test@values
20777     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
20778     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
20779     {\usekomafont{footnoterule}{%
20780         \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\
20781         \kern 2.6\p@}
20782 \renewcommand*\maketitle[1][1]{%
20783     \expandafter\ifnum \csname scr@v3.12\endcsname>\scr@compatibility\relax
20784     \else
20785         \def\and{%
20786             \end{tabular}%
20787             \hskip 1em \@plus.17fil%
20788             \begin{tabular}[t]{c}%
20789         }%
20790     \fi
20791     \if@titlepage
20792         \begin{titlepage}
20793             \setcounter{page}{%
20794                 #1%
20795             }%
20796             \if@titlepageiscoverpage
20797                 \edef\titlepage@restore{%

```



```

20798     \noexpand\endgroup
20799     \noexpand\global\noexpand\@colht\the\@colht
20800     \noexpand\global\noexpand\@colroom\the\@colroom
20801     \noexpand\global\vsizethe\vsizethe
20802     \noexpand\global\noexpand\@titlepageiscoverpagefalse
20803     \noexpand\let\noexpand\titlepage@restore\noexpand\relax
20804   }%
20805   \begingroup
20806     \topmargin=\dimexpr \coverpagetopmargin-1in\relax
20807     \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
20808     \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
20809     \textwidth=\dimexpr
20810     \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
20811     \textheight=\dimexpr
20812     \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
20813     \headheight=0pt
20814     \headsep=0pt
20815     \footskip=\baselineskip
20816     \@colht=\textheight
20817     \@colroom=\textheight
20818     \vsizethe=\textheight
20819     \columnwidth=\textwidth
20820     \hsize=\columnwidth
20821     \linewidth=\hsize
20822   \else
20823     \let\titlepage@restore\relax
20824   \fi
20825   \let\footnotesize\small
20826   \let\right@footnoterule\relax
20827   \let\left@footnoterule\relax
20828   \let\textwidth@footnoterule\relax
20829   \let\footnote\thanks
20830   \let\LTRfootnote\LTRthanks
20831   \let\RTLfootnote\RTLthanks
20832   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20833   \let\@oldmakefnmark\@makefnmark
20834   \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
20835   \ifx\@extratitle\@empty
20836     \ifx\@frontispiece\@empty
20837     \else
20838       \if@twoside\mbox{}\next@tpage\fi
20839       \noindent\@frontispiece\next@tdpage
20840     \fi
20841   \else
20842     \noindent\@extratitle
20843     \ifx\@frontispiece\@empty
20844     \else
20845       \next@tpage
20846       \noindent\@frontispiece
20847     \fi
20848     \next@tdpage
20849   \fi
20850   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
20851   \ifx\@titlehead\@empty \else

```



```

20852     \begin{minipage}[t]{\textwidth}%
20853         \usekomafont{titlehead}{\@titlehead\par}%
20854     \end{minipage}\par
20855     \fi
20856     \null\vfill
20857     \begin{center}
20858         \ifx\@subject\@empty \else
20859             {\usekomafont{subject}{\@subject\par}}%
20860             \vskip 3em
20861         \fi
20862         {\usekomafont{title}{\huge \@title\par}}%
20863         \vskip 1em
20864         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
20865         \vskip 2em
20866         {%
20867             \usekomafont{author}{%
20868                 \lineskip 0.75em
20869                 \begin{tabular}[t]{c}
20870                     \@author
20871                 \end{tabular}\par
20872             }%
20873         }%
20874         \vskip 1.5em
20875         {\usekomafont{date}{\@date \par}}%
20876         \vskip \z@ \@plus3fill
20877         {\usekomafont{publishers}{\@publishers \par}}%
20878         \vskip 3em
20879     \end{center}\par
20880     \@thanks\global\let\@thanks\@empty
20881     \vfill\null
20882     \if@twoside
20883         \@tempwattrue
20884         \expandafter\ifnum \@nameuse{scr@v@3.12}>\scr@compatibility\relax
20885     \else
20886         \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
20887             \@tempwafalse
20888         \fi\fi
20889     \fi
20890     \if@tempswa
20891         \next@tpage
20892         \begin{minipage}[t]{\textwidth}
20893             \@uppertitleback
20894         \end{minipage}\par
20895         \vfill
20896         \begin{minipage}[b]{\textwidth}
20897             \@lowertitleback
20898         \end{minipage}\par
20899         \@thanks\global\let\@thanks\@empty
20900     \fi
20901     \else
20902         \ifx\@uppertitleback\@empty\else
20903             \ClassWarning{\KOMAClassName}{%
20904                 non empty \string\uppertitleback\space ignored
20905                 by \string\maketitle\MessageBreak

```



```

20906         in `twoside=false' mode%
20907     }%
20908 \fi
20909 \ifx\@lowertitleback\@empty\else
20910     \ClassWarning{\KOMAClassName}{%
20911         non empty \string\lowertitleback\space ignored
20912         by \string\maketitle\MessageBreak
20913         in `twoside=false' mode%
20914     }%
20915 \fi
20916 \fi
20917 \ifx\@dedication\@empty
20918 \else
20919     \next@tdpage\null\vfill
20920     {\centering\usekomafont{dedication}{\@dedication \par}}%
20921     \vskip \z@ \@plus3fill
20922     \@thanks\global\let\@thanks\@empty
20923     \cleardoubleemptypage
20924 \fi
20925 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
20926 \end{titlepage}
20927 \else
20928 \par
20929 \@tempcnta=%
20930 #1%
20931 \relax\ifnum\@tempcnta=1\else
20932     \ClassWarning{\KOMAClassName}{%
20933         Optional argument of \string\maketitle\space ignored\MessageBreak
20934         in `titlepage=false' mode%
20935     }%
20936 \fi
20937 \ifx\@uppertitleback\@empty\else
20938     \ClassWarning{\KOMAClassName}{%
20939         non empty \string\uppertitleback\space ignored
20940         by \string\maketitle\MessageBreak
20941         in `titlepage=false' mode%
20942     }%
20943 \fi
20944 \ifx\@lowertitleback\@empty\else
20945     \ClassWarning{\KOMAClassName}{%
20946         non empty \string\lowertitleback\space ignored
20947         by \string\maketitle\MessageBreak
20948         in `titlepage=false' mode%
20949     }%
20950 \fi
20951 \begingroup
20952     \let\titlepage@restore\relax
20953     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
20954     \let\@oldmakefnmark\@makefnmark
20955     \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
20956     \next@tdpage
20957     \if@twocolumn
20958         \ifnum \col@number=\@ne
20959             \ifx\@extratitle\@empty

```



```

20960         \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
20961     \else
20962         \@makeextratitle
20963     \fi
20964     \ifx\@frontispiece\@empty
20965         \ifx\@extratitle\@empty\else\next@tdpage\fi
20966     \else
20967         \next@tpage
20968         \@makefrontispiece
20969         \next@tdpage
20970     \fi
20971     \@maketitle
20972 \else
20973     \ifx\@extratitle\@empty
20974         \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
20975     \else
20976         \twocolumn[\@makeextratitle]%
20977     \fi
20978     \ifx\@frontispiece\@empty
20979         \ifx\@extratitle\@empty\else\next@tdpage\fi
20980     \else
20981         \next@tpage
20982         \twocolumn[\@makefrontispiece]%
20983     \next@tdpage
20984     \fi
20985     \twocolumn[\@maketitle]%
20986 \fi
20987 \else
20988     \ifx\@extratitle\@empty
20989         \ifx\@frontispiece\@empty\else \mbox{}\fi
20990     \else
20991         \@makeextratitle
20992     \fi
20993     \ifx\@frontispiece\@empty
20994         \ifx\@extratitle\@empty\else\next@tdpage\fi
20995     \else
20996         \next@tpage
20997         \@makefrontispiece
20998         \next@tdpage
20999     \fi
21000     \@maketitle
21001 \fi
21002     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
21003     \@thanks\global\let\@thanks\@empty
21004 \endgroup
21005 \fi
21006 \setcounter{footnote}{0}%
21007 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21008     \let\thanks\relax
21009     \let\LTRthanks\relax
21010     \let\RTLthanks\relax
21011     \let\maketitle\relax
21012     \let\@maketitle\relax
21013     \global\let\@thanks\@empty

```



```

21014 \global\let\@author\@empty
21015 \global\let\@date\@empty
21016 \global\let\@title\@empty
21017 \global\let\@subtitle\@empty
21018 \global\let\@extratitle\@empty
21019 \global\let\@frontispiece\@empty
21020 \global\let\@titlehead\@empty
21021 \global\let\@subject\@empty
21022 \global\let\@publishers\@empty
21023 \global\let\@uppertitleback\@empty
21024 \global\let\@lowertitleback\@empty
21025 \global\let\@dedication\@empty
21026 \global\let\author\relax
21027 \global\let\title\relax
21028 \global\let\extratitle\relax
21029 \global\let\titlehead\relax
21030 \global\let\subject\relax
21031 \global\let\publishers\relax
21032 \global\let\uppertitleback\relax
21033 \global\let\lowertitleback\relax
21034 \global\let\dedication\relax
21035 \global\let\date\relax
21036 \fi
21037 \global\let\and\relax
21038 }%
21039 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
21040 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
21041 \renewcommand*\thesection{%
21042 \expandafter\ifnum\scr@v@is>{2.97d}%
21043 \if@mainmatter\thechapter\@SepMark\fi
21044 \else
21045 \thechapter\@SepMark%
21046 \fi
21047 \@arabic\c@section
21048 }
21049 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
21050 \renewcommand*\thesubsubsection{%
21051 \thesubsection\@SepMark\@arabic\c@subsubsection
21052 }
21053 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
21054 \renewcommand*\thesubparagraph{%
21055 \theparagraph\@SepMark\@arabic\c@subparagraph
21056 }
21057 \expandafter\ifnum\scr@v@is<=2.97d}%
21058 \renewcommand*\thefigure{\thechapter\@SepMark\@arabic\c@figure}
21059 \fi
21060 \expandafter\ifnum\scr@v@is<=2.97d}%
21061 \renewcommand*\thetable{\thechapter\@SepMark\@arabic\c@table}
21062 \fi
21063 \renewcommand*\theequation{%
21064 \expandafter\ifnum\scr@v@is>{2.97d}%
21065 \if@mainmatter\thechapter\@SepMark\fi
21066 \else
21067 \thechapter\@SepMark%

```



```

21068 \fi
21069 \@arabic\c@equation
21070 }
21071 \renewenvironment{thebibliography}[1]{%
21072 \if@bib@break@
21073 \bib@beginhook
21074 \else
21075 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
21076 \setchapterpreamble{\bibpreamble}%
21077 \fi\fi
21078 \bib@heading
21079 \bib@beginhook
21080 \bib@before@hook
21081 \fi
21082 \renewcommand{\BreakBibliography}[1]{%
21083 \@bib@break
21084 \end{thebibliography}%
21085 \begingroup ##1\endgroup
21086 \begin{thebibliography}{#1}
21087 }%
21088 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
21089 \bidi@thebibliography@font@hook%
21090 \list{%
21091 \@biblabel{\@arabic\c@enumiv}%
21092 }{%
21093 \settowidth\labelwidth{\@biblabel{#1}}%
21094 \leftmargin\labelwidth
21095 \advance\leftmargin\labelsep
21096 \@openbib@code
21097 \if@bib@break@
21098 \edef\@tempa{%
21099 \noexpand\usecounter{enumiv}%
21100 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
21101 }\@tempa
21102 \no@bib@break
21103 \else
21104 \usecounter{enumiv}%
21105 \fi
21106 \let\p@enumiv\@empty
21107 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
21108 }%
21109 \sloppy\clubpenalty4000 \widowpenalty4000
21110 \sfcode`.\=\@m
21111 }{%
21112 \if@bib@break@
21113 \def\@noitemerr{%
21114 \@latex@warning{%
21115 \string\BreakBibliography\space at begin of `thebibliography'
21116 environment\MessageBreak
21117 or following \string\BreakBibliography}%
21118 }%
21119 \else
21120 \def\@noitemerr{%
21121 \@latex@warning{%

```



```

21122     Empty `thebibliography' environment or
21123     \string\BreakBibliography\MessageBreak
21124     before end of `thebibliography' environment}%
21125   }%
21126 \fi
21127 \endlist
21128 \if@bib@break@
21129 \else
21130   \bib@after@hook
21131   \let\bib@before@hook\@empty
21132   \let\bib@after@hook\@empty
21133 \fi
21134 \bib@endhook
21135 }
21136 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
21137 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
21138 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
21139 \renewcommand\marginline[1]{%
21140   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
21141 }
21142 \renewcommand{\@makecaption}[3]{%
21143   \cap@margin
21144   \begingroup
21145     \ifonelinecaptions
21146     \def\stepcounter##1{\advance\value{##1}\@ne}%
21147     \let\refstepcounter\stepcounter
21148     \let\label\@gobble
21149     \let\@footnotetext=\@gobble
21150     \let\@LTRfootnotetext=\@gobble
21151     \let\@RTLfootnotetext=\@gobble
21152     \let\hypertarget\@gobbletwo
21153     \edef\@xnewline{%
21154       \unexpanded{\ClassInfo{\KOMAClassName}}{%
21155         Workaround for not recommended usage of \string\\ or\MessageBreak
21156         \string\newline in caption text
21157       }%
21158       \hspace*{\linewidth}\hspace{1sp}%
21159     }%
21160     \unexpanded\expandafter{\@xnewline}%
21161   }%
21162   \edef\@xcentercr{%
21163     \unexpanded{\ClassInfo{\KOMAClassName}}{%
21164       Workaround for not recommended usage of \string\\ or\MessageBreak
21165       \string\newline in caption text
21166     }%
21167     \hspace*{\linewidth}\hspace{1sp}%
21168   }%
21169     \unexpanded\expandafter{\@xcentercr}%
21170   }%
21171   \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
21172   \ifdim\@tempdima>\cap@width
21173     \aftergroup\scr@makemultilinecaption
21174   \else
21175     \aftergroup\scr@makesinglelinecaption

```



```

21176     \fi
21177     \else
21178     \aftergroup\scr@makemultilinecaption
21179     \fi
21180 \endgroup
21181 {#1}{#2}{#3}%
21182 }
21183 \renewcommand{\scr@makesinglelinecaption}[3]{%
21184   {%
21185     \usefontofkomafont{caption}{%
21186       \hb@xt@\hsize{%
21187         \cap@left
21188         \if@RTL
21189         \beginR
21190         \fi
21191         \scr@makesinglelinecaption{#1}{#2}{#3}%
21192         \if@RTL
21193         \endR
21194         \fi
21195         \cap@right
21196       }\par\kern\dp\strutbox%
21197     }%
21198   }\kern-\dp\strutbox
21199 }
21200 \renewcommand{\@makecaption}[2]{%
21201   \if@captionabove
21202     \vskip\belowcaptionskip
21203   \else
21204     \vskip\abovecaptionskip
21205   \fi
21206   \@makecaption\@firstofone{#1}{#2}%
21207   \if@captionabove
21208     \vskip\abovecaptionskip
21209   \else
21210     \vskip\belowcaptionskip
21211   \fi
21212 }
21213
21214 \renewcommand{\scr@makesinglelinecaption}[3]{%
21215   {\usekomafont{caption}{\strut\ignorespaces
21216     #1{\usekomafont{captionlabel}{#2\captionformat}}}%
21217   \ignorespaces #3\unskip}}%
21218 }
21219
21220 \renewcommand{\scr@makemultilinecaption}[3]{%
21221   {%
21222     \usefontofkomafont{caption}{%
21223       \hb@xt@\hsize{%
21224         \cap@left
21225         \vbox{\hsize\cap@width\linewidth\hsize
21226           \scr@ifundefinedorrelax{@capytype}{%
21227             \ClassWarning{\KOMAClassName}{%
21228               `string\caption' outside float.\MessageBreak
21229               Seems you are using `string\caption' outside a

```



```

21230         float.\MessageBreak
21231         Maybe you are using a package that uses
21232         \string\@makecaption'\MessageBreak
21233         without setting \string\@captype' before.\MessageBreak
21234         Because I cannot detect the caption type, I'm using\MessageBreak
21235         the empty one.%
21236     }%
21237     \let\@captype\@empty
21238 }{}%
21239 \scr@ifundefinedorrelax{ragged\@captype caption}{\raggedcaption}{%
21240     \@nameuse{ragged\@captype caption}}%
21241 }%
21242 \ifdofullc@p
21243     \@hangfrom{%
21244         \strut
21245         \scr@smashdp{%
21246             #1{%
21247                 \usekomafont{caption}{%
21248                     \usekomafont{captionlabel}{#2\captionformat}}%
21249             }%
21250         }%
21251     }%
21252 }%
21253 {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21254 \else
21255     \ifdim\cap@indent<\z@
21256         \strut
21257         #1{%
21258             {\usekomafont{caption}{%
21259                 \usekomafont{captionlabel}{#2\captionformat}}%
21260             }%
21261         }\par}%
21262         \noindent{{\usekomafont{caption}{%
21263             \hspace*{-\cap@indent}#3\scr@endstrut
21264         }}\par}%
21265     \else
21266         \if@capbreak
21267             \strut
21268             #1{%
21269                 {\usekomafont{caption}{%
21270                     \usekomafont{captionlabel}{#2\captionformat}}%
21271                 }
21272             }\par}%
21273             \noindent\@hangfrom{\hspace*{\cap@indent}}%
21274             {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21275         \else
21276             \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
21277             {%
21278                 \hspace{-\cap@indent}%
21279                 \scr@smashdp{%
21280                     #1{\usekomafont{caption}{%
21281                         \usekomafont{captionlabel}{#2\captionformat}}%
21282                     }%
21283                 }%

```



```

21284         }%
21285         {{\usekomafont{caption}{#3\scr@endstrut}}\par}%
21286     }%
21287         \fi
21288     \fi
21289     \fi
21290 }%
21291 \cap@right
21292 }\par\kern\dp\strutbox
21293 }%
21294 }\kern-\dp\strutbox
21295 }
21296
21297
21298 \bidi@AfterFile{longtable-xetex-bidi.def}{%
21299 \if@komalongtable
21300 \renewcommand{\LT@makecaption}[3]{%
21301 \noalign{%
21302 \if@captionabove
21303 \vskip\belowcaptionskip
21304 \else
21305 \vskip\abovecaptionskip
21306 \fi
21307 }%
21308 \LT@mc@col\LT@cols c{%
21309 \hbox to\z@{\hss\parbox[t]{\linewidth{%
21310 \def\@c@p@t@y@e{table}%
21311 \@@makecaption{#1}{#2}{#3}%
21312 \endgraf
21313 \if@captionabove
21314 \vskip\abovecaptionskip
21315 \else
21316 \vskip\belowcaptionskip
21317 \fi
21318 }%
21319 \hss
21320 }%
21321 }%
21322 }%
21323 \renewcommand*{\scr@LT@array}{}%
21324 \let\scr@LT@array=\LT@array
21325 \renewcommand*{\LT@array}{%
21326 \let\scr@caption=\LT@caption
21327 \def\captionabove{\noalign{\global\@captionabovetrue}%
21328 \scr@caption}%
21329 \def\captionbelow{\noalign{\global\@captionabovefalse}%
21330 \scr@caption}%
21331 \if@tablecaptionabove
21332 \let\LT@caption=\captionabove
21333 \else
21334 \let\LT@caption=\captionbelow
21335 \fi
21336 \scr@LT@array
21337 }%

```



```

21338 \ClassInfo{\KOMAClassName}{%
21339     longtable captions redefined%
21340 }%
21341 \fi
21342 }
21343
21344 \CloneTOCEntryStyle{tocline}{part}
21345 \TOCEntryStyleStartInitCode{part}{%
21346     \expandafter\renewcommand%
21347     \csname scr@tso@#1@linefill\endcsname{\hfill}%
21348     \expandafter\renewcommand%
21349     \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
21350     \expandafter\renewcommand%
21351     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21352         {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}}%
21353     \expandafter\renewcommand\expandafter*%
21354     \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p}%
21355 }
21356
21357 \CloneTOCEntryStyle{tocline}{chapter}
21358 \TOCEntryStyleStartInitCode{chapter}{%
21359     \expandafter\renewcommand%
21360     \csname scr@tso@#1@linefill\endcsname{%
21361         \if@chapterentrywithdots
21362             {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
21363         \else
21364             \hfill
21365         \fi
21366     }%
21367     \expandafter\renewcommand%
21368     \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
21369     \expandafter\renewcommand%
21370     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21371         {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}}%
21372     \expandafter\renewcommand\expandafter*%
21373     \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p}%
21374 }
21375
21376 \CloneTOCEntryStyle{tocline}{section}
21377 \TOCEntryStyleStartInitCode{section}{%
21378     \expandafter\renewcommand%
21379     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
21380     \expandafter\renewcommand%
21381     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
21382         {\normalfont\normalcolor ##1}}%
21383 }
21384
21385 \CloneTOCEntryStyle{section}{default}
21386
21387 \DeclareSectionCommand[%
21388     style=chapter,%
21389     level=\z@,%
21390     pagestyle=plain,%
21391     tocstyle=chapter,%

```



```

21392 tocindent=\z@,%
21393 tocnumwidth=1.5em%
21394 ]{chapter}
21395 \DeclareSectionCommand[%
21396 style=section,%
21397 level=1,%
21398 indent=\z@,%
21399 beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
21400 afterskip=2.3ex \@plus .2ex,%
21401 tocstyle=section,%
21402 tocindentfollows=chapter,%
21403 tocindent=1.5em,%
21404 tocnumwidth=2.3em%
21405 ]{section}
21406 \DeclareSectionCommand[%
21407 style=part,%
21408 level=\m@ne,%
21409 pagestyle=plain,%
21410 tocstyle=part,%
21411 toplevel=\m@ne,%
21412 tocindent=\z@,%
21413 tocnumwidth=2em%
21414 ]{part}
21415 \DeclareSectionCommand[%
21416 style=section,%
21417 level=2,%
21418 indent=\z@,%
21419 beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
21420 afterskip=1.5ex \@plus .2ex,%
21421 tocstyle=section,%
21422 tocindent=3.8em,%
21423 tocnumwidth=3.2em%
21424 ]{subsection}
21425 \DeclareSectionCommand[%
21426 style=section,%
21427 level=3,%
21428 indent=\z@,%
21429 beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
21430 afterskip=1.5ex \@plus .2ex,%
21431 tocstyle=section,%
21432 tocindent=7.0em,%
21433 tocnumwidth=4.1em%
21434 ]{subsubsection}
21435 \DeclareSectionCommand[%
21436 style=section,%
21437 level=4,%
21438 indent=\z@,%
21439 beforekip=3.25ex \@plus 1ex \@minus .2ex,%
21440 afterskip=-1em,%
21441 tocindentfollows=subsubsection,%
21442 tocstyle=section,%
21443 tocindent=10em,%
21444 tocnumwidth=5em%
21445 ]{paragraph}

```



```

21446 \DeclareSectionCommand[%
21447   style=section,%
21448   level=5,%
21449   indent=\scr@parindent,%
21450   beforeskip=3.25ex \@plus1ex \@minus .2ex,%
21451   afterskip=-1em,%
21452   tocstyle=section,%
21453   tocindent=12em,%
21454   tocnumwidth=6em%
21455 ]{subparagraph}

```

## 143 File `scrreprt-xetex-bidi.def`

```

21456 \ProvidesFile{scrreprt-xetex-bidi.def}[2022/05/27 v1.3 bidi adaptations for scrreprt class f
21457 \newcommand{\scr@saved@LTRfootnotetext}{}
21458 \newcommand{\scr@saved@RTLfootnotetext}{}
21459 \let\scr@saved@footnotetext\@footnotetext
21460 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
21461 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
21462 \renewcommand{\@footnotetext}[1]{%
21463   \scr@saved@footnotetext{#1}%
21464   \csname FN@mfb@prepare\endcsname
21465 }
21466 \renewcommand{\@LTRfootnotetext}[1]{%
21467   \scr@saved@LTRfootnotetext{#1}%
21468   \csname FN@mfb@prepare\endcsname
21469 }
21470 \renewcommand{\@RTLfootnotetext}[1]{%
21471   \scr@saved@RTLfootnotetext{#1}%
21472   \csname FN@mfb@prepare\endcsname
21473 }
21474 \renewcommand\deffootnote[4][1]{%
21475   \expandafter\ifnum\scr@v@is@ge{3.22}\relax
21476     \long\def\@makefntext##1{%
21477       \ExecuteDoHook{footnote/text/begin}%
21478       \raggedfootnote
21479       \if@RTL
21480         \rightskip
21481       \else
21482         \leftskip
21483       \fi
21484       #2
21485       \l@addto@macro\@trivlist{%
21486         \ifnum\@listdepth=\@ne
21487           \if@RTL
21488             \advance\rightmargin #2\relax
21489           \else
21490             \advance\leftmargin #2\relax
21491           \fi
21492         \fi
21493       }%
21494       \parindent #3\noindent
21495       \IfArgIsEmpty{#1}{-}{%
21496         \hskip \dimexpr #1-#2\relax

```



```

21497     }%
21498     \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
21499     \ExecuteDoHook{footnote/text/end}%
21500     }%
21501 \else
21502   \ClassInfo{\KOMAClassName}{%
21503     Using old \string\@makefnmark\space due to compatibility
21504     level\MessageBreak
21505     less than 3.22}%
21506   \long\def\@makefnmark##1{%
21507     \setlength{\@tempdimc}{#3}%
21508     \def\@tempa{#1}\ifx\@tempa\@empty
21509       \setpar{\@par
21510         \@tempdima = \hsize
21511         \addtolength{\@tempdima}{-#2}%
21512         \if@RTL
21513           \parshape \@ne \z@ \@tempdima
21514         \else
21515           \parshape \@ne #2 \@tempdima
21516         \fi
21517       }%
21518     \else
21519       \addtolength{\@tempdimc}{#2}%
21520       \addtolength{\@tempdimc}{-#1}%
21521       \setpar{\@par
21522         \@tempdima = \hsize
21523         \addtolength{\@tempdima}{-#1}%
21524         \@tempdimb = \hsize
21525         \addtolength{\@tempdimb}{-#2}%
21526         \if@RTL
21527           \parshape \tw@ \z@ \@tempdima \z@ \@tempdimb
21528         \else
21529           \parshape \tw@ #1 \@tempdima #2 \@tempdimb
21530         \fi
21531       }%
21532     \fi
21533   \par
21534   \parindent\@tempdimc\noindent
21535   \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
21536   }%
21537 \fi
21538 \def\@makefnmark{\hbox{\ftn@font{#4}}}%
21539 }
21540 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
21541 \renewcommand*\left@footnoterule{%
21542   \normalsize\ftn@rule@test@values
21543   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
21544   \ifx\@textbottom\relax\else\vskip \z@ \@plus .05fil\fi
21545   {\usekomafont{footnoterule}{%
21546     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
21547   \kern 2.6\p@}
21548 \renewcommand*\right@footnoterule{%
21549   \normalsize\ftn@rule@test@values
21550   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax

```



```

21551 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
21552 {\usekomafont{footnoterule}{%
21553   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\
21554   \kern 2.6\p@}}
21555 \renewcommand*\maketitle[1][1]{%
21556   \expandafter\ifnum \c@name scr@v3.12\endcsname>\scr@compatibility\relax
21557   \else
21558     \def\and{%
21559       \end{tabular}%
21560       \hskip 1em \@plus.17fil%
21561       \begin{tabular}[t]{c}%
21562     }%
21563   \fi
21564   \if@titlepage
21565     \begin{titlepage}
21566       \setcounter{page}{%
21567         #1%
21568       }%
21569     \if@titlepageiscoverpage
21570       \edef\t@titlepage@restore{%
21571         \noexpand\endgroup
21572         \noexpand\global\noexpand\@colht\the\@colht
21573         \noexpand\global\noexpand\@colroom\the\@colroom
21574         \noexpand\global\vsizethe\vsizethe
21575         \noexpand\global\noexpand\@titlepageiscoverpagefalse
21576         \noexpand\let\noexpand\t@titlepage@restore\noexpand\relax
21577       }%
21578     \begin{group}
21579       \topmargin=\dimexpr \coverpagetopmargin-1in\relax
21580       \oddsidemargin=\dimexpr \coverpageleftmargin-1in\relax
21581       \evensidemargin=\dimexpr \coverpageleftmargin-1in\relax
21582       \textwidth=\dimexpr
21583       \paperwidth-\coverpageleftmargin-\coverpagerightmargin\relax
21584       \textheight=\dimexpr
21585       \paperheight-\coverpagetopmargin-\coverpagebottommargin\relax
21586       \headheight=0pt
21587       \headsep=0pt
21588       \footskip=\baselineskip
21589       \@colht=\textheight
21590       \@colroom=\textheight
21591       \vsizethe\textheight
21592       \columnwidth=\textwidth
21593       \hsizethe\columnwidth
21594       \linewidth=\hsizethe
21595     \else
21596       \let\t@titlepage@restore\relax
21597     \fi
21598     \let\footnotesize\small
21599     \let\right@footnoterule\relax
21600     \let\left@footnoterule\relax
21601     \let\textwidth@footnoterule\relax
21602     \let\footnote\thanks
21603     \let\LTRfootnote\LTRthanks
21604     \let\RTLfootnote\RTLthanks

```



```

21605 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
21606 \let\@oldmakefnmark\@makefnmark
21607 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
21608 \ifx\@extratitle\@empty
21609 \ifx\@frontispiece\@empty
21610 \else
21611 \if@twoside\mbox{}\next@tpage\fi
21612 \noindent\@frontispiece\next@tdpage
21613 \fi
21614 \else
21615 \noindent\@extratitle
21616 \ifx\@frontispiece\@empty
21617 \else
21618 \next@tpage
21619 \noindent\@frontispiece
21620 \fi
21621 \next@tdpage
21622 \fi
21623 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
21624 \ifx\@titlehead\@empty \else
21625 \begin{minipage}[t]{\textwidth}%
21626 \usekomafont{titlehead}{\@titlehead\par}%
21627 \end{minipage}\par
21628 \fi
21629 \null\vfill
21630 \begin{center}
21631 \ifx\@subject\@empty \else
21632 {\usekomafont{subject}{\@subject\par}}%
21633 \vskip 3em
21634 \fi
21635 {\usekomafont{title}{\huge \@title\par}}%
21636 \vskip 1em
21637 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}{\@subtitle\par}\fi}%
21638 \vskip 2em
21639 {%
21640 \usekomafont{author}{%
21641 \lineskip 0.75em
21642 \begin{tabular}[t]{c}
21643 \@author
21644 \end{tabular}\par
21645 }%
21646 }%
21647 \vskip 1.5em
21648 {\usekomafont{date}{\@date \par}}%
21649 \vskip \z@ \@plus3fill
21650 {\usekomafont{publishers}{\@publishers \par}}%
21651 \vskip 3em
21652 \end{center}\par
21653 \@thanks\global\let\@thanks\@empty
21654 \vfill\null
21655 \if@twoside
21656 \@tempwatruer
21657 \expandafter\ifnum \@nameuse{scr@v@3.12}>\scr@compatibility\relax
21658 \else

```



```

21659         \ifx\@uppertitleback\@empty\ifx\@lowertitleback\@empty
21660             \@tempwafalse
21661         \fi\fi
21662     \fi
21663     \if@tempswa
21664         \next@tpage
21665         \begin{minipage}[t]{\textwidth}
21666             \@uppertitleback
21667         \end{minipage}\par
21668         \vfill
21669         \begin{minipage}[b]{\textwidth}
21670             \@lowertitleback
21671         \end{minipage}\par
21672         \@thanks\global\let\@thanks\@empty
21673     \fi
21674 \else
21675     \ifx\@uppertitleback\@empty\else
21676         \ClassWarning{\KOMAClassName}{%
21677             non empty \string\uppertitleback\space ignored
21678             by \string\maketitle\MessageBreak
21679             in `twoside=false' mode%
21680         }%
21681     \fi
21682     \ifx\@lowertitleback\@empty\else
21683         \ClassWarning{\KOMAClassName}{%
21684             non empty \string\lowertitleback\space ignored
21685             by \string\maketitle\MessageBreak
21686             in `twoside=false' mode%
21687         }%
21688     \fi
21689 \fi
21690 \ifx\@dedication\@empty
21691 \else
21692     \next@tdpage\null\vfill
21693     {\centering\usekomafont{dedication}{\@dedication \par}}%
21694     \vskip \z@ \@plus3fill
21695     \@thanks\global\let\@thanks\@empty
21696     \cleardoubleemptypage
21697 \fi
21698 \ifx\titlepage@restore\relax\else\clearpage\titlepage@restore\fi
21699 \end{titlepage}
21700 \else
21701     \par
21702     \@tempcnta=%
21703     #1%
21704     \relax\ifnum\@tempcnta=1\else
21705         \ClassWarning{\KOMAClassName}{%
21706             Optional argument of \string\maketitle\space ignored\MessageBreak
21707             in `titlepage=false' mode%
21708         }%
21709     \fi
21710     \ifx\@uppertitleback\@empty\else
21711         \ClassWarning{\KOMAClassName}{%
21712             non empty \string\uppertitleback\space ignored

```



```

21713     by \string\maketitle\MessageBreak
21714     in `titlepage=false' mode%
21715   }%
21716 \fi
21717 \ifx\@lowertitleback\@empty\else
21718   \ClassWarning{\KOMAClassName}{%
21719     non empty \string\lowertitleback\space ignored
21720     by \string\maketitle\MessageBreak
21721     in `titlepage=false' mode%
21722   }%
21723 \fi
21724 \beginngroup
21725   \let\titlepage@restore\relax
21726   \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
21727   \let\@oldmakefnmark\@makefnmark
21728   \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
21729   \next@tdpage
21730   \if@twocolumn
21731     \ifnum \col@number=\@ne
21732       \ifx\@extratitle\@empty
21733         \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
21734       \else
21735         \@makeextratitle
21736       \fi
21737       \ifx\@frontispiece\@empty
21738         \ifx\@extratitle\@empty\else\next@tdpage\fi
21739       \else
21740         \next@tpage
21741         \@makefrontispiece
21742         \next@tdpage
21743       \fi
21744       \@maketitle
21745     \else
21746       \ifx\@extratitle\@empty
21747         \ifx\@frontispiece\@empty\else\if@twoside\mbox{}\fi\fi
21748       \else
21749         \twocolumn[\@makeextratitle]%
21750       \fi
21751       \ifx\@frontispiece\@empty
21752         \ifx\@extratitle\@empty\else\next@tdpage\fi
21753       \else
21754         \next@tpage
21755         \twocolumn[\@makefrontispiece]%
21756         \next@tdpage
21757       \fi
21758       \twocolumn[\@maketitle]%
21759     \fi
21760   \else
21761     \ifx\@extratitle\@empty
21762       \ifx\@frontispiece\@empty\else \mbox{}\fi
21763     \else
21764       \@makeextratitle
21765     \fi
21766     \ifx\@frontispiece\@empty

```



```

21767         \ifx\@extratitle\@empty\else\next@tdpage\fi
21768     \else
21769         \next@tpage
21770         \@makefrontispiece
21771         \next@tdpage
21772     \fi
21773     \@maketitle
21774 \fi
21775     \ifx\titlepagestyle\@empty\else\thispagestyle{\titlepagestyle}\fi
21776     \@thanks\global\let\@thanks\@empty
21777 \endgroup
21778 \fi
21779 \setcounter{footnote}{0}%
21780 \expandafter\ifnum \csname scr@v@3.12\endcsname>\scr@compatibility\relax
21781     \let\thanks\relax
21782     \let\LTRthanks\relax
21783     \let\RTLthanks\relax
21784     \let\maketitle\relax
21785     \let\@maketitle\relax
21786     \global\let\@thanks\@empty
21787     \global\let\@author\@empty
21788     \global\let\@date\@empty
21789     \global\let\@title\@empty
21790     \global\let\@subtitle\@empty
21791     \global\let\@extratitle\@empty
21792     \global\let\@frontispiece\@empty
21793     \global\let\@titlehead\@empty
21794     \global\let\@subject\@empty
21795     \global\let\@publishers\@empty
21796     \global\let\@uppertitleback\@empty
21797     \global\let\@lowertitleback\@empty
21798     \global\let\@dedication\@empty
21799     \global\let\author\relax
21800     \global\let\title\relax
21801     \global\let\extratitle\relax
21802     \global\let\titlehead\relax
21803     \global\let\subject\relax
21804     \global\let\publishers\relax
21805     \global\let\uppertitleback\relax
21806     \global\let\lowertitleback\relax
21807     \global\let\dedication\relax
21808     \global\let\date\relax
21809 \fi
21810 \global\let\and\relax
21811 }%
21812 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
21813 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
21814 \renewcommand*\thesection{%
21815     \thechapter\@SepMark%
21816     \@arabic\c@section
21817 }
21818 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
21819 \renewcommand*{\thesubsubsection}{%
21820     \thesubsection\@SepMark\@arabic\c@subsubsection

```



```

21821 }
21822 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
21823 \renewcommand*{\thesubparagraph}{\thechapter\@SepMark\@arabic\c@subparagraph}
21824 \theparagraph\@SepMark\@arabic\c@subparagraph
21825 }
21826 \expandafter\ifnum\scr@v@is@le{2.97d}%
21827 \renewcommand*\thefigure{\thechapter\@SepMark\@arabic\c@figure}
21828 \fi
21829 \expandafter\ifnum\scr@v@is@le{2.97d}%
21830 \renewcommand*\thetable{\thechapter\@SepMark\@arabic\c@table}
21831 \fi
21832 \renewcommand*\theequation{\thechapter\@SepMark\@arabic\c@equation}
21833 \thechapter\@SepMark%
21834 \@arabic\c@equation
21835 }
21836 \renewenvironment{thebibliography}[1]{%
21837 \if@bib@break@
21838 \bib@beginhook
21839 \else
21840 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
21841 \setchapterpreamble{\bibpreamble}%
21842 \fi\fi
21843 \bib@heading
21844 \bib@beginhook
21845 \bib@before@hook
21846 \fi
21847 \renewcommand{\BreakBibliography}[1]{%
21848 \@bib@break
21849 \end{thebibliography}%
21850 \begingroup ##1\endgroup
21851 \begin{thebibliography}{#1}
21852 }%
21853 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
21854 \bidi@thebibliography@font@hook%
21855 \list{
21856 \@biblabel{\@arabic\c@enumiv}%
21857 }{%
21858 \settowidth\labelwidth{\@biblabel{#1}}%
21859 \leftmargin\labelwidth
21860 \advance\leftmargin\labelsep
21861 \@openbib@code
21862 \if@bib@break@
21863 \edef\@tempa{%
21864 \noexpand\usecounter{enumiv}%
21865 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
21866 }\@tempa
21867 \no@bib@break
21868 \else
21869 \usecounter{enumiv}%
21870 \fi
21871 \let\p@enumiv\@empty
21872 \renewcommand*\theenumiv{\@arabic\c@enumiv}%
21873 }%
21874 \sloppy\clubpenalty4000 \widowpenalty4000

```



```

21875 \sfcodes\.\.=\@m
21876 }{%
21877 \if@bib@break@
21878 \def\@noitemerr{%
21879 \@latex@warning{%
21880 \string\BreakBibliography\space at begin of `thebibliography'
21881 environment\MessageBreak
21882 or following \string\BreakBibliography}%
21883 }%
21884 \else
21885 \def\@noitemerr{%
21886 \@latex@warning{%
21887 Empty `thebibliography' environment or
21888 \string\BreakBibliography\MessageBreak
21889 before end of `thebibliography' environment}%
21890 }%
21891 \fi
21892 \endlist
21893 \if@bib@break@
21894 \else
21895 \bib@after@hook
21896 \let\bib@before@hook\@empty
21897 \let\bib@after@hook\@empty
21898 \fi
21899 \bib@endhook
21900 }
21901 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
21902 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
21903 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
21904 \renewcommand\marginline[1]{%
21905 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright
21906 }
21907 \renewcommand{\@makecaption}[3]{%
21908 \cap@margin
21909 \begingroup
21910 \ifonelinecaptions
21911 \def\stepcounter##1{\advance\value{##1}\@one}%
21912 \let\refstepcounter\stepcounter
21913 \let\label\@gobble
21914 \let\@footnotetext=\@gobble
21915 \let\@LTRfootnotetext=\@gobble
21916 \let\@RTLfootnotetext=\@gobble
21917 \let\hypertarget\@gobbletwo
21918 \edef\@xnewline{%
21919 \unexpanded{\ClassInfo{\KOMAClassName}}{%
21920 Workaround for not recommended usage of \string\ or\MessageBreak
21921 \string\newline in caption text
21922 }%
21923 \hspace*{\linewidth}\hspace{1sp}%
21924 }%
21925 \unexpanded\expandafter{\@xnewline}%
21926 }%
21927 \edef\@xcentercr{%
21928 \unexpanded{\ClassInfo{\KOMAClassName}}{%

```



```

21929         Workaround for not recommended usage of \string\\ or\MessageBreak
21930         \string\newline in caption text
21931     }%
21932     \hspace*{\linewidth}\hspace{1sp}%
21933 }%
21934 \unexpanded\expandafter{\@xcentercr}%
21935 }%
21936 \settowidth{\@tempdima}{\scr@makesinglelinecaption{#1}{#2}{#3}}%
21937 \ifdim\@tempdima>\cap@width
21938     \aftergroup\scr@makemultilinecaption
21939 \else
21940     \aftergroup\scr@makesinglelinecaption
21941 \fi
21942 \else
21943     \aftergroup\scr@makemultilinecaption
21944 \fi
21945 \endgroup
21946 {#1}{#2}{#3}%
21947 }
21948 \renewcommand{\scr@makesinglelinecaption}[3]{%
21949 {%
21950     \usefontofkomafont{caption}{%
21951         \hb@xt@\hsize{%
21952             \cap@left
21953             \if@RTL
21954                 \beginR
21955                 \fi
21956             \scr@makesinglelinecaption{#1}{#2}{#3}%
21957             \if@RTL
21958                 \endR
21959             \fi
21960             \cap@right
21961         }\par\kern\dp\strutbox%
21962     }%
21963     }\kern-\dp\strutbox
21964 }
21965 \renewcommand{\@makecaption}[2]{%
21966     \if@captionabove
21967         \vskip\belowcaptionskip
21968     \else
21969         \vskip\abovecaptionskip
21970     \fi
21971     \@makecaption\@firstofone{#1}{#2}%
21972     \if@captionabove
21973         \vskip\abovecaptionskip
21974     \else
21975         \vskip\belowcaptionskip
21976     \fi
21977 }
21978
21979 \renewcommand{\scr@makesinglelinecaption}[3]{%
21980     {\usekomafont{caption}{\strut\ignorespaces
21981         #1{\usekomafont{captionlabel}{#2\captionformat}}}%
21982     \ignorespaces #3\unskip}}%

```



```

21983 }
21984
21985 \renewcommand{\scr@makemultilinecaption}[3]{%
21986   {%
21987     \usefontofkomafont{caption}{%
21988       \hb@xt@\hsize{%
21989         \cap@left
21990         \vbox{\hsize\cap@width\linewidth\hsize
21991           \scr@ifundefinedorrelax{@capttype}{%
21992             \ClassWarning{\KOMAClassName}{%
21993               `string\caption' outside float.\MessageBreak
21994               Seems you are using `string\caption' outside a
21995               float.\MessageBreak
21996               Maybe you are using a package that uses
21997               `string\@makecaption'\MessageBreak
21998               without setting `string\@capttype' before.\MessageBreak
21999               Because I cannot detect the caption type, I'm using\MessageBreak
22000               the empty one.%
22001             }%
22002             \let\@capttype\@empty
22003           }{}%
22004           \scr@ifundefinedorrelax{ragged\@capttype caption}{\raggedcaption}{%
22005             \@nameuse{ragged\@capttype caption}%
22006           }%
22007         \ifdofullc@p
22008           \@hangfrom{%
22009             \strut
22010             \scr@smashdp{%
22011               #1{%
22012                 \usekomafont{caption}{%
22013                   \usekomafont{captionlabel}{#2\captionformat}%
22014                 }%
22015               }%
22016             }%
22017           }%
22018           {\usekomafont{caption}{#3\scr@endstrut}}\par}%
22019         \else
22020           \ifdim\cap@indent<\z@
22021             \strut
22022             #1{%
22023               {\usekomafont{caption}{%
22024                 \usekomafont{captionlabel}{#2\captionformat}%
22025               }%
22026             }\par}%
22027           \noindent{\usekomafont{caption}{%
22028             \hspace*{-\cap@indent}#3\scr@endstrut
22029           }}\par}%
22030         \else
22031           \if@capbreak
22032             \strut
22033             #1{%
22034               {\usekomafont{caption}{%
22035                 \usekomafont{captionlabel}{#2\captionformat}%
22036               }%

```



```

22037         }\par}%
22038         \noindent\@hangfrom{\hspace*{\cap@indent}}%
22039         {\usekomafont{caption}{#3\scr@endstrut}}\par}%
22040     \else
22041     \@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
22042     {%
22043         \hspace{-\cap@indent}%
22044         \scr@smashdp{%
22045             #1{\usekomafont{caption}{%
22046                 \usekomafont{captionlabel}{#2\captionformat}}%
22047             }%
22048         }%
22049     }%
22050     {\usekomafont{caption}{#3\scr@endstrut}}\par}%
22051 }%
22052     \fi
22053     \fi
22054     \fi
22055 }%
22056     \cap@right
22057 }\par\kern\dp\strutbox
22058 }%
22059 }\kern-\dp\strutbox
22060 }
22061
22062
22063 \bidi@AfterFile{longtable-xetex-bidi.def}{%
22064     \if@komalongtable
22065     \renewcommand{\LT@makecaption}[3]{%
22066         \noalign{%
22067             \if@captionabove
22068                 \vskip\belowcaptionskip
22069             \else
22070                 \vskip\abovecaptionskip
22071             \fi
22072         }%
22073         \LT@mc1\LT@cols c{%
22074             \hbox to\z@{\hss\parbox[t]{\linewidth}{%
22075                 \def\@capytype{table}%
22076                 \@@makecaption{#1}{#2}{#3}%
22077                 \endgraf
22078                 \if@captionabove
22079                     \vskip\abovecaptionskip
22080                 \else
22081                     \vskip\belowcaptionskip
22082                 \fi
22083             }%
22084             \hss
22085         }%
22086     }%
22087 }%
22088 \renewcommand*{\scr@LT@array}{}%
22089 \let\scr@LT@array=\LT@array
22090 \renewcommand*{\LT@array}{%

```



```

22091 \let\scr@caption=\LT@caption
22092 \def\captionabove{\noalign{\global\@captionabovetrue}%
22093 \scr@caption}%
22094 \def\captionbelow{\noalign{\global\@captionabovefalse}%
22095 \scr@caption}%
22096 \if@tablecaptionabove
22097 \let\LT@caption=\captionabove
22098 \else
22099 \let\LT@caption=\captionbelow
22100 \fi
22101 \scr@LT@array
22102 }%
22103 \ClassInfo{\KOMAClassName}{%
22104 longtable captions redefined%
22105 }%
22106 \fi
22107 }
22108
22109 \CloneTOCEntryStyle{tocline}{part}
22110 \TOCEntryStyleStartInitCode{part}{%
22111 \expandafter\renewcommand%
22112 \csname scr@tso@#1@linefill\endcsname{\hfill}%
22113 \expandafter\renewcommand%
22114 \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
22115 \expandafter\renewcommand%
22116 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22117 {\usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
22118 \expandafter\renewcommand\expandafter*%
22119 \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
22120 }
22121
22122 \CloneTOCEntryStyle{tocline}{chapter}
22123 \TOCEntryStyleStartInitCode{chapter}{%
22124 \expandafter\renewcommand%
22125 \csname scr@tso@#1@linefill\endcsname{%
22126 \if@chapterentrywithdots
22127 {\usekomafont{chapterentrydots}{\TOCLineLeaderFill}}\relax
22128 \else
22129 \hfill
22130 \fi
22131 }%
22132 \expandafter\renewcommand%
22133 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
22134 \expandafter\renewcommand%
22135 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22136 {\usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
22137 \expandafter\renewcommand\expandafter*%
22138 \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
22139 }
22140
22141 \CloneTOCEntryStyle{tocline}{section}
22142 \TOCEntryStyleStartInitCode{section}{%
22143 \expandafter\renewcommand%
22144 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%

```



```

22145     \expandafter\renewcommand%
22146     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
22147         {\normalfont\normalcolor ##1}}%
22148 }
22149
22150 \CloneTOCEntryStyle{section}{default}
22151
22152 \DeclareSectionCommand[%
22153     style=chapter,%
22154     level=\z@,%
22155     pagestyle=plain,%
22156     tocstyle=chapter,%
22157     tocindent=\z@,%
22158     tocnumwidth=1.5em%
22159 ]{chapter}
22160 \DeclareSectionCommand[%
22161     style=section,%
22162     level=1,%
22163     indent=\z@,%
22164     beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
22165     afterskip=2.3ex \@plus .2ex,%
22166     tocstyle=section,%
22167     tocindentfollows=chapter,%
22168     tocindent=1.5em,%
22169     tocnumwidth=2.3em%
22170 ]{section}
22171 \DeclareSectionCommand[%
22172     style=part,%
22173     level=\m@ne,%
22174     pagestyle=plain,%
22175     tocstyle=part,%
22176     toplevel=\m@ne,%
22177     tocindent=\z@,%
22178     tocnumwidth=2em%
22179 ]{part}
22180 \DeclareSectionCommand[%
22181     style=section,%
22182     level=2,%
22183     indent=\z@,%
22184     beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
22185     afterskip=1.5ex \@plus .2ex,%
22186     tocstyle=section,%
22187     tocindent=3.8em,%
22188     tocnumwidth=3.2em%
22189 ]{subsection}
22190 \DeclareSectionCommand[%
22191     style=section,%
22192     level=3,%
22193     indent=\z@,%
22194     beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
22195     afterskip=1.5ex \@plus .2ex,%
22196     tocstyle=section,%
22197     tocindent=7.0em,%
22198     tocnumwidth=4.1em%

```



```

22199 ]{subsubsection}
22200 \DeclareSectionCommand[%
22201   style=section,%
22202   level=4,%
22203   indent=\z@,%
22204   beforeskip=3.25ex \@plus1ex \@minus.2ex,%
22205   afterskip=-1em,%
22206   tocindentfollows=subsubsection,%
22207   tocstyle=section,%
22208   tocindent=10em,%
22209   tocnumwidth=5em%
22210 ]{paragraph}
22211 \DeclareSectionCommand[%
22212   style=section,%
22213   level=5,%
22214   indent=\scr@parindent,%
22215   beforeskip=3.25ex \@plus1ex \@minus .2ex,%
22216   afterskip=-1em,%
22217   tocstyle=section,%
22218   tocindent=12em,%
22219   tocnumwidth=6em%
22220 ]{subparagraph}

```

## 144 File `sidecap-xetex-bidi.def`

```

22221 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package f
22222 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
22223   \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
22224 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
22225 \renewcommand*{\SC@justify@caption}{\if@RTL%
22226 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\else%
22227   \isSC@ODD{\RaggedRight}{\RaggedLeft}}\fi}

```

## 145 File `soul-xetex-bidi.def`

```

22228 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeT
22229 \long\def\SOUL@start#1{%
22230   \let\bidir@RTL@everypar\@empty
22231   \let\<\SOUL@lowerthan
22232   \let\>\empty
22233   \def\soulomit{\noexpand\soulomit}%
22234   \gdef\SOUL@eventuallyexhyphen##1{%
22235     \let\SOUL@soeventuallyskip\relax
22236     \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@\font
22237       \@minus\fontdimen4\font
22238     \SOUL@ignorespacesfalse
22239     \leavevmode
22240     \SOUL@preamble
22241     \SOUL@lasttoken={}%
22242     \SOUL@word={}%
22243     \SOUL@minus\z@
22244     \SOUL@comma\z@
22245     \SOUL@apo\z@
22246     \SOUL@grave\z@

```



```

22247 \SOUL@do{#1}%
22248 \SOUL@postamble
22249 }}
22250 \def\SOUL@underline#1{#{%
22251 \setbox\z@\hbox{#1}%
22252 \dimen@=\wd\z@
22253 \dimen@i=\SOUL@uloverlap
22254 \advance\dimen@2\dimen@i
22255 \if@RTL
22256 \unhcopy\z@
22257 \llap{%
22258 \null
22259 \kern-\dimen@i
22260 \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
22261 }%
22262 \else
22263 \rlap{%
22264 \null
22265 \kern-\dimen@i
22266 \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
22267 }%
22268 \unhcopy\z@
22269 \fi
22270 }}
22271 \def\bidi@SOUL@ulleaders{%
22272 \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule@depth\SOUL@uldp@height\SOUL@ulht}\hss}\n
22273 }
22274 \def\SOUL@uleveryspace#1{%
22275 \if@RTL
22276 #1%
22277 \bidi@SOUL@ulleaders
22278 \hskip\spaceskip
22279 \else
22280 \SOUL@ulcolor{%
22281 #1%
22282 \SOUL@ulleaders
22283 \hskip\spaceskip
22284 }%
22285 \fi
22286 \null
22287 }

```

## 146 File stabular-xetex-bidi.def

```

22288 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
22289 \def\@stabular{%
22290 \leavevmode \bgroup \if@RTLtab\beginR \fi
22291 \let\@acol\@tabacol
22292 \let\@classz\@tabclassz
22293 \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
22294 \def\endstabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
22295 \egroup \if@RTLtab\endR\fi\egroup}
22296 \expandafter \let \csname endstabular*\endcsname = \endstabular
22297 \def\@sarray[#1]#2{%

```



```

22298 \bgroup
22299 \setbox\@arstrutbox\hbox{%
22300   \vrule \@height\arraystretch\ht\strutbox
22301         \@depth\arraystretch \dp\strutbox
22302         \@width\z}%
22303 \@mkpream{#2}%
22304 \edef\@preamble{%
22305   \ialign \noexpand\@halignto
22306     \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
22307 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
22308 \let\tabularnewline\%
22309   \let\@sharp##%
22310   \set@typeset@protect
22311   \lineskip\z@skip\baselineskip\z@skip
22312 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\top \else \vbox \fi\bgroup\fi
22313   \@preamble}

```

## 147 File subfigure-xetex-bidi.def

```

22314 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure packa
22315 \AtBeginDocument{%
22316 \let\p@subfigure=\thefigure
22317 \let\p@subtable=\thetable%
22318 }

```

## 148 File tabs-xetex-bidi.def

```

22319 \ProvidesFile{tabs-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabs package for X
22320 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
22321
22322 \expandafter\let\csname endtabular*\endcsname=\endtabular
22323
22324 \def\endarray{\ifvmode\csname crcr\endcsname % just do \crr if \ given
22325   \else \[\z@ \global\advance\@arstdepth-\@otarlinesep]%
22326   \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}
22327
22328 \def\@array[#1]#2{% remember global variables to allow recursion:
22329   \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
22330     \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
22331   \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
22332   \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
22333   \else \let\@tarlinesep\tablinesep \fi
22334   \divide\@tarlinesep\tw@ % half sep is applied to height & depth
22335   \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
22336   \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
22337   \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
22338     \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@@size
22339     \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
22340   \fi \setbox\@arstrutbox\hbox{% set up smaller strut
22341     \vrule \@height\@tempdima \@depth\@tempdimb \@width\z}%
22342   \let\protect\noexpand
22343   \edef\@preamble{\ialign \noexpand\@halignto \bgroup
22344     \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
22345   \let\@startpbox\@startpbox \let\@endpbox\@endpbox

```



```

22346 \if#1\vtop \else \if#1b\vbox \else \vcenter \fi\fi
22347 \bgroup \let\par\@empty
22348 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
22349 \advance\extrarulesep.5\arrayrulewidth
22350 \let\@sharp#\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
22351 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1\vtop \else \vbox \fi\bgroup\fi
22352 \@preamble}

```

## 149 File tabularx-xetex-bidi.def

```

22353 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
22354 \def\TX@endtabularx{%
22355   \expandafter\expandafter\expandafter
22356     \TX@find@endtabularxa\csname end\TX@\endcsname
22357     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
22358   \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
22359   \let\verb\TX@verb
22360   \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
22361   \edef\TX@ckpt{\cl@ckpt}%
22362   \let\@elt\relax
22363   \TX@old@table\maxdimen
22364   \TX@col@width\TX@target
22365   \global\TX@cols\@ne
22366   \TX@typeout@
22367     {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
22368   \TX@trial{\def\NC@rewriteX{%
22369     \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
22370   \loop
22371     \TX@arith
22372     \ifTX@
22373     \TX@trial{}%
22374   \repeat
22375   {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
22376     \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
22377     \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
22378     \csname tabular*\expandafter\endcsname\expandafter\TX@target
22379     \the\toks@
22380     \csname endtabular*\endcsname}%
22381   \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
22382   \ifnum0=`\fi}%
22383   \expandafter\expandafter\expandafter
22384     \TX@find@endtabularxbb
22385     \expandafter\end\expandafter{\TX@}%
22386   \endtabularx\TX@\endtabularx\TX@find@endtabularxb
22387 }
22388
22389 \def\TX@trial#1{%
22390   \setbox\@tempboxa\hbox{%
22391     #1\relax
22392   \let\@footnotetext\TX@trial@ftn
22393   \let\@LTRfootnotetext\TX@trial@ftn
22394   \let\@RTLfootnotetext\TX@trial@ftn
22395   \let\TX@vwarn\@empty
22396   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname

```



```

22397 \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
22398 \def\write{\begingroup
22399   \def\let{\afterassignment\endgroup\toks@}%
22400   \afterassignment\let\count@}%
22401 \hbadness\M
22402 \hfuzz\maxdimen
22403 \let\hbadness\@tempcnta
22404 \let\hfuzz\@tempdima
22405 \expandafter\tabular\the\toks@
22406 \endtabular}%
22407 \TX@ckpt
22408 \TX@typeout@{\@spaces
22409   \expandafter\TX@align
22410     \the\wd\@tempboxa\space\space\space\space\space\@
22411   \expandafter\TX@align
22412     \the\TX@col@width\space\space\space\space\space\@
22413   \@spaces\the\TX@cols}}
22414
22415 \long\def\TX@LTRftntext#1{%
22416   \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
22417     [\the\csname c@\@mpfn\endcsname]}%
22418   \global\TX@ftn\expandafter{\@tempa{#1}}}%
22419 \long\def\TX@xLTRftntext[#1]#2{%
22420   \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}
22421
22422 \long\def\TX@RTLftntext#1{%
22423   \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
22424     [\the\csname c@\@mpfn\endcsname]}%
22425   \global\TX@ftn\expandafter{\@tempa{#1}}}%
22426 \long\def\TX@xRTLftntext[#1]#2{%
22427   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}

```

## 150 File tabulary-xetex-bidi.def

```

22428 \ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package]
22429 \def\@testpach{\@chclass
22430   \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
22431   \ifnum \@lastchclass=7 5 \else
22432   \ifnum \@lastchclass=8 \tw@ \else
22433   \ifnum \@lastchclass=9 \thr@@
22434   \else \z@
22435   \ifnum \@lastchclass = 10 \else
22436   \edef\@nextchar{\expandafter\string\@nextchar}%
22437   \@chnum
22438   \if \@nextchar c\z@ \else
22439   \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
22440   \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
22441   \if \@nextchar C7 \else
22442   \if \@nextchar L8 \else
22443   \if \@nextchar R9 \else
22444   \if \@nextchar J10 \else
22445   \z@ \@chclass
22446   \if\@nextchar |\@ne \else
22447   \if \@nextchar !6 \else

```



```

22448     \if \@nextchar @7 \else
22449     \if \@nextchar <8 \else
22450     \if \@nextchar >9 \else
22451     10
22452     \@chnum
22453     \if \@nextchar m\thr@@\else
22454     \if \@nextchar p4 \else
22455     \if \@nextchar b5 \else
22456     \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi \fi
22457     \fi \fi

```

## 151 File tc-xetex-bidi.def

```

22458 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for Xe
22459 \def\@cliptoboxdim#1{%
22460     \setbox#1=\hbox{%
22461         \Gin@defaultbp\WIDTH{\wd#1}%
22462         \Gin@defaultbp\DEPTH{\dp#1}%
22463         \@tempdima\ht#1%
22464         \advance\@tempdima\dp#1%
22465         \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
22466         \beginL\special{pdf:bcontent }%
22467         \special{%
22468             pdf:literal direct
22469             0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
22470         }%
22471         \special{pdf:literal direct W }%
22472         \special{pdf:literal direct n }%
22473         \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
22474         \special{pdf:econtent }\endL%
22475     }%
22476 }

```

## 152 File tcolorbox-xetex-bidi.def

```

22477 \ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox packa
22478 \let\endtcblrbox=\endminipage
22479 \let\endtcbsavebox=\endtcblrbox
22480
22481 \bidi@patchcmd{\tcb@vbox}{%
22482     \let\@footnotetext\@mpfootnotetext%
22483 }{%
22484     \let\@footnotetext\@mpfootnotetext%
22485     \let\@LTRfootnotetext\@mpLTRfootnotetext%
22486     \let\@RTLfootnotetext\@mpRTLfootnotetext%
22487 }{}{}
22488
22489 \bidi@patchcmd{\endtcblrbox}{%
22490     \footnoterule%
22491 }{%
22492     \bidi@mpfootnoterule%
22493 }{}{}
22494 \bidi@apptocmd\tcb@icolorbox{%
22495     \@bidi@list@minipage@parboxfalse

```



22496 }{}{}

## 153 File titlesec-xetex-bidi.def

```
22497 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package]
22498 \renewcommand\filright{%
22499   \gdef\ttl@filleft##1{\hskip##1}%
22500   \gdef\ttl@filright##1{\hfill}%
22501   \let\\\@centercr
22502   \advance\rightskip\z@ \@plus 1fil
22503   \parfillskip\z@}
22504 \def\ttlh@hang#1#2#3#4#5#6#7#8{%
22505   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
22506   \setlength\leftskip{#6}%
22507   \setlength\rightskip{#7}%
22508   \interlinepenalty\@M
22509   \ttl@changecentercr
22510   \ttl@beginlongest
22511   #1{\ifhmode\ttl@hmode@error\fi
22512     \ttl@glcmds
22513     \parindent\z@
22514     \leavevmode
22515     \begingroup
22516     \ifttl@label
22517       \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
22518       \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
22519       \llap{\box\z@}%
22520     \fi
22521     #4{#8}%
22522     \kern\z@\strut\@par
22523     \endgroup
22524     \nobreak\ttl@midlongest#5\@par}%
22525   \ttl@endlongest}
```

## 154 File titletoc-xetex-bidi.def

```
22526 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
22527 \renewcommand\filright{%
22528   \gdef\ttl@filleft##1{\hskip##1}%
22529   \gdef\ttl@filright##1{\hfill}%
22530   \let\\\@centercr
22531   \advance\rightskip\z@ \@plus 1fil
22532   \parfillskip\z@}
22533 \renewcommand\contentspush[1]{%
22534   \sbox\z@{#1}%
22535   \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
22536   \aftergroup\ttl@b
22537   \leavevmode\llap{\box\z@}}
22538 \def\ttl@outnoblock#1#2#3{%
22539   \begingroup
22540   \ifnum\ttl@b>\ttl@a
22541     \nobreak
22542   \else\ifnum\ttl@b<\ttl@a
22543     \addpenalty{\@secpenalty}%

```



```

22544 \else
22545   \addpenalty{\z@}%
22546 \fi\fi
22547 \ttl@contentsstretch
22548 \nobreak
22549 \ifcase#1\relax\else\interlinepenalty\@M\fi
22550 \parindent\z@
22551 \ifx\@nil#2%
22552   \PackageError{titletoc}{Unimplemented}%
22553   {The optional argument is currently mandatory}%
22554 \else
22555   \if@RTL\setlength\rightskip{#2}\else
22556   \setlength\leftskip{#2}\fi%
22557 \fi
22558 \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
22559 \let\contentsmargin\ttl@margin
22560 \def\ttl@makeline##1{##1}%
22561 #3%
22562 \addtolength{\parfillskip}{-\ttl@corr}%
22563 \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
22564 \let\ttl@leaders\leaders}
22565 \renewcommand\ttl@margin[2][\z@]{%
22566 \def\ttl@corr{#1}%
22567 \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
22568 \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
22569 \def\@pnumwidth{#2}}
22570 \let\ttl@savel@part\l@part
22571 \def\l@part{\ttl@lselect{part}}
22572
22573 \let\ttl@savel@chapter\l@chapter
22574 \def\l@chapter{\ttl@lselect{chapter}}

```

## 155 File tocbibind-xetex-bidi.def

```

22575 \ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind packa
22576 \if@dotocbib
22577   \@ifpackageloaded{natbib}{}{% natbib not loaded
22578     \renewcommand{\bibsection}{\tcb@bchapsec}
22579     \renewenvironment{thebibliography}[1]{%
22580       \bibsection
22581       \begin{thebibitemlist}{#1}{\end{thebibitemlist}}}
22582 \renewenvironment{thebibitemlist}[1]{
22583   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
22584   \bidi@thebibliography@font@hook%
22585   \list{\@biblabel{\@arabic\c@enumiv}}%
22586     {\settowidth\labelwidth{\@biblabel{#1}}%
22587     \leftmargin\labelwidth
22588     \advance\leftmargin\labelsep
22589     \@openbib@code
22590     \usecounter{enumiv}%
22591     \let\p@enumiv\@empty
22592     \renewcommand\theenumiv{\@arabic\c@enumiv}}%
22593   \sloppy
22594   \clubpenalty4000

```



```

22595 \@clubpenalty \clubpenalty
22596 \widowpenalty4000%
22597 \sfcode`.\.\@m}
22598 {\def\@noitemerr
22599 {\@latexwarning{Empty `thebibliography' environment}}}%
22600 \endlist}
22601
22602 \@ifpackagewith{chapterbib}{sectionbib}%
22603 {\renewcommand{\sectionbib}[2]{}%
22604 {}
22605
22606 \fi
22607 \if@inltxdoc\else
22608 \renewenvironment{theindex}%
22609 {\if@twocolumn
22610 \@restonecolfalse
22611 \else
22612 \@restonecoltrue
22613 \fi
22614 \if@bibchapter
22615 \if@donumindex
22616 \refstepcounter{chapter}
22617 \twocolumn[\vspace*{2\topskip}%
22618 \@makechapterhead{\indexname}}%
22619 \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
22620 \chaptermark{\indexname}
22621 \else
22622 \if@dotocind
22623 \twocolumn[\vspace*{2\topskip}%
22624 \@makeschapterhead{\indexname}}%
22625 \prw@mkboth{\indexname}
22626 \addcontentsline{toc}{chapter}{\indexname}
22627 \else
22628 \twocolumn[\vspace*{2\topskip}%
22629 \@makeschapterhead{\indexname}}%
22630 \prw@mkboth{\indexname}
22631 \fi
22632 \fi
22633 \else
22634 \if@donumindex
22635 \twocolumn[\vspace*{-1.5\topskip}%
22636 \@nameuse{\@tocextra}{\indexname}}%
22637 \csname \@tocextra mark\endcsname{\indexname}
22638 \else
22639 \if@dotocind
22640 \twocolumn[\vspace*{-1.5\topskip}%
22641 \toc@headstar{\@tocextra}{\indexname}}%
22642 \prw@mkboth{\indexname}
22643 \addcontentsline{toc}{\@tocextra}{\indexname}
22644 \else
22645 \twocolumn[\vspace*{-1.5\topskip}%
22646 \toc@headstar{\@tocextra}{\indexname}}%
22647 \prw@mkboth{\indexname}
22648 \fi

```



```

22649     \fi
22650   \fi
22651   \thispagestyle{plain}\parindent\z@
22652   \parskip\z@ \@plus .3\p@\relax
22653   \let\item\@idxitem}
22654   {\if@restonecol\onecolumn\else\clearpage\fi}
22655 \fi

```

## 156 File tocloft-xetex-bidi.def

```

22656 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package f
22657 \let\cftdot\@SepMark
22658 \if@cfthaspart
22659 \renewcommand*{\l@part}[2]{
22660   \cftdopartfalse
22661   \ifnum \c@tocdepth >-2\relax
22662     \if@cfthaschapter
22663       \cftdoparttrue
22664     \fi
22665     \ifnum \c@tocdepth >\m@ne
22666       \if@cfthaschapter\else
22667         \cftdoparttrue
22668       \fi
22669     \fi
22670   \fi
22671   \if@cftdopart
22672     \if@cfthaschapter
22673       \addpenalty{-\@highpenalty}
22674     \else
22675       \addpenalty\@secpenalty
22676     \fi
22677     \addvspace{\cftbeforepartskip}
22678     \begingroup
22679     {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
22680     \if@RTL\leftskip\else\rightskip\fi \@toCRMarg
22681     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22682     \parindent \cftpartindent\relax\@afterindenttrue
22683     \interlinepenalty\@M
22684     \leavevmode
22685     \@tempdima \cftpartnumwidth\relax
22686     \let\@cftbsnum \cftpartpresnum
22687     \let\@cftasnum \cftpartaftersnum
22688     \let\@cftasnumb \cftpartaftersnumb
22689     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\ri
22690     {\cftpartfont \cftpartpresnum #1}
22691     \cftpartfillnum{#2}}
22692     \nobreak
22693     \if@cfthaschapter
22694       \global\@nobreaktrue
22695       \everypar{\global\@nobreakfalse\everypar{}}
22696     \else
22697       \if@compatibility
22698         \global\@nobreaktrue
22699         \everypar{\global\@nobreakfalse\everypar{}}

```



```

22700         \fi
22701     \fi
22702     \endgroup
22703 \fi}
22704 \fi
22705 \if@cfthaschapter
22706 \renewcommand*{\l@chapter}[2]{
22707     \ifnum \c@tocdepth >\m@ne
22708         \addpenalty{-\@highpenalty}
22709         \vskip \cftbeforechapskip
22710         {\if@RTL\righskip\else\leftskip\fi \cftchapindent\relax
22711         \if@RTL\leftskip\else\righskip\fi \@tocrmarg
22712         \parfillskip -\if@RTL\leftskip\else\righskip\fi
22713         \parindent \cftchapindent\relax\@afterindenttrue
22714         \interlinepenalty\@M
22715         \leavevmode
22716         \@tempdima \cftchapnumwidth\relax
22717         \let\@cftbsnum \cftchappresnum
22718         \let\@cftasnum \cftchapaftersnum
22719         \let\@cftasnumb \cftchapaftersnumb
22720         \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
22721         {\cftchapfont #1}\nobreak
22722         \cftchapfillnum{#2}}
22723     \fi}
22724 \fi
22725 \renewcommand*{\l@section}[2]{%
22726     \ifnum \c@tocdepth >\z@
22727         \if@cfthaschapter
22728             \vskip \cftbeforesecskip
22729         \else
22730             \addpenalty\@secpenalty
22731             \addvspace{\cftbeforesecskip}
22732         \fi
22733         {\if@RTL\righskip\else\leftskip\fi \cftsecindent\relax
22734         \if@RTL\leftskip\else\righskip\fi \@tocrmarg
22735         \parfillskip -\if@RTL\leftskip\else\righskip\fi
22736         \parindent \cftsecindent\relax\@afterindenttrue
22737         \interlinepenalty\@M
22738         \leavevmode
22739         \@tempdima \cftsecnumwidth\relax
22740         \let\@cftbsnum \cftsecpresnum
22741         \let\@cftasnum \cftsecaftersnum
22742         \let\@cftasnumb \cftsecaftersnumb
22743         \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
22744         {\cftsecfont #1}\nobreak
22745         \cftsecfillnum{#2}}
22746     \fi}
22747 \renewcommand*{\l@subsection}[2]{%
22748     \ifnum \c@tocdepth >\@ne
22749         \vskip \cftbeforesubsecskip
22750         {\if@RTL\righskip\else\leftskip\fi \cftsubsecindent\relax
22751         \if@RTL\leftskip\else\righskip\fi \@tocrmarg
22752         \parfillskip -\if@RTL\leftskip\else\righskip\fi
22753         \parindent \cftsubsecindent\relax\@afterindenttrue

```



```

22754 \interlinepenalty\@M
22755 \leavevmode
22756 \@tempdima \cftsubsecnumwidth\relax
22757 \let\@cftbsnum \cftsubsecpresnum
22758 \let\@cftasnum \cftsubsecftersnum
22759 \let\@cftasnumb \cftsubsecftersnumb
22760 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22761 {\cftsubsecfont #1}\nobreak
22762 \cftsubsecfillnum{#2}}
22763 \fi}
22764 \renewcommand*\l@subsubsection}[2]{%
22765 \ifnum \c@tocdepth >\tw@
22766 \vskip \cftbeforesubsubsecskip
22767 {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
22768 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22769 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22770 \parindent \cftsubsubsecindent\relax\@afterindenttrue
22771 \interlinepenalty\@M
22772 \leavevmode
22773 \@tempdima \cftsubsubsecnumwidth\relax
22774 \let\@cftbsnum \cftsubsubsecpresnum
22775 \let\@cftasnum \cftsubsubsecftersnum
22776 \let\@cftasnumb \cftsubsubsecftersnumb
22777 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22778 {\cftsubsubsecfont #1}\nobreak
22779 \cftsubsubsecfillnum{#2}}
22780 \fi}
22781 \renewcommand*\l@paragraph}[2]{%
22782 \ifnum \c@tocdepth >3\relax
22783 \vskip \cftbeforeparaskip
22784 {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
22785 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22786 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22787 \parindent \cftparaindent\relax\@afterindenttrue
22788 \interlinepenalty\@M
22789 \leavevmode
22790 \@tempdima \cftparanumwidth\relax
22791 \let\@cftbsnum \cftparapresnum
22792 \let\@cftasnum \cftparaftersnum
22793 \let\@cftasnumb \cftparaftersnumb
22794 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22795 {\cftparafont #1}\nobreak
22796 \cftparafillnum{#2}}
22797 \fi}
22798 \renewcommand*\l@subparagraph}[2]{%
22799 \ifnum \c@tocdepth >4\relax
22800 \vskip \cftbeforesubparaskip
22801 {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
22802 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22803 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22804 \parindent \cftsubparaindent\relax\@afterindenttrue
22805 \interlinepenalty\@M
22806 \leavevmode
22807 \@tempdima \cftsubparanumwidth\relax

```



```

22808 \let\@cftbsnum \cftsubparapresnum
22809 \let\@cftasnum \cftsubparaaftersnum
22810 \let\@cftasnumb \cftsubparaaftersnumb
22811 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22812 {\cftsubparafont #1}\nobreak
22813 \cftsubparafillnum{#2}}
22814 \fi}
22815 \renewcommand*\l@figure}[2]{%
22816 \ifnum \c@lofdepth >\z@
22817 \vskip \cftbeforefigskip
22818 {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
22819 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22820 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22821 \parindent \cftfigindent\relax\@afterindenttrue
22822 \interlinepenalty\@M
22823 \leavevmode
22824 \@tempdima \cftfignumwidth\relax
22825 \let\@cftbsnum \cftfigpresnum
22826 \let\@cftasnum \cftfigaftersnum
22827 \let\@cftasnumb \cftfigaftersnumb
22828 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22829 {\cftfigfont #1}\nobreak
22830 \cftfigfillnum{#2}}
22831 \fi
22832 }
22833 \renewcommand*\l@table}[2]{%
22834 \ifnum\c@lotdepth >\z@
22835 \vskip \cftbeforetabskip
22836 {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
22837 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22838 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22839 \parindent \cfttabindent\relax\@afterindenttrue
22840 \interlinepenalty\@M
22841 \leavevmode
22842 \@tempdima \cfttabnumwidth\relax
22843 \let\@cftbsnum \cfttabpresnum
22844 \let\@cftasnum \cfttabaftersnum
22845 \let\@cftasnumb \cfttabaftersnumb
22846 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22847 {\cfttabfont #1}\nobreak
22848 \cfttabfillnum{#2}}
22849 \fi
22850 }
22851 \renewcommand{\@cftl@subfig}{
22852 \renewcommand*\l@subfigure}[2]{%
22853 \ifnum \c@lofdepth > \toclevel@subfigure
22854 \vskip \cftbeforesubfigskip
22855 {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
22856 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22857 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22858 \parindent \cftsubfigindent\relax\@afterindenttrue
22859 \interlinepenalty\@M
22860 \leavevmode
22861 \@tempdima \cftsubfignumwidth\relax

```



```

22862 \let\@cftbsnum \cftsubfigpresnum
22863 \let\@cftasnum \cftsubfigaftersnum
22864 \let\@cftasnumb \cftsubfigaftersnumb
22865 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22866 {\cftsubfigfont ##1}\nobreak
22867 \cftsubfigfillnum{##2}}
22868 \fi
22869 }
22870 }
22871 \renewcommand{\@cftl@subtab}{
22872 \renewcommand*\@l@subtable}[2]{%
22873 \ifnum \c@lotdepth > \toclevel@subtable
22874 \vskip \cftbeforesubtabskip
22875 {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
22876 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22877 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22878 \parindent \cftsubtabindent\relax\@afterindenttrue
22879 \interlinepenalty\@M
22880 \leavevmode
22881 \@tempdima \cftsubtabnumwidth\relax
22882 \let\@cftbsnum \cftsubtabpresnum
22883 \let\@cftasnum \cftsubtabaftersnum
22884 \let\@cftasnumb \cftsubtabaftersnumb
22885 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
22886 {\cftsubtabfont ##1}\nobreak
22887 \cftsubtabfillnum{##2}}
22888 \fi
22889 }
22890 }
22891 \renewcommand{\newlistentry}[4][\@empty]{%
22892 \@ifundefined{c@#2}{% check & set the counter
22893 \ifx \@empty#1\relax
22894 \newcounter{#2}
22895 \else
22896 \@ifundefined{c@#1}{\PackageWarning{tocloft}%
22897 {#1 has no counter for use as a `within'}
22898 \newcounter{#2}}%
22899 {\newcounter{#2}[#1]%
22900 \expandafter\edef\csname the#2\endcsname{%
22901 \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
22902 \fi
22903 \setcounter{#2}{0}
22904 }
22905 {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
22906
22907 \@namedef{l@#2}##1##2{%
22908 \ifnum \@nameuse{c@#3depth} > #4\relax
22909 \vskip \@nameuse{cftbefore#2skip}
22910 {\if@RTL\rightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
22911 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
22912 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
22913 \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
22914 \interlinepenalty\@M
22915 \leavevmode

```



```

22916     \@tempdima \@nameuse{cft#2numwidth}\relax
22917     \expandafter\let\expandafter\@cftbsnum\cname cft#2presnum\endcsname
22918     \expandafter\let\expandafter\@cftasnum\cname cft#2aftersnum\endcsname
22919     \expandafter\let\expandafter\@cftasnumb\cname cft#2aftersnumb\endcsname
22920     \advance\if@RTL\righskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\right
22921     {\@nameuse{cft#2font}##1}\nobreak
22922     \@nameuse{cft#2fillnum}{##2}}
22923   \fi
22924 } % end of \l@#2
22925
22926 \expandafter\newlength\cname cftbefore#2skip\endcsname
22927   \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2p@}
22928 \expandafter\newlength\cname cft#2indent\endcsname
22929 \expandafter\newlength\cname cft#2numwidth\endcsname
22930 \ifcase #4\relax % 0
22931   \setlength{\@nameuse{cft#2indent}}{0em}
22932   \setlength{\@nameuse{cft#2numwidth}}{1.5em}
22933 \or % 1
22934   \setlength{\@nameuse{cft#2indent}}{1.5em}
22935   \setlength{\@nameuse{cft#2numwidth}}{2.3em}
22936 \or % 2
22937   \setlength{\@nameuse{cft#2indent}}{3.8em}
22938   \setlength{\@nameuse{cft#2numwidth}}{3.2em}
22939 \or % 3
22940   \setlength{\@nameuse{cft#2indent}}{7.0em}
22941   \setlength{\@nameuse{cft#2numwidth}}{4.1em}
22942 \else % anything else
22943   \setlength{\@nameuse{cft#2indent}}{10.0em}
22944   \setlength{\@nameuse{cft#2numwidth}}{5.0em}
22945 \fi
22946 \@namedef{cft#2font}{\normalfont}
22947 \@namedef{cft#2presnum}{\}
22948 \@namedef{cft#2aftersnum}{\}
22949 \@namedef{cft#2aftersnumb}{\}
22950 \@namedef{cft#2dotsep}{\cftdotsep}
22951 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
22952 \@namedef{cft#2pagefont}{\normalfont}
22953 \@namedef{cft#2afterpnum}{\}
22954 \@namedef{toclevel@#2}{#4}
22955 \@namedef{cft#2fillnum}##1{%
22956   {\@nameuse{cft#2leader}}\nobreak
22957   \hb@xt@\@pnumwidth{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
22958 } % end \newlistentry
22959 \renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
22960   {\if@RTL\righskip\else\leftskip\fi \cftchapindent\relax
22961     \advance\if@RTL\righskip\else\leftskip\fi \cftchapnumwidth\relax
22962     \if@RTL\leftskip\else\righskip\fi \@tocrmarg\relax
22963     \textit{#1}\protect\par}}}

```

## 157 File tocbasic-xetex-bidi.def

```

22964 \ProvidesFile{tocbasic-xetex-bidi.def}[2022/06/15 v0.5 bidi adaptations for tocbasic package]
22965 \bidi@undef\scr@dte@def@1@undottedtocline
22966 \bidi@undef\scr@dte@undottedtocline@init

```



```

22967 \DeclareTOCEntryStyle{undottedtocline}[{%
22968   \DefineTOCEntryLengthOption{indent}%
22969   {scr@tso@}{@indent}{entry indent}%
22970 \DefineTOCEntryLengthOption{numwidth}%
22971   {scr@tso@}{@numwidth}{entry number width}%
22972 \@ifundefined{#1tocdepth}{%
22973   \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
22974     \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
22975       \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
22976         \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
22977           \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
22978             \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
22979               \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
22980                 \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
22981                   \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
22982                     \expandafter\let\csname #1tocdepth\expandafter\endcsname
22983                     \csname #1numdepth\endcsname
22984                   }%
22985                 }%
22986               }%
22987             }%
22988           }%
22989         }%
22990       }%
22991     }%
22992   }%
22993 }{%
22994 \@ifundefined{scr@tso@#1@indent}{%
22995   \@ifundefined{scr@#1@tocindent}{%
22996     \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22997       \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
22998         \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
22999           \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
23000             \scr@ifundefinedorrelax{1@chapter}{%
23001               \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
23002                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23003                   \Ifstr{#1}{subsubsection}{%
23004                     \@namedef{scr@tso@#1@indent}{3.8em}}%
23005                 }{%
23006                   \Ifstr{#1}{paragraph}{%
23007                     \@namedef{scr@tso@#1@indent}{7em}}%
23008                 }{%
23009                   \Ifstr{#1}{subparagraph}{%
23010                     \@namedef{scr@tso@#1@indent}{10em}}%
23011                 }{%
23012                   }%
23013                 }%
23014               }%
23015             }%
23016           }%
23017         }%
23018       \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23019         \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
23020           \Ifstr{#1}{subsubsection}{%

```



```

23021         \@namedef{scr@tso@#1@indent}{7.0em}%
23022     }{%
23023         \Ifstr{#1}{paragraph}{%
23024             \@namedef{scr@tso@#1@indent}{10em}%
23025         }{%
23026             \Ifstr{#1}{subparagraph}{%
23027                 \@namedef{scr@tso@#1@indent}{12em}%
23028             }{%
23029                 }%
23030             }%
23031         }%
23032     }%
23033 }%
23034 }%
23035 }%
23036 }%
23037 }%
23038 }%
23039 }{%
23040     \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
23041 }%
23042 }{%
23043 \@ifundefined{scr@tso@#1@numwidth}{%
23044     \@ifundefined{scr@#1@tocnumwidth}{%
23045         \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23046             \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23047                 \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23048                     \scr@ifundefinedorrelax{chapter}{%
23049                         \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23050                             \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23051                                 \Ifstr{#1}{subsubsection}{%
23052                                     \@namedef{scr@tso@#1@numwidth}{3.2em}%
23053                                 }{%
23054                                     \Ifstr{#1}{paragraph}{%
23055                                         \@namedef{scr@tso@#1@numwidth}{4.1em}%
23056                                     }{%
23057                                         \Ifstr{#1}{subparagraph}{%
23058                                             \@namedef{scr@tso@#1@numwidth}{5m}%
23059                                         }{%
23060                                             }%
23061                                         }%
23062                                     }%
23063                                 }%
23064                             }%
23065                         }{%
23066                             \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23067                                 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
23068                                     \Ifstr{#1}{subsubsection}{%
23069                                         \@namedef{scr@tso@#1@numwidth}{3.1em}%
23070                                     }{%
23071                                         \Ifstr{#1}{paragraph}{%
23072                                             \@namedef{scr@tso@#1@numwidth}{5em}%
23073                                         }{%
23074                                             \Ifstr{#1}{subparagraph}{%

```



```

23075         \@namedef{scr@tso@#1@numwidth}{6em}%
23076     }{%
23077 }%
23078 }%
23079 }%
23080 }%
23081 }%
23082 }%
23083 }%
23084 }%
23085 }%
23086 }{%
23087     \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
23088 }%
23089 }{}%
23090 }]{%
23091 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
23092     \ifnum \@nameuse{#1tocdepth}<\@ne
23093         \scr@ifundefinedorrelax{chapter}{%
23094             \addpenalty\@secpenalty
23095             \addvspace{1.0em \@plus\p@}%
23096         }{%
23097             \addpenalty{-\@highpenalty}%
23098             \vskip 1.0em \@plus\p@
23099         }%
23100     \else
23101         \addpenalty\@secpenalty
23102         \addvspace{1.0em \@plus\p@}%
23103     \fi
23104     \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
23105     \begingroup
23106         \parindent \z@ \bidi@rightskip \@pnumwidth
23107         \parfillskip -\@pnumwidth
23108         \leavevmode
23109         \bfseries
23110         \advance\bidi@leftskip\@tempdima
23111         \If TocFeature{\@current}{noindent}{%
23112             \hskip -\bidi@leftskip
23113         }{%
23114             \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
23115             \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
23116         }%
23117         ##1%
23118         \nobreak
23119         \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
23120         \par
23121         \penalty\@highpenalty
23122     \endgroup
23123 \fi
23124 }
23125
23126 \bidi@undef\scr@dte@def@l@targetocline
23127 \bidi@undef\scr@dte@l@targetocline@init
23128 \DeclareTOCEntryStyle{largetocline}[{%

```



```

23129 \DefineTOCEntryLengthOption{indent}%
23130 {scr@tso@}{@indent}{entry indent}%
23131 \@ifundefined{#1tocdepth}{-%
23132 \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{-%
23133 \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{-%
23134 \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{-%
23135 \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{-%
23136 \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{-%
23137 \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{-%
23138 \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{-%
23139 \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{-%
23140 \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{-%
23141 \expandafter\let\csname #1tocdepth\expandafter\endcsname
23142 \csname #1numdepth\endcsname
23143 }%
23144 }%
23145 }%
23146 }%
23147 }%
23148 }%
23149 }%
23150 }%
23151 }%
23152 }{-%
23153 \@ifundefined{scr@tso@#1@indent}{-%
23154 \ifundefined{scr@#1@tocindent}{-%
23155 \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{-%
23156 \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{-%
23157 \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{-%
23158 \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{-%
23159 \scr@ifundefinedorrelax{1chapter}{-%
23160 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{Opt}}{-%
23161 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{-%
23162 \Ifstr{#1}{subsubsection}{-%
23163 \@namedef{scr@tso@#1@indent}{3.8em}%
23164 }{-%
23165 \Ifstr{#1}{paragraph}{-%
23166 \@namedef{scr@tso@#1@indent}{7em}%
23167 }{-%
23168 \Ifstr{#1}{subparagraph}{-%
23169 \@namedef{scr@tso@#1@indent}{10em}%
23170 }{-%
23171 }%
23172 }%
23173 }%
23174 }%
23175 }%
23176 }{-%
23177 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{-%
23178 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{-%
23179 \Ifstr{#1}{subsubsection}{-%
23180 \@namedef{scr@tso@#1@indent}{7.0em}%
23181 }{-%
23182 \Ifstr{#1}{paragraph}{-%

```



```

23183         \@namedef{scr@tso@#1@indent}{10em}%
23184     }{%
23185         \Ifstr{#1}{subparagraph}{%
23186             \@namedef{scr@tso@#1@indent}{12em}%
23187         }{%
23188         }%
23189     }%
23190 }%
23191 }%
23192 }%
23193 }%
23194 }%
23195 }%
23196 }%
23197 }%
23198 }{%
23199     \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
23200 }%
23201 }-}%
23202 }]{%
23203 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
23204 \ifnum \@nameuse{#1tocdepth}<\@ne
23205 \scr@ifundefinedorrelax{chapter}{%
23206     \addpenalty\@secpenalty
23207     \addvspace{2.25em \@plus\p@}%
23208 }{%
23209     \addpenalty{-\@highpenalty}%
23210     \addvspace{2.25em \@plus\p@}%
23211 }%
23212 \else
23213     \addpenalty\@secpenalty
23214     \addvspace{2.25em \@plus\p@}%
23215 \fi
23216 \setlength\@tempdima{3em}%
23217 \begingroup
23218     \parindent \z@ \bidi@rightskip \@pnumwidth
23219     \parfillskip -\@pnumwidth
23220     \leavevmode
23221     \large
23222     \bfseries
23223     \Iftocfeature{\@currentt}{noindent}{%
23224     }{%
23225         \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
23226     }%
23227     ##1%
23228     \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
23229     \par
23230     \nobreak
23231     \ifnum 0=
23232         \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
23233         \global\@nobreaktrue
23234         \everypar{\global\@nobreakfalse\everypar{}}%
23235     \fi
23236 \endgroup

```



```

23237 \fi
23238 }
23239
23240 \renewcommand*{\scr@dte@tocline}[3]{%
23241 \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
23242 \else
23243 \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
23244 \addvspace{\@nameuse{scr@tso@#1beforeskip}}\relax
23245 \@nameuse{Ifscr@tso@#1dynindent}{-%
23246 \expandafter\ifx\csname scr@tso@#1indentfollows\endcsname\@empty
23247 \PackageWarning{tocbasic}{`dynindent' for `#1' not available}%
23248 \else
23249 \edef\reserved@a{\@nameuse{scr@tso@#1indentfollows}}%
23250 \@for \reserved@a:=\reserved@a\do {%
23251 \scr@trim@spaces\reserved@a
23252 \ifx\reserved@a\@empty\else
23253 \scr@ifundefinedorrelax{\reserved@a tocdepth}{-%
23254 }{-%
23255 \ifnum \@nameuse{\reserved@a tocdepth}<\@nameuse{#1tocdepth}%
23256 \@tempdima\@nameuse{scr@tso@\reserved@a @indent}\relax
23257 \@nameuse{Ifscr@tso@\reserved@a @dynnumwidth}{-%
23258 \scr@ifundefinedorrelax
23259 {scr@dte@\reserved@a @lastmaxnumwidth}{-%
23260 \advance\@tempdima
23261 \@nameuse{scr@tso@\reserved@a @numwidth}\relax
23262 }{-%
23263 \advance\@tempdima
23264 \@nameuse{scr@dte@\reserved@a @lastmaxnumwidth}\relax
23265 }%
23266 }{-%
23267 \advance\@tempdima
23268 \@nameuse{scr@tso@\reserved@a @numwidth}\relax
23269 }%
23270 \ifdim \@tempdima>\@nameuse{scr@tso@#1indent}\relax
23271 \expandafter\edef\csname scr@tso@#1indent\endcsname
23272 {\the\@tempdima}%
23273 \fi
23274 \fi
23275 }%
23276 \fi
23277 }%
23278 \fi
23279 }{}}%
23280 {%
23281 \Iftocfeature{\@currentx}{noindent}{-%
23282 \bidi@leftskip \z@
23283 }{-%
23284 \bidi@leftskip \@nameuse{scr@tso@#1indent}\relax
23285 }%
23286 \bidi@rightskip \@nameuse{scr@tso@#1rightindent}\relax
23287 \parfillskip -\bidi@rightskip
23288 \@nameuse{Ifscr@tso@#1raggedpage}{-%
23289 \addtolength{\parfillskip}{\z@ \@plus 1fil}%
23290 }{}}%

```



```

23291 \iftocfeature{\@currentx}{noindent}{%
23292 \parindent \z@
23293 }{%
23294 \parindent \@nameuse{scr@tso@#1@indent}\relax
23295 }%
23296 \@afterindenttrue
23297 \interlinepenalty\M
23298 \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
23299 \addtolength\bi@rightskip\@flushglue
23300 \else
23301 \def\reserved@a{\raggedright}%
23302 \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
23303 \addtolength\bi@rightskip\@flushglue
23304 \else
23305 \renewcommand\reserved@a{\raggedright}%
23306 \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
23307 \addtolength\bi@rightskip\@flushglue
23308 \fi
23309 \fi
23310 \fi
23311 \leavevmode
23312 \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
23313 \@nameuse{Ifscr@tso@#1@dynnumwidth}{%
23314 \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{-%
23315 \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
23316 \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
23317 \fi
23318 }%
23319 }{%
23320 \advance\bi@leftskip \@tempdima
23321 \null\nobreak\hskip -\bi@leftskip
23322 }%
23323 \usetocbasicnumberline
23324 \let\scr@dte@numberline@box\numberline@box
23325 \def\numberline@box##1{%
23326 \sbox\scr@dte@to@cline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
23327 \global\scr@dte@to@cline@numberwidth
23328 \dimexpr\wd\scr@dte@to@cline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
23329 \relax
23330 \ifdim \scr@dte@to@cline@numberwidth
23331 >\@nameuse{scr@dte@#1@maxnumwidth}\relax
23332 \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@to@cline@numberwidth
23333 \fi
23334 \@nameuse{Ifscr@tso@#1@dynnumwidth}{-%
23335 \ifdim \scr@dte@to@cline@numberwidth
23336 >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
23337 +\@nameuse{scr@tso@#1@numsep}\relax\relax
23338 \PackageWarning{tocbasic}{%
23339 number width of #1 toc entries should be
23340 increased!\MessageBreak
23341 Currently used number width =
23342 \the\wd\scr@dte@to@cline@numbox,\MessageBreak
23343 Wanted number separation
23344 \space\space\space =

```



```

23345         \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
23346         Reserved number width \space\space\space\space\space\space =
23347         \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
23348     }%
23349     \fi
23350 }%
23351 \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
23352 \@nameuse{Ifscr@tso@#1@breakafternumber}{%
23353     {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
23354 }}%
23355 }%
23356 {\@nameuse{scr@tso@#1@entryformat}{%
23357     #2%
23358     \nobreak
23359     {%
23360         \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
23361         \nobreak
23362         \expandafter\let\expandafter\scr@dte@pagenumberwidth
23363         \csname scr@tso@#1@pagenumberwidth\endcsname
23364         \@nameuse{scr@tso@#1@pagenumberbox}{%
23365             \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
23366         }%
23367     }%
23368 }}\@par
23369 }%
23370 }%
23371 \tocbasic@SetPenaltyByTOCLevel{#1}%
23372 \fi
23373 }
23374
23375
23376 \bidi@undef\scr@dte@def@1@tocline
23377 \bidi@undef\scr@dte@tocline@init
23378 \DeclareTOCEntryStyle{tocline}[{%
23379     \DefineTOCEntryLengthOption{beforeskip}%
23380     {scr@tso@}{@beforeskip}{vertical skip before the entry}%
23381     \DefineTOCEntryIfOption{breakafternumber}%
23382     {scr@tso@}{@breakafternumber}{line break after number flag}%
23383     \DefineTOCEntryIfOption{dynnumwidth}%
23384     {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
23385     \DefineTOCEntryListOption{indentfollows}%
23386     {scr@tso@}{@indentfollows}{list of levels that define the indent}%
23387     \DefineTOCEntryIfOption{dynindent}%
23388     {scr@tso@}{@dynindent}{dynamic indent width flag}%
23389     \DefineTOCEntryCommandOption{entryformat}%
23390     {scr@tso@}{@entryformat}[1]{entry format}%
23391     \DefineTOCEntryCommandOption{entrynumberformat}%
23392     {scr@tso@}{@numberformat}[1]{entry number format}%
23393     \DefineTOCEntryCommandOption{linefill}[\TOCLineLeaderFill]%
23394     {scr@tso@}{@linefill}{filling between text and page number}%
23395     \DefineTOCEntryLengthOption{numsep}%
23396     {scr@tso@}{@numsep}{entry number separation}%
23397     \DefineTOCEntryCommandOption{onstarthigherlevel}%
23398     {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%

```



```

23399 \DefineTOCEntryCommandOption{onstartlowerlevel}%
23400   {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
23401 \DefineTOCEntryCommandOption{onstartsamelevel}%
23402   {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
23403 \DefineTOCEntryCommandOption{pagenumberbox}%
23404   {scr@tso@}{@pagenumberbox}[1]{page number box}%
23405 \DefineTOCEntryCommandOption{pagenumberformat}%
23406   {scr@tso@}{@pagenumberformat}[1]{page number format}%
23407 \DefineTOCEntryLengthOption{pagenumberwidth}%
23408   {scr@tso@}{@pagenumberwidth}{width of page number box}%
23409 \DefineTOCEntryLengthOption{rightindent}%
23410   {scr@tso@}{@rightindent}{entry's text right indent}%
23411 \DefineTOCEntryOption{raggedentrytext}[true]{%
23412   \FamilySetBool{KOMAAarg}{raggedentrytext}{@tempswa}{##1}%
23413   \ifx\FamilyKeyState\FamilyKeyStateProcessed
23414     \if@tempswa
23415       \expandafter\let\csname ragged\scr@dte@current entry\endcsname
23416         \raggedright
23417     \else
23418       \expandafter\let\csname ragged\scr@dte@current entry\endcsname
23419         \relax
23420     \fi
23421   \fi
23422 }%
23423 \DefineTOCEntryIfOption{raggedpagenumber}%
23424   {scr@tso@}{@raggedpage}{page number ragged flag}%
23425 \DefineTOCEntryLengthOption{indent}%
23426   {scr@tso@}{@indent}{entry indent}%
23427 \DefineTOCEntryLengthOption{numwidth}%
23428   {scr@tso@}{@numwidth}{entry number width}%
23429 \scr@ifundefinedorrelax{#1tocdepth}{%
23430   \Ifstrstart{#1}{sub}{%
23431     \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{%
23432       \expandafter\edef\csname #1tocdepth\endcsname{%
23433         \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
23434       }%
23435     }%
23436   }{}%
23437 }{}%
23438 \@ifundefined{#1tocdepth}{%
23439   \Ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
23440     \Ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
23441       \Ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
23442         \Ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
23443           \Ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
23444             \Ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
23445               \Ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
23446                 \Ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
23447                   \Ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
23448                     \expandafter\let\csname #1tocdepth\expandafter\endcsname
23449                       \csname #1numdepth\endcsname
23450                   }%
23451                 }%
23452             }%

```



```

23453         }%
23454     }%
23455 }%
23456     }%
23457 }%
23458     }%
23459 }{}%
23460 \scr@ifundefinedorrelax{scr@tso@#1@indent}{%
23461     \ifundefined{scr@#1@tocindent}{%
23462         \Ifstrstart{#1}{sub}{%
23463             \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
23464                 \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}%
23465                 \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
23466                     \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}}%
23467                 \relax
23468             }%
23469         }%
23470     }{}%
23471     \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
23472         \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
23473             \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}}%
23474         \relax
23475     }%
23476 }{}%
23477     \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
23478         \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}}%
23479         +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}}%
23480     \relax
23481 }%
23482     }%
23483 }%
23484 }{}%
23485 }{}%
23486 \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
23487 }%
23488 }{}%
23489 \scr@ifundefinedorrelax{scr@tso@#1@pagenumberwidth}{%
23490     \Ifstrstart{#1}{sub}{%
23491         \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@pagenumberwidth}{%
23492             \@namedef{scr@tso@#1@pagenumberwidth}{\@pnumwidth}}%
23493         }{}%
23494         \expandafter\let
23495         \csname scr@tso@#1@pagenumberwidth\endcsname
23496         \csname scr@tso@\scr@dte@nosub{#1}@pagenumberwidth\endcsname
23497     }%
23498 }{}%
23499     \@namedef{scr@tso@#1@pagenumberwidth}{\@pnumwidth}}%
23500 }%
23501 }{}%
23502 \scr@ifundefinedorrelax{scr@tso@#1@rightindent}{%
23503     \Ifstrstart{#1}{sub}{%
23504         \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@rightindent}{%
23505             \@namedef{scr@tso@#1@rightindent}{\@tocrmarg}}%
23506     }{}%

```



```

23507     \expandafter\let
23508     \csname scr@tso@#1@rightindent\expandafter\endcsname
23509     \csname scr@tso@\scr@dte@nosub{#1}@rightindent\endcsname
23510     }%
23511   }{%
23512     \@namedef{scr@tso@#1@rightindent}{\@tocrmarg}%
23513   }%
23514 }{%
23515 \@ifundefined{scr@tso@#1@indent}{%
23516   \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23517   \Ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23518   \Ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
23519   \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
23520   \scr@ifundefinedorrelax{1@chapter}{%
23521     \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{Opt}}{%
23522     \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23523     \Ifstr{#1}{subsubsection}{%
23524       \@namedef{scr@tso@#1@indent}{3.8em}%
23525     }{%
23526       \Ifstr{#1}{paragraph}{%
23527         \@namedef{scr@tso@#1@indent}{7em}%
23528       }{%
23529         \Ifstr{#1}{subparagraph}{%
23530           \@namedef{scr@tso@#1@indent}{10em}%
23531         }{%
23532         }%
23533       }%
23534     }%
23535   }%
23536 }%
23537 }{%
23538   \Ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
23539   \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
23540   \Ifstr{#1}{subsubsection}{%
23541     \@namedef{scr@tso@#1@indent}{7.0em}%
23542   }{%
23543     \Ifstr{#1}{paragraph}{%
23544       \@namedef{scr@tso@#1@indent}{10em}%
23545     }{%
23546       \Ifstr{#1}{subparagraph}{%
23547         \@namedef{scr@tso@#1@indent}{12em}%
23548       }{%
23549       }%
23550     }%
23551   }%
23552 }%
23553 }%
23554 }%
23555 }%
23556 }%
23557 }%
23558 }%
23559 }{%
23560 \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%

```



```

23561 \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
23562 \Ifstrstart{#1}{sub}{%
23563 \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
23564 \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
23565 \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
23566 +.9em%
23567 \relax
23568 }%
23569 }%
23570 }{}%
23571 }{}%
23572 \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
23573 }%
23574 }{}%
23575 \@ifundefined{scr@tso@#1@numwidth}{%
23576 \Ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23577 \Ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23578 \Ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23579 \scr@ifundefinedorrelax{chapter}{%
23580 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
23581 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23582 \Ifstr{#1}{subsubsection}{%
23583 \@namedef{scr@tso@#1@numwidth}{3.2em}}%
23584 }{}%
23585 \Ifstr{#1}{paragraph}{%
23586 \@namedef{scr@tso@#1@numwidth}{4.1em}}%
23587 }{}%
23588 \Ifstr{#1}{subparagraph}{%
23589 \@namedef{scr@tso@#1@numwidth}{5em}}%
23590 }{}%
23591 }%
23592 }%
23593 }%
23594 }%
23595 }%
23596 }{}%
23597 \Ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
23598 \Ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
23599 \Ifstr{#1}{subsubsection}{%
23600 \@namedef{scr@tso@#1@numwidth}{3.1em}}%
23601 }{}%
23602 \Ifstr{#1}{paragraph}{%
23603 \@namedef{scr@tso@#1@numwidth}{5em}}%
23604 }{}%
23605 \Ifstr{#1}{subparagraph}{%
23606 \@namedef{scr@tso@#1@numwidth}{6em}}%
23607 }{}%
23608 }%
23609 }%
23610 }%
23611 }%
23612 }%
23613 }%
23614 }%

```



```

23615     }%
23616   }%
23617 }{}%
23618 \expandafter\renewcommand%
23619 \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
23620 \expandafter\renewcommand%
23621 \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
23622 \expandafter\renewcommand%
23623 \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
23624 \@ifundefined{scr@tso@#1@beforeskip}{%
23625   \Ifstr{#1}{part}{%
23626     \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
23627   }{%
23628     \Ifstr{#1}{chapter}{%
23629       \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
23630     }{%
23631       \Ifstr{#1}{section}{%
23632         \scr@ifundefinedorrelax{1@chapter}{%
23633           \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
23634         }{}%
23635       }{}%
23636     }%
23637   }%
23638 \expandafter\renewcommand\expandafter*%
23639 \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
23640 }{}%
23641 \@ifundefined{scr@dte@#1@maxnumwidth}{%
23642   \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
23643   \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
23644 }{}%
23645 \renewcommand*{\scr@dte@donumwidth}{}%
23646 \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
23647 \expandafter\renewcommand\expandafter*%
23648 \csname scr@tso@#1@numsep\endcsname{.4em}%
23649 \expandafter\renewcommand%
23650 \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
23651 \Ifstr{#1}{part}{%
23652   \expandafter\providecommand%
23653   \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
23654 }{%
23655   \Ifstr{#1}{chapter}{%
23656     \expandafter\providecommand%
23657     \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
23658   }{%
23659     \scr@ifundefinedorrelax{1@chapter}{%
23660       \Ifstr{#1}{section}{%
23661         \expandafter\providecommand%
23662         \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
23663       }{}%
23664     }{}%
23665     \expandafter\providecommand%
23666     \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
23667   }%
23668 }%

```



```

23669 \expandafter\renewcommand
23670 \csname Ifscr@tso@#1@breakafternumber\endcsname [2]{##2}%
23671 \@ifundefined{scr@tso@#1@linefill}{%
23672   \Ifstr{#1}{part}{%
23673     \@namedef{scr@tso@#1@linefill}{\hfill}%
23674   }{%
23675     \Ifstr{#1}{chapter}{%
23676       \@namedef{scr@tso@#1@linefill}{\hfill}%
23677     }{%
23678       \scr@ifundefinedorrelax{1@chapter}{%
23679         \Ifstr{#1}{section}{%
23680           \@namedef{scr@tso@#1@linefill}{\hfill}%
23681         }{}%
23682       }{}%
23683     }%
23684     \expandafter\renewcommand%
23685     \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
23686   }%
23687 }{}%
23688 \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname [2]{##2}%
23689 \Ifstr{#1}{part}{%
23690   \expandafter\providecommand%
23691   \csname scr@tso@#1@pagenumberformat\endcsname [1]{\large\bfseries ##1}%
23692 }{%
23693   \Ifstr{#1}{chapter}{%
23694     \expandafter\providecommand%
23695     \csname scr@tso@#1@pagenumberformat\endcsname [1]{\bfseries ##1}%
23696   }{%
23697     \scr@ifundefinedorrelax{1@chapter}{%
23698       \Ifstr{#1}{section}{%
23699         \expandafter\providecommand%
23700         \csname scr@tso@#1@pagenumberformat\endcsname [1]{\bfseries ##1}%
23701       }{}%
23702     }{}%
23703     \expandafter\providecommand%
23704     \csname scr@tso@#1@pagenumberformat\endcsname [1]{%
23705       {\normalfont\normalcolor ##1}}%
23706   }%
23707 }%
23708 \expandafter\renewcommand%
23709 \csname scr@tso@#1@pagenumberbox\endcsname [1]{%
23710   \hb@xt@\@nameuse{scr@dte@pagenumberwidth}{\hfil ##1}}%
23711 \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname [2]{##2}%
23712 \expandafter\renewcommand\csname Ifscr@tso@#1@dynindent\endcsname [2]{##2}%
23713 \scr@ifundefinedorrelax{scr@tso@#1@indentfollows}{%
23714   \Ifstrstart{#1}{sub}{%
23715     \expandafter\edef\csname scr@tso@#1@indentfollows\endcsname{%
23716       \scr@dte@nosub{#1}%
23717     }%
23718   }{}%
23719   \expandafter\let\csname scr@tso@#1@indentfollows\endcsname\@empty
23720 }%
23721 }{}%
23722 }]{%

```



```

23723 \scr@dte@tocline{#1}{##1}{##2}%
23724 }
23725
23726 \if@bidi@csdef{scr@tso@figure@pagenumberformat}{%
23727 \renewcommand*{\scr@tso@figure@pagenumberformat}[1]{%
23728 {\normalfont\normalcolor #1}%
23729 }%
23730 }{}
23731
23732 \if@bidi@csdef{scr@tso@table@pagenumberformat}{%
23733 \renewcommand*{\scr@tso@table@pagenumberformat}[1]{%
23734 {\normalfont\normalcolor #1}%
23735 }%
23736 }{}
23737

```

## 158 File tocstyle-xetex-bidi.def

```

23738 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
23739 \renewcommand*{\tocstyle@dottedtocline}[5]{%
23740 \let\numberline\tocstyle@numberline
23741 \ifnum #1>\c@tocdepth \else
23742 \if@tocstyle@penalties
23743 \begingroup
23744 \@tempcnta 20010
23745 \advance \@tempcnta by -#1
23746 \ifnum \@tempcnta>\lastpenalty
23747 \aftergroup\penalty\aftergroup\@lowpenalty
23748 \fi
23749 \endgroup
23750 \fi
23751 \edef\tocstyledepth{#1}%
23752 \tocstyle@activate@features
23753 \ifx\tocstyle@feature@entryvskip\relax
23754 \vskip \z@ \@plus.2\p@
23755 \else
23756 \advvspace{\tocstyle@feature@entryvskip}%
23757 \fi
23758 f%
23759 \parskip \z@ \parindent \z@ \if@RTL\righskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
23760 \tocstyle@feature@raggedhook
23761 \@tempdima #3\relax
23762 \@tempdimb #2\relax
23763 \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
23764 \ifnum #1>\z@\relax
23765 \@tempcnta #1\relax \advance\@tempcnta \m@ne
23766 \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
23767 \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
23768 \tempdimb
23769 \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
23770 \advance\@tempdimb
23771 \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
23772 \fi
23773 \fi

```



```

23774 \fi
23775 \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23776 \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
23777 \ifdim \@tempdimb>
23778 \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
23779 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
23780 @#1\endcsname{\the\@tempdimb}%
23781 \fi
23782 \else
23783 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
23784 @#1\endcsname{\the\@tempdimb}%
23785 \fi
23786 \iftocstyle@autolength
23787 \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
23788 \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
23789 \relax
23790 \fi
23791 \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
23792 \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
23793 \relax
23794 \fi
23795 \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
23796 \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23797 \else
23798 \@tempdimb #2\relax
23799 \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23800 \fi
23801 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
23802 \ifdim \@tempdima>
23803 \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
23804 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
23805 @\endcsname{\the\@tempdima}%
23806 \fi
23807 \else
23808 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
23809 @\endcsname{\the\@tempdima}%
23810 \fi
23811 \ifcase\tocstyle@indentstyle\relax\else
23812 \@tempdimb \z@
23813 \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
23814 \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
23815 \relax
23816 \fi
23817 \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
23818 \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
23819 \fi
23820 \advance\parindent \@tempdimb\@afterindenttrue
23821 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
23822 \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
23823 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
23824 \ifx\tocstyle@feature@parfillskip\relax\else
23825 \advance\parfillskip \tocstyle@feature@parfillskip\relax
23826 \fi
23827 \interlinepenalty\M

```



```

23828 \leavevmode
23829 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
23830 \null\nobreak
23831 \iftocstyle@indentnotnumbered\else
23832 \hskip -\if@RTL\rightskip\else\leftskip\fi
23833 \fi
23834 \tocstyle@feature@entryhook
23835 {#4}\nobreak
23836 \ifx\tocstyle@feature@leaders\relax
23837 \leaders\hbox{${\m@th
23838 \mkern \dotsep mu\hbox{\tocstyle@feature@dothook .}%
23839 \mkern \dotsep mu$}\hfill
23840 \else
23841 \tocstyle@feature@leaders
23842 \fi
23843 \nobreak
23844 \ifx\tocstyle@feature@pagenumberbox\relax
23845 \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
23846 \else
23847 \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
23848 \fi
23849 \par
23850 }%
23851 \if\tocstyle@penalties
23852 \bgroup
23853 \@tempcnta 20009
23854 \advance\@tempcnta by -#1
23855 \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
23856 \reserved@a
23857 \fi
23858 \fi}
23859 \renewcommand*{\tocstyle@numberline}[1]{%
23860 \begingroup
23861 \ifx\tocstyle@feature@spaceafternumber\relax
23862 \settowidth\@tempdima{\tocstyle@numberline{#1}\enskip}%
23863 \else
23864 \settowidth\@tempdima{\tocstyle@numberline{#1}}%
23865 \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
23866 \fi
23867 \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
23868 \ifdim \@tempdima >
23869 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
23870 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
23871 @\tocstyledepth\endcsname{\the\@tempdima}%
23872 \fi
23873 \else
23874 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
23875 @\tocstyledepth\endcsname{\the\@tempdima}%
23876 \fi
23877 \endgroup
23878 \iftocstyle@indentnotnumbered
23879 \hskip -\if@RTL\rightskip\else\leftskip\fi
23880 \fi
23881 \ifcase \tocstyle@indentstyle

```



```

23882     \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
23883 \or
23884     \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
23885 \else
23886     \ifx\tocstyle@feature@spaceafternumber\relax
23887     \hbox{\tocstyle@numberline{#1}\enskip}%
23888     \else
23889     \hbox{\tocstyle@numberline{#1}\hskip
23890     \tocstyle@feature@spaceafternumber\relax}%
23891     \fi
23892 \fi
23893 }
23894 \AtBeginDocument{%
23895 \ifcsname l@part\endcsname
23896     \ifcsname l@chapter\endcsname
23897     \setbox\@tempboxa\vbox{\hsize\maxdimen
23898     \l@part{\tocstyle@l@define{part}{-1}}{}}%
23899     \else
23900     \setbox\@tempboxa\vbox{\hsize\maxdimen
23901     \l@part{\tocstyle@l@define{part}{0}}{}}%
23902     \fi
23903 \fi
23904 \ifcsname l@chapter\endcsname
23905     \setbox\@tempboxa\vbox{\hsize\maxdimen
23906     \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
23907 \fi
23908 \ifcsname l@section\endcsname
23909     \setbox\@tempboxa\vbox{\hsize\maxdimen
23910     \l@section{\tocstyle@l@define{section}{1}}{}}%
23911 \fi
23912 \ifcsname l@subsection\endcsname
23913     \setbox\@tempboxa\vbox{\hsize\maxdimen
23914     \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
23915 \fi
23916 \ifcsname l@subsubsection\endcsname
23917     \setbox\@tempboxa\vbox{\hsize\maxdimen
23918     \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
23919 \fi
23920 \ifcsname l@paragraph\endcsname
23921     \setbox\@tempboxa\vbox{\hsize\maxdimen
23922     \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
23923 \fi
23924 \ifcsname l@subparagraph\endcsname
23925     \setbox\@tempboxa\vbox{\hsize\maxdimen
23926     \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
23927 \fi
23928 \ifcsname l@table\endcsname
23929     \setbox\@tempboxa\vbox{\hsize\maxdimen
23930     \l@table{\tocstyle@l@define{table}{1}}{}}%
23931 \fi
23932 \ifcsname l@figure\endcsname
23933     \setbox\@tempboxa\vbox{\hsize\maxdimen
23934     \l@figure{\tocstyle@l@define{figure}{1}}{}}%
23935 \fi

```



```

23936 \def\@tempa#1#2#3#4#5{%
23937   \ifnum #1>\c@tocdepth \else
23938     \vskip \z@ \@plus.2\p@
23939     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@toc
23940     \parindent #2\relax\@afterindenttrue
23941     \interlinepenalty\@M
23942     \leavevmode
23943     \@tempdima #3\relax
23944     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\ri
23945     {#4}\nobreak
23946     \leaders\hbox{${\m@th
23947       \mkern \dotsep mu\hbox{.}\mkern \dotsep
23948       mu$}\hfill
23949     \nobreak
23950     \hb@xt@\@pnumwidth{{\hfil \normalfont \normalcolor #5}}%
23951     \par}%
23952   \fi}%
23953 \ifx@dottedtocline\@tempa\else
23954   \tocstyle@macrochangewarning@dottedtocline
23955 \fi
23956 \let\tocstyle@saved@dottedtocline@dottedtocline
23957 \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
23958 \ifx\numberline\@tempa\else
23959   \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
23960   \ifx\numberline\@tempa\else
23961     \tocstyle@macrochangewarning\numberline
23962   \fi
23963 \fi
23964 \let\tocstyle@saved@numberline\numberline
23965 }
23966 \renewcommand*{\tocstyle@l@define}[2]{%
23967   \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
23968   \edef\@tempa{%
23969     \noexpand\global\noexpand\let
23970     \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
23971     \expandafter\noexpand\csname l@#1\endcsname
23972     \noexpand\gdef
23973     \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
23974       \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
23975     \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
23976       \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
23977       \expandafter\noexpand\csname tocstyle@l@#1\endcsname
23978     }%
23979   }%
23980   \PackageInfo{tocstyle}{prepare \expandafter\string
23981     \csname l@#1\endcsname\space for redefinition}%
23982   \@tempa
23983 }

```

## 159 File todonotes-xetex-bidi.def

```

23984 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes packa
23985 \newif\if@bidi@todonotes@textdirection@RTL
23986 \newif\if@bidi@todonotes@figposition@right

```



```

23987 \newcommand{\@bidi@todonotes@align}{}%
23988 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
23989 \newcommand{\@bidi@todonotes@textdirection}{}%
23990 \define@choicekey{todonotes}{textdirection}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
23991 \ifcase\@bidi@todonotes@tempb\relax
23992 \@bidi@todonotes@textdirection@RTLtrue
23993 \let\@bidi@todonotes@textdirection\RLE
23994 \or
23995 \@bidi@todonotes@textdirection@RTLfalse
23996 \let\@bidi@todonotes@textdirection\LRE
23997 \fi}
23998 \define@choicekey{todonotes}{figposition}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right,
23999 \ifcase\@bidi@todonotes@tempb\relax
24000 \@bidi@todonotes@figposition@righttrue
24001 \or
24002 \@bidi@todonotes@figposition@rightfalse
24003 \fi}
24004 \if@todonotes@disabled%
24005 \else % \if@todonotes@disabled
24006 \renewcommand{\@todonotes@drawInlineNote}{%
24007 \if@todonotes@dviStyle%
24008 {\par\noindent\begin{tikzpicture}[remember picture]%
24009 \draw node[inlinenotestyle] {}; \end{tikzpicture}\par}%
24010 \if@todonotes@authorgiven%
24011 {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
24012 \else%
24013 {\noindent \@todonotes@sizecommand \@todonotes@text}%
24014 \fi
24015 {\par\noindent\begin{tikzpicture}[remember picture]%
24016 \draw node[inlinenotestyle] {}; \end{tikzpicture}\par}%
24017 \else%
24018 {\par\noindent\begin{tikzpicture}[remember picture]%
24019 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
24020 \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@
24021 \if@todonotes@authorgiven%
24022 {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text
24023 \else%
24024 {\noindent \@todonotes@sizecommand \@todonotes@text}%
24025 \fi};%
24026 \end{tikzpicture}\par}%
24027 \fi}%
24028 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
24029 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
24030 \node [coordinate] (inText) {};%
24031 \end{tikzpicture}%
24032 \marginpar[{} Draw note in left margin
24033 \@todonotes@drawMarginNote%
24034 \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
24035 ]{} Draw note in right margin
24036 \@todonotes@drawMarginNote%
24037 \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
24038 }%
24039 }%
24040 \renewcommand{\@todonotes@drawMarginNote}{%

```



```

24041 \if@todonotes@dviStyle%
24042   \begin{tikzpicture}[remember picture]%
24043     \draw node[notestyle] {};%
24044   \end{tikzpicture}\%
24045   \begin{minipage}{\@todonotes@textwidth}%
24046   \if@todonotes@authorgiven%
24047     \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
24048   \else%
24049     \@todonotes@sizecommand \@todonotes@text%
24050   \fi%
24051   \end{minipage}\%
24052   \begin{tikzpicture}[remember picture]%
24053     \draw node[notestyle] (inNote) {};%
24054   \end{tikzpicture}%
24055 \else%
24056   \let\originalHbadness\hbadness%
24057   \hbadness 100000%
24058   \begin{tikzpicture}[remember picture,baseline=(X.base)]%
24059     \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
24060     \node(X){\vphantom{X}};%
24061     \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@textdirection]{\@todonotes@text};%
24062     \if@todonotes@authorgiven%
24063       \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@textdirection]{\@todonotes@sizecommand\@todonotes@author};%
24064       \node(Y)[below=of X]{};%
24065       \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@textdirection]{\@todonotes@text};%
24066     \else%
24067       \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@textdirection]{\@todonotes@text};%
24068     \fi%
24069     \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@textdirection]{\@todonotes@text};%
24070   \fi%
24071   \end{tikzpicture}%
24072   \hbadness \originalHbadness%
24073 \fi}%
24074 \renewcommand{\missingfigure}[2]{}%
24075 \setkeys{todonotes}{#1}%
24076 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
24077 \par
24078 \noindent
24079 \begin{tikzpicture}
24080 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
24081 (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
24082 \if@bidi@todonotes@figposition@right%
24083 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
24084 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
24085 (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
24086 \end{scope}
24087 \end{tikzpicture}
24088 \if@bidi@todonotes@figposition@right%
24089 \begin{scope}[xshift=-3.8cm]
24090 \draw (2, -0.3) node[right, text

```



```

24095     width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
24096 \if@bidi@todonotes@figposition@right%
24097 \end{scope}
24098 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
24099 \fi%
24100 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@textdirection}};
24101 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@textdirection}};
24102 \if@bidi@todonotes@figposition@right%
24103 \end{scope}
24104 \fi%
24105 \end{tikzpicture}\hfill
24106 }% Ending \missingfigure command
24107 \fi % Ending \@todonotes@ifdisabled
24108 \presetkeys%
24109   {todonotes}%
24110   {align=left,%
24111   textdirection=lefttoright,%
24112   figposition=left}{}%

```

## 160 File wrapfig-xetex-bidi.def

```

24113 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package]
24114 \let\WF@everypar\@everypar
24115 \def\WF@putfigmaybe{%
24116 \ifinner
24117   \vskip-\parskip \global\WF@floatfalse
24118   \let\pagetotal\maxdimen % kludge flag for "not top of page"
24119 \else % outer page
24120   \@tempdima\pagedepth % save page depth
24121   {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back
24122   \penalty\interlinepenalty % update pg. parameters
24123   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
24124   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
24125     \global\WF@floatfalse
24126     \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
24127   \else
24128     \ifdim\WF@size>\@tempdimb
24129       \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
24130       \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
24131       \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
24132       \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
24133       \advance\dimen@.5\baselineskip
24134       \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch;}%
24135         \global\WF@floatfalse \pagebreak
24136       \fi
24137     \else % \WF@info{Fits in \the\@tempdimb;}%
24138       \global\WF@floatfalse
24139     \fi\fi
24140     \vskip\@tempdima\relax % (return erased page depth)
24141 \fi
24142 \noindent
24143 \ifWF@float
24144   \WF@fltmes
24145 \else % putting here;

```



```

24146 \WF@info{Put \WF@wfname here:}%
24147 {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
24148 \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
24149 \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
24150 \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
24151 \@tempdima\wd\WF@box \@tempdimb\WF@ovh
24152 \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
24153 \@tempdimb\hsize \advance\@tempdimb-\@tempdima
24154 \xdef\WF@adjlw{\the\@tempdima}%
24155 \ifnum `l=\WF@place % fig on left
24156 \if@RTL%
24157 \kern\@tempdimb \kern\columnsep
24158 \def\@tempa{\hss}% position to left of the gap
24159 \else%
24160 \hss % figure overlaps space to the left
24161 \def\@tempa{\kern\columnsep}% position to left of the gap
24162 \fi%
24163 \else % fig on right
24164 \if@RTL%
24165 \hss
24166 \@tempdima\z@
24167 \def\@tempa{\kern\columnsep}
24168 \else%
24169 \@tempdima\z@ % no left indentation
24170 \kern\@tempdimb \kern\columnsep
24171 \def\@tempa{\hss}% figure overlaps space to the right
24172 \fi%
24173 \fi
24174 \ifdim\@tempdimb<\hsize
24175 \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
24176 \xdef\WF@adjtllm{\the\@tempdima}%
24177 \else
24178 \xdef\WF@wrapil{\z@ \the\hsize}%
24179 \xdef\WF@adjlw{\z@}\xdef\WF@adjtllm{\z@}%
24180 \fi
24181 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
24182 \global\advance\WF@size-\intextsep
24183 \else % \WF@info{Putting \WF@wfname in middle of page}%
24184 \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
24185 \fi \dp\WF@box\z@ \box\WF@box \@tempa
24186 }% end \hbox to Opt
24187 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
24188 \fi}

```

## 161 File xcolor-xetex-bidi.def

```

24189 \ProvidesFile{xcolor-xetex-bidi.def}[2022/06/13 v0.3 bidi adaptations for xcolor package for
24190 \long\def\color@b@x#1#2#3%
24191 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
24192 \setbox\z@\hbox{\kern\fbboxsep{\setcolor\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
24193 \dimen@ \ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
24194 \dimen@ \dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
24195 {\#1{\#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
24196 \protected\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup

```



```

24197 \DeclareRobustCommand\color
24198 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\ifnextchar[\@undeclaredcolor\@declaredcolor]}
24199 \def\@undeclaredcolor[#1]#2%
24200 {\begingroup
24201 \let\@cls\@empty
24202 \XC@getmodclr12{#1}{#2}{}%
24203 {\ifblendcolors
24204 \ifx\colorblend\@empty\else
24205 \edef\@mix{\expandafter@gobble\colorblend}\@tempwafalse
24206 \XC@coremodel\@mod\@clr\@xcolor@{}}\@mod\@clr
24207 \fi
24208 \fi
24209 \ifconvertcolorsU
24210 \edef\@tmp{\XC@tgt@mod{\@mod}}%
24211 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
24212 \fi
24213 \ifmaskcolors
24214 \convertcolorspec\@mod\@clr\XC@mmod\@clr
24215 \let\@mod\XC@mmod
24216 \XC@inflate\@mod\XC@mclr\@clr\@tmp
24217 \expandafter\XC@mul\@tmp,\@clr
24218 \fi
24219 \edef\@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
24220 \expandafter\endgroup\@tmp}}
24221 \def\@declaredcolor#1%
24222 {\XC@edef\XC@tmp{#1}\XC@tstfalse
24223 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
24224 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
24225 \ifconvertcolorsU\XC@tsttrue\fi
24226 \fi
24227 \ifXC@tst
24228 \expandafter\XC@declaredcolor\else
24229 \expandafter\XC@declaredc@lor\fi}
24230 \def\XC@undeclaredcolor#1#2%
24231 {\@ifundefinedmodel{#1}%
24232 {\c@lor@error{model `#1'}}%
24233 {\@nameuse{color@#1}\current@color{#2}}%
24234 \edef\XC@current@color{\noexpand\xcolor@{\current@color}{#1}{#2}}%
24235 \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
24236 \def\XC@declaredc@lor
24237 {\XC@let\Nc\XC@current@color{\string\color@\XC@tmp}%
24238 \edef\current@color{\XC@current@color}%
24239 \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
24240 \DeclareRobustCommand\bidicolor
24241 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor]}
24242 \def\@bidiundeclaredcolor[#1]#2%
24243 {\begingroup
24244 \let\@cls\@empty
24245 \XC@getmodclr12{#1}{#2}{}%
24246 {\ifblendcolors
24247 \ifx\colorblend\@empty\else
24248 \edef\@mix{\expandafter@gobble\colorblend}\@tempwafalse
24249 \XC@coremodel\@mod\@clr\@xcolor@{}}\@mod\@clr
24250 \fi

```



```

24251 \fi
24252 \ifconvertcolorsU
24253 \edef\@tmp{\XC@tgt@mod{\@mod}}%
24254 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
24255 \fi
24256 \ifmaskcolors
24257 \convertcolorspec\@mod\@clr\XC@mmod\@clr
24258 \let\@mod\XC@mmod
24259 \XC@inflate\@mod\XC@mclr\@clr\@tmp
24260 \expandafter\XC@mul\@tmp,\@clr
24261 \fi
24262 \edef\@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@clr}}%
24263 \expandafter\endgroup\@tmp}
24264 \def\XC@bidiundeclaredcolor#1#2%
24265 {\@ifundefinedmodel{#1}%
24266 {\color@error{model `#1'}}%
24267 {\@nameuse{color@#1}\current@color{#2}}%
24268 \edef\XC@current@color{\noexpand\xcolor@}{\current@color}{#1}{#2}}%
24269 \XC@display}}
24270 \def\@bidideclaredcolor#1%
24271 {\XC@edef\XC@tmp{#1}\XC@tstfalse
24272 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
24273 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
24274 \ifconvertcolorsU\XC@tsttrue\fi
24275 \fi
24276 \ifXC@tst
24277 \expandafter\XC@bidideclaredcolor\else
24278 \expandafter\XC@bidideclaredcolor\fi}
24279 \def\XC@bidideclaredcolor
24280 {\XC@split\XC@tmp
24281 \edef\@tmp{\noexpand\@bidiundeclaredcolor[\@mod]{\@clr}}%
24282 \expandafter\endgroup\@tmp}
24283 \def\XC@bidideclaredcolor
24284 {\XC@let\Nc\XC@current@color{\string\color@\XC@tmp}%
24285 \edef\current@color{\XC@current@color}%
24286 \XC@display}
24287 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1}{#2}}
24288 \def\color@fbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
24289 \def\color@fb@x#1#2#3#4%
24290 {\color@b@x{\fboxsep\z@\bidicolor#1}{#2}\XC@fbox}%
24291 {\@ifempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}
24292 \def\color@setgroup{\begingroup\ifhmode\ifRTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode

```

## 162 File latex-xetex-bidi.def

```

24293 \ProvidesFile{latex-xetex-bidi.def}[2022/07/04 v1.4.9 bidi adaptations for `latex.ltx' for
24294 \newcommand{\TeXXeTOn}{\TeXXeTstate@ne}
24295 \newcommand{\TeXXeTOff}{\TeXXeTstate@z@}
24296 \TeXXeTOn
24297 \def\bidi@RTL@everypar{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@}
24298 \let\bidi@o@everypar=\everypar
24299 \newtoks\bidi@n@everypar
24300 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
24301 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}

```



```

24302 \let\everypar=\bidi@n@everypar
24303 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
24304 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
24305 \protected\def\hboxR{\hbox\bgroup
24306 \everyhbox{%
24307 \aftergroup\egroup
24308 \everyhbox{}}%
24309 \beginR
24310 \@hboxRconstructtrue
24311 \bgroup
24312 \aftergroup\endR
24313 \aftergroup\egroup
24314 }\hbox}
24315 \protected\def\hboxL{\hbox\bgroup
24316 \everyhbox{%
24317 \aftergroup\egroup
24318 \everyhbox{}}%
24319 \beginL
24320 \@hboxRconstructfalse
24321 \bgroup
24322 \aftergroup\endL
24323 \aftergroup\egroup
24324 }\hbox}
24325 \protected\def\vboxR{\vbox\bgroup
24326 \everyvbox{%
24327 \aftergroup\egroup
24328 \everyvbox{}}%
24329 \@RTLtrue
24330 \@RTLtabtrue
24331 \bgroup
24332 \aftergroup\egroup
24333 }\vbox}
24334 \protected\def\vboxL{\vbox\bgroup
24335 \everyvbox{%
24336 \aftergroup\egroup
24337 \everyvbox{}}%
24338 \@RTLfalse
24339 \@RTLtabfalse
24340 \bgroup
24341 \aftergroup\egroup
24342 }\vbox}
24343 \newcommand*{\bidi@leftskip}{\if@RTL\righskip\else\leftskip\fi}
24344 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\righskip\fi}
24345 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@\bidi@beamer}
24346 \def\endLTR{\par}
24347 \newenvironment{LTR*}{\LTR
24348 \everypar{%
24349 \setbox\z@\lastbox
24350 \ifvoid\z@
24351 \kern-\parindent
24352 \fi}%
24353 }%
24354 }\endLTR\@endpetrue}
24355 \def\RTL{\par\@RTLtrue\@RTL@footnotettrue\@RTLtabtrue\hsize\linewidth\parshape\z@\bidi@beamer}

```



```

24356 \def\endRTL{\par}
24357 \newenvironment{RTL*}{\RTL
24358   \everypar{%
24359     {\setbox\z@\lastbox
24360     \ifvoid\z@
24361       \kern-\parindent
24362     \fi}%
24363   }%
24364 }{\endRTL\@endptrue}
24365 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTL@tabtrue\@bidi@beamer@ragged}
24366 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTL@tabfalse\@bidi@beamer@ragged}
24367 \let\unsetRTL=\setLTR
24368 \let\unsetLTR=\setRTL
24369 \let\LR=\LRE
24370 \let\RL=\RLE
24371 \def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
24372 \def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
24373 \let\@ensure@RL=\@ensure@RTL
24374 \let\@ensure@LR=\@ensure@LTR
24375 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
24376 \let\@ensure@maindir=\@ensure@dir
24377 \def\@@RTL{RTL}
24378 \def\@@LTR{LTR}
24379 \def\save@dir{\if@RTL\gdef\save@@@dir{RTL}\else\gdef\save@@@dir{LTR}\fi}
24380 \def\reset@dir{\ifx\save@@@dir\@@RTL\setRTL\else\ifx\save@@@dir\@@LTR\setLTR\else\relax\fi}
24381 \let\@@TeX\TeX
24382 \def\TeX{\@ensure@LTR{\@@TeX}}
24383 \let\@@LaTeX\LaTeX
24384 \def\LaTeX{\@ensure@LTR{\@@LaTeX}}
24385 \let\@@LaTeXe\LaTeXe
24386 \def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
24387 \long\def\@bidi@reflect@box#1{%
24388   \leavevmode
24389   \setbox\z@\hbox{#1}}%
24390   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
24391   \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
24392 }
24393 \bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
24394   \hbox{\kern-.125em\@bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
24395 \bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X}\lower.5ex
24396   \hbox{\kern-.125em\@bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
24397 \let\setRL=\setRTL
24398 \let\setLR=\setLTR
24399 \let\unsetRL=\setLTR
24400 \def\@bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
24401 \@ifpackageloaded{array}{%
24402 \def\@bidi@tabular@RTLcases{\@RTL@tabtrue%
24403   \leavevmode
24404   \hbox \bgroup $\left.\col@sep\tabcolsep \let\d@llarbegin\begin\group
24405     \let\d@llarend\end\group
24406   \@tabarray}
24407 \def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
24408 }{%
24409 \def\@bidi@tabular@RTLcases{\@RTL@tabtrue%

```



```

24410 \leavevmode \hbox \bgroup
24411 $\left.\let\@acol\@tabacol
24412 \let\@classz\@tabclassz
24413 \let\@classiv\@tabclassiv \let\@tabularcr\@tabarray}
24414
24415 \def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
24416 \egroup\right\rbrace $\egroup}}
24417 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
24418 \ialign{##\hfil$\&\quad{##}\hfil\crcr#1\crcr}}\,\right\}}
24419 \renewenvironment{RTLcases}{%
24420 \bidi@matrix@check\RTLcases\env@RTLcases
24421 }{%
24422 \endbidi@tabular@RTLcases%
24423 }
24424 \def\env@RTLcases{%
24425 \let\@ifnextchar\bidi@new@ifnextchar
24426 \def\arraystretch{1.2}%
24427 \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
24428 }
24429 \def\SepMark#1{\gdef\@SepMark{#1}}
24430 \SepMark{.}
24431 \def\@thmcountersep{\@SepMark}
24432 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
24433 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
24434 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
24435 \newcommand*{\bidi@thebibliography@font@hook}{ }
24436 \def\list#1#2{%
24437 \ifnum \@listdepth >5\relax
24438 \toodeep
24439 \else
24440 \global\advance\@listdepth\@ne
24441 \fi
24442 \rightmargin\z@
24443 \listparindent\z@
24444 \itemindent\z@
24445 \csname @list\romannumeral\the\@listdepth\endcsname
24446 \def\@itemlabel{#1}%
24447 \let\makelabel\@mklab
24448 \@nmbrrlistfalse
24449 #2\relax
24450 \@trivlist
24451 \parskip\parsep
24452 \parindent\listparindent
24453 \advance\linewidth -\rightmargin
24454 \advance\linewidth -\leftmargin
24455 \if@bidi@list@minipage@parbox
24456 \if@RTL
24457 \advance\@totalleftmargin \leftmargin
24458 \else
24459 \advance\@totalleftmargin \rightmargin
24460 \fi
24461 \else
24462 \if@hboxRconstruct
24463 \if@bidi@list@minipage@parbox@not@nob

```



```

24464 \if@RTL
24465   \advance\@totalleftmargin \rightmargin
24466 \else
24467   \advance\@totalleftmargin \leftmargin
24468 \fi
24469 \else
24470 \if@RTL
24471 \advance\@totalleftmargin \leftmargin
24472 \else
24473 \advance\@totalleftmargin \rightmargin
24474 \fi\fi
24475 \else
24476 \if@RTL
24477   \advance\@totalleftmargin \rightmargin
24478 \else
24479   \advance\@totalleftmargin \leftmargin
24480 \fi\fi\fi
24481 \parshape \@ne \@totalleftmargin \linewidth
24482 \ignorespaces}
24483 \long\def\@iiiparbox#1#2[#3]#4#5{%
24484   \leavevmode
24485   \@pboxswfalse
24486   \if@hboxRconstruct
24487     \@bidi@list@minipage@parbox@not@nobtrue
24488   \fi
24489   \if@RTL
24490     \ifx#1t%
24491       \@bidi@list@minipage@parboxtrue
24492     \else
24493       \ifx#1b%
24494         \@bidi@list@minipage@parboxtrue
24495       \fi
24496     \fi
24497   \fi
24498   \setlength\@tempdima{#4}%
24499   \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@par}%
24500   \ifx\relax#2\else
24501     \setlength\@tempdimb{#2}%
24502     \edef\@parboxto{to\the\@tempdimb}%
24503   \fi
24504   \if#1b\vbox
24505   \else\if #1t\vtop
24506   \else\ifmmode\vcenter
24507   \else\@pboxswtrue $\vcenter
24508   \fi\fi\fi
24509   \@parboxto{\let\hss\vss\let\unhbox\unvbox
24510     \csname bm@#3\endcsname}%
24511   \if@pboxsw \m@th$\fi
24512 \end@tempboxa}
24513 \newenvironment{LTRitems}
24514   {\par\@RTLfalse\@RTLtabfalse\bidi@beamer@ragged
24515   \if@bidi@list@minipage@parbox
24516   \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
24517   \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob

```



```

24518         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
24519         \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24520         \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24521         \ignorespaces}{\vskip\z@}
24522 \newenvironment{RTLitems}
24523     {\par\@RTLtrue\@RTLtabtrue\@bidi@beamer@ragged
24524     \if@bidi@list@minipage@parbox
24525     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
24526     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
24527     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
24528     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24529     \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24530     \ignorespaces}{\vskip\z@}
24531 \newenvironment{LTRbibitems}
24532     {\par\@RTLfalse\@RTLtabfalse\@bidi@beamer@ragged
24533     \if@bidi@list@minipage@parbox
24534     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
24535     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
24536     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
24537     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24538     \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24539     \ignorespaces}{\vskip\z@}
24540 \newenvironment{RTLbibitems}
24541     {\par\@RTLtrue\@RTLtabtrue\@bidi@beamer@ragged
24542     \if@bidi@list@minipage@parbox
24543     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
24544     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
24545     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
24546     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
24547     \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
24548     \ignorespaces}{\vskip\z@}
24549 \def\raggedright{%
24550 \let\@centercr\@rightskip\@flushglue \rightskip\@rightskip
24551 \leftskip\z@skip
24552 \parindent\z@\parfillskip\z@skip}
24553 \let\bidi@orig@raggedleft\raggedleft
24554 \let\bidi@orig@raggedright\raggedright
24555 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRco
24556 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRco
24557 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
24558 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
24559 \def\centerline#1{%
24560 \if@RTL\@@line{\hss\beginR#1\endR\hss}
24561 \else\@@line{\hss#1\hss}\fi}
24562 \def\leftline#1{%
24563 \if@RTL\@@line{\beginR#1\endR\hss}
24564 \else\@@line{#1\hss}\fi}
24565 \def\rightline#1{%
24566 \if@RTL\@@line{\hss\beginR#1\endR}
24567 \else\@@line{\hss#1}\fi}
24568 \let\bidi@orig@leftline\leftline
24569 \let\bidi@orig@rightline\rightline
24570 \def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\
24571 \def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\

```



```

24572 \def\bidirlap#1{\hb@xt@z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
24573 \def\bidillap#1{\hb@xt@z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
24574 \def\@hangfrom#1{\setbox\@tempboxa\hbox{#1}}%
24575     \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
24576 \def\narrower{%
24577   \advance\if@RTL\rightskip\else\leftskip\fi\parindent
24578   \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
24579 \def\underline#1{%
24580   \relax
24581   \ifmode\@underline{#1}%
24582   \else
24583   \if@RTL $\@underline{\hbox{\beginR#1\endR}}\m@th$\relax
24584   \else
24585   $\@underline{\hbox{#1}}\m@th$\relax\fi\fi}
24586 \if@compatibility
24587   \let\underline=\underline
24588 \fi
24589 \def\@tabular{%
24590   \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
24591   $\let\@acol\@tabacol
24592   \let\@classz\@tabclassz
24593   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
24594 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
24595   \egroup $\if@RTLtab\endR\fi\egroup}
24596 \expandafter \let \csname endtabular*\endcsname = \endtabular
24597 \def\@array[#1]#2{%
24598   \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
24599   \bgroup
24600   \setbox\@arstrutbox\hbox{%
24601     \vrule \@height\arraystretch\ht\strutbox
24602     \@depth\arraystretch \dp\strutbox
24603     \@widthz@}%
24604   \@mkpream{#2}%
24605   \edef\@preamble{%
24606     \ialign \noexpand\@halignto
24607     \bgroup \@arstrut \@preamble \tabskipz@skip \cr}%
24608   \let\@startpbox\@startpbox \let\@endpbox\@endpbox
24609   \let\@tabularnewline\%
24610   \let\par\@empty
24611   \let\sharp##%
24612   \set@typeset@protect
24613   \lineskipz@skip\baselineskipz@skip
24614   \ifhmode \@preamerrz@ \@@par\fi
24615   \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
24616   \@preamble}
24617 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
24618   \let\@classiv\@arrayclassiv
24619   \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
24620 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
24621   \ifnum \@lastchclass=3 5 \else
24622   \z@ \if #1c\@chnum \z@ \else
24623     \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
24624     \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
24625     \@chclass \if #1\@ne \else

```



```

24626             \if #1@tw@ \else
24627             \if #1p3 \else \z@ \@preamerr 0\fi
24628 \fi \fi \fi \fi \fi \fi
24629 \fi}
24630 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
24631 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
24632 \def\bm@t{\unhbox\@tempboxa\hss}
24633 \def\bm@b{\hss\unhbox\@tempboxa}
24634 \def\@dottedtocline#1#2#3#4#5{%
24635   \ifnum #1>\c@tocdepth \else
24636     \vskip \z@ \@plus.2\p@
24637     {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@ocrma
24638     \parindent #2\relax\@afterindenttrue
24639     \interlinepenalty\@M
24640     \leavevmode
24641     \@tempdima #3\relax
24642     \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
24643     {#4}\nobreak
24644     \leaders\hbox{$\m@th
24645       \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
24646       mu$}\hfill
24647     \nobreak
24648     \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
24649     \par}%
24650 \fi}
24651
24652 \newcount\ bidi@column@check@number
24653
24654 \def\ bidi@column@status#1{\gdef\ bidi@current@column@status{#1}}
24655
24656 \def\ bidi@set@column@status#1#2{%
24657   \global\expandafter\let\csname #1\endcsname\ bidi@current@column@status}
24658
24659 \if@twocolumn
24660 \newcommand\ DetectColumn[3][1]{%
24661 \ifx\ bidi@firstcolumn@status@write\relax
24662   \PackageError{bidi}%
24663     {Option 'DetectColumn' not selected}%
24664     {\string\ DetectColumn\space
24665     requires the use of the 'DetectColumn'
24666     option on the package}%
24667 \fi
24668 \global\advance\ bidi@column@check@number\@ne
24669 \edef\ bidi@column@type{\expandafter\ifx
24670   \csname bidi@column-\the\ bidi@column@check@number\endcsname\relax
24671   0\else
24672   \csname bidi@column-\the\ bidi@column@check@number\endcsname
24673   \fi}%
24674 \ifcase \ bidi@column@type\relax
24675   \ifcase #1\or #2\or#3\fi   % 0 not known use first column as default
24676 \or
24677   #2% % 1 First column
24678 \or
24679   #3% % 2 Second (Last column)

```



```

24680 \else
24681 \ERROR
24682 \fi
24683 \edef\next{\write\@auxout
24684   {\string\bidiset@column@status{bidi@column-\the\bidicolumn@check@number}}%
24685   {\bidi@column@type}}}%
24686 \next
24687 }
24688
24689 \AtEndDocument{\def\bidi@set@column@status#1#2{%
24690   \ifnum #2=\bidicurrent@column@status\else
24691     \@tempwtrue
24692     \fi}%
24693 }
24694 \fi
24695
24696 \def\RTL@outputdblcol{%
24697   \if@firstcolumn
24698     \global\@firstcolumnfalse
24699     \global\setbox\@leftcolumn\copy\@outputbox
24700     \splitmaxdepth\maxdimen
24701     \vbadness\maxdimen
24702     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
24703     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
24704     \toks@\expandafter{\topmark}%
24705     \xdef\@firstcoltopmark{\the\toks@}%
24706     \toks@\expandafter{\splitfirstmark}%
24707     \xdef\@firstcolfirstmark{\the\toks@}%
24708     \ifx\@firstcolfirstmark\empty
24709       \global\let\@setmarks\relax
24710     \else
24711       \gdef\@setmarks{%
24712         \let\firstmark\@firstcolfirstmark
24713         \let\topmark\@firstcoltopmark}%
24714     \fi
24715   \else
24716     \global\@firstcolumntrue
24717     \setbox\@outputbox\vbox{%
24718       \hb@xt@\textwidth{%
24719         \hskip \columnwidth
24720         \hfil
24721         {\normalcolor\vrule \@width\columnseprule}%
24722         \hfil
24723         \hb@xt@\columnwidth{%
24724           \bidi@firstcolumn@status@write%
24725           \box\@leftcolumn \hss}%
24726         \hskip -\textwidth
24727         \hb@xt@\columnwidth{%
24728           \bidi@lastcolumn@status@write%
24729           \box\@outputbox \hss}%
24730         \hskip \columnsep
24731         \hskip \columnwidth }}}%
24732   \@combinedblfloats
24733   \@setmarks

```



```

24734 \@outputpage
24735 \begingroup
24736 \@dblfloatplacement
24737 \@startdblcolumn
24738 \@whilesw@if@fcolmade \fi{\@outputpage
24739 \@startdblcolumn}%
24740 \endgroup
24741 \fi}%
24742
24743 \def\LTR@outputdblcol{%
24744 \if@firstcolumn
24745 \global\@firstcolumnfalse
24746 \global\setbox\@leftcolumn\copy\@outputbox
24747 \splitmaxdepth\maxdimen
24748 \vbadness\maxdimen
24749 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
24750 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
24751 \toks@\expandafter{\topmark}%
24752 \xdef\@firstcoltopmark{\the\toks@}%
24753 \toks@\expandafter{\splitfirstmark}%
24754 \xdef\@firstcolfirstmark{\the\toks@}%
24755 \ifx\@firstcolfirstmark\@empty
24756 \global\let\@setmarks\relax
24757 \else
24758 \gdef\@setmarks{%
24759 \let\firstmark\@firstcolfirstmark
24760 \let\topmark\@firstcoltopmark}%
24761 \fi
24762 \else
24763 \global\@firstcolumntrue
24764 \setbox\@outputbox\vbox{%
24765 \hb@xt@\textwidth{%
24766 \hb@xt@\columnwidth{%
24767 \bidi@firstcolumn@status@write%
24768 \box\@leftcolumn \hss}%
24769 \hfil
24770 {normalcolor\vrule \@width\columnseprule}%
24771 \hfil
24772 \hb@xt@\columnwidth{%
24773 \bidi@lastcolumn@status@write%
24774 \box\@outputbox \hss}}}%
24775 \@combinedblfloats
24776 \@setmarks
24777 \@outputpage
24778 \begingroup
24779 \@dblfloatplacement
24780 \@startdblcolumn
24781 \@whilesw@if@fcolmade \fi{\@outputpage
24782 \@startdblcolumn}%
24783 \endgroup
24784 \fi}%
24785
24786
24787 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}

```



```

24788 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
24789 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
24790
24791 \bidi@patchcmd\@makecol{%
24792   \ifvoid\footins
24793     \setbox\@outputbox \box\@cclv
24794   \else
24795     \setbox\@outputbox \vbox {%
24796       \boxmaxdepth \@maxdepth
24797       \unvbox \@cclv
24798       \vskip \skip\footins
24799       \color@begingroup
24800         \normalcolor
24801         \footnoterule
24802         \unvbox \footins
24803       \color@endgroup
24804     }%
24805   \fi
24806 }{%
24807   \ifvoid\footins
24808     \ifvoid\@bidi@copyins@
24809       \setbox\@outputbox \box\@cclv
24810     \else
24811       \setbox\@outputbox \vbox {%
24812         \boxmaxdepth \@maxdepth
24813         \unvbox \@cclv
24814         \vskip \skip\@bidi@copyins@
24815         \color@begingroup
24816         \normalcolor
24817         \unvbox \@bidi@copyins@
24818       \color@endgroup
24819     }%
24820   \fi
24821   \else
24822     \setbox\@outputbox \vbox {%
24823       \boxmaxdepth \@maxdepth
24824       \unvbox \@cclv
24825       \vskip \skip\footins
24826       \color@begingroup
24827         \normalcolor
24828         \footnoterule
24829       \unvbox \footins
24830     \color@endgroup
24831     \ifvoid\@bidi@copyins@
24832     \else
24833       \vskip \skip\@bidi@copyins@
24834       \color@begingroup
24835         \normalcolor
24836       \unvbox \@bidi@copyins@
24837     \color@endgroup
24838     \fi
24839   }%
24840   \fi
24841 }{}{}

```



```

24842
24843 \def\LTRmarginpar{%
24844   \ifhmode
24845     \@bsphack
24846     \@floatpenalty -\@Mii
24847   \else
24848     \@floatpenalty-\@Miii
24849   \fi
24850   \ifinner
24851     \@parmoderr
24852     \@floatpenalty\z@
24853   \else
24854     \@next\@currbox\@freelist{}{}%
24855     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
24856     {\@floatpenalty\z@
24857       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
24858   \fi
24859   \@ifnextchar [\@LTRxmpar\@LTRympar}
24860 \long\def\@LTRxmpar[#1]#2{%
24861   \@LTRsavemarbox\@marbox{#1}%
24862   \@LTRsavemarbox\@currbox{#2}%
24863   \@xympar}
24864 \long\def\@LTRympar#1{%
24865   \@LTRsavemarbox\@marbox{#1}%
24866   \global\setbox\@currbox\copy\@marbox
24867   \@xympar}
24868 \long\def \@LTRsavemarbox #1#2{%
24869   \global\setbox #1%
24870     \color@vbox
24871     \vtop{%
24872       \hsize\marginparwidth
24873       \@parboxrestore
24874       \@LTRmarginparreset
24875       #2%
24876       \@minipagefalse
24877       \outer@nobreak
24878     }%
24879   \color@endbox
24880 }
24881 \def \@LTRmarginparreset {%
24882   \reset@font
24883   \normalsize
24884   \@minipagetrue
24885   \everypar{\@minipagefalse\everypar{}\beginL}%
24886 }
24887 \def\RTLmarginpar{%
24888   \ifhmode
24889     \@bsphack
24890     \@floatpenalty -\@Mii
24891   \else
24892     \@floatpenalty-\@Miii
24893   \fi
24894   \ifinner
24895     \@parmoderr

```



```

24896 \floatpenalty\z@
24897 \else
24898 \@next\@currbox\@freelist{}{}%
24899 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
24900 {\floatpenalty\z@
24901 \fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
24902 \fi
24903 \ifnextchar [\@RTLxmpar\@RTLympar}
24904 \long\def\@RTLxmpar[#1]#2{%
24905 \@RTLSavemarbox\@marbox{#1}%
24906 \@RTLSavemarbox\@currbox{#2}%
24907 \@xympar}
24908 \long\def\@RTLympar#1{%
24909 \@RTLSavemarbox\@marbox{#1}%
24910 \global\setbox\@currbox\copy\@marbox
24911 \@xympar}
24912 \long\def \@RTLSavemarbox #1#2{%
24913 \global\setbox #1%
24914 \color@vbox
24915 \vtop{%
24916 \hsize\marginparwidth
24917 \@parboxrestore
24918 \@RTLMarginparreset
24919 #2%
24920 \@minipagefalse
24921 \outer@nbreak
24922 }%
24923 \color@endbox
24924 }
24925 \def \@RTLMarginparreset {%
24926 \reset@font
24927 \normalsize
24928 \@minipagetrue
24929 \everypar{\@minipagefalse\everypar{}\beginR}%
24930 }
24931 \def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
24932 \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
24933 \if@twocolumn
24934 \if@firstcolumn \@tempcnta\m@ne \fi
24935 \else
24936 \if@mparswitch
24937 \ifodd\c@page \else\@tempcnta\m@ne \fi
24938 \fi
24939 \if@reversemargin \@tempcnta -\@tempcnta \fi
24940 \fi
24941 \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
24942 \@tempdima\mparbottom
24943 \advance\@tempdima -\@pageht
24944 \advance\@tempdima\ht\@marbox
24945 \ifdim\@tempdima >\z@
24946 \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
24947 \else
24948 \@tempdima\z@
24949 \fi

```



```

24950 \global\@mparbottom\@pageht
24951 \global\advance\@mparbottom\@tempdima
24952 \global\advance\@mparbottom\dp\@marbox
24953 \global\advance\@mparbottom\marginparpush
24954 \advance\@tempdima -\ht\@marbox
24955 \global\setbox \@marbox
24956 \vbox {\vskip \@tempdima
24957 \box \@marbox}%
24958 \global \ht\@marbox \z@
24959 \global \dp\@marbox \z@
24960 \kern -\@pagedp
24961 \nointerlineskip
24962 \hb@xt@\columnwidth
24963 {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL
24964 \hskip\columnwidth \hskip\marginparsep
24965 \else
24966 \hskip -\marginparsep \hskip -\marginparwidth
24967 \fi
24968 \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR
24969 \nointerlineskip
24970 \hbox{\vrule \height\z@ \@width\z@ \@depth\@pagedp}}
24971 \long\def\@ympar#1{%
24972 \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginp
24973 \global\setbox\@currbox\copy\@marbox
24974 \@xympar}
24975 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
24976 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
24977 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
24978 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
24979 \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
24980 \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
24981 \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
24982 \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
24983 \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}}
24984 \fi}
24985
24986 \newcommand*{\bidi@font@@outputpage}{-}
24987
24988 \def\@outputpage{%
24989 \begingroup % the \endgroup is put in by \aftergroup
24990 \let \protect \noexpand
24991 \@resetactivechars
24992 \global\let\@if@newlist\if@newlist
24993 \global\@newlistfalse
24994 \@parboxrestore
24995 \global\let\bidi@BeforeOutputPageShipOut\@firstofone
24996 \bidi@beforeoutputpageshipouthook
24997 \shipout \vbox{%
24998 \set@typeset@protect
24999 \aftergroup \endgroup
25000 \aftergroup \set@typeset@protect
25001 % correct? or just restore by ending
25002 % the group?
25003 \if@specialpage

```



```

25004   \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
25005   \fi
25006   \if@twoside
25007     \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
25008     \if@RTLmain
25009       \let\@themargin\evensidemargin
25010     \else
25011       \let\@themargin\oddsidemargin
25012     \fi
25013   \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
25014     \if@RTLmain
25015       \let\@themargin\oddsidemargin
25016     \else
25017       \let\@themargin\evensidemargin
25018     \fi
25019   \fi
25020   \ifx\@thehead\@empty \let\@thehead\hfil \fi
25021   \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
25022   \else %% not @twoside
25023     \ifx\@oddhead\@empty \let\@thehead\hfil \fi
25024     \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
25025   \fi
25026   \reset@font
25027   \normalsize
25028   \bidi@font@@@outputpage
25029   \normalsfcodes
25030   \let\label\@gobble
25031   \let\index\@gobble
25032   \let\glossary\@gobble
25033   \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
25034   \@begindvi
25035   \vskip \topmargin
25036   \moveright\@themargin \vbox {%
25037     \global\let\@bidi@BeforeHeader\@firstofone
25038     \bidi@beforeheaderhook
25039     \setbox\@tempboxa \vbox to\headheight{%
25040       \vfil
25041       \color@hbox
25042       \normalcolor
25043       \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if
25044       \color@endbox
25045       }%
25046       \dp\@tempboxa \z@
25047       \box\@tempboxa
25048       \vskip \headsep
25049       \global\let\@bidi@BeforeOutputBoxOutputPage\@firstofone
25050       \bidi@beforeoutputboxoutputpagehook
25051       \box\@outputbox
25052       \global\let\@bidi@AfterOutputBoxOutputPage\@firstofone
25053       \bidi@afteroutputboxoutputpagehook
25054       \global\let\@bidi@BeforeFooter\@firstofone
25055       \bidi@beforefooterhook
25056       \baselineskip \footskip
25057       \color@hbox

```



```

25058     \normalcolor
25059     \hb@xt@ \textwidth{\if@RTLmain@RTLtrue\beginR\else@RTLfalse\beginL\fi \@thefoot\if@R
25060     \color@endbox
25061     \global\let\@bidi@AfterFooter\@firstofone
25062     \bidi@afterfooterhook
25063     }%
25064     }%
25065     \global\let\@bidi@AfterOutputPageShipOut\@firstofone
25066     \bidi@afteroutputpageshipouthook
25067     \global\let\if@newlist\@if@newlist
25068     \global \colht \textheight
25069     \stepcounter{page}%
25070     \let\firstmark\botmark
25071     \global\let\@bidi@AtEndOutputPage\@firstofone
25072     \bidi@atendoutputpagehook
25073 }
25074 \long\def\@makecaption#1#2{%
25075   \vskip\abovecaptionskip
25076   \sbox\@tempboxa{#1: #2}%
25077   \ifdim \wd\@tempboxa >\hsize
25078     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
25079   \else
25080     \global \@minipagefalse
25081     \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
25082     \fi
25083     \vskip\belowcaptionskip}
25084 \let\@bidi@saved@eqno=\eqno
25085 \let\@bidi@saved@leqno=\leqno
25086 \def\eqno{\ifnum\predisplaydirection<z@ \@bidi@saved@leqno \else \@bidi@saved@eqno \fi}
25087 \def\leqno{\ifnum\predisplaydirection<z@ \@bidi@saved@eqno \else \@bidi@saved@leqno \fi}
25088 \ifpackageloaded{amsmath}{-}{-}
25089 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}
25090 }
25091 \input{footnote-xetex-bidi.def}
25092 \if@twocolumn
25093   \let\autofooterule\relax
25094   \let\leftfootnoterule\relax
25095   \let\rightfootnoterule\relax
25096   \textwidthfootnoterule
25097 \fi
25098 \if@bidi@csundef{\@idxitem}{-}{-}
25099 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40p}%
25100 }
25101 \ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{-}
25102 \ifclassloaded{article}{\ifclassloaded{svmult}}{-}{\input{article-xetex-bidi.def}}{-}
25103 \ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{-}
25104 \ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{-}
25105 \ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{-}
25106 \ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{-}
25107 \ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{-}
25108 \ifclassloaded{beamer}{\input{beamer-xetex-bidi.def}}{-}
25109 \ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{-}
25110 \ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{-}
25111 \ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{-}

```



```

25112 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
25113 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
25114 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}{}{}}
25115 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
25116 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
25117 \@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
25118 \@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
25119 \@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
25120 \@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
25121 \@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
25122 \@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
25123 \@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
25124 \@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}{}{}}
25125 \@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
25126 \@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
25127 \@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
25128 \@ifpackageloaded{amsmath}{}{ }
25129 \@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
25130 \@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
25131 }
25132 \@ifpackageloaded{mathtools}{}{
25133   \RequirePackage{graphicx}%
25134   \input{mathtools-xetex-bidi.def}%
25135 }{}
25136 \@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
25137 \@ifpackageloaded{lscap}{\RequirePackage{graphicx}}{}
25138 \@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
25139 \@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
25140 \@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
25141 \@ifpackagewith{algorithm2e}{algonl}{}{
25142 \renewcommand{\theAlgoLine}{\expandafter\csname the\algotcf@float\endcsname\@SepMark\arabic{A}
25143 }{}
25144 \@ifpackagewith{algorithm2e}{algotpart}{\renewcommand{\algotcf@within}{part}}{}
25145 \@ifpackagewith{algorithm2e}{algotchapter}{\renewcommand{\algotcf@within}{chapter}}{}
25146 \@ifpackagewith{algorithm2e}{algotsection}{\renewcommand{\algotcf@within}{section}}{}
25147 \@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
25148 \@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
25149 \@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
25150 \@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
25151 \@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
25152 \@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
25153 \@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
25154 \@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
25155 \@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}{}{}}
25156 \@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
25157 \@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
25158 \@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
25159 \@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
25160 \@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
25161 \@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}{}{}}
25162 \@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
25163 \@ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}
25164 \@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
25165 \@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}

```



```

25166 \@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
25167 \@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
25168 \@ifpackageloaded{theorem}{\input{theorem-xetex-bidi.def}}{}
25169 \@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
25170 \@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
25171 \@ifpackageloaded{lscap}{\input{lscap-xetex-bidi.def}}{}
25172 \@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
25173 \@ifpackageloaded{footnotebackref}{\input{footnotebackref-xetex-bidi.def}}{}
25174 \@ifpackageloaded{theorem-hyper}{\input{theorem-hyper-xetex-bidi.def}}{}
25175 \@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
25176 \@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
25177 \@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
25178 \@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
25179 \@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
25180 \@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
25181 \@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
25182 \@ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}
25183 \@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
25184 \@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
25185 \@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
25186 \@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
25187 \@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
25188 \@ifpackageloaded{pdfscape}{\input{pdfscape-xetex-bidi.def}}{}
25189 \@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
25190 \@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
25191 \@ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}
25192 \@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
25193 \@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
25194 \@iftextfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
25195 \@iftextfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
25196 \@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
25197 \@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
25198 \@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
25199 \@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
25200 \@ifpackagewith{sidecap}{innercaption}{%
25201 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%
25202   \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1} {#1}\hspace{\sidecaptionsep}{#2}}
25203 \renewcommand*{\SC@justify@caption}{%
25204   \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
25205 \renewcommand*{\SC@FLOAT}[2]{%
25206   \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2} {#2}\hspace{\sidecaptionsep}{#1}}
25207 \renewcommand*{\SC@justify@caption}{%
25208   \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
25209 }{}
25210 \@ifpackagewith{sidecap}{rightcaption}{%
25211 \if@RTL\renewcommand*{\SC@FLOAT}[2]{#1}\hspace{\sidecaptionsep}{#2}
25212 \def\SC@justify@caption{\RaggedLeft}\else%
25213 \renewcommand*{\SC@FLOAT}[2]{#2}\hspace{\sidecaptionsep}{#1}
25214 \def\SC@justify@caption{\RaggedRight}\fi%
25215 }{}
25216 \@ifpackagewith{sidecap}{leftcaption}{%
25217 \if@RTL \renewcommand*{\SC@FLOAT}[2]{#2}\hspace{\sidecaptionsep}{#1}
25218 \def\SC@justify@caption{\RaggedRight}\else%
25219 \renewcommand*{\SC@FLOAT}[2]{#1}\hspace{\sidecaptionsep}{#2}}

```



```

25220 \def\SC@justify@caption{\RaggedLeft}\fi%
25221 }{}
25222 \@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
25223 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
25224 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
25225 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
25226 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
25227 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
25228 \@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
25229 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
25230 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
25231 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
25232 \@ifpackageloaded{nicematrix}{\input{nicematrix-xetex-bidi.def}}{}
25233 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
25234 \@ifpackageloaded{pgfsys}{\input{pgfsys.code-xetex-bidi.def}}{}
25235 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
25236 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
25237 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
25238 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
25239 \@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
25240 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
25241 \@ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
25242 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
25243 \@ifpackageloaded{tocbibind}{\ifclassloaded{memoir}}{\input{tocbibind-xetex-bidi.def}}{}
25244 \@ifpackageloaded{tocloft}{\ifclassloaded{memoir}}{\input{tocloft-xetex-bidi.def}}{}
25245 \ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
25246 \@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}
25247 \@ifpackageloaded{beamerbaseauxtemplates}{\input{beamerbaseauxtemplates-xetex-bidi.def}}{}
25248 \@ifpackageloaded{beamerbaseboxes}{\input{beamerbaseboxes-xetex-bidi.def}}{}
25249 \@ifpackageloaded{beamerbasecolor}{\input{beamerbasecolor-xetex-bidi.def}}{}
25250 \@ifpackageloaded{beamerbasecompatibility}{\input{beamerbasecompatibility-xetex-bidi.def}}{}
25251 \@ifpackageloaded{beamerbaseframecomponents}{\input{beamerbaseframecomponents-xetex-bidi.def}}{}
25252 \@ifpackageloaded{beamerbaseframesize}{\input{beamerbaseframesize-xetex-bidi.def}}{}
25253 \@ifpackageloaded{beamerbaselocalstructure}{\input{beamerbaselocalstructure-xetex-bidi.def}}{}
25254 \@ifpackageloaded{beamerbasemisc}{\input{beamerbasemisc-xetex-bidi.def}}{}
25255 \@ifpackageloaded{beamerbasenavigation}{\input{beamerbasenavigation-xetex-bidi.def}}{}
25256 \@ifpackageloaded{beamerbaseoverlay}{\input{beamerbaseoverlay-xetex-bidi.def}}{}
25257 \@ifpackageloaded{beamerinnerthemedefault}{\input{beamerinnerthemedefault-xetex-bidi.def}}{}
25258 \@ifpackageloaded{beamerinnerthemecircles}{\input{beamerinnerthemecircles-xetex-bidi.def}}{}
25259 \@ifpackageloaded{beamerinnerthemefocus}{\input{beamerinnerthemefocus-xetex-bidi.def}}{}
25260 \@ifpackageloaded{beamerinnerthemeinmargin}{\input{beamerinnerthemeinmargin-xetex-bidi.def}}{}
25261 \@ifpackageloaded{beamerinnerthememetropolis}{\input{beamerinnerthememetropolis-xetex-bidi.d}}{}
25262 \@ifpackageloaded{beamerinnerthemerectangles}{\input{beamerinnerthemerectangles-xetex-bidi.d}}{}
25263 \@ifpackageloaded{beamerinnerthemerrounded}{\input{beamerinnerthemerrounded-xetex-bidi.def}}{}
25264 \@ifpackageloaded{beamerouterthemedefault}{\input{beamerouterthemedefault-xetex-bidi.def}}{}
25265 \@ifpackageloaded{beamerouterthemefocus}{\input{beamerouterthemefocus-xetex-bidi.def}}{}
25266 \@ifpackageloaded{beamerouterthemeinfolines}{\input{beamerouterthemeinfolines-xetex-bidi.def}}{}
25267 \@ifpackageloaded{beamerouterthememetropolis}{\input{beamerouterthememetropolis-xetex-bidi.d}}{}
25268 \@ifpackageloaded{beamerouterthememiniframes}{\input{beamerouterthememiniframes-xetex-bidi.d}}{}
25269 \@ifpackageloaded{beamerouterthemessidebar}{\input{beamerouterthemessidebar-xetex-bidi.def}}{}
25270 \@ifpackageloaded{beamerouterthemessplit}{\input{beamerouterthemessplit-xetex-bidi.def}}{}
25271 \@ifpackageloaded{beamerouterthemeshadow}{\input{beamerouterthemeshadow-xetex-bidi.def}}{}
25272 \@ifpackageloaded{beamerouterthemessmoothbars}{\input{beamerouterthemessmoothbars-xetex-bidi.d}}{}
25273 \@ifpackageloaded{beamerouterthemessmoothtree}{\input{beamerouterthemessmoothtree-xetex-bidi.d}}{}

```



```

25274 \ifpackageloaded{beamerouterthemetree}{\input{beamerouterthemetree-xetex-bidi.def}}{}
25275 \ifpackageloaded{beamerthemeHannover}{\input{beamerthemeHannover-xetex-bidi.def}}{}
25276 \ifpackageloaded{beamerthemeSingapore}{\input{beamerthemeSingapore-xetex-bidi.def}}{}

```

## 163 File xltextra-xetex-bidi.def

```

25277 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package f
25278 \let\@XeTeX\XeTeX
25279 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
25280 \let\XeLaTeX\XeLaTeX
25281 \def\XeLaTeX{\@ensure@LTR{\XeLaTeX}}

```

## 164 Index

Numbers written in *italic>* refer to the page where the corresponding entry is described; numbers underlined> refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols		
\#	<i>5765, 5811, 5923, 5931</i>	\@HLTR@LTRfootnotetext
\%	<i>14551</i>	<i>11585, 11601</i>
\'	<i>14671, 16919, 18855</i>	\@HLTR@mpLTRfootnotetext
\(	<i>17020</i>	<i>11588, 11607</i>
\)	<i>17021</i>	\@HRTL@RTLfootnotetext
\,	<i>8017, 14934,</i>	<i>11586, 11603</i>
	<i>19449, 19492,</i>	\@HRTL@mpRTLfootnotetext
	<i>24011, 24022, 24418</i>	<i>11589, 11609</i>
\-	<i>4191, 14670, 16918, 18854</i>	\@LTR
\.	<i>93, 296, 586, 718, 981,</i>	<i>18707, 24378, 24380</i>
	<i>1231, 2533, 4190,</i>	\@LaTeX
	<i>9204, 9392, 9704,</i>	<i>24383, 24384</i>
	<i>11263, 11537,</i>	\@LaTeXe
	<i>13693, 16064,</i>	<i>24385, 24386</i>
	<i>18230, 19017,</i>	\@RTL
	<i>19411, 19608,</i>	<i>18704,</i>
	<i>19811, 20349,</i>	<i>18707, 24377, 24380</i>
	<i>21110, 21875, 22597</i>	\@Radio
\/	<i>4507</i>	<i>16003, 16011</i>
\:	<i>17062, 17121</i>	\@TeX
\<	<i>22231</i>	<i>18709, 24381, 24382</i>
\=	<i>14671, 16919, 18855</i>	\@XeLaTeX
\>	<i>22232</i>	<i>25280, 25281</i>
\@	<i>5835</i>	\@XeTeX
\@@	<i>22410, 22412</i>	<i>25278, 25279</i>
\@@@bidi@AfterClass		\@author
\@@@bidi@AfterPackage		<i>8633, 8636, 8639</i>
\@@@bidi@AfterPackage		\@bidi@AfterClass
\@@@bidi@AfterPackage		<i>6702, 6719</i>
\@@@bidi@AfterPackage		\@bidi@AfterPackage
\@@@bidi@AfterPackage		<i>6747, 6762</i>
\@@@bidi@AfterPackage		\@bidi@PreventPackageFromLoading
\@@@bidi@AfterPackage		<i>19986, 20022,</i>
\@@@bidi@AfterPackage		<i>6793, 6795, 6797</i>
\@@@bidi@AfterPackage		\@bidi@pop
\@@@bidi@AfterPackage		<i>6415,</i>
\@@@bidi@AfterPackage		<i>6418, 6419, 6422, 6424</i>
\@@@bidi@AfterPackage		\@bidi@popinto
\@@@bidi@AfterPackage		<i>6415, 6418, 6419</i>
\@@@bidi@AfterPackage		\@clr
\@@@bidi@AfterPackage		<i>24206, 24211,</i>
\@@@bidi@AfterPackage		<i>24214, 24216,</i>
\@@@bidi@AfterPackage		<i>24217, 24219,</i>
\@@@bidi@AfterPackage		<i>24249, 24254,</i>
\@@@bidi@AfterPackage		<i>24257, 24259,</i>
\@@@bidi@AfterPackage		<i>24260, 24262, 24281</i>
\@@@bidi@AfterPackage		\@cls
\@@@bidi@AfterPackage		<i>24201, 24244</i>
\@@@bidi@AfterPackage		\@date
\@@@bidi@AfterPackage		<i>8634, 8637, 8640</i>
\@@@bidi@AfterPackage		\@description
\@@@bidi@AfterPackage		<i>2499</i>
\@@@bidi@AfterPackage		\@end
\@@@bidi@AfterPackage		<i>6069, 6070</i>
\@@@bidi@AfterPackage		\@endpbox
\@@@bidi@AfterPackage		<i>16767,</i>
\@@@bidi@AfterPackage		<i>22307, 22345, 24608</i>
\@@@bidi@AfterPackage		\@if@newlist
\@@@bidi@AfterPackage		<i>14015,</i>
\@@@bidi@AfterPackage		<i>14047, 24992, 25067</i>
\@@@bidi@AfterPackage		\@input
\@@@bidi@AfterPackage		<i>6618</i>
\@@@bidi@AfterPackage		\@italiccorr
\@@@bidi@AfterPackage		<i>336, 9748, 16899</i>
\@@@bidi@AfterPackage		\@line
\@@@bidi@AfterPackage		<i>11907,</i>
\@@@bidi@AfterPackage		<i>11910, 19837,</i>
\@@@bidi@AfterPackage		<i>19846, 19884,</i>
\@@@bidi@AfterPackage		<i>19895, 24560,</i>
\@@@bidi@AfterPackage		<i>24561, 24563,</i>
\@@@bidi@AfterPackage		<i>24564, 24566, 24567</i>
\@@@bidi@AfterPackage		\@makecaption
\@@@bidi@AfterPackage		<i>20381, 20445,</i>
\@@@bidi@AfterPackage		<i>20549, 21142,</i>
\@@@bidi@AfterPackage		<i>21206, 21311,</i>
\@@@bidi@AfterPackage		<i>21907, 21971, 22076</i>
\@@@bidi@AfterPackage		\@makefnmark
\@@@bidi@AfterPackage		<i>19986, 20022,</i>
\@@@bidi@AfterPackage		<i>20025, 20725,</i>
\@@@bidi@AfterPackage		<i>20762, 20765,</i>
\@@@bidi@AfterPackage		<i>21498, 21535, 21538</i>
\@@@bidi@AfterPackage		\@math
\@@@bidi@AfterPackage		<i>9739</i>
\@@@bidi@AfterPackage		\@mix
\@@@bidi@AfterPackage		<i>24205, 24248</i>
\@@@bidi@AfterPackage		\@mod
\@@@bidi@AfterPackage		<i>24206, 24210,</i>
\@@@bidi@AfterPackage		<i>24211, 24214,</i>
\@@@bidi@AfterPackage		<i>24215, 24216,</i>
\@@@bidi@AfterPackage		<i>24219, 24249,</i>



24253, 24254,	11585, 11600,	19365, 19366,
24257, 24258,	11601, 11671,	19427, 19428,
24259, 24262, 24281	11719, 11727,	19782, 19790,
\@@par . . . . .	11923, 12067,	22401, 22508,
18853, 19444,	12205, 12349,	22549, 22683,
19487, 19997,	12493, 12637,	22714, 22737,
20008, 20736,	12781, 12925,	22754, 22771,
20748, 21509,	13069, 13251,	22788, 22805,
21521, 22522,	13307, 14270,	22822, 22840,
22524, 24499, 24614	14276, 14320,	22859, 22879,
\@protect . . . . .	14346, 14404,	22914, 23297,
\@startpbox . .	14429, 14435,	23827, 23941, 24639
22307, 22345, 24608	15437, 15465,	\@MM . . . 41, 55, 71, 244,
\@title . 8632, 8635, 8638	15544, 15563,	258, 273, 10711,
\@tmp . . . . .	15757, 15761,	10732, 10779,
24211, 24216,	15781, 15782,	10786, 10831,
24217, 24219,	16824, 16975,	10838, 11810,
24220, 24253,	18100, 18102,	14293, 14310, 14326
24254, 24259,	18103, 19948,	\@Mi . . . . . 9739, 16838
24260, 24262,	19954, 20389,	\@Mii . . . . . 4718,
24263, 24281, 24282	20687, 20693,	7696, 7740, 7784,
\@underline . . . . .	21150, 21460,	10401, 10413,
. 24581, 24583, 24585	21466, 21915,	10426, 24846, 24890
\@DEBUGfalse . . . . .	22376, 22393, 22485	\@Miii 4720, 7698, 7742,
\@False . . . . .	\@LTRmarginparfalse	7786, 24848, 24892
9727, 9729	. . . . . 24975, 24977	\@RTL@footnotefalse
\@LTRbibitemfalse	\@LTRmarginparreset	. . . 4117, 14113,
. . . . . 24432, 24434	. . . . . 24874, 24881	14280, 18688,
\@LTRbibitemstrue 24433	\@LTRmarginpartrue 24976	18693, 24345, 24366
\@LTRbidituftesidenote@sidenote	\@LTRsavemarginparreset	\@RTL@footnotetrue
. . . 8133, 8192, 8196	. . . . . 24862, 24865, 24868	. . . 4115, 14113,
\@LTRbidituftesidenotemarginparreset	\@LTRxmpar . 24859, 24860	14279, 18690,
. . . . . 7768, 7775	\@LTRxmpar . 24859, 24864	18692, 24355, 24365
\@LTRbidituftesidenotesavemarginparreset	\@M . 6, 92, 105, 201, 225,	\@RTLbibitemfalse
. . . . . 7755,	295, 558, 622, 623,	. . . . . 24433, 24434
7756, 7759, 7762	647, 751, 874, 929,	\@RTLbibitemstrue 24432
\@LTRbidituftesidenotexmpar	930, 1003, 1123,	\@RTLbidituftesidenote@sidenote
. . . . . 7753, 7754	1124, 1130, 1253,	. . . 8162, 8193, 8197
\@LTRbidituftesidenoteympar	4570, 4575, 8364,	\@RTLbidituftesidenotemarginparreset
. . . . . 7753, 7758	9125, 9126, 9132,	. . . . . 7812, 7819
\@LTRfootgroupv@l .	9246, 9302, 9303,	\@RTLbidituftesidenotesavemarginparreset
. . . . . 11799,	9309, 9423, 9473,	. . . . . 7799,
11932, 12076,	9668, 9676, 9743,	7800, 7803, 7806
12214, 12358,	11230, 11243,	\@RTLbidituftesidenotexmpar
12502, 12646,	11500, 11509,	. . . . . 7797, 7798
12790, 12934,	11907, 11910,	\@RTLbidituftesidenoteympar
13078, 13264, 13314	13659, 13667,	. . . . . 7797, 7802
\@LTRfootnotetext 64,	13988, 16063,	\@RTLfalse . . . . . 36,
81, 155, 156,	16077, 16101,	66, 87, 239, 268,
157, 266, 284,	17961, 17973,	290, 572, 707, 970,
2245, 2249, 2304,	17985, 18793,	1220, 1840, 2146,
4643, 4765, 8062,	18915, 18916,	2180, 2198, 2230,
8145, 8152, 8868,	18940, 19050,	2516, 4075, 4081,
8879, 9085, 9099,	19189, 19312,	4099, 5013, 9193,
10713, 10714,		



9381, 9690, 9709,	12206, 12350,	12168, 12231,
9721, 9734, 11252,	12494, 12638,	12251, 12282,
11523, 11645,	12782, 12926,	12311, 12375,
11673, 11686,	13070, 13252,	12395, 12426,
11697, 11949,	13308, 14261,	12455, 12519,
11959, 12000,	14267, 14304,	12539, 12563,
12017, 12093,	14345, 14405,	12598, 12663,
12102, 12141,	14444, 14450,	12683, 12707,
12157, 12231,	15436, 15454,	12742, 12807,
12241, 12282,	15529, 15564,	12827, 12858,
12299, 12375,	15756, 15760,	12887, 12951,
12385, 12426,	15778, 15779,	12971, 13002,
12443, 12519,	16825, 16976,	13031, 13095,
12529, 12563,	18105, 18107,	13115, 13146,
12586, 12663,	18108, 19949,	13175, 13460,
12673, 12707,	19958, 20390,	13487, 13682,
12730, 12807,	20688, 20697,	14288, 14305,
12817, 12858,	21151, 21461,	14350, 14378,
12875, 12951,	21470, 21916,	16058, 16381,
12961, 13002,	22377, 22394, 22486	16404, 16415,
13019, 13095,	\@RTLmainfalse . 4000,	16424, 16911,
13105, 13146,	4004, 4285, 4289	17714, 18221,
13163, 13471,	\@RTLmaintrue . 4003, 4288	18651, 18676,
13496, 13682,	\@RTLmarginparfalse	18690, 18692,
14288, 14321,	..... 24976, 24977	19006, 19400,
14364, 14378,	\@RTLmarginparreset	19594, 19797,
16058, 16381,	..... 24918, 24925	20327, 21088,
16404, 16408,	\@RTLmarginpartrue 24975	21853, 22583,
16415, 16424,	\@RTLSavemarbox 24905,	24304, 24329,
16908, 17714,	24906, 24909, 24912	24355, 24365,
18221, 18398,	\@RTLtabfalse .....	24523, 24541,
18446, 18650,	. 409, 3979, 4087,	24972, 25043, 25059
18684, 18688,	18284, 24339,	\@RTLxmpar . 24903, 24904
18693, 18742,	24345, 24366,	\@RTLympar . 24903, 24908
19006, 19400,	24514, 24532, 24619	\@Reset .... 16036, 16045
19594, 19797,	\@RTLtabtrue .....	\@SepMark ..... 19,
20327, 21088,	.... 3978, 4085,	20, 21, 22, 168,
21853, 22583,	24330, 24355,	214, 215, 216, 217,
24303, 24338,	24365, 24402,	334, 350, 546, 547,
24345, 24366,	24409, 24523, 24541	548, 549, 700, 701,
24514, 24532,	\@RTLtrue . 36, 50, 87,	702, 703, 954, 955,
24972, 25043, 25059	239, 253, 290, 572,	956, 957, 1213,
\@RTLfootnotetext 48,	707, 970, 1220,	1214, 1215, 1216,
80, 159, 160,	2146, 2163, 2198,	9219, 9220, 9221,
161, 251, 283,	2214, 2516, 4073,	9222, 9223, 9225,
2244, 2248, 2278,	4079, 4097, 5013,	9227, 9229, 9396,
4644, 4766, 8080,	9193, 9381, 9690,	9397, 9398, 9399,
8174, 8181, 8869,	9748, 9750, 11252,	9400, 9402, 9404,
8880, 9086, 9100,	11523, 11645,	9406, 9647, 9649,
10734, 10735,	11659, 11686,	9651, 9653, 9654,
11586, 11602,	11708, 11949,	9655, 9656, 9657,
11603, 11657,	11969, 12000,	11363, 11364,
11720, 11728,	12029, 12093,	11365, 11366,
11924, 12068,	12111, 12141,	11479, 11481,



11483,	11485,	24429, 24431, 25142	955, 956, 957, 972,
11486,	11487,	\@Submit . . . 16019, 16028	979, 1213, 1214,
11488,	11489,	\@TextField . 15987, 15995	1215, 1216, 1222,
13785,	13786,	\@True . . . 9722, 9728, 9760	1229, 2518, 2527,
13787,	13788,	\@Undottedtocline 17968	5025, 9195, 9202,
13789,	13791,	\@Undottedtoclinep 17980	9219, 9220, 9221,
13793,	13795,	\@acci 14671, 16919, 18855	9222, 9223, 9225,
13955,	13961,	\@accii 14671, 16919, 18855	9227, 9229, 9383,
14083,	14085,	\@acciii . . . . .	9390, 9396, 9397,
14087,	14089,	. 14671, 16919, 18855	9398, 9399, 9400,
14090,	14091,	\@acol 1437, 1445, 4652,	9402, 9404, 9406,
14092,	14093,	16763, 22291,	9647, 9649, 9651,
14096,	14098,	24411, 24591, 24617	9652, 9653, 9654,
14100,	14102,	\@acolampacol . . 1435,	9655, 9656, 9657,
14103,	14104,	1437, 1443, 1445	9692, 9699, 11254,
14105,	14106,	\@addamp . . . . . 1436, 1444	11261, 11363,
16114,	16115,	\@addfield . . . . . 24981	11364, 11365,
16116,	16117,	\@addmarginpar . . . 24931	11366, 11479,
16441,	17601,	\@address 4905, 10568,	11481, 11483,
17603,	17605,	10569, 10666, 10668	11484, 11485,
17607,	17609,	\@addresscolour 4874,	11486, 11487,
17610,	17612,	4891, 10567, 10665	11488, 11489,
17613,	17614,	\@addtofilelist . . . 6617	11525, 11532,
18264,	18272,	\@addtopreamble . . .	13684, 13691,
18274,	19021,	. . . 1408, 1471, 9821	13785, 13786,
19022,	19023,	\@addtoreset . . . . .	13787, 13788,
19024,	19025,	. . . . . 332, 13958,	13789, 13791,
19027,	19029,	18262, 18268, 18270	13793, 13795,
19031,	19386,	\@adviper . . . . . 10164	14083, 14085,
19387,	19388,	\@afterheading . . . . .	14087, 14088,
19389,	19390,	. 568, 4553, 4563,	14089, 14090,
19392,	19394,	11240, 11248, 16931	14091, 14092,
19396,	19581,	\@afterindentfalse	14093, 14096,
19583,	19585,	. . 4553, 4563, 16930	14098, 14100,
19586,	19587,	\@afterindenttrue .	14101, 14102,
19588,	19589,	. . 647, 874, 1130,	14103, 14104,
19590,	19763,	8363, 9132, 9309,	14105, 14106,
19765,	19767,	17960, 17972,	16441, 16443,
19769,	19770,	17984, 18940,	17601, 17603,
19771,	19772,	19312, 22682,	17605, 17607,
19773,	20301,	22713, 22736,	17609, 17612,
20302,	20304,	22753, 22770,	17613, 17614,
20306,	20308,	22787, 22804,	19008, 19015,
21040,	21043,	22821, 22839,	19021, 19022,
21045,	21049,	22858, 22878,	19023, 19024,
21051,	21053,	22913, 23296,	19025, 19027,
21055,	21058,	23820, 23940, 24638	19029, 19031,
21061,	21065,	\@algocf@finish . . . 179	19386, 19387,
21067,	21813,	\@algocf@start . . . . 171	19388, 19389,
21815,	21818,	\@ampacol . . . . 1435, 1443	19390, 19392,
21820,	21822,	\@arabic . . . 168, 546,	19394, 19396,
21824,	21827,	547, 548, 549, 574,	19402, 19409,
21830,	21833,	581, 700, 701, 702,	19581, 19583,
22657,	22901,	703, 709, 716, 954,	19585, 19586,



19587,	19588,	9277, 9434, 9436,	\@bibtitlestyle ...
19589,	19590,	9454, 9529, 9543,	..... 84, 287, 16055
19596,	19603,	9579, 9600, 11290,	\@bidi@stpelt ....
19763,	19765,	11302, 11336,	... 6137, 6143, 6147
19767,	19768,	11355, 11385,	\@bidi@AfterClass .
19769,	19770,	11399, 11435,	..... 6703,
19771,	19772,	11456, 13712,	6724, 6729, 6736
19773,	19799,	13724, 13758,	\@bidi@AfterPackage
19806,	20302,	13777, 17570,	..... 6748,
20304,	20306,	19061, 19063,	6767, 6771, 6778
20308,	20330,	19081, 19126,	\@bidi@EqualStringX
20346,	21047,	19145, 19200,	... 6202, 6203, 6204
21049,	21051,	19202, 19222,	\@bidi@PreventPackageFromLoading
21053,	21055,	19269, 19291,	... 6788, 6789, 6791
21058,	21061,	19302, 19458,	\@bidi@UnPreventPackageFromLoading
21069,	21091,	19472, 19513,	... 6880, 6881, 6884
21107,	21816,	19534, 19645,	\@bidi@after@Hy@hyperfootnotes
21818,	21820,	19659, 19695,	. . 11594, 11732,
21822,	21824,	19716, 20130,	11936, 12080,
21827,	21830,	20274, 20870,	12218, 12362,
21834,	21856,	21014, 21643, 21787	12506, 12650,
21872, 22585, 22592		\@auxout ..... 4135,	12794, 12938,
\@argdef ..... 5656		4139, 5068, 5432,	13082, 13269, 13323
\@array 384, 405, 1370,		5460, 5486, 5514,	\@bidi@append@to@cslst
1371, 22328, 24597		5540, 5543, 5577,	... 6349, 6353, 6363
\@arrayacol ..... 24617		5580, 9032, 24683	\@bidi@append@to@list
\@arrayclassiv ... 24618		\@badmath .. 13920, 13934	..... 6353,
\@arrayclassz .....		\@begin@tempboxa ..	6356, 6359, 6366, 6374
. 1435, 22332, 24617		..... 14947,	\@bidi@before@Hy@hyperfootnotes
\@arraycr 404, 16772, 24619		15043, 15050, 24499	. . 11580, 11725,
\@arrayleft ..... 397		\@begin@dv . 13986, 25034	11921, 12065,
\@arrayparboxrestore		\@begin@parpenalty .	12203, 12347,
. 1871, 16827, 18850		..... 4566,	12491, 12635,
\@arrayright ..... 406		4575, 13923, 13937	12779, 12923,
\@arrayrule 1390, 1391,		\@bib@break .....	13067, 13249, 13301
1392, 1428, 1429, 1430		. 20322, 21083, 21848	\@bidi@copy@stacktop
\@arstdepth .....		\@biblabel 89, 292, 574,	..... 6421, 6424
. 22325, 22330, 22348		575, 709, 710, 972,	\@bidi@copyins@ ...
\@arstheight 22330, 22348		973, 1222, 1223,	... 4015, 4016,
\@arstrut ..... 394,		2518, 2519, 9195,	4017, 4018, 4019,
16786, 22306, 24607		9196, 9383, 9384,	4300, 4301, 4302,
\@arstrutbox ... 387,		9692, 9693, 11254,	4303, 4304, 11800,
16774, 16828,		11255, 11525,	14699, 14700,
22299, 22340,		11526, 13684,	14701, 14702,
22344, 22348, 24600		13685, 16060,	14712, 14713,
\@author ..... 428,		18223, 19008,	14761, 14762,
442, 478, 499, 762,		19009, 19402,	14818, 14819,
764, 782, 827,		19403, 19596,	14820, 14821,
846, 1014, 1016,		19597, 19799,	14838, 14839,
1034, 1079, 1098,		19800, 20330,	14857, 14866,
1264, 1266, 1284,		20332, 21091,	14878, 14884,
1329, 1349, 1360,		21093, 21856,	14888, 14900,
4406, 8565, 8567,		21858, 22585, 22586	14902, 14905,
8636, 9257, 9259,		\@bibsetup ..... 18223	14936, 18130,



18131, 18139,	\@bidi@pdfencrypttrue	\@bidideclaredcolor
18717, 18719,	..... 4206, 4209	..... 9873,
18720, 24808,	\@bidi@pdfmarkfalse	9880, 24241, 24270
24814, 24817,	..... 4157, 4352	\@biditytfeLTRsidenote@normal@cite
24831, 24833, 24836	\@bidi@pdfmarktrue	..... 7928,
\@bidi@emptytoks ..	..... 4155, 4351	8007, 8127, 8156,
... 5117, 5122, 5146	\@bidi@pdfproducer	8185, 8207, 8216, 8225
\@bidi@envbody ....	..... 3992,	\@biditytfeRTLsidenote@normal@cite
.... 5116, 5118,	4225, 4333, 4345	..... 7947,
5120, 5121, 5122,	\@bidi@perpage@footnotefalse	8008, 8128, 8157,
5142, 5144, 5145, 5146	..... 4167	8186, 8208, 8217, 8226
\@bidi@fi ..... 6283,	\@bidi@perpage@footnotetrue	\@biditytfefloat@caption
6284, 6285, 6286,	..... 4165	..... 7301, 7334
6290, 6291, 6295,	\@bidi@prepend@to@cslist	\@biditytfefloat@caption@box
6296, 6300, 6301,	..... 6351,	7293, 7358, 7369,
6306, 6307, 6311, 6312	6354, 6365, 6407, 6409	7370, 7393, 7628, 7633
\@bidi@ifnxtc .....	\@bidi@prepend@to@list	\@biditytfefloat@caption@fill
... 6250, 6253, 6254	..... 6354,	..... 7242,
\@bidi@info 3913, 3940,	6357, 6361, 6367, 6375	7251, 7252, 7633
3942, 4239, 4266, 4268	\@bidi@removefromreset	\@biditytfefloat@caption@font
\@bidi@inslogo@ ...	... 5266, 5267, 5269	7207, 7208, 7262,
.... 4019, 4148,	\@bidi@replacefilewithext	7459, 7630, 7636, 7649
4150, 4304, 4329, 4354	... 6665, 6669, 6672	\@biditytfefloat@caption@justification
\@bidi@list@minipage@parbox@normal@substepcounter	\@bidi@substepcounter	... 7149, 7265, 7459
..... 14393, 24487	..... 5104	\@biditytfefloat@caption@vertical@offset
\@bidi@list@minipage@parbox@false@stepcounter	\@bidi@substepcounter	.... 7296, 7297,
..... 1835, 22495	..... 6136, 6142	7305, 7369, 7370, 7397
\@bidi@list@minipage@parbox@true@tabular@RTLcases	\@bidi@tabular@RTLcases	\@biditytfefloat@checkoddpages
... 14394, 24491, 24494	... 24400, 24402, 24409	..... 7224, 7321
\@bidi@logo .... 4035,	\@bidi@todonotes@align	\@biditytfefloat@figure@box
4054, 4312, 4328	..... 23987,	..... 7292,
\@bidi@logo@ .....	23988, 24020,	7351, 7369, 7370, 7392
.... 4019, 4051,	24061, 24064,	\@biditytfefloat@float@contents@width
4150, 4304, 4328, 4329	24067, 24070,	..... 7313,
\@bidi@logo@hb@xt@	24095, 24100, 24101	\@biditytfefloat@float@float@debug
..... 4305, 4328	\@bidi@todonotes@figposition@right@false	7349, 7350, 7352
\@bidi@logo@hb@xt@columnwidth	..... 24002	\@biditytfefloat@float@float@debug
..... 4020, 4052	\@bidi@todonotes@figposition@right@true	7282, 7288,
\@bidi@lst@makecaption	..... 24000	7290, 7291, 7323,
..... 16378,	\@bidi@todonotes@textdirection	7324, 7327, 7329,
16394, 16395,	... 23989, 23993,	7330, 7407, 7414,
16426, 16427,	23996, 24100, 24101	7421, 7422, 7425, 7426
16428, 16432, 16434	\@bidi@todonotes@textdirection@normal@false	\@biditytfefloat@float@float@debug@info
\@bidi@mdf@RTLtrue 16907	..... 23995	.... 7281, 7283,
\@bidi@patch@AfterPackage	\@bidi@todonotes@textdirection@RTLtrue	7284, 7285, 7382, 7389
..... 7073, 7076	..... 23992	\@biditytfefloat@float@fullwidth
\@bidi@pdfcreator .	\@bidi@unreplacefilewithext	..... 7369, 7417
..... 3989,	... 6674, 6680, 6683	\@biditytfefloat@float@textwidth
4224, 4330, 4344	\@bidi@void@cmpfootinsfalse	..... 7370, 7399
\@bidi@pdfcustomproperties	..... 11873	\@biditytfefloat@fps
..... 3995,	\@bidi@void@cmpfootinstrue	..... 7311, 7326
4227, 4336, 4347	..... 11871	\@biditytfefloat@fullwidth
\@bidi@pdfencryptfalse	\@bidi@ww ..... 6332	..... 7241,
..... 4204	\@bidi@ww ..... 6326	7247, 7248, 7249, 7349



\@bidituftefloat@justification	\@bidituftefloat@justification	\@bidituftefloat@justification	\@bidituftefloat@justification
..... 7209	..... 7209	..... 7209	..... 7209
\@bidituftefloat@justification@autodetect	\@bidituftefloat@justification@autodetect	\@bidituftefloat@justification@autodetect	\@bidituftefloat@justification@autodetect
..... 7149,7279	..... 7149,7279	..... 7149,7279	..... 7149,7279
\@bidituftefloat@label	\@bidituftefloat@label	\@bidituftefloat@label	\@bidituftefloat@label
..... 7308,7335	..... 7308,7335	..... 7308,7335	..... 7308,7335
\@bidituftefloat@margin@floatbox	\@bidituftefloat@margin@floatbox	\@bidituftefloat@margin@floatbox	\@bidituftefloat@margin@floatbox
... 7257,7260,7271	... 7257,7260,7271	... 7257,7260,7271	... 7257,7260,7271
\@bidituftefloat@margin@par	\@bidituftefloat@margin@par	\@bidituftefloat@margin@par	\@bidituftefloat@margin@par
..... 7179,7266	..... 7179,7266	..... 7179,7266	..... 7179,7266
\@bidituftefloat@margin@font	\@bidituftefloat@margin@font	\@bidituftefloat@margin@font	\@bidituftefloat@margin@font
..... 7206,7207	..... 7206,7207	..... 7206,7207	..... 7206,7207
\@bidituftefloat@orig@caption	\@bidituftefloat@orig@caption	\@bidituftefloat@orig@caption	\@bidituftefloat@orig@caption
... 7332,7360,7390	... 7332,7360,7390	... 7332,7360,7390	... 7332,7360,7390
\@bidituftefloat@orig@endfloat	\@bidituftefloat@orig@endfloat	\@bidituftefloat@orig@endfloat	\@bidituftefloat@orig@endfloat
... 7295,7373,7624	... 7295,7373,7624	... 7295,7373,7624	... 7295,7373,7624
\@bidituftefloat@orig@float	\@bidituftefloat@orig@float	\@bidituftefloat@orig@float	\@bidituftefloat@orig@float
... 7294,7347,7623	... 7294,7347,7623	... 7294,7347,7623	... 7294,7347,7623
\@bidituftefloat@orig@label	\@bidituftefloat@orig@label	\@bidituftefloat@orig@label	\@bidituftefloat@orig@label
..... 7333, 7341, 7361, 7391			
\@bidituftefloat@overhang	\@bidituftefloat@overhang	\@bidituftefloat@overhang	\@bidituftefloat@overhang
7240,7244,7245, 7443,7444,7483,7484	7240,7244,7245, 7443,7444,7483,7484	7240,7244,7245, 7443,7444,7483,7484	7240,7244,7245, 7443,7444,7483,7484
\@bidituftefloat@pkgname	\@bidituftefloat@pkgname	\@bidituftefloat@pkgname	\@bidituftefloat@pkgname
... 7124,7125,7127	... 7124,7125,7127	... 7124,7125,7127	... 7124,7125,7127
\@bidituftefloat@stored@caption	\@bidituftefloat@stored@caption	\@bidituftefloat@stored@caption	\@bidituftefloat@stored@caption
..... 7299, 7306, 7360, 7395			
\@bidituftefloat@stored@label	\@bidituftefloat@stored@label	\@bidituftefloat@stored@label	\@bidituftefloat@stored@label
.... 7300,7309, 7361,7377,7379,7396	.... 7300,7309, 7361,7377,7379,7396	.... 7300,7309, 7361,7377,7379,7396	.... 7300,7309, 7361,7377,7379,7396
\@bidituftefloat@stored@shortcaption	\@bidituftefloat@stored@shortcaption	\@bidituftefloat@stored@shortcaption	\@bidituftefloat@stored@shortcaption
..... 7298, 7303,7304,7360,7394	..... 7298, 7303,7304,7360,7394	..... 7298, 7303,7304,7360,7394	..... 7298, 7303,7304,7360,7394
\@bidituftegeneralstructure@reset@par	\@bidituftegeneralstructure@reset@par	\@bidituftegeneralstructure@reset@par	\@bidituftegeneralstructure@reset@par
..... 8409,8415	..... 8409,8415	..... 8409,8415	..... 8409,8415
\@biditufteheading@newlines@space	\@biditufteheading@newlines@space	\@biditufteheading@newlines@space	\@biditufteheading@newlines@space
..... 7465,7474	..... 7465,7474	..... 7465,7474	..... 7465,7474
\@biditufteheading@newlines@space@p	\@biditufteheading@newlines@space@p	\@biditufteheading@newlines@space@p	\@biditufteheading@newlines@space@p
..... 7466,7468	..... 7466,7468	..... 7466,7468	..... 7466,7468
\@biditufteheading@orig@ocr	\@biditufteheading@orig@ocr	\@biditufteheading@orig@ocr	\@biditufteheading@orig@ocr
..... 7473,7477	..... 7473,7477	..... 7473,7477	..... 7473,7477
\@bidituftefloat@LTR@citation@font	\@bidituftefloat@LTR@citation@font	\@bidituftefloat@LTR@citation@font	\@bidituftefloat@LTR@citation@font
... 7835,7844,7934	... 7835,7844,7934	... 7835,7844,7934	... 7835,7844,7934
\@bidituftefloat@LTR@margin@font	\@bidituftefloat@LTR@margin@font	\@bidituftefloat@LTR@margin@font	\@bidituftefloat@LTR@margin@font
..... 7826, 7829, 7832, 7835			
\@bidituftefloat@LTR@margin@font@font	\@bidituftefloat@LTR@margin@font@font	\@bidituftefloat@LTR@margin@font@font	\@bidituftefloat@LTR@margin@font@font
... 7832,7841,8213	... 7832,7841,8213	... 7832,7841,8213	... 7832,7841,8213
\@bidituftefloat@LTR@margin@font@font@font	\@bidituftefloat@LTR@margin@font@font@font	\@bidituftefloat@LTR@margin@font@font@font	\@bidituftefloat@LTR@margin@font@font@font
..... 7829,7838	..... 7829,7838	..... 7829,7838	..... 7829,7838
\@bidituftefloat@LTR@margin@font@font@font@font	\@bidituftefloat@LTR@margin@font@font@font@font	\@bidituftefloat@LTR@margin@font@font@font@font	\@bidituftefloat@LTR@margin@font@font@font@font
..... 7836,7845	..... 7836,7845	..... 7836,7845	..... 7836,7845



21240, 21310,	\@checkend . . . . 5135,	21572, 21589, 25068
21998, 22002,	5159, 6958, 6959	\@colourfalse . . . . 4817
22004, 22005, 22075	\@chnum . 353, 360, 371,	\@colourgreenfalse
\@ccclv . . . . . 10746,	1378, 1385, 1398,	. . . . . 10486, 10584
10803, 13527,	1408, 1424, 1425,	\@colourgreentrue .
13528, 13556,	1426, 1439, 1447,	. . . . . 10487, 10585
13566, 14833,	1473, 9823, 22430,	\@colourgreyfalse .
14845, 14879,	22437, 22452,	. . . . . 10490, 10588
14882, 14883,	24622, 24623, 24624	\@colourgreytrue ..
14893, 14894,	\@circlefnt . . . . . 13814	. . . . . 10491, 10589
16842, 16847,	\@classiv . . . . . 4654,	\@colouorangefalse
16859, 18711,	16764, 22293,	. . . . . 10484, 10582
24793, 24797,	24413, 24593, 24618	\@colouorange>true
24809, 24813, 24824	\@classx . 1405, 1464, 9817	. . . . . 10485, 10583
\@ccclvi . . . . . 13277,	\@classz . . . . . 1405,	\@colouredfalse ..
13279, 13329, 13331	1464, 1498, 1499,	. . . . . 10488, 10586
\@centercr 8437, 18801,	4653, 9817, 16764,	\@colouredtrue . . .
18814, 18827,	22292, 22332,	. . . . . 10489, 10587
22501, 22530, 24550	24412, 24592, 24617	\@colourtrue . . . . . 4816
\@cftasnum . . . 22687,	\@cleartopmattertags	\@colroom . . . . 10446,
22718, 22741,	. . . . . 129, 16137	10449, 10451,
22758, 22775,	\@cliptoboxdim . . . 22459	10452, 10746,
22792, 22809,	\@clsextension . . . .	10803, 14811,
22826, 22844,	6672, 6683, 6699,	14825, 14828,
22863, 22883, 22918	6709, 6718, 6721, 6730	14830, 16853,
\@cftasnumb . . . 22688,	\@clubpenalty .. 584,	16862, 20060,
22719, 22742,	2531, 9702, 11535,	20077, 20800,
22759, 22776,	19606, 19809, 22595	20817, 21573, 21590
22793, 22810,	\@colht . . . . . 10174,	\@combinedblfloats
22827, 22845,	10201, 10202,	. . 10086, 10145,
22864, 22884, 22919	10286, 10287,	13873, 13909,
\@cftbsnum . . . 22686,	10303, 10419,	13990, 14744,
22717, 22740,	10434, 10435,	14797, 17801,
22757, 22774,	10445, 10446,	17898, 24732, 24775
22791, 22808,	10453, 10469,	\@combinefloats . . .
22825, 22843,	10473, 13517,	. . . . . 13512, 14913
22862, 22882, 22917	14009, 14811,	\@compactenum@ . . . . 8419
\@cftdopartfalse . 22660	14823, 14824,	\@cons . . . . . 24931, 24932
\@cftdoparttrue . . .	14825, 14827,	\@contcshortstyle 17644
. . . . . 22663, 22667	14829, 14917,	\@contcstyle . . . . .
\@cftl@subfig . . . . 22851	16853, 16854,	. 17649, 17655, 17660
\@cftl@subtab . . . . 22871	17737, 17740,	\@contcwidth 17638, 17639
\@chapapp . 9468, 9663,	17742, 17744,	\@contdelim . . . . .
11495, 13655, 19778	17749, 17750,	. . 17632, 17643,
\@chapterlistsgap@off	17751, 17770,	17647, 17654, 17659
. . . . . 18256	17771, 17772,	\@contfield . . . . .
\@chapterlistsgap@on	17776, 17837,	. . . 9049, 9064, 9096
. . . . . 18263, 18271	17840, 17842,	\@contfinal . . . . .
\@chclass . . 352, 364,	17844, 17849,	. . 17632, 17644,
375, 1377, 1389,	17850, 17851,	17650, 17656, 17660
1402, 1422, 1427,	17870, 17871,	\@contfmark . 17631, 17634
22429, 22445,	17872, 17876,	\@contfnote . 17630, 17633
22456, 24620, 24625	20059, 20076,	\@contindw . . . . . 17655
	20799, 20816,	



<code>\@contnfont</code> . . . . .	12460, 12523,	16151, 17571,
. . 17632, 17643,	12533, 12543,	19069, 19071,
17647, 17654, 17659	12580, 12592,	19083, 19128,
<code>\@contpost</code> . . . . . 17664	12604, 12667,	19148, 19208,
<code>\@contpre</code> . . . . 17642,	12677, 12687,	19210, 19224,
17648, 17653, 17658	12724, 12736,	19271, 19294,
<code>\@conttfont</code> . . . . .	12748, 12811,	19303, 19461,
. . 17632, 17644,	12821, 12831,	19473, 19514,
17650, 17656, 17660	12868, 12880,	19536, 19648,
<code>\@curfield</code> . . . . .	12892, 12955,	19660, 19696,
9048, 9063, 9083,	12965, 12975,	19719, 20135,
9097, 9107, 24981	13012, 13024,	20275, 20875,
<code>\@curline</code> . . . . . 9046,	13036, 13099,	21015, 21648, 21788
9061, 24981, 24983	13109, 13119,	<code>\@dblarg</code> . . . . . 17696
<code>\@currbox</code> . . . . . 4725,	13156, 13168,	<code>\@dblfloatplacement</code>
4756, 4760, 7660,	13180, 13361,	. . 10090, 10149,
7663, 7704, 7707,	13373, 13385,	13874, 13913,
7712, 7716, 7748,	13422, 13436,	13997, 14748,
7751, 7756, 7760,	13450, 14295,	14801, 17805,
7792, 7795, 7800,	14312, 14328,	17902, 24736, 24779
7804, 13581,	14356, 14370, 14384	<code>\@declaredcolor</code> 9858,
24854, 24857,	<code>\@currentlabelname</code>	9859, 24198, 24221
24862, 24866,	. . . . . 15524,	<code>\@dedication</code> . . . . .
24898, 24901,	15539, 15554,	. . 20177, 20180,
24906, 24910,	15613, 15651,	20285, 20917,
24932, 24941, 24973	15684, 15715, 15746	20920, 21025,
<code>\@currentHlabel</code> . . .	<code>\@currentenvir</code> . . . . .	21690, 21693, 21798
. 15522, 15537, 15552	5121, 5124, 5125,	<code>\@dedicatory</code> . . . . . 323
<code>\@currentHref</code> . . . . .	5145, 5148, 5149, 5176	<code>\@deferlist</code> . . . . . 14809
. . 15523, 15538,	<code>\@currentext</code> . . . . 23111,	<code>\@definitionfileextension</code>
15553, 15612,	23223, 23281, 23291	. . . . . 5190, 5193
15650, 15683,	<code>\@currlist</code> . . . . . 24931	<code>\@depth</code> . . . 389, 16776,
15714, 15745,	<code>\@curtabmar</code> . 24980, 24983	22272, 22301,
15967, 15978, 15980	<code>\@cvtheme</code> . . . . 4897, 4900	22341, 24602, 24970
<code>\@currentlabel</code> . . 43,	<code>\@cvthemeoptions</code> . .	<code>\@dgroup</code> . . . . . 9721
57, 73, 246, 260,	. . . . . 4898, 4900	<code>\@dischyp</code> . . . . .
275, 2154, 2171,	<code>\@date</code> . . 431, 443, 479,	. 14670, 16918, 18854
2188, 2204, 2220,	502, 770, 772, 784,	<code>\@displaypagenumbersfalse</code>
2236, 8052, 8070,	829, 849, 1022,	. . . . . 4996
8088, 11651,	1024, 1036, 1081,	<code>\@displaypagenumberstrue</code>
11665, 11679,	1101, 1272, 1274,	. . . . . 4995
11691, 11702,	1286, 1331, 1352,	<code>\@dmath</code> . . . . . 9709, 9738
11713, 11953,	1361, 4407, 8583,	<code>\@doclearpage</code> . . . 13596
11963, 11973,	8637, 9265, 9267,	<code>\@docolbox</code> . . . . . 14063
12010, 12022,	9279, 9442, 9444,	<code>\@dodynamicthefoot</code> 13987
12034, 12097,	9456, 9532, 9544,	<code>\@dodynamicthehead</code> 13987
12106, 12115,	9580, 9603, 11293,	<code>\@dofilelist</code> . . . . .
12151, 12162,	11303, 11337,	. . . 6969, 6970, 6972
12173, 12235,	11358, 11388,	<code>\@dotsep</code> . . . . . 23838,
12245, 12255,	11400, 11436,	23839, 23947, 24645
12292, 12304,	11459, 11544,	<code>\@dottedtocline</code> . . .
12316, 12379,	11549, 13715,	. . 23953, 23954,
12389, 12399,	13725, 13759,	23956, 23974, 24634
12436, 12448,	13780, 16146,	<code>\@dseries</code> . . . . . 9734



<code>\@eha</code> . . . . .	5112, 22905	1329, 1330, 1331,	15554,	15613,
<code>\@ehc</code> . . . . .	5238,	1892, 1893, 2263,	15651,	15684,
	5240, 5246, 5248,	2289, 2315, 2526,	15715,	15746,
	5254, 5256, 5262,	2972, 2978, 2984,	16057,	16123,
	5264, 5672, 6546,	3062, 3464, 3611,	16144,	16186,
	16347, 16354,	3707, 3802, 4150,	16399,	16405,
	16840, 17943, 17949	4329, 4405, 4406,	16428,	16432,
<code>\@ehd</code> . . . . .	17690	4407, 4408, 4712,	16434,	16790,
<code>\@eightcol@LTRfootgroupv@l</code>		5024, 5033, 5133,	16815,	17568,
	. . . . .	5157, 6376, 6785,	17569,	17570,
	12790	6798, 6799, 6805,	17571,	17730,
<code>\@eightcol@footgroupv@r</code>		6828, 6858, 6866,	17830,	18250,
	. . . . .	6885, 6888, 6899,	18759,	19014,
	12786	6903, 6913, 6919,	19080,	19081,
<code>\@eightcolLTRfootfmt</code>		6920, 6921, 6934,	19082,	19083,
	. . . . .	6946, 6950, 7017,	19125,	19126,
	12883	7028, 7911, 7930,	19127,	19128,
<code>\@eightcolLTRfootnotetext</code>		7949, 7970, 7977,	19221,	19222,
	. . . . .	8565, 8632, 8633,	19223,	19224,
	12781, 12817	8634, 9201, 9276,	19268,	19269,
<code>\@eightcolRTLfootfmt</code>		9277, 9278, 9279,	19270,	19271,
	. . . . .	9389, 9453, 9454,	19408,	19471,
	12834, 12848, 12895	9455, 9456, 9542,	19472,	19473,
<code>\@eightcolRTLfootnotetext</code>		9543, 9544, 9545,	19474,	19512,
	. . . . .	9578, 9579, 9580,	19513,	19514,
	12782, 12827	9581, 9698, 9724,	19515,	19602,
<code>\@eightcolfootfmt</code> .		10054, 10117,	19658,	19659,
	. . . . .	10773, 10825,	19660,	19661,
	12814, 12842, 12871	11260, 11301,	19694,	19695,
<code>\@eightcolfootnotetext</code>		11302, 11303,	19696,	19697,
	. . . . .	11304, 11335,	19805,	19996,
	12780, 12801	11336, 11337,	20095,	20096,
<code>\@elt</code> . . . . .	5268,	11338, 11398,	20103,	20111,
	5271, 7548, 7549,	11399, 11400,	20118,	20124,
	7550, 7551, 7552,	11401, 11434,	20140,	20146,
	7553, 7554, 7555,	11435, 11436,	20159,	20162,
	7556, 7557, 7558,	11437, 11531,	20169,	20177,
	7559, 7589, 7590,	11542, 11558,	20182,	20197,
	7591, 7592, 7593,	11562, 13357,	20204,	20219,
	7594, 7595, 7596,	13369, 13381,	20220,	20224,
	7597, 7598, 7599,	13412, 13431,	20225,	20233,
	7600, 7601, 7602,	13445, 13511,	20234,	20238,
	7603, 7604, 7605,	13690, 13723,	20239,	20248,
	7606, 9760, 10712,	13724, 13725,	20249,	20253,
	10733, 10739,	13726, 13757,	20254,	20262,
	10774, 10776,	13758, 13759,	20263,	20273,
	10778, 10784,	13760, 13853,	20274,	20275,
	10796, 10826,	13889, 14440,	20276,	20277,
	10828, 10830,	14522, 14722,	20278,	20279,
	10836, 22360, 22362	14771, 14809,	20280,	20281,
<code>\@email</code> 4909, 10574, 10672		14912, 14927,	20282,	20283,
<code>\@empty</code> 86, 115, 134, 136,		14928, 14929,	20284,	20285,
	289, 404, 441, 442,	14930, 14931,	20315,	20345,
	443, 444, 477, 478,	15524, 15539,	20370,	20371,
	479, 480, 580, 715,			
	781, 782, 783, 784,			
	826, 827, 828, 829,			
	978, 1033, 1034,			
	1035, 1036, 1078,			
	1079, 1080, 1081,			
	1228, 1283, 1284,			
	1285, 1286, 1328,			



20476,	20735,	24244,	24247,	20219,	20225,
20835,	20836,	24400,	24610,	20233,	20239,
20843,	20851,	24619,	24708,	20248,	20254,
20858,	20864,	24755,	25020,	20278,	20835,
20880,	20886,	25021, 25023, 25024		20842,	20959,
20899,	20902,	\@emptycol . . . 10438,		20965,	20973,
20909,	20917,	10441, 10457, 10460		20979,	20988,
20922,	20937,	\@emptytoks . . . . . 9723		20994,	21018,
20944,	20959,	\@end@tempboxa 14954,		21608,	21615,
20960,	20964,	15048, 15065, 24512		21732,	21738,
20965,	20973,	\@endfloatbox . . . . . 4777		21746,	21752,
20974,	20978,	\@endmodernpoem 9059,9079		21761, 21767, 21791	
20979,	20988,	\@endparenv . . . . 8969,		\@familyname . . . 4842,	
20989,	20993,	9076, 18305, 18325		4844, 4845, 4903,	
20994,	21002,	\@endparpenalty 4570,		10549, 10639, 10660	
21003,	21013,	4579, 13924, 13938		\@familynamecolour	
21014,	21015,	\@endpbox . . . . .		. . . . . 4872, 4889	
21016,	21017,	1415, 1416, 1457,		\@fax . . 4908, 10573, 10671	
21018,	21019,	1481, 1482, 1483,		\@fcolmadefalse . . 14810	
21020,	21021,	9831, 9832, 9833,		\@ff@do@allframes .	
21022,	21023,	16761, 16767,		. . . . . 13989, 13994	
21024,	21025,	22307, 22345, 24608		\@ff@fbox . . . . . 14072	
21075,	21106,	\@endpetrue . 24354, 24364		\@ff@setoffset . . . 14069	
21131,	21132,	\@endtraditionalpoem		\@ffbackground . . . 14059	
21237,	21508,	. . . . . 8950, 9015		\@filebordercolor .	
21608,	21609,	\@ensure@LR . 18701, 24374		. . . . . 15825, 15827	
21616,	21624,	\@ensure@LTR . . 18699,		\@filecolor . . . . . 15843	
21631,	21637,	18701, 18709,		\@file@und . . . . . 6618	
21653,	21659,	24372, 24374,		\@finalstrut . . . . .	
21672,	21675,	24382, 24384,		2158, 2175, 2192,	
21682,	21690,	24386, 25279, 25281		2208, 2224, 2240,	
21695,	21710,	\@ensure@RL . 18700, 24373		11629, 11635,	
21717,	21732,	\@ensure@RTL . . 18698,		11641, 14300,	
21733,	21737,	18700, 24371, 24373		14317, 14333,	
21738,	21746,	\@ensure@dir . . 18702,		14360, 14374, 14388	
21747,	21751,	18703, 24375, 24376		\@firstampfalse 1437, 1445	
21752,	21761,	\@ensure@maindir . .		\@firstcolfirstmark	
21762,	21766,	. . . . . 18703, 24376		. . . . . 10053,	
21767,	21775,	\@enumctr 2464, 8420, 8421		10054, 10058,	
21776,	21786,	\@eqnum . . . . .		10116, 10117,	
21787,	21788,	. 13945, 16140, 25089		10121, 13852,	
21789,	21790,	\@evenfoot 2054, 2095,		13853, 13857,	
21791,	21792,	4369, 13980, 25013		13888, 13889,	
21793,	21794,	\@evenhead . . . . 2053,		13893, 14721,	
21795,	21796,	2095, 13979, 25013		14722, 14726,	
21797,	21798,	\@expandtwoargs . . . 6904		14770, 14771,	
21840,	21871,	\@extrafootnotefeaturesfalse		14775, 17729,	
21896,	21897,	. . . . . 4129		17730, 17734,	
22002,	22230,	\@extrafootnotefeaturestrue		17829, 17830,	
22347,	22395,	. . . . . 4127		17834, 24707,	
22591,	22891,	\@extrainfo . . . . .		24708, 24712,	
22893,	23246,	. 4910, 10575, 10673		24754, 24755, 24759	
23252,	23719,	\@extratitle . . . . .		\@firstcoltopmark .	
24201,	24204,	. . 20095, 20102,		. . . . . 10051,	



10059, 10114,	5285, 5289, 5297,	20213, 20832,
10122, 13850,	5301, 5309, 5315,	20953, 21605, 21726
13858, 13886,	5319, 5332, 5340,	\@footgroupv@r 11798,
13894, 14719,	5346, 5350, 5358,	11901, 11928,
14727, 14768,	5364, 5367, 5370,	12072, 12210,
14776, 17727,	5384, 5391, 5781,	12354, 12498,
17735, 17827,	5799, 5805, 5829,	12642, 12786,
17835, 24705,	5856, 5886, 5949,	12930, 13074, 13258
24713, 24752, 24760	5959, 6609, 18231	\@footnote . . . . . 8514
\@firstcolumnfalse	\@fivecolLTRfootgroupv@l	\@footnotemark . 2266,
. . . . . 10044,	. . . . . 12358	2273, 2292, 2299,
10107, 10477,	\@fivecol@footgroupv@r	2318, 2325, 4685,
13844, 13880,	. . . . . 12354	4693, 4701, 8023,
14004, 14708,	\@fivecollTRfootfmt	8116, 8123, 8145,
14757, 17720,	. 12392, 12413, 12451	8152, 8174, 8181,
17820, 24698, 24745	\@fivecollTRfootnotetext	8997, 9004, 9011,
\@firstcolumntrue .	. . . . . 12349, 12385	14261, 14267,
. . . . . 10062,	\@fivecolRTLfootfmt	14270, 14276,
10125, 10432,	. 12402, 12416, 12463	15565, 15754,
13860, 13897,	\@fivecolRTLfootnotetext	15758, 15772, 15773
13968, 14732,	. . . . . 12350, 12395	\@footnotetext .. 34,
14781, 17779,	\@fivecolfootfmt ..	79, 151, 152,
17879, 24716, 24763	. 12382, 12410, 12439	153, 237, 282,
\@firstdetailselementfalse	\@fivecolfootnotetext	2243, 2247, 2252,
. . . . . 10654	. . . . . 12348, 12369	4642, 4764, 8044,
\@firstdetailselementtrue	\@float . . . . . 7294, 7623	8116, 8123, 8867,
. . . . . 10651	\@floatboxreset . . . 4775	8878, 9084, 9098,
\@firstfooterelementfalse	\@floatpenalty . 4718,	10692, 10693,
. . . . . 10570,	4720, 4723, 7696,	11584, 11598,
10571, 10572,	7698, 7702, 7706,	11599, 11643,
10573, 10574, 10575	7740, 7742, 7746,	11718, 11726,
\@firstfooterelementtrue	7750, 7784, 7786,	11922, 12066,
. . . . . 10555	7790, 7794, 24846,	12204, 12348,
\@firstname . . . . 4842,	24848, 24852,	12492, 12636,
4844, 4845, 4902,	24856, 24890,	12780, 12924,
10549, 10639, 10660	24892, 24896, 24900	13068, 13250,
\@firstnamecolour .	\@floatplacement . 13602	13303, 13305,
. . . . . 4871, 4888	\@fltovf . . . . .	14287, 14344,
\@firstofone . . . 6009,	4758, 7707, 7751,	14403, 15435,
6016, 6024, 6035,	7795, 24857, 24901	15443, 15514,
6049, 6055, 6065,	\@flushglue 8852, 8853,	15562, 15755,
6071, 7071, 14017,	16924, 19570,	15759, 15775,
14035, 14039,	23299, 23303,	15776, 16823,
14042, 14045,	23307, 23353, 24550	16974, 18095,
14051, 15949,	\@fnsymbol . . . . .	18097, 18098,
15950, 15951,	. . 453, 745, 804,	19947, 19950,
15952, 17694,	997, 1056, 1247,	20388, 20686,
20445, 21206,	1306, 4393, 9240,	20689, 21149,
21971, 24995,	9417, 9554, 11313,	21459, 21462,
25037, 25049,	11410, 13735,	21914, 22375,
25052, 25054,	19044, 19103,	22392, 22482, 22484
25061, 25065, 25071	19183, 19244,	\@footstartv@l . . . .
\@firstoftwo . . . 3946,	19440, 19483,	. 11799, 13265, 13315
3952, 3958, 5277,	19670, 20092,	\@footstartv@r . . . .



..... 11798, 13259	\@fs@iftopcapt . . . . .	21546, 21553,
\@for . 6826, 6887, 6900,	. . . 7641, 7654, 7667	22272, 22300,
6922, 6926, 7912,	\@fs@mid . 7640, 7653, 7665	22341, 24601, 24970
7917, 7931, 7936,	\@fs@post 7639, 7652, 7666	\@highpenalty . . . . .
7950, 7955, 7978,	\@fs@pre . 7638, 7651, 7659	. . . . 9146, 9162,
7987, 10022, 23250	\@g@tnextcol . . . . . 13966	9169, 9179, 9323,
\@fourcol@LTRfootgroupv@l	\@getcirc . . . . . 13810	9339, 9346, 9356,
. . . . . 12214	\@gnewline . . . 18803,	9610, 9625, 9635,
\@fourcol@footgroupv@r	18816, 18829, 18840	11466, 13623,
. . . . . 12210	\@gobble . . . . . 4622,	13638, 13648,
\@fourcolLTRfootfmt	5132, 5156, 5178,	18954, 18970,
. 12248, 12269, 12307	5183, 5912, 5913,	18977, 18987,
\@fourcolLTRfootnotetext	5914, 5915, 5916,	19326, 19342,
. . . . . 12205, 12241	6011, 6026, 6041,	19349, 19359,
\@fourcolRTLfootfmt	6087, 6101, 6113,	19542, 19556,
. 12258, 12272, 12319	6125, 6815, 6950,	19566, 19726,
\@fourcolRTLfootnotetext	7127, 8687, 8752,	19741, 19751,
. . . . . 12206, 12251	14027, 14028,	22673, 22708,
\@fourcolfootfmt . .	14029, 17691,	23097, 23121, 23209
. 12238, 12266, 12295	20387, 20388,	\@hintcolour . . 4879, 4895
\@fourcolfootnotetext	20389, 20390,	\@holdpg 10180, 10197,
. . . . . 12204, 12225	21148, 21149,	10200, 10217,
\@fps . . . . . 4706,	21150, 21151,	10308, 10341, 10343
4707, 4709, 4712, 4729	21913, 21914,	\@hyper@launch . . . 15848
\@fpsaddddefault 4710, 4713	21915, 21916,	\@idxitem 102, 107, 222,
\@freelist . . . . 4725,	24205, 24248,	227, 603, 618, 867,
7548, 7589, 7704,	25030, 25031, 25032	1119, 8478, 8485,
7705, 7748, 7749,	\@gobbletwo . . . . .	9121, 9298, 9509,
7792, 7793, 13510,	2077, 5203, 5204,	16074, 16079,
14911, 24854,	5207, 5208, 5218,	18911, 19166,
24855, 24898,	5219, 5222, 5223,	19626, 22653, 25099
24899, 24931, 24932	5226, 5227, 5230,	\@ifclasslater 7113, 7118
\@frontispiece . . . .	5231, 6145, 16203,	\@ifclassloaded . . .
. . 20096, 20099,	20391, 21152, 21917	. . . . 6733, 7112,
20103, 20106,	\@gtempa . . . . . 5414, 5415	7117, 7147, 8527,
20220, 20224,	\@halignto . . . . 393,	8529, 9511, 11735,
20234, 20238,	408, 22305, 22343,	14081, 14094,
20249, 20253,	24400, 24606, 24619	25102, 25103,
20279, 20836,	\@hangfrom . . . 20482,	25104, 25105,
20839, 20843,	20512, 20515,	25106, 25107,
20846, 20960,	21243, 21273,	25108, 25109,
20964, 20974,	21276, 22008,	25110, 25111,
20978, 20989,	22038, 22041, 24574	25112, 25113,
20993, 21019,	\@hboxRconstructfalse	25114, 25115,
21609, 21612,	. . . . . 18667, 24320	25116, 25117,
21616, 21619,	\@hboxRconstructtrue	25118, 25119,
21733, 21737,	404, 18657, 22312,	25120, 25121,
21747, 21751,	22351, 24310, 24615	25122, 25123,
21762, 21766, 21792	\@height . . . . . 388,	25124, 25125,
\@fs@capt 7637, 7650, 7658	1495, 9845, 10320,	25126, 25127,
\@fs@cfont . . . . 7630,	14651, 16775,	25155, 25243, 25244
7636, 7646, 7649,	16828, 16944,	\@ifdefinable . . 5396,
7657, 13949, 13950	20033, 20040,	5399, 5402, 5417,
	20773, 20780,	5659, 5674, 14184



<code>\@ifdefinitionfileloaded</code>	25181, 25182,	5194, 25194, 25195
..... 5193, 25245	25183, 25184,	
<code>\@ifempty</code> .. 7, 202, 16102	25185, 25186,	<code>\@ifundefined</code> 330, 331,
<code>\@ifl@aded</code> 5192, 5193, 5194	25187, 25188,	2367, 4999, 5236,
<code>\@ifnextchar</code> ... 163,	25189, 25190,	5239, 5244, 5247,
405, 4590, 4620,	25191, 25192,	5252, 5255, 5260,
4635, 5649, 6702,	25193, 25196,	5263, 6690, 6694,
6703, 6747, 6748,	25197, 25198,	6844, 6937, 7858,
6792, 7709, 7753,	25199, 25222,	8341, 8349, 8464,
7797, 9858, 9873,	25223, 25224,	8466, 8471, 8561,
14259, 14268,	25225, 25226,	8578, 9860, 9867,
14427, 14442,	25227, 25228,	9875, 9881, 13952,
14460, 14466,	25229, 25230,	14177, 15959,
15020, 15762,	25231, 25232,	15960, 16357,
15786, 18110,	25233, 25234,	16368, 16431,
18309, 18329,	25235, 25236,	16433, 16438,
24198, 24241,	25237, 25238,	18417, 18885,
24425, 24859, 24903	25239, 25240,	22892, 22896,
<code>\@ifpackagelater</code> ..	25241, 25242,	22972, 22994,
.. 7111, 7116, 14130	25243, 25244,	22995, 23043,
<code>\@ifpackageloaded</code> .	25246, 25247,	23044, 23131,
..... 170, 1454,	25248, 25249,	23153, 23154,
1993, 5842, 6775,	25250, 25251,	23438, 23461,
6835, 7070, 7088,	25252, 25253,	23515, 23575,
7110, 7115, 7616,	25254, 25255,	23624, 23641, 23671
7621, 7674, 11165,	25256, 25257,	<code>\@ifundefinedmodel</code>
11166, 15559,	25258, 25259,	..... 24231, 24265
15579, 15657,	25260, 25261,	<code>\@ifxempty</code> ..... 24291
15956, 16421,	25262, 25263,	<code>\@ignoretrue</code> ..... 9745
16546, 16803,	25264, 25265,	<code>\@iiiminipage</code> .... 14390
17670, 22577,	25266, 25267,	<code>\@iiiparbox</code> .....
24401, 25088,	25268, 25269,	. 11883, 14421, 24483
25101, 25114,	25270, 25271,	<code>\@indextitlestyle</code> .
25124, 25128,	25272, 25273,	.... 100, 220, 16072
25132, 25136,	25274, 25275, 25276	<code>\@inlabelfalse</code> .... 9712
25137, 25138,	<code>\@ifpackagewith</code> ...	<code>\@insertfalse</code> .... 10165
25139, 25140,	... 9999, 16333,	<code>\@inserttrue</code> ..... 10431
25147, 25148,	16336, 18888,	<code>\@iprintcites</code> .... 18795
25149, 25150,	18891, 22602,	<code>\@itemdepth</code> .... 2455,
25151, 25152,	25141, 25144,	2475, 2476, 2477
25153, 25154,	25145, 25146,	<code>\@itemfudge</code> . 24980, 24982
25155, 25156,	25200, 25210, 25216	<code>\@itemlabel</code> ..... 24446
25157, 25158,	<code>\@ifstar</code> ..... 5766,	<code>\@ixpt</code> ..... 8378
25159, 25160,	6701, 6746, 6788,	<code>\@keywords</code> ..... 324
25161, 25162,	6880, 7466, 11169,	<code>\@kludgeins</code> ... 13514,
25163, 25164,	11733, 11941,	14914, 18137, 18142
25165, 25166,	12085, 12223,	<code>\@lastchclass</code> .. 353,
25167, 25168,	12367, 12511,	354, 355, 356, 358,
25169, 25170,	12655, 12799,	1378, 1379, 1380,
25171, 25172,	12943, 13087,	1381, 1383, 1422,
25173, 25174,	13297, 13348, 15023	1423, 1435, 1443,
25175, 25176,	<code>\@iftagsloaded</code> ....	22430, 22431,
25177, 25178,	. 5192, 25129, 25130	22432, 22433,
25179, 25180,	<code>\@iftexfileloaded</code> .	22435, 24620, 24621



<code>\@lastvipertrue</code> ...	<code>\@m</code> ...	59, 75, 248, 262,
..... 10443, 10462	93, 296, 586, 718,	277, 455, 742,
<code>\@latex@error</code> .....	981, 1231, 2533,	807, 994, 1057,
..... 5111, 6809,	9204, 9392, 9704,	1244, 1309, 2157,
17690, 17943, 17949	11263, 11537,	2207, 4395, 8017,
<code>\@latex@warning</code> .	13693, 14710,	8056, 8074, 8092,
95,	14712, 14759,	9237, 9414, 9556,
298, 588, 720, 983,	14761, 16064,	11315, 11412,
1233, 2535, 5029,	18230, 19017,	13737, 14299,
9206, 9394, 9706,	19411, 19608,	14316, 14332,
11265, 11539,	19811, 20349,	14359, 14373,
13695, 16066,	21110, 21875, 22597	14387, 14932,
19019, 19413,	<code>\@mainmatterfalse</code> .	17577, 19041,
19610, 19813,	..... 8714,	19106, 19180,
20353, 20360,	8744, 9686, 11519	19247, 19443,
21114, 21121,	<code>\@mainmattertrue</code> ..	19486, 19672,
21879, 21886, 22599	..... 8711, 8727	19964, 19991,
<code>\@latex@warning@no@line</code>	<code>\@makeLTRfntext</code> ...	19994, 20703,
. 10436, 10454, 24946	... 2139, 2191, 2239	20730, 20733,
<code>\@latexbug</code> .....	<code>\@makeRTLfntext</code> ...	21476, 21503, 21506
24932	... 2134, 2174, 2223	<code>\@makefrontispiece</code>
<code>\@latexerr</code> .....	<code>\@makecaption</code> ..	.. 20228, 20242,
. 14848, 14858, 14868	7461,	20257, 20968,
<code>\@leftcolumn</code> ..	9806, 17627,	20982, 20997,
10045,	17677, 17709,	21741, 21755, 21770
10071, 10108,	20439, 20471,	<code>\@makeother</code> ....
10130, 10183,	21200, 21232,	5765,
10188, 13845,	21965, 21997, 25074	5811, 5923, 5931
13866, 13881,	<code>\@makechapterhead</code> .	<code>\@makeschapterhead</code>
13902, 14709,	. 301, 9463, 9658,	9117, 9294, 9483,
14737, 14758,	11490, 13651,	9504, 9672, 11505,
14790, 17721,	18786, 19774, 22618	13663, 18907,
17780, 17793,	<code>\@makecol</code> 13574, 13575,	19162, 19621,
17821, 17880,	14834, 14844,	19786, 22624, 22629
17889, 24699,	16848, 16860, 24791	<code>\@makespecialcolbox</code>
24725, 24746, 24768	<code>\@makeextratitle</code> ..	..... 13515, 14915
<code>\@let@token</code> ...	.. 20222, 20236,	<code>\@maketitle</code> ....
5169, 5172	20251, 20962,	120,
<code>\@lettrine</code> .....	20976, 20991,	316, 320, 460, 462,
16166	21735, 21749, 21764	467, 476, 486, 811,
<code>\@listI</code> .....	<code>\@makefnmark</code> ...	813, 818, 825,
7164	454,	835, 1063, 1065,
<code>\@listdepth</code> .....	805, 1307, 2136,	1070, 1077, 1087,
.. 14243, 14406,	2141, 4394, 8019,	1313, 1315, 1320,
14675, 14679,	8030, 9555, 10697,	1327, 1337, 4398,
16300, 19974,	10718, 11314,	4404, 9561, 9563,
20713, 21486,	11411, 13736,	9568, 9577, 9587,
24437, 24440, 24445	16089, 17575,	11320, 11322,
<code>\@listi</code> ..	19104, 19245,	11327, 11334,
7164, 7172, 8382	19441, 19484,	11344, 11417,
<code>\@loadwithoptions</code> .	19671, 20093,	11419, 11424,
.. 6625, 6627, 6634	20094, 20214,	11433, 11443,
<code>\@lowertitleback</code> ..	20215, 20833,	13742, 13744,
.. 20146, 20157,	20834, 20954,	13749, 13756,
20169, 20204,	20955, 21606,	13766, 16128,
20284, 20886,	21607, 21727, 21728	17580, 17582,
20897, 20909,	<code>\@makefntext</code> ....	
20944, 21024,	45,	
21659, 21670,		
21682, 21717, 21797		
<code>\@lowpenalty</code> .		
4566, 23747		



17589, 19110,	24876, 24885,	12217, 12361,
19112, 19117,	24920, 24929, 25080	12505, 12649,
19124, 19134,	\@minipagerestore 14407	12793, 12937,
19251, 19253,	\@minipagetrue . . . .	13081, 13268,
19258, 19267,	. . . . 7734, 7778,	13322, 14348,
19277, 19495,	7822, 24884, 24928	14405, 15454,
19497, 19502,	\@minus 4946, 5032, 7160,	15479, 15492,
19511, 19521,	7162, 7169, 7171,	15568, 16976, 22486
19677, 19679,	7173, 7174, 8379,	\@mparbottom . . . . .
19684, 19693,	8381, 8383, 8384,	. . 24942, 24950,
19703, 20231,	14589, 14627,	24951, 24952, 24953
20245, 20260,	18227, 20628,	\@mpargs . . . . .
20272, 20971,	20646, 20656,	. 11883, 14396, 14421
20985, 21000,	20666, 20677,	\@mparswitchfalse . 7143
21012, 21744,	21399, 21419,	\@mparswitchtrue . . 7138
21758, 21773, 21785	21429, 21439,	\@mpeightcol@LTRfootgroupv@l
\@maketitle@hook . .	21450, 22164,	. . . . . 12798
. . . . . 118, 16126	22184, 22194,	\@mpeightcol@footgroupv@r
\@makewincaption . 18514	22204, 22215, 22237	. . . . . 12796
\@marbox . . . . . 7705,	\@mkboth . . . . . 571,	\@mpeightcolLTRfootnotetext
7707, 7711, 7715,	599, 615, 706,	. . . . . 12792, 12874
7716, 7749, 7751,	864, 969, 1116,	\@mpeightcolRTLfootnotetext
7755, 7759, 7760,	1219, 2077, 9118,	. . . . . 12793, 12886
7793, 7795, 7799,	9192, 9295, 9380,	\@mpeightcolfootnotetext
7803, 7804, 24855,	9505, 9689, 11251,	. . . . . 12791, 12851
24857, 24861,	11522, 13681,	\@mpfivecol@LTRfootgroupv@l
24865, 24866,	18908, 19005,	. . . . . 12366
24899, 24901,	19163, 19399,	\@mpfivecol@footgroupv@r
24905, 24909,	19593, 19622, 19796	. . . . . 12364
24910, 24931,	\@mklab . . . . . 24447	\@mpfivecolLTRfootnotetext
24941, 24944,	\@mkpream . 392, 16780,	. . . . . 12360, 12442
24952, 24954,	22303, 22335, 24604	\@mpfivecolRTLfootnotetext
24955, 24957,	\@mobile 4906, 10571, 10669	. . . . . 12361, 12454
24958, 24959,	\@modernpoem . . 9035, 9079	\@mpfivecolfootnotetext
24968, 24972, 24973	\@mplTRfootnotetext	. . . . . 12359, 12419
\@mathmargin . . 11121,	. . . . . 2227,	\@mpfn 2253, 2279, 2305,
11128, 11136, 11143	11588, 11606,	4660, 4663, 4666,
\@maxdepth . . . 13526,	11607, 11696,	4682, 4690, 4698,
13541, 13562,	11722, 11730,	8114, 8120, 8143,
13573, 14925,	11934, 12078,	8149, 8172, 8178,
24796, 24812, 24823	12216, 12360,	8974, 8977, 8980,
\@mentempa . . . 17627,	12504, 12648,	8994, 9001, 9008,
17629, 17643,	12792, 12936,	14259, 14264,
17650, 17654, 17659	13080, 13267,	14268, 14273,
\@menubordercolor .	13321, 14362,	14402, 14432,
. . . . . 15919, 15921	14404, 15465,	14447, 15440,
\@menucolor . . . . . 15930	15480, 15503,	15451, 15462,
\@midlist . . . . 13510,	15567, 16975, 22485	15662, 15693,
13511, 14911, 14912	\@mpRTLfootnotetext	15724, 15787,
\@minipagefalse 4779,	. . . . . 2211,	16971, 22417, 22424
7726, 7735, 7770,	11589, 11608,	\@mpfootins . . . . .
7779, 7814, 7823,	11609, 11707,	2197, 2199, 2213,
11880, 14418,	11723, 11731,	2215, 2229, 2231,
16390, 17683,	11935, 12079,	11686, 11687,



11697,	11698,	11587,	11604,	\@mpsixcol@LTRfootgroupv@l
11708,	11709,	11605,	11685,	..... 12510
11844,	11852,	11721,	11729,	\@mpsixcol@footgroupv@r
11860,	11870,	11933,	12077,	..... 12508
11874,	11877,	12215,	12359,	\@mpsixcol@LTRfootnotetext
14350,	14351,	12503,	12647,	..... 12504, 12586
14364,	14365,	12791,	12935,	\@mpsixcol@RTLfootnotetext
14378,	14379,	13079,	13266,	..... 12505, 12598
14412,	14413,	13317,	13319,	\@mpsixcol@footnotetext
14416, 16960, 16965		14376,	14403,	..... 12503, 12563
\@mpfootinsv@l	....	15443,	15478,	\@mptencol@LTRfootgroupv@l
.. 11842, 11858,		15481,	15566,	..... 13086
11903,	11998,	16974, 22482, 22484		\@mptencol@footgroupv@r
12005,	12017,	\@mpfourcol@LTRfootgroupv@l		..... 13084
12018,	12139,	..... 12222		\@mptencol@LTRfootnotetext
12146,	12157,	\@mpfourcol@footgroupv@r		..... 13080, 13162
12158,	12280,	..... 12220		\@mptencol@RTLfootnotetext
12287,	12299,	\@mpfourcol@LTRfootnotetext		..... 13081, 13174
12300,	12424,	..... 12216, 12298		\@mptencol@footnotetext
12431,	12443,	\@mpfourcol@RTLfootnotetext		..... 13079, 13139
12444,	12568,	..... 12217, 12310		\@mpthreecol@LTRfootgroupv@l
12575,	12587,	\@mpfourcol@footnotetext		..... 12084
12588,	12712,	..... 12215, 12275		\@mpthreecol@footgroupv@r
12719,	12731,	\@mplistdepth 14243, 14406		..... 12082
12732,	12856,	\@mpninecol@LTRfootgroupv@l		\@mpthreecol@LTRfootnotetext
12863,	12875,	..... 12942		..... 12078, 12156
12876,	13000,	\@mpninecol@footgroupv@r		\@mpthreecol@RTLfootnotetext
13007,	13019,	..... 12940		..... 12079, 12167
13020,	13144,	\@mpninecol@LTRfootnotetext		\@mpthreecol@footnotetext
13151,	13163,	..... 12936, 13018		..... 12077, 12134
13164,	13409,	\@mpninecol@RTLfootnotetext		\@mptwocol@LTRfootgroupv@l
13418, 13430, 13433		..... 12937, 13030		..... 11940
\@mpfootinsv@r	11841,	\@mpninecol@footnotetext		\@mptwocol@footgroupv@r
11902,	11996,	..... 12935, 12995		..... 11938
12003,	12029,	\@mppara@LTRfootgroupv@l		\@mptwocol@LTRfootnotetext
12030,	12137,	..... 13273, 13325		..... 11934, 12016
12144,	12168,	\@mppara@footgroupv@r		\@mptwocol@RTLfootnotetext
12169,	12278,	..... 13272		..... 11935, 12028
12285,	12311,	\@mppara@LTRfootnotetext		\@mptwocol@footnotetext
12312,	12422,	..... 13267, 13321, 13429		..... 11933, 11993
12429,	12455,	\@mppara@RTLfootnotetext		\@namedef .....
12456,	12566,	..... 13268, 13443		6694, 6845, 9032,
12573,	12599,	\@mppara@footnotetext		11885, 11919,
12600,	12710,	..... 13266, 13319, 13404		11920, 12041,
12717,	12743,	\@mpsevencol@LTRfootgroupv@l		12047, 12053,
12744,	12854,	..... 12654		12058, 12063,
12861,	12887,	\@mpsevencol@footgroupv@r		12064, 12179,
12888,	12998,	..... 12652		12185, 12191,
13005,	13031,	\@mpsevencol@LTRfootnotetext		12196, 12201,
13032,	13142,	..... 12648, 12730		12202, 12323,
13149,	13175,	\@mpsevencol@RTLfootnotetext		12329, 12335,
13176,	13407,	..... 12649, 12742		12340, 12345,
13416, 13444, 13447		\@mpsevencol@footnotetext		12346, 12467,
\@mpfootnotetext	2195,	..... 12647, 12707		12473, 12479,



12484,	12489,	23178,	23180,	12908,	12909,
12490,	12611,	23183,	23186,	12913,	12914,
12617,	12623,	23199,	23439,	12918,	12919,
12628,	12633,	23440,	23441,	13046,	13047,
12634,	12755,	23442,	23443,	13052,	13053,
12761,	12767,	23444,	23445,	13057,	13058,
12772,	12777,	23446,	23447,	13062,	13063,
12778,	12899,	23486,	23492,	13190,	13191,
12905,	12911,	23499,	23505,	13196,	13197,
12916,	12921,	23512,	23516,	13201,	13202,
12922,	13043,	23517,	23518,	13206,	13207,
13049,	13055,	23519,	23521,	13459,	13466,
13060,	13065,	23522,	23524,	13470,	13477,
13066,	13187,	23527,	23530,	13486,	13491,
13193,	13199,	23538,	23539,	13495,	13500,
13204,	13247,	23541,	23544,	13972,	20144,
13248,	13300,	23547,	23572,	20479,	20884,
13458,	13469,	23576,	23577,	21240,	21657,
13485,	13494,	23578,	23580,	22005,	22636,
13503,	16898,	23581,	23583,	22908,	22909,
22907,	22946,	23586,	23589,	22910,	22913,
22947,	22948,	23597,	23598,	22916,	22921,
22949,	22950,	23600,	23603,	22922,	22927,
22951,	22952,	23606,	23626,	22931,	22932,
22953,	22954,	23629,	23633,	22934,	22935,
22955,	22973,	23673,	23676, 23680	22937,	22938,
22974,	22975,	\@nameuse . 6691, 9030,		22940,	22941,
22976,	22977,	11051,	11101,	22943,	22944,
22978,	22979,	11104,	11150,	22951,	22956,
22980,	22981,	12044,	12045,	22957,	23040,
22996,	22997,	12050,	12051,	23087,	23091,
22998,	22999,	12055,	12056,	23092,	23104,
23001,	23002,	12060,	12061,	23114,	23115,
23004,	23007,	12182,	12183,	23199,	23203,
23010,	23018,	12188,	12189,	23204,	23225,
23019,	23021,	12193,	12194,	23241,	23244,
23024,	23027,	12198,	12199,	23245,	23249,
23040,	23045,	12326,	12327,	23255,	23256,
23046,	23047,	12332,	12333,	23257,	23261,
23049,	23050,	12337,	12338,	23264,	23268,
23052,	23055,	12342,	12343,	23270,	23284,
23058,	23066,	12470,	12471,	23286,	23288,
23067,	23069,	12476,	12477,	23294,	23312,
23072,	23075,	12481,	12482,	23313,	23315,
23087,	23132,	12486,	12487,	23316,	23326,
23133,	23134,	12614,	12615,	23328,	23331,
23135,	23136,	12620,	12621,	23332,	23334,
23137,	23138,	12625,	12626,	23336,	23337,
23139,	23140,	12630,	12631,	23345,	23347,
23155,	23156,	12758,	12759,	23351,	23352,
23157,	23158,	12764,	12765,	23356,	23360,
23160,	23161,	12769,	12770,	23364,	23365,
23163,	23166,	12774,	12775,	23433,	23466,
23169,	23177,	12902,	12903,	23473,	23478,



23479, 23486,	24547, 24623,	18964, 19336,
23565, 23572,	24625, 24668, 24932	19551, 19736,
23643, 23710,	\@newlistfalse . . . .	22695, 22699, 23234
24233, 24267, 25004	. . . . . 14016, 24993	\@nobreake>true . . 519,
\@ne . . . . 137, 142, 353,	\@next . . . . . 4725,	671, 915, 1154,
362, 365, 459, 810,	7704, 7705, 7748,	9155, 9332, 9619,
1062, 1312, 1378,	7749, 7792, 7793,	11474, 13632,
1387, 1390, 1391,	24854, 24855,	18963, 19335,
1392, 1425, 1428,	24898, 24899, 24931	19550, 19735,
1429, 1430, 2196,	\@nextchar . . . . 359,	22694, 22698, 23233
2212, 2228, 2476,	361, 362, 363,	\@nocnterr . . . . . 331
4187, 4192, 4193,	365, 366, 367, 368,	\@nocounterr . . . . . 330
4194, 4735, 5037,	369, 372, 373, 374,	\@nodocument . . . . . 4704
5065, 5100, 5430,	1384, 1386, 1387,	\@noitemerr . . . . .
5484, 5538, 6268,	1388, 1390, 1391,	. . . 95, 298, 587,
6427, 6498, 6559,	1392, 1393, 1394,	719, 982, 1232,
7052, 7061, 9560,	1395, 1396, 1399,	2534, 5029, 9205,
10010, 11319,	1400, 1401, 1413,	9393, 9705, 11264,
11416, 11815,	1415, 1416, 1481,	11538, 13694,
13741, 14349,	1482, 1483, 9831,	16066, 18237,
14363, 14377,	9832, 9833, 22436,	19018, 19412,
14689, 15795,	22438, 22439,	19609, 19812,
15796, 15801,	22440, 22441,	20352, 20359,
16289, 16345,	22442, 22443,	21113, 21120,
16352, 16361,	22444, 22446,	21878, 21885, 22598
16372, 16782,	22447, 22448,	\@nonlatinfalse 3973,
17579, 17656,	22449, 22450,	4091, 16379, 16423
17919, 18308,	22453, 22454, 22455	\@nonlatintrue . 3974,
18328, 19109,	\@nil . . . . . 1466, 1467,	4093, 16379, 16423
19250, 19447,	1469, 1470, 9820,	\@normalLTRfootfmt
19490, 19494,	10740, 10797,	. 11637, 11682, 11705
19676, 19974,	15962, 15971,	\@normalRTLfootfmt
20001, 20003,	15973, 15985, 22551	. 11631, 11668, 11716
20218, 20385,	\@ninecol@LTRfootgroupv@l	\@normalcrl . . . . . 16927
20713, 20740,	. . . . . 12934	\@normalfootfmt . . .
20742, 20958,	\@ninecol@footgroupv@r	. 11625, 11654, 11694
21146, 21486,	. . . . . 12930	\@notprerr . . . 6011, 6026
21513, 21515,	\@ninecollTRfootfmt	\@nx . . . . . 124,
21731, 21911,	. 12968, 12989, 13027	125, 334, 16132, 16133
22365, 22369,	\@ninecollTRfootnotetext	\@nxtcol . . . . .
22430, 22439,	. . . . . 12925, 12961	. 13964, 13966, 14007
22446, 22748,	\@ninecolRTLfootfmt	\@oddfoot . . . . .
23091, 23092,	. 12978, 12992, 13039	2049, 2054, 2090,
23203, 23204,	\@ninecolRTLfootnotetext	2095, 4364, 13977,
23433, 24147,	. . . . . 12926, 12971	13984, 25007, 25024
24294, 24440,	\@ninecolfootfmt . .	\@oddhead . 1973, 2053,
24481, 24516,	. 12958, 12986, 13015	2078, 2095, 13976,
24518, 24519,	\@ninecolfootnotetext	13983, 25007, 25023
24520, 24525,	. . . . . 12924, 12945	\@oldmakefnmark 20093,
24527, 24528,	\@nmbulistfalse . . 24448	20094, 20214,
24529, 24534,	\@nobreake>false . 520,	20215, 20833,
24536, 24537,	672, 916, 1155,	20834, 20954,
24538, 24543,	9156, 9333, 9620,	20955, 21606,
24545, 24546,	11475, 13633,	21607, 21727, 21728



<code>\@onefilewithoptions</code>	18374, 18377,	<code>\@para@footstartv@r</code>	
... 6641, 6642, 6649	18382, 24699,	..... 13259	
<code>\@onelevel@sanitize 4707</code>	24702, 24703,	<code>\@paraLTRfootfmt ..</code>	
<code>\@onlypreamble ....</code>	24717, 24729,	. 13377, 13396, 13440	
.... 4068, 6864,	24746, 24749,	<code>\@paraLTRfootnotetext</code>	
6874, 6878, 13240,	24750, 24764,	. 13251, 13307, 13368	
13241, 13245, 13606	24774, 24793,	<code>\@paraRTLfootfmt ..</code>	
<code>\@openbib@code ....</code>	24795, 24809,	. 13389, 13400, 13454	
.. 578, 713, 976,	24811, 24822, 25051	<code>\@paraRTLfootnotetext</code>	
1226, 5022, 5033,	<code>\@outputdblcol 13963,</code>	..... 13252, 13380	
9199, 9387, 9696,	24787, 24788, 24789	<code>\@parafootfmt .....</code>	
11258, 11529,	<code>\@outputpage .....</code>	. 13365, 13392, 13426	
13688, 19012,	.. 10088, 10092,	<code>\@parafootnotetext</code>	
19406, 19600,	10147, 10151,	. 13250, 13305, 13350	
19803, 20335,	13873, 13876,	<code>\@parboxrestore . 42,</code>	
21096, 21861, 22589	13911, 13915,	56, 72, 245, 259,	
<code>\@otarlinesep 22325, 22331</code>	13991, 13995,	274, 2153, 2170,	
<code>\@outerparskip .... 9073</code>	14000, 14011,	2187, 2203, 2219,	
<code>\@outputbox .....</code>	14746, 14750,	2235, 4774, 7455,	
.. 10045, 10048,	14799, 14803,	7723, 7767, 7811,	
10049, 10063,	16849, 16861,	9750, 11690,	
10075, 10080,	17803, 17808,	11701, 11712,	
10082, 10108,	17900, 17905,	11813, 12009,	
10111, 10112,	18366, 18367,	12021, 12033,	
10126, 10136,	24734, 24738,	12150, 12161,	
10139, 10141,	24777, 24781, 24988	12172, 12291,	
13517, 13519,	<code>\@ovbtrue .....</code> 13799	12303, 12315,	
13520, 13525,	<code>\@ovdx .....</code> 13812, 13820	12435, 12447,	
13540, 13542,	<code>\@ovdy .....</code> 13813, 13821	12459, 12579,	
13556, 13566,	<code>\@ovhorz ...</code> 13818, 13819	12591, 12603,	
13845, 13848,	<code>\@ovltrue .....</code> 13799	12723, 12735,	
13861, 13870,	<code>\@ovri .....</code> 13811	12747, 12867,	
13881, 13884,	<code>\@ovro 13811, 13820, 13821</code>	12879, 12891,	
13898, 13908,	<code>\@ovrtrue .....</code> 13799	13011, 13023,	
13989, 13994,	<code>\@ovttrue .....</code> 13799	13035, 13155,	
14041, 14709,	<code>\@ovvert ...</code> 13816, 13817	13167, 13179,	
14716, 14717,	<code>\@ovxx .....</code> 13801,	13421, 13435,	
14733, 14743,	13802, 13805,	13449, 13464,	
14758, 14765,	13812, 13817,	13475, 14016,	
14766, 14782,	13818, 13822, 13823	14294, 14311,	
14794, 14833,	<code>\@ovyy ..</code> 13803, 13804,	14327, 14355,	
14845, 14879,	13805, 13813, 13819	14369, 14383,	
14881, 14892,	<code>\@pagedp ...</code> 24960, 24970	14401, 17704,	
14917, 14920,	<code>\@pageht 10169, 10175,</code>	17918, 24499,	
14921, 16866,	13582, 13583,	24873, 24917, 24994	
16868, 16870,	13584, 24943, 24950	<code>\@parboxto . 24502, 24509</code>	
17721, 17724,	<code>\@par .....</code> 23368	<code>\@parmoderr .....</code>	
17725, 17755,	<code>\@para@LTRfootgroupv@l</code>	4723, 7701, 7745,	
17780, 17783,	..... 13264, 13314	7789, 24851, 24895	
17785, 17797,	<code>\@para@footgroupv@r</code>	<code>\@part .....</code> 550, 11222	
17821, 17824,	..... 13258	<code>\@pboxswfalse 14392, 24485</code>	
17825, 17855,	<code>\@para@footstartv@l</code>	<code>\@pboxswtrue .....</code> 24507	
17880, 17883,	..... 13265, 13315	<code>\@pdfm@mark .....</code>	
17885, 17895,		.. 15803, 15819,	



15853,	15884,	20647,	20656,	19330,	19331,
15913,	15988,	20657,	20666,	19333,	19353,
15993,	16004,	20677,	20771,	19354,	19358,
16009,	16020,	20778,	20787,	19545,	19546,
16026,	16037,	20850,	20876,	19548,	19560,
16043		20921,	21354,	19561,	19565,
<code>\@pdfremotestartview</code>		21373,	21399,	19730,	19731,
.....	15834	21400,	21419,	19733,	19745,
<code>\@phone</code>	4907, 10572, 10670	21420,	21429,	19746,	19750,
<code>\@photo</code>	.. 4912, 10545,	21430,	21439,	22558,	22567,
10547,	10676, 10678	21450,	21544,	22569,	22957,
<code>\@photowidth</code>	... 4911,	21551,	21560,	23106,	23107,
4912,	10547, 10643	21623,	21649,	23119,	23218,
<code>\@pkgextension</code>	....	21694,	22119,	23219,	23228,
6669,	6680, 6744,	22138,	22164,	23492,	23499,
6753,	6761, 6764, 6772	22165,	22184,	23845,	23950, 24648
<code>\@plus</code>	..... 24,	22185,	22194,	<code>\@preamble</code>	.... 393,
103,	223, 510, 527,	22195,	22204,	394,	404, 406,
602,	617, 646, 649,	22215,	22236,	1438,	1446, 16786,
662,	680, 687, 866,	22502,	22531,	22304,	22306,
873,	876, 889, 906,	22652,	22927,	22313,	22343,
924,	1118, 1129,	23095,	23098,	22344,	22352,
1132,	1145, 1163,	23102,	23207,	24605,	24607, 24616
1171,	4946, 5032,	23210,	23214,	<code>\@preameightfmt</code>	12837,
7160,	7161, 7162,	23289,	23626,	12843,	12846, 12849
7169,	7170, 7171,	23629,	23633,	<code>\@preamerr</code>	.....
7173,	7174, 8379,	23754,	23938, 24636	. 375,	1402, 1432,
8380,	8381, 8383,	<code>\@pnumwidth</code>	... 13, 15,	22456,	24614, 24627
8384,	8450, 9120,	208,	210, 513, 514,	<code>\@preamfivefmt</code>	12405,
9131,	9134, 9147,	516,	530, 531, 535,	12411,	12414, 12417
9163,	9170, 9297,	665,	666, 668, 690,	<code>\@preamfmttext</code>	. 11649,
9308,	9311, 9324,	691,	695, 892, 893,	11663,	11677,
9340,	9347, 9508,	897,	909, 910, 912,	11808,	11952,
9611,	9626, 11198,	1148,	1149, 1151,	11962,	11972,
11212,	11467,	1174,	1175, 1179,	12096,	12105,
13394,	13398,	9150,	9151, 9153,	12114,	12234,
13402,	13624,	9173,	9174, 9178,	12244,	12254,
13639,	14589,	9327,	9328, 9330,	12378,	12388,
14627,	16075,	9350,	9351, 9355,	12398,	12522,
16095,	17970,	9614,	9615, 9617,	12532,	12542,
17982,	18227,	9629,	9630, 9634,	12666,	12676,
18910,	18939,	9895,	9900, 9901,	12686,	12810,
18942,	18955,	11201,	11202,	12820,	12830,
18971,	18978,	11206,	11215,	12954,	12964,
19165,	19311,	11216,	11218,	12974,	13098,
19314,	19327,	11469,	11470,	13108,	13118,
19343,	19350,	11472,	13627,	13360,	13372, 13384
19543,	19557,	13628,	13630,	<code>\@preamfourfmt</code>	12261,
19625,	19727,	13642,	13643,	12267,	12270, 12273
19742,	20031,	13647,	16108,	<code>\@preamninefmt</code>	12981,
20038,	20047,	16110,	17990,	12987,	12990, 12993
20110,	20136,	18958,	18959,	<code>\@preamnormalfmt</code>	..
20181,	20592,	18961,	18981,	.....	11621,
20610,	20628,	18982,	18986,	11626,	11632, 11638
20629,	20646,				



<code>\@preamsevenfmt</code> 12693, 12699, 12702, 12705	9341, 9359, 18936, 18972, 18990,	<code>\@s@bidi@AfterPackage</code> ..... 6746, 6754, 6765, 6773
<code>\@preamsixfmt</code> . 12549, 12555, 12558, 12561	19308, 19344, 19362	<code>\@sarray</code> ..... 22297
<code>\@preamtenfmt</code> . 13125, 13131, 13134, 13137	<code>\@reinserts</code> ..... 13597	<code>\@savemarbox</code> ..... 24972
<code>\@preamthreefmt</code> 12120, 12126, 12129, 12132	<code>\@rememsize</code> . 22335, 22338	<code>\@secondoftwo</code> ..... 3948, 3954, 3960, 5279, 5283, 5291, 5295, 5303, 5307, 5313, 5321, 5334, 5343, 5352, 5361, 5367, 5370, 5381, 5386, 5393, 5772, 5782, 5783, 5784, 5785, 5791, 5800, 5806, 5830, 5858, 5886, 5938, 5950, 5951, 5960, 6606, 6734, 6776, 13607
<code>\@preamtwofmt</code> . 11979, 11985, 11988, 11991	<code>\@removefromreset</code> . ..... 18246, 18248	<code>\@secpenalty</code> ..... 5, 200, 509, 526, 661, 679, 686, 888, 905, 923, 1144, 1162, 1170, 11197, 11211, 16100, 22543, 22675, 22730, 23094, 23101, 23206, 23213
<code>\@printcites</code> ..... 18797	<code>\@reqcolroom</code> ..... .. 10169, 10170, 10171, 10172, 10174, 10175, 10176, 10177, 10178, 10179, 10419	<code>\@setcol</code> ..... 14008
<code>\@pstrickserr</code> .... 18751	<code>\@resetactivechars</code> ..... 14014, 24991	<code>\@setcolbox</code> . 13969, 14005
<code>\@ptsize</code> ..... 4810, 4811, 4812, 4813, 4820	<code>\@resetdyn@mics</code> .. 14002	<code>\@setcopyright</code> 112, 16120
<code>\@publisher</code> ... 8542, 8595	<code>\@resetst@tics</code> ... 14001	<code>\@setfontsize</code> ..... 7159, 7168, 8378, 8388, 8389, 8390, 8391, 8392, 8393, 8394
<code>\@publishers</code> .. 20137, 20282, 20877, 21022, 21650, 21795	<code>\@restonecolfalse</code> . ... 98, 218, 592, 608, 857, 1109, 9111, 9288, 9498, 16070, 18901, 19156, 19615, 22610	<code>\@setfpsbit</code> ..... ... 4739, 4742, 4745
<code>\@quote</code> .. 4913, 10551, 10553, 10680, 10682	<code>\@restonecoltrue</code> .. ... 98, 218, 594, 610, 859, 1111, 9113, 9290, 9500, 16070, 18903, 19158, 19617, 22612	<code>\@setmarks</code> ... 10055, 10057, 10087, 10118, 10120, 10146, 13854, 13856, 13873, 13890, 13892, 13910, 14723, 14725, 14745, 14772, 14774, 14798, 17731, 17733, 17802, 17831, 17833, 17899, 24709, 24711, 24733,
<code>\@quotebox</code> ..... 18796	<code>\@resumename</code> .. 4845, 4901	
<code>\@quotecolour</code> ..... ... 4875, 4892, 5002	<code>\@revlabeltrue</code> . 743, 995, 1245, 9238, 9415, 19042, 19181	
<code>\@r@m@size</code> ..... 22338	<code>\@rightcolumn</code> . 17747, 17752, 17753, 17771, 17775, 17781, 17847, 17852, 17853, 17862, 17863, 17871, 17875, 17881	
<code>\@raggedtwo@abdhook</code> . 18871, 18876, 18886	<code>\@rjfieldfalse</code> ... 24978	
<code>\@raggedtwo@document@opt</code> . 18870, 18874, 18892	<code>\@runbordercolor</code> .. ..... 15859, 15861	
<code>\@raggedtwo@everyselectfont</code> ..... 18810, 18823, 18836, 18847	<code>\@runcolor</code> ..... 15875	
<code>\@raggedtwo@footmisctrue</code> ..... 18873	<code>\@s@@size</code> ..... 22338	
<code>\@raggedtwo@gnewline</code> . 18803, 18816, 18829	<code>\@s@bidi@AfterClass</code> ..... 6701, 6710, 6722, 6731	
<code>\@raggedtwo@raggedrightboxes@opt</code> ..... 18849, 18868, 18872, 18889		
<code>\@raggedtwo@sav@gnewline</code> ..... 18840		
<code>\@raggedtwo@sav@dcr</code> ..... 18800, 18813, 18826, 18839		
<code>\@raggedtwo@spaceskipfalse</code> ..... 18846		
<code>\@raggedtwo@spaceskiptrue</code> . 18809, 18822, 18835		
<code>\@rc@ifdefinable</code> .. ..... 5417, 5674		
<code>\@regtocline</code> ... 643, 681, 698, 870, 900, 925, 1126, 1164, 1182, 9128, 9164, 9182, 9305,		



24756, 24758, 24776	\@stabarray . . . . . 22293	\@tabcr . . . . . 9043, 9053
\@setminipage .. 7457,	\@stabular . . . . . 22289	\@tabminus . . . . . 9041
14408, 14683, 17706	\@star@or@long . 5412,	\@tabplus . . . . . 9040
\@setpar . . . . . 19444,	5644, 5668, 5679	\@tabular 377, 4640, 24589
19487, 19997,	\@startcolumn . . . . 14808	\@tabularcr . . . . .
20008, 20736,	\@startdblcolumn . .	. . . . 4654, 16768,
20748, 21509, 21521	. . . . . 10091,	22293, 24413, 24593
\@settab . . . . . 9040	10093, 10150,	\@tagsextension 5189, 5192
\@sevenscol@LTRfootgroupv@l	10152, 13874,	\@tarlinesep .. 22331,
. . . . . 12646	13876, 13914,	22332, 22333,
\@sevenscol@footgroupv@r	13915, 13998,	22334, 22337, 22339
. . . . . 12642	14000, 14749,	\@temp@bibkey .. 7912,
\@sevenscolLTRfootfmt	14751, 14802,	7931, 7950, 7978
. 12680, 12701, 12739	14804, 17806,	\@temp@bibkeyx . . . .
\@sevenscolLTRfootnotetext	17809, 17903,	. . . . 7917, 7918,
. . . . . 12637, 12673	17906, 24737,	7920, 7921, 7922,
\@sevenscolRTLfootfmt	24739, 24780, 24782	7923, 7936, 7937,
. 12690, 12704, 12751	\@startfield . . . . . 9082	7939, 7940, 7941,
\@sevenscolRTLfootnotetext	\@startpbox . . . . 1415,	7942, 7955, 7956,
. . . . . 12638, 12683	1416, 1481, 1482,	7958, 7959, 7960,
\@sevenscolfootfmt .	1483, 9831, 9832,	7961, 7987, 7988,
. 12670, 12698, 12727	9833, 16765,	7990, 7991, 7992, 7993
\@sevenscolfootnotetext	16766, 16772,	\@temp@last@bibkey
. . . . . 12636, 12657	22307, 22345, 24608	. . . . 7911, 7912,
\@sharp . . . . . 400,	\@startsection 23, 16094	7918, 7930, 7931,
1440, 1441, 1442,	\@starttoc . . . 8345, 8353	7937, 7949, 7950,
1448, 1449, 1450,	\@stopfield 9047, 9062,	7956, 7977, 7978, 7988
15962, 15968,	9066, 9094, 24978	\@tempa . . . . . 123,
16778, 22309,	\@stopline .. 9066, 24978	126, 133, 134, 135,
22344, 22350, 24611	\@stpelt . 6133, 6137, 6139	136, 790, 792, 794,
\@sixcol@LTRfootgroupv@l	\@strip . . . . . 17915	798, 1042, 1044,
. . . . . 12502	\@subjclass . . . . . 324	1046, 1050, 1292,
\@sixcol@footgroupv@r	\@subject 20118, 20119,	1294, 1296, 1300,
. . . . . 12498	20281, 20858,	2258, 2284, 2310,
\@sixcolLTRfootfmt	20859, 21021,	5067, 5074, 5105,
. 12536, 12557, 12595	21631, 21632, 21794	5106, 5109, 5235,
\@sixcolLTRfootnotetext	\@subsectioncolour	5236, 5239, 5241,
. . . . . 12493, 12529	. . . . . 4878, 4894	5243, 5244, 5247,
\@sixcolRTLfootfmt	\@subtitle . . . 20124,	5249, 5251, 5252,
. 12546, 12560, 12607	20277, 20864,	5255, 5257, 5259,
\@sixcolRTLfootnotetext	21017, 21637, 21790	5260, 5263, 5265,
. . . . . 12494, 12539	\@tabacol 4652, 16763,	5431, 5441, 5447,
\@sixcolfootfmt . . .	22291, 24411, 24591	5459, 5466, 5472,
. 12526, 12554, 12583	\@tabarray . 381, 405,	5485, 5495, 5501,
\@sixcolfootnotetext	409, 4654, 16750,	5513, 5520, 5526,
. . . . . 12492, 12513	16752, 18283,	5539, 5552, 5558,
\@skip@bove . 22329, 22331	18285, 24406,	5576, 5586, 5592,
\@spaces . . . . .	24413, 24593, 24619	13800, 14985,
. 22367, 22408, 22413	\@tabclassiv . . . . .	14986, 14987,
\@spart . . . . . 11241	. . . 4654, 16764,	14988, 15025,
\@specialpagefalse	22293, 24413, 24593	15028, 15029,
. . . . . 13971, 25004	\@tabclassz . . . . .	15035, 15046,
\@specialstyle . . . .	1443, 4653, 16764,	15047, 15053,
. . . . . 13972, 25004	22292, 24412, 24592	15058, 15059,



15061,	15064,	10768,	10817,	18333,	18335,
15121,	15122,	10818,	10819,	18336,	18342,
15123,	15124,	10820,	10822,	18346,	18359,
15581,	15585,	11883,	13811,	18415,	18417,
15588,	15600,	13815,	13823,	18421,	18424,
15619,	15623,	13824,	13949,	18426,	20189,
15626,	15638,	13950,	13951,	20191,	20929,
16131,	16134,	14397,	14421,	20931,	21702,
16185,	16186,	14526,	14571,	21704,	22403,
16830,	16831,	14578,	14588,	23744,	23745,
16833,	16834,	14591,	14595,	23746,	23765,
18249,	18250,	14597,	14603,	23766,	23767,
18251,	18254,	14637,	14639,	23769,	23771,
18261,	18267,	14645,	14658,	23853,	23854,
19089,	19091,	14662,	14663,	23855,	24932,
19093,	19097,	14951,	15047,	24934,	24937,
19230,	19232,	15064,	15213,	24939,	24941, 24963
19234,	19238,	15394,	15396,	\@tempcntb . . . . .	
19821,	19822,	16382,	16387,	2387, 2388, 2390,	
19864,	19865,	16391,	16795,	4753, 4754, 4755,	
19996,	20337,	16796,	16799,	18334, 18335,	
20340,	20735,	17632,	17635,	18342, 18346, 18359	
21098,	21101,	17639,	17641,	\@tempdima . 8, 10, 12,	
21508,	21863,	17647,	17649,	14, 203, 205, 207,	
21866,	22416,	17650,	17679,	209, 385, 386, 388,	
22418,	22423,	17680,	17684,	511, 528, 533, 651,	
22425,	23936,	18515,	18516,	664, 688, 693, 878,	
23953,	23957,	18519,	22390,	879, 890, 895, 908,	
23958,	23959,	22410,	23897,	1134, 1147, 1172,	
23968,	23982,	23900,	23905,	1177, 1460, 1461,	
24158,	24161,	23909,	23913,	1493, 1494, 1495,	
24167, 24171, 24185		23917,	23921,	2066, 2374, 2378,	
\@tempb . . . . . 5105,		23925,	23929,	2379, 2391, 2392,	
5106, 5108, 5109,		23933,	24574,	2394, 2417, 2419,	
14985,	14986,	24575,	24630,	2430, 2432, 3452,	
15026,	15028,	24631,	24632,	3453, 4807, 4809,	
15056,	15058,	24633,	24857,	8366, 8367, 9136,	
15059,	15061,	24901,	25039,	9149, 9171, 9176,	
15064,	18253,	25046,	25047,	9313, 9326, 9348,	
18254,	18260,	25076, 25077, 25081		9353, 9612, 9627,	
18261, 18266, 18267		\@tempc . 15027, 15029,		9632, 9843, 9844,	
\@tempboxa . . . . 1979,		15035, 16213, 16218		9845, 9893, 9898,	
1980, 1981, 1982,		\@tempcnta . . . . .		10709, 10710,	
1983, 2083, 2084,		1406, 1465, 1466,		10711, 10712,	
2085, 2086, 2087,		1467, 1469, 1470,		10730, 10731,	
2340, 2357, 2358,		2376, 2377, 2379,		10732, 10733,	
2359, 2360, 2361,		4727, 4733, 4735,		10739, 10741,	
2362, 2363, 2364,		4748, 4749, 4755,		10742, 10746,	
2403, 2405, 2406,		4756, 5082, 5084,		10747, 10748,	
2407, 2412, 2425,		5088, 9818, 9820,		10749, 10750,	
7707, 7751, 7795,		10738, 10795,		10758, 10762,	
10185, 10186,		16252, 16254,		10765, 10766,	
10763, 10764,		16257, 16280,		10767, 10781,	
10765, 10766,		16281, 16289,		10782, 10783,	



10796,	10798,	19490,	19558,	24140,	24151,
10799,	10803,	19563,	19728,	24152,	24153,
10804,	10805,	19743,	19748,	24154,	24166,
10806,	10807,	19866,	19867,	24169,	24175,
10813,	10816,	19998,	19999,	24176,	24498,
10819,	10820,	20001,	20003,	24499,	24641,
10821,	10833,	20009,	20010,	24642,	24942,
10834,	10835,	20014,	20016,	24943,	24944,
11051,	11052,	20410,	20411,	24945,	24948,
11057,	11058,	20737,	20738,	24951,	24954,
11059,	11060,	20740,	20742,	24956,	24979, 24980
11061,	11176,	20749,	20750,	\@tempdimb . . . .	2375,
11178,	11180,	20754,	20756,	2376,	2380, 2383,
11199,	11204,	21171,	21172,	2384,	2389, 2390,
11214,	13237,	21510,	21511,	2391,	2392, 2397,
13276,	13277,	21513,	21515,	2400,	2401, 2403,
13280,	13281,	21522,	21523,	2404,	2413, 2418,
13287,	13288,	21527,	21529,	2419,	2426, 2431,
13289,	13290,	21936,	21937,	2432,	9812, 10266,
13292,	13328,	22336,	22339,	10286,	10709,
13329,	13332,	22341,	22404,	10710,	10730,
13333,	13339,	22463,	22464,	10731,	10782,
13340,	13341,	22465,	22685,	10784,	10787,
13342,	13344,	22689,	22716,	10834,	10836,
13527,	13529,	22720,	22739,	10839,	11054,
13626,	13640,	22743,	22756,	11057,	13278,
13645,	13812,	22760,	22773,	13279,	13280,
13813,	13816,	22777,	22790,	13330,	13331,
13817,	14395,	22794,	22807,	13332,	13805,
14399,	14920,	22811,	22824,	13806,	13807,
14922,	15044,	22828,	22842,	13808,	13810,
15046,	15051,	22846,	22861,	15045,	15046,
15053,	15054,	22865,	22881,	15052,	15053,
15056,	15069,	22885,	22916,	15055,	15056,
15074,	15079,	22920,	23104,	16250,	16251,
15083,	16103,	23110,	23216,	16253,	17915,
16105,	16107,	23256,	23260,	17940,	20011,
16109,	16228,	23263,	23267,	20012,	20014,
16233,	16249,	23270,	23272,	20016,	20751,
16250,	16255,	23312,	23315,	20752,	20754,
16760,	16770,	23316,	23320,	20756,	21524,
16775,	17750,	23761,	23763,	21525,	21527,
17754,	17850,	23792,	23795,	21529,	22336,
17854,	17915,	23802,	23805,	22339,	22341,
17940,	17963,	23809,	23814,	23762,	23768,
17975,	17976,	23817,	23829,	23770,	23775,
17987,	17988,	23862,	23864,	23777,	23780,
18337,	18944,	23865,	23868,	23784,	23788,
18957,	18979,	23871,	23875,	23796,	23798,
18984,	19316,	23882,	23884,	23799,	23812,
19329,	19351,	23943,	23944,	23818,	23820,
19356,	19445,	23957,	23959,	24123,	24124,
19446,	19447,	23967,	23974,	24126,	24128,
19488,	19489,	24120,	24121,	24131,	24132,



24134, 24137,	\@tencolfootnotetext	19686, 19694,
24151, 24152,	..... 13068, 13089	20140, 20159,
24153, 24157,	\@testopt ..... 5646,	20182, 20263,
24170, 24174,	5664, 16757, 16758	20273, 20880,
24175, 24501, 24502	\@testpach 352, 1377,	20899, 20922,
\@tempdimc 2386, 2387,	1422, 22429, 24620	21003, 21013,
2395, 2396, 2413,	\@texfileextension	21653, 21672,
2426, 9813, 19995,	..... 5191, 5194	21695, 21776, 21786
20006, 20007,	\@textbottom .. 13522,	\@thefnmark ... 44, 58,
20021, 20734,	14923, 20031,	74, 247, 261, 276,
20746, 20747,	20038, 20771,	454, 457, 744, 806,
20761, 21507,	20778, 21544, 21551	808, 996, 1060,
21519, 21520, 21534	\@textsuperscript .	1246, 1308, 1310,
\@tempkipa .....	..... 454, 457,	2155, 2172, 2189,
9072, 9073, 9074,	744, 806, 808, 996,	2205, 2221, 2237,
11823, 11824,	1060, 1246, 1308,	2265, 2271, 2291,
11825, 13480, 13481	1310, 4394, 4397,	2297, 2317, 2323,
\@tempswafalse . 1857,	8017, 8019, 9239,	4394, 4397, 4683,
1858, 6881, 6928,	9416, 9555, 9558,	4691, 4699, 8017,
10750, 10807,	11314, 11317,	8019, 8053, 8071,
11814, 14992,	11411, 11414,	8089, 8115, 8121,
20147, 20887,	13736, 13739,	8144, 8150, 8173,
21660, 24205, 24248	17575, 19043,	8179, 8995, 9002,
\@tempwatrue .....	19105, 19107,	9009, 9239, 9416,
1857, 6880, 6925,	19182, 19246,	9555, 9558, 11314,
10744, 10801,	19248, 19442,	11317, 11411,
11816, 20143,	19449, 19485,	11414, 11652,
20883, 21656, 24691	19492, 19671, 19674	11666, 11680,
\@temptokena 121, 125,	\@texttop .. 13518, 14919	11692, 11703,
16129, 16133, 18401	\@tfor .....	11714, 11753,
\@tempx .....	4728, 13800	11757, 11759,
8975, 15659, 15671	\@thanks ... 433, 441,	11765, 11769,
\@tempxi .....	469, 477, 775, 781,	11771, 11777,
8978, 15690, 15702	820, 826, 1027,	11781, 11783,
\@tempxii .....	1033, 1072, 1078,	11954, 11964,
8981, 15721, 15733	1277, 1283, 1322,	11974, 12011,
\@tempy .....	1328, 4399, 4405,	12023, 12035,
4660, 4661	9270, 9276, 9447,	12098, 12107,
\@tempyi .....	9453, 9534, 9542,	12116, 12152,
4663, 4664	9570, 9578, 11295,	12163, 12174,
\@tempyii .... 4666, 4667	11301, 11329,	12236, 12246,
\@tencol@LTRfootgroupv@l	11335, 11390,	12256, 12293,
..... 13078	11398, 11426,	12305, 12317,
\@tencol@footgroupv@r	11434, 13717,	12380, 12390,
..... 13074	13723, 13751,	12400, 12437,
\@tencol@LTRfootfmt	13757, 14423,	12449, 12461,
. 13112, 13133, 13171	14437, 14440,	12524, 12534,
\@tencol@LTRfootnotetext	17568, 17591,	12544, 12581,
..... 13069, 13105	19074, 19080,	12593, 12605,
\@tencol@RTLfootfmt	19119, 19125,	12668, 12678,
. 13122, 13136, 13183	19213, 19221,	12688, 12725,
\@tencol@RTLfootnotetext	19260, 19268,	12737, 12749,
..... 13070, 13115	19463, 19471,	12812, 12822,
\@tencol@footfmt ...	19504, 19512,	12832, 12869,
. 13102, 13130, 13159	19650, 19658,	



12881,	12893,	\@threecolLTRfootfmt	\@tocline .. 2, 197, 16097
12956,	12966,	. 12109, 12128, 12165	\@tocpagenum 15, 210, 16110
12976,	13013,	\@threecolLTRfootnotetext	\@tocrmarg ... 17959,
13025,	13037,	..... 12067, 12102	17971, 17983,
13100,	13110,	\@threecolRTLfootfmt	18885, 22680,
13120,	13157,	. 12118, 12131, 12176	22711, 22734,
13169,	13181,	\@threecolRTLfootnotetext	22751, 22768,
13362,	13374,	..... 12068, 12111	22785, 22802,
13386,	13423,	\@threecolfootfmt .	22819, 22837,
13437,	13451,	. 12100, 12125, 12154	22856, 22876,
13736,	13739,	\@threecolfootnotetext	22911, 22962,
14260,	14265,	..... 12066, 12087	23505, 23512,
14269,	14274,	\@title .....	23822, 23939, 24637
14296,	14313,	320,	\@todonotes@MissingFigureDown
14329,	14357,	423, 444, 480, 494,	..... 24101
14371,	14385,	753, 755, 783, 828,	\@todonotes@MissingFigureText
14428,	14433,	841, 1005, 1007,	..... 24078
14443,	14448,	1035, 1080, 1093,	\@todonotes@MissingFigureUp
14484,	14488,	1255, 1257, 1285,	..... 24100
14490,	14496,	1330, 1344, 1355,	\@todonotes@author
14500,	14502,	4408, 4843, 4904,	..... 24011,
14508,	14512,	8550, 8635, 9248,	24022, 24047, 24065
14514,	14934,	9250, 9278, 9425,	\@todonotes@currentfigcolor
15441,	15452,	9427, 9455, 9524,	..... 24082
15463,	15474,	9545, 9581, 9595,	\@todonotes@currentfigheight
15592,	15630,	10661, 11285,	..... 24083
15663,	15694,	11304, 11338,	\@todonotes@currentfigwidth
15725,	15788,	11350, 11380,	..... 24083,
16091,	19043,	11401, 11437,	24085, 24095, 24098
19105,	19107,	11451, 13707,	\@todonotes@drawInlineNote
19182,	19246,	13726, 13760,	..... 24006
19248,	19442,	13772, 17569,	\@todonotes@drawLineToLeftMargin
19449,	19485,	19052, 19054,	..... 24034, 24037
19492,	19671, 19674	19082, 19127,	\@todonotes@drawLineToRightMargin
\@thefoot ... 13977,		19140, 19191,	..... 24034, 24037
13980, 13984,		19193, 19223,	\@todonotes@drawMarginNote
25007, 25013,		19270, 19286,	. 24033, 24036, 24040
25021, 25024, 25059		19297, 19453,	\@todonotes@drawMarginNoteWithLine
\@thehead ... 13976,		19474, 19515,	..... 24028
13979, 13983,		19529, 19640,	\@todonotes@ifdisabled
25007, 25013,		19661, 19697,	..... 24107
25020, 25023, 25043		19711, 20122,	\@todonotes@sizecommand
\@themargin ... 14033,		20276, 20862,	..... 24011,
15089, 15091,		21016, 21635, 21789	24013, 24020,
15096, 15098,		\@titlecolour . 4873, 4890	24022, 24024,
15102, 15104,		\@titlehead .....	24047, 24049,
25009, 25011,		.. 20111, 20113,	24061, 24064,
25015, 25017, 25036		20280, 20851,	24065, 24067, 24070
\@thm .....	18290, 18311	20853, 21020,	\@todonotes@text ..
\@thmcountersep	350, 24431	21624, 21626, 21793	.. 24011, 24013,
\@threecolLTRfootgroupv@l		\@titlepageiscoverpagefalse	24022, 24024,
..... 12076		. 20062, 20802, 21575	24047, 24049,
\@threecolfootgroupv@r		\@tocextra .....	24062, 24068, 24071
..... 12072		.. 22636, 22637,	
		22641, 22643, 22646	



\@todonotes@textwidth	\@twosidefalse . . . . . 7143	13673, 13904,
. . . . . 24045	\@twosidetrue . . . . . 7138	14207, 14209,
\@toodeep . . . 2475, 24438	\@typeset@protect .	14651, 14739,
\@topnum . . . 111, 314,	. . . . . 4599,	14786, 16088,
466, 817, 1069,	4605, 4611, 4626	16159, 16777,
1319, 8628, 9567,	\@undeclaredcolor .	16828, 16944,
11326, 11423,	. . . . . 9858,	17789, 17891,
13748, 16119,	9866, 24198, 24199	18034, 18045,
17588, 19116,	\@undefined . . . . .	18077, 18128,
19257, 19501, 19683	. 4657, 16762, 17689	18995, 19418,
\@topsep . . . 18304, 18324	\@undottedtocline 17956	19574, 19756,
\@topsepadd . . . . .	\@unexpandable@protect	20033, 20773,
. 4571, 18305, 18325	. . . . . 5697, 7040	21546, 22302,
\@totalleftmargin .	\@unrecurse . 22326, 22329	22341, 24603,
. . 14673, 14677,	\@uppertitleback . .	24721, 24770, 24970
14680, 14689,	. . 20146, 20153,	\@x . . . . . 9032, 9033
16271, 16272,	20162, 20197,	\@x@sf 8026, 8031, 8037, 8040
16293, 16922,	20283, 20886,	\@xLTRfootnote . . . .
18307, 18308,	20893, 20902,	. . . . 4648, 4770,
18327, 18328,	20937, 21023,	8873, 8884, 9090,
18859, 24457,	21659, 21666,	9104, 14268, 14271
24459, 24465,	21675, 21710, 21796	\@xLTRfootnotenext
24467, 24471,	\@urlbordercolor . .	. . . . . 4647,
24473, 24477,	. . . . . 15890, 15892	4769, 8872, 8883,
24479, 24481,	\@urlcolor . . . . . 15904	9089, 9103, 14427,
24516, 24518,	\@viiipt . . . . . 7168,	14430, 15460, 22376
24519, 24520,	8388, 18345, 18358	\@xRTLfootnote . . . .
24525, 24527,	\@viipt 8388, 18345, 18358	. . . . 4650, 4772,
24528, 24529,	\@viper . . . . . 10094,	8875, 8886, 9092,
24534, 24536,	10096, 10098,	9106, 14259, 14262
24537, 24538,	10153, 10155,	\@xRTLfootnotenext
24543, 24545,	10157, 10171,	. . . . . 4649,
24546, 24547, 24979	10178, 10422,	4771, 8874, 8885,
\@traditionalpoem .	10473, 17916,	9091, 9105, 14442,
. . . . . 8923, 9015	17931, 17933, 17938	14445, 15449, 22377
\@trivlist . . . 18301,	\@viperoutput 10100, 10159	\@xaddress . . . . . 321
18321, 19973,	\@vipt . . . . . 8389	\@xauthor . . . . . 321
20712, 21485, 24450	\@vpt . . . . . 8389	\@xcentercr . . . 20401,
\@twocol@LTRfootgroupv@1	\@whilenum . . . . . 16281	20408, 21162,
. . . . . 11932	\@whilesw 10092, 10151,	21169, 21927, 21934
\@twocol@footgroupv@r	13875, 13915,	\@xcolor@ . . 24206, 24249
. . . . . 11928	13999, 14750,	\@xcurraddr . . . . . 322
\@twocolLTRfootfmt	14803, 17807,	\@xemail . . . . . 322
. 11966, 11987, 12025	17904, 24738, 24781	\@xepersian@pdfcustomproperties
\@twocolLTRfootnotetext	\@wholewidth . . . . .	. . . . . 4229
. . . . . 11923, 11959	. 13802, 13804, 13822	\@xfloat . . . . . 4703
\@twocolRTLfootfmt	\@width . . . . . 31, 235,	\@xfootnote . . . . 4646,
. 11976, 11990, 12037	390, 540, 725, 960,	4768, 8871, 8882,
\@twocolRTLfootnotetext	1205, 1495, 9211,	9088, 9102, 15786
. . . . . 11924, 11969	9364, 9640, 9845,	\@xfootnotemark . . 15471
\@twocolfootfmt . . .	10067, 10132,	\@xfootnotenext . . .
. 11956, 11984, 12013	10364, 10383,	. . . . 4645, 4767,
\@twocolfootnotetext	10691, 11269,	8870, 8881, 9087,
. . . . . 11922, 11943	11568, 11620,	9101, 15438, 22375



<code>\@xipt</code> . . . . .	8391	18827, 18839,	<code>\add@strip</code> . . . . .	17940
<code>\@xipt</code> . . . . .	8390	19050, 19095,	<code>\addcontentsline</code> 553,	
<code>\@xivpt</code> . . . . .	303, 8392	19189, 19236,	555, 4948, 7452,	
<code>\@xmakefntext</code> . .	807,	20394, 20403,	11225, 11227,	
1309, 19106, 19247		21155, 21164,	16411, 16416,	
<code>\@xnewline</code> . . .	20392,	21920, 21929,	17701, 22619,	
20399, 21153,		22293, 22308,	22626, 22643, 24078	
21160, 21918, 21925		22324, 22325,	<code>\AddExtraParaSkip</code> .	
<code>\@xp</code> . . . . .	121, 308,	22501, 22530,	. . . . .	13236, 13240
333, 334, 9759, 16129		24044, 24051,	<code>\addfontfeature</code> 4871,	
<code>\@xpt</code> . . . . .	7159	24413, 24550,	4872, 4873, 4874,	
<code>\@xstartcol</code> . . . . .	14826	24593, 24609, 24619	4875, 4876, 4878, 4879	
<code>\@xthm</code> . . . . .	18309, 18329	<code>\{</code> . . . . .	<code>\addpenalty</code> . . .	5, 200,
<code>\@xtitle</code> . . . . .	320	4516, 17064, 17108	509, 526, 661, 679,	
<code>\@xxpt</code> . . . . .	8393	<code>\}</code> . . . . .	686, 888, 905, 923,	
<code>\@xxxii</code> . . . . .	4754	<code>\_</code> . . . . .	1144, 1162, 1170,	
<code>\@xympar</code> . . . . .		7923, 7938, 7942,	9146, 9162, 9169,	
7713, 7717, 7757,		7957, 7961, 7989,	9323, 9339, 9346,	
7761, 7801, 7805,		7993, 14543, 14545	9610, 9625, 11197,	
24863, 24867,		<code>\]</code> . . . . .	11211, 11466,	
24907, 24911, 24974		. . . . .	13623, 13638,	
<code>\@yargdef</code> . . . . .	5666	<code>\^</code> . . . . .	16100, 18954,	
<code>\@ympar</code> . . . . .	24971	. . . . .	18970, 18977,	
<code>\@ythm</code> . . . . .	18309, 18329	<code>\_</code> . . . . .	19326, 19342,	
<code>\[</code> . . . . .	9040, 13919	<code>\`</code> . . . . .	19349, 19542,	
<code>\]</code> . . . . .	122, 404, 751, 796,	. . . . .	19556, 19726,	
1003, 1048, 1253,		<b>Numbers</b>	19741, 22543,	
1298, 2069, 3059,		<code>\0</code> . . . . .	22545, 22673,	
4654, 4951, 4957,		. . . . .	22675, 22708,	
5104, 6158, 6174,		<code>\1</code> . . . . .	22730, 23094,	
6178, 6407, 6409,		. . . . .	23097, 23101,	
6410, 6411, 6419,		<code>\9</code> . . . . .	23206, 23209, 23213	
6424, 6425, 6427,		. . . . .	<code>\address</code> . . . . .	321, 4905
7473, 7474, 7475,		<b>A</b>	<code>\addresscolour</code> . . . . .	
7477, 8437, 8806,		<code>\abovecaptionskip</code> .	. . . . .	4874, 10501,
8944, 9246, 9423,		. . . . .	. . . . .	10599, 10605,
10549, 10550,		. . . . .	. . . . .	10611, 10617, 10623
10553, 10569,		16380,	<code>\addressfont</code> . . .	4883,
10656, 10661,		17628, 17678,	4891, 5002, 10539,	
10668, 10678,		20443, 20447,	10567, 10631, 10665	
10682, 11548,		20543, 20552,	<code>\addresssymbol</code> . . . . .	
11552, 11561,		21204, 21208,	. . . . .	4865, 10569, 10668
15293, 15296,		21305, 21314,	<code>\addressstyle</code> . . . . .	4891
15309, 15312,		21969, 21973,	<code>\addtocontents</code> . . .	22959
15412, 15833,		22070, 22079, 25075	<code>\addtocounter</code> . .	2934,
15848, 15867,		<code>\abovedisplayshortskip</code>	2935, 16273, 16274	
16130, 16150,		. . . . .	<code>\addtoheadtemplate</code>	3899
16154, 16344,		. . . . .	<code>\AddToHook</code> 5980, 6021, 6061	
16345, 16351,		7161, 7170, 8380	<code>\addtolength</code> . . . . .	
16352, 16755,		<code>\abovedisplayskip</code> .	. . . . .	3267, 3271,
16927, 18419,		. . . . .	. . . . .	3274, 4825, 4826,
18431, 18800,		7160, 7163, 7169,	. . . . .	4827, 4828, 4829,
18801, 18813,		7176, 7210, 8379, 8386	. . . . .	4830, 4928, 4929,
18814, 18826,		<code>\abstractname</code> 629, 635,	. . . . .	4931, 4933, 4934,
		638, 936, 942, 944,		
		1188, 1194, 1197,		
		9187, 9375, 18922,		
		18928, 18931,		
		19372, 19378, 19381		
		<code>\Acrobatmenu</code> . 2403, 15909		
		<code>\active</code> . . . . .		
		8824, 8826, 8827		



4937, 7245, 7248,	\adl@arrayrestore . 1367	7661, 8367, 8442,
7249, 7252, 8403,	\adl@arrayrule 1390, 1428	8793, 8801, 8802,
10647, 10648,	\adl@box . 1413, 1415, 1416	9073, 9176, 9198,
10649, 11060,	\adl@class@iiiorvii	9353, 9386, 9632,
15146, 15147,	..... 1419, 1452	9695, 9844, 9852,
16239, 16241,	\adl@class@start ..	9853, 9893, 10005,
16243, 16244,	..... 1418, 1451	10171, 10172,
16262, 16264,	\adl@CT@setup .....	10175, 10178,
16265, 16267,	... 1455, 1458, 1459	10179, 10229,
16268, 16270,	\adl@depth .....	10230, 10231,
16271, 16272,	..... 1462	10293, 10433,
16287, 16288,	\adl@endarray .....	10434, 10449,
19999, 20006,	..... 1367	10468, 10469,
20007, 20010,	\adl@endmbox .....	10699, 10709,
20012, 20738,	..... 1414	10710, 10720,
20746, 20747,	\adl@everyvbox 1371, 1372	10730, 10731,
20750, 20752,	\adl@extract@arc .. 1467	10747, 10748,
21511, 21519,	\adl@extract@dgc .. 1470	10749, 10766,
21520, 21523,	\adl@extract@drsc . 1468	10775, 10782,
21525, 22562,	\adl@height .....	10804, 10805,
22563, 23289,	..... 1461	10806, 10820,
23299, 23303, 23307	\adl@inactivate 1373, 1455	10827, 10834,
\advspace .....	\adl@LT@array .... 15960	10981, 10982,
5,	\adl@noalign .....	10991, 10992,
200, 510, 527, 662,	..... 1374	11008, 11010,
680, 687, 889, 906,	\adl@org@activate . 1456	11014, 11016,
924, 1145, 1163,	\adl@org@classz ... 1499	11020, 11023,
1171, 8431, 8488,	\adl@org@endpbox .. 1457	11024, 11025,
9147, 9163, 9324,	\adl@org@inactivate 1455	11204, 11257,
9340, 9611, 11198,	\adl@putlrc 1410, 1411,	11528, 11913,
11212, 11467,	1412, 1440, 1441,	11915, 13237,
13624, 16100,	1442, 1448, 1449, 1450	13243, 13288,
18955, 18971,	\adl@startmbox .... 1413	13290, 13340,
19327, 19343,	\advance .....	13342, 13480,
19543, 19727,	12,	13582, 13583,
22677, 22731,	90, 207, 293, 311,	13584, 13645,
23095, 23102,	386, 533, 577, 693,	13687, 13802,
23207, 23210,	712, 879, 895, 975,	13804, 13806,
23214, 23244, 23756	1177, 1225, 1460,	13812, 13813,
\adjmc@inner .....	1494, 1788, 1789,	13820, 13821,
134	1805, 1819, 1873,	13822, 13992,
\adjmc@outer .....	1875, 1877, 1878,	13993, 14546,
136	1939, 1947, 2117,	14560, 14573,
\adjmc@page@sofar@orig	2118, 2334, 2383,	14574, 14606,
..... 164	2384, 2396, 2400,	14611, 14612,
\adjmult@cols .....	2401, 2476, 2500,	14615, 14624,
163	2521, 2555, 2562,	14688, 14815,
\adjmulticols .....	2566, 2568, 2572,	14816, 14820,
132	2573, 2820, 2821,	14821, 14823,
\adl@act@classz ... 1498	3170, 3172, 3452,	14824, 14827,
\adl@act@CT@setup .	3460, 3462, 3528,	14828, 14829,
..... 1456, 1463	3600, 3601, 3603,	14830, 14949,
\adl@activate . 1373, 1456	3604, 3618, 4192,	15795, 15805,
\adl@argarraydashrule	4193, 4194, 4367,	16061, 16107,
..... 1392, 1430	4372, 4735, 4749,	
\adl@array ... 1370, 1375	4755, 5021, 5065,	
\adl@arraydashrule	5100, 5430, 5484,	
..... 1391, 1429	5538, 6268, 6427,	
\adl@arrayinit .... 1372	6433, 6443, 6498,	
	6515, 6524, 7052,	



16251,	16254,	23765,	23770,	24336,	24341,
16255,	16289,	23820,	23821,	24989,	24999, 25000
16770,	16782,	23822,	23825,	\ALG@floatstyle ...	
16845,	17742,	23829,	23854,	... 7676, 7677, 7678	
17744,	17771,	23865,	23944,	\algocf@float .... 25142	
17772,	17775,	23967,	24121,	\algocf@makecaption 188	
17842,	17844,	24123,	24133,	\algocf@within ....	
17871,	17872,	24152,	24153,	..... 166, 168,	
17875,	17929,	24182,	24193,	25144, 25145, 25146	
17930,	17931,	24194,	24440,	\alignL ..... 9791	
17932,	17941,	24453,	24454,	\alignR ..... 9798	
17963,	17976,	24457,	24459,	\allowbreak .....	
17988,	18001,	24465,	24467,	.. 10705, 10726,	
18130,	18131,	24471,	24473,	11986, 11989,	
18302,	18306,	24477,	24479,	11992, 12127,	
18307,	18322,	24577,	24578,	12130, 12133,	
18326,	18327,	24642,	24668,	12268, 12271,	
18335,	18426,	24943,	24944,	12274, 12412,	
18448,	18476,	24951,	24952,	12415, 12418,	
18483,	18531,	24953, 24954, 24979		12556, 12559,	
18536,	18537,	\afterassignment ..		12562, 12700,	
18538,	18567,	4010, 4012, 4295,		12703, 12706,	
18568,	18594,	4297, 5698, 6507,		12844, 12847,	
18605,	18760,	7891, 22399, 22400		12850, 12988,	
18762,	18767,	\aftergroup .....		12991, 12994,	
18770,	18793,	4553, 4563, 6710,		13132, 13135, 13138	
18984,	19011,	6712, 6722, 6724,		\Alph ..... 17610	
19356,	19405,	6734, 6736, 6754,		\alt ..... 2668	
19446,	19489,	6756, 6765, 6767,		\AM@CheckAtEnd ... 18439	
19563,	19599,	6776, 6778, 7875,		\AM@ClearShipoutPicture	
19748,	19802,	7890, 9856, 9858,		..... 18441	
19867,	19976,	9865, 9871, 9890,		\AM@currentdocname	
19978,	20334,	10182, 10188,		..... 18404, 18410	
20385,	20713,	10191, 14020,		\AM@findfile ..... 18408	
21095,	21146,	14022, 18650,		\AM@output ..... 18437	
21488,	21490,	18651, 18654,		\AM@pagecount .... 18406	
21860,	21911,	18659, 18660,		\AM@pageref . 18421, 18424	
22254,	22325,	18664, 18669,		\AM@pagestemp .....	
22339,	22349,	18670, 18674,		.. 18414, 18419,	
22369,	22464,	18678, 18682,		18420, 18423,	
22502,	22518,	18686, 20412,		18431, 18432, 18436	
22531,	22535,	20414, 20417,		\AM@readlist ..... 18436	
22567,	22568,	21173, 21175,		\AM@split@options 18400	
22588,	22689,	21178, 21938,		\AM@temp ... 18401, 18402	
22720,	22743,	21940, 21943,		\AM@threadname ....	
22760,	22777,	22536, 23747,		. 18399, 18409, 18410	
22794,	22811,	24187, 24196,		\AM@xrprefix .....	
22828,	22846,	24198, 24235,		. 18417, 18421, 18424	
22865,	22885,	24239, 24292,		\and . 448, 484, 762, 788,	
22920,	22961,	24303, 24304,		791, 833, 1014,	
23110,	23114,	24307, 24312,		1040, 1043, 1085,	
23225,	23260,	24313, 24317,		1264, 1290, 1293,	
23263,	23267,	24322, 24323,		1335, 1357, 4412,	
23320,	23745,	24327, 24332,		9257, 9283, 9434,	



9460, 9549, 9585,	10713, 10734,	\Backref@OptHyperRTLFootnote
11308, 11342,	11164, 13284,	..... 14476
11405, 11441,	13336, 13595,	\Backref@OptLTRHyperFootnote
13730, 13764,	14336, 14938,	..... 14460
17566, 18403,	15410, 16430,	\Backref@OptRTLHyperFootnote
19061, 19087,	16437, 16520,	..... 14466
19090, 19132,	18871, 22315, 23894	\BackrefFootnoteTag
19200, 19228,	\AtBeginPackage .. 17671	.. 14458, 14459,
19231, 19275,	\AtEndDocument . 4220,	14464, 14465,
19299, 19478,	5004, 6041, 6957,	14484, 14488,
19519, 19665,	8968, 9025, 17049,	14490, 14496,
19701, 20045,	17100, 17118, 24689	14500, 14502,
20297, 20785,	\AtEndOfClass ..... 4839	14508, 14512, 14514
21037, 21558, 21810	\AtPageLowerLeft . 10972	\badness ..... 10222,
\andify ..... 116, 16124	\AtPageUpperLeft ..	10226, 10254,
\andname .. 796, 1048,	. 10972, 10996, 11026	10258, 10260,
1298, 19095, 19236	\AtTextUpperLeft ..	10265, 10269,
\andnext ..... 17567	..... 10976, 11002	10273, 10337, 10358
\AppendToTokenList 6374	\author ..... 321,	\baselineskip .. 402,
\arabic ..... 19,	446, 482, 786,	724, 726, 730,
20, 21, 22, 86, 214,	831, 1038, 1083,	732, 1204, 1206,
215, 216, 217, 289,	1288, 1333, 4410,	1210, 1212, 2352,
329, 13955, 13961,	8534, 8566, 9281,	2773, 2788, 2803,
16057, 16114,	9458, 9547, 9583,	2890, 2892, 2920,
16115, 16116,	11306, 11340,	2926, 3069, 5638,
16117, 22901, 25142	11403, 11439,	7187, 7189, 7192,
\array ..... 407, 24617	13728, 13762,	7194, 7196, 7199,
\arraycolsep ..... 407	19085, 19130,	7354, 7984, 8051,
\arraylinesep .... 22332	19226, 19273,	8069, 8087, 8204,
\arrayrulecolor ... 1467	19476, 19517,	8213, 8222, 8303,
\arrayrulewidth .. 22349	19663, 19699,	8310, 8317, 8324,
\arraystretch 388, 389,	20286, 21026, 21799	8331, 8431, 8488,
4547, 4558, 16775,	\auto@footnoterule	8831, 8892, 8956,
16776, 22300,	..... 14223, 14234	8962, 9210, 9212,
22301, 22336,	\autodot ..... 20301,	9216, 9218, 9363,
24426, 24601, 24602	21040, 21813, 23957	9365, 9369, 9371,
\aslice . 18574, 18575,	\autofootnoterule .	10006, 10007,
18577, 18579,	..... 4103,	10024, 10028,
18580, 18582,	10685, 11614,	10435, 14030,
18595, 18596, 18598	14232, 14930, 25093	14561, 16249,
\At@ViperColsBreak		16257, 16791,
..... 10196, 10199		16801, 16925,
\AtBeginCaption .. 16422	<b>B</b>	16942, 18529,
\AtBeginDocument ..	\backmatter .....	18532, 18546,
1502, 2056, 2941,	.. 8738, 9680, 11513	18570, 18574,
3174, 3403, 3473,	\Backref@HyperLTRFootnote	18579, 18583,
3521, 3641, 3729,	..... 14460, 14467	18595, 18606,
3824, 3889, 3903,	\Backref@HyperRTLFootnote	18633, 18866,
4001, 4148, 4840,	..... 14466, 14470	18994, 18996,
4900, 4997, 6015,	\Backref@HyperSymbol	19000, 19002,
7105, 7254, 7481,	..... 14468,	19417, 19419,
7615, 7620, 7673,	14471, 14474, 14477	19423, 19425,
8484, 8684, 8749,	\Backref@OptHyperLTRFootnote	20075, 20815,
10578, 10692,	..... 14473	21588, 22311,



22350,	24121,	13370,	13382,	\beamer@cramped ...
24129,	24133,	13413,	13432,	... 2468, 2494, 2509
24613,	25033,	13446,	13465,	\beamer@defaultospec
	25056	13476,	13490,	13499
\baselinestretch ..		\BCmd .....	4552	\beamer@descdefault
.... 4855,	8047,	\BDefaboveskip .....		..... 2500, 2508
8065,	8083,	... 4567,	4582,	4585
11660,	11674,	\BDefbelowskip .....		..... 2508
11688,	11699,	... 4571,	4583,	4586
11710,	11950,	\BDefinlineskip ...		2820,
11960,	11970,	... 4576,	4584,	4587
12007,	12019,	\beamer@@tmpop@button@default	2821,	2836,
12031,	12042,	..... 2811	2839,	2852,
12048,	12054,	\beamer@@tmpop@caption@default	2853,	2855
12059,	12094,	..... 2740	\beamer@dogeometryfalse	
12103,	12112,	\beamer@@tmpop@footline@progressbar	..... 1934	
12148,	12159,	..... 3260	\beamer@entrycode .	2439
12170,	12180,	\beamer@@tmpop@footnote@default	\beamer@enum@	..... 2454
12186,	12192,	..... 2717	\beamer@enumtempl .	2463
12197,	12232,	\beamer@biblabeltemplate	\beamer@exitcode ..	2445
12242,	12252,	..... 2519,	2528	\beamer@firstlineitemizeunskip
12289,	12301,	\beamer@boxsize ...	..... 1750,	
12313,	12324,	... 2566,	2570,	2572
12330,	12336,	\beamer@colalign ..	2102	\beamer@focus@totalframenumbering
12341,	12376,	\beamer@colbox@color		... 3269, 3294, 3314
12386,	12396,	... 1859,	1898,	1911
12433,	12445,	\beamer@colbox@colsep	..... 1876,	
12457,	12468,	..... 1877,	1878,	1879,
12474,	12480,	1887	\beamer@colbox@colseps	
12485,	12520,	... 1881,	1888,	
12530,	12540,	1912,	1914,	1916,
12577,	12589,	1918	\beamer@colbox@dp .	1893
12601,	12612,	\beamer@colbox@ht .	1892	\beamer@footnotetext
12618,	12624,	\beamer@colbox@ls .	1872	... 2252, 2266, 2273
12629,	12664,	\beamer@colbox@rs .	1874	\beamer@framebox 2408,
12674,	12684,	\beamer@colbox@sep	..... 1873,	2420, 2433, 2438, 2442
12721,	12733,	1875,	1883,	1885
12745,	12756,	\beamer@colbox@shadow	..... 1897	\beamer@framefootnotetext
12762,	12768,	..... 1897	\beamer@frameLTRfootnotetext	..... 2144, 2243
12773,	12808,	\beamer@colbox@wd .		..... 2178, 2245
12818,	12828,	... 1870,	1891,	1900
12865,	12877,	\beamer@colclose	2098,	
12889,	12900,	2099,	2130,	2131
12906,	12912,	\beamer@colentrycode	... 2108,	2111,
12917,	12952,	... 2108,	2111,	2129
12962,	12972,	\beamer@colexitcode	... 2109,	2121,
13009,	13021,	... 2109,	2121,	2131
13033,	13044,	\beamer@colheadskip	2103	\beamer@framezoom .
13050,	13056,	\beamer@colmode ...	2097	\beamer@fteleft ...
13061,	13096,	\beamer@columncom .	2097	\beamer@fteright ..
13106,	13116,	\beamer@computepref	..... 2455,	2477
13153,	13165,			
13177,	13188,			
13194,	13200,			
13205,	13358,			



<code>\beamer@headheight</code>	<code>\beamer@sidebarside</code>	2857, 2863, 3527,
..... 3445,	..... 3480,	3528, 3534, 3542,
3453, 3456, 3457,	3522, 3525, 3547	3602, 3603, 3604,
3489, 3493, 3496, 3500	<code>\beamer@sidebarwidth</code>	3617, 3618, 3619, 3628
<code>\beamer@kvorig</code> ....	3452, 3484, 3489,	<code>\beamer@themrounded@shadow</code>
..... 2255, 2261,	3490, 3492, 3495,	..... 3165
2281, 2287, 2307, 2313	3496, 3508, 3510,	<code>\beamer@thempfn</code> ...
<code>\beamer@labelzoomed</code>	3519, 3522, 3527, 3545	..... 2254, 2265,
..... 2336,	<code>\beamer@slidehaszoomtrue</code>	2271, 2280, 2291,
2340, 2367, 2369, 2370	..... 2333	2297, 2306, 2317, 2323
<code>\beamer@leftmargin</code>	<code>\beamer@stalalign</code> ... 2544	<code>\beamer@typesetheadorfoot</code>
..... 1921,	<code>\beamer@stend</code> .... 2547	... 2045, 2050, 2060
1938, 2114, 2117,	<code>\beamer@stlinebreakrule</code>	<code>\beamer@usesphere</code> .
2409, 2411, 2424,	..... 2545	... 1689, 1704, 1711
3453, 3459, 3600, 3603	<code>\beamer@ststart</code> ... 2541	<code>\beamer@vboxoffset</code> 2565
<code>\beamer@leftsidebar</code>	<code>\beamer@temp</code> .....	<code>\beamer@vmode</code> . 1846, 1884
... 1939, 2383, 2400	... 2394, 2416, 2429	<code>\beamer@xkvorig</code> ...
<code>\beamer@lefttext</code> ..	<code>\beamer@tempbox</code> ...	..... 2256, 2262,
..... 3480, 3547	..... 1860, 1891,	2282, 2288, 2308, 2314
<code>\beamer@link</code> .....	1892, 1893, 1901,	<code>\beamer@xpos</code> .....
<code>\beamer@LTRfootnotetext</code>	1904, 1905, 1907,	... 2555, 2560, 2571
... 2304, 2318, 2325	1910, 1915, 1920,	<code>\beamer@ypos</code> .....
<code>\beamer@minislide</code> .	1921, 1923, 1975,	... 2561, 2562, 2567
..... 2589, 2594	1976, 1977, 1978,	<code>\beamer@ypos@offset</code>
<code>\beamer@minislidehighlight</code>	1983, 1986, 1997,	..... 2558, 2562
..... 2582	2002, 2003, 2011,	<code>\beamer@zoomborderwidth</code>
<code>\beamer@minisliderowhighlight</code>	2012, 2013, 2014,	..... 2335, 2339
..... 2584	2017, 2026, 2031,	<code>\beamer@zoombox</code> ... 2364
<code>\beamer@mpfn</code> .....	2032, 2040, 2041,	<code>\beamer@zoomcount</code> .
..... 2253, 2264,	2042, 2043, 2079,	..... 2334, 2336
2270, 2279, 2290,	2080, 2081, 2082,	<code>\beamer@zoomer</code> .... 2372
2296, 2305, 2316, 2322	2087, 2091, 2092,	<code>\beamer@zoomframecount</code>
<code>\beamer@next</code> .....	2093, 2094, 2815,	..... 2336
..... 2264, 2268,	2816, 2817, 2818,	<code>\beamerboxesrounded</code> 1749
2275, 2290, 2294,	2819, 2824, 2864,	<code>\beamercolorbox</code> ... 2809
2301, 2316, 2320, 2327	3220, 3225, 3229,	<code>\beameritemnestingprefix</code>
<code>\beamer@putleft</code> 2963,	3233, 3237, 3241,	..... 1660, 1661,
2996, 3008, 3020	3606, 3617, 3634,	2455, 2456, 2458,
<code>\beamer@putright</code> ..	3854, 3855, 3873, 3874	2459, 2466, 2467,
... 2997, 3009, 3021	<code>\beamer@tempdim</code> 1938,	2477, 2478, 2480,
<code>\beamer@rightmargin</code>	1939, 1941, 1943,	2481, 2484, 2488, 2489
..... 1921, 1946,	1946, 1947, 1949,	<code>\beameroriginal</code> ... 2668
2017, 2118, 2123,	1951, 1976, 1977,	<code>\beamertemplatedotitem</code>
3453, 3461, 3601, 3604	1980, 1981, 2011,	..... 3901
<code>\beamer@rightsidebar</code>	2012, 2040, 2041,	<code>\begin</code> .....
... 1947, 2384, 2401	2080, 2081, 2084,	412, 422,
<code>\beamer@RTLfootnotetext</code>	2085, 2116, 2117,	427, 490, 498, 736,
... 2278, 2292, 2299	2118, 2119, 2565,	749, 760, 839, 845,
<code>\beamer@section@min@dim</code>	2566, 2567, 2568,	988, 1001, 1012,
..... 2575	2569, 2570, 2571,	1091, 1097, 1238,
<code>\beamer@shortinstitute</code>	2572, 2573, 2574,	1251, 1262, 1342,
..... 3339	2575, 2819, 2820,	1348, 1357, 1359,
<code>\beamer@sidebarformat</code>	2821, 2825, 2827,	1360, 1531, 1688,
..... 3506	2833, 2841, 2849,	1724, 1733, 1742,
		1769, 1791, 1817,



1829, 1896, 2100,	8344, 8352, 8474,	20896, 21086,
2102, 2106, 2349,	8479, 8612, 8659,	21561, 21565,
2411, 2424, 2542,	8682, 9057, 9231,	21625, 21630,
2613, 2617, 2636,	9244, 9255, 9408,	21642, 21665,
2640, 2656, 2660,	9421, 9432, 9476,	21669, 21851,
2764, 2772, 2779,	9488, 9513, 9523,	22581, 24008,
2787, 2794, 2802,	9528, 9591, 9599,	24015, 24018,
2827, 2885, 2891,	9909, 9919, 9932,	24029, 24042,
2898, 2915, 2921,	9942, 9955, 9965,	24045, 24052,
2927, 2967, 2974,	9978, 9988, 10553,	24058, 24081,
2980, 2986, 3055,	10659, 10664,	24085, 24091, 24098
3076, 3091, 3093,	10682, 10851,	<code>\begin@bidi@stack .</code>
3098, 3100, 3105,	10854, 10858,	. . . . 5122, 5132,
3111, 3125, 3127,	10860, 10865,	5133, 5146, 5156, 5157
3129, 3200, 3201,	10867, 10871,	<code>\begin@group 6, 119, 201,</code>
3207, 3208, 3227,	10874, 10877,	302, 315, 379, 391,
3235, 3280, 3306,	10881, 10883,	452, 512, 529, 663,
3338, 3341, 3344,	10887, 10889,	689, 803, 891, 907,
3365, 3367, 3372,	10893, 10896,	1055, 1146, 1173,
3374, 3391, 3392,	10899, 10903,	1305, 1486, 1838,
3413, 3415, 3419,	10905, 10910,	1839, 1974, 2078,
3422, 3425, 3431,	10912, 11083,	2269, 2295, 2321,
3479, 3508, 3510,	11149, 11276,	2347, 2415, 2428,
3562, 3564, 3569,	11284, 11289,	4392, 4681, 4689,
3571, 3606, 3619,	11348, 11354,	4697, 5076, 5104,
3620, 3626, 3655,	11369, 11379,	5123, 5147, 5389,
3656, 3657, 3674,	11384, 11447,	5414, 5764, 5810,
3679, 3682, 3695,	11455, 11547,	5817, 5847, 5863,
3701, 3703, 3717,	13698, 13706,	5879, 5922, 5930,
3718, 3719, 3743,	13711, 13770,	5963, 6013, 6141,
3744, 3745, 3755,	13776, 13922,	6349, 6351, 6381,
3758, 3764, 3767,	15161, 15166,	6391, 6401, 6531,
3774, 3777, 3791,	15184, 15287,	6604, 6628, 6643,
3796, 3798, 3811,	15289, 15303,	6709, 6720, 6732,
3812, 3813, 3834,	15305, 16149,	6753, 6763, 6774,
3837, 3840, 3846,	17716, 18342,	6924, 7038, 7050,
3849, 3865, 3868,	19035, 19048,	7085, 7454, 7873,
3883, 4546, 4548,	19059, 19138,	8119, 8148, 8177,
4557, 4559, 4562,	19144, 19172,	8551, 8568, 8584,
4955, 4959, 4961,	19187, 19198,	8596, 8629, 8933,
4963, 4965, 4969,	19282, 19290,	8993, 9000, 9007,
4977, 4980, 5015,	19299, 19301,	9037, 9148, 9172,
5128, 5132, 5152,	19302, 19432,	9325, 9349, 9553,
5156, 5183, 6078,	19452, 19457,	9613, 9628, 9717,
6079, 6086, 6112,	19533, 19629,	9836, 9890, 9899,
6814, 7260, 7261,	19639, 19644,	10089, 10148,
7274, 7277, 7351,	19707, 19715,	10977, 11003,
7352, 7358, 7359,	20048, 20052,	11200, 11213,
7366, 7367, 7392,	20112, 20117,	11312, 11409,
7393, 7430, 7433,	20129, 20152,	11468, 13275,
7436, 7439, 7443,	20156, 20325,	13285, 13327,
7444, 7628, 7629,	20788, 20792,	13337, 13625,
8247, 8303, 8310,	20852, 20857,	13641, 13734,
8317, 8324, 8331,	20869, 20892,	13874, 13912,



13996,	14012,	18650,	18666,	20541,	20554,
14263,	14272,	18742,	19914,	21202,	21210,
14431,	14446,	19925,	19932,	21303,	21316,
14520,	14572,	19942,	22466,	21967,	21975,
14605,	14747,	24191,	24196,	22068,	22081, 25083
14800,	14974,	24198,	24292,	<code>\belowdisplayshortskip</code>	
14990,	15160,	24297,	24303,	... 7162, 7171, 8381	
15439,	15450,	24319,	24885,	<code>\belowdisplayskip</code>	.
15461,	15472,	24963, 25043, 25059		..... 7163,	
15570,	15590,	<code>\beginR</code>	. 174, 336, 348,	7176, 7211, 8386	
15628,	15661,	379, 404, 1472,		<code>\bf</code>	.... 4328, 18515, 18517
15692,	15723,	3225, 3233, 3241,		<code>\bfseries</code>	..... 25,
15957,	15972,	3416, 4651, 7735,		303, 516, 532, 561,	
16101,	16127,	7823, 9748, 9822,		564, 668, 692, 894,	
16196,	16226,	9851, 9856, 9865,		912, 1151, 1176,	
16414,	16779,	9871, 9890, 10970,		4053, 4502, 4972,	
17573,	17703,	11907, 13951,		8611, 9153, 9175,	
17804,	17901,	14942, 14947,		9330, 9352, 9477,	
18111,	18115,	15004, 15043,		9489, 9617, 9631,	
18119,	18397,	15050, 15419,		9663, 9669, 9677,	
18445,	18742,	15427, 15809,		11203, 11218,	
18956,	18980,	15845, 15877,		11233, 11236,	
19102,	19243,	15906, 15932,		11245, 11472,	
19328,	19352,	15938, 15945,		11495, 11501,	
19482,	19544,	16142, 16383,		11510, 13630,	
19559,	19669,	16795, 16856,		13644, 13655,	
19729,	19744,	16859, 16899,		13660, 13668,	
20065,	20211,	16990, 16998,		16096, 18961,	
20324,	20383,	17189, 17515,		18983, 19333,	
20805,	20951,	17679, 17681,		19355, 19529,	
21085,	21144,	18519, 18644,		19548, 19562,	
21578,	21724,	18651, 18656,		19733, 19747,	
21850,	21909,	18738, 18739,		19778, 19783,	
22398,	22515,	18740, 19908,		19791, 23109,	
22539,	22678,	19918, 19929,		23222, 23653,	
23105,	23217,	19936, 20428,		23657, 23662,	
23743,	23860,	21189, 21954,		23691, 23695, 23700	
24200,	24243,	22290, 22312,		<code>\bgroup</code>	..... 171,
24292,	24404,	22351, 22473,		172, 379, 394, 399,	
24735, 24778, 24989		24192, 24196,		404, 637, 1196,	
<code>\beginL</code>	..... 176,	24235, 24239,		1472, 1751, 1829,	
1471, 1868, 2997,		24292, 24297,		1860, 1869, 2108,	
3009, 3021, 4045,		24304, 24309,		2112, 2119, 2457,	
4322, 5002, 7735,		24560, 24563,		2479, 2502, 2968,	
7779, 9821, 9850,		24566, 24583,		2975, 2981, 2987,	
9856, 9858, 9890,		24590, 24615,		3349, 3485, 3532,	
11910, 13815,		24929, 24963,		3539, 3573, 3610,	
13926, 13941,		24980, 24982,		4014, 4299, 4641,	
14108, 14940,		25043, 25059,		4763, 8865, 9083,	
14946, 14955,		25078, 25081, 25089		9097, 9750, 9822,	
14975, 14991,		<code>\belowcaptionskip</code>	.	13926, 13927,	
15001, 15794,		..... 16393,		13941, 14397,	
16383, 18446,		17669, 17686,		14625, 16783,	
18509, 18644,		20441, 20449,		16785, 16822,	



16856, 16859,	19399, 19592,	19007, 19401,
16909, 17916,	19593, 19795, 19796	19595, 19798,
18457, 18652,	\bibpostamble . . . . 18236	20328, 21089,
18658, 18662,	\bibpreamble . . . . .	21854, 22584, 24435
18668, 18672,	. . . 18219, 20315,	\bidi@addto@envbody
18677, 18680,	20316, 21075,	. . . 5118, 5136, 5138
18685, 18930,	21076, 21840, 21841	\bidi@addto@long@envbody
19380, 22290,	\bibsection 8462, 8465,	. . . 5142, 5160, 5162
22298, 22306,	8467, 8468, 17713,	\bidi@AfterAtEndOfClass
22312, 22343,	18217, 22578, 22580	. . . . . 6712, 6717
22347, 22351,	\bidi@@convert@dimen@t@pt	\bidi@AfterAtEndOfPackage
23852, 24305,	. . . . . 5327	. . . . . 6756, 6760
24311, 24315,	\bidi@@convert@dimen@t@unit	\bidi@AfterClass . . 6700
24321, 24325,	. . . . . 5324	\bidi@AfterEndDocument
24331, 24334,	\bidi@@diagbox@double@ii	. . . . . 6058,
24340, 24404,	. . . . . 10852, 10856	6061, 6065, 6071
24410, 24590,	\bidi@@diagbox@double@iii	\bidi@AfterEndDocumentCheckLabelsRerun
24599, 24607, 24615	. . . . . 10855, 10863	. . . 5055, 6030, 6035
\BHFN@OldLTFootnote	\bidi@@diagbox@triple@setbox@O	\bidi@AfterEndDocumentchecklabel
. 14453, 14468, 14474	. 10872, 10875, 10879	\bidi@srerunhook
\BHFN@OldRTLFootnote	\bidi@@diagbox@triple@setbox@O	\bidi@AfterEndDocumenthook
. 14454, 14471, 14477	. . . . . 10878, 10885	. . . . . 6058,
\bib@after@hook 20369,	\bidi@@diagbox@triple@setbox@SE@tabular@i	6066, 6072
20371, 21130,	. . . . . 10894, 10901	\bidi@AfterEndEnvironment
21132, 21895, 21897	\bidi@@diagbox@triple@setbox@SE@tabular@i	6071, 6125
\bib@before@hook . .	. 10897, 10900, 10908	\bidi@AfterEndPreamble
. . . . . 20319,	\bidi@@end . . . 6069, 6073	. . . . . 6018,
20370, 21080,	\bidi@@footnotetext@font	6021, 6024, 6026,
21131, 21845, 21896	. . . . . 38, 241,	6041, 7109, 8625, 8648
\bib@beginhook 20312,	2152, 2201, 8049,	\bidi@afterendpreamblehook
20318, 21073,	14283, 14290, 14381	. . . . . 6018,
21079, 21838, 21844	\bidi@@loadwithoptions	6019, 6025, 6027
\bib@endhook . . . . .	. . . . . 6623,	\bidi@AfterFile 3028,
. 20373, 21134, 21899	6630, 6633, 6637	3381, 6697, 14479,
\bib@heading . . . . .	\bidi@@LTRfootnotetext@font	20536, 21298, 22063
. 20314, 21078, 21843	. . . . . 68, 270,	\bidi@AfterFooter .
\bibcleanup . . . . . 18241	2186, 2233, 8067,	. . . . . 5997, 25061
\bibentry . . . . . 7921,	14284, 14323, 14367	\bidi@afterfooterhook
7923, 7940, 7942,	\bidi@@null . . . 6241, 6242	. . 5997, 5998, 25062
7959, 7961, 7991, 7993	\bidi@@onefilewithoptions	\bidi@AfterLastShipout
\bibfont . . . . . 18220	. . . 6645, 6648, 6651	. . . 6043, 6049, 6055
\bibindent . . . 5006, 5007	\bidi@@patchcmd 5812, 5814	\bidi@afterlastshipouthook
\bibitem@fin . . . . . 18235	\bidi@@RTLfootnotetext@font	. . . . . 6043,
\bibliofont 85, 288, 16056	. . . . . 52, 255,	6044, 6050, 6056
\bibliographyitemlabel	2169, 2217, 8085,	\bidi@AfterOutputBoxOutputPage
. . . . . 5008, 5015	14285, 14307, 14353	. 5991, 14042, 25052
\bibname . . . . . 8467,	\bidi@@thebibliography@font@hook	\bidi@afteroutputboxoutputpagehook
8468, 9191, 9192,	. . . . . 88,	. . . . . 5991,
9379, 9380, 9688,	291, 573, 708, 971,	5992, 14043, 25053
9689, 11521,	1221, 2517, 5014,	\bidi@AfterOutputPageShipOut
11522, 13680,	9194, 9382, 9691,	. 6001, 14045, 25065
13681, 19004,	11253, 11524,	\bidi@afteroutputpageshipouthook
19005, 19398,	13683, 16059,	. . . . . 6001,
	17715, 18222,	6002, 14046, 25066



\bidi@AfterPackage	6745	2672, 2693, 2696,	\bidi@collect@long@body	5148, 5155
\bidi@AfterPreamble		2809, 3459, 3460, 3608	.....	
..	6015, 6016, 16327	\bidi@beamer@ragged	\bidi@collect@long@body	..... 5143
\bidi@AfterReadingMainAux		1510, 1726, 1735,	.....	
.....	7027, 7030	1744, 2103, 2469,	\bidi@column@check@number	.. 24652, 24668,
\bidi@append	.. 5924, 5974	2495, 2510, 2529,	24670, 24672, 24684	
\bidi@append@csl@to@csl		2543, 2722, 2744,	\bidi@column@status	.. 4136, 4140, 24654
.....	6362, 6435	3037, 3045, 3056,	\bidi@column@type	.
\bidi@append@list@to@list		3139, 3999, 24345,	. 24669, 24674, 24685	
.....	6358, 6444	24355, 24365,	\bidi@columnwidth	.
\bidi@append@to@list		24366, 24514,	.. 11575, 11577,	
.....	6337, 6356	24523, 24532, 24541	12043, 12049,	
\bidi@append@toks@cs@to@list		\bidi@beamer@rightskip	12181, 12187,	
.....	6366	..... 2680,	12325, 12331,	
\bidi@appto	.... 5700,	2809, 3461, 3462, 3609	12469, 12475,	
5744, 6023, 7067		\bidi@beamer@today	12613, 12619,	
\bidi@apptocmd	....	... 3182, 3203, 3210	12757, 12763,	
..	5920, 5921, 22494	\bidi@BeforeBeginEnvironment	12901, 12907,	
\bidi@are@these@correct		..... 6105, 6113	13045, 13051,	
.....	6334, 6337	\bidi@BeforeClass	13189, 13195,	
\bidi@AtBeginEnvironment		. 6698	13463, 13474, 16876	
.....	6075, 6087	\bidi@BeforeClosingMainAux	\bidi@copy@stacktop	6420
\bidi@AtEndEnvironment		.... 6990, 7001,	\bidi@copy@ins@amount	.. 14819, 14820,
.....	6091, 6101	7005, 7008, 7016, 7019	14821, 14824,	
\bidi@AtEndOutputPage		\bidi@BeforeFile	14829, 14830, 14842	
.....	5099,	.. 6696	\bidi@counter@page	..... 5069, 5098
6004, 14051, 25071		\bidi@BeforeFooter	\bidi@cs@a	... 6243, 6244
\bidi@atendoutputpagehook		..... 5994, 25054	\bidi@cs@e	6414, 6415,
.....	6004,	\bidi@beforefooterhook	6417, 6418, 6421, 6423	
6005, 14052, 25072		.. 5994, 5995, 25055	\bidi@cs@lista	....
\bidi@AtEndPreamble		\bidi@BeforeHeader	..... 6387, 6388,	
....	4197, 5977,	. 5985, 14035, 25037	6389, 6390, 6399, 6400	
5980, 6009, 6011,		\bidi@beforeheaderhook	\bidi@cs@listb	6384, 6386
6016, 7107, 7905,		..... 5985,	\bidi@cs@liste	6382, 6387
16396, 18074, 18134		5986, 14036, 25038	\bidi@cs@appto	.... 5744
\bidi@autofooterulefalse		\bidi@BeforeOutputBoxOutputPage	\bidi@cs@arg	.... 6170,
..	14211, 14215, 14218	. 5988, 14039, 25049	6186, 6260, 6267,	
\bidi@autofooteruletrue		\bidi@beforeoutputboxoutputpagehook	6285, 6290, 6295,	
.....	14233	..... 5988,	6300, 6306, 6311,	
\bidi@backslash	6158, 6159	5989, 14040, 25050	6353, 6354, 6372,	
\bidi@beamer@blacktriangle		\bidi@BeforeOutputPageShipOut	6378, 6389, 6399,	
.....	2699,	. 5982, 14017, 24995	6408, 6418, 6422, 6426	
2713, 2714, 2715		\bidi@beforeoutputpageshipouthook	\bidi@cs@defcs	.... 5395
\bidi@beamer@frametitleshade		..... 5982,	\bidi@cseappto	5745, 5748
.....	3585, 3630	5983, 14018, 24996	\bidi@csepreto	5754, 5757
\bidi@beamer@Gm@lmargin		\bidi@BeforePackage	\bidi@csgappto	. 5746,
.....	1956,	6743	6076, 6092, 6106, 6116	
1983, 1986, 2063		\bidi@bswitch	\bidi@csgpreto	.... 5755
\bidi@beamer@Gm@rmargin		. 6300, 6302	\bidi@cslet	..... 5401
.....	1964, 2072	\bidi@CharsBefore	\bidi@csletcs	..... 5398
\bidi@beamer@leftskip		. 6215, 6217, 6218,		
1527, 1541, 1545,		6223, 6227, 6228, 6233		
1563, 1581, 1587,		\bidi@CharsBeforeNC		
1685, 1703, 1710,		6216		
		\bidi@clearpage		
		6052, 6054		
		\bidi@collect@body		
		..... 5124, 5131		
		\bidi@collect@body		
		5119		



<code>\bidi@csname</code> ... 6182, 6333, 6339, 6384, 6418	<code>\bidi@digits@charclass</code> ..... 4188, 4192, 4193, 4194, 4195	12395, 12405, 12410, 12413, 12416, 12419,
<code>\bidi@cspreto</code> ..... 5753	<code>\bidi@dummies</code> .....	12442, 12454, 12466, 12478,
<code>\bidi@csprotect</code> ... 6487	... 6265, 6267, 6268	12488, 12513, 12529, 12539,
<code>\bidi@csundef</code> .....	<code>\bidi@eappto</code> .....	12549, 12554, 12557, 12560,
.... 1520, 1522, 1524, 1548, 1550, 1552, 1554, 1556, 1558, 1560, 1678, 1680, 1682, 1715, 1717, 1719, 2688, 2690, 2707, 2709, 2711, 2755, 2757, 2759, 2806, 2880, 2945, 2947, 2949, 2951, 2953, 2955, 2957, 2959, 3051, 3180, 3332, 3358, 3409, 3437, 3439, 3441, 3443, 3557, 3593, 3647, 3649, 3735, 3737, 3830, 5908	<code>\bidi@empty</code> .... 4202, 4203, 6240, 6243, 6244	12563, 12586, 12598, 12610, 12622, 12632, 12657, 12673, 12683, 12693,
<code>\bidi@csuse</code> .... 5687, 6082, 6096, 6109, 6120	<code>\bidi@empty@stack</code> . ..... 6425, 6431	12698, 12701, 12704, 12707, 12730, 12742, 12754, 12766,
<code>\bidi@cswitch</code> . 6295, 6297	<code>\bidi@empty@toks</code> .. ... 6438, 6441, 6445	12776, 12801, 12817, 12827, 12837, 12842, 12845, 12848, 12851, 12874, 12886, 12898,
<code>\bidi@csxappto</code> 5747, 5749	<code>\bidi@endpreamblehook</code> ..... 5977, 5978, 6010, 6012	12910, 12920, 12945, 12961, 12971, 12981, 12986, 12989,
<code>\bidi@csxpreto</code> 5756, 5758	<code>\bidi@ensure@new@command</code> ..... 5412, 5413	12992, 12995, 13018, 13030, 13042, 13054, 13064, 13089,
<code>\bidi@current@column@status</code> . 24654, 24657, 24690	<code>\bidi@ensure@newcommand</code> ... 5412, 11724, 11736, 11742, 11743, 11747, 11748, 11749, 11750, 11762, 11774, 11796, 11797, 11802, 11803, 11804, 11805, 11808, 11838, 11840, 11865, 11866, 11884, 11901, 11904, 11906, 11912, 11914, 11918, 11943, 11959, 11969, 11979, 11984, 11987, 11990, 11993, 12016, 12028, 12040, 12052, 12062, 12087, 12102, 12111, 12120, 12125, 12128, 12131, 12134, 12156, 12167, 12178, 12190, 12200, 12225, 12241, 12251, 12261, 12266, 12269, 12272, 12275, 12298, 12310, 12322, 12334, 12344, 12369, 12385,	12992, 12995, 13018, 13030, 13042, 13054, 13064, 13089, 13105, 13115, 13125, 13130, 13133, 13136, 13139, 13162, 13174, 13186, 13198, 13208, 13216, 13223, 13226, 13234, 13246, 13350, 13368, 13380, 13392, 13396, 13400, 13404, 13429, 13443, 13457, 13468, 13484, 13493, 13502, 13509, 13513, 13524, 13525
<code>\bidi@dbg@fail</code> .... 5772, 5782, 5783, 5784, 5785, 5791, 5800, 5806, 5916, 5938, 5950, 5951, 5960	<code>\bidi@current@column@status</code> ..... 6285, 6290, 6295, 6300, 6306, 6311	<code>\bidi@ensure@newlength</code> . 5419, 11746, 11806
<code>\bidi@dbg@info</code> . 5773, 5775, 5778, 5780, 5781, 5792, 5794, 5796, 5798, 5799, 5801, 5803, 5805, 5914, 5939, 5941, 5943, 5946, 5952, 5954	<code>\bidi@del@tok@from@list</code> ..... 6381	<code>\bidi@epreto</code> .....
<code>\bidi@dbg@init</code> . 5770, 5789, 5913, 5936	<code>\bidi@digits</code> ... 4186, 4192, 4193, 4194	... 5726, 5739, 5754
<code>\bidi@dbg@succ</code> . 5816, 5915, 5947, 5955, 5957		<code>\bidi@eqs@a</code> ... 6196, 6197
<code>\bidi@dbg@trce</code> . 5763, 5809, 5912, 5921, 5929		
<code>\bidi@default</code> .....		



\bidi@eqs@b . . . 6196, 6197	\bidi@ifdefmacro 5373,	16473,	16474,
\bidi@EqualString . 6196	5375, 5376, 5377	16475,	16476,
\bidi@EqualStringX 6201	\bidi@ifdefparam 5891,	16477,	16478,
\bidi@error . . . . 5421,	5893, 5894, 5895	16479,	16480,
5672, 6270, 6377, 6546	\bidi@ifdefprotected	16481,	16482,
\bidi@everyjob . 3941,	. . . . . 5900,	16483,	16484,
3942, 4267, 4268	5902, 5903, 5904	16485,	16486,
\bidi@excludedpackages	\bidi@ifEmpty . . . . . 6243	16487,	16488,
6784, 6785, 6805,	\bidi@ifempty . . . . . 6241	16489,	16490,
6841, 6858, 6866,	\bidi@ifEmptyX . . . . 6242	16491,	16492,
6876, 6898, 6899,	\bidi@ifhashcheck .	16493,	16494,
6907, 6908, 6913, 6926	. . . 5777, 5862, 5945	16495,	16496,
\bidi@expandonce . .	\bidi@ifhashcheck@i	16497,	16498,
5692, 5703, 5707,	. . . . . 5866, 5868	16499,	16500,
5711, 5715, 5725,	\bidi@ifhashcheck@ii	16501,	16502,
5729, 5733, 5737, 5958	. . . . . 5870,	16503,	16504,
\bidi@ff@box 14059, 14077	5873, 5874, 5875	16505,	16506,
\bidi@firstcolumn@status@white	\bidi@ifmulticol . .	16507,	16508,
. . . . 4134, 4142,	. . . . . 11814,	16509,	16510,
10070, 10129,	11824, 13603, 13607	16511,	16512,
13865, 13901,	\bidi@ifNextChar . . 6251	16513,	16514,
14736, 14789,	\bidi@ifpatchable .	16515,	16516,
17792, 17888,	. . . 5766, 5768, 5815	16517,	16518,
24661, 24724, 24767	\bidi@ifpatchable@i	16519,	16522,
\bidi@floathook . . .	. . . . . 5766, 5787	16525,	16528,
. . 11576, 13274,	\bidi@ifpattern 5779, 5878	16531,	16534,
13326, 13601, 13603	\bidi@ifscanable 5776,	16537,	16540,
\bidi@font@outputpage	5797, 5846, 5944	16543,	16547,
. 14025, 24986, 25028	\bidi@in@front@of@cslist	16550,	16553,
\bidi@footdir@footnote	. . . . . 6390, 6391	16556,	16559,
. . 79, 282, 2247,	\bidi@in@front@of@list	16562,	16565,
14338, 14340, 14344	. . . . . 6389	16568,	16571,
\bidi@footskip . . . .	\bidi@info . . . . . 5423	16574,	16577,
. 11825, 11832, 13481	\bidi@init@multi@footins	16580,	16583,
\bidi@fswitch . 6311, 6313	. . . . . 13589,	16586,	16589,
\bidi@gappto . . . . .	13606, 13611, 13612	16592,	16595,
5093, 5708, 5746,	\bidi@invert@csstack	16598,	16601,
5977, 5982, 5985,	. . . . . 6430	16604,	16607,
5988, 5991, 5994,	\bidi@IsEmptyList . 6244	16610,	16613,
5997, 6001, 6004,	\bidi@isloaded . . . .	16616,	16619,
6018, 6030, 6043, 6058	. . . 5838, 16446,	16622,	16625,
\bidi@gobbleopt 6947, 6956	16447, 16448,	16628,	16631,
\bidi@gpreto . . 5730, 5755	16449, 16450,	16634,	16637,
\bidi@hook@acma 6971,	16451, 16452,	16640,	16643,
7015, 7028, 7029, 7034	16453, 16454,	16646,	16649,
\bidi@hook@bcma 6965,	16455, 16456,	16652,	16655,
7014, 7017, 7018, 7024	16457, 16458,	16658,	16661,
\bidi@hooktocmd . . .	16459, 16460,	16664,	16667,
. . . 5924, 5932, 5934	16461, 16462,	16670,	16673,
\bidi@hooktocmd@i .	16463, 16464,	16676,	16679,
. . . . . 5948, 5962	16465, 16466,	16682,	16685,
\bidi@hop@ES . . 6204, 6206	16467, 16468,	16688,	16691,
\bidi@ifblank@i . . .	16469, 16470,	16694,	16697,
. . . 5367, 5368, 5370	16471, 16472,	16700,	16703,



16706, 16709,	6484, 6486, 6498, 6524	\bidi@make@mppara@LTRfootgroup
16712, 16715,	\bidi@looprepeat@dxbdy	. 13271, 13324, 13493
16718, 16721,	. . . . . 6507, 6511	\bidi@make@mpsevencol@LTRfootgroup
16724, 16727,	\bidi@looprepeat@setup	. . . . . 12653, 12771
16730, 16733, 16736	. . . . . 6504, 6530	\bidi@make@mpsixcol@LTRfootgroup
\bidi@joinfootnotes	\bidi@looprepeat@sign	. . . . . 12509, 12627
. . . . . 11798,	. . . 6504, 6515, 6545	\bidi@make@mpthreecol@LTRfootgroup
11799, 11800, 11820	\bidi@looprepeat@tmp	. . . . . 13085, 13203
\bidi@lastcolumn@status@write	6505, 6506, 6533,	\bidi@make@mpthreecol@LTRfootgroup
4138, 4143, 10074,	6535, 6538, 6543,	. . . . . 12083, 12195
10135, 13869,	6550, 6553, 6555, 6558	\bidi@make@mpthreecol@LTRfootgroup
13907, 14742,	\bidi@looprepeat@traceexit	. . . . . 11939, 12057
14793, 17796,	. . . . . 6489, 6524	\bidi@make@mpthreecol@LTRfootgroup
17894, 24728, 24773	\bidi@looprepeat@traceinit	. . . . . 12933, 13048
\bidi@leave@mult@copyins	. . . . . 6489, 6497	\bidi@make@para@LTRfootgroup
. . . . . 18129, 18140	\bidi@looprepeat@zero	. 13262, 13312, 13468
\bidi@left@footnoterule	. . . 6504, 6523, 6561	\bidi@make@sevencol@LTRfootgroup
. 16878, 16884, 16889	\bidi@lst@caption@direction	. . . . . 12645, 12760
\bidi@leftskip . . . .	. . . . . 16345,	\bidi@make@sixcol@LTRfootgroup
. . 23110, 23112,	16346, 16358, 16361	. . . . . 12501, 12616
23114, 23115,	\bidi@lst@caption@script	\bidi@make@tencol@LTRfootgroup
23225, 23282,	. . . . . 16352,	. . . . . 13077, 13192
23284, 23320,	16353, 16369, 16372	\bidi@make@threecol@LTRfootgroup
23321, 23353, 24343	\bidi@lst@ensure@caption@direction	. . . . . 12075, 12184
\bidi@length@of@csstack	. . . . . 16356,	\bidi@make@twocol@LTRfootgroup
. . . 6426, 6427, 6430	16381, 16383,	. . . . . 11931, 12046
\bidi@length@of@stack	16385, 16404,	\bidi@make@colbf . . .
. . . . . 6426, 6440	16408, 16415, 16424	. . . . . 13563, 13575
\bidi@load@hook 6616,	\bidi@lst@ensure@caption@script	\bidi@matrix@check
6619, 6652, 6689	. 16367, 16379, 16423	. . . . . 5175, 24420
\bidi@loadwithoptions	\bidi@LTRrigidbalance	\bidi@matrix@error
. . . 6624, 6625, 6630	. . 11909, 12051,	. . . . . 5177, 5181
\bidi@local@in@front@of@list	12061, 12189,	\bidi@mopfn@bottom
. . . . . 6394, 6411	12199, 12333,	. . . . . 13530,
\bidi@local@push@onto	12343, 12477,	13543, 13576, 13577
. . . . . 6410	12487, 12621,	\bidi@mopfootnotebf
\bidi@looprepeat@comp	12631, 12765,	. . . . . 13539, 13570
. . . 6504, 6540, 6545	12775, 12909,	\bidi@mpfootnoterule
\bidi@looprepeat@csarg	12919, 13053,	2196, 2212, 2228,
. . . . . 6482, 6534	13063, 13197, 13207	14115, 14349,
\bidi@looprepeat@csargroman	\bidi@make@eightcol@LTRfootgroup	14363, 14377,
. . . . . 6484,	. . . . . 12789, 12904	14415, 16964, 22492
6499, 6500, 6501,	\bidi@make@fivecol@LTRfootgroup	\bidi@mswitch . 6306, 6308
6502, 6503, 6506,	. . . . . 12357, 12472	\bidi@multicol@align@columns
6511, 6512, 6513,	\bidi@make@fourcol@LTRfootgroup	. . . . . 18016,
6514, 6515, 6517,	. . . . . 12213, 12328	18067, 18070, 18072
6523, 6536, 6538,	\bidi@make@mpeightcol@LTRfootgroup	\bidi@n@everypar . .
6539, 6540, 6547,	. . . . . 12797, 12915	. 18646, 18647,
6548, 6550, 6555, 6563	\bidi@make@mpfivecol@LTRfootgroup	18648, 18649,
\bidi@looprepeat@csroman	numeral . . . . . 12365, 12483	14114, 24299,
. . . . 6483, 6507,	\bidi@make@mpfourcol@LTRfootgroup	24300, 24301, 24302
6515, 6518, 6534, 6562	. . . . . 12221, 12339	\bidi@namedef . . . . . 6127
\bidi@looprepeat@depth	\bidi@make@mpninecol@LTRfootgroup	\bidi@nameedef . . . . 6129
. . . . . 6483,	. . . . . 12941, 13059	



<code>\bidi@namegdef</code> . . . .	<code>\bidi@nxt@b</code> . . . . .	<code>\bidi@patch@AfterPackage</code>
. . . 5098, 5425, 6128	. . . 6249, 6252, 6255	. . . . 7069, 8017,
<code>\bidi@namelongdef</code> . 5404	<code>\bidi@nxt@c</code> . . . . .	8019, 8022, 8043,
<code>\bidi@namelongedef</code> 5408	. . . 6250, 6253, 6254	8194, 8244, 8300, 8544
<code>\bidi@namelonggdef</code> 5406	<code>\bidi@nxt@ch</code> . . . . .	<code>\bidi@patch@counter</code>
<code>\bidi@namelongxdef</code> 5410	. . . 6249, 6252, 6254	. . . . 7047, 7051,
<code>\bidi@namexdef</code> . . . . 6130	<code>\bidi@o@everypar</code> . .	7054, 7060, 7061, 7080
<code>\bidi@new@command</code> .	. . . . . 18645,	<code>\bidi@patch@gtemp</code> .
. . . . . 5644,	18647, 18648,	. . . . . 7087, 7094
5646, 5675, 5683	24298, 24300, 24301	<code>\bidi@patch@list</code> 7065,
<code>\bidi@new@ifnch</code> 5169, 5171	<code>\bidi@oldwbuskip</code> . .	7067, 7105, 7107, 7114
<code>\bidi@new@ifnextchar</code>	. . . . . 6376, 6379	<code>\bidi@patch@OrgIfClassLater</code>
. . . . . 5166, 24425	<code>\bidi@onefilewithoptions</code>	. . . . . 7113, 7118
<code>\bidi@newcommand</code> . .	. . . 6640, 6641, 6645	<code>\bidi@patch@OrgIfClassLoaded</code>
. . . . . 5646, 5648	<code>\bidi@orig@leftline</code>	. . . . . 7112, 7117
<code>\bidi@newrobustcmd</code>	. 24568, 24570, 24571	<code>\bidi@patch@OrgIfPackageLater</code>
. . . . 4009, 4011,	<code>\bidi@orig@raggedleft</code>	. . . . . 7111, 7116
5643, 5644, 5668,	. 24553, 24555, 24556	<code>\bidi@patch@OrgIfPackageLoaded</code>
5679, 5700, 5704,	<code>\bidi@orig@raggedright</code>	. . . . . 7110, 7115
5708, 5712, 5717,	. 24554, 24555, 24556	<code>\bidi@patch@stepcounter</code>
5718, 5722, 5726,	<code>\bidi@orig@rightline</code>	. . . 7049, 7059, 7078
5730, 5734, 5739,	. 24569, 24570, 24571	<code>\bidi@patch@temp</code> . .
5740, 5744, 5745,	<code>\bidi@oswitch</code> . . . . 6290	. . . . . 7077, 7081
5746, 5747, 5748,	<code>\bidi@p@ftn</code> 4595, 4658,	<code>\bidi@patch@try</code> 7096, 7099
5749, 5753, 5754,	4660, 4661, 4663,	<code>\bidi@patchcmd</code> . . . .
5755, 5756, 5757,	4664, 4666, 4667,	. . . . . 171, 179,
5758, 5762, 5808,	4671, 4674, 4677, 4782	188, 338, 1838,
5907, 5908, 5920,	<code>\bidi@p@ftntext</code> . . .	5808, 5809, 6033,
5928, 5977, 5980,	. . . 4642, 4659, 4764	6046, 6063, 6080,
5982, 5985, 5988,	<code>\bidi@p@LTRftntext</code>	6094, 6118, 7338,
5991, 5994, 5997,	. . . 4643, 4662, 4765	10850, 10853,
6001, 6004, 6015,	<code>\bidi@p@RTLftntext</code>	10870, 10873,
6018, 6021, 6030,	. . . 4644, 4665, 4766	10876, 10892,
6043, 6058, 6061,	<code>\bidi@p@xfootnote</code> .	10895, 10898,
6075, 6091, 6105,	. . . 4646, 4680, 4768	10916, 10924,
6115, 24393, 24395	<code>\bidi@p@xftntext</code> 4645,	10932, 10941,
<code>\bidi@next</code> . . . . .	4670, 4685, 4767	10950, 10959,
6217, 6218, 6220,	<code>\bidi@p@xLTRfootnote</code>	15087, 15987,
6222, 6223, 6225,	. . . 4648, 4688, 4770	15995, 16003,
6230, 6232, 6233, 6235	<code>\bidi@p@xLTRftntext</code>	16011, 16019,
<code>\bidi@NextChar</code> . . . . 6248	. . . . . 4647,	16028, 16036,
<code>\bidi@normal@footmarkwidth</code>	4673, 4693, 4769	16045, 16303,
. . . . . 11733,	<code>\bidi@p@xRTLfootnote</code>	16309, 16317,
11789, 11795,	. . . 4650, 4696, 4772	16397, 16410,
11941, 12085,	<code>\bidi@p@xRTLftntext</code>	16866, 18136,
12223, 12367,	. . . . . 4649,	18283, 18388,
12511, 12655,	4676, 4701, 4771	22481, 22489, 24791
12799, 12943,	<code>\bidi@page@count</code> 5036,	<code>\bidi@patchcmd@scantoks</code>
13087, 13297, 13348	5037, 5071, 5100	. . . 5826, 5832, 5970
<code>\bidi@notblank</code> . 5369,	<code>\bidi@paraskip</code> 13243,	<code>\bidi@pdfencrypt@keylength</code>
5377, 5895, 5904	13292, 13344, 13480	. . . . . 4062, 4215
<code>\bidi@nxt@a</code> . . . . .	<code>\bidi@patch@@AfterPackage</code>	<code>\bidi@pdfencrypt@ownerpassword</code>
. . . 6249, 6252, 6254	. . . . . 7079, 7084	. . . 4059, 4202, 4214
	<code>\bidi@patch@Add</code> 7066, 7095	



\bidi@pdfencrypt@permissions	\bidi@protected@csxappto	\bidi@reflect@box
..... 4065, 4216	..... 5749	.. 18723, 18730,
\bidi@pdfencrypt@userpassword	\bidi@protected@csxpreto	24387, 24394, 24396
... 4056, 4203, 4213	..... 5758	\bidi@reinsert@footnotes
\bidi@pdfm@mark 4340, 4355	\bidi@protected@eappto	. 13593, 13615, 13616
\bidi@pickescape .. 6191	..... 5717	\bidi@reinserts ...
\bidi@pop@cs@into .	\bidi@protected@epreto	. 13580, 13598, 13599
..... 6414, 6433	..... 5739	\bidi@removexfootskip
\bidi@pop@into 6417, 6443	\bidi@protected@immediate@write	..... 11826,
\bidi@pos . 5425, 5433,	... 7020, 7031, 7037	13255, 13311, 13483
5461, 5487, 5515,	\bidi@protected@xappto	\bidi@removexparafotskip
5541, 5544, 5578, 5581	..... 5718	. 13255, 13311, 13479
\bidi@poscount . 5427,	\bidi@protected@xpreto	\bidi@renew@command
5430, 5433, 5450,	..... 5740	... 5668, 5670, 5684
5452, 5461, 5475,	\bidi@provide@command	\bidi@renewrobustcmd
5477, 5484, 5487,	..... 5679, 5681	..... 5668
5504, 5506, 5515,	\bidi@providerobustcmd	\bidi@ReplaceClass 6671
5529, 5531, 5538,	..... 5679	\bidi@replacefile@msg
5541, 5544, 5561,	\bidi@push@begins .	..... 6608,
5563, 5567, 5569,	... 5128, 5129, 5132	6632, 6647, 6685
5578, 5581, 5595,	\bidi@push@cs@onto@cs	\bidi@ReplaceInput 6655
5597, 5601, 5603,	..... 6407, 6434	\bidi@ReplacePackage
5610, 5612, 5613,	\bidi@push@long@begins	..... 6668
5615, 5616, 5619,	... 5152, 5153, 5156	\bidi@RequirePackage
5620, 5627, 5629, 5630	\bidi@push@onto ... 6408	... 6807, 6867, 6918
\bidi@prepend . 5932, 5975	\bidi@push@onto@cs	\bidi@ResetPreventPackageFromLoading
\bidi@prepend@cslist@to@cslist	..... 6408, 6409	..... 6859,
..... 6364	\bidi@raggedleft ..	6865, 6874, 6913
\bidi@prepend@list@to@list	... 4949, 4956,	\bidi@resrvda .....
..... 6360	4961, 4980, 10549,	5818, 5819, 5820,
\bidi@prepend@to@list	10665, 13833,	5823, 5824, 5825,
..... 6357	13839, 15203, 24558	5826, 5827, 5828,
\bidi@prepend@toks@cs@to@list	\bidi@raggedright .	5833, 5836, 5848,
..... 6367	.. 13831, 13837,	5849, 5850, 5851,
\bidi@preto 5722, 5753,	18151, 18154,	5852, 5854, 5855,
6007, 13596, 13609	18156, 18159,	5864, 5866, 5880,
\bidi@pretocmd . 5928,	18161, 18163,	5881, 5883, 5885,
5929, 6108, 6150	18166, 18168,	5886, 5964, 5965,
\bidi@PreventPackageFromLoading	18170, 18172,	5966, 5967, 5968,
..... 6787,	18175, 18177,	5969, 5970, 5971, 5972
6801, 6831, 6864	18179, 18181,	\bidi@resrvdb . 5820, 5821
\bidi@process@envbody	18183, 18186,	\bidi@restore@newpage
..... 5121,	18188, 18191,	... 6966, 6983, 7013
5125, 5126, 5140,	18193, 18196,	\bidi@restorecatcode
5145, 5149, 5150, 5164	18198, 18200,	..... 6175
\bidi@protected ...	18203, 18205,	\bidi@right@footnoterule
... 5695, 5717,	18207, 18210,	. 16879, 16882, 16891
5718, 5739, 5740,	18212, 18214, 24557	\bidi@rightskip 23106,
5748, 5749, 5757, 5758	\bidi@rcol@copyinsskip	23218, 23286,
\bidi@protected@cseappto	..... 14699,	23287, 23299,
..... 5748	14704, 14713, 14762	23303, 23307, 24344
\bidi@protected@csepreto	\bidi@redefine@newpage	\bidi@RTL@everypar
..... 5757	..... 6981, 7021	.. 13357, 13369,
		13381, 13412,



13431, 13445,	\bidi@storepreventpackagefromloading6,	23126,
18644, 18648,	..... 6875, 6878	23127, 23376, 23377
22230, 24297, 24301	\bidi@stringbefore 6226	\bidi@undefined 5907, 5909
\bidi@s@tfftextcol	\bidi@stringbeforeNC	\bidi@undefinedcs .
..... 14056, 14060	..... 6214	6260, 6267, 6322,
\bidi@saved@checkend	\bidi@switch ... 6274,	6326, 6332, 6336, 6377
... 6958, 6961, 6979	6285, 6287, 6292	\bidi@unpreventpackagefromloading
\bidi@saved@clearpage	\bidi@switch@exit .	..... 6879
... 6963, 6964, 6967	6284, 6285, 6286,	\bidi@unreplaceclass
\bidi@saved@dofilelist	6290, 6291, 6295,	..... 6682
..... 6969,	6296, 6300, 6301,	\bidi@unreplaceinput
6972, 6973, 6980	6306, 6307, 6311, 6312	..... 6659
\bidi@saved@eqno ..	\bidi@t@w@w ..... 6335	\bidi@unreplacepackage
..... 18734,	\bidi@tabular@RTLcases	..... 6679
18736, 18737,	..... 24400, 24427	\bidi@version .. 3910,
25084, 25086, 25087	\bidi@tempa .....	3911, 3926, 3943,
\bidi@saved@leqno .	4071, 4077, 4083,	3945, 3951, 3957,
..... 18735,	4089, 4095, 4101,	3990, 3993, 3996,
18736, 18737,	4113, 4119, 4125,	4236, 4252, 4272,
25085, 25086, 25087	4132, 4146, 4153, 4163	4274, 4331, 4334, 4337
\bidi@saved@newpage	\bidi@tempb .... 4071,	\bidi@w@w ..... 6322
..... 6982, 6993	4072, 4077, 4078,	\bidi@warning .. 5422,
\bidi@saved@RequirePackage	4083, 4084, 4089,	6085, 6099, 6111, 6123
.... 6786, 6806,	4090, 4095, 4096,	\bidi@willbeunhskip
6817, 6869, 6871, 6949	4101, 4102, 4113,	... 6369, 6376, 6379
\bidi@sepmark@charclass	4114, 4119, 4120,	\bidi@x@stack@to@list
..... 4189,	4125, 4126, 4132,	..... 6440
4190, 4191, 4195	4133, 4146, 4147,	\bidi@xappto .....
\bidi@set@column@status	4153, 4154, 4163, 4164	... 5712, 5718, 5747
. 24656, 24684, 24689	\bidi@tempcountb 6162,	\bidi@xargdef . 5650, 5658
\bidi@set@cslst ..	6431, 6432, 6441, 6442	\bidi@xparaskip ...
..... 6400, 6401	\bidi@temptoksa 6163,	.. 13237, 13239,
\bidi@set@list .... 6399	6431, 6434, 6435,	13241, 13291, 13343
\bidi@set@load@hook	6436, 6438, 6441, 6445	\bidi@xpreto .....
.... 6693, 6696,	\bidi@temptoksb 6164,	... 5734, 5740, 5756
6697, 6699, 6718,	6433, 6434, 6435, 6436	\bidicolor .... 9816,
6730, 6744, 6761, 6772	\bidi@todonotes@tempa	9872, 9887, 9889,
\bidi@SOUL@ulleaders	..... 23990, 23998	14057, 24240,
..... 22271, 22277	\bidi@todonotes@tempb	24287, 24290, 24291
\bidi@stack@length	..... 23990,	\bidics ..... 6159
6425, 6427, 6428,	23991, 23998, 23999	\bididate . 3909, 3911,
6432, 6433, 6442, 6443	\bidi@tok@SM .. 6382, 6387	3926, 3990, 3993,
\bidi@star@footmarkwidth	\bidi@toks@lista ..	4234, 4252, 4331, 4334
.. 11733, 11792,	6347, 6349, 6350,	\bidi@gscale@box ..
11941, 12085,	6351, 6352, 6383,	..... 15023, 15024
12223, 12367,	6385, 6391, 6392,	\bidi@gscale@box ...
12511, 12655,	6394, 6396, 6401, 6402	. 15000, 15001, 15020
12799, 12943,	\bidi@toks@listb ..	\bidi@gscale@box@dd
13087, 13297, 13348	... 6347, 6383, 6385	. 15032, 15036, 15042
\bidi@startparafootskip	\bidi@undef .... 2717,	\bidi@gscale@box@ddd
.. 13242, 13245,	2740, 2811, 3260,	..... 15038, 15049
13294, 13295, 13346	5828, 5907, 5972,	\bidillap ..... 24573
\bidi@storecatcode 6168	6012, 6027, 22965,	\bidipdfinfooff ... 4352
		\bidipdfinfoon 4351, 4357



\bidipoem@hvlen 8789, 8795, 8798, 8801, 8810	\bidipoem@spreadbox ..... 8784, 8806, 8808, 8809, 8810	17146, 17147, 17191, 17197, 17212, 17235, 17238, 17258, 17263, 17275, 17292, 17293, 17296, 17313, 17338, 17345, 17351, 17357, 17367, 17374, 17396, 17508, 17511, 17519, 17520, 18284, 18370, 18372, 18381
\bidipoem@half@verses ... 8815, 8816, 8819	\bidirlap ..... 24572	
\bidipoem@half@verses@next ... 8815, 8816, 8817	\bidituftefloatDebugInfoNL ..... 7126, 7214, 7218, 7513, 7562	
\bidipoem@hvind ... 8789, 8792, 8793, 8801, 8802, 8805, 8808	\bidituftefloatError ..... 7125, 7608	
\bidipoem@hvlen 8788, 8793, 8795, 8806, 8808	\bidituftefloatInfoNL ... 7126, 7127, 7677	
\bidipoem@hvsep 8788, 8801, 8802, 8809	\bidituftefloatRecalculate ..... 7243, 7254	
\bidipoem@next 8794, 8795	\bidituftehyperrefLoadHyperref ..... 8502, 8513	
\bidipoem@openbox . ..... 8833, 8838	\boolean .....	
\bidipoem@p@ftn 8840, 8850, 8974, 8975, 8977, 8978, 8980, 8981, 8984, 8987, 8990, 9095, 15660, 15670, 15691, 15701, 15722, 15732	\bidituftesidenotemarginpar ... 7693, 8045, 8204	7126, 7186, 7188, 7191, 7195, 7198, 7201, 7226, 7322, 7337, 7348, 7368, 7375, 7383, 7400, 7420, 7424, 7442, 7443, 7446, 7447, 7482, 7491, 7502, 8247, 8251, 8299, 8512, 8649, 8718, 8729, 14071, 18403
\bidipoem@p@ftntext 8867, 8878, 8973, 9084, 9098, 15658	\bidituftetocError ... 8233, 8280, 8289	
\bidipoem@p@LTRftntext 8868, 8879, 8976, 9085, 9099, 15689	\bidiversion .. 3943, 4269	
\bidipoem@p@RTLftntext 8869, 8880, 8979, 9086, 9100, 15720	\bigskip ..... 18785	
\bidipoem@p@xfootnote ..... 8871, 8882, 8992, 9088, 9102	\bl ..... 18550, 18551, 18554, 18555, 18556, 18560, 18615, 18622, 18626	
\bidipoem@p@xftntext .... 8870, 8881, 8983, 8997, 9087, 9101	\blacktriangleleft ... 2701, 14541, 14543	
\bidipoem@p@xLTRfootnote ..... 8873, 8884, 8999, 9090, 9104	\blacktriangleleft ... 2703, 14541, 14543	
\bidipoem@p@xLTRftntext .... 8872, 8883, 8986, 9004, 9089, 9103	\bm@b ..... 24633	
\bidipoem@p@xRTLfootnote ..... 8875, 8886, 9006, 9092, 9106	\bm@l ..... 24630	
\bidipoem@p@xRTLftntext .... 8874, 8885, 8989, 9011, 9091, 9105	\bm@r ..... 24631	
\bidipoem@set@@verse ... 8795, 8798, 8800	\bm@t ..... 24632	
\bidipoem@set@verseI ..... 8794, 8797	\bmb@box .. 1768, 1773, 1774, 1775, 1778, 1779, 1783, 1784, 1785, 1791, 1792, 1804, 1810, 1814, 1829	
	\bmb@colorbox ..... 1828	
	\bmb@dima . 1788, 1801, 1804, 1805, 1806, 1807, 1818, 1819, 1820	
	\bmb@dimb ..... 1789, 1802, 1803, 1806	
	\bmb@lower ... 1755, 1831	
	\bmb@prevheight 1776, 1785	
	\bmb@temp ..... 1779, 1780, 1781, 1783, 1787, 1788, 1789, 1799	
	\bmb@upper ... 1760, 1770	
	\bmb@width 1769, 1778, 1787, 1817, 1818, 1829	
	\bool ..... 16990, 16998, 17129,	
	\botmark ... 14050, 25070	
	\box .. 1783, 1901, 1905, 1907, 1915, 1921, 1923, 1977, 1981, 1983, 2003, 2012, 2014, 2032, 2041, 2043, 2081, 2085, 2087, 2094, 2360, 2364, 2412, 2425, 2442, 2447, 2818, 2824, 2864, 3634, 4046, 4323, 7663, 9723, 9787, 9855, 10012, 10015, 10032, 10036, 10071, 10075, 10081, 10082, 10130, 10136, 10140, 10141, 10367, 10372, 10379, 10386, 10422, 10706, 10727, 10743, 10800, 11906, 11909, 13220, 13232, 13556, 13566, 13866, 13870, 13902,	



13908,	13951,	13526,	13541,	\bx@GG	7569, 7602
14041,	14074,	13798,	14592,	\bx@H	7549, 7590
14079,	14639,	14594,	14918,	\bx@h	7529, 7555, 7596
14646,	14649,	24796, 24812, 24823		\bx@HH	7570, 7602
14663,	14737,	\br	18550, 18552,	\bx@I	7549, 7590
14743,	14790,	18554,	18555,	\bx@i	7530, 7555, 7596
14794,	14833,	18556,	18560,	\bx@II	7571, 7602
14845,	14856,	18616, 18622, 18630		\bx@J	7549, 7590
14866,	14879,	\BR@bibitem	7898, 7899	\bx@j	7531, 7555, 7596
14951,	14968,	\BR@bibitem	7901, 7902	\bx@JJ	7572, 7602
14971,	15014,	\BR@c@bibitem	7903	\bx@K	7550, 7591
15017,	15047,	\bracetext		\bx@k	7532, 7556, 7597
15064,	16391,	4013, 4298, 18650,		\bx@KK	7573, 7603
16799,	16850,	18651, 24303, 24304		\bx@L	7550, 7591
16856,	16866,	\break	16756	\bx@l	7533, 7556, 7597
16868,	16870,	\BreakBibliography		\bx@LL	7574, 7603
17208,	17466,	20321,		\bx@M	7550, 7591
17477,	17482,	20354, 20356,		\bx@m	7534, 7556, 7597
17516,	17517,	20362, 21082,		\bx@MM	7575, 7603
17518,	17519,	21115, 21117,		\bx@N	7550, 7591
17521,	17650,	21123, 21847,		\bx@n	7535, 7556, 7597
17684,	17793,	21880, 21882, 21888		\bx@NN	7576, 7603
17797,	17889,	\breakhere	3227, 3235	\bx@O	7551, 7592
17895,	18032,	\breaklooprepeat	6468,	\bx@o	7536, 7557, 7598
18038,	18053,	6470, 6522, 6523,		\bx@OO	7577, 7604
18061,	18369,	6541, 6552, 6557, 6571		\bx@P	7551, 7592
18377,	18382,	\breakrepeatloop	6497	\bx@p	7537, 7557, 7598
18519,	18523,	\bs	4512, 4513, 4515	\bx@PP	7578, 7604
18539,	18573,	\bslice	18570,	\bx@Q	7551, 7592
18577,	18582,	18571, 18573,		\bx@q	7538, 7557, 7598
18586,	18598,	18583, 18584,		\bx@QQ	7579, 7604
18609,	18623,	18586, 18606,		\bx@R	7551, 7592
18626,	18630,	18607, 18609,		\bx@r	7539, 7557, 7598
18635,	18711,	18633, 18634, 18635		\bx@RR	7580, 7604
18727,	18772,	\bx@A	7548, 7589	\bx@S	7512, 7514, 7552, 7593
18775,	19839,	\bx@a	7522, 7554, 7595	\bx@s	7540, 7558, 7599
19848,	19886,	\bx@AA	7561, 7563, 7601	\bx@SS	7581, 7605
19897,	22473,	\bx@B	7548, 7589	\bx@T	7515, 7552, 7593
22519,	22537,	\bx@b	7523, 7554, 7595	\bx@t	7541, 7558, 7599
24184,	24185,	\bx@BB	7564, 7601	\bx@TT	7582, 7605
24195,	24391,	\bx@C	7548, 7589	\bx@U	7516, 7552, 7593
24575,	24725,	\bx@c	7524, 7554, 7595	\bx@u	7542, 7558, 7599
24729,	24768,	\bx@CC	7565, 7601	\bx@UU	7583, 7605
24774,	24793,	\bx@D	7548, 7589	\bx@V	7517, 7552, 7593
24809,	24941,	\bx@d	7525, 7554, 7595	\bx@v	7543, 7558, 7599
24957,	24968,	\bx@DD	7566, 7601	\bx@VV	7584, 7605
24981,	24983,	\bx@E	7548, 7589	\bx@W	7518, 7553, 7594
25047, 25051, 25081		\bx@e	7526, 7554, 7595	\bx@w	7544, 7559, 7600
\boxdef	4544,	\bx@EE	7567, 7601	\bx@WW	7585, 7606
4546, 4552, 4557, 4562		\bx@F	7549, 7590	\bx@X	7519, 7553, 7594
\boxmaxdepth		\bx@f	7527, 7555, 7596	\bx@x	7545, 7559, 7600
10698, 10703,		\bx@FF	7568, 7602	\bx@XX	7586, 7606
10719, 10724,		\bx@G	7549, 7590	\bx@Y	7520, 7553, 7594
10751, 10808,		\bx@g	7528, 7555, 7596	\bx@y	7546, 7559, 7600



<code>\bx@YY</code> . . . . . 7587, 7606	13684, 13691,	<code>\c@lstlisting</code> 16441, 16443
<code>\bx@Z</code> . . . . 7521, 7553, 7594	19008, 19015,	<code>\c@LT@chunks</code> . . . . 16782
<code>\bx@z</code> . . . . 7547, 7559, 7600	19402, 19409,	<code>\c@mpfootnote</code> . . . .
<code>\bx@ZZ</code> . . . . . 7588, 7606	19596, 19603,	2196, 2212, 2228,
<code>\bye</code> . . . . . 4355	19799, 19806,	14349, 14363,
<code>\bystep</code> . . . . . 6450,	20330, 20339,	14377, 14402, 16973
6462, 6546, 6559,	20346, 21091,	<code>\c@NAT@ctr</code> . . . . . 18223
6569, 6582, 6595, 6596	21100, 21107,	<code>\c@page</code> . . 8656, 10978,
	21856, 21865,	11006, 13965,
	21872, 22585, 22592	13992, 24147, 24937
<b>C</b>	<code>\c@equation</code> . . . . .	<code>\c@paragraph</code> . . . 548,
<code>\c</code> . . . . . 17192, 17193,	9225, 9402, 9647,	702, 956, 1215,
17207, 17469, 17550	11093, 11162,	9222, 9399, 9656,
<code>\c@abspage</code> . . . . . 14146	11479, 13791,	11365, 11488,
<code>\c@addvipersep</code> 17737,	14083, 14096,	13788, 14092,
17755, 17760,	17612, 19027,	14105, 17607,
17782, 17812,	19396, 19581,	19024, 19389,
17837, 17855,	19763, 21069, 21834	19589, 19772,
17860, 17882, 17909	<code>\c@figure</code> . . . . .	20306, 21053, 21822
<code>\c@algocf</code> . . . . . 168	9227, 9404, 9649,	<code>\c@part</code> . . . . . 2553
<code>\c@chapter</code> . . . . 9225,	11481, 13793,	<code>\c@poem@no</code> . . . . 8925,
9227, 9229, 9402,	14085, 14098,	8967, 9019, 9030
9404, 9406, 9647,	17613, 19029,	<code>\c@secnumdepth</code> . 304,
9649, 9651, 9652,	19392, 19583,	551, 560, 9466,
11479, 11481,	19765, 21058, 21827	9661, 11223,
11483, 11484,	<code>\c@footnote</code> . . . . 128,	11232, 11493,
13791, 13793,	318, 453, 745, 804,	13654, 18789, 19777
13795, 14083,	997, 1056, 1247,	<code>\c@section</code> 2578, 9219,
14085, 14087,	1306, 4393, 9240,	9396, 9653, 11485,
14088, 14096,	9417, 9554, 11313,	13785, 14089,
14098, 14100,	11410, 13735,	14102, 17601,
14101, 16441,	14424, 14438,	18274, 19021,
17612, 18264,	15473, 15583,	19386, 19586,
19027, 19029,	15591, 15621,	19769, 21047, 21816
19031, 19392,	15629, 16136,	<code>\c@subparagraph</code> 549,
19394, 19396,	16830, 16833,	703, 957, 1216,
19581, 19583,	19044, 19103,	9223, 9400, 9657,
19585, 19763,	19183, 19244,	11366, 11489,
19765, 19767, 19768	19440, 19483,	13789, 14093,
<code>\c@colht</code> . . . . . 17737,	19670, 20092,	14106, 17609,
17749, 17775,	20213, 20832,	19025, 19390,
17776, 17837,	20953, 21605, 21726	19590, 19773,
17849, 17875, 17876	<code>\c@Hy@AnnotLevel</code> . .	20308, 21055, 21824
<code>\c@curpg</code> . . . . .	. . . . . 15795,	<code>\c@subsection</code> 546, 700,
. 13965, 13992, 13993	15796, 15801, 15805	954, 1213, 2579,
<code>\c@DFNsloppiness</code> . .	<code>\c@L@lines</code> . . . . .	9220, 9397, 9654,
. . . . . 10696, 10717	. 16276, 16278, 16281	11363, 11486,
<code>\c@enumiv</code> . . . . . 574,	<code>\c@ll@chapseci</code> . . . . 9897	13786, 14090,
581, 709, 716, 972,	<code>\c@ll@chapsecii</code> . . . 9892	14103, 17603,
979, 1222, 1229,	<code>\c@lofdepth</code> . 22816, 22853	19022, 19387,
2518, 2527, 5025,	<code>\c@lor@error</code> . . . . .	19587, 19770,
9195, 9202, 9383,	9861, 9868, 9876,	20302, 21049, 21818
9390, 9692, 9699,	9882, 24232, 24266	<code>\c@subsectionslide</code> 2581
11254, 11261,	<code>\c@lotdepth</code> . 22834, 22873	<code>\c@subsubsection</code> 547,
11525, 11532,		



701, 955, 1214,	\c@twrtside . . . . . 10009	\cap@left . . . . 20426,
9221, 9398, 9655,	\c@twslicea . . . 10006,	20463, 21187,
11364, 11487,	10008, 10012,	21224, 21952, 21989
13787, 14091,	10015, 10024,	\cap@margin . . . . .
14104, 17605,	10025, 10032, 10036	. 20382, 21143, 21908
19023, 19388,	\c@twsliceb . . . 10007,	\cap@right . . . 20434,
19588, 19771,	10009, 10012,	20530, 21195,
20304, 21051, 21820	10015, 10028,	21291, 21960, 22056
\c@table . . . . .	10029, 10032, 10036	\cap@width . . . 20411,
9229, 9406, 9651,	\c@twwinlines 10005, 10018	20464, 21172,
11483, 13795,	\c@zabspace . . . . . 14146	21225, 21937, 21990
14087, 14100,	\cals@activate@rtl 9771	\caption . . . . . 7331,
17614, 19031,	\cals@AtBeginTable 9788	7332, 7334, 7390,
19394, 19585,	\cals@AtEndTable . . 9790	15176, 15194,
19767, 21061, 21830	\cals@backup@row . . 9787	16759, 17688,
\c@thisframe . . . . .	\cals@borderB . . . . . 9786	17690, 20467,
. . . 13964, 13969,	\cals@borderL . . . . . 9783	20468, 21228,
14005, 14007, 14008	\cals@borderR . . . . . 9784	21229, 21993, 21994
\c@tocdepth . . . . . 3,	\cals@borderT . . . . . 9785	\caption@@make . . . 16817
198, 508, 525, 644,	\cals@borderT . . . . . 9785	\caption@@par . . . . . 9808
660, 678, 871, 904,	\cals@current@context	\caption@begin . . . 16811
922, 1127, 1143,	. . . . . 9777	\caption@belowskip 16815
1161, 9129, 9145,	\cals@last@context 9776	\caption@end . . . . . 16819
9161, 9306, 9322,	\cals@paddingL . 9793,	\caption@hangindent 9809
9338, 9609, 9624,	9795, 9800, 9802	\caption@ifdefined 16814
11196, 11210,	\cals@paddingR 9797, 9804	\caption@LT@make . 16805
11465, 13622,	\cals@set@tohsize . 9780	\caption@LT@settype
13637, 16098,	\cals@setcellprevdepth	. . . . . 16806
17957, 17969,	. . . . . 9780	\caption@LT@setup 16807
17981, 18937,	\cals@setpadding . . 9780	\caption@make@above
18953, 18969,	\cals@setup@alignment	. . . . . 16816
19309, 19325,	. . . . . 9764, 9779	\caption@make@below
19341, 19541,	\cals@table@alignment	. . . . . 16818
19555, 19725,	. . . . . 9769, 9770	\caption@makecaption
19740, 22661,	\cals@tbreak@tokens 9774	. . . . . 9806, 16426
22665, 22707,	\cals@tfoot@height 9775	\caption@normalsize
22726, 22748,	\cals@tfoot@tokens	. . . . . 16812
22765, 22782,	. . . . . 9773, 9790	\caption@parindent 9809
22799, 23091,	\cals@thead@tokens 9772	\caption@prepare@stepcounter
23203, 23241,	\cals@vfillAdd . 9765,	. . . . . 16810
23741, 23937, 24635	9767, 9793, 9802	\caption@setautoposition
\c@twb . . . . . 10022	\cals@vfillDrop . . .	. . . . . 16808
\c@twcompctr . . . . . 10003	. . . . . 9766, 9767,	\caption@starfalse
\c@twcompoddctr . . 10019	9795, 9797, 9800, 9804	. . . . . 16427, 16809
\c@twfirst . . . 10004,	\CAny . . . . . 4533	\caption@startrue .
10010, 10017,	\cAny . . . . . 4541	. 16428, 16434, 16809
10021, 10030, 10033	\cap@indent . . . . .	\captionabove . 20565,
\c@twlftside . . . . . 10008	. . . 20494, 20502,	20570, 21327,
\c@twlspec . . . . .	20512, 20515,	21332, 22092, 22097
. 10022, 10025, 10029	20517, 21255,	\captionbelow . 20567,
\c@twprune . . . 10008,	21263, 21273,	20572, 21329,
10009, 10025, 10029	21276, 21278,	21334, 22094, 22099
\c@twrounds . . . 10020,	22020, 22028,	\captionformat . . . .
10023, 10026, 10038	22038, 22041, 22043	. . . 20455, 20487,



20498, 20509,	\cftchapnumwidth ..	\cftsubparafont .. 22812
20520, 21216,	..... 22716, 22961	\cftsubparaindent ..
21248, 21259,	\cftchappresnum .. 22717	..... 22801, 22804
21270, 21281,	\cftchapterprecistoc	\cftsubparanumwidth
21981, 22013,	..... 22959	..... 22807
22024, 22035, 22046	\cftdot .....	\cftsubparapresnum 22808
\captionlabelfalse 16432	\cftdotfill .....	\cftsubsecaftersnum
\catcode .....	\cftdotsep .....	..... 22758
4356, 5835, 6171,	\cftfigaftersnum .. 22826	\cftsubsecaftersnumb
6172, 6173, 6213,	\cftfigaftersnumb 22827	..... 22759
7870, 7892, 8823,	\cftfigfillnum ... 22830	\cftsubsecfillnum 22762
8824, 8826, 8827,	\cftfigfont .....	\cftsubsecfont ... 22761
14550, 14551, 14666	\cftfigindent 22818, 22821	\cftsubsecindent ..
\Centering .....	\cftfignumwidth .. 22824	..... 22750, 22753
\centering .....	\cftfigpresnum ... 22825	\cftsubsecnumwidth 22756
3054, 10553,	\cftparaaftersnum 22792	\cftsubsecpresnum 22757
10566, 10682,	\cftparaaftersnumb 22793	\cftsubsubsecaftersnum
13832, 13838,	\cftparafillnum .. 22796	..... 22775
15206, 15291,	\cftparafont .....	\cftsubsubsecaftersnumb
15307, 17635,	\cftparaindent .....	..... 22776
17637, 17639,	..... 22784, 22787	\cftsubsubsecfillnum
20180, 20920, 21693	\cftparanumwidth .. 22790	..... 22779
\CenteringLeftskip 18804	\cftparapresnum .. 22791	\cftsubsubsecfont 22778
\CenteringParfillskip	\cftpartaftersnum 22687	\cftsubsubsecindent
..... 18807	\cftpartaftersnumb 22688	..... 22767, 22770
\CenteringParindent	\cftpartfillnum .. 22691	\cftsubsubsecnumwidth
..... 18808	\cftpartfont .....	..... 22773
\CenteringRightskip	\cftpartindent .....	\cftsubsubsecpresnum
..... 18805	..... 22679, 22682	..... 22774
\centerline 307, 14646,	\cftpartnumwidth .. 22685	\cftsubtabaftersnum
14663, 18738, 24559	\cftpartpresnum ...	..... 22883
\cftbeforechapskip 22709	..... 22686, 22690	\cftsubtabaftersnumb
\cftbeforefigskip 22817	\cftsecaftersnum .. 22741	..... 22884
\cftbeforeparaskip 22783	\cftsecaftersnumb 22742	\cftsubtabfillnum 22887
\cftbeforepartskip 22677	\cftsecfillnum ... 22745	\cftsubtabfont ... 22886
\cftbeforesecskip ..	\cftsecfont .....	\cftsubtabindent ..
..... 22728, 22731	\cftsecindent 22733, 22736	..... 22875, 22878
\cftbeforesubfigskip	\cftsecnumwidth .. 22739	\cftsubtabnumwidth 22881
..... 22854	\cftsecpresnum ... 22740	\cftsubtabpresnum 22882
\cftbeforesubparaskip	\cftsubfigaftersnum	\cfttabaftersnum .. 22844
..... 22800	..... 22863	\cfttabaftersnumb 22845
\cftbeforesubsecskip	\cftsubfigaftersnumb	\cfttabfillnum ... 22848
..... 22749	..... 22864	\cfttabfont .....
\cftbeforesubsubsecskip	\cftsubfigfillnum 22867	\cfttabindent 22836, 22839
..... 22766	\cftsubfigfont ... 22866	\cfttabnumwidth .. 22842
\cftbeforesubtabskip	\cftsubfigindent ..	\cfttabpresnum ... 22843
..... 22874	..... 22855, 22858	\chapnumfont .....
\cftbeforetabskip 22835	\cftsubfignumwidth 22861	..... 18788
\cftchapaftersnum 22718	\cftsubfigpresnum 22862	\chapter .....
\cftchapaftersnumb 22719	\cftsubparaaftersnum	8273, 8343, 8351,
\cftchapfillnum .. 22722	..... 22809	8467, 8473, 9191,
\cftchapfont .....	\cftsubparaaftersnumb	9379, 9688, 11521,
22721	..... 13680, 19004,	19398, 19592, 19795
\cftchapindent .....	\cftsubparafillnum 22813	
..... 22710, 22713, 22960		



<code>\chapterheadendvskip</code>	<code>\cleardoublepage</code>	9813, 16771, 24404
..... 18794	.... 8609, 8654,	<code>\color</code> .... 1532, 1535,
<code>\chapterheadstartvskip</code>	8656, 8713, 8726,	1572, 1604, 1627,
..... 18786	8740, 9682, 11515	1648, 1669, 1693,
<code>\chaptermark</code>	<code>\clearpage</code>	1793, 1795, 1834,
. 8730, 22620	. 604, 620,	1929, 2588, 2593,
<code>\chaptername</code>	869, 1121, 6047,	2668, 2828, 3493,
.. 308, 17621	6048, 6052, 6053,	4428, 4429, 4430,
<code>\chapterstyle</code>	6963, 6964, 6967,	4431, 4432, 4433,
.... 17616	7609, 8621, 8656,	4949, 9857, 9860,
<code>\char</code>	8742, 9123, 9300,	9863, 9881, 9884,
4196, 4516, 4517, 6159	9510, 9684, 11517,	10547, 10550,
<code>\chardef</code>	18913, 19168,	10560, 10678,
..... 6158,	19627, 20185,	16202, 16936, 24197
14550, 16345,	20925, 21698, 22654	<code>\color@</code> .... 24237, 24284
16346, 16352, 16353	<code>\clip</code>	<code>\color@b@x</code> .....
<code>\check@floats</code>	..... 3284, 3307	9849, 9887, 9889,
.... 10447	<code>\clipbox@</code>	24190, 24287, 24290
<code>\CheckCommand</code>	..... 18774	<code>\color@begingroup</code>
15580, 15618	<code>\CloneTOCEntryStyle</code>	. .....
<code>\checkoddpage</code>	..... 20582,	1860,
..... 7225	20595, 20613,	2156, 2173, 2190,
<code>\CIIIAny</code>	20622, 21344,	2206, 2222, 2238,
..... 4534	21357, 21376,	8055, 8073, 8091,
<code>\ciiAny</code>	21385, 22109,	9093, 9107, 11653,
..... 4542	22122, 22141, 22150	11667, 11681,
<code>\circle</code>	<code>\closing</code>	11693, 11704,
9911, 9914, 9921,	..... 11555	11715, 11955,
9924, 9934, 9937,	<code>\clubpenalty</code>	11965, 11975,
9944, 9947, 9957,	. 92, 295,	12012, 12024,
9960, 9967, 9970,	583, 584, 717, 980,	12036, 12099,
9980, 9983, 9990, 9993	1230, 2530, 2531,	12108, 12117,
<code>\cite</code>	5026, 8941, 9203,	12153, 12164,
..... 7907,	9391, 9701, 9702,	12175, 12237,
7999, 8005, 8006,	11262, 11534,	12247, 12257,
8100, 8105, 8126,	11535, 13692,	12294, 12306,
8134, 8155, 8163,	16063, 18229,	12318, 12381,
8184, 8202, 8206,	19016, 19410,	12391, 12401,
8211, 8215, 8220,	19605, 19606,	12438, 12450,
8224, 18232, 18233	19808, 19809,	12462, 12525,
<code>\citeasnoun</code>	20348, 21109,	12535, 12545,
..... 18233	21874, 22594, 22595	12582, 12594,
<code>\citeN</code>	<code>\coffee@font</code>	12606, 12669,
..... 18232	..... 17977	12679, 12689,
<code>\cites</code>	<code>\col@number</code>	12726, 12738,
..... 8000	. 132, 137,	12750, 12813,
<code>\cl@ckpt</code>	139, 142, 143, 150,	12823, 12833,
..... 22361	459, 810, 1062,	12870, 12882,
<code>\ClassInfo</code>	1312, 9560, 11319,	12894, 12957,
.... 8687,	11416, 11815,	12967, 12977,
8752, 19990,	11824, 13590,	13014, 13026,
20393, 20402,	13591, 13741,	13038, 13101,
20576, 20729,	17579, 17919,	13111, 13121,
21154, 21163,	18001, 18006,	13158, 13170,
21338, 21502,	18080, 18081,	13182, 13364,
21919, 21928, 22103	18083, 18086,	
<code>\ClassWarning</code>	18087, 18094,	
. 20163,	19109, 19250,	
20170, 20192,	19494, 19676,	
20198, 20205,	20218, 20958, 21731	
20466, 20903,	<code>\col@sep</code>	
20910, 20932,	379, 407, 9812,	
20938, 20945,		
21227, 21676,		
21683, 21705,		
21711, 21718, 21992		
<code>\ClassWarningNoLine</code>		
..... 17672		
<code>\clear</code>		
..... 7004		
<code>\cleardoubleemptypage</code>		
. 20183, 20923, 21696		



13376,	13388,	13378,	13390,	18905,	19160,
13425,	13439,	13427,	13441,	19619,	24721, 24770
13453,	13532,	13455,	13536,	\columnseprulecolor	
13545,	14298,	13549,	14301,	..... 18033, 18044	
14315,	14331,	14318,	14334,	\columnwidth .... 28,	
14358,	14372,	14361,	14375,	41, 55, 71, 232,	
14386,	14398,	14389,	14419,	244, 258, 273,	
14886,	14896,	14889,	14899,	540, 544, 731, 965,	
14903,	16822,	14906,	24803,	1211, 2149, 2166,	
16910,	24799,	24818,	24830, 24837	2183, 2202, 2218,	
24815, 24826, 24834		\color@fb@x .	24288, 24289	2234, 4023, 4029,	
\color@block .	9854, 24195	\color@fb@x ..	9888, 24288	4773, 9217, 9370,	
\color@box ..	9887, 24287	\color@hbox .....		9640, 9644, 9752,	
\color@endbox ..	4783,	..	19908, 19918,	10065, 10069,	
7729, 7773, 7817,			19936, 25041, 25057	10073, 10077,	
19911, 19921,		\color@setgroup ...		10128, 10134,	
19939, 24879,		.....	9890, 24292	10362, 10366,	
24923, 25044, 25060		\color@vbox .....		10371, 10376,	
\color@endgroup ...		4761, 7720, 7764,		10378, 10385,	
.... 1890, 2159,		7808, 24870, 24914		10696, 10717,	
2176, 2193, 2209,		\colorA ..	9468, 9477, 9489	11269, 11273,	
2225, 2241, 8059,		\colorB .....	9474,	11568, 11572,	
8077, 8095, 9095,		9480, 9486, 9492		11577, 11620,	
11655, 11669,		\colorblend ...	24204,	11650, 11664,	
11683, 11695,		24205, 24247, 24248		11678, 11690,	
11706, 11717,		\colorbox .....	1913,	11701, 11712,	
11881, 11957,		4589, 4591, 4592		12009, 12021,	
11967, 11977,		\colorlet .....	1757,	12033, 12150,	
12014, 12026,		1762, 1832, 1833,		12161, 12172,	
12038, 12101,		1862, 1864, 2844, 2884		12291, 12303,	
12110, 12119,		\columncolor ..	1466, 9820	12315, 12435,	
12155, 12166,		\columnsep	99, 219, 597,	12447, 12459,	
12177, 12239,		613, 862, 1114,		12579, 12591,	
12249, 12259,		4376, 4858, 9116,		12603, 12723,	
12296, 12308,		9293, 9503, 10076,		12735, 12747,	
12320, 12383,		10375, 13871,		12867, 12879,	
12393, 12403,		14795, 16071,		12891, 13011,	
12440, 12452,		17799, 17916,		13023, 13035,	
12464, 12527,		18009, 18055,		13155, 13167,	
12537, 12547,		18906, 19161,		13179, 13278,	
12584, 12596,		19620, 24152,		13330, 13421,	
12608, 12671,		24157, 24161,		13435, 13449,	
12681, 12691,		24167, 24170, 24730		13673, 13677,	
12728, 12740,		\columnseprule .....		13862, 13864,	
12752, 12815,		... 99, 219, 596,		13868, 13872,	
12825, 12835,		612, 861, 1113,		13900, 13906,	
12872, 12884,		4377, 4859, 9115,		14204, 14207,	
12896, 12959,		9292, 9502, 10067,		14209, 14294,	
12969, 12979,		10132, 10364,		14311, 14327,	
13016, 13028,		10383, 13863,		14354, 14368,	
13040, 13103,		13904, 14739,		14382, 14400,	
13113, 13123,		14786, 16071,		14681, 14688,	
13160, 13172,		17789, 17891,		14735, 14741,	
13184, 13366,		18034, 18045,		14784, 14788,	



14792, 14796,	13881, 14709,	21580, 21581, 21583
15148, 15149,	14758, 14959,	\coverpagerightmargin
16085, 16159,	15005, 16847,	. 20070, 20810, 21583
16163, 16876,	16859, 16863,	\coverpagetopmargin
16913, 17787,	17721, 17821,	. . . . . 20066,
17791, 17795,	18643, 18726,	20072, 20806,
17798, 17887,	18796, 24390,	20812, 21579, 21585
17893, 17916,	24699, 24746,	\cr 395, 8888, 8895, 8951,
17945, 17951,	24866, 24910, 24973	11908, 11911,
18113, 18117,	\cor@height . . . 17744,	11913, 16786,
18121, 18125,	17745, 17772,	22306, 22344, 24607
19001, 19424,	17773, 17812,	\crrc . 406, 4655, 8891,
19574, 19578,	17844, 17845,	22294, 22324,
19756, 19760,	17872, 17873, 17909	24415, 24418, 24594
20040, 20079,	\count . . . . . 4018,	\CROP@llc . . . . . 9953
20080, 20780,	4303, 4756, 6477,	\CROP@lrc . . . . . 9976
20819, 20820,	7705, 7749, 7793,	\CROP@ulc . . . . . 9907
21553, 21592,	11816, 11893,	\CROP@urc . . . . . 9930
21593, 24719,	11898, 11926,	\CROP@execopt . . . . 10000
24723, 24727,	11930, 12070,	\cs . . . . . 17047, 17098,
24731, 24766,	12074, 12208,	17116, 17170,
24772, 24962, 24964	12212, 12352,	17185, 17473,
\contentslabel . 8304,	12356, 12496,	17475, 18366, 18367
8311, 8318, 8325, 8332	12500, 12640,	\cs@a . . . . . 6244
\contentsline . . . . 15411	12644, 12784,	\csname . . . . . 8, 44, 58,
\contentsmargin . . 22559	12788, 12928,	74, 166, 168, 203,
\contentspush . . . . 22533	12932, 13072,	247, 261, 276, 333,
\convertcolorspec .	13076, 13254,	334, 383, 1369,
. . . . . 24211,	13261, 13310,	2155, 2172, 2189,
24214, 24254, 24257	13581, 13590,	2205, 2221, 2237,
\Coord . . . . . 4530	13975, 14701,	2270, 2296, 2322,
\coord . . . . . 4535	14710, 14712,	2341, 2370, 4618,
\CoordIII . . . . . 4532	14759, 14761,	4619, 4633, 4634,
\coordiii . . . . . 4537	15088, 15094,	4660, 4663, 4666,
\Coordn . . . . . 4531	24855, 24899, 25007	4682, 4690, 4698,
\coordn . . . . . 4536	\count@ . . . . . 1406,	4753, 5040, 5043,
\Coordx . . . . . 4527,	1465, 5196, 5201,	5046, 5048, 5050,
4530, 4531, 4532,	5212, 5216, 7051,	5053, 5056, 5064,
4533, 4534, 4535,	7052, 7054, 9818,	5065, 5070, 5077,
4536, 4537, 4541, 4542	17996, 17997,	5079, 5081, 5082,
\coordx . . . . . 4538	17999, 18001,	5083, 5084, 5087,
\Coordy . . . . . 4528,	18008, 18029,	5089, 5093, 5095,
4530, 4531, 4532,	18030, 18032,	5124, 5125, 5148,
4533, 4534, 4535,	18049, 18050,	5149, 5176, 5203,
4536, 4537, 4541, 4542	18053, 18338,	5207, 5218, 5222,
\coordy . . . . . 4539	18346, 18359, 22400	5226, 5230, 5241,
\Coordz . . . . . 4529,	\counterwithout 17617,	5249, 5257, 5265,
4532, 4534, 4537, 4542	17618, 17619, 17620	5267, 5269, 5273,
\coordz . . . . . 4540	\coverpagebottommargin	5274, 5338, 5380,
\copy . . . . . 1810, 7716,	. 20072, 20812, 21585	5390, 5396, 5397,
7760, 7804, 9756,	\coverpageleftmargin	5399, 5400, 5402,
10045, 10108,	. . 20067, 20068,	5403, 5405, 5407,
10217, 10707,	20070, 20807,	5409, 5411, 5612,
10728, 13845,	20808, 20810,	5613, 5615, 5616,



5619, 5620, 5629,	12581,	12593,	21370,	21373,
5630, 5665, 5666,	12605,	12668,	21379,	21381,
5689, 5744, 5745,	12678,	12688,	21464,	21468,
5746, 5747, 5753,	12725,	12737,	21472,	21556,
5754, 5755, 5756,	12749,	12812,	21780,	22112,
5839, 5840, 5843,	12822,	12832,	22114,	22116,
5844, 5909, 6080,	12869,	12881,	22119,	22125,
6081, 6083, 6094,	12893,	12956,	22133,	22135,
6095, 6097, 6108,	12966,	12976,	22138,	22144,
6118, 6127, 6128,	13013,	13025,	22146,	22296,
6129, 6130, 6153,	13037,	13100,	22322,	22324,
6177, 6182, 6186,	13110,	13120,	22356,	22378,
6202, 6220, 6222,	13157,	13169,	22380,	22396,
6230, 6232, 6241,	13181,	13362,	22397,	22417,
6242, 6322, 6326,	13374,	13386,	22424,	22637,
6359, 6361, 6372,	13423,	13437,	22900,	22901,
6373, 6387, 6395,	13451,	13800,	22917,	22918,
6397, 6424, 6445,	13953,	13954,	22919,	22926,
6482, 6483, 6484,	13959,	13960,	22928,	22929,
6500, 6501, 6502,	14065,	14066,	22982,	22983,
6503, 6605, 6608,	14067,	14068,	23141,	23142,
6612, 6629, 6632,	14070,	14072,	23246,	23271,
6634, 6644, 6647,	14073,	14074,	23298,	23302,
6649, 6656, 6661,	14075,	14077,	23306,	23363,
6666, 6676, 6692,	14078,	14079,	23415,	23418,
6695, 6709, 6721,	14136,	14160,	23432,	23448,
6753, 6764, 6848,	14178,	14264,	23449,	23465,
6851, 6891, 6940,	14273,	14296,	23472,	23477,
7080, 7101, 7452,	14313,	14329,	23495,	23496,
7453, 7460, 7461,	14357,	14371,	23508,	23509,
8053, 8071, 8089,	14385,	14432,	23564,	23619,
8120, 8149, 8178,	14447,	15413,	23621,	23623,
8420, 8946, 8974,	15416,	15418,	23639,	23642,
8977, 8980, 8994,	15422,	15426,	23648,	23650,
9001, 9008, 9016,	15440,	15451,	23653,	23657,
9017, 9055, 9080,	15462,	15662,	23662,	23666,
9081, 9863, 9869,	15693,	15724,	23670,	23684,
9877, 9884, 11652,	16103,	16206,	23688,	23691,
11666, 11680,	16209,	16639,	23695,	23700,
11692, 11703,	16705,	17701,	23704,	23709,
11714, 11954,	17702,	17709,	23711,	23712,
11964, 11974,	19952,	19956,	23715,	23719,
12011, 12023,	19960,	20043,	23769,	23771,
12035, 12098,	20267,	20585,	23778,	23779,
12107, 12116,	20587,	20589,	23783,	23788,
12152, 12163,	20592,	20598,	23792,	23803,
12174, 12236,	20606,	20608,	23804,	23808,
12246, 12256,	20610,	20616,	23814,	23869,
12293, 12305,	20618,	20691,	23870,	23874,
12317, 12380,	20695,	20699,	23970,	23971,
12390, 12400,	20783,	21007,	23973,	23976,
12437, 12449,	21347,	21349,	23977,	23981,
12461, 12524,	21351,	21354,	24445,	24510,
12534, 12544,	21360,	21368,	24596,	24657,



24670, 24672, 25142	10258, 10259,	<b>D</b>
\CT@do@color . . . . . 9815	10260, 10310,	\d . . . . . 17017
\CT@cell@color 1490, 9840	10322, 10328,	\d@llarbegin . . . . .
\CT@color . . . . . 9814	10340, 10344,	.. 379, 408, 1410,
\CT@column@color ..	10350, 10447,	1411, 1412, 1475,
.. . . . . 1488, 9838	10448, 10449, 10453	1478, 1479, 9825,
\CT@do@color . . . . .	\cuted@@tempdim@b .	9828, 9829, 24404
.. . . . . 1491, 9815, 9841	.. . . . . 10213,	\d@llarend . . . . .
\CT@extract . . . . . 1466, 9820	10216, 10218,	.. 380, 408, 1410,
\CT@row@color . 1489, 9839	10221, 10225,	1411, 1412, 1477,
\CT@setup . . . . . 1455,	10237, 10255,	1478, 1479, 9827,
1456, 1458, 1459,	10279, 10287,	9828, 9829, 24405
1463, 1487, 9811, 9837	10293, 10300,	\dashgapcolor . . . . . 1470
\cumpartcl . . . . . 18547	10309, 10311,	\date . . . . . 447, 483, 787,
\cumtcl . . . . . 18547	10336, 10339, 10341	832, 1039, 1084,
\curraddr . . . . . 322	\cuted@@tempdim@spread	1289, 1334, 4411,
\current@color . . . . .	.. 10228, 10229,	8534, 8582, 9282,
.. . . . . 9856, 9862,	10230, 10231,	9459, 9548, 9584,
9869, 9877, 9883,	10238, 10242,	11307, 11341,
14528, 14533,	10245, 10248,	11404, 11440,
24196, 24233,	10249, 10251,	13729, 13763,
24234, 24238,	10256, 10267,	19086, 19131,
24267, 24268, 24285	10277, 10280,	19227, 19274,
\CurrentOption . . . . .	10285, 10288,	19477, 19518,
8668, 8669, 8670,	10292, 10296,	19664, 19700,
8671, 8672, 8692,	10313, 10315, 10317	20295, 21035, 21808
8693, 8694, 8695,	\cuted@@varbox@a ..	\day . . . . . 3183
8696, 10493, 10591	.. 10217, 10218,	\deadcycles . . . . . 6064, 6067
\currentposxwidth . 5609	10224, 10225,	\debugfootnotedirection
\currentposyheight 5626	10253, 10259,	.. . . . . 14123
\CustomFBox . . . . . 14530	10262, 10270,	\DeclareOption . . . . .
\cuted@@column@badness	10339, 10372, 10386	.. . . . . 4788, 4791,
.. . . . . 10240,	\cuted@@varbox@c ..	4794, 4797, 4800,
10241, 10254, 10265	.. . . . . 10224,	4803, 4806, 4811,
\cuted@@page@rule .	10225, 10230,	4812, 4813, 4814,
.. . . . . 10320, 10321	10231, 10235,	4815, 4817, 7130,
\cuted@@tempbox@a .	10236, 10259,	7132, 7134, 7137,
.. . . . . 10181,	10262, 10266,	7142, 8239, 8240,
10191, 10218,	10269, 10270,	8498, 8499, 8524,
10220, 10221,	10271, 10273, 10298	8525, 8668, 8669,
10309, 10367, 10379	\cuted@@wlog@debug	8670, 8671, 8672,
\cuted@@tempbox@c .	.. 10232, 10258,	8692, 8693, 8694,
.. 10220, 10221,	10260, 10269, 10273	8695, 8696, 10483,
10228, 10229,	\cvcomputer . . . . . 4981	10485, 10487,
10233, 10234,	\cvdoubleitem . 4958, 4982	10489, 10491,
10249, 10253,	\cventry . . . . . 4970	10492, 10581,
10263, 10279,	\cvlanguage . . . . . 4979	10583, 10585,
10297, 10308,	\cvline 4953, 4954, 4959,	10587, 10589, 10590
10311, 10313, 10314	4963, 4965, 4971, 4980	\DeclareRobustCommand
\cuted@@tempbox@var	\cvlistdoubleitem . 4964	.. . . . . 4515,
.. 10359, 10397, 10409	\cvlistitem . . . . . 4962	4516, 4517, 4518,
\cuted@@tempdim@a .	\cvtheme . . . . . 4896, 4899	4519, 4520, 4521,
.. 10249, 10251,		7465, 7472, 9857,
10253, 10255,		9872, 24197, 24240



<p><code>\DeclareSectionCommand</code>            . . . . . 20624,  20634, 20642,  20652, 20662,  20673, 21387,  21395, 21406,  21415, 21425,  21435, 21446,  22152, 22160,  22171, 22180,  22190, 22200, 22211</p> <p><code>\DeclareTOCEntryStyle</code>            . 22967, 23128, 23378</p> <p><code>\dedication</code> . . . . .</p> <p>          . 20294, 21034, 21807</p> <p><code>\dedicatory</code> . . . . . 323</p> <p><code>\def</code> . . . . . 2, 23, 26,  30, 34, 48, 64, 95,  98, 107, 108, 109,  110, 122, 132, 133,  135, 197, 218, 227,  228, 229, 230, 234,  237, 251, 266, 298,  301, 313, 319, 336,  345, 350, 352, 377,  382, 384, 405, 406,  407, 408, 454, 455,  486, 550, 587, 719,  742, 743, 751, 790,  791, 793, 798, 800,  805, 807, 835, 982,  994, 995, 1003,  1042, 1043, 1045,  1050, 1052, 1057,  1058, 1087, 1232,  1244, 1245, 1253,  1292, 1293, 1295,  1300, 1302, 1307,  1309, 1337, 1357,  1367, 1368, 1371,  1377, 1405, 1418,  1419, 1422, 1435,  1443, 1451, 1452,  1455, 1456, 1459,  1464, 1846, 1859,  1929, 1972, 1973,  2049, 2060, 2069,  2076, 2078, 2090,  2099, 2108, 2109,  2111, 2121, 2130,  2131, 2134, 2135,  2136, 2139, 2140,  2141, 2257, 2258,  2259, 2264, 2268,</p>	<p>2283, 2284, 2285,  2290, 2294, 2309,  2310, 2311, 2316,  2320, 2331, 2335,  2454, 2465, 2474,  2485, 2499, 2534,  2541, 2547, 2551,  2611, 2634, 2654,  3170, 3172, 3227,  3235, 3506, 3909,  3910, 4010, 4012,  4013, 4056, 4059,  4062, 4065, 4134,  4138, 4234, 4236,  4269, 4286, 4294,  4295, 4296, 4297,  4298, 4304, 4305,  4312, 4328, 4329,  4330, 4333, 4336,  4340, 4351, 4352,  4355, 4364, 4369,  4394, 4395, 4523,  4524, 4525, 4527,  4528, 4529, 4530,  4531, 4532, 4533,  4534, 4535, 4536,  4537, 4538, 4539,  4540, 4541, 4542,  4547, 4558, 4589,  4590, 4591, 4592,  4599, 4605, 4611,  4619, 4624, 4626,  4634, 4639, 4640,  4655, 4659, 4662,  4665, 4670, 4673,  4676, 4680, 4688,  4696, 4703, 4705,  4706, 4708, 4777,  4871, 4872, 4873,  4874, 4875, 4876,  4878, 4879, 4897,  4898, 4901, 4902,  4903, 4904, 4905,  4906, 4907, 4908,  4909, 4910, 4911,  4912, 4913, 5029,  5098, 5118, 5119,  5122, 5128, 5131,  5142, 5143, 5146,  5152, 5155, 5166,  5168, 5171, 5175,  5181, 5189, 5190,  5191, 5192, 5193,  5194, 5195, 5202,</p>	<p>5203, 5207, 5211,  5217, 5218, 5222,  5226, 5230, 5235,  5243, 5251, 5259,  5266, 5268, 5368,  5376, 5397, 5405,  5412, 5413, 5419,  5421, 5422, 5423,  5425, 5644, 5646,  5648, 5654, 5658,  5661, 5670, 5681,  5683, 5684, 5695,  5768, 5787, 5819,  5820, 5821, 5832,  5846, 5849, 5850,  5862, 5874, 5878,  5881, 5894, 5903,  5934, 5962, 5965,  5966, 5974, 5975,  6011, 6026, 6053,  6070, 6127, 6128,  6129, 6130, 6139,  6159, 6168, 6175,  6182, 6186, 6191,  6196, 6201, 6203,  6206, 6209, 6217,  6218, 6220, 6222,  6223, 6230, 6232,  6233, 6240, 6241,  6242, 6243, 6244,  6248, 6249, 6251,  6252, 6254, 6260,  6266, 6284, 6285,  6290, 6295, 6300,  6306, 6311, 6322,  6326, 6332, 6335,  6349, 6351, 6353,  6354, 6356, 6357,  6358, 6360, 6362,  6364, 6366, 6367,  6372, 6373, 6374,  6375, 6376, 6381,  6382, 6389, 6391,  6394, 6399, 6401,  6407, 6408, 6409,  6410, 6414, 6417,  6419, 6420, 6424,  6426, 6427, 6430,  6440, 6482, 6483,  6484, 6487, 6497,  6504, 6506, 6511,  6523, 6530, 6532,  6536, 6537, 6544,  6546, 6549, 6554</p>
---	---	--



6561, 6563, 6630,	10020,	10021,	12733,	12745,
6633, 6642, 6645,	10026,	10033,	12756,	12762,
6797, 6808, 6847,	10038,	10042,	12768,	12773,
6960, 6970, 6983,	10105,	10164,	12808,	12818,
7037, 7047, 7049,	10166,	10168,	12828,	12865,
7054, 7059, 7065,	10690,	10694,	12877,	12889,
7066, 7069, 7076,	10697,	10715,	12900,	12906,
7084, 7099, 7172,	10718,	10736,	12912,	12917,
7263, 7284, 7288,	10793,	10970,	12952,	12962,
7301, 7381, 7450,	11034,	11061,	12972,	13009,
7468, 7474, 7511,	11063,	11068,	13021,	13033,
7636, 7638, 7639,	11099,	11100,	13044,	13050,
7640, 7649, 7651,	11173,	11222,	13056,	13061,
7652, 7653, 7657,	11241,	11264,	13096,	13106,
7659, 7665, 7666,	11314,	11315,	13116,	13153,
7693, 7707, 7710,	11344,	11411,	13165,	13177,
7714, 7718, 7731,	11412,	11443,	13188,	13194,
7737, 7751, 7754,	11490,	11505,	13200,	13205,
7758, 7762, 7775,	11538,	11576,	13237,	13242,
7781, 7795, 7798,	11619,	11646,	13358,	13370,
7802, 7806, 7819,	11660,	11674,	13382,	13413,
7871, 7886, 7891,	11688,	11699,	13432,	13446,
8017, 8019, 8047,	11710,	11737,	13465,	13476,
8065, 8083, 8104,	11738,	11739,	13490,	13499,
8133, 8162, 8382,	11747,	11748,	13576,	13580,
8419, 8427, 8656,	11749,	11814,	13589,	13593,
8794, 8795, 8797,	11820,	11867,	13651,	13663,
8815, 8816, 8819,	11950,	11960,	13694,	13736,
8829, 8830, 8831,	11970,	12007,	13737,	13766,
8832, 8838, 8841,	12019,	12031,	13797,	13829,
8852, 8853, 8854,	12042,	12048,	13835,	13842,
8864, 8890, 8894,	12054,	12059,	13878,	13952,
8901, 8923, 8942,	12094,	12103,	13963,	14011,
8943, 8944, 8950,	12112,	12148,	14115,	14202,
8973, 8976, 8979,	12159,	12170,	14206,	14208,
8983, 8986, 8989,	12180,	12186,	14210,	14212,
8992, 8999, 9006,	12192,	12197,	14214,	14216,
9016, 9017, 9018,	12232,	12242,	14217,	14219,
9028, 9032, 9035,	12252,	12289,	14223,	14232,
9040, 9041, 9042,	12301,	12313,	14234,	14241,
9044, 9053, 9059,	12324,	12330,	14242,	14259,
9080, 9081, 9205,	12336,	12341,	14262,	14268,
9237, 9238, 9246,	12376,	12386,	14271,	14279,
9393, 9414, 9415,	12396,	12433,	14280,	14281,
9423, 9463, 9483,	12445,	12457,	14287,	14304,
9555, 9556, 9587,	12468,	12474,	14320,	14348,
9658, 9672, 9705,	12480,	12485,	14362,	14376,
9709, 9721, 9734,	12520,	12530,	14390,	14396,
9741, 9745, 9748,	12540,	12577,	14402,	14409,
9811, 9814, 9817,	12589,	12601,	14422,	14426,
9849, 9856, 9859,	12612,	12618,	14430,	14436,
9866, 9874, 9880,	12624,	12629,	14441,	14445,
9887, 9888, 9890,	12664,	12674,	14524,	14538,
10004, 10017,	12684,	12721,	14540,	14542,



14544,	14552,	16276,	16278,	19042,	19050,
14657,	14667,	16378,	16394,	19089,	19090,
14698,	14706,	16395,	16427,	19092,	19097,
14755,	14808,	16428,	16432,	19099,	19104,
14844,	14932,	16434,	16740,	19106,	19134,
14940,	14946,	16752,	16756,	19180,	19181,
14955,	14957,	16757,	16758,	19189,	19230,
14973,	14984,	16765,	16793,	19231,	19233,
14985,	14987,	16821,	16829,	19238,	19240,
15000,	15001,	16832,	16837,	19245,	19247,
15003,	15019,	16880,	16887,	19277,	19299,
15021,	15024,	16897,	16905,	19412,	19441,
15026,	15027,	16971,	16972,	19443,	19484,
15042,	15049,	17575,	17577,	19486,	19521,
15109,	15110,	17627,	17629,	19609,	19671,
15111,	15112,	17677,	17688,	19672,	19703,
15121,	15123,	17699,	17718,	19774,	19786,
15159,	15411,	17818,	17915,	19812,	19816,
15438,	15449,	17923,	17956,	19859,	19906,
15460,	15471,	17968,	17980,	19909,	19916,
15481,	15492,	17994,	18027,	19919,	19927,
15503,	15514,	18041,	18076,	19934,	19937,
15529,	15544,	18080,	18111,	19964,	19994,
15561,	15587,	18115,	18119,	19996,	20025,
15604,	15612,	18123,	18127,	20045,	20299,
15625,	15642,	18129,	18237,	20300,	20352,
15650,	15658,	18251,	18253,	20359,	20385,
15675,	15683,	18260,	18266,	20548,	20565,
15689,	15706,	18354,	18406,	20567,	20703,
15714,	15720,	18410,	18414,	20733,	20735,
15737,	15745,	18416,	18432,	20765,	20785,
15753,	15767,	18444,	18458,	21039,	21113,
15771,	15785,	18508,	18514,	21120,	21146,
15793,	15800,	18521,	18640,	21310,	21327,
15808,	15811,	18641,	18643,	21329,	21476,
15814,	15848,	18644,	18650,	21506,	21508,
15880,	15909,	18651,	18652,	21538,	21558,
15936,	15939,	18662,	18672,	21812,	21878,
15941,	15944,	18680,	18688,	21885,	21911,
15953,	15954,	18689,	18690,	22075,	22092,
15958,	15960,	18691,	18692,	22094,	22229,
15961,	15962,	18693,	18698,	22233,	22250,
15964,	15973,	18699,	18702,	22271,	22274,
15975,	16066,	18704,	18705,	22289,	22294,
16070,	16079,	18706,	18707,	22297,	22320,
16080,	16081,	18709,	18710,	22324,	22328,
16083,	16087,	18723,	18729,	22338,	22354,
16089,	16094,	18736,	18737,	22360,	22368,
16097,	16118,	18738,	18739,	22389,	22398,
16130,	16166,	18740,	18742,	22399,	22415,
16167,	16185,	18743,	18849,	22419,	22422,
16202,	16204,	18870,	18876,	22426,	22429,
16205,	16212,	18896,	18897,	22459,	22504,
16217,	16227,	19018,	19041,	22538,	22560,



22566,	22569,	24931,	24971,	10509,	10510,
22571,	22574,	24975,	24976,	10513,	10514,
22598,	23301,	24977,	24978,	10516,	10517,
23325,	23936,	24988,	25074,	10520,	10521,
23957,	23959,	25086,	25087,	10523,	10524,
24115,	24158,	25089,	25212,	10527,	10528,
24161,	24167,	25214,	25218,	10530,	10531,
24171,	24190,	25220,	25279,	10534,	10535,
24196,	24199,	25281		10600,	10601,
24221,	24230,	\default@color	9856, 24196	10606,	10607,
24236,	24242,	\DefaultFindent	.. 16174	10612,	10613,
24264,	24270,	\DefaultLhang	.... 16170	10618,	10619,
24279,	24283,	\DefaultLoversize	16171	10624,	10625,
24287,	24288,	\DefaultLraise	... 16172	11166	
24289,	24292,	\DefaultNindent	.. 16175	\DefineTOCEntryCommandOption	
24297,	24303,	\DefaultOptionsFile		..... 23389,	
24304,	24305,	. 16194, 16197, 16200		23393,	
24315,	24325,	\DefaultSlope	.... 16176	23397,	23399,
24334,	24345,	\defbeamertemplate		23401,	23403,
24346,	24355,	1526, 1540, 1543,		23405	
24356,	24365,	1562, 1580, 1585,		\DefineTOCEntryIfOption	
24366,	24371,	1592, 1615, 1636,		..... 23381,	
24372,	24375,	1657, 1684, 1702,		23383,	23387,
24377,	24378,	1708, 1721, 1730,		23423	
24379,	24380,	1739, 2692, 2695,		\DefineTOCEntryLengthOption	
24382,	24384,	2713, 2714, 2715,		.. 22968, 22970,	
24386,	24387,	2719, 2726, 2733,		23129,	23379,
24400,	24402,	2742, 2761, 2776,		23395,	23407,
24407,	24409,	2791, 2808, 2813,		23409,	23425,
24415,	24417,	2882, 2961, 2965,		23427	
24424,	24426,	2992, 3001, 3004,		\DefineTOCEntryListOption	
24429,	24431,	3013, 3016, 3025,		..... 23385	
24432,	24433,	3053, 3185, 3262,		\DefineTOCEntryOption	
24434,	24436,	3334, 3360, 3411,		..... 23411	
24446,	24483,	3447, 3477, 3525,		\DefNewDummy	.. 6266, 6283
24549,	24559,	3559, 3595, 3651,		\delimiter	..... 14521
24562,	24565,	3690, 3739, 3786, 3832		\DEPTH	..... 22462, 22469
24570,	24571,	\deffootnote	.. 19962,	\depth	..... 14949,
24572,	24573,	20027,	20701,	17518,	17525,
24574,	24576,	20767,	21474,	17550	
24579,	24589,	21540		\depthof	..... 11041,
24594,	24597,	\define@choicekey	.	11046,	11055,
24617,	24620,	4071, 4077, 4083,		11056,	11060,
24630,	24631,	4089, 4095, 4101,		11065	
24632,	24633,	4113, 4119, 4125,		\descriptionlabel	. 8460
24634,	24654,	4132, 4146, 4153,		\DetectColumn	24660, 24664
24656,	24689,	4163, 23990, 23998		\detokenize	.... 5374,
24696,	24743,	\define@key	.....	5376,	5819,
24843,	24857,	2540, 4055, 4058,		5822,	5849,
24860,	24864,	4061, 4064, 23988		5864,	5864,
24868,	24881,	\definecolor	... 4418,	5881,	5884,
24887,	24901,	4419, 4420, 4421,		5892,	5892,
24904,	24908,	4422, 4423, 4870,		5894,	5965,
24912,	24925,	4877,	10497,	5966,	6843
		10502,	10505,	\dfn@afteroutput	..
		10506,	10507,	..... 10785,	
				10788,	10837,
				10840	
				\dfn@boxa	.... 10694,
				10699,	10702,
				10706,	10707,
				10708,	10715,
				10720,	10723,
				10727,	10728,



10729, 10742,	\dfn@latex@makecol	10871, 10874,
10749, 10752,	..... 10791, 10843	10881, 10883,
10754, 10761,	\dfn@latex@RTLfootnotetext	10893, 10903, 10905
10769, 10799,	..... 10719, 10734	\diagbox@insepr 10854,
10806, 10809,	\dfn@list .... 10712,	10865, 10867,
10811, 10815, 10823	10733, 10740,	10877, 10887,
\dfn@boxb .... 10708,	10773, 10775,	10889, 10896,
10729, 10746,	10778, 10784,	10899, 10910, 10912
10747, 10754,	10797, 10825,	\diagbox@setlinecolor
10759, 10803,	10827, 10830, 10836	..... 10917,
10804, 10811, 10814	\dfn@LTRfootnotetext	10920, 10925,
\dfn@countins 10738, 10795	..... 10694, 10714	10928, 10933,
\dfn@dima .... 10699,	\dfn@LTRmakecol ...	10937, 10942,
10700, 10701,	. 10793, 10845, 10847	10946, 10951,
10712, 10720,	\dfn@makecol .....	10955, 10960, 10964
10721, 10722,	. 10845, 10846, 10847	\diagbox@triple@pict@NE
10733, 10737,	\dfn@makefnmark ...	..... 10941
10754, 10774,	..... 10697, 10718	\diagbox@triple@pict@NW
10794, 10811, 10826	\dfn@RTLfootnotetext	..... 10932
\dfn@dimb .... 10774,	..... 10715, 10735	\diagbox@triple@pict@SE
10775, 10777,	\dfn@RTLmakecol ...	..... 10959
10778, 10780,	. 10736, 10845, 10846	\diagbox@triple@pict@SW
10826, 10827,	\dfn@split ... 10708,	..... 10950
10829, 10830, 10832	10729, 10742,	\diagbox@triple@setbox@NE
\dfn@elt@adjust ...	10754, 10799, 10811	..... 10915
..... 10774, 10826	\DFNalwaysdouble . 10848	\diagbox@triple@setbox@NW
\dfn@elt@getht ....	\DFNcolumnsep .....	..... 10870,
..... 10739, 10796	. 10757, 10770, 10814	10873, 10876, 10891
\dfn@fnht .... 10710,	\DFNcolumnwidth ...	\diagbox@triple@setbox@SE
10731, 10772,	. 10691, 10696,	..... 10892,
10775, 10781,	10717, 10756,	10895, 10898, 10915
10782, 10783,	10758, 10761,	\diagbox@triple@setbox@SW
10824, 10827,	10771, 10813, 10815	..... 10891
10833, 10834, 10835	\diagbox@double ...	\diagbox@wd ... 10918,
\dfn@fnmaxdp .. 10698,	..... 10850, 10853	10921, 10926, 10929
10703, 10708,	\diagbox@double@pict@NE	\DigitsDotDashInterCharToks
10719, 10724,	..... 10924, 10931	..... 4195, 4196
10729, 10751,	\diagbox@double@pict@NW	\dim .... 17192, 17193,
10754, 10808, 10811	..... 10923	17516, 17517, 17518
\dfn@footnoterule .	\diagbox@double@pict@SE	\dimen .... 4017, 4302,
..... 10792, 10844	..... 10916, 10923	11807, 11894,
\dfn@footnotetext 10693	\diagbox@double@pict@SW	11899, 11914,
\dfn@gobble . 10695, 10716	..... 10931	11915, 11916,
\dfn@ins .....	\diagbox@font .....	11925, 11929,
10703,	. 10851, 10854,	12069, 12073,
10704, 10705,	10858, 10860,	12207, 12211,
10707, 10724,	10865, 10867,	12351, 12355,
10725, 10726,	10871, 10874,	12495, 12499,
10728, 10742,	10877, 10881,	12639, 12643,
10743, 10799, 10800	10883, 10887, 10889	12783, 12787,
\dfn@latex@footnotetext	\diagbox@ht ... 10918,	12927, 12931,
..... 10692	10921, 10926, 10929	13071, 13075,
\dfn@latex@LTRfootnotetext	\diagbox@insepl 10851,	13253, 13260,
..... 10698, 10713	10858, 10860,	13309, 14702,



18013,	18020,	20806,	20807,	\doublerulesepcolor	1469
18021,	18029,	20808,	20809,	\downto	6450,
18030,	18035,	20811,	21496,		6462, 6544, 6583
18036,	18049,	21543,	21550,	\dp	40, 54, 70,
18050,	18057,	21553,	21579,		243, 257, 272, 389,
18058,	24980, 24983	21580,	21581,		1462, 1779, 1784,
\dimen@	... 9852, 9853,	21582,	21584,		1893, 1978, 1982,
13519,	13521,	23115,	23328,		2002, 2013, 2031,
14560,	14561,	23336,	23345,		2042, 2082, 2086,
14562,	14572,	23347,	24516,		2093, 2359, 2363,
14573,	14574,	24518,	24519,		2407, 2817, 4042,
14577,	14578,	24520,	24525,		4319, 9853, 9854,
14579,	14585,	24527,	24528,		10186, 10229,
14595,	14597,	24529,	24534,		10231, 10234,
14606,	14608,	24536,	24537,		10236, 10297,
14615,	14616,	24538,	24543,		10298, 10313,
14617,	14618,	24545, 24546, 24547			10315, 10699,
16844,	16845,	\DiscardVskip	... 16177		10720, 10747,
16846,	18130,	\display@setup	9710, 9735		10766, 10768,
18131,	18711,	\displayindent	... 9751		10804, 10820,
18716,	22252,	\displaystyle	13926, 13942		10822, 11040,
22254,	22260,	\displaywidth	.. 9751,		11045, 11058,
22266,	24129,		11037, 11039,		11064, 11178,
24130,	24131,		11044, 13945, 16141		11183, 11187,
24132,	24133,	\divide	2377, 2379, 2388,		11190, 11812,
24134,	24193, 24194		2390, 6592, 8802,		13218, 13519,
\dimen@i	... 22253,		11824, 11915,		13527, 13584,
22254,	22259, 22265		13279, 13280,		13811, 13824,
\dimen@ii	... 14610,		13331, 13332,		14293, 14310,
14611,	14612,		13812, 13813,		14326, 14815,
14618,	14620,		14948, 14949,		14820, 14920,
14623,	14624, 14625		18555, 18556, 22334		14961, 14962,
\dimexpr	. 28, 232, 731,	\do	... 319,		14965, 15007,
965,	1211, 2352,		320, 321, 322, 323,		15008, 15011,
2773,	2788, 2803,		324, 4730, 6827,		16225, 16776,
3106,	3108, 3112,		6887, 6902, 6923,		16950, 16953,
3114,	3223, 3232,		6926, 7912, 7917,		18013, 18029,
3240,	5325, 5328,		7931, 7936, 7950,		18030, 18035,
5615,	5619, 5629,		7955, 7978, 7987,		18036, 18049,
5638,	9217, 9370,		10022, 13800,		18050, 18057,
10186,	10248,		16281, 23250, 23646		18058, 18535,
10249,	10251,	\do@hvFloat	... 15109		18536, 18537,
10277,	10286,	\document	... 6007, 6023		18711, 18755,
10310,	10340,	\documentclass	. 6810,		19825, 19867,
16085,	16942,		6813, 14855, 14865		19870, 19924,
16951,	17916,	\doloopbody	6452, 6453,		19931, 20435,
18125,	19001,		6497, 6570, 6577,		20437, 20531,
19424,	19984,		6584, 6587, 6589,		20533, 21196,
20030,	20037,		6593, 6595, 6597, 6601		21198, 21292,
20040,	20066,	\donotcoloroutermaths			21294, 21961,
20067,	20068,		... 2713, 2714, 2715		21963, 22057,
20069,	20071,	\doubleitemmaincolumnwidth			22059, 22301,
20723,	20770,		4919, 4932, 4933,		22336, 22348,
20777,	20780,		4934, 4935, 4959, 4961		22462, 22464,



24185, 24194,  
 24195, 24602,  
 24952, 24959, 25046  
`\dquad` . . . . . 9743, 9745  
`\draw` . . . . . 24009,  
 24016, 24020,  
 24043, 24053,  
 24061, 24064,  
 24067, 24070,  
 24082, 24087,  
 24094, 24100, 24101  
`\dseries@display@setup`  
 . . . . . 9735

**E**

`\edef` . . 123, 359, 1384,  
 1438, 1446, 2258,  
 2259, 2284, 2285,  
 2310, 2311, 2336,  
 2394, 3913, 3941,  
 4239, 4267, 4617,  
 4632, 4660, 4663,  
 4666, 5067, 5105,  
 5108, 5121, 5125,  
 5132, 5145, 5149,  
 5156, 5372, 5375,  
 5409, 5431, 5459,  
 5485, 5513, 5539,  
 5576, 5702, 5703,  
 5706, 5707, 5724,  
 5725, 5728, 5729,  
 5818, 5823, 5833,  
 5848, 5851, 5864,  
 5868, 5873, 5880,  
 5883, 5890, 5893,  
 5899, 5902, 5958,  
 5964, 5967, 6129,  
 6170, 6180, 6258,  
 6267, 6329, 6384,  
 6387, 6414, 6417,  
 6421, 6505, 6510,  
 6511, 6533, 6538,  
 6550, 6555, 6648,  
 6656, 6666, 6798,  
 6841, 6885, 6907,  
 6921, 6949, 7041,  
 7053, 7060, 7077,  
 7881, 8026, 8037,  
 8974, 8977, 8980,  
 11090, 11093,  
 11825, 13481,  
 13953, 13959,  
 14064, 14066,  
 14067, 14068,

14153, 14174,  
 14458, 14464,  
 14592, 15581,  
 15588, 15619,  
 15626, 15659,  
 15690, 15721,  
 16131, 16283,  
 16285, 16291,  
 16293, 16830,  
 16833, 18249,  
 18401, 18420,  
 18423, 18449,  
 18885, 19821,  
 19864, 20057,  
 20337, 20392,  
 20401, 20797,  
 21098, 21153,  
 21162, 21570,  
 21863, 21918,  
 21927, 22304,  
 22329, 22343,  
 22361, 22416,  
 22423, 22436,  
 22900, 23249,  
 23271, 23432,  
 23465, 23472,  
 23477, 23564,  
 23715, 23751,  
 23855, 23968,  
 24205, 24210,  
 24219, 24234,  
 24238, 24248,  
 24253, 24262,  
 24268, 24281,  
 24285, 24502,  
 24605, 24669, 24683

`\EdefEscapeName` . . 15912

`\egroup` . . . . . 179,  
 185, 382, 406,  
 641, 1200, 1367,  
 1368, 1485, 1890,  
 2109, 2121, 2123,  
 2460, 2482, 2505,  
 2968, 2975, 2981,  
 2987, 3353, 3498,  
 3534, 3542, 3573,  
 3610, 4655, 4656,  
 4781, 8891, 9095,  
 9754, 9835, 11882,  
 13931, 13932,  
 13946, 14420,  
 14632, 14636,  
 16856, 16859,  
 17924, 18492,

18502, 18523,  
 18654, 18660,  
 18664, 18670,  
 18674, 18678,  
 18682, 18686,  
 18749, 18934,  
 19384, 22294,  
 22295, 22320,  
 22326, 23855,  
 24307, 24313,  
 24317, 24323,  
 24327, 24332,  
 24336, 24341,  
 24407, 24415,  
 24416, 24594, 24595

`\eightcolumnfootnotes`  
 . . . . . 12776

`\eject` 14563, 14632, 14652

`\else` 4, 12, 13, 25, 36, 87,  
 104, 116, 134, 136,  
 151, 155, 159, 167,  
 175, 182, 191, 199,  
 207, 208, 224, 239,  
 290, 305, 309, 340,  
 353, 354, 355, 357,  
 358, 361, 362, 363,  
 365, 366, 367, 368,  
 369, 372, 373, 374,  
 398, 404, 450, 461,  
 464, 513, 530, 533,  
 534, 554, 557, 572,  
 593, 604, 609, 620,  
 624, 632, 636, 637,  
 641, 645, 648, 649,  
 654, 665, 676, 690,  
 693, 694, 697, 707,  
 754, 763, 771, 795,  
 799, 801, 812, 815,  
 858, 869, 872, 875,  
 876, 882, 892, 895,  
 896, 899, 909, 920,  
 931, 939, 943, 952,  
 970, 1006, 1015,  
 1023, 1047, 1051,  
 1053, 1064, 1067,  
 1110, 1121, 1125,  
 1128, 1131, 1132,  
 1137, 1148, 1159,  
 1174, 1177, 1178,  
 1181, 1191, 1195,  
 1196, 1200, 1220,  
 1256, 1265, 1273,  
 1297, 1301, 1303,  
 1314, 1317, 1354,



1359, 1360, 1373,  
1378, 1379, 1380,  
1382, 1383, 1386,  
1387, 1388, 1390,  
1391, 1392, 1393,  
1394, 1395, 1396,  
1399, 1400, 1401,  
1421, 1422, 1423,  
1424, 1425, 1426,  
1428, 1429, 1430,  
1431, 1432, 1505,  
1513, 1568, 1598,  
1621, 1642, 1663,  
1777, 1794, 1815,  
1853, 1865, 1892,  
1893, 1903, 1909,  
1942, 1950, 1959,  
1967, 2005, 2034,  
2110, 2125, 2146,  
2196, 2198, 2267,  
2293, 2319, 2346,  
2360, 2382, 2399,  
2423, 2475, 2516,  
2556, 2583, 2586,  
2591, 2598, 2616,  
2639, 2659, 2675,  
2683, 2702, 2862,  
2909, 2973, 2979,  
2985, 3062, 3080,  
3092, 3099, 3110,  
3170, 3172, 3206,  
3272, 3289, 3295,  
3299, 3305, 3311,  
3315, 3319, 3366,  
3373, 3396, 3424,  
3464, 3481, 3488,  
3499, 3509, 3548,  
3563, 3570, 3588,  
3611, 3660, 3671,  
3681, 3702, 3709,  
3757, 3766, 3776,  
3797, 3804, 3839,  
3848, 3859, 3867,  
3878, 3892, 3947,  
3953, 3959, 4002,  
4004, 4013, 4024,  
4027, 4030, 4205,  
4208, 4273, 4287,  
4289, 4298, 4308,  
4601, 4607, 4613,  
4628, 4711, 4719,  
4724, 4734, 4973,  
4974, 4975, 4977,  
5013, 5080, 5086,

5107, 5110, 5129,  
5137, 5153, 5161,  
5177, 5270, 5278,  
5284, 5290, 5296,  
5302, 5308, 5314,  
5320, 5333, 5341,  
5345, 5351, 5359,  
5363, 5385, 5392,  
5444, 5469, 5498,  
5523, 5555, 5589,  
5618, 5653, 5857,  
6191, 6204, 6205,  
6218, 6219, 6221,  
6223, 6231, 6233,  
6255, 6269, 6322,  
6326, 6332, 6338,  
6378, 6547, 6556,  
6607, 6631, 6646,  
6711, 6723, 6755,  
6766, 6804, 6816,  
6817, 6834, 6843,  
6888, 6903, 6906,  
6933, 6934, 6948,  
7229, 7235, 7430,  
7433, 7436, 7439,  
7469, 7697, 7703,  
7735, 7741, 7747,  
7785, 7791, 7970,  
8367, 8368, 8656,  
8741, 8794, 8807,  
8816, 8906, 8927,  
8952, 9025, 9045,  
9046, 9061, 9066,  
9070, 9112, 9123,  
9127, 9130, 9133,  
9134, 9139, 9150,  
9159, 9173, 9176,  
9177, 9181, 9193,  
9249, 9258, 9266,  
9289, 9300, 9304,  
9307, 9310, 9311,  
9316, 9327, 9336,  
9350, 9353, 9354,  
9358, 9381, 9426,  
9435, 9443, 9465,  
9476, 9478, 9499,  
9510, 9551, 9562,  
9565, 9614, 9629,  
9632, 9633, 9660,  
9674, 9683, 9690,  
9713, 9743, 9769,  
9794, 9801, 9850,  
9855, 9893, 9894,  
9900, 9918, 9941,

9964, 9987, 10012,  
10013, 10015,  
10027, 10032,  
10034, 10036,  
10056, 10061,  
10079, 10095,  
10119, 10124,  
10138, 10154,  
10173, 10189,  
10210, 10250,  
10261, 10275,  
10278, 10284,  
10316, 10324,  
10327, 10330,  
10346, 10349,  
10352, 10377,  
10406, 10440,  
10444, 10459,  
10467, 10559,  
10641, 10655,  
10700, 10704,  
10706, 10721,  
10725, 10727,  
10736, 10741,  
10750, 10761,  
10765, 10773,  
10793, 10798,  
10807, 10815,  
10819, 10825,  
10845, 10859,  
10866, 10882,  
10888, 10904,  
10911, 10973,  
10983, 10986,  
10989, 11009,  
11012, 11015,  
11019, 11043,  
11125, 11140,  
11155, 11156,  
11157, 11158,  
11185, 11201,  
11204, 11205,  
11215, 11226,  
11229, 11242,  
11252, 11310,  
11321, 11324,  
11407, 11418,  
11421, 11469,  
11492, 11507,  
11516, 11523,  
11544, 11545,  
11547, 11552,  
11558, 11560,  
11564, 11645,



11686,	11755,	14523,	14541,	15304,	15311,
11758,	11767,	14543,	14559,	15316,	15320,
11770,	11779,	14564,	14584,	15324,	15326,
11782,	11818,	14613,	14619,	15329,	15333,
11822,	11829,	14635,	14642,	15335,	15337,
11843,	11851,	14647,	14660,	15341,	15345,
11859,	11872,	14690,	14724,	15349,	15355,
11946,	11949,	14729,	14773,	15358,	15362,
11997,	12000,	14778,	14812,	15368,	15371,
12004,	12090,	14813,	14818,	15374,	15380,
12093,	12138,	14835,	14836,	15395,	15405,
12141,	12145,	14838,	14846,	15414,	15425,
12228,	12231,	14847,	14857,	15445,	15456,
12279,	12282,	14876,	14880,	15467,	15485,
12286,	12372,	14882,	14891,	15496,	15507,
12375,	12423,	14893,	14901,	15518,	15533,
12426,	12430,	14916,	14940,	15548,	15608,
12516,	12519,	14942,	14945,	15646,	15679,
12563,	12567,	14946,	14947,	15710,	15741,
12574,	12660,	14953,	14955,	15794,	15806,
12663,	12707,	14963,	14969,	15809,	15826,
12711,	12718,	14972,	14975,	15835,	15845,
12804,	12807,	14982,	14989,	15860,	15868,
12855,	12858,	14991,	14997,	15877,	15891,
12862,	12948,	15001,	15004,	15906,	15920,
12951,	12999,	15009,	15015,	15932,	16058,
13002,	13006,	15018,	15031,	16076,	16096,
13092,	13095,	15034,	15037,	16099,	16107,
13143,	13146,	15043,	15050,	16108,	16124,
13150,	13304,	15060,	15073,	16146,	16147,
13318,	13353,	15082,	15090,	16149,	16154,
13408,	13417,	15097,	15100,	16178,	16179,
13516,	13557,	15103,	15122,	16180,	16181,
13569,	13580,	15125,	15131,	16190,	16195,
13593,	13627,	15132,	15135,	16208,	16233,
13642,	13645,	15142,	15144,	16242,	16277,
13646,	13653,	15150,	15161,	16284,	16292,
13665,	13682,	15169,	15171,	16312,	16322,
13732,	13743,	15172,	15173,	16330,	16360,
13746,	13805,	15176,	15181,	16371,	16389,
13855,	13860,	15187,	15189,	16399,	16405,
13891,	13896,	15190,	15191,	16442,	16521,
13921,	13934,	15194,	15204,	16524,	16527,
13951,	13978,	15206,	15219,	16530,	16533,
13982,	14003,	15225,	15228,	16536,	16539,
14109,	14113,	15232,	15238,	16542,	16545,
14139,	14163,	15241,	15244,	16549,	16552,
14245,	14248,	15250,	15255,	16555,	16558,
14288,	14339,	15258,	15262,	16561,	16564,
14377,	14378,	15264,	15267,	16567,	16570,
14394,	14412,	15271,	15273,	16573,	16576,
14486,	14489,	15275,	15279,	16579,	16582,
14498,	14501,	15284,	15288,	16585,	16588,
14510,	14513,	15295,	15300,	16591,	16594,



16597,	16600,	18259,	18265,	19545,	19560,
16603,	16606,	18273,	18276,	19563,	19564,
16609,	16612,	18308,	18328,	19569,	19570,
16615,	16618,	18343,	18391,	19594,	19616,
16621,	16624,	18422,	18446,	19627,	19667,
16627,	16630,	18504,	18518,	19678,	19681,
16633,	16636,	18552,	18578,	19730,	19745,
16639,	16642,	18616,	18617,	19748,	19749,
16645,	16648,	18618,	18644,	19776,	19788,
16651,	16654,	18698,	18699,	19797,	19829,
16657,	16660,	18702,	18706,	19874,	19908,
16663,	16666,	18707,	18710,	19910,	19914,
16669,	16672,	18712,	18718,	19918,	19920,
16675,	16678,	18736,	18737,	19925,	19929,
16681,	16684,	18742,	18750,	19932,	19936,
16687,	16690,	18759,	18769,	19938,	19942,
16693,	16696,	18775,	18778,	19969,	19977,
16699,	16702,	18785,	18787,	19989,	20002,
16705,	16708,	18793,	18804,	20005,	20015,
16711,	16714,	18806,	18817,	20031,	20038,
16717,	16720,	18819,	18830,	20044,	20082,
16723,	16726,	18832,	18841,	20097,	20101,
16729,	16732,	18843,	18862,	20104,	20111,
16735,	16743,	18882,	18896,	20118,	20124,
16744,	16745,	18897,	18902,	20145,	20161,
16746,	16769,	18913,	18917,	20162,	20169,
16798,	16808,	18925,	18929,	20178,	20185,
16841,	16856,	18930,	18934,	20187,	20191,
16858,	16869,	18938,	18941,	20197,	20204,
16883,	16890,	18942,	18947,	20220,	20221,
16960,	17581,	18958,	18967,	20225,	20226,
17584,	17595,	18981,	18984,	20232,	20234,
17596,	17597,	18985,	18989,	20235,	20239,
17598,	17599,	19006,	19053,	20240,	20247,
17600,	17629,	19062,	19070,	20249,	20250,
17645,	17651,	19094,	19098,	20254,	20255,
17657,	17682,	19100,	19111,	20262,	20299,
17692,	17714,	19114,	19157,	20300,	20313,
17732,	17748,	19168,	19192,	20315,	20327,
17761,	17774,	19201,	19209,	20342,	20358,
17778,	17832,	19235,	19239,	20368,	20375,
17848,	17861,	19241,	19252,	20376,	20377,
17874,	17878,	19255,	19296,	20379,	20413,
17934,	17942,	19301,	19302,	20416,	20442,
17948,	17957,	19310,	19313,	20448,	20493,
17959,	17963,	19314,	19319,	20504,	20514,
17964,	17969,	19330,	19339,	20542,	20553,
17971,	17976,	19353,	19356,	20571,	20601,
17981,	17983,	19357,	19361,	20708,	20716,
17988,	17998,	19367,	19375,	20728,	20741,
18011,	18073,	19379,	19380,	20745,	20755,
18096,	18101,	19384,	19400,	20771,	20778,
18106,	18139,	19429,	19480,	20784,	20822,
18221,	18226,	19496,	19499,	20837,	20841,



20844,	20851,	21974,	22019,	22912,	22920,
20858,	20864,	22030,	22040,	22942,	22960,
20885,	20901,	22069,	22080,	22961,	22962,
20902,	20909,	22098,	22128,	23100,	23212,
20918,	20925,	22223,	22226,	23232,	23242,
20927,	20931,	22262,	22279,	23248,	23252,
20937,	20944,	22312,	22325,	23300,	23304,
20960,	20961,	22333,	22346,	23417,	23741,
20965,	20966,	22351,	22430,	23755,	23759,
20972,	20974,	22431,	22432,	23782,	23797,
20975,	20979,	22434,	22435,	23807,	23811,
20980,	20987,	22438,	22439,	23821,	23822,
20989,	20990,	22440,	22441,	23823,	23824,
20994,	20995,	22442,	22443,	23829,	23831,
21002,	21039,	22444,	22446,	23832,	23840,
21044,	21066,	22447,	22448,	23846,	23863,
21074,	21075,	22449,	22450,	23873,	23879,
21088,	21103,	22453,	22454,	23885,	23888,
21119,	21129,	22455,	22518,	23899,	23937,
21136,	21137,	22535,	22542,	23939,	23944,
21138,	21140,	22544,	22549,	23953,	23958,
21174,	21177,	22554,	22555,	23960,	23967,
21203,	21209,	22558,	22563,	23974,	24005,
21254,	21265,	22567,	22568,	24012,	24017,
21275,	21304,	22583,	22607,	24023,	24034,
21315,	21333,	22611,	22621,	24037,	24048,
21363,	21481,	22627,	22633,	24055,	24069,
21489,	21501,	22638,	22644,	24119,	24126,
21514,	21518,	22654,	22666,	24127,	24129,
21528,	21544,	22674,	22679,	24137,	24145,
21551,	21557,	22680,	22681,	24147,	24148,
21595,	21610,	22689,	22696,	24159,	24163,
21614,	21617,	22710,	22711,	24168,	24177,
21624,	21631,	22712,	22720,	24183,	24191,
21637,	21658,	22729,	22733,	24195,	24204,
21674,	21675,	22734,	22735,	24223,	24228,
21682,	21691,	22743,	22750,	24247,	24272,
21698,	21700,	22751,	22752,	24277,	24297,
21704,	21710,	22760,	22767,	24343,	24344,
21717,	21733,	22768,	22769,	24371,	24372,
21734,	21738,	22777,	22784,	24375,	24379,
21739,	21745,	22785,	22786,	24380,	24439,
21747,	21748,	22794,	22801,	24458,	24461,
21752,	21753,	22802,	22803,	24466,	24469,
21760,	21762,	22811,	22818,	24472,	24475,
21763,	21767,	22819,	22820,	24478,	24492,
21768,	21775,	22828,	22836,	24500,	24505,
21812,	21839,	22837,	22838,	24506,	24507,
21840,	21853,	22846,	22855,	24517,	24518,
21868,	21884,	22856,	22857,	24520,	24526,
21894,	21901,	22865,	22875,	24527,	24529,
21902,	21903,	22876,	22877,	24535,	24536,
21905,	21939,	22885,	22895,	24538,	24544,
21942,	21968,	22910,	22911,	24545,	24547,



24555,	24556,	2615, 2619, 2638,	10674,	10682,
24557,	24558,	2642, 2658, 2662,	11087,	11161,
24561,	24564,	2766, 2781, 2796,	11291,	11294,
24567,	24570,	2860, 2887, 2896,	11297,	11356,
24571,	24572,	2902, 2918, 2924,	11359,	11386,
24573,	24575,	2930, 2970, 2976,	11389,	11392,
24577,	24578,	2982, 2988, 3067,	11457,	11460,
24582,	24584,	3083, 3122, 3204,	11549,	13713,
24598,	24615,	3205, 3211, 3212,	13716,	13719,
24620,	24621,	3227, 3235, 3304,	13778,	13781,
24622,	24623,	3324, 3340, 3343,	13933,	15179,
24624,	24625,	3354, 3370, 3377,	15197,	15299,
24626,	24627,	3399, 3400, 3414,	15315,	15406,
24630,	24631,	3417, 3420, 3429,	16151,	17716,
24635,	24637,	3432, 3502, 3516,	18362,	19065,
24642,	24671,	3567, 3574, 3616,	19073,	19076,
24680,	24690,	3625, 3631, 3632,	19146,	19149,
24710,	24715,	3666, 3667, 3668,	19204,	19212,
24757,	24762,	3676, 3686, 3697,	19215,	19292,
24787,	24794,	3714, 3724, 3725,	19295,	19300,
24810,	24821,	3726, 3750, 3751,	19301,	19302,
24832,	24847,	3752, 3762, 3772,	19459,	19462,
24853,	24891,	3782, 3793, 3808,	19465,	19537,
24897,	24935,	3818, 3819, 3820,	19646,	19649,
24937,	24947,	3835, 3844, 3863,	19652,	19717,
24963,	24965,	3882, 3884, 4355,	19720,	19817,
24968,	24972,	4550, 4561, 4562,	19860,	20046,
24981,	25010,	4957, 4959, 4961,	20114,	20131,
25013,	25016,	4963, 4965, 4969,	20139,	20154,
25022,	25043,	4977, 4980, 5030,	20158,	20186,
25059,	25079,	5121, 5129, 5131,	20323,	20786,
25086,	25087,	5132, 5138, 5145,	20854,	20871,
25204, 25212, 25218		5153, 5155, 5156,	20879,	20894,
\em . . . . .	8460	5162, 6078, 6079,	20898,	20926,
\email . . . . .	322, 4909	6100, 6124, 7269,	21084,	21559,
\emaillink . . . . .		7270, 7275, 7278,	21627,	21644,
. 4991, 10574, 10672		7355, 7356, 7363,	21652,	21667,
\emailsymbol . . . . .		7364, 7371, 7372,	21671,	21699,
. 4869, 10574, 10672		7392, 7393, 7431,	21849,	22385,
\empty . . . . .	14473,	7434, 7437, 7440,	22581,	24009,
14476, 15122, 22232		7447, 7448, 7631,	24016,	24026,
\EmptyTokenList . . .	6373	7632, 8251, 8307,	24031,	24044,
\end . . . . .	179, 186,	8314, 8321, 8328,	24051,	24054,
429, 432, 435, 500,		8335, 8346, 8354,	24073,	24090,
503, 766, 774, 777,		8481, 8482, 8618,	24097, 24103, 24105	
847, 850, 1018,		8661, 8683, 9067,	\end@dblfloat . . .	19904
1026, 1029, 1099,		9261, 9269, 9272,	\end@float . . . . .	
1102, 1268, 1276,		9438, 9446, 9449,	. . . 7295, 7624, 19855	
1279, 1350, 1353,		9478, 9490, 9530,	\end@rotdblfloat .	19859
1358, 1359, 1360,		9533, 9536, 9601,	\end@rotfloat . . . . .	
1536, 1695, 1772,		9604, 9917, 9927,	. 19816, 19857, 19858	
1809, 1823, 1902,		9940, 9950, 9963,	\endarray . . . . .	382,
2099, 2131, 2353,		9973, 9986, 9996,	406, 1367, 1368,	
2422, 2435, 2547,		10553, 10662,	22320, 22324, 24407	



<code>\endBCmd</code> . . . . .	4552	6242, 6322, 6326,	13169,	13181,
<code>\endbeamer@putright</code>		6359, 6361, 6372,	13362,	13374,
. . .	3002, 3014, 3026	6373, 6387, 6395,	13386,	13423,
<code>\endbeamerboxesrounded</code>		6397, 6424, 6445,	13437,	13451,
. . . . .	1838	6482, 6483, 6484,	13800,	13953,
<code>\endbidi@switch</code> . . .		6500, 6501, 6502,	13955,	13959,
. . .	6279, 6283, 6284	6503, 6605, 6608,	13961,	14065,
<code>\endbidi@tabular@RTLcases</code>		6613, 6629, 6632,	14066,	14067,
. . .	24407, 24415, 24422	6634, 6644, 6647,	14068,	14070,
<code>\endcsname</code> . . .	8, 44, 58,	6649, 6656, 6660,	14072,	14073,
74, 166, 168, 203,		6661, 6666, 6675,	14074,	14075,
247, 261, 276, 333,		6676, 6692, 6695,	14077,	14078,
334, 383, 1369,		6709, 6721, 6753,	14079,	14136,
2155, 2172, 2189,		6764, 6849, 6851,	14160,	14178,
2205, 2221, 2237,		6889, 6891, 6897,	14264,	14273,
2270, 2296, 2322,		6940, 7080, 7101,	14296,	14313,
2341, 2370, 4618,		7452, 7453, 7460,	14329,	14357,
4619, 4633, 4634,		7461, 8053, 8071,	14371,	14385,
4660, 4663, 4666,		8089, 8120, 8149,	14432,	14447,
4682, 4690, 4698,		8178, 8420, 8946,	15413,	15416,
4753, 5040, 5043,		8974, 8977, 8980,	15418,	15422,
5046, 5048, 5051,		8994, 9001, 9008,	15426,	15440,
5053, 5056, 5064,		9016, 9017, 9055,	15451,	15462,
5065, 5070, 5078,		9080, 9081, 9863,	15662,	15693,
5079, 5081, 5083,		9869, 9877, 9884,	15724,	16103,
5085, 5088, 5089,		11652, 11666,	16206,	16209,
5094, 5095, 5124,		11680, 11692,	16639,	16705,
5125, 5148, 5149,		11703, 11714,	17701,	17702,
5176, 5204, 5208,		11954, 11964,	17709,	18245,
5219, 5223, 5227,		11974, 12011,	18255,	18269,
5231, 5241, 5249,		12023, 12035,	19952,	19956,
5257, 5265, 5267,		12098, 12107,	19960,	20043,
5269, 5273, 5274,		12116, 12152,	20267,	20585,
5331, 5337, 5338,		12163, 12174,	20587,	20589,
5380, 5390, 5396,		12236, 12246,	20592,	20598,
5397, 5399, 5400,		12256, 12293,	20606,	20608,
5402, 5403, 5405,		12305, 12317,	20610,	20616,
5407, 5409, 5411,		12380, 12390,	20618,	20691,
5613, 5614, 5616,		12400, 12437,	20695,	20699,
5617, 5620, 5621,		12449, 12461,	20783,	21007,
5630, 5631, 5665,		12524, 12534,	21347,	21349,
5666, 5688, 5689,		12544, 12581,	21351,	21354,
5744, 5745, 5746,		12593, 12605,	21360,	21368,
5747, 5753, 5754,		12668, 12678,	21370,	21373,
5755, 5756, 5839,		12688, 12725,	21379,	21381,
5840, 5843, 5844,		12737, 12749,	21464,	21468,
5909, 6080, 6081,		12812, 12822,	21472,	21556,
6083, 6094, 6095,		12832, 12869,	21780,	22112,
6097, 6108, 6118,		12881, 12893,	22114,	22116,
6127, 6128, 6129,		12956, 12966,	22119,	22125,
6130, 6140, 6153,		12976, 13013,	22133,	22135,
6177, 6182, 6186,		13025, 13037,	22138,	22144,
6202, 6220, 6222,		13100, 13110,	22146,	22296,
6230, 6232, 6241,		13120, 13157,	22322,	22324,



22356,	22378,	6039, 6046, 6063	15963,	15974,
22380,	22396,	\endflushleft . 4572, 4580	16112,	16135,
22397,	22417,	\endgraf 16801, 16817,	16211,	16235,
22424,	22637,	20550, 21312, 22077	16418,	16787,
22900,	22901,	\endgroup 17, 127, 212,	17592,	17710,
22917,	22918,	310, 317, 380, 396,	17810,	17907,
22919,	22926,	470, 522, 536, 674,	18114,	18118,
22928,	22929,	696, 821, 898, 918,	18122,	18440,
22982,	22983,	1073, 1157, 1180,	18490,	18495,
23141,	23142,	1323, 1492, 2048,	18497,	18500,
23246,	23271,	2088, 2272, 2298,	18505,	18748,
23298,	23302,	2324, 2354, 2421,	18779,	18965,
23306,	23363,	2434, 4400, 4684,	18988,	19120,
23415,	23418,	4692, 4700, 5076,	19261,	19337,
23432,	23448,	5115, 5134, 5158,	19360,	19505,
23449,	23465,	5389, 5414, 5769,	19552,	19567,
23472,	23477,	5788, 5833, 5855,	19687,	19737,
23495,	23496,	5865, 5882, 5935,	19752,	20058,
23508,	23509,	6008, 6144, 6350,	20264,	20324,
23564,	23619,	6352, 6388, 6393,	20419,	20798,
23621,	23623,	6402, 6560, 6604,	21004,	21085,
23639,	23642,	6628, 6643, 6714,	21180,	21571,
23648,	23650,	6726, 6738, 6758,	21777,	21850,
23653,	23657,	6769, 6780, 6944,	21945,	22399,
23662,	23666,	7043, 7053, 7093,	22523,	22702,
23670,	23684,	7462, 7889, 7891,	23122,	23236,
23688,	23691,	8122, 8151, 8180,	23749,	23877,
23695,	23700,	8557, 8574, 8590,	24187,	24220,
23704,	23709,	8601, 8641, 8960,	24263,	24282,
23711,	23712,	8996, 9003, 9010,	24405,	24740,
23715,	23719,	9068, 9157, 9180,	24783, 24989, 24999	
23766,	23767,	9334, 9357, 9571,	\endL . 183, 1496, 1890,	
23769,	23771,	9621, 9636, 9842,	3002, 3014, 3026,	
23776,	23778,	10102, 10161,	4047, 4324, 5002,	
23780,	23784,	10999, 11029,	9846, 9855, 9856,	
23787,	23788,	11207, 11220,	9865, 9871, 9890,	
23791,	23792,	11330, 11427,	11911, 13819,	
23801,	23803,	11476, 13282,	13932, 13946,	
23805,	23809,	13293, 13334,	14108, 14945,	
23813,	23814,	13345, 13634,	14953, 14972,	
23867,	23869,	13649, 13752,	14982, 14997,	
23871,	23875,	13876, 13916,	15018, 15806,	
23895,	23896,	14000, 14021,	16385, 18504,	
23904,	23908,	14266, 14275,	18509, 18650,	
23912,	23916,	14434, 14449,	18669, 18778,	
23920,	23924,	14535, 14576,	19914, 19925,	
23928,	23932,	14607, 14752,	19932, 19942,	
23970,	23971,	14805, 14983,	22474, 24195,	
23973,	23976,	14998, 15404,	24196, 24235,	
23977,	23981,	15442, 15453,	24239, 24292,	
24445,	24510,	15464, 15475,	24303, 24322,	
24596,	24657,	15576, 15601,	24968, 25043, 25059	
24670, 24672, 25142		15639, 15672,	\endlist . . . . . 96,	
\enddocument . . . 6033,		15703, 15734,	299, 589, 721, 952,	



984, 1234, 2536,	24563, 24566,	11155, 11156,
8445, 8453, 8458,	24583, 24594,	11157, 11158,
9207, 9395, 9707,	24595, 24968,	11170, 11172, 11173
11266, 11540,	24981, 24983,	\eq@addpunct . . . . . 9745
13696, 16067,	25043, 25059,	\EQ@box . . . . . 9750, 9756
18240, 19020,	25078, 25081, 25089	\eq@group . . . . 9713, 9722
19414, 19611,	\endrotate . . . . . 19919	\eq@GRP@first@dmath 9722
19814, 20366,	\endRTL 18691, 24356, 24364	\eq@if . . . 5199, 5200, 5202
21127, 21892, 22600	\ends@math . . . . . 9740	\eq@isIntertext . . . 9760
\endlooprepeat . . . .	\endsideways . . . . . 19937	\eq@prelim . . . 9713, 9730
. . . 6487, 6516, 6523	\endsidewaysfigure 19857	\eq@setnumber . . . . . 9716
\endLTR 18689, 24346, 24354	\endsidewaysstable 19858	\eq@setup@a . . . . . 9718
\endMakeFramed . . . 14549	\endstabular 22294, 22296	\eq@startup . . . . . 9719
\endmath . . . . . 9740	\endstrip . . . . . 17923	\eq@wdCond . . . . . 9737
\endmdf@lrbox . . . . 16945	\endtabular . 382, 383,	\eqnewif . . . . . 3969,
\endminipage . . . . .	1368, 1369, 4655,	3970, 3975, 3986, 5195
. 11867, 14409, 22478	22320, 22322,	\eqno . . . . . 327, 18734,
\endmodernpoem . . . . 9081	22406, 24594, 24596	18736, 25084, 25086
\endpgfpicture . . . 18458	\endtabularx . . . . .	\eqnumform . . . . . 9748
\endppicture . . . . 18743	. 22357, 22386, 22397	\eqstyle . . . . . 9715
\endR . . . 181, 336, 348,	\endtcbl@rbox 22478, 22479	\equal . . . . . 4967,
382, 406, 1367,	\endtcbl@savebox . . 22479	4984, 4988, 4992,
1368, 1485, 3228,	\endtcbl@vbox . . . . . 22489	7283, 7317, 7328,
3236, 3244, 3416,	\endtitlepage . . 631,	7360, 7361, 7377,
4655, 4656, 9748,	938, 1190, 9189,	7418, 7676, 7918,
9835, 9851, 9856,	9377, 18924, 19374	7919, 7937, 7938,
9858, 9890, 10970,	\endtraditionalpoem 9017	7956, 7957, 7988,
11908, 13951,	\endtrivlist . . . . . 13947	7989, 10661, 14056
14942, 14947,	\endturn . . . . . 19909	\errmessage . . . . .
15004, 15043,	\endwindow . . . . . 18521	. . 4014, 4299, 18011
15050, 15419,	\enskip . . . . 23862, 23887	\ERROR . . . . . 24681
15427, 15809,	\enspace 308, 18515, 18517	\escapechar . . . . 5104,
15845, 15877,	\ensuremath . . . . . 3943	5196, 5201, 5212,
15906, 15932,	\env@RTLcases 24420, 24424	5216, 5414, 6169,
15942, 15945,	\EQ 11034, 11040, 11041,	6174, 6176, 6178, 6191
16142, 16385,	11045, 11046,	\ESO@isMEMOIR . . . . 10975
16795, 16856,	11055, 11056,	\ESO@tempdima . 10980,
16859, 16899,	11058, 11060,	10981, 10982,
16990, 16998,	11061, 11063,	10984, 10988,
17189, 17515,	11064, 11065,	10990, 10991,
17679, 17681,	11066, 11068,	10992, 10997,
18519, 18651,	11069, 11070,	11004, 11008,
18659, 18738,	11082, 11085,	11010, 11014,
18739, 18740,	11087, 11089,	11016, 11020, 11027
19910, 19920,	11090, 11092,	\ESO@tempdimb . . . . .
19929, 19938,	11095, 11097,	. . 10995, 10997,
20432, 21193,	11099, 11100,	11022, 11023,
21958, 22294,	11102, 11103,	11024, 11025, 11027
22295, 22320,	11105, 11108,	\evenpage . 4361, 4364,
22326, 22473,	11109, 11110,	4365, 4366, 4368,
24192, 24196,	11113, 11116,	4369, 4370, 4371, 4373
24198, 24292,	11124, 11131,	\evensidemargin . . .
24304, 24312,	11139, 11146,	. . . 4385, 11008,
24415, 24560,	11148, 11151,	11016, 15091,



15096,	15104,	3958, 3960, 4600,	6361, 6363, 6365,
20068,	20808,	4602, 4606, 4608,	6366, 6367, 6387,
21581, 25009, 25017		4612, 4614, 4618,	6389, 6392, 6395,
<code>\everycr</code> . . . . .	16791	4619, 4627, 4629,	6396, 6397, 6399,
<code>\everydisplay</code> . . . . .	9710	4633, 4634, 4658,	6402, 6407, 6470,
<code>\everyhbox</code> . . .	18653,	4661, 4664, 4667,	6482, 6484, 6500,
18655,	18663,	4671, 4674, 4677,	6501, 6502, 6503,
18665,	24306,	4728, 4729, 4782,	6541, 6552, 6557,
24308, 24316, 24318		5040, 5043, 5046,	6571, 6604, 6605,
<code>\everyjob</code> . . . . .	3941,	5050, 5064, 5076,	6606, 6609, 6612,
3942, 4267, 4268		5077, 5082, 5093,	6628, 6629, 6643,
<code>\everymath</code> . . . . .	346	5118, 5120, 5124,	6644, 6656, 6661,
<code>\everypar</code> . . . . .	520,	5125, 5129, 5132,	6666, 6676, 6692,
672, 916, 1155,		5142, 5144, 5148,	6695, 6721, 6764,
7735, 7779, 7823,		5149, 5153, 5156,	6826, 6835, 6847,
9156, 9333, 9620,		5176, 5178, 5183,	6849, 6850, 6890,
11475,	13633,	5203, 5204, 5207,	6900, 6901, 6922,
13827,	18645,	5208, 5218, 5219,	6939, 6950, 6952,
18649,	18857,	5222, 5223, 5226,	7079, 7080, 7879,
18964,	19336,	5227, 5230, 5231,	8420, 8850, 8975,
19551,	19736,	5267, 5269, 5273,	8978, 8981, 8984,
22695,	22699,	5277, 5279, 5283,	8987, 8990, 9016,
23234,	24298,	5285, 5289, 5291,	9017, 9080, 9081,
24302,	24348,	5295, 5297, 5301,	9095, 9248, 9257,
24358, 24885, 24929		5303, 5307, 5309,	9265, 9425, 9434,
<code>\everyvbox</code> . . . .	1371,	5313, 5315, 5319,	9442, 9710, 9820,
1372,	18673,	5321, 5332, 5334,	9862, 9883, 10050,
18675,	18681,	5338, 5339, 5340,	10052, 10113,
18683,	24326,	5342, 5343, 5346,	10115, 11883,
24328, 24335, 24337		5350, 5352, 5357,	13849, 13851,
<code>\ExecuteDoHook</code> 19965,		5358, 5360, 5361,	13885, 13887,
19987,	20704,	5364, 5373, 5380,	13953, 13954,
20726, 21477, 21499		5384, 5386, 5389,	13959, 13960,
<code>\ExecuteOptions</code> . . .		5390, 5391, 5393,	14057, 14074,
4818, 7147, 8528,		5396, 5397, 5399,	14079, 14138,
8530, 10494, 10592		5400, 5402, 5403,	14141, 14162,
<code>\ExecuteOptionsX</code> . .	4170	5405, 5407, 5409,	14165, 14178,
<code>\exhyphenpenalty</code> . .		5411, 5415, 5660,	14192, 14193,
. . . . .	623, 930,	5661, 5662, 5663,	14194, 14195,
1124, 9126, 9303,		5664, 5666, 5689,	14197, 14421,
18916, 19366, 19428		5693, 5744, 5745,	14576, 14598,
<code>\exp</code> . . . . .	17066, 17069,	5746, 5747, 5753,	14599, 14607,
17123, 17298, 17352		5754, 5755, 5756,	14718, 14720,
<code>\expandafter</code> . . .	166,	5839, 5840, 5854,	14767, 14769,
359, 383, 753,		5855, 5856, 5858,	14988, 15026,
762, 770, 796, 799,		5865, 5866, 5869,	15027, 15444,
1005, 1014, 1022,		5884, 5891, 5900,	15446, 15455,
1048, 1051, 1255,		5909, 6080, 6094,	15457, 15466,
1264, 1272, 1298,		6108, 6118, 6127,	15468, 15571,
1301, 1369, 1384,		6128, 6129, 6130,	15585, 15599,
1466, 1467, 1468,		6145, 6172, 6173,	15623, 15637,
1470, 2341, 2370,		6182, 6186, 6241,	15670, 15701,
2461, 3339, 3946,		6242, 6254, 6255,	15732, 15963,
3948, 3952, 3954,		6350, 6352, 6359,	15964, 15971,



15985,	16206,	22427,	22436,	\extrarowheight ...
16214,	16219,	22900,	22901,	.. 386, 16762, 16770
16399,	16400,	22917,	22918,	\extrarulesep .... 22349
16405,	16406,	22919,	22926,	\extratitle .....
16788,	16831,	22928,	22929,	. 20288, 21028, 21801
16834,	17691,	22982,	23141,	
17694,	17726,	23246,	23271,	<b>F</b>
17728,	17826,	23298,	23302,	\f@nch@everypar .. 13827
17828,	18402,	23306,	23362,	\f@nch@foot .....
18419,	18431,	23415,	23418,	13835
18436,	18647,	23432,	23448,	\f@nch@head .....
19052,	19061,	23465,	23472,	13829
19069,	19095,	23477,	23494,	\f@nch@reset 13829, 13835
19098,	19191,	23495,	23507,	\f@nch@vbox . 13830, 13836
19200,	19208,	23508,	23564,	\f@size .....
19236,	19239,	23618,	23620,	347
19822,	19834,	23622,	23638,	\fakeslideentry ... 2599
19844,	19865,	23642,	23647,	\FamilyKeyState .. 23413
19880,	19892,	23649,	23652,	\FamilyKeyStateProcessed
19963,	20043,	23656,	23661,	..... 23413
20144,	20267,	23665,	23669,	\familyname .....
20399,	20408,	23683,	23688,	4903
20584,	20586,	23690,	23694,	\familynamecolour .
20588,	20591,	23699,	23703,	. 4872, 10498, 10596
20597,	20605,	23708,	23711,	\familynamefont 4881,
20607,	20609,	23712,	23715,	4889, 10538, 10632
20615,	20617,	23719,	23779,	\familynamestyle 4889,
20702,	20783,	23783,	23804,	10549, 10639, 10660
20884,	21007,	23808,	23870,	\FamilySetBool ... 23412
21042,	21057,	23874,	23970,	\fancy@oval .....
21060,	21064,	23971,	23973,	13797
21160,	21169,	23976,	23977,	\fancyfoot .....
21346,	21348,	23980,	24205,	5002,
21350,	21353,	24217,	24220,	7503, 7504, 10564
21359,	21367,	24228,	24229,	\fancyhead .....
21369,	21372,	24248,	24260,	7492,
21378,	21380,	24263,	24277,	7493, 7494, 8719,
21475,	21556,	24278,	24282,	8720, 8731, 8732, 8733
21657,	21780,	24300,	24596,	\fancyhf .. 4851, 7490,
21826,	21829,	24657,	24669,	7499, 7509, 8717, 8728
21925,	21934,	24704,	24706,	\fancyhfoffset 7483, 7484
22111,	22113,	24751, 24753, 25142		\fancypagestyle ...
22115,	22118,	\ExplSyntaxOff .....		..... 4848, 5001,
22124,	22132,	..... 18287, 18386		7498, 7508, 10563
22134,	22137,	\ExplSyntaxOn 18282, 18365		\FAX .....
22143,	22145,	\extrafeetendmini .		4868
22296,	22322,	..... 11840, 11866		\fax .....
22355,	22358,	\extrafeetendminihook		4908
22378,	22381,	..... 11864, 11865		\faxsymbol .....
22383,	22385,	\extrafeetins 11796, 11797		. 4868, 10573, 10671
22396,	22397,	\extrafeetinshook .		\fb@adjheight .....
22405,	22409,	..... 11801, 11802		. 14563, 14633, 14653
22411,	22418,	\extrafeetminihook 11839		\fb@afterframe .....
22420,	22425,	\extrainfo .....		. 14558, 14583, 14641
		4910		\FB@capttype .....
				. 13958, 13959, 13961
				\fb@frh . 14570, 14574,
				14589, 14624, 14627
				\fb@put@frame . 14552,
				14563, 14634, 14654
				\fb@putboxa ... 14557,
				14582, 14640, 14657



<code>\fb@resto@set</code> . . . . .	376, 379, 382, 398,	2010, 2025, 2039,
. 14592, 14632, 14636	404, 406, 463, 468,	2124, 2125, 2146,
<code>\fb@sizeofframe</code> . . .	506, 513, 521, 523,	2196, 2198, 2212,
. . . . . 14565, 14587	530, 533, 534, 537,	2228, 2274, 2300,
<code>\FBifcaptop</code> . . . . . 16814	556, 557, 563, 572,	2326, 2355, 2360,
<code>\fbox</code> . . . . . 4552,	595, 604, 611, 620,	2385, 2393, 2402,
4562, 9889, 11174,	624, 637, 640, 641,	2409, 2436, 2493,
15218, 15224,	642, 648, 649, 654,	2516, 2536, 2559,
15231, 15237,	657, 665, 673, 675,	2563, 2585, 2590,
15243, 15249,	682, 683, 690, 693,	2595, 2597, 2600,
15257, 15261,	694, 699, 707, 746,	2620, 2643, 2663,
15266, 15270,	756, 765, 773, 797,	2677, 2685, 2704,
15274, 15278,	799, 814, 819, 853,	2826, 2866, 2911,
15293, 15294,	860, 869, 875, 876,	2977, 2983, 2989,
15309, 15310,	882, 885, 892, 895,	3066, 3082, 3094,
15319, 15323,	896, 901, 909, 917,	3101, 3116, 3170,
15328, 15332,	919, 926, 927, 931,	3172, 3177, 3183,
15336, 15340,	951, 952, 953, 970,	3213, 3218, 3224,
15348, 15354,	998, 1008, 1017,	3225, 3227, 3228,
15361, 15367,	1025, 1049, 1051,	3233, 3235, 3236,
15373, 15379, 18777	1066, 1071, 1105,	3241, 3243, 3244,
<code>\fboxrule</code> 4500, 14526,	1112, 1121, 1125,	3275, 3293, 3302,
14532, 14538,	1131, 1132, 1137,	3303, 3313, 3322,
14540, 14542, 14544	1140, 1148, 1156,	3323, 3325, 3326,
<code>\fboxsep</code> . . . . . 1913,	1158, 1165, 1166,	3327, 3368, 3375,
4501, 4568, 4577,	1174, 1177, 1178,	3398, 3416, 3427,
9851, 9852, 9853,	1183, 1196, 1199,	3430, 3455, 3466,
9889, 14526,	1200, 1201, 1220,	3483, 3491, 3497,
14538, 14540,	1248, 1258, 1267,	3501, 3504, 3511,
14542, 14544,	1275, 1299, 1301,	3552, 3554, 3565,
18776, 24192,	1316, 1321, 1359,	3572, 3590, 3613,
24193, 24194, 24290	1360, 1362, 1365,	3662, 3673, 3684,
<code>\fcolorbox</code> . . . . . 4502	1367, 1368, 1373,	3687, 3704, 3711,
<code>\FeetAboveFloat</code> . . .	1387, 1388, 1402,	3760, 3769, 3779,
. . . . . 13574, 13578	1403, 1417, 1425,	3799, 3806, 3842,
<code>\FeetAtBottom</code> . . . . 13576	1426, 1432, 1433,	3851, 3858, 3861,
<code>\FeetBelowFloat</code> . . 13575	1437, 1442, 1445,	3870, 3877, 3880,
<code>\FeetBelowRagged</code> . .	1450, 1453, 1461,	3894, 3949, 3955,
. . . . . 13577, 13579	1462, 1471, 1472,	3961, 4005, 4006,
<code>\ff@backcol</code> . . . . . 14068	1484, 1485, 1496,	4013, 4014, 4026,
<code>\ff@col</code> . . . . . 14066	1507, 1515, 1571,	4032, 4033, 4076,
<code>\ff@frametype</code> 14064, 14075	1576, 1601, 1609,	4082, 4088, 4094,
<code>\ff@txtcol</code> . . . . .	1624, 1632, 1645,	4100, 4112, 4118,
. 14056, 14057, 14067	1653, 1666, 1674,	4124, 4130, 4144,
<code>\fi</code> . . . 12, 13, 18, 25, 36,	1782, 1786, 1796,	4151, 4158, 4168,
87, 98, 104, 107,	1827, 1855, 1858,	4185, 4196, 4201,
108, 109, 117, 134,	1867, 1873, 1875,	4207, 4210, 4218,
136, 142, 150, 154,	1880, 1881, 1882,	4226, 4275, 4290,
158, 162, 169, 177,	1883, 1885, 1887,	4291, 4298, 4299,
184, 193, 207, 208,	1888, 1889, 1892,	4310, 4346, 4603,
213, 218, 224, 227,	1893, 1906, 1908,	4609, 4615, 4630,
228, 229, 239, 290,	1919, 1922, 1924,	4651, 4655, 4656,
305, 309, 328, 336,	1944, 1952, 1953,	4658, 4714, 4715,
348, 362, 363, 375,	1961, 1969, 1996,	4721, 4736, 4737,



4740, 4743, 4746,  
4750, 4751, 4759,  
4973, 4974, 4975,  
4977, 5005, 5013,  
5061, 5075, 5090,  
5091, 5113, 5114,  
5129, 5139, 5153,  
5163, 5172, 5179,  
5272, 5280, 5286,  
5292, 5298, 5304,  
5310, 5316, 5322,  
5335, 5344, 5347,  
5353, 5362, 5365,  
5387, 5394, 5438,  
5442, 5448, 5449,  
5467, 5473, 5474,  
5492, 5496, 5502,  
5503, 5521, 5527,  
5528, 5549, 5553,  
5559, 5560, 5587,  
5593, 5594, 5622,  
5655, 5690, 5841,  
5859, 6034, 6037,  
6080, 6094, 6108,  
6118, 6146, 6191,  
6196, 6201, 6204,  
6205, 6206, 6214,  
6224, 6226, 6234,  
6241, 6244, 6248,  
6255, 6260, 6271,  
6283, 6284, 6322,  
6326, 6333, 6337,  
6339, 6378, 6470,  
6504, 6542, 6548,  
6552, 6557, 6571,  
6610, 6636, 6650,  
6662, 6677, 6713,  
6725, 6757, 6768,  
6822, 6824, 6825,  
6854, 6856, 6860,  
6861, 6870, 6872,  
6893, 6894, 6896,  
6910, 6911, 6913,  
6914, 6929, 6942,  
6943, 6951, 6968,  
7023, 7033, 7044,  
7231, 7237, 7430,  
7433, 7436, 7439,  
7458, 7469, 7699,  
7708, 7735, 7743,  
7752, 7787, 7796,  
7972, 8029, 8031,  
8041, 8367, 8368,  
8485, 8486, 8487,

8665, 8743, 8795,  
8808, 8816, 8847,  
8848, 8903, 8904,  
8908, 8915, 8920,  
8929, 8958, 8966,  
8968, 9023, 9025,  
9029, 9048, 9050,  
9051, 9052, 9063,  
9065, 9066, 9075,  
9077, 9114, 9123,  
9127, 9133, 9134,  
9139, 9142, 9150,  
9158, 9165, 9166,  
9173, 9176, 9177,  
9183, 9193, 9225,  
9227, 9229, 9241,  
9251, 9260, 9268,  
9291, 9300, 9304,  
9310, 9311, 9316,  
9319, 9327, 9335,  
9342, 9343, 9350,  
9353, 9354, 9360,  
9381, 9402, 9404,  
9406, 9418, 9428,  
9437, 9445, 9465,  
9471, 9472, 9476,  
9478, 9501, 9510,  
9564, 9569, 9607,  
9614, 9622, 9629,  
9632, 9633, 9637,  
9647, 9649, 9651,  
9660, 9666, 9667,  
9674, 9685, 9690,  
9709, 9711, 9712,  
9713, 9721, 9732,  
9734, 9743, 9748,  
9750, 9765, 9766,  
9767, 9769, 9771,  
9796, 9803, 9809,  
9821, 9822, 9834,  
9835, 9846, 9850,  
9851, 9855, 9856,  
9858, 9865, 9871,  
9890, 9893, 9894,  
9900, 9905, 9928,  
9951, 9974, 9997,  
10012, 10015,  
10016, 10032,  
10036, 10037,  
10039, 10060,  
10085, 10092,  
10101, 10103,  
10123, 10144,  
10151, 10160,

10162, 10192,  
10203, 10204,  
10212, 10243,  
10244, 10252,  
10257, 10268,  
10274, 10281,  
10282, 10283,  
10289, 10290,  
10291, 10318,  
10326, 10332,  
10333, 10334,  
10348, 10354,  
10355, 10356,  
10389, 10403,  
10415, 10418,  
10428, 10442,  
10450, 10456,  
10461, 10463,  
10464, 10465,  
10479, 10514,  
10521, 10528,  
10535, 10560,  
10609, 10615,  
10621, 10627,  
10641, 10656,  
10702, 10705,  
10706, 10723,  
10726, 10727,  
10752, 10768,  
10769, 10771,  
10780, 10789,  
10790, 10809,  
10822, 10823,  
10832, 10841,  
10842, 10845,  
10861, 10868,  
10884, 10890,  
10906, 10913,  
10970, 10973,  
10985, 10993,  
10994, 10997,  
11011, 11017,  
11018, 11021,  
11027, 11047,  
11131, 11146,  
11155, 11156,  
11157, 11158,  
11188, 11201,  
11204, 11205,  
11208, 11215,  
11221, 11228,  
11229, 11235,  
11242, 11252,  
11323, 11328,



11362,	11420,	13650,	13653,	14997,	14999,
11425,	11463,	13658,	13665,	15001,	15004,
11469,	11477,	13682,	13745,	15012,	15018,
11479,	11481,	13750,	13784,	15033,	15039,
11483,	11492,	13791,	13793,	15040,	15043,
11498,	11499,	13795,	13805,	15050,	15062,
11507,	11518,	13809,	13816,	15063,	15076,
11523,	11544,	13817,	13818,	15086,	15092,
11547,	11550,	13819,	13859,	15099,	15105,
11552,	11559,	13875,	13877,	15106,	15122,
11560,	11564,	13895,	13915,	15126,	15131,
11590,	11610,	13917,	13928,	15135,	15136,
11645,	11686,	13935,	13951,	15146,	15147,
11760,	11761,	13973,	13981,	15152,	15153,
11772,	11773,	13985,	13999,	15154,	15162,
11784,	11785,	14006,	14083,	15171,	15173,
11816,	11817,	14085,	14087,	15174,	15175,
11818,	11835,	14096,	14098,	15176,	15177,
11836,	11848,	14100,	14108,	15189,	15191,
11850,	11856,	14111,	14113,	15192,	15193,
11862,	11863,	14128,	14142,	15194,	15195,
11878,	11913,	14166,	14250,	15200,	15206,
11948,	11949,	14252,	14288,	15207,	15208,
11999,	12000,	14341,	14349,	15221,	15227,
12006,	12092,	14363,	14377,	15234,	15240,
12093,	12140,	14378,	14393,	15246,	15252,
12141,	12147,	14394,	14417,	15253,	15254,
12230,	12231,	14491,	14492,	15259,	15263,
12281,	12282,	14503,	14504,	15268,	15272,
12288,	12374,	14515,	14516,	15276,	15280,
12375,	12425,	14517,	14527,	15281,	15282,
12426,	12432,	14541,	14543,	15283,	15290,
12518,	12519,	14553,	14621,	15298,	15306,
12563,	12569,	14622,	14650,	15314,	15321,
12576,	12662,	14655,	14664,	15325,	15330,
12663,	12707,	14677,	14678,	15334,	15338,
12713,	12720,	14679,	14693,	15342,	15343,
12806,	12807,	14728,	14750,	15344,	15351,
12857,	12858,	14753,	14777,	15357,	15364,
12864,	12950,	14803,	14806,	15370,	15376,
12951,	13001,	14817,	14822,	15382,	15383,
13002,	13008,	14831,	14837,	15384,	15385,
13094,	13095,	14839,	14840,	15386,	15387,
13145,	13146,	14856,	14866,	15388,	15397,
13152,	13235,	14875,	14885,	15402,	15403,
13289,	13306,	14890,	14895,	15407,	15419,
13320,	13341,	14907,	14909,	15427,	15431,
13355,	13410,	14910,	14924,	15432,	15447,
13419,	13523,	14940,	14942,	15458,	15469,
13559,	13571,	14945,	14946,	15489,	15500,
13585,	13587,	14947,	14953,	15511,	15526,
13594,	13627,	14955,	14966,	15541,	15556,
13635,	13642,	14972,	14975,	15615,	15653,
13645,	13646,	14982,	14991,	15686,	15717,



15748,	15774,	16599,	16602,	17843,	17846,
15777,	15780,	16605,	16608,	17867,	17877,
15783,	15792,	16611,	16614,	17904,	17910,
15794,	15798,	16617,	16620,	17911,	17916,
15804,	15806,	16623,	16626,	17936,	17946,
15809,	15823,	16629,	16632,	17947,	17952,
15828,	15837,	16635,	16638,	17953,	17959,
15845,	15857,	16641,	16644,	17963,	17964,
15862,	15870,	16647,	16650,	17967,	17971,
15877,	15888,	16653,	16656,	17976,	17979,
15893,	15899,	16659,	16662,	17983,	17988,
15906,	15917,	16665,	16668,	17992,	18000,
15922,	15932,	16671,	16674,	18011,	18025,
15938,	15942,	16677,	16680,	18030,	18036,
15945,	15973,	16683,	16686,	18050,	18058,
15977,	15992,	16689,	16692,	18073,	18086,
16000,	16008,	16695,	16698,	18094,	18099,
16016,	16025,	16701,	16704,	18104,	18109,
16033,	16042,	16707,	16710,	18141,	18221,
16050,	16058,	16713,	16716,	18228,	18247,
16070,	16076,	16719,	16722,	18252,	18257,
16079,	16080,	16725,	16728,	18264,	18274,
16081,	16096,	16731,	16734,	18275,	18278,
16107,	16108,	16737,	16743,	18279,	18280,
16113,	16125,	16745,	16748,	18293,	18298,
16142,	16146,	16757,	16758,	18302,	18308,
16149,	16152,	16773,	16795,	18314,	18319,
16154,	16178,	16800,	16808,	18322,	18328,
16179,	16180,	16851,	16852,	18347,	18360,
16181,	16192,	16856,	16857,	18361,	18393,
16193,	16210,	16859,	16864,	18411,	18425,
16221,	16233,	16871,	16885,	18433,	18434,
16245,	16258,	16892,	16899,	18438,	18446,
16260,	16279,	16907,	16911,	18461,	18469,
16286,	16294,	16944,	16966,	18504,	18519,
16300,	16314,	16990,	16998,	18520,	18538,
16324,	16332,	17189,	17515,	18542,	18549,
16363,	16364,	17583,	17587,	18550,	18552,
16374,	16375,	17590,	17595,	18554,	18555,
16392,	16401,	17596,	17597,	18556,	18562,
16407,	16441,	17598,	17599,	18587,	18589,
16444,	16523,	17600,	17612,	18600,	18611,
16526,	16529,	17626,	17629,	18618,	18624,
16532,	16535,	17635,	17639,	18626,	18629,
16538,	16541,	17640,	17661,	18630,	18644,
16544,	16548,	17662,	17663,	18698,	18699,
16551,	16554,	17668,	17679,	18702,	18706,
16557,	16560,	17681,	17685,	18707,	18710,
16563,	16566,	17695,	17707,	18715,	18716,
16569,	16572,	17714,	17736,	18721,	18736,
16575,	16578,	17743,	17746,	18737,	18738,
16581,	16584,	17767,	17777,	18739,	18740,
16587,	16590,	17807,	17813,	18742,	18745,
16593,	16596,	17814,	17836,	18753,	18764,



18769,	18774,	19680,	19685,	20710,	20718,
18777,	18778,	19723,	19730,	20719,	20743,
18785,	18787,	19738,	19745,	20757,	20759,
18791,	18793,	19748,	19749,	20764,	20771,
18802,	18804,	19753,	19763,	20778,	20790,
18806,	18815,	19765,	19767,	20824,	20838,
18817,	18819,	19776,	19781,	20840,	20847,
18828,	18830,	19788,	19797,	20849,	20855,
18832,	18841,	19831,	19835,	20861,	20864,
18843,	18864,	19845,	19876,	20888,	20889,
18884,	18896,	19881,	19882,	20900,	20908,
18897,	18904,	19893,	19894,	20915,	20916,
18913,	18917,	19908,	19910,	20924,	20925,
18930,	18933,	19914,	19918,	20936,	20943,
18934,	18935,	19920,	19925,	20950,	20960,
18941,	18942,	19929,	19932,	20963,	20965,
18947,	18950,	19936,	19938,	20970,	20974,
18958,	18966,	19942,	19971,	20977,	20979,
18973,	18974,	19979,	19980,	20984,	20986,
18981,	18984,	20004,	20017,	20989,	20992,
18985,	18991,	20019,	20024,	20994,	20999,
19006,	19027,	20031,	20038,	21001,	21002,
19029,	19031,	20050,	20084,	21005,	21036,
19045,	19055,	20098,	20100,	21039,	21040,
19064,	19072,	20107,	20109,	21043,	21046,
19096,	19098,	20115,	20121,	21059,	21062,
19113,	19118,	20124,	20148,	21065,	21068,
19152,	19159,	20149,	20160,	21077,	21081,
19168,	19184,	20168,	20175,	21088,	21105,
19194,	19203,	20176,	20184,	21126,	21133,
19211,	19237,	20185,	20196,	21136,	21137,
19239,	19254,	20203,	20210,	21138,	21140,
19259,	19301,	20220,	20223,	21176,	21179,
19302,	19304,	20225,	20230,	21190,	21194,
19307,	19313,	20234,	20237,	21205,	21211,
19314,	19319,	20239,	20244,	21287,	21288,
19322,	19330,	20246,	20249,	21289,	21306,
19338,	19345,	20252,	20254,	21317,	21335,
19346,	19353,	20259,	20261,	21341,	21365,
19356,	19357,	20262,	20265,	21483,	21491,
19363,	19367,	20296,	20299,	21492,	21516,
19380,	19383,	20300,	20301,	21530,	21532,
19384,	19385,	20317,	20320,	21537,	21544,
19392,	19394,	20327,	20344,	21551,	21563,
19396,	19400,	20365,	20372,	21597,	21611,
19429,	19498,	20375,	20376,	21613,	21620,
19503,	19539,	20377,	20379,	21622,	21628,
19545,	19553,	20415,	20418,	21634,	21637,
19560,	19563,	20429,	20433,	21661,	21662,
19564,	19568,	20444,	20450,	21673,	21681,
19569,	19570,	20526,	20527,	21688,	21689,
19581,	19583,	20528,	20544,	21697,	21698,
19585,	19594,	20555,	20573,	21709,	21716,
19618,	19627,	20579,	20603,	21723,	21733,



21736,	21738,	22735,	22743,	23907,	23911,
21743,	21747,	22746,	22750,	23915,	23919,
21750,	21752,	22751,	22752,	23923,	23927,
21757,	21759,	22760,	22763,	23931,	23935,
21762,	21765,	22767,	22768,	23939,	23944,
21767,	21772,	22769,	22777,	23952,	23955,
21774,	21775,	22780,	22784,	23962,	23963,
21778,	21809,	22785,	22786,	23967,	23974,
21812,	21813,	22794,	22797,	23997,	24003,
21828,	21831,	22801,	22802,	24014,	24019,
21842,	21846,	22803,	22811,	24025,	24027,
21853,	21870,	22814,	22818,	24034,	24037,
21891,	21898,	22819,	22820,	24050,	24059,
21901,	21902,	22828,	22831,	24072,	24075,
21903,	21905,	22836,	22837,	24086,	24092,
21941,	21944,	22838,	22846,	24093,	24099,
21955,	21959,	22849,	22855,	24104,	24107,
21970,	21976,	22856,	22857,	24121,	24126,
22052,	22053,	22865,	22868,	24129,	24130,
22054,	22071,	22875,	22876,	24131,	24132,
22082,	22100,	22877,	22885,	24136,	24139,
22106,	22130,	22888,	22902,	24141,	24147,
22224,	22227,	22910,	22911,	24148,	24162,
22269,	22285,	22912,	22920,	24172,	24173,
22290,	22294,	22923,	22945,	24180,	24185,
22295,	22312,	22960,	22961,	24188,	24191,
22320,	22326,	22962,	23103,	24192,	24195,
22333,	22340,	23123,	23215,	24196,	24198,
22346,	22351,	23232,	23235,	24207,	24208,
22382,	22439,	23237,	23273,	24212,	24218,
22440,	22456,	23274,	23276,	24224,	24225,
22457,	22473,	23278,	23308,	24226,	24229,
22511,	22518,	23309,	23310,	24235,	24239,
22520,	22535,	23317,	23333,	24250,	24251,
22546,	22549,	23349,	23372,	24255,	24261,
22556,	22557,	23420,	23421,	24273,	24274,
22558,	22563,	23748,	23750,	24275,	24278,
22567,	22568,	23757,	23759,	24292,	24297,
22583,	22606,	23772,	23773,	24343,	24344,
22613,	22631,	23774,	23781,	24352,	24362,
22632,	22648,	23785,	23790,	24371,	24372,
22649,	22650,	23794,	23800,	24375,	24379,
22654,	22655,	23806,	23810,	24380,	24415,
22664,	22668,	23816,	23819,	24441,	24460,
22669,	22670,	23821,	23822,	24468,	24474,
22676,	22679,	23823,	23826,	24480,	24488,
22680,	22681,	23829,	23832,	24495,	24496,
22689,	22700,	23833,	23842,	24497,	24503,
22701,	22703,	23848,	23857,	24508,	24511,
22704,	22710,	23858,	23866,	24519,	24520,
22711,	22712,	23872,	23876,	24528,	24529,
22720,	22723,	23879,	23880,	24537,	24538,
22724,	22732,	23891,	23892,	24546,	24547,
22733,	22734,	23902,	23903,	24555,	24556,



24557,	24558,	\FirstFrameCommand	\FN@sf@gobble@opt .
24561,	24564,	..... 14540, 14586	..... 4602,
24567,	24570,	\firstmark ... 10058,	4608, 4614, 4617
24571,	24572,	10121, 13857,	\FN@sf@gobble@optonly
24573,	24575,	13893, 14050,	..... 4629, 4632
24577,	24578,	14726, 14775,	\FN@sf@gobble@twobracket
24585,	24588,	17734, 17834,	..... 4621, 4624
24590,	24594,	24712, 24759, 25070	\focus@pbar@height
24595,	24598,	\firstname ..... 4902	3284, 3286, 3287,
24614,	24615,	\firstnamecolour ..	3288, 3290, 3291,
24623,	24624,	. 4871, 10499, 10595	3292, 3297, 3298,
24627,	24628,	\firstnamefont ....	3300, 3301, 3307,
24629,	24630,	4880, 4888, 10537,	3308, 3310, 3312,
24631,	24637,	10538, 10629, 10632	3317, 3318, 3320, 3321
24642,	24650,	\firstnamestyle 4888,	\focus@pbar@leftoffset
24667,	24673,	10549, 10639, 10660	3266, 3267, 3282,
24675,	24682,	\fivecolumnfootnotes	3286, 3287, 3290, 3291
24692,	24694,	..... 12344	\focus@pbar@progress
24714,	24738,	\Fld@width ... 15991,	... 3281, 3287, 3291
24741,	24761,	15999, 16007, 16015	\focus@pbar@rightoffset
24781,	24784,	\flnew@within .... 13958	3270, 3271, 3273,
24787,	24805,	\float@newx ..... 13952	3274, 3282, 3297,
24820,	24838,	\floatalignment ...	3300, 3310, 3312,
24840,	24849,	.... 7287, 7288,	3317, 3318, 3320, 3321
24858,	24893,	7329, 7330, 7352,	\font ..... 22236, 22237
24902,	24934,	7359, 7367, 7418, 7629	\fontdimen . 22236, 22237
24937,	24938,	\FloatBarrier . 7259, 7609	\fontsize ..... 303,
24939,	24940,	\floatc@biditytfloatplain	8613, 8615, 8617,
24941,	24949,	..... 7627,	10537, 10629,
24963,	24967,	7637, 7644, 7650, 7658	16091, 18345, 18358
24968,	24972,	\floatc@biditytfloatplaintop	\foo ..... 18416,
24980,	24981,	..... 7644	18418, 18428, 18430
24982,	24983,	\floatc@biditytfloatruled	\footdir@abspage ..
24984,	25005,	..... 7645	..... 14153,
25012,	25018,	\floatc@plain .... 13949	14156, 14157,
25019,	25020,	\floatingpenalty ..	14160, 14161, 14164
25021,	25023,	.. 41, 55, 71, 244,	\footdir@debug 14125,
25024,	25025,	258, 273, 10711,	14133, 14137,
25043,	25059,	10732, 10779,	14140, 14150,
25078,	25081,	10786, 10831,	14157, 14161, 14164
25082,	25086,	10838, 11810,	\footdir@debugfalse 4123
25087,	25089,	14293, 14310, 14326	\footdir@debugtrue
25097,	25099,	\floatstyle ..... 7678	..... 4121, 14123
25208,	25214, 25220	\flushleft ... 4569, 4578	\footdir@fntext ...
\figcaption . 15171, 15189		\FN@sf@footnote ..	. 14171, 14188, 14190
\fill ..... 2886,		..... 4596, 4600	\footdir@LeftRightElse
3077, 3079, 3081,		\FN@sf@footnotemark	. 14131, 14147, 14224
3286, 3287, 3290,		..... 4625, 4627	\footdir@name .....
3291, 3297, 3300,		\FN@sf@LTRfootnote	. 14174, 14177, 14178
3308, 3393, 3395,		..... 4597, 4606	\footdir@ORG@bidi@amsart@footnotetext
3397, 8658, 8662,		\FN@sf@RTLfootnote	..... 79
15206, 15401,		..... 4598, 4612	\footdir@ORG@bidi@amsart@LTRfootnotetext
16743, 16745, 16747		\FN@sf@gobble@bracket	..... 81
\filright .. 22498, 22527		..... 4636, 4639	



\footdir@ORG@bidi@amsart@RTLfootnotetext	11828,	13295,	13309,
..... 80	11830,	13310,	13346,
\footdir@ORG@bidi@amsbook@footnotetext	11897,	13354,	13368,
..... 282	13531,	13599,	13612, 13616
\footdir@ORG@bidi@amsbook@LTRfootnotetext	13548,	\footinsv@r .....	
..... 284	13555,	13568,	.. 11798, 11891,
\footdir@ORG@bidi@amsbook@RTLfootnotetext	14304,	11892,	11893,
..... 283	14320,	11894,	11925,
\footdir@ORG@bidi@beamer@footnotetext	14759,	11926,	11945,
..... 2247	14760,	11969,	12069,
\footdir@ORG@bidi@beamer@LTRfootnotetext	14815,	12070,	12089,
..... 2249	14816,	12111,	12207,
\footdir@ORG@bidi@beamer@RTLfootnotetext	14847,	12208,	12227,
..... 2248	14856,	12251,	12351,
\footdir@ORG@bidi@footnotetext	14895,	12352,	12371,
..... 14344	18712,	12395,	12495,
\footdir@ORG@bidi@LTRfootnotetext	18715,	12496,	12515,
..... 14346	24798,	12539,	12639,
\footdir@ORG@bidi@RTLfootnotetext	24807, 24825, 24829	12640,	12659,
..... 14345	\footinsdim .....	12683,	12783,
\footdir@temp ... 79,	.. 11806, 11807,	12784,	12803,
80, 81, 282, 283,	11894,	12827,	12927,
284, 2247, 2248,	11925,	12928,	12947,
2249, 14183,	12069,	12971,	13071,
14344, 14345, 14346	12207,	13072,	13091,
\footdir@toks .....	12351,	13115,	13253,
.. 14124, 14191,	12495,	13254,	13294,
14192, 14193, 14197	12639,	13352,	13380,
\footdir@write .....	12783,	13598, 13611, 13615	
. 14118, 14148, 14187	12927,	\footmarkstyle .....	11747, 11786
\footersymbol . 10556,	13071,	13075,	
10557, 10572,	13253, 13260, 13309	\footmarkwidth .....	11746, 11751,
10573, 10574, 10575	\footinsv@l ... 11799,	11752,	11754,
\footfootmark .....	11896,	11756,	11759,
.. 11627, 11750,	11898,	11763,	11764,
11986, 12127,	11929,	11766,	11768,
12268, 12412,	11947,	11771,	11775,
12556, 12700,	11959,	11776,	11778,
12844, 12988,	12073, 12074,	11780,	11783,
13132, 13395, 14481	12091, 12102,	11790,	11793,
\footfudgefactor ..	12211, 12212,	11790,	11793,
. 13219, 13281, 13333	12229, 12241,	14482,	14483,
\footins 35, 49, 65, 238,	12355,	14485,	14487,
252, 267, 10711,	12373,	14490,	14494,
10732, 10736,	12499,	14495,	14497,
10737, 10748,	12517,	14499,	14502,
10751, 10755,	12529,	14506,	14507,
10779, 10785,	12643, 12644,	14509, 14511, 14514	
10793, 10794,	12661, 12673,	\footnote 417, 491, 741,	
10805, 10808,	12787, 12788,	840, 993, 1092,	
10812, 10831,	12805, 12817,	1243, 1343, 2251,	
10837, 11644,	12931, 12932,	4596, 4599, 8195,	
11658, 11672,	12949, 12961,	8514, 8545, 9236,	
11807, 11816,	13075, 13076,	9413, 9518, 9592,	
	13093, 13105,		
	13260, 13261,		



11281,	11349,	8049, 8067, 8085,	\fourcolumnfootnotes	
11374,	11448,	9232, 9409, 9514,	..... 12200	
13703,	13771,	11277,	11370,	\fp ..... 17287,
17630,	17633,	11803,	11804,	17288, 17289, 17290
19040,	19139,	11805,	13699,	\fps@figure ..... 15159
19177,	19283,	14283,	14284,	\framebox .... 10547,
19437,	19525,	14285,	14290,	10678, 17945, 17951
19634,	19708,	14307,	14323,	\FrameCommand .... 14538
20089, 20829, 21602		14353,	14367,	\FrameHeightAdjust 14612
\footnotelayout ...		14381,	16078,	\FrameRestore . 14546,
... 8013, 8014, 8017		18515,	18517,	14550, 14666, 14667
\footnotemark .....		19036,	19173,	\framewidth .....
4625, 4626, 14422,		19433,	19630,	... 2147, 2164, 2181
14436, 17631, 17634		20085, 20825, 21598		\fromaddress .....
\footnoterule . 10690,		\footnotetext .. 4660,		.. 11542, 11548,
10752,	10758,	4671, 8974, 8984		11558, 16144, 16150
10763,	10791,	\footrule ..... 13836		\fromname ..... 11563
10792,	10809,	\footrulewidth 4850, 7488		\fromsig ... 11562, 11564
10813,	10817,	\footscript .....		\fromvalue .... 6450,
10843,	10844,	.. 11747, 11753,		6536, 6559, 6581, 6596
11619,	11847,	11757,	11759,	\frontmatter ..... 8712
11855,	11876,	14484, 14488, 14490		\fs@biditytfloatboxed
13534,	13547,	\footskip 13836, 20075,		..... 7656
14115,	14212,	20815, 21588, 25056		\fs@biditytfloatplain
14216,	14219,	\foottextfont .....		..... 7635, 7643
14234,	14239,	.. 11628, 11648,		\fs@biditytfloatplaintop
14240,	14242,	11690,	11803,	..... 7643
14898,	14931,	11919,	11951,	\fs@biditytfloatruled
18076,	18714,	11986,	12008,	..... 7648
22490, 24801, 24828		12063,	12095,	\fslice . 18532, 18533,
\footnotes ..... 8010		12127,	12149,	18535, 18536, 18539
\footnotesep 29, 31, 40,		12201,	12233,	\ftn@amount ... 14814,
46, 54, 60, 70, 76,		12268,	12290,	14815, 14816,
233, 235, 243, 249,		12345,	12377,	14823, 14827, 14828
257, 263, 272, 278,		12412,	12434,	\ftn@font .... 19986,
2158, 2175, 2192,		12489,	12521,	20022, 20725,
2208, 2224, 2240,		12556,	12578,	20762, 21498, 21535
10708,	10729,	12633,	12665,	\ftn@rule@height ..
10754,	10811,	12700,	12722,	..... 20030,
11628,	11634,	12777,	12809,	20033, 20037,
11640,	11811,	12844,	12866,	20040, 20770,
13287,	13339,	12921,	12953,	20773, 20777,
14292,	14300,	12988,	13010,	20780, 21543,
14309,	14317,	13065,	13097,	21546, 21550, 21553
14325,	14333,	13132,	13154,	\ftn@rule@test@values
14360,	14374,	13224,	13247,	..... 20029,
14388, 16086, 16088		13276,	13286,	20036, 20769,
\footnotesize ... 38,		13359, 13395, 13420		20776, 21542, 21549
52, 68, 106, 226,		\forcerectofloat .. 7290		\ftn@rule@width 20033,
241, 255, 270, 413,		\forceversofloat .. 7291		20040, 20773,
737, 989, 1239,		\forvariable .....		20780, 21546, 21553
4980, 5002, 7167,		6450, 6456, 6532,		\ftnm@font .....
7168, 7206, 7825,		6568, 6575, 6580,		. 20025, 20765, 21538
7826, 7827, 8019,		6586, 6591, 6595, 6596		



<code>\full@width</code> . . . . .	17369, 17373,	8212, 8221, 8550,
. 18003, 18015, 18063	17374, 17381,	8567, 8583, 8595,
<code>\futurelet</code> . . . . . 790,	17396, 17397,	8635, 8636, 8637,
792, 1042, 1044,	17398, 17400,	8824, 8827, 9082,
1292, 1294, 5169,	17405, 17408,	9094, 9096, 10057,
6250, 6253, 19089,	17409, 17412,	10120, 11036,
19091, 19230, 19232	17416, 17417,	11049, 13552,
	17418, 17422,	13563, 13574,
	17423, 17424,	13575, 13856,
	17431, 17432,	13892, 14178,
	17433, 17435,	14238, 14725,
	17436, 17439,	14774, 16207,
	17440, 17445,	16440, 16443,
	17451, 17462,	17733, 17833,
	17467, 17468,	18290, 18311,
	17469, 17473,	18706, 22234,
	17476, 17477,	22499, 22500,
	17478, 17479,	22505, 22528,
	17481, 17489,	22529, 23972,
	17503, 17504,	24379, 24429,
	17505, 17506,	24654, 24711, 24758
	17508, 17511,	<code>\geometry</code> . 1941, 1943,
	17519, 17520,	1949, 1951, 7189,
	17523, 17527,	7192, 7196, 7199, 7203
	17528, 17530,	<code>\Gin@angle</code> . . . . . 18351
	17532, 17533,	<code>\Gin@bboxtrue</code> . . . . 14976
	17534, 17538,	<code>\Gin@defaultbp</code> . . . .
	17539, 17540,	. . 14977, 14978,
	17545, 17552,	14979, 14980,
	18368, 18376, 18379	22461, 22462, 22465
<code>\g@addto@macro</code> . . . . .		<code>\Gin@eheight</code> . . . . . 18353
. . . . . 6695, 6939,		<code>\Gin@esetsize</code> . . . . 14995
7024, 7034, 7285,		<code>\Gin@ewidth</code> . 18352, 18353
7971, 7973, 11082,		<code>\Gin@exclamation</code> . .
11085, 11087,		. 15025, 18352, 18355
13274, 13326,		<code>\Gin@gridfalse</code> . . . 18338
13597, 13602,		<code>\Gin@ii</code> . . . . . 14984
13610, 13614,		<code>\Gin@iii</code> . . . 14973, 14987
16874, 23646, 23975		<code>\Gin@llx</code> . . . . . 14977
<code>\g@mix@page@int</code> . . 17425		<code>\Gin@lly</code> . . . . . 14978
<code>\gdef</code> . . . . . 406, 408,		<code>\Gin@outer@scalex</code> 18349
2370, 2372, 4499,		<code>\Gin@outer@scaley</code> 18350
4871, 4872, 4873,		<code>\Gin@scalex</code> . . . . . 18354
4874, 4875, 4876,		<code>\Gin@scaley</code> . . . . . 18355
4878, 4879, 5040,		<code>\Gin@urx</code> . . . . . 14979
5064, 5407, 6128,		<code>\Gin@ury</code> . . . . . 14980
6214, 6216, 6226,		<code>\Gin@include@graphics</code>
6228, 6545, 6547,		. . . . . 14981, 14993
6548, 7018, 7029,		<code>\Gin@input@path</code> . . . . 17185
7303, 7304, 7306,		<code>\global</code> . 301, 437, 438,
7309, 7389, 7394,		439, 440, 441, 442,
7395, 7396, 7548,		443, 444, 445, 446,
7589, 7968, 8106,		447, 448, 466, 472,
8135, 8164, 8203,		473, 474, 475, 476,



477, 478, 479, 480,  
481, 482, 483, 484,  
519, 520, 671, 672,  
779, 780, 781, 782,  
783, 784, 785, 786,  
787, 788, 817, 823,  
824, 825, 826, 827,  
828, 829, 830, 831,  
832, 833, 915, 916,  
1031, 1032, 1033,  
1034, 1035, 1036,  
1037, 1038, 1039,  
1040, 1069, 1075,  
1076, 1077, 1078,  
1079, 1080, 1081,  
1082, 1083, 1084,  
1085, 1154, 1155,  
1281, 1282, 1283,  
1284, 1285, 1286,  
1287, 1288, 1289,  
1290, 1319, 1325,  
1326, 1327, 1328,  
1329, 1330, 1331,  
1332, 1333, 1334,  
1335, 1461, 1462,  
1750, 2145, 2162,  
2179, 2196, 2197,  
2212, 2213, 2228,  
2229, 2333, 2340,  
2364, 2447, 2575,  
4402, 4403, 4404,  
4405, 4406, 4407,  
4408, 4409, 4410,  
4411, 4412, 4658,  
4661, 4664, 4667,  
4671, 4674, 4677,  
4756, 4760, 4782,  
5065, 5079, 5081,  
5087, 5089, 5100,  
5106, 5118, 5142,  
5249, 5265, 5430,  
5484, 5538, 6350,  
6352, 6372, 6373,  
6384, 6392, 6402,  
6515, 6534, 6536,  
6538, 6550, 6555,  
7154, 7288, 7332,  
7333, 7705, 7716,  
7719, 7749, 7760,  
7763, 7793, 7804,  
7807, 7861, 8628,  
8825, 8828, 8846,  
8850, 8866, 8877,  
8903, 8904, 8931,

8944, 8945, 8965,  
8975, 8978, 8981,  
8984, 8987, 8990,  
9022, 9032, 9046,  
9048, 9053, 9054,  
9060, 9061, 9063,  
9083, 9095, 9097,  
9155, 9156, 9274,  
9275, 9276, 9277,  
9278, 9279, 9280,  
9281, 9282, 9283,  
9332, 9333, 9451,  
9452, 9453, 9454,  
9455, 9456, 9457,  
9458, 9459, 9460,  
9538, 9539, 9540,  
9541, 9542, 9543,  
9544, 9545, 9546,  
9547, 9548, 9549,  
9567, 9573, 9574,  
9575, 9576, 9577,  
9578, 9579, 9580,  
9581, 9582, 9583,  
9584, 9585, 9619,  
9620, 9712, 9722,  
9723, 9724, 9725,  
9726, 9727, 9728,  
9729, 9737, 9750,  
9755, 9759, 9815,  
10044, 10045,  
10055, 10062,  
10096, 10107,  
10108, 10118,  
10125, 10155,  
10180, 10199,  
10396, 10407,  
10420, 10432,  
10434, 10443,  
10445, 10446,  
10449, 10452,  
10462, 10469,  
10470, 10477,  
10703, 10710,  
10724, 10731,  
10743, 10751,  
10755, 10772,  
10775, 10783,  
10788, 10800,  
10808, 10812,  
10824, 10827,  
10835, 10840,  
11162, 11299,  
11300, 11301,  
11302, 11303,

11304, 11305,  
11306, 11307,  
11308, 11326,  
11332, 11333,  
11334, 11335,  
11336, 11337,  
11338, 11339,  
11340, 11341,  
11342, 11394,  
11395, 11396,  
11397, 11398,  
11399, 11400,  
11401, 11402,  
11403, 11404,  
11405, 11423,  
11429, 11430,  
11431, 11432,  
11433, 11434,  
11435, 11436,  
11437, 11438,  
11439, 11440,  
11441, 11474,  
11475, 11686,  
11697, 11708,  
11828, 11830,  
11871, 11873,  
11913, 11994,  
12017, 12029,  
12135, 12157,  
12168, 12276,  
12299, 12311,  
12420, 12443,  
12455, 12564,  
12587, 12599,  
12708, 12731,  
12743, 12852,  
12875, 12887,  
12996, 13019,  
13031, 13140,  
13163, 13175,  
13210, 13224,  
13243, 13405,  
13430, 13444,  
13511, 13562,  
13573, 13632,  
13633, 13721,  
13722, 13723,  
13724, 13725,  
13726, 13727,  
13728, 13729,  
13730, 13748,  
13754, 13755,  
13756, 13757,  
13758, 13759,



13760,	13761,	17775,	17776,	19336,	19467,
13762,	13763,	17779,	17780,	19468,	19469,
13764,	13844,	17811,	17812,	19470,	19471,
13845,	13854,	17820,	17821,	19472,	19473,
13860,	13880,	17831,	17837,	19474,	19475,
13881,	13890,	17840,	17842,	19476,	19477,
13897,	13968,	17844,	17845,	19478,	19501,
13971,	14004,	17847,	17852,	19507,	19508,
14007,	14009,	17860,	17862,	19509,	19510,
14015,	14016,	17870,	17871,	19511,	19512,
14017,	14035,	17872,	17873,	19513,	19514,
14039,	14042,	17875,	17876,	19515,	19516,
14045,	14047,	17879,	17880,	19517,	19518,
14051,	14349,	17908,	17909,	19519,	19550,
14350,	14363,	17915,	17916,	19551,	19654,
14364,	14377,	17928,	17929,	19655,	19656,
14378,	14699,	17930,	17931,	19657,	19658,
14700,	14701,	17932,	17933,	19659,	19660,
14702,	14708,	17935,	17941,	19661,	19662,
14709,	14710,	18013,	18030,	19663,	19664,
14711,	14712,	18036,	18050,	19665,	19683,
14713,	14723,	18058,	18223,	19689,	19690,
14732,	14757,	18448,	18465,	19691,	19692,
14758,	14759,	18466,	18467,	19693,	19694,
14760,	14761,	18468,	18476,	19695,	19696,
14762,	14772,	18483,	18522,	19697,	19698,
14781,	14810,	18546,	18547,	19699,	19700,
14811,	14823,	18548,	18747,	19701,	19735,
14824,	14825,	18797,	18963,	19736,	20059,
14827,	14828,	18964,	19078,	20060,	20061,
14829,	14830,	19079,	19080,	20062,	20140,
14912,	14925,	19081,	19082,	20159,	20182,
15585,	15599,	19083,	19084,	20263,	20273,
15623,	15637,	19085,	19086,	20274,	20275,
15670,	15701,	19087,	19116,	20276,	20277,
15732,	15795,	19122,	19123,	20278,	20279,
15805,	16390,	19124,	19125,	20280,	20281,
16782,	16783,	19126,	19127,	20282,	20283,
16831,	16834,	19128,	19129,	20284,	20285,
16853,	16854,	19130,	19131,	20286,	20287,
16862,	17563,	19132,	19217,	20288,	20289,
17564,	17565,	19218,	19219,	20290,	20291,
17566,	17567,	19220,	19221,	20292,	20293,
17568,	17569,	19222,	19223,	20294,	20295,
17570,	17571,	19224,	19225,	20297,	20565,
17588,	17683,	19226,	19227,	20567,	20799,
17720,	17721,	19228,	19257,	20800,	20801,
17731,	17737,	19263,	19264,	20802,	20880,
17740,	17742,	19265,	19266,	20899,	20922,
17744,	17745,	19267,	19268,	21003,	21013,
17747,	17752,	19269,	19270,	21014,	21015,
17760,	17762,	19271,	19272,	21016,	21017,
17770,	17771,	19273,	19274,	21018,	21019,
17772,	17773,	19275,	19335,	21020,	21021,





10134,	10360,	232, 345, 379, 387,	13232,	13462,
10366,	10371,	404, 544, 654, 731,	13473,	13489,
10378,	10385,	882, 965, 1137,	13498,	13677,
11206,	11218,	1211, 1413, 1472,	13815,	13829,
11316,	11413,	1572, 1594, 1602,	13830,	13835,
11472,	11752,	1617, 1625, 1638,	13837,	13861,
11759,	11764,	1646, 1659, 1667,	13864,	13868,
11771,	11776,	1768, 1774, 1783,	13945,	13949,
11783,	13630,	1790, 1816, 1828,	13951,	13989,
13647,	13738,	1829, 1860, 1905,	13994,	14204,
13899,	13900,	1910, 1921, 1929,	14933,	14934,
13906,	13926,	1975, 1977, 1979,	14942,	14947,
13941,	14060,	1981, 1983, 1984,	14958,	14959,
14483,	14490,	1986, 1997, 2012,	15004,	15005,
14495,	14502,	2017, 2026, 2041,	15043,	15050,
14507,	14514,	2050, 2051, 2062,	16085,	16091,
14734,	14735,	2064, 2079, 2081,	16110,	16163,
14741,	14783,	2083, 2085, 2087,	16774,	16794,
14788,	14792,	2091, 2108, 2112,	16799,	16856,
14968,	15014,	2119, 2120, 2343,	16859,	17171,
15069,	15074,	2360, 2404, 2564,	17187,	17188,
15079,	15083,	2569, 2576, 2713,	17206,	17466,
16140,	16304,	2714, 2715, 2723,	17468,	17478,
16311,	16318,	2730, 2737, 2815,	17514,	17549,
16323,	16391,	3140, 3146, 3152,	17963,	17997,
17684,	17786,	3219, 3220, 3225,	18013,	18015,
17791,	17795,	3227, 3229, 3233,	18125,	18374,
17886,	17887,	3235, 3237, 3241,	18376,	18379,
17893,	17990,	3243, 3337, 3363,	18460,	18515,
18961,	18986,	3451, 3492, 3493,	18519,	18539,
19333,	19358,	3562, 3599, 3605,	18572,	18576,
19449,	19492,	3606, 3854, 3856,	18581,	18585,
19565,	19673,	3873, 3875, 4037,	18597,	18608,
19733,	19750,	4314, 4641, 7264,	18625,	18635,
20425,	20462,	7352, 7354, 7359,	18652,	18661,
21186,	21223,	7392, 7393, 7402,	18662,	18671,
21951,	21988,	7409, 7629, 7662,	18725,	18726,
22272,	22957,	7980, 8019, 8046,	18727,	18729,
23119,	23228,	8064, 8082, 8204,	18730,	18756,
23710,	23845,	8213, 8222, 8657,	18774,	18785,
23882,	23884,	8665, 8784, 8834,	18947,	19001,
23950,	23957,	8838, 8849, 8866,	19319,	19424,
23959,	24391,	8877, 9083, 9097,	19548,	19578,
24572,	24573,	9139, 9217, 9316,	19760,	19929,
24648,	24718,	9370, 9644, 9756,	19986,	20022,
24723,	24727,	9822, 9851, 10011,	20025,	20040,
24765,	24766,	10014, 10031,	20547,	20725,
24772,	24962,	10035, 10755,	20762,	20765,
25043, 25059, 25081		10758, 10761,	20780,	21309,
\hbadness . . . . .	7660,	10812, 10813,	21498,	21535,
10696,	10717,	10815, 11039,	21538,	21553,
22401,	22403,	11044, 11050,	22074,	22251,
24056, 24057, 24074		11273, 11572,	22299,	22312,
\hbox .	15, 28, 188, 210,	13217, 13227,	22340,	22351,



22390,	22460,	1409, 1410, 1411,	2099, 2120, 3196,
23837,	23838,	1412, 1440, 1441,	3345, 3348, 3482,
23887,	23889,	1442, 1448, 1449,	3573, 4960, 4966,
23946,	23947,	1450, 1572, 1603,	4980, 7421, 7422,
24150,	24184,	1605, 1626, 1628,	7425, 7426, 8806,
24186,	24192,	1647, 1649, 1668,	8816, 9828, 9829,
24305,	24314,	1670, 2047, 2051,	10548, 13831,
24315,	24324,	2073, 2087, 2090,	13832, 13837,
24389,	24390,	2343, 2404, 2723,	13838, 17965,
24393,	24394,	2730, 2737, 3140,	17989, 18150,
24395,	24396,	3146, 3152, 4368,	18153, 18154,
24404,	24410,	4373, 8835, 8837,	18155, 18158,
24574,	24583,	8942, 9153, 9178,	18159, 18160,
24585,	24590,	9330, 9355, 9617,	18161, 18162,
24600,	24615,	9634, 9895, 10012,	18165, 18166,
24644,	24645,	10015, 10032,	18167, 18168,
24970, 24980, 24982		10036, 10066,	18169, 18170,
<code>\hboxL</code> . . . . .	192,	10068, 10131,	18171, 18174,
	4029, 4031, 4309,	10133, 10363,	18175, 18176,
	14646, 14663,	10365, 10382,	18177, 18178,
	16306, 18662, 24315	10384, 11206,	18179, 18180,
<code>\hboxR</code>	190, 4023, 4025,	11218, 11472,	18181, 18182,
	4307, 18652, 24305	11912, 13630,	18185, 18186,
<code>\head@style</code> . . . .	621,	13647, 13863,	18187, 18190,
	928, 1122, 1355,	13903, 13905,	18191, 18192,
	9124, 9301, 18914,	13931, 13944,	18195, 18196,
	19297, 19364, 19426	13951, 14738,	18197, 18198,
<code>\headheight</code>	2087, 4378,	14740, 14785,	18199, 18202,
	11024, 13830,	14787, 15076,	18203, 18204,
	14037, 20073,	15081, 16110,	18205, 18206,
	20813, 21586, 25039	16391, 16799,	18209, 18210,
<code>\headrule</code> . . . . .	13833	17684, 17788,	18211, 18212,
<code>\headrulewidth</code>	4849, 7487	17790, 17890,	18213, 18626,
<code>\headsep</code> . . . . .	4386,	17892, 17990,	18630, 20040,
	4389, 11025,	18519, 18573,	20585, 20602,
	14038, 20074,	18577, 18582,	20780, 21347,
	20814, 21587, 25048	18586, 18598,	21364, 21553,
<code>\headwidth</code>	4939, 13829,	18609, 18635,	22112, 22129,
	13831, 13832,	18961, 18986,	22500, 22529,
	13833, 13835,	19333, 19358,	23673, 23676,
	13837, 13838, 13839	19548, 19565,	23680, 23839,
<code>\height</code> .	14949, 15023,	19733, 19750,	23948, 24105, 24646
	15231, 15233,	22957, 23119,	<code>\hfilneg</code> . . .
	15237, 15239,	23228, 23710,	11907, 11910
	15266, 15267,	23845, 23882,	<code>\hfuzz</code> 11037, 22402, 22404
	15270, 15271,	23884, 23950,	<code>\hintcolour</code> . . . . .
	15328, 15329,	23957, 23959,	4879
	15332, 15333,	24418, 24648,	<code>\hintfont</code> . . . . .
	15361, 15363,	24720, 24722,	4887,
	15367, 15369,	24769, 24771,	4895, 4949, 4956, 4961
	17517, 17525, 17550	24981, 24983,	<code>\hintscolumnwidth</code> .
<code>\hfil</code> .	15, 210, 516, 535,	25020, 25021,	. . . . .
	668, 695, 897, 912,	25023, 25024, 25081	4915,
	1060, 1151, 1179,	<code>\hfill</code> . . . .	4929, 4933, 4941,
		1478, 1479,	4949, 4955, 4961, 5018
			<code>\hintstyle</code> . . . . .
			4895
			<code>\hline</code> 16751, 16753, 16759
			<code>\HLOFF</code> . . . . .
			4504



<code>\HLON</code> . . . . .	4498	9217, 9370, 9644,	13474, 13950,
<code>\HLTR@LTRfootnotetext</code>		11273, 11572,	13951, 14294,
..	11600, 15437,	13677, 14204,	14311, 14327,
15468,	15545,	16085, 16163,	14354, 14368,
15563,	15605,	18125, 19001,	14382, 14399,
15707,	15761, 15781	19424, 19578, 19760	14400, 14546,
<code>\HLTR@mpLTRfootnotetext</code>			14651, 14681,
..	11606, 15466,	<code>\hsize</code> . 41, 55, 71, 244,	14684, 14688,
15480,	15504, 15567	258, 273, 624, 931,	14691, 14692,
<code>\hoffset</code> . . . . .	4382	1125, 1870, 2068,	16387, 16391,
<code>\hold@viper</code> . . . . .	10078,	2147, 2148, 2149,	16785, 16796,
10081,	10137,	2164, 2165, 2166,	16799, 16826,
10140,	10208,	2181, 2182, 2183,	16913, 16914,
10211,	10395,	2202, 2218, 2234,	16921, 16944,
10396,	10407,	2403, 4328, 4773,	17680, 17684,
10408,	10420,	7661, 7662, 7722,	17917, 17997,
10421,	10433,	7766, 7810, 8407,	17999, 18007,
10468,	10470, 10471	9127, 9304, 9752,	18043, 18047,
<code>\holder</code> .	18529, 18532,	10012, 10015,	18051, 18054,
18541,	18551,	10032, 10036,	18059, 18062,
18552,	18570,	11650, 11664,	18112, 18116,
18574,	18579,	11678, 11690,	18120, 18688,
18583,	18595,	11701, 11712,	18690, 18858,
18599,	18606, 18610	11980, 12009,	18917, 19367,
<code>\href</code> . . . . .	4985, 4986,	12021, 12033,	19429, 19445,
4989, 4990, 4993, 4994		12043, 12049,	19488, 19998,
<code>\HRTL@mpRTLfootnotetext</code>		12121, 12150,	20009, 20011,
..	11608, 15455,	12161, 12172,	20080, 20081,
15479,	15493, 15568	12181, 12187,	20425, 20462,
<code>\HRTL@RTLfootnotetext</code>		12262, 12291,	20464, 20737,
..	11602, 15436,	12303, 12315,	20749, 20751,
15457,	15530,	12325, 12331,	20820, 20821,
15564,	15643,	12406, 12435,	21186, 21223,
15738,	15760, 15778	12447, 12459,	21225, 21510,
<code>\hrule</code> 31, 235, 540, 725,		12469, 12475,	21522, 21524,
960, 1205, 7651,		12550, 12579,	21593, 21594,
7652, 7662, 7663,		12591, 12603,	21951, 21988,
8836, 9211, 9364,		12613, 12619,	21990, 23897,
9474, 9480, 9486,		12694, 12723,	23900, 23905,
9492, 9640, 10320,		12735, 12747,	23909, 23913,
10691, 11269,		12757, 12763,	23917, 23921,
11568, 11620,		12838, 12867,	23925, 23929,
13673, 14207,		12879, 12891,	23933, 24153,
14209, 14241,		12901, 12907,	24174, 24178,
14651, 16088,		12982, 13011,	24345, 24355,
16159, 16944,		13023, 13035,	24499, 24872,
18077, 18128,		13045, 13051,	24916, 25077, 25081
18627, 18995,		13126, 13155,	
19418, 19574,		13167, 13179,	<code>\hskip</code> . . . . . 14,
19756, 20033,		13189, 13195,	28, 209, 232, 305,
20040, 20773,		13363, 13375,	309, 534, 544, 654,
20780, 21546, 21553		13387, 13421,	655, 694, 731, 882,
<code>\hrulefill</code> 28, 232, 544,		13424, 13435,	883, 896, 944, 965,
731, 965, 1211,		13438, 13449,	1137, 1138, 1178,
		13452, 13463,	1211, 1358, 1411,



1412, 1450, 1474,  
 1477, 1570, 1574,  
 1600, 1607, 1623,  
 1630, 1644, 1651,  
 1665, 1672, 1912,  
 1914, 1916, 1918,  
 1921, 1929, 1983,  
 1986, 1994, 2017,  
 2024, 2063, 2072,  
 2087, 2091, 2114,  
 2123, 2596, 2825,  
 2863, 3196, 3225,  
 3227, 3233, 3235,  
 3241, 3243, 3453,  
 3490, 3495, 3531,  
 3538, 3550, 3605,  
 3633, 3636, 3771,  
 3781, 3856, 3857,  
 3860, 3875, 3876,  
 3879, 5032, 8368,  
 8808, 8852, 8853,  
 8856, 8858, 8859,  
 8862, 9139, 9140,  
 9177, 9217, 9316,  
 9317, 9354, 9370,  
 9633, 9644, 9824,  
 9827, 9894, 10065,  
 10072, 10076,  
 10077, 10362,  
 10370, 10375,  
 10376, 10756,  
 10757, 10760,  
 10770, 10771,  
 10814, 11205,  
 11273, 11572,  
 13215, 13646,  
 13677, 13862,  
 13867, 13871,  
 13872, 13927,  
 13943, 14204,  
 14784, 14791,  
 14795, 14796,  
 15069, 15071,  
 15072, 15075,  
 15080, 15083,  
 15085, 15086,  
 15991, 15999,  
 16007, 16015,  
 16024, 16032,  
 16041, 16049,  
 16085, 16109,  
 16141, 16163,  
 16298, 17787,  
 17794, 17798,

17799, 17964,  
 17976, 17988,  
 18043, 18047,  
 18051, 18054,  
 18055, 18059,  
 18062, 18063,  
 18125, 18150,  
 18153, 18155,  
 18158, 18160,  
 18162, 18165,  
 18167, 18169,  
 18171, 18174,  
 18176, 18178,  
 18180, 18182,  
 18185, 18187,  
 18190, 18192,  
 18195, 18197,  
 18199, 18202,  
 18204, 18206,  
 18209, 18211,  
 18213, 18227,  
 18477, 18484,  
 18947, 18948,  
 18985, 19001,  
 19300, 19319,  
 19320, 19357,  
 19424, 19564,  
 19578, 19749,  
 19760, 19838,  
 19840, 19847,  
 19849, 19885,  
 19887, 19896,  
 19898, 19984,  
 20040, 20047,  
 20723, 20780,  
 20787, 21496,  
 21553, 21560,  
 22260, 22266,  
 22278, 22283,  
 22499, 22528,  
 22689, 22720,  
 22743, 22760,  
 22777, 22794,  
 22811, 22828,  
 22846, 22865,  
 22885, 22920,  
 23112, 23115,  
 23321, 23353,  
 23832, 23879,  
 23889, 23944,  
 24642, 24719,  
 24726, 24730,  
 24731, 24964,  
 24966, 24980, 24983

\hspace . 108, 109, 228,  
 229, 553, 3369,  
 3376, 4950, 4955,  
 4961, 7404, 7411,  
 7633, 8311, 8312,  
 8318, 8319, 8325,  
 8326, 8332, 8333,  
 8460, 8486, 8487,  
 10678, 10851,  
 10854, 10858,  
 10860, 10865,  
 10867, 10871,  
 10874, 10877,  
 10881, 10883,  
 10887, 10889,  
 10893, 10896,  
 10899, 10903,  
 10905, 10910,  
 10912, 11225,  
 11559, 11754,  
 11766, 11778,  
 14485, 14497,  
 14509, 15206,  
 15222, 15235,  
 15247, 15260,  
 15269, 15277,  
 15322, 15331,  
 15339, 15352,  
 15365, 15377,  
 15401, 16080,  
 16081, 20397,  
 20406, 20502,  
 20512, 20515,  
 20517, 21158,  
 21167, 21263,  
 21273, 21276,  
 21278, 21923,  
 21932, 22028,  
 22038, 22041,  
 22043, 22223,  
 22224, 22505,  
 22517, 25202,  
 25206, 25211,  
 25213, 25217, 25219  
 \hss . . . . . 457,  
 516, 535, 668, 695,  
 897, 912, 1151,  
 1179, 1905, 2465,  
 2487, 3492, 3493,  
 4053, 4328, 4397,  
 8427, 9153, 9178,  
 9330, 9355, 9558,  
 9617, 9634, 9895,  
 10071, 10075,



10130,	10136,	24572,	24573,	14571,	14578,				
10368,	10373,	24630,	24631,	14595,	14602,				
10380,	10387,	24632,	24633,	14603,	14616,				
10759,	10769,	24725,	24729,	14620,	14643,				
10814,	10823,	24768,	24774,	24968	14814,	14819,			
11039,	11042,	\ht	385, 1460, 1493, 1775,	14961,	14962,				
11044,	11047,		1785, 1791, 1804,	14964,	15007,				
11050,	11206,		1892, 1976, 1978,	15008,	15010,				
11218,	11317,		1980, 1982, 2002,	15143,	16224,				
11414,	11472,		2011, 2013, 2031,	16241,	16760,				
11753,	11759,		2040, 2042, 2080,	16813,	16828,				
11765,	11771,		2082, 2084, 2086,	16843,	16845,				
11777,	11783,		2092, 2357, 2361,	16846,	16942,				
13630,	13647,		2405, 2816, 3617,	16949,	16952,				
13739,	13866,		4043, 4320, 9843,	17771,	17775,				
13870,	13902,		9852, 9854, 10171,	17780,	17871,				
13908,	14060,		10178,	10186,	17875,	17880,			
14484,	14490,		10200,	10211,	17931,	17933,			
14496,	14502,		10228,	10230,	18131,	18541,			
14508,	14514,		10233,	10235,	18599,	18610,			
14737,	14743,		10249,	10262,	18615,	18616,			
14790,	14794,		10266,	10269,	18617,	18618,			
14968,	15014,		10270,	10273,	18622,	18637,			
15072,	15086,		10279,	10297,	18754,	18777,			
16311,	16318,		10298,	10311,	19824,	19866,			
16323,	16794,		10341,	10433,	19869,	19924,			
16802,	17208,		10468,	10699,	19931,	22300,			
17469,	17550,		10708,	10720,	22336,	22348,			
17793,	17797,		10729,	10737,	22463,	24193,			
17889,	17895,		10747,	10749,	24195,	24601,			
18033,	18034,		10765,	10794,	24944,	24954,	24958		
18044,	18045,		10804,	10806,	\ht@hold@viper	10209,			
18491,	18501,		10819,	11190,		10211,	10433,		
18727,	18738,		11914,	12044,		10434,	10468,	10469	
18739,	18740,		12050,	12055,	\ht@strip	17928,	17929,		
18961,	18986,		12060,	12182,		17930,	17931,		
19333,	19358,		12188,	12193,		17932,	17935,	17937	
19449,	19492,		12198,	12326,	\ht@viper	10170,	10176,		
19548,	19565,		12332,	12337,		10177,	10200,		
19674,	19733,		12342,	12470,		10201,	10202,		
19750,	19986,		12476,	12481,		10213,	10367,		
20022,	20547,		12486,	12614,		10372,	10379,	10386	
20557,	20725,		12620,	12625,	\httplink	.....	4987		
20762,	21309,		12630,	12758,	\Huge	.	8394,	9477,	9489,
21319,	21498,		12764,	12769,		9669,	9677,	11501,	
21535,	22074,		12774,	12902,		11510,	13660,		
22084,	22272,		12908,	12913,		13668,	19783,	19791	
23119,	23228,		12918,	13046,	\huge	.....	564,		
24158,	24160,		13052,	13057,		8248,	8250,	8393,	
24165,	24171,		13062,	13190,		9468,	9663,	11236,	
24391,	24509,		13196,	13201,		11245,	11495,		
24560,	24561,		13206,	13219,		13655,	19778,		
24563,	24564,		13340,	13340,		20122,	20862,	21635	
24566,	24567,		13582,	13811,	\hv@Bottom	.....	15301		



<code>\hv@Center</code> . . .	15205, 15216, 15256, 15318, 15346, 15399				
<code>\hv@figure</code> .	15170, 15188				
<code>\hv@floatObject</code> . . .	15131, 15135				
<code>\hv@floatType</code> .	15161, 15170, 15188, 15406				
<code>\hv@Height</code> . . . . .	15143				
<code>\hv@label</code> . . . . .	15112				
<code>\hv@Left</code> . . .	15146, 15214				
<code>\hv@longCap</code> . . . . .	15111				
<code>\hv@Right</code> . .	15147, 15203				
<code>\hv@shortCap</code> . . . . .	15110, 15176, 15194				
<code>\hv@Top</code> .	15229, 15265, 15285, 15327, 15359				
<code>\hv@Width</code> . .	15141, 15164				
<code>\hv@Zero</code> . . .	15130, 15393				
<code>\hvAboveCaptionSkip</code> . . . . .	15309, 15312				
<code>\hvBelowCaptionSkip</code> . . . . .	15293, 15296				
<code>\hvCaptionBox</code> .	15165, 15182, 15224, 15226, 15237, 15239, 15249, 15251, 15257, 15258, 15266, 15267, 15274, 15275, 15286, 15287, 15293, 15296, 15302, 15303, 15310, 15313, 15319, 15320, 15328, 15329, 15336, 15337, 15354, 15356, 15367, 15369, 15379, 15381				
<code>\hvCapWidth</code> . . .	15139, 15141, 15143, 15145, 15149, 15151, 15166, 15184				
<code>\hvFloat</code> . . . . .	15113				
<code>\hvMaxCapWidth</code> .	15124, 15125, 15146, 15147, 15148, 15151				
<code>\hvObjectBox</code> . . . . .	15128, 15131, 15133, 15137, 15143, 15218, 15220, 15231, 15233, 15243,	15245, 15261, 15262, 15270, 15271, 15278, 15279, 15286, 15289, 15294, 15297, 15302, 15305, 15309, 15312, 15323, 15324, 15332, 15333, 15340, 15341, 15348, 15350, 15361, 15363, 15373, 15375			
		<code>\hvObjectWidth</code> . . . . .	15137, 15141, 15145, 15146, 15147		
		<code>\hvOBox</code> . . . .	15131, 15135		
		<code>\hvSet@capAngle</code> . . . . .	15164, 15183		
		<code>\hvSet@capPos</code> . . . . .	15146, 15147, 15214, 15285, 15301		
		<code>\hvSet@capVPos</code> .	15216, 15229, 15256, 15265, 15318, 15327, 15346, 15359		
		<code>\hvSet@capWidth</code> .	15141, 15143, 15148, 15149		
		<code>\hvSet@floatCapSep</code> . . . . .	15222, 15235, 15247, 15260, 15269, 15277, 15322, 15331, 15339, 15352, 15365, 15377		
		<code>\hvSet@floatPos</code> . .	15159		
		<code>\hvSet@objectAngle</code> . . . . .	15130, 15134		
		<code>\hvSet@objectPos</code> . .	15203, 15205, 15399		
		<code>\hvSet@rotAngle</code> . . . . .	15124, 15393, 15396		
		<code>\Hy@Acrobatmenu</code> . .	15910		
		<code>\Hy@backout</code> . . . . .	15937		
		<code>\Hy@BeginAnnot</code> . . . . .	15793, 15813, 15850, 15882, 15911		
		<code>\Hy@bidipoem@footnotetext</code> . . . . .	15666, 15675		
		<code>\Hy@bidipoem@LTRfootnotetext</code> . . . . .	15697, 15706		
		<code>\Hy@bidipoem@RTLfootnotetext</code> . . . . .	15728, 15737		
		<code>\Hy@CleanupFile</code> . .	15815		
		<code>\Hy@colorlink</code> .	15843, 15875, 15904, 15930		
		<code>\Hy@endAnnot</code> . . . . .	15800, 15846, 15878, 15907, 15933		
		<code>\Hy@endcolorlink</code> .	15802		
		<code>\Hy@footnote@currentHlabel</code> . . . . .	15522, 15537, 15552		
		<code>\Hy@footnote@currentHref</code> . . . . .	15484, 15487, 15495, 15498, 15506, 15509, 15517, 15520, 15523, 15532, 15535, 15538, 15547, 15550, 15553, 15596, 15634, 15667, 15698, 15729		
		<code>\Hy@gtemp</code> . .	15572, 15577		
		<code>\Hy@href@nextactionraw</code> . . . . .	15839, 15871, 15900, 15926		
		<code>\Hy@href@page</code> . . . .	15834		
		<code>\Hy@linkcounter</code> . . . . .	11090, 11095		
		<code>\Hy@linktoc</code> . . . . .	15415		
		<code>\Hy@LT@currentHref</code> . . . . .	15967, 15978		
		<code>\Hy@LT@LTRfootnotetext</code> . . . . .	15595, 15604		
		<code>\Hy@LT@RTLfootnotetext</code> . . . . .	15633, 15642		
		<code>\Hy@MakeRemoteAction</code> . . . . .	15818		
		<code>\Hy@maketitle@end</code> . . . . .	15764, 15769, 15771		
		<code>\Hy@maketitle@optarg</code> . . . . .	15762, 15767		
		<code>\Hy@pstringD</code> .	15817, 15836		
		<code>\Hy@pstringdef</code> . . . . .	15816, 15817, 15851, 15852, 15883		
		<code>\Hy@pstringF</code> . . . . .	15814, 15815, 15816, 15831, 15851, 15864, 15869		
		<code>\Hy@pstringP</code> .	15852, 15869		
		<code>\Hy@pstringURI</code> . . . . .	15883, 15896		
		<code>\Hy@raisedlink</code> .	15486, 15497, 15508, 15519, 15534, 15549, 15609,		



15647, 15680,	\hyper@pageduration	22447, 22448,
15711, 15742, 15979	..... 1975, 2079	22449, 22450,
\Hy@saved@footnotemark	\hyper@pagetransition	22453, 22454,
..... 15754, 15773	..... 1975, 2079	22455, 24504,
\Hy@saved@footnotetext	\hyperlink ..... 2340	24505, 24598,
..... 15755, 15776	\hyperref 14484, 14488,	24615, 24622,
\Hy@SetNewWindow ..	14490, 14496,	24623, 24624,
..... 15838, 15866	14500, 14502,	24625, 24626, 24627
\Hy@setpdfborder ..	14508, 14512, 14514	\if@allcaps .... 752,
..... 15824,	\hypersetup 2339, 4833,	761, 769, 1004,
15858, 15889, 15918	4841, 8504, 8563, 8580	1013, 1021, 1254,
\Hy@tabularx@hook .	\hypertarget ... 2369,	1263, 1271, 9247,
..... 15561, 15573	20391, 21152, 21917	9256, 9264, 9424,
\Hy@temp@menu 15912, 15925	\hyphenpenalty ... 6,	9433, 9441, 19051,
\Hy@xspace@end ....	105, 201, 225,	19060, 19068,
.. 15809, 15845,	623, 930, 1124,	19190, 19199, 19207
15877, 15906, 15932	9126, 9303, 16077,	\if@altsecnumformat
\HyLTR@saved@LTRfootnotetext	16101, 18916,	. 20301, 21040, 21813
..... 15757, 15782	19366, 19428, 19571	\if@bib@break@ 20311,
\HyOrg@maketitle ..	\HyRTL@saved@RTLfootnotetext	20336, 20351,
. 15752, 15763, 15768	..... 15756, 15779	20367, 21072,
\HyOrg@TX@endtabularx		21097, 21112,
..... 15560		21128, 21837,
\hyper@@anchor 15484,	I	21862, 21877, 21893
15487, 15495,	\i ..... 6571,	\if@bibchapter ... 22614
15498, 15506,	6572, 6584, 6596, 6597	\if@bidi@amsmathloaded@
15509, 15517,	\ialign ... 393, 22305,	..... 16521
15520, 15532,	22343, 24418, 24606	\if@bidi@amstextloaded@
15535, 15547,	\IeC ..... 16227	..... 16524
15550, 15607,	\if ..... 361, 362, 363,	\if@bidi@amsthmloaded@
15610, 15645,	365, 366, 367, 368,	..... 16527
15648, 15678,	369, 372, 373, 374,	\if@bidi@animateloaded@
15681, 15709,	398, 404, 1386,	..... 16530
15712, 15740, 15743	1387, 1388, 1390,	\if@bidi@arabxetexloaded@
\hyper@anchorend . 15980	1391, 1392, 1393,	..... 16729
\hyper@anchorstart 15980	1394, 1395, 1396,	\if@bidi@arrayloaded@
\hyper@link ..... 15808	1399, 1400, 1401,	..... 16663
\hyper@linkend ....	1424, 1425, 1426,	\if@bidi@arydshlnloaded@
.. 15419, 15423,	1428, 1429, 1430,	..... 16687
15427, 15429,	1431, 1432, 4732,	\if@bidi@blank ....
15809, 15942, 15945	4738, 4741, 4744,	... 5366, 5875, 5882
\hyper@linkfile .. 15811	4747, 6267, 6322,	\if@bidi@breqnloaded@
\hyper@linkstart ..	6326, 6332, 6336,	..... 16533
.. 15419, 15423,	6377, 6460, 6843,	\if@bidi@calsloaded@
15427, 15429,	9713, 9732, 9765,	..... 16536
15809, 15938, 15945	9766, 9767, 14136,	\if@bidi@captionloaded@
\hyper@linkurl ... 15880	14160, 14394,	..... 16539
\hyper@makecurrent 15966	16194, 16742,	\if@bidi@colorloaded@
\hyper@nat@current 15939	16744, 16746,	..... 16545
\hyper@natlinkbreak	18409, 22312,	\if@bidi@colortblloaded@
..... 15944	22346, 22351,	..... 16564
\hyper@natlinkend 15941	22438, 22439,	\if@bidi@croploaded@
\hyper@natlinkstart	22440, 22441,	..... 16542
..... 15936	22442, 22443,	
	22444, 22446,	



\if@bidi@csdef . 4228, 5330, 5379, 16875, 18075, 23726, 23732	\if@bidi@fontspecloaded@ ..... 16726	\if@bidi@pdfencrypt ..... 3977, 4211
\if@bidi@csmacro .. 5378	\if@bidi@framedloaded@ ..... 16576	\if@bidi@pdfm@mark ..... 3980,
\if@bidi@csprimitive ..... 5388	\if@bidi@ftnrightloaded@ ..... 16579	4223, 4279, 4343
\if@bidi@csundef .. .... 5039, 5042, 5045, 5049, 5054, 5336, 5415, 5450, 5475, 5504, 5529, 5561, 5567, 5595, 5601, 5610, 5627, 6152, 7048, 7100, 11581, 11582, 11595, 11596, 13605, 18135, 25098	\if@bidi@geometryloaded@ ..... 16594	\if@bidi@pdfpagesloaded@ ..... 16627
\if@bidi@cutedloaded@ ..... 16552	\if@bidi@graphicxloaded@ ..... 16591	\if@bidi@perpage@footnote ..... 3972, 4198
\if@bidi@cutwinloaded@ ..... 16549	\if@bidi@hvfloatloaded@ ..... 16597	\if@bidi@pgfloaded@ ..... 16645
\if@bidi@dblfnoteloaded@ ..... 16555	\if@bidi@hyperrefloaded@ ..... 16609	\if@bidi@picinparloaded@ ..... 16648
\if@bidi@def ..... 5348	\if@bidi@lettrineloaded@ ..... 16630	\if@bidi@polyglossialoaded@ ..... 16732
\if@bidi@defmacro . .... 5371, 5372, 5380, 5774, 5793, 5940	\if@bidi@linenoloaded@ ..... 16633	\if@bidi@pstricksloaded@ ..... 16642
\if@bidi@defparam . ..... 5795, 5889, 5890, 5942	\if@bidi@list@minipage@parbox ..... 3987, 24455, 24515, 24524, 24533, 24542, 24555, 24556, 24570, 24571	\if@bidi@quotchaploaded@ ..... 16651
\if@bidi@defprimitive ..... 5382	\if@bidi@list@minipage@parbox@not@nob ..... 3988, 24463, 24517, 24526, 24535, 24544	\if@bidi@rotatingloaded@ ..... 16708
\if@bidi@defprotected ..... 5802, 5898, 5899, 5953	\if@bidi@listingsloaded@ ..... 16636	\if@bidi@soulloaded@ ..... 16669
\if@bidi@diagboxloaded@ ..... 16558	\if@bidi@longtableloaded@ ..... 16684	\if@bidi@stabularloaded@ ..... 16666
\if@bidi@draftwatermarkloaded@ ..... 16618	\if@bidi@mdf@RTL .. ..... 16904, 16911	\if@bidi@subfigloaded@ ..... 16672
\if@bidi@empheqloaded@ ..... 16621	\if@bidi@mdf@framedloaded@ ..... 16600	\if@bidi@subfigureloaded@ ..... 16675
\if@bidi@fancyboxloaded@ ..... 16612	\if@bidi@midfloatloaded@ ..... 16603	\if@bidi@supertabularloaded@ ..... 16678
\if@bidi@fancyhdrloaded@ ..... 16615	\if@bidi@minitocloaded@ ..... 16696	\if@bidi@tblsloaded@ ..... 16711
\if@bidi@fancyvrbloaded@ ..... 16735	\if@bidi@multicolloaded@ ..... 16690	\if@bidi@tabularyloaded@ ..... 16714
\if@bidi@floatloaded@ ..... 16567	\if@bidi@multienumloaded@ ..... 16693	\if@bidi@tikzloaded@ ..... 16654
\if@bidi@floatrowloaded@ ..... 16570	\if@bidi@natbibloaded@ ..... 16699	\if@bidi@titlesecloaded@ ..... 16657
\if@bidi@flowframloaded@ ..... 16573	\if@bidi@newfloatloaded@ ..... 16702	\if@bidi@titletocloaded@ ..... 16660
	\if@bidi@ntheoremloaded@ ..... 16606	\if@bidi@tocbasicloaded@ ..... 16717
	\if@bidi@overpicloaded@ ..... 16624	\if@bidi@tocbibindloaded@ ..... 16723
	\if@bidi@patchable ..... 5762, 5763	\if@bidi@tocstyleloaded@ ..... 16720
		\if@bidi@todonotes@figposition@right .. 23986, 24084, 24089, 24096, 24102
		\if@bidi@todonotes@textdirection@RTL ..... 23985, 24019, 24059, 24093



<code>\if@bidi@undef</code> . . . .	<code>\if@DEBUG</code> . . . . . 4787	3983, 5013, 9193,
. . . . 5354, 5419,	<code>\if@displaypagenumbers</code>	9381, 9690, 11252,
5671, 5682, 5701,	. . . . . 4995, 4998	11523, 13682,
5705, 5709, 5713,	<code>\if@donumindex</code> . . . .	16058, 17714,
5723, 5727, 5731,	. . . . . 22615, 22634	18221, 19006,
5735, 5771, 5790, 5937	<code>\if@dotocbib</code> . . . . . 22576	19400, 19594,
<code>\if@bidi@void@mpfootins</code>	<code>\if@dotocind</code> 22622, 22639	19797, 20327,
. 11579, 11846, 11854	<code>\if@extrafootnotefeatures</code>	21088, 21853, 22583
<code>\if@bidi@wrapfigloaded@</code>	. . . . . 3985, 4183	<code>\if@LTRmarginpar</code> 3982,
. . . . . 16588	<code>\if@fcolmade</code> .. 10092,	24963, 24968, 24972
<code>\if@bidi@xcolorloaded@</code>	10151, 13875,	<code>\if@mainmatter</code> . 8711,
. . . . . 16561	13915, 13999,	9467, 9662, 11494,
<code>\if@bidi@xltxtloaded@</code>	14750, 14803,	18790, 21043, 21065
. . . . . 16582	14832, 17807,	<code>\if@minipage</code> . 7456, 17705
<code>\if@bidi@xtabloaded@</code>	17904, 24738, 24781	<code>\if@mparswitch</code> . . . 24936
. . . . . 16681	<code>\if@ff@nwpg</code> . . . . . 13967	<code>\if@newlist</code> . . . 14015,
<code>\if@bidi@xunicodeloaded@</code>	<code>\if@files</code> . . . . .	14047, 24992, 25067
. . . . . 16585	5066, 5440, 5446,	<code>\if@nobreak</code> . . . . 7044,
<code>\if@capbreak</code> . . . . .	5465, 5471, 5494,	14668, 16915, 18851
. 20505, 21266, 22031	5500, 5519, 5525,	<code>\if@nonlatin</code> . . . . .
<code>\if@captionabove</code> ..	5551, 5557, 5585, 5591	. . 336, 348, 3971,
. . . . . 20440,	<code>\if@firstcolumn</code> 10043,	4196, 5312, 5318,
20446, 20540,	10106, 10167,	9748, 9750, 16899
20551, 21201,	10439, 10458,	<code>\if@noparlist</code> . . . . . 9070
21207, 21302,	13843, 13879,	<code>\if@noskipsec</code> .. 9711,
21313, 21966,	14707, 14756,	14669, 16916, 18852
21972, 22067, 22078	14844, 17719,	<code>\if@oldtoc</code> . 658, 684,
<code>\if@cfthaspart</code> . . . . 22671	17819, 17925,	886, 902, 1141,
<code>\if@cfthaschapter</code> .	24697, 24744, 24934	1168, 9143, 9167,
. . . . . 22662,	<code>\if@firstdetailselement</code>	9320, 9344, 18951,
22666, 22672,	. . . . . 10651, 10653	18975, 19323, 19347
22693, 22705, 22727	<code>\if@firstfooterelement</code>	<code>\if@openright</code> . . . . .
<code>\if@cfthaspart</code> . . . 22658	. . . . . 10555, 10558	. . 8739, 9681, 11514
<code>\if@chapterentrywithdots</code>	<code>\if@hboxRconstruct</code>	<code>\if@ovb</code> . . . . . 13819
. . . . . 21361, 22126	. . . . . 3976,	<code>\if@ovl</code> . . . . . 13817
<code>\if@colour</code> . . . . . 4816	4282, 5300, 5306,	<code>\if@ovr</code> . . . . . 13816
<code>\if@colourgreen</code> 10486,	14393, 24462,	<code>\if@ovt</code> . . . . . 13818
10515, 10584, 10610	24486, 24517,	<code>\if@pboxsw</code> . . . . . 24511
<code>\if@colourgrey</code> 10490,	24526, 24535,	<code>\if@restonecol</code> . . . . .
10529, 10588, 10622	24544, 24555,	. . . . . 604, 620,
<code>\if@colourorange</code> ..	24556, 24570, 24571	869, 1121, 9123,
. . . . . 10484,	<code>\if@ignore</code> . . . 6119, 6121	9300, 9510, 18913,
10508, 10582, 10604	<code>\if@inlabel</code> . . . . . 9712	19168, 19627, 22654
<code>\if@coloured</code> . 10488,	<code>\if@inltxdoc</code> . . . . . 22607	<code>\if@reversemargin</code> 24939
10522, 10586, 10616	<code>\if@insert</code> . . . . . 10466	<code>\if@right@column@shrink</code>
<code>\if@compatibility</code> .	<code>\if@komalongtable</code> .	. 10247, 10276, 10351
. . 518, 670, 746,	. 20537, 21299, 22064	<code>\if@right@column@spread</code>
914, 998, 1153,	<code>\if@left@column@shrink</code>	. . . . . 10345
1248, 9241, 9418,	. . . . . 10329	<code>\if@rjfield</code> . . . . . 24978
19045, 19184,	<code>\if@left@column@spread</code>	<code>\if@rl</code> . . . . . 3970
22697, 23232, 24586	. . . . . 10246, 10323	<code>\if@rl@footnote</code> . . . 3986
<code>\if@contcw</code> . 17636, 17665	<code>\if@LTRbibitems</code> . 87,	<code>\if@rlmain</code> . . . . . 3969
<code>\if@conthang</code> . . . . . 17646	290, 572, 707,	
<code>\if@contindent</code> . . . 17652	970, 1220, 2516,	



<p>\if@rot@twoside 19828, 19833, 19843, 19873, 19879, 19891</p> <p>\if@RTL . . . . . 12, 13, 25, 87, 104, 107, 108, 109, 173, 180, 189, 207, 208, 224, 227, 228, 229, 290, 305, 309, 513, 530, 533, 534, 557, 572, 624, 637, 648, 649, 654, 665, 690, 693, 694, 707, 875, 876, 882, 892, 895, 896, 909, 931, 970, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 1220, 1359, 1360, 1471, 1472, 1485, 1496, 1511, 1567, 1573, 1597, 1606, 1620, 1629, 1641, 1650, 1662, 1671, 1851, 2360, 2410, 2516, 2612, 2635, 2655, 2673, 2681, 2700, 2822, 2861, 2907, 3090, 3097, 3104, 3199, 3216, 3222, 3225, 3228, 3231, 3233, 3236, 3239, 3241, 3244, 3364, 3371, 3416, 3421, 3507, 3562, 3568, 3678, 3700, 3754, 3763, 3773, 3795, 3836, 3845, 3864, 3970, 4003, 4281, 4288, 5013, 5276, 5282, 5439, 5464, 5493, 5518, 5550, 5584, 8367, 8368, 8485, 8486, 8487, 9127, 9133, 9134, 9139, 9150, 9173, 9176, 9177, 9193, 9304, 9310, 9311, 9316, 9327, 9350, 9353, 9354, 9381, 9465, 9476, 9478, 9614, 9629, 9632, 9633, 9660, 9674, 9690, 9709,</p>	<p>9721, 9734, 9809, 9850, 9851, 9855, 9856, 9858, 9865, 9871, 9890, 9893, 9894, 9900, 9905, 10012, 10015, 10032, 10036, 10857, 10864, 10880, 10886, 10902, 10909, 11038, 11118, 11133, 11155, 11156, 11157, 11158, 11181, 11201, 11204, 11205, 11215, 11229, 11242, 11252, 11469, 11492, 11507, 11523, 11544, 11547, 11552, 11560, 13627, 13642, 13645, 13646, 13653, 13665, 13682, 13951, 14108, 14394, 14541, 14543, 14940, 14942, 14945, 14946, 14947, 14953, 14955, 14972, 14975, 14982, 14991, 14997, 15001, 15004, 15018, 15043, 15050, 15215, 15317, 15419, 15427, 15809, 15845, 15877, 15906, 15932, 15938, 15942, 15945, 15990, 15998, 16006, 16014, 16022, 16031, 16039, 16048, 16058, 16076, 16079, 16080, 16081, 16096, 16107, 16108, 16142, 16146, 16149, 16154, 16275, 16282, 16290, 16310,</p>	<p>16320, 16795, 16867, 16881, 16888, 16907, 16990, 16998, 17189, 17515, 17595, 17596, 17597, 17598, 17599, 17600, 17679, 17681, 17714, 17959, 17963, 17964, 17971, 17976, 17983, 17988, 18221, 18308, 18328, 18343, 18357, 18389, 18519, 18569, 18644, 18698, 18699, 18702, 18706, 18738, 18739, 18740, 18785, 18787, 18793, 18804, 18806, 18817, 18819, 18830, 18832, 18841, 18843, 18860, 18880, 18896, 18897, 18917, 18930, 18941, 18942, 18947, 18958, 18981, 18984, 18985, 19006, 19301, 19302, 19313, 19314, 19319, 19330, 19353, 19356, 19357, 19367, 19380, 19400, 19429, 19545, 19560, 19563, 19564, 19569, 19570, 19594, 19730, 19745, 19748, 19749, 19776, 19788, 19797, 19908, 19910, 19914, 19918, 19920, 19925, 19929, 19932, 19936, 19938, 19942, 19967, 19975, 20000,</p>
---	--	--



20013,	20299,	23974,	24034,	13146,	13148,
20300,	20327,	24037,	24121,	13302,	13316,
20375,	20376,	24156,	24164,	13351,	13406,
20377,	20379,	24191,	24192,	13415,	14288,
20427,	20431,	24195,	24196,	14337,	14377, 14378
20706,	20714,	24198,	24235,	\if@RTLbibitems . 87,	
20739,	20753,	24239,	24292,	290,	572, 707,
21039,	21088,	24297,	24343,	970,	1220, 2516,
21136,	21137,	24344,	24371,	3984,	5013, 9193,
21138,	21140,	24372,	24375,	9381,	9690, 11252,
21188,	21192,	24379,	24456,	11523,	13682,
21479,	21487,	24464,	24470,	16058,	17714,
21512,	21526,	24476,	24489,	18221,	19006,
21812,	21853,	24557,	24558,	19400,	19594,
21901,	21902,	24560,	24563,	19797,	20327,
21903,	21905,	24566,	24570,	21088,	21853, 22583
21953,	21957,	24571,	24572,	\if@RTLmain 1503, 1940,	
22222,	22225,	24573,	24575,	1948,	1957, 1965,
22255,	22275,	24577,	24578,	1987,	2004, 2018,
22473,	22518,	24583,	24630,	2033,	3078, 3170,
22535,	22555,	24631,	24637,	3172,	3175, 3285,
22558,	22563,	24642,	24963,	3296,	3309, 3316,
22567,	22568,	24968,	24972,	3394,	3487, 3494,
22583,	22679,	24980,	24981,	3586,	3890, 3969,
22680,	22681,	24982,	24983,	4002,	4021, 4280,
22689,	22710,	25078,	25081,	4287,	4306, 9908,
22711,	22712,	25089,	25099,	9931,	9954, 9977,
22720,	22733,	25201, 25211, 25217		10361,	10845,
22734,	22735,	\if@RTL@footnote 36,		10970,	10973,
22743,	22750,	239,	2146, 2196,	10979,	10987,
22751,	22752,	2198,	3986, 4284,	10997,	11007,
22760,	22767,	7735,	11645,	11013,	11027,
22768,	22769,	11686,	11944,	14113,	15068,
22777,	22784,	11949,	11995,	15078,	15095,
22785,	22786,	12000,	12002,	15101,	16328,
22794,	22801,	12088,	12093,	17916,	18073,
22802,	22803,	12136,	12141,	24787,	25008,
22811,	22818,	12143,	12226,	25014,	25043, 25059
22819,	22820,	12231,	12277,	\if@RTLmarginpar 3981,	
22828,	22836,	12282,	12284,	24963,	24968, 24972
22837,	22838,	12370,	12375,	\if@RTLtab . 362, 363,	
22846,	22855,	12421,	12426,	379,	382, 404, 406,
22856,	22857,	12428,	12514,	1367,	1368, 1387,
22865,	22875,	12519,	12563,	1388,	1425, 1426,
22876,	22877,	12565,	12572,	3975,	4651, 4655,
22885,	22910,	12658,	12663,	4656,	5288, 5294,
22911,	22912,	12707,	12709,	9769,	9771, 9792,
22920,	22960,	12716,	12802,	9799,	9821, 9822,
22961,	22962,	12807,	12853,	9835,	9846, 16743,
23759,	23821,	12858,	12860,	16745,	16856,
23822,	23823,	12946,	12951,	16859,	22290,
23829,	23832,	12997,	13002,	22294,	22295,
23879,	23939,	13004,	13090,	22312,	22320,
23944,	23967,	13095,	13141,	22326,	22351,



22439, 22440,	17578, 18900,	2212, 2228, 14114,
24415, 24590,	18927, 18934,	14349, 14363, 14377
24594, 24595,	19108, 19155,	\ifbidi@in@label ..
24615, 24623, 24624	19249, 19377,	..... 6331, 6333
\if@sectionentrywithdots	19384, 19493,	\IfbidiPackageVersion
..... 20599	19614, 19675,	..... 3956
\if@sentdir .....	20217, 20957,	\IfbidiPackageVersionBefore
..... 4283	21730, 22609,	..... 3950
\if@specialpage ...	24659, 24933, 25092	\IfbidiPackageVersionLater
..... 13970, 25003	\if@twoside .....	..... 3944
\if@star .....	... 8656, 11005,	\ifblank .....
..... 18774	13974, 20098,	..... 2474, 3339
\if@tab@rl .....	20142, 20220,	\ifblendcolors
..... 3975	20234, 20838,	24224, 24246, 24273
\if@tablecaptionabove	20882, 20960,	\ifbool .....
. 20569, 21331, 22096	20974, 21611,	..... 16929, 16938
\if@tempswa .....	21655, 21733,	\ifcase 1408, 1435, 1439,
.....	21747, 24147, 25006	1443, 1447, 1473,
1876, 1886, 1895,	\if@vihproof 17944, 17950	4072, 4078, 4084,
1910, 6886, 6931,	\ifadl@inactive ... 1373	4090, 4096, 4102,
10753, 10810,	\ifadl@usingarypkg 1376	4114, 4120, 4126,
11818, 20150,	\ifAM@output .....	4133, 4147, 4154,
20890, 21663, 23414	..... 18435	4164, 9823, 15415,
\if@thmmarks .. 18291,	\ifAM@survey .....	16808, 22549,
18295, 18312, 18316	..... 18413	22930, 23811,
\if@titlecentered .	\IfArgIsEmpty .....	23881, 23991,
..... 1341, 19281	. 19983, 20722, 21495	23999, 24223,
\if@titlepage .....	\ifartopt .....	24272, 24674, 24675
.. 411, 625, 733,	..... 17615	\ifcat 4013, 4298, 6217, 6218
932, 985, 1184,	\ifbeamer@centered 2125	\ifconvertcolorsU .
1235, 9512, 11275,	..... 1858, 1861	..... 24209,
11368, 13697,	\ifbeamer@colbox@ignorebg	24225, 24252, 24274
18918, 19032,	..... 1894	\ifcPODDpage .....
19169, 19368,	\ifbeamer@colbox@rounded	..... 7233
19431, 19628,	..... 1894	\ifcsname .....
20051, 20791, 21564	\ifbeamer@compress 2554	5331, 5337, 5688,
\if@titlepageiscoverpage	\ifbeamer@dogeometry	6080, 6094, 6108,
. 20056, 20796, 21569	..... 1936	6118, 6140, 6660,
\if@tocstyle@penalties	\ifbeamer@onlytextwidth	6675, 6889, 6897,
..... 23742, 23851	..... 2107	18245, 18255,
\if@todonotes@authorgiven	\ifbeamer@plainframe	18269, 23766,
..... 24010,	..... 2381,	23767, 23776,
24021, 24046, 24063	2398, 2409, 3450	23787, 23791,
\if@todonotes@disabled	\ifbeamer@sb@subsection	23801, 23813,
..... 24004, 24005	... 3658, 3669, 3677	23867, 23895,
\if@todonotes@dviStyle	\ifbeamer@theme@subsection	23896, 23904,
..... 24007, 24041	..... 3418	23908, 23912,
\if@ttb@rotate ... 14107	\ifbeamer@tree@showhooks	23916, 23920,
\if@twocolumn ... 98,	..... 3853, 3872	23924, 23928, 23932
218, 458, 591, 607,	\ifbeamercolorempy	\ifdefined ... 5349, 5355
634, 641, 809, 856,	1857, 2768, 2770,	\ifdefining .....
941, 952, 1061,	2773, 2783, 2785,	..... 6337
1108, 1193, 1200,	2788, 2798, 2800,	\ifdfn@allowcbreak
1311, 4022, 4028,	2803, 3089, 3096,	..... 10706, 10727
8665, 9110, 9287,	3124, 3126, 3190, 3247	\ifdfn@ruleboth ...
9497, 9559, 11318,	\ifbidi@autofooterule	..... 10764, 10818
11415, 13740,	..... 2196,	\ifdfn@trysingle ..
14846, 16070,		..... 10745, 10802



<code>\ifdim</code> . . . . .	1461,	17749,	17751,	15261,	15266,
	1462, 1773, 1780,	17841,	17849,	15270,	15274,
	1792, 1814, 1873,	17851,	17926,	15278,	15292,
	1875, 1876, 1881,	17937,	18021,	15308,	15319,
	1883, 1885, 1887,	18029,	18035,	15323,	15328,
	1888, 1904, 1920,	18049,	18057,	15332,	15336,
	2391, 3225, 3233,	18463,	18516,	15340,	15347,
	3241, 3445, 3484,	18541,	18599,	15353,	15360,
	3519, 3855, 3874,	18610,	18617,	15366, 15372, 15378	
	3945, 3951, 3957,	18622,	18637,	<code>\ifhv@nonFloat</code>	15160,
	7469, 8036, 8805,	18750,	18775,	15167, 15185,	
	8842, 8844, 8903,	20411,	20494,	15206, 15398, 15400	
	8904, 8906, 8912,	21172,	21255,	<code>\ifhv@onlyText</code> . . . .	
	8952, 8964, 9046,	21937,	22020,	. . . . .	15168, 15186
	9048, 9061, 9063,	22337,	23270,	<code>\ifhv@useOBox</code>	15131, 15135
	9071, 9742, 10186,	23315,	23330,	<code>\ifHy@href@ismap</code> .	15897
	10201, 10245,	23335,	23777,	<code>\ifHy@hyperfootnotes</code>	
	10248, 10277,	23802,	23868,	. 11583, 11597, 15434	
	10285, 10286,	24124,	24126,	<code>\ifHy@nesting</code> . . . . .	
	10292, 10315,	24128,	24130,	. . 15483, 15494,	
	10322, 10328,	24131,	24132,	15505, 15516,	
	10344, 10350,	24134, 24174,		15531, 15546,	
	10419, 10435,	24181, 24945, 25077		15606, 15644,	
	10448, 10451,	<code>\ifdofullc@p</code> . . . . .		15677, 15708, 15739	
	10453, 10700,	. 20481, 21242, 22007		<code>\ifHy@pdfa</code> . . . 15823,	
	10721, 10741,	<code>\iffalse</code> . . . . .		15857, 15888, 15917	
	10750, 10777,	5197, 5198, 5200,		<code>\ifin@</code> . . . . . 6905	
	10781, 10798,	5213, 5214, 5215,		<code>\ifin@label</code> . . . . . 6339	
	10807, 10829,	14668, 14669,		<code>\ifinner</code> . . 4722, 7700,	
	10833, 11751,	16438, 16915,		7744, 7788, 14556,	
	11756, 11763,	16916, 18851, 18852		24116, 24850, 24894	
	11768, 11775,	<code>\IfFileExists</code> . . 6615,		<code>\ifL@grid</code> . . . . . 16248	
	11780, 13289,	7213, 8685, 8750		<code>\ifL@realh</code> . . . . . 16184	
	13341, 13805,	<code>\iffootdir@debug</code> . .		<code>\iflatin</code> . . . . . 5311	
	13807, 13950,	. . . . . 14122, 14126		<code>\ifLettrineImage</code> . 16178	
	14482, 14487,	<code>\ifFootnoteBackref@numberlinks</code>		<code>\ifLettrineOnGrid</code> 16179	
	14494, 14499,	. . . . . 14480		<code>\ifLettrineRealHeight</code>	
	14506, 14511,	<code>\ifGin@grid</code> . 18344, 18357		. . . . . 16180	
	14553, 14561,	<code>\ifGin@iso</code> . . . . . 15057		<code>\ifLettrineSelfRef</code> 16181	
	14577, 14578,	<code>\ifhbox</code> . . . . 13231, 13235		<code>\ifLtoR</code> . . . . . 5281	
	14608, 14616,	<code>\ifhmode</code> . . . . .		<code>\ifLtoRhboxconstruct</code>	
	14629, 14644,	2536, 4716, 7694,		. . . . . 5305	
	14677, 14678,	7738, 7782, 8025,		<code>\ifLtoRtable</code> . . . . . 5293	
	14960, 14967,	8031, 9856, 9858,		<code>\ifmaskcolors</code> . 24213,	
	15006, 15013,	9865, 9871, 9890,		24224, 24256, 24273	
	15058, 15148,	22511, 24196,		<code>\ifmmode</code> . . . . .	
	15286, 15302,	24198, 24235,		4271, 9850, 9855,	
	16233, 16247,	24239, 24292,		13920, 13930,	
	16253, 16387,	24570, 24571,		14940, 14942,	
	16796, 16843,	24614, 24844, 24888		14945, 14946,	
	16846, 17585,	<code>\ifhv@fbox</code> . . . 15217,		14947, 14953,	
	17628, 17635,	15223, 15230,		14955, 14972,	
	17639, 17641,	15236, 15242,		14975, 14982,	
	17680, 17741,	15248, 15257,		14991, 14997,	



15001,	15004,	11479,	11481,	20043,	20144,
15018,	15043,	11483,	11493,	20191,	20218,
15050,	15794,	11815,	11816,	20267,	20702,
15806,	15809,	11912,	13581,	20713,	20783,
15845,	15877,	13622,	13637,	20884,	20931,
15906,	15932,	13654,	13741,	20958,	21007,
18446,	18504,	13791,	13793,	21042,	21057,
18742,	18778,	13795,	14083,	21060,	21064,
19908,	19910,	14085,	14087,	21475,	21486,
19914,	19918,	14096,	14098,	21556,	21657,
19920,	19925,	14100,	14246,	21704,	21731,
19929,	19932,	14349,	14363,	21780,	21826,
19936,	19938,	14377,	14677,	21829,	22382,
19942,	24191,	14679,	14867,	22430,	22431,
24195,	24506,	15796,	15801,	22432,	22433,
24581		16098,	16240,	22435,	22540,
\ifNAT@openbib . . .	18224	16300,	16358,	22542,	22661,
\ifnonlatin . . . . .	5317	16361,	16369,	22665,	22707,
\ifnum . . . . .	3, 137,	16372,	16441,	22726,	22748,
	143, 198, 304, 353,	16757,	16758,	22765,	22782,
	354, 355, 356, 358,	16838,	16839,	22799,	22816,
	459, 508, 525, 551,	17579,	17612,	22834,	22853,
	560, 644, 660, 678,	17738,	17768,	22873,	22908,
	810, 871, 904, 922,	17838,	17868,	23091,	23092,
	1062, 1127, 1143,	17957,	17969,	23203,	23204,
	1161, 1312, 1378,	17981,	18081,	23231,	23241,
	1379, 1380, 1381,	18087,	18264,	23255,	23741,
	1383, 1422, 1423,	18274,	18529,	23746,	23764,
	2196, 2212, 2228,	18535,	18547,	23937,	24155,
	2475, 2553, 2557,	18550,	18551,	24437,	24620,
	2578, 2579, 2581,	18552,	18554,	24621,	24635,
	3183, 3264, 3278,	18555,	18556,	24690,	24941,
	3279, 4192, 4193,	18557,	18566,	24963,	25086, 25087
	4194, 4748, 5084,	18588,	18593,	\ifodd . . . .	4733, 8656,
	5612, 6191, 6219,	18604,	18615,		10978, 11006,
	6221, 6229, 6231,	18616,	18622,		11077, 13975,
	6432, 6442, 6540,	18626,	18629,		15088, 15094,
	6546, 6571, 6586,	18630,	18736,		24147, 24937, 25007
	6592, 8925, 9129,	18737,	18744,	\ifoddpage . . . . .	7227
	9145, 9161, 9225,	18789,	18937,	\ifonelinecaptions	
	9227, 9229, 9306,	18953,	18969,	. . . . .	20384, 21145, 21910
	9322, 9338, 9402,	19027,	19029,	\ifpgfrememberpicturepositiononpage	
	9404, 9406, 9466,	19031,	19109,	. . . . .	18459
	9560, 9609, 9624,	19250,	19309,	\ifpoem@started	8899,
	9647, 9649, 9651,	19325,	19341,		8905, 9045, 9052, 9066
	9661, 9743, 10010,	19392,	19394,	\ifprimitive . .	5383, 5390
	10018,	10023,	19396,	\ifPst@shift@star	18766
	10030,	10240,	19541,	\ifr@ggedbottom . .	18716
	10241,	10254,	19581,	\ifrot@messages . . . . .	19878, 19890
	10265,	10401,	19585,		
	10413,	10426,	19676,	\ifRtoL . . . . .	5275
	10641,	11196,	19725,	\ifRtoLhboxconstruct	
	11210,	11223,	19763,	. . . . .	5299
	11232,	11319,	19767,	\ifRtoLtable . . . . .	5287
	11416,	11465,	19777,		
			19963,		
			19974,		



\ifshowgrid . . . . .	18744	23689, 23693, 23698	16944, 18011,
\ifsomething . . . . .	6470	\Ifstrstart . . .	23430, 18302, 18322, 22324
\Ifstr . . . . .	22973, 22974,	23462, 23490,	\ifvoid . . . . .
22975, 22976,		23503, 23562, 23714	10078, 10094,
22977, 22978,		\iftagsleft@ . . .	10137, 10153,
22979, 22980,		328, 11035	10208, 10395,
22981, 22996,		\iftest . . . . .	10704, 10725,
22997, 22998,		6274	10736, 10761,
22999, 23001,		\ifthenelse 4967, 4984,	10793, 10815,
23002, 23003,		4988, 4992, 5000,	11821, 11827,
23006, 23009,		7126, 7186, 7188,	11841, 11842,
23018, 23019,		7191, 7195, 7198,	11858, 11870,
23020, 23023,		7201, 7226, 7283,	13555, 13568,
23026, 23045,		7302, 7317, 7322,	13580, 13593,
23046, 23047,		7328, 7337, 7348,	14412, 14637,
23049, 23050,		7354, 7360, 7361,	14658, 14813,
23051, 23054,		7368, 7375, 7377,	14818, 14836,
23057, 23066,		7383, 7400, 7418,	14838, 14847,
23067, 23068,		7420, 7424, 7442,	14857, 14877,
23071, 23074,		7443, 7446, 7447,	14878, 14882,
23132, 23133,		7482, 7491, 7502,	14893, 14900,
23134, 23135,		7512, 7561, 7676,	15973, 15977,
23136, 23137,		7900, 7918, 7919,	16856, 16960,
23138, 23139,		7937, 7938, 7956,	17996, 18139,
23140, 23155,		7957, 7988, 7989,	18644, 18710,
23156, 23157,		8107, 8112, 8136,	18712, 18717,
23158, 23160,		8141, 8165, 8170,	24297, 24350,
23161, 23162,		8247, 8251, 8299,	24360, 24792,
23165, 23168,		8512, 8558, 8567,	24807, 24808, 24831
23177, 23178,		8575, 8602, 8649,	\ifWF@float . . . . .
23179, 23182,		8718, 8729, 10545,	24129, 24143
23185, 23439,		10551, 10568,	\ifx . . . . .
23440, 23441,		10571, 10572,	115, 134, 136, 151,
23442, 23443,		10573, 10574,	155, 159, 166, 794,
23444, 23445,		10575, 10661,	798, 1046, 1050,
23446, 23447,		10666, 10669,	1296, 1300, 1892,
23516, 23517,		10670, 10671,	1893, 2263, 2289,
23518, 23519,		10672, 10673,	2315, 2341, 2972,
23521, 23522,		10676, 10680,	2978, 2984, 3062,
23523, 23526,		14056, 14071,	3269, 3294, 3314,
23529, 23538,		18403, 19832, 19877	3464, 3480, 3547,
23539, 23540,		\Iftocfeature . . . . .	3611, 3707, 3802,
23543, 23546,		23111,	4202, 4203, 4599,
23576, 23577,		23223, 23281, 23291	4605, 4611, 4626,
23578, 23580,		\iftocstyle@autolength	4657, 4709, 4712,
23581, 23582,		. . . . .	4973, 4974, 4975,
23585, 23588,		23786	4977, 5077, 5106,
23597, 23598,		\iftocstyle@indentnotnumbered	5109, 5129, 5133,
23599, 23602,		. . . . .	5153, 5157, 5172,
23605, 23625,		23831, 23878	5176, 5269, 5338,
23628, 23631,		\iftrue . . . . .	5356, 5651, 5839,
23651, 23655,		5199,	5855, 6197, 6203,
23660, 23672,		5215, 7641, 7654, 7667	6204, 6241, 6242,
23675, 23679,		\ifttl@label . . . . .	6243, 6244, 6254,
		22516	6260, 6285, 6290,
		\ifTX@ . . . . .	6295, 6300, 6306,
		22372	6311, 6499, 6605,
		\ifvbox . . . . .	
		13514,	
		14914, 18137, 18142	
		\ifvmode . . . . .	
		5436, 5490,	
		5547, 7044, 7430,	
		7433, 7436, 7439,	



6629, 6644, 6709,	18826,	19093,	23861,	23886,
6721, 6753, 6764,	19097,	19234,	23953,	23958,
6799, 6805, 6816,	19238,	19996,	23960,	24204,
6817, 6828, 6858,	20031,	20038,	24247,	24380,
6867, 6868, 6888,	20095,	20096,	24490,	24493,
6903, 6913, 6927,	20103,	20111,	24500,	24661,
6934, 6946, 6962,	20118,	20124,	24669,	24708,
7017, 7028, 7970,	20146,	20162,	24755,	25020,
8794, 8815, 8968,	20169,	20177,	25021, 25023, 25024	
9020, 9025, 9027,	20185,	20197,	\ifXC@tst . 24227, 24276	
10054, 10117,	20204,	20219,	\ignorespaces ... 46,	
10773, 10825,	20220,	20224,	60, 76, 122, 249,	
11542, 11558,	20225,	20233,	263, 278, 336,	
11562, 13853,	20234,	20238,	630, 639, 937,	
13889, 14243,	20239,	20248,	1189, 1198, 1884,	
14521, 14722,	20249,	20253,	2099, 2103, 2108,	
14771, 14809,	20254,	20262,	2120, 2130, 2158,	
14986, 15028,	20315,	20735,	2175, 2192, 2208,	
15029, 15035,	20771,	20778,	2224, 2240, 2600,	
15122, 15124,	20835,	20836,	6028, 6518, 6534,	
15130, 15141,	20843,	20851,	6536, 6542, 6545,	
15143, 15146,	20858,	20864,	6548, 6552, 6557,	
15147, 15164,	20886,	20902,	7453, 7460, 7461,	
15170, 15171,	20909,	20917,	7470, 8057, 8075,	
15173, 15176,	20925,	20937,	8093, 8129, 8158,	
15188, 15189,	20944,	20959,	8187, 8452, 8876,	
15191, 15194,	20960,	20964,	8887, 9040, 9041,	
15203, 15205,	20965,	20973,	9188, 9376, 9746,	
15214, 15216,	20974,	20978,	9752, 9865, 9871,	
15229, 15256,	20979,	20988,	9879, 9886, 11547,	
15265, 15285,	20989,	20993,	11561, 11628,	
15301, 15318,	20994,	21002,	11634, 11640,	
15327, 15346,	21075,	21508,	14300, 14317,	
15359, 15393,	21544,	21551,	14333, 14360,	
15399, 15412,	21608,	21609,	14374, 14388,	
15443, 15454,	21616,	21624,	15070, 15074,	
15465, 15772,	21631,	21637,	15079, 15084,	
15775, 15778,	21659,	21675,	16130, 16149,	
15781, 15825,	21682,	21690,	16899, 17702,	
15833, 15859,	21698,	21710,	17709, 18923,	
15867, 15890,	21717,	21732,	18932, 19373,	
15919, 16123,	21733,	21737,	19382, 19908,	
16144, 16186,	21738,	21746,	19918, 19936,	
16206, 16398,	21747,	21751,	20454, 20456,	
16399, 16403,	21752,	21761,	21215, 21217,	
16405, 16762,	21762,	21766,	21980, 21982,	
17689, 17730,	21767,	21775,	24235, 24239,	
17830, 18095,	21840,	22332,	24482, 24521,	
18100, 18105,	22551,	22893,	24530, 24539, 24548	
18250, 18254,	23246,	23252,	\iii ..... 6578	
18261, 18267,	23298,	23302,	\ilg ..... 18538, 18561	
18419, 18431,	23306,	23413,	\immediate ... 7041, 9032	
18707, 18759,	23753,	23824,	\in@ ..... 6904	
18800, 18813,	23836,	23844,	\includegraphics ...	



...	5008, 10547,	25163,	25164,	10837,	11644,
	10678, 18332, 18405	25165,	25166,	11658,	11672,
<code>\includemedia</code>	.....	25167,	25168,	11943,	11959,
	. 17164, 17494, 17495	25169,	25170,	11969,	12087,
<code>\includepdf</code>	.....	25171,	25172,	12102,	12111,
<code>\indentedwidth</code>	...	25173,	25174,	12225,	12241,
<code>\index</code>	.....	25175,	25176,	12251,	12369,
	6457, 14028, 25031	25177,	25178,	12385,	12395,
<code>\indexname</code>	....	25179,	25180,	12513,	12529,
	599, 600, 614,	25181,	25182,	12539,	12657,
	615, 863, 864,	25183,	25184,	12673,	12683,
	1115, 1116, 8472,	25185,	25186,	12801,	12817,
	8473, 9117, 9118,	25187,	25188,	12827,	12945,
	9294, 9295, 9504,	25189,	25190,	12961,	12971,
	9505, 9506, 18907,	25191,	25192,	13089,	13105,
	18908, 19162,	25194,	25195,	13115,	13350,
	19163, 19621,	25196,	25197,	13368,	13380,
	19622, 19623,	25198,	25199,	13586,	13594,
	22618, 22619,	25222,	25223,	14287,	14304,
	22620, 22624,	25224,	25225,	14320, 14837, 14839	
	22625, 22626,	25226,	25227,	<code>\insert@column</code>	....
	22629, 22630,	25228,	25229,	....	1410, 1411,
	22636, 22637,	25230,	25231,		1412, 1413, 1415,
	22641, 22642,	25232,	25233,		1416, 1476, 1478,
	22643, 22646, 22647	25234,	25235,		1479, 1481, 1482,
<code>\indexspace</code>	.....	25236,	25237,		1483, 9826, 9828,
<code>\init@mult@footins</code>	13610	25238,	25239,		9829, 9831, 9832, 9833
<code>\input</code>	....	25240,	25241,	<code>\insertauthor</code>	.....
	4069, 4070,	25242,	25243,	...	2917, 2972, 2975
	4184, 4277, 4353,	25244,	25245,	<code>\insertauthorindicator</code>	
	4820, 8686, 8751,	25246,	25247,	.....	2974
	25091, 25101,	25248,	25249,	<code>\insertblocktitle</code>	.
	25102, 25103,	25250,	25251,		1725, 1734, 1743,
	25104, 25105,	25252,	25253,		2765, 2780, 2795,
	25106, 25107,	25254,	25255,		2996, 3008, 3020, 3120
	25108, 25109,	25256,	25257,	<code>\insertbuttontext</code>	. 2815
	25110, 25111,	25258,	25259,	<code>\insertcaption</code>	.... 2752
	25112, 25113,	25260,	25261,	<code>\insertcaptionname</code>	2749
	25114, 25115,	25262,	25263,	<code>\insertdate</code>	.....
	25116, 25117,	25264,	25265,	...	2929, 2984, 2987
	25118, 25119,	25266,	25267,	<code>\insertdateindicator</code>	
	25120, 25121,	25268,	25269,	.....	2986
	25122, 25123,	25270,	25271,	<code>\insertenumlabel</code>	..
	25124, 25125,	25272,	25273,	.....	1604, 1669
	25126, 25127,	25274, 25275, 25276		<code>\insertfootnotemark</code>	
	25129, 25130,	<code>\input@path</code>	.....	.....	2136,
	25134, 25140,	<code>\InputIfFileExists</code>		...	2141, 2723, 2730,
	25147, 25148,	..	6603, 6612, 16197		2737, 3140, 3146, 3152
	25149, 25150,	<code>\insert</code>	.....	35, 49,	<code>\insertfootnotetext</code>
	25151, 25152,		65, 238, 252, 267,		..... 2135,
	25153, 25154,		4019, 4304, 10695,		2140, 2723, 2730,
	25155, 25156,		10711, 10716,		2737, 3140, 3146, 3152
	25157, 25158,		10732, 10779,	<code>\insertframenumber</code>	
	25159, 25160,		10785, 10831,		3074, 3282, 3288,
	25161, 25162,				



3292, 3310, 3312, 3389	<code>\inserttocsection</code> .	22879, 22914,
<code>\insertframesubtitle</code>	..... 1538,	23297, 23827,
..... 3464,	1578, 1697, 2963	23941, 24122, 24639
3465, 3611, 3612,	<code>\inserttocsectionnumber</code>	<code>\intermath@penalty</code> 9745
3707, 3710, 3802, 3805	... 1535, 1572, 1694	<code>\intertextsep</code> . 24182, 24184
<code>\insertframetitle</code> .	<code>\inserttocsubsection</code>	<code>\InTheoType</code> .....
..... 3463,	..... 1541,	.. 11051, 18292,
3610, 3706, 3801	1583, 1705, 2693	18294, 18313, 18315
<code>\insertgotosymbol</code> . 2611	<code>\inserttocsubsubsection</code>	<code>\ior</code> .. 17268, 17269, 17273
<code>\insertinstitute</code> ..	..... 1546,	<code>\isempty</code> .. 7302, 7900,
... 2923, 2978, 2981	1590, 1712, 2697	8107, 8112, 8136,
<code>\insertinstituteindicator</code>	<code>\inserttotalframenummer</code>	8141, 8165, 8170,
..... 2980	... 3074, 3273,	8558, 8567, 8575, 8602
<code>\insertlogo</code> ..... 3493	3279, 3282, 3298,	<code>\isodd</code> ..... 19832, 19877
<code>\insertnavigation</code> .	3301, 3318, 3321, 3389	<code>\isSC@ODD</code> .... 22223,
..... 3416, 3675	<code>\insertverticalnavigation</code>	22224, 22226,
<code>\insertnote</code> ..... 3254	..... 3545	22227, 25202,
<code>\insertpenalties</code> ..	<code>\insertvrule</code> .....	25204, 25206, 25208
..... 14251, 14867	... 1929, 3191, 3249	<code>\isundefined</code> ... 7512,
<code>\insertreturnsymbol</code> 2654	<code>\int</code> .... 17218, 17265,	7561, 10545,
<code>\insertsection</code> 3220, 3227	17266, 17270,	10551, 10568,
<code>\insertsectionhead</code>	17348, 17436,	10571, 10572,
..... 3059,	17439, 17440,	10573, 10574,
3369, 3771, 3854, 3862	17451, 17489,	10575, 10666,
<code>\insertshortauthor</code>	17527, 17552, 18368	10669, 10670,
... 3339, 3542, 3566	<code>\interfootnotelinepenalty</code>	10671, 10672,
<code>\insertshortdate</code> .. 3347	.. 39, 53, 69, 242,	10673, 10676, 10680
<code>\insertshortframetitle</code>	256, 271, 11809,	<code>\item</code> .....
..... 3237, 3243	14291, 14308, 14324	102,
<code>\insertshortinstitute</code>	<code>\interlinepenalty</code> 39,	222, 603, 618, 867,
..... 3339	53, 69, 242, 256,	950, 1119, 8444,
<code>\insertshorttitle</code> .	271, 558, 622, 647,	8452, 8457, 8478,
.... 3219, 3342,	874, 929, 1123,	9121, 9298, 9509,
3534, 3573, 3761, 3843	1130, 8364, 9125,	13925, 13940,
<code>\insertskipsymbol</code> . 2634	9132, 9302, 9309,	16074, 18911,
<code>\insertslideintonotes</code>	9473, 9668, 9676,	19166, 19626, 22653
..... 3196	10398, 10410,	<code>\itemindent</code> .... 8439,
<code>\insertsubenumlabel</code> 1627	10423, 11230,	8440, 8448, 24444
<code>\insertsubsection</code> .	11243, 11500,	<code>\itemize</code> .....
..... 3229, 3235	11509, 11809,	2473
<code>\insertsubsectionhead</code>	13659, 13667,	<code>\itemsep</code> .....
..... 3062,	14291, 14308,	7175, 8385, 8424, 8438
3065, 3376, 3428,	14324, 17961,	<code>\itemx</code> .....
3685, 3781, 3873, 3881	17973, 17985,	18149
<code>\insertsubsubenumlabel</code>	18793, 18915,	<code>\itemxox</code> .....
..... 1648	18940, 19312,	18194
<code>\insertsubtitle</code> ...	19365, 19427,	<code>\itemxx</code> .....
... 2901, 2969, 3046	19782, 19790,	18152
<code>\inserttitle</code> .....	22508, 22549,	<code>\itemxxo</code> .....
... 2895, 2968, 3039	22683, 22714,	18189
<code>\inserttitlegraphic</code> 2912	22737, 22754,	<code>\itemxxox</code> .....
<code>\inserttitleindicator</code>	22771, 22788,	18201
..... 2967	22805, 22822,	<code>\itemxxx</code> .....
	22840, 22859,	18157
		<code>\itemxxxo</code> .....
		18208
		<code>\itemxxxx</code> .....
		18164
		<code>\itemxxxxx</code> .....
		18173
		<code>\itshape</code> .. 4507, 4980,
		8248, 8250, 8254,
		8261, 8268, 8303,



8310, 8317, 8324,	10690,	10691,	22059,	22259,
8331, 8635, 8636, 8637	11121,	11128,	22265,	22522,
<b>J</b>	11136,	11143,	24157,	24161,
\j . . . . . 6592, 6593, 6597	11182,	11186,	24167,	24170,
\juo@ht . . . . . 17757,	11268,	11270,	24192,	24351,
17764, 17857,	11272,	11274,	24361,	24391,
17864, 17933, 17940	11567,	11569,	24394, 24396, 24960	
\juo@pr . . . . . 17740,	11571,	11573,	\keys . . . 16981, 17177,	
17770, 17840, 17870	11619,	11620,	17271, 17510, 17511	
\juo@sar . . . . . 17739,	11744,	11745,	\keywords . . . . . 324	
17769, 17811,	13672,	13674,	\kill . . . . . 16759	
17839, 17869, 17908	13676,	13678,	\KOMAClassName 19990,	
\juo@sk . 17738, 17768,	13816,	13817,	20163, 20170,	
17811, 17838,	13818,	14060,	20192, 20198,	
17868, 17908, 17941	14203,	14205,	20205, 20393,	
\justifying . . . . 7209,	14206,	14207,	20402, 20466,	
7279, 7849, 18838	14208,	14209,	20576, 20729,	
\JustifyingParfillskip	14241,	14526,	20903, 20910,	
. . . . . 18844	14590,	14968,	20932, 20938,	
\JustifyingParindent	15014,	16084,	20945, 21154,	
. . . . . 7181,	16086,	16087,	21163, 21227,	
7852, 8411, 18845	16088,	16158,	21338, 21502,	
<b>K</b>	16160,	16162,	21676, 21683,	
\keepthetitle . . . . 17561	16164,	16899,	21705, 21711,	
\kern . . . . . 27, 29, 30,	18020,	18076,	21718, 21919,	
31, 231, 233, 234,	18077,	18124,	21928, 21992, 22103	
235, 336, 539, 541,	18126,	18127,	\KV@do . . . . . 16214, 16219	
543, 545, 723, 724,	18128,	18716,	\KV@errx . . 2255, 2258,	
726, 729, 730, 732,	18727,	18730,	2261, 2281, 2284,	
744, 959, 961, 964,	18757,	18773,	2287, 2307, 2310, 2313	
966, 996, 1203,	18993,	18994,	\KV@prefix . 16212, 16217	
1204, 1206, 1209,	18996,	18999,		
1210, 1212, 1246,	19000,	19002,	<b>L</b>	
1474, 1479, 1536,	19043,	19182,	\l 11077, 11093, 11096,	
1578, 1583, 1590,	19416,	19417,	11102, 11105,	
1696, 1704, 1711,	19419,	19422,	11107, 11108,	
2574, 2823, 2865,	19423,	19425,	11111, 11112,	
4530, 4531, 4532,	19573,	19575,	11115, 11118,	
4533, 4534, 4535,	19577,	19579,	11119, 11120,	
4536, 4537, 4541,	19755,	19757,	11125, 11126,	
4542, 4589, 4591,	19759,	19761,	11127, 11133,	
4592, 7651, 7652,	20030,	20034,	11134, 11135,	
7662, 7663, 7665,	20037,	20040,	11140, 11141,	
8130, 8131, 8159,	20041,	20435,	11142, 11151,	
8160, 8188, 8189,	20437,	20531,	11154, 11162,	
9209, 9210, 9212,	20533,	20770,	16989, 16991,	
9215, 9216, 9218,	20774,	20777,	16997, 16999,	
9239, 9362, 9363,	20780,	20781,	17005, 17006,	
9365, 9368, 9369,	21196,	21198,	17007, 17008,	
9371, 9416, 9639,	21292,	21294,	17009, 17010,	
9641, 9643, 9645,	21543,	21547,	17011, 17012,	
9824, 9829, 9851,	21550,	21553,	17013, 17014,	
	21554,	21961,	17015, 17017,	
	21963,	22057,	17018, 17020,	



17021,	17022,	17407,	17419,	\L@novskip . . . . .
17029,	17030,	17420,	17466,	. 16177, 16247, 16251
17031,	17033,	17476,	17482,	\L@oversize . . . . .
17035,	17038,	17494,	17495,	. 16171, 16228, 16233
17039,	17046,	17514,	17515,	\l@paragraph 22781, 23922
17056,	17057,	17516,	17517,	\L@parshape . . . . .
17058,	17059,	17518,	17519,	. . . 16276, 16278,
17060,	17061,	17520,	17521,	16283, 16285,
17062,	17063,	17522,	17557,	16291, 16293, 16296
17064,	17065,	17558,	18284,	\l@part . . . . . 507,
17066,	17067,	18370, 18372, 18381		659, 677, 903,
17068,	17069,	\l@ . . . . . 22924		921, 1142, 1160,
17070,	17074,	\l@addto@macro . . . .		9144, 9160, 9321,
17075,	17076,	. 19973, 20712, 21485		9337, 9608, 11209,
17078,	17080,	\L@ante 16173, 16263, 16297		11464, 13621,
17083,	17084,	\l@chapter 9168, 9182,		18952, 18968,
17086,	17087,	9345, 9359, 9623,		19324, 19340,
17088,	17097,	13636, 18976,		19540, 19724,
17107,	17108,	18990, 19348,		22570, 22571,
17109,	17110,	19362, 19554,		22659, 23898, 23901
17111,	17112,	19739, 22573,		\L@Pindent . . . 16261,
17113,	17114,	22574, 22706, 23906		16262, 16264,
17115,	17121,	\l@color . . . 16202, 16203		16265, 16267,
17123,	17124,	\l@figure . . . . . 8372,		16268, 16271, 16278
17125,	17128,	8373, 22815, 23934		\L@raise . . . 16172, 16238
17130,	17132,	\L@Findent . . . . .		\L@realhfalse . . . . 16180
17137,	17138,	. 16174, 16265, 16298		\L@realhtrue . . . . 16180
17139,	17141,	\L@first 16237, 16239,		\l@refstring . . . . . 16167
17143,	17148,	16241, 16243,		\l@section . . . . .
17150,	17152,	16247, 16253,		524, 685, 698, 887,
17160,	17171,	16255, 16257,		900, 1169, 1182,
17172,	17187,	16259, 16263,		11195, 22725, 23910
17188,	17189,	16264, 16266,		\L@selfreffalse . . 16181
17190,	17208,	16267, 16276, 16278		\L@selfreftrue . . . 16181
17228,	17236,	\L@gridfalse . . . . . 16179		\L@slope . . . . .
17241,	17255,	\L@gridtrue . . . . . 16179		. 16176, 16287, 16288
17260,	17264,	\L@hang . . . . 16170, 16262		\l@subfigure . . . . . 22852
17265,	17266,	\L@imagefalse . . . . 16178		\l@subparagraph . . .
17268,	17269,	\L@imagetrue . . . . . 16178		. . . . . 22798, 23926
17270,	17273,	\l@initial . . . . . 16167		\l@subsection 22747, 23914
17277,	17279,	\L@lbox . 16216, 16223,		\l@subsubsection . .
17280,	17281,	16224, 16225,		. . . . . 22764, 23918
17282,	17283,	16261, 16262, 16297		\l@subtable . . . . . 22872
17284,	17285,	\l@LOKeys . . . . 16207,		\l@table 8373, 22833, 23930
17287,	17288,	16209, 16214, 16219		\L@target@dp . . . . . 16244
17289,	17290,	\L@lraise . . . . 16238,		\L@target@tght . . . . .
17292,	17293,	16239, 16244, 16297		. 16230, 16238, 16243
17294,	17296,	\L@next . 16269, 16270,		\L@tbox . 16183, 16191,
17297,	17298,	16283, 16285, 16288		16236, 16241, 16299
17301,	17302,	\l@ngrel@x 5651, 5652, 5654		\l@textcolor 16204, 16205
17303,	17306,	\L@Nindent . . . 16175,		\label 5004, 7331, 7333,
17339,	17341,	16268, 16270,		7335, 7339, 7391,
17344,	17369,	16272, 16285, 16287		14027, 14459,
17371,	17403,			14465, 15178,



15196, 20387,	11526, 11527,	1352, 1356, 1361,
21148, 21913, 25030	13685, 13686,	8261, 8324, 8390,
<code>\labelitemi</code> . 743, 995,	14682, 16060,	9153, 9253, 9263,
1058, 1245, 9238,	16061, 18150,	9330, 9430, 9440,
9415, 19042, 19181	18153, 18155,	9526, 9532, 9597,
<code>\labelname</code> . . . . 18150,	18158, 18160,	9603, 9617, 10540,
18153, 18155,	18162, 18165,	10542, 10633,
18158, 18160,	18167, 18169,	10635, 11218,
18162, 18165,	18171, 18174,	11287, 11293,
18167, 18169,	18176, 18178,	11352, 11358,
18171, 18174,	18180, 18182,	11382, 11388,
18176, 18178,	18185, 18187,	11453, 11459,
18180, 18182,	18190, 18192,	11472, 13630,
18185, 18187,	18195, 18197,	13709, 13715,
18190, 18192,	18199, 18202,	13774, 13780,
18195, 18197,	18204, 18206,	18961, 19057,
18199, 18202,	18209, 18211,	19067, 19142,
18204, 18206,	18213, 19009,	19148, 19196,
18209, 18211, 18213	19010, 19403,	19206, 19288,
<code>\labelsep</code> . . . . 85, 90,	19404, 19597,	19294, 19298,
288, 293, 577, 712,	19598, 19800,	19303, 19333,
975, 1225, 2500,	19801, 20332,	19455, 19461,
2521, 5019, 5021,	20333, 21093,	19548, 19642,
8401, 8403, 8460,	21094, 21858,	19648, 19713,
9198, 9386, 9695,	21859, 22586, 22587	19719, 19733,
11257, 11528,	<code>\landscape</code> . 16874, 18388	23221, 23653, 23691
13687, 16056,	<code>\langle</code> . . . . . 4508	<code>\Largr</code> . . . . . 4511
16061, 18150,	<code>\Larg</code> . . . . . 4507,	<code>\Largs</code> . . . . . 4510
18153, 18155,	4508, 4509, 4510, 4511	<code>\lastbox</code> 10185, 13210,
18158, 18160,	<code>\Larga</code> . . . . . 4508	13230, 13234,
18162, 18165,	<code>\Largb</code> . . . . . 4509	16941, 18644,
18167, 18169,	<code>\LARGE</code> . . . . . 423, 494,	24297, 24349, 24359
18171, 18174,	751, 841, 1003,	<code>\LastFrameCommand</code> .
18176, 18178,	1093, 1253, 1344,	. . . . . 14544, 14654
18180, 18182,	1355, 8303, 8310,	<code>\lastkern</code> . . . 8036, 14629
18185, 18187,	8392, 8635, 9246,	<code>\lastpenalty</code> . 9743, 23746
18190, 18192,	9423, 9524, 9595,	<code>\lastrule</code> . . . . . 9790
18195, 18197,	10630, 11285,	<code>\lastskip</code> . . . . . 7469,
18199, 18202,	11350, 11380,	9071, 9072, 9742
18204, 18206,	11451, 13707,	<code>\LastTOCLevelWasHigher</code>
18209, 18211,	13772, 19050,	. . . . . 23623
18213, 19011,	19140, 19189,	<code>\LastTOCLevelWasLower</code>
19405, 19599,	19286, 19297,	. . . . . 23619
19802, 20334,	19453, 19640, 19711	<code>\LastTOCLevelWasSame</code>
21095, 21860, 22588	<code>\Large</code> . . . . . 561,	. . . . . 23621
<code>\labelwidth</code> . . . 89, 90,	8254, 8317, 8391,	<code>\LaTeX</code> . . . . . 15954,
292, 293, 575, 576,	8636, 8637, 10541,	24383, 24384, 24396
710, 711, 973, 974,	10634, 11233, 19529	<code>\LaTeXe</code> . . . . 24385, 24386
1223, 1224, 2508,	<code>\large</code> . . . . . 425, 431,	<code>\LBEG</code> . . . . . 4512
2519, 2520, 5018,	496, 502, 516, 668,	<code>\lcb</code> . 4509, 4512, 4513, 4516
5020, 8402, 8403,	758, 768, 843, 849,	<code>\lccode</code> . . . . . 6219,
9196, 9197, 9384,	912, 1010, 1020,	6221, 24148, 24149
9385, 9693, 9694,	1095, 1101, 1151,	<code>\Lcs</code> . . . . . 4523
11255, 11256,	1260, 1270, 1346,	<code>\LcsStar</code> . . . . . 4524



<code>\leaders</code> . . . . .	20040, 20780, 21553, 22272, 22564, 23837, 23946, 24644	22715, 22738, 22755, 22772, 22789, 22806, 22823, 22841, 22860, 22880, 22915, 23108, 23220, 23311, 23828, 23942, 24191, 24388, 24393, 24395, 24403, 24410, 24484, 24590, 24640	11528, 13686, 13687, 16061, 18793, 19010, 19011, 19404, 19405, 19598, 19599, 19801, 19802, 19978, 20333, 20334, 20717, 21094, 21095, 21490, 21859, 21860, 22587, 22588, 24454, 24457, 24467, 24471, 24479, 24516, 24518, 24519, 24520, 24525, 24527, 24528, 24529, 24534, 24536, 24537, 24538, 24543, 24545, 24546, 24547
<code>\leavevmode</code> . .	14, 209, 305, 378, 515, 532, 653, 667, 692, 744, 881, 894, 911, 996, 1059, 1136, 1150, 1176, 1246, 1527, 1541, 1544, 1563, 1581, 1586, 1685, 1703, 1709, 1846, 2103, 2113, 2128, 2515, 2693, 2696, 2746, 2773, 2788, 2803, 2962, 2995, 3007, 3019, 3336, 3362, 3561, 3599, 3609, 4641, 4949, 5437, 5491, 5548, 8024, 8365, 8833, 8909, 9138, 9152, 9175, 9239, 9315, 9329, 9352, 9416, 9616, 9631, 9711, 9712, 9850, 9902, 11203, 11217, 11471, 11983, 12124, 12265, 12409, 12553, 12697, 12841, 12985, 13129, 13629, 13644, 13925, 13940, 14391, 14956, 15002, 15022, 15812, 15849, 15881, 16090, 16109, 16936, 17962, 17974, 17986, 18643, 18724, 18729, 18775, 18796, 18946, 18960, 18983, 19043, 19182, 19318, 19332, 19355, 19547, 19562, 19732, 19747, 20040, 20780, 21553, 22239, 22290, 22514, 22537, 22684,	<code>\left</code> . 24404, 24411, 24417 <code>\left@footnoterule</code> . . . 30, 234, 415, 538, 722, 739, 958, 991, 1202, 1241, 2196, 2228, 9208, 9234, 9361, 9411, 9516, 9638, 11267, 11279, 11372, 11566, 13671, 13701, 14206, 14212, 14225, 14227, 14363, 14377, 16087, 16157, 16878, 16880, 18992, 19038, 19175, 19415, 19435, 19572, 19632, 19754, 20028, 20087, 20768, 20827, 21541, 21600 <code>\leftfootnoterule</code> . . . . . . 4105, 10687, 11616, 14210, 14213, 14451, 14927, 25094 <code>\leftline</code> . . . . 18739, 24562, 24568, 24570 <code>\leftlinenumbers</code> . . . . . . . 16331, 16334 <code>\leftmargin</code> . . . . . 90, 293, 576, 577, 711, 712, 947, 974, 975, 1224, 1225, 2508, 2520, 2521, 5020, 5021, 7172, 8382, 8441, 8442, 8449, 8455, 9197, 9198, 9385, 9386, 9694, 9695, 11256, 11257, 11527,	<code>\leftmarginiv</code> . . . . . 8398 <code>\leftmarginv</code> . . . . . 8399 <code>\leftmarginvi</code> . . . . . 8400 <code>\leftmarginwidth</code> . 19569 <code>\leftmark</code> . . . . . 8732 <code>\leftskip</code> . . . . 12, 13, 207, 208, 305, 309, 513, 530, 533, 534, 624, 637, 648, 649, 654, 665, 690, 693, 694, 875, 876, 882, 892, 895, 896, 909, 931, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 1872, 1873, 1877, 2676, 2682, 3170, 3172, 8359, 8367, 8368, 8939, 9127, 9133, 9134, 9139, 9150, 9173, 9176, 9177, 9304, 9310, 9311, 9316, 9327, 9350, 9353, 9354, 9614, 9629, 9632, 9633, 9765, 9766, 9767, 9893, 9894, 9900, 11201,



11204,	11205,	22857,	22865,	1287,	1288,	1289,		
11215,	11469,	22875,	22876,	1290,	1325,	1326,		
11886,	13504,	22877,	22885,	1327,	1328,	1329,		
13627,	13642,	22910,	22911,	1330,	1331,	1332,		
13645,	13646,	22912,	22920,	1333,	1334,	1335,		
16107,	16108,	22960,	22961,	1343,	1369,	1370,		
16923,	17595,	22962,	23759,	1374,	1390,	1391,		
17596,	17959,	23821,	23822,	1392,	1428,	1429,		
17963,	17964,	23823,	23829,	1430,	1455,	1456,		
17971,	17976,	23832,	23879,	1457,	1458,	1463,		
17983,	17988,	23939,	23944,	1498,	1499,	1750,		
18804,	18806,	23967,	23974,	2053,	2054,	2077,		
18817,	18819,	24343,	24344,	2095,	2196,	2212,		
18830,	18832,	24551,	24577,	2228,	2243,	2244,		
18841,	18843,	24578,	24637,	2245,	2252,	2253,		
18917,	18930,	\LEND . . . . .	4513	2254,	2255,	2256,		
18941,	18942,	\leqno . . . . .	328, 18735,	2261,	2262,	2278,		
18947,	18958,	18737,	25085,	25087	2279,	2280,	2281,	
18981,	18984,	\let . . . . .	86, 102,	2282,	2287,	2288,		
18985,	19313,	115,	152,	153,	156,	2304,	2305,	2306,
19314,	19319,	157,	160,	161,	164,	2307,	2308,	2313,
19330,	19353,	222,	289,	319,	327,	2314,	2508,	2526,
19356,	19357,	328,	347,	379,	380,	2528,	4008,	4010,
19367,	19380,	383,	400,	404,	408,	4012,	4142,	4143,
19429,	19545,	413,	414,	415,	416,	4150,	4237,	4293,
19560,	19563,	417,	418,	419,	437,	4295,	4297,	4329,
19564,	19569,	438,	439,	440,	441,	4402,	4403,	4404,
19570,	19730,	442,	443,	444,	445,	4405,	4406,	4407,
19745,	19748,	446,	447,	448,	472,	4408,	4409,	4410,
19749,	19970,	473,	474,	475,	476,	4411,	4412,	4596,
20709,	21482,	477,	478,	479,	480,	4597,	4598,	4625,
22506,	22518,	481,	482,	483,	484,	4642,	4643,	4644,
22535,	22556,	491,	492,	493,	580,	4645,	4646,	4647,
22558,	22563,	603,	618,	715,	737,	4648,	4649,	4650,
22567,	22568,	738,	739,	740,	741,	4652,	4653,	4654,
22679,	22680,	779,	780,	781,	782,	4764,	4765,	4766,
22681,	22689,	783,	784,	785,	786,	4767,	4768,	4769,
22710,	22711,	787,	788,	823,	824,	4770,	4771,	4772,
22712,	22720,	825,	826,	827,	828,	5024,	5033,	5106,
22733,	22734,	829,	830,	831,	832,	5124,	5148,	5167,
22735,	22743,	833,	840,	867,	978,	5172,	5197,	5198,
22750,	22751,	989,	990,	991,	992,	5205,	5206,	5209,
22752,	22760,	993,	1031,	1032,	1033,	5210,	5213,	5214,
22767,	22768,	1033,	1034,	1035,	1036,	5220,	5221,	5224,
22769,	22777,	1036,	1037,	1038,	1039,	5225,	5228,	5229,
22784,	22785,	1039,	1040,	1075,	1076,	5232,	5233,	5267,
22786,	22794,	1076,	1077,	1078,	1079,	5400,	5403,	5417,
22801,	22802,	1079,	1080,	1081,	1082,	5652,	5674,	5696,
22803,	22811,	1082,	1083,	1084,	1085,	5697,	5827,	5907,
22818,	22819,	1085,	1092,	1119,	1228,	5909,	5912,	5913,
22820,	22828,	1228,	1239,	1240,	1241,	5914,	5915,	5916,
22836,	22837,	1241,	1242,	1243,	1281,	5971,	6009,	6016,
22838,	22846,	1281,	1282,	1283,	1284,	6024,	6035,	6041,
22855,	22856,	1284,	1285,	1286,		6049,	6052,	6055,



6065, 6069, 6071,  
6136, 6137, 6142,  
6249, 6252, 6283,  
6369, 6376, 6379,  
6389, 6399, 6410,  
6477, 6487, 6489,  
6523, 6534, 6625,  
6641, 6661, 6676,  
6692, 6785, 6806,  
6807, 6823, 6866,  
6869, 6871, 6876,  
6890, 6898, 6899,  
6919, 6920, 6947,  
6958, 6963, 6967,  
6969, 6972, 6982,  
6993, 7020, 7031,  
7040, 7089, 7094,  
7110, 7111, 7112,  
7113, 7115, 7116,  
7117, 7118, 7164,  
7294, 7295, 7332,  
7333, 7339, 7341,  
7345, 7390, 7391,  
7473, 7475, 7477,  
7623, 7624, 7637,  
7641, 7643, 7644,  
7650, 7654, 7658,  
7667, 7911, 7912,  
7930, 7931, 7949,  
7950, 7977, 7978,  
8006, 8007, 8008,  
8105, 8126, 8127,  
8128, 8134, 8155,  
8156, 8157, 8163,  
8184, 8185, 8186,  
8202, 8206, 8207,  
8208, 8211, 8215,  
8216, 8217, 8220,  
8224, 8225, 8226,  
8373, 8437, 8478,  
8565, 8632, 8633,  
8634, 8824, 8825,  
8827, 8828, 8846,  
8867, 8868, 8869,  
8870, 8871, 8872,  
8873, 8874, 8875,  
8878, 8879, 8880,  
8881, 8882, 8883,  
8884, 8885, 8886,  
8947, 8965, 9016,  
9022, 9043, 9056,  
9066, 9080, 9084,  
9085, 9086, 9087,  
9088, 9089, 9090,

9091, 9092, 9098,  
9099, 9100, 9101,  
9102, 9103, 9104,  
9105, 9106, 9121,  
9201, 9232, 9233,  
9234, 9235, 9236,  
9274, 9275, 9276,  
9277, 9278, 9279,  
9280, 9281, 9282,  
9283, 9298, 9389,  
9409, 9410, 9411,  
9412, 9413, 9451,  
9452, 9453, 9454,  
9455, 9456, 9457,  
9458, 9459, 9460,  
9509, 9514, 9515,  
9516, 9517, 9518,  
9519, 9520, 9538,  
9539, 9540, 9541,  
9542, 9543, 9544,  
9545, 9546, 9547,  
9548, 9549, 9573,  
9574, 9575, 9576,  
9577, 9578, 9579,  
9580, 9581, 9582,  
9583, 9584, 9585,  
9592, 9593, 9594,  
9698, 9722, 9724,  
9727, 9728, 9729,  
9735, 9740, 9760,  
9772, 9773, 9774,  
9776, 9777, 9783,  
9784, 9785, 9786,  
9806, 9815, 9856,  
9862, 9883, 10055,  
10058, 10059,  
10118, 10121,  
10122, 10685,  
10686, 10687,  
10688, 10689,  
10692, 10693,  
10695, 10713,  
10714, 10716,  
10734, 10735,  
10739, 10774,  
10776, 10788,  
10791, 10792,  
10796, 10826,  
10828, 10840,  
10843, 10844,  
10891, 10915,  
10923, 10931,  
11260, 11277,  
11278, 11279,

11280, 11281,  
11299, 11300,  
11301, 11302,  
11303, 11304,  
11305, 11306,  
11307, 11308,  
11332, 11333,  
11334, 11335,  
11336, 11337,  
11338, 11339,  
11340, 11341,  
11342, 11349,  
11370, 11371,  
11372, 11373,  
11374, 11375,  
11376, 11394,  
11395, 11396,  
11397, 11398,  
11399, 11400,  
11401, 11402,  
11403, 11404,  
11405, 11429,  
11430, 11431,  
11432, 11433,  
11434, 11435,  
11436, 11437,  
11438, 11439,  
11440, 11441,  
11448, 11449,  
11450, 11531,  
11584, 11585,  
11586, 11587,  
11588, 11589,  
11598, 11599,  
11600, 11601,  
11602, 11603,  
11604, 11605,  
11606, 11607,  
11608, 11609,  
11614, 11615,  
11616, 11617,  
11618, 11718,  
11719, 11720,  
11721, 11722,  
11723, 11726,  
11727, 11728,  
11729, 11730,  
11731, 11735,  
11922, 11923,  
11924, 11928,  
11932, 11933,  
11934, 11935,  
11938, 11940,  
12066, 12067,



12068,	12072,	13431,	13445,	15524,	15537,
12076,	12077,	13483,	13511,	15538,	15539,
12078,	12079,	13577,	13607,	15552,	15553,
12082,	12084,	13690,	13699,	15554,	15560,
12204,	12205,	13700,	13701,	15562,	15563,
12206,	12210,	13702,	13703,	15564,	15565,
12214,	12215,	13721,	13722,	15566,	15567,
12216,	12217,	13723,	13724,	15568,	15577,
12220,	12222,	13725,	13726,	15613,	15651,
12348,	12349,	13727,	13728,	15684,	15715,
12350,	12354,	13729,	13730,	15746,	15752,
12358,	12359,	13754,	13755,	15754,	15755,
12360,	12361,	13756,	13757,	15756,	15757,
12364,	12366,	13758,	13759,	15758,	15759,
12492,	12493,	13760,	13761,	15760,	15761,
12494,	12498,	13762,	13763,	15773,	15776,
12502,	12503,	13764,	13771,	15779,	15782,
12504,	12505,	13827,	13854,	15949,	15950,
12508,	12510,	13857,	13858,	15951,	15952,
12636,	12637,	13890,	13893,	15967,	15978,
12638,	12642,	13894,	13976,	16057,	16074,
12646,	12647,	13977,	13979,	16123,	16167,
12648,	12649,	13980,	13983,	16203,	16213,
12652,	12654,	13984,	14013,	16218,	16426,
12780,	12781,	14015,	14017,	16438,	16749,
12782,	12786,	14027,	14028,	16750,	16751,
12790,	12791,	14029,	14035,	16753,	16755,
12792,	12793,	14039,	14042,	16759,	16761,
12796,	12798,	14045,	14047,	16763,	16764,
12924,	12925,	14050,	14051,	16766,	16767,
12926,	12930,	14185,	14213,	16768,	16772,
12934,	12935,	14239,	14240,	16778,	16790,
12936,	12937,	14349,	14363,	16815,	16823,
12940,	12942,	14377,	14403,	16824,	16825,
13068,	13069,	14404,	14405,	16878,	16879,
13070,	13074,	14406,	14440,	16915,	16916,
13078,	13079,	14522,	14528,	16917,	16918,
13080,	13081,	14533,	14668,	16919,	16927,
13084,	13086,	14669,	14670,	16974,	16975,
13239,	13250,	14671,	14723,	16976,	17563,
13251,	13252,	14726,	14727,	17564,	17565,
13255,	13258,	14772,	14775,	17566,	17567,
13259,	13264,	14776,	14912,	17568,	17569,
13265,	13266,	14927,	14928,	17570,	17571,
13267,	13268,	14929,	14930,	17627,	17630,
13272,	13273,	14931,	15025,	17631,	17633,
13303,	13305,	15059,	15061,	17634,	17731,
13307,	13308,	15089,	15091,	17734,	17735,
13311,	13314,	15096,	15098,	17831,	17834,
13315,	13317,	15102,	15104,	17835,	18067,
13319,	13321,	15435,	15436,	18070,	18097,
13322,	13325,	15437,	15478,	18098,	18102,
13357,	13369,	15479,	15480,	18103,	18107,
13381,	13412,	15522,	15523,	18108,	18231,



18232,	18233,	19283,	19284,	20276,	20277,
18349,	18350,	19285,	19408,	20278,	20279,
18351,	18352,	19433,	19434,	20280,	20281,
18353,	18355,	19435,	19436,	20282,	20283,
18399,	18404,	19437,	19438,	20284,	20285,
18418,	18450,	19439,	19467,	20286,	20287,
18645,	18649,	19468,	19469,	20288,	20289,
18694,	18695,	19470,	19471,	20290,	20291,
18696,	18697,	19472,	19473,	20292,	20293,
18700,	18701,	19474,	19475,	20294,	20295,
18703,	18708,	19476,	19477,	20297,	20345,
18731,	18732,	19478,	19507,	20370,	20371,
18733,	18734,	19508,	19509,	20386,	20387,
18735,	18797,	19510,	19511,	20388,	20389,
18801,	18803,	19512,	19513,	20390,	20391,
18814,	18816,	19514,	19515,	20476,	20562,
18827,	18829,	19516,	19517,	20564,	20570,
18839,	18840,	19518,	19519,	20572,	20686,
18851,	18852,	19525,	19526,	20687,	20688,
18853,	18854,	19527,	19602,	20803,	20823,
18855,	18868,	19626,	19630,	20825,	20826,
18874,	18886,	19631,	19632,	20827,	20828,
18894,	18895,	19633,	19634,	20829,	20830,
18911,	19014,	19635,	19636,	20831,	20833,
19036,	19037,	19654,	19655,	20880,	20899,
19038,	19039,	19656,	19657,	20922,	20952,
19040,	19078,	19658,	19659,	20954,	21003,
19079,	19080,	19660,	19661,	21008,	21009,
19081,	19082,	19662,	19663,	21010,	21011,
19083,	19084,	19664,	19665,	21012,	21013,
19085,	19086,	19689,	19690,	21014,	21015,
19087,	19122,	19691,	19692,	21016,	21017,
19123,	19124,	19693,	19694,	21018,	21019,
19125,	19126,	19695,	19696,	21020,	21021,
19127,	19128,	19697,	19698,	21022,	21023,
19129,	19130,	19699,	19700,	21024,	21025,
19131,	19132,	19701,	19708,	21026,	21027,
19139,	19166,	19709,	19710,	21028,	21029,
19173,	19174,	19805,	19830,	21030,	21031,
19175,	19176,	19857,	19858,	21032,	21033,
19177,	19178,	19875,	19947,	21034,	21035,
19179,	19217,	19948,	19949,	21037,	21106,
19218,	19219,	20063,	20083,	21131,	21132,
19220,	19221,	20085,	20086,	21147,	21148,
19222,	19223,	20087,	20088,	21149,	21150,
19224,	19225,	20089,	20090,	21151,	21152,
19226,	19227,	20091,	20093,	21237,	21324,
19228,	19263,	20140,	20159,	21326,	21332,
19264,	19265,	20182,	20212,	21334,	21459,
19266,	19267,	20214,	20263,	21460,	21461,
19268,	19269,	20268,	20269,	21576,	21596,
19270,	19271,	20270,	20271,	21598,	21599,
19272,	19273,	20272,	20273,	21600,	21601,
19274,	19275,	20274,	20275,	21602,	21603,



21604,	21606,	22718,	22719,	24992,	24995,
21653,	21672,	22740,	22741,	25007,	25009,
21695,	21725,	22742,	22757,	25011,	25013,
21727,	21776,	22758,	22759,	25015,	25017,
21781,	21782,	22774,	22775,	25020,	25021,
21783,	21784,	22776,	22791,	25023,	25024,
21785,	21786,	22792,	22793,	25030,	25031,
21787,	21788,	22808,	22809,	25032,	25037,
21789,	21790,	22810,	22825,	25049,	25052,
21791,	21792,	22826,	22827,	25054,	25061,
21793,	21794,	22843,	22844,	25065,	25067,
21795,	21796,	22845,	22862,	25070,	25071,
21797,	21798,	22863,	22864,	25084,	25085,
21799,	21800,	22882,	22883,	25093,	25094,
21801,	21802,	22917,	22918,	25095,	25278, 25280
21803,	21804,	22919,	22919,	\LetLtxMacro	14453, 14454
21805,	21806,	22982,	23141,	\Letter	..... 4869
21807,	21808,	23324,	23362,	\lettergroup	..... 8489
21810,	21871,	23415,	23418,	\LettrineDepth	... 16225
21896,	21897,	23448,	23494,	\LettrineHeight	...
21912,	21913,	23507,	23719,	. 16224, 16232, 16237	
21914,	21915,	23740,	23956,	\LettrineSecondString	
21916,	21917,	23964,	23969,	..... 16183	
22002,	22089,	23976,	23993,	\LettrineTextFont	..
22091,	22097,	23996,	24056,	. 16183, 16191, 16236	
22099,	22230,	24114,	24118,	\LettrineWidth	....
22231,	22232,	24196,	24201,	..... 16216, 16223	
22235,	22291,	24211,	24215,	\lftside	..... 18575,
22292,	22293,	24244,	24254,	18577, 18580,	
22296,	22307,	24258,	24298,	18582, 18596, 18598	
22308,	22309,	24302,	24367,	\Line	..... 10918,
22316,	22317,	24368,	24369,	10921, 10926,	
22322,	22331,	24370,	24373,	10929, 10934,	
22332,	22333,	24374,	24376,	10935, 10938,	
22335,	22338,	24381,	24383,	10939, 10943,	
22342,	22345,	24385,	24397,	10944, 10947,	
22347,	22350,	24398,	24399,	10948, 10952,	
22359,	22362,	24400,	24404,	10953, 10956,	
22375,	22376,	24405,	24411,	10957, 10961,	
22377,	22392,	24412,	24413,	10962, 10965, 10966	
22393,	22394,	24425,	24447,	\line	..... 9912, 9913,
22395,	22396,	24509,	24550,	9915, 9916, 9922,	
22397,	22399,	24553,	24554,	9923, 9925, 9926,	
22400,	22403,	24568,	24569,	9935, 9936, 9938,	
22404,	22478,	24587,	24591,	9939, 9945, 9946,	
22479,	22482,	24592,	24593,	9948, 9949, 9958,	
22484,	22485,	24596,	24608,	9959, 9961, 9962,	
22486,	22501,	24609,	24610,	9968, 9969, 9971,	
22530,	22559,	24611,	24617,	9972, 9981, 9982,	
22564,	22570,	24618,	24619,	9984, 9985, 9991,	
22573,	22591,	24657,	24709,	9992, 9994, 9995,	
22653,	22657,	24712,	24713,	18738, 18739, 18740	
22686,	22687,	24756,	24759,	\LineNumber	... 16309,
22688,	22717,	24760,	24990,	16311, 16313,	



16318, 16321, 16323	24529, 24534,	807, 994, 1057,
<code>\linenumberwidth</code> ..	24536, 24537,	1244, 1309, 4395,
. 16311, 16318, 16323	24538, 24543,	4659, 4662, 4665,
<code>\lineskip</code> ..... 401,	24545, 24546,	4670, 4673, 4676,
426, 497, 759,	24547, 24979, 24982	5142, 5143, 5152,
844, 1011, 1096,	<code>\link</code> ..... 4983	5155, 5166, 5368,
1261, 1347, 1356,	<code>\list</code> . 89, 292, 574, 709,	5372, 5405, 5407,
4853, 9254, 9431,	945, 972, 1222,	5409, 5411, 5654,
9527, 9598, 11288,	2462, 2483, 2506,	5658, 5768, 5787,
11353, 11383,	2518, 8420, 8438,	5862, 5878, 5890,
11454, 13710,	8447, 8455, 9195,	5899, 5934, 5962,
13775, 14031,	9383, 9692, 11254,	5974, 5975, 6349,
16791, 16924,	11525, 13684,	6351, 6356, 6357,
18865, 19058,	16060, 18223,	6374, 6375, 6382,
19143, 19197,	19008, 19402,	6391, 6394, 6401,
19289, 19298,	19596, 19799,	6419, 7037, 7301,
19456, 19532,	20329, 21090,	7450, 7710, 7714,
19643, 19714,	21855, 22585, 24436	7718, 7754, 7758,
20128, 20868,	<code>\listdoubleitemmaincolumnwidth</code>	7762, 7798, 7802,
21641, 22311,	.... 4923, 4936,	7806, 8017, 8104,
22350, 24613, 25033	4937, 4938, 4965, 4969	8133, 8162, 8973,
<code>\lineskiplimit</code> ....	<code>\listfigurename</code> 8342, 8343	8976, 8979, 8983,
..... 14032, 25033	<code>\listitemmaincolumnwidth</code>	8986, 8989, 9237,
<code>\linespacing</code> .. 24, 16095	..... 4922,	9414, 9556, 9849,
<code>\linespread</code> ... 3038, 5638	4930, 4931, 4963	10694, 10715,
<code>\linewidth</code> .... 4977,	<code>\listitemsymbol</code> ...	11315, 11412,
7367, 13926,	4864, 4921, 4962,	13737, 14287,
13941, 13945,	4964, 10496, 10594	14304, 14320,
14680, 14688,	<code>\listitemsymbolwidth</code>	14348, 14362,
14689, 14691,	..... 4920,	14376, 14932,
14692, 15125,	4921, 4931, 4937	14946, 14955,
16266, 16269,	<code>\listoffigures</code> .... 8340	15001, 15042,
16291, 16293,	<code>\listoftables</code> ..... 8348	15049, 15481,
16921, 17635,	<code>\listparindent</code> ....	15492, 15503,
17641, 18306,	. 945, 8440, 8447,	15514, 15529,
18308, 18326,	8448, 24443, 24452	15544, 15587,
18328, 18533,	<code>\listtablename</code> 8350, 8351	15604, 15625,
18539, 18625,	<code>\llap</code> . 1528, 1564, 1581,	15642, 15658,
18634, 18635,	1588, 1686, 1704,	15675, 15689,
18688, 18690,	1711, 2465, 2487,	15706, 15720,
18858, 20081,	3550, 8427, 11050,	15737, 15962,
20397, 20406,	11752, 11764,	16378, 17577,
20464, 20547,	11776, 13833,	17627, 17677,
20821, 21158,	13839, 14483,	17699, 18111,
21167, 21225,	14495, 14507,	18115, 18119,
21309, 21594,	14934, 15070,	18514, 18723,
21923, 21932,	15072, 15074,	19041, 19106,
21990, 22074,	15076, 15079,	19180, 19247,
24345, 24355,	15081, 15084,	19443, 19486,
24453, 24454,	15086, 16297,	19672, 19964,
24481, 24516,	22257, 22519, 22537	19994, 20703,
24518, 24519,	<code>\LoadClass</code> ... 8674, 8698	20733, 21476,
24520, 24525,	<code>\long</code> .. 34, 48, 64, 237,	21506, 22229,
24527, 24528,	251, 266, 455, 742,	22415, 22419,



22422, 22426,	\lst@MakeCaption ..	\LT@p@LTRftntext ..
24190, 24387,	..... 16397, 16410	..... 15580,
24483, 24860,	\lst@makecaption ..	15587, 16824, 16829
24864, 24868,	..... 16394, 16427	\LT@p@RTLftntext ..
24904, 24908,	\lst@maketitle 16395,	..... 15618,
24912, 24971, 25074	16428, 16432, 16434	15625, 16825, 16832
\longindentation . 11559	\lst@title@dropdelim	\LT@rows ... 16783, 16808
\longthickrule ....	..... 16395	\LT@setprevdepth . 16784
..... 19524, 19530	\lstKV@SwitchCases	\LT@start .. 15975, 15985
\loop . 4192, 4193, 4194,	..... 16343, 16350	\LT@startpbox .....
6432, 6442, 10005,	\lstset .....	. 16765, 16772, 16821
10215, 13228,	\LT@@hl .... 16751, 16753	\LT@tabularcr .... 16755
16253, 18531,	\LT@@tabarray 16750, 16754	\LTcapytype .....
18567, 18594,	\LT@array .... 15958,	. 16806, 16810, 16811
18605, 18632, 22370	16740, 20562,	\LTcapwidth .....
\looprepeat 6449, 6453,	20563, 21324,	16794
6497, 6568, 6575,	21325, 22089, 22090	\LTleft .....
6580, 6586, 6589,	\LT@bchunk .....	16745, 16747, 16785
6591, 6595, 6596, 6601	. 16781, 16788, 16792	\LTR .. 18688, 24345, 24347
\lower .....	\LT@caption ... 16759,	\LTR@column@boxes .
..... 1977,	20564, 20570,	. 18027, 18071, 18073
1981, 2012, 2041,	20572, 21326,	\LTR@outputdblcol .
2081, 2085, 2360,	21332, 21334,	.. 10105, 13878,
4046, 4323, 18729,	22091, 22097, 22099	14706, 17818,
18763, 18771,	\LT@cols .....	24743, 24787, 24789
24184, 24393, 24395	. 16794,	\LTRbiditufthesidenotemarginpar
\lowercase .... 5235,	20546, 21308, 22073	... 7737, 8063, 8213
5243, 5251, 5259	\LT@end@pen .....	\LTRcite .....
\lowertitleback ...	..... 16839	8007, 8127, 8156,
.. 20171, 20206,	\LT@endpbox .....	8185, 8207, 8216, 8225
20293, 20911,	\LT@err .....	\LTRdblcol .....
20946, 21033,	..... 16840	24789
21684, 21719, 21806	\LT@foot .....	\LTRdfnmakecol ... 10847
\LR 15950, 18696, 18729,	..... 15973,	\LTRfootfootmark ..
24369, 24393, 24395	15977, 16843,	.. 11639, 11762,
\lrb .....	16847, 16856, 16859	11989, 12130,
..... 4511, 4520	\LT@head ... 16850, 16863	12271, 12415,
\LRE .....	\LT@hline .....	12559, 12703,
..... 4009, 4053,	..... 16759	12847, 12991,
4294, 4328, 15949,	\LT@kill .....	13135, 13399, 14493
18696, 18699,	..... 16759	\LTRfootmarkstyle .
23996, 24369, 24372	\LT@lastfoot .....	..... 11748, 11787
\Lreset@listparshape	. 16843, 16845, 16856	\LTRfootnote ... 418,
..... 16300	\LT@LL@FM@cr 16768, 16772	492, 2303, 4597,
\LRfootnoterule ...	\LT@make@row .....	4605, 8196, 8546,
. 10689, 11618, 14213	..... 16789	9519, 9593, 11375,
\LS@rot .....	..... 20538, 21300, 22065	11449, 14268,
..... 16866	\LT@mcol 16749, 16794,	14453, 14456,
\lsb .....	20546, 21308, 22073	19178, 19284,
..... 4510, 4518	\LT@no@pgbk . 16757, 16758	19438, 19526,
\lst@caption . 16399,	\LT@nofcols .....	19635, 19709,
16405, 16412, 16417	..... 16788	20090, 20830, 21603
\lst@alloverstyle .	\LT@output .....	\LTRfootnotetext ..
..... 4499, 4505	..... 16837	.... 4663, 4674,
\lst@HRefStepCounter	\LT@p@ftn .... 15582,	8977, 8987, 14424,
..... 16399, 16405	15585, 15589,	
\lst@ifnumberbychapter	15599, 15620,	
..... 16438, 16439	15623, 15627,	
\lst@Key ... 16342, 16349	15637, 16830,	
	16831, 16833, 16834	
	\LT@p@ftntext .... 16823	



14426, 15583,	..... 14138, 14162	13033, 13044,
16830, 22416, 22420	\ltx@ifundefined ..	13050, 13056,
\LTRfootscript ....	..... 14132, 14156	13061, 13096,
.. 11748, 11765,	\ltx@secondofthree	13106, 13116,
11769, 11771,	..... 14141, 14165	13153, 13165,
14496, 14500, 14502	\ltx@thirdofthree .	13177, 13188,
\LTRfoottextfont ..	. 14134, 14151, 14158	13194, 13200,
.. 11640, 11676,		13205, 13358,
11701, 11804,		13370, 13382,
11920, 11961,		13413, 13432,
11989, 12020,		13446, 13465,
12064, 12104,		13476, 13490, 13499
12130, 12160,		\m@m@h .....
12202, 12243,		11905,
12271, 12302,		11906, 11907,
12346, 12387,		11909, 11910, 11915
12415, 12446,		\m@m@k .....
12490, 12531,		11905,
12559, 12590,		11906, 11909,
12634, 12675,		11912, 11913, 11915
12703, 12734,		\m@m@makecolfloats
12778, 12819,		. 13509, 13560, 13567
12847, 12878,		\m@m@makecolintro .
12922, 12963,		. 13524, 13553, 13564
12991, 13022,		\m@m@makecoltext ..
13066, 13107,		. 13513, 13561, 13572
13135, 13166,		\m@m@singlespace . 11737
13248, 13300,		\m@m@make@eightcol@footgroup
13328, 13338,		..... 12785, 12898
13371, 13399, 13434		\m@m@make@fivecol@footgroup
\LTRight .....		..... 12353, 12466
16743,		\m@m@make@footstart .
16745, 16747, 16786		. 11884, 11895, 11900
\LTRmarginnote ....		\m@m@make@fourcol@footgroup
8210		..... 12209, 12322
\LTRmarginpar ....		\m@m@make@eightcol@footgroup
24843		..... 12795, 12910
\LTRmulticolcolumns		\m@m@make@mpfivecol@footgroup
..... 18069		..... 12363, 12478
\LTRsidenote ..		\m@m@make@mpfourcol@footgroup
7932, 8192		..... 12219, 12334
\LTRthanks .		\m@m@make@mpninecol@footgroup
418, 438,		..... 12939, 13054
473, 492, 8546,		\m@m@make@mppara@footgroup
8554, 8571, 8587,		..... 13270, 13484
8598, 9519, 9539,		\m@m@make@mpsevencol@footgroup
9574, 9593, 11375,		..... 12651, 12766
11395, 11430,		\m@m@make@mpsixcol@footgroup
11449, 14422,		..... 12507, 12622
17564, 19178,		\m@m@make@emptencol@footgroup
19218, 19264,		..... 13083, 13198
19284, 19438,		\m@m@make@mpthreecol@footgroup
19468, 19508,		..... 12081, 12190
19526, 19635,		\m@m@make@emptwocol@footgroup
19655, 19690,		..... 11937, 12052
19709, 20090,		
20269, 20830,		
21009, 21603, 21782		
\ltx@firstofthree .		



<code>\m@make@ninecol@footgroup</code>	12826, 12836,	18001, 18789,
..... 12929, 13042	12873, 12885,	19555, 19740,
<code>\m@make@para@footgroup</code>	12897, 12960,	19777, 20638,
..... 13256, 13457	12970, 12980,	21408, 21411,
<code>\m@make@para@footstart</code>	13017, 13029,	22173, 22176,
..... 13257,	13041, 13104,	22665, 22707,
13263, 13313, 13502	13114, 13124,	23765, 24855,
<code>\m@make@sevendcol@footgroup</code>	13161, 13173,	24899, 24934, 24937
..... 12641, 12754	13185, 13367,	<code>\m@th</code> 403, 11039, 11044,
<code>\m@make@sixcol@footgroup</code>	13379, 13391,	11050, 13926,
..... 12497, 12610	13428, 13442, 13456	13941, 16790,
<code>\m@make@tencol@footgroup</code>	<code>\m@mold@footnotetext</code>	23837, 23946,
..... 13073, 13186	. 11718, 11726, 13303	24417, 24511,
<code>\m@make@threecol@footgroup</code>	<code>\m@mold@LTRfootnotetext</code>	24583, 24585, 24644
..... 12071, 12178	..... 11719, 11727	<code>\maincolumnwidth</code> ..
<code>\m@make@twocol@footgroup</code>	<code>\m@mold@mpfootnotetext</code>	4918, 4927, 4928,
..... 11927, 12040	. 11721, 11729, 13317	4929, 4930, 4932,
<code>\m@mdoextrafeet</code> ...	<code>\m@mold@mpLTRfootnotetext</code>	4936, 4951, 4955, 4980
.. 11796, 13554,	..... 11722, 11730	<code>\mainend</code> ..... 3264
13565, 13596, 13609	<code>\m@mold@mpRTLfootnotetext</code>	<code>\mainmatter</code> ..... 8725
<code>\m@mdoextrafeetendmini</code>	. 11723, 11731, 13322	<code>\makeatletter</code> . 5834, 5853
..... 11866, 11879	<code>\m@mold@RTLfootnotetext</code>	<code>\makebox</code> ..... 11038,
<code>\m@mdoextrafeetmini</code>	. 11720, 11728, 13308	11043, 11112,
..... 11838	<code>\m@mopfootnote</code> ....	11115, 11118,
<code>\m@mdosplits</code> .. 11908,	..... 13525, 13558	11125, 11133,
11911, 11912, 11913	<code>\m@mremoveboxes</code> ..	11140, 11181,
<code>\m@minterparanoteglue</code>	..... 13234,	11185, 18343, 18361
..... 13223, 13225	13235, 13462,	<code>\makefooter</code> .....
<code>\m@mipn@skip</code> .....	13473, 13489, 13498	. 10561, 10562, 10578
. 13215, 13222, 13224	<code>\m@mrigidbalance</code> ..	<code>\MakeFramed</code> ..... 14546
<code>\m@mmakehboxofhboxes</code>	.. 11906, 12045,	<code>\makelabel</code> .....
.. 13226, 13461,	12056, 12183,	2465, 2485, 2508,
13472, 13488, 13497	12194, 12327,	2528, 8427, 24447
<code>\m@mmf@prepare</code> 11656,	12338, 12471,	<code>\MakeLineNo</code> ..... 16303
11670, 11684,	12482, 12615,	<code>\makeLineNumber</code> ...
11743, 11958,	12626, 12759,	..... 16304, 16306
11968, 11978,	12770, 12903,	<code>\makeLineNumberLeft</code>
12015, 12027,	12914, 13047,	..... 16309
12039, 12101,	13058, 13191, 13202	<code>\makeLineNumberRight</code>
12110, 12119,	<code>\m@msplitoff</code> 11912, 11914	..... 16317
12155, 12166,	<code>\m@mungebox</code> .....	<code>\maketag@@@</code> .... 336,
12177, 12240,	.. 13216, 13367,	11036, 11049, 16899
12250, 12260,	13379, 13391,	<code>\makethanksmark</code> .. 17577
12297, 12309,	13428, 13442, 13456	<code>\maketitle</code> .... 110,
12321, 12384,	<code>\m@munvxh</code> .. 13208, 13217	313, 320, 412,
12394, 12404,	<code>\m@ne</code> 304, 551, 560, 5196,	440, 451, 475, 735,
12441, 12453,	5212, 5414, 6169,	780, 802, 824, 987,
12465, 12528,	6176, 6428, 6433,	1032, 1054, 1076,
12538, 12548,	6443, 6524, 7705,	1237, 1282, 1304,
12585, 12597,	7749, 7793, 9466,	1326, 4391, 4403,
12609, 12672,	9624, 9661, 10005,	4944, 8522, 8626,
12682, 12692,	11223, 11232,	8650, 9230, 9275,
12729, 12741,	11493, 13637,	9407, 9452, 9513,
12753, 12816,	13654, 15805,	9541, 9552, 9576,



10543,	10657,	11251,	11522,	23913,	23917,
11276,	11300,	13681,	16133,	23921,	23925,
11311,	11333,	18908,	19005,	23929,	23933,
11369,	11397,	19163,	19399,	24118,	24700,
11408,	11432,	19622, 19623,	19796	24701,	24703,
13698,	13722,	\marginline . . . . .		24747, 24748,	24750
13733,	13755,	. . . . . 20378, 21139, 21904		\mbox . . . . . 15030,	
15752,	15753,	\marginnote . . . . . 8201		16297,	20098,
16118,	17572,	\marginpar . . . . .		20220,	20234,
19034,	19079,	7271, 7979, 20379,		20249,	20838,
19101,	19123,	21140, 21905, 24032		20960,	20974,
19171,	19220,	\marginparpush 7204, 24953		20989,	21611,
19242,	19266,	\marginparsep . . . . .		21733, 21747,	21762
19432,	19470,	. . . . . 4381, 4829,		\mc@col@status@write	
19481,	19510,	7245, 7248, 7252,		. . . . . 18031, 18052	
19629,	19657,	7404, 7411, 15069,		\mc@gridwarn . . . . . 18021	
19668,	19692,	15071,	15075,	\mc@lastcol@status@write	
20042,	20165,	15080,	15083,	. . . . . 18037, 18060	
20172,	20193,	15085, 24964, 24966		\mdf@footnotedistance@length	
20200,	20207,	\marginparwidth 4380,		. . . . . 16962	
20271,	20782,	4830, 7244, 7249,		\mdf@footnoteinput 16970	
20905,	20912,	7261, 7359, 7629,		\mdf@footnoteoutput	
20933,	20940,	7722, 7766, 7810,		. . . . . 16959	
20947,	21011,	15069,	15071,	\mdf@frametitleaboveskip@length	
21555,	21678,	15083,	15085,	. . . . . 16954	
21685,	21706,	24872, 24916, 24966		\mdf@frametitlealignment	
21713, 21720, 21784		\markboth . . . . . 124, 565,		. . . . . 16935	
\maketitledetailsnewline		8730, 11237, 16132		\mdf@frametitlebelowskip@length	
. . . . . 10652, 10667,		\math@cr@@@align . . . . . 338		. . . . . 16955	
10669,	10670,	\mathindent . . . . . 13927, 13943		\mdf@frametitlebox	
10671, 10672, 10673		\mathsurround . . . . . 9739		. . . . . 16934, 16947,	
\maketitledetailwidth		\max@poem@no . . . . .		16948,	16949,
. . . . . 10644,		. . . . . 8925, 9027, 9028		16950, 16952, 16953	
10646,	10647,	\maxdepth . . . . . 13562,		\mdf@frametitlefont	
10648, 10649, 10664		13573, 14918, 14925		. . . . . 16937	
\maketitlehookb . . . . . 17622		\maxdimen 10046, 10047,		\mdf@frametitlefontcolor	
\maketitlehookc . . . . . 17624		10049,	10109,	. . . . . 16936	
\maketitlenamefullwidth		10110,	10112,	\mdf@horizontalmargin@equation	
. . . . . 10638, 10639, 10641		13363,	13375,	. . . . . 16912	
\maketitlenamemaxwidth		13387,	13424,	\mdf@ignorevbadness	
. . . . . 10636, 10637, 10641		13438,	13452,	. . . . . 16946	
\maketitlenamewidth		13798,	13846,	\mdf@lrbox . . . . . 16905, 16934	
. . . . . 10640,		13847,	13848,	\mdf@par@local . . . . . 16928	
10641, 10647, 10659		13882,	13883,	\mdf@patchamsthm . . . . . 16906	
\maketitlepage 8608, 8650		13884,	14553,	\mdfframedtitleenv 16933	
\maketitlepicturewidth		14714,	14715,	\mdfframetitleboxdepth	
. . . . . 10642,		14717,	14763,	. . . . . 16950	
10643, 10649, 10678		14764,	14766,	\mdfframetitleboxheight	
\MakeUppercase . . . . . 125,		17722,	17723,	. . . . . 16949	
571, 599, 600,		17725,	17822,	\mdfframetitleboxtotalheight	
615, 706, 864, 969,		17823,	17825,	. . . . . 16951	
1116, 1219, 9118,		22363,	22402,	\mdfframetitleboxwidth	
9192, 9295, 9380,		23897,	23900,	. . . . . 16948	
9505, 9506, 9689,		23905,	23909,		



\mdseries . . . . .	307,	20362,	20394,	11147,	11152,
10537,	10539,	20403,	20467,	11153,	11154,
10541,	10542,	20469,	20471,	11155,	11156,
10629,	10630,	20472,	20473,	11157,	11158,
10631,	10634,	20731,	20905,	11159,	11160,
\meaning . . . . .		20912,	20933,	11169,	11171,
5105,	5108,	20940,	20947,	11175,	11176,
5824,	5851,	21116,	21123,	11178	
5884,	5892,	21155,	21164,	\MHInternalSyntaxOff	
5901,	5968	21228,	21230,	. . . . .	11193,
\mediabutton . . . . .		21232,	21233,	\MHInternalSyntaxOn	
. 17497,	17557,	21234,	21504,	. . . . .	11033,
17558		21678,	21685,	\MidFrameCommand . .	
\medskip . . . . .	8832	21706,	21713,	. 14542,	14586,
\medskipamount . . . . .		21720,	21881,	1460,	1494,
. . . . .	1723,	21888,	21920,	9844	
1741,	2763,	21929,	21993,	\minrowclearance . .	
2778,	2793,	21995,	21997,	. . . . .	1460,
2994,	3006,	21998,	21999,	\mintagvsep . . . . .	11053
3018,	3087,	23340,	23342,	\missingfigure . . . . .	
11561		23345		. . . . .	24076,
\mem@makecol 13552,	13574	\metropolis@block . 3086		\mix 16991,	16992,
\memRTLleftskip . . 17595		\metropolis@blockadjust		17000,	17026,
\memRTLraggedleft 17600		. . . . .	3106,	17043,	17066,
\memRTLraggedright 17599		3108,	3112,	17069,	17071,
\memRTLrightskip . 17596		3113,	3114	17094,	17126,
\memRTLvleftskip . 17597		\metropolis@blocksep		17134,	17143,
\memRTLvrightskip 17598		. . . . .	3106,	17154,	17165,
\message . . 4266,	4268,	3112,	3129	17167,	17172,
14554,	14562,	\metropolis@parskip		17173,	17175,
14566,	14571,	. . . . .	3130,	17176,	17178,
14579,	14585,	\metropolis@progressinheadfoot		17190,	17199,
14595,	14600,	. . . . .	3388,	17202,	17203,
14602,	14609,	\metropolis@progressinheadfoot@linewidth		17204,	17214,
14617,	14630,	. . . . .	3393,	17224,	17225,
14638,	14643,	\metropolis@progressonsectionpage		17227,	17228,
14648,	14661,	. . . . .	3073,	17233,	17234,
14672,	14680,	\metropolis@progressonsectionpage@linewidth		17252,	17252,
\MessageBreak . . . . .		. . . . .	3077,	17254,	17259,
. . . . .	148,	\metropolis@strut .		17298,	17305,
6100,	6112,	. . . . .	3119,	17306,	17309,
6124,	6801,	\MH 11048,	11052,	17327,	17329,
6812,	6819,	11058,	11062,	17332,	17334,
6831,	6837,	11066,	11067,	17337,	17344,
6935,	6988,	11071,	11079,	17352,	17354,
6990,	7004,	11081,	11086,	17407,	17412,
7007,	7285,	11098,	11106,	17423,	17424,
7285,	7381,	11111,	11114,	17427,	17458,
7608,	7609,	11117,	11119,	17463,	17465,
8281,	8282,	11120,	11122,	17472,	17473,
8285,	8286,	11123,	11126,	17476,	17491,
8291,	8292,	11127,	11129,	17495,	17498,
8295,	8294,	11130,	11132,	17500,	17509,
16188,	16230,	11134,	11135,	17512,	17522,
16231,	16234,	11137,	11138,	17523,	17525,
17673,	17674,	11141,	11142,	17548,	17554,
18004,	18023,	11144,	11145,	\mkern . . . . .	23838,
18092,	19992,				
20165,	20172,				
20193,	20200,				
20207,	20355,				





6762, 6771, 6773,	12771, 12904,	<code>\newif</code> 3971, 3972, 3976,
6784, 6786, 6787,	12915, 13048,	3977, 3980, 3981,
6791, 6795, 6865,	13059, 13192,	3982, 3983, 3984,
6875, 6879, 6884,	13203, 13236,	3985, 3987, 3988,
6918, 6956, 6979,	13299, 13479,	4279, 4280, 4281,
6980, 6981, 7013,	13539, 13574,	4282, 4283, 4284,
7014, 7015, 7016,	13575, 13576,	4787, 4816, 4995,
7027, 7124, 7125,	13577, 14056,	5043, 5840, 6331,
7126, 7127, 7149,	14059, 14118,	8711, 8899, 10484,
7152, 7179, 7206,	14123, 14125,	10486, 10488,
7207, 7208, 7209,	14131, 14147,	10490, 10555,
7224, 7243, 7279,	14171, 14183,	10582, 10584,
7281, 7282, 7287,	14237, 14283,	10586, 10588,
7288, 7290, 7291,	14284, 14285,	10651, 11579,
7298, 7299, 7300,	14338, 14340,	14114, 14122,
7308, 7311, 7399,	14467, 14470,	16904, 23985, 23986
7417, 7627, 7635,	14473, 14476,	<code>\newinsert</code> . . . . .
7645, 7648, 7656,	15113, 16356,	4015, 4300, 7514,
7825, 7826, 7827,	16367, 18066,	7515, 7516, 7517,
7828, 7829, 7830,	18069, 18072,	7518, 7519, 7520,
7831, 7832, 7833,	19945, 19946,	7521, 7522, 7523,
7834, 7835, 7836,	20684, 20685,	7524, 7525, 7526,
7837, 7838, 7839,	21457, 21458,	7527, 7528, 7529,
7840, 7841, 7842,	23987, 23989,	7530, 7531, 7532,
7843, 7844, 7845,	24294, 24295,	7533, 7534, 7535,
7846, 7847, 7848,	24343, 24344,	7536, 7537, 7538,
7849, 7850, 7859,	24435, 24557,	7539, 7540, 7541,
7909, 7928, 7947,	24558, 24660,	7542, 7543, 7544,
7969, 7975, 8000,	24788, 24789, 24986	7545, 7546, 7547,
8001, 8035, 8191,	<code>\newcount</code> . 4186, 4361,	7563, 7564, 7565,
8192, 8193, 8201,	4362, 5036, 5046,	7566, 7567, 7568,
8210, 8219, 8232,	5050, 5427, 6162,	7569, 7570, 7571,
8233, 8356, 8409,	6265, 6425, 6486,	7572, 7573, 7574,
8489, 8502, 8536,	6566, 11905, 24652	7575, 7576, 7577,
8537, 8538, 8539,	<code>\newcounter</code> 7908, 9026,	7578, 7579, 7580,
8540, 8541, 8542,	13952, 14116,	7581, 7582, 7583,
8543, 8594, 8608,	22894, 22898, 22899	7584, 7585, 7586,
8784, 8791, 8800,	<code>\newdimen</code> . . . . .	7587, 7588, 11891,
8804, 8814, 8833,	8788, 8789, 8839,	11896, 11902, 11903
9030, 9031, 10652,	11575, 11905, 14842	<code>\newlength</code> . . . . .
10846, 10847,	<code>\newenvironment</code> . . .	4914, 4915, 4916,
10856, 10863,	4545, 4556, 4565,	4918, 4919, 4920,
10879, 10885,	4574, 5009, 7258,	4922, 4923, 5006,
10901, 10908,	7273, 7276, 7314,	7240, 7241, 7242,
11580, 11594,	7441, 9015, 9079,	7296, 7313, 8101,
11621, 11625,	16054, 24347,	10636, 10638,
11631, 11637,	24357, 24513,	10640, 10642,
11789, 11792,	24522, 24531, 24540	10644, 22926,
11909, 12046,	<code>\newfloat@setwithin</code>	22928, 22929, 23642
12057, 12184,	. . . . . 18258,	<code>\newline</code> . . . . . 4977,
12195, 12328,	18264, 18272, 18274	7475, 20395,
12339, 12472,	<code>\newfloat@Error</code> .. 18277	20404, 21156,
12483, 12616,	<code>\newfloat@setwithin</code>	21165, 21921, 21930
12627, 12760,	. . . . . 18244	<code>\newlinechar</code> . . . . . 4238



<code>\newlinetospace</code> . . .	20227, 20241,	19334, 19358,
7472, 7492, 7493,	20256, 20838,	19549, 19565,
7494, 8731, 8732, 8733	20845, 20891,	19734, 19750,
<code>\newlistentry</code> 22891, 22958	20967, 20981,	19779, 19783,
<code>\newpage</code> . . . . . 465,	20996, 21611,	19791, 20316,
487, 816, 836,	21618, 21664,	22524, 22541,
1068, 1088, 1318,	21740, 21754, 21769	22548, 22689,
1338, 6982, 6984,	<code>\ninecolumnfootnotes</code>	22692, 22720,
6988, 6993, 6994,	. . . . . 12920	22721, 22743,
6997, 7001, 7003,	<code>\no</code> . . . . . 3269, 3294, 3314	22744, 22760,
7006, 8627, 8664,	<code>\no@bib@break</code> . . . . .	22761, 22777,
8665, 9566, 9588,	. 20341, 21102, 21867	22778, 22794,
10478, 11325,	<code>\noalign</code> . . 1374, 8953,	22795, 22811,
11345, 11422,	11912, 16756,	22812, 22828,
11444, 13747,	16757, 16758,	22829, 22846,
13767, 16756,	20539, 20565,	22847, 22865,
17586, 19115,	20567, 21301,	22866, 22885,
19135, 19256,	21327, 21329,	22886, 22920,
19278, 19500,	22066, 22092, 22094	22921, 22956,
19522, 19682, 19704	<code>\nobibliography</code> . . . 7905	23118, 23119,
<code>\newpoem@tabcr</code> . . . .	<code>\nobidologo</code> . . . . . 4329	23228, 23230,
. . . 9043, 9052, 9053	<code>\nobreak</code> . . . . . 14, 16,	23321, 23353,
<code>\newsavebox</code> . . . . 4544,	209, 211, 517, 535,	23358, 23361,
7257, 7292, 7293	562, 566, 654, 655,	23830, 23835,
<code>\newskip</code> . . . . .	669, 695, 882, 883,	23843, 23944,
4582, 4583, 4584,	897, 913, 1137,	23945, 23949,
5419, 13222, 14704	1138, 1152, 1179,	24642, 24643, 24647
<code>\newthought</code> . . . . . 8430	2115, 2122, 2439,	<code>\nobreakspace</code> . . . . . 561
<code>\NewTokenList</code> . . . . . 6372	2441, 2443, 3573,	<code>\node</code> . 3310, 3312, 3317,
<code>\newtoks</code> . . . . . 4595,	7044, 8028, 8368,	3318, 3320, 3321,
5116, 5117, 6163,	8369, 8853, 8855,	24030, 24060, 24066
6164, 6334, 6347,	8861, 9139, 9140,	<code>\noexpand</code> . . . . . 393,
6372, 6425, 8840,	9154, 9178, 9316,	4617, 4618, 4632,
14124, 18646, 24299	9317, 9331, 9355,	4633, 4660, 4663,
<code>\newXeTeXintercharclass</code>	9469, 9477, 9489,	4666, 5071, 5112,
. . . . . 4188, 4189	9618, 9634, 9664,	5121, 5125, 5145,
<code>\next</code> . . . . . 24683, 24686	9669, 9677, 9895,	5149, 5271, 5373,
<code>\next@tdpage</code> . . 20099,	11206, 11219,	5374, 5376, 5433,
20108, 20179,	11234, 11238,	5461, 5487, 5515,
20216, 20225,	11246, 11473,	5541, 5544, 5578,
20229, 20239,	11496, 11501,	5581, 5819, 5820,
20243, 20254,	11510, 11554,	5821, 5823, 5824,
20258, 20839,	11555, 13631,	5849, 5851, 5869,
20848, 20919,	13647, 13656,	5870, 5871, 5874,
20956, 20965,	13660, 13668,	5881, 5882, 5883,
20969, 20979,	16109, 16111,	5885, 5891, 5892,
20983, 20994,	16156, 16863,	5894, 5900, 5901,
20998, 21612,	16961, 17965,	5903, 5965, 5967,
21621, 21692,	17976, 17977,	5968, 6182, 6328,
21729, 21738,	17988, 17989,	6333, 6339, 6387,
21742, 21752,	18792, 18794,	6415, 6418, 6421,
21756, 21767, 21771	18947, 18948,	6422, 6506, 6513,
<code>\next@tpage</code> . . . 20098,	18962, 18986,	6516, 6517, 6534,
20105, 20151,	19319, 19320,	6538, 6540, 6541,



6542, 6550, 6551,	<code>\noindent</code> . . . . . 455,	<code>\nopagenumbers</code> . . . . 4996
6552, 6555, 6556,	630, 639, 937,	<code>\normalbaselines</code> . 24417
6557, 6592, 6649,	1189, 1198, 2721,	<code>\normalbaselineskip</code>
6810, 6811, 6813,	2728, 2735, 3138,	311, 7165, 13276,
6949, 7054, 7088,	3144, 3150, 4395,	13290, 13328,
7089, 7877, 7879,	7267, 7460, 8051,	13342, 16925, 18866
7887, 8280, 8283,	8069, 8087, 8204,	<code>\normalcolor</code> . . . . .
8289, 8292, 8974,	8213, 8222, 8432,	2090, 4762, 9856,
8977, 8980, 9032,	8452, 8613, 8615,	10067, 10132,
10436, 10788,	8617, 8808, 9188,	10364, 10383,
10840, 13954,	9376, 9556, 9752,	11167, 11845,
13955, 13960,	11315, 11412,	11853, 11861,
13961, 14013,	11557, 11623,	11875, 13533,
14855, 14865,	13365, 13377,	13546, 14414,
15573, 15583,	13389, 13426,	14534, 14739,
15591, 15592,	13440, 13454,	14786, 14887,
15593, 15595,	13467, 13478,	14897, 14904,
15621, 15629,	13492, 13501,	16142, 16963,
15630, 15631,	13737, 14933,	17990, 20619,
15633, 15662,	16295, 17650,	21382, 22147,
15663, 15664,	18923, 18932,	23705, 23728,
15666, 15693,	19373, 19382,	23734, 23950,
15694, 15695,	19448, 19491,	24196, 24648,
15697, 15724,	19672, 19982,	24721, 24770,
15725, 15726,	20021, 20099,	24800, 24816,
15728, 16785,	20102, 20106,	24827, 24835,
16830, 16833,	20316, 20501,	25042, 25058, 25089
17425, 17690,	20512, 20721,	<code>\normalfont</code> . . . . . 25,
20058, 20059,	20761, 20839,	38, 52, 68, 85, 241,
20060, 20061,	20842, 20846,	255, 270, 288, 454,
20062, 20063,	21262, 21273,	457, 559, 806, 808,
20338, 20339,	21494, 21534,	1060, 1308, 1310,
20798, 20799,	21612, 21615,	2996, 3008, 3020,
20800, 20801,	21619, 22027,	4394, 4397, 4507,
20802, 20803,	22038, 24008,	4512, 4513, 4515,
21099, 21100,	24011, 24013,	4516, 4517, 4518,
21571, 21572,	24015, 24018,	4519, 4520, 4521,
21573, 21574,	24022, 24024,	7206, 7825, 7826,
21575, 21576,	24080, 24142, 24575	7827, 7915, 7934,
21864, 21865,	<code>\nointerlineskip</code> . .	7953, 8019, 8254,
22233, 22305,	. . . . . 1812, 1825,	8261, 8268, 8460,
22342, 22343,	2332, 2420, 2433,	9465, 9485, 9555,
22416, 22423,	2440, 2770, 2785,	9558, 9660, 9675,
22901, 23433,	2800, 3123, 3193,	11039, 11044,
23466, 23473,	3198, 3214, 3248,	11050, 11231,
23478, 23479,	3253, 3387, 3449,	11244, 11314,
23565, 23969,	3454, 3597, 3614,	11317, 11411,
23970, 23971,	3692, 3699, 3715,	11414, 11492,
23972, 23973,	3788, 3794, 3809,	11508, 11753,
23974, 23975,	10705, 10726,	11757, 11759,
23976, 23977,	14525, 16944,	11765, 11769,
24219, 24234,	18012, 24961, 24969	11771, 11777,
24262, 24268,	<code>\nopcodebreak</code> . . . . .	11781, 11783,
24281, 24606, 24990	. . . . . 8907, 8917, 16758	13653, 13666,







<code>\p@subfigure</code> . . . . .	22316	10591, 13956,	3312, 3320, 3321,
<code>\p@subtable</code> . . . . .	22317	14659, 16187,	3338, 3341, 3344,
<code>\PackageError</code> . .	144,	16199, 18022,	3365, 3367, 3372,
5182, 5237, 5240,		18082, 18238,	3374, 3389, 3391,
5245, 5248, 5253,		22896, 23247, 23338	3393, 3395, 3416,
5256, 5261, 5264,		<code>\PackageWarningNoLine</code>	3452, 3479, 3562,
5421, 6998, 7125,		5057, 5451, 5476,	3564, 3569, 3571,
8233, 16347,		5505, 5530, 5562,	3582, 3606, 3619,
16354, 16522,		5568, 5596, 5602, 6985	3622, 3628, 3633,
16525, 16528,		<code>\page@sofar</code> . . .	3655, 3663, 3675,
16531, 16534,		<code>\pagebreak</code> . . . . .	3695, 3701, 3703,
16537, 16540,		. 16757, 24126, 24135	3717, 3721, 3743,
16543, 16547,		<code>\pagecontents</code> . . . .	3747, 3755, 3758,
16550, 16553,		<code>\pagedepth</code> . . . . .	3764, 3767, 3774,
16556, 16559,		<code>\pagefillstretch</code> .	3777, 3791, 3796,
16562, 16565,		<code>\pagefilstretch</code> . .	3798, 3811, 3815,
16568, 16571,		<code>\pagefootnoterule</code> .	3834, 3837, 3840,
16574, 16577,		. . . . . 14239, 14247	3846, 3849, 3865,
16580, 16583,		<code>\pagegoal</code> 14553, 14555,	3868, 3883, 4790,
16586, 16589,		14560, 14567,	4793, 4796, 4799,
16592, 16595,		14608, 14610,	4802, 4805, 4808,
16598, 16601,		16844, 17928, 24123	4809, 10973,
16604, 16607,		<code>\pageinwindow</code> . . . .	10980, 10990,
16610, 16613,		<code>\pagenumbering</code> 4861, 8715	20070, 20810, 21583
16616, 16619,		<code>\pageref</code> . . . . .	<code>\par</code> 5, 15, 46, 60, 76, 107,
16622, 16625,		<code>\pageshrink</code> . . . .	108, 109, 110, 200,
16628, 16631,		10251, 10277,	210, 227, 228, 229,
16634, 16637,		10301, 14569,	249, 263, 278, 310,
16640, 16643,		14573, 14589,	313, 404, 423, 429,
16646, 16649,		14615, 14627, 24126	431, 432, 451, 494,
16652, 16655,		<code>\pagestretch</code> . . . . .	500, 504, 516, 535,
16658, 16661,		. . . . . 10302, 14568,	562, 565, 631, 641,
16664, 16667,		14589, 14627, 24130	655, 668, 695, 756,
16670, 16673,		<code>\pagestyle</code> 2057, 4360,	766, 773, 774, 802,
16676, 16679,		4852, 4860, 5003,	841, 847, 851, 883,
16682, 16685,		7480, 8716, 10577	897, 912, 938, 952,
16688, 16691,		<code>\pagetotal</code> . . . .	1008, 1018, 1025,
16694, 16697,		14555,	1026, 1054, 1093,
16700, 16703,		14560, 14566,	1099, 1103, 1138,
16706, 16709,		17585, 17926,	1151, 1179, 1190,
16712, 16715,		17929, 17940,	1200, 1258, 1268,
16718, 16721,		24118, 24123, 24181	1275, 1276, 1304,
16724, 16727,		<code>\paperheight</code> . . . .	1344, 1350, 1355,
16730, 16733,		2886,	1360, 1363, 1538,
16736, 18088,		2891, 2898, 3191,	1541, 1546, 1578,
22552, 22905, 24662		3192, 3197, 3215,	1583, 1590, 1697,
<code>\PackageInfo</code> . . . . .		3249, 3250, 3580,	1705, 1712, 1723,
. . . . . 5423, 6686,		4789, 4792, 4795,	1732, 1741, 2127,
6788, 6935, 7127,		4798, 4801, 4804,	2332, 2439, 2693,
16229, 18877, 23980		4807, 4808, 10973,	2697, 2723, 2730,
<code>\PackageWarning</code> . . .		20072, 20812, 21585	2737, 2752, 2763,
. . . . . 138, 5422,		<code>\paperwidth</code> . . . .	2767, 2778, 2782,
6039, 6156, 6789,		1929,	2793, 2797, 2968,
6818, 9021, 10493,		2067, 2380, 2397,	2975, 2981, 2987,
		2411, 2942, 3282,	
		3284, 3286, 3287,	
		3300, 3307, 3308,	



2994,	3006,	3018,	12700,	12703,	19534,	19537,
3040,	3047,	3061,	12706,	12844,	19548,	19565,
3068,	3087,	3140,	12847,	12850,	19640,	19646,
3146,	3152,	3463,	12988,	12991,	19648,	19649,
3465,	3513,	3534,	12994,	13132,	19668,	19711,
3542,	3610,	3612,	13135,	13138,	19717,	19721,
3708,	3710,	3803,	13467,	13478,	19733,	19750,
3805,	4355,	4391,	13492,	13501,	19779,	19783,
4778,	7354,	7362,	13630,	13647,	19791,	20020,
7421,	7422,	7425,	13656,	13660,	20113,	20114,
7426,	7451,	7460,	13668,	13707,	20119,	20122,
7461,	7630,	7646,	13713,	13715,	20124,	20131,
8370,	8485,	8486,	13716,	13733,	20135,	20137,
8487,	8488,	8613,	13772,	13778,	20139,	20154,
8615,	8617,	8635,	13782,	13950,	20158,	20180,
8636,	8637,	8811,	14410,	16079,	20188,	20316,
8918,	8932,	8943,	16080,	16081,	20435,	20492,
8961,	9036,	9044,	16100,	16110,	20500,	20503,
9069,	9140,	9153,	16118,	16146,	20511,	20513,
9178,	9189,	9251,	16151,	16154,	20524,	20531,
9261,	9268,	9269,	16156,	16246,	20760,	20853,
9317,	9330,	9355,	16388,	16790,	20854,	20859,
9377,	9428,	9438,	16917,	16940,	20862,	20864,
9445,	9446,	9469,	16944,	17572,	20871,	20875,
9477,	9489,	9524,	17644,	17650,	20877,	20879,
9530,	9532,	9533,	17656,	17660,	20894,	20898,
9552,	9595,	9601,	17666,	17681,	20920,	20928,
9605,	9617,	9634,	17700,	17709,	21196,	21253,
9664,	9669,	9677,	17966,	17978,	21261,	21264,
9754,	9895,	10698,	17991,	18151,	21272,	21274,
10719,	11206,		18163,	18225,	21285,	21292,
11218,	11234,		18517,	18688,	21533,	21626,
11237,	11245,		18689,	18690,	21627,	21632,
11285,	11291,		18691,	18784,	21635,	21637,
11293,	11294,		18785,	18792,	21644,	21648,
11311,	11350,		18793,	18853,	21650,	21652,
11356,	11360,		18924,	18934,	21667,	21671,
11380,	11386,		18948,	18961,	21693,	21701,
11388,	11389,		18986,	19055,	21961,	22018,
11408,	11451,		19065,	19072,	22026,	22029,
11457,	11461,		19073,	19101,	22037,	22039,
11472,	11496,		19140,	19146,	22050,	22057,
11501,	11510,		19150,	19194,	22347,	22957,
11544,	11549,		19204,	19211,	22963,	23120,
11552,	11554,		19212,	19242,	23229,	23353,
11555,	11565,		19286,	19292,	23849,	23951,
11868,	11986,		19297,	19302,	24008,	24009,
11989,	11992,		19305,	19320,	24015,	24016,
12127,	12130,		19333,	19358,	24018,	24026,
12133,	12268,		19374,	19384,	24079,	24345,
12271,	12274,		19448,	19453,	24346,	24355,
12412,	12415,		19459,	19461,	24356,	24514,
12418,	12556,		19462,	19481,	24523,	24532,
12559,	12562,		19491,	19529,	24541,	24610,



24649, 25078, 25099	9174, 9312, 9328,	11412, 11469,
<code>\par@updaterelative</code>	9351, 9615, 9630,	11492, 11507,
. 20110, 20850, 21623	9782, 9901, 11202,	11622, 11888,
<code>\paragraph</code> . . . . . 8266	11216, 11470,	11981, 12122,
<code>\paragraphfootnotes</code>	13394, 13398,	12263, 12407,
. . . . . 13246	13402, 13628,	12551, 12695,
<code>\parbox</code> . . . . . 4949,	13643, 16108,	12839, 12983,
4951, 10565,	16924, 17959,	13127, 13393,
11560, 13831,	17971, 17983,	13397, 13401,
13832, 13833,	18807, 18820,	13506, 13627,
13837, 13838,	18833, 18844,	13642, 13653,
13839, 15218,	18943, 18959,	13665, 13737,
15220, 15224,	18982, 19315,	14932, 16075,
15226, 15257,	19331, 19354,	16107, 16920,
15258, 15261,	19546, 19561,	17960, 17972,
15262, 15319,	19731, 19746,	17984, 18218,
15320, 15323,	22503, 22532,	18808, 18821,
15324, 15348,	22562, 22681,	18834, 18845,
15350, 15354,	22712, 22735,	18909, 18945,
15356, 16794,	22752, 22769,	18958, 18981,
17638, 17667,	22786, 22803,	19041, 19058,
18149, 18151,	22820, 22838,	19164, 19180,
18152, 18154,	22857, 22877,	19197, 19317,
18156, 18157,	22912, 23107,	19330, 19353,
18159, 18161,	23219, 23287,	19448, 19491,
18163, 18164,	23289, 23353,	19528, 19545,
18166, 18168,	23823, 23825,	19560, 19624,
18169, 18170,	23939, 24552, 24637	19672, 19730,
18171, 18172,	<code>\parindent</code> . . . . . 12,	19745, 19776,
18173, 18175,	42, 56, 72, 103,	19788, 19982,
18176, 18177,	207, 223, 245, 259,	20021, 20721,
18178, 18179,	274, 455, 513, 530,	20761, 21494,
18180, 18181,	557, 601, 616, 652,	21534, 22513,
18182, 18183,	665, 690, 742, 759,	22550, 22651,
18184, 18186,	865, 880, 892, 909,	22682, 22713,
18187, 18188,	946, 994, 1011,	22736, 22753,
18189, 18191,	1057, 1117, 1135,	22770, 22787,
18192, 18193,	1148, 1174, 1244,	22804, 22821,
18194, 18196,	1261, 2721, 2728,	22839, 22858,
18197, 18198,	2735, 3138, 3144,	22878, 22913,
18199, 18200,	3150, 4395, 4856,	23106, 23218,
18201, 18203,	7182, 7853, 8362,	23292, 23294,
18204, 18205,	8404, 8412, 8477,	23759, 23820,
18206, 18207,	8630, 8936, 9039,	23821, 23940,
18208, 18210,	9119, 9137, 9150,	24351, 24361,
18211, 18212,	9173, 9237, 9254,	24452, 24552,
18213, 18214,	9296, 9314, 9327,	24577, 24578, 24638
20547, 21309, 22074	9350, 9414, 9431,	<code>\parsep</code> . . . 949, 7174,
<code>\parfillskip</code> . . . . . 13,	9465, 9485, 9507,	7175, 8384, 8385,
208, 514, 531, 650,	9556, 9614, 9629,	8423, 8450, 24451
666, 691, 877,	9660, 9674, 9778,	<code>\parshape</code> . . . . . 9751,
893, 910, 1133,	9809, 9900, 11201,	14681, 14689,
1149, 1175, 8361,	11215, 11229,	16296, 18308,
8937, 9135, 9151,	11242, 11315,	18328, 18523,



18688,	18690,	5515, 5544, 5581	\pgf@trimright@final
19447,	19490,	\pdfm@box . . . . 16024,	. 18484, 18485, 18487
20001,	20003,	16032, 16041, 16049	\pgf@x . . . . . 18476,
20014,	20016,	\pdfsavepos 5443, 5445,	18480, 18483, 18487
20740,	20742,	5468, 5470, 5497,	\pgf@y . . . . . 18473
20754,	20756,	5499, 5522, 5524,	\pgfdeclarehorizontalshading
21513,	21515,	5554, 5556, 5588, 5590	. . . . . 3580
21527,	21529,	\pdfstringdefDisableCommand	\pgfdefobject . . . . .
24345,	24355,	. . . . . 15948	. . . . . 2603, 2623, 2646
24481,	24516,	\penalty . . 751, 1003,	\pgfmathsetmacro . . 3281
24518,	24519,	1253, 8857, 9179,	\pgfpathcircle . . . . 1533
24520,	24525,	9246, 9356, 9423,	\pgfpathclose . 2842, 2858
24527,	24528,	9635, 9739, 9745,	\pgfpathcurveto 1800,
24529,	24534,	10398, 10410,	2834, 2838, 2850, 2854
24536,	24537,	10423, 13221,	\pgfpathlineto . 1799,
24538,	24543,	13395, 13399,	1806, 1807, 2833, 2849
24545, 24546, 24547		13403, 13648,	\pgfpathqcurveto 1798,
\parskip 103, 223, 602,		14590, 18987,	2831, 2832, 2847, 2848
617, 866, 1118,		19050, 19189,	\pgfpathqlineto 2606,
2061, 2767, 2782,		19359, 19566,	2607, 2626, 2627,
2797, 3088, 3133,		19751, 23121,	2629, 2630, 2649, 2650
4388, 4857, 7183,		23747, 23855, 24122	\pgfpathqmoveto . . . .
7854, 8405, 8413,		\pgf@baseline . . . . 18472	1797, 2605, 2625,
8476, 8631, 8935,		\pgf@insertlayers 18494	2628, 2648, 2830, 2846
9038, 9073, 9120,		\pgf@nodecallback 18450	\pgfpathrectangle . . . .
9297, 9508, 10402,		\pgf@oldpicture . . 18457	. . . . 1820, 2413,
10414, 10427,		\pgf@picmaxx . . 18451,	2426, 3622, 3628,
11548, 11551,		18463, 18465, 18483	3663, 3721, 3747, 3815
11553, 11555,		\pgf@picmaxy 18453, 18467	\pgfpic . . . . . 18503
16075, 16150,		\pgf@picminx . . . . .	\pgfpicture . . . . . 18444
16153, 16155,		. 18452, 18466, 18476	\pgfpictureid 18449, 18460
16920, 16929,		\pgf@picminy 18454, 18468	\pgfpicturetrue . . . . .
18523, 18856,		\pgf@picture . . . . . 18457	. . . . . 1828, 18447
18910, 19165,		\pgf@picture@serial@count	\pgfpoint . . . . . 1533,
19528, 19625,		. . . . . 18448, 18449	1799, 1801, 1802,
22652, 23759,		\pgf@process . . . . .	1803, 1806, 1807,
24117, 24121, 24451		. 18472, 18475, 18482	1820, 1822, 2413,
\part . . . . . 23, 16094		\pgf@relevantforpicturesizefalse	2419, 2426, 2432,
\partname . . . . 561, 11233		. . . . . 18471	2603, 2623, 2646,
\partopsep . . . . .		\pgf@relevantforpicturesizetrue	2833, 2835, 2836,
2523, 8426, 17623,		. . . . . 18455	2837, 2839, 2840,
17625, 18302, 18322		\pgf@remember@layerlist@globally	2841, 2849, 2851,
\PassOptionsToClass		. . . . . 18489	2852, 2853, 2855,
8668, 8669, 8670,		\pgf@resetpathsizes	2856, 2857, 3202,
8671, 8672, 8692,		. . . . . 18456	3209, 3622, 3628,
8693, 8694, 8695, 8696		\pgf@restore@layerlist@from@global	3663, 3721, 3747, 3815
\PassOptionsToPackage		. . . . . 18493	\pgfpointorigin . . . 3628
. . . . . 7685, 8515		\pgf@shift@baseline	\pgfsetcolor . . . . . 1828
\pbs . . . . . 18366, 18384		. . . . . 18473	\pgfsetfading . . 3623,
\pdfencryptsetup . . . . .		\pgf@trimleft . . . . 18475	3664, 3722, 3748, 3816
. . . 4067, 4068, 4176		\pgf@trimleft@final	\pgfsetfillcolor . . . . .
\pdflastxpos . . . 5433,		. 18477, 18478, 18480	. . . . 3621, 3659,
5461, 5541, 5578		\pgf@trimright . . . 18482	3661, 3720, 3746, 3814
\pdflastypos . . . 5487,			\pgfsetfillopacity 2350



<code>\pgfsetlinewidth</code> .. 2829	<code>\plainpublisher</code> ...	<code>\PotEndMark</code> .....
<code>\pgfsys@discardpath</code>	... 8538, 8603, 8604	. 11042, 11047, 11050
..... 18496	<code>\plaintitle</code> 7493, 7494,	<code>\preCutedStrip</code> ....
<code>\pgfsys@endpicture</code> 18499	8535, 8536, 8559,	..... 10400, 10412
<code>\pgfsys@endscope</code> . 18498	8560, 8563, 8731, 8733	<code>\predisplaydirection</code>
<code>\pgfsys@markposition</code>	<code>\plitemsep</code> .....	..... 18736,
..... 18460	<code>\plparsep</code> .....	18737, 25086, 25087
<code>\pgfsys@shadingoutsidepgf</code>	<code>\plparatopsep</code> .....	<code>\predisplaypenalty</code>
..... 18508	<code>\pLRE</code> 4009, 4010, 4294, 4295	..... 13923, 13937
<code>\pgfsys@typesetpicturebox</code>	<code>\PLS@Rotate</code> .....	<code>\premath</code> .....
..... 18503	. 18388, 18390, 18392	<code>\prepare@bidi@copyins</code>
<code>\pgftext</code> .....	<code>\pltopsep</code> .....	..... 14698,
1535, 1689, 1690,	<code>\poem@finish</code> .....	14731, 14780, 14938
1822, 2351, 2352,	... 8968, 9018, 9025	<code>\preparefootins</code> ...
2412, 2420, 2425,	<code>\poem@line</code> 8895, 8901, 8952	..... 14730, 14779
2433, 3203, 3210, 3630	<code>\poem@linebegin</code> 8852, 8910	<code>\PrependToTokenList</code> 6375
<code>\pgftransformrotate</code>	<code>\poem@lineend</code> . 8853, 8916	<code>\prepnext@tok</code> .....
..... 3201, 3208	<code>\poem@lineparsebegin</code>	.... 1407, 1417,
<code>\pgftransformscale</code>	... 8864, 8921, 8948	1465, 1497, 9819, 9847
..... 2416, 2429	<code>\poem@lineparseend</code>	<code>\presetkeys</code> .....
<code>\pgftransformshift</code>	... 8890, 8902, 8959	<code>\prevdepth</code> 7354, 7362,
..... 1822,	<code>\poem@lineversesep</code>	10319, 10768,
2419, 2432, 3202, 3209	..... 8854, 8913	10822, 17628, 18019
<code>\pgfuseobject</code> .....	<code>\poem@needrun</code> .. 8846,	<code>\pRLE</code> 4011, 4012, 4296, 4297
.... 2614, 2618,	8965, 9020, 9022	<code>\process@cols</code> . 17995,
2637, 2641, 2657, 2661	<code>\poem@obeylines</code> 8947,	18028, 18042, 18048
<code>\pgfusepath</code> .... 1534,	9016, 9056, 9080	<code>\ProcessOptions</code> ...
1808, 1821, 2414,	<code>\poem@prop</code> ... 8928, 9030	4819, 7150, 8241,
2427, 3624, 3629,	<code>\poem@startedfalse</code>	8500, 8532, 8673,
3665, 3723, 3749, 3817	... 8945, 9054, 9060	8697, 10495, 10593
<code>\pgfusepathqfill</code> 2608,	<code>\poem@startedtrue</code> .	<code>\ProcessOptionsX</code> .. 4174
2631, 2651, 2843	..... 8903,	<code>\protect</code> .....
<code>\pgfusepathqstroke</code> 2859	8904, 8944, 9046,	4009, 4010, 4011,
<code>\pgfuseshading</code> . 1822,	9048, 9053, 9061, 9063	4012, 4237, 4294,
3587, 3589, 3653,	<code>\poem@verse</code> .....	4295, 4296, 4297,
3696, 3741, 3792, 3899	... 8841, 8911, 8914	4599, 4605, 4611,
<code>\pgfutil@gobble</code> .. 18450	<code>\poem@width</code> .....	4617, 4626, 4632,
<code>\pgfutil@ifnextchar</code>	8844, 8845, 8849,	5696, 5697, 6333,
..... 18457	8926, 8928, 8931, 8964	6339, 7040, 7453,
<code>\phantom</code> ... 17171, 18017	<code>\poem@write@aux</code> ...	14013, 14424,
<code>\phantomsection</code> ... 4947	... 8967, 9019, 9031	14438, 16412,
<code>\phone</code> .....	<code>\poemblocksep</code> .....	16417, 16778,
<code>\phonesymbol</code> .....	... 8838, 8942, 9042	17702, 22337,
. 4867, 10572, 10670	<code>\poemcolsepkip</code> 8829, 8858	22338, 22342,
<code>\photo</code> .....	<code>\poemextrabaselineskip</code>	22350, 22619,
..... 4912	... 8831, 8919, 8954	22963, 24288, 24990
<code>\picbox</code> .....	<code>\poemmarginskip</code> ...	<code>\protected</code> 4294, 4296,
..... 18628	... 8830, 8852, 8853	5421, 5422, 5423,
<code>\picinwindow</code> .....	<code>\poemskip</code> 8832, 8932, 8963	5644, 5652, 5654,
..... 10032	<code>\postbibhook</code> .....	5660, 5846, 5862,
<code>\picwd</code> .....	<code>\postCutedStrip</code> .. 10424	5878, 5901, 5903,
18519, 18627, 18629	<code>\postdisplaypenalty</code>	5956, 6011, 6026,
<code>\place@tag</code> . 338, 339, 341	..... 13924, 13938	18652, 18662,
<code>\plainauthor</code> .....	<code>\postmath</code> .....	18672, 18680,
.... 7492, 8535,	..... 9745	
8537, 8576, 8577, 8580		
<code>\plainfootnotes</code> .. 11735		



24196, 24305,	15694, 15725, 15788	16302, 16341,
24315, 24325, 24334	\providecommand . . .	16445, 16739,
\protected@edef . 43,	4864, 4865, 4866,	16865, 16895,
57, 73, 246, 260,	4867, 4868, 4869,	16903, 17560,
275, 2154, 2171,	4880, 4881, 4882,	17717, 17955,
2188, 2204, 2220,	4883, 4884, 4885,	17993, 18148,
2236, 8052, 8070,	4886, 4887, 4888,	18215, 18243,
8088, 11651,	4889, 4890, 4891,	18281, 18289,
11665, 11679,	4892, 4893, 4894,	18310, 18330,
11691, 11702,	4895, 5104, 8013,	18364, 18387,
11713, 11953,	8020, 8021, 8430,	18395, 18443,
11963, 11973,	10556, 10561,	18507, 18513,
12010, 12022,	14146, 23652,	18741, 18782,
12034, 12097,	23656, 23661,	18798, 18898,
12106, 12115,	23665, 23690,	19153, 19430,
12151, 12162,	23694, 23699, 23703	19612, 19815,
12173, 12235,	\ProvidesClass . . . .	19944, 20683,
12245, 12255,	. . . 4786, 8667, 8691	21456, 22221,
12292, 12304,	\ProvidesExplPackage	22228, 22288,
12316, 12379,	. . . . . 16978	22314, 22319,
12389, 12399,	\ProvidesFile . . . . 1,	22353, 22428,
12436, 12448,	131, 165, 196, 326,	22458, 22477,
12460, 12523,	344, 349, 351, 410,	22497, 22526,
12533, 12543,	605, 854, 1106,	22575, 22656,
12580, 12592,	1366, 1501, 1519,	22964, 23738,
12604, 12667,	1748, 1844, 1928,	23984, 24113,
12677, 12687,	1932, 2330, 2453,	24189, 24293, 25277
12724, 12736,	2539, 2550, 2667,	\ProvidesPackage . .
12748, 12811,	2671, 2870, 2873,	3911, 4359, 4415,
12821, 12831,	2940, 3035, 3160,	4594, 5035, 5103,
12868, 12880,	3164, 3169, 3259,	7121, 7687, 8229,
12892, 12955,	3331, 3385, 3408,	8375, 8491, 8518,
12965, 12975,	3436, 3556, 3579,	8756, 10482, 10580
13012, 13024,	3646, 3734, 3829,	\prune . . . . . 18533,
13036, 13099,	3888, 3898, 9108,	18571, 18575,
13109, 13119,	9285, 9462, 9495,	18580, 18584,
13156, 13168,	9708, 9763, 9805,	18596, 18607, 18634
13180, 13361,	9807, 9810, 9848,	\prw@mkboth . . . 22625,
13373, 13385,	9891, 9906, 10002,	22630, 22642, 22647
13422, 13436,	10040, 10684,	\ps@empty . . . . . 2076
13450, 14295,	10849, 10968,	\ps@navigation . . . . 1972
14312, 14328,	10971, 11032,	\psgrid . . . . . 18745
14356, 14370, 14384	11194, 11367,	\pspicture . . . . . 18742
\protected@write 4135,	11541, 11574,	\psset . . . . . 18780
4139, 7020, 7031	13620, 13796,	\pst@dima . . . . . 18757
\protected@xdef . . .	13825, 13841,	\pst@dimb 18755, 18760,
. . . . 2265, 2291,	13918, 13948,	18762, 18767, 18770
2317, 8115, 8144,	13957, 13962,	\pst@dimc . . . . . 18773
8173, 8556, 8573,	14112, 14452,	\pst@dimd . . . . 18754,
8589, 8600, 14260,	14519, 14696,	18760, 18761,
14269, 14423,	14939, 15066,	18762, 18763,
14428, 14437,	15108, 15409,	18767, 18768,
14443, 15592,	16053, 16139,	18769, 18770, 18771
15630, 15663,	16143, 16165,	\pst@hbox . . . . 18750,





11045,	11061,	473, 474, 475, 476,	5621, 5631, 5638,
11064,	11180,	481, 482, 483, 484,	5651, 5835, 5839,
15231,	15233,	508, 602, 617, 624,	6173, 6174, 6178,
15237,	15239,	654, 660, 678, 731,	6217, 6218, 6260,
15266,	15267,	738, 739, 740, 744,	6283, 6410, 6424,
15270,	15271,	753, 762, 779, 780,	6487, 6489, 6498,
15328,	15329,	785, 786, 787, 788,	6499, 6515, 6523,
15332,	15333,	791, 794, 798, 823,	6540, 6551, 6556,
15361,	15363,	824, 825, 830, 831,	6605, 6629, 6644,
15367, 15369, 16297		832, 833, 866, 882,	6661, 6676, 6692,
\rangle . . . . .	4508	904, 922, 931, 965,	6709, 6721, 6753,
\ratio . . . . .	3074, 3389	990, 991, 992, 996,	6764, 6843, 7051,
\rawtext . . . . .	18523,	1005, 1014, 1031,	7052, 7061, 7089,
	18529, 18551,	1032, 1037, 1038,	7154, 7652, 7861,
	18552, 18633, 18637	1039, 1040, 1043,	7969, 8032, 8036,
\rbrace . . . . .	24407, 24416	1046, 1050, 1075,	8040, 8120, 8131,
\rcb . . . . .	4509, 4512, 4513, 4517	1076, 1077, 1082,	8149, 8160, 8178,
\rcol@footinsskip .		1083, 1084, 1085,	8189, 8247, 8444,
	. . . . . 14711, 14760	1118, 1125, 1137,	8452, 8457, 8488,
\realfootnote . . . . .	15785	1143, 1161, 1211,	8673, 8697, 8793,
\recomputelengths .		1240, 1241, 1242,	8798, 8801, 8808,
	. . . . . 4925, 4942	1246, 1255, 1264,	8846, 8852, 8947,
\recomputethemelengths		1281, 1282, 1287,	8965, 8994, 9001,
	. . . . . 4924,	1288, 1289, 1290,	9008, 9020, 9056,
	4940, 10645, 10650	1293, 1296, 1300,	9120, 9127, 9139,
\reflectbox . . . . .	15000	1325, 1326, 1327,	9145, 9161, 9217,
\refname . . . . .	570, 571,	1332, 1333, 1334,	9233, 9234, 9235,
	705, 706, 968, 969,	1335, 1422, 1423,	9239, 9248, 9257,
	1218, 1219, 5011,	1440, 1441, 1442,	9274, 9275, 9280,
	8465, 11250, 11251	1750, 1921, 2270,	9281, 9282, 9283,
\refstepcounter 552,		2296, 2322, 2334,	9297, 9304, 9316,
	11224, 13939,	2341, 2375, 2377,	9322, 9338, 9370,
	14457, 14463,	2378, 2384, 2386,	9410, 9411, 9412,
	15962, 16400,	2388, 2389, 2401,	9416, 9425, 9434,
	16406, 16741,	2417, 2418, 2430,	9451, 9452, 9457,
	17693, 18299,	2431, 2475, 2555,	9458, 9459, 9460,
	18320, 20386,	2558, 2560, 2561,	9508, 9515, 9516,
	21147, 21912, 22616	2562, 2773, 2788,	9517, 9538, 9539,
\regex . . . . .	17006,	2803, 3106, 3108,	9540, 9541, 9546,
	17011, 17014,	3112, 3114, 3183,	9547, 9548, 9549,
	17017, 17020,	3223, 3232, 3240,	9573, 9574, 9575,
	17021, 17057,	4072, 4078, 4084,	9576, 9577, 9582,
	17062, 17064,	4090, 4096, 4102,	9583, 9584, 9585,
	17108, 17109, 17121	4114, 4120, 4126,	9609, 9751, 9765,
\reinsert@footnotes		4133, 4142, 4143,	9766, 9767, 9772,
	. . . . . 13614	4147, 4154, 4164,	9773, 9774, 9775,
\relax . . . . .	2, 8, 10, 12, 14,	4237, 4270, 4402,	9778, 9782, 9783,
	28, 85, 103, 132,	4403, 4404, 4409,	9784, 9785, 9786,
	166, 197, 203, 205,	4410, 4411, 4412,	9787, 9887, 9905,
	207, 209, 223, 232,	4682, 4690, 4698,	10055, 10118,
	288, 301, 319, 400,	4749, 4819, 5078,	10249, 10251,
	414, 415, 416, 437,	5083, 5089, 5104,	10286, 10312,
	438, 439, 440, 445,	5325, 5328, 5338,	10342, 10495,
	446, 447, 448, 472,	5356, 5416, 5617,	10593, 10685,



10686,	10687,	13729,	13730,	18351,	18399,
10688,	10689,	13754,	13755,	18404,	18409,
10701,	10722,	13756,	13761,	18418,	18426,
10776,	10788,	13762,	13763,	18448,	18451,
10791,	10828,	13764,	13801,	18452,	18453,
10840,	10843,	13803,	13807,	18454,	18463,
11004,	11022,	13854,	13890,	18465,	18466,
11083,	11162,	13919,	13929,	18467,	18468,
11210,	11278,	13972,	13992,	18643,	18707,
11279,	11280,	13993,	14008,	18797,	18868,
11299,	11300,	14110,	14242,	18874,	18886,
11305,	11306,	14264,	14273,	18910,	18917,
11307,	11308,	14432,	14447,	18947,	18953,
11332,	11333,	14552,	14574,	18969,	19001,
11334,	11339,	14612,	14723,	19037,	19038,
11340,	11341,	14772,	15171,	19039,	19043,
11342,	11371,	15173,	15176,	19052,	19061,
11372,	11373,	15189,	15191,	19078,	19079,
11394,	11395,	15194,	15440,	19084,	19085,
11396,	11397,	15451,	15462,	19086,	19087,
11402,	11403,	15473,	15487,	19090,	19093,
11404,	11405,	15498,	15509,	19097,	19122,
11429,	11430,	15520,	15535,	19123,	19124,
11431,	11432,	15550,	15591,	19129,	19130,
11433,	11438,	15610,	15629,	19131,	19132,
11439,	11440,	15648,	15662,	19165,	19174,
11441,	11465,	15681,	15693,	19175,	19176,
11614,	11615,	15712,	15724,	19182,	19191,
11616,	11617,	15743,	15825,	19200,	19217,
11618,	11745,	15859,	15890,	19218,	19219,
11825,	11926,	15919,	16056,	19220,	19225,
11930,	11982,	16075,	16085,	19226,	19227,
12070,	12074,	16097,	16103,	19228,	19231,
12123,	12208,	16105,	16107,	19234,	19238,
12212,	12264,	16109,	16194,	19263,	19264,
12352,	12356,	16206,	16213,	19265,	19266,
12408,	12496,	16214,	16218,	19267,	19272,
12500,	12552,	16219,	16228,	19273,	19274,
12640,	12644,	16296,	16778,	19275,	19319,
12696,	12784,	16942,	16945,	19325,	19341,
12788,	12840,	16948,	16949,	19367,	19424,
12928,	12932,	16950,	16956,	19429,	19434,
12984,	13072,	17563,	17564,	19435,	19436,
13076,	13128,	17565,	17566,	19467,	19468,
13224,	13237,	17567,	17627,	19469,	19470,
13239,	13254,	17731,	17831,	19475,	19476,
13261,	13292,	17957,	17959,	19477,	19478,
13310,	13344,	17960,	17963,	19507,	19508,
13481,	13483,	17969,	17971,	19509,	19510,
13576,	13577,	17972,	17975,	19511,	19516,
13622,	13700,	17981,	17983,	19517,	19518,
13701,	13702,	17984,	17987,	19519,	19541,
13721,	13722,	18080,	18125,	19625,	19631,
13727,	13728,	18349,	18350,	19632,	19633,



19654,	19655,	21490,	21496,	23284,	23286,
19656,	19657,	21543,	21544,	23294,	23312,
19662,	19663,	21550,	21551,	23316,	23328,
19664,	19665,	21553,	21556,	23329,	23331,
19689,	19690,	21576,	21579,	23337,	23345,
19691,	19692,	21580,	21581,	23347,	23419,
19693,	19698,	21583,	21585,	23433,	23467,
19699,	19700,	21596,	21599,	23474,	23480,
19701,	19725,	21600,	21601,	23567,	23626,
19963,	19976,	21657,	21698,	23629,	23633,
19978,	19984,	21704,	21725,	23639,	23684,
20030,	20031,	21780,	21781,	23753,	23761,
20037,	20038,	21782,	21783,	23762,	23764,
20040,	20043,	21784,	21785,	23765,	23778,
20063,	20066,	21799,	21800,	23789,	23793,
20067,	20068,	21801,	21802,	23798,	23803,
20070,	20072,	21803,	21804,	23811,	23815,
20083,	20086,	21805,	21806,	23824,	23825,
20087,	20088,	21807,	21808,	23836,	23844,
20144,	20185,	21810,	21840,	23855,	23861,
20191,	20212,	22127,	22144,	23865,	23869,
20267,	20268,	22235,	22272,	23886,	23890,
20269,	20270,	22335,	22350,	23939,	23940,
20271,	20272,	22360,	22362,	23943,	23991,
20286,	20287,	22391,	22549,	23999,	24140,
20288,	20289,	22567,	22568,	24223,	24272,
20290,	20291,	22652,	22661,	24287,	24380,
20292,	20293,	22679,	22682,	24437,	24449,
20294,	20295,	22685,	22710,	24500,	24580,
20297,	20315,	22713,	22716,	24583,	24585,
20600,	20616,	22733,	22736,	24637,	24638,
20702,	20715,	22739,	22750,	24641,	24661,
20717,	20723,	22753,	22756,	24670,	24674,
20770,	20771,	22767,	22770,	24709,	24756,
20777,	20778,	22773,	22782,	25093, 25094, 25095	
20780,	20783,	22784,	22787,	\remainx . . . . .	18151
20803,	20806,	22790,	22799,	\remainxox .	18186, 18193
20807,	20808,	22801,	22804,	\remainxoxx . . . . .	
20810,	20812,	22807,	22818,	. 18196, 18205, 18214	
20823,	20826,	22821,	22824,	\remainxxx . .	18154, 18156
20827,	20828,	22836,	22839,	\remainxxxx . . . . .	
20884,	20925,	22842,	22855,	. . 18159, 18161,	
20931,	20952,	22858,	22861,	18163, 18188, 18191	
21007,	21008,	22875,	22878,	\remainxxxxx . . .	18166,
21009,	21010,	22881,	22893,	18168, 18170,	
21011,	21012,	22908,	22910,	18172, 18198,	
21026,	21027,	22913,	22916,	18200, 18203,	
21028,	21029,	22930,	22960,	18207, 18210, 18212	
21030,	21031,	22961,	22962,	\remainxxxxxx . . . . .	
21032,	21033,	23091,	23115,	. . 18175, 18177,	
21034,	21035,	23203,	23232,	18179, 18181, 18183	
21037,	21075,	23244,	23256,	\remove@strip .	17739,
21362,	21379,	23261,	23264,	17769, 17839, 17869	
21475,	21488,	23268,	23270,	\renewcommand . . .	19,



20, 21, 22, 86,  
168, 214, 215,  
216, 217, 289, 329,  
412, 451, 453, 507,  
524, 538, 542, 546,  
547, 548, 549, 581,  
621, 643, 659, 677,  
685, 698, 700, 701,  
702, 703, 716, 722,  
728, 734, 735, 745,  
802, 804, 870, 887,  
900, 903, 921, 928,  
954, 955, 956, 957,  
958, 963, 979, 986,  
987, 997, 1054,  
1056, 1122, 1126,  
1142, 1160, 1169,  
1182, 1202, 1208,  
1213, 1214, 1215,  
1216, 1229, 1236,  
1237, 1247, 1304,  
1306, 1510, 1749,  
1933, 2097, 2144,  
2161, 2178, 2195,  
2211, 2227, 2251,  
2277, 2303, 2473,  
2527, 2668, 3086,  
4391, 4393, 4811,  
4812, 4813, 4849,  
4850, 4855, 4904,  
4908, 4939, 4944,  
5025, 6603, 6627,  
6959, 6964, 6984,  
6997, 7019, 7030,  
7158, 7167, 7208,  
7326, 7329, 7330,  
7334, 7335, 7487,  
7488, 7837, 7838,  
7839, 7840, 7841,  
7842, 7843, 7844,  
7845, 7899, 8014,  
8023, 8044, 8062,  
8080, 8195, 8196,  
8197, 8279, 8288,  
8340, 8348, 8372,  
8377, 8388, 8389,  
8390, 8391, 8392,  
8393, 8394, 8460,  
8465, 8467, 8468,  
8485, 8486, 8487,  
8488, 8545, 8546,  
8547, 8549, 8553,  
8554, 8555, 8559,  
8560, 8566, 8570,

8571, 8572, 8576,  
8577, 8582, 8586,  
8587, 8588, 8597,  
8598, 8599, 8603,  
8604, 8626, 8650,  
8712, 8725, 8730,  
8738, 9124, 9128,  
9144, 9160, 9168,  
9182, 9202, 9208,  
9214, 9219, 9220,  
9221, 9222, 9223,  
9224, 9226, 9228,  
9230, 9240, 9301,  
9305, 9321, 9337,  
9345, 9359, 9361,  
9367, 9390, 9396,  
9397, 9398, 9399,  
9400, 9401, 9403,  
9405, 9407, 9417,  
9513, 9552, 9554,  
9608, 9623, 9638,  
9642, 9646, 9648,  
9650, 9652, 9653,  
9654, 9655, 9656,  
9657, 9680, 9699,  
9764, 9769, 9791,  
9798, 9808, 9892,  
9897, 9907, 9930,  
9953, 9976, 10003,  
10019, 10496,  
10536, 10537,  
10538, 10539,  
10540, 10541,  
10542, 10543,  
10557, 10562,  
10594, 10628,  
10629, 10630,  
10631, 10632,  
10633, 10634,  
10635, 10645,  
10657, 10845,  
10846, 10847,  
10969, 10972,  
10976, 11002,  
11167, 11168,  
11195, 11209,  
11261, 11267,  
11271, 11276,  
11311, 11313,  
11363, 11364,  
11365, 11366,  
11369, 11408,  
11410, 11464,  
11478, 11480,

11482, 11484,  
11485, 11486,  
11487, 11488,  
11489, 11513,  
11532, 11542,  
11555, 11566,  
11570, 11643,  
11657, 11671,  
11685, 11696,  
11707, 13621,  
13636, 13671,  
13675, 13691,  
13698, 13733,  
13735, 13785,  
13786, 13787,  
13788, 13789,  
13790, 13792,  
13794, 13919,  
13929, 13949,  
13958, 14063,  
14082, 14084,  
14086, 14088,  
14089, 14090,  
14091, 14092,  
14093, 14095,  
14097, 14099,  
14101, 14102,  
14103, 14104,  
14105, 14106,  
14107, 14117,  
14186, 14456,  
14462, 14481,  
14493, 14505,  
14520, 15067,  
15077, 16057,  
16114, 16115,  
16116, 16117,  
16140, 16144,  
16157, 16161,  
16170, 16171,  
16172, 16173,  
16804, 17561,  
17572, 17595,  
17596, 17597,  
17598, 17599,  
17600, 17601,  
17602, 17604,  
17606, 17608,  
17610, 17611,  
17613, 17614,  
17621, 17622,  
17624, 17630,  
17631, 18149,  
18152, 18157,



18164,	18173,	20042,	20092,	21985,	22065,
18184,	18189,	20094,	20213,	22088,	22090,
18194,	18201,	20215,	20301,	22111,	22113,
18208,	18225,	20302,	20303,	22115,	22118,
18227,	18244,	20306,	20307,	22124,	22132,
18294,	18315,	20321,	20346,	22134,	22137,
18396,	18405,	20375,	20376,	22143,	22145,
18783,	18786,	20377,	20378,	22222,	22225,
18795,	18799,	20381,	20422,	22498,	22527,
18812,	18825,	20439,	20453,	22533,	22565,
18838,	18850,	20459,	20538,	22578,	22592,
18914,	18936,	20561,	20563,	22603,	22659,
18952,	18968,	20584,	20586,	22706,	22725,
18976,	18990,	20588,	20591,	22747,	22764,
18992,	18998,	20597,	20605,	22781,	22798,
19015,	19021,	20607,	20609,	22815,	22833,
19022,	19023,	20615,	20617,	22851,	22852,
19024,	19025,	20689,	20693,	22871,	22872,
19026,	19028,	20697,	20701,	22891,	22959,
19030,	19033,	20768,	20775,	23240,	23305,
19034,	19044,	20782,	20832,	23618,	23620,
19101,	19103,	20834,	20953,	23622,	23638,
19170,	19171,	20955,	21040,	23645,	23647,
19183,	19242,	21041,	21049,	23649,	23669,
19244,	19308,	21050,	21053,	23683,	23688,
19324,	19340,	21054,	21058,	23708,	23711,
19348,	19362,	21061,	21063,	23712,	23727,
19364,	19386,	21082,	21107,	23733,	23739,
19387,	19388,	21136,	21137,	23859,	23966,
19389,	19390,	21138,	21139,	23988,	24006,
19391,	19393,	21142,	21183,	24028,	24040,
19395,	19409,	21200,	21214,	24076,	24555,
19415,	19421,	21220,	21300,	24556,	24787,
19426,	19432,	21323,	21325,	24788,	24789,
19440,	19481,	21346,	21348,	25099,	25142,
19483,	19540,	21350,	21353,	25144,	25145,
19554,	19569,	21359,	21367,	25146,	25201,
19572,	19576,	21369,	21372,	25203,	25205,
19580,	19582,	21378,	21380,	25207,	25211,
19584,	19586,	21462,	21466,	25213,	25217, 25219
19587,	19588,	21470,	21474,	\RenewDocumentCommand	
19589,	19590,	21541,	21548,	. . . . . 17164, 17497	
19603,	19629,	21555,	21605,	\renewenvironment 83,	
19668,	19670,	21607,	21726,	286, 569, 590,	
19724,	19739,	21728,	21813,	606, 626, 633,	
19754,	19758,	21814,	21818,	704, 855, 933,	
19762,	19764,	21819,	21822,	940, 967, 1107,	
19766,	19768,	21823,	21827,	1185, 1192, 1217,	
19769,	19770,	21830,	21832,	1845, 2105, 2514,	
19771,	19772,	21847,	21872,	7429, 7432, 7435,	
19773,	19806,	21901,	21902,	7438, 8436, 8446,	
19950,	19954,	21903,	21904,	8454, 8470, 8681,	
19958,	19962,	21907,	21948,	9109, 9184, 9190,	
20028,	20035,	21965,	21979,	9286, 9372, 9378,	



9496, 9687, 9749,	6848, 6851, 6887,	12722, 12734,
9770, 9904, 11249,	6888, 6889, 6891,	12746, 12809,
11520, 13679,	6898, 6901, 6926,	12819, 12829,
13936, 14537,	6927, 6947, 6949,	12866, 12878,
17712, 18216,	6953, 6960, 6962,	12890, 12953,
18331, 18899,	7041, 7042, 23249,	12963, 12973,
18919, 18926,	23250, 23251,	13010, 13022,
19003, 19154,	23252, 23253,	13034, 13097,
19369, 19376,	23255, 23256,	13107, 13117,
19397, 19591,	23257, 23259,	13154, 13166,
19613, 19794,	23261, 23264,	13178, 13359,
20310, 21071,	23268, 23301,	13371, 13383,
21836, 22579,	23302, 23305,	13420, 13434,
22582, 22608, 24419	23306, 23855, 23856	13448, 14024,
\renewrobustcmd ...	\reserved@b 4708, 4709,	14289, 14290,
. 16933, 16959, 16970	5168, 5172, 5173,	14306, 14307,
\renewtagform .... 16901	6798, 6799, 6827,	14322, 14323,
\repeat 4192, 4193, 4194,	6885, 6887, 6904,	14352, 14353,
6437, 6444, 10018,	6921, 6922, 6927,	14366, 14367,
10294, 13233,	6932, 6934, 6935,	14380, 14381,
16256, 18541,	6937, 6940, 6960, 6962	24882, 24926, 25026
18588, 18599,	\reserved@c .... 6900,	\ResetCounterPerPage
18610, 18638, 22374	6903, 6904, 6908,	..... 4200, 5038
\RequirePackage ...	6919, 6932, 6946, 6950	\resizebox ..... 15021
.... 3962, 3964,	\reserved@d .... 5167,	\restore@protect .. 5698
3965, 3966, 3967,	5172, 6920, 6939, 6952	\restoreCaptionSkip
3968, 4199, 4416,	\reset@dir . 18707, 24380	..... 15202
4417, 4821, 4822,	\reset@font ..... 37,	\restorecounters@ 11094
4823, 4824, 4831,	51, 67, 240, 254,	\restylefloat ..... 7679
4832, 4847, 4900,	269, 2151, 2168,	\resumename ..... 4901
6806, 6807, 6823,	2185, 2200, 2216,	\rightskip ..... 22961
6867, 6868, 6871,	2232, 7732, 7776,	\right 24407, 24416, 24418
7123, 7185, 7187,	7820, 8048, 8049,	\right@cor ... 17741,
7194, 7215, 7219,	8066, 8067, 8084,	17742, 17841, 17842
7255, 7256, 7479,	8085, 11647,	\right@footnoterule
7689, 7690, 7691,	11661, 11675,	... 26, 230, 414,
7692, 7896, 7897,	11689, 11700,	542, 728, 738, 963,
8012, 8231, 8406,	11711, 11951,	990, 1208, 1240,
8417, 8469, 8495,	11961, 11971,	2196, 2212, 9214,
8503, 8520, 8675,	12008, 12020,	9233, 9367, 9410,
8676, 8677, 8678,	12032, 12095,	9515, 9642, 11271,
8679, 8680, 8699,	12104, 12113,	11278, 11371,
8700, 8701, 8702,	12149, 12160,	11570, 13675,
8703, 8704, 25133,	12171, 12233,	13700, 14202,
25136, 25137,	12243, 12253,	14216, 14226,
25138, 25139, 25193	12290, 12302,	14349, 14377,
\RequireXeTeX . 3963, 4278	12314, 12377,	16083, 16161,
\reserved@a 4728, 4732,	12387, 12397,	16879, 16887,
4738, 4741, 4744,	12434, 12446,	18123, 18998,
4747, 5168, 5172,	12458, 12521,	19037, 19174,
5683, 5684, 5685,	12531, 12541,	19421, 19434,
6808, 6816, 6826,	12578, 12590,	19576, 19631,
6828, 6835, 6837,	12602, 12665,	19758, 20035,
6842, 6844, 6845,	12675, 12685,	20086, 20775,



20826, 21548, 21599	18832, 18841,	24550, 24577,
<code>\rightfootnoterule</code>	18843, 18917,	24578, 24637, 24642
..... 4107,	18930, 18941,	<code>\RL</code> ... 15952, 18697, 24370
10686, 11615,	18942, 18947,	<code>\rlap</code> 306, 454, 805, 1307,
14214, 14928, 25095	18958, 18981,	4394, 9555, 11314,
<code>\rightline</code> ... 18740,	18984, 18985,	11411, 13736,
24565, 24569, 24571	19313, 19314,	13831, 13837,
<code>\rightlinenumbers</code> .	19319, 19330,	14526, 14959,
..... 16329, 16337	19353, 19356,	15005, 15071,
<code>\rightmargin</code> ... 948,	19357, 19367,	15072, 15085,
8422, 8441, 8449,	19380, 19429,	15086, 16141,
8455, 14674,	19545, 19560,	18017, 18726,
14678, 18793,	19563, 19564,	19104, 19245,
19976, 20715,	19569, 19570,	19442, 19485,
21488, 24442,	19730, 19745,	19671, 20094,
24453, 24459,	19748, 19749,	20215, 20834,
24465, 24473, 24477	19968, 20707,	20955, 21607,
<code>\rightskip</code> ..... 12,	21480, 22502,	21728, 22263, 24390
13, 207, 208, 305,	22507, 22518,	<code>\RLE</code> . 4011, 4296, 15951,
309, 513, 530, 533,	22531, 22535,	18697, 18698,
534, 624, 637, 648,	22555, 22558,	18702, 23993,
649, 654, 665, 690,	22563, 22567,	24370, 24371, 24375
693, 694, 875, 876,	22568, 22679,	<code>\rmfamily</code> ..... 734,
882, 892, 895, 896,	22680, 22681,	986, 1236, 8250,
909, 931, 1125,	22689, 22710,	8303, 8306, 8310,
1131, 1132, 1137,	22711, 22712,	8313, 8317, 8320,
1148, 1174, 1177,	22720, 22733,	8324, 8327, 8331,
1178, 1196, 1874,	22734, 22735,	8334, 19033, 19170
1875, 1878, 2674,	22743, 22750,	<code>\romannumeral</code> ..... ..... 6483, 6484,
2684, 3170, 3172,	22751, 22752,	8967, 9030, 11102,
8360, 8367, 8368,	22760, 22767,	11105, 11151,
8938, 9127, 9133,	22768, 22769,	14065, 14066,
9134, 9139, 9150,	22777, 22784,	14067, 14068,
9173, 9176, 9177,	22785, 22786,	14070, 14071,
9304, 9310, 9311,	22794, 22801,	14072, 14073,
9316, 9327, 9350,	22802, 22803,	14074, 14077,
9353, 9354, 9614,	22811, 22818,	14078, 14079, 24445
9629, 9632, 9633,	22819, 22820,	<code>\rot@float@box</code> 19823,
9765, 9766, 9767,	22828, 22836,	19824, 19825,
9893, 9894, 9900,	22837, 22838,	19839, 19848,
11201, 11204,	22846, 22855,	19866, 19867,
11205, 11215,	22856, 22857,	19868, 19869,
11469, 11887,	22865, 22875,	19870, 19886, 19897
13505, 13627,	22876, 22877,	<code>\rot@label</code> . 19819, 19862
13642, 13645,	22885, 22910,	<code>\rot@LR</code> .... 19830, 19875
13646, 16107,	22911, 22912,	<code>\rot@mess@toks</code> 19822,
16108, 16923,	22920, 22960,	19834, 19844,
17595, 17596,	22962, 23759,	19853, 19865,
17959, 17963,	23821, 23822,	19880, 19892, 19902
17964, 17971,	23823, 23829,	<code>\rot@message</code> 19853, 19902
17976, 17983,	23832, 23879,	<code>\rot@pageref</code> 19820, 19863
17988, 18804,	23939, 23944,	<code>\rotate</code> ..... 19916
18806, 18817,	23967, 23974,	<code>\rotatebox</code> ... 14108,
18819, 18830,	24343, 24344,	



15134, 15183,	11781, 11783,	14388, 17171, 18777
15396, 16866,	14508, 14512, 14514	
16868, 16870,	\RTLfoottextfont ..	S
16990, 16998,	..... 11634,	\s ..... 17020, 17021
17520, 19839,	11662, 11712,	\save@dir .. 18706, 24379
19848, 19886, 19897	11805, 11971,	\savebox ..... 11108,
\rotateframe 14070, 14107	11992, 12032,	15131, 15133, 15213
\rotFPbot .... 19840,	12113, 12133,	\saveCaptionSkip . 15163
19847, 19887, 19896	12171, 12253,	\savecounters@ ... 11091
\rotFPtop .... 19838,	12274, 12314,	\saved@mdir ... 18706,
19849, 19885, 19898	12397, 12418,	18707, 24379, 24380
\rrb ..... 4511, 4521	12458, 12541,	\saved@tempdimb ...
\rsb ..... 4510, 4519	12562, 12602,	. 10216, 10299, 10308
\RTL .. 18690, 24355, 24357	12685, 12706,	\sbox ..... 11174,
\RTL@column@boxes .	12746, 12829,	15165, 15182,
. 18041, 18068, 18073	12850, 12890,	16183, 16191,
\RTL@outputdblcol .	12973, 12994,	16236, 16382,
. . 10042, 13842,	13034, 13117,	16795, 16989,
14755, 17718,	13138, 13178,	16997, 17189,
24696, 24787, 24788	13383, 13403, 13448	17476, 17515,
\RTLbiditftesidenotemarginpar	\RTLmarginnote .... 8219	17520, 17632,
. . . 7781, 8081, 8222	\RTLmarginpar .... 24887	17647, 17679,
\RTLcases .. 24417, 24420	\RTLmulticolcolumns	18332, 22517,
\RLTcite .....	..... 18066	22534, 23326, 25076
8008, 8128, 8157,	\RTLSidenote .. 7951, 8193	\SC@FLOAT 22222, 25201,
8186, 8208, 8217, 8226	\RTLthanks . 419, 439,	25205, 25211,
\RTLdblcol ..... 24788	474, 493, 8547,	25213, 25217, 25219
\RTLdfnmakecol ... 10846	8555, 8572, 8588,	\SC@justify@caption
\RTLfootfootmark ..	8599, 9520, 9540,	. . 22225, 25203,
. . 11633, 11774,	9575, 9594, 11376,	25207, 25212,
11992, 12133,	11396, 11431,	25214, 25218, 25220
12274, 12418,	11450, 14436,	\sc@wm@text ..... 10970
12562, 12706,	17565, 19179,	\scalebox ..... 15019
12850, 12994,	19219, 19265,	\scantokens ... 5834, 5854
13138, 13403, 14505	19285, 19439,	\scr@@makesinglelinecaption
\RTLfootmarkstyle .	19469, 19509,	. . 20410, 20430,
. . . . . 11749, 11788	19527, 19636,	20453, 21171,
\RTLfootnote ... 419,	19656, 19691,	21191, 21214,
493, 2277, 4598,	19710, 20091,	21936, 21956, 21979
4611, 8197, 8547,	20270, 20831,	\scr@caption .....
9520, 9594, 11376,	21010, 21604, 21783	. . 20564, 20566,
11450, 14259,	\rtside ..... 18571,	20568, 21326,
14454, 14462,	18573, 18584,	21328, 21330,
19179, 19285,	18586, 18607, 18609	22091, 22093, 22095
19439, 19527,	\rule .. 46, 60, 76, 249,	\scr@compatibility
19636, 19710,	263, 278, 2158,	. . 20043, 20144,
20091, 20831, 21604	2175, 2192, 2208,	20267, 20783,
\RTLfootnotetext ..	2224, 2240, 4949,	20884, 21007,
. . . . . 4666, 4677,	10550, 11183,	21556, 21657, 21780
8980, 8990, 14438,	11187, 11190,	\scr@dte@current ..
14441, 15621,	11628, 11634,	. . . . . 23415, 23418
16833, 22423, 22427	11640, 14300,	\scr@dte@def@l@targetocline
\RTLfootscript ....	14317, 14333,	..... 23126
. . 11749, 11777,	14360, 14374,	



<code>\scr@dte@def@l@tocline</code>	23678, 23697, 23713	<code>\sectfont</code> . . . . . 18787
. . . . . 23376	<code>\scr@LT@array</code> . 15961,	<code>\section</code> . . . 570, 598,
<code>\scr@dte@def@l@undottedtocline</code>	20561, 20562,	614, 629, 635, 638,
. . . . . 22965	20574, 21323,	705, 863, 936, 942,
<code>\scr@dte@donumwidth</code>	21324, 21336,	944, 968, 1115,
. . . . . 23645, 23646	22088, 22089, 22101	1188, 1194, 1197,
<code>\scr@dte@targetocline@init</code>	<code>\scr@makemultilinecaption</code>	1218, 4945, 5011,
. . . . . 23127	.. 20412, 20417,	8252, 8274, 8342,
<code>\scr@dte@nosub</code> 23431,	20459, 21173,	8350, 8465, 8468,
23433, 23463,	21178, 21220,	8472, 9187, 9375,
23464, 23466,	21938, 21943, 21985	11250, 18922,
23471, 23473,	<code>\scr@makesinglelinecaption</code>	18928, 18931,
23478, 23479,	. . . . . 20414,	19372, 19378, 19381
23491, 23496,	20422, 21175,	<code>\sectionbib</code> . . . . . 22603
23504, 23509,	21183, 21940, 21948	<code>\sectionfont</code> . . . 4885,
23563, 23565, 23716	<code>\scr@parindent</code> . . . .	4893, 10541, 10634
<code>\scr@dte@numberline@box</code>	. 20676, 21449, 22214	<code>\sectionstyle</code> . 4893, 4951
. . . . . 23324, 23351	<code>\scr@samed@footnotetext</code>	<code>\sectiontitlecolour</code>
<code>\scr@dte@pagenumberwidth</code>	. . . . . 19947,	. . . 4876, 10503,
. . . . . 23362	19951, 20686,	10511, 10518,
<code>\scr@dte@tocline</code> . .	20690, 21459, 21463	10525, 10532,
. . . . . 23240, 23723	<code>\scr@samed@LTFootnotetext</code>	10602, 10608,
<code>\scr@dte@tocline@init</code>	. . 19945, 19948,	10614, 10620, 10626
. . . . . 23377	19955, 20684,	<code>\selectfont</code> . . . . 347,
<code>\scr@dte@tocline@numberwidth</code>	20687, 20694,	5639, 8613, 8615,
. . . . . 23327,	21457, 21460, 21467	8617, 18345, 18358
23330, 23332, 23335	<code>\scr@samed@RTLFootnotetext</code>	<code>\separatorcolumnwidth</code>
<code>\scr@dte@tocline@numbox</code>	. . 19946, 19949,	. . . . . 4916,
. 23326, 23328, 23342	19959, 20685,	4917, 4928, 4934,
<code>\scr@dte@undottedtocline@init</code>	20688, 20698,	4950, 4955, 4961,
. . . . . 22966	21458, 21461, 21471	5019, 10648, 10678
<code>\scr@endstrut</code> . 20492,	<code>\scr@smashdp</code> . . . . .	<code>\SepMark</code> . . . 24429, 24430
20502, 20513,	. . 20484, 20515,	<code>\seq</code> . . . . . 17252,
20524, 21253,	20518, 21245,	17253, 18376, 18379
21263, 21274,	21276, 21279,	<code>\set@color</code> 9851, 9856,
21285, 22018,	22010, 22041, 22044	9864, 9870, 9878,
22028, 22039, 22050	<code>\scr@trim@spaces</code> . 23251	9885, 9890, 14533,
<code>\scr@ifundefinedorrelax</code>	<code>\scr@tso@figure@pagenumberformat</code>	24192, 24196, 24292
. . 20465, 20478,	. . . . . 23727	<code>\set@split@topskip@to</code>
21226, 21239,	<code>\scr@tso@table@pagenumberformat</code>	. . . . . 10214, 10472
21991, 22004,	. . . . . 23733	<code>\set@typeset@protect</code>
23000, 23048,	<code>\scr@v@is@ge</code> . . . . .	. . . . . 14019,
23093, 23159,	. 19963, 20702, 21475	14023, 22310,
23205, 23232,	<code>\scr@v@is@gt</code> 21042, 21064	24612, 24998, 25000
23253, 23258,	<code>\scr@v@is@le</code> . . 21057,	<code>\SetatBoolean</code> . . . . . 5250
23314, 23429,	21060, 21826, 21829	<code>\setbaselineskip</code> . . 5637
23431, 23460,	<code>\scriptsize</code> . . . . 1613,	<code>\setbeamerfont</code> 1613, 1700
23463, 23464,	1700, 3188, 8388	<code>\setbeamersize</code> . . . .
23471, 23489,	<code>\scshape</code> . . . . . 9468	. . . 1933, 2942, 3522
23491, 23502,	<code>\secshape</code> . . 19528, 19569	<code>\setbeamertemplate</code>
23504, 23520,	<code>\SectFont</code> 629, 638, 936,	. . . . . 2871,
23560, 23561,	944, 1188, 1197,	2874, 2875, 2877,
23563, 23579,	9187, 9375, 18922,	2878, 3029, 3030,
23632, 23659,	18931, 19372, 19381	3031, 3036, 3044,



3072, 3137, 3143,	10225,	10253,	14625,	14639,
3149, 3155, 3157,	10259,	10262,	14709,	14716,
3161, 3162, 3165,	10270,	10308,	14717,	14733,
3166, 3167, 3176,	10309,	10339,	14758,	14765,
3382, 3386, 3404,	10359,	10396,	14766,	14782,
3474, 3642, 3730,	10407,	10420,	14833,	14845,
3825, 3891, 3893, 3904	10470,	10694,	14879,	14881,
\SetBoolean . . . . . 5234	10702,	10703,	14892,	14917,
\setboolean 7129, 7130,	10707,	10715,	14942,	14951,
7132, 7134, 7139,	10723,	10724,	14958,	14959,
7140, 7144, 7145,	10728,	10743,	15004,	15005,
7216, 7220, 7223,	10746,	10751,	16774,	16783,
7228, 7230, 7234,	10755,	10763,	16842,	16847,
7236, 7614, 8238,	10800,	10803,	16850,	16859,
8239, 8240, 8497,	10808,	10812,	16909,	16941,
8498, 8499, 8524, 8525	10817,	11686,	16947,	17721,
\setbox . . . . . 387,	11697,	11708,	17724,	17725,
1413, 1415, 1416,	11828,	11830,	17747,	17752,
1472, 1768, 1774,	11906,	11909,	17762,	17780,
1783, 1828, 1829,	11916,	11994,	17785,	17821,
1860, 1905, 1910,	12017,	12029,	17824,	17825,
1921, 1975, 1977,	12135,	12157,	17847,	17852,
1979, 1981, 1986,	12168,	12276,	17862,	17880,
1997, 2012, 2017,	12299,	12311,	17885,	17916,
2026, 2041, 2079,	12420,	12443,	17997,	18013,
2081, 2083, 2085,	12455,	12564,	18515,	18529,
2091, 2145, 2162,	12587,	12599,	18532,	18551,
2179, 2197, 2213,	12708,	12731,	18552,	18558,
2229, 2340, 2360,	12743,	12852,	18559,	18570,
2364, 2403, 2408,	12875,	12887,	18572,	18574,
2438, 2447, 2815,	12996,	13019,	18576,	18579,
2818, 3220, 3229,	13031,	13140,	18581,	18583,
3237, 3606, 3854,	13163,	13175,	18585,	18595,
3873, 4037, 4314,	13209,	13210,	18597,	18606,
4760, 7660, 7716,	13217,	13227,	18608,	18623,
7719, 7760, 7763,	13230,	13232,	18625,	18633,
7804, 7807, 8866,	13234,	13363,	18635,	18644,
8877, 9083, 9097,	13375,	13387,	18725,	18726,
9723, 9750, 9755,	13405,	13424,	18756,	18774,
9787, 9822, 9851,	13430,	13438,	19908,	19918,
10006, 10007,	13444,	13452,	19929,	19936,
10011, 10014,	13462,	13473,	22251,	22299,
10024, 10028,	13489,	13498,	22340,	22390,
10031, 10035,	13517,	13525,	22460,	23897,
10045, 10048,	13540,	13556,	23900,	23905,
10049, 10063,	13566,	13815,	23909,	23913,
10080, 10096,	13845,	13848,	23917,	23921,
10108, 10111,	13861,	13881,	23925,	23929,
10112, 10126,	13884,	13898,	23933,	24184,
10139, 10155,	13949,	13989,	24192,	24297,
10180, 10181,	13994,	14350,	24349,	24359,
10185, 10217,	14364,	14378,	24389,	24390,
10218, 10220,	14397,	14588,	24574,	24600,
10221, 10224,	14597,	14601,	24699,	24702,



24703,	24717,	16182,	16220,	16223,	16224,	
24746,	24749,	18338,	18402,	16225,	16237,	
24750,	24764,	19827,	19872,	24077	16238,	
24793,	24795,	\setlatin . . . . . 3973				16266,
24809,	24811,	\setlength . . . . . 511,				16269,
24822,	24866,	528,	664,	688,	16826,	
24869,	24910,	890,	908,	945,	18957,	
24913,	24941,	946,	947,	948,	19329,	
24955,	24973,	949,	1147,	1172,	19558,	
\setcaptionfont . . .	7208	3073,	3088,	3133,	19728,	
\setchapterpreamble		4585,	4586,	4587,	19995,	
. . . . .	21076,	4789,	4790,	4792,	20734,	
\setcitationfont . .	7843	4793,	4795,	4796,	21507,	
\setcounter . . . . .	436,	4798,	4799,	4801,	22506,	
471,	746,	4802,	4804,	4805,	22507,	
998,	1030,	4807,	4808,	4809,	22555,	
1248,	1280,	4814,	4815,	4853,	22556,	
4401,	7916,	4854,	4856,	4857,	22558,	
7954,	7986,	4858,	4859,	4917,	22927,	
8748,	9026,	4926,	4927,	4930,	22931,	
9273,	9418,	4932,	4935,	4936,	22932,	
9537,	9572,	4938,	4941,	5007,	22933,	
11331,	11393,	5017,	5018,	5019,	22934,	
11428,	13720,	7153,	7180,	7181,	22935,	
13753,	14049,	7182,	7183,	7204,	22937,	
16168,	16169,	7210,	7211,	7244,	22938,	
17593,	18297,	7247,	7251,	7297,	22940,	
18318,	19045,	7349,	7350,	7851,	22941,	
19077,	19121,	7852,	7853,	7854,	22943,	
19184,	19216,	7860,	8102,	8395,	22944,	
19262,	19466,	8396,	8397,	8398,	23104,	
19506,	19653,	8399,	8400,	8401,	23216,	
19688,	20053,	8402,	8404,	8405,	23643,	
20266,	20339,	8407,	8410,	8411,	24498,	
20793,	21006,	8412,	8413,	8630,	24501	
21100,	21566,	8631,	9149,	9171,	\setLR . . . . . 18732,	
21779,	21865,	9326,	9348,	9612,	24398	
\setdefaultbibitems		9627,	9898,	10637,	\setLTR . . . . . 18693,	
. . . . .	24434	10641,	10643,	10643,	18694,	
\setdefaultmarginpar		10646,	11054,	11054,	18707,	
. . . . .	24977	11199,	11214,	11214,	18732,	
\setDefaults . . . . .	15120	11790,	11793,	11793,	18733,	
\setfloatalignment	7288	11807,	13626,	13626,	24366,	
\setfootnoteLR . . .	14281	13640,	14395,	14395,	24367,	
\setfootnoteRL . . .	14279	14936,	15044,	15044,	24398,	
\setkeys . .	1752,	15045,	15051,	15051,	24399	
1847,	1852,	15052,	15054,	15054,	\setLTRbibitems . .	
1856,	1935,	15055,	15124,	15124,	24433	
2125,	2126,	15125,	15137,	15137,	\setLTRcitationfont	
2286,	2312,	15141,	15143,	15143,	7844	
4067,	9714,	15145,	15149,	15149,	\setLTRmarginnotefont	
11072,	11078,	15151,	16174,	16174,	. . . . . 7841	
11080,	14950,	16175,	16176,	16176,	\setLTRmarginpar .	
14994,	15122,	16177,	16216,	16216,	24976	
					\setLTRsidenotefont	
					7838	
					\setLTRtable . . . . .	
					3979	
					\setmarginnotefont	
					7840	
					\setnonlatin . . . . .	
					3974	
					\setparsizes . . . . .	
					. 20110,	
					20850,	
					21623	
					\setRL . . . . . 18731,	
					24397	
					\setRTL . 18692,	
					18695,	
					18707,	
					18731,	
					24019,	
					24059,	
					24093,	
					24365,	
					24368,	
					24380,	
					24397	
					\setRTLbibitems . .	
					24432	
					\setRTLcitationfont	
					7845	
					\setRTLmain . . . . .	
					4286	
					\setRTLmarginnotefont	
					. . . . . 7842	
					\setRTLmarginpar .	
					24975	
					\setRTLsidenotefont	
					7839	
					\setRTLtable . . . . .	
					3978	
					\setsidenotefont . .	
					7837	
					\setSingleSpace . . .	
					. . . . . 11736,	
					11741	



<code>\setospace@singlespace</code>	<code>\sidebarheight</code> . . . .	<code>\small</code> 413, 638, 737, 944,
. . . 8047, 8065, 8083	. . . . 1989, 1997,	989, 1197, 1239,
<code>\setthesection</code> . . . 17610	2007, 2020, 2026, 2036	4427, 4887, 4977,
<code>\settodepth</code> . . . . . 18333	<code>\sidecaptionsep</code> 22223,	4982, 5012, 8377,
<code>\settoheight</code> 11051, 18334	22224, 25202,	8378, 8443, 8451,
<code>\settowidth</code> . . . . . 89,	25206, 25211,	8456, 8475, 9232,
292, 575, 710, 973,	25213, 25217, 25219	9409, 9514, 11277,
1223, 2519, 3266,	<code>\sidenote</code> . . . . . 7913,	11370, 13699,
3270, 3273, 4921,	7967, 8005, 8100, 8191	18931, 19036,
9196, 9384, 9693,	<code>\sidenotes</code> . . . . . 8010	19173, 19381,
10639, 11096,	<code>\sideways</code> . . . . . 19934	19433, 19630,
11255, 11526,	<code>\sixcolumnfootnotes</code>	20085, 20825, 21598
13685, 16060,	. . . . . 12488	<code>\smallcaps</code> 8731, 8732, 8733
16263, 18336,	<code>\sift@cn</code> . . . . . 4727, 4749	<code>\smallskip</code> . . . . .
19009, 19403,	<code>\size@chapter</code> . . . . 18787	. . 18151, 18156,
19597, 19800,	<code>\skip</code> . . . . . 4016, 4301,	18163, 18172,
20332, 20410,	8954, 8955, 10748,	18183, 18188,
21093, 21171,	10805, 11823,	18193, 18200,
21858, 21936,	11844, 11852,	18207, 18214, 18784
22586, 23862, 23864	11860, 11874,	<code>\smallskipamount</code> . .
<code>\setupL@lbox</code> 16215, 16222	11892, 11897,	. . . 3002, 3014, 3026
<code>\Setversedim</code> . . . . .	13243, 13531,	<code>\smash</code> . . . . . 7405,
. . . 8761, 8765, 8791	13544, 13583,	7410, 7421, 7422,
<code>\SetWatermarkText</code> 10969	13591, 14413,	7425, 7426, 7633,
<code>\sevendcolumnfootnotes</code>	14699, 14700,	10697, 10718,
. . . . . 12632	14711, 14713,	14526, 16297,
<code>\sf@size</code> . . . . . 16091	14760, 14762,	18729, 24393, 24395
<code>\sfcode</code> 93, 296, 586, 718,	14816, 14821,	<code>\SOUL@apo</code> . . . . . 22245
981, 1231, 2533,	14884, 14895,	<code>\SOUL@comma</code> . . . . . 22244
9204, 9392, 9704,	14902, 14936,	<code>\SOUL@do</code> . . . . . 22247
11263, 11537,	18130, 18713,	<code>\SOUL@eventuallyexhyphen</code>
13693, 16064,	18719, 24798,	. . . . . 22234
18230, 19017,	24814, 24825, 24833	<code>\SOUL@grave</code> . . . . . 22246
19411, 19608,	<code>\skip@</code> . . . . . 311, 312	<code>\SOUL@ignorespacesfalse</code>
19811, 20349,	<code>\slideentry</code> . . . . . 2551	. . . . . 22238
21110, 21875, 22597	<code>\sloppy</code> . . . . . 42,	<code>\SOUL@lasttoken</code> . . 22241
<code>\sh@wgridXunit</code> . . . 18745	56, 72, 92, 245,	<code>\SOUL@lowerthan</code> . . 22231
<code>\sh@wgridYunit</code> . . . 18745	259, 274, 295, 582,	<code>\SOUL@minus</code> . . . . . 22243
<code>\shadowbox</code> . . . . . 11168	717, 980, 1230,	<code>\SOUL@postamble</code> . . 22248
<code>\shadowsize</code> . . . 11178,	2529, 5026, 9203,	<code>\SOUL@preamble</code> . . . 22240
11182, 11183,	9391, 9700, 11262,	<code>\SOUL@ssoeventuallyskip</code>
11186, 11187, 11190	11533, 13692,	. . . . . 22235
<code>\shipout</code> . . . . . 14019,	14694, 16063,	<code>\SOUL@spaceskip</code> . . 22236
14856, 14866, 24997	16926, 18229,	<code>\SOUL@start</code> . . . . . 22229
<code>\shortauthors</code> . . . . .	18867, 19016,	<code>\SOUL@ulcolor</code> . 22260,
. . 115, 116, 121,	19410, 19604,	22266, 22272, 22280
16123, 16124, 16129	19807, 20348,	<code>\SOUL@uldp</code> . . . . . 22272
<code>\shortcite</code> . . . . . 18232	21109, 21874, 22593	<code>\SOUL@uleveryspace</code> 22274
<code>\shorttitle</code> . . . . .	<code>\slshape</code> . . . . . 655,	<code>\SOUL@ulht</code> . . . . . 22272
. . 114, 115, 121,	883, 1138, 4973,	<code>\SOUL@ulleaders</code> . . .
16122, 16123, 16129	9140, 9317, 10539,	. 22260, 22266, 22282
<code>\showbox</code> . . . . . 14662	10540, 10630,	<code>\SOUL@uloverlap</code> . . 22253
<code>\showgridp@s</code> . . . . . 18744	10631, 10633,	<code>\SOUL@ulunderline</code> 22250
<code>\showoutput</code> . . . . . 14662	18948, 19320, 19534	<code>\SOUL@word</code> . . . . . 22242



<code>\soulomit</code> . . . . .	22233	<code>\SplitFootnoteRule</code>	14593, 14594, 18525
<code>\space</code> . . . . .	3911, 5820, 5966, 6080, 6094, 6108, 6118, 6801, 6988, 6990, 7001, 7003, 7006, 7469, 7474, 7475, 7608, 7609, 9468, 9663, 10234, 10236, 10258, 10260, 11495, 13655, 14562, 14570, 14571, 14595, 14603, 16200, 16232, 16233, 17297, 18003, 18005, 18006, 18007, 18008, 18752, 19778, 19821, 19864, 19991, 20164, 20171, 20193, 20199, 20206, 20354, 20730, 20904, 20911, 20933, 20939, 20946, 21115, 21503, 21677, 21684, 21706, 21712, 21719, 21880, 22410, 22412, 22469, 23344, 23346, 23981, 24664, 24946	<code>\splitfootnoterule</code>	2290, 2316, 6136, 6142, 6150, 6156, 7924, 7943, 7962, 7994, 8114, 8143, 8172, 8924, 14048, 14119, 14189, 14259, 14268, 15787, 16741, 18292, 18296, 18313, 18317, 19818, 19861, 20385, 20386, 21146, 21147, 21911, 21912, 25069
<code>\spacefactor</code> . . .	8026, 8031, 8037, 8040	<code>\splittopskip</code> . . .	40, 54, 70, 243, 257, 272, 11811, 11907, 11910, 12044, 12045, 12050, 12051, 12055, 12056, 12060, 12061, 12182, 12183, 12188, 12189, 12193, 12194, 12198, 12199, 12326, 12327, 12332, 12333, 12337, 12338, 12342, 12343, 12470, 12471, 12476, 12477, 12481, 12482, 12486, 12487, 12614, 12615, 12620, 12621, 12625, 12626, 12630, 12631, 12758, 12759, 12764, 12765, 12769, 12770, 12774, 12775, 12902, 12903, 12908, 12909, 12913, 12914, 12918, 12919, 13046, 13047, 13052, 13053, 13057, 13058, 13062, 13063, 13190, 13191, 13196, 13197, 13201, 13202, 13206, 13207, 14292, 14309, 14325,
<code>\spaceskip</code> .	22278, 22283	<code>\stepcounter</code> . . .	2264,
<code>\special</code> . . . . .	4038, 4212, 4221, 4315, 4341, 4390, 18726, 22466, 22467, 22471, 22472, 22474, 24390	<code>\stopbreaks</code> . . . . .	11556
<code>\spinmargin</code> . .	10982, 10984, 10988, 10992	<code>\string</code> . . .	359, 1384, 4136, 4140, 5069, 5105, 5111, 5183, 5185, 5203, 5204, 5207, 5208, 5218, 5219, 5222, 5223, 5226, 5227, 5230, 5231, 5414, 5433, 5461, 5487, 5515, 5541, 5544, 5578, 5581, 5665, 5666, 5672, 5820, 5850, 5871, 5874, 5901, 5903, 5966, 6039, 6086, 6087, 6100, 6101, 6112, 6113, 6124, 6125, 6156, 6170, 6171, 6172, 6173, 6177, 6801, 6810, 6814, 6820, 6831, 6988, 6990, 7001, 7003, 7004, 7005, 7006, 7008, 7608, 7609, 9860, 9863, 9881, 9884, 14566, 14567, 14568, 14569, 14570, 14692, 15026, 15027,
<code>\split@prev</code> . . . . .	14238, 14246, 14251	<code>\stretch</code> . . . . .	1474, 1477, 9824, 9827
<code>\splitbotmark</code> . . . .	14599		
<code>\splitfirstmark</code> . . .	10052, 10115, 13851, 13887, 14598, 14720, 14769, 17728, 17828, 24706, 24753		



18877,	18878,	3610, 3612, 3706,	14317,	14326,
19991,	20164,	3708, 3710, 3801,	14333,	14360,
20165,	20171,	3803, 3805, 4502,	14374,	14388,
20172,	20193,	11564,	11986,	16760,
20199,	20200,	11989,	11992,	16813,
20206,	20207,	12127,	12130,	20435,
20354,	20356,	12133,	12268,	20531,
20362,	20394,	12271,	12274,	21196,
20395,	20403,	12412,	12415,	21292,
20404,	20467,	12418,	12556,	21961,
20468,	20471,	12559,	12562,	22057,
20472,	20730,	12700,	12703,	22300,
20904,	20905,	12706,	12844,	22301,
20911,	20912,	12847,	12850,	22336, 24601, 24602
20933,	20939,	12988,	12991,	\subfig@oldlabel ..
20940,	20946,	12994,	13132,	..... 7339, 7341
20947,	21115,	13135,	13138,	\subfigure ... 7338, 7345
21117,	21123,	13395,	13399,	\subitem .....
21155,	21156,	13403,	16940,	108, 228, 8486, 16080
21164,	21165,	20454,	20483,	\subjclass .....
21228,	21229,	20495,	20506,	324
21232,	21233,	20515,	21215,	\subject .....
21503,	21677,	21244,	21256,	. 20290, 21030, 21803
21678,	21684,	21267,	21276,	\subparagraph .....
21685,	21706,	21980,	22009,	... 8288, 8289, 8292
21712,	21713,	22021,	22032,	\subsection .....
21719,	21720,	22041, 22517, 22522		... 4952, 8259, 8275
21880,	21882,	\strutbox 40, 54, 70, 243,		\subsectioncolour .
21888,	21920,	257, 272, 385, 389,		... 4878, 10504,
21921,	21929,	2158, 2175, 2192,		10512, 10519,
21930,	21993,	2208, 2224, 2240,		10526, 10533,
21994,	21997,	10315,	11629,	10603, 10609,
21998,	22436,	11635,	11641,	10615, 10621, 10627
23980,	24237,	11812,	12044,	\subsectionfont 4886,
24284, 24664, 24684		12050,	12055,	4894, 10542, 10635
\strip@prefix . 5871, 5884		12060,	12182,	\subsectionstyle ..
\strip@pt .....	2394,	12188,	12193,	..... 4894, 4953
5325, 5638, 10918,		12198,	12326,	\subsubitem .....
10921,	10926,	12332,	12337,	109, 229, 8487, 16081
10929, 13281, 13333		12342,	12470,	\subsubsection .....
\stripsep 10097, 10156,		12476,	12481,	... 8279, 8280, 8283
10172,	10179,	12486,	12614,	\subtable .....
10399,	10411,	12620,	12625,	7345
10425,	17756,	12630,	12758,	\supereject .....
17758,	17765,	12764,	12769,	4355
17856,	17858,	12774,	12902,	\symbol .....
17865,	17927,	12908,	12913,	4515, 4525
17930, 17932, 17939		12918,	13046,	\sys .....
\strut . 46, 60, 76, 249,		13052,	13057,	17230
263, 278, 2963,		13062,	13190,	
3288, 3292, 3298,		13196,	13201,	T
3301, 3310, 3312,		13206,	13288,	\t@cb@bchapsec ... 22578
3317, 3318, 3320,		13340,	14293,	\tabcaption . 15173, 15191
3321, 3463, 3465,		14300,	14310,	\tabcolsep 379, 1356,
				16771, 19298, 24404
				\tablinesep .....
				22333
				\tabskip .. 395, 8934,
				16785, 16786,
				22306, 22344, 24607
				\tabular .....
				22405



<code>\tabularnewline</code>	404,	2017, 2024, 2066,	20088, 20828, 21601
	16755, 22308, 24609	2067, 2068, 2108,	<code>\textwidthfootnoterule</code>
<code>\tabularx</code>	..... 22396	2112, 2116, 2148,	..... 4111,
<code>\tabularxcolumn</code>	.. 22358	2165, 2182, 2891,	10688, 11617,
<code>\tagform@</code>	..... 336	2898, 2915, 2921,	14217, 14929, 25096
<code>\tamark</code>	..... 17576	2927, 3074, 3077,	<code>\TeXeTOff</code>
<code>\tcb@icolorbox</code>	.. 22494	3079, 3200, 3217,	. 18641, 24295
<code>\tcb@vbox</code>	..... 22481	3219, 3223, 3227,	<code>\TeXeTOn</code>
<code>\tcd</code>	.. 18522, 18529, 18530	3232, 3235, 3240,	.... 18640,
<code>\tcdsav</code>	..... 18522	3243, 3602, 4025,	18642, 24294, 24296
<code>\tcl</code>	.. 18546, 18547, 18553	4031, 4374, 4826,	<code>\TeXeTstate</code>
<code>\tcn</code>	18530, 18531, 18553,	4917, 4926, 4927,	.. 18640,
	18554, 18555, 18556	4939, 4941, 7247,	18641, 24294, 24295
<code>\Telefon</code>	..... 4867	7251, 7350, 7651,	<code>\TF@conlab</code>
<code>\tencolumnfootnotes</code>		7652, 8792, 10064,	.....
	..... 13064	10072, 10127,	. 14522, 14524, 14531
<code>\TeX</code>	.... 15953, 18708,	10320, 10360,	<code>\TF@savecolor</code>
	18709, 18730,	10370, 10550,	14528, 14533
	24381, 24382, 24394	10565, 10637,	<code>\TF@Title</code>
<code>\textbf</code>	.....	10646, 10760,	..... 14531
	4980, 8432, 14539,	10981, 10991,	<code>\thanklessauthor</code>
	14541, 14543, 14545	10997, 11027,	8540,
<code>\textbullet</code>	3155, 4864,	13861, 13867,	8573, 8576, 8613
	10496, 10560, 10594	13899, 13989,	<code>\thanklesspublisher</code>
<code>\textcolor</code>	... 11167,	13994, 14400,	..... 8541,
	11182, 11186,	14734, 14783,	8600, 8603, 8617
	11189, 14529, 16204	14791, 15072,	<code>\thanklesstitle</code>
<code>\textdef@</code>	..... 345	15075, 15080,	8556, 8559, 8615
<code>\textdir</code>	..... 17475	15086, 16914,	<code>\thanks</code>
<code>\textendash</code>	. 743, 995,	17786, 17794,	..... 323,
	1058, 1245, 9238,	17886, 17917,	417, 437, 472, 491,
	9415, 19042, 19181	18077, 18112,	741, 753, 779, 790,
<code>\textheight</code>	4375, 4828,	18113, 18116,	791, 800, 823, 840,
	10080, 10139,	18117, 18120,	993, 1005, 1031,
	14702, 15124,	18121, 18125,	1042, 1043, 1052,
	19826, 19871,	18128, 20069,	1075, 1092, 1243,
	20071, 20076,	20079, 20112,	1255, 1281, 1292,
	20077, 20078,	20152, 20156,	1293, 1302, 1325,
	20811, 20816,	20809, 20819,	1343, 4402, 8539,
	20817, 20818,	20852, 20892,	8540, 8541, 8542,
	21584, 21589,	20896, 21582,	8545, 8552, 8553,
	21590, 21591, 25068	21592, 21625,	8569, 8570, 8585,
<code>\textit</code>	..... 22963	21665, 21669,	8586, 8597, 9236,
<code>\textsf</code>	..... 4053	24718, 24726,	9248, 9274, 9413,
<code>\textsl</code>	.. 7492, 7493, 7494	24765, 25043, 25059	9425, 9451, 9518,
<code>\textsuperscript</code>	..	<code>\textwidth@footnoterule</code>	9538, 9573, 9592,
	... 8039, 11786,	..... 416,	11281, 11299,
	11787, 11788,	740, 992, 1242,	11332, 11349,
	20027, 20767, 21540	9235, 9412, 9517,	11374, 11394,
<code>\texttt</code>	..... 4525,	11280, 11373,	11429, 11448,
	4589, 4591, 4592, 6159	13702, 14208,	13703, 13721,
<code>\textwidth</code>	.... 1752,	14219, 18127,	13754, 13771,
	1847, 1904, 1905,	19039, 19176,	17563, 19040,
	1920, 1921, 1994,	19436, 19633,	19052, 19078,
			19089, 19090,
			19099, 19122,
			19139, 19177,
			19191, 19217,
			19230, 19231,
			19240, 19263,
			19283, 19437,
			19467, 19507,





9651, 9652, 9653,	14097, 17613,	7494, 7503, 7504,
9663, 11479,	19028, 19391,	8719, 8720, 8731,
11481, 11483,	19582, 19764,	8732, 8733, 10437,
11484, 11485,	21058, 21827, 22316	10455, 24181, 24946
11495, 13655,	<code>\thefootdir@label</code> .	<code>\theparagraph</code> . . . 21,
13785, 13791,	. . . 14117, 14120,	22, 216, 217, 548,
13793, 13795,	14149, 14154,	549, 702, 703,
14083, 14085,	14172, 14175, 14195	956, 957, 1215,
14087, 14088,	<code>\thefootnote</code> 453, 745,	1216, 8269, 9222,
14089, 14096,	804, 997, 1056,	9223, 9399, 9400,
14098, 14100,	1247, 1306, 4393,	9656, 9657, 11365,
14101, 14102,	9240, 9417, 9554,	11366, 11488,
16441, 17601,	11313, 11410,	11489, 13788,
17610, 17612,	13735, 15474,	13789, 14092,
17613, 17614,	19044, 19103,	14093, 14105,
18264, 18790,	19183, 19244,	14106, 16116,
19021, 19027,	19440, 19483,	16117, 17606,
19029, 19031,	19670, 20092,	17609, 19024,
19386, 19392,	20213, 20832,	19025, 19389,
19394, 19396,	20953, 21605, 21726	19390, 19589,
19581, 19583,	<code>\thefootnotemark</code> . .	19590, 19772,
19585, 19586,	. 20027, 20767, 21540	19773, 20306,
19763, 19765,	<code>\theHchapter</code> . . . . . 18264	20308, 21053,
19767, 19768,	<code>\theHsection</code> 18272, 18274	21055, 21822, 21824
19769, 19778,	<code>\theindex</code> . 98, 218, 16070	<code>\thepart</code> . . . . . 553,
21043, 21045,	<code>\thelstlisting</code> 16412,	561, 11225, 11233
21058, 21061,	16417, 16440, 16443	<code>\ther@tfl@t</code> . . . 19819,
21065, 21067,	<code>\thempfn</code> . . . . .	19820, 19862, 19863
21815, 21827,	2254, 2280, 2306,	<code>\thesection</code> . . . . . 19,
21830, 21833, 22619	4683, 4691, 4699,	214, 546, 700,
<code>\thecontentspage</code> 8306,	8115, 8121, 8144,	954, 1213, 8255,
8313, 8320, 8327, 8334	8150, 8173, 8179,	9219, 9220, 9396,
<code>\thedata</code> . 8535, 8543, 8589	8995, 9002, 9009,	9397, 9653, 9654,
<code>\theenumiv</code> 86, 89, 289,	14260, 14265,	11363, 11485,
292, 581, 716, 979,	14269, 14274,	11486, 13785,
1229, 2527, 5025,	14402, 14428,	13786, 14089,
9202, 9390, 9699,	14433, 14443,	14090, 14102,
11261, 11532,	14448, 15441,	14103, 16114,
13691, 16057,	15452, 15463,	17601, 17603,
16060, 19015,	15593, 15631,	18272, 18274,
19409, 19603,	15664, 15695,	19021, 19022,
19806, 20346,	15726, 15788, 16972	19386, 19387,
21107, 21872, 22592	<code>\thempfootnote</code> . . . .	19586, 19587,
<code>\theequation</code> . . . . .	. . . . . 14402, 16972	19769, 19770,
9224, 9401, 9646,	<code>\theorem@indent</code> 18306,	20302, 21041,
11478, 13790,	18307, 18326, 18327	21049, 21814, 21818
14082, 14095,	<code>\theorem@prework</code> . 18300	<code>\thesubparagraph</code> 22,
16142, 17611,	<code>\theorem@postskipamount</code>	217, 549, 703,
19026, 19395,	. . . . . 18301, 18321	957, 1216, 9223,
19580, 19762,	<code>\theorem@preskipamount</code>	9400, 9657, 11366,
21063, 21832, 25089	. . . . . 18304, 18324	11489, 13789,
<code>\thefigure</code> . . . . 9226,	<code>\thepage</code> . . . . .	14093, 14106,
9403, 9648, 11480,	4364, 4369, 5002,	16117, 17608,
13792, 14084,	7380, 7492, 7493,	19025, 19390,



19590, 19773,	..... 101, 113,	19033, 19049,
20307, 21054, 21823	221, 469, 601, 616,	19140, 19142,
<code>\thesubsection</code> .. 19,	820, 865, 1072,	19148, 19170,
20, 214, 215, 546,	1117, 1322, 8620,	19188, 19286,
547, 700, 701,	8642, 8663, 9119,	19288, 19294,
954, 955, 1213,	9296, 9507, 9570,	19297, 19298, 19303
1214, 8262, 9220,	11329, 11426,	<code>\titlefont</code> .....
9221, 9397, 9398,	11543, 11546,	.. 4882, 4890, 10630
9654, 9655, 11363,	13751, 16073,	<code>\titleformat</code> ... 8245,
11364, 11486,	16121, 16145,	8252, 8259, 8266
11487, 13786,	16148, 17591,	<code>\titlehead</code> .....
13787, 14090,	18909, 19119,	. 20289, 21029, 21802
14091, 14103,	19164, 19260,	<code>\titlepage</code> .... 627,
14104, 16114,	19504, 19624,	934, 1186, 9185,
16115, 17602,	19686, 20262,	9373, 18920, 19370
17605, 19022,	21002, 21775, 22651	<code>\titlepage@restore</code>
19023, 19387,	<code>\thm@topsepadd</code> 18301,	.. 20057, 20063,
19388, 19587,	18302, 18305,	20083, 20185,
19588, 19770,	18321, 18322, 18325	20212, 20797,
19771, 20302,	<code>\thr@@</code> . 356, 372, 1381,	20803, 20823,
20304, 21049,	1399, 1423, 1432,	20925, 20952,
21051, 21818, 21820	12183, 12189,	21570, 21576,
<code>\thesubsubsection</code> 20,	12194, 12199,	21596, 21698, 21725
21, 215, 216,	22236, 22433, 22453	<code>\titlepagestyle</code> ...
547, 548, 701,	<code>\threecolumnfootnotes</code>	. 20262, 21002, 21775
702, 955, 956,	..... 12062	<code>\titlespacing</code> .....
1214, 1215, 9221,	<code>\tiny</code> .... 4441, 8017, 8389	... 8273, 8274, 8275
9222, 9398, 9399,	<code>\title</code> .. 320, 445, 481,	<code>\titlestyle</code> .. 4890, 10661
9655, 9656, 11364,	785, 830, 1037,	<code>\tl</code> .....
11365, 11487,	1082, 1287, 1332,	16992, 17000,
11488, 13787,	4409, 4904, 4943,	17005, 17007,
13788, 14091,	8534, 8549, 9280,	17008, 17009,
14092, 14104,	9457, 9546, 9582,	17010, 17012,
14105, 16115,	11305, 11339,	17013, 17015,
16116, 17604,	11402, 11438,	17018, 17022,
17607, 19023,	13727, 13761,	17031, 17035,
19024, 19388,	19084, 19129,	17038, 17043,
19389, 19588,	19225, 19272,	17048, 17056,
19589, 19771,	19475, 19516,	17058, 17059,
19772, 20303,	19662, 19698,	17060, 17061,
20306, 21050,	20287, 21027, 21800	17063, 17065,
21053, 21819, 21822	<code>\TitleBarFrame</code> .....	17067, 17068,
<code>\thetable</code> .....	.. 14520, 14539,	17070, 17076,
9405, 9650, 11482,	14541, 14543, 14545	17080, 17083,
13794, 14086,	<code>\titlecolour</code> . 4873, 10597	17084, 17087,
14099, 17614,	<code>\titlecontents</code> . 8301,	17094, 17099,
19030, 19393,	8308, 8315, 8322, 8329	17107, 17110,
19584, 19766,	<code>\TitleFont</code> .... 734,	17111, 17112,
21061, 21830, 22317	750, 841, 843, 849,	17113, 17114,
<code>\TheTokenList</code> .....	986, 1002, 1093,	17117, 17123,
6376	1095, 1101, 1236,	17124, 17125,
<code>\thinlines</code> .... 9910,	1252, 1344, 1346,	17130, 17132,
9920, 9933, 9943,	1352, 1355, 1356,	17139, 17143,
9956, 9966, 9979, 9989	1361, 9245, 9422,	17148, 17150,
<code>\thispagestyle</code> ....		17152, 17154,



17173,	17179,	22144, 23393, 23684	23767,	23769,
17180,	17181,	\tocstyle@numberline	23771,	23775,
17182,	17183,	..... 23862,	23776,	23778,
17195,	17198,	23864, 23882,	23779,	23783,
17201,	17203,	23884, 23887, 23889	23787,	23788,
17227,	17228,	\tocstyle@activate@all@l	23791,	23792,
17230,	17239,	..... 23975	23795,	23796,
17242,	17243,	\tocstyle@activate@features	23799,	23801,
17244,	17245,	..... 23752	23803,	23804,
17246,	17247,	\tocstyle@dottedtocline	23808,	23813,
17249,	17255,	..... 23739	23814,	23817,
17260,	17263,	\tocstyle@feature@dotohook	23818,	23867,
17264,	17277,	..... 23838	23869, 23870, 23874	
17279,	17280,	\tocstyle@feature@entryhooktoday	..... 8543	
17281,	17282,	..... 23834	\toks	..... 122,
17283,	17284,	\tocstyle@feature@entryvskip	124, 1466, 1467,	
17285,	17294,	..... 23753, 23756	1469, 1470, 7874,	
17297,	17301,	\tocstyle@feature@leaders	7875, 7881, 9820,	
17302,	17303,	..... 23836, 23841	14598,	14599,
17306,	17320,	\tocstyle@feature@pagenumberbox	14600, 16130, 16132	
17326,	17339,	..... 23844, 23847	\toks@	. 121, 125, 4036,
17344,	17348,	\tocstyle@feature@pagenumberhook	4049, 4313, 4326,	
17369,	17377,	..... 23845, 23847	7086, 7090, 10050,	
17378,	17403,	\tocstyle@feature@parfillskip	10051,	10052,
17407,	17408,	..... 23824, 23825	10053,	10113,
17409,	17422,	\tocstyle@feature@raggedhook	10114,	10115,
17494,	17495,	..... 23760	10116,	13849,
17503,	17504,	\tocstyle@feature@spaceafternumber	13850,	13851,
17505,	17506,	..... 23861,	13852,	13885,
17516,	17517,	23865, 23886, 23890	13886,	13887,
17518,	17523,	\tocstyle@indentstyle	13888,	14718,
17528,	17530,	..... 23811, 23881	14719,	14720,
17533,	17534,	\tocstyle@l@define	14721,	14767,
17539,	17540,	.. 23898, 23901,	14768,	14769,
17545,	17557, 17558	23906, 23910,	14770,	14993,
\tmpcount	.... 6566, 6592	23914, 23918,	14996,	15030,
\toaddress	. 11552, 16154	23922, 23926,	15032,	15036,
\toc@headstar	22641, 22646	23930, 23934, 23966	15038,	15041,
\tocbasic@DependOnPenaltyAndTOCLevel	..... 23243	..... 23954, 23961	15571,	15574,
\tocbasic@SetPenaltyByTOCLevel	..... 23371	..... 23740, 23859	16129,	16133,
\TOCEntryStyleStartInitCode	.. 20583, 20596,	\tocstyle@samed@dottedtocline	17726,	17727,
	20614, 21345,	..... 23956	17728,	17729,
	21358, 21377,	\tocstyle@samed@numberline	17826,	17827,
	22110, 22123, 22142	..... 23964	17828,	17829,
\toclevel@subfigure	..... 22853	\tocstyle@depth	22379,	22399,
\toclevel@subtable	22873	23751,	22405,	24704,
\TOCLineLeaderFill	..... 20600,	23763, 23775,	24705,	24706,
	20616, 21362,	23795, 23796,	24707,	24751,
	21379, 22127,	23799, 23817,	24752, 24753, 24754	
		23818, 23867,	\tolerance	.....
		23869, 23871, 23875	.. 11982, 12123,	
		\tocstyleTOC	12264, 12408,	
		.. 23763, 23766,	12552, 12696,	
			12840, 12984, 13128	



<code>\toname</code> . . . . 11552, 16154	<code>\trimc</code> . . . . . 7885	15010, 15011,
<code>\topheight</code> . . . . .	<code>\trivlist</code> . . . . .	15014, 15016,
. . 18534, 18536,	. 13940, 18303, 18323	15017, 16280,
18537, 18538,	<code>\ttdefault</code> . 10536, 10628	18013, 18020,
18540, 18546,	<code>\ttfamily</code> . . . . .	18021, 18029,
18548, 18550,	4427, 4512, 4513,	18030, 18035,
18551, 18552,	4515, 4516, 4517,	18036, 18049,
18615, 18616,	4518, 4519, 4520, 4521	18050, 18057,
18617, 18618,	<code>\ttl@a</code> . . . . . 22540, 22542	18058, 18081,
18622, 18623, 18627	<code>\ttl@b</code> . . . . . 22535,	18086, 18726,
<code>\topins</code> . . . . . 18710	22536, 22540, 22542	18727, 20014,
<code>\topmargin</code> . . . . 4379,	<code>\ttl@beginlongest</code> 22510	20016, 20754,
4827, 11023,	<code>\ttl@calc</code> . . 22505, 22517	20756, 21527,
14033, 20066,	<code>\ttl@changecentercr</code>	21529, 22236,
20806, 21579, 25035	. . . . . 22509	22334, 22432,
<code>\topmark</code> . . . . . 10050,	<code>\ttl@contentsstretch</code>	22440, 22765,
10059, 10113,	. . . . . 22547	24390, 24391,
10122, 13849,	<code>\ttl@corr</code> . . . . .	24620, 24624, 24626
13858, 13885,	. 22562, 22563, 22566	<code>\twocolumn</code> . . . . 462,
13894, 14718,	<code>\ttl@endlongest</code> . . 22525	598, 614, 813,
14727, 14767,	<code>\ttl@filleft</code> 22499, 22528	863, 1065, 1115,
14776, 17726,	<code>\ttl@filright</code> 22500, 22529	1315, 4363, 9117,
17735, 17826,	<code>\ttl@glcmds</code> . . . . . 22512	9294, 9504, 9563,
17835, 24704,	<code>\ttl@hmode@error</code> . 22511	10436, 11322,
24713, 24751, 24760	<code>\ttl@leaders</code> . . . . . 22564	11419, 13744,
<code>\topsep</code> 2524, 4567, 4576,	<code>\ttl@lselect</code> 22571, 22574	17582, 18907,
5017, 7173, 8383,	<code>\ttl@makeline</code> 22505, 22560	19112, 19162,
8425, 17623, 17625	<code>\ttl@margin</code> . 22559, 22565	19253, 19497,
<code>\topskip</code> . . . . . 301,	<code>\ttl@midlongest</code> . . 22524	19621, 19679,
4387, 10214,	<code>\ttl@outnoblock</code> . . 22538	20236, 20242,
14604, 14606,	<code>\ttl@savel@chapter</code> 22573	20245, 20976,
14611, 17629,	<code>\ttl@savel@part</code> . . 22570	20982, 20985,
17920, 22617,	<code>\ttlh@hang</code> . . . . . 22504	21749, 21755,
22623, 22628,	<code>\turn</code> . . . . . 19906	21758, 22617,
22635, 22640, 22645	<code>\turnbox</code> . . . . . 19927	22623, 22628,
<code>\TOTALHEIGHT</code> 22465, 22469	<code>\tw@</code> . . . 355, 363, 1380,	22635, 22640, 22645
<code>\totalheight</code> . . . . . 15023	1388, 1422, 1426,	<code>\twocolumnfootnotes</code>
<code>\tovalue</code> . . . . .	1431, 4739, 5666,	. . . . . 11918
6450, 6537, 6545,	12045, 12051,	<code>\TX@</code> . . . . . 22356,
6576, 6589, 6595, 6596	12056, 12061,	22357, 22385, 22386
<code>\tracingmacros</code> . . . . 6565	13812, 13813,	<code>\TX@align</code> . . 22409, 22411
<code>\traditionalconverses</code>	14597, 14601,	<code>\TX@arith</code> . . . . . 22371
. . . 8781, 8804, 8820	14602, 14616,	<code>\TX@ckpt</code> . . . 22361, 22407
<code>\traditionalhalfverses</code>	14620, 14625,	<code>\TX@col@width</code> . 22358,
. . . . . 8770,	14628, 14639,	22364, 22369, 22412
8774, 8781, 8814	14643, 14644,	<code>\TX@cols</code> . . . . .
<code>\traditionalpoem</code> . . 9016	14645, 14646,	. 22365, 22369, 22413
<code>\traditionalpoem@cr</code>	14649, 14948,	<code>\TX@endtabularx</code> 15560,
. . . 8894, 8943, 8944	14949, 14959,	15571, 15577, 22354
<code>\traditionalpoem@obeylines</code>	14961, 14962,	<code>\TX@find@endtabularxa</code>
. . . . . 8824, 9016	14964, 14965,	. . . . . 22356, 22357
<code>\traditionalpoem@par</code>	14968, 14970,	<code>\TX@find@endtabularxb</code>
. . . 8824, 8825, 8943	14971, 15005,	. . . . . 22386
<code>\trimb</code> . . . . . 7876, 7883	15007, 15008,	<code>\TX@find@endtabularxbb</code>





10314,	10343,	18581,	18585,	3549, 3573, 3610,
10397,	10408,	18597,	18608,	3612, 3627, 3710, 3805
10421,	10471,	18628,	18631,	<code>\usebeamerfont</code> . 1529,
10702,	10705,	18636,	18710,	1544, 1545, 1565,
10706,	10723,	18711,	18715,	1586, 1587, 1595,
10726,	10727,	18720,	24509,	1618, 1639, 1660,
10752,	10759,	24702,	24749,	1691, 1709, 1710,
10764,	10769,	24797,	24802,	1725, 1727, 1734,
10809,	10814,	24813,	24817,	1736, 1743, 1745,
10818,	10823,	24824, 24829, 24836		2456, 2466, 2478,
11687,	11698,	<code>\unvcopy</code> 10183, 10221,		2488, 2501, 2577,
11709,	11800,	10225, 10253,		2696, 2697, 2713,
11831,	11877,	10259, 10263,		2714, 2715, 2748,
11883,	11917,	10271, 10746, 10803		2765, 2771, 2780,
12001,	12018,	<code>\uppercase</code> . . . . . 308,		2786, 2795, 2801,
12030,	12142,	770, 790, 1022,		2809, 2893, 2899,
12158,	12169,	1042, 1272, 1292,		2916, 2922, 2928,
12283,	12300,	9265, 9442, 19069,		2968, 2969, 2975,
12312,	12427,	19089, 19208, 19230		2981, 2987, 2996,
12444,	12456,	<code>\uppercaseenonmath</code> .		3008, 3020, 3058,
12571,	12588,	. . . . . 114, 16122		3064, 3118, 3132,
12600,	12715,	<code>\uppermargin</code> . . . . . 10995		3189, 3203, 3210,
12732,	12744,	<code>\uppertitleback</code> . . .		3280, 3339, 3342,
12859,	12876,	. . . 20164, 20199,		3346, 3351, 3369,
12888,	13003,	20292, 20904,		3376, 3428, 3463,
13020,	13032,	20939, 21032,		3465, 3529, 3541,
13147,	13164,	21677, 21712, 21805		3566, 3573, 3610,
13176,	13209,	<code>\upshape</code> . . 8306, 8313,		3612, 3685, 3694,
13414,	13433,	8320, 8327, 8334,		3706, 3710, 3712,
13447,	13459,	10537, 10541,		3761, 3770, 3780,
13470,	13486,	10542, 10629,		3790, 3801, 3805,
13495,	13520,	10634, 10635, 18785		3807, 3843, 3852, 3871
13528,	13535,	<code>\urlstyle</code> . . . . . 4846		<code>\usebeamertemplate</code>
13542,	13548,	<code>\use</code> . . . . . 17123		1975, 1979, 1990,
13586,	14351,	<code>\usebeamercolor</code> 1530,		1999, 2008, 2021,
14365,	14379,	1566, 1582, 1589,		2028, 2037, 2070,
14416,	14421,	1596, 1619, 1640,		2079, 2083, 2091,
14591,	14601,	1661, 1692, 1755,		2137, 2142, 2459,
14628,	14716,	1760, 1770, 1831,		2463, 2481, 2484,
14765,	14837,	1863, 1866, 1911,		2504, 2582, 2584,
14839,	14883,	1998, 2027, 2458,		2589, 2594, 2750,
14888,	14894,	2467, 2480, 2489,		3060, 3352, 3550, 3573
14898,	14905,	2503, 2580, 2587,		<code>\usebox</code> 4552, 4562, 7271,
14921,	16842,	2592, 2747, 2845,		7403, 7405, 7410,
16847,	16856,	2884, 2894, 2900,		7412, 7421, 7422,
16859,	16947,	2963, 2968, 2969,		7425, 7426, 7633,
16965,	17724,	2975, 2981, 2987,		11113, 11116,
17753,	17755,	2996, 2998, 3008,		11124, 11131,
17763,	17781,	3010, 3020, 3022,		11139, 11146,
17783,	17824,	3057, 3063, 3140,		11189, 15131,
17853,	17855,	3146, 3152, 3189,		15135, 15218,
17863,	17881,	3203, 3210, 3350,		15220, 15224,
17883,	17938,	3451, 3463, 3465,		15226, 15231,
18572,	18576,	3486, 3533, 3540,		15233, 15237,





10751,	10755,	18558,	18559,	11296,	11377,
10758,	10762,	18572,	18576,	11391,	13704,
10763,	10780,	18581,	18585,	13718,	18716,
10787,	10803,	18597,	18608,	18921,	18924,
10808,	10812,	18623,	18625,	19046,	19075,
10813,	10816,	18627,	18630,	19185,	19214,
10817,	10832,	18635,	18672,	19371,	19374,
10839,	11686,	18679,	18680,	19450,	19464,
11697,	11708,	18687,	18796,	19637,	19651, 25040
11828,	11830,	20464,	21225,	\vfill . . . .	2971, 3546,
12000,	12017,	21990,	22312,	4355, 8616,	11908,
12029,	12141,	22346,	22351,	11911,	13576,
12157,	12168,	23897,	23900,	18623,	18628,
12282,	12299,	23905,	23909,	18629,	19836,
12311,	12426,	23913,	23917,	19851,	19883,
12443,	12455,	23921,	23925,	19900,	20116,
12570,	12587,	23929,	23933,	20141,	20155,
12599,	12714,	24325,	24333,	20179,	20856,
12731,	12743,	24334,	24342,	20881,	20895,
12858,	12875,	24499,	24504,	20919,	21629,
12887,	13002,	24598,	24615,	21654,	21668, 21692
13019,	13031,	24702,	24717,	\vfuzz	2906, 7887, 7890, 7891
13146,	13163,	24749,	24764,	\vleftskip .	17597, 17598
13175,	13209,	24795,	24811,	\voffset . . . . .	4383
13363,	13375,	24822,	24956,	\voidb@x .	2447, 9723, 9787
13387,	13411,	24997,	25036, 25039	\vphantom . . . . .	24060
13424,	13430,	\vboxL . . . . .	18680,	\vpic .	18548, 18558, 18559
13438,	13444,	19826, 19871,	24334	\vrightskip .	17597, 17598
13452,	13517,	\vboxR . . . . .	18672, 24325	\vrule . . . . .	387, 1495,
13525,	13540,	\vcenter	398, 1480, 9830,	1569, 1575, 1583,	
13861,	13898,	22346,	24417,	1590, 1599, 1608,	
13989,	13994,	24506,	24507, 24598	1622, 1631, 1643,	
14019,	14034,	\veqno . . . . .	327, 328	1652, 1664, 1673,	
14059,	14350,	\verb . . . . .	22359	1929, 3225, 3226,	
14364,	14378,	\VerbBox . . .	11170, 11172	3233, 3234, 3241,	
14397,	14588,	\verse@i . . . . .	8866,	3242, 3453, 3489,	
14601,	14625,	8897, 8903, 8911, 8952		3496, 3500, 3856,	
14716,	14733,	\verse@ii . . . . .		3875, 7662, 7663,	
14765,	14782,	8877, 8898, 8904,		8835, 8837, 9845,	
14881,	14892,	8906, 8912, 8914, 8952		10067,	10132,
14917,	16783,	\versewidth . . . . .		10364,	10383,
16842,	16847,	. . .	8829, 8839, 8931	13863,	13904,
16850,	16855,	\vfil	420, 434, 628, 631,	14739,	14786,
16856,	16859,	747, 776, 935, 938,		16774,	16828,
16909,	16947,	999, 1028, 1187,		17207,	17469,
17479,	17629,	1190, 1249, 1278,		17550,	17757,
17724,	17747,	1991, 2009, 2022,		17764,	17789,
17752,	17754,	2038, 2344, 2404,		17857,	17864,
17762,	17780,	3245, 3458, 3469,		17891,	17920,
17785,	17824,	8836, 9186, 9189,		18033,	18044,
17847,	17852,	9242, 9271, 9374,		22272,	22300,
17854,	17862,	9377, 9419, 9448,		22341,	24601,
17880,	17885,	9521, 9535, 10702,		24721,	24770, 24970
17916,	18382,	10723,	11282,	\vsize . . . . .	10445,



14009,	14553,	10425,	10427,	19451,	19454,
14604,	16854,	10767,	10821,	19460,	19524,
16862,	20061,	11239,	11247,	19530,	19535,
20078,	20801,	11283,	11286,	19538,	19557,
20818,	21574,	11292,	11347,	19638,	19641,
	21591	11351,	11357,	19647,	19706,
<code>\vskip</code>	..... 309, 312,	11361,	11378,	19712,	19718,
	421, 424, 430, 489,	11381,	11387,	19722,	19742,
	495, 501, 505, 567,	11446,	11452,	19780,	19784,
	646, 748, 757, 767,	11458,	11462,	19792,	20031,
	838, 842, 848, 852,	11497,	11502,	20038,	20120,
	873, 1000, 1009,	11511,	11825,	20123,	20125,
	1019, 1090, 1094,	11844,	11852,	20134,	20136,
	1100, 1104, 1129,	11860,	11874,	20138,	20181,
	1250, 1259, 1269,	13481,	13521,	20441,	20443,
	1340, 1345, 1351,	13529,	13531,	20447,	20449,
	1355, 1361, 1364,	13544,	13639,	20541,	20543,
	1723, 1732, 1741,	13657,	13661,	20552,	20554,
	1767, 1813, 1826,	13669,	13705,	20771,	20778,
	1830, 1879, 1881,	13708,	13714,	20860,	20863,
	1883, 1885, 1887,	13769,	13773,	20865,	20874,
	1888, 2763, 2770,	13779,	13783,	20876,	20878,
	2773, 2778, 2785,	14033,	14037,	20921,	21202,
	2788, 2793, 2800,	14038,	14413,	21204,	21208,
	2803, 2818, 2994,	14589,	14627,	21210,	21303,
	3002, 3006, 3014,	14632,	14884,	21305,	21314,
	3018, 3026, 3087,	14895,	14902,	21316,	21544,
	3170, 3172, 3192,	14922,	16259,	21551,	21633,
	3197, 3215, 3250,	16380,	16393,	21636,	21638,
	3252, 3355, 3378,	16801,	16813,	21647,	21649,
	3416, 3456, 3468,	16962,	17623,	21651,	21694,
	3515, 3530, 3535,	17625,	17628,	21967,	21969,
	3543, 3551, 3575,	17669,	17678,	21973,	21975,
	3598, 3607, 3638,	17686,	17755,	22068,	22070,
	3654, 3670, 3672,	17756,	17758,	22079,	22081,
	3693, 3698, 3705,	17765,	17782,	22709,	22728,
	3713, 3716, 3742,	17855,	17856,	22749,	22766,
	3753, 3783, 3789,	17858,	17865,	22783,	22800,
	3800, 3810, 3899,	17882,	17927,	22817,	22835,
	4778, 8892, 8919,	17939,	17958,	22854,	22874,
	8955, 8956, 8962,	17970,	17982,	22909,	23098,
	9072, 9074, 9131,	18523,	18540,	23754,	23938,
	9170, 9243, 9252,	18561,	18627,	24117,	24121,
	9262, 9308, 9347,	18713,	18719,	24140,	24521,
	9420, 9429, 9439,	18939,	18978,	24530,	24539,
	9470, 9475, 9479,	19047,	19056,	24548,	24636,
	9481, 9487, 9491,	19066,	19137,	24798,	24814,
	9493, 9522, 9525,	19141,	19147,	24825,	24833,
	9531, 9590, 9596,	19151,	19186,	24956,	25035,
	9602, 9606, 9626,	19195,	19205,	25048,	25075,
	9665, 9670, 9678,	19280,	19287,		25083
	10097,	19293,	19297,	<code>\vspace</code>	2890, 2892, 2920,
	10317,	19303,	19306,		2926, 2932, 3041,
	10399,	19311,	19350,		3048, 3069, 3130,
	10411,				4946, 7264, 7354,



7362, 7980, 7984,			
8046, 8051, 8064,			
8069, 8082, 8087,			
8204, 8213, 8222,			
8303, 8310, 8317,			
8324, 8331, 8614,			
8658, 8662, 9464,			
9484, 9659, 9673,			
11491, 11506,			
11551, 11553,			
11555, 13652,			
13664, 16153,			
16155, 16929,			
16942, 19775,			
19787, 22617,			
22623, 22628,			
22635, 22640, 22645			
<code>\vsplit</code> . . . . .	10006,		
	10007, 10024,		
	10028, 10049,		
	10112, 10218,		
	10308, 10473,		
	11916, 13848,		
	13884, 14597,		
	14717, 14766,		
	17725, 17825,		
	18529, 18532,		
	18551, 18552,		
	18570, 18574,		
	18579, 18583,		
	18595, 18606,		
	18633, 24703, 24750		
<code>\vss</code> . .	306, 2000, 2029,		
	2444, 3493, 10083,		
	10142, 10325,		
	10331, 10347,		
	10353, 10367,		
	10372, 10379,		
	10386, 10474,		
	10759, 10769,		
	10814, 10823,		
	14060, 16847,		
	16859, 17480,		
	18558, 18559,		
	18630, 18796, 24509		
<code>\vtop</code> . .	398, 404, 1415,		
	1482, 7721, 7765,		
	7809, 9756, 9832,		
	16765, 22312,		
	22346, 22351,		
	24505, 24598,		
	24615, 24871, 24915		
		<b>W</b>	
	<code>\waslice</code>	18558, 18576,	22410, 22461,
		18581, 18597,	22518, 22535,
		18616, 18617, 18626	23328, 23342,
			24151, 24195,
	<code>\wbslice</code> . . . . .	18559,	24391, 24575, 25077
		18572, 18585,	<code>\WF@everypar</code> . . . .
		18608, 18615,	24114
		18617, 18618,	<code>\WF@adjlw</code> . .
		18622, 18623,	24154, 24179
		18630, 18635, 18636	<code>\WF@adjtln</code> .
			24176, 24179
	<code>\wd</code> . . . . .	1773, 1778,	<code>\WF@box</code> 24151, 24184, 24185
		1792, 1814, 1891,	<code>\WF@floatfalse</code> 24117,
		1904, 1920, 1978,	24125, 24135, 24138
		1982, 2002, 2013,	<code>\WF@fltmes</code> . . . . .
		2031, 2042, 2082,	24144
		2086, 2358, 2362,	<code>\WF@info</code> . . . . .
		2406, 2819, 3225,	24124,
		3233, 3241, 3855,	24134, 24137,
		3874, 4044, 4321,	24146, 24181, 24183
		8842, 8843, 8903,	<code>\WF@ovh</code> . . . . .
		8904, 8906, 8912,	24151
		8952, 9046, 9048,	<code>\WF@place</code> . .
		9061, 9063, 9854,	24149, 24155
		10186, 11183,	<code>\WF@putfigmaybe</code> . .
		11187, 13219,	24115
		13823, 13950,	<code>\WF@size</code> . . .
		14526, 14644,	24128, 24182
		14645, 14968,	<code>\WF@startwrapping</code> 24187
		14970, 15014,	<code>\WF@wfname</code> . . . . .
		15016, 15137,	. 24146, 24181, 24183
		15218, 15220,	<code>\WF@wrapil</code> .
		15224, 15226,	24175, 24178
		15257, 15258,	<code>\whilecondition</code> 6451,
		15261, 15262,	6465, 6554, 6586
		15286, 15287,	<code>\whiledo</code> . . . . .
		15289, 15302,	13993
		15303, 15305,	<code>\widowpenalty</code> . . . . .
		15319, 15320,	. . . 92, 295, 585,
		15323, 15324,	717, 980, 1230,
		15348, 15350,	2532, 5026, 8940,
		15354, 15356,	9203, 9391, 9703,
		16024, 16032,	11262, 11536,
		16041, 16049,	13692, 16063,
		16216, 16223,	18229, 19016,
		16261, 16262,	19410, 19607,
		16387, 16796,	19810, 20348,
		16948, 17635,	21109, 21874, 22596
		17639, 17641,	<code>\WIDTH</code> . . . . .
		17649, 17680,	22461, 22469
		17999, 18516,	<code>\width</code> . .
		18727, 18750,	14547, 14948,
		18777, 19823,	15036, 15038,
		19868, 19924,	17516, 17525, 17549
		19931, 22252,	<code>\widthof</code> . . .
			11038, 11043
			<code>\windowbox</code> .
			18625, 18631
			<code>\wlog</code> .
			10295, 10336, 10358
			<code>\write</code> 5068, 5432, 5460,
			5486, 5514, 5540,
			5543, 5577, 5580,
			7041, 8825, 8828,
			9032, 22398, 24683
			<code>\WriteEndXPostoaux</code> 5458
			<code>\WriteEndYPostoaux</code> 5575
			<code>\WriteEndYPostoaux</code> 5512
			<code>\WriteStartXPostoaux</code>
			. . . . . 5429



<code>\WriteStartXYPostoaux</code>	<code>\xdef</code> . . . . . 333,	<b>Y</b>
. . . . . 5537	393, 4505, 5273,	<code>\y</code> . . . . . 10935, 10939,
<code>\WriteStartYPostoaux</code>	5411, 5414, 5710,	10943,    10947,
. . . . . 5483	5711, 5714, 5715,	10952,    10953,
<code>\wstrutbox</code> . 18535, 18537	5732, 5733, 5736,	10956,    10957,
	5737, 6130, 6932,	10961,    10962,
	7087, 8843, 8845,	10965,    10966,
	8926, 8928, 8930,	15958,    15960,
	10051,    10053,	15961, 15964, 15971
	10114,    10116,	<code>\year</code> . . . . . 3183
	10216,    10222,	<code>\ym</code> . . . . . 10952,
	10226,    10712,	10956, 10962, 10966
	10733,    10778,	<code>\yym</code> . . . . . 10934,
	10784,    10785,	10938, 10944, 10948
	10830,    10836,	
	10837,    13281,	<b>Z</b>
	13292,    13333,	<code>\z@</code> . . . 12, 24, 46, 60, 76,
	13344,    13510,	99, 103, 111, 128,
	13850,    13852,	134, 136, 207, 219,
	13886,    13888,	223, 249, 263, 278,
	14251,    14719,	306, 314, 318, 336,
	14721,    14768,	357, 361, 364, 375,
	14770,    14911,	390, 395, 401, 402,
	15572,    16209,	466, 513, 525, 530,
	16781,    17727,	557, 596, 601, 602,
	17729,    17827,	612, 616, 617, 646,
	17829,    18473,	647, 650, 652, 665,
	18480,    18487,	690, 742, 759, 817,
	22535,    23779,	861, 865, 866, 873,
	23783,    23804,	874, 877, 880, 892,
	23808,    23870,	909, 946, 949, 994,
	23874,    24149,	1011, 1057, 1069,
	24154,    24175,	1113, 1117, 1118,
	24176,    24178,	1129, 1130, 1133,
	24179,    24705,	1135, 1148, 1174,
	24707, 24752, 24754	1244, 1261, 1319,
		1356, 1382, 1386,
<code>\XC@ttmp</code> 24222, 24223,	<code>\XeLaTeX</code> . . . . . 15954,	1389, 1402, 1424,
24237,    24271,	24395, 25280, 25281	1432, 1450, 1460,
24272, 24280, 24284	<code>\XeTeX</code> . . 15953, 18729,	1462, 1472, 1474,
<code>\XC@tstfalse</code> 24222, 24271	24393, 25278, 25279	1479, 1493, 1495,
<code>\XC@tsttrue</code> . . 24223,	<code>\XeTeXcharclass</code> 4190,	1496, 1873, 1875,
24224,    24225,	4191, 4192, 4193, 4194	1876, 1881, 1883,
24272, 24273, 24274	<code>\XeTeXinterchartokenstate</code>	1885, 1887, 1888,
<code>\XC@bidideclaredcolor</code>	. . . . . 4187	1913, 2158, 2175,
. . . . . 24278, 24283	<code>\XeTeXinterchartoks</code> 4195	2192, 2208, 2224,
<code>\XC@bidideclaredcolor</code>	<code>\XKV@err</code> . . 2256, 2259,	2240, 4037, 4042,
. . . . . 24277, 24279	2282, 2285, 2308, 2311	4043, 4044, 4046,
<code>\XC@bidundeclaredcolor</code>	<code>\XKV@errx</code> 2262, 2288, 2314	4314, 4319, 4320,
. . . . . 24262, 24264	<code>\XKV@tkey</code> 2259, 2285, 2311	4321, 4323, 4723,
<code>\XC@coremodel</code> 24206, 24249	<code>\xm</code> . . . . . 10935,	4778, 5038, 5048,
<code>\XC@current@color</code> .	10939, 10953, 10957	5053, 5610, 5627,
. . . . . 24234,	<code>\xxm</code> . . . . . 10943,	6431, 6441, 7161,
24237,    24238,	10947, 10961, 10965	7170, 7469, 7702,
24268, 24284, 24285	<code>\xyzyz</code> . . . . . 7868	
<code>\XC@declaredcolor</code> .		
. . . . . 24229, 24236		
<code>\XC@declaredcolor</code> 24228		
<code>\XC@display</code> . . . 24235,		
24239, 24269, 24286		
<code>\XC@edef</code> . . . 24222, 24271		
<code>\XC@fbox</code> . . . . . 24290		
<code>\XC@getmodclr</code> 24202, 24245		
<code>\XC@inflate</code> . 24216, 24259		
<code>\XC@let@Nc</code> . 24237, 24284		
<code>\XC@mclr</code> . . . 24216, 24259		
<code>\XC@mmod</code> . . . . . 24214,		
24215, 24257, 24258		
<code>\XC@mul</code> . . . . 24217, 24260		
<code>\XC@split</code> . . . . . 24280		
<code>\XC@tgt@mod</code> . 24210, 24253		
<code>\XC@type</code> . . . 24223, 24272		
<code>\XC@undeclaredcolor</code>		
. . . . . 24219, 24230		
<code>\xcolor@</code> . . . 24234, 24268		



7706, 7746, 7750,	11183,	11185,	15007,	15008,
7790, 7794, 8380,	11187,	11189,	15010,	15011,
8407, 8438, 8450,	11190,	11196,	15013,	15014,
8628, 8856, 8859,	11201,	11215,	15016,	15088,
8862, 8903, 8904,	11229,	11242,	15094,	16071,
8906, 8912, 8926,	11326,	11423,	16075,	16091,
8930, 8934, 8935,	11469,	11479,	16095,	16107,
8936, 8937, 8938,	11481,	11483,	16119,	16136,
8939, 8952, 9026,	11492,	11507,	16233,	16276,
9038, 9039, 9046,	11628,	11634,	16283,	16291,
9048, 9061, 9063,	11640,	11751,	16304,	16306,
9071, 9115, 9119,	11756,	11763,	16346,	16353,
9120, 9131, 9132,	11768,	11775,	16358,	16369,
9135, 9137, 9150,	11780,	11886,	16441,	16743,
9173, 9225, 9227,	11887,	11888,	16745,	16777,
9229, 9237, 9254,	11981,	12122,	16783,	16786,
9292, 9296, 9297,	12263,	12407,	16791,	16794,
9308, 9309, 9312,	12551,	12695,	16828,	16842,
9314, 9327, 9350,	12839,	12983,	16846,	16847,
9402, 9404, 9406,	13127,	13218,	16850,	16856,
9414, 9431, 9465,	13289,	13341,	16899,	16920,
9485, 9502, 9507,	13393,	13397,	16922,	16944,
9508, 9567, 9614,	13401,	13504,	16973,	17585,
9629, 9647, 9649,	13505,	13506,	17588,	17612,
9651, 9660, 9674,	13581,	13627,	17737,	17741,
9725, 9726, 9737,	13642,	13653,	17751,	17812,
9739, 9822, 9824,	13665,	13748,	17837,	17841,
9829, 9843, 9845,	13791,	13793,	17851,	17909,
9846, 9851, 9852,	13795,	13824,	17926,	17935,
9853, 9854, 9855,	13975,	14032,	17937,	17958,
9889, 9900, 10018,	14060,	14083,	17970,	17982,
10186, 10209,	14085,	14087,	18002,	18013,
10242, 10245,	14096,	14098,	18019,	18218,
10248, 10256,	14100,	14246,	18223,	18264,
10267, 10277,	14300,	14317,	18274,	18332,
10280, 10285,	14333,	14360,	18333,	18334,
10288, 10292,	14374,	14388,	18336,	18338,
10319, 10322,	14402,	14406,	18343,	18361,
10328, 10344,	14482,	14487,	18644,	18688,
10350, 10404,	14494,	14499,	18690,	18725,
10416, 10429,	14506,	14511,	18726,	18727,
10448, 10451,	14594,	14644,	18736,	18737,
10472, 10700,	14651,	14677,	18750,	18774,
10721, 10738,	14678,	14679,	18775,	18796,
10739, 10741,	14700,	14701,	18841,	18842,
10742, 10750,	14867,	14942,	18859,	18905,
10772, 10774,	14943,	14944,	18909,	18910,
10777, 10795,	14951,	14958,	18939,	18940,
10796, 10798,	14959,	14960,	18943,	18945,
10799, 10807,	14961,	14962,	18958,	18981,
10824, 10826,	14964,	14965,	19027,	19029,
10829, 11152,	14967,	14968,	19031,	19041,
11174, 11176,	14970,	15004,	19058,	19116,
11178, 11181,	15005,	15006,	19160,	19164,



19165,	19180,	21412,	21418,	24290,	24295,
19197,	19257,	21428,	21438,	24297,	24345,
19298,	19311,	21498,	21513,	24349,	24350,
19312,	19315,	21527,	21535,	24355,	24359,
19317,	19330,	21544,	21551,	24360,	24389,
19353,	19392,	21553,	21623,	24390,	24391,
19394,	19396,	21649,	21694,	24442,	24443,
19449,	19492,	22020,	22074,	24444,	24521,
19501,	19528,	22154,	22157,	24530,	24539,
19545,	19560,	22163,	22177,	24548,	24552,
19581,	19583,	22183,	22193,	24572,	24573,
19585,	19619,	22203,	22243,	24603,	24614,
19624,	19625,	22244,	22245,	24622,	24627,
19683,	19730,	22246,	22251,	24636,	24852,
19745,	19763,	22252,	22256,	24856,	24896,
19765,	19767,	22268,	22302,	24900,	24941,
19776,	19788,	22325,	22337,	24945,	24948,
19823,	19824,	22341,	22434,	24958,	24959,
19825,	19868,	22438,	22445,	24963,	24970,
19869,	19870,	22456,	22502,	25007,	25033,
19908,	19912,	22503,	22513,	25046,	25086, 25087
19913,	19918,	22517,	22518,	\z@skip ..	4778, 14030,
19922,	19923,	22519,	22522,	14031,	16920,
19924,	19929,	22531,	22532,	16923,	18856,
19930,	19931,	22534,	22535,	22306,	22311,
19936,	19940,	22537,	22545,	22344,	22350,
19941,	19986,	22550,	22565,	24551,	24552,
20001,	20014,	22651,	22652,	24607,	24613, 25033
20022,	20031,	22726,	22816,	\zap@space	6798, 6885, 6921
20038,	20040,	22834,	22927,	\zifrefundefined ..	
20110,	20136,	23106,	23218,	.....	14149, 14172
20181,	20494,	23282,	23289,	\zref@extractdefault	
20547,	20627,	23292,	23639,	.....	14154, 14175
20636,	20639,	23643,	23754,	\zref@labelbyprops	
20645,	20655,	23759,	23764,	.....	14120, 14195
20665,	20725,	23812,	23938,		
20740,	20754,	24124,	24131,	☒	
20762,	20771,	24132,	24150,	\ .....	4193
20778,	20780,	24166,	24169,	\ .....	4193
20850,	20876,	24178,	24179,		
20921,	21255,	24181,	24185,	☒	
21309,	21389,	24192,	24193,	\ .....	4194
21392,	21398,	24194,	24195,	\ .....	4194

