



The XePersian Package

Source documentation for [version 24.2](#)

to my Master, Ferdowsi The Great

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

<https://github.com/kvafa/xepersian/issues>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

You may also have conversations, ask questions and post answers without opening issues using the Discussions space:

<https://github.com/kvafa/xepersian/discussions>

The announcements for the new releases of the package will also appear in the Discussions space under the Announcements category.

Copyright (c) 2008–2022 Vafa Khalighi
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The XePersian Package

Persian for L^AT_EX 2_E, using XeT_EX engine

Source documentation for version 24.2

Vafa Khalighi*

May 31, 2022

Contents

1 File algorithmic-xepersian.def	2	19 File breqn-xepersian.def	6
2 File algorithm-xepersian.def	2	20 File latex-localise-commands-xepersian.def	7
3 File amsart-xepersian.def	2	21 File color-localise-xepersian.def	24
4 File amsbook-xepersian.def	2	22 File xepersian-localise-commands-xepersian.def	24
5 File appendix-xepersian.def	3	23 File enumerate-xepersian.def	26
6 File article-xepersian.def	3	24 File enumitem-xepersian.def	26
7 File artikell1-xepersian.def	3	25 File latex-localise-environments-xepersian.def	26
8 File artikell2-xepersian.def	3	26 File xepersian-localise-environments-xepersian.def	27
9 File artikel3-xepersian.def	3	27 File extarticle-xepersian.def	27
10 File backref-xepersian.def	4	28 File extbook-xepersian.def	27
11 File beamer-xepersian.def	4	29 File extrafootnotefeatures-xepersian.def	28
12 File beamerbasetranslator-xepersian.def	5	30 File extreport-xepersian.def	28
13 File biditufte sidenote-xepersian.def	5	31 File fancyref-xepersian.def	28
14 File bidimoderncv-xepersian.def	5	32 File footnote-xepersian.def	31
15 File boek3-xepersian.def	5	33 File framed-xepersian.def	31
16 File boek-xepersian.def	5	34 File glossaries-xepersian.def	32
17 File bookest-xepersian.def	5	35 File hyperref-xepersian.def	32
18 File book-xepersian.def	6	36 File imsproc-xepersian.def	33

*Thanks to the bidi-tex GitHub organization consisted of David Carlisle and other members of the L^AT_EX team to maintain the package in the period 2018–2020.

37 File kashida-xepersian.def	33	52 File refrep-xepersian.def	53
38 File listings-xepersian.def	34	53 File report-xepersian.def	53
39 File loadingorder-xepersian.def	34	54 File scrartcl-xepersian.def	53
40 File localise-xepersian.def	35	55 File scrbook-xepersian.def	54
41 File memoir-xepersian.def	37	56 File scrreprt-xepersian.def	55
42 File latex-localise-messages-xepersian.def	37	57 File soul-xepersian.def	56
43 File minitoc-xepersian.def	37	58 File tkz-linknodes-xepersian.def	57
44 File latex-localise-misc-xepersian.def	37	59 File tocloft-xepersian.def	57
45 File natbib-xepersian.def	44	60 File varioref-xepersian.def	57
46 File packages-localise-xepersian.def	48	61 File xepersian.sty	59
47 File url-xepersian.def	51	62 File xepersian-magazine.cls	87
48 File persian-tex-text.map	51	63 File xepersian-mathdigitspec.sty	103
49 File persian-tex-text-nonumbers.map	52	64 File xepersian-multiplechoice.sty	110
50 File rapport1-xepersian.def	53	65 File xepersian-persiancal.sty	113
51 File rapport3-xepersian.def	53		

1 File algorithmic-xepersian.def

```
1 \ProvidesFile{algorithmic-xepersian.def}[2010/07/25 v0.2 adaptations for algorithmic package]
2 \def\algorithmicrequire{\if@RTL\textrbf{ :}\else\textrbf{Require:}\fi}
3 \def\algorithmicensure{\if@RTL\textrbf{ :}\else\textrbf{Ensure:}\fi}
```

2 File algorithm-xepersian.def

```
4 \ProvidesFile{algorithm-xepersian.def}[2010/07/25 v0.2 adaptations for algorithm package]
5 \def\ALG@name{\if@RTL else\Algorithm\fi}
6 \def\ALGS@name{ }
7 \def\listalgorithmname{\if@RTL \ALGS@name\else List of \ALG@name s\fi}
```

3 File amsart-xepersian.def

```
8 \ProvidesFile{amsart-xepersian.def}[2017/02/04 v0.4 adaptations for amsart class]
9 \renewcommand \thepart {\@artibi\c@part}
10 \def\appendix{\par\c@section\z@ \c@subsection\z@}
11 \let\sectionname\appendixname
12 \def\thesection{\@harfi\c@section}
13
```

4 File amsbook-xepersian.def

```
14 \ProvidesFile{amsbook-xepersian.def}[2017/02/04 v0.5 adaptations for amsbook class]
15 \def\frontmatter{\cleardoublepage\pagenumbering{harfi}}
```



```

16 \renewcommand \thepart {\@tartibi\c@part}
17 \def\appendix{\par
18   \c@chapter\z@\c@section\z@
19   \let\chaptername\appendixname
20   \def\thechapter{\@harfi\c@chapter}}
21
22

```

5 File appendix-xepersian.def

```

23 \ProvidesFile{appendix-xepersian.def}[2015/02/01 v0.1 adaptations for appendix package]
24 \renewcommand{\@resetsofpp}{\par
25   \@ppssavesec
26   \stepcounter{@pps}
27   \setcounter{section}{0}%
28   \if@chapter@pp
29     \setcounter{chapter}{0}%
30     \renewcommand{\chapapp}{\appendixname}%
31     \renewcommand{\thechapter}{\@harfi\c@chapter}%
32   \else
33     \setcounter{subsection}{0}%
34     \renewcommand{\thesection}{\@harfi\c@section}%
35   \fi
36   \restoreapp
37 }

```

6 File article-xepersian.def

```

38 \ProvidesFile{article-xepersian.def}[2010/07/25 v0.2 adaptations for standard article class]
39 \renewcommand \thepart {\@tartibi\c@part}
40 \renewcommand\appendix{\par
41   \setcounter{section}{0}%
42   \setcounter{subsection}{0}%
43   \gdef\thesection{\@harfi\c@section}}

```

7 File artikel1-xepersian.def

```

44 \ProvidesFile{artikel1-xepersian.def}[2010/07/25 v0.1 adaptations for artikel1 class]
45 \renewcommand*\thepart{\@tartibi\c@part}
46 \renewcommand*\appendix{\par
47   \setcounter{section}{0}%
48   \setcounter{subsection}{0}%
49   \gdef\thesection{\@harfi\c@section}}

```

8 File artikel2-xepersian.def

```

50 \ProvidesFile{artikel2-xepersian.def}[2010/07/25 v0.1 adaptations for artikel2 class]
51 \renewcommand*\thepart{\@tartibi\c@part}
52 \renewcommand*\appendix{\par
53   \setcounter{section}{0}%
54   \setcounter{subsection}{0}%
55   \gdef\thesection{\@harfi\c@section}}

```

9 File artikel3-xepersian.def



```

56 \ProvidesFile{artikel3-xepersian.def}[2010/07/25 v0.1 adaptations for artikel3 class]
57 \renewcommand*\thepart{\@tartibi\c@part}
58 \renewcommand*\appendix{\par
59   \setcounter{section}{0}%
60   \setcounter{subsection}{0}%
61   \gdef\thesection{\@harfi\c@section}%

```

10 File backref-xepersian.def

```

62 \ProvidesFile{backref-xepersian.def}[2010/07/25 v0.1 adaptations for backref package]
63 \def\backrefpagesname{\if@RTL else\ pages\fi}
64 \def\BR@Latincitex[#1]#2{%
65   \BRorg@Latincitex[#{1}]{#2}%
66   \ifBR@verbose
67     \PackageInfo{backref}{back Latin cite `#2`#1'}%
68   \fi
69   \Hy@backout{#2}%
70 }
71 \AtBeginDocument{%
72   \@ifundefined{NAT@parse}{%
73     \global\let\BRorg@Latincitex\@Latincitex
74     \global\let\@Latincitex\BR@Latincitex
75   }{%
76     \@ifpackageloaded{hyperref}{%
77       \def\hyper@natlinkstart#1{\Hy@backout{#1}}%
78     }%
79     \PackageInfo{backref}{** backref set up for natbib **}%
80   }%
81 }%

```

11 File beamer-xepersian.def

```

82 \ProvidesFile{beamer-xepersian.def}[2022/05/24 v0.1 xepersian changes to beamer class]
83 \usefonttheme{stillsansserifmath}{serif}

```

12 File beamerbasetranslator-xepersian.def

```

84 \ProvidesFile{beamerbasetranslator-xepersian.def}[2022/05/24 v0.1 xepersian changes to beamer
85 \newcommand*\ProvideTranslation[2]{%
86   \providetranslation{\#1}{\ifRtoL{\#2}{\#1}}%
87 }
88
89 \ProvideTranslation{Theorem}{}
90 \ProvideTranslation{Corollary}{}
91 \ProvideTranslation{Fact}{}
92 \ProvideTranslation{Lemma}{}
93 \ProvideTranslation{Problem}{}
94 \ProvideTranslation{Solution}{}
95 \ProvideTranslation{Definition}{}
96 \ProvideTranslation{Definitions}{}
97 \ProvideTranslation{Example}{}
98 \ProvideTranslation{Examples}{}
99
100

```



13 File bidituftesidenote-xepersian.def

```
101 \ProvidesFile{bidituftesidenote-xepersian.def}[2017/02/04 v0.3 xepersian changes to biditufte
102
103 \setLTRcitationfont{\resetlatinfont\footnotesize}
104
105 \renewcommand*{\@bidituftesidenote@LTrmarginfont}{\resetlatinfont\footnotesize}
106
107 \renewcommand*{\@bidituftesidenote@RTLmarginfont}{\setpersianfont\footnotesize}
108
109
```

14 File bidimoderncv-xepersian.def

```
110 \ProvidesFile{bidimoderncv-xepersian.def}[2010/07/25 v0.1 adaptations for bidimoderncv class]
111 \def\refname{\if@RTL else\ Publications\fi}
```

15 File boek3-xepersian.def

```
112 \ProvidesFile{boek3-xepersian.def}[2010/07/25 v0.1 adaptations for boek3 class]
113 \renewcommand*{\thepart}{\@tartibi\c@part}
114 \renewcommand*{\frontmatter}{%
115   \cleardoublepage
116   \@mainmatterfalse
117   \pagenumbering{harfi}}
118 \renewcommand*{\appendix}{\par
119   \setcounter{chapter}{0}%
120   \setcounter{section}{0}%
121   \gdef\@chapapp{\appendixname}%
122   \gdef\thechapter{\@harfi\c@chapter}}
```

16 File boek-xepersian.def

```
123 \ProvidesFile{boek-xepersian.def}[2010/07/25 v0.1 adaptations for boek class]
124 \renewcommand*{\thepart}{\@tartibi\c@part}
125 \renewcommand*{\frontmatter}{%
126   \cleardoublepage
127   \@mainmatterfalse
128   \pagenumbering{harfi}}
129 \renewcommand*{\appendix}{\par
130   \setcounter{chapter}{0}%
131   \setcounter{section}{0}%
132   \gdef\@chapapp{\appendixname}%
133   \gdef\thechapter{\@harfi\c@chapter}}
```

17 File bookest-xepersian.def

```
134 \ProvidesFile{bookest-xepersian.def}[2010/07/25 v0.1 adaptations for bookest class]
135 \renewcommand \thepart {\@tartibi\c@part}
136 \renewcommand\appendix{\par
137   \setcounter{chapter}{0}%
138   \setcounter{section}{0}%
139   \gdef\@chapapp{\appendixname}%
140   \gdef\thechapter{\@harfi\c@chapter}}
```



```
141 }%end appendix
```

18 File book-xepersian.def

```
142 \ProvidesFile{book-xepersian.def}[2010/07/25 v0.2 adaptations for standard book class]
143 \renewcommand\frontmatter{%
144     \cleardoublepage
145     \@mainmatterfalse
146     \pagenumbering{harfi}}
147 \renewcommand \thepart {\@tartibi\c@part}
148 \renewcommand\appendix{\par
149     \setcounter{chapter}{0}%
150     \setcounter{section}{0}%
151     \gdef\@chapapp{\appendixname}%
152     \gdef\thechapter{\@harfi\c@chapter}
153 }%end appendix
```

19 File breqn-xepersian.def

```
154 \ProvidesFile{breqn-xepersian.def}[2010/07/25 v0.1 adaptations for breqn package]
155 \def@\dmath[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
156     \everydisplay\expandafter{\the\everydisplay \display@setup}%
157     \if@noskipsec \leavevmode \fi
158     \if@inlabel \leavevmode \global\@inlabelfalse \fi
159     \if\eq@group\else\eq@prelim\fi
160     \setkeys{breqn}{#1}%
161     \the\eqstyle
162     \eq@setnumber
163     \begingroup
164     \eq@setup@a
165     \eq@startup
166 }
167 \def@\dgroup[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
168     \let\eq@group@\True \global\let\eq@GRP@first@dmath@\True
169     \global\GRP@queue\emptytoks \global\setbox\GRP@box\box\voidb@x
170     \global\let\GRP@label\empty
171     \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
172     \global\grp@linewidth\z@\global\grp@wdNum\z@
173     \global\let\grp@eqs@numbered\@False
174     \global\let\grp@aligned\@True
175     \global\let\grp@shiftnumber\@False
176     \eq@prelim
177     \setkeys{breqn}{#1}%
178     \if\grp@hasNumber \grp@setnumber \fi
179 }
180 \def@\dseries[#1]{\if@RTL\@RTLfalse\addfontfeatures{Mapping=farsidigits}\fi%
181     \let\display@setup\dseries@display@setup
182     % Question: should this be the default for dseries???
183     \global\eq@wdCond\z@
184     \dmath[layout={M},#1]%
185     \mathsurround\z@\math@penalty\@Mi
186     \let\endmath\ends@math
187     \def\premath{%
188         \ifdim\lastskip<.3em \unskip
```



```

189     \else\ifnum\lastpenalty<\OM \dquad\fi\fi
190 }%
191 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \ignoretrue}%
192 \ignorespaces
193 }

```

20 File `latex-localise-commands-xepersian.def`

```

194 \ProvidesFile{latex-localise-commands-xepersian.def}[2014/02/05 v0.3 Persian localisation of
195 \eqcommand{ }{@arstrut}
196 \eqcommand{ }{@above}
197 \eqcommand{ }{@abovedisplayshortskip}
198 \eqcommand{ }{@abovedisplayskip}
199 \eqcommand{ }{@abstractname}
200 \eqcommand{ }{@accent}
201 \eqcommand{ }{@active}
202 \eqcommand{ }{@addcontentsline}
203 \eqcommand{ }{@addpenalty}
204 \eqcommand{ }{@address}
205 \eqcommand{ }{@addtocontents}
206 \eqcommand{ }{@addtocounter}
207 \eqcommand{ }{@addtolength}
208 \eqcommand{ }{@addvspace}
209 \eqcommand{ }{@adjdemerits}
210 \eqcommand{ }{@advance}
211 \eqcommand{ }{@afterassignment}
212 \eqcommand{ }{@aftergroup}
213 \eqcommand{ }{@aleph}
214 \eqcommand{ }{@aliasfontfeature}
215 \eqcommand{ }{@aliasfontfeatureoption}
216 \eqcommand{ }{@allowbreak}
217 \eqcommand{ @}{@alloc@}
218 \eqcommand{ }{@allocationnumber}
219 \eqcommand{ }{@allowdisplaybreaks}
220 \eqcommand{ }{@Alph}
221 \eqcommand{ }{@alph}
222 \eqcommand{ }{@alsoname}
223 \eqcommand{ }{@and}
224 \eqcommand{ }{@angle}
225 \eqcommand{ }{@appendixname}
226 \eqcommand{ }{@approx}
227 \eqcommand{ }{@arabic}
228 \eqcommand{ }{@arg}
229 \eqcommand{ }{@arrayrulecolor}
230 \eqcommand{ }{@arraycolsep}
231 \eqcommand{ }{@arrayrulewidth}
232 \eqcommand{ }{@arraystretch}
233 \eqcommand{ }{@AtBeginDocument}
234 \eqcommand{ }{@AtEndDocument}
235 \eqcommand{ }{@AtEndOfClass}
236 \eqcommand{ }{@AtEndOfPackage}
237 \eqcommand{ }{@author}
238 \eqcommand{ }{@backmatter}
239 \eqcommand{ }{@backslash}

```



```

240 \eqcommand{ }{badness}
241 \eqcommand{ }{bar}
242 \eqcommand{ }{baselineskip}
243 \eqcommand{ }{baselinestretch}
244 \eqcommand{ }{batchmode}
245 \eqcommand{ }{begin}
246 \eqcommand{ }{beginL}
247 \eqcommand{ }{beginR}
248 \eqcommand{ }{begingroup}
249 \eqcommand{ }{belowdisplayshortskip}
250 \eqcommand{ }{belowdisplayskip}
251 \eqcommand{ }{bf}
252 \eqcommand{ }{bfdefault}
253 \eqcommand{ }{bfseries}
254 \eqcommand{ }{bgroup}
255 \eqcommand{ }{bibitem}
256 \eqcommand{ }{bibliography}
257 \eqcommand{ }{bibliographystyle}
258 \eqcommand{ }{bibname}
259 \eqcommand{ }{bigskip}
260 \eqcommand{ }{bigskipamount}
261 \eqcommand{ }{botfigrule}
262 \eqcommand{ }{botmark}
263 \eqcommand{ }{bottompageskip}
264 \eqcommand{ }{bottomfraction}
265 \eqcommand{ }{box}
266 \eqcommand{ }{boxmaxdepth}
267 \eqcommand{ }{break}
268 \eqcommand{ }{bullet}
269 \eqcommand{ @ }{@cclv}
270 \eqcommand{ @ }{@cclvi}
271 \eqcommand{ }{caption}
272 \eqcommand{ }{catcode}
273 \eqcommand{ }{cc}
274 \eqcommand{ }{ccname}
275 \eqcommand{ }{cdot}
276 \eqcommand{ }{cdots}
277 \eqcommand{ }{centering}
278 \eqcommand{ }{centerline}
279 \eqcommand{ @ }{ch@ck}
280 \eqcommand{ }{chapter}
281 \eqcommand{ }{chaptername}
282 \eqcommand{ }{char}
283 \eqcommand{ }{chardef}
284 \eqcommand{ }{CheckCommand}
285 \eqcommand{ }{cite}
286 \eqcommand{ }{ClassError}
287 \eqcommand{ }{ClassInfo}
288 \eqcommand{ }{ClassWarning}
289 \eqcommand{ }{ClassWarningNoLine}
290 \eqcommand{ }{leaders}
291 \eqcommand{ }{cleardoublepage}
292 \eqcommand{ }{clearpage}
293 \eqcommand{ }{cline}

```



```

294 \eqcommand{ }{closein}
295 \eqcommand{ }{closeout}
296 \eqcommand{ }{closing}
297 \eqcommand{ }{clubpenalty}
298 \eqcommand{ }{clubsuit}
299 \eqcommand{ }{colbotmark}
300 \eqcommand{ }{colfirstmark}
301 \eqcommand{ }{color}
302 \eqcommand{ }{colorbox}
303 \eqcommand{ }{coltopmark}
304 \eqcommand{ }{columncolor}
305 \eqcommand{ }{columnsep}
306 \eqcommand{ }{columnwidth}
307 \eqcommand{ }{columnseprule}
308 \eqcommand{ }{contentsline}
309 \eqcommand{ }{contentsname}
310 \eqcommand{ }{copy}
311 \eqcommand{ }{copyright}
312 \eqcommand{ }{count}
313 \eqcommand{ @}{count@}
314 \eqcommand{ }{countdef}
315 \eqcommand{ }{cr}
316 \eqcommand{ }{crcr}
317 \eqcommand{ }{csname}
318 \eqcommand{ }{CurrentOption}
319 \eqcommand{ }{dashbox}
320 \eqcommand{ }{dashv}
321 \eqcommand{@ }{@date}
322 \eqcommand{ }{date}
323 \eqcommand{ }{day}
324 \eqcommand{ }{dblbotfigrule}
325 \eqcommand{ }{dblbottomfraction}
326 \eqcommand{ }{dblfigrule}
327 \eqcommand{ }{dblfloatpagefraction}
328 \eqcommand{ }{dblfloatsep}
329 \eqcommand{ }{dblftntlocatecode}
330 \eqcommand{ }{dbltextfloatsep}
331 \eqcommand{ }{dbltopfraction}
332 \eqcommand{ }{DeclareFixedFont}
333 \eqcommand{ }{DeclareGraphicsExtensions}
334 \eqcommand{ }{DeclareGraphicsRule}
335 \eqcommand{ }{DeclareOldFontCommand}
336 \eqcommand{ }{DeclareOption}
337 \eqcommand{ }{DeclareRobustCommand}
338 \eqcommand{ }{DeclareSymbolFont}
339 \eqcommand{ }{deadcycles}
340 \eqcommand{ }{def}
341 \eqcommand{ @ }{define@key}
342 \eqcommand{ }{definecolor}
343 \eqcommand{ }{deg}
344 \eqcommand{ }{delcode}
345 \eqcommand{ }{delimiter}
346 \eqcommand{ }{delimiterfactor}
347 \eqcommand{ }{depth}

```



```

348 \eqcommand{ }{diamondsuit}
349 \eqcommand{ }{dim}
350 \eqcommand{ }{dimen}
351 \eqcommand{ @}{dimen@}
352 \eqcommand{ @ }{dimen@i}
353 \eqcommand{ @ }{dimen@ii}
354 \eqcommand{ }{dimendef}
355 \eqcommand{ }{discretionary}
356 \eqcommand{ }{displaybreak}
357 \eqcommand{ }{displayindent}
358 \eqcommand{ }{displaystyle}
359 \eqcommand{ }{displaywidth}
360 \eqcommand{ }{divide}
361 \eqcommand{ }{documentclass}
362 \eqcommand{ }{do}
363 \eqcommand{ }{dospecials}
364 \eqcommand{ }{dot}
365 \eqcommand{ }{doteq}
366 \eqcommand{ }{dotfill}
367 \eqcommand{ }{dots}
368 \eqcommand{ }{doublebox}
369 \eqcommand{ }{doublerulesepcolor}
370 \eqcommand{ }{doublerulesep}
371 \eqcommand{ }{downarrow}
372 \eqcommand{ }{dp}
373 \eqcommand{ }{dump}
374 \eqcommand{ }{edef}
375 \eqcommand{ }{egroup}
376 \eqcommand{ }{eject}
377 \eqcommand{ }{else}
378 \eqcommand{ }{em}
379 \eqcommand{ }{emergencystretch}
380 \eqcommand{ }{emph}
381 \eqcommand{@ }{@empty}
382 \eqcommand{ }{empty}
383 \eqcommand{ }{emptyset}
384 \eqcommand{ }{end}
385 \eqcommand{ }{endL}
386 \eqcommand{ }{endR}
387 \eqcommand{ }{endcsname}
388 \eqcommand{ }{endfirsthead}
389 \eqcommand{ }{endfoot}
390 \eqcommand{ }{endgraf}
391 \eqcommand{ }{endgroup}
392 \eqcommand{ }{endhead}
393 \eqcommand{ }{endinput}
394 \eqcommand{ }{endlastfoot}
395 \eqcommand{ }{enlargethispage}
396 \eqcommand{ }{endline}
397 \eqcommand{ }{endlinechar}
398 \eqcommand{ }{enspace}
399 \eqcommand{ }{enskip}
400 \eqcommand{ }{eqcommand}
401 \eqcommand{ }{eqenvironment}

```



```

402 \eqcommand{ }{eqref}
403 \eqcommand{ }{errhelp}
404 \eqcommand{ }{errmessage}
405 \eqcommand{ }{errorcontextlines}
406 \eqcommand{ }{errorstopmode}
407 \eqcommand{ }{escapechar}
408 \eqcommand{ }{euro}
409 \eqcommand{ }{evensidemargin}
410 \eqcommand{ }{everycr}
411 \eqcommand{ }{everydisplay}
412 \eqcommand{ }{everyhbox}
413 \eqcommand{ }{everyjob}
414 \eqcommand{ }{everymath}
415 \eqcommand{ }{everypar}
416 \eqcommand{ }{everyvbox}
417 \eqcommand{ }{ExecuteOptions}
418 \eqcommand{ }{exhyphenpenalty}
419 \eqcommand{ }{expandafter}
420 \eqcommand{ }{extracolsep}
421 \eqcommand{@ }{@firstofone}
422 \eqcommand{@ }{@firstoftwo}
423 \eqcommand{ @ }{f@ur}
424 \eqcommand{ }{fam}
425 \eqcommand{ }{fancypage}
426 \eqcommand{ }{fbox}
427 \eqcommand{ }{fboxrule}
428 \eqcommand{ }{fboxsep}
429 \eqcommand{ }{fcolorbox}
430 \eqcommand{ }{fi}
431 \eqcommand{ }{figurename}
432 \eqcommand{ }{filbreak}
433 \eqcommand{ }{fill}
434 \eqcommand{ }{firstmark}
435 \eqcommand{ }{flat}
436 \eqcommand{ }{floatpagefraction}
437 \eqcommand{ }{floatingpenalty}
438 \eqcommand{ }{floatsep}
439 \eqcommand{ }{flushbottom}
440 \eqcommand{ }{fmtname}
441 \eqcommand{ }{fmtversion}
442 \eqcommand{ }{fnsymbol}
443 \eqcommand{ }{font}
444 \eqcommand{ }{fontdimen}
445 \eqcommand{ }{fontencoding}
446 \eqcommand{ }{fontfamily}
447 \eqcommand{ }{fontname}
448 \eqcommand{ }{fontseries}
449 \eqcommand{ }{fontshape}
450 \eqcommand{ }{fontsize}
451 \eqcommand{ }{footheight}
452 \eqcommand{ }{footins}
453 \eqcommand{ }{footnote}
454 \eqcommand{ }{footnotemark}
455 \eqcommand{ }{footnoterule}

```



```

456 \eqcommand{      }{footnotesep}
457 \eqcommand{      }{footnotesign}
458 \eqcommand{      }{footnotetext}
459 \eqcommand{      }{footskip}
460 \eqcommand{  }{frame}
461 \eqcommand{  }{framebox}
462 \eqcommand{      }{frenchspacing}
463 \eqcommand{      }{frontmatter}
464 \eqcommand{      }{futurelet}
465 \eqcommand{@      }{@gobble}
466 \eqcommand{@      }{@gobbletwo}
467 \eqcommand{@      }{@gobblefour}
468 \eqcommand{@      }{@gtmpa}
469 \eqcommand{@      }{@gtmpb}
470 \eqcommand{  }{gdef}
471 \eqcommand{      }{GenericInfo}
472 \eqcommand{      }{GenericWarning}
473 \eqcommand{      }{GenericError}
474 \eqcommand{  }{global}
475 \eqcommand{      }{globaldefs}
476 \eqcommand{      }{glossary}
477 \eqcommand{      }{glossaryentry}
478 \eqcommand{      }{goodbreak}
479 \eqcommand{      }{graphpaper}
480 \eqcommand{      }{guillemotleft}
481 \eqcommand{      }{guillemotright}
482 \eqcommand{      }{guilsinglleft}
483 \eqcommand{      }{guilsinglright}
484 \eqcommand{      }{halign}
485 \eqcommand{      }{hang}
486 \eqcommand{      }{hangafter}
487 \eqcommand{      }{hangindent}
488 \eqcommand{      }{hbadness}
489 \eqcommand{      }{hbox}
490 \eqcommand{      }{headheight}
491 \eqcommand{      }{headsep}
492 \eqcommand{      }{headtoname}
493 \eqcommand{  }{heartsuit}
494 \eqcommand{      }{height}
495 \eqcommand{      }{hfil}
496 \eqcommand{      }{hfill}
497 \eqcommand{      }{hfildneg}
498 \eqcommand{      }{hfuzz}
499 \eqcommand{      }{hideskip}
500 \eqcommand{      }{hidewidth}
501 \bidi@csletcs{  }{hline}% this is an exception
502 \eqcommand{      }{hoffset}
503 \eqcommand{      }{holdinginserts}
504 \eqcommand{      }{hrboxsep}
505 \eqcommand{      }{hrule}
506 \eqcommand{      }{hrulefill}
507 \eqcommand{      }{hsize}
508 \eqcommand{      }{hskip}
509 \eqcommand{      }{hspace}

```



```

510 \eqcommand{ }{hss}
511 \eqcommand{ }{ht}
512 \eqcommand{ }{huge}
513 \eqcommand{ }{Huge}
514 \eqcommand{ }{hyperlink}
515 \eqcommand{ }{hypersetup}
516 \eqcommand{ }{hypertarget}
517 \eqcommand{ }{hyphenation}
518 \eqcommand{ }{hyphenchar}
519 \eqcommand{ }{hyphenpenalty}
520 \eqcommand{@ }{@ifclassloaded}
521 \eqcommand{@ }{@ifdefinable}
522 \eqcommand{@ }{@ifnextchar}
523 \eqcommand{@ }{@ifpackageloaded}
524 \eqcommand{@ }{@ifstar}
525 \eqcommand{@ }{@undefined}
526 \eqcommand{ }{if}
527 \eqcommand{ @ }{@tempswa}
528 \eqcommand{ }{ifcase}
529 \eqcommand{ }{ifcat}
530 \eqcommand{ }{ifdefined}
531 \eqcommand{ }{ifdim}
532 \eqcommand{ }{ifeof}
533 \eqcommand{ }{iff}
534 \eqcommand{ }{iffalse}
535 \eqcommand{ }{IfFileExists}
536 \eqcommand{ }{ifhbox}
537 \eqcommand{ }{ifhmode}
538 \eqcommand{ }{ifinner}
539 \eqcommand{ }{ifmmode}
540 \eqcommand{ }{ifnum}
541 \eqcommand{ }{ifodd}
542 \eqcommand{ }{ifthenelse}
543 \eqcommand{ }{iftrue}
544 \eqcommand{ }{ifvbox}
545 \eqcommand{ }{ifvmode}
546 \eqcommand{ }{ifvoid}
547 \eqcommand{ }{ifx}
548 \eqcommand{ }{ignorespaces}
549 \eqcommand{ }{immediate}
550 \eqcommand{ }{include}
551 \eqcommand{ }{includegraphics}
552 \eqcommand{ }{includeonly}
553 \eqcommand{ }{indent}
554 \eqcommand{ }{index}
555 \eqcommand{ }{indexentry}
556 \eqcommand{ }{indexname}
557 \eqcommand{ }{indexspace}
558 \eqcommand{ }{input}
559 \eqcommand{ }{InputIfFileExists}
560 \eqcommand{ }{inputlineno}
561 \eqcommand{ }{insert}
562 \eqcommand{ }{insertpenalties}
563 \eqcommand{ }{interfootnotelinepenalty}

```



```

564 \eqcommand{ }{interdisplaylinepenalty}
565 \eqcommand{ }{interlinepenalty}
566 \eqcommand{ }{intertext}
567 \eqcommand{ }{intertextsep}
568 \eqcommand{ }{invisible}
569 \eqcommand{ }{itdefault}
570 \eqcommand{ }{itshape}
571 \eqcommand{ }{item}
572 \eqcommand{ }{itemindent}
573 \eqcommand{ }{itemsep}
574 \eqcommand{ }{iterate}
575 \eqcommand{ }{itshape}
576 \eqcommand{ }{jobname}
577 \eqcommand{ }{jot}
578 \eqcommand{ }{kern}
579 \eqcommand{ }{kill}
580 \eqcommand{ }{label}
581 \eqcommand{ }{labelenumi}
582 \eqcommand{ }{labelenumii}
583 \eqcommand{ }{labelenumiii}
584 \eqcommand{ }{labelenumiv}
585 \eqcommand{ }{labelitemi}
586 \eqcommand{ }{labelitemii}
587 \eqcommand{ }{labelitemiii}
588 \eqcommand{ }{labelitemiv}
589 \eqcommand{ }{labelsep}
590 \eqcommand{ }{labelwidth}
591 \eqcommand{ }{language}
592 \eqcommand{ }{large}
593 \eqcommand{ }{Large}
594 \eqcommand{ }{LARGE}
595 \eqcommand{ }{lastbox}
596 \eqcommand{ }{lastkern}
597 \eqcommand{ }{lastpenalty}
598 \eqcommand{ }{lastskip}
599 \eqcommand{ }{LaTeX}
600 \eqcommand{ }{LaTeXe}
601 \eqcommand{ }{lccode}
602 \eqcommand{ }{ldots}
603 \eqcommand{ }{leaders}
604 \eqcommand{ }{leavevmode}
605 \eqcommand{ }{left}
606 \eqcommand{ }{leftmargin}
607 \eqcommand{ }{leftmargini}
608 \eqcommand{ }{leftmarginii}
609 \eqcommand{ }{leftmarginiii}
610 \eqcommand{ }{leftmarginiv}
611 \eqcommand{ }{leftmarginv}
612 \eqcommand{ }{leftmarginvi}
613 \eqcommand{ }{leftmark}
614 \eqcommand{ }{leftpageskip}
615 \eqcommand{ }{leftskip}
616 \eqcommand{ }{let}
617 \eqcommand{ }{line}

```



```

618 \eqcommand{ }{linebreak}
619 \eqcommand{ }{linepenalty}
620 \eqcommand{ }{lineskip}
621 \eqcommand{ }{lineskiplimit}
622 \eqcommand{ }{linespread}
623 \eqcommand{ }{linethickness}
624 \eqcommand{ }{linewidth}
625 \eqcommand{ }{listfigurename}
626 \eqcommand{ }{listfiles}
627 \eqcommand{ }{listoffigures}
628 \eqcommand{ }{listoftables}
629 \eqcommand{ }{listparindent}
630 \eqcommand{ }{listtablename}
631 \eqcommand{ }{LoadClass}
632 \eqcommand{ }{LoadClassWithOptions}
633 \eqcommand{ }{location}
634 \eqcommand{ }{long}
635 \eqcommand{ }{looseness}
636 \eqcommand{ }{lower}
637 \eqcommand{@ }{@makeother}
638 \eqcommand{@ }{@m}
639 \eqcommand{ @ }{@M}
640 \eqcommand{ @ }{@Mi}
641 \eqcommand{ @ }{@Mii}
642 \eqcommand{ @ }{@Miii}
643 \eqcommand{ @ }{@Miv}
644 \eqcommand{ @ }{@MM}
645 \eqcommand{ @ }{@one}
646 \eqcommand{ }{mag}
647 \eqcommand{ }{magstep}
648 \eqcommand{ }{magstephalf}
649 \eqcommand{ }{mainmatter}
650 \eqcommand{ }{makeatletter}
651 \eqcommand{ }{makeatother}
652 \eqcommand{ }{makebox}
653 \eqcommand{ }{makeglossary}
654 \eqcommand{ }{makeindex}
655 \eqcommand{ }{makelabel}
656 \eqcommand{ }{makelabels}
657 \eqcommand{ }{MakeLowercase}
658 \eqcommand{ }{maketitle}
659 \eqcommand{ }{MakeUppercase}
660 \eqcommand{ }{marginpar}
661 \eqcommand{ }{marginparpush}
662 \eqcommand{ }{marginparsep}
663 \eqcommand{ }{marginparwidth}
664 \eqcommand{ }{mark}
665 \eqcommand{ }{markboth}
666 \eqcommand{ }{markright}
667 \eqcommand{ }{mathaccent}
668 \eqcommand{ }{mathchar}
669 \eqcommand{ }{mathchardef}
670 \eqcommand{ }{mathcode}
671 \eqcommand{ }{mathrm}

```



```

672 \eqcommand{ }{\maxdeadcycles}
673 \eqcommand{ }{\maxdepth}
674 \eqcommand{ }{\maxdimen}
675 \eqcommand{ }{\mbox}
676 \eqcommand{ }{\mdseries}
677 \eqcommand{ }{\meaning}
678 \eqcommand{ }{\mediumseries}
679 \eqcommand{ }{\medmuskip}
680 \eqcommand{ }{\medskip}
681 \eqcommand{ }{\medskipamount}
682 \eqcommand{ }{\medspace}
683 \eqcommand{ }{\message}
684 \eqcommand{ }{\MessageBreak}
685 \eqcommand{ }{\minrowclearance}
686 \eqcommand{ }{\mkern}
687 \eqcommand{ }{\month}
688 \eqcommand{ }{\moveleft}
689 \eqcommand{ }{\moveright}
690 \eqcommand{ }{\mskip}
691 \eqcommand{ @ }{\m@th}
692 \eqcommand{ }{\multicolumn}
693 \eqcommand{ }{\multiply}
694 \eqcommand{ }{\multispan}
695 \eqcommand{ }{\muskip}
696 \eqcommand{ }{\muskipdef}
697 \eqcommand{@ }{\@namedef}
698 \eqcommand{@ }{\@nameuse}
699 \eqcommand{ @}{@ne}
700 \eqcommand{ }{\name}
701 \eqcommand{ }{\natural}
702 \eqcommand{ }{\nearrow}
703 \eqcommand{ }{\nearrower}
704 \eqcommand{ }{\NeedsTeXFormat}
705 \eqcommand{ }{\neg}
706 \eqcommand{ }{\negmedspace}
707 \eqcommand{ }{\negthickspace}
708 \eqcommand{ }{\negthinspace}
709 \eqcommand{ }{\newboolean}
710 \eqcommand{ }{\newbox}
711 \eqcommand{ }{\newcommand}
712 \eqcommand{ }{\newcount}
713 \eqcommand{ }{\newcounter}
714 \eqcommand{ }{\newdimen}
715 \eqcommand{ }{\newenvironment}
716 \eqcommand{ }{\newfam}
717 \eqcommand{ }{\newfont}
718 \eqcommand{ }{\newhelp}
719 \eqcommand{ }{\newinsert}
720 \eqcommand{ }{\newlabel}
721 \eqcommand{ }{\newlength}
722 \eqcommand{ }{\newline}
723 \eqcommand{ }{\newlinechar}
724 \eqcommand{ }{\newmuskip}
725 \eqcommand{ }{\newpage}

```



```

726 \eqcommand{ }{\newread}
727 \eqcommand{ }{\newsavebox}
728 \eqcommand{ }{\newskip}
729 \eqcommand{ }{\newtheorem}
730 \eqcommand{ }{\newtoks}
731 \eqcommand{ }{\newwrite}
732 \eqcommand{ }{\noalign}
733 \eqcommand{ }{\nobreak}
734 \eqcommand{ }{\nobreakspace}
735 \eqcommand{ }{\nocite}
736 \eqcommand{ }{\noexpand}
737 \eqcommand{ }{\nofiles}
738 \eqcommand{ }{\noindent}
739 \eqcommand{ }{\nointerlineskip}
740 \eqcommand{ }{\nolimits}
741 \eqcommand{ }{\nolinebreak}
742 \eqcommand{ }{\nonstopmode}
743 \eqcommand{ }{\nonfrenchspacing}
744 \eqcommand{ }{\nonumber}
745 \eqcommand{ }{\nopagebreak}
746 \eqcommand{ }{\normalbaselines}
747 \eqcommand{ }{\normalbaselineskip}
748 \eqcommand{ }{\normalcolor}
749 \eqcommand{ }{\normalfont}
750 \eqcommand{ }{\normallineskip}
751 \eqcommand{ }{\normallineskiplimit}
752 \eqcommand{ }{\normalmarginpar}
753 \eqcommand{ }{\normalsize}
754 \eqcommand{ }{\notag}
755 \eqcommand{ }{\null}
756 \eqcommand{ }{\nullfont}
757 \eqcommand{ }{\number}
758 \eqcommand{ }{\numberline}
759 \eqcommand{ }{\numberwithin}
760 \eqcommand{ }{@evenfoot}
761 \eqcommand{ }{@evenhead}
762 \eqcommand{ }{@oddfoot}
763 \eqcommand{ }{@oddhead}
764 \eqcommand{ }{@outeqnttrue}
765 \eqcommand{ }{@outeqnfase}
766 \eqcommand{ }{\obeylines}
767 \eqcommand{ }{\obeyspaces}
768 \eqcommand{ }{\oddsidemargin}
769 \eqcommand{ }{\offinterlineskip}
770 \eqcommand{ }{\omit}
771 \eqcommand{@ }{@onlypreamble}
772 \eqcommand{ }{\onecolumn}
773 \eqcommand{ }{\onlynotes}
774 \eqcommand{ }{\onlyslides}
775 \eqcommand{ }{\openin}
776 \eqcommand{ }{\openout}
777 \eqcommand{ }{\OptionNotUsed}
778 \eqcommand{ }{\or}
779 \eqcommand{ }{\outer}

```



```

780 \eqcommand{ }{output}
781 \eqcommand{ }{outputpenalty}
782 \eqcommand{ }{overfullrule}
783 \eqcommand{@ }{@preamblecmds}
784 \eqcommand{@ }{p@}
785 \eqcommand{ }{PackageError}
786 \eqcommand{ }{PackageInfo}
787 \eqcommand{ }{PackageWarning}
788 \eqcommand{ }{PackageWarningNoLine}
789 \eqcommand{ }{pagebreak}
790 \eqcommand{ }{pagecolor}
791 \eqcommand{ }{pagedepth}
792 \eqcommand{ }{pagefillstretch}
793 \eqcommand{ }{pagefillstretch}
794 \eqcommand{ }{pagefilstretch}
795 \eqcommand{ }{pagegoal}
796 \eqcommand{ }{pagename}
797 \eqcommand{ }{pagenumbering}
798 \eqcommand{ }{pageref}
799 \eqcommand{ }{pagerulewidth}
800 \eqcommand{ }{pageshrink}
801 \eqcommand{ }{pagestretch}
802 \eqcommand{ }{pagestyle}
803 \eqcommand{ }{pagetotal}
804 \eqcommand{ }{paperheight}
805 \eqcommand{ }{paperwidth}
806 \bidi@csdefcs{ }{par}%
  this is an exception since \par is redefined only in some circumstances
807 \eqcommand{ }{paragraph}
808 \eqcommand{ }{parallel}
809 \eqcommand{ }{parbox}
810 \eqcommand{ }{parfillskip}
811 \eqcommand{ }{parindent}
812 \eqcommand{ }{parsep}
813 \eqcommand{ }{parshape}
814 \eqcommand{ }{parskip}
815 \eqcommand{ }{part}
816 \eqcommand{ }{partname}
817 \eqcommand{ }{partopsep}
818 \eqcommand{ }{PassOptionToClass}
819 \eqcommand{ }{PassOptionToPackage}
820 \eqcommand{ }{path}
821 \eqcommand{ }{patterns}
822 \eqcommand{ }{pausing}
823 \eqcommand{ }{penalty}
824 \eqcommand{ }{phantom}
825 \eqcommand{ }{poptabs}
826 \eqcommand{ }{postdisplaypenalty}
827 \eqcommand{ }{predisplaydirection}
828 \eqcommand{ }{predisplaypenalty}
829 \eqcommand{ }{predisplaysize}
830 \eqcommand{ }{pretolerance}
831 \eqcommand{ }{prevdepth}
832 \eqcommand{ }{prevgraf}
833 \eqcommand{ }{printindex}

```



```

834 \eqcommand{      }{ProcessOptions}
835 \eqcommand{  }{protect}
836 \eqcommand{  }{providecommand}
837 \eqcommand{  }{ProvidesClass}
838 \eqcommand{  }{ProvidesFile}
839 \eqcommand{  }{ProvidesPackage}
840 \eqcommand{  }{pushtabs}
841 \eqcommand{  }{quad}
842 \eqcommand{  }{qquad}
843 \eqcommand{@  }{@outputpagerestore}
844 \eqcommand{  }{radical}
845 \eqcommand{  }{raggedbottom}
846 \eqcommand{  }{raggedleft}
847 \eqcommand{  }{raggedright}
848 \eqcommand{  }{raise}
849 \eqcommand{  }{raisebox}
850 \eqcommand{  }{raisetag}
851 \eqcommand{  }{rangle}
852 \eqcommand{  }{rceil}
853 \eqcommand{  }{read}
854 \eqcommand{  }{ref}
855 \eqcommand{  }{reflectbox}
856 \eqcommand{  }{refname}
857 \eqcommand{  }{refstepcounter}
858 \eqcommand{  }{relax}
859 \eqcommand{  }{removelastskip}
860 \eqcommand{  }{renewcommand}
861 \eqcommand{  }{renewenvironment}
862 \eqcommand{  }{RequirePackage}
863 \eqcommand{  }{RequirePackageWithOptions}
864 \eqcommand{  }{resizebox}
865 \eqcommand{  }{reversemarginpar}
866 \eqcommand{  }{rfloor}
867 \eqcommand{  }{right}
868 \eqcommand{  }{rightmargin}
869 \eqcommand{  }{rightmark}
870 \eqcommand{  }{rightpageskip}
871 \eqcommand{  }{rightskip}
872 \eqcommand{  }{rmdefault}
873 \eqcommand{  }{rmfamily}
874 \eqcommand{  }{Roman}
875 \eqcommand{  }{roman}
876 \eqcommand{  }{romannumeral}
877 \eqcommand{  }{rotatebox}
878 \eqcommand{  }{rowcolor}
879 \eqcommand{  }{rule}
880 \eqcommand{@  }{@secondoftwo}
881 \eqcommand{@  }{@spaces}
882 \eqcommand{  }{samepage}
883 \eqcommand{  }{savebox}
884 \eqcommand{  }{sbox}
885 \eqcommand{  }{scalebox}
886 \eqcommand{  }{scdefault}
887 \eqcommand{  }{scshape}

```



```

888 \eqcommand{      }{\setkeys}
889 \eqcommand{      }{\scriptfont}
890 \eqcommand{      }{\scriptscriptfont}
891 \eqcommand{      }{\scriptscriptstyle}
892 \eqcommand{      }{\scriptsize}
893 \eqcommand{      }{\scriptstyle}
894 \eqcommand{      }{\scrollmode}
895 \eqcommand{      }{\section}
896 \eqcommand{      }{\secdef}
897 \eqcommand{      }{\see}
898 \eqcommand{      }{\seealso}
899 \eqcommand{      }{\seename}
900 \eqcommand{      }{\selectfont}
901 \eqcommand{      }{\setboolean}
902 \eqcommand{      }{\setbox}
903 \eqcommand{      }{\setcounter}
904 \eqcommand{      }{\setlength}
905 \eqcommand{      }{\setminus}
906 \eqcommand{      }{\SetSymbolFont}
907 \eqcommand{      }{\settodepth}
908 \eqcommand{      }{\settoheight}
909 \eqcommand{      }{\settowidth}
910 \eqcommand{      }{\sfcode}
911 \eqcommand{      }{\sfdefault}
912 \eqcommand{      }{\sffamily}
913 \eqcommand{      }{\shadowbox}
914 \eqcommand{      }{\sharp}
915 \eqcommand{      }{\shipout}
916 \eqcommand{      }{\shortstack}
917 \eqcommand{      }{\show}
918 \eqcommand{      }{\showbox}
919 \eqcommand{      }{\showboxbreadth}
920 \eqcommand{      }{\showboxdepth}
921 \eqcommand{      }{\showlists}
922 \eqcommand{      }{\showthe}
923 \eqcommand{      }{\simplefontmode}
924 \eqcommand{      @}{\sixt@n}
925 \eqcommand{      }{\skewchar}
926 \eqcommand{      }{\skip}
927 \eqcommand{      @}{\skip@}
928 \eqcommand{      }{\skipdef}
929 \eqcommand{      }{\s1}
930 \eqcommand{      }{\sldefault}
931 \eqcommand{      }{\slshape}
932 \eqcommand{      }{\slloppy}
933 \eqcommand{      }{\slshape}
934 \eqcommand{      }{\small}
935 \eqcommand{      }{\smallskip}
936 \eqcommand{      }{\smallskipamount}
937 \eqcommand{      }{\smash}
938 \eqcommand{      }{\smile}
939 \eqcommand{      }{\snglfntlocatecode}
940 \eqcommand{      }{\space}
941 \eqcommand{      }{\spacefactor}

```



```

942 \eqcommand{ }{spaceskip}
943 \eqcommand{ }{spadesuit}
944 \eqcommand{ }{span}
945 \eqcommand{ }{special}
946 \eqcommand{ }{splitmaxdepth}
947 \eqcommand{ }{splittopskip}
948 \eqcommand{ }{star}
949 \eqcommand{ }{stepcounter}
950 \eqcommand{ }{stretch}
951 \eqcommand{ }{string}
952 \eqcommand{ }{strut}
953 \eqcommand{ }{strutbox}
954 \eqcommand{ }{subitem}
955 \eqcommand{ }{subparagraph}
956 \eqcommand{ }{subsection}
957 \eqcommand{ }{substack}
958 \eqcommand{ }{subsubitem}
959 \eqcommand{ }{subsubsection}
960 \eqcommand{ }{subset}
961 \eqcommand{ }{subsepeq}
962 \eqcommand{ }{supereject}
963 \eqcommand{ }{suppressfloats}
964 \eqcommand{@ }{@tempa}
965 \eqcommand{@ }{@tempb}
966 \eqcommand{@ }{@tempc}
967 \eqcommand{@ }{@tempd}
968 \eqcommand{@ }{@tempf}
969 \eqcommand{@ }{@tempboxa}
970 \eqcommand{@ }{@tempcnta}
971 \eqcommand{@ }{@tempcntb}
972 \eqcommand{@ }{@tempdima}
973 \eqcommand{@ }{@tempdimb}
974 \eqcommand{@ }{@tempdimc}
975 \eqcommand{@ }{@tempskipa}
976 \eqcommand{@ }{@tempskipb}
977 \eqcommand{@ }{@tempswafalse}
978 \eqcommand{@ }{@tempswatrue}
979 \eqcommand{@ }{@temptokena}
980 \eqcommand{ }{@thefnmark}
981 \eqcommand{@ }{@thirdofthree}
982 \eqcommand{ }{tabbingsep}
983 \eqcommand{ }{tabcolsep}
984 \eqcommand{ }{tableofcontents}
985 \eqcommand{ }{tablename}
986 \eqcommand{ }{tabskip}
987 \eqcommand{ }{tabularnewline}
988 \eqcommand{ }{tag}
989 \eqcommand{ }{telephone}
990 \eqcommand{ }{TeX}
991 \eqcommand{ }{text}
992 \eqcommand{ }{textbullet}
993 \eqcommand{ }{textfont}
994 \eqcommand{ }{textemdash}
995 \eqcommand{ }{textendash}

```



```

996 \eqcommand{      }{textexcldown}
997 \eqcommand{      }{textperiodcentered}
998 \eqcommand{      }{textquestiondown}
999 \eqcommand{      }{textquotedblleft}
1000 \eqcommand{      }{textquotedblright}
1001 \eqcommand{      }{textquotelleft}
1002 \eqcommand{      }{textquoteright}
1003 \eqcommand{      }{textvisiblespace}
1004 \eqcommand{      }{textbackslash}
1005 \eqcommand{      }{textbar}
1006 \eqcommand{      }{textgreater}
1007 \eqcommand{      }{textless}
1008 \eqcommand{      }{textbf}
1009 \eqcommand{      }{textcircled}
1010 \eqcommand{      }{textcolor}
1011 \eqcommand{      }{textcompwordmark}
1012 \eqcommand{      }{textfloatsep}
1013 \eqcommand{      }{textfraction}
1014 \eqcommand{      }{textheight}
1015 \eqcommand{      }{textindent}
1016 \eqcommand{      }{textit}
1017 \eqcommand{      }{textmd}
1018 \eqcommand{      }{textnormal}
1019 \eqcommand{      }{textregistered}
1020 \eqcommand{      }{textrm}
1021 \eqcommand{      }{textsc}
1022 \eqcommand{      }{textsf}
1023 \eqcommand{      }{textsl}
1024 \eqcommand{      }{textstyle}
1025 \eqcommand{      }{textsupserscript}
1026 \eqcommand{      }{texttrademark}
1027 \eqcommand{      }{texttt}
1028 \eqcommand{      }{textup}
1029 \eqcommand{      }{textwidth}
1030 \eqcommand{      }{thanks}
1031 \eqcommand{      }{the}
1032 \eqcommand{      }{thempfn}
1033 \eqcommand{      }{thicklines}
1034 \eqcommand{      }{thickmuskip}
1035 \eqcommand{      }{thinmuskip}
1036 \eqcommand{      }{thickspace}
1037 \eqcommand{      }{thinlines}
1038 \eqcommand{      }{thinspace}
1039 \eqcommand{      }{thisfancypage}
1040 \eqcommand{      }{thispagestyle}
1041 \eqcommand{ @}{thr@@}
1042 \eqcommand{      }{tilde}
1043 \eqcommand{      }{tiny}
1044 \eqcommand{      }{time}
1045 \eqcommand{      }{times}
1046 \eqcommand{      }{title}
1047 \eqcommand{      }{to}
1048 \eqcommand{      }{today}
1049 \eqcommand{      }{toks}

```



```

1050 \eqcommand{      }{toksdef}
1051 \eqcommand{      }{tolerance}
1052 \eqcommand{  }{top}
1053 \eqcommand{      }{topfigrule}
1054 \eqcommand{      }{topfraction}
1055 \eqcommand{      }{topmargin}
1056 \eqcommand{      }{topmark}
1057 \eqcommand{      }{toppageskip}
1058 \eqcommand{      }{topsep}
1059 \eqcommand{      }{topskip}
1060 \eqcommand{      }{totalheight}
1061 \eqcommand{      }{tracingall}
1062 \eqcommand{      }{tracingcommands}
1063 \eqcommand{      }{tracinglostchars}
1064 \eqcommand{      }{tracingmacros}
1065 \eqcommand{      }{tracingonline}
1066 \eqcommand{      }{tracingoutput}
1067 \eqcommand{      }{tracingpages}
1068 \eqcommand{      }{tracingparagraphs}
1069 \eqcommand{      }{tracingrestores}
1070 \eqcommand{      }{tracingstats}
1071 \eqcommand{  }{triangle}
1072 \eqcommand{      }{ttdefault}
1073 \eqcommand{      }{ttfamily}
1074 \eqcommand{ @}{tw@}
1075 \eqcommand{      }{twocolumn}
1076 \eqcommand{      }{typein}
1077 \eqcommand{      }{typeout}
1078 \eqcommand{      }{uccode}
1079 \eqcommand{      }{uchyph}
1080 \eqcommand{      }{underline}
1081 \eqcommand{      }{unhbox}
1082 \eqcommand{      }{unhcropy}
1083 \eqcommand{      }{unitlength}
1084 \eqcommand{      }{unkern}
1085 \eqcommand{      }{unpenalty}
1086 \eqcommand{      }{unskip}
1087 \eqcommand{      }{unvbox}
1088 \eqcommand{      }{unvcopy}
1089 \eqcommand{      }{updefault}
1090 \eqcommand{      }{upshape}
1091 \eqcommand{      }{usebox}
1092 \eqcommand{      }{usecounter}
1093 \eqcommand{      }{usefont}
1094 \eqcommand{      }{usepackage}
1095 \eqcommand{@ }{@vobeyspaces}
1096 \eqcommand{@ }{@void}
1097 \eqcommand{      }{vadjust}
1098 \eqcommand{      }{valign}
1099 \eqcommand{      }{value}
1100 \eqcommand{      }{vbadness}
1101 \eqcommand{      }{vbox}
1102 \eqcommand{      }{vcenter}
1103 \eqcommand{      }{verb}

```



```

1104 \eqcommand{ }{vfil}
1105 \eqcommand{ }{vfull}
1106 \eqcommand{ }{vfilneg}
1107 \eqcommand{ }{vfuzz}
1108 \eqcommand{ }{visible}
1109 \eqcommand{ }{vline}
1110 \eqcommand{ }{voffset}
1111 \eqcommand{ @ }{voidb@x}
1112 \eqcommand{ }{vpageref}
1113 \eqcommand{ }{vrboxsep}
1114 \eqcommand{ }{vref}
1115 \eqcommand{ }{vrule}
1116 \eqcommand{ }{vsize}
1117 \eqcommand{ }{vskip}
1118 \eqcommand{ }{vspace}
1119 \eqcommand{ }{vsplit}
1120 \eqcommand{ }{vss}
1121 \eqcommand{ }{vtop}
1122 \eqcommand{ }{wd}
1123 \eqcommand{ }{whiledo}
1124 \eqcommand{ }{widehat}
1125 \eqcommand{ }{widetilde}
1126 \eqcommand{ }{widowpenalty}
1127 \eqcommand{ }{width}
1128 \eqcommand{ }{wlog}
1129 \eqcommand{ }{write}
1130 \eqcommand{@ }{@xobeysp}
1131 \eqcommand{ @ }{@xxxii}
1132 \eqcommand{ }{xdef}
1133 \eqcommand{ }{xleaders}
1134 \eqcommand{ }{xspaceskip}
1135 \eqcommand{ }{year}
1136 \eqcommand{@ }{z@}
1137 \eqcommand{@ }{z@skip}

```

21 File color-localise-xepersian.def

```

1138 color}           \localise-xepersian.def}[2011/03/01 v0.1 localising color package]
1139 0}{rgb}{ }     \0,,0}
1140 1}{rgb}{ }     \1,,1}
1141 1}{rgb}{ }     \0,,0}
1142 0}{rgb}{ }     \1,,0}
1143 0}{rgb}{ }     \0,,1}
1144 1}{cmyk}{ }   \0,,0,0}
1145 0}{cmyk}{ }   \1,,0,0}
1146 0}{cmyk}{ }   \0,,1,0}

```

22 File xepersian-localise-commands-xepersian.def

```

1147 \ProvidesFile{xepersian-localise-commands-xepersian.def}[2012/07/25 v0.2 Persian localisation
1148 \eqcommand{ }{autofootnoterule}
1149 \eqcommand{ }{AutoMathDigits}
1150 \eqcommand{ }{DefaultMathDigits}
1151 \eqcommand{ @ }{keyval@eq@alias@key}

```



```

1152 \eqcommand{      }{\deflatinfont}
1153 \eqcommand{      }{\defpersianfont}
1154 \eqcommand{      }{\hboxL}
1155 \eqcommand{      }{\hboxR}
1156 \eqcommand{      }{\Latincite}
1157 \eqcommand{      }{\latinfont}
1158 \eqcommand{      }{\latintoday}
1159 \eqcommand{      }{\leftfootnoterule}
1160 \eqcommand{      }{\lr}
1161 \eqcommand{      }{\LRE}
1162 \eqcommand{      }{\LTRdblcol}
1163 \eqcommand{      }{\LTRfootnote}
1164 \eqcommand{      }{\LTRfootnotetext}
1165 \eqcommand{      }{\LTRthanks}
1166 \eqcommand{      }{\persianday}
1167 \eqcommand{      }{\persianfont}
1168 \eqcommand{      }{\PersianMathDigits}
1169 \eqcommand{      }{\persianmonth}
1170 \eqcommand{      }{\persianyear}
1171 \eqcommand{      }{\plq}
1172 \eqcommand{      }{\prq}
1173 \eqcommand{      }{\rightfootnoterule}
1174 \eqcommand{      }{\rl}
1175 \eqcommand{      }{\RLE}
1176 \eqcommand{      }{\RTLdblcol}
1177 \eqcommand{      }{\RTLfootnote}
1178 \eqcommand{      }{\RTLfootnotetext}
1179 \eqcommand{      }{\RTLthanks}
1180 \eqcommand{@}{\@SepMark}
1181 \eqcommand{      }{\SepMark}
1182 \eqcommand{      }{\setdefaultbibitems}
1183 \eqcommand{      }{\setdefaultmarginpar}
1184 \eqcommand{      }{\setmathdigitfont}
1185 \eqcommand{      }{\setfootnoteLR}
1186 \eqcommand{      }{\setfootnoteRL}
1187 \eqcommand{      }{\setlatintextfont}
1188 \eqcommand{      }{\setLTR}
1189 \eqcommand{      }{\setLTRbibitems}
1190 \eqcommand{      }{\setLTRmarginpar}
1191 \eqcommand{      }{\setRTL}
1192 \eqcommand{      }{\setRTLbibitems}
1193 \eqcommand{      }{\setRTLmarginpar}
1194 \eqcommand{      }{\settextfont}
1195 \eqcommand{      }{\textwidthfootnoterule}
1196 \eqcommand{      }{\twocolumnstableofcontents}
1197 \eqcommand{      }{\unsetfootnoteRL}
1198 \eqcommand{      }{\unsetLTR}
1199 \eqcommand{      }{\unsetRTL}
1200 \eqcommand{      }{\vboxL}
1201 \eqcommand{      }{\vboxR}
1202 \eqcommand{      }{\XeTeX}
1203 \eqcommand{      }{\XePersian}
1204 \eqcommand{      }{\xepersianversion}
1205 \eqcommand{      }{\xepersiandate}

```



```
1206 \eqcommand{ }{XeTeX}
```

23 File enumerate-xepersian.def

```
1207 \ProvidesFile{enumerate-xepersian.def}[2010/07/25 v0.1 adaptations for enumerate package]
1208 \def\@enloop@{%
1209   \ifx \entemp@\          \def\@tempa{\@enLabel\harfi } \else
1210   \ifx \entemp@\          \def\@tempa{\@enLabel\adadi } \else
1211   \ifx \entemp@\          \def\@tempa{\@enLabel\tartibi } \else
1212   \ifx A\@centemp        \def\@tempa{\@enLabel\Alph } \else
1213   \ifx a\@centemp        \def\@tempa{\@enLabel\alph } \else
1214   \ifx i\@centemp        \def\@tempa{\@enLabel\roman } \else
1215   \ifx I\@centemp        \def\@tempa{\@enLabel\Roman } \else
1216   \ifx 1\@centemp        \def\@tempa{\@enLabel\arabic}\else
1217   \ifx \sptoken\@centemp \let\@tempa\@enSpace           \else
1218   \ifx \bgroup\@centemp  \let\@tempa\@enGroup           \else
1219   \ifx \enum@\@centemp   \let\@tempa\@gobble           \else
1220             \let\@tempa\@enOther
1221             \@enhook
1222             \fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi
1223 \@tempa}
```

24 File enumitem-xepersian.def

```
1224 \ProvidesFile{enumitem-xepersian.def}[2017/09/06 v0.1 adaptations for enumitem package]
1225 \AddEnumerateCounter*\tartibi\@tartibi{999999999}
1226 \AddEnumerateCounter*\adadi\@adadi{999999999}
1227 \AddEnumerateCounter\harfi\@charfi{ }
1228 \AddEnumerateCounter\Abjad\@Abjad{ }
1229 \AddEnumerateCounter\abjad\@abjad{ }
1230 \SetEnumerateShortLabel{ }{\tartibi*}
1231 \SetEnumerateShortLabel{ }{\adadi*}
1232 \SetEnumerateShortLabel{ }{\harfi*}
1233 \SetEnumerateShortLabel{ }{\Abjad*}
1234 \SetEnumerateShortLabel{ }{\abjad*}
```

25 File latex-localise-environments-xepersian.def

```
1235 \ProvidesFile{latex-localise-environments-xepersian.def}[2010/07/25 v0.2 Persian localisation]
1236 \eqenvironment{ }{abstract}
1237 \eqenvironment{ }{appendix}
1238 \eqenvironment{ }{array}
1239 \eqenvironment{ }{center}
1240 \eqenvironment{ }{description}
1241 \eqenvironment{ }{displaymath}
1242 \eqenvironment{ }{document}
1243 \eqenvironment{ }{enumerate}
1244 \eqenvironment{ }{figure}
1245 \eqenvironment{ *}{figure*}
1246 \eqenvironment{ }{filecontents}
1247 \eqenvironment{ *}{filecontents*}
1248 \eqenvironment{ }{flushleft}
1249 \eqenvironment{ }{flushright}
1250 \eqenvironment{ }{itemize}
```



```

1251 \eqenvironment{ }{letter}
1252 \eqenvironment{ }{list}
1253 \eqenvironment{ }{longtable}
1254 \eqenvironment{ }{lrbox}
1255 \eqenvironment{ }{math}
1256 \eqenvironment{ }{matrix}
1257 \eqenvironment{ }{minipage}
1258 \eqenvironment{ }{multline}
1259 \eqenvironment{ }{note}
1260 \eqenvironment{ }{overlay}
1261 \eqenvironment{ }{picture}
1262 \eqenvironment{ }{quotation}
1263 \eqenvironment{ }{quote}
1264 \eqenvironment{ }{slide}
1265 \eqenvironment{ }{sloppypar}
1266 \eqenvironment{ }{split}
1267 \eqenvironment{ }{subarray}
1268 \eqenvironment{ }{tabbing}
1269 \eqenvironment{ }{table}
1270 \eqenvironment{ *}{table*}
1271 \eqenvironment{ }{tabular}
1272 \eqenvironment{ *}{tabular*}
1273 \eqenvironment{ }{thebibliography}
1274 \eqenvironment{ }{theindex}
1275 \eqenvironment{ }{titlepage}
1276 \eqenvironment{ }{trivlist}
1277 \eqenvironment{ }{verse}

```

26 File `xepersian-localise-environments-xepersian.def`

```

1278 \ProvidesFile{xepersian-localise-environments-xepersian.def}[2010/07/25 v0.1 Persian localisa
1279 \eqenvironment{ }{latin}
1280 \eqenvironment{ }{LTR}
1281 \eqenvironment{ }{LTRitems}
1282 \eqenvironment{ }{modernpoem}
1283 \eqenvironment{ *}{modernpoem*}
1284 \eqenvironment{ }{persian}
1285 \eqenvironment{ }{RTL}
1286 \eqenvironment{ }{RTLitems}
1287 \eqenvironment{ }{traditionalpoem}
1288 \eqenvironment{ *}{traditionalpoem*}

```

27 File `extarticle-xepersian.def`

```

1289 \ProvidesFile{extarticle-xepersian.def}[2010/07/25 v0.1 adaptations for extarticle class]
1290 \renewcommand{\thepart} {\@tartibi\c@part}
1291 \renewcommand{\appendix}{\par
1292   \setcounter{section}{0}%
1293   \setcounter{subsection}{0}%
1294   \gdef{\thesection}{\@harfi\c@section}}

```

28 File `extbook-xepersian.def`

```

1295 \ProvidesFile{extbook-xepersian.def}[2010/07/25 v0.1 adaptations for extbook class]

```



```

1296 \renewcommand\frontmatter{%
1297     \cleardoublepage
1298     \@mainmatterfalse
1299     \pagenumbering{harfi}}
1300 \renewcommand \thepart {\@tartibi\c@part}
1301 \renewcommand\appendix{\par
1302     \setcounter{chapter}{0}%
1303     \setcounter{section}{0}%
1304     \gdef\@chapapp{\appendixname}%
1305     \gdef\thechapter{\@harfi\c@chapter}
1306 }%end appendix

```

29 File extrafootnotefeatures-xepersian.def

```

1307 \ProvidesFile{extrafootnotefeatures-xepersian.def}[2012/01/01 v0.2 footnote macros for extra
1308 \renewcommand{\foottextfont}{\footnotesize\if@RTL@footnote\else\resetlatinfont\fi}
1309 \renewcommand{\LTRfoottextfont}{\footnotesize\resetlatinfont}
1310 \renewcommand{\RTLfoottextfont}{\footnotesize\setpersianfont}

```

30 File extreport-xepersian.def

```

1311 \ProvidesFile{extreport-xepersian.def}[2010/07/25 v0.1 adaptations for extreport class]
1312 \renewcommand\thepart {\@tartibi\c@part}
1313 \renewcommand\appendix{\par
1314     \setcounter{chapter}{0}%
1315     \setcounter{section}{0}%
1316     \gdef\@chapapp{\appendixname}%
1317     \gdef\thechapter{\@harfi\c@chapter}}

```

31 File fancyref-xepersian.def

```

1318 \ProvidesFile{fancyref-xepersian.def}[2018/09/29 v0.1 bilingual captions for fancyref package]
1319 \renewcommand*\Frefchapname{\chaptername}
1320 \renewcommand*\Frefenumname{%
1321     \if@RTL
1322 %
1323     \else
1324         Item%
1325     \fi
1326 }
1327 \renewcommand*\Frefeqname{%
1328     \if@RTL
1329 %
1330     \else
1331         Equation%
1332     \fi
1333 }
1334 \renewcommand*\Freffigname{\figurename}
1335 \renewcommand*\Frefnname{%
1336     \if@RTL
1337 %
1338     \else
1339         Footnote%
1340     \fi

```



```

1341 }
1342 \renewcommand*{\Frefonname}{%
1343   \if@RTL
1344 %
1345   \else
1346     On%
1347   \fi
1348 }
1349 \renewcommand*{\Frefpgname}{\pagename}
1350 \renewcommand*{\Frefsecname}{%
1351   \if@RTL
1352 %
1353   \else
1354     Section%
1355   \fi
1356 }
1357 \renewcommand*{\Frefseename}{%
1358   \if@RTL
1359 %
1360   \else
1361     See%
1362   \fi
1363 }
1364 \renewcommand*{\Freftabname}{\tablename}
1365 \renewcommand*{\Freffigshortname}{%
1366   \if@RTL
1367     \Freffigname
1368   \else
1369     Fig.%
1370   \fi
1371 }
1372 \renewcommand*{\Frefpgshortname}{%
1373   \if@RTL
1374     \Frefpgname
1375   \else
1376     P.%
1377   \fi
1378 }
1379 \renewcommand*{\Freftabshortname}{%
1380   \if@RTL
1381     \tablename
1382   \else
1383     Tab.%
1384   \fi
1385 }
1386 \renewcommand*{\frefchapname}{%
1387   \if@RTL
1388     \Frefchapname
1389   \else
1390     \MakeLowercase{\Frefchapname}%
1391   \fi
1392 }
1393 \renewcommand*{\frefenumname}{%
1394   \if@RTL

```



```

1395     \Frefenumname
1396     \else
1397         \MakeLowercase{\Frefenumname}%
1398     \fi
1399 }
1400 \renewcommand*{\frefeqname}{%
1401     \if@RTL
1402         \Frefeqname
1403     \else
1404         \MakeLowercase{\Frefeqname}%
1405     \fi
1406 }
1407 \renewcommand*{\freffigname}{%
1408     \if@RTL
1409         \Freffigname
1410     \else
1411         \MakeLowercase{\Freffigname}%
1412     \fi
1413 }
1414 \renewcommand*{\freffnname}{%
1415     \if@RTL
1416         \Freffnname
1417     \else
1418         \MakeLowercase{\Freffnname}%
1419     \fi
1420 }
1421 \renewcommand*{\frefonname}{%
1422     \if@RTL
1423         \Frefonname
1424     \else
1425         \MakeLowercase{\Frefonname}%
1426     \fi
1427 }
1428 \renewcommand*{\frefpgname}{%
1429     \if@RTL
1430         \Frefpgname
1431     \else
1432         \MakeLowercase{\Frefpgname}%
1433     \fi
1434 }
1435 \renewcommand*{\frefsecname}{%
1436     \if@RTL
1437         \Frefsecname
1438     \else
1439         \MakeLowercase{\Frefsecname}%
1440     \fi
1441 }
1442 \renewcommand*{\frefseename}{%
1443     \if@RTL
1444         \Frefseename
1445     \else
1446         \MakeLowercase{\Frefseename}%
1447     \fi
1448 }

```



```

1449 \renewcommand*{\freftabname}{%
1450   \if@RTL
1451     \Freftabname
1452   \else
1453     \MakeLowercase{\Freftabname}%
1454   \fi
1455 }
1456 \renewcommand*{\freffigshortname}{%
1457   \if@RTL
1458     \Freffigshortname
1459   \else
1460     \MakeLowercase{\Freffigshortname}%
1461   \fi
1462 }
1463 \renewcommand*{\frefpgshortname}{%
1464   \if@RTL
1465     \Frefpgshortname
1466   \else
1467     \MakeLowercase{\Frefpgshortname}%
1468   \fi
1469 }
1470 \renewcommand*{\freftabshortname}{%
1471   \if@RTL
1472     \Freftabshortname
1473   \else
1474     \MakeLowercase{\Freftabshortname}%
1475   \fi
1476 }

```

32 File `footnote-xepersian.def`

```

1477 \ProvidesFile{footnote-xepersian.def}[2017/08/09 v0.6 footnote macros for xepersian package]
1478
1479 \renewcommand*{\bidi@@footnotetext@font}{\footnotesize\if@RTL@footnote\else\resetlatinfont\f
1480
1481 \renewcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize\resetlatinfont}
1482
1483 \renewcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize\setpersianfont}
1484

```

33 File `framed-xepersian.def`

```

1485 \ProvidesFile{framed-xepersian.def}[2012/06/05 v0.1 xepersian adaptations for framed package]
1486 \renewenvironment{titled-frame}[1]{%
1487   \def\FrameCommand{\fboxsep8pt\fboxrule2pt
1488     \TitleBarFrame{\textbf{\#1}}\%
1489   \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
1490     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$\]{\textbf{\#1}}\%
1491   \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
1492     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$\]{\textbf{\#1}\ (\if@R
1493   \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
1494     \TitleBarFrame{\textbf{\#1}\ (\if@RTL\else\cont\fi)}\%
1495   \MakeFramed{\advance\hsize-20pt \FrameRestore}\%
1496 } note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title

```



```
1497 % could interfere with the width measurement.  
1498 {\endMakeFramed}
```

34 File `glossaries-xepersian.def`

```
1499 \ProvidesFile{glossaries-xepersian.def}[2014/09/04 v0.4 xepersian adaptations for glossaries  
1500 \glsaddprotectedpagefmt{@harfi}  
1501 \glsaddprotectedpagefmt{@tartibi}  
1502 \glsaddprotectedpagefmt{@adadi}
```

35 File `hyperref-xepersian.def`

```
1503 \ProvidesFile{hyperref-xepersian.def}[2015/02/02 v0.6 bilingual captions for hyperref package  
1504 \def\equationautorefname{\if@RTL else\ Equation\fi} %  
1505 \def\footnoteautorefname{\if@RTL else\ footnote\fi} %  
1506 \def\itemautorefname{\if@RTL else\ item\fi} %  
1507 \def\figureautorefname{\if@RTL else\ Figure\fi} %  
1508 \def\tableautorefname{\if@RTL else\ Table\fi} %  
1509 \def\partautorefname{\if@RTL else\ Part\fi} %  
1510 \def\appendixautorefname{\if@RTL else\ Appendix\fi} %  
1511 \def\chapterautorefname{\if@RTL else\ chapter\fi} %  
1512 \def\sectionautorefname{\if@RTL else\ section\fi} %  
1513 \def\subsectionautorefname{\if@RTL else\ subsection\fi} %  
1514 \def\subsubsectionautorefname{\if@RTL else\ subsubsection\fi} %  
1515 \def\paragraphautorefname{\if@RTL else\ paragraph\fi} %  
1516 \def\ subparagraphautorefname{\if@RTL else\ subparagraph\fi} %  
1517 \def\FancyVerbLineautorefname{\if@RTL else\ line\fi} %  
1518 \def\theoremautorefname{\if@RTL else\ Theorem\fi} %  
1519 \def\pageautorefname{\if@RTL else\ page\fi} %  
1520 \AtBeginDocument{  
1521 \let\HyOrg@appendix\appendix  
1522 \def\appendix{  
1523 \ltx@ifundefined{chapter}{%  
1524 {\gdef\theHsection{\Alph{section}}}%  
1525 {\gdef\theHchapter{\Alph{chapter}}}%  
1526 \xdef\Hy@chapapp{\Hy@appendixstring}%  
1527 \HyOrg@appendix  
1528 }  
1529 }  
1530 \pdfstringdefDisableCommands{  
1531 \let\lr@\firstofone  
1532 \let\rl@\firstofone  
1533 \def\XePersian{\XePersian}  
1534 }  
1535 \ltx@ifundefined{@resets@pp}{%  
1536 }{  
1537 \let\HyOrg@resets@pp@resets@pp  
1538 \def@resets@pp{  
1539 \ltx@ifundefined{chapter}{%  
1540 {\gdef\theHsection{\Hy@AlphNoErr{section}}}%  
1541 }{  
1542 {\gdef\theHchapter{\Hy@AlphNoErr{chapter}}}%  
1543 }%  
1544 \xdef\Hy@chapapp{\Hy@appendixstring}%
```



```

1545     \HyOrg@resets@pp
1546 }
1547 }
```

36 File imsproc-xepersian.def

```

1548 \ProvidesFile{imsproc-xepersian.def}[2017/06/09 v0.5 xepersian adaptations for imsproc class
1549
1550 \renewcommand \thepart {\@tartibi\c@part}
1551 \def\appendix{\par\c@section\z@ \c@subsection\z@
1552   \let\sectionname\appendixname
1553   \def\thesection{\@harfi\c@section}}
1554
```

37 File kashida-xepersian.def

```

1555 \ProvidesFile{kashida-xepersian.def}[2020/05/16 v0.8 implementation of Kashida for xepersian
1556 %
1557 % The new changes is minimal and only cosmetic; To resolve the
1558 % issue properly, I will be studying TeX line breaking algorithms and
1559 % experiment to see how much of it I can mimic. The idea of using
1560 % a rule or even a box is awful and it breaks a lot of things. The ideal
1561 % solution is to insert Kashida without any rules or boxes or if
1562 % the font offers the alternative forms, it can be used for Kashida.
1563 % Unfortunately, computing the stretch using the \pdfsavepos and
1564 % \pdflastxpos primitives from the PDFTeX engine is bad and
1565 % impractical for several reasons. The process is extremely
1566 % slow and requires at least two runs of TeX. On a particular line,
1567 % we need to write to the aux file at least 10 times, on a page we
1568 % have on average around 10 lines and hence, for a 100 pages
1569 % document, we have to do this 10,000 times. These statistics are
1570 % very modest. On the other hand, if we reach max count (which is
1571 % very likely), then we have to do some devious things.
1572 %
1573 \chardef\xepersian@zwj="200D % zero-width joiner
1574 \chardef\xepersian@lrm="200E % left to right mark
1575 \chardef\xepersian@kashidachar="0640 % kashida
1576
1577 \chardef\xepersian@D=10 % dual-joiner class
1578 \chardef\xepersian@L=11 % lam
1579 \chardef\xepersian@R=12 % right-joiner
1580 \chardef\xepersian@A=13 % alef
1581 \chardef\xepersian@V=4096 % vowel or other combining mark (to be ignored)
1582 \newif\if@Kashida@on
1583 \def\xepersian@kashidaf{%
1584   \if@Kashida@on
1585     \xepersian@zwj
1586     \xepersian@lrm
1587     \nobreak
1588     \leaders\hrule height \XeTeXglyphbounds\tw@
1589     \the\XeTeXcharglyph\xepersian@kashidachar
1590     depth \XeTeXglyphbounds\f@ur
1591     \the\XeTeXcharglyph\xepersian@kashidachar
1592     \hskip0pt plus 0.5em
```



```

1593 %     \dimexpr \fontcharwd\font\xepersian@kashidachar -
1594 %     \XeTeXglyphbounds\@ne
1595 %     \the\XeTeXcharglyph\xepersian@kashidachar -
1596 %     \XeTeXglyphbounds\thr@@
1597 %     \the\XeTeXcharglyph\xepersian@kashidachar \relax
1598     \xepersian@zwj
1599 \fi
1600 }
1601
1602 \def\setclass#1#2{\def\theclass{#1}\def\charlist{#2}%
1603   \expandafter\dosetclass\charlist,\end}
1604 \def\dosetclass#1,#2\end{%
1605   \def\test{#1}\def\charlist{#2}%
1606   \ifx\test\empty\let\next\finishsetclass
1607   \else \XeTeXcharclass "\test = \theclass
1608     \let\next\dosetclass \fi
1609   \expandafter\next\charlist,,\end}
1610 \def\finishsetclass#1,,\end{%
1611
1612 \setclass \xepersian@A {0622,0623,0625,0627}
1613 \setclass \xepersian@R {0624,0629,062F,0630,0631,0632,0648,0698}
1614 \setclass \xepersian@D {0626,0628,062A,062B,062C,062D,062E}
1615 \setclass \xepersian@D {0633,0634,0635,0636,0637,0638,0639,063A}
1616 \setclass \xepersian@D {0640,0641,0642,0643,0645,0646,0647,0649,064A}
1617 \setclass \xepersian@D {067E,0686,06A9,06AF,06CC}
1618 \setclass \xepersian@L {0644}
1619 \setclass \xepersian@V {064B,064C,064D,064E,064F,0650,0651,0652}
1620
1621 \XeTeXinterchartoks \xepersian@D \xepersian@D = {\xepersian@kashida}
1622 \XeTeXinterchartoks \xepersian@L \xepersian@D = {\xepersian@kashida}
1623 \XeTeXinterchartoks \xepersian@D \xepersian@L = {\xepersian@kashida}
1624 \XeTeXinterchartoks \xepersian@L \xepersian@L = {\xepersian@kashida}
1625 \XeTeXinterchartoks \xepersian@D \xepersian@R = {\xepersian@kashida}
1626 \XeTeXinterchartoks \xepersian@D \xepersian@A = {\xepersian@kashida}
1627 \XeTeXinterchartoks \xepersian@L \xepersian@R = {\xepersian@kashida}
1628 \XeTeXinterchartoks \xepersian@L \xepersian@A = {}
1629
1630 \newcommand{\KashidaOn}{\@Kashida@ontrue}
1631 \newcommand{\KashidaOff}{\@Kashida@onfalse}
1632
1633 \KashidaOn

```

38 File listings-xepersian.def

```

1634 \ProvidesFile{listings-xepersian.def}[2014/07/17 v0.3 bilingual captions for listings package]
1635 \def\lstlistingname{\if@RTL else\ Listing\fi}
1636 \def\lstlistlistingname{\if@RTL else\ Listings\fi}

```

39 File loadingorder-xepersian.def

```

1637 \ProvidesFile{loadingorder-xepersian.def}[2018/09/29 v0.5 making sure that xepersian is the last loaded package]
1638 \bidi@isloaded{algorithmic}
1639 \bidi@isloaded{algorithm}
1640 \bidi@isloaded{backref}

```



```

1641 \bidi@isloaded{enumerate}
1642 \bidi@isloaded{enumitem}
1643 \bidi@isloaded{fancyref}
1644 \bidi@isloaded{tocloft}
1645 \bidi@isloaded{url}
1646 \bidi@isloaded{varioref}
1647 \AtBeginDocument{
1648   \if@bidi@algorithmicloaded@\else
1649     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithmic after xepersian}]
1650   \fi%
1651   \if@bidi@algorithmloaded@\else
1652     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package algorithm after xepersian}]
1653   \fi%
1654   \if@bidi@backrefloaded@\else
1655     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package backref after xepersian}]
1656   \fi%
1657   \if@bidi@enumeratedloaded@\else
1658     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumerate after xepersian}]
1659   \fi%
1660   \if@bidi@enumitemloaded@\else
1661     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package enumitem after xepersian}]
1662   \fi%
1663   \if@bidi@fancyrefloaded@\else
1664     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package fancyref after xepersian}]
1665   \fi%
1666   \if@bidi@tocloftloaded@\else
1667     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package tocloft after xepersian}]
1668   \fi%
1669   \if@bidi@urlloaded@\else
1670     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package url after xepersian}]
1671   \fi%
1672   \if@bidi@variorefloaded@\else
1673     \bidi@isloaded[\PackageError{xepersian}{Oops! you have loaded package varioref after xepersian}]
1674   \fi%
1675 }

```

40 File localise-xepersian.def

```

1676 \ProvidesFile{localise-xepersian.def}[2014/07/10 v0.2b Persian localisation of LaTeX2e]
1677 \newcommand{\makezwnjletter}{\catcode`=11\relax}
1678 \makezwnjletter
1679 \newcommand*{\eqcommand}[2]{\if@bidi@csprimitive{#2}{\bidi@csletcs{#1}{#2}}{\bidi@csdefcs{#1}{#2}}}
1680 \newcommand*{\eqenvironment}[2]{\newenvironment{#1}{\csname#2\endcsname}{\csname end#2\endcsname}}
1681 \@ifpackage{keyval}{%
1682 \newcommand*{\keyval@eq@alias@key}[4] [KV]{%
1683   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1684   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1685 }{\@ifpackage{keyval}{%
1686 \newcommand*{\keyval@eq@alias@key}[4] [KV]{%
1687   \bidi@csletcs{#1@#2@#3}{#1@#2@#4}%
1688   \bidi@csletcs{#1@#2@#3@default}{#1@#2@#4@default}}%
1689 }{}}
1690 \input{latex-localise-commands-xepersian.def}
1691 \input{xepersian-localise-commands-xepersian.def}

```



```

1692 \input{latex-localise-environments-xepersian.def}
1693 \input{xepersian-localise-environments-xepersian.def}
1694 \input{latex-localise-messages-xepersian.def}
1695 \input{latex-localise-misc-xepersian.def}
1696 \input{packages-localise-xepersian.def}
1697 \aliasfontfeature{ExternalLocation}{ }
1698 \aliasfontfeature{Path}{ }
1699 \aliasfontfeature{Renderer}{ }
1700 \aliasfontfeature{BoldFont}{ }
1701 \aliasfontfeature{Language}{ }
1702 \aliasfontfeature{Script}{ }
1703 \aliasfontfeature{UprightFont}{ }
1704 \aliasfontfeature{ItalicFont}{ }
1705 \aliasfontfeature{BoldItalicFont}{ }
1706 \aliasfontfeature{SlantedFont}{ }
1707 \aliasfontfeature{BoldSlantedFont}{ }
1708 \aliasfontfeature{SmallCapsFont}{ }
1709 \aliasfontfeature{UprightFeatures}{ }
1710 \aliasfontfeature{BoldFeatures}{ }
1711 \aliasfontfeature{ItalicFeatures}{ }
1712 \aliasfontfeature{BoldItalicFeatures}{ }
1713 \aliasfontfeature{SlantedFeatures}{ }
1714 \aliasfontfeature{BoldSlantedFeatures}{ }
1715 \aliasfontfeature{SmallCapsFeatures}{ }
1716 \aliasfontfeature{SizeFeatures}{ }
1717 \aliasfontfeature{Scale}{ }
1718 \aliasfontfeature{WordSpace}{ }
1719 \aliasfontfeature{PunctuationSpace}{ }
1720 \aliasfontfeature{FontAdjustment}{ }
1721 \aliasfontfeature{LetterSpace}{ }
1722 \aliasfontfeature{HyphenChar}{ }
1723 \aliasfontfeature{Color}{ }
1724 \aliasfontfeature{Opacity}{ }
1725 \aliasfontfeature{Mapping}{ }
1726 \aliasfontfeature{Weight}{ }
1727 \aliasfontfeature{Width}{ }
1728 \aliasfontfeature{OpticalSize}{ }
1729 \aliasfontfeature{FakeSlant}{ }
1730 \aliasfontfeature{FakeStretch}{ }
1731 \aliasfontfeature{FakeBold}{ }
1732 \aliasfontfeature{AutoFakeSlant}{ }
1733 \aliasfontfeature{AutoFakeBold}{ }
1734 \aliasfontfeature{Ligatures}{ }
1735 \aliasfontfeature{Alternate}{ }
1736 \aliasfontfeature{Variant}{ }
1737 \aliasfontfeature{Variant}{ }
1738 \aliasfontfeature{CharacterVariant}{ }
1739 \aliasfontfeature{Style}{ }
1740 \aliasfontfeature{Annotation}{ }
1741 \aliasfontfeature{RawFeature}{ }
1742 \aliasfontfeature{CharacterWidth}{ }
1743 \aliasfontfeature{Numbers}{ }
1744 \aliasfontfeature{Contextuals}{ }
1745 \aliasfontfeature{Diacritics}{ }

```



```

1746 \aliasfontfeature{Letters}{ }
1747 \aliasfontfeature{Kerning}{ }
1748 \aliasfontfeature{VerticalPosition}{ }
1749 \aliasfontfeature{Fractions}{ }
1750 \aliasfontfeatureoption{Language}{Default}{ }
1751 \aliasfontfeatureoption{Language}{Persian}{ }
1752 \aliasfontfeatureoption{Script}{Persian}{ }
1753 \aliasfontfeatureoption{Script}{Latin}{ }
1754 \aliasfontfeatureoption{Style}{MathScript}{ }
1755 \aliasfontfeatureoption{Style}{MathScriptScript}{ }

```

41 File memoir-xepersian.def

```

1756 \ProvidesFile{memoir-xepersian.def}[2010/07/25 v0.1 adaptations for memoir class]
1757 \renewcommand{\@memfront}{%
1758   \@smemfront\pagenumbering{harfi}}
1759 \renewcommand{\setthesection}{\thechapter\@SepMark\harfi{section}}
1760 \renewcommand*{\thebook}{\@tartibi\c@book}
1761 \renewcommand*{\thepart}{\@tartibi\c@part}
1762 \renewcommand{\appendix}{\par
1763   \setcounter{chapter}{0}%
1764   \setcounter{section}{0}%
1765   \gdef\@chapapp{\appendixname}%
1766   \gdef\thechapter{\@harfi\c@chapter}%
1767   \anappendixtrue}

```

42 File latex-localise-messages-xepersian.def

```
1768 latex}           \ -localise-messages-xepersian.def}[2011/03/01 v0.1 localising LaTeXe messages]
```

43 File minitoc-xepersian.def

```

1769 \ProvidesFile{minitoc-xepersian.def}[2010/07/25 v0.1 bilingual captions for minitoc package]
1770 \def\ptctitle{\if@RTL else\ Table of Contents\fi}%
1771 \def\plftitle{\if@RTL else\ List of Figures\fi}%
1772 \def\plttitle{\if@RTL else\ List of Tables\fi}%
1773 \def\mtctitle{\if@RTL else\ Contents\fi}%
1774 \def\mlftitle{\if@RTL else\ Figures\fi}%
1775 \def\mlttitle{\if@RTL else\ Tables\fi}%
1776 \def\stctitle{\if@RTL else\ Contents\fi}%
1777 \def\slftitle{\if@RTL else\ Figures\fi}%
1778 \def\slttitle{\if@RTL else\ Tables\fi}%

```

44 File latex-localise-misc-xepersian.def

```

1779 \ProvidesFile{latex-localise-misc-xepersian.def}[2012/01/01 v0.2 miscellaneous Persian locali
1780 %}1# \ \
1781   \@ \     @ \    \
1782   \1# \
1783   \1# @\
1784   \1# @\
1785 {@ \
1786 %}2#1# @\ \
1787 %1# \     @\    \ \ \ \

```



```

1788      \2#  \
1789 { {2#1#  \
1790 undefined\  \
1791 \
1792 % { \  \ \  \1#}  \ \ } \1#  \ \
1793   \ { \  \ \ \
1794   \  \
1795 \
1796 \
1797 \  \  \%} \#1
1798   \1#} \ \ % \
1799     \ \
1800   }%
1801   \
1802   \  \
1803 }
1804 \= \
1805 \
1806 \
1807 @ifdefinitionfileloaded{latex-xetex-bidi}{%
1808 \def\@xfloat #1[#2]{%
1809   \nодокумент
1810   \def\@capttype {\#1}%
1811   \def\@fps {\#2}%
1812   \onelevel@sanitize \@fps
1813   \def\reserved@b {!}%
1814   \ifx\reserved@b\@fps
1815     \@fpsadddefault
1816   \else
1817     \ifx\@fps\empty
1818       \@fpsadddefault
1819     \fi
1820   \fi
1821   \ifhmode
1822     \@bsphack
1823     \@floatpenalty -\@Mii
1824   \else
1825     \@floatpenalty-\@Miii
1826   \fi
1827   \ifinner
1828     \parmoderr\@floatpenalty\z@
1829   \else
1830     \next\currbox\freelist
1831   {%
1832     \tempcnta\sixt@n
1833     \expandafter\@tfor\expandafter\reserved@a
1834       \expandafter:\expandafter=\@fps
1835     \do
1836     {%
1837       \if\reserved@a h%
1838         \ifodd\tempcnta
1839       \else
1840         \advance\tempcnta\one
1841       \fi

```



```

1842          \fi
1843          \if \reserved@a %
1844              \ifodd \@tempcnta
1845                  \else
1846                      \advance \@tempcnta \cne
1847                  \fi
1848          \fi
1849          \if \reserved@a t%
1850              \@setfpsbit \tw@%
1851          \fi
1852          \if \reserved@a %
1853              \@setfpsbit \tw@%
1854          \fi
1855          \if \reserved@a b%
1856              \@setfpsbit 4%
1857          \fi
1858          \if \reserved@a %
1859              \@setfpsbit 4%
1860          \fi
1861          \if \reserved@a p%
1862              \@setfpsbit 8%
1863          \fi
1864          \if \reserved@a %
1865              \@setfpsbit 8%
1866          \fi
1867          \if \reserved@a !%
1868              \ifnum \@tempcnta>15
1869                  \advance\@tempcnta -\sixt@@n\relax
1870              \fi
1871          \fi
1872      }%
1873      \@tempcntb \csname ftype@\@capttype \endcsname
1874      \multiply \@tempcntb \xxxii
1875      \advance \@tempcnta \@tempcntb
1876      \global \count\@currbox \@tempcnta
1877  }%
1878      \@fltovf
1879  \fi
1880  \global \setbox\@currbox
1881      \color@vbox
1882      \normalcolor
1883      \vbox \bgroup
1884      \hsize\columnwidth
1885      \parboxrestore
1886      \floatboxreset
1887 }
1888 \let\bm@ \bm@c
1889 \let\bm@ \bm@c{l}
1890 \let\bm@ \bm@c{r}
1891 \let\bm@ \bm@c{b}
1892 \let\bm@ \bm@c{t}
1893 \let\bm@ \bm@c{s}
1894 \long\def\@iiparbox#1#2[#3]#4#5{%
1895     \leavevmode

```



```

1896  \@pboxswfalse
1897  \if@hboxRconstruct@\bidi@list@minipage@parbox@not@nobtrue\fi
1898  \if@RTL\if#1t@\bidi@list@minipage@parboxtrue\else\if#1b@\bidi@list@minipage@parboxtrue\else
1899  \setlength\@tempdima{#4}%
1900  \begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5@@par}%
1901  \ifx\relax#2\else
1902  \setlength\@tempdimb{#2}%
1903  \edef\@parboxto{to\the\@tempdimb}%
1904  \fi
1905  \if#1b\vbox
1906  \else\if#1\vbox
1907  \else\if #1t\vtop
1908  \else\if vtop\ #1
1909  \else\ifmmode\vcenter
1910  \else\@pboxswtrue $\\vcenter
1911  \fi\fi\fi\fi
1912  \parboxto{\let\hss\vss\let\unhbox\unvbox
1913  \csname bm\#3\endcsname}%
1914  \if@pboxsw \m@th$\fi
1915  \end@tempboxa}
1916 \def\@iiminipage#1#2[#3]{#4}{%
1917  \leavevmode
1918  \@pboxswfalse
1919  \if@hboxRconstruct@\bidi@list@minipage@parbox@not@nobtrue\fi
1920  \if@RTL\if#1t@\bidi@list@minipage@parboxtrue\else\if#1b@\bidi@list@minipage@parboxtrue\else
1921  \setlength\@tempdima{#4}%
1922  \def\@mpargs{{#1}{#2}{#3}{#4}}%
1923  \setbox\@tempboxa\vbox\bgroup
1924  \color@begingroup
1925  \hsize\@tempdima
1926  \textwidth\hsize \columnwidth\hsize
1927  \parboxrestore
1928  \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
1929  \let\@footnotetext\@mpfootnotetext
1930  \let\@LTFootnotetext\@mpLTFootnotetext
1931  \let\@RTLfootnotetext\@mpRTLfootnotetext
1932  \let\@listdepth\@mplistdepth \c@mplistdepth\z@
1933  \minipagerestore
1934  \setminipage}
1935 \def\@testpach#1{\@chclass \ifnum \lastchclass=\tw@ 4 \else
1936  \ifnum \lastchclass=3 5 \else
1937  \z@ \if #1c\chnum \z@ \else
1938  \if chnum@\#1 \z@ \else
1939  \if \if@RTLtab#1r\else#1l\fi\chnum \one \else
1940  \if \if@RTLtab#1 \else#1 \fi\chnum \one \else
1941  \if \if@RTLtab#1l\else#1r\fi\chnum \tw@ \else
1942  \if \if@RTLtab#1 \else#1 \fi\chnum \tw@ \else
1943  \chclass \if #1\one \else
1944  \if #1@tw@ \else
1945  \if #1p3 \else
1946  \if 3#1 \else \z@ \preamerr 0\fi
1947  \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
1948 \fi}%
1949 }{}}

```









45 File `natbib-xepersian.def`

```

2149 \ProvidesFile{natbib-xepersian.def}[2011/08/01 v0.1 adaptations for natbib package]
2150 \renewcommand{\NAT@set@cites}{%
2151   \ifNAT@numbers
2152     \ifNAT@super \let\@cite\NAT@citesuper
2153       \def\NAT@mbox##1{\unskip\nobreak\textsuperscript{##1}}%
2154       \let\citeyearpar=\citeyear
2155       \let\NAT@space\relax
2156       \def\NAT@super@kern{\kern\p@}%
2157     \else
2158       \let\NAT@mbox=\mbox
2159       \let\@cite\NAT@citemum
2160       \let\NAT@space\NAT@spacechar
2161       \let\NAT@super@kern\relax
2162   \fi

```



```

2163   \let\@citex\NAT@citexnum
2164   \let\@Latincitex\NAT@Latin@citexnum
2165   \let\@biblabel\NAT@biblabelnum
2166   \let\@bibsetup\NAT@bibsetnum
2167   \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@num\NAT@close}%
2168   \def\natexlab##1{}%
2169   \def\NAT@penalty{\penalty\@m}%
2170 \else
2171   \let\@cite\NAT@cite
2172   \let\@citex\NAT@citex
2173   \let\@Latincitex\NAT@Latin@citex
2174   \let\@biblabel\NAT@biblabel
2175   \let\@bibsetup\NAT@bibsetup
2176   \let\NAT@space\NAT@spacechar
2177   \let\NAT@penalty\@empty
2178   \renewcommand\NAT@idxtxt{\NAT@name\NAT@spacechar\NAT@open\NAT@date\NAT@close}%
2179   \def\natexlab##1{##1}%
2180 \fi}
2181 \newcommand\NAT@Latin@citex{}
2182 \def\NAT@Latin@citex%
2183   [##1] [##2] #3{%
2184   \NAT@reset@parser
2185   \NAT@sort@cites{##3}%
2186   \NAT@reset@citea
2187   \@cite{\lrcorner{\let\NAT@nm\@empty\let\NAT@year\@empty
2188     \NAT@for\@citeb:=\NAT@cite@list\do
2189     {\@safe@activestrue
2190       \edef\@citeb{\expandafter\@firstofone\@citeb\@empty}%
2191       \NAT@parse{\@citeb}%
2192       \ifundefined{b@\@citeb\@extra@b@\@citeb}{\@citea%
2193         {\reset@font\bfseries ?}\NAT@citeundefined
2194         \PackageWarning{natbib}%
2195         {Citation `{\@citeb}' on page \thepage\space undefined}\def\NAT@date{}%
2196         \let\NAT@last@nm=\NAT@nm\let\NAT@last@yr=\NAT@year
2197         \NAT@parse{\@citeb}%
2198         \ifNAT@longnames\ifundefined{bv@\@citeb\@extra@b@\@citeb}{%
2199           \let\NAT@name=\NAT@all@names
2200           \global\@namedef{bv@\@citeb\@extra@b@\@citeb}{}%
2201         }%
2202         \ifNAT@full\let\NAT@nm\NAT@all@names\else
2203           \let\NAT@nm\NAT@name\fi
2204         \ifNAT@swa\ifcase\NAT@ctype
2205           \if\relax\NAT@date\relax
2206             \NAT@hyper{\NAT@nmfmt{\NAT@nm}\NAT@date}%
2207           \else
2208             \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2209               \ifx\NAT@last@yr\NAT@year
2210                 \def\NAT@temp{?}%
2211                 \ifx\NAT@temp\NAT@exlab\PackageWarningNoLine{natbib}%
2212                   {Multiple citation on page \thepage: same authors and
2213                     year\MessageBreak without distinguishing extra
2214                     letter,\MessageBreak appears as question mark}\fi
2215                 \NAT@hyper{\NAT@exlab}%
2216               \else\unskip\NAT@spacechar

```



```

2217           \NAT@hyper@\{\NAT@date\}%
2218       \fi
2219   \else
2220     \citea\NAT@hyper@\{%
2221       \NAT@nmfmt{\NAT@nm}%
2222       \hyper@natlinkbreak{%
2223         \NAT@aysep\NAT@spacechar}\{@citeb\@extra@b@citeb
2224       }%
2225       \NAT@date
2226     }%
2227   \fi
2228 \fi
2229 \or\citea\NAT@hyper@\{ \NAT@nmfmt{\NAT@nm}\}%
2230 \or\citea\NAT@hyper@\{ \NAT@date\}%
2231 \or\citea\NAT@hyper@\{ \NAT@alias\}%
2232 \fi \NAT@def@citea
2233 \else
2234   \ifcase\NAT@ctype
2235     \if\relax\NAT@date\relax
2236       \citea\NAT@hyper@\{ \NAT@nmfmt{\NAT@nm}\}%
2237     \else
2238       \ifx\NAT@last@nm\NAT@nm\NAT@yrsep
2239         \ifx\NAT@last@yr\NAT@year
2240           \def\NAT@temp{\?}%
2241           \ifx\NAT@temp\NAT@exlab\PackageWarningNoLine{natbib}%
2242             {Multiple citation on page \thepage: same authors and
2243             year\MessageBreak without distinguishing extra
2244             letter,\MessageBreak appears as question mark}\fi
2245           \NAT@hyper@\{ \NAT@exlab\}%
2246         \else
2247           \unskip\NAT@spacechar
2248           \NAT@hyper@\{ \NAT@date\}%
2249         \fi
2250       \else
2251         \citea\NAT@hyper@\{%
2252           \NAT@nmfmt{\NAT@nm}%
2253           \hyper@natlinkbreak{\NAT@spacechar\NAT@open\if*#1*\else#1\NAT@spacechar\fi}%
2254             \{@citeb\@extra@b@citeb\}%
2255           \NAT@date
2256         }%
2257       \fi
2258     \fi
2259 \or\citea\NAT@hyper@\{ \NAT@nmfmt{\NAT@nm}\}%
2260 \or\citea\NAT@hyper@\{ \NAT@date\}%
2261 \or\citea\NAT@hyper@\{ \NAT@alias\}%
2262 \fi
2263 \if\relax\NAT@date\relax
2264   \NAT@def@citea
2265 \else
2266   \NAT@def@citea@close
2267 \fi
2268 \fi
2269 \}\ifNAT@swa\else\if*#2*\else\NAT@cmt#2\fi
2270 \if\relax\NAT@date\relax\else\NAT@close\fi\fi\fi\}\#1\}\#2\}

```



```

2271 \newcommand{\NAT@Latin@citexnum}{}
2272 \def\NAT@Latin@citexnum[#1] [#2]#3{%
2273   \NAT@reset@parser
2274   \NAT@sort@cites{#3}%
2275   \NAT@reset@citea
2276   \ocite{\lrf{\def{\NAT@num{-1}}{\let{\NAT@last@yr{\relax}\let{\NAT@nm{\empty
2277     @for{\citeb:=\NAT@cite@list\do
2278       {\@safe@activestrue
2279         \edef{\citeb{\expandafter\firstofone\@citeb\empty}%
2280       \@safe@activesfalse
2281         \ifundefined{b@\@citeb\@extra@b@\citeb}%
2282           {\reset@font\bfseries?}
2283             \NAT@citeundefined\PackageWarning{natbib}%
2284             {Citation `'\@citeb' on page \thepage\space undefined}%
2285           \let{\NAT@last@num{\NAT@num}\let{\NAT@last@nm{\NAT@nm
2286             \NAT@parse{\@citeb}%
2287             \ifNAT@longnames\ifundefined{bv@\@citeb\@extra@b@\citeb}%
2288               \let{\NAT@name=\NAT@all@names
2289                 \global\@namedef{bv@\@citeb\@extra@b@\citeb}{}{}%
2290             \fi
2291             \ifNAT@full\let{\NAT@nm{\NAT@all@names}\else
2292               \let{\NAT@nm{\NAT@name}\fi
2293             \ifNAT@swa
2294               \ifnum{\NAT@ctype}>\@ne}%
2295               \ocitea
2296               \NAT@hyper@{\ifnum{\NAT@ctype=\tw@}{\NAT@test{\NAT@ctype}}{\NAT@alias}}%
2297             }%
2298             \ifnum{\NAT@cmprs}>\z@}%
2299               \NAT@ifcat@num{\NAT@num
2300                 {\let{\NAT@nm=\NAT@num}%
2301                   \def{\NAT@nm{-2}}%
2302                     \NAT@ifcat@num{\NAT@last@num
2303                       {\@tempcnta=\NAT@last@num\relax}%
2304                         {\@tempcnta\m@ne}%
2305                           \ifnum{\NAT@nm=\@tempcnta}%
2306                             \ifnum{\NAT@merge}>\@ne\{\NAT@last@yr@mbox\}%
2307                           }%
2308                             \advance{\@tempcnta by\@ne
2309                               \ifnum{\NAT@nm=\@tempcnta}%
2310                                 \ifx{\NAT@last@yr{\relax
2311                                   \def{\NAT@last@yr{\ocitea}}%
2312                                     \else
2313                                       \def{\NAT@last@yr{--\NAT@penalty}}%
2314                                     \fi
2315                                   }%
2316                                     \NAT@last@yr@mbox
2317                                   }%
2318                                 }%
2319                               }%
2320                               \tempswatrue
2321                               \ifnum{\NAT@merge}>\@ne\{\ifnum{\NAT@last@num=\NAT@num\relax}{\@tempswafalse}{}\}%
2322                                 \if@tempswa\NAT@citea@mbox\fi
2323                               }%
2324                           }%

```



```

2325      \NAT@def@citea
2326  \else
2327      \ifcase\NAT@ctype
2328          \ifx\NAT@last@nm\NAT@nm \NAT@yrsep\NAT@penalty\NAT@space\else
2329              \citea \NAT@test{\@ne}\NAT@spacechar\NAT@mbox{\NAT@super@kern\NAT@@open}%
2330          \fi
2331          \if*\#1*\else#1\NAT@spacechar\fi
2332          \NAT@mbox{\NAT@hyper@{\citemarkfont{\NAT@num}}}}%
2333          \NAT@def@citea@box
2334      \or
2335          \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2336      \or
2337          \NAT@hyper@citea@space{\NAT@test{\NAT@ctype}}%
2338      \or
2339          \NAT@hyper@citea@space\NAT@alias
2340      \fi
2341  \fi
2342 }%
2343 }%
2344 \@ifnum{\NAT@cmprs>\z@}{\NAT@last@yr}{}
2345 \ifNAT@swa\else
2346     \@ifnum{\NAT@ctype=\z@}{%
2347         \if*\#2*\else\NAT@cmt#2\fi
2348     }{%
2349         \NAT@mbox{\NAT@@close}}%
2350     \fi
2351 }{\#1}{\#2}%
2352 }%
2353 \AtBeginDocument{\NAT@set@cites}
2354 \DeclareRobustCommand\Latincite
2355     {\begingroup\let\NAT@ctype\z@\NAT@partrue\NAT@swatru
2356     \ifstar{\NAT@fulltrue\NAT@Latin@cites}{\NAT@fullfalse\NAT@Latin@cites}}
2357 \newcommand\NAT@Latin@cites{\ifnextchar [{\NAT@@Latin@citelp}{%
2358     \ifNAT@numbers\else
2359     \NAT@swafalse
2360     \fi
2361     \NAT@@Latin@citelp[]}}
2362 \newcommand\NAT@@Latin@citelp{}
2363 \def\NAT@@Latin@citelp[#1]{\ifnextchar [{\@Latincitex[#1]}{\@Latincitex[] [#1]}}}
```

46 File packages-localise-xepersian.def

```

2364 packages}           \localise-xepersian.def}[2013/04/24 v0.2 localising LaTeXe Packages]
2365 color}    \}{color}        @-localise-xepersian.def}{}}
2366 \ifpackage{multicol}{%
2367 \newenvironment{ }{\begin{multicols}}{\end{multicols}}%
2368 \newenvironment{*}{\begin{multicols*}}{\end{multicols*}}%
2369 }%
2370 \ifpackage{verbatim}{%
2371 \begingroup
2372 \vrb@catcodes
2373 \lccode`!=`\ \
\lccode`\[=`\{ \lccode`\]=`\}
2374 \catcode`~=\active \lccode`~-`\^M
2375 \lccode`C=`C
```



```

2376 \lowercase{\endgroup
2377   \def\xepersian@localize@verbatim@start#1{%
2378     \verbatim@startline
2379     \if\noexpand#1\noexpand~%
2380       \let\next\xepersian@localize@verbatim@
2381     \else \def\next{\xepersian@localize@verbatim@#1}\fi
2382     \next}%
2383 \def\xepersian@localize@verbatim@#1~{\xepersian@localize@verbatim@@#1!  \nil}%
2384 \def\xepersian@localize@verbatim@@#1! {%
2385   \verbatim@addtoline{#1}%
2386   \futurelet\next\xepersian@localize@verbatim@@@}%
2387 \def\xepersian@localize@verbatim@@@#1\@nil{%
2388   \ifx\next\@nil
2389     \verbatim@processline
2390     \verbatim@startline
2391     \let\next\xepersian@localize@verbatim@%
2392   \else
2393     \def@\tempa##1!  \nil{##1}%
2394     \temptokena{!  }%
2395     \def\next{\expandafter\xepersian@localize@verbatim@test@\tempa#1\@nil~}%
2396   \fi \next}%
2397 \def\xepersian@localize@verbatim@test#1{%
2398   \let\next\xepersian@localize@verbatim@test
2399   \if\noexpand#1\noexpand~%
2400     \expandafter\verbatim@addtoline
2401     \expandafter{\the\temptokena}%
2402     \verbatim@processline
2403     \verbatim@startline
2404     \let\next\xepersian@localize@verbatim@%
2405   \else \if\noexpand#1
2406     \temptokena\expandafter{\the\temptokena#1}%
2407   \else \if\noexpand#1\noexpand[%
2408     \let\@tempc\empty
2409     \let\next\xepersian@localize@verbatim@testend
2410   \else
2411     \expandafter\verbatim@addtoline
2412     \expandafter{\the\temptokena}%
2413     \def\next{\xepersian@localize@verbatim@#1}%
2414   \fi\fi\fi
2415   \next}%
2416 \def\xepersian@localize@verbatim@testend#1{%
2417   \if\noexpand#1\noexpand~%
2418     \expandafter\verbatim@addtoline
2419     \expandafter{\the\temptokena[]}%
2420     \expandafter\verbatim@addtoline
2421     \expandafter{\@tempc}%
2422     \verbatim@processline
2423     \verbatim@startline
2424     \let\next\xepersian@localize@verbatim@%
2425   \else\if\noexpand#1\noexpand]%
2426     \let\next\xepersian@localize@verbatim@@testend
2427   \else\if\noexpand#1\noexpand!%
2428     \expandafter\verbatim@addtoline
2429     \expandafter{\the\temptokena[]}%

```



```

2430           \expandafter\verbatim@addtoline
2431               \expandafter{\@tempc}%
2432       \def\next{\xpersian@localize@verbatim@!}%
2433   \else \expandafter\def\expandafter@\@tempc\expandafter
2434       {\@tempc#1}\fi\fi\fi
2435   \next}%
2436 \def\xpersian@localize@verbatim@!@testend{%
2437     \ifx\@tempc\@currenvir
2438         \verbatim@finish
2439         \edef\next{\noexpand\end{\@currenvir}%
2440             \noexpand\xpersian@localize@verbatim@rescan{\@currenvir}}%
2441     \else
2442         \expandafter\verbatim@addtoline
2443             \expandafter{\the\@temptokena[]}%
2444         \expandafter\verbatim@addtoline
2445             \expandafter{\@tempc}%
2446         \let\next\xpersian@localize@verbatim@
2447             \fi
2448             \next}%
2449 \def\xpersian@localize@verbatim@rescan#1#2~{\if\noexpand~\noexpand#2~\else
2450     \warning{Characters dropped after `\\string\\end{#1}'\\fi}}%
2451 \def\      {\begingroup\@verbatim \frenchspacing\@vobeyspaces
2452             \xpersian@localize@verbatim@start}
2453 \namedef{      }{\begingroup\@verbatim\xpersian@localize@verbatim@start}
2454 \def\end      {\endtrivlist\endgroup\@endpe}
2455 \expandafter\let\csname end      *\endcsname =\end
2456 }{}}
2457 \ExplSyntaxOn
2458 \AtBeginDocument{
2459     \xpersian_localize_patch_verbatim:
2460 }
2461 \cs_set:Npn \xpersian_localize_patch_verbatim: {
2462     \@ifpackageloaded{verbatim}{%
2463         \cs_set:cpx {*} { }
2464         \group_begin: \overbatim \fontspec_print_visible_spaces: \xpersian@localize@verbatim@%
2465     }
2466 }{%
2467 }
2468 }
2469 \ExplSyntaxOff
2470 \@ifpackageloaded{graphicx}{%
2471 \def\Gin@boolkey#1#2{%
2472 \expandafter\@ifdefinable \csname Gin@#2 \endcsname{%
2473 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2true\endcsname}%
2474 \expandafter\@ifdefinable \csname Gin@#2 \endcsname{%
2475 \expandafter\let\csname Gin@#2 \expandafter\endcsname\csname Gin@#2false\endcsname}%
2476 \csname Gin@#2\ifx\relax#1\relax true\else#1\fi\endcsname}%
2477 \define@key{Grot}{origin}[c]{%
2478 \tfor\tempa:=#1\do{%
2479     \if l\tempa \Grot@x\z@\else
2480     \if tempa@ \Grot@x\z@\else
2481     \if r\tempa \Grot@x\width\else
2482     \if tempa@ \Grot@x\width\else
2483     \if t\tempa \Grot@y\height\else

```



```
2484 \if tempa@ \Grot@y\height\else  
2485 \if b@tempa \Grot@y-\depth\else  
2486 \if tempa@ \Grot@y-\depth\else  
2487 \if B@tempa \Grot@y\z@\else  
2488 \if tempa@ \Grot@y\z@\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi\fi  
2489 {draft}{{}{Gin} @ }  
2490 {origin}{{}{Gin} @ }  
2491 {origin}{{}{Grot} @ }  
2492 {clip}{{}{Gin} @ }  
2493 {keepaspectratio}{{}{Gin} @ }  
2494 {natwidth}{{}{Gin} @ }  
2495 {natheight}{{}{Gin} @ }  
2496 {bb}{{}{Gin} @ }  
2497 {viewport}{{}{Gin} @ }  
2498 {trim}{{}{Gin} @ }  
2499 {angle}{{}{Gin} @ }  
2500 {width}{{}{Gin} @ }  
2501 {height}{{}{Gin} @ }  
2502 {totalheight}{{}{Gin} @ }  
2503 {scale}{{}{Gin} @ }  
2504 {type}{{}{Gin} @ }  
2505 {ext}{{}{Gin} @ }  
2506 {read}{{}{Gin} @ }  
2507 {command}{{}{Gin} @ }  
2508 {x}{{}{Grot} @ }  
2509 {y}{{}{Grot} @ }  
2510 {units}{{}{Grot} @ }  
2511 }{}
```

47 File url-xepersian.def

```
2512 \ProvidesFile{furl-xepersian.def}[2022/02/18 v0.1 adaptations for url package]
2513 \begingroup
2514   \lccode`+=`\%
2515   \lowercase{\long\gdef\Url@actpercent{\Url@Edit\Url@String{+}{-}}%
2516     \ifnum\Umathcodenum`<32768 \def~{\%}\fi}%
2517 \endgroup%
```

48 File persian-tex-text.map

```
2518 LHSName "persian-TeX-text"  
2519 RHSName "Unicode"  
2520  
2521 pass(Unicode)  
2522 U+0030 <> U+06F0 ;  
2523 U+0031 <> U+06F1 ;  
2524 U+0032 <> U+06F2 ;  
2525 U+0033 <> U+06F3 ;  
2526 U+0034 <> U+06F4 ;  
2527 U+0035 <> U+06F5 ;  
2528 U+0036 <> U+06F6 ;  
2529 U+0037 <> U+06F7 ;  
2530 U+0038 <> U+06F8 ;  
2531 U+0039 <> U+06F9 ;
```



```

2532
2533
2534 U+002C <> U+060C ; comma > arabic comma
2535 U+003F <> U+061F ; question mark -> arabic qm
2536 U+003B <> U+061B ; semicolon -> arabic semicolon
2537
2538 ; ligatures from Knuth's original CMR fonts
2539 U+002D U+002D <> U+2013 ; -- -> en dash
2540 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2541
2542 U+0027 <> U+2019 ; ' -> right single quote
2543 U+0027 U+0027 <> U+201D ; '' -> right double quote
2544 U+0022 > U+201D ; " -> right double quote
2545
2546 U+0060 <> U+2018 ; ` -> left single quote
2547 U+0060 U+0060 <> U+201C ; `` -> left double quote
2548
2549 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2550 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2551
2552 ; additions supported in T1 encoding
2553 U+002C U+002C <> U+201E ; , , -> DOUBLE LOW-9 QUOTATION MARK
2554 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2555 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```

49 File persian-tex-text-nonumbers.map

```

2556 LHSName "persian-TeX-text-nonumbers"
2557 RHSName "Unicode"
2558
2559 pass(Unicode)
2560 U+002C <> U+060C ; comma > arabic comma
2561 U+003F <> U+061F ; question mark -> arabic qm
2562 U+003B <> U+061B ; semicolon -> arabic semicolon
2563
2564 ; ligatures from Knuth's original CMR fonts
2565 U+002D U+002D <> U+2013 ; -- -> en dash
2566 U+002D U+002D U+002D <> U+2014 ; --- -> em dash
2567
2568 U+0027 <> U+2019 ; ' -> right single quote
2569 U+0027 U+0027 <> U+201D ; '' -> right double quote
2570 U+0022 > U+201D ; " -> right double quote
2571
2572 U+0060 <> U+2018 ; ` -> left single quote
2573 U+0060 U+0060 <> U+201C ; `` -> left double quote
2574
2575 U+0021 U+0060 <> U+00A1 ; !` -> inverted exclam
2576 U+003F U+0060 <> U+00BF ; ?` -> inverted question
2577
2578 ; additions supported in T1 encoding
2579 U+002C U+002C <> U+201E ; , , -> DOUBLE LOW-9 QUOTATION MARK
2580 U+003C U+003C <> U+00AB ; << -> LEFT POINTING GUILLEMET
2581 U+003E U+003E <> U+00BB ; >> -> RIGHT POINTING GUILLEMET

```



50 File rapport1-xepersian.def

```
2582 \ProvidesFile{rapport1-xepersian.def}[2010/07/25 v0.1 adaptations for rapport1 class]
2583 \renewcommand*\thepart{\@tartibi\c@part}
2584 \renewcommand*\appendix{\par
2585   \setcounter{chapter}{0}%
2586   \setcounter{section}{0}%
2587   \gdef\@chapapp{\appendixname}%
2588   \gdef\thechapter{\@harfi\c@chapter}}
```

51 File rapport3-xepersian.def

```
2589 \ProvidesFile{rapport3-xepersian.def}[2010/07/25 v0.2 adaptations for rapport3 class]
2590 \renewcommand*\thepart{\@tartibi\c@part}
2591 \renewcommand*\appendix{\par
2592   \setcounter{chapter}{0}%
2593   \setcounter{section}{0}%
2594   \gdef\@chapapp{\appendixname}%
2595   \gdef\thechapter{\@harfi\c@chapter}}
```

52 File refrep-xepersian.def

```
2596 \ProvidesFile{refrep-xepersian.def}[2010/07/25 v0.2 adaptations for refrep class]
2597 \renewcommand \thepart {\@tartibi\c@part}
2598 \renewcommand\appendix{\par
2599   \setcounter{chapter}{0}%
2600   \setcounter{section}{0}%
2601   \gdef\@chapapp{\appendixname}%
2602   \gdef\thechapter{\@harfi\c@chapter}
2603 }%end appendix
```

53 File report-xepersian.def

```
2604 \ProvidesFile{report-xepersian.def}[2010/07/25 v0.2 adaptations for standard report class]
2605 \renewcommand \thepart {\@tartibi\c@part}
2606 \renewcommand\appendix{\par
2607   \setcounter{chapter}{0}%
2608   \setcounter{section}{0}%
2609   \gdef\@chapapp{\appendixname}%
2610   \gdef\thechapter{\@harfi\c@chapter}
2611 }%end appendix
```

54 File scrartcl-xepersian.def

```
2612 \ProvidesFile{scrartcl-xepersian.def}[2022/05/22 v0.3 adaptations for scrartcl class]
2613 \renewcommand*{\thepart}{\@tartibi\c@part}
2614 \renewcommand*\appendix{%
2615   \Ifstr{\@currenvir}{appendix}{%
2616     \ClassWarning{\KOMAClassName}{%
2617       You are using
2618       `\\string\\begin{appendix}...\\string\\end{appendix}'.\\MessageBreak
2619       You should note, that `\\string\\appendix' is a mostly
2620       globally\\MessageBreak
2621       working command not an enviroment with only local\\MessageBreak
2622     }}
```



```

2622     effects. Therefore `\"string\end{appendix}' will neither\MessageBreak
2623     switch back to normal section numbering nor finish\MessageBreak
2624     every other effect of `\"string\begin{appendix}'.\MessageBreak
2625     Nevertheless, some effects may end with\MessageBreak
2626     `\"string\end{appendix}' and the document may become\MessageBreak
2627     inconsistent.\MessageBreak
2628     Because of this, you should remove `\"string\end{appendix}'\MessageBreak
2629     and replace `\"string\begin{appendix}' by command\MessageBreak
2630     `\"string\appendix'%
2631     }%
2632   }{%
2633   \par
2634   \setcounter{section}{0}%
2635   \setcounter{subsection}{0}%
2636   \gdef\thesection{\@harfi\c@section}%
2637 }
2638 \IfLTXAtLeastTF{2020/10/01}{%
2639   \g@addto@macro{\appendix}{\UseOneTimeHook{\KOMAClassName/appendix}}%
2640 }{%
2641 \g@addto@macro{\appendix}{\csname appendixmore\endcsname}%
2642 \renewcommand*{\@maybeautodot}[1]{%
2643   \ifx #1\@stop\let\@maybeautodot\relax
2644   \else
2645     \ifx #1\harfi \@autodottrue\fi
2646     \ifx #1\adadi \@autodottrue\fi
2647     \ifx #1\tartibi \@autodottrue\fi
2648     \ifx #1\Alph \@autodottrue\fi
2649     \ifx #1\alph \@autodottrue\fi
2650     \ifx #1\Roman \@autodottrue\fi
2651     \ifx #1\roman \@autodottrue\fi
2652     \ifx #1\harfi \@autodottrue\fi
2653     \ifx #1\adadi \@autodottrue\fi
2654     \ifx #1\tartibi \@autodottrue\fi
2655     \ifx #1\Alph \@autodottrue\fi
2656     \ifx #1\alph \@autodottrue\fi
2657     \ifx #1\Roman \@autodottrue\fi
2658     \ifx #1\roman \@autodottrue\fi
2659     \ifx #1\romannumeral \@autodottrue\fi
2660   \fi
2661   \@@maybeautodot
2662 }

```

55 File scrbook-xepersian.def

```

2663 \ProvidesFile{scrbook-xepersian.def}[2022/05/22 v0.3 adaptations for scrbook class]
2664 \renewcommand*\frontmatter{%
2665   \if@twoside\cleardoubleoddpage\else\clearpage\fi
2666   \mainmatterfalse\pagenumbering{harfi}%
2667 }
2668 \renewcommand*{\thepart}{\tartibi\c@part}
2669 \renewcommand*\appendix{%
2670   \Ifstr{\currenvir}{appendix}{%
2671     \ClassWarning{\KOMAClassName}{%
2672       You are using

```



```

2673     `\"string\begin{appendix}...\"string\end{appendix}'.\MessageBreak
2674 You should note, that `\"string\appendix' is a mostly
2675 globally\MessageBreak
2676 working command not an enviroment with only local\MessageBreak
2677 effects. Therefore `\"string\end{appendix}' will neither\MessageBreak
2678 switch back to normal section numbering nor finish\MessageBreak
2679 every other effect of `\"string\begin{appendix}'.\MessageBreak
2680 Nevertheless, some effects may end with\MessageBreak
2681 `\"string\end{appendix}' and the document may become\MessageBreak
2682 inconsistent.\MessageBreak
2683 Because of this, you should remove `\"string\end{appendix}'\MessageBreak
2684 and replace `\"string\begin{appendix}' by command\MessageBreak
2685 `\"string\appendix'%
2686   }%
2687 }{}%
2688 \par
2689 \setcounter{chapter}{0}%
2690 \setcounter{section}{0}%
2691 \gdef\@chapapp{\appendixname}%
2692 \gdef\thechapter{\@harfi\c@chapter}%
2693 }
2694 \IfLTXAtLeastTF{2020/10/01}{%
2695   \g@addto@macro{\appendix}{\UseOneTimeHook{\KOMAClassName/appendix}}%
2696 }{%
2697 \g@addto@macro{\appendix}{\csname appendixmore\endcsname}
2698 \renewcommand*{\@maybeautodot}[1]{%
2699   \ifx #1\@stop\let\@maybeautodot\relax
2700   \else
2701     \ifx #1\harfi \autodottrue\fi
2702     \ifx #1\adadi \autodottrue\fi
2703     \ifx #1\tartibi \autodottrue\fi
2704     \ifx #1\Alph \autodottrue\fi
2705     \ifx #1\alph \autodottrue\fi
2706     \ifx #1\Roman \autodottrue\fi
2707     \ifx #1\roman \autodottrue\fi
2708     \ifx #1@\harfi \autodottrue\fi
2709     \ifx #1@\adadi \autodottrue\fi
2710     \ifx #1@\tartibi \autodottrue\fi
2711     \ifx #1@\Alph \autodottrue\fi
2712     \ifx #1@\alph \autodottrue\fi
2713     \ifx #1@\Roman \autodottrue\fi
2714     \ifx #1@\roman \autodottrue\fi
2715     \ifx #1\romannumeral \autodottrue\fi
2716   \fi
2717   \@@maybeautodot
2718 }

```

56 File scrreprt-xepersian.def

```

2719 \ProvidesFile{scrreprt-xepersian.def}[2022/05/22 v0.3 adaptations for scrreprt class]
2720 \renewcommand*{\thepart}{\tartibi\c@part}
2721 \renewcommand*\appendix{%
2722   \Ifstr{\currenvir}{appendix}{%
2723     \ClassWarning{\KOMAClassName}{%

```



```

2724     You are using
2725     `\"string\begin{appendix}...\"string\end{appendix}`.\MessageBreak
2726     You should note, that `\"string\appendix` is a mostly
2727     globally\MessageBreak
2728     working command not an enviroment with only local\MessageBreak
2729     effects. Therefore `\"string\end{appendix}` will neither\MessageBreak
2730     switch back to normal section numbering nor finish\MessageBreak
2731     every other effect of `\"string\begin{appendix}`.\MessageBreak
2732     Nevertheless, some effects may end with\MessageBreak
2733     `\"string\end{appendix}` and the document may become\MessageBreak
2734     inconsistent.\MessageBreak
2735     Because of this, you should remove `\"string\end{appendix}`.\MessageBreak
2736     and replace `\"string\begin{appendix}` by command\MessageBreak
2737     `\"string\appendix`%
2738   }%
2739 }{%
2740 \par
2741 \setcounter{chapter}{0}%
2742 \setcounter{section}{0}%
2743 \gdef\@chapapp{\appendixname}%
2744 \gdef\thechapter{\@harfi\c@chapter}%
2745 }
2746 \IfLTXAtLeastTF{2020/10/01}{%
2747   \g@addto@macro{\appendix}{\UseOneTimeHook{\KOMAClassName/appendix}}%
2748 }{%
2749 \g@addto@macro{\appendix}{\csname appendixmore\endcsname}%
2750 \renewcommand*{\@maybeautodot}[1]{%
2751   \ifx #1\@stop\let\@maybeautodot\relax
2752   \else
2753     \ifx #1\harfi \autodottrue\fi
2754     \ifx #1\adadi \autodottrue\fi
2755     \ifx #1\tartibi \autodottrue\fi
2756     \ifx #1\Alph \autodottrue\fi
2757     \ifx #1\alph \autodottrue\fi
2758     \ifx #1\Roman \autodottrue\fi
2759     \ifx #1\roman \autodottrue\fi
2760     \ifx #1@\harfi \autodottrue\fi
2761     \ifx #1@\adadi \autodottrue\fi
2762     \ifx #1@\tartibi \autodottrue\fi
2763     \ifx #1@\Alph \autodottrue\fi
2764     \ifx #1@\alph \autodottrue\fi
2765     \ifx #1@\Roman \autodottrue\fi
2766     \ifx #1@\roman \autodottrue\fi
2767     \ifx #1\romannumeral \autodottrue\fi
2768   \fi
2769   \@maybeautodot
2770 }

```

57 File soul-xepersian.def

```

2771 \ProvidesFile{soul-xepersian.def}[2018/12/12 v0.2 adaptations for soul package]
2772 \let\SOUL@tt@latin\SOUL@tt
2773 \newfontface{\SOUL@tt@nonlatin}{Times New Roman}
2774 \def\SOUL@tt{%

```



```

2775 \if@nonlatin
2776   \SOUL@tt@nonlatin
2777 \else
2778   \SOUL@tt@latin
2779 \fi
2780 }
2781 \bidi@appto\resetlatinfont{%
2782   \setbox\z@\hbox{\SOUL@tt-}%
2783   \SOUL@ttwidth\wd\z@
2784 }
2785 \bidi@appto\setpersianfont{%
2786   \setbox\z@\hbox{\SOUL@tt-}%
2787   \SOUL@ttwidth\wd\z@
2788 }

```

58 File tkz-linknodes-xepersian.def

```

2789 \ProvidesFile{tkz-linknodes-xepersian.def}[2012/06/13 v0.1 adaptations for tkz-linknodes package]
2790 \renewcommand*{\@SetTab}{%
2791   \let\@alph\latinalph%
2792   \ifnum \value{C@NumTab}>25\relax%
2793     \setcounter{C@NumTab}{1}%
2794   \else%
2795     \stepcounter{C@NumTab}%
2796   \fi%
2797   \setcounter{C@NumGroup}{0}%
2798 \newcommand*{\PrefixCurrentTab}{\alph{C@NumTab}}%
2799   \setboolean{B@FirstLink}{true}%
2800   \setboolean{B@NewGroup}{false}%
2801   \setcounter{C@NumGroup}{0}%
2802   \setcounter{C@CurrentGroup}{0}%
2803   \setcounter{NumC@Node}{0}%
2804   \setcounter{NumC@Stop}{0}%
2805   \setcounter{C@NextNode}{0}%
2806   \setcounter{C@CurrentStop}{0}%
2807   \setcounter{C@CurrentNode}{0}%
2808 }%

```

59 File tocloft-xepersian.def

```

2809 \ProvidesFile{tocloft-xepersian.def}[2010/07/25 v0.1 bilingual captions for tocloft package]
2810 \renewcommand*{\cftchapname}{\if@RTL else\ chapter\fi}
2811 \renewcommand*{\cftsecname}{\if@RTL else\ section\fi}
2812 \renewcommand*{\cftsubsecname}{\if@RTL else\ subsection\fi}
2813 \renewcommand*{\cftsubsubsecname}{\if@RTL else\ subsubsection\fi}
2814 \renewcommand*{\cftparaname}{\if@RTL else\ paragraph\fi}
2815 \renewcommand*{\cftsubparaname}{\if@RTL else\ subparagraph\fi}
2816 \renewcommand*{\cftfigname}{\if@RTL else\ figure\fi}
2817 \renewcommand*{\cftsubfigname}{\if@RTL else\ subfigure\fi}
2818 \renewcommand*{\cfttabname}{\if@RTL else\ table\fi}
2819 \renewcommand*{\cftsubtabname}{\if@RTL else\ subtable\fi}

```

60 File varioref-xepersian.def



```

2820 \ProvidesFile{variorref-xepersian.def}[2018/09/29 v0.1 bilingual captions for variorref package
2821 \def\reftextfaceafter{%
2822   \if@RTL
2823
2824 \reftextvario{ }{ }%
2825   \else
2826     on the \reftextvario{facing}{next} page%
2827   \fi
2828 }
2829 \def\reftextfacebefore{%
2830   \if@RTL
2831
2832 \reftextvario{ }{ }%
2833   \else
2834     on the \reftextvario{facing}{preceding} page%
2835   \fi
2836 }
2837 \def\reftextafter{%
2838   \if@RTL
2839
2840 \reftextvario{ }{ }%
2841   \else
2842     on the \reftextvario{following}{next} page%
2843   \fi
2844 }
2845 \def\reftextbefore{%
2846   \if@RTL
2847
2848 \reftextvario{ }{ }%
2849   \else
2850     on the \reftextvario{preceding}{previous} page%
2851   \fi
2852 }
2853 \def\reftextcurrent{%
2854   \if@RTL
2855
2856 \reftextvario{ }{ }{%
2857   \else
2858     on \reftextvario{this}{the current} page%
2859   \fi
2860 }
2861 \def\reftextfaraway#1{%
2862   \if@RTL
2863   %
2864 ~\pageref{#1}%
2865   \else
2866     on page~\pageref{#1}%
2867   \fi
2868 }
2869 \def\reftextpagerange#1#2{%
2870   \if@RTL
2871   %
2872 ~\pageref{#1}--\pageref{#2}%
2873   \else

```



```

2874     on pages~\pageref{#1}--\pageref{#2}%
2875     \fi
2876 }
2877 \def\reftextlabelrange#1#2{%
2878   \if@RTL
2879     \ref{#1} \%ref{#2}\~
2880   \else
2881     \ref{#1} to~\ref{#2}%
2882   \fi
2883 }

```

61 File `xepersian.sty`

```

2884 \NeedsTeXFormat{LaTeX2e}
2885 \def\xepersian@version{24.2}
2886 \def\xepersiandate{2022/06/01}
2887 \ProvidesPackage{xepersian}[\xepersiandate\space v\xepersian@version\space
2888 Persian typesetting in XeTeX]
2889 \RequirePackage{fontspec}
2890 \RequirePackage{xepersian-persiancal}
2891 \RequirePackage{xepersian-mathdigitspec}
2892 \RequirePackage{bidi}
2893 \edef\@xepersian@info{*****^J%
2894 * ^J%
2895 * xepersian package (Persian for LaTeX, using XeTeX engine)^J%
2896 * ^J%
2897 * Description: The package supports Persian^J%
2898 * typesetting, using fonts provided in the^J%
2899 * distribution.^J%
2900 * ^J%
2901 * Copyright (c) 2008--2022 Vafa Khalighi^J%
2902 * Copyright (c) 2018--2020 bidi-tex GitHub Organization^J%
2903 * ^J%
2904 * v\xepersian@version, \xepersiandate^J%
2905 * ^J%
2906 * License: LaTeX Project Public License, version^J%
2907 * 1.3c or higher (your choice)^J%
2908 * ^J%
2909 * Location on CTAN: /macros/xetex/latex/xepersian^J%
2910 * ^J%
2911 * Issue tracker: https://github.com/kvafa/xepersian/issues^J%
2912 * ^J%
2913 * Discussions: https://github.com/kvafa/xepersian/discussions^J%
2914 * ^J%
2915 * Primary author of xepersian package: Vafa Khalighi.^J%
2916 * ^J%
2917 *****}^J%
2918 \typeout{\@xepersian@info}
2919 \edef\xepersian@everyjob{\the\everyjob}
2920 \everyjob{\xepersian@everyjob\typeout{\@xepersian@info}}
2921 \newcommand*\xepersianversion
2922   {\ensuremath\xepersian@version}
2923 \newcommand*\IfxepersianPackageVersionLater}[1]{%
2924   \ifdim\xepersian@version pt > #1 pt %

```



```

2925     \expandafter\@firstoftwo
2926   \else
2927     \expandafter\@secondoftwo
2928   \fi}
2929 \newcommand*{\IfxepersianPackageVersionBefore}[1]{%
2930   \ifdim\xepersian@version pt < #1 pt %
2931     \expandafter\@firstoftwo
2932   \else
2933     \expandafter\@secondoftwo
2934   \fi}
2935 \newcommand*{\IfxepersianPackageVersion}[1]{%
2936   \ifdim\xepersian@version pt = #1 pt %
2937     \expandafter\@firstoftwo
2938   \else
2939     \expandafter\@secondoftwo
2940   \fi}
2941 \def\prq{«}
2942 \def\plq{»}
2943 \def\xepersian@cmd{\@temp#1\%}
2944 \begingroup\expandafter\expandafter\expandafter\endgroup
2945 \expandafter\ifx\csname xepersian@\#1\endcsname\relax
2946   \begingroup
2947     \escapechar=-1 %
2948     \edef\x{\expandafter\meaning\csname#1\endcsname}%
2949     \def\y{\#1}%
2950     \def\z{\#1->\{}%
2951     \edef\y{\expandafter\z\meaning\y}%
2952   \expandafter\endgroup
2953   \ifx\x\y
2954     \expandafter\def\csname xepersian@\#1\expandafter\endcsname
2955     \expandafter{%
2956       \csname#1\endcsname
2957     }%
2958   \fi
2959 \fi
2960 }%
2961 \xepersian@cmd{\shellescape}
2962 \newif\ifwritexviii
2963 \ifnum\xepersian@shellescape=1\relax
2964   \writexviiittrue
2965 \else
2966   \writexviiifalse
2967 \fi
2968 \newfontscript{Persian}{arab}
2969 \newfontlanguage{Persian}{FAR}
2970 \ExplSyntaxOn
2971 \keys_define:nn {fontspec-opentype}
2972 {
2973   Ligatures / PersianTeX .code:n = { \tl_set:Nn \l__fontspec_mapping_tl {persian-tex-text} },
2974   Ligatures / PersianTeXOff .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
2975   Ligatures / PersianTeXReset .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
2976 }
2977
2978

```



```

2979 \keys_define:nn {fontspec-aat}
2980 {
2981     Ligatures / PersianTeX .code:n =
2982     {
2983         \tl_set:Nn \l__fontspec_mapping_tl { persian-tex-text }
2984     }
2985 }
2986
2987 \keys_define:nn {fontspec-opentype}
2988 {
2989     Ligatures / PersianTeXNoNumbers .code:n = { \tl_set:Nn \l__fontspec_mapping_tl {persian-t
2990     Ligatures / PersianTeXNoNumbersOff .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
2991     Ligatures / PersianTeXNoNumbersReset .code:n = { \tl_clear:N \l__fontspec_mapping_tl },
2992 }
2993
2994 \keys_define:nn {fontspec-aat}
2995 {
2996     Ligatures / PersianTeXNoNumbers .code:n =
2997     {
2998         \tl_set:Nn \l__fontspec_mapping_tl { persian-tex-text-nonumbers }
2999     }
3000 }
3001
3002 \DeclareDocumentCommand \settextfont { O{} m O{} }
3003 {
3004     \__xepersian_main_settextfont:nn {#1,#3} {#2}
3005     \ignorespaces
3006 }
3007 \cs_new:Nn \__xepersian_main_settextfont:nn
3008 {
3009     \fontspec_set_family:Nnn \l__xepersian_persianfont_family_tl {RawFeature={script=arab},Lig
3010     \tl_set_eq:NN \rmdefault \l__xepersian_persianfont_family_tl
3011     \use:x { \exp_not:n { \ DeclareRobustCommand \persianfont }
3012     {
3013         \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3014         \exp_not:N \fontfamily { \l__xepersian_persianfont_family_tl }
3015         \exp_not:N \selectfont
3016     }
3017 }
3018     \str_if_eq:eeT {\familydefault} {\rmdefault}
3019     { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3020     \__xepersian_settextfont_hook:nn {#1} {#2}
3021     \normalfont
3022 }
3023
3024 \cs_set_eq:NN \__xepersian_settextfont_hook:nn \use_none:nn
3025
3026 \DeclareDocumentCommand \settextdigitfont { O{} m O{} }
3027 {
3028     \__xepersian_main_settextdigitfont:nn {#1,#3} {#2}
3029     \ignorespaces
3030 }
3031 \cs_new:Nn \__xepersian_main_settextdigitfont:nn
3032 {

```



```

3033 \fontspec_set_family:Nnn \l__xepersian_textdigitfont_family_tl {Ligatures=PersianTeX,#1} {#}
3034 \use:x
3035 {
3036   \exp_not:n { \DeclareRobustCommand \xepersian@textdigitfont }
3037   {
3038     \exp_not:N \fontfamily { \l__xepersian_textdigitfont_family_tl }
3039     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3040     \exp_not:N \selectfont
3041   }
3042 }
3043 \__xepersian_settextdigitfont_hook:nn {#1} {#2}
\XeTeXinterchartoks \e@alloc@intercharclass@top \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
\XeTeXinterchartoks \bidi@digits@charclass \e@alloc@intercharclass@top = {\xepersian@@stop@switch@textdigitfont}
\XeTeXinterchartoks \z@ \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
\XeTeXinterchartoks \bidi@digits@charclass \z@ = {\xepersian@@stop@switch@textdigitfont}
\XeTeXinterchartoks \bidi@sepmark@charclass \bidi@sepmark@charclass = {\xepersian@@stop@switch@textdigitfont}
\XeTeXinterchartoks \bidi@sepmark@charclass \bidi@sepmark@charclass = {\xepersian@@stop@switch@textdigitfont}
\if@bidi@csundef{xepersian@D}{}{%
  \XeTeXinterchartoks \xepersian@D \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
  \XeTeXinterchartoks \bidi@digits@charclass \xepersian@D = {\xepersian@@stop@switch@textdigitfont}
  \XeTeXinterchartoks \xepersian@L \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
  \XeTeXinterchartoks \bidi@digits@charclass \xepersian@L = {\xepersian@@stop@switch@textdigitfont}
  \XeTeXinterchartoks \xepersian@A \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
  \XeTeXinterchartoks \bidi@digits@charclass \xepersian@A = {\xepersian@@stop@switch@textdigitfont}
  \XeTeXinterchartoks \xepersian@R \bidi@digits@charclass = {\xepersian@@start@switch@textdigitfont}
  \XeTeXinterchartoks \bidi@digits@charclass \xepersian@R = {\xepersian@@stop@switch@textdigitfont}
}
3059 }
3060 }
3061
3062 \newcommand*{\xepersian@start@switch@textdigitfont}{\ifx\f@family\ttdefault\else\if@nonlatin\relax\fi\fi}
3063 \newcommand*{\xepersian@stop@switch@textdigitfont}{\ifx\f@family\ttdefault\else\if@nonlatin\relax\fi\fi}
3064
3065 \cs_set_eq:NN \__xepersian_settextdigitfont_hook:nn \use_none:nn
3066
3067 \ DeclareDocumentCommand \setdigitfont { O{} m O{} } {
3068   \__xepersian_main_settextdigitfont:nn {#1,#3} {#2}
3069   \__xepersian_main_setmathdigitfont:nn {#1,#3} {#2}
3070   \ignorespaces
3071 }
3072
3073
3074
3075 \ DeclareDocumentCommand \setlatintextfont { O{} m O{} } {
3076   \__xepersian_main_setlatintextfont:nn {#1,#3} {#2}
3077   \ignorespaces
3078 }
3079
3080 \cs_new:Nn \__xepersian_main_setlatintextfont:nn
3081 {
3082   \fontspec_set_family:Nnn \l__xepersian_latinfont_family_tl {Ligatures=TeX,#1} {#2}
3083   \use:x { \exp_not:n { \DeclareRobustCommand \latinfont } }
3084   {
3085     \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3086     \exp_not:N \fontfamily { \l__xepersian_latinfont_family_tl }

```



```

3087     \exp_not:N \selectfont
3088 }
3089 }
3090 \str_if_eq:eeT {\familydefault} {\rmdefault}
3091   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3092 \__xepersian_setlatintextfont:nn {#1} {#2}
3093 \normalfont
3094 }
3095
3096 \cs_set_eq:NN \__xepersian_setlatintextfont_hook:nn \use_none:nn
3097
3098 \tl_set_eq:NN \setlatinsansfont \setsansfont
3099 \tl_set_eq:NN \setlatinmonofont \setmonofont
3100
3101 \DeclareDocumentCommand \defpersianfont { m O{} m O{} }
3102   {
3103     \__xepersian_main_defpersianfont:NnnN #1 {#2,#4} {#3}
3104     \NewDocumentCommand
3105   }
3106 \DeclareDocumentCommand \redefpersianfont { m O{} m O{} }
3107   {
3108     \__xepersian_main_defpersianfont:NnnN #1 {#2,#4} {#3}
3109     \RenewDocumentCommand
3110   }
3111 \cs_new:Nn \__xepersian_main_defpersianfont:NnnN
3112   {
3113     \fontspec_set_family:cnn { l__xepersian_ \cs_to_str:N #1 _family_tl } {RawFeature={script=}}
3114     \use:x
3115     {
3116       \exp_not:N #4 \exp_not:N #1 {}
3117       {
3118         \exp_not:N \fontfamily { \use:c {l__xepersian_ \cs_to_str:N #1 _family_tl } }
3119         \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3120         \exp_not:N \selectfont
3121       }
3122     }
3123   }
3124
3125 \DeclareDocumentCommand \deflatinfont { m O{} m O{} }
3126   {
3127     \__xepersian_main_deflatinfont:NnnN #1 {#2,#4} {#3}
3128     \NewDocumentCommand
3129   }
3130 \DeclareDocumentCommand \redeflatinfont { m O{} m O{} }
3131   {
3132     \__xepersian_main_deflatinfont:NnnN #1 {#2,#4} {#3}
3133     \RenewDocumentCommand
3134   }
3135 \cs_new:Nn \__xepersian_main_deflatinfont:NnnN
3136   {
3137     \fontspec_set_family:cnn { l__xepersian_ \cs_to_str:N #1 _family_tl } {Ligatures=TeX, #2} {#3}
3138     \use:x
3139     {
3140       \exp_not:N #4 \exp_not:N #1 {}

```



```

3141      {
3142          \exp_not:N \fontfamily { \use:c { l__xepersian_ \cs_to_str:N #1 _family_tl } }
3143          \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3144          \exp_not:N \selectfont
3145      }
3146  }
3147 }
3148
3149 \newcommand\persiansfdefault{}
3150 \newcommand\persianttdefault{}
3151 \newcommand\iranicdefault{}
3152 \newcommand\navardefault{}
3153 \newcommand\pookdefault{}
3154 \newcommand\sayehdefault{}
3155 \DeclareRobustCommand\persiansffamily
3156     {\not@math@alphabet\persiansffamily\mathpersiansf
3157         \fontfamily\persiansfdefault\selectfont}
3158 \DeclareRobustCommand\persianttfamily
3159     {\not@math@alphabet\persianttfamily\mathpersiantt
3160         \fontfamily\persianttdefault\selectfont}
3161 \DeclareRobustCommand\iranicfamily
3162     {\not@math@alphabet\iranicfamily\mathiranic
3163         \fontfamily\iranicdefault\selectfont}
3164 \DeclareRobustCommand\navarfamily
3165     {\not@math@alphabet\navarfamiliy\mathnavar
3166         \fontfamily\navardefault\selectfont}
3167 \DeclareRobustCommand\pookfamily
3168     {\not@math@alphabet\pookfamily\mathpook
3169         \fontfamily\pookdefault\selectfont}
3170 \DeclareRobustCommand\sayehfamily
3171     {\not@math@alphabet\sayehfamily\mathsayeh
3172         \fontfamily\sayehdefault\selectfont}
3173 \DeclareTextFontCommand{\textpersiansf}{\persiansffamily}
3174 \DeclareTextFontCommand{\textpersiantt}{\persianttfamily}
3175 \DeclareTextFontCommand{\textiranic}{\iranicfamily}
3176 \DeclareTextFontCommand{\textnavar}{\navarfamiliy}
3177 \DeclareTextFontCommand{\textpook}{\pookfamily}
3178 \DeclareTextFontCommand{\textsayeh}{\sayehfamily}
3179
3180 \DeclareDocumentCommand \setpersiansansfont { O{} m O{} }
3181   {
3182       \__xepersian_main_setpersiansansfont:nn {#1,#3} {#2}
3183       \ignorespaces
3184   }
3185 \cs_new:Nn \__xepersian_main_setpersiansansfont:nn
3186   {
3187       \fontspec_set_family:Nnn \l__xepersian_persiansffamily_family_tl {RawFeature={script=arab}}
3188       \tl_set_eq:NN \persiansfdefault \l__xepersian_persiansffamily_family_tl
3189       \use:x { \exp_not:n { \DeclareRobustCommand \persiansffamily }
3190           {
3191               \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3192               \exp_not:N \fontfamily { \l__xepersian_persiansffamily_family_tl }
3193               \exp_not:N \selectfont
3194           }

```



```

3195  }
3196  \str_if_eq:eeT {\familydefault} {\persiansfdefault}
3197    { \tl_set_eq:NN \encodingdefault \g_fontsname_nfss_enc_tl }
3198  \__xepersian_setpersiansansfont_hook:nn {#1} {#2}
3199  \normalfont
3200 }
3201
3202 \cs_set_eq:NN \__xepersian_setpersiansansfont_hook:nn \use_none:nn
3203
3204 \DeclareDocumentCommand \setpersianmonofont { O{} m O{} }
3205 {
3206   \__xepersian_main_setpersianmonofont:nn {#1,#3} {#2}
3207   \ignorespaces
3208 }
3209 \cs_new:Nn \__xepersian_main_setpersianmonofont:nn
3210 {
3211   \fontspec_set_family:Nnn \l_xepersian_persianttfamily_tl {RawFeature={script=arab},
3212   \tl_set_eq:NN \persianttdefault \l_xepersian_persianttfamily_tl
3213   \use:x { \exp_not:n { \ DeclareRobustCommand \persianttfamily }
3214   {
3215     \exp_not:N \fontencoding { \g_fontsname_nfss_enc_tl }
3216     \exp_not:N \fontfamily { \l_xepersian_persianttfamily_tl }
3217     \exp_not:N \selectfont
3218   }
3219 }
3220 \str_if_eq:eeT {\familydefault} {\persianttdefault}
3221   { \tl_set_eq:NN \encodingdefault \g_fontsname_nfss_enc_tl }
3222 \__xepersian_setpersianmonofont_hook:nn {#1} {#2}
3223 \normalfont
3224 }
3225
3226 \cs_set_eq:NN \__xepersian_setpersianmonofont_hook:nn \use_none:nn
3227
3228 \DeclareDocumentCommand \setnavarfont { O{} m O{} }
3229 {
3230   \__xepersian_main_setnavarfont:nn {#1,#3} {#2}
3231   \ignorespaces
3232 }
3233 \cs_new:Nn \__xepersian_main_setnavarfont:nn
3234 {
3235   \fontspec_set_family:Nnn \l_xepersian_navarfamily_family_tl {RawFeature={script=arab},Liga
3236   \tl_set_eq:NN \navardefault \l_xepersian_navarfamily_family_tl
3237   \use:x { \exp_not:n { \ DeclareRobustCommand \navarfamiliy }
3238   {
3239     \exp_not:N \fontencoding { \g_fontsname_nfss_enc_tl }
3240     \exp_not:N \fontfamily { \l_xepersian_navarfamily_family_tl }
3241     \exp_not:N \selectfont
3242   }
3243 }
3244 \str_if_eq:eeT {\familydefault} {\navardefault}
3245   { \tl_set_eq:NN \encodingdefault \g_fontsname_nfss_enc_tl }
3246 \__xepersian_setnavarfont_hook:nn {#1} {#2}
3247 \normalfont
3248 }

```



```

3249 \cs_set_eq:NN \__xepersian_setnavarfont_hook:nn \use_none:nn
3250
3251 \DeclareDocumentCommand \setpookfont { O{} m O{} } {
3252   \__xepersian_main_setpookfont:nn {#1,#3} {#2}
3253   \ignorespaces
3254 }
3255
3256 \cs_new:Nn \__xepersian_main_setpookfont:nn {
3257   \fontspec_set_family:Nnn \l__xepersian_pookfamily_family_tl {RawFeature={script=arab},Ligat}
3258
3259   \tl_set_eq:NN \pookdefault \l__xepersian_pookfamily_family_tl
3260
3261 \use:x { \exp_not:n { \DeclareRobustCommand \pookfamily } {
3262   \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3263   \exp_not:N \fontfamily { \l__xepersian_pookfamily_family_tl }
3264   \exp_not:N \selectfont
3265 }
3266 }
3267 }
3268 \str_if_eq:eeT {\familydefault} {\pookdefault}
3269   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3270 \__xepersian_setpookfont_hook:nn {#1} {#2}
3271 \normalfont
3272 }
3273
3274 \cs_set_eq:NN \__xepersian_setpookfont_hook:nn \use_none:nn
3275
3276 \DeclareDocumentCommand \setsayehfont { O{} m O{} } {
3277   \__xepersian_main_setsayehfont:nn {#1,#3} {#2}
3278   \ignorespaces
3279 }
3280
3281 \cs_new:Nn \__xepersian_main_setsayehfont:nn {
3282   \fontspec_set_family:Nnn \l__xepersian_sayehfamily_family_tl {RawFeature={script=arab},Ligat}
3283
3284   \tl_set_eq:NN \sayehdefault \l__xepersian_sayehfamily_family_tl
3285
3286 \use:x { \exp_not:n { \DeclareRobustCommand \sayehfamily } {
3287   \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3288   \exp_not:N \fontfamily { \l__xepersian_sayehfamily_family_tl }
3289   \exp_not:N \selectfont
3290 }
3291 }
3292 \str_if_eq:eeT {\familydefault} {\sayehdefault}
3293   { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3294 \__xepersian_setsayehfont_hook:nn {#1} {#2}
3295 \normalfont
3296 }
3297
3298 \cs_set_eq:NN \__xepersian_setsayehfont_hook:nn \use_none:nn
3299
3300 \DeclareDocumentCommand \setiranicfont { O{} m O{} } {
3301   \__xepersian_main_setiranicfont:nn {#1,#3} {#2}
3302 }
```



```

3303     \ignorespaces
3304 }
3305 \cs_new:Nn \__xepersian_main_setiranicfont:nn
3306 {
3307     \fontspec_set_family:Nnn \l__xepersian_iranicfamily_family_tl {RawFeature={script=arab},Lig
3308     \tl_set_eq:NN \iranicdefault \l__xepersian_iranicfamily_family_tl
3309     \use:x { \exp_not:n { \ DeclareRobustCommand \iranicfamily }
3310     {
3311         \exp_not:N \fontencoding { \g__fontspec_nfss_enc_tl }
3312         \exp_not:N \fontfamily { \l__xepersian_iranicfamily_family_tl }
3313         \exp_not:N \selectfont
3314     }
3315 }
3316 \str_if_eq:eeT {\familydefault} {\iranicdefault}
3317     { \tl_set_eq:NN \encodingdefault \g__fontspec_nfss_enc_tl }
3318     \__xepersian_setiranicfont_hook:nn {#1} {#2}
3319     \normalfont
3320 }
3321
3322 \cs_set_eq:NN \__xepersian_setiranicfont_hook:nn \use_none:nn
3323
3324 \ExplSyntaxOff
3325 \def\resetlatinfont{%
3326 \let\@xepersian@@fontsize@scale\xepersian@@fontsize@scale%
3327 \let\@xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
3328 \def\xepersian@@fontsize@scale{%
3329     \strip@pt\dimexpr 1pt * \dimexpr
3330     \xepersian@@latin@fontsize@scale pt\relax
3331     / \dimexpr \xepersian@@fontsize@scale pt\relax\relax
3332 }%
3333 \def\xepersian@@baselineskip@scale{%
3334     \strip@pt\dimexpr 1pt * \dimexpr
3335     \xepersian@@latin@baselineskip@scale pt\relax
3336     / \dimexpr \xepersian@@baselineskip@scale pt\relax\relax
3337 }%
3338 \nonlatinfalse%
3339 \let\normalfont\latinfont%
3340 \let\reset@font\normalfont%
3341 \latinfont%
3342 \fontsize\f@size\f@baselineskip%
3343 \selectfont%
3344 \let\xepersian@@fontsize@scale\xepersian@@latin@fontsize@scale%
3345 \let\xepersian@@baselineskip@scale\xepersian@@latin@baselineskip@scale%
3346 }
3347 \def\setpersianfont{%
3348 \let\@xepersian@@fontsize@scale\xepersian@@fontsize@scale%
3349 \let\@xepersian@@baselineskip@scale\xepersian@@baselineskip@scale%
3350 \let\xepersian@@fontsize@scale\one%
3351 \let\xepersian@@baselineskip@scale\one%
3352 \nonlatintrue%
3353 \let\normalfont\persianfont%
3354 \let\reset@font\normalfont%
3355 \persianfont%
3356 \fontsize\f@size\f@baselineskip%

```



```

3357 \selectfont%
3358 \let\xepersian@@fontsize@scale\@xepersian@@fontsize@scale%
3359 \let\xepersian@@baselineskip@scale\@xepersian@@baselineskip@scale%
3360 }%
3361 \bidi@newrobustcmd*{\lr}[1]{\LRE{\resetlatinfont#1}}
3362 \bidi@newrobustcmd*{\rl}[1]{\RLE{\setpersianfont#1}}
3363 \def\latin{\LTR\LatinAlphs\@RTL@footnotefalse\resetlatinfont}
3364 \def\endlatin{\endLTR}
3365 \newenvironment{latin*}{\latin
3366   \everypar{%
3367     {\setbox\z@\lastbox
3368       \ifvoid\z@
3369         \kern-\parindent
3370       \fi}%
3371   }%
3372 }{\endlatin\@endpetrue}
3373 \def\persian{\RTL\PersianAlphs\@RTL@footnotetrue\setpersianfont}
3374 \def\endpersian{\endRTL}
3375 \newenvironment{persian*}{\persian
3376   \everypar{%
3377     {\setbox\z@\lastbox
3378       \ifvoid\z@
3379         \kern-\parindent
3380       \fi}%
3381   }%
3382 }{\endpersian\@endpetrue}
3383 \newenvironment{latinitems}{\begin{LTRitems}\LatinAlphs\@RTL@footnotefalse\resetlatinfont}{\end{LTRitems}}
3384 \newenvironment{persianitems}{\begin{RTLitems}\PersianAlphs\@RTL@footnotetrue\setpersianfont}{\end{RTLitems}}
3385 \let\originaltoday=\today
3386 \def\latintoday{\lr{\originaltoday}}
3387 \def\today{\rl{\persiantoday}}
3388 \def \@LT Rmarginparreset {%
3389   \reset@font
3390   \resetlatinfont
3391   \normalsize
3392   \minipagetrue
3393   \everypar{\minipagetrue\everypar{}{\beginL}%
3394 }%
3395 \DeclareRobustCommand\Latincite{%
3396   \@ifnextchar [{\@tempswattrue\@Latincitex}{\@tempswafalse\@Latincitex[]]}
3397 \def\@Latincitex[#1]#2{\leavevmode
3398   \let\@citeda\empty
3399   \citeda\lrf{\for\citedb:=#2\do
3400     {\@citeda\def\@citeda{,\penalty\@m\ }%
3401      \edef\@citedb{\expandafter\firstofone\citedb\empty}%
3402      \if@filesw\immediate\write\auxout{\string\citation{\@citedb}}\fi
3403      \citedb\undefined\b@{\citedb}{\hbox{\reset@font\bfseries ?}}\%
3404      \G@refundefinedtrue
3405      \@latex@warning
3406        {Citation `@\citedb' on page \thepage \space undefined}%
3407        {\@citeda\citedb\endcsname}}}\citeda{#1}%
3408 }%
3409 \renewcommand*{\bidi@font@outputpage}{\if@RTLmain\setpersianfont\else\resetlatinfont\fi}%
3410

```



```

3411 \newif\if@xepersian@@computeautoilg
3412 \newcount\xepersian@tcl
3413 \newdimen\xepersian@ilg
3414 \newdimen\xepersian@strutilg
3415 \chardef\f@ur=4
3416 \newcommand*\xepersian@computeautoilg}{% compute the interline glue
3417 \xepersian@tcl=1536\xepersian@ilg\z@\xepersian@strutilg\z@
3418 \loop
3419 \iffontchar\font\xepersian@tcl
3420 \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\z@
3421 \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
3422 \xepersian@ilg=\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
3423 \fi
3424 \else
3425 \ifdim\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl<\z@
3426 \ifdim-\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl>\xepersian@ilg
3427 \xepersian@ilg=-\XeTeXglyphbounds\tw@ \the\XeTeXcharglyph\xepersian@tcl
3428 \fi
3429 \fi
3430 \fi
3431 \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\z@
3432 \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
3433 \xepersian@strutilg=\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl
3434 \fi
3435 \else
3436 \ifdim\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl<\z@
3437 \ifdim-\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl>\xepersian@strutilg
3438 \xepersian@strutilg=-\XeTeXglyphbounds\f@ur \the\XeTeXcharglyph\xepersian@tcl
3439 \fi
3440 \fi
3441 \fi
3442 \fi
3443 \advance\xepersian@tcl\@ne
3444 \ifnum\xepersian@tcl<1792\repeat
3445 \advance\xepersian@strutilg\xepersian@ilg
3446 % \ifdim\xepersian@strutilg>\baselineskip
3447 % \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
3448 % \PackageInfo{xepersian}{baselineskip changed to that height+depth!}
3449 % \linespread{\strip@pt\dimexpr 1pt * \xepersian@strutilg / \baselineskip\relax}
3450 % \selectfont
3451 % \fi
3452 }
3453
3454 \newif\if@textdigitfont@on
3455
3456 \newcommand{\TextDigitFontOn}{\@textdigitfont@ontrue}
3457 \newcommand{\TextDigitFontOff}{\@textdigitfont@onfalse}
3458
3459 \TextDigitFontOn
3460
3461 \newcommand*\xepersian@setlength[4]{%
3462     \ifdim #2<\ifdim #2=\z@ \z@ \else \p@\fi
3463     \ifdim #3<\ifdim #3=\z@ \z@ \else \p@\fi
3464     \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi

```



```

3465 \setlength{\#1}{\p@ \z@ \p@ \z@}
3466 \else
3467   \setlength{\#1}{\p@ \z@ \p@ \z@}
3468 \fi
3469 \else
3470   \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3471     \setlength{\#1}{\p@ \z@ \p@ \z@}
3472   \else
3473     \setlength{\#1}{\p@ \z@ \p@ \z@}
3474   \fi
3475 \fi
3476 \else
3477   \ifdim #3<\ifdim #3=\z@ \z@ \else \p@\fi
3478     \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3479       \setlength{\#1}{\#2 \z@ \p@ \z@}
3480     \else
3481       \setlength{\#1}{\#2 \z@ \p@ \z@}
3482     \fi
3483   \else
3484     \ifdim #4<\ifdim #4=\z@ \z@ \else \p@\fi
3485       \setlength{\#1}{\#2 \z@ \p@ \z@}
3486     \else
3487       \setlength{\#1}{\#2 \z@ \p@ \z@}
3488     \fi
3489   \fi
3490 \fi
3491 }
3492
3493 \newcommand*{\setfontsize}[2][1.2\tempdima]{%
3494   \defaultunits\tempdima#2pt\relax\@nil
3495   \setlength{\tempdimc}{\tempdima}%
3496   \addtolength{\tempdimc}{-10\p@}%
3497   \edef\ptsize{\strip@pt\tempdimc}%
3498   \defaultunits\tempdimb#1pt\relax\@nil
3499   \setlength{\tempdimc}{\dimexpr (100\tempdimb / \tempdima * \p@)}%
3500   \edef\tempb{\the\tempdimc}%
3501   \setlength{\tempdimc}{\tempdima}%
3502   \def\tempa##1##2##3##4##5\@nil{\def##1##2##3##4}%
3503   \expandafter\tempa\expandafter\tempb\tempb\@nil%
3504   \xepersian@setlength{\abovedisplayskip}%
3505     {.8333\tempdimb}{.1667\tempdimb}{.5\tempdimb}%
3506   \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\tempdimb}{\z@}%
3507   \xepersian@setlength{\belowdisplayshortskip}%
3508     {.5\tempdimb}{.25\tempdimb}{.25\tempdimb}%
3509   \setlength{\belowdisplayskip}{\abovedisplayskip}%
3510   \edef\normalsize{%
3511     \noexpand\setfontsize\noexpand\normalsize
3512     {\the\tempdima}{\the\tempdimb}%
3513     \abovedisplayskip \the\abovedisplayskip
3514     \abovedisplayshortskip \the\abovedisplayshortskip
3515     \belowdisplayskip \the\belowdisplayskip
3516     \belowdisplayshortskip \the\belowdisplayshortskip
3517     \let\noexpand\listi\noexpand\listI
3518   }%

```



```

3519  \setlength{\@tempdima}{0.9125\@tempdimc}%
3520  \setlength{\@tempdimb}{\@tempb\@tempdima}%
3521    \xepersian@setlength{\abovedisplayskip}%
3522      {.8333\@tempdimb}{.1667\@tempdimb}{.5\@tempdimb}%
3523  \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3524  \xepersian@setlength{\belowdisplayshortskip}%
3525    {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3526  \setlength{\belowdisplayskip}{\abovedisplayskip}%
3527  \edef\small{%
3528    \noexpand\@setfontsize\noexpand\small
3529    {\the\@tempdima}{\the\@tempdimb}%
3530    \abovedisplayskip \the\abovedisplayskip
3531    \abovedisplayshortskip \the\abovedisplayshortskip
3532    \belowdisplayskip \the\belowdisplayskip
3533    \belowdisplayshortskip \the\belowdisplayshortskip
3534    \let\noexpand\@listi\noexpand\@listi@small
3535  }%
3536  \setlength{\@tempdima}{.83334\@tempdimc}%
3537  \setlength{\@tempdimb}{\@tempb\@tempdima}%
3538    \xepersian@setlength{\abovedisplayskip}%
3539      {.8333\@tempdimb}{.1667\@tempdimb}{.5\@tempdimb}%
3540  \xepersian@setlength{\abovedisplayshortskip}{\z@}{.25\@tempdimb}{\z@}%
3541  \xepersian@setlength{\belowdisplayshortskip}%
3542    {.5\@tempdimb}{.25\@tempdimb}{.25\@tempdimb}%
3543  \setlength{\belowdisplayskip}{\abovedisplayskip}%
3544  \edef\footnotesize{%
3545    \noexpand\@setfontsize\noexpand\footnotesize
3546    {\the\@tempdima}{\the\@tempdimb}%
3547    \abovedisplayskip \the\abovedisplayskip
3548    \abovedisplayshortskip \the\abovedisplayshortskip
3549    \belowdisplayskip \the\belowdisplayskip
3550    \belowdisplayshortskip \the\belowdisplayshortskip
3551    \let\noexpand\@listi\noexpand\@listi@footnotesize
3552  }%
3553  \setlength{\@tempdima}{.66667\@tempdimc}%
3554  \setlength{\@tempdimb}{\@tempb\@tempdima}%
3555  \edef\scriptsize{%
3556    \noexpand\@setfontsize\noexpand\scriptsize
3557    {\the\@tempdima}{\the\@tempdimb}%
3558  }%
3559  \setlength{\@tempdima}{.5\@tempdimc}%
3560  \setlength{\@tempdimb}{\@tempb\@tempdima}%
3561  \edef\tiny{%
3562    \noexpand\@setfontsize\noexpand\tiny
3563    {\the\@tempdima}{\the\@tempdimb}%
3564  }%
3565  \setlength{\@tempdima}{1.2\@tempdimc}%
3566  \setlength{\@tempdimb}{\@tempb\@tempdima}%
3567  \edef\large{%
3568    \noexpand\@setfontsize\noexpand\large
3569    {\the\@tempdima}{\the\@tempdimb}%
3570  }%
3571  \setlength{\@tempdima}{1.44\@tempdimc}%
3572  \setlength{\@tempdimb}{\@tempb\@tempdima}%

```



```

3573 \edef\Large{%
3574   \noexpand\@setfontsize\noexpand\Large
3575   {\the\@tempdima}{\the\@tempdimb}%
3576 }%
3577 \setlength{\@tempdima}{1.728\@tempdimc}%
3578 \setlength{\@tempdimb}{\tempb\@tempdima}%
3579 \edef\LARGE{%
3580   \noexpand\@setfontsize\noexpand\LARGE
3581   {\the\@tempdima}{\the\@tempdimb}%
3582 }%
3583 \setlength{\@tempdima}{2.074\@tempdimc}%
3584 \setlength{\@tempdimb}{\tempb\@tempdima}%
3585 \edef\huge{%
3586   \noexpand\@setfontsize\noexpand\huge
3587   {\the\@tempdima}{\the\@tempdimb}%
3588 }%
3589 \setlength{\@tempdima}{2.488\@tempdimc}%
3590 \setlength{\@tempdimb}{\tempb\@tempdima}%
3591 \edef\Huge{%
3592   \noexpand\@setfontsize\noexpand\Huge
3593   {\the\@tempdima}{\the\@tempdimb}%
3594 }%
3595 \normalsize
3596 \setlength{\@tempdimb}{\f@baselineskip}%
3597 \xepersian@setlength{\parsep}%
3598   {.3333\@tempdimb}{.1667\@tempdimb}{.0833\@tempdimb}%
3599 \xepersian@setlength{\topsep}%
3600   {.6667\@tempdimb}{.1667\@tempdimb}{.3333\@tempdimb}%
3601 \@tempswafalse
3602 \begingroup
3603 \def\@list@extra{\aftergroup\@tempswatrue}%
3604 \csname @listi\endcsname
3605 \endgroup
3606 \edef\@listi{\leftmargin\leftmargini
3607   \topsep \the\topsep
3608   \parsep \the\parsep
3609   \itemsep \parsep
3610   \if@tempswa\noexpand\@list@extra\fi
3611 }%
3612 \let\@listI\@listi
3613 \xepersian@setlength{\parsep}%
3614   {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3615 \xepersian@setlength{\topsep}%
3616   {.3333\@tempdimb}{.1667\@tempdimb}{.1667\@tempdimb}%
3617 \@tempswafalse
3618 \begingroup
3619 \def\@list@extra{\aftergroup\@tempswatrue}%
3620 \csname @listi\endcsname
3621 \endgroup
3622 \edef\@listi@small{\leftmargin\leftmargini
3623   \topsep \the\topsep
3624   \parsep \the\parsep
3625   \itemsep \parsep
3626   \if@tempswa\noexpand\@list@extra\fi

```



```

3627 }%
3628   \xepersian@setlength{\parsep}%
3629     {.125\@tempdimb}{.0625\@tempdimb}{.0625\@tempdimb}%
3630   \xepersian@setlength{\topsep}%
3631     {.25\@tempdimb}{.125\@tempdimb}{.125\@tempdimb}%
3632 \atempswafalse
3633 \begingroup
3634   \def\@list@extra{\aftergroup\atempswatrue}%
3635   \csname @listi\endcsname
3636 \endgroup
3637 \edef\@listi@footnotesize{\leftmargin\leftmargini
3638   \topsep \the\topsep
3639   \parsep \the\parsep
3640   \itemsep \parsep
3641   \if@tempswa\noexpand\@list@extra\fi
3642 }%
3643   \xepersian@setlength{\parsep}%
3644     {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3645   \xepersian@setlength{\topsep}%
3646     {.3333\@tempdimb}{.1667\@tempdimb}{.0833\@tempdimb}%
3647 \atempswafalse
3648 \begingroup
3649   \def\@list@extra{\aftergroup\atempswatrue}%
3650   \csname @listii\endcsname
3651 \endgroup
3652 \edef\@listii{\leftmargin\leftmarginii
3653   \labelwidth=\dimexpr \leftmargin-\labelsep
3654   \topsep \the\topsep
3655   \parsep \the\parsep
3656   \itemsep \parsep
3657   \if@tempswa\noexpand\@list@extra\fi
3658 }%
3659   \xepersian@setlength{\topsep}%
3660     {.1667\@tempdimb}{.0833\@tempdimb}{.0833\@tempdimb}%
3661 \setlength{\partopsep}{\z@\oplus\z@\ominus\p@}%
3662 \atempswafalse
3663 \begingroup
3664   \def\@list@extra{\aftergroup\atempswatrue}%
3665   \csname @listiii\endcsname
3666 \endgroup
3667 \edef\@listiii{\leftmargin\leftmarginiii
3668   \labelwidth=\dimexpr \leftmargin-\labelsep
3669   \topsep \the\topsep
3670   \parsep \z@
3671   \partopsep \the\partopsep
3672   \itemsep \topsep
3673   \if@tempswa\noexpand\@list@extra\fi
3674 }%
3675 \atempswafalse
3676 \begingroup
3677   \def\@list@extra{\aftergroup\atempswatrue}%
3678   \csname @listiv\endcsname
3679 \endgroup
3680 \edef\@listiv{\leftmargin\leftmarginiv

```



```

3681      \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3682      \if@tempswa\noexpand\@list@extra\fi
3683  }%
3684  \if@tempswafalse
3685  \begingroup
3686    \def\@list@extra{\aftergroup\@tempswatrue}%
3687    \csname @listv\endcsname
3688  \endgroup
3689  \edef\@listv{\leftmargin\leftmargininv
3690    \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3691    \if@tempswa\noexpand\@list@extra\fi
3692  }%
3693  \if@tempswafalse
3694  \begingroup
3695    \def\@list@extra{\aftergroup\@tempswatrue}%
3696    \csname @listvi\endcsname
3697  \endgroup
3698  \edef\@listvi{\leftmargin\leftmargininv
3699    \labelwidth=\dimexpr \leftmargin-\labelsep\relax
3700    \if@tempswa\noexpand\@list@extra\fi
3701  }%
3702  \@listi
3703    \setlength{\@tempdimb}{\f@baselineskip}%
3704    \setlength{\footnotesep}{.555\@tempdimb}%
3705    \xepersian@setlength{\skip\footins}%
3706      {.75\@tempdimb}{.3333\@tempdimb}{.1667\@tempdimb}%
3707    \xepersian@setlength{\floatsep}%
3708      {.1667\@tempdimb}{.1667\@tempdimb}{.1667\@tempdimb}%
3709    \xepersian@setlength{\textfloatsep}%
3710      {.16667\@tempdimb}{.1667\@tempdimb}{.3333\@tempdimb}%
3711    \setlength{\intextsep}{\floatsep}%
3712    \setlength{\dblfloatsep}{\floatsep}%
3713    \setlength{\dbltextfloatsep}{\textfloatsep}%
3714    \setlength{\@fptop}{\z@ \oplus 1fil}%
3715    \setlength{\@fpsep}{.6667\@tempdimb \oplus 2fil}%
3716    \setlength{\@fpbot}{\@fptop}%
3717    \setlength{\@dblfpbot}{\@fptop}%
3718    \setlength{\@dblfpsep}{\@fpsep}%
3719    \setlength{\@dblfpbot}{\@fptop}%
3720    \xepersian@setlength{\partopsep}{.2\@tempdimb}{.1\@tempdimb}{.1\@tempdimb}%
3721 }%
3722
3723 \renewcommand*{\@bidi@logo@}{%
3724   \@bidi@logo@hb@xt@columnwidth
3725   {\hss\bfseries
3726     \textsf{\XePersian}\quad\@bidi@logo{xepersian-logo.pdf}}}
3727
3728 \renewcommand*{\@bidi@pdfcreator}{%
3729   The xepersian package, v\xepersian@version, \xepersiandate
3730 }
3731
3732 \newcommand*{\@xepersian@pdfcustomproperties}{%
3733   This is the xepersian package, Version \xepersian@version,

```



```

3735 Released June 1, 2022.
3736 }
3737
3738 \newcommand\twocolumnstableofcontents{%
3739 \if@bidi@csundef{multi@column@out}{%
3740 \PackageError{xepersian}{Oops! you should load multicol package before xepersian package for
3741 \begin{multicols}{2}[\section*\{\contentsname}]%
3742 \small
3743 \@starttoc{toc}%
3744 \end{multicols}}}
3745 \bidi@newrobustcmd*\{\XePersian\}{\leavevmode$\smash{\hbox{\lower.5ex
3746 \hbox{\kern-.125em\bidi@reflect@box{E}}Persian}}$}
3747 \AtBeginDocument{%
3748 \def\figurename{\if@RTL else\ Figure\fi}%
3749 \def\tablename{\if@RTL else\ Table\fi}%
3750 \def\contentsname{\if@RTL else\ Contents\fi}%
3751 \def\listfigurename{\if@RTL else\ List of Figures\fi}%
3752 \def\listtablename{\if@RTL else\ List of Tables\fi}%
3753 \def\appendixname{\if@RTL else\ Appendix\fi}%
3754 \def\indexname{\if@RTL else\ Index\fi}%
3755 \def\refname{\if@RTL else\ References\fi}%
3756 \def\abstractname{\if@RTL else\ Abstract\fi}%
3757 \def\partname{\if@RTL else\ Part\fi}%
3758 \def\datename{\if@RTL else\ Date:\fi}%
3759 \def\@and{\if@RTL else\ and\fi}%
3760 \def\bibname{\if@RTL else\ Bibliography\fi}%
3761 \def\chaptername{\if@RTL else\ Chapter\fi}%
3762 \def\ccname{\if@RTL else\ cc\fi}%
3763 \def\enclname{\if@RTL else\ encl\fi}%
3764 \def\pagename{\if@RTL else\ Page\fi}%
3765 \def\headtoname{\if@RTL else\ To\fi}%
3766 \def\proofname{\if@RTL else\ Proof\fi}%
3767 }
3768 \def\@Abjad#1{%
3769 \ifcase#1\or \or\ or\ or\ or\ %
3770 \or \or\ or\ or\ or\ or\ %
3771 \or \or\ or\ or\ or\ or\ %
3772 \or \or\ or\ or\ or\ or\ %
3773 \or \or\ or\ or\ or\ or\ %
3774 \or \or\ or\ or\ or\ or\ %
3775 \else\@ctrerr\fi}
3776 \def\Abjad#1{\expandafter\@Abjad\csname c@#1\endcsname}
3777 \let\Abjadnumeral\@Abjad
3778 \def\@charfi#1{\ifcase#1\or \or\ or\ or\ or\ or\ or\ %
3779 \or \or\ or\ %
3780 \or \or\ or\ %
3781 \else\@ctrerr\fi}
3782 \def\harfi#1{\expandafter\@charfi\csname c@#1\endcsname}
3783 \let\harfinumeral\@charfi
3784 \newcommand{\adadi}[1]{%
3785 \expandafter\@adadi\csname c@#1\endcsname}
3786 \newcommand{\@adadi}[1]{%
3787 \xepersian@numberstring{#1}\xepersian@yekanii{ }{}}
3788 }

```



```

3789 \let\adadinumeral\@adadi%
3790 \def\xepersian@numberoutofrange#1#2{%
3791 \PackageError{xepersian}{The number `#1' is too large %
3792 to be formatted using xepersian}{The largest possible %
3793 number is 999,999,999.}%
3794 }
3795 \def\xepersian@numberstring#1#2#3#4{%
3796 \ifnum\number#1<\@ne%
3797 #3%
3798 \else\ifnum\number#1<1000000000 %
3799 \expandafter\xepersian@adadi\expandafter{\number#1}#2%
3800 \else%
3801 \xepersian@numberoutofrange{#1}{#4}%
3802 \fi\fi%
3803 }
3804 \def\xepersian@adadi#1#2{%
3805 \expandafter\xepersian@@adadi%
3806 \ifcase%
3807 \ifnum#1<10 1%
3808 \else\ifnum#1<100 2%
3809 \else\ifnum#1<\@m 3%
3810 \else\ifnum#1<\@M 4%
3811 \else\ifnum#1<100000 5%
3812 \else\ifnum#1<1000000 6%
3813 \else\ifnum#1<10000000 7%
3814 \else\ifnum#1<100000000 8%
3815 \else9%
3816 \fi\fi\fi\fi\fi\fi %
3817 \or0000000#1% case 1: Add 8 leading zeros
3818 \or000000#1% case 2: Add 7 leading zeros
3819 \or00000#1% case 3: Add 6 leading zeros
3820 \or0000#1% case 4: Add 5 leading zeros
3821 \or000#1% case 5: Add 4 leading zeros
3822 \or00#1% case 6: Add 3 leading zeros
3823 \or0#1% case 7: Add 2 leading zeros
3824 \or#1% case 8: Add 1 leading zero
3825 \or% case 9: Add no leading zeros
3826 \or%
3827 \@nil#2%
3828 \fi%
3829 }
3830 \def\xepersian@@adadi#1#2#3#4#5#6#7\or#8\@nil#9{%
3831 \ifnum#1#2#3>\z@
3832 \xepersian@milyoongan#1#2#3%
3833 \ifnum#7>\z@\ifnum#4#5#6>\z@ \ \else\ \fi\else\ifnum#4#5#6>\z@ \ \fi\fi%
3834 \fi%
3835 \ifnum#4#5#6>\z@%
3836 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3837 \ifnum#4#5#6>\@ne\fi%
3838 %
3839 \ifnum#7>\z@ \ \fi%
3840 \fi%
3841 \xepersian@sadgan#7{#4#5#6}1#9%
3842 }

```



```

3843 \def\xepersian@milyoongan#1#2#3{%
3844 \ifnum#1#2#3=\@ne%
3845 \xepersian@sadgan#1#2#301\xepersian@yekaniii%
3846 %
3847 %
3848 \else%
3849 \xepersian@sadgan#1#2#301\xepersian@yekanii%
3850 %
3851 %
3852 \fi%
3853 }
3854 \def\xepersian@sadgan#1#2#3#4#5#6{%
3855 \ifnum#1>\z@%
3856 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3857 %
3858 \ifnum#2#3>\z@\
3859 \fi%
3860 \ifnum#2#3<20%
3861 \ifnum#5#2#3>\@ne#6{#2#3}\fi%
3862 \else%
3863 \xepersian@dahgan#2%
3864 \ifnum#3>\z@\
3865 \xepersian@yekani#3\fi%
3866 \fi%
3867 }
3868 \def\xepersian@yekani#1{%
3869 \ifcase#1\@empty\or\or\or\or\or\or\or\or\or\or\%
3870 \or\or\or\or\or\or\or\or\or\or\%
3871 \or\or\or\or\or\or\%
3872 \or\or\%
3873 }
3874 \def\xepersian@yekanii#1{%
3875 \ifcase#1\@empty\or\else\xepersian@yekani{#1}\fi\
3876 }
3877 \def\xepersian@yekaniii#1{%
3878 \ifcase#1\@empty\or\else\xepersian@yekani{#1}\fi\
3879 }
3880 \def\xepersian@yekaniv#1{%
3881 \ifcase#1\@empty\or\or\or\or\or\or\or\or\%
3882 \or\or\or\%
3883 }
3884 \def\xepersian@dahgan#1{%
3885 \ifcase#1\or\or\or\%
3886 \or\or\or\%
3887 \or\%
3888 }
3889 \newcommand{\tartibi}[1]{%
3890 \expandafter\@tartibi\csname c@#1\endcsname%
3891 }
3892 \newcommand{\@tartibi}[1]{%
3893 \xepersian@numberstring@tartibi{#1}\xepersian@tartibi{ }{ }%
3894 }
3895 \let\tartibinumeral\@tartibi%
3896 \def\xepersian@numberstring@tartibi#1#2#3#4{%

```



```

3897 \ifnum\number#1<\@ne%
3898 #3%
3899 \else\ifnum\number#1<1000000000 %
3900 \expandafter\xepersian@adadi@tartibi\expandafter{\number#1}#2%
3901 \else%
3902 \xepersian@numberoutoffrange{#1}{#4}%
3903 \fi\fi%
3904 }
3905 \def\xepersian@adadi@tartibi#1#2{%
3906 \expandafter\xepersian@adadi@tartibi%
3907 \ifcase%
3908 \ifnum#1<10 1%
3909 \else\ifnum#1<100 2%
3910 \else\ifnum#1<\@m 3%
3911 \else\ifnum#1<\@M 4%
3912 \else\ifnum#1<100000 5%
3913 \else\ifnum#1<1000000 6%
3914 \else\ifnum#1<10000000 7%
3915 \else\ifnum#1<100000000 8%
3916 \else9%
3917 \fi\fi\fi\fi\fi\fi %
3918 \or0000000#1% case 1: Add 8 leading zeros
3919 \or0000000#1% case 2: Add 7 leading zeros
3920 \or000000#1% case 3: Add 6 leading zeros
3921 \or00000#1% case 4: Add 5 leading zeros
3922 \or0000#1% case 5: Add 4 leading zeros
3923 \or000#1% case 6: Add 3 leading zeros
3924 \or00#1% case 7: Add 2 leading zeros
3925 \or0#1% case 8: Add 1 leading zero
3926 \or#1% case 9: Add no leading zeros
3927 \or%
3928 \nil#2%
3929 \fi%
3930 }
3931 \def\xepersian@adadi@tartibi#1#2#3#4#5#6#7\or#8\nil#9{%
3932 \ifnum#1#2#3>\z@
3933 \xepersian@milyoongan@tartibi#1#2#3%
3934 \ifnum#7>\z@\ifnum#4#5#6>\z@ \ \else\ \ \fi\else\ifnum#4#5#6>\z@ \ \ \fi\fi%
3935 \fi%
3936 \ifnum#4#5#6>\z@%
3937 \xepersian@sadgan#4#5#6{#1#2#3}{#4#5}\xepersian@yekani%
3938 \ifnum#4#5#6>\@ne \fi%
3939 %
3940 \ifnum#7>\z@ \ \fi%
3941 \fi%
3942 \xepersian@sadgan@tartibi#7{#4#5#6}1#9%
3943 }
3944 \def\xepersian@milyoongan@tartibi#1#2#3{%
3945 \ifnum#1#2#3=\@ne%
3946 \xepersian@sadgan@tartibi#1#2#301\xepersian@yekaniii%
3947 %
3948 %
3949 \else%
3950 \xepersian@sadgan#1#2#301\xepersian@yekanii%

```



```

3951 %
3952 %
3953 \fi%
3954 }
3955 \def\xepersian@sadgan@tartibi#1#2#3#4#5#6{%
3956 \ifnum#1>\z@%
3957 \ifnum#4#1>\@ne\xepersian@yekaniv#1\fi%
3958 %
3959 \ifnum#2#3>\z@\\ \fi%
3960 \fi%
3961 \ifnum#2#3<20%
3962 \ifnum#5#2#3>\@ne\ifnum#1#2#3#4#5=10001 %else#6{#2#3}\fi\fi\
3963 \else%
3964 \ifnum#2#3=30%
3965 \xepersian@dahgan@tartibi#2%
3966 \else%
3967 \xepersian@dahgan#2%
3968 \fi%
3969 \ifnum#3>\z@\\ \xepersian@yekanv#3\fi%
3970 #60%
3971 \fi%
3972 }
3973 \def\xepersian@dahgan@tartibi#1{%
3974 \ifcase#1\or\or\or\\ \or\ %
3975 \or\or\\ \or\or\\ \or\ %
3976 \or\or\ %
3977 }
3978 \def\xepersian@tartibi#1{%
3979 \ifcase#1\or\or\\ \or\or\\ \or\ %
3980 \or\or\\ \or\or\\ \or\or\\ \or\ %
3981 \or\or\\ \or\or\\ \or\ %
3982 \or\or\\ \or\ %
3983 \or\or\\ \or\ %
3984 }
3985 \def\xepersian@yekanv#1{%
3986 \ifcase#1\@empty\or\or\\ \or\or\\ \or\or\\ \or\ %
3987 \or\or\\ \or\or\\ \or\or\\ \or\or\\ \or\ %
3988 \or\or\\ \or\or\\ \or\ %
3989 \or\or\\ \ %
3990 }
3991 \providecommand*\xpg@warning}[1]{%
3992   \PackageWarning{XePersian}%
3993   {#1}%
3994 \if@bidi@csundef{\abjad}{%
3995 \def\@abjad#1{%
3996 \ifnum#1>1999 \xpg@warning{Illegal value (#1) for abjad numeral} {#1}%
3997 \else
3998   \ifnum#1<\z@\space\xpg@warning{Illegal value (#1) for abjad numeral}%
3999   \else
4000     \ifnum#1<10\expandafter\abj@num@i\number#1%
4001     \else
4002       \ifnum#1<100\expandafter\abj@num@ii\number#1%
4003       \else
4004         \ifnum#1<\@m\expandafter\abj@num@iii\number#1%

```



```

4005      \else
4006          \ifnum#1<\@M\expandafter\abj@num@iv\number#1%since #1<2000, we must have 1000
4007          \fi
4008      \fi
4009      \fi
4010      \fi
4011      \fi
4012 \fi
4013 }
4014 \def\abjad#1{\expandafter\@abjad\csname c@#1\endcsname}
4015 \let\abjadnumeral\@abjad
4016 \def\abjad@zero{%
4017 \def\abj@num@i#1{%
4018   \ifcase#1\or \or\ \or\ \or\ %
4019       \or \or\ \or\ \or\ \or\ fi\
4020   \ifnum#1=\z@\abjad@zero\fi}
4021 \def\abj@num@ii#1{%
4022   \ifcase#1\or \or\ \or\ \or\ \or\ %
4023       \or \or\ \or\ \or\ fi\
4024   \ifnum#1=\z@\fi\abj@num@i}
4025 \def\abj@num@iii#1{%
4026   \ifcase#1\or \or\ \or\ \or\ \or\ %
4027       \or \or\ \or\ \or\ fi\
4028   \ifnum#1=\z@\fi\abj@num@ii}
4029 \def\abj@num@iv#1{%
4030   \ifcase#1\or fi\
4031   \ifnum#1=\z@\fi\abj@num@iii}
4032 }{}}
4033 \let\@latinalph\@alph%
4034 \let\@latinAlph\@Alph%
4035 \def\LatinAlphs{%
4036   \let\@alph\@latinalph%
4037   \let\@Alph\@latinAlph%
4038 }
4039 \def\thempfootnote{{\itshape\@latinalph\c@mpfootnote}}
4040 \renewcommand*{\bidi@thebibliography@font@hook}{%
4041 \if@LTRbibitems
4042   \resetlatinfont
4043 \fi}
4044 \bidi@AfterEndPreamble{%
4045 \if@bidi\csundef{persianfont}{%
4046 \PackageError{xepersian}{You have not specified any font\MessageBreak
4047 for the main Persian text}{Use `settextfont' to load a font.}{}%
4048 }{}}
4049 \ifdefinitionfileloaded{loadingorder-xetex-bidi}{\input{loadingorder-xepersian.def}}{}
4050 \ifdefinitionfileloaded{footnote-xetex-bidi}{\input{footnote-xepersian.def}}{}
4051 \ifpackageloaded{appendix}{\input{appendix-xepersian.def}}{}
4052 \ifpackageloaded{listings}{\input{listings-xepersian.def}}{}
4053 \ifpackageloaded{algorithmic}{\input{algorithmic-xepersian.def}}{}
4054 \ifpackageloaded{algorithm}{\input{algorithm-xepersian.def}}{}
4055 \ifpackageloaded{backref}{\input{backref-xepersian.def}}{}
4056 \ifpackageloaded{beamerbasetranslator}{\input{beamerbasetranslator-xepersian.def}}{}
4057 \ifpackageloaded{fancyref}{\input{fancyref-xepersian.def}}{}
4058 \ifpackageloaded{bidituftesidenote}{\input{bidituftesidenote-xepersian.def}}{}}

```



```

4059 \Qifpackage{breqn}{\input{breqn-xepersian.def}}{}
4060 \Qifpackage{enumerate}{\input{enumerate-xepersian.def}}{}
4061 \Qifpackage{enumitem}{\input{enumitem-xepersian.def}}{}
4062 \Qifpackage{framed}{\input{framed-xepersian.def}}{}
4063 \Qifpackage{glossaries}{\input{glossaries-xepersian.def}}{}
4064 \Qifpackage{hyperref}{\input{hyperref-xepersian.def}}{}
4065 \Qifpackage{minitoc}{\input{minitoc-xepersian.def}}{}
4066 \Qifpackage{natbib}{\input{natbib-xepersian.def}}{}
4067 \Qifpackage{soul}{\input{soul-xepersian.def}}{}
4068 \Qifpackage{tkz-linknodes}{\input{tkz-linknodes-xepersian.def}}{}
4069 \Qifpackage{tocloft}{\Qifclass{memoir}{}{\input{tocloft-xepersian.def}}}={}
4070 \Qifpackage{url}{\input{url-xepersian.def}}{}
4071 \Qifpackage{variorref}{\input{variorref-xepersian.def}}{}
4072 \Qifclass{article}{\input{article-xepersian.def}}{}
4073 \Qifclass{extarticle}{\input{extarticle-xepersian.def}}{}
4074 \Qifclass{artikel1}{\input{artikel1-xepersian.def}}{}
4075 \Qifclass{artikel2}{\input{artikel2-xepersian.def}}{}
4076 \Qifclass{artikel3}{\input{artikel3-xepersian.def}}{}
4077 \Qifclass{amsart}{\input{amsart-xepersian.def}}{}
4078 \Qifclass{beamer}{\input{beamer-xepersian.def}}{}
4079 \Qifclass{bidimoderncv}{\input{bidimoderncv-xepersian.def}}{}
4080 \Qifclass{report}{\input{report-xepersian.def}}{}
4081 \Qifclass{extreport}{\input{extreport-xepersian.def}}{}
4082 \Qifclass{rapport1}{\input{rapport1-xepersian.def}}{}
4083 \Qifclass{rapport3}{\input{rapport3-xepersian.def}}{}
4084 \Qifclass{scrartcl}{\input{scrartcl-xepersian.def}}{}
4085 \Qifclass{scrbook}{\input{scrbook-xepersian.def}}{}
4086 \Qifclass{scrreprt}{\input{scrreprt-xepersian.def}}{}
4087 \Qifclass{amsbook}{\input{amsbook-xepersian.def}}{}
4088 \Qifclass{boek3}{\input{boek3-xepersian.def}}{}
4089 \Qifclass{boek}{\input{boek-xepersian.def}}{}
4090 \Qifclass{bookest}{\input{bookest-xepersian.def}}{}
4091 \Qifclass{extbook}{\input{extbook-xepersian.def}}{}
4092 \Qifclass{book}{\input{book-xepersian.def}}{}
4093 \Qifclass{refrep}{\input{refrep-xepersian.def}}{}
4094 \Qifclass{memoir}{\input{memoir-xepersian.def}}{}
4095 \Qifclass{imsproc}{\input{imsproc-xepersian.def}}{}
4096
4097 \def\xepersian@#1{%
4098   \tempcnta\z@
4099   \for\xepersian@tmp:=#1\do{%
4100     \KV@sp\def\xepersian@frag{\xepersian@tmp}%
4101     \ifcase\tempcnta\relax% \tempcnta == 0
4102       \edef\xepersian@value{\xepersian@frag}%
4103       \setfontsize{\xepersian@frag}%
4104     \or% \tempcnta == 1
4105       \setfontsize[\xepersian@frag]{\xepersian@value}%
4106     \else\fi
4107     \advance\tempcnta\@ne}%
4108 }
4109
4110
4111 \define@choicekey{xepersian.sty}{mathdigits}[\xepersian@tempa\xepersian@tempb]{automatic,defa
4112   \ifcase\xepersian@tempb\relax

```



```

4113     \AutoMathDigits
4114     \or
4115     \DefaultMathDigits
4116     \or
4117     \PersianMathDigits
4118     \fi}
4119 \define@choicekey{xepersian.sty}{inlinemathdigits}[\xepersian@tempa\xepersian@tempb]{automati
4120   \ifcase\xepersian@tempb\relax
4121     \AutoInlineMathDigits
4122   \or
4123     \DefaultInlineMathDigits
4124   \or
4125     \PersianInlineMathDigits
4126   \fi}
4127 \define@choicekey{xepersian.sty}{displaymathdigits}[\xepersian@tempa\xepersian@tempb]{automati
4128   \ifcase\xepersian@tempb\relax
4129     \AutoDisplayMathDigits
4130   \or
4131     \DefaultDisplayMathDigits
4132   \or
4133     \PersianDisplayMathDigits
4134   \fi}
4135 \define@choicekey{xepersian.sty}{RTLdocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4136   \ifcase\xepersian@tempb\relax
4137     \@RTLtrue
4138   \or
4139     \@RTLfalse
4140   \fi}
4141
4142 \define@choicekey{xepersian.sty}{documentdirection}[\xepersian@tempa\xepersian@tempb]{righttoleft}
4143   \ifcase\xepersian@tempb\relax
4144     \@RTLtrue
4145   \or
4146     \@RTLfalse
4147   \fi}
4148
4149
4150 \define@choicekey{xepersian.sty}{tabledirection}[\xepersian@tempa\xepersian@tempb]{righttoleft}
4151   \ifcase\xepersian@tempb\relax
4152     \@RTLtabtrue
4153   \or
4154     \@RTLtabfalse
4155   \fi}
4156
4157 \define@choicekey{xepersian.sty}{script}[\xepersian@tempa\xepersian@tempb]{latin,nonlatin}[la
4158   \ifcase\xepersian@tempb\relax
4159     \@nonlatinfalse
4160   \or
4161     \@nonlatintrue
4162   \fi}
4163
4164 \define@choicekey{xepersian.sty}{rldocument}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4165   \ifcase\xepersian@tempb\relax
4166     \@RTLtrue

```



```

4167   \or
4168     \@RTLfalse
4169   \fi}
4170 \define@choicekey{xepersian.sty}{footnoterule}[\xepersian@tempa\xepersian@tempb]{automatic,le
4171   \ifcase\xepersian@tempb\relax
4172     \autofootnoterule
4173   \or
4174     \leftfootnoterule
4175   \or
4176     \rightfootnoterule
4177   \or
4178     \SplitFootnoteRule
4179   \or
4180     \textwidthfootnoterule
4181   \fi}
4182 \define@choicekey{xepersian.sty}{footnotedirection}[\xepersian@tempa\xepersian@tempb]{rightt
4183   \ifcase\xepersian@tempb\relax
4184     \@RTL@footnotetru
4185   \or
4186     \@RTL@footnotefalse
4187   \fi}
4188 \define@choicekey{xepersian.sty}{debugfootnotedirection}[\xepersian@tempa\xepersian@tempb]{on,
4189   \ifcase\xepersian@tempb\relax
4190     \footdir@debugtrue
4191   \or
4192     \footdir@debugfalse
4193   \fi}
4194 \define@choicekey{xepersian.sty}{Kashida}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4195   \ifcase\xepersian@tempb\relax
4196     \input{kashida-xepersian.def}
4197   \fi}
4198 \define@choicekey{xepersian.sty}{localise}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4199   \ifcase\xepersian@tempb\relax
4200     \input{localise-xepersian.def}
4201   \fi}
4202 \define@choicekey{xepersian.sty}{extrafootnotefeatures}[\xepersian@tempa\xepersian@tempb]{on,
4203   \ifcase\xepersian@tempb\relax
4204     \@extrafootnotefeaturestrue
4205   \or
4206     \@extrafootnotefeaturesfalse
4207   \fi}
4208 \define@choicekey{xepersian.sty}{quickindex}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4209   \ifcase\xepersian@tempb\relax
4210     \PackageWarning{xepersian}{Obsolete option}%
4211     \ifwriteviii%
4212       \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with t
4213       \renewcommand{\printindex}{\newpage%
4214       \immediate\closeout\cindexfile
4215       \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobname
4216       \input{\jobname.ind}}}%
4217     \else
4218       \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to run
4219     \fi
4220   \fi}

```



```

4221 \define@choicekey{xepersian.sty}{quickindex-variant1}[\xepersian@tempa\xepersian@tempb]{on,of}
4222   \ifcase\xepersian@tempb\relax
4223     \ifwritexviii%
4224       \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with t}
4225         \renewcommand{\printindex}{\newpage%
4226           \immediate\closeout\@indexfile
4227           \immediate\write18{xindy -L persian-variant1 -C utf8 -M texindy -M page-ranges \jobna
4228             \@input@{\jobname.ind}}}\%
4229       \else
4230         \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to ru
4231         \fi
4232     \fi}
4233 \define@choicekey{xepersian.sty}{quickindex-variant2}[\xepersian@tempa\xepersian@tempb]{on,of}
4234   \ifcase\xepersian@tempb\relax
4235     \ifwritexviii%
4236       \@ifclassloaded{memoir}{\PackageError{xepersian}{This feature does not yet work with t}
4237         \renewcommand{\printindex}{\newpage%
4238           \immediate\closeout\@indexfile
4239           \immediate\write18{xindy -L persian-variant2 -C utf8 -M texindy -M page-ranges \jobna
4240             \@input@{\jobname.ind}}}\%
4241       \else
4242         \PackageError{xepersian}{"shell escape" (or "write18") is not enabled. You need to ru
4243         \fi
4244     \fi}
4245 \define@choicekey{xepersian.sty}{abjadvariant}[\xepersian@tempa\xepersian@tempb]{one,two}{%
4246   \ifcase\xepersian@tempb\relax
4247     \def\PersianAlphs{%
4248       \let\@alph\@abjad%
4249       \let\@Alpha\@abjad%
4250     }
4251   \or
4252     \def\PersianAlphs{%
4253       \let\@alph\@Abjad%
4254       \let\@Alpha\@Abjad%
4255     }
4256   \fi}
4257 \DeclareOptionX{defaultlatinfontfeatures}{%
4258   \defaultfontfeatures
4259   [\latinfont]
4260   {#1}
4261 }
4262
4263 \DeclareOptionX{mathfontsizescale}{%
4264   \def\xepersian@@math@fontsize@scale{#1}%
4265 }
4266
4267 \DeclareOptionX{fontsizescale}{%
4268   \def\xepersian@@fontsize@scale{#1}%
4269 }
4270
4271 \DeclareOptionX{fontsize}{%
4272   \xepersian@@fontsize@branch{#1}%
4273 }
4274

```



```

4275 \DeclareOptionX{latinfontsizescale}{%
4276   \def\xepersian@@latin@fontsize@scale{\#1}%
4277 }
4278
4279 \DeclareOptionX{baselineskipscale}{%
4280   \def\xepersian@@baselineskip@scale{\#1}%
4281 }
4282
4283 \DeclareOptionX{latinbaselineskipscale}{%
4284   \def\xepersian@@latin@baselineskip@scale{\#1}%
4285 }
4286
4287 \define@choicekey{xepersian.sty}{logo}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4288   \ifcase\xepersian@tempb\relax
4289     \AtBeginDocument{\@bidi@inslogo@}%
4290   \or
4291     \let\@bidi@logo@{\empty} \let\@bidi@inslogo@{\empty}
4292   \fi}
4293
4294 \define@choicekey{xepersian.sty}{pdfinfo}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4295   \ifcase\xepersian@tempb\relax
4296     \@bidi@pdfm@marktrue
4297   \or
4298     \@bidi@pdfm@markfalse
4299   \fi}
4300
4301 \define@choicekey{xepersian.sty}{computeautoilg}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4302   \ifcase\xepersian@tempb\relax
4303     \@xepersian@@computeautoilgtrue
4304   \or
4305     \@xepersian@@computeautoilgfalse
4306   \fi}
4307
4308 \define@choicekey{xepersian.sty}{DetectColumn}[\xepersian@tempa\xepersian@tempb]{on,off}[on]{%
4309   \ifcase\xepersian@tempb\relax
4310     \def\bidi@firstcolumn@status@write{%
4311       \protected@write\@auxout{}{%
4312         {\string\bidi@column@status
4313           {1}}}}%
4314     \def\bidi@lastcolumn@status@write{%
4315       \protected@write\@auxout{}{%
4316         {\string\bidi@column@status{2}}}}%
4317   \or
4318     \let\bidi@firstcolumn@status@write\relax
4319     \let\bidi@lastcolumn@status@write\relax
4320   \fi}
4321
4322
4323 \define@choicekey{xepersian.sty}{debugtextdigitfont}[\xepersian@tempa\xepersian@tempb]{on,off}{%
4324   \ifcase\xepersian@tempb\relax
4325     \bidi@AtEndPreamble{%
4326       \bidi@patchcmd{\xepersian@start@switch@textdigitfont}{%
4327         {\xepersian@textdigitfont}{\addfontfeature{Color=C71585}}}{}}%
4328 }

```



```

4329   \or
4330     \relax
4331   \fi}
4332
4333 \define@choicekey{xepersian.sty}{perpagefootnote}[\xepersian@tempa\xepersian@tempb]{on,off}[
4334   \ifcase\xepersian@tempb\relax
4335     @bidi@perpage@footnotetru
4336   \or
4337     @bidi@perpage@footnotefalse
4338   \fi}
4339
4340 \ExecuteOptionsX{%
4341   documentdirection=righttoleft,
4342   tabledirection=righttoleft,
4343   script=nonlatin,
4344   footnotedirection=righttoleft,
4345   footnoterule=automatic,
4346   abjadvariant=two,
4347   DetectColumn=off,
4348   fontsizescale=\@ne,
4349   latinfontsizescale=\@ne,
4350   mathfontsizescale=\@ne,
4351   baselineskipscale=\@ne,
4352   latinbaselineskipscale=\@ne
4353 }
4354
4355 \ProcessOptionsX
4356
4357 \if@extrafootnotefeatures
4358   \input{extrafootnotefeatures-xetex-bidi.def}%
4359   \input{extrafootnotefeatures-xepersian.def}%
4360 \fi
4361
4362 \bidi@patchcmd{\set@fontsize}{\@tempdimb#2pt}{%
4363   \tempdimb\xepersian@@fontsize@scale\dimexpr#2pt\relax
4364 }{}{%
4365
4366 \bidi@patchcmd{\set@fontsize}{\@tempskipa#3pt}{%
4367   \tempskipa\xepersian@@baselineskip@scale\dimexpr#3pt\relax
4368 }{}{%
4369
4370
4371 \newcommand*{\xepersian@@update@math@fontsize}[1]{%
4372   \strip@pt\dimexpr\xepersian@@math@fontsize@scale
4373   \dimexpr 1pt * \dimexpr #1 pt\relax /
4374   \dimexpr \xepersian@@fontsize@scale pt\relax
4375   \relax\relax
4376 }
4377
4378 \bidi@patchcmd{\getanddefine@fonts}{%
4379   \xdef\font@name{\csname \string#2/\tf@size\endcsname}%
4380 }{}{%
4381   \xdef\font@name{\csname \string#2/\xepersian@@update@math@fontsize\tf@size\endcsname}%
4382 }{}{%

```



```

4383 \bidi@patchcmd{\getanddefine@fonts}{%
4384   \xdef\font@name{\csname \string#2/\sf@size\endcsname}%
4385 }{%
4386 }{%
4387   \xdef\font@name{\csname \string#2/\xepersian@update@math@fontsize\sf@size\endcsname}%
4388 }{%
4389 }{%
4390 \bidi@patchcmd{\getanddefine@fonts}{%
4391   \xdef\font@name{\csname \string#2/\ssf@size\endcsname}%
4392 }{%
4393   \xdef\font@name{\csname \string#2/\xepersian@update@math@fontsize\ssf@size\endcsname}%
4394 }{%
4395 }{%
4396 }{%
4397 \if@xepersian@@computeautoilg
4398 \bidi@patchcmd{\set@fontsize}{%
4399 \baselineskip\f@baselineskip\relax
4400 }{%
4401 \baselineskip\f@baselineskip\relax
4402 \xepersian@computeautoilg
4403 \ifdim\xepersian@strutilg>\baselineskip
4404   \PackageInfo{xepersian}{character with height+depth greater than current baselineskip found}
4405   \PackageInfo{xepersian}{baselineskip changed to that height+depth!}%
4406 \baselineskip\xepersian@strutilg
4407 \ifdim\footnotesep=.7\baselineskip
4408 \else
4409   \footnotesep.7\baselineskip
4410 \fi
4411 \fi
4412 }{%
4413 \fi
4414 }{%
4415 \setlatintextfont[Path,BoldFont={lmroman10-bold},BoldItalicFont={lmroman10-bolditalic},ItalicFont={lmroman10-italic},ScriptFont={lmroman10-script},Scriptsize=10pt]{PersianAlphs}
4416 }{%

```

62 File xepersian-magazine.cls

```

4417 \NeedsTeXFormat{LaTeX2e}
4418 \ProvidesClass{xepersian-magazine}[2010/07/25 v0.2 Typesetting Persian magazines in XeLaTeX]
4419 \RequirePackage{ifthen}
4420 \newlength{\xepersian@imgsize}
4421 \newlength{\xepersian@coltitsize}
4422 \newlength{\xepersian@pageneed}
4423 \newlength{\xepersian@pageleft}
4424 \newlength{\xepersian@indexwidth}
4425 \newcommand{\xepersian@ncolumns}{0}
4426 \newlength{\columnlines}
4427 \setlength{\columnlines}{0 pt} % no lines by default
4428 \newboolean{xepersian@hyphenatedtitles}
4429 \setboolean{xepersian@hyphenatedtitles}{true}
4430 \newboolean{xepersian@ninepoints}
4431 \setboolean{xepersian@ninepoints}{false}
4432 \newboolean{xepersian@showgrid}
4433 \setboolean{xepersian@showgrid}{false}

```



```

4434 \newboolean{xepersian@a3paper}
4435 \setboolean{xepersian@a3paper}{false}
4436 \newboolean{xepersian@insidefrontpage}
4437 \setboolean{xepersian@insidefrontpage}{false}
4438 \newboolean{xepersian@insideweather}
4439 \setboolean{xepersian@insideweather}{false}
4440 \newboolean{xepersian@insideindex}
4441 \setboolean{xepersian@insideindex}{false}
4442 \newcount\xepersian@gridrows
4443 \newcount\xepersian@gridcolumns
4444 \xepersian@gridrows=40
4445 \xepersian@gridcolumns=50
4446 \newcount\minraggedcols
4447 \minraggedcols=5
4448 \DeclareOption{10pt}{\PassOptionsToClass{10pt}{article}}
4449 \DeclareOption{11pt}{\PassOptionsToClass{11pt}{article}}
4450 \DeclareOption{12pt}{\PassOptionsToClass{12pt}{article}}
4451 \DeclareOption{twocolumn}%
4452 {\ClassWarning{xepersian-magazine}{Option 'twocolumn' not available for xepersian-magazine.}}
4453 \DeclareOption{notitlepage}%
4454 {\ClassWarning{xepersian-magazine}{Option 'notitlepage' not available for xepersian-magazine.}}
4455 \DeclareOption{twoside}%
4456 {\ClassWarning{xepersian-magazine}{Option 'twoside' not available for xepersian-magazine.}}
4457 \DeclareOption{9pt}{\setboolean{xepersian@ninepoints}{true}}
4458 \DeclareOption{hyphenatedtitles}{\setboolean{xepersian@hyphenatedtitles}{false}}
4459 \DeclareOption{columnlines}{\setlength{\columnlines}{0.1 pt}}
4460 \DeclareOption{showgrid}{\setboolean{xepersian@showgrid}{true}}
4461 \DeclareOption{a3paper}{\setboolean{xepersian@a3paper}{true}}
4462 \ProcessOptions\relax
4463 \LoadClass[10pt, onecolumn, titlepage, a4paper]{article}
4464 \RequirePackage{ifxetex}
4465 \RequirePackage{multido}
4466 \RequirePackage{datetime}
4467 \RequirePackage{multicol}
4468 \RequirePackage{fancyhdr}
4469 \RequirePackage{fancybox}
4470 \ifthenelse{\boolean{xepersian@a3paper}}{%
4471 \RequirePackage[a3paper, headsep=0.5cm, vmargin={2cm, 2cm}, hmargin={1.5cm, 1.5cm}]{geometry}}
4472 }%
4473 \RequirePackage [headsep=0.5cm, vmargin={2cm, 2cm}, hmargin={1.5cm, 1.5cm}]{geometry}
4474 }
4475 \RequirePackage[absolute]{textpos} % absoulte positioning
4476 \RequirePackage{hyphenat} % when hyphenate
4477 \RequirePackage{lastpage} % to know the last page number
4478 \RequirePackage{setspace} % set space between lines
4479 \RequirePackage{ragged2e}
4480 \newcommand{\raggedFormat}{\RaggedLeft}
4481 \AtEndOfClass{\xepersianInit}
4482 \ifthenelse{\boolean{xepersian@showgrid}}{%
4483 \AtBeginDocument{%
4484 \grid[show]{\xepersian@gridrows}{\xepersian@gridcolumns}}}
4485 \advance\minraggedcols by -1
4486 }%
4487 \AtBeginDocument{%

```



```

4488 \grid[]{\xepersian@gridrows}{\xepersian@gridcolumns}}
4489 \advance\minraggedcols by -1
4490 }
4491 \ifthenelse{\boolean{xepersian@ninepoints}}{
4492 \renewcommand{\normalsize}{%
4493   \@setfontsize{\normalsize}{9pt}{10pt}%
4494   \setlength{\abovedisplayskip}{5pt plus 1pt minus .5pt}%
4495   \setlength{\belowdisplayskip}{\abovedisplayskip}%
4496   \setlength{\abovedisplayshortskip}{3pt plus 1pt minus 2pt}%
4497   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
4498 }
4499 \renewcommand{\tiny}{\@setfontsize{\tiny}{5pt}{6pt}}
4500
4501 \renewcommand{\scriptsize}{\@setfontsize{\scriptsize}{7pt}{8pt}}
4502
4503 \renewcommand{\small}{%
4504   \@setfontsize{\small}{8pt}{9pt}%
4505   \setlength{\abovedisplayskip}{4pt plus 1pt minus 1pt}%
4506   \setlength{\belowdisplayskip}{\abovedisplayskip}%
4507   \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
4508   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
4509 }
4510 \renewcommand{\footnotesize}{%
4511   \@setfontsize{\footnotesize}{8pt}{9pt}%
4512   \setlength{\abovedisplayskip}{4pt plus 1pt minus .5pt}%
4513   \setlength{\belowdisplayskip}{\abovedisplayskip}%
4514   \setlength{\abovedisplayshortskip}{2pt plus 1pt}%
4515   \setlength{\belowdisplayshortskip}{\abovedisplayshortskip}%
4516 }
4517 \renewcommand{\large}{\@setfontsize{\large}{11pt}{13pt}}
4518 \renewcommand{\Large}{\@setfontsize{\Large}{14pt}{18pt}}
4519 \renewcommand{\LARGE}{\@setfontsize{\LARGE}{18pt}{20pt}}
4520 \renewcommand{\huge}{\@setfontsize{\huge}{20pt}{25pt}}
4521 \renewcommand{\Huge}{\@setfontsize{\Huge}{25pt}{30pt}}
4522 }{%
4523 \def\customwwwTxt#1{\gdef\@customwwwTxt{\lr{#1}}}
4524 \newcommand{\xepersian@wwwFormat}{\sffamily}
4525 \newcommand{\xepersian@www}{%
4526 \raisebox{-3pt}{\{\xepersian@wwwFormat\@customwwwTxt\}}%
4527 }
4528 \newcommand{\xepersian@edition}{%
4529 \newcommand{\editionFormat}{\large\bfseries\texttt}
4530 \newcommand{\xepersian@editionLogo}{%
4531 \raisebox{-3pt}{\%%
4532 {\editionFormat\xepersian@edition}\%%
4533 }\%
4534 }%
4535 \newcommand{\indexFormat}{\large\bfseries}
4536 \newcommand{\xepersian@indexFrameTitle}[1]{%
4537 {\begin{flushright}{\{\indexFormat #1\}}\end{flushright}}%
4538 }
4539 \newcommand{\indexEntryFormat}{\normalsize}
4540 \newcommand{\xepersian@indexEntry}[1]{\begin{minipage}{13\TPHorizModule}%
4541 {\indexEntryFormat\noindent\ignorespaces{#1}}\%

```



```

4542 \end{minipage}}
4543 \newcommand{\indexEntrySeparator}{\rule{\xepersian@indexwidth}{.1pt}}
4544 \newcommand{\indexEntryPageTxt}{ }
4545 \newcommand{\indexEntryPageFormat}{\footnotesize}
4546 \newcommand{\xepersian@indexEntryPage}[1]{%
4547 {\indexEntryPageFormat{\indexEntryPageTxt{}~#1}}%
4548 }
4549 \newcommand{\headDateTimeFormat}{}
4550 \newcommand{\xepersian@headDateTime}{%
4551 \headDateTimeFormat\date\hspace{5pt}\$parallel\$hspace{5pt}%
4552 \currenttime %
4553 }
4554 \newcommand{\weatherFormat}{\bfseries}
4555 \newcommand{\xepersian@weather}[1]{%
4556 \noindent{\weatherFormat #1}}%
4557 }
4558 \newcommand{\weatherTempFormat}{\small}
4559 \newcommand{\weatherUnits}{\textdegree{}C}
4560 \newcommand{\xepersian@section}[0]{%
4561 \newcommand{\xepersian@headleft}{%
4562 {\small\bfseries @custommagazinename} \date
4563 }
4564 \newcommand{\xepersian@headcenter}{%
4565 \xepersian@section{}%
4566 }
4567 \newcommand{\xepersian@headright}{%
4568 \small\xepersian@edition%
4569 \hspace*{5pt}\beginL\thepage\ / \pageref{LastPage}\endL
4570 }
4571
4572 \newcommand{\heading}[3]{%
4573 \renewcommand{\xepersian@headleft}{\beginR#1\endR}%
4574 \renewcommand{\xepersian@headcenter}{\beginR#2\endR}%
4575 \renewcommand{\xepersian@headright}{\beginR#3\endR}%
4576 }
4577 \newcommand{\xepersian@footright}{%
4578 {\footnotesize\lrf{\copyright\ @customwwwTxt{}-- -- \lrf{\XePersian}}}%
4579 }
4580 \newcommand{\xepersian@footcenter}{%
4581 }
4582 \newcommand{\xepersian@footleft}{%
4583 }
4584
4585 \newcommand{\foot}[3]{%
4586 \renewcommand{\xepersian@footleft}{\beginR#1\endR}%
4587 \renewcommand{\xepersian@footcenter}{\beginR#2\endR}%
4588 \renewcommand{\xepersian@footright}{\beginR#3\endR}%
4589 }
4590 \newcommand{\firstTitleFormat}{\Huge\bfseries\flushright}
4591 \newcommand{\xepersian@firstTitle}[1]{%
4592 {%
4593 \begin{spacing}{2.0}{%
4594 \noindent\ignorespaces
4595 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%

```



```

4596 {\nohyphens{\firstTitleFormat #1}}%
4597 { {\firstTitleFormat #1}}%
4598 }%
4599 \end{spacing}%
4600 }%
4601 }%
4602 \newcommand{\firstTextFormat}{}%
4603 \newcommand{\xepersian@firstText}[1]{%
4604 {\noindent\ignorespaces\firstTextFormat #1}}%
4605 }%
4606 \newcommand{\secondTitleFormat}{\LARGE\bfseries}%
4607 \newcommand{\xepersian@secondTitle}[1]{%
4608 \begin{spacing}{1.5}{%
4609 \noindent\ignorespaces\flushright
4610 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4611 {\nohyphens{\secondTitleFormat #1}}%
4612 {\secondTitleFormat #1}}%
4613 } \end{spacing}%
4614 }%
4615 \newcommand{\secondSubtitleFormat}{\large}%
4616 \newcommand{\xepersian@secondSubtitle}[1]{%
4617 {\noindent\ignorespaces{\secondSubtitleFormat #1}}%
4618 }%
4619 \newcommand{\secondTextFormat}{}%
4620 \newcommand{\xepersian@secondText}[1]{%
4621 \begin{multicols}{2}%
4622 {\noindent\ignorespaces\secondTextFormat #1}%
4623 \end{multicols}%
4624 }%
4625 \newcommand{\thirdTitleFormat}{\Large\bfseries}%
4626 \newcommand{\xepersian@thirdTitle}[1]{%
4627 \begin{spacing}{1.5}{%
4628 \noindent\ignorespaces\flushright
4629 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4630 {\nohyphens{\thirdTitleFormat #1}}%
4631 {\thirdTitleFormat #1}}%
4632 } \end{spacing}%
4633 }%
4634 \newcommand{\thirdSubtitleFormat}{\large}%
4635 \newcommand{\xepersian@thirdSubtitle}[1]{%
4636 {\noindent\ignorespaces{\thirdSubtitleFormat #1}}%
4637 \newcommand{\thirdTextFormat}{}%
4638 \newcommand{\xepersian@thirdText}[1]{\{\thirdTextFormat #1\}}%
4639 \newcommand{\pictureCaptionFormat}{\small\bfseries}%
4640 \newcommand{\xepersian@pictureCaption}[1]{%
4641 {\noindent\pictureCaptionFormat #1}}%
4642 }%
4643 \newcommand{\pagesFormat}{\bfseries\footnotesize}%
4644 \newcommand{\xepersian@pages}[1]{%
4645 {\noindent{\pagesFormat\MakeUppercase{#1}}}}%
4646 \newcommand{\innerTitleFormat}{\Huge}%
4647 \newcommand{\xepersian@innerTitle}[1]{%
4648 \begin{flushright}{%
4649 \noindent

```



```

4650 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}%
4651 {\nohyphens{\innerTitleFormat #1}}%
4652 {\{\innerTitleFormat #1\}}%
4653 }%
4654 \\%
4655 \end{flushright}%
4656 }%
4657 \newcommand{\innerSubtitleFormat}{\large}%
4658 \newcommand{\xepersian@innerSubtitle}[1]{{\innerSubtitleFormat #1}}%
4659 \newcommand{\timestampTxt}{}%
4660 \newcommand{\timestampSeparator}{|}%
4661 \newcommand{\timestampFormat}{\small}%
4662 \newcommand{\timestamp}[1]{%
4663 {\timestampFormat%
4664 #1\sim\timestampTxt\}}%
4665 }{\sim\timestampSeparator\}}%
4666 }%
4667 \newcommand{\innerAuthorFormat}{\footnotesize}%
4668 \newcommand{\innerPlaceFormat}{\footnotesize\bfseries}%
4669 \newcommand{\innerTextFinalMark}{\rule{0.65em}{0.65em}}%
4670 \newcommand{\editorialTitleFormat}{\LARGE\textrit}%
4671 \newcommand{\xepersian@editorialTitle}[1]{\editorialTitleFormat{#1}}%
4672 \newcommand{\editorialAuthorFormat}{\textsc}%
4673 \newcommand{\shortarticleTitleFormat}{\LARGE\bfseries}%
4674 \newcommand{\xepersian@shortarticleTitle}[1]{{\shortarticleTitleFormat #1}}%
4675 \newcommand{\shortarticleSubtitleFormat}{\Large}%
4676 \newcommand{\xepersian@shortarticleSubtitle}[1]{{\shortarticleSubtitleFormat #1}}%
4677 \newcommand{\shortarticleItemFormat}{\large\bfseries}%
4678 \newcommand{\xepersian@shortarticleItemTitle}[1]{{\shortarticleItemFormat #1}}%
4679 \renewcommand{\maketitle}{\begin{titlepage}%
4680   \let\footnotesize\small
4681   \let\footnoterule\relax
4682   \let \footnote \thanks
4683   \null\vfil
4684   \vskip 60\p@
4685   \begin{center}%
4686     {\LARGE \@title \par}%
4687     \vskip 1em%
4688     {\LARGE «\xepersian@edition» \par}%
4689     \vskip 3em%
4690     {\large
4691       \lineskip .75em%
4692       \begin{tabular}[t]{c}%
4693         \author
4694       \end{tabular}\par}%
4695     \vskip 1.5em%
4696     {\large \@date \par}%
4697   \end{center}\par
4698   \@thanks
4699   \vfil\null
4700   \end{titlepage}%
4701   \setcounter{footnote}{0}%
4702   \global\let\thanks\relax
4703   \global\let\maketitle\relax

```



```

4704 \global\let\@thanks\@empty
4705 \global\let\@author\@empty
4706 \global\let\@date\@empty
4707 \global\let\@title\@empty
4708 \global\let\title\relax
4709 \global\let\author\relax
4710 \global\let\date\relax
4711 \global\let\and\relax
4712 }
4713 \newcommand{\xepersian@say}[1]{\typeout{#1}}
4714 \newsavebox{\xepersian@fmbox}
4715 \newenvironment{xepersian@fmpage}[1]
4716 {\begin{lrbox}{\xepersian@fmbox}\begin{minipage}{#1}}
4717 {\end{minipage}\end{lrbox}\fbox{\usebox{\xepersian@fmbox}}}
4718 \newcommand{\image}[2]{
4719 \vspace{5pt}
4720 \setlength{\fboxsep}{1pt}
4721 \addtolength{\xepersian@imgsize}{\columnwidth}
4722 \addtolength{\xepersian@imgsize}{-1\columnsep}
4723 \ifxetex
4724 \setlength{\xepersian@pageneed}{1.5\xepersian@imgsize}
4725 \addtolength{\xepersian@pageneed}{50pt}
4726 \ClassWarning{xepersian-magazine}{%
4727 Image #1 needs: \the\xepersian@pageneed \space %
4728 and there is left: \the\page@free\space%
4729 }
4730 \ifdim \xepersian@pageneed < \page@free
4731
4732 {\centering\fbox{%
4733 \includegraphics[width = \xepersian@imgsize,
4734 height = \xepersian@imgsize,
4735 keepaspectratio ]{#1}}
4736 \xepersian@pictureCaption{#2}
4737
4738 \vspace{5pt}
4739 \else
4740 \ClassWarning{Image #1 needs more space!}%
4741 It was not inserted!
4742 \fi
4743 \fi
4744 }
4745 \textblockorigin{1cm}{1cm}
4746 \newdimen\xepersian@dx
4747 \newdimen\xepersian@dy
4748 \newcount\xepersian@cx
4749 \newcount\xepersian@cy
4750 \newcommand{\grid}[3][]{%
4751 \xepersian@dx=\textwidth%
4752 \xepersian@dy=\textheight%
4753 \xepersian@cx=#3% %columns
4754 \xepersian@cy=#2% %rows
4755
4756 \count1=#3%
4757 \advance\count1 by 1

```



```

4758
4759 \count2=#2%
4760 \advance\count2 by 1
4761
4762 \divide\xepersian@dx by #3
4763 \divide\xepersian@dy by #2
4764
4765 \setlength{\TPHorizModule}{\xepersian@dx}
4766 \setlength{\TPVertModule}{\xepersian@dy}
4767
4768 \ifthenelse{\equal{#1}{show}}{
4769 \multido{\xepersian@nrow=0+1}{\count2} {
4770 \begin{textblock}{\xepersian@cx}(0,\xepersian@nrow)
4771 \rule[0pt]{\textwidth}{.1pt}
4772 \end{textblock}
4773 }
4774
4775 \multido{\xepersian@ncol=0+1}{\count1} {
4776 \begin{textblock}{\xepersian@cy}(\xepersian@ncol,0)
4777 \rule[0pt]{.1pt}{\textheight}
4778 \end{textblock}
4779 }
4780 }{ }
4781 }
4782 \newcommand{\xepersianInit}{%
4783 \setlength{\headheight}{14pt}
4784 \renewcommand{\headrulewidth}{0.4pt}
4785
4786 \pagestyle{fancy}
4787
4788 \setlength{\columnseprule}{\columnlines}
4789 \setlength{\fboxrule}{0.1 pt}
4790
4791 }
4792
4793 \def\customlogo#1{\gdef\@customlogo{\beginR#1\endR}}
4794 \def\customminilogos#1{\gdef\@customminilogos{\beginR#1\endR}}
4795 \def\custommagazinename#1{\gdef\@custommagazinename{\beginR#1\endR}}
4796 \newcommand{\vlogo}[0]{
4797 %% Heading %%
4798 \noindent\hrulefill\hspace{10pt}\xepersian@editionLogo\hspace{5pt}\xepersian@www
4799
4800 \vspace*{-3pt}
4801
4802 {\Large\bfseries \@customlogo}
4803 \hrulefill
4804 \hspace{10pt}\xepersian@headDateTime
4805
4806 }
4807 \newcommand{\minilogos}[0]{
4808 {\large\bfseries \@customminilogos}
4809
4810 \vspace*{5pt}
4811 }

```



```

4812 \newcommand{\mylogo}[1]{
4813 {\beginR#1\endR}
4814
4815 \noindent
4816 \xepersian@editionLogo\hspace{5pt}
4817 \hrulefill
4818 \hspace{5pt}\xepersian@headDateTime
4819 }
4820 \newcommand{\edition}[1]{\renewcommand{\xepersian@edition}{#1}}
4821 \newenvironment{frontpage}[0]
4822 {
4823 \setboolean{xepersian@insidefrontpage}{true}
4824 \thispagestyle{empty}
4825 \logo
4826
4827 }%
4828 {
4829 \thispagestyle{empty}
4830 \clearpage
4831 \newpage
4832 \fancyhead{}
4833 \fancyfoot{}
4834 \fancyhead[R0,LE]{\beginR\xepersian@headright\endR}
4835 \fancyhead[L0,RE]{\beginR\xepersian@headleft\endR}
4836     \fancyhead[C]{\beginR\xepersian@headcenter\endR}
4837     \fancyfoot[R0,LE]{\beginR\xepersian@footright\endR}
4838     \fancyfoot[L0,RE]{\beginR\xepersian@footleft\endR}
4839 \fancyfoot[C]{\beginR\xepersian@footcenter\endR}
4840 \renewcommand{\headrulewidth}{0.4pt}
4841 \setboolean{xepersian@insidefrontpage}{false}
4842
4843 }
4844 \newcommand{\firstarticle}[3]
4845 {
4846 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4847 \ifthenelse{\boolean{xepersian@hyphenatedtitles}}{%
4848 \begin{textblock}{24}(22,5)
4849 }
4850 {
4851 \begin{textblock}{28}(22,5)
4852 }
4853 \vspace{-7pt}
4854 \xepersian@firstTitle{#1}
4855 \end{textblock}
4856 \begin{textblock}{29}(22,10)
4857 \vspace{5pt plus 2pt minus 2pt}
4858
4859 \xepersian@firstText{\timestamp{#3}~#2}
4860
4861 \end{textblock}
4862
4863 \begin{textblock}{50}(0,15)
4864 \rule{50\TPHorizModule}{.3pt}
4865 \end{textblock}

```



```

4866 }{%
4867 \ClassError{xepersian-magazine}{%
4868 \protect\firstarticle\space in a wrong place.\MessageBreak
4869 \protect\firstarticle\space may only appear inside frontpage environment.
4870 }{%
4871 \protect\firstarticle\space may only appear inside frontpage environment.
4872 }{%
4873 }
4874 }
4875 \newcommand{\secondarticle}[5]
4876 {
4877 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4878 \begin{textblock}{33}(2,16)
4879 \xepersian@pages{#4}
4880 \vspace{-5pt}
4881 \xepersian@secondTitle{#1}
4882
4883 \vspace*{5pt}
4884
4885 \xepersian@secondSubtitle{#2}
4886
4887 \vspace*{-7pt}
4888
4889 \xepersian@secondText{\timestamp{#5}~#3}
4890
4891 \end{textblock}
4892
4893 \begin{textblock}{33}(2,25)
4894 \vspace{5pt plus 2pt minus 2pt}
4895
4896 \noindent\ignorespaces\rule{33\TPHorizModule}{.3pt}
4897 \end{textblock}
4898 }{%
4899 \ClassError{xepersian-magazine}{%
4900 \protect\secondarticle\space in a wrong place.\MessageBreak
4901 \protect\secondarticle\space may only appear inside frontpage environment.
4902 }{%
4903 \protect\secondarticle\space may only appear inside frontpage environment.
4904 }{%
4905 }
4906 }
4907 \newcommand{\thirdarticle}[6]
4908 {
4909 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4910 \begin{textblock}{32}(2,26)
4911 \xepersian@pages{#5}
4912 \vspace{-5pt}
4913 \setlength{\fboxsep}{1pt}
4914 \xepersian@thirdTitle{#1}
4915
4916 \vspace*{5pt}
4917
4918 \xepersian@thirdSubtitle{#2}
4919

```



```

4920 \vspace*{5pt}
4921
4922 {\noindent\ignorespaces %
4923 \ifthenelse{\equal{#4}{}}{}{%
4924
4925 \xepersian@thirdText{\timestamp{#6}~#3}
4926
4927 }
4928
4929 \vspace*{5pt}
4930
4931 \end{textblock}
4932 }{\%else
4933 \ClassError{xepersian-magazine}{%
4934 \protect\thirdarticle\space in a wrong place.\MessageBreak
4935 \protect\thirdarticle\space may only appear inside frontpage environment.
4936 }{\%
4937 \protect\thirdarticle\space may only appear inside frontpage environment.
4938 }{\%
4939 }
4940 }
4941 \newcommand{\firstimage}[2]
4942 {
4943 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4944 \begin{textblock}{18}(2,5)
4945 \setlength{\fboxsep}{1pt}
4946 \ifxetex % only in PDF
4947 \noindent\fbox{\includegraphics[width = 18\TPHorizModule ]{#1}}
4948 \fi
4949
4950 \xepersian@pictureCaption{#2}
4951 \end{textblock}%
4952 }
4953 {\ClassError{xepersian-magazine}{%
4954 \protect\firstimage\space in a wrong place.\MessageBreak
4955 \protect\firstimage\space may only appear inside frontpage environment.
4956 }{\%
4957 \protect\firstimage\space may only appear inside frontpage environment.
4958 }{\%
4959 }{\%
4960 \newcommand{\weatheritem}[5]{%
4961 \ifthenelse{\boolean{xepersian@insideweather}}{%
4962 \begin{minipage}{45pt}
4963 \ifxetex
4964 \includegraphics[width=40pt]{#1}
4965 \fi
4966 \end{minipage}
4967 \begin{minipage}{50pt}
4968 \weatherTempFormat
4969 #2\\
4970 \begin{L#3 $| $ #4 \lr{\weatherUnits{}}\endL \\
4971 #5
4972 \end{minipage}
4973 }{\%else

```



```

4974 \ClassError{xepersian-magazine}{%
4975 \protect\weatheritem\space in a wrong place.\MessageBreak
4976 \protect\weatheritem\space may only appear inside weatherblock environment.
4977 }{%
4978 \protect\weatheritem\space may only appear inside weatherblock environment.\MessageBreak
4979 weatherblock environment may only appear inside frontpage environment.
4980 }{%
4981 }
4982 }
4983 \newenvironment{weatherblock}[1]
4984 {
4985 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
4986 \setboolean{xepersian@insideweather}{true}
4987 \begin{textblock}{32}(2,38)
4988 \vspace*{-15pt}
4989
4990 \xepersian@weather{\beginR#1\endR}
4991
4992 \vspace*{5pt}
4993
4994 \noindent\begin{xepersian@fmpage}{32\TPHorizModule}
4995 \begin{minipage}{32\TPHorizModule}
4996 \hspace{5pt}
4997 }{%
4998 }{%
4999 \ClassError{xepersian-magazine}{%
5000 weatherblock in a wrong place.\MessageBreak
5001 weatherblock may only appear inside frontpage environment.
5002 }{%
5003 weatherblock may only appear inside frontpage environment.
5004 }
5005 }
5006 }{%
5007 {
5008 \end{minipage}
5009 \end{xepersian@fmpage}
5010 \end{textblock}
5011 \setboolean{xepersian@insideweather}{false}
5012 }
5013 \newenvironment{authorblock}[0]
5014 {
5015 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
5016 \begin{textblock}{15}(36,35)
5017 \setlength{\fboxsep}{5pt}
5018 \begin{xepersian@fmpage}{13\TPHorizModule}
5019 \begin{minipage}{13\TPHorizModule}
5020 \centering
5021 \minilogo
5022 }{%
5023 }{%
5024 \ClassError{xepersian-magazine}{%
5025 authorblock in a wrong place.\MessageBreak
5026 authorblock may only appear inside frontpage environment.
5027 }{%

```



```

5028 authorblock may only appear inside frontpage environment.
5029 }
5030 }
5031 }
5032 {
5033 \end{minipage}
5034 \end{xepersian@fmpage}
5035 \end{textblock}
5036 }
5037 \newenvironment{indexblock}[1]
5038 {
5039 \ifthenelse{\boolean{xepersian@insidefrontpage}}{%
5040 \setboolean{xepersian@insideindex}{true}}%let's in
5041 \begin{textblock}{15}(36,16)
5042 \setlength{\xepersian@indexwidth}{13\TPHorizModule}
5043 \xepersian@indexFrameTitle{#1}
5044
5045 \setlength{\fboxsep}{5pt} %espacio entre el frame y la imagen
5046 \begin{xepersian@fmpage}{\xepersian@indexwidth}
5047 \begin{minipage}{\xepersian@indexwidth}
5048 \vspace*{10pt}
5049 }%else
5050 \ClassError{xepersian-magazine}{%
5051 indexblock in a wrong place.\MessageBreak
5052 indexblock may only appear inside frontpage environment.
5053 }%
5054 indexblock may only appear inside frontpage environment.
5055 }
5056 }
5057 }%
5058 {
5059 \end{minipage}
5060 \end{xepersian@fmpage}
5061 \end{textblock}
5062 \setboolean{xepersian@insideindex}{false}}%let's out
5063 }
5064 \newcommand{\indexitem}[2]
5065 {
5066 \ifthenelse{\boolean{xepersian@insideindex}}{%
5067 \xepersian@indexEntry{#1} \xepersian@indexEntryPage{\pageref{#2}}}
5068
5069 \vspace{0.5cm}
5070
5071 \noindent\ignorespaces\indexEntrySeparator{}
5072 }%else
5073 \ClassError{xepersian-magazine}{%
5074 \protect\indexitem\space in a wrong place.\MessageBreak
5075 \protect\indexitem\space may only appear inside indexblock environment.
5076 }%
5077 \protect\indexitem\space may only appear inside indexblock environment.\MessageBreak
5078 indexblock environment may only appear inside frontpage environment.
5079 }%
5080 }
5081 }

```



```

5082 \newcommand{\xepersian@inexpandedtitle}[1]{
5083 \begin{minipage}{.95\textwidth}
5084 \begin{center}
5085 \noindent\Large\textbf{\begin{R#1\end{R}}
5086 \end{center}
5087 \end{minipage}
5088 }
5089 \newcommand{\expandedtitle}[2]{
5090 \end{multicols}
5091
5092 \begin{center}
5093 \setlength{\fboxsep}{5pt}
5094 \setlength{\shadowsize}{2pt}
5095 \ifthenelse{\equal{\#1}{shadowbox}}{%
5096 \shadowbox{%
5097 \xepersian@inexpandedtitle{\#2}}%
5098 }%
5099 }{%
5100 \ifthenelse{\equal{\#1}{doublebox}}{%
5101 \doublebox{%
5102 \xepersian@inexpandedtitle{\#2}}%
5103 }%
5104 }{%
5105 \ifthenelse{\equal{\#1}{ovalbox}}{%
5106 \ovalbox{%
5107 \xepersian@inexpandedtitle{\#2}}%
5108 }%
5109 }{%
5110 \ifthenelse{\equal{\#1}{Ovalbox}}{%
5111 \Ovalbox{%
5112 \xepersian@inexpandedtitle{\#2}}%
5113 }%
5114 }{%
5115 \ifthenelse{\equal{\#1}{lines}}{%
5116 \hrule
5117 \vspace*{8pt}
5118 \begin{center}
5119 \noindent\Large\textbf{\#2}
5120 \end{center}
5121 \vspace*{8pt}
5122 \hrule
5123 }{%
5124 \end{center}
5125
5126 \begin{multicols}{\xepersian@ncolumns{}}
5127 \ifnum \xepersian@ncolumns > \minraggedcols
5128 \raggedFormat
5129 \fi
5130 }%
5131 \newcommand{\xepersian@incolumntitle}[2]{
5132 \begin{minipage}{\#1}
5133 \begin{center}
5134 \noindent\normalsize\textbf{\#2}
5135 \end{center}

```



```

5136 \end{minipage}
5137 }
5138
5139 \newcommand{\columntitle}[2]{
5140 \vspace*{5pt}
5141 \begin{center}
5142 \setlength{\fboxsep}{5pt}
5143 \setlength{\shadowsize}{2pt}
5144 \addtolength{\xepersian@coltitsize}{\columnwidth}
5145 \addtolength{\xepersian@coltitsize}{-1\columnsep}
5146 \addtolength{\xepersian@coltitsize}{-5pt}
5147 \addtolength{\xepersian@coltitsize}{-1\shadowsize}
5148 \ifthenelse{\equal{#1}{shadowbox}}{%
5149 \shadowbox{%
5150 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
5151 }%
5152 }{}%
5153 \ifthenelse{\equal{#1}{doublebox}}{%
5154 \doublebox{%
5155 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
5156 }%
5157 }{}%
5158 \ifthenelse{\equal{#1}{ovalbox}}{%
5159 \ovalbox{%
5160 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
5161 }%
5162 }{}%
5163 \ifthenelse{\equal{#1}{Ovalbox}}{%
5164 \Ovalbox{%
5165 \xepersian@incolumntitle{\xepersian@coltitsize}{#2}}%
5166 }%
5167 }{}%
5168 \ifthenelse{\equal{#1}{lines}}{%
5169 \hrule
5170 \vspace*{5pt}
5171 \begin{center}
5172 \noindent\normalsize\textbf{#2}
5173 \end{center}
5174 \vspace*{5pt}
5175 \hrule
5176 }{}%
5177 \end{center}
5178 }%
5179 \renewcommand{\date}{%
5180 \longdate{\today}}%
5181 }
5182 \newcommand{\authorandplace}[2]{%
5183 \rightline{%
5184 {\innerAuthorFormat #1},\space{}{\innerPlaceFormat #2}}%
5185 }%
5186 \par %
5187 }%
5188 \newcommand{\newsection}[1]{%
5189 \renewcommand{\xepersian@section}{#1}

```



```

5190 }
5191 \newenvironment{article}[5]
5192 {
5193 \xepersian@say{Adding a new piece of article}
5194 \renewcommand{\xepersian@ncolumns}{#1}
5195 \begin{multicols}{#1}[
5196 \xepersian@pages{#4}
5197 \xepersian@innerTitle{#2}%
5198 \xepersian@innerSubtitle{#3}%
5199 ] [4cm]%
5200 \label{#5}
5201 \ifnum #1 > \minraggedcols
5202 \raggedFormat
5203 \fi
5204 }
5205 {-\innerTextFinalMark{}}
5206 \end{multicols}
5207 }
5208 \newcommand{\articlesep}{%
5209 \setlength{\xepersian@pageneed}{16000pt}
5210 \setlength\xepersian@pageleft{\pagegoal}
5211 \addtolength\xepersian@pageleft{-\pagetotal}
5212
5213 \xepersian@say{How much left \the\xepersian@pageleft}
5214
5215 \ifdim \xepersian@pageneed < \xepersian@pageleft
5216 \xepersian@say{Not enough space}
5217 \else
5218 \xepersian@say{Adding sep line between articles}
5219 \vspace*{10pt plus 10pt minus 5pt}
5220 \hrule
5221 \vspace*{10pt plus 5pt minus 5pt}
5222 \fi
5223 }
5224 }
5225 \newcommand{\xepersian@editorialTit}[2]{%
5226 \setlength{\arrayrulewidth}{.1pt}
5227 \begin{center}
5228 \begin{tabular}{c}
5229 \noindent
5230 \xepersian@editorialTitle{#1}
5231 \vspace{2pt plus 1pt minus 1pt}
5232 \\
5233 \hline
5234 \vspace{2pt plus 1pt minus 1pt}
5235 \\
5236 \editorialAuthorFormat{#2}
5237 \end{tabular}
5238 \end{center}
5239 }
5240 \newenvironment{editorial}[4]
5241 {
5242 \xepersian@say{Adding a new editorial}
5243 \begin{multicols}{#1}[%
```



```

5244 \xepersian@editorialTit{#2}{#3}%
5245 ] [4cm]
5246 \label{#4}
5247 \ifnum #1 > \minraggedcols
5248 \raggedFormat
5249 \fi
5250 }
5251 {
5252 \end{multicols}
5253 }
5254 \newcommand{\xepersian@shortarticleTit}[2]{
5255 \begin{center}
5256 \vbox{%
5257 \noindent
5258 \xepersian@shortarticleTitle{#1}
5259 \vspace{4pt plus 2pt minus 2pt}
5260 \hrule
5261 \vspace{4pt plus 2pt minus 2pt}
5262 \xepersian@shortarticleSubtitle{#2}
5263 }
5264 \end{center}
5265 }
5266 \newenvironment{shortarticle}[4]
5267 {
5268 \xepersian@say{Adding a short article block}
5269 \begin{multicols}{#1}[\xepersian@shortarticleTit{#2}{#3}] [4cm] %
5270 \label{#4}
5271 \par %
5272 \ifnum #1 > \minraggedcols
5273 \raggedFormat
5274 \fi
5275 }
5276 {
5277 \end{multicols}
5278 }
5279 \newcommand{\shortarticleitem}[2]{
5280 \goodbreak
5281 \vspace{5pt plus 3pt minus 3pt}
5282 {\vbox{\noindent\xepersian@shortarticleItemTitle{#1}}}
5283 \vspace{5pt plus 3pt minus 3pt}
5284 {\noindent #2}\\
5285 }

```

63 File `xepersian-mathdigitspec.sty`

```

5286 \NeedsTeXFormat{LaTeX2e}
5287 \ProvidesPackage{xepersian-mathdigitspec}
5288 [2022/05/20 v1.2.0 Unicode Persian math digits in XeLaTeX]
5289 \def\new@mathgroup{\alloc@8\mathgroup\chardef@cclvi}
5290 \let\newfam\new@mathgroup
5291 \def\select@group#1#2#3#4{%
5292 \ifx\math@bgroup\math@bgroup\else\relax\expandafter\@firstofone\fi
5293 \%
5294 \ifmmode

```



```

5295 \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
5296   \begingroup
5297     \escapechar\m@ne
5298     \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
5299     \globaldefs\@ne \math@fonts
5300   \endgroup
5301   \init@restore@version
5302   \xdef#1{\noexpand\use@mathgroup\noexpand#2%
5303     {\number\csname c@mv@\math@version\endcsname}}%
5304   \global\advance\csname c@mv@\math@version\endcsname\@ne
5305 \else
5306   \let#1\relax
5307   \@latex@error{Too many math alphabets used in
5308                 version \math@version}%
5309   \c@eha
5310 \fi
5311 \else \expandafter\@non@alpherr\fi
5312 #1{#4}%
5313 }%
5314 }
5315 \def\document@select@group#1#2#3#4{%
5316   \ifx\math@bgroup\@group\else\relax\expandafter\@firstofone\fi
5317 {%
5318 \ifmmode
5319   \ifnum\csname c@mv@\math@version\endcsname<\@cclvi
5320     \begingroup
5321       \escapechar\m@ne
5322       \getanddefine@fonts{\csname c@mv@\math@version\endcsname}#3%
5323       \globaldefs\@ne \math@fonts
5324     \endgroup
5325     \expandafter\extract@alph@from@version
5326       \csname mv@\math@version\expandafter\endcsname
5327       \expandafter{\number\csname
5328                     c@mv@\math@version\endcsname}%
5329       #1%
5330     \global\advance\csname c@mv@\math@version\endcsname\@ne
5331   \else
5332     \let#1\relax
5333     \@latex@error{Too many math alphabets used
5334                   in version \math@version}%
5335     \c@eha
5336   \fi
5337 \else \expandafter\@non@alpherr\fi
5338 #1{#4}%
5339 }%
5340 }
5341 \ExplSyntaxOn
5342 \bool_set_false:N \g__fontspec_math_bool
5343 \tl_map_inline:nn
5344 {
5345   \new@mathgroup\cdp@list\cdp@elt\DeclareMathSizes
5346   \@DeclareMathSizes\newmathalphabet\newmathalphabet@@\newmathalphabet@@@
5347   \DeclareMathVersion\define@mathalphabet\define@mathgroup\addtoversion
5348   \version@list\version@elt\alpha@list\alpha@elt

```



```

5349 \restore@mathversion\init@restore@version\dorestore@version\process@table
5350 \new@mathversion\DeclareSymbolFont\group@list\group@elt
5351 \new@symbolfont\SetSymbolFont\SetSymbolFont@\get@cdp
5352 \DeclareMathAlphabet\new@mathalphabet\SetMathAlphabet\SetMathAlphabet@
5353 \DeclareMathAccent\set@mathaccent\DeclareMathSymbol\set@mathchar
5354 \set@mathsymbol\DeclareMathDelimiter@\xx\DeclareMathDelimiter
5355 \@DeclareMathDelimiter@\x\DeclareMathDelimiter\set@mathdelimiter
5356 \set@mathdelimiter\DeclareMathRadical\mathchar@type
5357 \DeclareSymbolFontAlphabet\DeclareSymbolFontAlphabet@
5358 }
5359 {
5360 \tl_remove_once:Nn \@preamblecmds {\do#1}
5361 }
5362 \ExplSyntaxOff
5363 \newcommand\xepersian@PackageInfo[1]{\PackageInfo{xepersian-mathdigitspec}{#1}}
5364 \newcommand\SetMathCode[4]{%
5365 \Umathcode#1=\mathchar@type#2 \csname sym#3\endcsname #4\relax}
5366 \newcommand\SetMathCharDef[4]{%
5367 \Umathchardef#1=\mathchar@type#2 \csname sym#3\endcsname #4\relax}
5368 \ExplSyntaxOn
5369 \cs_new_eq:NN \orig_mathbf:n \mathbf
5370 \cs_new_eq:NN \orig_mathit:n \mathit
5371 \cs_new_eq:NN \orig_mathrm:n \mathrm
5372 \cs_new_eq:NN \orig_mathsf:n \mathsf
5373 \cs_new_eq:NN \orig_mathtt:n \mathtt
5374 %int_const:Nn \c_one_int { 1 }
5375 \NewDocumentCommand \new@mathbf { m } {
5376 \orig_mathbf:n {
5377 \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5378 \mathcode ##1 = \numexpr "100 * \symnew@mathbf@font@digits + ##1 \relax
5379 }
5380 #1
5381 }
5382 }
5383 \NewDocumentCommand \new@mathit { m } {
5384 \orig_mathit:n {
5385 \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5386 \mathcode ##1 = \numexpr "100 * \symnew@mathit@font@digits + ##1 \relax
5387 }
5388 #1
5389 }
5390 }
5391 \NewDocumentCommand \new@mathrm { m } {
5392 \orig_mathrm:n {
5393 \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5394 \mathcode ##1 = \numexpr "100 * \symnew@mathrm@font@digits + ##1 \relax
5395 }
5396 #1
5397 }
5398 }
5399 \NewDocumentCommand \new@mathsf{ m } {
5400 \orig_mathsf:n {
5401 \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5402 \mathcode ##1 = \numexpr "100 * \symnew@mathsf@font@digits + ##1 \relax

```



```

5403 }
5404 #1
5405 }
5406 }
5407 \NewDocumentCommand \new@mathhtt{ m } {
5408   \orig_mathhtt:n {
5409     \int_step_inline:nnnn { `0 } { \c_one_int } { `9 } {
5410       \mathcode ##1 = \numexpr "100 * \symnew@mathhtt@font@digits + ##1 \relax
5411     }
5412   #1
5413 }
5414 }
5415
5416 \cs_new:Npn \__xepersian_mathdigitspec_error:nxx { \msg_error:nxxx {xepersian-mathdigit}
5417 \cs_new:Nn \__xepersian_mathdigitspec_msg_new:nnnn
5418 { \msg_new:nnxx {#1} {#2} { \tl_trim_spaces:n {#3} } { \tl_trim_spaces:n {#4} } }
5419 \char_set_catcode_space:n {32}
5420 \__xepersian_mathdigitspec_msg_new:nnnn {xepersian-mathdigitspec} {char-not-exist}
5421 {
5422   The font "#1" does not contain U+#2.
5423 }
5424 {
5425   Select another font and rerun xelatex.
5426 }
5427 \char_set_catcode_ignore:n {32}
5428
5429 %\__kernel_primitive:NN \iffontchar \tex_iffontchar:D
5430 \prg_new_conditional:Nnn \__xepersian_mathdigitspec_primitive_font_char_if_exist:n {p,TF,T,F}
5431 {
5432   \tex_iffontchar:D \l_fontsspec_font "#1 \scan_stop:
5433   \prg_return_true:
5434   \else:
5435   \prg_return_false:
5436   \fi:
5437 }
5438
5439 \clist_new:N \l_xepersian_mathdigitspec_char_clist
5440
5441 \cs_new:Nn \__xepersian_mathdigitspec_char_set_not_exist_error:nn
5442 {
5443   \clist_set:Nn \l_xepersian_mathdigitspec_char_clist { #1 }
5444   \clist_map_inline:Nn \l_xepersian_mathdigitspec_char_clist {
5445     \__xepersian_mathdigitspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathdi
5446   }
5447 }
5448
5449 \cs_new:Nn \__xepersian_mathdigitspec_char_prepend_not_exist_error:nn
5450 {
5451   \clist_put_left:Nn \l_xepersian_mathdigitspec_char_clist { #1 }
5452   \clist_map_inline:Nn \l_xepersian_mathdigitspec_char_clist {
5453     \__xepersian_mathdigitspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathdi
5454   }
5455 }
5456

```



```

5457 \cs_new:Nn \__xepersian_mathdigitspec_char_append_not_exist_error:nn
5458 {
5459     \clist_put_right:Nn \l_xepersian_mathdigitspec_char_clist { #1 }
5460     \clist_map_inline:Nn \l_xepersian_mathdigitspec_char_clist {
5461         \__xepersian_mathdigitspec_primitive_font_char_if_exist:nF { ##1 }{ \__xepersian_mathdi
5462     }
5463 }
5464
5465 \cs_new:Nn \__xepersian_mathdigitspec_char_not_exist_error:n
5466 {
5467     \__xepersian_mathdigitspec_char_set_not_exist_error:nn {
5468         06F0 , 06F1 , 06F2 , 06F3 , 06F4 , 06F5 , 06F6 , 06F7 , 06F8 ,
5469         06F9 , 066A , 066B
5470     } { #1 }
5471 }
5472
5473 \DeclareDocumentCommand \setmathdigitfont { O{} m O{} }
5474 {
5475     \__xepersian_main_setmathdigitfont:nn {#1,#3} {#2}
5476 }
5477 \cs_new:Nn \__xepersian_main_setmathdigitfont:nn
5478 {
5479     \let\glb@currsize\relax
5480     \fontspec_set_family:Nnn \g_xepersian_mathdigitsfamily_tl {Ligatures=PersianTeX,#1} {#2}
5481     \__xepersian_setmathdigitfont_hook:nn {#1} {#2}
5482     \xepersian@PackageInfo{Defining the default Persian math digits font as '#2'}
5483 \DeclareSymbolFont{OPERATORS} {\g_fontspec_encoding_tl}{\g_xepersian_mathdigitsfamily_tl}
5484 \DeclareSymbolFont{new@mathbf@font@digits}{\g_fontspec_encoding_tl}{\g_xepersian_mathdigit
5485 \DeclareSymbolFont{new@mathit@font@digits}{\g_fontspec_encoding_tl}{\g_xepersian_mathdigit
5486 \DeclareSymbolFont{new@mathrm@font@digits}{\g_fontspec_encoding_tl}{\g_xepersian_mathdigit
5487 \__xepersian_mathdigitspec_char_not_exist_error:n { #2 }
5488 \def\persianmathdigits{%
5489     \SetMathCode`0{\mathalpha}{OPERATORS}{`0}
5490     \SetMathCode`1{\mathalpha}{OPERATORS}{`1}
5491     \SetMathCode`2{\mathalpha}{OPERATORS}{`2}
5492     \SetMathCode`3{\mathalpha}{OPERATORS}{`3}
5493     \SetMathCode`4{\mathalpha}{OPERATORS}{`4}
5494     \SetMathCode`5{\mathalpha}{OPERATORS}{`5}
5495     \SetMathCode`6{\mathalpha}{OPERATORS}{`6}
5496     \SetMathCode`7{\mathalpha}{OPERATORS}{`7}
5497     \SetMathCode`8{\mathalpha}{OPERATORS}{`8}
5498     \SetMathCode`9{\mathalpha}{OPERATORS}{`9}
5499     \SetMathCode`\%{\mathbin}{OPERATORS}{` }
5500     \SetMathCharDef{\persiandecimalseparator}{\mathord}{OPERATORS}{`066B}
5501     \tl_set_eq:NN \mathbf \new@mathbf
5502     \tl_set_eq:NN \mathit \new@mathit
5503     \tl_set_eq:NN \mathrm \new@mathrm
5504 }
5505
5506 \cs_set_eq:NN \__xepersian_setmathdigitfont_hook:nn      \use_none:nn
5507
5508 \DeclareDocumentCommand \setmathsfdigitfont { O{} m O{} }
5509 {
5510     \__xepersian_main_setmathsfdigitfont:nn {#1,#3} {#2}

```



```

5511   }
5512 \cs_new:Nn \__xepersian_main_setmathsf digitfont:nn
5513 {
5514   \fontspec_set_family:Nnn \g__xepersian_mathsf digitfamily_tl {Ligatures=PersianTeX,#1} {#2}
5515   \__xepersian_setmathsf digitfont_hook:nn {#1} {#2}
5516   \DeclareSymbolFont{new@mathsf@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathsf}
5517   \__xepersian_mathdigspec_char_not_exist_error:n { #2 }
5518   \def\persianmathsf digits{\tl_set_eq:NN \mathsf \new@mathsf}
5519 }
5520
5521 \cs_set_eq:NN \__xepersian_setmathsf digitfont_hook:nn      \use_none:nn
5522
5523 \DeclareDocumentCommand \setmathtt digitfont { O{} m O{} } {
5524   \__xepersian_main_setmathtt digitfont:nn {#1,#3} {#2}
5525 }
5526
5527 \cs_new:Nn \__xepersian_main_setmathtt digitfont:nn
5528 {
5529   \fontspec_set_family:Nnn \g__xepersian_mathtt digitfamily_tl {Ligatures=PersianTeX,#1} {#2}
5530   \__xepersian_setmathtt digitfont_hook:nn {#1} {#2}
5531   \DeclareSymbolFont{new@mathtt@font@digits}{\g_fontspec_encoding_tl}{\g__xepersian_mathtt}
5532   \__xepersian_mathdigspec_char_not_exist_error:n { #2 }
5533   \def\persianmathtt digits{\tl_set_eq:NN \mathtt \new@mathtt}
5534 }
5535
5536 \cs_set_eq:NN \__xepersian_setmathtt digitfont_hook:nn      \use_none:nn
5537
5538 \ExplSyntaxOff
5539 \mathchardef\decimalseparator@point="013A
5540 %^%
5541 % \catcode`\.=\active
5542 % \gdef.\{\begingroup\obeyspaces\futurelet@\let@token\decimalseparator@pointcheck\}
5543 \bgroup
5544   \uccode`\~`\%
5545   \uppercase{%
5546 \egroup
5547   \def~{\begingroup\obeyspaces\futurelet@\let@token\decimalseparator@pointcheck}
5548 \def\decimalseparator@pointcheck{\decimalseparator@check\MathDecimalSeparator\decimalseparator@pointcheck}
5549 \def\decimalseparator@check#1#2{%
5550   \ifx@\let@token1\endgroup#1\else
5551     \ifx@\let@token2\endgroup#1\else
5552       \ifx@\let@token3\endgroup#1\else
5553         \ifx@\let@token4\endgroup#1\else
5554           \ifx@\let@token5\endgroup#1\else
5555             \ifx@\let@token6\endgroup#1\else
5556               \ifx@\let@token7\endgroup#1\else
5557                 \ifx@\let@token8\endgroup#1\else
5558                   \ifx@\let@token9\endgroup#1\else
5559                     \ifx@\let@token0\endgroup#1\else
5560                       \ifx@\let@token\dot\endgroup#1\else
5561                         \ifx@\let@token\overline\endgroup#1\else
5562                           \endgroup#2%
5563                         \fi
5564                       \fi

```



```

5565           \fi
5566           \fi
5567           \fi
5568           \fi
5569           \fi
5570           \fi
5571           \fi
5572           \fi
5573           \fi
5574 \fi}

5575 \mathcode`.= "8000\relax
5576 \def\MathDecimalSeparator{\ifx\persiandecimalseparator\undefined .\else \persiandecimalsepara
5577 \def\DefaultMathDecimalSeparator{.}
5578 \def\DefaultInlineMathDigits{\def\SetInlineMathDigits{}}
5579 \def\DefaultDisplayMathDigits{\def\SetDisplayMathDigits{}}
5580 \def\DefaultMathDigits{%
5581   \DefaultInlineMathDigits%
5582   \DefaultDisplayMathDigits%
5583 }
5584 \def\PersianInlineMathDigits{\def\SetInlineMathDigits{%
5585 \ifx\persianmathdigits\undefined\else\persianmathdigits\fi%
5586 \ifx\persianmathsf digits\undefined\else\persianmathsf digits\fi%
5587 \ifx\persianmathtt digits\undefined\else\persianmathtt digits\fi}}
5588 \def\PersianDisplayMathDigits{\def\SetDisplayMathDigits{%
5589 \ifx\persianmathdigits\undefined\else\persianmathdigits\fi%
5590 \ifx\persianmathsf digits\undefined\else\persianmathsf digits\fi%
5591 \ifx\persianmathtt digits\undefined\else\persianmathtt digits\fi}}
5592 \def\PersianMathDigits{%
5593   \PersianInlineMathDigits%
5594   \PersianDisplayMathDigits%
5595 }
5596 \def\AutoInlineMathDigits{\def\SetInlineMathDigits{%
5597 \ifx\persianmathdigits\undefined\else\if@nonlatin\persianmathdigits\fi\fi%
5598 \ifx\persianmathsf digits\undefined\else\if@nonlatin\persianmathsf digits\fi\fi\fi%
5599 \ifx\persianmathtt digits\undefined\else\if@nonlatin\persianmathtt digits\fi\fi\fi}
5600 \def\AutoDisplayMathDigits{\def\SetDisplayMathDigits{%
5601 \ifx\persianmathdigits\undefined\else\if@nonlatin\persianmathdigits\fi\fi%
5602 \ifx\persianmathsf digits\undefined\else\if@nonlatin\persianmathsf digits\fi\fi\fi%
5603 \ifx\persianmathtt digits\undefined\else\if@nonlatin\persianmathtt digits\fi\fi\fi}}
5604 \def\AutoMathDigits{%
5605   \AutoInlineMathDigits%
5606   \AutoDisplayMathDigits%
5607 }
5608 \AutoMathDigits
5609 \everymath\expandafter{\the\everymath\SetInlineMathDigits%
5610   \let\SetDisplayMathDigits\relax%
5611 }
5612 \everydisplay\expandafter{%
5613   \the\everydisplay\SetDisplayMathDigits%
5614   \let\SetInlineMathDigits\relax%
5615 }
5616
5617 \ExplSyntaxOn
5618 \cs_new_eq:NN \orig_MathDecimalSeparator \MathDecimalSeparator

```



```

5619 \NewDocumentCommand \SwitchToDefaultMathDigits { } {
5620   \int_step_inline:nnnn { `0 } { `c_one_int } { `9 } {
5621     \SetMathCode{##1}{\mathalpha}{operators}{##1}
5622   }
5623 }
5624 \SetMathCode{`%}{\mathbin}{operators}{`}
5625 \tl_set_eq:NN \MathDecimalSeparator \DefaultMathDecimalSeparator
5626 \tl_set_eq:NN \mathbf \orig_mathbf:n
5627 \tl_set_eq:NN \mathit \orig_mathit:n
5628 \tl_set_eq:NN \mathrm \orig_mathrm:n
5629 \tl_set_eq:NN \mathsf \orig_mathsf:n
5630 \tl_set_eq:NN \mathtt \orig_mathtt:n
5631 }
5632
5633 \NewDocumentCommand \SwitchToPersianMathDigits { } {
5634   \int_step_inline:nnnn { `0 } { `c_one_int } { `9 } {
5635     \SetMathCode{##1}{\mathalpha}{OPERATORS}{##1}
5636   }
5637 \SetMathCode{`%}{\mathbin}{OPERATORS}{`}
5638 \tl_set_eq:NN \MathDecimalSeparator \orig_MathDecimalSeparator
5639 \tl_set_eq:NN \mathbf \new@mathbf
5640 \tl_set_eq:NN \mathit \new@mathit
5641 \tl_set_eq:NN \mathrm \new@mathrm
5642 \tl_set_eq:NN \mathsf \new@mathsf
5643 \tl_set_eq:NN \mathtt \new@mathtt
5644 }
5645 \ExplSyntaxOff

```

64 File `xepersian-multiplechoice.sty`

```

5646 \NeedsTeXFormat{LaTeX2e}
5647 \ProvidesPackage{xepersian-multiplechoice}[2010/07/25 v0.2
5648                                     Multiple Choice Questionnaire class for Persian in XeLaTeX]
5649 \RequirePackage{pifont}
5650 \RequirePackage{fullpage}
5651 \RequirePackage{ifthen}
5652 \RequirePackage{calc}
5653 \RequirePackage{verbatim}
5654 \RequirePackage{tabularx}
5655 \def\@headerfont{\bfseries}
5656 \newcommand\headerfont[1]{\gdef\@headerfont{#1}}
5657 \def\@X{X}
5658 \newcommand\X[1]{\gdef\@X{#1}}
5659 \def\pbs#1{\let\tmp=\#1\let\=\tmp}
5660 \newcolumntype{D}{>{\pbs\centering}X}
5661 \newcolumntype{Q}{>{\@headerfont}X}
5662
5663 \renewcommand\tabularxcolumn[1]{m{#1}}
5664 \newcommand\makeform@nocorrection{%
5665   \addtocontents{frm}{\protect\end{tabularx}}
5666   \@starttoc{frm}}
5667 \newcommand\makeform@correction{%
5668   \addtocontents{frm}{\protect\end{tabularx}}}
5669 \newcommand\makemask@nocorrection{%

```



```

5670   \addtocontents{msk}{\protect\end{tabularx}}
5671   \@starttoc{msk}}
5672 \newcommand\makemask@correction{%
5673   \addtocontents{msk}{\protect\end{tabularx}}}
5674 \newlength\questionspace
5675 \setlength\questionspace{0pt}
5676 \newcommand\answerstitle[1]{\gdef\@answerstitle{\#1}}
5677 \def\@answerstitlefont{\bfseries}
5678 \newcommand\answerstitlefont[1]{\gdef\@answerstitlefont{\#1}}
5679 \def\@answernumberfont{\bfseries}
5680 \newcommand\answernumberfont[1]{\gdef\@answernumberfont{\#1}}
5681 \newcounter{question}\stepcounter{question}
5682 \newcounter{@choice}
5683 \def\@initorcheck{%
5684   \xdef\@choices{\the@choice}%
5685   \setcounter{@choice}{1}%
5686   \gdef\@arraydesc{|Q||}%
5687   \gdef\@headerline{}%
5688   \whiledo{\not{\value{@choice}>\@choices}}{%
5689     \xdef\@arraydesc{\@arraydesc D|}%
5690     \def\@appendheader{\g@addto@macro\@headerline}%
5691     \@appendheader{\&\protect\@headerfont}%
5692     \edef\@the@choice{\f@alph{@choice}}%
5693     \expandafter\@appendheader\@the@choice
5694     \stepcounter{@choice}}%
5695   \addtocontents{frm}{%
5696     \protect\begin{tabularx}{\protect\ linewidth}{\@arraydesc}%
5697     \protect\hline
5698     \@headerline\protect\\ \protect\hline\protect\hline}%
5699   \addtocontents{msk}{%
5700     \protect\begin{tabularx}{\protect\ linewidth}{\@arraydesc}%
5701     \protect\hline
5702     \@headerline\protect\\ \protect\hline\protect\hline}%
5703   \gdef\@initorcheck{%
5704     \ifthenelse{\value{@choice} = \@choices}{}{%
5705       \ClassError{xepersian-multiplechoice}{Question \thequestion: wrong number of choices
5706         (\the@choice space instead of \@choices)}{%
5707           Questions must all have the same number of proposed answers.%}
5708           \MessageBreak
5709           Type X <return> to quit, fix your MCQ (multiple choice question) and rerun XeLaTeX.}}%
5710 \newenvironment{question}[1]{%
5711   %% \begin{question}
5712   \begin{minipage}{\textwidth}
5713     \xdef\@formanswerline{\@questionheader}%
5714     \xdef\@maskanswerline{\@questionheader}%
5715     \fbox{\parbox[c]{\linewidth}{\#1}}
5716     \vspace\questionspace\par
5717     {\@answerstitlefont\@answerstitle}
5718     \begin{list}{\@answernumberfont\alph{@choice}-}{\usecounter{@choice}}}%
5719   %% \end{question}
5720   \end{list}
5721   \@initorcheck%
5722   \addtocontents{frm}{\@formanswerline\protect\\ \protect\hline}%
5723   \addtocontents{msk}{\@maskanswerline\protect\\ \protect\hline}%

```



```

5724 \end{minipage}
5725 \stepcounter{question}
5726 \def\@truesymbol{\ding{52}~}
5727 \def\@falsesymbol{\ding{56}~}
5728 \newcommand\truesymbol[1]{\gdef\@truesymbol{#1}}
5729 \newcommand\falsesymbol[1]{\gdef\@falsesymbol{#1}}
5730 \def\@true@nocorrection{\item}
5731 \def\@false@nocorrection{\item}
5732 \def\@true@correction{\item[\@truesymbol\refstepcounter{@choice}]}
5733 \def\@false@correction{\item[\@falsesymbol\refstepcounter{@choice}]}
5734 \newcommand\true{%
5735 \xdef\@formanswerline{\@formanswerline\%}
5736 \xdef\@maskanswerline{\@maskanswerline\&\@X}\%
5737 \@true\}%
5738 \newcommand\false{%
5739 \xdef\@formanswerline{\@formanswerline\%}
5740 \xdef\@maskanswerline{\@maskanswerline\&\@X}\%
5741 \@false\}%
5742 \def\@correctionstyle{\itshape}
5743 \newcommand\correctionstyle[1]{\gdef\@correctionstyle{#1}}
5744 \newenvironment{@correction}{\@correctionstyle}{}
5745 \def\@questionheader{\thequestion}
5746 \answertitle{:
5747 \DeclareOption{nocorrection}{%
5748 \let\@true\@true@nocorrection
5749 \let\@false\@false@nocorrection
5750 \let\correction\comment
5751 \let\endcorrection\endcomment
5752 \def\makeform{\makeform@nocorrection}
5753 \def\makemask{\makemask@nocorrection}}
5754 \DeclareOption{correction}{%
5755 \let\@true\@true@correction
5756 \let\@false\@false@correction
5757 \let\correction\@correction
5758 \let\endcorrection\end@correction
5759 \def\makeform{\makeform@correction}
5760 \def\makemask{\makemask@correction}}
5761 \ExecuteOptions{nocorrection}
5762 \newcommand\questiontitle[1]{\gdef\@questiontitle{#1}}
5763 \def\@questiontitlefont{\bfseries}
5764 \newcommand\questiontitlefont[1]{\gdef\@questiontitlefont{#1}}
5765 \newlength\questiontitlespace
5766 \setlength\questiontitlespace{5pt}
5767 \newlength\questionsepspace
5768 \setlength\questionsepspace{20pt}
5769 \gdef\@questionsepspace{0pt}
5770 \let\old@question\question
5771 \let\old@endquestion\endquestion
5772 \renewenvironment{question}[1]{%
5773 %% \begin{question}
5774 \vspace\@questionsepspace
5775 \fbox{\parbox[c]{0.25\linewidth}{\@questiontitlefont\@questiontitle}}
5776 \nopagebreak\vspace\questiontitlespace\par
5777 \old@question{#1}}{%

```



```

5778 %% \end{question}
5779 \old@endquestion
5780 \gdef\@questionsepsspace{\questionsepsspace}
5781 \questiontitle{ \thequestion:}
5782 \ProcessOptions

```

65 File `xepersian-persiancal.sty`

```

5783 \NeedsTeXFormat{LaTeX2e}
5784 \ProvidesPackage{xepersian-persiancal}[2012/07/25 v0.2 provides Persian calendar]
5785
5786 \newif\ifXePersian@leap \newif\ifXePersian@kabiseh
5787 \newcount\XePersian@i \newcount\XePersian@y \newcount\XePersian@m \newcount\XePersian@d
5788 \newcount\XePersian@latini \newcount\XePersian@persiani
5789 \newcount\XePersian@latinii \newcount\XePersian@persianii
5790 \newcount\XePersian@latiniii \newcount\XePersian@persianiii
5791 \newcount\XePersian@latiniv \newcount\XePersian@persianiv
5792 \newcount\XePersian@latinv \newcount\XePersian@persianv
5793 \newcount\XePersian@latinvi \newcount\XePersian@persianvi
5794 \newcount\XePersian@latinvii \newcount\XePersian@persianvii
5795 \newcount\XePersian@latinviii \newcount\XePersian@persianviii
5796 \newcount\XePersian@latinix \newcount\XePersian@persianix
5797 \newcount\XePersian@latinx \newcount\XePersian@persianx
5798 \newcount\XePersian@latinxi \newcount\XePersian@persianxi
5799 \newcount\XePersian@latinxii \newcount\XePersian@persianxii
5800 \newcount\XePersian@persianxiii
5801
5802 \newcount\XePersian@temp
5803 \newcount\XePersian@temptwo
5804 \newcount\XePersian@tempthree
5805 \newcount\XePersian@yModHundred
5806 \newcount\XePersian@thirtytwo
5807 \newcount\XePersian@dn
5808 \newcount\XePersian@sn
5809 \newcount\XePersian@mmminusone
5810
5811
5812 \XePersian@y=\year \XePersian@m=\month \XePersian@d=\day
5813 \XePersian@temp=\XePersian@y
5814 \divide\XePersian@temp by 100\relax
5815 \multiply\XePersian@temp by 100\relax
5816 \XePersian@yModHundred=\XePersian@y
5817 \advance\XePersian@yModHundred by -\XePersian@temp\relax
5818 \ifodd\XePersian@yModHundred
5819 \XePersian@leapfalse
5820 \else
5821 \XePersian@temp=\XePersian@yModHundred
5822 \divide\XePersian@temp by 2\relax
5823 \ifodd\XePersian@temp\XePersian@leapfalse
5824 \else
5825 \ifnum\XePersian@yModHundred=0%
5826 \XePersian@temp=\XePersian@y
5827 \divide\XePersian@temp by 400\relax
5828 \multiply\XePersian@temp by 400\relax

```



```

5829      \ifnum\XePersian@y=\XePersian@temp\XePersian@leaptrue\else\XePersian@leapfalse\fi
5830      \else\XePersian@leaptrue
5831      \fi
5832      \fi
5833 \fi
5834 \XePersian@latini=31\relax
5835 \if\XePersian@leap
5836   \XePersian@latinii = 29\relax
5837 \else
5838   \XePersian@latinii = 28\relax
5839 \fi
5840 \XePersian@latiniii = 31\relax
5841 \XePersian@latiniv = 30\relax
5842 \XePersian@latinv = 31\relax
5843 \XePersian@latinvi = 30\relax
5844 \XePersian@latinvii = 31\relax
5845 \XePersian@latinviii = 31\relax
5846 \XePersian@latinix = 30\relax
5847 \XePersian@latinx = 31\relax
5848 \XePersian@latinxi = 30\relax
5849 \XePersian@latinxii = 31\relax
5850 \XePersian@thirtytwo=32\relax
5851 \XePersian@temp=\XePersian@y
5852 \advance\XePersian@temp by -17\relax
5853 \XePersian@temptwo=\XePersian@temp
5854 \divide\XePersian@temptwo by 33\relax
5855 \multiply\XePersian@temptwo by 33\relax
5856 \advance\XePersian@temp by -\XePersian@temptwo
5857 \ifnum\XePersian@temp=\XePersian@thirtytwo\XePersian@kabisehfalse
5858 \else
5859   \XePersian@temptwo=\XePersian@temp
5860   \divide\XePersian@temptwo by 4\relax
5861   \multiply\XePersian@temptwo by 4\relax
5862   \advance\XePersian@temp by -\XePersian@temptwo
5863   \ifnum\XePersian@temp=z@\XePersian@kabisehtrue\else\XePersian@kabisehfalse\fi
5864 \fi
5865 \XePersian@tempthree=\XePersian@y % Number of Leap years
5866 \advance\XePersian@tempthree by -1 % T := (MY-1) div 4
5867 \XePersian@temp=\XePersian@tempthree
5868 \divide\XePersian@temp by 4\relax
5869 \XePersian@temptwo=\XePersian@tempthree % T := T - ((MY-1) div 100)
5870 \divide\XePersian@temptwo by 100\relax
5871 \advance\XePersian@temp by -\XePersian@temptwo
5872 \XePersian@temptwo=\XePersian@tempthree % T := T + ((MY-1) div 400)
5873 \divide\XePersian@temptwo by 400\relax
5874 \advance\XePersian@temp by \XePersian@temptwo
5875 \advance\XePersian@tempthree by -611 % Number of Kabise years
5876 \XePersian@temptwo=\XePersian@tempthree % T := T - ((SY+10) div 33) * 8
5877 \divide\XePersian@temptwo by 33\relax
5878 \multiply\XePersian@temptwo by 8\relax
5879 \advance\XePersian@temp by -\XePersian@temptwo
5880 \XePersian@temptwo=\XePersian@tempthree %
5881 \divide\XePersian@temptwo by 33\relax
5882 \multiply\XePersian@temptwo by 33\relax

```



```

5883 \advance\XePersian@tempthree by -\XePersian@temptwo
5884 \ifnum\XePersian@tempthree=32\advance\XePersian@temp by 1\fi % if (SY+10) mod 33=32 then Inc
5885 \divide\XePersian@tempthree by 4\relax % T := T - ((SY+10) mod 33) div 4
5886 \advance\XePersian@temp by -\XePersian@tempthree
5887 \advance\XePersian@temp by -137 % T := T - 137 Adjust the value
5888 \XePersian@persiani=31 % now 31 - T is the persiani
5889 \advance\XePersian@persiani by -\XePersian@temp
5890 \XePersian@persiani = 30\relax
5891 \ifXePersian@kabiseh
5892   \XePersian@persianii = 30\relax
5893 \else
5894   \XePersian@persianiii = 29\relax
5895 \fi
5896 \XePersian@persianiv = 31\relax
5897 \XePersian@persianv = 31\relax
5898 \XePersian@persianvi = 31\relax
5899 \XePersian@persianvii = 31\relax
5900 \XePersian@persianviii= 31\relax
5901 \XePersian@persianix = 31\relax
5902 \XePersian@persianx = 30\relax
5903 \XePersian@persianxi = 30\relax
5904 \XePersian@persianxii = 30\relax
5905 \XePersian@persianxiii= 30\relax
5906 \XePersian@dn= 0\relax
5907 \XePersian@sn= 0\relax
5908 \XePersian@mminusone=\XePersian@m
5909 \advance\XePersian@mminusone by -1\relax
5910 \XePersian@i=0\relax
5911 \ifnum\XePersian@i < \XePersian@mminusone
5912 \loop
5913 \advance \XePersian@i by 1\relax
5914 \advance\XePersian@dn by \csname XePersian@latin\romannumeral\the\XePersian@i\endcsname
5915 \ifnum\XePersian@i<\XePersian@mminusone \repeat
5916 \fi
5917 \advance \XePersian@dn by \XePersian@d
5918 \XePersian@i=1\relax
5919 \XePersian@sn = \XePersian@persiani
5920 \ifnum \XePersian@sn<\XePersian@dn
5921 \Loop
5922 \advance \XePersian@i by 1\relax
5923 \advance\XePersian@sn by \csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
5924 \ifnum \XePersian@sn<\XePersian@dn \repeat
5925 \fi
5926 \ifnum \XePersian@i < 4
5927   \XePersian@m = 9 \advance\XePersian@m by \XePersian@i
5928   \advance \XePersian@y by -622\relax
5929 \else
5930   \XePersian@m = \XePersian@i \advance \XePersian@m by -3\relax
5931   \advance \XePersian@y by -621\relax
5932 \fi
5933 \advance\XePersian@sn by -\csname XePersian@persian\romannumeral\the\XePersian@i\endcsname
5934 \endcsname
5935 \ifnum\XePersian@i = 1
5936   \XePersian@d = \XePersian@dn \advance \XePersian@d by 30 \advance\XePersian@d by -\XePersian@sn

```



```
5937 \else
5938   \XePersian@d = \XePersian@dn \advance \XePersian@d by -\XePersian@sn
5939 \fi
5940 \newcommand*{\persiantoday}{%
5941   \number\XePersian@d\space%
5942 \XePersian@persian@month{\XePersian@m}\space\number\XePersian@y%
5943 }
5944 \let\persianyear\XePersian@y
5945 \let\persianmonth\XePersian@m
5946 \let\persianday\XePersian@d
5947 \def\XePersian@persian@month#1{\ifcase#1\or \or \
5948 \or \
5949 \or \or \
5950 \or \
5951 \or \or \
5952 \or \or \
5953 \or \or \
5954 \fi\}
```



Index

Symbols	
\!	2373
\%	2514, 2516, 5499, 5624, 5637
\.	5541, 5544
\@and	3759
\@math	185
\@maybeautodot	2642, 2643, 2661, 2698, 2699, 2717, 2750, 2751, 2769
\@par	1900
\@textdigitfont@onfalse	3457
\@textdigitfont@ontrue	3456
\@Abjad	1228, 3768, 3776, 3777, 4253, 4254
\@Alph	2655, 2711, 2763, 4034, 4037, 4249, 4254
\@DeclareMathDelimiter	5355
\@DeclareMathSizes	5346
\@False	173, 175
\@Kashida@onfalse	1631
\@Kashida@ontrue	1630
\@LTRfootnotetext	1930
\@LTRmarginparreset	3388
\@Latincitex	73, 74, 2164, 2173, 2363, 3396, 3397
\@M	189, 3810, 3911, 4006
\@Mi	185
\@Mii	1823
\@Mii	1825
\@RTL@footnotefalse	3363, 3383, 4186
\@RTL@footnotetrue	3373, 3384, 4184
\@RTLfalse	155, 167, 180, 4139, 4146, 4168
\@RTLfootnotetext	1931
\@RTLtabfalse	4154
\@RTLtabtrue	4152
\@RTLtrue	4137, 4144, 4166
\@Roman	2657, 2713, 2765
\@SepMark	1759
\@SetTab	2790
\@True	168, 174
\@X	5657, 5658, 5736
\@abjad	1229, 3995, 4014, 4015, 4248, 4249
\@acol	2055, 2063
\@acolampacol	2053, 2055, 2061, 2063
\@adadi	1226, 2653, 2709, 2761, 3784, 3786, 3789
\@addamp	2054, 2062
\@addtopreamble	2022
\@alph	2656, 2712, 2764, 2791, 4033, 4036, 4248, 4253
\@ampacol	2053, 2061
\@answernumberfont	5679, 5680, 5718
\@answerstitle	5676, 5717
\@answerstitlefont	5677, 5678, 5717
\@appendheader	5690, 5691, 5693
\@arrayclassz	2053
\@arraydesc	5686, 5689, 5696, 5700
\@arrayrule	2001, 2002, 2003, 2045, 2046, 2047
\@author	4693, 4705
\@autodottrue	2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2701, 2702, 2703, 2704, 2705, 2706, 2707, 2708, 2709, 2710, 2711, 2712, 2713, 2714, 2715, 2753, 2754, 2755, 2756, 2757, 2758, 2759, 2760, 2761, 2762, 2763, 2764, 2765, 2766, 2767
\@auxout	3402, 4311, 4315
\@begin@tempboxa	1900
\@biblabel	2165, 2174
\@bibsetup	2166, 2175
\@bidi@inslogo@	4289, 4291
\@bidi@list@minipage@parbox@not@nobtrue	1897, 1919
\@bidi@list@minipage@parboxtrue	1898, 1920
\@bidi@logo	3727
\@bidi@logo@	3723, 4291
\@bidi@logo@hb@xt@columnwidth	3724
\@bidi@pdfcreator	3729
\@bidi@pdfm@markfalse	4298
\@bidi@pdfm@marktrue	4296
\@bidi@perpage@footnotefalse	.

\@bidi@perpage@footnotettrue ..	4335
\@bidi@perpage@footnotettrue ..	4337
\@bidituftesidenote@LTRmarginfont ..	105
\@bidituftesidenote@RTLmarginfont ..	107
\@bsphack	1822
\@captype ..	1810, 1873, 2120, 2130
\@cclvi	5289, 5295, 5319
\@chapapp ..	30, 121, 132, 139, 151, 1304, 1316, 1765, 2587, 2594, 2601, 2609, 2691, 2743
\@chclass ..	1935, 1943, 1951, 1966, 1980, 1985, 2000, 2016, 2036, 2044, 2074, 2097, 2111
\@chnum ..	1937, 1938, 1939, 1940, 1941, 1942, 1952, 1959, 1973, 1986, 1993, 2009, 2022, 2038, 2039, 2040, 2041, 2042, 2043, 2057, 2065, 2075, 2082, 2104
\@choices ..	5684, 5688, 5704, 5706
\@cite ..	2152, 2159, 2171, 2187, 2276, 3399
\@cite@ofmt	3407
\@citea ..	2192, 2206, 2220, 2229, 2230, 2231, 2236, 2251, 2259, 2260, 2261, 2295, 2311, 2329, 3398, 3400
\@citeb ..	2188, 2190, 2192, 2195, 2197, 2198, 2200, 2223, 2254, 2277, 2279, 2281, 2284, 2286, 2287, 2289, 3399, 3401, 3402, 3403, 3406, 3407
\@citex	2163, 2172
\@classx	2019
\@classz	2019
\@correction	5757
\@correctionstyle ..	5742, 5743, 5744
\@ctrerr	3775, 3780
\@currbox ..	1830, 1876, 1880, 2119, 2123, 2129, 2133
\@currenvir ..	2437, 2439, 2440, 2615, 2670, 2722
\@customlogo	4793, 4802
\@custommagazinename ..	4562, 4795
\@customminilog ..	4794, 4808
\@customwwwTxt ..	4523, 4526, 4578
\@date	4696, 4706
\@dblfpbot	3719
\@dblfpsep	3718
\@dblftop	3717
\@defaultunits	3494, 3498
\@dgroup	167
\@dmath	155, 184
\@doendpe	2454
\@dseries	180
\@eha	5309, 5335
\@empty ..	170, 1817, 2177, 2187, 2190, 2276, 2279, 2408, 3398, 3401, 3869, 3875, 3878, 3881, 3986, 4291, 4704, 4705, 4706, 4707
\@emptytoks	169
\@enGroup	1218
\@enLabel ..	1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219
\@enOther	1220
\@enSpace	1217
\@end@tempboxa	1915
\@endpbox	2029, 2030
\@endptrue	3372, 3382
\@enhook	1221
\@enloop@	1208
\@entemp ..	1209, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1218, 1219
\@enum@	1219
\@extra@b@citeb ..	2192, 2198, 2200, 2223, 2254, 2281, 2287, 2289
\@extrafootnotefeaturesfalse ..	4206
\@extrafootnotefeaturestrue ..	4204
\@false	5741, 5749, 5756
\@false@correction ..	5733, 5756
\@false@nocorrection ..	5731, 5749
\@falsesymbol ..	5727, 5729, 5733
\@firststampfalse ..	2055, 2063
\@firststofone ..	1531, 1532, 2190, 2279, 3401, 5292, 5316
\@firstoftwo ..	2925, 2931, 2937
\@float@HH	2116, 2117
\@float@Hx	2115, 2116
\@float@	2116, 2127
\@floatboxreset ..	1886, 2125, 2135
\@floatcapt	2120, 2130
\@floatpenalty ..	1823, 1825, 1828
\@flstylefalse	2122, 2132
\@flstyletrue	2122, 2132
\@fltovf	1878



\@footnotetext 1929
 \@for 2188, 2277, 3399, 4099
 \@formanswerline 5713, 5722, 5735,
 5739
 \@fpbot 3716
 \@fps . . 1811, 1812, 1814, 1817, 1834
 \@fpsadddefault 1815, 1818
 \@fpsep 3715, 3718
 \@fptop 3714, 3716, 3717, 3719
 \@freelist 1830
 \@gobble 1219
 \@harfi 12, 20, 31, 34, 43, 49, 55, 61,
 122, 133, 140, 152, 1227, 1294,
 1305, 1317, 1553, 1766, 2588,
 2595, 2602, 2610, 2636, 2652,
 2692, 2708, 2744, 2760, 3778,
 3781, 3782
 \@headerfont 5655, 5656, 5661, 5691
 \@headerline 5687, 5690, 5698, 5702
 \@ifclassloaded 4069, 4072, 4073,
 4074, 4075, 4076, 4077, 4078,
 4079, 4080, 4081, 4082, 4083,
 4084, 4085, 4086, 4087, 4088,
 4089, 4090, 4091, 4092, 4093,
 4094, 4095, 4212, 4224, 4236
 \@ifdefinable 2472, 2474
 \@ifdefinitionfileloaded 1807,
 1950, 1983, 2073, 2114, 4049,
 4050
 \@ifnextchar 2116, 2357, 2363, 3396
 \@ifnum 2294, 2296, 2298, 2305, 2306,
 2309, 2321, 2344, 2346
 \@ifpackageloaded 76, 1681, 1685,
 2366, 2370, 2462, 2470, 4051,
 4052, 4053, 4054, 4055, 4056,
 4057, 4058, 4059, 4060, 4061,
 4062, 4063, 4064, 4065, 4066,
 4067, 4068, 4069, 4070, 4071
 \@ifstar 2356
 \@ifundefined 72, 2192, 2198, 2281,
 2287, 3403
 \@ignorettrue 191
 \@iiiminipage 1916
 \@iiiparbox 1894
 \@indexfile 4214, 4226, 4238
 \@initorcheck 5683, 5703, 5721
 \@inlabelfalse 158
 \@input@ 4216, 4228, 4240
 \@lastchclass . . . 1935, 1936, 1952,
 1953, 1954, 1955, 1957, 1986,
 1987, 1988, 1989, 1991, 2036,
 2037, 2053, 2061, 2075, 2076,
 2077, 2078, 2080
 \@latex@error 5307, 5333
 \@latex@warning 3405
 \@latinAlph 4034, 4037
 \@latinalph . 2791, 4033, 4036, 4039
 \@let@token 5542, 5547, 5550, 5551,
 5552, 5553, 5554, 5555, 5556,
 5557, 5558, 5559, 5560, 5561
 \@list@extra 3603, 3610, 3619, 3626,
 3634, 3641, 3649, 3657, 3664,
 3673, 3677, 3682, 3686, 3691,
 3695, 3700
 \@listI 3517, 3612
 \@listdepth 1932
 \@listi 3517, 3534, 3551, 3606, 3612,
 3702
 \@listi@footnotesize . 3551, 3637
 \@listi@small 3534, 3622
 \@listii 3652
 \@listiii 3667
 \@listiv 3680
 \@listv 3689
 \@listvi 3698
 \@m 2169, 3400, 3809, 3910, 4004
 \@mainmatterfalse . 116, 127, 145,
 1298, 2666
 \@maskanswerline 5714, 5723, 5736,
 5740
 \@memfront 1757
 \@minipagefalse 3393
 \@minipagerestore 1933
 \@minipagetrue 3392
 \@minus 3465, 3467, 3471, 3473, 3479,
 3481, 3485, 3487, 3661
 \@mpLTRfootnotetext 1930
 \@mpRTLfootnotetext 1931
 \@mpargs 1922
 \@mpfn 1928
 \@mpfootnotetext 1929
 \@mplistdepth 1932
 \@namedef . . 2146, 2200, 2289, 2453
 \@ne . . 1594, 1840, 1846, 1939, 1940,
 1943, 1952, 1962, 1963, 1967,
 1986, 1996, 1997, 2001, 2002,
 2003, 2040, 2041, 2045, 2046,
 2047, 2075, 2085, 2086, 2098,
 2294, 2306, 2308, 2321, 2329,
 3350, 3351, 3443, 3796, 3837,



3844, 3856, 3861, 3897, 3938,
 3945, 3957, 3962, 4107, 4348,
 4349, 4350, 4351, 4352, 5299,
 5304, 5323, 5330
 \@next 1830
 \@nextchar 1958, 1960, 1961, 1962,
 1963, 1964, 1965, 1967, 1968,
 1969, 1970, 1971, 1974, 1975,
 1976, 1977, 1978, 1979, 1992,
 1994, 1995, 1996, 1997, 1998,
 1999, 2001, 2002, 2003, 2004,
 2005, 2006, 2007, 2010, 2011,
 2012, 2013, 2014, 2015, 2027,
 2029, 2030, 2081, 2083, 2084,
 2085, 2086, 2087, 2088, 2089,
 2090, 2091, 2092, 2093, 2094,
 2095, 2096, 2098, 2099, 2100,
 2101, 2102, 2105, 2106, 2107,
 2109, 2110
 \@nextchar 2108
 \@nil . 2383, 2387, 2388, 2393, 2395,
 3827, 3830, 3928, 3931
 \@nnil 3494, 3498, 3502, 3503
 \@nodocument 1809
 \@nonlatinfalse 3338, 4159
 \@nonlatintrue 3352, 4161
 \@onelevel@sanitize 1812
 \@parboxrestore 1885, 1900, 1927,
 2124, 2134
 \@parboxto 1903, 1912
 \@parmoderr 1828
 \@pboxswfalse 1896, 1918
 \@pboxswtrue 1910
 \@plus 3465, 3467, 3471, 3473, 3479,
 3481, 3485, 3487, 3661, 3714,
 3715
 \@ppsavesec 25
 \@preamble 2056, 2064
 \@preamblecmds 5360
 \@preamerr 1946, 1980, 2016, 2050,
 2111
 \@ptsize 3497
 \@questionheader 5713, 5714, 5745
 \@questionsepspace . 5769, 5774,
 5780
 \@questiontitle 5762, 5775
 \@questiontitlefont . 5763, 5764,
 5775
 \@resetsoffpp 24, 1537, 1538
 \@roman 2658, 2714, 2766
 \@safe@activesfalse .. 2191, 2280
 \@safe@activesttrue .. 2189, 2278
 \@secondoftwo ... 2927, 2933, 2939
 \@setfontsize .. 3511, 3528, 3545,
 3556, 3562, 3568, 3574, 3580,
 3586, 3592, 4493, 4499, 4501,
 4504, 4511, 4517, 4518, 4519,
 4520, 4521
 \@setfpsbit 1850, 1853, 1856, 1859,
 1862, 1865
 \@setminipage 1934
 \@setnobreak 2125, 2135
 \@sharp 2058, 2059, 2060, 2066, 2067,
 2068
 \@smemfront 1758
 \@sptoken 1217
 \@startpbox 2029, 2030
 \@starttoc 3743, 5666, 5671
 \@stop 2643, 2699, 2751
 \@sx@xepersian@localize@verbatim
 2146
 \@tabclassz 2061
 \@tartibi 9, 16, 39, 45, 51, 57,
 113, 124, 135, 147, 1225, 1290,
 1300, 1312, 1550, 1760, 1761,
 2583, 2590, 2597, 2605, 2613,
 2654, 2668, 2710, 2720, 2762,
 3890, 3892, 3895
 \@tempa 1209, 1210, 1211, 1212, 1213,
 1214, 1215, 1216, 1217, 1218,
 1219, 1220, 1223, 2393, 2395,
 2478, 2479, 2480, 2481, 2482,
 2483, 2484, 2485, 2486, 2487,
 2488, 3502, 3503
 \@tempb 3500, 3503, 3520, 3537, 3554,
 3560, 3566, 3572, 3578, 3584,
 3590
 \@tempboxa 1923
 \@tempc 2408, 2421, 2431, 2433, 2434,
 2437, 2445
 \@tempcnta 1832, 1838, 1840, 1844,
 1846, 1868, 1869, 1875, 1876,
 2020, 2303, 2304, 2305, 2308,
 2309, 4098, 4101, 4107
 \@tempcntb 1873, 1874, 1875
 \@tempdima 1899, 1900, 1921, 1925,
 3493, 3494, 3495, 3499, 3501,
 3512, 3519, 3520, 3529, 3536,
 3537, 3546, 3553, 3554, 3557,
 3559, 3560, 3563, 3565, 3566,



3569, 3571, 3572, 3575, 3577,
 3578, 3581, 3583, 3584, 3587,
 3589, 3590, 3593
\@tempdimb 1902, 1903, 3498, 3499,
 3505, 3506, 3508, 3512, 3520,
 3522, 3523, 3525, 3529, 3537,
 3539, 3540, 3542, 3546, 3554,
 3557, 3560, 3563, 3566, 3569,
 3572, 3575, 3578, 3581, 3584,
 3587, 3590, 3593, 3596, 3598,
 3600, 3614, 3616, 3629, 3631,
 3644, 3646, 3660, 3703, 3704,
 3706, 3708, 3710, 3715, 3720,
 4362, 4363
\@tempdimc 3495, 3496, 3497, 3499,
 3500, 3501, 3519, 3536, 3553,
 3559, 3565, 3571, 3577, 3583,
 3589
\@tempskipa 4366, 4367
\@tempswafalse . 2321, 3396, 3601,
 3617, 3632, 3647, 3662, 3675,
 3684, 3693
\@tempswatrue .. 2320, 3396, 3603,
 3619, 3634, 3649, 3664, 3677,
 3686, 3695
\@temptokena 2394, 2401, 2406, 2412,
 2419, 2429, 2443
\@testpach 1935, 1951, 1985, 2036,
 2074
\@tfor 1833, 2478
\@thanks 4698, 4704
\@the@choice 5692, 5693
\@title 4686, 4707
\@true 5737, 5748, 5755
\@true@correction ... 5732, 5755
\@true@nocorrection .. 5730, 5748
\@truesymbol 5726, 5728, 5732
\@verbatim 2143, 2146, 2451, 2453,
 2464
\@vobeyspaces 2143, 2451
\@warning 2450
\@x@xepersian@localize@verbatim
 2143
\@xDeclareMathDelimiter .. 5355
\@xepersian@@baselineskip@scale
 .. 3327, 3336, 3349, 3359
\@xepersian@@computeautoilgfalse
 4305
\@xepersian@@computeautoilgtrue
 4303
\@xepersian@@fontsize@scale ..
 .. 3326, 3331, 3348, 3358
\@xepersian@info 2893, 2918, 2920
\@xepersian@pdfcustomproperties
 3733
\@xfloat 1808, 2115, 2116
\@xxDeclareMathDelimiter . 5354
\@xxxii 1874
 @\ 1787, 1788
 @\ 1783, 1784, 1786
 @\ 2365
\@ 2373
\@ 2140, 2373, 4654, 4969, 4970, 5232,
 5235, 5284, 5659, 5698, 5702,
 5722, 5723
\{ 2139, 2373
\} 2139, 2373
\] 2373
\^ 2374
_ 3004, 3007, 3020, 3024, 3028, 3031,
 3043, 3065, 3069, 3070, 3077,
 3080, 3092, 3096, 3103, 3108,
 3111, 3127, 3132, 3135, 3182,
 3185, 3198, 3202, 3206, 3209,
 3222, 3226, 3230, 3233, 3246,
 3250, 3254, 3257, 3270, 3274,
 3278, 3281, 3294, 3298, 3302,
 3305, 3318, 3322, 5416, 5417,
 5420, 5429, 5430, 5441, 5445,
 5449, 5453, 5457, 5461, 5465,
 5467, 5475, 5477, 5481, 5487,
 5506, 5510, 5512, 5515, 5517,
 5521, 5525, 5527, 5530, 5532,
 5536
\| 4970
\~ 2374, 2514, 5544
__ 1492, 1494, 3400, 3833, 3839, 3858,
 3864, 3934, 3940, 3959, 3969,
 4569, 4578

A

\abj@num@i 4000, 4017, 4024
\abj@num@ii 4002, 4021, 4028
\abj@num@iii 4004, 4025, 4031
\abj@num@iv 4006, 4029
\Abjad 1228, 1233, 3776
\abjad 1229, 1234, 4014
\abjad@zero 4016, 4020



\Abjadnumeral 3777
\abjadnumeral 4015
\abovedisplayshortskip .. 3506,
3514, 3523, 3531, 3540, 3548,
4496, 4497, 4507, 4508, 4514,
4515
\abovedisplayskip .. 3504, 3509,
3513, 3521, 3526, 3530, 3538,
3543, 3547, 4494, 4495, 4505,
4506, 4512, 4513
\abstractname 3756
\active 2374, 5541
\adadi 1210, 1226, 1231, 2646, 2702,
2754, 3783
\adadinumeral 3789
\AddEnumerateCounter 1225, 1226,
1227, 1228, 1229
\addfontfeature 4327
\addfontfeatures .. 155, 167, 180
\addtocontents . 5665, 5668, 5670,
5673, 5695, 5699, 5722, 5723
\addtolength 3496, 4721, 4722, 4725,
5144, 5145, 5146, 5147, 5211
\addtoversion 5347
\adl@argarraydashrule 2003, 2047
\adl@arraydashrule .. 2002, 2046
\adl@arrayrule 2001, 2045
\adl@box 2027, 2029, 2030
\adl@class@iiiorvii .. 2033, 2070
\adl@class@start 2032, 2069
\adl@endmbox 2028
\adl@putlrc 2024, 2025, 2026, 2058,
2059, 2060, 2066, 2067, 2068
\adl@startmbox 2027
\advance .. 1495, 1840, 1846, 1869,
1875, 2308, 3443, 3445, 4107,
4485, 4489, 4757, 4760, 5304,
5330, 5817, 5852, 5856, 5862,
5866, 5871, 5874, 5875, 5879,
5883, 5884, 5886, 5887, 5889,
5909, 5913, 5914, 5917, 5922,
5923, 5927, 5928, 5930, 5931,
5933, 5936, 5938
\aftergroup 3603, 3619, 3634, 3649,
3664, 3677, 3686, 3695
\ALG@name 5, 7
\algorithmicensure 3
\algorithmicrequire 2
\ALGS@name 6, 7
\aliasfontfeature .. 1697, 1698,
1699, 1700, 1701, 1702, 1703,
1704, 1705, 1706, 1707, 1708,
1709, 1710, 1711, 1712, 1713,
1714, 1715, 1716, 1717, 1718,
1719, 1720, 1721, 1722, 1723,
1724, 1725, 1726, 1727, 1728,
1729, 1730, 1731, 1732, 1733,
1734, 1735, 1736, 1737, 1738,
1739, 1740, 1741, 1742, 1743,
1744, 1745, 1746, 1747, 1748,
1749
\aliasfontfeatureoption . 1750,
1751, 1752, 1753, 1754, 1755
\alloc@ 5289
\Alph . 1212, 1524, 1525, 2648, 2704,
2756
\alph . 1213, 2649, 2705, 2757, 2798,
5692, 5718
\alpha@elt 5348
\alpha@list 5348
\anappendixtrue 1767
\and 4711
\answernumberfont 5680
\answerstitle 5676, 5746
\answerstitlefont 5678
\appendix ... 10, 17, 40, 46, 52, 58,
118, 129, 136, 148, 1291, 1301,
1313, 1521, 1522, 1551, 1762,
2584, 2591, 2598, 2606, 2614,
2619, 2630, 2639, 2641, 2669,
2674, 2685, 2695, 2697, 2721,
2726, 2737, 2747, 2749
\appendixautorefname 1510
\appendixname 11, 19, 30,
121, 132, 139, 151, 1304, 1316,
1552, 1765, 2587, 2594, 2601,
2609, 2691, 2743, 3753
\arabic 1216
\arrayrulewidth 5226
\articlesep 5208
\AtBeginDocument . 71, 1520, 1647,
2146, 2353, 2458, 3747, 4289,
4483, 4487
\AtEndOfClass 4481
\author 4709
\authorandplace 5182
\AutoDisplayMathDigits .. 4129,
5600, 5606
\autofootnoterule 4172
\AutoInlineMathDigits 4121, 5596,



<p>5605</p> <p>\AutoMathDigits . 4113, 5604, 5608</p> <p>B</p> <p>\backrefpagesname 63</p> <p>\baselineskip 3446, 3449, 4399, 4401, 4403, 4406, 4407, 4409</p> <p>\begin 2367, 2368, 2618, 2624, 2629, 2673, 2679, 2684, 2725, 2731, 2736, 3383, 3384, 3741, 4537, 4540, 4593, 4608, 4621, 4627, 4648, 4679, 4685, 4692, 4716, 4770, 4776, 4848, 4851, 4856, 4863, 4878, 4893, 4910, 4944, 4962, 4967, 4987, 4994, 4995, 5016, 5018, 5019, 5041, 5046, 5047, 5083, 5084, 5092, 5118, 5126, 5132, 5133, 5141, 5171, 5195, 5227, 5228, 5243, 5255, 5269, 5696, 5700, 5711, 5712, 5718, 5773</p> <p>\begingroup 163, 2138, 2355, 2371, 2451, 2453, 2513, 2944, 2946, 3602, 3618, 3633, 3648, 3663, 3676, 3685, 3694, 5296, 5320, 5542, 5547</p> <p>\beginL 3393, 4569, 4970</p> <p>\beginR 4573, 4574, 4575, 4586, 4587, 4588, 4793, 4794, 4795, 4813, 4834, 4835, 4836, 4837, 4838, 4839, 4990, 5085</p> <p>\belowdisplayshortskip 3507, 3516, 3524, 3533, 3541, 3550, 4497, 4508, 4515</p> <p>\belowdisplayskip 3509, 3515, 3526, 3532, 3543, 3549, 4495, 4506, 4513</p> <p>\bfseries 2193, 2282, 3403, 3725, 4529, 4535, 4554, 4562, 4590, 4606, 4625, 4639, 4643, 4668, 4673, 4677, 4802, 4808, 5655, 5677, 5679, 5763</p> <p>\bgroup 1218, 1883, 1923, 2124, 2134, 5292, 5316, 5543</p> <p>\bibname 3760</p> <p>\bidi@@footnotetext@font 1479</p> <p>\bidi@@LTRfootnotetext@font 1481</p> <p>\bidi@@RTLfootnotetext@font 1483</p>	<p>\bidi@@thebibliography@font@hook 4040</p> <p>\bidi@AfterEndPreamble 4044</p> <p>\bidi@appto 2781, 2785</p> <p>\bidi@AtEndPreamble 4325</p> <p>\bidi@column@status 4312, 4316</p> <p>\bidi@csdefcs 806, 1679</p> <p>\bidi@csletcs 501, 1679, 1683, 1684, 1687, 1688</p> <p>\bidi@digits@charclass 3044, 3045, 3046, 3047, 3048, 3049, 3051, 3052, 3053, 3054, 3055, 3056, 3057, 3058</p> <p>\bidi@firstcolumn@status@write 4310, 4318</p> <p>\bidi@font@outputpage 3409</p> <p>\bidi@isloaded 1638, 1639, 1640, 1641, 1642, 1643, 1644, 1645, 1646, 1649, 1652, 1655, 1658, 1661, 1664, 1667, 1670, 1673</p> <p>\bidi@lastcolumn@status@write 4314, 4319</p> <p>\bidi@newrobustcmd 3361, 3362, 3745</p> <p>\bidi@patchcmd 4326, 4362, 4366, 4378, 4384, 4390, 4398</p> <p>\bidi@reflect@box 3746</p> <p>\bidi@sepmark@charclass 3048, 3049</p> <p>\blacktriangleleft 1490, 1492</p> <p>\blacktriangleright 1490, 1492</p> <p>\bm@b 1891</p> <p>\bm@c 1888</p> <p>\bm@l 1889</p> <p>\bm@r 1890</p> <p>\bm@s 1893</p> <p>\bm@t 1892</p> <p>\bm@ 1892</p> <p>\bm@ 1890</p> <p>\bm@ 1891</p> <p>\bm@ 1888</p> <p>\bm@ 1889</p> <p>\bm@ 1893</p> <p>\bool 5342</p> <p>\boolean 4470, 4482, 4491, 4595, 4610, 4629, 4650, 4846, 4847, 4877, 4909, 4943, 4961, 4985, 5015, 5039, 5066</p> <p>\box 169</p> <p>\BR@Latincitex 64, 74</p>
---	---



\BRorg@Latincitex 65, 73

C

\C 2375
 \c 5374, 5377, 5385, 5393, 5401, 5409,
 5621, 5634
 \c@book 1760
 \c@chapter 18, 20, 31,
 122, 133, 140, 152, 1305, 1317,
 1766, 2588, 2595, 2602, 2610,
 2692, 2744
 \c@mpfootnote 1928, 4039
 \c@part 9, 16, 39, 45, 51, 57,
 113, 124, 135, 147, 1290, 1300,
 1312, 1550, 1761, 2583, 2590,
 2597, 2605, 2613, 2668, 2720
 \c@section 10, 12, 18, 34, 43, 49, 55,
 61, 1294, 1551, 1553, 2636
 \c@subsection 10, 1551
 \catcode .. 1677, 2138, 2139, 2140,
 2374, 5541
 \ccname 3762
 \cdp@elt 5345
 \cdp@list 5345
 \centering 4732, 5020, 5660
 \cftchapname 2810
 \cftfigname 2816
 \cftpargname 2814
 \cftsecname 2811
 \cftsubfigname 2817
 \cftsubparaname 2815
 \cftsubsecname 2812
 \cftsubsubsecname 2813
 \cftsubtabname 2819
 \cfttabname 2818
 \chapterautorefname 1511
 \chaptername 19, 1319, 3761
 \char 5419, 5427
 \chardef .. 1573, 1574, 1575, 1577,
 1578, 1579, 1580, 1581, 3415,
 5289
 \charlist .. 1602, 1603, 1605, 1609
 \citation 3402
 \citemumfont 2332
 \citeyear 2154
 \citeyearpar 2154
 \ClassError 4867, 4899, 4933, 4953,
 4974, 4999, 5024, 5050, 5073,
 5705
 \ClassWarning .. 2616, 2671, 2723,
 4452, 4454, 4456, 4726, 4740
 \cleardoubleoddpage 2665
 \cleardoublepage 15, 115, 126, 144,
 1297
 \clearpage 2665, 4830
 \clist 5439, 5443, 5444, 5451, 5452,
 5459, 5460
 \closeout 4214, 4226, 4238
 \color@begingroup 1924
 \color@vbox 1881, 2123, 2133
 \columnlines 4426, 4427, 4459, 4788
 \columnsep 4722, 5145
 \columnseprule 4788
 \columntitle 5139
 \columnwidth 1884, 1926, 2124, 2134,
 4721, 5144
 \comment 5750
 \contentsname 3741, 3750
 \copyright 4578
 \correction 5750, 5757
 \correctionstyle 5743
 \count 1876, 4756, 4757, 4759, 4760,
 4769, 4775
 \count@ 2020
 \cs 2461, 2463, 3007, 3024, 3031, 3065,
 3080, 3096, 3111, 3113, 3118,
 3135, 3137, 3142, 3185, 3202,
 3209, 3226, 3233, 3250, 3257,
 3274, 3281, 3298, 3305, 3322,
 5369, 5370, 5371, 5372, 5373,
 5416, 5417, 5441, 5449, 5457,
 5465, 5477, 5506, 5512, 5521,
 5527, 5536, 5618
 \csname 1680, 1873, 1913, 2118, 2121,
 2128, 2131, 2148, 2455, 2472,
 2473, 2474, 2475, 2476, 2641,
 2697, 2749, 2945, 2948, 2954,
 2956, 3407, 3604, 3620, 3635,
 3650, 3665, 3678, 3687, 3696,
 3776, 3781, 3784, 3890, 4014,
 4379, 4381, 4385, 4387, 4391,
 4393, 5295, 5298, 5303, 5304,
 5319, 5322, 5326, 5327, 5330,
 5365, 5367, 5914, 5923, 5933
 \currenttime 4552
 \customlogo 4793
 \custommagazinename 4795
 \customminilogo 4794
 \customwwwTxt 4523



D

\d@llarbegin 2024, 2025, 2026
\d@llarend 2024, 2025, 2026
\date 4551, 4562, 4710, 5179
\datename 3758
\day 5812
\dblfloatasep 3712
\dbltextfloatsep 3713
\decimalseparator@check . 5548,
 5549
\decimalseparator@point . 5539,
 5548
\decimalseparator@pointcheck .
 5542, 5547, 5548
\DeclareDocumentCommand . 3002,
 3026, 3067, 3075, 3101, 3106,
 3125, 3130, 3180, 3204, 3228,
 3252, 3276, 3300, 5473, 5508,
 5523
\DeclareMathAccent 5353
\DeclareMathAlphabet 5352
\DeclareMathDelimiter 5354
\DeclareMathRadical 5356
\DeclareMathSizes 5345
\DeclareMathSymbol 5353
\DeclareMathVersion 5347
\DeclareOption . 4448, 4449, 4450,
 4451, 4453, 4455, 4457, 4458,
 4459, 4460, 4461, 5747, 5754
\DeclareOptionX . 4257, 4263, 4267,
 4271, 4275, 4279, 4283
\DeclareRobustCommand . 2354, 3011,
 3036, 3083, 3155, 3158, 3161,
 3164, 3167, 3170, 3189, 3213,
 3237, 3261, 3285, 3309, 3395
\DeclareSymbolFont . 5350, 5483,
 5484, 5485, 5486, 5516, 5531
\DeclareSymbolFontAlphabet . 5357
\DeclareSymbolFontAlphabet@ . .
 5357
\DeclareTextFontCommand . 3173,
 3174, 3175, 3176, 3177, 3178
\def 2, 3, 5, 6, 7, 10, 12,
 15, 17, 20, 63, 64, 77, 111, 155,
 167, 180, 187, 191, 1208, 1209,
 1210, 1211, 1212, 1213, 1214,
 1215, 1216, 1487, 1489, 1491,
 1493, 1504, 1505, 1506, 1507,
 1508, 1509, 1510, 1511, 1512,
 1513, 1514, 1515, 1516, 1517,
 1518, 1519, 1522, 1533, 1538,
 1551, 1553, 1583, 1602, 1604,
 1605, 1610, 1635, 1636, 1770,
 1771, 1772, 1773, 1774, 1775,
 1776, 1777, 1778, 1808, 1810,
 1811, 1813, 1894, 1916, 1922,
 1928, 1935, 1951, 1985, 2019,
 2032, 2033, 2036, 2053, 2061,
 2069, 2070, 2074, 2116, 2117,
 2120, 2127, 2130, 2143, 2144,
 2153, 2156, 2168, 2169, 2179,
 2182, 2195, 2210, 2240, 2272,
 2276, 2301, 2363, 2377, 2381,
 2383, 2384, 2387, 2393, 2395,
 2397, 2413, 2416, 2432, 2433,
 2436, 2449, 2451, 2454, 2471,
 2516, 2774, 2821, 2829, 2837,
 2845, 2853, 2861, 2869, 2877,
 2885, 2886, 2941, 2942, 2943,
 2949, 2950, 2954, 3325, 3328,
 3333, 3347, 3363, 3364, 3373,
 3374, 3386, 3387, 3388, 3397,
 3400, 3502, 3603, 3619, 3634,
 3649, 3664, 3677, 3686, 3695,
 3748, 3749, 3750, 3751, 3752,
 3753, 3754, 3755, 3756, 3757,
 3758, 3759, 3760, 3761, 3762,
 3763, 3764, 3765, 3766, 3768,
 3776, 3778, 3781, 3790, 3795,
 3804, 3830, 3843, 3854, 3868,
 3874, 3877, 3880, 3884, 3896,
 3905, 3931, 3944, 3955, 3973,
 3978, 3985, 3995, 4014, 4016,
 4017, 4021, 4025, 4029, 4035,
 4039, 4097, 4247, 4252, 4264,
 4268, 4276, 4280, 4284, 4310,
 4314, 4523, 4793, 4794, 4795,
 5289, 5291, 5315, 5488, 5518,
 5533, 5547, 5548, 5549, 5576,
 5577, 5578, 5579, 5580, 5584,
 5588, 5592, 5596, 5600, 5604,
 5655, 5657, 5659, 5677, 5679,
 5683, 5690, 5726, 5727, 5730,
 5731, 5732, 5733, 5742, 5745,
 5752, 5753, 5759, 5760, 5763,
 5947
\def@NAT@last@yr 2311, 2313
\DefaultDisplayMathDigits . 4131,
 5579, 5582
\defaultfontfeatures 4258



```

\DefaultInlineMathDigits   4123,
                           5578, 5581
\DefaultMathDecimalSeparator .
                           .... 5577, 5625
\DefaultMathDigits .. 4115, 5580
\define@choicekey .. 4111, 4119,
                     4127, 4135, 4142, 4150, 4157,
                     4164, 4170, 4182, 4188, 4194,
                     4198, 4202, 4208, 4221, 4233,
                     4245, 4287, 4294, 4301, 4308,
                     4323, 4333
\define@key ..... 2477
\define@mathalphabet ..... 5347
\define@mathgroup ..... 5347
\deflatinfont ..... 3125
\defpersianfont ..... 3101
\depth ..... 2485, 2486
\DigitsDotDashInterCharToks ..
                           .... 3049
\dimexpr .. 1593, 3329, 3331, 3334,
            3336, 3449, 3499, 3653, 3668,
            3681, 3690, 3699, 4363, 4367,
            4372, 4373, 4374
\ding ..... 5726, 5727
\display@setup ..... 156, 181
\divide 4762, 4763, 5814, 5822, 5827,
         5854, 5860, 5868, 5870, 5873,
         5877, 5881, 5885
\do 1835, 2188, 2277, 2478, 3399, 4099,
      5360
\document@select@group .. 5315
\dorestore@version ..... 5349
\dosetclass ..... 1603, 1604, 1608
\dot ..... 5560
\doublebox ..... 5101, 5154
\dquad ..... 189, 191
\dsseries@display@setup ... 181

E
\e@alloc@intercharclass@top ..
                           .... 3044, 3045
\edef . 1903, 1958, 1992, 2056, 2064,
         2081, 2190, 2279, 2439, 2893,
         2919, 2948, 2951, 3401, 3497,
         3500, 3510, 3527, 3544, 3555,
         3561, 3567, 3573, 3579, 3585,
         3591, 3606, 3622, 3637, 3652,
         3667, 3680, 3689, 3698, 4102,
         5692
\edition ..... 4820
\editionFormat ..... 4529, 4532
\editorialAuthorFormat .. 4672,
                           5236
\editorialTitleFormat 4670, 4671
\egroup ..... 5546
\else ..... 2, 3, 5, 7, 32,
            63, 111, 159, 189, 1209, 1210,
            1211, 1212, 1213, 1214, 1215,
            1216, 1217, 1218, 1219, 1308,
            1323, 1330, 1338, 1345, 1353,
            1360, 1368, 1375, 1382, 1389,
            1396, 1403, 1410, 1417, 1424,
            1431, 1438, 1445, 1452, 1459,
            1466, 1473, 1479, 1490, 1492,
            1494, 1504, 1505, 1506, 1507,
            1508, 1509, 1510, 1511, 1512,
            1513, 1514, 1515, 1516, 1517,
            1518, 1519, 1607, 1635, 1636,
            1648, 1651, 1654, 1657, 1660,
            1663, 1666, 1669, 1672, 1770,
            1771, 1772, 1773, 1774, 1775,
            1776, 1777, 1778, 1816, 1824,
            1829, 1839, 1845, 1898, 1901,
            1906, 1907, 1908, 1909, 1910,
            1920, 1935, 1936, 1937, 1938,
            1939, 1940, 1941, 1942, 1943,
            1944, 1945, 1946, 1952, 1953,
            1954, 1956, 1957, 1960, 1961,
            1962, 1963, 1964, 1965, 1967,
            1968, 1969, 1970, 1971, 1974,
            1975, 1976, 1977, 1978, 1979,
            1986, 1987, 1988, 1990, 1991,
            1994, 1995, 1996, 1997, 1998,
            1999, 2001, 2002, 2003, 2004,
            2005, 2006, 2007, 2010, 2011,
            2012, 2013, 2014, 2015, 2035,
            2036, 2037, 2038, 2039, 2040,
            2041, 2042, 2043, 2045, 2046,
            2047, 2048, 2049, 2050, 2075,
            2076, 2077, 2079, 2080, 2083,
            2084, 2085, 2086, 2087, 2088,
            2089, 2090, 2091, 2092, 2093,
            2094, 2095, 2096, 2098, 2099,
            2100, 2101, 2102, 2105, 2106,
            2107, 2108, 2109, 2110, 2122,
            2132, 2157, 2170, 2202, 2207,
            2216, 2219, 2233, 2237, 2246,
            2250, 2253, 2265, 2269, 2270,
            2291, 2312, 2326, 2328, 2331,
            2345, 2347, 2358, 2381, 2392,

```



\empty	1606
\enclname	3763
\encodingdefault	3019, 3091, 3197, 3221, 3245, 3269, 3293, 3317
\end ..	1603, 1604, 1609, 1610, 2367, 2368, 2439, 2450, 2618, 2622, 2626, 2628, 2673, 2677, 2681, 2683, 2725, 2729, 2733, 2735, 3383, 3384, 3744, 4537, 4542, 4599, 4613, 4623, 4632, 4655, 4694, 4697, 4700, 4717, 4772, 4778, 4855, 4861, 4865, 4891, 4897, 4931, 4951, 4966, 4972, 5008, 5009, 5010, 5033, 5034, 5035, 5059, 5060, 5061, 5086, 5087, 5090, 5120, 5124, 5135,
\end@correction	5136, 5173, 5177, 5206, 5237, 5238, 5252, 5264, 5277, 5665, 5668, 5670, 5673, 5719, 5720, 5724, 5778
\endcomment	5758
\endcorrection	5751, 5758
\endcsname	1680, 1873, 1913, 2118, 2121, 2128, 2131, 2148, 2455, 2472, 2473, 2474, 2475, 2476, 2641, 2697, 2749, 2945, 2948, 2954, 2956, 3407, 3604, 3620, 3635, 3650, 3665, 3678, 3687, 3696, 3776, 3781, 3784, 3890, 4014, 4379, 4381, 4385, 4387, 4391, 4393, 5295, 5298, 5303, 5304, 5319, 5322, 5326, 5328, 5330, 5365, 5367, 5914, 5923, 5934
\endgroup .	2376, 2454, 2517, 2944, 2952, 3605, 3621, 3636, 3651, 3666, 3679, 3688, 3697, 5300, 5324, 5550, 5551, 5552, 5553, 5554, 5555, 5556, 5557, 5558, 5559, 5560, 5561, 5576, 5585, 5586, 5587, 5589, 5590, 5591, 5597, 5598, 5599, 5601, 5602, 5603, 5820, 5824, 5829, 5830, 5837, 5858, 5863, 5893, 5929, 5937
\endL	4569, 4970
\endlatin	3364, 3372
\endLTR	3364
\endMakeFramed	1498
\endmath	186
\endpersian	3374, 3382
\endquestion	5771
\endR .	4573, 4574, 4575, 4586, 4587, 4588, 4793, 4794, 4795, 4813, 4834, 4835, 4836, 4837, 4838, 4839, 4990, 5085
\endRTL	3374
\ends@math	186
\endtrivlist	2144, 2454
\end ..	2144, 2148, 2454, 2455
\ensuremath	2922
\eq@addpunct	191
\eq@group	159, 168
\eq@GRP@first@dmath	168
\eq@prelim	159, 176
\eq@setnumber	162
\eq@setup@a	164
\eq@startup	165
\eq@wdCond	183
\eqcommand	195, 196, 197, 198, 199,



200, 201, 202, 203, 204, 205,
206, 207, 208, 209, 210, 211,
212, 213, 214, 215, 216, 217,
218, 219, 220, 221, 222, 223,
224, 225, 226, 227, 228, 229,
230, 231, 232, 233, 234, 235,
236, 237, 238, 239, 240, 241,
242, 243, 244, 245, 246, 247,
248, 249, 250, 251, 252, 253,
254, 255, 256, 257, 258, 259,
260, 261, 262, 263, 264, 265,
266, 267, 268, 269, 270, 271,
272, 273, 274, 275, 276, 277,
278, 279, 280, 281, 282, 283,
284, 285, 286, 287, 288, 289,
290, 291, 292, 293, 294, 295,
296, 297, 298, 299, 300, 301,
302, 303, 304, 305, 306, 307,
308, 309, 310, 311, 312, 313,
314, 315, 316, 317, 318, 319,
320, 321, 322, 323, 324, 325,
326, 327, 328, 329, 330, 331,
332, 333, 334, 335, 336, 337,
338, 339, 340, 341, 342, 343,
344, 345, 346, 347, 348, 349,
350, 351, 352, 353, 354, 355,
356, 357, 358, 359, 360, 361,
362, 363, 364, 365, 366, 367,
368, 369, 370, 371, 372, 373,
374, 375, 376, 377, 378, 379,
380, 381, 382, 383, 384, 385,
386, 387, 388, 389, 390, 391,
392, 393, 394, 395, 396, 397,
398, 399, 400, 401, 402, 403,
404, 405, 406, 407, 408, 409,
410, 411, 412, 413, 414, 415,
416, 417, 418, 419, 420, 421,
422, 423, 424, 425, 426, 427,
428, 429, 430, 431, 432, 433,
434, 435, 436, 437, 438, 439,
440, 441, 442, 443, 444, 445,
446, 447, 448, 449, 450, 451,
452, 453, 454, 455, 456, 457,
458, 459, 460, 461, 462, 463,
464, 465, 466, 467, 468, 469,
470, 471, 472, 473, 474, 475,
476, 477, 478, 479, 480, 481,
482, 483, 484, 485, 486, 487,
488, 489, 490, 491, 492, 493,
494, 495, 496, 497, 498, 499,
500, 502, 503, 504, 505, 506,
507, 508, 509, 510, 511, 512,
513, 514, 515, 516, 517, 518,
519, 520, 521, 522, 523, 524,
525, 526, 527, 528, 529, 530,
531, 532, 533, 534, 535, 536,
537, 538, 539, 540, 541, 542,
543, 544, 545, 546, 547, 548,
549, 550, 551, 552, 553, 554,
555, 556, 557, 558, 559, 560,
561, 562, 563, 564, 565, 566,
567, 568, 569, 570, 571, 572,
573, 574, 575, 576, 577, 578,
579, 580, 581, 582, 583, 584,
585, 586, 587, 588, 589, 590,
591, 592, 593, 594, 595, 596,
597, 598, 599, 600, 601, 602,
603, 604, 605, 606, 607, 608,
609, 610, 611, 612, 613, 614,
615, 616, 617, 618, 619, 620,
621, 622, 623, 624, 625, 626,
627, 628, 629, 630, 631, 632,
633, 634, 635, 636, 637, 638,
639, 640, 641, 642, 643, 644,
645, 646, 647, 648, 649, 650,
651, 652, 653, 654, 655, 656,
657, 658, 659, 660, 661, 662,
663, 664, 665, 666, 667, 668,
669, 670, 671, 672, 673, 674,
675, 676, 677, 678, 679, 680,
681, 682, 683, 684, 685, 686,
687, 688, 689, 690, 691, 692,
693, 694, 695, 696, 697, 698,
699, 700, 701, 702, 703, 704,
705, 706, 707, 708, 709, 710,
711, 712, 713, 714, 715, 716,
717, 718, 719, 720, 721, 722,
723, 724, 725, 726, 727, 728,
729, 730, 731, 732, 733, 734,
735, 736, 737, 738, 739, 740,
741, 742, 743, 744, 745, 746,
747, 748, 749, 750, 751, 752,
753, 754, 755, 756, 757, 758,
759, 760, 761, 762, 763, 764,
765, 766, 767, 768, 769, 770,
771, 772, 773, 774, 775, 776,
777, 778, 779, 780, 781, 782,
783, 784, 785, 786, 787, 788,
789, 790, 791, 792, 793, 794,
795, 796, 797, 798, 799, 800,



801, 802, 803, 804, 805, 807,	1085, 1086, 1087, 1088, 1089,
808, 809, 810, 811, 812, 813,	1090, 1091, 1092, 1093, 1094,
814, 815, 816, 817, 818, 819,	1095, 1096, 1097, 1098, 1099,
820, 821, 822, 823, 824, 825,	1100, 1101, 1102, 1103, 1104,
826, 827, 828, 829, 830, 831,	1105, 1106, 1107, 1108, 1109,
832, 833, 834, 835, 836, 837,	1110, 1111, 1112, 1113, 1114,
838, 839, 840, 841, 842, 843,	1115, 1116, 1117, 1118, 1119,
844, 845, 846, 847, 848, 849,	1120, 1121, 1122, 1123, 1124,
850, 851, 852, 853, 854, 855,	1125, 1126, 1127, 1128, 1129,
856, 857, 858, 859, 860, 861,	1130, 1131, 1132, 1133, 1134,
862, 863, 864, 865, 866, 867,	1135, 1136, 1137, 1148, 1149,
868, 869, 870, 871, 872, 873,	1150, 1151, 1152, 1153, 1154,
874, 875, 876, 877, 878, 879,	1155, 1156, 1157, 1158, 1159,
880, 881, 882, 883, 884, 885,	1160, 1161, 1162, 1163, 1164,
886, 887, 888, 889, 890, 891,	1165, 1166, 1167, 1168, 1169,
892, 893, 894, 895, 896, 897,	1170, 1171, 1172, 1173, 1174,
898, 899, 900, 901, 902, 903,	1175, 1176, 1177, 1178, 1179,
904, 905, 906, 907, 908, 909,	1180, 1181, 1182, 1183, 1184,
910, 911, 912, 913, 914, 915,	1185, 1186, 1187, 1188, 1189,
916, 917, 918, 919, 920, 921,	1190, 1191, 1192, 1193, 1194,
922, 923, 924, 925, 926, 927,	1195, 1196, 1197, 1198, 1199,
928, 929, 930, 931, 932, 933,	1200, 1201, 1202, 1203, 1204,
934, 935, 936, 937, 938, 939,	1205, 1206, 1679
940, 941, 942, 943, 944, 945,	\eqenvironment . 1236, 1237, 1238,
946, 947, 948, 949, 950, 951,	1239, 1240, 1241, 1242, 1243,
952, 953, 954, 955, 956, 957,	1244, 1245, 1246, 1247, 1248,
958, 959, 960, 961, 962, 963,	1249, 1250, 1251, 1252, 1253,
964, 965, 966, 967, 968, 969,	1254, 1255, 1256, 1257, 1258,
970, 971, 972, 973, 974, 975,	1259, 1260, 1261, 1262, 1263,
976, 977, 978, 979, 980, 981,	1264, 1265, 1266, 1267, 1268,
982, 983, 984, 985, 986, 987,	1269, 1270, 1271, 1272, 1273,
988, 989, 990, 991, 992, 993,	1274, 1275, 1276, 1277, 1279,
994, 995, 996, 997, 998, 999,	1280, 1281, 1282, 1283, 1284,
1000, 1001, 1002, 1003, 1004,	1285, 1286, 1287, 1288, 1680
1005, 1006, 1007, 1008, 1009,	\eqstyle 161
1010, 1011, 1012, 1013, 1014,	\equal 4768, 4923, 5095, 5100, 5105,
1015, 1016, 1017, 1018, 1019,	5110, 5115, 5148, 5153, 5158,
1020, 1021, 1022, 1023, 1024,	5163, 5168
1025, 1026, 1027, 1028, 1029,	\equationautorefname 1504
1030, 1031, 1032, 1033, 1034,	\escapechar 2947, 5297, 5321
1035, 1036, 1037, 1038, 1039,	\everydisplay 156, 5612, 5613
1040, 1041, 1042, 1043, 1044,	\everyjob 2919, 2920
1045, 1046, 1047, 1048, 1049,	\everymath 5609
1050, 1051, 1052, 1053, 1054,	\everypar 3366, 3376, 3393
1055, 1056, 1057, 1058, 1059,	\ExecuteOptions 5761
1060, 1061, 1062, 1063, 1064,	\ExecuteOptionsX 4340
1065, 1066, 1067, 1068, 1069,	\exp 3011, 3013, 3014, 3015, 3036,
1070, 1071, 1072, 1073, 1074,	3038, 3039, 3040, 3083, 3085,
1075, 1076, 1077, 1078, 1079,	3086, 3087, 3116, 3118, 3119,
1080, 1081, 1082, 1083, 1084,	3120, 3140, 3142, 3143, 3144,



3189, 3191, 3192, 3193, 3213,
 3215, 3216, 3217, 3237, 3239,
 3240, 3241, 3261, 3263, 3264,
 3265, 3285, 3287, 3288, 3289,
 3309, 3311, 3312, 3313
`\expandafter` 156, 1603, 1609, 1833,
 1834, 1958, 1992, 2081, 2118,
 2121, 2128, 2131, 2148, 2190,
 2279, 2395, 2400, 2401, 2406,
 2411, 2412, 2418, 2419, 2420,
 2421, 2428, 2429, 2430, 2431,
 2433, 2442, 2443, 2444, 2445,
 2455, 2472, 2473, 2474, 2475,
 2925, 2927, 2931, 2933, 2937,
 2939, 2944, 2945, 2948, 2951,
 2952, 2954, 2955, 3401, 3503,
 3776, 3781, 3784, 3799, 3805,
 3890, 3900, 3906, 4000, 4002,
 4004, 4006, 4014, 5292, 5311,
 5316, 5325, 5326, 5327, 5337,
 5609, 5612, 5693
`\expandedtitle` 5089
`\ExplSyntaxOff` . 2147, 2469, 3324,
 5362, 5538, 5645
`\ExplSyntaxOn` . . 2145, 2457, 2970,
 5341, 5368, 5617
`\extract@alph@from@version` 5325

F

`\f@baselineskip` 3342, 3356, 3596,
 3703, 4399, 4401
`\f@family` 3062, 3063
`\f@size` 3342, 3356
`\f@ur` . 1590, 3415, 3431, 3432, 3433,
 3436, 3437, 3438
`\false` 5738
`\falsesymbol` 5729
`\familydefault` . 3018, 3090, 3196,
 3220, 3244, 3268, 3292, 3316
`\fancyfoot` . 4833, 4837, 4838, 4839
`\fancyhead` . 4832, 4834, 4835, 4836
`\FancyVerbLineautorefname` 1517
`\fbox` . . 4717, 4732, 4947, 5715, 5775
`\fboxrule` . 1487, 1489, 1491, 1493,
 4789
`\fboxsep` . . 1487, 1489, 1491, 1493,
 4720, 4913, 4945, 5017, 5045,
 5093, 5142
`\fi` 2, 3, 5, 7, 35,
 63, 68, 111, 155, 157, 158, 159,

167, 178, 180, 189, 1222, 1308,
 1325, 1332, 1340, 1347, 1355,
 1362, 1370, 1377, 1384, 1391,
 1398, 1405, 1412, 1419, 1426,
 1433, 1440, 1447, 1454, 1461,
 1468, 1475, 1479, 1490, 1492,
 1494, 1504, 1505, 1506, 1507,
 1508, 1509, 1510, 1511, 1512,
 1513, 1514, 1515, 1516, 1517,
 1518, 1519, 1599, 1608, 1635,
 1636, 1650, 1653, 1656, 1659,
 1662, 1665, 1668, 1671, 1674,
 1770, 1771, 1772, 1773, 1774,
 1775, 1776, 1777, 1778, 1819,
 1820, 1826, 1841, 1842, 1847,
 1848, 1851, 1854, 1857, 1860,
 1863, 1866, 1870, 1871, 1879,
 1897, 1898, 1904, 1911, 1914,
 1919, 1920, 1939, 1940, 1941,
 1942, 1946, 1947, 1948, 1962,
 1963, 1964, 1965, 1980, 1981,
 1996, 1997, 1998, 1999, 2016,
 2017, 2031, 2040, 2041, 2042,
 2043, 2050, 2051, 2055, 2060,
 2063, 2068, 2071, 2085, 2086,
 2087, 2088, 2111, 2112, 2122,
 2132, 2144, 2162, 2180, 2201,
 2203, 2214, 2218, 2227, 2228,
 2232, 2244, 2249, 2253, 2257,
 2258, 2262, 2267, 2268, 2269,
 2270, 2290, 2292, 2314, 2322,
 2330, 2331, 2340, 2341, 2347,
 2350, 2360, 2381, 2396, 2414,
 2434, 2447, 2450, 2476, 2488,
 2516, 2645, 2646, 2647, 2648,
 2649, 2650, 2651, 2652, 2653,
 2654, 2655, 2656, 2657, 2658,
 2659, 2660, 2665, 2701, 2702,
 2703, 2704, 2705, 2706, 2707,
 2708, 2709, 2710, 2711, 2712,
 2713, 2714, 2715, 2716, 2753,
 2754, 2755, 2756, 2757, 2758,
 2759, 2760, 2761, 2762, 2763,
 2764, 2765, 2766, 2767, 2768,
 2779, 2796, 2810, 2811, 2812,
 2813, 2814, 2815, 2816, 2817,
 2818, 2819, 2827, 2835, 2843,
 2851, 2859, 2867, 2875, 2882,
 2928, 2934, 2940, 2958, 2959,
 2967, 3062, 3063, 3370, 3380,



3402, 3409, 3423, 3428, 3429,
 3430, 3434, 3439, 3440, 3441,
 3442, 3451, 3462, 3463, 3464,
 3468, 3470, 3474, 3475, 3477,
 3478, 3482, 3484, 3488, 3489,
 3490, 3610, 3626, 3641, 3657,
 3673, 3682, 3691, 3700, 3748,
 3749, 3750, 3751, 3752, 3753,
 3754, 3755, 3756, 3757, 3758,
 3759, 3760, 3761, 3762, 3763,
 3764, 3765, 3766, 3775, 3780,
 3802, 3816, 3828, 3833, 3834,
 3837, 3839, 3840, 3852, 3856,
 3858, 3859, 3861, 3864, 3866,
 3872, 3875, 3878, 3882, 3887,
 3903, 3917, 3929, 3934, 3935,
 3938, 3940, 3941, 3953, 3957,
 3959, 3960, 3962, 3968, 3969,
 3971, 3976, 3983, 3989, 4007,
 4008, 4009, 4010, 4011, 4012,
 4019, 4020, 4023, 4024, 4027,
 4028, 4030, 4031, 4043, 4106,
 4118, 4126, 4134, 4140, 4147,
 4155, 4162, 4169, 4181, 4187,
 4193, 4197, 4201, 4207, 4219,
 4220, 4231, 4232, 4243, 4244,
 4256, 4292, 4299, 4306, 4320,
 4331, 4338, 4360, 4410, 4411,
 4413, 4742, 4743, 4948, 4965,
 5129, 5203, 5222, 5249, 5274,
 5292, 5310, 5311, 5316, 5336,
 5337, 5436, 5563, 5564, 5565,
 5566, 5567, 5568, 5569, 5570,
 5571, 5572, 5573, 5574, 5576,
 5585, 5586, 5587, 5589, 5590,
 5591, 5597, 5598, 5599, 5601,
 5602, 5603, 5829, 5831, 5832,
 5833, 5839, 5863, 5864, 5884,
 5895, 5916, 5925, 5932, 5939,
 5954
 \figureautorefname 1507
 \figurename 1334, 3748
 \finishsetclass 1606, 1610
 \firstarticle . . 4844, 4868, 4869,
 4871
 \FirstFrameCommand 1489
 \firstimage . 4941, 4954, 4955, 4957
 \firstTextFormat . . . 4602, 4604
 \firstTitleFormat 4590, 4596, 4597
 \float@box 2119, 2129
 \float@endH 2118, 2128
 \floatsep 3707, 3711, 3712
 \flushright 4590, 4609, 4628
 \font 1593, 3419
 \font@name 4379, 4381, 4385, 4387,
 4391, 4393
 \fontcharwd 1593
 \fontencoding . . 3013, 3039, 3085,
 3119, 3143, 3191, 3215, 3239,
 3263, 3287, 3311
 \fontfamily 3014, 3038, 3086, 3118,
 3142, 3157, 3160, 3163, 3166,
 3169, 3172, 3192, 3216, 3240,
 3264, 3288, 3312
 \fontsize 3342, 3356
 \fontspec . 2146, 2464, 3009, 3033,
 3082, 3113, 3137, 3187, 3211,
 3235, 3259, 3283, 3307, 5480,
 5514, 5529
 \foot 4585
 \footdir@debugfalse 4192
 \footdir@debugtrue 4190
 \footins 3705
 \footnote 4682
 \footnotearule 4681
 \footnotesep 3704, 4407, 4409
 \footnotesize . 103, 105, 107, 1308,
 1309, 1310, 1479, 1481, 1483,
 3544, 3545, 4510, 4511, 4545,
 4578, 4643, 4667, 4668, 4680
 \foottextfont 1308
 \FrameCommand 1487
 \FrameRestore 1495
 \Frefchapname . . . 1319, 1388, 1390
 \frefchapname 1386
 \Frefenumname . . . 1320, 1395, 1397
 \frefenumname 1393
 \Frefeqname 1327, 1402, 1404
 \frefeqname 1400
 \Freffigname 1334, 1367, 1409, 1411
 \freffigname 1407
 \Freffigshortname 1365, 1458, 1460
 \freffigshortname 1456
 \Freffname 1335, 1416, 1418
 \freffname 1414
 \Frefonname 1342, 1423, 1425
 \frefonname 1421
 \Frefpgname . 1349, 1374, 1430, 1432
 \frefpgname 1428



\Frefpgshortname 1372, 1465, 1467
 \frefpgshortname 1463
 \Frefsecname 1350, 1437, 1439
 \frefsecname 1435
 \Frefseename 1357, 1444, 1446
 \frefseename 1442
 \Freftabname 1364, 1451, 1453
 \freftabname 1449
 \Freftabshortname 1379, 1472, 1474
 \freftabshortname 1470
 \frenchspacing 2143, 2451
 \frontmatter 15, 114, 125, 143, 1296,
 2664
 \futurelet 2386, 5542, 5547

G

\g 3013, 3019, 3039, 3085, 3091, 3119,
 3143, 3191, 3197, 3215, 3221,
 3239, 3245, 3263, 3269, 3287,
 3293, 3311, 3317, 5342, 5480,
 5483, 5484, 5485, 5486, 5514,
 5516, 5529, 5531
 \g@addto@macro . 2639, 2641, 2695,
 2697, 2747, 2749, 5690
 \G@refundefinedtrue 3404
 \gdef 43, 49, 55, 61, 121, 122, 132, 133,
 139, 140, 151, 152, 1294, 1304,
 1305, 1316, 1317, 1524, 1525,
 1540, 1542, 1765, 1766, 2515,
 2587, 2588, 2594, 2595, 2601,
 2602, 2609, 2610, 2636, 2691,
 2692, 2743, 2744, 4523, 4793,
 4794, 4795, 5542, 5656, 5658,
 5676, 5678, 5680, 5686, 5687,
 5703, 5728, 5729, 5743, 5762,
 5764, 5769, 5780
 \get@cdp 5351
 \getanddefine@fonts . 4378, 4384,
 4390, 5298, 5322
 \Gin@boolkey 2471
 \glb@currsize 5479
 \global 73, 74, 158, 168, 169, 170, 171,
 172, 173, 174, 175, 183, 1876,
 1880, 2200, 2289, 4702, 4703,
 4704, 4705, 4706, 4707, 4708,
 4709, 4710, 4711, 5304, 5330
 \globaldefs 5299, 5323
 \glsaddprotectedpagefmt . 1500,
 1501, 1502
 \goodbreak 5280

\grid 4484, 4488, 4750
 \Grot@x 2479, 2480, 2481, 2482
 \Grot@y 2483, 2484, 2485, 2486, 2487,
 2488
 \group 2464
 \group@elt 5350
 \group@list 5350
 \grp@aligned 174
 \GRP@box 169
 \grp@eqs@numbered 173
 \grp@hasNumber 178
 \GRP@label 170
 \grp@linewidth 172
 \GRP@queue 169
 \grp@setnumber 178
 \grp@shiftnumber 175
 \grp@wdL 171
 \grp@wdNum 172
 \grp@wdR 171
 \grp@wdT 171

H

\harfi 1209, 1227, 1232, 1759, 2645,
 2701, 2753, 3781
 \harfinumeral 3782
 \hbox . 2027, 2782, 2786, 3403, 3745,
 3746
 \headDateFormat . . 4549, 4551
 \headerfont 5656
 \headheight 4783
 \heading 4572
 \headrulewidth 4784, 4840
 \headtoname 3765
 \height 2483, 2484
 \hfil . 2023, 2024, 2025, 2026, 2058,
 2059, 2060, 2066, 2067, 2068
 \hline 5233, 5697, 5698, 5701, 5702,
 5722, 5723
 \hrule 1588, 5116, 5122, 5169, 5175,
 5220, 5260
 \hrulefill 4798, 4803, 4817
 \hspace 1495, 1884, 1900, 1925, 1926,
 2124, 2134
 \hskip 1592, 2025, 2026, 2068
 \hspace 4551, 4569, 4798, 4804, 4816,
 4818, 4996
 \hss 1912, 3725
 \Huge 3591, 3592, 4521, 4590, 4646
 \huge 3585, 3586, 4520
 \Hy@AlphNoErr 1540, 1542



\Hy@appendixstring 1526, 1544
 \Hy@backout 69, 77
 \Hy@chapapp 1526, 1544
 \HyOrg@appendix 1521, 1527
 \HyOrg@resets@pp 1537, 1545
 \hyper@natlinkbreak 2222, 2253
 \hyper@natlinkstart 77

I

\if 159, 178, 1837, 1843, 1849, 1852,
 1855, 1858, 1861, 1864, 1867,
 1898, 1905, 1906, 1907, 1908,
 1920, 1937, 1938, 1939, 1940,
 1941, 1942, 1943, 1944, 1945,
 1946, 1960, 1961, 1962, 1963,
 1964, 1965, 1967, 1968, 1969,
 1970, 1971, 1974, 1975, 1976,
 1977, 1978, 1979, 1994, 1995,
 1996, 1997, 1998, 1999, 2001,
 2002, 2003, 2004, 2005, 2006,
 2007, 2010, 2011, 2012, 2013,
 2014, 2015, 2038, 2039, 2040,
 2041, 2042, 2043, 2045, 2046,
 2047, 2048, 2049, 2050, 2083,
 2084, 2085, 2086, 2087, 2088,
 2089, 2090, 2091, 2092, 2093,
 2094, 2095, 2096, 2098, 2099,
 2100, 2101, 2102, 2105, 2106,
 2107, 2108, 2109, 2110, 2205,
 2235, 2253, 2263, 2269, 2270,
 2331, 2347, 2379, 2399, 2405,
 2407, 2417, 2425, 2427, 2449,
 2479, 2480, 2481, 2482, 2483,
 2484, 2485, 2486, 2487, 2488
 \if@@textdigitfont@on 3062, 3063,
 3454
 \if@bidi@algorithmicloaded@ 1648
 \if@bidi@algorithmloaded@ 1651
 \if@bidi@backrefloaded@ 1654
 \if@bidi@csprimitive 1679
 \if@bidi@csundef 3050, 3739, 3994,
 4045
 \if@bidi@enumerateloaded@ 1657
 \if@bidi@enumitemloaded@ 1660
 \if@bidi@fancyrefloaded@ 1663
 \if@bidi@tocloftloaded@ 1666
 \if@bidi@urlloaded@ 1669
 \if@bidi@variorerefloaded@ 1672
 \if@chapter@pp 28

\if@extrafootnotefeatures 4357
 \if@filesw 3402
 \if@hboxRconstruct 1897, 1919
 \if@inlabel 158
 \if@Kashida@on 1582, 1584
 \if@LTRbibitems 4041
 \if@newlist 2144
 \if@nonlatin 2775, 3062, 3063, 5597,
 5598, 5599, 5601, 5602, 5603
 \if@noskipsec 157
 \if@pboxsw 1914
 \if@RTL 2, 3, 5,
 7, 63, 111, 155, 167, 180, 1321,
 1328, 1336, 1343, 1351, 1358,
 1366, 1373, 1380, 1387, 1394,
 1401, 1408, 1415, 1422, 1429,
 1436, 1443, 1450, 1457, 1464,
 1471, 1490, 1492, 1494, 1504,
 1505, 1506, 1507, 1508, 1509,
 1510, 1511, 1512, 1513, 1514,
 1515, 1516, 1517, 1518, 1519,
 1635, 1636, 1770, 1771, 1772,
 1773, 1774, 1775, 1776, 1777,
 1778, 1898, 1920, 2810, 2811,
 2812, 2813, 2814, 2815, 2816,
 2817, 2818, 2819, 2822, 2830,
 2838, 2846, 2854, 2862, 2870,
 2878, 3748, 3749, 3750, 3751,
 3752, 3753, 3754, 3755, 3756,
 3757, 3758, 3759, 3760, 3761,
 3762, 3763, 3764, 3765, 3766
 \if@RTL@footnote 1308, 1479
 \if@RTLmain 3409
 \if@RTLtab 1939, 1940, 1941, 1942,
 1962, 1963, 1964, 1965, 1996,
 1997, 1998, 1999, 2040, 2041,
 2042, 2043, 2085, 2086, 2087,
 2088
 \if@tempswa 2322, 3610, 3626, 3641,
 3657, 3673, 3682, 3691, 3700
 \if@twoside 2665
 \if@xepersian@@computeautoilg
 3411, 4397
 \ifadl@usingarypkg 1984
 \ifBR@verbose 66
 \ifcase 2022, 2053, 2057, 2061, 2065,
 2204, 2234, 2327, 3769, 3778,
 3806, 3869, 3875, 3878, 3881,
 3885, 3907, 3974, 3979, 3986,
 4018, 4022, 4026, 4030, 4101,



4112, 4120, 4128, 4136, 4143,
 4151, 4158, 4165, 4171, 4183,
 4189, 4195, 4199, 4203, 4209,
 4222, 4234, 4246, 4288, 4295,
 4302, 4309, 4324, 4334, 5947
`\ifdim` . 188, 2924, 2930, 2936, 3420,
 3421, 3425, 3426, 3431, 3432,
 3436, 3437, 3446, 3462, 3463,
 3464, 3470, 3477, 3478, 3484,
 4403, 4407, 4730, 5215
`\iffontchar` 3419, 5429
`\ifhmode` 1821
`\ifinner` 1827
`\IfLTXAtLeastTF` . 2638, 2694, 2746
`\ifmmode` 1909, 5294, 5318
`\ifNAT@full` 2202, 2291
`\ifNAT@longnames` 2198, 2287
`\ifNAT@numbers` 2151, 2358
`\ifNAT@super` 2152
`\ifNAT@swa` . 2204, 2269, 2293, 2345
`\ifnum` . 189, 1868, 1935, 1936, 1952,
 1953, 1954, 1955, 1957, 1986,
 1987, 1988, 1989, 1991, 2036,
 2037, 2075, 2076, 2077, 2078,
 2080, 2516, 2792, 2963, 3444,
 3796, 3798, 3807, 3808, 3809,
 3810, 3811, 3812, 3813, 3814,
 3831, 3833, 3835, 3837, 3839,
 3844, 3855, 3856, 3858, 3860,
 3861, 3864, 3897, 3899, 3908,
 3909, 3910, 3911, 3912, 3913,
 3914, 3915, 3932, 3934, 3936,
 3938, 3940, 3945, 3956, 3957,
 3959, 3961, 3962, 3964, 3969,
 3996, 3998, 4000, 4002, 4004,
 4006, 4020, 4024, 4028, 4031,
 5127, 5201, 5247, 5272, 5295,
 5319, 5825, 5829, 5857, 5863,
 5884, 5911, 5915, 5920, 5924,
 5926, 5935
`\ifodd` 1838, 1844, 5818, 5823
`\ifRtoL` 86
`\Ifstr` 2615, 2670, 2722
`\ifthenelse` 4470, 4482, 4491, 4595,
 4610, 4629, 4650, 4768, 4846,
 4847, 4877, 4909, 4923, 4943,
 4961, 4985, 5015, 5039, 5066,
 5095, 5100, 5105, 5110, 5115,
 5148, 5153, 5158, 5163, 5168,
 5704
`\ifvoid` 3368, 3378
`\ifwritexviii` 2962, 4211, 4223,
 4235
`\ifx` 1209, 1210, 1211, 1212, 1213,
 1214, 1215, 1216, 1217, 1218,
 1219, 1606, 1814, 1817, 1901,
 2121, 2131, 2208, 2209, 2211,
 2238, 2239, 2241, 2310, 2328,
 2388, 2437, 2476, 2643, 2645,
 2646, 2647, 2648, 2649, 2650,
 2651, 2652, 2653, 2654, 2655,
 2656, 2657, 2658, 2659, 2699,
 2701, 2702, 2703, 2704, 2705,
 2706, 2707, 2708, 2709, 2710,
 2711, 2712, 2713, 2714, 2715,
 2751, 2753, 2754, 2755, 2756,
 2757, 2758, 2759, 2760, 2761,
 2762, 2763, 2764, 2765, 2766,
 2767, 2945, 2953, 3062, 3063,
 5292, 5316, 5550, 5551, 5552,
 5553, 5554, 5555, 5556, 5557,
 5558, 5559, 5560, 5561, 5576,
 5585, 5586, 5587, 5589, 5590,
 5591, 5597, 5598, 5599, 5601,
 5602, 5603
`\ifXePersian@kabiseh` . 5786, 5891
`\ifXePersian@leap` 5786, 5835
`\IfxepersianPackageVersion` 2935
`\IfxepersianPackageVersionBefore`
 2929
`\IfxepersianPackageVersionLater`
 2923
`\ifxetex` 4723, 4946, 4963
`\ignorespaces` 192, 2126, 2136, 3005,
 3029, 3071, 3078, 3183, 3207,
 3231, 3255, 3279, 3303, 4541,
 4594, 4604, 4609, 4617, 4622,
 4628, 4636, 4896, 4922, 5071
`\image` 4718
`\immediate` 3402, 4214, 4215, 4226,
 4227, 4238, 4239
`\includegraphics` 4733, 4947, 4964
`\indexEntryFormat` 4539, 4541
`\indexEntryPageFormat` 4545, 4547
`\indexEntryPageTxt` 4544, 4547
`\indexEntrySeparator` . 4543, 5071
`\indexFormat` 4535, 4537
`\indexitem` . 5064, 5074, 5075, 5077
`\indexname` 3754
`\init@restore@version` 5301, 5349



\innerAuthorFormat . . 4667, 5184
 \innerPlaceFormat . . 4668, 5184
 \innerSubtitleFormat . 4657, 4658
 \innerTextFinalMark . 4669, 5205
 \innerTitleFormat 4646, 4651, 4652
 \input 1690, 1691, 1692, 1693, 1694,
 1695, 1696, 4049, 4050, 4051,
 4052, 4053, 4054, 4055, 4056,
 4057, 4058, 4059, 4060, 4061,
 4062, 4063, 4064, 4065, 4066,
 4067, 4068, 4069, 4070, 4071,
 4072, 4073, 4074, 4075, 4076,
 4077, 4078, 4079, 4080, 4081,
 4082, 4083, 4084, 4085, 4086,
 4087, 4088, 4089, 4090, 4091,
 4092, 4093, 4094, 4095, 4196,
 4200, 4358, 4359
 \insert@column . 2024, 2025, 2026,
 2027, 2029, 2030
 \int . . 5374, 5377, 5385, 5393, 5401,
 5409, 5621, 5634
 \intermath@penalty 191
 \intextsep 3711
 \iranicdefault . 3151, 3163, 3308,
 3316
 \iranicfamily . 3161, 3162, 3175,
 3309
 \item 5730, 5731, 5732, 5733
 \itemautorefname 1506
 \itemsep . . 3609, 3625, 3640, 3656,
 3672
 \itshape 4039, 5742

J

\jobname . . 4215, 4216, 4227, 4228,
 4239, 4240

K

\KashidaOff 1631
 \KashidaOn 1630, 1633
 \kern 2156, 3369, 3379, 3746
 \keys 2972, 2979, 2987, 2994
 \keyval@eq@alias@key . 1682, 1686
 \KOMAClassName . 2616, 2639, 2671,
 2695, 2723, 2747
 \KV@@sp@def 4100

L

\l 2974, 2975, 2976, 2983, 2989, 2990,
 2991, 2998, 3009, 3010, 3014,

3033, 3038, 3082, 3086, 3187,
 3188, 3192, 3211, 3212, 3216,
 3235, 3236, 3240, 3259, 3260,
 3264, 3283, 3284, 3288, 3307,
 3308, 3312, 5432, 5439, 5443,
 5444, 5451, 5452, 5459, 5460
 \label 5200, 5246, 5270
 \labelsep . . 3653, 3668, 3681, 3690,
 3699
 \labelwidth . . 3653, 3668, 3681, 3690,
 3699
 \LARGE 3579, 3580, 4519, 4606, 4670,
 4673, 4686, 4688
 \Large 3573, 3574, 4518, 4625, 4675,
 4802, 5085, 5119
 \large 3567, 3568, 4517, 4529, 4535,
 4615, 4634, 4657, 4677, 4690,
 4696, 4808
 \lastbox 3367, 3377
 \LastFrameCommand 1493
 \lastpenalty 189
 \lastskip 188
 \latin 3363, 3365
 \LatinAlphs 3363, 3383, 4035
 \Latincite 2354, 3395
 \latinfont . 3083, 3339, 3341, 4259
 \latintoday 3386
 \lccode 2373, 2374, 2375, 2514
 \leaders 1588
 \leavevmode . . 157, 158, 1895, 1917,
 2144, 3397, 3745
 \leftfootnoterule 4174
 \leftmargin . . 3606, 3622, 3637, 3652,
 3653, 3667, 3668, 3680, 3681,
 3689, 3690, 3698, 3699
 \leftmargini 3606, 3622, 3637
 \leftmarginii 3652
 \leftmarginiii 3667
 \leftmarginiv 3680
 \leftmarginv 3689
 \leftmarginvi 3698
 \let 11, 19, 73, 74, 168, 170, 173,
 174, 175, 181, 186, 1217, 1218,
 1219, 1220, 1521, 1531, 1532,
 1537, 1552, 1606, 1608, 1888,
 1889, 1890, 1891, 1892, 1893,
 1912, 1929, 1930, 1931, 1932,
 2001, 2002, 2003, 2045, 2046,
 2047, 2115, 2118, 2119, 2128,
 2129, 2148, 2152, 2154, 2155,



2158, 2159, 2160, 2161, 2163,
 2164, 2165, 2166, 2171, 2172,
 2173, 2174, 2175, 2176, 2177,
 2187, 2196, 2199, 2202, 2203,
 2276, 2285, 2288, 2291, 2292,
 2300, 2355, 2380, 2391, 2398,
 2404, 2408, 2409, 2424, 2426,
 2446, 2455, 2473, 2475, 2643,
 2699, 2751, 2772, 2791, 3062,
 3063, 3326, 3327, 3339, 3340,
 3344, 3345, 3348, 3349, 3350,
 3351, 3353, 3354, 3358, 3359,
 3385, 3398, 3517, 3534, 3551,
 3612, 3777, 3782, 3789, 3895,
 4015, 4033, 4034, 4036, 4037,
 4248, 4249, 4253, 4254, 4291,
 4318, 4319, 4680, 4681, 4682,
 4702, 4703, 4704, 4705, 4706,
 4707, 4708, 4709, 4710, 4711,
 5290, 5306, 5332, 5479, 5610,
 5614, 5659, 5748, 5749, 5750,
 5751, 5755, 5756, 5757, 5758,
 5770, 5771, 5944, 5945, 5946
`\lineskip` 4691
`\linespread` 3449
`\linewidth` . 5696, 5700, 5715, 5775
`\listalgorithmname` 7
`\listfigurename` 3751
`\listtablename` 3752
`\LoadClass` 4463
`\logo` 4796, 4825
`\long` 1894, 2515
`\longdate` 5180
`\loop` 3418, 5912, 5921
`\lower` 3745
`\lowercase` 2376, 2515
`\lr` 1531, 2187, 2276, 3361, 3386, 3399,
 4523, 4578, 4970
`\LRE` 3361
`\lstlistingname` 1635
`\lstlistlistingname` 1636
`\LTR` 3363
`\LTRfoottextfont` 1309
`\ltx@ifundefined` 1523, 1535, 1539

M

`\m@ne` 2304, 5297, 5321
`\m@th` 1914
`\makeform` 5752, 5759
`\makeform@correction` . 5667, 5759

`\makeform@nocorrection` . . . 5664,
 5752
`\MakeFramed` 1495
`\MakeLowercase` . 1390, 1397, 1404,
 1411, 1418, 1425, 1432, 1439,
 1446, 1453, 1460, 1467, 1474
`\makemask` 5753, 5760
`\makemask@correction` . 5672, 5760
`\makemask@nocorrection` . . . 5669,
 5753
`\maketitle` 4679, 4703
`\MakeUppercase` 4645
`\makezwnjletter` 1677, 1678
`\math@bgroup` 5292, 5316
`\math@fonts` 5299, 5323
`\math@version` . . . 5295, 5298, 5303,
 5304, 5308, 5319, 5322, 5326,
 5328, 5330, 5334
`\mathalpha` 5489, 5490, 5491, 5492,
 5493, 5494, 5495, 5496, 5497,
 5498, 5622, 5635
`\mathbf` . . . 5369, 5501, 5626, 5639
`\mathbin` 5499, 5624, 5637
`\mathchar@type` . . . 5356, 5365, 5367
`\mathchardef` 5539
`\mathcode` . . . 5378, 5386, 5394, 5402,
 5410, 5575
`\MathDecimalSeparator` 5548, 5576,
 5618, 5625, 5638
`\mathgroup` 5289
`\mathiranic` 3162
`\mathit` . . . 5370, 5502, 5627, 5640
`\mathnavar` 3165
`\mathord` 5500
`\mathpersiansf` 3156
`\mathpersiantt` 3159
`\mathpook` 3168
`\mathrm` . . . 5371, 5503, 5628, 5641
`\mathsayeh` 3171
`\mathsf` . . . 5372, 5518, 5629, 5642
`\mathsurround` 185
`\mathtt` . . . 5373, 5533, 5630, 5643
`\mbox` 2158
`\meaning` 2948, 2951
`\MessageBreak` . . . 2213, 2214, 2243,
 2244, 2618, 2620, 2621, 2622,
 2623, 2624, 2625, 2626, 2627,
 2628, 2629, 2673, 2675, 2676,
 2677, 2678, 2679, 2680, 2681,
 2682, 2683, 2684, 2725, 2727,



2728, 2729, 2730, 2731, 2732,
 2733, 2734, 2735, 2736, 4046,
 4868, 4900, 4934, 4954, 4975,
 4978, 5000, 5025, 5051, 5074,
 5077, 5708
 \MidFrameCommand 1491
 \minilogo 4807, 5021
 \minraggedcols . 4446, 4447, 4485,
 4489, 5127, 5201, 5247, 5272
 \mlftitle 1774
 \mlttitle 1775
 \month 5812
 \msg 5416, 5418
 \mtctitle 1773
 \multido 4769, 4775
 \multiply . 1874, 5815, 5828, 5855,
 5861, 5878, 5882
 \mylogo 4812

N

\NAT@close 2270, 2349
 \NAT@Latin@citetp . 2357, 2361,
 2362, 2363
 \NAT@open 2253, 2329
 \NAT@alias . 2231, 2261, 2296, 2339
 \NAT@call@names . 2199, 2202, 2288,
 2291
 \NAT@aysep 2223
 \NAT@biblabel 2174
 \NAT@biblabelnum 2165
 \NAT@bibsetnum 2166
 \NAT@bibsetup 2175
 \NAT@cite 2171
 \NAT@cite@list 2188, 2277
 \NAT@citea@mbox 2322
 \NAT@citemum 2159
 \NAT@citesuper 2152
 \NAT@citeundefined . 2193, 2283
 \NAT@citex 2172
 \NAT@citexnum 2163
 \NAT@close 2167, 2178
 \NAT@cmptrs 2298, 2344
 \NAT@cmt 2269, 2347
 \NAT@ctype . 2204, 2234, 2294, 2296,
 2327, 2335, 2337, 2346, 2355
 \NAT@date . 2178, 2195, 2205, 2206,
 2217, 2225, 2230, 2235, 2248,
 2255, 2260, 2263, 2270
 \NAT@def@citea . 2232, 2264, 2325
 \NAT@def@citea@box 2333
 \NAT@def@citea@close 2266
 \NAT@exlab . 2211, 2215, 2241, 2245
 \NAT@fullfalse 2356
 \NAT@fulltrue 2356
 \NAT@hyper@ 2206, 2215, 2217, 2220,
 2229, 2230, 2231, 2236, 2245,
 2248, 2251, 2259, 2260, 2261,
 2296, 2332
 \NAT@hyper@citea@space . . 2335,
 2337, 2339
 \NAT@idxtxt 2167, 2178
 \NAT@ifcat@num 2299, 2302
 \NAT@last@nm 2196, 2208, 2238, 2285,
 2328
 \NAT@last@num 2285, 2302, 2303,
 2321
 \NAT@last@yr 2196, 2209, 2239, 2276,
 2310, 2344
 \NAT@last@yr@mbox 2306, 2316
 \NAT@Latin@cites 2356, 2357
 \NAT@Latin@citex 2173, 2181, 2182
 \NAT@Latin@citexnum 2164, 2271,
 2272
 \NAT@mbox 2153, 2158, 2329, 2332,
 2349
 \NAT@merge 2306, 2321
 \NAT@name 2167, 2178, 2199, 2203,
 2288, 2292
 \NAT@nmfmt . 2206, 2221, 2229, 2236,
 2252, 2259
 \NAT@num 2167, 2276, 2285, 2299,
 2300, 2321, 2332
 \NAT@open 2167, 2178
 \NAT@parse 2197, 2286
 \NAT@partrue 2355
 \NAT@penalty . 2169, 2177, 2313, 2328
 \NAT@reset@citea 2186, 2275
 \NAT@reset@parser 2184, 2273
 \NAT@set@cites 2150, 2353
 \NAT@sort@cites 2185, 2274
 \NAT@space 2155, 2160, 2176, 2328
 \NAT@spacechar 2160, 2167, 2176,
 2178, 2216, 2223, 2247, 2253,
 2329, 2331
 \NAT@super@kern 2156, 2161, 2329



\NAT@swafalse 2359
 \NAT@swattrue 2355
 \NAT@temp .. 2210, 2211, 2240, 2241
 \NAT@test .. 2296, 2329, 2335, 2337
 \NAT@year .. 2187, 2196, 2209, 2239
 \NAT@yrsep .. 2208, 2238, 2328
 \natexlab 2168, 2179
 \navardefault .. 3152, 3166, 3236,
 3244
 \navarfam 3164, 3165, 3176, 3237
 \NeedsTeXFormat 2884, 4417, 5286,
 5646, 5783
 \new@mathalphabet 5352
 \new@mathbf .. 5375, 5501, 5639
 \new@mathgroup .. 5289, 5290, 5345
 \new@mathit .. 5383, 5502, 5640
 \new@mathrm .. 5391, 5503, 5641
 \new@mathsf .. 5399, 5518, 5642
 \new@mathtt .. 5407, 5533, 5643
 \new@mathversion 5350
 \new@symbolfont 5351
 \newboolean 4428, 4430, 4432, 4434,
 4436, 4438, 4440
 \newcolumntype 5660, 5661
 \newcommand .. 85, 1630, 1631, 1677,
 1679, 1680, 1682, 1686, 2181,
 2271, 2357, 2362, 2798, 2921,
 2923, 2929, 2935, 3062, 3063,
 3149, 3150, 3151, 3152, 3153,
 3154, 3416, 3456, 3457, 3461,
 3493, 3733, 3738, 3783, 3786,
 3889, 3892, 4371, 4425, 4480,
 4524, 4525, 4528, 4529, 4530,
 4535, 4536, 4539, 4540, 4543,
 4544, 4545, 4546, 4549, 4550,
 4554, 4555, 4558, 4559, 4560,
 4561, 4564, 4567, 4572, 4577,
 4580, 4582, 4585, 4590, 4591,
 4602, 4603, 4606, 4607, 4615,
 4616, 4619, 4620, 4625, 4626,
 4634, 4635, 4637, 4638, 4639,
 4640, 4643, 4644, 4646, 4647,
 4657, 4658, 4659, 4660, 4661,
 4662, 4667, 4668, 4669, 4670,
 4671, 4672, 4673, 4674, 4675,
 4676, 4677, 4678, 4713, 4718,
 4750, 4782, 4796, 4807, 4812,
 4820, 4844, 4875, 4907, 4941,
 4960, 5064, 5082, 5089, 5131,
 5139, 5182, 5188, 5208, 5225,
 5254, 5279, 5363, 5364, 5366,
 5656, 5658, 5664, 5667, 5669,
 5672, 5676, 5678, 5680, 5728,
 5729, 5734, 5738, 5743, 5762,
 5764, 5940
 \newcount .. 3412, 4442, 4443, 4446,
 4748, 4749, 5787, 5788, 5789,
 5790, 5791, 5792, 5793, 5794,
 5795, 5796, 5797, 5798, 5799,
 5800, 5802, 5803, 5804, 5805,
 5806, 5807, 5808, 5809
 \newcounter 5681, 5682
 \newdimen .. 3413, 3414, 4746, 4747
 \NewDocumentCommand .. 3104, 3128,
 5375, 5383, 5391, 5399, 5407,
 5620, 5633
 \newenvironment .. 1680, 2367, 2368,
 3365, 3375, 3383, 3384, 4715,
 4821, 4983, 5013, 5037, 5191,
 5240, 5266, 5710, 5744
 \newfam 5290
 \newfontface 2773
 \newfontlanguage 2969
 \newfontscript 2968
 \newif .. 1582, 2962, 3411, 3454, 5786
 \newlength .. 4420, 4421, 4422, 4423,
 4424, 4426, 5674, 5765, 5767
 \newmathalphabet 5346
 \newmathalphabet@@ 5346
 \newmathalphabet@@@ 5346
 \newpage .. 4213, 4225, 4237, 4831
 \newsavebox 4714
 \newsection 5188
 \next .. 1606, 1608, 1609, 2380, 2381,
 2382, 2386, 2388, 2391, 2395,
 2396, 2398, 2404, 2409, 2413,
 2415, 2424, 2426, 2432, 2435,
 2439, 2446, 2448
 \nobreak 1587, 2153
 \noexpand .. 2379, 2399, 2405, 2407,
 2417, 2425, 2427, 2439, 2440,
 2449, 3511, 3517, 3528, 3534,
 3545, 3551, 3556, 3562, 3568,
 3574, 3580, 3586, 3592, 3610,
 3626, 3641, 3657, 3673, 3682,
 3691, 3700, 5302
 \nohyphens .. 4596, 4611, 4630, 4651
 \noindent .. 4541, 4556, 4594, 4604,
 4609, 4617, 4622, 4628, 4636,
 4641, 4645, 4649, 4798, 4815,



4896, 4922, 4947, 4994, 5071,
 5085, 5119, 5134, 5172, 5229,
 5257, 5282, 5284
 \non@alpherr 5311, 5337
 \nopagebreak 5776
 \normalcolor . . . 1882, 2123, 2133
 \normalfont 3021, 3093, 3199, 3223,
 3247, 3271, 3295, 3319, 3339,
 3340, 3353, 3354
 \normalsize 3391, 3510, 3511, 3595,
 4492, 4493, 4539, 5134, 5172
 \not 5688
 \not@math@alphabet . 3156, 3159,
 3162, 3165, 3168, 3171
 \null 4683, 4699
 \number 3796, 3798, 3799, 3897, 3899,
 3900, 4000, 4002, 4004, 4006,
 5303, 5327, 5941, 5942
 \numexpr .. 5378, 5386, 5394, 5402,
 5410

O

\obeyspaces 5542, 5547
 \old@endquestion . . . 5771, 5779
 \old@question 5770, 5777
 \or 2024, 2025, 2026, 2028, 2029, 2053,
 2054, 2055, 2059, 2060, 2061,
 2062, 2063, 2067, 2068, 2229,
 2230, 2231, 2259, 2260, 2261,
 2334, 2336, 2338, 3769, 3770,
 3771, 3772, 3773, 3774, 3778,
 3779, 3780, 3817, 3818, 3819,
 3820, 3821, 3822, 3823, 3824,
 3825, 3826, 3830, 3869, 3870,
 3871, 3872, 3875, 3878, 3881,
 3882, 3885, 3886, 3887, 3918,
 3919, 3920, 3921, 3922, 3923,
 3924, 3925, 3926, 3927, 3931,
 3974, 3975, 3976, 3979, 3980,
 3981, 3982, 3983, 3986, 3987,
 3988, 3989, 4018, 4019, 4022,
 4023, 4026, 4027, 4030, 4104,
 4114, 4116, 4122, 4124, 4130,
 4132, 4138, 4145, 4153, 4160,
 4167, 4173, 4175, 4177, 4179,
 4185, 4191, 4205, 4251, 4290,
 4297, 4304, 4317, 4329, 4336,
 5947, 5948, 5949, 5950, 5951,
 5952, 5953
 \orig . 5369, 5370, 5371, 5372, 5373,

5376, 5384, 5392, 5400, 5408,
 5618, 5626, 5627, 5628, 5629,
 5630, 5638
 \originaltoday 3385, 3386
 \Ovalbox 5111, 5164
 \ovalbox 5106, 5159
 \overline 5561

P

\p@ 2156, 3462, 3463, 3464, 3465, 3467,
 3470, 3471, 3473, 3477, 3478,
 3479, 3481, 3484, 3485, 3496,
 3499, 3661, 4684
 \PackageError .. 1649, 1652, 1655,
 1658, 1661, 1664, 1667, 1670,
 1673, 3740, 3791, 4046, 4212,
 4218, 4224, 4230, 4236, 4242
 \PackageInfo .. 67, 79, 3447, 3448,
 4404, 4405, 5363
 \PackageWarning 2194, 2283, 3992,
 4210
 \PackageWarningNoLine 2211, 2241
 \page@free 4728, 4730
 \pageautorefname 1519
 \pagegoal 5210
 \pagename 1349, 3764
 \pagenumbering . 15, 117, 128, 146,
 1299, 1758, 2666
 \pageref .. 2864, 2866, 2872, 2874,
 4569, 5067
 \pagesFormat 4643, 4645
 \pagestyle 4786
 \pagetotal 5211
 \par .. 10, 17, 24, 40, 46, 52, 58, 118,
 129, 136, 148, 806, 1291, 1301,
 1313, 1551, 1762, 2584, 2591,
 2598, 2606, 2633, 2688, 2740,
 4686, 4688, 4694, 4696, 4697,
 5186, 5271, 5716, 5776
 \paragraphautorefname . . . 1515
 \parallel 4551
 \parbox 5715, 5775
 \parindent 3369, 3379
 \parsep 3597, 3608, 3609, 3613, 3624,
 3625, 3628, 3639, 3640, 3643,
 3655, 3656, 3670
 \partautorefname 1509
 \partname 3757
 \partopsep 3661, 3671, 3720



\PassOptionsToClass .	4448, 4449,
4450	
\pbs	5659, 5660
\pdflastxpos	1564
\pdfsavepos	1563
\pdfstringdefDisableCommands .	
.....	1530
\penalty	185, 191, 2169, 3400
\persian	3373, 3375
\PersianAlphs ..	3373, 3384, 4247,
4252, 4416	
\persianday	5946
\persiandecimalseparator	5500,
5576	
\PersianDisplayMathDigits	4133,
5588, 5594	
\persianfont	3011, 3353, 3355
\PersianInlineMathDigits	4125,
5584, 5593	
\PersianMathDigits ..	4117, 5592
\persianmathdigits ..	5488, 5585,
5589, 5597, 5601	
\persianmathsdigits	5518, 5586,
5590, 5598, 5602	
\persianmathtdigits	5533, 5587,
5591, 5599, 5603	
\persianmonth	5945
\persiansfdefault ..	3149, 3157,
3188, 3196	
\persiansffamily	3155, 3156, 3173,
3189	
\persiantoday	3387, 5940
\persianttdefault ..	3150, 3160,
3212, 3220	
\persianttfamily	3158, 3159, 3174,
3213	
\persianyear	5944
\pictureCaptionFormat	4639, 4641
\plftitle	1771
\plq	2942
\pltttitle	1772
\pookdefault	3153, 3169, 3260, 3268
\pookfamily .	3167, 3168, 3177, 3261
\postmath	191
\PrefixCurrentTab	2798
\premath	187
\prepnext@tok	2021, 2031
\prg	5430, 5433, 5435
\printindex	4213, 4225, 4237
\process@table	5349
\ProcessOptions	4462, 5782
\ProcessOptionsX	4355
\proofname	3766
\protect ..	4868, 4869, 4871, 4900,
4901, 4903, 4934, 4935, 4937,	
4954, 4955, 4957, 4975, 4976,	
4978, 5074, 5075, 5077, 5665,	
5668, 5670, 5673, 5691, 5696,	
5697, 5698, 5700, 5701, 5702,	
5722, 5723	
\protected@write	4311, 4315
\providecommand	3991
\ProvidesClass	4418
\ProvidesFile	
. 1, 4, 8, 14, 23, 38, 44, 50, 56,	
62, 82, 84, 101, 110, 112, 123,	
134, 142, 154, 194, 1147, 1207,	
1224, 1235, 1278, 1289, 1295,	
1307, 1311, 1318, 1477, 1485,	
1499, 1503, 1548, 1555, 1634,	
1637, 1676, 1756, 1769, 1779,	
2149, 2512, 2582, 2589, 2596,	
2604, 2612, 2663, 2719, 2771,	
2789, 2809, 2820	
\ProvidesPackage	2887, 5287, 5647,
5784	
\ProvideTranslation	85, 89, 90, 91,
92, 93, 94, 95, 96, 97, 98	
\providetranslation	86
\prq	2941
\ptctitle	1770
Q	
\quad	3727
\question	5770
\questionsepspace	5767, 5768, 5780
\questionspace ..	5674, 5675, 5716
\questontitle	5762, 5781
\questontitlefont	5764
\questontitlespace ..	5765, 5766,
5776	
R	
\raggedFormat ..	4480, 5128, 5202,
5248, 5273	
\RaggedLeft	4480
\raisebox	4526, 4531
\redeflatinfont	3130
\redefpersianfont	3106
\ref	2879, 2881



\refname 111, 3755
 \refstepcounter 5732, 5733
 \reftextafter 2837
 \reftextbefore 2845
 \reftextcurrent 2853
 \reftextfaceafter 2821
 \reftextfacebefore 2829
 \reftextfaraway 2861
 \reftextlabelrange 2877
 \reftextpagerange 2869
 \reftextvario .. 2824, 2826, 2832,
 2834, 2840, 2842, 2848, 2850,
 2856, 2858
 \relax 1597, 1677, 1869, 1901, 2036,
 2037, 2058, 2059, 2060, 2121,
 2131, 2155, 2161, 2205, 2235,
 2263, 2270, 2276, 2303, 2310,
 2321, 2476, 2643, 2699, 2751,
 2792, 2945, 2963, 3330, 3331,
 3335, 3336, 3449, 3494, 3498,
 3681, 3690, 3699, 4101, 4112,
 4120, 4128, 4136, 4143, 4151,
 4158, 4165, 4171, 4183, 4189,
 4195, 4199, 4203, 4209, 4222,
 4234, 4246, 4288, 4295, 4302,
 4309, 4318, 4319, 4324, 4330,
 4334, 4363, 4367, 4373, 4374,
 4375, 4399, 4401, 4462, 4681,
 4702, 4703, 4708, 4709, 4710,
 4711, 5292, 5306, 5316, 5332,
 5365, 5367, 5378, 5386, 5394,
 5402, 5410, 5479, 5575, 5610,
 5614, 5814, 5815, 5817, 5822,
 5827, 5828, 5834, 5836, 5838,
 5840, 5841, 5842, 5843, 5844,
 5845, 5846, 5847, 5848, 5849,
 5850, 5852, 5854, 5855, 5860,
 5861, 5868, 5870, 5873, 5877,
 5878, 5881, 5882, 5885, 5890,
 5892, 5894, 5896, 5897, 5898,
 5899, 5900, 5901, 5902, 5903,
 5904, 5905, 5906, 5907, 5909,
 5910, 5913, 5918, 5922, 5928,
 5930, 5931
 \renewcommand 9, 16,
 24, 30, 31, 34, 39, 40, 45, 46,
 51, 52, 57, 58, 105, 107, 113,
 114, 118, 124, 125, 129, 135,
 136, 143, 147, 148, 1290, 1291,
 1296, 1300, 1301, 1308, 1309,
 1310, 1312, 1313, 1319, 1320,
 1327, 1334, 1335, 1342, 1349,
 1350, 1357, 1364, 1365, 1372,
 1379, 1386, 1393, 1400, 1407,
 1414, 1421, 1428, 1435, 1442,
 1449, 1456, 1463, 1470, 1479,
 1481, 1483, 1550, 1757, 1759,
 1760, 1761, 1762, 2150, 2167,
 2178, 2583, 2584, 2590, 2591,
 2597, 2598, 2605, 2606, 2613,
 2614, 2642, 2664, 2668, 2669,
 2698, 2720, 2721, 2750, 2790,
 2810, 2811, 2812, 2813, 2814,
 2815, 2816, 2817, 2818, 2819,
 3409, 3723, 3729, 4040, 4213,
 4225, 4237, 4492, 4499, 4501,
 4503, 4510, 4517, 4518, 4519,
 4520, 4521, 4573, 4574, 4575,
 4586, 4587, 4588, 4679, 4784,
 4820, 4840, 5179, 5189, 5194,
 5663
 \RenewDocumentCommand 3109, 3133
 \renewenvironment ... 1486, 5772
 \repeat 3444, 5915, 5924
 \RequirePackage 2889, 2890, 2891,
 2892, 4419, 4464, 4465, 4466,
 4467, 4468, 4469, 4471, 4473,
 4475, 4476, 4477, 4478, 4479,
 5649, 5650, 5651, 5652, 5653,
 5654
 \reserved@a 1833, 1837, 1843, 1849,
 1852, 1855, 1858, 1861, 1864,
 1867
 \reserved@b 1813, 1814
 \reset@font 2193, 2282, 3340, 3354,
 3389, 3403
 \resetlatinfont .. 103, 105, 1308,
 1309, 1479, 1481, 2781, 3325,
 3361, 3363, 3383, 3390, 3409,
 4042
 \restore@mathversion 5349
 \restoreapp 36
 \rightfootnoterule 4176
 \rightline 5183
 \rl 1532, 3362, 3387
 \RLE 3362
 \rmdefault 3010, 3018, 3090
 \Roman 1215, 2650, 2706, 2758
 \roman 1214, 2651, 2707, 2759
 \romannumeral .. 2659, 2715, 2767,



\RTL 3373
\RTLfoottextfont 1310
\rule . 4543, 4669, 4771, 4777, 4864,
4896

S

\sayehdefault 3154, 3172, 3284,
3292
\sayehfamily 3170, 3171, 3178, 3285
\scan 5432
\scriptsize 3555, 3556, 4501
\secondarticle . 4875, 4900, 4901,
4903
\secondSubtitleFormat 4615, 4617
\secondTextFormat 4619, 4622
\secondTitleFormat . 4606, 4611,
4612
\section 3741
\sectionautorefname 1512
\sectionname 11, 1552
\select@group 5291
\selectfont 3015, 3040, 3063, 3087,
3120, 3144, 3157, 3160, 3163,
3166, 3169, 3172, 3193, 3217,
3241, 3265, 3289, 3313, 3343,
3357, 3450
\set@mathdelim 5356
\set@fontsize 4362, 4366, 4398
\set@mathaccent 5353
\set@mathchar 5353
\set@mathdelim 5355
\set@mathsymbol 5354
\setboolean 2799, 2800, 4429, 4431,
4433, 4435, 4437, 4439, 4441,
4457, 4458, 4460, 4461, 4823,
4841, 4986, 5011, 5040, 5062
\setbox 169, 1880, 1923, 2027, 2029,
2030, 2120, 2123, 2130, 2133,
2782, 2786, 3367, 3377
\setclass . 1602, 1612, 1613, 1614,
1615, 1616, 1617, 1618, 1619
\setcounter
. 27, 29, 33, 41, 42, 47, 48, 53,
54, 59, 60, 119, 120, 130, 131,
137, 138, 149, 150, 1292, 1293,
1302, 1303, 1314, 1315, 1763,
1764, 2585, 2586, 2592, 2593,
2599, 2600, 2607, 2608, 2634,
2635, 2689, 2690, 2741, 2742,

2793, 2797, 2801, 2802, 2803,
2804, 2805, 2806, 2807, 4701,
5685

\setdigitfont 3067
\SetDisplayMathDigits 5579, 5588,
5600, 5610, 5613
\SetEnumerateShortLabel . 1230,
1231, 1232, 1233, 1234
\setfontsize 3493, 4103, 4105
\SetInlineMathDigits 5578, 5584,
5596, 5609, 5614
\setiranicfont 3300
\setkeys 160, 177
\setlatinmonofont 3099
\setlatinsansfont 3098
\setlatintextfont 3075, 4415
\setlength 1899, 1902, 1921, 3465,
3467, 3471, 3473, 3479, 3481,
3485, 3487, 3495, 3499, 3501,
3509, 3519, 3520, 3526, 3536,
3537, 3543, 3553, 3554, 3559,
3560, 3565, 3566, 3571, 3572,
3577, 3578, 3583, 3584, 3589,
3590, 3596, 3661, 3703, 3704,
3711, 3712, 3713, 3714, 3715,
3716, 3717, 3718, 3719, 4427,
4459, 4494, 4495, 4496, 4497,
4505, 4506, 4507, 4508, 4512,
4513, 4514, 4515, 4720, 4724,
4765, 4766, 4783, 4788, 4789,
4913, 4945, 5017, 5042, 5045,
5093, 5094, 5142, 5143, 5209,
5210, 5226, 5675, 5766, 5768
\setLTRcitationfont 103
\SetMathAlphabet 5352
\SetMathAlphabet@ 5352
\SetMathCharDef 5366, 5500
\SetMathCode 5364, 5489, 5490, 5491,
5492, 5493, 5494, 5495, 5496,
5497, 5498, 5499, 5622, 5624,
5635, 5637
\setmathdigitfont 5473
\setmathsfdigitfont 5508
\setmathttfont 5523
\setmonofont 3099
\setnavarfont 3228
\setpersianfont . 107, 1310, 1483,
2785, 3347, 3362, 3373, 3384,
3409
\setpersianmonofont 3204



\setpersiansansfont 3180
 \setpookfont 3252
 \setsansfont 3098
 \setsayehfont 3276
 \SetSymbolFont 5351
 \SetSymbolFont@ 5351
 \settextdigitfont 3026
 \settextfont 3002, 4047
 \setthesection 1759
 \sf@size 4385, 4387
 \sffamily 4524
 \shadowbox 5096, 5149
 \shadowsize 5094, 5143, 5147
 \shortarticleitem 5279
 \shortarticleItemFormat 4677, 4678
 \shortarticleSubtitleFormat 4675, 4676
 \shortarticleTitleFormat 4673, 4674
 \sixt@@n 1832, 1869
 \skip 3705
 \slfttitle 1777
 \sltttitle 1778
 \small 3527, 3528, 3742, 4503, 4504, 4558, 4562, 4568, 4639, 4661, 4680
 \smash 3745
 \SOUL@tt 2772, 2774, 2782, 2786
 \SOUL@tt@latin 2772, 2778
 \SOUL@tt@nonlatin 2773, 2776
 \SOUL@ttwidth 2783, 2787
 \space 2195, 2284, 2887, 3406, 3998, 4727, 4728, 4868, 4869, 4871, 4900, 4901, 4903, 4934, 4935, 4937, 4954, 4955, 4957, 4975, 4976, 4978, 5074, 5075, 5077, 5184, 5706, 5941, 5942
 \SplitFootnoteRule 4178
 \ssf@size 4391, 4393
 \stctitle 1776
 \stepcounter 26, 2795, 5681, 5694, 5725
 \str 3018, 3090, 3196, 3220, 3244, 3268, 3292, 3316
 \string 67, 1958, 1992, 2081, 2450, 2618, 2619, 2622, 2624, 2626, 2628, 2629, 2630, 2673, 2674, 2677, 2679, 2681, 2683, 2684, 2685, 2725, 2726, 2729, 2731, 2733, 2735, 2736, 2737, 3402, 4312, 4316, 4379, 4381, 4385, 4387, 4391, 4393
 \strip@pt 3329, 3334, 3449, 3497, 4372
 \subparagraphautorefname 1516
 \subsectionautorefname 1513
 \subsubsectionautorefname 1514
 \SwitchToDefaultMathDigits 5620
 \SwitchToPersianMathDigits 5633
 \symnew@mathbf@font@digits 5378
 \symnew@mathit@font@digits 5386
 \symnew@mathrm@font@digits 5394
 \symnew@mathsf@font@digits 5402
 \symnew@mathtt@font@digits 5410

T

\tableautorefname 1508
 \tablename 1364, 1381, 3749
 \tabularxcolumn 5663
 \tartibi 1211, 1225, 1230, 2647, 2703, 2755, 3889
 \tartibinumeral 3895
 \test 1605, 1606, 1607
 \tex 5429, 5432
 \textbf 2, 3, 1488, 1490, 1492, 1494, 5085, 5119, 5134, 5172
 \textblockorigin 4745
 \textdegree 4559
 \TextDigitFontOff 3457
 \TextDigitFontOn 3456, 3459
 \textfloatsep 3709, 3713
 \textheight 4752, 4777
 \textiranic 3175
 \textit 4670
 \textnavar 3176
 \textpersiansf 3173
 \textpersiantt 3174
 \textpook 3177
 \textsayeh 3178
 \textsc 4672
 \textsf 3727
 \textsuperscript 2153
 \texttt 4529
 \textwidth 1926, 4751, 4771, 5083, 5712
 \textwidthfootnoterule 4180
 \tf@size 4379, 4381
 \thanks 4682, 4702



\the 156, 161, 1589, 1591, 1595, 1597, 1903, 2401, 2406, 2412, 2419, 2429, 2443, 2919, 3420, 3421, 3422, 3425, 3426, 3427, 3431, 3432, 3433, 3436, 3437, 3438, 3500, 3512, 3513, 3514, 3515, 3516, 3529, 3530, 3531, 3532, 3533, 3546, 3547, 3548, 3549, 3550, 3557, 3563, 3569, 3575, 3581, 3587, 3593, 3607, 3608, 3623, 3624, 3638, 3639, 3654, 3655, 3669, 3671, 4727, 4728, 5213, 5609, 5613, 5914, 5923, 5933
\the@choice 5684, 5706
\thebook 1760
\thechapter 20, 31, 122, 133, 140, 152, 1305, 1317, 1759, 1766, 2588, 2595, 2602, 2610, 2692, 2744
\theclass 1602, 1607
\theHchapter 1525, 1542
\theHsection 1524, 1540
\thempfn 1928
\thempfootnote 1928, 4039
\theoremautorefname 1518
\thepage .. 2195, 2212, 2242, 2284, 3406, 4569
\thepart 9, 16, 39, 45, 51, 57, 113, 124, 135, 147, 1290, 1300, 1312, 1550, 1761, 2583, 2590, 2597, 2605, 2613, 2668, 2720
\thequestion 5705, 5745, 5781
\thesection .. 12, 34, 43, 49, 55, 61, 1294, 1553, 2636
\thirdarticle .. 4907, 4934, 4935, 4937
\thirdSubtitleFormat . 4634, 4636
\thirdTextFormat 4637, 4638
\thirdTitleFormat 4625, 4630, 4631
>thispagestyle 4824, 4829
\thr@@ 1596, 1955, 1974, 1975, 1989, 2010, 2011, 2037, 2049, 2050, 2078, 2105, 2106
\timestamp . 4662, 4859, 4889, 4925
\timestampFormat 4661, 4663
\timestampSeparator .. 4660, 4665
\timestampTxt 4659, 4664
\tiny 3561, 3562, 4499
\title 4708
\TitleBarFrame . 1488, 1490, 1492, 1494
\tl 2974, 2975, 2976, 2983, 2989, 2990, 2991, 2998, 3010, 3019, 3091, 3098, 3099, 3188, 3197, 3212, 3221, 3236, 3245, 3260, 3269, 3284, 3293, 3308, 3317, 5343, 5360, 5418, 5501, 5502, 5503, 5518, 5533, 5625, 5626, 5627, 5628, 5629, 5630, 5638, 5639, 5640, 5641, 5642, 5643
\tmp 5659
\today 3385, 3387, 5180
\topsep 3599, 3607, 3615, 3623, 3630, 3638, 3645, 3654, 3659, 3669, 3672
\TPHorizModule . 4540, 4765, 4864, 4896, 4947, 4994, 4995, 5018, 5019, 5042
\TPVertModule 4766
\true 5734
\truesymbol 5728
\ttdefault 3062, 3063
\tw@ .. 1588, 1850, 1853, 1935, 1941, 1942, 1944, 1954, 1964, 1965, 1988, 1998, 1999, 2036, 2042, 2043, 2048, 2077, 2087, 2088, 2296, 3420, 3421, 3422, 3425, 3426, 3427
\twocolumnstableofcontents 3738
\typeout 2918, 2920, 4713

U

\uccode 5544
\Umathchardef 5367
\Umathcode 5365
\Umathcodenum 2516
\undefined 1790, 5576, 5585, 5586, 5587, 5589, 5590, 5591, 5597, 5598, 5599, 5601, 5602, 5603
\unhbox 1912
\unpenalty 191
\unskip 188, 2066, 2067, 2068, 2153, 2216, 2247
\unvbox 1912
\uppercase 5545
\Url@actpercent 2515
\Url@Edit 2515
\Url@String 2515



```

\use . . 3011, 3024, 3034, 3065, 3083,
3096, 3114, 3118, 3138, 3142,
3189, 3202, 3213, 3226, 3237,
3250, 3261, 3274, 3285, 3298,
3309, 3322, 5506, 5521, 5536
\use@mathgroup . . . . . 5302
\usebox . . . . . 4717
\usecounter . . . . . 5718
\usefonttheme . . . . . 83
\UseOneTimeHook . 2639, 2695, 2747

V
\value . . . . . 2792, 5688, 5704
\vbox . 1883, 1900, 1905, 1906, 1923,
2030, 2120, 2124, 2130, 2134,
5256, 5282
\vcenter . . . . . 1909, 1910
\verbatim@addtoline . 2385, 2400,
2411, 2418, 2420, 2428, 2430,
2442, 2444
\verbatim@finish . . . . . 2438
\verbatim@processline 2389, 2402,
2422
\verbatim@startline . 2378, 2390,
2403, 2423
\version@elt . . . . . 5348
\version@list . . . . . 5348
\vfil . . . . . 4683, 4699
\voidb@x . . . . . 169
\vrbb@catcodes . . . . . 2372
\vskip . . . . . 4684, 4687, 4689, 4695
\vspace 4719, 4738, 4800, 4810, 4853,
4857, 4880, 4883, 4887, 4894,
4912, 4916, 4920, 4929, 4988,
4992, 5048, 5069, 5117, 5121,
5140, 5170, 5174, 5219, 5221,
5231, 5234, 5259, 5261, 5281,
5283, 5716, 5774, 5776
\vss . . . . . 1912
\vtop . . . . . 1907, 1908, 2029

W
\wd . . . . . 2783, 2787
\weatherFormat . . . . . 4554, 4556
\weatheritem 4960, 4975, 4976, 4978
\weatherTempFormat . . 4558, 4968
\weatherUnits . . . . . 4559, 4970
\whiledo . . . . . 5688
\width . . . . . 1496, 2481, 2482
\write . . . . . 3402, 4215, 4227, 4239
\writexviiifalse . . . . . 2966
\writexviiittrue . . . . . 2964

X
\x . . . . . 5658
\x . . . . . 2948, 2953
\xdef . 1526, 1544, 4379, 4381, 4385,
4387, 4391, 4393, 5302, 5684,
5689, 5713, 5714, 5735, 5736,
5739, 5740
\XePersian . 1533, 3727, 3745, 4578
\xepersian . . . . . 2459, 2461
\xepersian@adadi . . 3805, 3830
\xepersian@adadi@tartibi 3906,
3931
\xepersian@baselineskip@scale
3327, 3333, 3345, 3349, 3351,
3359, 4280, 4367
\xepersian@fontsize@branch . .
. . . . . 4097, 4272
\xepersian@fontsize@scale 3326,
3328, 3344, 3348, 3350, 3358,
4268, 4363, 4374
\xepersian@latin@baselineskip@scale
. . . . . 3335, 3345, 4284
\xepersian@latin@fontsize@scale
. . . . . 3330, 3344, 4276
\xepersian@math@fontsize@scale
. . . . . 4264, 4372
\xepersian@start@switch@textdigitfont
3044, 3046, 3049, 3051, 3053,
3055, 3057, 3062, 4326
\xepersian@stop@switch@textdigitfont
3045, 3047, 3048, 3052, 3054,
3056, 3058, 3063
\xepersian@update@math@fontsize
. . . . . 4371, 4381, 4387, 4393
\xepersian@A 1580, 1612, 1626, 1628,
3055, 3056
\xepersian@adadi . . . . . 3799, 3804
\xepersian@adadi@tartibi 3900,
3905
\xepersian@cmds@temp . 2943, 2961
\xepersian@colitsize 4421, 5144,
5145, 5146, 5147, 5150, 5155,
5160, 5165
\xepersian@computeautoilg 3416,
4402
\xepersian@cx . . . . . 4748, 4753, 4770
\xepersian@cy . . . . . 4749, 4754, 4776

```



\XePersian@d 5787, 5812, 5917, 5936,
 5938, 5941, 5946
 \xepersian@D 1577, 1614, 1615, 1616,
 1617, 1621, 1622, 1623, 1625,
 1626, 3051, 3052
 \xepersian@dahgan 3863, 3884, 3967
 \xepersian@dahgan@tartibi 3965,
 3973
 \XePersian@dn .. 5807, 5906, 5914,
 5917, 5920, 5924, 5936, 5938
 \xepersian@dx .. 4746, 4751, 4762,
 4765
 \xepersian@dy .. 4747, 4752, 4763,
 4766
 \xepersian@edition .. 4528, 4532,
 4568, 4688, 4820
 \xepersian@editionLogo .. 4530,
 4798, 4816
 \xepersian@editorialTit .. 5225,
 5244
 \xepersian@editorialTitle 4671,
 5230
 \xepersian@everyjob .. 2919, 2920
 \xepersian@firstText .. 4603, 4859
 \xepersian@firstTitle 4591, 4854
 \xepersian@fmbox 4714, 4716, 4717
 \xepersian@footcenter 4580, 4587,
 4839
 \xepersian@footleft .. 4582, 4586,
 4838
 \xepersian@footright .. 4577, 4588,
 4837
 \xepersian@frag 4100, 4102, 4103,
 4105
 \xepersian@gridcolumns .. 4443,
 4445, 4484, 4488
 \xepersian@gridrows .. 4442, 4444,
 4484, 4488
 \xepersian@headcenter 4564, 4574,
 4836
 \xepersian@headDateTime .. 4550,
 4804, 4818
 \xepersian@headleft .. 4561, 4573,
 4835
 \xepersian@headright .. 4567, 4575,
 4834
 \XePersian@i 5787, 5910, 5911, 5913,
 5914, 5915, 5918, 5922, 5923,
 5926, 5927, 5930, 5933, 5935
 \xepersian@ilg .. 3413, 3417, 3421,
 3422, 3426, 3427, 3445
 \xepersian@imgsize .. 4420, 4721,
 4722, 4724, 4733, 4734
 \xepersian@incolumntitle 5131,
 5150, 5155, 5160, 5165
 \xepersian@indexEntry 4540, 5067
 \xepersian@indexEntryPage 4546,
 5067
 \xepersian@indexFrameTitle 4536,
 5043
 \xepersian@indexwidth 4424, 4543,
 5042, 5046, 5047
 \xepersian@inxpandedtitle 5082,
 5097, 5102, 5107, 5112
 \xepersian@innerSubtitle 4658,
 5198
 \xepersian@innerTitle 4647, 5197
 \XePersian@kabisehfalse .. 5857,
 5863
 \XePersian@kabisehtrue .. 5863
 \xepersian@kashida .. 1583, 1621,
 1622, 1623, 1624, 1625, 1626,
 1627
 \xepersian@kashidachar .. 1575,
 1589, 1591, 1593, 1595, 1597
 \xepersian@L 1578, 1618, 1622, 1623,
 1624, 1627, 1628, 3053, 3054
 \XePersian@latini .. 5788, 5834
 \XePersian@latinii .. 5789, 5836,
 5838
 \XePersian@latiniii .. 5790, 5840
 \XePersian@latiniv .. 5791, 5841
 \XePersian@latinix .. 5796, 5846
 \XePersian@latinv .. 5792, 5842
 \XePersian@latinvi .. 5793, 5843
 \XePersian@latinvii .. 5794, 5844
 \XePersian@latinviii .. 5795, 5845
 \XePersian@latinx .. 5797, 5847
 \XePersian@latinxi .. 5798, 5848
 \XePersian@latinxii .. 5799, 5849
 \XePersian@leapfalse .. 5819, 5823,
 5829
 \XePersian@leaptrue .. 5829, 5830
 \xepersian@localize@verbatim@
 2380, 2381, 2383, 2391, 2404,
 2413, 2424, 2432, 2446
 \xepersian@localize@verbatim@@
 2383, 2384
 \xepersian@localize@verbatim@@@
 2386, 2387



\xepersian@localize@verbatim@**testend** \XePersian@persianx .. 5797, 5902
..... 2426, 2436
\xepersian@localize@verbatim@rescan 2440, 2449
\xepersian@localize@verbatim@start .. 2377, 2452, 2453, 2464
\xepersian@localize@verbatim@test 2395, 2397, 2398
\xepersian@localize@verbatim@testend 2409, 2416
\xepersian@lrm 1574, 1586
\XePersian@m 5787, 5812, 5908, 5927,
5930, 5942, 5945
\xepersian@milyoongan 3832, 3843
\xepersian@milyoongan@tartibi 3933, 3944
\XePersian@mminusone 5809, 5908,
5909, 5911, 5915
\xepersian@ncol 4775, 4776
\xepersian@ncolumns . 4425, 5126,
5127, 5194
\xepersian@nrow 4769, 4770
\xepersian@numberoutoffrange ..
.... 3790, 3801, 3902
\xepersian@numberstring . 3787,
3795
\xepersian@numberstring@tartibi 3893, 3896
\xepersian@PackageInfo .. 5363,
5482
\xepersian@pageleft . 4423, 5210,
5211, 5213, 5215
\xepersian@pageneed . 4422, 4724,
4725, 4727, 4730, 5209, 5215
\xepersian@pages 4644, 4879, 4911,
5196
\XePersian@persian@month 5942,
5947
\XePersian@persiani . 5788, 5888,
5889, 5919, 5936
\XePersian@persianii . 5789, 5890
\XePersian@persianiii 5790, 5892,
5894
\XePersian@persianiv . 5791, 5896
\XePersian@persianix . 5796, 5901
\XePersian@persianv .. 5792, 5897
\XePersian@persianvi . 5793, 5898
\XePersian@persianvii 5794, 5899
\XePersian@persianviii .. 5795,
5900
\XePersian@persianxi . 5798, 5903
\XePersian@persianxii 5799, 5904
\XePersian@persianxiii .. 5800,
5905
\xepersian@pictureCaption 4640,
4736, 4950
\xepersian@R 1579, 1613, 1625, 1627,
3057, 3058
\xepersian@sadgan .. 3836, 3841,
3845, 3849, 3854, 3937, 3950
\xepersian@sadgan@tartibi 3942,
3946, 3955
\xepersian@save@**ff**@family 3062,
3063
\xepersian@say . 4713, 5193, 5213,
5216, 5218, 5242, 5268
\xepersian@secondSubtitle 4616,
4885
\xepersian@secondText 4620, 4889
\xepersian@secondTitle .. 4607,
4881
\xepersian@section . 4560, 4565,
5189
\xepersian@setlength 3461, 3504,
3506, 3507, 3521, 3523, 3524,
3538, 3540, 3541, 3597, 3599,
3613, 3615, 3628, 3630, 3643,
3645, 3659, 3705, 3707, 3709,
3720
\xepersian@shellescape ... 2963
\xepersian@shortarticleItemTitle
..... 4678, 5282
\xepersian@shortarticleSubtitle
..... 4676, 5262
\xepersian@shortarticleTit 5254,
5269
\xepersian@shortarticleTitle ..
..... 4674, 5258
\XePersian@sn .. 5808, 5907, 5919,
5920, 5923, 5924, 5933, 5938
\xepersian@strutilg . 3414, 3417,
3432, 3433, 3437, 3438, 3445,
3446, 3449, 4403, 4406
\xepersian@tartibi .. 3893, 3978
\xepersian@tcl . 3412, 3417, 3419,
3420, 3421, 3422, 3425, 3426,
3427, 3431, 3432, 3433, 3436,
3437, 3438, 3443, 3444
\XePersian@temp 5802, 5813, 5814,



5815, 5817, 5821, 5822, 5823,
 5826, 5827, 5828, 5829, 5851,
 5852, 5853, 5856, 5857, 5859,
 5862, 5863, 5867, 5868, 5871,
 5874, 5879, 5884, 5886, 5887,
 5889
`\xepersian@tempa` 4111, 4119, 4127,
 4135, 4142, 4150, 4157, 4164,
 4170, 4182, 4188, 4194, 4198,
 4202, 4208, 4221, 4233, 4245,
 4287, 4294, 4301, 4308, 4323,
 4333
`\xepersian@tempb` 4111, 4112, 4119,
 4120, 4127, 4128, 4135, 4136,
 4142, 4143, 4150, 4151, 4157,
 4158, 4164, 4165, 4170, 4171,
 4182, 4183, 4188, 4189, 4194,
 4195, 4198, 4199, 4202, 4203,
 4208, 4209, 4221, 4222, 4233,
 4234, 4245, 4246, 4287, 4288,
 4294, 4295, 4301, 4302, 4308,
 4309, 4323, 4324, 4333, 4334
`\XePersian@tempthree` 5804, 5865,
 5866, 5867, 5869, 5872, 5875,
 5876, 5880, 5883, 5884, 5885,
 5886
`\XePersian@temptwo` . 5803, 5853,
 5854, 5855, 5856, 5859, 5860,
 5861, 5862, 5869, 5870, 5871,
 5872, 5873, 5874, 5876, 5877,
 5878, 5879, 5880, 5881, 5882,
 5883
`\xepersian@textdigitfont` 3036,
 3062, 4327
`\xepersian@thirdSubtitle` 4635,
 4918
`\xepersian@thirdText` . 4638, 4925
`\xepersian@thirdTitle` 4626, 4914
`\XePersian@thirtytwo` 5806, 5850,
 5857
`\xepersian@tmp` 4099, 4100
`\xepersian@V` 1581, 1619
`\xepersian@value` 4102, 4105
`\xepersian@version` . 2885, 2887,
 2904, 2922, 2924, 2930, 2936,
 3730, 3734
`\xepersian@weather` . . . 4555, 4990
`\xepersian@www` 4525, 4798
`\xepersian@wwwFormat` . 4524, 4526
`\XePersian@y` 5787, 5812, 5813, 5816,
 5826, 5829, 5851, 5865, 5928,
 5931, 5942, 5944
`\xepersian@yekani` . . . 3836, 3864,
 3868, 3875, 3878, 3937
`\xepersian@yekanii` . . . 3787, 3849,
 3874, 3950
`\xepersian@yekaniii` . . . 3845, 3877,
 3946
`\xepersian@yekaniv` . . . 3856, 3880,
 3957
`\xepersian@yekanv` 3969, 3985
`\XePersian@yModHundred` . . . 5805,
 5816, 5817, 5818, 5821, 5825
`\xepersian@zwj` . . . 1573, 1585, 1598
`\xepersiandate` . . . 2886, 2887, 2904,
 3730
`\xepersianInit` 4481, 4782
`\xepersianversion` 2921
`\XeTeXcharclass` 1607
`\XeTeXcharglyph` 1589, 1591, 1595,
 1597, 3420, 3421, 3422, 3425,
 3426, 3427, 3431, 3432, 3433,
 3436, 3437, 3438
`\XeTeXglyphbounds` . . . 1588, 1590,
 1594, 1596, 3420, 3421, 3422,
 3425, 3426, 3427, 3431, 3432,
 3433, 3436, 3437, 3438
`\XeTeXinterchartoks` . 1621, 1622,
 1623, 1624, 1625, 1626, 1627,
 1628, 3044, 3045, 3046, 3047,
 3048, 3049, 3051, 3052, 3053,
 3054, 3055, 3056, 3057, 3058
`\xpg@warning` 3991, 3996, 3998

Y

`\y` 2949, 2951, 2953
`\year` 5812

Z

`\z` 2950, 2951
`\z@` . . . 10, 18, 171, 172, 183, 185, 1551,
 1828, 1928, 1932, 1937, 1938,
 1946, 1956, 1960, 1961, 1966,
 1980, 1990, 1994, 1995, 2000,
 2016, 2038, 2039, 2050, 2068,
 2079, 2083, 2084, 2097, 2111,
 2298, 2344, 2346, 2355, 2479,
 2480, 2487, 2488, 2782, 2783,
 2786, 2787, 3046, 3047, 3367,
 3368, 3377, 3378, 3417, 3420,



3425, 3431, 3436, 3462, 3463,
3464, 3470, 3477, 3478, 3484,
3506, 3523, 3540, 3661, 3670,
3714, 3831, 3833, 3835, 3839,
3855, 3858, 3864, 3932, 3934,
3936, 3940, 3956, 3959, 3969,
3998, 4020, 4024, 4028, 4031,
4098, 5863

☒

\ 1138, 1768, 2364
\ 1792, 1794, 1797, 1804
\ 1797
\ .. 1782, 1789, 1790, 1793, 1794,
1802, 1804
\ 1787, 1788, 1792, 1799
\ 1780, 1786, 1787, 1792, 1797, 1798
\ .. 1139, 1140, 1141, 1142, 1143,
1144, 1145, 1146, 1790
\ .. 1792, 1793, 1798, 1799, 1801,
1802
\ 1792, 1797
\ 1792, 1793, 1798, 1802
\ 1787, 1788
\ 1792, 1794, 1799, 1804
© \ 1781, 1785

☒

© \ 2489, 2490, 2491, 2492, 2493,
2494, 2495, 2496, 2497, 2498,
2499, 2500, 2501, 2502, 2503,
2504, 2505, 2506, 2507, 2508,
2509, 2510
© \ 1781
\ 1787
\ 1781, 1785
\ 2143, 2451
\ 2365
\ 1788, 2140, 2141

☒

\ 1780
\ 1783
\ 1782, 1784

