

The **asympote** package

John Bowman, Tom Prince, and Will Robertson

2012/08/25 v1.27

Abstract

This package provides integration of inline and external Asymptote graphics within a L^AT_EX document.

Contents

1 Introduction

This is the documentation for the L^AT_EX package **asympote** which accompanies the Asymptote drawing package. For further details on Asymptote, please see its documentation in **asympote.pdf**.

2 User syntax

2.1 Package loading and options

The package may take two options at load time: **inline** or **attach**. These options can also be set at any time with the `\asysetup{<options>}` command, or specified individually in the optional argument to each **asy** environment or **asyinclude** command.

The **inline** option uses Asymptote's 'inline' mode whereby included graphics have their labels typeset in the environment of the document they are contained within. Otherwise the Asymptote graphics are self-contained and their formatting is independent of the document.

The **attach** option allows generated graphics to be embedded within the PDF using the **attachfile2** package; please load that package separately if you wish to use it. The **attach** option takes precedence over the **inline** option.

This package produces quite a number of output files, which by default are created in the same directory as the L^AT_EX document that is being compiled. To keep things more tidy, you can specify an output directory for these files by defining the `\asydir` command. For example, if you wish to store the figure files in the subdirectory `asytmp/`, then you would write `\renewcommand\asydir{asytmp}`.

Alternatively (and tentatively), you may write `dir=asytmp` in either the **asy** environment options or the options to `\asysetup`.

2.2 Commands for inserting Asymptote graphics

The main environment defined by the package is the `asy` environment, in which verbatim Asymptote code is placed that will be compiled for generating a graphic in the document. For example,

```
\begin{figure}
\begin{asy}[ <options> ]
<ASYMPTOTE CODE>
\end{asy}
\caption{...}\label{...}
```

If you have Asymptote code in a separate file, you can include it with the `\asyinclude[<options>]{<filename>}` command.

For Asymptote code that should be included in *every* graphic, define it using the `asydef` environment.

2.3 Graphics options

Both the `asy` environment and the `\asyinclude` command take optional parameters for controlling aspects of the graphics creation. In addition to locally setting `inline` and `attach`, the following options may also be used:

width Width of the figure

height Height of the figure

keepAspect Maintain aspect ratio [default true]

viewportwidth Viewport width for 3D figures

viewportheight Viewport height for 3D figures

These may also be set globally using the `\asysetup` command.

3 Processing the document

After running L^AT_EX on the document, it is necessary to process the Asymptote graphics so they can be included in the next compilation. The simplest procedure is a recipe such as

```
pdflatex mydoc
asy mydoc-*.asy
pdflatex mydoc
```

This technique will recompile each graphic every time, however. To only recompile graphics that have changed, use the `latexmk` tool. Asymptote is distributed with a `latexmkrc` configuration file; place this file in a place where `latexmk` will find it and your document may be compiled, including the `asy` compilations, with `latexmk mydoc` or `latexmk --pdf mydoc`.

4 Implementation

```
1 \def\Asymptote{\tt Asymptote}
2 \InputIfFileExists{\jobname.pre}{}{}
```

4.1 Allocations

Allocations

```
3 \newbox\ASYbox
4 \newcounter{asy}
5 \newwrite\AsyStream
6 \newwrite\AsyPreStream
7 \newif\ifASYinline
8 \newif\ifASYattach
9 \newif\ifASYkeepAspect
10 \ASYkeepAspecttrue
```

4.2 Packages

```
11 \RequirePackage[keyval]
12 \RequirePackage{ifthen}
13 \RequirePackage{color,graphicx}
```

Emulating packages We cannot assume that Asymptote users have recent T_EX distributions. (E.g., Fedora until recently still shipped teTeX.) So load ifpdf and ifxetex if they exist; otherwise, emulate them.

In due course, delete this code and just load the packages.

```
14 \IfFileExists{ifpdf.sty}{
15   \RequirePackage{ifpdf}
16 }{
17   \expandafter\newif\csname ifpdf\endcsname
18   \ifx\pdfoutput\undefined\else
19     \ifcase\pdfoutput\else
20       \pdftrue
21     \fi
22   \fi
23 }

24 \IfFileExists{ifxetex.sty} {
25   \RequirePackage{ifxetex}
26 }{
27   \expandafter\newif\csname ifxetex\endcsname
28   \ifx\XeTeXversion\undefined\else
29     \xetexttrue
30   \fi
31 }
```

\CatchFileDef Used for \asyinclude. Note that the fallback definition is not as robust as the one provided by catchfile.

```

32 \IfFileExists{catchfile.sty}{
33   \RequirePackage{catchfile}
34 }{
35   \newcommand\CatchFileDef[3]{%
36     \begingroup
37     \everyeof{%
38       \ENDCATCHFILEMARKER
39       \noexpand
40     }%
41     \long\def\@tempa####1\ENDCATCHFILEMARKER{%
42       \endgroup
43       \def##1{####1}%
44     }%
45     ##3%
46     \expandafter\@tempa\@@input ##2\relax
47   }
48 }

```

Ensuring `attachfile2` is loaded if [attach] is requested

```

49 \newif\if@asy@attachfile@loaded
50 \AtBeginDocument{%
51   \@ifpackageloaded{attachfile2}{\@asy@attachfile@loadedtrue}{()}%
52   \let\asy@check@attachfile\asy@check@attachfile@loaded
53 }
54 \newcommand\asy@check@attachfile@loaded{%
55   \if@asy@attachfile@loaded\else
56     \PackageError{asymptote}{You must load the attachfile2 package}{%
57       You have requested the [attach] option for some or all of your%
58       Asymptote graphics, which requires the attachfile2 package.%
59       Please load it in the document preamble.%
60     }%
61   \fi
62 }
63 \newcommand\asy@check@attachfile{%
64   \AtBeginDocument{\asy@check@attachfile@loaded}%
65   \let\asy@check@attachfile\empty
66 }

```

Macros

```
67 \def\csarg#1#2{\expandafter#1\csname#2\endcsname}
```

4.3 Package options

```

68 \DeclareOption{inline}{%
69   \ASYinlinetrue
70 }
71 \DeclareOption{attach}{%

```

```

72  \asy@check@attachfile
73  \ASYattachtrue
74 }
75 \ProcessOptions*
76 \def\asydir{}
77 \def\ASYprefix{}

```

4.4 Testing for PDF output

Note this is not quite the same as `\ifpdf`, since we still want PDF output when using XeTeX.

```

78 \newif\ifASYPDF
79 \ifxetex
80  \ASYPDFtrue
81 \else
82  \ifpdf
83   \ASYPDFtrue
84 \fi
85 \fi
86 \ifASYPDF
87  \def\AsyExtension{pdf}
88 \else
89  \def\AsyExtension{eps}
90 \fi

```

4.5 Bug squashing

```

91 \def\unquoteJobname#1"#2"#3\relax{%
92  \def\rawJobname{#1}%
93  \ifx\rawJobname\empty
94   \def\rawJobname{#2}%
95  \fi
96 }
97 \expandafter\unquoteJobname\jobname"\relax

```

Work around jobname bug in MiKTeX 2.5 and 2.6: Turn stars in file names (resulting from spaces, etc.) into minus signs

```

98 \def\fixstar#1#2\relax{%
99  \def\argtwo{#2}%
100 \ifx\argtwo\empty
101  \gdef\Jobname{#1}%
102 \else
103  \fixstar#1-#2\relax
104 \fi
105 }
106 \expandafter\fixstar\rawJobname*\relax

```

Work around bug in dvips.def: allow spaces in file names.

```

107 \def\Ginclude@eps#1{%
108  \message{<#1>}%
109  \bgroup

```

```

110 \def\@tempa{!}{%
111   \dimen@\Gin@req@width
112   \dimen@ii.1bp\relax
113   \divide\dimen@\dimen@ii
114   \divide\@tempdima\Gin@req@height
115   \divide\@tempdima\dimen@ii
116   \special{PSfile=#1\space
117    llx=\Gin@llx\space
118     lly=\Gin@lly\space
119     urx=\Gin@urx\space
120     ury=\Gin@ury\space
121     \ifx\Gin@scalex\@tempa\else rwi=\number\dimen@\space\fi
122     \ifx\Gin@scaley\@tempa\else rhi=\number\@tempdima\space\fi
123     \ifGin@clip clip\fi}%
124   \egroup
125 }

```

4.6 Input/Output

```

126 \immediate\openout\AsyPreStream=\jobname.pre\relax
127 \AtEndDocument{\immediate\closeout\AsyPreStream}

128 \def\WriteAsyLine#1{%
129   \immediate\write\AsyStream{\detokenize{#1}}%
130 }

131 \def\globalASYdefs{%
132 \def\WriteGlobalAsyLine#1{%
133   \expandafter\g@addto@macro
134   \expandafter\globalASYdefs
135   \expandafter{\detokenize{#1^J}}%
136 }

```

4.7 Commands for verbatim processing environments

```

137 \def\ProcessAsymptote#1{%
138   \begingroup
139   \def\CurrentAsymptote{#1}%
140   \let\do\@makeother \dospecials
141   \@makeother^\^L% and whatever other special cases
142   \catcode`\ =10
143   \endlinechar`^\^M \catcode`^\^M=12 \xAsymptote
144 }

```

Need lots of comment chars here because $\langle line end \rangle$ is no longer a space character.

```

145 \begingroup
146   \catcode`^\^M=12 \endlinechar=-1\relax%
147   \gdef\xAsymptote{%
148     \expandafter\ProcessAsymptoteLine%
149   }
150   \gdef\ProcessAsymptoteLine#1^\^M{%
151     \def\@tempa{#1}%
152     {%

```

```

153      \escapechar=-1\relax%
154      \xdef\@tempb{\string\end\string{\CurrentAsymptote\string}\}%
155  }%
156  \ifx\@tempa\@tempb%
157    \edef\@next{\endgroup\noexpand\end{\CurrentAsymptote}\}%
158  \else%
159    \ThisAsymptote{\#1}%
160    \let\@next\ProcessAsymptoteLine%
161  \fi%
162  \@next%
163 }
164 \endgroup

```

4.8 User interface

```

165 \newcommand\asy[1][]{%
166   \stepcounter{asy}%
167   \setkeys{ASYkeys}{#1}%

```

Disable the "inline" option if "attach" is enabled:

```

168 \ifASYattach
169   \ASYinlinefalse
170 \fi
171 \ifx\asydir\empty\else
172   \def\ASYprefix{\asydir/}%
173 \fi
174 \immediate\write\AsyPreStream{%
175   \noexpand\InputIfFileExists{%
176     \ASYprefix\noexpand\jobname-\the\c@asy.pre}{}{}%
177   }
178 \asy@write@graphic@header
179 \let\ThisAsymptote\WriteAsyLine
180 \ProcessAsymptote{asy}%
181 }

182 \def\endasy{%
183   \asy@finalise@stream
184   \asy@input@graphic
185 }

186 \def\asy@write@graphic@header{%
187   \immediate\openout\AsyStream=\ASYprefix\jobname-\the\c@asy.asy\relax
188   \gdef\AsyFile{\ASYprefix\Jobname-\the\c@asy}%
189   \immediate\write\AsyStream{%
190     if(!settings.multipleView) settings.batchView=false;^^J%
191     \ifxetex
192       settings.tex="xelatex";^^J%
193     \else\ifASYPDF
194       settings.tex="pdflatex";^^J%
195     \fi\fi
196     \ifASYinline
197       settings.inlinetex=true;^^J%

```

```

198     deletepreamble();^^J%
199     \fi
200     defaultfilename="\Jobname-\the\c@asy";^^J%
201     if(settings.render < 0) settings.render=4;^^J%
202     settings.outformat="";^^J%
203     \ifASYattach
204         settings.inlineimage=false;^^J%
205         settings.embed=false;^^J%
206         settings.toolbar=true;^^J%
207     \else
208         settings.inlineimage=true;^^J%
209         settings.embed=true;^^J%
210         settings.toolbar=false;^^J%
211         viewportmargin=(2,2);^^J%
212     \fi
213     \globalASYdefs
214 }%
215 }
216 \def\asy@expand@keepAspect{%
217     \ifASYkeepAspect keepAspect=true%
218     \else keepAspect=false%
219     \fi%
220 }
221 \def\asy@finalise@stream{%
Setting size(). Only inserted if one of the dimensions is set explicitly (i.e., if both height and width are not empty).
222     \ifx\ASYwidth\empty
223         \ifx\ASYheight\empty
224             % write nothing!
225         \else
226             \immediate\write\AsyStream{size(0,\ASYheight,\asy@expand@keepAspect);}%
227         \fi
228     \else
229         \ifx\ASYheight\empty
230             \immediate\write\AsyStream{size(\ASYwidth,0,\asy@expand@keepAspect);}%
231         \else
232             \immediate\write\AsyStream{size(\ASYwidth,\ASYheight,\asy@expand@keepAspect);}%
233         \fi
234     \fi
Setting viewportsize=(). Same logic as for size().
235     \ifx\ASYviewportwidth\empty
236         \ifx\ASYviewportheight\empty
237             % write nothing!
238         \else
239             \immediate\write\AsyStream{viewportsize=(0,\ASYviewportheight);}%
240         \fi
241     \else
242         \ifx\ASYviewportheight\empty

```

```

243      \immediate\write\AsyStream{viewportsize=(\ASYviewportwidth,0);}%
244  \else
245      \immediate\write\AsyStream{%
246          viewportsize=(\ASYviewportwidth,\ASYviewportheight);}%
247  \fi
248 \fi
249 \immediate\closeout\AsyStream
250 }

251 \def\asy@input@graphic{%
252 \ifASYinline
253     \IfFileExists{"\AsyFile.tex"}{%
254         \catcode`:=12\relax
255         \@@input"\AsyFile.tex"\relax
256     }{%
257         \PackageWarning{asymptote}{file '\AsyFile.tex' not found}%
258     }%
259 \else
260     \IfFileExists{"\AsyFile.\AsyExtension"}{%
261         \ifASYPDF
262             \IfFileExists{"\AsyFile+0.pdf"}{%
263                 \setbox\ASYbox=\hbox{\includegraphics[hiresbb]{\AsyFile+0.pdf}}%
264             }{%
265                 \setbox\ASYbox=\hbox{\includegraphics[hiresbb]{\AsyFile.pdf}}%
266             }%
267         \else
268             \setbox\ASYbox=\hbox{\includegraphics[hiresbb]{\AsyFile.eps}}%
269         \fi
270         \textattachfile{\AsyFile.\AsyExtension}{\phantom{\copy\ASYbox}}%
271         \vskip-\ht\ASYbox
272         \indent
273         \box\ASYbox
274     \else
275         \ifASYPDF
276             \includegraphics[hiresbb]{\AsyFile.pdf}%
277         \else
278             \includegraphics[hiresbb]{\AsyFile.eps}%
279         \fi
280     \fi
281 }{%
282 }

```

3D PRC figures require inline mode.

```

283     \IfFileExists{"\AsyFile.tex"}{%
284         \catcode`:=12
285         \@@input"\AsyFile.tex"\relax
286     }{%
287         \PackageWarning{asymptote}{%
288             file '\AsyFile.\AsyExtension' not found}%
289     }%
290 }

```

```

291      }%
292  \fi
293 }
294 \def\asydef{%
295   \let\ThisAsymptote\WriteGlobalAsyLine
296   \ProcessAsymptote{asydef}%
297 }
298 \newcommand\asyinclude[2] []{%
299   \begingroup
300   \stepcounter{asy}%
301   \setkeys{ASYkeys}{#1}%
302   \ifASYattach
303     \ASYinlinefalse
304   \fi
305   \ifx\asydir\empty\else
306     \def\ASYprefix{\asydir/}%
307   \fi
308   \immediate\write\AsyPreStream{%
309     \noexpand\InputIfFileExists{%
310       \ASYprefix\noexpand\jobname-\the\c@asy.pre}{}{}%
311   }%
312   \asy@write@graphic@header
313   \IfFileExists{#2.asy}{%
314     \CatchFileDef{\tempa}{#2.asy}{}{%
315       \let\do\@makeother
316       \dospecials
317       \endlinechar=10\relax
318     }%
319   }{%
320     \IfFileExists{#2}{%
321       \CatchFileDef{\tempa}{#2}{}{%
322         \let\do\@makeother
323         \dospecials
324         \endlinechar=10\relax
325       }%
326     }{%
327       \PackageWarning{asymptote}{file #2 not found}%
328       \def\@tempa{}%
329     }%
330   }%
331   \immediate\write\AsyStream{\unexpanded\expandafter{\@tempa}}%
332   \asy@finalise@stream
333   \asy@input@graphic
334   \endgroup
335 }
336 \newcommand{\ASYanimategraphics}[5] []{%
337   \IfFileExists{_#3.pdf}{%
338     \animategraphics[#1]{#2}{#3}{#4}{#5}%
339   }{}%

```

340 }

4.9 Keys for graphics processing

```
341 \newcommand\asysetup[1]{\setkeys{ASYkeys}{#1}}
342 \define@key{ASYkeys}{dir}{%
343   \def\asydir{#1}%
344 }
345 \def\ASYwidth{}
346 \define@key{ASYkeys}{width}{%
347   \edef\ASYwidth{\the\dimexpr#1\relax}%
348 }
349 \def\ASYheight{}
350 \define@key{ASYkeys}{height}{%
351   \edef\ASYheight{\the\dimexpr#1\relax}%
352 }
353 \define@key{ASYkeys}{keepAspect}[true]{%
354   \ifthenelse{\equal{#1}{true}}%
355     {\ASYkeepAspecttrue}%
356     {\ASYkeepAspectfalse}%
357 }
358 \def\ASYviewportwidth{}
359 \define@key{ASYkeys}{viewportwidth}{%
360   \edef\ASYviewportwidth{\the\dimexpr#1\relax}%
361 }
362 \def\ASYviewportheight{}
363 \define@key{ASYkeys}{viewportheight}{%
364   \edef\ASYviewportheight{\the\dimexpr#1\relax}%
365 }
366 \define@key{ASYkeys}{inline}[true]{%
367   \ifthenelse{\equal{#1}{true}}%
368     {\ASYinlinetrue}%
369     {\ASYinlinefalse}%
370 }
371 \define@key{ASYkeys}{attach}[true]{%
372   \ifthenelse{\equal{#1}{true}}%
373     {\ASYattachtrue}%
374     {\ASYattachfalse}%
375 }
```