

NAME

paperconf – print paper configuration informations

SYNOPSIS

paperconf [[**-p**] *paper* | **-d** | **-a**] [**-z**] [**-n** | **-N**] [**-s** | **-w** | **-h**] [**-c** | **-m** | **-i**]

DESCRIPTION

paperconf prints informations about a given paper. The informations that can be obtained are the name of the paper, its size and its width or height. When called without arguments, **paperconf** prints the name of the system- or user-specified paper, obtained by looking in order at the **PAPERSIZE** environment variable, at the contents of the file specified by the **PAPERCONF** environment variable, at the contents of **`\${prefix}/etc/papersize** or by using **letter** as a fall-back value if none of the other alternatives are successful. By default, width and height of the paper are printed in PostScript points.

OPTIONS

- p** *paper*
Specify the name of the *paper* about which informations are asked.
- d**
Use the default builtin paper name.
- a**
Consider all known papers names.
- z**
If the paper name is unknown, print it but issue a message on the standard error and exit with a non-zero code.
- n**
Print the name of the paper.
- N**
Print the name of the paper with the first letter capitalized.
- s**
Print the size (width followed by height) of the paper.
- w**
Print the width of the paper.
- h**
Print the height of the paper.
- c**
Use centimetres as unit for paper size.
- m**
Use millimetres as unit for paper size.
- i**
Use inches as unit for paper size.

ENVIRONMENT

- PAPERSIZE** Paper size to use regardless of what the papersize file contains.
- PAPERCONF** Full path to a file containing the paper size to use.

FILES

- `\${prefix}/etc/papersize**
Contains the name of the system-wide default paper size to be used if the **PAPER-SIZE** and **PAPERCONF** variables are not set.

AUTHOR

Yves Arrouye <arrouye@debian.org>

SEE ALSO

papersize(5)