

Test the Greek support for Babel

The babel option “greek” activates the support for the Greek language defined in the file “greek.ldf” (source “greek.dtx”).

1 Language Switch

The declaration `\selectlanguage` switches between languages.

‘Ο Σύλλογος Έλλήνων Φίλων του ΤεΞ, γνωστός καὶ ὡς «Έλληνες Φίλοι του ΤΕΧ» (ΕΦΤ γιὰ συντομία) ἀποτελεῖ τὴν ἐπίσημη Τοπικὴ Ομάδα του ΤΕΧ ἢ τὸ ἔλληνικὸ ΤΕΧ LUG (Local Users Group).

The macro `\foreignlanguage` sets its second argument in the specified language. This is intended for short text parts like Βιβλιοθήκη.

2 Font Encoding

In Greek text parts, the font encoding is automatically set to LGR if an 8-bit TeX engine is used. (See `test-unicode-greek.tex` for usage of `babel-greek` with XeTeX or LuaTeX.)

LGR has Greek characters in the slots reserved in a TeX *standard text font encoding*. This means you need an explicit font encoding change for every Latin letter and some other symbols if the current font encoding is LGR.

Switching between Latin and Greek script/font encoding is possible without switching the Babel language using the declarations `\latintext`, `\greektext` and the macros `\textlatin`, `\textgreek`. These commands do not start a new paragraph:

Φίλων του ΤεΞ (ΕΦΤ) – Friends (Φίλων) of TeX.

“greek.ldf” has some workarounds, so that macros relying on Latin characters in the “right” positions keep working. We test, that these definitions do not overwrite the selection of pre-composed characters for “copyright” and “registered trade mark” by “textcomp” (try copy and paste from the PDF output):

Greek (LGR): A & Ω, © ® ™, © ® ™

Latin: A & O.

To prevent Roman numerals being typeset in Greek letters we need to adopt the internal LaTeX commands. Note that this may cause errors when roman numerals are used in a situation where the macros need to be expanded:

Greek: i, ii, iii, iv, ..., mcmlxxv I, II, III, IV, ..., MCMLXXV

Latin: i, ii, iii, iv, ..., mcmlxxv I, II, III, IV, ..., MCMLXXV

Enumerated lists:

1. Item 1
- (α') Item 1.1

- i. Item 1.1.1
 - A'. Item 1.1.1.1
 - B'. Item 1.1.1.2
 - ii. Item 1.1.2

3 MakeUppercase, MakeLowercase

Capital Greek letters have diacritics (except the dialytika and sub-iota) to the left (instead of above) and drop them in uppercase, e.g. μαΐστρος → ΜΑΪΣΤΡΟΣ.

Upcased letters with diacritics keep the dialytika. This is implemented for all input variants of diacritics with dialytika. (Babel has “composite command” definitions to ensure this also works for accent characters “upcased” to the character No 159.)

۰ ۱ ۲ ۳ ۴ ۵ ۶ ۷ ۸ ۹ ۰ ۱ ۲ ۳ ۴ ۵ ۶ ۷ ۸ ۹ ۰ ۱ ۲ ۳ ۴ ۵ ۶ ۷ ۸ ۹ ۰ ۱ ۲ ۳ ۴ ۵ ۶ ۷ ۸ ۹

Tonos and dasia mark a *hiatus* (break-up of a diphthong) if placed on the first vowel of a diphthong (άι, ἀυ, ἐι, ἄυ, ἐυ, ἔι). A dialytika must be placed on the second vowel if they are dropped: (ΑΪ, ΑΫ, ΕΪ, ΑΪ, ΑΫ, ΕΪ).

άνωλος ↔ ΑΓΛΟΣ, ἄνωλος ↔ ΑΥΛΟΣ, μάινα ↔ ΜΑΪΝΑ, κέικ, ↔ ΚΕΪΚ άυπνία ↔ ΑΓΓΙΝΙΑ

There are several alternative styles for the capitalized sub-iota.

The following subsections test MakeUppercase and MakeLowercase with all characters defined in lgrenc.dfu:

3.1 Greek and Coptic

Characters of the Greek and Coptic Unicode Block:

Α. Α. Ε. Η. Τ. Ο. Τ. Ω. Α. Β. Γ. Δ. Ε. Ζ. Η. Ω. Κ. Λ. Μ. Ν. Ο. Π. Ρ. Σ. Τ. Γ. Φ. Χ. Ψ. Ω. Ι. Υ. Ω. Τ. Φ. Λ.
Δ. Ε. Η. Ι. Ή. Α. Β. γ. Δ. Ε. Ζ. Η. Ω. Κ. Λ. Μ. Ν. Ο. Π. Ρ. Σ. Τ. Γ. Φ. Χ. Ψ. Ω. Ι. Υ. Ω. Τ. Φ. Λ.

MakeUppercase:

΄Α· Α· ΕΗΙΟΥΤΩΙΑΒΓΔΕΖΗΘΙΚΑΛΜΝΞΟΠΡΣΤΤΥΦΧΨΩΙΪΤΩΓΤΕΛΑ
ΑΕΗΙΪΑΒΓΔΕΖΗΘΙΚΑΛΜΝΞΟΠΡΣΤΤΥΦΧΨΩΙΪΤΩΓΤΕΛΑ

Letters and sub-iota upcased, other diacritics except dialytika dropped.

There is no capital Koppa in LGR, therefore 'ѣ' is left unchanged with MakeUp-percase.

MakeLowercase:

„ά.έγκιόύώιαβγδεζηθικλμνξοπρστυφχψωϊϋφτφλ
άεγκιύαβγδεζηθικλμνξοπρστυφχψωϊϋφτφλ

The lowercase of Σ is the «auto-sigma» (`\textautosigma`): $\Sigma\Sigma \mapsto \sigma\varsigma$. Add a ZWNJ or use the `\noboundary` macro to prevent conversion to final sigma: $\sigma\sigma$. The lowercase of GREEK LETTER STIGMA Γ is τ not `\textvarstigma` (\mathfrak{z}).

3.2 Greek extended

Characters of the Greek extended Unicode block:

MakeUppercase:

A A A A A A A A A A A A A A A
E E E E E E E E E E E
H H H H H H H H H H H H H H H
I I I I I I I I I I I I I I I
O O O O O O O O O O O O O
T T T T T T T T T T T T T
Ω Ω Ω Ω Ω Ω Ω Ω Ω Ω Ω Ω Ω Ω
A A E E H H I I O O T T Ω Ω
A_I
H_I
Ω_I
A Ā A_I A_I A_I A_I Ā Ā A A A_I Ā Ā A A A_I ī
..H_I H_I H_I H_I H_I E E H H H_I
I I I I I I I I I I
T T T T P P T T T T T P ...
Ω_I Ω_I Ω_I Ω_I Ω_I O O Ω Ω Ω_I

MakeLowercase:

ା ା ା ା ା ା ା ା ା ା ା ା ା ା ା ା ା

େ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ ଏ

ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ ନ

ି ି ି ି ି ି ି ି ି ି ି ି

୦ ଓ ଓ ଓ ଓ ଓ ଓ ଓ ଓ ଓ

ୟ ଯ ଯ ଯ ଯ ଯ ଯ ଯ

4 Babel Strings

Babel defines macros for several autogenerated strings so that they may appear in the chosen language. babel-greek uses LIGRs in order to let the string macros work independent of the font encoding, in both 8-bit and Unicode-aware TeX.

4.1 Captions

Πρόλογος, Αναφορές, Περίληψη, Βιβλιογραφία, Κεφάλαιο, Παράρτημα, Περιεχόμενα, Κατάλογος Σχημάτων, Κατάλογος Πινάκων, Ευρετήριο, Σχήμα, Πίνακας, Μέρος, Συνημμένα, Κοινοποίηση, Προς, Σελίδα, βλέπε, βλέπε επίσης, Απόδειξη, Γλωσσάρι,

4.2 Months

- 10 Ιανουαρίου 2013
 - 10 Φεβρουαρίου 2013
 - 10 Μαρτίου 2013
 - 10 Απριλίου 2013
 - 10 Μαΐου 2013
 - 10 Ιουνίου 2013
 - 10 Ιουλίου 2013
 - 10 Αυγούστου 2013
 - 10 Σεπτεμβρίου 2013
 - 10 Οκτωβρίου 2013
 - 10 Νοεμβρίου 2013
 - 10 Δεκεμβρίου 2013

5 Greek Numerals

See greek.pdf for the formation rules of Greek numerals. Some examples:

α' , β' , γ' , δ' , ε' , τ' , ζ' , η' , ϑ' , ι' , $\imath\alpha'$, $\psi\beta'$, χ' , $\tau\mu\varepsilon'$, φ' , $\alpha\lambda\vartheta\zeta'$, $\beta\iota\gamma'$,

A', B', Γ', Δ', E', Τ', Z', H', Θ', I', IA', IB', K', TME', Φ', ΑΔΩΖ', ΒΙΓ',
Enumerated lists use Greek numerals in the second and fourth level.