

```

1 \ifx\LdfInit\undefined
2   \def\LdfInit{%
3     \chardef\atcatcode=\catcode'\@
4     \catcode'\@=11\relax
5     \input babel.def\relax
6     \catcode'\@=\atcatcode \let\atcatcode\relax
7   \LdfInit}
8 \fi

```

It seems that these files, although meant for compatibility with `plain.tex` are also used as packages in $\text{\LaTeX} 2_{\epsilon}$. The disadvantage of that is that a number of compatibility measures with other packages that are part of `babel.sty` are not present. Therefore we issue an error and then load `babel.def` to let the user continue processing his document (at his own risk).

First we determine whether we are loaded from \LaTeX by checking whether `\PackageError` is defined.

```

9 \ifx\PackageError\undefined

```

In this case we are not being loaded by $\text{\LaTeX} 2_{\epsilon}$, so just define `\ProvidesLanguage` to prevent an error when the `.ldf` file is loaded.

```

10   \def\ProvidesLanguage#1[#2 #3 #4]{%
11     \wlog{Language: #1 #4 #3 <#2>}}%
12 \else

```

Now we define an error message which ‘deletes’ itself from memory.

```

13   \def\bblstyerror{%
14     \PackageError{babel}%
15       {You have used an old interface to call babel\MessageBreak
16        You may expect compatibility problems wit other packages}%
17       {You could proceed but don't complain if you run into errors}%
18     \let\bblstyerror\@undefined
19   }

```

Now we can issue the error, it should appear when these files are loaded from $\text{\LaTeX} 2_{\epsilon}$, with *or* without `hyphen.cfg` preloaded in the format.

```

20   \ifx\ProvidesLanguage\undefined

```

In this case `hyphen.cfg` wasn’t loaded in the $\text{\LaTeX} 2_{\epsilon}$ format so we also need to provide a suitable definition for `\ProvidesLanguage`.

```

21     \bblstyerror
22     \def\ProvidesLanguage{%
23       \chardef\atcatcode=\catcode'\@
24       \catcode'\@=11\relax
25       \input babel.def\relax
26       \catcode'\@=\atcatcode \let\atcatcode\relax
27     \ProvidesLanguage}

```

When we end up here, `hyphen.cfg` was loaded into the format; we only need to issue the error from $\text{\LaTeX} 2_{\epsilon}$.

```

28   \else
29     \bblstyerror
30   \fi
31 \fi

```

```

32 % \changes{bbcompat-1.2i}{2005/11/23}{Added \file{albanian.sty} and
33 %   \file{bahasam.sty}}
34 \langle+albanian\rangle\def\CurrentOption{albanian}
35 \langle+albanian\rangle\input albanian.ldf\relax
36 \langle+american\rangle\def\CurrentOption{american}
37 \langle+USenglish\rangle\def\CurrentOption{USenglish}
38 \langle+british\rangle\def\CurrentOption{british}
39 \langle+english\rangle\def\CurrentOption{english}
40 \langle+UKenglish\rangle\def\CurrentOption{UKenglish}
41 \langle+american | british | english | UKenglish | USenglish\rangle\input english.ldf\relax

```

```

42 <+bahasa>\def\CurrentOption{bahasai}
43 <+bahasa>\input bahasai.lda\relax
44 <+bahasam>\def\CurrentOption{bahasam}
45 <+bahasam>\input bahasam.lda\relax
46 <+breton>\def\CurrentOption{breton}
47 <+breton>\input breton.lda\relax
48 <+bulgarian>\def\CurrentOption{bulgarian}
49 <+bulgarian>\input bulgarian.lda\relax
50 <+catalan>\def\CurrentOption{catalan}
51 <+catalan>\input catalan.lda\relax
52 <+croatian>\def\CurrentOption{croatian}
53 <+croatian>\input croatian.lda\relax
54 <+czech>\def\CurrentOption{czech}
55 <+czech>\input czech.lda\relax
56 <+danish>\def\CurrentOption{danish}
57 <+danish>\input danish.lda\relax
58 <+afrikaans>\def\CurrentOption{afrikaans}
59 <+dutch>\def\CurrentOption{dutch}
60 <+afrikaans|dutch>\input dutch.lda\relax
61 <+esperanto>\def\CurrentOption{esperanto}
62 <+esperanto>\input esperanto.lda\relax
63 <+estonian>\def\CurrentOption{estonian}
64 <+estonian>\input estonian.lda\relax
65 <+finnish>\def\CurrentOption{finnish}
66 <+finnish>\input finnish.lda\relax
67 <+francais>\def\CurrentOption{francais}
68 <+french>\def\CurrentOption{french}
69 <+francais|french>\input frenchb.lda\relax
70 <+galician>\def\CurrentOption{galician}
71 <+galician>\input galician.lda\relax
72 <+austrian>\def\CurrentOption{austrian}
73 <+german>\def\CurrentOption{german}
74 <+germanb>\def\CurrentOption{german}
75 <+austrian|german|germanb>\input germanb.lda\relax
76 <+naustrian>\def\CurrentOption{naustrian}
77 <+ngerman>\def\CurrentOption{ngerman}
78 <+naustrian|ngerman>\input ngermanb.lda\relax
79 <+greek>\def\CurrentOption{greek}
80 <+greek>\input greek.lda\relax
81 <+icelandic>\def\CurrentOption{icelandic}
82 <+icelandic>\input icelandic.lda\relax
83 <+interlingua>\def\CurrentOption{interlingua}
84 <+interlingua>\input interlingua.lda\relax
85 <+irish>\def\CurrentOption{irish}
86 <+irish>\input irish.lda\relax
87 <+italian>\def\CurrentOption{italian}
88 <+italian>\input italian.lda\relax
89 <+lsorbian>\def\CurrentOption{lsorbian}
90 <+lsorbian>\input lsorbian.lda\relax
91 <+magyar>\def\CurrentOption{magyar}
92 <+hungarian>\def\CurrentOption{hungarian}
93 <+magyar|hungarian>\input magyar.lda\relax
94 <+norsk>\def\CurrentOption{norsk}
95 <+nynorsk>\def\CurrentOption{nynorsk}
96 <+norsk|nynorsk>\input norsk.lda\relax
97 <+polish>\def\CurrentOption{polish}
98 <+polish>\input polish.lda\relax
99 <+portuges>\def\CurrentOption{portuges}
100 <+portuguese>\def\CurrentOption{portuguese}
101 <+brazil>\def\CurrentOption{brazil}
102 <+brazilian>\def\CurrentOption{brazilian}
103 <+portuges|portuguese|brazil|brazilian>\input portuges.lda\relax

```

```

104 <+romanian>\def\CurrentOption{romanian}
105 <+romanian>\input romanian.ldf\relax
106 <+russianb>\def\CurrentOption{russianb}
107 <+russianb>\input russianb.ldf\relax
108 <+ukraineb>\def\CurrentOption{ukraineb}
109 <+ukraineb>\input ukraineb.ldf\relax
110 <+samin>\def\CurrentOption{samin}
111 <+samin>\input samin.ldf\relax
112 <+sanskrit>\def\CurrentOption{sanskrit}
113 <+sanskrit>\input sanskrit.ldf\relax
114 <+scottish>\def\CurrentOption{scottish}
115 <+scottish>\input scottish.ldf\relax
116 <+slovak>\def\CurrentOption{slovak}
117 <+slovak>\input slovak.ldf\relax
118 <+slovene>\def\CurrentOption{slovene}
119 <+slovene>\input slovene.ldf\relax
120 <+spanish>\def\CurrentOption{spanish}
121 <+spanish>\input spanish.ldf\relax
122 <+swedish>\def\CurrentOption{swedish}
123 <+swedish>\input swedish.ldf\relax
124 <+turkish>\def\CurrentOption{turkish}
125 <+turkish>\input turkish.ldf\relax
126 <+usorbian>\def\CurrentOption{usorbian}
127 <+usorbian>\input usorbian.ldf\relax
128 <+welsh>\def\CurrentOption{welsh}
129 <+welsh>\input welsh.ldf\relax
130 <+hebrew>\def\CurrentOption{hebrew}
131 <+hebrew>\input rlbabel.def\input hebrew.ldf\relax

```