

# The `pst-sigsys` Package

(version 1.3)

Farshid Delgosha  
fdelgosha@gmail.com

June 18, 2010

## Abstract

This package is a collection of useful macros for disciplines related to signal processing. It defines macros for plotting a sequence of numbers, drawing the pole-zero diagram of a system, shading the region of convergence, creating an adder or a multiplier node, placing a framed node at a given coordinate, creating an up-sampler or a down-sampler node, drawing the block diagram of a system, drawing adaptive systems, sequentially connecting a list of nodes, and connecting a list of nodes to one node using any node-connecting macro. The author welcomes all comments for further improvements of this package and suggestions for adding new macros or features.

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>	<b>3.12</b>	<b>\psdiskc</b>	<b>14</b>
<b>2</b>	<b>Change Log</b>	<b>2</b>	<b>3.13</b>	<b>\psldots</b>	<b>14</b>
<b>3</b>	<b>Macros</b>	<b>3</b>	<b>3.14</b>	<b>\ldotsnode</b>	<b>15</b>
<b>3.1</b>	<b>\psaxeslabels</b>	<b>3</b>	<b>3.15</b>	<b>\psblock</b>	<b>16</b>
<b>3.2</b>	<b>\pstick</b>	<b>4</b>	<b>3.16</b>	<b>\psfblock</b>	<b>17</b>
<b>3.3</b>	<b>\psTick</b>	<b>5</b>	<b>3.17</b>	<b>\psadaptive</b>	<b>17</b>
<b>3.4</b>	<b>\pssignal</b>	<b>6</b>	<b>3.18</b>	<b>\psknob</b>	<b>18</b>
<b>3.5</b>	<b>\psstem</b>	<b>7</b>	<b>3.19</b>	<b>\psusampler</b>	<b>19</b>
<b>3.6</b>	<b>\pszero</b>	<b>9</b>	<b>3.20</b>	<b>\psdsampler</b>	<b>20</b>
<b>3.7</b>	<b>\pspole</b>	<b>10</b>	<b>3.21</b>	<b>\nclist</b>	<b>20</b>
<b>3.8</b>	<b>\pscircleop</b>	<b>11</b>	<b>3.22</b>	<b>\ncstar</b>	<b>22</b>
<b>3.9</b>	<b>\psframeop</b>	<b>12</b>	<b>4</b>	<b>Extras</b>	<b>23</b>
<b>3.10</b>	<b>\psdisk</b>	<b>13</b>	<b>4.1</b>	<b>New Styles</b>	<b>23</b>
<b>3.11</b>	<b>\psring</b>	<b>13</b>	<b>4.2</b>	<b>Brace Macros</b>	<b>24</b>

---

4.3	Golden Ratio . . . . .	25	5.5	Butterworth Filter . . . . .	31
4.4	Frame Width and Height . . . . .	26	5.6	Region of Convergence . . . . .	32
4.5	Fill Color . . . . .	26	5.7	Block Diagrams . . . . .	33
<b>5</b>	<b>Examples</b>	<b>27</b>	5.8	C/D Converter . . . . .	34
5.1	Complex Number . . . . .	27	5.9	Direct Form II . . . . .	35
5.2	Plotting . . . . .	28	5.10	Filter Bank . . . . .	36
5.3	Sampling . . . . .	29	5.11	System Identification . . . . .	37
5.4	Pole-Zero Diagram . . . . .	30	5.12	Adaptive Linear Combiner . . . . .	38

## 1 Introduction

To use the `pst-sigsys` package, add the command

```
\usepackage{pst-sigsys}
```

to the preamble of the document. This package loads `pstricks` [3], `pst-node` [4], and `pst-xkey` [1] packages. Moreover, it activates polar coordinates through the `\SpecialCoor` macro defined by the `pstricks` package. Hence, all macros support polar coordinates. Simultaneously loading the `pst-sigsys` package along with some other packages in regular `TeX` might be impossible due to memory restrictions. If `TeX` runs out of memory, load the `etex` package.

Section 2 keeps a change log from previous versions of the package. All macros defined by the `pst-sigsys` package are introduced in Section 3. The extra functionalities of the package are introduced in Section 4. Many practical examples are provided in Section 5 that illustrate the applications of the introduced macros.

## 2 Change Log

- **Version 1.3 (06/18/2010):** In the `\pstick` and `\psTick` macros, the tick angle is either directly specified by the user or set by the `angle` key when unspecified. The `ticklength` key refers to the entire length of a tick, not half of it. The new key `killzero` is added to the `\psstem` macro. In the `\psldots` and `\ldotsnode` macros, the angle of dots is either directly specified by the user or set by the `angle` key when unspecified. Two new macros `\psadaptive` and `\psknob` are added. The new keys `framewidth`, `frameheight`, and `FillColor` are introduced.
- **Version 1.2 (01/15/2010):** Five new macros `\pstick`, `\psTick`, `\pssignal`, `\ldotsnode`, and `\ncstar` are added. The macros `\pshtick`, `\psvtick`, `\pshTick`, and `\psvTick` are not available any longer since their functionalities are carried out by the newly defined macros `\pstick` and `\psTick`. Codes for the macros `\pscircleop`, `\psframeop`,

\psldots, and \nclist are updated. Four new keys gratioWh, gratioWv, gratioHh, and gratioHv are added that allow frames with edges proportional by the golden ratio. The global round-cornering settings are removed because of their undesired effects in other packages. Hence, the option notelegant is not available any longer. Instead, the new style RoundCorners is introduced. The styles BraceUp, BraceDown, BraceLeft, and BraceRight are not available any longer. Instead, the macros \psBraceUp, \psBraceDown, \psBraceLeft, and \psBraceRight are defined. The option pstadd is not available any longer. If the package pstricks-add is loaded, the relevant styles are automatically defined. The macros \RE, \IM, \sRE, and \sIM are not available any longer because of their irrelevance to the objectives of the package.

- **Version 1.1 (04/01/2009):** Four new macros \pshtick, \psvtick, \pshTick, and \psvTick are added. The codes of macros \psusampler and \psdsampler are updated. However, there is no change in their user interface.
- **Version 1.0 (01/15/2009):** The fist version of the package.

## 3 Macros

In this section, we introduce all the macros defined by the `pst-sigsys` package. Every macro has some optional keys that can be assigned either directly inside brackets right after the macro name or through the \psset macro provided by the `pstricks` package. In the syntax of every macro, the optional portions are identified by the shaded background. Unless directly stated, all coordinates specified by *(coor)* could be either in the cartesian format  $(x, y)$  or the polar format  $(\rho; \theta)$ <sup>1</sup>. After the introduction of every macro, some examples are provided to illustrate the usage of that macro.


### 3.1 \psaxeslabels

```
\psaxeslabels [keys] {arrows} (x0,y0)(x1,y1)(x2,y2) {x-label} {y-label}
```


This macro is a simplified version of the \psaxes macro defined by the `pst-plot` package [5]. As depicted in Figure 1, the \psaxeslabels draws two straight lines, one vertical and one horizontal, that intersect at the point  $(x_0, y_0)$ . These lines are enclosed by a virtual rectangular box with the lower left corner at  $(x_1, y_1)$  and the upper right corners at  $(x_2, y_2)$ . The two lines are labeled by *x-label* and *y-label*, respectively. Similar to the \psaxes macro, the use of *arrows* is optional. The keys specific to the \psaxeslabels are summarized in Table 1.

---

<sup>1</sup>Recall that `pst-sigsys` activates the polar coordinates on loading. Hence, there is no need to use the \SpecialCoor macro.

**Figure 1.** \psaxeslabels macro**Table 1.** \psaxeslabels keys

Key	Value	Default	Description
xlpos	t   b	b	Position of the x-label along the horizontal axis
ylpos	l   r	r	Position of the y-label along the vertical axis



```

1 \begin{pspicture}[showgrid=true](-2,-1)(2,1)
2   \psaxeslabels(0,0)(-2,-1)(2,1){$\text{Re}$}{$\text{Im}$}
3 \end{pspicture}

```

```


1 \begin{pspicture}[showgrid=true](-2,-1)(2,2)
2   \psset{linecolor=blue,xlpos=t,ylpos=l}
3   \psaxeslabels{->}(-1,0)(-2,-1)(2,2){$x$}{$y$}
4 \end{pspicture}

```


### 3.2 \pstick

```
\pstick [keys] {angle} (coor){ticklength}
```

As depicted in Figure 2, the \pstick macro draws a straight line with length *ticklength* centered at *(coor)* and angled *angle* with respect to the horizontal axis. If the optional parameter *angle* is absent, then the angle is determined using the *angle* key. This macro could be used for adding tick lines to coordinate axes in addition to many other usages. The keys specific to the \pstick are summarized in Table 2.

**Figure 2.** \pstick macro**Table 2.** \pstick keys

Key	Value	Default	Description
angle	num	0	Tick angle



```

1 \begin{pspicture}[showgrid=true](-2,-1)(3,2)
2   \psaxeslabels(0,0)(-2,-1)(3,2){$x$}{$y$}
3   \pstick[linecolor=red](0,1){.2}
4   \pstick[arrows=|-|]{90}(-1,0){.5}
5   \psset{angle=45}
6   \pstick[arrows=->](0,0){1}
7   \pstick[linecolor=blue](1,0){.5}
8   \pstick[linecolor=green]{135}(2,0){.5}
9 \end{pspicture}

```


### 3.3 \psTick

```
\psTick [keys] {angle} (coor)
```

Similar to \pstick, the \psTick macro draws a straight line centered at (coor) and angled angle with respect to the horizontal axis. The only difference is that the tick length is specified by the ticklength key (Table 3). This macro is useful when multiple ticks are to be drawn all with the same length.

**Table 3.** \psTick keys

Key	Value	Default	Description
ticklength	num[dimen]	0.15	Tick length
angle	num	0	Tick angle



```


1 \begin{pspicture}[showgrid=true](-2,-1)(3,2)
2   \psaxes{0,0}(-2,-1)(3,2){$x$}{$y$}
3   \psset{ticklength=.5}
4   \psTick[linecolor=red](0,1)
5   \psTick[arrows=-|]{90}(-1,0)
6   \psTick[linecolor=blue]{90}(1,0)
7   \psset{angle=45}
8   \psTick[linecolor=green](2,0)
9 \end{pspicture}

```

### 3.4 \pssignal

```
\pssignal [keys] (coor){node}{stuff}
```


This macro places *stuff* inside an invisible frame centered at *(coor)* and makes that a node labeled *node* (Figure 3). The separation of the frame and the *stuff* is determined by the key *signalsep* (Table 4).



**Figure 3.** \pssignal macro

**Table 4.** \pssignal keys

Key	Value	Default	Description
signalsep	num[dimen]	5pt	Frame separation



```


1 \begin{pspicture}[showgrid=true](-2,-1)(2,1)
2   \pssignal(-1.5,.5){x}{$x[n]$}
3   \pssignal[signalsep=.5](1.5,-.5){y}{$y[n]$}
4   \ncline{x}{y}
5 \end{pspicture}

```

### 3.5 \psstem

```
\psstem [keys] (x0, Δ){list}
\psstem [keys] {list}
```

The `\psstem` macro plots the sequence defined by *list* that is a comma-separated list of numbers. As shown in Figure 4a, if *list* =  $n_1, n_2, n_3, \dots$ , then `\psstem` draws vertical lines (stems) at  $x_0, x_0 + \Delta, x_0 + 2\Delta, \dots$  on the horizontal axis with heights  $n_1, n_2, n_3, \dots$ , respectively. It is important to remember that both  $x_0$  and  $\Delta$  must be integers.<sup>2</sup> In case their values are not explicitly given, they are assumed  $x_0 = 0$  and  $\Delta = 1$ . The stem ends are determined by the `stemhead` key. The `\psstem` macro is also capable of numerically tagging the stems. As depicted in Figure 4b, the tag of every stem is placed either below or above it depending on whether the corresponding number in the sequence is nonnegative (positive or zero) or negative, respectively. The distance of tags to stems is determined by the `labelsep` key. In some cases (e.g., when the `stemhead` is `>`), it is desirable to remove stems with zero heights. The key `killzero`, when used, removes such stems. The keys specific to the `\psstem` macro are summarized in Table 5.




**Figure 4.** `\psstem` macro

**Table 5.** `\psstem` keys


Key	Value	Default	Description
<code>stemhead</code>	<code>style</code>	*	Stem head. Possible choices are *, o, >, <, >>, <<,  , ), (, > , and < .
<code>stemtag</code>	<code>Boolean</code>	false	Tagging the stems
<code>stemtagformat</code>	<code>format</code>	<code>\scriptstyle</code>	Tag format
<code>killzero</code>	<code>Boolean</code>	false	Removing zero-height stems

<sup>2</sup>If you need to use non-integer values, then use the `xunit` key to arbitrarily choose any real value.




```

1 \begin{pspicture}[showgrid=true](0,-1)(6,2)
2   \psstem[style=Stem]{0,.5,1,-1,2}
3 \end{pspicture}
```




```

1 \begin{pspicture}[showgrid=true](0,-1)(6,2)
2   \psset{style=Stem, linecolor=blue,%
3   stemtagformat=\color{red}\scriptstyle}
4   \psstem[stemhead=>, stemtag](1,2){-1,1,2}
5 \end{pspicture}
```




```

1 \begin{pspicture}[showgrid=true](0,-1)(6,2)
2   \psset{style=Stem, stemtag}
3   \psstem[linecolor=red](0,2){1,-.75,1}
4   \psset{stemhead=o}
5   \psstem[linecolor=blue](1,2){.5,2,-1}
6 \end{pspicture}
```




```

1 \begin{pspicture}[showgrid=true](5,1)
2   \psset{stemhead=>}
3   \psstem{1,0,1}
4   \psset{linecolor=red, killzero}
5   \psstem(3,1){1,0,1}
6 \end{pspicture}
```



```

1 \begin{pspicture}[showgrid=true](5,1)
2   \psstem[xunit=.5]{1,.5,1,.5,1,.5,1,.5,1}
3 \end{pspicture}
```



```


1 \begin{pspicture}[showgrid=true](5,3)
2   \psstem[stemhead=*(0,1){1}
3   \psstem[stemhead=o](1,1){1}
4   \psstem[stemhead=>](2,1){1}
5   \psstem[stemhead=<](3,1){1}
6   \psstem[stemhead=>>](4,1){1}
7   \psstem[stemhead=<<](5,1){1}
8
9   \rput(0,1.5){%
10    \psstem[stemhead=|](0,1){1}
11    \psstem[stemhead=)](1,1){1}
12    \psstem[stemhead=(](2,1){1}
13    \psstem[stemhead=>|](3,1){1}
14    \psstem[stemhead=<|](4,1){1}
15  }
16 \end{pspicture}

```

### 3.6 \pszero

```
\pszero [keys] (coor){node}
```


This macro is used to generate a circle node centered at *(coor)* and labeled *node* that represents a zero of a system. It could also be used to generate several circles, all centered at *(coor)*, representing high order zeros as shown in Figure 5. The radius of innermost circle is *zeroradius*, and it is incremented by *zeroradiusinc* for high order zeros. The line-width of all circles is determined by the *zerowidth* key. The key *order* determines the order of the zero. The key *scale* can be used to scale up or down the radius of the innermost circle, the radius increment, and the line-width of all circles. Table 6 summarizes keys corresponding to \pszero and their default values.



**Figure 5.** \pszero macro

**Table 6.** \pszero keys

Key	Value	Default	Description
zerowidth	num[dimen]	0.7pt	Line-width of all circles
zeroradius	num[dimen]	0.08	Radius of the innermost circle
zeroradiusinc	num[dimen]	0.07	Radius increment
order	int	1	Order of the zero
scale	num	1	Scale factor



```


1 \begin{pspicture}[showgrid=true](6,2)
2   \pszero(0,1){z1}    \nput{-90}{z1}{$z_1$}
3   \pszero[linecolor=red] (.75,1){z2}
4   \pszero[zerowidth=2pt](1.5,1){z3}
5   \pszero[zeroradius=.25](2.5,1){z4}
6   \pszero[order=3](3.5,1){z5}
7     \nput{-90}{z5}{$z_5$}
8   \pszero[zeroradiusinc=.15,order=2](4.5,1){z6}
9   \pszero[scale=3](5.5,1){z7}
10 \end{pspicture}

```

### 3.7 \pspole


```
\pspole [keys] (coor){node}
```

This macro is used to generate a cross node, as shown in Figure 6, centered at *(coor)* and labeled *node* that represents the pole of a system. The length and the line width of the cross are controlled by the *polelength* and *polewidth* keys, respectively. The key *scale* can be used to scale up or down the pole line-width and the pole length. The keys corresponding to the \pspole macro are summarized in Table 7.

**Figure 6.** \pspole macro

**Table 7.** \pspole keys

Key	Value	Default	Description
poledlength	num[dimen]	0.12	Cross length
polewidth	num[dimen]	0.7pt	Cross line-width
scale	num	1	Scale factor



```


1 \begin{pspicture}[showgrid=true](6,2)
2   \pspole(1,1){p1}    \nput{-90}{p1}{$p_1$}
3   \pspole[linecolor=blue](2,1){p2}
4   \pspole[polewidth=2pt](3,1){p3}
5   \pspole[poledlength=.5](4,1){p4}
6   \pspole[scale=3](5,1){p5}
7     \nput{-90}{p5}{$p_5$}
8 \end{pspicture}

```

### 3.8 \pscircleop


```
\pscircleop [keys] (coor){node}
```

This macro draws a cross inside a circle that are both centered at *(coor)*. Then, it turns the circle into a node labeled *node* as shown in Figure 7. The length of the cross and its line-width are controlled by the *oplength* and *opwidth* keys, respectively. The line-width of the enclosing circle is separately controlled by the *linewidth* key. The distance between the circle and the cross is determined by the *opsep* key. The type of operation (whether plus or times) is controlled by the *operation* key. Another way of determining the operation inside the circle is through the key *angle* that determines the angle of the cross. The key *scale* can be used to scale up or down the cross line-width, the cross length, the separation between the cross and the circle, and the circle line-width. The keys corresponding to the \pscircleop macro are summarized in Table 8.

**Figure 7.** \pscircleop macro

**Table 8.** \pscircleop and \psframeop keys

Key	Value	Default	Description
oplength	num[dimen]	0.125	Cross length
opwidth	num[dimen]	0.7pt	Cross line-width
opsep	num[dimen]	0.1	Separation between the cross and the frame
operation	plus times	plus	Operation
angle	angle	0	Cross angle
scale	num	1	Scale factor



```


1 \begin{pspicture}[showgrid=true](6,2)
2 \pscircleop(.5,1){op1}
3 \pscircleop[opwidth=2pt](1.25,1){op2}
4 \pscircleop[oplength=.25](2,1){op3}
5 \pscircleop[opsep=0](2.75,1){op4}
6 \pscircleop[operation=times](3.5,1){op5}
7 \pscircleop[angle=20](4.25,1){op6}
8 \psset{fillstyle=solid,fillcolor=gray!50}
9 \pscircleop[scale=2.5](5.5,1){op7}
10 \end{pspicture}

```

### 3.9 \psframeop

```
\psframeop [keys] (coor){node}
```

This macro is very similar to the \pscircleop macro with the same keys as in Table 8. The only difference is that the operation is enclosed in a square frame rather than a circular one.



```


1 \begin{pspicture}[showgrid=true](6,2)
2 \psframeop(.5,1){op1}
3 \psframeop[opwidth=2pt](1.25,1){op2}
4 \psframeop[oplength=.25](2,1){op3}
5 \psframeop[opsep=0](2.75,1){op4}
6 \psframeop[operation=times](3.5,1){op5}
7 \psframeop[angle=20](4.25,1){op6}
8 \psset{fillstyle=solid,fillcolor=blue!20}
9 \psframeop[scale=2.5](5.5,1){op7}
10 \end{pspicture}

```


### 3.10 \psdisk

```
\psdisk [keys] (coor){radius}
```

This macro draws a solid disk centered at *(coor)* with radius *radius* as depicted in Figure 8. The fill color is specified by the `fillcolor` key. This macro is used to shade the region of convergence of a system in the *z* plane.



**Figure 8.** \psdisk macro




```
1 \begin{pspicture}[showgrid=true](5,2)
2   \psdisk[fillcolor=red](1,1){.5}
3   \psdisk[fillcolor=blue](3,1){1}
4 \end{pspicture}
```


### 3.11 \psring

```
\psring [keys] (coor){inner-radius}{outer-radius}
```

This macro draws a solid ring centered at *(coor)* with inner radius *inner-radius* and outer radius *outer-radius* as shown in Figure 9. The fill color is specified by the `fillcolor` key. This macro is used to shade the region of convergence of a system in the *z* plane.



**Figure 9.** \psring macro



```


1 \begin{pspicture}[showgrid=true](5,2)
2   \pscircle[fillcolor=red](1,1){.5}{1}
3   \pscircle[fillcolor=green](3,1){.25}{.5}
4 \end{pspicture}

```


### 3.12 \psdiskc

```
\psdiskc [keys] (coor)(x0,y0){radius}
```

As shown in Figure 10, this macro shades the area confined between a circle centered at  $(\text{coor})$  with radius  $\text{radius}$  and a rectangle centered at  $(\text{coor})$  with width  $2x_0$  and height  $2y_0$ . The fill color is specified by the `fillcolor` key. This macro is used to shade the region of convergence of a system in the  $z$  plane.



**Figure 10.** \psdiskc macro



```


1 \begin{pspicture}[showgrid=true](6,2)
2   \psdiskc[fillcolor=red](1.5,1)(1.5,1){.5}
3   \psdiskc[fillcolor=blue](4.5,1)(.5,1){.15}
4 \end{pspicture}

```


### 3.13 \psldots

```
\psldots [keys] {angle} (coor)
```

As depicted in Figure 11, this macro draws three dots each with diameter `ldotssize` on the same straight line, where the middle one is centered at  $(\text{coor})$ . Every two consecutive dots are separated by `ldotssep`. The angle of the line on which the dots lie with the horizontal axis is controlled by the optional parameter `angle`. In case it is absent, the angle is determined by the key `scale`. The keys corresponding to `\psldots` are summarized in Table 9.

**Figure 11.** \psldots macro**Table 9.** \psldots keys

Key	Value	Default	Description
ldotssize	num[dimen]	0.05	Dot diameter
ldotssep	num[dimen]	0.15	Distance between consecutive dots
angle	angle	0	Dots angle
scale	num	1	Scale factor



```



1 \begin{pspicture}[showgrid=true](6,2)
2   \psldots(1,1)
3   \psldots{45}(2,1)
4   \psldots[ldotssize=.1]{120}(3,1)
5   \psset{linecolor=blue,angle=90}
6   \psldots[ldotssep=.5](4,1)
7   \psldots[scale=3](5,1)
8 \end{pspicture}

```

### 3.14 \ldotsnode

```
\ldotsnode [keys] {angle} (coor){node}
```

This macro is very similar to the \psldots macro. The only difference is that the \ldotsnode places the dots inside an invisible frame and turns that frame into a node labeled *node* as shown in Figure 12. The frame is separated from the dots by half `signalsep`.

**Figure 12.** \ldotsnode macro


```

1 \begin{pspicture}[showgrid=true](-2,-2)(2,2)
2   \pssignal(1.5;0){a}{$a$}
3   \pssignal(1.5;90){b}{$b$}
4   \pssignal(1.5;180){c}{$c$}
5   \pssignal(1.5;270){d}{$d$}
6   \psset{signalsep=.25}
7   \ldotsnode{45}(0,0){dots}
8   %
9   \ncline{a}{dots}
10  \ncline{b}{dots}
11  \ncline{c}{dots}
12  \ncline{d}{dots}
13 \end{pspicture}
```

### 3.15 \psblock

```
\psblock [keys] (coor){node}{stuff}
```

This macro places *stuff* at coordinate *(coor)*, encloses it in a rectangular frame, and turns that frame into a node labeled *node*. The separation between the *stuff* and the frame is controlled by the `framesep` key.



```

1 \begin{pspicture}[showgrid=true](6,2)
2   \pssignal(0,1){x}{$x[n]$}
3   \psblock(2,1){a}{$z^{-1}$}
4   \psblock(4,1){b}{$h[n], H(z)$}
5   \pssignal(6,1){y}{$y[n]$}
6   %
7   \psset{arrows=>}
8   \ncline{x}{a} \ncline{a}{b} \ncline{b}{y}
9 \end{pspicture}
```


### 3.16 \psfblock

```
\psfblock [keys] (coor){node}{stuff}
```

This macro is very similar to the `\psblock` macro except that the size of the frame is controlled by the key `framesize`. The frame size is specified as

`framesize=num1[dimen] num2[dimen]`


in which `num1` and `num2` are separated by a space, not by a comma. If `num2` is absent, then a square frame is created.



### 3.17 \psadaptive

```
\psadaptive [keys] {arrows} {node A}(coor){node B}
```


This macro is useful in drawing adaptive systems. It creates `node B` at coordinate `(coor)` with respect to the center of `node A`. Then, it connects `node B` to `node A` and continues to `node C` that is the mirror image of `node B` with respect to the center of `node A` (Figure 13). A horizontal offset to the location of `node B` is achieved through the `aoffset` key (Table 10).



**Figure 13.** `\psadaptive` macro

**Table 10.** \psadaptive keys


Key	Value	Default	Description
aoffset	num	0	Horizontal offset



```

1 \begin{pspicture}[showgrid=true](-3,-1)(3,1)
2 \psblock(-1.5,0){H}{$H(z)$}
3 \psadaptive{->}{H}(-.5,-.75){Ha}
4 %
5 \psblock(1.5,0){H}{$H(z)$}
6 \psadaptive{-*}{H}(1;-45){Ha}
7 \end{pspicture}

```



```

1 \begin{pspicture}[showgrid=true](-3,-1)(3,1)
2 \psblock(-1.5,0){H}{$H(z)$}
3 \psadaptive[aoffset=-.5]{->}{H}(.5,-.75){Ha}
4 %
5 \psblock(1.5,0){H}{$H(z)$}
6 \psadaptive[aoffset=.5]{->}{H}(.5,.75){Ha}
7 \end{pspicture}

```



### 3.18 \psknob

```
\psknob [keys] (coor){node}
```

This macro is useful in drawing adjustable weights in adaptive systems. It creates a circle node centered at *(coor)* and labeled *node*. The radius of this circle is determined by the *radius* key. Then, it draws a straight arrowed-line centered at *(coor)* (Figure 14). The length and the angle of this line are controlled by the *knoblength* and the *knobangle* keys. The line width of both the circle and the line are controlled by the *knobwidth* key. The key *scale* can be used to control the length of the line and the line width of both the circle and the line. The keys specific to \psknob are summarized in Table 11.

**Table 11.** \psknob keys

Key	Value	Default	Description
knobwidth	num[dimen]	0.7pt	Line width
knoblength	num[dimen]	1	Line length
knobangle	num	45	Line angle
radius	num[dimen]	0.25cm	Circle radius
scale	num	1	Scale factor

**Figure 14.** \psknob macro

```


1 \begin{pspicture}[showgrid=true](6,4)
2   \psknob(1,1){w1}
3     \nput{180}{w1}{$w_1$}
4   \psknob[knoblength=2](3,1){w2}
5     \nput{0}{w2}{$w_2$}
6   \psknob[knobangle=90](5,1){w3}
7   \psknob[knobwidth=1.5pt](1,3){w4}
8   \psknob[scale=2.5](3,3){w5}
9   \psset{radius=.5,knoblength=2}
10 \psknob[arrows=-*](5,3){w6}
11 \end{pspicture}

```

### 3.19 \psusampler

```
\psusampler [keys] (coor){node}{stuff}
```

This macro is similar to the \psfblock except that *stuff* is placed next to an up-arrow in the math mode representing an up-sampler. *It is important to remember that stuff must be in the text mode, not in the math mode, i.e., do not put \$ around stuff.*



```


1 \begin{pspicture}[showgrid=true](6,2)
2   \pssignal(.5,1){x}{$x[n]$}
3   \psusampler[framesize=1 .75](3,1){a}{2}
4   \pssignal(5.5,1){y}{$y[n]$}
5   %
6   \psset{arrows=->}
7   \ncline{x}{a}
8   \ncline{a}{y}
9 \end{pspicture}

```

### 3.20 \psdsampler

```
\psdsampler [keys] (coor){node}{stuff}
```

This macro is similar to the `\psfblock` except that *stuff* is placed next to a down-arrow in the math mode representing a down-sampler. *It is important to remember that stuff must be in the text mode, not in the math mode, i.e., do not put \$ around stuff.*



```

1 \begin{pspicture}[showgrid=true](6,2)
2   \pssignal(.5,1){x}{$x[n]$}
3   \psdsampler[framesize=1 .75](3,1){a}{3}
4   \pssignal(5.5,1){y}{$y[n]$}
5   %
6   \psset{arrows=->}
7   \ncline{x}{a}
8   \ncline{a}{y}
9 \end{pspicture}
```

### 3.21 \nclist


```
\nclist [keys] {arrows} {nc-macro}{list}
\nclist [keys] {arrows} {nc-macro}[nc-label]{list}
```

This macro is very useful when sequentially connecting several nodes using a single node-connecting macro. In addition, it is capable of labeling the node connections. The *list* must be a comma-separated list of items. Possible uses of the `\nclist` are summarized below.

- `\nclist [keys] {arrows} {nc-macro}{list}` connects the node  $n_{i-1}$  to the node  $n_i$ , for all  $i = 2, 3, \dots$ , using the macro *nc-macro*.
- `\nclist [keys] {arrows} {nc-macro}[nc-label]{list}` connects the node  $n_{i-1}$  to the node  $n_i$ , for all  $i = 2, 3, \dots$ , using the macro *nc-macro*. Moreover, it puts the label  $l_i$  on the connection  $n_{i-1}-n_i$ , for all  $i = 2, 3, \dots$ , using the macro *nc-label*. It is important to remember the following.
  1. In the list, the node  $n_i$  and the label  $l_i$  are separated by a space. If the label contains spaces, then it must be enclosed in double curly braces, i.e.,  $n_i \{\{l_i\}\}$ .
  2. The first element of the list must be a single node ( $n_1$ ); it should not have any labels.
- `\nclist [keys] {arrows} {nc-macro}[nc-label]{list}` connects the node  $n_{i-1}$  to the node  $n_i$ , for all  $i = 2, 3, \dots$ , using the macro *nc-macro*. Moreover, it puts the label  $l_i$  on the connection  $n_{i-1}-n_i$  using the macro  $\text{ncl}_i$  for all  $i = 2, 3, \dots$ . If for some  $i$ ,  $\text{ncl}_i$  is empty, then the macro *nc-label* is used. In other words, the *nc-label* is the

default macro for labeling connections when such macro is not explicitly present in the list. It is important to remember the following.


1. In the list, the node  $n_i$ , the connection-labeling macro  $\text{ncl}_i$ , and the label  $l_i$  are separated by spaces. If the label contains spaces, then it must be enclosed in double curly braces, i.e.,  $n_i \text{ncl}_i \{l_i\}$ .
2. The first element of the list must be a single node ( $n_1$ ); it should not have any labels.



```

1 \begin{pspicture}[showgrid=true](6,2)
2 \psblock(1,1){a}{A}
3 \psblock(2.5,1){b}{B}
4 \psblock(4,1){c}{C}
5 \psblock(5.5,1){d}{D}
6 \nclist{->}{ncline}{a,b,c,d}
7 \end{pspicture}


```



```

1 \begin{pspicture}[showgrid=true](6,2)
2 \dotnode(0,1){a}
3 \dotnode(1.5,1){b}
4 \dotnode(3,1){c}
5 \dotnode(4.5,1){d}
6 \dotnode(6,1){e}
7 \psset{arcangle=50, linecolor=blue}
8 \nclist{ncarc}{a,b,c,d,e}
9 \end{pspicture}


```



```

1 \begin{pspicture}[showgrid=true](6,2)
2 \dotnode(.5,1){a}
3 \dotnode(2,1){b}
4 \dotnode(3.5,1){c}
5 \dotnode(5,1){d}
6 \nclist{ncline}{naput}%
7 {a,b $1$,c,d {{$3$ $4$}}}
8 \end{pspicture}

```



```

1 \begin{pspicture}[showgrid=true](6,2)
2   \dotnode(.5,1){a}
3   \dotnode(2,1){b}
4   \dotnode(3.5,1){c}
5   \dotnode(5,1){d}
6   \nclist{ncline}{naput}%
7     {a,b $1$,c nput $2$,d nput $3$}
8 \end{pspicture}

```

### 3.22 \ncstar


```

\ncstar [keys] {arrows} {nc-macro}{list}{Node}
\ncstar [keys] {arrows} {nc-macro}[nc-label]{list}{Node}

```

This macro is used to connect several nodes to a single node. It is also capable of labeling the node connections. The *list* must be a comma-separated list of items. Possible uses of the \ncstar are summarized below.


- \ncstar [keys] {arrows} {nc-macro}{ $n_1, n_2, \dots$ }{N} connects the node  $n_i$  to the node N, for all  $i = 1, 2, \dots$ , using the macro nc-macro.
- \ncstar [keys] {arrows} {nc-macro}[nc-label]{ $n_1 l_1, n_2 l_2, \dots$ } connects the node  $n_i$  to node N, for all  $i = 1, 2, \dots$ , using the macro nc-macro. Moreover, it puts the label  $l_i$  on the connection  $n_i-N$ , for all  $i = 1, 2, \dots$ , using the macro nc-label. It is important to remember that the node  $n_i$  and the label  $l_i$  are separated by a space in the list. If the label contains spaces, then it must be enclosed in double curly braces, i.e.,  $n_i \{\{l_i\}\}$ .
- \ncstar [keys] {arrows} {nc-macro}[nc-label]{ $n_1 \text{ncl}_1 l_1, n_2 \text{ncl}_2 l_2, \dots$ }{N} connects node  $n_i$  to node N, for all  $i = 1, 2, \dots$ , using the macro nc-macro. Moreover, it puts the label  $l_i$  on the connection  $n_i-N$  using the macro ncl<sub>i</sub> for all  $i = 1, 2, \dots$ . If for some  $i$ , ncl<sub>i</sub> is empty, then the macro nc-label is used. In other words, the nc-label is the default macro for labeling connections when such macro is not explicitly present in the list. It is important to remember that the node  $n_i$  and the label  $l_i$  are separated by a space in the list. If the label contains spaces, then it must be enclosed in double curly braces, i.e.,  $n_i \text{ncl}_i \{\{l_i\}\}$ .



```

1 \begin{pspicture}[showgrid=true](0,-2)(3,2)
2   \pssignal(1,1){x1}{$x\_1$}
3   \pssignal(1,0){x2}{$x\_2$}
4   \pssignal(1,-1){x3}{$x\_3$}
5   \pscircleop(2.5,0){oplus}
6   \ncstar{->}{ncline}{x1,x2,x3}{oplus}
7 \end{pspicture}


```



```

1 \begin{pspicture}[showgrid=true](-2,-1)(2,2)
2   \pssignal{-1.5,0}{a}{$a$}
3   \pssignal{0,1.5}{b}{$b$}
4   \pssignal{1.5,0}{c}{$c$}
5   \pssignal{0,0}{d}{$d$}
6   \ncstar{ncline}[naput]%
7     {a $1$,b {$2$ $3$},c}{d}
8 \end{pspicture}

```



```

1 \begin{pspicture}[showgrid=true](0,-2)(5,2)
2   \psblock(1,1){a}{$a$}
3   \psblock(1,0){b}{$b$}
4   \psblock(1,-1){c}{$c$}
5   \pscircleop(3,0){oplus}
6   \pssignal{4.5,0}{y}{$y$}
7   \psset{labelsep=.1,npos=.25}
8   \ncstar{->}{ncline}[naput]%
9     {a $x_1$,b $x_2$,c nput $x_3$}{oplus}
10  \ncline{->}{oplus}{y}
11 \end{pspicture}


```

## 4 Extras

In addition to the macros introduced in Section 3, the `pst-sigsys` package defines some extra styles, brace macros, and new keys that are introduced in this section. Their usages are shown in Section 5 with some examples.

### 4.1 New Styles

The `pst-sigsys` package defines a few useful PSTricks styles for drawing arrows and dashed lines as shown in Figure 15. Some of these styles, which are shown in Figure 15b, can be used only with the `pstricks-add` package.




```

1 \begin{pspicture}[showgrid=true](-1,-1)(5,2)
2   \psset{style=Stem, linecolor=blue}
3   \psstem[stemtag]{2,1.5,1,.5,0}
4 \end{pspicture}


```

In addition, the `pst-sigsys` package defines the style `RoundCorners` that makes the following settings.

**Figure 15.** New styles


```
framesep=0.125
framearc=0.25
lineararc=0.1
```

The author believes that when drawing block diagrams, it is more elegant to have round corners.



## 4.2 Brace Macros


The `pst-sigsys` package defines four new macros `\psBraceUp`, `\psBraceDown`, `\psBraceRight`, and `\psBraceLeft` that are derived from the `\psbrace` macro (using the `\newpsobject` macro) defined by the `pstricks-add` package. Their syntaxes are exactly the same as that of the `\psbrace` macro. The usage of these macros is shown by the following examples.



```

1 \begin{pspicture}[showgrid=true](5,3)
2   \psframe(1,1)(4,2)
3   \psset{linecolor=blue}
4   \psBraceUp[nodesepB=-.5](4,2)(1,2){Up}
5   \psBraceDown(1,1)(4,1){Down}
6   \psBraceRight(4,1)(4,2){Right}
7   \psBraceLeft(1,2)(1,1){Left}
8 \end{pspicture}

```



```

1 \begin{pspicture}[showgrid=true](4,3)
2   \psset{linecolor=red}
3   \dotnode(1,1){a}
4   \dotnode(3,2){b}
5
6   \psset{linecolor=blue}
7   \psBraceUp*(b)(a){up}
8   \psBraceDown*(a)(b){down}
9 \end{pspicture}

```

### 4.3 Golden Ratio

The `pst-sigsys` package defines four keys `gratioWh`, `gratioWv`, `gratioHh`, and `gratioHv` for determining the frame size by the golden ratio  $\varphi$  defined as


$$\varphi = \frac{1 + \sqrt{5}}{2} \approx 1.61803398875 .$$

The ancient Greeks thought a rectangle is the most pleasing to the eye if its edges  $a$  and  $b$  were in the proportion  $a : b = \varphi$  [2]. In the `gratio` keys, the capital letters `W` and `H` stand for the width and the height of the frame, respectively. The ending letters `h` and `v` imply whether the frame is horizontal or vertical, respectively. In a horizontal frame, the longest edge is horizontal while in a vertical one, the longest edge is vertical.


The four aforementioned keys set one of the edges of a frame as given by the user and determine the other one by the golden ratio  $\varphi$  as follows.

- The key assignment `gratioWh = a` sets the width of the frame to  $a$  and the height to  $a/\varphi$  as in Figure 16a.
- The key assignment `gratioWv = a` sets the width of the frame to  $a$  and the height to  $a\varphi$  as in Figure 16b.
- The key assignment `gratioHh = a` sets the height of the frame to  $a$  and the width to  $a\varphi$  as in Figure 16c.

- The key assignment `gratioHv = a` sets the height of the frame to  $a$  and the width to  $a/\varphi$  as in Figure 16d.



**Figure 16.** Setting the size of a frame by the golden ratio  $\varphi$




```

1 \begin{pspicture}[showgrid=true](6,2)
2 \psfblock[gratioWh=1](.5,1){a}{a}
3 \psfblock[gratioWv=1](2,1){b}{b}
4 \psfblock[gratioHh=1](3.5,1){c}{c}
5 \psfblock[gratioHv=1](5,1){d}{d}
6 \end{pspicture}

```

## 4.4 Frame Width and Height

When drawing block diagrams, it is sometimes useful to change only the width or the height of a frame. This goal is achieved through the keys `framewidth` and `frameheight`.




```

1 \begin{pspicture}[showgrid=true](6,2)
2 \psset{framesize=1 .5}
3 \psfblock[framewidth=.5](1,1){a}{a}
4 \psfblock[frameheight=1](3,1){b}{b}
5 \psdsampler(5,1){c}{2}
6 \end{pspicture}

```

## 4.5 Fill Color

To emphasize the function of some blocks in a diagram, it is useful to color them. For this purpose, both the `fillstyle` and the `fillcolor` keys must be set. This could be cumbersome when many blocks are to be colored. Since almost always the fill style is solid, it makes sense to define a single key that automatically sets the fill style to solid. The key `FillColor` plays this role.



```

1 \begin{pspicture}[showgrid=true](6,1)
2   \psset{fillstyle=crosshatch*}
3   \psframe[fillcolor=red](1,0)(2,1)
4   \psframe[FillColor=blue](3,0)(4,1)
5 \end{pspicture}


```

## 5 Examples

In this section, we provide some examples to illustrate the benefits and usages of the macros, styles, and keys defined in Sections 3 and 4. Some of these examples require the use of additional packages. In that case, additional packages are mentioned next to the example number.

### 5.1 Complex Number

**Example 1.** (use `pstricks-add`) Show the complex number  $c = a + jb = \rho e^{j\theta}$  as a point in the complex plane.



```


1 \begin{pspicture}[-1,-1](3,3)
2 %--- Drawing axes ---
3 \psaxeslabels[xlpos=t](0,0)(0,0)(3,3){$\Re$}{$\Im$}
4
5 %--- Defining some useful nodes ---
6 \dotnode[linecolor=purple](2,2){c}
7 \pnod{org}{0,0} \pnod{a}{2,0} \pnod{b}{0,2}
8
9 %--- Connecting nodes ---
10 \ncline{org}{c}
11 \ncstar[style=Dash, linecolor=gray]{ncline}{a,b}{c}
12
13 %--- Labeling ---
14 \color{blue}
15 \psset{linecolor=blue, nrot=:U}
16 \psBraceDown*(org)(a){$a$}
17 \psBraceLeft*(b)(org){$b$}
18 \ncline[offset=.25]{|-|*}{org}{c} \ncput*{$\rho$}
19 \psarc[linecolor=gray](org){.75}{0}{45}
20 \rput(1;22.5){$\theta$}
21 \end{pspicture}

```

## 5.2 Plotting

**Example 2.** (use `psp-plot`) Draw the sampled sequence  $x[n] = x_c(\pi n/4)$ , where

$$x_c(t) = \begin{cases} \sin(t) & , t \geq 0 \\ 0 & , t < 0 . \end{cases}$$




```

1 \begin{pspicture}[showgrid=true](-3,-2)(9,2)
2 %--- Drawing axes ---
3 \psaxeslabels(0,0)(-3,-2)(9,2){$n$}{$x[n]$}
4
5 %--- x_c(t) ---
6 \psplot[style=Graph,style=Dash,linecolor=gray]{0}{8}{x 45 mul sin}
7
8 %--- x[n] ---
9 \psset{style=Stem,linecolor=teal,stemtagformat={\color{blue}\scriptstyle}}
10 \psstem(0,-1){0,0,0}
11 \psstem[stemtag](1,1){.707107,1,.707107,0,-.707107,-1,-.707107,0}
12
13 %--- Labeling the origin ---
14 \uput[-45](0,0){$\color{blue}\scriptstyle 0$}
15
16 %--- Horizontal ticks ---
17 \psset{linecolor=gray}
18 \psTick(0,1)
19 \psTick(0,-1)
20 \uput[180](0,1){$\scriptstyle 1$}
21 \uput[180](0,-1){$\scriptstyle -1$}
22 \end{pspicture}

```

### 5.3 Sampling

**Example 3.** (use `pst-plot` and `multido`) Consider the process of sampling a continuous-time signal  $x_c(t)$  with period  $T$ : (1) multiply  $x_c(t)$  by the impulse train  $s(t) = \sum_{n=-\infty}^{\infty} \delta(t-nT)$  to get  $x_s(t) = x_c(t)s(t)$ , and (2) convert every delta in  $x_s(t)$  into a sample to get the sequence  $x[n]$ . Demonstrate this process for the continuous-time signal  $x_c(t) = 0.5 \sin(\pi t/2) + 0.5$  and  $T = 1$ .



```


1 \begin{pspicture}[showgrid=true](-7,-5)(7,1)
2   \psset{plotpoints=500,stemtag}
3
4 %--- x_c(t) ---
5   \psaxeslabels(0,0)(-7,0)(7,0){$t$}{}
6   \rput[tl]{-7,1}{$x_c(t)$}
7   \psplot[style=Graph,linecolor=blue]{-6}{6}{x 90 mul sin .5 mul .5 add}
8   \multirput(-6,0)(1,0){13}{\psTick[linecolor=gray]{90}(0,0)}
9   \multido{\nn=-6+1}{13}{\rput[t]{\nn,-.25}{$\scriptstyle \nn$}}
10
11 %--- s(t) ---
12   \rput(0,-1.5){\psaxeslabels(0,0)(-7,0)(7,0){$t$}{}}
13   \rput[tl]{-7,1}{$s(t)$}
14   \psstem[style=Stem,stemhead=>,linecolor=blue]{-6,1}{1,1,1,1,1,1,1,1,1,1,1,1,1}
15
16 %--- x_s(t) ---
17   \rput(0,-3){\psaxeslabels(0,0)(-7,0)(7,0){$t$}{}}
18   \rput[tl]{-7,1}{$x_s(t)$}
19   \psplot[style=Graph,style=Dash,linecolor=gray]{-6}{6}{x 90 mul sin .5 mul .5 add}
20   \psset{style=Stem,stemhead=>,linecolor=blue}
21   \psstem[killzero]{-6,1}{.5,0,.5,1,.5,0,.5,1,.5,0,.5,1,.5}
22
23 %--- x[n] ---
24   \rput(0,-4.5){\psaxeslabels(0,0)(-7,0)(7,0){$n$}{}}
25   \rput[tl]{-7,1}{$x[n]$}
26   \psstem[style=Stem,linecolor=blue]{-6,1}{.5,0,.5,1,.5,0,.5,1,.5,0,.5,1,.5}
27 \end{pspicture}

```

## 5.4 Pole-Zero Diagram

**Example 4.** Draw the pole-zero diagram of a system with the following system function.

$$H(z) = \frac{z^4 - 2z^3 + 2z^2}{z^2 - 4}$$




```

1 \begin{pspicture} [showgrid=true] (-3,-2)(3,2)
2   \psaxes{labels}(0,0)(-3,-2)(3,2){$ \text{Re} $}{$ \text{Im} $}
3   \psset{linecolor=red}
4
5   %--- Placing zeros ---
6   \pszero[order=2](0,0){z1}
7   \pszero(1,1){z2} \nput{90}{z2}{$1 + j$}
8   \pszero(1,-1){z3} \nput{-90}{z3}{$1 - j$}
9
10  %--- Placing poles ---
11  \pspole(2,0){p1} \nput{-90}{p1}{$2$}
12  \pspole(-2,0){p2} \nput{-90}{p2}{$-2$}
13 \end{pspicture}

```

## 5.5 Butterworth Filter

**Example 5.** (use `multido`) Draw the pole-zero diagram of a fifth-order Butterworth filter.



```

1 \begin{pspicture}[showgrid=true](-3,-3)(3,3)
2 %--- Drawing axes ---
3 \psaxeslabels(0,0)(-3,-3)(3,3){$\Re$}{$\Im$}
4 \pscircle[linecolor=gray](0,0){2}
5
6 %--- Angle between poles ---
7 \psset{linecolor=gray}
8 \psline[style=Dash](3;108)
9 \psline[style=Dash](3;144)
10 \psarc[style=Arrow]{<->}(0,0){2.5}{108}{144}
11 \rput(2.75;126){\textcolor{gray}{$36^\circ$}}
12
13 %--- Placing poles ---
14 \psset{linecolor=red, scale=1.25}
15 \multido{\np=108+36}{5}{\pspole(2;\np){p}}
16 \end{pspicture}


```

## 5.6 Region of Convergence

**Example 6.** Shade the region of convergence (ROC) of a system with the following system function assuming it is: (1) causal, and (2) stable.

$$H(z) = \frac{1}{z^2 + z - \frac{3}{4}}$$

Since the poles of the system are at  $z = \frac{1}{2}$  and  $z = -\frac{3}{2}$ , the ROC of the system with the given assumptions is as follows.




```

1 \begin{pspicture} [showgrid=true] (-4, -3)(4, 3)
2 %--- Shading ROCs ---
3 \psring [fillcolor=teal!30] (0,0){.75}{2.25}
4 \psdiskc [fillcolor=blue!30] (0,0)(3,2.5){2.25}
5
6 %--- Drawing axes ---
7 \psaxeslabels (0,0)(-4,-3)(4,3){$\text{Re}$}{$\text{Im}$}
8
9 %--- Placing poles ---
10 \psset {linecolor=purple, labelsep=.05}
11 \pscircle (0,0){1.5}
12 \rput[b]{45}(1.68;135){{\scriptsize\color{purple}unit circle}}
13 \pscircle [style=Dash, linecolor=gray](0,0){.75}
14 \pspole (.75,0){p1} \nput{-45}{p1}{$\tfrac{1}{2}$}
15 \pscircle [style=Dash, linecolor=gray](0,0){2.25}
16 \pspole (-2.25,0){p2} \nput{225}{p2}{$-\tfrac{3}{2}$}
17
18 %--- Labeling the stable and causal ROCs ---
19 \rput*(1.5;45){\scriptsize Stable}
20 \rput*(3;45){\scriptsize Causal}
21 \end{pspicture}

```

## 5.7 Block Diagrams

**Example 7.** Draw the block diagrams of two systems  $H_1(z)$  and  $H_2(z)$  in both parallel and series combinations.




```

1 %== Parallel Combination ==
2 \begin{pspicture}[showgrid=true](-3,-1)(3,1)
3   \psset{style=RoundCorners,gratioWh=1.25}
4
5 %--- Defining blocks ---
6 \pssignal(-3,0){x}{$x[n]$}
7 \dotnode(-1.5,0){dot}
8 \psfblock[FillColor=red!20](0,.75){H1}{$H_1(z)$}
9 \psfblock[FillColor=blue!20](0,-.75){H2}{$H_2(z)$}
10 \pscircleop(1.5,0){oplus}
11 \pssignal(3,0){y}{$y[n]$}
12
13 %--- Connecting blocks ---
14 \psset{style=Arrow}
15 \ncline{-}{x}{dot}
16 \ncline[angleA=90,angleB=180]{dot}{H1}
17 \ncline[angleA=-90,angleB=180]{dot}{H2}
18 \ncline[angleB=90]{H1}{oplus}
19 \ncline[angleB=-90]{H2}{oplus}
20 \ncline{oplus}{y}
21 \end{pspicture}
22 %
23 \hspace{1cm}
24 %
25 %== Series Combination ==
26 \begin{pspicture}[showgrid=true](-4,-1)(4,1)
27   \psset{style=RoundCorners,gratioWh=1.25}
28
29 %--- Defining blocks ---
30 \pssignal(-3.5,0){x}{$x[n]$}
31 \psfblock[FillColor=red!20](-1.25,0){H1}{$H_1(z)$}
32 \psfblock[FillColor=blue!20](1.25,0){H2}{$H_2(z)$}
33 \pssignal(3.5,0){y}{$y[n]$}
34
35 %--- Connecting blocks ---
36 \nclist[style=Arrow]{\ncline}{naput}{x,H1,H2 $v[n]$,y}
37 \end{pspicture}

```

## 5.8 C/D Converter

**Example 8.** Draw the block diagram of a continuous-to-discrete-time (C/D) converter.



```


1 \begin{pspicture}[showgrid=true](-2,-2)(7,2)
2 \psset{style=RoundCorners}
3
4 %--- Defining blocks ---
5 \pssignal(-1.75,0){xc}{$x_c(t)$}
6 \pscircleop[operation=times](0,0){otimes}
7 \pssignal(0,1.25){s}{$s(t)$}
8 \psblock[FillColor=purple!20](3.25,0){conv}{\parbox[c]{3\psunit}{%
9 \centering Conversion from impulse train to discrete-time sequence}}
10 \pssignal(6.5,0){x}{$x[n]$}
11
12 %--- Connecting blocks ---
13 \psset{style=Arrow}
14 \nclist{ncline}{naput}{xc,otimes,conv $x_s(t)$,x}
15 \ncline{s}{otimes}
16
17 %--- Drawing the dashed frame ---
18 \fnode[style=Dash, linecolor=purple, framesize=6 3.25](2.25,0){box}
19 \nput{90}{box}{\textcolor{purple}{C/D Converter}}
20 \end{pspicture}

```

## 5.9 Direct Form II

**Example 9.** (use `multido`) Draw the direct-form II block diagram of a discrete-time LTI system with the following system function.

$$H(z) = \frac{1 - z^{-1} + 2z^{-2} + 3z^{-3}}{1 + z^{-1} - 0.5z^{-2} + 0.75z^{-3}}$$




```

1 \begin{pspicture}[showgrid=true](-5,-6)(5,1)
2   \psset{style=RoundCorners,style=Arrow}
3
4 %--- Defining blocks ---
5   \dotnode(0,0){dot1}
6   \multido{\nA=1+1,\nB=2+1,\ryA=-.9+-1.8,\ryB=-1.8+-1.8}{3}{%
7     \psblock(0,\ryA){D\nA}{$z^{-1}$} \dotnode(0,\ryB){dot\nB}
8   \multido{\nn=1+1,\ry=0+-1.8}{3}{\pscircleop(-2,\ry){oplusL\nn}}
9   \multido{\nn=1+1,\ry=0+-1.8}{3}{\pscircleop(2,\ry){oplusR\nn}}
10  \pssignal(-4,0){x}{$x[n]$}
11  \pssignal(4,0){y}{$y[n]$}
12
13 %--- Connecting blocks ---
14  \psset{style=Arrow}
15  \nclist{ncline}{x,oplusL1,oplusR1,y}
16  \nclist{ncline}{dot1,D1,D2,D3}
17  \ncline{-}{D3}{dot4}
18  \nclist{ncline}{oplusL3,oplusL2,oplusL1}
19  \nclist{ncline}{oplusR3,oplusR2,oplusR1}
20  \ncstar{<-}{ncline}[naput]{oplusL2 $-1$,oplusR2 nbput $-1$}{dot2}
21  \ncstar{<-}{ncline}[naput]{oplusL3 $.5$,oplusR3 nbput $2$}{dot3}
22  \ncangle[angleA=180,angleB=-90]{dot4}{oplusL3} nbput[npos=.5}{$-0.75$}
23  \ncangle[angleB=-90]{dot4}{oplusR3} naput[npos=.5}{$3$}
24 \end{pspicture}

```

## 5.10 Filter Bank

**Example 10.** Draw the block diagram of an  $M$ -channel maximally-decimated filter bank.




```

1 \begin{pspicture}[showgrid=true](-6,-3.5)(6,.5)
2   \psset{style=RoundCorners,style=Arrow,gratioWh=1.2}
3   \pssignal(-6,0){x}{$x[n]$}           \pssignal(6,0){y}{$y[n]$}
4   \dotnode(-4.5,0){dot1}                \dotnode(-4.5,-1){dot2}
5   \newcount\cnt
6
7   %--- First and second channels ---
8   \cnt=0
9   \psforeach{\ry}{0,-1}{\advance\cnt by 1\relax
10    \psfblock(-3,\ry){h\the\cnt}{$h_{\the\cnt}[n]$}
11    \psdsampler(-1,\ry){ds\the\cnt}{M}
12    \psusampler(1,\ry){us\the\cnt}{M}
13    \psfblock(3,\ry){g\the\cnt}{$g_{\the\cnt}[n]$}
14    \pscircleop(4.5,\ry){oplus\the\cnt}}
15
16   %--- Placing dots ---
17   \cnt=0
18   \psforeach{\rx}{-4.5,-3,-1,1,3,4.5}{\advance\cnt by 1\relax
19     \ldotsnode[angle=90](\rx,-2){dots\the\cnt}}
20
21   %--- M-th channel ---
22   \psfblock(-3,-3){hM}{$h_M[n]$}
23   \psdsampler(-1,-3){dsM}{M}
24   \psusampler(1,-3){usM}{M}
25   \psfblock(3,-3){gM}{$g_M[n]$}
26
27   %--- Connecting blocks ---
28   \nclist{ncline}{x,h1,ds1,us1,g1,oplus1,y}
29   \nclist{ncline}{dot2,h2,ds2,us2,g2,oplus2}
30   \ncline{dot1}{dots1}
31   \ncangle[angleA=-90,angleB=180]{dots1}{hM}
32   \nclist{ncline}{hM,dsM,usM,gM}
33   \ncangle[angleB=-90]{gM}{dots6}
34   \nclist{ncline}{dots6,oplus2,oplus1}
35 \end{pspicture}

```

## 5.11 System Identification

**Example 11.** Draw the block diagram of an adaptive system used for system identification.




```

1 \begin{pspicture}[showgrid=true](-5,-3)(4,2)
2   \psset{style=RoundCorners}
3
4   %--- Placing the input signal and drawing blocks ---
5   \psignal(-4,0){x}{$x_k$}
6   \dotnode(-2.5,0){dot}
7   \psblock(0,-1){AdapSys}{\parbox[c]{1.75\psunit}{\centering\small Adaptive System}}
8   \psadaptive[aoffset=1]{->}{AdapSys}(-1.5;50){AdapSysA}
9   \pscircleop(3,-1){oplus}
10  \nput{150}{oplus}{$\scriptstyle -$}
11  \nput{60}{oplus}{$\scriptstyle +$}
12  \psblock(0,1){UnSys}{\parbox[c]{1.75\psunit}{\centering\small Unknown System}}
13
14  %--- Connecting blocks ---
15  \psset{style=Arrow}
16  \ncline{-}{x}{dot}
17  \ncangle[angleA=-90,angleB=180]{dot}{AdapSys}
18  \ncangle[angleA=90,angleB=180]{dot}{UnSys}
19  \ncangle[angleB=90]{UnSys}{oplus} \nput[npos=1.5]{$d_k$}
20  \ncline{AdapSys}{oplus}
21  \nput{$y_k$}
22  \ncangle[angleA=-90]{-}{oplus}{AdapSysA}
23  \nput[npos=.5]{$e_k$}
24 \end{pspicture}

```

## 5.12 Adaptive Linear Combiner

**Example 12.** (use `multido`) Draw the block diagram of an adaptive linear combiner.



```

1 \begin{pspicture}[showgrid=true](-4,-6)(4,.5)
2   \psset{style=RoundCorners,gratioWh=1,radius=.25}
3
4   %--- Signals ---
5   \pssignal(-3.25,0){x1}{$x_1[n]$}
6   \pssignal(-1.25,0){x2}{$x_2[n]$}
7   \pssignal(1.25,0){x3}{$x_{k-1}[n]$}
8   \pssignal(3.25,0){x4}{$x_k[n]$}
9   \pssignal(0,-5){y}{$y[n]$}
10
11  %--- Gains, dots, and the adder ---
12  \psknob(-3.25,-1.75){w1}  \nput{180}{w1}{$w_1$}
13  \psknob(-1.25,-1.75){w2}  \nput{180}{w2}{$w_2$}
14  \psknob(1.25,-1.75){w3}  \nput{0}{w3}{$w_{k-1}$}
15  \psknob(3.25,-1.75){w4}  \nput{0}{w4}{$w_k$}
16  \psldots(0,0)  \psldots(0,-1.75)
17  \pscircleo(0,-3.5){oplus}
18
19  %--- Connections ---
20  \psset{style=Arrow}
21  \multido{\nn=1+1}{4}{\ncline{x\nn}{w\nn}}
22  \ncstar[armA=.75,angleA=-90]{ncdiagg}{w1,w2,w3,w4}{oplus}
23  \ncline{oplus}{y}
24 \end{pspicture}

```

## References

- [1] Hendri Adriaens. *pst-xkey package*, 2004. CTAN:/macros/latex/contrib/xkeyval/run/pst-xkey.  
[2](#)
- [2] J. J. Rotman. *A First Course in Abstract Algebra*. Prentice Hall, NJ, 2nd edition, 2000. [25](#)
- [3] Timothy Van Zandt. *PSTricks - PSTricks macros for generic T<sub>E</sub>X*, 1993.  
<http://www.tug.org/application/PSTricks>. [2](#)
- [4] Timothy Van Zandt. *pst-node package*, 1999. CTAN:/graphics/pstricks/base/pst-node.  
[2](#)
- [5] Timothy Van Zandt. *pst-plot: Plotting two dimensional functions and data*, 1999.  
CTAN:/graphics/pstricks/base/pst-plot. [3](#)

# Index

## A

angle, 4, 11, 14  
aoffset, 17

## F

FillColor, 26  
fillcolor, 13, 14, 26  
fillstyle, 26  
frameheight, 26  
framesep, 16  
framesize, 17  
framewidth, 26

## G

gratioHh, 25  
gratioHv, 25  
gratioWh, 25  
gratioWv, 25

## K

killzero, 7  
knobangle, 18  
knoblength, 18  
knobwidth, 18

## L

labelsep, 7  
\ldotsnode, 15, 16  
ldotssep, 14  
ldotssize, 14  
linewidth, 11

## N

\nclist, 20  
\ncstar, 22

## O

operation, 11  
oplength, 11  
opsep, 11  
opwidth, 11  
order, 9

## P

Package

etex, 2  
multido, 29, 31, 35, 38  
pst-node, 2  
pst-plot, 3, 28, 29  
pst-xkey, 2  
pstricks, 2, 3  
pstricks-add, 23, 24, 27  
polelength, 10  
polewidth, 10  
\psadaptive, 17, 18  
\psaxeslabels, 3, 4  
\psblock, 16, 17  
\psBraceDown, 24  
\psBraceLeft, 24  
\psBraceRight, 24  
\psBraceUp, 24  
\pscircleop, 11, 12  
\psdisk, 13

\psdiskc, 14  
\psdsampler, 20  
\psfblock, 17, 19, 20  
\psframeop, 12  
\psknob, 18, 19  
\psldots, 14, 15

\pspole, 10, 11  
\psring, 13  
\pssignal, 6  
\psstem, 7  
\psTick, 5  
\pstick, 4, 5  
\psusampler, 19  
\pszero, 9, 10

## R

radius, 18  
RoundCorners, 23

## S

scale, 9–11, 14, 18  
signalsep, 6, 15  
stemhead, 7

## T

ticklength, 5

**X**

xunit, 7

**Z**

zeroradius, 9

zeroradiusinc, 9

zerowidth, 9