

tracklang v1.1: tracking language options

Nicola L. C. Talbot

<http://www.dickimaw-books.com/>

2014-11-21

Abstract

The tracklang package is provided for package developers who want a simple interface to find out which languages the user has requested through packages such as babel and polyglossia. *This package doesn't provide any translations.* Its purpose is simply to track which languages have been requested by the user. Generic T_EX code is in `tracklang.tex` for non- \LaTeX users (category code of @ must be 11 on input).

Contents

1	Introduction	2
2	Detecting the User's Requested Languages	3
2.1	Examples	12
2.1.1	animals.sty	12
2.1.2	regions.sty	22
3	Adding Support for Language Tracking	27
4	Plain T_EX Example	29
5	The Code	30
5.1	\LaTeX Code (tracklang.sty)	30
5.2	Generic Code (tracklang.tex)	33
5.2.1	Internal Lists	35
5.2.2	Mappings	37
5.2.3	Predefined Dialects	39
5.2.4	Conditionals and Loops	75
	Index	82

1 Introduction

When I'm developing a package that provides multilingual support (for example, glossaries) it's cumbersome trying to work out if the user has requested translations for fixed text. This usually involves checking if `babel` or `ngerman` or `translator` or `polyglossia` has been loaded and, if so, what language settings have been used. The result can be a tangled mass of conditional code. The alternative is to tell users to add the language as a document class option, which they may or may not want to do, or to tell them to supply the language settings to every package they load that provides multilingual support, which users are even less likely to want to do.

The `tracklang` package tries to neaten this up by working out as much of this information as possible for you and providing a command that iterates through the loaded languages. This way, you can just iterate through the list of tracked languages and, for each language, either define the translations or warn the user that there's no translation for that language.

This package works best with `ngerman` or with recent versions of `babel` or when the language options are specified in the document class option list. It works fairly well with `translator` but will additionally assume the root language was also requested when a dialect is specified. So, for example,

```
\usepackage[british]{translator}  
\usepackage{tracklang}
```

is equivalent to

```
\usepackage[british]{translator}  
\usepackage[english,british]{tracklang}
```

This means that `\ForEachTrackedDialect` will iterate through the list “`english,british`” instead of just “`british`”, which can result in some redundancy.

Unfortunately I can't work out how to pick up the language variant from `polyglossia`, so only the root languages are detected, which is suboptimal but at least provides some information.

If the `ngerman` package has been loaded, `tracklang` sets the root language to “`german`” and the dialect to “`ngerman`”, but it doesn't set the country code.

If any document class or package options are passed to `tracklang`, then `tracklang` won't bother checking for `babel`, `translator`, `ngerman` or `polyglossia`. So, if the above example is changed to:

```
\documentclass[british]{article}  
\usepackage{translator}  
\usepackage{tracklang}
```

then the dialect list will just consist of “`british`” rather than “`english,british`”. This does, however, mean that if the user mixes class and package options, only the class options will be detected. For example:

```
\documentclass[british]{article}
\usepackage[french]{babel}
\usepackage{tracklang}
```

In this case, only the “british” option will be detected. The user can therefore use the document class option (or tracklang package option) to override the dialect and set the country code (where provided). For example:

```
\documentclass[es-MX]{article}
\usepackage[spanish]{babel}
\usepackage{tracklang}
```

This sets the dialect to “mexicanspanish” and the root language to “spanish”. See `tracklang.tex` (Section 5.2.3) for all predefined options.

Section 2 is for package writers who want to add multilingual support to their package and need to know which settings the user has requested through language packages like babel. Section 3 is for developers of language definition packages who want to help other package writers to detect what languages have been requested. Section 4 provides a plain TeX example.

2 Detecting the User’s Requested Languages

The tracklang package tries to track the loaded languages and the option names used to identify those languages. For want of a better term, the language option names are referred to as dialects even if they’re only a synonym for the language rather than an actual dialect. For example, if the user has requested `british`, the root language label is `english` and the dialect is `british`, whereas if the user requested `UKenglish`, the root language label is `english` and the dialect is `UKenglish`. The exceptions to this are the tracklang package options that have been specified in the form `<iso lang>-<iso country>`. For example, the package option `en-GB` behaves as though the user requested the package option `british`.

In addition to the root language label and the dialect identifier, many of the language options also have corresponding ISO codes. In most cases there is an ISO 639-1 or an ISO 639-2 code (or both), and in some cases there is an ISO 3166-1 code identifying the dialect region.

When tracklang is loaded, it first attempts to find the language options through the package options supplied to tracklang. This means that any languages that have been supplied in the document class options should get identified (provided that the document class has used the standard option declaration mechanism). If no languages have been supplied in this way, tracklang then attempts to identify any babel language options and failing that it will try the translator language options. It will then check if `ngerman` or `polyglossia` have been loaded.

Each identified language and dialect is added to the *tracked language* and *tracked dialect* lists. Note that the tracked language and tracked dialect are labels rather than proper nouns. If a dialect label is identical to its root language label, the label will appear in both lists.

You can check whether or not any languages have been detected using:

```
\AnyTrackedLanguages{<true part>}{<false part>}
```

This will do *<true part>* if one or more languages have been detected otherwise it will do *<false part>*. (Each detected dialect will automatically have the root language label added to the tracked language list, if it's not already present.)

You can iterate through each tracked dialect using:

```
\ForEachTrackedDialect{<cs>}{<code>}
```

At the start of each iteration, this sets *<cs>* to the tracked dialect and does *<code>*.

You can iterate through each tracked language using:

```
\ForEachTrackedLanguage{<cs>}{<code>}
```

At the start of each iteration, this sets *<cs>* to the tracked language and does *<code>*.

You can test if a root language has been detected using:

```
\IfTrackedLanguage{<label>}{<true part>}{<false part>}
```

where *<label>* is the language label. If true, this does *<true part>* otherwise it does *<false part>*.

You can test if a particular dialect has been detected using:

```
\IfTrackedDialect{<label>}{<true part>}{<false part>}
```

where *<label>* is the dialect label. If the root language was explicitly specified, then it will also be detected as a dialect.

For example:

```
\documentclass[british,dutch]{article}

\usepackage{tracklang}

\begin{document}
```

```

‘‘english’’ \IfTrackedDialect{english}{has}{hasn't} been specified.
‘‘british’’ \IfTrackedDialect{british}{has}{hasn't} been specified.
‘‘flemish’’ \IfTrackedDialect{flemish}{has}{hasn't} been specified.
‘‘dutch’’ \IfTrackedDialect{dutch}{has}{hasn't} been specified.

‘‘english’’ or an English variant
\IfTrackedLanguage{english}{has}{hasn't} been specified.

\end{document}

```

This produces:

```

“english” hasn’t been specified.
“british” has been specified.
“flemish” hasn’t been specified.
“dutch” has been specified.
“english” or an English variant has been specified.

```

You can find the root language label for a given tracked dialect using:

```
\TrackedLanguageFromDialect{<dialect>}
```

If *<dialect>* hasn’t been defined this does nothing otherwise it expands to the root language label.

You can find the tracked dialects from a given root language using:

```
\TrackedDialectsFromLanguage{<root language label>}
```

This will expand to a comma-separated list of dialect labels if the root language label has been defined, otherwise it does nothing.

You can test if a language (or dialect) has a corresponding ISO code using:

```
\IfTrackedLanguageHasIsoCode{<code type>}{<label>}{<true
part>}{<false part>}
```

where *<code type>* is the type of ISO code (for example, 639-1 for root languages or 3166-1 for regional dialects), and *<label>* is the language or dialect label.

Alternatively, you can test if a particular ISO code has been defined using:

```
\IfTrackedIsoCode{<code type>}{<code>}{<true part>}{<false part>}
```

where *<code type>* is again the type of ISO code (for example, 639-1 or 3166-1), and *<code>* is the particular code (for example, en for ISO 639-1 or GB for ISO 3166-1).

You can fetch the language (or dialect) label associated with a given ISO code using:

```
\TrackedLanguageFromIsoCode{<code type>}{<code>}
```

This does nothing if the given *<code>* for the given ISO *<code type>* has not been defined, otherwise it expands a comma-separated list of language or dialect labels.

You can fetch the ISO code for a given code type using:

```
\TrackedIsoCodeFromLanguage{<code type>}{<label>}
```

where *<label>* is the language or dialect label and *<code type>* is the ISO code type (for example, 639-1 or 3166-1). Unlike `\TrackedLanguageFromIsoCode`, this command only expands to a single label rather than a comma-separated list.

The above commands do nothing in the event of an unknown code or code type, so if you accidentally get the wrong code type, you won't get an error. If you're unsure of the code type, you can use the following commands:

```
\TwoLetterIsoCountryCode
```

This expands to 3166-1 and is used for the two-letter country codes.

```
\TwoLetterIsoLanguageCode
```

This expands to 639-1 and is used for the two-letter root language codes.

```
\ThreeLetterIsoLanguageCode
```

This expands to 639-2 and is used for the three-letter root language codes.

For example:

```
\documentclass[british,français,american,canadian,canadien,dutch]{article}
```

```

\usepackage{tracklang}

\begin{document}

Languages: \ForEachTrackedLanguage{\ThisLanguage}{\ThisLanguage\space
(ISO \TwoLetterIsoLanguageCode:
‘‘\TrackedIsoCodeFromLanguage{\TwoLetterIsoLanguageCode}{\ThisLanguage}’’). }

Dialects: \ForEachTrackedDialect{\ThisDialect}{\ThisDialect\space
(\IfTrackedLanguageHasIsoCode{\TwoLetterIsoCountryCode}{\ThisDialect}%
{ISO \TwoLetterIsoCountryCode:
‘‘\TrackedIsoCodeFromLanguage{\TwoLetterIsoCountryCode}{\ThisDialect}’’}%
{no specific region};
root: \TrackedLanguageFromDialect{\ThisDialect}). }

Language for ISO \TwoLetterIsoCountryCode\ ‘‘GB’’:
\TrackedLanguageFromIsoCode{\TwoLetterIsoCountryCode}{GB}.

Language for ISO \TwoLetterIsoCountryCode\ ‘‘CA’’:
\TrackedLanguageFromIsoCode{\TwoLetterIsoCountryCode}{CA}.

Country ISO \TwoLetterIsoCountryCode\ code for ‘‘canadian’’:
\TrackedIsoCodeFromLanguage{\TwoLetterIsoCountryCode}{canadian}.

\end{document}

```

This produces:

Languages: english (ISO 639-1: “en”). french (ISO 639-1: “fr”).
dutch (ISO 639-1: “nl”).

Dialects: american (ISO 3166-1: “US”; root: english). british (ISO
3166-1: “GB”; root: english). canadian (ISO 3166-1: “CA”; root: en-
glish). canadien (ISO 3166-1: “CA”; root: french). dutch (no specific
region; root: dutch). francais (no specific region; root: french).

Language for ISO 3166-1 “GB”: british.

Language for ISO 3166-1 “CA”: canadian,canadien.

Country ISO 3166-1 code for “canadian”: CA.

Most packages that implement multilingual support have a set of language definition files for each supported language or dialect. It may be that only the root language is needed, if there are no variations between that language’s dialect (for the purposes of that package), or it may be that separate definition files are required for each dialect. However it can be awkward trying to map the requested dialect or language label to the file name. Should, say, the file containing the French code be called *<prefix>-french-<suffix>* or *<prefix>-frenchb-<suffix>* or *<prefix>-francais-<suffix>*? Should, say, the file containing the British English code be called *<prefix>-british-<suffix>* or

$\langle prefix \rangle$ -UKenglish- $\langle suffix \rangle$? If you want to modularise the language support for your package so that each language module has a different maintainer will the maintainers know what tag to use for their language?

To help with this, tracklang provides:

```
\IfTrackedLanguageFileExists{ $\langle label \rangle$ }{ $\langle prefix \rangle$ }{ $\langle suffix \rangle$ }{ $\langle true part \rangle$ }{ $\langle false part \rangle$ }
```

This attempts to find the file called $\langle prefix \rangle \langle tag \rangle \langle suffix \rangle$ where $\langle tag \rangle$ is determined from $\langle label \rangle$. If the file is found

```
\CurrentTrackedTag
```

is set to $\langle tag \rangle$ and $\langle true part \rangle$ is done, otherwise $\langle false part \rangle$ is done.

The $\langle tag \rangle$ is determined as follows:

1. If no dialect with the given label has been detected, the condition evaluates to *false* and `\CurrentTrackedTag` is empty.
2. If $\langle label \rangle$ has an ISO 3166-1 code, then

```
\CurrentTrackedRegion
```

is set to that code otherwise it's empty.

3. If the file $\langle prefix \rangle \langle label \rangle \langle suffix \rangle$ exists, $\langle tag \rangle$ (`\CurrentTrackedTag`) is just $\langle label \rangle$ and the condition evaluates to *true*.
4. The root language label is obtained and stored in

```
\CurrentTrackedLanguage
```

(This may or may not be the same as the original dialect $\langle label \rangle$.)

5. If the root language has an ISO 639-1 code, this code is fetched and stored in

```
\CurrentTrackedIsoCode
```


If the root language doesn't have an ISO 639-1 code, but does have an ISO 639-2 code, then this code is fetched and stored in `\CurrentTrackedIsoCode`.

6. If there is no ISO 639-1 and no ISO 636-2 code:
 - a) If there is also no ISO 3166-1 code (`\CurrentTrackedRegion` is empty), then `<tag>` (`\CurrentTrackedTag`) is set to the root language (`\CurrentTrackedLanguage`). If the file `<prefix><tag><suffix>` exists, the condition will evaluate to *true* otherwise it will evaluate to *false*.
 - b) If there is an ISO 3166-1 code, then `<tag>` (`\CurrentTrackedTag`) will be set to `\CurrentTrackedRegion` and if the file `<prefix><tag><suffix>` exists, the condition will evaluate to *true* otherwise it will evaluate to *false*.
7. If `\CurrentTrackedRegion` is empty (no ISO 3166-1 code) then `<tag>` (`\CurrentTrackedTag`) is set to just `\CurrentTrackedIsoCode` and if the file `<prefix><tag><suffix>` exists, the condition will evaluate to *true*. If the file doesn't exist and `\CurrentTrackedIsoCode` was set to the ISO 639-1 code, then the test will be repeated with the ISO 639-2 code. If that test also fails, then the condition evaluates to *false*.
8. The `<tag>` (`\CurrentTrackedTag`) is then set to

`\CurrentTrackedIsoCode-\CurrentTrackedRegion`

and if the file `<prefix><tag><suffix>` exists, the condition evaluates to *true*.
9. The `<tag>` (`\CurrentTrackedTag`) is then set to just `\CurrentTrackedIsoCode`, and if the file `<prefix><tag><suffix>` exists, the condition evaluates to *true*. If the file doesn't exist and `\CurrentTrackedIsoCode` is set to the ISO 636-1 code and the language also has an ISO 636-2 code, then set `\CurrentTrackedIsoCode` to the ISO 636-2 code and go back to step 8.
10. If there is an ISO 3166-1 code, the `<tag>` (`\CurrentTrackedTag`) is then set to `\CurrentTrackedRegion`, and if the file `<prefix><tag><suffix>` exists, the condition evaluates to *true*.
11. Finally, the `<tag>` (`\CurrentTrackedTag`) is set to the root language label and if the file `<prefix><tag><suffix>` exist the condition evaluates to *true* otherwise it evaluates to *false*.

The `\IfTrackedLanguageFileExists` command sets the following commands which may be used within *<true part>* or *<false part>*:

<code>\CurrentTrackedDialect</code>

This command will always be set to the first argument of `\IfTrackedLanguageFileExists`.

`\CurrentTrackedTag`

This command will be set to `<tag>` if the file `<prefix><tag><suffix>` is found. If this command is empty, then the dialect hasn't been detected. If the dialect has been detected, but no file can be found, then `\CurrentTrackedTag` is set to the final attempt at determining `<tag>`.

`\CurrentTrackedLanguage`

If the dialect hasn't been detected, this command will be empty, otherwise it will expand to the root language label (which may be the same as the dialect label).

`\CurrentTrackedRegion`

If the dialect hasn't been detected, this command will be empty. If the dialect has been assigned an ISO 3166-1 code, `\CurrentTrackedRegion` will expand to that code, otherwise it will be empty.

`\CurrentTrackedIsoCode`

If the dialect hasn't been detected, this command will be empty. Otherwise it may be empty or it may expand to either the ISO 639-1 or ISO 639-2 code (see above).

For example:

```
\AnyTrackedLanguages
{%
  \ForEachTrackedDialect{\ThisDialect}%
  {% try to load the language file for this dialect
    \IfTrackedLanguageFileExists{\ThisDialect}%
    {mypackage-}% file prefix
    {.ldf}% file suffix
    {\input{mypackage-\CurrentTrackedTag.ldf}}% file found
    {% not found
      \PackageWarning{mypackage}{No support for language
        '\ThisDialect'}%
    }%
  }%
}%
}
```

`{% no languages detected so use defaults`

}

If, for example, `\ThisDialect` is british, then the file search will be in the order:

1. `mypackage-british.ldf`
2. `mypackage-en-GB.ldf`
3. `mypackage-eng-GB.ldf`
4. `mypackage-en.ldf`
5. `mypackage-eng.ldf`
6. `mypackage-GB.ldf`
7. `mypackage-english.ldf`

If, for example, `\ThisDialect` is francais, then the file search will be in the order:

1. `mypackage-francais.ldf`
2. `mypackage-fr.ldf`
3. `mypackage-fra.ldf`
4. `mypackage-french.ldf`

This is because the predefined `francais` option has no region assigned to it.

Alternatively, if you're only providing support for the root languages:

```
\AnyTrackedLanguages
{%
  \ForEachTrackedLanguage{\ThisLanguage}%
  {% try to load the language file for this root language
    \IfTrackedLanguageFileExists{\ThisLanguage}%
    {mypackage-}% file prefix
    {.ldf}% file suffix
    {\input{mypackage-\CurrentTrackedTag.ldf}}}% file found
    {% not found
      \PackageWarning{mypackage}{No support for language
        '\ThisLanguage'}%
    }%
  }%
}
{% no languages detected so use defaults
}
```

2.1 Examples

The examples in this section illustrate the above commands.

2.1.1 animals.sty

This example is for a trivial package called `animals.sty` that defines three textual commands: `\catname`, `\dogname` and `\ladybirdname`. The default values are: “cat”, “dog” and “bishy-barney-bee”.¹

The supported languages are defined in files with the prefix `animals-` and the suffix `.ldf`.

Here’s the code for `animals.sty`:

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{animals}

\RequirePackage{tracklang}

\newcommand\catname{cat}
\newcommand\dogname{dog}
\newcommand\ladybirdname{bishy-barney-bee}

\AnyTrackedLanguages
{%
  \ForEachTrackedDialect{\this@dialect}{%
    \IfTrackedLanguageFileExists{\this@dialect}%
    {animals-}% prefix
    {.ldf}%
    {%
      \PackageInfo{animals}{Loading ‘animals-\CurrentTrackedTag.ldf’
        for language ‘\this@dialect’}%
      \input{animals-\CurrentTrackedTag.ldf}%
    }%
    {%
      \PackageWarning{animals}%
      {No support for language ‘\this@dialect’}%
    }%
  }%
}
{% no tracked languages, default already set up
}

\endinput
```

The `animals-english.ldf` file contains:

```
\providecommand*\englishanimals{%
  \renewcommand*\catname{cat}%
```

¹Thass Broad Norfolk, my bewties :-P

```

\renewcommand*\dogname{\dog}%
\renewcommand*\ladybirdname{\bishy-barney-bee}%
}
\englishanimals

```

The animals-en-GB.ldf file contains:

```

\input{animals-english.ldf}

\providecommand*\englishGBanimals{%
  \englishanimals
  \renewcommand*\ladybirdname{\ladybird}%
}
\englishGBanimals

```

The animals-en-US.ldf file contains:

```

\input{animals-english.ldf}

\providecommand*\englishUSanimals{%
  \englishanimals
  \renewcommand*\ladybirdname{\ladybug}%
}
\englishUSanimals

```

This simple example doesn't try to use babel or polyglossia's `\captions<language>` mechanism, which means that if any users need to switch language part way through the document they will have to use `\englishanimals`, `\englishGBanimals` or `\englishUSanimals` to redefine the fixed names provided by this package.

The other drawback to this package is that if the user requests both british (or UKenglish) and american (or USenglish), then the animals-english.ldf file is loaded twice, once by animals-en-GB.ldf and once by animals-en-US.ldf. This redundant input can be avoided by implementing a mechanism similar to `\RequirePackage`. The example package below, animals2.sty adds the following definitions:

```

\newcommand*\RequireAnimalsLang[1]{%
  \@ifundefined{ver@animals2-#1.ldf}{\input{animals2-#1.ldf}}{}%
}

\newcommand*\ProvidesAnimalsLang[1]{%
  \ProvidesFile{animals2-#1.ldf}%
}

```

Each .ldf file should now identify itself with `\ProvidesAnimalsLang` so it can then be loaded with `\RequireAnimalsLang`. The complete code for animals2.sty is now:

```

\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{animals2}

```

```

\RequirePackage{tracklang}

\newcommand\catname{cat}
\newcommand\dogname{dog}
\newcommand\ladybirdname{bishy-barney-bee}

\newcommand*\RequireAnimalsLang[1]{%
  \@ifundefined{ver@animals2-#1.1df}{\input{animals2-#1.1df}}{}%
}

\newcommand*\ProvidesAnimalsLang[1]{%
  \ProvidesFile{animals2-#1.1df}%
}

\AnyTrackedLanguages
{%
  \ForEachTrackedDialect{\this@dialect}{%
    \IfTrackedLanguageFileExists{\this@dialect}%
    {animals2-}% prefix
    {.1df}%
    {%
      \RequireAnimalsLang{\CurrentTrackedTag}%
    }%
    {%
      \PackageWarning{animals2}%
      {No support for language ‘\this@dialect’}%
    }%
  }%
}
{% no tracked languages, default already set up
}

\endinput

The animals2-english.1df file is now:

\ProvidesAnimalsLang{english}

\providecommand*\englishanimals{%
  \renewcommand*\catname{cat}%
  \renewcommand*\dogname{dog}%
  \renewcommand*\ladybirdname{bishy-barney-bee}%
}
\englishanimals

The animals2-en-GB.1df file is now:

\ProvidesAnimalsLang{en-GB}

\RequireAnimalsLang{english}%

```

```

\providecommand*\englishGBanimals{%
  \englishanimals
  \renewcommand*\ladybirdname{ladybird}%
}
\englishGBanimals

```

The animals2-en-US.ldf file is now:

```

\ProvidesAnimalsLang{en-US}

\RequireAnimalsLang{english}%

\providecommand*\englishUSanimals{%
  \englishanimals
  \renewcommand*\ladybirdname{ladybug}%
}

\englishUSanimals

```

Here's a sample document:

```

\documentclass[british,american,a4paper]{article}

\usepackage{animals2}

\begin{document}

\englishGBanimals

\catname.
\dogname.
\ladybirdname.

\englishUSanimals

\catname.
\dogname.
\ladybirdname.

\end{document}

```

The transcript includes:

```

(./animals2.sty
(./tracklang.sty) (./animals2-en-US.ldf (./animals2-english.ldf))
(./animals2-en-GB.ldf))

```

which shows that animals2-english.ldf is only input once.

The next step is to integrate with babel or polyglossia. Both these packages use `\captions<language>` to update fixed names whenever the given

$\langle language \rangle$ is selected. With babel the $\langle language \rangle$ setting is the dialect label (which may also be the root language label). With polyglossia $\langle language \rangle$ is the root language label, regardless of the selected variant.

For example, if you load babel using:

```
\usepackage[UKenglish]{babel}
```

then `\captionsUKenglish` is defined but if you use:

```
\usepackage[british]{babel}
```

then `\captionsbritish` is defined instead. If, however, you load polyglossia using:

```
\usepackage{polyglossia}
\setmainlanguage[variant=british]{english}
```

then `\captionsenglish` is defined.

This just requires a few minor modifications to the above example package. Remember that the `.ldf` files are loaded within `\IfTrackedLanguageFileExists`, which means that the dialect label can be obtained from `\CurrentTrackedDialect`. To allow for the possibility of loading a language file at some later date, `\IfTrackedLanguageFile` can be moved to a new user command:

```
\newcommand*{\RequireAnimalsDialect}[1]{%
  \IfTrackedLanguageFileExists{#1}%
  {animals3-}% prefix
  {.ldf}%
  {%
    \RequireAnimalsLang{\CurrentTrackedTag}%
  }%
  {%
    \PackageWarning{animals3}%
    {No support for language ‘#1’}%
  }%
}
```

Now `animals3-en-GB.ldf` and `animals3-en-US.ldf` can use `\CurrentTrackedDialect` to add to the language captions mechanism. The file `animals3-en-GB.ldf` contains:

```
\ProvidesAnimalsLang{en-GB}

\RequireAnimalsLang{english}%

\providecommand*{\englishGBanimals}{%
  \englishanimals
  \renewcommand*{\ladybirdname}{ladybird}%
}
```



```

\englishGBanimals

\@ifundefined{captions\CurrentTrackedDialect}
{%
  \@ifundefined{captions\CurrentTrackedLanguage}{}%
  {%
    \expandafter\g@addto@macro
      \csname captions\CurrentTrackedLanguage\endcsname{\englishGBanimals}%
  }
}%
{%
  \expandafter\g@addto@macro
    \csname captions\CurrentTrackedDialect\endcsname{\englishGBanimals}%
}

```

The file animals3-en-GB.ldf contains:

```

\ProvidesAnimalsLang{en-US}

\RequireAnimalsLang{english}%

\providecommand*\englishUSanimals{%
  \englishanimals
  \renewcommand*\ladybirdname{ladybug}%
}

```

```

\englishUSanimals

\@ifundefined{captions\CurrentTrackedDialect}%
{%
  \@ifundefined{captions\CurrentTrackedLanguage}{}%
  {%
    \expandafter\g@addto@macro
      \csname captions\CurrentTrackedLanguage\endcsname{\englishUSanimals}%
  }
}%
{%
  \expandafter\g@addto@macro
    \csname captions\CurrentTrackedDialect\endcsname{\englishUSanimals}%
}

```

The inner \@ifundefined check is required in case polyglossia has been loaded, although this causes some redundancy as \captionseenglish now contains both \englishanimals and \englishGBanimals (or \englishUSanimals).

The root language file animals3-english.ldf contains:

```

\ProvidesAnimalsLang{english}

\providecommand*\englishanimals{%
  \catname{cat}%
}

```

```

\renewcommand*{\dogname}{dog}%
\renewcommand*{\ladybirdname}{bishy-barney-bee}%
}

\englishanimals

\@ifundefined{captionseenglish}%
{%
  \@ifundefined{captions\CurrentTrackedDialect}{}%
  {%
    \expandafter\g@addto@macro
      \csname captions\CurrentTrackedDialect\endcsname{\englishanimals}%
  }
}%
{%
  \g@addto@macro\captionseenglish{\englishanimals}%
}

```

The additional `\@ifundefined` check ensures that the package will work with other English dialects (although it may not produce the correct translations for the given region). You'll have to decide on the most appropriate default translations for the root language given no regional information.

The complete code for the `animals3.sty` package is as follows:

```

\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{animals3}

\RequirePackage{tracklang}

\newcommand\catname{cat}
\newcommand\dogname{dog}
\newcommand\ladybirdname{bishy-barney-bee}

\newcommand*{\RequireAnimalsDialect}[1]{%
  \IfTrackedLanguageFileExists{#1}%
  {animals3-}% prefix
  {.ldf}%
  {%
    \RequireAnimalsLang{\CurrentTrackedTag}%
  }%
  {%
    \PackageWarning{animals3}%
      {No support for language ‘#1’}%
  }%
}

\newcommand*{\RequireAnimalsLang}[1]{%
  \@ifundefined{ver@animals3-#1.ldf}{\input{animals3-#1.ldf}}{}%
}

```

```

\newcommand*{\ProvidesAnimalsLang}[1]{%
  \ProvidesFile{animals3-#1.1df}%
}

\AnyTrackedLanguages
{%
  \ForEachTrackedDialect{\this@dialect}{%
    \RequireAnimalsDialect\this@dialect
  }%
}
{% no tracked languages, default already set up
}

```

\endinput

Here's sample document that uses this package with babel:

```

\documentclass[a4paper]{article}

\usepackage[british,american]{babel}

\usepackage{animals3}

\begin{document}

\selectlanguage{british}

\catname.
\dogname.
\ladybirdname.

\selectlanguage{american}

\catname.
\dogname.
\ladybirdname.

\end{document}

```

Unfortunately when used with polyglossia, tracklang can't detect the requested dialect. Consider the following example document:

```

\documentclass[a4paper]{article}

\usepackage{polyglossia}
\setmainlanguage[variant=british]{english}

\usepackage{animals3}

\begin{document}

```

```

\catname.
\dogname.
\ladybirdname.

```

```

\end{document}

```

This loads `animals3-english.ldf` but doesn't load `animals3-en-GB.ldf`.
The dialect has to be added to the document class options:

```

\documentclass[british,a4paper]{article}

\usepackage{polyglossia}
\setmainlanguage[variant=british]{english}

\usepackage{animals3}

\begin{document}

\catname.
\dogname.
\ladybirdname.

\end{document}

```

Other languages can be added by simply providing additional `.ldf` files. For example, `animals3-german.ldf`:

```

\ProvidesAnimalsLang{german}

\providecommand*\germananimals{%
  \renewcommand*\catname{Katze}%
  \renewcommand*\dogname{Hund}%
  \renewcommand*\ladybirdname{Marienk\"afer}%
}

\germananimals

\@ifundefined{captionsgerman}%
{%
  \@ifundefined{captions\CurrentTrackedDialect}{}%
  {%
    \expandafter\g@addto@macro
      \csname captions\CurrentTrackedDialect\endcsname{\germananimals}%
  }
}%
{%
  \g@addto@macro\captionsgerman{\germananimals}%
}

```

This works fine with babel:

```
\documentclass[a4paper]{article}

\usepackage[ngerman]{babel}

\usepackage{animals3}

\begin{document}

\catname.
\dogname.
\ladybirdname.

\end{document}
```

It also works with ngerman:

```
\documentclass[a4paper]{article}

\usepackage{ngerman}

\usepackage{animals3}

\begin{document}

\catname.
\dogname.
\ladybirdname.

\end{document}
```

and with translator:

```
\documentclass[a4paper]{article}

\usepackage[ngerman]{translator}

\usepackage{animals3}

\begin{document}

\catname.
\dogname.
\ladybirdname.

\end{document}
```

Since no regional variants have been provided to accompany `animals3-german.ldf` this also works fine with polyglossia:

```

\documentclass[a4paper]{article}

\usepackage{polyglossia}
\setmainlanguage{german}

\usepackage{animals3}

\begin{document}

\catname.
\dogname.
\ladybirdname.

\end{document}

```

2.1.2 regions.sty

Earlier, I mentioned the search order for `\IfTrackedLanguageFileExists` where if, for example, the dialect is british, the file search will be:

1. mypackage-british.ldf
2. mypackage-en-GB.ldf
3. mypackage-eng-GB.ldf
4. mypackage-en.ldf
5. mypackage-eng.ldf
6. mypackage-GB.ldf
7. mypackage-english.ldf

You may have wondered why mypackage-GB.ldf is included in the search given that some countries have multiple official languages, which means that the country code on its own may not indicate the language.

The reason for including just the country code as the *<tag>* in the file search is to allow for region rather than language dependent settings. For example, suppose I want to write a package that needs to know whether to use imperial or metric measurements in the document, but I also want to provide multilingual support. The language alone won't tell me whether to use imperial or metric (for example, the US uses imperial and the UK uses metric for most product attributes). I could provide .ldf files for every language and region combination, but this would result in a lot redundancy.

The example package (regions.sty) below illustrates this.

```

\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{regions}

```

```

\RequirePackage{tracklang}

\newcommand*{\weightunit}{kg}
\newcommand*{\lengthunit}{mm}
\newcommand*{\currencyunit}{EUR}

\newcommand*{\unitname}{units}

\AnyTrackedLanguages
{%
  \ForEachTrackedDialect{\this@dialect}{%
    \IfTrackedLanguageFileExists{\this@dialect}%
    {regions-}% prefix
    {.ldf}%
    {%
      \PackageInfo{regions}{Loading ‘regions-\CurrentTrackedTag.ldf’
        for language ‘\this@dialect’}%
      \input{regions-\CurrentTrackedTag.ldf}%
      \InputIfFileExists{regions-\CurrentTrackedLanguage.ldf}%
      {}%
      {%
        \PackageWarning{regions}{No support for language
          ‘\CurrentTrackedLanguage’}%
      }%
    }%
  }%
  {%
    \PackageWarning{regions}%
    {No support for language ‘\this@dialect’}%
  }%
}%
}
{% no tracked languages, default already set up
}

\endinput

```

There are separate .ldf files for region and language. First are the regions.

- regions-BE.ldf (Belgium):

```

\providecommand*{\BEunits}{%
  \renewcommand*{\weightunit}{kg}%
  \renewcommand*{\lengthunit}{mm}%
  \renewcommand*{\currencyunit}{EUR}%
}

\BEunits

```

- regions-CA.ldf (Canada):

```

\providecommand*\CAunits{%
  \renewcommand*\weightunit\{kg\}%
  \renewcommand*\lengthunit\{mm\}%
  \renewcommand*\currencyunit\{CAD\}%
}

```

\CAunits

- regions-GB.1df (Great Britain):

```

\providecommand*\GBunits{%
  \renewcommand*\weightunit\{kg\}%
  \renewcommand*\lengthunit\{mm\}%
  \renewcommand*\currencyunit\{GBP\}%
}

```

\GBunits

- regions-US.1df (USA):

```

\providecommand*\USunits{%
  \renewcommand*\weightunit\{lb\}%
  \renewcommand*\lengthunit\{in\}%
  \renewcommand*\currencyunit\{USD\}%
}

```

\USunits

Now follow the language files.

- regions-dutch.1df:

```

\providecommand*\dutchnames{%
  \renewcommand*\unitname\{meeteenheden\}%
}

```

\dutchnames

- regions-english.1df:

```

\providecommand*\englishnames{%
  \renewcommand*\unitname\{units\}%
}

```

\englishnames

- `regions-french.ldf`:

```
\providecommand*\frenchnames{%
  \renewcommand*\unitname{\unit\'es}%
}

\frenchnames
```

- `regions-german.ldf`:

```
\providecommand*\germannames{%
  \renewcommand*\unitname{\Ma\ss einheiten}%
}

\germannames
```

Here's an example document that uses this package:

```
\documentclass[canadien]{article}

\usepackage{regions}

\begin{document}

\unitname: \weightunit, \lengthunit, \currencyunit.

\end{document}
```

This works because `\IfTrackedLanguageFileExists` searches for the country code before the root language label. In this case, `regions-CA.ldf` is matched rather than `regions-french.ldf`, so `regions-CA.ldf` is loaded by

```
\input{regions-\CurrentTrackedTag.ldf}%
```

After this, the language file `regions-french.ldf` is then loaded:

```
\InputIfFileExists{regions-\CurrentTrackedLanguage.ldf}%
{}%
{%
  \PackageWarning{regions}{No support for language
    '\CurrentTrackedLanguage'}%
}%
```

This assumes that there's a country code `.ldf` file available. This example needs a little modification to use default units in case the region is missing:

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{regions}

\RequirePackage{tracklang}
```

```

\newcommand*{\weightunit}{kg}
\newcommand*{\lengthunit}{mm}
\newcommand*{\currencyunit}{EUR}

\newcommand*{\unitname}{units}

\newcommand*{\defaultunits}{%
  \renewcommand*{\weightunit}{kg}%
  \renewcommand*{\lengthunit}{mm}%
  \renewcommand*{\currencyunit}{EUR}%
}

\AnyTrackedLanguages
{%
  \ForEachTrackedDialect{\this@dialect}{%
    \IfTrackedLanguageFileExists{\this@dialect}%
    {regions-}% prefix
    {.ldf}%
    {%
      \PackageInfo{regions}{Loading ‘regions-\CurrentTrackedTag.ldf’
        for language ‘\this@dialect’}%
      \input{regions-\CurrentTrackedTag.ldf}%
      \ifx\CurrentTrackedTag\CurrentTrackedLanguage
        \defaultunits
      \else
        \InputIfFileExists{regions-\CurrentTrackedLanguage.ldf}%
        {}%
      {%
        \PackageWarning{regions}{No support for language
          ‘\CurrentTrackedLanguage’}%
      }%
    \fi
  }%
  {%
    \PackageWarning{regions}%
    {No support for language ‘\this@dialect’}%
  }%
}%
}
{% no tracked languages, default already set up
}

\endinput

```

As with the trivial example in the previous section, this package hasn't hooked into babel's caption mechanism, but this can be implemented for this example in a similar manner to the final example package in the previous section.

3 Adding Support for Language Tracking

If you are writing a package that *defines* languages (rather than a package that provides multilingual support if the user has already loaded a language package) then you can load tracklang and use the commands below to help other packages track your defined languages.

You can notify tracklang that a user has requested a particular dialect using:

```
\AddTrackedDialect{<dialect>}{<root language label>}
```

where *<dialect>* is the dialect label and *<root language label>* is the label for the dialect's root language. This command may also be used for synonyms. If the dialect is already in the tracked dialect list, it won't be added again. If the root language is already in the tracked language list, it won't be added again.

```
\AddTrackedLanguage{<root language label>}
```

This is equivalent to `\AddTrackedDialect{<root language label>}{<root language label>}` and is provided for the cases where the language doesn't have any variants or the user wants the default variant for that language.

The ISO codes are specified using:

```
\AddTrackedIsoLanguage{<code type>}{<code>}{<label>}
```

where *<code type>* is the ISO code type (for example, 639-1), *<code>* is the code (for example, "en") and *<label>* is the language or dialect label. (The root language label for ISO 639-1 or ISO 639-2, and the dialect label for the country code ISO 3166-1.)

For example:

```
\ProvidesPackage{alien}

\RequirePackage{tracklang}

\DeclareOption{martian}{%
  \AddTrackedLanguage{martian}%
  \AddTrackedIsoLanguage{639-1}{xx}{martian}%
  % code to set Martian language
}

\DeclareOption{uppermartian}{%
  \AddTrackedDialect{uppermartian}{martian}%
  \AddTrackedIsoLanguage{639-1}{xx}{martian}%
}
```

```

\AddTrackedIsoLanguage{3166-1}{XX}{uppermartian}%
% code to set Upper Martian dialect
}

\DeclareOption{lowermartian}{%
  \AddTrackedDialect{lowermartian}{martian}%
  \AddTrackedIsoLanguage{639-1}{xx}{martian}%
  \AddTrackedIsoLanguage{3166-1}{YY}{lowermartian}%
  % code to set Lower Martian dialect
}

```

Now other package writers who want to provide support for the Martian dialects can easily detect which language options the user requested through your package, and it means the user doesn't have to specify all their language options through the document class or through each package that has multilingual support.

If you want to track one of the dialects known to tracklang (for example, “british”) you can do so using:

```
\TrackPredefinedDialect{<dialect label>}
```

This will add the dialect and the ISO codes. (See tracklang.tex, Section 5.2.3, for all predefined options. These are all the control sequences in the form \@tracklang@add@<dialect label>.)

For non-LaTeX packages, you can input tracklang.tex provided the category code for @ has been set to 11:

```

\catcode '\@11\relax
\input tracklang

```

(Remember to revert it back afterwards if necessary.)

If you want some means of tracking each predefined option, you can define

```
\@tracklang@declareoption{<dialect label>}
```

before loading tracklang.tex. For example, tracklang.sty has the following code:

```

\newcommand*{\@tracklang@declareoption}[1]{%
  \DeclareOption{#1}{\TrackPredefinedDialect{#1}}%
}
\input{tracklang}

```

which ensures that each predefined dialect is also declared as a package option.

4 Plain T_EX Example

Since plain T_EX doesn't have document class or package options, the dialects and ISO codes need to be added using the commands described in the previous section. For example:

```
\catcode '\@11\relax
\input tracklang
\catcode '\@12\relax

\TrackPredefinedDialect{british}
\TrackPredefinedDialect{american}
\TrackPredefinedDialect{canadian}
\TrackPredefinedDialect{canadien}
\TrackPredefinedDialect{belgique}

Dialect Regions:

\ForEachTrackedDialect{\ThisDialect}{\ThisDialect:
  \TrackedIsoCodeFromLanguage{\TwoLetterIsoCountryCode}{\ThisDialect}. }

Language Codes:

\ForEachTrackedLanguage{\ThisLanguage}{\ThisLanguage:
  \TrackedIsoCodeFromLanguage{\TwoLetterIsoLanguageCode}{\ThisLanguage}. }

\bye
```

This produces:

```
Dialect Regions:
british: GB. american: US. canadian: CA. canadien: CA. bel-
gique: BE.
Language Codes:
english: en. french: fr.
Found "animals-en-GB.ldf"
Found "animals-en-US.ldf"
Found "animals-english.ldf"
No file found for dialect "canadien"
No file found for dialect "belgique"
```

5 The Code

5.1 L^AT_EX Code (tracklang.sty)

To ensure maximum portability this file only uses L^AT_EX kernel commands, rather than using more convenient commands provided by packages such as etoolbox.

```
1 \NeedsTeXFormat{LaTeX2e}
2 \ProvidesPackage{tracklang}[2014/11/21 v1.1 (NLCT) Track Languages]
```

`\@tracklang@declareoption` Set up package options.

```
3 \providecommand*\@tracklang@declareoption}[1]{%
4   \DeclareOption{#1}{\TrackPredefinedDialect{#1}}%
5 }
```

Load generic code:

```
6 \input{tracklang}

7 \let\@tracklang@declaredoptions\@declaredoptions
8 \ProcessOptions
```

Unset `\@tracklang@declareoption`:

```
9 \let\@tracklang@declareoption\@gobble
```

In the event that the language hasn't been supplied through the package options (or through the class options, which the package options should process provided the document class has used the standard option declarations) we need to check if any of the known language packages have been loaded. This is a bit dangerous as it relies on the packages not changing their internal language macros. It would be easier if all the language packages could provide a reliable user interface to determine which languages (and variants) have been loaded.

```
10 \ifx\@tracklang@languages\@empty
```

First try babel. If babel has been loaded, the languages are stored in `\bbl@loaded`, so check if this command has been defined, and if it has add those languages.

```
11 \@ifundefined{bbl@loaded}%
12 {%
```

If translator has been loaded, the languages are stored in `\trans@languages`

```
13 \@ifundefined{trans@languages}
14 {%
```

Has ngerman been loaded?

```
15 \@ifpackageloaded{ngerman}%
16 {%
17   \@tracklang@add@ngerman
18 }%
19 {%
```

Has polyglossia been loaded?

```
20      \@ifpackageloaded{polyglossia}
21      {%
```

polyglossia sets `\<lang>@loaded` for each loaded language, so check this for all known languages. I don't know how to check for variants.

```
22      \@for\this@language:=albanian,amharic,arabic,armenian,asturian,%
23      bahasai,bahasam,basque,bengali,brazil,breton,bulgarian,%
24      catalan,coptic,croatian,czech,danish,divehi,dutch,english,%
25      esperanto,estonian,farsi,finnish,french,friulan,galician,%
26      german,greek,hebrew,hindi,icelandic,interlingua,irish,%
27      italian,kannada,lao,latin,latvian,lithuanian,lsorbian,%
28      magyar,malayalam,marathi,nko,norsk,nynorsk,occitan,%
29      piedmontese,polish,portuges,romanian,romansh,russian,%
30      samin,sanskrit,scottish,serbian,slovak,slovenian,spanish,%
31      swedish,syriac,tamil,telugu,thai,tibetan,turkish,turkmen,%
32      ukrainian,urdu,usorbian,vietnamese,welsh\do{%
33      \@ifundefined{\this@language @loaded}%
34      {%
35      {%
36      \@ifundefined{@tracklang@add@\this@language}%
37      {%
38      \PackageWarning{tracklang}%
39      {Adding unknown language ‘\this@language’}%
40      \AddTrackedLanguage\this@language
41      }%
42      {%
43      \@nameuse{@tracklang@add@\this@language}%
44      }%
45      }%
46      }%
47      }%
48      {%
```

None of the known packages have been loaded, so do nothing in case another package wants to load this one before setting up the language options. However, if at this point babel has been loaded, then it's an older version that hasn't defined `\bb@loaded` so check for this.

```
49      \@ifpackageloaded{babel}
50      {%
51      \PackageInfo{tracklang}{babel loaded but
52      \string\bb@loaded\space not defined. Will attempt
53      to track known languages.}%
54      \@for\this@language:=\@tracklang@declaredoptions\do{%
55      \@ifundefined{captions\this@language}%
56      {%
57      {\@nameuse{@tracklang@add@\this@language}}%
58      }%
59      }%
```

```

60      {}%
61      }%
62      }%
63      }%
64      {%

```

Add from translator. If translator has been loaded, the language names are stored in \trans@languages but these are labels used by translator, so some mapping is required.

```

65      \let\@tracklang@add@Acadian\@tracklang@add@acadian
66      \let\@tracklang@add@French\@tracklang@add@french
67      \let\@tracklang@add@Afrikaans\@tracklang@add@afrikaans
68      \let\@tracklang@add@Dutch\@tracklang@add@dutch
69      \let\@tracklang@add@AmericanEnglish\@tracklang@add@american
70      \let\@tracklang@add@Austrian\@tracklang@add@austrian
71      \@namedef{\@tracklang@add@Austrian1997}{\@tracklang@add@naustrian}
72      \let\@tracklang@add@Bahasa\@tracklang@add@bahasa
73      \let\@tracklang@add@Basque\@tracklang@add@basque
74      \let\@tracklang@add@Brazilian\@tracklang@add@brazil
75      \let\@tracklang@add@Portuguese\@tracklang@add@portuguese
76      \let\@tracklang@add@Breton\@tracklang@add@breton
77      \let\@tracklang@add@BritishEnglish\@tracklang@add@british
78      \let\@tracklang@add@Bulgarian\@tracklang@add@bulgarian
79      \let\@tracklang@add@Canadian\@tracklang@add@canadian
80      \let\@tracklang@add@Canadien\@tracklang@add@canadien
81      \let\@tracklang@add@Catalan\@tracklang@add@catalan
82      \let\@tracklang@add@Croatian\@tracklang@add@croatian
83      \let\@tracklang@add@Czech\@tracklang@add@czech
84      \let\@tracklang@add@Danish\@tracklang@add@danish
85      \let\@tracklang@add@Dutch\@tracklang@add@dutch
86      \let\@tracklang@add@English\@tracklang@add@english
87      \let\@tracklang@add@Esperanto\@tracklang@add@esperanto
88      \let\@tracklang@add@Estonian\@tracklang@add@estonian
89      \let\@tracklang@add@Finnish\@tracklang@add@finnish
90      \let\@tracklang@add@French\@tracklang@add@french
91      \let\@tracklang@add@Galician\@tracklang@add@galician
92      \let\@tracklang@add@German\@tracklang@add@german
93      \@namedef{\@tracklang@add@German1997}{\@tracklang@add@ngerman}
94      \let\@tracklang@add@Greek\@tracklang@add@greek
95      \let\@tracklang@add@Polutoniko\@tracklang@add@polutoniko
96      \let\@tracklang@add@Hebrew\@tracklang@add@hebrew
97      \let\@tracklang@add@Hungarian\@tracklang@add@hungarian
98      \let\@tracklang@add@Icelandic\@tracklang@add@icelandic
99      \let\@tracklang@add@Irish\@tracklang@add@irish
100     \let\@tracklang@add@Italian\@tracklang@add@italian
101     \let\@tracklang@add@Latin\@tracklang@add@latin
102     \let\@tracklang@add@LowerSorbian\@tracklang@add@lowersorbian
103     \let\@tracklang@add@Magyar\@tracklang@add@magyar
104     \let\@tracklang@add@Nynorsk\@tracklang@add@nynorsk
105     \let\@tracklang@add@Norsk\@tracklang@add@norsk

```



```

106 \let\@tracklang@add@Polish\@tracklang@add@polish
107 \let\@tracklang@add@Portuguese\@tracklang@add@portuguese
108 \let\@tracklang@add@Romanian\@tracklang@add@romanian
109 \let\@tracklang@add@Russian\@tracklang@add@russian
110 \let\@tracklang@add@Scottish\@tracklang@add@scottish
111 \let\@tracklang@add@Serbian\@tracklang@add@serbian
112 \let\@tracklang@add@Slovak\@tracklang@add@slovak
113 \let\@tracklang@add@Slovene\@tracklang@add@slovene
114 \let\@tracklang@add@Spanish\@tracklang@add@spanish
115 \let\@tracklang@add@Swedish\@tracklang@add@swedish
116 \let\@tracklang@add@Turkish\@tracklang@add@turkish
117 \let\@tracklang@add@Ukrainian\@tracklang@add@ukrainian
118 \let\@tracklang@add@UpperSorbian\@tracklang@add@uppersorbian
119 \let\@tracklang@add@Welsh\@tracklang@add@welsh

```

Now iterate through the declared languages:

```

120 \@for\this@language:=\trans@languages\do{%
121 \ifundefined{@tracklang@add@\this@language}{}%
122 {\@nameuse{@tracklang@add@\this@language}}%
123 }%
124 }%
125 }%
126 {%

```

Add from babel

```

127 \@for\this@language:=\bbl@loaded\do{%
128 \ifundefined{@tracklang@add@\this@language}%
129 {%
130 \PackageWarning{tracklang}{Adding unknown language ‘\this@language’}%
131 \AddTrackedLangage{\this@language}%
132 }%
133 {\@nameuse{@tracklang@add@\this@language}}%
134 }%
135 }

```

End of check for language packages

```

136 \fi

```

5.2 Generic Code (tracklang.tex)

First check if this file has already been loaded:

```

137 \ifx \@tracklang@languages\undefined
138 \else
139 \expandafter\endinput
140 \fi

```

Define a long command for determining the existence of a control sequence by its name.

```

\@tracklang@ifundef

```

```

141 \long\def\@tracklang@ifundef#1#2#3{%

```

```

142 \expandafter\ifx\csname #1\endcsname\relax
143     #2%
144 \else
145     #3%
146 \fi
147 }

```

Provide some commands in case the \TeX kernel hasn't been loaded.

`\@tracklang@nnil`

```

148 \ifx\@nnil\undefined
149 \def\@tracklang@nnil{\@nil}
150 \else
151 \let\@tracklang@nnil\@nnil
152 \fi

```

`\@tracklang@for`

```

153 \ifx\@for\undefined
154 \long\def\@tracklang@for#1:=#2\do#3{%
155 \expandafter\def\expandafter\@fortmp\expandafter{#2}%
156 \ifx\@fortmp\empty
157 \else
158 \expandafter
159 \@tracklang@forloop #2,\@nil,\@nil\@@ #1{#3}%
160 \fi
161 }
162 \long\def\@tracklang@forloop#1,#2,#3\@@ #4#5{%
163 \def #4{#1}%
164 \ifx#4\@tracklang@nnil
165 \else
166 #5%
167 \def #4{#2}%
168 \ifx#4\@tracklang@nnil
169 \else
170 #5%
171 \@tracklang@iforloop #3\@@ #4{#5}%
172 \fi
173 \fi
174 }
175 \long\def\@tracklang@iforloop#1,#2\@@ #3#4{%
176 \def#3{#1}%
177 \ifx#3\@tracklang@nnil
178 \expandafter
179 \@tracklang@fornoop
180 \else
181 #4\relax
182 \expandafter\@tracklang@iforloop
183 \fi
184 #2\@@ #3{#4}%
185 }

```

```

186 \long\def\@tracklang@fornoop#1\@@ #2#3{}
187 \else
188 \let\@tracklang@for\@for
189 \fi

\@tracklang@namedef
190 \ifx\@namedef\undefined
191 \def\@tracklang@namedef#1{\expandafter\def\csname#1\endcsname}
192 \else
193 \let\@tracklang@namedef\@namedef
194 \fi

\@tracklang@nameuse
195 \ifx\@nameuse\undefined
196 \def\@tracklang@nameuse#1{\csname#1\endcsname}
197 \else
198 \let\@tracklang@nameuse\@nameuse
199 \fi

\@tracklang@err
200 \ifx\PackageError\undefined
201 \def\@tracklang@err#1#2{%
202 \errehelp{#2}%
203 \errmessage{tracklang: #1}}
204 \else
205 \def\@tracklang@err#1#2{\PackageError{tracklang}{#1}{#2}}
206 \fi

\@tracklang@ifFileExists
207 \ifx\IfFileExists\undefined
208 \long\def\@tracklang@ifFileExists#1#2#3{%
209 \openin0=#1 %
210 \ifeof0\relax
211 \def\reserved@a{#3}%
212 \else
213 \closein0\relax
214 \edef\@filef@und{#1 }%
215 \def\reserved@a{#2}%
216 \fi
217 \reserved@a
218 }
219
220 \else
221 \let\@tracklang@ifFileExists\IfFileExists
222 \fi

```

5.2.1 Internal Lists

`\@tracklang@languages` Provide a list to keep track of all the languages.

```
223 \def\@tracklang@languages{}
```

`\@tracklang@dialects` Provide a list to keep track of all the dialects. Here the “dialect” isn’t necessarily an actual dialect but may be a root language or a synonym. It will usually correspond to the language name as specified by the user in the package option.

```
224 \def\@tracklang@dialects{}
```

`\@tracklang@ifinlist` `\@tracklang@ifinlist{<item>}{<list>}{<true part>}{<false part>}`

Checks if `<item>` is in `<list>`. (Performs a one-level expansion on `<list>` but no expansion on `<item>`.)

```
225 \def\@tracklang@ifinlist#1#2#3#4{%
226   \def\@tracklang@doifinlist##1,#1,##2\end@tracklang@doifinlist{%
227     \def\@before{##1}%
228     \def\@after{##2}%
229   }%
230   \expandafter\@tracklang@doifinlist\expandafter,#2,#1,\@nil
231   \end@tracklang@doifinlist
232   \ifx\@after\@tracklang@nnil
    not found
233     #4%
234   \else
    found
235     #3%
236   \fi
237 }
```

`\@tracklang@add` `\@tracklang@add{<item>}{<list cs>}`

Adds an item to the list given by `<list cs>`. Does nothing if `<item>` is empty or is already in the list. The `<item>` is fully expanded before being added.

```
238 \def\@tracklang@add#1#2{%
239 %   \end{macrocode}
240 % First find out if the item is empty.
241 %   \begin{macrocode}
242 \edef\@tracklang@element{#1}%
243 \ifx\@tracklang@element\empty
    Item is empty, so do nothing.
244 \else
245   \expandafter\@tracklang@ifinlist\expandafter{\@tracklang@element}#2%
246   {%
```

Already in list, so do nothing.

```
247   }%
248   {%
```

Not in list, so add.

```
249   \ifx\empty#2\relax
250     \let#2\@tracklang@element
251   \else
252     \edef#2{#2,\@tracklang@element}%
253   \fi
254   }%
255 \fi
256 }
```

`\AddTrackedDialect` `\AddTrackedDialect{<dialect name>}{<language name>}`

Add a dialect.

```
257 \def\AddTrackedDialect#1#2{%
258   \@tracklang@add{#1}{\@tracklang@dialects}%
259   \@tracklang@add{#2}{\@tracklang@languages}%
260   \@tracklang@namedef{\@tracklang@fromdialect@#1}{#2}%
261   \@tracklang@ifundef{\@tracklang@todialect@#2}%
262   {\@tracklang@namedef{\@tracklang@todialect@#2}{#1}}%
263   {%
264     \def\@tracklang@lang{#1}%
265     \expandafter\@tracklang@add\expandafter\@tracklang@lang
266       \csname \@tracklang@todialect@#2\endcsname
267   }%
268 }
```

`\AddTrackedLanguage` `\AddTrackedLanguage{<language name>}`

Add a dialect.

```
269 \def\AddTrackedLanguage#1{%
270   \AddTrackedDialect{#1}{#1}%
271 }
```

5.2.2 Mappings

`\AddTrackedIsoLanguage` `\AddTrackedIsoLanguage{<code type>}{<code>}{<language>}`

Adds a mapping between the given ISO code and language name. There may be multiple mappings from an ISO code to a language name, but only one mapping from a language name to an ISO code.

```

272 \def\AddTrackedIsoLanguage#1#2#3{%
273   \@tracklang@namedef{@tracklang@#1@isofromlang@#3}{#2}%
274   \@tracklang@ifundef{@tracklang@#1@isotolang@#2}%
275   {\@tracklang@namedef{@tracklang@#1@isotolang@#2}{#3}}%
276   {%
277     \def\@tracklang@lang{#3}%
278     \expandafter\@tracklang@add\expandafter\@tracklang@lang
279     \csname @tracklang@#1@isotolang@#2\endcsname
280   }%
281 }

```

\TrackedLanguageFromIsoCode

\TrackedLanguageFromIsoCode{<code type>}{<code>}

Fetches the language label (or labels) associated with the given code.

```

282 \def\TrackedLanguageFromIsoCode#1#2{%
283   \@tracklang@nameuse{@tracklang@#1@isotolang@#2}%
284 }

```

\TrackedIsoCodeFromLanguage

\TrackedIsoCodeFromLanguage{<code type>}{<language>}

Fetches the code associated with the given language or dialect.

```

285 \def\TrackedIsoCodeFromLanguage#1#2{%
286   \@tracklang@nameuse{@tracklang@#1@isofromlang@#2}%
287 }

```

\TrackedLanguageFromDialect

\TrackedLanguageFromDialect{<dialect>}

Fetches the language name from the given dialect.

```

288 \def\TrackedLanguageFromDialect#1{%
289   \@tracklang@nameuse{@tracklang@fromdialect@#1}%
290 }

```

\TrackedDialectsFromLanguage

\TrackedDialectsFromLanguage{<root language label>}

Fetches the tracked dialects whose language is given by <root language label>.

```

291 \def\TrackedDialectsFromLanguage#1{%
292   \@tracklang@nameuse{@tracklang@todialect@#1}%
293 }

```

`\TwoLetterIsoCountryCode`

```

294 \def\TwoLetterIsoCountryCode{3166-1}

```

`\TwoLetterIsoLanguageCode`

```

295 \def\TwoLetterIsoLanguageCode{639-1}

```

`\ThreeLetterIsoLanguageCode`

```

296 \def\ThreeLetterIsoLanguageCode{639-2}

```

5.2.3 Predefined Dialects

The ISO 639-1 and 639-2 codes are used to map the root language name to the ISO language code. The 3166-1 codes are used to map the dialect/variant to the ISO country code. The country code is omitted if ambiguous (for example, the language is spoken in multiple countries). Some “dialects” are just synonyms for a language name, such as “francais” or “frenchb”. Some of the languages have two ISO 639-2 codes designated as “B” (bibliographic) or “T” (terminology). In these cases the terminology code is used as the primary 639-2 code.

`\TrackPredefinedDialect`

```
\TrackPredefinedDialect{\dialect label}
```

```

297 \def\TrackPredefinedDialect#1{%
298   \@tracklang@ifundef{@tracklang@add@#1}%
299   {%
300     \@tracklang@err{Dialect ‘#1’ is not predefined}{}%
301   }%
302   {\@tracklang@nameuse{@tracklang@add@#1}}%
303 }

```

Provide some predefined languages/dialects.

`\@tracklang@declareoption`

Provide a hook to declare a predefined setting as a package option. This is defined by tracklang.sty before loading tracklang.tex but if this file isn’t load through tracklang.sty provide a definition that ignores its argument if not already defined.

```

304 \ifx\@tracklang@declareoption\undefined
305   \def\@tracklang@declareoption#1{}
306 \fi

```

\@tracklang@add@acadian

```
307 \def\@tracklang@add@acadian{%  
308   \AddTrackedDialect{acadian}{french}%  
309   \AddTrackedIsoLanguage{639-1}{fr}{french}%  
310 }  
311 \@tracklang@declareoption{acadian}
```

\@tracklang@add@afrikaans

```
312 \def\@tracklang@add@afrikaans{%  
313   \AddTrackedLanguage{afrikaans}%  
314   \AddTrackedIsoLanguage{639-1}{af}{afrikaans}%  
315   \AddTrackedIsoLanguage{639-2}{afr}{afrikaans}%  
316 }  
317 \@tracklang@declareoption{afrikaans}
```

\@tracklang@add@albanian

```
318 \def\@tracklang@add@albanian{%  
319   \AddTrackedLanguage{albanian}%  
320   \AddTrackedIsoLanguage{639-1}{sq}{albanian}%  
321   \AddTrackedIsoLanguage{639-2-B}{alb}{albanian}%  
322   \AddTrackedIsoLanguage{639-2-T}{sqi}{albanian}%  
323   \AddTrackedIsoLanguage{639-2}{sqi}{albanian}%  
324 }  
325 \@tracklang@declareoption{albanian}
```

\@tracklang@add@amharic

```
326 \def\@tracklang@add@amharic{%  
327   \AddTrackedLanguage{amharic}%  
328   \AddTrackedIsoLanguage{639-1}{am}{amharic}%  
329   \AddTrackedIsoLanguage{639-2}{amh}{amharic}%  
330 }  
331 \@tracklang@declareoption{amharic}
```

\@tracklang@add@anglosaxon

```
332 \def\@tracklang@add@anglosaxon{%  
333   \AddTrackedLanguage{anglosaxon}%  
334   \AddTrackedIsoLanguage{639-2}{ang}{anglosaxon}%  
335 }  
336 \@tracklang@declareoption{anglosaxon}
```

\@tracklang@add@apache

```
337 \def\@tracklang@add@apache{%  
338   \AddTrackedLanguage{apache}%  
339   \AddTrackedIsoLanguage{639-2}{apa}{apache}%  
340 }  
341 \@tracklang@declareoption{apache}
```

\@tracklang@add@arabic


```

342 \def\@tracklang@add@arabic{%
343   \AddTrackedLanguage{arabic}%
344   \AddTrackedIsoLanguage{639-1}{ar}{arabic}%
345   \AddTrackedIsoLanguage{639-2}{ara}{arabic}%
346 }
347 \@tracklang@declareoption{arabic}

```

\@tracklang@add@armenian

```

348 \def\@tracklang@add@armenian{%
349   \AddTrackedLanguage{armenian}%
350   \AddTrackedIsoLanguage{639-1}{hy}{armenian}%
351   \AddTrackedIsoLanguage{639-2-B}{arm}{armenian}%
352   \AddTrackedIsoLanguage{639-2-T}{hye}{armenian}%
353   \AddTrackedIsoLanguage{639-2}{hye}{armenian}%
354 }
355 \@tracklang@declareoption{armenian}

```

\@tracklang@add@asturian

```

356 \def\@tracklang@add@asturian{%
357   \AddTrackedLanguage{asturian}%
358   \AddTrackedIsoLanguage{639-2}{ast}{asturian}%
359 }
360 \@tracklang@declareoption{asturian}

```

\@tracklang@add@american

```

361 \def\@tracklang@add@american{%
362   \AddTrackedDialect{american}{english}%
363   \AddTrackedIsoLanguage{639-1}{en}{english}%
364   \AddTrackedIsoLanguage{639-2}{eng}{english}%
365   \AddTrackedIsoLanguage{3166-1}{US}{american}%
366 }
367 \@tracklang@declareoption{american}

```

\@tracklang@add@australian

```

368 \def\@tracklang@add@australian{%
369   \AddTrackedDialect{australian}{english}%
370   \AddTrackedIsoLanguage{639-1}{en}{english}%
371   \AddTrackedIsoLanguage{639-2}{eng}{english}%
372   \AddTrackedIsoLanguage{3166-1}{AU}{australian}%
373 }
374 \@tracklang@declareoption{australian}

```

\@tracklang@add@austrian

```

375 \def\@tracklang@add@austrian{%
376   \AddTrackedDialect{austrian}{german}%
377   \AddTrackedIsoLanguage{639-1}{de}{german}%
378   \AddTrackedIsoLanguage{639-2-B}{ger}{german}%
379   \AddTrackedIsoLanguage{639-2-T}{deu}{german}%
380   \AddTrackedIsoLanguage{639-2}{deu}{german}%

```

```

381 \AddTrackedIsoLanguage{3166-1}{AT}{austrian}%
382 }
383 \@tracklang@declareoption{austrian}

```

\@tracklang@add@naustrian

```

384 \def\@tracklang@add@naustrian{%
385 \AddTrackedDialect{naustrian}{german}%
386 \AddTrackedIsoLanguage{639-1}{de}{german}%
387 \AddTrackedIsoLanguage{639-2-B}{ger}{german}%
388 \AddTrackedIsoLanguage{639-2-T}{deu}{german}%
389 \AddTrackedIsoLanguage{639-2}{deu}{german}%
390 \AddTrackedIsoLanguage{3166-1}{AT}{naustrian}%
391 }
392 \@tracklang@declareoption{naustrian}

```

\@tracklang@add@bahasa

```

393 \def\@tracklang@add@bahasa{%
394 \AddTrackedDialect{bahasa}{bahasai}%
395 \AddTrackedIsoLanguage{639-1}{id}{bahasai}%
396 \AddTrackedIsoLanguage{639-2}{ind}{bahasai}%
397 \AddTrackedIsoLanguage{3166-1}{IN}{bahasa}%
398 }
399 \@tracklang@declareoption{bahasa}

```

\@tracklang@add@bahasai

```

400 \def\@tracklang@add@bahasai{%
401 \AddTrackedDialect{bahasai}{bahasai}%
402 \AddTrackedIsoLanguage{639-1}{id}{bahasai}%
403 \AddTrackedIsoLanguage{639-2}{ind}{bahasai}%
404 \AddTrackedIsoLanguage{3166-1}{IN}{bahasai}%
405 }
406 \@tracklang@declareoption{bahasai}

```

\@tracklang@add@bahasam

```

407 \def\@tracklang@add@bahasam{%
408 \AddTrackedLanguage{bahasam}%
409 \AddTrackedIsoLanguage{639-1}{ms}{bahasam}%
410 \AddTrackedIsoLanguage{639-2-B}{may}{bahasam}%
411 \AddTrackedIsoLanguage{639-2-T}{msa}{bahasam}%
412 \AddTrackedIsoLanguage{639-2}{msa}{bahasam}%
413 \AddTrackedIsoLanguage{3166-1}{MY}{bahasam}%
414 }
415 \@tracklang@declareoption{bahasam}

```

\@tracklang@add@basque

```

416 \def\@tracklang@add@basque{%
417 \AddTrackedLanguage{basque}%
418 \AddTrackedIsoLanguage{639-1}{eu}{basque}%
419 \AddTrackedIsoLanguage{639-2-B}{baq}{basque}%

```

```

420 \AddTrackedIsoLanguage{639-2-T}{eus}{basque}%
421 \AddTrackedIsoLanguage{639-2}{eus}{basque}%
422 }
423 \@tracklang@declareoption{basque}

```

\@tracklang@add@bengali

```

424 \def\@tracklang@add@bengali{%
425 \AddTrackedLanguage{bengali}%
426 \AddTrackedIsoLanguage{639-1}{bn}{bengali}%
427 \AddTrackedIsoLanguage{639-2}{ben}{bengali}%
428 }
429 \@tracklang@declareoption{bengali}

```

\@tracklang@add@brazil

```

430 \def\@tracklang@add@brazil{%
431 \AddTrackedDialect{brazil}{portuges}%
432 \AddTrackedIsoLanguage{639-1}{pt}{portuges}%
433 \AddTrackedIsoLanguage{639-2}{por}{portuges}%
434 \AddTrackedIsoLanguage{3166-1}{BR}{brazil}%
435 }
436 \@tracklang@declareoption{brazil}

```

\@tracklang@add@brazilian

```

437 \def\@tracklang@add@brazilian{%
438 \AddTrackedDialect{brazilian}{portuges}%
439 \AddTrackedIsoLanguage{639-1}{pt}{portuges}%
440 \AddTrackedIsoLanguage{639-2}{por}{portuges}%
441 \AddTrackedIsoLanguage{3166-1}{BR}{brazilian}%
442 }
443 \@tracklang@declareoption{brazilian}

```

\@tracklang@add@breton

```

444 \def\@tracklang@add@breton{%
445 \AddTrackedLanguage{breton}%
446 \AddTrackedIsoLanguage{639-1}{br}{breton}%
447 \AddTrackedIsoLanguage{639-2}{bre}{breton}%
448 \AddTrackedIsoLanguage{3166-1}{FR}{breton}%
449 }
450 \@tracklang@declareoption{breton}

```

\@tracklang@add@british

```

451 \def\@tracklang@add@british{%
452 \AddTrackedDialect{british}{english}%
453 \AddTrackedIsoLanguage{639-1}{en}{english}%
454 \AddTrackedIsoLanguage{639-2}{eng}{english}%
455 \AddTrackedIsoLanguage{3166-1}{GB}{british}%
456 }
457 \@tracklang@declareoption{british}

```

```

\@tracklang@add@bulgarian
458 \def\@tracklang@add@bulgarian{%
459   \AddTrackedLanguage{bulgarian}%
460   \AddTrackedIsoLanguage{639-1}{bg}{bulgarian}%
461   \AddTrackedIsoLanguage{639-2}{bul}{bulgarian}%
462 }
463 \@tracklang@declareoption{bulgarian}

\@tracklang@add@canadian
464 \def\@tracklang@add@canadian{%
465   \AddTrackedDialect{canadian}{english}%
466   \AddTrackedIsoLanguage{639-1}{en}{english}%
467   \AddTrackedIsoLanguage{639-2}{eng}{english}%
468   \AddTrackedIsoLanguage{3166-1}{CA}{canadian}%
469 }
470 \@tracklang@declareoption{canadian}

\@tracklang@add@canadien
471 \def\@tracklang@add@canadien{%
472   \AddTrackedDialect{canadien}{french}%
473   \AddTrackedIsoLanguage{639-1}{fr}{french}%
474   \AddTrackedIsoLanguage{639-2-B}{fre}{french}%
475   \AddTrackedIsoLanguage{639-2-T}{fra}{french}%
476   \AddTrackedIsoLanguage{639-2}{fra}{french}%
477   \AddTrackedIsoLanguage{3166-1}{CA}{canadien}%
478 }
479 \@tracklang@declareoption{canadien}

\@tracklang@add@catalan
480 \def\@tracklang@add@catalan{%
481   \AddTrackedLanguage{catalan}%
482   \AddTrackedIsoLanguage{639-1}{ca}{catalan}%
483   \AddTrackedIsoLanguage{639-2}{cat}{catalan}%
484 }
485 \@tracklang@declareoption{catalan}

\@tracklang@add@coptic
486 \def\@tracklang@add@coptic{%
487   \AddTrackedLanguage{coptic}%
488   \AddTrackedIsoLanguage{639-2}{cop}{coptic}%
489 }
490 \@tracklang@declareoption{coptic}

\@tracklang@add@croatian
491 \def\@tracklang@add@croatian{%
492   \AddTrackedLanguage{croatian}%
493   \AddTrackedIsoLanguage{639-1}{hr}{croatian}%
494   \AddTrackedIsoLanguage{639-2}{hrv}{croatian}%

```

```

495 }
496 \@tracklang@declareoption{croatian}

\@tracklang@add@croatia
497 \def\@tracklang@add@croatia{%
498   \AddTrackedDialect{croatia}{croatian}%
499   \AddTrackedIsoLanguage{639-1}{hr}{croatian}%
500   \AddTrackedIsoLanguage{639-2}{hrv}{croatian}%
501   \AddTrackedIsoLanguage{3166-1}{HR}{croatia}%
502 }
503 \@tracklang@declareoption{croatia}

ng@add@istriacountycroatian
504 \def\@tracklang@add@istriacountycroatian{%
505   \AddTrackedDialect{istriacountycroatian}{croatian}%
506   \AddTrackedIsoLanguage{639-1}{hr}{croatian}%
507   \AddTrackedIsoLanguage{639-2}{hrv}{croatian}%
508   \AddTrackedIsoLanguage{3166-1}{HR}{istriacountycroatian}%
509 }
510 \@tracklang@declareoption{istriacountycroatian}

ng@add@istriacountyitalian
511 \def\@tracklang@add@istriacountyitalian{%
512   \AddTrackedDialect{istriacountyitalian}{italian}%
513   \AddTrackedIsoLanguage{639-1}{it}{italian}%
514   \AddTrackedIsoLanguage{639-2}{ita}{italian}%
515   \AddTrackedIsoLanguage{3166-1}{HR}{istriacountyitalian}%
516 }
517 \@tracklang@declareoption{istriacountyitalian}

\@tracklang@add@czech
518 \def\@tracklang@add@czech{%
519   \AddTrackedLanguage{czech}%
520   \AddTrackedIsoLanguage{639-1}{cs}{czech}%
521   \AddTrackedIsoLanguage{639-2-B}{cze}{czech}%
522   \AddTrackedIsoLanguage{639-2-T}{ces}{czech}%
523   \AddTrackedIsoLanguage{639-2}{ces}{czech}%
524 }
525 \@tracklang@declareoption{czech}

\@tracklang@add@danish
526 \def\@tracklang@add@danish{%
527   \AddTrackedLanguage{danish}%
528   \AddTrackedIsoLanguage{639-1}{da}{danish}%
529   \AddTrackedIsoLanguage{639-2}{dan}{danish}%
530 }
531 \@tracklang@declareoption{danish}

```

\@tracklang@add@divehi

```
532 \def\@tracklang@add@divehi{%  
533   \AddTrackedLanguage{divehi}%  
534   \AddTrackedIsoLanguage{639-1}{dv}{divehi}%  
535   \AddTrackedIsoLanguage{639-2}{div}{divehi}%  
536 }  
537 \@tracklang@declareoption{divehi}
```

\@tracklang@add@dutch

```
538 \def\@tracklang@add@dutch{%  
539   \AddTrackedLanguage{dutch}%  
540   \AddTrackedIsoLanguage{639-1}{nl}{dutch}%  
541   \AddTrackedIsoLanguage{639-2-B}{dut}{dutch}%  
542   \AddTrackedIsoLanguage{639-2-T}{nld}{dutch}%  
543   \AddTrackedIsoLanguage{639-2}{nld}{dutch}%  
544 }  
545 \@tracklang@declareoption{dutch}
```

\@tracklang@add@netherlands

```
546 \def\@tracklang@add@netherlands{%  
547   \AddTrackedDialect{netherlands}{dutch}%  
548   \AddTrackedIsoLanguage{639-1}{nl}{dutch}%  
549   \AddTrackedIsoLanguage{639-2-B}{dut}{dutch}%  
550   \AddTrackedIsoLanguage{639-2-T}{nld}{dutch}%  
551   \AddTrackedIsoLanguage{639-2}{nld}{dutch}%  
552   \AddTrackedIsoLanguage{3166-1}{NL}{netherlands}%  
553 }  
554 \@tracklang@declareoption{netherlands}
```

\@tracklang@add@english

```
555 \def\@tracklang@add@english{%  
556   \AddTrackedLanguage{english}%  
557   \AddTrackedIsoLanguage{639-1}{en}{english}%  
558   \AddTrackedIsoLanguage{639-2}{eng}{english}%  
559 }  
560 \@tracklang@declareoption{english}
```

\@tracklang@add@esperanto

```
561 \def\@tracklang@add@esperanto{%  
562   \AddTrackedLanguage{esperanto}%  
563   \AddTrackedIsoLanguage{639-1}{eo}{esperanto}%  
564   \AddTrackedIsoLanguage{639-2}{epo}{esperanto}%  
565 }  
566 \@tracklang@declareoption{esperanto}
```

\@tracklang@add@estonian

```
567 \def\@tracklang@add@estonian{%  
568   \AddTrackedLanguage{estonian}%
```

```

569 \AddTrackedIsoLanguage{639-1}{et}{estonian}%
570 \AddTrackedIsoLanguage{639-2}{est}{estonian}%
571 }
572 \@tracklang@declareoption{estonian}

```

\@tracklang@add@farsi

```

573 \def\@tracklang@add@farsi{%
574 \AddTrackedLanguage{farsi}%
575 \AddTrackedIsoLanguage{639-1}{fa}{farsi}%
576 \AddTrackedIsoLanguage{639-2-B}{per}{farsi}%
577 \AddTrackedIsoLanguage{639-2-T}{fas}{farsi}%
578 \AddTrackedIsoLanguage{639-2}{fas}{farsi}%
579 }
580 \@tracklang@declareoption{farsi}

```

\@tracklang@add@persian

```

581 \def\@tracklang@add@persian{%
582 \AddTrackedDialect{persian}{farsi}%
583 \AddTrackedIsoLanguage{639-1}{fa}{farsi}%
584 \AddTrackedIsoLanguage{639-2-B}{per}{farsi}%
585 \AddTrackedIsoLanguage{639-2-T}{fas}{farsi}%
586 \AddTrackedIsoLanguage{639-2}{fas}{farsi}%
587 }
588 \@tracklang@declareoption{persian}

```

\@tracklang@add@finnish

```

589 \def\@tracklang@add@finnish{%
590 \AddTrackedLanguage{finnish}%
591 \AddTrackedIsoLanguage{639-1}{fi}{finnish}%
592 \AddTrackedIsoLanguage{639-2}{fin}{finnish}%
593 }
594 \@tracklang@declareoption{finnish}

```

\@tracklang@add@flemish

```

595 \def\@tracklang@add@flemish{%
596 \AddTrackedDialect{flemish}{dutch}%
597 \AddTrackedIsoLanguage{639-1}{nl}{dutch}%
598 \AddTrackedIsoLanguage{639-2-B}{dut}{dutch}%
599 \AddTrackedIsoLanguage{639-2-T}{nld}{dutch}%
600 \AddTrackedIsoLanguage{639-2}{nld}{dutch}%
601 \AddTrackedIsoLanguage{3166-1}{BE}{flemish}%
602 }
603 \@tracklang@declareoption{flemish}

```

\@tracklang@add@français

```

604 \def\@tracklang@add@français{%
605 \AddTrackedDialect{français}{french}%
606 \AddTrackedIsoLanguage{639-1}{fr}{french}%
607 \AddTrackedIsoLanguage{639-2-B}{fre}{french}%

```

```

608 \AddTrackedIsoLanguage{639-2-T}{fra}{french}%
609 \AddTrackedIsoLanguage{639-2}{fra}{french}%
610 }
611 \@tracklang@declareoption{francais}

```

\@tracklang@add@frenchb

```

612 \def\@tracklang@add@frenchb{%
613 \AddTrackedDialect{frenchb}{french}%
614 \AddTrackedIsoLanguage{639-1}{fr}{french}%
615 \AddTrackedIsoLanguage{639-2-B}{fre}{french}%
616 \AddTrackedIsoLanguage{639-2-T}{fra}{french}%
617 \AddTrackedIsoLanguage{639-2}{fra}{french}%
618 }
619 \@tracklang@declareoption{frenchb}

```

\@tracklang@add@french

```

620 \def\@tracklang@add@french{%
621 \AddTrackedLanguage{french}%
622 \AddTrackedIsoLanguage{639-1}{fr}{french}%
623 \AddTrackedIsoLanguage{639-2-B}{fre}{french}%
624 \AddTrackedIsoLanguage{639-2-T}{fra}{french}%
625 \AddTrackedIsoLanguage{639-2}{fra}{french}%
626 }
627 \@tracklang@declareoption{french}

```

\@tracklang@add@france

```

628 \def\@tracklang@add@france{%
629 \AddTrackedDialect{france}{french}%
630 \AddTrackedIsoLanguage{639-1}{fr}{french}%
631 \AddTrackedIsoLanguage{639-2-B}{fre}{french}%
632 \AddTrackedIsoLanguage{639-2-T}{fra}{french}%
633 \AddTrackedIsoLanguage{639-2}{fra}{french}%
634 \AddTrackedIsoLanguage{3166-1}{FR}{france}%
635 }
636 \@tracklang@declareoption{france}

```

\@tracklang@add@belgique

```

637 \def\@tracklang@add@belgique{%
638 \AddTrackedDialect{belgique}{french}%
639 \AddTrackedIsoLanguage{639-1}{fr}{french}%
640 \AddTrackedIsoLanguage{639-2-B}{fre}{french}%
641 \AddTrackedIsoLanguage{639-2-T}{fra}{french}%
642 \AddTrackedIsoLanguage{639-2}{fra}{french}%
643 \AddTrackedIsoLanguage{3166-1}{BE}{belgique}%
644 }
645 \@tracklang@declareoption{belgique}

```

\@tracklang@add@belgiangerman


```

646 \def\@tracklang@add@belgiangerman{%
647   \AddTrackedDialect{belgiangerman}{german}%
648   \AddTrackedIsoLanguage{639-1}{de}{german}%
649   \AddTrackedIsoLanguage{639-2-B}{ger}{german}%
650   \AddTrackedIsoLanguage{639-2-T}{deu}{german}%
651   \AddTrackedIsoLanguage{639-2}{deu}{german}%
652   \AddTrackedIsoLanguage{3166-1}{BE}{belgiangerman}%
653 }
654 \@tracklang@declareoption{belgiangerman}

```

\@tracklang@add@friulan

```

655 \def\@tracklang@add@friulan{%
656   \AddTrackedLanguage{friulan}%
657   \AddTrackedIsoLanguage{639-2}{fur}{friulan}%
658   \AddTrackedIsoLanguage{3166-1}{IT}{friulan}%
659 }
660 \@tracklang@declareoption{friulan}

```

\@tracklang@add@friulian

```

661 \def\@tracklang@add@friulian{%
662   \AddTrackedDialect{friulian}{friulan}%
663   \AddTrackedIsoLanguage{639-2}{fur}{friulan}%
664   \AddTrackedIsoLanguage{3166-1}{IT}{friulan}%
665 }
666 \@tracklang@declareoption{friulian}

```

\@tracklang@add@friulano

```

667 \def\@tracklang@add@friulano{%
668   \AddTrackedDialect{friulano}{friulan}%
669   \AddTrackedIsoLanguage{639-2}{fur}{friulan}%
670   \AddTrackedIsoLanguage{3166-1}{IT}{friulan}%
671 }
672 \@tracklang@declareoption{friulano}

```

\@tracklang@add@galician

```

673 \def\@tracklang@add@galician{%
674   \AddTrackedLanguage{galician}%
675   \AddTrackedIsoLanguage{639-1}{gl}{galician}%
676   \AddTrackedIsoLanguage{639-2}{glg}{galician}%
677 }
678 \@tracklang@declareoption{galician}

```

\@tracklang@add@galicien

```

679 \def\@tracklang@add@galicien{%
680   \AddTrackedDialect{galicien}{galician}%
681   \AddTrackedIsoLanguage{639-1}{gl}{galician}%
682   \AddTrackedIsoLanguage{639-2}{glg}{galician}%
683 }
684 \@tracklang@declareoption{galicien}

```

\@tracklang@add@german

```
685 \def\@tracklang@add@german{%
686   \AddTrackedLanguage{german}%
687   \AddTrackedIsoLanguage{639-1}{de}{german}%
688   \AddTrackedIsoLanguage{639-2-B}{ger}{german}%
689   \AddTrackedIsoLanguage{639-2-T}{deu}{german}%
690   \AddTrackedIsoLanguage{639-2}{deu}{german}%
691 }
692 \@tracklang@declareoption{german}
```

\@tracklang@add@deutsch

```
693 \def\@tracklang@add@deutsch{%
694   \AddTrackedDialect{deutsch}{german}%
695   \AddTrackedIsoLanguage{639-1}{de}{german}%
696   \AddTrackedIsoLanguage{639-2-B}{ger}{german}%
697   \AddTrackedIsoLanguage{639-2-T}{deu}{german}%
698   \AddTrackedIsoLanguage{639-2}{deu}{german}%
699 }
700 \@tracklang@declareoption{deutsch}
```

\@tracklang@add@ngerman

```
701 \def\@tracklang@add@ngerman{%
702   \AddTrackedDialect{ngerman}{german}%
703   \AddTrackedIsoLanguage{639-1}{de}{german}%
704   \AddTrackedIsoLanguage{639-2-B}{ger}{german}%
705   \AddTrackedIsoLanguage{639-2-T}{deu}{german}%
706   \AddTrackedIsoLanguage{639-2}{deu}{german}%
707 }
708 \@tracklang@declareoption{ngerman}
```

\@tracklang@add@ngermanDE

```
709 \def\@tracklang@add@ngermanDE{%
710   \AddTrackedDialect{ngerman}{german}%
711   \AddTrackedIsoLanguage{639-1}{de}{german}%
712   \AddTrackedIsoLanguage{639-2-B}{ger}{german}%
713   \AddTrackedIsoLanguage{639-2-T}{deu}{german}%
714   \AddTrackedIsoLanguage{639-2}{deu}{german}%
715   \AddTrackedIsoLanguage{3166-1}{DE}{germany}%
716 }
717 \@tracklang@declareoption{ngermanDE}
```

\@tracklang@add@greek

```
718 \def\@tracklang@add@greek{%
719   \AddTrackedLanguage{greek}%
720   \AddTrackedIsoLanguage{639-1}{el}{greek}%
721   \AddTrackedIsoLanguage{639-2-B}{gre}{greek}%
722   \AddTrackedIsoLanguage{639-2-T}{ell}{greek}%
723   \AddTrackedIsoLanguage{639-2}{ell}{greek}%
724 }
```

725 \@tracklang@declareoption{greek}

\@tracklang@add@hebrew

```
726 \def\@tracklang@add@hebrew{%  
727   \AddTrackedLanguage{hebrew}%  
728   \AddTrackedIsoLanguage{639-1}{he}{hebrew}%  
729   \AddTrackedIsoLanguage{639-2}{heb}{hebrew}%  
730 }  
731 \@tracklang@declareoption{hebrew}
```

\@tracklang@add@hindi

```
732 \def\@tracklang@add@hindi{%  
733   \AddTrackedLanguage{hindi}%  
734   \AddTrackedIsoLanguage{639-1}{hi}{hindi}%  
735   \AddTrackedIsoLanguage{639-2}{hin}{hindi}%  
736 }  
737 \@tracklang@declareoption{hindi}
```

\@tracklang@add@hungarian

```
738 \def\@tracklang@add@hungarian{%  
739   \AddTrackedDialect{hungarian}{magyar}%  
740   \AddTrackedIsoLanguage{639-1}{hu}{magyar}%  
741   \AddTrackedIsoLanguage{639-2}{hun}{magyar}%  
742   \AddTrackedIsoLanguage{3166-1}{HU}{hungarian}%  
743 }  
744 \@tracklang@declareoption{hungarian}
```

\@tracklang@add@magyar

```
745 \def\@tracklang@add@magyar{%  
746   \AddTrackedLanguage{magyar}%  
747   \AddTrackedIsoLanguage{639-1}{hu}{magyar}%  
748   \AddTrackedIsoLanguage{639-2}{hun}{magyar}%  
749 }  
750 \@tracklang@declareoption{magyar}
```

\@tracklang@add@icelandic

```
751 \def\@tracklang@add@icelandic{%  
752   \AddTrackedLanguage{icelandic}%  
753   \AddTrackedIsoLanguage{639-1}{is}{icelandic}%  
754   \AddTrackedIsoLanguage{639-2-B}{ice}{icelandic}%  
755   \AddTrackedIsoLanguage{639-2-T}{isl}{icelandic}%  
756   \AddTrackedIsoLanguage{639-2}{isl}{icelandic}%  
757 }  
758 \@tracklang@declareoption{icelandic}
```

\@tracklang@add@indon

```
759 \def\@tracklang@add@indon{%  
760   \AddTrackedDialect{indon}{bahasai}%
```

```

761 \AddTrackedIsoLanguage{639-1}{id}{bahasai}%
762 \AddTrackedIsoLanguage{639-2}{ind}{bahasai}%
763 \AddTrackedIsoLanguage{3166-1}{IN}{indon}%
764 }
765 \@tracklang@declareoption{indon}

\@tracklang@add@indonesian
766 \def\@tracklang@add@indonesian{%
767 \AddTrackedDialect{indonesian}{bahasai}%
768 \AddTrackedIsoLanguage{639-1}{id}{bahasai}%
769 \AddTrackedIsoLanguage{639-2}{ind}{bahasai}%
770 \AddTrackedIsoLanguage{3166-1}{IN}{indonesian}%
771 }
772 \@tracklang@declareoption{indonesian}

\@tracklang@add@interlingua
773 \def\@tracklang@add@interlingua{%
774 \AddTrackedLanguage{interlingua}%
775 \AddTrackedIsoLanguage{639-1}{ia}{interlingua}%
776 \AddTrackedIsoLanguage{639-2}{ina}{interlingua}%
777 }
778 \@tracklang@declareoption{interlingua}

\@tracklang@add@irish
779 \def\@tracklang@add@irish{%
780 \AddTrackedLanguage{irish}%
781 \AddTrackedIsoLanguage{639-1}{ga}{irish}%
782 \AddTrackedIsoLanguage{639-2}{gle}{irish}%
783 }
784 \@tracklang@declareoption{irish}

\@tracklang@add@gaeilge
785 \def\@tracklang@add@gaeilge{%
786 \AddTrackedDialect{gaeilge}{irish}%
787 \AddTrackedIsoLanguage{639-1}{ga}{irish}%
788 \AddTrackedIsoLanguage{639-2}{gle}{irish}%
789 }
790 \@tracklang@declareoption{gaeilge}

\@tracklang@add@italian
791 \def\@tracklang@add@italian{%
792 \AddTrackedLanguage{italian}%
793 \AddTrackedIsoLanguage{639-1}{it}{italian}%
794 \AddTrackedIsoLanguage{639-2}{ita}{italian}%
795 }
796 \@tracklang@declareoption{italian}

\@tracklang@add@italy

```

```

797 \def\@tracklang@add@italy{%
798   \AddTrackedDialect{italy}{italian}%
799   \AddTrackedIsoLanguage{639-1}{it}{italian}%
800   \AddTrackedIsoLanguage{639-2}{ita}{italian}%
801   \AddTrackedIsoLanguage{3166-1}{IT}{italy}%
802 }
803 \@tracklang@declareoption{italy}

\@tracklang@add@vatican

804 \def\@tracklang@add@vatican{%
805   \AddTrackedDialect{vatican}{italian}%
806   \AddTrackedIsoLanguage{639-1}{it}{italian}%
807   \AddTrackedIsoLanguage{639-2}{ita}{italian}%
808   \AddTrackedIsoLanguage{3166-1}{VA}{vatican}%
809 }
810 \@tracklang@declareoption{vatican}

\@tracklang@add@sanmarino

811 \def\@tracklang@add@sanmarino{%
812   \AddTrackedDialect{sanmarino}{italian}%
813   \AddTrackedIsoLanguage{639-1}{it}{italian}%
814   \AddTrackedIsoLanguage{639-2}{ita}{italian}%
815   \AddTrackedIsoLanguage{3166-1}{SM}{sanmarino}%
816 }
817 \@tracklang@declareoption{sanmarino}

\@tracklang@add@sloveneistriaitalian

818 \def\@tracklang@add@sloveneistriaitalian{%
819   \AddTrackedDialect{sloveneistriaitalian}{italian}%
820   \AddTrackedIsoLanguage{639-1}{it}{italian}%
821   \AddTrackedIsoLanguage{639-2}{ita}{italian}%
822   \AddTrackedIsoLanguage{3166-1}{SI}{sloveneistriaitalian}%
823 }
824 \@tracklang@declareoption{sloveneistriaitalian}

\@tracklang@add@jerseyenglish

825 \def\@tracklang@add@jerseyenglish{%
826   \AddTrackedDialect{jerseyenglish}{english}%
827   \AddTrackedIsoLanguage{639-1}{en}{english}%
828   \AddTrackedIsoLanguage{639-2}{eng}{english}%
829   \AddTrackedIsoLanguage{3166-1}{JE}{jerseyenglish}%
830 }
831 \@tracklang@declareoption{jerseyenglish}

\@tracklang@add@jerseyfrench

832 \def\@tracklang@add@jerseyfrench{%
833   \AddTrackedDialect{jerseyfrench}{french}%
834   \AddTrackedIsoLanguage{639-1}{fr}{french}%
835   \AddTrackedIsoLanguage{639-2-B}{fre}{french}%

```

```

836 \AddTrackedIsoLanguage{639-2-T}{fra}{french}%
837 \AddTrackedIsoLanguage{639-2}{fra}{french}%
838 \AddTrackedIsoLanguage{3166-1}{JE}{jerseyfrench}%
839 }
840 \@tracklang@declareoption{jerseyfrench}

```

\@tracklang@add@guernseyenglish

```

841 \def\@tracklang@add@guernseyenglish{%
842 \AddTrackedDialect{guernseyenglish}{english}%
843 \AddTrackedIsoLanguage{639-1}{en}{english}%
844 \AddTrackedIsoLanguage{639-2}{eng}{english}%
845 \AddTrackedIsoLanguage{3166-1}{GG}{guernseyenglish}%
846 }
847 \@tracklang@declareoption{guernseyenglish}

```

\@tracklang@add@guernseyfrench

```

848 \def\@tracklang@add@guernseyfrench{%
849 \AddTrackedDialect{guernseyfrench}{french}%
850 \AddTrackedIsoLanguage{639-1}{fr}{french}%
851 \AddTrackedIsoLanguage{639-2-B}{fre}{french}%
852 \AddTrackedIsoLanguage{639-2-T}{fra}{french}%
853 \AddTrackedIsoLanguage{639-2}{fra}{french}%
854 \AddTrackedIsoLanguage{3166-1}{GG}{guernseyfrench}%
855 }
856 \@tracklang@declareoption{guernseyfrench}

```

\@tracklang@add@kannada

```

857 \def\@tracklang@add@kannada{%
858 \AddTrackedLanguage{kannada}%
859 \AddTrackedIsoLanguage{639-1}{kn}{kannada}%
860 \AddTrackedIsoLanguage{639-2}{kan}{kannada}%
861 }
862 \@tracklang@declareoption{kannada}

```

\@tracklang@add@lao

```

863 \def\@tracklang@add@lao{%
864 \AddTrackedLanguage{lao}%
865 \AddTrackedIsoLanguage{639-1}{lo}{lao}%
866 \AddTrackedIsoLanguage{639-2}{lao}{lao}%
867 }
868 \@tracklang@declareoption{lao}

```

\@tracklang@add@latin

```

869 \def\@tracklang@add@latin{%
870 \AddTrackedLanguage{latin}%
871 \AddTrackedIsoLanguage{639-1}{la}{latin}%
872 \AddTrackedIsoLanguage{639-2}{lat}{latin}%
873 }
874 \@tracklang@declareoption{latin}

```

\@tracklang@add@latein

```
875 \def\@tracklang@add@latein{%  
876   \AddTrackedDialect{latein}{latin}%  
877   \AddTrackedIsoLanguage{639-1}{la}{latin}%  
878   \AddTrackedIsoLanguage{639-2}{lat}{latin}%  
879 }  
880 \@tracklang@declareoption{latein}
```

\@tracklang@add@latvian

```
881 \def\@tracklang@add@latvian{%  
882   \AddTrackedLanguage{latvian}%  
883   \AddTrackedIsoLanguage{639-1}{lv}{latvian}%  
884   \AddTrackedIsoLanguage{639-2}{lav}{latvian}%  
885 }  
886 \@tracklang@declareoption{latvian}
```

\@tracklang@add@lithuanian

```
887 \def\@tracklang@add@lithuanian{%  
888   \AddTrackedLanguage{lithuanian}%  
889   \AddTrackedIsoLanguage{639-1}{lt}{lithuanian}%  
890   \AddTrackedIsoLanguage{639-2}{lit}{lithuanian}%  
891 }  
892 \@tracklang@declareoption{lithuanian}
```

\@tracklang@add@lsorbian

```
893 \def\@tracklang@add@lsorbian{%  
894   \AddTrackedLanguage{lsorbian}%  
895   \AddTrackedIsoLanguage{639-2}{dsb}{lsorbian}%  
896   \AddTrackedIsoLanguage{3166-1}{DE}{lsorbian}%  
897 }  
898 \@tracklang@declareoption{lsorbian}
```

\@tracklang@add@lowersorbian

```
899 \def\@tracklang@add@lowersorbian{%  
900   \AddTrackedDialect{lowersorbian}{lsorbian}%  
901   \AddTrackedIsoLanguage{639-2}{dsb}{lsorbian}%  
902   \AddTrackedIsoLanguage{3166-1}{DE}{lowersorbian}%  
903 }  
904 \@tracklang@declareoption{lowersorbian}
```

\@tracklang@add@malay

```
905 \def\@tracklang@add@malay{%  
906   \AddTrackedDialect{malay}{bahasam}%  
907   \AddTrackedIsoLanguage{639-1}{ms}{bahasam}%  
908   \AddTrackedIsoLanguage{639-2-B}{may}{bahasam}%  
909   \AddTrackedIsoLanguage{639-2-T}{msa}{bahasam}%  
910   \AddTrackedIsoLanguage{639-2}{msa}{bahasam}%  
911   \AddTrackedIsoLanguage{3166-1}{MY}{malay}%
```

```

912 }
913 \@tracklang@declareoption{malay}

\@tracklang@add@meyalu
914 \def\@tracklang@add@meyalu{%
915   \AddTrackedDialect{meyalu}{bahasam}%
916   \AddTrackedIsoLanguage{639-1}{ms}{bahasam}%
917   \AddTrackedIsoLanguage{639-2-B}{may}{bahasam}%
918   \AddTrackedIsoLanguage{639-2-T}{msa}{bahasam}%
919   \AddTrackedIsoLanguage{639-2}{msa}{bahasam}%
920   \AddTrackedIsoLanguage{3166-1}{MY}{meyalu}%
921 }
922 \@tracklang@declareoption{meyalu}

\@tracklang@add@maltese
923 \def\@tracklang@add@maltese{%
924   \AddTrackedLanguage{maltese}%
925   \AddTrackedIsoLanguage{639-1}{mt}{maltese}%
926   \AddTrackedIsoLanguage{639-2}{mlt}{maltese}%
927 }
928 \@tracklang@declareoption{maltese}

\@tracklang@add@maltamaltese
929 \def\@tracklang@add@maltamaltese{%
930   \AddTrackedDialect{maltamaltese}{maltese}%
931   \AddTrackedIsoLanguage{639-1}{mt}{maltese}%
932   \AddTrackedIsoLanguage{639-2}{mlt}{maltese}%
933   \AddTrackedIsoLanguage{3166-1}{MT}{maltamaltese}%
934 }
935 \@tracklang@declareoption{maltamaltese}

\@tracklang@add@maltaenglish
936 \def\@tracklang@add@maltaenglish{%
937   \AddTrackedDialect{maltaenglish}{english}%
938   \AddTrackedIsoLanguage{639-1}{en}{english}%
939   \AddTrackedIsoLanguage{639-2}{eng}{english}%
940   \AddTrackedIsoLanguage{3166-1}{MT}{maltaenglish}%
941 }
942 \@tracklang@declareoption{maltaenglish}

\@tracklang@add@malayalam
943 \def\@tracklang@add@malayalam{%
944   \AddTrackedLanguage{malayalam}%
945   \AddTrackedIsoLanguage{639-1}{ml}{malayalam}%
946   \AddTrackedIsoLanguage{639-2}{mal}{malayalam}%
947 }
948 \@tracklang@declareoption{malayalam}

```


\@tracklang@add@marathi

```
949 \def\@tracklang@add@marathi{%
950   \AddTrackedLanguage{marathi}%
951   \AddTrackedIsoLanguage{639-1}{mr}{marathi}%
952   \AddTrackedIsoLanguage{639-2}{mar}{marathi}%
953 }
954 \@tracklang@declareoption{marathi}
```

\@tracklang@add@newzealand

```
955 \def\@tracklang@add@newzealand{%
956   \AddTrackedDialect{newzealand}{english}%
957   \AddTrackedIsoLanguage{639-1}{en}{english}%
958   \AddTrackedIsoLanguage{639-2}{eng}{english}%
959   \AddTrackedIsoLanguage{3166-1}{NZ}{newzealand}%
960 }
961 \@tracklang@declareoption{newzealand}
```

\@tracklang@add@isleofmanenglish

```
962 \def\@tracklang@add@isleofmanenglish{%
963   \AddTrackedDialect{isleofmanenglish}{english}%
964   \AddTrackedIsoLanguage{639-1}{en}{english}%
965   \AddTrackedIsoLanguage{639-2}{eng}{english}%
966   \AddTrackedIsoLanguage{3166-1}{IM}{isleofmanenglish}%
967 }
968 \@tracklang@declareoption{isleofmanenglish}
```

\@tracklang@add@manx

```
969 \def\@tracklang@add@manx{%
970   \AddTrackedLanguage{manx}%
971   \AddTrackedIsoLanguage{639-1}{gv}{manx}%
972   \AddTrackedIsoLanguage{639-2}{glv}{manx}%
973   \AddTrackedIsoLanguage{3166-1}{IM}{manx}%
974 }
975 \@tracklang@declareoption{manx}
```

\@tracklang@add@nko

```
976 \def\@tracklang@add@nko{%
977   \AddTrackedLanguage{nko}%
978   \AddTrackedIsoLanguage{639-2}{nqo}{nko}%
979 }
980 \@tracklang@declareoption{nko}
```

\@tracklang@add@nynorsk

```
981 \def\@tracklang@add@nynorsk{%
982   \AddTrackedDialect{nynorsk}{norsk}%
983   \AddTrackedIsoLanguage{639-1}{nn}{norsk}%
984   \AddTrackedIsoLanguage{639-2}{nno}{norsk}%
985   \AddTrackedIsoLanguage{3166-1}{NO}{nynorsk}%

```

```

986 }
987 \@tracklang@declareoption{nynorsk}

\@tracklang@add@norwegian
988 \def\@tracklang@add@norwegian{%
989   \AddTrackedDialect{norwegian}{norsk}%
990   \AddTrackedIsoLanguage{639-1}{nn}{norsk}%
991   \AddTrackedIsoLanguage{639-2}{nno}{norsk}%
992   \AddTrackedIsoLanguage{3166-1}{NO}{norwegian}%
993 }
994 \@tracklang@declareoption{norwegian}

\@tracklang@add@norsk
995 \def\@tracklang@add@norsk{%
996   \AddTrackedLanguage{norsk}%
997   \AddTrackedIsoLanguage{639-1}{nn}{norsk}%
998   \AddTrackedIsoLanguage{639-2}{nno}{norsk}%
999   \AddTrackedIsoLanguage{3166-1}{NO}{norsk}%
1000 }
1001 \@tracklang@declareoption{norsk}

\@tracklang@add@occitan
1002 \def\@tracklang@add@occitan{%
1003   \AddTrackedLanguage{occitan}%
1004   \AddTrackedIsoLanguage{639-1}{oc}{occitan}%
1005   \AddTrackedIsoLanguage{639-2}{oci}{occitan}%
1006 }
1007 \@tracklang@declareoption{occitan}

\@tracklang@add@piedmontese
1008 \def\@tracklang@add@piedmontese{%
1009   \AddTrackedLanguage{piedmontese}%
1010   \AddTrackedIsoLanguage{3166-1}{IT}{piedmontese}%
1011 }
1012 \@tracklang@declareoption{piedmontese}

\@tracklang@add@piemonteis
1013 \def\@tracklang@add@piemonteis{%
1014   \AddTrackedDialect{piemonteis}{piedmontese}%
1015   \AddTrackedIsoLanguage{3166-1}{IT}{piemonteis}%
1016 }
1017 \@tracklang@declareoption{piemonteis}

\@tracklang@add@polish
1018 \def\@tracklang@add@polish{%
1019   \AddTrackedLanguage{polish}%
1020   \AddTrackedIsoLanguage{639-1}{pl}{polish}%
1021   \AddTrackedIsoLanguage{639-2}{pol}{polish}%
1022 }
1023 \@tracklang@declareoption{polish}

```

acklang@add@polutonikogreek

```
1024 \def\@tracklang@add@polutonikogreek{%  
1025   \AddTrackedDialect{polutonikogreek}{greek}%  
1026   \AddTrackedIsoLanguage{639-1}{el}{greek}%  
1027   \AddTrackedIsoLanguage{639-2-B}{gre}{greek}%  
1028   \AddTrackedIsoLanguage{639-2-T}{ell}{greek}%  
1029   \AddTrackedIsoLanguage{639-2}{ell}{greek}%  
1030 }  
1031 \@tracklang@declareoption{polutonikogreek}
```

\@tracklang@add@polutoniko

```
1032 \def\@tracklang@add@polutoniko{%  
1033   \AddTrackedDialect{polutoniko}{greek}%  
1034   \AddTrackedIsoLanguage{639-1}{el}{greek}%  
1035   \AddTrackedIsoLanguage{639-2-B}{gre}{greek}%  
1036   \AddTrackedIsoLanguage{639-2-T}{ell}{greek}%  
1037   \AddTrackedIsoLanguage{639-2}{ell}{greek}%  
1038 }  
1039 \@tracklang@declareoption{polutoniko}
```

\@tracklang@add@portuguese

```
1040 \def\@tracklang@add@portuguese{%  
1041   \AddTrackedDialect{portuguese}{portuges}%  
1042   \AddTrackedIsoLanguage{639-1}{pt}{portuges}%  
1043   \AddTrackedIsoLanguage{639-2}{por}{portuges}%  
1044 }  
1045 \@tracklang@declareoption{portuguese}
```

\@tracklang@add@portuges

```
1046 \def\@tracklang@add@portuges{%  
1047   \AddTrackedLanguage{portuges}%  
1048   \AddTrackedIsoLanguage{639-1}{pt}{portuges}%  
1049   \AddTrackedIsoLanguage{639-2}{por}{portuges}%  
1050 }  
1051 \@tracklang@declareoption{portuges}
```

\@tracklang@add@portugal

```
1052 \def\@tracklang@add@portugal{%  
1053   \AddTrackedDialect{portgual}{portuges}%  
1054   \AddTrackedIsoLanguage{639-1}{pt}{portuges}%  
1055   \AddTrackedIsoLanguage{639-2}{por}{portuges}%  
1056   \AddTrackedIsoLanguage{3166-1}{PT}{portugal}%  
1057 }  
1058 \@tracklang@declareoption{portugal}
```

\@tracklang@add@romanian

```
1059 \def\@tracklang@add@romanian{%  
1060   \AddTrackedLanguage{romanian}%
```

```

1061 \AddTrackedIsoLanguage{639-1}{ro}{romanian}%
1062 \AddTrackedIsoLanguage{639-2-B}{rum}{romanian}%
1063 \AddTrackedIsoLanguage{639-2-T}{ron}{romanian}%
1064 \AddTrackedIsoLanguage{639-2}{ron}{romanian}%
1065 }
1066 \@tracklang@declareoption{romanian}

```

\@tracklang@add@romansh

```

1067 \def\@tracklang@add@romansh{%
1068 \AddTrackedLanguage{romansh}%
1069 \AddTrackedIsoLanguage{639-1}{rm}{romansh}%
1070 \AddTrackedIsoLanguage{639-2}{roh}{romansh}%
1071 }
1072 \@tracklang@declareoption{romansh}

```

\@tracklang@add@romansch

```

1073 \def\@tracklang@add@romansch{%
1074 \AddTrackedDialect{romansch}{romansh}%
1075 \AddTrackedIsoLanguage{639-1}{rm}{romansh}%
1076 \AddTrackedIsoLanguage{639-2}{roh}{romansh}%
1077 }
1078 \@tracklang@declareoption{romansch}

```

\@tracklang@add@rumantsch

```

1079 \def\@tracklang@add@rumantsch{%
1080 \AddTrackedDialect{rumantsch}{romansh}%
1081 \AddTrackedIsoLanguage{639-1}{rm}{romansh}%
1082 \AddTrackedIsoLanguage{639-2}{roh}{romansh}%
1083 }
1084 \@tracklang@declareoption{rumantsch}

```

\@tracklang@add@romanche

```

1085 \def\@tracklang@add@romanche{%
1086 \AddTrackedDialect{romanche}{romansh}%
1087 \AddTrackedIsoLanguage{639-1}{rm}{romansh}%
1088 \AddTrackedIsoLanguage{639-2}{roh}{romansh}%
1089 }
1090 \@tracklang@declareoption{romanche}

```

\@tracklang@add@russian

```

1091 \def\@tracklang@add@russian{%
1092 \AddTrackedLanguage{russian}%
1093 \AddTrackedIsoLanguage{639-1}{ru}{russian}%
1094 \AddTrackedIsoLanguage{639-2}{rus}{russian}%
1095 }
1096 \@tracklang@declareoption{russian}

```

\@tracklang@add@russianb

```

1097 \def\@tracklang@add@russianb{%
1098   \AddTrackedDialect{russianb}{russian}%
1099   \AddTrackedIsoLanguage{639-1}{ru}{russian}%
1100   \AddTrackedIsoLanguage{639-2}{rus}{russian}%
1101 }
1102 \@tracklang@declareoption{russianb}

```

\@tracklang@add@samin

```

1103 \def\@tracklang@add@samin{%
1104   \AddTrackedLanguage{samin}%
1105   \AddTrackedIsoLanguage{639-1}{se}{samin}%
1106   \AddTrackedIsoLanguage{639-2}{sme}{samin}%
1107 }
1108 \@tracklang@declareoption{samin}

```

\@tracklang@add@sanskrit

```

1109 \def\@tracklang@add@sanskrit{%
1110   \AddTrackedLanguage{sanskrit}%
1111   \AddTrackedIsoLanguage{639-1}{sa}{sanskrit}%
1112   \AddTrackedIsoLanguage{639-2}{san}{sanskrit}%
1113 }
1114 \@tracklang@declareoption{sanskrit}

```

\@tracklang@add@scottish

```

1115 \def\@tracklang@add@scottish{%
1116   \AddTrackedLanguage{scottish}%
1117   \AddTrackedIsoLanguage{639-1}{gd}{scottish}%
1118   \AddTrackedIsoLanguage{639-2}{gla}{scottish}%
1119 }
1120 \@tracklang@declareoption{scottish}

```

\@tracklang@add@gaelic

```

1121 \def\@tracklang@add@gaelic{%
1122   \AddTrackedDialect{gaelic}{scottish}%
1123   \AddTrackedIsoLanguage{639-1}{gd}{scottish}%
1124   \AddTrackedIsoLanguage{639-2}{gla}{scottish}%
1125 }
1126 \@tracklang@declareoption{gaelic}

```

\@tracklang@add@serbian

```

1127 \def\@tracklang@add@serbian{%
1128   \AddTrackedLanguage{serbian}%
1129   \AddTrackedIsoLanguage{639-1}{sr}{serbian}%
1130   \AddTrackedIsoLanguage{639-2}{srp}{serbian}%
1131 }
1132 \@tracklang@declareoption{serbian}

```

\@tracklang@add@slovak

```

1133 \def\@tracklang@add@slovak{%
1134   \AddTrackedLanguage{slovak}%
1135   \AddTrackedIsoLanguage{639-1}{sk}{slovak}%
1136   \AddTrackedIsoLanguage{639-2-B}{slo}{slovak}%
1137   \AddTrackedIsoLanguage{639-2-T}{slk}{slovak}%
1138   \AddTrackedIsoLanguage{639-2}{slk}{slovak}%
1139 }
1140 \@tracklang@declareoption{slovak}

```

\@tracklang@add@slovene

```

1141 \def\@tracklang@add@slovene{%
1142   \AddTrackedLanguage{slovene}%
1143   \AddTrackedIsoLanguage{639-1}{sl}{slovene}%
1144   \AddTrackedIsoLanguage{639-2}{slv}{slovene}%
1145 }
1146 \@tracklang@declareoption{slovene}

```

\@tracklang@add@slovenian

```

1147 \def\@tracklang@add@slovenian{%
1148   \AddTrackedDialect{slovenian}{slovene}%
1149   \AddTrackedIsoLanguage{639-1}{sl}{slovene}%
1150   \AddTrackedIsoLanguage{639-2}{slv}{slovene}%
1151 }
1152 \@tracklang@declareoption{slovenian}

```

\@tracklang@add@slovenia

```

1153 \def\@tracklang@add@slovenia{%
1154   \AddTrackedDialect{slovenia}{slovene}%
1155   \AddTrackedIsoLanguage{639-1}{sl}{slovene}%
1156   \AddTrackedIsoLanguage{639-2}{slv}{slovene}%
1157   \AddTrackedIsoLanguage{3166-1}{SI}{slovenia}%
1158 }
1159 \@tracklang@declareoption{slovenia}

```

\@tracklang@add@sloveneistriaslovenian

```

1160 \def\@tracklang@add@sloveneistriaslovenian{%
1161   \AddTrackedDialect{sloveneistriaslovenian}{slovenian}%
1162   \AddTrackedIsoLanguage{639-1}{sl}{slovene}%
1163   \AddTrackedIsoLanguage{639-2}{slv}{slovene}%
1164   \AddTrackedIsoLanguage{3166-1}{SI}{sloveneistriaslovenian}%
1165 }
1166 \@tracklang@declareoption{sloveneistriaslovenian}

```

\@tracklang@add@spanish

```

1167 \def\@tracklang@add@spanish{%
1168   \AddTrackedLanguage{spanish}%
1169   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1170   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1171 }

```

```

1172 \@tracklang@declareoption{spanish}

@tracklang@add@spainspanish
1173 \def\@tracklang@add@spainspanish{%
1174   \AddTrackedDialect{spainspanish}{spanish}%
1175   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1176   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1177   \AddTrackedIsoLanguage{3166-1}{ES}{spainspanish}%
1178 }
1179 \@tracklang@declareoption{spainspanish}

cklang@add@argentinespanish
1180 \def\@tracklang@add@argentinespanish{%
1181   \AddTrackedDialect{argentinespanish}{spanish}%
1182   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1183   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1184   \AddTrackedIsoLanguage{3166-1}{AR}{argentinespanish}%
1185 }
1186 \@tracklang@declareoption{argentinespanish}

acklang@add@bolivianspanish
1187 \def\@tracklang@add@bolivianspanish{%
1188   \AddTrackedDialect{bolivianspanish}{spanish}%
1189   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1190   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1191   \AddTrackedIsoLanguage{3166-1}{B0}{bolivianspanish}%
1192 }
1193 \@tracklang@declareoption{bolivianspanish}

racklang@add@chilianspanish
1194 \def\@tracklang@add@chilianspanish{%
1195   \AddTrackedDialect{chilianspanish}{spanish}%
1196   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1197   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1198   \AddTrackedIsoLanguage{3166-1}{CL}{chilianspanish}%
1199 }
1200 \@tracklang@declareoption{chilianspanish}

cklang@add@columbianspanish
1201 \def\@tracklang@add@columbianspanish{%
1202   \AddTrackedDialect{columbianspanish}{spanish}%
1203   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1204   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1205   \AddTrackedIsoLanguage{3166-1}{C0}{columbianspanish}%
1206 }
1207 \@tracklang@declareoption{columbianspanish}

cklang@add@costaricanspanish

```

```

1208 \def\@tracklang@add@costaricanspanish{%
1209   \AddTrackedDialect{costaricanspanish}{spanish}%
1210   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1211   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1212   \AddTrackedIsoLanguage{3166-1}{CR}{costaricanspanish}%
1213 }
1214 \@tracklang@declareoption{costaricanspanish}

\@tracklang@add@cubanspanish

1215 \def\@tracklang@add@cubanspanish{%
1216   \AddTrackedDialect{cubanspanish}{spanish}%
1217   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1218   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1219   \AddTrackedIsoLanguage{3166-1}{CU}{cubanspanish}%
1220 }
1221 \@tracklang@declareoption{cubanspanish}

\@tracklang@add@dominicanspanish

1222 \def\@tracklang@add@dominicanspanish{%
1223   \AddTrackedDialect{dominicanspanish}{spanish}%
1224   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1225   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1226   \AddTrackedIsoLanguage{3166-1}{DO}{dominicanspanish}%
1227 }
1228 \@tracklang@declareoption{dominicanspanish}

\@tracklang@add@ecudorianspanish

1229 \def\@tracklang@add@ecudorianspanish{%
1230   \AddTrackedDialect{ecudorianspanish}{spanish}%
1231   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1232   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1233   \AddTrackedIsoLanguage{3166-1}{EC}{ecudorianspanish}%
1234 }
1235 \@tracklang@declareoption{ecudorianspanish}

\@tracklang@add@elsalvadorspanish

1236 \def\@tracklang@add@elsalvadorspanish{%
1237   \AddTrackedDialect{elsalvadorspanish}{spanish}%
1238   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1239   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1240   \AddTrackedIsoLanguage{3166-1}{SV}{elsalvadorspanish}%
1241 }
1242 \@tracklang@declareoption{elsalvadorspanish}

\@tracklang@add@guatemalanspanish

1243 \def\@tracklang@add@guatemalanspanish{%
1244   \AddTrackedDialect{guatemalanspanish}{spanish}%
1245   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1246   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%

```



```

1247 \AddTrackedIsoLanguage{3166-1}{GT}{guatemalanspanish}%
1248 }
1249 \@tracklang@declareoption{guatemalanspanish}

acklang@add@honduranspanish

1250 \def\@tracklang@add@honduranspanish{%
1251 \AddTrackedDialect{honduranspanish}{spanish}%
1252 \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1253 \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1254 \AddTrackedIsoLanguage{3166-1}{HN}{honduranspanish}%
1255 }
1256 \@tracklang@declareoption{honduranspanish}

acklang@add@mexicanspanish

1257 \def\@tracklang@add@mexicanspanish{%
1258 \AddTrackedDialect{mexicanspanish}{spanish}%
1259 \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1260 \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1261 \AddTrackedIsoLanguage{3166-1}{MX}{mexicanspanish}%
1262 }
1263 \@tracklang@declareoption{mexicanspanish}

acklang@add@nicaraguanspanish

1264 \def\@tracklang@add@nicaraguanspanish{%
1265 \AddTrackedDialect{nicaraguanspanish}{spanish}%
1266 \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1267 \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1268 \AddTrackedIsoLanguage{3166-1}{NI}{nicaraguanspanish}%
1269 }
1270 \@tracklang@declareoption{nicaraguanspanish}

acklang@add@panamaspanish

1271 \def\@tracklang@add@panamaspanish{%
1272 \AddTrackedDialect{panamaspanish}{spanish}%
1273 \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1274 \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1275 \AddTrackedIsoLanguage{3166-1}{PA}{panamaspanish}%
1276 }
1277 \@tracklang@declareoption{panamaspanish}

acklang@add@paraguayspanish

1278 \def\@tracklang@add@paraguayspanish{%
1279 \AddTrackedDialect{paraguayspanish}{spanish}%
1280 \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1281 \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1282 \AddTrackedIsoLanguage{3166-1}{PY}{paraguayspanish}%
1283 }
1284 \@tracklang@declareoption{paraguayspanish}

```

acklang@add@peruvianspanish

```
1285 \def\@tracklang@add@peruvianspanish{%
1286   \AddTrackedDialect{peruvianspanish}{spanish}%
1287   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1288   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1289   \AddTrackedIsoLanguage{3166-1}{PE}{peruvianspanish}%
1290 }
1291 \@tracklang@declareoption{peruvianspanish}
```

cklang@add@puertoricospanish

```
1292 \def\@tracklang@add@puertoricospanish{%
1293   \AddTrackedDialect{puertoricospanish}{spanish}%
1294   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1295   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1296   \AddTrackedIsoLanguage{3166-1}{PR}{puertoricospanish}%
1297 }
1298 \@tracklang@declareoption{puertoricospanish}
```

acklang@add@uruguayspanish

```
1299 \def\@tracklang@add@uruguayspanish{%
1300   \AddTrackedDialect{uruguayspanish}{spanish}%
1301   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1302   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1303   \AddTrackedIsoLanguage{3166-1}{UY}{uruguayspanish}%
1304 }
1305 \@tracklang@declareoption{uruguayspanish}
```

cklang@add@venezuelanspanish

```
1306 \def\@tracklang@add@venezuelanspanish{%
1307   \AddTrackedDialect{venezuelanspanish}{spanish}%
1308   \AddTrackedIsoLanguage{639-1}{es}{spanish}%
1309   \AddTrackedIsoLanguage{639-2}{spa}{spanish}%
1310   \AddTrackedIsoLanguage{3166-1}{VE}{venezuelanspanish}%
1311 }
1312 \@tracklang@declareoption{venezuelanspanish}
```

\@tracklang@add@swedish

```
1313 \def\@tracklang@add@swedish{%
1314   \AddTrackedLanguage{swedish}%
1315   \AddTrackedIsoLanguage{639-1}{sv}{swedish}%
1316   \AddTrackedIsoLanguage{639-2}{swe}{swedish}%
1317 }
1318 \@tracklang@declareoption{swedish}
```

\@tracklang@add@swissgerman

```
1319 \def\@tracklang@add@swissgerman{%
1320   \AddTrackedDialect{swissgerman}{german}%
1321   \AddTrackedIsoLanguage{639-1}{de}{german}%

```

```

1322 \AddTrackedIsoLanguage{639-2-B}{ger}{german}%
1323 \AddTrackedIsoLanguage{639-2-T}{deu}{german}%
1324 \AddTrackedIsoLanguage{639-2}{deu}{german}%
1325 \AddTrackedIsoLanguage{3166-1}{CH}{swissgerman}%
1326 }
1327 \@tracklang@declareoption{swissgerman}

\@tracklang@add@swissfrench

1328 \def\@tracklang@add@swissfrench{%
1329 \AddTrackedDialect{swissfrench}{french}%
1330 \AddTrackedIsoLanguage{639-1}{fr}{french}%
1331 \AddTrackedIsoLanguage{639-2-B}{fre}{french}%
1332 \AddTrackedIsoLanguage{639-2-T}{fra}{french}%
1333 \AddTrackedIsoLanguage{639-2}{fra}{french}%
1334 \AddTrackedIsoLanguage{3166-1}{CH}{swissfrench}%
1335 }
1336 \@tracklang@declareoption{swissfrench}

\@tracklang@add@swissitalian

1337 \def\@tracklang@add@swissitalian{%
1338 \AddTrackedDialect{swissitalian}{italian}%
1339 \AddTrackedIsoLanguage{639-1}{it}{italian}%
1340 \AddTrackedIsoLanguage{639-2}{ita}{italian}%
1341 \AddTrackedIsoLanguage{3166-1}{CH}{swissitalian}%
1342 }
1343 \@tracklang@declareoption{swissitalian}

\@tracklang@add@swissromansh

1344 \def\@tracklang@add@swissromansh{%
1345 \AddTrackedDialect{swissromansh}{romansh}%
1346 \AddTrackedIsoLanguage{639-1}{rm}{romansh}%
1347 \AddTrackedIsoLanguage{639-2}{roh}{romansh}%
1348 \AddTrackedIsoLanguage{3166-1}{CH}{swissromansh}%
1349 }
1350 \@tracklang@declareoption{swissromansh}

\@tracklang@add@syriac

1351 \def\@tracklang@add@syriac{%
1352 \AddTrackedLanguage{syriac}%
1353 \AddTrackedIsoLanguage{639-2}{syr}{syriac}%
1354 }
1355 \@tracklang@declareoption{syriac}

\@tracklang@add@tamil

1356 \def\@tracklang@add@tamil{%
1357 \AddTrackedLanguage{tamil}%
1358 \AddTrackedIsoLanguage{639-1}{ta}{tamil}%
1359 \AddTrackedIsoLanguage{639-2}{tam}{tamil}%
1360 }

```

1361 \@tracklang@declareoption{tamil}

\@tracklang@add@telugu

```
1362 \def\@tracklang@add@telugu{%
1363   \AddTrackedLanguage{telugu}%
1364   \AddTrackedIsoLanguage{639-1}{te}{telugu}%
1365   \AddTrackedIsoLanguage{639-2}{tel}{telugu}%
1366 }
1367 \@tracklang@declareoption{telugu}
```

\@tracklang@add@thai

```
1368 \def\@tracklang@add@tai{%
1369   \AddTrackedLanguage{tai}%
1370   \AddTrackedIsoLanguage{639-2}{tai}{tai}%
1371 }
1372 \@tracklang@declareoption{tai}
```

\@tracklang@add@thai

```
1373 \def\@tracklang@add@thai{%
1374   \AddTrackedLanguage{thai}%
1375   \AddTrackedIsoLanguage{639-1}{th}{thai}%
1376   \AddTrackedIsoLanguage{639-2}{tha}{thai}%
1377 }
1378 \@tracklang@declareoption{thai}
```

\@tracklang@add@tibetan

```
1379 \def\@tracklang@add@tibetan{%
1380   \AddTrackedLanguage{tibetan}%
1381   \AddTrackedIsoLanguage{639-1}{bo}{tibetan}%
1382   \AddTrackedIsoLanguage{639-2-B}{tib}{tibetan}%
1383   \AddTrackedIsoLanguage{639-2-T}{bod}{tibetan}%
1384   \AddTrackedIsoLanguage{639-2}{bod}{tibetan}%
1385 }
1386 \@tracklang@declareoption{tibetan}
```

\@tracklang@add@turkish

```
1387 \def\@tracklang@add@turkish{%
1388   \AddTrackedLanguage{turkish}%
1389   \AddTrackedIsoLanguage{639-1}{tr}{turkish}%
1390   \AddTrackedIsoLanguage{639-2}{tur}{turkish}%
1391 }
1392 \@tracklang@declareoption{turkish}
```

\@tracklang@add@turkmen

```
1393 \def\@tracklang@add@turkmen{%
1394   \AddTrackedLanguage{turkmen}%
1395   \AddTrackedIsoLanguage{639-1}{tk}{turkmen}%
1396   \AddTrackedIsoLanguage{639-2}{tuk}{turkmen}%
1397 }
1398 \@tracklang@declareoption{turkmen}
```

\@tracklang@add@UKenglish

```
1399 \def\@tracklang@add@UKenglish{%  
1400   \AddTrackedDialect{UKenglish}{english}%  
1401   \AddTrackedIsoLanguage{639-1}{en}{english}%  
1402   \AddTrackedIsoLanguage{639-2}{eng}{english}%  
1403   \AddTrackedIsoLanguage{3166-1}{GB}{UKenglish}%  
1404 }  
1405 \@tracklang@declareoption{UKenglish}
```

\@tracklang@add@ukrainian

```
1406 \def\@tracklang@add@ukrainian{%  
1407   \AddTrackedLanguage{ukrainian}%  
1408   \AddTrackedIsoLanguage{639-1}{uk}{ukrainian}%  
1409   \AddTrackedIsoLanguage{639-2}{ukr}{ukrainian}%  
1410   \AddTrackedIsoLanguage{3166-1}{UA}{ukrainian}%  
1411 }  
1412 \@tracklang@declareoption{ukrainian}
```

\@tracklang@add@ukraineб

```
1413 \def\@tracklang@add@ukraineб{%  
1414   \AddTrackedDialect{ukraineб}{ukrainian}%  
1415   \AddTrackedIsoLanguage{639-1}{uk}{ukrainian}%  
1416   \AddTrackedIsoLanguage{639-2}{ukr}{ukrainian}%  
1417   \AddTrackedIsoLanguage{3166-1}{UA}{ukraineб}%  
1418 }  
1419 \@tracklang@declareoption{ukraineб}
```

\@tracklang@add@ukraine

```
1420 \def\@tracklang@add@ukraine{%  
1421   \AddTrackedDialect{ukraine}{ukrainian}%  
1422   \AddTrackedIsoLanguage{639-1}{uk}{ukrainian}%  
1423   \AddTrackedIsoLanguage{639-2}{ukr}{ukrainian}%  
1424   \AddTrackedIsoLanguage{3166-1}{UA}{ukraine}%  
1425 }  
1426 \@tracklang@declareoption{ukraine}
```

\@tracklang@add@urdu

```
1427 \def\@tracklang@add@urdu{%  
1428   \AddTrackedLanguage{urdu}%  
1429   \AddTrackedIsoLanguage{639-1}{ur}{urdu}%  
1430   \AddTrackedIsoLanguage{639-2}{urd}{urdu}%  
1431 }  
1432 \@tracklang@declareoption{urdu}
```

\@tracklang@add@usorbian

```
1433 \def\@tracklang@add@usorbian{%  
1434   \AddTrackedLanguage{usorbian}%  
1435   \AddTrackedIsoLanguage{639-2}{dsb}{usorbian}%
```

```

1436 \AddTrackedIsoLanguage{3166-1}{DE}{usorbian}%
1437 }
1438 \@tracklang@declareoption{usorbian}

```

\@tracklang@add@uppersorbian

```

1439 \def\@tracklang@add@uppersorbian{%
1440 \AddTrackedDialect{uppersorbian}{usorbian}%
1441 \AddTrackedIsoLanguage{639-2}{hsb}{usorbian}%
1442 \AddTrackedIsoLanguage{3166-1}{DE}{uppersorbian}%
1443 }
1444 \@tracklang@declareoption{uppersorbian}

```

\@tracklang@add@USenglish

```

1445 \def\@tracklang@add@USenglish{%
1446 \AddTrackedDialect{USenglish}{english}%
1447 \AddTrackedIsoLanguage{639-1}{en}{english}%
1448 \AddTrackedIsoLanguage{639-2}{eng}{english}%
1449 \AddTrackedIsoLanguage{3166-1}{US}{USenglish}%
1450 }
1451 \@tracklang@declareoption{USenglish}

```

\@tracklang@add@valencian

```

1452 \def\@tracklang@add@valencian{%
1453 \AddTrackedDialect{valencian}{catalan}%
1454 \AddTrackedIsoLanguage{639-1}{ca}{catalan}%
1455 \AddTrackedIsoLanguage{639-2}{cat}{catalan}%
1456 }
1457 \@tracklang@declareoption{valencian}

```

\@tracklang@add@valencien

```

1458 \def\@tracklang@add@valencien{%
1459 \AddTrackedDialect{valencien}{catalan}%
1460 \AddTrackedIsoLanguage{639-1}{ca}{catalan}%
1461 \AddTrackedIsoLanguage{639-2}{cat}{catalan}%
1462 }
1463 \@tracklang@declareoption{valencien}

```

\@tracklang@add@vietnamese

```

1464 \def\@tracklang@add@vietnamese{%
1465 \AddTrackedLanguage{vietnamese}%
1466 \AddTrackedIsoLanguage{639-1}{vi}{vietnamese}%
1467 \AddTrackedIsoLanguage{639-2}{vie}{vietnamese}%
1468 }
1469 \@tracklang@declareoption{vietnamese}

```

\@tracklang@add@walloon No country code as Walloon is spoken in multiple regions (Wallonia in Belgium, some villages in Northern France and northeast of Wisconsin.) Not the same as Belgian French.

```

1470 \def \@tracklang@add@walloon{%
1471   \AddTrackedLanguage{walloon}%
1472   \AddTrackedIsoLanguage{639-1}{wa}{walloon}%
1473   \AddTrackedIsoLanguage{639-2}{wln}{walloon}%
1474 }
1475 \@tracklang@declareoption{walloon}

```

\@tracklang@add@welsh

```

1476 \def \@tracklang@add@welsh{%
1477   \AddTrackedLanguage{welsh}%
1478   \AddTrackedIsoLanguage{639-1}{cy}{welsh}%
1479   \AddTrackedIsoLanguage{639-2-B}{wel}{welsh}%
1480   \AddTrackedIsoLanguage{639-2-T}{cym}{welsh}%
1481   \AddTrackedIsoLanguage{639-2}{cym}{welsh}%
1482 }
1483 \@tracklang@declareoption{welsh}

```

\@tracklang@add@cymraeg

```

1484 \def \@tracklang@add@cymraeg{%
1485   \AddTrackedDialect{cymraeg}{welsh}%
1486   \AddTrackedIsoLanguage{639-1}{cy}{welsh}%
1487   \AddTrackedIsoLanguage{639-2-B}{wel}{welsh}%
1488   \AddTrackedIsoLanguage{639-2-T}{cym}{welsh}%
1489   \AddTrackedIsoLanguage{639-2}{cym}{welsh}%
1490 }
1491 \@tracklang@declareoption{cymraeg}

```

Add some dialect synonyms:

\LetTrackLangOption

```

1492 \def \LetTrackLangOption#1#2{%
1493   \expandafter\let\csname @tracklang@add@#1\expandafter\endcsname
1494   \csname @tracklang@add@#2\endcsname
1495   \@tracklang@declareoption{#1}%
1496 }

```

\@tracklang@add@en-US

```

1497 \LetTrackLangOption{en-US}{american}

```

\@tracklang@add@en-GB

```

1498 \LetTrackLangOption{en-GB}{british}

```

\@tracklang@add@en-AU

```

1499 \LetTrackLangOption{en-AU}{australian}

```

\@tracklang@add@en-NZ

```

1500 \LetTrackLangOption{en-NZ}{newzealand}

```

\@tracklang@add@en-CA
1501 \LetTrackLangOption{en-CA}{canadian}

\@tracklang@add@fr-CA
1502 \LetTrackLangOption{fr-CA}{canadien}

\@tracklang@add@fr-BE
1503 \LetTrackLangOption{fr-BE}{belgique}

\@tracklang@add@pt-BR
1504 \LetTrackLangOption{pt-BR}{brazilian}

\@tracklang@add@it-HR
1505 \LetTrackLangOption{it-HR}{istriacountyitalian}

\@tracklang@add@nl-BE
1506 \LetTrackLangOption{nl-BE}{flemish}

\@tracklang@add@fr-FR
1507 \LetTrackLangOption{fr-FR}{france}

\@tracklang@add@de-DE
1508 \LetTrackLangOption{de-DE}{ngermanDE}

\@tracklang@add@de-BE
1509 \LetTrackLangOption{de-BE}{belgiangerman}

\@tracklang@add@en-GG
1510 \LetTrackLangOption{en-GG}{guernseyenglish}

\@tracklang@add@fr-GG
1511 \LetTrackLangOption{fr-GG}{guernseyfrench}

\@tracklang@add@it-IT
1512 \LetTrackLangOption{it-IT}{italy}

\@tracklang@add@mt-MT
1513 \LetTrackLangOption{mt-MT}{maltamaltese}

\@tracklang@add@en-MT
1514 \LetTrackLangOption{en-MT}{maltaenglish}

\@tracklang@add@en-IM
1515 \LetTrackLangOption{en-IM}{isleofmanenglish}

\@tracklang@add@en-JE
1516 \LetTrackLangOption{en-JE}{jerseyenglish}

\@tracklang@add@fr-JE
1517 \LetTrackLangOption{fr-JE}{jerseyfrench}

\@tracklang@add@nl-NL
1518 \LetTrackLangOption{nl-NL}{netherlands}

\@tracklang@add@pt-PT
1519 \LetTrackLangOption{pt-PT}{portugal}

\@tracklang@add@it-SM
1520 \LetTrackLangOption{it-SM}{sanmarino}

\@tracklang@add@sl-SI
1521 \LetTrackLangOption{sl-SI}{slovenia}

\@tracklang@add@it-SI
1522 \LetTrackLangOption{it-SI}{sloveneistriaitalian}

\@tracklang@add@es-ES
1523 \LetTrackLangOption{es-ES}{spainspanish}

\@tracklang@add@es-AR
1524 \LetTrackLangOption{es-AR}{argentinespanish}

\@tracklang@add@es-BO
1525 \LetTrackLangOption{es-BO}{bolivianspanish}

\@tracklang@add@es-CL
1526 \LetTrackLangOption{es-CL}{chilianspanish}

\@tracklang@add@es-CO
1527 \LetTrackLangOption{es-CO}{columbianspanish}

\@tracklang@add@es-CR
1528 \LetTrackLangOption{es-CR}{costaricanspanish}

\@tracklang@add@es-CU
1529 \LetTrackLangOption{es-CU}{cubanspanish}

\@tracklang@add@es-DO
1530 \LetTrackLangOption{es-DO}{dominicanspanish}

\@tracklang@add@es-EC
1531 \LetTrackLangOption{es-EC}{ecudorianspanish}

\@tracklang@add@es-SV
1532 \LetTrackLangOption{es-SV}{elsalvadorspanish}

```

\@tracklang@add@es-GT
1533 \LetTrackLangOption{es-GT}{guatemalanspanish}

\@tracklang@add@es-HN
1534 \LetTrackLangOption{es-HN}{honduranspanish}

\@tracklang@add@es-MX
1535 \LetTrackLangOption{es-MX}{mexicanspanish}

\@tracklang@add@es-NI
1536 \LetTrackLangOption{es-NI}{nicaraguanspanish}

\@tracklang@add@es-PA
1537 \LetTrackLangOption{es-PA}{panamaspanish}

\@tracklang@add@es-PY
1538 \LetTrackLangOption{es-PY}{paraguayspanish}

\@tracklang@add@es-PE
1539 \LetTrackLangOption{es-PE}{peruvianspanish}

\@tracklang@add@es-PR
1540 \LetTrackLangOption{es-PR}{puertoricospanish}

\@tracklang@add@es-UY
1541 \LetTrackLangOption{es-UY}{uruguayspanish}

\@tracklang@add@es-VE
1542 \LetTrackLangOption{es-VE}{venezuelanspanish}

\@tracklang@add@de-CH
1543 \LetTrackLangOption{de-CH}{swissgerman}

\@tracklang@add@fr-CH
1544 \LetTrackLangOption{fr-CH}{swissfrench}

\@tracklang@add@it-CH
1545 \LetTrackLangOption{it-CH}{swissitalian}

\@tracklang@add@rm-CH
1546 \LetTrackLangOption{rm-CH}{swissromansh}

\@tracklang@add@it-VA
1547 \LetTrackLangOption{it-VA}{vatican}

```

5.2.4 Conditionals and Loops

`\IfTrackedLanguage` `\IfTrackedLanguage{<language>}{<true part>}{<false part>}`

```

1548 \long\def\IfTrackedLanguage#1#2#3{%
1549 %   \end{macrocode}
1550 % First find out if the language name is empty.
1551 %   \begin{macrocode}
1552 \edef\@tracklang@element{#1}%
1553 \ifx\@tracklang@element\empty
    Language is empty, so do false part.
1554     #3%
1555 \else
1556 \expandafter\@tracklang@ifinlist\expandafter{\@tracklang@element}%
1557 \@tracklang@languages
1558 {%
    In list, so do true part.
1559     #2%
1560 }%
1561 {%
    Not in list, so do false part.
1562     #3%
1563 }%
1564 \fi
1565 }
```

`\IfTrackedDialect` `\IfTrackedDialect{<dialect>}{<true part>}{<false part>}`

```

1566 \long\def\IfTrackedDialect#1#2#3{%
1567 \@tracklang@ifundef{\@tracklang@fromdialect@#1}{#3}{#2}%
1568 }
```

`\IfTrackedIsoCode` `\IfTrackedIsoCode{<code type>}{<code>}{<true part>}{<false part>}`

```

1569 \long\def\IfTrackedIsoCode#1#2#3#4{%
1570 \@tracklang@ifundef{\@tracklang@#1@isotolang@#2}{#4}{#3}%
1571 }
```

\IfTrackedLanguageHasIsoCode

\IfTrackedLanguageHasIsoCode{<code type>}{<language>}{<true part>}{<false part>}

```
1572 \long\def\IfTrackedLanguageHasIsoCode#1#2#3#4{%
1573   \@tracklang@ifundef{@tracklang@#1@isofromlang@#2}{#4}{#3}%
1574 }
```

\ForEachTrackedLanguage

\ForEachTrackedLanguage{<cs>}{<body>}

Iterates through the list of tracked languages. On each iteration <cs> is set to the language tag and <body> is performed.

```
1575 \long\def\ForEachTrackedLanguage#1#2{%
1576   \@tracklang@for#1:=\@tracklang@languages\do{#2}%
1577 }
```

\ForEachTrackedDialect

\ForEachTrackedDialect{<cs>}{<body>}

Iterates through the list of tracked dialects. On each iteration <cs> is set to the dialect tag and <body> is performed.

```
1578 \long\def\ForEachTrackedDialect#1#2{%
1579   \@tracklang@for#1:=\@tracklang@dialects\do{#2}%
1580 }
```

\AnyTrackedLanguages

```
1581 \long\def\AnyTrackedLanguages#1#2{%
1582   \ifx\@tracklang@languages\empty
1583     #2%
1584   \else
1585     #1%
1586   \fi
1587 }
```

\IfTrackedLanguageFileExists

\IfTrackedLanguageFileExists{<dialect>}{<prefix>}{<suffix>}{<true part>}{<false part>}

Determines if the file <prefix><tag><suffix> exists, where <tag> is an ISO code or ISO codes identifying the language. If <dialect> hasn't been identified as a tracked dialect, this just does <false part>, otherwise this first tries with <tag> set

to *<dialect>*, then tries with *<tag>* set to the root language label for *<dialect>*, then tries with *<tag>* set to *<ISO 639-1 code>*-*<ISO 3166-1 code>*, then tries with *<tag>* set to *<ISO 639-1 code>*, then tries with *<tag>* set to *<ISO 639-2 code>*-*<ISO 3166-1 code>*, then tries with *<tag>* set to *<ISO 639-2 code>*. If the file *<prefix><tag><suffix>* exists, *\CurrentTrackedTag* is set to *<tag>* and *<true part>* is performed, otherwise *<false part>* is performed.

```

1588 \long\def\IfTrackedLanguageFileExists#1#2#3#4#5{%
1589   \def\CurrentTrackedTag{%
1590     \def\CurrentTrackedDialect{#1}%
1591     \def\CurrentTrackedLanguage{%
1592       \def\CurrentTrackedRegion{%
1593         \def\CurrentTrackedIsoCode{%
1594           \IfTrackedDialect{#1}%
1595           {%

```

Fetch the region if defined.

```

1596     \IfTrackedLanguageHasIsoCode{3166-1}{#1}%
1597     {%
1598       \edef\CurrentTrackedRegion{%
1599         \TrackedIsoCodeFromLanguage{3166-1}{#1}}%
1600     }%
1601   }%

```

Fetch the root language.

```

1602   \edef\CurrentTrackedLanguage{\TrackedLanguageFromDialect{#1}}%

```

Try just the dialect label.

```

1603   \edef\CurrentTrackedTag{#1}%
1604   \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1605   {#4}%
1606   {%

```

No file found for dialect label, try *<ISO 639-1>*-*<ISO 3166-1>* next.

```

1607     \IfTrackedLanguageHasIsoCode
1608     {639-1}{\CurrentTrackedLanguage}
1609     {%
1610       \edef\CurrentTrackedIsoCode{%
1611         \TrackedIsoCodeFromLanguage
1612         {639-1}{\CurrentTrackedLanguage}}%
1613       \ifx\CurrentTrackedRegion\@empty

```

No region, just try ISO 639-1 code

```

1614         \let\CurrentTrackedTag\CurrentTrackedIsoCode
1615         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1616         {#4}
1617         {%

```

No region and file for just *<ISO 639-1 code>*. Try ISO 639-2 code.

```

1618         \IfTrackedLanguageHasIsoCode
1619         {639-2}{\CurrentTrackedLanguage}
1620         {%

```

```

1621         \edef\CurrentTrackedIsoCode{%
1622             \TrackedIsoCodeFromLanguage
1623             {639-2}{\CurrentTrackedLanguage}}%
1624         \let\CurrentTrackedTag\CurrentTrackedIsoCode
1625         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1626         {#4}%
1627         {%

```

Try root language.

```

1628             \let\CurrentTrackedTag\CurrentTrackedLanguage
1629             \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}{#4}{#5}%
1630         }%
1631     }%
1632     {%

```

No region, no ISO 639-1 code and no ISO 639-2 code. No file found for dialect label, try root language label next.

```

1633         \let\CurrentTrackedTag\CurrentTrackedLanguage
1634         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}{#4}{#5}%
1635     }%
1636 }%
1637 \else

```

Has a region so try *⟨ISO 639-1 code⟩-⟨region⟩*

```

1638     \edef\CurrentTrackedTag{%
1639         \CurrentTrackedIsoCode-\CurrentTrackedRegion}%
1640     \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1641     {#4}
1642     {%

```

Has a region but *⟨ISO 639-1 code⟩-⟨region⟩* not found, so try *⟨ISO 639-2 code⟩-⟨region⟩*

```

1643     \IfTrackedLanguageHasIsoCode
1644     {639-2}{\CurrentTrackedLanguage}
1645     {%
1646         \let\org@currenttrackedisocode\CurrentTrackedIsoCode
1647         \edef\CurrentTrackedIsoCode{%
1648             \TrackedIsoCodeFromLanguage
1649             {639-2}{\CurrentTrackedLanguage}}%
1650         \edef\CurrentTrackedTag{%
1651             \CurrentTrackedIsoCode-\CurrentTrackedRegion}%
1652         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1653         {#4}%
1654         {%

```

Has a region but *⟨ISO 639-1 code⟩-⟨region⟩* not found and *⟨ISO 639-2 code⟩-⟨region⟩* not found, so try just *⟨ISO 639-1 code⟩*

```

1655         \let\CurrentTrackedTag\org@currenttrackedisocode
1656         \let\org@currenttrackedisocode\CurrentTrackedIsoCode
1657         \let\CurrentTrackedIsoCode\CurrentTrackedTag
1658         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%

```

```

1659             {#4}
1660             {%

```

Try just the ISO 639-2 code.

```

1661             \let\CurrentTrackedIsoCode\org@currenttrackedisocode
1662             \let\CurrentTrackedTag\CurrentTrackedIsoCode
1663             \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1664             {#4}%
1665             {%

```

Try just the region.

```

1666             \let\CurrentTrackedTag\CurrentTrackedRegion
1667             \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1668             {#4}%
1669             {%

```

Try the root language.

```

1670             \let\CurrentTrackedTag\CurrentTrackedLanguage
1671             \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}{#4}{#5}%
1672             }%
1673             }%
1674             }%
1675             }%
1676             }%
1677             {%

```

Has a region but *ISO 639-1 code* - *region* not found, and no ISO 639-2 code so just try *ISO 639-1 code*

```

1678             \let\CurrentTrackedTag\CurrentTrackedIsoCode
1679             \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1680             {#4}%
1681             {%

```

Just try the region

```

1682             \let\CurrentTrackedTag\CurrentTrackedRegion
1683             \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1684             {#4}%
1685             {%

```

Try the root language.

```

1686             \let\CurrentTrackedTag\CurrentTrackedLanguage
1687             \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}{#4}{#5}%
1688             }%
1689             }%
1690             }%
1691             }%
1692             \fi
1693             }%
1694             {%

```

No ISO 639-1 code. Try ISO 639-2 code.

```

1695             \IfTrackedLanguageHasIsoCode

```

```

1696         {639-2}{\CurrentTrackedLanguage}
1697     {%
1698         \edef\CurrentTrackedIsoCode{%
1699             \TrackedIsoCodeFromLanguage
1700             {639-2}{\CurrentTrackedLanguage}}%
1701         \ifx\CurrentTrackedRegion\@empty

Has ISO 639-2 code but no region

1702         \let\CurrentTrackedTag\CurrentTrackedIsoCode
1703         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1704         {#4}%
1705     {%

Try the root language.

1706         \let\CurrentTrackedTag\CurrentTrackedLanguage
1707         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}{#4}{#5}%
1708     }%
1709     \else

Has ISO 639-2 code and a region. Try <ISO 639-2>-<region> first.

1710         \edef\CurrentTrackedTag{%
1711             \CurrentTrackedIsoCode-\CurrentTrackedRegion}%
1712         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1713         {#4}%
1714     {%

Has ISO 639-2 code and a region but <ISO 639-2>-<region> doesn't exist. Try just
<ISO 639-2>

1715         \let\CurrentTrackedTag\CurrentTrackedIsoCode
1716         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1717         {#4}%
1718     {%

Has ISO 639-2 code and a region but <ISO 639-2> doesn't exist. Try just <region>

1719         \let\CurrentTrackedTag\CurrentTrackedRegion
1720         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1721         {#4}%
1722     {%

Try the root language.

1723         \let\CurrentTrackedTag\CurrentTrackedLanguage
1724         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}{#4}{#5}%
1725     }%
1726     }%
1727     }%
1728     \fi
1729     }%
1730     {%

No ISO 639-1 code or ISO 639-2 code. Try just the region.

1731     \ifx\CurrentTrackedRegion\@empty

```


No region. Try the root language.

```
1732         \let\CurrentTrackedTag\CurrentTrackedLanguage
1733         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}{#4}{#5}%
1734     \else
```

Try the region.

```
1735         \let\CurrentTrackedTag\CurrentTrackedRegion
1736         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}%
1737         {#4}%
1738         {%
```

Try the root language.

```
1739         \let\CurrentTrackedTag\CurrentTrackedLanguage
1740         \@tracklang@ifFileExists{#2\CurrentTrackedTag#3}{#4}{#5}%
1741         }%
1742     \fi
1743 }%
1744 }%
1745 }%
1746 }%
1747 {#5}% unknown dialect
1748 }
```

Index

Symbols	
\@tracklang@ifFileExists	35
\@tracklang@add	36
\@tracklang@add@UKenglish	69
\@tracklang@add@USenglish	70
\@tracklang@add@acadian	40
\@tracklang@add@afrikaans	40
\@tracklang@add@albanian	40
\@tracklang@add@american	41
\@tracklang@add@amharic	40
\@tracklang@add@anglosaxon	40
\@tracklang@add@apache	40
\@tracklang@add@arabic	40
\@tracklang@add@argentespanish	63
\@tracklang@add@armenian	41
\@tracklang@add@asturian	41
\@tracklang@add@australian	41
\@tracklang@add@austrian	41
\@tracklang@add@bahasa	42
\@tracklang@add@bahasai	42
\@tracklang@add@bahasam	42
\@tracklang@add@basque	42
\@tracklang@add@belgiangerman	48
\@tracklang@add@belgique	48
\@tracklang@add@bengali	43
\@tracklang@add@bolivianspanish	63
\@tracklang@add@brazil	43
\@tracklang@add@brazilian	43
\@tracklang@add@breton	43
\@tracklang@add@british	43
\@tracklang@add@bulgarian	44
\@tracklang@add@canadian	44
\@tracklang@add@canadien	44
\@tracklang@add@catalan	44
\@tracklang@add@chilianspanish	63
\@tracklang@add@columbianspanish	63
\@tracklang@add@coptic	44
\@tracklang@add@costaricanspanish ...	63
\@tracklang@add@croatia	45
\@tracklang@add@croatian	44
\@tracklang@add@cubanspanish	64
\@tracklang@add@cymraeg	71
\@tracklang@add@czech	45
\@tracklang@add@danish	45
\@tracklang@add@de-BE	72
\@tracklang@add@de-CH	74
\@tracklang@add@de-DE	72
\@tracklang@add@deutsch	50
\@tracklang@add@divehi	46
\@tracklang@add@dominicanspanish	64
\@tracklang@add@dutch	46
\@tracklang@add@ecudorianspanish	64
\@tracklang@add@elsalvadorspanish ...	64
\@tracklang@add@en-AU	71
\@tracklang@add@en-CA	72
\@tracklang@add@en-GB	71
\@tracklang@add@en-GG	72
\@tracklang@add@en-IM	72
\@tracklang@add@en-JE	72
\@tracklang@add@en-MT	72
\@tracklang@add@en-NZ	71
\@tracklang@add@en-US	71
\@tracklang@add@english	46
\@tracklang@add@es-AR	73
\@tracklang@add@es-BO	73
\@tracklang@add@es-CL	73
\@tracklang@add@es-CO	73
\@tracklang@add@es-CR	73
\@tracklang@add@es-CU	73
\@tracklang@add@es-DO	73
\@tracklang@add@es-EC	73
\@tracklang@add@es-ES	73
\@tracklang@add@es-GT	74
\@tracklang@add@es-HN	74
\@tracklang@add@es-MX	74
\@tracklang@add@es-NI	74
\@tracklang@add@es-PA	74
\@tracklang@add@es-PE	74
\@tracklang@add@es-PR	74
\@tracklang@add@es-PY	74
\@tracklang@add@es-SV	73
\@tracklang@add@es-UY	74
\@tracklang@add@es-VE	74
\@tracklang@add@esperanto	46
\@tracklang@add@estonian	46
\@tracklang@add@farsi	47
\@tracklang@add@finnish	47
\@tracklang@add@flemish	47
\@tracklang@add@fr-BE	72
\@tracklang@add@fr-CA	72
\@tracklang@add@fr-CH	74
\@tracklang@add@fr-FR	72

\@tracklang@add@fr-GG	72	\@tracklang@add@malay	55
\@tracklang@add@fr-JE	73	\@tracklang@add@malayalam	56
\@tracklang@add@francais	47	\@tracklang@add@maltaenglish	56
\@tracklang@add@france	48	\@tracklang@add@maltamaltese	56
\@tracklang@add@french	48	\@tracklang@add@maltese	56
\@tracklang@add@frenchb	48	\@tracklang@add@manx	57
\@tracklang@add@friulan	49	\@tracklang@add@marathi	57
\@tracklang@add@friulano	49	\@tracklang@add@mexicanspanish	65
\@tracklang@add@friulian	49	\@tracklang@add@meyalu	56
\@tracklang@add@gaeilge	52	\@tracklang@add@mt-MT	72
\@tracklang@add@gaelic	61	\@tracklang@add@naustrian	42
\@tracklang@add@galician	49	\@tracklang@add@netherlands	46
\@tracklang@add@galicien	49	\@tracklang@add@newzealand	57
\@tracklang@add@german	50	\@tracklang@add@ngerman	50
\@tracklang@add@greek	50	\@tracklang@add@ngermanDE	50
\@tracklang@add@guatemalanspanish ...	64	\@tracklang@add@nicaraguanspanish ...	65
\@tracklang@add@guernseyenglish	54	\@tracklang@add@nko	57
\@tracklang@add@guernseyfrench	54	\@tracklang@add@nl-BE	72
\@tracklang@add@hebrew	51	\@tracklang@add@nl-NL	73
\@tracklang@add@hindi	51	\@tracklang@add@norsk	58
\@tracklang@add@honduranspanish	65	\@tracklang@add@norwegian	58
\@tracklang@add@hungarian	51	\@tracklang@add@nynorsk	57
\@tracklang@add@icelandic	51	\@tracklang@add@occitan	58
\@tracklang@add@indon	51	\@tracklang@add@panamaspanish	65
\@tracklang@add@indonesian	52	\@tracklang@add@paraguayspanish	65
\@tracklang@add@interlingua	52	\@tracklang@add@persian	47
\@tracklang@add@irish	52	\@tracklang@add@peruvianspanish	66
\@tracklang@add@isleofmanenglish	57	\@tracklang@add@piedmontese	58
\@tracklang@add@istriacountyroatian ..	45	\@tracklang@add@piemonteis	58
\@tracklang@add@istriacountyitalian ..	45	\@tracklang@add@polish	58
\@tracklang@add@it-CH	74	\@tracklang@add@polutoniko	59
\@tracklang@add@it-HR	72	\@tracklang@add@polutonikogreek	59
\@tracklang@add@it-IT	72	\@tracklang@add@portugal	59
\@tracklang@add@it-SI	73	\@tracklang@add@portuges	59
\@tracklang@add@it-SM	73	\@tracklang@add@portuguese	59
\@tracklang@add@it-VA	74	\@tracklang@add@pt-BR	72
\@tracklang@add@italian	52	\@tracklang@add@pt-PT	73
\@tracklang@add@italy	52	\@tracklang@add@puertoricospanish ...	66
\@tracklang@add@jerseyenglish	53	\@tracklang@add@rm-CH	74
\@tracklang@add@jerseyfrench	53	\@tracklang@add@romanche	60
\@tracklang@add@kannada	54	\@tracklang@add@romanian	59
\@tracklang@add@lao	54	\@tracklang@add@romansch	60
\@tracklang@add@latein	55	\@tracklang@add@romansh	60
\@tracklang@add@latin	54	\@tracklang@add@rumantsch	60
\@tracklang@add@latvian	55	\@tracklang@add@russian	60
\@tracklang@add@lithuanian	55	\@tracklang@add@russianb	60
\@tracklang@add@lowersorbian	55	\@tracklang@add@samin	61
\@tracklang@add@lsorbian	55	\@tracklang@add@sanmarino	53
\@tracklang@add@magyar	51	\@tracklang@add@sanskrit	61

<code>\@tracklang@add@scottish</code>	61
<code>\@tracklang@add@serbian</code>	61
<code>\@tracklang@add@sl-SI</code>	73
<code>\@tracklang@add@slovak</code>	61
<code>\@tracklang@add@slovene</code>	62
<code>\@tracklang@add@sloveneistriaitalian</code>	53
<code>\@tracklang@add@sloveneistriaslovenian</code>	62
<code>\@tracklang@add@slovenia</code>	62
<code>\@tracklang@add@slovenian</code>	62
<code>\@tracklang@add@spainspanish</code>	63
<code>\@tracklang@add@spanish</code>	62
<code>\@tracklang@add@swedish</code>	66
<code>\@tracklang@add@swissfrench</code>	67
<code>\@tracklang@add@swissgerman</code>	66
<code>\@tracklang@add@swissitalian</code>	67
<code>\@tracklang@add@swissromansh</code>	67
<code>\@tracklang@add@syriac</code>	67
<code>\@tracklang@add@tamil</code>	67
<code>\@tracklang@add@telugu</code>	68
<code>\@tracklang@add@thai</code>	68
<code>\@tracklang@add@tibetan</code>	68
<code>\@tracklang@add@turkish</code>	68
<code>\@tracklang@add@turkmen</code>	68
<code>\@tracklang@add@ukraine</code>	69
<code>\@tracklang@add@ukraineb</code>	69
<code>\@tracklang@add@ukrainian</code>	69
<code>\@tracklang@add@uppersorbian</code>	70
<code>\@tracklang@add@urdu</code>	69
<code>\@tracklang@add@uruguayspanish</code>	66
<code>\@tracklang@add@usorbian</code>	69
<code>\@tracklang@add@valencian</code>	70
<code>\@tracklang@add@valencien</code>	70
<code>\@tracklang@add@vatican</code>	53
<code>\@tracklang@add@venezuelanspanish</code> ...	66
<code>\@tracklang@add@vietnamese</code>	70
<code>\@tracklang@add@walloon</code>	70
<code>\@tracklang@add@welsh</code>	71
<code>\@tracklang@declareoption</code>	30, 39
<code>\@tracklang@dialects</code>	36
<code>\@tracklang@err</code>	35
<code>\@tracklang@for</code>	34
<code>\@tracklang@ifinlist</code>	36
<code>\@tracklang@ifundef</code>	33
<code>\@tracklang@languages</code>	35
<code>\@tracklang@namedef</code>	35
<code>\@tracklang@nameuse</code>	35
<code>\@tracklang@nnil</code>	34

A

<code>\AddTrackedDialect</code>	27, 37
<code>\AddTrackedIsoLanguage</code>	27, 37
<code>\AddTrackedLanguage</code>	27, 37
animals.sty package	12
<code>\AnyTrackedLanguages</code>	4, 76

B

babel package	1–3, 13, 15, 16, 19, 21, 26, 30, 31, 33
---------------	---

C

<code>\CurrentTrackedDialect</code>	9, 16
<code>\CurrentTrackedIsoCode</code>	8–10
<code>\CurrentTrackedLanguage</code>	8–10
<code>\CurrentTrackedRegion</code>	8–10
<code>\CurrentTrackedTag</code>	8–10

F

<code>\ForEachTrackedDialect</code>	2, 4, 76
<code>\ForEachTrackedLanguage</code>	4, 76

I

<code>\IfTrackedDialect</code>	4, 75
<code>\IfTrackedIsoCode</code>	6, 75
<code>\IfTrackedLanguage</code>	4, 75
<code>\IfTrackedLanguageFile</code>	16
<code>\IfTrackedLanguageFileExists</code>	8–10, 16, 22, 76
<code>\IfTrackedLanguageHasIsoCode</code>	5, 76

L

<code>\LetTrackLangOption</code>	71
--	----

N

ngerman package	2, 3, 21, 30
-----------------------	--------------

P

polyglossia package ...	1–3, 13, 15–17, 19, 21, 31
-------------------------	----------------------------

T

<code>\ThisDialect</code>	11
<code>\ThreeLetterIsoLanguageCode</code>	6, 39
<code>\TrackedDialectsFromLanguage</code>	5, 38
<code>\TrackedIsoCodeFromLanguage</code>	6, 38
<code>\TrackedLanguageFromDialect</code>	5, 38
<code>\TrackedLanguageFromIsoCode</code>	6, 38
<code>\TrackPredefinedDialect</code>	28, 39
translator package	2, 3, 21, 30, 32
<code>\TwoLetterIsoCountryCode</code>	6, 39
<code>\TwoLetterIsoLanguageCode</code>	6, 39