

L^AT_EX Class for the Association for Computing Machinery^{}*

Boris Veytsman[†]

2024/02/04, v2.03

Abstract

This package provides a class for typesetting publications of the Association for Computing Machinery.

Contents

1	Introduction	3
2	User's guide	3
2.1	Installation	3
2.2	Invocation and options	6
2.3	Top matter	9
2.4	Top matter of ACM Engage materials	19
2.5	ACM cover page	20
2.6	Internationalization	21
2.7	Algorithms	22
2.8	Figures and tables	22
2.9	Descriptions of images	23
2.10	Theorems	23
2.11	Online-only and offline-only material	24
2.12	Note about anonymous mode	24
2.13	Acknowledgments	25
2.14	Bibliography	25
2.14.1	Processing using Bib _T E _X	25
2.14.2	Processing using BibL _E T _E X	29
2.15	Colors	29
2.15.1	Manual bibliography	30
2.16	Other notable packages and typographic remarks	30
2.17	Counting words	31
2.18	Creative Commons licenses for ACM publications	31
2.19	Disabled or forbidden commands	31
2.20	Notes for wizards	32

^{*}©2016–2023, Association for Computing Machinery

[†]borisv@lk.net, boris@varphi.com

2.21	Currently supported publications	32
2.22	Samples	34
2.23	A note about <code>sigchi-a</code> format	35
3	Implementation	36
3.1	Identification	36
3.2	Preload hook	36
3.3	Options	36
3.4	Setting switches	40
3.5	Loading the base class and package	41
3.6	Citations	43
3.7	Internationalization	44
3.8	Sectioning	46
3.9	Hyperxmp and hyperref	49
3.10	Other packages	51
3.11	Paper size and paragraphing	51
3.12	Fonts	55
3.13	Image descriptions	56
3.14	FLOATS	57
3.15	Lists	59
3.16	Top-matter data	60
3.17	Concepts system	77
3.18	Copyright system	78
3.19	Maketitle hook	84
3.20	ACM Engage top matter	84
3.21	Typesetting top matter	84
3.22	Headers and Footers	100
3.23	Sectioning	106
3.24	TOC lists	109
3.25	Theorems	109
3.26	Balancing columns	112
3.27	Acknowledgments	113
3.28	Conditional typesetting	114
3.29	Additional bibliography commands	114
3.30	Index	114
3.31	End of Class	115

1 Introduction

The Association for Computing Machinery¹ is the world’s largest educational and scientific computing society, which delivers resources that advance computing as a science and a profession. It was one of the early adopters of \TeX for its typesetting.

It provided several different classes for a number of journals and conference proceedings. Unfortunately during the years since these classes were written, the code was patched many times, and supporting different versions of the classes became difficult.

This package provides the uniform interface for all ACM publications. It is intended to replace all the different classes and packages and provide an up-to-date \LaTeX package.

This package uses only free \TeX packages and fonts included in $\text{\TeX}Live$, Mik \TeX and other popular \TeX distributions. It is intended to be published in these distributions itself, which minimizes users’ efforts in the installation and support of this package.

I am grateful to Michael D. Adams, Leif Andersen, Lawrence Christopher Angrave, Dirk Beyer, Andrew Black, Joachim Breitner, Yegor Bugayenko, Benjamin Byholm, John Collins, Roberto Di Cosmo, Nils Anders Danielsson, Michael Ekstrand, Matthew Fluet, Paolo G. Giarrusso, Ben Greenman, Enrico Gregorio, Jamie Davis, Ulrike Fischer, Jason Hemann, Peter Kemp, Luis Leiva, Ben Liblit, Rholais Lii, LianTze Lim, Kuldeep S. Meel, Kai Mindermann, Frank Mittelbach, Serguei Mokhov, Ross Moore, John Owens, Joel Nider, Scott Pakin, Tobias Pape, Henning Pohl, Philip Quinn, Mathias Rav, Andreas Reichinger, Matteo Riondato, Craig Rodkin, Bernard Rous, Feras Saad, Kerry A. Seitz, Jr., David Shamma, Gabriel Scherer, Kartik Singhal, Christoph Sommer, Stephen Spencer, Shin Hwei Tan, Daniel Thomas, Shari Trewin, Zack Weinberg, John Wickerson and many others for their invaluable help.

The development version of the package is available at <https://github.com/borisveytsman/acmart>.

2 User’s guide

This class uses many commands and customizaton options, so it might appear intimidating for a casual user. Do not panic! Many of these commands and options can be safely left with their default values or the values recommended by your conference or journal editors. If you have problems or questions, do not hesitate to ask me directly or the community at <https://github.com/borisveytsman/acmart>, <https://tex.stackexchange.com> or the closest \TeX Users Group. The world-wide \TeX Users Group is at <https://tug.org/>; please consider joining us if you use \TeX regularly.

2.1 Installation

Most probably, you already have this package installed in your favorite \TeX distribution; if not, you may want to upgrade. You may need to upgrade it anyway since this package uses a number of relatively recent packages, especially the ones related to fonts.

The latest released version of this package can be found on CTAN: <https://www.ctan.org/pkg/acmart>. The development version can be found on GitHub: <https://github.com/borisveytsman/acmart>. At this address you can file a bug report—or even contribute your own enhancement by making a pull request.

¹<http://www.acm.org/>

Please note that the version on Github is a development (or experimental) version: please download it for testing new features. The production version is the one on CTAN and ACM sites.

Most users should not attempt to install this package themselves but should rather rely on their \TeX distributions to provide it. If you decide to install the package yourself, follow the standard rules:

1. Run `latex acmart.ins`. This will produce the file `acmart.cls`
2. Put the files `acmart.cls`, `acm-jdslogo.png`, and `ACM-Reference-Format.bst` in places where \LaTeX can find them (see [1] or the documentation for your \TeX system).
3. Update the database of file names. Again, see [1] or the documentation for your \TeX system for the system-specific details.
4. The file `acmart.pdf` provides the documentation for the package. (This is probably the file you are reading now.)

As an alternative to items 2 and 3 you can just put the files in the working directory where your `.tex` file is.

This class uses a number of other packages. They are included in all major \TeX distributions ($\text{\TeX} \text{Live}$, Mac \TeX , Mik \TeX) of 2015 and later, so you probably have them installed. Just in case here is the list of these packages:

- *amscls*, <http://www.ctan.org/pkg/amscls>
- *amsfonts*, <http://www.ctan.org/pkg/amsfonts>
- *amsmath*, <http://www.ctan.org/pkg/amsmath>
- *binhex*, <http://www.ctan.org/pkg/binhex>
- *balance*, <http://www.ctan.org/pkg/balance>
- *booktabs*, <http://www.ctan.org/pkg/booktabs>
- *caption*, <http://www.ctan.org/pkg/caption>
- *comment*, <http://www.ctan.org/pkg/comment>
- *cm-super*, <http://www.ctan.org/pkg/cm-super>
- *cmap*, <http://www.ctan.org/pkg/cmap>
- *doclicense*, <http://www.ctan.org/pkg/doclicense>
- *draftwatermark*, <http://www.ctan.org/pkg/draftwatermark>
- *environ*, <http://www.ctan.org/pkg/environ>
- *etoolbox*, <http://www.ctan.org/pkg/etoolbox>
- *fancyhdr*, <http://www.ctan.org/pkg/fancyhdr>
- *float*, <http://www.ctan.org/pkg/float>
- *fontaxes*, <http://www.ctan.org/pkg/fontaxes>

- *geometry*, <http://www.ctan.org/pkg/geometry>
- *graphics*, <http://www.ctan.org/pkg/graphics>
- *hyperref*, <http://www.ctan.org/pkg/hyperref>
- *hyperxmp*, <http://www.ctan.org/pkg/hyperxmp>
- *iftex*, <http://www.ctan.org/pkg/iftex>
- *inconsolata*, <http://www.ctan.org/pkg/inconsolata>
- *libertine*, <http://www.ctan.org/pkg/libertine>
- *manyfoot*, <http://www.ctan.org/pkg/manyfoot>
- *microtype*, <http://www.ctan.org/pkg/microtype>
- *mmap*, <http://www.ctan.org/pkg/mmap>
- *ms*, <http://www.ctan.org/pkg/ms>
- *mweights*, <http://www.ctan.org/pkg/mweights>
- *natbib*, <http://www.ctan.org/pkg/natbib>
- *nccfoots*, <http://www.ctan.org/pkg/nccfoots>
- *newtx*, <http://www.ctan.org/pkg/newtx>
- *oberdiek*, <http://www.ctan.org/pkg/oberdiek>
- *pdftex-def*, <http://www.ctan.org/pkg/pdftex-def>
- *refcount*, <http://www.ctan.org/pkg/refcount>
- *setspace*, <http://www.ctan.org/pkg/setspace>
- *textcase*, <http://www.ctan.org/pkg/textcase>
- *totpages*, <http://www.ctan.org/pkg/totpages>
- *trimspaces*, <http://www.ctan.org/pkg/trimspaces>
- *upquote*, <http://www.ctan.org/pkg/upquote>
- *url*, <http://www.ctan.org/pkg/url>
- *xcolor*, <http://www.ctan.org/pkg/xcolor>
- *xkeyval*, <http://www.ctan.org/pkg/xkeyval>
- *xstring*, <http://www.ctan.org/pkg/xstring>

2.2 Invocation and options

To use this class, put in the preamble of your document

```
\documentclass[<options>]{acmart}
```

There are several options corresponding to the type of the document and its general appearance. They are described below. Generally speaking, the options have key=value forms, for example,

```
\documentclass[format=acmsmall, screen=true, review=false]{acmart}
```

The option `format` describes the format of the output. There are several possible values for this option, for example,

```
\documentclass[format=acmtog]{acmart}
```

Actually the words `format=` can be omitted, e.g.,

```
\documentclass[acmtog, review=false]{acmart}
```

The possible formats are listed in Table 1. Note that formats starting with `acm` are intended for journals, transactions, and course materials, while formats starting with `sig` are intended for proceedings published as books.

Sometimes conference proceedings are published as a special issue (or issues) of an ACM journal. In this case, you should use the journal format. The templates `sample-acmsmall-conf.tex` and `sample-acmtog-conf.tex` show how to enter conference information. Note that you need to comment out `\acmJournal{...}` line for such papers to get the conference information in the footers and headers.

Starting in 2020, ACM retired formats `sigchi` and `sigchi-a`. SIGCHI conferences now use `sigconf` format for their publications. If a file uses `sigchi` format, a warning is issued, and the format is automatically switched to `sigconf`. Format `sigchi-a` can be used for non-ACM documents only (see Section 2.23). The format `acmcpc` is used for ACM cover pages discussed in Section 2.5.

There are several Boolean options that can take `true` or `false` values. They are listed in Table 2. The words `=true` can be omitted when setting a Boolean option, so instead of `screen=true` one can write just `screen`, for example,

```
\documentclass[acmsmall, screen, review]{acmart}
```

The option `review` is useful when combined with the `manuscript` format option. It provides a version suitable for reviewers and copy editors.

Two samples in the `samples` directory, `manuscript` and `acmsmall-submission`, show manuscripts formatted for submission to ACM.

The default for the option `screen` depends on the publication. At present it is `false` for all publications *but* PACM, since PACM is now electronic-only. Thus PACM titles (see Table 5) set this option to `true`. In the future this option may involve additional features suitable for on-screen versions of articles.

The option `natbib` is used when the corresponding Bib_TE_X style is based on `natbib`. In most cases you do not need to set it. See Section 2.14.

Table 1: The possible values for the `format` option

Value	Meaning
<code>manuscript</code>	A manuscript. This is the default.
<code>acmsmall</code>	Small single-column format. Used for ACMJCSS, CIE, CSUR, DLT, FAC, GAMES, JACM, JATS, JDIQ, JDS, JEA, JERIC, JETC, JRC, PACM-CGIT, PACMHCI, PACMMOD, PACMNET, PACMPL, PACMSE, POMACS, TAAS, TACCESS, TACO, TALG, TALLIP (formerly TALIP), TCPS, TDS, TEAC, TECS, TELO, THRI, TIIS, TIOT, TISSEC, TIST, TKDD, TMIS, TOCE, TOCHI, TOCL, TOCS, TOCT, TODAES, TODS, TOIS, TOIT, TOMACS, TOMM (formerly TOMCCAP), TOMPECS, TOMS, TOPC, TOPLAS, TOPML, TOPS, TORS TOS, TOSEM, TOSN, TQC, TRETS, TSAS, TSC, TSLP, and TWEB, including special issues.
<code>acmlarge</code>	Large single-column format. Used for DTRAP, HEALTH, IMWUT, JOCCH, and TAP, including special issues.
<code>acmtog</code>	Large double-column format. Used for TOG, including annual conference Technical Papers.
<code>sigconf</code>	Proceedings format for most ACM conferences (with the exception of SIGPLAN) and all ICPS volumes.
<code>sigplan</code>	Proceedings format for SIGPLAN conferences.
<code>acmengage</code>	ACM EngageCSEdu Course materials.
<code>acmcpc</code>	ACM cover page.

The option `anonymous` is used for anonymous review processes and causes all author information to be obscured.

The option `timestamp` is used to include a time stamp in the footer of each page. When preparing a document, this can help avoid confusing different revisions. The footer also includes the page range of the document. This helps detect missing pages in hard copies.

The option `authordraft` is intended for author's drafts that are not intended for distribution. It typesets a copyright block to give the author an idea of its size and the overall size of the paper but overprints it with the phrase "Unpublished working draft. Not for distribution.", which is also used as a watermark. This option sets `timestamp` and `review` to `true`, but these can be overridden by setting these options to `false` after setting `authordraft` to `true`.

The option `balance` determines whether the last page in the two column mode has balanced columns. By default it is `true`; however, it may lead to problems for some documents. Set it to `false` if you encounter compilation errors. Note that for one page documents `\balance` command might cause problems. An alternative is the (experimental) option `pbalance`, which uses the new package `pbalance` for this end.

The option `urlbreakonhyphens` determines whether URLs can be split between lines after hyphens. By default it is `true`. Set it to `false` to disallow these breaks.

The option `language` is used to define the languages for the multi-language papers. It is discussed in Section 2.6.

Table 2: Boolean options

Option	Default	Meaning
review	false	A review version: lines are numbered and hyperlinks are colored
screen	see text	A screen version: hyperlinks are colored
natbib	true	Whether to use the <code>natbib</code> package (see Section 2.14)
anonymous	false	Whether to make author(s) anonymous
authorversion	false	Whether to generate a special version for the authors' personal use or posting (see Section 2.3)
nonacm	false	Use the class typesetting options for a non-ACM document, which will not include the conference/journal header and footers. Currently such documents allow only a Creative Commons license.
timestamp	false	Whether to put a time stamp in the footer of each page
authordraft	false	Whether author's-draft mode is enabled
acmthm	true	Whether to define theorem-like environments, see Section 2.10
balance	true	Whether to balance the last page in two column mode
pbalance	false	Whether to balance the last page in two column mode using pbalance package
urlbreakonhyphens	true	Whether to break urls on hyphens

2.3 Top matter

A number of commands set up *top matter* or (in computer science jargon) *metadata* for an article. They establish the publication name, article title, authors, DOI and other data. Some of these commands, like `\title` and `\author`, should be put by the authors. Others, like `\acmVolume` and `\acmDOI`—by the editors. Below we describe these commands and mention who should issue them. These macros should be used *before* the `\maketitle` command. Note that in previous versions of ACM classes some of these commands should be used before `\maketitle`, and some after it. Now they all must be used before `\maketitle`.

This class internally loads the `amsart` class, so many top-matter commands are inherited from `amsart` [2].

`\acmJournal` The macro `\acmJournal{<shortName>}` sets the name of the journal or transaction for journals and transactions. The argument is the short name of the publication *in uppercase*, for example,

```
\acmJournal{TOMS}
```

The currently recognized journals are listed in Table 5. Note that conference proceedings published in *book* form do not set this macro.

`\acmConference` The macro `\acmConference[<short name>]{<name>}{<date>}{<venue>}` is used for conference proceedings published in the book form. The arguments are the following:

short name: the abbreviated name of the conference (optional).

name: the name of the conference.

date: the date(s) of the conference.

venue: the place of the conference.

Examples:

```
\acmConference[TD'15]{Technical Data Conference}{November  
12--16}{Dallas, TX, USA}  
\acmConference{SA'15 Art Papers}{November 02--06, 2015}{Kobe, Japan}
```

`\acmBooktitle` By default we assume that conference proceedings are published in the book named *Proceedings of CONFERENCE*, where CONFERENCE is the name of the conference inferred from the command `\acmConference` above. However, sometimes the book title is different. The command `\acmBooktitle` can be used to set this title, for example,

```
\acmBooktitle{Companion to the first International Conference on the  
Art, Science and Engineering of Programming (Programming '17)}
```

An ACM paper should have either `\acmJournal` or `\acmConference` command. If it has both (or more) commands, the last one takes precedence. Note that if you have the command `\acmConference` in a journal format like `acmsmall`, the class will use conference format for bibstrip and reference citation formatting. In the samples directory there is a file `sample-acmsmall-conf.tex` with the example of this usage.

An ACM Engage material should *not* use `\acmJournal` or `\acmConference` command. It may use `\acmBooktitle` to override the default *ACM EngageCSEdu*. It should use `\acmYear` to set the date of the material.

\editor In most cases, conference proceedings are edited. You can use the command \editor{*editor*} to set the editor of the volume. This command can be repeated, for example,

```
\editor{Jennifer B. Sartor}
\editor{Theo D'Hondt}
\editor{Wolfgang De Meuter}
```

\title The command \title, as in the amsart class, has two arguments: one optional, and one mandatory:

```
\title[ShortTitle]{FullTitle}
```

The mandatory argument is the full title of the article. The optional argument, if present, defines the shorter version of the title for running heads. If the optional argument is absent, the full title is used instead.

It is expected that this command is inserted by the author of the manuscript.

\subtitle Besides title, ACM classes allow a subtitle, set with the \subtitle{*subtitle*} macro.

The commands for specifying authors are highly structured. The reason is they serve double duty: the authors' information is typeset in the manuscript *and* is used by the metadata extraction tools for indexing and cataloguing. Therefore it is very important to follow the guidelines exactly.

\author The basic commands are \author, \orcid (for the researchers registered with ORCID, <http://www.orcid.org/>), \affiliation and \email. In the simplest case, you \affiliation enter them in this order:

```
\email
  \author{...}
  \orcid{...}
  \affiliation{...}
  \email{...}
```

Do *not* use the L^AT_EX \and macro or commas, or \\ between the authors! Each author deserves his or her own \author command. An attempt to list several authors or their e-mails in one command leads to a warning or an error. This is not a bug, but the expected behavior.

Note that some formats do not typeset e-mails or ORCID identifiers. Do not worry: the metadata tools will get them.

ACM strongly encourages that you include ORCIDs for all authors before compiling or submitting for review and/or production processing.

If you do not have an ORCID, you may get one for free by registering at <http://www.orcid.org/>.

Sometimes an author has several affiliations. In this case, the \affiliation command should be repeated:

```
\author{...}
\orcid{...}
\affiliation{...}
\affiliation{...}
\email{...}
```

Similarly you can repeat the \email command.

You may have several authors with the same affiliation, different affiliations, or overlapping affiliations (author A_1 is affiliated with institutions I_1 and I_2 , while author A_2 is affiliated with I_2 only, author A_3 is affiliated with I_1 and I_3 , etc.). The recommended solution is to put the \affiliation commands after each author, possibly repeating them:

```
\author{...}
\orcid{...}
\affiliation{...}
\affiliation{...}
\email{...}
\author{...}
\orcid{...}
\affiliation{...}
\email{...}
\author{...}
\orcid{...}
\affiliation{...}
\affiliation{...}
\email{...}
```

In some cases, when several authors share the same affiliation, you can try to save space using the format

```
\author{...}
\email{...}
\author{...}
\email{...}
\affiliation{...}
```

However, this format is not generally recommended.

\additionalaffiliation In some cases, too many affiliations can take too much space. The command \additionalaffiliation{\affiliation} creates a footnote after an author's name with the words "Also with {\affiliation}". You should use this command only as a last resort. An example of usage is:

```
\author{G. Tobin}
\author{Ben Trovato}
\additionalaffiliation{%
  \institution{The Th\o rv\aa ld Group}
  \streetaddress{1 Th\o rv\aa ld Circle}
  \city{Hekla}
  \country{Iceland}}
\affiliation{%
  \institution{Institute for Clarity in Documentation}
  \streetaddress{P.O. Box 1212}
  \city{Dublin}
  \state{Ohio}
  \postcode{43017-6221}}
```

Here Trovato and Tobin share their affiliation with the Institute for Clarity in Documentation, but only Ben Trovato is affiliated with The Th\o rv\aa ld Group.

\position The \affiliation and \additionalaffiliation commands are further structured \institution to interact with the metadata extraction tools. Inside these commands you should use the \department \position, \institution, \department, \city, \streetaddress, \state, \postcode \streetaddress and \country macros to indicate the corresponding parts of the affiliation. Note that in \city some cases (for example, journals) these parts are not printed in the resulting copy, but \state they *are* necessary since they are used by the XML metadata extraction programs. Do \postcode *not* put commas or \\ between the elements of \affiliation. They will be provided \country automatically.

The fields \institution, \city and \country are mandatory. If they are not provided, an error or a warning is issued. Currently the absence of \country produces an error; ACM may change this in the future.

An example of the author block:

```
\author{A. U. Thor}
\orcid{1234-4564-1234-4565}
\affiliation{%
  \institution{University of New South Wales}
  \department{School of Biomedical Engineering}
  \streetaddress{Samuels Building (F25), Kensington Campus}
  \city{Sidney}
  \state{NSW}
  \postcode{2052}
  \country{Australia}}
\email{author@nsw.au.edu}
\author{A. N. Other}
\affiliation{%
  \institution{University of New South Wales}
  \city{Sidney}
  \state{NSW}
  \country{Australia}}
\author{C. O. Respondent}
\orcid{1234-4565-4564-1234}
\affiliation{%
  \institution{University of Pennsylvania}
  \city{Philadelphia}
  \state{PA}
  \country{USA}}
\affiliation{%
  \institution{University of New South Wales}
  \city{Sidney}
  \state{NSW}
  \country{Australia}}
```

Note that the old ACM conference formats did not allow more than six authors and required some effort from authors to achieve alignment. The new format is much better in this.

Sometimes an author works in several departments within the same institution. There could be two situations: the departments are independent, or one department is within another. In the first case, just repeat the command \department several times. To handle the second case the command has an optional numerical parameter. The departments with higher numbers are higher in the organizational chart. Compare

```
\affiliation{%
```

```
\department[0]{Department of Lunar Studies} % 0 is the default
\department[1]{John Doe Institute} % higher than 0
\institution{University of San Serriffe}
\country{San Serriffe}
```

and

```
\affiliation{%
\department{Department of Lunar Studies} % Not in the John Doe Institute!
\department{John Doe Institute}
\institution{University of San Serriffe}
\country{San Serriffe}}
```

The command `\affiliation` formats its output according to American conventions. This might be wrong for some cases. Consider, for example, a German address. In Germany, the postcode is put before the city and is not separated by a comma. We can handle this order using

```
\affiliation{%
\institution{Fluginstitut}
\streetaddress{Sonnenallee 17}
\postcode{123456}
\city{Helm}
\country{Germany}}
```

However, the comma after the postcode is unfortunate: the address will be typeset (in some formats) as

```
Fluginstitut
Sonnenallee 17
123456, Helm, Germany
```

To overcome this problem, the command `\affiliation` has an optional parameter `obeypunctuation`, which can be `false` (the default) or `true`. If this parameter is `true`, `\affiliation` obeys the author's command. Thus

```
\affiliation[obeypunctuation=true]{%
\institution{Fluginstitut} \\
\streetaddress{Sonnenallee 17} \\
\postcode{123456}
\city{Helm},
\country{Germany}}
```

will be typeset as

```
Fluginstitut
Sonnenallee 17
123456 Helm, Germany
```

Note that you should *not* use this option for journals.

It is expected that these commands are inserted by the author of the manuscript.

\thanks Like `amsart` (and unlike standard L^AT_EX), we allow \thanks only *outside* of the commands \title and \author. This command is obsolete and should *not* be used in most cases. Do not list your acknowledgments or grant sponsors here. Put this information in the acks environment (see Section 2.13).

\authorsaddresses In some formats, addresses are printed as a footnote on the first page. By default L^AT_EX typesets them itself using the information you give it. However, you can override its choice using the command \authorsaddresses{\text{<contact addresses>}}, for example,

```
\authorsaddresses{%
  Authors' addresses: G.~Zhou, Computer Science Department, College of
  William and Mary, 104 Jameson Rd, Williamsburg, PA 23185, US;
  V.~B'eranger, Inria Paris-Rocquencourt, Rocquencourt, France;
  A.~Patel, Rajiv Gandhi University, Rono-Hills, Doimukh, Arunachal
  Pradesh, India; H.~Chan, Tsinghua University, 30 Shuangqing Rd,
  Haidian Qu, Beijing Shi, China; T.~Yan, Eaton Innovation Center,
  Prague, Czech Republic; T.~He, C.~Huang, J.~A.~Stankovic University
  of Virginia, School of Engineering Charlottesville, VA 22903, USA;
  T. F. Abdelzaher, (Current address) NASA Ames Research Center,
  Moffett Field, California 94035.}
```

You can *suppress* printing authors' addresses by setting them to an empty string: \authorsaddresses{}. Please note that authors' addresses are mandatory for journal articles.

\titlenote While the command \thanks generates a note without a footnote mark, sometimes \subtitlenote the authors might need notes more tightly connected to the title, subtitle or author. The \authornote commands \titlenote, \subtitlenote and \authornote that follow the corresponding commands (\title, \subtitle and \author) generate such notes. For example,

```
\title{This is a title}
\titlenote{This is a titlenote}
\author{A. U. Thor}
\authornote{This is an authornote}
```

Please never use a \footnote inside an \author or \title command since this confuses the metadata extraction software. (Actually these commands now produce errors.)

\authornotemark Sometimes one may need to have the same footnote connected to several authors. The command \authornotemark[\text{<number>}] adds just the footnote mark, for example,

```
\author{A. U. Thor}
\authornote{Both authors contributed equally to the paper}
...
\author{A. N. Other}
\authornotemark[1]
```

The correct numbering of these marks is the responsibility of the user.

\acmVolume The macros \acmVolume, \acmNumber, \acmArticle, \acmYear and \acmMonth are \acmNumber inserted by the editor and set the journal volume, issue, article number, year and month \acmArticle correspondingly. The arguments of all these commands, including \acmMonth, is numerical. For example,

\acmMonth \acmVolume{9}

```
\acmNumber{4}  
\acmArticle{39}  
\acmYear{2010}  
\acmMonth{3}
```

Note that `\acmArticle` is used not only for journals but also for some conference proceedings.

`\acmArticleSeq` The articles in the same issue of a journal have a *sequence number*. By default it is the same as the article number, but the command `\acmArticleSeq{<n>}` can be used to change it:

```
\acmArticle{39} % The sequence number will be 39 by default  
\acmArticleSeq{5} % We redefine it to 5
```

`\acmSubmissionID` If your paper got a Submission ID from the Conference Management System, put it here:

```
\acmSubmissionID{123-A56-BU3}
```

`\acmISBN` Book-like volumes have ISBN numbers attached to them. The macro `\acmISBN{<ISBN>}` sets it. Normally it is set by the typesetter, for example,

```
\acmISBN{978-1-4503-3916-2}
```

Setting it to the empty string, as `\acmISBN{}`, suppresses printing the ISBN.

`\acmDOI` The macro `\acmDOI{<DOI>}` sets the DOI of the article, for example,

```
\acmDOI{10.1145/9999997.9999999}
```

It is normally set by the typesetter. Setting it to the empty string, as `\acmDOI{}`, suppresses the DOI.

`\acmBadge` Some conference articles get special distinctions, for example, the artifact evaluation for PPoPP 2016 (see <http://ctuning.org/ae/ppopp2016.html>). These articles display special badges supplied by the conference organizers. This class provides command to add these badges: `\acmBadge[<url>]{<graphics>}`. The arguments have the following meaning: [<url>], if provided, sets the link to the badge authority in the screen version, while {<graphics>} sets the graphics file with the badge image. The file must be a cropped square, which is scaled to a standard size in the output. For example, if the badge image is ae-logo.pdf, the command is

```
\acmBadgeR[http://ctuning.org/ae/ppopp2016.html]{ae-logo}
```

The command can be repeated, if a paper has several badges.

`\startPage` The macro `\startPage{<page>}` sets the first page of the article in a journal or book. It is used by the typesetter.

`\terms` The command `\keywords{<keyword, keyword,...>}` sets keywords for the article.

`\keywords` They must be separated by commas, for example,

```
\keywords{wireless sensor networks, media access control,  
multi-channel, radio interference, time synchronization}
```

`CCSXML (env)` ACM publications are classified according to the ACM Computing Classification Scheme (CCS). CCS codes are used both in the typeset version of the publications *and* in the metadata in various databases. Therefore you need to provide both TeX commands and XML metadata with the paper.

The tool at <http://dl.acm.org/ccs.cfm> can be used to generate CCS codes. After you select the topics, click on “Generate CCS codes” to get results like the following:

```
\begin{CCSXML}
<ccs2012>
  <concept>
    <concept_id>10010520.10010553.10010562</concept_id>
    <concept_desc>Computer systems organization~Embedded systems</concept_desc>
    <concept_significance>500</concept_significance>
  </concept>
  <concept>
    <concept_id>10010520.10010575.10010755</concept_id>
    <concept_desc>Computer systems organization~Redundancy</concept_desc>
    <concept_significance>300</concept_significance>
  </concept>
  <concept>
    <concept_id>10010520.10010553.10010554</concept_id>
    <concept_desc>Computer systems organization~Robotics</concept_desc>
    <concept_significance>100</concept_significance>
  </concept>
  <concept>
    <concept_id>10003033.10003083.10003095</concept_id>
    <concept_desc>Networks~Network reliability</concept_desc>
    <concept_significance>100</concept_significance>
  </concept>
</ccs2012>
\end{CCSXML}

\ccsdesc[500]{Computer systems organization~Embedded systems}
\ccsdesc[300]{Computer systems organization~Redundancy}
\ccsdesc{Computer systems organization~Robotics}
\ccsdesc[100]{Networks~Network reliability}
```

You just need to copy this code and paste it in your paper anywhere before `\maketitle`.

CCS Concepts and user-defined keywords are required for all articles over two pages in length, and are optional for one- and two-page articles (or abstracts).

`\setcopyright` There are several possibilities for the copyright of the papers published by the ACM: the authors may license the paper to the ACM, some or all authors might be employees of the US or Canadian governments, etc. Accordingly the command `\setcopyright{...}` is introduced. Its argument is the copyright status of the paper, for example, `\setcopyright{acmcopyright}`. The possible values for this command are listed in Table 3. This command must be placed in the preamble, before `\begin{document}`. Additional information about ACM copyright rules is discussed in Section 2.18.

`\setcctype` If Creative Commons license is used, the package by default chooses CC-BY 4.0 Attribution 4.0 International license. You can override this choice by the command `\setcctype[<version>]{<type>}`, where [<version>] can be either 3.0 or 4.0 (4.0 by de-

Table 3: Parameters for the \setcopyright command

Parameter	Meaning
none	The copyright and permission information is not typeset. (This is the option for some ACM conferences.)
acmlicensed	The authors retain the copyright but license the publication rights to ACM.
rightsretained	The authors retain the copyright and publication rights to themselves or somebody else.
usgov	All the authors are employees of the US government.
usgovmixed	Some authors are employees of the US government.
cagov	All the authors are employees of the Canadian government.
cagovmixed	Some authors are employees of the Canadian government.
licensedusgovmixed	Some authors are employees of the US government, and the publication rights are licensed to ACM.
licensedcagov	All the authors are employees of the Canadian government, and the publication rights are licensed to ACM.
licensedcagovmixed	Some authors are employees of the Canadian government, and the publication rights are licensed to ACM.
othergov	Authors are employees of a government other than the US or Canada.
licensedothergov	Authors are employees of a government other than the US or Canada, and the publication rights are licensed to ACM.
iw3c2w3	Special statement for conferences organized by IW3C2.
iw3c2w3g	Special statement for conferences organized by IW3C2, when some authors are approved Google employees.
cc	Creative Commons license. If this key is set, <i>doclicense</i> images are used to typeset the license. See also \setcctype command. Note that at present this license can be used only either for acm engage format, or for nonacm publications, or for the authors that meet any of the following requirements: (a) part of the ACM Open Program; (b) publishing in a Gold Open Access publication; (c) paying the Open Access APC; (d) part of the Google publishing agreement.
acmcopyright	The authors transfer the copyright to the ACM. This choice is no longer available for the non-commissioned authors and will trigger a warning.

fault), and $\{\langle type \rangle\}$ can be one of zero, by, by-sa, by-nd, by-nc, by-nc-sa, by-nc-nd (see <https://creativecommons.org/licenses/> for the explanation). This command should be used in the preamble only.

Material published under Creative Commons license should include the corresponding icon. A modern \TeX distribution includes these icons in the package *doclicense*. In case your distribution does not have them, ACM provides a file *ccicons.zip* with these icons. Just unzip it in the same directory where your document is.

The ACM submission software should generate the right command for you to paste into your file.

`\copyrightyear` Each copyright statement must have the year of copyright. By default it is the same as `\acmYear`, but you can override this using the macro `\copyrightyear`, e.g.,

```
\acmYear{2016}  
\copyrightyear{2015}
```

There is a special case for a personal copy that the authors may be allowed to generate for their use or a posting on a personal site (check the instructions for the specific journal or conference for the details). The document option `authorversion=true` produces a special form of the copyright statement for this case. Note that you still need the `\setcopyright` command and (optionally) `\copyrightyear` command to tell \TeX about the copyright owner and year. Also, you should be aware that due to the different sizes of the permission blocks for the printed version and authors' version, the page breaks might be different between them.

`abstract (env)` The environment `abstract` must *precede* the `\maketitle` command. Again, this is different from the standard \LaTeX . Putting `abstract` after `\maketitle` will trigger an error.

`teaserfigure (env)` A special kind of figure is used for many two-column conference proceedings. This figure is placed just after the authors but before the main text. The environment `teaserfigure` is used for these figures. This environment must be used *before* `\maketitle`, for example,

```
\begin{teaserfigure}  
  \includegraphics[width=\textwidth]{sampleteaser}  
  \caption{This is a teaser}  
  \label{fig:teaser}  
\end{teaserfigure}
```

`\settopmatter` Some information in the top matter is printed for certain journals or proceedings and suppressed for others. You can override these defaults using the command `\settopmatter{\langle settings \rangle}`. The settings and their meanings are listed in Table 4. For example,

```
\settopmatter{printacmref=false, printccs=true, printfolios=true}
```

The parameter `authorsperrow` requires some explanation. In conference proceedings authors' information is typeset in boxes, several boxes per row (see *sample-sigconf.pdf*, *sample-sigplan.pdf*, etc.). The number of boxes per row is determined automatically. If you want to override this, you can do it using this parameter, for example,

```
\settopmatter{authorsperrow=4}
```

Table 4: Settings for the \settopmatter command

Parameter	Values	Meaning
printccs	true/false	Whether to print CCS categories
printacmref	true/false	Whether to print the ACM bibliographic entry
printfolios	true/false	Whether to print page numbers (folios)
authorsperrow	numeric	Number of authors per row for the title page in conference proceedings formats

However, in most cases you should *not* do this and should use the default settings. Setting `authorsperrow` to 0 will revert it to the default settings.

The parameter `printacmref` specifies whether to print the ACM bibliographic entry (default), or not. Note that this entry is required for all articles over one page in length, and is optional for one-page articles (abstracts).

\received The command `\received[<stage>]{<date>}` sets the history of the publication. The [<stage>] argument is optional; the default is Received for the first date and revised for the subsequent ones. For example,

```
\received{20 February 2007}
\received[revised]{12 March 2009}
\received[accepted]{5 June 2009}
```

\maketitle The macro `\maketitle` must be the last command in the top-matter group. That is it must follow the commands defined in this section.

\shortauthors After the command `\maketitle`, the macro `\shortauthors` stores the names of the authors for the running head. You can redefine it if the list of author's name is too long, e.g.,

```
\maketitle
\renewcommand{\shortauthors}{Zhou et al.}
```

2.4 Top matter of ACM Engage materials

ACM Engage materials resemble conference proceedings, but have some special features. First, as a rule, they are released under a Creative Commons license. By default CC-BY is used. However, if you want to use another variant of CC license, use `\setcctype` command, for example, `\setcctype{by-nc}`. Second, abstract is called *synopsis*. Third, there are special top matter items used for the materials, such as *Course*, *Resource Type*, *Programming Language*, *CS Topics*.

\setengagemetadata These items are set with the command `\setengagemetadata{<name>}{{<value>}}`, for example,

```
\setengagemetadata{Course}{CS1}
\setengagemetadata{Programming Language}{Python}
\setengagemetadata{Knowledge Unit}{Programming Concepts}
\setengagemetadata{CS Topics}{Functions, Data Types, Expressions,
Mathematical Reasoning}
```

Note that the type of Creative Commons license, if such license is used, is automatically added to the metadata.

2.5 ACM cover page

ACM cover pages are forms of extended abstracts that are added to journals at the late stage. Authors prepare them as separate .tex files using acmcp format. At present only JDS uses them, but in the future this may change.

There are several top matter commands specific for this format.

\acmArticleType There are five article types accepted by JDS: *Research* (the default), *Review*, *Discussion*, *Invited*, and *Position*. The command \acmArticleType{\textit{type}} sets the article type, for example

```
\acmArticleType{Review}
```

\acmCodeLink The commands \acmCodeDataLink{\textit{link}} and \acmDataLink{\textit{link}} set the links \acmDataLink to the data and code accompanying the paper, for example,

```
\acmCodeLink{https://github.com/repository/code}  
\acmDataLink{https://datadryad.org/stash/dataset/doi:DOI}
```

You may repeat these commands if you have several repositories.

\acmContributions The command \acmContributions{\textit{contributions}} sets the contributions of the authors, for example,

```
\acmContributions{AW designed the study, CD performed it, all  
authors contributed to the writing.}
```

ACM cover page should have the following obligatory sections:

- Problem statement,
- Methods,
- Results,
- Significance.

Sometimes the addresses extracted from the authors' data are too long to fit on the page. In this case the command \authorsaddresses can be used to override them, for example,

```
\authorsaddresses{Corresponding author: Ben Trovato,  
\href{mailto:trovato@corporation.com}{trovato@corporation.com};  
Institute for Clarity in Documentation, P.O. Box 1212, Dublin,  
Ohio, USA, 43017-6221}
```

The design of the cover page may require additional runs of latex to make the elements of the page align.

2.6 Internationalization

ACM accepts publications in languages other than English, as well as papers in English with translations of titles, subtitles, keywords and abstracts into other languages. Papers in languages other than English usually have titles, subtitles (if applicable), keywords and abstracts in English. Note that CCS concepts are always typeset in English.

To submit these papers you need to set the option `language` in the `\documentclass` command. This option can be repeated, for example,

```
\documentclass[sigconf, language=french, language=english]{acmart}
```

The last language in the list is the main language of the paper, i.e. the one for the main title, abstract, body, etc. The other languages are *secondary*, and used for translated titles, keywords, abstracts. Thus the paper above is written in English, and has a secondary abstract and a secondary title in French. On the other hand, a paper in French with secondary titles and abstracts in English and German should use, for example

```
\documentclass[sigconf,
               language=german,
               language=english,
               language=french]{acmart}
```

This key can use any language defined in *babel* package [3] (currently the package is tested with English, French, German and Spanish languages; other languages may require a translation of `\keywordsname` macro). Actually *acmart* loads *babel* internally, so you can use the facilities provided by this package.

If this key is set, you have access to several additional top matter commands.

`\translatedtitle` The commands `\translatedtitle{<language>}title`, `\translatedsubtitle{<language>}subtitle` `\translatedsubtitle` and `\translatedkeywords{language}keywords` are used to set title, subtitle and key-`\translatedkeywords` words in the secondary language. For example, a paper in English with French title and abstract may set

```
\title{A note on computational complexity}
\translatedtitle{french}{Remarque sur la complexit\'e de calcul}
```

while a paper in French should set

```
\title{Remarque sur la complexit\'e de calcul}
\translatedtitle{english}{A note on computational complexity}
```

`\translatedabstract (env.)` Similarly, `\translatedabstract` environment has a mandatory language argument, for example,

```
\begin{translatedabstract}{english}
  This is the English version of the abstract
\end{translatedabstract}
```

You can repeat these commands if a paper has more than one secondary language.

Use the standard commands (`\title`, `\subtitle`, `\keywords`, `\abstract`) for the main language of the paper.

2.7 Algorithms

There are now several good packages for typesetting algorithms [4, 5, 6], and the authors are free to choose their favorite one.

2.8 Figures and tables

The new ACM styles use the standard L^AT_EX interface for figures and tables. There are some important items to be aware of, however.

1. The captions for figures must be entered *after* the figure bodies and for tables *before* the table bodies.
2. The ACM uses the standard types for figures and tables and adds several new ones. In total there are the following types:

figure, table: a standard figure or table taking a full text width in one-column formats and one column width in two-column formats.

figure*, table* in two-column formats, a special figure or table taking a full text width.

teaserfigure: a special figure before \maketitle.

3. Accordingly, when scaling images, one should use the following sizes:

- (a) For `teaserfigure`, `figure` in one-column mode or `figure*` in two-column mode, use `\textwidth`. In one-column mode, you can also use `\columnwidth`, which coincides with `\textwidth` in this case.
- (b) For `figure` in two-column mode, use `\columnwidth`.

It is strongly recommended to use the package `booktabs` [7] and follow its main principles of typography with respect to tables:

1. Never, ever use vertical rules.
2. Never use double rules.

It is also a good idea not to overuse horizontal rules.

For table *footnotes* you have several options described in the TeX FAQ [1]. The simplest one is to use a `\minipage` environment:

```
\begin{table}
\caption{Simulation Configuration}
\label{tab:conf}
\begin{minipage}{\columnwidth}
\begin{center}
\begin{tabular}{ll}
\toprule
TERRAIN\footnote{This is a table footnote. This is a table footnote. This is a table footnote.} & \\
(200\,,m$\times$200\,,m) Square\\
Node Number & 289\\
Node Placement & Uniform\\
Application & Many-to-Many/Gossip CBR Streams\\
Payload Size & 32 bytes\\
\end{tabular}
\end{center}
\end{minipage}

```

```

    Routing Layer & GF\\
    MAC Layer & CSMA/MMSN\\
    Radio Layer & RADIO-ACCNOISE\\
    Radio Bandwidth & 250Kbps\\
    Radio Range & 20m--45m\\
    \bottomrule
\end{tabular}
\end{center}
\bigskip
\footnotesize\emph{Source:} This is a table
sourcenote. This is a table sourcenote. This is a table
sourcenote.

\emph{Note:} This is a table footnote.
\end{minipage}
\end{table}

```

Tables and figures are by default centered. However, in some cases (for example, when you use several subimages per figure) you may need to override this. A good way to do so is to put the contents into a `\minipage` of the width `\columnwidth`.

2.9 Descriptions of images

`\Description` Some readers of ACM publications might be visually challenged. These readers might use a voice-over software to read aloud the papers. It is important to provide them a description of each image used in the paper.

The command `\Description[<short description>]{<long description>}` should be placed inside every `figure`, `teaserfigure` or `marginfigure` environment to provide a description of the image(s) used in the figure. Unlike `\caption`, which is used alongside the image, `\Description` is intended to be used instead of the image, for example,

```

\begin{figure}
\centering
\includegraphics{voltage}
\Description{A bell-like histogram centered at $0.5$~V with most
measurements between $0.2$~V and $0.8$~V}
\caption{Histogram of the measurements of voltage}
\label{fig:voltage}
\end{figure}

```

At present the lack of descriptions generates a warning at compilation.

2.10 Theorems

The ACM classes define two theorem styles and several pre-defined theorem environments:

acmplain: this is the style used for `theorem`, `conjecture`, `proposition`, `lemma` and `corollary`, and

acmdefinition: this is the style used for `example` and `definition`.

These environments are defined by default. In the unusual circumstance that a user does not wish to have these environments defined, the option `acmthm=false` in the preamble will suppress them.

Sometimes authors want to define new theorem-like constructs that use theorem counters. These constructs must be defined either after `\begin{document}`, or delayed using `\AtEndPreamble` macro, for example,

```
\AtEndPreamble{%
  \theoremstyle{acmdefinition}
  \newtheorem{remark}[theorem]{Remark}}
```

2.11 Online-only and offline-only material

`printonly (env)` Some supplementary material in ACM publications is put online but not in the printed screenonly (env) version. The text inside the environment `screenonly` will be typeset only when the option `screen` (see Section 2.2) is set to true. Conversely, the text inside the environment `printonly` is typeset only when this option is set to false. For example,

```
\section{Supplementary materials}

\begin{printonly}
  Supplementary materials are available in the online version of this paper.
\end{printonly}

\begin{screenonly}
  (The actual supplementary materials.)
\end{screenonly}
```

We use the `comment` package for typesetting this code, so `\begin{` and `\end` should start on a line of their own with no leading or trailing spaces.

2.12 Note about anonymous mode

`anonsuppress (env)` When the option `anonymous` is selected, TeX suppresses author information (including the number of authors) for an anonymous review. However, sometimes the information identifying the authors may be present in the body of the paper. For example,

```
\begin{anonsuppress}
  This is the continuation of the previous work by the author
  \cite{prev1, prev2}.
\end{anonsuppress}
```

As for the `printonly` and `screenonly` environments, `\begin{anonsuppress}` and `\end{anonsuppress}` should start on a line of their own with no leading or trailing spaces.

`\anon` To suppress short snippets of information, use the command `\anon[<substitute>]{<suppressed-text>}`. By default [<substitute>] is the word ANONYMOUS. Examples:

```
This work was performed at \anon{NSA}.
This work was performed at \anon[No Such Agency]{NSA}.
```

2.13 Acknowledgments

The traditional “Acknowledgments” section is conventionally used to thank persons and granting agencies for their help and support. However, there are several important considerations about this section.

First, in anonymous mode this section must be omitted: it gives too much information to reviewers. Second, data about grants is extracted and stored separately by the postprocessing software. ACM classes provide facilities for both these tasks.

`acks (env)` The environment `acks` starts an unnumbered section “Acknowledgments” unless the anonymous mode is chosen. Put all thanks inside this environment.

As for the `printonly` and `screenonly` environments, `\begin{acks}` and `\end{acks}` should start on a line of their own with no leading or trailing spaces.

`\grantsponsor` All financial support *must* be listed using the commands `\grantsponsor` and `\grantnum`. These commands tell the postprocessing software about the granting organization and grant. The format of these commands is the following:

```
\grantsponsor{\langle sponsorID \rangle}{\langle name \rangle}{\langle url \rangle}
\grantnum[\langle url \rangle]{\langle sponsorID \rangle}{\langle number \rangle}.
```

Here `\langle sponsorID \rangle` is the unique ID used to match grants to sponsors, `\langle name \rangle` is the name of the sponsor, `\langle url \rangle` is its URL, and `\langle number \rangle` is the grant number. The `\langle sponsorID \rangle` of the `\grantnum` command must correspond to the `\langle sponsorID \rangle` of a `\grantsponsor` command. Some awards have their own web pages, which you can include using the optional argument of the `\grantnum` command.

At present `\langle sponsorID \rangle` is chosen by the authors and can be an arbitrary key in the same way the label of a `\cite` is arbitrarily chosen. There might be a change to this policy if the ACM decides to create a global database of sponsoring organizations.

Example:

```
\begin{acks}
The authors would like to thank Dr. Yuhua Li for providing the
matlab code of the \textit{BEPS} method.

The authors would also like to thank the anonymous referees for
their valuable comments and helpful suggestions. This work is
supported by the \grantsponsor{GS501100001809}{National Natural
Science Foundation of
China}{\url{https://doi.org/10.13039/501100001809}} under Grant
No.: \grantnum{GS501100001809}{61273304}
and \grantnum[\url{http://www.nnsf.cn/youngscientists}]{GS501100001809}{Young
Scientists' Support Program}.
\end{acks}
```

2.14 Bibliography

The ACM lets you use either Bib_TE_X or BibL_AT_EX to process your references: they require slightly different setup of your L_AT_EX file, as detailed in the following subsections.

2.14.1 Processing using Bib_TE_X

This uses the `natbib` package for formatting references and the Bib_TE_X style file `ACM-Reference-Format.bst` for Bib_TE_X processing. You can disable loading of `natbib`

using the option `natbib=false` in `\documentclass`. However, it is not recommended, as well as the use of Bib_T^EX styles other than `ACM-Reference-Format.bst`, and may delay the processing of the manuscript.

`\citetstyle` If you use `natbib`, you can select one of two predefined citation styles using the command `\citetstyle`: the author-year format `acmauthoryear` or the numeric format `acmnumeric`. For example,

```
\citetstyle{acmauthoryear}
```

Note that numeric citations are the default mode for most formats.

`\setcitetstyle` You can further customize `natbib` using the `\setcitetstyle` command, for example,

```
\setcitetstyle{numbers,sort&compress}
```

One of the more common versions is

```
\setcitetstyle{nosort}
```

It is useful if you do not like the way `natbib` sorts citation lists.

If you use `natbib`, then commands like `\citet` and `\citeauthor` are automatically supported. The command `\shortcite` is the same as `\cite` in numerical mode and cites the year in author-date mode.

Note that before version 1.48 the command `\citeyear` put the year in parentheses. In version 1.48 and later it produces just the year; the command `\citeyearpar` can be used to emulate its old behavior.

There are several customized Bib_T^EX entry types and fields in the ACM style file `ACM-Reference-Format.bst` that you may want to be aware of.

The style supports the fields `doi` and `url`, for example,

```
doi = "10.1145/1188913.1188915",
url = "http://ccrma.stanford.edu/~jos/bayes/bayes.pdf",
```

Normally the printing of URL is suppressed if DOI is present. However, there is a special field `distinctURL`. If it is present and is not zero, URL is printed even if DOI is present.

The style supports the arXiv-recommended fields `eprint` and (optionally) `primaryclass`, for example,

```
eprint = "960935712",
primaryclass = "cs",
```

See the examples at <https://arxiv.org/help/hypertex/bibstyles>.

There are several special entry types. Types `online` and `game` are used for Web pages and games, for example,

```
@online{Thornburg01,
  author = "Harry Thornburg",
  year = "2001",
  title = "Introduction to Bayesian Statistics",
  url = "http://ccrma.stanford.edu/~jos/bayes/bayes.html",
  month = mar,
  lastaccessed = "March 2, 2005",
}
```

Entry types `artifactsoftware`, `artifactdataset` (with synonyms `software` and `dataset`) can be used to cite software artifacts and datasets, for example,

```
@ArtifactSoftware{R,
  title = {R: A Language and Environment for Statistical Computing},
  author = {{R Core Team}},
  organization = {R Foundation for Statistical Computing},
  address = {Vienna, Austria},
  year = {2019},
  url = {https://www.R-project.org/},
}

@ArtifactDataset{UMassCitations,
  author = {Sam Anzaroot and Andrew McCallum},
  title = {{UMass} Citation Field Extraction Dataset},
  year = 2013,
  url =
    {http://www.iesl.cs.umass.edu/data/data-umasscitationfield},
  lastaccessed = {May 27, 2019}
}
```

For these entry types you can use the `lastaccessed` field to add the access date for the URL.

There are two ways to enter video or audio sources in the bibliography corresponding to two different possibilities. For standalone sources available online, you can use an `online` entry and set its `howpublished` field. For example,

```
@online{Obama08,
  author = "Barack Obama",
  year = "2008",
  title = "A more perfect union",
  howpublished = "Video",
  day = "5",
  url = "http://video.google.com/videoplay?docid=6528042696351994555",
  month = mar,
  lastaccessed = "March 21, 2008",
}
```

For sources available as attachments to conference proceedings and similar documents, you can use the usual `inproceedings` entry type and set its `howpublished` field:

```
@Inproceedings{Novak03,
  author = "Dave Novak",
  title = "Solder man",
  booktitle = "ACM SIGGRAPH 2003 Video Review on Animation theater Program",
  year = "2003",
  publisher = "ACM Press",
  address = "New York, NY",
  pages = "4",
  month = "March 21, 2008",
  doi = "10.9999/woot07-S422",
  howpublished = "Video",
}
```

Sometimes you need to cite a complete issue of a journal. The `periodical` entry type is intended for this:

```
@periodical{JCohen96,
  key = "Cohen",
  editor = "Jacques Cohen",
  title = "Special issue: Digital Libraries",
  journal = "Communications of the {ACM}",
  volume = "39",
  number = "11",
  month = nov,
  year = "1996",
}
```

If you do not know the year of publication, the style will add “[n. d.]” (for “no date”) to the entry.

If you do not know the author (this is often the case for online entries), use the `key` field to add a key for sorting and citations, for example,

```
@online{TUGInstmem,
  key = {TUG},
  year = 2017,
  title = "Institutional members of the {\TeX} Users Group",
  url = "http://www.tug.org/instmem.html",
  lastaccessed = "May 27, 2017",
}
```

A note about sorting. The current ACM bibliography styles always sort the entries according to authors names and publication year. There is a controversy about sorting names with “von” or “van” part: should Ludwig van Beethoven be sorted under “V” or under “B”? The American practice is to use “van” in sorting, i.e. to file van Beethoven under “V”. However, some authorities recommend to sort Dutch persons according to their last names (see e.g. https://www.ifla.org/files/assets/cataloguing/pubs/names-of-persons_1996.pdf). While I do not want to take a part in this dispute, I would like to point to the old “noopsort” trick by Oren Patashnik. Add to the .bib file the line

```
@PREAMBLE{"\providecommand{\noopsort}[1]{}"}
```

and then encode the author as

```
author = {Ludwig \noopsort{Beethoven} van Beethoven},
```

This will make the author to be sorted as “Beethoven” rather than “van Beethoven”.

The current bst style defines a number of macros for common journal names. In particular, all journals listed in Table 5 are includes, so you can use strings like `journal = taccess` for *ACM Transactions on Accessible Computing*.

2.14.2 Processing using Bib^LATEX

You will find in this package two sets of style files for Bib^LATEX, acmnumeric and acmauthoryear, that mimic the behaviour of the ACM-Reference-Format.bst Bib^TEX style. They provide you access to all the power of Bib^LATEX and already include support for advanced citation of software artefact from the biblatex-software package, also separately available on CTAN. Look at the biblatex-software documentation to learn more about what it offers.

There are a few key differences in how the L^AT_EX sources are set up when using Bib^LATEX instead of Bib^TEX, that we summarize briefly here (please refer to the official Bib^LATEX documentation for more details).

In the preamble of your document you need to load the Bib^LATEX package and select the appropriate bibliography style, as follows

```
\RequirePackage[
  datamodel=acmdatamodel,
  style=acmnumeric, % use style=acmauthoryear for publications that require it
]{biblatex}
```

Also in the preamble, you need to declare the bibliography sources files using the \addbibresource directive (one \addbibresource command per source file), e.g.:

```
\addbibresource{software.bib}
\addbibresource{sample-base.bib}
```

At the end of the document, where you want the bibliography to appear, you need to place the command \printbibliography.

Look at the sample--*-biblatex.tex files that can be found in the samples directory after running make for templates showcasing these Bib^LATEX styles.

2.15 Colors

While printed ACM publications are usually black and white, screen mode allows the use of colors. The ACM classes pre-define several colors according to [8]: ACMBrown, ACMYellow, ACMOrange, ACMRed, ACMLightBlue, ACMGreen, ACMPurple and ACMDarkBlue. You can use them in color assignments.

The ACM provides the following recommendation on color use.

The most accessible approach would be to ensure that your article is still readable when printed in greyscale. The most notable reasons for this are:

1. The most common type of inherited Color Vision Deficiency (CVD) is red-green (in which similar-brightness colors that differ only in their amounts of red or green are often confused), and it affects up to 8% of males and 0.5% of females of Northern European descent.
2. The most common type of acquired Color Vision Deficiency (CVD) is blue-yellow (including mild cases for many older adults).
3. Most printing is in black and white.
4. Situational impairments (e.g., bright sunlight shining on a mobile screen) tend to reduce the entire color gamut, reducing color discriminability.

Note: It is *not* safe to encode information using only variations in color (i.e., only differences in hue and/or saturation) as there is bound to be someone affected!

To ensure that you are using the most accessible colors, the ACM recommends that you choose sets of colors to help ensure suitable variations in when printed in greyscale by using either of the following tools:

1. ColourBrewer: <http://colorbrewer2.org/>
2. ACE: The Accessible Colour Evaluator: <http://daprlab.com/ace/> for designing WCAG 2.0 compliant palettes.

2.15.1 Manual bibliography

Some people create bibliographies manually, writing down \bibitem commands explicitly. This approach is *not* recommended for ACM styles. The reason is, ACM submissions, besides being typeset, are also processed by special programs that extract metadata and references. Bibliographies created automatically with ACM styles contain customized macros for these programs, for example,

```
\bibitem[Ablamowicz and Fauser(2007)]%
{Ablamowicz07}
\bibfield{author}{\bibinfo{person}{Rafal Ablamowicz} \and
\bibinfo{person}{Bertrand Fauser}.} \bibinfo{year}{2007}\nate{xlab{}}.
\newblock \bibinfo{booktitle}{\emph{CLIFFORD: a Maple 11 Package for Clifford
Algebra Computations, version 11}}.
\newblock
\urldef{\tempurl}{\url{http://math.tntech.edu/rafal/cliff11/index.html}}
\showURL{%
Retrieved February 28, 2008 from \tempurl{}}
```

Manual bibliographies without these macros may slow down the publication process, and thus are not recommended for ACM submissions.

2.16 Other notable packages and typographic remarks

Several other packages are recommended for specialized tasks.

The package `subcaption` [9] is recommended for complex figures with several subplots or subfigures that require separate subcaptioning. The packages `nomenc1` [10] and `glossaries` [11] can be used for the automatic creation of the lists of symbols and concepts used.

By default `acmart` prevents all widows and orphans (i.e., lonely lines at the beginning or end of the page) and hyphenation at the end of the page. This is done by the rather strict settings

```
\widowpenalty=10000
\clubpenalty=10000
\brokenpenalty=10000
```

However, this may lead to frustrating results when the authors must obey a page limit. Setting these penalties to smaller values may help if you absolutely need to.

Another problem might be the too strict line breaking rules. Again, a strategically placed `\sloppy` command or putting the problematic paragraph inside `sloppypar` environment might help—but beware, the results might be, well, sloppy.

Note that the uppercasing in section titles is done using the `textcase` package [12], so the command `\NoCaseChange` inside the title may help to prevent extraneous uppercasing.

2.17 Counting words

Some ACM conferences use word count limits for papers. The calculation of word number for a paper with math, tables and figures is not a trivial task. Currently the authoritative word count is done by translating the PDF to text and using `wc -w` on the output. Authors can use the package `texcount` (used by Overleaf) to get an estimate of the word count. To facilitate this one adds to the beginning of the package metacomments

```
%TC:macro \cite [option:text, text]
%TC:macro \citet [option:text, text]
%TC:macro \citet [option:text, text]
%TC:envir table 0 1
%TC:envir table* 0 1
%TC:envir tabular [ignore] word
%TC:envir displaymath 0 word
%TC:envir math 0 word
%TC:envir comment 0 0
```

and uses `\begin{math}...` instead of dollar signs for math. Note that the count is in any case approximate, and the final decision of editors is based on PDF count.

The script `texcount` provides a report of word count in the document.

2.18 Creative Commons licenses for ACM publications

At present ACM does not allow the authors to typeset Creative Commons license for most ACM publications. These licenses can be used under an agreement with the ACM publishing office. In this case they are inserted by ACM itself.

The exceptions are ACM Engage format, which allows Creative Commons license, and conferences organized and copyrighted by IW3C2. In these cases the authors should use correspondingly `\setcopyright{cc}`, `\setcopyright{iw3c2w3}`, or `\setcopyright{iw3c2w3g}` (the latter should be used by Google employees).

Yet another case is the typesetting of non-ACM materials, when the option `nonacm` is used. This case is somewhat opposite, because for this case *only* Creative Common licenses are supported.

The command `\setcopyright{cc}` produces an error unless the format is `acmengage` or `nonacm` option is selected. On the other hand, if the option `nonacm` is selected, any argument of `\setcopyright` other than `cc` is treated as none.

2.19 Disabled or forbidden commands

The goal of `acmart` package is to provide a uniform look and feel for ACM publications. Accordingly, a number of commands is forbidden or disabled in `acmart`.

You may *not* put several authors or several e-mails into a `\author` or `\email` command. This may lead to errors or warning.

You cannot change `\baselinestretch` in your document: this produces an error.

You should not abuse the command `\vspace`: this command may disturb the typesetting of ACM papers.

You should not load `amssymb` package since the package `acmart` defines the corresponding symbols itself.

2.20 Notes for wizards

Sometimes you need to change the behavior of `acmart`. The usual way to do this is to redefine commands in the preamble. However, these definitions are executed *after* `acmart` is loaded and certain decisions are made. This presents a number of problems.

For example, one may want to use the `titletoc` package with `acmart`. This package should be loaded before `hyperref`. However, since `acmart` loads `hyperref` itself, the line `\usepackage{titletoc}` in the preamble will lead to grief (see <http://tex.stackexchange.com/questions/357265/using-titletoc-with-acm-acmart-style>).

Another example is passing options to a package. Suppose you want to use the `dvipsnames` option of the `xcolor` package. Normally you cannot do this because `acmart` loads this package itself without options.

The file `acmart-preload-hook.tex` can be used to solve these problems. If this file exists, it will be processed before any other package. You can use this file to load packages or pass options to them. For example, if you put in this file

```
\let\LoadClassOrig\LoadClass
\renewcommand\LoadClass[2][]{\LoadClassOrig[#1]{#2}%
\usepackage{titletoc}}
```

then `titletoc` will be loaded before `hyperref`. If you put in this file

```
\PassOptionsToPackage{dvipsnames}{xcolor}
```

you will pass `dvipsnames` to `xcolor`.

Important note. This hook makes it too easy to create a manuscript that is not acceptable by the ACM. It is even easier to create a file that cannot be compiled. So please do not use it *unless you know what you are doing*. And if you use it, *do not ask for support*. If you decide to use this hook, you are on your own.

`\AtBeginMaketitle` Another hook is `\AtBeginMaketitle`. The commands in this hook are executed before `\maketitle`.

2.21 Currently supported publications

Table 5: ACM publications and arguments of the `\acmJournal` command

Abbreviation	Publication
ACMJCSS	ACM Journal on Computing and Sustainable Societies
CIE	ACM Computers in Entertainment
CSUR	ACM Computing Surveys
DLT	Distributed Ledger Technologies: Research and Practice
DGOV	Digital Government: Research and Practice

Table 5: ACM publications and arguments of the \acmJournal command (continued)

Abbreviation	Publication
DTRAP	Digital Threats: Research and Practice
FAC	Formal Aspects of Computing
GAMES	ACM Games: Research and Practice
HEALTH	ACM Transactions on Computing for Healthcare
IMWUT	PACM on Interactive, Mobile, Wearable and Ubiquitous Technologies
JACM	Journal of the ACM
JATS	ACM Journal on Autonomous Transportation Systems
JDIQ	ACM Journal of Data and Information Quality
JDS	ACM/IMS Journal of Data Science
JEA	ACM Journal of Experimental Algorithms
JERIC	ACM Journal of Educational Resources in Computing
JETC	ACM Journal on Emerging Technologies in Computing Systems
JOCCH	ACM Journal on Computing and Cultural Heritage
JRC	ACM Journal on Responsible Computing
PACMCGIT	Proceedings of the ACM on Computer Graphics and Interactive Techniques
PACMHCI	PACM on Human-Computer Interaction
PACMOD	PACM on Management of Data
PACMNET	PACM on Networking
PACMPL	PACM on Programming Languages
PACMSE	PACM on Software Engineering
POMACS	PACM on Measurement and Analysis of Computing Systems
TAAS	ACM Transactions on Autonomous and Adaptive Systems
TACCESS	ACM Transactions on Accessible Computing
TACO	ACM Transactions on Architecture and Code Optimization
TALG	ACM Transactions on Algorithms
TALLIP	ACM Transactions on Asian and Low-Resource Language Information Processing
TAP	ACM Transactions on Applied Perception
TCPS	ACM Transactions on Cyber-Physical Systems
TDS	ACM/IMS Transactions on Data Science
TEAC	ACM Transactions on Economics and Computation
TECS	ACM Transactions on Embedded Computing Systems
TELO	ACM Transactions on Evolutionary Learning
THRI	ACM Transactions on Human-Robot Interaction
TIIS	ACM Transactions on Interactive Intelligent Systems
TIOT	ACM Transactions on Internet of Things
TISSEC	ACM Transactions on Information and System Security
TIST	ACM Transactions on Intelligent Systems and Technology
TKDD	ACM Transactions on Knowledge Discovery from Data
TMIS	ACM Transactions on Management Information Systems
TOCE	ACM Transactions on Computing Education
TOCHI	ACM Transactions on Computer-Human Interaction
TOCL	ACM Transactions on Computational Logic
TOCS	ACM Transactions on Computer Systems
TOCT	ACM Transactions on Computation Theory

Table 5: ACM publications and arguments of the \acmJournal command (continued)

Abbreviation	Publication
TODAES	ACM Transactions on Design Automation of Electronic Systems
TODS	ACM Transactions on Database Systems
TOG	ACM Transactions on Graphics
TOIS	ACM Transactions on Information Systems
TOIT	ACM Transactions on Internet Technology
TOMACS	ACM Transactions on Modeling and Computer Simulation
TOMM	ACM Transactions on Multimedia Computing, Communications and Applications
TOMPECS	ACM Transactions on Modeling and Performance Evaluation of Computing Systems
TOMS	ACM Transactions on Mathematical Software
TOPC	ACM Transactions on Parallel Computing
TOPLAS	ACM Transactions on Programming Languages and Systems
TOPML	Transactions on Probabilistic Machine Learning
TOPS	ACM Transactions on Privacy and Security
TORS	ACM Transactions on Recommender Systems
TOS	ACM Transactions on Storage
TOSEM	ACM Transactions on Software Engineering and Methodology
TOSN	ACM Transactions on Sensor Networks
TQC	ACM Transactions on Quantum Computing
TRETS	ACM Transactions on Reconfigurable Technology and Systems
TSAS	ACM Transactions on Spatial Algorithms and Systems
TSC	ACM Transactions on Social Computing
TSLP	ACM Transactions on Speech and Language Processing
TWEB	ACM Transactions on the Web

Besides the publications listed in Table 5, there is a special “publication” type FACMP, a forthcoming ACM publication, reserved for new journals which are not assigned an ISSN yet.

2.22 Samples

There are several samples of acmart documents, that can serve as templates for the authors. Among them `sample-sig...` are templates for conference papers, while `sample-acm...` are templates for journal articles and special materials.

Here is the list of the samples:

sample-manuscript: A proceedings paper in the manuscript format.

sample-acmsmall: A journal paper in the `acmsmall` format.

sample-acmsmall-biblatex: A journal paper using experimental `biblatex` bibliography processing.

sample-acmlarge: A journal paper in the `acmlarge` format.

sample-acmtog: A journal paper in the `acmtog` format.

- sample-sigconf:** A proceedings paper in the standard `sigconf` format.
- sample-sigconf-biblatex:** A proceedings paper in the `sigconf` format using experimental *biblatex* bibliography processing.
- sample-sigconf-authordraft:** A proceedings paper in the `sigconf` format with the `authordraft` option selected.
- sample-sigconf-i13n:** A proceedings paper in the `sigconf` format with multilanguage titles and abstract.
- sample-sigconf-xelatex:** A proceedings paper in the `sigconf` format, Xe^LT_EX version.
- sample-sigconf-lualatex:** A proceedings paper in the `sigconf` format, Lua^LT_EX version.
- sample-sigplan:** A proceedings paper in the `sigplan` format.
- sample-acmsmall-conf:** A proceedings paper in the `acmsmall` format for the publication in a journal using this option.
- sample-acmtog-conf:** A proceedings paper in the `acmtog` format for the publication in a journal using this option.
- sample-acmcnp:** A sample of ACM Cover Page used by JDS.
- sample-acmengage:** A sample of ACM Engage publication.

2.23 A note about `sigchi-a` format

Starting in Spring 2020 ACM retired SIGCHI Extended Abstract format (`sigchi-a`). ACM will not, under any circumstances, accept documents in this format for publication and will not offer technical support to the authors who use this template.

You may use this format in the `nonacm` mode only, as in

```
\documentclass[sigchi-a, nonacm]{acmart}
```

sidebar (*env.*) This format has large margin uses for special figures and tables. This package provides three environments for this with optional captions:

margintable (*env.*) **sidebar:** textual information in the margin,

marginfigure: a figure in the margin,

margintable: a table in the margin.

The environments `figure` and `table` produce figures and tables with the width of the text column. The environments `figure*` and `table*` produce “wide” figures and tables, which take a large part of the margin.

The horizontal sizes of figures are:

1. `figure`: `\columnwidth`,
2. `marginfigure`: `\marginparwidth`,
3. `figure*`: `\fulltextwidth`.

3 Implementation

3.1 Identification

We start with a declaration of who we are. Most .dtx files put driver code in a separate .drv driver file. We roll this code into the main file and use the pseudo-guard <gobble> for it.

```
1 <class>\NeedsTeXFormat{LaTeX2e}
2 <*gobble>
3 \ProvidesFile{acmart.dtx}
4 </gobble>
5 <class>\ProvidesClass{acmart}
6 [2024/02/04 v2.03 Typesetting articles for the Association for Computing Machinery]
```

And the driver code:

```
7 <*gobble>
8 \documentclass[ltxdoc]
9 \usepackage{array,booktabs,amsmath,graphicx,fancyvrb,tabularx, longtable}
10 \usepackage[tt=false, type1=true]{libertine}
11 \usepackage[varqu]{zi4}
12 \usepackage[libertine]{newtxmath}
13 \usepackage[tableposition=top]{caption}
14 \usepackage{hypdoc}
15 \PageIndex
16 \CodelineIndex
17 \RecordChanges
18 \EnableCrossrefs
19 \begin{document}
20   \DocInput{acmart.dtx}
21 \end{document}
22 </gobble>
23 <*class>
24 \def\@classname{acmart}
```

3.2 Preload hook

We preload acmart-preload-hook:

```
25 \InputIfFileExists{acmart-preload-hook.tex}{%
26   \ClassWarning{@classname}{%
27     I am loading acmart-preload-hook.tex. You are fully responsible
28     for any problems from now on.}}{}
```

3.3 Options

We need xkeyval since some of our options may have values:

```
29 \RequirePackage{xkeyval}
```

We use xstring to check whether user input is valid

```
30 \RequirePackage{xstring}
```

We need iftex to check the engine

```
31 \RequirePackage{iftex}
```

```
format The possible formats
```

```
32 \define@choicekey*+{acmart.cls}{format}[\ACM@format\ACM@format@nr]{%
33   manuscript, acmsmall, acmlarge, acmtog, sigconf, siggraph,
34   sigplan, sigchi, sigchi-a, acmengage, acmcpc}[manuscript]{}{%
35   \ClassError{@classname}{The option format must be manuscript,
36   acmsmall, acmlarge, acmtog, sigconf, siggraph,
37   sigplan, sigchi or sigchi-a}}
38 \def\@DeclareACMFormat#1{\DeclareOptionX{#1}{\setkeys{acmart.cls}{format=#1}}}
39 \@DeclareACMFormat{manuscript}
40 \@DeclareACMFormat{acmsmall}
41 \@DeclareACMFormat{acmlarge}
42 \@DeclareACMFormat{acmtog}
43 \@DeclareACMFormat{sigconf}
44 \@DeclareACMFormat{siggraph}
45 \@DeclareACMFormat{sigplan}
46 \@DeclareACMFormat{sigchi}
47 \@DeclareACMFormat{sigchi-a}
48 \@DeclareACMFormat{acmengage}
49 \@DeclareACMFormat{acmcpc}
50 \ExecuteOptionsX{format}
```

```
\if@ACM@screen Whether we use screen mode
```

```
51 \define@boolkey+{acmart.cls}[@ACM@]{screen}[true]{%
52   \if@ACM@screen
53     \PackageInfo{@classname}{Using screen mode}%
54   \else
55     \PackageInfo{@classname}{Not using screen mode}%
56   \fi}{\PackageError{@classname}{The option screen can be either true or
57   false}}
58 \ExecuteOptionsX{screen=false}
```

```
\if@ACM@urlbreakonhyphens
```

```
59 \define@boolkey+{acmart.cls}[@ACM@]{urlbreakonhyphens}[true]{%
60   \if@ACM@urlbreakonhyphens
61     \PackageInfo{@classname}{Using breaking urls on hyphens}%
62   \else
63     \PackageInfo{@classname}{Not breaking urls on hyphens}%
64   \fi}{\PackageError{@classname}{The option urlbreakonhyphens can be either true or
65   false}}
66 \ExecuteOptionsX{urlbreakonhyphens=true}
```

```
\if@ACM@acmthm Whether we define theorem-like environments.
```

```
67 \define@boolkey+{acmart.cls}[@ACM@]{acmthm}[true]{%
68   \if@ACM@acmthm
69     \PackageInfo{@classname}{Requiring acmthm}%
70   \else
71     \PackageInfo{@classname}{Suppressing acmthm}%
72   \fi}{\PackageError{@classname}{The option acmthm can be either true or
73   false}}
74 \ExecuteOptionsX{acmthm=true}
```

```
\if@ACM@review Whether we use review mode
```

```
75 \define@boolkey+{acmart.cls}[@ACM@]{review}[true]{%
```

```

76  \if@ACM@review
77    \PackageInfo{@classname}{Using review mode}%
78    \AtBeginDocument{@ACM@printfoliotrue}%
79  \else
80    \PackageInfo{@classname}{Not using review mode}%
81  \fi{\PackageError{@classname}{The option review can be either true or
82    false}}%
83 \ExecuteOptionsX{review=false}

\if@ACM@authorversion Whether we use author's-version mode
84 \define@boolkey+{acmart.cls}[@ACM@]{authorversion}[true]{%
85   \if@ACM@authorversion
86     \PackageInfo{@classname}{Using authorversion mode}%
87   \else
88     \PackageInfo{@classname}{Not using authorversion mode}%
89  \fi{\PackageError{@classname}{The option authorversion can be either true or
90    false}}%
91 \ExecuteOptionsX{authorversion=false}

\if@ACM@nonacm Special option for non-ACM publications using the ACM typesetting options.
92 \define@boolkey+{acmart.cls}[@ACM@]{nonacm}[true]{%
93   \if@ACM@nonacm
94     \PackageInfo{@classname}{Using nonacm mode}%
95     \AtBeginDocument{@ACM@printacmreffalse}%
96     % in 'nonacm' mode we disable the "ACM Reference Format"
97     % printing by default, but this can be re-enabled by the
98     % user using \settopmatter{printacmref=true}
99   \else
100     \PackageInfo{@classname}{Not using nonacm mode}%
101  \fi{\PackageError{@classname}{The option nonacm can be either true or
102    false}}%
103 \ExecuteOptionsX{nonacm=false}

\if@ACM@balance Whether to balance the last page
104 \define@boolkey+{acmart.cls}[@ACM@]{balance}[true]{}{%
105   \PackageError{@classname}{The option balance can be either true or
106     false}}%
107 \ExecuteOptionsX{balance}

\if@ACM@pbalance Whether to balance the last page
108 \define@boolkey+{acmart.cls}[@ACM@]{pbalance}[true]{}{%
109   \PackageError{@classname}{The option pbalance can be either true or
110     false}}%
111 \ExecuteOptionsX{pbalance=false}

\if@ACM@natbib@override This macro is no longer used.

\if@ACM@natbib Whether we use natbib mode
112 \define@boolkey+{acmart.cls}[@ACM@]{natbib}[true]{%
113   \if@ACM@natbib
114     \PackageInfo{@classname}{Explicitly selecting natbib mode}%
115   \else
116     \PackageInfo{@classname}{Explicitly deselecting natbib mode}%
117  \fi{\PackageError{@classname}{The option natbib can be either true or

```

```

118     false}}
119 \ExecuteOptionsX{natbib=true}

\if@ACM@anonymous Whether we use anonymous mode
120 \define@boolkey+{acmart.cls}[@ACM@]{anonymous}[true]{%
121   \if@ACM@anonymous
122     \PackageInfo{@classname}{Using anonymous mode}%
123   \else
124     \PackageInfo{@classname}{Not using anonymous mode}%
125   \fi}{\PackageError{@classname}{The option anonymous can be either true or
126   false}}
127 \ExecuteOptionsX{anonymous=false}

\if@ACM@timestamp Whether we use timestamp mode
128 \define@boolkey+{acmart.cls}[@ACM@]{timestamp}[true]{%
129   \if@ACM@timestamp
130     \PackageInfo{@classname}{Using timestamp mode}%
131   \else
132     \PackageInfo{@classname}{Not using timestamp mode}%
133   \fi}{\PackageError{@classname}{The option timestamp can be either true or
134   false}}
135 \ExecuteOptionsX{timestamp=false}

\if@ACM@authordraft Whether we use author-draft mode
136 \define@boolkey+{acmart.cls}[@ACM@]{authordraft}[true]{%
137   \if@ACM@authordraft
138     \PackageInfo{@classname}{Using authordraft mode}%
139     \@ACM@timestamptrue
140     \@ACM@reviewtrue
141   \else
142     \PackageInfo{@classname}{Not using authordraft mode}%
143   \fi}{\PackageError{@classname}{The option authordraft can be either true or
144   false}}
145 \ExecuteOptionsX{authordraft=false}

\ACM@fontsize The font size to pass to the base class
146 % \changes{v1.87}{2022/08/27}{Added fontsize 8pt}
147 \def\ACM@fontsize{}
148 \DeclareOptionX{8pt}{\edef\ACM@fontsize{\CurrentOption}}
149 \DeclareOptionX{9pt}{\edef\ACM@fontsize{\CurrentOption}}
150 \DeclareOptionX{10pt}{\edef\ACM@fontsize{\CurrentOption}}
151 \DeclareOptionX{11pt}{\edef\ACM@fontsize{\CurrentOption}}
152 \DeclareOptionX{12pt}{\edef\ACM@fontsize{\CurrentOption}}

\ACM@languages The languages of the document
153 \def\ACM@languages{}
154 \DeclareOptionX{language}{%
155   \ifx\ACM@languages\empty
156   \gdef\ACM@languages{english}\fi
157   \g@addto@macro\ACM@languages{, #1}}
158 \DeclareOptionX{draft}{\PassOptionsToClass{\CurrentOption}{amsart}}
159 \DeclareOptionX{*}{\PassOptionsToClass{\CurrentOption}{amsart}}
160 \ProcessOptionsX
161 \ClassInfo{@classname}{Using format \ACM@format, number \ACM@format@nr}

```

3.4 Setting switches

```
\if@ACM@manuscript Whether we use manuscript mode
162 \newif\if@ACM@manuscript

\if@ACM@journal There are two kinds of publications: journals and books
163 \newif\if@ACM@journal

\if@ACM@journal@bibstrip Sometimes ACM wants a journal-like publication to have conference information in the
bibstrip and vice versa, so we have an additional switch.
164 \newif\if@ACM@journal@bibstrip

\if@ACM@journal@bibstrip@or@tog ACM TOG sometimes uses journal-like bibstrip even for conference proceedings, so we
need to set it separately
165 \newif\if@ACM@journal@bibstrip@or@tog

\if@ACM@sigchiamode The formatting of SIGCHI extended abstracts is quite unusual. We have a special switch
for them.
166 \newif\if@ACM@sigchiamode

\if@ACM@engage ACM Engage course materials have special formatting
167 \newif\if@ACM@engage
168 \@ACM@engagefalse

\if@ACM@acmcpc ACM cover page formatting
169 \newif\if@ACM@acmcpc
170 \@ACM@acmcpcfase

Setting up switches
171 \ifnum\ACM@format@nr=5\relax % siggraph
172 \ClassWarning{@classname}{%
173   The format siggraph is now obsolete.\MessageBreak
174   I am switching to sigconf.}
175   \setkeys{acmart.cls}{format=sigconf}
176 \fi
177 \ifnum\ACM@format@nr=7\relax % sigchi
178 \ClassWarning{@classname}{%
179   The format sigchi is now obsolete.\MessageBreak
180   I am switching to sigconf.}
181   \setkeys{acmart.cls}{format=sigconf}
182 \fi
183 \ifnum\ACM@format@nr=8\relax % sigchi
184 \ClassWarning{@classname}{%
185   ACM SIGCHI has retired the SIGCHI-A template\MessageBreak
186   effective immediately. ACM is keeping this template\MessageBreak
187   option available to authors who are working on legacy\MessageBreak
188   documents only. ACM will not, under any circumstances,\MessageBreak
189   accept documents in this format for publication and\MessageBreak
190   will not offer technical support to the authors who use\MessageBreak
191   this template.\MessageBreak
192   ACM SIGCHI is directing Conference leaders and\MessageBreak
193   authors to publish their articles using the SIGCONF\MessageBreak
194   template call.}
```

```

195 \fi
196 \ifnum\ACM@format@nr=0\relax
197   \ACM@manuscripttrue
198 \else
199   \ACM@manuscriptfalse
200 \fi
201 \ACM@sigchiamodefalse
202 \ifcase\ACM@format@nr
203 \relax % manuscript
204   \ACM@journaltrue
205 \or % acmsmall
206   \ACM@journaltrue
207 \or % acmlarge
208   \ACM@journaltrue
209 \or % acmtog
210   \ACM@journaltrue
211   \ACM@journal@bibstrip@or@togtrue
212 \or % sigconf
213   \ACM@journalfalse
214 \or % siggraph
215   \ACM@journalfalse
216 \or % sigplan
217   \ACM@journalfalse
218 \or % sigchi
219   \ACM@journalfalse
220 \or % sigchi-a
221   \ACM@journalfalse
222   \ACM@sigchiamodetrue
223 \or % acmengage
224   \ACM@journalfalse
225   \ACM@engagetrue
226 \or % acmcnp
227   \ACM@journaltrue
228   \ACM@acmcnptrue
229   \AtBeginDocument{\ACM@printacmreffalse}%
230 \fi
231 \if@ACM@journal
232   \ACM@journal@bibstriptrue
233   \ACM@journal@bibstrip@or@togtrue
234 \else
235   \ACM@journal@bibstripfalse
236 \fi

```

3.5 Loading the base class and package

At this point we either have \ACM@fontsize or use defaults

```

237 \ifx\ACM@fontsize\empty
238   \ifcase\ACM@format@nr
239     \relax % manuscript
240     \def\ACM@fontsize{9pt}%
241   \or % acmsmall
242     \def\ACM@fontsize{10pt}%
243   \or % acmlarge
244     \def\ACM@fontsize{10pt}%

```

```

245 \or % acmtog
246   \def\ACM@fontsize{9pt}%
247 \or % sigconf
248   \def\ACM@fontsize{9pt}%
249 \or % siggraph
250   \def\ACM@fontsize{9pt}%
251 \or % sigplan
252   \def\ACM@fontsize{10pt}%
253 \or % sigchi
254   \def\ACM@fontsize{9pt}%
255 \or % sigchi-a
256   \def\ACM@fontsize{10pt}%
257 \or % acmengage
258   \def\ACM@fontsize{10pt}%
259 \or % acmcnp
260   \def\ACM@fontsize{9pt}%
261 \fi
262 \fi
263 \ClassInfo{@classname}{Using fontsize \ACM@fontsize}
264 \LoadClass[\ACM@fontsize, reqno]{amsart}
265 \RequirePackage{microtype}

```

We need etoolbox for delayed code

```
266 \RequirePackage{etoolbox}
```

Booktabs is now the default

```
267 \RequirePackage{booktabs}
```

We need totpages to calculate the number of pages and refcount to use that number

```

268 \RequirePackage{refcount}
269 \RequirePackage{totpages}
```

The \collect@body macro in amsmath is defined using \def. We load environ to access the \long version of this command

```
270 \RequirePackage{environ}
```

We use setspace for double spacing

```

271 \if@ACM@manuscript
272 \RequirePackage{setspace}
273 \onehalfspacing
274 \fi
```

We need textcase for better upcasing

```
275 \RequirePackage{textcase}
```

```

276 \if@ACM@acmcnp
277 \RequirePackage{framed}
278 \RequirePackage{zref-savepos, zref-user}
279 \fi
```

\@ACM@acmcnp@delta We need to store the dimen to store the insert length of amcp box

```

280 \newdimen\@ACM@acmcnp@delta
281 \@ACM@acmcnp@delta=0pt\relax
```

3.6 Citations

We patch `\setcitetstyle` to allow, for example, `\setcitetstyle{sort}` and `\setcitetstyle{nosort}`. We patch `\citetstyle` to warn about undefined citation styles.

```
282 \if@ACM@natbib
283   \RequirePackage{natbib}
284   \renewcommand{\bibsection}{%
285     \section*{\refname}%
286     \phantomsection\addcontentsline{toc}{section}{\refname}%
287   }
288   \renewcommand{\bibfont}{\bibliofont}
289   \renewcommand\setcitetstyle[1]{%
290     \@for\@tempa:=#1\do
291       \def\@tempb{round}\ifx\@tempa\@tempb
292         \renewcommand{\NAT@open}{()}\renewcommand{\NAT@close}{})\fi
293       \def\@tempb{square}\ifx\@tempa\@tempb
294         \renewcommand{\NAT@open}{[]}\renewcommand{\NAT@close}{]})\fi
295       \def\@tempb{angle}\ifx\@tempa\@tempb
296         \renewcommand{\NAT@open}{$<$}\renewcommand{\NAT@close}{$>$})\fi
297       \def\@tempb{curly}\ifx\@tempa\@tempb
298         \renewcommand{\NAT@open}{\{}{}\renewcommand{\NAT@close}{\}})\fi
299       \def\@tempb{semicolon}\ifx\@tempa\@tempb
300         \renewcommand{\NAT@sep}{;})\fi
301       \def\@tempb{colon}\ifx\@tempa\@tempb
302         \renewcommand{\NAT@sep}{;})\fi
303       \def\@tempb{comma}\ifx\@tempa\@tempb
304         \renewcommand{\NAT@sep}{,})\fi
305       \def\@tempb{authoryear}\ifx\@tempa\@tempb
306         \NAT@numbersfalse\fi
307       \def\@tempb{numbers}\ifx\@tempa\@tempb
308         \NAT@numberstrue\NAT@superfalse\fi
309       \def\@tempb{super}\ifx\@tempa\@tempb
310         \NAT@numberstrue\NAT@supertrue\fi
311       \def\@tempb{nobibstyle}\ifx\@tempa\@tempb
312         \let\bibstyle=\@gobble\fi
313       \def\@tempb{bibstyle}\ifx\@tempa\@tempb
314         \let\bibstyle=\@citetstyle\fi
315       \def\@tempb{sort}\ifx\@tempa\@tempb
316         \def\NAT@sort{\@ne}\fi
317       \def\@tempb{nosort}\ifx\@tempa\@tempb
318         \def\NAT@sort{\z@\fi
319       \def\@tempb{compress}\ifx\@tempa\@tempb
320         \def\NAT@cmprs{\@ne}\fi
321       \def\@tempb{nocompress}\ifx\@tempa\@tempb
322         \def\NAT@cmprs{\z@\fi
323       \def\@tempb{sort&compress}\ifx\@tempa\@tempb
324         \def\NAT@sort{\@ne}\def\NAT@cmprs{\@ne}\fi
325       \def\@tempb{mcite}\ifx\@tempa\@tempb
326         \let\NAT@merge=\@ne\fi
327       \def\@tempb{merge}\ifx\@tempa\@tempb
328         \@ifnum{\NAT@merge<\tw@}{\let\NAT@merge\tw@}\{}\fi
329       \def\@tempb{elide}\ifx\@tempa\@tempb
330         \@ifnum{\NAT@merge<\thr@}{\let\NAT@merge\thr@}\{}\fi
331       \def\@tempb{longnamesfirst}\ifx\@tempa\@tempb
```

```

332      \NAT@longnamestrue\fi
333      \def\@tempb{nonamebreak}\ifx\@tempa\@tempb
334          \def\NAT@nmfmt#1{\mbox{\NAT@up#1}}\fi
335      \expandafter\NAT@find@eq\@tempa=\relax\@nil
336      \if\@tempc\relax\else
337          \expandafter\NAT@rem@eq\@tempc
338          \def\@tempb{open}\ifx\@tempa\@tempb
339              \xdef\NAT@open{\@tempc}\fi
340          \def\@tempb{close}\ifx\@tempa\@tempb
341              \xdef\NAT@close{\@tempc}\fi
342          \def\@tempb{aysep}\ifx\@tempa\@tempb
343              \xdef\NAT@aysep{\@tempc}\fi
344          \def\@tempb{yysep}\ifx\@tempa\@tempb
345              \xdef\NAT@yrsep{\@tempc}\fi
346          \def\@tempb{notesep}\ifx\@tempa\@tempb
347              \xdef\NAT@cmt{\@tempc}\fi
348          \def\@tempb{citesep}\ifx\@tempa\@tempb
349              \xdef\NAT@sep{\@tempc}\fi
350      \fi
351  }%
352 \NAT@@setcites
353 }
354 \renewcommand\citetitle[1]{%
355     \ifcsname bibstyle@\#1\endcsname%
356         \csname bibstyle@\#1\endcsname\let\bibstyle\@gobble%
357     \else%
358         \@latex@error{Undefined '#1' citestyle}%
359     \fi
360 }%
361 \fi

```

\bibstyle@acmauthoryear The default author-year format:

```

362 \newcommand{\bibstyle@acmauthoryear}{%
363     \setcitetitle{%
364         authoryear,%
365         open={[]},close={},citesep={;},%
366         aysep={},yysep={,},%
367         notesep={, }%
368 }%

```

\bibstyle@acmnumeric The default numeric format:

```

368 \newcommand{\bibstyle@acmnumeric}{%
369     \setcitetitle{%
370         numbers,sort&compress,%
371         open={[]},close={},citesep={,},%
372         notesep={, }%
373 }%

```

The default is numeric:

```

373 \if@ACM@natbib
374 \citetitle{acmnumeric}
375 \fi

```

3.7 Internationalization

```

376 \if@ACM@journal

```

```

377   \renewcommand\keywordsname{Additional Key Words and Phrases}%
378 \else
379   \renewcommand\keywordsname{Keywords}%
380 \fi
381 \if@ACM@engage
382   \renewcommand\abstractname{Synopsis}%
383 \fi
384 \ifx\ACM@languages\@empty
385 \else
386   \RequirePackage[\ACM@languages]{babel}%
387   \addto\captionsenglish{%
388     \if@ACM@journal
389       \renewcommand\keywordsname{Additional Key Words and Phrases}%
390     \else
391       \renewcommand\keywordsname{Keywords}%
392     \fi
393   \renewcommand\acksname{Acknowledgements}%
394   \if@ACM@engage
395     \renewcommand\abstractname{Synopsis}%
396   \fi
397 }%
398 \addto\captionsfrench{%
399   \if@ACM@journal
400     \renewcommand\keywordsname{Mots Clés et Phrases Supplémentaires}%
401   \else
402     \renewcommand\keywordsname{Mots clés}%
403   \fi
404   \renewcommand\acksname{Remerciements}%
405 }%
406 \addto\captionsgerman{%
407   \if@ACM@journal
408     \renewcommand\keywordsname{Zusätzliche Schlagwörter und Phrasen}%
409   \else
410     \renewcommand\keywordsname{Schlagwörter}%
411   \fi
412   \renewcommand\acksname{Danksagungen}%
413 }%
414 \addto\captionsspanish{%
415   \if@ACM@journal
416     \renewcommand\keywordsname{Palabras y Frases Claves Adicionales}%
417   \else
418     \renewcommand\keywordsname{Palabras claves}%
419   \fi
420   \renewcommand\acksname{Expresiones de gratitud}%
421 }%
422 \fi

```

\ACM@lang@check Some commands should not be used if the document is monlingual

```

423 \newcommand\ACM@lang@check[1]{%
424   \ifx\ACM@languages\@empty\relax
425   \ClassError{@classname}{%
426     Command \string#1 \MessageBreak is used in monlingual document}{%
427     You used a command (\string#1) \MessageBreak
428     that does not have a meaning \MessageBreak

```

```

429     unless are languages are defined. \MessageBreak
430     Please choose the languages in \string\documentclass
431     \MessageBreak
432     (e.g. \string\documentclass[languages={french, english}]{acmart}),
433     \MessageBreak
434     or delete the command. }%
435   \fi}

\@translatedtitle
436 \def\@translatedtitle{}

\translatedtitle The title of the paper in a different language
437 \newcommand\translatedtitle[2]{\ACM@lang@check{\translatedtitle}%
438 \g@addto@macro\@translatedtitle{\par\foreignlanguage{#1}{#2}}}

\@translatedsubtitle
439 \def\@translatedsubtitle{}

\translatedsubtitle The subtitle of the paper in a different language
440 \newcommand\translatedsubtitle[2]{\ACM@lang@check{\translatedsubtitle}%
441 \g@addto@macro\@translatedsubtitle{\par\foreignlanguage{#1}{#2}}}

\@translatedkeywords
442 \def\@translatedkeywords{}

\translatedkeywords Add keywords to the paper in the language specified
443 \newcommand\translatedkeywords[2]{\ACM@lang@check{\translatedkeywords}%
444 \g@addto@macro\@translatedkeywords{\mktranslatedkeywords{#1}{#2}}}

\@translatedabstracts The container for translated abstracts.
445 \def\@translatedabstracts{}

translatedabstract We save translated abstracts into \@translatedabstracts
446 \newenvironment{translatedabstract}[1]{\Collect@Body
447   \@savetranslatedabstract\mktranslatedabstract{#1}}{ }

\@savetranslatedabstract And saving the abstract
448 \long\def\@savetranslatedabstract#1{\if@ACM@maketitle@typeset
449   \ClassError{@classname}{Abstract must be defined before maketitle
450   command. Please move it!}\fi
451   \ACM@lang@check{translatedabstract}%
452   \g@addto@macro\@translatedabstracts{\bgroup#1\egroup}}

```

3.8 Sectioning

```

\@startsection Before we call hyperref, we redefine \startsection commands to their LATEX defaults
since the amsart ones are too AMS-specific. We need to do this early since we want
hyperref to have a chance to redefine them again:
453 \def\@startsection#1#2#3#4#5#6{%
454   \if@noskipsec \leavevmode \fi
455   \par
456   \tempskipa #4\relax

```

```

457  \@afterindenttrue
458  \ifdim \@tempskipa <\z@
459    \@tempskipa -\@tempskipa \@afterindentfalse
460  \fi
461  \if@nobreak
462    \everypar{}%
463  \else
464    \addpenalty\@secpenalty\addvspace\@tempskipa
465  \fi
466  \@ifstar
467    {\@essect{\#3}{\#4}{\#5}{\#6}}%
468    {\@dblarg{\@sect{\#1}{\#2}{\#3}{\#4}{\#5}{\#6}}}}
469 \def\@sect#1#2#3#4#5#6[#7]{#8{%
470   \edef\@toclevel{\ifnum#2=\@m 0\else\number#2\fi}%
471   \ifnum #2>\c@secnumdepth
472     \let\@svsec\empty
473   \else
474     \refstepcounter{#1}%
475     \protected@edef\@svsec{\@secntformat{#1}\relax}%
476   \fi
477   \attempskipa #5\relax
478   \ifdim \attempskipa>\z@
479     \begingroup
480       #6{%
481         \hangfrom{\hskip #3\relax\@svsec}%
482         \interlinepenalty \zM #8\@par}%
483     \endgroup
484     \csname #1mark\endcsname{#7}%
485     \ifnum #2>\c@secnumdepth \else
486       \tochangmeasure{\csname the#1\endcsname}%
487     \fi
488     \addcontentsline{toc}{#1}{%
489       \ifnum #2>\c@secnumdepth \else
490         \protect\numberline{\csname the#1\endcsname}%
491       \fi
492       #7}%
493   \else
494     \def\@svsechd{%
495       #6{\hskip #3\relax
496       \@svsec #8}%
497       \csname #1mark\endcsname{#7}%
498       \ifnum #2>\c@secnumdepth \else
499         \tochangmeasure{\csname the#1\endcsname\space}%
500       \fi
501       \addcontentsline{toc}{#1}{%
502         \ifnum #2>\c@secnumdepth \else
503           \protect\numberline{\csname the#1\endcsname}%
504         \fi
505         #7}}%
506   \fi
507   \@xsect{#5}}
508 \def\@xsect#1{%
509   \attempskipa #1\relax
510   \ifdim \attempskipa>\z@

```

```

511     \par \nobreak
512     \vskip \atempskipa
513     \afterheading
514 \else
515     \nobreakfalse
516     \global\noskipsectrue
517     \everypar{%
518         \ifnoskipsec
519             \global\noskipsecfalse
520             {\setbox\z@\lastbox}%
521             \clubpenalty\@M
522             \begingroup \svsechd \endgroup
523             \unskip
524             \atempskipa #1\relax
525             \hskip -\atempskipa
526         \else
527             \clubpenalty \clubpenalty
528             \everypar{}%
529         \fi}%
530     \fi
531     \ignorespaces}
532 \def\@seccntformat#1{\csname the#1\endcsname\quad}
533 \def\@sect#1#2#3#4#5{%
534     \atempskipa #3\relax
535     \ifdim \atempskipa>\z@
536         \begingroup
537             #4{%
538                 \hangfrom{\hskip #1}%
539                 \interlinepenalty \M #5\@par}%
540         \endgroup
541     \else
542         \def\svsechd{\hskip #1\relax #5}%
543     \fi
544     \xsect{#3}}

```

\@startsection The amsart package redefines \startsection. Here we redefine it again to make the table of contents work.

```

545 \def\@starttoc#1#2{\begingroup\makeatletter
546   \setTrue{#1}%
547   \par\removelastskip\vskip\z@skip
548   \startsection{section}\@M\z@{\linespacing\@plus\linespacing}%
549   {.5\linespacing}{\centering\contentsnamefont}{#2}%
550   \@input{\jobname.#1}%
551   \if@filesw
552     \@xp\newwrite\csname tf@#1\endcsname
553     \immediate\@xp\openout\csname tf@#1\endcsname \jobname.#1\relax
554   \fi
555   \global\nobreakfalse \endgroup
556   \addvspace{32\p@\oplus14\p@}%
557 }

```

\l@section Section spacing is more generous than for amsart

```

558 \def\l@section{\tocline{1}{0pt}{1pc}{2pc}{}}

```

```

\l@subsection The spacing in amsart is too large
559 \def\l@subsection{\@tocline{2}{0pt}{1pc}{3pc}{}}

\l@subsubsection The spacing in amsart is too large
560 \def\l@subsubsection{\@tocline{3}{0pt}{1pc}{5pc}{}}

We need to define foonote-related stuff before the call to hyperref (Ross Moore)

\@makefntext We do not use indentation for footnotes
561 \def\@makefntext{\noindent\@makefnmark}

\@footnotetext In sigchi-a mode our footnotes are in the margin!
562 \if@ACM@\sigchiamode
563 \long\def\@footnotetext#1{\marginpar{%
564   \reset@font\small
565   \interlinepenalty\interfootnotelinepenalty
566   \protected@edef\@currentlabel{%
567     \csname p@footnote\endcsname\@thefnmark
568   }%
569   \color@begingroup
570   \@makefntext{%
571     \rule{z@{\footnotesep}\ignorespaces#1\@finalstrut\strutbox}%
572   \color@endgroup}%
573 }%

```

\@mpfootnotetext We want the footnotes in minipages centered:

```

574 \long\def\@mpfootnotetext#1{%
575   \global\setbox\@mpfootins\vbox{%
576     \unvbox\@mpfootins
577     \reset@font\footnotesize
578     \hsize\columnwidth
579     \parboxrestore
580     \protected@edef\@currentlabel
581       {\csname p@mpfootnote\endcsname\@thefnmark}%
582     \color@begingroup\centering
583     \@makefntext{%
584       \rule{z@{\footnotesep}\ignorespaces#1\@finalstrut\strutbox}%
585     \color@endgroup}%

```

\@makefnmark AMS classes use a buggy definition of \makefnmark. We revert to the standard one.

```

586 \def\@makefnmark{\hbox{\@textsuperscript{\normalfont\@thefnmark}}}

```

3.9 Hyperxmp and hyperref

Adding hyperref

```

587 \let\@footnotemark@nolink\@footnotemark
588 \let\@footnotetext@nolink\@footnotetext
589 \RequirePackage[bookmarksnumbered,unicode]{hyperref}
590 \RequirePackage{hyperxmp}
591 \pdfstringdefDisableCommands{%
592   \def\addtocounter#1#2{}%
593   \def\unskip{}%
594   \def\textbullet{-}%

```

```

595   \def\textrightarrow{ -> }%
596   \def\footnotemark{}%
597 }
598 \urlstyle{rm}
599 \ifcase\ACM@format@nr
600 \relax % manuscript
601 \or % acmsmall
602 \or % acmlarge
603 \or % acmtog
604 \or % sigconf
605 \or % siggraph
606 \or % sigplan
607 \urlstyle{sf}
608 \or % sigchi
609 \or % sigchi-a
610 \urlstyle{sf}
611 \or % acmengage
612 \or % acmcpc
613 \fi
614 \AtEndPreamble{%
615   \if@ACM@urlbreakonhyphens
616     \def\do@url@hyp{\do\-\}%
617   \fi
618   \if@ACM@screen
619     \hypersetup{colorlinks,
620       linkcolor=ACMPurple,
621       citecolor=ACMPurple,
622       urlcolor=ACMDarkBlue,
623       filecolor=ACMDarkBlue}
624   \else
625     \hypersetup{hidelinks}
626   \fi
627   \hypersetup{pdflang={en},
628     pdfdisplaydoctitle}}
629 \if@ACM@natbib
630   \let\citen\cite
631   \let\cite\citep
632   \let\citeANP\citeauthor
633   \let\citenN\citeyearpar
634   \let\citeyearNP\citeyear
635   \let\citenP\citealt
636   \DeclareRobustCommand\citeA
637     {\begingroup\NAT@swafalse
638       \let\NAT@ctype@\ne\NAT@partrue\NAT@fullfalse\NAT@open\NAT@citelp}%
639   \providecommand\newblock{}%
640 \else
641   \AtBeginDocument{%
642     \let\shortcite\cite%
643     \providecommand\citename[1]{#1}%
644   \fi
645 \newcommand\shortcite[2][]{%
646   \ifNAT@numbers\cite[#1]{#2}\else\citeyearpar[#1]{#2}\fi}

```

\bibliographystyle The `amsart` package redefines `\bibliographystyle` since it prefers the AMS bibliography style. We turn it back to the L^AT_EX definition:

```

647 \def\bibliographystyle#1{%
648   \ifx\@begindocumenthook\@undefined\else
649     \expandafter\AtBeginDocument
650   \fi
651   {\if@filesw
652     \immediate\write\auxout{\string\bibstyle{#1}}%
653   \fi}}

```

3.10 Other packages

Graphics and color.

```

654 \RequirePackage{graphicx}
655 \RequirePackage[prologue]{xcolor}

```

We define ACM colors according to [8]:

```

656 \definecolor[named]{ACMBlue}{cmyk}{1,0.1,0,0.1}
657 \definecolor[named]{ACMYellow}{cmyk}{0,0.16,1,0}
658 \definecolor[named]{ACMOOrange}{cmyk}{0,0.42,1,0.01}
659 \definecolor[named]{ACMRed}{cmyk}{0,0.90,0.86,0}
660 \definecolor[named]{ACMLightBlue}{cmyk}{0.49,0.01,0,0}
661 \definecolor[named]{ACMGreen}{cmyk}{0.20,0,1,0.19}
662 \definecolor[named]{ACMPurple}{cmyk}{0.55,1,0,0.15}
663 \definecolor[named]{ACMDarkBlue}{cmyk}{1,0.58,0,0.21}

```

Author-draft mode or sigchi-a mode

```

664 \if@ACM@authordraft
665   \RequirePackage{draftwatermark}
666   \SetWatermarkFontSize{0.5in}
667   \SetWatermarkColor[gray]{.9}
668   \SetWatermarkText{\parbox{12em}{\centering
669     Unpublished working draft.\\
670     Not for distribution.}}
671 \else
672   \if@ACM@sigchiamode
673     \if@ACM@nonacm\else
674       \RequirePackage{draftwatermark}
675       \SetWatermarkFontSize{0.5in}
676       \SetWatermarkColor[gray]{.9}
677       \SetWatermarkText{\parbox{12em}{\centering
678         Legacy document. \
679         Not for publication in an ACM venue}}
680     \fi
681   \fi
682 \fi

```

3.11 Paper size and paragraphing

We use `geometry` for dimensions. Note that the present margins do not depend on the font size option—we might need to change this. See <https://github.com/borisveytsman/acmart/issues/5#issuecomment-272881329>.

```

683 \RequirePackage{geometry}

```

```

684 \ifcase\ACM@format@nr
685   \relax % manuscript
686   \geometry{letterpaper,head=13pt,
687   marginparwidth=6pc,heightrounded}%
688 \or % acmsmall
689   \geometry{twoside=true,
690     includeheadfoot, head=13pt, foot=2pc,
691     paperwidth=6.75in, paperheight=10in,
692     top=58pt, bottom=44pt, inner=46pt, outer=46pt,
693     marginparwidth=2pc,heightrounded
694   }%
695 \or % acmlarge
696   \geometry{twoside=true, head=13pt, foot=2pc,
697     paperwidth=8.5in, paperheight=11in,
698     includeheadfoot,
699     top=78pt, bottom=114pt, inner=81pt, outer=81pt,
700     marginparwidth=4pc,heightrounded
701   }%
702 \or % acmtog
703   \geometry{twoside=true, head=13pt, foot=2pc,
704     paperwidth=8.5in, paperheight=11in,
705     includeheadfoot, columnsep=24pt,
706     top=52pt, bottom=75pt, inner=52pt, outer=52pt,
707     marginparwidth=2pc,heightrounded
708   }%
709 \or % sigconf
710   \geometry{twoside=true, head=13pt,
711     paperwidth=8.5in, paperheight=11in,
712     includeheadfoot, columnsep=2pc,
713     top=57pt, bottom=73pt, inner=54pt, outer=54pt,
714     marginparwidth=2pc,heightrounded
715   }%
716 \or % siggraph
717   \geometry{twoside=true, head=13pt,
718     paperwidth=8.5in, paperheight=11in,
719     includeheadfoot, columnsep=2pc,
720     top=57pt, bottom=73pt, inner=54pt, outer=54pt,
721     marginparwidth=2pc,heightrounded
722   }%
723 \or % sigplan
724   \geometry{twoside=true, head=13pt,
725     paperwidth=8.5in, paperheight=11in,
726     includeheadfoot=false, columnsep=2pc,
727     top=1in, bottom=1in, inner=0.75in, outer=0.75in,
728     marginparwidth=2pc,heightrounded
729   }%
730 \or % sigchi
731   \geometry{twoside=true, head=13pt,
732     paperwidth=8.5in, paperheight=11in,
733     includeheadfoot, columnsep=2pc,
734     top=66pt, bottom=73pt, inner=54pt, outer=54pt,
735     marginparwidth=2pc,heightrounded
736   }%
737 \or % sigchi-a

```

```

738   \geometry{twoside=false, head=13pt,
739     paperwidth=11in, paperheight=8.5in,
740     includeheadfoot, marginparsep=72pt,
741     marginparwidth=170pt, columnsep=20pt,
742     top=72pt, bottom=72pt, left=314pt, right=72pt
743   }%
744   \emph{parswitchfalse
745   \reversemarginpar
746 }% or % acmengage
747   \geometry{twoside=true, head=13pt,
748     paperwidth=8.5in, paperheight=11in,
749     includeheadfoot, columnsep=2pc,
750     top=57pt, bottom=73pt, inner=54pt, outer=54pt,
751     marginparwidth=2pc, heightrounded
752   }%
753 }% or % acmcnp
754   \geometry{twoside=true,
755     includeheadfoot, head=13pt, foot=2pc,
756     paperwidth=6.75in, paperheight=10in,
757     top=58pt, bottom=44pt, inner=46pt, outer=46pt,
758     marginparwidth=2pc, heightrounded
759   }%
760 }%
761 \fi

\parindent Paragraphing
\parskip 761 \setlength{\parindent}{10\p@}
762 \setlength{\parskip}{\z@}
763 \ifcase\ACM@format@nr
764 \relax % manuscript
765 \or % acmsmall
766 \or % acmlarge
767 \or % acmtog
768 \setlength{\parindent}{9\p@}%
769 \or % sigconf
770 \or % siggraph
771 \or % sigplan
772 \or % sigchi
773 \or % sigchi-a
774 \or % acmengage
775 \or % acmcnp
776 \fi

```

\normalparindent The *amsart* package defines the \normalparindent length and initializes it to 12pt (the value of \parindent in *amsart*). It is later used to set the \listparindent length in the quotation environment and the \parindent length in the \footnotetext command. We set \normalparindent to the value of \parindent as selected by *acmart* for consistent paragraph indents.

```
777 \setlength{\normalparindent}{\parindent}
```

Footnotes require some consideration. We have several layers of footnotes: front-matter footnotes, “regular” footnotes and the special insert for the bibstrip. In the old ACM classes, the bibstrip was a \@float. The problem with floats is that they tend to, well, float—and we want the guarantee they stay.

We use *manyfoot* for layered footnotes instead.

```
copyrightpermissionfootnoterule This is the footnote rule that separates the bibstrip from the rest of the paper. It is a full width rule.
```

```
778 \def\copyrightpermissionfootnoterule{\kern-3\p@  
779   \hrule \@width \columnwidth \kern 2.6\p@}  
  
780 \RequirePackage{manyfoot}  
781 \SelectFootnoteRule[2]{copyrightpermission}  
782 \DeclareNewFootnote{authorsaddresses}  
783 \SelectFootnoteRule[2]{copyrightpermission}  
784 \DeclareNewFootnote{copyrightpermission}
```

```
\footnoterule Tschichold's rules:
```

```
785 \def\footnoterule{\kern-3\p@  
786   \hrule \@width 4pc \kern 2.6\p@}
```

```
\endminipage We do not use footnote rules in minipages
```

```
787 \def\endminipage{  
788   \par  
789   \unskip  
790   \ifvoid\@mpfootins\else  
791     \vskip\skip\@mpfootins  
792     \normalcolor  
793     \unvbox\@mpfootins  
794   \fi  
795   \minipagetrue  
796   \color@endgroup  
797   \egroup  
798   \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
```

```
\@textbottom Add some stretch according to David Carlisle's advice at http://tex.stackexchange.com/a/62318/5522
```

```
799 \def\@textbottom{\vskip \z@ \plus 1pt}  
800 \let\@texttop\relax
```

In two-column layouts, force both columns to be the same height by inserting extra internal vertical space to fill out the page.

```
801 \ifcase\ACM@format@nr  
802   \relax % manuscript  
803   \or % acmsmall  
804   \or % acmlarge  
805   \or % acmtog  
806   \flushbottom  
807   \or % sigconf  
808   \flushbottom  
809   \or % siggraph  
810   \flushbottom  
811   \or % sigplan  
812   \flushbottom  
813   \or % sigchi  
814   \flushbottom  
815   \or % sigchi-a  
816   \or % acmengage  
817   \flushbottom
```

```

818 \or % acmcp
819   \flushbottom
820 \fi

```

3.12 Fonts

Somehow PDFTeX and XeTeX require different incantations to make a PDF compliant with the current Acrobat bugs. Xpdf is much better.

The code below is by Ross Moore.

```

821 \ifPDFTeX
822 \input{glyptounicode}
823 \pdffglyptounicode{f_f}{FB00}
824 \pdffglyptounicode{f_f_i}{FB03}
825 \pdffglyptounicode{f_f_l}{FB04}
826 \pdffglyptounicode{f_i}{FB01}
827 \pdffglyptounicode{t_t}{0074 0074}
828 \pdffglyptounicode{f_t}{0066 0074}
829 \pdffglyptounicode{T_h}{0054 0068}
830 \pdfgentounicode=1
831 \RequirePackage{cmap}
832 \fi

```

\if@ACM@newfonts Whether we load the new fonts

```

833 \newif\if@ACM@newfonts
834 \if@ACM@newfontstrue
835 \IfFileExists{libertine.sty}{}{\ClassWarning{@classname}{You do not
836   have the libertine package installed. Please upgrade your
837   TeX}\@ACM@newfontsfalse}
838 \IfFileExists{zi4.sty}{}{\ClassWarning{@classname}{You do not
839   have the inconsolata (zi4.sty) package installed. Please upgrade your
840   TeX}\@ACM@newfontsfalse}
841 \IfFileExists{newtxmath.sty}{}{\ClassWarning{@classname}{You do not
842   have the newtxmath package installed. Please upgrade your
843   TeX}\@ACM@newfontsfalse}

```

We use Libertine throughout.

```

844 \if@ACM@newfonts
845   \RequirePackage[T1]{fontenc}
846   % Note that the order in which packages are loaded matters,
847   % and the correct order depends on the LaTeX engine used.
848   % See https://github.com/borisveytsman/acmart/issues/402
849   % and https://github.com/borisveytsman/acmart/issues/410
850   \ifxetex
851     \RequirePackage[libertine]{newtxmath}
852     \RequirePackage[tt=false]{libertine}
853     \setmonofont[StylisticSet=3]{inconsolata}
854   \else
855     \ifluatex
856       \RequirePackage[libertine]{newtxmath}
857       \RequirePackage[tt=false]{libertine}
858       \setmonofont[StylisticSet=3]{inconsolata}
859     \else
860       \RequirePackage[tt=false, type1=true]{libertine}

```

```

861      \RequirePackage[varqu]{zi4}
862      \RequirePackage[libertine]{newtxmath}
863      \fi
864      \fi
865 \fi

\liningnums Libertine defines \liningnums, which makes fontspec unhappy. While we do not use
fontspec, some users do.
866 \let\liningnums@\undefined
867 \AtEndPreamble{%
868   \DeclareTextFontCommand{\liningnums}{\libertineLF}}

```

The SIGCHI extended abstracts are sans serif:

```

869 \if@ACM@sigchiamode
870   \renewcommand{\familydefault}{\sfdefault}
871 \fi

```

3.13 Image descriptions

```

\if@Description@present A local switch: whether there is a description in the given figure
872 \newif\if@Description@present
873 \if@Description@presenttrue

\if@undescribed@images A global switch whether some images were not described
874 \newif\if@undescribed@images
875 \if@undescribed@imagesfalse

\Description The Description macro right now just sets switches
876 \newcommand\Description[2][]{\global\if@Description@presenttrue\ignorespaces}

The global warning
877 \AtEndDocument{\if@undescribed@images
878   \ClassWarningNoLine{@classname}{Some images may lack descriptions}\fi}

Hooks for figures and tables. We also patch algorithm and algorithm* in case
somebody uses them.
879 \AtBeginEnvironment{figure}{\if@Description@presentfalse
880   \let\@vspace\@vspace@orig
881   \let\@vspacer\@vspacer@orig}
882 \AtBeginEnvironment{figure*}{\if@Description@presentfalse
883   \let\@vspace\@vspace@orig
884   \let\@vspacer\@vspacer@orig}
885 \AtEndEnvironment{figure}{\if@Description@present\else
886   \global\if@undescribed@imagestrue
887   \ClassWarning{@classname}{A possible image without description}\fi}
888 \AtEndEnvironment{figure*}{\if@Description@present\else
889   \global\if@undescribed@imagestrue
890   \ClassWarning{@classname}{A possible image without description}\fi}
891 \AtBeginEnvironment{table}{\let\@vspace\@vspace@orig
892   \let\@vspacer\@vspacer@orig}
893 \AtBeginEnvironment{table*}{\let\@vspace\@vspace@orig
894   \let\@vspacer\@vspacer@orig}
895 \AtBeginEnvironment{algorithm}{\let\@vspace\@vspace@orig}

```

```

896   \let\@vspacer\@vspace@orig}
897 \AtBeginEnvironment{algorithm*}{\let\@vspace\@vspace@orig
898   \let\@vspacer\@vspace@orig}
899 \AtBeginEnvironment{lstlisting}{\let\@vspace\@vspace@orig
900   \let\@vspacer\@vspace@orig}
901 \AtBeginEnvironment{lstlisting*}{\let\@vspace\@vspace@orig
902   \let\@vspacer\@vspace@orig}
903 \AtBeginEnvironment{minted}{\let\@vspace\@vspace@orig
904   \let\@vspacer\@vspace@orig}
905 \AtBeginEnvironment{minted*}{\let\@vspace\@vspace@orig
906   \let\@vspacer\@vspace@orig}
907 \AtBeginEnvironment{listing}{\let\@vspace\@vspace@orig
908   \let\@vspacer\@vspace@orig}
909 \AtBeginEnvironment{listing*}{\let\@vspace\@vspace@orig
910   \let\@vspacer\@vspace@orig}
911

```

3.14 Floats

We use the caption package

```

912 \RequirePackage{caption, float}
913 \captionsetup[table]{position=top}
914 \if@ACM@journal
915   \captionsetup{labelfont={sf, small},
916     textfont={sf, small}, margin=\z@}
917   \captionsetup[figure]{name={Fig.}}
918 \else
919   \captionsetup{labelfont={bf},
920     textfont={bf}, labelsep=colon, margin=\z@}
921   \ifcase\ACM@format@nr
922     \relax % manuscript
923   \or % acmsmall
924   \or % acmlarge
925   \or % acmtog
926   \or % sigconf
927   \or % siggraph
928     \captionsetup{textfont={it}}
929   \or % sigplan
930     \captionsetup{labelfont={bf},
931       textfont={normalfont}, labelsep=period, margin=\z@}
932   \or % sigchi
933     \captionsetup[figure]{labelfont={bf, small},
934       textfont={bf, small}}
935     \captionsetup[table]{labelfont={bf, small},
936       textfont={bf, small}}
937   \or % sigchi-a
938     \captionsetup[figure]{labelfont={bf, small},
939       textfont={bf, small}}
940     \captionsetup[table]{labelfont={bf, small},
941       textfont={bf, small}}
942   \or % acmengage
943   \or % acmcnp
944   \fi
945 \fi

```

```

sidebar The sidebar environment:
946 \newfloat{sidebar}{}{sbar}
947 \floatname{sidebar}{Sidebar}
948 \renewenvironment{sidebar}{\Collect@Body@\sidebar}{}

\@sidebar The processing of the saved text
949 \long\def\@sidebar#1{\bgroup\let\@vspace\@vspace@orig
950   \let\@vspacer\@vspacer@orig\captionsetup{type=sidebar}%
951   \marginpar{\small#1}\egroup}

marginfigure The marginfigure environment:
952 \newenvironment{marginfigure}{\Collect@Body@\marginfigure}{}

\@marginfigure The processing of the saved text
953 \long\def\@marginfigure#1{\bgroup
954   \let\@vspace\@vspace@orig
955   \let\@vspacer\@vspacer@orig
956   \captionsetup{type=figure}%
957   \marginpar{\@Description@presentfalse\centering
958     \small#1\if@Description@present\else
959       \global\@undescribed@imagestrue
960       \ClassWarning{\@classname}{A possible image without description}
961     \fi}%
962   \egroup}

margitable The margitable environment:
963 \newenvironment{margitable}{\Collect@Body@\margitable}{}

\@margitable The processing of the saved text
964 \long\def\@margitable#1{\bgroup\let\@vspace\@vspace@orig
965   \let\@vspacer\@vspacer@orig\captionsetup{type=table}%
966   \marginpar{\centering\small#1}\egroup}

SIGCHI extended abstracts provide an interesting possibility to push into the margin.
Here we use figure* and table* for this.

\fulltextwidth We define the width of the boxes as
967 \newdimen\fulltextwidth
968 \fulltextwidth=\dimexpr(\textwidth+\marginparwidth+\marginparsep)

\@dblfloat We redefine the double-float command. First, we make the size bigger. Second, our
default position is going to be tp (to give marginalia a chance)
969 \if@ACM@sigchiamode
970 \def\@dblfloat{\bgroup\let\@vspace\@vspace@orig
971   \let\@vspacer\@vspacer@orig\columnwidth=\fulltextwidth
972   \let\@endfloatbox\@endwidefloatbox
973   \def\fpsadddefault{\def\fps{tp}}%
974   \@float}
975 \fi

\end@dblfloat And the end. Just adding a \bgroup.
976 \if@ACM@sigchiamode
977 \def\end@dblfloat{%
978   \end@float\egroup}
979 \fi

```

```
\@endwidefloatbox This is the end of a wide box—we basically move everything to the left
```

```
980 \def\@endwidefloatbox{%
981   \par\vskip\z@skip
982   \@minipagefalse
983   \outer@nobreak
984   \egroup
985   \color@endbox
986   \global\setbox@\currbox=\vbox{\moveleft
987     \dimexpr(\fulltextwidth-\textwidth)\box@\currbox}%
988   \wd@\currbox=\textwidth
989 }
```

3.15 Lists

```
990 \ifcase\ACM@format@nr
991 \relax % manuscript
992 \or % acmsmall
993 \or % acmlarge
994 \or % acmtog
995 \or % sigconf
996 \or % siggraph
997 \or % sigplan
998 \def\labelenumi{\theenumi.}
999 \def\labelenumii{\theenumii.}
1000 \def\labelenumiii{\theenumiii.}
1001 \def\labelenumiv{\theenumiv.}
1002 \or % sigchi
1003 \or % sigchi-a
1004 \or % acmengage
1005 \or % acmcpc
1006 \fi
```

The AMS uses generous margins for lists. Note that `amsart` defines `\leftmargin` values for list levels at the beginning of the document, so we must redefine them in the same manner. Also, note that `amsart` redefines the `enumerate` and `itemize` environments with a `\makelabel` command that uses `\llap`, so the `\labelwidth` value is (effectively) irrelevant; nonetheless, we follow `amsart` and set `\labelwidth` to `\leftmargin` minus `\labelsep`.

```
1007 \newdimen\@ACM@labelwidth
1008 \AtBeginDocument{%
1009   \setlength\labelsep{4pt}
1010   \setlength{\@ACM@labelwidth}{6.5pt}
1011
1012   %% First-level list: when beginning after the first line of an
1013   %% indented paragraph or ending before an indented paragraph, labels
1014   %% should not hang to the left of the preceding/following text.
1015   \setlength\leftmargini{\z@}
1016   \addtolength\leftmargini{\parindent}
1017   \addtolength\leftmargini{2\labelsep}
1018   \addtolength\leftmargini{\@ACM@labelwidth}
1019
1020   %% Second-level and higher lists.
1021   \setlength\leftmarginii{\z@}
1022   \addtolength\leftmarginii{0.5\labelsep}
```

```

1023  \addtolength\leftmarginii{@ACM@labelwidth}
1024  \setlength\leftmarginiii{\leftmarginii}
1025  \setlength\leftmarginiv{\leftmarginii}
1026  \setlength\leftmarginv{\leftmarginiv}
1027  \setlength\leftmarginvi{\leftmarginv}
1028  \@listi}
1029 \newskip\listisep
1030 \listisep\smallskipamount
1031 \def@listI{\leftmargin\leftmargini
1032   \labelwidth\leftmargini \advance\labelwidth-\labelsep
1033   \listparindent\z@
1034   \topsep\listisep}
1035 \let@listi@listI
1036 \def@listii{\leftmargin\leftmarginii
1037   \labelwidth\leftmarginii \advance\labelwidth-\labelsep
1038   \topsep\z@skip}
1039 \def@listiii{\leftmargin\leftmarginiii
1040   \labelwidth\leftmarginiii \advance\labelwidth-\labelsep}
1041 \def@listiv{\leftmargin\leftmarginiv
1042   \labelwidth\leftmarginiv \advance\labelwidth-\labelsep}
1043 \def@listv{\leftmargin\leftmarginv
1044   \labelwidth\leftmarginv \advance\labelwidth-\labelsep}
1045 \def@listvi{\leftmargin\leftmarginvi
1046   \labelwidth\leftmarginvi \advance\labelwidth-\labelsep}

\descriptionlabel We do not use a colon by default like amsart does:
1047 \renewcommand{\descriptionlabel}[1]{\upshape\bfseries #1}

\description Make the description environment indentation consistent with that of the itemize
and enumerate environments.
1048 \renewenvironment{description}{\list{}{%
1049   \labelwidth@ACM@labelwidth
1050   \let\makelabel\descriptionlabel}%
1051 }{%
1052   \endlist
1053 }
1054 \let\enddescription=\endlist % for efficiency

```

3.16 Top-matter data

```

\if@ACM@maketitle@typeset The switch to check whether \maketitle is already typeset. It is initially false, and
setting top matter when it is true is wrong.
1055 \newif\if@ACM@maketitle@typeset
1056 \if@ACM@maketitle@typesetfalse

```

We use the xkeyval interface to define journal titles and the relevant information

```

1057 \define@choicekey*+{ACM}{acmJournal}[{@journalCode\journalCode@nr}{%
1058   ACMJCSS,%
1059   CIE,%
1060   CSUR,%
1061   DGOV,%
1062   DLT,%
1063   DTRAP,%
1064   FAC,%

```

1065 GAMES,%
1066 HEALTH,%
1067 IMWUT,%
1068 JACM,%
1069 JATS,%
1070 JDIQ,%
1071 JDS,%
1072 JEA,%
1073 JERIC,%
1074 JETC,%
1075 JOCH,%
1076 JRC,%
1077 PACMCGIT,%
1078 PACMHCI,%
1079 PACMMOD,%
1080 PACMNET,%
1081 PACMPL,%
1082 PACMSE,%
1083 POMACS,%
1084 TAAS,%
1085 TACCESS,%
1086 TACO,%
1087 TALG,%
1088 TALLIP,%
1089 TAP,%
1090 TCPS,%
1091 TDS,%
1092 TEAC,%
1093 TECS,%
1094 TELO,%
1095 THRI,%
1096 TIIS,%
1097 TIOT,%
1098 TISSEC,%
1099 TIST,%
1100 TKDD,%
1101 TMIS,%
1102 TOCE,%
1103 TOCHI,%
1104 TOCL,%
1105 TOCS,%
1106 TOCT,%
1107 TODAES,%
1108 TODS,%
1109 TOG,%
1110 TOIS,%
1111 TOIT,%
1112 TOMACS,%
1113 TOMM,%
1114 TOMPECS,%
1115 TOMS,%
1116 TOPC,%
1117 TOPS,%
1118 TOPLAS,%

```

1119 TOPML,%
1120 TORS,%
1121 TOS,%
1122 TOSEM,%
1123 TOSN,%
1124 TQC,%
1125 TRETS,%
1126 TSAS,%
1127 TSC,%
1128 TSLP,%
1129 TWEB,%
1130 FACMP%
1131 }{%
1132 \ifcase\@journalCode@nr
1133 \relax % ACMJCSS
1134 \def\@journalName{ACM Journal on Computing and Sustainable Societies}%
1135 \def\@journalNameShort{ACM J. Comput. Sustain. Soc.}%
1136 \def\@permissionCodeOne{2834-5533}%
1137 \or % CIE
1138 \def\@journalName{ACM Computers in Entertainment}%
1139 \def\@journalNameShort{ACM Comput. Entertain.}%
1140 \def\@permissionCodeOne{1544-3574}%
1141 \or % CSUR
1142 \def\@journalName{ACM Computing Surveys}%
1143 \def\@journalNameShort{ACM Comput. Surv.}%
1144 \def\@permissionCodeOne{0360-0300}%
1145 \or % DGOV
1146 \def\@journalName{Digital Government: Research and Practice}%
1147 \def\@journalNameShort{Digit. Gov. Res. Pract.}%
1148 \def\@permissionCodeOne{2639-0175}%
1149 \or % DLT
1150 \def\@journalName{Distributed Ledger Technologies: Research and Practice}%
1151 \def\@journalNameShort{Distrib. Ledger Technol.}%
1152 \def\@permissionCodeOne{2769-6472}%
1153 \or % DTRAP
1154 \def\@journalName{Digital Threats: Research and Practice}%
1155 \def\@journalNameShort{Digit. Threat. Res. Pract.}%
1156 \def\@permissionCodeOne{2576-5337}%
1157 \or % FAC
1158 \def\@journalName{Formal Aspects of Computing}%
1159 \def\@journalNameShort{Form. Asp. Comput.}%
1160 \def\@permissionCodeOne{0934-5043}%
1161 \def\@permissionCodeTwo{1433-299X}%
1162 \or % GAMES
1163 \def\@journalName{ACM Games: Research and Practice}%
1164 \def\@journalNameShort{ACM Games}%
1165 \def\@permissionCodeOne{2832-5516}%
1166 \or % HEALTH
1167 \def\@journalName{ACM Transactions on Computing for Healthcare}%
1168 \def\@journalNameShort{ACM Trans. Comput. Healthcare}%
1169 \def\@permissionCodeOne{2637-8051}%
1170 \or % IMWUT
1171 \def\@journalName{Proceedings of the ACM on Interactive, Mobile,
1172 Wearable and Ubiquitous Technologies}%

```

```

1173 \def \@journalNameShort{Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.}%
1174 \def \@permissionCodeOne{2474-9567}%
1175 \@ACM@screentrue
1176 \PackageInfo{\@classname}{Using screen mode due to \@journalCode}%
1177 \or % JACM
1178 \def \@journalName{Journal of the ACM}%
1179 \def \@journalNameShort{J. ACM}%
1180 \def \@permissionCodeOne{0004-5411}%
1181 \or % JATS
1182 \def \@journalName{Journal on Autonomous Transportation Systems}%
1183 \def \@journalNameShort{ACM J. Auton. Transport. Syst.}%
1184 \def \@permissionCodeOne{2833-0528}%
1185 \or % JDIQ
1186 \def \@journalName{ACM Journal of Data and Information Quality}%
1187 \def \@journalNameShort{ACM J. Data Inform. Quality}%
1188 \def \@permissionCodeOne{1936-1955}%
1189 \or % JDS
1190 \def \@journalName{ACM/IMS Journal of Data Science}%
1191 \def \@journalNameShort{ACM/IMS J. Data Sci.}%
1192 \def \@permissionCodeOne{2831-3194}%
1193 \def \@permissionCodeTwo{2831-3194}%
1194 \or % JEA
1195 \def \@journalName{ACM Journal of Experimental Algorithms}%
1196 \def \@journalNameShort{ACM J. Exp. Algor.}%
1197 \def \@permissionCodeOne{1084-6654}%
1198 \or % JERIC
1199 \def \@journalName{ACM Journal of Educational Resources in Computing}%
1200 \def \@journalNameShort{ACM J. Edu. Resources in Comput.}%
1201 \def \@permissionCodeOne{1073-0516}%
1202 \or % JETC
1203 \def \@journalName{ACM Journal on Emerging Technologies in Computing Systems}%
1204 \def \@journalNameShort{ACM J. Emerg. Technol. Comput. Syst.}%
1205 \def \@permissionCodeOne{1550-4832}%
1206 \or % JOCCH
1207 \def \@journalName{ACM Journal on Computing and Cultural Heritage}%
1208 \def \@journalNameShort{ACM J. Comput. Cult. Herit.}%
1209 \def \@permissionCodeOne{1556-4673}%
1210 \def \@permissionCodeTwo{1556-4711}%
1211 \or % JRC
1212 \def \@journalName{ACM Journal on Responsible Computing}%
1213 \def \@journalNameShort{ACM J. Responsib. Comput.}%
1214 \def \@permissionCodeOne{2832-0565}%
1215 \or % PACMCGIT
1216 \def \@journalName{Proceedings of the ACM on Computer Graphics and Interactive Techniques}%
1217 \def \@journalNameShort{Proc. ACM Comput. Graph. Interact. Tech.}%
1218 \def \@permissionCodeOne{2577-6193}%
1219 \@ACM@screentrue
1220 \PackageInfo{\@classname}{Using screen mode due to \@journalCode}%
1221 \or % PACMHCI
1222 \def \@journalName{Proceedings of the ACM on Human-Computer Interaction}%
1223 \def \@journalNameShort{Proc. ACM Hum.-Comput. Interact.}%
1224 \def \@permissionCodeOne{2573-0142}%
1225 \@ACM@screentrue
1226 \PackageInfo{\@classname}{Using screen mode due to \@journalCode}%

```

```

1227 \or % PACMMD
1228   \def \@journalName{Proceedings of the ACM on Management of Data}%
1229   \def \@journalNameShort{Proc. ACM Manag. Data}%
1230   \def \@permissionCodeOne{2836-6573}%
1231 \or % PACMNET
1232   \def \@journalName{Proceedings of the ACM on Networking}%
1233   \def \@journalNameShort{Proc. ACM Netw. }%
1234   \def \@permissionCodeOne{2834-5509}%
1235 \or % PACMPL
1236   \def \@journalName{Proceedings of the ACM on Programming Languages}%
1237   \def \@journalNameShort{Proc. ACM Program. Lang. }%
1238   \def \@permissionCodeOne{2475-1421}%
1239   \@ACM@screentrue
1240   \PackageInfo{\@classname}{Using screen mode due to \@journalCode}%
1241 \or % PACMSE
1242   \def \@journalName{Proceedings of the ACM on Software Engineering}%
1243   \def \@journalNameShort{Proc. ACM Softw. Eng. }%
1244   \def \@permissionCodeOne{2994-970X}%
1245   \@ACM@screentrue
1246   \PackageInfo{\@classname}{Using screen mode due to \@journalCode}%
1247 \or % POMACS
1248   \def \@journalName{Proceedings of the ACM on Measurement and Analysis of Computing Systems}%
1249   \def \@journalNameShort{Proc. ACM Meas. Anal. Comput. Syst.}%
1250   \def \@permissionCodeOne{2476-1249}%
1251   \@ACM@screentrue
1252   \PackageInfo{\@classname}{Using screen mode due to \@journalCode}%
1253 \or % TAAS
1254   \def \@journalName{ACM Transactions on Autonomous and Adaptive Systems}%
1255   \def \@journalNameShort{ACM Trans. Autonom. Adapt. Syst.}%
1256   \def \@permissionCodeOne{1556-4665}%
1257 \or % TACCESS
1258   \def \@journalName{ACM Transactions on Accessible Computing}%
1259   \def \@journalNameShort{ACM Trans. Access. Comput.}%
1260   \def \@permissionCodeOne{1936-7228}%
1261 \or % TACO
1262   \def \@journalName{ACM Transactions on Architecture and Code Optimization}%
1263   \def \@journalNameShort{ACM Trans. Arch. Code Optim.}%
1264   \def \@permissionCodeOne{1544-3566}%
1265   \def \@permissionCodeTwo{1544-3973}%
1266 \or % TALG
1267   \def \@journalName{ACM Transactions on Algorithms}%
1268   \def \@journalNameShort{ACM Trans. Algor.}%
1269   \def \@permissionCodeOne{1549-6325}%
1270 \or % TALLIP
1271   \def \@journalName{ACM Transactions on Asian and Low-Resource Language Information Processing}%
1272   \def \@journalNameShort{ACM Trans. Asian Low-Resour. Lang. Inf. Process.}%
1273   \def \@permissionCodeOne{2375-4699}%
1274 \or % TAP
1275   \def \@journalName{ACM Transactions on Applied Perception}%
1276   \def \@journalNameShort{ACM Trans. Appl. Percept.}%
1277   \def \@permissionCodeOne{1544-3558}%
1278 \or % TCPS
1279   \def \@journalName{ACM Transactions on Cyber-Physical Systems}%
1280   \def \@journalNameShort{ACM Trans. Cyber-Phys. Syst.}%

```

```

1281   \def\@permissionCodeOne{2378-962X}%
1282 \or % TDS
1283   \def\@journalName{ACM/IMS Transactions on Data Science}%
1284   \def\@journalNameShort{ACM/IMS Trans. Data Sci.}%
1285   \def\@permissionCodeOne{2577-3224}%
1286 \or % TEAC
1287   \def\@journalName{ACM Transactions on Economics and Computation}%
1288   \def\@journalNameShort{ACM Trans. Econ. Comput.}%
1289   \def\@permissionCodeOne{2167-8375}%
1290 \or % TECS
1291   \def\@journalName{ACM Transactions on Embedded Computing Systems}%
1292   \def\@journalNameShort{ACM Trans. Embedd. Comput. Syst.}%
1293   \def\@permissionCodeOne{1539-9087}%
1294 \or % TELO
1295   \def\@journalName{ACM Transactions on Evolutionary Learning}%
1296   \def\@journalNameShort{ACM Trans. Evol. Learn.}%
1297   \def\@permissionCodeOne{2688-3007}%
1298 \or % THRI
1299   \def\@journalName{ACM Transactions on Human-Robot Interaction}%
1300   \def\@journalNameShort{ACM Trans. Hum.-Robot Interact.}%
1301   \def\@permissionCodeOne{2573-9522}%
1302 \or % TIIS
1303   \def\@journalName{ACM Transactions on Interactive Intelligent Systems}%
1304   \def\@journalNameShort{ACM Trans. Interact. Intell. Syst.}%
1305   \def\@permissionCodeOne{2160-6455}%
1306 \or % TIOT
1307   \def\@journalName{ACM Transactions on Internet of Things}%
1308   \def\@journalNameShort{ACM Trans. Internet Things}%
1309   \def\@permissionCodeOne{2577-6207}%
1310 \or % TISSEC
1311   \def\@journalName{ACM Transactions on Information and System Security}%
1312   \def\@journalNameShort{ACM Trans. Info. Syst. Sec.}%
1313   \def\@permissionCodeOne{1094-9224}%
1314 \or % TIST
1315   \def\@journalName{ACM Transactions on Intelligent Systems and Technology}%
1316   \def\@journalNameShort{ACM Trans. Intell. Syst. Technol.}%
1317   \def\@permissionCodeOne{2157-6904}%
1318 \or % TKDD
1319   \def\@journalName{ACM Transactions on Knowledge Discovery from Data}%
1320   \def\@journalNameShort{ACM Trans. Knowl. Discov. Data.}%
1321   \def\@permissionCodeOne{1556-4681}%
1322 \or % TMIS
1323   \def\@journalName{ACM Transactions on Management Information Systems}%
1324   \def\@journalNameShort{ACM Trans. Manag. Inform. Syst.}%
1325   \def\@permissionCodeOne{2158-656X}%
1326 \or % TOCE
1327   \def\@journalName{ACM Transactions on Computing Education}%
1328   \def\@journalNameShort{ACM Trans. Comput. Educ.}%
1329   \def\@permissionCodeOne{1946-6226}%
1330 \or % TOCHI
1331   \def\@journalName{ACM Transactions on Computer-Human Interaction}%
1332   \def\@journalNameShort{ACM Trans. Comput.-Hum. Interact.}%
1333   \def\@permissionCodeOne{1073-0516}%
1334 \or % TOCL

```

```

1335 \def \@journalName{ACM Transactions on Computational Logic}%
1336 \def \@journalNameShort{ACM Trans. Comput. Logic}%
1337 \def \@permissionCodeOne{1529-3785}%
1338 \or % TOCS
1339 \def \@journalName{ACM Transactions on Computer Systems}%
1340 \def \@journalNameShort{ACM Trans. Comput. Syst.}%
1341 \def \@permissionCodeOne{0734-2071}%
1342 \or % TOCT
1343 \def \@journalName{ACM Transactions on Computation Theory}%
1344 \def \@journalNameShort{ACM Trans. Comput. Theory}%
1345 \def \@permissionCodeOne{1942-3454}%
1346 \or % TODAES
1347 \def \@journalName{ACM Transactions on Design Automation of Electronic Systems}%
1348 \def \@journalNameShort{ACM Trans. Des. Autom. Electron. Syst.}%
1349 \def \@permissionCodeOne{1084-4309}%
1350 \or % TODS
1351 \def \@journalName{ACM Transactions on Database Systems}%
1352 \def \@journalNameShort{ACM Trans. Datab. Syst.}%
1353 \def \@permissionCodeOne{0362-5915}%
1354 \or % TOG
1355 \def \@journalName{ACM Transactions on Graphics}%
1356 \def \@journalNameShort{ACM Trans. Graph.}%
1357 \def \@permissionCodeOne{0730-0301}%
1358 \or % TOIS
1359 \def \@journalName{ACM Transactions on Information Systems}%
1360 \def \@journalNameShort{ACM Trans. Inf. Syst.}%
1361 \def \@permissionCodeOne{1046-8188}%
1362 \or % TOIT
1363 \def \@journalName{ACM Transactions on Internet Technology}%
1364 \def \@journalNameShort{ACM Trans. Internet Technol.}%
1365 \def \@permissionCodeOne{1533-5399}%
1366 \or % TOMACS
1367 \def \@journalName{ACM Transactions on Modeling and Computer Simulation}%
1368 \def \@journalNameShort{ACM Trans. Model. Comput. Simul.}%
1369 \def \@permissionCodeOne{1049-3301}%
1370 \def \@permissionCodeTwo{1558-1195}%
1371 \or % TOMM
1372 \def \@journalName{ACM Transactions on Multimedia Computing, Communications and Applications}%
1373 \def \@journalNameShort{ACM Trans. Multimedia Comput. Commun. Appl.}%
1374 \def \@permissionCodeOne{1551-6857}%
1375 \def \@permissionCodeTwo{1551-6865}%
1376 \or % TOMPECS
1377 \def \@journalName{ACM Transactions on Modeling and Performance Evaluation of Computing Systems}%
1378 \def \@journalNameShort{ACM Trans. Model. Perform. Eval. Comput. Syst.}%
1379 \def \@permissionCodeOne{2376-3639}%
1380 \or % TOMS
1381 \def \@journalName{ACM Transactions on Mathematical Software}%
1382 \def \@journalNameShort{ACM Trans. Math. Softw.}%
1383 \def \@permissionCodeOne{0098-3500}%
1384 \or % TOPC
1385 \def \@journalName{ACM Transactions on Parallel Computing}%
1386 \def \@journalNameShort{ACM Trans. Parallel Comput.}%
1387 \def \@permissionCodeOne{2329-4949}%
1388 \def \@permissionCodeTwo{2329-4957}%

```

```

1389 \or % TOPS
1390   \def \@journalName{ACM Transactions on Privacy and Security}%
1391   \def \@journalNameShort{ACM Trans. Priv. Sec.}%
1392   \def \@permissionCodeOne{2471-2566}%
1393 \or % TOPLAS
1394   \def \@journalName{ACM Transactions on Programming Languages and Systems}%
1395   \def \@journalNameShort{ACM Trans. Program. Lang. Syst.}%
1396   \def \@permissionCodeOne{0164-0925}%
1397 \or % TOPML
1398   \def \@journalName{ACM Transactions on Probabilistic Machine Learning}%
1399   \def \@journalNameShort{ACM Trans. Probab. Mach. Learn.}%
1400   \def \@permissionCodeOne{2836-8924}%
1401 \or % TORS
1402   \def \@journalName{ACM Transactions on Recommender Systems}%
1403   \def \@journalNameShort{ACM Trans. Recomm. Syst.}%
1404   \def \@permissionCodeOne{2770-6699}%
1405 \or % TOS
1406   \def \@journalName{ACM Transactions on Storage}%
1407   \def \@journalNameShort{ACM Trans. Storage}%
1408   \def \@permissionCodeOne{1553-3077}%
1409 \or % TOSEM
1410   \def \@journalName{ACM Transactions on Software Engineering and Methodology}%
1411   \def \@journalNameShort{ACM Trans. Softw. Eng. Methodol.}%
1412   \def \@permissionCodeOne{1049-331X}%
1413 \or % TOSN
1414   \def \@journalName{ACM Transactions on Sensor Networks}%
1415   \def \@journalNameShort{ACM Trans. Sensor Netw.}%
1416   \def \@permissionCodeOne{1550-4859}%
1417 \or % TQC
1418   \def \@journalName{ACM Transactions on Quantum Computing}%
1419   \def \@journalNameShort{ACM Trans. Quantum Comput.}%
1420   \def \@permissionCodeOne{2643-6817}%
1421 \or % TRETS
1422   \def \@journalName{ACM Transactions on Reconfigurable Technology and Systems}%
1423   \def \@journalNameShort{ACM Trans. Reconfig. Technol. Syst.}%
1424   \def \@permissionCodeOne{1936-7406}%
1425 \or % TSAS
1426   \def \@journalName{ACM Transactions on Spatial Algorithms and Systems}%
1427   \def \@journalNameShort{ACM Trans. Spatial Algorithms Syst.}%
1428   \def \@permissionCodeOne{2374-0353}%
1429 \or % TSC
1430   \def \@journalName{ACM Transactions on Social Computing}%
1431   \def \@journalNameShort{ACM Trans. Soc. Comput.}%
1432   \def \@permissionCodeOne{2469-7818}%
1433 \or % TSLP
1434   \def \@journalName{ACM Transactions on Speech and Language Processing}%
1435   \def \@journalNameShort{ACM Trans. Speech Lang. Process.}%
1436   \def \@permissionCodeOne{1550-4875}%
1437 \or % TWEB
1438   \def \@journalName{ACM Transactions on the Web}%
1439   \def \@journalNameShort{ACM Trans. Web}%
1440   \def \@permissionCodeOne{1559-1131}%
1441 \else % FACMP, a dummy journal
1442   \def \@journalName{ACM Just Accepted}%

```

```

1443   \def\@journalNameShort{ACM Accepted}%
1444   \def\@permissionCodeOne{XXXX-XXXX}%
1445 \fi
1446 \ClassInfo{@classname}{Using journal code \@journalCode}%
1447 }{%
1448 \ClassError{@classname}{Incorrect journal #1}%
1449 }%

```

\acmJournal And the syntactic sugar around it

```

1450 \def\acmJournal#1{\setkeys{ACM}{acmJournal=#1}%
1451   \global\@ACM@journal@bibstriptrue
1452   \global\@ACM@journal@bibstrip@or@togtrue}%

```

The defaults:

```

1453 \def\@journalCode@nr{0}
1454 \def\@journalName{}%
1455 \def\@journalNameShort{@journalName}%
1456 \def\@permissionCodeOne{XXXX-XXXX}%
1457 \def\@permissionCodeTwo{}%

```

\acmConference This is the conference command

```

1458 \newcommand\acmConference[4][]{%
1459   \gdef\acmConference@shortname{-#1}%
1460   \gdef\acmConference@name{-#2}%
1461   \gdef\acmConference@date{-#3}%
1462   \gdef\acmConference@venue{-#4}%
1463   \ifx\acmConference@shortname\empty
1464     \gdef\acmConference@shortname{-#2}%
1465   \fi
1466   \global\@ACM@journal@bibstripfalse
1467   \ifx\@acmBooktitle\empty\relax
1468     \acmBooktitle{Proceedings of \acmConference@name}
1469     \ifx\acmConference@name\acmConference@shortname\else
1470       \ (\acmConference@shortname)\fi}%
1471   \fi
1472 }
1473 \if@ACM@journal\else
1474 \acmConference[Conference'17]{ACM Conference}{July 2017}{Washington,
1475 DC, USA}%
1476 \fi

```

\acmBooktitle The book title of the conference:

```

\@acmBooktitle 1477 \def\acmBooktitle#1{\gdef\@acmBooktitle{-#1}%
1478 \acmBooktitle{}}

```

\@editorsAbbrev How to abbreviate editors

```

1479 \def\@editorsAbbrev{(Ed.)}

```

\@acmEditors The list of editors

```

1480 \def\@acmEditors{}

```

\editor Add a new editor to the list

```

1481 \def\editor#1{\ifx\@acmEditors\empty

```

```

1482     \gdef\@acmEditors{#1}%
1483 \else
1484     \gdef\@editorsAbbrev{(Eds.)}%
1485     \g@addto@macro\@acmEditors{\and#1}%
1486 \fi}

\subtitle The subtitle macro
1487 \def\subtitle#1{\def\@subtitle{#1}}
1488 \subtitle{}

\num@authorgroups The total number of “groups”. Each group is several authors with the same affiliations(s)
1489 \newcount\num@authorgroups
1490 \num@authorgroups=0\relax

\num@authors The total number of authors
1491 \newcount\num@authors
1492 \num@authors=0\relax

\if@insideauthorgroup Whether we are continuing an author group
1493 \newif\if@insideauthorgroup
1494 \if@insideauthorgroupfalse

\author Adding an author to the list of authors and addresses.
Note that we want to typeset the link to the author’s orcid if known. The problem is, we know the orcid only after the author is entered. The trick is based on the idea that \csname... \endcsname is \relax unless defined. Therefore we typeset authors by the special macro \csname typeset@author\the\num@authors\endcsname, which is defined by \orcid command.
1495 \renewcommand\author[2][]{
1496   \IfSubStr{\detokenize{#2}}{,}{\ClassWarning{@classname}{Do not put several
1497     authors in the same \string\author\space macro!}}{}%
1498   \global\advance\num@authors by 1\relax
1499   \if@insideauthorgroup\else
1500     \global\advance\num@authorgroups by 1\relax
1501     \global\@insideauthorgrouptrue
1502   \fi
1503   \ifx\addresses\empty
1504     \if@ACM@anonymous
1505       \gdef\addresses{@author{Anonymous Author(s)}%
1506         \ifx\@acmSubmissionID\empty\else\Submission Id:
1507           \@\acmSubmissionID\fi}%
1508       \gdef\authors{Anonymous Author(s)}%
1509     \else
1510       \expandafter\gdef\expandafter\addresses\expandafter{%
1511         \expandafter\@author\expandafter{%
1512           \csname typeset@author\the\num@authors\endcsname{#2}}}%
1513       \gdef\authors{#2}%
1514     \fi
1515   \else
1516     \if@ACM@anonymous\else
1517       \expandafter\g@addto@macro\expandafter\addresses\expandafter{%
1518         \expandafter\and\expandafter\@author\expandafter{%
1519           \csname typeset@author\the\num@authors\endcsname{#2}}}%

```

```

1520     \g@addto@macro\authors{\and#2}%
1521     \fi
1522 \fi
1523 \if@ACM@anonymous
1524   \ifx\shortauthors@\empty
1525     \gdef\shortauthors{Anon.%
1526       \ifx\@acmSubmissionID\empty\else Submission Id:%
1527         \@acmSubmissionID\fi}%
1528   \fi
1529 \else
1530   \def\@tempa{\#1}%
1531   \ifx\@tempa\empty
1532     \ifx\shortauthors@\empty
1533       \gdef\shortauthors{\#2}%
1534     \else
1535       \g@addto@macro\shortauthors{\and#2}%
1536     \fi
1537   \else
1538     \ifx\shortauthors@\empty
1539       \gdef\shortauthors{\#1}%
1540     \else
1541       \g@addto@macro\shortauthors{\and#1}%
1542     \fi
1543   \fi
1544 \fi}

```

\affiliation The macro \affiliation mimics \address from amsart. Note that it has an optional argument, which we use differently from amsart.

```

1545 \newcommand{\affiliation}[2][]{%
1546   \global\@insideauthorgroupfalse
1547   \if@ACM@anonymous\else
1548     \g@addto@macro\addresses{\affiliation{\#1}{\#2}}%
1549   \fi}

```

\ACM@affiliation@obeypunctuation Whether to use the author's punctuation (false by default, which adds American-style address punctuation)

```

1550 \define@boolkey+{@ACM@affiliation@}{@ACM@affiliation@}{obeypunctuation}%
1551 [true]{\ClassError{@classname}{The option obeypunctuation can be either true or false}}

```

\additionalaffiliation Additional affiliations go to footnotes

```

1552 \def\additionalaffiliation#1{\authornote{\@additionalaffiliation{\#1}}}

```

\@additionalaffiliation Process \additionalaffiliation inside \authornote

```

1553 \def\@additionalaffiliation#1{\bgroup
1554   \def\position##1{\ignorespaces}%
1555   \def\institution##1{\##1\ignorespaces}%
1556   \def\department{\@ifnextchar[\{\@department}{\@department[]}}%
1557   \def\@department[##1]##2{\unskip, ##2\ignorespaces}%
1558   \let\streetaddress\position
1559   \let\city\position
1560   \let\state\position
1561   \let\postcode\position
1562   \let\country\position
1563   Also with \##1\unskip.\egroup}

```

```

\email The macro \email mimics \email from amsart. Again, it has an optional argument that
we do not currently need but keep for possible future use.
1564 \renewcommand{\email}[2][]{%
1565   \IfSubStr{#2}{,}{\ClassWarning{@classname}{Do not put several
1566     addresses in the same \string\email\space macro!}}{}%
1567   \if@ACM@anonymous\else
1568     \g@addto@macro\addresses{\email{#1}{#2}}%
1569   \fi}

\orcid We redefine the command to typeset the current author
1570 \def\orcid#1{\unskip\ignorespaces%
1571   \IfBeginWith{#1}{http}{%
1572     \expandafter\gdef\csname
1573       typeset@author\the\num@authors\endcsname##1{%
1574         \href{#1}{##1}}}{%
1575     \expandafter\gdef\csname
1576       typeset@author\the\num@authors\endcsname##1{%
1577         \href{https://orcid.org/#1}{##1}}}{}

\authorsaddresses Setting up authors' addresses
1578 \def\authorsaddresses#1{\def\@authorsaddresses{#1}}
1579 \authorsaddresses{\mkauthorsaddresses}

@\mktranslatedkeywords We have two argument: the language to typeset keywords and the keywords.
1580 \newcommand\@mktranslatedkeywords[2]{\bgroup
1581   \selectlanguage{#1}%
1582   {\@specialsection{\keywordsname}%
1583     \noindent#2\par}\egroup}

@titlenotes The title notes
1584 \def\@titlenotes{}

\titlenote Adding a note to the title
1585 \def\titlenote#1{%
1586   \g@addto@macro\@title{\footnotemark}%
1587   \if@ACM@anonymous
1588     \g@addto@macro\@titlenotes{%
1589       \stepcounter{footnote}\footnotetext{Title note}}%
1590   \else
1591     \g@addto@macro\@titlenotes{\stepcounter{footnote}\footnotetext{#1}}%
1592   \fi}

@subtitlenotes The subtitle notes
1593 \def\@subtitlenotes{}


\subtitlenote Adding a note to the subtitle
1594 \def\subtitlenote#1{%
1595   \g@addto@macro\@subtitle{\footnotemark}%
1596   \if@ACM@anonymous
1597     \g@addto@macro\@subtitlenotes{%
1598       \stepcounter{footnote}\footnotetext{Subtitle note}}%
1599   \else
1600     \g@addto@macro\@subtitlenotes{%

```

```

1601      \stepcounter{footnote}\footnotetext{\#1}%
1602  \fi}

\@authornotes The author notes
1603 \def\@authornotes{}


\authornote Adding a note to the author
1604 \def\authornote#1{%
1605   \if@ACM@anonymous\else
1606     \g@addto@macro\addresses{\@authornotemark}%
1607     \g@addto@macro\@authornotes{%
1608       \stepcounter{footnote}\footnotetext{\#1}%
1609     \fi}
1610 \newcommand\authornotemark[1][\relax]{%
1611   \ifx#1\relax\relax\relax
1612   \g@addto@macro\addresses{\@authornotemark}%
1613   \else
1614   \g@addto@macro\addresses{\@@authornotemark{\#1}}%
1615   \fi}
1616 \def\acmVolume#1{\def\@acmVolume{\#1}}
1617 \acmVolume{1}

\acmNumber The current number
1618 \def\acmNumber#1{\def\@acmNumber{\#1}}
1619 \acmNumber{1}

\acmArticle The current article
1620 \def\acmArticle#1{\def\@acmArticle{\#1}}
1621 \acmArticle{}


\acmArticleSeq The sequence number
1622 \def\acmArticleSeq#1{\def\@acmArticleSeq{\#1}}
1623 \acmArticleSeq{\@acmArticle}

\acmYear The current year
1624 \def\acmYear#1{\def\@acmYear{\#1}}
1625 \acmYear{\the\year}

\acmMonth The current month
1626 \def\acmMonth#1{\def\@acmMonth{\#1}}
1627 \acmMonth{\the\month}

\@acmPubDate The publication date
1628 \def\@acmPubDate{\ifcase\@acmMonth\or
1629   January\or February\or March\or April\or May\or June\or
1630   July\or August\or September\or October\or November\or
1631   December\fi\^{\@acmYear}}

```

```

\acmPrice The price—obsolete
1632 \def\acmPrice#1{\ClassWarning{@classname}{The macro \string\acmPrice
1633     is obsolete. ACM no longer prints the price in bibstrip.}}
\acmSubmissionID The submission ID
1634 \def\acmSubmissionID#1{\def\@acmSubmissionID{#1}}
1635 \acmSubmissionID{}

\acmISBN The book ISBN
1636 \def\acmISBN#1{\def\@acmISBN{#1}}
1637 \acmISBN{978-x-xxxx-xxxx-x/YY/MM}

\acmDOI The paper DOI
1638 \def\acmDOI#1{\def\@acmDOI{#1}}
1639 \acmDOI{10.1145/nnnnnnn.nnnnnnn}

\if@ACM@badge

{@ACM@badge@width} The width of the badge
1640 \newlength{@ACM@badge@width}
1641 \setlength{@ACM@badge@width}{3pc}

{@ACM@title@width} The width of the title
1642 \newlength{@ACM@title@width}

{@ACM@badge@skip} The spacing between badges
1643 \newlength{@ACM@badge@skip}
1644 \setlength{@ACM@badge@skip}{1pt}

\@acmBadgeR
1645 \def\@acmBadgeR{}

\@acmBadgeL
1646 \def\@acmBadgeL{}

\acmBadgeR Setting the right badge
1647 \newcommand\acmBadgeR[2][]{
1648   \ifx\@acmBadgeR\empty
1649     \gdef\@acmBadgeR{%
1650       \smash{%
1651         \raisebox{0.5\height}{%
1652           \href{#1}{\includegraphics[width=\@ACM@badge@width]{#2}}}}%
1653   \else
1654     \g@addto@macro{\@acmBadgeR}{%
1655       \hspace{\@ACM@badge@skip}%
1656       \smash{%
1657         \raisebox{0.5\height}{%
1658           \href{#1}{\includegraphics[width=\@ACM@badge@width]{#2}}}}%
1659   \fi}

```

```

\acmBadgeL Setting the left badge
1660 \newcommand\acmBadgeL[2][]{%
1661   \ifx\@acmBadgeL\empty
1662     \gdef\@acmBadgeL{%
1663       \smash{%
1664         \raisebox{0.5\height}{%
1665           \href{#1}{\includegraphics[width=\@ACM@badge@width]{#2}}}}}}%
1666   \else
1667     \g@addto@macro{\@acmBadgeL}{%
1668       \hspace{\@ACM@badge@skip}%
1669       \smash{%
1670         \raisebox{0.5\height}{%
1671           \href{#1}{\includegraphics[width=\@ACM@badge@width]{#2}}}}}}%
1672   \fi}

\acmBadge Just a syntax sugar for \acmBadgeR
1673 \let\acmBadge=\acmBadgeR

\startPage The start page of the paper
1674 \def\startPage#1{\def\@startPage{#1}}
1675 \startPage{}

\terms Terms are obsolete. We use CCS now.
1676 \def\terms#1{\ClassWarning{\classname}{The command \string\terms{} is
1677   obsolete. I am going to ignore it}}
1678 \def\keywords#1{\def\@keywords{#1}}
1679 \let\@keywords\empty

1680 \AtEndDocument{\if@ACM@nonacm\else\ifx\@keywords\empty
1681   \ifnum\getrefnumber{TotPages}>2\relax
1682     \ClassWarningNoLine{\classname}{ACM keywords are mandatory
1683       for papers over two pages}%
1684   \fi\fi\fi}

\abstract The amsart package puts abstract in a box. Since we do not know whether we will
use two-column mode, we prefer to save the text
1685 \renewenvironment{abstract}{\Collect@Body\@saveabstract}{}

\@saveabstract And saving the abstract
1686 \long\def\@saveabstract#1{\if@ACM@maketitle@typeset
1687   \ClassError{\classname}{Abstract must be defined before maketitle
1688     command. Please move it!}\fi
1689   \long\gdef\@abstract{#1}}
1690 \@saveabstract{}

\@empty The long version of \@empty (to compare with \abstract)
1691 \long\def\@empty{}

```

```

\if@ACM@printccs Whether to print CCS
1692 \define@boolkey+{@ACM@topmatter@}[@ACM@]{printccs}[true]{%
1693   \if@ACM@printccs
1694     \ClassInfo{@classname}{Printing CCS}%
1695   \else
1696     \ClassInfo{@classname}{Suppressing CCS}%
1697   \fi}{\ClassError{@classname}{The option printccs can be either true or false}}}

\if@ACM@printacmref Whether to print the ACM bibstrip
1698 \define@boolkey+{@ACM@topmatter@}[@ACM@]{printacmref}[true]{%
1699   \if@ACM@printacmref
1700     \ClassInfo{@classname}{Printing bibformat}%
1701   \else
1702     \ClassInfo{@classname}{Suppressing bibformat}%
1703   \fi}{\ClassError{@classname}{The option printacmref can be either true or false}}}

1704 \AtEndDocument{\if@ACM@nonacm\else\if@ACM@printacmref\else
1705   \ifnum\getrefnumber{TotPages}>1\relax
1706   \ClassWarningNoLine{@classname}{%
1707     ACM reference format is mandatory \MessageBreak
1708     for papers over one page. \MessageBreak
1709     Please add printacmref=true to the \MessageBreak
1710     \string\settopmatter\space command.}%
1711   \fi\fi\fi}

\if@ACM@printfolios Whether to print folios
1712 \define@boolkey+{@ACM@topmatter@}[@ACM@]{printfolios}[true]{%
1713   \if@ACM@printfolios
1714     \ClassInfo{@classname}{Printing folios}%
1715   \else
1716     \ClassInfo{@classname}{Suppressing folios}%
1717   \fi}{\ClassError{@classname}{The option printfolios can be either true or false}}}

\@ACM@authorsperrow The number of authors per row. 0 means use the default algorithm.
1718 \define@cmdkey{@ACM@topmatter@}[@ACM@]{authorsperrow}[0]{%
1719   \IfInteger{#1}{\ClassInfo{@classname}{Setting authorsperrow to
1720     #1}}{\ClassWarning{@classname}{The parameter authorsperrow must be
1721     numerical. Ignoring the input #1}\gdef{@ACM@authorsperrow{0}}}

\settopmatter The usual syntactic sugar
1722 \def\settopmatter#1{\setkeys{@ACM@topmatter@}{#1}}

      Now the settings
1723 \settopmatter{printccs=true, printacmref=true}
1724 \if@ACM@manuscript
1725   \settopmatter{printfolios=true}
1726 \else
1727   \if@ACM@journal
1728     \settopmatter{printfolios=true}
1729   \else
1730     \settopmatter{printfolios=false}
1731   \fi
1732 \fi
1733 \settopmatter{authorsperrow=0}

```

```

{@received The container for the paper history
1734 \def{@received{}}

@received The @received command
1735 \newcommand@received[2][]{\def@tempa{\#1}%
1736   \ifx@tempa\empty
1737     \ifx@received\empty
1738       \gdef@received{Received #2}%
1739     \else
1740       \g@addto@macro{@received}{; revised #2}%
1741     \fi
1742   \else
1743     \ifx@received\empty
1744       \gdef@received{\#1 #2}%
1745     \else
1746       \g@addto@macro{@received}{; #1 #2}%
1747     \fi
1748   \fi}
1749 \AtEndDocument{%
1750   \ifx@received\empty\else
1751     \par\bigskip\noindent\small\normalfont@received\par
1752   \fi}

@acmArticleType Article type. We set up the color.
1753 \define@choicekey+{ACM}{articletype}{[\ACM@ArticleType\ACM@ArticleType@nr]}{%
1754   Research,Review,Discussion,Invited,Position}[Review]{%
1755   \ifcase\ACM@ArticleType@nr
1756     \relax % Research
1757     \colorlet{@ACM@Article@color}{ACMBlue}%
1758   \or % Review
1759     \colorlet{@ACM@Article@color}{ACMOrange}%
1760   \or % Discussion
1761     \colorlet{@ACM@Article@color}{ACMGreen}%
1762   \or % Invited
1763     \colorlet{@ACM@Article@color}{ACMPurple}%
1764   \or % Position
1765     \colorlet{@ACM@Article@color}{ACMRed}%
1766   \fi
1767 }{%
1768   \ClassError{@classname}{Article Type must be Research, Review, \MessageBreak
1769   Discussion, Invited, or Position}}
1770 \def@acmArticleType#1{\setkeys{ACM}{articletype=#1}}
1771 \if@ACM@acmc
1772   \acmArticleType{Research}%
1773 \fi
1774

@ACM@color@frame The colored frame for the acmc
1775 \newenvironment{@ACM@color@frame}{%
1776   \def\FrameCommand{\hspace*{-6.5pc}%
1777     \colorbox{@ACM@Article@color!10!white}{}%
1778     \MakeFramed {\advance\hsize
1779       -6.5pc\relax\FrameRestore}}{\zsaveposy{@ACM@acmcframe@y}%
1780   \endMakeFramed}

```

```

\acmCodeDataLink The code link
1781 \def\acmCodeLink#1{%
1782   \ifx\@acmCodeDataLink\empty
1783     \gdef\@acmCodeDataLink{\url{#1}}%
1784   \else
1785     \g@addto@macro{\@acmCodeDataLink}{\\ \url{#1}}%
1786   \fi}
1787 \def\@acmCodeDataLink{}

\acmContributions The authors' contribution statement
1788 \def\acmContributions#1{\gdef\@acmContributions{#1}}
1789 \acmContributions{}

\acmDataLink The code link
1790 \let\acmDataLink\acmCodeLink

```

3.17 Concepts system

We exclude CCSXML stuff generated by the ACM system:

```

1791 \RequirePackage{comment}
1792 \excludecomment{CCSXML}

```

\@concepts This is the storage macro and counter for concepts

```

1793 \let\@concepts\empty
1794 \newcounter{@concepts}

```

\ccsdesc The first argument is the significance, the second is the concept(s)

```

1795 \newcommand\ccsdesc[2][100]{%
1796   \ccsdesc@parse#1^#2^~\ccsdesc@parse@end}

```

\ccsdesc@parse The parser of the expression Significance~General~Specific (we need `textcomp` for `\rightarrow`). Note that Specific can be empty!

```

1797 \def\textrightarrow{$\rightarrow$}
1798 \def\ccsdesc@parse#1^#2^~#3^~{%
1799   \stepcounter{@concepts}%
1800   \expandafter\ifx\csname CCS@General@#2\endcsname\relax
1801     \expandafter\gdef\csname CCS@General@#2\endcsname{\textbullet\ %
1802       \textbf{#2}}%
1803     \expandafter\gdef\csname CCS@Punctuation@#2\endcsname{; }%
1804     \expandafter\gdef\csname CCS@Specific@#2\endcsname{}%
1805   \g@addto@macro{\@concepts}{\csname CCS@General@#2\endcsname
1806     \csname CCS@Punctuation@#2\endcsname
1807     \csname CCS@Specific@#2\endcsname}%
1808   \fi
1809   \ifx#3\relax\relax\else
1810     \expandafter\gdef\csname CCS@Punctuation@#2\endcsname{
1811       \textrightarrow\ }%
1812     \expandafter\g@addto@macro\expandafter{\csname CCS@Specific@#2\endcsname}{%
1813       \addtocounter{@concepts}{-1}%
1814       \ifnum#1>499\textbf{#3}\else
1815       \ifnum#1>299\textit{#3}\else
1816         #3\fi\fi\ifnum\value{@concepts}=0.\else; \fi}%
1817   \fi
1818 \ccsdesc@parse@finish}

```

```

1819 \AtEndDocument{\if@ACM@nonacm\else\ifx\@concepts\empty\relax
1820   \ifnum\getrefnumber{TotPages}>2\relax
1821     \ClassWarningNoLine{\@classname}{CCS concepts are mandatory
1822       for papers over two pages}%
1823   \fi\fi\fi}

\ccdesc@parse@finish Gobble everything to \ccdesc@parse@end
1824 \def\ccdesc@parse@finish#1\ccdesc@parse@end{}


```

3.18 Copyright system

This is from acmcopyright.sty

```

\if@printcopyright Whether to print a copyright symbol
1825 \newif\if@printcopyright
1826 \if@printcopyrighttrue

\if@printpermission Whether to print the permission block
1827 \newif\if@printpermission
1828 \if@printpermissiontrue

\if@acmowned Whether the ACM owns the rights to the paper
1829 \newif\if@acmowned
1830 \if@acmownedtrue


```

Keys:

```

1831 \define@choicekey*{ACM@}{acmcopyrightmode}[%
1832   \acm@copyrightinput\acm@copyrightmode]{none,%
1833   acmcopyright,acmlicensed,rightsretained,%
1834   usgov,usgovmixed,cagov,cagovmixed,licensedusgovmixed,%
1835   licensedcagov,licensedcagovmixed,othergov,licensedothergov,%
1836   iw3c2w3,iw3c2w3g,cc}{%
1837   \if@printpermissiontrue
1838   \if@printcopyrighttrue
1839   \if@acmownedtrue
1840   \ifnum\acm@copyrightmode=0\relax % none
1841   \if@printpermissionfalse
1842   \if@printcopyrightfalse
1843   \if@acmownedfalse
1844   \fi
1845   \ifnum\acm@copyrightmode=2\relax % acmlicensed
1846   \if@acmownedfalse
1847   \fi
1848   \ifnum\acm@copyrightmode=3\relax % rightsretained
1849   \if@acmownedfalse
1850   \fi
1851   \ifnum\acm@copyrightmode=4\relax % usgov
1852   \if@printpermissiontrue
1853   \if@printcopyrightfalse
1854   \if@acmownedfalse
1855   \fi
1856   \ifnum\acm@copyrightmode=6\relax % cagov
1857   \if@acmownedfalse


```

```

1858 \fi
1859 \ifnum\acm@copyrightmode=8\relax % licensedusgovmixed
1860 \@acmownedfalse
1861 \fi
1862 \ifnum\acm@copyrightmode=9\relax % licensedcagov
1863 \@acmownedfalse
1864 \fi
1865 \ifnum\acm@copyrightmode=10\relax % licensedcagovmixed
1866 \@acmownedfalse
1867 \fi
1868 \ifnum\acm@copyrightmode=11\relax % othergov
1869 \@acmownedtrue
1870 \fi
1871 \ifnum\acm@copyrightmode=12\relax % licensedothergov
1872 \@acmownedfalse
1873 \fi
1874 \ifnum\acm@copyrightmode=13\relax % iw3c2w3
1875 \@acmownedfalse
1876 \fi
1877 \ifnum\acm@copyrightmode=14\relax % iw3c2w3g
1878 \@acmownedfalse
1879 \fi
1880 \ifnum\acm@copyrightmode=15\relax % cc
1881 \@acmownedfalse
1882 \fi}

```

\setcopyright This is the syntactic sugar around setting keys.

```

1883 \def\setcopyright#1{\setkeys{ACM@}{acmcopyrightmode=#1}}
1884 \setcopyright{acmlicensed}

```

\setcctype The type of Creative Commons license used

```

1885 \newcommand\setcctype[2][4.0]{%
1886   \def\ACM@cc@version{#1}%
1887   \def\ACM@cc@type{#2}%
1888 \setcctype{by}

```

\@copyrightowner Here is the owner of the copyright

```

1889 \def\@copyrightowner{%
1890   \ifcase\acm@copyrightmode\relax % none
1891     \or % acmcopyright
1892     ACM\@.
1893     \or % acmlicensed
1894     Copyright held by the owner/author(s). Publication rights licensed to
1895     ACM\@.
1896     \or % rightsretained
1897     Copyright held by the owner/author(s).
1898     \or % usgov
1899     \or % usgovmixed
1900     Copyright held by the owner/author(s).
1901     \or % cagov
1902     Copyright Crown in Right of Canada.
1903     \or %cagovmixed
1904     Copyright held by the owner/author(s).
1905     \or %licensedusgovmixed

```

```

1906 Copyright held by the owner/author(s). Publication rights licensed to
1907 ACM\@.
1908 \or % licensedcagov
1909 Copyright held by the owner/author(s).
1910 \or %licensedcagovmixed
1911 Copyright held by the owner/author(s). Publication rights licensed to
1912 ACM\@.
1913 \or % othergov
1914 Copyright held by the owner/author(s).
1915 \or % licensedothergov
1916 Copyright held by the owner/author(s). Publication rights licensed to
1917 ACM\@.
1918 \or % ic2w3www
1919 IW3C2 (International World Wide Web Conference Committee), published
1920 under Creative Commons CC-BY~4.0 License.
1921 \or % ic2w3wwwgoogle
1922 IW3C2 (International World Wide Web Conference Committee), published
1923 under Creative Commons CC-BY-NC-ND~4.0 License.
1924 \or % cc
1925 Copyright held by the owner/author(s).
1926 \fi}

```

\@formatdoi Print a clickable DOI

```
1927 \def\@formatdoi#1{\url{https://doi.org/#1}}
```

\@ACM@copyright@check@cc At present cC licenses can be used only for acm engage format or for non-acm stuff. This

macro checks whether the CC license is applicable and generates an error if not.

```

1928 \def\@ACM@copyright@check@cc{%
1929   \if@ACM@nonacm
1930     \ClassInfo{@classname}{Using CC license with a non-acm
1931       material}%
1932   \else
1933     \if@ACM@engage
1934       \ClassInfo{@classname}{Using CC license with ACM Engage
1935         material}%
1936     \else
1937       \ClassWarning{@classname}%
1938       Sorry, Creative Commons licenses are\MessageBreak
1939       currently not used with ACM publications\MessageBreak
1940       typeset by the authors}{Please use nonacm
1941         option or ACM Engage class to enable CC licenses}%
1942   \fi
1943 \fi}

```

\@copyrightpermission The canned permission block.

```

1944 \def\@copyrightpermission{%
1945   \ifcase\acm@copyrightmode\relax % none
1946     \or % acmcopyright
1947       Permission to make digital or hard copies of all or part of this
1948       work for personal or classroom use is granted without fee provided
1949       that copies are not made or distributed for profit or commercial
1950       advantage and that copies bear this notice and the full citation on
1951       the first page. Copyrights for components of this work owned by
1952       others than ACM must be honored. Abstracting with credit is

```

1953 permitted. To copy otherwise, or republish, to post on servers or
1954 to redistribute to lists, requires prior specific permission
1955 and\hspace*{.5pt}/or
1956 a fee. Request permissions from permissions@acm.org.
1957 \or % acmlicensed
1958 Permission to make digital or hard copies of all or part of this
1959 work for personal or classroom use is granted without fee provided
1960 that copies are not made or distributed for profit or commercial
1961 advantage and that copies bear this notice and the full citation on
1962 the first page. Copyrights for components of this work owned by
1963 others than the author(s) must be honored. Abstracting with credit
1964 is permitted. To copy otherwise, or republish, to post on servers
1965 or to redistribute to lists, requires prior specific permission
1966 and\hspace*{.5pt}/or a fee. Request permissions from
1967 permissions@acm.org.
1968 \or % rightsretained
1969 Permission to make digital or hard copies of part or all of this
1970 work for personal or classroom use is granted without fee provided
1971 that copies are not made or distributed for profit or commercial
1972 advantage and that copies bear this notice and the full citation on
1973 the first page. Copyrights for third-party components of this work
1974 must be honored. For all other uses, contact the
1975 owner\hspace*{.5pt}/author(s).
1976 \or % usgov
1977 This paper is authored by an employee(s) of the United States
1978 Government and is in the public domain. Non-exclusive copying or
1979 redistribution is allowed, provided that the article citation is
1980 given and the authors and agency are clearly identified as its
1981 source. All others Request permissions from
1982 owner\hspace*{.5pt}/author(s).
1983 \or % usgovmixed
1984 ACM acknowledges that this contribution was authored or co-authored
1985 by an employee, contractor, or affiliate of the United States
1986 government. As such, the United States government retains a
1987 nonexclusive, royalty-free right to publish or reproduce this
1988 article, or to allow others to do so, for government purposes
1989 only. Request permissions from owner\hspace*{.5pt}/author(s).
1990 \or % cagov
1991 This article was authored by employees of the Government of
1992 Canada. As such, the Canadian government retains all interest in
1993 the copyright to this work and grants to ACM a nonexclusive,
1994 royalty-free right to publish or reproduce this article, or to
1995 allow others to do so, provided that clear attribution is given
1996 both to the authors and the Canadian government agency employing
1997 them. Permission to make digital or hard copies for personal or
1998 classroom use is granted. Copies must bear this notice and the full
1999 citation on the first page. Copyrights for components of this work
2000 owned by others than the Canadian Government must be honored. To
2001 copy otherwise, distribute, republish, or post, requires prior
2002 specific permission and/or a fee. Request permissions from
2003 owner\hspace*{.5pt}/author(s).
2004 \or % cagovmixed
2005 ACM acknowledges that this contribution was co-authored by an
2006 affiliate of the national government of Canada. As such, the Crown

2007 in Right of Canada retains an equal interest in the
2008 copyright. Reprints must include clear attribution to ACM and the
2009 author's government agency affiliation. Permission to make digital
2010 or hard copies for personal or classroom use is granted. Copies
2011 must bear this notice and the full citation on the first
2012 page. Copyrights for components of this work owned by others than
2013 ACM must be honored. To copy otherwise, distribute, republish, or
2014 post, requires prior specific permission and/or a fee. Request
2015 permissions from owner\hspace{.5pt}/author(s).
2016 \or % licensedusgovmixed
2017 Publication rights licensed to ACM@. ACM acknowledges that this
2018 contribution was authored or co-authored by an employee, contractor
2019 or affiliate of the United States government. As such, the
2020 Government retains a nonexclusive, royalty-free right to publish or
2021 reproduce this article, or to allow others to do so, for Government
2022 purposes only. Request permissions from
2023 owner\hspace{.5pt}/author(s).
2024 \or % licensedcagov
2025 This article was authored by employees of the Government of
2026 Canada. As such, the Canadian government retains all interest in
2027 the copyright to this work and grants to ACM a nonexclusive,
2028 royalty-free right to publish or reproduce this article, or to
2029 allow others to do so, provided that clear attribution is given
2030 both to the authors and the Canadian government agency employing
2031 them. Permission to make digital or hard copies for personal or
2032 classroom use is granted. Copies must bear this notice and the full
2033 citation on the first page. Copyrights for components of this work
2034 owned by others than the Canadian Government must be honored. To
2035 copy otherwise, distribute, republish, or post, requires prior
2036 specific permission and/or a fee. Request permissions from
2037 owner\hspace{.5pt}/author(s).
2038 \or % licensedcagovmixed
2039 Publication rights licensed to ACM. ACM acknowledges that this
2040 contribution was authored or co-authored by an employee, contractor
2041 or affiliate of the national government of Canada. As such, the
2042 Government retains a nonexclusive, royalty-free right to publish or
2043 reproduce this article, or to allow others to do so, for Government
2044 purposes only. Request permissions from
2045 owner\hspace{.5pt}/author(s).
2046 \or % othergov
2047 ACM acknowledges that this contribution was authored or co-authored
2048 by an employee, contractor or affiliate of a national
2049 government. As such, the Government retains a nonexclusive,
2050 royalty-free right to publish or reproduce this article, or to
2051 allow others to do so, for Government purposes only. Request
2052 permissions from owner\hspace{.5pt}/author(s).
2053 \or % licensedothergov
2054 Publication rights licensed to ACM@. ACM acknowledges that this
2055 contribution was authored or co-authored by an employee, contractor
2056 or affiliate of a national government. As such, the Government
2057 retains a nonexclusive, royalty-free right to publish or reproduce
2058 this article, or to allow others to do so, for Government purposes
2059 only. Request permissions from owner\hspace{.5pt}/author(s).
2060 \or % iw3c2w3

```

2061 This paper is published under the Creative Commons Attribution~4.0
2062 International (CC-BY~4.0) license. Authors reserve their rights to
2063 disseminate the work on their personal and corporate Web sites with
2064 the appropriate attribution.
2065 \or % iw3c2w3g
2066 This paper is published under the Creative Commons
2067 Attribution-NonCommercial-NoDerivs~4.0 International
2068 (CC-BY-NC-ND~4.0) license. Authors reserve their rights to
2069 disseminate the work on their personal and corporate Web sites with
2070 the appropriate attribution.
2071 \or % CC
2072 \@ACM@copyright@check@cc
2073 \IfEq{\ACM@cc@type}{zero}{%
2074 \def\ACM@CC@Url{https://creativecommons.org/publicdomain/zero/1.0/legalcode}%
2075 \edef\ACM@CC@Url{https://creativecommons.org/licenses/\ACM@cc@type/\ACM@cc@version/legalcode}%
2076 \href{\ACM@CC@Url}{\includegraphics[height=5ex]{doclicense-CC-\ACM@cc@type-88x31}}\\
2077 \href{\ACM@CC@Url}{%
2078 This work is licensed under a Creative Commons
2079 \IfEq{\ACM@cc@type}{zero}{CC0 1.0 Universal}{%
2080 \IfEq{\ACM@cc@type}{by}{Attribution}{%
2081 \IfEq{\ACM@cc@type}{by-sa}{Attribution-ShareAlike}{%
2082 \IfEq{\ACM@cc@type}{by-nd}{Attribution-NoDerivatives}{%
2083 \IfEq{\ACM@cc@type}{by-nc}{Attribution-NonCommercial}{%
2084 \IfEq{\ACM@cc@type}{by-nc-sa}{Attribution-NonCommercial-ShareAlike}{%
2085 \IfEq{\ACM@cc@type}{by-nc-nd}{Attribution-NonCommercial-NoDerivatives}{%
2086 ^\IfEq{\ACM@cc@version}{4.0}{4.0 International}{3.0 Unported}%
2087 }
2088 License.}%
2089 \fi}

```

\copyrightyear By default, the copyright year is the same as \acmYear, but one can override this:

```

2090 \def\copyrightyear#1{\def\@copyrightyear{#1}}
2091 \copyrightyear{\acmYear}

```

\@teaserfigures The teaser figures container

```

2092 \def\@teaserfigures{}

```

teaserfigure The teaser figure

```

2093 \newenvironment{teaserfigure}{\Collect@Body\@saveteaser}{}

```

\@saveteaser Saving the teaser

```

2094 \long\def\@saveteaser#1{\g@addto@macro\@teaserfigures{\@teaser{#1}}}

```

\thanks We redefine amsart \thanks so the anonymous key works

```

2095 \renewcommand{\thanks}[1]{%
2096   \@ifnotempty{#1}{%
2097     \if@ACM@anonymous
2098       \g@addto@macro\thankses{\thanks{A note}}%
2099     \else
2100       \g@addto@macro\thankses{\thanks{#1}}%
2101   \fi}%

```

\anon We provide \anon command, which obscures parts of the text if the package option anonymous is set

```

2102 \newcommand{\anon}[2][ANONYMIZED]{%
2103   \if@ACM@anonymous%
2104     {\color{ACMOrange}#1}%
2105   \else%
2106     #2%
2107   \fi}

```

3.19 Maketitle hook

The current L^AT_EX provides a nice `lthooks` mechanism. However, since it is relatively new, we will use oldfashioned approach—at least for now.

```

\@beginmaketitlehook The hook
2108 \ifx\@beginmaketitlehook\@undefined
2109   \let\@beginmaketitlehook\@empty
2110 \fi

\AtBeginMaketitle Adding to the hook
2111 \def\AtBeginMaketitle{\g@addto@macro\@beginmaketitlehook}

```

3.20 ACM Engage top matter

```

\@acmengagemetadata The special metadata for ACM engage course materials
2112 \def\@acmengagemetadata{}

\setengagemetadata Adding topic to engage metadata
2113 \def\setengagemetadata#1#2{%
2114   \g@addto@macro{\@acmengagemetadata}{%
2115     \@setengagemetadata{#1}{#2}}}

```

3.21 Typesetting top matter

\mkttitle@bx Some of our formats use a two-column design. Some use a one-column design. In all cases we use a wide title. Thus we typeset the top matter in a special box to be used in the construction `\@twocolumn[<box>]`.

```

2116 \newbox\mkttitle@bx

\maketitle The (in)famous \maketitle. Note that in sigchi-a mode, authors are not in the title box.

```

Another note: there is a subtle difference between author notes, title notes and thanks. The latter two refer to the paper itself and therefore belong to the copyright/permission block. By the way, this was the default behavior of the old ACM classes.

```

2117 \def\maketitle{\@beginmaketitlehook
2118   \@ACM@maketitle@typesettrue
2119   \if@ACM@anonymous
2120     % Anonymize omission of \author-s
2121     \ifnum\num@authorgroups=0\author{}\fi
2122   \fi
2123   \begingroup
2124   \let\@vspace\@vspace@orig
2125   \let\@vspace@orig\@vspace@orig
2126   \let\@footnotemark\@footnotemark@nolink

```

```

2127  \let\@footnotetext\@footnotetext@nolink
2128  \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
2129  \hsize=\textwidth
2130  \def\@makefnmark{\hbox{@textsuperscript{@thefnmark}}}%
2131  \@mktitle\if@ACM@sigchiamode\else\@mkauthors\fi\@mkteasers
2132  \@printtopmatter
2133  \if@ACM@sigchiamode\@mkauthors\fi
2134  \setcounter{footnote}{0}%
2135  \def\@makefnmark{\hbox{@textsuperscript{normalfont@thefnmark}}}%
2136  \@titlenotes
2137  \@subtitlenotes
2138  \@authornotes
2139  \let\@makefnmark\relax
2140  \let\@thefnmark\relax
2141  \let\@makefntext\noindent
2142  \ifx\empty\thankses\else
2143    \footnotetextauthorsaddresses{%
2144      \def\par{\let\par\@par}\parindent\z@\@setthanks}%
2145  \fi
2146  \if@ACM@acmc\else
2147    \ifx\empty\@authorsaddresses\else
2148      \if@ACM@anonymous\else
2149        \if@ACM@journal@bibstrip@or@tog
2150          \footnotetextauthorsaddresses{%
2151            \def\par{\let\par\@par}\parindent\z@\@setauthorsaddresses}%
2152        \fi
2153      \fi
2154    \fi
2155  \fi
2156  \if@ACM@nonacm
2157    \ifnum\acm@copyrightmode=15\relax % cc
2158      \footnotetextcopyrightpermission{@copyrightpermission}%
2159    \fi
2160  \else
2161    \if@ACM@acmc\else
2162      \footnotetextcopyrightpermission{%
2163        \if@ACM@authordraft
2164          \raisebox{-2ex}{[\z@][\z@]{\makebox[0pt][l]{\large\bfseries
2165              Unpublished working draft. Not for distribution.}}}%
2166          \color[gray]{0.9}%
2167        \fi
2168        \parindent\z@\parskip0.1\baselineskip
2169        \if@ACM@authorversion\else
2170          \if@printpermission@copyrightpermission\par\fi
2171        \fi
2172        \if@ACM@manuscript\else
2173          \if@ACM@journal@bibstrip\else % Print the conference information
2174            \if@ACM@engage
2175              {\itshape \acmBooktitle, \acmYear.}\par
2176            \else
2177              {\itshape \acmConference@shortname, \acmConference@date, \acmConference@venue}\par
2178            \fi
2179          \fi
2180        \fi
2181      \fi
2182    \fi
2183  \fi

```

```

2181 \if@printcopyright
2182   \copyright\ \@copyrightyear\ \@copyrightowner\\
2183 \else
2184   \@copyrightyear.\@
2185 \fi
2186 \if@ACM@manuscript
2187   Manuscript submitted to ACM\\
2188 \else
2189   \if@ACM@authorversion
2190     This is the author's version of the work. It is posted here for
2191     your personal use. Not for redistribution. The definitive Version
2192     of Record was published in
2193     \if@ACM@journal@bibstrip
2194       \emph{@journalName}%
2195     \else
2196       \emph{@acmBooktitle}%
2197     \fi
2198     \ifx@\acmDOI\@empty
2199     .
2200   \else
2201     , \formatdoi{@acmDOI}.
2202   \fi\\
2203 \else
2204   \if@ACM@nonacm\else
2205     \if@ACM@journal@bibstrip
2206       ACM^@permissionCodeOne/\@acmYear/\@acmMonth-ART\@acmArticle\\
2207       \formatdoi{@acmDOI}%
2208     \else % Conference
2209       \ifx@\acmISBN\@empty\else ACM^ISBN^@acmISBN\\
2210       \ifx@\acmDOI\@empty\else\formatdoi{@acmDOI}\fi%
2211     \fi
2212   \fi
2213   \fi
2214 \fi}%
2215 \fi
2216 \fi
2217 \endgroup
2218 \if@ACM@engage@typesetengagemetadata\fi
2219 \setcounter{footnote}{0}%
2220 \mkabstract
2221 \ifx@\translatedabstracts\@empty\else
2222   \translatedabstracts\fi
2223 \if@ACM@printccs
2224 \ifx@\concepts\@empty\else\bgroup
2225   {\@specialsection{CCS Concepts}%
2226     \noindent\concepts\par}\egroup
2227   \fi
2228 \fi
2229 \if@ACM@acmcp\else
2230   \ifx@\keywords\@empty\else\bgroup
2231     {\@specialsection{\keywordsname}%
2232       \noindent\keywords\par}\egroup
2233   \fi
2234 \ifx@\translatedkeywords\@empty\else

```

```

2235      \@translatedkeywords
2236      \fi
2237      \fi
2238      \let\metadata@authors=\authors
2239      \nxandlist{, }{, }{, }\metadata@authors
2240      \def\@ACM@checkaffil{}%
2241      \hypersetup{%
2242          pdfauthor={\metadata@authors},
2243          pdftitle={\@title},
2244          pdfsubject={\@concepts},
2245          pdfkeywords={\@keywords},
2246          pdfcreator={LaTeX with acmart
2247              \csname ver@acmart.cls\endcsname\space
2248              and hyperref
2249              \csname ver@hyperref.sty\endcsname}%
2250      \andify\authors
2251      \andify\shortauthors
2252      \global\let\authors=\authors
2253      \global\let\shortauthors=\shortauthors
2254      \if@ACM@printacmref
2255          \@mkbibcitation
2256      \fi
2257      \global\@topnum\z@ % this prevents floats from falling
2258          % at the top of page 1
2259      \global\@botnum\z@ % we do not want them to be on the bottom either
2260      \@printendtopmatter
2261      \@afterindentfalse
2262      \@afterheading
2263      \if@ACM@acmcp
2264          \set@ACM@acmcpbox
2265          \AtEndDocument{\end@ACM@color@frame}%
2266          \@ACM@color@frame
2267      \fi
2268 }

```

\set@ACM@acmcpbox Setting infobox for acmcp

```

2269 \newbox\@ACM@acmcpbox
2270 \def\set@ACM@acmcpbox{%
2271     \bgroup
2272     \hsize=5pc
2273     \global\setbox\@ACM@acmcpbox=\vbox{%
2274         \setlength{\parindent}{\z@}%
2275         \includegraphics[width=\hsize]{acm-jdslogo}\par}%
2276         \scriptsize
2277         \ifnum\getrefnumber{TotPages}>1\else
2278             \zrefused{@ACM@acmcpbox@y}%
2279             \zrefused{@ACM@acmcpframe@y}%
2280             \tempdima=\dimexpr\zposy{@ACM@acmcpbox@y}sp -
2281             \zposy{@ACM@acmcpframe@y}sp+0.3\FrameSep+
2282             \@ACM@acmcp@delta\relax
2283             \ifdim\tempdima>0pt\relax
2284                 \vspace*{\tempdima}%
2285                 \protected@write\auxout{}{%
2286                     \string\global\@ACM@acmcp@delta=\the\tempdima\relax}%

```

```

2287     \fi
2288   \fi
2289   \ifx\@acmCodeDataLink\@empty\else\bigskip
2290     Code and data links:\\ \@acmCodeDataLink\par\bigskip
2291   \fi
2292   \ifx\@keywords\@empty\else\bigskip
2293     Keywords: \@keywords\par
2294   \fi
2295   \ifx\@acmContributions\@empty\else\bigskip
2296     \@acmContributions\par
2297   \fi
2298   \ifx\@empty\@authorsaddresses\else\bigskip\@setauthorsaddresses\fi
2299   \zsaveposy{@ACM@acmcbox@y}%
2300 }
2301 \egroup}

```

\@specialsection This macro starts sections for proceedings and uses \small for journals

```

2302 \def\@specialsection#1{%
2303   \let\@vspace\@vspace@orig
2304   \let\@vspacer\@vspacer@orig
2305   \ifcase\ACM@format@nr
2306     \relax % manuscript
2307     \par\medskip\small\noindent#1: %
2308   \or % acmsmall
2309     \par\medskip\small\noindent#1: %
2310   \or % acmlarge
2311     \par\medskip\small\noindent#1: %
2312   \or % acmtog
2313     \par\medskip\small\noindent#1: %
2314   \or % sigconf
2315     \section*{#1}%
2316   \or % siggraph
2317     \section*{#1}%
2318   \or % sigplan
2319     \noindentparagraph*{#1: ~}%
2320   \or % sigchi
2321     \section*{#1}%
2322   \or % sigchi-a
2323     \section*{#1}%
2324   \or % acmengage
2325     \section*{#1}%
2326   \or % acmcpc
2327     \section*{#1}%
2328   \fi
2329   \let\@vspace\@vspace@acm
2330   \let\@vspacer\@vspacer@acm
2331 }

```

\@printtopmatter The printing of top matter starts a new page and uses the given title box.

Note that if there are too many authors, \mkttitle@bx might overflow the page. Therefore we start with checking this and if this happens, we split the box and print it page by page.

```

2332 \def\@printtopmatter{%
2333   \ifx\@startPage\@empty

```

```

2334     \gdef\@startPage{1}%
2335 \else
2336     \setcounter{page}{\@startPage}%
2337 \fi
2338 \@tempdima=\ht\mktitle@bx
2339 \advance\@tempdima by \dp\mktitle@bx
2340 \ifdim\@tempdima>0.9\textheight
2341     \loop
2342         \setbox\@tempboxa=\vsplit \mktitle@bx to 0.9\textheight
2343         \thispagestyle{firstpagestyle}%
2344         \noindent\unvbox\@tempboxa
2345         \clearpage
2346         \atempdima=\ht\mktitle@bx
2347         \advance\@tempdima by \dp\mktitle@bx
2348         \ifdim\@tempdima>0.9\textheight\repeat
2349     \fi
2350 \thispagestyle{firstpagestyle}%
2351 \noindent
2352 \ifcase\ACM@format@nr
2353     \relax % manuscript
2354     \box\mktitle@bx\par
2355     \or % acmsmall
2356     \box\mktitle@bx\par
2357     \or % acmlarge
2358     \box\mktitle@bx\par
2359     \or % acmtog
2360     \twocolumn[\box\mktitle@bx]%
2361     \or % sigconf
2362     \twocolumn[\box\mktitle@bx]%
2363     \or % siggraph
2364     \twocolumn[\box\mktitle@bx]%
2365     \or % sigplan
2366     \twocolumn[\box\mktitle@bx]%
2367     \or % sigchi
2368     \twocolumn[\box\mktitle@bx]%
2369     \or % sigchi-a
2370     \par\box\mktitle@bx\par\bigskip
2371     \or % acmengage
2372     \twocolumn[\box\mktitle@bx]%
2373     \or % acmcnp
2374     \box\mktitle@bx\par
2375 \fi
2376 }

```

\@mkttitle The title of the article

```

2377 \def\@mkttitle{%
2378   \ifcase\ACM@format@nr
2379     \relax % manuscript
2380     \@mkttitle@i
2381     \or % acmsmall
2382     \@mkttitle@i
2383     \or % acmlarge
2384     \@mkttitle@i
2385     \or % acmtog

```

```

2386      \@mktitle@i
2387      \or % sigconf
2388      \@mktitle@iii
2389      \or % siggraph
2390      \@mktitle@iii
2391      \or % sigplan
2392      \@mktitle@iii
2393      \or % sigchi
2394      \@mktitle@iii
2395      \or % sigchi-a
2396      \@mktitle@iv
2397      \or % acmengage
2398      \@mktitle@iii
2399      \or % acmcpc
2400      \@mktitle@i
2401      \fi
2402 }

```

\@titlefont The font to typeset the title

```

2403 \def\@titlefont{%
2404   \ifcase\ACM@format@nr
2405     \relax % manuscript
2406     \LARGE\sffamily\bfseries
2407   \or % acmsmall
2408     \LARGE\sffamily\bfseries
2409   \or % acmlarge
2410     \LARGE\sffamily\bfseries
2411   \or % acmtog
2412     \Huge\sffamily
2413   \or % sigconf
2414     \Huge\sffamily\bfseries
2415   \or % siggraph
2416     \Huge\sffamily\bfseries
2417   \or % sigplan
2418     \Huge\bfseries
2419   \or % sigchi
2420     \Huge\sffamily\bfseries
2421   \or % sigchi-a
2422     \Huge\bfseries
2423   \or % acmengage
2424     \Huge\sffamily\bfseries
2425   \or % acmcpc
2426     \LARGE\sffamily\bfseries
2427   \fi}

```

\@subtitlefont The font to typeset the subtitle

```

2428 \def\@subtitlefont{\normalsize
2429   \ifcase\ACM@format@nr
2430     \relax % manuscript
2431     \mdseries
2432   \or % acmsmall
2433     \mdseries
2434   \or % acmlarge
2435     \mdseries

```

```

2436 \or % acmtog
2437     \LARGE
2438 \or % sigconf
2439     \LARGE\mdseries
2440 \or % siggraph
2441     \LARGE\mdseries
2442 \or % sigplan
2443     \LARGE\mdseries
2444 \or % sigchi
2445     \LARGE\mdseries
2446 \or % sigchi-a
2447     \mdseries
2448 \or % acmengage
2449     \LARGE\mdseries
2450 \or % acmcpc
2451     \mdseries
2452 \fi}

```

\@mkttitle@i The version of \mkttitle for most journals

```

2453 \def\@mkttitle@i{\hsize=\textwidth
2454   \if@ACM@acmcpc
2455     \advance\hsize by -6pc%
2456   \fi
2457   @ACM@title@width=\hsize
2458   \setbox\mkttitle@bx=\vbox{\noindent\@titlefont
2459     \parbox[t]{\@ACM@title@width}{\raggedright
2460       \@titlefont\noindent
2461       \@title\@translatedtitle%
2462     \ifx\@subtitle\@empty\else
2463       \par\noindent{\@subtitlefont\@subtitle\@translatedsubtitle}%
2464     \fi}%
2465   \par\bigskip}%

```

\@mkttitle@ii The version of \mkttitle for TOG. Since v1.06, this is subsumed by the \mkttitle@i macro

\@mkttitle@iii The version of \mkttitle for SIG proceedings.

```

2466 \def\@mkttitle@iii{\hsize=\textwidth
2467   \setbox\mkttitle@bx=\vbox{\@titlefont\centering
2468     \@ACM@title@width=\hsize
2469     \parbox[t]{\@ACM@title@width}{\centering\@titlefont
2470       \@title\@translatedtitle%
2471       \ifx\@subtitle\@empty\else
2472         \par\noindent{\@subtitlefont\@subtitle\@translatedsubtitle}%
2473       \fi
2474     }%
2475   \par\bigskip}%

```

\@mkttitle@iv The version of \mkttitle for sigchi-a

```

2476 \def\@mkttitle@iv{\hsize=\textwidth
2477   \setbox\mkttitle@bx=\vbox{\raggedright\leftskip5pc\@titlefont
2478     \noindent\leavevmode\leaders\hrule height 2pt\hfill\kern0pt\par
2479     \noindent\@title\@translatedtitle%
2480     \ifx\@subtitle\@empty\else

```

```

2481      \par\noindent@\subtitlefont@\subtitle@\translatedsubtitle%
2482      \fi
2483      \par\bigskip}}%

```

\@ACM@addtoaddress This macro adds an item to the address using the following rules:

1. If we start a paragraph, add the item
2. Otherwise, add a comma and the item
3. However, the comma is deleted if it is at the end of a line. We use the magic \cleaders trick for this.

```

2484 \newbox@\ACM@commabox
2485 \def@\ACM@addtoaddress#1{%
2486   \ifvmode\else
2487     \if@ACM@affiliation@obeypunctuation\else
2488       \setbox@\ACM@commabox=\hbox{, }%
2489       \unskip\cleaders\copy@\ACM@commabox\hskip\wd@\ACM@commabox
2490     \fi\fi
2491   #1}

```

\institution Theoretically we can define the macros for \affiliation inside the \@mkauthors-style \position commands. However, this would lead to a strange error if an author uses them outside \department \affiliation. Of course we can make them produce an error message, but...

```

\streetaddress 2492 \def\streetaddress#1{\unskip\ignorespaces}
    \city 2493 \def\postcode#1{\unskip\ignorespaces}
    \state 2494 \if@ACM@journal
\postcode 2495 \def\position#1{\unskip\ignorespaces}
\country 2496 \def\institution#1{\global@\ACM@instpresenttrue
    \unskip~#1\ignorespaces}
    2497 \def\city#1{\global@\ACM@citypresenttrue\unskip\ignorespaces}
    2498 \def\state#1{\unskip\ignorespaces}
    2499 \newcommand\department[2][0]{\unskip\ignorespaces}
    2500 \def\country#1{\StrDel{#1}{ }[\@tempa]%
    2501 \ifx\@tempa\empty\else
    2502   \global@\ACM@countrypresenttrue\fi
    2503   \if@ACM@affiliation@obeypunctuation\else, \fi#1\ignorespaces}
    2504 \else
    2505 \def\position#1{\if@ACM@affiliation@obeypunctuation#1\else#1\par\fi}%
    2506 \def\institution#1{\global@\ACM@instpresenttrue
    2507   \if@ACM@affiliation@obeypunctuation#1\else#1\par\fi}%
    2508 \newcommand\department[2][0]{\if@ACM@affiliation@obeypunctuation
    2509   #2\else#2\par\fi}%
    2510 % \def\streetaddress#1{\if@ACM@affiliation@obeypunctuation#1\else#1\par\fi}%
    2511 % \def\city#1{\global@\ACM@citypresenttrue@\ACM@addtoaddress{#1}}%
    2512 % \let\state@\ACM@addtoaddress
    2513 % \def\postcode#1{\if@ACM@affiliation@obeypunctuation#1\else\unskip\space#1\fi}%
    2514 % \def\country#1{\global@\ACM@countrypresenttrue@\ACM@addtoaddress{#1}}%
    2515 \def\country#1{\global@\ACM@countrypresenttrue@\ACM@addtoaddress{#1}}%
    2516 \fi

```

\@mkauthors Typesetting the authors

```

2517 \def@\mkauthors{\begingroup
2518   \hsize=\textwidth
2519   \ifcase\ACM@format@nr

```

```

2520  \relax % manuscript
2521    \@mkauthors@i
2522  \or % acmsmall
2523    \@mkauthors@i
2524  \or % acmlarge
2525    \@mkauthors@i
2526  \or % acmtog
2527    \@mkauthors@i
2528  \or % sigconf
2529    \@mkauthors@iii
2530  \or % siggraph
2531    \@mkauthors@iii
2532  \or % sigplan
2533    \@mkauthors@iii
2534  \or % sigchi
2535    \@mkauthors@iii
2536  \or % sigchi-a
2537    \@mkauthors@iv
2538  \or % acmengage
2539    \@mkauthors@iii
2540  \or % acmcpc
2541    \@mkauthors@i
2542  \fi
2543  \endgroup
2544 }

```

\@authorfont Somehow different conferences use different fonts for author names. Why?

```
2545 \def\@authorfont{\Large\sffamily}
```

\@affiliationfont Font for affiliations

```
2546 \def\@affiliationfont{\normalsize\normalfont}
```

Adjusting fonts for different formats

```

2547 \ifcase\ACM@format@nr
2548 \relax % manuscript
2549 \or % acmsmall
2550   \def\@authorfont{\large\sffamily}
2551   \def\@affiliationfont{\small\normalfont}
2552 \or % acmlarge
2553 \or % acmtog
2554   \def\@authorfont{\LARGE\sffamily}
2555   \def\@affiliationfont{\large}
2556 \or % sigconf
2557   \def\@authorfont{\LARGE}
2558   \def\@affiliationfont{\large}
2559 \or % siggraph
2560   \def\@authorfont{\normalsize\normalfont}
2561   \def\@affiliationfont{\normalsize\normalfont}
2562 \or % sigplan
2563   \def\@authorfont{\Large\normalfont}
2564   \def\@affiliationfont{\normalsize\normalfont}
2565 \or % sigchi
2566   \def\@authorfont{\bfseries}
2567   \def\@affiliationfont{\mdseries}

```

```

2568 \or % sigchi-a
2569   \def\@authorfont{\bfseries}
2570   \def\@affiliationfont{\mdseries}
2571 \or % acmengage
2572   \def\@authorfont{\LARGE}
2573   \def\@affiliationfont{\large}
2574 \or % acmcpc
2575   \def\@authorfont{\large\sffamily}
2576   \def\@affiliationfont{\small\normalfont}
2577 \fi

```

\@typeset@author@line At this point we have \@currentauthors and \@currentaffiliations. We typeset them in the journal style

```

2578 \def\@typeset@author@line{%
2579   \andify\@currentauthors\par\noindent
2580   \@currentauthors\def\@currentauthors{}%
2581   \ifx\@currentaffiliations\empty\else
2582     \andify\@currentaffiliations
2583     \unskip, {\@currentaffiliations}\par
2584   \fi
2585   \def\@currentaffiliations{}}

```

\if@ACM@instpresent Whether the given affiliation has institution

```

2586 \newif\if@ACM@instpresent
2587 \if@ACM@instpresenttrue

```

\if@ACM@citypresent Whether the given affiliation has city

```

2588 \newif\if@ACM@citypresent
2589 \if@ACM@citypresenttrue

```

\if@ACM@countrypresent Whether the given affiliation has country

```

2590 \newif\if@ACM@countrypresent
2591 \if@ACM@countrypresenttrue

```

\@ACM@resetaffil Reset affiliation flags

```

2592 \def\@ACM@resetaffil{%
2593   \global\if@ACM@instpresentfalse
2594   \global\if@ACM@citypresentfalse
2595   \global\if@ACM@countrypresentfalse
2596 }

```

\@ACM@checkaffil Check affiliation flags

```

2597 \def\@ACM@checkaffil{%
2598   \if@ACM@instpresent\else
2599     \ClassWarningNoLine{@classname}{No institution present for an affiliation}%
2600   \fi
2601   \if@ACM@citypresent\else
2602     \ClassWarningNoLine{@classname}{No city present for an affiliation}%
2603   \fi
2604   \if@ACM@countrypresent\else
2605     \ClassError{@classname}{No country present for an affiliation}{ACM
2606       requires each author to indicate their country using country macro.}%
2607   \fi
2608 }

```

\@mkauthors@i This version is used in most journal formats. Note that \and between authors with the same affiliation becomes `_and_`:

```

2609 \def\@mkauthors@i{%
2610   \def\@currentauthors{}%
2611   \def\@currentaffiliations{}%
2612   \global\let\and\@typeset@author@line
2613   \def\@author##1{%
2614     \ifx\@currentauthors\empty
2615       \gdef\@currentauthors{\@authorfont\MakeTextUppercase{##1}}%
2616     \else
2617       \g@addto@macro{\@currentauthors}{\and\MakeTextUppercase{##1}}%
2618     \fi
2619     \gdef\and{}%
2620   \def\email##1##2{}%
2621   \def\affiliation##1##2{}%
2622   \def\@tempa##2{\ifx\@tempa\empty\else
2623     \ifx\@currentaffiliations\empty
2624       \gdef\@currentaffiliations{%
2625         \setkeys{@ACM@affiliation@}{obeypunctuation=false}%
2626         \setkeys{@ACM@affiliation@}{##1}%
2627         \@ACM@resetaffil
2628         \affiliationfont##2\@ACM@checkaffil}%
2629     \else
2630       \g@addto@macro{\@currentaffiliations}{\and
2631         \setkeys{@ACM@affiliation@}{obeypunctuation=false}%
2632         \setkeys{@ACM@affiliation@}{##1}\@ACM@resetaffil
2633         ##2\@ACM@checkaffil}%
2634     \fi
2635   \fi
2636   \global\let\and\@typeset@author@line}%
2637   \if@ACM@acmcip
2638     \advance\hsize by -6pc%
2639   \fi
2640   \global\setbox\mkttitle@bx=\vbox{\noindent\unvbox\mkttitle@bx\par\medskip
2641     \noindent\addresses\@typeset@author@line
2642     \par\medskip}%
2643 }
```

\@mkauthors@ii The \@mkauthors@ii command was the version used in acmtog. It is no longer necessary.

\author@bx The box to put an individual author in

```
2644 \newbox\author@bx
```

\author@bx@wd The width of the author box

```
2645 \newdimen\author@bx@wd
```

\author@bx@sep The separation between author boxes

```
2646 \newskip\author@bx@sep
2647 \author@bx@sep=1pc\relax
```

\@typeset@author@bx Typesetting the box with authors. Note that in sigchi-a the box is not centered.

```
2648 \def\@typeset@author@bx{\bgroup\hsize=\author@bx@wd
```

```

2649 \def\and{\par}\normalbaselines
2650 \global\setbox\author@bx=\vtop{\if@ACM@sigchiamode\else\centering\fi
2651   \authorfont\currentauthors\par\affiliationfont
2652   \currentaffiliation\egroup
2653 \box\author@bx\hspace{\author@bx@sep}%
2654 \gdef\currentauthors{}%
2655 \gdef\currentaffiliation{}}

```

\@mkauthors@iii The sigconf version. Here we use a centered design with each author in a separate box.

```

2656 \def\@mkauthors@iii{%
2657   \author@bx@wd=\textwidth\relax
2658   \advance\author@bx@wd by -\author@bx@sep\relax
2659   \ifnum\@ACM@authorsperrow>0\relax
2660     \divide\author@bx@wd by \@ACM@authorsperrow\relax
2661   \else
2662     \ifcase\num@authorgroups
2663       \relax % 0?
2664       \or % 1=one author per row
2665       \or % 2=two authors per row
2666         \divide\author@bx@wd by \num@authorgroups\relax
2667       \or % 3=three authors per row
2668         \divide\author@bx@wd by \num@authorgroups\relax
2669       \or % 4=two authors per row (!)
2670         \divide\author@bx@wd by 2\relax
2671       \else % three authors per row
2672         \divide\author@bx@wd by 3\relax
2673     \fi
2674   \fi
2675   \advance\author@bx@wd by -\author@bx@sep\relax

```

Now, parsing of \addresses:

```

2676 \gdef\currentauthors{}%
2677 \gdef\currentaffiliation{}%
2678 \def\@author##1{\ifx\currentauthors\empty
2679   \gdef\currentauthors{\par##1}%
2680 \else
2681   \g@addto@macro\currentauthors{\par##1}%
2682 \fi
2683 \gdef\and{}%
2684 \def\email##1##2{\ifx\currentaffiliation\empty
2685   \gdef\currentaffiliation{\bgroup
2686     \mathchardef\UrlBreakPenalty=10000\nolinkurl{##2}\egroup}%
2687 \else
2688   \g@addto@macro\currentaffiliation{\par\bgroup
2689     \mathchardef\UrlBreakPenalty=10000\nolinkurl{##2}\egroup}%
2690 \fi}%
2691 \def\affiliation##1##2{\ifx\currentaffiliation\empty
2692   \gdef\currentaffiliation{%
2693     \setkeys{@ACM@affiliation@}{obeypunctuation=false}%
2694     \setkeys{@ACM@affiliation@}{##1}@ACM@resetaffil

```

```

2695      ##2@ACM@checkaffil}%
2696  \else
2697      \g@addto@macro{@currentaffiliation{\par
2698          \setkeys{@ACM@affiliation@}{obeypunctuation=false}%
2699          \setkeys{@ACM@affiliation@}{##1}@ACM@resetaffil
2700      ##2@ACM@checkaffil}%
2701  \fi
2702  \global\let\and\@typeset@author@bx
2703 }%

```

Actual typesetting is done by the `\and` macro:

```

2704  \hsize=\textwidth
2705  \global\setbox\mktitle@bx=\vbox{\noindent
2706      \unvbox\mktitle@bx\par\medskip\leavevmode
2707      \lineskip=1pc\relax\centering\hspace*{-1em}%
2708      \addresses\let\and\@typeset@author@bx\and\par\bigskip}%

```

`\@mkauthors@iv` The `sigchi-a` version. We put authors in the main text with no more than 2 authors per line, unless overridden.

```
2709 \def\@mkauthors@iv{%
```

First, we need to determine the design of the author strip. The boxes are separated by `\author@bx@sep` plus two `\author@bx@sep` margins. This means that each box must be of width $(\textwidth - \author@bx@sep)/N - \author@bx@sep$, where N is the number of boxes per row.

```

2710  \author@bx@wd=\columnwidth\relax
2711  \advance\author@bx@wd by -\author@bx@sep\relax
2712  \ifnum@ACM@authorsperrow>0\relax
2713      \divide\author@bx@wd by \@ACM@authorsperrow\relax
2714  \else
2715      \ifcase\num@authorgroups
2716          \relax % 0?
2717          \or % 1=one author per row
2718          \else % 2=two authors per row
2719              \divide\author@bx@wd by 2\relax
2720          \fi
2721      \fi
2722  \advance\author@bx@wd by -\author@bx@sep\relax

```

Now, parsing of `\addresses`:

```

2723  \gdef\@currentauthors{}%
2724  \gdef\@currentaffiliation{}%
2725  \def\@author##1{\ifx\@currentauthors\@empty
2726      \gdef\@currentauthors{\par##1}%
2727  \else
2728      \g@addto@macro\@currentauthors{\par##1}%
2729  \fi
2730  \gdef\and{}%
2731  \def\email##1##2{\ifx\@currentaffiliation\@empty
2732      \gdef\@currentaffiliation{\nolinkurl{##2}}%
2733  \else
2734      \g@addto@macro\@currentaffiliation{\par\nolinkurl{##2}}%
2735  \fi}%
2736  \def\affiliation##1##2{\ifx\@currentaffiliation\@empty
2737      \gdef\@currentaffiliation{%

```

```

2738      \setkeys{@ACM@affiliation@}{obeypunctuation=false}%
2739      \setkeys{@ACM@affiliation@}{##1}@ACM@resetaffil
2740      ##2@ACM@checkaffil}%
2741 \else
2742     \g@addto@macro{@currentaffiliation{\par
2743       \setkeys{@ACM@affiliation@}{obeypunctuation=false}%
2744       \setkeys{@ACM@affiliation@}{##1}@ACM@resetaffil
2745       ##2@ACM@checkaffil}%
2746   \fi
2747   \global\let\and\@typeset@author@bx}%
2748 %

```

Actual typesetting is done by the \and macro

```

2749   \bgroup\hsize=\columnwidth
2750   \par\raggedright\leftskip=\z@
2751   \lineskip=1pc\noindent
2752   \addresses\let\and\@typeset@author@bx\and\par\bigskip\egroup}

```

\@mkauthorsaddresses Typesetting authors' addresses in the footnote style

```

2753 \def@\mkauthorsaddresses{%
2754   \ifnum\num@authors>1\relax
2755   Authors' \else Author's \fi
2756   \ifnum\num@authorgroups>1\relax
2757   addresses: \else address: \fi
2758   \bgroup
2759   \def\streetaddress##1{\unskip, ##1}%
2760   \def\postcode##1{\unskip, ##1}%
2761   \def\position##1{\unskip\ignorespaces}%
2762   \gdef@ACM@institution@separator{, }%
2763   \def\institution##1{\unskip@ACM@institution@separator ##1\gdef@ACM@institution@separator{ and }%
2764   \def\city##1{\unskip, ##1}%
2765   \def\state##1{\unskip, ##1}%
2766   \renewcommand\department[2][0]{\unskip\@addpunct, ##2}%
2767   \def\country##1{\unskip, ##1}%
2768   \def\and{\unskip; \gdef@ACM@institution@separator{, }}%
2769   \def@author##1{##1}%
2770   \def@email##1##2{\unskip, \nolinkurl{##2}}%
2771   \addresses
2772   \egroup}

2773 \AtEndDocument{\if@ACM@nonacm\else\if@ACM@journal
2774   \ifx\@authorsaddresses\empty
2775   \ClassWarningNoLine{@classname}{Authors'
2776   addresses are mandatory for ACM journals}%
2777   \fi\fi\fi}

```

\@setaddresses This is an amsart macro that we do not need.

```
2778 \def@\setaddresses{}
```

\@authornotemark Adding a footnote mark to authors. This version adds a “normal” footnote mark.

```
2779 \def@\authornotemark{\g@addto@macro{@currentauthors{\footnotemark\relax}}}
```

\@@authornotemark Adding a footnote mark to authors with a given number

```
2780 \def@\@authornotemark#1{\g@addto@macro{@currentauthors{\footnotemark[#1]}}}
```

```

\@mkteasers Typesetting the teasers
2781 \def\@mkteasers{%
2782   \ifx\@teaserfigures\@empty\else
2783     \def\@teaser##1{\par\bigskip\bgroup
2784       \captionsetup{type=figure}##1\egroup\par}
2785     \global\setbox\mktitle@bx=\vbox{\noindent\unvbox\mktitle@bx\par
2786       \noindent\@Description@presentfalse
2787       \@teaserfigures\par\if@Description@present\else
2788         \global\@undescribed@imagestrue
2789         \ClassWarning{@classname}{A possible image without
2790           description}\fi
2791       \medskip}%
2792   \fi}
2793 \def\@mkabstract{\bgroup
2794   \ifx\@abstract\@empty\else
2795     {\phantomsection\addcontentsline{toc}{section}{\abstractname}%
2796      \if@ACM@journal
2797        \everypar{\setbox\z@\lastbox\everypar{}}\small
2798      \else
2799        \section*\{\abstractname}\%
2800      \fi
2801      \ignorespaces\@abstract\par}%
2802   \fi\egroup}
\@mktranslatedabstract Typesetting a translated abstract
2803 \def\@mktranslatedabstract#1{\selectlanguage{#1}%
2804   \if@ACM@journal
2805     \everypar{\setbox\z@\lastbox\everypar{}}\small
2806   \else
2807     \section*\{\abstractname}\%
2808   \fi
2809   \ignorespaces}
\@mkbibcitation Print the bibcitation format
2810 \def\@mkbibcitation{\bgroup
2811   \let\@vspace\@vspace@orig
2812   \let\@vspacer\@vspacer@orig
2813   \def\@pages@word{\ifnum\getrefnumber{TotPages}=1\relax page\else pages\fi}%
2814   \def\footnotemark{}%
2815   \def\\{\unskip}\ignorespaces}%
2816   \def\footnote{\ClassError{@classname}{Please do not use footnotes
2817     inside a \string\title{} or \string\author{} command! Use
2818     \string\titlenote{} or \string\authornote{} instead!}}%
2819   \def\@article@string{\ifx\@acmArticle\@empty{\ } \else,
2820     Article\sim\@acmArticle\ }%
2821   \par\medskip\small\noindent{\bfseries ACM Reference Format:}\par\nobreak
2822   \noindent\bgroup
2823     \def\\{\unskip}, \ignorespaces\authors\egroup. \@acmYear. \@title
2824     \ifx\@subtitle\@empty. \else: \@subtitle. \fi
2825     \if@ACM@nonacm\else
2826       % The 'nonacm' option disables 'printacmref' by default,
2827       % and the present \@mkbibcitation definition is never used

```

```

2828 % in this case. The conditional remains useful if the user
2829 % explicitly sets \settopmatter{printacmref=true}.
2830 \if@ACM@journal@bibstrip
2831   \textit{\@journalNameShort}
2832   \@acmVolume, \@acmNumber \@article@string (\@acmPubDate),
2833   \ref{TotPages}^@\pages@word.
2834 \else
2835   In \textit{\@acmBooktitle}%
2836   \ifx\@acmEditors\empty\textit{\ }\else
2837     \andify{\@acmEditors}\textit{, } \@acmEditors^@\editorsAbbrev.%\fi\
2838   ACM, New York, NY, USA%
2839   \@article@string\unskip, \ref{TotPages}^@\pages@word.
2840 \fi
2841 \fi
2842 \fi
2843 \ifx\@acmDOI\empty\else\formatdoi{\@acmDOI}\fi
2844 \par\egroup}

\@printendtopmatter End the top matter
2845 \def\@printendtopmatter{%
2846   \let\@vspace\@vspace@orig
2847   \let\@vspacer\@vspacer@orig
2848   \par\bigskip
2849   \let\@vspace\@vspace@acm
2850   \let\@vspacer\@vspacer@acm
2851 }

\@setthanks We redefine \setthanks using \long
2852 \def\@setthanks{\long\def\thanks##1{\par##1\addpunct.}\thankses}

\@setauthorsaddresses
2853 \def\@setauthorsaddresses{\authorsaddresses\unskip\addpunct.}

\@typesetengagemetadata Typesetting special metadata for ACM Engage
2854 \def\@typesetengagemetadata{%
2855   \def\@setengagemetadata##1##2{\par\noindent\textrm{##1} ##2\par}%
2856   \acmengagemetadata}

```

3.22 Headers and Footers

We use `fancyhdr` for our headers and footers:

```
2857 \RequirePackage{fancyhdr}
```

\ACM@restore@pagestyle The following code by Ross Moore protects against changes by the `totpages` package:

```

2858 \let\ACM@ps@plain\ps@plain
2859 \let\ACM@ps@myheadings\ps@myheadings
2860 \let\ACM@ps@headings\ps@headings
2861 \def\ACM@restore@pagestyle{%
2862   \let\ps@plain\ACM@ps@plain
2863   \let\ps@myheadings\ACM@ps@myheadings
2864   \let\ps@headings\ACM@ps@headings}
2865 \AtBeginDocument{\ACM@restore@pagestyle}

```

\ACM@linecount@bx This is the box displayed in review mode

```
2866 \if@ACM@review
2867   \newsavebox{\ACM@linecount@bx}
2868   \newlength\ACM@linecount@bxht
2869   \newcount\ACM@linecount
2870   \ACM@linecount@ne\relax
2871   \def\ACM@mk@linecount{%
2872     \savebox{\ACM@linecount@bx}[4em][t]{\parbox[t]{4em}{\normalfont
2873       \normalsize
2874       \setlength{\ACM@linecount@bxht}{0pt}%
2875       \loop\color{red}\scriptsize\the\ACM@linecount\\
2876       \global\advance\ACM@linecount by \ne
2877       \addtolength{\ACM@linecount@bxht}{\baselineskip}%
2878       \ifdim\ACM@linecount@bxht<\textheight\repeat
2879       \color{red}\scriptsize\the\ACM@linecount\hfill
2880       \global\advance\ACM@linecount by \ne}}}
2881 \fi
```

\ACM@linecountL How to display the box on the left

```
2882 \def\ACM@linecountL{%
2883   \if@ACM@review
2884   \ACM@mk@linecount
2885   \begin{picture}(0,0)%
2886     \put(-26,-22){\usebox{\ACM@linecount@bx}}%
2887   \end{picture}%
2888 \fi}
```

\ACM@linecountR How to display the box on the right. In one column formats we do not step the numbers.

```
2889 \def\ACM@linecountR{%
2890   \if@ACM@review
2891   \ifcase\ACM@format@nr
2892     \relax % manuscript
2893     \relax
2894     \or % acmsmall
2895     \relax
2896     \or % acmlarge
2897     \relax
2898     \or % acmtog
2899     \ACM@mk@linecount
2900     \or % sigconf
2901     \ACM@mk@linecount
2902     \or % siggraph
2903     \ACM@mk@linecount
2904     \or % sigplan
2905     \ACM@mk@linecount
2906     \or % sigchi
2907     \ACM@mk@linecount
2908     \or % sigchi-a
2909     \ACM@mk@linecount
2910     \or % acmengage
2911     \ACM@mk@linecount
2912     \or % acmcpc
2913     \relax
2914 \fi
```

```

2915     \begin{picture}(0,0)%
2916         \put(20,-22){\usebox{\ACM@linecount@bx}}%
2917     \end{picture}%
2918 \fi}

\ACM@timestamp The timestamp system
2919 \if@ACM@timestamp
2920   % Subtracting 30 from \time gives us the effect of rounding down despite
2921   % \numexpr rounding to nearest
2922   \newcounter{ACM@time@hours}
2923   \setcounter{ACM@time@hours}{\numexpr (\time - 30) / 60 \relax}
2924   \newcounter{ACM@time@minutes}
2925   \setcounter{ACM@time@minutes}{\numexpr \time - \theACM@time@hours * 60 \relax}
2926   \newcommand\ACM@timestamp{%
2927     \footnotesize%
2928     \ifx\@acmSubmissionID\empty\relax\else
2929       Submission ID: \@acmSubmissionID. \ }%
2930     \fi
2931     \the\year-\two@digits{\the\month}-\two@digits{\the\day}. \ %
2932     \two@digits{\theACM@time@hours}:\two@digits{\theACM@time@minutes}. \ %
2933     Page \thepage\ of \@startPage--\pageref*{TotPages}. \ %
2934   }
2935 \fi

\@shortauthors Even if the author redefined \shortauthors, we do not print it in the headers when in
anonymous mode:
2936 \def\@shortauthors{%
2937   \if@ACM@anonymous
2938     Anon.
2939     \ifx\@acmSubmissionID\empty\else Submission Id: \@acmSubmissionID\fi
2940   \else\shortauthors\fi}

\@headfootfont The font to typeset header and footer text.
2941 \def\@headfootfont{\sffamily\footnotesize}

standardpagestyle The page style for all pages but the first one    The page style for all pages but the first
one
2942 \AtBeginDocument{%
2943 \fancypagestyle{standardpagestyle}{%
2944   \fancyhf{}%
2945   \renewcommand{\headrulewidth}{\z@}%
2946   \renewcommand{\footrulewidth}{\z@}%
2947   \def\@acmArticlePage{%
2948     \ifx\@acmArticle\empty%
2949       \if@ACM@printfolios\thepage\fi%
2950     \else%
2951       \ifacmArticle\if@ACM@printfolios:\thepage\fi%
2952     \fi%
2953   }%
2954   \if@ACM@journal@bibstrip@or@tog
2955     \ifcase\ACM@format@nr
2956       \relax % manuscript
2957       \fancyhead[LE]{\ACM@linecountL\if@ACM@printfolios\thepage\fi}%

```

```

2958 \fancyhead[RO]{\if@ACM@printfolios\thepage\fi}%
2959 \fancyhead[RE]{\@shortauthors}%
2960 \fancyhead[LO]{\ACM@linecountL\shorttitle}%
2961 \if@ACM@nonacm\else%
2962     \fancyfoot[RO,LE]{\footnotesize Manuscript submitted to ACM}%
2963 \fi%
2964 \or % acmsmall
2965     \fancyhead[LE]{\ACM@linecountL \@headfootfont\@acmArticlePage}%
2966     \fancyhead[RO]{\@headfootfont\@acmArticlePage}%
2967     \fancyhead[RE]{\@headfootfont\@shortauthors}%
2968     \fancyhead[LO]{\ACM@linecountL \@headfootfont\shorttitle}%
2969 \if@ACM@nonacm\else%
2970     \fancyfoot[RO,LE]{\footnotesize \@journalNameShort, Vol. \@acmVolume, No.%
2971             \@acmNumber, Article \@acmArticle. Publication date: \@acmPubDate.}%
2972 \fi
2973 \or % acmlarge
2974     \fancyhead[LE]{\ACM@linecountL \@headfootfont
2975             \@acmArticlePage\quad\textbullet\quad\@shortauthors}%
2976     \fancyhead[LO]{\ACM@linecountL}%
2977     \fancyhead[RO]{\@headfootfont
2978             \shorttitle\quad\textbullet\quad\@acmArticlePage}%
2979 \if@ACM@nonacm\else%
2980     \fancyfoot[RO,LE]{\footnotesize \@journalNameShort, Vol. \@acmVolume, No.%
2981             \@acmNumber, Article \@acmArticle. Publication date: \@acmPubDate.}%
2982 \fi
2983 \or % acmtog
2984     \fancyhead[LE]{\ACM@linecountL \@headfootfont
2985             \@acmArticlePage\quad\textbullet\quad\quad\@shortauthors}%
2986     \fancyhead[LO]{\ACM@linecountL}%
2987     \fancyhead[RE]{\ACM@linecountR}%
2988     \fancyhead[RO]{\@headfootfont
2989             \shorttitle\quad\textbullet\quad\quad\@acmArticlePage\ACM@linecountR}%
2990 \if@ACM@nonacm\else
2991     \if@ACM@journal@bibstrip
2992         \fancyfoot[RO,LE]{\footnotesize \@journalNameShort,
2993             Vol. \@acmVolume, No.\@acmNumber, Article \@acmArticle.
2994             Publication date: \@acmPubDate.}%
2995     \else
2996         \fancyfoot[RO,LE]{\footnotesize \acmConference@shortname,
2997             \acmConference@date, \acmConference@venue.}%
2998     \fi
2999 \fi
3000 \else % Proceedings
3001     \fancyfoot[C]{\if@ACM@printfolios\footnotesize\thepage\fi}%
3002     \fancyhead[LO]{\ACM@linecountL \@headfootfont\shorttitle}%
3003     \fancyhead[RE]{\@headfootfont\@shortauthors\ACM@linecountR}%
3004 \if@ACM@nonacm
3005     \fancyhead[LE]{\ACM@linecountL}%
3006     \fancyhead[RO]{\ACM@linecountR}%
3007 \else%
3008     \if@ACM@engage
3009         \fancyhead[LE]{\ACM@linecountL \@headfootfont\footnotesize
3010             EngageCSEdu. \ifx\@cmDOI\empty\else\@formatdoi{\@cmDOI}\fi}%
3011     \fancyhead[RO]{\@headfootfont

```

```

3012     EngageCSEdu. \ifx\@acmDOI\@empty\else\@formatdoi{\@acmDOI}\fi
3013     \ACM@linecountR}%
3014 \else
3015   \fancyhead[LE]{\ACM@linecountL\@headfootfont\footnotesize
3016     \acmConference@shortname,
3017     \acmConference@date, \acmConference@venue}%
3018   \fancyhead[RO]{\@headfootfont
3019     \acmConference@shortname,
3020     \acmConference@date, \acmConference@venue\ACM@linecountR}%
3021 \fi
3022 \fi
3023 \fi
3024 \else % Proceedings
3025   \fancyfoot[C]{\if@ACM@printfolios\footnotesize\thepage\fi}%
3026   \fancyhead[LO]{\ACM@linecountL\@headfootfont\shorttitle}%
3027   \fancyhead[RE]{\@headfootfont\@shortauthors\ACM@linecountR}%
3028 \if@ACM@nonacm
3029   \fancyhead[LE]{\ACM@linecountL}%
3030   \fancyhead[RO]{\ACM@linecountR}%
3031 \else%
3032   \if@ACM@engage
3033     \fancyhead[LE]{\ACM@linecountL\@headfootfont
3034       EngageCSEdu. \ifx\@acmDOI\@empty\else\@formatdoi{\@acmDOI}\fi}%
3035     \fancyhead[RO]{\@headfootfont
3036       EngageCSEdu. \ifx\@acmDOI\@empty\else\@formatdoi{\@acmDOI}\fi
3037       \ACM@linecountR}%
3038 \else
3039   \fancyhead[LE]{\ACM@linecountL\@headfootfont
3040     \acmConference@shortname,
3041     \acmConference@date, \acmConference@venue}%
3042   \fancyhead[RO]{\@headfootfont
3043     \acmConference@shortname,
3044     \acmConference@date, \acmConference@venue\ACM@linecountR}%
3045 \fi
3046 \fi
3047 \fi
3048 \if@ACM@sigchiamode
3049   \fancyhead[offset[L]{\dimexpr(\marginparsep+\marginparwidth)}]%
3050 \fi
3051 \if@ACM@timestamp
3052   \fancyfoot[LO,RE]{\ACM@timestamp}
3053 \fi
3054 \if@ACM@acmcp
3055   \renewcommand{\footrulewidth}{0.1\p@}%
3056   \fancyhead[offset[L]{46pt}]%
3057   \fancyhead[L]{\makebox[\z@][1]{%
3058     \raisebox{-\dimexpr(0.2\textheight*(\ACM@ArticleType@nr-2))}{%
3059       \rotatebox{90}{\colorbox{@ACM@Article@color}{\color{white}%
3060         \strut\ACM@ArticleType^Article}}}}}}%
3061   \ACM@linecountL}%
3062   \fancyhead[R]{\makebox[\z@][r]{\box@\ACM@acmcbox}}%
3063   \fancyfoot[L,C]{ }%
3064   \fancyfoot[R]{\footnotesize
3065     @journalName, Volume^@\acmVolume, Issue^@\acmNumber,
```

```

3066     \ifx\@acmArticle\empty\else Article\fi\space
3067     (\@acmPubDate)\ifx\@acmDOI\empty\else\\@\formatdoi{\@acmDOI}\fi}
3068   \fi
3069 }%
3070 \pagestyle{standardpagestyle}
3071 }

\@folio@wd Folio blob width, height, offsets and max number
\@folio@ht
\@folio@folioblob The macro to typeset the folio blob.
\@folio@max
\firstpagestyle The page style for the first page only.

3072 \AtBeginDocument{%
3073 \fancypagestyle{firstpagestyle}{%
3074   \fancyhf{}%
3075   \renewcommand{\headrulewidth}{\z@}%
3076   \renewcommand{\footrulewidth}{\z@}%
3077   \if@ACM@journal@bibstrip@or@tug
3078     \ifcase\ACM@format@nr
3079       \relax % manuscript
3080       \fancyhead[L]{\ACM@linecountL\@acmBadgeL}%
3081       \fancyhead[R]{\@acmBadgeR}%
3082       \fancyfoot[RO,LE]{\if@ACM@printfolios\small\thepage\fi}%
3083       \if@ACM@nonacm\else%
3084         \fancyfoot[RE,LO]{\footnotesize Manuscript submitted to ACM}%
3085       \fi%
3086     \or % acmsmall
3087     \if@ACM@nonacm\else%
3088       \fancyfoot[RO,LE]{\footnotesize \@journalNameShort, Vol. \@acmVolume, No.%
3089           \@acmNumber, Article \@acmArticle. Publication date:%
3090           \@acmPubDate.}%
3091     \fi%
3092     \fancyhead[LE]{\ACM@linecountL\@acmBadgeL}%
3093     \fancyhead[LO]{\ACM@linecountL\@acmBadgeL}%
3094     \fancyhead[RO]{\@acmBadgeR}%
3095     \fancyhead[RE]{\@acmBadgeR}%
3096   \or % acmlarge
3097   \if@ACM@nonacm\else%
3098     \fancyfoot[RO,LE]{\footnotesize \@journalNameShort, Vol. \@acmVolume, No.%
3099           \@acmNumber, Article \@acmArticle. Publication date:%
3100           \@acmPubDate.}%
3101     \fi%
3102     \fancyhead[RO]{\@acmBadgeR}%
3103     \fancyhead[RE]{\@acmBadgeR}%
3104     \fancyhead[LE]{\ACM@linecountL\@acmBadgeL}%
3105     \fancyhead[LO]{\ACM@linecountL\@acmBadgeL}%
3106   \or % acmtog
3107   \if@ACM@nonacm\else%
3108     \if@ACM@journal@bibstrip
3109       \fancyfoot[RO,LE]{\footnotesize \@journalNameShort,%
3110           Vol. \@acmVolume, No.\@acmNumber, Article \@acmArticle.%
3111           Publication date: \@acmPubDate.}%
3112     \else
3113       \fancyfoot[RO,LE]{\footnotesize \acmConference@shortname,%

```

```

3114      \acmConference@date, \acmConference@venue. }%
3115      \fi
3116      \fi%
3117      \fancyhead[L]{\ACM@linecountL\@acmBadgeL}%
3118      \fancyhead[R]{\@acmBadgeR\ACM@linecountR}%
3119 \else % Conference proceedings
3120     \fancyhead[L]{\ACM@linecountL\@acmBadgeL}%
3121     \fancyhead[R]{\@acmBadgeR\ACM@linecountR}%
3122     \fancyfoot[C]{\if@ACM@printfolios\footnotesize\thepage\fi}%
3123   \fi
3124 \else
3125   \fancyhead[L]{\ACM@linecountL\@acmBadgeL}%
3126   \fancyhead[R]{\@acmBadgeR\ACM@linecountR}%
3127   \fancyfoot[C]{\if@ACM@printfolios\footnotesize\thepage\fi}%
3128 \fi
3129 \if@ACM@timestamp
3130   \ifnum\ACM@format@nr=0\relax % Manuscript
3131     \fancyfoot[LO,RE]{\ACM@timestamp\quad
3132       \if@ACM@nonacm\else
3133         \footnotesize Manuscript submitted to ACM
3134       \fi}
3135     \else
3136       \fancyfoot[LO,RE]{\ACM@timestamp}
3137     \fi
3138   \fi
3139 \if@ACM@acmcnp
3140   \renewcommand{\footrulewidth}{0.1\p@}%
3141   \fancyheadoffset[L]{46pt}%
3142   \fancyhead[L]{\makebox[\z@][1]{%
3143     \raisebox{-\dimexpr0.2\textheight*(\ACM@ArticleType@nr-2)}{%
3144       \rotatebox{90}{\colorbox{@ACM@Article@color}{\color{white}%
3145         \vstrut\ACM@ArticleType~\ACM@Article}}}}}}%
3146   \ACM@linecountL\@acmBadgeL}%
3147   \fancyhead[R]{\@acmBadgeR\makebox[\z@][r]{\box@\ACM@acmcnpbox}}%
3148   \fancyfoot[L,C]{}%
3149   \fancyfoot[R]{\footnotesize
3150     \@journalName, Volume~\acmVolume, Issue~\acmNumber,
3151     \ifx\acmArticle\empty\else Article~\acmArticle\fi\space
3152     (\acmPubDate)\ifx\acmDOI\empty\else\\@formatdoi{\acmDOI}\fi}
3153   \fi
3154 }

```

3.23 Sectioning

\ACM@NRAjust Ross Moore's macro.

Initially \ACM@sect@format@ just passes through its #1 argument unchanged. When a sectioning macro such as \section occurs, the \ACM@NRAjust redefines \ACM@sect@format@ to expand into the styling commands; e.g., \@secfont. Then \Sectionformat is temporarily redefined to produce \realSectionformat{\ACM@sect@format{#1}}{#2}, which ultimately becomes \Sectionformat{\@secfont{#1}}{#2}. This is done to allow \Sectionformat to be variable, as may be needed in particular circumstances. Its current expansion is saved as \realSectionformat which is used with the modified

1st argument, then `\Sectionformat` is reverted to its former expansion.

To style the section-number, the line `#1{}` is used at the end of `\ACM@NRadjust`. This imposes style-changing commands for fonts and sizes, but any `\MakeUppercase` acts on just the `{}`. It's a bit hacky, by essentially assuming that only numbers occur here, not letters to be case-changed. (This should be acceptable in a class-file, as it ought to be possible to change the case elsewhere, if that was ever desired.) Also, it can result in `\@adddotafter` being called too soon, so a slight adjustment is made, via `\ACM@adddotafter`, which now tests whether its argument is empty. But the coding has to allow for other packages to have also patched `\@adddotafter`.

```
3155 \def\ACM@NRadjust#1{%
3156   \begingroup
3157   \expandafter\ifx\csname Sectionformat\endcsname\relax
3158     % do nothing when \Sectionformat is unknown
3159     \def\next{\endgroup #1}%
3160   \else
3161     \def\next{\endgroup
3162       \let\realSectionformat\Sectionformat
3163       \def\ACM@sect@format@{#1}%
3164       \let\Sectionformat\ACM@NR@adjustedSectionformat
3165       %% next lines added 2018-06-17 to ensure section number is styled
3166       \let\real@adddotafter\@adddotafter
3167       \let\@adddotafter\ACM@adddotafter
3168       #1{}% imposes the styles, but nullifies \MakeUppercase
3169       \let\@adddotafter\real@adddotafter
3170     }%
3171   \fi \next
3172 }
```

`\ACM@NR@adjustedSectionformat`

```
3173 \def\ACM@NR@adjustedSectionformat#1#2{%
3174   \realSectionformat{\ACM@sect@format{#1}}{#2}%
3175   \let\Sectionformat\realSectionformat
3176 \DeclareRobustCommand{\ACM@sect@format}{\ACM@sect@format@}
3177 \def\ACM@sect@format@{\null#1{#1}}
3178 \let\ACM@sect@format@\ACM@sect@format@null
3179 \AtBeginDocument{%
3180   \expandafter\ifx\csname LTX@adddotafter\endcsname\relax
3181   \let\LTX@adddotafter\@adddotafter
3182 \fi
3183 }
```

`\ACM@adddotafter`

```
3184 \def\ACM@adddotafter#1{\ifx\relax#1\relax\else\LTX@adddotafter{#1}\fi}
```

Sectioning is different for different levels

```
3185 \renewcommand\section{\@startsection{section}{1}{\z@}%
3186   {-.75\baselineskip \@plus -2\p@ \minus -.2\p@}%
3187   {.25\baselineskip}%
3188   {\ACM@NRadjust@\secfont}}
3189 \renewcommand\subsection{\@startsection{subsection}{2}{\z@}%
3190   {-.75\baselineskip \@plus -2\p@ \minus -.2\p@}%
3191   {.25\baselineskip}%
3192   {\ACM@NRadjust@\secfont}}
```

```

3191   {.25\baselineskip}%
3192   {\ACM@NRAjust{@subsecfont}}
3193 \renewcommand\subsubsection{\@startsection{subsubsection}{3}{\z@}%
3194   {-5\baselineskip \oplus -2\p@ \minus -.2\p@}%
3195   {-3.5\p@}%
3196   {\ACM@NRAjust{@subsubsecfont@adddotafter}}}
3197 \renewcommand\paragraph{\@startsection{paragraph}{4}{\parindent}%
3198   {-5\baselineskip \oplus -2\p@ \minus -.2\p@}%
3199   {-3.5\p@}%
3200   {\ACM@NRAjust{@parfont@adddotafter}}}
3201 \newcommand\noindentparagraph{\@startsection{paragraph}{4}{\z@}%
3202   {-5\baselineskip \oplus -2\p@ \minus -.2\p@}%
3203   {-3.5\p@}%
3204   {\ACM@NRAjust{@parfont}}}
3205
3206 \renewcommand\part{\@startsection{part}{9}{\z@}%
3207   {-10\p@ \oplus -4\p@ \minus -2\p@}%
3208   {4\p@}%
3209   {\ACM@NRAjust{@parfont}}}

\section@raggedright Special version of \raggedright compatible with \MakeUppercase
3210 \def\section@raggedright{\rightskip\flushglue
3211   \rightskip\rightskip
3212   \leftskip\z@skip
3213   \parindent\z@}

\@secfont Fonts for sections etc. are different for different formats.
\@subsecfont 3214 \def\@secfont{\sffamily\bfseries\section@raggedright\MakeTextUppercase}
\@subsubsecfont 3215 \def\@subsecfont{\sffamily\bfseries\section@raggedright}
\@parfont 3216 \def\@subsubsecfont{\sffamily\itshape}
3217 \def\@parfont{\itshape}
3218 \setcounter{secnumdepth}{3}
3219 \ifcase\ACM@format@nr
3220 \relax % manuscript
3221 \or % acmsmall
3222 \or % acmlarge
3223 \def\@secfont{\sffamily\large\section@raggedright\MakeTextUppercase}
3224 \def\@subsecfont{\sffamily\large\section@raggedright}
3225 \or % acmtog
3226 \def\@secfont{\sffamily\large\section@raggedright\MakeTextUppercase}
3227 \def\@subsecfont{\sffamily\large\section@raggedright}
3228 \or % sigconf
3229 \def\@secfont{\bfseries\Large\section@raggedright\MakeTextUppercase}
3230 \def\@subsecfont{\bfseries\Large\section@raggedright}
3231 \or % siggraph
3232 \def\@secfont{\sffamily\bfseries\Large\section@raggedright\MakeTextUppercase}
3233 \def\@subsecfont{\sffamily\bfseries\Large\section@raggedright}
3234 \or % sigplan
3235 \def\@secfont{\bfseries\Large\section@raggedright}
3236 \def\@subsecfont{\bfseries\section@raggedright}
3237 \def\@subsubsecfont{\bfseries\section@raggedright}
3238 \def\@parfont{\bfseries\itshape}
3239 \def\@subparfont{\itshape}
3240 \or % sigchi

```

```

3241 \setcounter{secnumdepth}{1}
3242 \def\@secfont{\sffamily\bfseries\section@raggedright\MakeTextUppercase}
3243 \def\@subsecfont{\sffamily\bfseries\section@raggedright}
3244 \or % sigchi-a
3245 \setcounter{secnumdepth}{0}
3246 \def\@secfont{\sffamily\bfseries\section@raggedright\MakeTextUppercase}
3247 \def\@subsecfont{\sffamily\bfseries\section@raggedright}
3248 \or % acmengage
3249 \def\@secfont{\bfseries\Large\section@raggedright\MakeTextUppercase}
3250 \def\@subsecfont{\bfseries\Large\section@raggedright}
3251 \or % acmcnp
3252 \fi

\@adddotafter Add punctuation after a sectioning command
3253 \def\@adddotafter#1{\#1\@addpunct{.}}

\@addspaceafter Add space after a sectioning command
3254 \def\@addspaceafter#1{\#1\@addpunct{\enspace}{}}

3255 \if@ACM@acmcnp
3256   \setcounter{secnumdepth}{-1}%
3257 \fi

```

3.24 TOC lists

\@dotsep Related to the \tableofcontents are all the horizontal fillers. Base L^AT_EX defines \@dottedtocline, which we should not disable. Yet, this command expects \@dotsep to be defined but leaves this to the class implementation. Since amsart does not provide this, we copy the standard variant from article here.

```
3258 \providecommand*\@dotsep{4.5}
```

3.25 Theorems

\@acmplainbodyfont The font to typeset the body of the acmplain theorem style.

```
3259 \def\@acmplainbodyfont{\itshape}
```

\@acmplainindent The amount to indent the acmplain theorem style.

```
3260 \def\@acmplainindent{\parindent}
```

\@acmplainheadfont The font to typeset the head of the acmplain theorem style.

```
3261 \def\@acmplainheadfont{\scshape}
```

\@acmplainnotefont The font to typeset the note of the acmplain theorem style.

```
3262 \def\@acmplainnotefont{\emptyset}
```

Customization of the acmplain theorem style:

```

3263 \ifcase\ACM@format@nr
3264   \relax % manuscript
3265 \or % acmsmall
3266 \or % acmlarge
3267 \or % acmtog
3268 \or % sigconf

```

```

3269 \or % siggraph
3270 \or % sigplan
3271   \def\@acmplainbodyfont{\itshape}
3272   \def\@acmplainindent{\z@}
3273   \def\@acmplainheadfont{\bfseries}
3274   \def\@acmplainnotefont{\normalfont}
3275 \or % sigchi
3276 \or % sigchi-a
3277 \or % acmengage
3278 \or % acmcpc
3279 \fi

acmplain The acmplain theorem style
3280 \newtheoremstyle{acmplain}%
3281   {.5\baselineskip\plus.2\baselineskip%
3282   \minus.2\baselineskip}% space above
3283   {.5\baselineskip\plus.2\baselineskip%
3284   \minus.2\baselineskip}% space below
3285   {\@acmplainbodyfont}% body font
3286   {\@acmplainindent}% indent amount
3287   {\@acmplainheadfont}% head font
3288   {.}% punctuation after head
3289   {.5em}% spacing after head
3290   {\thmname{\#1}\thmnumber{ \#2}\thmnote{ {\@acmplainnotefont(\#3)}}}% head spec

\@acmdefinitionbodyfont The font to typeset the body of the acmdefinition theorem style.
3291 \def\@acmdefinitionbodyfont{\normalfont}

\@acmdefinitionindent The amount to indent the acmdefinition theorem style.
3292 \def\@acmdefinitionindent{\parindent}

\@acmdefinitionheadfont The font to typeset the head of the acmdefinition theorem style.
3293 \def\@acmdefinitionheadfont{\itshape}

\@acmdefinitionnotefont The font to typeset the note of the acmdefinition theorem style.
3294 \def\@acmdefinitionnotefont{\emptyset}

      Customization of the acmdefinition theorem style:
3295 \ifcase\ACM@format@nr
3296   \relax % manuscript
3297 \or % acmsmall
3298 \or % acmlarge
3299 \or % acmtog
3300 \or % sigconf
3301 \or % siggraph
3302 \or % sigplan
3303   \def\@acmdefinitionbodyfont{\normalfont}
3304   \def\@acmdefinitionindent{\z@}
3305   \def\@acmdefinitionheadfont{\bfseries}
3306   \def\@acmdefinitionnotefont{\normalfont}
3307 \or % sigchi
3308 \or % sigchi-a
3309 \or % acmengage
3310 \or % acmcpc
3311 \fi

```

```

acmdefinition The acmdefinition theorem style
3312 \newtheoremstyle{acmdefinition}%
3313   {.5\baselineskip\@plus.2\baselineskip
3314     \@minus.2\baselineskip}%
3315   {.5\baselineskip\@plus.2\baselineskip
3316     \@minus.2\baselineskip}%
3317   {\@acmdefinitionbodyfont}%
3318   {\@acmdefinitionindent}%
3319   {\@acmdefinitionheadfont}%
3320   {.}%
3321   {.5em}%
3322   {\thmname{\#1}\thmnumber{ \#2}\thmnote{ {\@acmdefinitionnotefont{\#3}}}}%
3323 }% head spec

Make acmplain the default theorem style.
3323 \theoremstyle{acmplain}

Delay defining the theorem environments until after other packages have been
loaded. In particular, the cleveref package must be loaded before the theorem en-
vironments are defined in order to show the correct environment name (see https://github.com/borisveytsman/acmart/issues/138). The acmthm option is used to
suppress the definition of any theorem environments. Also, to avoid obscure errors
arising from these environment definitions conflicting with environments defined by
the user or by user-loaded packages, we only define environments that have not yet
been defined.
3324 \AtEndPreamble{%
3325   \if@ACM@acmthm
3326     \theoremstyle{acmplain}
3327     \@ifundefined{theorem}{%
3328       \newtheorem{theorem}{Theorem}[section]
3329     }%
3330     \@ifundefined{conjecture}{%
3331       \newtheorem{conjecture}[theorem]{Conjecture}
3332     }%
3333     \@ifundefined{proposition}{%
3334       \newtheorem{proposition}[theorem]{Proposition}
3335     }%
3336     \@ifundefined{lemma}{%
3337       \newtheorem{lemma}[theorem]{Lemma}
3338     }%
3339     \@ifundefined{corollary}{%
3340       \newtheorem{corollary}[theorem]{Corollary}
3341     }%
3342     \theoremstyle{acmdefinition}
3343     \@ifundefined{example}{%
3344       \newtheorem{example}[theorem]{Example}
3345     }%
3346     \@ifundefined{definition}{%
3347       \newtheorem{definition}[theorem]{Definition}
3348     }%
3349     \fi
3350   \theoremstyle{acmplain}
3351 }

```

\@proofnamefont The font to typeset the proof name.

```

3352 \def\@proofnamefont{\scshape}

\@proofindent Whether or not to indent proofs.
3353 \def\@proofindent{\indent}

    Customization of the proof environment.
3354 \ifcase\ACM@format@nr
3355   \relax % manuscript
3356   \or % acmsmall
3357   \or % acmlarge
3358   \or % acmtog
3359   \or % sigconf
3360   \or % siggraph
3361   \or % sigplan
3362   \def\@proofnamefont{\itshape}
3363   \def\@proofindent{\noindent}
3364   \or % sigchi
3365   \or % sigchi-a
3366   \or % acmengage
3367   \or % acmcnp
3368 \fi

proof We want some customization of the proof environment.
3369 \renewenvironment{proof}[1][\proofname]{\par
3370   \pushQED{\qed}%
3371   \normalfont \topsep6\p@+\@plus6\p@\relax
3372   \trivlist
3373   \item[\@proofindent\hspace{\labelsep}\@proofnamefont #1\@addpunct{.}]\ignorespaces
3374 }{%
3375 }{%
3376   \popQED\endtrivlist\endpfalse
3377 }

```

3.26 Balancing columns

We need balancing only if the user did not disable it, and we use a two column format. Note that pbalance uses a different mechanism.

```

3378 \AtEndPreamble{%
3379   \if@ACM@pbalance
3380     \global\@ACM@balancefalse
3381   \ifcase\ACM@format@nr
3382     \relax % manuscript
3383     \or % acmsmall
3384     \or % acmlarge
3385     \or % acmtog
3386       \RequirePackage{pbalance}%
3387     \or % sigconf
3388       \RequirePackage{pbalance}%
3389     \or % siggraph
3390       \RequirePackage{pbalance}%
3391     \or % sigplan
3392       \RequirePackage{pbalance}%
3393     \or % sigchi

```

```

3394      \RequirePackage{pbalance}%
3395      \or % sigchi-a
3396      \or % acmengage
3397          \RequirePackage{pbalance}%
3398      \or % acmcnp
3399      \fi
3400  \fi
3401 \if@ACM@balance
3402     \ifcase\ACM@format@nr
3403         \relax % manuscript
3404             \global\@ACM@balancefalse
3405         \or % acmsmall
3406             \global\@ACM@balancefalse
3407         \or % acmlarge
3408             \global\@ACM@balancefalse
3409         \or % acmtog
3410             \RequirePackage{balance}%
3411         \or % sigconf
3412             \RequirePackage{balance}%
3413         \or % siggraph
3414             \RequirePackage{balance}%
3415         \or % sigplan
3416             \RequirePackage{balance}%
3417         \or % sigchi
3418             \RequirePackage{balance}%
3419         \or % sigchi-a
3420             \global\@ACM@balancefalse
3421         \or % acmengage
3422             \RequirePackage{balance}%
3423         \or % acmcnp
3424             \global\@ACM@balancefalse
3425     \fi
3426   \fi
3427 }
3428 \AtEndDocument{%
3429   \if@ACM@balance
3430   \if@twocolumn
3431   \balance
3432   \fi\fi}

```

3.27 Acknowledgments

```

\acksname
3433 \newcommand{\acksname}{Acknowledgments}

\acks This is a comment-like structure
3434 \specialcomment{\acks}{%
3435   \begingroup
3436   \section*\{\acksname\}
3437   \phantomsection\addcontentsline{toc}{section}{\acksname}
3438 }{%
3439   \endgroup
3440 }

```

```
\grantsponsor We just typeset the name of the sponsor
3441 \def\grantsponsor#1#2#3{#2}

\grantnum
3442 \newcommand\grantnum[3][]{{#3}}
3443 \def\@tempa{#1}\ifx\@tempa\empty\else\space(\url{#1})\fi}
```

3.28 Conditional typesetting

We use the `comment` package for conditional typesetting:

```
3444 \AtEndPreamble{%
3445 \if@ACM@screen
3446   \includecomment{screenonly}
3447   \excludecomment{printonly}
3448 \else
3449   \excludecomment{screenonly}
3450   \includecomment{printonly}
3451 \fi
3452 \if@ACM@anonymous
3453   \excludecomment{anonsuppress}
3454   \excludecomment{acks}
3455 \else
3456   \includecomment{anonsuppress}
3457 \fi}
```

3.29 Additional bibliography commands

`\showeprint` The command `\showeprint` has two arguments: the (optional) prefix and the eprint number. Right now the only prefix we understand is the (lowercase) word ‘arxiv’.

```
3458 \newcommand\showeprint[2][arxiv]{%
3459   \def\@tempa{#1}%
3460   \ifx\@tempa\empty\def\@tempa{arxiv}\fi
3461   \def\@tempb{arxiv}%
3462   \ifx\@tempa\@tempb\relax
3463     arXiv:\href{https://arxiv.org/abs/#2}{#2}%
3464   \else
3465     \def\@tempb{arXiv}%
3466     \ifx\@tempa\@tempb\relax
3467       arXiv:\href{https://arxiv.org/abs/#2}{#2}%
3468     \else
3469       #1:#2%
3470     \fi
3471   \fi}
```

3.30 Index

`\theindex` Standard `amsart` uses plain page style in index pages. This clashes with line numbering for `review` option, so we redefine it.

```
3472 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
3473   \columnseprule\z@\columnsep 35\p@
3474   \inindextitlestyle
3475   \let\item\idxitem}
```

```
3476 \parindent\z@ \parskip\z@\@plus.3\p@\relax  
3477 \raggedright  
3478 \hyphenpenalty\@M  
3479 \footnotesize}
```

3.31 End of Class

\vspace We do not disable \vspace, but add warning to it

```
3480 \let\vspace@orig=\vspace  
3481 \let\vspacer@orig=\vspacer  
3482 \apptocmd{\vspace}{\ClassWarning{@classname}{\string\vspace\space should  
3483 only be used to provide space above/below surrounding  
3484 objects}}{}{}  
3485 \apptocmd{\vspacer}{\ClassWarning{@classname}{\string\vspace\space should  
3486 only be used to provide space above/below surrounding  
3487 objects}}{}{}  
3488 \let\vspace@acm=\vspace  
3489 \let\vspacer@acm=\vspacer
```

\ACM@origbaselinestretch We produce an error if the user tries to change \baselinestretch

```
3490 \let\ACM@origbaselinestretch\baselinestretch  
3491 \AtEndDocument{\ifx\baselinestretch\ACM@origbaselinestretch\else  
3492 \ClassError{@classname}{An attempt to redefine  
3493 \string\baselinestretch\space detected. Please do not do this for  
3494 ACM submissions!}\fi}  
  
3495 \normalsize\normalfont\frenchspacing  
3496 (/class)
```

References

- [1] UK TeX Users Group. UK list of TeX frequently asked questions. <https://texfaq.org>, 2019.
- [2] Michael Downes and Barbara Beeton. *The amsart, amsproc, and amsbook document classes*. American Mathematical Society, August 2004. <http://www.ctan.org/pkg/amslatex>.
- [3] Johannes L. Braams and Javier Bezos. *Babel*, 2022. <http://www.ctan.org/pkg/babel>.
- [4] Cristophe Fiorio. *algorithm2e.sty—package for algorithms*, October 2015. <http://www.ctan.org/pkg/algorithm2e>.
- [5] Rogério Brito. *The algorithms bundle*, August 2009. <http://www.ctan.org/pkg/algorithms>.
- [6] Carsten Heinz, Brooks Moses, and Jobst Hoffmann. *The Listings Package*, June 2015. <http://www.ctan.org/pkg/listings>.
- [7] Simon Fear. *Publication quality tables in L^AT_EX*, April 2005. <http://www.ctan.org/pkg/booktabs>.
- [8] Association for Computing Machinery. *ACM Visual Identity Standards*, 2007. <http://identitystandards.acm.org>.
- [9] Axel Sommerfeldt. *The subcaption package*, April 2013. <http://www.ctan.org/pkg/subcaption>.
- [10] Boris Veytsman, Bern Schndl, Lee Netherton, and C. V. Radhakrishnan. *A package to create a nomenclature*, September 2005. <http://www.ctan.org/pkg/nomencl>.
- [11] Nicola L. C. Talbot. *User Manual for glossaries.sty v4.44*, December 2019. <http://www.ctan.org/pkg/glossaries>.
- [12] David Carlisle. *The textcase package*, October 2004. <http://www.ctan.org/pkg/textcase>.

Change History

1.48	\ccsdesc@parse: Added warning for missing concepts	78
	\if@ACM@printacmref: Added warning for longer papers	75
	\keywords: Added warning for missing keywords	74
1.49	General: Added prologue option to xcolor	51
	Bib code cleanup (Zack Weinberg)	36
	Documentation update (siggraph)	36
1.53	General: New journal: DTRAP	36
1.54	General: New journals: PACMCGIT, TIOT, TDSCI	36
	Rearranged docs	36
1.55	General: Moved footnote stuff before hyperref call (Ross Moore)	36
1.56	General: Documented \Description	36
1.57	General: Booktabs package is now the default	36
1.58	General: Changes in samples (Enrico Gregorio)	36
	New journal: HEALTH. TDS is renamed to TDSCI	36
1.60	General: New option: urlbreakonhyphens	36
	\if@ACM@urlbreakonhyphens: introduced macro	37
1.62	General: New journal: TELO	36
1.63	General: New journal: FACMP	36
	New journal: TQUANT	36
1.63a	General: Move: TQUANT to TQC	36
1.64	General: Putting abstract after \maketitle now causes an error	36
1.65	General: New journal: DGOV	36
1.66	General: ACM reference format is now mandatory for papers over one page; CCS concepts and keywords are now mandatory for papers over two pages	36
	Authors' addresses are mandatory for journal articles	36
	\@mkauthorsaddresses: Added warning for missing addresses	98
1.69	\vspace: Added the changed command to avoid grouping	115
1.70	General: Name change for TDS	60
1.71	General: Bibliography change: volume for @inproceedings is now in brackets together with series	36
	LuaTeX now uses the OTF versions of fonts	36
	Retired sigchi and sigchi-a	36
1.75	General: Documentation update	36
1.78	General: Documentation update: Word count	36
1.80	General: Updated information for TAP, TCPS, TEAC	60
1.82	General: Added DLT and FAC	60
1.84	General: Updated abbreviations and codes for several journals	60
1.85	General: New journals: JDS, GAMES	36, 60
	General: Added CC licenses	36
	Added: acmengage	49
	New journal: JRC	60
	\@mkauthors: Added: acmengage	92
	\@mkttitle: Added: acmengage	89
	\@parfont: Added: acmengage	108
	\@printtopmatter: Added: acmengage	88
	\@specialsection: Added: acmengage	88
	\@subtitlefont: Added: acmengage	90
	\@titlefont: Added: acmengage	90
	\ACM@linecountR: Added: acmengage	101
	format: New format: acmengage	37
	\parskip: Added: acmengage	53

1.87		//github.com/borisveytsman/ acmart/issues/9)	36	
	General: New journals: ACMJCSS, JATS, TORS	60		
	format: New format: acmcp	37		
1.88	General: Added ISSN for ACMJCSS ..	60	\@formatdoi: Added macro	80
	Added ISSN for GAMES	60	\if@ACM@authorversion: Added macro	38
	Added PACMNET	60	\maketitle: Added special case of authorversion	84
1.89	General: Added PACMMOD	60	v1.04	
	Added TOPML	60	General: Updated bibliography for siggraph	36
	\@printtopmatter: Moved badges to top header	88	\acmArticleSeq: Name change by Matthew Fluet	72
1.90	General: Added TOPML eISSN	60	\acmDOI: Name change by Matthew Fluet	73
1.90a	General: Changes in the sample keywords and concepts	36	\acmISBN: Name change by Matthew Fluet	73
1.92	General: Documentation update: use of ‘anonymous’ throughout	36	v1.05	
	Moved hyperxmp again due to kernel update	49	General: Added processing doi numbers for acmsiggraph and doi numbers for sigproc.bib	36
v1.00	General: First released version	36	Patched \setcitetstyle command; closes https://github.com/borisveytsman/acmart/issues/19	36
v1.01	General: Changed hyperref colors in screen mode (closes https://github.com/borisveytsman/acmart/issues/1)	36	v1.06	
	Defined ACM colors	36	\@ACM@badge@skip: Added macro ..	73
	Explicitly put draft option (closes https://github.com/borisveytsman/acmart/issues/4)	39	\@ACM@badge@width: Added macro ..	73
	Set headheight to 1pc for all formats (closes https://github.com/borisveytsman/acmart/issues/5)	36	\@ACM@title@width: Added macro ..	73
v1.02	General: Added TOPS and TSC (closes https://github.com/borisveytsman/acmart/issues/12)	36	\@mktitle@i: Added processing badges	91
	Documentation changes (closes https://github.com/borisveytsman/acmart/issues/13)	36	\@mktitle@ii: Now this macro is obsolete	91
v1.03	General: Added anonsuppress environment	36	\@mktitle@iii: Added processing badges	91
	Added authorversion option (closes https://github.com/borisveytsman/acmart/issues/14)	36	\@mktitle@iv: Made more generic ..	91
		\@printtopmatter: Added processing badges	88	
v1.07		\@subtitlefont: Added macro ..	90	
		\@titlefont: Added macro ..	90	
		\acmBadgeL: Added macro ..	74	
		\acmBadgeR: Added macro ..	73	
		\if@ACM@badge: Added macro ..	73	
v1.08		\maketitle: Corrected a bug with abstract footnotes	84	
		Corrected a bug with permission and footnotes order	84	
v1.08	General: SIGPLAN reformatting by Matthew Fluet	36		
	Typos corrected (Tobias Pape) ..	36		

v1.09		standardpagestyle: Added headers for sigs 102
	General: Revert SIGPLAN caption rules 36	Expanded headers for sigchi-a 102
v1.10		Suppressed folios if sig 102
	General: Changes of 'licensedothergov' wording 78	v1.14
	\maketitle: Corrected a bug with doi in manuscript and author vrtstion, https://github.com/borisveytsman/ acmart/issues/36 84	General: \citetyle updates (Matthew Fluet) 36
	\standardpagestyle: Reversed folios location 102	Patched \citetyle 43
v1.11	General: Customization of ACM theorem styles and proof environment by Matthew Fluet .. 36	\bibstyle@acmauthoryear: Moved def of \bibstyle@acmauthoryear before use 44
v1.12	General: Added graceful behavior when libertine fonts are absent .. 55	\bibstyle@acmnumeric: Moved def of \bibstyle@numeric before use .. 44
	Documentation updates 36	v1.15
	\@marginfigure: Now centering by default 58	\@ACM@addtoaddress: Added macro 92
	\@marginable: Now centering by default 58	\@mkauthors@ii: New authors system 96
	\@parfont: Moved to \section@raggedright 108	\@shortauthors: Introduced macro 102
	\copyrightpermissionfootnoterule: Added macro 54	\@typeset@author@bx: Moved to separate macro 95
	\descriptionlabel: Redefined 60	\@acks: Added macro 113
	\footnoterule: Made shorter 54	\@affiliation: Added code for author groups 70
	\if@ACM@natbib@override: Added macro 38	\@author: Added code for author groups 69
	\if@ACM@newfonts: Added macro .. 55	\@city: Added macro 92
	\maketitle: Moved thankses to copyrightpermission box 84	\@country: Added macro 92
	\section@raggedright: Introduced macro 108	\@department: Added macro 92
v1.13	General: Font adjustments for acmsmall 93	\@grantnum: Added macro 114
	Increased font size for ACM Large 41	\@grantsponsor: Added macro 114
	Print bibliographic information by default for the proceedings 75	\@if@insideauthorgroup: Introduced macro 69
	\@mpfootnotetext: Made minipage footnotes centered 49	\@institution: Added macro 92
	\bibliographystyle: Redefined macro 50	\@num@authorgroups: Renamed 69
	\bibstyle@acmauthoryear: Added macro 44	\@orcid: Introduced macro 71
	\bibstyle@acmnumeric: Added macro 44	\@position: Added macro 92
	\if@ACM@printfolios: Added macro 75	\@postcode: Added macro 92
		\@state: Added macro 92
		\@streetaddress: Added macro 92
		\standardpagestyle: Better handling of anonymous mode 102
v1.16		v1.17
	General: Formatting header/footer (Matthew Fluet) 36	General: Slightly decreased margins for sigs 51
	\@headfootfont: Added macro .. 102	\@makefnmark: Redefined 49
	\standardpagestyle: Customize header/footer text font 102	\@mkauthors: TOG now uses the same authors block as other journals .. 92
		\@mkauthors@ii: Deleted 95

\@mkbibcitation: Added \nobreak	99	Documentation typos fixed (thanks to Stephen Spencer)	36	
Changed format for sigs	99			
\acmArticle: The default is now numerical	72	v1.27	\if@ACM@\printccs: Typo corrected	75
\acmMonth: The default must be numerical. Closes #50.	72	v1.28	General: Corrected option natbib behavior	44
\acmNumber: The default is now numerical	72		Got rid of warnings in pdf keywords	49
\acmVolume: The default is now numerical	72	\ccsdesc@parse: Change from \to to \textrightarrow (Matteo Riondato)	77	
\acmYear: The default is now numerical	72	v1.29	General: Increased head to 13pt	51
\description: Decreased indent	60	\@mkabstract: Removed spurious indentation (John Wickerson)	99	
\grantrnum: Added url	114	\ccsdesc@parse: Add spacing after bullet and around rightarrow; semicolon separators no longer in bold/italic (John Wickerson)	77	
\grantsponsor: Renamed	114	standardpagestyle: Corrected printfolios (Matthew Fluet)	102	
\if@ACM@\printacmref: Renamed from \if@ACM@\printbib	75			
\standardpagestyle: Added paper title to sigs	102	v1.30	General: Added \frenchspacing	115
v1.18			Bibtex style now recognizes https:// in doi	36
General: Natbib is now the default for all formats	36		Switched to T1: looks like libertine has problems with \l in OT1	55
\@mkauthors@i: Now we andify affiliations	95		Updated IMWUT and PACMPL	60
\@typeset@author@line: Added macro	94	\department: Added optional parameter	92	
v1.19		v1.31	General: Documentation changes	36
General: Include 'Abstract', 'Acknowledgements', and 'References' in PDF bookmarks (Matthew Fluet)	36	\@additionalaffiliation: Added macro	70	
Include 'References' in PDF bookmarks (Matthew Fluet)	43	\@mkbibcitation: Disabled linebreak	99	
\@mkabstract: Include 'Abstract' in PDF bookmarks (Matthew Fluet)	99	\@startsection: Added \tochangemeasure	46	
\acks: Include 'Acknowledgements' in PDF bookmarks (Matthew Fluet)	113	Redefined macro	48	
v1.20		\@textbottom: Redefined	54	
General: Bug fixes for bst	36	\acmMonth: The default now is the current month (Matteo Riondato)	72	
\@mkabstract: Deleted spurious space	99	\acmYear: The default now is the current year (Matteo Riondato)	72	
v1.21		\additionalaffiliation: Added macro	70	
\showeprint: Added macro	114	\l@subsection: Redefined macro	48	
v1.22		\l@subsubsection: Redefined macro	49	
General: More bibliography changes for Aptara	36	v1.32	General: Added POMACS journal option	36
v1.23			Format siggraph is now obsolete	36
General: Add PACMPL journal option	36	\@formatdoi: New doi format	80	
v1.24		v1.33	General: Added acmart-preload-hook	36
General: Add IMWUT journal option	60			
v1.25				
General: Updated PACMPL	60			
v1.26				
General: Corrected \shortcite bug	36			

Added cmap and glyptounicode	55
BibTeX comma before articleno bug corrected	36
BibTeX crossref bug corrected	36
BibTeX numpages bug corrected	36
Documentation updates	36
Moved \citetname definition for non-natbib bibliography, so a package may redefine it	50
Switched to Type 1 fonts for libertine even if OTF-capable engine is used (Kai Mindermann)	55
\@ACM@addtoaddress: Added obeypunctuation code	92
\@mkauthor@i: Added obeypunctuation code	95
\@mkauthor@iii: Added obeypunctuation code	96
\@mkauthor@iv: Added obeypunctuation code	97
\@subtitlefont: Added \normalsize	90
\ACM@linecountL: Renamed macro	101
\ACM@linecountR: Added macro	101
\ACM@timestamp: Added current page number	102
Added macro (Michael D. Adams)	102
Added submission id	102
\acmSubmissionID: Added macro	73
\city: Added obeypunctuation code	92
\country: Added obeypunctuation code	92
\department: Added obeypunctuation code	92
\if@ACM@affiliation@obeypunctuation: Added macro	70
\if@ACM@authordraft: Added macro	39
\if@ACM@natbib@override: Deleted macro	38
\if@ACM@timestamp: Added macro (Michael D. Adams)	39
\institution: Added obeypunctuation code	92
\firstpagestyle: Added right linecount for two-column formats	105
Added timestamp (Michael D. Adams)	105
\maketitle: Fixed the bug with figures on top and bottom of the title page, thanks to David Epstein	84
\position: Added obeypunctuation code	92
\postcode: Added obeypunctuation code	92
\state: Added obeypunctuation code	92
\streetaddress: Added obeypunctuation code	92
\standardpagestyle: Added right linecount for two-column formats	102
Added timestamp (Michael D. Adams)	102
v1.34	
\@mkbibcitation: Deleted DOI from doi numbers	99
\ACM@linecount@bx: Rulers now are continuous	101
\ACM@linecountL: Rulers now are continuous	101
\ACM@linecountR: Rulers now are continuous	101
\maketitle: Added date to the bibstrip in conf proceedings	84
Deleted 'DOI' from doi numbers	84
Rearranged bibstrip	84
The \terms command is now obsolete	84
\terms: The \terms command now just produces a warning	74
v1.35	
General: BibTeX bug fixed: et al	36
If the copyright is set to usgov or rightsretained, the price is suppressed	78
\bbibstyle@acmauthoryear: Square brackets for author-year style	44
v1.36	
General: Added PACMHCI journal options	60
Added the possibility to adjust number of author boxes per row in conference formats	36
\@ACM@authorsperrow: Added macro	75
\@mkauthors@iii: Added authorsperrow override	96
\@mkauthors@iv: Added authorsperrow override	97
\if@ACM@authordraft: Corrected typo, thanks to bargteil	39
v1.37	
General: Reduce list indentation (Matthew Fluet)	59
Set \normalparindent; Reduce list indentation (Matthew Fluet)	36
\description: Reduce list indentation (Matthew Fluet)	60
\descriptionlabel: Reduce list indentation (Matthew Fluet)	60

\normalparindent: Set	Put theorem defs in a separate style	36
\normalparindent (Matthew Fluet)	\@acmBooktitle: Added macro	68
v1.38	\@acmEditors: Added macro	68
General: Increase default font size for SIGPLAN	\@editorsAbbrev: Added macro	68
v1.39	\@folioblob: Suppress the blob if acmArticleSeq is empty	105
\@authornotemark: Added macro	\@mkbibcitation: If the paper has just one page, use ‘page’ instead of ‘pages’	99
v1.40	\ACM@restore@pagestyle: Added macro	100
General: Added ‘textcase’ package	\acmArticle: The default is now empty	72
Added heightrounded to geometry	\acmArticleSeq: Now acmArticle might be empty	72
Added new copyright version:	\acmBooktitle: Added macro	68
licensedcagov	\editor: Added macro	68
Added package cleveref	\if@ACM@acmthm: Added macro	37
Added Ross Moore code for glyptounicode	\maketitle: Empty DOI or ISBN are not printed (by Michael Ekstrand)	84
Bibliography changes		
\@copyrightowner: Added new copyright version: licensedcagov	v1.45	
\@copyrightpermission: Added new copyright version: licensedcagov	\@folioblob: Switched \bfseries\sffamily to \sffamily\bfseries	105
\@mkauthors@i: Switched to MakeTextUppercase	\@parfont: Switched \bfseries\sffamily to \sffamily\bfseries	108
\@parfont: Switched to MakeTextUppercase	\@titlefont: Switched \bfseries\sffamily to \sffamily\bfseries	90
\ACM@linecount@bx: Work around a bug in xcolor: looks like cmyk colors in boxes do not work	v1.46	
\ccdesc@parse@finish: Added macro	General: Added etoolbox	36
\city: We now do not print this even in SIG	Bst file bug fixes: label width is calculated correctly	36
\country: Fixed bugs with extra spaces	Delayed hypersetup since journal options may change screen mode	49
\l@subsection: Redefined macro	PACM now set screen to true	60
\postcode: We now do not print this even in SIG	Restore theorem defs to class file	36
\state: We now do not print this even in SIG	\@mkauthorsaddresses: Introduced macro	98
\streetaddress: We now do not print this even in SIG	\@mkbibcitation: Added subtitle	99
v1.41	\@printendtopmatter: Made it \par\bigskip uniformly	100
General: Added new badges	\@printtopmatter: Deleted rule	88
v1.42	\@setauthorsaddresses: Introduced macro	100
General: Deleted ACM badges	\ACM@linecount@bx: Rearranged the code to get rid of spurious underfull messages (Benjamin Byholm)	101
v1.43	\author: Started counting authors	69
\@startsection: Added \makeatletter	\authorsaddresses: Introduced macro	71
v1.44	\country: Added comma before country for journals	
General: Added package refcount		
Deleted package cleveref		

\country: Corrected spacing for institution	92	v1.52	\@copyrightowner: Rewording of licenses	79
\if@ACM@acmthm: Modified description	37	\@copyrightpermission: Another rewording of copyright statements for iw3c2w3[g]	80	
\liningnums: Workaround for compatibility with fontspec	56	v1.53	General: Added PACMCGIT, TIOT, TDSCI	60
\maketitle: Added authors' addresses Thankses go before authors' addresses	84	v1.54	General: Added Ross's patch for sectioning	107
\num@authors: Introduced macro	69		Deleted indent for subsubsection	107
v1.47			XeTeX now uses T1 encoding	55
General: New journal: THRI	36	\@mkbibcitation: Bug corrected (Ross Moore)	99	
v1.48		\@shortauthors: Added submission id in anonymous mode	102	
General: \citeyear no longer behaves like \citeyearpar	50	\ACM@adddotafter: Added macro	107	
Code prettying (Michael D. Adams)	36	\ACM@NR@adjustedSectionformat: Added macro	107	
Initial support for Biblatex (Daniel Thomas)	36	\ACM@NRadjust: Added macro	106	
Misc entries in the bibliography no longer produce a separate date .. .	36	\author: Added submission id in anonymous mode	69	
Typos fixed (Jamie Davis)	36	\if@ACM@nonacm: Added macro	38	
\@headfootfont: Deleted unnecessary switch (Michael D. Adams)	102	v1.55	General: Now we use purple color for links	49
\@mkabstract: Removed spurious indentation if abstract is followed by an empty line	99		Table captions for SIGCHI now use the same font size as figure captions (Luis Leiva)	57
\ACM@timestamp: Fromatting change (Michael D. Adams)	102		Typo corrected (Zack Weinberg) .. .	43
\if@ACM@review: Review mode now switches on folios	37	\@mkbibcitation: Bug corrected	99	
\maketitle: Added acmart and version info to pdfcreator tag .. .	84	\maketitle: Fixes topnum	84	
Added language and doctile attributes to PDF (Andreas Reichinger) .. .	84	v1.56	General: Looks like XeTeX requires explicit monotype font declaration	55
Suppressed empty DOI (Serguei Mokhov) .. .	84		Make two-column layouts flush (Philip Quinn)	51
v1.50		\@marginfigure: Added checking for description	58	
\@copyrightpermission: New copyright statements for iw3c2w3[g]	80	\@mkteasers: Added check for description	99	
v1.51		\acksname: Added macro (Philip Quinn) .. .	113	
General: Corrected the bug with price suppression	78	\ccsdesc@parse: End the concepts list with a period (Philip Quinn) .. .	77	
Suppress price if the copyright is set to iw3c2w3 or iw3c2w3g .. .	78	\Description: Added macro .. .	56	
XeTeX now uses OTF fonts (Joachim Breitner) .. .	55	\if@Description@present: Added macro .. .	56	
\firstpagestyle: We now use journal abbreviation for footers .. .	105	\if@undescribed@images: Added macro .. .	56	
\standardpagestyle: We now use journal abbreviation for footers .. .	102			

v1.57	\ACM@origbaselinestretch: Added check whether the user changed \baselinestretch 115	v1.61	\@typeset@author@bx: Added \normalbaselines 95
	\author: Added warning if \author has comma 69	v1.64	\ACM@linecount@bx: Bug fix: made the spacing on the left and the right size equal 101
	\email: Added warning if \author has comma 71		\if@ACM@maketitle@typeset: Introduced macro 60
	\if@ACM@balance: Added macro ... 38		\maketitle: Added a switch setting to show that \maketitle is typeset . 84
	\vspace: Added warning 115	v1.65	\@mkauthorsaddresses: Deleted cs@addpunct 98
v1.58	General: Added HEALTH. TDSCI is renamed to TDS 60	v1.66	General: Patching algorithm and algorithm* to prevent spurious space warnings 56
	Suppressed \addtocounter in pdf subject 49		\@specialsection: Suppress warnings about \vspace 88
	\@dblfloat: Deleted spurious \vspace warning 58	v1.67	General: Patching lstlisting and lstlisting* to prevent spurious space warnings 56
	\@marginfigure: Deleted spurious \vspace warning 58		\@parfont: Deleted redefinitions of sections 108
	\@margintable: Deleted spurious \vspace warning 58		\@specialsection: Paragraph inside group does not print its argument. Added a bugfix 88
	\@mkbibcitation: Deleted spurious \vspace warning 99	v1.68	General: New command for unindent paras 107
	\@printendtopmatter: Deleted spurious \vspace warning 100		\@specialsection: Deleted grouping altogether 88
	\@sidebar: Deleted spurious \vspace warning 58	v1.69	General: No dots for unindented paragraphs 107
	\maketitle: Original \vspace inside \maketitle 84		\@printendtopmatter: Deleted grouping 100
	\vspace: Preserved old versions as \@vspace@orig and \@vspace@orig 115		\@specialsection: Changed dot to colon for sigplan 88
v1.59	\acmConference: Setting \@ACM@journal@bibstrip 68		\ACM@linecountR: Do not increase numbers in one column format . 101
	\acmJournal: Setting \@ACM@journal@bibstrip 68		\ccsdesc@parse: Use math right arrow in text 77
	\if@ACM@journal@bibstrip: Introduced macro 40	v1.71	\l1@subsubsection: Bug fixed (thanks to Andrew Black) 49
	\firstpagestyle: Added logic for conference papers using journal format 105	v1.72	\author: Added \detokenize (Kuldeep S. Meel) 69
	Moved page styles to \AtBeginDocument 105		\maketitle: Do not andify authors for pdf metadata (Scott Pakin) . . 84
	\standardpagestyle: Added logic for conference papers using journal format 102		
	Moved page styles to \AtBeginDocument 102		
v1.60	\@headfootfont: Moved to footnotesize 102		

v1.73	
General: Patching minted and minted* to prevent spurious space warnings 56	\@mkauthors@i: Unboxing \mkttitle@bx 95
\@ACM@checkaffil: Added macro .. 94	\@mkauthors@iii: Unboxing \mkttitle@bx 96
\@ACM@resetaffil: Added macro .. 94	\@mkteasers: Unboxing \mkttitle@bx 99
\@mkauthors@i: Check the presence of required elements for affiliations 95	\@printtopmatter: Added processing the overflowing title box 88
\@mkauthors@iii: Check the presence of required elements for affiliations 96	\@specialsection: Again suppressed \vspace warning 88
\@mkauthors@iv: Check the presence of required elements for affiliations 97	v1.82 \anon: Introduced macro 83
\city: Check the presence in affil .. 92	v1.83 General: Use babel for multilanguage papers 44
\country: Check the presence in affil 92	\@mkabstract: I13n 99
\if@ACM@citypresent: Added macro 94	\@mkttitle@i: Added \translatedtitle and \translatedsubtitle 91
\if@ACM@countrypresent: Added macro 94	\@mkttitle@iii: Added \translatedtitle and \translatedsubtitle 91
\if@ACM@instppresent: Added macro 94	\@mkttitle@iv: Added \translatedtitle and \translatedsubtitle 91
\institution: Check the presence in affil 92	\@mktranslatedabstract: Added macro 99
\maketitle: Do not check again the presence of address fields 84	\@mktranslatedkeywords: Added macro 71
v1.74	\@translatedabSTRACTS: Added macro 46
General: Changed the order of font loading 55	\@translatedkeywords: Added macro 46
v1.75	\@translatedsubtitle: Added macro 46
\@ACM@checkaffil: Changed warning to error for country 94	\@translatedtitle: Added macro .. 46
\beginmaketitlehook: Introduced macro 84	\ACM@lang@check: Added macro ... 45
\AtBeginMaketitle: Introduced macro 84	\ACM@languages: Introduced macro .. 39
\maketitle: Added \beginmaketitlehook 84	\maketitle: I13n 84
v1.76	translatedabstract: Added macro 46
General: Moved hyperxmp before hyperref, see https://github.com/borisveytsman/acmart/issues/425 49	\translatedkeywords: Added macro 46
\author: Added code for orcid links .. 69	\translatedsubtitle: Added macro 46
\if@ACM@pbalance: Added macro .. 38	\translatedtitle: Added macro .. 46
\maketitle: Put \par inside group for keywords 84	v1.85 General: Added CC licenses 78
\orcid: Added code for orcid links .. 71	\acmengagemetadata: Introduced macro 84
\standardpagestyle: Fixed bug with no line numbers for nonacm ... 102	\copyrightowner: Added CC licenses 79
v1.77	\copyrightpermission: Added CC licenses 80
\mkauthorsaddresses: New separator of institutions 98	\typesetengagemetadata: Introduced macro 100
	\if@ACM@engage: Introduced macro .. 40

\maketitle: acmengage	84	\acmBadge: Added macro	74
\setcctype: Added macro	79	\acmBadgeL: Redefined macro	74
\setengagemetadata: Introduced macro	84	\acmBadgeR: Redefined macro	73
v1.86		\if@ACM@badge: Deleted macro	73
\country: Error if country is empty .	92	firstpagestyle: Moved badges here	105
standardpagestyle: Special treatment of ACM Engage materials	102	\set@ACM@acmcbox: Added logo	87
v1.87		Added zref position of the bottom	87
General: Added ‘framed’ package for acmc	42	v1.91	
No numbering sections for ACMCP	109	\acmContributions: Restored the macro	77
\@ACM@color@frame: Introduced macro	76	standardpagestyle: Redesigned ACMP labels	102
\@ACM@copyright@check@cc: Added macro	80	v1.93	
\@copyrightpermission: CC licenses now are allowed only for non-acm or ACM engage publications	80	General: Added PACMSE journal option	36
\@mkauthors@i: Special treatment for acmc	95	v2.00	
\@mkttitle@i: Special treatment for acmc	91	General: Deleted acmPrice	78
\acmArticleType: Introduced macro	76	\@ACM@copyright@check@cc: Moved to warning	80
\acmCodeDataLink: Added possibility to have several links	77	\@copyrightowner: Changed wording	79
Introduced macro	77	\@copyrightpermission: Rewrote wording	80
\acmDataLink: Introduced macro	77	\@folio@ht: Obsoleted macro	105
Now this is the same as the code link	77	\@folio@max: Obsoleted macro	105
\if@ACM@acmc: Introduced macro	40	\@folio@offset: Obsoleted macro	105
firstpagestyle: Special treatment for acmc	105	\@folio@wd: Obsoleted macro	105
\maketitle: CC license are allowed for non-acm publications	84	\@folioblob: Obsoleted macro	105
\set@ACM@acmcbox: Added macro	87	\acmPrice: Deleted macro	73
standardpagestyle: Special treatment of ACMCP	102	firstpagestyle: Deleted blobs	105
v1.88		\maketitle: Added “ACM” for papers	84
\@mkttitle@i: Moved down title for acmc	91	Deleted acmPrice	84
v1.89		v2.01	
General: Added ‘zref-savepos’ package for acmc	42	General: Documentation update: POMACS uses acmsmall	36
\@ACM@acmc@delta: Added dimen	42	\acmBooktitle: Moved default conference title to conference setting	68
\@ACM@badge@skip: Redefined macro	73	\acmPrice: Now the macro produces a warning	73
\@ACM@color@frame: Added saving the position of the bottom	76	v2.02	
\@acmBadgeL: Introduced macro	73	\acmConference: Moved here setting the conference title for bibstrip	68
\@acmBadgeR: Introduced macro	73	v2.03	
\@mkttitle@i: Moved badges to top header	91	General: Added documentation about samples	36
Moved up acmc title	91	\acmConference: Made setting bibstrip overriding journal	68
\@mkttitle@iii: Moved badges to top header	91	\if@ACM@journal@bibstrip@or@tog: Introduced macro	40
		firstpagestyle: Special treatment of tog	105
		\maketitle: Special processing for conferences in TOG	84
		standardpagestyle: Special treatment of ACM TOG	102

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	\@ACM@instpresentfalse	\@Description@presenttrue
\-	616 2593
\@ ... 1892, 1895, 1907, 1912, 1917, 2017, 2054	\@ACM@instpresenttrue ... 2496, 2507, 2587	\@M . 482, 521, 539, 548, 3478 \@abstract 1689, 2794, 2801
\@@authornotemark 1614, 2780	\@ACM@journal@bibstrip@or@t@acm@article 211, 233, 1452	1620, 1623, 2206, 2819, 2820,
\@@par 482, 539	\@ACM@journal@bibstripfalse 235, 1466	2948, 2951, 2971, 2981, 2993, 3066,
\@ACM@acmc@delta <u>280</u> , 2282, 2286	\@ACM@journal@bibstriptrue 232, 1451	3089, 3099, 3110, 3151 \@acmArticlePage ..
\@ACM@acmc@box 2269, 2273, 3062, 3147	\@ACM@journalfalse 213,	2947, 2965, 2966, 2975, 2978, 2985, 2989
\@ACM@acmc@false ... 170	215, 217, 219, 221, 224	\@acmArticleSeq 1622
\@ACM@acmc@true 228	\@ACM@journaltrue 204, 206, 208, 210, 227	\@acmBadgeL
\@ACM@addtoaddress <u>2484</u> , 2512, 2513, 2515	\@ACM@labelwidth 1007, 1010, 1018, 1023, 1049	1646, 1661, 1662, 1667, 3080, 3092,
\@ACM@authorsperrow 1718, 2659, 2660, 2712, 2713	\@ACM@maketitle@typesetfalse 1056	3093, 3104, 3105, 3117, 3120, 3125, 3146
\@ACM@badge@skip 1643, 1655, 1668	\@ACM@maketitle@typesettrue 2118	\@acmBadgeR
\@ACM@badge@width 1640, 1652, 1658, 1665, 1671	\@ACM@manuscriptfalse 199	1645, 1648, 1649, 1654, 3081, 3094,
\@ACM@balancefalse 3380, 3404, 3406, 3408, 3420, 3424	\@ACM@manuscripttrue 197	3095, 3102, 3103, 3118, 3121, 3126, 3147
\@ACM@checkaffil 2240, 2597, 2628, 2633, 2695, 2700, 2740, 2745	\@ACM@newfontsfalse 837, 840, 843	\@acmBooktitle .. 1467, 1477, 2175, 2196, 2835
\@ACM@citypresentfalse 2594	\@ACM@newfontstrue .. 834	\@acmCodeDataLink ..
\@ACM@citypresenttrue ... 2498, 2512, 2589	\@ACM@printacmreffalse 95, 229 1782, 1783, 1785, 1787, 2289, 2290
\@ACM@color@frame 1775, 2266	\@ACM@printfoliostrue 78	\@acmContributions 1788, 2295, 2296
\@ACM@commabox 2484, 2488, 2489	\@ACM@resetaffil 2592, 2627, 2632, 2694, 2699, 2739, 2744	\@acmDOI .. 1638, 2198, 2201, 2207, 2210,
\@ACM@copyright@check@cc 1928, 2072	\@ACM@reviewtrue ... 140	2843, 3010, 3012, 3034, 3036, 3067, 3152
\@ACM@countrypresentfalse 2595	\@ACM@screentru 1175, 1219, 1225, 1239, 1245, 1251	\@acmEditors 1480, 1481, 1482, 1485, 2836, 2837
\@ACM@countrypresenttrue ... 2503, 2515, 2591	\@ACM@sigchiamodefalse 201	\@acmISBN .. 1636, 2209
\@ACM@engagefalse .. 168	\@ACM@sigchiamodetrue 222	\@acmMonth 1626, 1628, 2206
\@ACM@engagetrue ... 225	\@ACM@timestamptrue 139	\@acmNumber
\@ACM@institution@separator\@Description@presentfalse 2762, 2763, 2768	\@ACM@title@width 1642, 2457, 2459, 2468, 2469	1618, 2832, 2971, 2981, 2993, 3065, 3089, 3099, 3110, 3150
	\@DeclareACMFormat 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49	\@acmPubDate 1628, 2832, 2971, 2981, 2994, 3067, 3090, 3100, 3111, 3152
	.. 879, 882, 957, 2786 1506,

1507, 1526, 1527,
 1634, 2928, 2929, 2939 \@authorfont 2545, 2550,
 \@acmVolume 2554, 2557, 2560,
 1616, 2832, 2970,
 2980, 2993, 3065,
 3088, 3098, 3110, 3150 2563, 2566, 2569,
 \@acmYear 2572, 2575, 2615, 2651
 1624, 1631,
 2091, 2175, 2206, 2823 \@authornotemark . . .
 \@acmdefinitionbodyfont
 1606, 1612, 2779
 ... 3291, 3303, 3317 \@authornotes . . .
 \@acmdefinitionheadfont
 1603, 1607, 2138
 ... 3293, 3305, 3319 \@authorsaddresses . . .
 \@acmdefinitionindent
 1578,
 ... 3292, 3304, 3318 2147, 2298, 2774, 2853
 \@acmdefinitionnotefont
 \@auxout 652, 2285
 ... 3294, 3306, 3322 \@begindocumenthook 648
 \@acmengagemetadata
 \@beginmaketitlehook
 ... 2112, 2114, 2856 2108, 2111, 2117
 \@acmownedfalse \@botnum 2259
 1843, 1846,
 1849, 1854, 1857,
 1860, 1863, 1866,
 1872, 1875, 1878, 1881 \@citetstyle 314
 \@acmownedtrue \@classname 24,
 1830, 1839, 1869 26, 35, 53, 55, 56,
 \@acmplainbodyfont 61, 63, 64, 69, 71,
 ... 3259, 3271, 3285 72, 77, 80, 81, 86,
 \@acmplainheadfont 88, 89, 94, 100,
 ... 3261, 3273, 3287 101, 105, 109,
 \@acmplainindent 114, 116, 117, 122,
 ... 3260, 3272, 3286 124, 125, 130, 132,
 \@acmplainnotefont 133, 138, 142, 143,
 ... 3262, 3274, 3290 161, 172, 178, 184,
 \@adddotafter 263, 425, 449, 835,
 3166, 3167, 3169,
 3181, 3196, 3200, 3253 838, 841, 878, 887,
 \@additionalaffiliation
 890, 960, 1176,
 1552, 1553 1220, 1226, 1240,
 \@addpunct 1246, 1252, 1446,
 2766, 2852,
 2853, 3253, 3254, 3374 1448, 1496, 1551,
 \@addspaceafter 1565, 1632, 1676,
 3254 1682, 1687, 1694,
 \@affiliationfont 1696, 1697, 1700,
 2546, 2551,
 2555, 2558, 2561,
 2564, 2567, 2570,
 2573, 2576, 2628, 2651 1702, 1703, 1706,
 \@afterheading 1714, 1716, 1717,
 \@afterindentfalse 1719, 1720, 1768,
 459, 2261 1821, 1930, 1934,
 \@afterindenttrue 1937, 2599, 2602,
 457 2605, 2775, 2789,
 \@article@string 2816, 3482, 3485, 3492
 2819, 2832, 2840 \@clubpenalty 527
 \@author \@concepts 1793, 1805,
 1505, 1511, 1518 1819, 2224, 2226, 2244
 \@currbox \@copyrightowner
 986, 987, 988 1889, 2182
 \@copyrightpermission
 1944, 2158, 2170 \@copyrightyear
 \@endfloatbox 972
 \@endpfalse 3376
 \@endwidefloatbox 972, 980
 \@finalstrut 571, 584
 \@float 974

\@flushglue 3210
 \@fnssymbol 2128
 \@folio@ht 3072
 \@folio@max 3072
 \@folio@voffset 3072
 \@folio@wd 3072
 \@folioblob 3072
 \@footnotemark . 587, 2126
 \@footnotemark@nolink 587, 2126
 \@footnotetext 562, 588, 2127
 \@footnotetext@nolink 588, 2127
 \@for 290
 \@formatdoi 1927,
 2201, 2207, 2210,
 2843, 3010, 3012,
 3034, 3036, 3067, 3152
 \@fps 973
 \@fpsadddefault 973
 \@gobble 312, 356
 \@hangfrom 481, 538
 \@headfootfont
 2941, 2965, \@journalNameShort .
 2966, 2967, 2968, 1135, 1139,
 2974, 2977, 2984, 1143, 1147, 1151,
 2988, 3002, 3003, 1155, 1159, 1164,
 3009, 3011, 3015, 1168, 1173, 1179,
 3018, 3026, 3027, 1183, 1187, 1191,
 3033, 3035, 3039, 3042 1196, 1200, 1204,
 \@idxitem 3475 1208, 1213, 1217,
 \@ifnextchar 1556 1223, 1229, 1233,
 \@ifnotempty 2096 1237, 1243, 1249,
 \@ifnum 328, 330 1255, 1259, 1263,
 \@ifstar 466 1268, 1272, 1276,
 \@ifundefined
 3327, 3330, 3333, 1280, 1284, 1288,
 3336, 3339, 3343, 3346 1292, 1296, 1300,
 \@iiiparbox 798 1304, 1308, 1312,
 \@indestitlestyle .. 3474 1316, 1320, 1324,
 \@input 550 1328, 1332, 1336,
 \@insideauthorgroupfalse 1340, 1344, 1348,
 1494, 1546 1352, 1356, 1360,
 \@insideauthorgrouptrue 1364, 1368, 1373,
 1501 1378, 1382, 1386,
 1501 1391, 1395, 1399,
 \@journalCode .. 1057, 1403, 1407, 1411,
 1176, 1220, 1226, 1415, 1419, 1423,
 1240, 1246, 1252, 1446 1427, 1431, 1435,
 \@journalCode@nr ... 1439, 1443, 1455,
 ... 1057, 1132, 1453 2831, 2970, 2980,
 \@journalName 2992, 3088, 3098, 3109
 1134, 1138, \@keywords 1678,
 1142, 1146, 1150, 1679, 1680, 2230,

\@nil 335 \@printpermissiontrue
 \@nobreakfalse . 515, 555 ... 1828, 1837, 1852 \@teaserfigures
 \@noskipsecfalse ... 519 \@printtopmatter 2132, 2332 2092, 2094, 2782, 2787
 \@noskipsectrue 516 \@proofindent
 \@pages@word
 ... 2813, 2833, 2840 ... 3353, 3363, 3373
 \@par 2144, 2151 \@proofnamefont
 \@parboxrestore 579 ... 3352, 3362, 3374
 \@parfont
 3200, 3204, 3209, 3214 \@received . 1734, 1737,
 \@permissionCodeOne
 ... 1136, 1140, 1144, 1148, 1152, 1156, 1160, 1165, 1169, 1174, 1180, 1184, 1188, 1192, 1197, 1201, 1205, 1209, 1214, 1218, 1224, 1230, 1234, 1238, 1244, 1250, 1256, 1260, 1264, 1269, 1273, 1277, 1281, 1285, 1289, 1293, 1297, 1301, 1305, 1309, 1313, 1317, 1321, 1325, 1329, 1333, 1337, 1341, 1345, 1349, 1353, 1357, 1361, 1365, 1369, 1374, 1379, 1383, 1387, 1392, 1396, 1400, 1404, 1408, 1412, 1416, 1420, 1424, 1428, 1432, 1436, 1440, 1444, 1456, 2206
 \@permissionCodeTwo
 ... 1161, 1193, 1210, 1265, 1370, 1375, 1388, 1457
 \@plus 548, 556, 799, 3186, 3190, 3194, 3198, 3202, 3207, 3281, 3283, 3313, 3315, 3371, 3476
 \@printcopyrightfalse 1842, 1853
 \@printcopyrighttrue 1826, 1838
 \@printendtopmatter 2260, 2845
 \@printpermissionfalse 1841
 \@printpermissiontrue 1828, 1837, 1852
 \@printtopmatter 2132, 2332
 \@proofindent
 ... 3353, 3363, 3373
 \@proofnamefont
 ... 3352, 3362, 3374
 \@received . 1734, 1737, 1738, 1740, 1743, 1744, 1746, 1750, 1751
 \@restonecolfalse .. 3472
 \@restonecoltrue .. 3472
 \@rightskip ... 3210, 3211
 \@saveabstract 1685, 1686
 \@saveteaser .. 2093, 2094
 \@savetranslatedabstract
 ... 447, 448
 \@seccntformat . 475, 532
 \@secfont 3188, 3214
 \@secpenalty 464
 \@sect 468, 469
 \@setaddresses ... 2778
 \@setauthorsaddresses ... 2151, 2298, 2853
 \@setengagemetadata
 ... 2115, 2855
 \@setthanks ... 2144, 2852
 \@shortauthors
 ... 2936, 2959, 2967, 2975, 2985, 3003, 3027
 \@sidebar 948, 949
 \@specialsection ...
 1582, 2225, 2231, 2302
 \@ssect 467, 533
 \@startPage 1674, 2333, 2334, 2336, 2933
 \@startsection . 453, 545, 3185, 3189, 3193, 3197, 3201, 3206
 \@starttoc 545
 \@subparfont 3239
 \@subsecfont .. 3192, 3214
 \@subsubsecfont 3196, 3214
 \@subtitle . 1487, 1595, 2462, 2463, 2471, 2472, 2480, 2481, 2824
 \@subtitlefont
 ... 2428, 2463, 2472, 2481
 \@subtitlenotes
 ... 1593, 1597, 1600, 2137
 \@svsec . 472, 475, 481, 496
 \@svsechd ... 494, 522, 542
 \@teaser 2094, 2783

```

\@translatedsubtitle ..... 439, 441, 2463, 2472, 2481
\@translatedtitle 436, 438, 2461, 2470, 2479
\@typeset@author@bx ..... 2648, 2702, 2708, 2747, 2752
\@typeset@author@line 2578, 2612, 2636, 2641
\@typesetengagemetadata ..... 2218, 2854
\@undefined 648, 866, 2108
\@undescribed@imagesfalse ..... 875
\@undescribed@imagestrue .. 886, 889, 959, 2788
\@vspace 880, 883, 891, 893, 895, 897, 899, 901, 903, 905, 909, 949, 954, 964, 970, 2124, 2303, 2329, 2811, 2846, 2849, 3480, 3482, 3488
\@vspace@acm .....
\@vspace@orig 880, 883, 891, 893, 895, 897, 899, 901, 903, 905, 907, 909, 949, 954, 964, 970, 2124, 2303, 2811, 2846, 3480
\@vspacer 881, 884, 892, 894, 896, 898, 900, 902, 904, 906, 908, 910, 950, 955, 965, 971, 2125, 2304, 2330, 2812, 2847, 2850, 3481, 3485, 3489
\@vspacer@acm .....
\@vspacer@orig . 881, 884, 892, 898, 900, 904, 906, 908, 910, 950, 955, 965, 971, 2125, 2304, 2812, 2847, 3481
\@width ..... 779, 786
\@xp ..... 552, 553
\@xsect .... 507, 508, 544
\\ ..... 669, 678, 1506, 1785, 2076, 2182, 2187, 2202, 2206,
2209, 2290, 2815, 2823, 2875, 3067, 3152
\{ ..... 298
\} ..... 298
\_ ..... 1470, 1801, 1811, 2182, 2184, 2819, 2820, 2838, 2933
A
\abstract ..... 1685
\abstract(env.) ..... 18
\abstractname .. 382, 395, 2795, 2799, 2807
\acks ..... 3434
\acks(env.) ..... 25
\acksname 393, 404, 412, 420, 3433, 3436, 3437
\ACM@adddotafter .... 3167, 3184
\ACM@ArticleType ... 1753, 3060, 3145
\ACM@ArticleType@nr 1753, 1755, 3058, 3143
\ACM@cc@type ... 1887, 2073, 2075, 2076, 2079, 2080, 2081, 2082, 2083, 2084, 2085
\ACM@CC@Url ..... 2074, 2075, 2076, 2077
\ACM@cc@version ... 1886, 2075, 2086
\acm@copyrightinput 1832
\acm@copyrightmode .. 1832, 1840, 1845, 1848, 1851, 1856, 1859, 1862, 1865, 1868, 1871, 1874, 1877, 1880, 1890, 1945, 2157
\ACM@fontsize 146, 237, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 263, 264
\ACM@format ..... 32, 161
\ACM@format@nr .. 32, 161, 171, 177, 183, 196, 202, 238, 599, 684, 763, 801, 921, 990, 2305, 2352, 2378, 2404, 2429, 2519, 2547, 2891, 2955, 3078, 3130, 3219, 3263, 3295, 3354, 3381, 3402
\ACM@lang@check .... 423, 437, 440, 443, 451
\ACM@languages .... 153, 384, 386, 424
\ACM@linecount .... 2869, 2870, 2875, 2876, 2879, 2880
\ACM@linecount@bx .. 2866, 2886, 2916
\ACM@linecount@bxht 2868, 2874, 2877, 2878
\ACM@linecountL .... 2882, 2957, 2960, 2965, 2968, 2974, 2976, 2984, 2986, 3002, 3005, 3009, 3015, 3026, 3029, 3033, 3039, 3061, 3080, 3092, 3093, 3104, 3105, 3117, 3120, 3125, 3146
\ACM@linecountR . 2889, 2987, 2989, 3003, 3006, 3013, 3020, 3027, 3030, 3037, 3044, 3118, 3121, 3126
\ACM@mk@linecount .. 2871, 2884, 2899, 2901, 2903, 2905, 2907, 2909, 2911
\ACM@NR@adjustedSectionformat ..... 3164, 3173
\ACM@NRadjust .... 3155, 3188, 3192, 3196, 3200, 3204, 3209
\ACM@origbaselinestretch ..... 3490
\ACM@ps@headings ... 2860, 2864
\ACM@ps@myheadings .. 2859, 2863
\ACM@ps@plain .. 2858, 2862
\ACM@restore@pagestyle ..... 2858
\ACM@sect@format ... 3174, 3176
\ACM@sect@format@ .. 3163, 3176, 3178
\ACM@sect@format@null ..... 3177, 3178
\ACM@timestamp .... 2919, 3052, 3131, 3136
\acmArticle .... 14, 1620
\acmArticleSeq .. 15, 1622

```

\acmArticleType .	20, 1753	
\acmBadge	15, 1673	
\acmBadgeL	1660	
\acmBadgeR	1647, 1673	
\acmBooktitle .	9, 1468, 1477	
\acmCodeDataLink .	1781	
\acmCodeLink .	20, 1781, 1790	
\acmConference ..	9, 1458	
\acmConference@date	1461, 2177, 2997, 3017, 3020, 3041, 3044, 3114	
\acmConference@name	1460, 1468, 1469	
\acmConference@shortname	1459, 1463, 1464, 1469, 1470, 2177, 2996, 3016, 3019, 3040, 3043, 3113	
\acmConference@venue	1462, 2177, 2997, 3017, 3020, 3041, 3044, 3114	
\acmContributions ..	1788	
\acmDataLink ..	20, 1790	
\acmdefinition ..	3312	
\acmDOI	15, 1638	
\acmISBN	15, 1636	
\acmJournal	9, 1450	
\acmMonth	14, 1626	
\acmNumber	14, 1618	
\acmplain	3280	
\acmPrice	1632	
\acmSubmissionID ..	15, 1634	
\acmVolume	14, 1616	
\acmYear	14, 1624	
\addcontentsline .	286, 488, 501, 2795, 3437	
\additionalaffiliation	11, 1552	
\addpenalty	464	
\addresses	1503, 1505, 1510, 1517, 1548, 1568, 1606, 1612, 1614, 2641, 2708, 2752, 2771	
\addto ..	387, 398, 406, 414	
\addtocounter ..	592, 1813	
\addtolength ..	1016, 1017, 1018, 1022, 1023, 2877	
\addvspace	464, 556	
\advance	1032, 1037, 1040, 1042, 1044, 1046,	
	1498, 1500, 1778, 2339, 2347, 2455, 2638, 2658, 2675, 2711, 2722, 2876, 2880	B
	\affiliation	10, 1545, 2621, 2691, 2736
	\and	1485, 1518, 1520, 1535, 1541, 2612, 2617, 2619, 2630, 2636, 2649, 2683, 2702, 2708, 2730, 2747, 2752, 2768
	\andify	2250, 2251, 2579, 2582, 2837
	\anon	24, 2102
	anonsuppress (env.)	24
	\apptocmd	3482, 3485
	\AtBeginDocument	78, 95, 229, 641, 649, 1008, 2865, 2942, 3072, 3179
	\AtBeginEnvironment	879, 882, 891, 893, 895, 897, 899, 901, 903, 905, 907, 909
	\AtBeginMaketitle	32, 2111
	\AtEndDocument	877, 1680, 1704, 1749, 1819, 2265, 2773, 3428, 3491
	\AtEndEnvironment	885, 888
	\AtEndPreamble ..	614, 867, 3324, 3378, 3444
	\author	10, 1495, 2120, 2121, 2817
	\author@bx ..	2644, 2650, 2653
	\author@bx@sep	2646, 2653, 2658, 2675, 2711, 2722
	\author@bx@wd	2645, 2648, 2657, 2658, 2660, 2666, 2668, 2670, 2672, 2675, 2710, 2711, 2713, 2719, 2722
	\authornote	14, 1552, 1604, 2818
	\authornotemark ..	14, 1610
	\authors	1508, 1513, 1520, 2238, 2250, 2252, 2823
	\authorsaddresses ..	14, 1578
	\balance	3431
	\baselineskip ..	2168, 2877, 3186, 3187, 3190, 3191, 3194, 3198, 3202, 3281, 3282, 3283, 3284, 3313, 3314, 3315, 3316
	\baselinestretch	3490, 3491, 3493
	\begin	19, 2885, 2915
	\begingroup	479, 522, 536, 545, 637, 2123, 2517, 3156, 3435
	\bfseries ..	1047, 2164, 2406, 2408, 2410, 2414, 2416, 2418, 2420, 2422, 2424, 2426, 2566, 2569, 2821, 3214, 3215, 3229, 3230, 3232, 3233, 3235, 3236, 3237, 3238, 3242, 3243, 3246, 3247, 3249, 3250, 3273, 3305
	\bgroup ..	452, 949, 953, 964, 970, 1553, 1580, 2224, 2230, 2271, 2648, 2685, 2688, 2749, 2758, 2783, 2793, 2810, 2822
	\bibfont	288
	\biblofont	288
	\bibliographystyle ..	647
	\bibsection	284
	\bibstyle ..	312, 314, 356, 652
	\bibstyle@acmauthoryear	362
	\bibstyle@acmnumeric ..	368
	\bigskip	1751, 2289, 2290, 2292, 2295, 2298, 2370, 2465, 2475, 2483, 2708, 2752, 2783, 2848
	\box	987, 2354, 2356, 2358, 2360, 2362, 2364, 2366, 2368, 2370, 2372, 2374, 2653, 3062, 3147
		C
	\c@footnote	2128
	\c@secnumdepth	471, 485, 489, 498, 502

\captionsenglish . . .	387	\clubpenalty . . .	521, 527	311, 313, 315, 316,
\captionsetup . . .	913, 915, 917, 919, 928, 930, 933, 935, 938, 940, 950, 956, 965, 2784	\CodelineIndex	16	317, 318, 319, 320,
\captionsfrench . . .	398	\Collect@Body	446, 948, 952, 963, 1685, 2093	321, 322, 323, 324,
\captionsgerman . . .	406	\color@begingroup	569, 582	325, 327, 329, 331,
\captionsspanish . . .	414	\color@endbox	985	333, 334, 338, 340,
\ccdesc@parse@finish	1824	\color@endgroup		342, 344, 346, 348,
\ccsdesc	16, 1795		572, 585, 796	436, 439, 442, 445,
\ccsdesc@parse	1796, 1797	\colorbox .	1777, 3059, 3144	448, 453, 469, 494,
\ccsdesc@parse@end	1796, 1824	\colorlet	1757, 1759, 1761, 1763, 1765	508, 532, 533, 542,
\ccsdesc@parse@finish	1818, 1824	\columnsep	3473	545, 558, 559, 560,
CCSXML (env.)	16	\columnseprule	3473	561, 563, 574, 586,
\centering . . .	549, 582, 668, 677, 957, 966, 2467, 2469, 2650, 2707	\columnwidth	578, 779, 971, 2710, 2749	592, 593, 594, 595,
\changes	146	\contentsnamefont . . .	549	596, 616, 647, 778,
\cite . . .	630, 631, 642, 646	\copy	2489	785, 787, 799, 949,
\citeA	636	\copyright	2182	953, 964, 970, 973,
\citealt	635	\copyrightpermissionfootnoterule		977, 980, 998, 999,
\citeANP	632	\copyrightyear . . .	18, 2090	1000, 1001, 1031,
\citeauthor	632	\country	12, 1562, 2492, 2767	1036, 1039, 1041,
\citen	630	\csname	356, 484, 486, 490, 497, 499,	1043, 1045, 1134,
\citename	643		503, 532, 552, 553,	1135, 1136, 1138,
\citetNN	633		567, 581, 1512,	1139, 1140, 1142,
\citenP	635		1519, 1572, 1575,	1143, 1144, 1146,
\citetep	631		1800, 1801, 1803,	1147, 1148, 1150,
\citetstyle . . .	26, 354, 374		1804, 1805, 1806,	1151, 1152, 1154,
\citeyear	634		1807, 1810, 1812,	1155, 1156, 1158,
\citeyearNP	634		2247, 2249, 3157, 3180	1159, 1160, 1161,
\citeyearpar . . .	633, 646	\CurrentOption		1163, 1164, 1165,
\city . . .	12, 1559, 2492, 2764		148, 149,	1167, 1168, 1169,
\ClassError	35, 425, 449, 1448, 1551, 1687, 1697, 1703, 1717, 1768, 2605, 2816, 3492		150, 151, 152, 158, 159	1171, 1173, 1174,
\ClassInfo . . .	161, 263, 1446, 1694, 1696, 1700, 1702, 1714, 1716, 1719, 1930, 1934	\day	2931	1178, 1179, 1180,
\ClassWarning . . .	26, 172, 178, 184, 835, 838, 841, 887, 890, 960, 1496, 1565, 1632, 1676, 1720, 1937, 2789, 3482, 3485	\DeclareNewFootnote	782, 784	1182, 1183, 1184,
\ClassWarningNoline 878, 1682, 1706, 1821, 2599, 2602, 2775	\DeclareOptionX	38, 148, 149, 150, 151, 152, 154, 158, 159	1186, 1187, 1188,
\cleaders	2489	\DeclareRobustCommand	636, 3176	1190, 1191, 1192,
\clearpage	2345	\DeclareTextFontCommand	868	1193, 1195, 1196,
		\def	24, 38, 147, 153, 240, 242, 244, 246, 248, 250, 252, 254, 256, 258, 260, 291, 293, 295, 297, 299, 301, 303, 305, 307, 309,	1197, 1199, 1200,
				1201, 1203, 1204,
				1205, 1207, 1208,
				1209, 1210, 1212,
				1213, 1214, 1216,
				1217, 1218, 1222,
				1223, 1224, 1228,
				1229, 1230, 1232,
				1233, 1234, 1236,
				1237, 1238, 1242,
				1243, 1244, 1248,
				1249, 1250, 1254,
				1255, 1256, 1258,
				1259, 1260, 1262,
				1263, 1264, 1265,
				1267, 1268, 1269,
				1271, 1272, 1273,
				1275, 1276, 1277,
				1279, 1280, 1281,
				1283, 1284, 1285,

1287, 1288, 1289,
 1291, 1292, 1293,
 1295, 1296, 1297,
 1299, 1300, 1301,
 1303, 1304, 1305,
 1307, 1308, 1309,
 1311, 1312, 1313,
 1315, 1316, 1317,
 1319, 1320, 1321,
 1323, 1324, 1325,
 1327, 1328, 1329,
 1331, 1332, 1333,
 1335, 1336, 1337,
 1339, 1340, 1341,
 1343, 1344, 1345,
 1347, 1348, 1349,
 1351, 1352, 1353,
 1355, 1356, 1357,
 1359, 1360, 1361,
 1363, 1364, 1365,
 1367, 1368, 1369,
 1370, 1372, 1373,
 1374, 1375, 1377,
 1378, 1379, 1381,
 1382, 1383, 1385,
 1386, 1387, 1388,
 1390, 1391, 1392,
 1394, 1395, 1396,
 1398, 1399, 1400,
 1402, 1403, 1404,
 1406, 1407, 1408,
 1410, 1411, 1412,
 1414, 1415, 1416,
 1418, 1419, 1420,
 1422, 1423, 1424,
 1426, 1427, 1428,
 1430, 1431, 1432,
 1434, 1435, 1436,
 1438, 1439, 1440,
 1442, 1443, 1444,
 1450, 1453, 1454,
 1455, 1456, 1457,
 1477, 1479, 1480,
 1481, 1487, 1530,
 1552, 1553, 1554,
 1555, 1556, 1557,
 1570, 1578, 1584,
 1585, 1593, 1594,
 1603, 1604, 1616,
 1618, 1620, 1622,
 1624, 1626, 1628,
 1632, 1634, 1636,
 1638, 1645, 1646,
 1674, 1676, 1678,
 1686, 1691, 1722,
 1734, 1735, 1770,
 1776, 1781, 1787,
 1788, 1797, 1798,
 1824, 1883, 1886,
 1887, 1889, 1927,
 1928, 1944, 2074,
 2090, 2092, 2094,
 2111, 2112, 2113,
 2117, 2130, 2135,
 2144, 2151, 2240,
 2270, 2302, 2332,
 2377, 2403, 2428,
 2453, 2466, 2476,
 2485, 2492, 2493,
 2495, 2496, 2498,
 2499, 2501, 2506,
 2507, 2511, 2512,
 2514, 2515, 2517,
 2545, 2546, 2550,
 2551, 2554, 2555,
 2557, 2558, 2560,
 2561, 2563, 2564,
 2566, 2567, 2569,
 2570, 2572, 2573,
 2575, 2576, 2578,
 2580, 2585, 2592,
 2597, 2609, 2610,
 2611, 2613, 2620,
 2621, 2622, 2648,
 2649, 2656, 2678,
 2684, 2691, 2709,
 2725, 2731, 2736,
 2753, 2759, 2760,
 2761, 2763, 2764,
 2765, 2767, 2768,
 2769, 2770, 2778,
 2779, 2780, 2781,
 2783, 2793, 2803,
 2810, 2813, 2814,
 2815, 2816, 2819,
 2823, 2845, 2852,
 2853, 2854, 2855,
 2861, 2871, 2882,
 2889, 2936, 2941,
 2947, 3155, 3159,
 3161, 3163, 3173,
 3177, 3184, 3210,
 3214, 3215, 3216,
 3217, 3223, 3224,
 3226, 3227, 3229,
 3230, 3232, 3233,
 3235, 3236, 3237,
 3238, 3239, 3242,
 3243, 3246, 3247,
 3249, 3250, 3253,
 3254, 3259, 3260,
 3261, 3262, 3271,
 3272, 3273, 3274,
 3291, 3292, 3293,
 3294, 3303, 3304,
 3305, 3306, 3352,
 3353, 3362, 3363,
 3441, 3443, 3459,
 3460, 3461, 3465, 3472
`\define@boolkey`
 51, 59, 67, 75,
 84, 92, 104, 108,
 112, 120, 128, 136,
 1550, 1692, 1698, 1712
`\define@choicekey`
 32, 1057, 1753, 1831
`\define@cmdkey` 1718
`\definecolor`
 656, 657, 658,
 659, 660, 661, 662, 663
`\department`
 12, 1556, 2492, 2766
`\Description` 23, 876
`\description` 1048
`\descriptionlabel`
 1047, 1050
`\detokenize` 1496
`\dimexpr` 968, 987,
 2280, 3049, 3058, 3143
`\divide` 2660, 2666, 2668,
 2670, 2672, 2713, 2719
`\do` 290, 616
`\do@url@hyp` 616
`\DocInput` 20
`\documentclass` 8, 430, 432
`\dp` 2339, 2347

E

`\edef` 148, 149,
 150, 151, 152, 470, 2075
`\editor` 10, 1481
`\egroup` 452,
 797, 951, 962, 966,
 978, 984, 1563,
 1583, 2226, 2232,
 2301, 2652, 2686,
 2689, 2752, 2772,
 2784, 2802, 2823, 2844
`\else` 54, 62, 70, 79,
 87, 99, 115, 123,
 131, 141, 198, 234,
 336, 357, 378, 385,

390, 401, 409, 417,
 463, 470, 473, 485,
 489, 493, 498, 502,
 514, 526, 541, 624,
 640, 646, 648, 671,
 673, 790, 854, 859,
 885, 888, 918, 958,
 1441, 1469, 1473,
 1483, 1499, 1506,
 1509, 1515, 1516,
 1526, 1529, 1534,
 1537, 1540, 1547,
 1567, 1590, 1599,
 1605, 1613, 1653,
 1666, 1680, 1695,
 1701, 1704, 1715,
 1726, 1729, 1739,
 1742, 1745, 1750,
 1784, 1809, 1814,
 1815, 1816, 1819,
 1932, 1936, 2099,
 2105, 2131, 2142,
 2146, 2147, 2148,
 2160, 2161, 2169,
 2172, 2173, 2176,
 2183, 2188, 2195,
 2200, 2203, 2204,
 2208, 2209, 2210,
 2221, 2224, 2229,
 2230, 2234, 2277,
 2289, 2292, 2295,
 2298, 2335, 2462,
 2471, 2480, 2486,
 2487, 2502, 2504,
 2505, 2506, 2508,
 2510, 2511, 2514,
 2581, 2598, 2601,
 2604, 2616, 2622,
 2629, 2650, 2661,
 2671, 2680, 2687,
 2696, 2714, 2718,
 2727, 2733, 2741,
 2755, 2757, 2773,
 2782, 2787, 2794,
 2798, 2806, 2813,
 2819, 2824, 2825,
 2834, 2836, 2843,
 2928, 2939, 2940,
 2950, 2961, 2969,
 2979, 2990, 2995,
 3000, 3007, 3010,
 3012, 3014, 3024,
 3031, 3034, 3036,
 3038, 3066, 3067,
 3083, 3087, 3097,
 3107, 3112, 3119,
 3124, 3132, 3135,
 3151, 3152, 3160,
 3184, 3443, 3448,
 3455, 3464, 3468, 3491
`\email` 10, 1564,
 2620, 2684, 2731, 2770
`\emph` 2194, 2196
`\empty` 2948
`\EnableCrossrefs` 18
`\end` 21, 2887, 2917
`\end@ACM@color@frame` 2265
`\enddblfloat` 976
`\endfloat` 978
`\endcsname` 355, 356, 484,
 486, 490, 497, 499,
 503, 532, 552, 553,
 567, 581, 1512,
 1519, 1573, 1576,
 1800, 1801, 1803,
 1804, 1805, 1806,
 1807, 1810, 1812,
 2247, 2249, 3157, 3180
`\enddescription` 1054
`\endgroup` 483, 522,
 540, 555, 2217,
 2543, 3159, 3161, 3439
`\endlist` 1052, 1054
`\endMakeFramed` 1780
`\endminipage` 787
`\endtrivlist` 3376
`\enspace` 3254
 environments:
 `abstract` 18
 `acks` 25
 `anonsuppress` 24
 `CCSXML` 16
 `marginfigure` 35
 `margintable` 35
 `printonly` 24
 `screenonly` 24
 `sidebar` 35
 `teaserfigure` 18
 `translatedabstract`
 21
`\everypar` 462,
 517, 528, 2797, 2805
`\excludecomment` 1792,
 3447, 3449, 3453, 3454
`\ExecuteOptionsX`
 50, 58, 66, 74,
 83, 91, 103, 107,
 111, 119, 127, 135, 145
`\expandafter` 335, 337,
 649, 798, 1510,
 1511, 1517, 1518,
 1572, 1575, 1800,
 1801, 1803, 1804,
 1810, 1812, 3157, 3180
F
`\familydefault` 870
`\fancyfoot`
 2962, 2970, 2980,
 2992, 2996, 3001,
 3025, 3052, 3063,
 3064, 3082, 3084,
 3088, 3098, 3109,
 3113, 3122, 3127,
 3131, 3136, 3148, 3149
`\fancyhead` 2957, 2958,
 2959, 2960, 2965,
 2966, 2967, 2968,
 2974, 2976, 2977,
 2984, 2986, 2987,
 2988, 3002, 3003,
 3005, 3006, 3009,
 3011, 3015, 3018,
 3026, 3027, 3029,
 3030, 3033, 3035,
 3039, 3042, 3057,
 3062, 3080, 3081,
 3092, 3093, 3094,
 3095, 3102, 3103,
 3104, 3105, 3117,
 3118, 3120, 3121,
 3125, 3126, 3142, 3147
`\fancyheadoffset`
 3049, 3056, 3141
`\fancyhf` 2944, 3074
`\fancypagestyle` 2943, 3073
`\fi` 56, 64, 72, 81,
 89, 101, 117, 125,
 133, 143, 156, 176,
 182, 195, 200, 230,
 236, 261, 262, 274,
 279, 292, 294, 296,
 298, 300, 302, 304,
 306, 308, 310, 312,
 314, 316, 318, 320,
 322, 324, 326, 328,
 330, 332, 334, 339,
 341, 343, 345, 347,
 349, 350, 359, 361,
 375, 380, 383, 392,
 396, 403, 411, 419,
 422, 435, 450, 454,

460, 465, 470, 476,
 487, 491, 500, 504,
 506, 529, 530, 543,
 554, 573, 613, 617,
 626, 644, 646, 650,
 653, 680, 681, 682,
 760, 776, 794, 820,
 832, 863, 864, 865,
 871, 878, 887, 890,
 944, 945, 961, 975,
 979, 1006, 1445,
 1465, 1470, 1471,
 1476, 1486, 1502,
 1507, 1514, 1521,
 1522, 1527, 1528,
 1536, 1542, 1543,
 1544, 1549, 1569,
 1592, 1602, 1609,
 1615, 1631, 1659,
 1672, 1684, 1688,
 1697, 1703, 1711,
 1717, 1731, 1732,
 1741, 1747, 1748,
 1752, 1766, 1773,
 1786, 1808, 1816,
 1817, 1823, 1844,
 1847, 1850, 1855,
 1858, 1861, 1864,
 1867, 1870, 1873,
 1876, 1879, 1882,
 1926, 1942, 1943,
 2089, 2101, 2107,
 2110, 2121, 2122,
 2131, 2133, 2145,
 2152, 2153, 2154,
 2155, 2159, 2167,
 2170, 2171, 2178,
 2179, 2180, 2185,
 2197, 2202, 2209,
 2210, 2211, 2212,
 2213, 2214, 2215,
 2216, 2218, 2222,
 2227, 2228, 2233,
 2236, 2237, 2256,
 2267, 2287, 2288,
 2291, 2294, 2297,
 2298, 2328, 2337,
 2349, 2375, 2401,
 2427, 2452, 2456,
 2464, 2473, 2482,
 2490, 2503, 2504,
 2506, 2508, 2510,
 2511, 2514, 2516,
 2542, 2577, 2584,
 2600, 2603, 2607,
 2618, 2634, 2635,
 2639, 2650, 2673,
 2674, 2682, 2690,
 2701, 2720, 2721,
 2729, 2735, 2746,
 2755, 2757, 2777,
 2790, 2792, 2800,
 2802, 2808, 2813,
 2820, 2824, 2838,
 2841, 2842, 2843,
 2881, 2888, 2914,
 2918, 2930, 2935,
 2939, 2940, 2949,
 2951, 2952, 2957,
 2958, 2963, 2972,
 2982, 2998, 2999,
 3001, 3010, 3012,
 3021, 3022, 3023,
 3025, 3034, 3036,
 3045, 3046, 3047,
 3050, 3053, 3066,
 3067, 3068, 3082,
 3085, 3091, 3101,
 3115, 3116, 3122,
 3123, 3127, 3128,
 3134, 3137, 3138,
 3151, 3152, 3153,
 3171, 3182, 3184,
 3252, 3257, 3279,
 3311, 3349, 3368,
 3399, 3400, 3425,
 3426, 3432, 3443,
 3451, 3457, 3460,
 3470, 3471, 3472, 3494
 \firstpagestyle
 \floatname
 \flushbottom 806, 808,
 810, 812, 814, 817, 819
 \footnote
 \footnotemark 596, 1586,
 1595, 2779, 2780, 2814
 \footnoterule
 \footnotesep
 \footnotesize
 2927, 2941, 2962,
 2970, 2980, 2992,
 2996, 3001, 3009,
 3015, 3025, 3064,
 3084, 3088, 3098,
 3109, 3113, 3122,
 3127, 3133, 3149, 3479
 \footnotetext . . 1589,
 1591, 1598, 1601, 1608
 \footnotetextauthorsaddresses

 \footnotetextcopyrightpermission

 \footrulewidth
 2946, 3055, 3076, 3140
 \foreignlanguage 438, 441
 \format
 32
 \FrameCommand
 \FrameRestore
 \FrameSep
 \frenchspacing
 \fulltextwidth

 967, 971, 987

G

\g@addto@macro
 157, 438, 441, 444,
 452, 1485, 1517,
 1520, 1535, 1541,
 1548, 1568, 1586,
 1588, 1591, 1595,
 1597, 1600, 1606,
 1607, 1612, 1614,
 1654, 1667, 1740,
 1746, 1785, 1805,
 1812, 2094, 2098,
 2100, 2111, 2114,
 2617, 2630, 2681,
 2688, 2697, 2728,
 2734, 2742, 2779, 2780
 \gdef
 156, 1459,
 1460, 1461, 1462,
 1464, 1477, 1482,
 1484, 1505, 1508,
 1510, 1513, 1525,
 1533, 1539, 1572,
 1575, 1649, 1662,
 1689, 1721, 1738,
 1744, 1783, 1788,
 1801, 1803, 1804,
 1810, 2334, 2615,
 2619, 2624, 2654,
 2655, 2676, 2677,
 2679, 2683, 2685,
 2692, 2723, 2724,
 2726, 2730, 2732,
 2737, 2762, 2763, 2768
 \geometry
 686, 689,
 696, 703, 710, 717,
 724, 731, 738, 747, 754
 \getrefnumber
 1681,
 1705, 1820, 2277, 2813

\global
516, 519, 555, 575,
876, 886, 889, 959,
986, 1451, 1452,
1466, 1498, 1500,
1501, 1546, 2252,
2253, 2257, 2259,
2273, 2286, 2496,
2498, 2503, 2507,
2512, 2515, 2593,
2594, 2595, 2612,
2636, 2640, 2650,
2702, 2705, 2747,
2785, 2788, 2876,
2880, 3380, 3404,
3406, 3408, 3420, 3424
\grantnum 25, 3442
\grantsponsor 25, 3441
H
\hbox . 586, 2130, 2135, 2488
\headrulewidth 2945, 3075
\height
1651, 1657, 1664, 1670
\hfill 2478, 2879
\href . 1574, 1577, 1652,
1658, 1665, 1671,
2076, 2077, 3463, 3467
\hrule 779, 786, 2478
\hsize . 578, 1778, 2129,
2272, 2275, 2453,
2455, 2457, 2466,
2468, 2476, 2518,
2638, 2648, 2704, 2749
\hskip 481, 495, 525,
538, 542, 2489, 3373
\hspace 1655,
1668, 1776, 1955,
1966, 1975, 1982,
1989, 2003, 2015,
2023, 2037, 2045,
2052, 2059, 2653, 2707
\ht 2338, 2346
\Huge . 2412, 2414, 2416,
2418, 2420, 2422, 2424
\hypersetup
. 619, 625, 627, 2241
\hyphenpenalty 3478
I
\if 336
\if@ACM@acmcip 169, 276,
1771, 2146, 2161,
2229, 2263, 2454,
2637, 3054, 3139, 3255
\if@ACM@acmthm . 67, 3325 \if@ACM@pbalance 108, 3379
\if@ACM@affiliation@obeypunkt 169, 276 \if@ACM@printacmref
. 1550, 1698, 2254
2487, 2504, 2506, \if@ACM@printccs
2508, 2509, 2511, 2514 1692, 2223
\if@ACM@anonymous
. 120, 1504, \if@ACM@printfolios
1516, 1523, 1547, 1712, 2949, 2951,
1567, 1587, 1596, 2957, 2958, 3001,
1605, 2097, 2103, 3025, 3082, 3122, 3127
2119, 2148, 2937, 3452 \if@ACM@review
. 75, 2866, 2883, 2890
\if@ACM@authordraft \if@ACM@screen 51, 618, 3445
. 136, 664, 2163 \if@ACM@sigchiamode
\if@ACM@authorversion 166, 562,
. 84, 2169, 2189 672, 869, 969, 976,
\if@ACM@badge 2131, 2133, 2650, 3048
\if@ACM@balance 128, 2919, 3051, 3129
\if@ACM@citypresent \if@ACM@timestamp
. 2588, 2601 59, 615
\if@ACM@countrypresent \if@acmowned 1829
. 2590, 2604 \if@Description@present
\if@ACM@engage 872,
. 167, 381, 394, 1933,
2174, 2218, 3008, 3032 885, 888, 958, 2787
\if@ACM@instp present \if@files w 551, 651
. 2586, 2598 \if@insideauthorgroup
\if@ACM@journal 1493, 1499
. 163, 231, 376, \if@nobreak 461
388, 399, 407, 415, \if@noskipsec 454, 518
914, 1473, 1727, \if@printcopyright
2494, 2773, 2796, 2804 1825, 2181
\if@ACM@journal@bibstrip \if@printpermission
. 164, 2173, 2193, 1827, 2170
2205, 2830, 2991, 3108 \if@twocolumn 3430, 3472
\if@ACM@journal@bibstrip@or@tog 874, 877
. 165, 2149, 2954, 3077 \if@undescribed@images
\if@ACM@maketitle@typeset 1571
. 448, 1055, 1686 \if@BeginWith
\if@ACM@manuscript 599, 684, 763, 801,
. 162, 921, 990, 1132,
271, 1724, 2172, 2186 1628, 1755, 1890,
\if@ACM@natbib 1945, 2305, 2352,
. 112 2378, 2404, 2429,
. 112 2519, 2547, 2662,
\if@ACM@natbib@override 2715, 2891, 2955,
. 112 3078, 3219, 3263,
\if@ACM@newfonts 3295, 3354, 3381, 3402
\if@ACM@nonacm 355
92, 673, \if@csname
1680, 1704, 1819,
1929, 2156, 2204, 2283, 2340, 2348, 2878
2773, 2825, 2961, \IfEq 2073, 2079,
2969, 2979, 2990, 2080, 2081, 2082,
3004, 3028, 3083, 2083, 2084, 2085, 2086
3087, 3097, 3107, 3132 \IfFileExists 835, 838, 841

```

\IfInteger ..... 1719 \ignorespaces .....
\ifluatex ..... 855 ... 531, 571, 584,
\ifNAT@numbers .... 646 876, 1554, 1555,
\ifnum ..... 171, 177, 1557, 1570, 2492,
183, 196, 470, 471, 2493, 2495, 2497,
485, 489, 498, 502, 2498, 2499, 2500,
1681, 1705, 1814, 2504, 2761, 2801,
1815, 1816, 1820, 2809, 2815, 2823, 3374
1840, 1845, 1848, \immediate .... 553, 652
1851, 1856, 1859, \includecomment ....
1862, 1865, 1868, ... 3446, 3450, 3456
1871, 1874, 1877, \includegraphics ...
1880, 2121, 2157, .... 1652, 1658,
2277, 2659, 2712, 1665, 1671, 2076, 2275
2754, 2756, 2813, 3130 \indent .... 3353
\ifPDFTeX ..... 821 \input .... 822
\IfSubStr .... 1496, 1565 \InputIfFileExists .. 25
\ifvmode ..... 2486 \institution .....
\ifvoid ..... 790 . 12, 1555, 2492, 2763
\ifx . 155, 237, 291, 293, \interfootnotelinepenalty
295, 297, 299, 301, .... 565
303, 305, 307, 309, \interlinepenalty ..
311, 313, 315, 317, .... 482, 539, 565
319, 321, 323, 325, \item .... 3373, 3475
327, 329, 331, 333, \itshape .....
338, 340, 342, 344, 2175, 2177, 3216,
346, 348, 384, 424, 3217, 3238, 3239,
648, 1463, 1467, 3259, 3271, 3293, 3362
1469, 1481, 1503,
1506, 1524, 1526, J
1531, 1532, 1538, \jobname .... 550, 553
1611, 1648, 1661, K
1680, 1736, 1737, \kern 778, 779, 785, 786, 2478
1743, 1750, 1782, \keywords .... 15, 1678
1800, 1809, 1819, \keywordsname .....
2108, 2142, 2147, 377, 379, 389, 391,
2198, 2209, 2210, 400, 402, 408, 410,
2221, 2224, 2230, 416, 418, 1582, 2231
2234, 2289, 2292, L
2295, 2298, 2333, \l@section .... 558
2462, 2471, 2480, \l@subsection .. 558, 559
2502, 2581, 2614, \l@subsubsection ... 560
2622, 2623, 2678, \labelenumi .... 998
2684, 2691, 2725, \labelenumii .... 999
2731, 2736, 2774, \labelenumiii .... 1000
2782, 2794, 2819, \labelenumiv .... 1001
2824, 2836, 2843, \labelsep .....
2928, 2939, 2948, 1009, 1017, 1022,
3010, 3012, 3034, 1032, 1037, 1040,
3036, 3066, 3067, 1042, 1044, 1046, 3373
3151, 3152, 3157, \labelwidth .....
3180, 3184, 3443, 1032, 1037, 1040,
3460, 3462, 3466, 3491 1042, 1044, 1046, 1049
\ifxetex ..... 850 \LARGE 2406, 2408, 2410,
2426, 2437, 2439,
2441, 2443, 2445,
2449, 2554, 2557, 2572
\Large .... 2545, 2563,
3229, 3230, 3232,
3233, 3235, 3249, 3250
\large 2164, 2550, 2555,
2558, 2573, 2575,
3223, 3224, 3226, 3227
\lastbox .. 520, 2797, 2805
\leaders ..... 2478
\leavevmode 454, 2478, 2706
\leftmargin 1031, 1036,
1039, 1041, 1043, 1045
\leftmargini 1015, 1016,
1017, 1018, 1031, 1032
\leftmarginii .....
1021, 1022,
1023, 1024, 1036, 1037
\leftmarginiii .....
1024, 1025, 1039, 1040
\leftmarginiv .....
1025, 1026, 1041, 1042
\leftmarginv .....
1026, 1027, 1043, 1044
\leftmarginvi .....
... 1027, 1045, 1046
\leftskip . 2477, 2750, 3212
\let ..... 312, 314,
326, 328, 330, 356,
472, 587, 588, 630,
631, 632, 633, 634,
635, 638, 642, 800,
866, 880, 881, 883,
884, 891, 892, 893,
894, 895, 896, 897,
898, 899, 900, 901,
902, 903, 904, 905,
906, 907, 908, 909,
910, 949, 950, 954,
955, 964, 965, 970,
971, 972, 1035,
1050, 1054, 1558,
1559, 1560, 1561,
1562, 1673, 1679,
1790, 1793, 2109,
2124, 2125, 2126,
2127, 2139, 2140,
2141, 2144, 2151,
2238, 2252, 2253,
2303, 2304, 2329,
2330, 2513, 2612,
2636, 2702, 2708,

```

2747, 2752, 2811,
 2812, 2846, 2847,
 2849, 2850, 2858,
 2859, 2860, 2862,
 2863, 2864, 3162,
 3164, 3166, 3167,
 3169, 3175, 3178,
 3181, 3475, 3480,
 3481, 3488, 3489, 3490
`\libertineLF` 868
`\lineskip` 2707, 2751
`\linespacing` 548, 549
`\liningnums` 866
`\list` 1048
`\listisep` . 1029, 1030, 1034
`\listparindent` 1033
`\LoadClass` 264
`\long` 448, 563, 574, 949,
 953, 964, 1686,
 1689, 1691, 2094, 2852
`\loop` 2341, 2875
`\LTX@adddodatafter` ...
 3181, 3184

M

`\makeatletter` 545
`\makebox` 2164,
 3057, 3062, 3142, 3147
`\MakeFramed` 1778
`\makelabel` 1050
`\MakeTextUppercase` .
 2615, 2617, 3214,
 3223, 3226, 3229,
 3232, 3242, 3246, 3249
`\maketitle` 19, 2117
`\MakeUppercase` 3168
`\marginfigure` 952
`\marginfigure`(env.) 35
`\marginpar` 563, 951, 957, 966
`\marginparsep` .. 968, 3049
`\marginparwidth` . 968, 3049
`\marginable` 963
`\marginable`(env.) 35
`\mathchardef` .. 2686, 2689
`\mbox` 334
`\mdseries` .. 2431, 2433,
 2435, 2439, 2441,
 2443, 2445, 2447,
 2449, 2451, 2567, 2570
`\medskip` .. 2307, 2309,
 2311, 2313, 2640,
 2642, 2706, 2791, 2821
`\MessageBreak`
 173, 179, 185, 186,

N

`\NAT@@setcites` 352
`\NAT@aysep` 343
`\NAT@citetp` 638
`\NAT@close`
 292, 294, 296, 298, 341
`\NAT@cmptrs` .. 320, 322, 324
`\NAT@cmt` 347
`\NAT@ctype` 638
`\NAT@find@eq` 335
`\NAT@fullfalse` 638
`\NAT@longnamestrue` . 332
`\NAT@merge` .. 326, 328, 330
`\NAT@nmfmt` 334
`\NAT@numbersfalse` .. 306
`\NAT@numberstrue` 308, 310
`\NAT@open` 292,
 294, 296, 298, 339, 638
`\NAT@partrue` 638
`\NAT@rem@eq` 337
`\NAT@sep` 300, 302, 304, 349
`\NAT@sort` ... 316, 318, 324
`\NAT@superfalse` 308
`\NAT@supertrue` 310
`\NAT@swafalse` 637
`\NAT@up` 334
`\NAT@yrsep` 345
`\NeedsTeXFormat` 1
`\newblock` 639
`\newbox`
 2116, 2269, 2484, 2644
`\newcommand` . 362, 368,
 423, 437, 440, 443,
 645, 876, 1458,
 1545, 1580, 1610,
 1647, 1660, 1735,

187, 188, 189, 190,
 191, 192, 193, 426,
 427, 428, 429, 431,
 433, 1707, 1708,
 1709, 1768, 1938, 1939
`\metadata@authors` ...
 2238, 2239, 2242
`\mktitle@bx` 2116, 2338,
 2339, 2342, 2346,
 2347, 2354, 2356,
 2358, 2360, 2362,
 2364, 2366, 2368,
 2370, 2372, 2374,
 2458, 2467, 2477,
 2640, 2705, 2706, 2785
`\month` 1627, 2931
`\moveleft` 986

`\newcount` . 1489, 1491, 2869
`\newcounter` 1794, 2922, 2924
`\newdimen`
 280, 967, 1007, 2645
`\newenvironment` .. 446,
 952, 963, 1775, 2093
`\newfloat` 946
`\newif` 162, 163, 164, 165,
 166, 167, 169, 833,
 872, 874, 1055,
 1493, 1825, 1827,
 1829, 2586, 2588, 2590
`\newlength`
 1640, 1642, 1643, 2868
`\newsavebox` 2867
`\newskip` 1029, 2646
`\newtheorem`
 3328, 3331, 3334,
 3337, 3340, 3344, 3347
`\newtheoremstyle` ...
 3280, 3312
`\newwrite` 552
`\next` 3159, 3161, 3171
`\nobreak` 511, 2821
`\noindent` .. 561, 1583,
 1751, 2141, 2226,
 2232, 2307, 2309,
 2311, 2313, 2344,
 2351, 2458, 2460,
 2463, 2472, 2478,
 2479, 2481, 2579,
 2640, 2641, 2705,
 2751, 2785, 2786,
 2821, 2822, 2855, 3363
`\noindentparagraph` .
 2319, 3201
`\nolinkurl` 2686,
 2689, 2732, 2734, 2770
`\normalbaselines` ... 2649
`\normalcolor` 792
`\normalfont` 586,
 1751, 2135, 2546,
 2551, 2560, 2561,
 2563, 2564, 2576,
 2872, 3274, 3291,
 3303, 3306, 3371, 3495
`\normalparindent` ... 777
`\normalsize`
 2428, 2546, 2560,
 2561, 2564, 2873, 3495

\num@authorgroups	1489,	1371, 1376, 1380,	3276, 3277, 3278,	
1500, 2121, 2662,		1384, 1389, 1393,	3297, 3298, 3299,	
2666, 2668, 2715, 2756		1397, 1401, 1405,	3300, 3301, 3302,	
\num@authors	1491, 1498, 1512,	1409, 1413, 1417,	3307, 3308, 3309,	
1519, 1573, 1576, 2754		1421, 1425, 1429,	3310, 3356, 3357,	
\number	470	1433, 1437, 1628,	3358, 3359, 3360,	
\numberline	490, 503	1629, 1630, 1758,	3361, 3364, 3365,	
\numexpr	2921, 2923, 2925	1760, 1762, 1764,	3366, 3367, 3383,	
\nxandlist	2239	1891, 1893, 1896,	3384, 3385, 3387,	
O		1898, 1899, 1901,	3389, 3391, 3393,	
\onehalfspacing	273	1903, 1905, 1908,	3395, 3396, 3398,	
\openout	553	1910, 1913, 1915,	3405, 3407, 3409,	
\or	205, 207,	1918, 1921, 1924,	3411, 3413, 3415,	
209, 212, 214, 216,		1946, 1957, 1968,	3417, 3419, 3421, 3423	
218, 220, 223, 226,		1976, 1983, 1990,		
241, 243, 245, 247,		2004, 2016, 2024,		
249, 251, 253, 255,		2038, 2046, 2053,		
257, 259, 601, 602,		2060, 2065, 2071,		
603, 604, 605, 606,		2308, 2310, 2312,		
608, 609, 611, 612,		2314, 2316, 2318,		
688, 695, 702, 709,		2320, 2322, 2324,		
716, 723, 730, 737,		2326, 2355, 2357,		
746, 753, 765, 766,		2359, 2361, 2363,		
767, 769, 770, 771,		2365, 2367, 2369,		
772, 773, 774, 775,		2371, 2373, 2381,		
803, 804, 805, 807,		2383, 2385, 2387,		
809, 811, 813, 815,		2389, 2391, 2393,		
816, 818, 923, 924,		2395, 2397, 2399,		
925, 926, 927, 929,		2407, 2409, 2411,		
932, 937, 942, 943,		2413, 2415, 2417,		
992, 993, 994, 995,		2419, 2421, 2423,		
996, 997, 1002,		2425, 2432, 2434,		
1003, 1004, 1005,		2436, 2438, 2440,		
1137, 1141, 1145,		2442, 2444, 2446,		
1149, 1153, 1157,		2448, 2450, 2522,		
1162, 1166, 1170,		2524, 2526, 2528,		
1177, 1181, 1185,		2530, 2532, 2534,		
1189, 1194, 1198,		2536, 2538, 2540,		
1202, 1206, 1211,		2549, 2552, 2553,		
1215, 1221, 1227,		2556, 2559, 2562,		
1231, 1235, 1241,		2565, 2568, 2571,		
1247, 1253, 1257,		2574, 2664, 2665,		
1261, 1266, 1270,		2667, 2669, 2717,		
1274, 1278, 1282,		2894, 2896, 2898,		
1286, 1290, 1294,		2900, 2902, 2904,		
1298, 1302, 1306,		2906, 2908, 2910,		
1310, 1314, 1318,		2912, 2964, 2973,		
1322, 1326, 1330,		2983, 3086, 3096,		
1334, 1338, 1342,		3106, 3221, 3222,		
1346, 1350, 1354,		3225, 3228, 3231,		
1358, 1362, 1366,		3234, 3240, 3244,		
		3248, 3251, 3265,		
		3266, 3267, 3268,		
		3269, 3270, 3275,		
P				
\p@	556, 761,			
768, 778, 779, 785,				
786, 3055, 3140,				
3186, 3190, 3194,				
3195, 3198, 3199,				
3202, 3203, 3207,				
3208, 3371, 3473, 3476				
\PackageError	56, 64, 72,			
81, 89, 101, 105,				
109, 117, 125, 133, 143				
\PackageInfo	53,			
55, 61, 63, 69, 71,				
77, 80, 86, 88, 94,				
100, 114, 116, 122,				
124, 130, 132, 138,				
142, 1176, 1220,				
1226, 1240, 1246, 1252				
\PageIndex	15			
\pageref	2933			
\pagestyle	3070			
\par	438,			
441, 455, 511, 547,				
788, 981, 1583,				
1751, 2144, 2151,				
2170, 2175, 2177,				
2226, 2232, 2275,				
2290, 2293, 2296,				
2307, 2309, 2311,				
2313, 2354, 2356,				
2358, 2370, 2374,				
2463, 2465, 2472,				
2475, 2478, 2481,				
2483, 2506, 2508,				
2510, 2511, 2579,				
2583, 2640, 2642,				
2649, 2651, 2679,				

	R	
2681, 2688, 2697,	\raggedright	\renewcommand 284, 288, 289, 292, 294, 296,
2706, 2708, 2726,	2459, 2477, 2750, 3477	298, 300, 302, 304,
2728, 2734, 2742,	\raisebox	354, 377, 379, 382,
2750, 2752, 2783,	1651, 1657, 1664,	389, 391, 393, 395,
2784, 2785, 2787,	1670, 2164, 3058, 3143	400, 402, 404, 408,
2801, 2821, 2844,	\real@adddotafter . .	410, 412, 416, 418,
2848, 2852, 2855, 3369 3166, 3169	420, 870, 1047,
\paragraph	\realSectionformat . .	1495, 1564, 2095,
\parbox 3162, 3174, 3175	2128, 2766, 2945,
\parindent .. 761, 777,	\received	2946, 3055, 3075,
1016, 2144, 2151,	19, 1735	3076, 3140, 3185,
2168, 2274, 3197,	\RecordChanges	3189, 3193, 3197, 3206
3213, 3260, 3292, 3476	\ref 2833, 2840	\renewenvironment . .
\parskip .. 761, 2168, 3476	\refname 285, 286	948, 1048, 1685, 3369
\part 3206	\refstepcounter 474	\repeat 2348, 2878
\PassOptionsToClass	\relax 171,	\RequirePackage 29,
..... 158, 159	177, 183, 196, 203,	30, 31, 265, 266,
\pdfgentounicode ... 830	239, 281, 335, 336,	267, 268, 269,
\pdffglyptounicode .	424, 456, 475, 477,	270, 272, 275,
..... 823, 824,	481, 495, 509, 524,	277, 278, 283, 386,
825, 826, 827, 828, 829	534, 542, 553, 600,	589, 590, 654, 655,
\pdfstringdefDisableCommands	685, 764, 800, 802,	665, 674, 683, 780,
..... 591	922, 991, 1133,	831, 845, 851, 852,
\phantomsection	1467, 1490, 1492,	856, 857, 860, 861,
.... 286, 2795, 3437	1498, 1500, 1610,	862, 912, 1791,
\popQED 3376	1611, 1681, 1705,	2857, 3386, 3388,
\position ... 12, 1554,	1756, 1779, 1800,	3390, 3392, 3394,
1558, 1559, 1560,	1809, 1819, 1820,	3397, 3410, 3412,
1561, 1562, 2492, 2761	1840, 1845, 1848,	3414, 3416, 3418, 3422
\postcode	1851, 1856, 1859,	\reset@font 564, 577
. 12, 1561, 2492, 2760	1862, 1865, 1868,	\reversemarginpar 745
\printonly (env.)	1871, 1874, 1877,	\rightarrowarrow 1797
\ProcessOptionsX ... 160	1880, 1890, 1945,	\rights skip 3211
\proof 3369	2139, 2140, 2157,	\rotatebox 3059, 3144
\proofname 3369	2282, 2283, 2286,	\rule 571, 584
\protect 490, 503	2306, 2353, 2379,	
\protected@edef	2405, 2430, 2520,	
..... 475, 566, 580	2548, 2647, 2657,	S
\protected@write ... 2285	2658, 2659, 2660,	\savebox 2872
\providecommand	2663, 2666, 2668,	screenonly (env.) 24
..... 639, 643, 3258	2670, 2672, 2675,	\scriptsize 2276, 2875, 2879
\ProvidesClass 5	2707, 2710, 2711,	\scshape 3261, 3352
\ProvidesFile 3	2712, 2713, 2716,	\section 285,
\ps@headings ... 2860, 2864	2719, 2722, 2754,	2315, 2317, 2321,
\ps@myheadings 2859, 2863	2756, 2779, 2813,	2323, 2325, 2327,
\ps@plain ... 2858, 2862	2870, 2892, 2893,	2799, 2807, 3185, 3436
\pushQED 3370	2895, 2897, 2913,	\section@raggedright
\put 2886, 2916	2923, 2925, 2928, 3210,
	2956, 3079, 3130,	3214, 3215, 3223,
Q	3157, 3180, 3184,	3224, 3226, 3227,
\qed 3370	3220, 3264, 3296,	3229, 3230, 3232,
\quad 532, 2975,	3355, 3371, 3382,	3233, 3235, 3236,
2978, 2985, 2989, 3131	3403, 3462, 3466, 3476	3237, 3242, 3243,
	\removelastskip 547	3246, 3247, 3249, 3250

```

\Sectionformat .... 19, 1524, 1525, 1532, 1533, 1535, 1538, 1539, 1541, 2251, 2253, 2940
\SelectFootnoteRule .... 781, 783
\selectlanguage 1581, 2803
\set@ACM@acmcbox ...
..... 2264, 2269
\setbox .... 520, 575, 986, 2273, 2342, 2458, 2467, 2477, 2488, 2640, 2650, 2705, 2785, 2797, 2805
\setcctype .... 16, 1885
\setcitestyle ...
... 26, 289, 363, 369
\setcopyright ... 16, 1883
\setcounter 2134, 2219, 2336, 2923, 2925, 3218, 3241, 3245, 3256
\setengagemetadata ...
..... 19, 2113
\setkeys . 38, 175, 181, 1450, 1722, 1770, 1883, 2625, 2626, 2631, 2632, 2693, 2694, 2698, 2699, 2738, 2739, 2743, 2744
\setlength 761, 762, 768, 777, 1009, 1010, 1015, 1021, 1024, 1025, 1026, 1027, 1641, 1644, 2274, 2874
\setmonofont ... 853, 858
\settopmatter ...
... 18, 98, 1710, 1722, 1723, 1725, 1728, 1730, 1733, 2829
\setTrue .... 546
\SetWatermarkColor ...
..... 667, 676
\SetWatermarkFontSize ...
..... 666, 675
\SetWatermarkText 668, 677
\sfdefault .... 870
\sffamily .. 2406, 2408, 2410, 2412, 2414, 2416, 2420, 2424, 2426, 2545, 2550, 2554, 2575, 2941, 3214, 3215, 3216, 3223, 3224, 3226, 3227, 3232, 3233, 3242, 3243, 3246, 3247
\shortauthors 19, 1524, 1525, 1532, 1533, 1535, 1538, 1539, 1541, 2251, 2253, 2940
\shortcite .... 642, 645
\shorttitle 2960, 2968, 2978, 2989, 3002, 3026
\showeprint .... 3458
\sidebar ...
... 946
\sidebar (env) ...
... 35
\skip ...
... 791
\small ...
... 564, 951, 958, 966, 1751, 2307, 2309, 2311, 2313, 2551, 2576, 2797, 2805, 2821, 3082
\smallskipamount ... 1030
\smash 1650, 1656, 1663, 1669
\space ...
... 499, 1497, 1566, 1710, 2247, 2514, 3066, 3151, 3443, 3482, 3485, 3493
\specialcomment ...
... 3434
\standardpagestyle . 2942
\startPage ...
... 15, 1674
\state . 12, 1560, 2492, 2765
\stepcounter 1589, 1591, 1598, 1601, 1608, 1799
\StrDel ...
... 2501
\streetaddress ...
... 12, 1558, 2492, 2759
\string . 426, 427, 430, 432, 652, 1497, 1566, 1632, 1676, 1710, 2286, 2817, 2818, 3482, 3485, 3493
\strut ...
... 3060, 3145
\strutbox ...
... 571, 584
\subsection ...
... 3189
\subsubsection ...
... 3193
\subtitle ...
... 10, 1487
\subtitlenote ...
... 14, 1594

```

T

```

\teaserfigure ...
... 2093
\teaserfigure (env) ...
... 18
\terms ...
... 15, 1676
\textbf ...
... 1802, 1814, 2855
\textbullet ...
... 594, 1801, 2975, 2978, 2985, 2989
\textheight ...
... 2340, 2342, 2348, 2878, 3058, 3143
\textit ...
... 1815, 2831, 2835, 2836, 2837

```

U

```

\unskip ...
... 523, 593, 789, 1557, 1563, 1570, 2489, 2492, 2493, 2495, 2497,

```

<p>2498, 2499, 2500, 2514, 2583, 2759, 2760, 2761, 2763, 2764, 2765, 2766, 2767, 2768, 2770, 2815, 2823, 2840, 2853 \unvbox . 576, 793, 798, 2344, 2640, 2706, 2785 \upshape 1047 \url . 1783, 1785, 1927, 3443 \UrlBreakPenalty 2686, 2689 \urlstyle ... 598, 607, 610 \usebox 2886, 2916 \usepackage 9, 10, 11, 12, 13, 14</p>	<p>\vbox 575, 986, 2273, 2458, 2467, 2477, 2640, 2705, 2785 \vskip 512, 547, 791, 799, 981 \vspace 2284, 3480 \vsplit 2342 \vtop 2650</p>	<p>Z</p> <p>\z@ 318, 322, 458, 478, 510, 520, 535, 548, 571, 584, 762, 799, 916, 920, 931, 1015, 1021, 1033, 2144, 2151, 2164, 2168, 2257, 2259, 2274, 2750, 2797, 2805, 2945, 2946, 3057, 3062, 3075, 3076, 3142, 3147, 3185, 3189, 3193, 3201, 3206, 3213, 3272, 3304, 3473, 3476 \z@skip 547, 981, 1038, 3212 \zposy 2280, 2281 \zrefused 2278, 2279 \zsaveposy 1779, 2299</p>
<p>V</p>	<p>W</p>	<p>X</p>
<p>\value 1816</p>	<p>\wd 988, 2489 \write 652</p>	<p>Y</p>
<p>\year 1625, 2931</p>		