

L^AT_EX Class for Association for Computing Machinery^{}*

Boris Veytsman[†]

2017/03/07, v1.32

Abstract

This package provides a class for typesetting publications of Association for Computing Machinery.

Contents

1	Introduction	3
2	User's guide	3
2.1	Installation	3
2.2	Invocation and options	5
2.3	Topmatter commands	7
2.4	Algorithms	16
2.5	Figures and tables	16
2.6	Theorems	18
2.7	Online-only and offline-only material	18
2.8	Note about anonymous mode	18
2.9	Acknowledgments	19
2.10	Bibliography	20
2.11	Colors	22
2.12	Other notable packages and typographic remarks	22
3	Implementation	24
3.1	Identification	24
3.2	Options	24
3.3	Setting switches	26
3.4	Loading base class and package	27
3.5	Paper size and paragraphing	34

^{*}©2016–2017, Association for Computing Machinery

[†]borisv@lk.net, boris@varphi.com

3.6	Fonts	37
3.7	Floats	38
3.8	Lists	40
3.9	Top matter data	40
3.10	Concepts system	51
3.11	Copyright system	52
3.12	Typesetting top matter	56
3.13	Headers and Footers	70
3.14	Sectioning	74
3.15	TOC Lists	75
3.16	Theorems	75
3.17	Acknowledgments	78
3.18	Conditional typesetting	78
3.19	Additional bibliography commands	79
3.20	End of Class	79

1 Introduction

Association for Computing Machinery is the world’s largest educational and scientific computing society, which delivers resources that advance computing as a science and a profession¹. It was one of the early adopters of \TeX for its typesetting.

It provided several different classes for a number of journal and conference proceedings. Unfortunately during the years since these classes were written, the code was patched many times, and the support of the different versions of the classes became difficult.

This package provides the uniform interface for all ACM publications. It is intended to replace all different classes and packages and provide an up to date \LaTeX package.

The package uses only free \TeX packages and fonts included in $\text{\TeX}Live$, $\text{MiK}\text{\TeX}$ and other popular \TeX distributions. It is intended to be published in these distributions itself, which minimizes users’ efforts in the installation and support of the package.

I am grateful to Matthew Fluet, John Owens, Craig Rodkin, Bernard Rous, David Shamma, Stephen Spencer and many others for their invaluable help.

The development version of the package is available at <https://github.com/borisveytsman/acmart>.

2 User’s guide

2.1 Installation

Most probably, you already have this package installed in your favorite \TeX distribution; if not, you may want to upgrade. You may need to upgrade it anyway since the package uses a number of relatively recent packages, especially the ones related to the fonts.

The latest released version of the package can be found on CTAN: <https://www.ctan.org/pkg/acmart>. The development version can be found on GitHub: <https://github.com/borisveytsman/acmart>. At this address you can file a bug report—or even contribute your own enhancement making a pull request.

If you decide to install the package yourself, follow the standard rules:

1. Run `latex` on `acmart.ins`. This will produce the file `acmart.cls`.
2. Put the file `acmart.cls` and the bibliography files `*.bst` to the places where \LaTeX can find them (see [1] or the documentation for your \TeX system).
3. Update the database of file names. Again, see [1] or the documentation for your \TeX system for the system-specific details.
4. The file `acmart.pdf` provides the documentation for the package (this is the file you are probably reading now).

As an alternative to items 2 and 3 you can just put the files in the working directory where your `.tex` file is.

¹<http://www.acm.org/>

The class uses a number of other packages. They are included in all major \TeX distributions ($\text{\TeX} \text{Live}$, Mac\TeX , Mik\TeX) of 2015 and later, so you probably have them installed. Just in case here is the list of these packages:

- *amscls*, <http://www.ctan.org/pkg/amscls>
- *amsfonts*, <http://www.ctan.org/pkg/amsfonts>
- *amsmath*, <http://www.ctan.org/pkg/amsmath>
- *binhex*, <http://www.ctan.org/pkg/binhex>
- *caption*, <http://www.ctan.org/pkg/caption>
- *comment*, <http://www.ctan.org/pkg/comment>
- *environ*, <http://www.ctan.org/pkg/environ>
- *fancyhdr*, <http://www.ctan.org/pkg/fancyhdr>
- *float*, <http://www.ctan.org/pkg/float>
- *fontaxes*, <http://www.ctan.org/pkg/fontaxes>
- *geometry*, <http://www.ctan.org/pkg/geometry>
- *graphics*, <http://www.ctan.org/pkg/graphics>
- *hyperref*, <http://www.ctan.org/pkg/hyperref>
- *ifluatex*, <http://www.ctan.org/pkg/ifluatex>
- *ifxetex*, <http://www.ctan.org/pkg/ifxetex>
- *inconsolata*, <http://www.ctan.org/pkg/inconsolata>
- *latex-tools*, <http://www.ctan.org/pkg/latex-tools>
- *libertine*, <http://www.ctan.org/pkg/libertine>
- *manyfoot*, <http://www.ctan.org/pkg/manyfoot>
- *microtype*, <http://www.ctan.org/pkg/microtype>
- *ms*, <http://www.ctan.org/pkg/ms>
- *mweights*, <http://www.ctan.org/pkg/mweights>
- *natbib*, <http://www.ctan.org/pkg/natbib>
- *nccfoots*, <http://www.ctan.org/pkg/nccfoots>
- *newtx*, <http://www.ctan.org/pkg/newtx>
- *oberdiek*, <http://www.ctan.org/pkg/oberdiek>

- *pdftex-def*, <http://www.ctan.org/pkg/pdftex-def>
- *setspace*, <http://www.ctan.org/pkg/setspace>
- *totpages*, <http://www.ctan.org/pkg/totpages>
- *trimspaces*, <http://www.ctan.org/pkg/trimspaces>
- *upquote*, <http://www.ctan.org/pkg/upquote>
- *url*, <http://www.ctan.org/pkg/url>
- *xcolor*, <http://www.ctan.org/pkg/xcolor>
- *xkeyval*, <http://www.ctan.org/pkg/xkeyval>

2.2 Invocation and options

To use the class put in the preamble of your document

```
\documentclass[<options>]{acmart}
```

There are several options corresponding to the type of the document and its general appearance. They are described below. Generally speaking, the options have key=value forms, for example

```
\documentclass[format=acmsmall, screen=true, review=false]{acmart}
```

The option *format* describes the format of the output. There are several possible values for this option, for example,

```
\documentclass[format=acmtog]{acmart}
```

Actually the words *format=* can be omitted, e.g.,

```
\documentclass[acmtog, review=false]{acmart}
```

The possible formats are listed in Table 1. Note that formats starting with *acm* are intended for journals and transactions, while formats starting with *sig* are intended for proceedings published as books.

There are several Boolean options which can take *true* or *false* values. They are listed in Table 2. The words *=true* can be omitted when setting the Boolean option, so instead of *screen=true* one can write just *screen*, for example,

```
\documentclass[acmsmall, screen, review]{acmart}
```

Table 1: The possible values for the `format` option

Value	Meaning
<code>manuscript</code>	A manuscript. This is the default
<code>acmsmall</code>	Small single column format, used for CIE, CSUR, JACM, JDIQ, JEA, JERIC, JETC, TAAS, TACCESS, TACO, TALG, TALLIP (formerly TALIP), TCPS, TEAC, TECS, TIIS, TISSEC, TIST, TKDD, TMIS, TOCE, TOCHI, TOCL, TOCS, TOCT, TODAES, TODS, TOIS, TOIT, TOMACS, TOMM (formerly TOMCCAP), TOMPECS, TOMS, TOPC, TOPLAS, TOPS, TOS, TOSEM, TOSN, TRETS, TSAS, TSC, TSLP, TWEB.
<code>acmlarge</code>	Large single column format, used for IMWUT, JOCCCH, PACMPL, POMACS, TAP
<code>acmtog</code>	Large double column format, used for TOG
<code>sigconf</code>	Proceedings format for most of ACM conferences (with the exceptions listed below) and all ICPS volumes
<code>siggraph</code>	As of March 2017, this format is no longer used. Please use <code>sigconf</code> for SIGGRAPH conferences.
<code>sigplan</code>	Proceedings format for SIGPLAN conferences
<code>sigchi</code>	Proceedings format for SIGCHI conferences
<code>sigchi-a</code>	Format for SIGCHI extended abstract

The option `review` is useful when combined with the `manuscript` format option: it provides a version suitable for reviewers and copyeditors.

The option `screen` may in the future involve additional features suitable for on-screen versions of the articles.

The option `natbib` is used when the corresponding BIB_EX style is based on `natbib`. In most cases you do not need to set it. See Section 2.10.

The option `anonymous` is used for anonymous review process: all author information becomes obscured.

Table 2: Boolean options

Option	Default	Meaning
<code>review</code>	<code>false</code>	A review version: lines are numbered, hyperlinks are colored
<code>screen</code>	<code>false</code>	A screen version: hyperlinks are colored
<code>natbib</code>	<code>true</code>	Whether to use <code>natbib</code> package (see Section 2.10)
<code>anonymous</code>	<code>false</code>	Whether to make author(s) anonymous
<code>authorversion</code>	<code>false</code>	Whether to generate a special version for authors' personal use or posting (see Section 2.3)

2.3 Topmatter commands

A number of commands set up *top matter* information, or, in the computer science jargon, *metadata* for the article. They establish the publication name, article title, authors, doi and other data. Some of these commands, like `\title` or `\author`, should be put by the authors. Others, like `\acmVolume` or `\acmDOI`—by the editors. Below we describe these commands and mention who should issue them. These macros should be used *before* the `\maketitle` command. Note that in the previous versions of ACM classes some of these commands should be used before `\maketitle`, and some after it. Now they all must be used before `\maketitle`.

The class internally loads `amsart` class, so many top matter commands are inherited from `amsart` [2].

`\acmJournal` The macro `\acmJournal{<shortName>}` sets the name of the journal or transaction for journals and transactions. The argument is the short name of the publication *in uppercase*, for example,

```
\acmJournal{TOMS}
```

The currently recognized journals are listed in Table 3. Note that conference proceedings published in *book* form do not set this macro.

It is expected that this command is inserted by the author of the manuscript when she decides to which journal to submit the manuscript.

`\acmConference` The macro `\acmConference[<short name>]{<name>}{<date>}{<venue>}` is used for conference proceedings published in the book form. The arguments are the following:

short name: the abbreviated name of the conference (optional).

name: the name of the conference *or* the name of the book as set by the editor.

date: the date(s) of the conference.

venue: the place of the conference.

Examples:

```
\acmConference[TD'15]{Technical Data Conference}{November  
12--16}{Dallas, TX, USA}  
\acmConference[SA'15 Art Papers]{November 02--06, 2015}{Kobe, Japan}
```

Normally this command is entered either by the editor or by the typesetter.

`\title` The command `\title`, as in `amsart` class, has two arguments: one optional, and one mandatory:

```
\title[<ShortTitle>]{<FullTitle>}
```

The mandatory argument is the full title of the article. The optional argument, if present, defines the shorter version of the title for running heads. If the optional argument is absent, the full title is used instead.

It is expected that this command is inserted by the author of the manuscript.

Table 3: ACM publications and arguments of the \acmJournal command

Abbreviation	Publication
CIE	ACM Computers in Entertainment
CSUR	ACM Computing Surveys
IMWUT	PACM on Interactive, Mobile, Wearable and Ubiquitous Technologies
JACM	Journal of the ACM
JDIQ	ACM Journal of Data and Information Quality
JEA	ACM Journal of Experimental Algorithms
JERIC	ACM Journal of Educational Resources in Computing
JETC	ACM Journal on Emerging Technologies in Computing Systems
JOCCH	ACM Journal on Computing and Cultural Heritage
PACMPL	PACM on Programming Languages
POMACS	PACM on Measurement and Analysis of Computing Systems
TAAS	ACM Transactions on Autonomous and Adaptive Systems
TACCESS	ACM Transactions on Accessible Computing
TACO	ACM Transactions on Architecture and Code Optimization
TALG	ACM Transactions on Algorithms
TALLIP	ACM Transactions on Asian and Low-Resource Language Information Processing
TAP	ACM Transactions on Applied Perception
TCPS	ACM Transactions on Cyber-Physical Systems
TEAC	ACM Transactions on Economics and Computation
TECS	ACM Transactions on Embedded Computing Systems
TIIS	ACM Transactions on Interactive Intelligent Systems
TISSEC	ACM Transactions on Information and System Security
TIST	ACM Transactions on Intelligent Systems and Technology
TKDD	ACM Transactions on Knowledge Discovery from Data
TMIS	ACM Transactions on Management Information Systems
TOCE	ACM Transactions on Computing Education
TOCHI	ACM Transactions on Computer-Human Interaction
TOCL	ACM Transactions on Computational Logic
TOCS	ACM Transactions on Computer Systems
TOCT	ACM Transactions on Computation Theory
TODAES	ACM Transactions on Design Automation of Electronic Systems
TODS	ACM Transactions on Database Systems
TOG	ACM Transactions on Graphics
TOIS	ACM Transactions on Information Systems
TOIT	ACM Transactions on Internet Technology
TOMACS	ACM Transactions on Modeling and Computer Simulation
TOMM	ACM Transactions on Multimedia Computing, Communications and Applications
TOMPECS	ACM Transactions on Modeling and Performance Evaluation of Computing Systems
TOMS	ACM Transactions on Mathematical Software
TOPC	ACM Transactions on Parallel Computing
TOPLAS	ACM Transactions on Programming Languages and Systems
TOPS	ACM Transactions on Privacy and Security
TOS	ACM Transactions on Storage
TOSEM	ACM Transactions on Software Engineering and Methodology
TOSN	ACM Transactions on Sensor Networks
TRETS	ACM Transactions on Reconfigurable Technology and Systems
TSAS	ACM Transactions on Spatial Algorithms and Systems
TSC	ACM Transactions on Social Computing
TSLP	ACM Transactions on Speech and Language Processing
TWEB	ACM Transactions on the Web

```
\subtitle    Besides title, ACM classes allow subtitle, set with the \subtitle{\langle subtitle\rangle} macro.  

\author     The commands for specification of authors are highly structured. The reason is, they  

\orcid      serve double duty: the authors' information is typeset in the manuscript, and is used by  

\affiliation the metadata extraction tools for indexing and cataloguing. Therefore it is very impor-  

\email      tant to follow the guidelines exactly.  

The basic commands are \author, \orcid (for the researchers registered with OR-  

CID, http://www.orcid.org/), \affiliation and \email. In the simplest case you  

enter them in this order:  

\author{...}  

\orcid{...}  

\affiliation{...}  

\email{...}
```

Do *not* use L^AT_EX \and macro! Each author deserves his or her own \author command.

Note that some formats do not typeset e-mails of ORCID identifiers. Do not worry: metadata tools will get them.

Sometimes an author has several affiliations. In this case the \affiliation command should be repeated:

```
\author{...}  

\orcid{...}  

\affiliation{...}  

\affiliation{...}  

\email{...}
```

Similarly you can repeat \email command.

You may have several authors with the same affiliation, different affiliations or overlapping affiliations (author A_1 is affiliated with institutions I_1 and I_2 , while author A_2 is affiliated with I_2 only, and author A_3 is affiliated with I_1 and I_3 , ...). The recommended solution is to put the \affiliation commands after each author, possibly repeating them:

```
\author{...}  

\orcid{...}  

\affiliation{...}  

\affiliation{...}  

\email{...}  

\author{...}  

\orcid{...}  

\affiliation{...}  

\email{...}  

\author{...}  

\orcid{...}  

\affiliation{...}  

\affiliation{...}  

\email{...}
```

In some cases when several authors share the same affiliation you may try to save the space using the format

```
\author{...}
\email{...}
\author{...}
\email{...}
\affiliation{...}
```

However, this format is not generally recommended.

\additionalaffiliation
In some cases too many affiliations take too much space. The command \additionalaffiliation{\affiliation{...}} creates a footnote after author's name with the words "Also with {\affiliation{...}}". You should use this command only as the last resort. An example of usage is:

```
\author{G. Tobin}
\author{Ben Trovato}
\additionalaffiliation{%
    \institution{The Th{\o}rv{\aa}ld Group}
    \streetaddress{1 Th{\o}rv{\aa}ld Circle}
    \city{Hekla}
    \country{Iceland}}
\affiliation{%
    \institution{Institute for Clarity in Documentation}
    \streetaddress{P.O. Box 1212}
    \city{Dublin}
    \state{Ohio}
    \postcode{43017-6221}
}
```

Here Trovato and Tobin share their affiliation with the Institute for Clarity in Documentation, but only Ben Trovato is affiliated with The Th{\o}rv{\aa}ld Group.

\position
\institution
\department
\streetaddress
\city
\state
\postcode
\country
The \affiliation and \additionalaffiliation commands are further structured to interact with the metadata extraction tools. Inside the this command you should use \position, \institution, \department, \city, \streetaddress, \state, \postcode and \country macros to indicate the corresponding parts of the affiliation. Note that in some cases (for example, journals) these parts are not printed in the resulting copy, but they *are* necessary since they are used by the XML metadata extraction programs. Do *not* put commas or \\ between the elements of \affiliation: they will be provided automatically.

An example of the author block:

```
\author{A. U. Thor}
\orcid{1234-4564-1234-4565}
\affiliation{%
    \institution{University of New South Wales}
    \department{School of Biomedical Engineering}
    \streetaddress{Samuels Building (F25), Kensington Campus}
    \city{Sidney}}
```

```

\state{NSW}
\postcode{2052}
\country{Australia}}
\email{author@nsw.au.edu}
\author{A. N. Other}
\affiliation{%
  \institution{University of New South Wales}
  \city{Sidney}
  \state{NSW}
  \country{Australia}}
\author{C. O. Respondent}
\orcid{1234-4565-4564-1234}
\affiliation{%
  \institution{University of Pennsylvania}
  \city{Philadelphia}
  \state{PA}
  \country{USA}}
\affiliation{%
  \institution{University of New South Wales}
  \city{Sidney}
  \state{NSW}
  \country{Australia}}

```

Note that old ACM conference formats did not allow for more than six authors and required some efforts from the authors to achieve alignment. The new format is much better in this.

Sometimes an author works in several departments within the same institution. There could be two situations: the departments are independent, or one department is within another. In the first case just repeat the command `\department` several times. To handle the second case the command has an optional numerical parameter. The departments with higher numbers are higher in the organizational chart. Compare

```

\affiliation{%
\department[0]{Department of Lunar Studies} % 0 is the default
\department[1]{John Doe Institute} % higher than 0
\institution{University of San Serriffe}
\country{San Serriffe}}

```

and

```

\affiliation{%
\department{Department of Lunar Studies} % Not within JD Inst!
\department{John Doe Institute}
\institution{University of San Serriffe}
\country{San Serriffe}}

```

`\thanks` It is expected that these commands are inserted by the author of the manuscript.
Like amsart (and unlike standard L^AT_EX), we allow `\thanks` only *outside* of commands

\title and \author. Example:

```
\thanks{This work is supported by the Widget Corporation Grant  
#312-001.\\  
Author's address: D. Pineo, Kingsbury Hall, 33 Academic Way, Durham,  
N.H. 03824; email: dspineo@comcast.net; Colin Ware, Jere A. Chase  
Ocean Engineering Lab, 24 Colovos Road, Durham, NH 03824; email:  
cware@ccom.unh.edu;  
Sean Fogarty, (Current address) NASA Ames Research Center, Moffett  
Field, California 94035.}
```

It is expected that this command is inserted by the author of the manuscript.

While the command \thanks generates a note without footnote mark, sometimes the authors might need notes more tightly connected to the title, subtitle or author. The commands \titlenote, \subtitlenote and \authornote that follow the corresponding commands (\title, \subtitle and \author) generate such notes, for example

```
\title{This is a title}  
\titlenote{This is a titlenote}  
\author{A. U. Thor}  
\authornote{This is an authornote}
```

Please never use \footnotes inside \author or \title commands, since this confuses metadata extraction software (actually these commands now produce errors).

The macros \acmVolume, \acmNumber, \acmArticle, \acmYear and \acmMonth are inserted by the editor and set the journal volume, issue, article number, year and month correspondingly. The arguments of all these commands, including \acmMonth is numerical, including \acmMonth, for example,

```
\acmVolume{9}  
\acmNumber{4}  
\acmArticle{39}  
\acmYear{2010}  
\acmMonth{3}
```

\acmArticleSeq The articles in the same issue of a journal have a *sequential number*. It is used to vertically position the black blob in some formats. By default it is the same as article number, but the command \acmArticleSeq{\langle n \rangle} can be used to change it:

```
\acmArticle{39} % The sequence number will be 39 by default  
\acmArticleSeq{5} % We redefine it to 5
```

\acmPrice The macro \acmPrice{\langle price \rangle} sets the price for the article (by default 15.00), for example,

```
\acmPrice{25.00}
```

\acmISBN Book-like volumes have ISBN numbers attached to them. The macro \acmISBN{*ISBN*} sets it. Normally it is set by the typesetter, for example,

```
\acmISBN{978-1-4503-3916-2}
```

\acmDOI The macro \acmDOI{*DOI*} sets the DOI number of the article, for example,

```
\acmDOI{10.1145/9999997.9999999}
```

It is normally set by the typesetter.

\acmBadgeR \acmBadgeL Some conference articles get special distinction, for example, the artifact evaluation for PPoPP 2016 (see <http://ctuning.org/ae/ppopp2016.html>). These articles display special badges supplied by the conference organizers. The class provides commands to add these badges: \acmBadgeR[*url*]{*graphics*} and \acmBadgeL[*url*]{*graphics*}. The first command puts the badge to the right of the title, and the second one—to the left. The exception is the sigchi-a mode for SIGCHI Extended abstract, which puts the badges on the left margin. The argument have the following meaning: [*url*], if provided, sets the link to the badge authority in the screen version, while {*graphics*} sets the graphics file with the badge image. The file must be a cropped square, which is scaled to a standard size in the output. For example, if the badge image is ae-logo.pdf, the command is

```
\acmBadgeR[http://ctuning.org/ae/ppopp2016.html]{ae-logo}
```

\startPage The macro \startPage{*page*} sets the first page of the article in the journal or book. It is used by the typesetter.

\terms \keywords The macros \terms{*term, term, ...*} and \keywords{*keyword, keyword, ...*} set the main terms and the additional keywords for the article. Term and keywords must be separated by commas, for example,

```
\terms{wireless, interference}
\keywords{wireless sensor networks, media access control,
multi-channel, radio interference, time synchronization}
```

\ccsdesc \CCSXML ACM publications are classified according to the ACM Computing Classification Scheme (CCS). CCS codes are used both in the typeset version of the publications *and* in the metadata in the various databases. Therefore you need to provide both T_EX commands and XML metadata with the paper.

The tool at <http://dl.acm.org/ccs.cfm> can be used to generate CCS codes. After you select the topics, click on “Generate CCS codes” to get the result like the following:

```
\begin{CCSXML}
<ccs2012>
<concept>
<concept_id>10010520.10010553.10010562</concept_id>
<concept_desc>Computer systems organization~Embedded systems</concept_desc>
```

```

<concept_significance>500</concept_significance>
</concept>
<concept>
<concept_id>10010520.10010575.10010755</concept_id>
<concept_desc>Computer systems organization~Redundancy</concept_desc>
<concept_significance>300</concept_significance>
</concept>
<concept>
<concept_id>10010520.10010553.10010554</concept_id>
<concept_desc>Computer systems organization~Robotics</concept_desc>
<concept_significance>100</concept_significance>
</concept>
<concept>
<concept_id>10003033.10003083.10003095</concept_id>
<concept_desc>Networks~Network reliability</concept_desc>
<concept_significance>100</concept_significance>
</concept>
</ccs2012>
\end{CCSXML}

\ccsdesc[500]{Computer systems organization~Embedded systems}
\ccsdesc[300]{Computer systems organization~Redundancy}
\ccsdesc{Computer systems organization~Robotics}
\ccsdesc[100]{Networks~Network reliability}

```

You need to just copy this code and paste it in your paper anywhere before \maketitle.

\setcopyright

There are several possibilities for the copyright of the papers published by ACM: the authors may transfer the rights to ACM, license them to ACM, some or all authors might be employees of the US or Canada Government, etc. Accordingly the command \setcopyright{...} is introduced. Its argument is the copyright status of the paper, for example, \setcopyright{acmcopyright}. The possible values for this command are listed in Table 4.

The ACM submission software should generate the right command for you to paste into your file.

\copyrightyear

Each copyright statement must have the year of copyright. By default it is the same as \acmYear, but you can override this decision using the macro \copyrightyear, e.g.,

```

\acmYear{2016}
\copyrightyear{2015}

```

There is a special case for a personal copy that the authors may be allowed to generate for their use or a posting on a personal site (check the instructions for the specific journal or conference for the details). The document option authorversion=true produces the special form of the copyright statement for this case. Note that you still need the \setcopyright command and (optionally) \copyrightyear command to tell TeX about the copyright owner and year. Also, you should be aware that due to the different sizes

Table 4: Parameters for `\setcopyright` command

Parameter	Meaning
<code>none</code>	The copyright and permission information is not typeset (this is the option for some ACM conferences).
<code>acmcopyright</code>	The authors transfer the copyright to ACM (the “traditional” choice).
<code>acmlicensed</code>	The authors retain the copyright but license the publication rights to ACM.
<code>rightsretained</code>	The authors retain the copyright and publication rights to themselves or somebody else.
<code>usgov</code>	All the authors are employees of the US Government.
<code>usgovmixed</code>	Some authors are employees of the US Government.
<code>cagov</code>	All the authors are employees of the Canadian Government.
<code>cagovmixed</code>	Some authors are employees of the Canadian Government.

of the permission blocks for the printed version and authors’ version the page breaks might be different between them.

`abstract` The environment `abstract` must *precede* `\maketitle` command. Again, this is different from the standard L^AT_EX.

`teaserfigure` A special kind of figure is used for many two-column conference proceedings. This figure is placed just after the authors, but before the main text. The environment `teaserfigure` is used for these figures. This environment must be used *before* `\maketitle`, for example,

```
\begin{teaserfigure}
\includegraphics[width=\textwidth]{sampleteaser}
\caption{This is a teaser}
\label{fig:teaser}
\end{teaserfigure}
```

`\settopmatter` Some information in the top matter is printed for certain journals or proceedings and suppressed for others. You may override these defaults using the command `\settopmatter{\langle settings\rangle}`. The settings and their meanings are listed in Table 5. For example,

```
\settopmatter{printacmref=false, printccs=true, printfolios=true}
```

`\received` The command `\received[\langle stage\rangle]{\langle date\rangle}` sets the history of the publication. The `[\langle stage\rangle]` argument is optional; the default is `Received` for the first date and `revised` for the subsequent ones. For example

```
\received{February 2007}
\received[revised]{March 2009}
\received[accepted]{June 2009}
```

Table 5: Settings for `\settopmatter` command

Parameter	Values	Meaning
<code>printccs</code>	true/false	Whether to print CCS categories
<code>printacmref</code>	true/false	Whether to print ACM bibliographic entry
<code>printfolios</code>	true/false	Whether to print page numbers (folios)

`\maketitle` The macro `\maketitle` must be the last command in the top matter group: i.e., it must follow the commands defined in this section.

`\shortauthors` After the command `\maketitle` the macro `\shortauthors` stores the names of the authors for the running head. You may redefine it if the list of author's name is too long, e.g.,

```
\maketitle
\renewcommand{\shortauthors}{Zhou et al.}
```

2.4 Algorithms

There now several good packages for typesetting algorithms [3, 4, 5], and the authors are now free to choose their favorite one.

2.5 Figures and tables

New ACM styles use the standard L^AT_EX interface for figures and tables. There are some important items to be aware of, however.

1. The captions for figures must be entered *after* the figure bodies, and for the tables *before* the table bodies.
2. ACM uses the standard types for figures and types and adds several new ones. In total there are the following types:

figure, table: a standard figure or table, taking full text width in one-column formats and one column in two-column formats.

figure*, table* in two-column formats, a special figure or table taking full text width.

teaserfigure: a special figure before `\maketitle`.

sidebar, marginfigure, marginable: in the `sigchi-a` format, special sidebars, tables and figures on the margin.

3. Accordingly, when scaling the images, one should use the following sizes:
 - (a) For `figure` in one-column mode, `figure*` in two-column mode or `teaserfigure`—`\textwidth` (in the one-column you can also use `\columnwidth`, which coincides with `\textwidth` in this case).

- (b) For figure in two-column mode—`\columnwidth`.
- (c) For `marginfigure`—`\marginparwidth`.
- (d) For `figure*` in SIGCHI Extended abstracts—`\fulltextwidth`.

It is strongly recommended to use the package `booktabs` [6] and follow its main principles of typography with respect to tables:

1. Never, ever use vertical rules.
2. Never use double rules.

It is also a good idea not to overuse horizontal rules.

For table *footnotes* you have several options described in TeX FAQ [1]. The simplest one is to use `\minipage` environment:

```
\begin{table}
\caption{Simulation Configuration}
\label{tab:conf}
\begin{minipage}{\columnwidth}
\begin{center}
\begin{tabular}{ll}
\toprule
TERRAIN\footnote{This is a table footnote. This is a table footnote. This is a table footnote.} & \\
(200\,m$\times$200\,m) Square\\
Node Number & 289\\
Node Placement & Uniform\\
Application & Many-to-Many/Gossip CBR Streams\\
Payload Size & 32 bytes\\
Routing Layer & GF\\
MAC Layer & CSMA/MMSN\\
Radio Layer & RADIO-ACCNOISE\\
Radio Bandwidth & 250Kbps\\
Radio Range & 20m--45m\\
\bottomrule
\end{tabular}
\end{center}
\bigskip
\footnotesize\emph{Source:} This is a table
sourcenote. This is a table sourcenote. This is a table
sourcenote.

\emph{Note:} This is a table footnote.
\end{minipage}
\end{table}
```

`sidebar`
`marginfigure`
`margintable`

SIGCHI extended abstract extensively uses margin space. The package provides three environments for this with option captions:

sidebar: textual information on the margin

marginfigure: a figure on the margin

margintable: a table on the margin

Tables and figures (including margin tables and margin figures) are by default centered. However, in some cases (for example, when you use several subimages per figure) you may need to override this decision. A good way to do so is to put the contents into a \minipage of the width \columnwidth.

2.6 Theorems

ACM classes define two theorem styles and several pre-defined theorem environments:

acmplain: this is the style used for theorem, conjecture, proposition, lemma, corollary, and

acmdefinition: this is the style used for example and definition.

2.7 Online-only and offline-only material

printonly Some supplementary material in ACM publication is put online, but not in the printed version. The text inside the environment screenonly will be typeset only when the option screen (see Section 2.2) is set to true. Conversely, the text inside the environment printonly is typeset only when this option is set to false. For example

```
\section{Supplementary materials}

\begin{printonly}
    This section is included in the online version of the paper.
\end{printonly}

\begin{screenonly}
    (The actual section).
\end{screenonly}
```

We use *comment* package for typesetting this code, so \begin{ and \end should start at the first positions of the lines of their own (no initial spaces etc.).

2.8 Note about anonymous mode

anonsuppress When the option anonymous is selected, TeX suppresses author information (including number of authors) for a blind review. However, sometimes the information identifying the authors may be present in the body of the paper

```
\begin{anonsuppress}
    This is the continuation of the previous work by the author
    \cite{prev1, prev2}.
\end{anonsuppress}
```

As for `printonly` and `screenonly` environments, `\begin{anonsuppress}` and `\end{anonsuppress}` should start the line of their own (no leading or trailing spaces).

2.9 Acknowledgments

The traditional “Acknowledgments” section is conventionally used to thank persons and granting agencies for their help and support. However, there are several important considerations about this section.

First, in the anonymous mode this section must be omitted: it gives too much information to the reviewers. Second, the data about the grants is extracted and stored separately by the postprocessing software. ACM classes provide facilities for both these tasks.

- `acks` The environment `acks` starts an unnumbered section “Acknowledgments” unless the anonymous mode is chosen. Put all thanks inside this environment.
- `\grantsponsor` As for `printonly` and `screenonly` environments, `\begin{acks}` and `\end{acks}` should start the line of their own (no leading or trailing spaces).
- `\grantnum` All the financial support *must* be listed using the commands `\grantsponsor` and `\grantnum`. These commands tell the postprocessing software about the granting organization and the grant. The format of the command is the following:

```
\grantsponsor{\langle sponsorID \rangle}{\langle name \rangle}{\langle url \rangle}
\grantnum[\langle url \rangle]{\langle sponsorID \rangle}{\langle number \rangle}.
```

Here `\langle sponsorID \rangle` is the unique ID used to match grants to sponsors, `\langle name \rangle` is the name of the sponsor, `\langle url \rangle` is its URL, and `\langle number \rangle` is the grant number. The `\langle sponsorID \rangle` of the `\grantnum` command must correspond to `\sponsorID` of a `\grantsponsor` command. Some awards have their own web pages, which you can include using the optional argument of `\grantnum` command.

At present `\langle sponsorID \rangle` is chosen by the authors and can be an arbitrary key, in the same way the label of `\cite` is arbitrarily chosen. There might be a change to this policy if ACM decides to create a global database of sponsoring organizations.

Example:

```
\begin{acks}
The authors would like to thank Dr. Yuhua Li for providing the
matlab code of the \textit{BEPS} method.

The authors would also like to thank the anonymous referees for
their valuable comments and helpful suggestions. The work is
supported by the \grantsponsor{GS501100001809}{National Natural
Science Foundation of
China}{\url{https://doi.org/10.13039/501100001809}} under Grant
No.: \grantnum{GS501100001809}{61273304}
and \grantnum[\url{http://www.nnsf.cn/youngscientsts}]{GS501100001809}{Young
Scientists' Support Program}.

\end{acks}
```

2.10 Bibliography

ACM uses the *natbib* package for formatting references and the style ACM-Reference-Format.bst for Bib_TE_X processing. You may disable loading of *natbib* by using the option `natbib=false` in `\documentclass`. However, it is not recommended, as well as the use of Bib_TE_X styles other than ACM-Reference-Format.bst, and may delay the processing of the manuscript.

`\citetstyle`

If you use *natbib*, you can select one of two predefined citation styles: the author-year format `acmauthoryear` or the numeric format `acmnumeric` using the command `\citetstyle`, for example,

```
\citetstyle{acmauthoryear}
```

Note that numeric citations are the default mode for most formats.

`\setcitetstyle`

You may further customize *natbib* using `\setcitetstyle` command, for example,

```
\setcitetstyle{numbers,sort&compress}
```

If you use *natbib*, then commands like `\citetep` and `\citeauthor` are automatically supported. The command `\shortcite` is the same as `\cite` in numerical mode, and cites the year in the author-date mode.

There are several customized Bib_TE_X entries and fields in ACM style ACM-Reference-Format.bst you may want to be aware of.

The style supports fields `doi` and `url`, for example,

```
doi = "10.1145/1188913.1188915",
url = "http://ccrma.stanford.edu/~jos/bayes/bayes.pdf",
```

The style supports arXiv recommended fields `eprint` and (optionally) `primaryclass`, for example,

```
eprint      = "960935712",
primaryclass = "cs",
```

See the examples at <http://arxiv.org/hypertex/bibstyles/>.

There are special entries `online` and `game` for Web pages and games, for example,

```
@online{Thornburg01,
  author = "Harry Thornburg",
  year = "2001",
  title = "Introduction to Bayesian Statistics",
  url = "http://ccrma.stanford.edu/~jos/bayes/bayes.html",
  month = mar,
  lastaccessed = "March 2, 2005",
}
```

For these entries you can use the lastaccessed field to add the access date to the URL.

There are two ways to enter video and audio sources in the bibliography corresponding to two different possibilities. For standalone sources available on WWW you can use an online entry, setting there howpublished field, for example,

```
@online{Obama08,
    author = "Barack Obama",
    year   = "2008",
    title  = "A more perfect union",
    howpublished = "Video",
    day    = "5",
    url    = "http://video.google.com/videoplay?docid=6528042696351994555",
    month  = mar,
    lastaccessed = "March 21, 2008",
}
```

For the sources available as attachments to conference proceedings and similar documents, you can use the usual inproceedings entry, again setting the howpublished field:

```
@Inproceedings{Novak03,
    author = "Dave Novak",
    title = "Solder man",
    booktitle = {ACM SIGGRAPH 2003 Video Review on Animation theater
                Program},
    year = "2003",
    publisher = "ACM Press",
    address = "New York, NY",
    pages = "4",
    month = "March 21, 2008",
    doi = "99.9999/woot07-S422",
    howpublished = "Video"
}
```

Sometimes you need to cite a complete issue of a journal. The entry periodical is intended for this:

```
@periodical{JCohen96,
    key = "Cohen",
    editor = "Jacques Cohen",
    title = "Special issue: Digital Libraries",
    journal = CACM,
    volume = "39",
    number = "11",
    month = nov,
    year = "1996",
}
```

2.11 Colors

While printed ACM publications are usually black and white, screen mode allows the use of colors. The ACM classes pre-define several colors according to [7]: ACMBlue, ACMYellow, ACMOrange, ACMRed, ACMLightBlue, ACMGreen, ACMPurple, ACMDarkBlue. You can use them in the color assignments.

ACM provides the following recommendation on color use.

The most accessible approach would be to ensure that your article is still readable when printed in greyscale. The most notable reasons for this are:

1. The most common type of inherited Color Vision Deficiency (CVD) is red-green (in which similar-brightness colors that only differ in their amounts of red or green are often confused), and it affects up to 8% of males and 0.5% of females of Northern European descent.
2. The most common type of acquired Color Vision Deficiency (CVD) is blue-yellow (including mild cases for many older adults).
3. Most printing is in Black & White.
4. Situational impairments (e.g., bright sunlight shining on a mobile screen) tend to reduce the entire color gamut, reducing color discriminability.

Note: It is *not* safe to encode information using only variations in color (i.e., only differences in hue and/or saturation), as there is bound to be someone affected!

To ensure that you are using the most accessible colors, ACM recommends that you choose sets of colors to help ensure suitable variations in Black & White using either of the following tools:

1. ColourBrewer: <http://colorbrewer2.org/>
2. ACE: The Accessible Colour Evaluator: <http://daprlab.com/ace/> for designing WCAG 2.0 compliant palettes.

2.12 Other notable packages and typographic remarks

Several other packages are recommended for specialized tasks.

The package *subcaption* [8] is recommended for complex figures with several subplots or subfigures that require separate subcaptioning. The packages *nomencl* [9] and *glossaries* [10] can be used for the automatic creation of the lists of symbols and concepts used.

By default *acmart* prevents all widows and orphans (i.e. lonely lines at the beginning and the end of the page) and hyphenation at the end of the page. This is done by rather strict settings

```
\widowpenalty=10000  
\clubpenalty=10000  
\brokenpenalty=10000
```

However, this may lead to frustrating results when the authors must obey a page limit. Setting these penalties to smaller values may help if you absolutely need to.

Another problem might be the too strict line breaking rules. Again, a strategically placed `\sloppy` command or putting the problematic paragraph inside `sloppypar` environment might help—but beware the results might be, well, sloppy.

3 Implementation

3.1 Identification

We start with the declaration who we are. Most .dtx files put driver code in a separate driver file .drv. We roll this code into the main file, and use the pseudo-guard <gobble> for it.

```
1 <class>\NeedsTeXFormat{LaTeX2e}
2 <*gobble>
3 \ProvidesFile{acmart.dtx}
4 </gobble>
5 <class>\ProvidesClass{acmart}
6 [2017/03/07 v1.32 Typesetting articles for Association of
7 Computing Machinery]
```

And the driver code:

```
8 <*gobble>
9 \documentclass{ltxdoc}
10 \usepackage{array,booktabs,amsmath,graphicx,fancyvrb,tabularx}
11 \usepackage[tt=false]{libertine}
12 \usepackage[varqu]{zi4}
13 \usepackage[libertine]{newtxmath}
14 \usepackage[tableposition=top]{caption}
15 \usepackage{hypdoc}
16 \PageIndex
17 \CodelineIndex
18 \RecordChanges
19 \EnableCrossrefs
20 \begin{document}
21   \DocInput{acmart.dtx}
22 \end{document}
23 </gobble>
24 <*class>
25 \def\@classname{acmart}
```

3.2 Options

We need xkeyval since some of our options may have values:

```
26 \RequirePackage{xkeyval}
```

format The possible formats

```
27 \define@choicekey*+{acmart.cls}{format}[\ACM@format\ACM@format@nr]{%
28   manuscript, acmsmall, acmlarge, acmtog, sigconf, siggraph,
29   sigplan, sigchi, sigchi-a}[manuscript]{}{%
30   \ClassError{\@classname}{The option format must be manuscript,
31   acmsmall, acmlarge, acmtog, sigconf, siggraph,
32   sigplan, sigchi or sigchi-a}}
33 \def\@DeclareACMFormat#1{\DeclareOptionX{#1}{\setkeys{acmart.cls}{format=#1}}}
34 \@DeclareACMFormat{manuscript}
```

```

35 \@DeclareACMFormat{acmsmall}
36 \@DeclareACMFormat{acmlarge}
37 \@DeclareACMFormat{acmtog}
38 \@DeclareACMFormat{sigconf}
39 \@DeclareACMFormat{siggraph}
40 \@DeclareACMFormat{sigplan}
41 \@DeclareACMFormat{sigchi}
42 \@DeclareACMFormat{sigchi-a}
43 \ExecuteOptionsX{format}

\if@ACM@screen Whether we use screen mode
44 \define@boolkey+{acmart.cls}[@ACM@]{screen}[true]{%
45   \if@ACM@screen
46     \PackageInfo{\@classname}{Using screen mode}%
47   \else
48     \PackageInfo{\@classname}{Not using screen mode}%
49   \fi}{\PackageError{\@classname}{Option screen can be either true or
50   false}}
51 \ExecuteOptionsX{screen=false}

\if@ACM@review Whether we use review mode
52 \define@boolkey+{acmart.cls}[@ACM@]{review}[true]{%
53   \if@ACM@review
54     \PackageInfo{\@classname}{Using review mode}%
55   \else
56     \PackageInfo{\@classname}{Not using review mode}%
57   \fi}{\PackageError{\@classname}{Option review can be either true or
58   false}}
59 \ExecuteOptionsX{review=false}

\if@ACM@authorversion Whether we use author's version
60 \define@boolkey+{acmart.cls}[@ACM@]{authorversion}[true]{%
61   \if@ACM@authorversion
62     \PackageInfo{\@classname}{Using authorversion mode}%
63   \else
64     \PackageInfo{\@classname}{Not using authorversion mode}%
65   \fi}{\PackageError{\@classname}{Option authorversion can be either true or
66   false}}
67 \ExecuteOptionsX{authorversion=false}

\if@ACM@natbib@override Whether to override the format decision about natbib
68 \newif\if@ACM@natbib@override
69 \if@ACM@natbib@overridefalse

\if@ACM@natbib Whether we use natbib mode
70 \define@boolkey+{acmart.cls}[@ACM@]{natbib}[true]{%
71   \if@ACM@natbib@overridetrue
72   \if@ACM@natbib
73     \PackageInfo{\@classname}{Explicitly selecting natbib mode}%

```

```

74 \else
75   \PackageInfo{@classname}{Explicitly deselecting natbib mode}%
76 \fi{\PackageError{@classname}{Option natbib can be either true or
77   false}}}

\if@ACM@anonymous Whether we use anonymous mode
88 \define@boolkey+{acmart.cls}[@ACM@]{anonymous}[true]{%
89   \if@ACM@anonymous
90     \PackageInfo{@classname}{Using anonymous mode}%
91   \else
92     \PackageInfo{@classname}{Not using anonymous mode}%
93   \fi{\PackageError{@classname}{Option anonymous can be either true or
94     false}}}
95 \ExecuteOptionsX{anonymous=false}

\ACM@fontsize The font size to pass to the base class
96 \def\ACM@fontsize{}
97 \DeclareOptionX{9pt}{\edef\ACM@fontsize{\CurrentOption}}
98 \DeclareOptionX{10pt}{\edef\ACM@fontsize{\CurrentOption}}
99 \DeclareOptionX{11pt}{\edef\ACM@fontsize{\CurrentOption}}
100 \DeclareOptionX{12pt}{\edef\ACM@fontsize{\CurrentOption}}

101 \DeclareOptionX{draft}{\PassOptionsToClass{\CurrentOption}{amsart}}
102 \DeclareOptionX{*}{\PassOptionsToClass{\CurrentOption}{amsart}}
103 \ProcessOptionsX
104 \ClassInfo{@classname}{Using format \ACM@format, number \ACM@format@nr}

```

3.3 Setting switches

```

\if@ACM@manuscript Whether we use manuscript mode
95 \newif\if@ACM@manuscript

\if@ACM@journal There are two kinds of publications: journals and books
96 \newif\if@ACM@journal

\if@ACM@sigchiamode The formatting of SIGCHI abstracts is quite unusual. We have a special switch for them.
97 \newif\if@ACM@sigchiamode

      Setting up switches
98 \ifnum\ACM@format@nr=5\relax % siggraph
99   \ClassWarning{@classname}{The format ‘siggraph’ is now obsolete.
100     I am switching to sigconf.}
101   \setkeys{acmart.cls}{format=sigconf}
102 \fi
103 \ifnum\ACM@format@nr=0\relax
104   \ACM@manuscripttrue
105 \else
106   \ACM@manuscriptfalse

```

```

107 \fi
108 \@ACM@sigchiamodefalse
109 \ifcase\ACM@format@nr
110 \relax % manuscript
111   \@ACM@journaltrue
112 \or % acmsmall
113   \@ACM@journaltrue
114 \or % acmlarge
115   \@ACM@journaltrue
116 \or % acmtog
117   \@ACM@journaltrue
118 \or % sigconf
119   \@ACM@journalfalse
120 \or % siggraph
121   \@ACM@journalfalse
122 \or % sigplan
123   \@ACM@journalfalse
124 \or % sigchi
125   \@ACM@journalfalse
126 \or % sigchi-a
127   \@ACM@journalfalse
128   \@ACM@sigchiamodetrue
129 \fi

```

A format sets up `\if@ACM@natbib` only if `\@ACM@natbib@override` is false (i.e. user did *not* overrode format's selection):

```

130 \if@ACM@natbib@override\else
131   \@ACM@natbibtrue
132 \fi

```

3.4 Loading base class and package

At this point we either have `\ACM@fontsize`, or use defaults

```

133 \ifx\ACM@fontsize\empty
134   \ifcase\ACM@format@nr
135     \relax % manuscript
136     \def\ACM@fontsize{9pt}%
137   \or % acmsmall
138     \def\ACM@fontsize{10pt}%
139   \or % acmlarge
140     \def\ACM@fontsize{10pt}%
141   \or % acmtog
142     \def\ACM@fontsize{9pt}%
143   \or % sigconf
144     \def\ACM@fontsize{9pt}%
145   \or % siggraph
146     \def\ACM@fontsize{9pt}%
147   \or % sigplan
148     \def\ACM@fontsize{9pt}%
149   \or % sigchi

```

```

150      \def\ACM@fontsize{10pt}%
151  \or % sigchi-a
152      \def\ACM@fontsize{10pt}%
153  \fi
154 \fi
155 \ClassInfo{\@classname}{Using fontsize \ACM@fontsize}
156 \LoadClass[\ACM@fontsize, reqno]{amsart}
157 \RequirePackage{microtype}

    We need totpages package to calculate the number of pages
158 \RequirePackage{totpages}

    The amsmath \collect@body is defined using \def. We load environ to access the
    \long version of the command
159 \RequirePackage{environ}

    We use setspace for doublespacing
160 \if@ACM@manuscript
161 \RequirePackage{setspace}
162 \onehalfspacing
163 \fi

    Citations. We patch \setcitestyle to allow, e.g., \setcitestyle{sort} and
    \setcitestyle{nosort}. We patch \citetitle to warn about undefined citation
    styles.
164 \if@ACM@natbib
165   \RequirePackage{natbib}
166   \renewcommand{\bibsection}{%
167     \section*{\refname}%
168     \phantomsection\addcontentsline{toc}{section}{\refname}%
169   }
170   \renewcommand{\bibfont}{\bibliofont}
171   \renewcommand\setcitestyle[1]{%
172     \@for\@tempa:=#1\do
173       {\def\@tempb{round}\ifx\@tempa\@tempb
174         \renewcommand\NAT@open{()}\renewcommand\NAT@close{}{}\fi
175       \def\@tempb{square}\ifx\@tempa\@tempb
176         \renewcommand\NAT@open[]{}\renewcommand\NAT@close[]{}\fi
177       \def\@tempb{angle}\ifx\@tempa\@tempb
178         \renewcommand\NAT@open{$<$}\renewcommand\NAT@close{$>$}\fi
179       \def\@tempb{curly}\ifx\@tempa\@tempb
180         \renewcommand\NAT@open{\{} \renewcommand\NAT@close{\}}\fi
181       \def\@tempb{semicolon}\ifx\@tempa\@tempb
182         \renewcommand\NAT@sep{;}\fi
183       \def\@tempb{colon}\ifx\@tempa\@tempb
184         \renewcommand\NAT@sep{;}\fi
185       \def\@tempb{comma}\ifx\@tempa\@tempb
186         \renewcommand\NAT@sep{,}\fi
187       \def\@tempb{authoryear}\ifx\@tempa\@tempb
188         \NAT@numbersfalse\fi
189       \def\@tempb{numbers}\ifx\@tempa\@tempb

```

```

190      \NAT@numberstrue\NAT@superfalse\fi
191  \def\@tempb{super}\ifx\@tempa\@tempb
192      \NAT@numberstrue\NAT@supertrue\fi
193  \def\@tempb{nobibstyle}\ifx\@tempa\@tempb
194      \let\bibstyle=\@gobble\fi
195  \def\@tempb{bibstyle}\ifx\@tempa\@tempb
196      \let\bibstyle=\@citestyle\fi
197  \def\@tempb{sort}\ifx\@tempa\@tempb
198      \def\NAT@sort{\@ne}\fi
199  \def\@tempb{nosort}\ifx\@tempa\@tempb
200      \def\NAT@sort{\z@\fi
201  \def\@tempb{compress}\ifx\@tempa\@tempb
202      \def\NAT@cmptrs{\@ne}\fi
203  \def\@tempb{nocompress}\ifx\@tempa\@tempb
204      \def\NAT@cmptrs{\@z}\fi
205  \def\@tempb{sort&compress}\ifx\@tempa\@tempb
206      \def\NAT@sort{\@ne}\def\NAT@cmptrs{\@ne}\fi
207  \def\@tempb{mcite}\ifx\@tempa\@tempb
208      \let\NAT@merge\@ne\fi
209  \def\@tempb{merge}\ifx\@tempa\@tempb
210      \@ifnum{\NAT@merge<\tw@}{\let\NAT@merge\tw@}\{}\fi
211  \def\@tempb{elide}\ifx\@tempa\@tempb
212      \@ifnum{\NAT@merge<\thr@}{\let\NAT@merge\thr@}\{}\fi
213  \def\@tempb{longnamesfirst}\ifx\@tempa\@tempb
214      \NAT@longnamestrue\fi
215  \def\@tempb{nonamebreak}\ifx\@tempa\@tempb
216      \def\NAT@nmfmt#1{\mbox{\NAT@up#1}}\fi
217  \expandafter\NAT@find@eq\@tempa=\relax@nil
218  \if\@tempc\relax\else
219      \expandafter\NAT@rem@eq\@tempc
220  \def\@tempb{open}\ifx\@tempa\@tempb
221      \xdef\NAT@open{\@tempc}\fi
222  \def\@tempb{close}\ifx\@tempa\@tempb
223      \xdef\NAT@close{\@tempc}\fi
224  \def\@tempb{aysep}\ifx\@tempa\@tempb
225      \xdef\NAT@aysep{\@tempc}\fi
226  \def\@tempb{yysep}\ifx\@tempa\@tempb
227      \xdef\NAT@yrsep{\@tempc}\fi
228  \def\@tempb{notesep}\ifx\@tempa\@tempb
229      \xdef\NAT@cmt{\@tempc}\fi
230  \def\@tempb{citesep}\ifx\@tempa\@tempb
231      \xdef\NAT@sep{\@tempc}\fi
232  \fi
233 }%
234 \NAT@setcites
235 }
236 \renewcommand\citetitle[1]{%
237     \ifcsname bibstyle@\#1\endcsname%
238     \csname bibstyle@\#1\endcsname\let\bibstyle\@gobble%
239     \else%

```

```

240      \@latex@error{Undefined '#1' citestyle}%
241      \fi
242  }%
243 \fi

\bibstyle@acmauthoryear The default author-year format:
244 \newcommand{\bibstyle@acmauthoryear}{%
245   \setcitestyle{%
246     authoryear,%
247     open={()},close={()}},citesep={;},%
248     aysep={},yysep={,,},%
249     notesep={, }}}

\bibstyle@acmnumeric The default numeric format:
250 \newcommand{\bibstyle@acmnumeric}{%
251   \setcitestyle{%
252     numbers,sort&compress,%
253     open={[{}]},close={[]}},citesep={,,},%
254     notesep={, }}}

The default is numeric:
255 \if@ACM@natbib
256 \citestyle{acmnumeric}
257 \fi

@startsection Before we call hyperref, we redefine \startsection commands to their LATEX defaults, since amsart ones are too AMS-specific. We need to do this early since we want hyperref to have a chance to redefine them again:
258 \def\@startsection#1#2#3#4#5#6{%
259   \if@noskipsec \leavevmode \fi
260   \par
261   \tempskipa #4\relax
262   \afterindenttrue
263   \ifdim \tempskipa <\z@
264     \tempskipa -\tempskipa \afterindentfalse
265   \fi
266   \if@nobreak
267     \everypar{}%
268   \else
269     \addpenalty\secpenalty\addvspace\tempskipa
270   \fi
271   \if@ifstar
272     {\@ssect{#3}{#4}{#5}{#6}}%
273     {\@dblarg{\@sect{#1}{#2}{#3}{#4}{#5}{#6}}}}
274 \def\@sect#1#2#3#4#5#6[#7]{%
275   \edef\@toclevel{\ifnum#2=\z@ 0\else\number#2\fi}%
276   \ifnum #2>\secnumdepth
277     \let\@svsec\empty
278   \else

```

```

279   \refstepcounter{#1}%
280   \protected@edef\@svsec{\@seccntformat{#1}\relax}%
281 \fi
282 \@tempskipa #5\relax
283 \ifdim \@tempskipa>\z@
284   \begingroup
285     #6{%
286       \hangfrom{\hskip #3\relax\@svsec}%
287       \interlinepenalty \zM #8\@@par}%
288   \endgroup
289   \csname #1mark\endcsname{#7}%
290   \ifnum #2>\c@secnumdepth \else
291     \tochangmeasure{\csname the#1\endcsname}%
292   \fi
293   \addcontentsline{toc}{#1}{%
294     \ifnum #2>\c@secnumdepth \else
295       \protect\numberline{\csname the#1\endcsname}%
296     \fi
297     #7}%
298 \else
299   \def\@svsechd{%
300     #6{\hskip #3\relax
301     \@svsec #8}%
302     \csname #1mark\endcsname{#7}%
303     \ifnum #2>\c@secnumdepth \else
304       \tochangmeasure{\csname the#1\endcsname\space}%
305     \fi
306     \addcontentsline{toc}{#1}{%
307       \ifnum #2>\c@secnumdepth \else
308         \protect\numberline{\csname the#1\endcsname}%
309       \fi
310       #7}}%
311 \fi
312 \@xsect{#5}%
313 \def\@xsect#1{%
314   \@tempskipa #1\relax
315   \ifdim \@tempskipa>\z@
316     \par \nobreak
317     \vskip \@tempskipa
318     \afterheading
319   \else
320     \nobreakfalse
321     \global\@noskipsectrue
322     \everypar{%
323       \if@noskipsec
324         \global\@noskipsecfalse
325         {\setbox\z@\lastbox}%
326         \clubpenalty\zM
327         \begingroup \@svsechd \endgroup
328         \unskip

```

```

329      \@tempskipa #1\relax
330      \hskip -\@tempskipa
331  \else
332      \clubpenalty \clubpenalty
333      \everypar{}%
334  \fi}%
335 \fi
336 \ignorespaces}
337 \def\@seccntformat#1{\csname the#1\endcsname\quad}
338 \def\@ssect#1#2#3#4#5{%
339   \@tempskipa #3\relax
340   \ifdim \@tempskipa>\z@
341     \begingroup
342       #4{%
343         \hangfrom{\hskip #1}%
344         \interlinepenalty \zM #5\@par}%
345     \endgroup
346   \else
347     \def\@svsechd{#4{\hskip #1\relax #5}}%
348   \fi
349   \xsect{#3}}

```

\@startsection Amsart redefines \startsection. Here we redefine it again to make TOC working

```

350 \def\@starttoc#1#2{\begingroup
351   \setTrue{#1}%
352   \par\removelastskip\vskip\z@skip
353   \startsection{section}\@M\z@\{\linespacing\@plus\linespacing}%
354   {.5\linespacing}{\centering\contentsnamefont}{#2}%
355   \input{\jobname.#1}%
356   \if@filesw
357     \xp\newwrite\csname tf#1\endcsname
358     \immediate\xp\openout\csname tf#1\endcsname \jobname.#1\relax
359   \fi
360   \global\nobreakfalse \endgroup
361   \addvspace{32\p@{.5pc}14\p@}%
362 }

```

\l@subsection Amsart has too large spacing

```

363 \def\l@subsection{\@tocline{2}{0pt}{1pc}{3pc}{}}

```

\l@subsubsection Amsart has too large spacing

```

364 \def\l@subsubsection{\@tocline{2}{0pt}{1pc}{5pc}{}}

```

And hyperref

```

365 \let\@footnotemark@nolink\@footnotemark
366 \let\@footnotetext@nolink\@footnotetext
367 \RequirePackage[bookmarksnumbered,unicode]{hyperref}
368 \pdfstringdefDisableCommands{%
369   \def\unskip{}}

```

```

370 \def\textbullet{- }%
371 \def\textrightarrow{ -> }%
372 \def\footnotemark{}%
373 }
374 \urlstyle{rm}
375 \ifcase\ACM@format@nr
376 \relax % manuscript
377 \or % acmsmall
378 \or % acmlarge
379 \or % acmtog
380 \or % sigconf
381 \or % siggraph
382 \or % sigplan
383 \urlstyle{sf}
384 \or % sigchi
385 \or % sigchi-a
386 \urlstyle{sf}
387 \fi
388 \if@ACM@screen
389 \hypersetup{colorlinks,
390   linkcolor=ACMRed,
391   citecolor=ACMPurple,
392   urlcolor=ACMDarkBlue,
393   filecolor=ACMDarkBlue}
394 \else
395 \hypersetup{hidelinks}
396 \fi
      Bibliography mangling.
397 \if@ACM@natbib
398 \let\citeN\cite
399 \let\cite\citet
400 \let\citeANP\citeauthor
401 \let\citeNN\citeyearpar
402 \let\citeyearNP\citeyear
403 \let\citeyear\citeyearpar
404 \let\citeNP\citealt
405 \DeclareRobustCommand\citeA
406 {\begingroup\NAT@swafalse
407 \let\NAT@ctype\@ne\NAT@partrue\NAT@fullfalse\NAT@open\NAT@citelp}%
408 \providecommand\newblock{}%
409 \else
410 \providecommand\citename[1]{#1}
411 \fi
412 \def\shortcite#1{\ifNAT@numbers\cite{#1}\else\citeyear{#1}\fi}

```

\bibliographystyle Amsart redefines \bibliographystyle since it prefers AMS bibliography. We turn it back to L^AT_EX definition:

```

413 \def\bibliographystyle#1{%
414 \ifx\@begindocumenthook\undefined\else

```

```

415      \expandafter\AtBeginDocument
416    \fi
417    {\if@filesw
418      \immediate\write\auxout{\string\bibstyle{#1}}%
419    \fi}

```

Graphics and color

```
420 \RequirePackage{graphicx, xcolor}
```

We define ACM colors according to [7]:

```

421 \definecolor[named]{ACMBlue}{cmyk}{1,0.1,0,0.1}
422 \definecolor[named]{ACMYellow}{cmyk}{0,0.16,1,0}
423 \definecolor[named]{ACMOrange}{cmyk}{0,0.42,1,0.01}
424 \definecolor[named]{ACMRed}{cmyk}{0,0.90,0.86,0}
425 \definecolor[named]{ACMLightBlue}{cmyk}{0.49,0.01,0,0}
426 \definecolor[named]{ACMGreen}{cmyk}{0.20,0,1,0.19}
427 \definecolor[named]{ACMPurple}{cmyk}{0.55,1,0,0.15}
428 \definecolor[named]{ACMDarkBlue}{cmyk}{1,0.58,0,0.21}

```

3.5 Paper size and paragraphing

We use `geometry` for dimensions. Note the presently margins do not depend on the font size option - maybe we will need to change this. See <https://github.com/borisveytsman/acmart/issues/5#issuecomment-272881329>.

```

429 \RequirePackage{geometry}
430 \ifcase\ACM@format@nr
431   \relax % manuscript
432   \geometry{letterpaper,head=13pt,
433   marginparwidth=6pc}%
434 \or % acmsmall
435   \geometry{twoside=true,
436   includeheadfoot, head=13pt, foot=2pc,
437   paperwidth=6.75in, paperheight=10in,
438   top=58pt, bottom=44pt, inner=46pt, outer=46pt,
439   marginparwidth=2pc
440 }%
441 \or % acmlarge
442   \geometry{twoside=true, head=13pt, foot=2pc,
443   paperwidth=8.5in, paperheight=11in,
444   includeheadfoot,
445   top=78pt, bottom=114pt, inner=81pt, outer=81pt,
446   marginparwidth=4pc
447 }%
448 \or % acmtog
449   \geometry{twoside=true, head=13pt, foot=2pc,
450   paperwidth=8.5in, paperheight=11in,
451   includeheadfoot, columnsep=24pt,
452   top=52pt, bottom=75pt, inner=52pt, outer=52pt,
453   marginparwidth=2pc

```

```

454      }%
455 \or % sigconf
456   \geometry{twoside=true, head=13pt,
457     paperwidth=8.5in, paperheight=11in,
458     includeheadfoot, columnsep=2pc,
459     top=57pt, bottom=73pt, inner=54pt, outer=54pt,
460     marginparwidth=2pc
461   }%
462 \or % siggraph
463   \geometry{twoside=true, head=13pt,
464     paperwidth=8.5in, paperheight=11in,
465     includeheadfoot, columnsep=2pc,
466     top=57pt, bottom=73pt, inner=54pt, outer=54pt,
467     marginparwidth=2pc
468   }%
469 \or % sigplan
470   \geometry{twoside=true, head=13pt,
471     paperwidth=8.5in, paperheight=11in,
472     includeheadfoot=false, columnsep=2pc,
473     top=1in, bottom=1in, inner=0.75in, outer=0.75in,
474     marginparwidth=2pc
475   }%
476 \or % sigchi
477   \geometry{twoside=true, head=13pt,
478     paperwidth=8.5in, paperheight=11in,
479     includeheadfoot, columnsep=2pc,
480     top=66pt, bottom=73pt, inner=54pt, outer=54pt,
481     marginparwidth=2pc
482   }%
483 \or % sigchi-a
484   \geometry{twoside=false, head=13pt,
485     paperwidth=11in, paperheight=8.5in,
486     includeheadfoot, marginparsep=72pt,
487     marginparwidth=170pt, columnsep=20pt,
488     top=72pt, bottom=72pt, left=314pt, right=72pt
489   }%
490   \mparswitchfalse
491   \reversemarginpar
492 \fi

\parindent Paragraphing
\parskip 493 \setlength\parindent{10\p@}
494 \setlength\parskip{\z@}
495 \ifcase\ACM@format@nr
496 \relax % manuscript
497 \or % acmsmall
498 \or % acmlarge
499 \or % acmtog
500 \setlength\parindent{9\p@}%
501 \or % sigconf

```

```

502 \or % siggraph
503 \or % sigplan
504 \or % sigchi
505 \or % sigchi-a
506 \fi

```

Footnotes require some consideration. We have several layers of footnotes: front-matter footnotes, “regular” footnotes and the special insert for bibstrip. In the old ACM classes bibstrip was a `\@float`. The problem with floats is that they tend to, well, float—and we want the guarantee they stay.

We use `manyfoot` for layered footnotes instead.

<code>\copyrightpermissionfootnoterule</code>	This is the footnote rule that separates bibstrip from the rest of the paper. It is a full width rule.
	<pre> 507 \def\copyrightpermissionfootnoterule{\kern-3\p@ 508 \hrule \width \columnwidth \kern 2.6\p@} 509 \RequirePackage{manyfoot} 510 \SelectFootnoteRule[2]{copyrightpermission} 511 \DeclareNewFootnote{copyrightpermission} </pre>
<code>\footnoterule</code>	Tschichold's rules:
	<pre> 512 \def\footnoterule{\kern-3\p@ 513 \hrule \width 4pc \kern 2.6\p@} </pre>
<code>\endminipage</code>	We do not use footnote rules in minipages
	<pre> 514 \def\endminipage{% 515 \par 516 \unskip 517 \ifvoid\@mpfootins\else 518 \vskip\skip\@mpfootins 519 \normalcolor 520 \unvbox\@mpfootins 521 \fi 522 \minipagetrue %% added 24 May 89 523 \color@endgroup 524 \egroup 525 \expandafter\@iiparbox\@mpargs{\unvbox\@tempboxa}} </pre>
<code>\@makefntext</code>	We do note use indentation for footnotes
	<pre> 526 \def\@makefntext{\noindent\@makefnmark} </pre>
<code>\@footnotetext</code>	In sigchi-a mode our footnotes are on the margins!
	<pre> 527 \if@ACM@sigchiamode 528 \long\def\footnotetext#1{\marginpar{% 529 \reset@font\small 530 \interlinepenalty\interfootnotelinepenalty 531 \protected@edef\@currentlabel{% 532 \csname p@footnote\endcsname\@thefnmark </pre>

```

533      }%
534      \color@begingroup
535          \makefntext{%
536              \rule{z@{\footnotesep}\ignorespaces#1\@finalstrut\strutbox}%
537          \color@endgroup}}%
538 \fi

```

\@mpfootnotetext We want the footnotes in minipages centered:

```

539 \long\def\@mpfootnotetext#1{%
540   \global\setbox\@mpfootins\vbox{%
541     \unvbox\@mpfootins
542     \reset@font\footnotesize
543     \hsize\columnwidth
544     \parboxrestore
545     \protected@edef\@currentlabel
546         {\csname p@mpfootnote\endcsname\@thefnmark}%
547     \color@begingroup\centering
548     \makefntext{%
549         \rule{z@{\footnotesep}\ignorespaces#1\@finalstrut\strutbox}%
550     \color@endgroup}}}

```

\@makefnmark AMS classes use a buggy definition of \makefnmark. We revert to the standard one.

```
551 \def\@makefnmark{\hbox{\@textsuperscript{\normalfont\@thefnmark}}}
```

\@textbottom Added some stretch according to David Carlisle's advice at <http://tex.stackexchange.com/a/62318/5522>

```

552 \def\@textbottom{\vskip \z@ \oplus 1pt}
553 \let\@texttop\relax

```

3.6 Fonts

\if@ACM@newfonts Whether we load the new fonts

```

554 \newif\if@ACM@newfonts
555 \if@ACM@newfontstrue
556 \IfFileExists{libertine.sty}{}{\ClassWarning{\@classname}{You do not
557 have libertine package installed. Please upgrade your
558 TeX}\@ACM@newfontsfalse}
559 \IfFileExists{zi4.sty}{}{\ClassWarning{\@classname}{You do not
560 have zi4 package installed. Please upgrade your TeX}\@ACM@newfontsfalse}
561 \IfFileExists{newtxmath.sty}{}{\ClassWarning{\@classname}{You do not
562 have newtxmath package installed. Please upgrade your
563 TeX}\@ACM@newfontsfalse}

```

We use Libertine throughout.

```

564 \if@ACM@newfonts
565 \RequirePackage[tt=false]{libertine}
566 \RequirePackage[varqu]{zi4}
567 \RequirePackage[libertine]{newtxmath}
568 \RequirePackage[T1]{fontenc}
569 \fi

```

The SIGCHI extended abstracts are sans serif:

```
570 \if@ACM@sigchiamode
571   \renewcommand{\familydefault}{\sfdefault}
572 \fi
```

3.7 Floats

We use caption package

```
573 \RequirePackage{caption, float}
574 \captionsetup[table]{position=top}
575 \if@ACM@journal
576   \captionsetup{labelfont={sf, small},
577     textfont={sf, small}, margin=\z@}
578   \captionsetup[figure]{name={Fig.}}
579 \else
580   \captionsetup{labelfont={bf},
581     textfont={bf}, labelsep=colon, margin=\z@}
582 \ifcase\ACM@format@nr
583   \relax % manuscript
584   \or % acmsmall
585   \or % acmlarge
586   \or % acmtog
587   \or % sigconf
588   \or % siggraph
589     \captionsetup{textfont={it}}
590   \or % sigplan
591     \captionsetup{labelfont={bf},
592       textfont={normalfont}, labelsep=period, margin=\z@}
593   \or % sigchi
594     \captionsetup[figure]{labelfont={bf, small},
595       textfont={bf, small}}
596   \or % sigchi-a
597     \captionsetup[figure]{labelfont={bf, small},
598       textfont={bf, small}}
599 \fi
600 \fi
```

sidebar The sidebar environment:

```
601 \newfloat{sidebar}{}{sbar}
602 \floatname{sidebar}{Sidebar}
603 \renewenvironment{sidebar}{\Collect@Body\@sidebar}{}  
604 \long\def\@sidebar#1{\bgroup\captionsetup{type=sidebar}%
605   \marginpar{\small#1}\egroup}
```

\@sidebar The processing of the saved text

```
604 \long\def\@sidebar#1{\bgroup\captionsetup{type=sidebar}%
605   \marginpar{\small#1}\egroup}
```

marginfigure The marginfigure environment:

```
606 \newenvironment{marginfigure}{\Collect@Body\@marginfigure}{}  
607 \long\def\@marginfigure#1{\bgroup\captionsetup{type=marginfigure}%
608   \marginpar{\small#1}\egroup}
```

```

\@marginfigure The processing of the saved text
607 \long\def\@marginfigure#1{\bgroup\captionsetup{type=figure}%
608   \marginpar{\centering\small#1}\egroup}

\margintable The margintable environment:
609 \newenvironment{margintable}{\Collect@Body\@margintable}{}

\@margintable The processing of the saved text
610 \long\def\@margintable#1{\bgroup\captionsetup{type=table}%
611   \marginpar{\centering\small#1}\egroup}

      SIGCHI extended abstract provides an interesting possibility to push into the margin.
      Here we use figure* and table* for this.

\fulltextwidth We define the width of the boxes as
612 \newdimen\fulltextwidth
613 \fulltextwidth=\dimexpr(\textwidth+\marginparwidth+\marginparsep)

\dblfloat We redefine the double float command. First, we make the size bigger. Second, our
default position is going to be tp (to give marginalia a chance)
614 \if@ACM@sigchiamode
615 \def\dblfloat{\bgroup\columnwidth=\fulltextwidth
616   \let\endfloatbox\endwidefloatbox
617   \def\fpsadddefault{\def\fps{tp}}%
618   \@float}
619 \fi

\enddblfloat And the end. Just adding a \bgroup.
620 \if@ACM@sigchiamode
621 \def\enddblfloat{%
622   \endfloat\egroup}
623 \fi

\endwidefloatbox This is the end of a wide box - we basically move everything to the left
624 \def\endwidefloatbox{%
625   \par\vskip\z@skip
626   \@minipagemodefalse
627   \outer@nobreak
628   \egroup
629   \color@endbox
630   \global\setbox\currbox=\vbox{\moveleft
631     \dimexpr(\fulltextwidth-\textwidth)\box\currbox}%
632   \wd\currbox=\textwidth
633 }

```

3.8 Lists

```
634 \ifcase\ACM@format@nr
635 \relax % manuscript
636 \or % acmsmall
637 \or % acmlarge
638 \or % acmtog
639 \or % sigconf
640 \or % siggraph
641 \or % sigplan
642 \def\labelenumi{\theenumi.}
643 \def\labelenumii{\theenumii.}
644 \def\labelenumiii{\theenumiii.}
645 \def\labelenumiv{\theenumiv.}
646 \or % sigchi
647 \or % sigchi-a
648 \fi
```

\descriptionlabel We do not use default colon as \amsart does:

```
649 \renewcommand{\descriptionlabel}{[\hspace{\labelsep}\upshape\bfseries #1]}
```

\description AMS uses additional indent of 6pt. Frank recommends dropping it.

```
650 \renewenvironment{description}{\list{}{%
651   \itemindent-12\p@
652   \labelwidth\z@\let\makelabel\descriptionlabel}%
653 }{%
654   \endlist
655 }%
656 \let\enddescription=\endlist % for efficiency
```

3.9 Top matter data

We use keyval interface to define journal title and relevant information

```
657 \define@choicekey*+{ACM}{acmJournal}[\@journalCode\@journalCode@nr]{%
658   CIE,%
659   CSUR,%
660   IMWUT,%
661   JACM,%
662   JDIQ,%
663   JEA,%
664   JERIC,%
665   JETC,%
666   JOCCH,%
667   PACMPL,%
668   POMACS,%
669   TAAS,%
670   TACCESS,%
671   TACO,%
672   TALG,%
673   TALLIP,%
```

```

674 TAP,%
675 TCPS,%
676 TEAC,%
677 TECS,%
678 TIIS,%
679 TISSEC,%
680 TIST,%
681 TKDD,%
682 TMIS,%
683 TOCE,%
684 TOCHI,%
685 TOCL,%
686 TOCS,%
687 TOCT,%
688 TODAES,%
689 TODS,%
690 TOG,%
691 TOIS,%
692 TOIT,%
693 TOMACS,%
694 TOMM,%
695 TOMPECS,%
696 TOMS,%
697 TOPC,%
698 TOPS,%
699 TOPLAS,%
700 TOS,%
701 TOSEM,%
702 TOSN,%
703 TRETS,%
704 TSAS,%
705 TSC,%
706 TSLP,%
707 TWEB%
708 }{%
709 \ifcase\@journalCode@nr
710 \relax % CIE
711 \def\@journalName{ACM Computers in Entertainment}%
712 \def\@journalNameShort{ACM Comput. Entertain.}%
713 \def\@permissionCodeOne{1544-3574}%
714 \or % CSUR
715 \def\@journalName{ACM Computing Surveys}%
716 \def\@journalNameShort{ACM Comput. Surv.}%
717 \def\@permissionCodeOne{0360-0300}%
718 \or % IMWUT
719 \def\@journalName{Proceedings of the ACM on Interactive, Mobile,
720 Wearable and Ubiquitous Technologies}%
721 \def\@journalNameShort{Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.}%
722 \def\@permissionCodeOne{2474-9567}%
723 \or % JACM

```

```

724  \def \@journalName{Journal of the ACM}%
725  \def \@journalNameShort{J. ACM}%
726  \def \@permissionCodeOne{0004-5411}%
727 \or % JDIQ
728  \def \@journalName{ACM Journal of Data and Information Quality}%
729  \def \@journalNameShort{ACM J. Data Inform. Quality}%
730  \def \@permissionCodeOne{1936-1955}%
731 \or % JEA
732  \def \@journalName{ACM Journal of Experimental Algorithms}%
733  \def \@journalNameShort{ACM J. Exp. Algor.}%
734  \def \@permissionCodeOne{1084-6654}%
735 \or % JERIC
736  \def \@journalName{ACM Journal of Educational Resources in Computing}%
737  \def \@journalNameShort{ACM J. Edu. Resources in Comput.}%
738  \def \@permissionCodeOne{1073-0516}%
739 \or % JETC
740  \def \@journalName{ACM Journal on Emerging Technologies in Computing Systems}%
741  \def \@journalNameShort{ACM J. Emerg. Technol. Comput. Syst.}%
742  \def \@permissionCodeOne{1550-4832}%
743 \or % JOCCH
744  \def \@journalName{ACM Journal on Computing and Cultural Heritage}%
745  \def \@journalNameShort{ACM J. Comput. Cult. Herit.}%
746 \or % PACMPL
747  \def \@journalName{Proceedings of the ACM on Programming Languages}%
748  \def \@journalNameShort{Proc. ACM Program. Lang.}%
749  \def \@permissionCodeOne{2475-1421}%
750 \or % POMACS
751  \def \@journalName{Proceedings of the ACM on Measurement and Analysis of Computing Systems}%
752  \def \@journalNameShort{Proc. ACM Meas. Anal. Comput. Syst.}%
753  \def \@permissionCodeOne{2476-1249}%
754 \or % TAAS
755  \def \@journalName{ACM Transactions on Autonomous and Adaptive Systems}%
756  \def \@journalNameShort{ACM Trans. Autonom. Adapt. Syst.}%
757  \def \@permissionCodeOne{1556-4665}%
758 \or % TACCESS
759  \def \@journalName{ACM Transactions on Accessible Computing}%
760  \def \@journalNameShort{ACM Trans. Access. Comput.}%
761  \def \@permissionCodeOne{1936-7228}%
762 \or % TACO
763  \def \@journalName{ACM Transactions on Architecture and Code Optimization}%
764 \or % TALG
765  \def \@journalName{ACM Transactions on Algorithms}%
766  \def \@journalNameShort{ACM Trans. Algor.}%
767  \def \@permissionCodeOne{1549-6325}%
768 \or % TALLIP
769  \def \@journalName{ACM Transactions on Asian and Low-Resource Language Information Processing}%
770  \def \@journalNameShort{ACM Trans. Asian Low-Resour. Lang. Inf. Process.}%
771  \def \@permissionCodeOne{2375-4699}%
772 \or % TAP
773  \def \@journalName{ACM Transactions on Applied Perception}%

```

```

774 \or % TCPS
775   \def \@journalName{ACM Transactions on Cyber-Physical Systems}%
776 \or % TEAC
777   \def \@journalName{ACM Transactions on Economics and Computation}%
778 \or % TECS
779   \def \@journalName{ACM Transactions on Embedded Computing Systems}%
780   \def \@journalNameShort{ACM Trans. Embedd. Comput. Syst.}%
781   \def \@permissionCodeOne{1539-9087}%
782 \or % TIIS
783   \def \@journalName{ACM Transactions on Interactive Intelligent Systems}%
784   \def \@journalNameShort{ACM Trans. Interact. Intell. Syst.}%
785   \def \@permissionCodeOne{2160-6455}%
786 \or % TISSEC
787   \def \@journalName{ACM Transactions on Information and System Security}%
788   \def \@journalNameShort{ACM Trans. Info. Syst. Sec.}%
789   \def \@permissionCodeOne{1094-9224}%
790 \or % TIST
791   \def \@journalName{ACM Transactions on Intelligent Systems and Technology}%
792   \def \@journalNameShort{ACM Trans. Intell. Syst. Technol.}%
793   \def \@permissionCodeOne{2157-6904}%
794 \or % TKDD
795   \def \@journalName{ACM Transactions on Knowledge Discovery from Data}%
796   \def \@journalNameShort{ACM Trans. Knowl. Discov. Data.}%
797   \def \@permissionCodeOne{1556-4681}%
798 \or % TMIS
799   \def \@journalName{ACM Transactions on Management Information Systems}%
800   \def \@journalNameShort{ACM Trans. Manag. Inform. Syst.}%
801   \def \@permissionCodeOne{2158-656X}%
802 \or % TOCE
803   \def \@journalName{ACM Transactions on Computing Education}%
804   \def \@journalNameShort{ACM Trans. Comput. Educ.}%
805   \def \@permissionCodeOne{1946-6226}%
806 \or % TOCHI
807   \def \@journalName{ACM Transactions on Computer-Human Interaction}%
808   \def \@journalNameShort{ACM Trans. Comput.-Hum. Interact.}%
809   \def \@permissionCodeOne{1073-0516}%
810 \or % TOCL
811   \def \@journalName{ACM Transactions on Computational Logic}%
812   \def \@journalNameShort{ACM Trans. Comput. Logic}%
813   \def \@permissionCodeOne{1529-3785}%
814 \or % TOCS
815   \def \@journalName{ACM Transactions on Computer Systems}%
816   \def \@journalNameShort{ACM Trans. Comput. Syst.}%
817   \def \@permissionCodeOne{0734-2071}%
818 \or % TOCT
819   \def \@journalName{ACM Transactions on Computation Theory}%
820   \def \@journalNameShort{ACM Trans. Comput. Theory}%
821   \def \@permissionCodeOne{1942-3454}%
822 \or % TODAES
823   \def \@journalName{ACM Transactions on Design Automation of Electronic Systems}%

```

```

824  \def \@journalNameShort{ACM Trans. Des. Autom. Electron. Syst.}%
825  \def \@permissionCodeOne{1084-4309}%
826 \or % TODS
827  \def \@journalName{ACM Transactions on Database Systems}%
828  \def \@journalNameShort{ACM Trans. Datab. Syst.}%
829  \def \@permissionCodeOne{0362-5915}%
830 \or % TOG
831  \def \@journalName{ACM Transactions on Graphics}%
832  \def \@journalNameShort{ACM Trans. Graph.}%
833  \def \@permissionCodeOne{0730-0301}%
834 \or % TOIS
835  \def \@journalName{ACM Transactions on Information Systems}%
836  \def \@journalNameShort{ACM Trans. Information Systems}%
837  \def \@permissionCodeOne{1046-8188}%
838 \or % TOIT
839  \def \@journalName{ACM Transactions on Internet Technology}%
840  \def \@journalNameShort{ACM Trans. Internet Technol.}%
841  \def \@permissionCodeOne{1533-5399}%
842 \or % TOMACS
843  \def \@journalName{ACM Transactions on Modeling and Computer Simulation}%
844  \def \@journalNameShort{ACM Trans. Modeling and Computer Simulation}%
845  \def \@journalNameShort{ACM Trans. Model. Comput. Simul.}%
846 \or % TOMM
847  \def \@journalName{ACM Transactions on Multimedia Computing, Communications and Applications}%
848  \def \@journalNameShort{ACM Trans. Multimedia Comput. Commun. Appl.}%
849  \def \@permissionCodeOne{1551-6857}%
850  \def \@permissionCodeTwo{0100}%
851 \or % TOMPECS
852  \def \@journalName{ACM Transactions on Modeling and Performance Evaluation of Computing Systems}%
853  \def \@journalNameShort{ACM Trans. Model. Perform. Eval. Comput. Syst.}%
854  \def \@permissionCodeOne{2376-3639}%
855 \or % TOMS
856  \def \@journalName{ACM Transactions on Mathematical Software}%
857  \def \@journalNameShort{ACM Trans. Math. Softw.}%
858  \def \@permissionCodeOne{0098-3500}%
859 \or % TOPC
860  \def \@journalName{ACM Transactions on Parallel Computing}%
861  \def \@journalNameShort{ACM Trans. Parallel Comput.}%
862  \def \@permissionCodeOne{1539-9087}%
863 \or % TOPS
864  \def \@journalName{ACM Transactions on Privacy and Security}%
865  \def \@journalNameShort{ACM Trans. Priv. Sec.}%
866  \def \@permissionCodeOne{2471-2566}%
867 \or % TOPLAS
868  \def \@journalName{ACM Transactions on Programming Languages and Systems}%
869  \def \@journalNameShort{ACM Trans. Program. Lang. Syst.}%
870  \def \@permissionCodeOne{0164-0925}%
871 \or % TOS
872  \def \@journalName{ACM Transactions on Storage}%
873  \def \@journalNameShort{ACM Trans. Storage}%

```

```

874 \def \@permissionCodeOne{1553-3077}%
875 \or % TOSEM
876 \def \@journalName{ACM Transactions on Software Engineering and Methodology}%
877 \def \@journalNameShort{ACM Trans. Softw. Eng. Methodol.}%
878 \def \@permissionCodeOne{1049-331X}%
879 \or % TOSN
880 \def \@journalName{ACM Transactions on Sensor Networks}%
881 \def \@journalNameShort{ACM Trans. Sensor Netw.}%
882 \def \@permissionCodeOne{1550-4859}%
883 \or % TRETS
884 \def \@journalName{ACM Transactions on Reconfigurable Technology and Systems}%
885 \def \@journalNameShort{ACM Trans. Reconfig. Technol. Syst.}%
886 \def \@permissionCodeOne{1936-7406}%
887 \or % TSAS
888 \def \@journalName{ACM Transactions on Spatial Algorithms and Systems}%
889 \def \@journalNameShort{ACM Trans. Spatial Algorithms Syst.}%
890 \def \@permissionCodeOne{2374-0353}%
891 \or % TSC
892 \def \@journalName{ACM Transactions on Social Computing}%
893 \def \@journalNameShort{ACM Trans. Soc. Comput.}%
894 \def \@permissionCodeOne{2469-7818}%
895 \or % TSLP
896 \def \@journalName{ACM Transactions on Speech and Language Processing}%
897 \def \@journalNameShort{ACM Trans. Speech Lang. Process.}%
898 \def \@permissionCodeOne{1550-4875}%
899 \or % TWEB
900 \def \@journalName{ACM Transactions on the Web}%
901 \def \@journalNameShort{ACM Trans. Web}%
902 \def \@permissionCodeOne{1559-1131}%
903 \fi
904 \ClassInfo{@classname}{Using journal code \@journalCode}%
905 }{%
906 \ClassError{@classname}{Incorrect journal #1}%
907 }%

```

\acmJournal And the syntactic sugar around it

```
908 \def \acmJournal#1{\setkeys{ACM}{acmJournal=#1}}
```

The defaults:

```

909 \def \@journalCode@nr{0}
910 \def \@journalName{}%
911 \def \@journalNameShort{@journalName}%
912 \def \@permissionCodeOne{XXXX-XXXX}%
913 \def \@permissionCodeTwo{}%

```

\acmConference This is the conference command

```

914 \newcommand\acmConference[4][]{%
915 \gdef\acmConference@shortname{\#1}%
916 \gdef\acmConference@name{\#2}%

```

```

917 \gdef\acmConference@date{#3}%
918 \gdef\acmConference@venue{#4}%
919 \ifx\acmConference@shortname\empty
920   \gdef\acmConference@shortname{#2}%
921 \fi}
922 \acmConference[Conference'17]{ACM Conference}{July 2017}{Washington,
923 DC, USA}

\subtitle The subtitle macro
924 \def\subtitle#1{\def\@subtitle{#1}}
925 \subtitle{}

\num@authorgroups The total number of “groups”. Each group is several authors with the same affiliations(s)
926 \newcount\num@authorgroups
927 \num@authorgroups=0\relax

\if@insideauthorgroup Whether we are continuing an author group @insideauthorgroup insideauthorgroup-
false

\author Adding an author to the list of authors and addresses
928 \renewcommand\author[2][]{%
929   \if@insideauthorgroup\else
930     \global\advance\num@authorgroups by 1\relax
931     \global\@insideauthorgrouptrue
932   \fi
933   \ifx\addresses\empty
934     \if@ACM@anonymous
935       \gdef\addresses{@author{Anonymous Author(s)}}%
936       \gdef\authors{Anonymous Author(s)}%
937     \else
938       \gdef\addresses{@author{#2}}%
939       \gdef\authors{#2}%
940     \fi
941   \else
942     \if@ACM@anonymous\else
943       \g@addto@macro\addresses{\and@author{#2}}%
944       \g@addto@macro\authors{\and#2}%
945     \fi
946   \fi
947   \if@ACM@anonymous
948     \ifx\shortauthors\empty
949       \gdef\shortauthors{Anon.}%
950     \fi
951   \else
952     \def@\tempa{#1}%
953     \ifx@\tempa\empty
954       \ifx\shortauthors\empty
955         \gdef\shortauthors{#2}%
956       \else

```

```

957      \g@addto@macro\shortauthors{\and#2}%
958      \fi
959  \else
960    \ifx\shortauthors\empty
961      \gdef\shortauthors{\#1}%
962    \else
963      \g@addto@macro\shortauthors{\and#1}%
964    \fi
965  \fi
966 \fi}

\affiliation The macro \affiliation mimics \address from amsart. Note that it has an optional argument we do not currently need, but keep for the possible future use.
967 \newcommand{\affiliation}[2][]{%
968   \global\@insideauthorgroupfalse
969   \if@ACM@anonymous\else
970     \g@addto@macro\addresses{\affiliation{\#1}{\#2}}%
971   \fi}

\additionalaffiliation Additional affiliations go to footnotes
972 \def\additionalaffiliation#1{\authornote{\additionalaffiliation{#1}}}

@\additionalaffiliation Process additionalaffiliation inside \authornote
973 \def@\additionalaffiliation#1{\bgroup
974   \def\position##1{\ignorespaces}%
975   \def\institution##1##1{\ignorespaces}%
976   \def\department{\ifnextchar[{\@department}{\@department[]}}%
977   \def\@department##1##2{\unskip, ##2\ignorespaces}%
978   \let\streetaddress\position
979   \let\city\position
980   \let\state\position
981   \let\postcode\position
982   \let\country\position
983   Also with #1\unskip.\egroup}

@email The macro \email mimics \email from amsart. Agian it has an optional argument we do not currently need, but keep for the possible future use.
984 \renewcommand{\email}[2][]{%
985   \if@ACM@anonymous\else
986     \g@addto@macro\addresses{\email{\#1}{\#2}}%
987   \fi}

\orcid Right now we do not typeset orcids gobble

@\titlenotes The titlenotes
988 \def@\titlenotes{}

\titlenote Adding note to the title
989 \def\titlenote#1{%

```

```

990  \g@addto@macro{\@title{\footnotemark}%
991  \if@ACM@anonymous
992    \g@addto@macro{\@titlenotes{%
993      \stepcounter{footnote}\footnotetext{Title note}}}{}
994  \else
995    \g@addto@macro{\@titlenotes{\stepcounter{footnote}\footnotetext{\#1}}}{}
996  \fi}

\@subtitlenotes The subtitlenotes
997 \def\@subtitlenotes{}

\subtitlenote Adding note to the subtitle
998 \def\subtitlenote#1{%
999  \g@addto@macro{\@subtitle{\footnotemark}%
1000 \if@ACM@anonymous
1001  \g@addto@macro{\@subtitlenotes{%
1002    \stepcounter{footnote}\footnotetext{Subtitle note}}}{}
1003  \else
1004  \g@addto@macro{\@subtitlenotes{%
1005    \stepcounter{footnote}\footnotetext{\#1}}}{}
1006  \fi}

\@authornotes The authornotes
1007 \def\@authornotes{}

\authornote Adding note to the author
1008 \def\authornote#1{%
1009  \if@ACM@anonymous\else
1010  \g@addto@macro{\addresses{\@authornotemark}%
1011  \g@addto@macro{\@authornotes{%
1012    \stepcounter{footnote}\footnotetext{\#1}}}{}
1013  \fi}

\acmVolume The current volume
1014 \def\acmVolume#1{\def\@acmVolume{\#1}}
1015 \acmVolume{1}

\acmNumber The current number
1016 \def\acmNumber#1{\def\@acmNumber{\#1}}
1017 \acmNumber{1}

\acmArticle The current article
1018 \def\acmArticle#1{\def\@acmArticle{\#1}}
1019 \acmArticle{1}

\acmArticleSeq The sequence number
1020 \def\acmArticleSeq#1{\def\@acmArticleSeq{\#1}}
1021 \acmArticleSeq{\@acmArticle}

```

```

\acmYear The current year
1022 \def\acmYear#1{\def\@acmYear{#1}}
1023 \acmYear{\the\year}

\acmMonth The current month
1024 \def\acmMonth#1{\def\@acmMonth{#1}}
1025 \acmMonth{\the\month}

\@acmPubDate The publication date
1026 \def\@acmPubDate{\ifcase\@acmMonth\or
1027   January\or February\or March\or April\or May\or June\or
1028   July\or August\or September\or October\or November\or
1029   December\fi^\@acmYear}

\acmPrice The price
1030 \def\acmPrice#1{\def\@acmPrice{#1}}
1031 \acmPrice{15.00}

\acmISBN The book isbn
1032 \def\acmISBN#1{\def\@acmISBN{#1}}
1033 \acmISBN{978-x-xxxx-xxxx-x/YY/MM}

\acmDOI The paper doi
1034 \def\acmDOI#1{\def\@acmDOI{#1}}
1035 \acmDOI{10.1145/nnnnnnn.nnnnnnn}

\if@ACM@badge Whether to print badge. Note that either left or right badge triggers it:
1036 \newif\if@ACM@badge
1037 \if@ACM@badg>false
```

\@ACM@badge@width The width of the badge
1038 \newlength\@ACM@badge@width
1039 \setlength\@ACM@badge@width{5pc}

\@ACM@title@width The width of the badge
1040 \newlength\@ACM@title@width

\@ACM@badge@skip The space between the badge and the title
1041 \newlength\@ACM@badge@skip
1042 \setlength\@ACM@badge@skip{1pc}

\acmBadgeR Setting the right badge
1043 \newcommand\acmBadgeR[2][]{\@ACM@badgetrue
1044 \def\@acmBadgeR@url{#1}%
1045 \def\@acmBadgeR@image{#2}%
1046 \def\@acmBadgeR@url{}%
1047 \def\@acmBadgeR@image{}}

```

\acmBadgeL Setting the left badge
1048 \newcommand{\acmBadgeL}[2][]{\@ACM@badgetrue
1049   \def{\acmBadgeL@url}{\#1}%
1050   \def{\acmBadgeL@image}{\#2}%
1051 \def{\acmBadgeL@url}{}
1052 \def{\acmBadgeL@image}{}

\startPage The start page of the paper
1053 \def{\startPage}{\def{\@startPage}{\#1}}
1054 \startPage{}

\terms Terms are mostly obsolete, we use CCS now. Still it makes sense to keep them for compatibility.
1055 \def{\terms}{\def{\@terms}{\#1}}
1056 \terms{}

\keywords Keywords are mostly obsolete, we use CCS now. Still it makes sense to keep them for compatibility.
1057 \def{\keywords}{\def{\@keywords}{\#1}}
1058 \keywords{}

\abstract Amsart puts abstract in the box. Since we do not know whether we will use two column mode, we prefer to save the text
1059 \renewenvironment{abstract}{\Collect@Body\@saveabstract}{}

\@saveabstract And saving the abstract
1060 \long\def{\@saveabstract}{\long\gdef{\@abstract}{\#1}}
1061 \@saveabstract{}

\@empty The long version of \@empty (to compare with \@abstract)
1062 \long\def{\@empty}{}

\if@ACM@printccs Whether to print CCS
1063 \define@boolkey+{@ACM@topmatter@}{@ACM@}{printccs}[true]{%
1064   \if@ACM@printccs
1065     \ClassInfo{@classname}{Printing CCS}%
1066   \else
1067     \ClassInfo{@classname}{Suppressing CCS}%
1068   \fi}{\ClassError{@classname}{printccs must be true or false}}%

\if@ACM@printacmref Whether to print ACM bib
1069 \define@boolkey+{@ACM@topmatter@}{@ACM@}{printacmref}[true]{%
1070   \if@ACM@printacmref
1071     \ClassInfo{@classname}{Printing bibformat}%
1072   \else
1073     \ClassInfo{@classname}{Suppressing bibformat}%
1074   \fi}{\ClassError{@classname}{printacmref must be true or false}}%

```

```

\if@ACM@printfolios Whether to print folios
1075 \define@boolkey+{@ACM@topmatter@}[@ACM@]{printfolios}[true]{%
1076   \if@ACM@printfolios
1077     \ClassInfo{\@classname}{Printing folios}%
1078   \else
1079     \ClassInfo{\@classname}{Suppressing folios}%
1080   \fi}{\ClassError{\@classname}{printfolios must be true or false}{}}

\settopmatter The usual syntactic sugar
1081 \def\settopmatter#1{\setkeys{@ACM@topmatter@}{#1}{}}

      Now the settings
1082 \settopmatter{printccs=true, printacmref=true}
1083 \if@ACM@manuscript
1084   \settopmatter{printfolios=true}
1085 \else
1086   \if@ACM@journal
1087     \settopmatter{printfolios=true}
1088   \else
1089     \settopmatter{printfolios=false}
1090   \fi
1091 \fi

\@received The container for the paper history
1092 \def\@received{ {} }

\received The \received command
1093 \newcommand\received[2][]{\def\@tempa{#1}%
1094   \ifx\@tempa\empty
1095     \ifx\@received\empty
1096       \gdef\@received{Received #2}%
1097     \else
1098       \g@addto@macro{\@received}{; revised #2}%
1099     \fi
1100   \else
1101     \ifx\@received\empty
1102       \gdef\@received{#1 #2}%
1103     \else
1104       \g@addto@macro{\@received}{; #1 #2}%
1105     \fi
1106   \fi}
1107 \AtEndDocument{%
1108   \ifx\@received\empty\else
1109     \par\bigskip\noindent\small\normalfont\@received\par
1110   \fi}

```

3.10 Concepts system

We exclude CCSXML stuff generated by the ACM system:

```

1111 \RequirePackage{comment}
1112 \excludecomment{CCSXML}

\@concepts This is the storage macro for concepts
1113 \let\@concepts\@empty

\ccsdesc The first argument is the significance, the second is the concept(s)
1114 \newcommand\ccsdesc[2][100]{%
1115   \ccsdesc@parse#1^#2^}

\ccsdesc@parse The parser of the expression Significance^General^Specific (we need textcomp for
\\textrightarrow:
1116 \RequirePackage{textcomp}
1117 \def\ccsdesc@parse#1^#2^#3^{%
1118   \expandafter\ifx\csname CCS@\#2\endcsname\relax
1119   \expandafter\gdef\csname CCS@\#2\endcsname{\textbullet\ \textbf{\#2}\ \textrightarrow\ }%
1120   \g@addto@macro{\@concepts}{\csname CCS@\#2\endcsname}\fi
1121   \expandafter\g@addto@macro\expandafter{\csname CCS@\#2\endcsname}{%
1122     \ifnum#1>499\textbf{\#3}; \else
1123     \ifnum#1>299\textit{\#3}; \else
1124     \#3; \fi\fi}}

```

3.11 Copyright system

This is from acmcopyright.sty

```

\if@printcopyright A flag whether to print copyright symbol
1125 \newif\if@printcopyright
1126 \if@printcopyrighttrue

\if@printpermission Whether to print permission block
1127 \newif\if@printpermission
1128 \if@printpermissiontrue

\if@acmowned Whether ACM owns the rights to the paper
1129 \newif\if@acmowned
1130 \if@acmownedtrue

```

Keys:

```

1131 \define@choicekey*{ACM@}{acmcopyrightmode}[%
1132   \acm@copyrightinput\acm@copyrightmode]{none,acmcopyright,acmlicensed,%
1133   rightsretained,usgov,usgovmixed,cagov,cagovmixed,%
1134   licensedusgovmixed,licensedcagovmixed,othergov,licensedothergov}{%
1135   \if@printpermissiontrue
1136   \if@printcopyrighttrue
1137   \if@acmownedtrue
1138   \ifnum\acm@copyrightmode=0\relax % none
1139   \if@printpermissionfalse

```

```

1140  \@printcopyrightfalse
1141  \@acmownedfalse
1142  \fi
1143  \ifnum\acm@copyrightmode=2\relax % acmlicensed
1144  \@acmownedfalse
1145  \fi
1146  \ifnum\acm@copyrightmode=3\relax % rightsretained
1147  \@acmownedfalse
1148  \fi
1149  \ifnum\acm@copyrightmode=4\relax % usgov
1150  \@printpermissiontrue
1151  \@printcopyrightfalse
1152  \@acmownedfalse
1153  \fi
1154  \ifnum\acm@copyrightmode=6\relax % cagov
1155  \@acmownedfalse
1156  \fi
1157  \ifnum\acm@copyrightmode=8\relax % licensedusgovmixed
1158  \@acmownedfalse
1159  \fi
1160  \ifnum\acm@copyrightmode=9\relax % licensedcagovmixed
1161  \@acmownedfalse
1162  \fi
1163  \ifnum\acm@copyrightmode=10\relax % othergov
1164  \@acmownedtrue
1165  \fi
1166  \ifnum\acm@copyrightmode=11\relax % licensedothergov
1167  \@acmownedfalse
1168  \fi}

\setcopyright This is the syntactic sugar around setting keys.
1169 \def\setcopyright{\setkeys{ACM@}{acmcopyrightmode=#1}}
1170 \setcopyright{acmcopyright}

\@copyrightowner Here is the owner of the copyright
1171 \def\@copyrightowner{%
1172  \ifcase\acm@copyrightmode\relax % none
1173  \or % acmcopyright
1174  ACM\@.
1175  \or % acmlicensed
1176  Copyright held by the owner/author(s). Publication rights licensed to
1177  ACM\@.
1178  \or % rightsretained
1179  Copyright held by the owner/author(s).
1180  \or % usgov
1181  \or % usgovmixed
1182  ACM\@.
1183  \or % cagov
1184  Crown in Right of Canada.
1185  \or %cagovmixed

```

```

1186 ACM\@.
1187 \or %licensedusgovmixed
1188 Copyright held by the owner/author(s). Publication rights licensed to
1189 ACM\@.
1190 \or %licensedcagovmixed
1191 Copyright held by the owner/author(s). Publication rights licensed to
1192 ACM\@.
1193 \or % othergov
1194 ACM\@.
1195 \or % licensedothergov
1196 Copyright held by the owner/author(s). Publication rights licensed to
1197 ACM\@.
1198 \fi}

\@formatdoi Print a clickable doi
1199 \def\@formatdoi#1{\url{https://doi.org/#1}}


\@copyrightpermission The canned permission block.
1200 \def\@copyrightpermission{%
1201 \ifcase\acm@copyrightmode\relax % none
1202 \or % acmcopyright
1203 Permission to make digital or hard copies of all or part of this
1204 work for personal or classroom use is granted without fee provided
1205 that copies are not made or distributed for profit or commercial
1206 advantage and that copies bear this notice and the full citation on
1207 the first page. Copyrights for components of this work owned by
1208 others than ACM must be honored. Abstracting with credit is
1209 permitted. To copy otherwise, or republish, to post on servers or to
1210 redistribute to lists, requires prior specific permission
1211 and\hspace*{.5pt}/or a fee. Request permissions from
1212 permissions@acm.org.
1213 \or % acmlicensed
1214 Permission to make digital or hard copies of all or part of this
1215 work for personal or classroom use is granted without fee provided
1216 that copies are not made or distributed for profit or commercial
1217 advantage and that copies bear this notice and the full citation on
1218 the first page. Copyrights for components of this work owned by
1219 others than the author(s) must be honored. Abstracting with credit
1220 is permitted. To copy otherwise, or republish, to post on servers
1221 or to redistribute to lists, requires prior specific permission
1222 and\hspace*{.5pt}/or a fee. Request permissions from
1223 permissions@acm.org.
1224 \or % rightsretained
1225 Permission to make digital or hard copies of part or all of this work
1226 for personal or classroom use is granted without fee provided that
1227 copies are not made or distributed for profit or commercial advantage
1228 and that copies bear this notice and the full citation on the first
1229 page. Copyrights for third-party components of this work must be
1230 honored. For all other uses, contact the
1231 owner\hspace*{.5pt}/author(s).

```

1232 \or % usgov
1233 This paper is authored by an employee(s) of the United States
1234 Government and is in the public domain. Non-exclusive copying or
1235 redistribution is allowed, provided that the article citation is
1236 given and the authors and agency are clearly identified as its
1237 source.
1238 \or % usgovmixed
1239 ACM acknowledges that this contribution was authored or co-authored
1240 by an employee, or contractor of the national government. As such,
1241 the Government retains a nonexclusive, royalty-free right to
1242 publish or reproduce this article, or to allow others to do so, for
1243 Government purposes only. Permission to make digital or hard copies
1244 for personal or classroom use is granted. Copies must bear this
1245 notice and the full citation on the first page. Copyrights for
1246 components of this work owned by others than ACM must be
1247 honored. To copy otherwise, distribute, republish, or post,
1248 requires prior specific permission and\hspace*{.5pt}/or a
1249 fee. Request permissions from permissions@acm.org.
1250 \or % cagov
1251 This article was authored by employees of the Government of Canada.
1252 As such, the Canadian government retains all interest in the
1253 copyright to this work and grants to ACM a nonexclusive,
1254 royalty-free right to publish or reproduce this article, or to allow
1255 others to do so, provided that clear attribution is given both to
1256 the authors and the Canadian government agency employing them.
1257 Permission to make digital or hard copies for personal or classroom
1258 use is granted. Copies must bear this notice and the full citation
1259 on the first page. Copyrights for components of this work owned by
1260 others than the Canadian Government must be honored. To copy
1261 otherwise, distribute, republish, or post, requires prior specific
1262 permission and\hspace*{.5pt}/or a fee. Request permissions from
1263 permissions@acm.org.
1264 \or % cagovmixed
1265 ACM acknowledges that this contribution was co-authored by an
1266 affiliate of the national government of Canada. As such, the Crown
1267 in Right of Canada retains an equal interest in the copyright.
1268 Reprints must include clear attribution to ACM and the author's
1269 government agency affiliation. Permission to make digital or hard
1270 copies for personal or classroom use is granted. Copies must bear
1271 this notice and the full citation on the first page. Copyrights for
1272 components of this work owned by others than ACM must be honored.
1273 To copy otherwise, distribute, republish, or post, requires prior
1274 specific permission and\hspace*{.5pt}/or a fee. Request permissions
1275 from permissions@acm.org.
1276 \or % licensedusgovmixed
1277 Publication rights licensed to ACM\@. ACM acknowledges that this
1278 contribution was authored or co-authored by an employee, contractor
1279 or affiliate of the United States government. As such, the
1280 Government retains a nonexclusive, royalty-free right to publish or
1281 reproduce this article, or to allow others to do so, for Government

```

1282    purposes only.
1283 \or % licensedcagovmixed
1284 Publication rights licensed to ACM\@. ACM acknowledges that this
1285 contribution was authored or co-authored by an employee, contractor
1286 or affiliate of the national government of Canada. As such, the
1287 Government retains a nonexclusive, royalty-free right to publish or
1288 reproduce this article, or to allow others to do so, for Government
1289 purposes only.
1290 \or % othergov
1291 ACM acknowledges that this contribution was authored or co-authored
1292 by an employee, contractor or affiliate of a national government. As
1293 such, the Government retains a nonexclusive, royalty-free right to
1294 publish or reproduce this article, or to allow others to do so, for
1295 Government purposes only.
1296 \or % licensedothergov
1297 Publication rights licensed to ACM\@. ACM acknowledges that this
1298 contribution was authored or co-authored by an employee, contractor
1299 or affiliate of a national government. As such, the Government
1300 retains a nonexclusive, royalty-free right to publish or reproduce
1301 this article, or to allow others to do so, for Government purposes
1302 only.
1303 \fi}

\copyrightyear By default, the copyright year is the same as \acmYear, but one can override this:
1304 \def\copyrightyear#1{\def\@copyrightyear{#1}}
1305 \copyrightyear{\@acmYear}

\@teaserfigures The teaser figures container
1306 \def\@teaserfigures{}

teaserfigure The teaser figure
1307 \newenvironment{teaserfigure}{\Collect@Body\@saveteaser}{} 

\@saveteaser Saving the teaser
1308 \long\def\@saveteaser#1{\g@addto@macro\@teaserfigures{\@teaser{#1}}}

\thanks We redefine amsart \thanks, so the anonymous key works
1309 \renewcommand{\thanks}[1]{%
1310   \@ifnotempty{#1}{%
1311     \if@ACM@anonymous
1312       \g@addto@macro\thankses{\thanks{A note}}%
1313     \else
1314       \g@addto@macro\thankses{\thanks{#1}}%
1315   }%
}

```

3.12 Typesetting top matter

\mkttitle@bx Some of our formats use two column design, some use one column one. In all cases we use wide title. Thus we typeset the top matter in a special box to be used in the construction \twocolumn[<box>].

```

1316 \newbox\mkttitle@bx

\maketitle The (in)famous \maketitle. Note that in sigchi-a mode authors are not in the title box.
Another note: there is a subtle difference between author notes, title notes and
thankses. The latter refer to the paper itself, and therefore belong to the copy-
right/permission block. By the way, this was the default behavior of the old ACM classes.

1317 \def\maketitle{%
1318   \if@ACM@anonymous
1319     % Anonymize omission of \author-s
1320     \ifnum\num@authorgroups=0\author{}\fi
1321   \fi
1322   \begingroup
1323   \let\@footnotemark\@footnotemark@nolink
1324   \let\@footnotetext\@footnotetext@nolink
1325   \renewcommand\thefootnote{\@fnssymbol\c@footnote}%
1326   \atopnum\z@ % this prevents figures from falling at the top of page
1327   %
1328   \hsize=\textwidth
1329   \def\@makefnmark{\hbox{\@textsuperscript{\@thefnmark}}}%
1330   \@mkttitle\if@ACM@sigchiamode\else\@mkauthors\fi\@mkteasers
1331   \@printtopmatter
1332   \if@ACM@sigchiamode\@mkauthors\fi
1333   \setcounter{footnote}{0}%
1334   \def\@makefnmark{\hbox{\@textsuperscript{\normalfont\@thefnmark}}}%
1335   \@titlenotes
1336   \@subtitlenotes
1337   \@authornotes
1338   \let\@makefnmark\relax \let\@thefnmark\relax
1339   \let\@makefntext\noindent
1340   \ifx\@empty\thankses\else
1341     \footnotetextcopyrightpermission{%
1342       \def\par{\let\par\@par}\parindent\z@\@setthanks}%
1343   \fi
1344   \footnotetextcopyrightpermission{\parindent\z@\parskip0.1\baselineskip
1345   \if@ACM@authorversion\else
1346     \if@printpermission\copyrightpermission\par\fi
1347   \fi
1348   \if@ACM@manuscript\else
1349     \if@ACM@journal\else % Print the conference short name
1350       {\itshape \acmConference@shortname, \acmConference@venue}\par
1351     \fi
1352   \fi
1353   \if@printcopyright
1354     \copyright\ \@copyrightyear\ \@copyrightowner\
1355   \else
1356     \@copyrightyear.\
1357   \fi
1358   \if@ACM@manuscript
1359     Manuscript submitted to ACM\\

```

```

1360 \else
1361   \if@ACM@authorversion
1362     This is the author's version of the work. It is posted here for
1363     your personal use. Not for redistribution. The definitive Version
1364     of Record was published in
1365     \if@ACM@journal
1366       \emph{\@journalName}%
1367     \else
1368       \emph{Proceedings of \acmConference@name, \acmConference@date}%
1369     \fi
1370     \ifx\@acmDOI\@empty
1371     .
1372     \else
1373       , \@formatdoi{\@acmDOI}.
1374     \fi \\
1375   \else
1376     \if@ACM@journal
1377       \@permissionCodeOne/\@acmYear/\@acmMonth-ART\@acmArticle\
1378       \$\@acmPrice\\
1379       DOI: \nolinkurl{\@acmDOI}%
1380     \else % Conference
1381       \@acmISBN
1382       \ifx\@acmPrice\@empty.\else\@dots\$@\acmPrice\fi \\
1383       DOI: \nolinkurl{\@acmDOI}%
1384     \fi
1385   \fi
1386 \fi}%
1387 \endgroup
1388 \setcounter{footnote}{0}%
1389 @mkabstract
1390 \if@ACM@printccs
1391   \ifx\@concepts\@empty\else\bgroup
1392     {\@specialsection{CCS Concepts}%
1393      \@concepts\par}\egroup
1394   \fi
1395 \fi
1396 \if\@terms\@empty\else\bgroup
1397   {\@specialsection{General Terms}%
1398      \@terms\par}\egroup
1399 \fi
1400 \ifx\@keywords\@empty\else\bgroup
1401   {\if@ACM@journal
1402     \@specialsection{Additional Key Words and Phrases}%
1403   \else
1404     \@specialsection{Keywords}%
1405   \fi
1406     \@keywords\par}\egroup
1407 \fi
1408 \andifyauthors
1409 \andifyshortauthors

```

```

1410 \global\let\authors=\authors
1411 \global\let\shortauthors=\shortauthors
1412 \if@ACM@printacmref
1413   \@mkbibcitation
1414 \fi
1415 \hypersetup{pdfauthor={\authors},
1416   pdftitle={\@title}, pdfkeywords={\@concepts}}%
1417 \@printendtopmatter
1418 \@afterindentfalse
1419 \@afterheading
1420 }

\@specialsection This macro starts section for proceedings and uses small for journals
1421 \def\@specialsection#1{%
1422   \ifcase\ACM@format@nr
1423     \relax % manuscript
1424     \par\medskip\small\noindent#1: %
1425   \or % acmsmall
1426     \par\medskip\small\noindent#1: %
1427   \or % acmlarge
1428     \par\medskip\small\noindent#1: %
1429   \or % acmtog
1430     \par\medskip\small\noindent#1: %
1431   \or % sigconf
1432     \section*{\#1}%
1433   \or % siggraph
1434     \section*{\#1}%
1435   \or % sigplan
1436     \paragraph*{\#1}%
1437   \or % sigchi
1438     \section*{\#1}%
1439   \or % sigchi-a
1440     \section*{\#1}%
1441   \fi}

\@printtopmatter The printing of top matter starts the new page, and uses the given title box. Note that for sigchi-a we print badges here rather than in \mkttitle since we want them on the margins.
1442 \def\@printtopmatter{%
1443   \ifx\@startPage\@empty
1444     \gdef\@startPage{1}%
1445   \else
1446     \setcounter{page}{\@startPage}%
1447   \fi
1448   \thispagestyle{firstpagestyle}%
1449   \noindent
1450   \ifcase\ACM@format@nr
1451     \relax % manuscript
1452     \box\mkttitle@bx\par

```

```

1453   \noindent\hrulefill\par
1454 \or % acmsmall
1455   \box\mkttitle@bx\par
1456   \noindent\hrulefill\par
1457 \or % acmlarge
1458   \box\mkttitle@bx\par
1459   \noindent\hrulefill\par
1460 \or % acmtog
1461   \twocolumn[\box\mkttitle@bx]%
1462 \or % sigconf
1463   \twocolumn[\box\mkttitle@bx]%
1464 \or % siggraph
1465   \twocolumn[\box\mkttitle@bx]%
1466 \or % sigplan
1467   \twocolumn[\box\mkttitle@bx]%
1468 \or % sigchi
1469   \twocolumn[\box\mkttitle@bx]%
1470 \or % sigchi-a
1471   \par\box\mkttitle@bx\par\bigskip
1472 \if@ACM@badge
1473   \marginpar{\noindent
1474     \ifx\@acmBadgeL@image\empty\else
1475       \href{\@acmBadgeL@url}{%
1476         \includegraphics[width=\@ACM@badge@width]{\@acmBadgeL@image}}%
1477       \hspace{\@ACM@badge@skip}
1478     \fi
1479     \ifx\@acmBadgeR@image\empty\else
1480       \href{\@acmBadgeR@url}{%
1481         \includegraphics[width=\@ACM@badge@width]{\@acmBadgeR@image}}%
1482     \fi}%
1483   \fi
1484 \fi
1485 }

\@mkttitle The title of the article
1486 \def\@mkttitle{%
1487   \ifcase\@ACM@format@nr
1488     \relax % manuscript
1489     \mkttitle@i
1490   \or % acmsmall
1491     \mkttitle@i
1492   \or % acmlarge
1493     \mkttitle@i
1494   \or % acmtog
1495     \mkttitle@i
1496   \or % sigconf
1497     \mkttitle@iii
1498   \or % siggraph
1499     \mkttitle@iii
1500   \or % sigplan

```

```

1501      \@mktitle@iii
1502      \or % sigchi
1503      \@mktitle@iii
1504      \or % sigchi-a
1505      \@mktitle@iv
1506      \fi
1507 }

\@titlefont The font to typeset title
1508 \def\@titlefont{%
1509   \ifcase\ACM@format@nr
1510     \relax % manuscript
1511     \LARGE\bfseries\sffamily
1512   \or % acmsmall
1513     \LARGE\bfseries\sffamily
1514   \or % acllarge
1515     \LARGE\bfseries\sffamily
1516   \or % acmtog
1517     \Huge\sffamily
1518   \or % sigconf
1519     \Huge\sffamily\bfseries
1520   \or % siggraph
1521     \Huge\sffamily\bfseries
1522   \or % sigplan
1523     \Huge\bfseries
1524   \or % sigchi
1525     \Huge\sffamily\bfseries
1526   \or % sigchi-a
1527     \Huge\bfseries
1528   \fi}

\@subtitlefont The font to typeset title
1529 \def\@subtitlefont{%
1530   \ifcase\ACM@format@nr
1531     \relax % manuscript
1532     \mdseries
1533   \or % acmsmall
1534     \mdseries
1535   \or % acllarge
1536     \mdseries
1537   \or % acmtog
1538     \LARGE
1539   \or % sigconf
1540     \LARGE\mdseries
1541   \or % siggraph
1542     \LARGE\mdseries
1543   \or % sigplan
1544     \LARGE\mdseries
1545   \or % sigchi
1546     \LARGE\mdseries

```

```

1547 \or % sigchi-a
1548   \mdseries
1549 \fi}

\@mkttitle@i The version of \mkttitle for most journals
1550 \def\@mkttitle@i{\hsize=\textwidth
1551   \@ACM@title@width=\hsize
1552   \ifx\@acmBadgeL@image\empty\else
1553     \advance\@ACM@title@width by -\@ACM@badge@width
1554     \advance\@ACM@title@width by -\@ACM@badge@skip
1555   \fi
1556   \ifx\@acmBadgeR@image\empty\else
1557     \advance\@ACM@title@width by -\@ACM@badge@width
1558     \advance\@ACM@title@width by -\@ACM@badge@skip
1559   \fi
1560   \setbox\mkttitle@bx=\vbox{\noindent\@titlefont
1561     \ifx\@acmBadgeL@image\empty\else
1562       \raisebox{-.5\baselineskip}{[\z@][\z@]{\href{\@acmBadgeL@url}{%
1563         \includegraphics[width=\@ACM@badge@width]{\@acmBadgeL@image}}}}%
1564       \hskip\@ACM@badge@skip
1565     \fi
1566     \parbox[t]{\@ACM@title@width}{\raggedright
1567       \@titlefont\noindent
1568       \title
1569     \ifx\@subtitle\empty\else
1570       \par\noindent{\@subtitlefont\@subtitle}
1571     \fi}%
1572   \ifx\@acmBadgeR@image\empty\else
1573     \hskip\@ACM@badge@skip
1574     \raisebox{-.5\baselineskip}{[\z@][\z@]{\href{\@acmBadgeR@url}{%
1575       \includegraphics[width=\@ACM@badge@width]{\@acmBadgeR@image}}}}%
1576   \fi
1577   \par\bigskip}%

\@mkttitle@ii The version of \mkttitle for TOG. Since v1.06 is subsumed by the \mkttitle@i macro
\@mkttitle@iii The version of \mkttitle for sigproc. Note that since the title is centered, we leave the
space for the left badge even if only the right badge is defined.
1578 \def\@mkttitle@iii{\hsize=\textwidth
1579   \setbox\mkttitle@bx=\vbox{\@titlefont\centering
1580     \@ACM@title@width=\hsize
1581     \if@ACM@badge
1582       \advance\@ACM@title@width by -2\@ACM@badge@width
1583       \advance\@ACM@title@width by -2\@ACM@badge@skip
1584       \parbox[b]{\@ACM@badge@width}{\strut
1585         \ifx\@acmBadgeL@image\empty\else
1586           \raisebox{-.5\baselineskip}{[\z@][\z@]{\href{\@acmBadgeL@url}{%
1587             \includegraphics[width=\@ACM@badge@width]{\@acmBadgeL@image}}}}%
1588         \fi}%
1589       \hskip\@ACM@badge@skip

```

```

1590     \fi
1591     \parbox[t]{\@ACM@title@width}{\centering\@titlefont
1592         \@title
1593         \ifx\@subtitle\@empty\else
1594             \par\noindent{\@subtitlefont\@subtitle}
1595         \fi
1596     }%
1597     \if@ACM@badge
1598         \hskip\@ACM@badge@skip
1599         \parbox[b]{\@ACM@badge@width}{\strut
1600             \ifx\@acmBadgeR@image\@empty\else
1601                 \raisebox{-.5\baselineskip}{\z@\z@\z@}{\href{\@acmBadgeR@url}{%
1602                     \includegraphics[width=\@ACM@badge@width]{\@acmBadgeR@image}}}}%
1603         \fi}%
1604     \fi
1605     \par\bigskip}%

```

\@mktitle@iv The version of \@mktitle for sigchi-a

```

1606 \def\@mktitle@iv{\hsize=\textwidth
1607   \setbox\mktitle@bx=\vbox{\raggedright\leftskip5pc\@titlefont
1608     \noindent\leavevmode\leaders\hrule height 2pt\hfill\kern0pt\par
1609     \noindent\@title
1610     \ifx\@subtitle\@empty\else
1611       \par\noindent{\@subtitlefont\@subtitle}
1612     \fi
1613     \par\bigskip}%

```

\@ACM@addtoaddress The macro adds an item to address using the following rules:

1. If we start a paragraph, add the item
2. Otherwise, add a comma and the item
3. However, the comma is deleted, if it is on the end of the line. We use the magic cleaders trick for this.

```

1614 \newbox\@ACM@commabox
1615 \def\@ACM@addtoaddress#1{%
1616   \ifvmode\else
1617     \setbox\@ACM@commabox=\hbox{, }%
1618     \unskip\cleaders\copy\@ACM@commabox\hskip\wd\@ACM@commabox
1619   \fi
1620   #1}%

```

\institution Theoretically we can define the macros for \affiliation inside the \@mkauthors-style commands. However, this would lead to a strange error if an author uses them outside \affiliation. Of course we can make them produce an error message, but...

\streetaddress We follow the strange American tradition of no comma before zip code.

```

\city 1621 \if@ACM@journal
\state \let\position@gobble
\postcode
\country

```

```

1623 \def\institution#1{\#1\ignorespaces}%
1624 \newcommand\department[2][0]{}%
1625 \let\streetaddress\@gobble
1626 \let\city\@gobble
1627 \let\state\@gobble
1628 \let\postcode\@gobble
1629 \let\country\@gobble
1630 \else
1631 \def\position#1{\#1\par}%
1632 \def\institution#1{\#1\par}%
1633 \newcommand\department[2][0]{\#2\par}%
1634 \def\streetaddress#1{\#1\par}%
1635 \let\city\@ACM@addtoaddress
1636 \let\state\@ACM@addtoaddress
1637 \def\postcode#1{\unskip\space#1}%
1638 \let\country\@ACM@addtoaddress
1639 \fi

\@mkauthors Typesetting authors
1640 \def\@mkauthors{\begingroup
1641   \hsize=\textwidth
1642   \ifcase\ACM@format@nr
1643     \relax % manuscript
1644     \@mkauthors@i
1645   \or % acmsmall
1646     \@mkauthors@i
1647   \or % acmlarge
1648     \@mkauthors@i
1649   \or % acmtog
1650     \@mkauthors@i
1651   \or % sigconf
1652     \@mkauthors@iii
1653   \or % siggraph
1654     \@mkauthors@iii
1655   \or % sigplan
1656     \@mkauthors@iii
1657   \or % sigchi
1658     \@mkauthors@iii
1659   \or % sigchi-a
1660     \@mkauthors@iv
1661   \fi
1662 \endgroup
1663 }

\@authorfont Somehow different conferences use different fonts for author names. Why?
1664 \def\@authorfont{\Large\sffamily}

\@affiliationfont Font for affiliations
1665 \def\@affiliationfont{\normalsize\normalfont}

```

Adjusting fonts for different formats

```
1666 \ifcase\ACM@format@nr
1667 \relax % manuscript
1668 \or % acmsmall
1669   \def\@authorfont{\large\sffamily}
1670   \def\@affiliationfont{\small\normalfont}
1671 \or % acmlarge
1672 \or % acmtog
1673   \def\@authorfont{\LARGE\sffamily}
1674   \def\@affiliationfont{\large}
1675 \or % sigconf
1676   \def\@authorfont{\LARGE}
1677   \def\@affiliationfont{\large}
1678 \or % siggraph
1679   \def\@authorfont{\normalsize\normalfont}
1680   \def\@affiliationfont{\normalsize\normalfont}
1681 \or % sigplan
1682   \def\@authorfont{\Large\normalfont}
1683   \def\@affiliationfont{\normalsize\normalfont}
1684 \or % sigchi
1685   \def\@authorfont{\bfseries}
1686   \def\@affiliationfont{\mdseries}
1687 \or % sigchi-a
1688   \def\@authorfont{\bfseries}
1689   \def\@affiliationfont{\mdseries}
1690 \fi
```

\@typeset@author@line At this point we have \@currentauthors and \@currentaffiliations. We typeset them in the journal style

```
1691 \def\@typeset@author@line{%
1692   \andify{\@currentauthors}\par\noindent
1693   \@currentauthors\def\@currentauthors{}%
1694   \ifx\@currentaffiliations\empty\else
1695     \andify{\@currentaffiliations}
1696     \unskip, {\@currentaffiliations}\par
1697   \fi
1698   \def\@currentaffiliations{}}
```

\@mkauthors@i This is version used in most formats. Note that \and between authors with the same affiliation becomes _and_:

```
1699 \def\@mkauthors@i{%
1700   \def\@currentauthors{}%
1701   \def\@currentaffiliations{}%
1702   \global\let\and\@typeset@author@line
1703   \def\@author##1{%
1704     \ifx\@currentauthors\empty
1705       \gdef\@currentauthors{\@authorfont\MakeUppercase{##1}}%
1706     \else
1707       \g@addto@macro{\@currentauthors}{\and\MakeUppercase{##1}}%
```

```

1708     \fi
1709     \gdef\and{}%
1710 \def\email##1##2{%
1711 \def\affiliation##1##2{%
1712   \def\@tempa{##2}\ifx\@tempa\empty\else
1713     \ifx\@currentaffiliations\empty
1714       \gdef\@currentaffiliations{\@affiliationfont##2}%
1715     \else
1716       \g@addto@macro{\@currentaffiliations}{\and##2}%
1717     \fi
1718   \fi
1719   \global\let\and\@typeset@author@line}%
1720 \global\setbox\mktitle@bx=\vbox{\noindent\box\mktitle@bx\par\medskip
1721   \noindent\addresses\@typeset@author@line
1722   \par\medskip}%
1723 }

\@mkauthors@ii \@mkauthors@iI was version used in acmtog. No longer necessary

\author@bx The box to put individual author to
1724 \newbox\author@bx

\author@bx@wd The width of the author box
1725 \newdimen\author@bx@wd

\author@bx@sep The separation between the author boxes
1726 \newskip\author@bx@sep
1727 \author@bx@sep=1pc\relax

\@typeset@author@bx Typesetting the box with authors. Note that in SIGCHI-A the box is not centered.
1728 \def\@typeset@author@bx{\bgroup\hsize=\author@bx@wd\def\and{\par}%
1729   \global\setbox\author@bx=\vtop{\if@ACM@sighchiamode\else\centering\fi
1730     \authorfont\@currentauthors\par\@affiliationfont
1731     \@currentaffiliation}\egroup
1732   \box\author@bx\hskip{\author@bx@sep}%
1733   \gdef\@currentauthors{}%
1734   \gdef\@currentaffiliation{}}

\@mkauthors@iii The sigconf version. Here we use centered design with each author in a separate box.
1735 \def\@mkauthors@iii{%
First, we need to determine the design of the author strip. The boxes are separated by
\author@bx@sep plus two \author@bx@sep margins. This means that each box must
be of width ( $\textwidth - \author@bx@sep$ )/ $N - \author@bx@sep$ , where  $N$  is the
number of boxes per row.
1736   \author@bx@wd=\textwidth\relax
1737   \advance\author@bx@wd by -\author@bx@sep\relax
1738   \ifcase\num@authorgroups
1739     \relax % 0?

```

```

1740 \or % 1=one author per row
1741 \or % 2=two authors per row
1742   \divide\author@bx@wd by \num@authorgroups\relax
1743 \or % 3=three authors per row
1744   \divide\author@bx@wd by \num@authorgroups\relax
1745 \or % 4=two authors per row (!)
1746   \divide\author@bx@wd by 2\relax
1747 \else % three authors per row
1748   \divide\author@bx@wd by 3\relax
1749 \fi
1750 \advance\author@bx@wd by -\author@bx@sep\relax

```

Now, parsing of \addresses:

```

1751 \gdef\@currentauthors{}%
1752 \gdef\@currentaffiliation{}%
1753 \def\@author##1{\ifx\@currentauthors\@empty
1754   \gdef\@currentauthors{\par##1}%
1755 \else
1756   \g@addto@macro\@currentauthors{\par##1}%
1757 \fi
1758 \gdef\and{}%
1759 \def\email##1##2{\ifx\@currentaffiliation\@empty
1760   \gdef\@currentaffiliation{\nolinkurl{##2}}%
1761 \else
1762   \g@addto@macro\@currentaffiliation{\par\nolinkurl{##2}}%
1763 \fi}%
1764 \def\affiliation##1##2{\ifx\@currentaffiliation\@empty
1765   \gdef\@currentaffiliation{##2}%
1766 \else
1767   \g@addto@macro\@currentaffiliation{\par##2}%
1768 \fi
1769 \global\let\and\@typeset@author@bx
1770 }%

```

Actual typesetting is done by \and macro:

```

1771 \hsize=\textwidth
1772 \global\setbox\mktitle@bx=\vbox{\noindent
1773   \box\mktitle@bx\par\medskip\leavevmode
1774   \lineskip=1pc\relax\centering\hspace*{-1em}%
1775   \addresses\let\and\@typeset@author@bx\and\par\bigskip}%

```

\@mkauthors@iv The sigchia version. Now we put authors in the main text, and no more than 2 authors per line.

```
1776 \def\@mkauthors@iv{%
```

First, we need to determine the design of the author strip. The boxes are separated by \author@bx@sep plus two \author@bx@sep margins. This means that each box must be of width (\textwidth - \author@bx@sep)/N - \author@bx@sep, where N is the number of boxes per row.

```
1777 \author@bx@wd=\columnwidth\relax
```

```

1778 \advance\author@bx@wd by -\author@bx@sep\relax
1779 \ifcase\num@authorgroups
1780 \relax % 0?
1781 \or % 1=one author per row
1782 \else % 2=two authors per row
1783     \divide\author@bx@wd by 2\relax
1784 \fi
1785 \advance\author@bx@wd by -\author@bx@sep\relax

```

Now, parsing of \addresses:

```

1786 \gdef\@currentauthors{}%
1787 \gdef\@currentaffiliation{}%
1788 \def\@author##1{\ifx\@currentauthors\@empty
1789     \gdef\@currentauthors{\par##1}%
1790 \else
1791     \g@addto@macro\@currentauthors{\par##1}%
1792 \fi
1793 \gdef\and{}%
1794 \def\email##1##2{\ifx\@currentaffiliation\@empty
1795     \gdef\@currentaffiliation{\nolinkurl{##2}}%
1796 \else
1797     \g@addto@macro\@currentaffiliation{\par\nolinkurl{##2}}%
1798 \fi}%
1799 \def\affiliation##1##2{\ifx\@currentaffiliation\@empty
1800     \gdef\@currentaffiliation{##2}%
1801 \else
1802     \g@addto@macro\@currentaffiliation{\par##2}%
1803 \fi
1804 \global\let\and\@typeset@author@bx}%
1805 %

```

Actual typesetting is done by \and macro

```

1806 \bgroup\hsize=\columnwidth
1807 \par\raggedright\leftskip=\z@
1808 \lineskip=1pc\noindent
1809 \addresses\let\and\@typeset@author@bx\and\par\bigskip\egroup}

```

\@authornotemark Adding footnotemark to authors

```
1810 \def\@authornotemark{\g@addto@macro\@currentauthors{\footnotemark}}
```

\@mkteasers Typesetting teasers

```

1811 \def\@mkteasers{%
1812 \ifx\@teaserfigures\@empty\else
1813     \def\@teaser##1{\par\bigskip\bgroup
1814         \captionsetup{type=figure}##1\egroup\par}
1815     \global\setbox\mkttitle@bx=\vbox{\noindent\box\mkttitle@bx\par
1816     \noindent\@teaserfigures\par\medskip}%
1817 \fi}

```

\@setaddresses This is an amsart macro, which we do not need.

```
1818 \def\@setaddresses{}
```

```

\@mkabstract Typesetting abstract
1819 \def\@mkabstract{\bgroup
1820   \ifx\@abstract\@empty\else
1821     {\phantomsection\addcontentsline{toc}{section}{Abstract}%
1822      \if@ACM@journal
1823        \small\noindent
1824      \else
1825        \section*{Abstract}%
1826      \fi
1827      \ignorespaces\@abstract\par}%
1828    \fi\egroup}

\@mkbibcitation Print bibcitation format
1829 \def\@mkbibcitation{\bgroup
1830   \def\footnotemark{}%
1831   \def\\{\unskip{} \ignorespaces}%
1832   \def\footnote{\ClassError{\@classname}{Please do note use footnotes
1833     inside \string\title{} or \string\author{} command! Use
1834     \string\titlenote{} or \string\authornote{} instead!}}%
1835   \par\medskip\small\noindent{\bfseries ACM Reference format:}\par\nobreak
1836   \noindentauthors. \acmYear. \title.
1837   \if@ACM@journal
1838     \textit{\journalNameShort}
1839     \acmVolume, \acmNumber, Article\textsuperscript{\acmArticle} (\acmPubDate),
1840     \ref{TotPages}\textsuperscript{pages}.
1841   \else
1842     In \textit{Proceedings of \acmConference@name, \acmConference@venue,
1843       \acmConference@date
1844       \ifx\acmConference@name\acmConference@shortname\else
1845         \acmConference@shortname\fi
1846       ,} \ref{TotPages}\textsuperscript{pages}.
1847   \fi\par
1848   \noindent DOI: \nolinkurl{\acmDOI}
1849 \par\egroup}

\@printendtopmatter End the top matter
1850 \def\@printendtopmatter{\par\medskip
1851   \ifcase\ACM@format@nr
1852     \relax % manuscript
1853     \noindent\hrulefill\par\medskip
1854   \or % acmsmall
1855     \noindent\hrulefill\par\medskip
1856   \or % acmlarge
1857     \noindent\hrulefill\par\medskip
1858   \or % acmtog
1859     \par\bigskip
1860   \or % sigconf
1861     \par\bigskip
1862   \or % siggraph

```

```

1863   \par\bigskip
1864   \or % sigplan
1865   \par\bigskip
1866   \or % sigchi
1867   \par\bigskip
1868   \or % sigchi-a
1869   \fi
1870 }

\@setthanks We redefine \setthanks using \long
1871 \def\@setthanks{\long\def\thanks{\par\@addpunct.\ }\thankses}

```

3.13 Headers and Footers

We use `fancyhdr` for our headers and footers:

```

1872 \RequirePackage{fancyhdr}

\ACM@linecount@bx This is the box displayed in the review mode
1873 \if@ACM@review
1874   \newsavebox{\ACM@linecount@bx}
1875   \savebox{\ACM@linecount@bx}[4em][t]{\parbox[t]{4em}{%
1876     \newlength\ACM@linecount@bxht\setlength{\ACM@linecount@bxht}{-\baselineskip}
1877     \tempcnta@ne\relax
1878     \loop\color{ACMRed}\scriptsize\the\tempcnta\\
1879     \advance\tempcnta by \one
1880     \addtolength\ACM@linecount@bxht{\baselineskip}
1881     \ifdim\ACM@linecount@bxht<\textheight\repeat}}
1882 \fi

\ACM@linecount How to display the box
1883 \def\ACM@linecount{%
1884   \if@ACM@review
1885     \begin{picture}(0,0)%
1886       \put(-26,-22){\usebox{\ACM@linecount@bx}}%
1887     \end{picture}%
1888   \fi}

\@shortauthors Even if the author redefined \shortauthors, we do not print them in the anonymous mode in the headers:
1889 \def\@shortauthors{\if@ACM@anonymous Anon.\else\shortauthors\fi}

\@headfootfont The font to typeset header and footer text.
1890 \def\@headfootfont{%
1891   \ifcase\ACM@format@nr
1892     \relax % manuscript
1893     \sffamily
1894   \or % acmsmall
1895     \sffamily

```

```

1896 \or % acmlarge
1897   \sffamily
1898 \or % acmtog
1899   \sffamily
1900 \or % sigconf
1901   \sffamily
1902 \or % siggraph
1903   \sffamily
1904 \or % sigplan
1905   \sffamily
1906 \or % sigchi
1907   \sffamily
1908 \or % sigchi-a
1909   \sffamily
1910 \fi}

```

standardpagestyle The pagestyle for all pages but the first one

```

1911 \fancypagestyle{standardpagestyle}{%
1912   \fancyhf{}%
1913   \renewcommand{\headrulewidth}{\z@}%
1914   \renewcommand{\footrulewidth}{\z@}%
1915   \ifcase\ACM@format@nr
1916     \relax % manuscript
1917     \fancyhead[LE]{\ACM@linecount\if@ACM@printfolios\thepage\fi}%
1918     \fancyhead[RO]{\if@ACM@printfolios\thepage\fi}%
1919     \fancyhead[RE]{\@shortauthors}%
1920     \fancyhead[LO]{\ACM@linecount\shorttitle}%
1921     \fancyfoot[RO,LE]{\footnotesize Manuscript submitted to ACM}%
1922   \or % acmsmall
1923     \fancyhead[LE]{\ACM@linecount\@headfootfont\@acmArticle\if@ACM@printfolios:\thepage\fi}%
1924     \fancyhead[RO]{\@headfootfont\@acmArticle\if@ACM@printfolios:\thepage\fi}%
1925     \fancyhead[RE]{\@headfootfont\@shortauthors}%
1926     \fancyhead[LO]{\ACM@linecount\@headfootfont\shorttitle}%
1927     \fancyfoot[RO,LE]{\footnotesize \@journalName, Vol. \acmVolume, No.%
1928       \@acmNumber, Article \@acmArticle. Publication date: \acmPubDate.}%
1929   \or % acmlarge
1930     \fancyhead[LE]{\ACM@linecount\@headfootfont
1931       \@acmArticle\if@ACM@printfolios:\thepage\fi\quad\textbullet\quad\@shortauthors}%
1932     \fancyhead[LO]{\ACM@linecount}%
1933     \fancyhead[RO]{\@headfootfont
1934       \shorttitle\quad\textbullet\quad\@acmArticle\if@ACM@printfolios:\thepage\fi}%
1935     \fancyfoot[RO,LE]{\footnotesize \@journalName, Vol. \acmVolume, No.%
1936       \@acmNumber, Article \@acmArticle. Publication date: \acmPubDate.}%
1937   \or % acmtog
1938     \fancyhead[LE]{\ACM@linecount\@headfootfont
1939       \@acmArticle\if@ACM@printfolios:\thepage\fi\quad\textbullet\quad\@shortauthors}%
1940     \fancyhead[LO]{\ACM@linecount}%
1941     \fancyhead[RO]{\@headfootfont
1942       \shorttitle\quad\textbullet\quad\@acmArticle\if@ACM@printfolios:\thepage\fi}%
1943     \fancyfoot[RO,LE]{\footnotesize \@journalName, Vol. \acmVolume, No.}

```

```

1944     \@acmNumber, Article \@acmArticle. Publication date: \@acmPubDate.}%
1945 \else % Proceedings
1946   \fancyfoot[C]{\if@ACM@printfolios\footnotesize\thepage\fi}%
1947   \fancyhead[LO]{\ACM@linecount \@headfootfont\shorttitle}%
1948   \fancyhead[RE]{\@headfootfont\shortauthors}%
1949   \fancyhead[LE]{\ACM@linecount \@headfootfont\acmConference@shortname,
1950     \acmConference@date, \acmConference@venue}%
1951   \fancyhead[RO]{\@headfootfont\acmConference@shortname,
1952     \acmConference@date, \acmConference@venue}%
1953 \fi
1954 \if@ACM@sigchiamode
1955   \fancyheadoffset[L]{\dimexpr(\marginparsep+\marginparwidth)}%
1956 \fi
1957 }
1958 \pagestyle{standardpagestyle}

\f@folio@wd Folio blob width, height, offsets and max number
\f@folio@ht 1959 \newdimen\f@folio@wd
\f@folio@voffset 1960 \f@folio@wd=\z@
\f@folio@max 1961 \newdimen\f@folio@ht
1962 \f@folio@ht=\z@
1963 \newdimen\f@folio@voffset
1964 \f@folio@voffset=\z@
1965 \def\f@folio@max{1}
1966 \ifcase\ACM@format@nr
1967 \relax % manuscript
1968 \or % acmsmall
1969 \f@folio@wd=45.75pt\relax
1970 \f@folio@ht=1.25in\relax
1971 \f@folio@voffset=.2in\relax
1972 \def\f@folio@max{8}
1973 \or % acmlarge
1974 \f@folio@wd=43.25pt\relax
1975 \f@folio@ht=79pt\relax
1976 \f@folio@voffset=.55in\relax
1977 \def\f@folio@max{10}
1978 \fi

\f@folioblob The macro to typeset the folio blob.
1979 \def\f@folioblob{\@tempcnta=\@acmArticleSeq\relax
First, we calculate \acmArticleSeq modulo \f@folio@max
1980 \loop
1981   \ifnum\@tempcnta>\f@folio@max\relax
1982     \advance\@tempcnta by -\f@folio@max
1983   \repeat
1984   \advance\@tempcnta by -1\relax
1985   \tempdima=\f@folio@ht\relax
1986   \multiply\tempdima by \the\@tempcnta\relax
1987   \advance\tempdima by -\f@folio@voffset\relax

```

```

1988 \begin{picture}(0,0)
1989 \makebox[\z@]{\raisebox{-\tempdima}{%
1990   \rlap{%
1991     \raisebox{-0.45\@folio@ht}{\z@[\z@]{%
1992       \rule{\@folio@wd}{\@folio@ht}}}}%
1993   \parbox{\@folio@wd}{%
1994     \centering
1995     \textcolor{white}{\LARGE\bfseries\sffamily\@acmArticle}}}
1996 \end{picture}
1997

```

`firstpagestyle` The pagestyle for the first page only.

```

1998 \fancypagestyle{firstpagestyle}{%
1999   \fancyhf{}%
2000   \renewcommand{\headrulewidth}{\z@}%
2001   \renewcommand{\footrulewidth}{\z@}%
2002   \ifcase\ACM@format@nr
2003     \relax % manuscript
2004     \fancyhead[L]{\ACM@linecount}%
2005     \fancyfoot[RO,LE]{\if@ACM@printfolios\small\thepage\fi}%
2006     \fancyfoot[RE,LO]{\footnotesize Manuscript submitted to ACM}%
2007   \or % acmsmall
2008     \fancyfoot[RO,LE]{\footnotesize \journalName, Vol. \acmVolume, No.%
2009     \acmNumber, Article \acmArticle. Publication date:%
2010     \acmPubDate.}%
2011     \fancyhead[LE]{\ACM@linecount\@folioblob}%
2012     \fancyhead[LO]{\ACM@linecount}%
2013     \fancyhead[RO]{\@folioblob}%
2014     \fancyheadoffset[RO,LE]{0.6\@folio@wd}%
2015   \or % acmlarge
2016     \fancyfoot[RO,LE]{\footnotesize \journalName, Vol. \acmVolume, No.%
2017     \acmNumber, Article \acmArticle. Publication date:%
2018     \acmPubDate.}%
2019     \fancyhead[RO]{\@folioblob}%
2020     \fancyhead[LE]{\ACM@linecount\@folioblob}%
2021     \fancyhead[LO]{\ACM@linecount}%
2022     \fancyheadoffset[RO,LE]{1.4\@folio@wd}%
2023   \or % acmtog
2024     \fancyfoot[RO,LE]{\footnotesize \journalName, Vol. \acmVolume, No.%
2025     \acmNumber, Article \acmArticle. Publication date:%
2026     \acmPubDate.}%
2027     \fancyhead[L]{\ACM@linecount}%
2028   \else % Conference proceedings
2029     \fancyhead[L]{\ACM@linecount}%
2030     \fancyfoot[C]{\if@ACM@printfolios\footnotesize\thepage\fi}%
2031   \fi
2032 }

```

3.14 Sectioning

Sectioning is different for different levels

```
2033 \renewcommand\section{@startsection{section}{1}{\z@}%
2034   {- .75\baselineskip \@plus -2\p@ \@minus -.2\p@}%
2035   {.25\baselineskip}%
2036   {\@secfont}%
2037 \renewcommand\subsection{@startsection{subsection}{2}{\z@}%
2038   {- .75\baselineskip \@plus -2\p@ \@minus -.2\p@}%
2039   {.25\baselineskip}%
2040   {\@subsecfont}%
2041 \renewcommand\subsubsection{@startsection{subsubsection}{3}{10pt}%
2042   {- .5\baselineskip \@plus -2\p@ \@minus -.2\p@}%
2043   {-3.5\p@}%
2044   {\@subsubsecfont\@adddotafter}}%
2045 \renewcommand\paragraph{@startsection{paragraph}{4}{\parindent}%
2046   {- .5\baselineskip \@plus -2\p@ \@minus -.2\p@}%
2047   {-3.5\p@}%
2048   {\@parfont\@adddotafter}}%
2049 \renewcommand\part{@startsection{part}{9}{\z@}%
2050   {-10\p@ \@plus -4\p@ \@minus -2\p@}%
2051   {4\p@}%
2052   {\@parfont}}
```

\section@raggedright Special version of \raggedright compatible with \MakeUppercase

```
2053 \def\section@raggedright{\@rightskip\@flushglue
2054   \rightskip\@rightskip
2055   \leftskip\z@skip
2056   \parindent\z@}
```

\@secfont Fonts for sections etc. are different for different formats.

```
2057 \def\@secfont{\sffamily\bfseries\section@raggedright\MakeUppercase}
```

```
2058 \def\@subsecfont{\sffamily\bfseries\section@raggedright}
```

\@subsubsecfont \@subsubsecfont{\sffamily\itshape}

```
2059 \def\@subsubsecfont{\sffamily\itshape}
```

```
2060 \def\@parfont{\itshape}
```

```
2061 \setcounter{secnumdepth}{3}
```

```
2062 \ifcase\ACM@format@nr
```

```
2063 \relax % manuscript
```

```
2064 \or % acmsmall
```

```
2065 \or % acmlarge
```

```
2066 \def\@secfont{\sffamily\large\section@raggedright\MakeUppercase}
```

```
2067 \def\@subsecfont{\sffamily\large\section@raggedright}
```

```
2068 \or % acmtog
```

```
2069 \def\@secfont{\sffamily\large\section@raggedright\MakeUppercase}
```

```
2070 \def\@subsecfont{\sffamily\large\section@raggedright}
```

```
2071 \or % sigconf
```

```
2072 \def\@secfont{\bfseries\Large\section@raggedright\MakeUppercase}
```

```
2073 \def\@subsecfont{\bfseries\Large\section@raggedright}
```

```
2074 \or % siggraph
```

```
2075 \def\@secfont{\bfseries\sffamily\Large\section@raggedright\MakeUppercase}
```

```

2076 \def\@subsecfont{\bfseries\sffamily\Large\section@raggedright}
2077 \or % sigplan
2078 \def\@secfont{\bfseries\Large\section@raggedright}
2079 \def\@subsecfont{\bfseries\section@raggedright}
2080 \renewcommand\subsubsection{@startsection{subsubsection}{3}{\z@}%
2081   {-.75\baselineskip \@plus -2\p@ \@minus -.2\p@}%
2082   {.25\baselineskip}%
2083   {\@subsubsecfont}}
2084 \def\@subsubsecfont{\bfseries\section@raggedright}
2085 \renewcommand\paragraph{@startsection{paragraph}{4}{\z@}%
2086   {-5\baselineskip \@plus -2\p@ \@minus -.2\p@}%
2087   {-3.5\p@}%
2088   {\@parfont\@addspaceafter}}
2089 \def\@parfont{\bfseries\itshape}
2090 \renewcommand\subparagraph{@startsection{subparagraph}{5}{\z@}%
2091   {-5\baselineskip \@plus -2\p@ \@minus -.2\p@}%
2092   {-3.5\p@}%
2093   {\@subparfont\@addspaceafter}}
2094 \def\@subparfont{\itshape}
2095 \or % sigchi
2096 \setcounter{secnumdepth}{1}
2097 \def\@secfont{\bfseries\sffamily\section@raggedright\MakeUppercase}
2098 \def\@subsecfont{\bfseries\sffamily\section@raggedright}
2099 \or % sigchi-a
2100 \setcounter{secnumdepth}{0}
2101 \def\@secfont{\bfseries\sffamily\section@raggedright\MakeUppercase}
2102 \def\@subsecfont{\bfseries\sffamily\section@raggedright}
2103 \fi

\@adddotafter Add punctuation after the command
2104 \def\@adddotafter#1{#1\@addpunct{.}}

\@addspaceafter Add space after the command
2105 \def\@addspaceafter#1{#1\@addpunct{\enspace}}

```

3.15 TOC Lists

\@dotsep Related to the \tableofcontents are all the horizontal fillers. Base L^AT_EX defines \@dottedtocline, which we should not disable. Yet, this command expects \@dotsep to be defined, but leaves this to the class implementation. Since amsart does not provide this, we copy the standard variant from article here.

```
2106 \providecommand*\@dotsep{4.5}
```

3.16 Theorems

\@acmplainbodyfont The font to typeset the acmplain theorem style body.

```
2107 \def\@acmplainbodyfont{\itshape}
```

```

\@acmplainindent The amount to indent the acmplain theorem style.
2108 \def\@acmplainindent{\parindent}

\@acmplainheadfont The font to typeset the acmplain theorem style head.
2109 \def\@acmplainheadfont{\scshape}

\@acmplainnotefont The font to typeset the acmplain theorem style note.
2110 \def\@acmplainnotefont{\emptyset}

Customization of acmplain theorem style:
2111 \ifcase\ACM@format@nr
2112 \relax % manuscript
2113 \or % acmsmall
2114 \or % acmlarge
2115 \or % acmtog
2116 \or % sigconf
2117 \or % siggraph
2118 \or % sigplan
2119 \def\@acmplainbodyfont{\itshape}
2120 \def\@acmplainindent{\z@}
2121 \def\@acmplainheadfont{\bfseries}
2122 \def\@acmplainnotefont{\normalfont}
2123 \or % sigchi
2124 \or % sigchi-a
2125 \fi

acmplain The acmplain theorem style
2126 \newtheoremstyle{acmplain}%
2127   {.5\baselineskip\plus.2\baselineskip
2128     \minus.2\baselineskip}% space above
2129   {.5\baselineskip\plus.2\baselineskip
2130     \minus.2\baselineskip}% space below
2131   {\@acmplainbodyfont}% body font
2132   {\@acmplainindent}% indent amount
2133   {\@acmplainheadfont}% head font
2134   {.}% punctuation after head
2135   {.5em}% spacing after head
2136   {\thmname{\#1}\thmnumber{\#2}\thmnote{\{@acmplainnotefont(\#3)}}}% head spec

\@acmdefinitionbodyfont The font to typeset the acmdefinition theorem style body.
2137 \def\@acmdefinitionbodyfont{\normalfont}

\@acmdefinitionindent The amount to indent the acmdefinition theorem style.
2138 \def\@acmdefinitionindent{\parindent}

\@acmdefinitionheadfont The font to typeset the acmdefinition theorem style head.
2139 \def\@acmdefinitionheadfont{\itshape}

```

```

{@acmdefinitionnotefont The font to typeset the acmdefinition theorem style note.
2140 \def{@acmdefinitionnotefont}{\emptyset}

    Customization of acmdefinition theorem style:
2141 \ifcase\ACM@format@nr
2142 \relax % manuscript
2143 \or % acmsmall
2144 \or % acmlarge
2145 \or % acmtog
2146 \or % sigconf
2147 \or % siggraph
2148 \or % sigplan
2149 \def{@acmdefinitionbodyfont}{\normalfont}
2150 \def{@acmdefinitionindent}{\z@}
2151 \def{@acmdefinitionheadfont}{\bfseries}
2152 \def{@acmdefinitionnotefont}{\normalfont}
2153 \or % sigchi
2154 \or % sigchi-a
2155 \fi

acmdefinition The acmdefinition theorem style
2156 \newtheoremstyle{acmdefinition}%
2157   {.5\baselineskip\plus.2\baselineskip\minus.2\baselineskip}% space above
2158   {.5\baselineskip\plus.2\baselineskip\minus.2\baselineskip}% space below
2159   {@acmdefinitionbodyfont}% body font
2160   {@acmdefinitionindent}% indent amount
2161   {@acmdefinitionheadfont}% head font
2162   {.}% punctuation after head
2163   {.5em}% spacing after head
2164   {\thmname{\#1}\thmnumber{\#2}\thmnote{ {\@acmdefinitionnotefont(\#3)}}}% head spec

The definitions for theorems:
2167 \theoremstyle{acmplain}
2168 \newtheorem{theorem}[Theorem][section]
2169 \newtheorem{conjecture}[theorem][Conjecture]
2170 \newtheorem{proposition}[theorem][Proposition]
2171 \newtheorem{lemma}[theorem][Lemma]
2172 \newtheorem{corollary}[theorem][Corollary]
2173 \theoremstyle{acmdefinition}
2174 \newtheorem{example}[theorem][Example]
2175 \newtheorem{definition}[theorem][Definition]
2176 \theoremstyle{acmplain}

{@proofnamefont The font to typeset the proof name.
2177 \def{@proofnamefont}{\scshape}

{@proofindent Whether or not to indent proofs.
2178 \def{@proofindent}{\indent}

```

Customization of proof environment.

```
2179 \ifcase\ACM@format@nr
2180 \relax % manuscript
2181 \or % acmsmall
2182 \or % acmlarge
2183 \or % acmtog
2184 \or % sigconf
2185 \or % siggraph
2186 \or % sigplan
2187 \def\@proofnamefont{\itshape}
2188 \def\@proofindent{\noindent}
2189 \or % sigchi
2190 \or % sigchi-a
2191 \fi
```

proof We want some customization of proof environment.

```
2192 \renewenvironment{proof}[1][\proofname]{\par
2193   \pushQED{\qed}%
2194   \normalfont \topsep6\p@\oplus6\p@\relax
2195   \trivlist
2196   \item[\@proofindent\hspace{\labelsep
2197     \ignorespaces\@proofnamefont #1}\@addpunct{.}]\ignorespaces
2198 }{%
2199   \popQED\endtrivlist\endpfalse
2200 }
```

3.17 Acknowledgments

\acks This is a comment-like structure

```
2201 \specialcomment{acks}{%
2202   \begingroup
2203   \section*{Acknowledgments}
2204   \phantomsection\addcontentsline{toc}{section}{Acknowledgments}
2205 }{%
2206   \endgroup
2207 }
```

\grantsponsor We just typeset the name of the sponsor

```
2208 \def\grantsponsor#1#2#3{#2}
```

\grantnum

```
2209 \newcommand\grantnum[3][]{\#3%
2210   \def\@tempa{\#1}\ifx\@tempa\empty\else\space(\url{\#1})\fi}
```

3.18 Conditional typesetting

We use the `comment` package for conditional typesetting:

```
2211 \if@ACM@screen
```

```

2212 \includecomment{screenonly}
2213 \excludecomment{printonly}
2214 \else
2215 \excludecomment{screenonly}
2216 \includecomment{printonly}
2217 \fi
2218 \if@ACM@anonymous
2219 \excludecomment{anonsuppress}
2220 \excludecomment{acks}
2221 \else
2222 \includecomment{anonsuppress}
2223 \fi

```

3.19 Additional bibliography commands

\showeprint The command \showeprint has two arguments: the (optional) prefix and the eprint number. Right now the only prefix we understand is the (lowercase) word ‘arxiv’ (see <http://arxiv.org/hypertex/bibstyles/>.

```

2224 \newcommand\showeprint[2][arxiv]{%
2225   \def\@tempa{\#1}%
2226   \ifx\@tempa\empty\def\@tempa{arxiv}\fi
2227   \def\@tempb{arxiv}%
2228   \ifx\@tempa\@tempb
2229     arXiv:\href{http://arxiv.org/abs/#2}{#2}\else arXiv:#2%
2230   \fi}

```

3.20 End of Class

```

2231 \normalsize\normalfont\frenchspacing
2232 
```

References

- [1] UK TeX Users Group. UK list of TeX frequently asked questions. <http://www.tex.ac.uk>, 2016.
- [2] Michael Downes and Barbara Beeton. *The amsart, amsproc, and amsbook document classes*. American Mathematical Society, August 2004. <http://www.ctan.org/pkg/amslatex>.
- [3] Cristophe Fiorio. *algorithm2e.sty—package for algorithms*, October 2015.
- [4] Rogério Brito. *The algorithms bundle*, August 2009.
- [5] Carsten Heinz, Brooks Moses, and Jobst Hoffmann. *The Listings Package*, June 2015. <http://www.ctan.org/pkg/listings>.
- [6] Simon Fear. *Publication quality tables in L^AT_EX*, April 2005. <http://www.ctan.org/pkg/booktabs>.
- [7] Association for Computing Machinery. *ACM Visual Identity Standards*, 2007.
- [8] Axel Sommerfeldt. *The subcaption package*, April 2013. <http://www.ctan.org/pkg/subcaption>.
- [9] Boris Veytsman, Bern Schandl, Lee Netherton, and CV Radhakrishnan. *A package to create a nomenclature*, September 2005. <http://www.ctan.org/pkg/nomenc1>.
- [10] Nicola L. C. Talbot. *User Manual for glossaries.sty v4.25*, June 2016. <http://www.ctan.org/pkg/subcaption>.

Change History

v1.00		v1.05	
General: First released version	24	General: Added processing doi numbers for acmsiggraph and doi numbers for sigproc.bib	24
v1.01		Patched \setcitestyle command; closes https://github.com/borisveytsman/acmart/issues/19	24
General: Changed hyperref colors in screen mode (closes https://github.com/borisveytsman/acmart/issues/1)	24	Defined ACM colors	24
Explicitly put draft option (closes https://github.com/borisveytsman/acmart/issues/4)	26	v1.06	
Set headheight to 1pc for all formats (closes https://github.com/borisveytsman/acmart/issues/5)	24	\@ACM@badge@skip: Added macro	49
v1.02		\@ACM@badge@width: Added macro	49
General: Added TOPS and TSC (closes https://github.com/borisveytsman/acmart/issues/12)	24	\@ACM@title@width: Added macro	49
Documentation changes (closes https://github.com/borisveytsman/acmart/issues/13)	24	\@mktitle@i: Added processing badges	62
v1.03		Made generic	62
\@formatdoi: Added macro	54	\@mktitle@ii: Now this macro is obsolete	62
\if@ACM@authorversion: Added macro	25	\@mktitle@iii: Added processing badges	62
\maketitle: Added special case of authorversion	57	Made more generic	62
General: Added anonsuppress environment	24	\@mktitle@iv: Made more generic	63
Added authorversion option (closes https://github.com/borisveytsman/acmart/issues/9)	24	\@printtopmatter: Added processing badges	59
v1.04		\@subtitlefont: Added macro	61
\acmArticleSeq: Name change by Matthew Fluet	48	\@titlefont: Added macro	61
\acmDOI: Name change by Matthew Fluet	49	\acmBadgeL: Added macro	50
\acmISBN: Name change by Matthew Fluet	49	\acmBadgeR: Added macro	49
General: Updated bibliography for siggraph	24	\if@ACM@badge: Added macro	49
v1.07		v1.07	
\maketitle: Corrected a bug with abstract footnotes	57	\maketitle: Corrected a bug with permssion and footnotes order	57
v1.08		v1.08	
General: SIGPLAN reformatting by Matthew Fluet	24	General: SIGPLAN reformatting by Tobias Pape	24
v1.09		Typos corrected (Tobias Pape)	24
General: Revert SIGPLAN caption rules	24	v1.10	
v1.10		\maketitle: Corrected a bug with doi in manuscript and author vertson, https://github.com/borisveytsman/acmart/issues/36	57

General: Changes of ‘licensedothergov’ wording	52	v1.14
standardpagestyle: Reversed folios location	71	\bibstyle@acmauthoryear: Moved def of \bibstyle@acmauthoryear before use
v1.11		30
General: Customization of ACM theorem styles and proof environment by Matthew Fluet	24	\bibstyle@acmnumeric: Moved def of \bibstyle@numeric before use
v1.12		30
\@marginfigure: Now centering by default	39	General: \citetitle updates (Matthew Fluet)
\@marginintable: Now centering by default	39	Patched \citetitle
\@parfont: Moved to \section@raggedright	74	v1.15
\copyrightpermissionfootnoterule: Added macro	36	\@ACM@addtoaddress: Added macro
\descriptionlabel: Redefined	40	\@mkauthors@iii: New authors system
\footnoterule: Made shorter	36	\@shortauthors: Introduced macro
\if@ACM@natbib@override: Added macro	25	\@typeset@author@bx: Moved to separate macro
\if@ACM@newfonts: Added macro	37	\acks: Added macro
\maketitle: Moved thankses to copyrightpermission box	57	\affiliation: Added code for author groups
\section@raggedright: Introduced macro	74	\author: Added code for author groups
General: Added graceful behavior when libertine fonts are absent	37	\city: Added macro
Documentation updates	24	\country: Added macro
v1.13		\department: Added macro
\@mpfootnotetext: Made minipage footnotes centered	37	\grantnum: Added macro
\bibliographystyle: Redefined macro	33	\grantsponsor: Added macro
\bibstyle@acmauthoryear: Added macro	30	\if@insideauthorgroup: Introduced macro
\bibstyle@acmnumeric: Added macro	30	\institution: Added macro
\if@ACM@printfolios: Added macro	51	\num@authorgroups: Renamed
General: Font adjustments for acmsmall	65	\orcid: Introduced macro
Increased font size for ACM Large Print bibliographic information by default for the proceedings	27	\position: Added macro
standardpagestyle: Added headers for sigs	71	\postcode: Added macro
Expanded headers for sigchi-a	71	\state: Added macro
Suppressed folios if sig	71	\streetaddress: Added macro
v1.16		standardpagestyle: Better handling of anonymous mode
\@headfootfont: Added macro	70	v1.17
General: Formatting header/footer (Matthew Fluet)	24	\makefnmark: Redefined
standardpagestyle: Customize header/footer text font	71	\mkauthors: TOG now uses the same authors block as other journals
v1.17		64
\@mkauthors@ii: Deleted	66	\mkbibcitation: Added \nobreak Changed format for sigs
\mkbibcitation: Added \nobreak Changed format for sigs	69	69

\acmArticle: The default is now numerical	48	v1.25	General: Updated PACMPL	40
\acmMonth: The default must be numerical. Closes #50.	49	v1.26	General: Corrected \shortcite bug	24
\acmNumber: The default is now numerical	48		Documentation typos fixed (thanks to Stephen Spencer)	24
\acmVolume: The default is now numerical	48	v1.27	\if@ACM@printccs: Typo corrected	50
\acmYear: The default is now numerical	49	v1.28	\ccsdesc@parse: Change from \to to \textrightarrow (Matteo Riondato)	52
\description: Decreased indent	40		General: Corrected option natbib behavior	30
\grantnum: Added url	78		Got rid of warnings in pdf keywords	32
\grantsponsor: Renamed	78	v1.29	\mkabstract: Removed spurious indentation (John Wickerson)	69
\if@ACM@printacmref: Renamed from \if@ACM@printbib	50		\ccsdesc@parse: Add spacing after bullet and around rightarrow; semicolon separators no longer in bold/italic (John Wickerson)	52
General: Slightly decreased margins for sigs	34		General: Increased head to 13pt	34
standardpagestyle: Added paper title to sigs	71		standardpagestyle: Corrected printfolios (Matthew Fluet)	71
v1.18		v1.30	\department: Added optional parameter	63
\@mkauthors@i: Now we andify affiliations	65		General: Added \frenchspacing	79
\@typeset@author@line: Added macro	65		Bibtex style now recognizes https:// in doi	24
General: Natbib is now the default for all formats	24		Switched to T1: looks like libertine has problems with \l in OT1	37
v1.19			Updated IMWUT and PACMPL	40
\@mkabstract: Include 'Abstract' in PDF bookmarks (Matthew Fluet)	69	v1.31	\@additionalaffiliation: Added macro	47
\acks: Include 'Acknowledgements' in PDF bookmarks (Matthew Fluet)	78		\@mkbibcitation: Disabled linebreak	69
General: Include 'Abstract', 'Acknowledgements', and 'References' in PDF bookmarks (Matthew Fluet)	24		\@startsection: Added \tochangemeasure	30
Include 'References' in PDF bookmarks (Matthew Fluet)	28		Redefined macro	32
v1.20			\@textbottom: Redefined	37
\@mkabstract: Deleted spurious space	69		\acmMonth: The default now is the current month (Matteo Riondato)	49
General: Bug fixes for bst	24		\acmYear: The default now is the current year (Matteo Riondato)	49
v1.21			\additionalaffiliation: Added macro	47
\showeprint: Added macro	79		\l@subsection: Redefined macro	32
v1.22			\l@subsubsection: Redefined macro	32
General: More bibliography changes for Aptara	24			
v1.23				
General: Add PACMPL journal option	24			
v1.24				
General: Add IMWUT journal option	40			

General: Documentation changes . . .	24
v1.32	
\@formatdoi: New doi format	54
General: Added POMACS journal option	24
Format siggraph is now obsolete . .	24

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		
\\$	1378, 1382	\@DeclareACMFormat 33, 34, 35, 36,
\@ 1174, 1177, 1182, 1186,		37, 38, 39, 40, 41, 42 \@M 287, 326, 344, 353
1189, 1192, 1194,		\@abstract 1060, 1820, 1827
1197, 1277, 1284, 1297		\@acmArticle . . . 1018, 1021, 1377, 1839,
\@e@par	287, 344	1923, 1924, 1928, 1931, 1934, 1936,
\@ACM@addtoaddress .	1614, 1635, 1636, 1638	1939, 1942, 1944, 1995, 2009, 2017, 2025
\@ACM@badge@skip	1041, 1477, 1554, 1558, 1564, 1573, 1583, 1589, 1598	\@acmArticleSeq 1020, 1979 \@acmBadgeL@image 1050, 1052,
\@ACM@badge@width	1038, 1476, 1481, 1553, 1557, 1563, 1575, 1582, 1584, 1587, 1599, 1602	1474, 1476, 1552, 1561, 1563, 1585, 1587
\@ACM@badg>false	1037	\@acmBadgeL@url 1049, 1051, 1475, 1562, 1586
\@ACM@badg>true 1043, 1048		\@acmBadgeR@image 1045, 1047,
\@ACM@commabox	1614, 1617, 1618	1479, 1481, 1556, 1572, 1575, 1600, 1602
\@ACM@journalfalse	119, 121, 123, 125, 127	\@acmBadgeR@url 1044, 1046, 1480, 1574, 1601
\@ACM@journaltrue	111, 113, 115, 117	\@acmDOI 1034, 1370, 1373, 1379, 1383, 1848
\@ACM@manuscriptfalse 106		\@acmISBN 1032, 1381
\@ACM@manuscripttrue 104		\@acmMonth 1024, 1026, 1377
\@ACM@natbib@overridefalse	69	\@acmNumber 1016, 1839, 1928, 1936, 1944, 2009, 2017, 2025
\@ACM@natbib@overridetrue	71	\@acmPrice 1030, 1378, 1382
\@ACM@natbibtrue	131	\@acmPubDate 1026, 1839, 1928, 1936, 1944, 2010, 2018, 2026
\@ACM@newfontsfalse	558, 560, 563	\@acmVolume 1014, 1839, 1927, 1935, 1943, 2008, 2016, 2024
\@ACM@newfontstrue	555	\@acmYear 1022, 1029, 1305, 1377, 1836
\@ACM@sigchiemodefalse	108	\@acmdefinitionbodyfont 2137, 2149, 2161
\@ACM@sigchiomedetru 128		\@acmdefinitionheadfont 2139, 2151, 2163
\@ACM@title@width	1040, 1551, 1553, 1554, 1557, 1558, 1566, 1580, 1582, 1583, 1591	\@acmdefinitionindent 2138, 2150, 2162
		\@acmdefinitionnotefont 2140, 2152, 2166
		\@acmownedfalse 1141, 1144, 1147, 1152, 1155, 1158, 1161, 1167
		\@acmownedtrue 1130, 1137, 1164
		\@acmplainbodyfont 2107, 2119, 2131
		\@acmplainheadfont 2109, 2121, 2133
		\@acmplainindent 2108, 2120, 2132
		\@acmplainnotefont 2110, 2122, 2136
		\@adddotafter 2044, 2048, 2104
		\@additionalaffiliation 972, 973
		\@addpunct 1871, 2104, 2105, 2197
		\@addspaceafter 2088, 2093, 2105
		\@affiliationfont 1665, 1670, 1674, 1677, 1680, 1683, 1686, 1689, 1714, 1730
		\@afterheading 318, 1419
		\@afterindentfalse 264, 1418
		\@afterindenttrue 262
		\@author 935, 938, 943, 1703, 1753, 1788
		\@authorfont 1664, 1669, 1673, 1676, 1679, 1682, 1685, 1688, 1705, 1730
		\@authornotemark 1010, 1810

\@authornotes	1382, 1391, 1396,	\@input	355
... 1007, 1011, 1337	1400, 1443, 1474,	\@insideauthorgroupfalse	968
\@auxout	1479, 1552, 1556,	\@insideauthorgrouptrue	931
\@begindocumenthook	1561, 1569, 1572,	\@journalCode ..	657, 904
\@citestyle	1585, 1593, 1600,	\@journalCode@nr	657, 709, 909
\@classname ... 25, 30,	1610, 1694, 1704,	\@journalName ..	711,
46, 48, 49, 54, 56,	1712, 1713, 1753,	715, 719, 724, 728,	
57, 62, 64, 65, 73,	1759, 1764, 1788,	732, 736, 740, 744,	
75, 76, 80, 82, 83,	1794, 1799, 1812,	745, 747, 748, 751,	
94, 99, 155, 556,	2110, 2140, 2210, 2226	752, 755, 759, 763,	
559, 561, 904, 906,	\@endfloatbox	765, 769, 773, 775,	
1065, 1067, 1068,	\@endpefalse	777, 779, 783, 787,	
1071, 1073, 1074,	\@endwidefloatbox 616, 624	791, 795, 799, 803,	
1077, 1079, 1080, 1832	\@finalstrut	807, 811, 815, 819,	
\@clubpenalty	\@float	823, 827, 831, 835,	
\@concepts ... 1113,	\@flushglue	836, 839, 843, 844,	
1120, 1391, 1393, 1416	\@fnssymbol	847, 852, 856, 860,	
\@copyrightowner	\@folio@ht	864, 868, 872, 876,	
1171, 1354	1959, 1985, 1991, 1992	880, 884, 888, 892,	
\@copyrightpermission	\@folio@max 1959, 1981, 1982	896, 900, 910, 911,	
1200, 1346	\@folio@voffset 1959, 1987	1366, 1927, 1935,	
\@copyrightyear	\@folio@wd	1943, 2008, 2016, 2024	
1304, 1354, 1356	1992, 1993, 2014, 2022	\@journalNameShort	
\@currbox ... 630, 631, 632	\@folioblob	712, 716, 721,	
\@currentaffiliation	1979, 2011, 2013, 2019, 2020	725, 729, 733, 737,	
1731, 1734, 1752,	\@footnotemark	741, 756, 760, 766,	
1759, 1760, 1762,	\@footnotemark@nolink	770, 780, 784, 788,	
1764, 1765, 1767,	365, 1323	792, 796, 800, 804,	
1787, 1794, 1795,	\@footnotetext	808, 812, 816, 820,	
1797, 1799, 1800, 1802	366, 527, 1324	824, 828, 832, 840,	
\@currentaffiliations	\@footnotetext@nolink	845, 848, 853, 857,	
1694,	366, 1324	861, 865, 869, 873,	
1695, 1696, 1698,	\@for	877, 881, 885, 889,	
1701, 1713, 1714, 1716	172	893, 897, 901, 911, 1838	
\@currentauthors 1692,	\@formatdoi ... 1199, 1373	\@keywords 1057, 1400, 1406	
1693, 1700, 1704,	\@fps	\@latex@error	240
1705, 1707, 1730,	\@fpsadddefault	\@empty	1820
1733, 1751, 1753,	\@gobble	\@m	275
1754, 1756, 1786,	194,	\@makefnmark	526,
1788, 1789, 1791, 1810	238, 1622, 1625,	551, 1329, 1334, 1338	
\@currentlabel . 531, 545	1626, 1627, 1628, 1629	\@makefntext	
\@dblarg	\@hangfrom	526, 535, 548, 1339	
\@dblfloat	286, 343	\@marginfigure	606, 607
\@department	\@headfootfont	\@margintable	609, 610
976, 977	1890, 1923, 1924,	\@minipagefalse	522, 626
\@dotsep	1925, 1926, 1930,	\@minus ... 2034, 2038,	
2106	1933, 1938, 1941,	2042, 2046, 2050,	
\@empty ... 133, 277,	1947, 1948, 1949, 1951		
919, 933, 948, 953,	\@ifnextchar		
954, 960, 1094,	976		
1095, 1101, 1108,	\@ifnotempty		
1113, 1340, 1370,	1310		
	\@ifnum		
	210, 212		
	\@ifstar		
	271		
	\@iiiparbox		
	525		

2081, 2086, 2091, 2128, 2130, 2158, 2160
 \emkabstract .. 1389, 1819
 \emkauthors 1330, 1332, 1640
 \emkauthors@i .. 1644, 1646, 1648, 1650, 1699
 \emkauthors@ii .. 1724
 \emkauthors@iii .. 1652, 1654, 1656, 1658, 1735
 \emkauthors@iv 1660, 1776
 \emkbibcitation 1413, 1829
 \mkteasers ... 1330, 1811
 \mktitle ... 1330, 1486
 \mktitle@i ... 1489, 1491, 1493, 1495, 1550
 \mktitle@ii ... 1578
 \mktitle@iii ... 1497, 1499, 1501, 1503, 1578
 \mktitle@iv ... 1505, 1606
 \mpargs 525
 \mparswitchfalse .. 490
 \mpfootins 517, 518, 520, 540, 541
 \mpfootnotetext ... 539
 \ne 198, 202, 206, 208, 407, 1877, 1879
 \nil 217
 \nobreakfalse .. 320, 360
 \noskipsecfalse ... 324
 \noskipsectrue ... 321
 \par 1342
 \parboxrestore ... 544
 \parfont . 2048, 2052, 2057
 \permissionCodeOne 713, 717, 722, 726, 730, 734, 738, 742, 749, 753, 757, 761, 767, 771, 781, 785, 789, 793, 797, 801, 805, 809, 813, 817, 821, 825, 829, 833, 837, 841, 849, 854, 858, 862, 866, 870, 874, 878, 882, 886, 890, 894, 898, 902, 912, 1377
 \permissionCodeTwo 850, 913
 \plus .. 353, 361, 552, 2034, 2038, 2042,
 2046, 2050, 2081, 2086, 2091, 2127, 2129, 2157, 2159, 2194
 \printcopyrightfalse 1140, 1151
 \printcopyrighttrue 1126, 1136
 \printendtopmatter 1417, 1850
 \printpermissionfalse 1139
 \printpermissiontrue ... 1128, 1135, 1150
 \printtopmatter ... 1331, 1442
 \proofindent 2178, 2188, 2196
 \proofnamefont ... 2177, 2187, 2197
 \received . 1092, 1095, 1096, 1098, 1101, 1102, 1104, 1108, 1109
 \rightskip ... 2053, 2054
 \saveabstract 1059, 1060
 \saveteaser ... 1307, 1308
 \seccntformat . 280, 337
 \secfont ... 2036, 2057
 \secpenalty 269
 \sect 273, 274
 \setaddresses ... 1818
 \setthanks ... 1342, 1871
 \shortauthors ... 1889, 1919, 1925, 1931, 1939, 1948
 \sidebar 603, 604
 \specialsection 1392, 1397, 1402, 1404, 1421
 \ssect 272, 338
 \startPage 1053, 1443, 1444, 1446
 \startsection 258, 350, 2033, 2037, 2041, 2045, 2049, 2080, 2085, 2090
 \starttoc 350
 \subparfont ... 2093, 2094
 \subsecfont ... 2040, 2057
 \subsubsecfont 2044, 2057
 \subtitle 924, 999, 1569, 1570, 1593, 1594, 1610, 1611
 \subtitlefont 1529, 1570, 1594, 1611
 \subtitlenotes ... 997, 1001, 1004, 1336
 \svsec . 277, 280, 286, 301
 \svsechd ... 299, 327, 347
 \teaser 1308, 1813
 \teaserfigures 1306, 1308, 1812, 1816
 \tempa 172, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 217, 220, 222, 224, 226, 228, 230, 952, 953, 1093, 1094, 1712, 2210, 2225, 2226, 2228
 \tempb 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 220, 222, 224, 226, 228, 230, 2227, 2228
 \tempboxa 525
 \tempc . 218, 219, 221, 223, 225, 227, 229, 231
 \tempcnta 1877, 1878, 1879, 1979, 1981, 1982, 1984, 1986
 \tempdima 1985, 1986, 1987, 1989
 \tempkipa 261, 263, 264, 269, 282, 283, 314, 315, 317, 329, 330, 339, 340
 \terms .. 1055, 1396, 1398
 \textbottom 552
 \textsuperscript .. 551, 1329, 1334
 \texttop 553
 \thefnmark . 532, 546, 551, 1329, 1334, 1338

\@title	... 990, 1416, 1568, 1592, 1609, 1836	1509, 1530, 1642, 1666, 1851, 1891, 1915, 1966, 2002, 2062, 2111, 2141, 2179	\addtolength	... 1880
\@titlefont	1508, 1560, 1567, 1579, 1591, 1607	1915, 1966, 2002, 2062, 2111, 2141, 2179	\addvspace	... 269, 361
\@titlenotes	... 988, 992, 995, 1335	\ACM@linecount ... 1883, 1917, 1920, 1923, 1926, 1930, 1932, 1938, 1940, 1947, 1949, 2004, 2011, 2012, 2020, 2021, 2027, 2029	\advance	... 930, 1553, 1554, 1557, 1558, 1582, 1583, 1737, 1750, 1778, 1785, 1879, 1982, 1984, 1987
\@tochangmeasure	291, 304	1920, 1923, 1926,	\affiliation	... 9,
\@toclevel	... 275	1930, 1932, 1938,	\and	... 943, 944, 957, 963, 1702, 1707, 1709, 1716, 1719, 1728, 1758, 1769, 1775, 1793, 1804, 1809
\@tocline	... 363, 364	1940, 1947, 1949,	\andify	... 1408, 1409, 1692, 1695
\@topnum	... 1326	2004, 2011, 2012,	anonsuppress	(environment) ... 18
\@typeset@author@bx	... 1728, 1769, 1775, 1804, 1809	2020, 2021, 2027, 2029	\AtBeginDocument	... 415
\@typeset@author@line	1691, 1702, 1719, 1721	\ACM@linecount@bx ... 1873, 1886	\AtEndDocument	... 1107
\@undefined	... 414	\ACM@linecount@bxht ... 1876, 1880, 1881	\author	... 9, 928, 1319, 1320, 1833
\@width	... 508, 513	\acmArticle	... 12, 1018	
\@xp	... 357, 358	\acmArticleSeq	... 12, 1020	
\@xsect	... 312, 313, 349	\acmBadgeL	... 13, 1048	
\@z	... 204	\acmBadgeR	... 13, 1043	
\`	... 1359, 1374, 1378, 1382, 1831, 1878	\acmConference	... 7, 914	
\{	... 180	\acmConference@date	... 917,	
\}	... 180	\acmConference@name	... 1368, 1843, 1950, 1952	
_	... 1119, 1354, 1356, 1377, 1839, 1845	\acmConference@shortname	... 916, 1368, 1842, 1844	
A				
\abstract	... 1059	\acmConference@venue	... 915,	
abstract (environment)	15	\acmdefinition	... 1350, 1842, 1950, 1952	
\acks	... 2201	\acmDOI	... 13, 1034	
acks (environment)	19	\acmISBN	... 13, 1032	
\acm@copyrightinput	1132	\acmJournal	... 7, 908	
\acm@copyrightmode	... 1132, 1138, 1143, 1146, 1149, 1154, 1157, 1160, 1163, 1166, 1172, 1201	\acmMonth	... 12, 1024	
\ACM@fontsize	... 86, 133, 136, 138, 140, 142, 144, 146, 148, 150, 152, 155, 156	\acmNumber	... 12, 1016	
\ACM@format	... 27, 94	\acmplain	... 2126	
\ACM@format@nr	... 27, 94, 98, 103, 109, 134, 375, 430, 495, 582, 634, 1422, 1450, 1487,	\acmPrice	... 12, 1030	
B				
\ACM@format@nr	... 27, 94, 98, 103, 109, 134, 375, 430, 495, 582, 634, 1422, 1450, 1487,	\acmVolume	... 12, 1014	
\ACM@format	... 27, 94	\acmYear	... 12, 1022	
\ACM@format@nr	... 27, 94, 98, 103, 109, 134, 375, 430, 495, 582, 634, 1422, 1450, 1487,	\addcontentsline	168, 293, 306, 1821, 2204	
\ACM@fontsize	... 86, 133, 136, 138, 140, 142, 144, 146, 148, 150, 152, 155, 156	\additionalaffiliation	... 10, 972	
\ACM@format	... 27, 94	\addpenalty	... 269	
\ACM@format@nr	... 27, 94, 98, 103, 109, 134, 375, 430, 495, 582, 634, 1422, 1450, 1487,	\addresses	... 933, 935, 938, 943, 970, 986, 1010, 1721, 1775, 1809	
\begin	... 20, 1885, 1988	\beginninggroup	... 284, 327, 341, 350, 406, 1322, 1640, 2202	

\bfseries	649,	\citeauthor	400	\def	25, 33, 86, 136, 138,
1511, 1513, 1515,		\citeN	398	140, 142, 144, 146,	
1519, 1521, 1523,		\citename	410	148, 150, 152, 173,	
1525, 1527, 1685,		\citeNN	401	175, 177, 179, 181,	
1688, 1835, 1995,		\citeNP	404	183, 185, 187, 189,	
2057, 2058, 2072,		\citet	399	191, 193, 195, 197,	
2073, 2075, 2076,		\citestyle	20, 236, 256	198, 199, 200, 201,	
2078, 2079, 2084,		\citeyear	402, 403, 412	202, 203, 204, 205,	
2089, 2097, 2098,		\citeyearNP	402	206, 207, 209, 211,	
2101, 2102, 2121, 2151		\citeyearpar	401, 403	213, 215, 216, 220,	
\bgroup .	604, 607, 610,	\city	10, 979, <u>1621</u>	222, 224, 226, 228,	
615, 973, 1391,		\ClassError	30, 906,	230, 258, 274, 299,	
1396, 1400, 1728,		1068, 1074, 1080, 1832		313, 337, 338, 347,	
1806, 1813, 1819, 1829		\ClassInfo	94, 155,	350, 363, 364, 369,	
\bibfont	170	904, 1065, 1067,		370, 371, 372, 412,	
\bibliofont	170	1071, 1073, 1077, 1079		413, 507, 512, 514,	
\bibliographystyle .	413	\ClassWarning		526, 528, 539, 551,	
\bibsection	166	99, 556, 559, 561	552, 604, 607, 610,	
\bibstyle .	194, 196, 238, 418	\cleaders	1618	615, 617, 621, 624,	
\bibstyle@acmauthoryear		\clubpenalty	326, 332	642, 643, 644, 645,	
.	244	\CodelineIndex	17	711, 712, 713, 715,	
\bibstyle@acmnumeric	250	\Collect@Body	603,	716, 717, 719, 721,	
\bigskip		606, 609, 1059, 1307		722, 724, 725, 726,	
1109, 1471, 1577,		\color	1878	728, 729, 730, 732,	
1605, 1613, 1775,		\color@begingroup .	534, 547	733, 734, 736, 737,	
1809, 1813, 1859,		\color@endbox	629	738, 740, 741, 742,	
1861, 1863, 1865, 1867		\color@endgroup		744, 745, 747, 748,	
\box .	631, 1452, 1455, 1458,	523, 537, 550	749, 751, 752, 753,	
1461, 1463, 1465,		\columnwidth	508,	755, 756, 757, 759,	
1467, 1469, 1471,		543, 615, 1777, 1806		760, 761, 763, 765,	
1720, 1732, 1773, 1815		\contentsnamefont	354	766, 767, 769, 770,	
C		\copy	1618	771, 773, 775, 777,	
\c@footnote	1325	\copyright	1354	779, 780, 781, 783,	
\c@secnumdepth		\copyrightpermissionfootnoterule	507	784, 785, 787, 788,	
.		\copyrightyear	14, <u>1304</u>	789, 791, 792, 793,	
\captionsetup		\country	10, 982, <u>1621</u>	795, 796, 797, 799,	
.	574, 576, 578,	\csname		800, 801, 803, 804,	
580, 589, 591, 594,		238, 289, 291, 295,		805, 807, 808, 809,	
597, 604, 607, 610, 1814		302, 304, 308, 337,		811, 812, 813, 815,	
\ccsdesc	13, <u>1114</u>	357, 358, 532, 546,		816, 817, 819, 820,	
\ccsdesc@parse	1115, <u>1116</u>	1118, 1119, 1120, 1121		821, 823, 824, 825,	
CCSXML (environment)	13	\CurrentOption		827, 828, 829, 831,	
\centering	354, 547,	87, 88, 89, 90, 91, 92	832, 833, 835, 836,	
608, 611, 1579,		D		837, 839, 840, 841,	
1591, 1729, 1774, 1994		\DeclareNewFootnote	511	843, 844, 845, 847,	
\cite	398, 399, 412	\DeclareOptionX	33,	848, 849, 850, 852,	
\citeA	405	\DeclareRobustCommand	405	853, 854, 856, 857,	
\citealt	404	87, 88, 89, 90, 91, 92	858, 860, 861, 862,	
\citeANP	400			864, 865, 866, 868,	
				869, 870, 872, 873,	

```

874, 876, 877, 878, 2076, 2078, 2079, 1100, 1103, 1108,
880, 881, 882, 884, 2084, 2089, 2094, 1122, 1123, 1313,
885, 886, 888, 889, 2097, 2098, 2101, 1330, 1340, 1345,
890, 892, 893, 894, 2102, 2104, 2105, 1348, 1349, 1355,
896, 897, 898, 900, 2107, 2108, 2109, 1360, 1367, 1372,
901, 902, 908, 909, 2110, 2119, 2120, 1375, 1380, 1382,
910, 911, 912, 913, 2121, 2122, 2137, 1391, 1396, 1400,
924, 952, 972, 973, 2138, 2139, 2140, 1403, 1445, 1474,
974, 975, 976, 977, 2149, 2150, 2151, 1479, 1552, 1556,
988, 989, 997, 998, 2152, 2177, 2178, 1561, 1569, 1572,
1007, 1008, 1014, 2187, 2188, 2208, 1585, 1593, 1600,
1016, 1018, 1020, 2210, 2225, 2226, 2227, 1610, 1616, 1630,
1022, 1024, 1026, \define@boolkey . . . . . 1694, 1706, 1712,
1030, 1032, 1034, . . . . . 44, 52, 60, 1715, 1729, 1747,
1044, 1045, 1046, . . . . . 70, 78, 1063, 1069, 1075 1755, 1761, 1766,
1047, 1049, 1050, \define@choicekey . . . . . 1782, 1790, 1796,
1051, 1052, 1053, . . . . . 27, 657, 1131 1801, 1812, 1820,
1055, 1057, 1060, \definecolor . . . . . 1824, 1841, 1844,
1062, 1081, 1092, . . . . . 421, 422, 423, 1889, 1945, 2028,
1093, 1117, 1169, 424, 425, 426, 427, 428 2210, 2214, 2221, 2229
1171, 1199, 1200, \department . . . . . 10, 976, 1621 \email 9, 984, 1710, 1759, 1794
1304, 1306, 1308, \description . . . . . 650 \emph . . . . . 1366, 1368
1317, 1329, 1334, \descriptionlabel 649, 652 \EnableCrossrefs . . . . . 19
1342, 1421, 1442, \dimexpr . . . . . 613, 631, 1955 \end . . . . . 22, 1887, 1996
1486, 1508, 1529, \divide . . . . . 1742, \end@dblfloat . . . . . 620
1550, 1578, 1606, 1744, 1746, 1748, 1783 \end@float . . . . . 622
1615, 1623, 1631, \do . . . . . 172 \endcsname . . . . . 237,
1632, 1634, 1637, \DocInput . . . . . 21 238, 289, 291, 295,
1640, 1664, 1665, \documentclass . . . . . 9 302, 304, 308, 337,
1669, 1670, 1673, \dots . . . . . 1382 357, 358, 532, 546,
1674, 1676, 1677, 1118, 1119, 1120, 1121
1679, 1680, 1682, \enddescription . . . . . 656
1683, 1685, 1686, \endgroup 288, 327, 345,
1688, 1689, 1691, \egroup . . . . . 524, 360, 1387, 1662, 2206
1693, 1698, 1699, \endlist . . . . . 654, 656
1700, 1701, 1703, \endminipage . . . . . 514
1710, 1711, 1712, \endtrivlist . . . . . 2199
1728, 1735, 1753, \enspace . . . . . 2105
1759, 1764, 1776, environments:
1788, 1794, 1799, abstract . . . . . 15
1810, 1811, 1813, acks . . . . . 19
1818, 1819, 1829, anonsuppress . . . . . 18
1830, 1831, 1832, CCSXML . . . . . 13
1850, 1871, 1883, marginfigure . . . . . 17
1889, 1890, 1965, margintable . . . . . 17
1972, 1977, 1979, printonly . . . . . 18
2053, 2057, 2058, screenonly . . . . . 18
2059, 2060, 2066, sidebar . . . . . 17
2067, 2069, 2070, teaserfigure . . . . . 15
2072, 2073, 2075, \everypar . . . . . 267, 322, 333

```

\excludecomment . 1112,
 2213, 2215, 2219, 2220
 \ExecuteOptionsX . . .
 . . . 43, 51, 59, 67, 85
 \expandafter
 . . . 217, 219, 415,
 525, 1118, 1119, 1121

F

\familydefault 571
 \fancyfoot 1921,
 1927, 1935, 1943,
 1946, 2005, 2006,
 2008, 2016, 2024, 2030
 \fancyhead . 1917, 1918,
 1919, 1920, 1923,
 1924, 1925, 1926,
 1930, 1932, 1933,
 1938, 1940, 1941,
 1947, 1948, 1949,
 1951, 2004, 2011,
 2012, 2013, 2019,
 2020, 2021, 2027, 2029
 \fancyheadoffset . . .
 . . . 1955, 2014, 2022
 \fancyhf 1912, 1999
 \fancypagestyle 1911, 1998
 \fi 49, 57, 65,
 76, 83, 102, 107,
 129, 132, 153, 154,
 163, 174, 176, 178,
 180, 182, 184, 186,
 188, 190, 192, 194,
 196, 198, 200, 202,
 204, 206, 208, 210,
 212, 214, 216, 221,
 223, 225, 227, 229,
 231, 232, 241, 243,
 257, 259, 265, 270,
 275, 281, 292, 296,
 305, 309, 311, 334,
 335, 348, 359, 387,
 396, 411, 412, 416,
 419, 492, 506, 521,
 538, 569, 572, 599,
 600, 619, 623, 648,
 903, 921, 932, 940,
 945, 946, 950, 958,
 964, 965, 966, 971,
 987, 996, 1006,

1013, 1029, 1068,
 1074, 1080, 1090,
 1091, 1099, 1105,
 1106, 1110, 1120,
 1124, 1142, 1145,
 1148, 1153, 1156,
 1159, 1162, 1165,
 1168, 1198, 1303,
 1315, 1320, 1321,
 1330, 1332, 1343,
 1346, 1347, 1351,
 1352, 1357, 1369,
 1374, 1382, 1384,
 1385, 1386, 1394,
 1395, 1399, 1405,
 1407, 1414, 1441,
 1447, 1478, 1482,
 1483, 1484, 1506,
 1528, 1549, 1555,
 1559, 1565, 1571,
 1576, 1588, 1590,
 1595, 1603, 1604,
 1612, 1619, 1639,
 1661, 1690, 1697,
 1708, 1717, 1718,
 1729, 1749, 1757,
 1763, 1768, 1784,
 1792, 1798, 1803,
 1817, 1826, 1828,
 1845, 1847, 1869,
 1882, 1888, 1889,
 1910, 1917, 1918,
 1923, 1924, 1931,
 1934, 1939, 1942,
 1946, 1953, 1956,
 1978, 2005, 2030,
 2031, 2103, 2125,
 2155, 2191, 2210,
 2217, 2223, 2226, 2230
 \firstpagestyle 1998
 \floatname 602
 \footnote 1832
 \footnotemark . . . 372,
 990, 999, 1810, 1830
 \footnoterule 512
 \footnotesep . . . 536, 549
 \footnotesize . . . 542,
 1921, 1927, 1935,
 1943, 1946, 2006,
 2008, 2016, 2024, 2030

G

\g@addto@macro . 943,
 944, 957, 963, 970,
 986, 990, 992,
 995, 999, 1001,
 1004, 1010, 1011,
 1098, 1104, 1120,
 1121, 1308, 1312,
 1314, 1707, 1716,
 1756, 1762, 1767,
 1791, 1797, 1802, 1810
 \gdef . 915, 916, 917, 918,
 920, 935, 936, 938,
 939, 949, 955, 961,
 1060, 1096, 1102,
 1119, 1444, 1705,
 1709, 1714, 1733,
 1734, 1751, 1752,
 1754, 1758, 1760,
 1765, 1786, 1787,
 1789, 1793, 1795, 1800
 \geometry
 432, 435, 442, 449,
 456, 463, 470, 477, 484
 \global
 321, 324, 360, 540,
 630, 930, 931, 968,
 1410, 1411, 1702,
 1719, 1720, 1729,
 1769, 1772, 1804, 1815
 \grantnum 19, 2209
 \grantsponsor . . . 19, 2208

H

\hbox . 551, 1329, 1334, 1617
 \headrulewidth 1913, 2000
 \hfill 1608
 \href . 1475, 1480, 1562,
 1574, 1586, 1601, 2229
 \hrule 508, 513, 1608

```

\hrulefill . 1453, 1456, 1459, 1853, 1855, 1857 \if@ACM@screen 44, 388, 2211 \if@ACM@sigchiamode 1552, 1556, 1561, 1569, 1572, 1585, 1593, 1600, 1610, 1694, 1704, 1712, 1713, 1753, 1759, 1764, 1788, 1794, 1799, 1812, 1820, 1844, 2210, 2226, 2228 \ignorespaces 336, 536, 549, 974, 975, 977, 1623, 1827, 1831, 2197 \immediate .... 358, 418 \includecomment .... 2212, 2216, 2222 \includegraphics .... 1476, 1481, 1563, 1575, 1587, 1602 \indent ..... 2178 \institution 10, 975, 1621 \interfootnotelinepenalty ..... 530 \interlinepenalty .. 287, 344, 530 \item ..... 2196 \itemindent ..... 651 \itshape .. 1350, 2059, 2060, 2089, 2094, 2107, 2119, 2139, 2187

I
\if ..... 218, 1396 \ifcase . 109, 134, 375, 430, 495, 582, 634, 709, 1026, 1172, 1201, 1422, 1450, 1487, 1509, 1530, 1642, 1666, 1738, 1779, 1851, 1891, 1915, 1966, 2002, 2062, 2111, 2141, 2179 \ifcsname ..... 237 \ifdim 263, 283, 315, 340, 1881 \IfFileExists 556, 559, 561 \ifNAT@numbers .... 412 \ifnum 98, 103, 275, 276, 290, 294, 303, 307, 1122, 1123, 1138, 1143, 1146, 1149, 1154, 1157, 1160, 1163, 1166, 1320, 1981 \ifvmode ..... 1616 \ifvoid ..... 517 \ifx ..... 133, 173, 175, 177, 179, 181, 183, 185, 187, 189, 191, 193, 195, 197, 199, 201, 203, 205, 207, 209, 211, 213, 215, 220, 222, 224, 226, 228, 230, 414, 919, 933, 948, 953, 954, 960, 1094, 1095, 1101, 1108, 1118, 1340, 1370, 1382, 1391, 1400, 1443, 1474, 1479, 1552, 1556, 1561, 1569, 1572, 1585, 1593, 1600, 1610, 1694, 1704, 1712, 1713, 1753, 1759, 1764, 1788, 1794, 1799, 1812, 1820, 1844, 2210, 2226, 2228 \ignorespaces 336, 536, 549, 974, 975, 977, 1623, 1827, 1831, 2197 \immediate .... 358, 418 \includecomment .... 2212, 2216, 2222 \includegraphics .... 1476, 1481, 1563, 1575, 1587, 1602 \indent ..... 2178 \institution 10, 975, 1621 \interfootnotelinepenalty ..... 530 \interlinepenalty .. 287, 344, 530 \item ..... 2196 \itemindent ..... 651 \itshape .. 1350, 2059, 2060, 2089, 2094, 2107, 2119, 2139, 2187

J
\jobname ..... 355, 358

K
\kern 507, 508, 512, 513, 1608 \keywords .... 13, 1057

L
\l@subsection ..... 363 \l@subsubsection ... 364 \labelenumi ..... 642 \labelenumii ..... 643 \labelenumiii ..... 644 \labelenumiv ..... 645 \labelsep ..... 649, 2196 \labelwidth ..... 652 \LARGE ..... 1511, 1513, 1515, 1538, 1540, 1542, 1544, 1546, 1673, 1676, 1995

```

\Large	1664, 1682, 2072, 2073, 2075, 2076, 2078	\mdseries	1532, 1534, 1536, 1540, 1542, 1544, 1546, 1548, 1686, 1689	\newcommand	244, 250, 914, 967, 1043, 1048, 1093, 1114, 1624, 1633, 2209, 2224
\large	1669, 1674, 1677, 2066, 2067, 2069, 2070	\medskip	1424, 1426, 1428, 1430, 1720, 1722, 1773, 1816, 1835, 1850, 1853, 1855, 1857	\newcount	926
\lastbox	325	\mktitle@bx	1316, 1452, 1455, 1458, 1461, 1463, 1465, 1467, 1469, 1471, 1560, 1579, 1607, 1720, 1772, 1773, 1815	\newdimen	612, 1725, 1959, 1961, 1963
\leaders	1608	\month	1025	\newenvironment	606, 609, 1307
\leavevmode	259, 1608, 1773	\moveleft	630	\newfloat	601
\leftskip	1607, 1807, 2055	\multiply	1986	\newif	68, 95, 96, 97, 554, 1036, 1125, 1127, 1129
\let	194, 196, 208, 210, 212, 238, 277, 365, 366, 398, 399, 400, 401, 402, 403, 404, 407, 553, 616, 652, 656, 978, 979, 980, 981, 982, 1113, 1323, 1324, 1338, 1339, 1342, 1410, 1411, 1622, 1625, 1626, 1627, 1628, 1629, 1635, 1636, 1638, 1702, 1719, 1769, 1775, 1804, 1809	\N		\newlength	1038, 1040, 1041, 1876
\lineskip	1774, 1808	\NAT@setcites	234	\newsavebox	1874
\linespacing	353, 354	\NAT@aysep	225	\newskip	1726
\list	650	\NAT@citetp	407	\newtheorem	
\LoadClass	156	\NAT@close	174, 176, 178, 180, 223	\newtheoremstyle	216, 2156
\long	528, 539, 604, 607, 610, 1060, 1062, 1308, 1871	\NAT@cmprs	202, 204, 206	\newwrite	357
\loop	1878, 1980	\NAT@cmt	229	\nobreak	316, 1835
		\NAT@ctype	407	\noindent	
		\NAT@find@eq	217		526, 1109, 1339, 1424, 1426, 1428, 1430, 1449, 1453, 1456, 1459, 1473, 1560, 1567, 1570, 1594, 1608, 1609, 1611, 1692, 1720, 1721, 1772, 1808, 1815, 1816, 1823, 1835, 1836, 1848, 1853, 1855, 1857, 2188
		\NAT@fullfalse	407		
		\NAT@longnametrue	214		
		\NAT@merge	208, 210, 212		
		\NAT@nmfmt	216		
		\NAT@numbersfalse	188		
		\NAT@numberstrue	190, 192		
		\NAT@open	174, 176, 178, 180, 221, 407		
		\NAT@partrue	407		
		\NAT@rem@eq	219		
		\NAT@sep	182, 184, 186, 231		
		\NAT@sort	198, 200, 206		
		\NAT@superfalse	190		
		\NAT@supertrue	192		
		\NAT@swafalse	406		
		\NAT@up	216		
		\NAT@yrsep	227		
		\NeedsTeXFormat	1		
		\newblock	408		
		\newbox	1316, 1614, 1724		
				\number	275

\numberline 295, 308

O

\onehalfspacing 162

\openout 358

\or 112,

 114, 116, 118, 120,
 122, 124, 126, 137,
 139, 141, 143, 145,
 147, 149, 151, 377,
 378, 379, 380, 381,
 382, 384, 385, 434,
 441, 448, 455, 462,
 469, 476, 483, 497,
 498, 499, 501, 502,
 503, 504, 505, 584,
 585, 586, 587, 588,
 590, 593, 596, 636,
 637, 638, 639, 640,
 641, 646, 647, 714,
 718, 723, 727, 731,
 735, 739, 743, 746,
 750, 754, 758, 762,
 764, 768, 772, 774,
 776, 778, 782, 786,
 790, 794, 798, 802,
 806, 810, 814, 818,
 822, 826, 830, 834,
 838, 842, 846, 851,
 855, 859, 863, 867,
 871, 875, 879, 883,
 887, 891, 895, 899,
 1026, 1027, 1028,
 1173, 1175, 1178,
 1180, 1181, 1183,
 1185, 1187, 1190,
 1193, 1195, 1202,
 1213, 1224, 1232,
 1238, 1250, 1264,
 1276, 1283, 1290,
 1296, 1425, 1427,
 1429, 1431, 1433,
 1435, 1437, 1439,
 1454, 1457, 1460,
 1462, 1464, 1466,
 1468, 1470, 1490,
 1492, 1494, 1496,
 1498, 1500, 1502,
 1504, 1512, 1514,
 1516, 1518, 1520,

1522, 1524, 1526,
1533, 1535, 1537,
1539, 1541, 1543,
1545, 1547, 1645,
1647, 1649, 1651,
1653, 1655, 1657,
1659, 1668, 1671,
1672, 1675, 1678,
1681, 1684, 1687,
1740, 1741, 1743,
1745, 1781, 1854,
1856, 1858, 1860,
1862, 1864, 1866,
1868, 1894, 1896,
1898, 1900, 1902,
1904, 1906, 1908,
1922, 1929, 1937,
1968, 1973, 2007,
2015, 2023, 2064,
2065, 2068, 2071,
2074, 2077, 2095,
2099, 2113, 2114,
2115, 2116, 2117,
2118, 2123, 2124,
2143, 2144, 2145,
2146, 2147, 2148,
2153, 2154, 2181,
2182, 2183, 2184,
2185, 2186, 2189, 2190

\orcid 9, 988

\outer@nobreak 627

P

\p@ 361, 493,
 500, 507, 508, 512,
 513, 651, 2034,
 2038, 2042, 2043,
 2046, 2047, 2050,
 2051, 2081, 2086,
 2087, 2091, 2092, 2194

\PackageError
 49, 57, 65, 76, 83

\PackageInfo
 46, 48, 54, 56,
 62, 64, 73, 75, 80, 82

\PageIndex 16

\pagestyle 1958

\par . 260, 316, 352, 515,
 625, 1109, 1342,
 1346, 1350, 1393,

1398, 1406, 1424,
1426, 1428, 1430,
1452, 1453, 1455,
1456, 1458, 1459,
1471, 1570, 1577,
1594, 1605, 1608,
1611, 1613, 1631,
1632, 1633, 1634,
1692, 1696, 1720,
1722, 1728, 1730,
1754, 1756, 1762,
1767, 1773, 1775,
1789, 1791, 1797,
1802, 1807, 1809,
1813, 1814, 1815,
1816, 1827, 1835,
1847, 1849, 1850,
1853, 1855, 1857,
1859, 1861, 1863,
1865, 1867, 1871, 2192

\paragraph 1436, 2045, 2085

\parbox 1566, 1584,
 1591, 1599, 1875, 1993

\parindent
 493, 1342, 1344,
 2045, 2056, 2108, 2138

\parskip 493, 1344

\part 2049

\PassOptionsToClass 91, 92

\pdfstringdefDisableCommands 368

\phantomsection
 168, 1821, 2204

\popQED 2199

\position 10, 974, 978,
 979, 980, 981, 982, 1621

\postcode 10, 981, 1621

\printonly{environment} 18

\ProcessOptionsX 93

\proof 2192

\proofname 2192

\protect 295, 308

\protected@edef
 280, 531, 545

\providecommand
 408, 410, 2106

\ProvidesClass 5

\ProvidesFile 3

\pushQED 2193

\put	1886	2000, 2001, 2033, 2037, 2041, 2045, 2049, 2080, 2085, 2090	\setTrue	351
Q			\sfdefault	571
\qed	2193	\ renewenvironment .. .	\sffamily ..	1511, 1513,
\quad	337,	. 603, 650, 1059, 2192	1515, 1517, 1519,	
	1931, 1934, 1939, 1942	\repeat	1521, 1525, 1664,	
		1881, 1983	1669, 1673, 1893,	
		\RequirePackage .. .	1895, 1897, 1899,	
R	 26, 157,	1901, 1903, 1905,	
\raggedright		158, 159, 161, 165,	1907, 1909, 1995,	
... 1566, 1607, 1807		367, 420, 429, 509,	2057, 2058, 2059,	
\raisebox ..	1562, 1574,	565, 566, 567, 568,	2066, 2067, 2069,	
	1586, 1601, 1609, 1991	573, 1111, 1116, 1872	2070, 2075, 2076,	
\received	15, 1093	\reset@font .. . 529, 542	2097, 2098, 2101, 2102	
\RecordChanges	18	\reversemarginpar .. 491	\shortauthors .. .	
\ref	1840, 1846	\rightskip	16, 948, 949, 954,	
\refname	167, 168	\rlap	955, 957, 960, 961,	
\refstepcounter .. .	279	\rule .. . 536, 549, 1992	963, 1409, 1411, 1889	
\relax	98,		\shortcite .. . 412	
	103, 110, 135, 217,		\shorttitle .. . 1920,	
	218, 261, 280, 282,		1926, 1934, 1942, 1947	
	286, 300, 314, 329,	\savebox	\showeprint .. . 2224	
	339, 347, 358, 376,	screenonly (environ-	\sidebar .. . 601	
	431, 496, 553, 583,	ment) .. . 18	sidebar (environment) . 17	
	635, 710, 927, 930,	\scriptsize .. . 1878	\skip .. . 518	
	1118, 1138, 1143,	\scshape .. . 2109, 2177	\small .. . 529, 605, 608,	
	1146, 1149, 1154,	\section .. . 167,	611, 1109, 1424,	
	1157, 1160, 1163,	1432, 1434, 1438,	1426, 1428, 1430,	
	1166, 1172, 1201,	1440, 1825, 2033, 2203	1670, 1823, 1835, 2005	
	1338, 1423, 1451,	\section@raggedright	\space .. . 304, 1637, 2210	
	1488, 1510, 1531, 2053, 2057,	\specialcomment .. . 2201	
	1643, 1667, 1727,	2058, 2066, 2067,	\standardpagestyle . 1911	
	1736, 1737, 1739,	2069, 2070, 2072,	\startPage .. . 13, 1053	
	1742, 1744, 1746,	2073, 2075, 2076,	\state .. . 10, 980, 1621	
	1748, 1750, 1774,	2078, 2079, 2084,	\stepcounter .. . 993,	
	1777, 1778, 1780,	2097, 2098, 2101, 2102	995, 1002, 1005, 1012	
	1783, 1785, 1852,	\SelectFootnoteRule 510	\streetaddress 10, 978, 1621	
	1877, 1892, 1916,	\setbox .. . 325,	\string ... 418, 1833, 1834	
	1967, 1969, 1970,	540, 630, 1560,	\strut .. . 1584, 1599	
	1971, 1974, 1975,	1579, 1607, 1617,	\strutbox .. . 536, 549	
	1976, 1979, 1981,	1720, 1729, 1772, 1815	\subparagraph .. . 2090	
	1984, 1985, 1986,	\setcitestyle .. .	\subsection .. . 2037	
	1987, 2003, 2063,	... 20, 171, 245, 251	\subsubsection 2041, 2080	
	2112, 2142, 2180, 2194	\setcopyright .. . 14, 1169	\subtitle .. . 9, 924	
\removelastskip .. .	352	\setcounter 1333, 1388,	\subtitlenote .. . 12, 998	
\renewcommand ..	166,	1446, 2061, 2096, 2100		
	170, 171, 174, 176,	\setkeys .. . 33,	T	
	178, 180, 182, 184,	101, 908, 1081, 1169	\teaserfigure .. . 1307	
	186, 236, 571, 649,	\setlength .. . 493, 494,	teaserfigure (environ-	
	928, 984, 1309,	500, 1039, 1042, 1876	ment) .. . 15	
	1325, 1913, 1914,	\settopmatter 15, 1081,	\terms .. . 13, 1055	
		1082, 1084, 1087, 1089		

\textbf	1119, 1122		\thmnote	2136, 2166	\vtop	1729
\textbullet	370, 1119,		\thmnumber	2136, 2166		W
	1931, 1934, 1939, 1942		\thr@	212		
\textcolor	1995		\title	7, 1833	\wd	632, 1618
\textheight	1881		\titlenote	12, 989, 1834	\write	418
\textit	.. 1123, 1838, 1842		\topsep	2194		X
\textrightarrow	. 371, 1119		\trivlist	2195		
\textwidth	613, 631, 632,		\tw@	210	\xdef	221,
	1328, 1550, 1578,		\twocolumn	1461,		223, 225, 227, 229, 231
	1606, 1641, 1736, 1771			1463, 1465, 1467, 1469		Y
\thanks	.. 11, <u>1309</u> , 1871				\year	1023
\thankses		U			
	1312, 1314, 1340, 1871		\unskip	328,		Z
\the	. 1023, 1025, 1878, 1986			369, 516, 977, 983,	\z@	200,
\theenumi	642		1618, 1637, 1696, 1831		263, 283, 315, 325,
\theenumii	643	\unvbox	520, 525, 541		340, 353, 494, 536,
\theenumiii	644	\upshape	649		549, 552, 577, 581,
\theenumiv	645	\url	1199, 2210		592, 652, 1326,
\thefootnote	1325	\urlstyle	374, 383, 386		1342, 1344, 1562,
\theoremstyle	2167, 2173, 2176	\usebox	1886		1574, 1586, 1601,
\thepage	1917,	\usepackage		1807, 1913, 1914,
	1918, 1923, 1924,		.	10, 11, 12, 13, 14, 15		1960, 1962, 1964,
	1931, 1934, 1939,		V			1989, 1991, 2000,
	1942, 1946, 2005, 2030		\vbox	540,		2001, 2033, 2037,
\thispagestyle	1448		630, 1560, 1579,		2049, 2056, 2080,
\thmname	2136, 2166		1607, 1720, 1772, 1815		2085, 2090, 2120, 2150
			\vskip	317, 352, 518, 552, 625	\z@skip	... 352, 625, 2055