

# The **amsxtra** package

American Mathematical Society  
Michael Downes

Version 1.2c, 1999/11/15

## 1 Introduction

The **amsxtra** package contains a few rarely used commands that were present in version 1.1 of the **amstex** package: `\fracwithdelims`, `\accentedsymbol`, `\sphat`, `\spcheck`, `\sptilde`, `\spdot`, `\spddot`, `\spdddott`, `\spbreve`. If any of these commands were used in existing documents, the **amsxtra** package provides a way to get them. But for 99% of documents using the **amstex** package these commands are just wasted overhead.

```
1 \ProvidesPackage{amsxtra}[1999/11/15 v1.2c]
```

We need to ensure that either the **amstex** package or the **amsmath** package is loaded. This means we need something a little more complicated than `\RequirePackage`.

```
2 \@ifpackageloaded{amstex}{}{%
3   \RequirePackage{amsmath}[1996/10/01 v1.2]}
```

Superscripted accent characters.

```
4 \def\sphat{\mathchoice{}{}{%
5   \smash[b]{\hbox{\lower4\ex@\hbox{$\m@th\widehat{\null}$}}}}{%
6   \smash[b]{\hbox{\lower3\ex@\hbox{$\m@th\hat{\null}$}}}}}}%
7 \def\spcheck{\vee}
8 \def\sptilde{\sim}
9 \def\spdot{\raise\ex@\hbox{\normalfont .}}
10 \def\spddot{\raise\ex@\hbox{\normalfont ..}}
11 \def\spdddott{\raise\ex@\hbox{\normalfont ...}}
12 \def\spbreve{\!\smash[b]{\hbox{\lower4\ex@\hbox{\u{}}}}}
```

The `\fracwithdelims` command is skipped if the base package is **amsmath**; it is only needed if the base package is **amstex**.

```
13 \@ifpackageloaded{amstex}{}{%
14 \def\fracwithdelims#1#2{\new@ifnextchar[\{\fracwithdelims@#1#2}{%
15   {\fracwithdelims@#1#2[\empty]}}}
16 \def\fracwithdelims#1#2[#3]#4#5{\relax
17   \ifx@\empty#4\overwithdelims#1#2#5\else
18   {#4\abovewithdelims#1#2#3\relax#5}\fi}
19 }}
```

Perhaps `\accentedsymbol` should use `\newsavebox`, but I don't know of any compelling reason at the moment.[mjd,5-Sep-1994] `\accentedsymbol` can only produce a single size of the given symbol, so you'd need two different versions for main size and subscript size.

```
20 \def\accentedsymbol#1#2{%
21   \expandafter\newbox
22   \csname\expandafter\gobble\string#1\box\endcsname
23   \expandafter\setbox
24   \csname\expandafter\gobble\string#1\box\endcsname
```

```

25      \hbox{$\m@th#2$}%
26  \newcommand{\#1}{%
27    \expandafter\copy
28    \csname\expandafter\gobble\string#1@box\endcsname{}%
29 }

```

Change the definition of `\~` to automatically remove a preceding space as well as a following space, if present.

```

30 \def{\nobreakspace}%
31 \DeclareRobustCommand{\nobreakspace}{\unskip\nobreak\ignorespaces}

```

The usual `\endinput` to ensure that random garbage at the end of the file doesn't get copied by `docstrip`.

```
32 \endinput
```

## Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols		R	
<code>\,</code> .....	<i>5, 6</i>	<code>\raise</code> .....	<i>9, 10, 11</i>
<code>\@ifpackageloaded</code>	<i>2, 13</i>	<code>\RequirePackage</code> ..	<i>1, 3</i>
		<b>H</b>	
<code>\sqcup</code> .....	<i>31</i>	<code>\hat</code> .....	<i>6</i>
		<code>\hbox</code> .....	<i>5,</i> <i>6, 9, 10, 11, 12, 25</i>
<b>A</b>		<b>L</b>	
<code>\abovewithdelims</code> ..	<i>18</i>	<code>\lower</code> .....	<i>5, 6, 12</i>
<code>\accentedsymbol</code> ...	<i>20</i>		
<code>amsmath package</code> ..	<i>1, 1</i>		
<code>amstex package</code>	<i>1, 1, 1, 1</i>	<b>M</b>	
<code>amsxtra package</code>	<i>1, 1, 1</i>	<code>\m@th</code> .....	<i>5, 6, 25</i>
		<code>\mathchoice</code> .....	<i>4</i>
<b>C</b>		<b>N</b>	
<code>\copy</code> .....	<i>27</i>	<code>\new@ifnextchar</code> ...	<i>14</i>
		<code>\newbox</code> .....	<i>21</i>
		<code>\nobreakspace</code> ...	<i>30, 31</i>
<code>docstrip</code> .....	<i>2</i>	<code>\normalfont</code> ...	<i>9, 10, 11</i>
		<code>\null</code> .....	<i>5, 6</i>
<b>E</b>		<b>O</b>	
<code>\endinput</code> .....	<i>2</i>	<code>\overwithdelims</code> ...	<i>17</i>
<code>\ex@</code> ..	<i>5, 6, 9, 10, 11, 12</i>	<code>\vee</code> .....	<i>7</i>
<b>F</b>		<b>P</b>	
<code>\fracwithdelims</code> <i>1, 1, 14</i>		<code>\ProvidesPackage</code> ...	<i>1</i>
		<b>V</b>	
		<code>\widehat</code> .....	<i>5</i>
		<b>W</b>	