Testing amsrefs with the hyperref package

MJD

July 26, 2011

The following examples are derived from Homology manifold bordism by Heather Johnston and Andrew Ranicki (Trans. Amer. Math. Soc. 352 no 11 (2000), PII: S 0002-9947(00)02630-1).

4 Homology manifold bordism

The results of Johnston [5] on homology manifolds are extended here. It is not possible to investigate transversality by geometric methods—as in [5] we employ bordism and surgery instead.

The proof of transversality is indirect, relying heavily on surgery theory—see Kirby and Siebenmann [7, III, §1], Marin [8] and Quinn [11]. We shall use the formulation in terms of topological block bundles of Rourke and Sanderson [12].

Q is a codimension q subspace by Theorem 4.9 of Rourke and Sanderson [12]. (Hughes, Taylor and Williams [4] obtained a topological regular neighborhood theorem for arbitrary submanifolds)

Wall [13, Chapter 11] obtained a codimension q splitting obstruction

... following the work of Cohen [2] on PL manifold transversality.

In this case each inverse image is automatically a PL submanifold of codimension σ (Cohen [2]), so there is no need to use s-cobordisms.

Quinn [10, 1.1] proved that ...

Theorem 4.1 (The additive structure of homology manifold bordism, Johnston [5]) ...

For $m \geq 5$ the Novikov-Wall surgery theory for topological manifolds gives an exact sequence (Wall [13, Chapter 10].

The surgery theory of topological manifolds was extended to homology manifolds in Quinn [9, 10] and Bryant, Ferry, Mio and Weinberger [1].

The 4-periodic obstruction is equivalent to an m-dimensional homology manifold, by [1].

Thus, the surgery exact sequence of [1] does not follow Wall [13] in relating homology manifold structures and normal invariants.

... the canonical TOP reduction ([3]) of the Spivak normal fibration of M ...

Theorem 4.2 (Johnston [5]) ...

Actually [5, (5.2)] is for $m \geq 7$, but we can improve to $m \geq 6$ by a slight variation of the proof as described below.

(This type of surgery on a Poincaré space is in the tradition of Lowell Jones [6].)

References

- [1] J. Bryant, S. Ferry, W. Mio, and S. Weinberger, Topology of homology manifolds, Ann. of Math. 143 (1996), 435–467. MR97b:57017 ↑1
- [2] M. Cohen, Simplicial structures and transverse cellularity, Ann. of Math. 85 (1967), 218–245. MR35:1037 ↑1
- [3] S. Ferry and E. K. Pedersen, Epsilon surgery theory I, Novikov conjectures, index theorems and rigidity, vol. 2 (Oberwolfach, 1993), 1995, pp. 167–226. MR97g:57044 ↑1
- [4] B. Hughes, L. Taylor, and B. Williams, Manifold approximate fibrations are approximately bundles, Forum Math. 3 (1991), 309–325. MR92k:57040 \uparrow 1
- [5] H. Johnston, Transversality for homology manifolds, Topology 38 (1999), 673–697.
 MR99k:57048 ↑1
- [6] L. Jones, Patch spaces: a geometric representation for Poincaré spaces, Ann. of Math. 97 (1973), 306–343. 102, 183–185 (1975) MR47:4269; MR52:11930. ↑1
- [7] R. Kirby and L. Siebenmann, Foundational essays on topological manifolds, smoothings, and triangulations, Ann. of Math. Study, vol. 88, Princeton University Press, 1977. MR58:31082 ↑1
- [8] A. Marin, La transversalité topologique, Ann. of Math. 106 (1977), 269–293 (French). MR57:10707 $\uparrow 1$
- [9] F. Quinn, Resolutions of homology manifolds, and the topological characterization of manifolds, Invent. Math. 72 (1983), 264–284. Corrigendum 85 (1986) 653. MR85b:57023, MR87g:57031 ↑1
- [10] _____, An obstruction to the resolution of homology manifolds, Michigan Math. J. 34 (1987), 284–291. MR88j:57016 \uparrow 1
- [11] ______, Topological transversality holds in all dimensions, Bull. Amer. Math. Soc. 18 (1988), 145–148. MR89c:57016 ↑1
- [12] C. P. Rourke and B. J. Sanderson, On topological neighbourhoods, Compositio Math. 22 (1970), 387–425. MR45:7720 ↑1
- [13] C. T. C. Wall, Surgery on compact manifolds, 2nd ed., Academic Press, 1970. $\uparrow 1$