

# Formatting documents in APA style (6th Edition) with the **apa6** L<sup>A</sup>T<sub>E</sub>X class\*

Brian D. Beitzel<sup>†</sup>

Released 2012/02/15

## Abstract

The *Publication Manual* of the American Psychological Association is widely used in the social sciences. The most recent update, in 2009, altered the formatting guidelines and therefore rendered existing formatting solutions inadequate. The **apa6** class is an update of older code from the **apa** class, which is no longer being maintained. New features have also been added, such as suppressing references to one's own work to facilitate masked reviews of manuscripts by independent reviewers.

## 1 Background

Most journals in the social sciences require manuscripts to be formatted in compliance with the American Psychological Association's *Publication Manual*, which is updated periodically. The 6th Edition, released in 2009, substantially changed the guidelines for formatting manuscripts; these modifications rendered existing formatting solutions (e.g., the **apa** L<sup>A</sup>T<sub>E</sub>X class) inadequate for venues in which 6th Edition guidelines are being enforced. The **apa6** class solves this problem, and provides some new functionality not offered by the **apa** class.

## 2 Disclaimer

Great care has been taken to ensure the closest possible match between APA requirements and the output of this class. However, it is the sole responsibility of the user to ensure compliance with specific journal submission requirements!

---

\*This file describes version 1.2, last revised 2012/02/15.

<sup>†</sup>E-mail: [brian@beitzel.com](mailto:brian@beitzel.com)

## 3 Usage

### 3.1 Class Options

When loading `apa6` with `\documentclass[options]{apa6}`, the following options are available.

**Document mode:** Three choices are available.

- |                  |                                                                                                                                                                                                               |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>jou</code> | • <code>jou</code> (default): Formats the document with an appearance resembling a printed APA journal (e.g., <i>Journal of Educational Psychology</i> . The text is typeset in two-sided, two-column format. |
| <code>man</code> | • <code>man</code> : Formats the document in close (if not complete) compliance with the requirements for submission to an APA journal (e.g., title page, double-spacing, etc.).                              |
| <code>doc</code> | • <code>doc</code> : Formats the document as a typical L <sup>A</sup> T <sub>E</sub> X document (one-sided, single-column, etc.)                                                                              |

**Other class options:**

- |                            |                                                                                                                                                                                                                                  |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>10pt</code>          | • <code>10pt</code> : Typesets the document in 10-point font.                                                                                                                                                                    |
| <code>11pt</code>          | • <code>11pt</code> : Typesets the document in 11-point font.                                                                                                                                                                    |
| <code>12pt</code>          | • <code>12pt</code> : Typesets the document in 12-point font.                                                                                                                                                                    |
| <code>nolmodern</code>     | • <code>nolmodern</code> : Suppresses loading of the <code>lmodern</code> package.                                                                                                                                               |
| <code>nofontenc</code>     | • <code>nofontenc</code> : Suppresses loading of the <code>fontenc</code> package (which is needed for proper hyphenation of accented characters).                                                                               |
| <code>babel</code>         | • <code>babel</code> : In all modes, loads <code>babel</code> ; the desired language(s) are listed as options immediately following <code>babel</code> ; the last language listed is the main one.                               |
| <code>noextraspacer</code> | • <code>noextraspacer</code> : In <code>man</code> mode, removes some of the vertical space between certain elements (e.g., headers and text) in an attempt to more closely resemble true double-spacing (use at your own risk). |
| <code>floatsintext</code>  | • <code>floatsintext</code> : In <code>man</code> mode, integrates floats (tables and figures) within the body of the text instead of postponing them until after the reference list.                                            |
| <code>biblatex</code>      | • <code>biblatex</code> : Loads the <code>biblatex</code> package; see Section 6.5.1 for details.                                                                                                                                |
| <code>apacite</code>       | • <code>apacite</code> : Loads the <code>apacite</code> package; see Section 6.5.2 for details.                                                                                                                                  |
| <code>natbib</code>        | • <code>natbib</code> : See Section 6.5.3 for details.                                                                                                                                                                           |
| <code>mask</code>          | • <code>mask</code> : Masks references that are marked as the author's own (for masked peer review); see Section 6.1 for details.                                                                                                |

<code>longtable</code>	<ul style="list-style-type: none"> <li>• <b>longtable</b>: If you <i>must</i> use long tables (exceeding one page in length), try this option (but it may not work in all contexts). Do <b>not</b> load <b>longtable</b> yourself because of precedence requirements with the <b>endfloat</b> package. Copy the file <code>APAendfloat.cfg</code> from the “config” folder of your <b>apa</b> installation to the working folder of your document (not in your <b>texmf</b> tree), and rename it to <code>endfloat.cfg</code> so that <b>endfloat</b> will recognize it. The supplied <code>APAendfloat.cfg</code> file will also be necessary in conjunction with <b>rotating</b> package (and its <code>\sideways</code> command) to produce rotated tables.</li> </ul>
<code>notxfonts</code>	<ul style="list-style-type: none"> <li>• <b>notxfonts</b>: In <b>jou</b> mode, prevents <b>txfonts</b> from loading, in case <b>pslatex</b> or <b>times</b> is preferable for some reason.</li> </ul>
<code>notimes</code>	<ul style="list-style-type: none"> <li>• <b>notimes</b>: In <b>jou</b> mode, cancels loading <b>txfonts</b> or <b>pslatex</b> or <b>times</b> and uses Computer Modern instead.</li> </ul>
<code>notab</code>	<ul style="list-style-type: none"> <li>• <b>notab</b>: In <b>jou</b> mode, cancels the automatic stretching of tabular environments to the width of their enclosing float.</li> </ul>
<code>helv</code>	<ul style="list-style-type: none"> <li>• <b>helv</b>: In <b>man</b> mode, uses Helvetica font instead of Computer Modern.</li> </ul>
<code>nosf</code>	<ul style="list-style-type: none"> <li>• <b>nosf</b>: In <b>man</b> mode, neutralizes the <code>\helvetica</code> command.</li> </ul>
<code>tt</code>	<ul style="list-style-type: none"> <li>• <b>tt</b>: In <b>man</b> mode, uses typewriter-like font.</li> </ul>
<code>draftfirst</code>	<ul style="list-style-type: none"> <li>• <b>draftfirst</b>: In all modes, places the word “DRAFT” as a watermark across the first page.</li> </ul>
<code>draftall</code>	<ul style="list-style-type: none"> <li>• <b>draftall</b>: In all modes, places the word “DRAFT” as a watermark across all pages.</li> </ul>

Class options not handled by **apa6** (e.g., **draft**) will be passed on to the **article** class.

## 3.2 Document Preamble

The following commands are available within the document preamble (i.e., the part of the file preceding `\begin{document}`).

<code>\title</code>	<ul style="list-style-type: none"> <li>• <code>\title{&lt;document-title&gt;}</code>: The title of the document</li> </ul>
<code>\shorttitle</code>	<ul style="list-style-type: none"> <li>• <code>\shorttitle{&lt;short-title&gt;}</code>: A shortened version of the title (for page headers)</li> </ul>
<code>\author</code>	<ul style="list-style-type: none"> <li>• <code>\author{&lt;author(s)&gt;}</code>: Author name(s)</li> </ul>

For authors across multiple affiliations, follow these formats, noting that authors must be matched in sequence with their affiliations in the `\affiliation` command (hence multiple authors inside some braces represent multiple authors from the same institution):

```
\twoauthors{First Author(s)}{Second Author(s)}
```

	<pre> \threeauthors{John and Jim}{Mary and Sue}{Nick} \fourauthors{Helen}{Dick}{Tracy and Larry}{James Bond} \fiveauthors{...}{...}{...}{...}{...} \sixauthors{...}{...}{...}{...}{...}{...} </pre>
<code>\lefthead</code>	<ul style="list-style-type: none"> <li>• <code>\lefthead{⟨author-last-name(s)⟩}</code>: Author last name(s) (for even-page headers in <code>jou</code> mode)</li> </ul>
<code>\affiliation</code>	<ul style="list-style-type: none"> <li>• <code>\affiliation{⟨affiliation(s)⟩}</code>: Author affiliation(s)</li> </ul> <p>For multiple affiliations, follow these formats:</p> <pre> \twoaffiliations{Affil. of 1st Author(s)}{Affil. 2nd Author(s)} \threeaffiliations{U of A}{U of B}{U of C} \fouraffiliations{My Company}{Your Department}{Heaven}{Earth} \fiveaffiliations{...}{...}{...}{...}{...} \sixaffiliations{...}{...}{...}{...}{...}{...} </pre>
<code>\abstract</code>	<ul style="list-style-type: none"> <li>• <code>\abstract{⟨abstract-text⟩}</code>: The abstract of the article</li> </ul>
<code>\keywords</code>	<ul style="list-style-type: none"> <li>• <code>\keywords{⟨keywords⟩}</code>: Keywords (typeset after the abstract)</li> </ul>
<code>\authornote</code>	<ul style="list-style-type: none"> <li>• <code>\authornote{⟨author-note⟩}</code>: The Author Note, containing contact information, acknowledgements, etc.</li> </ul> <p>Optional; use if desired:</p>
<code>\note</code>	<ul style="list-style-type: none"> <li>• <code>\note{⟨note-text⟩}</code>: Notation of manuscript date or other information desired beneath the affiliation line</li> </ul>
<code>\journal</code>	<ul style="list-style-type: none"> <li>• <code>\journal{⟨journal-name⟩}</code>: Journal name or other note; typeset in the top left header of page 1 (<code>jou</code> and <code>doc</code> modes only)</li> </ul>
<code>\volume</code>	<ul style="list-style-type: none"> <li>• <code>\volume{⟨journal-volume⟩}</code>: Volume, number, pages; typeset in the top left header in <code>jou</code> and <code>doc</code> modes, underneath the content of <code>\journal</code></li> </ul>
<code>\ccoppy</code>	<ul style="list-style-type: none"> <li>• <code>\ccoppy{⟨copyright-notice⟩}</code>: Copyright notice, etc.; typeset in the top right header of page 1 (<code>jou</code> and <code>doc</code> modes only)</li> </ul>
<code>\copnum</code>	<ul style="list-style-type: none"> <li>• <code>\copnum{⟨more-copyright-info⟩}</code>: Any additional text needed; typeset in the top right header in <code>jou</code> and <code>doc</code> modes, underneath the content of <code>\ccoppy</code></li> </ul>

### 3.3 Maketitle

<code>\maketitle</code>	<p>The <code>\maketitle</code> command formats the document title, page headers, author list, author affiliations, Author Note (if provided), abstract according to whether <code>jou</code>, <code>man</code>, or <code>doc</code> mode has been specified. This command should be on the line after <code>\begin{document}</code>, with the first line of text immediately following the <code>\maketitle</code> line (no blank lines).</p>
-------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### 3.4 Heading Levels

Heading levels are automatically formatted using the following standard L<sup>A</sup>T<sub>E</sub>X commands:

<code>\section</code>	• <code>\section{&lt;title&gt;}</code>
<code>\subsection</code>	• <code>\subsection{&lt;title&gt;}</code>
<code>\subsubsection</code>	• <code>\subsubsection{&lt;title&gt;}</code>
<code>\paragraph</code>	• <code>\paragraph{&lt;title&gt;}</code>
<code>\subparagraph</code>	• <code>\subparagraph{&lt;title&gt;}</code>

Don't bother to `\label` your sections because they cannot be `\ref`'d since APA style does not use numbered sections.

### 3.5 Enumeration

Several forms of enumeration are provided, as follows.

```
\begin{seriate}      Blah blah blah
\end{seriate}        \begin{seriate}
                     \item first item,
                     \item second item.
\end{seriate}
                     Blah blah blah
```

results in:

```
Blah blah blah (a) first item, (b) second item.  Blah blah blah
```

```
\begin{APAenumerate} Blah blah blah
\end{APAenumerate}   \begin{APAenumerate}
                     \item first item ... .. continue continue
                     \item second item ... .. continue continue
\end{APAenumerate}
                     Blah blah blah
```

results in:

```
Blah blah blah
  1. first item ... ..
continue continue
  2. second item ... ..
continue continue
Blah blah blah
```

```

\begin{APAitemize}      Blah blah blah
\end{APAitemize}        \begin{APAitemize}
                        \item first item ... .. continue continue
                        \item second item ... .. continue continue
\end{APAitemize}
                        Blah blah blah

```

results in:

```

Blah blah blah
  o first item ... ..
continue continue
  o second item ... ..
continue continue
Blah blah blah

```

### 3.6 Other Macros

<code>\centeredcaption</code>	<ul style="list-style-type: none"> <li>• <code>\centeredcaption{&lt;width&gt;}{&lt;caption-text&gt;}</code>: Used with double-column figures to create centered captions narrower than <code>\textwidth</code></li> </ul>
<code>\begin{figure*}</code> <code>\end{figure*}</code>	<ul style="list-style-type: none"> <li>• When a figure is too wide for a single column (in <code>jou</code> mode), use <code>\begin{figure*}</code> and <code>\end{figure*}</code> instead of the non-starred version. When using double-column figures (<code>jou</code> mode), it looks better if you use <code>\centeredcaption</code> instead of <code>\caption</code>, with the first parameter about equal to the width of the float (table or figure).</li> </ul>
<code>\fitfigure</code>	<ul style="list-style-type: none"> <li>• <code>\fitfigure[&lt;height&gt;]{&lt;eps-filename&gt;}</code>: Automatically fit a postscript figure; use instead of <code>\includegraphics</code></li> </ul>
<code>\fitbitmap</code>	<ul style="list-style-type: none"> <li>• <code>\fitbitmap[&lt;height&gt;]{&lt;eps-filename&gt;}</code>: Same as <code>\fitfigure</code> but won't scale figure in <code>\man</code> mode for best reproduction of bitmap figures</li> </ul>
<code>\tabfnm</code>	<ul style="list-style-type: none"> <li>• <code>\tabfnm{a}</code>: Place a superscript <b>footnote mark</b> inside a table cell. Any series of unique identifiers can be used in place of <b>a</b>.</li> </ul>
<code>\tabfnt</code>	<ul style="list-style-type: none"> <li>• <code>\tabfnt{a}{&lt;footnote-text&gt;}</code>: Within table footnotes, specify the <b>footnote text</b> for <code>\tabfnm{a}</code></li> </ul>
<code>\apavector</code>	<ul style="list-style-type: none"> <li>• <code>\apavector{&lt;symbol&gt;}</code>: Format the <code>{&lt;symbol&gt;}</code> as a vector by APA rules</li> </ul>

### 3.7 Appendices

<code>\appendix</code>	<ul style="list-style-type: none"> <li>• <code>\appendix</code>: Begins the appendices portion of the document</li> </ul>
<code>\section</code>	<ul style="list-style-type: none"> <li>• <code>\section{&lt;appendix-title&gt;}</code>: Begins each appendix</li> </ul>

Because appendices are numbered (with letters!) you may establish a label for each appendix (e.g., `\label{app:xxx}`); when there is more than one appendix, use `Appendix~\ref{app:xxx}` within the main body of the text to refer to that appendix. (Of course, if there is only one appendix, simply refer to it as the Appendix.)

## 4 Known Restrictions

- There is a limit of six affiliations for authors (but an unlimited number of authors across those six affiliations).
- No support for A4 paper. However, the following workaround (from the `apa` documentation) may work:

```
\ifapamodeman{\setlength{\textwidth}{5.76772in}%
\setlength{\textheight}{9.19291in}}{}
```

## 5 Development of `apa6`

The base code for this class is the `apa` class, which in turn was based upon other sources. In order to comply with 6th Edition criteria, certain changes had to be made to update the `apa` code.

### 5.1 Section Headings

Most prominently, the formatting of section headings had to be altered. The 6th Edition specifies a more straightforward series of heading levels than previous editions did. Briefly, the top-level heading is now boldfaced and centered, upper- and lower-case, no matter how many levels of heading are in the document; other heading levels have similar specifications. The `apa6` class utilizes code (with permission) from the `apa6e` class to comply with all of these specifications.

### 5.2 Float Placement

The placement of floats (i.e., tables and figures) within an APA-style manuscript has also changed. The 6th Edition requires that tables and figures (in that order) be placed after the references but before the appendices. This creates a bit of a conundrum as to what should happen with tables or figures that are ultimately typeset within an appendix. The choices we are left with are to place appendix floats (a) along with the floats from the main part of the manuscript, which would mean that appendix floats appear prior to the point at which they are mentioned; (b) within the appendices themselves, which is not consistent with how floats in the main part of the manuscript are handled; or (c) in a separate float section that follows the appendices, which results in two float sections. Obviously none of these choices is satisfactory, so I posed the question to APA's Style Expert. He

responded that at least for APA’s journals “it doesn’t matter whether appendix tables are submitted with text tables or separately, as long as they are numbered correctly (e.g., Table A1, Table B1, etc.)” (J. Hume-Pratuch, personal communication, June 15, 2011). Therefore, `apa6` takes the most straightforward approach and includes all appendix floats within the body of the relevant appendix. This also has the advantage of making appendices more readable.

Because the 6th Edition requires figure captions to be printed on the same page as their respective figures, there are no more Figure Captions pages.

### 5.3 Author Note

According to 6th Edition guidelines, Author Notes are placed on the title page of manuscripts.

## 6 New features

In addition to providing compatibility with the 6th Edition of the *Manual*, several new features have been implemented beyond those available in the `apa` class.

### 6.1 Masked References

`mask` When manuscripts are sent out for review, they customarily must have all identifying information stripped so that reviewers do not know who the author of the manuscript is. The new `mask` option suppresses the output of the author’s name and affiliation, the author note, and any references that are marked as being the author’s own.

Table 1: Supported masking commands

Unmasked Result	Masking Commands		
	<code>apacite</code>	<code>natbib</code>	<code>biblatex</code>
(van Dijk, 2001)	<code>\maskcite</code>	<code>\maskcitep</code>	<code>\maskparencite</code>
(Van Dijk, 2001)		<code>\maskCitep</code>	<code>\maskParencite</code>
van Dijk, 2001	<code>\maskciteNP</code>	<code>\maskcitealp</code>	<code>\maskcite</code>
Van Dijk, 2001		<code>\maskCitealp</code>	<code>\maskCite</code>
van Dijk (2001)	<code>\maskciteA</code>	<code>\maskcitet</code>	<code>\masktextcite</code>
Van Dijk (2001)		<code>\maskCitet</code>	<code>\maskTextcite</code>
van Dijk	<code>\maskciteauthor</code>	<code>\maskciteauthor</code>	<code>\maskciteauthor</code>
Van Dijk		<code>\maskCiteauthor</code>	<code>\maskCiteauthor</code>
(2001)	<code>\maskciteyear</code>	<code>\maskciteyearpar</code>	
2001	<code>\maskciteyearNP</code>	<code>\maskciteyear</code>	<code>\maskciteyear</code>

To specify a reference that is to be masked with the `mask` option, simply prepend `mask` to the desired citation command (e.g., `\maskcite` instead of `\cite`).



Supported bibliography packages are `biblatex`, `apacite`, and `natbib`. The specific masking commands are shown in Table 1. Prenotes and postnotes for citations are supported with both `biblatex` and `natbib`; however, they are not supported with the `apacite` package.

To mask citations that have been prepended with `mask` (and the corresponding bibliography entries), the name of the bibliography package must also be passed in as an option on the `\documentclass` line, in addition to the `mask` option. For example, `\documentclass[jou,biblatex,mask]{apa6}`. (But as explained later, the `biblatex` option is the default and is therefore not required, even with the `mask` option.)

**Be warned**, however, that if you have previously generated `.bbl`, etc., files without the `mask` option applied, those files must be deleted before L<sup>A</sup>T<sub>E</sub>X-ing with the `mask` option—otherwise, you will see the to-be-masked entries showing up in the bibliography.

Masked citations are replaced with the text, *(2 citations removed for masked review)* (in the case of two masked citations). The corresponding entries in the References section are also suppressed.

There is no need to revise the masked citations when removing the `mask` option for final production. The citations that were previously masked will not be masked in the absence of the `mask` option.

## 6.2 Repositioned Floats

`floatsintext` When revising and proofreading a manuscript, it is most helpful to have the tables and figures readily available (rather than turning most of the way to the end of the manuscript to access them). The `floatsintext` option (specified in the `\documentclass` line) will integrate tables and figures approximately where they are mentioned in the text. This is available only with the `man` option, of course, because the other formats already have floats integrated with the text.

## 6.3 User-defined Font Size

`10pt` Users can now select from the font-size options available in standard L<sup>A</sup>T<sub>E</sub>X  
`11pt` (10pt, 11pt, 12pt) by including the appropriate option (e.g., `10pt`) in the  
`12pt` `\documentclass` line. The default font size is 10pt for `jou` mode, 11pt for `doc` mode, and 12pt for `man` mode.

## 6.4 Watermark

`draftfirst` If desired, a “DRAFT” watermark can be placed on either the first pages or all  
`draftall` pages of the document with the `draftfirst` and `draftall` options, respectively. The text, font size, angle, and lightness of the text can all be modified using commands explained in the `draftwatermark` documentation. Also loads the `everypage` package.

## 6.5 Flexible Bibliographies

The `apa6` class supports three bibliography packages: `biblatex`, `apacite`, and `natbib`.

### 6.5.1 biblatex

`biblatex` The `biblatex` option directs `apa6` to load the `biblatex` package with the following options: `style=apa,sortcites=true,sorting=nyt`; however, the `\DeclareLanguageMapping` and `\addbibresource` commands will need to be specified by the user within the document preamble. In the absence of bibliographic options, `apa6` will mask references using `biblatex` commands if the `mask` option is specified. In other words, the only reason to use the `biblatex` option is to have `apa6` automatically load the `biblatex` package.

### 6.5.2 apacite

`apacite` The `apacite` package is loaded if the `apacite` option is specified. This option also informs `apa6` to mask references using `apacite` commands if the `mask` option is specified. **The `apacite` package is *not* loaded by default.**

### 6.5.3 natbib

`natbib` Specifying the `natbib` option implicitly loads `apacite` and directs `apa6` to mask references using `natbib` commands if the `mask` option is specified. Because of how the `natbib` package is written, it must be loaded explicitly in the document preamble with `\usepackage[sort,longnamesfirst]{natbib}`.

## 6.6 Keywords

`\keywords` Many journals (including APA journals) request authors to provide keywords for their manuscripts to facilitate electronic indexing. `apa6` introduces the `\keywords` command. If provided, keywords will be displayed on a line beneath the abstract.

## 6.7 Converting to Microsoft Word®

A common requirement for manuscript submission is that the document be in Microsoft Word® format. L<sup>A</sup>T<sub>E</sub>X provides no easy way to convert to Word in APA format. Several conversion utilities are available, but after researching and testing several of them, it seems that most of them—besides being incredibly challenging to implement—are incapable of formatting anything close to APA style. One software package clearly stands out from the group, however: Chikrii Softlab’s TeX2Word™ (<http://www.chikrii.com/products/tex2word/>; compatible with Microsoft Windows® only). The distinct advantage of this software is that it is extensible, allowing customizable interpretation of L<sup>A</sup>T<sub>E</sub>X commands in a user-specified file—which is exactly what I have created for `apa6`. The file `apa6.ptex` is included in the “pseudoTeX” subfolder of the `apa6` installation. After installing TeX2Word (a 30-day trial period is available), find its “pseudoTeX”

folder (which contains all the `.ptex` files automatically generated by TeX2Word), and copy `apa6.ptex` into that folder. To convert your `apa6` L<sup>A</sup>T<sub>E</sub>X document, start Microsoft Word and open your `apa6` document just as you would open any other document in Word. The conversion process will run automatically and a mostly-ready document will be produced. Formatting of the title page, abstract page, section headings, double-spacing, table and figure captions, boldfaced and italicized text are all handled by the converter. Instructions for finishing the conversion process will be displayed on the title page of the converted document. Mostly this involves moving floats (tables and figures) to their places toward the end of the manuscript, some table re-formatting, and editing of bibliographic information—although some of this is expected to improve with upcoming releases of TeX2Word. The major weakness at the moment is a lack of support for bibliographic packages. I will update the `apa6.ptex` file within the `apa6` class on CTAN as the capabilities of TeX2Word evolve. It's well worth experimenting with the 30-day trial, and perhaps even worth finding—or borrowing—a Windows machine if you don't have one readily available (the conversion process does not require a T<sub>E</sub>X installation to be present).

## 7 Dependencies

`apa6` automatically loads the following packages. If these packages are not already installed, producing the first `apa6` document could take a few minutes while these packages are downloaded and installed.

- `apacite`: bibliography package; used only if the `apacite` or `natbib` option has been specified
- `biblatex`: bibliographic package; used only if the `biblatex` option has been specified
- `booktabs`: formats tables that are much more attractive than the standard L<sup>A</sup>T<sub>E</sub>X tables.
- `caption`: formats table and figure captions
- `draftwatermark`: includes a “DRAFT” watermark; used only if the `draftfirst` or `draftall` options are specified (`draftwatermark` automatically loads `every-page`)
- `endfloat`: handles placing tables and figures at the end of a manuscript; used only with the `man` option
- `etoolbox`: provides capability of intercepting the
- `fancyhdr`: formats page headers
- `float`: handles floats placed within text; used only when the `man` and `floatsintext` options are both specified `biblatex` package (when loaded by

the user in the document preamble) in time to set the “References” heading to non-boldface; used only if no bibliographic options have been specified

- **geometry**: formats margins
- **graphicx**: allows inclusion of figures
- **longtable**: formats tables that exceed one page in length; loaded only if the **longtable** option is specified. Also loads the **array** package.
- **lmodern**: needed for proper default text size for draft watermark, so used on all documents; may be suppressed from loading with option **nomodern**.
- **substr**: counts masked references; used only if the **mask** option is specified
- **threeparttable**: produces nicely formatted table notes that comply with APA style. See **longsample.tex** (in the “samples” subfolder of the **apa6** installation; specifically, Appendix B in that document) for how to set up a table with notes.
- **times**: for math definitions

## 8 Examples

Sample documents are included with this class; look in the “samples” subfolder of your installation. The source and output for **shortsample.tex** are reproduced on the following pages for quick reference.

## 8.1 shortsample.tex

```
\documentclass[jou]{apa6}

\usepackage[american]{babel}

\usepackage{csquotes}
\usepackage[style=apa,sortcites=true,sorting=nyt]{biblatex}
\DeclareLanguageMapping{american}{american-apa}
\addbibresource{bibliography.bib}

\title{Sample APA-Style Document Using the \textsf{apa6} Package}

\author{Brian D. Beitzel}
\affiliation{SUNY Oneonta}

\lefthead{Beitzel}

\abstract{This demonstration paper uses the \textsf{apa6} \LaTeX\
class to format the document in compliance with the 6th Edition of
the American Psychological Association's \textit{Publication Manual}.
The references are managed using \textsf{biblatex}.}

\keywords{APA style, demonstration}

\begin{document}
\maketitle
We begin with \textcite{Shotton1989}. We can also cite this work in
parenthesis, like this: \parencite{Shotton1989}.

A three-author paper \parencite[e.g.,][Lassen2006] lists all
three authors for the first citation, then only the first author
on all subsequent citations \parencite{Lassen2006}.

Note the use of five heading levels throughout this demonstration
Method section.

\section{Method}
\subsection{Participants}
We had a lot of people in this study.

\subsection{Materials}
Several materials were used for this project. Some of them were
already created for prior research.

\subsubsection{Paper-and-Pencil Instrument}
We used an instrument that we found to be highly successful.

\paragraph{Reliability}
The reliability of this instrument is extraordinary.
```

```

\paragraph{Validity}
We now discuss the validity of our instrument.

\subparagraph{Face validity} The face validity is exceptionally
strong. Everyone should be impressed.

\subparagraph{Construct validity} Also very strong.

\subsection{Design}
This section describes the study's design.

\subsection{Procedure}
The procedure was fairly straightforward, yet required
attention to detail.

\section{Results}
Table \ref{tab:ComplexTable} contains some sample data. Our
statistical prowess in analyzing these data is unmatched.

\begin{table}[htbp]
\caption{A complex table}
\label{tab:ComplexTable}
\begin{tabular}{@{}lrrl@{}}
\toprule
Distribution type & \multicolumn{2}{l}{Percentage of} & Total & \\
& \multicolumn{2}{l}{targets with} & trials per & \\
& \multicolumn{2}{l}{segment in} & participant & \\
& & & \cmidrule(r){2-3} & \\
& Onset & Coda & & \\
& & & \midrule & \\
Categorical -- onset & 100 & 0 & 196 & \\
Probabilistic & 80 & 20 & 200 & \\
& 60 & 40 & 160 & \\
Categorical -- coda & 0 & 100 & 196 & \\
& & & \bottomrule & 
\end{tabular}
\end{table}

\section{Discussion}
This is a lengthy and erudite discussion. It demonstrates amazing
skill in interpreting the results for the masses.

\printbibliography

\end{document}

```

Sample APA-Style Document Using the apa6 Package

Brian D. Beitzel  
SUNY Oneonta

This demonstration paper uses the `apa6` L<sup>A</sup>T<sub>E</sub>X class to format the document in compliance with the 6th Edition of the American Psychological Association’s *Publication Manual*. The references are managed using `biblatex`.

*Keywords:* APA style, demonstration

We begin with Shotton (1989). We can also cite this work in parenthesis, like this: (Shotton, 1989).  
A three-author paper (e.g., Lassen, Steele, & Sailor, 2006) lists all three authors for the first citation, then only the first author on all subsequent citations (Lassen et al., 2006).  
Note the use of five heading levels throughout this demonstration Method section.

Method

Participants

We had a lot of people in this study.

Materials

Several materials were used for this project. Some of them were already created for prior research.  
**Paper-and-Pencil Instrument.** We used an instrument that we found to be highly successful.  
**Reliability.** The reliability of this instrument is extraordinary.  
**Validity.** We now discuss the validity of our instrument.  
*Face validity.* The face validity is exceptionally strong. Everyone should be impressed.  
*Construct validity.* Also very strong.

Design

This section describes the study’s design.

Procedure

The procedure was fairly straightforward, yet required attention to detail.

Results

Table 1 contains some sample data. Our statistical prowess in analyzing these data is unmatched.

Discussion

This is a lengthy and erudite discussion. It demonstrates amazing skill in interpreting the results for the masses.

Table 1  
*A complex table*

Distribution type	Percentage of targets with segment in		Total trials per participant
	Onset	Coda	
Categorical – onset	100	0	196
Probabilistic	80	20	200
	60	40	160
Categorical – coda	0	100	196

References

Lassen, S. R., Steele, M. M., & Sailor, W. (2006). The relationship of school-wide positive behavior support to academic achievement in an urban middle school. *Psychology in the Schools*, 43(6), 701–712.  
Shotton, M. A. (1989). *Computer addiction? A study of computer dependency*. London, England: Taylor & Francis.

## Change History

v1.0		v1.12	
General: Initial release . . . . .	1	General: Fixed bug that erroneously displayed the first figure on the same page as the references (when no tables were present) . . . . .	1
v1.01			
General: Minor changes in ‘apa6.ptex’ to accommodate the <code>\note</code> command. . . . .	1		
Prepended config files with ‘APA’ to prevent possible conflicts along the L <sup>A</sup> T <sub>E</sub> X path. . . .	1	v1.13	
v1.02		General: Increased spacing on top and bottom of tables (below caption and above table notes, if present) . . . . .	1
General: Corrected default mode to <code>jou</code> . . . . .	1	Removed duplicate definitions of <code>ifapamodeXXX</code> . . . . .	1
More reliable font-size selection . .	1	Removed hyphenation of figure and table captions in <code>man</code> mode . . . . .	1
v1.11		Removed redundant definition of <code>LT@makecaption</code> . . . . .	1
General: Added German language support . . . . .	1	v1.2	
Allow whitespace after subsubsection (and lower) sectioning commands . . . . .	1	General: Added ‘APAbritish.txt’ configuration file . . . . .	1
Load <code>lmodern</code> and <code>fontenc</code> by default . . . . .	1	Version 6.00 (2012/02/14) or later of the <code>apacite</code> package is now required . . . . .	1
New option ‘noextraspaces’ . . . .	1		
Removed automated rotation of wide figures . . . . .	1		