

Frank Mittelbach

August 26, 2006

1 Introduction

This file contains the code for the **newlfont** package which provides defines commands like \rm to behave as with NFSS1, i.e., to change one font attribute without resetting the other attributes.

2 The Code

 $1 \langle * \mathsf{package} \rangle$

We define the font commands for selecting the typeface. They are probably defined by the document class/style but we want to force the old meaning from NFSS1.

```
2 \let\rm\rmfamily
3 \let\sf\sffamily
4 \let\tt\ttfamily
5 \let\bf\bfseries
6 \let\sl\slshape
7 \let\sc\scshape
8 \let\it\itshape
```

We also have to define the *emphasize* font change command (i.e. \em). This command will look whether the current font is sloped (i.e. has a positive \fontdimen1) and will then select either an upright or italic font.

9 \DeclareRobustCommand\em{%

```
10 \@nomath\em
```

11 \ifdim \fontdimen\@ne\font >\z@\upshape \else \itshape \fi}

For compatibility with old sources we should define the following commands although their use in new documents is discouraged.

```
12 \let\mediumseries\mdseries
```

```
13 \let\normalshape\upshape
```

```
In case newlfont is used in compatibility mode, eg \documentstyle[newlfont]{article}
```

or with the oldlfont package already loaded we have to undo a number of settings changed by the compatibility mode for LATEX 2.09 documents.

\@setfontsize should not have a \reset@font included.

```
      14 \def\@setfontsize#1#2#3{\@nomath#1%

      15 \ifx\protect\@typeset@protect

      16 \let\@currsize#1%

      17 \fi

      18 \fontsize{#2}{#3}\selectfont}
```

^{*}This file has version number v2.2m, dated 1998/08/17.

Math alphabet identifiers should have an argument.

```
19 \let\math@bgroup\bgroup
20 \def\math@egroup#1{#1\egroup}
21 \let \@@math@bgroup \math@bgroup
22 \let \@@math@egroup \math@egroup
```

Warn again, if text font commands are used in math (same macro as in lfonts.dtx).

```
23 def not@math@alphabet#1#2{%}
     \relax
24
     \ifmmode
25
       \ClatexCerror{Command \noexpand#1invalid in math mode}%
26
          {%
27
           Please
28
            \ifx#2\relax
29
30
               define a new math alphabet^^J%
31
               if you want to use a special font in math mode%
             \else
32
```

We have to add **\noexpand** below to prevent expansion of **#2**. In case of **#1** we can omit this (due to the current definition of robust commands since they do come out right there :-).

33	use	the math alphabet \noexpand#2instead of
34	the	#1command%
35	\fi	
36	•	
37	}%	
38	\fi}	

In NFSS1 math alphabets had arguments so we have to change cal and mit which by default are defined to behave like in LATEX209.

39 \let\pcal\@undefined

40 \let\cal\mathcal

 $41 \verb+let+pmit+@undefined$

 $42 \perp t \in \mathbb{R}$

The NFSS1 version of newlfont included the $L^{\!\!A}T_{\!E\!}X$ symbols. And that is probably all there is.

43 \RequirePackage{latexsym}

 $44 \langle / package \rangle$