

bibleref.sty v1.13: a L^AT_EX 2 _{ε} package for typesetting bible references

Nicola Talbot

School of Computing Sciences

University of East Anglia

Norwich. Norfolk. NR4 7TJ.

United Kingdom

<http://theoval.cmp.uea.ac.uk/~nlct/>

2010-07-07

Contents

1	Introduction	1
2	Defining New Styles	3
3	Indexing Bible References	3
3.1	Separate Scripture Index	4
3.2	Changing the Sort Order	5
4	Acknowledgements	5
5	The Code	5
	Index	25

1 Introduction

The bibleref package was designed to provide consistent formatting for referencing parts of the bible.

```
\bibleverse{<book title>}(<chapter>:<verse(s)>)
```

This command can be used to cite a bible book, chapter or verse or range of chapters or verses.

The book title, $\langle book\ title \rangle$, may be given either as the full title (e.g. `Matthew`) or as an abbreviation (e.g. `Mt` or `Matt`), most standard abbreviations are recognised. Books with multiple parts should be preceded by the book number in uppercase roman numerals. For example, the second book of Kings should be entered as `\bibleverse{IIKings}`

You may have any number, or zero, sets of parenthesis $(\langle chapter \rangle : \langle verse(s) \rangle)$, indicating the chapter and verse or verses. Verses can be specified as a comma separated list of individual verses or range of verses. A range of verses should be written with a single hyphen, e.g. `2-4`. In the typeset output the verses will be separated with

`\BRvsep`

(an en-dash by default.) A chapter may be referenced without a verse, but the colon must remain, e.g. `(12:)` simply indicates chapter 12.

A range of verses spanning more than one chapter can be entered as `(\langle ch \rangle : \langle v \rangle) - (\langle ch \rangle : \langle v \rangle)`

Examples:

<code>\bibleverse{Ex}</code>	Exodus
<code>\bibleverse{Exodus}(20:)</code>	Exodus 20
<code>\bibleverse{Exod}(20:17)</code>	Exodus 20:17
<code>\bibleverse{IICo}(12:21)</code>	2 Corinthians 12:21
<code>\bibleverse{IICor}(12:21-32)</code>	2 Corinthians 12:21-32
<code>\bibleverse{Ex}(20:17)(21:3)</code>	Exodus 20:17;21:3
<code>\bibleverse{Ex}(15:)(17:)(20:)</code>	Exodus 15;17;20
<code>\bibleverse{Rev}(1:2,5,7-9,11)</code>	Revelation 1:2,5,7-9,11
<code>\bibleverse{IChronicles}(1:3)-(2:7)</code>	1 Chronicles 1:3-2:7

The style of the reference can be specified either by package option or as the argument to the command

`\biblerefstyle`

Styles are listed in Table 1.

You can change the name of a book using

`\setbooktitle`

`\setbooktitle{\langle name \rangle}{\langle new\ title \rangle}`

Note that $\langle name \rangle$ must be the full name, not the abbreviated name of the book. For example, to change Revelation to Apoc, do `\setbookname{Revelation}{Apoc}` (**Note** that you shouldn't do `\setbookname{Rev}{Apoc}`)

If you want a different title for a book depending on whether it's in the main body of the document or in the index, you can set the index version using:

`\setindexbooktitle`

`\setindexbooktitle{\langle name \rangle}{\langle title \rangle}`

Table 1: Bible Citation Styles (can be used as package option or in the argument to `\biblerefstyle`)

Style	Example
default	2 Corinthians 12:1–5
jerusalem	2 Co 12:1–5
anglosaxon	II Cor. XII.1–5
JEH	2 Cor. xii. 1–5
NTG	2 Cor xii,1–5
MLA	2 Cor. xii.1–5
chicago	2 Cor. xii :1–5
text	Second Epistle to the Corinthians, chapter twelve verse one to five

In this case, `<name>` should be the name you'll use in `\ibibleverse`. For example, if you do:

```
\setbooktitle{Psalms}{Psalm}
\setindexbooktitle{Psalms}{Psalms}
```

Then `\ibibleverse{Psalms}(2:)` will print Psalm in the document and Psalms in the index, but `\ibibleverse{Ps}(2:)` will print Psalms in both the document and the index.

You can add a book using

```
\addbiblebook
```

For example:

```
\addbiblebook{Susanna}{Story of Susanna}
```

2 Defining New Styles

You can define a new style using the command

```
\newbiblerefstyle
```

where `<commands>` are the commands needed to modify the citation style.

Example: This new style is based on the “default” style, but has verses in lower case Roman numerals, and redefines “Revelation” as “Apocalypse”.

```
\newbiblerefstyle{sample}{%
\biblerefstyle{default}%
\renewcommand{\BVersestyle}[1]{\romannumeral##1}%
```

```
\setbooktitle{Revelation}{Apocalypse}%
}
```

Note the use of `##1` instead of `#1`.

3 Indexing Bible References

```
\ibibleverse \ibibleverse{\langle book title\rangle}{\langle chapter\rangle:\langle verse(s)\rangle}
```

This does the same as `\bibleverse` but also adds an index entry (provided you have used `\makeindex` in the preamble.) The default page number format is given by the command

```
\bvidxpgformat \bvidxpgformat
```

This is `textrm` by default, but can be redefined. To override the page number format for a particular entry you can use the optional argument to `\ibibleverse`. For example:

```
\ibibleverse[textit]{Exodus}
```

(Note there is no backslash.)

You may need to create your own custom `makeindex` style file as the default uses a comma and space to separate the item from the page number, which may cause confusion. For example, you could create a file called `sample.ist` and write in the lines:

```
delim_0 "\dotfill "
delim_1 "\dotfill "
delim_2 "\dotfill "
```

See the `makeindex` documentation for further details.

3.1 Separate Scripture Index

If you want a separate index for bible verses, in addition to a general index, you can redefine

```
\biblerefindex \biblerefindex
```

This command defaults to `\index`, but can be changed to the appropriate indexing command. For example, suppose you are using the `multind` package and you want a general index and a scripture index, you can do something like:

```
\documentclass{article}
\usepackage{bibleref}
\usepackage{multind}
```

```
\makeindex{scripture}
\makeindex{general}

\renewcommand{\biblerefindex}{\index{scripture}}
```

In the document, you can use `\ibibleverse` as before, and the scripture index is displayed using

```
\printindex{scripture}{Scripture Index}
```

You will then need to run `makeindex` on the file `scripture.idx`. See the `multind` documentation for further details.

3.2 Changing the Sort Order

The bible reference entries will be sorted alphabetically by `makeindex`. However you may prefer the entries to be sorted according to their order in the bible. This can either be done using `xindy` instead of `makeindex` and creating your own custom alphabet (see `xindy` manual for details) or you can use `bibleref`'s mapping command.

```
\biblerefmap \biblerefmap{\langle label\rangle}{\langle new sort key\rangle}
```

For example, in the preamble:

```
\biblerefmap{Genesis}{01}
\biblerefmap{Exodus}{02}
\biblerefmap{Leviticus}{03}
\biblerefmap{Numbers}{04}
\biblerefmap{Deuteronomy}{05}
...
```

When you run `makeindex`, the references will now be sorted in numerical order.

If you want to subdivide the index into, say, old and new testament, you can add this to the mapping. For example:

```
\biblerefmap{Genesis}{1@Old Testament!01}
\biblerefmap{Exodus}{1@Old Testament!02}
\biblerefmap{Leviticus}{1@Old Testament!03}
\biblerefmap{Numbers}{1@Old Testament!04}
\biblerefmap{Deuteronomy}{1@Old Testament!05}
...
\biblerefmap{Matthew}{2@New Testament!01}
\biblerefmap{Mark}{2@New Testament!02}
...
```

4 Acknowledgements

Many thanks to all the useful comments from `comp.text.tex`, especially from Jesse Billett, Brooks Moses and Ulrich M. Schwarz.

5 The Code

Declare package

```
1 \NeedsTeXFormat{LaTeX2e}
2 \ProvidesPackage{bibleref}[2010/07/07 1.13 (NLCT)]
```

Need to do some conditional stuff

```
3 \RequirePackage{ifthen}
```

The fmtcount package is needed for the full text citations

```
4 \RequirePackage{fmtcount}
```

The amsgen package is needed for \new@ifnextchar

```
5 \RequirePackage{amsgen}
```

\BRbooknumberstyle The style of the book number. By default, it simply displays its argument followed by a space.

```
6 \newcommand*{\BRbooknumberstyle}[1]{#1 }
```

\BRepistlenumberstyle As above, but for epistle.

```
7 \newcommand*{\BRepistlenumberstyle}[1]{#1 }
```

\BRbookof The text to go before the book title. This by default is nothing, but can be changed to, e.g., “The book of ”

```
8 \newcommand*{\BRbookof}{}{}
```

\BRgospel As above but for gospels

```
9 \newcommand*{\BRgospel}{}{}
```

\BRepistleto As above but for epistles to someone.

```
10 \newcommand*{\BRepistleto}{}{}
```

\BRepistletothe As above but for epistles to people.

```
11 \newcommand*{\BRepistletothe}{}{}
```

\BRepistleof As above but for “epistles of ”

```
12 \newcommand*{\BRepistleof}{}{}
```

\BRbooktitlestyle The style of the book title. By default, it simply displays its argument.

```
13 \newcommand*{\BRbooktitlestyle}[1]{#1 }
```

\BRchapterstyle The style of the chapter number. By default it simply displays its argument.

```
14 \newcommand*{\BRchapterstyle}[1]{#1 }
```

\BRversestyle The style of the verse number. By default is simply displays its argument.

```
15 \newcommand*{\BRversestyle}[1]{#1 }
```

\BRversesuffixstyle The style of the verse suffix. By default is simply displays its argument.

```
16 \newcommand*{\BRversesuffixstyle}[1]{#1 }
```

\BRbkchsep	The separator between the book title and the chapter number 17 \newcommand*\{\BRbkchsep\}{}{}
\BRchvsep	The separator between chapter and verse numbers. By default this is simply a colon. 18 \newcommand*\{\BRchvsep\}{:}
\BRchsep	The separator between multiple chapters. By default this is simply a semi-colon. 19 \newcommand*\{\BRchsep\}{;}
\BRvrsep	The separator between the beginning and ending of a range of verses. By default this is simply an en-dash. 20 \newcommand*\{\BRvrsep\}{--}
\BRvsep	The separator between a list of verses. 21 \newcommand*\{\BRvsep\}{,}
\BRperiod	This can be redefined to put a full stop after book names. 22 \newcommand*\{\BRperiod\}{.}
\brfullname	This will switch to using the full book title. 23 \newcommand*\{\brfullname\}{% 24 \def\br@Genesis{\BRbookof Genesis}% 25 \def\br@Exodus{\BRbookof Exodus}% 26 \def\br@Leviticus{\BRbookof Leviticus}% 27 \def\br@Numbers{\BRbookof Numbers}% 28 \def\br@Deuteronomy{\BRbookof Deuteronomy}% 29 \def\br@Joshua{\BRbookof Joshua}% 30 \def\br@Judges{\BRbookof Judges}% 31 \def\br@Ruth{\BRbookof Ruth}% 32 \def\br@ISamuel{\BRbooknumberstyle{1}\BRbookof Samuel}% 33 \def\br@IISamuel{\BRbooknumberstyle{2}\BRbookof Samuel}% 34 \def\br@IKings{\BRbooknumberstyle{1}\BRbookof Kings}% 35 \def\br@IICkings{\BRbooknumberstyle{2}\BRbookof Kings}% 36 \def\br@IChronicles{\BRbooknumberstyle{1}\BRbookof Chronicles}% 37 \def\br@IICChronicles{\BRbooknumberstyle{2}\BRbookof Chronicles}% 38 \def\br@Ezra{\BRbookof Ezra}% 39 \def\br@Nehemiah{\BRbookof Nehemiah}% 40 \def\br@Tobit{\BRbookof Tobit}% 41 \def\br@Judith{\BRbookof Judith}% 42 \def\br@Esther{\BRbookof Esther}% 43 \def\br@IMaccabees{\BRbooknumberstyle{1}\BRbookof Maccabees}% 44 \def\br@IIMaccabees{\BRbooknumberstyle{2}\BRbookof Maccabees}% 45 \def\br@Job{\BRbookof Job}% 46 \def\br@Psalms{\BRbookof Psalms}% 47 \def\br@Proverbs{\BRbookof Proverbs}% 48 \def\br@Ecclesiastes{\BRbookof Ecclesiastes}% 49 \def\br@SongofSongs{\BRbookof Song of Songs}%

```

50 \def\br@Wisdom{\BRbookof Wisdom}%
51 \def\br@Ecclesiasticus{\BRbookof Ecclesiasticus}%
52 \def\br@Isaiah{\BRbookof Isaiah}%
53 \def\br@Jeremiah{\BRbookof Jeremiah}%
54 \def\br@Lamentations{\BRbookof Lamentations}%
55 \def\br@Baruch{\BRbookof Baruch}%
56 \def\br@Ezekiel{\BRbookof Ezekiel}%
57 \def\br@Daniel{\BRbookof Daniel}%
58 \def\br@Hosea{\BRbookof Hosea}%
59 \def\br@Joel{\BRbookof Joel}%
60 \def\br@Amos{\BRbookof Amos}%
61 \def\br@Obadiah{\BRbookof Obadiah}%
62 \def\br@Jonah{\BRbookof Jonah}%
63 \def\br@Micah{\BRbookof Micah}%
64 \def\br@Nahum{\BRbookof Nahum}%
65 \def\br@Habakkuk{\BRbookof Habakkuk}%
66 \def\br@Zephaniah{\BRbookof Zephaniah}%
67 \def\br@Haggai{\BRbookof Haggai}%
68 \def\br@Zechariah{\BRbookof Zechariah}%
69 \def\br@Malachi{\BRbookof Malachi}%
70 \def\br@Matthew{\BRgospel Matthew}%
71 \def\br@Mark{\BRgospel Mark}%
72 \def\br@Luke{\BRgospel Luke}%
73 \def\br@John{\BRgospel John}%
74 \def\br@Acts{Acts}%
75 \def\br@Romans{\BRepistletothe Romans}%
76 \def\br@ICorinthians{\BRepistlenumberstyle{1}\BRepistletotothe Corinthians}%
77 \def\br@IICorinthians{\BRepistlenumberstyle{2}\BRepistletotothe Corinthians}%
78 \def\br@Galatians{\BRepistletotothe Galatians}%
79 \def\br@Ephesians{\BRepistletotothe Ephesians}%
80 \def\br@Philippians{\BRepistletotothe Philippians}%
81 \def\br@Colossians{\BRepistletotothe Colossians}%
82 \def\br@IThessalonians{\BRepistlenumberstyle{1}\BRepistletotothe Thessalonians}%
83 \def\br@IIThessalonians{\BRepistlenumberstyle{2}\BRepistletotothe Thessalonians}%
84 \def\br@ITimothy{\BRepistlenumberstyle{1}\BRepistleto Timothy}%
85 \def\br@IITimothy{\BRepistlenumberstyle{2}\BRepistleto Timothy}%
86 \def\br@Titus{\BRepistleto Titus}%
87 \def\br@Philemon{\BRepistleto Philemon}%
88 \def\br@Hebrews{\BRepistletotothe Hebrews}%
89 \def\br@James{\BRepistleof James}%
90 \def\br@IPeter{\BRepistlenumberstyle{1}\BRepistleof Peter}%
91 \def\br@IIPeter{\BRepistlenumberstyle{2}\BRepistleof Peter}%
92 \def\br@IJohn{\BRepistlenumberstyle{1}\BRepistleof John}%
93 \def\br@IIJohn{\BRepistlenumberstyle{2}\BRepistleof John}%
94 \def\br@IIIJohn{\BRepistlenumberstyle{3}\BRepistleof John}%
95 \def\br@Jude{\BRepistleof Jude}%
96 \def\br@Revelation{\BRbookof Revelation}}}

```

Set full names as the default

```
97 \brfullname
```

\brabbrvname This will switch to an abbreviated form for the book titles.

```
98 \newcommand*{\brabbrvname}{%
99 \def\br@Genesis{Gn\BRperiod}%
100 \def\br@Exodus{Ex\BRperiod}%
101 \def\br@Leviticus{Lv\BRperiod}%
102 \def\br@Numbers{Nb\BRperiod}%
103 \def\br@Deuteronomy{Dt\BRperiod}%
104 \def\br@Joshua{Jos\BRperiod}%
105 \def\br@Judges{Jg\BRperiod}%
106 \def\br@Ruth{Rt\BRperiod}%
107 \def\br@I Samuel{\BRbooknumberstyle{1}S\BRperiod}%
108 \def\br@II Samuel{\BRbooknumberstyle{2}S\BRperiod}%
109 \def\br@I Kings{\BRbooknumberstyle{1}K\BRperiod}%
110 \def\br@II Kings{\BRbooknumberstyle{2}K\BRperiod}%
111 \def\br@I Chronicles{\BRbooknumberstyle{1}Ch\BRperiod}%
112 \def\br@II Chronicles{\BRbooknumberstyle{2}Ch\BRperiod}%
113 \def\br@Ezra{Ezr\BRperiod}%
114 \def\br@Nehemiah{Ne\BRperiod}%
115 \def\br@Tobit{Tb\BRperiod}%
116 \def\br@Judith{Jdt\BRperiod}%
117 \def\br@Esther{Est\BRperiod}%
118 \def\br@I Maccabees{\BRbooknumberstyle{1}M\BRperiod}%
119 \def\br@II Maccabees{\BRbooknumberstyle{2}M\BRperiod}%
120 \def\br@Job{Jb\BRperiod}%
121 \def\br@Psalms{Ps\BRperiod}%
122 \def\br@Proverbs{Pr\BRperiod}%
123 \def\br@Ecclesiastes{Qo\BRperiod}%
124 \def\br@SongofSongs{Sg\BRperiod}%
125 \def\br@Wisdom{Ws\BRperiod}%
126 \def\br@Ecclesiasticus{Si\BRperiod}%
127 \def\br@Isaiah{Is\BRperiod}%
128 \def\br@Jeremiah{Jr\BRperiod}%
129 \def\br@Lamentations{Lm\BRperiod}%
130 \def\br@Baruch{Ba\BRperiod}%
131 \def\br@Ezekiel{Ezk\BRperiod}%
132 \def\br@Daniel{Dn\BRperiod}%
133 \def\br@Hosea{Ho\BRperiod}%
134 \def\br@Joel{Jl\BRperiod}%
135 \def\br@Amos{Am\BRperiod}%
136 \def\br@Obadiah{Ob\BRperiod}%
137 \def\br@Jonah{Jon\BRperiod}%
138 \def\br@Micah{Mi\BRperiod}%
139 \def\br@Nahum{Na\BRperiod}%
140 \def\br@Habakkuk{Hab\BRperiod}%
141 \def\br@Zephaniah{Zp\BRperiod}%
142 \def\br@Haggai{Hg\BRperiod}%
143 \def\br@Zechariah{Zc\BRperiod}%
144 \def\br@Malachi{Ml\BRperiod}%
145 \def\br@Matthew{Mt\BRperiod}%
```

```

146 \def\br@Mark{Mk\BRperiod}%
147 \def\br@Luke{Lk\BRperiod}%
148 \def\br@John{Jn\BRperiod}%
149 \def\br@Acts{Ac\BRperiod}%
150 \def\br@Romans{Rm\BRperiod}%
151 \def\br@ICorinthians{\BRepistlenumberstyle{1}Co\BRperiod}%
152 \def\br@IICorinthians{\BRepistlenumberstyle{2}Co\BRperiod}%
153 \def\br@Galatians{Ga\BRperiod}%
154 \def\br@Ephesians{Ep\BRperiod}%
155 \def\br@Philippians{Ph\BRperiod}%
156 \def\br@Colossians{Col\BRperiod}%
157 \def\br@IThessalonians{\BRepistlenumberstyle{1}Th\BRperiod}%
158 \def\br@IIThessalonians{\BRepistlenumberstyle{2}Th\BRperiod}%
159 \def\br@ITimothy{\BRepistlenumberstyle{1}Tm\BRperiod}%
160 \def\br@IITimothy{\BRepistlenumberstyle{2}Tm\BRperiod}%
161 \def\br@Titus{Tt\BRperiod}%
162 \def\br@Philemon{Phm\BRperiod}%
163 \def\br@Hebrews{Heb\BRperiod}%
164 \def\br@James{Jm\BRperiod}%
165 \def\br@IPeter{\BRepistlenumberstyle{1}P\BRperiod}%
166 \def\br@IIPeter{\BRepistlenumberstyle{2}P\BRperiod}%
167 \def\br@IJohn{\BRepistlenumberstyle{1}Jn\BRperiod}%
168 \def\br@IIJohn{\BRepistlenumberstyle{2}Jn\BRperiod}%
169 \def\br@IIIJohn{\BRepistlenumberstyle{3}Jn\BRperiod}%
170 \def\br@Jude{Jude}%
171 \def\br@Revelation{Rv\BRperiod}}%

```

\braltabbrvname This switches to an alternative set of abbreviations.

```

172 \newcommand*\braltabbrvname}{%
173 \def\br@Genesis{Gen\BRperiod}%
174 \def\br@Exodus{Exod\BRperiod}%
175 \def\br@Leviticus{Lev\BRperiod}%
176 \def\br@Numbers{Num\BRperiod}%
177 \def\br@Deuteronomy{Deut\BRperiod}%
178 \def\br@Joshua{Josh\BRperiod}%
179 \def\br@Judges{Judg\BRperiod}%
180 \def\br@Ruth{Ruth}%
181 \def\br@ISamuel{\BRepbooknumberstyle{1}Sam\BRperiod}%
182 \def\br@IISamuel{\BRepbooknumberstyle{2}Sam\BRperiod}%
183 \def\br@IKings{\BRepbooknumberstyle{1}Kgs\BRperiod}%
184 \def\br@IICKings{\BRepbooknumberstyle{2}Kgs\BRperiod}%
185 \def\br@IChronicles{\BRepbooknumberstyle{1}Chr\BRperiod}%
186 \def\br@IIChronicles{\BRepbooknumberstyle{2}Chr\BRperiod}%
187 \def\br@Ezra{Ezra}%
188 \def\br@Nehemiah{Neh\BRperiod}%
189 \def\br@Tobit{Tobit}%
190 \def\br@Judith{Judith}%
191 \def\br@Esther{Esther}%
192 \def\br@IMaccabees{\BRepbooknumberstyle{1}M\BRperiod}%
193 \def\br@IIMaccabees{\BRepbooknumberstyle{2}M\BRperiod}%

```

```

194 \def\br@Job{Job}%
195 \def\br@Psalms{Ps\BRperiod}%
196 \def\br@Proverbs{Prov\BRperiod}%
197 \def\br@Ecclesiastes{Eccles\BRperiod}%
198 \def\br@SongofSongs{S\BRperiod\ of S\BRperiod}%
199 \def\br@Wisdom{Wisd\BRperiod}%
200 \def\br@Ecclesiasticus{Eccl\BRperiod}%
201 \def\br@Isaiah{Isa\BRperiod}%
202 \def\br@Jeremiah{Jer\BRperiod}%
203 \def\br@Lamentations{Lam\BRperiod}%
204 \def\br@Baruch{Baruch}%
205 \def\br@Ezekiel{Ezek\BRperiod}%
206 \def\br@Daniel{Dan\BRperiod}%
207 \def\br@Hosea{Hos\BRperiod}%
208 \def\br@Joel{Joel}%
209 \def\br@Amos{Amos}%
210 \def\br@Obadiah{Obad}%
211 \def\br@Jonah{Jonah}%
212 \def\br@Micah{Mic\BRperiod}%
213 \def\br@Nahum{Nah\BRperiod}%
214 \def\br@Habakkuk{Hab\BRperiod}%
215 \def\br@Zephaniah{Zeph\BRperiod}%
216 \def\br@Haggai{Hag\BRperiod}%
217 \def\br@Zechariah{Zech\BRperiod}%
218 \def\br@Malachi{Mal\BRperiod}%
219 \def\br@Matthew{Matt\BRperiod}%
220 \def\br@Mark{Mark}%
221 \def\br@Luke{Luke}%
222 \def\br@John{John}%
223 \def\br@Acts{Acts}%
224 \def\br@Romans{Rom\BRperiod}%
225 \def\br@ICorinthians{\BRepistlenumberstyle{1}Cor\BRperiod}%
226 \def\br@IICorinthians{\BRepistlenumberstyle{2}Cor\BRperiod}%
227 \def\br@Galatians{Gal\BRperiod}%
228 \def\br@Ephesians{Eph\BRperiod}%
229 \def\br@Philippians{Phil\BRperiod}%
230 \def\br@Colossians{Col\BRperiod}%
231 \def\br@IThessalonians{\BRepistlenumberstyle{1}Thess\BRperiod}%
232 \def\br@IIThessalonians{\BRepistlenumberstyle{2}Thess\BRperiod}%
233 \def\br@ITimothy{\BRepistlenumberstyle{1}Tim\BRperiod}%
234 \def\br@IITimothy{\BRepistlenumberstyle{2}Tim\BRperiod}%
235 \def\br@Titus{Tit\BRperiod}%
236 \def\br@Philemon{Philem\BRperiod}%
237 \def\br@Hebrews{Heb\BRperiod}%
238 \def\br@James{Jas\BRperiod}%
239 \def\br@IPeter{\BRepistlenumberstyle{1}Pet\BRperiod}%
240 \def\br@IIPeter{\BRepistlenumberstyle{2}Pet\BRperiod}%
241 \def\br@IJohn{\BRepistlenumberstyle{1}John}%
242 \def\br@IIJohn{\BRepistlenumberstyle{2}John}%
243 \def\br@IIIJohn{\BRepistlenumberstyle{3}John}%

```

```

244 \def\br@Jude{Jude}%
245 \def\br@Revelation{Rev\BRperiod}%

Provide synonymns.

246 \newcommand*\br@Gn{\br@Genesis}%
247 \newcommand*\br@Ex{\br@Exodus}%
248 \newcommand*\br@Lv{\br@Leviticus}%
249 \newcommand*\br@Nb{\br@Numbers}%
250 \newcommand*\br@Dt{\br@Deuteronomy}%
251 \newcommand*\br@Jos{\br@Joshua}%
252 \newcommand*\br@Jg{\br@Judges}%
253 \newcommand*\br@Rt{\br@Ruth}%
254 \newcommand*\br@IS{\br@ISamuel}%
255 \newcommand*\br@IIS{\br@IISamuel}%
256 \newcommand*\br@IK{\br@IKings}%
257 \newcommand*\br@IIK{\br@IIKings}%
258 \newcommand*\br@ICh{\br@IChronicles}%
259 \newcommand*\br@IICh{\br@IIChronicles}%
260 \newcommand*\br@Ezr{\br@Ezra}%
261 \newcommand*\br@Ne{\br@Nehemiah}%
262 \newcommand*\br@Tb{\br@Tobit}%
263 \newcommand*\br@Jdt{\br@Judith}%
264 \newcommand*\br@Est{\br@Esther}%
265 \newcommand*\br@IM{\br@IMaccabees}%
266 \newcommand*\br@IIM{\br@IIMaccabees}%
267 \newcommand*\br@Jb{\br@Job}%
268 \newcommand*\br@Ps{\br@Psalms}%
269 \newcommand*\br@Pr{\br@Proverbs}%
270 \newcommand*\br@Qo{\br@Ecclesiastes}%
271 \newcommand*\br@Sg{\br@SongofSongs}%
272 \newcommand*\br@Ws{\br@Wisdom}%
273 \newcommand*\br@Si{\br@Ecclesiasticus}%
274 \newcommand*\br@Is{\br@Isaiah}%
275 \newcommand*\br@Jr{\br@Jeremiah}%
276 \newcommand*\br@Lm{\br@Lamentations}%
277 \newcommand*\br@Ba{\br@Baruch}%
278 \newcommand*\br@Ezk{\br@Ezekiel}%
279 \newcommand*\br@Dn{\br@Daniel}%
280 \newcommand*\br@Ho{\br@Hosea}%
281 \newcommand*\br@Jl{\br@Joel}%
282 \newcommand*\br@Am{\br@Amos}%
283 \newcommand*\br@Ob{\br@Obadiah}%
284 \newcommand*\br@Jon{\br@Jonah}%
285 \newcommand*\br@Mi{\br@Micah}%
286 \newcommand*\br@Na{\br@Nahum}%
287 \newcommand*\br@Hab{\br@Habakkuk}%
288 \newcommand*\br@Zp{\br@Zephaniah}%
289 \newcommand*\br@Hg{\br@Haggai}%
290 \newcommand*\br@Zc{\br@Zechariah}%
291 \newcommand*\br@Ml{\br@Malachi}%

```

```

292 \newcommand*\br@Mt{\br@Matthew}%
293 \newcommand*\br@Mk{\br@Mark}%
294 \newcommand*\br@Lk{\br@Luke}%
295 \newcommand*\br@Jn{\br@John}%
296 \newcommand*\br@Ac{\br@Acts}%
297 \newcommand*\br@Rm{\br@Romans}%
298 \newcommand*\br@ICo{\br@ICorinthians}%
299 \newcommand*\br@IICo{\br@IICorinthians}%
300 \newcommand*\br@Ga{\br@Galatians}%
301 \newcommand*\br@Ep{\br@Ephesians}%
302 \newcommand*\br@Ph{\br@Philippians}%
303 \newcommand*\br@Col{\br@Colossians}%
304 \newcommand*\br@ITh{\br@IThessalonians}%
305 \newcommand*\br@IITH{\br@IIThessalonians}%
306 \newcommand*\br@ITm{\br@ITimothy}%
307 \newcommand*\br@IITm{\br@IITimothy}%
308 \newcommand*\br@Tt{\br@Titus}%
309 \newcommand*\br@Phm{\br@Philemon}%
310 \newcommand*\br@Heb{\br@Hebrews}%
311 \newcommand*\br@Jm{\br@James}%
312 \newcommand*\br@IP{\br@IPeter}%
313 \newcommand*\br@IIP{\br@IIPeter}%
314 \newcommand*\br@IJn{\br@IJohn}%
315 \newcommand*\br@IIJn{\br@IIJohn}%
316 \newcommand*\br@Rv{\br@Revelation}

```

More synonyms.

```

317 \newcommand*\br@Gen{\br@Genesis}%
318 \newcommand*\br@Exod{\br@Exodus}%
319 \newcommand*\br@Lev{\br@Leviticus}%
320 \newcommand*\br@Num{\br@Numbers}%
321 \newcommand*\br@Deut{\br@Deuteronomy}%
322 \newcommand*\br@Josh{\br@Joshua}%
323 \newcommand*\br@Judg{\br@Judges}%
324 \newcommand*\br@ISam{\br@ISamuel}%
325 \newcommand*\br@IISam{\br@IISamuel}%
326 \newcommand*\br@IKgs{\br@IKings}%
327 \newcommand*\br@IIKgs{\br@IICKings}%
328 \newcommand*\br@IChr{\br@IChronicles}%
329 \newcommand*\br@IIChr{\br@IIChronicles}%
330 \newcommand*\br@Neh{\br@Nehemiah}%
331 \newcommand*\br@Esth{\br@Esther}%
332 \newcommand*\br@IMacc{\br@IMaccabees}%
333 \newcommand*\br@IIMacc{\br@IIMaccabees}%
334 \newcommand*\br@Prov{\br@Proverbs}%
335 \newcommand*\br@Eccl{\br@Ecclesiastes}%
336 \newcommand*\br@SofS{\br@SongofSongs}%
337 \newcommand*\br@Wisd{\br@Wisdom}%
338 \newcommand*\br@Ecclus{\br@Ecclesiasticus}%
339 \newcommand*\br@Isa{\br@Isaiah}%

```

```

340 \newcommand*\br@Jer{\br@Jeremiah}%
341 \newcommand*\br@Lam{\br@Lamentations}%
342 \newcommand*\br@Ezek{\br@Ezekiel}%
343 \newcommand*\br@Dan{\br@Daniel}%
344 \newcommand*\br@Hos{\br@Hosea}%
345 \newcommand*\br@Obad{\br@Obadiah}%
346 \newcommand*\br@Mic{\br@Micah}%
347 \newcommand*\br@Nah{\br@Nahum}%
348 \newcommand*\br@Zeph{\br@Zephaniah}%
349 \newcommand*\br@Hag{\br@Haggai}%
350 \newcommand*\br@Zech{\br@Zechariah}%
351 \newcommand*\br@Mal{\br@Malachi}%
352 \newcommand*\br@Matt{\br@Matthew}%
353 \newcommand*\br@Rom{\br@Romans}%
354 \newcommand*\br@ICor{\br@ICorinthians}%
355 \newcommand*\br@IICor{\br@IICorinthians}%
356 \newcommand*\br@Gal{\br@Galatians}%
357 \newcommand*\br@Eph{\br@Ephesians}%
358 \newcommand*\br@Phil{\br@Philippians}%
359 \newcommand*\br@IThess{\br@IThessalonians}%
360 \newcommand*\br@IIThess{\br@IIThessalonians}%
361 \newcommand*\br@ITim{\br@ITimothy}%
362 \newcommand*\br@IITim{\br@IITimothy}%
363 \newcommand*\br@Tit{\br@Titus}%
364 \newcommand*\br@Philem{\br@Philemon}%
365 \newcommand*\br@Jas{\br@James}%
366 \newcommand*\br@IPet{\br@IPeter}%
367 \newcommand*\br@IIPet{\br@IIPeter}%
368 \newcommand*\br@Rev{\br@Revelation}

```

\brs@default Set up assorted styles. All bible reference styles should start with `brs@`. First the default style.

```

369 \newcommand*{\brs@default}{%
370 \brfullname
371 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
372 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
373 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
374 \renewcommand*{\BRchapterstyle}[1]{##1}%
375 \renewcommand*{\BRversestyle}[1]{##1}%
376 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
377 \renewcommand*{\BRbookof}{}%
378 \renewcommand*{\BRgospel}{}%
379 \renewcommand*{\BRepistletothe}{}%
380 \renewcommand*{\BRepistleto}{}%
381 \renewcommand*{\BRepistleof}{}%
382 \renewcommand*{\BRbkchsep}{ }%
383 \renewcommand*{\BRchvsep}{:}%
384 \renewcommand*{\BRchsep}{;}%
385 \renewcommand*{\BRvrsep}{--}%
386 \renewcommand*{\BRvsep}{,}%

```

```

387 \renewcommand*{\BRperiod}{}
\brs@jerusalem The style used by the Jerusalem Bible.
388 \newcommand*{\brs@jerusalem}{%
389 \brabrvname
390 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
391 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
392 \renewcommand*{\BRbooktitlestyle}[1]{##1 }%
393 \renewcommand*{\BRchapterstyle}[1]{##1 }%
394 \renewcommand*{\BRversestyle}[1]{##1 }%
395 \renewcommand*{\BRversesuffixstyle}[1]{##1 }%
396 \renewcommand*{\BRbookof}{%
397 \renewcommand*{\BRgospel}{%
398 \renewcommand*{\BRepistletoth}{%
399 \renewcommand*{\BRepistleto}{%
400 \renewcommand*{\BRepistleof}{%
401 \renewcommand*{\BRbkchsep}{ }
402 \renewcommand*{\BRchvsep}{:}%
403 \renewcommand*{\BRchsep}{; }%
404 \renewcommand*{\BRvrsep}{--}%
405 \renewcommand*{\BRvsep}{,}%
406 \renewcommand*{\BRperiod}{%
407 }

\brs@anglosaxon Anglo-Saxon style.
408 \newcommand*{\brs@anglosaxon}{%
409 \brabrvname
410 \renewcommand*{\BRbooknumberstyle}[1]{\MakeUppercase{\romannumeral##1} }%
411 \renewcommand*{\BRepistlenumberstyle}[1]{\MakeUppercase{\romannumeral##1} }%
412 \renewcommand*{\BRbooktitlestyle}[1]{##1 }%
413 \renewcommand*{\BRchapterstyle}[1]{\MakeUppercase{\romannumeral##1}}%
414 \renewcommand*{\BRversestyle}[1]{##1 }%
415 \renewcommand*{\BRversesuffixstyle}[1]{##1 }%
416 \renewcommand*{\BRbookof}{%
417 \renewcommand*{\BRgospel}{%
418 \renewcommand*{\BRepistletoth}{%
419 \renewcommand*{\BRepistleto}{%
420 \renewcommand*{\BRepistleof}{%
421 \renewcommand*{\BRbkchsep}{ }
422 \renewcommand*{\BRchvsep}{.}%
423 \renewcommand*{\BRchsep}{; }%
424 \renewcommand*{\BRvrsep}{--}%
425 \renewcommand*{\BRvsep}{,}%
426 \renewcommand*{\BRperiod}{.}%
427 }

\brs@JEH Journal of Ecclesiastical History
428 \newcommand*{\brs@JEH}{%
429 \brabrvname

```

```

430 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
431 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
432 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
433 \renewcommand*{\BRchapterstyle}[1]{\romannumeral##1}%
434 \renewcommand*{\BRversestyle}[1]{##1}%
435 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
436 \renewcommand*{\BRbookof}{}%
437 \renewcommand*{\BRgospel}{}%
438 \renewcommand*{\BRepistletothe}{}%
439 \renewcommand*{\BRepistletodo}{}%
440 \renewcommand*{\BRepistleof}{}%
441 \renewcommand*{\BRbkchsep}{ }
442 \renewcommand*{\BRchvsep}{. }%
443 \renewcommand*{\BRchsep}{; }%
444 \renewcommand*{\BRvrsep}{--}%
445 \renewcommand*{\BRvsep}{, }%
446 \renewcommand*{\BRperiod}{. }%
447 }

```

\brs@MHRA Modern Humanities Research Association (MHRA)

```

448 \newcommand*{\brs@MHRA}{}%
449 \brfullname
450 \renewcommand*{\BRbooknumberstyle}[1]{\textsc{\romannumeral##1} }%
451 \renewcommand*{\BRepistlenumberstyle}[1]{\textsc{\romannumeral##1} }%
452 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
453 \renewcommand*{\BRchapterstyle}[1]{\romannumeral##1}%
454 \renewcommand*{\BRversestyle}[1]{##1}%
455 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
456 \renewcommand*{\BRbookof}{}%
457 \renewcommand*{\BRgospel}{}%
458 \renewcommand*{\BRepistletothe}{}%
459 \renewcommand*{\BRepistletodo}{}%
460 \renewcommand*{\BRepistleof}{}%
461 \renewcommand*{\BRbkchsep}{ }
462 \renewcommand*{\BRchvsep}{. }%
463 \renewcommand*{\BRchsep}{; }%
464 \renewcommand*{\BRvrsep}{--}%
465 \renewcommand*{\BRvsep}{, }%
466 \renewcommand*{\BRperiod}{. }%
467 }

```

\brs@NTG Novum Testamentum Graece (Nestle-Aland)

```

468 \newcommand*{\brs@NTG}{}%
469 \braltabbrvname
470 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
471 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
472 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
473 \renewcommand*{\BRchapterstyle}[1]{\romannumeral##1}%
474 \renewcommand*{\BRversestyle}[1]{##1}%
475 \renewcommand*{\BRversesuffixstyle}[1]{##1}%

```

```

476 \renewcommand*{\BRbookof}{}
477 \renewcommand*{\BRgospel}{}
478 \renewcommand*{\BRepistletothe}{}
479 \renewcommand*{\BRepistleto}{}
480 \renewcommand*{\BRepistleof}{}
481 \renewcommand*{\BRbkchsep}{ }
482 \renewcommand*{\BRchvsep}{,}
483 \renewcommand*{\BRchsep}{; }
484 \renewcommand*{\BRvrsep}{--}
485 \renewcommand*{\BRvssep}{,}
486 \renewcommand*{\BRperiod}{}
487 }

```

\brs@MLA MLA Style

```

488 \newcommand*{\brs@MLA}{%
489 \braltabbrvname
490 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
491 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
492 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
493 \renewcommand*{\BRchapterstyle}[1]{\romannumeral##1}%
494 \renewcommand*{\BRversestyle}[1]{##1}%
495 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
496 \renewcommand*{\BRbookof}{}
497 \renewcommand*{\BRgospel}{}
498 \renewcommand*{\BRepistletothe}{}
499 \renewcommand*{\BRepistleto}{}
500 \renewcommand*{\BRepistleof}{}
501 \renewcommand*{\BRbkchsep}{\ }
502 \renewcommand*{\BRchvsep}{.}
503 \renewcommand*{\BRchsep}{; }
504 \renewcommand*{\BRvrsep}{--}
505 \renewcommand*{\BRvssep}{,}
506 \renewcommand*{\BRperiod}{}
507 }

```

\brs@chicago Chicago Style

```

508 \newcommand*{\brs@chicago}{%
509 \braltabbrvname
510 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
511 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
512 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
513 \renewcommand*{\BRchapterstyle}[1]{\romannumeral##1}%
514 \renewcommand*{\BRversestyle}[1]{##1}%
515 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
516 \renewcommand*{\BRbookof}{}
517 \renewcommand*{\BRgospel}{}
518 \renewcommand*{\BRepistletothe}{}
519 \renewcommand*{\BRepistleto}{}
520 \renewcommand*{\BRepistleof}{}
521 \renewcommand*{\BRbkchsep}{\ }

```

```

522 \renewcommand*{\BRchvsep}{\,:\:}%
523 \renewcommand*{\BRchsep}{; }%
524 \renewcommand*{\BRvrsep}{--}%
525 \renewcommand*{\BRvsep}{, }%
526 \renewcommand*{\BRperiod}{. }%
527 }

\brs@text Full text citation
528 \newcommand*{\brs@text}{%
529 \biblerefstyle{default}%
530 \renewcommand{\BRbooknumberstyle}[1]{%
531 \Ordinalstringnum{##1}\ }%
532 \renewcommand{\BRepistlenumberstyle}[1]{%
533 \Ordinalstringnum{##1}\ }%
534 \renewcommand{\BRbookof}{Book of }%
535 \renewcommand{\BRgospel}{Gospel according to St }%
536 \renewcommand{\BRepistletothe}{Epistle to the }%
537 \renewcommand{\BRepistleto}{Epistle to }%
538 \renewcommand{\BRepistleof}{Epistle of }%
539 \renewcommand{\BRchapterstyle}[1]{%
540 chapter \numberstringnum{##1}}%
541 \renewcommand{\BRbkchsep}{, }%
542 \renewcommand{\BRchvsep}{ verse }%
543 \renewcommand{\BRchsep}{, }%
544 \renewcommand{\BRvrsep}{ to }%
545 \renewcommand{\BRvsep}{, }%
546 \renewcommand{\BRversestyle}[1]{\numberstringnum{##1}}%
547 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
548 }

Declare package options
549 \DeclareOption{default}{\brs@default}
550 \DeclareOption{jerusalem}{\brs@jerusalem}
551 \DeclareOption{anglosaxon}{\brs@anglosaxon}
552 \DeclareOption{JEH}{\brs@JEH}
553 \DeclareOption{MHRA}{\brs@MHRA}
554 \DeclareOption{NTG}{\brs@NTG}
555 \DeclareOption{MLA}{\brs@MLA}
556 \DeclareOption{chicago}{\brs@chicago}
557 \DeclareOption{text}{\brs@text}

Process package options
558 \ProcessOptions

```

\newbiblerefstyle \newbiblerefstyle{<style name>}{<style cmds>}

Creates a new bible style called *<style name>*, where the style is given by *<style cmds>*. (It basically defines a command called \brs@*<style name>* to do *<style*

```

 $cmds)$ )
559 \newcommand{\newbiblerefstyle}[2]{%
560 \@ifundefined{brs@#1}{%
561 \expandafter\def\csname brs@#1\endcsname{#2}}{%
562 \PackageError{bibleref}{bible ref style '#1' already
563 defined}{}}

```

\setbooktitle $\setbooktitle{\langle fullname \rangle}{\langle title \rangle}$

Redefines the title of book $\langle fullname \rangle$.

```

564 \newcommand*{\setbooktitle}[2]{%
565 \@ifundefined{br@#1}{%
566 {%
567 \PackageError{bibleref}{Unknown book '#1'}}{%
568 }{%
569 {%
570 \expandafter\def\csname br@#1\endcsname{#2}}{%
571 }{%
572 }

```

\setindexbooktitle Set alternative book title in the index

```

573 \newcommand*{\setindexbooktitle}[2]{%
574 \@ifundefined{br@#1}{%
575 {%
576 \PackageError{bibleref}{Unknown book '#1'}}{%
577 }{%
578 {%
579 \expandafter\def\csname bri@#1\endcsname{#2}}{%
580 }{%
581 }

```

\addbiblebook Add a book.

```

582 \newcommand*{\addbiblebook}[2]{%
583 \@ifundefined{br@#1}{%
584 {%
585 \expandafter\def\csname br@#1\endcsname{#2}}{%
586 }{%
587 {%
588 \PackageError{bibleref}{Book '#1' already defined}}{%
589 }{%
590 }

```

\biblerefstyle $\biblerefstyle{\langle style \rangle}$

Sets the current style.

```

591 \newcommand*{\biblerefstyle}[1]{%

```

```

592  \@ifundefined{brs@#1}%
593  {%
594    \PackageError{bibleref}{Unknown biblerefstyle '#1'}{}%
595  }%
596  {\csname brs@#1\endcsname}%
597 }

```

\@br@vrsty Verses may be supplied as a range. Provide a command to detect whether single number or range supplied. Verses may have a number appended (e.g. 15a). This needs to be checked.

```
598 \newcommand*{\@br@vrsty}[1]{\@br@vrsty#1-\@nil\end}
```

\@br@vrsty Pick up a range

```

599 \def\@br@vrsty#1-#2\end{%
600 \@do@verses#1,\relax\end
601 \ifx\@nil#2\relax
602 \else
603   \obv@addtochidxsort{-}%
604   \obv@do{\BRvrsep}%
605   \@@br@vrsty#2\end%
606 \fi
607 }

```

\@br@stripverse Strip trailing letters from verse. Number is stored in \@br@versenum and the suffix is stored in \@br@versesuffix.

```

608 \def\br@stripverse#1{%
609   \def\@br@versenum{}%
610   \def\@br@versesuffix{}%
611   \@br@stripverse#1\relax
612 }
613 \def\@br@stripverse#1#2{%
614   \obr@checkisdigit{#1}%
615   \ifobr@isdigit
616     \expandafter\toks@\expandafter{\obr@versenum}%
617     \edef\obr@versenum{\the\toks@#1}%
618     \let\obr@next\obr@stripverse
619   \else
620     \def\obr@versesuffix{#1}%
621     \let\obr@next\obr@stripverse
622   \fi
623   \ifx#2\relax
624     \let\obr@next\relax
625   \fi
626   \obr@next#2%
627 }
628 \def\obr@stripverse#1\relax{%
629   \protected@edef\obr@versesuffix{\obr@versesuffix#1}%
630 }

```

```

\@br@checkisdigit Check if argument is a digit.

631 \newif\if@br@isdigit
632 \newcommand*{\@br@checkisdigit}[1]{%
633   \if@br@isdigitchtrue
634     \if#10\relax
635   \else
636     \if#11\relax
637   \else
638     \if#12\relax
639   \else
640     \if#13\relax
641   \else
642     \if#14\relax
643   \else
644     \if#15\relax
645   \else
646     \if#16\relax
647   \else
648     \if#17\relax
649   \else
650     \if#18\relax
651   \else
652     \if#19\relax
653   \else
654     \if@br@isdigitfalse
655   \fi
656   \fi
657   \fi
658   \fi
659   \fi
660   \fi
661   \fi
662   \fi
663   \fi
664 \fi
665 }

```

```

@@br@vrsty Pick up a list

666 \def\@do@verses#1,#2\end{%
667 \def\@br@tmp{#1}%
668 \ifx\@br@tmp\@empty
669 \else
  Strip suffix, if it exists.
670   \br@stripverse{#1}%
  Prepend leading zeroes if required.
671   \ifnum\@br@versenum<10\relax
672     \@bv@addtochidxsort{00#1}%
673   \else

```

```

674     \ifnum\@br@versenum<100\relax
675         \@bv@addtochidxsort{0#1}%
676     \else
677         \@bv@addtochidxsort{#1}%
678     \fi
679 \fi
680 \edef\@br@tmp{%
681     \noexpand\BRversestyle{\@br@versenum}%
682     \noexpand\BRversesuffixstyle{\@br@versesuffix}}}%
683 \expandafter\@bv@do\expandafter{\@br@tmp}%
684 \fi
685 \ifx\relax\#2\relax
686 \else
687     \@bv@addtochidxsort{},}%
688     \@bv@do{\BRvsep}%
689     \do@verses#2\end
690 \fi
691 }

```

\bibleverse \bibleverse{\langle name\rangle}

This looks for a command called \br{\langle name\rangle} (defined earlier). After the book title, it then checks to see if there is a bracket () immediately following it.

```

692 \newcommand*\bibleverse[1]{%
693     \@ifundefined{br@#1}%
694     {%
695         \PackageError{bibleref}{Unknown book '#1'}{}%
696     }%
697     {%
698         \@bv@idxsort{\csname br@#1\endcsname}%
699         \def\@bv@chidxsort{}%
700         \BRbooktitlestyle{\csname br@#1\endcsname}%
701         \@ifundefined{bri@#1}%
702             {%
703                 \def\@bv@mainidxentry{\BRbooktitlestyle{\csname br@#1\endcsname}}%
704             }%
705             {%
706                 \def\@bv@mainidxentry{\BRbooktitlestyle{\csname bri@#1\endcsname}}%
707             }%
708     }%
709     \new@ifnextchar(%
710         {\BRbkchsep\@bibleverse}%
711         {\@end@bibleverse}%
712 }

```

\@bibleverse This gets the chapter number.

```
713 \def\@bibleverse(#1:{%
```

```

714 \def\@bv@tmp{\#1}%
715 \ifx\@bv@tmp\empty
716 \else
717   \ifnum\@bv@tmp<10\relax
718     \@bv@addtochidxsort{00\#1:}%
719   \else
720     \ifnum\@bv@tmp<100\relax
721       \@bv@addtochidxsort{0\#1:}%
722     \else
723       \@bv@addtochidxsort{\#1:}%
724     \fi
725   \fi
726   \@bv@do{\BRchapterstyle{\#1}}%
727 \fi
728 \@@bibleverse
729 }

```

\@bibleverser This gets the second part of a range spanning chapters.

```

730 \def\@bibleverser-(\#1:{%
731   \def\@bv@tmp{\#1}%
732   \ifx\@bv@tmp\empty
733   \else
734     \ifnum\@bv@tmp<10\relax
735       \@bv@addtochidxsort{00\#1:}%
736     \else
737       \ifnum\@bv@tmp<100\relax
738         \@bv@addtochidxsort{0\#1:}%
739       \else
740         \@bv@addtochidxsort{\#1:}%
741       \fi
742     \fi
743     \@bv@do{\BRchapterstyle{\#1}}%
744   \fi
745 \@@bibleverse
746 }

```

\@@bibleverse This gets the verse number (or number range), and check to see if it is followed by another bracket (indicating another chapter, verse pair).

```

747 \def\@@bibleverse{\#1}{%
748   \def\@bv@tmp{\#1}%
749   \ifx\@bv@tmp\empty
750   \else
751     \@bv@do{\BRchvsep}\@br@vrsty{\#1}%
752   \fi

753   \new@ifnextchar(%
754     {\@bv@do{\BRchsep}\@bibleverse}%
755     {\new@ifnextchar-%
756       {\@bv@do{\B Rvrsep}\@bibleverser}%
757       {\end@@bibleverse}}%

```

```

758      }%
759 }

\@end@@bibleverse This controls what to do at the end of the final verse.
760 \newcommand*{\@end@@bibleverse}{%
761 \if@bv@idx
762   \expandafter\@do@bibleref@map\@@bv@idxsort\relax
763   \ifx\@bv@idxentry\empty
764     \def\@bv@tmp{\@bv@mainidxentry}%
765   \else
766     \def\@bv@tmp{\@bv@mainidxentry!\@bv@chidxsort\@@bv@idxentry}%
767   \fi
768   \biblerefindex
769   {\@@bv@idxsort\relax\@@bv@tmp|\@bv@idxpgformat}%
770   \@bv@idxfalse
771 \fi
772 }

\biblerefindex Allow user to modify index command in case multiple indices are required.
773 \newcommand*{\biblerefindex}{\index}

\biblerefmap Map the sort key to something else. Overwrites previous mapping for the given
key.
774 \newcommand*{\biblerefmap}[2]{%
775   \expandafter\def\csname @bibleref@map@\#1\endcsname{\#2}%
776 }

\@do@bibleref@map
777 \def\@do@bibleref@map#1\relax{%
778   \@ifundefined{@bibleref@map@\#1}{}{%
779     \expandafter\let\expandafter\@bv@idxsort
780     \csname @bibleref@map@\#1\endcsname
781   }%
782 }

\@bv@do Do argument and add to idx
783 \newcommand{\@bv@do}[1]{#1\@bv@addtoidx{#1}>

\biblerefappend Append text to \@bv@idxentry
784 \newtoks\@bv@tmpa
785 \newtoks\@bv@tmpb
786 \newcommand{\@bv@addtoidx}[1]{%
787 \if@bv@idx
788   \@bv@tmpa={#1}%
789   \@bv@tmpb=\expandafter{\@bv@idxentry}%
790   \protected@edef\@bv@idxentry{\the\@bv@tmpb\the\@bv@tmpa}%
791 \fi}

```

```

\@bv@addtochidxsort Append text to \@bv@chidxsort
792 \newcommand{\@bv@addtochidxsort}[1]{%
793 \if@bv@idx
794   \@bv@tmpa={#1}%
795   \@bv@tmpb=\expandafter{\@bv@chidxsort}%
796   \edef\@bv@chidxsort{\the\@bv@tmpb\the\@bv@tmpa}%
797 \fi
798 }

\if@bv@idx Define switch to indicate whether or not to index bible reference.
799 \newif\if@bv@idx
800 \@bv@idxfalse

\@bv@idxsort Sort key for bible verse index. (Strip all the formatting bits.)
801 \newcommand{\@bv@idxsort}[1]{%
802 \if@bv@idx
803 {\def\BRbooknumberstyle##1##2\relax{##2##1}%
804 \def\BRepistlenumberstyle##1##2\relax{##2##1}%
805 \def\BRgospel{} \def\BRbookof{} \def\BRepistleof{}%
806 \def\BRepistletonthe{} \def\BRepistleof{}%
807 \xdef\@bv@idxsort{#1\relax}%
808 }%
809 \fi}

\ibibleverse This is like \bibleverse, but also adds an index entry. The optional argument indicates how to format the page number (without the preceding backslash) e.g. \ibibleref{textit}{Romans}.
810 \newcommand*{\ibibleverse}[1][\bvidxpgformat]{%
811 \def\@bv@idxpgformat{#1}%
812 \@bv@idxtrue\def\@bv@idxentry{}\bibleverse}

\bvidxpgformat Default page number format for bible verse index entries
813 \newcommand*{\bvidxpgformat}[textrm]

```

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols					
\@br@stripverse	<u>20</u>	\@do@bibleref@map	<u>24</u>		
\@bibleverse	<u>23</u>	\@br@vrsty	<u>19</u>	\@end@bibleverse	<u>23</u>
\@br@vrsty	<u>20, 21</u>	\@bv@addtochidxsort	<u>24</u>		
\@bibleverse	<u>22</u>	\@bv@addtoidx	<u>24</u>	A	
\@bibleverser	<u>23</u>	\@bv@do	<u>24</u>	\addbiblebook	<u>3, 19</u>
\@br@checkisdigit	<u>20</u>	\@bv@idxsort	<u>25</u>	amsgen package	<u>6</u>

B		F			
bibleref package	1, 5	\brfullname	7	fmtcount package	5
\bibrerefindex	4, 24	\BRgospel	6		
\bibrerefmap	5, 24	\BRperiod	7		I
\bibrerefstyle	2, 19	\brs@anglosaxon	15	\ibibleverse	3, 25
\bibleverse	1, 22	\brs@chicago	17	\if@bv@idx	24
\brabrvname	8	\brs@default	14		M
\braltabrvname	10	\brs@JEH	15	makeindex	4, 5
\BRbkchsep	6	\brs@jerusalem	14	multind package	4
\BRbooknumberstyle	6	\brs@MHRA	16		N
\BRbookof	6	\brs@MLA	17	\newbiblerefstyle	3, 18
\BRbooktitlestyle	6	\brs@NTG	16		
\BRchapterstyle	6	\brs@text	17		S
\BRchsep	6	\BRversestyle	6	\setbooktitle	2, 18
\BRchvsep	6	\BRversesuffixstyle	6	\setindexbooktitle	3, 19
\BRepistlenumberstyle	6	\BRevrspace	7		
\BRepistleof	6	\BRvsep	1, 7		X
\BRepistleto	6	\bvidxpgformat	4, 25	xindy	5