

# bibleref.sty v1.12: a L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> package for typesetting bible references

Nicola Talbot

School of Computing Sciences  
University of East Anglia  
Norwich, Norfolk. NR4 7TJ.  
United Kingdom

<http://theoval.cmp.uea.ac.uk/~nlct/>

11th May 2010

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Defining New Styles</b>	<b>3</b>
<b>3</b>	<b>Indexing Bible References</b>	<b>3</b>
3.1	Separate Scripture Index . . . . .	4
3.2	Changing the Sort Order . . . . .	5
<b>4</b>	<b>Acknowledgements</b>	<b>5</b>
<b>5</b>	<b>The Code</b>	<b>5</b>
	<b>Index</b>	<b>25</b>

## 1 Introduction

The `bibleref` package was designed to provide consistent formatting for referencing parts of the bible.

`\bibleverse`

`\bibleverse{\book title}(\chapter):\verse(s))`

This command can be used to cite a bible book, chapter or verse or range of chapters or verses.

The book title,  $\langle book\ title \rangle$ , may be given either as the full title (e.g. **Matthew**) or as an abbreviation (e.g. **Mt** or **Matt**), most standard abbreviations are recognised. Books with multiple parts should be preceded by the book number in uppercase roman numerals. For example, the second book of Kings should be entered as `\bibleverse{IIKings}`

You may have any number, or zero, sets of parenthesis ( $\langle chapter \rangle : \langle verse(s) \rangle$ ), indicating the chapter and verse or verses. Verses can be specified as a comma separated list of individual verses or range of verses. A range of verses should be written with a single hyphen, e.g. 2–4. In the typeset output the verses will be separated with

`\BRvsep`

`\BRvsep`

(an en-dash by default.) A chapter may be referenced without a verse, but the colon must remain, e.g. (12:) simply indicates chapter 12.

A range of verses spanning more than one chapter can be entered as  $\langle ch \rangle : \langle v \rangle - \langle ch \rangle : \langle v \rangle$

Examples:

<code>\bibleverse{Ex}</code>	Exodus
<code>\bibleverse{Exodus}(20:)</code>	Exodus 20
<code>\bibleverse{Exod}(20:17)</code>	Exodus 20:17
<code>\bibleverse{IICo}(12:21)</code>	2 Corinthians 12:21
<code>\bibleverse{IICor}(12:21–32)</code>	2 Corinthians 12:21–32
<code>\bibleverse{Ex}(20:17)(21:3)</code>	Exodus 20:17;21:3
<code>\bibleverse{Ex}(15:)(17:)(20:)</code>	Exodus 15;17;20
<code>\bibleverse{Rev}(1:2,5,7–9,11)</code>	Revelation 1:2,5,7–9,11
<code>\bibleverse{IChronicles}(1:3)–(2:7)</code>	1 Chronicles 1:3–2:7

The style of the reference can be specified either by package option or as the argument to the command

`\biblerefstyle`

`\biblerefstyle{ $\langle style \rangle$ }`

Styles are listed in Table 1.

You can change the name of a book using

`\setbooktitle`

`\setbooktitle{ $\langle name \rangle$ }{ $\langle new\ title \rangle$ }`

Note that  $\langle name \rangle$  must be the full name, not the abbreviated name of the book. For example, to change Revelation to Apoc, do `\setbookname{Revelation}{Apoc}` (**Note** that you shouldn't do `\setbookname{Rev}{Apoc}`)

If you want a different title for a book depending on whether it's in the main body of the document or in the index, you can set the index version using:

`\setindexbooktitle`

`\setindexbooktitle{ $\langle name \rangle$ }{ $\langle title \rangle$ }`

Table 1: Bible Citation Styles (can be used as package option or in the argument to `\biblerefstyle`)

Style	Example
default	2 Corinthians 12:1–5
jerusalem	2 Co 12:1–5
anglosaxon	II Cor. XII.1–5
JEH	2 Cor. xii. 1–5
NTG	2 Cor xii,1–5
MLA	2 Cor. xii.1–5
chicago	2 Cor. xii:1–5
text	Second Epistle to the Corinthians, chapter twelve verse one to five

In this case,  $\langle name \rangle$  should be the name you’ll use in `\ibibleverse`. For example, if you do:

```
\setbooktitle{Psalms}{Psalm}
\setindexbooktitle{Psalms}{Psalms}
```

Then `\ibibleverse{Psalms}(2:)` will print Psalm the document and Psalms in the index, but `\ibibleverse{Ps}(2:)` will print Psalms in both the document and the index.

You can add a book using

`\addbiblebook`

```
\addbiblebook{ $\langle name \rangle$ }{ $\langle title \rangle$ }
```

For example:

```
\addbiblebook{Susanna}{Story of Susanna}
```

## 2 Defining New Styles

You can define a new style using the command

`\newbiblerefstyle`

```
\newbiblerefstyle{ $\langle style-name \rangle$ }{ $\langle commands \rangle$ }
```

where  $\langle commands \rangle$  are the commands needed to modify the citation style.

Example: This new style is based on the “default” style, but has verses in lower case Roman numerals, and redefines “Revelation” as “Apocalypse”.

```
\newbiblerefstyle{sample}{%
\biblerefstyle{default}%
\renewcommand{\BRversestyle}[1]{\romannumeral##1}%
}
```

```
\setbooktitle{Revelation}{Apocalypse}%
}
```

Note the use of ##1 instead of #1.

### 3 Indexing Bible References

`\ibibleverse` `\ibibleverse{<book title>}{<chapter>}:<verse(s)>}`

This does the same as `\bibleverse` but also adds an index entry (provided you have used `\makeindex` in the preamble.) The default page number format is given by the command

`\bvidxpgformat` `\bvidxpgformat`

This is `\textrm` by default, but can be redefined. To override the page number format for a particular entry you can use the optional argument to `\ibibleverse`. For example:

```
\ibibleverse[textit]{Exodus}
```

(Note there is no backslash.)

You may need to create your own custom `makeindex` style file as the default uses a comma and space to separate the item from the page number, which may cause confusion. For example, you could create a file called `sample.ist` and write in the lines:

```
delim_0 "\\dotfill "
delim_1 "\\dotfill "
delim_2 "\\dotfill "
```

See the `makeindex` documentation for further details.

#### 3.1 Separate Scripture Index

If you want a separate index for bible verses, in addition to a general index, you can redefine

`\biblerefindex` `\biblerefindex`

This command defaults to `\index`, but can be changed to the appropriate indexing command. For example, suppose you are using the `multind` package and you want a general index and a scripture index, you can do something like:

```
\documentclass{article}
\usepackage{bibleref}
\usepackage{multind}
```

```
\makeindex{scripture}
\makeindex{general}
```

```
\renewcommand{\biblerefindex}{\index{scripture}}
```

In the document, you can use `\ibibleverse` as before, and the scripture index is displayed using

```
\printindex{scripture}{Scripture Index}
```

You will then need to run `makeindex` on the file `scripture.idx`. See the `multind` documentation for further details.

### 3.2 Changing the Sort Order

The bible reference entries will be sorted alphabetically by `makeindex`. However you may prefer the entries to be sorted according to their order in the bible. This can either be done using `xindy` instead of `makeindex` and creating your own custom alphabet (see `xindy` manual for details) or you can use `bibleref`'s mapping command.

```
\biblerefmap \biblerefmap{<label>}{<new sort key>}
```

For example, in the preamble:

```
\biblerefmap{Genesis}{01}
\biblerefmap{Exodus}{02}
\biblerefmap{Leviticus}{03}
\biblerefmap{Numbers}{04}
\biblerefmap{Deuteronomy}{05}
...
```

When you run `makeindex`, the references will now be sorted in numerical order.

If you want to subdivide the index into, say, old and new testament, you can add this to the mapping. For example:

```
\biblerefmap{Genesis}{1@Old Testament!01}
\biblerefmap{Exodus}{1@Old Testament!02}
\biblerefmap{Leviticus}{1@Old Testament!03}
\biblerefmap{Numbers}{1@Old Testament!04}
\biblerefmap{Deuteronomy}{1@Old Testament!05}
...
\biblerefmap{Matthew}{2@New Testament!01}
\biblerefmap{Mark}{2@New Testament!02}
...
```

## 4 Acknowledgements

Many thanks to all the useful comments from `comp.text.tex`, especially from Jesse Billett, Brooks Moses and Ulrich M. Schwarz.

## 5 The Code

Declare package

```
1 \NeedsTeXFormat{LaTeX2e}
2 \ProvidesPackage{bibleref}[2010/05/11 1.12 (NLCT)]
```

Need to do some conditional stuff

```
3 \RequirePackage{ifthen}
```

The fntcount package is needed for the full text citations

```
4 \RequirePackage{fntcount}
```

`\BRbooknumberstyle` The style of the book number. By default, it simply displays its argument followed by a space.

```
5 \newcommand*{\BRbooknumberstyle}[1]{#1 }
```

`\BRepistlenumberstyle` As above, but for epistle.

```
6 \newcommand*{\BRepistlenumberstyle}[1]{#1 }
```

`\BRbookof` The text to go before the book title. This by default is nothing, but can be changed to, e.g., “The book of ”

```
7 \newcommand*{\BRbookof}{}
```

`\BRgospel` As above but for gospels

```
8 \newcommand*{\BRgospel}{}
```

`\BRepistleto` As above but for epistles to someone.

```
9 \newcommand*{\BRepistleto}{}
```

`\BRepistletothe` As above but for epistles to people.

```
10 \newcommand*{\BRepistletothe}{}
```

`\BRepistleof` As above but for “epistles of ”

```
11 \newcommand*{\BRepistleof}{}
```

`\BRbooktitlestyle` The style of the book title. By default, it simply displays its argument.

```
12 \newcommand*{\BRbooktitlestyle}[1]{#1}
```

`\BRchapterstyle` The style of the chapter number. By default it simply displays its argument.

```
13 \newcommand*{\BRchapterstyle}[1]{#1}
```

`\BRversestyle` The style of the verse number. By default is simply displays its argument.

```
14 \newcommand*{\BRversestyle}[1]{#1}
```

`\BRversesuffixstyle` The style of the verse suffix. By default is simply displays its argument.

```
15 \newcommand*{\BRversesuffixstyle}[1]{#1}
```

`\BRbkchsep` The separator between the book title and the chapter number

```
16 \newcommand*{\BRbkchsep}{ }
```

`\BRchvsep` The separator between chapter and verse numbers. By default this is simply a colon.  
17 `\newcommand*{\BRchvsep}{:}`

`\BRchsep` The separator between multiple chapters. By default this is simply a semi-colon.  
18 `\newcommand*{\BRchsep}{;}`

`\BRvrsep` The separator between the beginning and ending of a range of verses. By default this is simply an en-dash.  
19 `\newcommand*{\BRvrsep}{--}`

`\BRvsep` The separator between a list of verses.  
20 `\newcommand*{\BRvsep}{,}`

`\BRperiod` This can be redefined to put a full stop after book names.  
21 `\newcommand*{\BRperiod}{.}`

`\brfullname` This will switch to using the full book title.  
22 `\newcommand*{\brfullname}{%`  
23 `\def\br@Genesis{\BRbookof Genesis}%`  
24 `\def\br@Exodus{\BRbookof Exodus}%`  
25 `\def\br@Leviticus{\BRbookof Leviticus}%`  
26 `\def\br@Numbers{\BRbookof Numbers}%`  
27 `\def\br@Deuteronomy{\BRbookof Deuteronomy}%`  
28 `\def\br@Joshua{\BRbookof Joshua}%`  
29 `\def\br@Judges{\BRbookof Judges}%`  
30 `\def\br@Ruth{\BRbookof Ruth}%`  
31 `\def\br@ISamuel{\BRbooknumberstyle{1}\BRbookof Samuel}%`  
32 `\def\br@IISamuel{\BRbooknumberstyle{2}\BRbookof Samuel}%`  
33 `\def\br@IKings{\BRbooknumberstyle{1}\BRbookof Kings}%`  
34 `\def\br@IIKings{\BRbooknumberstyle{2}\BRbookof Kings}%`  
35 `\def\br@IChronicles{\BRbooknumberstyle{1}\BRbookof Chronicles}%`  
36 `\def\br@IIChronicles{\BRbooknumberstyle{2}\BRbookof Chronicles}%`  
37 `\def\br@Ezra{\BRbookof Ezra}%`  
38 `\def\br@Nehemiah{\BRbookof Nehemiah}%`  
39 `\def\br@Tobit{\BRbookof Tobit}%`  
40 `\def\br@Judith{\BRbookof Judith}%`  
41 `\def\br@Esther{\BRbookof Esther}%`  
42 `\def\br@IMaccabees{\BRbooknumberstyle{1}\BRbookof Maccabees}%`  
43 `\def\br@IIMaccabees{\BRbooknumberstyle{2}\BRbookof Maccabees}%`  
44 `\def\br@Job{\BRbookof Job}%`  
45 `\def\br@Psalms{\BRbookof Psalms}%`  
46 `\def\br@Proverbs{\BRbookof Proverbs}%`  
47 `\def\br@Ecclesiastes{\BRbookof Ecclesiastes}%`  
48 `\def\br@SongofSongs{\BRbookof Song of Songs}%`  
49 `\def\br@Wisdom{\BRbookof Wisdom}%`  
50 `\def\br@Ecclesiasticus{\BRbookof Ecclesiasticus}%`  
51 `\def\br@Isaiah{\BRbookof Isaiah}%`  
52 `\def\br@Jeremiah{\BRbookof Jeremiah}%`

```

53 \def\br@Lamentations{\BRbookof Lamentations}%
54 \def\br@Baruch{\BRbookof Baruch}%
55 \def\br@Ezekiel{\BRbookof Ezekiel}%
56 \def\br@Daniel{\BRbookof Daniel}%
57 \def\br@Hosea{\BRbookof Hosea}%
58 \def\br@Joel{\BRbookof Joel}%
59 \def\br@Amos{\BRbookof Amos}%
60 \def\br@Obadiah{\BRbookof Obadiah}%
61 \def\br@Jonah{\BRbookof Jonah}%
62 \def\br@Micah{\BRbookof Micah}%
63 \def\br@Nahum{\BRbookof Nahum}%
64 \def\br@Habakkuk{\BRbookof Habakkuk}%
65 \def\br@Zephaniah{\BRbookof Zephaniah}%
66 \def\br@Haggai{\BRbookof Haggai}%
67 \def\br@Zechariah{\BRbookof Zechariah}%
68 \def\br@Malachi{\BRbookof Malachi}%
69 \def\br@Matthew{\BRgospel Matthew}%
70 \def\br@Mark{\BRgospel Mark}%
71 \def\br@Luke{\BRgospel Luke}%
72 \def\br@John{\BRgospel John}%
73 \def\br@Acts{Acts}%
74 \def\br@Romans{\BRepistletothe Romans}%
75 \def\br@ICorinthians{\BRepistlenumberstyle{1}\BRepistletothe Corinthians}%
76 \def\br@IICorinthians{\BRepistlenumberstyle{2}\BRepistletothe Corinthians}%
77 \def\br@Galatians{\BRepistletothe Galatians}%
78 \def\br@Ephesians{\BRepistletothe Ephesians}%
79 \def\br@Philippians{\BRepistletothe Philippians}%
80 \def\br@Colossians{\BRepistletothe Colossians}%
81 \def\br@IThessalonians{\BRepistlenumberstyle{1}\BRepistletothe Thessalonians}%
82 \def\br@IIThessalonians{\BRepistlenumberstyle{2}\BRepistletothe Thessalonians}%
83 \def\br@ITimothy{\BRepistlenumberstyle{1}\BRepistleto Timothy}%
84 \def\br@IITimothy{\BRepistlenumberstyle{2}\BRepistleto Timothy}%
85 \def\br@Titus{\BRepistleto Titus}%
86 \def\br@Philemon{\BRepistleto Philemon}%
87 \def\br@Hebrews{\BRepistletothe Hebrews}%
88 \def\br@James{\BRepistleof James}%
89 \def\br@IPeter{\BRepistlenumberstyle{1}\BRepistleof Peter}%
90 \def\br@IIPeter{\BRepistlenumberstyle{2}\BRepistleof Peter}%
91 \def\br@IJohn{\BRepistlenumberstyle{1}\BRepistleof John}%
92 \def\br@IIJohn{\BRepistlenumberstyle{2}\BRepistleof John}%
93 \def\br@IIIJohn{\BRepistlenumberstyle{3}\BRepistleof John}%
94 \def\br@Jude{\BRepistleof Jude}%
95 \def\br@Revelation{\BRbookof Revelation}}

```

Set full names as the default

```
96 \brfullname
```

\brabbrvname This will switch to an abbreviated form for the book titles.

```

97 \newcommand*{\brabbrvname}{%
98 \def\br@Genesis{Gn\BRperiod}%

```

```

99 \def\br@Exodus{Ex\BRperiod}%
100 \def\br@Leviticus{Lv\BRperiod}%
101 \def\br@Numbers{Nb\BRperiod}%
102 \def\br@Deuteronomy{Dt\BRperiod}%
103 \def\br@Joshua{Jos\BRperiod}%
104 \def\br@Judges{Jg\BRperiod}%
105 \def\br@Ruth{Rt\BRperiod}%
106 \def\br@ISamuel{\BRbooknumberstyle{1}S\BRperiod}%
107 \def\br@IISamuel{\BRbooknumberstyle{2}S\BRperiod}%
108 \def\br@IKings{\BRbooknumberstyle{1}K\BRperiod}%
109 \def\br@IIKings{\BRbooknumberstyle{2}K\BRperiod}%
110 \def\br@IChronicles{\BRbooknumberstyle{1}Ch\BRperiod}%
111 \def\br@IIChronicles{\BRbooknumberstyle{2}Ch\BRperiod}%
112 \def\br@Ezra{Ezr\BRperiod}%
113 \def\br@Nehemiah{Ne\BRperiod}%
114 \def\br@Tobit{Tb\BRperiod}%
115 \def\br@Judith{Jdt\BRperiod}%
116 \def\br@Esther{Est\BRperiod}%
117 \def\br@IMaccabees{\BRbooknumberstyle{1}M\BRperiod}%
118 \def\br@IIMaccabees{\BRbooknumberstyle{2}M\BRperiod}%
119 \def\br@Job{Jb\BRperiod}%
120 \def\br@Psalms{Ps\BRperiod}%
121 \def\br@Proverbs{Pr\BRperiod}%
122 \def\br@Ecclesiastes{Qo\BRperiod}%
123 \def\br@SongofSongs{Sg\BRperiod}%
124 \def\br@Wisdom{Ws\BRperiod}%
125 \def\br@Ecclesiasticus{Si\BRperiod}%
126 \def\br@Isaiah{Is\BRperiod}%
127 \def\br@Jeremiah{Jr\BRperiod}%
128 \def\br@Lamentations{Lm\BRperiod}%
129 \def\br@Baruch{Ba\BRperiod}%
130 \def\br@Ezekiel{Ezk\BRperiod}%
131 \def\br@Daniel{Dn\BRperiod}%
132 \def\br@Hosea{Ho\BRperiod}%
133 \def\br@Joel{Jl\BRperiod}%
134 \def\br@Amos{Am\BRperiod}%
135 \def\br@Obadiah{Ob\BRperiod}%
136 \def\br@Jonah{Jon\BRperiod}%
137 \def\br@Micah{Mi\BRperiod}%
138 \def\br@Nahum{Na\BRperiod}%
139 \def\br@Habakkuk{Hab\BRperiod}%
140 \def\br@Zephaniah{Zp\BRperiod}%
141 \def\br@Haggai{Hg\BRperiod}%
142 \def\br@Zechariah{Zc\BRperiod}%
143 \def\br@Malachi{Ml\BRperiod}%
144 \def\br@Matthew{Mt\BRperiod}%
145 \def\br@Mark{Mk\BRperiod}%
146 \def\br@Luke{Lk\BRperiod}%
147 \def\br@John{Jn\BRperiod}%
148 \def\br@Acts{Ac\BRperiod}%

```

```

149 \def\br@Romans{Rm\BRperiod}%
150 \def\br@ICorinthians{\BRepistlenumberstyle{1}Co\BRperiod}%
151 \def\br@IICorinthians{\BRepistlenumberstyle{2}Co\BRperiod}%
152 \def\br@Galatians{Ga\BRperiod}%
153 \def\br@Ephesians{Ep\BRperiod}%
154 \def\br@Philippians{Ph\BRperiod}%
155 \def\br@Colossians{Col\BRperiod}%
156 \def\br@IThessalonians{\BRepistlenumberstyle{1}Th\BRperiod}%
157 \def\br@IIThessalonians{\BRepistlenumberstyle{2}Th\BRperiod}%
158 \def\br@ITimothy{\BRepistlenumberstyle{1}Tm\BRperiod}%
159 \def\br@IITimothy{\BRepistlenumberstyle{2}Tm\BRperiod}%
160 \def\br@Titus{Tt\BRperiod}%
161 \def\br@Philemon{Phm\BRperiod}%
162 \def\br@Hebrews{Heb\BRperiod}%
163 \def\br@James{Jm\BRperiod}%
164 \def\br@IPeter{\BRepistlenumberstyle{1}P\BRperiod}%
165 \def\br@IIPeter{\BRepistlenumberstyle{2}P\BRperiod}%
166 \def\br@IJohn{\BRepistlenumberstyle{1}Jn\BRperiod}%
167 \def\br@IJohn{\BRepistlenumberstyle{2}Jn\BRperiod}%
168 \def\br@IIIJohn{\BRepistlenumberstyle{3}Jn\BRperiod}%
169 \def\br@Jude{Jude}%
170 \def\br@Revelation{Rv\BRperiod}}

```

\braltabbrvname This switches to an alternative set of abbreviations.

```

171 \newcommand*{\braltabbrvname}{%
172 \def\br@Genesis{Gen\BRperiod}%
173 \def\br@Exodus{Exod\BRperiod}%
174 \def\br@Leviticus{Lev\BRperiod}%
175 \def\br@Numbers{Num\BRperiod}%
176 \def\br@Deuteronomy{Deut\BRperiod}%
177 \def\br@Joshua{Josh\BRperiod}%
178 \def\br@Judges{Judg\BRperiod}%
179 \def\br@Ruth{Ruth}%
180 \def\br@ISamuel{\BRbooknumberstyle{1}Sam\BRperiod}%
181 \def\br@IISamuel{\BRbooknumberstyle{2}Sam\BRperiod}%
182 \def\br@IKings{\BRbooknumberstyle{1}Kgs\BRperiod}%
183 \def\br@IIKings{\BRbooknumberstyle{2}Kgs\BRperiod}%
184 \def\br@IChronicles{\BRbooknumberstyle{1}Chr\BRperiod}%
185 \def\br@IIChronicles{\BRbooknumberstyle{2}Chr\BRperiod}%
186 \def\br@Ezra{Ezra}%
187 \def\br@Nehemiah{Neh\BRperiod}%
188 \def\br@Tobit{Tobit}%
189 \def\br@Judith{Judith}%
190 \def\br@Esther{Esther}%
191 \def\br@IMaccabees{\BRbooknumberstyle{1}M\BRperiod}%
192 \def\br@IIMaccabees{\BRbooknumberstyle{2}M\BRperiod}%
193 \def\br@Job{Job}%
194 \def\br@Psalms{Ps\BRperiod}%
195 \def\br@Proverbs{Prov\BRperiod}%
196 \def\br@Ecclesiastes{Eccles\BRperiod}%

```

```

197 \def\br@SongofSongs{S\BRperiod\ of S\BRperiod}%
198 \def\br@Wisdom{Wisd\BRperiod}%
199 \def\br@Ecclesiasticus{Ecclus\BRperiod}%
200 \def\br@Isaiah{Isa\BRperiod}%
201 \def\br@Jeremiah{Jer\BRperiod}%
202 \def\br@Lamentations{Lam\BRperiod}%
203 \def\br@Baruch{Baruch}%
204 \def\br@Ezekiel{Ezek\BRperiod}%
205 \def\br@Daniel{Dan\BRperiod}%
206 \def\br@Hosea{Hos\BRperiod}%
207 \def\br@Joel{Joel}%
208 \def\br@Amos{Amos}%
209 \def\br@Obadiah{Obad}%
210 \def\br@Jonah{Jonah}%
211 \def\br@Micah{Mic\BRperiod}%
212 \def\br@Nahum{Nah\BRperiod}%
213 \def\br@Habakkuk{Hab\BRperiod}%
214 \def\br@Zephaniah{Zeph\BRperiod}%
215 \def\br@Haggai{Hag\BRperiod}%
216 \def\br@Zechariah{Zech\BRperiod}%
217 \def\br@Malachi{Mal\BRperiod}%
218 \def\br@Matthew{Matt\BRperiod}%
219 \def\br@Mark{Mark}%
220 \def\br@Luke{Luke}%
221 \def\br@John{John}%
222 \def\br@Acts{Acts}%
223 \def\br@Romans{Rom\BRperiod}%
224 \def\br@ICorinthians{\BRepistlenumberstyle{1}Cor\BRperiod}%
225 \def\br@IICorinthians{\BRepistlenumberstyle{2}Cor\BRperiod}%
226 \def\br@Galatians{Gal\BRperiod}%
227 \def\br@Ephesians{Eph\BRperiod}%
228 \def\br@Philippians{Phil\BRperiod}%
229 \def\br@Colossians{Col\BRperiod}%
230 \def\br@IThessalonians{\BRepistlenumberstyle{1}Thess\BRperiod}%
231 \def\br@IIThessalonians{\BRepistlenumberstyle{2}Thess\BRperiod}%
232 \def\br@ITimothy{\BRepistlenumberstyle{1}Tim\BRperiod}%
233 \def\br@IITimothy{\BRepistlenumberstyle{2}Tim\BRperiod}%
234 \def\br@Titus{Tit\BRperiod}%
235 \def\br@Philemon{Philem\BRperiod}%
236 \def\br@Hebrews{Heb\BRperiod}%
237 \def\br@James{Jas\BRperiod}%
238 \def\br@IPeter{\BRepistlenumberstyle{1}Pet\BRperiod}%
239 \def\br@IIPeter{\BRepistlenumberstyle{2}Pet\BRperiod}%
240 \def\br@IJohn{\BRepistlenumberstyle{1}John}%
241 \def\br@IIJohn{\BRepistlenumberstyle{2}John}%
242 \def\br@IIIJohn{\BRepistlenumberstyle{3}John}%
243 \def\br@Jude{Jude}%
244 \def\br@Revelation{Rev\BRperiod}}

```

Provide synonymms.

245 \newcommand\*\br@Gn{\br@Genesis}%  
 246 \newcommand\*\br@Ex{\br@Exodus}%  
 247 \newcommand\*\br@Lv{\br@Leviticus}%  
 248 \newcommand\*\br@Nb{\br@Numbers}%  
 249 \newcommand\*\br@Dt{\br@Deuteronomy}%  
 250 \newcommand\*\br@Jos{\br@Joshua}%  
 251 \newcommand\*\br@Jg{\br@Judges}%  
 252 \newcommand\*\br@Rt{\br@Ruth}%  
 253 \newcommand\*\br@IS{\br@ISamuel}%  
 254 \newcommand\*\br@IIS{\br@IISamuel}%  
 255 \newcommand\*\br@IK{\br@IKings}%  
 256 \newcommand\*\br@IIK{\br@IIKings}%  
 257 \newcommand\*\br@ICH{\br@IChronicles}%  
 258 \newcommand\*\br@IICh{\br@IIChronicles}%  
 259 \newcommand\*\br@Ezr{\br@Ezra}%  
 260 \newcommand\*\br@Ne{\br@Nehemiah}%  
 261 \newcommand\*\br@Tb{\br@Tobit}%  
 262 \newcommand\*\br@Jdt{\br@Judith}%  
 263 \newcommand\*\br@Est{\br@Esther}%  
 264 \newcommand\*\br@IM{\br@IMaccabees}%  
 265 \newcommand\*\br@IIM{\br@IIMaccabees}%  
 266 \newcommand\*\br@Jb{\br@Job}%  
 267 \newcommand\*\br@Ps{\br@Psalms}%  
 268 \newcommand\*\br@Pr{\br@Proverbs}%  
 269 \newcommand\*\br@Qo{\br@Ecclesiastes}%  
 270 \newcommand\*\br@Sg{\br@SongofSongs}%  
 271 \newcommand\*\br@Ws{\br@Wisdom}%  
 272 \newcommand\*\br@Si{\br@Ecclesiasticus}%  
 273 \newcommand\*\br@Is{\br@Isaiah}%  
 274 \newcommand\*\br@Jr{\br@Jeremiah}%  
 275 \newcommand\*\br@Lm{\br@Lamentations}%  
 276 \newcommand\*\br@Ba{\br@Baruch}%  
 277 \newcommand\*\br@Ezk{\br@Ezekiel}%  
 278 \newcommand\*\br@Dn{\br@Daniel}%  
 279 \newcommand\*\br@Ho{\br@Hosea}%  
 280 \newcommand\*\br@Jl{\br@Joel}%  
 281 \newcommand\*\br@Am{\br@Amos}%  
 282 \newcommand\*\br@Ob{\br@Obadiah}%  
 283 \newcommand\*\br@Jon{\br@Jonah}%  
 284 \newcommand\*\br@Mi{\br@Micah}%  
 285 \newcommand\*\br@Na{\br@Nahum}%  
 286 \newcommand\*\br@Hab{\br@Habakkuk}%  
 287 \newcommand\*\br@Zp{\br@Zephaniah}%  
 288 \newcommand\*\br@Hg{\br@Haggai}%  
 289 \newcommand\*\br@Zc{\br@Zechariah}%  
 290 \newcommand\*\br@Ml{\br@Malachi}%  
 291 \newcommand\*\br@Mt{\br@Matthew}%  
 292 \newcommand\*\br@Mk{\br@Mark}%  
 293 \newcommand\*\br@Lk{\br@Luke}%  
 294 \newcommand\*\br@Jn{\br@John}%

295 \newcommand\*\br@Ac{\br@Acts}%  
 296 \newcommand\*\br@Rm{\br@Romans}%  
 297 \newcommand\*\br@ICo{\br@ICorinthians}%  
 298 \newcommand\*\br@IICo{\br@IICorinthians}%  
 299 \newcommand\*\br@Ga{\br@Galatians}%  
 300 \newcommand\*\br@Ep{\br@Ephesians}%  
 301 \newcommand\*\br@Ph{\br@Philippians}%  
 302 \newcommand\*\br@Col{\br@Colossians}%  
 303 \newcommand\*\br@ITh{\br@IThessalonians}%  
 304 \newcommand\*\br@IITh{\br@IIThessalonians}%  
 305 \newcommand\*\br@ITm{\br@ITimothy}%  
 306 \newcommand\*\br@IITm{\br@IITimothy}%  
 307 \newcommand\*\br@Tt{\br@Titus}%  
 308 \newcommand\*\br@Phm{\br@Philemon}%  
 309 \newcommand\*\br@Heb{\br@Hebrews}%  
 310 \newcommand\*\br@Jm{\br@James}%  
 311 \newcommand\*\br@IP{\br@IPeter}%  
 312 \newcommand\*\br@IIP{\br@IIPeter}%  
 313 \newcommand\*\br@IJn{\br@IJohn}%  
 314 \newcommand\*\br@IIJn{\br@IIJohn}%  
 315 \newcommand\*\br@Rv{\br@Revelation}%

More synonyms.

316 \newcommand\*\br@Gen{\br@Genesis}%  
 317 \newcommand\*\br@Exod{\br@Exodus}%  
 318 \newcommand\*\br@Lev{\br@Leviticus}%  
 319 \newcommand\*\br@Num{\br@Numbers}%  
 320 \newcommand\*\br@Deut{\br@Deuteronomy}%  
 321 \newcommand\*\br@Josh{\br@Joshua}%  
 322 \newcommand\*\br@Judg{\br@Judges}%  
 323 \newcommand\*\br@ISam{\br@ISamuel}%  
 324 \newcommand\*\br@IISam{\br@IISamuel}%  
 325 \newcommand\*\br@IKgs{\br@IKings}%  
 326 \newcommand\*\br@IIKgs{\br@IIKings}%  
 327 \newcommand\*\br@IChr{\br@IChronicles}%  
 328 \newcommand\*\br@IIChr{\br@IIChronicles}%  
 329 \newcommand\*\br@Neh{\br@Nehemiah}%  
 330 \newcommand\*\br@Esth{\br@Esther}%  
 331 \newcommand\*\br@IMacc{\br@IMaccabees}%  
 332 \newcommand\*\br@IIMacc{\br@IIMaccabees}%  
 333 \newcommand\*\br@Prov{\br@Proverbs}%  
 334 \newcommand\*\br@Eccl{\br@Ecclesiastes}%  
 335 \newcommand\*\br@SofS{\br@SongofSongs}%  
 336 \newcommand\*\br@Wisd{\br@Wisdom}%  
 337 \newcommand\*\br@Ecclus{\br@Ecclesiasticus}%  
 338 \newcommand\*\br@Isa{\br@Isaiah}%  
 339 \newcommand\*\br@Jer{\br@Jeremiah}%  
 340 \newcommand\*\br@Lam{\br@Lamentations}%  
 341 \newcommand\*\br@Ezek{\br@Ezekiel}%  
 342 \newcommand\*\br@Dan{\br@Daniel}%

```

343 \newcommand*\br@Hos{\br@Hosea}%
344 \newcommand*\br@Obad{\br@Obadiah}%
345 \newcommand*\br@Mic{\br@Micah}%
346 \newcommand*\br@Nah{\br@Nahum}%
347 \newcommand*\br@Zeph{\br@Zephaniah}%
348 \newcommand*\br@Hag{\br@Haggai}%
349 \newcommand*\br@Zech{\br@Zechariah}%
350 \newcommand*\br@Mal{\br@Malachi}%
351 \newcommand*\br@Matt{\br@Matthew}%
352 \newcommand*\br@Rom{\br@Romans}%
353 \newcommand*\br@ICor{\br@ICorinthians}%
354 \newcommand*\br@IICor{\br@IICorinthians}%
355 \newcommand*\br@Gal{\br@Galatians}%
356 \newcommand*\br@Eph{\br@Ephesians}%
357 \newcommand*\br@Phil{\br@Philippians}%
358 \newcommand*\br@IThess{\br@IThessalonians}%
359 \newcommand*\br@IIThess{\br@IIThessalonians}%
360 \newcommand*\br@ITim{\br@ITimothy}%
361 \newcommand*\br@IITim{\br@IITimothy}%
362 \newcommand*\br@Tit{\br@Titus}%
363 \newcommand*\br@Philem{\br@Philemon}%
364 \newcommand*\br@Jas{\br@James}%
365 \newcommand*\br@IPet{\br@IPeter}%
366 \newcommand*\br@IIPet{\br@IIPeter}%
367 \newcommand*\br@Rev{\br@Revelation}

```

\brs@default Set up assorted styles. All bible reference styles should start with brs@. First the default style.

```

368 \newcommand*{\brs@default}{%
369 \brfullname
370 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
371 \renewcommand*{\BRrepistlenumberstyle}[1]{##1 }%
372 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
373 \renewcommand*{\BRchapterstyle}[1]{##1}%
374 \renewcommand*{\BRversestyle}[1]{##1}%
375 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
376 \renewcommand*{\BRbookof}{}%
377 \renewcommand*{\BRgospel}{}%
378 \renewcommand*{\BRrepistletothe}{}%
379 \renewcommand*{\BRrepistleto}{}%
380 \renewcommand*{\BRrepistleof}{}%
381 \renewcommand*{\BRbkchsep}{ }
382 \renewcommand*{\BRchvsep}{:}%
383 \renewcommand*{\BRchsep}{;}%
384 \renewcommand*{\BRvrsep}{--}%
385 \renewcommand*{\BRvsep}{,}%
386 \renewcommand*{\BRperiod}{}}

```

\brs@jerusalem The style used by the Jerusalem Bible.

```

387 \newcommand*{\brs@jerusalem}{%
388 \brabbrvname
389 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
390 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
391 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
392 \renewcommand*{\BRchapterstyle}[1]{##1}%
393 \renewcommand*{\BRversestyle}[1]{##1}%
394 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
395 \renewcommand*{\BRbookof}{}%
396 \renewcommand*{\BRgospel}{}%
397 \renewcommand*{\BRepistletothe}{}%
398 \renewcommand*{\BRepistleto}{}%
399 \renewcommand*{\BRepistleof}{}%
400 \renewcommand*{\BRbkchsep}{ }
401 \renewcommand*{\BRchvsep}{.}%
402 \renewcommand*{\BRchsep}{; }%
403 \renewcommand*{\BRvrsep}{--}%
404 \renewcommand*{\BRvsep}{,}%
405 \renewcommand*{\BRperiod}{.}%
406 }

```

\brs@anglosaxon Anglo-Saxon style.

```

407 \newcommand*{\brs@anglosaxon}{%
408 \braltabbrvname
409 \renewcommand*{\BRbooknumberstyle}[1]{\MakeUppercase{\romannumeral##1} }%
410 \renewcommand*{\BRepistlenumberstyle}[1]{\MakeUppercase{\romannumeral##1} }%
411 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
412 \renewcommand*{\BRchapterstyle}[1]{\MakeUppercase{\romannumeral##1}}%
413 \renewcommand*{\BRversestyle}[1]{##1}%
414 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
415 \renewcommand*{\BRbookof}{}%
416 \renewcommand*{\BRgospel}{}%
417 \renewcommand*{\BRepistletothe}{}%
418 \renewcommand*{\BRepistleto}{}%
419 \renewcommand*{\BRepistleof}{}%
420 \renewcommand*{\BRbkchsep}{ }
421 \renewcommand*{\BRchvsep}{.}%
422 \renewcommand*{\BRchsep}{; }%
423 \renewcommand*{\BRvrsep}{--}%
424 \renewcommand*{\BRvsep}{,}%
425 \renewcommand*{\BRperiod}{.}%
426 }

```

\brs@JEH Journal of Ecclesiastical History

```

427 \newcommand*{\brs@JEH}{%
428 \braltabbrvname
429 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
430 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
431 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
432 \renewcommand*{\BRchapterstyle}[1]{\romannumeral##1}%

```

```

433 \renewcommand*{\BRversestyle}[1]{##1}%
434 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
435 \renewcommand*{\BRbookof}{}%
436 \renewcommand*{\BRgospel}{}%
437 \renewcommand*{\BRepistletothe}{}%
438 \renewcommand*{\BRepistleto}{}%
439 \renewcommand*{\BRepistleof}{}%
440 \renewcommand*{\BRbkchsep}{ }
441 \renewcommand*{\BRchvsep}{. }%
442 \renewcommand*{\BRchsep}{; }%
443 \renewcommand*{\BRvrsep}{--}%
444 \renewcommand*{\BRvsep}{,}%
445 \renewcommand*{\BRperiod}{.}%
446 }

```

\brs@MHRA Modern Humanities Research Association (MHRA)

```

447 \newcommand*{\brs@MHRA}{%
448 \brfullname
449 \renewcommand*{\BRbooknumberstyle}[1]{\textsc{\romannumeral##1} }%
450 \renewcommand*{\BRepistlenumberstyle}[1]{\textsc{\romannumeral##1} }%
451 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
452 \renewcommand*{\BRchapterstyle}[1]{\romannumeral##1}%
453 \renewcommand*{\BRversestyle}[1]{##1}%
454 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
455 \renewcommand*{\BRbookof}{}%
456 \renewcommand*{\BRgospel}{}%
457 \renewcommand*{\BRepistletothe}{}%
458 \renewcommand*{\BRepistleto}{}%
459 \renewcommand*{\BRepistleof}{}%
460 \renewcommand*{\BRbkchsep}{ }
461 \renewcommand*{\BRchvsep}{. }%
462 \renewcommand*{\BRchsep}{; }%
463 \renewcommand*{\BRvrsep}{--}%
464 \renewcommand*{\BRvsep}{,}%
465 \renewcommand*{\BRperiod}{}%
466 }

```

\brs@NTG Novum Testamentum Graece (Nestle-Aland)

```

467 \newcommand*{\brs@NTG}{%
468 \braltabbrvname
469 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
470 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
471 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
472 \renewcommand*{\BRchapterstyle}[1]{\romannumeral##1}%
473 \renewcommand*{\BRversestyle}[1]{##1}%
474 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
475 \renewcommand*{\BRbookof}{}%
476 \renewcommand*{\BRgospel}{}%
477 \renewcommand*{\BRepistletothe}{}%
478 \renewcommand*{\BRepistleto}{}%

```

```

479 \renewcommand*{\BRepistleof}{}%
480 \renewcommand*{\BRbkchsep}{ }
481 \renewcommand*{\BRchvsep}{,}%
482 \renewcommand*{\BRchsep}{; }%
483 \renewcommand*{\BRvrsep}{--}%
484 \renewcommand*{\BRvsep}{,}%
485 \renewcommand*{\BRperiod}{}%
486 }

```

#### \brs@MLA MLA Style

```

487 \newcommand*{\brs@MLA}{%
488 \braltabbrvname
489 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
490 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
491 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
492 \renewcommand*{\BRchapterstyle}[1]{\romannumeral##1}%
493 \renewcommand*{\BRversestyle}[1]{##1}%
494 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
495 \renewcommand*{\BRbookof}{}%
496 \renewcommand*{\BRgospel}{}%
497 \renewcommand*{\BRepistletothe}{}%
498 \renewcommand*{\BRepistleto}{}%
499 \renewcommand*{\BRepistleof}{}%
500 \renewcommand*{\BRbkchsep}{\ }
501 \renewcommand*{\BRchvsep}{.}%
502 \renewcommand*{\BRchsep}{; }%
503 \renewcommand*{\BRvrsep}{--}%
504 \renewcommand*{\BRvsep}{,}%
505 \renewcommand*{\BRperiod}{.}%
506 }

```

#### \brs@chicago Chicago Style

```

507 \newcommand*{\brs@chicago}{%
508 \braltabbrvname
509 \renewcommand*{\BRbooknumberstyle}[1]{##1 }%
510 \renewcommand*{\BRepistlenumberstyle}[1]{##1 }%
511 \renewcommand*{\BRbooktitlestyle}[1]{##1}%
512 \renewcommand*{\BRchapterstyle}[1]{\romannumeral##1}%
513 \renewcommand*{\BRversestyle}[1]{##1}%
514 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
515 \renewcommand*{\BRbookof}{}%
516 \renewcommand*{\BRgospel}{}%
517 \renewcommand*{\BRepistletothe}{}%
518 \renewcommand*{\BRepistleto}{}%
519 \renewcommand*{\BRepistleof}{}%
520 \renewcommand*{\BRbkchsep}{\ }
521 \renewcommand*{\BRchvsep}{\,:,\,%
522 \renewcommand*{\BRchsep}{; }%
523 \renewcommand*{\BRvrsep}{--}%
524 \renewcommand*{\BRvsep}{,}%

```

```

525 \renewcommand*{\BRperiod}{.}%
526 }

```

\brs@text Full text citation

```

527 \newcommand*{\brs@text}{%
528 \biblerefstyle{default}%
529 \renewcommand{\BRbooknumberstyle}[1]{%
530 \Ordinalstringnum{##1}\ }%
531 \renewcommand{\BRepistlenumberstyle}[1]{%
532 \Ordinalstringnum{##1}\ }%
533 \renewcommand{\BRbookof}{Book of }%
534 \renewcommand{\BRgospel}{Gospel according to St }%
535 \renewcommand{\BRepistletothe}{Epistle to the }%
536 \renewcommand{\BRepistleto}{Epistle to }%
537 \renewcommand{\BRepistleof}{Epistle of }%
538 \renewcommand{\BRchapterstyle}[1]{%
539 chapter \numberstringnum{##1}}%
540 \renewcommand{\BRbkchsep}{, }%
541 \renewcommand{\BRchvsep}{ verse }%
542 \renewcommand{\BRchsep}{, }%
543 \renewcommand{\BRvrsep}{ to }%
544 \renewcommand{\BRvsep}{, }%
545 \renewcommand{\BRversestyle}[1]{\numberstringnum{##1}}%
546 \renewcommand*{\BRversesuffixstyle}[1]{##1}%
547 }

```

Declare package options

```

548 \DeclareOption{default}{\brs@default}
549 \DeclareOption{jerusalem}{\brs@jerusalem}
550 \DeclareOption{anglosaxon}{\brs@anglosaxon}
551 \DeclareOption{JEH}{\brs@JEH}
552 \DeclareOption{MHRA}{\brs@MHRA}
553 \DeclareOption{NTG}{\brs@NTG}
554 \DeclareOption{MLA}{\brs@MLA}
555 \DeclareOption{chicago}{\brs@chicago}
556 \DeclareOption{text}{\brs@text}

```

Process package options

```

557 \ProcessOptions

```

\newbiblerefstyle `\newbiblerefstyle{<style name>}{<style cmds>}`

Creates a new bible style called *<style name>*, where the style is given by *<style cmds>*. (It basically defines a command called `\brs@<style name>` to do *<style cmds>*)

```

558 \newcommand{\newbiblerefstyle}[2]{%
559 \@ifundefined{brs@#1}{%
560 \expandafter\def\csname brs@#1\endcsname{#2}}{%

```

```

561 \PackageError{bibleref}{bible ref style '#1' already
562 defined}{}

```

`\setbooktitle`    `\setbooktitle{<fullname>}{<title>}`

Redefines the title of book *<fullname>*.

```

563 \newcommand*{\setbooktitle}[2]{%
564   \ifundefined{br@#1}%
565   {%
566     \PackageError{bibleref}{Unknown book '#1'}{}%
567   }%
568   {%
569     \expandafter\def\csname br@#1\endcsname{#2}%
570   }%
571 }

```

`\setindexbooktitle`    Set alternative book title in the index

```

572 \newcommand*{\setindexbooktitle}[2]{%
573   \ifundefined{br@#1}%
574   {%
575     \PackageError{bibleref}{Unknown book '#1'}{}%
576   }%
577   {%
578     \expandafter\def\csname bri@#1\endcsname{#2}%
579   }%
580 }

```

`\addbiblebook`    Add a book.

```

581 \newcommand*{\addbiblebook}[2]{%
582   \ifundefined{br@#1}%
583   {%
584     \expandafter\def\csname br@#1\endcsname{#2}%
585   }%
586   {%
587     \PackageError{bibleref}{Book '#1' already defined}{}%
588   }%
589 }

```

`\biblerefstyle`    `\biblerefstyle{<style>}`

Sets the current style.

```

590 \newcommand*{\biblerefstyle}[1]{%
591   \ifundefined{brs@#1}{\PackageError{bibleref}{%
592     Unknown biblerefstyle '#1'}{}{\csname brs@#1\endcsname}}

```

`\@br@vrsty` Verses may be supplied as a range. Provide a command to detect whether single number or range supplied. Verses may have a number appended (e.g. 15a). This needs to be checked.

```
593 \newcommand*{\@br@vrsty}[1]{\@br@vrsty#1-\@nil\end}
```

`\@@br@vrsty` Pick up a range

```
594 \def\@br@vrsty#1-#2\end{%
595 \do@verses#1,\relax\end
596 \ifx\@nil#2\relax
597 \else
598 \@bv@addtochidxsort{-}%
599 \@bv@do{\BRvrsep}%
600 \@br@vrsty#2\end%
601 \fi
602 }
```

`\@br@stripverse` Strip trailing letters from verse. Number is stored in `\@br@versenum` and the suffix is stored in `\@br@versesuffix`.

```
603 \def\@br@stripverse#1{%
604 \def\@br@versenum{}%
605 \def\@br@versesuffix{}%
606 \@br@stripverse#1\relax
607 }
608 \def\@br@stripverse#1#2{%
609 \@br@checkisdigit{#1}%
610 \if@br@isdigit
611 \expandafter\toks@\expandafter{\@br@versenum}%
612 \edef\@br@versenum{\the\toks@#1}%
613 \let\@br@next\@br@stripverse
614 \else
615 \def\@br@versesuffix{#1}%
616 \let\@br@next\@@br@stripverse
617 \fi
618 \ifx#2\relax
619 \let\@br@next\relax
620 \fi
621 \@br@next#2%
622 }
623 \def\@@br@stripverse#1\relax{%
624 \protected@edef\@br@versesuffix{\@br@versesuffix#1}%
625 }
```

`\@br@checkisdigit` Check if argument is a digit.

```
626 \newif\if@br@isdigit
627 \newcommand*{\@br@checkisdigit}[1]{%
628 \@br@isdigittrue
629 \if#10\relax
630 \else
631 \if#11\relax
```

```

632 \else
633 \if#12\relax
634 \else
635 \if#13\relax
636 \else
637 \if#14\relax
638 \else
639 \if#15\relax
640 \else
641 \if#16\relax
642 \else
643 \if#17\relax
644 \else
645 \if#18\relax
646 \else
647 \if#19\relax
648 \else
649 \@br@isdigitfalse
650 \fi
651 \fi
652 \fi
653 \fi
654 \fi
655 \fi
656 \fi
657 \fi
658 \fi
659 \fi
660 }

```

\@br@vrsty Pick up a list

```

661 \def\@do@verses#1,#2\end{%
662 \def\@br@tmp{#1}%
663 \ifx\@br@tmp\@empty
664 \else
665 Strip suffix, if it exists.
666 \br@stripverse{#1}%
667 Prepend leading zeroes if required.
668 \ifnum\@br@versenum<10\relax
669 \@bv@addtochidxsort{00#1}%
670 \else
671 \ifnum\@br@versenum<100\relax
672 \@bv@addtochidxsort{0#1}%
673 \else
674 \@bv@addtochidxsort{#1}%
675 \fi
676 \fi
677 \edef\@br@tmp{%

```

```

676      \noexpand\BRversestyle{\@br@versenum}%
677      \noexpand\BRversesuffixstyle{\@br@versesuffix}}}%
678 \expandafter\@bv@do\expandafter{\@br@tmp}%
679 \fi
680 \ifx\relax#2\relax
681 \else
682 \@bv@addtochidxsort{,}%
683 \@bv@do{\BRvsep}%
684 \@do@verses#2\end
685 \fi
686 }

```

`\bibleverse`    `\bibleverse{<name>}`

This looks for a command called `\br@<name>` (defined earlier). After the book title, it then checks to see if there is a bracket ( immediately following it.

```

687 \newcommand*{\bibleverse}[1]{%
688 \ifundefined{br@#1}%
689 {%
690 \PackageError{bibleref}{Unknown book '#1'}{ }%
691 }%
692 {%
693 \@bv@idxsort{\csname br@#1\endcsname}%
694 \def\@bv@chidxsort{%
695 \BRbooktitlestyle{\csname br@#1\endcsname}%
696 \@ifundefined{bri@#1}%
697 {%
698 \def\@bv@mainidxentry{\BRbooktitlestyle{\csname br@#1\endcsname}}%
699 }%
700 {%
701 \def\@bv@mainidxentry{\BRbooktitlestyle{\csname bri@#1\endcsname}}%
702 }%
703 }%
704 \@ifnextchar(%
705 {\BRbkchsep\bibleverse}%
706 {\@end@bibleverse}%
707 }

```

`\@bibleverse`    This gets the chapter number.

```

708 \def\@bibleverse(#1:{%
709 \def\@bv@tmp{#1}%
710 \ifx\@bv@tmp\@empty
711 \else
712 \ifnum\@bv@tmp<10\relax
713 \@bv@addtochidxsort{00#1:}%
714 \else
715 \ifnum\@bv@tmp<100\relax
716 \@bv@addtochidxsort{0#1:}%

```

```

717     \else
718         \@bv@addtochidxsort{#1:}%
719     \fi
720 \fi
721 \@bv@do{\BRchapterstyle{#1}}%
722 \fi
723 \@@bibleverse
724 }

```

`\@bibleverser` This gets the second part of a range spanning chapters.

```

725 \def\@bibleverser-({#1:}%
726 \def\@bv@tmp{#1}%
727 \ifx\@bv@tmp\@empty
728 \else
729     \ifnum\@bv@tmp<10\relax
730         \@bv@addtochidxsort{00#1:}%
731     \else
732         \ifnum\@bv@tmp<100\relax
733             \@bv@addtochidxsort{0#1:}%
734         \else
735             \@bv@addtochidxsort{#1:}%
736         \fi
737     \fi
738     \@bv@do{\BRchapterstyle{#1}}%
739 \fi
740 \@@bibleverse
741 }

```

`\@@bibleverse` This gets the verse number (or number range), and check to see if it is followed by another bracket (indicating another chapter, verse pair).

```

742 \def\@@bibleverse#1){%
743     \def\@bv@tmp{#1}%
744     \ifx\@bv@tmp\@empty
745     \else
746         \@bv@do{\BRchvsep}\@br@vrsty{#1}%
747     \fi
748     \@ifnextchar(%
749         {\@bv@do{\BRchsep}\@bibleverse}%
750         {\@ifnextchar-%
751             {\@bv@do{\BRvrsep}\@bibleverser}%
752             {\@end@@bibleverse}%
753         }%
754 }

```

`\@end@@bibleverse` This controls what to do at the end of the final verse.

```

755 \newcommand*{\@end@@bibleverse}{%
756 \if@bv@idx
757     \expandafter\@do@bibleref@map\@@bv@idxsort\relax
758     \ifx\@bv@idxentry\@empty

```

```

759 \def\@bv@tmp{\@bv@mainidxentry}%
760 \else
761 \def\@bv@tmp{\@bv@mainidxentry!\@bv@chidxsort \@bv@idxentry}%
762 \fi
763 \biblerefindex
764 {\@bv@idxsort\relax \@bv@tmp|\@bv@idxpgformat}%
765 \@bv@idxfalse
766 \fi
767 }

```

`\biblerefindex` Allow user to modify index command in case multiple indices are required.

```
768 \newcommand*\@biblerefindex{\index}
```

`\biblerefmap` Map the sort key to something else. Overwrites previous mapping for the given key.

```

769 \newcommand*\@biblerefmap[2]{%
770 \expandafter\def\csname @bibleref@map@#1\endcsname{#2}%
771 }

```

`\do@bibleref@map`

```

772 \def\@do@bibleref@map#1\relax{%
773 \ifundefined{@bibleref@map@#1}{%
774 \expandafter\let\expandafter\@bv@idxsort
775 \csname @bibleref@map@#1\endcsname
776 }%
777 }

```

`\@bv@do` Do argument and add to idx

```
778 \newcommand{\@bv@do}[1]{#1\@bv@addtoidx{#1}}
```

`\@bv@addtoidx` Append text to `\@bv@idxentry`

```

779 \newtoks\@bv@tmpa
780 \newtoks\@bv@tmpb
781 \newcommand{\@bv@addtoidx}[1]{%
782 \if@bv@idx
783 \@bv@tmpa={#1}%
784 \@bv@tmpb=\expandafter{\@bv@idxentry}%
785 \protected@edef\@bv@idxentry{\the\@bv@tmpb\the\@bv@tmpa}%
786 \fi}

```

`\@bv@addtochidxsort` Append text to `\@bv@chidxsort`

```

787 \newcommand{\@bv@addtochidxsort}[1]{%
788 \if@bv@idx
789 \@bv@tmpa={#1}%
790 \@bv@tmpb=\expandafter{\@bv@chidxsort}%
791 \edef\@bv@chidxsort{\the\@bv@tmpb\the\@bv@tmpa}%
792 \fi
793 }

```

`\if@bv@idx` Define switch to indicate whether or not to index bible reference.

```

794 \newif\if@bv@idx
795 \@bv@idxfalse

```

`\@bv@idxsort` Sort key for bible verse index. (Strip all the formatting bits.)

```

796 \newcommand{\@bv@idxsort}[1]{%
797 \if@bv@idx
798 {\def\BRbooknumberstyle##1##2\relax{##2##1}%
799 \def\BRrepistlenumberstyle##1##2\relax{##2##1}%
800 \def\BRgospel{ }\def\BRbookof{ }\def\BRrepistleteto{ }%
801 \def\BRrepistletetothe{ }\def\BRrepistletEOF{ }%
802 \xdef\@bv@idxsort{#1\relax}%
803 }%
804 \fi}

```

`\ibibleverse` This is like `\bibleverse`, but also adds an index entry. The optional argument indicates how to format the page number (without the preceding backslash) e.g. `\bibleref[textit]{Romans}`.

```

805 \newcommand*{\ibibleverse}[1][\bvidxpgformat]{%
806 \def\@bv@idxpgformat{#1}%
807 \@bv@idxtrue\def\@bv@idxentry{\bibleverse}

```

`\bvidxpgformat` Default page number format for bible verse index entries

```

808 \newcommand*{\bvidxpgformat}{\textrm}

```

## Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in **roman** refer to the code lines where the entry is used.

Symbols	A	
<code>\@bibleverse</code> . . . . . 23	<code>\addbiblebook</code> . . . . . 3, 19	<code>\BRchvsep</code> . . . . . 6
<code>\@br@vrsty</code> . . . . . 19, 21		<code>\BRrepistlenumberstyle</code> . . . . . 6
<code>\@bibleverse</code> . . . . . 22	<b>B</b>	<code>\BRrepistletEOF</code> . . . . . 6
<code>\@bibleverser</code> . . . . . 22	<code>\biblerefindex</code> . . . . . 4, 23	<code>\BRrepistleteto</code> . . . . . 6
<code>\@br@checkisdigit</code> . . . . . 20	<code>\biblerefmap</code> . . . . . 5, 24	<code>\BRrepistletetothe</code> . . . . . 6
<code>\@br@stripverse</code> . . . . . 20	<code>\biblerefstyle</code> . . . . . 2, 19	<code>\brfullname</code> . . . . . 7
<code>\@br@vrsty</code> . . . . . 19	<code>\bibleverse</code> . . . . . 1, 22	<code>\BRgospel</code> . . . . . 6
<code>\@bv@addtochidxsort</code> 24	<code>\brabbrvname</code> . . . . . 8	<code>\BRperiod</code> . . . . . 7
<code>\@bv@addtoidx</code> . . . . . 24	<code>\braltabbrvname</code> . . . . . 10	<code>\brs@anglosaxon</code> . . . . . 15
<code>\@bv@do</code> . . . . . 24	<code>\BRbkchsep</code> . . . . . 6	<code>\brs@chicago</code> . . . . . 17
<code>\@bv@idxsort</code> . . . . . 24	<code>\BRbooknumberstyle</code> . . . . . 6	<code>\brs@default</code> . . . . . 14
<code>\@do@bibleref@map</code> . . . . . 24	<code>\BRbookof</code> . . . . . 6	<code>\brs@JEH</code> . . . . . 15
<code>\@end@bibleverse</code> . . . . . 23	<code>\BRbooktitlestyle</code> . . . . . 6	<code>\brs@jerusalem</code> . . . . . 14
	<code>\BRchapterstyle</code> . . . . . 6	<code>\brs@MHRA</code> . . . . . 16
	<code>\BRchsep</code> . . . . . 6	

\brs@MLA . . . . .	16	\BRvsep . . . . .	1, 7	N
\brs@NTG . . . . .	16	\bvidxpgformat . . .	4, 25	\newbiblerefstyle 3, 18
\brs@text . . . . .	17			
\BRversestyle . . . . .	6	I		S
\BRversesuffixstyle .	6	\ibibleverse . . . . .	3, 25	\setbooktitle . . . . 2, 18
\BRvrsep . . . . .	6	\if@bv@idx . . . . .	24	\setindexbooktitle 3, 19