

# The `ltcaption` package<sup>\*</sup>

Axel Sommerfeldt

`axel.sommerfeldt@f-m.fm`

2009/03/30

## Abstract

This package fixes caption problems with other-than-centered aligned longtables.  
(solves [LATEX PR tools/3387](#))

## Contents

<b>1</b>	<b>The user interface</b>	<b>2</b>
1.1	Further justification . . . . .	2
1.2	Bonus features . . . . .	2
<b>2</b>	<b>Spot the difference</b>	<b>4</b>
<b>3</b>	<b>The Implementation</b>	<b>7</b>
3.1	Identification . . . . .	7
3.2	User interface . . . . .	7
3.3	The longtable patch . . . . .	7
3.4	The <code>longtable*</code> environment . . . . .	11
3.5	Adaption for KOMA-Script . . . . .	11

---

<sup>\*</sup>This package has version number v1.2a, last revised 2011/01/01.

# 1 The user interface

The content of `\caption` in longtables is usually centered to the content of the longtable itself. This is sufficient for centered longtables, but for left or right aligned longtables this results in captions moved into the left or right page margin.

To solve this problem just include this package *after* the longtable package[1], e.g.:

```
\usepackage{longtable, ltcaption}
```

Afterwards the captions of all longtables should be aligned as expected, even for not-centered longtables.

## 1.1 Further justification

`\LTcapskip` This length is controlling the skip between the caption and the contents below the caption (which is usually the longtable contents if you place the caption above the longtable), and it can be altered with `\setlength{\LTcapskip}{...}`. When the `ltcaption` package is loaded it will be set to `\abovecaptionskip` which usually represents the skip between caption and contents in floating environments. (Without this package, the `longtable` package uses `\baselineskip` here.)

`\LTcapleft` & `\LTcapright` You can alter the centering of the caption box (of width `\LTcapwidth`) by setting the lengths `\LTcapleft` & `\LTcapright` to appropriate values. These are set to `\fill` by default, just like the values `\LTleft` & `\LTright`.

`\LTcapmarginsfalse` Another option is the usage of the command `\LTcapmarginsfalse` which makes the `ltcaption` package using the values `\LTleft` & `\LTright` instead of `\LTcapleft` & `\LTcapright`.

*Note:* If the `ltcaption` package will be used with one of the NTG document classes[2], `\CaptionLabelFont` & `\CaptionTextFont` will not only be used for `figure` & `table` captions, but for `longtable` captions as well.

*Note:* These lengths & commands do not work when the `ltcaption` package is used with one of the KOMA-Script classes[3] `scrartcl`, `scrreprt` or `scrbook`, the KOMA-Script settings for captions are used instead. Same with the `caption` package which also uses its own options and settings.

## 1.2 Bonus features

`\LTcaptive` As a bonus feature this package patches the `longtable` package so `\LTcaptive` will be used internally instead of the fixed caption type ‘table’. So for example this code snipped:

```
\renewcommand{\LTcaptive}{figure}
\begin{longtable}{ll}
\caption{An example longtable} \\
A & B \\
\end{longtable}
```

will result in a longtable like this:

Figure 7: An example longtable

- `longtable*` Another bonus feature is the addition of the environment `longtable*` which does not increment the `table` counter. (As a consequence, `\caption` is not available for such longtables, but `\caption*` still is.)

## 2 Spot the difference

Without the `\tcaption` package:

---

Table 1: Left aligned longtable left aligned longtable left aligned longtable

This is only a test

Table 2: Right aligned longtable right aligned longtable right aligned longtable

This is only a test

Table 3: Centered longtable centered longtable centered longtable centered longtable

This is only a test

---

With the `\tcaption` package (and the default value of `\LTcapwidth`):

---

Table 4: Left aligned longtable left aligned longtable left aligned longtable

This is only a test

Table 5: Right aligned longtable right aligned longtable right aligned longtable

This is only a test

Table 6: Centered longtable centered longtable centered longtable centered longtable

This is only a test

---

With the `ltcaption` package and `\LTcapwidth=\ linewidth`:

---

Table 7: Left aligned longtable left aligned longtable left aligned longtable left aligned longtable

This is only a test

Table 8: Right aligned longtable right aligned longtable right aligned longtable right aligned longtable

This is only a test

Table 9: Centered longtable centered longtable centered longtable centered longtable

This is only a test

---

With the `ltcaption` package and `\LTcapleft=0pt` resp. `\LTcapright=0pt`:

---

Table 10: Left aligned longtable left aligned longtable left aligned longtable

This is only a test

Table 11: Right aligned longtable right aligned longtable right aligned longtable

This is only a test

---

With the `ltcaption` package and `\LTcapleft=\tabcolsep` resp. `\LTcapright=\tabcolsep`:

---

Table 12: Left aligned longtable left aligned longtable left aligned longtable

This is only a test

Table 13: Right aligned longtable right aligned longtable right aligned longtable

This is only a test

---

With the `ltcaption` package and `\LTcapmarginsfalse`:

---

Table 14: Left aligned longtable left aligned longtable left aligned longtable

This is only a test

Table 15: Right aligned longtable right aligned longtable right aligned longtable

This is only a test

Table 16: Centered longtable centered longtable centered longtable centered longtable

This is only a test

---

## 3 The Implementation

### 3.1 Identification

```
1 \NeedsTeXFormat{LaTeX2e} [1994/12/01]
2 \ProvidesPackage{ltcaption} [2011/01/01 v1.2a longtable captions (AR)]
3 \@ifpackageloaded{longtable}{}{%
4   \PackageError{ltcaption}{longtable package not loaded, aborting}{RTFM}}
```

### 3.2 User interface

```
\LTcaptype \LTcaptype is preset to table.
5 \providecommand*\LTcaptype{table}
6 \providecommand*\ext@table{lot}

\ext@lstlisting Since the listings package do not define \ext@lstlisting, but we needed it when
\renewcommand\LTcaptype{lstlisting} was done by the end user, we define
it here.
7 \@ifundefined{caption@AtBeginDocument}\AtBeginDocument\caption@AtBeginDocument{%
8   \@ifpackageloaded{listings}{%
9     \providecommand*\ext@lstlisting{lol}}{}}
```

To save **T<sub>E</sub>X** memory some stuff will not be defined if the **caption** package is loaded.

```
10 \@ifpackageloaded{caption}{}{%
```

\LTcapskip

```
11   \newskip\LTcapskip \LTcapskip=\abovecaptionskip
```

\LTcapleft \LTcapright Our skips and the flag belonging to them.  
(Default: Use these skips (and not \LTleft & \LTright.)

```
12   \newskip\LTcapleft \LTcapleft=\fill
13   \newskip\LTcapright \LTcapright=\fill
14   \newif\ifLTcapmargins \LTcapmarginstrue
```

\CaptionLabelFont \CaptionTextFont These commands are provided by the NTG document classes. To make this package
work with other document classes as well, we need to define \CaptionLabelFont &
\CaptionTextFont here.

```
15   \providecommand*\CaptionLabelFont{}
16   \providecommand*\CaptionTextFont{}
```

```
17 }
```

### 3.3 The longtable patch

```
\LT@array We insert our stuff into the definition of \LT@array here. Since the hyperref package
patches \LT@array as well and since this only works with the original definition of
\LT@array, we have to do this after the hyperref package, i.e. \AtBeginDocument.
18 \@ifundefined{caption@AtBeginDocument}\AtBeginDocument\caption@AtBeginDocument{%
19   \let\ltcaption@ORI@LT@array\LT@array
20   \renewcommand*\LT@array{%
```

We modify `\refstepcounter` resp. `\H@refstepcounter` and `\hyper@makecurrent`, so `\LTcaptive` is used instead of `table`.

```

21   \let\caption@LT@refstepcounter\refstepcounter
22   \def\refstepcounter{%
23     \caption@LTtype\caption@LT@refstepcounter}%
24   \let\caption@LT@Hrefstepcounter\H@refstepcounter
25   \def\H@refstepcounter{%
26     \caption@LTtype\caption@LT@Hrefstepcounter}%
27   \let\caption@LT@makecurrent\hyper@makecurrent
28   \def\hyper@makecurrent{%
29     \caption@LTtype\caption@LT@makecurrent}%

```

We redefine `\lst@@caption` so `\thelstlisting` will printout its counter, too.

```

30   \def\lst@@caption{\relax}
31   \ltcaption@ORI@LT@array}
32 \newcommand*\caption@LTtype[2]{%
33   \edef\caption@LT@tempa{\#2}%
34   \ifx\caption@LT@tempa\caption@LT@table
35     \caption@LT@type#1%
36   \else
37     #1{\#2}%
38   \fi}%
39 \newcommand*\caption@LT@type[1]{%
40   \expandafter#1\expandafter{\LTcaptive}}
41 \newcommand*\caption@LT@table[table]{%

```

`\LT@caption` The original implementation:

```

\def\LT@caption#1[#2]#3{%
  \LT@makecaption#1\fnum@table{\#3}%
  \def\@tempa{\#2}%
  \ifx\@tempa\empty\else
    {\let\\space
      \addcontentsline{lot}{table}{\protect\numberline{\thetable}{\#2}}}%
  \fi}

```

Our implementation simply uses `\LTcaptive` instead of `{table}`:

```

42 \long\def\LT@caption#1[#2]#3{%
43   \LT@makecaption#1{\csname fnum@\LTcaptive\endcsname}{\#3}%
44   \def\@tempa{\#2}%
45   \ifx\@tempa\empty\else
46     {\let\\space
47      \addcontentsline{\csname ext@\LTcaptive\endcsname}{\LTcaptive}{%
48        \protect\numberline{\csname the\LTcaptive\endcsname}{\#2}}}%
49   \fi
50   \ignorespaces}

```

`\LT@makecaption` `\LT@makecaption{<cmd>} {<label>} {<text>}`

Original code:

```

\def\LT@makecaption#1#2#3{%
  \LT@mcol\LT@cols c{\hbox to\z@\hss\parbox[t]\LTcapwidth{%

```

```
% Based on article class "\@makecaption", "#1" is "\@gobble" in star
% form, and "\@firstofone" otherwise.
\sbox{\@tempboxa{#1{#2: }#3}%
\ifdim\wd\@tempboxa>\hsize
  #1{#2: }#3%
\else
  \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
\fi
\endgraf\vskip\baselineskip}%
\hss}}}
```

Our code:<sup>1</sup>

```
51 \renewcommand{\LT@makecaption}[3]{%
52   \LT@makecaption{%
53     \sbox{\@tempboxa{#1{\CaptionLabelFont#2: } }\CaptionTextFont#3}%
54     \ifdim\wd\@tempboxa>\hsize
55       #1{\CaptionLabelFont#2: }\CaptionTextFont#3%
56     \else
57       \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
58     \fi
59     \endgraf\vskip\LTcapskip}}}

60 \newcommand{\LT@@makecaption}[1]{%
61   \caption@LT@make{\hb@xt@\hsize{%
62     \ifLTcapmargins
63       \hspace\LTcapleft
64       \FBifLTcapwidth{\advance\LTcapwidth-\LTcapleft}%
65     \else
66       \hspace\LTleft
67       \FBifLTcapwidth{\advance\LTcapwidth-\LTleft}%
68     \fi
69     \FBifLTcapwidth{\advance\LTcapwidth-%
70       \ifLTcapmargins\LTcapright\else\LTright\fi}%
71     \parbox[t]\LTcapwidth{#1}%
72     \ifLTcapmargins
73       \hskip\LTcapright
74     \else
75       \hskip\LTright
76     \fi}}}
```

This one will be usually defined by the `fr-longtable` package, which is part of the `floatrow` package[4]:

```
77 \AtBeginDocument{\providecommand*\FBifLTcapwidth[1]{}{}}
```

`\caption@LT@make` Typesets the caption as `\multicolumn...`

```
78 \newcommand{\caption@LT@make}[1]{%
79   \noalign{\caption@LT@config}{}
```

Note: If used with the `array` package `\caption@LTfmt` needs to be expanded, therefore we need some `\expandafter` here.

```
80   \expandafter\LT@mcol\expandafter\LT@cols\expandafter{\caption@LTfmt}{%
81     \hb@xt@\z@{%
```

---

<sup>1</sup>Adapted to the `floatrow` package by Olga Lapko

```

82      \hspace\caption@LTleft
83      \parbox[t]\linewidth{\#1}%
84      \hspace\caption@LTright}}}%
```

\caption@LT@config    \caption@LT@config analyses \LTleft & \LTright and set \caption@LTleft & \caption@LTright accordingly to the ‘opposite’ values, e.g., \LTleft=1cm will result to \caption@LTleft=-1cm and \LTleft=0pt plus 1fill will result to \caption@LTleft=0pt minus 1fill. Furthermore \caption@LTfmt is set to the according multicolumn format; this is far away from being bulletproof (e.g., a stretch or shrink will always be treated as ‘fill’) but will hopefully cover all ‘real’ cases.

```

85 \newcommand*\caption@LT@config{%
86   \caption@LT@parse\LTleft\caption@LTleft\caption@ifLTleft
87   \caption@LT@parse\LTright\caption@LTright\caption@ifLTright
88   \xdef\caption@LTfmt{%
89     @{} \caption@ifLTleft{\caption@ifLTright{c}{r}}{l}@{} }}
```

\caption@LT@parse    Parsing of the skip, we collect a \@fixpart, a @pluspart, and a \@minuspart and make our definitions based on that.

```

90 \newcommand*\caption@LT@parse[3]{%
91   \let\@pluspart\@undefined
92   \let\@minuspart\@undefined
93   \expandafter\caption@LT@parse@\expandafter\@fixpart\the#1 x %
94   \xdef#2{-\@fixpart
95     \ifx\@minuspart\@undefined\else
96       \space\@plus\space\@minuspart
97     \fi
98     \ifx\@pluspart\@undefined\else
99       \space\@minus\space\@pluspart
100    \fi}%
101 \let#3@\firstoftwo
102 \ifx\@pluspart\@undefined
103   \ifx\@minuspart\@undefined
104     \let#3@\secondoftwo
105   \fi
106 \fi}
107 \def\caption@LT@parse@#1#2 {%
```

Note: \def\@tempa{\#2}\ifx\@tempa@plus... would not work here because of different catcodes.

```

108 \edef\@tempa{@car#2@nil}%
109 \if p\@tempa
110   \def\next{\caption@LT@parse@\@pluspart}%
111 \else\if m\@tempa
112   \def\next{\caption@LT@parse@\@minuspart}%
113 \else\if x\@tempa
114   \let\next\relax
115 \else
116   \def#1{\#2}%
117   \def\next{\caption@LT@parse@ @}%
118 \fi\fi\fi
119 \next}
```

### 3.4 The `longtable*` environment

```
longtable* A longtable environment without reference counter and hyperlink anchors.  
120 \newenvironment{longtable*}{%  
We simply supress anything which has to do with reference counters here.  
121   \let\caption@LT@type\gobble  
Unfortunately this is not so easy with \Hy@raisedlink (which actually sets the hyperlink anchor), so we assume that we have to supress the first usage.  
122   \let\caption@LT@raisedlink\Hy@raisedlink  
123   \def\Hy@raisedlink{  
124     \let\Hy@raisedlink\caption@LT@raisedlink  
125     \@gobble}%  
Finally we are redefining \caption so the non-starred variant issues an error.  
126   \let\ltcaption@ORI@LT@c@ption\LT@c@ption  
127   \def\LT@c@ption##1[##2]##3{  
128     \ifx##1\firstrone  
129       \PackageError{ltcaption}{  
130         {Not allowed in longtable* environment}  
131         {If you do not understand this error, please take a closer  
132           look\MessageBreak at the documentation of the 'ltcaption'  
133           package.\MessageBreak \@ehc}}%  
134     \else  
135       \ltcaption@ORI@LT@c@ption{##1}[##2][##3]  
136     \fi}  
137   \longtable{  
138 {endlongtable}}
```

### 3.5 Adaption for KOMA-Script

```
139 \@ifundefined{@komalongtablefalse}{}{  
140   \if@komalongtable  
141     \renewcommand{\LT@makecaption}[3]{  
142       \noalign{  
143         \if@captionabove  
144           \vskip\belowcaptionskip  
145         \else  
146           \vskip\abovecaptionskip  
147         \fi  
148       }  
149       \caption@LT@make{  
150         \@@makecaption{#1}{#2}{#3}  
151         \endgraf  
152         \if@captionabove  
153           \vskip\abovecaptionskip  
154         \else  
155           \vskip\belowcaptionskip  
156         \fi  
157       }  
158     }  
159     \let\LT@@makecaption\@undefined  
160   \fi}
```

## References

- [1] David Carlisle: *The longtable package*, 2004/02/01
- [2] Victor Eijkhout: *An introduction to the Dutch L<sup>A</sup>T<sub>E</sub>X document classes*, 3 September 1989
- [3] Markus Kohm & Jens-Uwe-Morawski: *KOMA-Script – a versatile L<sup>A</sup>T<sub>E</sub>X 2 $\varepsilon$  bundle*, 2007-01-09
- [4] Olga Lapko: *The floatrow package documentation*, 2007/08/24