

The ccicons package

Michael Ummels

michael.ummels@rwth-aachen.de

v1.2 – 2011/05/22

Abstract

This package offers authors who want to publish their documents under a Creative Commons license an easy way to include the relevant icons in their documents.

1 Introduction

Creative Commons (<http://creativecommons.org>) licenses have become increasingly popular for authors who want to retain their copyright but give other people the possibility to share and build upon their work. For each of the licenses that Creative Commons offers, there exists a set of icons that can be used to identify the respective license. This package defines several commands that allow to typeset these icons. Since the icons are stored in a PostScript Type 1 font, they can be scaled freely without diminishing their visual appearance.

2 Usage

To use this package in your L^AT_EX document, you need to issue

```
\usepackage{ccicons}
```

in the preamble of your document. This makes available the following commands to typeset the icons provided by Creative Commons:

\ccLogo	
\ccAttribution	
\ccShareAlike	
\ccNoDerivatives	

\ccNonCommercial	
\ccNonCommercialEU	
\ccNonCommercialJP	
\ccZero	
\ccPublicDomain	
\ccSampling	
\ccShare	
\ccRemix	

Additionally, for each of the common Creative Commons licenses there is a command to typeset the CC logo together with the icons applicable for that license (see <http://creativecommons.org/licenses>):

\ccby	
\ccbysa	
\ccbynd	
\ccbync	
\ccbynceu	
\ccbyncjp	
\ccbyncsa	
\ccbyncsaeu	
\ccbyncsajp	
\ccbyncnd	
\ccbyncnde	
\ccbyncndjp	
\cczero	
\ccpd	

Please note that all icons that can be typeset using this package are trademarks of Creative Commons and are subject to the Creative Commons trademark policy (see <http://creativecommons.org/policies>).

3 Version history

Version 1.0 (2009/11/29): Initial version

Version 1.1 (2009/12/14): New font with additional glyphs

Version 1.2 (2011/05/22): Optimised some glyphs

4 The main style file

We provide one internal command to access the characters of the font directly.

```
1 \newcommand{\ccicons@char}[1]{{\usefont{U}{ccicons}{m}{n}\char#1}}
```

The following commands provide high-level access to the font. We define a command for each character in the font.

```
2 \newcommand{\ccLogo}{\ccicons@char{0}}
3 \newcommand{\ccAttribution}{\ccicons@char{1}}
4 \newcommand{\ccShareAlike}{\ccicons@char{2}}
5 \newcommand{\ccNoDerivatives}{\ccicons@char{3}}
6 \newcommand{\ccNonCommercial}{\ccicons@char{4}}
7 \newcommand{\ccNonCommercialEU}{\ccicons@char{5}}
8 \newcommand{\ccNonCommercialJP}{\ccicons@char{6}}
9 \newcommand{\ccPublicDomain}{\ccicons@char{7}}
10 \newcommand{\ccZero}{\ccicons@char{8}}
11 \newcommand{\ccSampling}{\ccicons@char{9}}
12 \newcommand{\ccShare}{\ccicons@char{10}}
13 \newcommand{\ccRemix}{\ccicons@char{11}}
```

Finally, for each CC license we define a command that prints the CC logo together with the icons applicable for that license.

```
14 \newcommand{\ccby}{%
15   {\mbox{\ccLogo\kern0.1em\ccAttribution}}}
16 \newcommand{\ccbysa}{%
17   {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccShareAlike}}}
18 \newcommand{\ccbynd}{%
19   {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccNoDerivatives}}}
20 \newcommand{\ccbync}{%
21   {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccNonCommercial}}}
22 \newcommand{\ccbynceu}{%
23   {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccNonCommercialEU}}}
24 \newcommand{\ccbyncjp}{%
25   {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccNonCommercialJP}}}
26 \newcommand{\ccbyncsa}{%
27   {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccNonCommercial\%
28   \kern0.1em\ccShareAlike}}}
29 \newcommand{\ccbyncsaeu}{%
30   {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccNonCommercialEU\%
31   \kern0.1em\ccShareAlike}}}
32 \newcommand{\ccbyncsajp}{%
33   {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccNonCommercialJP\%
34   \kern0.1em\ccShareAlike}}}
35 \newcommand{\ccbyncnd}{%
36   {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccNonCommercial\%
37   \kern0.1em\ccNoDerivatives}}}
38 \newcommand{\ccbyncndeu}{%
39   {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccNonCommercialEU\%
40   \kern0.1em\ccNoDerivatives}}}
41 \newcommand{\ccbyncndjp}{%
```

```
42 {\mbox{\ccLogo\kern0.1em\ccAttribution\kern0.1em\ccNonCommercialJP%
43 \kern0.1em\ccNoDerivatives}}
44 \newcommand{\cczero}{%
45 {\mbox{\ccLogo\kern0.1em\ccZero}}}
46 \newcommand{\ccpd}{%
47 {\mbox{\ccLogo\kern0.1em\ccPublicDomain}}}
```

5 The font definitions file

We just need to declare one family with one shape.

```
48 \DeclareFontFamily{U}{ccicons}{}%
49 \DeclareFontShape{U}{ccicons}{m}{n}{%
50   <-> ccicons
51 }{}
```