

The Contra Card Project

SAM WHITED
sam@samwhited.com
0xEC2C9934

September 16, 2013
v1.0.0

Duple becket

Monarch Grove

Martha Wild

A1. Slide left and circle left $\frac{3}{4}$; Neighbor swing

A2. Long lines forward and back; Men do-si-do

B1. Men allemande left $1\frac{1}{2}$; Partner star promenade and butterfly whirl

B2. Women do-si-do; Swing partner

Contents

List of Dances	1
1 Introduction	1
1.1 About the source	2
1.2 License	2
1.3 Special thanks	2
2 Building and using contracard	2
2.1 Options	3

I	The contracard package	4
3	Formatting	4
4	Counters	6
4.1	Musical counts	6
4.2	Move counts	10
5	The contra environment	11
6	Moves	12
6.1	The \move command	12
6.2	Move shortcuts	13
7	Dance information	24
8	Lists and Indices	24
8.1	Lists	24
8.2	Indices	25
9	Helper macros	26
II	The contracard class	29
9.1	Options	29
9.2	Environment setup	30
	Index	31
	Dances by Type	31
	Dances by Author	32
	Moves by Page	33
	Moves by Dance	34
	List of Dances	
1	Monarch Grove	1
2	Code's Compiling	5
3	Whirling Dervish	6
4	Turn Around Waltz	7
5	Untitled Blues № 1	9
6	Untitled Blues № 2	10
7	East Meets West	17

1 Introduction

The **Contra Card** project is designed to aid in the formatting and typesetting of caller cards for traditional square and line dances.

The project comprises a \LaTeX package (`contracard.sty`) and a \LaTeX class (`contracard.cls`). The package provides the core functionality of Contra Card while the class file acts as a convenience wrapper for making calling cards.

1.1 About the source

Contributions are welcome, and the latest development version of the project can always be found at <https://github.com/samwhited/contracard>.

1.2 License

This project may be distributed and/or modified under the conditions of the \LaTeX Project Public License, either version 1.3c of this license or (at your opinion) any later version. The latest version of this license is in:

<http://www.latex-project.org/lppl.txt>

and version 1.3c or later is part of all distributions of \LaTeX version 2008/05/04 or later.

1.3 Special thanks

Several people deserve a special thanks for their contributions to this package. Most notably the various callers and dancers who responded to my queries on the Shared Weight, Traditional Dance Callers, and Chatahoochee Country Dancers, mailing lists. These comprise Andrea Nettleton, Bill Baritompa, Seth Tepfer, Richard Hopkins, Chris Page, James Saxe, Mark Goodwin, Rob Harper, Eric Black, Kalia Kliban, John Sweeney, Martha Wild[†], and Linda Leslie (in no particular order). Also to Sarah Snyder, and all of my other favorite dance partners from the Atlanta dance community.

2 Building and using contracard

Dependencies Before building the `contracard` package you should verify that the following dependencies are installed:

```
1 <*contracard-pkg>
2 \RequirePackage{calc,intcalc}
3 \RequirePackage{ifthen}
4 \RequirePackage{tocloft}
5 \RequirePackage{textcomp}
```

[†]Dances by Martha Wild used in this publication are reproduced from *Calls of the Wild* by special arrangement with the author.

```
6 </contracard-pkg>
```

If you're using the class, you'll want the following additional dependencies:

```
7 <*contracard-cl>
8 \AtEndOfClass{\RequirePackage{geometry}}
9 \AtEndOfClass{\RequirePackage[compact]{titlesec}}
10 \AtEndOfClass{\RequirePackage{contracard}}
11 </contracard-cl>

12 <*contracard-pkg>
```

Building `contracard` Once you have all the required packages, building `contracard` from source can be accomplished in multiple ways. If the Makefile is present running `make help` will tell you everything you need to know. To manually extract the files and generate the documentation simply run `pdflatex` or `xelatex` against `contracard.dtx`:

```
$ xelatex --shell-escape contracard.dtx
```

The `--shell-escape` option is only required if you want the output to contain version information. This will also require that you have `git` installed (and the `git` repo itself) as the version is determined by running:

```
$ git describe --tags --dirty
```

Using `contracard` Building results in two main files, a class and a package. In general, if you want to make a calling card, use the `contracard` class and if you want to print a contra dance in a book or article, use a different class and require the `contracard` package.

2.1 Options

`showcountbefore` The package (or class) can also be loaded with the following options. For more
`showcountafter` information about each option, see the command which it calls.
`enableidx`

```
13 \DeclareOption{showcountafter}{\showcountafter}
14 \DeclareOption{showcountbefore}{\showcountbefore}
15 \DeclareOption{enableidx}{\AtEndOfPackage{\enableidx}}
```

File I

The contracard package

3 Formatting

These options determine how the dance will look.

`\defaultcontraenv` By default, all contra moves and the title block are wrapped in the `flushleft`
`\dancetitleenv` environment. To change this you can renew the following macros:

```
1 \newcommand*\defaultcontraenv{\flushleft}
2 \newcommand*\dancetitleenv{\flushleft}
```

`\dancetitleformat` To change the formatting of a dance's title, author, or form, redefine the following
`\danceauthorformat` macros:
`\danceformformat`

```
3 \newcommand*\dancetitleformat{\section*}
4 \newcommand*\danceauthorformat{\subsection*}
5 \newcommand*\danceformformat{\hspace{\fill}}
```

`\movedelimiter` These commands define delimiters that are used between moves, or at the midway
`\partdelimiter` point in a part.
`\midpartdelimiter`

```
6 \newcommand*\movedelimiter{\,,}
7 \newcommand*\partdelimiter{\.}
8 \newcommand*\midpartdelimiter{\;;}
```

`\phraseseparator` The `\phraseseparator` macro is inserted between every musical phrase and —
`\phrasevspace` by default — inserts `\phrasevspace` amount of white space.

```
9 \newlength{\phrasevspace}
10 \setlength{\phrasevspace}{1em}
11 \newcommand*\phraseseparator{\vspace{\phrasevspace}}
```

A dance with a centered title block, a custom mid-part delimiter (an em-dash in this case), and a nice horticultural dingbat as the phrase separator can be accomplished with:

```
\renewcommand*\dancetitleenv{\center}
\renewcommand*\midpartdelimiter{\ ---}
\renewcommand*\phraseseparator{\ding{167}}
```

and looks something like this:

Code's Compiling

Sam Whited

A1. Neighbor do-si-do — Partner see saw

A2. Shadow swing



B1. Balance and Petronella — Balance and Petronella

B2. Partner swing — Left diagonal: right and left through

Notes The Neighbor dosido into a partner see saw should be one fluid motion. Resist spinning in the dosido, and start revolving slowly over your right shoulder as you enter the see saw and everything will flow. Make sure lines have *lots* of space for the dosido.



`\showcountbefore` These macros allow the user to show or hide the moves duration before or after each move.
`\showcountafter`

`\hidecountbefore`
`\hidecountafter`

```
12 \newcommand*\showcountbefore{}\def\@showcountbefore{}}
13 \newcommand*\showcountafter{}\def\@showcountafter{}}
14 \newcommand*\hidecountbefore{}\let\@showcountbefore\undefined}
15 \newcommand*\hidecountafter{}\let\@showcountafter\undefined}
```

`\countleftbracket` These commands can be used to set the left and right brackets which are inserted
`\countrightbracket` on around the count as discussed above. By default, they are set to plain left and right parenthesis. Note that these commands take a single argument (the new bracket) instead of simply being something that you redefine like many of the other formatting commands. They are not used for inserting the brackets themselves; just for changing them.

```
16 \def\cc@countleftbracket{()}
17 \def\cc@countrightbracket{)}
18 \newcommand*\countleftbracket}[1]{\def\cc@countleftbracket{#1}}
19 \newcommand*\countrightbracket}[1]{\def\cc@countrightbracket{#1}}
```

For instance, a dance with the count shown afterwards (and the default brackets) looks like this:

Whirling Dervish

Sam Whited

A1. Gypsy neighbor 1¾ (8); Men half hey ricochet while ladies cross (8)

A2. Swing your partners all (16)

B1. Spin like a Whirling Dervish (8); Balance and Petronella (8)

B2. Balance and gents roll neighbor away with a half sashay (8); Balance neighbor and gypsy left 1 time to new neighbors (8)

Notes A “Whirling Dervish” is just a circle left in single file except that you should spin over your left shoulder the entire time you’re doing it.



`\setdefaultnotesenv` You might have noticed the nicely formatted notes in the previous example. By default, all notes are set using the `flushleft` environment, and with `\fill` amount of `\prenotevspace` before them. This can easily be changed with this macro and length.

```
20 \def\cc@defaultnotesenv{flushleft}
21 \newcommand*{\setdefaultnotesenv}[1]{\def\cc@defaultnotesenv{#1}}
22 \newlength{\prenotevspace}
23 \setlength{\prenotevspace}{\fill}
```

4 Counters

Lots of counters are used throughout Contra Card for various tasks. The following counters do everything from keeping track of the timing, to counting the number of moves in a dance.

4.1 Musical counts

`dancecount` These counters help us keep track of the counts (or ‘steps’) in the dance. The `dancecount` is reset at the start of each new dance, the `partcount` is reset at the beginning of each part (eg. A1 or B1), and the `phrasecount` is reset every time the part changes (eg. from A to B). The `dancepart` and `dancephrase` counters contain the number of the part of phrase in the dance (instead of the number of steps).

```
24 \newcounter{dancecount}
25 \newcounter{partcount}
26 \newcounter{phrasecount}
27 \newcounter{dancepart}
28 \newcounter{dancephrase}
```

`dancepartlength` Most contra dances are composed of two 32 count phrases, each with two 16 count parts, however, it's sometimes useful to change these lengths (for swung dances and the like). It's important to fully understand how the move command works before modifying these values. Changing just one or the other can have unexpected consequences. You can set them back quickly afterwards with the reset commands.

```

\resetdancepartlength
\resetdancephraselength
29 \newcounter{dancepartlength}
30 \newcounter{dancephraselength}
31 \newcommand*{\resetdancepartlength}{\setcounter{dancepartlength}{16}}
32 \newcommand*{\resetdancephraselength}{\setcounter{dancephraselength}{32}}
33 \resetdancepartlength
34 \resetdancephraselength

```

For example, if we set the `dancepartlength` to 12 and the `\dancephraselength` to 24 (along with some minor tweaks for clarity) like so:

```

\setcounter{dancepartlength}{12}
\setcounter{dancephraselength}{24}
\showcountafter

```

We can create a nice mixer in waltz time:

Circle waltz

Turn Around Waltz

Sam Whited

A1. Roll lady on left away (6); Forward and back (6)

A2. Roll lady on left away (6); Forward and back (6)

B1. Hands out and in, turn out (6); Hands in and out, turn in (6)

B2. Hands out and in ladies cast right (6); Parallels or free waltz (6)

Notes Repeat **BABB** if dancing to the Nanci Griffith cover of “Turn Around”. Circles of 4 or 8 couples brings you back to your original partner for free waltz at end; for 3 or 7 put partner on your left to start. Get people into square formation, then ask them to merge squares to make things easier.

`\resetdancephrase` The phrase will continue to increment (A, B, C) unless the user resets it by calling `\resetdancephrase`. The user can also manually reset the part. If the value of the phrase or part would be the same after resetting, no action is taken. You can use the splat version of the commands to force a reset (eg. even if the `dancephrase`

counter is already at 1, the `dancephrase` and `phrasecount` counters will still be reset).

```

35 \newcommand*{\resetdancephrase}{%
36   \ifthenelse{\value{partcount}=16}{\newline}{}%
37   \@ifstar{\@resetdancephraseStar}{\@resetdancephraseNoStar}%
38 }
39 \newcommand*{\@resetdancephraseStar}{%
40   \setcounter{dancephrase}{1}%
41   \setcounter{phrasecount}{0}%
42   \setcounter{phrasemovenum}{0}%
43   \resetdancepart*%
44 }
45 \newcommand*{\@resetdancephraseNoStar}{%
46   \ifthenelse{\value{dancephrase}=1}{}%
47   \setcounter{dancephrase}{1}%
48   \setcounter{phrasecount}{0}%
49   \setcounter{phrasemovenum}{0}%
50   \resetdancepart%
51 }%
52 }
53 \newcommand*{\resetdancepart}{%
54   \@ifstar{\@resetdancepartStar}{\@resetdancepartNoStar}%
55 }
56 \newcommand*{\@resetdancepartStar}{%
57   \setcounter{dancepart}{1}%
58   \setcounter{partcount}{0}%
59   \setcounter{partmovenum}{0}%
60   \setcounter{halfpartmovenum}{0}%
61 }
62 \newcommand*{\@resetdancepartNoStar}{%
63   \ifthenelse{\value{dancepart}=1}{}%
64   \setcounter{dancepart}{1}%
65   \setcounter{partcount}{0}%
66   \setcounter{partmovenum}{0}%
67   \setcounter{halfpartmovenum}{0}%
68 }%
69 }

```

`\newdancephrase` The user can also manually start a new phrase or part:

`\newdancepart`

```

70 \newcommand*{\newdancephrase}{%
71   \ifthenelse{\NOT\value{phrasecount}=0}{\par\phraseseparator\par}{}%
72   \addtocounter{dancephrase}{1}%
73   \setcounter{phrasecount}{0}%
74   \setcounter{phrasemovenum}{0}%
75   \resetdancepart*%
76 }
77 \newcommand*{\newdancepart}{%
78   \par\nopagebreak%
79   \addtocounter{dancepart}{1}%
80   \setcounter{partcount}{0}%
81   \setcounter{partmovenum}{0}%
82   \setcounter{halfpartmovenum}{0}%
83 }

```

To see how this can be useful consider the following blues contras by caller (and all around cat's pajamas) Seth Tepfer. Each one comprises three 16 count phrases (A1, B1, and C1). The first employs the `\newdancephrase` command to reset the phrase every 16 counts, the second changes the `dancephraselength` and lets Contra Card handle figuring out how to break up the phrases. Both methods produce the same result.

```
\setlength{\phrasevspace}{0em}
\renewcommand*{\partdelimiter}{:}
\begin{contra}{Untitled Blues \textnumero\ 1}{Seth Tepfer}{Duple minor im.}
  \gypsy*[Neighbor]{8}
  \gypsy*[Ladies]{8}
  \newdancephrase
  \balanceand*[Partner]\swing{16}
  \newdancephrase
  \ladieschain
  \starleft{8}
  \vspace*{\fill}
  \begin{flushright}
    \href{http://creativecommons.org/licenses/by-nc/3.0/}{%
      \IfFileExists{by-nc.png}{%
        \includegraphics[width=1cm]{by-nc.png}%
      }{\cc\bync}}
  \end{flushright}
\end{contra}
```

Duple minor im.

Untitled Blues № 1

Seth Tepfer

A1: Neighbor gypsy; Ladies gypsy

B1: Partner balance and Swing

C1: Ladies chain; Left hand star



```

\setlength{\phrasevspace}{0em}
\renewcommand*{\partdelimiter}{:}
\setcounter{dancephraselength}{16}
\begin{contra}{Untitled Blues \textnumero\ 2}{Seth Tepfer}{Duple minor im.}
  \gypsy*[Neighbor]{8}
  \move[8]{Gents allemande\moveindex{Allemande} left 1\textonehalf}
  \balanceand*[Partner]\swing{16}
  \move[8]{\textonehalf\ promenade\moveindex{Half Promenade}\moveindex{Promenade} across}
  \ladieschain
  \vspace*{\fill}
  \begin{flushright}
    \href{http://creativecommons.org/licenses/by-nc/3.0/}{%
      \IfFileExists{by-nc.png}{%
        \includegraphics[width=1cm]{by-nc.png}%
      }{\cc\bync}}
  \end{flushright}
\end{contra}

```

Duple minor im.

Untitled Blues № 2

Seth Tepfer

A1: Neighbor gypsy; Gents allemande left 1½

B1: Partner balance and Swing

C1: ½ promenade across set; Ladies chain



4.2 Move counts

<p>phrasemovenumber</p> <p>partmovenumber</p> <p>halfpartmovenumber</p> <p>dancemovenumber</p>	<p>The following counters are used to keep track of the number of moves that have occurred thus far in the given dance, phrase, or part. They are incremented every time \move is called.</p> <pre> 84 \newcounter{phrasemovenumber} 85 \newcounter{partmovenumber} 86 \newcounter{halfpartmovenumber} </pre>
--	---

```

87 \newcounter{dancemovenum}
88 \setcounter{phrasemovenum}{0}
89 \setcounter{partmovenum}{0}
90 \setcounter{halfpartmovenum}{0}
91 \setcounter{dancemovenum}{0}

```

5 The contra environment

contra The contra environment is pretty simple. It resets the various counters, and displays some information about the dance—if it is used inside of the **contracard** class, it also clears the page and moves the dance form into the header.

```

92 \newenvironment{contra}[4][\defaultcontraenv]{%
93   \global\def\dancetitle{\ignorespaces#2\unskip}
94   \global\def\danceauthor{\ignorespaces#3\unskip}
95   \global\def\danceform{\ignorespaces#4\unskip}
96   \setlength{\parskip}{0.3em plus 0.2em minus 0.3em}
97   \refstepcounter{dance}
98   \addcontentsline{lod}{dance}{\protect\numberline{\thedance}\ignorespaces#2\unskip}
99   \setcounter{dancecount}{0}
100  \setcounter{dancemovenum}{0}
101  \resetdancepart*
102  \resetdancephrase*
103  \ifdefined\@ccisclass\clearpage\fi%
104  \ifthenelse{\isundefined{\imki@wrindexentry}}{%
105    \index{\ignorespaces#4\unskip}
106  }{%
107    \index[dbt]{\ignorespaces#4\unskip}
108    \index[dba]{\ignorespaces#3\unskip}
109  }%
110  \begin{\dancetitleenv}
111    \ifdefined\@ccisclass%
112      \pagestyle{myheadings}
113      \thispagestyle{myheadings}
114      \markboth{}{\danceformformat{\ignorespaces#4\unskip}}
115    \else%
116      {\danceformformat{\ignorespaces#4\unskip}}%
117    \fi%
118    {\dancetitleformat{\ignorespaces#2\unskip}}%
119    {\danceauthorformat{\ignorespaces#3\unskip}}%
120  \end{\dancetitleenv}
121  \newcommand*{\@contraenv}{#1}
122  \begin{\@contraenv}

```

The next three lines are worth noting. Any new lines, vertical tabs, or form feeds you introduce into your dance won't actually do anything. Contra Card attempts to handle line breaks for you, and provides you with hook to insert vertical space at the appropriate times.

```

123 \catcode10=9\relax % New line
124 \catcode11=9\relax % Vertical Tab
125 \catcode12=9\relax % Form Feed

```

```

126 }{%
127   \end{\@contraenv}
128 }

```

6 Moves

6.1 The `\move` command

`\move` The meat of the `contracard` package is contained in the `\move` command. This command takes in a move to display, and (optionally) the number of beats the move takes. If the count is not specified, 8 is used as the default.

```

129 \newcommand*{\move}{\@ifstar\@moveStar\@moveNoStar}
130 \newcommand*{\@moveStar}[2][8]{%
131   \def\cc@moveStar{\@moveNoStar[#1]{#2}\let\cc@moveStar\undefined}%
132 }
133 \newlength{\cc@partsepwidth}%
134 \newcommand*{\@moveNoStar}[2][8]{%
135   \setlength{\parindent}{0pt}%
136   \setlength{\cc@partsepwidth}{\widthof{\Alph{dancephrase}\arabic{dancepart}}}%
137   \partdelimiter\ }%
138   \setlength{\hangindent}{\cc@partsepwidth}%
139   \ifthenelse{\value{phrasecount}=\value{dancephraselength}}{%
140     \ifthenelse{\NOT\(#1=0\)}{%
141       \newdancephrase%
142     }{%
143   }{%
144     \ifthenelse{\(\value{partcount}=\value{dancepartlength}\)}%
145       \AND\NOT\(#1=0\)}{%
146       \newdancepart%
147     }{%
148   }%
149   \ifthenelse{\value{partmovenum}=0}{%
150     \Alph{dancephrase}\arabic{dancepart}\partdelimiter\ %
151   }{%
152     \addtocounter{dancecount}{#1}%
153     \addtocounter{phrasecount}{#1}%
154     \addtocounter{partcount}{#1}%
155     \addtocounter{phrasemovenum}{1}%
156     \addtocounter{partmovenum}{1}%
157     \addtocounter{halfpartmovenum}{1}%
158     \addtocounter{dancemovenum}{1}%
159     \ifthenelse{\isundefined{\@showcountbefore}\OR\(#1=0\)}{%
160       \relax%
161     }{\cc@countleftbracket\ignorespaces#1\unskip\cc@countrightbracket~}%
162     \ignorespaces#2\unskip%
163     \ifthenelse{\isundefined{\@showcountafter}\OR\(#1=0\)}{%
164       \relax%
165     }{\cc@countleftbracket\ignorespaces#1\unskip\cc@countrightbracket}%
166     \ifthenelse{\NOT\(#1=0\)}{%
167       \ifthenelse{\value{partcount}=\intcal{Div}{\value{dancepartlength}}{2}}{%
168         \setcounter{halfpartmovenum}{0}%

```

```

169 }{}%
170 \ifx\cc@moveStar\undefined%
171 \ifthenelse{\value{partcount}=\intcalDiv{\value{dancepartlength}}{2}}{%
172   \midpartdelimiter\nopagebreak\ \nopagebreak\ignorespaces%
173 }{%
174   \ifthenelse{\NOT\value{partcount}=\value{dancepartlength}}{%
175     \movedelimiter\nopagebreak\nolinebreak[2]\ %
176     \nopagebreak\nolinebreak[2]\ignorespaces%
177   }{}%
178 }%
179 \fi%
180 }{}%
181 }

```

6.2 Move shortcuts

Often you may find yourself copy and pasting common moves that have the same timing, wording, etc. For times like this `contracard` provides a number of shortcut macros.

`\allemande` The `\allemande` macro takes two mandatory arguments: the count, and the direction to allemande. It also takes the person to allemande (eg. shadow, partner, neighbor, etc.) as an optional first argument.

```

182 \newcommand*{\allemande}{%
183   \moveindex{Allemande}%
184   \@ifstar\@allemandeStar\@allemandeNoStar%
185 }
186 \newcommand*{\@allemandeNoStar}[3][\unskip]{%
187   \move[#2]{Allemande \ignorespaces#3\unskip\ \ignorespaces#1\unskip}%
188 }
189 \newcommand*{\@allemandeStar}[3][%
190   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
191   \move[#2]{\ignorespaces#1\unskip\ allemande \ignorespaces#3\unskip}%
192 }

```

`\balance` The `\balance` macro takes a single optional argument and prints it after (or before if you use `\balance*`) the word ‘balance’. Balances always take up 4 beats unless you use the `\balanceand` version of the command which takes up 0 logical counts. This way you can follow it up with another command (eg. `\balanceand*[Partner]\swing`).

```

193 \newcommand*{\balance}{%
194   \moveindex{Balance}%
195   \@ifstar\@balanceStar\@balanceNoStar%
196 }
197 \newcommand*{\@balanceNoStar}[1][\unskip]{%
198   \move[4]{Balance \ignorespaces#1\unskip}%
199 }
200 \newcommand*{\@balanceStar}[1][%
201   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
202   \move[4]{\ignorespaces#1\unskip\ balance}%
203 }

```

```

204 \newcommand*{\balanceand}{%
205   \cc@checkphrasestart%
206   \moveindex{Balance}%
207   \@ifstar\@balanceandStar\@balanceandNoStar%
208 }
209 \newcommand*{\@balanceandNoStar}[1][]{%
210   \move*[0]{Balance and \ignorespaces#1\unskip\ \ \ignorespaces}%
211 }
212 \newcommand*{\@balanceandStar}[1]{%
213   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo}{%
214   \move*[0]{\ignorespaces#1\unskip\ balance and\ \ \ignorespaces}%
215 }

```

`\butterflywhirl` Both versions of `\butterflywhirl` also take in an optional string representing the other dance (eg. partner, neighbor, etc.) and the count as arguments.

```

216 \newcommand*{\butterflywhirl}{%
217   \moveindex{Butterfly Whirl}%
218   \@ifstar\@butterflyStar\@butterflyNoStar%
219 }
220 \newcommand*{\@butterflyNoStar}[2][\unskip]{%
221   \move[#2]{Butterfly whirl \ignorespaces#1\unskip}%
222 }
223 \newcommand*{\@butterflyStar}[2]{%
224   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo}{%
225   \move[#2]{\ignorespaces#1\unskip\ butterfly whirl}%
226 }

```

`\circleleft` Here are a few commands to deal with circles. As usual, there is an optional argument (in case you need to say something like “Gents circle left” or “Circle left 1 time ‘round’”) and a mandatory argument (the number of beats to circle).

```

227 \newcommand*{\circleleft}{%
228   \moveindex{Circle Left}%
229   \def\cc@dir{left}%
230   \@ifstar\@circleStar\@circleNoStar%
231 }
232 \newcommand*{\circleright}{%
233   \moveindex{Circle Right}%
234   \def\cc@dir{right}%
235   \@ifstar\@circleStar\@circleNoStar%
236 }
237 \newcommand*{\@circleNoStar}[2][\unskip]{%
238   \move[#2]{Circle \cc@dir\ \ignorespaces#1\unskip}%
239 }
240 \newcommand*{\@circleStar}[2]{%
241   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo}{%
242   \move[#2]{\ignorespaces#1\unskip\ circle \cc@dir}%
243 }

```

`\courtesyturn` Like most of the move shortcut macros, these take an optional person to turn, and the number of beats. The star version of the command tweaks the wording a bit.

```

244 \newcommand*{\courtesyturn}{%

```

```

245 \moveindex{Courtesy Turn}%
246 \@ifstar\@courtesyturnStar\@courtesyturnNoStar%
247 }
248 \newcommand*\@courtesyturnNoStar}[2][\unskip]{%
249 \move[#2]{Courtesy turn \ignorespaces#1\unskip}%
250 }
251 \newcommand*\@courtesyturnStar}[2][%
252 \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
253 \move[#2]{\ignorespaces#1\unskip\ courtesy turn}%
254 }

\dosido These commands create a dosido (aka do-si-do, do-se-do, dosado, dos-à-dos, etc.)
\dosido* or a see saw (left shoulder dosido).
\seesaw
\seesaw* 255 \newcommand*\@dosido{%
256 \moveindex{\spellDosido}%
257 \@ifstar\@dosidoStar\@dosidoNoStar%
258 }
259 \newcommand*\@dosidoNoStar}[2][\unskip]{%
260 \move[#2]{\spellDosido\ \ignorespaces#1\unskip}%
261 }
262 \newcommand*\@dosidoStar}[2][%
263 \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
264 \move[#2]{\ignorespaces#1\unskip\ \spelledosido}%
265 }
266 \newcommand*\@seesaw{%
267 \moveindex{See Saw}%
268 \@ifstar\@seesawStar\@seesawNoStar%
269 }
270 \newcommand*\@seesawNoStar}[2][\unskip]{%
271 \move[#2]{See saw \ignorespaces#1\unskip}%
272 }
273 \newcommand*\@seesawStar}[2][%
274 \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
275 \move[#2]{\ignorespaces#1\unskip\ see saw}%
276 }

\gypsy Several different macros exist for creating Gypsy's; while you can create right and
\gypsy* left gypsy's with the normal \gypsy macro, the \gypsyleft and \gypsyright
\gypsyleft macros also index the move under the given direction.
\gypsyright
\gypsyright* 277 \newcommand*\@gypsy{%
278 \moveindex{Gypsy}%
279 \@ifstar\@gypsyStar\@gypsyNoStar%
280 }
281 \newcommand*\@gypsyright{%
282 \moveindex{Gypsy}%
283 \moveindex{Gypsy Right}%
284 \def\cc@thedir{right}%
285 \@ifstar\@gypsyDirStar\@gypsyDirNoStar%
286 }
287 \newcommand*\@gypsyleft{%
288 \moveindex{Gypsy}%
289 \moveindex{Gypsy Left}%

```



```

290 \def\cc@thedir{left}%
291 \@ifstar\@gypsyDirStar\@gypsyDirNoStar%
292 }
293 \newcommand*{\@gypsyNoStar}[2][\unskip]{%
294 \move[#2]{Gypsy \ignorespaces#1\unskip}
295 }
296 \newcommand*{\@gypsyStar}[2][%
297 \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
298 \move[#2]{\ignorespaces#1\unskip\ gypsy}
299 }
300 \newcommand*{\@gypsyDirNoStar}[2][\unskip]{%
301 \move[#2]{Gypsy \cc@thedir\ \ignorespaces#1\unskip}
302 }
303 \newcommand*{\@gypsyDirStar}[2][%
304 \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
305 \move[#2]{\ignorespaces#1\unskip\ \cc@thedir\ gypsy}
306 }

```

\heyforfour These macros produce various kinds of hey. Though ‘hey for four’ is often used
 \heyforfour* to indicate ‘half a hey’ we define ‘hey for four’ and ‘full hey’ to be the same thing
 \halfhey for the purpose of these shortcut macros.
 \halfhey*
 \halfheyricochet 307 \newcommand*{\heyforfour}{%
 \halfheyricochet* 308 \moveindex{Hey}%
 \halfheyricochet* 309 \moveindex{Hey for Four}%
 \fullhey 310 \moveindex{Full Hey}%
 \fullhey* 311 \@ifstar\@heyforfourStar\@heyforfourNoStar%
 312 }
 313 \newcommand*{\@heyforfourNoStar}[1][\unskip]{%
 314 \move[16]{Hey for four \ignorespaces#1\unskip}
 315 }
 316 \newcommand*{\@heyforfourStar}[1][%
 317 \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
 318 \move[16]{\ignorespaces#1\unskip\ hey for four}
 319 }
 320 \newcommand*{\halfhey}{%
 321 \moveindex{Hey}%
 322 \moveindex{Hey for Four}%
 323 \moveindex{Half Hey}%
 324 \@ifstar\@halfheyStar\@halfheyNoStar%
 325 }
 326 \newcommand*{\@halfheyNoStar}[1][\unskip]{%
 327 \move[8]{Half a hey \ignorespaces#1\unskip}
 328 }
 329 \newcommand*{\@halfheyStar}[1][%
 330 \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
 331 \move[8]{\ignorespaces#1\unskip\ half a hey}
 332 }
 333 \newcommand*{\halfheyricochet}{%
 334 \moveindex{Hey}%
 335 \moveindex{Hey for Four}%
 336 \moveindex{Half Hey}%
 337 \moveindex{Half Hey Ricochet}%
 338 \@ifstar\@halfheyricochetStar\@halfheyricochetNoStar%

```

339 }
340 \newcommand*{\@halfheyricochetNoStar}[1][\unskip]{%
341   \move[8]{Half hey ricochet \ignorespaces#1\unskip}
342 }
343 \newcommand*{\@halfheyricochetStar}[1][%
344   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
345   \move[8]{\ignorespaces#1\unskip\ half hey ricochet}
346 }
347 \newcommand*{\fullhey}{%
348   \moveindex{Hey}%
349   \moveindex{Hey for Four}%
350   \moveindex{Full Hey}%
351   \@ifstar\@fullheyStar\@fullheyNoStar%
352 }
353 \newcommand*{\@fullheyNoStar}[1][\unskip]{%
354   \move[16]{Full hey \ignorespaces#1\unskip}
355 }
356 \newcommand*{\@fullheyStar}[1][%
357   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
358   \move[16]{\ignorespaces#1\unskip\ full hey}
359 }

```

Duple improper

East Meets West

Martha Wild

A1. Long lines forward and back; Gypsy star $\frac{3}{4}$

A2. Gypsy and swing partner

B1. Half promenade; Hey

B2. (continue hey); Ladies chain

<pre> \ladieschain \ladieschain* \menchain \menchain* \halfladieschain \halfladieschain* \halfmenchain \halfmenchain* \fullladieschain \fullladieschain* \fullmenchain \fullmenchain* </pre>	<p>The ladies chain (and it's less common variant for men) is actually a half of a ladies chain. The full ladies chain is often simply called as two ladies chains, however, the alternate full ladies chain commands are provided anyways. A set of commands for half ladies chains are also provided; these are exactly like the normal ladies chain commands except they include the word 'half' in the output.</p> <pre> 360 \newcommand*{\ladieschain}{% </pre>
--	--

```

361 \moveindex{Ladies Chain}%
362 \def\cc@who{ladies}%
363 \@ifstar\@chainStar\@chainNoStar%
364 }
365 \newcommand*\menchain{%
366 \moveindex{Men Chain}%
367 \def\cc@who{men}%
368 \@ifstar\@chainStar\@chainNoStar%
369 }
370 \newcommand*\@chainNoStar}[1][\unskip]{%
371 \move[8]{\expandafter\MakeUppercase\cc@who\ chain \ignorespaces#1\unskip}%
372 }
373 \newcommand*\@chainStar}[1][%
374 \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
375 \move[8]{\ignorespaces#1\unskip\ \cc@who\ chain}%
376 }
377 \newcommand*\halfladieschain{%
378 \moveindex{Half Ladies Chain}%
379 \def\cc@who{ladies}%
380 \@ifstar\@halfchainStar\@halfchainNoStar%
381 }
382 \newcommand*\halfmenchain{%
383 \moveindex{Half Men Chain}%
384 \def\cc@who{men}%
385 \@ifstar\@halfchainStar\@halfchainNoStar%
386 }
387 \newcommand*\@halfchainNoStar}[1][\unskip]{%
388 \move[8]{\expandafter\MakeUppercase\cc@who\ half chain \ignorespaces#1\unskip}%
389 }
390 \newcommand*\@halfchainStar}[1][%
391 \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
392 \move[8]{\ignorespaces#1\unskip\ \cc@who\ half chain}%
393 }
394 \newcommand*\fullladieschain{%
395 \moveindex{Full Ladies Chain}%
396 \def\cc@who{ladies}%
397 \@ifstar\@fullchainStar\@fullchainNoStar%
398 }
399 \newcommand*\fullmenchain{%
400 \moveindex{Full Men Chain}%
401 \def\cc@who{men}%
402 \@ifstar\@fullchainStar\@fullchainNoStar%
403 }
404 \newcommand*\@fullchainNoStar}[1][\unskip]{%
405 \move[16]{\expandafter\MakeUppercase\cc@who\ full chain \ignorespaces#1\unskip}%
406 }
407 \newcommand*\@fullchainStar}[1][%
408 \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
409 \move[16]{\ignorespaces#1\unskip\ \cc@who\ full chain}%
410 }

```

\lines The \lines macro (lines forward and back) takes a single optional argument: The
\lines* type of lines (eg. ‘short’, ‘long’, etc.). Using the starred version of the command
\longlines tells the lines to go forward (4 counts) but not back. Since “long lines forward
\longlines*

and back” is such a common figure, an alias is provided just for that.

```

411 \newcommand*{\lines}{%
412   \moveindex{Lines Forward and Back}%
413   \@ifstar\@linesStar\@linesNoStar%
414 }
415 \newcommand*{\@linesNoStar}[1][%
416   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
417   \move[8]{\ignorespaces#1\unskip\ lines forward and back}%
418 }
419 \newcommand*{\@linesStar}[1][lines]{%
420   \move[4]{\ignorespaces#1\unskip\ lines forward}%
421 }
422 \newcommand*{\longlines}{%
423   \moveindex{Long Lines Forward and Back\ \seealso{Lines Forward and Back}{X}}%
424   \@ifstar\@longlinesStar\@longlinesNoStar%
425 }
426 \newcommand*{\@longlinesNoStar}{%
427   \lines[Long]%
428 }
429 \newcommand*{\@longlinesStar}{%
430   \lines*[Long]%
431 }

```

`\petronella` Petronella’s are normally performed in rings of four, and aren’t with another individual, however, the `\petronella` macro still takes a single optional argument
`\petronella*`
`\longpetronella` for those rare occasions when two individuals are turning in a diamond pattern.
`\longpetronella*` Petronella’s themselves take 4 beats, but they are normally prefixed by a balance. Since the `\balanceand` macro takes up zero logical beats, we also provide `\longpetronella` which takes up the full 8 counts. This way you can write `\balanceand\longpetronella` and the timing will be correct.

```

432 \newcommand*{\petronella}{%
433   \moveindex{Petronella}%
434   \@ifstar\@petronellaStar\@petronellaNoStar%
435 }
436 \newcommand*{\@petronellaNoStar}[1][\unskip]{%
437   \move[4]{Petronella \ignorespaces#1\unskip}%
438 }
439 \newcommand*{\@petronellaStar}[1][%
440   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
441   \move[4]{\ignorespaces#1\unskip\ petronella}%
442 }
443 \newcommand*{\longpetronella}{%
444   \moveindex{Petronella}%
445   \@ifstar\@longpetronellaStar\@longpetronellaNoStar%
446 }
447 \newcommand*{\@longpetronellaNoStar}[1][\unskip]{%
448   \move[8]{Petronella \ignorespaces#1\unskip}%
449 }
450 \newcommand*{\@longpetronellaStar}[1][%
451   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
452   \move[8]{\ignorespaces#1\unskip\ petronella}%
453 }

```

`\promenade` The `\promenade` and `\halfpromenade` commands work slightly differently. Both
`\promenade*` take the person (or direction) you’re promenading as the optional argument, but
`\halfpromenade` the `\promenade` command also takes a mandatory argument (the number of beats)
`\halfpromenade*` while `\halfpromenade` command is fixed at 8 beats.

```

454 \newcommand*{\promenade}{%
455   \moveindex{Promenade}
456   \@ifstar\@promenadeStar\@promenadeNoStar%
457 }
458 \newcommand*{\@promenadeNoStar}[2][\unskip]{%
459   \move[#2]{Promenade \ignorespaces#1\unskip}%
460 }
461 \newcommand*{\@promenadeStar}[2][%
462   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
463   \move[#2]{\ignorespaces#1\unskip\ promenade}%
464 }
465 \newcommand*{\halfpromenade}{%
466   \moveindex{Promenade}%
467   \moveindex{Half Promenade}%
468   \@ifstar\@halfpromenadeStar\@halfpromenadeNoStar%
469 }
470 \newcommand*{\@halfpromenadeNoStar}[1][\unskip]{%
471   \move[8]{Half promenade \ignorespaces#1\unskip}%
472 }
473 \newcommand*{\@halfpromenadeStar}[1][%
474   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
475   \move[8]{\ignorespaces#1\unskip\ half promenade}%
476 }

```

`\rightandleftthrough` Creates a right and left through (aka. rights and lefts). These always take up 8
`\rightandleftthrough*` counts.

```

\rightsandlefts
\rightsandlefts*
477 \newcommand*{\rightandleftthrough}{%
478   \moveindex{Right and left through}%
479   \moveindex{Rights and lefts|seealso{Right and left through}}%
480   \@ifstar\@rlStar\@rlNoStar%
481 }
482 \newcommand*{\rightsandlefts}{%
483   \moveindex{Right and left through}%
484   \moveindex{Rights and lefts|seealso{Right and left through}}%
485   \@ifstar\@rlStar\@rlNoStar%
486 }
487 \newcommand*{\@rlNoStar}[1][\unskip]{%
488   \move[8]{Right and left through \ignorespaces#1\unskip}%
489 }
490 \newcommand*{\@rlStar}[1][%
491   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
492   \move[8]{\ignorespaces#1\unskip\ right and left through}%
493 }

```

`\rollaway` “Roll away” and “roll away with a half sashay” may sound similar, but the macros
`\rollaway*` that produce them are a bit different. The `\rollaway` macro works exactly like
`\rollawayhalfsashay` most macros here: It takes a single optional argument, and the star version rewords
`\rollawayhalfsashay*` things a bit (it takes no count argument since that’s always 4 beats for this figure).

`\rawhs`
`\rawhs*`

The `\rollawaywithahalfsashay` macro (and its shorter alias: `\rawhs`) on the other hand, takes a single optional argument unless you use the splat version in which case it takes a single optional argument *and* a required argument. This allows you to reword things (just like the other commands) by leaving off the optional argument, but also allows you to make more complicated roll aways such as `\rawhs*[the gents]{Ladies}` which would be typeset as: “Ladies roll the gents away with a half sashay”.

```

494 \newcommand*{\rollaway}{%
495   \moveindex{Roll away}%
496   \@ifstar\@rollawayStar\@rollawayNoStar%
497 }
498 \newcommand*{\rawhs}{\rollawayhalfsashay}
499 \newcommand*{\rollawayhalfsashay}{%
500   \moveindex{Roll Away}%
501   \moveindex{Roll Away with a Half Sashay}%
502   \moveindex{Half Sashay}%
503   \@ifstar\@rawhsStar\@rawhsNoStar%
504 }
505 \newcommand*{\@rollawayNoStar}[1][\unskip]{%
506   \move[4]{Roll away \ignorespaces#1\unskip}%
507 }
508 \newcommand*{\@rollawayStar}[1][%
509   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
510   \move[4]{\ignorespaces#1\unskip\ roll away}%
511 }
512 \newcommand*{\@rawhsNoStar}[1][\unskip]{%
513   \move[4]{Roll \ignorespaces#1\unskip\ away with a half sashay}%
514 }
515 \newcommand*{\@rawhsStar}[2][\unskip]{%
516   \move[4]{\ignorespaces#2\unskip\ roll \ignorespaces#1\unskip\ away with a half sashay}%
517 }

```

`\starleft` Though ‘star left’ and ‘star right’ are really the same move (in different directions),
`\starleft*` there are two separate macros since there aren’t any other directions you can star.

```

\starleft
\starleft*
\starright
\starright*
518 \newcommand*{\starleft}{%
519   \moveindex{Star}%
520   \moveindex{Left hand star}%
521   \def\cc@dir{Left}%
522   \@ifstar\@starStar\@starNoStar%
523 }
524 \newcommand*{\starright}{%
525   \moveindex{Star}%
526   \moveindex{Right hand star}%
527   \def\cc@dir{right}%
528   \@ifstar\@starStar\@starNoStar%
529 }
530 \newcommand*{\@starNoStar}[1]{%
531   \move[#1]{\cc@dir\ hand star}%
532 }
533 \newcommand*{\@starStar}[1]{%
534   \move[#1]{Star \cc@dir}%
535 }

```

`\sashay` The sashay command, like `\rawhs` takes a different number of arguments if you use the starred version. The normal version takes an optional argument and the required count, while the starred version takes the same optional argument, the required count, and another required argument. For instance, `\sashay*[down and back]{8}{Ladies}` would create the move: “Ladies sashay down and back”.

```

536 \newcommand*{\sashay}{%
537   \moveindex{Sashay}%
538   \@ifstar\@sashayStar\@sashayNoStar%
539 }
540 \newcommand*{\@sashayNoStar}[2][\unskip]{%
541   \move[#2]{Sashay \ignorespaces#1\unskip}%
542 }
543 \newcommand*{\@sashayStar}[3][\unskip]{%
544   \move[#2]{\ignorespaces#3\unskip\ sashay \ignorespaces#1\unskip}%
545 }

```

`\swing` Creates a basic swing. Probably the most common move in modern contra dance, and also one of the simplest commands in this package.

```

546 \newcommand*{\swing}{%
547   \moveindex{Swing}%
548   \@ifstar\@swingStar\@swingNoStar%
549 }
550 \newcommand*{\@swingNoStar}[2][\unskip]{%
551   \move[#2]{Swing \ignorespaces#1\unskip}%
552 }
553 \newcommand*{\@swingStar}[2][%
554   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
555   \move[#2]{\ignorespaces#1\unskip\ swing}%
556 }

```

`\turnalone` “Turn alone” and “Turn as a couple” aren’t exactly dance figures; just directions that are often placed at the end of other figures. For this reason, they all take up 0 logical counts of music and should be prepended to other commands. The normal commands take an optional argument which can be used to add some text after ‘alone’ or ‘couple’. The starred version of each command is exactly the same, except that it also has a required argument, a number of counts (for those times when you want it to actually take up time in the music and not just be part of another move).

```

557 \newcommand*{\turnalone}{%
558   \moveindex{Turn Alone}%
559   \def\cc@who{alone}%
560   \@ifstar\@turnStar\@turnNoStar%
561 }
562 \newcommand*{\turncouple}{%
563   \moveindex{Turn as a Couple}%
564   \moveindex{Turn Together|see{Turn as a Couple}}%
565   \def\cc@who{as a couple}%
566   \@ifstar\@turnStar\@turnNoStar%
567 }
568 \newcommand*{\turntogether}{%
569   \moveindex{Turn as a Couple}%

```

```

570 \moveindex{Turn Together|see{Turn as a Couple}}%
571 \def\cc@who{together}%
572 \ifstar\@turnStar\@turnNoStar%
573 }
574 \newcommand*{\@turnNoStar}[1][\unskip]{%
575 \cc@checkphrasestart%
576 \move*[0]{Turn \cc@who\ \ignorespaces#1\unskip\ \ \ignorespaces}%
577 }
578 \newcommand*{\@turnStar}[2][\unskip]{%
579 \move[#2]{Turn \cc@who\ \ignorespaces#1\unskip}%
580 }

```

\twirltoswap “Twirl to Swap” is probably in the running for having the most variations of any
\californiatwirl Contra dance move. A few of the more common ones are presented here. They
\starthrough don’t take any arguments, and there aren’t any starred versions. Just simple, 4
\starthru count moves.

```

\boxthegnat
\swattheflea
\jerseytwirl
\arizonatwirl
581 \newcommand*{\twirltoswap}{%
582 \moveindex{Twirl to Swap}%
583 \move[4]{Twirl to swap}%
584 }
585 \newcommand*{\californiatwirl}{%
586 \moveindex{California Twirl}%
587 \move[4]{California twirl}%
588 }
589 \newcommand*{\starthrough}{%
590 \moveindex{Star Through}%
591 \move[4]{Star through}%
592 }
593 \newcommand*{\starthru}{%
594 \moveindex{Star Thru|see{Star Through}}%
595 \moveindex{Star Through}%
596 \move[4]{Star thru}%
597 }
598 \newcommand*{\boxthegnat}{%
599 \moveindex{Box the Gnat}%
600 \move[4]{Box the gnat}%
601 }
602 \newcommand*{\swattheflea}{%
603 \moveindex{Swat the Flea}%
604 \move[4]{Swat the flea}%
605 }
606 \newcommand*{\jerseytwirl}{%
607 \moveindex{Jersey Twirl}%
608 \move[4]{Jersey twirl}%
609 }
610 \newcommand*{\arizonatwirl}{%
611 \moveindex{Arizona Twirl}%
612 \move[4]{Arizona twirl}%
613 }

```

\downthehall Up and down the hall are often counted as a single move (sometimes with a ‘turn
\downthehall* alone’ or similar in between). You may want to use the \move command to define
\upthehall
\upthehall*

your own versions of these commands, but just in case some shortcuts are provided anyways.

```

614 \newcommand*{\downthehall}{%
615   \moveindex{Down the Hall}%
616   \def\cc@dir{down}%
617   \@ifstar\@walkthehallStar\@walkthehallNoStar%
618 }
619 \newcommand*{\upthehall}{%
620   \moveindex{Up the Hall}%
621   \def\cc@dir{up}%
622   \@ifstar\@walkthehallStar\@walkthehallNoStar%
623 }
624 \newcommand*{\@walkthehallNoStar}[2][\unskip]{%
625   \move[#2]{\expandafter\MakeUppercase\cc@dir\ the hall\ \ignorespaces#1\unskip}%
626 }
627 \newcommand*{\@walkthehallStar}[2][%
628   \expandafter\expandafter\expandafter\MakeUppercase\@gobbletwo]{%
629   \move[#2]{\ignorespaces#1\unskip\ \cc@dir\ the hall}%
630 }
```

7 Dance information

`\dancetitle` These macros give information about the current (or previous, if you're not in a dance environment) dance. They can be used for things like adding the dance name and number to the header in a book, referencing the dance author in footnotes, etc.

```

631 \newcommand*{\dancetitle}{}
632 \newcommand*{\danceauthor}{}
633 \newcommand*{\danceform}{}

```

8 Lists and Indices

8.1 Lists

Just as many classes allow you to build a table of contents, or a list of figures, `contracard` allows you to create a list of dances.

`\listofdances` The list of dances is created by a call to `\listofdance` by default, however, we define an alias: `\listofdances` to prevent confusion.

```

634 \newlistof{dance}{lod}{\cfttoctitlefont\lodtitle}
635 \newcommand*{\listofdances}{\listofdance}

```

`\lodtitle` The title of the list of dances will be:

```

636 \newcommand*{\lodtitle}{List of Dances}

```

An example list of dances can be found at the beginning of this document.

8.2 Indices

Contra Card has the ability to produce several different indices that might be useful for your book or collection of dances. They are:

Shortcut	Name
dbt	Dances by Type
dba	Dances by Author
mvp	Moves by Page
mvd	Moves by Dance

An example of each type of index can be found at the end of this document.

`\enableidx` Indexing is not turned on by default in Contra Card. When you enable it, the `imakeidx` package is loaded, and the indices are created. This means that `\enableidx` should *only* be called in the preamble.

```

637 \newcommand*\enableidx{%
638   \PassOptionsToPackage{splitindex}{imakeidx}
639   \RequirePackage{imakeidx}
640   \cc@createindices
641 }%
642 \newcommand*\cc@createindices{%
643   \makeindex[name=\cc@dbt,title=\dbtname]
644   \makeindex[name=\cc@dba,title=\dbaname]
645   \makeindex[name=\cc@mvp,title=\mvpname]
646   \makeindex[name=\cc@mvd,title=\mvdname]
647 }%
```

Because we use the `splitindex` option, you'll need to run the `splitindex` command against the index file. For instance, if your project is called `root.tex` you'll want to run:

```
$ splitindex root
```

`\pauseindexing` On occasion you might have a dance that you don't want to include in the index
`\resumeindexing` for some reason. When this happens, you can temporarily disable indexing (and later enable it again).

```

648 \newcommand*\pauseindexing{\def\cc@indexingpaused{}}
649 \newcommand*\resumeindexing{\let\cc@indexingpaused\undefined}
```

`\cc@dbt` Though you probably don't need to change this, the shortcut for each index can
`\cc@dba` be changed by redefining the following commands (before you turn on indexing
`\cc@mvp` functionality):
`\cc@mvd`

```

650 \newcommand*\cc@dbt{dbt}
651 \newcommand*\cc@dba{dba}
652 \newcommand*\cc@mvp{mvp}
653 \newcommand*\cc@mvd{mvd}
```

`\dbtname` The names of each index can also be changed by redefining these commands. This
`\dbaname` should also be done *before* the indexing functionality is turned on. This means that
`\mvpname`
`\mvdname`

if you're loading Contra Card with the `enableidx` package option, you shouldn't mess with these commands.

```
654 \newcommand*{\dbtname}{Dances by Type}
655 \newcommand*{\dbaname}{Dances by Author}
656 \newcommand*{\mvpname}{Moves by Page}
657 \newcommand*{\mvdname}{Moves by Dance}
```

`\moveindex` For any of the move shortcut macros, index entries are automatically added for the
`\moveindex*` given move. However, for moves that you define yourself with the `\move` command, you'll need to add index entries manually. This can be done with `\moveindex`. This macro takes a single argument (the index entry to add) and should only be called from within the `contra` environment. The star version of the command also typesets the first argument (so you don't have to write it twice).

```
658 \newcommand*{\moveindex}{\@ifstar\moveindexStar\moveindexNoStar}
659 \newcommand*{\moveindexStar}[1]{%
660   #1%
661   \ifthenelse{\isundefined{\cc@indexingpaused}}{%
662     \ifthenelse{\isundefined{\imki@wrindexentry}}{%
663       \index{#1}%
664     }{%
665       \index[mvp]{#1}%
666       \imki@wrindexentry{mvd}{#1}{\arabic{dance}}%
667     }%
668   }{%
669   }
670 \newcommand*{\moveindexNoStar}[1]{%
671   \ifthenelse{\isundefined{\cc@indexingpaused}}{%
672     \ifthenelse{\isundefined{\imki@wrindexentry}}{%
673       \index{#1}%
674     }{%
675       \index[mvp]{#1}%
676       \imki@wrindexentry{mvd}{#1}{\arabic{dance}}%
677     }%
678   }{%
679   }
```

9 Helper macros

The following macros are used by the `contracard` package to perform various tasks. Those that may also be of use to the contra dance writer have been left unhidden.

`\timesaround` Sometimes it's useful to calculate the approximate number of times a given move can be done in a certain number of beats of music (eg. the number of times around one can allemande in 6 beats). For this, the `\timesaround` macro was created. It takes two arguments: the number of beats it takes to go one time around (eg. 4 for an allemande) and the total number of beats you have to work with. It spits out an integer, a fraction, or a mixed number and a word matching the regular expression: `/[1-9]*[%/%]?(\ times?)?/`.

For example: `\timesaround{4}{6}` produces: “1½ times”.

```

680 \newcommand*{\timesaround}[2]{%
681   \newcounter{timesaround}%
682   \setcounter{timesaround}{\intcalcdDiv{\intcalcNum{#2}}{\intcalcNum{#1}}}%
683   \newcounter{quartertimesaround}%
684   \setcounter{quartertimesaround}{%
685     \intcalcMod{\intcalcNum{#2}}{\intcalcNum{#1}}%
686   }%
687   \ifthenelse{\value{timesaround}>0}{\arabic{timesaround}}{%
688     \ifthenelse{\value{quartertimesaround}=1}{\textonequarter}{%
689       \ifthenelse{\value{quartertimesaround}=2}{\textonehalf}{%
690         \ifthenelse{\value{quartertimesaround}=3}{\textthreequarters}{}%
691       }%
692     }%
693   \ifthenelse{%
694     \value{timesaround}>1\OR%
695     \(\value{timesaround}=1\AND\NOT\value{quartertimesaround}=0\)%
696   }{\ times}{%
697     \ifthenelse{\value{timesaround}=1}{\ time}{}%
698   }%
699 }%

```

`\notes` This macro can be used to insert some nicely formatted notes at the end of your calling cards. Just use it in the `contra` environment right after your last move.

```

700 \newcommand*{\notes}[2][\cc@defaultnotesenv]{%
701   \par\nopagebreak\vspace*{\prenotevspace}
702   \begin{\cc@defaultnotesenv}
703     \setlength{\baselineskip}{1.1em plus 0.1em minus 0.2em}
704     \def\cc@notestitle{\textbf{\ignorespaces Notes\unskip}}%
705     \setlength{\parindent}{0pt}%
706     \setlength{\cc@partsepwidth}{\widthof{\footnotesize \cc@notestitle-}}%
707     \setlength{\hangindent}{\cc@partsepwidth}%
708     {\footnotesize \cc@notestitle~\ignorespaces#2\unskip}%
709   \end{\cc@defaultnotesenv}
710 }

```

`\spelledosido` These macros can be used for easily changing the spelling of ‘Do-si-do’ anywhere
`\spellDosido` a `\dosido` command is found (and in the index). By default, we spell it the
`\setdosidospelling` contra dance way (‘Do-si-do’), however, this can easily be changed. For example,
 running `\setdosidospelling{dos-\ a-dos}` will cause `\spellDosido` to render:
 ‘Dos-à-dos’ and `\spelledosido` to render: ‘dos-à-dos’.

```

711 \def\spelledosido{do-si-do}
712 \def\spellDosido{Do-si-do}
713 \newcommand*{\setdosidospelling}[1]{%
714   \protected@edef\spelledosido{\expandafter\MakeLowercase#1}
715   \protected@edef\spellDosido{\expandafter\MakeUppercase#1}
716 }

```

`\cc@checkphrasestart` This macro is used by various parts of contra card to reset the dance phrase and part at the appropriate time. You should probably just move on and leave it alone.

```

717 \newcommand*{\cc@checkphrasestart}{%
718   \ifthenelse{\value{phrasecount}=\value{dancephraselength}}{%
719     \newdancephrase%
720   }{%
721     \ifthenelse{\(\value{partcount}=\value{dancepartlength}\)}{%
722       \newdancepart%
723     }{}%
724   }%
725 }

726 \ProcessOptions\relax
727 </contracard-pkg>

```

File II

The contracard class

1 `*contracard-cls`

The Contra Card project also provides a class (`contracard.cls`) which acts as a convenience wrapper around the core functionality provided by the package. This is useful for generating calling cards, and saves you the trouble of looking up standard card sizes and figuring out margins and where to put headings and the like.

9.1 Options

`small` The class can be loaded with any of the following options. The various size options
`medium` are summarized in the table below. Any unrecognized options are passed to the
`large` contracard package.
`a7paper`
`draft`

Option	Size (mm)	Size (in)
<code>small</code>	127.0 × 76.2	5.0 × 3.0
<code>medium</code>	152.4 × 101.6	6.0 × 4.0
<code>large</code>	203.2 × 27.0	8.0 × 5.0
<code>a7paper</code>	105.0 × 74.0	4.1 × 2.9

```

2 \AtBeginDocument{\large}
3 \PassOptionsToPackage{%
4   margin=0.5in,top=0.75in,paperwidth=6in,paperheight=4in%
5 }{geometry}%
6 \DeclareOption{small}{%
7   \AtBeginDocument{%
8     \titleformat{\section}{\normalsize\bfseries}{\thesection}{1em}{}%
9     \titleformat{\subsection}{\normalsize}{\thesection}{1em}{}%
10  }
11  \PassOptionsToPackage{%
12    margin=0.25in,top=0.75in,paperwidth=5in,paperheight=3in%
13  }{geometry}%
14 }
15 \DeclareOption{medium}{%
16   \AtBeginDocument{\large}
17   \PassOptionsToPackage{%
18     margin=0.5in,top=0.75in,paperwidth=6in,paperheight=4in%
19   }{geometry}%
20 }
21 \DeclareOption{large}{%
22   \AtBeginDocument{\Large}
23   \PassOptionsToPackage{%
24     margin=0.75in,top=1in,paperwidth=8in,paperheight=5in%
25   }{geometry}%
26 }
27 \DeclareOption{a7paper}{%
28   \AtBeginDocument{%
29     \titleformat{\section}{\normalsize\bfseries}{\thesection}{1em}{}%
30     \titleformat{\subsection}{\normalsize}{\thesection}{1em}{}%

```

```

31 }
32 \PassOptionsToPackage{%
33     margin=5mm,top=15mm,paperwidth=105mm,paperheight=74mm%
34 }{geometry}%
35 }
36 \DeclareOption{draft}{%
37     \PassOptionsToClass{draft}{article}%
38 }
39 \DeclareOption*{%
40     \PassOptionsToPackage{\CurrentOption}{contracard}%
41 }

```

9.2 Environment setup

The `contracard` class does a little extra work to turn off headers, and prevent page numbering:

```

42 \AtBeginDocument{\pagestyle{empty}}
43 \AtBeginDocument{\pagenumbering{gobble}}

```

It also defines a command `\@ccisclass` to let the `contracard` package know that it was called via the class:

```

44 \newcommand*{\@ccisclass}{}
45 \ProcessOptions\relax
46 </contracard-cls>

```

Index

Symbols

- \(.. 140, 144, 145, 159, 163, 166, 695, 721
- \) .. 140, 144, 145, 159, 163, 166, 695, 721
- \@allemandeNoStar 184, 186
- \@allemandeStar . 184, 189
- \@balanceNoStar . 195, 197
- \@balanceStar ... 195, 200
- \@balanceandNoStar 207, 209
- \@balanceandStar 207, 212
- \@butterflyNoStar 218, 220
- \@butterflyStar . 218, 223
- \@ccisclass . 44, 103, 111
- \@chainNoStar 363, 368, 370
- \@chainStar 363, 368, 373
- \@circleNoStar 230, 235, 237
- \@circleStar 230, 235, 240
- \@contraenv 121, 122, 127
- \@courtesyturnNoStar 246, 248
- \@courtesyturnStar 246, 251
- \@dosidoNoStar .. 257, 259
- \@dosidoStar ... 257, 262
- \@fullchainNoStar ... 397, 402, 404
- \@fullchainStar 397, 402, 407
- \@fullheyNoStar . 351, 353
- \@fullheyStar ... 351, 356
- \@gobbletwo . 190, 201, 213, 224, 241, 252, 263, 274, 297, 304, 317, 330, 344, 357, 374, 391, 408, 416, 440, 451, 462, 474, 491, 509, 554, 628
- \@gypsyDirNoStar 285, 291, 300
- \@gypsyDirStar 285, 291, 303
- \@gypsyNoStar ... 279, 293
- \@gypsyStar 279, 296
- \@halfchainNoStar ... 380, 385, 387
- \@halfchainStar 380, 385, 390
- \@halfheyNoStar . 324, 326
- \@halfheyStar ... 324, 329
- \@halfheyricochetNoStar .. 338, 340
- \@halfheyricochetStar 338, 343
- \@halfpromenadeNoStar 468, 470
- \@halfpromenadeStar 468, 473
- \@heyforfourNoStar 311, 313
- \@heyforfourStar 311, 316
- \@ifstar 37, 54, 129, 184, 195, 207, 218, 230, 235, 246, 257, 268, 279, 285, 291, 311, 324, 338, 351, 363, 368, 380, 385, 397, 402, 413, 424, 434, 445, 456, 468, 480, 485, 496, 503, 522, 528, 538, 548, 560, 566, 572, 617, 622, 658
- \@linesNoStar ... 413, 415
- \@linesStar 413, 419
- \@longlinesNoStar 424, 426
- \@longlinesStar . 424, 429
- \@longpetronellaNoStar ... 445, 447
- \@longpetronellaStar 445, 450
- \@moveNoStar 129, 131, 134
- \@moveStar 129, 130
- \@petronellaNoStar 434, 436
- \@petronellaStar 434, 439
- \@promenadeNoStar 456, 458
- \@promenadeStar . 456, 461
- \@rawhsNoStar ... 503, 512
- \@rawhsStar 503, 515
- \@resetdancepartNoStar ... 54, 62
- \@resetdancepartStar 54,

56
\@resetdancephraseNoStar . 37, 45
\@resetdancephraseStar ... 37, 39
\@rlNoStar . 480, 485, 487
\@rlStar ... 480, 485, 490
\@rollawayNoStar 496, 505
\@rollawayStar .. 496, 508
\@sashayNoStar .. 538, 540
\@sashayStar ... 538, 543
\@seesawNoStar .. 268, 270
\@seesawStar ... 268, 273
\@showcountafter 13, 15, 163
\@showcountbefore 12, 14, 159
\@starNoStar 522, 528, 530
\@starStar . 522, 528, 533
\@swingNoStar ... 548, 550
\@swingStar 548, 553
\@turnNoStar 560, 566, 572, 574
\@turnStar 560, 566, 572, 578
\@walkthehallNoStar . 617, 622, 624
\@walkthehallStar ... 617, 622, 627

_ . . 137, 150, 172, 175, 187, 191, 202, 210, 214, 225, 238, 242, 253, 260, 264, 275, 298, 301, 305, 318, 331, 345, 358, 371, 375, 388, 392, 405, 409, 417, 420, 423, 441, 452, 463, 475, 492, 510, 513, 516, 531, 544, 555, 576, 579, 625, 629, 696, 697

A
\@a7paper 2
\@addcontentsline 98
\@addtocounter 72, 79, 152–158
\@allemande 182
\@allemande* 182
\@Alph 136, 150

\AND 145, 695
\arabic 136, 150, 666, 676, 687
\arizonatwirl 581
\AtBeginDocument 2, 7, 16, 22, 28, 42, 43
\AtEndOfClass 8–10
\AtEndOfPackage 15

B

\balance 193
\balance* 193
\balanceand 193
\balanceand* 193
\baselineskip 703
\begin 110, 122, 702
\bfseries 8, 29
\boxthehgnat 581
\butterflywhirl 216
\butterflywhirl* ... 216

C

\californiatwirl ... 581
\catcode 123–125
\cc@checkphrasestart 205, 575, 717
\cc@countleftbracket .. 16, 18, 161, 165
\cc@countrightbracket .. 17, 19, 161, 165
\cc@createindices 640, 642
\cc@dba 644, 650
\cc@dbt 643, 650
\cc@defaultnotesenv 20, 21, 700, 702, 709
\cc@dir .. 229, 234, 238, 242, 521, 527, 531, 534, 616, 621, 625, 629
\cc@indexingpaused .. 648, 649, 661, 671
\cc@moveStar ... 131, 170
\cc@mvd 646, 650
\cc@mvp 645, 650
\cc@notestitle 704, 706, 708
\cc@partsepwidth . 133, 136, 138, 706, 707
\cc@thedir 284, 290, 301, 305

\cc@who .. 362, 367, 371, 375, 379,
384, 388, 392, 396, 401,
405, 409, 559, 565, 571,
576, 579

\cfttoctitlefont ... 634
\circleleft 227
\circleleft* 227
\circleright 227
\circleright* 227
\clearpage 103
\contra 92
\countleftbracket ... 16
\countrightbracket .. 16
\courtesyturn 244
\courtesyturn* 244
\CurrentOption 40

D

\danceauthor ... 94, 631
\danceauthorformat 3, 119
\dancecount 24
\danceform 95, 631
\danceformformat 3, 114,
116
\dancemovenum 84
\dancepart 24
\dancepartlength 29
\dancephrase 24
\dancephraselength .. 29
\dancetitle 93, 631
\dancetitleenv 1, 110, 120
\dancetitleformat 3, 118
\dbaname 644, 654
\dbtname 643, 654
\DeclareOption . 6, 13–15, 21, 27,
36, 39
\def 12, 13, 16–21, 93–95, 131, 229,
234, 284, 290, 362, 367,
379, 384, 396, 401, 521,
527, 559, 565, 571, 616,
621, 648, 704, 711,
712
\defaultcontraenv . 1, 92
\dosido 255
\dosido* 255
\downthehall 614
\downthehall* 614
\draft 2

E

\else 115
\enableidx ... 13, 15, 637
\end 120, 127, 709
\expandafter 190, 201, 213, 224,
241, 252, 263, 274, 297,
304, 317, 330, 344, 357,
371, 374, 388, 391, 405,
408, 416, 440, 451, 462,
474, 491, 509, 554, 625,
628, 714, 715

F

\fi 103, 117, 179
\fill 5, 23
\footnotesize ... 706, 708
\fullhey 307
\fullhey* 307
\fullladieschain ... 360
\fullladieschain* .. 360
\fullmenchain 360
\fullmenchain* 360

G

\global 93–95
\gypsy 277
\gypsy* 277
\gypsyleft 277
\gypsyleft* 277
\gypsyright 277
\gypsyright* 277

H

\halfhey 307
\halfhey* 307
\halfheyricochet ... 307
\halfheyricochet* .. 307
\halfladieschain ... 360
\halfladieschain* .. 360
\halfmenchain 360
\halfmenchain* 360
\halfpartmovenum 84
\halfpromenade 454
\halfpromenade* 454
\hangindent 138, 707
\heyforfour 307
\heyforfour* 307
\hidecountafter 12
\hidecountbefore 12
\hspace 5

I

\ifdefined 103, 111

\ifthenelse . 36, 46, 63, 71, 104,
139, 140, 144, 149, 159,
163, 166, 167, 171, 174,
661, 662, 671, 672,
687–690, 693, 697, 718,
721

\ifx 170

\ignorespaces . . . 93–95, 98, 105,
107, 108, 114, 116, 118,
119, 161, 162, 165, 172,
176, 187, 191, 198, 202,
210, 214, 221, 225, 238,
242, 249, 253, 260, 264,
271, 275, 294, 298, 301,
305, 314, 318, 327, 331,
341, 345, 354, 358, 371,
375, 388, 392, 405, 409,
417, 420, 437, 441, 448,
452, 459, 463, 471, 475,
488, 492, 506, 510, 513,
516, 541, 544, 551, 555,
576, 579, 625, 629, 704,
708

\imki@wrindexentry . . 104, 662,
666, 672, 676

\index . . . 105, 107, 108, 663, 665,
673, 675

\intcalcDiv 167, 171, 682

\intcalcMod 685

\intcalcNum 682, 685

\isundefined 104, 159, 163, 661,
662, 671, 672

J

\jerseytwirl 581

L

\ladieschain 360

\ladieschain* 360

\Large 22

\large 2, 2, 16

\let 14, 15, 131, 649

\lines 411

\lines* 411

\listofdance 635

\listofdances 634

\lodtitle 634, 636

\longlines 411

\longlines* 411

\longpetronella 432

\longpetronella* . . . 432

M

\makeindex 643–646

\MakeLowercase 714

\MakeUppercase . . . 190, 201, 213,
224, 241, 252, 263, 274,
297, 304, 317, 330, 344,
357, 371, 374, 388, 391,
405, 408, 416, 440, 451,
462, 474, 491, 509, 554,
625, 628, 715

\markboth 114

\medium 2

\menchain 360

\menchain* 360

\midpartdelimiter 6, 172

\move 129, 187, 191, 198, 202, 210,
214, 221, 225, 238, 242,
249, 253, 260, 264, 271,
275, 294, 298, 301, 305,
314, 318, 327, 331, 341,
345, 354, 358, 371, 375,
388, 392, 405, 409, 417,
420, 437, 441, 448, 452,
459, 463, 471, 475, 488,
492, 506, 510, 513, 516,
531, 534, 541, 544, 551,
555, 576, 579, 583, 587,
591, 596, 600, 604, 608,
612, 625, 629

\move* 129

\moveddelimiter . . . 6, 175

\moveindex . . 183, 194, 206, 217,
228, 233, 245, 256, 267,
278, 282, 283, 288, 289,
308–310, 321–323, 334–337,
348–350, 361, 366, 378,
383, 395, 400, 412, 423,
433, 444, 455, 466, 467,
478, 479, 483, 484, 495,
500–502, 519, 520, 525,
526, 537, 547, 558, 563,
564, 569, 570, 582, 586,
590, 594, 595, 599, 603,
607, 611, 615, 620,
658

\moveindex* 658

\moveindexNoStar 658, 670
 \moveindexStar .. 658, 659
 \mvdname 646, 654
 \mvpname 645, 654

N

\newcommand . 1–8, 11–15, 18, 19,
 21, 31, 32, 35, 39, 44, 45,
 53, 56, 62, 70, 77, 121, 129,
 130, 134, 182, 186, 189,
 193, 197, 200, 204, 209,
 212, 216, 220, 223, 227,
 232, 237, 240, 244, 248,
 251, 255, 259, 262, 266,
 270, 273, 277, 281, 287,
 293, 296, 300, 303, 307,
 313, 316, 320, 326, 329,
 333, 340, 343, 347, 353,
 356, 360, 365, 370, 373,
 377, 382, 387, 390, 394,
 399, 404, 407, 411, 415,
 419, 422, 426, 429, 432,
 436, 439, 443, 447, 450,
 454, 458, 461, 465, 470,
 473, 477, 482, 487, 490,
 494, 498, 499, 505, 508,
 512, 515, 518, 524, 530,
 533, 536, 540, 543, 546,
 550, 553, 557, 562, 568,
 574, 578, 581, 585, 589,
 593, 598, 602, 606, 610,
 614, 619, 624, 627,
 631–633, 635–637, 642,
 648–659, 670, 680, 700,
 713, 717
 \newcounter . 24–30, 84–87, 681,
 683
 \newdancepart 70, 146, 722
 \newdancephrase 70, 141,
 719
 \newenvironment 92
 \newlength 9, 22, 133
 \newline 36
 \newlistof 634
 \nolinebreak ... 175, 176
 \nopagebreak . 78, 172, 175, 176,
 701
 \normalsize .. 8, 9, 29, 30
 \NOT 71, 140, 145, 166, 174,
 695

\notes 700
 \numberline 98

O

\OR 159, 163, 694

P

\pagenumbering 43
 \pagestyle 42, 112
 \par 71, 78, 701
 \parindent 135, 705
 \parskip 96
 \partcount 24
 \partdelimiter 6, 137, 150
 \partmovenum 84
 \PassOptionsToClass . 37
 \PassOptionsToPackage 3, 11, 17,
 23, 32, 40, 638
 \pauseindexing 648
 \petronella 432
 \petronella* 432
 \phrasecount 24
 \phrasemovenum 84
 \phraseseparator .. 9, 71
 \phrasevspace 9
 \prenotevspace .. 20, 701
 \ProcessOptions . 45, 726
 \promenade 454
 \promenade* 454
 \protect 98
 \protected@edef . 714, 715

R

\rawhs 494
 \rawhs* 494
 \refstepcounter 97
 \relax 45, 123–125, 160, 164,
 726
 \RequirePackage 2–5, 8–10,
 639
 \resetdancepart 35, 75,
 101
 \resetdancepart* 35
 \resetdancepartlength 29
 \resetdancephrase 35, 102
 \resetdancephrase* .. 35
 \resetdancephraselength
 29
 \resumeindexing 648
 \rightandleftthrough 477

`\rightandleftthrough*` [477](#)
`\rightsandlefts` [477](#)
`\rightsandlefts*` ... [477](#)
`\rollaway` [494](#)
`\rollaway*` [494](#)
`\rollawayhalfsashay` [494](#)
`\rollawayhalfsashay*` [494](#)

S

`\sashay` [536](#)
`\sashay*` [536](#)
`\section` 3, 8, 29
`\seealso` [423](#)
`\seesaw` [255](#)
`\seesaw*` [255](#)
`\setcounter` 31, 32, 40–42, 47–49,
57–60, 64–67, 73, 74,
80–82, 88–91, 99, 100, 168,
682, 684
`\setdefaultnotesenv` . [20](#)
`\setdosidospelling` . [711](#)
`\setlength` . 10, 23, 96, 135, 136,
138, 703, 705–707
`\showcountafter` [12](#), [13](#), [13](#)
`\showcountbefore` [12](#), [13](#),
14
`\small` [2](#)
`\spellDosido` 256, 260, [711](#)
`\spellidosido` ... 264, [711](#)
`\starleft` [518](#)
`\starleft*` [518](#)
`\starright` [518](#)
`\starright*` [518](#)
`\starthrough` [581](#)
`\starthru` [581](#)
`\subsection` 4, 9, 30
`\swattheflea` [581](#)
`\swing` [546](#)
`\swing*` [546](#)

T

`\textbf` [704](#)
`\textonehalf` [689](#)
`\textonequarter` [688](#)
`\textthreequarters` . [690](#)
`\thedance` [98](#)
`\thesection` .. 8, 9, 29, 30

`\thispagestyle` [113](#)
`\timesaround` [680](#)
`\titleformat` . 8, 9, 29, 30
`\turnalone` [557](#)
`\turnalone*` [557](#)
`\turncouple` [557](#)
`\turncouple*` [557](#)
`\turntogether` [557](#)
`\turntogether*` [557](#)
`\twirltoswap` [581](#)

U

`\undefined` 14, 15, 131, 170,
649
`\unskip` . 93–95, 98, 105, 107, 108,
114, 116, 118, 119, 161,
162, 165, 186, 187, 191,
197, 198, 202, 210, 214,
220, 221, 225, 237, 238,
242, 248, 249, 253, 259,
260, 264, 270, 271, 275,
293, 294, 298, 300, 301,
305, 313, 314, 318, 326,
327, 331, 340, 341, 345,
353, 354, 358, 370, 371,
375, 387, 388, 392, 404,
405, 409, 417, 420, 436,
437, 441, 447, 448, 452,
458, 459, 463, 470, 471,
475, 487, 488, 492, 505,
506, 510, 512, 513, 515,
516, 540, 541, 543, 544,
550, 551, 555, 574, 576,
578, 579, 624, 625, 629,
704, 708
`\upthehall` [614](#)
`\upthehall*` [614](#)

V

`\value` .. 36, 46, 63, 71, 139, 144,
149, 167, 171, 174,
687–690, 694, 695, 697,
718, 721
`\vspace` 11, 701

W

`\widthof` 136, 706

Dances by Type

Circle waltz, 8

Duple becket, 1, 6

Duple improper, 7, 18

Duple minor im., 10, 11

Dances by Author

Martha Wild, 1, 18
Sam Whited, 6–8

Seth Tepfer, 10, 11

Moves by Page

Allemande, 1, 11

Balance, 6, 7, 10, 11

Butterfly Whirl, 1

Cast Right, 8

Circle Left, 1

Do-si-do, 1, 6

Forward and Back, 8

Full Hey, 18

Gypsy, 7, 10, 11, 18

Gypsy Left, 7

Gypsy Star, 18

Half Hey, 7

Half Hey Ricochet, 7

Half Promenade, 11, 18

Half Sashay, 7

Hey, 7, 18

Hey for Four, 7, 18

Ladies Chain, 10, 11, 18

Left hand star, 10

Lines Forward and Back, 1,
18

Long Lines Forward and Back *see*
also Lines Forward and
Back, 1, 18

Parallels, 8

Petronella, 6, 7

Promenade, 11, 18

Right and left through, 6

Rights and lefts, *see also* Right and
left through

Roll Away, 7, 8

Roll Away...Half Sashay, 7

See Saw, 6

Slide Left, 1

Star, 10

Star Promenade, 1

Swing, 1, 6, 7, 10, 11, 18

Turn Alone, 8

Whirling Dervish, 7

Moves by Dance

Allemande, 1, 6

Balance, 2, 3, 5, 6

Butterfly Whirl, 1

Cast Right, 4

Circle Left, 1

Do-si-do, 1, 2

Forward and Back, 4

Full Hey, 7

Gypsy, 3, 5–7

Gypsy Left, 3

Gypsy Star, 7

Half Hey, 3

Half Hey Ricochet, 3

Half Promenade, 6, 7

Half Sashay, 3

Hey, 3, 7

Hey for Four, 3, 7

Ladies Chain, 5–7

Left hand star, 5

Lines Forward and Back, 1, 7

Long Lines Forward and Back *see*

also Lines Forward and

Back, 1, 7

Parallels, 4

Petronella, 2, 3

Promenade, 6, 7

Right and left through, 2

Rights and lefts, *see also* Right and
left through

Roll Away, 3, 4

Roll Away...Half Sashay, 3

See Saw, 2

Slide Left, 1

Star, 5

Star Promenade, 1

Swing, 1–3, 5–7

Turn Alone, 4

Whirling Dervish, 3

Change History

0.1	General: Created boilerplate for class	2
	<code>\dancetitleenv</code> : Allow user to format moves	4
	<code>\move</code> : Add move command	12
	<code>contra</code> : Create contra environment	11
0.2	<code>partcount</code> : Create a counter for the current musical part	6
	<code>phrasecount</code> : Create a counter for the current musical phrase	6
	<code>\resetdancepart*</code> : Allow the user to reset the phrase	7
0.3	General: Split core functionality out into package	2
	<code>dancepart</code> : Create a new counter for the current phrase	6
	<code>dancephrase</code> : Create a new counter for the current phrase	6
	<code>partcount</code> : Change to contain the count, not the part itself	6
	<code>\danceformformat</code> : Allow the user to change the dance form format	4
	Allow the user to change the dance title format	4
	<code>\dancetitleenv</code> : Allow user to format dance title block	4
	<code>phrasecount</code> : Change to contain the count, not the phrase itself	6
	<code>\midpartdelimiter</code> : Allow customizing the mid-part delimiter	4
	<code>\move</code> : Simplify dance logic using new counters	12
	<code>\moveddelimiter</code> : Allow customizing the move delimiter character	4
	<code>\newdancepart</code> : Allow user to manually start a new part	8
	<code>\newdancephrase</code> : Allow user to manually start a new phrase	8
	<code>\partdelimiter</code> : Allow customizing the part delimiter	4
	<code>\resetdancepart*</code> : Change name of <code>\progressed</code>	7
0.4	General: Add <code>tocloft</code> package to requirements	2
	Add list of dances	2
	Support swung dances	2
	<code>dancepartlength</code> : Create a new counter for the part length	7
	<code>dancephraselength</code> : Create a new counter for the phrase length	7
	<code>\phraseseparator</code> : Allow custom phrase separator character	4
	<code>\phrasevspace</code> : Allow custom phrase separation length	4
1.0.0	General: Added support for indices	25
	Fix phrase separator issues	2
	Start using Semantic Versioning	2
	<code>halfpartmovenum</code> : Add counter for the number of moves in half the part	10
	<code>\allemande</code> : Add move shortcut	13
	<code>\allemande*</code> : Add move shortcut	13
	<code>dancemovenum</code> : Add counter for the number of moves in the dance	10
	<code>\arizonatwirl</code> : Add move shortcut	23
	<code>partmovenum</code> : Add counter for the number of moves in the part	10
	<code>\balance</code> : Add move shortcut	13
	<code>\balance*</code> : Add move shortcut	13
	<code>\balanceand</code> : Add move shortcut	13
	<code>\balanceand*</code> : Add move shortcut	13
	<code>\boxthegn</code> : Add move shortcut	23
	<code>\butterflywhirl</code> : Add move shortcut	14
	<code>\butterflywhirl*</code> : Add move shortcut	14
	<code>\californiatwirl</code> : Add move shortcut	23
	<code>\cc@dba</code> : New command	25

\cc@dbt: New command	25
\cc@mvd: New command	25
\cc@mvp: New command	25
\circleft: Add move shortcut	14
\circleft*: Add move shortcut	14
\circright: Add move shortcut	14
\circright*: Add move shortcut	14
\countleftbracket: Add ability to change count brackets	5
\countrightbracket: Add ability to change count brackets	5
\courtesyturn: Add move shortcut	14
\courtesyturn*: Add move shortcut	14
\danceauthor: New macro	24
\danceform: New macro	24
\dancetitle: New macro	24
\dbaname: New command	25
\dbtname: New command	25
\dosido: Add move shortcut	15
\dosido*: Add move shortcut	15
\downthehall: Add move shortcut	23
\downthehall*: Add move shortcut	23
\enableidx: New command	25
\fullhey: Add move shortcut	16
\fullhey*: Add move shortcut	16
\fullladieschain: Add move shortcut	17
\fullladieschain*: Add move shortcut	17
\fullmenchain: Add move shortcut	17
\fullmenchain*: Add move shortcut	17
\gypsy: Add move shortcut	15
\gypsy*: Add move shortcut	15
\gypsyleft: Add move shortcut	15
\gypsyleft*: Add move shortcut	15
\gypsyright: Add move shortcut	15
\gypsyright*: Add move shortcut	15
\halfhey: Add move shortcut	16
\halfhey*: Add move shortcut	16
\halfheyricochet: Add move shortcut	16
\halfheyricochet*: Add move shortcut	16
\halfladieschain: Add move shortcut	17
\halfladieschain*: Add move shortcut	17
\halfmenchain: Add move shortcut	17
\halfmenchain*: Add move shortcut	17
\halfpromenade: Add move shortcut	20
\halfpromenade*: Add move shortcut	20
\heyforfour: Add move shortcut	16
\heyforfour*: Add move shortcut	16
\hidecountafter: Allow hiding the count after each move	5
\hidecountbefore: Allow hiding the count before each move	5
\phrasemovenum: Add counter for the number of moves in the phrase	10
\jerseytwirl: Add move shortcut	23
\ladieschain: Add move shortcut	17
\ladieschain*: Add move shortcut	17
\lines: Add move shortcut	18
\lines*: Add move shortcut	18
\longlines: Add move shortcut	18

<code>\longlines*</code> : Add move shortcut	18
<code>\longpetronella</code> : Add move shortcut	19
<code>\longpetronella*</code> : Add move shortcut	19
<code>\menchain</code> : Add move shortcut	17
<code>\menchain*</code> : Add move shortcut	17
<code>\move</code> : Improve indentation and line spacing	12
<code>\moveindex</code> : New command	26
<code>\moveindex*</code> : New command	26
<code>\mvdname</code> : New command	25
<code>\mvpname</code> : New command	25
<code>enableidx</code> : New option	3
<code>\notes</code> : Make adding notes easier	27
<code>\pauseindexing</code> : New command	25
<code>\petronella</code> : Add move shortcut	19
<code>\petronella*</code> : Add move shortcut	19
<code>\prenotevspace</code> : Allow changing the default notes vspace	6
<code>\promenade</code> : Add move shortcut	20
<code>\promenade*</code> : Add move shortcut	20
<code>draft</code> : Pass option through to <code>article</code> class	29
<code>\rawhs</code> : Add move shortcut	20
<code>\rawhs*</code> : Add move shortcut	20
<code>\resetdancepartlength</code> : Add ability to easily reset counter	7
<code>\resetdancephraselength</code> : Add ability to easily reset counter	7
<code>\resumeindexing</code> : New command	25
<code>\rightandleftthrough</code> : Add move shortcut	20
<code>\rightandleftthrough*</code> : Add move shortcut	20
<code>\rightsandlefts</code> : Add move shortcut	20
<code>\rightsandlefts*</code> : Add move shortcut	20
<code>\rollaway</code> : Add move shortcut	20
<code>\rollaway*</code> : Add move shortcut	20
<code>\rollawayhalfssashay</code> : Add move shortcut	20
<code>\rollawayhalfssashay*</code> : Add move shortcut	20
<code>\sashay</code> : Add move shortcut	22
<code>\sashay*</code> : Add move shortcut	22
<code>\seesaw</code> : Add move shortcut	15
<code>\seesaw*</code> : Add move shortcut	15
<code>\setdefaultnotesenv</code> : Allow changing the default notes environment	6
<code>\setdosidospelling</code> : Change how Do-si-do is spelled easily	27
<code>\showcountafter</code> : Allow showing the count after each move	5
<code>\showcountbefore</code> : Allow showing the count before each move	5
<code>\spellDosido</code> : Change how Do-si-do is spelled easily	27
<code>\spelldosido</code> : Change how Do-si-do is spelled easily	27
<code>\starleft</code> : Add move shortcut	21
<code>\starleft*</code> : Add move shortcut	21
<code>\starright</code> : Add move shortcut	21
<code>\starright*</code> : Add move shortcut	21
<code>\starthrough</code> : Add move shortcut	23
<code>\starthru</code> : Add move shortcut	23
<code>\swattheflea</code> : Add move shortcut	23
<code>\swing</code> : Add move shortcut	22
<code>\swing*</code> : Add move shortcut	22
<code>\timesaround</code> : Split out ability to calculate times around	26
<code>\turnalone</code> : Add move shortcut	22
<code>\turnalone*</code> : Add move shortcut	22

\turncouple: Add move shortcut	22
\turncouple*: Add move shortcut	22
\turntogether: Add move shortcut	22
\turntogether*: Add move shortcut	22
\twirltoswap: Add move shortcut	23
\upthehall: Add move shortcut	23
\upthehall*: Add move shortcut	23