

# *CurV<sub>e</sub>* – a L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> class package for making Curricula Vitae.\*

Didier Verna  
mailto:didier@lrde.epita.fr  
http://www.lrde.epita.fr/~didier

July 18, 2007

## Abstract

*CurV<sub>e</sub>* provides a L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> class that hopefully will make your life easier when you want to write your CV. It provides you with a set of commands to create rubrics, entries in these rubrics etc. *CurV<sub>e</sub>* will then properly format your CV for you (possibly splitting it onto multiple pages), which is usually the most painful part of CV writing. Another nice feature of *CurV<sub>e</sub>* is its ability to manage different CV “flavors” simultaneously. It is in fact often the case that you want to maintain slightly divergent versions of your CV at the same time, in order to emphasize on different aspects of your background.

The *CurV<sub>e</sub>* package is Copyright © 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007 Didier Verna, and distributed under the terms of the LPPL license.

## 1 Getting *CurV<sub>e</sub>*

*CurV<sub>e</sub>* can be obtained from any CTAN archive, in the `macros/latex/contrib` subdirectory. You can also download it directly from my website (online documentation available there), at the URL above. Please follow the links on the left menu.

If you are a Debian unstable user (unstable referring to Debian, not you), unofficial source and i386 packages are available (thanks to Geoffroy Fouquier for providing this facility). The package name is `curve`. Here’s the `source.list` entry to use:

```
deb http://www.lrde.epita.fr/debian/ unstable/i386/  
deb-src http://www.lrde.epita.fr/debian/ sid/source/
```

For installation instructions, please read the `README` file included in the distribution.

## 2 Frequently Asked Questions

If this is your first time with *CurV<sub>e</sub>*, you might want to skip this section. Otherwise, please read on, especially before asking me by email. . .

---

\*This document describes *CurV<sub>e</sub>* 1.13, release date 2007/07/18.

1. **Is there a way to align entries across several (all) rubrics ?**

Not automatically because rubrics are typeset as individual tables. There are many ways to manually “trick” too narrow keys in order to enlarge them however. As of version 1.11, *CvV* provides a new convenience macro to do something similar: see section 4.2.3.

2. **How can I change the interline spacing ?**

Internally, *CvV* uses L<sup>A</sup>T<sub>E</sub>X tabular-based environments. As such, you can play with `\arraystretch` to modify the space between rows.

3. **When a page break occurs in the middle of a rubric, the same alignment is kept on both pages, which might result in suboptimal layout.**

This is a technical limitation of the automatic alignment computation process in longtables and I don’t think there will be a solution anytime soon (page breaking is orthogonal to column width calculation). What you can do, once your CV is finalized, is manually split the concerned rubric into different ones, starting at the appropriate entries to avoid page breaking in the middle.

4. **How can I make multi-line subrubrics ?**

Here are two ideas:

- Put your text in several consecutive subrubrics (one per line). However, this might not give you the desired vertical spacing.
- Probably better, put your material in a parbox:  
`\subrubric{\parbox{width}{first blah blah\\next blah blah}}`  
This is a bit dirty because you have to figure out a suitable width for your parbox, but this will work.

5. **How can I make multi-line keys ?**

The trick is to temporarily change the key cell type to a paragraph one (remember that we’re in a tabular environment).

- (a) Recover the key formatting by doing something like this near the beginning of your document:

```
\makeatletter\let\mykeyfont\@keyfont\makeatother
```

- (b) Use something like this where you need a multi-line key (you will have to adjust the paragraph width manually):

```
\entry*[\multicolumn{1}{@{}>{\mykeyfont}p{2cm}}{%  
  long key\newline long key}]  
Entry text. Entry text. Entry ...
```

6. **How to deal with long keys ?**

The best thing to do is to make them multi-line manually. Please refer to the previous question.

7. **Can I change the prefix locally ?**

Yes and no. The `\prefix` command can only be used in the preamble or between rubrics. Otherwise, there is currently no way to change the prefix for a single entry. This limitation will disappear in a future release.

## 3 Overview

The **CuV<sub>e</sub>** package provides you with a document class for writing curricula vitae. The primary purpose of this package is to offer a set of predefined commands to specify the contents of your CV, while removing from you the burden of formatting it. This has two important consequence however: **CuV<sub>e</sub>** will impose that you conform to its document structuring scheme, and will expect that you like the way it formats things :-). If you prefer another structure for your CV, or if you don't like the formatting (although it is highly configurable), then **CuV<sub>e</sub>** is probably not for you.

Once you have installed **CuV<sub>e</sub>**, you might want to start with processing the example file `cv.tex`. This will give you an idea of what a non customized CV looks like with **CuV<sub>e</sub>**. You can also throw an eye to my own CV, which is written with **CuV<sub>e</sub>** and has some more fancy hackery on top of it. It's in French, but only the appearance is important for you...My CV can be found at <http://www.lrde.epita.fr/~didier/perso/cv.php>.

### 3.1 Document Layout

A **CuV<sub>e</sub>** CV begins with two optional headers (upper left and upper right) in which you usually put your name, address, email, whether you're married and so on. These headers will respectively be left and right aligned. As of version 1.4, **CuV<sub>e</sub>** lets you insert a small identity photo in the headers, either on the left, on the right, or between them. After these headers come an optional title and/or subtitle, which can be centered on the page, or flushed either left or right.

#### 3.1.1 Rubrics

The remaining of the document is composed of sections called “rubrics” in the **CuV<sub>e</sub>** terminology. A rubric represents a major topic that you want to detail in your CV. Typical rubrics are “Education”, “Professional Experience” and the like. Rubrics have a title (centered by default) and appear under the form of properly aligned “entries” (see below). If a rubric has to be split across different pages, its title will be repeated automatically.

#### 3.1.2 Entries

An entry is an item of information related to the rubric under which it appears. An entry has a “contents”, and an optional “key” under which it is classified. For instance, under the “Education” rubric, you could state that you got a Ph.D. in computer science in the year 2000. In that case, the year would be the entry's key, and the “Ph.D. in computer science” part would be the entry's contents. **CuV<sub>e</sub>** aligns both keys and contents together. Keys are optional in order for you to classify several entries together (without repeating the same key over and over again).

#### 3.1.3 Subrubrics

Additionally, you might want to further split your rubrics into “subrubrics”. For instance, in my own CV, I have a “Professional Experience” rubric, with three

subrubrics: “Teaching”, “Research” and “Development”. This can be accomplished with a special command. Subrubrics are displayed in alignment with the entries’ contents by default, but are formatted differently so that they remain distinguishable.

## 3.2 Document Structure

### 3.2.1 Source File Splitting

*CurVe* is based on the `LTxtable` package by David Carlisle. I won’t go into gory details, but this has an important implication: **each rubric must be in its own separate file**. In other words, your CV’s main source file is really a skeleton whose major task is to include the different rubrics from their respective source files.

This is not much of a hassle, really, and it actually made my life easier when I implemented the “flavor” mechanism described below.

### 3.2.2 The “flavor” Mechanism

It is often desirable to maintain several slightly divergent versions of one’s CV at the same time. For instance, when I was looking for a job some time ago, I had a version of my CV emphasizing on Artificial Intelligence, and another emphasizing on Distributed Virtual Reality. Only the title and some entries in the “Professional Experience” rubric were a bit different; the main skeleton basically remained the same.

*CurVe* provides an easy-to-use mechanism for maintaining different “flavors” of your CV at the same time. You basically write different versions of (some of) your rubrics in different files, tell *CurVe* which flavor you want to format (*CurVe* can even ask you which one to use directly) and that’s it. *CurVe* will use the global skeleton, and whenever it finds a rubric file specialized for that particular flavor, it will use it. Otherwise, it will simply fall back to the default one (no particular flavor).

## 4 Using *CurVe*

First of all, please note that the `ltxtable` and `calc` packages are required. If you’re using the identity photo feature, the `graphicx` package is also needed. You don’t have to load them explicitly though. As long as  $\text{\LaTeX} 2_{\epsilon}$  can locate them, they will be used automatically.

### 4.1 Writing the Skeleton File

Say `\documentclass[options]{curve}` at the beginning of your skeleton file in order to use *CurVe*. The available options are described along the text, where appropriate.

#### 4.1.1 Making Headers

`\leftheader`    The `\leftheader` and `\rightheader` macros take one mandatory argument which defines respectively the contents of the upper left and upper right headers. They

can be used in the document's preamble only. The headers will respectively be flushed to the left and to the right.

`\photo` If you want to insert a small identity photo into the header part, you can use the `\photo` macro (available since version 1.4). It takes a mandatory argument in which you pass the image file name, as you would to `\includegraphics`. This macro also takes an optional argument which lets you specify the horizontal position of the photo: the values can be `l` (the default), `c` or `r` meaning that the photo will appear on the left, center, or right.

`\photoscale` The headers' horizontal layout is further controled by three additional macros. The `\photoscale` macro specifies the amount of text width that the photo should occupy. This should be a number between 0 and 1. By default, 0.1 is used (meaning 10% of `\textwidth`). The `\photosep` macro is a  $\text{\LaTeX}$  length that specifies the space to leave between the side of the photo and the next headers's text. This is used only when the photo is on the left or right. By default, 10pt is used. Finally, `\headerscale` specifies the proportion of the *remaining* space that the *left* textual header should occupy. It works like `\photoscale` and amounts to 0.5 by default.

Let me take an example to make this clearer. Suppose you have a `\photoscale` of 0.1 and a `\photosep` of 10pt. The *remaining* space, that is, the space occupied by the textual headers, amounts to 90% of the text width, minus 10 points. If you then specify a `\headerscale` of 0.6, then the left header will take 60% of that remaining space, and the right one the other 40%.

`\headerspace` `\headerspace` is the amount of extra vertical space to put after the headers. This is a  $\text{\LaTeX}$  length that defaults to 10pt.

`\makeheaders` If you have defined headers, make them appear by calling `\makeheaders` just after the beginning of your document. Note that calling this macro assumes that you have previously defined both headers (possibly empty, though). Otherwise, an error will be signaled. As of version 1.4, the `\makeheaders` command accepts an optional argument that controls the vertical alignment. When given, this argument must be either `t` (for top), `b` (for bottom) or `c` (for center; the default).

#### 4.1.2 Making Titles

`\title` The `\title` and `\subtitle` macros take one mandatory argument which define respectively your CV's title and subtitle. They can be used in the document's preamble only.

`\titlealignment` By default, titles are centered on the page. However, you can also have them aligned to the left or right side of the page. To specify your preferred title alignment, call `\titlealignment` with an argument of either `l`, `c` or `r`, the meaning of which should be obvious. You can also achieve the same effect by passing an optional argument to `\maketitle` (see below).

`\titlespace` `\titlespace` is the amount of extra vertical space to put after the title(s). This is a  $\text{\LaTeX}$  length that defaults to 0pt.

`\titlefont` The `\titlefont` and `\subtitlefont` macros take one mandatory argument which redefine the fonts to use for the title and the subtitle. They can be used in the document's preamble only. By default, `\Huge\bfseries` and `\Huge\itshape` are used respectively.

`\maketitle` If you have defined a title (and possibly a subtitle), make it (them) appear by calling `\maketitle` after the beginning of your document, and just after `\makeheaders` if you happen use it. It is possible to omit the subtitle, but if

you call `\maketitle` without having defined at least a title, an error will be signaled. `\maketitle` accepts an optional argument for specifying the title alignment scheme. This argument is the same as in `\titlealignment`, and takes precedence over it.

### 4.1.3 Choosing a Flavor

As you already know, each rubric must reside in its own separate file. For instance, if you have a “Professional Experience” rubric, you would write its contents into a file named `experience.tex`. The flavor mechanism works by assigning a pre-extension to rubric file names. For instance, suppose you want to make a special flavor of your CV emphasizing on “distributed virtual reality”. You would call this flavor “dvr”, and write the modified “Professional Experience” rubric into a file named `experience.dvr.tex`.

`\flavor` The `\flavor` macro takes one mandatory argument which specifies the flavor to use (in our example, `dvr`). Although this might be of little use, it is possible to change the flavor anywhere, even right in the middle of your CV’s skeleton.

`ask` Instead of using the `\flavor` macro, you can make *CurV<sub>e</sub>* ask you at run-time which flavor to use by passing the `ask` option to it.

### 4.1.4 Including Rubrics

Apart from making headers and titles, the body of your skeleton file will usually contain nothing but directives to include the different rubrics of your CV.

`\makerubric` To include a rubric in your document, use `\makerubric`. This macro takes one mandatory argument which specifies the rubric to include at that point. The argument actually corresponds to the rubric file name **without any extension**. Continuing our previous example, you would say `\makerubric{experience}`. First, *CurV<sub>e</sub>* will try to find such a rubric file specific for the current flavor in use, (e.g. `experience.dvr.tex`). If that fails, it will fall back to a non-flavored file (here, `experience.tex`). This allows you to specialize only the required rubrics and use the default ones otherwise.

`\rubricafterspace` As of version 1.12, *CurV<sub>e</sub>* provides a new L<sup>A</sup>T<sub>E</sub>X length, `\rubricafterspace` controlling the amount of extra vertical space to put after a rubric (hence, before the next one). The default is 0pt.

## 4.2 Writing a Rubric File

### 4.2.1 The rubric Environment

`rubric` The whole contents of a rubric file must be enclosed in a `rubric` environment. This environment takes one mandatory argument which specifies the rubric’s title. When a rubric crosses several pages, its title is restated with a “continuation” text appended.

`\rubricalignment` As of version 1.6, the rubric titles horizontal alignment can be changed thanks to the `\rubricalignment` macro. Possible values for its mandatory argument are `l`, `c` and `r` (meaning left, centered, or right relative to the whole text width), and `cl` and `cc` (meaning left or centered relative to the entries’ contents). By default, rubric titles are centered (`c`).

`\rubricfont` The `\rubricfont` macro takes one mandatory argument which redefines the font to use for rubric titles. By default, `\Large\bfseries` is used.

`\rubricspace` `\rubricspace` is the amount of extra vertical space to put after the rubric title. This is a  $\text{\LaTeX}$  length that defaults to 10pt.

### 4.2.2 Making Rubric Entries

`\entry` You create entries in your rubrics by calling the `\entry` macro. The first (optional) argument specifies the key, and the second (mandatory) one specifies the contents. Both keys and contents are aligned within each rubric.

`\entry*` Actually, the `\entry` macro was somewhat ill-designed at the first place. The `\rubric` environment pretty much behaves as an `\itemize` one, hence the idea of using an `\item`-like syntax. As of version 1.2, *CuV<sub>e</sub>* provides an `\entry*` macro which behaves like `\item` in lists: it takes the same first optional argument as the non starred version, but has no other argument. The entry’s contents simply consists of the text following the macro call, up to the next `\entry`, `\entry*` or `\subrubric` (see below) call.

`\keyalignment` As of version 1.7, entries’keys horizontal alignment can be changed thanks to the `\keyalignment` macro. Possible values for its mandatory argument are `l`, `c` and `r` (meaning left, centered, or right). By default, keys are left aligned (`l`).

`\keyfont` The `\keyfont` macro takes one mandatory argument which redefines the font to use for the entries’ keys. By default, the standard document font is used.

`\prefix` Each entry’s contents can be prefixed with a visual clue (a symbol for instance). This comes in handy to make a clear distinction between different entries sharing the same key (which is not repeated). The `\prefix` macro takes one mandatory argument which redefines the prefix to use. By default, `\textbullet` is used. Note that as of version 1.11, *CuV<sub>e</sub>* forces the prefix to be empty in bibliographic entries (see section 4.3.5).

`skipsamekey` While maintaining your CV, you might end up reorganizing your entries and even get entries with the same key. Normally, *CuV<sub>e</sub>* blindly prints the keys regardless of their values. If you don’t want repetition, you would have to remove keys by hand which can be cumbersome. As of version 1.10, *CuV<sub>e</sub>* can skip all but the first of a series of identical keys automatically, provided that you use the `skipsamekey` option. Note that as of version 1.11, *CuV<sub>e</sub>* disables this mechanism in bibliography rubrics (see section 4.3.5).

### 4.2.3 Making “invisible” entries

The most frequently asked question about *CuV<sub>e</sub>* is probably whether it is possible to align entries across several rubrics. This is (currently) not possible automatically because rubrics are typeset as independant tables. However, a manual solution boils down to enlarging too narrow entries (keys, actually).

`\noentry` As of version 1.11, *CuV<sub>e</sub>* provides a convenience macro to ease this process: `\noentry`. This macro takes one mandatory argument; a key that will be used in the entries alignment calculation. However, this command will not produce any text.

So if you want all your rubrics to share the same alignment, you typically spot the longest key in your CV, and issue a `\noentry{this long key}` in all other rubrics.

### 4.2.4 Making Subrubrics

`\subrubric` Within a single rubric, you can further separate entries into subrubrics. In order

to do this, the `\subrubric` macro is provided. Its mandatory argument specifies the subrubric’s title.

<code>\subrubricalignment</code>	As of version 1.6, the subrubrics horizontal alignment can be changed thanks to the <code>\subrubricalignment</code> macro. Possible values for its mandatory argument are <code>l</code> , <code>c</code> and <code>r</code> (meaning left, centered, or right relative to the whole text width), and <code>cl</code> and <code>cc</code> (meaning left or centered relative to the entries’ contents). By default, subrubrics are left-aligned with the entries’ contents ( <code>cl</code> ).
<code>\subrubricfont</code>	The <code>\subrubricfont</code> macro takes one mandatory argument which redefines the font to use for the subrubrics. By default, <code>\Large\itshape</code> is used.
<code>\subrubricspace</code>	<code>\subrubricspace</code> controls the amount of extra vertical space to put after subrubrics. This is a L <sup>A</sup> T <sub>E</sub> X length that defaults to <code>5pt</code> .
<code>\subrubricbeforespace</code>	<code>\subrubricbeforespace</code> controls the amount of extra vertical space to put <i>before</i> a subrubric when there are entries above. This is a L <sup>A</sup> T <sub>E</sub> X length that defaults to <code>10pt</code> .

## 4.3 Standard Class Features

### 4.3.1 Page Size and layout

<code>a4paper</code>	The <code>a4</code> , <code>a5</code> , <code>b4</code> , <code>letter</code> , <code>legal</code> and <code>executive</code> “paper” options allow you to select the type of page format you want. By default, <code>letterpaper</code> is used. The <code>landscape</code> options switches the horizontal and vertical settings. I’m not sure why I propose this option. Nobody wants to write a CV in landscape mode, right ?
<code>a5paper</code>	
<code>b4paper</code>	As of version 1.6, <i>C<sub>u</sub>V<sub>e</sub></i> also supports the standard <code>oneside</code> and <code>twoside</code> class options. By default, <code>oneside</code> is used. In <code>twoside</code> mode, odd and even pages have a different geometry and headings layout.
<code>letterpaper</code>	
<code>legalpaper</code>	
<code>executivepaper</code>	
<code>landscape</code>	
<code>oneside</code>	
<code>twoside</code>	

### 4.3.2 Font Size

<code>10pt</code>	The <code>10pt</code> , <code>11pt</code> and <code>12pt</code> options let you choose the size of the default font you want to use. By default, <code>10pt</code> is used.
<code>11pt</code>	
<code>12pt</code>	

### 4.3.3 Output Mode

<code>final</code>	In <code>draft</code> mode, a black rule will be drawn at the end of overfull lines (as done by standard classes). Due to <i>C<sub>u</sub>V<sub>e</sub></i> using the <code>L<sup>A</sup>T<sub>E</sub>Xtable</code> package (and in case <code>longtable</code> prior to version 4 is used by it), a call to <code>\setlongtables</code> is performed in <code>final</code> mode. Please refer to the next section for more information on this. By default, <code>final</code> is used.
<code>draft</code>	

### 4.3.4 Page styles

As of version 1.6, *C<sub>u</sub>V<sub>e</sub>* supports the standard L<sup>A</sup>T<sub>E</sub>X page style mechanism. Available styles are `empty`, `plain`, `headings` and `myheadings`. These styles have their usual meaning, given that rubric and subrubric names are used for marking purpose (the equivalent of chapters and sections in books for instance). By default, the page style is `empty`.

### 4.3.5 Bibliography

Most scientists include their own list of publications in their CV. The first thing you can do is create your own bibliography manually, and although this may



appear boring, I actually encourage people to do so for at least three reasons (only my opinion of course):

- A CV should be strictly formatted and coherent in layout. Bibliography is no exception to this rule. In other words, it is prettier to have your publications formatted like the rest of your CV.
- Automatic bibliography generation tools produce references, which is silly in a CV because you don't actually reference your papers anywhere (or do you ?). So better to sort them another way, like, by year of publication as I do in my own CV.
- Manually adding, like, what ? Half a dozen papers a year in your CV is not that much of a burden after all.

Some people however have expressed the wish of having standard bibliography support in *CuVe*. Version 1.2 provides that. The standard `thebibliography` environment is now supported along with its `\bibitem` companion. The behavior is actually that of a `rubric` environment with its `\entry*` companion (with an empty prefix however). This fact has two implications: firstly, the argument to the environment is unused in *CuVe* (but remains for compatibility with the rest of L<sup>A</sup>T<sub>E</sub>X) because *CuVe* itself formats the keys and contents properly aligned. Secondly, the bibliographic environment **must** reside in its own file, as any other rubric. Don't forget that if you happen to write the environment manually.

If you want to use BIB<sub>T</sub>E<sub>X</sub>, that's also possible of course. Do it as you would do in a random paper. You will probably issue a `\nocite{*}` command followed by a call to `\bibliography`. In *CuVe*, this uses the `bb1` file as a rubric one.

As of version 1.9, *CuVe* is compatible with the `bibentry` package. Note however that there is an incompatibility between `bibentry` and `hyperref`, and a workaround described in the `hyperref` README file.

As of version 1.12, *CuVe* is compatible with the `multibbl` package.

#### 4.3.6 Internationalization

*CuVe* currently supports 11 languages via the following options: `english`, `french` (or `francais`), `spanish`, `portuguese` (or `portuges`), `brazilian` (or `brazil`), `italian`, `german`, `ngerman`, `dutch`, `danish` and `swedish`. The `german` and `ngerman` options are currently equivalent; so are the `portuguese` and `brazilian` ones.

If you want a finer grain on the language-dependent parts of *CuVe*, the following macros are provided.

The `\continuedname` macro takes one mandatory argument which redefines the continuation text output when rubrics extend across several pages. By default, “*space*(continued)” is used in English. Although this might be of little use, it is possible to change the continuation text in the middle of your document, provided that you do so outside the `rubric` environment.

The `\listpubname` macro takes one mandatory argument which redefines the title of the bibliographic section (when you use the provided bibliography support). By default, “List of Publications” is used in English. Note that for compatibility with the `multibbl` and `multibib` packages, *CuVe* honors the existence of `\bibname` or `\refname` macros prior to `\listpubname` for deciding which title to give to the bibliographic rubric.

## 5 Hints, Tricks, Tips

Here are some tips that I use for my own CV. You might find them of some interest.

### 5.1 Page Geometry

First of all, it is common to have very thin margins in curricula vitae. **CurV<sub>e</sub>** does not do anything special about this because I don't think that belongs to its duty. The **geometry** package comes in handy if you want to reduce your margins.

### 5.2 Vertical spacing

For readability, you might be tempted to leave empty lines here and there in your rubric environments. I advise you against this because this may (currently, at least) affect vertical spacing. It is better to stick entries and subrubrics together, and play with the spacing commands to achieve the desired layout.

### 5.3 The ltx Extension

Personally, I prefer to keep **.tex** for **T<sub>E</sub>X** files, and use the **ltx** extension for **L<sub>A</sub>T<sub>E</sub>X**. This is supported by **CurV<sub>e</sub>** which will actually prefer **ltx** files over **tex** ones, especially when including rubrics. To be more precise, suppose you are building a flavor **flv** of your CV. A call to `\makerubric{foo}` will try to use the following files in that order:

```
foo.flv.ltx
foo.flv.tex
foo.ltx
foo.tex
```

### 5.4 Longtable

**CurV<sub>e</sub>** users should be aware of the fact that the layout implementation is based on the **LTXtable** package, which in turn is a mix of **tabularx** and **longtable**. This has several implications, most notably that when writing a rubric, you are actually inside a tabular environment. Here are some things to keep in mind:

- You are not allowed to use the `\\` command to start a new line. However, you're free to use `\par` in your entries' contents instead. Note that **CurV<sub>e</sub>** sets `\parskip` to `0pt` so that starting a new paragraph looks like just starting a new line.
- You can use `\raggedright` and `\raggedleft` in your entries.
- You can use `\pagebreak`, `\nopagebreak` and `\newpage` at the beginning of a line, just before starting a new entry.
- Prior to version 4, **longtable** used an alignment mechanism involving calls to `\setlongtables` (see its documentation). **CurV<sub>e</sub>** retains this for backward compatibility and still calls `\setlongtables` in final (not draft) mode. If your version of **longtable** is recent enough, you shouldn't be concerned by this. If it is older, you might need to process your document a few times in

draft mode, and then one last time in final mode. However, keep in mind that in both cases, you might still need up to 3 or 4 passes of  $\text{\LaTeX}$  on your document.

## 5.5 Managing Different Flavors

If you maintain different flavors of your CV at the same time, you probably want to rebuild all of them after any modification. Since you have a single skeleton file for all of them (say, `cv.tex`), the output file will have the same name for all flavors (say, `cv.dvi`). This can bother you if you want all flavors of your formatted CV available at the same time.

To remedy this problem, I usually use the `ask` option and a makefile to build the different flavors and move the output file to flavor-specific name. Here is a typical makefile target that should clarify (or maybe darken ?) what I am saying:

```
cv.$(FLAVOR).dvi: cv.ltx $(RUBRICS)
    echo $(FLAVOR) | latex cv.ltx
    mv cv.dvi $@
```

As you can see, the shell is responsible for answering the question.

## 5.6 More On Flavors

In order to implement the flavor mechanism, the  $\text{\LaTeX}$  macro `\input` has been redefined to look for “flavored” files first. This is actually very nice because you can use it if you want to make different flavors of text that does not belong in rubrics.

For instance, suppose you want a special version of the subtitle of your CV for the flavor `flv`. Create a file called `subtitle.flv.ltx` and put something like “`\subtitle{special subtitle}`” in it. Do something similar for the default subtitle. Now go to the skeleton of your CV, and write `\input{subtitle}` in the preamble. That’s it. You’ll have different subtitles in your different CV flavors.

## 6 AUC- $\text{\TeX}$ support

AUC- $\text{\TeX}$  is a powerful major mode for editing  $\text{\TeX}$  documents in Emacs or XEmacs. In particular, it provides automatic completion of macro names once they are known. *Curve* supports AUC- $\text{\TeX}$  by providing a style file named `curve.el` which contains AUC- $\text{\TeX}$  definitions for the relevant macros. This file should be installed to a location where AUC- $\text{\TeX}$  can find it (usually in a subdirectory of your  $\text{\LaTeX}$  styles directory). Please refer to the AUC- $\text{\TeX}$  documentation for more information on this.

As of version 1.2, *Curve* has an improved AUC- $\text{\TeX}$  support. Most notably, the command `M-RET` will insert an `\entry*` macro within a `rubric` environment. Also, the `\makerubric` macro handling now removes both the file extension and the file flavor extension.

## 7 Changes

- v1.13 Support for title alignment, suggested by Lars Kasper  
Support for footnotes, suggested by Alain Coletta  
Let rubrics honor the current `\linewidth`  
Changed default value of `\subrubricbeforespace` to 20pt  
Fix some overfull boxes, reported by Nico Schlömer  
FAQ and documentation update
- v1.12 Support for Swedish thanks to Konrad Skeri Persson  
`<konrad@skeri.com>`  
New customizable length `\rubricafterspace` defining the space between each rubric  
Fix incompatibilities with the `multibbl` package.  
Honor bibliography titles (if) provided by `multibib` or `multibbl`  
New command `\today`  
FAQ update  
Fix implementation of `skipsamekey` option
- v1.11 New FAQ section in the documentation  
New command `\noentry` to manually enlarge too narrow rubrics  
Make `\pagebreak`, `\nopagebreak` and `\newpage` work in rubrics, suggested by Alexandre Duret-Lutz  
Fix spurious right margin spaces  
Fix usage of the bib counter, disable `skipsamekey` and the prefix in bibliographic entries
- v1.10 Support automatic skipping of identical keys, suggested by Akim Demaille  
Fix alignment problem with empty prefix, reported by Jonas Haulin
- v1.9 Fix incompatibilities with the `bibentry` package, reported by Joris Desmet  
Fix standard bibliography support (broken in v1.8)
- v1.8 Prevent page breaks after subrubric headings
- v1.7 Support for key horizontal alignment  
`\raggedleft` and `\raggedright` can now be used within individual entries  
Fix typo in Danish version of `\continuedname`
- v1.6 Support for rubric and subrubric titles horizontal alignment  
Support for standard L<sup>A</sup>T<sub>E</sub>X page style mechanism  
Support for `oneside` and `twoside` options  
Support for Portuguese thanks to Adiel Mittmann `<adiel@inf.ufsc.br>`  
Fix bug in `\bibliography`: protect against non existant files, reported by Andrew Comport  
Fix conflict with `hyperref` in some bibliography definitions
- v1.5 Support for Dutch thanks to Thomas Delaet  
`<Thomas.Delaet@student.kuleuven.ac.be>`  
Fix typo in rubric environment, reported by Torsten Liesk
- v1.4 Support for photo inclusion  
Support for headers horizontal scaling

Optional argument to `\makeheaders` for vertical alignment, suggested by Dan Luecking

v1.3 Support for Danish thanks to Kim Rud Bille <krbi01@control.auc.dk>

v1.2 Support for standard bibliography mechanism(s)

New macro `\entry*`

Improvements in AUC-TeX support

Support for German thanks to Harald Harders <h.harders@tu-bs.de>

Support for Spanish thanks to Agustín Martín <agusmba@terra.es>

v1.1 Support for Italian thanks to Riccardo Murri <murri@phc.unipi.it>

## 8 The Code

First, the class announcement and the initial requirements:

```
1 \NeedsTeXFormat{LaTeX2e}
2 \ProvidesClass{curve}[2007/07/18 v1.13
3           Curriculum Vitae class for LaTeX2e]
4
5 \RequirePackage{ltxttable}
6 \RequirePackage{calc}
7
```

The following macro tests strings equality. It avoids the hassle of this stupid TeX scheme that prevents simple conditionals imbrication.

```
8 \newif\ifstrok\strokfalse
9 \def\strtest#1#2{%
10   \def\@strone{#1}\def\@strtwo{#2}%
11   \ifstrok\else\ifx\@strone\@strtwo\stroktrue\fi\fi}
12
```

### 8.1 The Rubric File

We don't want to output an extra `subrubricbeforespace` if no entry is present before the subrubric. This is done by using an `\@beforespace` command which is set to `0pt` at the beginning of each rubric, and switched to the proper value when an entry is added.

The `@nextentry` command is used to implement `\entry*` while maintaining backward compatibility with `\entry` and `\subrubric`. A new entry or a subrubric might have to close the preceding entry if it was opened using the starred form.

```
13 \gdef\@nextentry{}
14
```

#### 8.1.1 Entries

`\keyfont`

```
15 \def\@keyfont{}
16 \newcommand\keyfont[1]{\gdef\@keyfont{#1}}
17
```

\keyalignment

```

18 \newcolumntype{k}{>{\@keyfont}l}
19 \newcommand\keyalignment[1]{%
20   \strokfalse\strtest{#1}{l}\strtest{#1}{r}\strtest{#1}{c}%
21   \ifstrok\else%
22     \ClassError{curve}{Invalid key alignment}{%
23       You have called \protect\keyalignment\space with an invalid value.%
24       \MessageBreak
25       Valid options include l, c, and r.\MessageBreak
26       Type X <return> to quit, fix the typo, and rerun LaTeX.}%
27   \fi
28   \newcolumntype{k}{>{\@keyfont}#1}
29 }
30

```

\prefix

```

31 \def\@prefix{\textbullet}
32 \newcommand\prefix[1]{\gdef\@prefix{#1}}
33

```

\entry As of version 1.10, *CurVe* can skip keys identical to the previous one, if the option `skipsamekey` is used.

```

34 \def\@maybekey#1{%
35   \def\@newkey{#1}%
36   \ifx\@previouskey\@newkey\gdef\@key{}\else%
37     \gdef\@key{#1}\gdef\@previouskey{#1}%
38   \fi}
39
40 \def\@alwayskey#1{%
41   \gdef\@key{#1}}
42
43 \let\@key\@alwayskey
44 \DeclareOption{skipsamekey}{\let\@key\@maybekey}
45
46 \newcommand\@entry[2][]{%
47   \gdef\@nextentry{\@key{#1}}%
48   \egroup% end of \noalign opened in \entry.
49   \@key&\@prefix&#2\\par}
50
51 \newcommand\@sentry[1][]{%
52   \gdef\@nextentry{\\par}\@key{#1}}%
53   \egroup% end of \noalign opened in \entry.
54   \@key&\@prefix&}
55
56 \newcommand\entry{%
57   \@nextentry
58   \noalign\bgroup\gdef\@beforespace{\subrubricbeforespace}%
59   \ifstar{\@sentry}{\@entry}}
60

```

\noentry This macro is a wrapper around \kill to manually adjust too narrow rubrics.

```

61 \newcommand\noentry[1]{\@nextentry
62   \noalign{\gdef\@nextentry{}}#1&&\kill}
63

```

## 8.1.2 Subrubrics

```

\subrubricfont
\subrubricbeforespace 64 \def\@subrubricfont{\Large\itshape}
\subrubricspace        65 \newcommand\subrubricfont[1]{\gdef\@subrubricfont{#1}}
                        66
                        67 \newlength\subrubricbeforespace
                        68 \setlength\subrubricbeforespace{20pt}
                        69
                        70 \newlength\subrubricspace
                        71 \setlength\subrubricspace{5pt}
                        72

\subrubricalignment    Note that \@subrubricmark is called outside the raisebox. That's because other-
\subrubric              wise, the mark would not go to the toplevel page vertical box, and TEX would not
                        notice it.
                        73 \let\@subrubricmark\@gobble
                        74
                        75 \def\@@subrubric#1{%
                        76   \rule{0bp}{\@beforespace}
                        77   {\@subrubricfont{#1}}
                        78   \@subrubricmark{#1}}
                        79

The normal intercolumn space between the prefix and the entry's content is re-
placed with an unbreakable space. This causes a problem (fixed in version 1.10)
with the [sub]rubric alignments cl and cc when the prefix is empty, because the
unbreakable space in question slightly shifts the entry's content to the right. If
we want a proper alignment, we then have to take this offset into account in the
cl and cc multicolumns, for both rubrics and subrubrics. The following macro
implements this:

80
81 \def\@clcccolsep{\hspace{\tabcolsep}\ifx\@prefix\empty~\fi}
82
83 \def\@subrubric@l#1{\multicolumn{3}{@{}l@{}}{\@subrubric{#1}}}
84 \def\@subrubric@c#1{\multicolumn{3}{@{}c@{}}{\@subrubric{#1}}}
85 \def\@subrubric@r#1{\multicolumn{3}{@{}r@{}}{\@subrubric{#1}}}
86 \def\@subrubric@cl#1{\multicolumn{2}{@{\@clcccolsep}l@{}}{\@subrubric{#1}}}
87 \def\@subrubric@cc#1{\multicolumn{2}{@{\@clcccolsep}c@{}}{\@subrubric{#1}}}
88
89 \let\@subrubric\@subrubric@cl
90
91 \newcommand\subrubricalignment[1]{%
92   \def\@curve@temp@a{\let\@subrubric}
93   \expandafter\@curve@temp@a\csname @subrubric@#1\endcsname
94   \@ifundefined{subrubric}{%
95     \ClassError{curve}{Invalid subrubric alignment}{%
96       You have called \protect\subrubricalignment\space with an invalid value.%
97       \MessageBreak
98       Valid options include l, c, r, cl and cc.\MessageBreak
99       Type X <return> to quit, fix the typo, and rerun LaTeX.}}
100 }
101
102 \newcommand\subrubric[1]{%

```

```

103 \nextentry
104 \noalign{\gdef\nextentry{}}%
105 \@subrubric{#1}\*[subrubric space]\par}
106

```

### 8.1.3 Rubrics

The `\almosttextwidth` length remains only for backward compatibility. It is not used anymore.

```

\rubricfont
\rubric space
107 \newlength{\almosttextwidth}
108 \AtBeginDocument{\setlength\almosttextwidth{\textwidth-\hfuzz}}
109
110 \def\@rubricfont{\Large\bfseries}
111 \newcommand\rubricfont[1]{\gdef\@rubricfont{#1}}
112
113 \newlength\rubric space
114 \setlength\rubric space{10pt}
115
\rubric alignment
116 \def\@rubrichead#1{\@rubricfont#1}
117
118 \def\@rubrichead@l#1{\multicolumn{3}{@{}l@{}}{\@rubrichead{#1}}}
119 \def\@rubrichead@c#1{\multicolumn{3}{@{}c@{}}{\@rubrichead{#1}}}
120 \def\@rubrichead@r#1{\multicolumn{3}{@{}r@{}}{\@rubrichead{#1}}}
121 \def\@rubrichead@cl#1{\multicolumn{2}{@{\@clccolsep}l@{}}{\@rubrichead{#1}}}
122 \def\@rubrichead@cc#1{\multicolumn{2}{@{\@clccolsep}c@{}}{\@rubrichead{#1}}}
123
124 \let\@rubrichead\@rubrichead@c
125
126 \newcommand\rubric alignment[1]{%
127   \def\@curve@temp@a{\let\@rubrichead}
128   \expandafter\@curve@temp@a\csname @rubrichead@#1\endcsname
129   \@ifundefined{rubrichead}{%
130     \ClassError{curve}{Invalid rubric alignment}{%
131       You have called \protect\rubric alignment\space with an invalid value.%
132       \MessageBreak
133       Valid options include l, c, r, cl and cc.\MessageBreak
134       Type X <return> to quit, fix the typo, and rerun LaTeX.}}
135 }
136
\rubric after space
137 \newlength\rubric after space
138 \setlength\rubric after space{0pt}
139

```

**rubric** Marking commands don't seem to work in longtable headings. So the rubric mark is issued just after it.

As of version 1.7, `\raggedleft` and `\raggedright` are redefined in order to work within individual entries. This redefinition simply consists in removing the `\\` definition since it's not available anyway, and also to remove the `\parskip` setting since it's `0pt` in the whole class.

```

140 \let\@rubricmark\@gobble

```



```

141
142 \newenvironment{rubric}[1]{%
143   %% \begin{rubric}
144   \def\raggedright{%
145     \@rightskip\@flushglue\rightskip\@rightskip\leftskip\z@skip}%
146   \def\raggedleft{%
147     \rightskip\z@skip\leftskip\@flushglue\parfillskip\z@skip}%
148   \gdef\@beforespace{0pt}%
149   \gdef\@nextentry{}%
150   \gdef\@previouskey{}%
151   \global\let\old@newpage\newpage%
152   \global\let\old@pagebreak\pagebreak%
153   \global\let\old@nopagebreak\nopagebreak
154   \begin{longtable}{@{}kl@{~}X@{}}
155     \@rubrichead{#1}\@*\[\rubricspace]
156     \endfirsthead
157     \@rubrichead{#1\@continuedname}\@*\[\rubricspace]
158     \endhead
159     \noalign{\@rubricmark{#1}%
160       \global\let\in@newpage\newpage%
161       \global\let\in@pagebreak\pagebreak%
162       \global\let\in@nopagebreak\nopagebreak%
163       \gdef\newpage{\@nextentry\noalign{\gdef\@nextentry{}\in@newpage}
164       \gdef\pagebreak{\@nextentry\noalign{\gdef\@nextentry{}\in@pagebreak}
165       \gdef\nopagebreak{\@nextentry\noalign{\gdef\@nextentry{}\in@nopagebreak}}}%
166     %% \end{rubric}
167     \@nextentry
168   \end{longtable}\par\vspace\rubricafterspace
169   \global\let\newpage\old@newpage%
170   \global\let\pagebreak\old@pagebreak%
171   \global\let\nopagebreak\old@nopagebreak}
172

```

\continuedname

```

173 \newcommand\continuedname[1]{\gdef\@continuedname{#1}}
174

```

## 8.2 The Skeleton File

### 8.2.1 Utilities

\today

```

175 \def\today{\ifcase\month\or
176   January\or February\or March\or April\or May\or June\or
177   July\or August\or September\or October\or November\or December\fi
178   \space\number\day, \number\year}
179

```

### 8.2.2 Headers

\headerscale

\headerspace

```

180 \def\header@scale{.5}
181 \newcommand\headerscale[1]{\gdef\header@scale{#1}}
182 \@onlypreamble\headerscale

```

```

183
184 \newlength\headerspace
185 \setlength\headerspace{10pt}
186
\leftheader If the user calls \makeheaders without specifying headers first, an error will be
\righthead generated. The same applies for the title (not the subtitle), but this is already
managed by LATEX itself.
187 \def\@leftheader{%
188 \ClassError{curve}{No \protect\leftheader\space given}{%
189 You have called \protect\makeheaders, %
190 but you didn't provide a left header.\MessageBreak
191 Type X <return> to quit, add a call to \protect\lefthead\space %
192 in the preamble of your CV,\MessageBreak
193 and rerun LaTeX.}}
194 \newcommand\leftheader[1]{\gdef\@leftheader{#1}}
195 \@onlypreamble\leftheader
196
197 \def\@righthead{%
198 \ClassError{curve}{No \protect\righthead\space given}{%
199 You have called \protect\makeheaders, %
200 but you didn't provide a right header.\MessageBreak
201 Type X <return> to quit, add a call to \protect\righthead\space %
202 in the preamble of your CV,\MessageBreak
203 and rerun LaTeX.}}
204 \newcommand\righthead[1]{\gdef\@righthead{#1}}
205 \@onlypreamble\righthead
206
\photoscale
\photosep 207 \def\photo@scale{.1}
\photo 208 \newcommand\photoscale[1]{\gdef\photo@scale{#1}}
209 \@onlypreamble\photoscale
210
211 \newlength\photosep
212 \setlength\photosep{10pt}
213
214 \newcommand\photo[2][1]{%
215 \RequirePackage{graphicx}
216 \strokfalse\strtest{#1}{l}\strtest{#1}{r}\strtest{#1}{c}%
217 \ifstrok\else\ClassError{curve}{Invalid argument to \protect\photo}{%
218 Argument 2 of \protect\photo must be 'l', 'r' or 'c'.}\fi
219 \def\tmp@cmd{\global\let\makeheaders@}
220 \expandafter\tmp@cmd\csname makeheaders@#1\endcsname
221 \gdef\photo@file{#2}}
222 \@onlypreamble\photo
223
\makeheaders These different versions of the photo inclusion command exist for proper alignment
of the picture itself with the left and right headers.
224 \newlength\photo@width
225
226 \def\includephoto@t{%
227 \raisebox{.7\baselineskip-\height}{%
228 \includegraphics[width=\photo@width]{\photo@file}}}

```

```

229
230 \def\includephoto@c{%
231   \raisebox{-.5\height}{%
232     \includegraphics[width=\photo@width]{\photo@file}}
233
234 \def\includephoto@b{\includegraphics[width=\photo@width]{\photo@file}}
235
    And here are the different versions of the \makeheaders command:
236 \newlength\leftheader@width
237 \newlength\rightheader@width
238
239 \def\makeheaders@l#1{%
240   \setlength\photo@width{\photo@scale\textwidth}
241   \setlength\leftheader@width{%
242     (\textwidth - \photo@width - \photosep) * \real{\header@scale}}
243   \setlength\rightheader@width{%
244     \textwidth - \photo@width - \photosep - \leftheader@width}
245   \parbox[#1]{\photo@width + \photosep}{\includephoto@hspace\photosep}%
246   \parbox[#1]{\leftheader@width}{\@leftheader}%
247   \parbox[#1]{\rightheader@width}{\raggedleft\@rightheader}}
248
249 \def\makeheaders@c#1{%
250   \setlength\photo@width{\photo@scale\textwidth}
251   \setlength\leftheader@width{(\textwidth - \photo@width) * \real{.5}}
252   \setlength\rightheader@width{\leftheader@width}
253   \parbox[#1]{\leftheader@width}{\@leftheader}%
254   \parbox[#1]{\photo@width}{\includephoto@}%
255   \parbox[#1]{\rightheader@width}{\raggedleft\@rightheader}}
256
257 \def\makeheaders@r#1{%
258   \setlength\photo@width{\photo@scale\textwidth}
259   \setlength\leftheader@width{%
260     (\textwidth - \photo@width - \photosep) * \real{\header@scale}}
261   \setlength\rightheader@width{%
262     \textwidth - \photo@width - \photosep - \leftheader@width}
263   \parbox[#1]{\leftheader@width}{\@leftheader}%
264   \parbox[#1]{\rightheader@width}{\raggedleft\@rightheader}%
265   \parbox[#1]{\photo@width + \photosep}{\hspace\photosep\includephoto@}}
266
267 \def\makeheaders@#1{%
268   \setlength\leftheader@width{\header@scale\textwidth}%
269   \setlength\rightheader@width{\textwidth - \leftheader@width}%
270   \parbox[#1]{\leftheader@width}{\@leftheader}%
271   \parbox[#1]{\rightheader@width}{\raggedleft\@rightheader}}
272
273 \newcommand\makeheaders[1][c]{%
274   \strokfalse\strtest{#1}{t}\strtest{#1}{b}\strtest{#1}{c}%
275   \ifstrok\else\ClassError{curve}{Invalid argument to \protect\makeheaders}{%
276     Argument of \protect\makeheaders must be 't', 'b' or 'c'.}\fi
277   \def\tmp@cmd{\global\let\includephoto@}
278   \expandafter\tmp@cmd\csname includephoto@#1\endcsname
279   \makeheaders@{#1}%
280   \par\vspace\headerspace}
281

```

### 8.2.3 Titles

```

\titelfont
\titlespace 282 \@onlypreamble\title
283
284 \def\titelfont{\Huge\bfseries}
285 \newcommand\titelfont[1]{\gdef\titelfont{#1}}
286 \@onlypreamble\titelfont
287
288 \newlength\titlespace
289 \setlength\titlespace{0pt}
290

\subtitle
\subtitelfont 291 \let\@subtitle\@undefined
292 \newcommand\subtitle[1]{\gdef\@subtitle{#1}}
293 \@onlypreamble\subtitle
294
295 \def\@subtitelfont{\huge\itshape}
296 \newcommand\subtitelfont[1]{\gdef\@subtitelfont{#1}}
297 \@onlypreamble\subtitelfont
298

\titlealignment
299 \def\@titlealignment@l{\raggedright}
300 \def\@titlealignment@c{\centering}
301 \def\@titlealignment@r{\raggedleft}
302
303 \let\@title@lignment\@titlealignment@c
304
305 \def\@titlealignment#1#2{%
306   \def\@curve@temp@a{\let\@title@lignment}
307   \expandafter\@curve@temp@a\csname @titlealignment@#2\endcsname
308   \@ifundefined{\@title@lignment}{%
309     \ClassError{curve}{Invalid title alignment}{%
310       You have called \expandafter\string\csname#1\endcsname\space%
311       with an invalid value.%
312       \MessageBreak
313       Valid options include l, c and r.\MessageBreak
314       Type X <return> to quit, fix the typo, and rerun LaTeX.}}
315 }
316
317 \newcommand\titlealignment[1]{\@titlealignment{\titlealignment}{#1}}
318

\maketitle
319 \def\@maketitle{%
320   \bgroup\trivlist\@title@lignment\item\relax
321   {\@titelfont\@title}
322   \ifx\@subtitle\@undefined\else\\ \@subtitelfont\@subtitle\fi
323   \endtrivlist\egroup
324   \vspace\titlespace}
325
326 \def\@maketitle[#1]{\@titlealignment{maketitle}{#1}\@maketitle}
327

```

```

328 \newcommand\maketitle{\@ifnextchar[%]
329   \@maketitle\@maketitle}
330

```

## 8.2.4 Rubric Inclusion

\flavor

```

331 \let\@flavor\empty
332 \newcommand\flavor[1]{\gdef\@flavor{#1}
333   \ifx\@flavor\empty\else\edef\@flavor{.\@flavor}\fi}
334
335 \DeclareOption{ask}{%
336   \typein[\@flavor]{Please specify a CV flavor (none by default):}
337   \ifx\@flavor\empty\else\edef\@flavor{.\@flavor}\fi}
338
   \input is redefined in order to deal with flavors and the ltx extension.
339 \def\@curveinput#1{%
340   \IfFileExists{#1\@flavor.ltx}{\@input{#1\@flavor.ltx}}{%
341     \IfFileExists{#1\@flavor.tex}{\@input{#1\@flavor.tex}}{%
342       \IfFileExists{#1.ltx}{\@input{#1.ltx}}{%
343         \IfFileExists{#1.tex}{\@input{#1.tex}}{%
344           \@input{#1}}}}}}
345
346 \renewcommand\input{\@ifnextchar\bgroup\@curveinput\@input}
347

```

\makerubric

```

348 \newcommand\makerubric[1]{\LTXtable{\linewidth}{#1}}
349

```

## 8.2.5 Bibliography

```

350 \let\newblock\par
351 \newcounter{bibcount}
352

```

\bibliography Define \bibliography to issue a \makerubric call on the bbl file. As of version 1.12, handle multibbl syntax if the package is loaded.

```

353 \AtBeginDocument{
354   \@ifpackageloaded{multibbl}{
355     %% multibbl version
356     \def\bibliography#1#2#3{%
357       \ifundefined{#1@auxfile}{\expandafter\immediate%
358 \write\csname #1@auxfile\endcsname{\string\bibdata{#2}}}%
359       \def\bibName{#3}%
360       \def\refname{#3}%
361       \IfFileExists{#1.bbl}{\makerubric{#1.bbl}}{%
362 \typeout{No file #1.bbl.}}
363     }{ %% standard version
364       \def\bibliography#1{%
365         \if@files
366 \immediate\write\@auxout{\string\bibdata{#1}}%
367         \fi
368         \IfFileExists{\jobname.bbl}{\makerubric{\jobname.bbl}}{%

```

```

369 \typeout{No file \jobname.bbl.}}
370 }
371 }
372
\bbitem Redefine \bbitem and its internal implementation to behave like \entry.
    Do this late to overwrite a possible hyperref redefinition back again (it is arguable whether we should preserve hyperref functionality or not, but the current answer is no).
    One exception: if bibentry is used, don't get in the way. It redefines its own bibliographic environment and stuff.
373 \AtBeginDocument{
374   \@ifpackageloaded{bibentry}{%{
375     \def\@lbibitem[#1]#2{\@sentry[\@biblabel{#1}]{%
376       \if@filesw{%
377 \let\protect\noexpand%
378 \immediate\write\@auxout{\string\bibcite{#2}{#1}}
379       \fi%
380       \ignorespaces}
381     \def\@bibitem#1{\stepcounter{bibcount}\@sentry[\@biblabel{\thebibcount}]{%
382       \if@filesw%
383 \immediate\write\@auxout{\string\bibcite{#1}{\thebibcount}}%
384       \fi%
385       \ignorespaces}
386     \renewcommand\bbitem{%
387       %% ### FIXME: Dirty code duplication from \entry
388       \@nextentry
389       \noalign\bgroup\gdef\@beforespace{\subrubricbeforespace}%
390       \@ifnextchar[%]
391       \@lbibitem\@bibitem}
392   }
393 }
394
\listpubname
395 \newcommand\listpubname[1]{\gdef\@listpubname{#1}}
396
thebibliography Note that bibentry overrides this definition.
397 \newenvironment{thebibliography}[1]{%
    Disable the skipsamekey mechanism and the prefix which would get in the way.
398   \let\@key\@alwayskey
399   \def\@prefix{}
    For compatibility with bibliographic packages such as multibib, the bibliography title is set (by order of priority) to either \bibname, \refname or \@listpubname.
400   \begin{rubric}{\@ifundefined{bibname}{%
401 \@ifundefined{refname}{\@listpubname}{\refname}}}%
402 \bibname}}
403   }{%
404   \end{rubric}
405 }
406


### 8.3 Language Processing


407 \DeclareOption{english}{%

```

```

408 \continuedname{~(continued)}
409 \listpubname{List of Publications}}
410 \DeclareOption{french}{%
411 \continuedname{~(suite)}
412 \listpubname{Liste des Publications}}
413 \DeclareOption{francais}{%
414 \ExecuteOptions{french}}
415 \DeclareOption{spanish}{%
416 \continuedname{~(contin\'ua)}
417 \listpubname{Lista de Publicaciones}}
418 \DeclareOption{portuges}{%
419 \continuedname{~(continua\c c\~ao)}
420 \listpubname{Publica\c c\~oes}}
421 \DeclareOption{portuguese}{%
422 \ExecuteOptions{portuges}}
423 \DeclareOption{brazil}{%
424 \ExecuteOptions{portuges}}
425 \DeclareOption{brazilian}{%
426 \ExecuteOptions{portuges}}
427 \DeclareOption{italian}{%
428 \continuedname{~(continua)}
429 \listpubname{Pubblicazioni}}
430 \DeclareOption{german}{%
431 \continuedname{~(fortgesetzt)}
432 \listpubname{Verzeichnis der Ver\"offentlichungen}}
433 \DeclareOption{ngerman}{%
434 \ExecuteOptions{german}}
435 \DeclareOption{dutch}{%
436 \continuedname{~(vervolg)}
437 \listpubname{Publicaties}}
438 \DeclareOption{danish}{%
439 \continuedname{~(fortsat)}
440 \listpubname{Udgivelser}}
441 \DeclareOption{swedish}{%
442 \continuedname{~(forts.)}
443 \listpubname{Publikationer}}
444
445

```

## 8.4 Standard Class Processing

```

446 \DeclareOption{a4paper}{
447 \setlength\paperheight{297mm}
448 \setlength\paperwidth{210mm}}
449 \DeclareOption{a5paper}{
450 \setlength\paperheight{210mm}
451 \setlength\paperwidth{148mm}}
452 \DeclareOption{b5paper}{
453 \setlength\paperheight{250mm}
454 \setlength\paperwidth{176mm}}
455 \DeclareOption{letterpaper}{
456 \setlength\paperheight{11in}
457 \setlength\paperwidth{8.5in}}
458 \DeclareOption{legalpaper}{
459 \setlength\paperheight{14in}

```

```

460 \setlength\paperwidth{8.5in}}
461 \DeclareOption{executivepaper}{
462 \setlength\paperheight{10.5in}
463 \setlength\paperwidth{7.25in}}
464 \DeclareOption{landscape}{
465 \setlength\@tempdima{\paperheight}
466 \setlength\paperheight{\paperwidth}
467 \setlength\paperwidth{\@tempdima}}
468
469 \DeclareOption{10pt}{\def\@ptsize{0}}
470 \DeclareOption{11pt}{\def\@ptsize{1}}
471 \DeclareOption{12pt}{\def\@ptsize{2}}
472
473 \DeclareOption{oneside}{\@twosidefalse\@mparswitchfalse}
474 \DeclareOption{twoside}{\@twosidetrue\@mparswitchtrue}
475
476 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
477 \DeclareOption{final}{%
478 \setlength\overfullrule{0pt}
479 \setlongtables}
480
481 \ExecuteOptions{english,letterpaper,10pt,oneside,final}
482 \ProcessOptions
483
484 \input{size1\@ptsize.clo}
485 \setlength\parindent{0pt}
486 \setlength\parskip{0pt}
487 \setlength\tabcolsep{10pt}
488 \setlength\arrayrulewidth{.4\p@}
489 \raggedbottom
490 \onecolumn
491 \pagestyle{empty}
492 \pagenumbering{arabic}
493
494 \newcommand\@makefnmark[1]{\noindent\hb@xt@1em{\hss\@makefnmark}#1}
495
496 \if@twoside
497 \def\ps@headings{%
498 \let\@oddfoot\@empty\let\@evenfoot\@empty
499 \def\@evenhead{\thepage\hfil\slshape\leftmark}%
500 \def\@oddhead{\slshape\rightmark\hfil\thepage}%
501 \let\@mkboth\markboth
502 \def\@rubricmark##1{\markboth{\MakeUppercase{##1}}{}}%
503 \def\@subrubricmark##1{\markright{##1}}%
504 }
505 \else
506 \def\ps@headings{%
507 \let\@oddfoot\@empty
508 \def\@oddhead{\slshape\rightmark\hfil\thepage}%
509 \let\@mkboth\markboth
510 \def\@rubricmark##1{\markright{\MakeUppercase{##1}}}%
511 }
512 \fi
513 \def\ps@myheadings{%

```



```

514 \let\@oddfoot\@empty\let\@evenfoot\@empty
515 \def\@evenhead{\thepage\hfil\slshape\leftmark}%
516 \def\@oddhead{\slshape\rightmark\hfil\thepage}%
517 \let\@mkboth\@gobbletwo
518 \let\@rubricmark\@gobble
519 \let\@subrubricmark\@gobble
520 }
521

```

Well, I think that's it. Enjoy using  $C_{\mathcal{U}}\mathcal{V}_\mathcal{E}$ !