Sample Document Using the datagidx Package

Nicola L. C. Talbot

February 3, 2014

Here's an acronym referenced using \acr: hyper-text markup language (html). And here it is again: html. If you're used to the glossaries package, note the difference in using \gls: hyper-text markup language (html). And again (no difference): hyper-text markup language (html).

Here are some more entries:

extensible markup language (xml) and cascading style sheet (css). Next use: xml and css. Full form: extensible markup language (xml) and cascading style sheet (css).

Reset again. Start with a capital. Hyper-text markup language (html). Next: Html. Full: Hyper-text markup language (html).

Prefer capitals? Extensible markup language (XML). Next: XML. Full: extensible markup language (XML).

Prefer small-caps? Cascading style sheet (CSS). Next: CSS. Full: cascading style sheet (CSS).

A set (denoted S) is a collection of objects. The universal set is the set of everything. The empty set contains no elements. The cardinality of a set (denoted |S|) is the number of elements in the set.

A glossary is a useful addition to any technical document, although a glossary can also simply be a collection of glosses, which is another thing entirely. Some documents have multiple glossaries. Entries in a glossary or index have an associated page list.

A bravo is a cry of approval (plural bravos) but a bravo can also be a hired ruffian or killer (plural bravoes).

Resetting all acronyms.

Here are the acronyms again:

Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).

Next use: HTML, XML and CSS.

Full form: Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).

Provide your own link text: style sheet.

1 Glossary

- **Bravo** 1) cry of approval (pl. bravos). 2) hired ruffian or killer (pl. bravoes).
- Glossary 1) list of technical words. 2) collection of glosses.
- **Index** an alphabetical list of names or subjects with references to their location in the document (pl. indices or indexes).

Page list a list of individual pages or page ranges (e.g. 1,2,4,7–9).

2 List of Acronyms

CSSCascading Style Sheet. 1, 2, 3HTMLHyper-text Markup Language. 1, 2XMLeXtensible Markup Language. 1, 2

Notation

\mathbf{Set}	${\mathcal S}$	A collection of distinct objects.	1
Universal set	\mathcal{U}	The set containing everything.	1
Empty set	Ø	The set with no elements.	1
Cardinality	$ \mathcal{S} $	The number of elements in the set \mathcal{S} .	1