

The `doclicense` package*

Robin Schneider
`ypid@riseup.net`

February 6, 2015

Abstract

The `doclicense` package can calculate the age in years.

Information site on CTAN: <https://www.ctan.org/pkg/doclicense>

Example on Stackexchange: <https://tex.stackexchange.com/a/226788/32320>

Fork me on GitHub: <https://github.com/ypid/latex-packages/tree/master/doclicense>

Contents

Abstract	1
1 Introduction	2
2 Usage	2
3 Macros	2
4 Contributing	3
5 Implementation	4
5.1 Declaring the options	4
5.2 Declare variables and macros	4
5.3 Macro user macros	5
5.4 Language selection	6
5.5 Internals	6

*This document corresponds to `doclicense` v0.8, dated 2015/02/06.

1 Introduction

Make it easy to set your documents under a certain license.

The `doclicense` package allows you to put your document under a license and include a link to read about the license or include an icon or image of the license. Currently, only Creative Commons is supported but this package is designed to handle all kinds of licenses. See [Contributing](#).

2 Usage

Just load the package placing

```
\usepackage{doclicense}
```

in the preamble of your `LATEX 2 ϵ` source file. This will select the default license which is [CC by-sa 3.0](#), currently. Please always set your license explicitly as package options like so:

```
\usepackage[  
    type={CC},  
    modifier={by-sa},  
    version={3.0},  
]{doclicense}
```

This will explicitly set the license to [CC by-sa 3.0](#).

<code>type</code>	The first parameter is “ <i>type</i> ”. This sets the license type. Like in this example, the type can be “CC” to cover all the Creative Commons licenses.
<code>modifier</code>	The next parameter is “ <i>modifier</i> ” which allows to select different subclasses of a license. In this example it is “by-sa”.
<code>version</code>	As there can be more than one version of a license, the version can also be set.
<code>lang</code>	This package can output some texts like the long license name. Because of this, there needs to be a way to specify the language to use. If this parameter is omitted, then this package will default to <code>\languagename</code> which is normally set by packages like <code>babel</code> or <code>polyglossia</code> . Currently only English and German are supported.
<code>imagewidth</code>	Default image width for the license image.

3 Macros

<code>\doclicenseType</code>	Expands to the type as set in the package options. For this document this macro expands to: “CC”
<code>\doclicenseLongType</code>	Same as <code>\doclicenseType</code> expect that it expands to the long license type. For this document, it looks like this: “Creative Commons”
<code>\doclicenseModifier</code>	Expands to the modifier as set in the package options. For this document this macro expands to: “BY-SA”

\doclicenseVersion	Expands to the version as set in the package options. For this document this macro expands to: “3.0”
\doclicenseName	Expands to the short name of the license. For this document this macro expands to: “CC by-sa 3.0”
\doclicenseLongName	Expands to the long name of the license. For this document this macro expands to: “Creative Commons Attribution-ShareAlike 3.0 Unported”
\doclicenseNameRef	Same as \doclicenseName expect that it links to the URL of the license. For this document, it looks like this: “ CC by-sa 3.0 ”
\doclicenseLongNameRef	Same as \doclicenseLongName expect that it links to the URL of the license. For this document, it looks like this: “ Creative Commons Attribution-ShareAlike 3.0 Unported ”
\doclicenseURL	Expands to the official URL about the license. Note that it expands to the raw URL string without the use of \href or similar. If you want the link to be clickable then you can use \href or \url from the hyperref package. For this document the macro expands to: “ https://creativecommons.org/licenses/by-sa/3.0 ”
\doclicenseText	Expands to a localized text which states that this document is licensed under the license. For this document this macro expands to: “This work is licensed under a ‘CC by-sa 3.0’ license.”
\doclicenseIcon	Expands to a icon of the license. For this document this macro expands to: “  ”. This macro is based on the ccicons package.
\doclicenseImage	This is kind of similar with \doclicenseIcon but it will typeset an bigger pictogram of the license. For this document this macro expands to:
	
	Note that you can change the image size with the [<i>imagewidth</i>] parameter like this: “  ”
\doclicenseLicense	The images are bundled with the doclicense package. And last but not least there is the \doclicenseLicense macro which will typeset the \doclicenseText next to the \doclicenseImage in a “minipage” environment. This will look like the following.

This work is licensed under a [Creative Commons Attribution-ShareAlike 3.0 Unported](#) license.



4 Contributing

This package is being developed on GitHub: <https://github.com/ypid/latex-packages/tree/master/doclicense>. When you want to modify the .sty file, make sure that you make your changes in the .dtx file instead, as the .sty file is automatically generated.

5 Implementation

This package depends on these packages.

```
1
2 %% Dependencies {{{
3 \RequirePackage{kvoptions}
4 \RequirePackage{xifthen}
5 \RequirePackage{etoolbox} %% \ifcsdef
6 \RequirePackage{xspace}
7 \AtEndPreamble{%
8   \@ifpackageloaded{csquotes}{}{\RequirePackage{csquotes}}
9   \@ifpackageloaded{ccicons}{}{\RequirePackage{ccicons}}
10   %% For \doclicenseIcon
11   \@ifpackageloaded{graphicx}{}{\RequirePackage{graphicx}}
12   %% For \doclicenseImage
13   \@ifpackageloaded{hyperref}{}{\RequirePackage{hyperref}}
14 }
15 %% }}}
16
```

5.1 Declaring the options

```
17 %% Parameters {{{
18 \DeclareStringOption[CC]{type}
19 \DeclareStringOption[by-sa]{modifier}
20 \DeclareStringOption{version}
21 \DeclareStringOption{lang}
22 \DeclareStringOption[10em]{imageWidth}
23 %% }}}
24
```

To test if all parameters are valid the macro `\ProcessLocalKeyvalOptions*` is expanded to ensure this before leaving the preamble. This is the only purpose for the `\ProcessLocalKeyvalOptions*` macro in this case.

```
25 \ProcessLocalKeyvalOptions*
```

5.2 Declare variables and macros

```
26 %% Declare variables {{{
27 \newcommand{\doclicense@baseUrlCC}{https://creativecommons.org}
28 \newcommand{\doclicense@versionFallback}{}
29 \newcommand{\doclicense@versionUsed}{}
30 \newboolean{\doclicense@licenseKnown}
31 \newlength{\doclicense@hspace}
32 \newcommand{\doclicense@longName}{%
33   \csname doclicense@lang@lic@\doclicense@type @\doclicense@modifier @\doclicense@versionUsed\endcsname
34 }
35 \newcommand{\doclicense@icon}{%
36   \PackageError{\doclicense}{Icon not defined}
37   {Please check the documentation of doclicense to see what you can do about it.}%
38 }
```

```
39 %% }}}
```

```
40
```

5.3 Macro user macros

```
41 %% User macros {{{
42 \newcommand{\doclicenseType}{\doclicense@type\xspace}
43 \newcommand{\doclicenseLongType}{}
44 \newcommand{\doclicenseModifier}{\MakeUppercase{\doclicense@modifier}\xspace}
45 \newcommand{\doclicenseVersion}{\doclicense@versionUsed\xspace}
46 \newcommand{\doclicenseName}{\doclicense@type~\doclicense@modifier~\doclicense@versionUsed\xspace}
47 \newcommand{\doclicenseNameRef}{\href{\doclicenseURL}{\doclicenseName}\xspace}
48 \newcommand{\doclicenseLongName}{\doclicenseLongType\xspace\doclicense@longName\xspace}
49 \newcommand{\doclicenseLongNameRef}{\href{\doclicenseURL}{\doclicenseLongName}}
50 \newcommand{\doclicenseText}{%
51   \doclicense@lang@thisDoc\xspace
52   \href{\doclicenseURL}{\enquote{\doclicenseName}} \doclicense@lang@word@license.\xspace
53 }
54 \newcommand{\doclicenseLongText}{%
55   \doclicense@lang@thisDoc\xspace
56   \href{\doclicenseURL}{\doclicenseLongType\xspace\enquote{\doclicense@longName}}
57   \doclicense@lang@word@license.\xspace
58 }
59 \newcommand{\doclicenseIcon}{\doclicense@icon\xspace}
60 \newcommand{\doclicenseImage}[1][]{%
61   \setkeys{doclicense}{#1}
62   \href{\doclicenseURL}{%
63     \includegraphics[width=\doclicense@imageWidth]%
64     {\doclicense@type-\doclicense@modifier}%
65   }
66 }
67
68 \newcommand{\doclicenseLicense}{%
69   \setlength{\doclicense@hsize}{\textwidth-\doclicense@imageWidth-2em}
70   \ifthenelse{\lengthtest{\hsize > \vsize}}{%
71     \setlength{\doclicense@hsize}{\doclicense@hsize-10em}
72   }{%
73     \begin{center}
74       \begin{minipage}{\doclicense@hsize}
75         \doclicenseLongText%
76       \end{minipage}
77       \hfill
78       \begin{minipage}{\doclicense@imageWidth}
79         \doclicenseImage%
80       \end{minipage}
81     \end{center}
82 }
83 %% }}}
```

5.4 Language selection

The following lines include the ldf files. All language dependent things should be stored there or can be changed there. Note that one could redefine macros like \doclicenseLongText if necessary.

```
85 %% Language support {{{
86 \ifthenelse{\equal{\doclicense@lang}{}}{%
87   \renewcommand{\doclicense@lang}{\languagename}{}{%
88   \IfFileExists{doclicense-\doclicense@lang.ldf}{%
89     \input{doclicense-\doclicense@lang.ldf}%
90   }{%
91     \PackageWarning{doclicense}{No language definition for \doclicense@lang not found. Please add}%
92     \renewcommand{\doclicense@lang}{english}%
93     \input{doclicense-\doclicense@lang.ldf}%
94   }%
95   \PackageWarning{doclicense}{Language definition for \doclicense@lang set to english}%
96 %% }}}%
97
```

5.5 Internals

```
98 %% Set license {{{
99 \newcommand{\doclicense@setVersion}[1] []{%
100 \ifthenelse{\equal{\#1}{}}{%
101   \renewcommand{\doclicense@versionFallback}{\#1}%
102 }%
103 \ifthenelse{\equal{\doclicense@version}{}}{%
104   \renewcommand{\doclicense@versionUsed}{\doclicense@versionFallback}%
105 }%
106   \renewcommand{\doclicense@versionUsed}{\doclicense@version}%
107 }%
108 }%
109 \newcommand{\doclicense@set}{%
110 %% CC {{{
111 \ifthenelse{\equal{\doclicense@type}{CC}}{%
112   \renewcommand{\doclicenseLongType}{Creative Commons\xspace}%
113   \ifthenelse{\equal{\doclicense@lang@lic@CC@code}{}}{%
114     \edef\doclicense@UrlLangPart{}%
115   }%
116 }%
117   \edef\doclicense@UrlLangPart{/doclicense@lang@lic@CC@code}%
118 }%
119 \doclicense@setVersion[3.0]%
120 \edef\doclicenseURL{%
121   \doclicense@baseUrlCC/%
122   licenses/%
123   \doclicense@modifier/%
124   \doclicense@versionUsed\doclicense@UrlLangPart}%
125 \ifthenelse{\equal{\doclicense@modifier}{by-sa}}{%
```

```

126      {\renewcommand{\doclicense@icon}{\ccbysa}{}}
127      \ifthenelse{\equal{\doclicense@modifier}{by-nd}}
128          {\renewcommand{\doclicense@icon}{\ccbynd}{}}
129      \ifthenelse{\equal{\doclicense@modifier}{by-nc}}
130          {\renewcommand{\doclicense@icon}{\ccbync}{}}
131      \ifthenelse{\equal{\doclicense@modifier}{by-nc-sa}}
132          {\renewcommand{\doclicense@icon}{\ccbync}{}}
133      \ifthenelse{\equal{\doclicense@modifier}{by-nc-nd}}
134          {\renewcommand{\doclicense@icon}{\ccbync}{}}
135      \ifthenelse{\equal{\doclicense@modifier}{zero}}{%
136          \renewcommand{\doclicense@icon}{\cczero}
137          \doclicense@setVersion[1.0]
138          \edef\doclicenseURL{%
139              \doclicense@baseUrlCC/%
140              publicdomain/%
141              \doclicense@modifier/%
142              \doclicense@versionUsed\doclicense@UrlLangPart}
143      }{%
144      \ifthenelse{\equal{\doclicense@modifier}{pd}}{%
145          \renewcommand{\doclicense@icon}{\ccpd}
146          \doclicense@setVersion[1.0]
147          \edef\doclicenseURL{%
148              \doclicense@baseUrlCC/%
149              licenses/publicdomain/%
150              \doclicense@versionUsed\doclicense@UrlLangPart}
151      }{%
152          \ifcsdef{doclicense@lang@lic@\doclicense@type}%
153              @\doclicense@modifier @\doclicense@versionUsed}{%{%
154              \PackageError{doclicense}{License long name not defined}%
155                  {Please check the documentation of doclicense to see what you can do about it.}%
156          }{%
157              \setboolean{doclicense@licenseKnown}{true}
158          }{%
159      }{%
160          \ifthenelse{\not\boolean{doclicense@licenseKnown}}{%
161              \PackageError{doclicense}{License unknown}%
162                  {Please check the documentation of doclicense to see what you can do about it.}%
163          }{%
164      }{%
165  }{%
166 }{%
167 }{%
168 }{%
169 \doclicense@set%
That's it.
170 \endinput

```

Change History

0.7	General: Initial version	1	zero and CC-pd and small im-
0.8	General: Added support for CC-		provements 1

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols	\doclicense@lang@word@lic@co	\doclicenseLongText
\@ifpackageloading	52, 57	54, 75
8, 9, 11, 13	\doclicense@longName	\doclicenseLongType
\AtEndPreamble	32, 48, 56	2, 43, 48, 56, 112
A	\doclicense@modifier	\doclicenseModifier
\ccbync	33, 44, 46, 64,	2, 44
\ccbynd	123, 125, 127,	\doclicenseName
\ccbysa	129, 131, 133,	3, 46, 47, 52
\ccpd	135, 141, 144, 154	\doclicenseNameRef
\cczero	145	3, 47, 49, 52
\csname	109, 169	56, 62, 120, 138, 147
\endcsname	\doclicense@setVersion	\doclicenseVersion
\endcsname	99, 119, 137, 146	3, 45
\endcsname	\doclicense@type	
\endcsname	33, 42, 46, 64, 111, 153	
\endcsname	\doclicense@UrlLangPart	
D	115, 117, 124, 142, 150	
\doclicense@baseUrlCC	\doclicense@version	E
.	27, 121, 139, 148	\endcsname 33
\doclicense@hsize	\doclicense@versionFallback	\enquote 52, 56
.	103, 106	H
\doclicense@icon	\doclicense@versionUsed	\hfill 77
.	28, 101, 104	\href 47, 49, 52, 56, 62
\doclicense@imageWidth	\doclicenseIcon	\hspace 70
.	35, 59, 126, 128, 130, 132, 134, 136, 145	I
\doclicense@lang	29, 33, 45, 46, 104, 106, 124, 142, 150, 154	\ifcsdef 5, 153
.	\doclicenseImage	\IfExists 88
\doclicense@lang@thisDoc	3, 12, 60, 79	\includegraphics 63
.	\doclicenseLicense	\input 89, 93
\doclicense@lang@lic@CC@co	\doclicenseLongName	L
.	3, 48, 49	\language 87
.	\doclicenseLongNameRef	\lengthtest 70
.	3, 49	

M	S	V
\MakeUppercase 44	\setboolean 160	\vsize 70
N	\setkeys 61	
\newboolean 30	\setlength 69, 71	
\newlength 31	\space ... 48, 51, 55, 56	
		X
P	T	\xspace 42,
\PackageError		44, 45, 46, 47,
.... 36, 156, 163	\textwidth 69	48, 52, 57, 59, 112