

Using Lua^AT_EX to typeset RTL text with eledpar

Abstract

This file provides an example on how to use eledpar and Lua^AT_EX to typeset a right to left text with its translation on the facing page¹.

As you can see, the switch to RTL convention is made *before* the **pstart**. It must be also called inside **\eledsection**.

For an example with X_Y^AT_EX, look at parallel-column-two-languages.tex file.

¹The text was provided by Latechneuse on <http://tex.stackexchange.com/q/227837/7712>.

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

English headline
Some english text.