# Sectioning commands with critical notes in parallel pages

October 5, 2015

This file provides examples for using the sectioning command with eledpar. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in parallel pages. Following the standard behavior of eledpar, only the left titles are put to the table of contents.

We use the \eledxxx commands, each of them in their own \pstart...\pend group.

Page breaks are manually added before chapter with  $\begin{tabular}{l} beforeeled chapter. \end{tabular}$ 

# **Contents**

1	Left	chapter	6			
	1.1	Left section	6			
		1.1.1 Left subsection	6			
	1.2	Left section	6			
	1.3	Left section	8			
		1.3.1 Left subsection	8			
	1.4	Left section	8			
2	Left chapter 10					
	2.1	Left section	10			
		2.1.1 Left subsection	10			
	2.2	Left section	10			
	2.3	Left section	12			
		2.3.1 Left subsection	12			
	2.4	Left section	12			

4 CONTENTS

CONTENTS 5

### Left chapter

- I use git to manage some packages. I would like to add a pre-commit hook,
- to check if I have forgotten For now, I have a minimal pre-commit, which tests
- 4 only the blank spaces at ends of lines, but not the forgotten.

### 5 1.1 Left section

### 6 1.1.1 Left subsection

### 7 Left subsubsection

- I use git to manage some packages. I would like to add a pre-commit hook,
- 9 to check if I have forgotten For now, I have a minimal pre-commit, which tests
- only the blank spaces at ends of lines, but not the forgotten.

### 11 1.2 Left section

- I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests
  - 1 chapter] chapitre
  - 6 subsection] sous-section
  - 7 subsubsection] sous-sous-section

# Right chapter

1R

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

3R 4R

#### Right section 1.1

5R

#### **Right subsection** 1.1.1

6R

### Right subsubsection

7R

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

#### Right section 1.2

11R

I use git to manage some packages. I would like to add a pre-commit hook, 12R to check if I have forgotten For now, I have a minimal pre-commit, which tests

<sup>1</sup> chapter ] chapitre

<sup>6</sup> subsection] sous-section

<sup>7</sup> subsubsection ] sous-sous-section

only the blank spaces at ends of lines, but not the forgotten.

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

### 1.3 Left section

### 19 1.3.1 Left subsection

### 20 Left subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

### 24 1.4 Left section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

<sup>19</sup> subsection] sous-section

<sup>20</sup> subsubsection] sous-sous-section

1.4. LEFT SECTION

only the blank spaces at ends of lines, but not the forgotten.  I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.		
1.3 Right section	18I	
1.3.1 Right subsection	19I	
Right subsubsection		
I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.	21I 22I 23I	
1.4 Right section	24I	
I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.	25I 26I 27I	

27R

<sup>19</sup> subsection] sous-section

<sup>20</sup> subsubsection] sous-sous-section

### Left chapter

- I use git to manage some packages. I would like to add a pre-commit hook,
- 3 to check if I have forgotten For now, I have a minimal pre-commit, which tests
- 4 only the blank spaces at ends of lines, but not the forgotten.

### 5 2.1 Left section

### 6 2.1.1 Left subsection

### 7 Left subsubsection

- I use git to manage some packages. I would like to add a pre-commit hook,
- 9 to check if I have forgotten For now, I have a minimal pre-commit, which tests
- only the blank spaces at ends of lines, but not the forgotten.

### 1 2.2 Left section

- I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests
  - 1 chapter] chapitre
  - 6 subsection] sous-section
  - 7 subsubsection] sous-sous-section

# Right chapter

1R

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

#### Right section 2.1

5R

3R

4R

#### **Right subsection** 2.1.1

6R

### Right subsubsection

7R

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

#### 2.2 Right section

11R

I use git to manage some packages. I would like to add a pre-commit hook, 12R to check if I have forgotten For now, I have a minimal pre-commit, which tests

<sup>1</sup> chapter ] chapitre

<sup>6</sup> subsection] sous-section

<sup>7</sup> subsubsection ] sous-sous-section

only the blank spaces at ends of lines, but not the forgotten.

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

### 18 2.3 Left section

### 9 2.3.1 Left subsection

### 20 Left subsubsection

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

### 24 2.4 Left section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

<sup>19</sup> subsection] sous-section

<sup>20</sup> subsubsection] sous-sous-section

2.4. LEFT SECTION 13

only the blank spaces at ends of lines, but not the forgotten.  I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.		
2.3 Right section	18I	
2.3.1 Right subsection	19 <b>l</b>	
Right subsubsection		
I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.	21l 22l 23l	
2.4 Right section	24I	
I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.	25I 26I 27I	

27R

<sup>19</sup> subsection] sous-section

<sup>20</sup> subsubsection] sous-sous-section