# Sectioning commands with critical notes in parallel pages

October 14, 2015

This file provides examples for using the sectioning command with eledpar. The section titles are in the line numbering, and have critical notes.

The left and right sides are put in parallel pages. Following the standard behavior of eledpar, only the left titles are put to the table of contents.

We use the `\eledxxx` commands, each of them in their own `\pstart...\pend` group.

Page breaks are manually added before chapter with `\beforeeledchapter`.

# Contents

# Chapter 1

# Left chapter

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 1.1   Left section

### 1.1.1   Left subsection

**Left subsubsection**

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 1.2   Left section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests

---

1 chapter ] chapitre
6 subsection ] sous-section
7 subsubsection ] sous-sous-section

# Chapter 1

# Right chapter

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 1.1 Right section

### 1.1.1 Right subsection

**Right subsubsection**

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 1.2 Right section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests

---

1 chapter ] chapitre
6 subsection ] sous-section
7 subsubsection ] sous-sous-section

14    only the blank spaces at ends of lines, but not the forgotten.

15        I use git to manage some packages. I would like to add a pre-commit hook,

16    to check if I have forgotten For now, I have a minimal pre-commit, which tests

17    only the blank spaces at ends of lines, but not the forgotten.

## 1.3    Left section

### 1.3.1    Left subsection

**Left subsubsection**

21        I use git to manage some packages. I would like to add a pre-commit hook,

22    to check if I have forgotten For now, I have a minimal pre-commit, which tests

23    only the blank spaces at ends of lines, but not the forgotten.

## 1.4    Left section

25        I use git to manage some packages. I would like to add a pre-commit hook,

26    to check if I have forgotten For now, I have a minimal pre-commit, which tests

27    only the blank spaces at ends of lines, but not the forgotten.

---

19  subsection ] sous-section
20  subsubsection ] sous-sous-section

only the blank spaces at ends of lines, but not the forgotten. 14R

I use git to manage some packages. I would like to add a pre-commit hook, 15R
to check if I have forgotten For now, I have a minimal pre-commit, which tests 16R
only the blank spaces at ends of lines, but not the forgotten. 17R

## 1.3 Right section 18R

### 1.3.1 Right subsection 19R

#### Right subsubsection 20R

I use git to manage some packages. I would like to add a pre-commit hook, 21R
to check if I have forgotten For now, I have a minimal pre-commit, which tests 22R
only the blank spaces at ends of lines, but not the forgotten. 23R

## 1.4 Right section 24R

I use git to manage some packages. I would like to add a pre-commit hook, 25R
to check if I have forgotten For now, I have a minimal pre-commit, which tests 26R
only the blank spaces at ends of lines, but not the forgotten. 27R

---

19 subsection⟧ sous-section
20 subsubsection⟧ sous-sous-section

# Chapter 2

# Left chapter

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 2.1 Left section

### 2.1.1 Left subsection

**Left subsubsection**

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 2.2 Left section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests

---

1 chapter ] chapitre
6 subsection ] sous-section
7 subsubsection ] sous-sous-section

# Chapter 2

# Right chapter

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 2.1    Right section

### 2.1.1    Right subsection

**Right subsubsection**

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests only the blank spaces at ends of lines, but not the forgotten.

## 2.2    Right section

I use git to manage some packages. I would like to add a pre-commit hook, to check if I have forgotten For now, I have a minimal pre-commit, which tests

---

1 chapter ] chapitre
6 subsection ] sous-section
7 subsubsection ] sous-sous-section

14   only the blank spaces at ends of lines, but not the forgotten.
15      I use git to manage some packages. I would like to add a pre-commit hook,
16   to check if I have forgotten For now, I have a minimal pre-commit, which tests
17   only the blank spaces at ends of lines, but not the forgotten.

## 2.3   Left section

### 2.3.1   Left subsection

**Left subsubsection**

21      I use git to manage some packages. I would like to add a pre-commit hook,
22   to check if I have forgotten For now, I have a minimal pre-commit, which tests
23   only the blank spaces at ends of lines, but not the forgotten.

## 2.4   Left section

25      I use git to manage some packages. I would like to add a pre-commit hook,
26   to check if I have forgotten For now, I have a minimal pre-commit, which tests
27   only the blank spaces at ends of lines, but not the forgotten.

---

19  subsection ] sous-section
20  subsubsection ] sous-sous-section

only the blank spaces at ends of lines, but not the forgotten. 14R

I use git to manage some packages. I would like to add a pre-commit hook, 15R
to check if I have forgotten For now, I have a minimal pre-commit, which tests 16R
only the blank spaces at ends of lines, but not the forgotten. 17R

## 2.3 Right section 18R

### 2.3.1 Right subsection 19R

**Right subsubsection** 20R

I use git to manage some packages. I would like to add a pre-commit hook, 21R
to check if I have forgotten For now, I have a minimal pre-commit, which tests 22R
only the blank spaces at ends of lines, but not the forgotten. 23R

## 2.4 Right section 24R

I use git to manage some packages. I would like to add a pre-commit hook, 25R
to check if I have forgotten For now, I have a minimal pre-commit, which tests 26R
only the blank spaces at ends of lines, but not the forgotten. 27R

---

19  subsection ] sous-section
20  subsubsection ] sous-sous-section